Shangha Pan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9760162/publications.pdf

Version: 2024-02-01

29 1,380 21 29 g-index

29 29 29 2580

times ranked

citing authors

docs citations

all docs

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | MicroRNA-363-3p/sphingosine-1-phosphate receptor 1 axis inhibits sepsis-induced acute lung injury via the inactivation of nuclear factor kappa-B ligand signaling. Experimental Animals, 2022, 71, 305-315. | 1.1 | 1 |
| 2 | The PGC1 \hat{l} ±/NRF1-MPC1 axis suppresses tumor progression and enhances the sensitivity to sorafenib/doxorubicin treatment in hepatocellular carcinoma. Free Radical Biology and Medicine, 2021, 163, 141-152. | 2.9 | 23 |
| 3 | PGC-1α Protects against Hepatic Ischemia Reperfusion Injury by Activating PPARα and PPARγ and Regulating ROS Production. Oxidative Medicine and Cellular Longevity, 2021, 2021, 1-19. | 4.0 | 7 |
| 4 | Integrative Analysis of the Roles of IncRNAs and mRNAs in Itaconate-Mediated Protection Against Liver Ischemia-Reperfusion Injury in Mice. Journal of Inflammation Research, 2021, Volume 14, 4519-4536. | 3.5 | 5 |
| 5 | Lnc-PFAR facilitates autophagy and exacerbates pancreatic fibrosis by reducing pre-miR-141 maturation in chronic pancreatitis. Cell Death and Disease, 2021, 12, 996. | 6.3 | 16 |
| 6 | ABCA8 is regulated by miR-374b-5p and inhibits proliferation and metastasis of hepatocellular carcinoma through the ERK/ZEB1 pathway. Journal of Experimental and Clinical Cancer Research, 2020, 39, 90. | 8.6 | 31 |
| 7 | KIFC1 regulated by miR-532-3p promotes epithelial-to-mesenchymal transition and metastasis of hepatocellular carcinoma via gankyrin/AKT signaling. Oncogene, 2019, 38, 406-420. | 5.9 | 71 |
| 8 | NCAPG2 overexpression promotes hepatocellular carcinoma proliferation and metastasis through activating the STAT3 and NF-κB/miR-188-3p pathways. EBioMedicine, 2019, 44, 237-249. | 6.1 | 43 |
| 9 | A Novel Oxoglutarate Dehydrogenase-Like Mediated miR-214/TWIST1 Negative Feedback Loop Inhibits Pancreatic Cancer Growth and Metastasis. Clinical Cancer Research, 2019, 25, 5407-5421. | 7.0 | 19 |
| 10 | Upregulation of cystatin SN promotes hepatocellular carcinoma progression and predicts a poor prognosis. Journal of Cellular Physiology, 2019, 234, 22623-22634. | 4.1 | 20 |
| 11 | miR-215 suppresses papillary thyroid cancer proliferation, migration, and invasion through the AKT/GSK-3β/Snail signaling by targeting ARFGEF1. Cell Death and Disease, 2019, 10, 195. | 6.3 | 41 |
| 12 | STK17B promotes carcinogenesis and metastasis via AKT/GSK-3 \hat{I}^2 /Snail signaling in hepatocellular carcinoma. Cell Death and Disease, 2018, 9, 236. | 6.3 | 50 |
| 13 | PGC1α promotes cholangiocarcinoma metastasis by upregulating PDHA1 and MPC1 expression to reverse the Warburg effect. Cell Death and Disease, 2018, 9, 466. | 6.3 | 47 |
| 14 | Tetraspanin 1 promotes epithelial-to-mesenchymal transition and metastasis of cholangiocarcinoma via PI3K/AKT signaling. Journal of Experimental and Clinical Cancer Research, 2018, 37, 300. | 8.6 | 43 |
| 15 | Long non-coding RNA NEAT1-modulated abnormal lipolysis via ATGL drives hepatocellular carcinoma proliferation. Molecular Cancer, 2018, 17, 90. | 19.2 | 148 |
| 16 | Deregulated AJAP1 \hat{l}^2 -catenin/ZEB1 signaling promotes hepatocellular carcinoma carcinogenesis and metastasis. Cell Death and Disease, 2017, 8, e2736-e2736. | 6.3 | 29 |
| 17 | (â^')-Oleocanthal inhibits growth and metastasis by blocking activation of STAT3 in human hepatocellular carcinoma. Oncotarget, 2016, 7, 43475-43491. | 1.8 | 60 |
| 18 | FCN2 inhibits epithelial–mesenchymal transition-induced metastasis of hepatocellular carcinoma via TGF-β/Smad signaling. Cancer Letters, 2016, 378, 80-86. | 7.2 | 64 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Nâ€myc downstreamâ€regulated gene 2 inhibits human cholangiocarcinoma progression and is regulated by leukemia inhibitory factor/MicroRNAâ€181c negative feedback pathway. Hepatology, 2016, 64, 1606-1622. | 7.3 | 42 |
| 20 | Overexpression of ZNF703 facilitates tumorigenesis and predicts unfavorable prognosis in patients with cholangiocarcinoma. Oncotarget, 2016, 7, 76108-76117. | 1.8 | 13 |
| 21 | A preliminary study of ALPPS procedure in a rat model. Scientific Reports, 2015, 5, 17567. | 3.3 | 39 |
| 22 | YAP is a critical oncogene in human cholangiocarcinoma. Oncotarget, 2015, 6, 17206-17220. | 1.8 | 119 |
| 23 | Thymoquinone induces G2/M arrest, inactivates PI3K/Akt and nuclear factor-ÎB pathways in human cholangiocarcinomas both in vitro and in vivo. Oncology Reports, 2014, 31, 2063-2070. | 2.6 | 64 |
| 24 | The iron chelator Dp44mT inhibits hepatocellular carcinoma metastasis via N-Myc downstream-regulated gene 2 (NDRG2)/gp130/STAT3 pathway. Oncotarget, 2014, 5, 8478-8491. | 1.8 | 66 |
| 25 | Protective effects of hydroxytyrosol on liver ischemia/reperfusion injury in mice. Molecular Nutrition and Food Research, 2013, 57, 1218-1227. | 3.3 | 48 |
| 26 | The role of AKT1 and autophagy in the protective effect of hydrogen sulphide against hepatic ischemia/reperfusion injury in mice. Autophagy, 2012, 8, 954-962. | 9.1 | 90 |
| 27 | Genistein potentiates the effect of arsenic trioxide against human hepatocellular carcinoma: Role of Akt and nuclear factor-ÎB. Cancer Letters, 2011, 301, 75-84. | 7.2 | 99 |
| 28 | Overexpression of von Hippel–Lindau protein synergizes with doxorubicin to suppress hepatocellular carcinoma in mice. Journal of Hepatology, 2011, 55, 359-368. | 3.7 | 55 |
| 29 | Genistein synergizes with arsenic trioxide to suppress human hepatocellular carcinoma. Cancer Science, 2010, 101, 975-983. | 3.9 | 27 |