
## Viviane Kovess-masfety

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/978908/publications.pdf Version: 2024-02-01



| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. Psychological Medicine, 2022, 52, 1948-1958.   | 4.5  | 23        |
| 2  | Self-reported fears and mental health in elementary school children across Europe. European Child and Adolescent Psychiatry, 2022, 31, 1909-1919.  | 4.7  | 2         |
| 3  | Bullying involvement and suicidal ideation in elementary school children across Europe. Journal of<br>Affective Disorders, 2022, 299, 281-286.   | 4.1  | 9         |
| 4  | Patterns and correlates of patientâ€reported helpfulness of treatment for common mental and<br>substance use disorders in the <scp>WHO</scp> World Mental Health Surveys. World Psychiatry,<br>2022, 21, 272-286.                              | 10.4 | 16        |
| 5  | Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and<br>high-income countries from the World Health Organization's World Mental Health Survey Initiative.<br>Psychological Medicine, 2021, 51, 2104-2116. | 4.5  | 21        |
| 6  | Gender, the gender gap, and their interaction; analysis of relationships with children's mental health<br>problems. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1049-1057.   | 3.1  | 5         |
| 7  | Access to Care for Mental Health Problems in Afghanistan: A National Challenge. International<br>Journal of Health Policy and Management, 2021, , .  | 0.9  | 6         |
| 8  | Prior depression predicts greater stress during Covid-19 mandatory lockdown among college<br>students in France. Comprehensive Psychiatry, 2021, 107, 152234.  | 3.1  | 21        |
| 9  | Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health<br>Surveys. Journal of Affective Disorders, 2021, 288, 199-209.  | 4.1  | 9         |
| 10 | Sexual and Nonsexual Interpersonal Violence, Psychiatric Disorders, and Mental Health Service Use.<br>Journal of Traumatic Stress, 2021, 34, 416-426.  | 1.8  | 6         |
| 11 | Previous disorders and depression outcomes in individuals with 12-month major depressive disorder<br>in the World Mental Health surveys. Epidemiology and Psychiatric Sciences, 2021, 30, e70.   | 3.9  | 3         |
| 12 | The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health<br>Surveys. Addictive Behaviors, 2020, 102, 106128.  | 3.0  | 108       |
| 13 | Birth rank as a determinant of academic achievement:results from a European survey of primary school children. European Journal of Developmental Psychology, 2020, 17, 629-648.  | 1.8  | 2         |
| 14 | Stress and anxiety among university students in France during Covid-19 mandatory confinement.<br>Comprehensive Psychiatry, 2020, 102, 152191.  | 3.1  | 428       |
| 15 | Transdiagnostic development of internalizing psychopathology throughout the life course up to age<br>45: a World Mental Health Surveys report. Psychological Medicine, 2020, , 1-10.   | 4.5  | 1         |
| 16 | Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents<br>from 27 countries. Epidemiology and Psychiatric Sciences, 2020, 29, e153.   | 3.9  | 67        |
| 17 | Prescription patterns of first―and secondâ€generation antipsychotic drugs in the French population.<br>Fundamental and Clinical Pharmacology, 2020, 34, 603-611.   | 1.9  | 6         |
| 18 | Self-reported mental health problems and performance in mathematics and reading in children across<br>Europe. European Journal of Developmental Psychology, 2020, 17, 704-726.   | 1.8  | 1         |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Améliorer la santé mentale et le bien-être des salariésÂ: quelles sont les interventions qui marchentÂ?.<br>Archives Des Maladies Professionnelles Et De L'Environnement, 2020, 81, 45-54.   | 0.1  | 1         |
| 20 | Bullying involvement and self-reported mental health in elementary school children across Europe.<br>Child Abuse and Neglect, 2020, 107, 104601.   | 2.6  | 24        |
| 21 | Mental disorders and medical conditions associated with causing injury or death: A population-based study. Psychiatry Research, 2020, 287, 112899.   | 3.3  | 2         |
| 22 | Psychometric Properties of the Strengths and Difficulties Questionnaire in Children Aged 5–12 Years<br>Across Seven European Countries. European Journal of Psychological Assessment, 2020, 36, 65-76.                             | 3.0  | 18        |
| 23 | Cohort Alcohol Use in France and the Transition from Use to Alcohol Use Disorder and Remission.<br>Journal of Psychoactive Drugs, 2019, 51, 453-462.   | 1.7  | 3         |
| 24 | Childhood generalized specific phobia as an early marker of internalizing psychopathology across the<br>lifespan: results from the World Mental Health Surveys. BMC Medicine, 2019, 17, 101.                                       | 5.5  | 24        |
| 25 | Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use<br>Disorder, and Remission From Disorder. JAMA Psychiatry, 2019, 76, 708.  | 11.0 | 27        |
| 26 | Toward a Better Living with Schizophrenia. European Journal of Public Health, 2019, 29, .  | 0.3  | 0         |
| 27 | Three-generation households and child mental health in European countries. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 427-436.  | 3.1  | 10        |
| 28 | Gender differences in common mental disorders: a comparison of social risk factors across four<br>European welfare regimes. European Journal of Public Health, 2019, 29, 481-487.  | 0.3  | 13        |
| 29 | Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. Psychological Medicine, 2018, 48, 2730-2739.                 | 4.5  | 27        |
| 30 | Psychotic experiences and religiosity: data from the <scp>WHO</scp> World Mental Health Surveys.<br>Acta Psychiatrica Scandinavica, 2018, 137, 306-315.  | 4.5  | 27        |
| 31 | Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. Depression and Anxiety, 2018, 35, 195-208.  | 4.1  | 318       |
| 32 | Suicidal thoughts and behaviors among college students and same-aged peers: results from the<br>World Health Organization World Mental Health Surveys. Social Psychiatry and Psychiatric<br>Epidemiology, 2018, 53, 279-288.       | 3.1  | 79        |
| 33 | Complementary and alternative medicine contacts by persons with mental disorders in 25 countries:<br>results from the World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2018, 27,<br>552-567.                    | 3.9  | 47        |
| 34 | The associations between psychotic experiences and substance use and substance use disorders:<br>findings from the World Health Organization World Mental Health surveys. Addiction, 2018, 113,<br>924-934.                        | 3.3  | 56        |
| 35 | Understanding parent–teacher agreement of the Strengths and Difficulties Questionnaire<br>( <scp>SDQ</scp> ): Comparison across seven European countries. International Journal of Methods in<br>Psychiatric Research, 2018, 27, . | 2.1  | 56        |
| 36 | Gender differences in psychiatric and medical comorbidity with post-traumatic stress disorder.<br>Comprehensive Psychiatry, 2018, 84, 75-81.   | 3.1  | 23        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Differential Associations Between Excess Body Weight and Psychiatric Disorders in Men and Women.<br>Journal of Women's Health, 2018, 27, 183-190.   | 3.3  | 26        |
| 38 | Self-reported mental health in children ages 6–12Âyears across eight European countries. European<br>Child and Adolescent Psychiatry, 2018, 27, 785-795.  | 4.7  | 43        |
| 39 | Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19<br>Countries. Journal of Pain, 2018, 19, 99-110.  | 1.4  | 32        |
| 40 | The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. Molecular Psychiatry, 2018, 23, 1892-1899.   | 7.9  | 52        |
| 41 | Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. Psychological Medicine, 2018, 48, 1560-1571. | 4.5  | 274       |
| 42 | Chronic back pain and its association with quality of life in a large French population survey. Health and Quality of Life Outcomes, 2018, 16, 195.   | 2.4  | 106       |
| 43 | The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. Schizophrenia Research, 2018, 201, 46-53.                                   | 2.0  | 20        |
| 44 | Factors Associated with Parent–Child Discrepancies in Reports of Mental Health Disorders in Young<br>Children. Child Psychiatry and Human Development, 2018, 49, 1003-1010.   | 1.9  | 41        |
| 45 | Le burnout Â: historique, mesures et controverses. Archives Des Maladies Professionnelles Et De<br>L'Environnement, 2017, 78, 16-23.  | 0.1  | 9         |
| 46 | The association between childhood adversities and subsequent first onset of psychotic experiences: a<br>cross-national analysis of 23 998 respondents from 17 countries. Psychological Medicine, 2017, 47,<br>1230-1245.      | 4.5  | 108       |
| 47 | Association of <i>DSM-IV</i> Posttraumatic Stress Disorder With Traumatic Experience Type and<br>History in the World Health Organization World Mental Health Surveys. JAMA Psychiatry, 2017, 74, 270.                        | 11.0 | 179       |
| 48 | The association between psychotic experiences and disability: results from the <scp>WHO</scp><br>World Mental Health Surveys. Acta Psychiatrica Scandinavica, 2017, 136, 74-84.   | 4.5  | 58        |
| 49 | Unmet Need for Specialty Mental Health Services Among Children Across Europe. Psychiatric Services, 2017, 68, 789-795.  | 2.0  | 23        |
| 50 | Post-traumatic stress disorder associated with natural and human-made disasters in the World<br>Mental Health Surveys. Psychological Medicine, 2017, 47, 227-241.   | 4.5  | 110       |
| 51 | Trauma and psychotic experiences: transnational data from the World Mental Health Survey. British<br>Journal of Psychiatry, 2017, 211, 373-380.   | 2.8  | 82        |
| 52 | Le surinvestissementÂ: une nouvelle maladieÂ?. Archives Des Maladies Professionnelles Et De<br>L'Environnement, 2017, 78, 402-411.  | 0.1  | 0         |
| 53 | Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. JAMA<br>Psychiatry, 2017, 74, 1136.   | 11.0 | 75        |
| 54 | Maternal Problem Drinking and Child Mental Health. Substance Use and Misuse, 2017, 52, 1823-1831.   | 1.4  | 5         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Could a short training intervention modify opinions about mental illness? A case study on French<br>health professionals. BMC Psychiatry, 2017, 17, 133.   | 2.6 | 11        |
| 56 | Seeking mental health care from private health practitioners among individuals with alcohol dependence/abuse; results from a study in the French general population. Alcohol, 2017, 59, 1-6.   | 1.7 | 13        |
| 57 | Health conditions and role limitation in three European Regions: a public-health perspective. Gaceta<br>Sanitaria, 2017, 31, 2-10.   | 1.5 | 6         |
| 58 | The role of religious advisors in mental health care in the World Mental Health surveys. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 353-367.  | 3.1 | 19        |
| 59 | Gambling Type, Substance Abuse, Health and Psychosocial Correlates of Male and Female Problem<br>Gamblers in a Nationally Representative French Sample. Journal of Gambling Studies, 2017, 33, 343-369.                                | 1.6 | 43        |
| 60 | The association between car accident fatalities and children's fears: A study in seven EU countries.<br>PLoS ONE, 2017, 12, e0181619.  | 2.5 | 5         |
| 61 | How Do People Experiencing Schizophrenia Spectrum Disorders or Other Psychotic Disorders Use the<br>Internet to Get Information on Their Mental Health? Literature Review and Recommendations. JMIR<br>Mental Health, 2017, 4, e1.     | 3.3 | 24        |
| 62 | Factors associated with suicidal ideation disclosure: Results from a large population-based study.<br>Journal of Affective Disorders, 2016, 205, 36-43.  | 4.1 | 43        |
| 63 | Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the<br>World Mental Health Survey. Schizophrenia Bulletin, 2016, 42, 933-941.  | 4.3 | 94        |
| 64 | The epidemiology of traumatic event exposure worldwide: results from the World Mental Health<br>Survey Consortium. Psychological Medicine, 2016, 46, 327-343.  | 4.5 | 777       |
| 65 | Mental disorders among college students in the World Health Organization World Mental Health<br>Surveys. Psychological Medicine, 2016, 46, 2955-2970.  | 4.5 | 866       |
| 66 | Comparing the prevalence of mental health problems in children 6–11 across Europe. Social Psychiatry<br>and Psychiatric Epidemiology, 2016, 51, 1093-1103.   | 3.1 | 71        |
| 67 | Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys.<br>Depression and Anxiety, 2016, 33, 1155-1177.  | 4.1 | 144       |
| 68 | Differential impact of parental region of birth on negative parenting behavior and its effects on child<br>mental health: Results from a large sample of 6 to 11Âyear old school children in France. BMC<br>Psychiatry, 2016, 16, 123. | 2.6 | 7         |
| 69 | Mental health of college students and their non-college-attending peers: results from a large French<br>cross-sectional survey. BMC Psychology, 2016, 4, 20.   | 2.1 | 72        |
| 70 | The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. American<br>Journal of Psychiatry, 2016, 173, 997-1006.  | 7.2 | 176       |
| 71 | Associations between DSM-IV mental disorders and subsequent onset of arthritis. Journal of<br>Psychosomatic Research, 2016, 82, 11-16.   | 2.6 | 6         |
| 72 | Is time spent playing video games associated with mental health, cognitive and social skills in young children?. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 349-357.  | 3.1 | 69        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Exposure to Traumatic Events and Posttraumatic Stress Disorder in France: Results From the WMH<br>Survey. Journal of Traumatic Stress, 2015, 28, 275-282.   | 1.8  | 32        |
| 74 | Psychotic Experiences in the General Population. JAMA Psychiatry, 2015, 72, 697.  | 11.0 | 387       |
| 75 | Associations between DSM-IV mental disorders and subsequent COPD diagnosis. Journal of Psychosomatic Research, 2015, 79, 333-339.   | 2.6  | 12        |
| 76 | Gender differences in mental disorders and suicidality in Europe: Results from a large cross-sectional population-based study. Journal of Affective Disorders, 2015, 173, 245-254.                      | 4.1  | 181       |
| 77 | Bereavement-related depression: Did the changes induced by DSM-V make a difference? Results from a large population-based survey of French residents. Journal of Affective Disorders, 2015, 182, 82-90. | 4.1  | 12        |
| 78 | Gender Differences in Psychotropic Use Across Europe: Results From a Large Cross-Sectional,<br>Population-Based Study. European Psychiatry, 2015, 30, 778-788.  | 0.2  | 47        |
| 79 | Suicidal ideation and mental health disorders in young school children across Europe. Journal of Affective Disorders, 2015, 177, 28-35.   | 4.1  | 42        |
| 80 | Anxious and non-anxious major depressive disorder in the World Health Organization World Mental<br>Health Surveys. Epidemiology and Psychiatric Sciences, 2015, 24, 210-226.                            | 3.9  | 355       |
| 81 | The Associations Between Preexisting Mental Disorders andÂSubsequent Onset of Chronic Headaches:<br>A Worldwide Epidemiologic Perspective. Journal of Pain, 2015, 16, 42-52.                            | 1.4  | 29        |
| 82 | Proportion of patients without mental disorders being treated in mental health services worldwide.<br>British Journal of Psychiatry, 2015, 206, 101-109.  | 2.8  | 27        |
| 83 | Parental Use of Corporal Punishment in Europe: Intersection between Public Health and Policy. PLoS ONE, 2015, 10, e0118059.   | 2.5  | 43        |
| 84 | Modelling Needs for Mental Healthcare from Epidemiological Surveys with Validation Using<br>Sociodemographic Census Data. Clinical Practice and Epidemiology in Mental Health, 2015, 11, 186-194.       | 1.2  | 0         |
| 85 | How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. World Psychiatry, 2014, 13, 265-274.                | 10.4 | 194       |
| 86 | Comorbidity of common mental disorders with cancer and their treatment gap: findings from the<br>World Mental Health Surveys. Psycho-Oncology, 2014, 23, 40-51.   | 2.3  | 87        |
| 87 | Barriers to mental health treatment: results from the WHO World Mental Health surveys.<br>Psychological Medicine, 2014, 44, 1303-1317.  | 4.5  | 825       |
| 88 | Mood and anxiety disorders across the adult lifespan: a European perspective. Psychological Medicine, 2014, 44, 707-722.  | 4.5  | 13        |
| 89 | Associations between mental disorders and subsequent onset of hypertension. General Hospital Psychiatry, 2014, 36, 142-149.   | 2.4  | 102       |
| 90 | Utility of self-reported mental health measures for preventing unintentional injury: results from a cross-sectional study among French schoolchildren. BMC Pediatrics, 2014, 14, 2.                     | 1.7  | 8         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | CUMULATIVE TRAUMAS AND RISK THRESHOLDS: 12-MONTH PTSD IN THE WORLD MENTAL HEALTH (WMH) SURVEYS. Depression and Anxiety, 2014, 31, 130-142.   | 4.1 | 329       |
| 92  | The Prevalence and Correlates of Binge Eating Disorder in the World Health Organization World Mental Health Surveys. Biological Psychiatry, 2013, 73, 904-914.   | 1.3 | 1,025     |
| 93  | Oral health status and treatment needs among psychiatric inpatients in Rennes, France: a cross-sectional study. BMC Psychiatry, 2013, 13, 227.   | 2.6 | 38        |
| 94  | Use of general practitioners versus mental health professionals in six European countries: the<br>decisive role of the organization of mental health-care systems. Social Psychiatry and Psychiatric<br>Epidemiology, 2013, 48, 137-149.       | 3.1 | 44        |
| 95  | Dissociation in Posttraumatic Stress Disorder: Evidence from the World Mental Health Surveys.<br>Biological Psychiatry, 2013, 73, 302-312.   | 1.3 | 251       |
| 96  | Associations between DSM-IV mental disorders and onset of self-reported peptic ulcer in the World Mental Health Surveys. Journal of Psychosomatic Research, 2013, 75, 121-127.   | 2.6 | 20        |
| 97  | Drop out from out-patient mental healthcare in the World Health Organization's World Menta<br>Health Survey initiative. British Journal of Psychiatry, 2013, 202, 42-49.   | 2.8 | 67        |
| 98  | IRRITABLE MOOD IN ADULT MAJOR DEPRESSIVE DISORDER: RESULTS FROM THE WORLD MENTAL HEALTH SURVEYS. Depression and Anxiety, 2013, 30, 395-406.  | 4.1 | 15        |
| 99  | Parent psychopathology and offspring mental disorders: Results from the WHO World Mental Health<br>Surveys. British Journal of Psychiatry, 2012, 200, 290-299.   | 2.8 | 201       |
| 100 | Translation of the World Mental Health Survey Data to Policies: An Exploratory Study of<br>Stakeholders' Perceptions of How Epidemiologic Data Can Be Utilized for Policy in the Field of Mental<br>Health. Public Health Reviews, 2012, 34, . | 3.2 | 5         |
| 101 | Comparing the rates of mental disorders among different linguistic groups in a representative Canadian population. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 195-202.  | 3.1 | 6         |
| 102 | Lifetime Risk of Suicidal Behaviors and Communication to a Health Professional About Suicidal Ideation. Crisis, 2012, 33, 127-136.   | 1.2 | 31        |
| 103 | Smoking and the consumption of antidepressants, anxiolytics and hypnotic drugs: Results of a large,<br>French epidemiological study in 2005. Addictive Behaviors, 2011, 36, 743-748.   | 3.0 | 7         |
| 104 | Factors Associated With Use of Psychiatrists and Nonpsychiatrist Providers by ESEMeD Respondents in Six European Countries. Psychiatric Services, 2011, 62, 143-151.   | 2.0 | 20        |
| 105 | Premarital mental disorders and physical violence in marriage: cross-national study of married couples. British Journal of Psychiatry, 2011, 199, 330-337.   | 2.8 | 32        |
| 106 | A multinational study of mental disorders, marriage, and divorce. Acta Psychiatrica Scandinavica, 2011,<br>124, 474-486.   | 4.5 | 143       |
| 107 | Parental psychopathology and the risk of suicidal behavior in their offspring: results from the World<br>Mental Health surveys. Molecular Psychiatry, 2011, 16, 1221-1233.   | 7.9 | 74        |
| 108 | High and low suicidality in Europe: A fine-grained comparison of France and Spain within the ESEMeD surveys. Journal of Affective Disorders, 2011, 133, 247-256.   | 4.1 | 36        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 109 | Measuring use of services for mental health problems in epidemiological surveys. International<br>Journal of Methods in Psychiatric Research, 2011, 20, 182-191.  | 2.1  | 8         |
| 110 | Treatment of suicidal people around the world. British Journal of Psychiatry, 2011, 199, 64-70.   | 2.8  | 289       |
| 111 | Comparing Mental Health of Francophone Populations in Canada, France, and Belgium: 12-Month<br>Prevalence Rates of Common Mental Disorders (Part 1). Canadian Journal of Psychiatry, 2010, 55,<br>289-294.                  | 1.9  | 5         |
| 112 | Comparing Mental Health of Francophones in Canada, France, and Belgium: 12-Month and Lifetime<br>Rates of Mental Health Service Use (Part 2). Canadian Journal of Psychiatry, 2010, 55, 295-304.                            | 1.9  | 8         |
| 113 | Seeking Help for Mental Health Problems outside the Conventional Health Care System: Results from the European Study of the Epidemiology of Mental Disorders (ESEMeD). Canadian Journal of Psychiatry, 2010, 55, 586-597.   | 1.9  | 10        |
| 114 | Psychiatric disorders in students in six French universities: 12-month prevalence, comorbidity,<br>impairment and help-seeking. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 189-199.                          | 3.1  | 123       |
| 115 | Religious advisors' role in mental health care in the European Study of the Epidemiology of Mental<br>Disorders survey. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 989-998.                                  | 3.1  | 12        |
| 116 | Validity across translations of short survey psychiatric diagnostic instruments: CIDI-SF and CIS-R<br>versus SCID-I/NP in four European countries. Social Psychiatry and Psychiatric Epidemiology, 2010, 45,<br>1149-1159.  | 3.1  | 48        |
| 117 | The Associations Between Headaches and Psychopathology: A Survey in School Children. Headache, 2010, 50, 1537-1548.   | 3.9  | 15        |
| 118 | Child Overweight, Associated Psychopathology, and Social Functioning: A French Schoolâ€based Survey<br>in 6―to 11â€yearâ€old Children. Obesity, 2010, 18, 809-817.  | 3.0  | 50        |
| 119 | Cross-National Analysis of the Associations between Traumatic Events and Suicidal Behavior: Findings<br>from the WHO World Mental Health Surveys. PLoS ONE, 2010, 5, e10574.  | 2.5  | 273       |
| 120 | Twelve-Month Prevalence of and Risk Factors for Suicide Attempts in the World Health Organization<br>World Mental Health Surveys. Journal of Clinical Psychiatry, 2010, 71, 1617-1628.                                      | 2.2  | 566       |
| 121 | Prevalence of tobacco smoking in teachers following anti-smoking policies: results from two French surveys (1999 and 2005). European Journal of Public Health, 2010, 20, 151-156.   | 0.3  | 5         |
| 122 | Cross-National Associations Between Gender and Mental Disorders in the World Health Organization<br>World Mental Health Surveys. Archives of General Psychiatry, 2009, 66, 785.   | 12.3 | 1,018     |
| 123 | Besoin de soins en santé mentale versus besoin de soins en pédopsychiatrie. Approche épidémiologique.<br>Neuropsychiatrie De L'Enfance Et De L'Adolescence, 2009, 57, 494-501.  | 0.2  | 6         |
| 124 | Individual and contextual covariates of burnout: a cross-sectional nationwide study of French teachers. BMC Public Health, 2009, 9, 333.  | 2.9  | 78        |
| 125 | Voice disorders and mental health in teachers: a cross-sectional nationwide study. BMC Public Health, 2009, 9, 370.   | 2.9  | 65        |
| 126 | Psychological distress in first year university students: socioeconomic and academic stressors,<br>mastery and social support in young men and women. Social Psychiatry and Psychiatric Epidemiology,<br>2009, 44, 643-650. | 3.1  | 148       |

| #   | Article   | IF         | CITATIONS |
|-----|---|------------|-----------|
| 127 | Childhood psychosocial stressors and adult onset arthritis: Broad spectrum risk factors and allostatic load. Pain, 2009, 143, 76-83.  | 4.2        | 82        |
| 128 | Psychometric Properties of the Dominic Interactive in a Large French Sample. Canadian Journal of Psychiatry, 2009, 54, 767-776.   | 1.9        | 38        |
| 129 | Prevalence, Risk Factors, and Use of Health Care in Depression: A Survey in a Large Region of France between 1991 and 2005. Canadian Journal of Psychiatry, 2009, 54, 701-709.  | 1.9        | 20        |
| 130 | Use of Psychoactive Substances and Health Care in Response to Anxiety and Depressive Disorders.<br>Psychiatric Services, 2009, 60, 351-357.   | 2.0        | 9         |
| 131 | Main traumatic events in Europe: PTSD in the European study of the epidemiology of mental disorders survey. Journal of Traumatic Stress, 2008, 21, 455-462.   | 1.8        | 218       |
| 132 | Paradoxical increase of positive answers to the Cut-down, Annoyed, Guilt, Eye-opener (CAGE)<br>questionnaire during a period of decreasing alcohol consumption: results from two<br>population-based surveys in ÃŽle-de-France, 1991 and 2005. Addiction, 2008, 103, 598-603. | 3.3        | 19        |
| 133 | Psychotropic Medication Use in Children and Adolescents: A Study from France. Journal of Child and Adolescent Psychopharmacology, 2008, 18, 281-289.  | 1.3        | 23        |
| 134 | Determinants of Coprescription of Anxiolytics with Antidepressants in General Practice. Canadian<br>Journal of Psychiatry, 2008, 53, 94-103.  | 1.9        | 14        |
| 135 | Differences in Lifetime Use of Services for Mental Health Problems in Six European Countries.<br>Psychiatric Services, 2007, 58, 213-220.   | 2.0        | 103       |
| 136 | Teachers' mental health and teaching levels. Teaching and Teacher Education, 2007, 23, 1177-1192.   | 3.2        | 65        |
| 137 | Utilisation du système de soins en santé mentale et planification. Données régionales et<br>intrarégionales. L'Encephale, 2007, 33, 157-163.  | 0.9        | 4         |
| 138 | What makes people decide who to turn to when faced with a mental health problem? Results from a French survey. BMC Public Health, 2007, 7, 188.   | 2.9        | 62        |
| 139 | Promotion etÂprévention enÂsanté mentale chezÂlesÂtrès jeunes enfantsÂ: revue deÂlaÂlittérature. Anna<br>Medico-Psychologiques, 2006, 164, 183-194.   | les<br>0.4 | 5         |
| 140 | Schizophrenia and quality of life: a one-year follow-up in four EU countries. BMC Psychiatry, 2006, 6, 39.  | 2.6        | 22        |
| 141 | Do teachers have more health problems? Results from a French cross-sectional survey. BMC Public Health, 2006, 6, 101.   | 2.9        | 66        |
| 142 | Needs for care among patients with schizophrenia in six European countries: a one-year follow-up study. Clinical Practice and Epidemiology in Mental Health, 2006, 2, 22.   | 1.2        | 12        |
| 143 | A European Approach to Rural—Urban Differences in Mental Health: The ESEMeD 2000 Comparative<br>Study. Canadian Journal of Psychiatry, 2005, 50, 926-936.   | 1.9        | 61        |
| 144 | Mood disorders and urban/rural settings. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 613-618.   | 3.1        | 26        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Level of positive mental health in the European Union: results from the Eurobarometer 2002 survey.<br>Clinical Practice and Epidemiology in Mental Health, 2005, 1, 9. | 1.2 | 54        |
| 146 | Service Use. , 0, , 314-323.   |     | 1         |
| 147 | Mental health problems, low birthweight and academic achievement in mathematics and reading.<br>Current Psychology, 0, , 1.  | 2.8 | 1         |