

# Axelle Cadoret

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9791654/publications.pdf>

Version: 2024-02-01

29  
papers

1,791  
citations

394421

19  
h-index

552781

26  
g-index

29  
all docs

29  
docs citations

29  
times ranked

2677  
citing authors

#	ARTICLE	IF	CITATIONS
1	New targets of $\beta$ -catenin signaling in the liver are involved in the glutamine metabolism. <i>Oncogene</i> , 2002, 21, 8293-8301.	5.9	366
2	Insulin and IGF-1 stimulate the $\beta$ -catenin pathway through two signalling cascades involving GSK-3 $\beta$ inhibition and Ras activation. <i>Oncogene</i> , 2001, 20, 252-259.	5.9	298
3	Origins and functions of liver myofibroblasts. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013, 1832, 948-954.	3.8	114
4	Hepatocyte proliferation during liver regeneration is impaired in mice with liver-specific IGF1R knockout. <i>FASEB Journal</i> , 2006, 20, 773-775.	0.5	109
5	Portal myofibroblasts promote vascular remodeling underlying cirrhosis formation through the release of microparticles. <i>Hepatology</i> , 2015, 61, 1041-1055.	7.3	102
6	A Role for Nuclear Factor $\beta$ in the Antiapoptotic Function of Insulin. <i>Journal of Biological Chemistry</i> , 1998, 273, 2931-2938.	3.4	99
7	Inhibition of receptor-interacting protein kinase 1 improves experimental non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2020, 72, 627-635.	3.7	84
8	Downregulation of the colon tumour-suppressor homeobox gene Cdx-2 by oncogenic ras. <i>Oncogene</i> , 1999, 18, 87-92.	5.9	76
9	GSK-3 $\beta$ inhibition by lithium confers resistance to chemotherapy-induced apoptosis through the repression of CD95 (Fas/APO-1) expression. <i>Experimental Cell Research</i> , 2004, 300, 354-364.	2.6	71
10	Dysregulation of glycogen synthase kinase-3 $\beta$ signaling in hepatocellular carcinoma cells. <i>Hepatology</i> , 2002, 36, 1528-1536.	7.3	60
11	Distinct proteomic features of two fibrogenic liver cell populations: Hepatic stellate cells and portal myofibroblasts. <i>Proteomics</i> , 2010, 10, 1017-1028.	2.2	56
12	Insulin Antiapoptotic Signaling Involves Insulin Activation of the Nuclear Factor $\beta$ -dependent Survival Genes Encoding Tumor Necrosis Factor Receptor-associated Factor 2 and Manganese-superoxide Dismutase. <i>Journal of Biological Chemistry</i> , 1999, 274, 30596-30602.	3.4	51
13	Dysregulation of glycogen synthase kinase-3 $\beta$ signaling in hepatocellular carcinoma cells. <i>Hepatology</i> , 2002, 36, 1528-1536.	7.3	45
14	Vitamin D nuclear receptor deficiency promotes cholestatic liver injury by disruption of biliary epithelial cell junctions in mice. <i>Hepatology</i> , 2013, 58, 1401-1412.	7.3	43
15	Insulin-Mediated Cell Proliferation and Survival Involve Inhibition of c-Jun N-terminal Kinases through a Phosphatidylinositol 3-Kinase- and Mitogen-Activated Protein Kinase Phosphatase-1-Dependent Pathway*. <i>Endocrinology</i> , 2000, 141, 922-931.	2.8	40
16	Portal fibroblasts with mesenchymal stem cell features form a reservoir of proliferative myofibroblasts in liver fibrosis. <i>Hepatology</i> , 2022, 76, 1360-1375.	7.3	30
17	Down-regulation of NF- $\beta$ activity and NF- $\beta$ p65 subunit expression by ras and polyoma middle T oncogenes in human colonic Caco-2 cells. <i>Oncogene</i> , 1997, 14, 1589-1600.	5.9	26
18	c-myc-induced hepatocarcinogenesis in the absence of IGF-I receptor. <i>International Journal of Cancer</i> , 2005, 114, 668-672.	5.1	22

#	ARTICLE	IF	CITATIONS
19	Insulin-Mediated Cell Proliferation and Survival Involve Inhibition of c-Jun N-terminal Kinases through a Phosphatidylinositol 3-Kinase- and Mitogen-Activated Protein Kinase Phosphatase-1-Dependent Pathway. <i>Endocrinology</i> , 2000, 141, 922-931.	2.8	20
20	Role of Angiogenesis in the Pathogenesis of NAFLD. <i>Journal of Clinical Medicine</i> , 2021, 10, 1338.	2.4	19
21	GSK-3 $\beta$ reactivation with LY294002 sensitizes hepatoma cells to chemotherapy-induced apoptosis. <i>International Journal of Oncology</i> , 2005, 27, 215.	3.3	17
22	Endoplasmic reticulum stress induces inverse regulations of major functions in portal myofibroblasts during liver fibrosis progression. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018, 1864, 3688-3696.	3.8	13
23	Culture Model of Rat Portal Myofibroblasts. <i>Frontiers in Physiology</i> , 2016, 7, 120.	2.8	11
24	IGF-1R Contributes to Stress-Induced Hepatocellular Damage in Experimental Cholestasis. <i>American Journal of Pathology</i> , 2009, 175, 627-635.	3.8	9
25	Cholangiopathy aggravation is caused by VDR ablation and alleviated by VDR-independent vitamin D signaling in ABCB4 knockout mice. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2021, 1867, 166067.	3.8	9
26	921 PANGENOMIC PROFILING INDICATES DISTINCT FUNCTIONS OF PORTAL AND HEPATIC STELLATE CELLS-DERIVED RAT LIVER MYOFIBROBLASTS IN WOUND HEALING. <i>Journal of Hepatology</i> , 2010, 52, S357.	3.7	1
27	328 Reduced cholestatic liver injury in mice deleted for insulin-like growth factor 1 receptor in hepatocytes. <i>Journal of Hepatology</i> , 2006, 44, S126-S127.	3.7	0
28	729 New markers for different rat liver fibrogenic cells. <i>Journal of Hepatology</i> , 2006, 44, S268.	3.7	0
29	During the progression of liver fibrosis, myofibroblasts develop endoplasmic reticulum stress that both decreases their proliferation and increases their pro-angiogenic activity. <i>Journal of Hepatology</i> , 2018, 68, S400.	3.7	0