

John McBeth

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/979683/publications.pdf>

Version: 2024-02-01

115
papers

6,597
citations

57758

44
h-index

69250

77
g-index

120
all docs

120
docs citations

120
times ranked

7620
citing authors

#	ARTICLE	IF	CITATIONS
1	Epidemiology of chronic musculoskeletal pain. Best Practice and Research in Clinical Rheumatology, 2007, 21, 403-425.	3.3	475
2	Features of somatization predict the onset of chronic widespread pain: Results of a large population-based study. Arthritis and Rheumatism, 2001, 44, 940-946.	6.7	297
3	The epidemiology of chronic syndromes that are frequently unexplained: do they have common associated factors?. International Journal of Epidemiology, 2006, 35, 468-476.	1.9	295
4	Update on the epidemiology, risk factors and disease outcomes of osteoarthritis. Best Practice and Research in Clinical Rheumatology, 2018, 32, 312-326.	3.3	259
5	Moderation of psychosocial risk factors through dysfunction of the hypothalamic-pituitary-adrenal stress axis in the onset of chronic widespread musculoskeletal pain : Findings of a population-based prospective cohort study. Arthritis and Rheumatism, 2007, 56, 360-371.	6.7	203
6	The association between chronic widespread pain and mental disorder: A population-based study. Arthritis and Rheumatism, 2000, 43, 561.	6.7	197
7	Widespread body pain and mortality: prospective population based study Commentary: An interesting finding, but what does it. BMJ: British Medical Journal, 2001, 323, 662-662.	2.3	186
8	The epidemiology of multiple somatic symptoms. Journal of Psychosomatic Research, 2012, 72, 311-317.	2.6	173
9	Hypothalamic-pituitary-adrenal stress axis function and the relationship with chronic widespread pain and its antecedents. Arthritis Research and Therapy, 2005, 7, R992.	3.5	149
10	Poor sleep and depression are independently associated with a reduced pain threshold. Results of a population based study. Pain, 2005, 115, 316-321.	4.2	147
11	The association between tender points, psychological distress, and adverse childhood experiences: A community-based study. Arthritis and Rheumatism, 1999, 42, 1397-1404.	6.7	145
12	Mechanical and psychosocial factors predict new onset shoulder pain: a prospective cohort study of newly employed workers. Occupational and Environmental Medicine, 2003, 60, 850-857.	2.8	139
13	Risk factors for onset of chronic oro-facial pain " Results of the North Cheshire oro-facial pain prospective population study. Pain, 2010, 149, 354-359.	4.2	124
14	The prevalence and management of low back pain across adulthood: Results from a population-based cross-sectional study (the MUSICIAN study). Pain, 2012, 153, 27-32.	4.2	122
15	Genome-wide association study meta-analysis of chronic widespread pain: evidence for involvement of the 5p15.2 region. Annals of the Rheumatic Diseases, 2013, 72, 427-436.	0.9	112
16	Obesity is a risk factor for musculoskeletal pain in adolescents: Findings from a population-based cohort. Pain, 2012, 153, 1932-1938.	4.2	109
17	Maximizing Engagement in Mobile Health Studies. Rheumatic Disease Clinics of North America, 2019, 45, 159-172.	1.9	108
18	Total somatic symptom score as a predictor of health outcome in somatic symptom disorders. British Journal of Psychiatry, 2013, 203, 373-380.	2.8	107

#	ARTICLE	IF	CITATIONS
19	Cognitive Behavior Therapy, Exercise, or Both for Treating Chronic Widespread Pain. Archives of Internal Medicine, 2012, 172, 48.	3.8	106
20	psychological distress and premature mortality in the general Population: a prospective study. Annals of Epidemiology, 2004, 14, 467-472.	1.9	95
21	Mechanical injury and psychosocial factors in the work place predict the onset of widespread body pain: A two-year prospective study among cohorts of newly employed workers. Arthritis and Rheumatism, 2004, 50, 1655-1664.	6.7	94
22	Chronic Pain and Mortality: A Systematic Review. PLoS ONE, 2014, 9, e99048.	2.5	93
23	Chronic widespread pain is associated with slower cognitive processing speed in middle-aged and older European men. Pain, 2010, 151, 30-36.	4.2	92
24	Association of widespread body pain with an increased risk of cancer and reduced cancer survival: A prospective, population-based study. Arthritis and Rheumatism, 2003, 48, 1686-1692.	6.7	89
25	Musculoskeletal pain is associated with very low levels of vitamin D in men: results from the European Male Ageing Study. Annals of the Rheumatic Diseases, 2010, 69, 1448-1452.	0.9	86
26	Does chronic pain predict future psychological distress?. Pain, 2002, 96, 239-245.	4.2	80
27	Modest Association of Joint Hypermobility With Disabling and Limiting Musculoskeletal Pain: Results From a Large-Scale General Population-Based Survey. Arthritis Care and Research, 2013, 65, 1325-1333.	3.4	79
28	Predictors of New-Onset Widespread Pain in Older Adults: Results From a Population-Based Prospective Cohort Study in the UK. Arthritis and Rheumatology, 2014, 66, 757-767.	5.6	75
29	Chronic widespread pain predicts physical inactivity: Results from the prospective EPIFUND study. European Journal of Pain, 2010, 14, 972-979.	2.8	72
30	The influence of behavioural and psychological factors on medication adherence over time in rheumatoid arthritis patients: a study in the biologics era. Rheumatology, 2015, 54, 1780-1791.	1.9	69
31	The Role of Sleep Problems in the Development of Depression in Those with Persistent Pain: A Prospective Cohort Study. Sleep, 2013, 36, 1693-1698.	1.1	63
32	Chronic widespread pain is associated with worsening frailty in European men. Age and Ageing, 2016, 45, 268-274.	1.6	63
33	Cloudy with a Chance of Pain: Engagement and Subsequent Attrition of Daily Data Entry in a Smartphone Pilot Study Tracking Weather, Disease Severity, and Physical Activity in Patients With Rheumatoid Arthritis. JMIR MHealth and UHealth, 2017, 5, e37.	3.7	60
34	The association between neighbourhood socioeconomic status and the onset of chronic widespread pain: Results from the EPIFUND study. European Journal of Pain, 2009, 13, 635-640.	2.8	59
35	Pain at multiple body sites and health-related quality of life in older adults: results from the North Staffordshire Osteoarthritis Project. Rheumatology, 2014, 53, 2071-2079.	1.9	59
36	Impact of musculoskeletal pain on insomnia onset: a prospective cohort study. Rheumatology, 2015, 54, 248-256.	1.9	59

#	ARTICLE	IF	CITATIONS
37	Epidemiology of pain. , 2006, , 1199-1214.		59
38	Genetic variation in the hypothalamicâ€“pituitaryâ€“adrenal stress axis influences susceptibility to musculoskeletal pain: results from the EPIFUND study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 556-560.	0.9	58
39	Psychosocial risk factors for the onset of abdominal pain. Results from a large prospective population-based study. <i>International Journal of Epidemiology</i> , 2002, 31, 1219-1225.	1.9	57
40	The role of psychiatric disorders in fibromyalgia. <i>Current Rheumatology Reports</i> , 2001, 3, 157-164.	4.7	55
41	Association of HTR2A polymorphisms with chronic widespread pain and the extent of musculoskeletal pain: Results from two population-based cohorts. <i>Arthritis and Rheumatism</i> , 2011, 63, 810-818.	6.7	54
42	Fibromyalgia: mechanisms and potential impact of the ACR 2010 classification criteria. <i>Nature Reviews Rheumatology</i> , 2012, 8, 108-116.	8.0	54
43	Psychosocial and illness related predictors of consultation rates in primary care â€“ a cohort study. <i>Psychological Medicine</i> , 2004, 34, 719-728.	4.5	51
44	Multiple Somatic Symptoms Predict Impaired Health Status in Functional Somatic Syndromes. <i>International Journal of Behavioral Medicine</i> , 2013, 20, 194-205.	1.7	51
45	Genetic variation in neuroendocrine genes associates with somatic symptoms in the general population: Results from the EPIFUND study. <i>Journal of Psychosomatic Research</i> , 2010, 68, 469-474.	2.6	50
46	How the weather affects the pain of citizen scientists using a smartphone app. <i>Npj Digital Medicine</i> , 2019, 2, 105.	10.9	49
47	Role of road traffic accidents and other traumatic events in the onset of chronic widespread pain: Results from a populationâ€“based prospective study. <i>Arthritis Care and Research</i> , 2011, 63, 696-701.	3.4	46
48	Sleep Disturbance and Chronic Widespread Pain. <i>Current Rheumatology Reports</i> , 2015, 17, 469.	4.7	46
49	Patient perceptions of glucocorticoid side effects: a cross-sectional survey of users in an online health community. <i>BMJ Open</i> , 2017, 7, e014603.	1.9	45
50	Pain and mortality: mechanisms for a relationship. <i>Pain</i> , 2018, 159, 1112-1118.	4.2	44
51	No evidence for a role of the <i>catechol-O-methyltransferase</i> pain sensitivity haplotypes in chronic widespread pain. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 2009-2012.	0.9	43
52	Engagement and Participant Experiences With Consumer Smartwatches for Health Research: Longitudinal, Observational Feasibility Study. <i>JMIR MHealth and UHealth</i> , 2020, 8, e14368.	3.7	43
53	Remote symptom monitoring integrated into electronic health records:ÂÂ systematic review. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2020, 27, 1752-1763.	4.4	41
54	Recruitment and Ongoing Engagement in a UK Smartphone Study Examining the Association Between Weather and Pain: Cohort Study. <i>JMIR MHealth and UHealth</i> , 2017, 5, e168.	3.7	41

#	ARTICLE	IF	CITATIONS
55	Somatization and Health Anxiety as Predictors of Health Care Use. <i>Psychosomatic Medicine</i> , 2012, 74, 656-664.	2.0	40
56	Pain and Mortality in Older Adults: The Influence of Pain Phenotype. <i>Arthritis Care and Research</i> , 2018, 70, 236-243.	3.4	40
57	Pressure pain thresholds and tender point counts as predictors of new chronic widespread pain in somatising subjects. <i>Annals of the Rheumatic Diseases</i> , 2006, 66, 517-521.	0.9	39
58	Do Genetic Predictors of Pain Sensitivity Associate with Persistent Widespread Pain?. <i>Molecular Pain</i> , 2009, 5, 1744-8069-5-56.	2.1	36
59	Recent Advances in the Understanding of Genetic Susceptibility to Chronic Pain and Somatic Symptoms. <i>Current Rheumatology Reports</i> , 2011, 13, 521-527.	4.7	36
60	What Characterizes Persons Who Do Not Report Musculoskeletal Pain? Results from a 4-year Population-based Longitudinal Study (The Epifund Study). <i>Journal of Rheumatology</i> , 2009, 36, 1071-1077.	2.0	35
61	Multisite pain and self-reported falls in older people: systematic review and meta-analysis. <i>Arthritis Research and Therapy</i> , 2019, 21, 67.	3.5	34
62	Primary care consultation predictors in men and women: a cohort study. <i>British Journal of General Practice</i> , 2005, 55, 108-13.	1.4	34
63	The Onset of Widespread Musculoskeletal Pain Is Associated with a Decrease in Healthy Ageing in Older People: A Population-Based Prospective Study. <i>PLoS ONE</i> , 2013, 8, e59858.	2.5	33
64	Reasons Why Multimorbidity Increases the Risk of Participation Restriction in Older Adults With Lower Extremity Osteoarthritis: A Prospective Cohort Study in Primary Care. <i>Arthritis Care and Research</i> , 2013, 65, 910-919.	3.4	32
65	Predicting the onset of knee pain: results from a 2-year prospective study of new workers. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 400-406.	0.9	31
66	Alcohol Consumption in Relation to Risk and Severity of Chronic Widespread Pain: Results From a UK Population-Based Study. <i>Arthritis Care and Research</i> , 2015, 67, 1297-1303.	3.4	29
67	Musculoskeletal pain and co-morbid insomnia in adults; a population study of the prevalence and impact on restricted social participation. <i>BMC Family Practice</i> , 2017, 18, 17.	2.9	29
68	Whether the weather influences pain? Results from the EpiFunD study in North West England. <i>Rheumatology</i> , 2010, 49, 1513-1520.	1.9	25
69	Patient-reported improvements in health are maintained 2 years after completing a short course of cognitive behaviour therapy, exercise or both treatments for chronic widespread pain: long-term results from the MUSICIAN randomised controlled trial. <i>RMD Open</i> , 2015, 1, e000026-e000026.	3.8	25
70	Allostatic load and pain severity in older adults: Results from the English Longitudinal Study of Ageing. <i>Experimental Gerontology</i> , 2017, 88, 51-58.	2.8	25
71	Evidence for strategies that improve recruitment and retention of adults aged 65 years and over in randomised trials and observational studies: a systematic review. <i>Age and Ageing</i> , 2017, 46, 895-903.	1.6	25
72	Elevated levels of gonadotrophins but not sex steroids are associated with musculoskeletal pain in middle-aged and older European men. <i>Pain</i> , 2011, 152, 1495-1501.	4.2	24

#	ARTICLE	IF	CITATIONS
73	Managing chronic widespread pain in primary care: a qualitative study of patient perspectives and implications for treatment delivery. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 354.	1.9	24
74	Are weather conditions associated with chronic musculoskeletal pain? Review of results and methodologies. <i>Pain</i> , 2020, 161, 668-683.	4.2	23
75	Quality of life, sleep and rheumatoid arthritis (QUASAR): a protocol for a prospective UK mHealth study to investigate the relationship between sleep and quality of life in adults with rheumatoid arthritis. <i>BMJ Open</i> , 2018, 8, e018752.	1.9	19
76	Central sensitization predicts greater fatigue independently of musculoskeletal pain. <i>Rheumatology</i> , 2019, 58, 1923-1927.	1.9	19
77	Digital manikins to self-report pain on a smartphone: A systematic review of mobile apps. <i>European Journal of Pain</i> , 2021, 25, 327-338.	2.8	19
78	Are reports of mechanical dysfunction in chronic orofacial pain related to somatisation? A population based study. <i>European Journal of Pain</i> , 2008, 12, 501-507.	2.8	18
79	The associated features of multiple somatic symptom complexes. <i>Journal of Psychosomatic Research</i> , 2018, 112, 1-8.	2.6	18
80	Collecting Symptoms and Sensor Data With Consumer Smartwatches (the Knee OsteoArthritis, Linking) Tj ETQq0 0 0 rgBT /Overlock 100 Protocols, 2019, 8, e10238.	1.0	18
81	Development and validation of classification criteria for idiopathic orofacial pain for use in population-based studies. <i>Journal of Orofacial Pain</i> , 2007, 21, 203-15.	1.7	17
82	The Effect of Musculoskeletal Pain on Sexual Function in Middle-aged and Elderly European Men: Results from the European Male Ageing Study. <i>Journal of Rheumatology</i> , 2011, 38, 370-377.	2.0	16
83	The Non-Synonymous SNP, R1150W, in <i>SCN9A</i> is Not Associated with Chronic Widespread Pain Susceptibility. <i>Molecular Pain</i> , 2012, 8, 1744-8069-8-72.	2.1	16
84	Life is as much a pain as it ever was. <i>BMJ: British Medical Journal</i> , 2000, 321, 897-897.	2.3	16
85	Predictors of persistent gastrointestinal symptoms among new presenters to primary care. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 296-305.	1.6	15
86	Adolescents' experiences of fluctuating pain in musculoskeletal disorders: a qualitative systematic review and thematic synthesis. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 645.	1.9	13
87	Sleep Disturbance and Quality of Life in Rheumatoid Arthritis: Prospective mHealth Study. <i>Journal of Medical Internet Research</i> , 2022, 24, e32825.	4.3	13
88	Musculoskeletal pain in older adults at the end-of-life: a systematic search and critical review of the literature with priorities for future research. <i>BMC Palliative Care</i> , 2013, 12, 27.	1.8	12
89	Childhood experience and health care use in adulthood. <i>British Journal of Psychiatry</i> , 2004, 185, 134-139.	2.8	11
90	The relationship between psychological distress and multiple tender points across the adult lifespan. <i>Archives of Gerontology and Geriatrics</i> , 2016, 63, 102-107.	3.0	11

#	ARTICLE	IF	CITATIONS
91	The Maintaining Musculoskeletal Health (MAMMOTH) Study: Protocol for a randomised trial of cognitive behavioural therapy versus usual care for the prevention of chronic widespread pain. BMC Musculoskeletal Disorders, 2016, 17, 179.	1.9	10
92	Weather Patterns Associated with Pain in Chronic-Pain Sufferers. Bulletin of the American Meteorological Society, 2020, 101, E555-E566.	3.3	10
93	Maintaining musculoskeletal health using a behavioural therapy approach: a population-based randomised controlled trial (the MAMMOTH Study). Annals of the Rheumatic Diseases, 2021, 80, 903-911.	0.9	10
94	Heterogeneity in the association between weather and pain severity among patients with chronic pain: a Bayesian multilevel regression analysis. Pain Reports, 2022, 7, e963.	2.7	9
95	Representativeness of a digitally engaged population and a patient organisation population with rheumatoid arthritis and their willingness to participate in research: a cross-sectional study. RMD Open, 2018, 4, e000664.	3.8	7
96	Development of a Mobile Digital Manikin to Measure Pain Location and Intensity. Studies in Health Technology and Informatics, 2020, 270, 946-950.	0.3	5
97	Using patient-reported data from a smartphone app to capture and characterize real-time patient-reported flares in rheumatoid arthritis. Rheumatology Advances in Practice, 2022, 6, rkac021.	0.7	5
98	Current issues and new direction in Psychology and Health: Epidemiology and health psychology “please bridge the gap. Psychology and Health, 2009, 24, 861-865.	2.2	4
99	Comment on: “Self-reported somatosensory symptoms of neuropathic pain in fibromyalgia and chronic widespread pain correlated with tender point count and pressure-pain thresholds” by Amris et al. [Pain;151:664-669]. Pain, 2011, 152, 1684-1685.	4.2	4
100	Investigating multisite pain as a predictor of self-reported falls and falls requiring health care use in an older population: A prospective cohort study. PLoS ONE, 2019, 14, e0226268.	2.5	4
101	The relationship between regional pain with or without neuropathic symptoms and chronic widespread pain. Pain, 2019, 160, 1817-1823.	4.2	4
102	Characterizing pain flares in adolescent inflammatory and non-inflammatory musculoskeletal disorders: A qualitative study using an interpretative phenomenological approach. European Journal of Pain, 2020, 24, 1785-1796.	2.8	4
103	Understanding the Predictors of Missing Location Data to Inform Smartphone Study Design: Observational Study. JMIR MHealth and UHealth, 2021, 9, e28857.	3.7	4
104	Engagement with consumer smartwatches for tracking symptoms of individuals living with multiple long-term conditions (multimorbidity): A longitudinal observational study. Journal of Multimorbidity and Comorbidity, 2021, 11, 263355652110627.	2.2	4
105	Perturbed Insulin-like Growth Factor-1 (IGF-1) and IGF Binding Protein-3 Are Not Associated with Chronic Widespread Pain in Men: Results from the European Male Ageing Study. Journal of Rheumatology, 2009, 36, 2523-2530.	2.0	3
106	The biological response to stress and chronic pain. , 2010, , 101-117.		3
107	Consumer Smartwatches for Collecting Self-Report and Sensor Data: App Design and Engagement. Studies in Health Technology and Informatics, 2018, 247, 291-295.	0.3	3
108	P36 Adolescents™ experiences of fluctuating pain in musculoskeletal disorders: a qualitative systematic review and thematic synthesis. Rheumatology, 2019, 58, .	1.9	1

#	ARTICLE	IF	CITATIONS
109	P37â€fExploring the experience of pain flares in adolescent inflammatory and non-inflammatory musculoskeletal disorders: a phenomenological study. Rheumatology, 2019, 58, .	1.9	1
110	Clinical and cost-effectiveness of bracing in symptomatic knee osteoarthritis management: protocol for a multicentre, primary care, randomised, parallel-group, superiority trial. BMJ Open, 2021, 11, e048196.	1.9	1
111	Link Between Anxiety and Depression and Pain and Sleep Disruption. , 2016, , 67-78.		1
112	O15â€fMaintaining musculoskeletal health: a randomised controlled trial of cognitive behaviour therapy among people at high risk of developing chronic widespread pain. Rheumatology, 2020, 59, .	1.9	0
113	EpidemiologÃa del dolor. , 2007, , 1231-1246.		0
114	P097â€fUsing a smartphone app to better detect and characterise real-time patient-reported flares in rheumatoid arthritis. Rheumatology, 2022, 61, .	1.9	0
115	Adoption of Digital Pain Manikins for Research Data Collection: A Systematic Review. Studies in Health Technology and Informatics, 2022, , .	0.3	0