

Lili Ding

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9799830/publications.pdf>

Version: 2024-02-01

42
papers

1,836
citations

331670

21
h-index

276875

41
g-index

45
all docs

45
docs citations

45
times ranked

3000
citing authors

#	ARTICLE	IF	CITATIONS
1	Bile acid nuclear receptor FXR and digestive system diseases. <i>Acta Pharmaceutica Sinica B</i> , 2015, 5, 135-144.	12.0	264
2	Protective effect of naringenin against experimental colitis via suppression of Toll-like receptor 4/NF- κ B signalling. <i>British Journal of Nutrition</i> , 2013, 110, 599-608.	2.3	185
3	Vertical sleeve gastrectomy activates GPBAR α 1/TGR5 to sustain weight loss, improve fatty liver, and remit insulin resistance in mice. <i>Hepatology</i> , 2016, 64, 760-773.	7.3	143
4	Mangiferin attenuates the symptoms of dextran sulfate sodium-induced colitis in mice via NF- κ B and MAPK signaling inactivation. <i>International Immunopharmacology</i> , 2014, 23, 170-178.	3.8	115
5	Paeoniflorin abrogates DSS-induced colitis via a TLR4-dependent pathway. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 306, G27-G36.	3.4	108
6	Chrysin Ameliorates Chemically Induced Colitis in the Mouse through Modulation of a PXR/NF- κ B Signaling Pathway. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013, 345, 473-482.	2.5	101
7	Curcumin rescues high fat diet-induced obesity and insulin sensitivity in mice through regulating SREBP pathway. <i>Toxicology and Applied Pharmacology</i> , 2016, 304, 99-109.	2.8	101
8	Plant flavonol isorhamnetin attenuates chemically induced inflammatory bowel disease via a PXR-dependent pathway. <i>Journal of Nutritional Biochemistry</i> , 2014, 25, 923-933.	4.2	75
9	Emodin improves lipid and glucose metabolism in high fat diet-induced obese mice through regulating SREBP pathway. <i>European Journal of Pharmacology</i> , 2016, 770, 99-109.	3.5	70
10	Notoginsenoside R1 Attenuates Experimental Inflammatory Bowel Disease via Pregnane X Receptor Activation. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2015, 352, 315-324.	2.5	68
11	Stabilization of the c-Myc Protein by CAMKII β Promotes T Cell Lymphoma. <i>Cancer Cell</i> , 2017, 32, 115-128.e7.	16.8	68
12	Andrographolide Prevents High-Fat Diet-Induced Obesity in C57BL/6 Mice by Suppressing the Sterol Regulatory Element-Binding Protein Pathway. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 351, 474-483.	2.5	52
13	Notoginsenoside Ft1 acts as a TGR5 agonist but FXR antagonist to alleviate high fat diet-induced obesity and insulin resistance in mice. <i>Acta Pharmaceutica Sinica B</i> , 2021, 11, 1541-1554.	12.0	46
14	Curcumin protects ANIT-induced cholestasis through signaling pathway of FXR-regulated bile acid and inflammation. <i>Scientific Reports</i> , 2016, 6, 33052.	3.3	42
15	<i>Plantago asiatica</i> L. Seed Extract Improves Lipid Accumulation and Hyperglycemia in High-Fat Diet-Induced Obese Mice. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1393.	4.1	38
16	Hepatoprotection and hepatotoxicity of Chinese herb Rhubarb (Dahuang): How to properly control the "General (Jiang Jun)" in Chinese medical herb. <i>Biomedicine and Pharmacotherapy</i> , 2020, 127, 110224.	5.6	34
17	Sweroside ameliorates NAFLD in high-fat diet induced obese mice through the regulation of lipid metabolism and inflammatory response. <i>Journal of Ethnopharmacology</i> , 2020, 255, 112556.	4.1	28
18	Intestinal AMPK modulation of microbiota mediates crosstalk with brown fat to control thermogenesis. <i>Nature Communications</i> , 2022, 13, 1135.	12.8	28

#	ARTICLE	IF	CITATIONS
19	Vertical sleeve gastrectomy confers metabolic improvements by reducing intestinal bile acids and lipid absorption in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	27
20	Metabolic Biomarkers for Prognostic Prediction of Pre-diabetes: results from a longitudinal cohort study. <i>Scientific Reports</i> , 2017, 7, 6575.	3.3	24
21	Danning tablets attenuates $\hat{\pm}$ -naphthylisothiocyanate-induced cholestasis by modulating the expression of transporters and metabolic enzymes. <i>BMC Complementary and Alternative Medicine</i> , 2014, 14, 249.	3.7	23
22	Chlorpromazine-induced perturbations of bile acids and free fatty acids in cholestatic liver injury prevented by the Chinese herbal compound Yin-Chen-Hao-Tang. <i>BMC Complementary and Alternative Medicine</i> , 2015, 15, 122.	3.7	23
23	Activation of PXR by Alpinetin Contributes to Abrogate Chemically Induced Inflammatory Bowel Disease. <i>Frontiers in Pharmacology</i> , 2020, 11, 474.	3.5	19
24	The regulation of TFEB in lipid homeostasis of non-alcoholic fatty liver disease: Molecular mechanism and promising therapeutic targets. <i>Life Sciences</i> , 2020, 246, 117418.	4.3	15
25	Vertical sleeve gastrectomy reverses diet-induced gene-regulatory changes impacting lipid metabolism. <i>Scientific Reports</i> , 2017, 7, 5274.	3.3	14
26	Bile acid signaling and bariatric surgery. <i>Liver Research</i> , 2017, 1, 208-213.	1.4	14
27	Beneficial effect of resveratrol on $\hat{\pm}$ -naphthyl isothiocyanate-induced cholestasis via regulation of the FXR pathway. <i>Molecular Medicine Reports</i> , 2017, 17, 1863-1872.	2.4	14
28	Identification of miR-26a as a Target Gene of Bile Acid Receptor GPBAR-1/TGR5. <i>PLoS ONE</i> , 2015, 10, e0131294.	2.5	13
29	Gut Microbiota: Novel Therapeutic Target of Ginsenosides for the Treatment of Obesity and Its Complications. <i>Frontiers in Pharmacology</i> , 2021, 12, 731288.	3.5	11
30	Ginsenoside Ro Ameliorates High-Fat Diet-induced Obesity and Insulin Resistance in Mice via Activation of the G Protein-coupled Bile Acid Receptor 5 Pathway. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2021, 377, 441-451.	2.5	10
31	Targeted metabolomics profiles serum fatty acids by HFD induced non-alcoholic fatty liver in mice based on GC-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022, 211, 114620.	2.8	10
32	Improving glucose and lipids metabolism: drug development based on bile acid related targets. <i>Cell Stress</i> , 2021, 5, 1-18.	3.2	8
33	Helichrysetin and TNF $\hat{\pm}$ synergistically promote apoptosis by inhibiting overactivation of the NF $\hat{\pm}$ B and EGFR signaling pathways in HeLa and T98G cells. <i>International Journal of Molecular Medicine</i> , 2021, 47, .	4.0	7
34	Dose-Related Urinary Metabolic Alterations of a Combination of Quercetin and Resveratrol-Treated High-Fat Diet Fed Rats. <i>Frontiers in Pharmacology</i> , 2021, 12, 655563.	3.5	7
35	Prognostic significance of visit-to-visit variability, and maximum and minimum LDL cholesterol in diabetes mellitus. <i>Lipids in Health and Disease</i> , 2022, 21, 19.	3.0	6
36	Danning tablets alleviate high fat diet-induced obesity and fatty liver in mice via modulating SREBP pathway. <i>Journal of Ethnopharmacology</i> , 2021, 279, 114320.	4.1	5

#	ARTICLE	IF	CITATIONS
37	Targeting Bile Acid-Activated Receptors in Bariatric Surgery. Handbook of Experimental Pharmacology, 2019, 256, 359-378.	1.8	4
38	Bile acids and metabolic surgery. Liver Research, 2021, 5, 164-170.	1.4	4
39	Changes of renal transporters in the kinetic process of VCM-induced nephrotoxicity in mice. Toxicology Research, 2021, 10, 687-695.	2.1	3
40	Emerging Applications of Metabolomics to Assess the Efficacy of Traditional Chinese Medicines for Treating Type 2 Diabetes Mellitus. Frontiers in Pharmacology, 2021, 12, 735410.	3.5	3
41	Bile Acid Receptors and Liver Regeneration. , 2015, , 125-135.		1
42	Bile Acid Composition Contributes to Metabolic Improvements after Sleeve Gastrectomy in Mice. FASEB Journal, 2020, 34, 1-1.	0.5	0