

Simon Klemperer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/981108/publications.pdf>

Version: 2024-02-01

155
papers

9,997
citations

30070

54
h-index

37204

96
g-index

168
all docs

168
docs citations

168
times ranked

4819
citing authors

#	ARTICLE	IF	CITATIONS
1	Partially Molten Middle Crust Beneath Southern Tibet: Synthesis of Project INDEPTH Results. <i>Science</i> , 1996, 274, 1684-1688.	12.6	1,063
2	Deep seismic reflection evidence for continental underthrusting beneath southern Tibet. <i>Nature</i> , 1993, 366, 557-559.	27.8	636
3	The onset of India-Asia continental collision: Early, steep subduction required by the timing of UHP metamorphism in the western Himalaya. <i>Earth and Planetary Science Letters</i> , 2005, 234, 83-97.	4.4	506
4	Seismic Imaging of the Downwelling Indian Lithosphere Beneath Central Tibet. <i>Science</i> , 2003, 300, 1424-1427.	12.6	310
5	The Moho in the northern Basin and Range province, Nevada, along the COCORP 40°N seismic-reflection transect. <i>Bulletin of the Geological Society of America</i> , 1986, 97, 603.	3.3	252
6	An overview of the Izu-Bonin-Mariana subduction factory. <i>Geophysical Monograph Series</i> , 2003, , 175-222.	0.1	221
7	Characterizing the Main Himalayan Thrust in the Garhwal Himalaya, India with receiver function CCP stacking. <i>Earth and Planetary Science Letters</i> , 2013, 367, 15-27.	4.4	202
8	Crustal structure and evolution of the Mariana intra-oceanic island arc. <i>Geology</i> , 2007, 35, 203.	4.4	183
9	Crustal structure of central Tibet as derived from project INDEPTH wide-angle seismic data. <i>Geophysical Journal International</i> , 2001, 145, 486-498.	2.4	175
10	Overview of the COCORP 40°N Transect, western United States: The fabric of an orogenic belt. <i>Bulletin of the Geological Society of America</i> , 1987, 98, 308.	3.3	171
11	Three-dimensional seismic imaging of a protoridge axis in the Main Ethiopian rift. <i>Geology</i> , 2004, 32, 949.	4.4	171
12	Crustal flow in Tibet: geophysical evidence for the physical state of Tibetan lithosphere, and inferred patterns of active flow. <i>Geological Society Special Publication</i> , 2006, 268, 39-70.	1.3	154
13	Crustal-scale duplexing beneath the Yarlung Zangbo suture in the western Himalaya. <i>Nature Geoscience</i> , 2016, 9, 555-560.	12.9	153
14	3D imaging of subducting and fragmenting Indian continental lithosphere beneath southern and central Tibet using body-wave finite-frequency tomography. <i>Earth and Planetary Science Letters</i> , 2016, 443, 162-175.	4.4	135
15	Measuring the seismic properties of Tibetan bright spots: Evidence for free aqueous fluids in the Tibetan middle crust. <i>Journal of Geophysical Research</i> , 1999, 104, 10795-10825.	3.3	134
16	INDEPTH Wide-Angle Reflection Observation of P-Wave-to-S-Wave Conversion from Crustal Bright Spots in Tibet. <i>Science</i> , 1996, 274, 1690-1691.	12.6	132
17	Discontinuous and diachronous evolution of the Main Ethiopian Rift: Implications for development of continental rifts. <i>Earth and Planetary Science Letters</i> , 2008, 265, 96-111.	4.4	129
18	Ophiolitic basement to the Great Valley forearc basin, California, from seismic and gravity data: Implications for crustal growth at the North American continental margin. <i>Bulletin of the Geological Society of America</i> , 1997, 109, 1536-1562.	3.3	126

#	ARTICLE	IF	CITATIONS
19	INDEPTH III seismic data: From surface observations to deep crustal processes in Tibet. <i>Tectonics</i> , 2003, 22, n/a-n/a.	2.8	126
20	Mantle fluids in the Karakoram fault: Helium isotope evidence. <i>Earth and Planetary Science Letters</i> , 2013, 366, 59-70.	4.4	125
21	The deep structure of northern England and the Iapetus Suture zone from BIRPS deep seismic reflection profiles. <i>Journal of the Geological Society</i> , 1988, 145, 727-740.	2.1	122
22	A complex Tibetan upper mantle: A fragmented Indian slab and no south-verging subduction of Eurasian lithosphere. <i>Earth and Planetary Science Letters</i> , 2012, 333-334, 101-111.	4.4	117
23	Three-dimensional seismic model of the Sierra Nevada arc, California, and its implications for crustal and upper mantle composition. <i>Journal of Geophysical Research</i> , 2000, 105, 10899-10921.	3.3	113
24	Nature and distribution of deformation across the Banda Arc—Australian collision zone at Timor. <i>Bulletin of the Geological Society of America</i> , 1987, 98, 18.	3.3	110
25	Crustal thinning and nature of extension in the northern North Sea from deep seismic reflection profiling. <i>Tectonics</i> , 1988, 7, 803-821.	2.8	106
26	Injection of Tibetan crust beneath the south Qaidam Basin: Evidence from INDEPTH IV wide-angle seismic data. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	105
27	Partial melt in the upper-middle crust of the northwest Himalaya revealed by Rayleigh wave dispersion. <i>Tectonophysics</i> , 2009, 477, 58-65.	2.2	102
28	Crustal structure of the northern Main Ethiopian Rift from the EAGLE controlled-source survey; a snapshot of incipient lithospheric break-up. <i>Geological Society Special Publication</i> , 2006, 259, 269-292.	1.3	101
29	West-east variation in crustal thickness in northern Lhasa block, central Tibet, from deep seismic sounding data. <i>Journal of Geophysical Research</i> , 2005, 110, .	3.3	96
30	Crustal structure transition from oceanic arc to continental arc, eastern Aleutian Islands and Alaska Peninsula. <i>Earth and Planetary Science Letters</i> , 2000, 179, 567-579.	4.4	91
31	Characteristics of volcanic rifted margins. , 2002, , .		90
32	Structure of an island-arc: Wide-angle seismic studies in the eastern Aleutian Islands, Alaska. <i>Journal of Geophysical Research</i> , 1999, 104, 10667-10694.	3.3	87
33	Low lower crustal velocity across Ethiopia: Is the Main Ethiopian Rift a narrow rift in a hot craton?. <i>Geochemistry, Geophysics, Geosystems</i> , 2009, 10, .	2.5	87
34	Receiver function imaging of crustal suture, steep subduction, and mantle wedge in the eastern India—Tibet continental collision zone. <i>Earth and Planetary Science Letters</i> , 2015, 414, 6-15.	4.4	86
35	Three-dimensional crustal structure of the southern Sierra Nevada from seismic fan profiles and gravity modeling. <i>Geology</i> , 1996, 24, 367-370.	4.4	83
36	A deep seismic reflection transect across the Irish Caledonides. <i>Journal of the Geological Society</i> , 1991, 148, 149-164.	2.1	82

#	ARTICLE	IF	CITATIONS
37	On the relationship between extension and anisotropy: Constraints from shear wave splitting across the East African Plateau. <i>Journal of Geophysical Research</i> , 2004, 109, .	3.3	82
38	Structural elements of the southern Tethyan Himalaya crust from wide-angle seismic data. <i>Tectonics</i> , 1996, 15, 997-1005.	2.8	77
39	Shear-wave splitting around the Eifel hotspot: evidence for a mantle upwelling. <i>Geophysical Journal International</i> , 2005, 163, 962-980.	2.4	77
40	Distributed Nubia-Somalia relative motion and dike intrusion in the Main Ethiopian Rift. <i>Geophysical Journal International</i> , 2006, 165, 303-310.	2.4	77
41	Midcrustal reflector on INDEPTH wide-angle profiles: An ophiolitic slab beneath the India-Asia suture in southern Tibet?. <i>Tectonics</i> , 1999, 18, 793-808.	2.8	76
42	Seismoelectric imaging of shallow targets. <i>Geophysics</i> , 2007, 72, G9-G20.	2.6	76
43	Three-dimensional crustal structure of the Mariana island arc from seismic tomography. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	76
44	Seismic Evidence for a Lower-Crustal Detachment Beneath San Francisco Bay, California. <i>Science</i> , 1994, 265, 1436-1439.	12.6	74
45	Crustal structure of the Paleozoic Kunlun orogeny from an active-source seismic profile between Moba and Guide in East Tibet, China. <i>Gondwana Research</i> , 2011, 19, 994-1007.	6.0	74
46	Iapetus suture located beneath the North Sea by BIRPS deep seismic reflection profiling. <i>Geology</i> , 1987, 15, 195.	4.4	71
47	Modeling Low-frequency Magnetic-field Precursors to the Loma Prieta Earthquake with a Precursory Increase in Fault-zone Conductivity. <i>Pure and Applied Geophysics</i> , 1997, 150, 217-248.	1.9	69
48	Shear-wave splitting in Ethiopia: Precambrian mantle anisotropy locally modified by Neogene rifting. <i>Geophysical Research Letters</i> , 2004, 31, .	4.0	68
49	Weakly coupled lithospheric extension in southern Tibet. <i>Earth and Planetary Science Letters</i> , 2015, 430, 171-177.	4.4	65
50	Ophiolitic basement to a forearc basin and implications for continental growth: The Coast Range/Great Valley ophiolite, California. <i>Tectonics</i> , 1998, 17, 558-570.	2.8	64
51	Crustal deformation of the Lhasa terrane, Tibet plateau from Project INDEPTH deep seismic reflection profiles. <i>Tectonics</i> , 1998, 17, 501-519.	2.8	62
52	Crustal structure and exhumation of the Dabie Shan ultrahigh-pressure orogen, eastern China, from seismic reflection profiling. <i>Geology</i> , 2003, 31, 435.	4.4	61
53	Geophysical project in Ethiopia studies continental breakup. <i>Eos</i> , 2003, 84, 337.	0.1	60
54	Detection of southward intracontinental subduction of Tibetan lithosphere along the Bangong-Nujiang suture by P-to-S converted waves. <i>Geology</i> , 2004, 32, 209.	4.4	58

#	ARTICLE	IF	CITATIONS
55	Crustal structure across northeastern Tibet from wide-angle seismic profiling: Constraints on the Caledonian Qilian orogeny and its reactivation. <i>Tectonophysics</i> , 2013, 606, 140-159.	2.2	58
56	Localized foundering of Indian lower crust in the India–Tibet collision zone. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 24742-24747.	7.1	58
57	Crustal-scale wedge tectonics at the narrow boundary between the Tibetan Plateau and Ordos block. <i>Earth and Planetary Science Letters</i> , 2021, 554, 116700.	4.4	56
58	Reflectivity of the crystalline crust: hypotheses and tests. <i>Geophysical Journal International</i> , 1987, 89, 217-222.	2.4	55
59	Crustal structure beneath the Sub-Himalayan fold–thrust belt, Kangra recess, northwest India, from seismic reflection profiling: Implications for Late Paleoproterozoic orogenesis and modern earthquake hazard. <i>Earth and Planetary Science Letters</i> , 2011, 308, 218-228.	4.4	55
60	Deep-seated lithospheric geometry in revealing collapse of the Tibetan Plateau. <i>Earth-Science Reviews</i> , 2018, 185, 751-762.	9.1	53
61	Nonuniform subduction of the Indian crust beneath the Himalayas. <i>Scientific Reports</i> , 2017, 7, 12497.	3.3	52
62	Deep reflection surveying in central Tibet: lower-crustal layering and crustal flow. <i>Geophysical Journal International</i> , 2004, 156, 115-128.	2.4	50
63	High electrical conductivity in a model lower crust with unconnected, conductive, seismically reflective layers. <i>Geophysical Journal International</i> , 1992, 108, 895-905.	2.4	48
64	Transition from slab to slables: Results from the 1993 Mendocino triple junction seismic experiment. <i>Geology</i> , 1996, 24, 195.	4.4	48
65	San Andreas fault dip, Peninsular Ranges mafic lower crust and partial melt in the Salton Trough, Southern California, from ambient noise tomography. <i>Geochemistry, Geophysics, Geosystems</i> , 2015, 16, 3946-3972.	2.5	48
66	Some results of COCORP seismic reflection profiling in the Grenville-age Adirondack Mountains, New York State. <i>Canadian Journal of Earth Sciences</i> , 1985, 22, 141-153.	1.3	47
67	Reflections from mantle fault zones around the British Isles. <i>Geology</i> , 1990, 18, 528.	4.4	47
68	Lower crustal porosity from electrical measurements and inferences about composition from seismic velocities. <i>Geophysical Research Letters</i> , 1989, 16, 255-258.	4.0	45
69	Shear-wave splitting to test mantle deformation models around Hawaii. <i>Geophysical Research Letters</i> , 2001, 28, 4319-4322.	4.0	44
70	West–east transition from underplating to steep subduction in the India–Tibet collision zone revealed by receiver-function profiles. <i>Earth and Planetary Science Letters</i> , 2016, 452, 171-177.	4.4	44
71	Fluids in the lower crust following Mendocino triple junction migration: Active basaltic intrusion?. <i>Geology</i> , 1998, 26, 171.	4.4	43
72	Short Paper: Seismic reflection evidence for the location of the Iapetus suture west of Ireland. <i>Journal of the Geological Society</i> , 1989, 146, 409-412.	2.1	42

#	ARTICLE	IF	CITATIONS
73	Crustal structure of the central and southern North Sea from BIRPS deep seismic reflection profiling. <i>Journal of the Geological Society</i> , 1991, 148, 445-457.	2.1	41
74	Duplex in the Main Himalayan Thrust illuminated by aftershocks of the 2015 Mw 7.8 Gorkha earthquake. <i>Nature Geoscience</i> , 2019, 12, 1018-1022.	12.9	41
75	Deep seismic reflection profiling and the growth of the continental crust. <i>Tectonophysics</i> , 1989, 161, 233-244.	2.2	39
76	Analysis of Ultralow-Frequency Electromagnetic Field Measurements Associated with the 1999 M 7.1 Hector Mine, California, Earthquake Sequence. <i>Bulletin of the Seismological Society of America</i> , 2002, 92, 1513-1524.	2.3	38
77	Lateral variation of the Main Himalayan Thrust controls the rupture length of the 2015 Gorkha earthquake in Nepal. <i>Science Advances</i> , 2019, 5, eaav0723.	10.3	38
78	Limited underthrusting of India below Tibet: ³ He/ ⁴ He analysis of thermal springs locates the mantle suture in continental collision. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2113877119.	7.1	38
79	Crustal structure of western Nevada from COCORP deep seismic-reflection data. <i>Bulletin of the Geological Society of America</i> , 1987, 98, 320.	3.3	35
80	Location of the southern edge of the Gorda slab and evidence for an adjacent asthenospheric window: Results from seismic profiling and gravity. <i>Journal of Geophysical Research</i> , 1998, 103, 30101-30115.	3.3	34
81	METHODOLOGICAL INSIGHTS: Using seismic sensors to detect elephants and other large mammals: a potential census technique. <i>Journal of Applied Ecology</i> , 2005, 42, 587-594.	4.0	34
82	Normal faulting from simple shear rifting in South Tibet, using evidence from passive seismic profiling across the Yadong-Gulu Rift. <i>Tectonophysics</i> , 2013, 606, 178-186.	2.2	34
83	CDP mapping to obtain the fine structure of the crust and upper mantle from seismic sounding data: an example for the southeastern China. <i>Physics of the Earth and Planetary Interiors</i> , 2000, 122, 133-146.	1.9	33
84	Crustal structure of the Bering and Chukchi shelves: Deep seismic reflection profiles across the North American continent between Alaska and Russia. , 2002, , .		33
85	Crustal structure of the northwestern Basin and Range Province and its transition to unextended volcanic plateaus. <i>Geochemistry, Geophysics, Geosystems</i> , 2007, 8, n/a-n/a.	2.5	33
86	A Comparison of the Moho Interpreted From Gravity Data and From Deep Seismic Reflection Data In the Northern North Sea. <i>Geophysical Journal International</i> , 1989, 97, 247-258.	2.4	29
87	Shear-wave splitting beneath the Snake River Plain suggests a mantle upwelling beneath eastern Nevada, USA. <i>Earth and Planetary Science Letters</i> , 2004, 222, 529-542.	4.4	29
88	Crustal shear (S) velocity and Poisson's ratio structure along the INDEPTH IV profile in northeast Tibet as derived from wide-angle seismic data. <i>Geophysical Journal International</i> , 2012, 191, 369-384.	2.4	28
89	Temporal geochemical variation in Ethiopian Lakes Shala, Arenguade, Awasa, and Beseka: Possible environmental impacts from underwater and borehole detonations. <i>Journal of African Earth Sciences</i> , 2007, 48, 174-198.	2.0	27
90	Wide-angle deep crustal reflections in the northern Appalachians. <i>Geophysical Journal International</i> , 1987, 89, 183-188.	2.4	26

#	ARTICLE	IF	CITATIONS
91	A Transportable System for Monitoring Ultralow Frequency Electromagnetic Signals Associated with Earthquakes. <i>Seismological Research Letters</i> , 2000, 71, 423-436.	1.9	26
92	Seismic reflections from the near-vertical San Andreas Fault. <i>Geophysical Research Letters</i> , 1996, 23, 237-240.	4.0	23
93	Ultra-low frequency electromagnetic measurements associated with the 1998 Mw 5.1 San Juan Bautista, California earthquake and implications for mechanisms of electromagnetic earthquake precursors. <i>Tectonophysics</i> , 2002, 359, 65-79.	2.2	23
94	Seismic waves from elephant vocalizations: A possible communication mode?. <i>Geophysical Research Letters</i> , 2004, 31, n/a-n/a.	4.0	22
95	Deep structure of southern Ireland: a new geological synthesis using BIRPS deep reflection profiling. <i>Journal of the Geological Society</i> , 1992, 149, 915-922.	2.1	21
96	Two-stage Red Sea rifting inferred from mantle earthquakes in Neoproterozoic lithosphere. <i>Earth and Planetary Science Letters</i> , 2018, 497, 92-101.	4.4	21
97	Seismic noise reduction techniques for use with vertical stacking: An empirical comparison. <i>Geophysics</i> , 1987, 52, 322-334.	2.6	20
98	Dating the source of lower crystal reflectivity using BIRPS deep Seismic profiles across the lapetus suture. <i>Tectonophysics</i> , 1990, 173, 445-454.	2.2	20
99	Structure and Stratigraphy of the Porcupine Basin & Relationships to Deep Crustal Structure and the Opening of the North Atlantic, , 1989, , .		20
100	Ambient noise tomography of north Tibet limits geological terrane signature to upper middle crust. <i>Geophysical Research Letters</i> , 2013, 40, 808-813.	4.0	19
101	Seismic stratigraphy of Detroit Seamount, Hawaiian-Emperor seamount chain: Post-hot-spot shield-building volcanism and deposition of the Meiji drift. <i>Geochemistry, Geophysics, Geosystems</i> , 2005, 6, n/a-n/a.	2.5	18
102	Nature of the crust beneath northwest Basin and Range province from teleseismic receiver function data. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	17
103	Interpreting the deep structure of rifts with synthetic seismic sections. <i>Geodynamic Series</i> , 1986, , 301-311.	0.1	16
104	Crustal structure of seismic velocity in southern tibet and east-westward escape of the crustal material. <i>Science in China Series D: Earth Sciences</i> , 2004, 47, 500-506.	0.9	16
105	Crustal structure of the Tethyan Himalaya, southern Tibet: new constraints from old wide-angle seismic data. <i>Geophysical Journal International</i> , 2010, , .	2.4	16
106	The northwestern margin of the Basin-and-Range Province, part 1: Reflection profiling of the moderate-angle (~30°) Surprise Valley Fault. <i>Tectonophysics</i> , 2010, 488, 143-149.	2.2	16
107	Coseismic electric and magnetic signals observed during 2017 Jiuzhaigou Mw 6.5 earthquake and explained by electrokinetics and magnetometer rotation. <i>Geophysical Journal International</i> , 2020, 223, 1130-1143.	2.4	14
108	Processing Birps Deep Seismic Reflection Data: A Tutorial Review. , 1989, , 229-257.		13

#	ARTICLE	IF	CITATIONS
109	Seismology Across the Northeastern Edge of the Tibetan Plateau. <i>Eos</i> , 2008, 89, 487-487.	0.1	12
110	Test of deep seismic reflection profiling across central uplift of Qiangtang terrane in Tibetan plateau. <i>Journal of Earth Science (Wuhan, China)</i> , 2009, 20, 438-447.	3.2	11
111	Rapid variation in upper-mantle rheology across the San Andreas fault system and Salton Trough, southernmost California, USA. <i>Geology</i> , 2016, 44, 575-578.	4.4	11
112	Tomographic Image of Shear Wave Structure of NE India Based on Analysis of Rayleigh Wave Data. <i>Frontiers in Earth Science</i> , 2021, 9, .	1.8	11
113	Reply to "Shear-wave splitting to test mantle deformation models around Hawaii" by Vinnik et al.. <i>Geophysical Research Letters</i> , 2003, 30, .	4.0	10
114	Receiver-function imaging of the lithosphere at the Kunlun-Qaidam boundary, Northeast Tibet. <i>Tectonophysics</i> , 2019, 759, 30-43.	2.2	10
115	Shear wave splitting around hotspots: Evidence for upwelling-related mantle flow?. , 2005, , .		9
116	Hidden intrabasin extension: Evidence for dike-fault interaction from magnetic, gravity, and seismic reflection data in Surprise Valley, northeastern California. , 2016, 12, 15-25.		9
117	Cross-validation of independent ultra-low-frequency magnetic recording systems for active fault studies. <i>Earth, Planets and Space</i> , 2018, 70, 57.	2.5	8
118	Post-critical SsPmp and its applications to Virtual Deep Seismic Sounding (VDSS) 1: sensitivity to lithospheric 1-D and 2-D structure. <i>Geophysical Journal International</i> , 2018, 215, 880-894.	2.4	7
119	Modeling sideswipe in 2D oceanic seismic surveys from sonar data: Application to the Mariana arc. <i>Tectonophysics</i> , 2006, 420, 333-343.	2.2	6
120	Post-critical SsPmp and its applications to Virtual Deep Seismic Sounding (VDSS) 2: 1-D imaging of the crust/mantle and joint constraints with receiver functions. <i>Geophysical Journal International</i> , 2019, 219, 1334-1347.	2.4	6
121	Late Quaternary subsidence of Santa Catalina Island, California Continental Borderland, demonstrated by seismic-reflection data and fossil assemblages from submerged marine terraces. <i>Bulletin of the Geological Society of America</i> , 2019, 131, 21-42.	3.3	6
122	A Rapid Response Network to Record Aftershocks of the 2015 M ^{7.8} Gorkha Earthquake in Nepal. <i>Seismological Research Letters</i> , 2020, 91, 2399-2408.	1.9	6
123	Crustal structure of the Ruby Mountains metamorphic core complex, Nevada, from passive seismic imaging. , 2017, 13, 1506-1523.		6
124	Simulations of noise rejection and mantissa-only recording: An experiment in high-amplitude noise reduction with COCORP data. <i>Geophysics</i> , 1985, 50, 709-714.	2.6	6
125	Reconciling lithospheric deformation and lower crustal flow beneath central Tibet: COMMENT and REPLY: COMMENT. <i>Geology</i> , 2008, 36, e180-e180.	4.4	5
126	Constraints on the age of formation of seismically reflective middle and lower crust beneath the Bering Shelf: SHRIMP zircon dating of xenoliths from Saint Lawrence Island. , 2002, , .		4

#	ARTICLE	IF	CITATIONS
127	Tectonic Evolution of the Bristol Bay basin, southeast Bering Sea: Constraints from seismic reflection and potential field data. <i>Tectonics</i> , 2003, 22, n/a-n/a.	2.8	4
128	ATV magnetometer systems for efficient ground magnetic surveying. <i>The Leading Edge</i> , 2011, 30, 394-398.	0.7	4
129	Love-wave normal modes discriminate between upper-mantle and crustal earthquakes: Simulation and demonstration in Tibet. <i>Earth and Planetary Science Letters</i> , 2021, 571, 117089.	4.4	4
130	Seismic Anisotropy in the Asthenosphere Beneath the Eifel Region, Western Germany. , 2007, , 439-464.		4
131	Assessment of a claimed ultra-low frequency electromagnetic (ULFEM) earthquake precursor. <i>Geophysical Journal International</i> , 2022, 229, 2081-2095.	2.4	4
132	Crustal structure across the Bering Strait, Alaska: Onshore recordings of a marine seismic survey. , 2002, , .		3
133	Reply to comment by P.J. O'Brien on: "The onset of India-Asia continental collision: Early, steep subduction required by the timing of UHP metamorphism in the western Himalaya" by Mary L. Leech, S. Singh, A.K. Jain, Simon L. Klemperer and R.M. Manickavasagam, <i>Earth Planetary Science Letters</i> 234 (2005) 83-97. <i>Earth and Planetary Science Letters</i> , 2006, 245, 817-820.	4.4	3
134	Integration of the NEES T-Rex Vibrator and PASSCAL Texan Recorders for Seismic Profiling of Shallow and Deep Crustal Targets. <i>Seismological Research Letters</i> , 2008, 79, 41-46.	1.9	3
135	Sycamore Knoll: A wave-planed pop-up structure in a sinistral-oblique thrust system, Southern California Continental Borderland. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2018, 150, 132-145.	1.4	3
136	Detection of a widespread mantle component of ^3He in thermal springs of Lhasa Block and Tethyan Himalaya, eastern Tibet: evidence for rollback of the Indian-Asian mantle suture south of the Yarlung suture zone, and asthenospheric upwelling beneath the Lhasa block. <i>Acta Geologica Sinica</i> , 2019, 93, 56-57.	1.4	3
137	Western Gondwana imaged by S receiver-functions (SRF): New results on Moho, MLD (mid-lithospheric) Tj ETQq1 1.0784314 rgBT /Ove 0.0 3		3
138	Vertical extent of the newborn San Andreas fault at the Mendocino triple junction. <i>Geology</i> , 2000, 28, 1111-1114.	4.4	3
139	Geology: Seismic reflections of the continental crust. <i>Nature</i> , 1984, 311, 409-409.	27.8	2
140	Introduction: deep crustal probing. <i>Precambrian Research</i> , 1992, 55, 169-172.	2.7	2
141	Geographic information systems compilation of geophysical, geologic, and tectonic data for the Bering Shelf, Chukchi Sea, Arctic margin, and adjacent landmasses. , 2002, , .		2
142	Development of Electroseismic Experimental Methods. , 2004, , .		2
143	Zhongjie Zhang (1964 - 2013). <i>Tectonophysics</i> , 2014, 627, 4-5.	2.2	2
144	Post-critical SsPmp and its applications to virtual deep seismic sounding (VDSS): back-projection imaging of the crust-mantle boundary in a heterogeneous lithosphere, theory and application. <i>Geophysical Journal International</i> , 2020, 223, 2166-2187.	2.4	2

#	ARTICLE	IF	CITATIONS
145	Electromagnetic Field Generated by an Earthquake Source Due to Motional Induction in 3D Stratified Media, and Application to 2008 M w 6.1 Qingchuan Earthquake. <i>Journal of Geophysical Research: Solid Earth</i> , 2021, 126, e2021JB022102.	3.4	2
146	Crustal structure and exhumation of the Dabie Shan ultrahigh-pressure orogen, eastern China, from seismic reflection profiling: Comment and Reply. <i>Geology</i> , 2003, 31, e39-e39.	4.4	0
147	U.S. Passive Margins: Are We Missing an Important Opportunity?. <i>Eos</i> , 2008, 89, 64.	0.1	0
148	Crustal velocity structure from surface wave dispersion tomography in the Indian Himalaya. <i>Himalayan Journal of Sciences</i> , 2008, 5, 33.	0.3	0
149	Multi-stage evolution of the Ordos lithosphere from stochastic inversion of elevation, geoid, surface heat flow, Rayleigh wave dispersion data and magnetotelluric data. <i>Acta Geologica Sinica</i> , 2019, 93, 101-101.	1.4	0
150	Mantle-earthquake geothermometry of rejuvenated Proterozoic lithosphere, western Saudi Arabia. <i>Acta Geologica Sinica</i> , 2019, 93, 102-103.	1.4	0
151	Deep-seated lithospheric geometry in revealing collapse of the Tibetan Plateau. <i>Acta Geologica Sinica</i> , 2019, 93, 66-66.	1.4	0
152	Uplifted marine terraces on Santa Catalina Island, California, USA: COMMENT. <i>Geology</i> , 2021, 49, e529-e529.	4.4	0
153	Development Of Electro seismic Experimental Methods. , 2004, , .		0
154	Northeast Tibetan Crustal Structure from INDEPTH IV Controlled- Source Seismic Data. <i>Himalayan Journal of Sciences</i> , 2008, 5, 76-77.	0.3	0
155	Seismostratigraphy of a submerged coastal transition zone: Precise determination of paleocoastal environments during the last glacial maximum from high-resolution 3D multichannel seismic. , 2018, , .		0