

# Byung Ihn Choi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9811660/publications.pdf>

Version: 2024-02-01

514  
papers

27,339  
citations

6250

80  
h-index

11303

136  
g-index

522  
all docs

522  
docs citations

522  
times ranked

17121  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ultrasound Elastography for Liver Disease with Focus on Hepatic Fibrosis. Journal of Clinical Ultrasound, 2022, 7, 1-10.	0.0	0
2	Quantitative Assessment of Fatty Liver using Ultrasound with Normalized Local Variance Technique. Ultraschall in Der Medizin, 2021, 42, 599-606.	0.8	9
3	Accuracy of Two-Dimensional Shear Wave Elastography and Attenuation Imaging for Evaluation of Patients With Nonalcoholic Steatohepatitis. Clinical Gastroenterology and Hepatology, 2021, 19, 797-805.e7.	2.4	86
4	2D shear wave elastography is better than transient elastography in predicting post-hepatectomy complication after resection. European Radiology, 2021, 31, 5802-5811.	2.3	6
5	The AFSUMB consensus statements and recommendations for the clinical practice of contrast-enhanced ultrasound using sonazoid. Journal of Medical Ultrasound, 2021, 28, 59-82.	0.2	13
6	Detection of Ureteral Stones in Kidney Ureter Bladder Radiography: Usefulness of Digital Post-processing. Current Medical Imaging, 2021, 17, .	0.4	1
7	Ultrasonographic features of uterine cervical lesions. British Journal of Radiology, 2021, 94, 20201242.	1.0	0
8	Multiparametric US for Identifying Patients with High-Risk NASH: A Derivation and Validation Study. Radiology, 2021, 301, 625-634.	3.6	20
9	Severity of hyperechoic pancreas on ultrasonography as a risk factor for glycemic progression. Ultrasonography, 2021, 40, 499-511.	1.0	3
10	Technical success rates and reliability of spin-echo echo-planar imaging (SE-EPI) MR elastography in patients with chronic liver disease or liver cirrhosis. European Radiology, 2020, 30, 1730-1737.	2.3	13
11	Guidelines and Good Clinical Practice Recommendations for Contrast Enhanced Ultrasound (CEUS) in the Liver – Update 2020 – WFUMB in Cooperation with EFSUMB, AFSUMB, AIUM, and FLAUS. Ultraschall in Der Medizin, 2020, 41, 562-585.	0.8	130
12	Guidelines and Good Clinical Practice Recommendations for Contrast-Enhanced Ultrasound (CEUS) in the Liver – Update 2020 WFUMB in Cooperation with EFSUMB, AFSUMB, AIUM, and FLAUS. Ultrasound in Medicine and Biology, 2020, 46, 2579-2604.	0.7	210
13	The AFSUMB Consensus Statements and Recommendations for the Clinical Practice of Contrast-Enhanced Ultrasound using Sonazoid. Ultrasonography, 2020, 39, 191-220.	1.0	58
14	Two-Dimensional-Shear Wave Elastography with a Propagation Map: Prospective Evaluation of Liver Fibrosis Using Histopathology as the Reference Standard. Korean Journal of Radiology, 2020, 21, 1317.	1.5	12
15	History of the Asian Society of Abdominal Radiology. Korean Journal of Radiology, 2020, 21, 5.	1.5	0
16	Added value of 2D shear wave imaging of the gallbladder bed of the liver for acute cholecystitis. Ultrasonography, 2020, 39, 384-393.	1.0	2
17	Quantitative ultrasound (US) imaging for fatty liver disease. Ultrasound in Medicine and Biology, 2019, 45, S32.	0.7	0
18	Assessment of hepatic steatosis by using attenuation imaging: a quantitative, easy-to-perform ultrasound technique. European Radiology, 2019, 29, 6499-6507.	2.3	104

#	ARTICLE	IF	CITATIONS
19	Distinguishing benign from malignant thyroid nodules using thyroid ultrasonography: utility of adding superb microvascular imaging and elastography. <i>Radiologia Medica</i> , 2018, 123, 260-270.	4.7	42
20	Classification of spontaneous isolated superior mesenteric artery dissection: correlation with multi-detector CT features and clinical presentation. <i>Abdominal Radiology</i> , 2018, 43, 3157-3165.	1.0	16
21	Comparison and Combination of Strain and Shear Wave Elastography of Breast Masses for Differentiation of Benign and Malignant Lesions by Quantitative Assessment: Preliminary Study. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 99-109.	0.8	48
22	A Rare Case of Zinner's Syndrome with Ectopic Prostate and Triorchidism. <i>Journal of the Korean Society of Radiology</i> , 2018, 78, 358.	0.1	1
23	Liver Ultrasound Elastography: An Update to the World Federation for Ultrasound in Medicine and Biology Guidelines and Recommendations. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 2419-2440.	0.7	357
24	Efficacy of Superb Microvascular Imaging for Diagnosing Acute Cholecystitis: Comparison with Conventional Ultrasonography. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 1968-1977.	0.7	9
25	Ultrasonography: current status, challenges, and future directions. <i>Ultrasonography</i> , 2018, 37, 1-2.	1.0	2
26	Arteriovenous Malformation of the Distal Ileum in a 14-Year-Old Girl with Recurrent Abdominal Pain: A Case Report. <i>Journal of the Korean Society of Radiology</i> , 2018, 78, 295.	0.1	0
27	Shear Wave Liver Elastography with a Propagation Map: Diagnostic Performance and Inter-Observer Correlation for Hepatic Fibrosis in Chronic Hepatitis. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 1355-1363.	0.7	30
28	Image Fusion of Real-Time Ultrasonography with Computed Tomography: Factors Affecting the Registration Error and Motion of Focal Hepatic Lesions. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 2024-2032.	0.7	10
29	How to Differentiate Borderline Hepatic Nodules in Hepatocarcinogenesis: Emphasis on Imaging Diagnosis. <i>Liver Cancer</i> , 2017, 6, 189-203.	4.2	55
30	Prediction of Therapeutic Response of Hepatocellular Carcinoma to Transcatheter Arterial Chemoembolization Based on Pretherapeutic Dynamic CT and Textural Findings. <i>American Journal of Roentgenology</i> , 2017, 209, W211-W220.	1.0	68
31	Diagnostic performance of stomach CT compared with endoscopic ultrasonography in diagnosing gastric subepithelial tumors. <i>Abdominal Radiology</i> , 2017, 42, 442-450.	1.0	13
32	Radiologic Findings in Extrapancreatic Solid Pseudopapillary Tumor with Aggressive Behavior: a Case Report. <i>Journal of Korean Medical Science</i> , 2017, 32, 2079.	1.1	4
33	Therapeutic Effects of Microbubbles Added to Combined High-Intensity Focused Ultrasound and Chemotherapy in a Pancreatic Cancer Xenograft Model. <i>Korean Journal of Radiology</i> , 2016, 17, 779.	1.5	23
34	Comparison of Multidetector CT and Gadobutrol-Enhanced MR Imaging for Evaluation of Small, Solid Pancreatic Lesions. <i>Korean Journal of Radiology</i> , 2016, 17, 509.	1.5	13
35	Portal Vein Thrombosis in Patients with Hepatocellular Carcinoma: Diagnostic Accuracy of Gadoteric Acid-enhanced MR Imaging. <i>Radiology</i> , 2016, 279, 773-783.	3.6	35
36	Differentiation of intrahepatic mass-forming cholangiocarcinoma from hepatocellular carcinoma on gadoteric acid-enhanced liver MR imaging. <i>European Radiology</i> , 2016, 26, 1808-1817.	2.3	73

#	ARTICLE	IF	CITATIONS
37	Radiofrequency Ablation with an Internally Cooled Monopolar Directional Electrode: Ex Vivo and in Vivo Experimental Studies in the Liver. <i>Radiology</i> , 2016, 278, 395-404.	3.6	9
38	Liver Fibrosis Staging with MR Elastography: Comparison of Diagnostic Performance between Patients with Chronic Hepatitis B and Those with Other Etiologic Causes. <i>Radiology</i> , 2016, 280, 88-97.	3.6	54
39	Imaging features of left ovarian and renal venous aneurysms: two case reports and literature review. <i>Clinical Imaging</i> , 2016, 40, 583-586.	0.8	3
40	Pancreatic Steatosis and Fibrosis: Quantitative Assessment with Preoperative Multiparametric MR Imaging. <i>Radiology</i> , 2016, 279, 140-150.	3.6	88
41	Assessment of Malignant Potential in Intraductal Papillary Mucinous Neoplasms of the Pancreas: Comparison between Multidetector CT and MR Imaging with MR Cholangiopancreatography. <i>Radiology</i> , 2016, 279, 128-139.	3.6	54
42	Monitoring Vascular Disrupting Therapy in a Rabbit Liver Tumor Model: Relationship between Tumor Perfusion Parameters at IVIM Diffusion-weighted MR Imaging and Those at Dynamic Contrast-enhanced MR Imaging. <i>Radiology</i> , 2016, 278, 104-113.	3.6	37
43	Pancreatic neuroendocrine tumour (PNET): Staging accuracy of MDCT and its diagnostic performance for the differentiation of PNET with uncommon CT findings from pancreatic adenocarcinoma. <i>European Radiology</i> , 2016, 26, 1338-1347.	2.3	71
44	Quantitative assessment of hepatic function: modified look-locker inversion recovery (MOLLI) sequence for T1 mapping on Gd-EOB-DTPA-enhanced liver MR imaging. <i>European Radiology</i> , 2016, 26, 1775-1782.	2.3	69
45	Hepatic Steatosis: Assessment with Acoustic Structure Quantification of US Imaging. <i>Radiology</i> , 2016, 278, 257-264.	3.6	60
46	Feasibility of Using Volumetric Contrast-Enhanced Ultrasound with a 3-D Transducer to Evaluate Therapeutic Response after Targeted Therapy in Rabbit Hepatic VX2 Carcinoma. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 3131-3139.	0.7	4
47	Prospective comparison of 3T MRI with diffusion-weighted imaging and MDCT for the preoperative TNM staging of gastric cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 814-821.	1.9	64
48	Dynamic Contrast-Enhanced MRI Using a Macromolecular MR Contrast Agent (P792): Evaluation of Antivascular Drug Effect in a Rabbit VX2 Liver Tumor Model. <i>Korean Journal of Radiology</i> , 2015, 16, 1029.	1.5	6
49	Reduced Field-of-View Diffusion-Weighted Magnetic Resonance Imaging of the Pancreas: Comparison with Conventional Single-Shot Echo-Planar Imaging. <i>Korean Journal of Radiology</i> , 2015, 16, 1216.	1.5	50
50	CT differentiation of poorly-differentiated gastric neuroendocrine tumours from well-differentiated neuroendocrine tumours and gastric adenocarcinomas. <i>European Radiology</i> , 2015, 25, 1946-1957.	2.3	20
51	Gadoxetic acid-enhanced MRI and diffusion-weighted imaging for the detection of colorectal liver metastases after neoadjuvant chemotherapy. <i>European Radiology</i> , 2015, 25, 2428-2436.	2.3	21
52	WFUMB Guidelines and Recommendations for Clinical Use of Ultrasound Elastography: Part 2: Breast. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1148-1160.	0.7	368
53	Fat-suppressed, three-dimensional T1-weighted imaging using high-acceleration parallel acquisition and a dual-echo Dixon technique for gadoxetic acid-enhanced liver MRI at 3T. <i>Acta Radiologica</i> , 2015, 56, 1454-1462.	0.5	7
54	Usefulness of a Metal Artifact Reduction Algorithm for Orthopedic Implants in Abdominal CT: Phantom and Clinical Study Results. <i>American Journal of Roentgenology</i> , 2015, 204, 307-317.	1.0	47

#	ARTICLE	IF	CITATIONS
55	High-Resolution Sonography for Distinguishing Neoplastic Gallbladder Polyps and Staging Gallbladder Cancer. <i>American Journal of Roentgenology</i> , 2015, 204, W150-W159.	1.0	58
56	Diagnostic Performance of Gadoteric Acid-enhanced Liver MR Imaging in the Detection of HCCs and Allocation of Transplant Recipients on the Basis of the Milan Criteria and UNOS Guidelines: Correlation with Histopathologic Findings. <i>Radiology</i> , 2015, 274, 149-160.	3.6	41
57	Hepatocellular Carcinoma: Diagnostic Performance of Multidetector CT and MR Imaging—A Systematic Review and Meta-Analysis. <i>Radiology</i> , 2015, 275, 97-109.	3.6	393
58	Influence of the adaptive iterative dose reduction 3D algorithm on the detectability of low-contrast lesions and radiation dose repeatability in abdominal computed tomography: a phantom study. <i>Abdominal Imaging</i> , 2015, 40, 1843-1852.	2.0	8
59	Prediction of microvascular invasion of hepatocellular carcinoma using gadoteric acid-enhanced MR and 18F-FDG PET/CT. <i>Abdominal Imaging</i> , 2015, 40, 843-851.	2.0	98
60	Intraductal Papillary Mucinous Neoplasms of the Pancreas: Evaluation of Malignant Potential and Surgical Resectability by Using MR Imaging with MR Cholangiography. <i>Radiology</i> , 2015, 274, 723-733.	3.6	39
61	Hybrid iterative reconstruction technique for liver CT scans for image noise reduction and image quality improvement: evaluation of the optimal iterative reconstruction strengths. <i>Radiologia Medica</i> , 2015, 120, 259-267.	4.7	17
62	Navigated three-dimensional T1-weighted gradient-echo sequence for gadoteric acid liver magnetic resonance imaging in patients with limited breath-holding capacity. <i>Abdominal Imaging</i> , 2015, 40, 278-288.	2.0	14
63	Comparison of the Reliability of Acoustic Radiation Force Impulse Imaging and Supersonic Shear Imaging in Measurement of Liver Stiffness. <i>Radiology</i> , 2015, 277, 881-886.	3.6	71
64	Thermal ablation of colorectal liver metastases: a position paper by an international panel of ablation experts, the interventional oncology sans frontières meeting 2013. <i>European Radiology</i> , 2015, 25, 3438-3454.	2.3	247
65	Switching bipolar hepatic radiofrequency ablation using internally cooled wet electrodes: comparison with consecutive monopolar and switching monopolar modes. <i>British Journal of Radiology</i> , 2015, 88, 20140468.	1.0	26
66	Diagnosing Borderline Hepatic Nodules in Hepatocarcinogenesis: Imaging Performance. <i>American Journal of Roentgenology</i> , 2015, 205, 10-21.	1.0	38
67	Effect of different reconstruction algorithms on computer-aided diagnosis (CAD) performance in ultra-low dose CT colonography. <i>European Journal of Radiology</i> , 2015, 84, 547-554.	1.2	8
68	Non-hypervascular hepatobiliary phase hypointense nodules on gadoteric acid-enhanced MRI: Risk of HCC recurrence after radiofrequency ablation. <i>Journal of Hepatology</i> , 2015, 62, 1122-1130.	1.8	70
69	CT findings suggesting anastomotic leak and predicting the recovery period following gastric surgery. <i>European Radiology</i> , 2015, 25, 1958-1966.	2.3	18
70	Combined Use of MR Fat Quantification and MR Elastography in Living Liver Donors: Can It Reduce the Need for Preoperative Liver Biopsy?. <i>Radiology</i> , 2015, 276, 453-464.	3.6	44
71	WFUMB Guidelines and Recommendations for Clinical Use of Ultrasound Elastography: Part 1: Basic Principles and Terminology. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1126-1147.	0.7	718
72	WFUMB Guidelines and Recommendations for Clinical Use of Ultrasound Elastography: Part 3: Liver. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1161-1179.	0.7	620

#	ARTICLE	IF	CITATIONS
73	Differential diagnosis of pancreatic cancer from other solid tumours arising from the perampullary area on MDCT. <i>European Radiology</i> , 2015, 25, 2880-2888.	2.3	17
74	Xanthogranulomatous cholecystitis: diagnostic performance of US, CT, and MRI for differentiation from gallbladder carcinoma. <i>Abdominal Imaging</i> , 2015, 40, 2281-2292.	2.0	27
75	Estimation of Hepatic Extracellular Volume Fraction Using Multiphasic Liver Computed Tomography for Hepatic Fibrosis Grading. <i>Investigative Radiology</i> , 2015, 50, 290-296.	3.5	70
76	Noninvasive diagnosis of hepatocellular carcinoma on gadoxetic acid-enhanced MRI: can hypointensity on the hepatobiliary phase be used as an alternative to washout?. <i>European Radiology</i> , 2015, 25, 2859-2868.	2.3	117
77	Evaluation of Perihilar Biliary Strictures: Does DWI Provide Additional Value to Conventional MRI?. <i>American Journal of Roentgenology</i> , 2015, 205, 789-796.	1.0	15
78	MDCT findings of pancreatic metastases according to primary tumors. <i>Abdominal Imaging</i> , 2015, 40, 1595-1607.	2.0	4
79	Feasibility of three-dimensional virtual surgical planning in living liver donors. <i>Abdominal Imaging</i> , 2015, 40, 510-520.	2.0	12
80	Dynamic contrast-enhanced MRI of gastric cancer: Correlation of the perfusion parameters with pathological prognostic factors. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 1608-1614.	1.9	21
81	Preoperative staging of gallbladder carcinoma using biliary MR imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 314-321.	1.9	24
82	Differentiation of poorly differentiated colorectal adenocarcinomas from well- or moderately differentiated colorectal adenocarcinomas at contrast-enhanced multidetector CT. <i>Abdominal Imaging</i> , 2015, 40, 1-10.	2.0	20
83	Differentiation of lipid poor angiomyolipoma from hepatocellular carcinoma on gadoxetic acid-enhanced liver MR imaging. <i>Abdominal Imaging</i> , 2015, 40, 531-541.	2.0	27
84	Efficacy of Gastric Balloon Dilatation and/or Retrievable Stent Insertion for Pyloric Spasms after Pylorus-Preserving Gastrectomy: Retrospective Analysis. <i>PLoS ONE</i> , 2015, 10, e0144470.	1.1	18
85	UltraFast Doppler ultrasonography for hepatic vessels of liver recipients: preliminary experiences. <i>Ultrasonography</i> , 2015, 34, 58-65.	1.0	11
86	Subepithelial Lesions of the Stomach. <i>Radiology Illustrated</i> , 2015, , 153-191.	0.0	0
87	Neoplasms of the Gallbladder and Biliary Tract. , 2015, , 1402-1426.		0
88	Differentiating between Adenomyomatosis and Gallbladder Cancer: Revisiting a Comparative Study of High-Resolution Ultrasound, Multidetector CT, and MR Imaging. <i>Korean Journal of Radiology</i> , 2014, 15, 226.	1.5	62
89	Noninvasive Assessment of Hepatic Fibrosis in Patients with Chronic Hepatitis B Viral Infection Using Magnetic Resonance Elastography. <i>Korean Journal of Radiology</i> , 2014, 15, 210.	1.5	31
90	Adaptive Iterative Dose Reduction Algorithm in CT: Effect on Image Quality Compared with Filtered Back Projection in Body Phantoms of Different Sizes. <i>Korean Journal of Radiology</i> , 2014, 15, 195.	1.5	35

#	ARTICLE	IF	CITATIONS
91	Monopolar Radiofrequency Ablation Using a Dual-Switching System and a Separable Clustered Electrode: Evaluation of the In Vivo Efficiency. Korean Journal of Radiology, 2014, 15, 235.	1.5	24
92	MRI of Breast Tumor Initiating Cells Using the Extra Domain-B of Fibronectin Targeting Nanoparticles. Theranostics, 2014, 4, 845-857.	4.6	28
93	Shear Wave Elastography for Liver Stiffness Measurement in Clinical Sonographic Examinations. Journal of Ultrasound in Medicine, 2014, 33, 437-447.	0.8	85
94	2014 KLCSSG-NCC Korea Practice Guidelines for the Management of Hepatocellular Carcinoma: HCC Diagnostic Algorithm. Digestive Diseases, 2014, 32, 764-777.	0.8	60
95	Non-Hypervascular Hypointense Nodules $\leq 1$ cm on the Hepatobiliary Phase of Gadoteric Acid-Enhanced Magnetic Resonance Imaging in Cirrhotic Livers. Digestive Diseases, 2014, 32, 678-689.	0.8	26
96	Intravoxel Incoherent Motion Diffusion-weighted MR Imaging of Hepatocellular Carcinoma: Correlation with Enhancement Degree and Histologic Grade. Radiology, 2014, 270, 758-767.	3.6	175
97	Ultra-low Peak Voltage CT Colonography: Effect of Iterative Reconstruction Algorithms on Performance of Radiologists Who Use Anthropomorphic Colonic Phantoms. Radiology, 2014, 273, 759-771.	3.6	16
98	Intravoxel Incoherent Motion Diffusion-weighted MR Imaging for Monitoring the Therapeutic Efficacy of the Vascular Disrupting Agent CKD-516 in Rabbit VX2 Liver Tumors. Radiology, 2014, 272, 417-426.	3.6	80
99	Nonalcoholic Fatty Liver Disease: Intravoxel Incoherent Motion Diffusion-weighted MR Imaging—An Experimental Study in a Rabbit Model. Radiology, 2014, 270, 131-140.	3.6	57
100	Gel Phantom Study with High-Intensity Focused Ultrasound: Influence of Metallic Stent Containing Either Air or Fluid. Ultrasound in Medicine and Biology, 2014, 40, 2851-2856.	0.7	1
101	Hepatic Fibrosis: Prospective Comparison of MR Elastography and US Shear-Wave Elastography for Evaluation. Radiology, 2014, 273, 772-782.	3.6	147
102	Intravoxel Incoherent Motion Diffusion-Weighted Imaging of Pancreatic Neuroendocrine Tumors. Investigative Radiology, 2014, 49, 396-402.	3.5	48
103	MR elastography for noninvasive assessment of hepatic fibrosis: Reproducibility of the examination and reproducibility and repeatability of the liver stiffness value measurement. Journal of Magnetic Resonance Imaging, 2014, 39, 326-331.	1.9	93
104	Radiofrequency Ablation for Intrahepatic Recurrent Hepatocellular Carcinoma: Long-Term Results and Prognostic Factors in 168 Patients with Cirrhosis. Cardiovascular and Interventional Radiology, 2014, 37, 705-715.	0.9	28
105	High-resolution T1-weighted gradient echo imaging for liver MRI using parallel imaging at high-acceleration factors. Abdominal Imaging, 2014, 39, 711-721.	2.0	14
106	Evaluation of hepatic focal lesions using diffusion-weighted MR imaging: Comparison of apparent diffusion coefficient and intravoxel incoherent motion-derived parameters. Journal of Magnetic Resonance Imaging, 2014, 39, 276-285.	1.9	93
107	Usefulness of MR elastography for predicting esophageal varices in cirrhotic patients. Journal of Magnetic Resonance Imaging, 2014, 39, 559-566.	1.9	32
108	Differential diagnosis of benign and malignant distal biliary strictures: Value of adding diffusion-weighted imaging to conventional magnetic resonance cholangiopancreatography. Journal of Magnetic Resonance Imaging, 2014, 39, 1509-1517.	1.9	13



#	ARTICLE	IF	CITATIONS
109	Small (≤1-cm) Hepatocellular Carcinoma: Diagnostic Performance and Imaging Features at Gadoteric Acid-enhanced MR Imaging. <i>Radiology</i> , 2014, 271, 748-760.	3.6	104
110	Image-Guided Tumor Ablation: Standardization of Terminology and Reporting Criteria—A 10-Year Update. <i>Journal of Vascular and Interventional Radiology</i> , 2014, 25, 1691-1705.e4.	0.2	365
111	MRI Features of Gastrointestinal Stromal Tumors. <i>American Journal of Roentgenology</i> , 2014, 203, 980-991.	1.0	63
112	Postablation Assessment Using Follow-Up Registration of CT Images Before and After Radiofrequency Ablation (RFA): Prospective Evaluation of Midterm Therapeutic Results of RFA for Hepatocellular Carcinoma. <i>American Journal of Roentgenology</i> , 2014, 203, 70-77.	1.0	32
113	Hepatic Steatosis in Living Liver Donor Candidates: Preoperative Assessment by Using Breath-hold Triple-Echo MR Imaging and <sup>1</sup> H MR Spectroscopy. <i>Radiology</i> , 2014, 271, 730-738.	3.6	50
114	Dynamic contrast-enhanced MRI to evaluate the therapeutic response to neoadjuvant chemoradiation therapy in locally advanced rectal cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 730-737.	1.9	64
115	Image-guided Tumor Ablation: Standardization of Terminology and Reporting Criteria—A 10-Year Update. <i>Radiology</i> , 2014, 273, 241-260.	3.6	870
116	Dynamic contrast-enhanced ultrasonographic (DCE-US) assessment of the early response after combined gemcitabine and HIFU with low-power treatment for the mouse xenograft model of human pancreatic cancer. <i>European Radiology</i> , 2014, 24, 2059-2068.	2.3	14
117	Preoperative differentiation between T1a and T1b gallbladder cancer: combined interpretation of high-resolution ultrasound and multidetector-row computed tomography. <i>European Radiology</i> , 2014, 24, 1828-1834.	2.3	12
118	Prediction of Esophageal Varices in Patients with Cirrhosis: Usefulness of Three-dimensional MR Elastography with Echo-planar Imaging Technique. <i>Radiology</i> , 2014, 272, 143-153.	3.6	97
119	Differentiation of large (≥5cm) gastrointestinal stromal tumors from benign subepithelial tumors in the stomach: Radiologists'™ performance using CT. <i>European Journal of Radiology</i> , 2014, 83, 250-260.	1.2	56
120	High-intensity Focused Ultrasound Ablation of Soft-tissue Tumors and Assessment of Treatment Response with Multiparametric Magnetic Resonance Imaging: Preliminary Study Using Rabbit VX2 Tumor Model. <i>Journal of Medical Ultrasound</i> , 2014, 22, 99-105.	0.2	4
121	Radiofrequency Ablation of Hepatocellular Carcinoma as First-Line Treatment: Long-term Results and Prognostic Factors in 162 Patients with Cirrhosis. <i>Radiology</i> , 2014, 270, 900-909.	3.6	256
122	Intravoxel Incoherent Motion Diffusion-weighted MR Imaging for Characterization of Focal Pancreatic Lesions. <i>Radiology</i> , 2014, 270, 444-453.	3.6	146
123	Comparison of Iterative Model-Based Reconstruction Versus Conventional Filtered Back Projection and Hybrid Iterative Reconstruction Techniques. <i>Journal of Computer Assisted Tomography</i> , 2014, 38, 859-868.	0.5	24
124	Evaluation of Hepatic Fibrosis Using Intravoxel Incoherent Motion in Diffusion-Weighted Liver MRI. <i>Journal of Computer Assisted Tomography</i> , 2014, 38, 110-116.	0.5	82
125	Liver Computed Tomography With Low Tube Voltage and Model-Based Iterative Reconstruction Algorithm for Hepatic Vessel Evaluation in Living Liver Donor Candidates. <i>Journal of Computer Assisted Tomography</i> , 2014, 38, 367-375.	0.5	16
126	High Spatial Resolution, Respiratory-Gated, T1-Weighted Magnetic Resonance Imaging of the Liver and the Biliary Tract During the Hepatobiliary Phase of Gadoteric Acid-enhanced Magnetic Resonance Imaging. <i>Journal of Computer Assisted Tomography</i> , 2014, 38, 360-366.	0.5	21



#	ARTICLE	IF	CITATIONS
127	Quantification of the Fat Fraction in the Liver Using Dual-Energy Computed Tomography and Multimaterial Decomposition. <i>Journal of Computer Assisted Tomography</i> , 2014, 38, 845-852.	0.5	42
128	Magnetic Resonance Imaging Spectrum of Solid Pseudopapillary Neoplasm of the Pancreas. <i>Journal of Computer Assisted Tomography</i> , 2014, 38, 249-257.	0.5	7
129	Early quantification of the therapeutic efficacy of the vascular disrupting agent, CKD-516, using dynamic contrast-enhanced ultrasonography in rabbit VX2 liver tumors. <i>Ultrasonography</i> , 2014, 33, 18-25.	1.0	10
130	Portable high-intensity focused ultrasound system with 3D electronic steering, real-time cavitation monitoring, and 3D image reconstruction algorithms: a preclinical study in pigs. <i>Ultrasonography</i> , 2014, 33, 191-199.	1.0	8
131	Diseases of the Gallbladder and Biliary Tree: Emphasis on Neoplasms. , 2014, , 111-119.		0
132	Staging accuracy of MR for pancreatic neuroendocrine tumor and imaging findings according to the tumor grade. <i>Abdominal Imaging</i> , 2013, 38, 1106-1114.	2.0	45
133	Guidelines and Good Clinical Practice Recommendations for Contrast Enhanced Ultrasound (CEUS) in the Liver – Update 2012. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 187-210.	0.7	652
134	Lymphoepithelial cyst of the pancreas: comparison of CT findings with other pancreatic cystic lesions. <i>Abdominal Imaging</i> , 2013, 38, 324-330.	2.0	27
135	Free-breathing dynamic contrast-enhanced MRI of the abdomen and chest using a radial gradient echo sequence with K-space weighted image contrast (KWIC). <i>European Radiology</i> , 2013, 23, 1352-1360.	2.3	52
136	Differentiation of adenomyomatosis of the gallbladder from early-stage, wall-thickening-type gallbladder cancer using high-resolution ultrasound. <i>European Radiology</i> , 2013, 23, 730-738.	2.3	72
137	Value of Near-Isovoxel Ultrasound for Evaluation of Ductal Communications with Pancreatic Cystic Lesions: Correlation with Magnetic Resonance Cholangiopancreatography. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 2279-2284.	0.7	5
138	Intraductal Papillary Mucinous Neoplasms With Associated Invasive Carcinoma of the Pancreas: Imaging Findings and Diagnostic Performance of MDCT for Prediction of Prognostic Factors. <i>American Journal of Roentgenology</i> , 2013, 201, 565-572.	1.0	18
139	Solid Pancreatic Lesions: Characterization by Using Timing Bolus Dynamic Contrast-enhanced MR Imaging Assessment – A Preliminary Study. <i>Radiology</i> , 2013, 266, 185-196.	3.6	74
140	Pulsed High-Intensity Focused Ultrasound Enhances Apoptosis of Pancreatic Cancer Xenograft with Gemcitabine. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 1991-2000.	0.7	17
141	History of Asian Federation of Societies for Ultrasound in Medicine and Biology: Update in 2012. <i>Journal of Medical Ultrasound</i> , 2013, 21, 54-61.	0.2	0
142	Shear wave elastography in the evaluation of rejection or recurrent hepatitis after liver transplantation. <i>European Radiology</i> , 2013, 23, 1729-1737.	2.3	28
143	Evaluation of Ultrasound Synthetic Aperture Imaging Using Bidirectional Pixel-Based Focusing: Preliminary Phantom and In Vivo Breast Study. <i>IEEE Transactions on Biomedical Engineering</i> , 2013, 60, 2716-2724.	2.5	29
144	Vascular disrupting effect of CKD-516: preclinical study using DCE-MRI. <i>Investigational New Drugs</i> , 2013, 31, 1097-1106.	1.2	29

#	ARTICLE	IF	CITATIONS
145	Small- and Medium-sized Hepatocellular Carcinomas: Monopolar Radiofrequency Ablation with a Multiple-Electrode Switching System—Mid-term Results. <i>Radiology</i> , 2013, 268, 589-600.	3.6	51
146	Hepatocellular Carcinoma: Imaging Patterns on Gadoteric Acid—enhanced MR Images and Their Value as an Imaging Biomarker. <i>Radiology</i> , 2013, 267, 776-786.	3.6	154
147	Role of C-Arm CT for Transcatheter Arterial Chemoembolization of Hepatocellular Carcinoma: Diagnostic Performance and Predictive Value for Therapeutic Response Compared With Gadoteric Acid—Enhanced MRI. <i>American Journal of Roentgenology</i> , 2013, 201, 675-683.	1.0	29
148	Guidelines and Good Clinical Practice Recommendations for Contrast Enhanced Ultrasound (CEUS) in the Liver — Update 2012. <i>Ultraschall in Der Medizin</i> , 2013, 34, 11-29.	0.8	470
149	Diagnostic Performance of MDCT for Predicting Important Prognostic Factors in Pancreatic Cancer. <i>Pancreas</i> , 2013, 42, 1316-1322.	0.5	13
150	Comparison of Magnetic Resonance Elastography and Gadoteric Acid—Enhanced Magnetic Resonance Imaging for the Evaluation of Hepatic Fibrosis. <i>Investigative Radiology</i> , 2013, 48, 607-613.	3.5	45
151	Low Tube Voltage Intermediate Tube Current Liver MDCT: Sinogram-Affirmed Iterative Reconstruction Algorithm for Detection of Hypervascular Hepatocellular Carcinoma. <i>American Journal of Roentgenology</i> , 2013, 201, 23-32.	1.0	55
152	Assessment of a Model-Based, Iterative Reconstruction Algorithm (MBIR) Regarding Image Quality and Dose Reduction in Liver Computed Tomography. <i>Investigative Radiology</i> , 2013, 48, 598-606.	3.5	119
153	Added value of diffusion-weighted imaging to MR cholangiopancreatography with unenhanced mr imaging for predicting malignancy or invasiveness of intraductal papillary mucinous neoplasm of the pancreas. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 555-563.	1.9	57
154	Clinical application of controlled aliasing in parallel imaging results in a higher acceleration (CAIPIRINHA)—volumetric interpolated breathhold (VIBE) sequence for gadoteric acid—enhanced liver MR imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 1020-1026.	1.9	54
155	Role of diffusion-weighted magnetic resonance imaging in the diagnosis of gallbladder cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 127-137.	1.9	39
156	MR elastography of healthy liver parenchyma: Normal value and reliability of the liver stiffness value measurement. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 1215-1223.	1.9	80
157	Gadoteric acid-enhanced MRI with MR cholangiography for the preoperative evaluation of bile duct cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 138-147.	1.9	20
158	Iterative Reconstruction Algorithms of Computed Tomography for the Assessment of Small Pancreatic Lesions. <i>Journal of Computer Assisted Tomography</i> , 2013, 37, 911-923.	0.5	11
159	Staging of Hepatic Fibrosis: Comparison of Magnetic Resonance Elastography and Shear Wave Elastography in the Same Individuals. <i>Korean Journal of Radiology</i> , 2013, 14, 202.	1.5	67
160	Acoustic Radiation Force Impulse Elastography for Focal Hepatic Tumors: Usefulness for Differentiating Hemangiomas from Malignant Tumors. <i>Korean Journal of Radiology</i> , 2013, 14, 743.	1.5	38
161	Dual Switching Monopolar Radiofrequency Ablation Using a Separable Clustered Electrode: Comparison with Consecutive and Switching Monopolar Modes in <i>Ex Vivo</i> Bovine Livers. <i>Korean Journal of Radiology</i> , 2013, 14, 403.	1.5	19
162	Evaluation of the <i>In Vivo</i> Efficiency and Safety of Hepatic Radiofrequency Ablation Using a 15-G Octopus <sup>®</sup> in Pig Liver. <i>Korean Journal of Radiology</i> , 2013, 14, 194.	1.5	10

#	ARTICLE	IF	CITATIONS
163	Detection of Recurrent Hepatocellular Carcinoma in Cirrhotic Liver after Transcatheter Arterial Chemoembolization: Value of Quantitative Color Mapping of the Arterial Enhancement Fraction of the Liver. Korean Journal of Radiology, 2013, 14, 51.	1.5	16
164	MR Imaging in Patients with Suspected Liver Metastases: Value of Liver-Specific Contrast Agent Gadoxetic Acid. Korean Journal of Radiology, 2013, 14, 894.	1.5	53
165	Preoperative Imaging. , 2013, , 53-64.		1
166	Initial Assessment of Dual-Energy CT in Patients With Gallstones or Bile Duct Stones: Can Virtual Nonenhanced Images Replace True Nonenhanced Images?. American Journal of Roentgenology, 2012, 198, 817-824.	1.0	34
167	Intrahepatic Mass-forming Cholangiocarcinoma: Enhancement Patterns on Gadoxetic Acid-enhanced MR Images. Radiology, 2012, 264, 751-760.	3.6	162
168	Feasibility and Accuracy of Dual-Source Dual-Energy CT for Noninvasive Determination of Hepatic Iron Accumulation. Radiology, 2012, 262, 126-135.	3.6	68
169	The EFSUMB Guidelines on the Non-Hepatic Clinical Applications of Contrast Enhanced Ultrasound (CEUS): a New Dawn for the Escalating Use of This Ubiquitous Technique. Ultraschall in Der Medizin, 2012, 33, 5-7.	0.8	46
170	Enhancement patterns of hepatocellular carcinomas on multiphasic multidetector row CT: comparison with pathological differentiation. British Journal of Radiology, 2012, 85, e573-e583.	1.0	88
171	Multiple-electrode radiofrequency ablations using Octopus® electrodes in an <i>in vivo</i> porcine liver model. British Journal of Radiology, 2012, 85, e609-e615.	1.0	15
172	Lymph Node Metastases from Gastric Cancer: Gadofluorine M and Gadopentetate Dimeglumine MR Imaging in a Rabbit Model. Radiology, 2012, 263, 391-400.	3.6	9
173	New Paradigm for Management of Hepatocellular Carcinoma by Imaging. Liver Cancer, 2012, 1, 94-109.	4.2	35
174	Attenuation-based Automatic Tube Voltage Selection and Tube Current Modulation for Dose Reduction at Contrast-enhanced Liver CT. Radiology, 2012, 265, 437-447.	3.6	92
175	Dual-source, dual-energy multidetector CT for the evaluation of pancreatic tumours. British Journal of Radiology, 2012, 85, e891-e898.	1.0	55
176	Color Doppler Twinkling Artifacts from Gallbladder Adenomyomatosis with 1.8 MHz and 4.0 MHz Color Doppler Frequencies. Ultrasound in Medicine and Biology, 2012, 38, 1188-1194.	0.7	17
177	Synthetic Aperture Imaging in Breast Ultrasound. Academic Radiology, 2012, 19, 923-929.	1.3	11
178	Clinical usefulness of free-breathing navigator-triggered 3D MRCP in non-cooperative patients: Comparison with conventional breath-hold 2D MRCP. European Journal of Radiology, 2012, 81, e513-e518.	1.2	22
179	Preoperative assessment of longitudinal extent of bile duct cancers using MDCT with multiplanar reconstruction and minimum intensity projections: Comparison with MR cholangiography. European Journal of Radiology, 2012, 81, 2020-2026.	1.2	17
180	Clinical value of CT/MR-US fusion imaging for radiofrequency ablation of hepatic nodules. European Journal of Radiology, 2012, 81, 2281-2289.	1.2	41

#	ARTICLE	IF	CITATIONS
181	Intermodality comparison between 3D perfusion CT and 18F-FDG PET/CT imaging for predicting early tumor response in patients with liver metastasis after chemotherapy: Preliminary results of a prospective study. <i>European Journal of Radiology</i> , 2012, 81, 3542-3550.	1.2	21
182	80-kVp CT Using Iterative Reconstruction in Image Space Algorithm for the Detection of Hypervascular Hepatocellular Carcinoma: Phantom and Initial Clinical Experience. <i>Korean Journal of Radiology</i> , 2012, 13, 152.	1.5	44
183	Percutaneous Radiofrequency Ablation with Multiple Electrodes for Medium-Sized Hepatocellular Carcinomas. <i>Korean Journal of Radiology</i> , 2012, 13, 34.	1.5	57
184	Evaluation of lymph node metastases: Comparison of gadofluorine-enhanced MRI and diffusion-weighted MRI in a rabbit VX2 rectal cancer model. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 1179-1186.	1.9	5
185	Magnetic resonance imaging findings of the mass-forming type of autoimmune pancreatitis: Comparison with pancreatic adenocarcinoma. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 36, 188-197.	1.9	95
186	Quantification of hepatic macrosteatosis in living, related liver donors using T1-independent, T2*-corrected chemical shift MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 36, 1124-1130.	1.9	25
187	Gastric cancer detection using MDCT compared with 2D axial CT: diagnostic accuracy of three different reconstruction techniques. <i>Abdominal Imaging</i> , 2012, 37, 541-548.	2.0	12
188	Comparison of Semiautomated and Manual Measurements for Simulated Hypo- and Hyper-attenuating Hepatic Tumors on MDCT. <i>Academic Radiology</i> , 2011, 18, 626-633.	1.3	3
189	Ultrasonography, Computed Tomography and Magnetic Resonance Imaging of Hepatocellular Carcinoma: Toward Improved Treatment Decisions. <i>Oncology</i> , 2011, 81, 86-99.	0.9	54
190	Added value of 80kVp images to averaged 120kVp images in the detection of hepatocellular carcinomas in liver transplantation candidates using dual-source dual-energy MDCT: Results of JAFROC analysis. <i>European Journal of Radiology</i> , 2011, 80, e76-e85.	1.2	18
191	Comparison of accuracy and time-efficiency of CT colonography between conventional and panoramic 3D interpretation methods: An anthropomorphic phantom study. <i>European Journal of Radiology</i> , 2011, 80, e68-e75.	1.2	5
192	Liver metastases on quantitative color mapping of the arterial enhancement fraction from multiphase CT scans: Evaluation of the hemodynamic features and correlation with the chemotherapy response. <i>European Journal of Radiology</i> , 2011, 80, e278-e283.	1.2	17
193	Consensus Report of the 4th International Forum for Gadolinium-Ethoxybenzyl-Diethylenetriamine Pentaacetic Acid Magnetic Resonance Imaging. <i>Korean Journal of Radiology</i> , 2011, 12, 403.	1.5	57
194	Radiofrequency Ablation for Treating Liver Metastases from a Non-Colorectal Origin. <i>Korean Journal of Radiology</i> , 2011, 12, 579.	1.5	14
195	Concurrent Chemotherapy and Pulsed High-Intensity Focused Ultrasound Therapy for the Treatment of Unresectable Pancreatic Cancer: Initial Experiences. <i>Korean Journal of Radiology</i> , 2011, 12, 176.	1.5	47
196	Dual-Energy Computed Tomography to Assess Tumor Response to Hepatic Radiofrequency Ablation. <i>Investigative Radiology</i> , 2011, 46, 77-84.	3.5	82
197	Apparent diffusion coefficient for evaluating tumour response to neoadjuvant chemoradiation therapy for locally advanced rectal cancer. <i>European Radiology</i> , 2011, 21, 987-995.	2.3	162
198	Guest editor's introduction: Hepatocellular nodules in liver cirrhosis: imaging update 2011. <i>Abdominal Imaging</i> , 2011, 36, 230-231.	2.0	0

#	ARTICLE	IF	CITATIONS
199	Assessment of the treatment response of HCC. <i>Abdominal Imaging</i> , 2011, 36, 300-314.	2.0	52
200	Hepatocellular nodules in liver cirrhosis: MR evaluation. <i>Abdominal Imaging</i> , 2011, 36, 282-289.	2.0	53
201	Stress (Tako-Tsubo) Cardiomyopathy Following Radiofrequency Ablation of a Liver Tumor: A Case Report. <i>CardioVascular and Interventional Radiology</i> , 2011, 34, 86-89.	0.9	9
202	Gadoxetic acid disodium-enhanced magnetic resonance imaging for biliary and vascular evaluations in preoperative living liver donors: Comparison with gadobenate dimeglumine-enhanced MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 149-159.	1.9	46
203	MR elastography for noninvasive assessment of hepatic fibrosis: Experience from a tertiary center in asia. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 34, 1110-1116.	1.9	86
204	A straightforward approach to computer-aided polyp detection using a polyp-specific volumetric feature in CT colonography. <i>Computers in Biology and Medicine</i> , 2011, 41, 790-801.	3.9	21
205	CT Color Mapping of the Arterial Enhancement Fraction of VX2 Carcinoma Implanted in Rabbit Liver: Comparison With Perfusion CT. <i>American Journal of Roentgenology</i> , 2011, 196, 102-108.	1.0	26
206	Gastroduodenal Glomus Tumors: Differentiation From Other Subepithelial Lesions Based on Dynamic Contrast-Enhanced CT Findings. <i>American Journal of Roentgenology</i> , 2011, 197, 1351-1359.	1.0	44
207	Safety Margin Assessment After Radiofrequency Ablation of the Liver Using Registration of Preprocedure and Postprocedure CT Images. <i>American Journal of Roentgenology</i> , 2011, 196, W565-W572.	1.0	85
208	Intrahepatic Mass-forming Cholangiocarcinomas: Enhancement Patterns at Multiphasic CT, with Special Emphasis on Arterial Enhancement Pattern—Correlation with Clinicopathologic Findings. <i>Radiology</i> , 2011, 260, 148-157.	3.6	200
209	Quantitative Color Mapping of the Arterial Enhancement Fraction in Patients With Diffuse Liver Disease. <i>American Journal of Roentgenology</i> , 2011, 197, 876-883.	1.0	42
210	Small (<math>\leq 20</math> mm) Pancreatic Adenocarcinomas: Analysis of Enhancement Patterns and Secondary Signs with Multiphasic Multidetector CT. <i>Radiology</i> , 2011, 259, 442-452.	3.6	212
211	Preoperative Imaging of Liver Cancers: Hepatocellular Carcinoma. , 2011, , 51-59.		0
212	Image Fusion in Dual Energy Computed Tomography for Detection of Hypervascular Liver Hepatocellular Carcinoma. <i>Investigative Radiology</i> , 2010, 45, 149-157.	3.5	73
213	Gadoxetic Acid-Enhanced Magnetic Resonance Imaging for Differentiating Small Hepatocellular Carcinomas (<math>\leq 2</math> cm in Diameter) From Arterial Enhancing Pseudolesions. <i>Investigative Radiology</i> , 2010, 45, 96-103.	3.5	199
214	Brunner's Gland Hamartoma. <i>Journal of Computer Assisted Tomography</i> , 2010, 34, 543-547.	0.5	24
215	Added Value of Multiplanar Reformations to Axial Multi-Detector Row Computed Tomographic Images for the Differentiation of Macrocystic Pancreas Neoplasms. <i>Journal of Computer Assisted Tomography</i> , 2010, 34, 899-906.	0.5	4
216	Gadobutrol-enhanced, Three-Dimensional, Dynamic MR Imaging With MR Cholangiography for the Preoperative Evaluation of Bile Duct Cancer. <i>Investigative Radiology</i> , 2010, 45, 217-224.	3.5	39

#	ARTICLE	IF	CITATIONS
217	Electronic cleansing for CT colonography: does it help CAD software performance in a high-risk population for colorectal cancer?. <i>European Radiology</i> , 2010, 20, 1905-1916.	2.3	7
218	Comparison of polyp distance on CT colonography between supine and prone scans using an automated path-distance measurement tool: correlation with colonoscopy. <i>Abdominal Imaging</i> , 2010, 35, 41-48.	2.0	0
219	Fluorine-18-FDG PET findings of focal eosinophilic liver disease: correlation with CT and/or MRI, laboratory, and pathologic findings. <i>Abdominal Imaging</i> , 2010, 35, 437-446.	2.0	15
220	Advancement in HCC imaging: diagnosis, staging and treatment efficacy assessments. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2010, 17, 369-373.	1.4	53
221	Asian Pacific Association for the Study of the Liver consensus recommendations on hepatocellular carcinoma. <i>Hepatology International</i> , 2010, 4, 439-474.	1.9	944
222	Acoustic Radiation Force Impulse Elastography for the Evaluation of Focal Solid Hepatic Lesions: Preliminary Findings. <i>Ultrasound in Medicine and Biology</i> , 2010, 36, 202-208.	0.7	122
223	Acoustic Radiation Force Impulse Elastography for Chronic Liver Disease: Comparison with Ultrasound-Based Scores of Experienced Radiologists, Child-Pugh Scores and Liver Function Tests. <i>Ultrasound in Medicine and Biology</i> , 2010, 36, 1637-1643.	0.7	54
224	Color Doppler Twinkling Artifacts from Gallstones: In Vitro Analysis Regarding their Compositions and Architectures. <i>Ultrasound in Medicine and Biology</i> , 2010, 36, 2117-2122.	0.7	12
225	MDCT and Gd-EOB-DTPA Enhanced MRI Findings of Adrenal Adenoma Arising from an Ectopic Adrenal Gland within the Liver: Radiologic-Pathologic Correlation. <i>Korean Journal of Radiology</i> , 2010, 11, 126.	1.5	9
226	Differentiation of Intraductal Growing-type Cholangiocarcinomas from Nodular-type Cholangiocarcinomas at Biliary MR Imaging with MR Cholangiography. <i>Radiology</i> , 2010, 257, 364-372.	3.6	41
227	Global Trends in Hybrid Imaging. <i>Radiology</i> , 2010, 257, 498-506.	3.6	44
228	Liver Cancer Working Group Report. <i>Japanese Journal of Clinical Oncology</i> , 2010, 40, i19-i27.	0.6	65
229	Differentiation Between Biliary Cystic Neoplasms and Simple Cysts of the Liver: Accuracy of CT. <i>American Journal of Roentgenology</i> , 2010, 195, 1142-1148.	1.0	59
230	MR Imaging Features of Small Solid Pseudopapillary Tumors: Retrospective Differentiation From Other Small Solid Pancreatic Tumors. <i>American Journal of Roentgenology</i> , 2010, 195, 1324-1332.	1.0	76
231	Three-Dimensional MDCT for Preoperative Local Staging of Gastric Cancer Using Gas and Water Distention Methods: A Retrospective Cohort Study. <i>American Journal of Roentgenology</i> , 2010, 195, 1316-1323.	1.0	25
232	Small (<math>\leq 3\text{ cm}</math>) Solid Pseudopapillary Tumors of the Pancreas at Multiphasic Multidetector CT. <i>Radiology</i> , 2010, 257, 97-106.	3.6	106
233	Diagnostic Performance of 64-Channel Multidetector CT in the Evaluation of Gastric Cancer: Differentiation of Mucosal Cancer (T1a) from Submucosal Involvement (T1b and T2). <i>Radiology</i> , 2010, 255, 805-814.	3.6	67
234	Advances of Imaging for Hepatocellular Carcinoma. <i>Oncology</i> , 2010, 78, 46-52.	0.9	20



#	ARTICLE	IF	CITATIONS
235	CT imaging spectrum of pancreatic serous tumors: Based on new pathologic classification. <i>European Journal of Radiology</i> , 2010, 75, e45-e55.	1.2	40
236	Computer-aided polyp detection on CT colonography: Comparison of three systems in a high-risk human population. <i>European Journal of Radiology</i> , 2010, 75, e147-e157.	1.2	8
237	Fluorine-18-FDG PET findings of focal eosinophilic liver disease: correlation with CT and/or MRI, laboratory, and pathologic findings. <i>Abdominal Imaging</i> , 2010, 35, 437.	2.0	0
238	Primary Biliary Lymphoma Mimicking Cholangiocarcinoma: A Characteristic Feature of Discrepant CT and Direct Cholangiography Findings. <i>Journal of Korean Medical Science</i> , 2009, 24, 956.	1.1	21
239	Inflammatory Myofibroblastic Tumor: a Possible Complication of Percutaneous Radiofrequency Ablation for Hepatocellular Carcinoma. <i>Korean Journal of Radiology</i> , 2009, 10, 635.	1.5	4
240	Locally Advanced Rectal Cancer: Added Value of Diffusion-weighted MR Imaging in the Evaluation of Tumor Response to Neoadjuvant Chemo- and Radiation Therapy. <i>Radiology</i> , 2009, 253, 116-125.	3.6	325
241	An Anthropomorphic Phantom Study of Computer-Aided Detection Performance for Polyp Detection on CT Colonography: A Comparison of Commercially and Academically Available Systems. <i>American Journal of Roentgenology</i> , 2009, 193, 445-454.	1.0	10
242	MRI Features of Pancreatic Colloid Carcinoma. <i>American Journal of Roentgenology</i> , 2009, 193, W308-W313.	1.0	31
243	Ectopic Pancreas: CT Findings with Emphasis on Differentiation from Small Gastrointestinal Stromal Tumor and Leiomyoma. <i>Radiology</i> , 2009, 252, 92-100.	3.6	131
244	Quantitative CT Color Mapping of the Arterial Enhancement Fraction of the Liver to Detect Hepatocellular Carcinoma. <i>Radiology</i> , 2009, 250, 425-4s34.	3.6	70
245	Radiologist Performance in Differentiating Polypoid Early From Advanced Gastric Cancer Using Specific CT Criteria: Emphasis on Dimpling Sign. <i>American Journal of Roentgenology</i> , 2009, 193, 1546-1555.	1.0	3
246	Differential CT Features of Intraductal Biliary Metastasis and Double Primary Intraductal Polypoid Cholangiocarcinoma in Patients With a History of Extrabiliary Malignancy. <i>American Journal of Roentgenology</i> , 2009, 193, 1061-1069.	1.0	32
247	Multiphasic MDCT Enhancement Pattern of Hepatocellular Carcinoma Smaller Than 3 cm in Diameter: Tumor Size and Cellular Differentiation. <i>American Journal of Roentgenology</i> , 2009, 193, W482-W489.	1.0	113
248	Detection and characterization of focal hepatic lesions by T2-weighted imaging: comparison of navigator-triggered turbo spin-echo, breath-hold turbo spin-echo, and HASTE sequences. <i>Clinical Imaging</i> , 2009, 33, 281-288.	0.8	3
249	Differentiation of well-differentiated hepatocellular carcinomas from other hepatocellular nodules in cirrhotic liver: Value of SPIO-enhanced MR imaging at 3.0 Tesla. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 328-335.	1.9	24
250	Accuracy of MRI for predicting the circumferential resection margin, mesorectal fascia invasion, and tumor response to neoadjuvant chemoradiotherapy for locally advanced rectal cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 1093-1101.	1.9	61
251	Preoperative evaluation of pancreatic cancer: Comparison of gadolinium-enhanced dynamic MRI with MR cholangiopancreatography versus MDCT. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 586-595.	1.9	136
252	Adenosquamous carcinoma of the extrahepatic bile duct: clinicopathologic and radiologic features. <i>Abdominal Imaging</i> , 2009, 34, 217-224.	2.0	10

#	ARTICLE	IF	CITATIONS
253	Computer-aided image analysis of focal hepatic lesions in ultrasonography: preliminary results. <i>Abdominal Imaging</i> , 2009, 34, 183-191.	2.0	22
254	Usefulness of CT volumetry for primary gastric lesions in predicting pathologic response to neoadjuvant chemotherapy in advanced gastric cancer. <i>Abdominal Imaging</i> , 2009, 34, 430-440.	2.0	53
255	Magnetic resonance pancreatography: comparison of two- and three-dimensional sequences for assessment of intraductal papillary mucinous neoplasm of the pancreas. <i>European Radiology</i> , 2009, 19, 2163-2170.	2.3	14
256	Helical CT Evaluation of the Preoperative Staging of Gastric Cancer in the Remnant Stomach. <i>American Journal of Roentgenology</i> , 2009, 192, 902-908.	1.0	21
257	Multidetector Row Computed Tomographic Gastrography Findings After Endoscopic Submucosal Dissection for Early Gastric Cancer. <i>Journal of Computer Assisted Tomography</i> , 2009, 33, 273-279.	0.5	5
258	Comparison Study of Different Bowel Preparation Regimens and Different Fecal-Tagging Agents on Tagging Efficacy, Patients' Compliance, and Diagnostic Performance of Computed Tomographic Colonography. <i>Journal of Computer Assisted Tomography</i> , 2009, 33, 657-665.	0.5	9
259	Differentiating Focal Eosinophilic Necrosis of the Liver From Hepatic Metastases Using Unenhanced and Portal Venous Phase Computed Tomographic Imagings. <i>Journal of Computer Assisted Tomography</i> , 2009, 33, 705-709.	0.5	8
260	Value of Dual Contrast Liver MRI at 3.0 T in Differentiating Well-Differentiated Hepatocellular Carcinomas From Dysplastic Nodules. <i>Investigative Radiology</i> , 2009, 44, 641-649.	3.5	13
261	Additional Value of SPIO-Enhanced MR Imaging for the Noninvasive Imaging Diagnosis of Hepatocellular Carcinoma in Cirrhotic Liver. <i>Investigative Radiology</i> , 2009, 44, 800-807.	3.5	20
262	Diagnostic Performance of Multidetector Row Computed Tomography, Superparamagnetic Iron Oxide-Enhanced Magnetic Resonance Imaging, and Dual-Contrast Magnetic Resonance Imaging in Predicting the Appropriateness of a Transplant Recipient Based on Milan Criteria. <i>Investigative Radiology</i> , 2009, 44, 311-321.	3.5	37
263	Evaluation of the Gross Type and Longitudinal Extent of Extrahepatic Cholangiocarcinomas on Contrast-Enhanced Multidetector Row Computed Tomography. <i>Journal of Computer Assisted Tomography</i> , 2009, 33, 376-382.	0.5	38
264	Three-dimensional imaging for hepatobiliary and pancreatic diseases: Emphasis on clinical utility. <i>Indian Journal of Radiology and Imaging</i> , 2009, 19, 7-15.	0.3	8
265	Hepatocellular Carcinoma: Contrast-Enhanced Sonography. , 2009, , 145-158.		0
266	Gastrointestinal stromal tumor of the stomach: preliminary results of preoperative evaluation with CT gastrography. <i>Abdominal Imaging</i> , 2008, 33, 255-261.	2.0	23
267	Navigator-triggered isotropic three-dimensional magnetic resonance cholangiopancreatography in the diagnosis of malignant biliary obstructions: Comparison with direct cholangiography. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 27, 94-101.	1.9	39
268	MR imaging findings of early bile duct cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 28, 1466-1475.	1.9	20
269	Intrahepatic Extramedullary Hematopoiesis Mimicking a Hypervascular Hepatic Neoplasm on Dynamic- and SPIO-Enhanced MRI. <i>Korean Journal of Radiology</i> , 2008, 9, S34.	1.5	19
270	Magnetic resonance cholangiography: comparison of two- and three-dimensional sequences for assessment of malignant biliary obstruction. <i>European Radiology</i> , 2008, 18, 78-86.	2.3	24

#	ARTICLE	IF	CITATIONS
271	Enhancement characteristics of cholangiocarcinomas on multiphase helical CT: emphasis on morphologic subtypes. <i>Clinical Imaging</i> , 2008, 32, 114-120.	0.8	30
272	Detection and characterization of focal hepatic lesions: comparative study of MDCT and gadobenate dimeglumine-enhanced MR imaging. <i>Clinical Imaging</i> , 2008, 32, 287-295.	0.8	12
273	Diagnostic Accuracy of Multi-/Single-Detector Row CT and Contrast-Enhanced MRI in the Detection of Hepatocellular Carcinomas Meeting the Milan Criteria before Liver Transplantation. <i>Intervirolgy</i> , 2008, 51, 52-60.	1.2	48
274	Analysis of Enhancement Pattern of Flat Gallbladder Wall Thickening on MDCT to Differentiate Gallbladder Cancer from Cholecystitis. <i>American Journal of Roentgenology</i> , 2008, 191, 765-771.	1.0	98
275	Hilar Cholangiocarcinoma: Role of Preoperative Imaging with Sonography, MDCT, MRI, and Direct Cholangiography. <i>American Journal of Roentgenology</i> , 2008, 191, 1448-1457.	1.0	103
276	Changes of Portosystemic Collaterals and Splenic Volume on CT After Liver Transplantation and Factors Influencing Those Changes. <i>American Journal of Roentgenology</i> , 2008, 191, W8-W16.	1.0	42
277	Sonography Transmission Gel as Endorectal Contrast Agent for Tumor Visualization in Rectal Cancer. <i>American Journal of Roentgenology</i> , 2008, 191, 186-189.	1.0	33
278	Accuracy of Preoperative T-Staging of Gallbladder Carcinoma Using MDCT. <i>American Journal of Roentgenology</i> , 2008, 190, 74-80.	1.0	106
279	Hepatocellular Carcinoma in Liver Transplantation Candidates: Detection with Gadobenate Dimeglumine-Enhanced MRI. <i>American Journal of Roentgenology</i> , 2008, 191, 529-536.	1.0	82
280	Effects of Spatial Resolution and Tube Current on Computer-aided Detection of Polyps on CT Colonographic Images: Phantom Study. <i>Radiology</i> , 2008, 248, 492-503.	3.6	22
281	Preoperative Evaluation of Bile Duct Cancer: MRI Combined with MR Cholangiopancreatography Versus MDCT with Direct Cholangiography. <i>American Journal of Roentgenology</i> , 2008, 190, 396-405.	1.0	148
282	Biliary Malignancy. <i>Journal of Computer Assisted Tomography</i> , 2008, 32, 362-368.	0.5	19
283	Diagnostic Accuracy of 3.0-Tesla Rectal Magnetic Resonance Imaging in Preoperative Local Staging of Primary Rectal Cancer. <i>Investigative Radiology</i> , 2008, 43, 587-593.	3.5	38
284	Hepatocellular Carcinoma in Cirrhotic Liver: Double-Contrast-Enhanced, High-Resolution 3.0T-MR Imaging With Pathologic Correlation. <i>Investigative Radiology</i> , 2008, 43, 538-546.	3.5	35
285	The Value of Gadobenate Dimeglumine-Enhanced Delayed Phase MR Imaging for Characterization of Hepatocellular Nodules in the Cirrhotic Liver. <i>Investigative Radiology</i> , 2008, 43, 202-210.	3.5	67
286	Intrapancreatic Accessory Spleen: Findings on MR Imaging, CT, US and Scintigraphy, and the Pathologic Analysis. <i>Korean Journal of Radiology</i> , 2008, 9, 162.	1.5	107
287	The Association of Anisakiasis in the Ascending Colon with Sigmoid Colon Cancer: CT Colonography Findings. <i>Korean Journal of Radiology</i> , 2008, 9, S56.	1.5	15
288	Neoplasms of the Gallbladder and Biliary Tract. , 2008, , 1467-1487.		5

#	ARTICLE	IF	CITATIONS
289	Peripheral Mass-Forming Cholangiocarcinoma in Cirrhotic Liver. American Journal of Roentgenology, 2007, 189, 1428-1434.	1.0	114
290	Computer-Aided Detection of Colonic Polyps at CT Colonography Using a Hessian Matrix-Based Algorithm: Preliminary Study. American Journal of Roentgenology, 2007, 189, 41-51.	1.0	30
291	Detection of Hepatocellular Carcinoma on CT in Liver Transplant Candidates: Comparison of PACS Tile and Multisynchronized Stack Modes. American Journal of Roentgenology, 2007, 188, 1337-1342.	1.0	10
292	Two- versus Three-dimensional Colon Evaluation with Recently Developed Virtual Dissection Software for CT Colonography. Radiology, 2007, 244, 852-864.	3.6	51
293	Contrast-Enhanced Sonography of Intrapancreatic Accessory Spleen in Six Patients. American Journal of Roentgenology, 2007, 188, 422-428.	1.0	42
294	Esophageal Varices in Patients with Cirrhosis: Multidetector CT Esophagography-Comparison with Endoscopy. Radiology, 2007, 242, 759-768.	3.6	98
295	First International Symposium of Current Issues for Nationwide Survey of Primary Liver Cancer in Korea, Taiwan and Japan. Japanese Journal of Clinical Oncology, 2007, 37, 233-240.	0.6	4
296	Three-dimensional MDCT Gastrography Compared With Axial CT for the Detection of Early Gastric Cancer. Journal of Computer Assisted Tomography, 2007, 31, 741-749.	0.5	17
297	Hepatic Venous Congestion After Right-lobe Living-donor Liver Transplantation. Journal of Computer Assisted Tomography, 2007, 31, 181-187.	0.5	14
298	Multiple-Electrode Radiofrequency Ablation of In Vivo Porcine Liver. Investigative Radiology, 2007, 42, 676-683.	3.5	46
299	Differentiating Malignant From Benign Wall Thickening in Postoperative Stomach Using Helical Computed Tomography. Journal of Computer Assisted Tomography, 2007, 31, 455-462.	0.5	5
300	Switching Monopolar Radiofrequency Ablation Technique Using Multiple, Internally Cooled Electrodes and a Multichannel Generator. Investigative Radiology, 2007, 42, 163-171.	3.5	55
301	Recurrence Patterns of Combined Hepatocellular-Cholangiocarcinoma on Enhanced Computed Tomography. Journal of Computer Assisted Tomography, 2007, 31, 109-115.	0.5	25
302	Evaluation of the Longitudinal Tumor Extent of Bile Duct Cancer. Journal of Computer Assisted Tomography, 2007, 31, 469-474.	0.5	17
303	Focal Peliosis Hepatis as a Mimicker of Hepatic Tumors. Journal of Computer Assisted Tomography, 2007, 31, 79-85.	0.5	54
304	Three-dimensional and Four-dimensional Ultrasound: Techniques and Abdominal Applications. Journal of Medical Ultrasound, 2007, 15, 228-242.	0.2	13
305	In Vivo Efficiency of Multipolar Radiofrequency Ablation with Two Bipolar Electrodes: A Comparative Experimental Study in Pig Kidney. Journal of Vascular and Interventional Radiology, 2007, 18, 1553-1560.	0.2	12
306	Routine intraoperative Doppler sonography in the evaluation of complications after living-related donor liver transplantation. Journal of Clinical Ultrasound, 2007, 35, 483-490.	0.4	22

#	ARTICLE	IF	CITATIONS
307	Contrast-enhanced MRI combined with MR cholangiopancreatography for the evaluation of patients with biliary strictures: Differentiation of malignant from benign bile duct strictures. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 304-312.	1.9	75
308	Differentiation of intraductal papillary mucinous neoplasms from other pancreatic cystic masses: Comparison of multidetector CT and MR imaging using ROC analysis. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 86-93.	1.9	132
309	Doppler and harmonic ultrasound for hepatocellular carcinoma. <i>Hepatology Research</i> , 2007, 37, S172-S177.	1.8	3
310	Preoperative evaluation of hepatic arterial and portal venous anatomy using the time resolved echo-shared MR angiographic technique in living liver donors. <i>European Radiology</i> , 2007, 17, 1074-1080.	2.3	24
311	Assessment of hilar and extrahepatic bile duct cancer using multidetector CT: value of adding multiplanar reformations to standard axial images. <i>European Radiology</i> , 2007, 17, 3130-3138.	2.3	25
312	Gastric hepatoid adenocarcinoma: CT findings. <i>Abdominal Imaging</i> , 2007, 32, 293-298.	2.0	21
313	Radiofrequency Ablation of the Porcine Liver In Vivo: Increased Coagulation with an Internally Cooled Perfusion Electrode. <i>Academic Radiology</i> , 2006, 13, 343-352.	1.3	30
314	Comparison of fundamental sonography, tissue-harmonic sonography, fundamental compound sonography, and tissue-harmonic compound sonography for focal hepatic lesions. <i>European Radiology</i> , 2006, 16, 2444-2453.	2.3	21
315	Radiofrequency Renal Ablation: In Vivo Comparison of Internally Cooled, Multitined Expandable and Internally Cooled Perfusion Electrodes. <i>Journal of Vascular and Interventional Radiology</i> , 2006, 17, 549-556.	0.2	8
316	Preoperative Assessment of Resectability of Hepatic Hilar Cholangiocarcinoma: Combined CT and Cholangiography with Revised Criteria. <i>Radiology</i> , 2006, 239, 113-121.	3.6	200
317	CT colonography in a Korean population with a high residue diet: Comparison between wet and dry preparations. <i>Clinical Radiology</i> , 2006, 61, 483-494.	0.5	22
318	State-of-the-art ultrasonography of hepatocellular carcinoma. <i>European Journal of Radiology</i> , 2006, 58, 177-185.	1.2	7
319	Intraoperative Radiofrequency Ablation Using a Loop Internally Cooled-Perfusion Electrode: In Vitro and In Vivo Experiments. <i>Journal of Surgical Research</i> , 2006, 131, 215-224.	0.8	4
320	Hepatic Radiofrequency Ablation Using Multiple Probes: Ex Vivo and In Vivo Comparative Studies of Monopolar versus Multipolar Modes. <i>Korean Journal of Radiology</i> , 2006, 7, 106.	1.5	26
321	Superparamagnetic Iron Oxide-Enhanced Liver Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2006, 41, 168-174.	3.5	43
322	Computed Tomography Features of an Intraductal Polypoid Mass. <i>Journal of Computer Assisted Tomography</i> , 2006, 30, 18-24.	0.5	6
323	Radiofrequency ablation in pig lungs: in vivo comparison of internally cooled, perfusion and multitined expandable electrodes. <i>British Journal of Radiology</i> , 2006, 79, 562-571.	1.0	11
324	CT Features of an Intraductal Polypoid Mass. <i>Journal of Computer Assisted Tomography</i> , 2006, 30, 173-181.	0.5	35

#	ARTICLE	IF	CITATIONS
325	High-grade Neuroendocrine Carcinomas of the Gallbladder and Bile Duct. <i>Journal of Computer Assisted Tomography</i> , 2006, 30, 604-609.	0.5	54
326	MDCT and superparamagnetic iron oxide (SPIO)-enhanced MR findings of intrapancreatic accessory spleen in seven patients. <i>European Radiology</i> , 2006, 16, 1887-1897.	2.3	62
327	The diagnostic value of multiplanar reconstruction on MDCT colonography for the preoperative staging of colorectal cancer. <i>European Radiology</i> , 2006, 16, 2284-2291.	2.3	28
328	Three-dimensional MDCT imaging and CT esophagography for evaluation of esophageal tumors: preliminary study. <i>European Radiology</i> , 2006, 16, 2418-2426.	2.3	24
329	Preoperative evaluation of the hepatic vascular anatomy in living liver donors: Comparison of CT angiography and MR angiography. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 1081-1087.	1.9	45
330	Macrocytic Neoplasms of the Pancreas: CT Differentiation of Serous Oligocystic Adenoma from Mucinous Cystadenoma and Intraductal Papillary Mucinous Tumor. <i>American Journal of Roentgenology</i> , 2006, 187, 1192-1198.	1.0	146
331	Hepatic Macrosteatosis: Predicting Appropriateness of Liver Donation by Using MR Imaging—Correlation with Histopathologic Findings. <i>Radiology</i> , 2006, 240, 116-129.	3.6	71
332	Percutaneous Drainage of Postoperative Abdominal Abscess with Limited Accessibility: Preexisting Surgical Drains as Alternative Access Route. <i>Radiology</i> , 2006, 239, 591-598.	3.6	26
333	CT Differentiation of Cholangiocarcinoma from Periductal Fibrosis in Patients with Hepatolithiasis. <i>American Journal of Roentgenology</i> , 2006, 187, 445-453.	1.0	43
334	Bipolar radiofrequency ablation in ex vivo bovine liver with the open-perfused system versus the cooled-wet system. <i>European Radiology</i> , 2005, 15, 759-764.	2.3	27
335	Radiofrequency ablation in the liver using two cooled-wet electrodes in the bipolar mode. <i>European Radiology</i> , 2005, 15, 2163-2170.	2.3	16
336	Ex Vivo Experiment of Saline-Enhanced Hepatic Bipolar Radiofrequency Ablation with a Perfused Needle Electrode: Comparison with Conventional Monopolar and Simultaneous Monopolar Modes. <i>CardioVascular and Interventional Radiology</i> , 2005, 28, 338-345.	0.9	30
337	Biliary Complications in Living Donor Liver Transplantation: Imaging Findings and the Roles of Interventional Procedures. <i>CardioVascular and Interventional Radiology</i> , 2005, 28, 756-767.	0.9	35
338	Radiofrequency Thermal Ablation in Canine Femur: Evaluation of Coagulation Necrosis Reproducibility and MRI-Histopathologic Correlation. <i>American Journal of Roentgenology</i> , 2005, 185, 661-667.	1.0	27
339	Appropriateness of a Donor Liver with Respect to Macrosteatosis: Application of Artificial Neural Networks to US Images—Initial Experience. <i>Radiology</i> , 2005, 234, 793-803.	3.6	70
340	Differentiating Malignant from Benign Common Bile Duct Stricture with Multiphasic Helical CT. <i>Radiology</i> , 2005, 236, 178-183.	3.6	107
341	Hepatic Attenuation Differences Associated with Obstruction of the Portal or Hepatic Veins in Patients with Hepatic Abscess. <i>American Journal of Roentgenology</i> , 2005, 185, 1015-1023.	1.0	17
342	Value of Contrast-Enhanced Sonography for the Characterization of Focal Hepatic Lesions in Patients with Diffuse Liver Disease: Receiver Operating Characteristic Analysis. <i>American Journal of Roentgenology</i> , 2005, 184, 1077-1084.	1.0	53



#	ARTICLE	IF	CITATIONS
343	Postbiopsy Splenic Bleeding in a Dog Model: Comparison of Cauterization, Embolization, and Plugging of the Needle Tract. American Journal of Roentgenology, 2005, 185, 878-884.	1.0	23
344	Comparison of Renal Ablation with Monopolar Radiofrequency and Hypertonic-Saline-Augmented Bipolar Radiofrequency: In Vitro and In Vivo Experimental Studies. American Journal of Roentgenology, 2005, 184, 897-905.	1.0	28
345	Effect of Adjusted Positioning on Gastric Distention and Fluid Distribution During CT Gastrography. American Journal of Roentgenology, 2005, 185, 1180-1184.	1.0	33
346	Small-Bowel Obstruction in a Phantom Model of ex Vivo Porcine Intestine: Comparison of PACS Stack and Tile Modes for CT Interpretation. Radiology, 2005, 236, 867-871.	3.6	13
347	An ex-vivo experimental study on optimization of bipolar radiofrequency liver ablation using perfusion-cooled electrodes. Acta Radiologica, 2005, 46, 443-451.	0.5	16
348	Small gastrointestinal stromal tumours with focal areas of low attenuation on CT: pathological correlation. Clinical Radiology, 2005, 60, 384-388.	0.5	25
349	In vitro CT evaluation of intrahepatic stones: correlation with chemical composition. European Journal of Radiology, 2005, 54, 258-263.	1.2	2
350	Wet radio-frequency ablation using multiple electrodes: comparative study of bipolar versus monopolar modes in the bovine liver. European Journal of Radiology, 2005, 54, 408-417.	1.2	21
351	Optimization of Wet Radiofrequency Ablation Using a Perfused-Cooled Electrode: A Comparative Study in Ex Vivo Bovine Livers. Korean Journal of Radiology, 2004, 5, 250.	1.5	14
352	Saline-Enhanced Hepatic Radiofrequency Ablation Using a Perfused-Cooled Electrode: Comparison of Dual Probe Bipolar Mode with Monopolar and Single Probe Bipolar Modes. Korean Journal of Radiology, 2004, 5, 121.	1.5	25
353	Comparison of Wet Radiofrequency Ablation with Dry Radiofrequency Ablation and Radiofrequency Ablation Using Hypertonic Saline Preinjection: Ex Vivo Bovine Liver. Korean Journal of Radiology, 2004, 5, 258.	1.5	34
354	Hepatic bipolar radiofrequency ablation using perfused-cooled electrodes: a comparative study in the ex vivo bovine liver. British Journal of Radiology, 2004, 77, 944-949.	1.0	20
355	<b>Gastrointestinal Stromal Tumors of the Stomach:</b> CT Findings and Prediction of Malignancy. American Journal of Roentgenology, 2004, 183, 893-898.	1.0	93
356	Relationship Between Various Patterns of Transient Increased Hepatic Attenuation on CT and Portal Vein Thrombosis Related to Acute Cholecystitis. American Journal of Roentgenology, 2004, 183, 437-442.	1.0	28
357	Volumetric Contrast Imaging in Bile Duct Sonography: Technology and Early Clinical Experience. American Journal of Roentgenology, 2004, 183, 1602-1604.	1.0	2
358	Experimentally Induced Small-Bowel Tumor in Rabbits: US-guided Percutaneous 18-gauge Core Biopsy. Radiology, 2004, 231, 150-155.	3.6	6
359	Contrast-Enhanced Sonography for Hepatocellular Carcinoma. Intervirology, 2004, 47, 162-168.	1.2	4
360	Palliation of anastomotic obstructions in recurrent gastric carcinoma with the use of covered metallic stents: clinical results in 25 patients. Surgery, 2004, 135, 171-177.	1.0	34

#	ARTICLE	IF	CITATIONS
361	Combined treatment of radiofrequency ablation and acetic acid injection: an in vivo feasibility study in rabbit liver. <i>European Radiology</i> , 2004, 14, 1303-10.	2.3	20
362	Four-dimensional volume contrast ultrasound imaging of the gallbladder compared with tissue harmonic imaging: preliminary experience. <i>European Radiology</i> , 2004, 14, 1657-64.	2.3	6
363	Pyogenic hepatic abscesses: distinctive features from hypovascular hepatic malignancies on contrast-enhanced ultrasound with SH U 508A; early experience. <i>Ultrasound in Medicine and Biology</i> , 2004, 30, 725-733.	0.7	24
364	Real-time compound ultrasonography: pictorial review of technology and the preliminary experience in clinical application of the abdomen. <i>Abdominal Imaging</i> , 2004, 29, 491-7.	2.0	9
365	Imaging of intrahepatic and hilar cholangiocarcinoma. <i>Abdominal Imaging</i> , 2004, 29, 548-57.	2.0	91
366	Calcified Klatskin tumor mimicking intrahepatic stone: case report. <i>Abdominal Imaging</i> , 2004, 30, 90-92.	2.0	3
367	Heparin-Coated Angiographic Catheters: An In Vivo Comparison of Three Coating Methods with Different Heparin Release Profiles. <i>CardioVascular and Interventional Radiology</i> , 2004, 27, 507-11.	0.9	9
368	The current status of imaging diagnosis of hepatocellular carcinoma. <i>Liver Transplantation</i> , 2004, 10, S20-S25.	1.3	44
369	Volumetric tumor measurement using three-dimensional ultrasound: in vitro phantom study on measurement accuracy under various scanning conditions. <i>Ultrasound in Medicine and Biology</i> , 2004, 30, 27-34.	0.7	19
370	Clonorchiasis and Cholangiocarcinoma: Etiologic Relationship and Imaging Diagnosis. <i>Clinical Microbiology Reviews</i> , 2004, 17, 540-552.	5.7	211
371	Primary Gastrointestinal Stromal Tumors in the Omentum and Mesentery: CT Findings and Pathologic Correlations. <i>American Journal of Roentgenology</i> , 2004, 182, 1463-1467.	1.0	48
372	Gastrointestinal Stromal Tumors of the Duodenum: CT and Barium Study Findings. <i>American Journal of Roentgenology</i> , 2004, 183, 415-419.	1.0	23
373	Imaging of Gastrointestinal Stromal Tumors. <i>Journal of Computer Assisted Tomography</i> , 2004, 28, 596-604.	0.5	35
374	Dual-Probe Radiofrequency Ablation. <i>Investigative Radiology</i> , 2004, 39, 89-96.	3.5	17
375	Sonographic Features of an Intraductal Polypoid Mass. <i>Journal of Ultrasound in Medicine</i> , 2004, 23, 1283-1291.	0.8	7
376	Biliary obstruction in metastatic disease: thin-section helical CT findings. <i>Abdominal Imaging</i> , 2003, 28, 45-52.	2.0	34
377	Focal eosinophilic infiltration in the liver: radiologic findings and clinical course. <i>Abdominal Imaging</i> , 2003, 28, 326-332.	2.0	47
378	Afferent loop obstruction after gastric cancer surgery: helical CT findings. <i>Abdominal Imaging</i> , 2003, 28, 624-630.	2.0	49

#	ARTICLE	IF	CITATIONS
379	Contrast-enhanced dynamic ultrasonography of the liver: optimization of hepatic arterial phase in normal volunteers. <i>Abdominal Imaging</i> , 2003, 28, 652-656.	2.0	7
380	Helical CT of postoperative patients with gastric carcinoma: value in evaluating surgical complications and tumor recurrence. <i>Abdominal Imaging</i> , 2003, 28, 617-623.	2.0	17
381	Abdominal Amyloidosis: Spectrum of Radiological Findings. <i>Clinical Radiology</i> , 2003, 58, 610-620.	0.5	108
382	Experimental Clonorchiasis in Dogs: CT Findings before and after Treatment. <i>Radiology</i> , 2003, 228, 131-138.	3.6	12
383	Clogging of Drainage Catheters: Quantitative and Longitudinal Assessment by Monitoring Intracatheter Pressure in Catheters and Rabbits. <i>Radiology</i> , 2003, 227, 833-838.	3.6	7
384	Computed Tomography Gastrography With Volume-rendering Technique: Correlation With Double-contrast Barium Study and Conventional Gastroscopy. <i>Journal of Computer Assisted Tomography</i> , 2003, 27, 140-149.	0.5	25
385	Hepatocellular Carcinoma. <i>Journal of Ultrasound in Medicine</i> , 2003, 22, 887-896.	0.8	7
386	A Comparative Experimental Study of the In-vitro Efficiency of Hypertonic Saline-Enhanced Hepatic Bipolar and Monopolar Radiofrequency Ablation. <i>Korean Journal of Radiology</i> , 2003, 4, 163.	1.5	56
387	Hepatic Arterial and Portal Venous Phase Helical CT in Patients Treated with Transcatheter Arterial Chemoembolization for Hepatocellular Carcinoma: Added Value of Unenhanced Images. <i>Radiology</i> , 2002, 225, 773-780.	3.6	48
388	Fluoroscopically Guided Placement of a Covered Self-Expandable Metallic Stent for Malignant Antroduodenal Obstructions. <i>American Journal of Roentgenology</i> , 2002, 178, 847-852.	1.0	44
389	Cholangiocarcinoma: Pictorial Essay of CT and Cholangiographic Findings. <i>Radiographics</i> , 2002, 22, 173-187.	1.4	204
390	A Straightforward Algorithm for the Quantification of Power Doppler Signals. <i>Investigative Radiology</i> , 2002, 37, 343-348.	3.5	8
391	Dynamic Enhancement Features of Gadophrin-2 on Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2002, 37, 663-671.	3.5	7
392	Acute hepatic vein occlusion: spiral CT findings in an experimental study. <i>Abdominal Imaging</i> , 2002, 27, 527-535.	2.0	12
393	Postoperative Anatomic and Pathologic Findings at CT Following Gastrectomy. <i>Radiographics</i> , 2002, 22, 323-336.	1.4	65
394	Hepatic Arteriportal Shunts: Dynamic CT and MR Features. <i>Korean Journal of Radiology</i> , 2002, 3, 1.	1.5	110
395	Hepatocellular Carcinoma. <i>Journal of Ultrasound in Medicine</i> , 2002, 21, 77-84.	0.8	34
396	Hepatocellular carcinoma and precancerous lesions: advances in imaging. <i>Abdominal Imaging</i> , 2002, 27, 115-116.	2.0	3

#	ARTICLE	IF	CITATIONS
397	Dysplastic nodules in liver cirrhosis: imaging. <i>Abdominal Imaging</i> , 2002, 27, 117-128.	2.0	28
398	Hepatocellular carcinoma: harmonic ultrasound and contrast agent. <i>Abdominal Imaging</i> , 2002, 27, 129-138.	2.0	14
399	Obstructive Jaundice in Hepatocellular Carcinoma: Response after Percutaneous Transhepatic Biliary Drainage and Prognostic Factors. <i>CardioVascular and Interventional Radiology</i> , 2002, 25, 176-179.	0.9	30
400	Improved sonographic imaging of hepatic hemangioma with contrast-enhanced coded harmonic angiography: comparison with MR imaging. <i>Ultrasound in Medicine and Biology</i> , 2002, 28, 287-295.	0.7	46
401	Functional analysis of gallbladder using three-dimensional ultrasound: preliminary results. <i>Ultrasound in Medicine and Biology</i> , 2002, 28, 581-588.	0.7	12
402	Contrast Media in Abdominal Computed Tomography: Optimization of Delivery Methods. <i>Korean Journal of Radiology</i> , 2001, 2, 28.	1.5	37
403	Castleman Disease of the Abdomen: Imaging Spectrum and Clinicopathologic Correlations. <i>Journal of Computer Assisted Tomography</i> , 2001, 25, 207-214.	0.5	75
404	Comparison of Contrast-Enhanced Fundamental Imaging, Second-Harmonic Imaging, and Pulse-Inversion Harmonic Imaging. <i>Investigative Radiology</i> , 2001, 36, 582-588.	3.5	25
405	Ultrasonographic evaluation of the gallbladder: comparison of fundamental, tissue harmonic, and pulse inversion harmonic imaging.. <i>Journal of Ultrasound in Medicine</i> , 2001, 20, 35-41.	0.8	27
406	Quantitative comparison of tumor vascularity of hepatocellular carcinoma after intravenous contrast agent: conventional versus harmonic power Doppler US. <i>Abdominal Imaging</i> , 2001, 26, 178-183.	2.0	12
407	Three-dimensional spiral CT cholangiography with minimum intensity projection in patients with suspected obstructive biliary disease: comparison with percutaneous transhepatic cholangiography. <i>Abdominal Imaging</i> , 2001, 26, 281-286.	2.0	44
408	Fat Replacement with Absence of Acinar and Ductal Structure in the Pancreatic Body and Tail. <i>Journal of Computer Assisted Tomography</i> , 2000, 24, 893-895.	0.5	15
409	Improved imaging of hepatic metastases with delayed pulse inversion harmonic imaging using a contrast agent SH U 508A: preliminary study. <i>Ultrasound in Medicine and Biology</i> , 2000, 26, 1439-1444.	0.7	28
410	Neoplasms containing normal hepatic vessels: imaging features. <i>Abdominal Imaging</i> , 2000, 25, 602-606.	2.0	1
411	MR imaging of advanced gastric cancer: comparison of various MR pulse sequences using water and gadopentetate dimeglumine as oral contrast agents. <i>Abdominal Imaging</i> , 2000, 25, 7-13.	2.0	20
412	Preoperative evaluation of Klatskin tumor: accuracy of spiral CT in determining vascular invasion as a sign of unresectability. <i>Abdominal Imaging</i> , 2000, 25, 500-507.	2.0	54
413	Hepatic Hemangiomas: Spectrum of US Appearances on Gray-scale, Power Doppler, and Contrast-Enhanced US. <i>Korean Journal of Radiology</i> , 2000, 1, 191.	1.5	32
414	Gadolinium Mesoporphyrin as an MR Imaging Contrast Agent in the Evaluation of Tumors. <i>American Journal of Roentgenology</i> , 2000, 175, 227-234.	1.0	23

#	ARTICLE	IF	CITATIONS
415	CT Features of Intraductal Intrahepatic Cholangiocarcinoma. American Journal of Roentgenology, 2000, 175, 721-725.	1.0	82
416	Hepatic Tumors: Contrast Agent-Enhancement Patterns with Pulse-Inversion Harmonic US. Radiology, 2000, 216, 411-417.	3.6	238
417	Vascularity of Hepatocellular Carcinoma: Assessment with Contrast-enhanced Second Harmonic versus Conventional Power Doppler US. Radiology, 2000, 214, 381-386.	3.6	106
418	Heterotopic pancreas of the stomach: CT findings correlated with pathologic findings in six patients. Abdominal Imaging, 2000, 25, 119-123.	2.0	55
419	Gastric adenoma with atypical appearance: findings on double-contrast barium study with histopathologic correlation. Abdominal Imaging, 2000, 25, 124-128.	2.0	3
420	Comparison of Harmonic and Conventional Power Doppler Ultrasonography for Assessment of Slow Flow in Hyperechoic Tissue. Investigative Radiology, 2000, 35, 105.	3.5	9
421	Nodular Hepatocellular Carcinoma: Variation of Tumor Conspicuity on Single-Level Dynamic Scan and Optimization of Fixed Delay Times for Two-Phase Helical CT. Journal of Computer Assisted Tomography, 2000, 24, 212-218.	0.5	36
422	MRI in Staging Advanced Gastric Cancer: Is It Useful Compared with Spiral CT?. Journal of Computer Assisted Tomography, 2000, 24, 389-394.	0.5	71
423	Factors Influencing Vascular and Hepatic Enhancement at CT: Experimental Study on Injection Protocol Using a Canine Model. Journal of Computer Assisted Tomography, 2000, 24, 400-406.	0.5	85
424	Hepatocellular Carcinoma with Bile Duct Involvement: Computed Tomographic (CT) Findings. Journal of the Korean Radiological Society, 2000, 42, 649.	0.0	3
425	Intraperitoneal Ectopic Infestation of Parasites Invading through Gastrointestinal Tract: CT Findings. Journal of the Korean Radiological Society, 1999, 40, 511.	0.0	1
426	Limitations of characterization of hepatic hemangiomas using a sonographic contrast agent (Levovist) and power Doppler ultrasonography.. Journal of Ultrasound in Medicine, 1999, 18, 737-743.	0.8	41
427	Unusual Gastric Tumors: Radiologic-Pathologic Correlation. Radiographics, 1999, 19, 1435-1446.	1.4	91
428	Signal from hepatic hemangiomas on power Doppler US: real or artefactual?. Ultrasound in Medicine and Biology, 1999, 25, 1055-1061.	0.7	22
429	Hepatobiliary and pancreatic: Splenic lesions in a young woman with abdominal pain. Journal of Gastroenterology and Hepatology (Australia), 1999, 14, 739-739.	1.4	1
430	Hepatobiliary and pancreatic: Unusual pancreatic lesions. Journal of Gastroenterology and Hepatology (Australia), 1999, 14, 827-827.	1.4	0
431	Cytomegalovirus proctitis in a diabetic. Abdominal Imaging, 1999, 24, 39-41.	2.0	7
432	Dysplastic nodules of the liver: imaging findings. Abdominal Imaging, 1999, 24, 250-257.	2.0	55

#	ARTICLE	IF	CITATIONS
433	Hepatic Hemangioma: Contrast-Enhancement Pattern during the Arterial and Portal Venous Phases of Spiral CT. <i>Abdominal Imaging</i> , 1999, 24, 262-266.	2.0	32
434	Hepatic abnormalities related to blood flow: evaluation with dual-phase helical CT. <i>Abdominal Imaging</i> , 1999, 24, 340-356.	2.0	21
435	Experimental Hepatobiliary Fascioliasis in Rabbits. <i>Investigative Radiology</i> , 1999, 34, 99-108.	3.5	25
436	Influence of Instrument Settings on Flow Signal and Background Noise in Power Doppler US. <i>Investigative Radiology</i> , 1999, 34, 781.	3.5	9
437	Hepatobiliary and pancreatic: cystic liver lesion in a man with abdominal pain. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1999, 14, 609, 613.	1.4	1
438	MR cholangiopancreatography: comparison between half-Fourier acquisition single-shot turbo spin-echo and two-dimensional turbo spin-echo pulse sequences. <i>Abdominal Imaging</i> , 1998, 23, 398-403.	2.0	15
439	T2-weighted MR imaging for hepatic hemangiomas: comparison of breath-hold and non-breath-hold turbo spin-echo pulse sequences with phased-array multicoil. <i>Abdominal Imaging</i> , 1998, 23, 422-426.	2.0	7
440	Invited. MRI of Clonorchiasis and Cholangiocarcinoma. <i>Journal of Magnetic Resonance Imaging</i> , 1998, 8, 359-366.	1.9	28
441	T2-weighted breath-hold MRI of the liver at 1.0 T: Comparison of turbo spin-echo and HASTE sequences with and without fat suppression. <i>Journal of Magnetic Resonance Imaging</i> , 1998, 8, 1213-1218.	1.9	14
442	Transcatheter Oily Chemoembolization of the Inferior Phrenic Artery in Hepatocellular Carcinoma: The Safety and Potential Therapeutic Role. <i>Journal of Vascular and Interventional Radiology</i> , 1998, 9, 495-500.	0.2	106
443	Hepatocellular carcinoma: power Doppler US with a contrast agent—preliminary results.. <i>Radiology</i> , 1998, 209, 135-140.	3.6	141
444	Nontumorous arterioportal shunt mimicking hypervascular tumor in cirrhotic liver: two-phase spiral CT findings.. <i>Radiology</i> , 1998, 208, 597-603.	3.6	163
445	Atypical small hemangiomas of the liver: "bright dot" sign at two-phase spiral CT.. <i>Radiology</i> , 1998, 208, 543-548.	3.6	46
446	MR Imaging of Advanced Gastric Cancer: Comparison between T1-weighted FLASH, T2-weighted TSE, and TrueFISP. <i>Journal of the Korean Radiological Society</i> , 1998, 39, 1149.	0.0	2
447	Intratumoral Vascularity of Experimentally Induced VX2 Carcinoma. <i>Investigative Radiology</i> , 1998, 33, 39-44.	3.5	18
448	Control of clonorchiasis by repeated praziquantel treatment and low diagnostic efficacy of sonography. <i>Korean Journal of Parasitology</i> , 1998, 36, 249.	0.5	34
449	Hilar cholangiocarcinoma: thin-section spiral CT findings with cholangiographic correlation.. <i>Radiographics</i> , 1997, 17, 1475-1485.	1.4	74
450	Detection of hypervascular nodular hepatocellular carcinomas: value of triphasic helical CT compared with iodized-oil CT.. <i>American Journal of Roentgenology</i> , 1997, 168, 219-224.	1.0	61



#	ARTICLE	IF	CITATIONS
451	Peripheral cholangiocarcinoma of the liver: two-phase spiral CT findings.. Radiology, 1997, 204, 539-543.	3.6	133
452	Thin Section Helical CT Findings of Klatskin Tumor and Benign Stricture: Cholangiographic Correlation. Journal of the Korean Radiological Society, 1997, 37, 665.	0.0	0
453	Detection of pancreatic adenocarcinoma: relative value of arterial and late phases of spiral CT. Abdominal Imaging, 1997, 22, 199-203.	2.0	51
454	Liver Neoplasms: Atypical CT and MR Imaging Findings. Journal of the Korean Radiological Society, 1997, 36, 1037.	0.0	0
455	Optimal MR Pulse Sequences for Hepatic Hemangiomas: Comparison of T2-Weighted Turbo-Spin-Echo, T2-Weighted Breath-hold Turbo-Spin-Echo, and T1-Weighted FLASH Dynamic Imaging. Journal of the Korean Radiological Society, 1997, 36, 455.	0.0	0
456	Recurrent Pyogenic Cholangitis: Pathology, Imaging, and Management by Interventional Radiology. Medical Radiology, 1997, , 279-297.	0.0	0
457	Power versus conventional color Doppler sonography: comparison in the depiction of vasculature in liver tumors.. Radiology, 1996, 200, 55-58.	3.6	151
458	Hepatic tumors: predisposing factors for complications of transcatheter oily chemoembolization.. Radiology, 1996, 198, 33-40.	3.6	343
459	Focal hepatic nodules after transcatheter oily chemoembolization; detection with spiral CT versus conventional CT. Abdominal Imaging, 1996, 21, 33-36.	2.0	2
460	The query corner. Abdominal Imaging, 1996, 21, 179.	2.0	10
461	Iodized-oil retention within hepatic hemangioma: characteristics on iodized-oil CT. Abdominal Imaging, 1996, 21, 420-426.	2.0	4
462	Spiral CT for the detection of hepatocellular carcinomas: relative value of arterial- and late-phase scanning. Abdominal Imaging, 1996, 21, 440-444.	2.0	18
463	Helical CT anatomy of pancreatic arteries. Abdominal Imaging, 1996, 21, 517-521.	2.0	19
464	MR findings in human fascioliasis. Tropical Medicine and International Health, 1996, 1, 367-372.	1.0	33
465	Intraperitoneal Drop Metastases from Hepatocellular Carcinoma: CT and Angiographic Findings. Journal of Computer Assisted Tomography, 1996, 20, 638-642.	0.5	25
466	Nodular Hepatocellular Carcinoma: Contrast Enhancement Patterns on Three-Phase Spiral CT. Journal of the Korean Radiological Society, 1996, 35, 357.	0.0	1
467	Characterization of focal hepatic tumors value of two-phase scanning with spiral computed tomography. Cancer, 1995, 76, 2434-2442.	2.0	41
468	Vascular invasion by hepatocellular carcinoma. Abdominal Imaging, 1995, 20, 277-278.	2.0	51

#	ARTICLE	IF	CITATIONS
469	Cystic peripheral cholangiocarcinoma: sonography and CT. <i>Abdominal Imaging</i> , 1995, 20, 131-132.	2.0	13
470	Undifferentiated embryonal sarcoma of the liver treated with chemotherapy: CT imaging in four patients. <i>Abdominal Imaging</i> , 1995, 20, 133-137.	2.0	23
471	Peripheral cholangiocarcinoma: comparison of MRI with CT. <i>Abdominal Imaging</i> , 1995, 20, 357-360.	2.0	55
472	Transcatheter Arterial Embolization of the Internal Mammary Artery in Hepatocellular Carcinoma. <i>Journal of Vascular and Interventional Radiology</i> , 1995, 6, 71-74.	0.2	53
473	Combined hepatocellular and cholangiocarcinoma of the liver: Sonography, CT, Angiography, and Iodized-Oil CT with pathologic correlation. <i>Abdominal Imaging</i> , 1994, 19, 43-46.	2.0	36
474	Undifferentiated embryonal sarcoma of the liver: US and CT findings. <i>Pediatric Radiology</i> , 1994, 24, 500-503.	1.1	49
475	MR findings of hepatic cavernous hemangioma after intraarterial infusion of iodized oil. <i>Abdominal Radiology</i> , 1994, 19, 507-511.	1.0	0
476	Colitis in Behçet's disease: Characteristics on double-contrast barium enema examination in 20 patients. <i>Abdominal Imaging</i> , 1994, 19, 132-136.	2.0	31
477	Correlation of sonographic findings with histopathological changes of the bile ducts in rabbits infected with <i>Clonorchis sinensis</i> . <i>Korean Journal of Parasitology</i> , 1994, 32, 223.	0.5	24
478	Radiological findings of human fascioliasis. <i>Abdominal Radiology</i> , 1993, 18, 261-264.	1.0	68
479	Endodermal sinus tumour associated with benign teratoma of the common bile duct. <i>Pediatric Radiology</i> , 1993, 23, 59-60.	1.1	14
480	Small hepatocellular carcinomas and associated nodular lesions of the liver: pathology, pathogenesis, and imaging findings.. <i>American Journal of Roentgenology</i> , 1993, 160, 1177-1187.	1.0	178
481	Necrotic Areas in VX2 Carcinoma of Rabbits. <i>Investigative Radiology</i> , 1993, 28, 33-38.	3.5	16
482	Therapeutic effect of transcatheter oily chemoembolization therapy for encapsulated nodular hepatocellular carcinoma: CT and pathologic findings.. <i>Radiology</i> , 1992, 182, 709-713.	3.6	160
483	Duplex Doppler US in patients with medical renal disease: Resistive index vs serum creatinine level. <i>Clinical Radiology</i> , 1992, 45, 85-87.	0.5	77
484	Percutaneous removal of retained intrahepatic stones with a pre-shaped angulated catheter: review of 96 patients. <i>British Journal of Radiology</i> , 1992, 65, 9-13.	1.0	17
485	Percutaneous removal of retained intrahepatic stones utilizing combination of techniques with emphasis on a preshaped angulated catheter: review of 170 patients. <i>European Radiology</i> , 1992, 2, 199-203.	2.3	2
486	Calcified gastric carcinoma: CT findings. <i>Gastrointestinal Radiology</i> , 1992, 17, 311-315.	0.4	12

#	ARTICLE	IF	CITATIONS
487	Imaging techniques in diagnosis of hepatic lesions. Tropical Gastroenterology: Official Journal of the Digestive Diseases Foundation, 1992, 13, 46-51.	0.0	0
488	Retained intrahepatic stones: treatment with piezoelectric lithotripsy combined with stone extraction.. Radiology, 1991, 178, 105-108.	3.6	18
489	Diffuse intestinal arteriovenous malformation in a child. Pediatric Radiology, 1991, 21, 314-315.	1.1	2
490	MR findings in liver adenomatosis. Gastrointestinal Radiology, 1991, 16, 234-236.	0.4	18
491	Intraoperative sonography of hepatocellular carcinoma: Detection of lesions and validity in surgical resection. Gastrointestinal Radiology, 1991, 16, 329-333.	0.4	18
492	Jejunal Leiomyosarcoma Detected by Tc-99m Sulfur Colloid Gastrointestinal Bleeding Scan. Clinical Nuclear Medicine, 1990, 15, 327-329.	0.7	3
493	Mosaic pattern of encapsulated hepatocellular carcinoma: Correlation of magnetic resonance imaging and pathology. Gastrointestinal Radiology, 1990, 15, 238-240.	0.4	25
494	Papillary cystic tumor of the liver. A case report with ultrastructural observation. Cancer, 1990, 65, 2740-2746.	2.0	52
495	Small hepatocellular carcinoma versus small cavernous hemangioma: differentiation with MR imaging at 2.0 T.. Radiology, 1990, 176, 103-106.	3.6	33
496	CT manifestations of peritoneal leiomyosarcomatosis.. American Journal of Roentgenology, 1990, 155, 799-801.	1.0	25
497	Caroli disease: central dot sign in CT.. Radiology, 1990, 174, 161-163.	3.6	125
498	Case report: Uterine metastasis from stomach cancer: Radiological findings. Clinical Radiology, 1990, 42, 285-286.	0.5	10
499	CT findings of clonorchiasis. American Journal of Roentgenology, 1989, 152, 281-284.	1.0	45
500	Giant cavernous hemangioma of the liver: CT and MR imaging in 10 cases. American Journal of Roentgenology, 1989, 152, 1221-1226.	1.0	63
501	Biliary cystadenoma and cystadenocarcinoma: CT and sonographic findings.. Radiology, 1989, 171, 57-61.	3.6	135
502	Hilar cholangiocarcinoma: comparative study with sonography and CT.. Radiology, 1989, 172, 689-692.	3.6	103
503	Sonographic characteristics of small hepatocellular carcinoma. Gastrointestinal Radiology, 1989, 14, 255-261.	0.4	32
504	Hepatosplenic tuberculosis with hypersplenism: CT evaluation. Gastrointestinal Radiology, 1989, 14, 265-267.	0.4	24

#	ARTICLE	IF	CITATIONS
505	Radiological evaluation of hepatic artery aneurysms. <i>Gastrointestinal Radiology</i> , 1989, 14, 329-333.	0.4	9
506	Small hepatocellular carcinoma: detection with sonography, computed tomography (CT), angiography and Lipiodol-CT. <i>British Journal of Radiology</i> , 1989, 62, 897-903.	1.0	71
507	Sonographic appearance of Krukenberg tumor from gastric carcinoma. <i>Gastrointestinal Radiology</i> , 1988, 13, 15-18.	0.4	12
508	Exogastric cystic gastric leiomyoblastoma with unusual CT appearance. <i>Gastrointestinal Radiology</i> , 1988, 13, 109-111.	0.4	10
509	International symposium on surgery for cerebral stroke SendaÃ, Japan, May 24â27, 1987. <i>Surgical and Radiologic Anatomy</i> , 1988, 10, 167-169.	0.1	0
510	Peripheral cholangiocarcinoma and clonorchiasis: CT findings.. <i>Radiology</i> , 1988, 169, 149-153.	3.6	75
511	Retained surgical sponge: diagnosis with CT and sonography. <i>American Journal of Roentgenology</i> , 1988, 150, 1047-1050.	1.0	120
512	Solid and papillary epithelial neoplasms of the pancreas: CT findings.. <i>Radiology</i> , 1988, 166, 413-416.	3.6	105
513	Percutaneous removal of residual intrahepatic stones.. <i>Radiology</i> , 1987, 163, 619-623.	3.6	33
514	Evaluation of Liver Fibrosis Using Shear Wave Elastography: An Overview. , 0, , .		0