
Juan Delgado-Cuesta

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9816725/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Detailed stratified GWAS analysis for severe COVID-19 in four European populations. Human Molecular Genetics, 2022, 31, 3945-3966.	2.9	46
2	Effectiveness of a On-site Medicalization Program for Nursing Homes With COVID-19 Outbreaks. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, e19-e27.	3.6	20
3	SARS-CoV-2 viral load in nasopharyngeal swabs is not an independent predictor of unfavorable outcome. Scientific Reports, 2021, 11, 12931.	3.3	19
4	Dendritic cell deficiencies persist seven months after SARS-CoV-2 infection. Cellular and Molecular Immunology, 2021, 18, 2128-2139.	10.5	81
5	Age-dependent impact of the major common genetic risk factor for COVID-19 on severity and mortality. Journal of Clinical Investigation, 2021, 131, .	8.2	72
6	Update on Dihydropteroate Synthase (DHPS) Mutations in Pneumocystis jirovecii. Journal of Fungi (Basel, Switzerland), 2021, 7, 856.	3.5	9
7	Long-term impact of an educational antimicrobial stewardship programme in primary care on infections caused by extended-spectrum β-lactamase-producing Escherichia coli in the community: an interrupted time-series analysis. Lancet Infectious Diseases, The, 2020, 20, 199-207.	9.1	42
8	Death risk stratification in elderly patients with covid-19. A comparative cohort study in nursing homes outbreaks. Archives of Gerontology and Geriatrics, 2020, 91, 104240.	3.0	36
9	Neurorretinitis unilateral. Medicina ClÃnica, 2017, 149, e59.	0.6	0
10	IFNγ ^{â^'} TNFα ^{â^'} IL2 ^{â^'} MIP1α ^{â^'} CD107a ⁺ PRF1 pp65-Specific T-Cell Response Is Independently Associated With Time to Death in Elderly Humans. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2015, 70, 1210-1218.	. ^{+3.6}	up>CD8 11
11	TNF-Â levels in HIV-infected patients after long-term suppressive cART persist as high as in elderly, HIV-uninfected subjects. Journal of Antimicrobial Chemotherapy, 2014, 69, 3041-3046.	3.0	46
12	Are hip hemiarthroplasty and total hip arthroplasty infections different entities? The importance of hip fractures. European Journal of Clinical Microbiology and Infectious Diseases, 2014, 33, 1439-1448.	2.9	26
13	Atlantic Rainforest Remnant Harbors Greater Biotic Diversity but Reduced Lepidopteran Populations Compared to a <i>Eucalyptus</i> Plantation. Florida Entomologist, 2013, 96, 887-896.	0.5	7
14	Thymic function failure and C-reactive protein levels are independent predictors of all-cause mortality in healthy elderly humans. Age, 2013, 35, 251-259.	3.0	95
15	Incidence of and Risk Factors for Symptomatic Visceral Leishmaniasis among Human Immunodeficiency Virus Type 1-Infected Patients from Spain in the Era of Highly Active Antiretroviral Therapy. Journal of Clinical Microbiology, 2002, 40, 762-767.	3.9	56
16	The high sensitivity of a PCR-ELISA in the diagnosis of cutaneous and visceral leishmaniasis caused byLeishmania infantum. Annals of Tropical Medicine and Parasitology, 2002, 96, 669-677.	1.6	24
17	Evidence of Thymic Function in Heavily Antiretroviralâ€Treated Human Immunodeficiency Virus Type 1–Infected Adults with Longâ€Term Virologic Treatment Failure. Journal of Infectious Diseases, 2002, 186, 410-414.	4.0	22
18	Baseline Thymic Volume is a Predictor for CD4 T Cell Repopulation in Adult HIV-Infected Patients under Highly Active Antiretroviral Therapy. Antiviral Therapy, 2002, 7, 159-163.	1.0	17

#	Article	IF	CITATIONS
19	HIV-1 Plasma Viremia not Increased in Patients Receiving Highly Active Antiretroviral Therapy After Influenza Vaccination. European Journal of Clinical Microbiology and Infectious Diseases, 2001, 20, 0046-0048.	2.9	14
20	Usefulness of Route of Transmission, Absolute CD8+ T-Cell Counts, and Levels of Serum Tumor Necrosis Factor Alpha as Predictors of Survival of HIV-1-Infected Patients with Very Low CD4+ T-Cell Counts. European Journal of Clinical Microbiology and Infectious Diseases, 2001, 20, 0253-0259.	2.9	11
21	False-positive results of leishmanin skin test due to phenol-containing diluent. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2001, 95, 173-174.	1.8	8
22	Low Levels of HIV-1 Plasma Viral Load in Patients Infected with HIV-1 Subtype B and Advanced Immunosuppression. Journal of Infection, 2001, 42, 4-7.	3.3	2
23	Symptomatic Elevations of Lactic Acid and Their Response to Treatment Manipulation in Human Immunodeficiency Virus–Infected Persons: A Case Series. Clinical Infectious Diseases, 2001, 33, 2072-2074.	5.8	40
24	Influence of Highly Active Antiretroviral Therapy on the Outcome of Subclinical Visceral Leishmaniasis in Human Immunodeficiency Virus-Infected Patients. Clinical Infectious Diseases, 2001, 32, 633-635.	5.8	34
25	Transient rebound of HCV RNA levels among HIV/HCV-coinfected patients early after starting highly active antiretroviral therapy (HAART). Journal of Hepatology, 2001, 34, 156.	3.7	Ο
26	High frequency of serious side effects from meglumine antimoniate given without an upper limit dose for the treatment of visceral leishmaniasis in human immunodeficiency virus type-1-infected patients American Journal of Tropical Medicine and Hygiene, 1999, 61, 766-769.	1.4	70
27	Influence of hepatitis C virus infection on the mortality of antiretroviral-treated patients with HIV disease. European Journal of Clinical Microbiology and Infectious Diseases, 1998, 17, 167-170.	2.9	40
28	Regression of Invasive AIDSâ€Related Kaposi's Sarcoma Following Antiretroviral Therapy. Clinical Infectious Diseases, 1998, 26, 218-219.	5.8	20
29	Low Sensitivity of Peripheral Blood Smear for Diagnosis of Subclinical Visceral Leishmaniasis in Human Immunodeficiency Virus Type 1-Infected Patients. Journal of Clinical Microbiology, 1998, 36, 315-316.	3.9	12
30	Prevalence of and Factors Associated with Visceral Leishmaniasis in Human Immunodeficiency Virus Type 1-Infected Patients in Southern Spain. Journal of Clinical Microbiology, 1998, 36, 2419-2422.	3.9	61