

R Delgado

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/981897/publications.pdf>

Version: 2024-02-01

113
papers

3,684
citations

87888

38
h-index

155660

55
g-index

116
all docs

116
docs citations

116
times ranked

3369
citing authors

#	ARTICLE	IF	CITATIONS
1	In vivo and in vitro anti-inflammatory activity of <i>Mangifera indica</i> L. extract (VIMANGS). <i>Pharmacological Research</i> , 2004, 50, 143-149.	7.1	170
2	Melanocortin peptides inhibit production of proinflammatory cytokines and nitric oxide by activated microglia. <i>Journal of Leukocyte Biology</i> , 1998, 63, 740-745.	3.3	142
3	Evaluation of the in vitro antioxidant activity of <i>Mangifera indica</i> L. extract (Vimang). <i>Phytotherapy Research</i> , 2000, 14, 424-427.	5.8	131
4	Gallic acid indanone and mangiferin xanthone are strong determinants of immunosuppressive anti-tumour effects of <i>Mangifera indica</i> L. bark in MDA-MB231 breast cancer cells. <i>Cancer Letters</i> , 2011, 305, 21-31.	7.2	116
5	Iron complexing activity of mangiferin, a naturally occurring glucosylxanthone, inhibits mitochondrial lipid peroxidation induced by Fe ²⁺ -citrate. <i>European Journal of Pharmacology</i> , 2005, 513, 47-55.	3.5	101
6	Regulation of Endothelial Nitric Oxide Synthase Expression by Albumin-Derived Advanced Glycosylation End Products. <i>Circulation Research</i> , 2000, 86, E50-4.	4.5	98
7	Modulation of rat macrophage function by the <i>Mangifera indica</i> L. extracts Vimang and mangiferin. <i>International Immunopharmacology</i> , 2002, 2, 797-806.	3.8	87
8	Protection against septic shock and suppression of tumor necrosis factor alpha and nitric oxide production on macrophages and microglia by a standard aqueous extract of <i>Mangifera indica</i> L. (VIMANGS) Role of mangiferin isolated from the extract. <i>Pharmacological Research</i> , 2004, 50, 165-172.	7.1	86
9	Î±-MSH Peptides Inhibit Production of Nitric Oxide and Tumor Necrosis Factor-Î± by Microglial Cells Activated with Î²-Amyloid and Interferon Î³. <i>Biochemical and Biophysical Research Communications</i> , 1999, 263, 251-256.	2.1	85
10	Anthelmintic and antiallergic activities of <i>Mangifera indica</i> L. stem bark components Vimang and mangiferin. <i>Phytotherapy Research</i> , 2003, 17, 1203-1208.	5.8	84
11	<i>Mangifera indica</i> L. extract (Vimang) and mangiferin modulate mouse humoral immune responses. <i>Phytotherapy Research</i> , 2003, 17, 1182-1187.	5.8	83
12	Effects of Ozone Oxidative Preconditioning on TNF-Î± Release and Antioxidant-Prooxidant Intracellular Balance in Mice During Endotoxic Shock. <i>Mediators of Inflammation</i> , 2005, 2005, 16-22.	3.0	83
13	Effects of a natural extract from <i>Mangifera indica</i> L. and its active compound, mangiferin, on energy state and lipid peroxidation of red blood cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2006, 1760, 1333-1342.	2.4	74
14	Protective effects of <i>Mangifera indica</i> L extract (Vimang), and its major component mangiferin, on iron-induced oxidative damage to rat serum and liver. <i>Pharmacological Research</i> , 2008, 57, 79-86.	7.1	73
15	Anti-allergic properties of <i>Mangifera indica</i> L. extract (Vimang) and contribution of its glucosylxanthone mangiferin. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 58, 385-392.	2.4	71
16	Evaluation of the genotoxic potential of <i>Mangifera indica</i> L. extract (Vimang), a new natural product with antioxidant activity. <i>Food and Chemical Toxicology</i> , 2006, 44, 1707-1713.	3.6	63
17	Nonsurgical Management of Threatened Upper Urinary Tracts and Incontinence in Children with Myelomeningocele. <i>Journal of Urology</i> , 1994, 152, 1582-1585.	0.4	62
18	<i>Mangifera indica</i> L. extract (Vimang) and mangiferin reduce the airway inflammation and Th2 cytokines in murine model of allergic asthma. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 63, 1336-1345.	2.4	58

#	ARTICLE	IF	CITATIONS
19	Mangiferin, a natural occurring glucosyl xanthone, increases susceptibility of rat liver mitochondria to calcium-induced permeability transition. <i>Archives of Biochemistry and Biophysics</i> , 2005, 439, 184-193.	3.0	57
20	Mangiferin, a naturally occurring glucoxilxanthone improves long-term object recognition memory in rats. <i>European Journal of Pharmacology</i> , 2010, 635, 124-128.	3.5	54
21	Mangifera indica L. extract (Vimang [®]) and its main polyphenol mangiferin prevent mitochondrial oxidative stress in atherosclerosis-prone hypercholesterolemic mouse. <i>Pharmacological Research</i> , 2008, 57, 332-338.	7.1	53
22	Mangifera indica L. extract (QF808) reduces ischaemia-induced neuronal loss and oxidative damage in the gerbil brain. <i>Free Radical Research</i> , 2001, 35, 465-473.	3.3	50
23	Mangifera indica L. (Vimang) Protection against Serum Oxidative Stress in Elderly Humans. <i>Archives of Medical Research</i> , 2006, 37, 158-164.	3.3	50
24	Pharmacological activities of chlorpromazine involved in the inhibition of tumour necrosis factor production in vivo in mice. <i>Immunology</i> , 1993, 79, 217-9.	4.4	50
25	Interactions of Polyphenols with the P450 System: Possible Implications on Human Therapeutics. <i>Mini-Reviews in Medicinal Chemistry</i> , 2008, 8, 97-106.	2.4	49
26	Mangifera indica L. extract attenuates glutamate-induced neurotoxicity on rat cortical neurons. <i>NeuroToxicology</i> , 2009, 30, 1053-1058.	3.0	49
27	Fe(III) improves antioxidant and cytoprotecting activities of mangiferin. <i>European Journal of Pharmacology</i> , 2006, 547, 31-36.	3.5	47
28	Inhibition of Systemic Inflammation by Central Action of the Neuropeptide δ -Melanocyte-Stimulating Hormone. <i>NeuroImmunoModulation</i> , 1999, 6, 187-192.	1.8	44
29	Monoclonal antibodies against a 62 kDa proteinase of <i>Trichomonas vaginalis</i> decrease parasite cytoadherence to epithelial cells and confer protection in mice. <i>Parasite Immunology</i> , 2004, 26, 119-125.	1.5	44
30	A Mangifera indica L. Extract Could Be Used to Treat Neuropathic Pain and Implication of Mangiferin. <i>Molecules</i> , 2010, 15, 9035-9045.	3.8	44
31	An Anacardiaceae preparation reduces the expression of inflammation-related genes in murine macrophages. <i>International Immunopharmacology</i> , 2004, 4, 991-1003.	3.8	43
32	The paradox of natural products as pharmaceuticals Experimental evidences of a mango stem bark extract. <i>Pharmacological Research</i> , 2007, 55, 351-358.	7.1	43
33	Mangifera indica L. extract (Vimang) inhibits Fe ²⁺ -citrate-induced lipoperoxidation in isolated rat liver mitochondria. <i>Pharmacological Research</i> , 2005, 51, 427-435.	7.1	42
34	Albumin-derived advanced glycation end-products trigger the disruption of the vascular endothelial cadherin complex in cultured human and murine endothelial cells. <i>Biochemical Journal</i> , 2001, 359, 567.	3.7	41
35	Protective effects of a standard extract of Mangifera indica L. (VIMANG [®]) against mouse ear edemas and its inhibition of eicosanoid production in J774 murine macrophages. <i>Phytomedicine</i> , 2006, 13, 412-418.	5.3	41
36	Effect of Advanced Glycosylation End Products on the Induction of Nitric Oxide Synthase in Murine Macrophages. <i>Biochemical and Biophysical Research Communications</i> , 1996, 225, 358-362.	2.1	39

#	ARTICLE	IF	CITATIONS
37	A novel multi-target ligand (JM-20) protects mitochondrial integrity, inhibits brain excitatory amino acid release and reduces cerebral ischemia injury in vitro and in vivo. <i>Neuropharmacology</i> , 2014, 85, 517-527.	4.1	39
38	Effects of Phycocyanin Extract on Tumor Necrosis Factor- α and Nitrite Levels in Serum of Mice Treated with Endotoxin. <i>Arzneimittelforschung</i> , 2001, 51, 733-736.	0.4	38
39	Dual mechanism of mangiferin protection against iron-induced damage to 2-deoxyribose and ascorbate oxidation. <i>Pharmacological Research</i> , 2006, 53, 253-260.	7.1	37
40	Chlorpromazine Inhibits Both the Constitutive Nitric Oxide Synthase and the Induction of Nitric Oxide Synthase After LPS Challenge. <i>Biochemical and Biophysical Research Communications</i> , 1993, 196, 280-286.	2.1	35
41	Interaction of Vimang (<i>Mangifera indica</i> L. extract) with Fe(III) improves its antioxidant and cytoprotecting activity. <i>Pharmacological Research</i> , 2006, 54, 389-395.	7.1	33
42	Antioxidant effects of JM-20 on rat brain mitochondria and synaptosomes: Mitoprotection against Ca ²⁺ -induced mitochondrial impairment. <i>Brain Research Bulletin</i> , 2014, 109, 68-76.	3.0	33
43	Fe(III) Shifts the Mitochondria Permeability Transition-Eliciting Capacity of Mangiferin to Protection of Organelle. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 320, 646-653.	2.5	32
44	JM-20, a novel benzodiazepine-dihydropyridine hybrid molecule, protects mitochondria and prevents ischemic insult-mediated neural cell death in vitro. <i>European Journal of Pharmacology</i> , 2014, 726, 57-65.	3.5	31
45	α -MSH in Systemic Inflammation: Central and Peripheral Actions. <i>Annals of the New York Academy of Sciences</i> , 1999, 885, 183-187.	3.8	30
46	Effects of <i>Mangifera indica</i> L. aqueous extract (Vimang) on primary culture of rat hepatocytes. <i>Food and Chemical Toxicology</i> , 2007, 45, 2506-2512.	3.6	30
47	Neuroprotection by JM-20 against oxygen-glucose deprivation in rat hippocampal slices: Involvement of the Akt/GSK-3 β pathway. <i>Neurochemistry International</i> , 2015, 90, 215-223.	3.8	30
48	Monocyte Chemoattractant Protein-1 Inhibits the Induction of Nitric Oxide Synthase in J774 Cells. <i>Biochemical and Biophysical Research Communications</i> , 1993, 196, 274-279.	2.1	29
49	Peptide Modulation of Inflammatory Processes within the Brain. <i>NeuroImmunoModulation</i> , 1998, 5, 178-183.	1.8	29
50	An aqueous stem bark extract of <i>Mangifera indica</i> (Vimang [®]) inhibits T cell proliferation and TNF-induced activation of nuclear transcription factor NF- κ B. <i>Phytotherapy Research</i> , 2005, 19, 211-215.	5.8	29
51	Effects of a <i>Mangifera indica</i> L. stem bark extract and mangiferin on radiation-induced DNA damage in human lymphocytes and lymphoblastoid cells. <i>Cell Proliferation</i> , 2014, 47, 48-55.	5.3	28
52	Protective effect of n-acetylcysteine in a model of influenza infection in mice. <i>International Journal of Immunopathology and Pharmacology</i> , 2000, 13, 123-128.	2.1	28
53	Endogenous nitric oxide production by human monocytic cells regulates LPS-induced TNF production. <i>European Cytokine Network</i> , 1995, 6, 45-8.	2.0	27
54	Plasma concentrations of α -melanocyte-stimulating hormone are elevated in patients on chronic haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2000, 15, 1212-1216.	0.7	26

#	ARTICLE	IF	CITATIONS
55	Protective effect of <i>Mangifera indica</i> L. polyphenols on human T lymphocytes against activation-induced cell death. <i>Pharmacological Research</i> , 2007, 55, 167-173.	7.1	26
56	Modulation of P450 enzymes by Cuban natural products rich in polyphenolic compounds in rat hepatocytes. <i>Chemico-Biological Interactions</i> , 2008, 172, 1-10.	4.0	26
57	Evaluation of genotoxicity and DNA protective effects of mangiferin, a glucosylxanthone isolated from <i>Mangifera indica</i> L. stem bark extract. <i>Food and Chemical Toxicology</i> , 2012, 50, 3360-3366.	3.6	26
58	Ca(2+)-independent nitric oxide synthase activity in human lung after cardiopulmonary bypass.. <i>Thorax</i> , 1995, 50, 403-404.	5.6	24
59	Characterization of the anxiolytic and sedative profile of JM-20: a novel benzodiazepine-dihydropyridine hybrid molecule. <i>Neurological Research</i> , 2013, 35, 804-812.	1.3	24
60	Anti-angiogenic effects of mangiferin and mechanism of action in metastatic melanoma. <i>Melanoma Research</i> , 2020, 30, 39-51.	1.2	23
61	Vimang (<i>Mangifera indica</i> L. extract) induces permeability transition in isolated mitochondria, closely reproducing the effect of mangiferin, Vimang's main component. <i>Chemico-Biological Interactions</i> , 2006, 159, 141-148.	4.0	21
62	In vivo acute toxicological studies of an antioxidant extract from <i>Mangifera indica</i> L. (Vimang). <i>Drug and Chemical Toxicology</i> , 2009, 32, 53-58.	2.3	21
63	JM-20 Treatment After MCAO Reduced Astrocyte Reactivity and Neuronal Death on Peri-infarct Regions of the Rat Brain. <i>Molecular Neurobiology</i> , 2019, 56, 502-512.	4.0	21
64	Modulation of eosinophil generation and migration by <i>Mangifera indica</i> L. extract (Vimang®). <i>International Immunopharmacology</i> , 2006, 6, 1515-1523.	3.8	20
65	Scavenger effect of a mango (<i>Mangifera indica</i> L.) food supplement's active ingredient on free radicals produced by human polymorphonuclear cells and hypoxanthine-xanthine oxidase chemiluminescence systems. <i>Food Chemistry</i> , 2008, 107, 1008-1014.	8.2	20
66	A Strong Protective Action of Guttiferone-A, a Naturally Occurring Prenylated Benzophenone, Against Iron-Induced Neuronal Cell Damage. <i>Journal of Pharmacological Sciences</i> , 2011, 116, 36-46.	2.5	20
67	Multiparametric evaluation of the cytoprotective effect of the <i>Mangifera indica</i> L. stem bark extract and mangiferin in HepG2 cells. <i>Journal of Pharmacy and Pharmacology</i> , 2013, 65, 1073-1082.	2.4	20
68	<i>Mangifera indica</i> L. Extract and Mangiferin Modulate Cytochrome P450 and UDP-Glucuronosyltransferase Enzymes in Primary Cultures of Human Hepatocytes. <i>Phytotherapy Research</i> , 2013, 27, 745-752.	5.8	18
69	Anti-hypernociceptive effect of mangiferin in persistent and neuropathic pain models in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 124, 311-319.	2.9	17
70	Mechanism of inhibition of tumor necrosis factor production by chlorpromazine and its derivatives in mice. <i>European Journal of Pharmacology</i> , 1996, 317, 369-376.	3.5	16
71	Lack of in vivo embryotoxic and genotoxic activities of orally administered stem bark aqueous extract of <i>Mangifera indica</i> L. (Vimang®). <i>Food and Chemical Toxicology</i> , 2007, 45, 2526-2532.	3.6	16
72	The effects of JM-20 on the glutamatergic system in synaptic vesicles, synaptosomes and neural cells cultured from rat brain. <i>Neurochemistry International</i> , 2015, 81, 41-47.	3.8	16

#	ARTICLE	IF	CITATIONS
73	Mangifera indica L. extract protects T cells from activation-induced cell death. International Immunopharmacology, 2006, 6, 1496-1505.	3.8	13
74	Dry amorphisation of mangiferin, a poorly water-soluble compound, using mesoporous silica. European Journal of Pharmaceutics and Biopharmaceutics, 2019, 141, 172-179.	4.3	13
75	Marine Seagrass Extract of Thalassia testudinum Suppresses Colorectal Tumor Growth, Motility and Angiogenesis by Autophagic Stress and Immunogenic Cell Death Pathways. Marine Drugs, 2021, 19, 52.	4.6	13
76	Urinary TNF-binding protein (TNF soluble receptor) protects mice against the lethal effect of TNF and endotoxic shock. European Cytokine Network, 1993, 4, 39-42.	2.0	13
77	Mechanisms of interleukin-2-induced depression of hepatic cytochrome P-450 in mice. European Journal of Pharmacology - Environmental Toxicology and Pharmacology Section, 1995, 292, 257-263.	0.8	12
78	Pre-emptive anti-hyperalgesic effect of electroacupuncture in carrageenan-induced inflammation: Role of nitric oxide. Brain Research Bulletin, 2009, 79, 339-344.	3.0	12
79	Mangiferin and Its Traversal into the Brain. Advances in Experimental Medicine and Biology, 2013, 756, 105-111.	1.6	12
80	Combination of Mangifera indica L. Extract Supplementation Plus Methotrexate in Rheumatoid Arthritis Patients: A Pilot Study. Phytotherapy Research, 2014, 28, 1163-1172.	5.8	12
81	Evaluation of drug-metabolizing enzyme hydroxylation phenotypes in Hispanic populations: the CEIBA cocktail. Drug Metabolism and Drug Interactions, 2013, 28, 135-146.	0.3	11
82	PREVENTING HEPATOCYTE OXIDATIVE STRESS CYTOTOXICITY WITH Mangifera indica L. EXTRACT (VIMANG). Drug Metabolism and Drug Interactions, 2005, 21, 19-29.	0.3	10
83	Depression of liver metabolism and induction of cytokine release by diphtheria and tetanus toxoids and pertussis vaccines: role of Bordetella pertussis cells in toxicity. Infection and Immunity, 1994, 62, 29-32.	2.2	10
84	Ozone oxidative preconditioning reduces nitrite levels in blood serum in LPS: induced endotoxic shock in mice. Inflammation Research, 2009, 58, 441-443.	4.0	9
85	In Vitro Neuroprotective and Anti-Inflammatory Activities of Natural and Semi-Synthetic Spirosteroid Analogues. Molecules, 2016, 21, 992.	3.8	7
86	Chlorpromazine inhibits nitric oxide-mediated increase in intracellular cGMP in a mouse teratocarcinoma cell line. Inflammation Research, 1995, 44, 287-290.	4.0	6
87	Case Series in Patients with Zoster-Associated Pain Using <i>Mangifera indica</i> L. Extract. Research in Complementary Medicine, 2011, 18, 345-350.	2.2	6
88	Neuroprotective Action and Free Radical Scavenging Activity of Guttiferone-A, a Naturally Occurring Prenylated Benzophenone. Arzneimittelforschung, 2012, 62, 583-589.	0.4	6
89	Antihyperalgesic Effects of an Aqueous Stem Bark Extract of <i>Mangifera indica</i> L.: Role of Mangiferin Isolated from the Extract. Phytotherapy Research, 2014, 28, 1646-1653.	5.8	6
90	Anti-allodynic Effect of Mangiferin in Rats With Chronic Post-ischemia Pain: A Model of Complex Regional Pain Syndrome Type I. Frontiers in Pharmacology, 2018, 9, 1119.	3.5	6

#	ARTICLE	IF	CITATIONS
91	Rapanone, a naturally occurring benzoquinone, inhibits mitochondrial respiration and induces HepG2 cell death. <i>Toxicology in Vitro</i> , 2020, 63, 104737.	2.4	6
92	Inhibition of Tumor Necrosis Factor-alpha Release during Endotoxic Shock by Ozone Oxidative Preconditioning in Mice. <i>Arzneimittelforschung</i> , 2004, 54, 906-909.	0.4	5
93	Mechanisms of Interleukin-2-Induced Hydrothoraxy in Mice. <i>Journal of Immunotherapy</i> , 1994, 15, 194-201.	2.4	4
94	Introducción de la suplementación con formulaciones Vimang® en el síndrome doloroso regional complejo: experiencia en 15 pacientes. <i>Revista De La Sociedad Española Del Dolor</i> , 2009, 16, 87-96.	0.1	4
95	Anti-hypernociceptive and anti-inflammatory effects of JM-20: A novel hybrid neuroprotective compound. <i>Brain Research Bulletin</i> , 2020, 165, 185-197.	3.0	4
96	Antioxidation and the Hypoxic Ventilatory Response. <i>Advances in Experimental Medicine and Biology</i> , 2012, 758, 373-380.	1.6	4
97	Nitric oxide modulates interleukin-2-induced proliferation in CTLL-2 cells. <i>Mediators of Inflammation</i> , 1996, 5, 324-327.	3.0	3
98	Antioxidant and Neuroprotective Effects of KM-34, A Novel Synthetic Catechol, Against Oxidative Stress-Induced Neurotoxicity. <i>Drug Research</i> , 2018, 68, 263-269.	1.7	3
99	Mangiferin-Loaded Polymeric Nanocapsules. <i>Journal of Nanopharmaceutics and Drug Delivery</i> , 2014, 2, 87-92.	0.3	3
100	Semi-synthetic sapogenin exerts neuroprotective effects by skewing the brain ischemia reperfusion transcriptome towards inflammatory resolution. <i>Brain, Behavior, and Immunity</i> , 2017, 64, 103-115.	4.1	2
101	A New Homoisoflavonoid from <i>Caesalpinia bahamensis</i> . <i>Revista Brasileira De Farmacognosia</i> , 2020, 30, 733-736.	1.4	2
102	Short Communication: Molecular barcode and morphology analysis of <i>Malva pseudolavatera</i> Webb & Berthel and <i>Malva sylvestris</i> L. from Ecuador. <i>Biodiversitas</i> , 2020, 21, .	0.6	2
103	Pharmacognostic, chemical and mucolytic activity study of <i>Malva pseudolavatera</i> Webb & Berthel. and <i>Malva sylvestris</i> L. (Malvaceae) leaf extracts, grown in Ecuador. <i>Biodiversitas</i> , 2020, 21, .	0.6	2
104	<i>Mangifera indica</i> extract (Vimang) impairs aversive memory without affecting open field behaviour or habituation in rats. <i>Phytotherapy Research</i> , 2009, 23, 859-862.	5.8	1
105	Report of cases in patients with acute herpetic neuralgia using a <i>Mangifera indica</i> extract. <i>Revista Brasileira De Farmacognosia</i> , 2011, 21, 1111-1117.	1.4	1
106	Modified Hybrid Coatings for Anticorrosion Protection of Aluminum Alloy 2024-T3. <i>ECS Transactions</i> , 2012, 43, 35-39.	0.5	1
107	Phytochemical characterisation and <i>in vivo</i> antilithiatic activity of the stems of <i>Caesalpinia bahamensis</i> (Brasilete). <i>Natural Product Research</i> , 2021, , 1-5.	1.8	1
108	Novel arylidene malonate derivative, KM-34, showed neuroprotective effects on <i>in vitro</i> and <i>in vivo</i> models of ischemia/reperfusion. <i>European Journal of Pharmacology</i> , 2021, 899, 174025.	3.5	1

#	ARTICLE	IF	CITATIONS
109	Lobenzarit disodium inhibits the constitutive NO ²⁺ cGMP metabolic pathways. Possible involvement as an immunomodulatory drug. <i>Mediators of Inflammation</i> , 1995, 4, 364-367.	3.0	0
110	Effect of mangiferin, a naturally occurring glucoxyloxanthone, on fear memory in rats. <i>Arzneimittelforschung</i> , 2011, 61, 382-385.	0.4	0
111	Chemical Study, Antioxidant Capacity, and Hypoglycemic Activity of <i>Malva pseudolavatera</i> Webb & Berthel and <i>Malva sylvestris</i> L. (Malvaceae), Grown in Ecuador. , 2021, 4, 1064-1071.		0
112	MANGIFERIN A NATURALLY OCCURRING GLUCOSYLXANTHONE OBTAINED BY SPRAY DRY WITH INCREASED SOLUBILITY USING HPMC, AS AN ACTIVE PHARMACEUTICAL INGREDIENT FOR NEW PHARMACOTHERAPEUTIC APPLICATIONS. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO4-8-32.	0.0	0
113	PHARMAOGNOSTIC, CHEMICAL AND PHARMACOLOGICAL STUDIES OF <i>Caesalpinia bahamensis</i> Lam [BRASILETE]. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO4-8-6.	0.0	0