
Tord Claeson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9823233/publications.pdf Version: 2024-02-01



TOPD CLAFSON

| # | Article | IF | CITATIONS |
|----|---|--|------------------------|
| 1 | Gate-tunable pairing channels in superconducting non-centrosymmetric oxides nanowires. Npj Quantum Materials, 2022, 7, . | 5.2 | 8 |
| 2 | Nanopatterning of Weak Links in Superconducting Oxide Interfaces. Nanomaterials, 2021, 11, 398. | 4.1 | 6 |
| 3 | Homogeneous superconductivity at the <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:msub><mml:mi>LaAlO</mml:mi><mm interface prohed by nanoscale transport. Physical Review B, 2017, 96, . Retention of Electronic Conductivity in <mmi:math< td=""><td>າl:ຄາຂ>3<!--</td--><td>mazi:mn></td></td></mmi:math<></mm </mml:msub></mml:mrow></mml:math | າ l:ຄາຂ >3 </td <td>mazi:mn></td> | m azi:mn> |
| 4 | xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> <mml:mrow><mml:msub><mml:mrow><mml:mi>LaAlO</mml:mi></mml:mrow><mml:mrow><n Using a<mml:math <br="" xmlns:mml="http://www.w3.org/1998/Math/MathML">display="inline"><mml:mrow><mml:msub><mml:mrow><mml:mi>SrCuO<td>nml:mn>3</td><td> < 13</td></mml:mi></mml:mrow></mml:msub></mml:mrow></mml:math></n </mml:mrow></mml:msub></mml:mrow> | nml:mn>3 | < 13 |
| 5 | 2016, 6, . Elastically strained and relaxed La0.67Ca0.33MnO3 films grown on lanthanum aluminate substrates with different orientations. Physics of the Solid State, 2016, 58, 2560-2566. | 0.6 | Ο |
| 6 | Reversible metal-insulator transition of Ar-irradiated <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:mi>LaAl</mml:mi><mml:msub><mml: mathvariant="normal">O<mml:mn>3</mml:mn></mml: </mml:msub></mml:mrow><mml:mo>/</mml:mo><n mathvariant="normal">O<mml:mn>3</mml:mn>interfaces.</n </mml:math | mi 1n 3l:2 nrow | > 2 10 ml:mi>Si |
| 7 | Physical Review B, 2015, 92, . Dielectric response of Ba0.05Sr0.95TiO3(110) films to variations in temperature and electric field. Physics of the Solid State, 2015, 57, 957-961. | 0.6 | 2 |
| 8 | Cation stoichiometry and electrical transport properties of the NdGaO3/(0 0 1)SrTiO3interface. Journal of Physics Condensed Matter, 2015, 27, 255004. | 1.8 | 4 |
| 9 | Electrical conduction of palladium-decorated multi-layered graphene oxide effected by hydrogen dissociation. Synthetic Metals, 2015, 199, 74-78. | 3.9 | 5 |
| 10 | Degradation of the SrRuO3/SrTiO3 interface capacitance induced by mechanical stresses. Physics of the Solid State, 2014, 56, 2446-2450. | 0.6 | 1 |
| 11 | Magnetoresistance anisotropy in La0.67Ba0.33MnO3 films laterally compressed by a neodymium gallate substrate. Technical Physics, 2014, 59, 1027-1031. | 0.7 | 3 |
| 12 | Strain enhanced anisotropy of in-plane resistivity of YBa2Cu3O7â^îfilms. Superconductor Science and Technology, 2013, 26, 115009. | 3.5 | 0 |
| 13 | Structure and magneto-transport parameters of partially relaxed and coherently grown La0.67Ba0.33MnO3 films. Physics of the Solid State, 2013, 55, 2043-2050. | 0.6 | 3 |
| 14 | Fully gapped superconductivity in a nanometre-size YBa2Cu3O7–δ island enhanced by a magnetic field. Nature Nanotechnology, 2013, 8, 25-30. | 31.5 | 53 |
| 15 | Nano-patterning of the electron gas at the LaAlO3/SrTiO3 interface using low-energy ion beam irradiation. Applied Physics Letters, 2013, 102, . | 3.3 | 43 |
| 16 | Atomic rearrangements at the TiO 2 -terminated (001)SrTiO 3 surface and growth of thin LaMnO 3 films. Europhysics Letters, 2013, 102, 56003. | 2.0 | 8 |
| 17 | Electrical and structural properties of ABO3/SrTiO3 interfaces. Materials Research Society Symposia Proceedings, 2012, 1454, 167-172. | 0.1 | 4 |
| 18 | Inhomogeneous Microstructure and Electrical Transport Properties at the LaAlO\$_{3}\$/SrTiO\$_{3}\$ Interface. Japanese Journal of Applied Physics, 2012, 51, 11PG10. | 1.5 | 1 |

| # | Article | IF | CITATIONS |
|----|---|---|----------------------------|
| 19 | Inhomogeneous Microstructure and Electrical Transport Properties at the LaAlO3/SrTiO3Interface. Japanese Journal of Applied Physics, 2012, 51, 11PG10. | 1.5 | 1 |
| 20 | Optimized transport properties of LaAlO ₃ <i>/</i> SrTiO ₃ heterointerfaces by variation of pulsed laser fluence. Journal of Physics Condensed Matter, 2011, 23, 305002. | 1.8 | 21 |
| 21 | Improved cationic stoichiometry and insulating behavior at the interface of LaAlO 3 /SrTiO 3 formed at high oxygen pressure during pulsed-laser deposition. Europhysics Letters, 2011, 93, 37001. | 2.0 | 42 |
| 22 | Kelvin Probe Force Microscopy Study of LaAlO ₃ /SrTiO ₃ Heterointerfaces. Journal of Advanced Microscopy Research, 2010, 5, 26-30. | 0.3 | 10 |
| 23 | Cationic Disorder and Phase Segregation in < mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> <mml:msub><mml:mi>LaAlO</mml:mi><mml:mn>3</mml:mn></mml:msub> <mml:mo>/Evidenced by Medium-Energy Ion Spectroscopy, Physical Review Letters, 2009, 103, 146101.</mml:mo> | nl:mo> <mm< td=""><td>ll:msub><ma< td=""></ma<></td></mm<> | ll:msub> <ma< td=""></ma<> |
| 24 | Nobel Symposium 141: Qubits for Future Quantum Information. Physica Scripta, 2009, T137, 011001. | 2.5 | 0 |
| 25 | Structural distortions induced during stress relaxation affecting electrical transport of nanometer-thick La0.67(Ba,Ca)0.33MnO3 films. Physica B: Condensed Matter, 2009, 404, 5234-5236. | 2.7 | 1 |
| 26 | Effect of various deposition conditions on the electrical properties of LAO/STO hetero interfaces. Journal of Physics: Conference Series, 2008, 100, 082039. | 0.4 | 7 |
| 27 | Dynamics of a LC Shunted \${m YBa}_{2}{m Cu}_{3}{m O}_{7{hbox {-}}delta}\$ Josephson Junction. IEEE Transactions on Applied Superconductivity, 2007, 17, 653-658. | 1.7 | 5 |
| 28 | Effect of oxygen vacancies in theSrTiO3substrate on the electrical properties of theLaAlO3â^•SrTiO3interface. Physical Review B, 2007, 75, . | 3.2 | 657 |
| 29 | Energy level quantization in a YBa2Cu3O7â^î´Josephson junction. Physica C: Superconductivity and Its Applications, 2007, 460-462, 335-338. | 1.2 | 2 |
| 30 | Macroscopic Quantum Phenomena in High Critical Temperature Superconducting Josephson Junctions. Journal of Superconductivity and Novel Magnetism, 2007, 19, 341-347. | 1.8 | 1 |
| 31 | SCENET roadmap for superconductor digital electronics. Physica C: Superconductivity and Its Applications, 2006, 439, 1-41. | 1.2 | 58 |
| 32 | Quantum Dynamics of a d-Wave Josephson Junction. Science, 2006, 311, 57-60. | 12.6 | 108 |
| 33 | Reactance of the n-Au/p-La0.67Ca0.33MnO3 film contact. Technical Physics, 2006, 51, 1097-1100. | 0.7 | 1 |
| 34 | Ba0.25Sr0.75TiO3 thin-film varactors on SrRuO3 bottom electrode. Journal of Applied Physics, 2006, 99, 034103. | 2.5 | 18 |
| 35 | Effect of interfaces on the dielectric response of aSrTiO3layer between metallic oxide electrodes. Physical Review B, 2006, 74, . | 3.2 | 6 |
| 36 | Response of the Electrical Resistivity and Magnetoresistance of La[sub 0.67]Ca[sub 0.33]MnO[sub 3] Films to Biaxial Tensile Strains. Physics of the Solid State, 2005, 47, 287. | 0.6 | 5 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Magnetoresistance of La[sub 0.67]Sr[sub 0.33]MnO[sub 3] Epitaxial Films Grown on a Substrate with Low Lattice Mismatch. Physics of the Solid State, 2005, 47, 2281. | 0.6 | 2 |
| 38 | Macroscopic Quantum Tunneling ind-WaveYBa2Cu3O7â^ʾÎĴosephson Junctions. Physical Review Letters, 2005, 94, 087003. | 7.8 | 151 |
| 39 | Silent phase qubit based ond-wave Josephson junctions. Physical Review B, 2005, 71, . | 3.2 | 58 |
| 40 | TILTED BI-CRYSTAL SAPPHIRE SUBSTRATES IMPROVE PROPERTIES OF GRAIN BOUNDARY YBA2CU3O7-X JUNCTIONS AND EXTEND THEIR JOSEPHSON RESPONSE TO THZ FREQUENCIES. , 2005, , . | | 2 |
| 41 | Yurgenset al.Reply:. Physical Review Letters, 2004, 92, . | 7.8 | 32 |
| 42 | Interfaces ofAgâ^•SrTiO3â^•La0.67Ca0.33MnO3structures studied by the temperature and magnetic-field responses of their capacitance. Physical Review B, 2004, 70, . | 3.2 | 9 |
| 43 | Ferroelectric domain wall relaxation in Ba0.25Sr0.75TiO3 films displaying Curie-Weiss behavior. Journal of Applied Physics, 2004, 96, 4392-4399. | 2.5 | 8 |
| 44 | THz Josephson properties of grain boundary YBaCuO junctions on symmetric, tilted bicrystal sapphire substrates. Journal of Applied Physics, 2004, 96, 3357-3361. | 2.5 | 27 |
| 45 | Terahertz spectroscopy with a Josephson oscillator and a SINIS bolometer. JETP Letters, 2004, 79, 298-303. | 1.4 | 9 |
| 46 | Dielectric response of a (1000 nm)SrTiO3 layer epitaxially grown on (001)La0.67Ca0.33MnO3 to temperature variation and electric field. Physics of the Solid State, 2004, 46, 1270-1276. | 0.6 | 1 |
| 47 | The growth and conductivity of CaCuO2 epitaxial thin films. Physica C: Superconductivity and Its Applications, 2004, 408-410, 616-617. | 1.2 | 6 |
| 48 | Unconventional current–phase relations in YBCO dc-SQUIDs. Physica C: Superconductivity and Its Applications, 2004, 408-410, 926-927. | 1.2 | 3 |
| 49 | Giant lasing effect in magnetic nanoconductors. Europhysics Letters, 2004, 67, 948-954. | 2.0 | 60 |
| 50 | Strain-enhanced phase separation affecting electro- and magnetotransport in La0.67Ca0.33MnO3 films. Journal of Applied Physics, 2004, 96, 435-442. | 2.5 | 40 |
| 51 | Terahertz transmission spectroscopy by Josephson oscillator and cold-electron bolometer. , 2004, , . | | 3 |
| 52 | Response of the electrical resistivity and magnetoresistance of La0.67Ca0.33MnO3 epitaxial films to biaxial compressive mechanical (001) or (110) strains. Physics of the Solid State, 2003, 45, 1090-1095. | 0.6 | 0 |
| 53 | Feasibility studies of ultra-small Josephson junctions for qubits. IEEE Transactions on Applied Superconductivity, 2003, 13, 948-951. | 1.7 | 4 |
| 54 | Intrinsic Tunneling Spectra ofBi2(Sr2â^'xLax)CuO6+δ. Physical Review Letters, 2003, 90, 147005. | 7.8 | 61 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Comparison of cryogenic filters for use in single electronics experiments. Review of Scientific Instruments, 2003, 74, 1323-1327. | 1.3 | 53 |
| 56 | Degradation of the dielectric permittivity of a strongly oriented Ba0.25Sr0.75TiO3 layer by replacing a SrRuO3 electrode with an Ag one. Applied Physics Letters, 2002, 80, 4603-4605. | 3.3 | 8 |
| 57 | c-Axis oriented epitaxial Ba0.25Sr0.75TiO3 films display Curie–Weiss behavior. Physica B: Condensed Matter, 2002, 311, 250-262. | 2.7 | 14 |
| 58 | Tunnel barriers for an all-high-Tc single electron tunneling transistor. Physica C: Superconductivity and Its Applications, 2002, 368, 337-342. | 1.2 | 1 |
| 59 | Antenna coupled planar arrays of Josephson junctions. Physica C: Superconductivity and Its Applications, 2002, 372-376, 355-359. | 1.2 | 3 |
| 60 | Submicron YBCO Josephson junctions on sapphire bicrystal substrates for microwave devices. Physica C: Superconductivity and Its Applications, 2002, 372-376, 76-79. | 1.2 | 4 |
| 61 | Similarities between single charge and Josephson effects and devices. A fast and sensitive radio frequency single electron transistor. Materials Science and Engineering C, 2002, 19, 333-337. | 7.3 | 1 |
| 62 | Dielectric response of Ba0.75Sr0.25TiO3 epitaxial films to electric field and temperature. Physics of the Solid State, 2002, 44, 2157-2164. | 0.6 | 3 |
| 63 | Microstructure and dielectric parameters of epitaxial SrRuO3/BaTiO3/SrRuO3 heterostructures. Journal of Applied Physics, 2001, 89, 5053-5059. | 2.5 | 24 |
| 64 | Intrinsic tunneling in high-Tc Bi2212 crystals supports a coexistence of superconducting and pseudo-gaps. Physica C: Superconductivity and Its Applications, 2001, 352, 89-94. | 1.2 | 7 |
| 65 | Pseudogap features of intrinsic tunneling in Bi2212 single crystals. Physica C: Superconductivity and Its Applications, 2001, 362, 286-289. | 1.2 | 10 |
| 66 | Impact of granularity on transport properties of mechanically stressed La0.67Ca0.33MnO3 films. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2001, 79, 133-139. | 3.5 | 8 |
| 67 | Intrinsic Josephson tunneling for basic studies of high-temperature superconductors. Current Applied Physics, 2001, 1, 413-417. | 2.4 | 1 |
| 68 | Permittivity of BaTiO3 epitaxial films grown on the YBa2Cu3O7â^î(001) surface. Physics of the Solid State, 2001, 43, 337-344. | 0.6 | 5 |
| 69 | Symmetrical high-T c superconducting bicrystal Josephson junctions: Dependence of the electrical properties on the misorientation angle. Physics of the Solid State, 2001, 43, 602-608. | 0.6 | 1 |
| 70 | Dielectric permittivity dynamics of Ba1â^'x SrxTiO3 epitaxial films (x=0.75): Microstructure and depolarization effects. Physics of the Solid State, 2001, 43, 2267-2275. | 0.6 | 4 |
| 71 | A sensitive and fast radio frequency single-electron transistor. Nanotechnology, 2001, 12, 96-99. | 2.6 | 10 |
| 72 | A fast, primary Coulomb blockade thermometer. Applied Physics Letters, 2001, 78, 1264-1266. | 3.3 | 16 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Impact of domain wall displacements on the dielectric permittivity of epitaxial Ba0.5Sr0.5TiO3 films. Applied Physics Letters, 2001, 79, 2052-2054. | 3.3 | 11 |
| 74 | Nonlinear dielectric response of c- and a-axis oriented epitaxial (Ba,Sr)TiO3 layers between metallic oxide electrodes. European Physical Journal Special Topics, 2001, 11, Pr11-59-Pr11-64. | 0.2 | 0 |
| 75 | Anomalous Coulomb blockade in nanoconstricted quench-condensed Bi films. Physica B: Condensed Matter, 2000, 280, 401-402. | 2.7 | 0 |
| 76 | A two-dimensional array of tunnel junctions used for Coulomb blockade thermometry. Physica B: Condensed Matter, 2000, 284-288, 1788-1789. | 2.7 | 0 |
| 77 | Dielectric response of epitaxial (100)SrTiO3 films between electrodes of SrRuO3 or high-Tc superconducting YBa2Cu3O7â^1´. Physica C: Superconductivity and Its Applications, 2000, 336, 300-311. | 1.2 | 15 |
| 78 | Intrinsic Josephson junctions for studies of high-Tc superconductors. Physica C: Superconductivity and Its Applications, 2000, 341-348, 2277-2280. | 1.2 | 3 |
| 79 | Flux flow effects induced by a control current in a four terminal Josephson device. Physica C: Superconductivity and Its Applications, 2000, 341-348, 1581-1584. | 1.2 | 0 |
| 80 | Flux distributions of an artificially granular YBa2Cu3O7â^'δ thin film observed using magneto-optic imaging. Physica C: Superconductivity and Its Applications, 2000, 331, 113-126. | 1.2 | 2 |
| 81 | Transport parameters of granular La0.67Ca0.33MnO3 films grown on an R-plane sapphire. Physics of the Solid State, 2000, 42, 2103-2108. | 0.6 | 0 |
| 82 | Spontaneous Shape Distortion in Quench-Condensed Bismuth Clusters below 8 K. Physical Review Letters, 2000, 84, 5836-5839. | 7.8 | 3 |
| 83 | Flux flow in YBa2Cu3O7â^î^grain-boundary Josephson junctions with a four-terminal configuration. Applied Physics Letters, 2000, 76, 2591-2593. | 3.3 | 4 |
| 84 | Evidence for Coexistence of the Superconducting Gap and the Pseudogap in Bi-2212 from Intrinsic Tunneling Spectroscopy. Physical Review Letters, 2000, 84, 5860-5863. | 7.8 | 306 |
| 85 | Impact of microstructure on the tunability of the permittivity and the conductance of the Ba0.25Sr0.75TiO3layer in superconductor/ferroelectric epitaxial heterostructures. Superconductor Science and Technology, 1999, 12, 654-662. | 3.5 | 16 |
| 86 | Flux penetration into an artificially granular high-Tcsuperconductor. Physical Review B, 1999, 59, 12114-12120. | 3.2 | 25 |
| 87 | Coulomb blockade thermometry using a two-dimensional array of tunnel junctions. Journal of Applied Physics, 1999, 86, 3844-3847. | 2.5 | 17 |
| 88 | Gain dependence of the noise in the single electron transistor. Journal of Applied Physics, 1999, 86, 2132-2136. | 2.5 | 40 |
| 89 | A variable temperature scanning SQUID microscope. IEEE Transactions on Applied Superconductivity, 1999, 9, 4115-4118. | 1.7 | 13 |
| 90 | Ten-fold tunability of the permittivity of Ba/sub 1-x/Sr/sub x/TiO/sub 3/ in epitaxial multilayers with (Y/Nd)Ba/sub 2/Cu/sub 3/O/sub 7-Î′I. IEEE Transactions on Applied Superconductivity, 1999, 9, 4193-4196. | 1.7 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Submillimeter-wave mixing and noise in HTS Josephson junctions. IEEE Transactions on Applied Superconductivity, 1999, 9, 3761-3764. | 1.7 | 7 |
| 92 | Bi2Sr2CaCu2O8+δintrinsic Josephson junctions in a magnetic field. Physical Review B, 1999, 59, 7196-7204. | 3.2 | 46 |
| 93 | Partial filling of columnar defects by vortices as seen in measurements of thec-axis critical current ofBi2Sr2CaCu2O8+δ. Physical Review B, 1999, 60, 12480-12484. | 3.2 | 11 |
| 94 | Interlayer Coupling and Superconducting Critical Temperature ofBi2Sr1.5La0.5CuO6+δandBi2Sr2CaCu2O8+δ: Incommensurate Effects of Pressure. Physical Review Letters, 1999, 82, 3148-3151. | 7.8 | 18 |
| 95 | Low-energy quasiparticle transport through Andreev levels. Physical Review B, 1999, 60, 14589-14592. | 3.2 | 5 |
| 96 | Quasiparticle injection into YBCO four terminal Josephson devices. IEEE Transactions on Applied Superconductivity, 1999, 9, 3652-3655. | 1.7 | 3 |
| 97 | Noise measurements of single electron transistors using a transimpedance amplifier. Applied Superconductivity, 1999, 6, 837-841. | 0.5 | 6 |
| 98 | Temperature and electric field dependence of the permittivity of Ba0.9Sr0.1TiO3 films epitaxially grown on cuprate electrodes. Physica B: Condensed Matter, 1999, 262, 104-111. | 2.7 | 5 |
| 99 | Fabrication and properties of high-Tc ramp junctions with manganite barriers. Physica C: Superconductivity and Its Applications, 1999, 326-327, 79-82. | 1.2 | 10 |
| 100 | Single flux quantum comparators for HTS AD converters. Physica C: Superconductivity and Its Applications, 1999, 326-327, 83-92. | 1.2 | 3 |
| 101 | Fluxon modes in stacked HTSC intrinsic Josephson junctions. Applied Superconductivity, 1999, 6, 777-782. | 0.5 | 2 |
| 102 | Epitaxial combination of NdBa2Cu3O7â~δ/SrTiO3: growth characteristics, structure, and parameters. Physics of the Solid State, 1999, 41, 355-361. | 0.6 | 1 |
| 103 | Normal-metal hot-electron bolometer with Andreev reflection from superconductor boundaries. Journal of Experimental and Theoretical Physics, 1999, 88, 598-602. | 0.9 | 6 |
| 104 | Title is missing!. Journal of Low Temperature Physics, 1999, 117, 1211-1215. | 1.4 | 1 |
| 105 | High-Tc Ramp-Type Josephson Junctions for Rapid Single Flux Quantum Circuits. Journal of Low Temperature Physics, 1999, 117, 587-591. | 1.4 | 1 |
| 106 | Title is missing!. Journal of Superconductivity and Novel Magnetism, 1999, 12, 741-746. | 0.5 | 3 |
| 107 | Bias and temperature dependence of the noise in a single electron transistor. European Physical Journal B, 1999, 8, 627-633. | 1.5 | 7 |
| 108 | On the concept of a normal metal hot-electron microbolometer for space applications. IEEE Transactions on Applied Superconductivity, 1999, 9, 3186-3189. | 1.7 | 17 |

| # | Article | IF | CITATIONS |
|-----|--|-------------|------------|
| 109 | Superconducting films and devices. Current Opinion in Solid State and Materials Science, 1999, 4, 45-52. | 11.5 | 1 |
| 110 | PSEUDO-GAP FEATURES OF INTRINSIC TUNNELING IN (HgBr2)-Bi2212 SINGLE CRYSTALS. International Journal of Modern Physics B, 1999, 13, 3758-3763. | 2.0 | 55 |
| 111 | Low Magnetic Field Response of 2d-Array of Weakly Coupled Ferromagnets. Materials Research Society Symposia Proceedings, 1999, 574, 323. | 0.1 | 0 |
| 112 | Permittivity and Microstructure of (Ba,Sr)TiO3 Films: Temperature and Electric Field Response. Materials Research Society Symposia Proceedings, 1999, 603, 233. | 0.1 | 1 |
| 113 | Magneto-optic imaging of flux penetration into an artificially granular high-T c superconductor. , 1999, , 693-696. | | 1 |
| 114 | YBa2Cu3O7â^î^/CeO2 heterostructures on sapphire R-plane. Physics of the Solid State, 1998, 40, 183-186. | 0.6 | 4 |
| 115 | Phase-sensitive reentrance into the normal state of mesoscopic SNS structures. JETP Letters, 1998, 67, 513-520. | 1.4 | 13 |
| 116 | Subharmonic Shapiro steps and noise in high-T c superconductor Josephson junctions. JETP Letters, 1998, 68, 454-459. | 1.4 | 14 |
| 117 | The influence of the top and the bottom grain boundaries on the current transport in YBa2Cu3O7-δ step-edge Josephson junction. Applied Superconductivity, 1998, 6, 437-443. | 0.5 | 5 |
| 118 | Modelling the Anomalous Low Field Peak Position in Bi-2223 Tapes. Physica Status Solidi A, 1998, 167, R1-R2. | 1.7 | 4 |
| 119 | Microstructure of yttrium stabilized ZrO2 crystals with CeO2 and SrTiO3 intermediate layers. Thin Solid Films, 1998, 333, 207-212. | 1.8 | 4 |
| 120 | Fabrication and investigation of YBa2Cu3O7â^îî/Ba0.05Sr0.95TiO3 thin film structures for voltage tunable devices. Physica C: Superconductivity and Its Applications, 1998, 308, 279-288. | 1.2 | 27 |
| 121 | Transport and structural properties of the top and bottom grain boundaries in YBa2Cu3O7aˆˆî´ step-edge Josephson junctions. Applied Physics Letters, 1998, 72, 249-251. | 3.3 | 13 |
| 122 | Phase-periodic proximity-effect compensation in symmetric normal/superconducting mesoscopic structures. Physical Review B, 1998, 58, 15088-15093. | 3.2 | 21 |
| 123 | Effect of the electromagnetic environment on Coulomb blockade devices: Model, experiments, and method of analysis. Physical Review B, 1998, 57, 2375-2381. | 3.2 | 22 |
| 124 | Multiple-valuedc-axis critical current and phase locking inBi2Sr2CaCu2O8+δsingle crystals. Physical Review B, 1998, 57, R8135-R8138. | 3.2 | 49 |
| 125 | Coulomb blockade effects at room temperature in thin-film nanoconstrictions f technique. Applied Physics Letters, 1998, 73, 3604-3606. | abricated b | by a novel |
| 126 | Highly anisotropic supercurrent transport inYBa2Cu3O7â^îîbicrystal Josephson junctions. Physical Review B, 1998, 57, 602-607. | 3.2 | 31 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Andreev-reflection-based normal-metal hot electron bolometer for space applications. , 1998, 3465, 441. | | 6 |
| 128 | Modelling the Anomalous Low Field Peak Position in Bi-2223 Tapes. Physica Status Solidi A, 1998, 167, R1-R2. | 1.7 | 1 |
| 129 | In situcontrolled fabrication of stacks of high-Tc intrinsic Josephson junctions. Applied Physics Letters, 1997, 70, 1760-1762. | 3.3 | 57 |
| 130 | Single flux quantum elements based on a single-layer of a high-T/sub c/ superconductor. IEEE Transactions on Applied Superconductivity, 1997, 7, 3176-3180. | 1.7 | 7 |
| 131 | CeO2compatibility withYBa2Cu3O7â [∽] Î în superconducting-film multilayers. Physical Review B, 1997, 56, 11312-11319. | 3.2 | 31 |
| 132 | Grain boundary evolution of YBa2Cu3O7â~'δ in the vicinity of steps on patterned (001) LaAlO3 substrates. Applied Physics Letters, 1997, 70, 2903-2905. | 3.3 | 6 |
| 133 | High tunability of the permittivity of YBa2Cu3O7â^'â^,/SrTiO3 heterostructures on sapphire substrates. Journal of Applied Physics, 1997, 81, 3232-3236. | 2.5 | 46 |
| 134 | High-resolution electron microscopy of ZnO grain boundaries in bicrystals obtained by the solid-phase intergrowth process. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1997, 76, 633-655. | 0.6 | 42 |
| 135 | Josephson flux-flow resonances and transistors based on YBa/sub 2/Cu/sub 3/O/sub 7/ step edge junctions. IEEE Transactions on Applied Superconductivity, 1997, 7, 2623-2626. | 1.7 | 3 |
| 136 | Tl/sub 2/Ba/sub 2/CaCu/sub 2/O/sub 8/ films: Growth and applications in dc SQUIDs and microwave devices. IEEE Transactions on Applied Superconductivity, 1997, 7, 2498-2501. | 1.7 | 4 |
| 137 | An X-band HEMT microwave oscillator stabilized with a superconducting resonator. Superconductor Science and Technology, 1997, 10, 71-73. | 3.5 | 2 |
| 138 | Electromagnetic radiation induced current steps in biepitaxial Josephson junctions. Superconductor Science and Technology, 1997, 10, 801-806. | 3.5 | 4 |
| 139 | Relationship between the Out-Of-Plane Resistance and the Subgap Resistance of Intrinsic Josephson Junctions inBi2Sr2CaCu2O8+l´. Physical Review Letters, 1997, 79, 5122-5125. | 7.8 | 55 |
| 140 | Nucleation and growth of YBa2Cu3O7â~δ on wavy step edges in (001) LaAiO3. Journal of Alloys and Compounds, 1997, 251, 19-22. | 5.5 | 6 |
| 141 | Superconductor/ferroelectric epitaxial heterostructures for tunable microwave devices. Physics of the Solid State, 1997, 39, 195-199. | 0.6 | 1 |
| 142 | Weak-link bi-epitaxial Josephson junctions in a YBa2Cu3O7â^'δ film on BaZrO3/CeO2/SrTiO3. Physics of the Solid State, 1997, 39, 1542-1547. | 0.6 | 1 |
| 143 | C-oriented SrBi2Nb2O9 films grown on YBa2Cu3O7â^'δ/SrTiO3 and NdGaO3. Physics of the Solid State, 1997, 39, 598-601. | 0.6 | 2 |
| 144 | Epitaxial ferroelectric/superconductor heterostructures. Physica C: Superconductivity and Its Applications, 1997, 282-287, 111-114. | 1.2 | 14 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Differences in the nucleation rate of YBa2Cu3O7-Î′ on patterned (001) LaAlO3 substrates. Physica C: Superconductivity and Its Applications, 1997, 282-287, 623-624. | 1.2 | 0 |
| 146 | Properties of Tl-2201 thin films. Physica C: Superconductivity and Its Applications, 1997, 282-287, 1075-1076. | 1.2 | 3 |
| 147 | C-axis magnetoresistance of a few atomic surface layers of the Bi:2212 single crystals. Physica C: Superconductivity and Its Applications, 1997, 282-287, 2293-2294. | 1.2 | 2 |
| 148 | The c-axis gap parameter and resistivity of an individual intrinsic tunnel junction in Bi-2212 single crystals. Physica C: Superconductivity and Its Applications, 1997, 293, 181-185. | 1.2 | 1 |
| 149 | Two Fundamental Results from Low-Temperature Experiments with One-Dimensional Arrays of Ultrasmall Tunnel Junctions. Advanced Series in Applied Physics, 1997, , 321-328. | 0.0 | 0 |
| 150 | Submillimeter wave response and noise in HTS Josephson junctions. Proceedings of SPIE, 1996, , . | 0.8 | 0 |
| 151 | Gap and sub-gap stuctures of intrinsic Josephson tunnel junctions in Bi 2 Sr 2 CaCu 2 O 8+x single crystals. , 1996, , . | | 23 |
| 152 | Peak in the temperature dependence of the c-axis Josephson current in Bi2Sr2CaCu2O8+x intrinsic Josephson junctions. European Physical Journal D, 1996, 46, 1273-1274. | 0.4 | 3 |
| 153 | Intrinsic Josephson junctions in Bi2Sr2CaCu2O8+δ single crystals. European Physical Journal D, 1996, 46, 1293-1294. | 0.4 | 1 |
| 154 | Impact of the symmetry of the superconducting wave function on supercurrent transport in YBa2Cu3O7â^l´Josephson junctions. European Physical Journal D, 1996, 46, 1311-1312. | 0.4 | 6 |
| 155 | A single electron tunncling (SET) approach to high-Tc superconductors. European Physical Journal D, 1996, 46, 2305-2306. | 0.4 | 1 |
| 156 | Coulomb blockade electrometer with a high-T c island. JETP Letters, 1996, 63, 126-132. | 1.4 | 5 |
| 157 | Does the local structure play a role in high temperature superconductivity?. Superlattices and Microstructures, 1996, 19, 313-325. | 3.1 | 0 |
| 158 | First steps towards a high-Tc squid amplifier. Applied Superconductivity, 1996, 4, 375-384. | 0.5 | 0 |
| 159 | Josephson transport in Tl-cuprate bicrystal weak links. Journal of Low Temperature Physics, 1996, 105, 1261-1266. | 1.4 | 11 |
| 160 | Flux flow and vortex tunneling in two-dimensional arrays of small Josephson junctions. Physical Review B, 1996, 54, 9449-9457. | 3.2 | 11 |
| 161 | Local structure study about Co inYBa2(Cu1â^'xCox)3O7â^'Î thin films using polarized XAFS. Physical Review B, 1996, 54, 13352-13360. | 3.2 | 3 |
| 162 | Strong temperature dependence of thec-axis gap parameter ofBi2Sr2CaCu2O8+l´intrinsic Josephson junctions. Physical Review B, 1996, 53, R8887-R8890. | 3.2 | 133 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Tunneling through grain boundaries of YBa2Cu3O7 stepâ€edge junctions. Applied Physics Letters, 1996, 68, 2562-2564. | 3.3 | 10 |
| 164 | Electromagnetic and microstructural characterization of YBa2Cu3O7step edge junctions on (001) LaAlO3substrates. Journal of Applied Physics, 1996, 79, 9213-9220. | 2.5 | 22 |
| 165 | Transport properties of Tl2Ba2CaCu2O8weak links on LaAlO3bicrystal substrates. Journal of Applied Physics, 1996, 79, 9221-9223. | 2.5 | 9 |
| 166 | Comparison of local structure measurements fromc-axis polarized XAFS between a film and a single crystal ofYBa2Cu3O7â `Î as a function of temperature. Physical Review B, 1996, 54, 9542-9554. | 3.2 | 66 |
| 167 | Extending the high-frequency limit of a single-electron transistor by on-chip impedance transformation. Physical Review B, 1996, 53, R13272-R13274. | 3.2 | 36 |
| 168 | Epitaxial heterostructures of and for tunable microwave components. Superconductor Science and Technology, 1996, 9, A178-A181. | 3.5 | 4 |
| 169 | The Function of Buffer Layers and Defects in Heteroepitaxial BaxSr1-xTiO3/YBa2Cu3O7-x/CeO2/Y-ZrO2/Si/Al2O3 Multilayers. Materials Research Society Symposia Proceedings, 1995, 401, 321. | 0.1 | 0 |
| 170 | The structure of artificial grain boundaries in yttrium stabilized ZrO2 bicrystals with intermediate layers. Physica Status Solidi A, 1995, 151, 151-164. | 1.7 | 8 |
| 171 | Growth and properties of epitaxial ferroelectric/superconductor heterostructures. Microelectronic Engineering, 1995, 29, 129-132. | 2.4 | 1 |
| 172 | Interfacial interactions of YBa2Cu3O7â^'x thin films on Si substrates with polycrystalline Y stabilized ZrO2 buffer layers. Physica C: Superconductivity and Its Applications, 1995, 253, 297-307. | 1.2 | 9 |
| 173 | Biepitaxial Josephson junctions with high critical current density based on YBa2Cu3O7â ^{~°} Î films on silicon on sapphire. Journal of Applied Physics, 1995, 77, 1654-1657. | 2.5 | 13 |
| 174 | Scaling behavior of the magnetic-field-tuned superconductor-insulator transition in two-dimensional Josephson-junction arrays. Physical Review B, 1995, 51, 15645-15648. | 3.2 | 33 |
| 175 | XAFS measurements of negatively correlated atomic displacements inHgBa2CuO4+δ. Physical Review B, 1995, 52, R15745-R15748. | 3.2 | 43 |
| 176 | Electron beam lithographed straight and wavy YBa/sub 2/Cu/sub 3/O/sub 7/ step edge junctions. IEEE Transactions on Applied Superconductivity, 1995, 5, 2778-2781. | 1.7 | 8 |
| 177 | Epitaxial YBa2Cu3O7â~'δ /BaxSr1â^'xTiO3heterostructures on siliconâ€onâ€sapphire for tunable microwave components. Journal of Applied Physics, 1995, 78, 4591-4595. | 2.5 | 49 |
| 178 | Josephson flux-flow resonances in overdamped longYBa2Cu3O7grain-boundary junctions. Physical Review B, 1995, 51, 8684-8687. | 3.2 | 38 |
| 179 | Correlated local distortions of the TIO layers inTl2Ba2CuOy: An x-ray-absorption study. Physical Review B, 1995, 51, 8564-8581. | 3.2 | 14 |
| 180 | Voltage divider based on submicron slits in a high Tc superconducting film and two bicrystal grain boundaries. Applied Physics Letters, 1995, 67, 282-284. | 3.3 | 48 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Novel design of rapid single flux quantum logic based on a single layer of a highâ€Tc superconductor. Applied Physics Letters, 1995, 67, 138-140. | 3.3 | 24 |
| 182 | Parallel plate resonators in YBa/sub 2/Cu/sub 3/O/sub 7/ bicrystal grain boundaries. IEEE Transactions on Applied Superconductivity, 1995, 5, 2200-2203. | 1.7 | 7 |
| 183 | Epitaxial heterostructures YBa2Cu3O7â~Î′/KTaO3 for microwave applications. Applied Physics Letters, 1995, 67, 2708-2710. | 3.3 | 16 |
| 184 | Junction parameters of mtsp;YBa2Cu3O7 step edge junctions on mtsp;LaAlO3 substrates from Fiske resonances. Applied Physics Letters, 1995, 66, 1677-1679. | 3.3 | 18 |
| 185 | Planarized patterning of Y-Ba-Cu-O thin films for multilayer technology. IEEE Transactions on Applied Superconductivity, 1995, 5, 1653-1656. | 1.7 | 4 |
| 186 | Phase Controlled Conductance of Mesoscopic Structures with Superconducting "Mirrors― Physical Review Letters, 1995, 74, 5268-5271. | 7.8 | 159 |
| 187 | A new design approach for High-T/sub c/ based RSFQ logic. IEEE Transactions on Applied Superconductivity, 1995, 5, 2835-2838. | 1.7 | 9 |
| 188 | Large local distortions introduced by defects in YBa2Cu3O7 superconductors: An X-ray-absorption study. Radiation Effects and Defects in Solids, 1995, 137, 351-354. | 1.2 | 0 |
| 189 | Bi-epitaxial weak links based on YBa2Cu3O7- deltaon NdGaO3. Superconductor Science and Technology, 1994, 7, 281-283. | 3.5 | 6 |
| 190 | Defect switching in a mesoscopic sample induced by a scanning tunnelling microscope. Journal of Physics Condensed Matter, 1994, 6, L473-L478. | 1.8 | 1 |
| 191 | Bloch oscillations in a double Josephson junction biased via high-ohmic resistors. Superconductor Science and Technology, 1994, 7, 324-326. | 3.5 | 3 |
| 192 | The fabrication of an integrated superconducting submillimetre wave receiver. Superconductor Science and Technology, 1994, 7, 235-238. | 3.5 | 0 |
| 193 | An experimental implementation of high-Tc-based RSFQ set-reset trigger at 4.2 K. Superconductor Science and Technology, 1994, 7, 239-241. | 3.5 | 19 |
| 194 | Improved step edges on LaAlO3 substrates by using amorphous carbon etch masks. Applied Physics Letters, 1994, 65, 1177-1179. | 3.3 | 40 |
| 195 | Fluxâ€flow transistors based on long YBa2Cu3O7â^îÎbicrystal grain boundary junctions. Applied Physics Letters, 1994, 64, 1153-1155. | 3.3 | 45 |
| 196 | Influence of inductance induced noise in an YBa2Cu3O7dc QUID at high operation temperatures. Applied Physics Letters, 1994, 64, 2445-2447. | 3.3 | 9 |
| 197 | Charge solitons and quantum fluctuations in two-dimensional arrays of small Josephson junctions. Physical Review B, 1994, 50, 3959-3971. | 3.2 | 77 |
| 198 | Bicrystal junctions and superconducting quantum interference devices in YBa2Cu3O7thin films. Journal of Applied Physics, 1994, 75, 7972-7977. | 2.5 | 21 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Microwave testing of highâ€Tcbased direct current to a single flux quantum converter. Journal of Applied Physics, 1994, 76, 5996-6000. | 2.5 | 2 |
| 200 | Electromagnetic properties at the grain boundary interface of aYBa2Cu3O7â^î1bicrystal Josephson junction. Physical Review Letters, 1994, 72, 1260-1263. | 7.8 | 123 |
| 201 | Local disorder in the oxygen environment around praseodymium inY1â^'xPrxBa2Cu3O7from x-ray-absorption fine structure. Physical Review B, 1994, 49, 3432-3442. | 3.2 | 74 |
| 202 | Observation of the Resonant Tunneling of Cooper Pairs. Physical Review Letters, 1994, 73, 1541-1544. | 7.8 | 52 |
| 203 | YBa2Cu3O7â^'xfilms on yttriaâ€ s tabilized ZrO2substrates: Influence of the substrate morphology. Journal of Applied Physics, 1994, 75, 7958-7965. | 2.5 | 27 |
| 204 | Preparation and properties of Tl2Ba2CaCu2O8 thin films. Journal of Superconductivity and Novel Magnetism, 1994, 7, 767-771. | 0.5 | 13 |
| 205 | Linewidth of Bloch oscillations in small Josephson junctions. Physica B: Condensed Matter, 1994, 203, 376-380. | 2.7 | 14 |
| 206 | A new temperature sensor in low-temperature composite bolometers for high resolution spectroscopy of nuclear radiation Physica B: Condensed Matter, 1994, 194-196, 27-28. | 2.7 | 3 |
| 207 | Voltage dependence of the quality factor of a long Josephson junction. Physica B: Condensed Matter, 1994, 194-196, 137-138. | 2.7 | 2 |
| 208 | Vortex mobility in two-dimensional arrays of small Josephson junctions. Physica B: Condensed Matter, 1994, 194-196, 989-990. | 2.7 | 1 |
| 209 | Movement of scattering centers in a point contact induced by a scanning tunneling microscope. Physica B: Condensed Matter, 1994, 194-196, 991-992. | 2.7 | 0 |
| 210 | Thermal activation and injection of charge solitons in 2D-arrays of small Josephson junctions Physica B: Condensed Matter, 1994, 194-196, 993-994. | 2.7 | 2 |
| 211 | Magnetic flux and gate voltage modulation of the current in a superconducting loop of ultra-small tunnel junctions. Physica B: Condensed Matter, 1994, 194-196, 1015-1016. | 2.7 | 2 |
| 212 | 2e periodic modulation of the I-V curve of a current-biased superconducting transistor. Physica B: Condensed Matter, 1994, 194-196, 1049-1050. | 2.7 | 2 |
| 213 | Non-linear phase memory effects in mesoscopic rings with superconducting "mirrorsâ€. Physica B: Condensed Matter, 1994, 194-196, 1105-1106. | 2.7 | 7 |
| 214 | Self-induced resonances in YBCO bicrystal grain boundary Josephson junctions. Physica B: Condensed Matter, 1994, 194-196, 1771-1772. | 2.7 | 3 |
| 215 | Properties of locally doped bi-crystal grain boundary junctions. Physica B: Condensed Matter, 1994, 194-196, 2187-2188. | 2.7 | 9 |
| 216 | Noise properties of single-layer YBaCuO step-edge DC SQUID's on MgO substrates. Physica C: Superconductivity and Its Applications, 1994, 220, 50-54. | 1.2 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | The linewidth of Josephson radiation in shallow step YBCO junction. Physica C: Superconductivity and Its Applications, 1994, 235-240, 3239-3240. | 1.2 | 2 |
| 218 | Resonant steps due to Josephson flux-flow in long YBa2Cu3O7 bicrystal junctions. Physica C: Superconductivity and Its Applications, 1994, 235-240, 3251-3252. | 1.2 | 0 |
| 219 | Intrinsic Josephson tunnel junctions fabricated on the surfaces of Bi2212 single crystals by photolithography. Physica C: Superconductivity and Its Applications, 1994, 235-240, 3269-3270. | 1.2 | 35 |
| 220 | Planarized patterns in YBCO thin films. Physica C: Superconductivity and Its Applications, 1994, 235-240, 3357-3358. | 1.2 | 0 |
| 221 | Optimisation of growth of epitaxial Tl2Ba2Ca1Cu2O8 superconducting thin films for electronic device applications. Physica C: Superconductivity and Its Applications, 1994, 235-240, 717-718. | 1.2 | 5 |
| 222 | Local disorder in the oxygen environment around Pr in Y1â^'xPrxBa2Cu3O7 as measured by X-ray absorption fine structure. Physica C: Superconductivity and Its Applications, 1994, 235-240, 1033-1034. | 1.2 | 3 |
| 223 | Fabrication and measurement of a Nb based superconducting single electron transistor. Applied Physics Letters, 1994, 65, 636-638. | 3.3 | 49 |
| 224 | Growth and properties of YBa2Cu3O7â^'x/(SrTiO3/PrGaO3)/YBa2Cu3O7â^'xtrilayers: Optimization of the insulation. Journal of Applied Physics, 1994, 75, 827-834. | 2.5 | 10 |
| 225 | Engineered Grain Boundary Junctions — Characteristics, Structure, Applications. , 1994, , 471-490. | | Ο |
| 226 | Detection of mm and submm wave radiation from soliton and flux-flow modes in a long Josephson junction. IEEE Transactions on Applied Superconductivity, 1993, 3, 2520-2523. | 1.7 | 12 |
| 227 | Elimination of pinholes in epitaxial thin film YBa2Cu3O7â^'x/SrTiO3/PrGaO3multilayers. Applied Physics Letters, 1993, 63, 1567-1569. | 3.3 | 9 |
| 228 | Crossovers and vias in YBa/sub 2/Cu/sub 3/O/sub 7//PrGaO/sub 3//YBa/sub 2/Cu/sub 3/O/sub 7/ trilayers. IEEE Transactions on Applied Superconductivity, 1993, 3, 2958-2960. | 1.7 | 5 |
| 229 | Field effect devices based on metal-insulator-YBa/sub 2/Cu/sub 3/O/sub 7-x/ films. IEEE Transactions on Applied Superconductivity, 1993, 3, 2922-2924. | 1.7 | 11 |
| 230 | YBa2Cu3O7â^'ÎJosephson junctions on directionally ion beam etched MgO substrates. Applied Physics Letters, 1993, 63, 2141-2143. | 3.3 | 17 |
| 231 | Petrashovet al. reply. Physical Review Letters, 1993, 71, 2352-2352. | 7.8 | 2 |
| 232 | Linewidth measurements of Josephson fluxâ€flow oscillators in the band 280–330 GHz. Applied Physics Letters, 1993, 62, 3195-3197. | 3.3 | 87 |
| 233 | Distorted local environment around Zn on Cu(2) sites inYBa2Cu3O7: An x-ray-absorption study. Physical Review B, 1993, 48, 1266-1275. | 3.2 | 35 |
| 234 | Field effect transistor based on a bi-crystal grain boundary Josephson junction. IEEE Transactions on Applied Superconductivity, 1993, 3, 2925-2928. | 1.7 | 26 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Evidence of Distortion in the Oxygen Environment around Praseodymium in Y1â^'xPrxBa2Cu3O7 from Praseodymium K-Edge XAFS. Materials Research Society Symposia Proceedings, 1993, 307, 117. | 0.1 | 0 |
| 236 | Local structure of high temperature superconductors from x-ray absorption studies. Physica Scripta, 1992, T42, 71-75. | 2.5 | 4 |
| 237 | Laserâ€deposited PrGaO3films on SrTiO3substrates and in YBa2Cu3O7/PrGaO3/YBa2Cu3O7trilayers. Applied Physics Letters, 1992, 61, 486-488. | 3.3 | 17 |
| 238 | Epitaxial growth and properties of YBa2Cu3Oxâ€Pb(Zr0.6Ti0.4)O3‥Ba2Cu3Oxtrilayer structure by laser ablation. Applied Physics Letters, 1992, 61, 528-530. | 3.3 | 36 |
| 239 | Growth and properties of a multilayer system based on Y1Ba2Cu3Oxand amorphous Yâ€ZrO2. Journal of Applied Physics, 1992, 72, 199-202. | 2.5 | 7 |
| 240 | Experimental investigation of two-dimensional arrays of ultrasmall Josephson junctions. Physica Scripta, 1992, T42, 182-188. | 2.5 | 12 |
| 241 | Design of multiloop input circuits for highâ€Tcsuperconducting quantum interference magnetometers. Journal of Applied Physics, 1992, 72, 1918-1935. | 2.5 | 5 |
| 242 | New Results on SET-Oscillations in One-Dimensional Arrays of Tunnel Junctions. Springer Series in Electrophysics, 1992, , 97-103. | 0.2 | 1 |
| 243 | Scanning tunneling microscopy of laser-deposited YBCO thin films. Ultramicroscopy, 1992, 42-44, 734-737. | 1.9 | 5 |
| 244 | Single electron turnstile and pump devices using long arrays of small tunnel junctions. Physica Scripta, 1992, T42, 177-181. | 2.5 | 3 |
| 245 | Correlated Single Electron Tunneling In Ultrasmall Junctions. , 1991, , 197-228. | | 1 |
| 246 | <title>Distorted local environment about Zn and transition metals on the copper sites in YBa2Cu3O7</title> . , 1991, , . | | 1 |
| 247 | Narrow YBCO microbridges in ultrathin laser deposited films. Physica C: Superconductivity and Its Applications, 1991, 185-189, 1939-1940. | 1.2 | 3 |
| 248 | YBCO thin films on Yttria stabilized Zirconia and LaAlO3-growth and properties. Physica C: Superconductivity and Its Applications, 1991, 185-189, 2017-2018. | 1.2 | 0 |
| 249 | Properties of YBCO junctions and squids on YSZ bicrystals. Physica C: Superconductivity and Its Applications, 1991, 185-189, 2597-2598. | 1.2 | 12 |
| 250 | Experimental evidence for the Coulomb blockade of Cooper pair tunneling and Bloch oscillations in single Josephson junctions. European Physical Journal B, 1991, 85, 339-347. | 1.5 | 55 |
| 251 | Observation of the Coulomb Blockade of Cooper Pair Tunnelling in Single Josephson Junctions. Europhysics Letters, 1991, 16, 103-108. | 2.0 | 32 |
| 252 | XAFS determines mini-clusters of Ni-O in Ni doped YBa2Cu3O7- delta. Superconductor Science and Technology, 1991, 4, S343-S345. | 3.5 | 5 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Properties of artificial grain boundary weak links grown on Y-ZrO2bicrystals. Superconductor Science and Technology, 1991, 4, 439-441. | 3.5 | 13 |
| 254 | Single charge tunnelling-time correlation of tunnel events. Superconductor Science and Technology, 1991, 4, 393-400. | 3.5 | 0 |
| 255 | High resolution patterning of high Tcsuperconducting thin films. Superconductor Science and Technology, 1991, 4, S112-S114. | 3.5 | 5 |
| 256 | Weak links and dc SQUIDS on artificial nonsymmetric grain boundaries in YBa2Cu3O7â^δ. Applied Physics Letters, 1991, 59, 3030-3032. | 3.3 | 244 |
| 257 | Local structure ofBaBixPb1â^'xO3determined by x-ray-absorption spectroscopy. Physical Review B, 1991, 44, 6961-6972. | 3.2 | 74 |
| 258 | Coulomb blockade and incoherent tunneling of Cooper pairs in ultrasmall junctions affected by strong quantum fluctuations. Physical Review Letters, 1991, 67, 1161-1164. | 7.8 | 79 |
| 259 | 1-D array implementation of the resistively-coupled single-electron transistor. IEEE Transactions on Magnetics, 1991, 27, 2581-2584. | 2.1 | 13 |
| 260 | Epitaxial growth and properties of YBa2Cu3O7â^'Î′/NdGaO3/YBa2Cu3O7â^'δtrilayer structures. Applied Physics Letters, 1991, 59, 2606-2608. | 3.3 | 25 |
| 261 | Fabrication and properties of HTS diffusion type weak links. IEEE Transactions on Magnetics, 1991, 27, 3324-3327. | 2.1 | 3 |
| 262 | Correlated Tunnel Events in Arrays of Ultrasmall Junctions. NATO ASI Series Series B: Physics, 1991, , 333-364. | 0.2 | 0 |
| 263 | SUPERCONDUCTING DETECTORS FOR MM AND SUB-MM WAVES. , 1991, , 51-86. | | 3 |
| 264 | Single electron tunneling oscillations in one-dimensional arrays of ultrasmall tunnel junctions. Physica B: Condensed Matter, 1990, 165-166, 929-930. | 2.7 | 1 |
| 265 | Hyper-vortices in granular superconducting thin film bridges. Physica B: Condensed Matter, 1990, 165-166, 1609-1610. | 2.7 | 4 |
| 266 | Local structure of ni in Y Ba2(Cu.967Ni.033)3O7-δdetermined by XAFS. Physica B: Condensed Matter, 1990, 165-166, 1697-1698. | 2.7 | 0 |
| 267 | High TC superconducting diffusion type weak links. Physica B: Condensed Matter, 1990, 165-166, 69-70. | 2.7 | 3 |
| 268 | Observation of single-electron-tunneling oscillations. Physical Review B, 1990, 42, 7439-7449. | 3.2 | 65 |
| 269 | X-ray absorption ofBaBiO3and superconductingBaBi0.25Pb0.75O3. Physical Review B, 1990, 41, 6306-6314. | 3.2 | 34 |
| 270 | Local structure about Ni atoms in Ni-substitutedYBa2Cu3O7â^î^. Physical Review B, 1990, 42, 2137-2142. | 3.2 | 55 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | In-situ dc sputtered high TC Y-Ba-Cu-O films. Journal of the Less Common Metals, 1990, 164-165, 329-335. | 0.8 | 2 |
| 272 | Study of in situ laser deposited YBCO thin films. Journal of the Less Common Metals, 1990, 164-165, 383-390. | 0.8 | 6 |
| 273 | Microbridges in high TC superconductors: High IC RN products. Journal of the Less Common Metals, 1990, 164-165, 1529-1535. | 0.8 | 1 |
| 274 | Local Structure and Distortions in Pure and Doped Y1Ba2Cu3O7â^δ: X-ray Absorption Studies. , 1990, , 303-312. | | 0 |
| 275 | Temperature dependence of the local structure ofYBa2Cu3O7â^δwith varying oxygen content: An x-ray-absorption study. Physical Review B, 1989, 39, 6555-6566. | 3.2 | 39 |
| 276 | Single-electron charging effects in one-dimensional arrays of ultrasmall tunnel junctions. Physical Review Letters, 1989, 62, 2539-2542. | 7.8 | 108 |
| 277 | Effect of high-frequency electrodynamic environment on the single-electron tunneling in ultrasmall junctions. Physical Review Letters, 1989, 63, 1180-1183. | 7.8 | 139 |
| 278 | Distorted chain sites for Co- and Fe-substitutedYBa2Cu3O7â~δ. Physical Review B, 1989, 39, 11603-11617. | 3.2 | 122 |
| 279 | Time-correlated single-electron tunneling in one-dimensional arrays of ultrasmall tunnel junctions. Physical Review Letters, 1989, 63, 1861-1864. | 7.8 | 158 |
| 280 | Second neighbor shells around Cu in oxygen-deficient and transition-metal-doped Y1Ba2Cu3O7â^´l´. Physica B: Condensed Matter, 1989, 158, 453-455. | 2.7 | 2 |
| 281 | Substitution on the Cu(1) sites in Y 1 Ba 2 Cu 3 O 7â~δ; evidence for distorted chains of Co and Fe atoms. Physica C: Superconductivity and Its Applications, 1989, 162-164, 969-970. | 1.2 | 3 |
| 282 | X-ray absorption study of superconducting BaBi 1-x Pb x O 3 and BaBiO 3. Physica C: Superconductivity and Its Applications, 1989, 162-164, 544-545. | 1.2 | 14 |
| 283 | Josephson Parametric Amplifiers: Low Noise at 9GHz. , 1989, , 93-97. | | 0 |
| 284 | Local structure of YBa2Cu3Oy with varying oxygen content and substitutional dopants on the Cu sites. Physica C: Superconductivity and Its Applications, 1988, 153-155, 852-853. | 1.2 | 10 |
| 285 | A new symmetric scanning tunneling microscope design. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1988, 6, 380-382. | 2.1 | 3 |
| 286 | Lowâ€noise Josephson parametric amplification and oscillations at 9 GHz. Journal of Applied Physics, 1988, 64, 5234-5243. | 2.5 | 12 |
| 287 | X-ray-absorption fine-structure study of theA15 superconductorsNb3(Sn,Sb). Physical Review B, 1988, 37, 54-59. | 3.2 | 7 |
| 288 | X-RAY ABSORPTION EDGES OF TRANSITION- METAL-DOPED Y1Ba2Cu3â^'xMxO7â^'â^,. International Journal of Modern Physics B, 1988, 02, 1153-1156. | 2.0 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Extended X-ray absorption fine structure of high Tc ceramic superconductors. Physica Scripta, 1988, 37, 912-917. | 2.5 | 11 |
| 290 | Parametric Amplification Using Superconducting Tunnel Junctions , 1988, , . | | 0 |
| 291 | Occupation of Distorted Cu(1) Sites by Co and Fe in Y1Ba2Cu3O7â^î^. Materials Research Society Symposia Proceedings, 1988, 143, 163. | 0.1 | 0 |
| 292 | HIGH FREQUENCY PROPERTIES OF HIGH Tc POINT CONTACTS. International Journal of Modern Physics B, 1987, 01, 863-865. | 2.0 | 0 |
| 293 | Properties of Alkaline Earth Fluoride Barriers in Nb/Pb Josephson Junctions. Japanese Journal of Applied Physics, 1987, 26, L1918-L1920. | 1.5 | 0 |
| 294 | A millimeter wave Josephson mixer employing a highâ€TcGdBaCuO point contact. Journal of Applied Physics, 1987, 62, 4923-4926. | 2.5 | 16 |
| 295 | X-ray-absorption studies ofYBa2Cu3O7â^´Î´andGdBa2Cu3O7â^`δsuperconductors. Physical Review B, 1987, 36, 5251-5257. | 3.2 | 65 |
| 296 | Highâ€frequency limits of superconducting tunnel junction mixers. Journal of Applied Physics, 1987, 62, 4482-4498. | 2.5 | 33 |
| 297 | Observations of the a.c. Josephson Effect in High- <i>T</i> _c YBaCuO Point Contacts. Europhysics Letters, 1987, 4, 357-363. | 2.0 | 15 |
| 298 | X-ray-absorption studies of the high-TcsuperconductorsLa1.8Sr0.2CuO4andLa1.8Ba0.2CuO4. Physical Review B, 1987, 35, 7203-7206. | 3.2 | 67 |
| 299 | X-Ray Absorption Study of Y1Ba2Cu3O7 and Gd1Ba2Cu3O7 Superconductors. Materials Research Society Symposia Proceedings, 1987, 99, 943. | 0.1 | 0 |
| 300 | Three Terminal Josephson Junction with a Semiconductor Accumulation Layer. Japanese Journal of Applied Physics, 1987, 26, 1617. | 1.5 | 45 |
| 301 | Low Noise Four-Photon Josephson Parametric Amplification. Japanese Journal of Applied Physics, 1987, 26, 1547. | 1.5 | 23 |
| 302 | Subharmonic Generation in an LC Resonant Josephson Tunnel Junction. Japanese Journal of Applied Physics, 1987, 26, 1577. | 1.5 | 5 |
| 303 | Millimeter Wave Properties of YBaCuO and GdBaCuO Point Contacts. Japanese Journal of Applied Physics, 1987, 26, 2113. | 1.5 | 0 |
| 304 | A sub-mm Wave Quasiparticle Receiver For 750 GHz - Progress Report. Proceedings of SPIE, 1986, , . | 0.8 | 5 |
| 305 | Quasiparticle mixing close to the gap frequency in aluminum tunnel junctions. IEEE Transactions on Magnetics, 1985, 21, 896-898. | 2.1 | 3 |
| 306 | Non-Equilibrium Superconductivity in Aluminium Tunnel Junctions by Self-Injection and Millimeter Wave Radiation. Physica Scripta, 1985, 32, 317-322. | 2.5 | 13 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | NbZr multilayers. II. Extended x-ray-absorption fine-structure study. Physical Review B, 1984, 29, 4969-4975. | 3.2 | 25 |
| 308 | Order-disorder transformation in Au-Cu alloys studied by extended x-ray-absorption fine structure. Physical Review B, 1984, 29, 1551-1557. | 3.2 | 24 |
| 309 | EXAFS, X-Ray, and Neutron Diffraction of Electrolyte Solutions. Springer Proceedings in Physics, 1984, , 417-419. | 0.2 | Ο |
| 310 | Superconducting Tunnel Junctions in High Frequency Radiation Detectors. , 1983, , 241-277. | | 1 |
| 311 | Shunted Josephson tunnel junctions: Highâ€frequency, selfâ€pumped low noise amplifiers. Journal of Applied Physics, 1982, 53, 5093-5103. | 2.5 | 25 |
| 312 | Extended x-ray absorption fine-structure investigation ofNb3Ge films. Physical Review B, 1982, 25, 6666-6672. | 3.2 | 16 |
| 313 | Relaxation Oscillations in Inductively Shunted Josephson Tunnel Junctions. Physica Scripta, 1982, 25, 837-843. | 2.5 | 10 |
| 314 | EXAFS Studies of Amorphous MoGe. Physica Scripta, 1982, 25, 749-750. | 2.5 | 4 |
| 315 | Magnetic impurity effects inAgMn,AuFe, andCuCr studied by tunneling in superconducting proximity layers. Zeitschrift FÃ1⁄4r Physik B Condensed Matter and Quanta, 1982, 46, 45-57. | 1.9 | 6 |
| 316 | Exafs and X-ray diffraction studies of the hydration structure of stereochemically active Sn(II) ions in aqueous solution. Chemical Physics Letters, 1982, 93, 528-532. | 2.6 | 24 |
| 317 | The antenna-coupled SIS quasiparticle array mixer. IEEE Transactions on Magnetics, 1981, 17, 690-693. | 2.1 | 27 |
| 318 | Lowâ€noise selfâ€pumped Josephson tunnel junction amplifier. Applied Physics Letters, 1981, 39, 650-652. | 3.3 | 9 |
| 319 | Superconductorâ€insulatorâ€superconductor mixing with arrays at millimeterâ€wave frequencies. Journal of Applied Physics, 1981, 52, 6366-6376. | 2.5 | 46 |
| 320 | A subharmonic Josephson relaxation oscillator—amplification and locking. Applied Physics Letters, 1981, 39, 504-506. | 3.3 | 21 |
| 321 | Verification of zero pair potential in a magnetic metal by superconductive tunnelling. Thin Solid Films, 1980, 66, 151-158. | 1.8 | 18 |
| 322 | Basic Josephson tunnel parameters at microwave frequency—A reassessment. Journal of Applied Physics, 1980, 51, 5058-5060. | 2.5 | 5 |
| 323 | Arrays of superconducting tunnel junctions as lowâ€noise 10â€GHz mixers. Applied Physics Letters, 1979, 34, 711-713. | 3.3 | 46 |
| 324 | Basic Josephson tunnel parameters at microwave frequency—Strong temperature variations. Journal of Applied Physics, 1979, 50, 7070-7081. | 2.5 | 11 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Superconducting transition temperatures of vapour quenched Ag-In and Ag-Sn multilayers. Solid State Communications, 1979, 32, 531-535. | 1.9 | 19 |
| 326 | Parametric amplification in Josephson tunnel junction arrays at 33 GHz. IEEE Transactions on Magnetics, 1979, 15, 458-461. | 2.1 | 8 |
| 327 | Temperature and magnetic field variations in the resistance, cos Ï• conductance, and effective capacitance of small Josephson junctions. Solid State Communications, 1978, 26, 953-956. | 1.9 | 6 |
| 328 | Estimates of the s-d interaction in CdCr from superconducting transition temperature and magnetic susceptibility. Solid State Communications, 1978, 25, 655-659. | 1.9 | 5 |
| 329 | Magnetic and superconducting properties of dilute Cd alloys with Cr, Mn and Ni impurities. Journal of the Less Common Metals, 1978, 62, 265-289. | 0.8 | 6 |
| 330 | Arrays of Josephson tunnel junctions as parametric amplifiers. Journal of Applied Physics, 1978, 49, 4248-4263. | 2.5 | 59 |
| 331 | Superconductivity of Nb5Ge3. Journal of Applied Physics, 1977, 48, 3998-3999. | 2.5 | 21 |
| 332 | Parametric amplification in arrays of Josephson tunnel junctions. Applied Physics Letters, 1977, 30, 298-300. | 3.3 | 23 |
| 333 | Magnetic interactions in Ag-Mn from superconducting pair breaking. Physica B: Physics of Condensed Matter & C: Atomic, Molecular and Plasma Physics, Optics, 1977, 86-88, 473-475. | 0.9 | 3 |
| 334 | Search for superconductivity in vapour quenched alkaline earth metals and lanthanides. Zeitschrift Für Physik B Condensed Matter and Quanta, 1976, 25, 265-268. | 1.9 | 2 |
| 335 | Superconductivity and magnetism in dilute CdMn alloys. Strong depression in Tc. Solid State Communications, 1976, 20, 233-235. | 1.9 | 12 |
| 336 | A two-layer model for the superconductivity of amorphous ultra-thin films. Thin Solid Films, 1976, 34, 259-262. | 1.8 | 1 |
| 337 | Superconducting tunnelling into ultra-thin films. Thin Solid Films, 1976, 34, 263-266. | 1.8 | 6 |
| 338 | Superconductivity of quench condensed Alî—,Mg films — No superconductivity of disordered Mg above 0.3 K. Physics Letters, Section A: General, Atomic and Solid State Physics, 1976, 58, 263-264. | 2.1 | 3 |
| 339 | Pair-breaking in thin superconducting films — the effects on Tc and fluctuation conductivity. Solid State Communications, 1975, 16, 123-125. | 1.9 | 5 |
| 340 | Superconductivity in ultrathin films. Zeitschrift Für Physik B Condensed Matter and Quanta, 1975, 20, 241-245. | 1.9 | 3 |
| 341 | Superconductivity of vapour quenched beryllium and beryllium-based alloys. Zeitschrift FÃ1⁄4r Physik B Condensed Matter and Quanta, 1975, 20, 13-20. | 1.9 | 16 |
| 342 | Simple bridge for detection of superconductivity. Review of Scientific Instruments, 1974, 45, 1478-1479. | 1.3 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | The Microscopic Theory of Superconductivity–Verifications and Extensions. Physica Scripta, 1974, 10, 5-34. | 2.5 | 1 |
| 344 | Superconductivity of Magnesium-based Alloys. Physica Scripta, 1974, 9, 353-356. | 2.5 | 14 |
| 345 | Unusual features of an He3 refrigerator. Cryogenics, 1974, 14, 468-469. | 1.7 | 0 |
| 346 | Phase transformation and electron structure effects in Bi-Tl. Acta Metallurgica, 1974, 22, 759-766. | 2.1 | 7 |
| 347 | Localized phonons and lattice order transformations in thallium based alloys by superconductive tunneling. European Physical Journal A, 1974, 269, 23-29. | 2.5 | 12 |
| 348 | Search for localized phonon modes inlead-based alloys by superconducting tunneling. Journal of Physics and Chemistry of Solids, 1974, 35, 711-715. | 4.0 | 4 |
| 349 | Superconducting transition temperatures of vapour quenched beryllium. Physics Letters, Section A: General, Atomic and Solid State Physics, 1974, 47, 97-98. | 2.1 | 15 |
| 350 | Search for superconductivity in Laves phase compounds. Physics Letters, Section A: General, Atomic and Solid State Physics, 1974, 50, 159-160. | 2.1 | 34 |
| 351 | Localized phonons in thallium-indium by superconductive tunneling. Solid State Communications, 1974, 14, 517-519. | 1.9 | 4 |
| 352 | Superconductivity in ultrathin films I. Transition temperatures of amorphous Bi and Ga. European Physical Journal B, 1974, 18, 79-97. | 1.5 | 32 |
| 353 | Superconductivity in ultrathin films II. Structure in tunneling curves. European Physical Journal B, 1974, 18, 99-120. | 1.5 | 11 |
| 354 | Thin, quench-condensed lead-based alloy films investigated by resistivity and superconducting tunneling measurements. Journal of Low Temperature Physics, 1973, 13, 1-38. | 1.4 | 33 |
| 355 | Superconducting energy gaps and transition temperatures of quench-condensed cadmium and zinc films. Journal of Low Temperature Physics, 1973, 10, 735-750. | 1.4 | 30 |
| 356 | Rapid variation of the superconducting transition temperature in the Al ₁₂ Mg ₁₇ phase. Physica Status Solidi (B): Basic Research, 1973, 60, 157-160. | 1.5 | 6 |
| 357 | The order and annealing of quench-condensed lead-based alloys studied by the phonon spectrum from electron tunnelling and by resistance measurements. Thin Solid Films, 1973, 16, 65-79. | 1.8 | 16 |
| 358 | Ratio between energy gap and transition temperature in ultrathin superconducting films. Physics Letters, Section A: General, Atomic and Solid State Physics, 1973, 45, 431-432. | 2.1 | 16 |
| 359 | The effect of lattice order on localized phonons in Pb-In by superconductive tunneling. European Physical Journal B, 1973, 16, 113-116. | 1.5 | 4 |
| 360 | Superconductivity of Cadmium-Magnesium Alloys. Physica Scripta, 1973, 7, 80-83. | 2.5 | 5 |

| # | Article | lF | CITATIONS |
|-----|---|-----|-----------|
| 361 | Superconducting Tunneling into Ultrathin Films—New Structure at Multiples of the Gap Voltage. Physical Review Letters, 1973, 31, 456-458. | 7.8 | 6 |
| 362 | The superconducting energy gap measured by tunneling into quench-condensed germanium-gold. Physics Letters, Section A: General, Atomic and Solid State Physics, 1972, 39, 271-272. | 2.1 | 9 |
| 363 | Superconducting energy gaps and transition temperatures of disordered cadmium and zinc films. Physica Status Solidi A, 1972, 11, K113-K116. | 1.7 | 8 |
| 364 | Fermi surface-brillouin zone effect in f.c.c. Biî—,Tl alloys. Solid State Communications, 1970, 8, 851-853. | 1.9 | 7 |
| 365 | Superconductivity for ternary F.C.C. Biï£įPbï£įTl Alloys. Physica Status Solidi (B): Basic Research, 1970, 42, 321-327. | 1.5 | 11 |
| 366 | Gapless Superconductor Tunneling-Experiment. , 1969, , 443-459. | | 4 |
| 367 | Kvantmekaniska tunnlar i fasta Ã m nen. Kosmos, 1969, 46, 127-138. | 0.0 | 0 |
| 368 | The electron-phonon coupling and phonon spectra in lead-thallium alloys studied by electron tunnelling. Journal of Physics and Chemistry of Solids, 1968, 29, 387-397. | 4.0 | 18 |
| 369 | Superconductivity in the Mercuryâ€ī in system. Physica Status Solidi (B): Basic Research, 1968, 25, K95. | 1.5 | 6 |
| 370 | Electron tunnelling into superconducting lead-thallium alloys. Solid State Communications, 1967, 5, 119-122. | 1.9 | 5 |
| 371 | The electron-phonon coupling and phonon spectra in lead-thallium alloys studied by electron tunneling. Solid State Communications, 1967, 5, iii. | 1.9 | 0 |
| 372 | Proximity effect in superconducting contacts by electron tunnelling. European Physical Journal B, 1967, 6, 23-37. | 1.5 | 2 |
| 373 | New phase in the mercury-indium system. Journal of the Less Common Metals, 1966, 11, 186-190. | 0.8 | 10 |
| 374 | Order-disorder transformations at 2:1 composition in the cadmium-mercury system. Acta Metallurgica, 1966, 14, 285-290. | 2.1 | 24 |
| 375 | Superconducting transition temperatures of mercury-alkaline earth metal compounds. Journal of Physics and Chemistry of Solids, 1966, 27, 1081-1085. | 4.0 | 19 |
| 376 | Observations of gapless superconductivity induced by metallic contact. Solid State Communications, 1966, 4, 385-389. | 1.9 | 10 |
| 377 | Superconductivity and Electronic Structure in the Alloy System Lead-Thallium. Physical Review, 1966, 147, 340-348. | 2.7 | 35 |
| 378 | Superconductivity in the Alloy System Cadmium-Mercury and the Effect of Ordering upon Superconductivity. Physical Review, 1966, 141, 412-418. | 2.7 | 19 |