

Alan Sher

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/982642/publications.pdf>

Version: 2024-02-01

114
papers

19,162
citations

22132

59
h-index

22147

113
g-index

121
all docs

121
docs citations

121
times ranked

20668
citing authors

#	ARTICLE	IF	CITATIONS
1	Host-directed immunotherapy of viral and bacterial infections: past, present and future. <i>Nature Reviews Immunology</i> , 2023, 23, 121-133.	10.6	71
2	Memory-phenotype CD4+ T cells: a naturally arising T lymphocyte population possessing innate immune function. <i>International Immunology</i> , 2022, 34, 189-196.	1.8	7
3	Intravenous administration of BCG protects mice against lethal SARS-CoV-2 challenge. <i>Journal of Experimental Medicine</i> , 2022, 219, .	4.2	62
4	Comment on: Repositioning TH cell polarization from single cytokines to complex help. <i>Nature Immunology</i> , 2022, 23, 501-502.	7.0	3
5	A partial form of inherited human USP18 deficiency underlies infection and inflammation. <i>Journal of Experimental Medicine</i> , 2022, 219, .	4.2	28
6	Mild SARS-CoV-2 infection in rhesus macaques is associated with viral control prior to antigen-specific T cell responses in tissues. <i>Science Immunology</i> , 2022, 7, eabo0535.	5.6	17
7	Differential regulation of transcription factor T-bet induction during NK cell development and T helper-1 cell differentiation. <i>Immunity</i> , 2022, 55, 639-655.e7.	6.6	11
8	<i>Mycobacterium tuberculosis</i> Induces Irg1 in Murine Macrophages by a Pathway Involving Both TLR-2 and STING/IFNAR Signaling and Requiring Bacterial Phagocytosis. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022, 12, 862582.	1.8	22
9	Redefining the Foreign Antigen and Self-Driven Memory CD4+ T-Cell Compartments via Transcriptomic, Phenotypic, and Functional Analyses. <i>Frontiers in Immunology</i> , 2022, 13, .	2.2	6
10	<i>Mycobacterium tuberculosis</i> -specific CD4 T cells expressing CD153 inversely associate with bacterial load and disease severity in human tuberculosis. <i>Mucosal Immunology</i> , 2021, 14, 491-499.	2.7	33
11	Heme oxygenase-1 inhibition promotes IFN γ - and NOS2-mediated control of <i>Mycobacterium tuberculosis</i> infection. <i>Mucosal Immunology</i> , 2021, 14, 253-266.	2.7	22
12	PD-1 blockade exacerbates <i>Mycobacterium tuberculosis</i> infection in rhesus macaques. <i>Science Immunology</i> , 2021, 6, .	5.6	70
13	IFNs Reset the Differential Capacity of Human Monocyte Subsets to Produce IL-12 in Response to Microbial Stimulation. <i>Journal of Immunology</i> , 2021, 206, 1642-1652.	0.4	2
14	Sterilizing immunity: New opportunities for rational TB vaccine design. <i>Journal of Experimental Medicine</i> , 2021, 218, .	4.2	0
15	Enhancement of CD4+ T Cell Function as a Strategy for Improving Antibiotic Therapy Efficacy in Tuberculosis: Does It Work?. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 672527.	1.8	2
16	Functional inactivation of pulmonary MAIT cells following 5-OP-RU treatment of non-human primates. <i>Mucosal Immunology</i> , 2021, 14, 1055-1066.	2.7	23
17	A Long-Acting Thermoresponsive Injectable Formulation of Tin Protoporphyrin Sustains Antitubercular Efficacy in a Murine Infection Model. <i>ACS Pharmacology and Translational Science</i> , 2021, 4, 276-287.	2.5	3
18	Homeostatic IL-13 in healthy skin directs dendritic cell differentiation to promote TH2 and inhibit TH17 cell polarization. <i>Nature Immunology</i> , 2021, 22, 1538-1550.	7.0	61

#	ARTICLE	IF	CITATIONS
19	Persistent Oxidative Stress and Inflammasome Activation in CD14 ^{high} CD16 ^{â€} Monocytes From COVID-19 Patients. <i>Frontiers in Immunology</i> , 2021, 12, 799558.	2.2	44
20	Modulation of Inflammation and Immune Responses by Heme Oxygenase-1: Implications for Infection with Intracellular Pathogens. <i>Antioxidants</i> , 2020, 9, 1205.	2.2	18
21	Dermal IRF4+ dendritic cells and monocytes license CD4+ T helper cells to distinct cytokine profiles. <i>Nature Communications</i> , 2020, 11, 5637.	5.8	18
22	Patients infected with <i>Mycobacterium africanum</i> versus <i>Mycobacterium tuberculosis</i> possess distinct intestinal microbiota. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008230.	1.3	14
23	Mouse transcriptome reveals potential signatures of protection and pathogenesis in human tuberculosis. <i>Nature Immunology</i> , 2020, 21, 464-476.	7.0	71
24	Requirements for the differentiation of innate T-bethigh memory-phenotype CD4+ T lymphocytes under steady state. <i>Nature Communications</i> , 2020, 11, 3366.	5.8	16
25	Transcriptional profiling unveils type I and II interferon networks in blood and tissues across diseases. <i>Nature Communications</i> , 2019, 10, 2887.	5.8	65
26	The lectin-specific activity of <i>Toxoplasma gondii</i> microneme proteins 1 and 4 binds Toll-like receptor 2 and 4 N-glycans to regulate innate immune priming. <i>PLoS Pathogens</i> , 2019, 15, e1007871.	2.1	29
27	Correlation between Disease Severity and the Intestinal Microbiome in <i>Mycobacterium tuberculosis</i> -Infected Rhesus Macaques. <i>MBio</i> , 2019, 10, .	1.8	29
28	Molecular degree of perturbation of plasma inflammatory markers associated with tuberculosis reveals distinct disease profiles between Indian and Chinese populations. <i>Scientific Reports</i> , 2019, 9, 8002.	1.6	33
29	A major role for ferroptosis in <i>Mycobacterium tuberculosis</i> -induced cell death and tissue necrosis. <i>Journal of Experimental Medicine</i> , 2019, 216, 556-570.	4.2	231
30	The Colon as a Major Site of Immunoregulation by CD4+ T Cell Subsets in the Steady State. <i>Journal of Immunology</i> , 2019, 203, 1683-1684.	0.4	2
31	Foreign antigen-independent memory-phenotype CD4+ T cells: a new player in innate immunity?. <i>Nature Reviews Immunology</i> , 2018, 18, 1-1.	10.6	17
32	Type I interferons in tuberculosis: Foe and occasionally friend. <i>Journal of Experimental Medicine</i> , 2018, 215, 1273-1285.	4.2	187
33	Transient T-bet expression functionally specifies a distinct T follicular helper subset. <i>Journal of Experimental Medicine</i> , 2018, 215, 2705-2714.	4.2	68
34	The Microbiome and Tuberculosis: Early Evidence for Cross Talk. <i>MBio</i> , 2018, 9, .	1.8	71
35	Lysosomal Cathepsin Release Is Required for NLRP3-Inflammasome Activation by <i>Mycobacterium tuberculosis</i> in Infected Macrophages. <i>Frontiers in Immunology</i> , 2018, 9, 1427.	2.2	77
36	Innate recognition of <i>Toxoplasma gondii</i> in humans involves a mechanism distinct from that utilized by rodents. <i>Cellular and Molecular Immunology</i> , 2017, 14, 36-42.	4.8	52

#	ARTICLE	IF	CITATIONS
37	Adjuvant and carrier protein-dependent T-cell priming promotes a robust antibody response against the Plasmodium falciparum Pfs25 vaccine candidate. <i>Scientific Reports</i> , 2017, 7, 40312.	1.6	54
38	Memory-phenotype CD4 ⁺ T cells spontaneously generated under steady-state conditions exert innate T _H 1-like effector function. <i>Science Immunology</i> , 2017, 2, .	5.6	65
39	Inflammatory monocytes expressing tissue factor drive SIV and HIV coagulopathy. <i>Science Translational Medicine</i> , 2017, 9, .	5.8	94
40	Antibiotic treatment for Tuberculosis induces a profound dysbiosis of the microbiome that persists long after therapy is completed. <i>Scientific Reports</i> , 2017, 7, 10767.	1.6	148
41	Mycobacterium tuberculosis Induction of Heme Oxygenase-1 Expression Is Dependent on Oxidative Stress and Reflects Treatment Outcomes. <i>Frontiers in Immunology</i> , 2017, 8, 542.	2.2	37
42	Longitudinal profiling reveals a persistent intestinal dysbiosis triggered by conventional anti-tuberculosis therapy. <i>Microbiome</i> , 2017, 5, 71.	4.9	117
43	N-acetyl-cysteine exhibits potent anti-mycobacterial activity in addition to its known anti-oxidative functions. <i>BMC Microbiology</i> , 2016, 16, 251.	1.3	88
44	Systemic toxoplasma infection triggers a long-term defect in the generation and function of naive T lymphocytes. <i>Journal of Experimental Medicine</i> , 2016, 213, 3041-3056.	4.2	20
45	Water-in-Oil “Only Adjuvants Selectively Promote T Follicular Helper Cell Polarization through a Type I IFN and IL-6” Dependent Pathway. <i>Journal of Immunology</i> , 2016, 197, 3884-3893.	0.4	35
46	Pharmacological Inhibition of Host Heme Oxygenase-1 Suppresses Mycobacterium tuberculosis Infection <i>In Vivo</i> by a Mechanism Dependent on T Lymphocytes. <i>MBio</i> , 2016, 7, .	1.8	44
47	Chitosan: An Adjuvant with an Unanticipated STING. <i>Immunity</i> , 2016, 44, 522-524.	6.6	61
48	The IL-12 Response of Primary Human Dendritic Cells and Monocytes to <i>Toxoplasma gondii</i> Is Stimulated by Phagocytosis of Live Parasites Rather Than Host Cell Invasion. <i>Journal of Immunology</i> , 2016, 196, 345-356.	0.4	77
49	Cathepsin K Contributes to Cavitation and Collagen Turnover in Pulmonary Tuberculosis. <i>Journal of Infectious Diseases</i> , 2016, 213, 618-627.	1.9	27
50	Cytokine and lipid mediator networks in tuberculosis. <i>Immunological Reviews</i> , 2015, 264, 264-275.	2.8	128
51	Type I interferons in infectious disease. <i>Nature Reviews Immunology</i> , 2015, 15, 87-103.	10.6	1,902
52	Heme Oxygenase-1 Regulation of Matrix Metalloproteinase-1 Expression Underlies Distinct Disease Profiles in Tuberculosis. <i>Journal of Immunology</i> , 2015, 195, 2763-2773.	0.4	50
53	Mycobacterial Antigen Driven Activation of CD14 ⁺ CD16 ⁺ Monocytes Is a Predictor of Tuberculosis-Associated Immune Reconstitution Inflammatory Syndrome. <i>PLoS Pathogens</i> , 2014, 10, e1004433.	2.1	111
54	Dual Role for Inflammasome Sensors NLRP1 and NLRP3 in Murine Resistance to <i>Toxoplasma gondii</i> . <i>MBio</i> , 2014, 5, .	1.8	244

#	ARTICLE	IF	CITATIONS
55	Cutting Edge: Endoplasmic Reticulum Stress Licenses Macrophages To Produce Mature IL-1 β in Response to TLR4 Stimulation through a Caspase-8 α and TRIF-Dependent Pathway. <i>Journal of Immunology</i> , 2014, 192, 2029-2033.	0.4	149
56	Host-directed therapy of tuberculosis based on interleukin-1 and type I interferon crosstalk. <i>Nature</i> , 2014, 511, 99-103.	13.7	650
57	Influenza A Virus Impairs Control of Mycobacterium tuberculosis Coinfection Through a Type I Interferon Receptor α -Dependent Pathway. <i>Journal of Infectious Diseases</i> , 2014, 209, 270-274.	1.9	123
58	Innate Resistance against Toxoplasma gondii: An Evolutionary Tale of Mice, Cats, and Men. <i>Cell Host and Microbe</i> , 2014, 15, 132-138.	5.1	121
59	Recognition of Profilin by Toll-like Receptor 12 Is Critical for Host Resistance to Toxoplasma gondii. <i>Immunity</i> , 2013, 38, 119-130.	6.6	279
60	CD4+ T cells are trigger and target of the glucocorticoid response that prevents lethal immunopathology in toxoplasma infection. <i>Journal of Experimental Medicine</i> , 2013, 210, 1919-1927.	4.2	44
61	Cord Factor and Peptidoglycan Recapitulate the Th17-Promoting Adjuvant Activity of Mycobacteria through MinCLE/CARD9 Signaling and the Inflammasome. <i>Journal of Immunology</i> , 2013, 190, 5722-5730.	0.4	112
62	Plasma Heme Oxygenase-1 Levels Distinguish Latent or Successfully Treated Human Tuberculosis from Active Disease. <i>PLoS ONE</i> , 2013, 8, e62618.	1.1	58
63	NK Cell-Derived Interferon- γ Orchestrates Cellular Dynamics and the Differentiation of Monocytes into Dendritic Cells at the Site of Infection. <i>Immunity</i> , 2012, 36, 1047-1059.	6.6	239
64	CD8 α β + Dendritic Cells Are the Critical Source of Interleukin-12 that Controls Acute Infection by Toxoplasma gondii Tachyzoites. <i>Immunity</i> , 2011, 35, 249-259.	6.6	334
65	Innate and Adaptive Interferons Suppress IL-1 α and IL-1 β Production by Distinct Pulmonary Myeloid Subsets during Mycobacterium tuberculosis Infection. <i>Immunity</i> , 2011, 35, 1023-1034.	6.6	379
66	CD4 T Cells Promote Rather than Control Tuberculosis in the Absence of PD-1 α -Mediated Inhibition. <i>Journal of Immunology</i> , 2011, 186, 1598-1607.	0.4	269
67	<i>Mycobacterium tuberculosis</i> Triggers Host Type I IFN Signaling To Regulate IL-1 β Production in Human Macrophages. <i>Journal of Immunology</i> , 2011, 187, 2540-2547.	0.4	229
68	Vaccine Adjuvants: Putting Innate Immunity to Work. <i>Immunity</i> , 2010, 33, 492-503.	6.6	1,522
69	Cutting Edge: Caspase-1 Independent IL-1 β Production Is Critical for Host Resistance to <i>Mycobacterium tuberculosis</i> and Does Not Require TLR Signaling In Vivo. <i>Journal of Immunology</i> , 2010, 184, 3326-3330.	0.4	435
70	Dendritic Cell Activation Prevents MHC Class II Ubiquitination and Promotes MHC Class II Survival Regardless of the Activation Stimulus. <i>Journal of Biological Chemistry</i> , 2010, 285, 41749-41754.	1.6	43
71	Intranasal Poly-IC treatment exacerbates tuberculosis in mice through the pulmonary recruitment of a pathogen-permissive monocyte/macrophage population. <i>Journal of Clinical Investigation</i> , 2010, 120, 1674-1682.	3.9	259
72	Toxoplasma Profilin Is Essential for Host Cell Invasion and TLR11-Dependent Induction of an Interleukin-12 Response. <i>Cell Host and Microbe</i> , 2008, 3, 77-87.	5.1	320

#	ARTICLE	IF	CITATIONS
73	Conventional T-bet+Foxp3 ^{hi} Th1 cells are the major source of host-protective regulatory IL-10 during intracellular protozoan infection. <i>Journal of Experimental Medicine</i> , 2007, 204, 273-283.	4.2	539
74	TAP-1 indirectly regulates CD4 ⁺ T cell priming in <i>Toxoplasma gondii</i> infection by controlling NK cell IFN- γ production. <i>Journal of Experimental Medicine</i> , 2007, 204, 2591-2602.	4.2	77
75	Viral Gene Expression in HIV Transgenic Mice Is Activated by <i>Mycobacterium tuberculosis</i> and Suppressed after Antimycobacterial Chemotherapy. <i>Journal of Infectious Diseases</i> , 2007, 195, 246-254.	1.9	11
76	Effector and Regulatory CD4 ⁺ T Cell Function in a Murine Model of <i>Helicobacter hepaticus</i> -Induced Colitis. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2005, 40, S35-S36.	0.9	3
77	TLR11 Activation of Dendritic Cells by a Protozoan Profilin-Like Protein. <i>Science</i> , 2005, 308, 1626-1629.	6.0	862
78	Host control of <i>Mycobacterium tuberculosis</i> is regulated by 5-lipoxygenase-dependent lipoxin production. <i>Journal of Clinical Investigation</i> , 2005, 115, 1601-1606.	3.9	235
79	<i>Toxoplasma gondii</i> Triggers Myeloid Differentiation Factor 88-Dependent IL-12 and Chemokine Ligand 2 (Monocyte Chemoattractant Protein 1) Responses Using Distinct Parasite Molecules and Host Receptors. <i>Journal of Immunology</i> , 2004, 172, 6954-6960.	0.4	95
80	Exogenous Pathogen and Plant 15-Lipoxygenase Initiate Endogenous Lipoxin A4 Biosynthesis. <i>Journal of Experimental Medicine</i> , 2004, 199, 515-523.	4.2	89
81	The induction of Toll-like receptor tolerance enhances rather than suppresses HIV-1 gene expression in transgenic mice. <i>Journal of Leukocyte Biology</i> , 2004, 75, 460-466.	1.5	25
82	Structural Determinants of the Anti-HIV Activity of a CCR5 Antagonist Derived from <i>Toxoplasma gondii</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 53635-53642.	1.6	24
83	Turning it on and off: regulation of dendritic cell function in <i>Toxoplasma gondii</i> infection. <i>Immunological Reviews</i> , 2004, 201, 26-34.	2.8	42
84	Induction and Regulation of IL-12-Dependent Host Resistance to <i>Toxoplasma gondii</i> . <i>Immunologic Research</i> , 2003, 27, 521-528.	1.3	96
85	Shaping the immune response to parasites: role of dendritic cells. <i>Current Opinion in Immunology</i> , 2003, 15, 421-429.	2.4	104
86	Molecular mimicry of a CCR5 binding-domain in the microbial activation of dendritic cells. <i>Nature Immunology</i> , 2003, 4, 485-490.	7.0	215
87	Cutting Edge: In Vivo Induction of Integrated HIV-1 Expression by <i>Mycobacteria</i> Is Critically Dependent on Toll-Like Receptor 2. <i>Journal of Immunology</i> , 2003, 171, 1123-1127.	0.4	58
88	In Vivo Antiviral Activity of Novel Human Immunodeficiency Virus Type 1 Nucleocapsid p7 Zinc Finger Inhibitors in a Transgenic Murine Model. <i>AIDS Research and Human Retroviruses</i> , 2003, 19, 91-101.	0.5	39
89	Induction of colitis by a CD4 ⁺ T cell clone specific for a bacterial epitope. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 15830-15835.	3.3	83
90	Inhibition of HIV-1 infection by a CCR5-binding cyclophilin from <i>Toxoplasma gondii</i> . <i>Blood</i> , 2003, 102, 3280-3286.	0.6	42

#	ARTICLE	IF	CITATIONS
91	Bacteria-triggered CD4+ T Regulatory Cells Suppress <i>Helicobacter hepaticus</i> -induced Colitis. <i>Journal of Experimental Medicine</i> , 2002, 196, 505-515.	4.2	299
92	Cutting Edge: MyD88 Is Required for Resistance to <i>Toxoplasma gondii</i> Infection and Regulates Parasite-Induced IL-12 Production by Dendritic Cells. <i>Journal of Immunology</i> , 2002, 168, 5997-6001.	0.4	442
93	Parasite-induced Lipoxin A4 Is an Endogenous Regulator of IL-12 Production and Immunopathology in <i>Toxoplasma gondii</i> Infection. <i>Journal of Experimental Medicine</i> , 2002, 196, 1253-1262.	4.2	193
94	In the Absence of IL-12, CD4+ T Cell Responses to Intracellular Pathogens Fail to Default to a Th2 Pattern and Are Host Protective in an IL-10 Setting. <i>Immunity</i> , 2002, 16, 429-439.	6.6	232
95	Th1/Th2 effector choice in parasitic infection: decision making by committee. <i>Current Opinion in Immunology</i> , 2001, 13, 403-409.	2.4	78
96	In Vivo CD40-CD154 (CD40 Ligand) Interaction Induces Integrated HIV Expression by APC in an HIV-1-Transgenic Mouse Model. <i>Journal of Immunology</i> , 2001, 166, 3210-3217.	0.4	19
97	<i>Helicobacter hepaticus</i> -Induced Colitis in Interleukin-10-Deficient Mice: Cytokine Requirements for the Induction and Maintenance of Intestinal Inflammation. <i>Infection and Immunity</i> , 2001, 69, 4232-4241.	1.0	129
98	Inactivation of <i>Irg-47</i> and <i>Irg-47</i> Reveals a Family of Interferon-Inducible Genes with Essential, Pathogen-Specific Roles in Resistance to Infection. <i>Journal of Experimental Medicine</i> , 2001, 194, 181-188.	4.2	311
99	A Human Immunodeficiency Virus-Transgenic Mouse Model for Assessing Interventions that Block Microbial-Induced Proviral Expression. <i>Journal of Infectious Diseases</i> , 2001, 183, 1592-1600.	1.9	17
100	Malaria Infection Induces Virus Expression in Human Immunodeficiency Virus Transgenic Mice by CD4 T Cell-Dependent Immune Activation. <i>Journal of Infectious Diseases</i> , 2001, 183, 1260-1268.	1.9	28
101	CCR5 provides a signal for microbial induced production of IL-12 by CD8 ⁺ dendritic cells. <i>Nature Immunology</i> , 2000, 1, 83-87.	7.0	317
102	Single Cell Analysis Reveals That IL-4 Receptor/Stat6 Signaling Is Not Required for the In Vivo or In Vitro Development of CD4+ Lymphocytes with a Th2 Cytokine Profile. <i>Journal of Immunology</i> , 2000, 164, 3047-3055.	0.4	232
103	Cutting Edge: IL-12 Is Required for the Maintenance of IFN- γ Production in T Cells Mediating Chronic Resistance to the Intracellular Pathogen, <i>Toxoplasma gondii</i> . <i>Journal of Immunology</i> , 2000, 165, 628-631.	0.4	270
104	CD40 Triggering of Heterodimeric IL-12 p70 Production by Dendritic Cells In Vivo Requires a Microbial Priming Signal. <i>Immunity</i> , 2000, 13, 453-462.	6.6	507
105	Effector Cells of Both Nonhemopoietic and Hemopoietic Origin Are Required for Interferon (IFN)- γ - and Tumor Necrosis Factor (TNF)-dependent Host Resistance to the Intracellular Pathogen, <i>Toxoplasma gondii</i> . <i>Journal of Experimental Medicine</i> , 1999, 189, 1083-1092.	4.2	214
106	The role of dendritic cells in the induction and regulation of immunity to microbial infection. <i>Current Opinion in Immunology</i> , 1999, 11, 392-399.	2.4	260
107	Requirement for Tec Kinases <i>Rlk</i> and <i>Itk</i> in T Cell Receptor Signaling and Immunity. <i>Science</i> , 1999, 284, 638-641.	6.0	373
108	Paralysis of Dendritic Cell IL-12 Production by Microbial Products Prevents Infection-Induced Immunopathology. <i>Immunity</i> , 1999, 11, 637-647.	6.6	171

#	ARTICLE	IF	CITATIONS
109	Cell-mediated Immunity to <i>Toxoplasma Gondii</i> : Initiation, Regulation and Effector Function. <i>Immunobiology</i> , 1999, 201, 240-247.	0.8	200
110	<i>Helicobacter hepaticus</i> Triggers Colitis in Specific-Pathogen-Free Interleukin-10 (IL-10)-Deficient Mice through an IL-12- and Gamma Interferon-Dependent Mechanism. <i>Infection and Immunity</i> , 1998, 66, 5157-5166.	1.0	416
111	In Vivo Microbial Stimulation Induces Rapid CD40 Ligand-independent Production of Interleukin 12 by Dendritic Cells and their Redistribution to T Cell Areas. <i>Journal of Experimental Medicine</i> , 1997, 186, 1819-1829.	4.2	836
112	Inducible Nitric Oxide Is Essential for Host Control of Persistent but Not Acute Infection with the Intracellular Pathogen <i>Toxoplasma gondii</i> . <i>Journal of Experimental Medicine</i> , 1997, 185, 1261-1274.	4.2	415
113	Interferon Consensus Sequence Binding Protein-deficient Mice Display Impaired Resistance to Intracellular Infection Due to a Primary Defect in Interleukin 12 p40 Induction. <i>Journal of Experimental Medicine</i> , 1997, 186, 1523-1534.	4.2	196
114	Initiation and Regulation of CD4+ T-Cell Function in Host-Parasite Models (Part 1 of 2). <i>Chemical Immunology and Allergy</i> , 1996, 63, 51-58.	1.7	7