

Yanchun Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9833911/publications.pdf>

Version: 2024-02-01

19
papers

845
citations

567281

15
h-index

839539

18
g-index

19
all docs

19
docs citations

19
times ranked

637
citing authors

#	ARTICLE	IF	CITATIONS
1	Type studies on two <i>Paxillus</i> species (Paxillaceae, Boletales) described from China. <i>Phytotaxa</i> , 2022, 530, 177-188.	0.3	1
2	Cyanescent <i>Gyroporus</i> (Gyroporaceae, Boletales) from China. <i>MycKeys</i> , 2021, 81, 165-183.	1.9	3
3	The genus <i>Pulveroboletus</i> (Boletaceae, Boletales) in China. <i>Mycologia</i> , 2017, 109, 422-442.	1.9	23
4	One hundred noteworthy boletes from China. <i>Fungal Diversity</i> , 2016, 81, 25-188.	12.3	142
5	Four new genera of the fungal family Boletaceae. <i>Fungal Diversity</i> , 2016, 81, 1-24.	12.3	61
6	The genus <i>Retiboletus</i> in China. <i>Mycologia</i> , 2016, 108, 363-380.	1.9	28
7	The genus <i>Imleria</i> (Boletaceae) in East Asia. <i>Phytotaxa</i> , 2014, 191, 81.	0.3	17
8	Molecular phylogenetic analyses redefine seven major clades and reveal 22 new generic clades in the fungal family Boletaceae. <i>Fungal Diversity</i> , 2014, 69, 93-115.	12.3	183
9	<i>Paraxerula ellipsospora</i> , a new Asian species of Physalacriaceae. <i>Mycological Progress</i> , 2014, 13, 639-647.	1.4	14
10	A new genus <i>Pseudoaustroboletus</i> (Boletaceae, Boletales) from Asia as inferred from molecular and morphological data. <i>Mycological Progress</i> , 2014, 13, 1207.	1.4	29
11	The taxonomic foundation, species circumscription and continental endemisms of <i>Singerocybe</i> : evidence from morphological and molecular data. <i>Mycologia</i> , 2014, 106, 1015-1026.	1.9	16
12	Molecular phylogeny and taxonomy of the genus <i>Veloporphyrellus</i> . <i>Mycologia</i> , 2014, 106, 291-306.	1.9	35
13	<i>Crocinoletus</i> , a new genus of Boletaceae (Boletales) with unusual boletocrocin polyene pigments. <i>Phytotaxa</i> , 2014, 175, 133.	0.3	33
14	The genus <i>Phylloporus</i> (Boletaceae, Boletales) from China: morphological and multilocus DNA sequence analyses. <i>Fungal Diversity</i> , 2013, 58, 73-101.	12.3	86
15	Evidence against <i>Barium</i> in the Mushroom <i>Trogia venenata</i> as a Cause of Sudden Unexpected Deaths in Yunnan, China. <i>Applied and Environmental Microbiology</i> , 2012, 78, 8834-8835.	3.1	4
16	<i>Trogia venenata</i> (Agaricales), a novel poisonous species which has caused hundreds of deaths in southwestern China. <i>Mycological Progress</i> , 2012, 11, 937-945.	1.4	25
17	DNA Sequence Analyses Reveal Abundant Diversity, Endemism and Evidence for Asian Origin of the Porcini Mushrooms. <i>PLoS ONE</i> , 2012, 7, e37567.	2.5	79
18	Genetic Diversity of Dahongjun, the Commercially Important "Big Red Mushroom" from Southern China. <i>PLoS ONE</i> , 2010, 5, e10684.	2.5	21

#	ARTICLE	IF	CITATIONS
19	Recombination and genetic differentiation among natural populations of the ectomycorrhizal mushroom <i>Tricholoma matsutake</i> from southwestern China. <i>Molecular Ecology</i> , 2008, 17, 1238-1247.	3.9	45