

Hiroyuki Mizuguchi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/983609/publications.pdf>

Version: 2024-02-01

80
papers

1,565
citations

257450

24
h-index

345221

36
g-index

85
all docs

85
docs citations

85
times ranked

1361
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Regulation of Nuclear Import/Export of Carbohydrate Response Element-binding Protein (ChREBP). <i>Journal of Biological Chemistry</i> , 2008, 283, 24899-24908. | 3.4 | 87 |
| 2 | Rat liver aromatic L-amino acid decarboxylase: Spectroscopic and kinetic analysis of the coenzyme and reaction intermediates. <i>Biochemistry</i> , 1993, 32, 812-818. | 2.5 | 82 |
| 3 | Stimulation of Histamine H1 Receptor Up-Regulates Histamine H1 Receptor Itself Through Activation of Receptor Gene Transcription. <i>Journal of Pharmacological Sciences</i> , 2007, 103, 374-382. | 2.5 | 76 |
| 4 | The Imine π -Pyridine Torsion of the Pyridoxal 5 α -Phosphate Schiff Base of Aspartate Aminotransferase Lowers Its pKa in the Unliganded Enzyme and Is Crucial for the Successive Increase in the pKa during Catalysis. <i>Biochemistry</i> , 1998, 37, 15076-15085. | 2.5 | 72 |
| 5 | Involvement of Protein Kinase C β /Extracellular Signal-regulated Kinase/Poly(ADP-ribose) Polymerase-1 (PARP-1) Signaling Pathway in Histamine-induced Up-regulation of Histamine H1 Receptor Gene Expression in HeLa Cells. <i>Journal of Biological Chemistry</i> , 2011, 286, 30542-30551. | 3.4 | 56 |
| 6 | Repeated Pre-treatment With Antihistamines Causes Transcriptional Up-regulations of Histamine H1 Receptor and Interleukin-4 Genes in Toluene-2,4-diisocyanate α -Sensitized Rats. <i>Journal of Pharmacological Sciences</i> , 2008, 108, 480-486. | 2.5 | 45 |
| 7 | Structures of Escherichia coli Histidinol-Phosphate Aminotransferase and Its Complexes with Histidinol-Phosphate and N-(5 α -Phosphopyridoxyl)-L-Glutamate: A Double Substrate Recognition of the Enzyme α , β . <i>Biochemistry</i> , 2001, 40, 4633-4644. | 2.5 | 43 |
| 8 | Anti-allergic activity of standardized extract of <i>Albizia lebbek</i> with reference to catechin as a phytomarker. <i>Immunopharmacology and Immunotoxicology</i> , 2010, 32, 272-276. | 2.4 | 39 |
| 9 | Reaction Mechanism of Fructose-2,6-bisphosphatase. <i>Journal of Biological Chemistry</i> , 1999, 274, 2166-2175. | 3.4 | 38 |
| 10 | Strain Is More Important Than Electrostatic Interaction in Controlling the pKa of the Catalytic Group in Aspartate Aminotransferase α , β . <i>Biochemistry</i> , 2001, 40, 353-360. | 2.5 | 38 |
| 11 | Suppression of Histamine Signaling by Probiotic Lac-B: a Possible Mechanism of Its Anti-allergic Effect. <i>Journal of Pharmacological Sciences</i> , 2008, 107, 159-166. | 2.5 | 36 |
| 12 | Suplatast Tosilate Inhibits Histamine Signaling by Direct and Indirect Down-Regulation of Histamine H1 Receptor Gene Expression through Suppression of Histidine Decarboxylase and IL-4 Gene Transcriptions. <i>Journal of Immunology</i> , 2009, 183, 2133-2141. | 0.8 | 36 |
| 13 | Strain and catalysis in aspartate aminotransferase. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2003, 1647, 103-109. | 2.3 | 35 |
| 14 | Maackiain is a novel anti-allergic compound that suppresses transcriptional upregulation of the histamine H ₁ receptor and interleukin α 4 genes. <i>Pharmacology Research and Perspectives</i> , 2015, 3, e00166. | 2.4 | 33 |
| 15 | Mast cell stabilization and antihistaminic potentials of <i>Curculigo orchioides</i> rhizomes. <i>Journal of Ethnopharmacology</i> , 2009, 126, 434-436. | 4.1 | 32 |
| 16 | Sho-seiryu-to Suppresses Histamine Signaling at the Transcriptional Level in TDI-Sensitized Nasal Allergy Model Rats. <i>Allergy International</i> , 2009, 58, 81-88. | 3.3 | 32 |
| 17 | Crystal Structure of the H256A Mutant of Rat Testis Fructose-6-phosphate,2-kinase/Fructose-2,6-bisphosphatase. <i>Journal of Biological Chemistry</i> , 1999, 274, 2176-2184. | 3.4 | 31 |
| 18 | Acid π -Base Chemistry of the Reaction of Aromatic L-Amino Acid Decarboxylase and Dopa Analyzed by Transient and Steady-State Kinetics: A Preferential Binding of the Substrate with Its Amino Group Unprotonated α . <i>Biochemistry</i> , 1999, 38, 15615-15622. | 2.5 | 31 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Conformational Change in Aspartate Aminotransferase on Substrate Binding Induces Strain in the Catalytic Group and Enhances Catalysis. <i>Journal of Biological Chemistry</i> , 2003, 278, 9481-9488. | 3.4 | 30 |
| 20 | Kujin Suppresses Histamine Signaling at the Transcriptional Level in Toluene 2,4-Diisocyanate- ϵ -Sensitized Rats. <i>Journal of Pharmacological Sciences</i> , 2009, 109, 606-617. | 2.5 | 29 |
| 21 | Quercetin inhibits transcriptional up-regulation of histamine H1 receptor via suppressing protein kinase C- β /extracellular signal-regulated kinase/poly(ADP-ribose) polymerase-1 signaling pathway in HeLa cells. <i>International Immunopharmacology</i> , 2013, 15, 232-239. | 3.8 | 28 |
| 22 | Crystal Structures of Threonine Synthase from <i>Thermus thermophilus</i> HB8. <i>Journal of Biological Chemistry</i> , 2003, 278, 46035-46045. | 3.4 | 27 |
| 23 | <i>Albizia lebeck</i> suppresses histamine signaling by the inhibition of histamine H1 receptor and histidine decarboxylase gene transcriptions. <i>International Immunopharmacology</i> , 2011, 11, 1766-1772. | 3.8 | 27 |
| 24 | Crystal Structures of Glutamine:Phenylpyruvate Aminotransferase from <i>Thermus thermophilus</i> HB8. <i>Journal of Biological Chemistry</i> , 2004, 279, 16518-16525. | 3.4 | 26 |
| 25 | Effect of Royal Jelly and Brazilian Green Propolis on the Signaling for Histamine H β 1 Receptor and Interleukin-9 Gene Expressions Responsible for the Pathogenesis of the Allergic Rhinitis. <i>Biological and Pharmaceutical Bulletin</i> , 2018, 41, 1440-1447. | 1.4 | 25 |
| 26 | PMA-induced dissociation of Ku86 from the promoter causes transcriptional up-regulation of histamine H1 receptor. <i>Scientific Reports</i> , 2012, 2, 916. | 3.3 | 24 |
| 27 | Glutamine:phenylpyruvate Aminotransferase from an Extremely Thermophilic Bacterium, <i>Thermus thermophilus</i> HB8. <i>Journal of Biochemistry</i> , 2003, 134, 843-851. | 1.7 | 23 |
| 28 | Endothelin receptor antagonists alleviate blood-brain barrier disruption and cerebral edema in a mouse model of traumatic brain injury: A comparison between bosentan and ambrisentan. <i>Neuropharmacology</i> , 2020, 175, 108182. | 4.1 | 23 |
| 29 | Structure of Imidazole Glycerol Phosphate Synthase from <i>Thermus thermophilus</i> HB8: Open-Closed Conformational Change and Ammonia Tunneling. <i>Journal of Biochemistry</i> , 2002, 132, 759-765. | 1.7 | 22 |
| 30 | Preseasonal prophylactic treatment with antihistamines suppresses IL β 5 but not IL-33 mRNA expression in the nasal mucosa of patients with seasonal allergic rhinitis caused by Japanese cedar pollen. <i>Acta Oto-Laryngologica</i> , 2012, 132, 434-438. | 0.9 | 22 |
| 31 | Disruption of Heat Shock Protein 90 (Hsp90)-Protein Kinase C β (PKC β) Interaction by (Z)-Maackiain Suppresses Histamine H1 Receptor Gene Transcription in HeLa Cells. <i>Journal of Biological Chemistry</i> , 2015, 290, 27393-27402. | 3.4 | 22 |
| 32 | The Substrate Activation Process in the Catalytic Reaction of <i>Escherichia coli</i> Aromatic Amino Acid Aminotransferase. <i>Biochemistry</i> , 2000, 39, 15418-15428. | 2.5 | 21 |
| 33 | Inverse Agonistic Activity of Antihistamines and Suppression of Histamine H1 Receptor Gene Expression. <i>Journal of Pharmacological Sciences</i> , 2012, 118, 117-121. | 2.5 | 21 |
| 34 | Analysis of the Substrate-Recognition Mode of Aromatic Amino Acid Aminotransferase by Combined Use of Quasisubstrates and Site-Directed Mutagenesis: A Systematic Hydroxy-Group Addition/Deletion Studies to Probe the Enzyme-Substrate Interactions. <i>Biochemistry</i> , 1996, 35, 6754-6761. | 2.5 | 19 |
| 35 | Usefulness of HeLa cells to evaluate inverse agonistic activity of antihistamines. <i>International Immunopharmacology</i> , 2013, 15, 539-543. | 3.8 | 19 |
| 36 | Interleukin-4 up-regulates histamine H1 receptors by activation of H1 receptor gene transcription. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2010, 381, 305-313. | 3.0 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Deprivation of anticipated food under scheduled feeding induces c-Fos expression in the caudal part of the arcuate nucleus of hypothalamus through histamine H1 receptors in rats: Potential involvement of E3 subgroup of histaminergic neurons in tuberomammillary nucleus. <i>Brain Research</i> , 2011, 1387, 61-70. | 2.2 | 18 |
| 38 | Angiopietinâ€1/Tieâ€2 signal after focal traumatic brain injury is potentiated by BQ788, an ET_B receptor antagonist, in the mouse cerebrum: Involvement in recovery of bloodâ€brain barrier function. <i>Journal of Neurochemistry</i> , 2020, 154, 330-348. | 3.9 | 18 |
| 39 | A Switch in the Kinase Domain of Rat Testis 6-Phosphofructo-2-kinase/Fructose-2,6-bisphosphataseâ€i. <i>Biochemistry</i> , 1999, 38, 12333-12342. | 2.5 | 17 |
| 40 | The Active Sites of Fructose 6-Phosphate,2-kinase: Fructose-2,6-bisphosphatase from Rat Testis. <i>Journal of Biological Chemistry</i> , 1997, 272, 7867-7872. | 3.4 | 16 |
| 41 | Identification of a histaminergic circuit in the caudal hypothalamus: An evidence for functional heterogeneity of histaminergic neurons. <i>Neurochemistry International</i> , 2012, 61, 942-947. | 3.8 | 16 |
| 42 | Effects of antihistamine on up-regulation of histamine H1 receptor mRNA in the nasal mucosa of patients with pollinosis induced by controlled cedar pollen challenge in an environmental exposure unit. <i>Journal of Pharmacological Sciences</i> , 2015, 129, 183-187. | 2.5 | 16 |
| 43 | The isolation and synthesis of a novel benzofuran compound from <i>Tephrosia purpurea</i> , and the synthesis of several related derivatives, which suppress histamine H1 receptor gene expression. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 6869-6874. | 3.0 | 16 |
| 44 | Chemical Mechanism of the Fructose-6-Phosphate,2-Kinase Reaction from the pH Dependence of Kinetic Parameters of Site-Directed Mutants of Active Site Basic Residuesâ€i. <i>Biochemistry</i> , 1997, 36, 8775-8784. | 2.5 | 15 |
| 45 | Site-Directed Mutants of Rat Testis Fructose 6-Phosphate, 2-Kinase/Fructose 2,6-Bisphosphatase:Â Localization of Conformational Alterations Induced by Ligand Bindingâ€i. <i>Biochemistry</i> , 1998, 37, 14057-14064. | 2.5 | 15 |
| 46 | Down-regulation of astrocytic sonic hedgehog by activation of endothelin ETB receptors: Involvement in traumatic brain injury-induced disruption of blood brain barrier in a mouse model. <i>Neurochemistry International</i> , 2021, 146, 105042. | 3.8 | 14 |
| 47 | Characterization of histidinol phosphate aminotransferase from <i>Escherichia coli</i> . <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2003, 1647, 321-324. | 2.3 | 10 |
| 48 | Suplatast tosilate alleviates nasal symptoms through the suppression of nuclear factor of activated T-cells-mediated IL-9 gene expression in toluene-2,4-diisocyanate-sensitized rats. <i>Journal of Pharmacological Sciences</i> , 2016, 130, 151-158. | 2.5 | 10 |
| 49 | Effect of wild grape on the signaling of histamine H₁ receptor gene expression responsible for the pathogenesis of allergic rhinitis. <i>Journal of Medical Investigation</i> , 2018, 65, 242-250. | 0.5 | 10 |
| 50 | Elucidation of Inverse Agonist Activity of Bilastine. <i>Pharmaceutics</i> , 2020, 12, 525. | 4.5 | 9 |
| 51 | A novel benzofuran, 4-methoxybenzofuran-5-carboxamide, from <i>Tephrosia purpurea</i> suppressed histamine H 1 receptor gene expression through a protein kinase C-Î-dependent signaling pathway. <i>International Immunopharmacology</i> , 2016, 30, 18-26. | 3.8 | 8 |
| 52 | Protein kinase C-Î signaling regulates glucagon secretion from pancreatic islets. <i>Journal of Medical Investigation</i> , 2017, 64, 122-128. | 0.5 | 8 |
| 53 | Potential of <i>Baliospermum montanum</i> against compound 48/80-induced systemic anaphylaxis. <i>Pharmaceutical Biology</i> , 2010, 48, 1213-1217. | 2.9 | 7 |
| 54 | Pharmacological Inhibition of Transient Receptor Potential Vanilloid 4 Reduces Vasogenic Edema after Traumatic Brain Injury in Mice. <i>Biological and Pharmaceutical Bulletin</i> , 2021, 44, 1759-1766. | 1.4 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Histamine H1 Receptor Gene Expression and Drug Action of Antihistamines. Handbook of Experimental Pharmacology, 2016, 241, 161-169. | 1.8 | 6 |
| 56 | Identification of pyrogallol from Awa-tea as an anti-allergic compound that suppresses nasal symptoms and IL-9 gene expression. Journal of Medical Investigation, 2020, 67, 289-297. | 0.5 | 6 |
| 57 | Transcriptional microarray analysis reveals suppression of histamine signaling by Kujin alleviates allergic symptoms through down-regulation of FAT10 expression. International Immunopharmacology, 2011, 11, 1504-1509. | 3.8 | 5 |
| 58 | Combination of Leukotoriene Receptor Antagonist With Antihistamine Has an Additive Suppressive Effect on the Up-regulation of H1-Receptor mRNA in the Nasal Mucosa of Toluene 2,4-Diisocyanate-Sensitized Rat. Journal of Pharmacological Sciences, 2013, 122, 55-58. | 2.5 | 5 |
| 59 | Irradiation with narrowband-ultraviolet B suppresses phorbol ester-induced up-regulation of H ₁ receptor mRNA in HeLa cells. Acta Oto-Laryngologica, 2016, 136, 409-413. | 0.9 | 5 |
| 60 | Antihistamines suppress upregulation of histidine decarboxylase gene expression with potencies different from their binding affinities for histamine H1 receptor in toluene 2,4-diisocyanate-sensitized rats. Journal of Pharmacological Sciences, 2016, 130, 212-218. | 2.5 | 5 |
| 61 | Effects of irradiation with narrowband-ultraviolet B on up-regulation of histamine H1 receptor mRNA and induction of apoptosis in HeLa cells and nasal mucosa of rats. Journal of Pharmacological Sciences, 2018, 138, 54-62. | 2.5 | 4 |
| 62 | Effects of Syo-seiryu-to and Its Constituent Crude Drugs on Phorbol Ester-Induced Up-Regulation of IL-33 and Histamine H1 Receptor mRNAs in Swiss 3T3 and HeLa Cells. Allergies, 2021, 1, 163-175. | 0.8 | 4 |
| 63 | Molecular Signaling and Transcriptional Regulation of Histamine H1 Receptor Gene. Current Topics in Behavioral Neurosciences, 2021, , 91-110. | 1.7 | 4 |
| 64 | The Imine ^π Pyridine Torsion of the Pyridoxal 5 ^π -Phosphate Schiff Base of Aspartate Aminotransferase Lowers Its pKa in the Unliganded Enzyme and Is Crucial for the Successive Increase in the pKa during Catalysis. Biochemistry, 1999, 38, 854-854. | 2.5 | 3 |
| 65 | A report on anti-oedemogenic activity of Byttneria herbacea roots ^π Possible involvement of histamine receptor (type I). Journal of Ethnopharmacology, 2012, 140, 443-446. | 4.1 | 3 |
| 66 | Identification and characterisation of the anti ^π allergic compound from lotus root. Traditional & Kampo Medicine, 2020, 7, 85-95. | 0.6 | 3 |
| 67 | Effects of corticosteroid on mRNA levels of histamine H1 receptor in nasal mucosa of healthy participants and HeLa cells. Journal of Medical Investigation, 2020, 67, 311-314. | 0.5 | 3 |
| 68 | Signaling Pathway of Histamine H1 Receptor-Mediated Histamine H1 Receptor Gene Upregulation Induced by Histamine in U-373 MG Cells. Current Issues in Molecular Biology, 2021, 43, 1243-1254. | 2.4 | 2 |
| 69 | Effects of narrow ^π band UVB on nasal symptom and upregulation of histamine H 1 receptor mRNA in allergic rhinitis model rats. Laryngoscope Investigative Otolaryngology, 2021, 6, 34-41. | 1.5 | 1 |
| 70 | The Molecular Mechanism of Up-regulation of Histamine H1 Receptor mRNA in the Nasal Mucosa of Patients with Allergic Rhinitis and the Effect of Antihistamine on Histamine H1 Receptor Expression. Practica Otologica, 2014, 107, 261-270. | 0.0 | 1 |
| 71 | Patho-Pharmacological Research of Anti-allergic Natural Products Targeting Antihistamine-Sensitive and -Insensitive Allergic Mechanisms. Current Topics in Behavioral Neurosciences, 2021, , 1. | 1.7 | 1 |
| 72 | Exclusive expression of c-Fos in the caudal part of the arcuate nucleus of hypothalamus; involvement of histaminergic neurons. Neuroscience Research, 2010, 68, e399. | 1.9 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Histamine H1 Receptor Gene Expression Mechanism as a Novel Therapeutic Target of Allergy. , 2010, , 285-295. | | 0 |
| 74 | Clinical Significance of Histamine H1 Receptor Gene Expression and Drug Action of Antihistamines. Receptors, 2016, , 157-172. | 0.2 | 0 |
| 75 | Isolation of anti-allergic compound from Lotus Root. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO1-4-8. | 0.0 | 0 |
| 76 | Notable alleviation of allergic symptoms through suppression of both histamine H ₁ receptor and IL-9 gene expressions. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, SY43-3. | 0.0 | 0 |
| 77 | Pre-seasonal prophylactic treatment in Japanese cedar pollinosis. Journal of Japan Society of Immunology & Allergology in Otolaryngology, 2019, 37, 241-244. | 0.0 | 0 |
| 78 | Molecular Mechanisms of Transcriptional Upregulation of the Histamine H ₁ Receptor Gene in the Development of Allergic Rhinitis. Practica Otologica, Supplement, 2022, 158, 1-11. | 0.0 | 0 |
| 79 | Role of Nuclear Factor of Activated T Cells Signaling in the Development of Allergic Rhinitis. Practica Otologica, Supplement, 2022, 158, 12-19. | 0.0 | 0 |
| 80 | Development of a Phototherapy Device for Allergic Rhinitis Using LEDs Emitting Narrowband UVB. Practica Otologica, Supplement, 2022, 158, 20-28. | 0.0 | 0 |