

David Gaist

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/98439/publications.pdf>

Version: 2024-02-01

129
papers

5,805
citations

57758

44
h-index

82547

72
g-index

130
all docs

130
docs citations

130
times ranked

6836
citing authors

#	ARTICLE	IF	CITATIONS
1	Trends in the use of oral anticoagulants, antiplatelets and statins in four European countries: a population-based study. <i>European Journal of Clinical Pharmacology</i> , 2022, 78, 497-504.	1.9	15
2	Higher Risk of Ischemic Stroke After an Intracerebral Hemorrhage Than in General Population: A Cohort Study From the United Kingdom. <i>Stroke</i> , 2022, 53, STROKEAHA121037633.	2.0	6
3	Sex-Differences in Oral Anticoagulant-Related Intracerebral Hemorrhage. <i>Frontiers in Neurology</i> , 2022, 13, 832903.	2.4	4
4	Comparison of diabetic and idiopathic sensory polyneuropathies with respect to nerve fibre affection and risk factors. <i>BMJ Neurology Open</i> , 2022, 4, e000247.	1.6	0
5	COVID-19 did not result in increased hospitalization for stroke and transient ischemic attack: A nationwide study. <i>European Journal of Neurology</i> , 2022, 29, 2269-2274.	3.3	5
6	Association of Long-term Statin Use With the Risk of Intracerebral Hemorrhage. <i>Neurology</i> , 2022, 99, .	1.1	9
7	Trends in incidence of oral anticoagulant-related intracerebral hemorrhage and sales of oral anticoagulants in Capital Region of Denmark 2010-2017. <i>European Stroke Journal</i> , 2021, 6, 143-150.	5.5	10
8	Trends in Incidence of Intracerebral Hemorrhage and Association With Antithrombotic Drug Use in Denmark, 2005-2018. <i>JAMA Network Open</i> , 2021, 4, e218380.	5.9	17
9	Test-retest and time dependent variation and diagnostic values of vibratory sensation determined by biothesiometer and the Rydel-Seiffer tuning fork. <i>Brain and Behavior</i> , 2021, 11, e2230.	2.2	6
10	Oxaliplatin Neuropathy: Predictive Values of Skin Biopsy, QST and Nerve Conduction. <i>Journal of Neuromuscular Diseases</i> , 2021, 8, 679-688.	2.6	7
11	Validity of Simple Algorithms to Identify Recurrence of Intracerebral Hemorrhage in Two Danish Nationwide Registries. <i>Clinical Epidemiology</i> , 2021, Volume 13, 949-958.	3.0	2
12	Statin use and peripheral nerve function—A prospective follow-up study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 126, 203-211.	2.5	7
13	Antidepressant drug use and subdural hematoma risk. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 318-327.	3.8	8
14	Hydrochlorothiazide Use and Increased Squamous Cell Carcinoma Burden in a High-Risk Mohs Population: A Cross-Sectional Study. <i>Dermatologic Surgery</i> , 2020, 46, 704-708.	0.8	5
15	Migraine with aura in women is not associated with structural thalamic abnormalities. <i>NeuroImage: Clinical</i> , 2020, 28, 102361.	2.7	10
16	<p></p>The Validity of Intracerebral Hemorrhage Diagnoses in the Danish Patient Registry and the Danish Stroke Registry</p>. <i>Clinical Epidemiology</i> , 2020, Volume 12, 1313-1325.	3.0	12
17	<p></p>Increasing Incidence and Prevalence of Acquired Hemolytic Anemias in Denmark, 1980-2016</p>. <i>Clinical Epidemiology</i> , 2020, Volume 12, 497-508.	3.0	27
18	<p></p>Prevalence of Congenital Hemolytic Disorders in Denmark, 2000-2016</p>. <i>Clinical Epidemiology</i> , 2020, Volume 12, 485-495.	3.0	10

#	ARTICLE	IF	CITATIONS
19	Neurofilaments: The C-Reactive Protein of Neurology. <i>Brain Sciences</i> , 2020, 10, 56.	2.3	47
20	Evans syndrome in adults –incidence, prevalence, and survival in a nationwide cohort. <i>American Journal of Hematology</i> , 2019, 94, 1081-1090.	4.1	34
21	Bilateral anterior cerebral artery infarction presenting with acute paraparesis and parkinsonism. <i>Neurology: Clinical Practice</i> , 2019, 9, 494-496.	1.6	0
22	The importance of validating intracranial bleeding diagnoses in The Health Improvement Network, United Kingdom: Misclassification of onset and its impact on the risk associated with low-dose aspirin therapy. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 134-139.	1.9	7
23	Hydrochlorothiazide use and risk for Merkel cell carcinoma and malignant adnexal skin tumors: A nationwide case-control study. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, 460-465.e9.	1.2	38
24	Predictors of Over-Anticoagulation in Warfarin Users in the UK General Population: A Nested Case-Control Study in a Primary Health Care Database. <i>Thrombosis and Haemostasis</i> , 2019, 119, 066-076.	3.4	12
25	Lack of Association Between Proton Pump Inhibitor Use and Cognitive Decline. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 681-689.	4.4	32
26	Population Impact of Drug Interactions with Warfarin: A Real-World Data Approach. <i>Thrombosis and Haemostasis</i> , 2018, 118, 461-470.	3.4	19
27	Melanoma of the Skin in the Danish Cancer Registry and the Danish Melanoma Database. <i>Epidemiology</i> , 2018, 29, 442-447.	2.7	14
28	Migraine with visual aura associated with thicker visual cortex. <i>Brain</i> , 2018, 141, 776-785.	7.6	52
29	Screening for late-onset Pompe disease in western Denmark. <i>Acta Neurologica Scandinavica</i> , 2018, 137, 85-90.	2.1	9
30	Hydrochlorothiazide use and risk of nonmelanoma skin cancer: A nationwide case-control study from Denmark. <i>Journal of the American Academy of Dermatology</i> , 2018, 78, 673-681.e9.	1.2	218
31	Hydrochlorothiazide and the Risk of Malignant Melanoma –Reply. <i>JAMA Internal Medicine</i> , 2018, 178, 1425.	5.1	1
32	Homozygosity for <i>SCN4A</i> Arg1142Gln causes congenital myopathy with variable disease expression. <i>Neurology: Genetics</i> , 2018, 4, e267.	1.9	9
33	Association of Hydrochlorothiazide Use and Risk of Malignant Melanoma. <i>JAMA Internal Medicine</i> , 2018, 178, 1120.	5.1	74
34	Oral Immunosuppressive Treatment of Myasthenia Gravis in Denmark: A Nationwide Drug Utilization Study, 1996–2013. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 486-493.	2.5	3
35	Hormonal contraception is not associated with increased risk for seizures in the general population: results from a cohort study using The Health Improvement Network. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 1175-1180.	1.9	4
36	Intracerebral hemorrhage: positive predictive value of diagnosis codes in two nationwide Danish registries. <i>Clinical Epidemiology</i> , 2018, Volume 10, 941-948.	3.0	27

#	ARTICLE	IF	CITATIONS
37	Association of Antithrombotic Drug Use With Subdural Hematoma Risk. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 836.	7.4	121
38	DOK7 congenital myasthenia may be associated with severe mitral valve insufficiency. <i>Journal of the Neurological Sciences</i> , 2017, 379, 217-218.	0.6	3
39	Incidence of intracranial bleeds in new users of low-dose aspirin: a cohort study using The Health Improvement Network. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 1055-1064.	3.8	10
40	Statins and polyneuropathy revisited: case-control study in Denmark, 1999-2013. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 2087-2095.	2.4	21
41	Statins and the Risk of Intracerebral Hemorrhage in Patients With Previous Ischemic Stroke or Transient Ischemic Attack. <i>Stroke</i> , 2017, 48, 3245-3251.	2.0	19
42	Low-dose aspirin and risk of intracranial bleeds. <i>Neurology</i> , 2017, 89, 2280-2287.	1.1	36
43	Endovascular thrombectomy and post-procedural headache. <i>Journal of Headache and Pain</i> , 2017, 18, 10.	6.0	6
44	Prevalence and risk of migraine in patients with rosacea: A population-based cohort study. <i>Journal of the American Academy of Dermatology</i> , 2017, 76, 454-458.	1.2	36
45	Clinical heterogeneity and phenotype/genotype findings in 5 families with <i>GYG1</i> deficiency. <i>Neurology: Genetics</i> , 2017, 3, e208.	1.9	12
46	Low-Dose Aspirin after an Episode of Haemorrhagic Stroke Is Associated with Improved Survival. <i>Thrombosis and Haemostasis</i> , 2017, 117, 2396-2405.	3.4	11
47	Use of tricyclic antidepressants and risk of glioma: a nationwide case-control study. <i>British Journal of Cancer</i> , 2016, 114, 1265-1268.	6.4	19
48	Migraine with aura and risk of silent brain infarcts and white matter hyperintensities: an MRI study. <i>Brain</i> , 2016, 139, 2015-2023.	7.6	74
49	Risk of seizure associated with use of acid-suppressive drugs: An observational cohort study. <i>Epilepsy and Behavior</i> , 2016, 62, 72-80.	1.7	10
50	Subdural hematoma cases identified through a Danish patient register: diagnosis validity, clinical characteristics, and preadmission antithrombotic drug use. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 1253-1262.	1.9	28
51	Post procedure headache in patients treated for neurovascular arteriovenous malformations and aneurysms using endovascular therapy. <i>Journal of Headache and Pain</i> , 2016, 17, 73.	6.0	12
52	Antithrombotic drugs and subarachnoid haemorrhage risk. <i>Thrombosis and Haemostasis</i> , 2015, 114, 1064-1075.	3.4	36
53	Hormonal contraceptive use and risk of glioma among younger women: a nationwide case-control study. <i>British Journal of Clinical Pharmacology</i> , 2015, 79, 677-684.	2.4	19
54	Statin use and risk of nonmelanoma skin cancer: a nationwide study in Denmark. <i>British Journal of Cancer</i> , 2015, 112, 153-156.	6.4	14

#	ARTICLE	IF	CITATIONS
55	Migraine and risk of hemorrhagic stroke: a study based on data from general practice. <i>Journal of Headache and Pain</i> , 2014, 15, 74.	6.0	24
56	Statin use and survival following glioblastoma multiforme. <i>Cancer Epidemiology</i> , 2014, 38, 722-727.	1.9	57
57	Characterization and diagnostic evaluation of chronic polyneuropathies induced by oxaliplatin and docetaxel comparing skin biopsy to quantitative sensory testing and nerve conduction studies. <i>European Journal of Neurology</i> , 2014, 21, 623-629.	3.3	77
58	Naive CD4 T-cell activation identifies MS patients having rapid transition to progressive MS. <i>Neurology</i> , 2014, 82, 1193-1193.	1.1	0
59	Spontaneous Temporal Changes and Variability of Peripheral Nerve Conduction Analyzed Using a Random Effects Model. <i>Journal of Clinical Neurophysiology</i> , 2014, 31, 387-391.	1.7	2
60	Myasthenia and risk of cancer: a population-based case-control study. <i>European Journal of Neurology</i> , 2014, 21, 773-778.	3.3	15
61	Risk of non-melanoma skin cancer in myasthenia patients treated with azathioprine. <i>European Journal of Neurology</i> , 2014, 21, 454-458.	3.3	29
62	Long-term use of antiplatelet drugs by patients with transient ischaemic attack. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 241-248.	1.9	10
63	Discontinuation of Antiplatelet Treatment and Risk of Recurrent Stroke and All-Cause Death: A Cohort Study. <i>Neuroepidemiology</i> , 2014, 43, 57-64.	2.3	11
64	Hormone replacement therapy and risk of glioma: A nationwide nested case-control study. <i>Cancer Epidemiology</i> , 2013, 37, 876-880.	1.9	12
65	Hormone replacement therapy increases the risk of cranial meningioma. <i>European Journal of Cancer</i> , 2013, 49, 3303-3310.	2.8	33
66	Late-onset myasthenia not on the increase: a nationwide register study in Denmark, 1996-2009. <i>European Journal of Neurology</i> , 2013, 20, 309-314.	3.3	40
67	Use of low-dose aspirin and non-aspirin nonsteroidal anti-inflammatory drugs and risk of glioma: a case-control study. <i>British Journal of Cancer</i> , 2013, 108, 1189-1194.	6.4	25
68	Warfarin and absolute risk of hemorrhagic stroke. <i>Cmaj</i> , 2013, 185, 687-687.	2.0	2
69	Antithrombotic drugs and risk of hemorrhagic stroke in the general population. <i>Neurology</i> , 2013, 81, 566-574.	1.1	129
70	Mortality after hemorrhagic stroke. <i>Neurology</i> , 2013, 81, 559-565.	1.1	109
71	Use of azathioprine for non-thymoma myasthenia and risk of cancer: a nationwide case-control study in Denmark. <i>European Journal of Neurology</i> , 2013, 20, 942-948.	3.3	24
72	Incidence of hemorrhagic stroke in the general population: validation of data from The Health Improvement Network. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 176-182.	1.9	46

#	ARTICLE	IF	CITATIONS
73	Use of statins and risk of glioma: a nationwide case-control study in Denmark. <i>British Journal of Cancer</i> , 2013, 108, 715-720.	6.4	44
74	Long-term use of antiplatelet drugs by stroke patients: a follow-up study based on prescription register data. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1631-1637.	1.9	22
75	Identifying Patients with Myasthenia for Epidemiological Research by Linkage of Automated Registers. <i>Neuroepidemiology</i> , 2011, 37, 120-128.	2.3	17
76	Exposure to antiepileptic drugs and the risk of hip fracture: A case-control study. <i>Epilepsia</i> , 2008, 49, 2092-2099.	5.1	61
77	Intensive community pharmacy intervention had little impact on triptan consumption: A randomized controlled trial. <i>Scandinavian Journal of Primary Health Care</i> , 2006, 24, 16-21.	1.5	22
78	Trends in utilization of antiepileptic drugs in Denmark. <i>Acta Neurologica Scandinavica</i> , 2006, 113, 405-411.	2.1	93
79	Early exposure to smoking and future fecundity among Danish twins. <i>Journal of Developmental and Physical Disabilities</i> , 2006, 29, 603-613.	3.6	52
80	Appendectomy and Ulcerative Colitis. <i>Epidemiology</i> , 2005, 16, 132-133.	2.7	1
81	Long-term effects of migraine on cognitive function. <i>Neurology</i> , 2005, 64, 600-607.	1.1	77
82	Characteristics of middle-aged and elderly women with urinary incontinence. <i>Scandinavian Journal of Primary Health Care</i> , 2005, 23, 203-208.	1.5	38
83	Seasonal Variation in Hospitalization and Case Fatality of Subarachnoid Hemorrhage - A Nationwide Danish Study on 9,367 Patients. <i>Neuroepidemiology</i> , 2005, 24, 32-37.	2.3	45
84	Time trends in waiting time to pregnancy among Danish twins. <i>Human Reproduction</i> , 2005, 20, 955-964.	0.9	46
85	Appendectomy has no beneficial effect on admission rates in patients with ulcerative colitis. <i>Gut</i> , 2004, 53, 351-354.	12.1	24
86	Does Appendectomy Reduce the Risk of Ulcerative Colitis?. <i>Epidemiology</i> , 2004, 15, 173-178.	2.7	29
87	Parity and Risk of Subarachnoid Hemorrhage in Women. <i>Stroke</i> , 2004, 35, 28-32.	2.0	34
88	Genetic and environmental influences on urinary incontinence: a Danish population-based twin study of middle-aged and elderly women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 978-982.	2.8	44
89	Genetic and environmental influences on urinary incontinence: a Danish population-based twin study of middle-aged and elderly women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 978-982.	2.8	17
90	Predictors of Mortality in 2,249 Nonagenarians - The Danish 1905-Cohort Survey. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 1365-1373.	2.6	253

#	ARTICLE	IF	CITATIONS
91	Angiotensin I-Converting Enzyme (ACE) Gene Polymorphism in Relation to Physical Performance, Cognition and Survival—A Follow-up Study of Elderly Danish Twins. <i>Annals of Epidemiology</i> , 2003, 13, 57-65.	1.9	50
92	Genetic and Environmental Influences on Migraine: A Twin Study Across Six Countries. <i>Twin Research and Human Genetics</i> , 2003, 6, 422-431.	1.0	285
93	Risk of Stroke Associated With Nonsteroidal Anti-Inflammatory Drugs. <i>Stroke</i> , 2003, 34, 379-386.	2.0	86
94	Stroke Research in GenomEUtwin. <i>Twin Research and Human Genetics</i> , 2003, 6, 442-447.	1.0	3
95	Genetic and Environmental Influences on Migraine: A Twin Study Across Six Countries. <i>Twin Research and Human Genetics</i> , 2003, 6, 422-431.	1.0	5
96	Risk of stroke associated with nonsteroidal anti-inflammatory drugs: a nested case-control study. <i>Stroke</i> , 2003, 34, 379-86.	2.0	18
97	Genetic Contribution to Rate of Change in Functional Abilities among Danish Twins Aged 75 Years or More. <i>American Journal of Epidemiology</i> , 2002, 155, 132-139.	3.4	43
98	Selective Serotonin Reuptake Inhibitors and the Risk of Stroke. <i>Stroke</i> , 2002, 33, 1465-1473.	2.0	133
99	Frequency and heritability of depression symptomatology in the second half of life: evidence from Danish twins over 45. <i>Psychological Medicine</i> , 2002, 32, 1175-1185.	4.5	51
100	Do Children of Long-Lived Parents Age More Successfully?. <i>Epidemiology</i> , 2002, 13, 334-339.	2.7	34
101	Cognitive Impairment and Mortality among Nonagenarians: The Danish 1905 Cohort Survey. <i>Dementia and Geriatric Cognitive Disorders</i> , 2002, 13, 156-163.	1.5	59
102	Cessation of Smoking After First-Ever Stroke. <i>Stroke</i> , 2002, 33, 2263-2269.	2.0	75
103	Statins and risk of polyneuropathy. <i>Neurology</i> , 2002, 58, 1333-1337.	1.1	261
104	Genetic Liability in Stroke. <i>Stroke</i> , 2002, 33, 769-774.	2.0	216
105	Hand grip strength: A phenotype suitable for identifying genetic variants affecting mid- and late-life physical functioning. <i>Genetic Epidemiology</i> , 2002, 23, 110-122.	1.3	179
106	Association of Mutations in the Hemochromatosis Gene With Shorter Life Expectancy. <i>Archives of Internal Medicine</i> , 2001, 161, 2441-2444.	3.8	47
107	Evaluation of Patients With Symptoms Suggestive of Chronic Polyneuropathy. <i>Journal of Clinical Neuromuscular Disease</i> , 2001, 3, 47-52.	0.7	49
108	Lipid-Lowering Drugs and Risk of Myopathy: A Population-Based Follow-Up Study. <i>Epidemiology</i> , 2001, 12, 565-569.	2.7	202

#	ARTICLE	IF	CITATIONS
109	Are users of lipid-lowering drugs at increased risk of peripheral neuropathy?. <i>European Journal of Clinical Pharmacology</i> , 2001, 56, 931-933.	1.9	94
110	Diagnostic yield by testing small fiber function in patients examined for polyneuropathy. <i>Journal of the Peripheral Nervous System</i> , 2001, 6, 214-218.	3.1	9
111	Functional Status and Self-Rated Health in 2,262 Nonagenarians: The Danish 1905 Cohort Survey. <i>Journal of the American Geriatrics Society</i> , 2001, 49, 601-609.	2.6	170
112	Antiepileptic drug utilization: a Danish prescription database analysis. <i>Acta Neurologica Scandinavica</i> , 2001, 104, 6-11.	2.1	55
113	The Danish 1905 Cohort. <i>Journal of Aging and Health</i> , 2001, 13, 32-46.	1.7	104
114	Risk of subarachnoid haemorrhage in first degree relatives of patients with subarachnoid haemorrhage: follow up study based on national registries in Denmark. <i>BMJ: British Medical Journal</i> , 2000, 320, 141-145.	2.3	65
115	Strength and Anthropometric Measures in Identical and Fraternal Twins: No Evidence of Masculinization of Females with Male Co-Twins. <i>Epidemiology</i> , 2000, 11, 340-343.	2.7	77
116	Use and Overuse of Sumatriptan. <i>Pharmacoepidemiological Studies Based on Prescription Register and Interview Data. Cephalalgia</i> , 1999, 19, 735-761.	3.9	49
117	Statins and peripheral neuropathy. <i>European Journal of Clinical Pharmacology</i> , 1999, 54, 835-838.	1.9	89
118	A tooth per child?. <i>Lancet, The</i> , 1998, 352, 1387.	13.7	3
119	A tooth per child?. <i>Lancet, The</i> , 1998, 352, 204.	13.7	78
120	Inappropriate use of sumatriptan: population based register and interview study. <i>BMJ: British Medical Journal</i> , 1998, 316, 1352-1353.	2.3	52
121	The Waiting Time Distribution as a Graphical Approach to Epidemiologic Measures of Drug Utilization. <i>Epidemiology</i> , 1997, 8, 666.	2.7	47
122	The Waiting Time Distribution as a Graphical Approach to Epidemiologic Measures of Drug Utilization. <i>Epidemiology</i> , 1997, 8, 666-670.	2.7	73
123	Use of sumatriptan in Denmark in 1994-5: an epidemiological analysis of nationwide prescription data. <i>British Journal of Clinical Pharmacology</i> , 1997, 43, 429-433.	2.4	48
124	Griseofulvin and Fluvoxamine Interactions with the Metabolism of Theophylline. <i>Therapeutic Drug Monitoring</i> , 1997, 19, 56-62.	2.0	43
125	Is overuse of sumatriptan a problem?. <i>European Journal of Clinical Pharmacology</i> , 1996, 50, 161-165.	1.9	59
126	Spontaneous reports of drug-induced erythema multiforme, Stevens - Johnson syndrome and toxic epidermal necrolysis in Denmark 1968-1991. <i>Pharmacoepidemiology and Drug Safety</i> , 1996, 5, 79-86.	1.9	3

#	ARTICLE	IF	CITATIONS
127	Are young adults with asthma treated sufficiently with inhaled steroids? A population-based study of prescription data from 1991 and 1994. <i>British Journal of Clinical Pharmacology</i> , 1996, 41, 285-289.	2.4	48
128	Whipple's Disease. <i>Scandinavian Journal of Gastroenterology</i> , 1994, 29, 97-101.	1.5	15
129	Misuse of sumatriptan. <i>Lancet</i> , The, 1994, 344, 1090.	13.7	12