List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/984828/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Clinical responses to EGFR-tyrosine kinase inhibitor retreatment in non-small cell lung cancer patients who benefited from prior effective gefitinib therapy: a retrospective analysis. BMC Cancer, 2011, 11, 1.	2.6	260
2	Depletion of CD4+CD25+ Regulatory Cells Augments the Generation of Specific Immune T Cells in Tumor-Draining Lymph Nodes. Journal of Immunotherapy, 2002, 25, 207-217.	2.4	189
3	Immunogenicity and Therapeutic Efficacy of Dendritic–Tumor Hybrid Cells Generated by Electrofusion. Clinical Immunology, 2002, 104, 14-20.	3.2	82
4	Comparative Analysis of Antigen Loading Strategies of Dendritic Cells for Tumor Immunotherapy. Journal of Immunotherapy, 2004, 27, 265-272.	2.4	71
5	Early treatment with oral immunosuppressants in severe proteinuric purpura nephritis. Pediatric Nephrology, 2003, 18, 347-350.	1.7	66
6	Spontaneous remission of persistent severe hematuria in an adolescent with nutcracker syndrome: seven years? observation. Clinical and Experimental Nephrology, 2004, 8, 68-70.	1.6	61
7	IFN-γ and TNF-α Synergistically Induce microRNA-155 Which Regulates TAB2/IP-10 Expression in Human Mesangial Cells. American Journal of Nephrology, 2010, 32, 462-468.	3.1	58
8	Therapeutic immune response induced by electrofusion of dendritic and tumor cells. Cellular Immunology, 2002, 220, 1-12.	3.0	57
9	Autoantibodies to villin occur frequently in IPEX, a severe immune dysregulation, syndrome caused by mutation of FOXP3. Clinical Immunology, 2011, 141, 83-89.	3.2	53
10	Carnosic acid suppresses the production of amyloid- \hat{l}^2 1-42 and 1-43 by inducing an \hat{l}_\pm -secretase TACE/ADAM17 in U373MG human astrocytoma cells. Neuroscience Research, 2014, 79, 83-93.	1.9	49
11	Randomized Controlled Study of the Efficacy, Safety and Quality of Life with Low Dose bacillus Calmette-Guérin Instillation Therapy for Nonmuscle Invasive Bladder Cancer. Journal of Urology, 2016, 195, 41-46.	0.4	49
12	Retinoic acid-inducible gene-I is induced by double-stranded RNA and regulates the expression of CC chemokine ligand (CCL) 5 in human mesangial cells. Nephrology Dialysis Transplantation, 2010, 25, 3534-3539.	0.7	47
13	Carnosic acid attenuates apoptosis induced by amyloid-β 1–42 or 1–43 in SH-SY5Y human neuroblastoma cells. Neuroscience Research, 2015, 94, 1-9.	1.9	47
14	Production of monocyte chemoattractant protein-1 by bovine glomerular endothelial cells. Kidney International, 1995, 48, 1866-1874.	5.2	45
15	Toll-like receptor 3 signaling contributes to the expression of a neutrophil chemoattractant, CXCL1 in human mesangial cells. Clinical and Experimental Nephrology, 2015, 19, 761-770.	1.6	38
16	Combined therapy of enalapril and losartan attenuates histologic progression in immunoglobulin A nephropathy. Pediatrics International, 2004, 46, 576-579.	0.5	37
17	Melanoma Differentiation-Associated Gene 5 Regulates the Expression of a Chemokine CXCL10 in Human Mesangial Cells: Implications for Chronic Inflammatory Renal Diseases. Tohoku Journal of Experimental Medicine, 2012, 228, 17-26.	1.2	35
18	Inflammatory Chemokine Expression via Toll-Like Receptor 3 Signaling in Normal Human Mesangial Cells. Clinical and Developmental Immunology, 2013, 2013, 1-6.	3.3	34

#	Article	IF	CITATIONS
19	Expression of retinoic acid-inducible gene-I in lupus nephritis. Nephrology Dialysis Transplantation, 2007, 22, 2407-2409.	0.7	30
20	Long-Term Tacrolimus-Based Immunosuppressive Treatment for Young Patients with Lupus Nephritis: A Prospective Study in Daily Clinical Practice. Nephron, 2013, 121, c165-c173.	1.8	29
21	Glomerular expression of myxovirus resistance protein 1 in human mesangial cells: Possible activation of innate immunity in the pathogenesis of lupus nephritis. Nephrology, 2013, 18, 833-837.	1.6	27
22	Effect of Fasting Subjects' Posture on 13 Câ€Urea Breath Test for Detection of Helicobacter pylori Infection. Helicobacter, 1997, 2, 82-85.	3.5	26
23	Expression of Profilin, an Actin-Binding Protein, in Rat Experimental Glomerulonephritis and Its Upregulation by Basic Fibroblast Growth Factor in Cultured Rat Mesangial Cells. Journal of the American Society of Nephrology: JASN, 2000, 11, 423-433.	6.1	25
24	ISG54 and ISG56 are induced by TLR3 signaling in U373MG human astrocytoma cells: Possible involvement in CXCL10 expression. Neuroscience Research, 2014, 84, 34-42.	1.9	24
25	Interferon-stimulated gene (ISG) 60, as well as ISG56 and ISG54, positively regulates TLR3/IFN-β/STAT1 axis in U373MG human astrocytoma cells. Neuroscience Research, 2016, 105, 35-41.	1.9	24
26	Interstitial cystitis and ileus in pediatric-onset systemic lupus erythematosus. Pediatric Nephrology, 2000, 14, 859-861.	1.7	23
27	Mizoribine intermittent pulse protocol for induction therapy for systemic lupus erythematosus in children: an open-label pilot study with five newly diagnosed patients. Clinical Rheumatology, 2007, 27, 85-89.	2.2	23
28	Novel multidrug therapy for children with cyclosporine-resistant or -intolerant nephrotic syndrome. Pediatric Nephrology, 2011, 26, 1255-1261.	1.7	23
29	Bladder cancer detection by urinary extracellular vesicle mRNA analysis. Oncotarget, 2018, 9, 32810-32821.	1.8	23
30	Long-term mizoribine intermittent pulse therapy for young patients with flare of lupus nephritis. Pediatric Nephrology, 2006, 21, 962-966.	1.7	22
31	Alteration in the podoplanin–ezrin–cytoskeleton linkage is an important initiation event of the podocyte injury in puromycin aminonucleoside nephropathy, a mimic of minimal change nephrotic syndrome. Cell and Tissue Research, 2015, 362, 201-213.	2.9	22
32	Treatment of difficult cases of systemic-onset juvenile idiopathic arthritis with tacrolimus. European Journal of Pediatrics, 2007, 166, 1053-1055.	2.7	21
33	Expression of mRNA for functional molecules in urinary sediment in glomerulonephritis. Pediatric Nephrology, 2008, 23, 395-401.	1.7	21
34	Mizoribine attenuates renal injury and macrophage infiltration in patients with severe lupus nephritis. Clinical Rheumatology, 2010, 29, 1049-1054.	2.2	21
35	Repeat renal biopsy in children with severe idiopathic tubulointerstitial nephritis. Pediatric Nephrology, 2004, 19, 240-243.	1.7	20
36	Mizoribine Treatment of Young Patients with Severe Lupus Nephritis: A Clinicopathologic Study by the Tohoku Pediatric Study Group. Nephron Clinical Practice, 2008, 110, c73-c79.	2.3	20

#	Article	IF	CITATIONS
37	Endothelial expression of fractalkine (CX3CL1) is induced by Toll-like receptor 3 signaling in cultured human glomerular endothelial cells. Modern Rheumatology, 2020, 30, 1074-1081.	1.8	20
38	Tubulointerstitial Nephritis and Uveitis Syndrome in Two Siblings Tohoku Journal of Experimental Medicine, 2001, 194, 71-74.	1.2	19
39	Vesical varices and telangiectasias in a patient with ataxia telangiectasia. Pediatric Nephrology, 2008, 23, 1005-1008.	1.7	19
40	Glomerular expression of fractalkine is induced by polyinosinic-polycytidylic acid in human mesangial cells: possible involvement of fractalkine after viral infection. Pediatric Research, 2013, 73, 180-186.	2.3	19
41	Mizoribine oral pulse therapy for a patient with severe lupus nephritis. Pediatrics International, 2003, 45, 488-490.	0.5	18
42	Interferon (IFN)-induced protein 35 (IFI35) negatively regulates IFN-β-phosphorylated STAT1-RIG-I-CXCL10/CCL5 axis in U373MG astrocytoma cells treated with polyinosinic-polycytidylic acid. Brain Research, 2017, 1658, 60-67.	2.2	18
43	Single-dose daily administration of cyclosporin�A for relapsing nephrotic syndrome. Pediatric Nephrology, 2004, 19, 1055-8.	1.7	17
44	Polyinosinic-Polycytidylic Acid Induces the Expression of Interferon-Stimulated Gene 20 in Mesangial Cells. Nephron Experimental Nephrology, 2011, 119, e40-e48.	2.2	17
45	Interferon (IFN)-Induced Protein 35 (IFI35), a Type I Interferon-Dependent Transcript, Upregulates Inflammatory Signaling Pathways by Activating Toll-Like Receptor 3 in Human Mesangial Cells. Kidney and Blood Pressure Research, 2016, 41, 635-642.	2.0	17
46	Gnetin C, a resveratrol dimer, reduces amyloid-β 1–42 (Aβ42) production and ameliorates Aβ42-lowered cell viability in cultured SH-SY5Y human neuroblastoma cells . Biomedical Research, 2018, 39, 105-115.	0.9	17
47	Multiple Arteriovenous Malformations Located in the Cerebellum, Posterior Fossa, Spinal Cord, Dura, and Scalp with Associated Port-Wine Stain and Supratentorial Venous Anomaly. Neurosurgery, 1992, 31, 137-140.	1.1	16
48	Interferon-Stimulated Gene 15, a Type I Interferon-Dependent Transcript, Is Involved in a Negative Feedback Loop in Innate Immune Reactions in Human Mesangial Cells. Nephron, 2016, 132, 144-152.	1.8	16
49	Cytosolic Sensors of Viral RNA Are Involved in the Production of Interleukin-6 via Toll-Like Receptor 3 Signaling in Human Glomerular Endothelial Cells. Kidney and Blood Pressure Research, 2019, 44, 62-71.	2.0	16
50	Toll-Like Receptor 3 Signaling Contributes to Regional Neutrophil Recruitment in Cultured Human Glomerular Endothelial Cells. Nephron, 2018, 139, 349-358.	1.8	15
51	Mizoribine Pulse Therapy for a Pediatric Patient with Steroid-Resistant Nephrotic Syndrome. Tohoku Journal of Experimental Medicine, 2005, 205, 87-91.	1.2	14
52	Low-dose cyclosporine A in a patient with X-linked immune dysregulation, polyendocrinopathy and enteropathy. European Journal of Pediatrics, 2005, 164, 779-780.	2.7	14
53	Cylindromatosis (CYLD), a Deubiquitinase, Attenuates Inflammatory Signaling Pathways by Activating Toll-Like Receptor 3 in Human Mesangial Cells. Kidney and Blood Pressure Research, 2017, 42, 942-950.	2.0	14
54	Acute tubulointerstitial nephritis associated with piperacillin therapy in a boy with glomerulonephritis. Pediatrics International, 1997, 39, 698-700.	0.5	13

#	Article	IF	CITATIONS
55	Involvement of PDGF in pressure-induced mesangial cell proliferation through PKC and tyrosine kinase pathways. American Journal of Physiology - Renal Physiology, 1999, 277, F105-F112.	2.7	13
56	Imbalance towards Th1 pathway predominance in purpura nephritis with proteinuria. Pediatric Nephrology, 2011, 26, 2253-2258.	1.7	13
57	A young girl with refractory intestinal Behçet's disease: a case report and review of literatures on pediatric cases who received an anti-tumor necrosis factor agent. Rheumatology International, 2013, 33, 3105-3108.	3.0	13
58	Tumor necrosis factor-α synergistically enhances polyinosinic-polycytidylic acid-induced toll-like receptor 3 signaling in cultured normal human mesangial cells: possible involvement in the pathogenesis of lupus nephritis. Clinical and Experimental Nephrology, 2015, 19, 75-81.	1.6	13
59	Acute Tubulointerstitial Nephritis Following Intravenous Immunoglobulin Therapy in a Male Infant with Minimal-Change Nephrotic Syndrome Tohoku Journal of Experimental Medicine, 1999, 189, 155-161.	1.2	12
60	Successful treatment with leukocytapheresis in refractory Henoch-Sch�nlein purpura: case report. Clinical Rheumatology, 2003, 22, 248-250.	2.2	11
61	Potential Th1/Th2 predominance in children with newly diagnosed IgA nephropathy. Acta Paediatrica, International Journal of Paediatrics, 2010, 99, 1584-1586.	1.5	11
62	Interaction between Interferon-Stimulated Gene 56 and Melanoma Differentiation-Associated Gene 5 in Toll-Like Receptor 3 Signaling in Normal Human Mesangial Cells. American Journal of Nephrology, 2013, 37, 118-125.	3.1	11
63	Chloroquine attenuates TLR3/IFN-β signaling in cultured normal human mesangial cells: A possible protective effect against renal damage in lupus nephritis. Modern Rheumatology, 2017, 27, 1004-1009.	1.8	11
64	Treatment of pediatric-onset lupus nephritis: a proposal of optimal therapy. Clinical and Experimental Nephrology, 2017, 21, 755-763.	1.6	11
65	TLR4 signaling induces retinoic acid-inducible gene-I and melanoma differentiation-associated gene 5 in mesangial cells. Journal of Nephrology, 2013, 26, 886-893.	2.0	11
66	Treatment of young patients with lupus nephritis using calcineurin inhibitors. World Journal of Nephrology, 2012, 1, 177.	2.0	11
67	Relapsed duodenal ulcer after cure of Helicobacter pylori infection. Journal of Gastroenterology, 1998, 33, 556-561.	5.1	10
68	Age-Related Histologic Alterations after Prednisolone Therapy in Children with IgA Nephropathy Tohoku Journal of Experimental Medicine, 1998, 185, 247-252.	1.2	10
69	Acute renal failure due to hypertension: Malignant hypertension in an adolescent. Pediatrics International, 2003, 45, 342-344.	0.5	10
70	Basic-helix-loop-helix transcription factor DEC2 constitutes negative feedback loop in IFN-β-mediated inflammatory responses in human mesangial cells. Immunology Letters, 2011, 136, 37-43.	2.5	10
71	Efficacy of Long-Term Sulfamethoxazole-Trimethoprim Therapy in a Boy with Hyperimmunoglobulin E Syndrome Tohoku Journal of Experimental Medicine, 1998, 186, 61-66.	1.2	9
72	Focal Segmental Glomerulosclerosis: Unremitting Proteinuria of Long Duration as a Possible Etiology ?. Tohoku Journal of Experimental Medicine, 2000, 192, 157-163.	1.2	9

#	Article	IF	CITATIONS
73	Effective Therapy of a Child Case of Refractory Nephrotic Syndrome with Tacrolimus. Tohoku Journal of Experimental Medicine, 2004, 204, 237-241.	1.2	9
74	Leukocytapheresis for the treatment of refractory systemic-onset juvenile idiopathic arthritis. Clinical Rheumatology, 2007, 26, 1014-1016.	2.2	9
75	Leukocytapheresis for the treatment of refractory Henoch–Schönlein purpura resistant to both prednisolone and intravenous immunoglobulin therapy. Rheumatology International, 2008, 28, 1181-1182.	3.0	9
76	Urinary Fractalkine and Monocyte Chemoattractant Protein-1 as Possible Predictors of Disease Activity of Childhood Glomerulonephritis. Tohoku Journal of Experimental Medicine, 2013, 231, 265-270.	1.2	9
77	Desferrioxamine, an iron chelator, inhibits CXCL10 expression induced by polyinosinic–polycytidylic acid in U373MG human astrocytoma cells. Neuroscience Research, 2015, 94, 10-16.	1.9	9
78	Does Dent disease remain an underrecognized cause for young boys with focal glomerulosclerosis?. Pediatrics International, 2016, 58, 747-749.	0.5	9
79	Urinary excretion of sphingomyelinase phosphodiesterase acidâ€like 3b in children with intractable nephrotic syndrome. Pediatrics International, 2017, 59, 1112-1115.	0.5	9
80	Interferon-stimulated gene 60 (ISG60) constitutes a negative feedback loop in the downstream of TLR3 signaling in hCMEC/D3 cells. Journal of Neuroimmunology, 2018, 324, 16-21.	2.3	9
81	Chloroquine attenuates TLR3-mediated plasminogen activator inhibitor-1 expression in cultured human glomerular endothelial cells. Clinical and Experimental Nephrology, 2019, 23, 448-454.	1.6	9
82	Subclinical Sjögren's syndrome: A significant67gallium accumulation in the orbits and parotid glands. Pediatrics International, 1998, 40, 621-623.	0.5	8
83	Renal Biopsy Findings in Children Receiving Long-Term Treatment with Cyclosporine A Given as a Single Daily Dose. Tohoku Journal of Experimental Medicine, 2006, 209, 191-196.	1.2	8
84	Benefits of Once-Daily Administration of Cyclosporine A for Children with Steroid-Dependent, Relapsing Nephrotic Syndrome. Tohoku Journal of Experimental Medicine, 2010, 220, 183-186.	1.2	8
85	Successful Multidrug Treatment of a Pediatric Patient with Severe Churg-Strauss Syndrome Refractory to Prednisolone. Tohoku Journal of Experimental Medicine, 2011, 225, 117-121.	1.2	8
86	Severe intrinsic acute kidney injury associated with therapeutic doses of acetaminophen. Pediatrics International, 2015, 57, e53-5.	0.5	8
87	Glomerular endothelial expression of type I IFN-stimulated gene, DExD/H-Box helicase 60 via toll-like receptor 3 signaling: possible involvement in the pathogenesis of lupus nephritis. Renal Failure, 2022, 44, 137-145.	2.1	8
88	Disseminated candidiasis following prednisolone therapy in systemic lupus erythematosus. Pediatrics International, 2002, 44, 702-704.	0.5	7
89	Long-term intermittent pulse therapy with mizoribine attenuates histologic progression in young patients with severe lupus nephritis: Report of two patients (Brief Communication). Nephrology, 2007, 12, 376-379.	1.6	7
90	Monitoring of Epstein–Barr virus load and killer T cells in patients with juvenile idiopathic arthritis treated with methotrexate or tocilizumab. Modern Rheumatology, 2017, 27, 66-71.	1.8	7

#	Article	IF	CITATIONS
91	DEC1 negatively regulates the expression of CXCL10 and CCL5 induced by poly IC in normal human mesangial cells . Biomedical Research, 2017, 38, 249-255.	0.9	7
92	Retinoic acidâ€inducible geneâ€i, melanoma differentiationâ€associated gene 5 and Câ€Xâ€C motif chemokine ligand 10 are induced by a Tollâ€ike receptor 3 agonist in human brain microvascular endothelial cells. Clinical and Experimental Neuroimmunology, 2018, 9, 189-197.	1.0	7
93	Clinical Application of the Multidimensional Neurological Monitoring System and the Cerebrosystemic Hemodynamic Profile for Critically III Neurosurgical Patients. Neurologia Medico-Chirurgica, 1988, 28, 27-33.	2.2	6
94	Glomerulonephritis without IgA deposits in a case of Henoch-Schönlein purpura. Pediatric Nephrology, 1999, 13, 597-599.	1.7	6
95	Effective Treatment with Cyclosporine A of a Child with Systemic Lupus Erythematosus Resistant to Cyclophosphamide Pulse Therapy. Tohoku Journal of Experimental Medicine, 2006, 208, 355-359.	1.2	6
96	Acute renal failure with encephalopathy following Salmonellaenteritidis infection. Pediatric Nephrology, 2006, 21, 1209-1210.	1.7	6
97	Tacrolimus for the treatment of focal segmental glomerulosclerosis resistant to cyclosporine A. Pediatric Nephrology, 2006, 21, 1913-1914.	1.7	6
98	A novel multidrug therapy for difficult cyclosporine-resistant focal segmental glomerulosclerosis. Pediatric Nephrology, 2009, 24, 873-875.	1.7	6
99	Intravenous immunoglobulin therapy leading to dramatic improvement in a patient with systemic juvenile idiopathic arthritis and severe pericarditis resistant to steroid pulse therapy. Rheumatology International, 2012, 32, 1359-1361.	3.0	6
100	Rebamipide reduces amyloid-β 1–42 (Aβ42) production and ameliorates Aβ43-lowered cell viability in cultured SH-SY5Y human neuroblastoma cells. Neuroscience Research, 2017, 124, 40-50.	1.9	6
101	Expression of <scp>CCL</scp> 5 is induced by polyinosinic : polycytidylic acid in cultured <scp>hCMEC</scp> /D3 human brain microvascular endothelial cells. Clinical and Experimental Neuroimmunology, 2017, 8, 331-340.	1.0	6
102	Longâ€ŧerm clinicopathologic observation in a case of steroidâ€resistant nephrotic syndrome caused by a novel <i>Crumbs homolog 2</i> mutation. Nephrology, 2018, 23, 697-702.	1.6	6
103	Expression of IFNâ€induced transmembrane protein 1 in glomerular endothelial cells. Pediatrics International, 2021, 63, 1075-1081.	0.5	6
104	Trisomy 6 in a childhood acute mixed lineage leukemia. Pediatrics International, 1998, 40, 616-620.	0.5	5
105	Efficacy of long-term alternate day prednisolone therapy in childhood IgA nephropathy. Clinical and Experimental Nephrology, 1998, 2, 132-136.	1.6	5
106	Thrombotic Stroke in a Child with Diarrhea-Associated Hemolytic-Uremic Syndrome with a Good Recovery Tohoku Journal of Experimental Medicine, 2001, 193, 73-77.	1.2	5
107	Mizoribine selectively attenuates monocyte chemoattractant proteinâ€1 production in cultured human glomerular mesangial cell: A possible benefit of its use in the treatment of lupus nephritis. Nephrology, 2014, 19, 47-52.	1.6	5
108	Clarithromycin attenuates the expression of monocyte chemoattractant protein-1 by activating toll-like receptor 4 in human mesangial cells. Clinical and Experimental Nephrology, 2017, 21, 573-578.	1.6	5

#	Article	IF	CITATIONS
109	Gnetin C suppresses double-stranded RNA-induced C-C motif chemokine ligand 2 (CCL2) and CCL5 production by inhibiting Toll-like receptor 3 signaling pathway . Biomedical Research, 2018, 39, 231-240.	0.9	5
110	Successful treatment of Wernicke's encephalopathy in a boy with acute mixed lineage leukemia. Pediatrics International, 1998, 40, 271-274.	0.5	4
111	Complete Occulusion of Left Renal Artery in Pediatric-Onset Takayasu's Arteritis. Tohoku Journal of Experimental Medicine, 2000, 190, 289-294.	1.2	4
112	Leukocytapheresis for the treatment of refractory Henoch-Schönlein purpura resistant to both prednisolone and intravenous immunoglobulin therapy. Rheumatology International, 2008, 28, 823-824.	3.0	4
113	Fatal case of Hajdu–Cheney syndrome with idiopathic pulmonary hemosiderosis. Pediatrics International, 2019, 61, 190-192.	0.5	4
114	Inhibitory effect of anti-malarial agents on the expression of proinflammatory chemokines via Toll-like receptor 3 signaling in human glomerular endothelial cells. Renal Failure, 2021, 43, 643-650.	2.1	4
115	Interleukin-6 via Toll-Like Receptor 3 Signaling Attenuates the Expression of Proinflammatory Chemokines in Human Podocytes. Kidney and Blood Pressure Research, 2021, 46, 207-218.	2.0	4
116	Mesangial Viral and Psuedoviral Immunity: Possible Involvement in the Pathogenesis of Pediatric-Onset Active Lupus Nephritis. Journal of Arthritis, 2015, 04, .	0.3	4
117	An infant case of bilateral small kidneys with both proximal and distal tubular dysfunction. Pediatrics International, 1998, 40, 367-369.	0.5	3
118	Acute glomerulonephritis associated with pneumonia: A possible Chlamydia pneumoniae etiology?. Pediatrics International, 1999, 41, 698-700.	0.5	3
119	Long-Term Azathioprine Therapy in Two Children with Steroid-Dependent Minimal-Change Nephrotic Syndrome Tohoku Journal of Experimental Medicine, 1999, 187, 273-278.	1.2	3
120	Care Policy for Patients with Dementia: Family's Decision and Its Impact. , 2008, , .		3
121	Tacrolimus monotherapy in a patient with lupus flare using once-daily administration protocol. CKJ: Clinical Kidney Journal, 2011, 4, 363-365.	2.9	3
122	Expressions of <scp>mRNA</scp> for innate immunityâ€associated functional molecules in urinary sediment in immunoglobulin <scp>A</scp> nephropathy. Nephrology, 2015, 20, 916-921.	1.6	3
123	Postâ€∎cute ischemic change and colon stricture in hemolytic uremic syndrome. Pediatrics International, 2017, 59, 498-499.	0.5	3
124	Induction of Câ€C motif chemokine ligandÂ2 through Tollâ€like receptorÂ3 signaling in human cerebral microvascular endothelial cell/D3 cells: possible regulation by nuclear factorâ€₽B. Clinical and Experimental Neuroimmunology, 2019, 10, 197-203.	1.0	3
125	High prevalence of underlying orthostatic proteinuria in young Japanese women. Pediatrics International, 2019, 61, 306-307.	0.5	3
126	Podocyte sphingomyelin phosphodiesterase acid-like 3b decreases among children with idiopathic nephrotic syndrome. Clinical and Experimental Nephrology, 2021, 25, 44-51.	1.6	3

#	Article	IF	CITATIONS
127	Robot-Assisted Radical Prostatectomy in a Second Kidney Transplant Recipient. Journal of Endourology Case Reports, 2020, 6, 540-543.	0.3	3
128	Long-term multidrug therapy in an adolescent patient with proliferative lupus nephritis: a trial of less cytotoxic therapy. Clinical Nephrology, 2012, 78, 332-334.	0.7	3
129	Sphingomyelin Phosphodiesterase Acid-Like 3b is Essential for Toll-Like Receptor 3 Signaling in Human Podocytes. Journal of Membrane Biology, 2022, 255, 117-122.	2.1	3
130	Aseptic meningitis as initial presentation of subclinical Sjögren's syndrome: Could the cerebrospinal fluid anti-Ro/SSA and anti-La/SSB antibody system be the culprit?. Modern Rheumatology Case Reports, 2022, 6, 217-219.	0.7	3
131	Acute Glomerulonephritis Superimposed on Focal Segmental Glomerulosclerosis: A Case Report. Tohoku Journal of Experimental Medicine, 2000, 191, 177-181.	1.2	2
132	Senior-Loken syndrome associated with mental retardation and microcephaly. Pediatrics International, 2001, 43, 310-312.	0.5	2
133	A Japanese Child with Senior-Loken Syndrome. Japanese Journal of Ophthalmology, 2001, 45, 636-639.	1.9	2
134	Single-dose daily administration of cyclosporin A for refractory nephrotic syndrome. Pediatric Nephrology, 2005, 20, 1021-1022.	1.7	2
135	Use of recombinant human serum albumin in pediatric patients with nephrotic syndrome. Pediatric Nephrology, 2009, 24, 2275-2276.	1.7	2
136	Addition of mizoribine to the prednisolone plus tacrolimus treatment regimen in a patient with lupus flare. Rheumatology International, 2012, 32, 1099-1100.	3.0	2
137	Efficacy of longâ€ŧerm multidrug therapy in a patient with focal segmental glomerulosclerosis. Pediatrics International, 2014, 56, 129-130.	0.5	2
138	Interferon-induced transmembrane protein 1 and Myxovirus resistance protein 1 are induced by polyinosinic-polycytidylic acid in cultured hCMEC/D3 human cerebral microvascular endothelial cells. Journal of Neuroimmunology, 2019, 337, 577047.	2.3	2
139	Health-related quality of life in Japanese patients with bladder cancer measured by a newly developed Japanese version of the Bladder Cancer Index. International Journal of Clinical Oncology, 2020, 25, 2090-2098.	2.2	2
140	Takayasu's arteritis in a girl with steroidâ€dependent nephrotic syndrome: Could rituximab be the culprit?. Nephrology, 2021, 26, 693-694.	1.6	2
141	Membranous nephropathy associated with <i>Mycoplasma pneumoniae</i> infection. Pediatrics International, 2021, 63, 853-855.	0.5	2
142	Osteomyelitisâ€related glomerulonephritis with myeloperoxidaseâ€antineutrophil cytoplasmic antibody positivity. Pediatrics International, 2020, 62, 236-238.	0.5	2
143	The effect of ticlopidine on experimentally induced arterial thrombosis of rabbits. Blood & Vessel, 1980, 11, 164-169.	0.0	2
144	Trombiculid mites and Rickettsia tsutsugamushi isolated from wild rodents and mites in an endemic area of Saitama Prefecture, Japan. Medical Entomology and Zoology, 1993, 44, 7-14.	0.1	2

#	Article	IF	CITATIONS
145	Successful low-dose cyclosporine A treatment of a case of juvenile dermatomyositis with interstitial lung disease. European Journal of Rheumatology, 2020, 7, 138-139.	0.6	2
146	Studies on the Habu (Trimeresurus flavoviridis) and the Habu-bite in Amami Oshima (Tr3) : Analytical studies on the locomotion of the Habu with a special reference to the influences of illumination. Medical Entomology and Zoology, 1965, 16, 177-183.	0.1	1
147	Intracranial and Cerebral Perfusion Pressures in Relation to Auditory Brainstem Responses and Initiation of Secondary Brainstem Damage. Neurologia Medico-Chirurgica, 1988, 28, 661-666.	2.2	1
148	Capacity of H2O2 Release from Monocytes in Steroid-Sensitive Nephrotic Sytndrome Tohoku Journal of Experimental Medicine, 1996, 178, 271-277.	1.2	1
149	Sequential measurement of mesangial matrix area occupying the glomerulus in children with IgA nephropathy. Clinical and Experimental Nephrology, 1998, 2, 80-84.	1.6	1
150	Rapidly progressive, pauci-immune diffuse crescentic glomerulonephritis in an infant. Pediatric Nephrology, 2002, 17, 730-732.	1.7	1
151	Differential diagnosis of breast mass image-forming lesions based on changes in depth-width ratio and internal echo intensity by hand-held probe compression. Journal of Medical Ultrasonics (2001), 2008, 35, 63-69.	1.3	1
152	Persistent Immature Glomeruli in a Girl with Refractory Nephrotic Syndrome. Nephrology, 2013, 18, 77-78.	1.6	1
153	Severe postâ€streptococcal acute glomerulonephritis and periodic fever, aphthous stomatitis, pharyngitis, and cervical adenitis syndrome. Pediatrics International, 2013, 55, 259-261.	0.5	1
154	Mizoribine in the treatment of pediatric-onset glomerular disease. World Journal of Pediatrics, 2015, 11, 108-112.	1.8	1
155	Free light chainâ€associated Fanconi syndrome in an adolescent. Pediatrics International, 2017, 59, 1281-1282.	0.5	1
156	Acute kidney injury caused by systemic <i>Neisseria gonorrhoeae</i> infection after successful kidney transplantation. Transplant Infectious Disease, 2018, 20, e12987.	1.7	1
157	Complete clinical resolution of a Japanese family with renal pseudohypoaldosteronism type 1 due to a novel NR3C2 mutation. Nephrology, 2019, 24, 489-490.	1.6	1
158	Studies on Strongyloidiasis (3) Clinical Studies of Experimental and Natural Infections. Juntendol̀,, Igaku, 1957, 3, 155-162.	0.1	1
159	A proposal for the standardization of body surface potential mapping (BSPM) systems International Heart Journal, 1987, 28, 135-142.	0.6	1
160	A case of oculopharyngeal muscular dystrophy Nihon Kikan Shokudoka Gakkai Kaiho, 1985, 36, 389-395.	0.0	1
161	Studies on Antithrombin III (AT III). Blood & Vessel, 1979, 10, 59-62.	0.0	1
162	Studies on antithrombin III. Purfication of canine antithrombin III and its properties. Blood & Vessel, 1978, 9, 139-144.	0.0	1

#	Article	IF	CITATIONS
163	Studies on Strongyloidiasis. Juntendō Igaku, 1957, 3, 22-30.	0.1	1
164	The effect of aspirin on vascular prostaglandin I2 formation in rabbits. Blood & Vessel, 1980, 11, 428-431.	0.0	1
165	Health-related quality of life in Japanese patients with bladder cancer according to a newly developed Japanese version of the Bladder Cancer Index Journal of Clinical Oncology, 2020, 38, 427-427.	1.6	1
166	On the occurrence and behavior of Japan house mouse Mus musculus in an apartment house group. Medical Entomology and Zoology, 1960, 11, 216-217.	0.1	0
167	Studies on intermediate hosts of bovine Thelazia : III Surveys in Hokkaido and Kanto districts. Medical Entomology and Zoology, 1967, 18, 255-259.	0.1	0
168	Relationship between the activity of a viper, Trimeresurus flavoviridis (Hallowell, 1860) and the snake bite. Medical Entomology and Zoology, 1967, 18, 113-118.	0.1	0
169	3-D mapping of body surface potentials. Medical Informatics = Medecine Et Informatique, 1987, 12, 125-135.	0.8	0
170	Allogeneic CD34-selected peripheral stem cell transplant for acute non-lymphocytic leukemia (FAB) Tj ETQq0 0 0 106-108.	rgBT /Ove 0.5	erlock 10 Tf 5 0
171	Subsequent Progression to Membranous Glomerulonephritis Following Exacerbation of Urticarial Rash in Systemic Lupus Erythematosus: Report of 2 Cases Tohoku Journal of Experimental Medicine, 2002, 196, 293-298.	1.2	0
172	End-Stage Kidney at the Onset of Nephrotic Syndrome in a 4-Year-Old Girl. Tohoku Journal of Experimental Medicine, 2003, 200, 151-154.	1.2	0
173	Severe tubulointerstitial nephritis in a boy with refractory nephrotic syndrome. Pediatric Nephrology, 2004, 19, 1431-1432.	1.7	0
174	Efficacy and safety of tacrolimus in 101 consecutive patients with rheumatoid arthritis: a possible alternative treatment to methotrexate?. International Journal of Clinical Rheumatology, 2010, 5, 519-521.	0.3	0
175	Treatment of Pediatric-Onset Lupus Nephritis: A New Option of Less Cytotoxic Immunosuppressive Therapy. , 2011, , .		0
176	Toll-Like Receptor 3 and Retinoic Acid-Inducible Gene-I Implicated to the Pathogenesis of Autoimmune Renal Diseases. , 0, , .		0
177	Implication of Regional Activation of Toll-Like Receptor 3/ Interferon-β Signaling in Human Mesangial Cells — Possible Involvement in the Pathogenesis of Lupus Nephritis. , 0, , .		0
178	FP764URINARY EXCRETION AND GLOMERULAR EXPRESSION OF SPHINGOMYELINASE PHOSPHODIESTERASE ACID-LIKE 3B IN PEDIATRIC ONSET NEPHROTIC SYNDROME. Nephrology Dialysis Transplantation, 2018, 33, i303-i304.	0.7	0
179	Overweight Children at a Primary School in Hirosaki City: A Longitudinal, Individualized, Observational Study. Tohoku Journal of Experimental Medicine, 2019, 247, 209-214.	1.2	0
180	P1800RITUXIMAB ENHANCES THE EXPRESSION OF INTERLEUKIN-6 VIA TOLL-LIKE RECEPTOR 3 SIGNALING IN HUMAN PODOCYTE. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0

#	Article	IF	CITATIONS
181	Expanding the phenotype of Bardet–Biedl syndrome: Newly diagnosed sibling cases. Pediatrics International, 2020, 62, 101-103.	0.5	0
182	Septicemia probably due to bacterial translocation in immunoglobulin A vasculitis: Is it a rare complication?. Pediatrics International, 2020, 62, 512-513.	0.5	0
183	A CASE REPORT OF PANCREATODUODENECTOMY FOR PANCREATIC HEAD CANCER ASSOCIATED WITH CELIAC AXIAL OCCLUSION. Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association), 2000, 61, 404-407.	0.0	0
184	A hemodialysis patient with ASO effectively treated by PGE1 via extracorporeal circulation during HD Nihon Toseki Igakkai Zasshi, 2001, 34, 1101-1105.	0.1	0
185	A resected case of a metachronous solitary metastastic tumor of the ileum occurred through a hematogenous pathway from ovarian cancer. Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan) Tj ETQq1 1 0.78	4 0.1 04 rgB	T Øverlock
186	Studies on Strongiloidiasis. Juntendol̀", Igaku, 1957, 3, 91-100.	0.1	0
187	Studies of antithrombin III (ATIII) Report VII: Studies of production of ATIII. Blood & Vessel, 1981, 12, 111-114.	0.0	0
188	An Inverse Solution of Electrocardiography by Using Mode Matching Method. Transactions of the Society of Instrument and Control Engineers, 1982, 18, 1194-1201.	0.2	0
189	A Case of Vocal Cord Paralysis Due to Lung Cancer Treated by BAI and BAE Techniques. Nihon Kikan Shokudoka Gakkai Kaiho, 1984, 35, 51-55.	0.0	0
190	Pharmacokinetics of sparfloxacin in continuous ambulatory peritoneal dialysis patients Nihon Toseki Igakkai Zasshi, 1998, 31, 139-143.	0.1	0
191	Spontaneous regression of retroperitoneal fibrosis after discontinuing a hydralazine, hydrochlorothiazide and reserpine mixture, and doxazosin mesilate Nihon Toseki Igakkai Zasshi, 1999, 32, 295-300.	0.1	0
192	Orthostatic proteinuria revisited: new clinical impact of the "old―clinical entity?. Annals of Translational Medicine, 2020, 8, 814-814.	1.7	0
193	Effect of sera from lupus patients on the glomerular endothelial fibrinolysis system. Pediatrics International, 2022, 64, e15099.	0.5	0
194	-378-AN ECG INVERSE SOLUTION WITH HIGH SPATIAL RESOLUSION. Japanese Circulation Journal, 1986, 50, 572-573.	1.0	0