

Hiroshi Tanaka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/984828/publications.pdf>

Version: 2024-02-01

194
papers

2,580
citations

279798

23
h-index

265206

42
g-index

196
all docs

196
docs citations

196
times ranked

2865
citing authors

#	ARTICLE	IF	CITATIONS
1	Spingomyelin Phosphodiesterase Acid-Like 3b is Essential for Toll-Like Receptor 3 Signaling in Human Podocytes. <i>Journal of Membrane Biology</i> , 2022, 255, 117-122.	2.1	3
2	Aseptic meningitis as initial presentation of subclinical Sjögren's syndrome: Could the cerebrospinal fluid anti-Ro/SSA and anti-La/SSB antibody system be the culprit?. <i>Modern Rheumatology Case Reports</i> , 2022, 6, 217-219.	0.7	3
3	Glomerular endothelial expression of type I IFN-stimulated gene, DEXD/H-Box helicase 60 via toll-like receptor 3 signaling: possible involvement in the pathogenesis of lupus nephritis. <i>Renal Failure</i> , 2022, 44, 137-145.	2.1	8
4	Effect of sera from lupus patients on the glomerular endothelial fibrinolysis system. <i>Pediatrics International</i> , 2022, 64, e15099.	0.5	0
5	Podocyte sphingomyelin phosphodiesterase acid-like 3b decreases among children with idiopathic nephrotic syndrome. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 44-51.	1.6	3
6	Inhibitory effect of anti-malarial agents on the expression of proinflammatory chemokines via Toll-like receptor 3 signaling in human glomerular endothelial cells. <i>Renal Failure</i> , 2021, 43, 643-650.	2.1	4
7	Takayasu's arteritis in a girl with steroid-dependent nephrotic syndrome: Could rituximab be the culprit?. <i>Nephrology</i> , 2021, 26, 693-694.	1.6	2
8	Membranous nephropathy associated with <i>Mycoplasma pneumoniae</i> infection. <i>Pediatrics International</i> , 2021, 63, 853-855.	0.5	2
9	Expression of IFN-induced transmembrane protein 1 in glomerular endothelial cells. <i>Pediatrics International</i> , 2021, 63, 1075-1081.	0.5	6
10	Interleukin-6 via Toll-Like Receptor 3 Signaling Attenuates the Expression of Proinflammatory Chemokines in Human Podocytes. <i>Kidney and Blood Pressure Research</i> , 2021, 46, 207-218.	2.0	4
11	Endothelial expression of fractalkine (CX3CL1) is induced by Toll-like receptor 3 signaling in cultured human glomerular endothelial cells. <i>Modern Rheumatology</i> , 2020, 30, 1074-1081.	1.8	20
12	Health-related quality of life in Japanese patients with bladder cancer measured by a newly developed Japanese version of the Bladder Cancer Index. <i>International Journal of Clinical Oncology</i> , 2020, 25, 2090-2098.	2.2	2
13	P1800RITUXIMAB ENHANCES THE EXPRESSION OF INTERLEUKIN-6 VIA TOLL-LIKE RECEPTOR 3 SIGNALING IN HUMAN PODOCYTE. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0
14	Expanding the phenotype of Bardet-Biedl syndrome: Newly diagnosed sibling cases. <i>Pediatrics International</i> , 2020, 62, 101-103.	0.5	0
15	Septicemia probably due to bacterial translocation in immunoglobulin A vasculitis: Is it a rare complication?. <i>Pediatrics International</i> , 2020, 62, 512-513.	0.5	0
16	Robot-Assisted Radical Prostatectomy in a Second Kidney Transplant Recipient. <i>Journal of Endourology Case Reports</i> , 2020, 6, 540-543.	0.3	3
17	Osteomyelitis-related glomerulonephritis with myeloperoxidase-antineutrophil cytoplasmic antibody positivity. <i>Pediatrics International</i> , 2020, 62, 236-238.	0.5	2
18	Health-related quality of life in Japanese patients with bladder cancer according to a newly developed Japanese version of the Bladder Cancer Index.. <i>Journal of Clinical Oncology</i> , 2020, 38, 427-427.	1.6	1

#	ARTICLE	IF	CITATIONS
19	Successful low-dose cyclosporine A treatment of a case of juvenile dermatomyositis with interstitial lung disease. <i>European Journal of Rheumatology</i> , 2020, 7, 138-139.	0.6	2
20	Orthostatic proteinuria revisited: new clinical impact of the "old" clinical entity?. <i>Annals of Translational Medicine</i> , 2020, 8, 814-814.	1.7	0
21	Induction of C-C motif chemokine ligand 2 through Toll-like receptor 3 signaling in human cerebral microvascular endothelial cell/D3 cells: possible regulation by nuclear factor- κ B. <i>Clinical and Experimental Neuroimmunology</i> , 2019, 10, 197-203.	1.0	3
22	Interferon-induced transmembrane protein 1 and Myxovirus resistance protein 1 are induced by polyinosinic-polycytidylic acid in cultured hCMEC/D3 human cerebral microvascular endothelial cells. <i>Journal of Neuroimmunology</i> , 2019, 337, 577047.	2.3	2
23	Cytosolic Sensors of Viral RNA Are Involved in the Production of Interleukin-6 via Toll-Like Receptor 3 Signaling in Human Glomerular Endothelial Cells. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 62-71.	2.0	16
24	Overweight Children at a Primary School in Hirosaki City: A Longitudinal, Individualized, Observational Study. <i>Tohoku Journal of Experimental Medicine</i> , 2019, 247, 209-214.	1.2	0
25	High prevalence of underlying orthostatic proteinuria in young Japanese women. <i>Pediatrics International</i> , 2019, 61, 306-307.	0.5	3
26	Complete clinical resolution of a Japanese family with renal pseudohypoaldosteronism type 1 due to a novel NR3C2 mutation. <i>Nephrology</i> , 2019, 24, 489-490.	1.6	1
27	Fatal case of Hajdu-Cheney syndrome with idiopathic pulmonary hemosiderosis. <i>Pediatrics International</i> , 2019, 61, 190-192.	0.5	4
28	Chloroquine attenuates TLR3-mediated plasminogen activator inhibitor-1 expression in cultured human glomerular endothelial cells. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 448-454.	1.6	9
29	Long-term clinicopathologic observation in a case of steroid-resistant nephrotic syndrome caused by a novel Crumbs homolog 2 mutation. <i>Nephrology</i> , 2018, 23, 697-702.	1.6	6
30	FP764URINARY EXCRETION AND GLOMERULAR EXPRESSION OF SPHINGOMYELINASE PHOSPHODIESTERASE ACID-LIKE 3B IN PEDIATRIC ONSET NEPHROTIC SYNDROME. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i303-i304.	0.7	0
31	Bladder cancer detection by urinary extracellular vesicle mRNA analysis. <i>Oncotarget</i> , 2018, 9, 32810-32821.	1.8	23
32	Gnetin C suppresses double-stranded RNA-induced C-C motif chemokine ligand 2 (CCL2) and CCL5 production by inhibiting Toll-like receptor 3 signaling pathway. <i>Biomedical Research</i> , 2018, 39, 231-240.	0.9	5
33	Interferon-stimulated gene 60 (ISG60) constitutes a negative feedback loop in the downstream of TLR3 signaling in hCMEC/D3 cells. <i>Journal of Neuroimmunology</i> , 2018, 324, 16-21.	2.3	9
34	Acute kidney injury caused by systemic <i>Neisseria gonorrhoeae</i> infection after successful kidney transplantation. <i>Transplant Infectious Disease</i> , 2018, 20, e12987.	1.7	1
35	Toll-Like Receptor 3 Signaling Contributes to Regional Neutrophil Recruitment in Cultured Human Glomerular Endothelial Cells. <i>Nephron</i> , 2018, 139, 349-358.	1.8	15
36	Gnetin C, a resveratrol dimer, reduces amyloid- β 42 ($A\beta$ 42) production and ameliorates $A\beta$ 42-lowered cell viability in cultured SH-SY5Y human neuroblastoma cells. <i>Biomedical Research</i> , 2018, 39, 105-115.	0.9	17

#	ARTICLE	IF	CITATIONS
37	Retinoic acid-inducible gene 1, melanoma differentiation-associated gene 5 and CXCL10 motif chemokine ligand 10 are induced by a Toll-like receptor 3 agonist in human brain microvascular endothelial cells. <i>Clinical and Experimental Neuroimmunology</i> , 2018, 9, 189-197.	1.0	7
38	Monitoring of Epstein-Barr virus load and killer T cells in patients with juvenile idiopathic arthritis treated with methotrexate or tocilizumab. <i>Modern Rheumatology</i> , 2017, 27, 66-71.	1.8	7
39	Interferon (IFN)-induced protein 35 (IFI35) negatively regulates IFN- γ -phosphorylated STAT1-RIG-I-CXCL10/CCL5 axis in U373MG astrocytoma cells treated with polyinosinic-polycytidylic acid. <i>Brain Research</i> , 2017, 1658, 60-67.	2.2	18
40	Chloroquine attenuates TLR3/IFN- γ signaling in cultured normal human mesangial cells: A possible protective effect against renal damage in lupus nephritis. <i>Modern Rheumatology</i> , 2017, 27, 1004-1009.	1.8	11
41	Treatment of pediatric-onset lupus nephritis: a proposal of optimal therapy. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 755-763.	1.6	11
42	Post-acute ischemic change and colon stricture in hemolytic uremic syndrome. <i>Pediatrics International</i> , 2017, 59, 498-499.	0.5	3
43	Rebamipide reduces amyloid- β 1-42 ($A\beta$ 42) production and ameliorates $A\beta$ 43-lowered cell viability in cultured SH-SY5Y human neuroblastoma cells. <i>Neuroscience Research</i> , 2017, 124, 40-50.	1.9	6
44	Free light chain-associated Fanconi syndrome in an adolescent. <i>Pediatrics International</i> , 2017, 59, 1281-1282.	0.5	1
45	Cylindromatosis (CYLD), a Deubiquitinase, Attenuates Inflammatory Signaling Pathways by Activating Toll-Like Receptor 3 in Human Mesangial Cells. <i>Kidney and Blood Pressure Research</i> , 2017, 42, 942-950.	2.0	14
46	Urinary excretion of sphingomyelinase phosphodiesterase acid-like 3b in children with intractable nephrotic syndrome. <i>Pediatrics International</i> , 2017, 59, 1112-1115.	0.5	9
47	Clarithromycin attenuates the expression of monocyte chemoattractant protein-1 by activating toll-like receptor 4 in human mesangial cells. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 573-578.	1.6	5
48	Expression of CCL5 is induced by polyinosinic : polycytidylic acid in cultured hCMEC/D3 human brain microvascular endothelial cells. <i>Clinical and Experimental Neuroimmunology</i> , 2017, 8, 331-340.	1.0	6
49	DEC1 negatively regulates the expression of CXCL10 and CCL5 induced by poly IC in normal human mesangial cells. <i>Biomedical Research</i> , 2017, 38, 249-255.	0.9	7
50	Does Dent disease remain an underrecognized cause for young boys with focal glomerulosclerosis?. <i>Pediatrics International</i> , 2016, 58, 747-749.	0.5	9
51	Interferon (IFN)-Induced Protein 35 (IFI35), a Type I Interferon-Dependent Transcript, Upregulates Inflammatory Signaling Pathways by Activating Toll-Like Receptor 3 in Human Mesangial Cells. <i>Kidney and Blood Pressure Research</i> , 2016, 41, 635-642.	2.0	17
52	Interferon-Stimulated Gene 15, a Type I Interferon-Dependent Transcript, Is Involved in a Negative Feedback Loop in Innate Immune Reactions in Human Mesangial Cells. <i>Nephron</i> , 2016, 132, 144-152.	1.8	16
53	Interferon-stimulated gene (ISG) 60, as well as ISG56 and ISG54, positively regulates TLR3/IFN- γ /STAT1 axis in U373MG human astrocytoma cells. <i>Neuroscience Research</i> , 2016, 105, 35-41.	1.9	24
54	Randomized Controlled Study of the Efficacy, Safety and Quality of Life with Low Dose bacillus Calmette-Guérin Instillation Therapy for Nonmuscle Invasive Bladder Cancer. <i>Journal of Urology</i> , 2016, 195, 41-46.	0.4	49

#	ARTICLE	IF	CITATIONS
55	Expressions of mRNA for innate immunity-associated functional molecules in urinary sediment in immunoglobulin A nephropathy. <i>Nephrology</i> , 2015, 20, 916-921.	1.6	3
56	Severe intrinsic acute kidney injury associated with therapeutic doses of acetaminophen. <i>Pediatrics International</i> , 2015, 57, e53-5.	0.5	8
57	Carnosic acid attenuates apoptosis induced by amyloid- β 1-42 or 1-43 in SH-SY5Y human neuroblastoma cells. <i>Neuroscience Research</i> , 2015, 94, 1-9.	1.9	47
58	Desferrioxamine, an iron chelator, inhibits CXCL10 expression induced by polyinosinic-polycytidylic acid in U373MG human astrocytoma cells. <i>Neuroscience Research</i> , 2015, 94, 10-16.	1.9	9
59	Alteration in the podoplanin-ezrin cytoskeleton linkage is an important initiation event of the podocyte injury in puromycin aminonucleoside nephropathy, a mimic of minimal change nephrotic syndrome. <i>Cell and Tissue Research</i> , 2015, 362, 201-213.	2.9	22
60	Mizoribine in the treatment of pediatric-onset glomerular disease. <i>World Journal of Pediatrics</i> , 2015, 11, 108-112.	1.8	1
61	Toll-like receptor 3 signaling contributes to the expression of a neutrophil chemoattractant, CXCL1 in human mesangial cells. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 761-770.	1.6	38
62	Tumor necrosis factor- α synergistically enhances polyinosinic-polycytidylic acid-induced toll-like receptor 3 signaling in cultured normal human mesangial cells: possible involvement in the pathogenesis of lupus nephritis. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 75-81.	1.6	13
63	Mesangial Viral and Pseudoviral Immunity: Possible Involvement in the Pathogenesis of Pediatric-Onset Active Lupus Nephritis. <i>Journal of Arthritis</i> , 2015, 04, .	0.3	4
64	Efficacy of long-term multidrug therapy in a patient with focal segmental glomerulosclerosis. <i>Pediatrics International</i> , 2014, 56, 129-130.	0.5	2
65	Mizoribine selectively attenuates monocyte chemoattractant protein-1 production in cultured human glomerular mesangial cell: A possible benefit of its use in the treatment of lupus nephritis. <i>Nephrology</i> , 2014, 19, 47-52.	1.6	5
66	Carnosic acid suppresses the production of amyloid- β 1-42 and 1-43 by inducing an α -secretase TACE/ADAM17 in U373MG human astrocytoma cells. <i>Neuroscience Research</i> , 2014, 79, 83-93.	1.9	49
67	ISG54 and ISG56 are induced by TLR3 signaling in U373MG human astrocytoma cells: Possible involvement in CXCL10 expression. <i>Neuroscience Research</i> , 2014, 84, 34-42.	1.9	24
68	A young girl with refractory intestinal Behçet's disease: a case report and review of literatures on pediatric cases who received an anti-tumor necrosis factor agent. <i>Rheumatology International</i> , 2013, 33, 3105-3108.	3.0	13
69	Persistent Immature Glomeruli in a Girl with Refractory Nephrotic Syndrome. <i>Nephrology</i> , 2013, 18, 77-78.	1.6	1
70	Long-Term Tacrolimus-Based Immunosuppressive Treatment for Young Patients with Lupus Nephritis: A Prospective Study in Daily Clinical Practice. <i>Nephron</i> , 2013, 121, c165-c173.	1.8	29
71	Interaction between Interferon-Stimulated Gene 56 and Melanoma Differentiation-Associated Gene 5 in Toll-Like Receptor 3 Signaling in Normal Human Mesangial Cells. <i>American Journal of Nephrology</i> , 2013, 37, 118-125.	3.1	11
72	Severe post-streptococcal acute glomerulonephritis and periodic fever, aphthous stomatitis, pharyngitis, and cervical adenitis syndrome. <i>Pediatrics International</i> , 2013, 55, 259-261.	0.5	1

#	ARTICLE	IF	CITATIONS
73	Glomerular expression of myxovirus resistance protein 1 in human mesangial cells: Possible activation of innate immunity in the pathogenesis of lupus nephritis. <i>Nephrology</i> , 2013, 18, 833-837.	1.6	27
74	Glomerular expression of fractalkine is induced by polyinosinic-polycytidylic acid in human mesangial cells: possible involvement of fractalkine after viral infection. <i>Pediatric Research</i> , 2013, 73, 180-186.	2.3	19
75	Urinary Fractalkine and Monocyte Chemoattractant Protein-1 as Possible Predictors of Disease Activity of Childhood Glomerulonephritis. <i>Tohoku Journal of Experimental Medicine</i> , 2013, 231, 265-270.	1.2	9
76	Inflammatory Chemokine Expression via Toll-Like Receptor 3 Signaling in Normal Human Mesangial Cells. <i>Clinical and Developmental Immunology</i> , 2013, 2013, 1-6.	3.3	34
77	TLR4 signaling induces retinoic acid-inducible gene-I and melanoma differentiation-associated gene 5 in mesangial cells. <i>Journal of Nephrology</i> , 2013, 26, 886-893.	2.0	11
78	Melanoma Differentiation-Associated Gene 5 Regulates the Expression of a Chemokine CXCL10 in Human Mesangial Cells: Implications for Chronic Inflammatory Renal Diseases. <i>Tohoku Journal of Experimental Medicine</i> , 2012, 228, 17-26.	1.2	35
79	Intravenous immunoglobulin therapy leading to dramatic improvement in a patient with systemic juvenile idiopathic arthritis and severe pericarditis resistant to steroid pulse therapy. <i>Rheumatology International</i> , 2012, 32, 1359-1361.	3.0	6
80	Addition of mizoribine to the prednisolone plus tacrolimus treatment regimen in a patient with lupus flare. <i>Rheumatology International</i> , 2012, 32, 1099-1100.	3.0	2
81	Long-term multidrug therapy in an adolescent patient with proliferative lupus nephritis: a trial of less cytotoxic therapy. <i>Clinical Nephrology</i> , 2012, 78, 332-334.	0.7	3
82	Treatment of young patients with lupus nephritis using calcineurin inhibitors. <i>World Journal of Nephrology</i> , 2012, 1, 177.	2.0	11
83	Treatment of Pediatric-Onset Lupus Nephritis: A New Option of Less Cytotoxic Immunosuppressive Therapy. , 2011, , .		0
84	Successful Multidrug Treatment of a Pediatric Patient with Severe Churg-Strauss Syndrome Refractory to Prednisolone. <i>Tohoku Journal of Experimental Medicine</i> , 2011, 225, 117-121.	1.2	8
85	Autoantibodies to villin occur frequently in IPEX, a severe immune dysregulation, syndrome caused by mutation of FOXP3. <i>Clinical Immunology</i> , 2011, 141, 83-89.	3.2	53
86	Novel multidrug therapy for children with cyclosporine-resistant or -intolerant nephrotic syndrome. <i>Pediatric Nephrology</i> , 2011, 26, 1255-1261.	1.7	23
87	Imbalance towards Th1 pathway predominance in purpura nephritis with proteinuria. <i>Pediatric Nephrology</i> , 2011, 26, 2253-2258.	1.7	13
88	Clinical responses to EGFR-tyrosine kinase inhibitor retreatment in non-small cell lung cancer patients who benefited from prior effective gefitinib therapy: a retrospective analysis. <i>BMC Cancer</i> , 2011, 11, 1.	2.6	260
89	Basic-helix-loop-helix transcription factor DEC2 constitutes negative feedback loop in IFN- γ -mediated inflammatory responses in human mesangial cells. <i>Immunology Letters</i> , 2011, 136, 37-43.	2.5	10
90	Tacrolimus monotherapy in a patient with lupus flare using once-daily administration protocol. <i>CKJ: Clinical Kidney Journal</i> , 2011, 4, 363-365.	2.9	3

#	ARTICLE	IF	CITATIONS
91	Polyinosinic-Polycytidylic Acid Induces the Expression of Interferon-Stimulated Gene 20 in Mesangial Cells. <i>Nephron Experimental Nephrology</i> , 2011, 119, e40-e48.	2.2	17
92	Benefits of Once-Daily Administration of Cyclosporine A for Children with Steroid-Dependent, Relapsing Nephrotic Syndrome. <i>Tohoku Journal of Experimental Medicine</i> , 2010, 220, 183-186.	1.2	8
93	Mizoribine attenuates renal injury and macrophage infiltration in patients with severe lupus nephritis. <i>Clinical Rheumatology</i> , 2010, 29, 1049-1054.	2.2	21
94	Potential Th1/Th2 predominance in children with newly diagnosed IgA nephropathy. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2010, 99, 1584-1586.	1.5	11
95	IFN- γ and TNF- α Synergistically Induce microRNA-155 Which Regulates TAB2/IP-10 Expression in Human Mesangial Cells. <i>American Journal of Nephrology</i> , 2010, 32, 462-468.	3.1	58
96	Efficacy and safety of tacrolimus in 101 consecutive patients with rheumatoid arthritis: a possible alternative treatment to methotrexate?. <i>International Journal of Clinical Rheumatology</i> , 2010, 5, 519-521.	0.3	0
97	Retinoic acid-inducible gene-1 is induced by double-stranded RNA and regulates the expression of CC chemokine ligand (CCL) 5 in human mesangial cells. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3534-3539.	0.7	47
98	A resected case of a metachronous solitary metastatic tumor of the ileum occurred through a hematogenous pathway from ovarian cancer. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan)</i> Tj ETQq0 0 0 rgBTj, Overlock 10 Tf 50 4		
99	A novel multidrug therapy for difficult cyclosporine-resistant focal segmental glomerulosclerosis. <i>Pediatric Nephrology</i> , 2009, 24, 873-875.	1.7	6
100	Use of recombinant human serum albumin in pediatric patients with nephrotic syndrome. <i>Pediatric Nephrology</i> , 2009, 24, 2275-2276.	1.7	2
101	Leukocytapheresis for the treatment of refractory Henoch-Schœnlein purpura resistant to both prednisolone and intravenous immunoglobulin therapy. <i>Rheumatology International</i> , 2008, 28, 823-824.	3.0	4
102	Leukocytapheresis for the treatment of refractory Henoch-Schœnlein purpura resistant to both prednisolone and intravenous immunoglobulin therapy. <i>Rheumatology International</i> , 2008, 28, 1181-1182.	3.0	9
103	Differential diagnosis of breast mass image-forming lesions based on changes in depth-width ratio and internal echo intensity by hand-held probe compression. <i>Journal of Medical Ultrasonics (2001)</i> , 2008, 35, 63-69.	1.3	1
104	Expression of mRNA for functional molecules in urinary sediment in glomerulonephritis. <i>Pediatric Nephrology</i> , 2008, 23, 395-401.	1.7	21
105	Vesical varices and telangiectasias in a patient with ataxia telangiectasia. <i>Pediatric Nephrology</i> , 2008, 23, 1005-1008.	1.7	19
106	Care Policy for Patients with Dementia: Family's Decision and Its Impact. , 2008, , .		3
107	Mizoribine Treatment of Young Patients with Severe Lupus Nephritis: A Clinicopathologic Study by the Tohoku Pediatric Study Group. <i>Nephron Clinical Practice</i> , 2008, 110, c73-c79.	2.3	20
108	Expression of retinoic acid-inducible gene-1 in lupus nephritis. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 2407-2409.	0.7	30

#	ARTICLE	IF	CITATIONS
109	Long-term intermittent pulse therapy with mizoribine attenuates histologic progression in young patients with severe lupus nephritis: Report of two patients (Brief Communication). <i>Nephrology</i> , 2007, 12, 376-379.	1.6	7
110	Treatment of difficult cases of systemic-onset juvenile idiopathic arthritis with tacrolimus. <i>European Journal of Pediatrics</i> , 2007, 166, 1053-1055.	2.7	21
111	Leukocytapheresis for the treatment of refractory systemic-onset juvenile idiopathic arthritis. <i>Clinical Rheumatology</i> , 2007, 26, 1014-1016.	2.2	9
112	Mizoribine intermittent pulse protocol for induction therapy for systemic lupus erythematosus in children: an open-label pilot study with five newly diagnosed patients. <i>Clinical Rheumatology</i> , 2007, 27, 85-89.	2.2	23
113	Effective Treatment with Cyclosporine A of a Child with Systemic Lupus Erythematosus Resistant to Cyclophosphamide Pulse Therapy. <i>Tohoku Journal of Experimental Medicine</i> , 2006, 208, 355-359.	1.2	6
114	Renal Biopsy Findings in Children Receiving Long-Term Treatment with Cyclosporine A Given as a Single Daily Dose. <i>Tohoku Journal of Experimental Medicine</i> , 2006, 209, 191-196.	1.2	8
115	Acute renal failure with encephalopathy following Salmonella enteritidis infection. <i>Pediatric Nephrology</i> , 2006, 21, 1209-1210.	1.7	6
116	Long-term mizoribine intermittent pulse therapy for young patients with flare of lupus nephritis. <i>Pediatric Nephrology</i> , 2006, 21, 962-966.	1.7	22
117	Tacrolimus for the treatment of focal segmental glomerulosclerosis resistant to cyclosporine A. <i>Pediatric Nephrology</i> , 2006, 21, 1913-1914.	1.7	6
118	Mizoribine Pulse Therapy for a Pediatric Patient with Steroid-Resistant Nephrotic Syndrome. <i>Tohoku Journal of Experimental Medicine</i> , 2005, 205, 87-91.	1.2	14
119	Single-dose daily administration of cyclosporin A for refractory nephrotic syndrome. <i>Pediatric Nephrology</i> , 2005, 20, 1021-1022.	1.7	2
120	Low-dose cyclosporine A in a patient with X-linked immune dysregulation, polyendocrinopathy and enteropathy. <i>European Journal of Pediatrics</i> , 2005, 164, 779-780.	2.7	14
121	Combined therapy of enalapril and losartan attenuates histologic progression in immunoglobulin A nephropathy. <i>Pediatrics International</i> , 2004, 46, 576-579.	0.5	37
122	Repeat renal biopsy in children with severe idiopathic tubulointerstitial nephritis. <i>Pediatric Nephrology</i> , 2004, 19, 240-243.	1.7	20
123	Single-dose daily administration of cyclosporin $\frac{1}{2}$ A for relapsing nephrotic syndrome. <i>Pediatric Nephrology</i> , 2004, 19, 1055-8.	1.7	17
124	Severe tubulointerstitial nephritis in a boy with refractory nephrotic syndrome. <i>Pediatric Nephrology</i> , 2004, 19, 1431-1432.	1.7	0
125	Spontaneous remission of persistent severe hematuria in an adolescent with nutcracker syndrome: seven years' observation. <i>Clinical and Experimental Nephrology</i> , 2004, 8, 68-70.	1.6	61
126	Comparative Analysis of Antigen Loading Strategies of Dendritic Cells for Tumor Immunotherapy. <i>Journal of Immunotherapy</i> , 2004, 27, 265-272.	2.4	71

#	ARTICLE	IF	CITATIONS
127	Effective Therapy of a Child Case of Refractory Nephrotic Syndrome with Tacrolimus. <i>Tohoku Journal of Experimental Medicine</i> , 2004, 204, 237-241.	1.2	9
128	Early treatment with oral immunosuppressants in severe proteinuric purpura nephritis. <i>Pediatric Nephrology</i> , 2003, 18, 347-350.	1.7	66
129	Successful treatment with leukocytapheresis in refractory Henoch-Schönlein purpura: case report. <i>Clinical Rheumatology</i> , 2003, 22, 248-250.	2.2	11
130	Acute renal failure due to hypertension: Malignant hypertension in an adolescent. <i>Pediatrics International</i> , 2003, 45, 342-344.	0.5	10
131	Mizoribine oral pulse therapy for a patient with severe lupus nephritis. <i>Pediatrics International</i> , 2003, 45, 488-490.	0.5	18
132	End-Stage Kidney at the Onset of Nephrotic Syndrome in a 4-Year-Old Girl. <i>Tohoku Journal of Experimental Medicine</i> , 2003, 200, 151-154.	1.2	0
133	Subsequent Progression to Membranous Glomerulonephritis Following Exacerbation of Urticarial Rash in Systemic Lupus Erythematosus: Report of 2 Cases.. <i>Tohoku Journal of Experimental Medicine</i> , 2002, 196, 293-298.	1.2	0
134	Depletion of CD4+CD25+ Regulatory Cells Augments the Generation of Specific Immune T Cells in Tumor-Draining Lymph Nodes. <i>Journal of Immunotherapy</i> , 2002, 25, 207-217.	2.4	189
135	Immunogenicity and Therapeutic Efficacy of Dendritic-Tumor Hybrid Cells Generated by Electrofusion. <i>Clinical Immunology</i> , 2002, 104, 14-20.	3.2	82
136	Therapeutic immune response induced by electrofusion of dendritic and tumor cells. <i>Cellular Immunology</i> , 2002, 220, 1-12.	3.0	57
137	Disseminated candidiasis following prednisolone therapy in systemic lupus erythematosus. <i>Pediatrics International</i> , 2002, 44, 702-704.	0.5	7
138	Rapidly progressive, pauci-immune diffuse crescentic glomerulonephritis in an infant. <i>Pediatric Nephrology</i> , 2002, 17, 730-732.	1.7	1
139	Thrombotic Stroke in a Child with Diarrhea-Associated Hemolytic-Uremic Syndrome with a Good Recovery.. <i>Tohoku Journal of Experimental Medicine</i> , 2001, 193, 73-77.	1.2	5
140	Tubulointerstitial Nephritis and Uveitis Syndrome in Two Siblings.. <i>Tohoku Journal of Experimental Medicine</i> , 2001, 194, 71-74.	1.2	19
141	Senior-Loken syndrome associated with mental retardation and microcephaly. <i>Pediatrics International</i> , 2001, 43, 310-312.	0.5	2
142	A Japanese Child with Senior-Loken Syndrome. <i>Japanese Journal of Ophthalmology</i> , 2001, 45, 636-639.	1.9	2
143	A hemodialysis patient with ASO effectively treated by PGE1 via extracorporeal circulation during HD.. <i>Nihon Toseki Igakkai Zasshi</i> , 2001, 34, 1101-1105.	0.1	0
144	Complete Occlusion of Left Renal Artery in Pediatric-Onset Takayasu's Arteritis. <i>Tohoku Journal of Experimental Medicine</i> , 2000, 190, 289-294.	1.2	4

#	ARTICLE	IF	CITATIONS
145	Acute Glomerulonephritis Superimposed on Focal Segmental Glomerulosclerosis: A Case Report. <i>Tohoku Journal of Experimental Medicine</i> , 2000, 191, 177-181.	1.2	2
146	Focal Segmental Glomerulosclerosis: Unremitting Proteinuria of Long Duration as a Possible Etiology?. <i>Tohoku Journal of Experimental Medicine</i> , 2000, 192, 157-163.	1.2	9
147	Allogeneic CD34-selected peripheral stem cell transplant for acute non-lymphocytic leukemia (FAB) Tj ETQq1 1 0.784314 rgBT /Overlo 106-108.	0.5	0
148	Interstitial cystitis and ileus in pediatric-onset systemic lupus erythematosus. <i>Pediatric Nephrology</i> , 2000, 14, 859-861.	1.7	23
149	Expression of Profilin, an Actin-Binding Protein, in Rat Experimental Glomerulonephritis and Its Upregulation by Basic Fibroblast Growth Factor in Cultured Rat Mesangial Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 423-433.	6.1	25
150	A CASE REPORT OF PANCREATODUODENECTOMY FOR PANCREATIC HEAD CANCER ASSOCIATED WITH CELIAC AXIAL OCCLUSION. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2000, 61, 404-407.	0.0	0
151	Involvement of PDGF in pressure-induced mesangial cell proliferation through PKC and tyrosine kinase pathways. <i>American Journal of Physiology - Renal Physiology</i> , 1999, 277, F105-F112.	2.7	13
152	Acute glomerulonephritis associated with pneumonia: A possible Chlamydia pneumoniae etiology?. <i>Pediatrics International</i> , 1999, 41, 698-700.	0.5	3
153	Glomerulonephritis without IgA deposits in a case of Henoch-Schönlein purpura. <i>Pediatric Nephrology</i> , 1999, 13, 597-599.	1.7	6
154	Long-Term Azathioprine Therapy in Two Children with Steroid-Dependent Minimal-Change Nephrotic Syndrome.. <i>Tohoku Journal of Experimental Medicine</i> , 1999, 187, 273-278.	1.2	3
155	Acute Tubulointerstitial Nephritis Following Intravenous Immunoglobulin Therapy in a Male Infant with Minimal-Change Nephrotic Syndrome.. <i>Tohoku Journal of Experimental Medicine</i> , 1999, 189, 155-161.	1.2	12
156	Spontaneous regression of retroperitoneal fibrosis after discontinuing a hydralazine, hydrochlorothiazide and reserpine mixture, and doxazosin mesilate.. <i>Nihon Toseki Igakkai Zasshi</i> , 1999, 32, 295-300.	0.1	0
157	Successful treatment of Wernicke's encephalopathy in a boy with acute mixed lineage leukemia. <i>Pediatrics International</i> , 1998, 40, 271-274.	0.5	4
158	An infant case of bilateral small kidneys with both proximal and distal tubular dysfunction. <i>Pediatrics International</i> , 1998, 40, 367-369.	0.5	3
159	Trisomy 6 in a childhood acute mixed lineage leukemia. <i>Pediatrics International</i> , 1998, 40, 616-620.	0.5	5
160	Subclinical Sjögren's syndrome: A significant ⁶⁷ gallium accumulation in the orbits and parotid glands. <i>Pediatrics International</i> , 1998, 40, 621-623.	0.5	8
161	Relapsed duodenal ulcer after cure of Helicobacter pylori infection. <i>Journal of Gastroenterology</i> , 1998, 33, 556-561.	5.1	10
162	Efficacy of long-term alternate day prednisolone therapy in childhood IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 1998, 2, 132-136.	1.6	5

#	ARTICLE	IF	CITATIONS
163	Sequential measurement of mesangial matrix area occupying the glomerulus in children with IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 1998, 2, 80-84.	1.6	1
164	Age-Related Histologic Alterations after Prednisolone Therapy in Children with IgA Nephropathy.. <i>Tohoku Journal of Experimental Medicine</i> , 1998, 185, 247-252.	1.2	10
165	Efficacy of Long-Term Sulfamethoxazole-Trimethoprim Therapy in a Boy with Hyperimmunoglobulin E Syndrome.. <i>Tohoku Journal of Experimental Medicine</i> , 1998, 186, 61-66.	1.2	9
166	Pharmacokinetics of sparfloxacin in continuous ambulatory peritoneal dialysis patients.. <i>Nihon Toseki Igakkai Zasshi</i> , 1998, 31, 139-143.	0.1	0
167	Acute tubulointerstitial nephritis associated with piperacillin therapy in a boy with glomerulonephritis. <i>Pediatrics International</i> , 1997, 39, 698-700.	0.5	13
168	Effect of Fasting Subjects's Posture on 13 C Urea Breath Test for Detection of Helicobacter pylori Infection. <i>Helicobacter</i> , 1997, 2, 82-85.	3.5	26
169	Capacity of H2O2 Release from Monocytes in Steroid-Sensitive Nephrotic Syndrome.. <i>Tohoku Journal of Experimental Medicine</i> , 1996, 178, 271-277.	1.2	1
170	Production of monocyte chemoattractant protein-1 by bovine glomerular endothelial cells. <i>Kidney International</i> , 1995, 48, 1866-1874.	5.2	45
171	Trombiculid mites and Rickettsia tsutsugamushi isolated from wild rodents and mites in an endemic area of Saitama Prefecture, Japan. <i>Medical Entomology and Zoology</i> , 1993, 44, 7-14.	0.1	2
172	Multiple Arteriovenous Malformations Located in the Cerebellum, Posterior Fossa, Spinal Cord, Dura, and Scalp with Associated Port-Wine Stain and Supratentorial Venous Anomaly. <i>Neurosurgery</i> , 1992, 31, 137-140.	1.1	16
173	Intracranial and Cerebral Perfusion Pressures in Relation to Auditory Brainstem Responses and Initiation of Secondary Brainstem Damage. <i>Neurologia Medico-Chirurgica</i> , 1988, 28, 661-666.	2.2	1
174	Clinical Application of the Multidimensional Neurological Monitoring System and the Cerebrosystemic Hemodynamic Profile for Critically Ill Neurosurgical Patients. <i>Neurologia Medico-Chirurgica</i> , 1988, 28, 27-33.	2.2	6
175	3-D mapping of body surface potentials. <i>Medical Informatics = Medecine Et Informatique</i> , 1987, 12, 125-135.	0.8	0
176	A proposal for the standardization of body surface potential mapping (BSPM) systems.. <i>International Heart Journal</i> , 1987, 28, 135-142.	0.6	1
177	-378-AN ECG INVERSE SOLUTION WITH HIGH SPATIAL RESOLUTION. <i>Japanese Circulation Journal</i> , 1986, 50, 572-573.	1.0	0
178	A case of oculopharyngeal muscular dystrophy.. <i>Nihon Kikan Shokudoka Gakkai Kaiho</i> , 1985, 36, 389-395.	0.0	1
179	A Case of Vocal Cord Paralysis Due to Lung Cancer Treated by BAI and BAE Techniques. <i>Nihon Kikan Shokudoka Gakkai Kaiho</i> , 1984, 35, 51-55.	0.0	0
180	An Inverse Solution of Electrocardiography by Using Mode Matching Method. <i>Transactions of the Society of Instrument and Control Engineers</i> , 1982, 18, 1194-1201.	0.2	0

#	ARTICLE	IF	CITATIONS
181	Studies of antithrombin III (ATIII) Report VII: Studies of production of ATIII. Blood & Vessel, 1981, 12, 111-114.	0.0	0
182	The effect of ticlopidine on experimentally induced arterial thrombosis of rabbits. Blood & Vessel, 1980, 11, 164-169.	0.0	2
183	The effect of aspirin on vascular prostaglandin I ₂ formation in rabbits. Blood & Vessel, 1980, 11, 428-431.	0.0	1
184	Studies on Antithrombin III (AT III). Blood & Vessel, 1979, 10, 59-62.	0.0	1
185	Studies on antithrombin III. Purification of canine antithrombin III and its properties. Blood & Vessel, 1978, 9, 139-144.	0.0	1
186	Studies on intermediate hosts of bovine Thelazia : III Surveys in Hokkaido and Kanto districts. Medical Entomology and Zoology, 1967, 18, 255-259.	0.1	0
187	Relationship between the activity of a viper, Trimeresurus flavoviridis (Hallowell, 1860) and the snake bite. Medical Entomology and Zoology, 1967, 18, 113-118.	0.1	0
188	Studies on the Habu (Trimeresurus flavoviridis) and the Habu-bite in Amami Oshima (Tr.-3) : Analytical studies on the locomotion of the Habu with a special reference to the influences of illumination. Medical Entomology and Zoology, 1965, 16, 177-183.	0.1	1
189	On the occurrence and behavior of Japan house mouse Mus musculus in an apartment house group. Medical Entomology and Zoology, 1960, 11, 216-217.	0.1	0
190	Studies on Strongyloidiasis (3) Clinical Studies of Experimental and Natural Infections. Juntendo, Igaku, 1957, 3, 155-162.	0.1	1
191	Studies on Strongyloidiasis. Juntendo, Igaku, 1957, 3, 91-100.	0.1	0
192	Studies on Strongyloidiasis. Juntendo, Igaku, 1957, 3, 22-30.	0.1	1
193	Toll-Like Receptor 3 and Retinoic Acid-Inducible Gene-1 Implicated to the Pathogenesis of Autoimmune Renal Diseases. , 0, , .		0
194	Implication of Regional Activation of Toll-Like Receptor 3/ Interferon- γ Signaling in Human Mesangial Cells - Possible Involvement in the Pathogenesis of Lupus Nephritis. , 0, , .		0