
Glyn H Lewis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/98499/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. Nature Genetics, 2018, 50, 668-681.	9.4	2,224
2	Cannabis use and risk of psychotic or affective mental health outcomes: a systematic review. Lancet, The, 2007, 370, 319-328.	6.3	1,877
3	Psychiatric and neuropsychiatric presentations associated with severe coronavirus infections: a systematic review and meta-analysis with comparison to the COVID-19 pandemic. Lancet Psychiatry,the, 2020, 7, 611-627.	3.7	1,799
4	Measuring psychiatric disorder in the community: a standardized assessment for use by lay interviewers. Psychological Medicine, 1992, 22, 465-486.	2.7	1,588
5	Identification of common genetic risk variants for autism spectrum disorder. Nature Genetics, 2019, 51, 431-444.	9.4	1,538
6	A mega-analysis of genome-wide association studies for major depressive disorder. Molecular Psychiatry, 2013, 18, 497-511.	4.1	1,002
7	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. Cell, 2019, 179, 1469-1482.e11.	13.5	935
8	Self reported cannabis use as a risk factor for schizophrenia in Swedish conscripts of 1969: historical cohort study. BMJ: British Medical Journal, 2002, 325, 1199-1199.	2.4	679
9	Association of Serum Interleukin 6 and C-Reactive Protein in Childhood With Depression and Psychosis in Young Adult Life. JAMA Psychiatry, 2014, 71, 1121.	6.0	638
10	Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2008 British Association for Psychopharmacology guidelines. Journal of Psychopharmacology, 2015, 29, 459-525.	2.0	528
11	Gene × Environment Interactions at the Serotonin Transporter Locus. Biological Psychiatry, 2009, 65, 211-219.	0.7	523
12	Psychosis, victimisation and childhood disadvantage. British Journal of Psychiatry, 2004, 185, 220-226.	1.7	478
13	Maternal Depression During Pregnancy and the Postnatal Period. JAMA Psychiatry, 2013, 70, 1312.	6.0	467
14	Antidepressant activity of anti-cytokine treatment: a systematic review and meta-analysis of clinical trials of chronic inflammatory conditions. Molecular Psychiatry, 2018, 23, 335-343.	4.1	452
15	Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2000 British Association for Psychopharmacology guidelines. Journal of Psychopharmacology, 2008, 22, 343-396.	2.0	437
16	A Longitudinal Study of Premorbid IQ Score and Risk of Developing Schizophrenia,Bipolar Disorder, Severe Depression, and Other Nonaffective Psychoses. Archives of General Psychiatry, 2004, 61, 354.	13.8	407
17	Personality Disorder: the Patients Psychiatrists Dislike. British Journal of Psychiatry, 1988, 153, 44-49.	1.7	406
18	Assessment of Bidirectional Relationships Between Physical Activity and Depression Among Adults. JAMA Psychiatry, 2019, 76, 399.	6.0	399

#	Article	IF	CITATIONS
19	The epidemiology of fatigue: more questions than answers Journal of Epidemiology and Community Health, 1992, 46, 92-97.	2.0	395
20	IQ and risk for schizophrenia: a population-based cohort study. Psychological Medicine, 1997, 27, 1311-1323.	2.7	392
21	Effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse or recurrence (PREVENT): a randomised controlled trial. Lancet, The, 2015, 386, 63-73.	6.3	390
22	Poverty, unemployment, and common mental disorders: population based cohort study. BMJ: British Medical Journal, 1998, 317, 115-119.	2.4	386
23	Prevalence of low-grade inflammation in depression: a systematic review and meta-analysis of CRP levels. Psychological Medicine, 2019, 49, 1958-1970.	2.7	385
24	Prenatal maternal infection, neurodevelopment and adult schizophrenia: a systematic review of population-based studies. Psychological Medicine, 2013, 43, 239-257.	2.7	374
25	The National Psychiatric Morbidity Surveys of Great Britain – initial findings from the Household Survey. Psychological Medicine, 1997, 27, 775-789.	2.7	363
26	Therapist-delivered internet psychotherapy for depression in primary care: a randomised controlled trial. Lancet, The, 2009, 374, 628-634.	6.3	340
27	Schizophrenia and city life. Lancet, The, 1992, 340, 137-140.	6.3	339
28	Cross sectional study of symptom attribution and recognition of depression and anxiety in primary care Commentary: There must be limits to the medicalisation of human distress. BMJ: British Medical Journal, 1999, 318, 436-440.	2.4	317
29	Prospective Study of Peer Victimization in Childhood and Psychotic Symptoms in a Nonclinical Population at Age 12 Years. Archives of General Psychiatry, 2009, 66, 527.	13.8	316
30	Parental depression, maternal antidepressant use during pregnancy, and risk of autism spectrum disorders: population based case-control study. BMJ, The, 2013, 346, f2059-f2059.	3.0	299
31	The influence of age and sex on the prevalence of depressive conditions: report from the National Survey of Psychiatric Morbidity. Psychological Medicine, 1998, 28, 9-19.	2.7	293
32	Suicide, deprivation, and unemployment: record linkage study. BMJ: British Medical Journal, 1998, 317, 1283-1286.	2.4	287
33	Obsessive-Compulsive Disorder: Prevalence, Comorbidity, Impact, and Help-Seeking in the British National Psychiatric Morbidity Survey of 2000. American Journal of Psychiatry, 2006, 163, 1978-1985.	4.0	281
34	Cognitive behavioural therapy as an adjunct to pharmacotherapy for primary care based patients with treatment resistant depression: results of the CoBalT randomised controlled trial. Lancet, The, 2013, 381, 375-384.	6.3	278
35	Psychotic Experiences and Psychotic Disorders at Age 18 in Relation to Psychotic Experiences at Age 12 in a Longitudinal Population-Based Cohort Study. American Journal of Psychiatry, 2013, 170, 742-750.	4.0	273
36	Developmental Precursors of Affective Illness in a General Population Birth Cohort. Archives of General Psychiatry, 1997, 54, 625.	13.8	256

#	Article	IF	CITATIONS
37	Paternal age and schizophrenia: a population based cohort study. BMJ: British Medical Journal, 2004, 329, 1070.	2.4	252
38	Pharmacological and psychotherapeutic interventions for management of obsessive-compulsive disorder in adults: a systematic review and network meta-analysis. Lancet Psychiatry,the, 2016, 3, 730-739.	3.7	251
39	Nicotine, alcohol and drug dependence and psychiatric comorbidity. British Journal of Psychiatry, 2001, 179, 432-437.	1.7	250
40	Violence against women by their intimate partner during pregnancy and postnatal depression: a prospective cohort study. Lancet, The, 2010, 376, 903-910.	6.3	249
41	The patient–doctor relationship: a synthesis of the qualitative literature on patients' perspectives. British Journal of General Practice, 2009, 59, e116-e133.	0.7	247
42	Epilepsy and psychiatric comorbidity: A nationally representative populationâ€based study. Epilepsia, 2012, 53, 1095-1103.	2.6	244
43	Premorbid adjustment and personality in people with schizophreniaâ€. British Journal of Psychiatry, 1998, 172, 308-313.	1.7	238
44	Effects of cannabis use on outcomes of psychotic disorders: systematic review. British Journal of Psychiatry, 2008, 193, 357-363.	1.7	237
45	IQ and non-clinical psychotic symptoms in 12-year-olds: results from the ALSPAC birth cohort. British Journal of Psychiatry, 2008, 193, 185-191.	1.7	233
46	Social Adversity in Childhood and the Risk of Developing Psychosis: A National Cohort Study. American Journal of Psychiatry, 2005, 162, 1652-1657.	4.0	224
47	Childhood infection and adult schizophrenia: A meta-analysis of population-based studies. Schizophrenia Research, 2012, 139, 161-168.	1.1	224
48	Self-reported psychotic symptoms in the general population. British Journal of Psychiatry, 2006, 188, 519-526.	1.7	214
49	Common mental disorders in Santiago, Chile. British Journal of Psychiatry, 2001, 178, 228-233.	1.7	213
50	Minimal phenotyping yields genome-wide association signals of low specificity for major depression. Nature Genetics, 2020, 52, 437-447.	9.4	207
51	Minimal clinically important difference on the Beck Depression Inventory - II according to the patient's perspective. Psychological Medicine, 2015, 45, 3269-3279.	2.7	202
52	Infections in the CNS During Childhood and the Risk of Subsequent Psychotic Illness: A Cohort Study of More Than One Million Swedish Subjects. American Journal of Psychiatry, 2008, 165, 59-65.	4.0	201
53	Unequal access and unmet need: neurotic disorders and the use of primary care services. Psychological Medicine, 2000, 30, 1359-1367.	2.7	200
54	Clinical and social outcomes of adolescent self harm: population based birth cohort study. BMJ, The, 2014, 349, g5954-g5954.	3.0	200

#	Article	IF	CITATIONS
55	Contribution of Common Genetic Variants to Antidepressant Response. Biological Psychiatry, 2013, 73, 679-682.	0.7	199
56	Phenotypic Manifestation of Genetic Risk for Schizophrenia During Adolescence in the General Population. JAMA Psychiatry, 2016, 73, 221.	6.0	197
57	The Shona Symptom Questionnaire: the development of an indigenous measure of common mental disorders in Harare. Acta Psychiatrica Scandinavica, 1997, 95, 469-475.	2.2	190
58	Parental Socioeconomic Status and Risk of Offspring Autism Spectrum Disorders in a Swedish Population-Based Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2012, 51, 467-476.e6.	0.3	188
59	Obstetric complications and risk of schizophrenia. British Journal of Psychiatry, 2001, 179, 409-414.	1.7	178
60	The association between loneliness and depressive symptoms among adults aged 50 years and older: a 12-year population-based cohort study. Lancet Psychiatry,the, 2021, 8, 48-57.	3.7	178
61	Genetic Association of Major Depression With Atypical Features and Obesity-Related Immunometabolic Dysregulations. JAMA Psychiatry, 2017, 74, 1214.	6.0	174
62	Socioeconomic status, standard of living, and neurotic disorder. Lancet, The, 1998, 352, 605-609.	6.3	173
63	Education and income: which is more important for mental health?. Journal of Epidemiology and Community Health, 2003, 57, 501-505.	2.0	173
64	Clinical effectiveness of collaborative care for depression in UK primary care (CADET): cluster randomised controlled trial. BMJ, The, 2013, 347, f4913-f4913.	3.0	173
65	Characterisation of zuclopenthixol metabolism by <i>in vitro</i> and therapeutic drug monitoring studies. Acta Psychiatrica Scandinavica, 2010, 122, 444-453.	2.2	172
66	Socio-economic position and common mental disorders. British Journal of Psychiatry, 2006, 189, 109-117.	1.7	170
67	Detection of depression and anxiety in primary care: follow up study. BMJ: British Medical Journal, 2002, 325, 1016-1017.	2.4	167
68	Substance misuse and psychiatric comorbidity. Addictive Behaviors, 1998, 23, 909-918.	1.7	165
69	Aftercare and clinical characteristics of people with mental illness who commit suicide: a case-control study. Lancet, The, 1999, 353, 1397-1400.	6.3	164
70	Signs of asphyxia at birth and risk of schizophrenia. British Journal of Psychiatry, 2001, 179, 403-408.	1.7	164
71	Facilitated physical activity as a treatment for depressed adults: randomised controlled trial. BMJ, The, 2012, 344, e2758-e2758.	3.0	163
72	Factors influencing the development and amelioration of suicidal thoughts in the general population. British Journal of Psychiatry, 2004, 185, 385-393.	1.7	162

#	Article	IF	CITATIONS
73	Pathways Between Childhood Victimization and Psychosis-like Symptoms in the ALSPAC Birth Cohort. Schizophrenia Bulletin, 2013, 39, 1045-1055.	2.3	162
74	Refugee migration and risk of schizophrenia and other non-affective psychoses: cohort study of 1.3 million people in Sweden. BMJ, The, 2016, 352, i1030.	3.0	162
75	Strategies for preventing suicide. British Journal of Psychiatry, 1997, 171, 351-354.	1.7	161
76	Psychiatric and social aspects of suicidal behaviour in prisons. Psychological Medicine, 2005, 35, 257-269.	2.7	160
77	Perceptions of social capital and the built environment and mental health. Social Science and Medicine, 2006, 62, 3072-3083.	1.8	156
78	Treatment of postnatal depression in low-income mothers in primary-care clinics in Santiago, Chile: a randomised controlled trial. Lancet, The, 2007, 370, 1629-1637.	6.3	156
79	Are British Psychiatrists Racist?. British Journal of Psychiatry, 1990, 157, 410-415.	1.7	153
80	Material standard of living, social class, and the prevalence of the common mental disorders in Great Britain. Journal of Epidemiology and Community Health, 1998, 52, 8-14.	2.0	153
81	Income inequality and the prevalence of common mental disorders in Britain. British Journal of Psychiatry, 2001, 178, 222-227.	1.7	153
82	Randomised controlled trials investigating pharmacological and psychological interventions for treatment-refractory depression. British Journal of Psychiatry, 2002, 181, 284-294.	1.7	152
83	Pragmatic randomised controlled trials in psychiatry. British Journal of Psychiatry, 1999, 175, 217-223.	1.7	150
84	Marriage and risk of dementia: systematic review and meta-analysis of observational studies. Journal of Neurology, Neurosurgery and Psychiatry, 2018, 89, 231-238.	0.9	148
85	Prevalence, psychosocial correlates and service utilization of depressive and anxiety disorders in Hong Kong: the Hong Kong Mental Morbidity Survey (HKMMS). Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1379-1388.	1.6	147
86	Paternal age and risk for schizophrenia. British Journal of Psychiatry, 2003, 183, 405-408.	1.7	143
87	Sibling Bullying and Risk of Depression, Anxiety, and Self-Harm: A Prospective Cohort Study. Pediatrics, 2014, 134, e1032-e1039.	1.0	141
88	The National Psychiatric Morbidity Surveys of Great Britain – strategy and methods. Psychological Medicine, 1997, 27, 765-774.	2.7	140
89	Neurotic disorders and the receipt of psychiatric treatment. Psychological Medicine, 2000, 30, 1369-1376.	2.7	140
90	Psychopathy among prisoners in England and Wales. International Journal of Law and Psychiatry, 2009, 32, 134-141.	0.5	140

#	Article	IF	CITATIONS
91	Factors affecting survival in Alzheimer's disease. Psychological Medicine, 1991, 21, 363-370.	2.7	139
92	The Aberfan disaster: 33-year follow-up of survivors. British Journal of Psychiatry, 2003, 182, 532-536.	1.7	139
93	Adolescent Alcohol and Tobacco Use and Early Socioeconomic Position: The ALSPAC Birth Cohort. Pediatrics, 2011, 127, e948-e955.	1.0	139
94	Validity of the Short Mood and Feelings Questionnaire in late adolescence Psychological Assessment, 2014, 26, 752-762.	1.2	137
95	Individuals, Schools, and Neighborhood. Archives of General Psychiatry, 2010, 67, 914.	13.8	134
96	Discontinuation rates of SSRIs and tricyclic antidepressants: a meta-analysis and investigation of heterogeneity. British Journal of Psychiatry, 1997, 170, 120-127.	1.7	133
97	The influence of age and sex on the prevalence of depressive conditions: report from the National Survey of Psychiatric Morbidity. International Review of Psychiatry, 2003, 15, 74-83.	1.4	132
98	Drug use and initiation in prison: results from a national prison survey in England and Wales. Addiction, 2002, 97, 1551-1560.	1.7	131
99	Overcoming the effects of false positives and threshold bias in graph theoretical analyses of neuroimaging data. NeuroImage, 2015, 118, 313-333.	2.1	131
100	Psychosis in the Community and in Prisons: A Report From the British National Survey of Psychiatric Morbidity. American Journal of Psychiatry, 2005, 162, 774-780.	4.0	129
101	Patterns of alcohol use and multiple risk behaviour by gender during early and late adolescence: the ALSPAC cohort. Journal of Public Health, 2012, 34, i20-i30.	1.0	129
102	Tolerance of suicide, religion and suicide rates: an ecological and individual study in 19 Western countries. Psychological Medicine, 1997, 27, 1165-1171.	2.7	128
103	PEER VICTIMIZATION DURING ADOLESCENCE AND RISK FOR ANXIETY DISORDERS IN ADULTHOOD: A PROSPECTIVE COHORT STUDY. Depression and Anxiety, 2014, 31, 574-582.	2.0	128
104	Mood, anxiety and psychotic phenomena measure a common psychopathological factor. Psychological Medicine, 2015, 45, 1483-1493.	2.7	128
105	Comparison of two self administered psychiatric questionnaires (GHQ-12 and SRQ-20) in primary care in Chile. Social Psychiatry and Psychiatric Epidemiology, 1992, 27, 168-173.	1.6	127
106	Being Bullied During Childhood and the Prospective Pathways to Self-Harm in Late Adolescence. Journal of the American Academy of Child and Adolescent Psychiatry, 2013, 52, 608-618.e2.	0.3	125
107	Assessing psychiatric disorder with a human interviewer or a computer Journal of Epidemiology and Community Health, 1994, 48, 207-210.	2.0	123
108	Bullying in elementary school and psychotic experiences at 18 years: a longitudinal, population-based cohort study. Psychological Medicine, 2014, 44, 2199-2211.	2.7	123

#	Article	IF	CITATIONS
109	Psychosis and drug dependence: results from a national survey of prisoners. British Journal of Psychiatry, 2002, 181, 393-398.	1.7	120
110	Investigating the Association Between Cigarette Smoking and Schizophrenia in a Cohort Study. American Journal of Psychiatry, 2003, 160, 2216-2221.	4.0	120
111	Birth weight and psychological distress at age 45–51 years. British Journal of Psychiatry, 2005, 187, 21-28.	1.7	118
112	Resuscitation at birth and cognition at 8 years of age: a cohort study. Lancet, The, 2009, 373, 1615-1622.	6.3	116
113	Peer victimisation during adolescence and its impact on depression in early adulthood: prospective cohort study in the United Kingdom. BMJ, The, 2015, 350, h2469-h2469.	3.0	116
114	Course of Cognitive Development From Infancy to Early Adulthood in the Psychosis Spectrum. JAMA Psychiatry, 2018, 75, 270.	6.0	116
115	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. Molecular Psychiatry, 2020, 25, 1430-1446.	4.1	116
116	Comparison of the General Health Questionnaire and the Hospital Anxiety and Depression Scale. British Journal of Psychiatry, 1990, 157, 860-864.	1.7	115
117	Prevalence of treatment-resistant depression in primary care: cross-sectional data. British Journal of General Practice, 2013, 63, e852-e858.	0.7	115
118	Differences in risk factors for self-harm with and without suicidal intent: Findings from the ALSPAC cohort. Journal of Affective Disorders, 2014, 168, 407-414.	2.0	114
119	Negative self-schemas and the onset of depression in women: longitudinal study. British Journal of Psychiatry, 2005, 186, 302-307.	1.7	111
120	Cannabis, <i>COMT</i> and psychotic experiences. British Journal of Psychiatry, 2011, 199, 380-385.	1.7	111
121	The development of a computerized assessment for minor psychiatric disorder. Psychological Medicine, 1988, 18, 737-745.	2.7	110
122	Putting trials on trialthe costs and consequences of small trials in depression: a systematic review of methodology Journal of Epidemiology and Community Health, 1997, 51, 354-358.	2.0	110
123	Is socioeconomic status in early life associated with drug use? A systematic review of the evidence. Drug and Alcohol Review, 2009, 28, 142-153.	1.1	110
124	Genetic Predictors of Response to Serotonergic and Noradrenergic Antidepressants in Major Depressive Disorder: A Genome-Wide Analysis of Individual-Level Data and a Meta-Analysis. PLoS Medicine, 2012, 9, e1001326.	3.9	110
125	Violence and Psychiatric Morbidity in a National Household PopulationA Report from the British Household Survey. American Journal of Epidemiology, 2006, 164, 1199-1208.	1.6	109
126	â€Junk food' diet and childhood behavioural problems: results from the ALSPAC cohort. European Journal of Clinical Nutrition, 2009, 63, 491-498.	1.3	107

#	Article	IF	CITATIONS
127	Studying suicide from the life course perspective: Implications for prevention. British Journal of Psychiatry, 2005, 187, 206-208.	1.7	106
128	Violence and psychiatric morbidity in the national household population of Britain: public health implications. British Journal of Psychiatry, 2006, 189, 12-19.	1.7	106
129	Association of social contact with dementia and cognition: 28-year follow-up of the Whitehall II cohort study. PLoS Medicine, 2019, 16, e1002862.	3.9	105
130	Are SSRIs a Cost-Effective Alternative to Tricyclics?. British Journal of Psychiatry, 1996, 168, 404-409.	1.7	104
131	Trends in service use and treatment for mental disorders in adults throughout Great Britain. British Journal of Psychiatry, 2004, 185, 378-384.	1.7	104
132	Cost-effectiveness of therapist-delivered online cognitive–behavioural therapy for depression: randomised controlled trial. British Journal of Psychiatry, 2010, 197, 297-304.	1.7	103
133	Long-term effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: follow-up of the CoBalT randomised controlled trial. Lancet Psychiatry,the, 2016, 3, 137-144.	3.7	103
134	British psychiatric morbidity survey. British Journal of Psychiatry, 1998, 173, 4-7.	1.7	102
135	Investigating whether adverse prenatal and perinatal events are associated with non-clinical psychotic symptoms at age 12 years in the ALSPAC birth cohort. Psychological Medicine, 2009, 39, 1457-1467.	2.7	102
136	Adolescent self-harm and suicidal thoughts in the ALSPAC cohort: a self-report survey in England. BMC Psychiatry, 2012, 12, 69.	1.1	102
137	Genetic Differences in the Immediate Transcriptome Response to Stress Predict Risk-Related Brain Function and Psychiatric Disorders. Neuron, 2015, 86, 1189-1202.	3.8	102
138	Rural/non-rural differences in rates of common mental disorders in Britain. British Journal of Psychiatry, 2006, 188, 51-57.	1.7	101
139	Contextual risk factors for the common mental disorders in Britain: a multilevel investigation of the effects of place. Journal of Epidemiology and Community Health, 2003, 57, 616-621.	2.0	100
140	Suicide Acceptability in African- and White Americans: The Role of Religion. Journal of Nervous and Mental Disease, 1998, 186, 12-16.	0.5	100
141	Heritability of social cognitive skills in children and adolescents. British Journal of Psychiatry, 1999, 175, 559-564.	1.7	99
142	A Population-Based Cohort Study Examining the Incidence and Impact of Psychotic Experiences From Childhood to Adulthood, and Prediction of Psychotic Disorder. American Journal of Psychiatry, 2020, 177, 308-317.	4.0	98
143	Lone mothers, social exclusion and depression. Psychological Medicine, 2003, 33, 715-722.	2.7	97
144	Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008–2016. Alzheimer's and Dementia, 2018, 14, 933-943.	0.4	97

#	Article	IF	CITATIONS
145	Reward-Processing Behavior in Depressed Participants Relative to Healthy Volunteers. JAMA Psychiatry, 2020, 77, 1286.	6.0	97
146	Geographic Variation in the Prevalence of Common Mental Disorders in Britain: A Multilevel Investigation. American Journal of Epidemiology, 2003, 157, 730-737.	1.6	95
147	Fetal Growth and Childhood Behavioral Problems: Results from the ALSPAC Cohort. American Journal of Epidemiology, 2006, 163, 829-837.	1.6	95
148	Maternal tobacco, cannabis and alcohol use during pregnancy and risk of adolescent psychotic symptoms in offspring. British Journal of Psychiatry, 2009, 195, 294-300.	1.7	95
149	Alcohol consumption as a risk factor for anxiety and depression. British Journal of Psychiatry, 2005, 187, 544-551.	1.7	94
150	Integrated analysis of environmental and genetic influences on cord blood DNA methylation in new-borns. Nature Communications, 2019, 10, 2548.	5.8	94
151	Temporal Relations Between Unexplained Fatigue and Depression: Longitudinal Data From an International Study in Primary Care. Psychosomatic Medicine, 2004, 66, 330-335.	1.3	92
152	A cohort study of low Apgar scores and cognitive outcomes. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2007, 93, F115-F120.	1.4	92
153	Classroom based cognitive behavioural therapy in reducing symptoms of depression in high risk adolescents: pragmatic cluster randomised controlled trial. BMJ, The, 2012, 345, e6058-e6058.	3.0	92
154	Timing of menarche and depressive symptoms in adolescent girls from a UK cohort. British Journal of Psychiatry, 2011, 198, 17-23.	1.7	91
155	Efficacy and acceptability of selective serotonin reuptake inhibitors for the treatment of depression in Parkinson's disease: a systematic review and meta-analysis of randomized controlled trials. BMC Neurology, 2010, 10, 49.	0.8	90
156	Treatment Seeking by Individuals With Obsessive-Compulsive Disorder From the British Psychiatric Morbidity Survey of 2000. Psychiatric Services, 2007, 58, 977-982.	1.1	89
157	Sudden unexplained death in psychiatric in-patients. British Journal of Psychiatry, 2000, 176, 405-406.	1.7	88
158	Patients' views of physical activity as treatment for depression: a qualitative study. British Journal of General Practice, 2011, 61, e149-e156.	0.7	88
159	The Genetic Architecture of Depression in Individuals of East Asian Ancestry. JAMA Psychiatry, 2021, 78, 1258.	6.0	88
160	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. Biological Psychiatry, 2018, 84, 138-147.	0.7	87
161	Psychiatric disorder in veterans of the Persian Gulf War of 1991. British Journal of Psychiatry, 2003, 182, 391-403.	1.7	86
162	Associations of cannabis and cigarette use with psychotic experiences at age 18: findings from the Avon Longitudinal Study of Parents and Children. Psychological Medicine, 2014, 44, 3435-3444.	2.7	86

#	Article	IF	CITATIONS
163	Association between a functional interleukin 6 receptor genetic variant and risk of depression and psychosis in a population-based birth cohort. Brain, Behavior, and Immunity, 2018, 69, 264-272.	2.0	86
164	Antidepressants for the treatment of depression in people with schizophrenia: a systematic review. Psychological Medicine, 2003, 33, 589-599.	2.7	85
165	An observation tool to assist with the assessment of urban residential environments. Journal of Environmental Psychology, 2005, 25, 293-305.	2.3	85
166	GPs' experiences of primary care mental health research: a qualitative study of the barriers to recruitment. Family Practice, 2007, 24, 518-525.	0.8	84
167	An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. Biological Psychiatry, 2017, 82, 322-329.	0.7	84
168	A systematic review of the clinical effectiveness and cost-effectiveness of pharmacological and psychological interventions for the management of obsessive–compulsive disorder in children/adolescents and adults. Health Technology Assessment, 2016, 20, 1-392.	1.3	84
169	Stigma revisited, disclosure of emotional problems in primary care consultations in Wales. Social Science and Medicine, 2003, 56, 2191-2200.	1.8	83
170	The association between early autistic traits and psychotic experiences in adolescence. Schizophrenia Research, 2012, 135, 164-169.	1.1	82
171	Longitudinal association between inflammatory markers and specific symptoms of depression in a prospective birth cohort. Brain, Behavior, and Immunity, 2019, 76, 74-81.	2.0	81
172	A systematic review and metaâ€analysis of clinical predictors of lithium response in bipolar disorder. Acta Psychiatrica Scandinavica, 2019, 140, 94-115.	2.2	80
173	Suicide, religion, and socioeconomic conditions. An ecological study in 26 countries, 1990. Journal of Epidemiology and Community Health, 1999, 53, 204-210.	2.0	78
174	Psychological distress and risk of long-term disability: population-based longitudinal study. Journal of Epidemiology and Community Health, 2012, 66, 586-592.	2.0	78
175	The clinical effectiveness of sertraline in primary care and the role of depression severity and duration (PANDA): a pragmatic, double-blind, placebo-controlled randomised trial. Lancet Psychiatry,the, 2019, 6, 903-914.	3.7	78
176	Are there neurological and sensory risk factors for schizophrenia?. Schizophrenia Research, 1995, 14, 247-251.	1.1	77
177	'Third wave' cognitive and behavioural therapies versus other psychological therapies for depression. The Cochrane Library, 2013, , CD008704.	1.5	77
178	Cannabis and suicide: longitudinal study. British Journal of Psychiatry, 2009, 195, 492-497.	1.7	76
179	Antidepressants during pregnancy and autism in offspring: population based cohort study. BMJ: British Medical Journal, 2017, 358, j2811.	2.4	76
180	Maintenance or Discontinuation of Antidepressants in Primary Care. New England Journal of Medicine, 2021, 385, 1257-1267.	13.9	75

#	Article	IF	CITATIONS
181	The reluctance to seek treatment for neurotic disorders. International Review of Psychiatry, 2003, 15, 123-128.	1.4	74
182	Mental health inequalities in Wales, UK: Multi–level investigation of the effect of area deprivation. British Journal of Psychiatry, 2005, 186, 417-422.	1.7	74
183	Physical activity and emotional problems amongst adolescents. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 765-772.	1.6	74
184	A Population-Based Study of Genetic Variation and Psychotic Experiences in Adolescents. Schizophrenia Bulletin, 2014, 40, 1254-1262.	2.3	74
185	Clarifying the Relationship Between Unexplained Chronic Fatigue and Psychiatric Morbidity: Results From a Community Survey in Great Britain. American Journal of Psychiatry, 2000, 157, 1492-1498.	4.0	73
186	Effectiveness of an integrated telehealth service for patients with depression: a pragmatic randomised controlled trial of a complex intervention. Lancet Psychiatry,the, 2016, 3, 515-525.	3.7	73
187	Psychological processes mediating the association between developmental trauma and specific psychotic symptoms in adults: aÂsystematic review and metaâ€analysis. World Psychiatry, 2021, 20, 107-123.	4.8	72
188	Polygenic Scores Predict Alcohol Problems in an Independent Sample and Show Moderation by the Environment. Genes, 2014, 5, 330-346.	1.0	71
189	Pharmacogenetics of antidepressant response: A polygenic approach. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 75, 128-134.	2.5	71
190	A pragmatic randomised controlled trial to compare antidepressants with a community-based psychosocial intervention for the treatment of women with postnatal depression: the RESPOND trial. Health Technology Assessment, 2010, 14, iii-iv, ix-xi, 1-153.	1.3	71
191	Are cities bad for your mental health?. Psychological Medicine, 1994, 24, 913-915.	2.7	70
192	The Prevalence and Costs of Psychiatric Disorders and Learning Disabilities. British Journal of Psychiatry, 1995, 166, 9-18.	1.7	70
193	Computerized assessment of common mental disorders in primary care: effect on clinical outcome. Family Practice, 1996, 13, 120-126.	0.8	70
194	Are female children more vulnerable to the long-term effects of maternal depression during pregnancy?. Journal of Affective Disorders, 2016, 189, 329-335.	2.0	70
195	The process and delivery of CBT for depression in adults: a systematic review and network meta-analysis. Psychological Medicine, 2019, 49, 1937-1947.	2.7	70
196	Socioâ€economic status in childhood and later alcohol use: a systematic review*. Addiction, 2007, 102, 1546-1563.	1.7	69
197	Effects of emotion perception training on mood in undergraduate students: randomised controlled trial. British Journal of Psychiatry, 2012, 201, 71-72.	1.7	69
198	Outcomes of childhood conduct problem trajectories in early adulthood: findings from the ALSPAC study. European Child and Adolescent Psychiatry, 2014, 23, 539-549.	2.8	69

#	Article	IF	CITATIONS
199	Clinical effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: the CoBalT randomised controlled trial. Health Technology Assessment, 2014, 18, 1-167, vii-viii.	1.3	69
200	Assessing mental health in primary care research using standardized scales: can it be carried out over the telephone?. Psychological Medicine, 2004, 34, 157-162.	2.7	68
201	Common mental disorders and the built environment in Santiago, Chile. British Journal of Psychiatry, 2007, 190, 394-401.	1.7	67
202	Use of self-administered instruments to assess psychiatric disorders in older people: validity of the General Health Questionnaire, the Center for Epidemiologic Studies Depression Scale and the self-completion version of the revised Clinical Interview Schedule. Psychological Medicine, 2013, 43, 2649-2656.	2.7	67
203	Dynamical features in fetal and postnatal zinc-copper metabolic cycles predict the emergence of autism spectrum disorder. Science Advances, 2018, 4, eaat1293.	4.7	67
204	A qualitative study exploring how GPs decide to prescribe antidepressants. British Journal of General Practice, 2005, 55, 755-62.	0.7	67
205	Childhood Parasomnias and Psychotic Experiences at Age 12 Years in a United Kingdom Birth Cohort. Sleep, 2014, 37, 475-482.	0.6	66
206	TElehealth in CHronic disease: mixed-methods study to develop the TECH conceptual model for intervention design and evaluation. BMJ Open, 2015, 5, e006448-e006448.	0.8	66
207	Schizophreniaâ€like topological changes in the structural connectome of individuals with subclinical psychotic experiences. Human Brain Mapping, 2015, 36, 2629-2643.	1.9	66
208	Regional differences in mental health in Great Britain Journal of Epidemiology and Community Health, 1992, 46, 608-611.	2.0	65
209	Income inequality and self rated health in Britain. Journal of Epidemiology and Community Health, 2002, 56, 436-441.	2.0	65
210	Associations of Cannabis and Cigarette Use with Depression and Anxiety at Age 18: Findings from the Avon Longitudinal Study of Parents and Children. PLoS ONE, 2015, 10, e0122896.	1.1	65
211	Developmental pathways from childhood conduct problems to early adult depression: findings from the ALSPAC cohort. British Journal of Psychiatry, 2014, 205, 17-23.	1.7	64
212	Effect of cytochrome CYP2C19 metabolizing activity on antidepressant response and side effects: Meta-analysis of data from genome-wide association studies. European Neuropsychopharmacology, 2018, 28, 945-954.	0.3	64
213	Religious Identity and Comfort Beliefs in Three Groups of Psychiatric Patients and a Group of Medical Controls. International Journal of Social Psychiatry, 1994, 40, 124-134.	1.6	62
214	Geographical variation in rates of common mental disorders in Britain: Prospective cohort study. British Journal of Psychiatry, 2005, 187, 29-34.	1.7	62
215	Investigating if psychosis-like symptoms (PLIKS) are associated with family history of schizophrenia or paternal age in the ALSPAC birth cohort. Schizophrenia Research, 2008, 104, 279-286.	1.1	62
216	Physical activity and depression in adolescents: cross-sectional findings from the ALSPAC cohort. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1023-1033.	1.6	62

#	Article	IF	CITATIONS
217	Longitudinal association between different levels of alcohol consumption and a new onset of depression and generalized anxiety disorder: Results from an international study in primary care. Psychiatry Research, 2016, 243, 30-34.	1.7	62
218	Using Data Linkage to Investigate Inconsistent Reporting of Self-Harm and Questionnaire Non-Response. Archives of Suicide Research, 2016, 20, 113-141.	1.2	62
219	Unexplained Fatigue Syndromes in a Multinational Primary Care Sample: Specificity of Definition and Prevalence and Distinctiveness From Depression and Generalized Anxiety. American Journal of Psychiatry, 2003, 160, 785-787.	4.0	61
220	Childhood Epstein-Barr Virus infection and subsequent risk of psychotic experiences in adolescence: A population-based prospective serological study. Schizophrenia Research, 2014, 158, 19-24.	1.1	61
221	The National Psychiatric Morbidity Surveys of Great Britain–initial findings from the Household Survey. International Review of Psychiatry, 2003, 15, 29-42.	1.4	60
222	Paternal and maternal ages at conception and risk of bipolar affective disorder in their offspring. Psychological Medicine, 2010, 40, 477-485.	2.7	60
223	Factors associated with differential response to online cognitive behavioural therapy. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 827-833.	1.6	60
224	A longitudinal study of factors predicting change in cognitive test scores over time, in an older hypertensive population. Psychological Medicine, 1996, 26, 555-568.	2.7	59
225	Depression in paediatric chronic fatigue syndrome. Archives of Disease in Childhood, 2013, 98, 425-428.	1.0	59
226	The association between lower educational attainment and depression owing to shared genetic effects? Results in ~25 000 subjects. Molecular Psychiatry, 2015, 20, 735-743.	4.1	59
227	Non-psychotic psychiatric disorder and subsequent risk of schizophrenia. British Journal of Psychiatry, 2000, 177, 416-420.	1.7	58
228	Informal work and common mental disorders. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 485-489.	1.6	58
229	The association between depressive symptoms from early to late adolescence and later use and harmful use of alcohol. European Child and Adolescent Psychiatry, 2014, 23, 1219-1230.	2.8	58
230	A population-based study of atopic disorders and inflammatory markers in childhood before psychotic experiences in adolescence. Schizophrenia Research, 2014, 152, 139-145.	1.1	58
231	Proactive and Reactive Response Inhibition across the Lifespan. PLoS ONE, 2015, 10, e0140383.	1.1	58
232	Social roles and gender difference in the prevalence of common mental disorders. British Journal of Psychiatry, 1998, 173, 489-493.	1.7	57
233	Examining interactions between risk factors for psychosis. British Journal of Psychiatry, 2010, 197, 207-211.	1.7	57
234	Association between pubertal development and depressive symptoms in girls from a UK cohort. Psychological Medicine, 2012, 42, 2579-2589.	2.7	57

#	Article	IF	CITATIONS
235	The association of serum 25â€hydroxyvitamin D ₃ and D ₂ with depressive symptoms in childhood – a prospective cohort study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2012, 53, 757-766.	3.1	57
236	Treatment discontinuation with selective serotonin reuptake inhibitors (SSRIs) versus tricyclic antidepressants (TCAs). , 2000, , CD002791.		56
237	Nicotine, alcohol and drug dependence, and psychiatric comorbidityresults of a national household survey. International Review of Psychiatry, 2003, 15, 50-56.	1.4	56
238	40,000 memories in young teenagers: Psychometric properties of the Autobiographical Memory Test in a UK cohort study. Memory, 2012, 20, 300-320.	0.9	56
239	Patterns of Alcohol Use in Early Adolescence Predict Problem Use at Age 16. Alcohol and Alcoholism, 2012, 47, 169-177.	0.9	56
240	Somatic presentation of psychiatric morbidity in general practice. British Journal of General Practice, 1995, 45, 143-7.	0.7	56
241	Physical Activity and Common Mental Disorder: Results from the Caerphilly Study. American Journal of Epidemiology, 2007, 165, 946-954.	1.6	55
242	Common mental disorders, subthreshold symptoms and disability: longitudinal study. British Journal of Psychiatry, 2010, 197, 411-412.	1.7	55
243	Polymorphism of the 5-HT transporter and response to antidepressants: randomised controlled trial. British Journal of Psychiatry, 2011, 198, 464-471.	1.7	55
244	Adverse effects from antidepressant treatment: randomised controlled trial of 601 depressed individuals. Psychopharmacology, 2014, 231, 2921-2931.	1.5	55
245	Lifetime Prevalence and Correlates of Schizophrenia-Spectrum, Affective, and Other Non-affective Psychotic Disorders in the Chinese Adult Population. Schizophrenia Bulletin, 2017, 43, 1280-1290.	2.3	55
246	The association between paternal and adolescent depressive symptoms: evidence from two population-based cohorts. Lancet Psychiatry,the, 2017, 4, 920-926.	3.7	55
247	The association of fetal and childhood growth with risk of schizophrenia. Cohort study of 720,000 Swedish men and women. Schizophrenia Research, 2005, 79, 315-322.	1.1	54
248	Psychological therapies for treatment-resistant depression in adults. The Cochrane Library, 2018, 2018, CD010558.	1.5	54
249	Obsessive–compulsive disorder and personality disorder. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 862-867.	1.6	53
250	Effects of stressful life events, maternal depression and 5â€HTTLPR genotype on emotional symptoms in preâ€adolescent children. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 670-682.	1.1	53
251	Cross-cultural patterns of the association between varying levels of alcohol consumption and the common mental disorders of depression and anxiety: Secondary analysis of the WHO Collaborative Study on Psychological Problems in General Health Care. Drug and Alcohol Dependence, 2013, 133, 825-831.	1.6	53
252	Lack of Association Between COMT and Working Memory in a Population-Based Cohort of Healthy Young Adults. Neuropsychopharmacology, 2013, 38, 1253-1263.	2.8	53

#	Article	IF	CITATIONS
253	Blood-Based Protein Changes in Childhood Are Associated With Increased Risk for Later Psychotic Disorder: Evidence From a Nested Case–Control Study of the ALSPAC Longitudinal Birth Cohort. Schizophrenia Bulletin, 2018, 44, 297-306.	2.3	53
254	A pragmatic randomised controlled trial to evaluate the cost-effectiveness of a physical activity intervention as a treatment for depression: the treating depression with physical activity (TREAD) trial Health Technology Assessment, 2012, 16, 1-164, iii-iv.	1.3	53
255	The comparison of latent variable models of non-psychotic psychiatric morbidity in four culturally diverse populations. Psychological Medicine, 1998, 28, 145-152.	2.7	52
256	Cross-cultural differences in the epidemiology of unexplained fatigue syndromes in primary care. British Journal of Psychiatry, 2003, 182, 205-209.	1.7	52
257	Primary group size, social support, gender and future mental health status in a prospective study of people living in private households throughout Great Britain. Psychological Medicine, 2005, 35, 705-714.	2.7	52
258	Prenatal and Early Life Exposure to Stressful Life Events and Risk of Autism Spectrum Disorders: Population-Based Studies in Sweden and England. PLoS ONE, 2012, 7, e38893.	1.1	52
259	Childhood conduct disorder trajectories, prior risk factors and cannabis use at age 16: birth cohort study. Addiction, 2013, 108, 2129-2138.	1.7	52
260	Association of Late Adolescent Personality With Risk for Subsequent Serious Mental Illness Among Men in a Swedish Nationwide Cohort Study. JAMA Psychiatry, 2017, 74, 703.	6.0	52
261	Childhood inflammatory markers and intelligence as predictors of subsequent persistent depressive symptoms: a longitudinal cohort study. Psychological Medicine, 2018, 48, 1514-1522.	2.7	52
262	Depression and self-harm from adolescence to young adulthood in sexual minorities compared with heterosexuals in the UK: a population-based cohort study. The Lancet Child and Adolescent Health, 2019, 3, 91-98.	2.7	52
263	Socioeconomic Status and Alcohol-Related Behaviors in Mid- to Late Adolescence in the Avon Longitudinal Study of Parents and Children. Journal of Studies on Alcohol and Drugs, 2014, 75, 541-545.	0.6	52
264	Apolipoprotein E-∈A allele and Alzheimer's disease. Lancet, The, 1993, 342, 1308-1309.	6.3	51
265	Mental health of British farmers * COMMENTARY. Occupational and Environmental Medicine, 2003, 60, 181-186.	1.3	51
266	If cannabis caused schizophrenia—how many cannabis users may need to be prevented in order to prevent one case of schizophrenia? England and Wales calculations. Addiction, 2009, 104, 1856-1861.	1.7	51
267	Protocol for the insight study: a randomised controlled trial of single-dose tocilizumab in patients with depression and low-grade inflammation. BMJ Open, 2018, 8, e025333.	0.8	51
268	Association of Maternal and Paternal Depression in the Postnatal Period With Offspring Depression at Age 18 Years. JAMA Psychiatry, 2019, 76, 290.	6.0	51
269	How much change is enough? Evidence from a longitudinal study on depression in UK primary care. Psychological Medicine, 2022, 52, 1875-1882.	2.7	51
270	A cluster randomised controlled trial to determine the clinical effectiveness and cost-effectiveness of classroom-based cognitive–behavioural therapy (CBT) in reducing symptoms of depression in high-risk adolescents. Health Technology Assessment, 2013, 17, vii-xvii, 1-109.	1.3	51

#	Article	IF	CITATIONS
271	Psychiatric disorder and dysfunction in the UK National Survey of Psychiatric Morbidity. Social Psychiatry and Psychiatric Epidemiology, 2000, 35, 191-197.	1.6	50
272	Social support networks and type of neurotic symptom among adults in British households. Psychological Medicine, 2003, 33, 307-318.	2.7	50
273	Height and body mass index in young adulthood and risk of schizophrenia: a longitudinal study of 1Â347Â520 Swedish men. Acta Psychiatrica Scandinavica, 2007, 116, 378-385.	2.2	50
274	Impairments in Cognition Across the Spectrum of Psychiatric Disorders: Evidence From a Swedish Conscript Cohort. Schizophrenia Bulletin, 2008, 34, 1035-1041.	2.3	50
275	The association between bullying and early stages of suicidal ideation in late adolescents in Greece. BMC Psychiatry, 2011, 11, 22.	1.1	50
276	Adolescent Alcohol Use Is Positively Associated With Later Depression in a Population-Based U.K. Cohort. Journal of Studies on Alcohol and Drugs, 2014, 75, 758-765.	0.6	50
277	Childhood sleep disturbance and risk of psychotic experiences at 18: UK birth cohort. British Journal of Psychiatry, 2015, 207, 23-29.	1.7	50
278	Hair Cortisol in Twins: Heritability and Genetic Overlap with Psychological Variables and Stress-System Genes. Scientific Reports, 2017, 7, 15351.	1.6	50
279	Prevalence and risk factors for HIV, hepatitis B, and hepatitis C in people with severe mental illness: a total population study of Sweden. Lancet Psychiatry,the, 2017, 4, 685-693.	3.7	50
280	A cross-sectional study of the prevalence of psychopathology in adults with congenital heart disease. Journal of Psychosomatic Research, 2002, 52, 65-68.	1.2	49
281	Trajectories of change in self-reported psychotic-like experiences in childhood and adolescence. Schizophrenia Research, 2012, 140, 104-109.	1.1	49
282	Cortisol awakening response and subsequent depression: prospective longitudinal study. British Journal of Psychiatry, 2014, 204, 137-143.	1.7	49
283	Investigating the genetic architecture of general and specific psychopathology in adolescence. Translational Psychiatry, 2018, 8, 145.	2.4	49
284	The effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse/recurrence: results of a randomised controlled trial (the PREVENT study). Health Technology Assessment, 2015, 19, 1-124.	1.3	49
285	Patient-Doctor Depth-of-Relationship Scale: Development and Validation. Annals of Family Medicine, 2011, 9, 538-545.	0.9	48
286	No pain, no gain: Depressed clients' experiences of cognitive behavioural therapy. British Journal of Clinical Psychology, 2013, 52, 347-364.	1.7	48
287	Association of Hydroxylmethyl Glutaryl Coenzyme A Reductase Inhibitors, L-Type Calcium Channel Antagonists, and Biguanides With Rates of Psychiatric Hospitalization and Self-Harm in Individuals With Serious Mental Illness. JAMA Psychiatry, 2019, 76, 382.	6.0	48
288	Antidepressants for people with both schizophrenia and depression. The Cochrane Library, 2002, , CD002305.	1.5	47

#	Article	lF	CITATIONS
289	Family socioeconomic position in early life and onset of depressive symptoms and depression: a prospective cohort study. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 95-103.	1.6	47
290	Association of Combined Patterns of Tobacco and Cannabis Use in Adolescence With Psychotic Experiences. JAMA Psychiatry, 2018, 75, 240.	6.0	46
291	Do socio-economic risk factors predict the incidence and maintenance of psychiatric disorder in primary care?. Psychological Medicine, 1997, 27, 73-80.	2.7	45
292	Risk factors and the prevalence of neurosis and psychosis in ethnic groups in Great Britain. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 939-946.	1.6	45
293	Father absence and timing of menarche in adolescent girls from a UK cohort: The mediating role of maternal depression and major financial problems. Journal of Adolescence, 2014, 37, 291-301.	1.2	45
294	The Avon Longitudinal Study of Parents and Children (ALSPAC) birth cohort as a resource for studying psychopathology in childhood and adolescence: a summary of findings for depression and psychosis. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1017-1027.	1.6	45
295	Self-reported school experience as a predictor of self-harm during adolescence: A prospective cohort study in the South West of England (ALSPAC). Journal of Affective Disorders, 2015, 173, 163-169.	2.0	45
296	Effectiveness of a Mobile App Intervention for Anxiety and Depression Symptoms in University Students: Randomized Controlled Trial. JMIR MHealth and UHealth, 2020, 8, e15418.	1.8	45
297	Links between social class and common mental disorders in Northeast Brazil. Social Psychiatry and Psychiatric Epidemiology, 2001, 36, 101-107.	1.6	44
298	Thinking life is not worth living. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 351-356.	1.6	44
299	Risk of schizophrenia and other non-affective psychosis among individuals exposed to head injury: Case control study. Schizophrenia Research, 2006, 88, 119-126.	1.1	44
300	Mental health and quality of residential environment. British Journal of Psychiatry, 2007, 191, 500-505.	1.7	44
301	Mediation of Developmental Risk Factors for Psychosis by White Matter Microstructure in Young Adults With Psychotic Experiences. JAMA Psychiatry, 2016, 73, 396.	6.0	44
302	Mirtazapine added to SSRIs or SNRIs for treatment resistant depression in primary care: phase III randomised placebo controlled trial (MIR). BMJ: British Medical Journal, 2018, 363, k4218.	2.4	44
303	Hospitalisation of people with dementia: evidence from English electronic health records from 2008 to 2016. European Journal of Epidemiology, 2019, 34, 567-577.	2.5	44
304	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. Molecular Psychiatry, 2021, 26, 2457-2470.	4.1	44
305	Social roles and the gender difference in rates of the common mental disorders in Britain: a 7-year, population-based cohort study. Psychological Medicine, 2001, 31, 1055-1064.	2.7	43
306	Ethnic differences in prisoners. British Journal of Psychiatry, 2002, 181, 473-480.	1.7	43

#	Article	IF	CITATIONS
307	Gender differences in reoffending after discharge from medium-secure units. British Journal of Psychiatry, 2006, 189, 168-172.	1.7	43
308	'Third wave' cognitive and behavioural therapies versus treatment as usual for depression. The Cochrane Library, 2013, , CD008705.	1.5	43
309	Defective Processing Speed and Nonclinical Psychotic Experiences in Children: Longitudinal Analyses in a Large Birth Cohort. American Journal of Psychiatry, 2013, 170, 550-557.	4.0	43
310	Dimensions of Parental Alcohol Use/Problems and Offspring Temperament, Externalizing Behaviors, and Alcohol Use/Problems. Alcoholism: Clinical and Experimental Research, 2013, 37, 2118-2127.	1.4	43
311	Association between serum C-reactive protein and DSM-IV generalized anxiety disorder in adolescence: Findings from the ALSPAC cohort. Neurobiology of Stress, 2016, 4, 55-61.	1.9	43
312	Role of age, gender and marital status in prognosis for adults with depression: An individual patient data meta-analysis. Epidemiology and Psychiatric Sciences, 2021, 30, e42.	1.8	43
313	Systematic review of multi-symptom conditions in Gulf War veterans. Psychological Medicine, 2006, 36, 735-747.	2.7	42
314	Rationale and development of the physical activity counselling intervention for a pragmatic TRial of Exercise and Depression in the UK (TREAD-UK). Mental Health and Physical Activity, 2010, 3, 85-91.	0.9	42
315	Parental mental illness and eating disorders in offspring. International Journal of Eating Disorders, 2015, 48, 383-391.	2.1	42
316	Do eating disorders in parents predict eating disorders in children? Evidence from a <scp>S</scp> wedish cohort. Acta Psychiatrica Scandinavica, 2015, 132, 51-59.	2.2	41
317	The longitudinal association between psychotic experiences, depression and suicidal behaviour in a population sample of adolescents. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1809-1817.	1.6	41
318	Risk of schizophrenia, schizoaffective, and bipolar disorders by migrant status, region of origin, and age-at-migration: a national cohort study of 1.8 million people. Psychological Medicine, 2019, 49, 2354-2363.	2.7	41
319	Clinical effectiveness and cost-effectiveness of collaborative care for depression in UK primary care (CADET): a cluster randomised controlled trial. Health Technology Assessment, 2016, 20, 1-192.	1.3	41
320	Schizophrenia sans frontieres: concepts of schizophrenia among French and British psychiatrists BMJ: British Medical Journal, 1993, 307, 489-492.	2.4	40
321	Age–period–cohort analysis of the incidence of schizophrenia in Scotland. Psychological Medicine, 1996, 26, 963-973.	2.7	40
322	Study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment in the prevention of depressive relapse/recurrence: the PREVENT trial. Trials, 2010, 11, 99.	0.7	40
323	Association between locus of control in childhood and psychotic symptoms in early adolescence: Results from a large birth cohort. Cognitive Neuropsychiatry, 2011, 16, 385-402.	0.7	40
324	Social anxiety is associated with general but not specific biases in emotion recognition. Psychiatry Research, 2013, 210, 199-207.	1.7	40

#	Article	IF	CITATIONS
325	New insights into the pharmacogenomics of antidepressant response from the GENDEP and STAR*D studies: rare variant analysis and high-density imputation. Pharmacogenomics Journal, 2018, 18, 413-421.	0.9	40
326	Panic disorder and subthreshold panic in the UK general population: Epidemiology, comorbidity and functional limitation. European Psychiatry, 2011, 26, 354-362.	0.1	39
327	Early Menarche and Depressive Symptoms From Adolescence to Young Adulthood inÂa UK Cohort. Journal of the American Academy of Child and Adolescent Psychiatry, 2013, 52, 591-598.e2.	0.3	39
328	Inequities in Mental Health Care After Health Care System Reform in Chile. American Journal of Public Health, 2006, 96, 109-113.	1.5	38
329	A population-based longitudinal study of childhood neurodevelopmental disorders, IQ and subsequent risk of psychotic experiences in adolescence. Psychological Medicine, 2014, 44, 3229-3238.	2.7	38
330	Identification of a plasma signature of psychotic disorder in children and adolescents from the Avon Longitudinal Study of Parents and Children (ALSPAC) cohort. Translational Psychiatry, 2017, 7, e1240-e1240.	2.4	38
331	Cost-Effectiveness of Collaborative Care for Depression in UK Primary Care: Economic Evaluation of a Randomised Controlled Trial (CADET). PLoS ONE, 2014, 9, e104225.	1.1	38
332	Association Between Maternal Depressogenic Cognitive Style During Pregnancy and Offspring Cognitive Style 18 Years Later. American Journal of Psychiatry, 2013, 170, 434-441.	4.0	37
333	The association between pubertal status and depressive symptoms and diagnoses in adolescent females: A population-based cohort study. PLoS ONE, 2018, 13, e0198804.	1.1	37
334	How data science can advance mental health research. Nature Human Behaviour, 2019, 3, 24-32.	6.2	37
335	Ethnic differences in prisoners. British Journal of Psychiatry, 2002, 181, 481-487.	1.7	36
336	Socio-economic status, standard of living, and neurotic disorder. International Review of Psychiatry, 2003, 15, 91-96.	1.4	36
337	Clarifying the relationship between unexplained chronic fatigue and psychiatric morbidity: results from a community survey in Great Britain. International Review of Psychiatry, 2003, 15, 57-64.	1.4	36
338	Adolescent Alcohol Use is Predicted by Childhood Temperament Factors Before Age 5, with Mediation Through Personality and Peers. Alcoholism: Clinical and Experimental Research, 2013, 37, 2108-2117.	1.4	36
339	Perinatal maternal life events and psychotic experiences in children at twelve years in a birth cohort study. Schizophrenia Research, 2014, 152, 158-163.	1.1	36
340	Exploring neural dysfunction in â€~clinical high risk' for psychosis: A quantitative review of fMRI studies. Journal of Psychiatric Research, 2015, 61, 122-134.	1.5	36
341	Maternal perinatal depressive symptoms and offspring psychotic experiences at 18 years of age: a longitudinal study. Lancet Psychiatry,the, 2020, 7, 431-440.	3.7	36
342	Trajectories of autistic social traits in childhood and adolescence and disordered eating behaviours at age 14 years: A UK general population cohort study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2021, 62, 75-85.	3.1	36

#	Article	IF	CITATIONS
343	Complement pathway changes at age 12 are associated with psychotic experiences at age 18 in a longitudinal population-based study: evidence for a role of stress. Molecular Psychiatry, 2021, 26, 524-533.	4.1	36
344	Older adults respond better to psychological therapy than working-age adults: evidence from a large sample of mental health service attendees Journal of Affective Disorders, 2021, 294, 85-93.	2.0	36
345	Assessing negative cognitive style: Development and validation of a Short-Form version of the Cognitive Style Questionnaire. Personality and Individual Differences, 2012, 52, 581-585.	1.6	35
346	Early life socioâ€economic position and later alcohol use: birth cohort study. Addiction, 2013, 108, 516-525.	1.7	35
347	Risk of depression and self-harm in teenagers identifying with goth subculture: a longitudinal cohort study. Lancet Psychiatry,the, 2015, 2, 793-800.	3.7	35
348	Suicide, self-harm and thoughts of suicide or self-harm in infectious disease epidemics: a systematic review and meta-analysis. Epidemiology and Psychiatric Sciences, 2021, 30, e32.	1.8	35
349	Psychiatric Morbidity in Primary Health Care in Santiago, Chile Preliminary Findings. British Journal of Psychiatry, 1994, 165, 530-533.	1.7	34
350	Factors associated with being a false positive on the General Health Questionnaire. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 402-407.	1.6	34
351	Involving patients with depression in research: survey of patients' attitudes to participation. British Journal of General Practice, 2011, 61, e134-e141.	0.7	34
352	Misconceptions about gene-environment interactions in psychiatry. Evidence-Based Mental Health, 2011, 13, 65-68.	2.2	34
353	Scientific rigor and the art of motorcycle maintenance. Nature Biotechnology, 2014, 32, 871-873.	9.4	34
354	Parental socio-economic position during childhood as a determinant of self-harm in adolescence. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 193-203.	1.6	34
355	The longitudinal association between external locus of control, social cognition and adolescent psychopathology. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 643-655.	1.6	34
356	Developmental cascades of internalising symptoms, externalising problems and cognitive ability from early childhood to middle adolescence. European Psychiatry, 2019, 57, 61-69.	0.1	34
357	Leisure activity participation and risk of dementia. Neurology, 2020, 95, e2803-e2815.	1.5	34
358	Discrimination on the grounds of diagnosis. Addiction, 1990, 85, 883-890.	1.7	33
359	Pain in veterans of the Gulf War of 1991: a systematic review. BMC Musculoskeletal Disorders, 2006, 7, 74.	0.8	33
360	Alcohol consumption as a risk factor for non-recovery from common mental disorder: results from the longitudinal follow-up of the National Psychiatric Morbidity Survey. Psychological Medicine, 2008, 38, 451-455.	2.7	33

#	Article	IF	CITATIONS
361	Usefulness of PHQ-9 in primary care to determine meaningful symptoms of low mood: a qualitative study. British Journal of General Practice, 2016, 66, e78-e84.	0.7	33
362	Prenatal and childhood adverse life events, inflammation and depressive symptoms across adolescence. Journal of Affective Disorders, 2020, 260, 577-582.	2.0	33
363	Observer bias in the assessment of anxiety and depression. Social Psychiatry and Psychiatric Epidemiology, 1991, 26, 265-272.	1.6	32
364	Is there a gender difference on the association between informal work and common mental disorders?. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 622-627.	1.6	32
365	Ethnicity and coercion among involuntarily detained psychiatric in-patients. British Journal of Psychiatry, 2010, 196, 75-76.	1.7	32
366	Cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment resistant depression in primary care: The CoBalT randomised controlled trial protocol. Contemporary Clinical Trials, 2012, 33, 312-319.	0.8	32
367	Changes in the Prevalence and Correlates of Weight-Control Behaviors and Weight Perception in Adolescents in the UK, 1986-2015. JAMA Pediatrics, 2021, 175, 267.	3.3	32
368	Psychiatric morbidity in prisoners and solitary cellular confinement, I: disciplinary segregation. Journal of Forensic Psychiatry and Psychology, 2003, 14, 298-319.	0.6	31
369	Childhood Internalizing Symptoms Are Negatively Associated with Early Adolescent Alcohol Use. Alcoholism: Clinical and Experimental Research, 2014, 38, 1680-1688.	1.4	31
370	The influence of school on whether girls develop eating disorders. International Journal of Epidemiology, 2016, 45, 480-488.	0.9	31
371	Identifying the Common Cenetic Basis of Antidepressant Response. Biological Psychiatry Global Open Science, 2022, 2, 115-126.	1.0	31
372	Randomised controlled trial of gradual antipsychotic reduction and discontinuation in people with schizophrenia and related disorders: the RADAR trial (Research into Antipsychotic Discontinuation) Tj ETQq0 0 0	rg ð.ī 8/Ove	rlæt 10 Tf 5
373	Psychotic Experiences and Working Memory: A Population-Based Study Using Signal-Detection Analysis. PLoS ONE, 2016, 11, e0153148.	1.1	31
374	Is the General Health Questionnaire (12 item) a culturally biased measure of psychiatric disorder?. Social Psychiatry and Psychiatric Epidemiology, 1995, 30, 20-25.	1.6	30
375	Association of measures of fetal and childhood growth with non-clinical psychotic symptoms in 12-year-olds: the ALSPAC cohort. British Journal of Psychiatry, 2009, 194, 521-526.	1.7	30
376	Collaborative Depression Trial (CADET): multi-centre randomised controlled trial of collaborative care for depression - study protocol. BMC Health Services Research, 2009, 9, 188.	0.9	30
377	Depression and anxiety in children with CFS/ME: cause or effect?. Archives of Disease in Childhood, 2011, 96, 211-214.	1.0	30
378	Exploring patients' reasons for declining contact in a cognitive behavioural therapy randomised controlled trial in primary care. British Journal of General Practice, 2012, 62, e371-e377.	0.7	30

#	Article	IF	CITATIONS
379	Common <i>versus</i> psychopathology-specific risk factors for psychotic experiences and depression during adolescence. Psychological Medicine, 2014, 44, 2557-2566.	2.7	30
380	Trajectories of Neighborhood Cohesion in Childhood, and Psychotic and Depressive Symptoms at Age 13 and 18 Years. Journal of the American Academy of Child and Adolescent Psychiatry, 2017, 56, 570-577.	0.3	30
381	Variation in the recall of socially rewarding information and depressive symptom severity: a prospective cohort study. Acta Psychiatrica Scandinavica, 2017, 135, 489-498.	2.2	30
382	Pharmacological interventions for treatment-resistant depression in adults. The Cochrane Library, 2019, 12, CD010557.	1.5	30
383	Neighborhood Characteristics at Birth and Positive and Negative Psychotic Symptoms in Adolescence: Findings From the ALSPAC Birth Cohort. Schizophrenia Bulletin, 2020, 46, 581-591.	2.3	30
384	Longitudinal Associations between Adolescent Psychotic Experiences and Depressive Symptoms. PLoS ONE, 2014, 9, e105758.	1.1	30
385	Socioeconomic Indicators of Treatment Prognosis for Adults With Depression. JAMA Psychiatry, 2022, 79, 406.	6.0	30
386	The Case-Control Study in Psychiatry. British Journal of Psychiatry, 1990, 157, 197-207.	1.7	29
387	Substance misuse and psychiatric comorbidity: an overview of the OPCS National Psychiatric Morbidity Survey. International Review of Psychiatry, 2003, 15, 43-49.	1.4	29
388	Risk of low Apgar score and socioeconomic position: a study of Swedish male births. Acta Paediatrica, International Journal of Paediatrics, 2008, 97, 1275-1280.	0.7	29
389	Suicide risk among refugees compared with non-refugee migrants and the Swedish-born majority population. British Journal of Psychiatry, 2020, 217, 686-692.	1.7	29
390	Effective dose 50 method as the minimal clinically important difference: Evidence from depression trials. Journal of Clinical Epidemiology, 2021, 137, 200-208.	2.4	29
391	The Association of 25-Hydroxyvitamin D3 and D2 with Behavioural Problems in Childhood. PLoS ONE, 2012, 7, e40097.	1.1	29
392	Clinical judgement and the standardized interview in psychiatry. Psychological Medicine, 1989, 19, 971-979.	2.7	28
393	DSM-IV. Diagnostic and Statistical Manual of Mental Disorders, 4th edn. By the American Psychiatric Association. (Pp. 886; £34.95.) APA: Washington, DC.1994 Psychological Medicine, 1996, 26, 651-652.	2.7	28
394	EDITORIAL: Systematic reviews and meta-analysis. Psychological Medicine, 1997, 27, 3-7.	2.7	28
395	Age- and puberty-dependent association between IQ score in early childhood and depressive symptoms in adolescence. Psychological Medicine, 2011, 41, 333-343.	2.7	28
396	Childhood interleukin-6, C-reactive protein and atopic disorders as risk factors for hypomanic symptoms in young adulthood: a longitudinal birth cohort study. Psychological Medicine, 2017, 47, 23-33.	2.7	28

#	Article	IF	CITATIONS
397	The Community Navigator Study: Results from a feasibility randomised controlled trial of a programme to reduce loneliness for people with complex anxiety or depression. PLoS ONE, 2020, 15, e0233535.	1.1	28
398	The contribution of depressive â€~disorder characteristics' to determinations of prognosis for adults with depression: an individual patient data meta-analysis. Psychological Medicine, 2021, 51, 1068-1081.	2.7	28
399	Comparing sex inequalities in common affective disorders across countries: Great Britain and Chile. Social Science and Medicine, 2005, 60, 1693-1703.	1.8	27
400	Testing a Level of Response to Alcohol-Based Model of Heavy Drinking and Alcohol Problems in 1,905 17-year-olds. Alcoholism: Clinical and Experimental Research, 2011, 35, 1897-1904.	1.4	27
401	Conduct problem trajectories and alcohol use and misuse in mid to late adolescence. Drug and Alcohol Dependence, 2013, 133, 100-107.	1.6	27
402	Cost-effectiveness of cognitive–behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: economic evaluation of the CoBalT Trial. British Journal of Psychiatry, 2014, 204, 69-76.	1.7	27
403	Early adolescent outcomes of joint developmental trajectories of problem behavior and IQ in childhood. European Child and Adolescent Psychiatry, 2018, 27, 1595-1605.	2.8	27
404	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. Biological Psychiatry, 2020, 87, 419-430.	0.7	27
405	Serum 25-Hydroxyvitamin D3 and D2 and Non-Clinical Psychotic Experiences in Childhood. PLoS ONE, 2012, 7, e41575.	1.1	27
406	Psychiatric disorder in veterans of the Persian Gulf War of 1991. Systematic review. British Journal of Psychiatry, 2003, 182, 391-403.	1.7	27
407	Dysfunctional attitudes and the common mental disorders in primary care. Journal of Affective Disorders, 2003, 75, 269-278.	2.0	26
408	Unequal access and unmet need: neurotic disorders and the use of primary care services. International Review of Psychiatry, 2003, 15, 115-122.	1.4	26
409	Integrated Lipidomics and Proteomics Point to Early Blood-Based Changes in Childhood Preceding Later Development of Psychotic Experiences: Evidence From the Avon Longitudinal Study of Parents and Children. Biological Psychiatry, 2019, 86, 25-34.	0.7	26
410	Sertraline in primary care: comments on the PANDA trial – Authors' reply. Lancet Psychiatry,the, 2020, 7, 19.	3.7	26
411	Strategies for preventing suicide. British Journal of Psychiatry, 1997, 171, 351-4.	1.7	26
412	Another British disease? A recent increase in the prevalence of psychiatric morbidity Journal of Epidemiology and Community Health, 1993, 47, 358-361.	2.0	25
413	Neurotic disorders and the receipt of psychiatric treatment. International Review of Psychiatry, 2003, 15, 108-114.	1.4	25
414	One-year outcome of unexplained fatigue syndromes in primary care: results from an international study. Psychological Medicine, 2003, 33, 857-866.	2.7	25

#	Article	IF	CITATIONS
415	Patients' views on outcome following head injury: a qualitative study. BMC Family Practice, 2005, 6, 30.	2.9	25
416	Sleep disturbances and depressive symptoms: an investigation of their longitudinal association in a representative sample of the UK general population. Psychological Medicine, 2013, 43, 329-339.	2.7	25
417	Polygenic risk for schizophrenia, disordered eating behaviours and body mass index in adolescents. British Journal of Psychiatry, 2019, 215, 428-433.	1.7	25
418	Misconceptions about gene-environment interactions in psychiatry. Evidence-Based Mental Health, 2010, 13, 65-68.	2.2	25
419	Antidepressant Controlled Trial For Negative Symptoms In Schizophrenia (ACTIONS): a double-blind, placebo-controlled, randomised clinical trial. Health Technology Assessment, 2016, 20, 1-46.	1.3	25
420	Screening for depression in primary care. British Journal of General Practice, 2005, 55, 659-60.	0.7	25
421	Dimensions of neurosis. Psychological Medicine, 1992, 22, 1011-1018.	2.7	24
422	Investigating the effect of demographic and socioeconomic variables on misclassification by the SRQ-20 compared with a psychiatric interview. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 36-41.	1.6	24
423	A Randomized Controlled Trial of Cognitive Behavioural Therapy as an Adjunct to Pharmacotherapy in Primary Care Based Patients with Treatment Resistant Depression: A Pilot Study. Behavioural and Cognitive Psychotherapy, 2008, 36, 21-33.	0.9	24
424	Investigation of thyroid dysfunction is more likely in patients with high psychological morbidity. Family Practice, 2012, 29, 163-167.	0.8	24
425	General Practitioners' beliefs about physical activity for managing depression in primary care. Mental Health and Physical Activity, 2012, 5, 13-19.	0.9	24
426	Palliative day care: what does it cost to run a centre and does attendance affect use of other services?. Palliative Medicine, 2003, 17, 628-637.	1.3	23
427	Multi-symptom illnesses, unexplained illness and Gulf War Syndrome. Philosophical Transactions of the Royal Society B: Biological Sciences, 2006, 361, 543-551.	1.8	23
428	GENetic and clinical Predictors Of treatment response in Depression: the GenPod randomised trial protocol. Trials, 2008, 9, 29.	0.7	23
429	The study of gene–environment interactions in psychiatry: limited gains at a substantial cost?. Psychological Medicine, 2010, 40, 711-716.	2.7	23
430	Severity of depression and response to antidepressants: GENPOD randomised controlled trial. British Journal of Psychiatry, 2012, 200, 130-136.	1.7	23
431	Individual- and area-level influence on suicide risk: a multilevel longitudinal study of Swedish schoolchildren. Psychological Medicine, 2014, 44, 267-277.	2.7	23
432	Costâ€effectiveness of classroomâ€based cognitive behaviour therapy in reducing symptoms of depression in adolescents: a trialâ€based analysis. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2014, 55, 1390-1397.	3.1	23

#	Article	IF	CITATIONS
433	A population-based prospective birth cohort study of childhood neurocognitive and psychological functioning in healthy survivors of early life meningitis. Annals of Epidemiology, 2015, 25, 236-242.	0.9	23
434	Psychotic Experiences, Working Memory, and the Developing Brain: A Multimodal Neuroimaging Study. Cerebral Cortex, 2015, 25, 4828-4838.	1.6	23
435	Management of treatment-resistant depression in primary care: a mixed-methods study. British Journal of General Practice, 2018, 68, e673-e681.	0.7	23
436	Visual Acuity in Late Adolescence and Future Psychosis Risk in a Cohort of 1 Million Men. Schizophrenia Bulletin, 2019, 45, 571-578.	2.3	23
437	Combined influence of depressive symptoms and systemic inflammation on all-cause and cardiovascular mortality: evidence for differential effects by gender in the English Longitudinal Study of Ageing. Psychological Medicine, 2019, 49, 1521-1531.	2.7	23
438	Association of neighbourhood migrant density and risk of non-affective psychosis: a national, longitudinal cohort study. Lancet Psychiatry,the, 2020, 7, 327-336.	3.7	23
439	The National Survey of Psychiatric Morbidity among Prisoners and the Future of Prison Healthcare. Medicine, Science and the Law, 2002, 42, 245-250.	0.6	22
440	The relationship between psychotic symptoms and social functioning in a non-clinical population of 12year olds. Schizophrenia Research, 2013, 150, 404-409.	1.1	22
441	Prevention of anxiety and depression in Chinese: A randomized clinical trial testing the effectiveness of a stepped care program in primary care. Journal of Affective Disorders, 2014, 169, 212-220.	2.0	22
442	Cognitive styles and future depressed mood in early adulthood: The importance of global attributions. Journal of Affective Disorders, 2015, 171, 60-67.	2.0	22
443	Emotional symptoms in children: The effect of maternal depression, life events, and COMT genotype. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 209-218.	1.1	21
444	Social inference and social anxiety: Evidence of a fear-congruent self-referential learning bias. Journal of Behavior Therapy and Experimental Psychiatry, 2012, 43, 1082-1087.	0.6	21
445	Symptoms of generalized anxiety disorder but not panic disorder at age 15 years increase the risk of depression at 18 years in the Avon Longitudinal Study of Parents and Children (ALSPAC) cohort study. Psychological Medicine, 2016, 46, 73-85.	2.7	21
446	Stressful life events, inflammation and emotional and behavioural problems in children: A population-based study. Brain, Behavior, and Immunity, 2019, 80, 66-72.	2.0	21
447	Cognitive Impairment and Depression—Cause, Consequence, or Coincidence?. JAMA Psychiatry, 2019, 76, 239.	6.0	21
448	Combining mirtazapine with SSRIs or SNRIs for treatment-resistant depression: the MIR RCT. Health Technology Assessment, 2018, 22, 1-136.	1.3	21
449	Smoking and common mental disorders: a population-based survey in Santiago, Chile. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 874-880.	1.6	20
450	Is low IQ associated with an increased risk of developing suicidal thoughts?. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 34-38.	1.6	20

#	Article	IF	CITATIONS
451	Long-term Impact of Poor Birth Condition on Social and Economic Outcomes in Early Adulthood. Pediatrics, 2011, 127, e1498-e1504.	1.0	20
452	Copy number variants and therapeutic response to antidepressant medication in major depressive disorder. Pharmacogenomics Journal, 2014, 14, 395-399.	0.9	20
453	Prevalence of anxiety disorders in community dwelling older adults in Hong Kong. International Psychogeriatrics, 2017, 29, 259-267.	0.6	20
454	Why are there discrepancies between depressed patients' Global Rating of Change and scores on the Patient Health Questionnaire depression module? A qualitative study of primary care in England. BMJ Open, 2017, 7, e014519.	0.8	20
455	Association of Primary Care Consultation Patterns With Early Signs and Symptoms of Psychosis. JAMA Network Open, 2018, 1, e185174.	2.8	20
456	The importance of transdiagnostic symptom level assessment to understanding prognosis for depressed adults: analysis of data from six randomised control trials. BMC Medicine, 2021, 19, 109.	2.3	20
457	Computerised patient-specific guidelines for management of common mental disorders in primary care: a randomised controlled trial. British Journal of General Practice, 2004, 54, 832-7.	0.7	20
458	"Patient knows best"detection of common mental disorders in Santiago, Chile: cross sectional study Commentary: Clinical practice is as important as diagnosis. BMJ: British Medical Journal, 2001, 322, 79-81.	2.4	19
459	Examining the association between maternal analgesic use during pregnancy and risk of psychotic symptoms during adolescence. Schizophrenia Research, 2011, 126, 220-225.	1.1	19
460	Childhood diet and behavioural problems: results from the ALSPAC cohort. European Journal of Clinical Nutrition, 2011, 65, 720-726.	1.3	19
461	The association between birth condition and neuropsychological functioning and educational attainment at school age: a cohort study. Archives of Disease in Childhood, 2011, 96, 30-37.	1.0	19
462	Systematic review and meta-analysis of serotonin transporter genotype and discontinuation from antidepressant treatment. European Neuropsychopharmacology, 2013, 23, 1143-1150.	0.3	19
463	The longitudinal association between social functioning and theory of mind in first-episode psychosis. Cognitive Neuropsychiatry, 2014, 19, 58-80.	0.7	19
464	IQ and adolescent self-harm behaviours in the ALSPAC birth cohort. Journal of Affective Disorders, 2014, 152-154, 175-182.	2.0	19
465	Predicting prognosis for adults with depression using individual symptom data: a comparison of modelling approaches. Psychological Medicine, 2021, , 1-11.	2.7	19
466	Fear of Negative Evaluation Biases Social Evaluation Inference: Evidence from a Probabilistic Learning Task. PLoS ONE, 2015, 10, e0119456.	1.1	19
467	Treatment discontinuation with selective serotonin reuptake inhibitors (SSRIs) versus tricyclic antidepressants (TCAs). The Cochrane Library, 2006, , CD002791.	1.5	18
468	Mindfulness-based 'third wave' cognitive and behavioural therapies versus other psychological therapies for depression. , 2010, , .		18

27

#	Article	IF	CITATIONS
469	The incidence and associated risk factors for sudden unexplained death in psychiatric in-patients in England and Wales. Journal of Psychopharmacology, 2011, 25, 1533-1542.	2.0	18
470	Theory of mind and social functioning in first episode psychosis. Cognitive Neuropsychiatry, 2013, 18, 219-242.	0.7	18
471	Genetic predictors of antidepressant side effects: A grouped candidate gene approach in the Genome-Based Therapeutic Drugs for Depression (GENDEP) study. Journal of Psychopharmacology, 2014, 28, 142-150.	2.0	18
472	Adolescent over-general memory, life events and mental health outcomes: Findings from a UK cohort study. Memory, 2016, 24, 348-363.	0.9	18
473	Childhood and Parental Asthma, Future Risk of Bipolar Disorder and Schizophrenia Spectrum Disorders: A Population-Based Cohort Study. Schizophrenia Bulletin, 2019, 45, 360-368.	2.3	18
474	Assessment of the Role of IQ in Associations Between Population Density and Deprivation and Nonaffective Psychosis. JAMA Psychiatry, 2020, 77, 729.	6.0	18
475	Catatonia: demographic, clinical and laboratory associations. Psychological Medicine, 2023, 53, 2492-2502.	2.7	18
476	Toxoplasma and coxiella infection and psychiatric morbidity: A retrospective cohort analysis. BMC Psychiatry, 2004, 4, 32.	1.1	17
477	Childhood facial emotion recognition and psychosis-like symptoms in a nonclinical population at 12 years of age: Results from the ALSPAC birth cohort. Cognitive Neuropsychiatry, 2011, 16, 136-157.	0.7	17
478	Participants' experiences of facilitated physical activity for the management of depression in primary care. Journal of Health Psychology, 2014, 19, 1430-1442.	1.3	17
479	Childhood traumatic events and adolescent overgeneral autobiographical memory: Findings in a UK cohort. Journal of Behavior Therapy and Experimental Psychiatry, 2014, 45, 330-338.	0.6	17
480	Curiosity killed the cat: no evidence of an association between cat ownership and psychotic symptoms at ages 13 and 18 years in a UK general population cohort. Psychological Medicine, 2017, 47, 1659-1667.	2.7	17
481	Is smoking heaviness causally associated with alcohol use? A Mendelian randomization study in four European cohorts. International Journal of Epidemiology, 2018, 47, 1098-1105.	0.9	17
482	Applying polygenic risk scoring for psychiatric disorders to a large family with bipolar disorder and major depressive disorder. Communications Biology, 2018, 1, 163.	2.0	17
483	Influence of theta-burst transcranial magnetic stimulation over the dorsolateral prefrontal cortex on emotion processing in healthy volunteers. Cognitive, Affective and Behavioral Neuroscience, 2020, 20, 1278-1293.	1.0	17
484	Is social support preâ€ŧreatment associated with prognosis for adults with depression in primary care?. Acta Psychiatrica Scandinavica, 2021, 143, 392-405.	2.2	17
485	The Hong Kong mental morbidity survey: background and study design. East Asian Archives of Psychiatry, 2014, 24, 30-6.	0.5	17
486	Effect of Early Life Experiences and Personality on the Reporting of Psychosocial Distress in General Practice: A Preliminary Investigation. British Journal of Psychiatry, 1996, 168, 116-120.	1.7	16

#	Article	IF	CITATIONS
487	Psychiatric and alcohol disorders as risk factors for drug abuse. Social Psychiatry and Psychiatric Epidemiology, 1996, 31, 355-363.	1.6	16
488	Physical activity as a treatment for depression: the TREAD randomised trial protocol. Trials, 2010, 11, 105.	0.7	16
489	Protocol for a randomised controlled trial of a school based cognitive behaviour therapy (CBT) intervention to prevent depression in high risk adolescents (PROMISE). Trials, 2010, 11, 114.	0.7	16
490	Perinatal folate-related exposures and risk of psychotic symptoms in the ALSPAC birth cohort. Schizophrenia Research, 2010, 120, 177-183.	1.1	16
491	Genetic susceptibility for bipolar disorder and response to antidepressants in major depressive disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2014, 165, 77-83.	1.1	16
492	Directional Relationships Between Alcohol Use and Antisocial Behavior Across Adolescence. Alcoholism: Clinical and Experimental Research, 2014, 38, 2024-2033.	1.4	16
493	Moderators of response to cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care. Journal of Affective Disorders, 2015, 174, 272-280.	2.0	16
494	Association between childhood psychiatric disorders and psychotic experiences in adolescence: A population-based longitudinal study. Comprehensive Psychiatry, 2016, 69, 45-52.	1.5	16
495	Family networks during migration and risk of non-affective psychosis: A population-based cohort study. Schizophrenia Research, 2019, 208, 268-275.	1.1	16
496	Association of Whole-Genome and NETRIN1 Signaling Pathway–Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2019, 4, 91-100.	1.1	16
497	The shrouded visibility of eating disorders research. Lancet Psychiatry, the, 2021, 8, 91-92.	3.7	16
498	Psychiatric morbidity in prisoners and solitary cellular confinement, II: special ('strip') cells. Journal of Forensic Psychiatry and Psychology, 2003, 14, 320-340.	0.6	15
499	Exploring the relationship between cannabis use and psychosis. Addiction, 2004, 99, 1353-1355.	1.7	15
500	Prevalence of Reported Pain, Widespread Pain, and Pain Symmetry in Veterans of the Persian Gulf War (1990–1991): The Use of Pain Manikins in Persian Gulf War Health Research. Military Medicine, 2006, 171, 1181-1186.	0.4	15
501	Examining reward-seeking, negative self-beliefs and over-general autobiographical memory as mechanisms of change in classroom prevention programs for adolescent depression. Journal of Affective Disorders, 2015, 186, 320-327.	2.0	15
502	A longitudinal investigation of childhood communication ability and adolescent psychotic experiences in a community sample. Schizophrenia Research, 2016, 173, 54-61.	1.1	15
503	Volumetric, relaxometric and diffusometric correlates of psychotic experiences in a non-clinical sample of young adults. NeuroImage: Clinical, 2016, 12, 550-558.	1.4	15
504	A randomised controlled trial assessing the severity and duration of depressive symptoms associated with a clinically significant response to sertraline versus placebo, in people presenting to primary care with depression (PANDA trial): study protocol for a randomised controlled trial. Trials, 2017, 18, 496.	0.7	15

#	Article	IF	CITATIONS
505	Longitudinal associations between psychotic experiences and disordered eating behaviours in adolescence: a UK population-based study. The Lancet Child and Adolescent Health, 2018, 2, 591-599.	2.7	15
506	Effects of exposure to bodies of different sizes on perception of and satisfaction with own body size: two randomized studies. Royal Society Open Science, 2018, 5, 171387.	1.1	15
507	MRI Indices of Cortical Development in Young People With Psychotic Experiences: Influence of Genetic Risk and Persistence of Symptoms. Schizophrenia Bulletin, 2019, 45, 169-179.	2.3	15
508	The mental health of lesbian, gay, and bisexual adults compared with heterosexual adults: results of two nationally representative English household probability samples. Psychological Medicine, 2022, 52, 3402-3411.	2.7	15
509	An analysis of views about supported reduction or discontinuation of antipsychotic treatment among people with schizophrenia and other psychotic disorders. BMC Psychiatry, 2022, 22, 185.	1.1	15
510	What's in a name?. Social Psychiatry and Psychiatric Epidemiology, 1997, 33, 27-31.	1.6	14
511	Classification, disability and the public health agenda. British Medical Bulletin, 2001, 57, 3-15.	2.7	14
512	Patients' opinions of the use of psychiatric case-finding questionnaires in general practice. Health Expectations, 2002, 5, 282-288.	1.1	14
513	British Psychiatric Morbidity Survey. International Review of Psychiatry, 2003, 15, 14-18.	1.4	14
514	An empirical investigation of the structure of anxiety and depressive symptoms in late adolescence: Cross-sectional study using the Greek version of the revised Clinical Interview Schedule. Psychiatry Research, 2011, 186, 419-426.	1.7	14
515	A U-shaped relationship between systolic blood pressure and panic symptoms: the HUNT study. Psychological Medicine, 2012, 42, 1969-1976.	2.7	14
516	Social Factors Associated with Readiness for Sexual Activity in Adolescents: A Population-Based Cohort Study. Archives of Sexual Behavior, 2015, 44, 669-678.	1.2	14
517	The relative responsiveness of test instruments can be estimated using a meta-analytic approach: an illustration with treatments for depression. Journal of Clinical Epidemiology, 2016, 77, 68-77.	2.4	14
518	Patient-reported outcome measures for monitoring primary care patients with depression: PROMDEP feasibility randomised trial. BMJ Open, 2017, 7, e015266.	0.8	14
519	Psychiatric and neuropsychiatric syndromes and COVID-19 – Authors' reply. Lancet Psychiatry,the, 2020, 7, 664-665.	3.7	14
520	Longitudinal association between binge eating and metabolic syndrome in adults: Findings from the ELSAâ€Brasil cohort. Acta Psychiatrica Scandinavica, 2021, 144, 464-474.	2.2	14
521	The National Psychiatric Morbidity Surveys of Great Britain–strategy and methods. International Review of Psychiatry, 2003, 15, 5-13.	1.4	13
522	Predictors of Mental Health Service Utilization in the 12 Months before Imprisonment: Analysis of Results from a National Prisons Survey. Australian and New Zealand Journal of Psychiatry, 2006, 40, 548-553.	1.3	13

#	Article	IF	CITATIONS
523	Allowing for non-adherence to treatment in a randomized controlled trial of two antidepressants (citalopram versus reboxetine): an example from the GENPOD trial. Psychological Medicine, 2014, 44, 2855-2866.	2.7	13
524	Longitudinal population subgroups of CRP and risk of depression in the ALSPAC birth cohort. Comprehensive Psychiatry, 2020, 96, 152143.	1.5	13
525	Comparison between self-administered depression questionnaires and patients' own views of changes in their mood: a prospective cohort study in primary care. Psychological Medicine, 2021, 51, 853-860.	2.7	13
526	Prediction of individuals at high risk of chronic kidney disease during treatment with lithium for bipolar disorder. BMC Medicine, 2021, 19, 99.	2.3	13
527	Borna disease virus and mental health: a cross-sectional study. QJM - Monthly Journal of the Association of Physicians, 2005, 98, 247-254.	0.2	12
528	Update to the study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment depressive relapse/recurrence: the PREVENT trial. Trials, 2014, 15, 217.	0.7	12
529	Variation in recognition of happy and sad facial expressions and self-reported depressive symptom severity: A prospective cohort study. Journal of Affective Disorders, 2019, 257, 461-469.	2.0	12
530	A randomised controlled trial assessing the use of citalopram, sertraline, fluoxetine and mirtazapine in preventing relapse in primary care patients who are taking long-term maintenance antidepressants (ANTLER: ANTidepressants to prevent reLapse in dEpRession): study protocol for a randomised controlled trial. Trials, 2019, 20, 319.	0.7	12
531	Association between circulating levels of C-reactive protein and positive and negative symptoms of psychosis in adolescents in a general population birth cohort. Journal of Psychiatric Research, 2021, 143, 534-542.	1.5	12
532	Suicide and psychiatric services. Lancet, The, 1994, 344, 822.	6.3	11
533	World Region of Origin and Common Mental Disorders Among Migrant Women in Spain. Journal of Immigrant and Minority Health, 2014, 16, 1111-1120.	0.8	11
534	Hemispheric Language Asymmetry in First Episode Psychosis and Schizotypy: The Role of Cannabis Consumption and Cognitive Disorganization. Schizophrenia Bulletin, 2015, 41, S455-S464.	2.3	11
535	Peer victimisation during adolescence and its impact on depression in early adulthood: prospective cohort study in the United Kingdom. British Journal of Sports Medicine, 2016, 50, 176-183.	3.1	11
536	Individuals' Long Term Use of Cognitive Behavioural Skills to Manage their Depression: A Qualitative Study. Behavioural and Cognitive Psychotherapy, 2017, 45, 46-57.	0.9	11
537	The Community Navigator Study: a feasibility randomised controlled trial of an intervention to increase community connections and reduce loneliness for people with complex anxiety or depression. Trials, 2017, 18, 493.	0.7	11
538	REDUCE (Reviewing long-term antidepressant use by careful monitoring in everyday practice) internet and telephone support to people coming off long-term antidepressants: protocol for a randomised controlled trial. Trials, 2020, 21, 419.	0.7	11
539	Trends in method-specific suicide in Brazil from 2000 to 2017. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1779-1790.	1.6	11
540	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. Wellcome Open Research, 2019, 4, 69.	0.9	11

#	Article	IF	CITATIONS
541	Possible Association of APOE Genotype with Working Memory in Young Adults. PLoS ONE, 2015, 10, e0135894.	1.1	11
542	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. Wellcome Open Research, 2019, 4, 69.	0.9	11
543	The computer will see you now BMJ: British Medical Journal, 1989, 299, 138-139.	2.4	10
544	Globalization and Mental Health. , 0, , 57-78.		10
545	Cannabis and psychosis – Authors' reply. Lancet, The, 2007, 370, 1539-1540.	6.3	10
546	Mindfulness-based 'third wave' cognitive and behavioural therapies versus treatment as usual for depression. , 2010, , .		10
547	Common mental disorders in late pregnancy in women who wanted or attempted an abortion. Psychological Medicine, 2010, 40, 1467-1473.	2.7	10
548	Patients' experiences of participating in a large-scale trial of cognitive behavioural therapy for depression: a mixed methods study. Family Practice, 2013, 30, 705-711.	0.8	10
549	Mirtazapine added to selective serotonin reuptake inhibitors for treatment-resistant depression in primary care (MIR trial): study protocol for a randomised controlled trial. Trials, 2016, 17, 66.	0.7	10
550	Trends in levels of self-reported psychological distress among individuals who seek psychiatric services over eight years: a comparison between age groups in three population surveys in Stockholm County. BMC Psychiatry, 2017, 17, 345.	1.1	10
551	Association between childhood infection, serum inflammatory markers and intelligence: findings from a population-based prospective birth cohort study. Epidemiology and Infection, 2018, 146, 256-264.	1.0	10
552	Longitudinal associations between circulating interleukin-6 and C-reactive protein in childhood, and eating disorders and disordered eating in adolescence. Brain, Behavior, and Immunity, 2020, 89, 491-500.	2.0	10
553	Common mechanisms for type 2 diabetes and psychosis: Findings from a prospective birth cohort. Schizophrenia Research, 2020, 223, 227-235.	1.1	10
554	Association of Emotion Regulation Trajectories in Childhood With Anorexia Nervosa and Atypical Anorexia Nervosa in Early Adolescence. JAMA Psychiatry, 2021, 78, 1249.	6.0	10
555	Risk factors for complex posttraumatic stress disorder in UK police. Occupational Medicine, 2021, 71, 351-357.	0.8	10
556	Abilityâ€grouping and problem behavior trajectories in childhood and adolescence: Results from a U.K. populationâ€based sample. Child Development, 2022, 93, 341-358.	1.7	10
557	A Patient Stratification Approach to Identifying the Likelihood of Continued Chronic Depression and Relapse Following Treatment for Depression. Journal of Personalized Medicine, 2021, 11, 1295.	1.1	10
558	Is the association of hypertension and panic disorder explained by clustering of autonomic panic symptoms in hypertensive patients?. Journal of Affective Disorders, 2008, 111, 344-350.	2.0	9

#	Article	IF	CITATIONS
559	Behavioural therapies versus other psychological therapies for depression. , 2010, , .		9
560	Cognitive behavioural therapies versus treatment as usual for depression. The Cochrane Library, 2010, , .	1.5	9
561	Cognitive behavioural therapies versus other psychological therapies for depression. The Cochrane Library, 2010, , .	1.5	9
562	Psychotic experiences and social functioning: a longitudinal study. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1053-1065.	1.6	9
563	The association between maternal-reported responses to infant crying at 4Âweeks and 6Âmonths and offspring depression at 18: a longitudinal study. Archives of Women's Mental Health, 2016, 19, 401-408.	1.2	9
564	Transcranial magnetic stimulation for depression. Lancet, The, 2018, 391, 1639-1640.	6.3	9
565	Do disordered eating behaviours in girls vary by school characteristics? A UK cohort study. European Child and Adolescent Psychiatry, 2018, 27, 1473-1481.	2.8	9
566	Device-measured sedentary behaviour and anxiety symptoms during adolescence: a 6-year prospective cohort study. Psychological Medicine, 2022, 52, 2962-2971.	2.7	9
567	The role of gender inequalities in adolescent depression. Lancet Psychiatry, the, 2020, 7, 471-472.	3.7	9
568	Associations between psychosis and visual acuity impairment: A systematic review and metaâ€analysis. Acta Psychiatrica Scandinavica, 2021, 144, 6-27.	2.2	9
569	Antidepressant medication to prevent depression relapse in primary care: the ANTLER RCT. Health Technology Assessment, 2021, 25, 1-62.	1.3	9
570	Disability pension for psychiatric disorders: Regional differences in Norway 1988–2000. Nordic Journal of Psychiatry, 2006, 60, 255-262.	0.7	8
571	Frequency of psychosis-like symptoms in a non-clinical population of 12 year olds: Results from the Alspac birth cohort. European Psychiatry, 2008, 23, S282.	0.1	8
572	Risk of low Apgar scores and socioeconomic status over a 30-year period. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 603-607.	0.7	8
573	Newer-Generation Antidepressants and Suicide Risk. Psychotherapy and Psychosomatics, 2019, 88, 371-372.	4.0	8
574	Alcohol consumption and internalising disorders in young adults of ALSPAC: a population-based study. Journal of Epidemiology and Community Health, 2020, 74, jech-2020-213922.	2.0	8
575	Patient-reported outcome measures for monitoring primary care patients with depression (PROMDEP): study protocol for a randomised controlled trial. Trials, 2020, 21, 441.	0.7	8
576	Continuum of self-destructiveness. Lancet, The, 1998, 351, 81-82.	6.3	7

#	Article	IF	CITATIONS
577	Epidemiology in community psychiatric research: common uses and methodological issues. Epidemiologia E Psichiatria Sociale, 2001, 10, 18-26.	1.0	7
578	Interpersonal, cognitive analytic and other integrative therapies versus treatment as usual for depression. The Cochrane Library, 2010, , .	1.5	7
579	Defining Replication: A Response to Kaufman and Colleagues. Biological Psychiatry, 2010, 67, e21-e23.	0.7	7
580	Postnatal depression in women after unsuccessful attempted abortion. British Journal of Psychiatry, 2011, 198, 237-238.	1.7	7
581	The Role of Primary School Composition in the Trajectories of Internalising and Externalising Problems across Childhood and Adolescence. Journal of Abnormal Child Psychology, 2020, 48, 197-211.	3.5	7
582	Cost-Effectiveness of Different Formats for Delivery of Cognitive Behavioral Therapy for Depression: A Systematic Review Based Economic Model. Value in Health, 2020, 23, 1662-1670.	0.1	7
583	Suicide, self-harm and thoughts of suicide or self-harm in infectious disease epidemics: a systematic review and meta-analysis – CORRIGENDUM. Epidemiology and Psychiatric Sciences, 2021, 30, .	1.8	7
584	Life events and treatment prognosis for depression: A systematic review and individual patient data meta-analysis. Journal of Affective Disorders, 2022, 299, 298-308.	2.0	7
585	Premorbid neuropsychological performance as a risk factor for schizophrenia: 13-Year follow-up of 50 000 conscripts. Schizophrenia Research, 1995, 15, 114.	1.1	6
586	Phenotypic variation between parent–offspring trios and non-trios in genetic studies of schizophrenia. Journal of Psychiatric Research, 2006, 40, 622-626.	1.5	6
587	Does baseline fatigue influence treatment response to reboxetine or citalopram in depression? An open label randomized controlled trial. Journal of Psychopharmacology, 2012, 26, 663-669.	2.0	6
588	Detection of patient psychological distress and longitudinal patient–doctor relationships: a cross-sectional study. British Journal of General Practice, 2012, 62, e167-e173.	0.7	6
589	MOTHERS' OWN RECOLLECTIONS OF BEING PARENTED AND RISK OF OFFSPRING DEPRESSION 18 YEARS LATER: A PROSPECTIVE COHORT STUDY. Depression and Anxiety, 2014, 31, 38-43.	2.0	6
590	Materials used to support cognitive behavioural therapy for depression: a survey of therapists' clinical practice and views. Cognitive Behaviour Therapy, 2019, 48, 463-481.	1.9	6
591	Eighteen-year trajectories of depressive symptoms in mothers with a lifetime eating disorder: findings from the ALSPAC cohort. British Journal of Psychiatry, 2020, 216, 90-96.	1.7	6
592	Internalising symptoms mediate the longitudinal association between childhood inflammation and psychotic-like experiences in adulthood. Schizophrenia Research, 2020, 215, 424-429.	1.1	6
593	Inhibitory control of positive and negative information and adolescent depressive symptoms: a population-based cohort study. Psychological Medicine, 2022, 52, 853-863.	2.7	6
594	Prevalence of symptoms, ever having received a diagnosis and treatment of depression and anxiety, and associations with health service use amongst the general population in two Russian cities. BMC Psychiatry, 2020, 20, 537.	1.1	6

#	Article	IF	CITATIONS
595	Association between homicide rates and suicide rates: a countrywide longitudinal analysis of 5507 Brazilian municipalities. BMJ Open, 2020, 10, e040069.	0.8	6
596	Prenatal and childhood adversity and inflammation in children: A population-based longitudinal study. Brain, Behavior, and Immunity, 2020, 87, 524-530.	2.0	6
597	Risk-taking to obtain reward: sex differences and associations with emotional and depressive symptoms in a nationally representative cohort of UK adolescents. Psychological Medicine, 2022, 52, 2805-2813.	2.7	6
598	Recall bias during adolescence: Gender differences and associations with depressive symptoms. Journal of Affective Disorders, 2021, 282, 299-307.	2.0	6
599	Antidepressant treatment with sertraline for adults with depressive symptoms in primary care: the PANDA research programme including RCT. Programme Grants for Applied Research, 2019, 7, 1-108.	0.4	6
600	Cost-Utility Analysis of Discontinuing Antidepressants in England Primary Care Patients Compared with Long-Term Maintenance: The ANTLER Study. Applied Health Economics and Health Policy, 2022, 20, 269-282.	1.0	6
601	Clinical Neuroimaging Findings in Catatonia: Neuroradiological Reports of MRI Scans of Psychiatric Inpatients With and Without Catatonia. Journal of Neuropsychiatry and Clinical Neurosciences, 2022, 34, 386-392.	0.9	6
602	Depression and public health. International Review of Psychiatry, 1996, 8, 289-294.	1.4	5
603	New Evidence is Required. British Journal of Psychiatry, 1997, 171, 227-227.	1.7	5
604	Can access to psychiatric health care explain regional differences in disability pension with psychiatric disorders?. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 366-371.	1.6	5
605	Reboxetine versus other antidepressive agents for depression. The Cochrane Library, 2009, , .	1.5	5
606	Psychological distress and death from cardiovascular disease. BMJ, The, 2012, 345, e5177-e5177.	3.0	5
607	Getting the measure of outcomes in clinical practice. Advances in Psychiatric Treatment, 2014, 20, 165-171.	0.6	5
608	Network meta-analyses and treatment recommendations for obsessive-compulsive disorder – Authors' reply. Lancet Psychiatry,the, 2016, 3, 921-922.	3.7	5
609	Transcriptome-based polygenic score links depression-related corticolimbic gene expression changes to sex-specific brain morphology and depression risk. Neuropsychopharmacology, 2021, 46, 2304-2311.	2.8	5
610	Precursors and correlates of transient and persistent longitudinal profiles of psychotic experiences from late childhood through early adulthood. British Journal of Psychiatry, 2021, , 1-9.	1.7	5
611	Testing the Independent and Joint Contribution of Exposure to Neurodevelopmental Adversity and Childhood Trauma to Risk of Psychotic Experiences in Adulthood. Schizophrenia Bulletin, 2021, 47, 776-784.	2.3	5
612	Validation of the Chinese Version of the Revised Clinical Interview Schedule: Findings from Hong Kong Mental Morbidity Survey. East Asian Archives of Psychiatry, 2017, 27, 3-10.	0.5	5

#	Article	IF	CITATIONS
613	A Computational Analysis of Abnormal Belief Updating Processes and Their Association With Psychotic Experiences and Childhood Trauma in a UK Birth Cohort. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2021, , .	1.1	5
614	The Development and Internal Evaluation of a Predictive Model to Identify for Whom Mindfulness-Based Cognitive Therapy Offers Superior Relapse Prevention for Recurrent Depression Versus Maintenance Antidepressant Medication. Clinical Psychological Science, 2023, 11, 59-76.	2.4	5
615	Strategies for the prevention of psychiatric disorder in primary care in south London Journal of Epidemiology and Community Health, 1997, 51, 304-309.	2.0	4
616	"You don't give me flowers anymore": an analysis of gift-giving to medical and psychiatric inpatients. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 136-140.	1.6	4
617	Mental health after head injury. Journal of Neurology, Neurosurgery and Psychiatry, 2001, 71, 431-431.	0.9	4
618	Lithium augmentation in treatment-refractory unipolar depression. British Journal of Psychiatry, 2003, 182, 456-456.	1.7	4
619	Humanistic therapies versus treatment as usual for depression. The Cochrane Library, 2010, , .	1.5	4
620	Cognitive behavioural therapy for treatmentresistant depression – Authors' reply. Lancet, The, 2013, 381, 1814-1815.	6.3	4
621	Evaluating the role of a galanin enhancer genotype on a range of metabolic, depressive and addictive phenotypes. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2014, 165, 654-664.	1.1	4
622	The effect of sertraline on emotional processing: secondary analyses of the PANDA randomised controlled trial. Psychological Medicine, 2022, 52, 2814-2821.	2.7	4
623	Sex differences in depressive symptoms and tolerability after treatment with selective serotonin reuptake inhibitor antidepressants: Secondary analyses of the GENPOD trial. Journal of Psychopharmacology, 2021, 35, 919-927.	2.0	4
624	Trajectories of internalising and externalising symptoms and inflammation in the general child population. Psychoneuroendocrinology, 2020, 118, 104723.	1.3	4
625	An evidence-based approach to the use of telehealth in long-term health conditions: development of an intervention and evaluation through pragmatic randomised controlled trials in patients with depression or raised cardiovascular risk. Programme Grants for Applied Research, 2017, 5, 1-468.	0.4	4
626	PAX-D: study protocol for a randomised placebo-controlled trial evaluating the efficacy and mechanism of pramipexole as add-on treatment for people with treatment resistant depression. Evidence-Based Mental Health, 2022, 25, 77-83.	2.2	4
627	An open letter to the President. Psychiatric Bulletin, 1988, 12, 554-554.	0.3	4
628	Computers in primary care. International Review of Psychiatry, 1992, 4, 307-310.	1.4	3
629	Psychiatric morbidity, social development and cognition, and later schizophrenia: Premorbid adjustment or prodrome?. Schizophrenia Research, 1997, 24, 249.	1.1	3
630	Asphyxia at birth and schizophrenia. British Journal of Psychiatry, 2002, 180, 465-465.	1.7	3

#	Article	IF	CITATIONS
631	Fluid restriction for symptomatic patent ductus arteriosus in preterm infants. The Cochrane Library, 2010, 2010, .	1.5	3
632	Interpersonal, cognitive analytic and other integrative therapies versus other psychological therapies for depression. The Cochrane Library, 2010, , .	1.5	3
633	Behavioural therapies versus treatment as usual for depression. The Cochrane Library, 2010, , .	1.5	3
634	Psychodynamic therapies versus other psychological therapies for depression. The Cochrane Library, 2010, , .	1.5	3
635	Psychological therapies for treatment-resistant depression in adults. The Cochrane Library, 0, , .	1.5	3
636	Pharmacological interventions for treatment-resistant depression in adults. The Cochrane Library, 0,	1.5	3
637	No evidence that CBT is less effective than antidepressants in moderate to severe depression. Evidence-Based Mental Health, 2016, 19, 125-125.	2.2	3
638	Paternal and maternal depression and offspring risk: additive effects or worse? – Authors' reply. Lancet Psychiatry,the, 2018, 5, 108.	3.7	3
639	Depressive symptoms at age 9–13 and chronic disabling fatigue at age 16: A longitudinal study. Journal of Adolescence, 2019, 75, 123-129.	1.2	3
640	Cost-Effectiveness of Sertraline in Primary Care According to Initial Severity and Duration of Depressive Symptoms: Findings from the PANDA RCT. PharmacoEconomics - Open, 2020, 4, 427-438.	0.9	3
641	Computerized assessments of psychiatric disorder using PROQSY: discussion paper. Journal of the Royal Society of Medicine, 1992, 85, 403-6.	1.1	3
642	Predictors of mental health service utilization in the 12�months before imprisonment: analysis of results from a national prisons survey. Australian and New Zealand Journal of Psychiatry, 2006, 40, 548-553.	1.3	2
643	Psychodynamic therapies versus treatment as usual for depression. The Cochrane Library, 2010, , .	1.5	2
644	Understanding emotion: Lessons from anxiety. Behavioral and Brain Sciences, 2012, 35, 145-145.	0.4	2
645	Authors' reply to Davies and colleagues, Donnelly, and Pilling and Anderson. BMJ, The, 2012, 345, e4500-e4500.	3.0	2
646	Are multiple physical symptoms a poor prognostic factor or just a marker of depression severity? Secondary analysis of the GenPod trial. Journal of Affective Disorders, 2014, 163, 40-46.	2.0	2
647	Further research needed for severe and chronic depression in specialist mental health services. Lancet Psychiatry,the, 2016, 3, 792-793.	3.7	2
648	Antidepressants During Pregnancy and Autism in Offspring: Population Based Cohort Study. Obstetrical and Gynecological Survey, 2017, 72, 689-692.	0.2	2

#	Article	IF	CITATIONS
649	P.3.19 The effects of cannabidiol on cerebral blood flow and its relationship to memory: an arterial spin labelling study. European Neuropsychopharmacology, 2019, 29, S693.	0.3	2
650	Association between prenatal maternal infection and disordered eating behaviours in adolescence: a UK population-based prospective birth cohort study. Psychological Medicine, 2020, 50, 927-935.	2.7	2
651	Does anxiety moderate the effectiveness of mirtazapine in patients with treatment-resistant depression? A secondary analysis of the MIR trial. Journal of Psychopharmacology, 2020, 34, 1342-1349.	2.0	2
652	Identifying and treating hearing loss in mild cognitive impairment: a feasibility study for an interventional trial with hearing aids. International Psychogeriatrics, 2020, 32, 537-538.	0.6	2
653	Population-based needs assessment. Current Opinion in Psychiatry, 1999, 12, 191-194.	3.1	2
654	Inflammatory and blood gas markers of COVID-19 delirium compared to non-COVID-19 delirium: a cross-sectional study. Aging and Mental Health, 2022, 26, 2054-2061.	1.5	2
655	Development and psychometric properties of the Carer - Head Injury Neurobehavioral Assessment Scale (C-HINAS) and the Carer - Head Injury Participation Scale (C-HIPS): patient and family determined outcome scales. Neuropsychiatric Disease and Treatment, 2007, 3, 389-408.	1.0	2
656	Development and psychometric properties of the Patient-Head Injury Participation Scale (P-HIPS) and the Patient-Head Injury Neurobehavioral Assessment Scale (P-HINAS): patient and family determined outcomes scales. Neuropsychiatric Disease and Treatment, 2007, 3, 373-88.	1.0	2
657	Stigmatising views towards individuals with eating disorders: trends and associations from 1998 to 2008 using a repeated cross-sectional design. British Journal of Psychiatry, 2022, 220, 272-278.	1.7	2
658	Demise of the rotational training scheme. Psychiatric Bulletin, 1990, 14, 681-681.	0.3	1
659	Racism and psychiatry. British Journal of Psychiatry, 1991, 158, 432-433.	1.7	1
660	Obstetric complications and schizophrenia BMJ: British Medical Journal, 1993, 306, 268-269.	2.4	1
661	Parental age difference and schizophrenia. British Journal of Psychiatry, 2004, 184, 540-540.	1.7	1
662	Mental health of UK Afghan and Iraq veterans. Lancet, The, 2010, 375, 1758-1760.	6.3	1
663	Republished research: Facilitated physical activity as a treatment for depressed adults: randomised controlled trial:. British Journal of Sports Medicine, 2013, 47, 629-629.	3.1	1
664	Network Meta-Analysis of the Relative Efficacy of Pharmacological and Psychological Interventions in Adults with Obsessive Compulsive Disorder. Value in Health, 2014, 17, A454-A455.	0.1	1
665	Effects of visual adaptation on perception of and satisfaction with own body size: two randomised studies. Lancet, The, 2015, 386, S24.	6.3	1
666	Are refugees at increased risk of suicide compared with non-refugee migrants and the host population. European Journal of Public Health, 2017, 27, .	0.1	1

#	Article	IF	CITATIONS
667	The association between paternal depressogenic cognitive styles during pregnancy and offspring depressogenic cognitive styles: an 18â€year prospective cohort study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2018, 59, 604-614.	3.1	1
668	Multimedia-delivered cognitive behavioural therapy versus face-to-face cognitive behavioural therapy for depression in adults. The Cochrane Library, 2018, , .	1.5	1
669	Re: Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008–2016. Alzheimer's and Dementia, 2019, 15, 313-314.	0.4	1
670	Cognitive style and drinking to cope: A prospective cohort study. Addiction, 2021, , .	1.7	1
671	Study had methodological limitations. BMJ: British Medical Journal, 1996, 312, 512-513.	2.4	1
672	Interpersonal, cognitive analytic and other integrative therapies versus treatment as usual for depression. The Cochrane Library, 0, , .	1.5	1
673	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. Wellcome Open Research, 0, 4, 69.	0.9	1
674	Local understandings of PTSD and complex PTSD among health professionals working with adolescents in violent neighbourhoods of São Paulo city, Brazil. BMC Psychiatry, 2022, 22, 196.	1.1	1
675	Developing and internally validating a prognostic model (P Risk) to improve the prediction of psychosis in a primary care population using electronic health records: The MAPPED study. Schizophrenia Research, 2022, 246, 241-249.	1.1	1
676	CLINICAL RESEARCH PLANNING. Lancet, The, 1989, 334, 1529.	6.3	0
677	Expert opinion. Psychiatric Bulletin, 1990, 14, 124-124.	0.3	0
678	Assessment and follow up of depressed patients by practice nurses was similar to care by GPs. Evidence-Based Mental Health, 1998, 1, 74-74.	2.2	0
679	Psychosis in the Inner City. By D. Castle, S. Wessely, J. Van Os and R. M. Murray. (Pp. 209.) Maudsley Monograph 40 Psychology Press: London. 1998. Mental Health in Our Future Cities. Edited by D. Goldberg and G. Thornicroft. (Pp. 290.) Maudsley Monograph 42 Psychology Press: London. 1998 Psychological Medicine. 2000. 30. 733-734.	2.7	0
680	SES01.01 Developmental precursors of affective illness in a general population birth cohort. European Psychiatry, 2000, 15, 213s-213s.	0.1	0
681	FC13.06 The cross-national epidemiology of unexplained chronic fatigue. European Psychiatry, 2000, 15, 313s-313s.	0.1	0
682	Non-psychotic, non-major affective psychiatric disorders in adolescent boys were associated with greater schizophrenia risk. Evidence-Based Mental Health, 2002, 5, 60-60.	2.2	0
683	Investigating the Association between Cigarette Smoking and Risk of Developing Schizophrenia in a Cohort Study. Clinical Science, 2003, 104, 41P-41P.	0.0	0
684	Fetal Growth and Childhood Behavioural Problems. American Journal of Epidemiology, 2006, 163, S18-S18.	1.6	0

0

#	Article	IF	CITATIONS
685	Physical Activity and Common Mental Disorder in Men: The Caerphilly Cohort. American Journal of Epidemiology, 2006, 163, S218-S218.	1.6	0
686	P.2.c.015 Efficacy of SSRIs in treating depression in patients with ischaemic heart disease, a meta-analysis. European Neuropsychopharmacology, 2009, 19, S412.	0.3	0
687	Resuscitation at Birth and Cognition at 8 Years of Age: A Cohort Study. Obstetrical and Gynecological Survey, 2009, 64, 642-643.	0.2	0
688	P2-327 Physical activity and depression in adolescents: cross-sectional results from the ALSPAC cohort. Journal of Epidemiology and Community Health, 2011, 65, A312-A313.	2.0	0
689	Poster #138 HEMISPHERIC ASYMMETRY IN FIRST-EPISODE PSYCHOSIS AND SCHIZOTYPY: WHAT'S LEFT FOR CANNABIS?. Schizophrenia Research, 2012, 136, S329-S330.	1.1	0
690	Commentary on <scp>G</scp> riffithâ€ <scp>L</scp> endering <i>et al</i> . (2013): Crossâ€lagging cannabis and psychosis vulnerability. Addiction, 2013, 108, 741-742.	1.7	0
691	Prescribing Anti-Depressants by Baseline Severity: Evidence Synthesis, Economic Model and Value of Information Analysis. Value in Health, 2014, 17, A458.	0.1	0
692	P.2.a.021 Genome-wide association study of antidepressant-induced sexual dysfunction in depressed males. European Neuropsychopharmacology, 2014, 24, S373-S374.	0.3	0
693	OP24â€Associations of cannabis and cigarette use with depression and anxiety at age 18: findings from the avon longitudinal study of parents and children. Journal of Epidemiology and Community Health, 2015, 69, A19.2-A19.	2.0	0
694	PP37â€Use of mendelian randomisation to assess whether smoking is causally associated with alcohol consumption. Journal of Epidemiology and Community Health, 2015, 69, A68.2-A68.	2.0	0
695	Authors' reply to Males. BMJ, The, 2015, 350, h3648.	3.0	0
696	Associations of Cannabis and Tobacco Use with Depression at Age 18: Findings from the Avon Longitudinal Study of Parents and Children International Journal of Epidemiology, 2015, 44, i282-i283.	0.9	0
697	The influence of school in the development of eating disorders: a record-linkage study. Lancet, The, 2015, 385, S24.	6.3	0
698	Conditional Beliefs of Primary-Care Patients with Treatment-Resistant Depression. Behavioural and Cognitive Psychotherapy, 2016, 44, 513-526.	0.9	0
699	Review of assessment tools for psychoticâ€like experiences misses the psychosisâ€like symptoms semiâ€structured interview (<scp>PLIKSi</scp>) in <scp>ALSPAC</scp> . Microbial Biotechnology, 2017, 11, 269-270.	0.9	0
700	Childhood interleukin-6, C-reactive protein and atopic disorders as risk factors for hypomanic symptoms in young adulthood: a longitudinal birth cohort study. Psychological Medicine, 2017, 47, 984-986.	2.7	0
701	Meta-analysis of CYP2C19 association with efficacy and side effects of citalopram and escitalopram. European Neuropsychopharmacology, 2017, 27, S582-S583.	0.3	0

The Epidemiology of Mental Illness. , 0, , 12-23.

#	Article	IF	CITATIONS
703	Cognitive behavioural therapies versus other psychological therapies for depression. The Cochrane Library, 0, , .	1.5	0
704	70SEVERITY OF DEMENTIA AT DEATH: COHORT STUDY USING ROUTINELY COLLECTED SECONDARY CARE DATA. Age and Ageing, 2018, 47, iii26-iii27.	0.7	0
705	Reply to: â€~To the editor: how statistics killed the cat' – E. F. Torrey, R. H Yolken. Psychological Medicine, 2018, 48, 692-692.	2.7	0
706	104. Association Between Serum C-Reactive Protein, Positive and Negative Symptoms of Psychosis in a General Population-Based Birth Cohort. Biological Psychiatry, 2019, 85, S43-S44.	0.7	0
707	F133INVESTIGATING THE PHENOTYPIC MANIFESTATION OF SCHIZOPHRENIA WITH REGARDS TO GENERAL AND SPECIFIC PSYCHOPATHOLOGY IN ADOLESCENCE USING A BIFACTOR MODELLING APPROACH. European Neuropsychopharmacology, 2019, 29, S1182-S1183.	0.3	0
708	P.3.03 The acute effects of cannabidiol on emotional processing and anxiety: A neurocognitive imaging study. European Neuropsychopharmacology, 2019, 29, S680.	0.3	0
709	F87. Longitudinal Association Between Low-Grade Inflammation and Specific Symptoms of Depression. Biological Psychiatry, 2019, 85, S246.	0.7	0
710	Depression and self-harm from adolescence to young adulthood in sexual minorities compared with heterosexuals in the UK: a population-based cohort study. European Journal of Public Health, 2019, 29, .	0.1	0
711	Reprint of: Internalising symptoms mediate the longitudinal association between childhood inflammation and psychotic-like experiences in adulthood. Schizophrenia Research, 2020, 226, 24-29.	1.1	0
712	Psychological therapies for treatment-resistant depression in adults: a Cochrane Review. BJ Psych Advances, 2020, 26, 254-254.	0.5	0
713	â€~You don't read my papers anymore': an investigation into the use of Barbra Streisand song titles in the psychiatric literature. Psychiatric Bulletin, 2005, 29, 35-35.	0.3	0
714	Unity is strength. Commentary on … Research in the real world. Psychiatric Bulletin, 2006, 30, 46-47.	0.3	0
715	From the Mental Patient to the Person. By P. Barham and R. Hayward. London: Tavistock/Routledge. 1991. 162 pp. £35.00 British Journal of Psychiatry, 1993, 162, 867-867.	1.7	0
716	<i>>Fluoxetine Supplement;</i> â€Journal', <i>September 1988, 153</i> . Psychiatric Bulletin, 1989, 1565-565.	13 _{0.3}	0
717	Closing the gap between research and practice. New evidence is required. British Journal of Psychiatry, 1997, 171, 227.	1.7	О