

# Thomas C Crawford

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9855288/publications.pdf>

Version: 2024-02-01

31  
papers

400  
citations

759233

12  
h-index

794594

19  
g-index

31  
all docs

31  
docs citations

31  
times ranked

498  
citing authors

#	ARTICLE	IF	CITATIONS
1	Quantifying cardiac sympathetic denervation: first studies of 18F-fluorohydroxyphenethylguanidines in cardiomyopathy patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 619-631.	6.4	4
2	Outcomes Associated With Catheter Ablation of Ventricular Tachycardia in Patients With Cardiac Sarcoidosis. <i>JAMA Cardiology</i> , 2022, 7, 175.	6.1	22
3	Patients' and family members' views on pacemaker reuse: An international survey. <i>Journal of Cardiovascular Electrophysiology</i> , 2022, , .	1.7	5
4	Arrhythmic Recurrence and Outcomes in Patients Hospitalized With First Episode of Electrical Storm. <i>American Journal of Cardiology</i> , 2022, 172, 40-47.	1.6	2
5	The cardiac sarcoidosis consortium: elucidating a mysterious disease through collaborative research. <i>European Heart Journal</i> , 2022, 43, 3991-3993.	2.2	6
6	Arrhythmias in Cardiac Sarcoidosis Bench to Bedside. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021, 14, e009203.	4.8	14
7	Lead damage after cardiac implantable device replacement procedure: Comparison between electrical plasma tool and electrocautery. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 1124-1128.	1.7	1
8	Efficacy and Tolerability of Quinidine as Salvage Therapy for Monomorphic Ventricular Tachycardia in patients with Structural Heart Disease. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 3173-3178.	1.7	3
9	Unregulated online sales of cardiac implantable electronic devices in the United States: A six-month assessment. <i>Heart Rhythm O2</i> , 2020, 1, 235-238.	1.7	8
10	Global disparities in cardiac pacemaker therapy: Problem statement, potential solution, and call to action. <i>Heart Rhythm</i> , 2019, 16, 153-155.	0.7	8
11	Worldwide pacemaker and defibrillator reuse: Systematic review and meta-analysis of contemporary trials. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 1500-1507.	1.2	19
12	RESPONSE: Should We Prevent Death When Death Is Preventable, or Should We Just Stand There?. <i>Journal of the American College of Cardiology</i> , 2018, 72, 695-696.	2.8	0
13	Cleaning and Sterilization of Used Cardiac Implantable Electronic Devices With Process Validation. <i>JACC: Clinical Electrophysiology</i> , 2017, 3, 623-631.	3.2	17
14	Reuse of cardiac implantable electronic devices to improve and extend lives: a call to action. <i>Heart Asia</i> , 2017, 9, 34-35.	1.1	1
15	Cybersecurity and medical devices: A practical guide for cardiac electrophysiologists. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 913-917.	1.2	41
16	Pacemaker recycling: A notion whose time has come. <i>World Journal of Cardiology</i> , 2017, 9, 296.	1.5	22
17	Ventricular Arrhythmias in Apparently Normal Hearts. <i>Cardiac Electrophysiology Clinics</i> , 2016, 8, xv-xvi.	1.7	0
18	Multimodality imaging in cardiac sarcoidosis: predicting treatment response. <i>Heart Rhythm</i> , 2015, 12, 2486-2487.	0.7	1

#	ARTICLE	IF	CITATIONS
19	Variation in practice patterns among specialties in the acute management of atrial fibrillation. <i>BMC Cardiovascular Disorders</i> , 2015, 15, 21.	1.7	10
20	Cardiac Sarcoidosis. <i>Circulation</i> , 2015, 132, e137-8.	1.6	10
21	Circulating Serum Markers and QRS Scar Score in Chagas Cardiomyopathy. <i>American Journal of Tropical Medicine and Hygiene</i> , 2015, 92, 39-44.	1.4	32
22	Biomarkers and Mortality in Severe Chagas Cardiomyopathy. <i>Global Heart</i> , 2015, 10, 173.	2.3	43
23	Biomarkers in <i>Trypanosoma cruzi</i> -Infected and Uninfected Individuals with Varying Severity of Cardiomyopathy in Santa Cruz, Bolivia. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e3227.	3.0	31
24	Heart Rhythm Society Members'™ Views on Pacemaker and Implantable Cardioverter-Defibrillator Reuse. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 969-977.	1.2	21
25	Reimplanting Previously Infected Device in the Same Patient: A Clever Way to Provide Essential Therapy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 938-939.	1.2	0
26	18F-FDG Imaging in Patients With "Suspected," But Not "Proven," Sarcoidosis. <i>Journal of the American College of Cardiology</i> , 2014, 64, 630.	2.8	1
27	The ethics of pacemaker reuse: might the best be the enemy of the good?. <i>Heart</i> , 2011, 97, 2005-2006.	2.9	21
28	Mechanism of recurrence after radiofrequency catheter ablation of atrial fibrillation guided by complex fractionated atrial electrograms. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2008, 21, 27-33.	1.3	6
29	Cardiac Arrhythmias: Management of Atrial Fibrillation in the Critically Ill Patient. <i>Critical Care Clinics</i> , 2007, 23, 855-872.	2.6	9
30	A long R-P paroxysmal supraventricular tachycardia: What is the mechanism?. <i>Heart Rhythm</i> , 2007, 4, 1364-1365.	0.7	5
31	Utility of Atrial and Ventricular Cycle Length Variability in Determining the Mechanism of Paroxysmal Supraventricular Tachycardia. <i>Journal of Cardiovascular Electrophysiology</i> , 2007, 18, 698-703.	1.7	37