

# Philipp A Kaufmann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9869151/publications.pdf>

Version: 2024-02-01

448  
papers

24,358  
citations

5574

82  
h-index

11052

137  
g-index

463  
all docs

463  
docs citations

463  
times ranked

14820  
citing authors

#	ARTICLE	IF	CITATIONS
1	Rest/stress myocardial perfusion imaging by positron emission tomography with 18F-Flurpiridaz: A feasibility study in mice. <i>Journal of Nuclear Cardiology</i> , 2023, 30, 62-73.	2.1	4
2	Left ventricular function and volumes from gated [13N]-ammonia positron emission tomography myocardial perfusion imaging: A prospective head-to-head comparison against CMR using a hybrid PET/MR device. <i>Journal of Nuclear Cardiology</i> , 2023, 30, 616-625.	2.1	3
3	Automated quantitative analysis of CZT SPECT stratifies cardiovascular risk in the obese population: Analysis of the REFINE SPECT registry. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 727-736.	2.1	11
4	Myocardial perfusion scintigraphy for risk stratification of patients with coronary artery disease: the AMICO registry. <i>European Heart Journal Cardiovascular Imaging</i> , 2022, 23, 372-380.	1.2	14
5	Associations between dyspnoea, coronary atherosclerosis, and cardiovascular outcomes: results from the long-term follow-up CONFIRM registry. <i>European Heart Journal Cardiovascular Imaging</i> , 2022, 23, 266-274.	1.2	4
6	Transluminal attenuation gradient derived from coronary CT angiography to predict ischemia in SPECT myocardial perfusion imaging: Effect of coronary cross-sectional area. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 350-358.	2.1	1
7	Diagnostic safety of a machine learning-based automatic patient selection algorithm for stress-only myocardial perfusion SPECT. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 2295-2307.	2.1	21
8	Clinical Deployment of Explainable Artificial Intelligence of SPECT for Diagnosis of Coronary Artery Disease. <i>JACC: Cardiovascular Imaging</i> , 2022, 15, 1091-1102.	5.3	44
9	Determining a minimum set of variables for machine learning cardiovascular event prediction: results from REFINE SPECT registry. <i>Cardiovascular Research</i> , 2022, 118, 2152-2164.	3.8	26
10	Impact of coronary calcification assessed by coronary CT angiography on treatment decision in patients with three-vessel CAD: insights from SYNTAX III trial. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2022, 34, 176-184.	1.1	5
11	Splenic switch-off as a novel marker for adenosine response in nitrogen-13 ammonia PET myocardial perfusion imaging: Cross-validation against CMR using a hybrid PET/MR device. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 1205-1214.	2.1	12
12	Prognostic significance of plaque location in non-obstructive coronary artery disease: from the CONFIRM registry. <i>European Heart Journal Cardiovascular Imaging</i> , 2022, 23, 1240-1247.	1.2	7
13	[18F]-sodium fluoride PET/MR for painful lumbar facet joint degeneration – a randomized controlled clinical trial. <i>Spine Journal</i> , 2022, 22, 769-775.	1.3	6
14	Comparison of diabetes to other prognostic predictors among patients referred for cardiac stress testing: A contemporary analysis from the REFINE SPECT Registry. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 3003-3014.	2.1	6
15	Radiation dose reduction with deep-learning image reconstruction for coronary computed tomography angiography. <i>European Radiology</i> , 2022, 32, 2620-2628.	4.5	21
16	Role of sex hormones in modulating myocardial perfusion and coronary flow reserve. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 2209-2218.	6.4	6
17	Prevalence and predictors of automatically quantified myocardial ischemia within a multicenter international registry. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 3221-3232.	2.1	3
18	Transmural perfusion: A new direction for myocardial blood flow. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 1952-1955.	2.1	1

#	ARTICLE	IF	CITATIONS
19	NEMA NU 2â€“2018 performance evaluation of a new generation 30-cm axial field-of-view Discovery MI PET/CT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 3023-3032.	6.4	10
20	Computed tomography angiography versus Agatston score for diagnosis of coronary artery disease in patients with stable chest pain: individual patient data meta-analysis of the international COME-CCT Consortium. <i>European Radiology</i> , 2022, 32, 5233-5245.	4.5	6
21	Handling missing values in machine learning to predict patient-specific risk of adverse cardiac events: Insights from REFINE SPECT registry. <i>Computers in Biology and Medicine</i> , 2022, 145, 105449.	7.0	14
22	Risk stratification using coronary artery calcium scoring based on low tube voltage computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2022, 38, 2227-2234.	0.6	1
23	Explainable Deep Learning Improves Physician Interpretation of Myocardial Perfusion Imaging. <i>Journal of Nuclear Medicine</i> , 2022, , jnumed.121.263686.	5.0	7
24	Aspirin and Statin Therapy for Nonobstructive Coronary Artery Disease: Five-year Outcomes from the CONFIRM Registry. <i>Radiology: Cardiothoracic Imaging</i> , 2022, 4, e210225.	2.5	6
25	Differences in Prognostic Value of Myocardial Perfusion Single-Photon Emission Computed Tomography Using High-Efficiency Solid-State Detector Between Men and Women in a Large International Multicenter Study. <i>Circulation: Cardiovascular Imaging</i> , 2022, 15, .	2.6	2
26	Machine learning to predict abnormal myocardial perfusion from pre-test features. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 2393-2403.	2.1	7
27	Value of 12-lead electrocardiogram to predict myocardial scar on FDG PET in heart failure patients. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 1364-1373.	2.1	12
28	Prognostically safe stress-only single-photon emission computed tomography myocardial perfusion imaging guided by machine learning: report from REFINE SPECT. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 22, 705-714.	1.2	38
29	Role of quantitative myocardial blood flow and 13N-ammonia washout for viability assessment in ischemic cardiomyopathy. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 263-273.	2.1	13
30	Myocardial creep-induced misalignment artifacts in PET/MR myocardial perfusion imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 406-413.	6.4	4
31	Worldwide Diagnostic Reference Levels for Single-Photon Emission Computed Tomography Myocardial Perfusion Imaging. <i>JACC: Cardiovascular Imaging</i> , 2021, 14, 657-665.	5.3	9
32	Quantification of perivascular inflammation does not provide incremental prognostic value over myocardial perfusion imaging and calcium scoring. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 1806-1812.	6.4	17
33	Prognostic Value of Quantitative Metrics From Positron Emission Tomography in Ischemic Heart Failure. <i>JACC: Cardiovascular Imaging</i> , 2021, 14, 454-464.	5.3	16
34	Coronary artery lumen volume index as a marker of flow-limiting atherosclerosisâ€”validation against 13N-ammonia positron emission tomography. <i>European Radiology</i> , 2021, 31, 5116-5126.	4.5	1
35	Age- and sex-dependent changes of resting amygdalar activity in individuals free of clinical cardiovascular disease. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 427-432.	2.1	4
36	Splenic switch-off as a predictor for coronary adenosine response: validation against 13N-ammonia during co-injection myocardial perfusion imaging on a hybrid PET/CMR scanner. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 3.	3.3	12

#	ARTICLE	IF	CITATIONS
37	Whole-body parametric [18F]-FDG PET/CT improves interpretation of a distant lesion as venous embolus in a lung cancer patient. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 2047-2048.	6.4	3
38	Quantitation of Poststress Change in Ventricular Morphology Improves Risk Stratification. <i>Journal of Nuclear Medicine</i> , 2021, 62, 1582-1590.	5.0	7
39	FDG-PET/CT: novel method for viability assessment of livers perfused ex vivo. <i>Nuclear Medicine Communications</i> , 2021, 42, 826-832.	1.1	2
40	Impact of Early Revascularization on Major Adverse Cardiovascular Events in Relation to Automatically Quantified Ischemia. <i>JACC: Cardiovascular Imaging</i> , 2021, 14, 644-653.	5.3	28
41	Potential Impact of Statins on Neuronal Stress Responses in Patients at Risk for Cardiovascular Disease. <i>Journal of Personalized Medicine</i> , 2021, 11, 261.	2.5	2
42	Prognostic value of regional myocardial flow reserve derived from 13N-ammonia positron emission tomography in patients with suspected coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 49, 311-320.	6.4	5
43	68Ga-PSMA-11 PET imaging in patients with ongoing androgen deprivation therapy for advanced prostate cancer. <i>Annals of Nuclear Medicine</i> , 2021, 35, 1109-1116.	2.2	8
44	Prognostic Value of Phase Analysis for Predicting Adverse Cardiac Events Beyond Conventional Single-Photon Emission Computed Tomography Variables: Results From the REFINE SPECT Registry. <i>Circulation: Cardiovascular Imaging</i> , 2021, 14, e012386.	2.6	13
45	Worldwide Variation in the Use of Nuclear Cardiology Camera Technology, Reconstruction Software, and Imaging Protocols. <i>JACC: Cardiovascular Imaging</i> , 2021, 14, 1819-1828.	5.3	9
46	Relationship of Endothelial Shear Stress with Plaque Features with Coronary CT Angiography and Vasodilating Capability with PET. <i>Radiology</i> , 2021, 300, 549-556.	7.3	13
47	Invited commentary on "Prognostic value of myocardial perfusion imaging after first-line coronary computed tomography angiography: A multi-center cohort study" (JCCT-D-21-00184R1 Diagnostic strategies in suspected chronic coronary syndrome) "The case for a hybrid approach. <i>Journal of Cardiovascular Computed Tomography</i> , 2021, . .	1.3	0
48	Clinical evaluation of data-driven respiratory gating for PET/CT in an oncological cohort of 149 patients: impact on image quality and patient management. <i>British Journal of Radiology</i> , 2021, 94, 20201350.	2.2	9
49	Sex and age differences in the association of heart rate responses to adenosine and myocardial ischemia in patients undergoing myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 159-170.	2.1	11
50	Upper reference limits of transient ischemic dilation ratio for different protocols on new-generation cadmium zinc telluride cameras: A report from REFINE SPECT registry. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 1180-1189.	2.1	17
51	Ultra-low-dose computed tomography for attenuation correction of cadmium-zinc-telluride single photon emission computed tomography myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 228-237.	2.1	10
52	Rationale and design of the REgistry of Fast Myocardial Perfusion Imaging with NExt generation SPECT (REFINE SPECT). <i>Journal of Nuclear Cardiology</i> , 2020, 27, 1010-1021.	2.1	74
53	"Apical thinning" Relations between myocardial wall thickness and apical left ventricular tracer uptake as assessed with positron emission tomography myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 452-460.	2.1	9
54	Machine learning of clinical variables and coronary artery calcium scoring for the prediction of obstructive coronary artery disease on coronary computed tomography angiography: analysis from the CONFIRM registry. <i>European Heart Journal</i> , 2020, 41, 359-367.	2.2	137

#	ARTICLE	IF	CITATIONS
55	Detection Rate and Localization of Prostate Cancer Recurrence Using <sup>68</sup> Ga-PSMA-11 PET/MRI in Patients with Low PSA Values $\leq$ 0.5 ng/mL. <i>Journal of Nuclear Medicine</i> , 2020, 61, 194-201.	5.0	39
56	5-Year Prognostic Value of Quantitative Versus Visual MPI in Subtle Perfusion Defects. <i>JACC: Cardiovascular Imaging</i> , 2020, 13, 774-785.	5.3	70
57	Association between vertebral bone mineral density, myocardial perfusion, and long-term cardiovascular outcomes: A sex-specific analysis. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 726-736.	2.1	7
58	Myocardial blood flow and cardiac sympathetic innervation in young adults late after arterial switch operation for transposition of the great arteries. <i>International Journal of Cardiology</i> , 2020, 299, 110-115.	1.7	14
59	Machine learning predicts per-vessel early coronary revascularization after fast myocardial perfusion SPECT: results from multicentre REFINE SPECT registry. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 549-559.	1.2	70
60	Sex-dependent association between inflammation, neural stress responses, and impaired myocardial function. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 2010-2015.	6.4	19
61	Anatomical and functional coronary imaging to predict long-term outcome in patients with suspected coronary artery disease: the EVINCI-outcome study. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 1273-1282.	1.2	40
62	Coronary artery volume index: a novel CCTA-derived predictor for cardiovascular events. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 713-722.	1.5	6
63	Artificial intelligence for detecting small FDG-positive lung nodules in digital PET/CT: impact of image reconstructions on diagnostic performance. <i>European Radiology</i> , 2020, 30, 2031-2040.	4.5	39
64	Impact of <sup>68</sup> Ga-PSMA-11 PET staging on clinical decision-making in patients with intermediate or high-risk prostate cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 652-664.	6.4	38
65	Coronary atherosclerosis scoring with semiquantitative CCTA risk scores for prediction of major adverse cardiac events: Propensity score-based analysis of diabetic and non-diabetic patients. <i>Journal of Cardiovascular Computed Tomography</i> , 2020, 14, 251-257.	1.3	18
66	Myocardial Ischemic Burden and Differences in Prognosis Among Patients With and Without Diabetes: Results From the Multicenter International REFINE SPECT Registry. <i>Diabetes Care</i> , 2020, 43, 453-459.	8.6	21
67	Longitudinal Progression of Subclinical Coronary Atherosclerosis in Swiss HIV-Positive Compared With HIV-Negative Persons Undergoing Coronary Calcium Score Scan and CT Angiography. <i>Open Forum Infectious Diseases</i> , 2020, 7, ofaa438.	0.9	4
68	Diagnostic criteria for left ventricular non-compaction in cardiac computed tomography. <i>PLoS ONE</i> , 2020, 15, e0235751.	2.5	7
69	Prognostic significance of subtle coronary calcification in patients with zero coronary artery calcium score: From the CONFIRM registry. <i>Atherosclerosis</i> , 2020, 309, 33-38.	0.8	14
70	Myocardial <sup>18</sup> F-FDG Uptake Pattern for Cardiovascular Risk Stratification in Patients Undergoing Oncologic PET/CT. <i>Journal of Clinical Medicine</i> , 2020, 9, 2279.	2.4	14
71	Potential of Radiation Dose Reduction by Optimizing Z-Axis Coverage in Coronary Computed Tomography Angiography on a Latest-Generation 256-Slice Scanner. <i>Journal of Computer Assisted Tomography</i> , 2020, 44, 289-294.	0.9	1
72	Diagnostic performance of angiography-based quantitative flow ratio for the identification of myocardial ischemia as assessed by <sup>13</sup> N-ammonia myocardial perfusion imaging positron emission tomography. <i>International Journal of Cardiology</i> , 2020, 314, 13-19.	1.7	6

#	ARTICLE	IF	CITATIONS
73	Microvascular dysfunction and sympathetic hyperactivity in women with supra-normal left ventricular ejection fraction (snLVEF). <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 3094-3106.	6.4	25
74	Functional Brain Network Connectivity Patterns Associated With Normal Cognition at Old-Age, Local $\beta$ -amyloid, Tau, and APOE4. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 46.	3.4	21
75	APOE4 moderates effects of cortical iron on synchronized default mode network activity in cognitively healthy old-aged adults. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12002.	2.4	23
76	Clinical risk factors and atherosclerotic plaque extent to define risk for major events in patients without obstructive coronary artery disease: the long-term coronary computed tomography angiography CONFIRM registry. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 479-488.	1.2	36
77	Increased long-term mortality in women with high left ventricular ejection fraction: data from the CONFIRM (COronary CT Angiography EvaluatioN For Clinical Outcomes: An InteRnational Multicenter) long-term registry. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 363-374.	1.2	25
78	Validation of deep-learning image reconstruction for coronary computed tomography angiography: Impact on noise, image quality and diagnostic accuracy. <i>Journal of Cardiovascular Computed Tomography</i> , 2020, 14, 444-451.	1.3	105
79	Transient ischaemic dilation and post-stress wall motion abnormality increase risk in patients with less than moderate ischaemia: analysis of the REFINE SPECT registry. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 567-575.	1.2	21
80	Reference values of physiological 18F-FET uptake: Implications for brain tumor discrimination. <i>PLoS ONE</i> , 2020, 15, e0230618.	2.5	7
81	Radiation dosimetry of 18F-AzaFol: A first in-human use of a folate receptor PET tracer. <i>EJNMMI Research</i> , 2020, 10, 32.	2.5	23
82	[11C]mHED PET follows a two-tissue compartment model in mouse myocardium with norepinephrine transporter (NET)-dependent uptake, while [18F]LMI1195 uptake is NET-independent. <i>EJNMMI Research</i> , 2020, 10, 114.	2.5	7
83	Planning the Procedure. , 2020, , 91-131.		0
84	Impact of Adaptive Statistical Iterative Reconstruction-V on Coronary Artery Calcium Scores Obtained From Low-Tube-Voltage Computed Tomography – A Patient Study. <i>Academic Radiology</i> , 2020, , .	2.5	3
85	High efficiency gamma camera enables ultra-low fixed dose stress/rest myocardial perfusion imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 218-224.	1.2	12
86	Prognostic value of chronic total occlusions detected on coronary computed tomographic angiography. <i>Heart</i> , 2019, 105, 196-203.	2.9	10
87	Diagnostic performance of choline PET for detection of hyperfunctioning parathyroid glands in hyperparathyroidism: a systematic review and meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 751-765.	6.4	149
88	Current and potential future role of PSMA-PET in patients with castration-resistant prostate cancer. <i>World Journal of Urology</i> , 2019, 37, 457-467.	2.2	19
89	No differences in rest myocardial blood flow in stunned and hibernating myocardium: insights into the pathophysiology of ischemic cardiomyopathy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 2322-2328.	6.4	9
90	Enhanced radiation exposure associated with anterior-posterior x-ray tube position in young women undergoing cardiac computed tomography. <i>American Heart Journal</i> , 2019, 215, 91-94.	2.7	4

#	ARTICLE	IF	CITATIONS
91	Heart rate reserve is a long-term risk predictor in women undergoing myocardial perfusion imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 2032-2041.	6.4	12
92	Characterization of functionally significant coronary artery disease by a coronary computed tomography angiography-based index: a comparison with positron emission tomography. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 897-905.	1.2	18
93	Risk Reclassification with Coronary Computed Tomography Angiography-Visualized Nonobstructive Coronary Artery Disease According to 2018 American College of Cardiology/American Heart Association Cholesterol Guidelines (from the Coronary Computed Tomography Angiography) <i>Tj ETQq1 1 0.7843141rgBT /Overlock 10</i> <i>Journal of Cardiology</i> , 2019, 124, 1397-1405.	1.6	12
94	Sex Differences in the Association between Inflammation and Ischemic Heart Disease. <i>Thrombosis and Haemostasis</i> , 2019, 119, 1471-1480.	3.4	22
95	Metabolic Activity in Central Neural Structures of Patients With Myocardial Injury. <i>Journal of the American Heart Association</i> , 2019, 8, e013070.	3.7	4
96	Point of Care Clinical Risk Score to Improve the Negative Diagnostic Utility of an Agatston Score of Zero. <i>Circulation: Cardiovascular Imaging</i> , 2019, 12, e008737.	2.6	8
97	A cross-sectional survey of coronary plaque composition in individuals on non-statin lipid lowering drug therapies and undergoing coronary computed tomography angiography. <i>Journal of Cardiovascular Computed Tomography</i> , 2019, 13, 99-104.	1.3	2
98	Impact of different image reconstructions on PET quantification in non-small cell lung cancer: a comparison of adenocarcinoma and squamous cell carcinoma. <i>British Journal of Radiology</i> , 2019, 92, 20180792.	2.2	20
99	Quantification of intrathoracic fat adds prognostic value in women undergoing myocardial perfusion imaging. <i>International Journal of Cardiology</i> , 2019, 292, 258-264.	1.7	9
100	Antiretroviral Drugs Associated With Subclinical Coronary Artery Disease in the Swiss Human Immunodeficiency Virus Cohort Study. <i>Clinical Infectious Diseases</i> , 2019, 70, 884-889.	5.8	11
101	Association between resting amygdalar activity and abnormal cardiac function in women and men: a retrospective cohort study. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 625-632.	1.2	24
102	The Predictive Value of Coronary Artery Calcium Scoring for Major Adverse Cardiac Events According to Renal Function (from the Coronary Computed Tomography Angiography Evaluation for Clinical) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i> <i>Journal of Cardiology</i> , 2019, 123, 1435-1442.	1.6	12
103	Impact of Fractional Flow Reserve Derived From Coronary Computed Tomography Angiography on Heart Team Treatment Decision-Making in Patients With Multivessel Coronary Artery Disease. <i>Circulation: Cardiovascular Interventions</i> , 2019, 12, e007607.	3.9	76
104	Heart rate reserve during pharmacological stress is a significant negative predictor of impaired coronary flow reserve in women. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 1257-1267.	6.4	18
105	Superior Risk Stratification With Coronary Computed Tomography Angiography Using a Comprehensive Atherosclerotic Risk Score. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 1987-1997.	5.3	78
106	Association between beta-adrenoceptor antagonist-induced sympathicolysis and severity of coronary artery disease as assessed by coronary computed tomography angiography (CCTA). <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 927-936.	1.5	1
107	Cardiac hybrid imaging combining 3D-strain echocardiography with coronary computed tomography angiography. <i>European Heart Journal</i> , 2019, 40, 395-396.	2.2	4
108	Clinical impact of <sup>68</sup> Ga-PSMA-11 PET on patient management and outcome, including all patients referred for an increase in PSA level during the first year after its clinical introduction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 889-900.	6.4	44

#	ARTICLE	IF	CITATIONS
109	Deep Learning Analysis of Upright-Supine High-Efficiency SPECT Myocardial Perfusion Imaging for Prediction of Obstructive Coronary Artery Disease: A Multicenter Study. <i>Journal of Nuclear Medicine</i> , 2019, 60, 664-670.	5.0	113
110	Corrected coronary opacification decrease from coronary computed tomography angiography: Validation with quantitative <sup>13</sup> N-ammonia positron emission tomography. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 561-568.	2.1	13
111	Gated SPECT myocardial perfusion imaging with cadmium-zinc-telluride detectors allows real-time assessment of dobutamine-stress-induced wall motion abnormalities. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 1734-1742.	2.1	3
112	Diagnosis and Management of Anomalous Coronary Arteries with a Malignant Course. <i>Interventional Cardiology Review</i> , 2019, 14, 83-88.	1.6	44
113	Influence of symptom typicality for predicting MACE in patients without obstructive coronary artery disease: From the CONFIRM Registry (Coronary Computed Tomography Angiography Evaluation for) Tj ETQq1 1 0.784314 rg8T /Over	1.7	12
114	Sports Behavior in Middle-Aged Individuals with Anomalous Coronary Artery from the Opposite Sinus of Valsalva. <i>Cardiology</i> , 2018, 139, 222-230.	1.4	7
115	Impact of cardiac hybrid imaging-guided patient management on clinical long-term outcome. <i>International Journal of Cardiology</i> , 2018, 261, 218-222.	1.7	12
116	Ultra-low-dose coronary artery calcium scoring using novel scoring thresholds for low tube voltage protocols—a pilot study. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 1362-1371.	1.2	34
117	Triple hybrid imaging of a high-risk coronary plaque: morphology, perfusion, and haemorheology. <i>European Heart Journal</i> , 2018, 39, 2508-2508.	2.2	4
118	Non-invasive screening for coronary artery disease in asymptomatic diabetic patients: a systematic review and meta-analysis of randomised controlled trials. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 838-846.	1.2	36
119	Prognostic value of coronary computed tomographic angiography findings in asymptomatic individuals: a 6-year follow-up from the prospective multicentre international CONFIRM study. <i>European Heart Journal</i> , 2018, 39, 934-941.	2.2	100
120	Low cortical iron and high entorhinal cortex volume promote cognitive functioning in the oldest-old. <i>Neurobiology of Aging</i> , 2018, 64, 68-75.	3.1	25
121	The Coronary Artery Disease—Reporting and Data System (CAD-RADS). <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 78-89.	5.3	91
122	Incremental prognostic value of coronary computed tomography angiography over coronary calcium scoring for major adverse cardiac events in elderly asymptomatic individuals. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 675-683.	1.2	34
123	Maximization of the usage of coronary CTA derived plaque information using a machine learning based algorithm to improve risk stratification; insights from the CONFIRM registry. <i>Journal of Cardiovascular Computed Tomography</i> , 2018, 12, 204-209.	1.3	137
124	Subclinical coronary artery disease in Swiss HIV-positive and HIV-negative persons. <i>European Heart Journal</i> , 2018, 39, 2147-2154.	2.2	47
125	Applicability and accuracy of pretest probability calculations implemented in the NICE clinical guideline for decision making about imaging in patients with chest pain of recent onset. <i>European Radiology</i> , 2018, 28, 4006-4017.	4.5	2
126	Deep Learning for Prediction of Obstructive Disease From Fast Myocardial Perfusion SPECT. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 1654-1663.	5.3	246



#	ARTICLE	IF	CITATIONS
127	Head-to-head comparison of adaptive statistical and model-based iterative reconstruction algorithms for submillisievert coronary CT angiography. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 193-198.	1.2	24
128	Clinical performance of 68Ga-PSMA-11 PET/MRI for the detection of recurrent prostate cancer following radical prostatectomy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 20-30.	6.4	72
129	Myocardial perfusion imaging: Lessons learned and work to be done—update. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 39-52.	2.1	19
130	Strategies for radiation dose reduction in nuclear cardiology and cardiac computed tomography imaging: a report from the European Association of Cardiovascular Imaging (EACVI), the Cardiovascular Committee of European Association of Nuclear Medicine (EANM), and the European Society of Cardiovascular Radiology (ESCR). <i>European Heart Journal</i> , 2018, 39, 286-296.	2.2	44
131	Impact of a Bayesian penalized likelihood reconstruction algorithm on image quality in novel digital PET/CT: clinical implications for the assessment of lung tumors. <i>EJNMMI Physics</i> , 2018, 5, 27.	2.7	51
132	Usefulness of baseline statin therapy in non-obstructive coronary artery disease by coronary computed tomographic angiography: From the CONFIRM (COronary CT Angiography Evaluation For Tj ETQq0 0 0 2gBT /Overlock 10 Tf	2.8	10
133	Automated detection of lung cancer at ultralow dose PET/CT by deep neural networks—Initial results. <i>Lung Cancer</i> , 2018, 126, 170-173.	2.0	90
134	Age- and sex-dependent changes in sympathetic activity of the left ventricular apex assessed by 18F-DOPA PET imaging. <i>PLoS ONE</i> , 2018, 13, e0202302.	2.5	29
135	Incidental Findings on Coronary Computed Tomography Angiography in Human Immunodeficiency Virus (HIV)-Positive and HIV-Negative Persons. <i>Open Forum Infectious Diseases</i> , 2018, 5, ofy084.	0.9	3
136	Prognostic value of age adjusted segment involvement score as measured by coronary computed tomography: a potential marker of vascular age. <i>Heart and Vessels</i> , 2018, 33, 1288-1300.	1.2	6
137	Sex differences in the long-term prognostic value of 13N-ammonia myocardial perfusion positron emission tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1964-1974.	6.4	21
138	High-Risk Plaque Regression and Stabilization. <i>Circulation: Cardiovascular Imaging</i> , 2018, 11, e007888.	2.6	1
139	Hybrid SPECT Perfusion Imaging and Coronary CT Angiography: Long-term Prognostic Value for Cardiovascular Outcomes. <i>Radiology</i> , 2018, 288, 694-702.	7.3	35
140	Hybrid positron emission tomography—magnetic resonance of the heart: current state of the art and future applications. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 962-974.	1.2	29
141	Criteria for recommendation, expert consensus, and appropriateness criteria papers: update from the European Association of Cardiovascular Imaging Scientific Documents Committee. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 835-837.	1.2	9
142	Machine learning for prediction of all-cause mortality in patients with suspected coronary artery disease: a 5-year multicentre prospective registry analysis. <i>European Heart Journal</i> , 2017, 38, ehw188.	2.2	447
143	Hybrid CCTA/SPECT myocardial perfusion imaging findings in patients with anomalous origin of coronary arteries from the opposite sinus and suspected concomitant coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2017, 24, 226-234.	2.1	34
144	Real-time respiratory triggered SPECT myocardial perfusion imaging using CZT technology: impact of respiratory phase matching between SPECT and low-dose CT for attenuation correction. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 31-38.	1.2	12

#	ARTICLE	IF	CITATIONS
145	Attenuation correction in stress-only myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2017, 24, 402-404.	2.1	5
146	Long-term prognostic impact of CT-Leaman score in patients with non-obstructive CAD: Results from the COronary CT Angiography EvaluatioN For Clinical Outcomes InteRnational Multicenter (CONFIRM) study. <i>International Journal of Cardiology</i> , 2017, 231, 18-25.	1.7	56
147	A low-dose and an ultra-low-dose contrast agent protocol for coronary CT angiography in a clinical setting: quantitative and qualitative comparison to a standard dose protocol. <i>British Journal of Radiology</i> , 2017, 90, 20160933.	2.2	12
148	Long-term prognostic performance of low-dose coronary computed tomography angiography with prospective electrocardiogram triggering. <i>European Radiology</i> , 2017, 27, 4650-4660.	4.5	21
149	Long-term outcome prediction by functional parameters derived from coronary computed tomography angiography. <i>International Journal of Cardiology</i> , 2017, 243, 533-537.	1.7	12
150	Relationship of Hypertension to Coronary Atherosclerosis and Cardiac Events in Patients With Coronary Computed Tomographic Angiography. <i>Hypertension</i> , 2017, 70, 293-299.	2.7	57
151	Multimodality Imaging in Individuals With Anomalous Coronary Arteries. <i>JACC: Cardiovascular Imaging</i> , 2017, 10, 471-481.	5.3	87
152	Third-degree atrioventricular block: tip of the iceberg of a systemic disease. <i>European Heart Journal</i> , 2017, 38, 1349-1349.	2.2	3
153	Coronary revascularization vs. medical therapy following coronary-computed tomographic angiography in patients with low-, intermediate- and high-risk coronary artery disease: results from the CONFIRM long-term registry. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 841-848.	1.2	11
154	Outcome in middle-aged individuals with anomalous origin of the coronary artery from the opposite sinus: a matched cohort study. <i>European Heart Journal</i> , 2017, 38, 2009-2016.	2.2	41
155	Predictive Value of Age- and Sex-Specific Nomograms of Global Plaque Burden on Coronary Computed Tomography Angiography for Major Cardiac Events. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, .	2.6	31
156	Quantitative plaque features from coronary computed tomography angiography to identify regional ischemia by myocardial perfusion imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 499-507.	1.2	31
157	The year in cardiology 2016: imaging. <i>European Heart Journal</i> , 2017, 38, ehw633.	2.2	3
158	Prognostic implications of coronary artery calcium in the absence of coronary artery luminal narrowing. <i>Atherosclerosis</i> , 2017, 262, 185-190.	0.8	14
159	Prognostic Significance of Nonobstructive Left Main Coronary Artery Disease in Women Versus Men. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, .	2.6	38
160	Automatic Valve Plane Localization in Myocardial Perfusion SPECT/CT by Machine Learning: Anatomic and Clinical Validation. <i>Journal of Nuclear Medicine</i> , 2017, 58, 961-967.	5.0	56
161	Improved 5-year prediction of all-cause mortality by coronary CT angiography applying the CONFIRM score. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 286-293.	1.2	30
162	Multimodality imaging: Bird's eye view from The European Society of Cardiology Congress 2016. <i>Journal of Nuclear Cardiology</i> , 2017, 24, 180-187.	2.1	0

#	ARTICLE	IF	CITATIONS
163	Fused cardiac hybrid imaging with coronary computed tomography angiography and positron emission tomography in patients with complex coronary artery anomalies. <i>Congenital Heart Disease</i> , 2017, 12, 49-57.	0.2	21
164	Impact of age and sex on left ventricular function determined by coronary computed tomographic angiography: results from the prospective multicentre CONFIRM study. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 990-1000.	1.2	23
165	Diagnostic accuracy of coronary opacification derived from coronary computed tomography angiography to detect ischemia: first validation versus single-photon emission computed tomography. <i>EJNMMI Research</i> , 2017, 7, 92.	2.5	5
166	Absolute Myocardial Blood Flow and Flow Reserve Assessed by Gated SPECT with Cadmium <sup>99m</sup> Zinc <sup>67</sup> Telluride Detectors Using <sup>99m</sup> Tc-Tetrofosmin: Head-to-Head Comparison with <sup>13</sup> N-Ammonia PET. <i>Journal of Nuclear Medicine</i> , 2016, 57, 1887-1892.	5.0	110
167	Adaptive Statistical Iterative Reconstruction-V. <i>Journal of Computer Assisted Tomography</i> , 2016, 40, 958-963.	0.9	39
168	Minimized Radiation and Contrast Agent Exposure for Coronary Computed Tomography Angiography: First Clinical Experience on a Latest Generation 256-slice Scanner. <i>Academic Radiology</i> , 2016, 23, 1008-1014.	2.5	48
169	Multicentre multi-device hybrid imaging study of coronary artery disease: results from the Evaluation of INtegrated Cardiac Imaging for the Detection and Characterization of Ischaemic Heart Disease (EVINCI) hybrid imaging population. <i>European Heart Journal Cardiovascular Imaging</i> , 2016, 17, 951-960.	1.2	95
170	Sex-Specific Associations Between Coronary Artery Plaque Extent and Risk of Major Adverse Cardiovascular Events. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 364-372.	5.3	108
171	Nuclear cardiology practice and associated radiation doses in Europe: results of the IAEA Nuclear Cardiology Protocols Study (INCAPS) for the 27 European countries. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 718-728.	6.4	29
172	Criteria for recommendation and expert consensus papers: from the European Association of Cardiovascular Imaging Scientific Documents Committee. <i>European Heart Journal Cardiovascular Imaging</i> , 2016, 17, 1098-1100.	1.2	3
173	Long-Term Prognostic Utility of Coronary Angiography in Stable Patients With Diabetes Mellitus. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 1280-1288.	5.3	70
174	Prognostic value of aortic regurgitation after TAVI in patients with chronic kidney disease. <i>International Journal of Cardiology</i> , 2016, 221, 180-187.	1.7	7
175	Non-invasive imaging for prediction of ventricular arrhythmias. <i>Heart</i> , 2016, 102, 815-816.	2.9	0
176	Effect of CPAP Withdrawal on myocardial perfusion in OSA: A randomized controlled trial. <i>Respirology</i> , 2016, 21, 1126-1133.	2.3	22
177	Good Study, Bad Timing. <i>Radiology</i> , 2016, 278, 633-635.	7.3	2
178	Quantification of epicardial and intrathoracic fat volume does not provide an added prognostic value as an adjunct to coronary artery calcium score and myocardial perfusion single-photon emission computed tomography. <i>European Heart Journal Cardiovascular Imaging</i> , 2016, 17, 885-891.	1.2	11
179	Impact of monochromatic coronary computed tomography angiography from single-source dual-energy CT on coronary stenosis quantification. <i>Journal of Cardiovascular Computed Tomography</i> , 2016, 10, 135-140.	1.3	21
180	Effect of Coronary Atherosclerosis and Myocardial Ischemia on Plasma Levels of High-Sensitivity Troponin T and NT-proBNP in Patients With Stable Angina. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 757-764.	2.4	42

#	ARTICLE	IF	CITATIONS
181	The year in cardiology 2015: imaging. <i>European Heart Journal</i> , 2016, 37, 667-675.	2.2	6
182	Long term prognostic utility of coronary CT angiography in patients with no modifiable coronary artery disease risk factors: Results from the 5 year follow-up of the CONFIRM International Multicenter Registry. <i>Journal of Cardiovascular Computed Tomography</i> , 2016, 10, 22-27.	1.3	46
183	Association of left bundle branch block with obstructive coronary artery disease on coronary CT angiography: a case-control study. <i>European Heart Journal Cardiovascular Imaging</i> , 2016, 17, 765-771.	1.2	6
184	Prevalence and characteristics of coronary artery anomalies detected by coronary computed tomography angiography in 5634 consecutive patients in a single centre in Switzerland. <i>Swiss Medical Weekly</i> , 2016, 146, w14294.	1.6	32
185	Coronary Artery Calcification, Epicardial Fat Burden, and Cardiovascular Events in Chronic Obstructive Pulmonary Disease. <i>PLoS ONE</i> , 2015, 10, e0126613.	2.5	23
186	First experience with single-source, dual-energy CCTA for monochromatic stent imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 507-512.	1.2	31
187	A New Integrated Clinical-Biohumoral Model to Predict Functionally Significant Coronary Artery Disease in Patients With Chronic Chest Pain. <i>Canadian Journal of Cardiology</i> , 2015, 31, 709-716.	1.7	19
188	Incremental prognostic utility of coronary CT angiography for asymptomatic patients based upon extent and severity of coronary artery calcium: results from the COronary CT Angiography Evaluation For Clinical Outcomes International Multicenter (CONFIRM) Study. <i>European Heart Journal</i> , 2015, 36, 501-508.	2.2	111
189	Current but not past smoking increases the risk of cardiac events: insights from coronary computed tomographic angiography. <i>European Heart Journal</i> , 2015, 36, 1031-1040.	2.2	34
190	Gender differences in the prevalence, severity, and composition of coronary artery disease in the young: a study of 1635 individuals undergoing coronary CT angiography from the prospective, multinational confirm registry. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 490-499.	1.2	29
191	Detection of Significant Coronary Artery Disease by Noninvasive Anatomical and Functional Imaging. <i>Circulation: Cardiovascular Imaging</i> , 2015, 8, .	2.6	286
192	Current trends in patients with chronic total occlusions undergoing coronary CT angiography. <i>Heart</i> , 2015, 101, 1212-1218.	2.9	18
193	Medical History for Prognostic Risk Assessment and Diagnosis of Stable Patients with Suspected Coronary Artery Disease. <i>American Journal of Medicine</i> , 2015, 128, 871-878.	1.5	30
194	MR-based attenuation correction for cardiac FDG PET on a hybrid PET/MRI scanner: comparison with standard CT attenuation correction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1574-1580.	6.4	48
195	Prognostic and Therapeutic Implications of Statin and Aspirin Therapy in Individuals With Nonobstructive Coronary Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 981-989.	2.4	147
196	Cardiac PET/MR: Big footprint "small step". <i>Journal of Nuclear Cardiology</i> , 2015, 22, 225-226.	2.1	5
197	Integrated Cardiac Imaging. , 2015, , 198-201.		0
198	Coronary dominance and prognosis in patients undergoing coronary computed tomographic angiography: results from the CONFIRM (COronary CT Angiography Evaluation For Clinical Outcomes) Tj ETQq0 0 0,rgBT /Overlock 10 853-862.	1.2	32

#	ARTICLE	IF	CITATIONS
199	A Clinical Model to Identify Patients With High-Risk Coronary Artery Disease. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 427-434.	5.3	26
200	Ultra-low-dose hybrid single photon emission computed tomography and coronary computed tomography angiography: a comprehensive and non-invasive diagnostic workup of suspected coronary artery disease. <i>European Heart Journal</i> , 2015, 36, 3345-3345.	2.2	19
201	Current worldwide nuclear cardiology practices and radiation exposure: results from the 65 country IAEA Nuclear Cardiology Protocols Cross-Sectional Study (INCAPS). <i>European Heart Journal</i> , 2015, 36, 1689-1696.	2.2	155
202	Cardiac Magnetic Resonance Imaging. <i>Circulation: Cardiovascular Imaging</i> , 2015, 8, e003885.	2.6	4
203	Effects of cardiac medications for patients with obstructive coronary artery disease by coronary computed tomographic angiography: Results from the multicenter CONFIRM registry. <i>Atherosclerosis</i> , 2015, 238, 119-125.	0.8	11
204	Is Metabolic Syndrome Predictive of Prevalence, Extent, and Risk of Coronary Artery Disease beyond Its Components? Results from the Multinational Coronary CT Angiography Evaluation for Clinical Outcome: An International Multicenter Registry (CONFIRM). <i>PLoS ONE</i> , 2015, 10, e0118998.	2.5	26
205	Three-Dimensional Fusion Display of CT Coronary Angiography and Myocardial Perfusion. , 2015, , 195-206.		0
206	Age-related risk of major adverse cardiac event risk and coronary artery disease extent and severity by coronary CT angiography: results from 15 187 patients from the International Multisite CONFIRM Study. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 586-594.	1.2	77
207	Recovery mismatch between myocardial blood flow and cardiac workload after physical exercise: a positron emission tomography study. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 1386-1390.	1.2	0
208	Coronary artery calcium quantification from contrast enhanced CT using gemstone spectral imaging and material decomposition. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 1399-1405.	1.5	24
209	Risks and benefits of cardiac imaging: an analysis of risks related to imaging for coronary artery disease. <i>European Heart Journal</i> , 2014, 35, 633-638.	2.2	82
210	Excluding a giant coronary aneurysm by implantation of a covered stent. <i>European Heart Journal</i> , 2014, 35, 1130-1130.	2.2	1
211	Sex-based Prognostic Implications of Nonobstructive Coronary Artery Disease: Results from the International Multicenter CONFIRM Study. <i>Radiology</i> , 2014, 273, 393-400.	7.3	45
212	The Impact of Modern Noninvasive Cardiac Imaging on Coronary Intervention Rates. <i>Journal of Interventional Cardiology</i> , 2014, 27, 50-57.	1.2	3
213	Characterization of Pulmonary Vein Dimensions Using High-Definition 64-Slice Computed Tomography prior to Radiofrequency Catheter Ablation for Atrial Fibrillation. <i>Cardiology Research and Practice</i> , 2014, 2014, 1-8.	1.1	24
214	Impact of a New Motion-Correction Algorithm on Image Quality of Low-Dose Coronary CT Angiography in Patients with Insufficient Heart Rate Control. <i>Academic Radiology</i> , 2014, 21, 312-317.	2.5	45
215	Gene expression levels of matrix metalloproteinases in human atherosclerotic plaques and evaluation of radiolabeled inhibitors as imaging agents for plaque vulnerability. <i>Nuclear Medicine and Biology</i> , 2014, 41, 562-569.	0.6	43
216	Rateâ€‘pressure product-derived global coronary flow reserve (CFR): An unrecognized parameter available during all standard exercise ECG stress tests and conventional exercise SPECT myocardial perfusion studies (exMPS). <i>Journal of Nuclear Cardiology</i> , 2014, 21, 400-401.	2.1	3

#	ARTICLE	IF	CITATIONS
217	Incremental prognostic value of coronary computed tomographic angiography over coronary artery calcium score for risk prediction of major adverse cardiac events in asymptomatic diabetic individuals. <i>Atherosclerosis</i> , 2014, 232, 298-304.	0.8	102
218	Does coronary CT angiography improve risk stratification over coronary calcium scoring in symptomatic patients with suspected coronary artery disease? Results from the prospective multicenter international CONFIRM registry. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 267-274.	1.2	100
219	Cardiac hybrid imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 91-103.	6.4	30
220	Towards non-invasive imaging of vulnerable atherosclerotic plaques by targeting co-stimulatory molecules. <i>International Journal of Cardiology</i> , 2014, 174, 503-515.	1.7	32
221	A PET/CT-follow-up imaging study to differentiate takotsubo cardiomyopathy from acute myocardial infarction. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 207-209.	1.5	20
222	Left Ventricular Function and Volume with Coronary CT Angiography Improves Risk Stratification and Identification of Patients at Risk for Incident Mortality: Results from 7758 Patients in the Prospective Multinational CONFIRM Observational Cohort Study. <i>Radiology</i> , 2014, 273, 70-77.	7.3	30
223	Antioxidants Prevent DNA Double-Strand Breaks From X-Ray-Based Cardiac Examinations. <i>Journal of the American College of Cardiology</i> , 2014, 64, 117-118.	2.8	9
224	Accuracy of Coronary CT Angiography Using a Submillisievert Fraction of Radiation Exposure. <i>Journal of the American College of Cardiology</i> , 2014, 64, 772-780.	2.8	83
225	Congenital coronary anomalies detected by coronary computed tomography compared to invasive coronary angiography. <i>BMC Cardiovascular Disorders</i> , 2014, 14, 81.	1.7	54
226	Prognostic value of coronary CT angiography on long-term follow-up of 6.9 years. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 969-976.	1.5	40
227	Calcium score, coronary artery disease extent and severity, and clinical outcomes among low Framingham risk patients with low vs high lifetime risk: Results from the CONFIRM registry. <i>Journal of Nuclear Cardiology</i> , 2014, 21, 29-37.	2.1	21
228	Prognostic significance of calcified plaque among symptomatic patients with nonobstructive coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2014, 21, 453-466.	2.1	30
229	Imaging Atherosclerotic Plaque Inflammation via Folate Receptor Targeting Using a Novel <sup>18</sup> F-Folate Radiotracer. <i>Molecular Imaging</i> , 2014, 13, 7290.2013.00074.	1.4	35
230	Coronary computed tomography angiography with model-based iterative reconstruction using a radiation exposure similar to chest X-ray examination. <i>European Heart Journal</i> , 2014, 35, 1131-1136.	2.2	85
231	Age-related normal structural and functional ventricular values in cardiac function assessed by magnetic resonance. <i>BMC Medical Imaging</i> , 2013, 13, 6.	2.7	43
232	Prognostic value of stress-gated 99m-technetium SPECT myocardial perfusion imaging: Risk stratification of patients with multivessel coronary artery disease and prior coronary revascularization. <i>Journal of Nuclear Cardiology</i> , 2013, 20, 755-762.	2.1	9
233	Image quality of low-dose CCTA in obese patients: impact of high-definition computed tomography and adaptive statistical iterative reconstruction. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1565-1574.	1.5	17
234	Coronary artery calcium scoring: Influence of adaptive statistical iterative reconstruction using 64-MDCT. <i>International Journal of Cardiology</i> , 2013, 167, 2932-2937.	1.7	63

#	ARTICLE	IF	CITATIONS
235	Relationship of low- and high-density lipoproteins to coronary artery plaque composition by CT angiography. <i>Journal of Cardiovascular Computed Tomography</i> , 2013, 7, 83-90.	1.3	15
236	Anatomic Versus Physiologic Assessment of Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1639-1653.	2.8	495
237	Optimized Prognostic Score for Coronary Computed Tomographic Angiography. <i>Journal of the American College of Cardiology</i> , 2013, 62, 468-476.	2.8	224
238	First in vivo head-to-head comparison of high-definition versus standard-definition stent imaging with 64-slice computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1409-1416.	1.5	18
239	Image quality in low-dose coronary computed tomography angiography with a new high-definition CT scanner. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 471-477.	1.5	16
240	First experience with monochromatic coronary computed tomography angiography from a 64-slice CT scanner with Gemstone Spectral Imaging (GSI). <i>Journal of Cardiovascular Computed Tomography</i> , 2013, 7, 25-31.	1.3	57
241	Usefulness of Coronary Computed Tomography Angiography to Predict Mortality and Myocardial Infarction Among Caucasian, African and East Asian Ethnicities (from the CONFIRM [Coronary CT] Tj ETQq1 1 0.784314 rgBT /Overload). <i>Journal of Cardiology</i> , 2013, 111, 479-485.	1.6	56
242	Myocardial perfusion imaging with <sup>13</sup> N-Ammonia PET is a strong predictor for outcome. <i>International Journal of Cardiology</i> , 2013, 167, 1023-1026.	1.7	33
243	Impact of Family History of Coronary Artery Disease in Young Individuals (from the CONFIRM Registry). <i>American Journal of Cardiology</i> , 2013, 111, 1081-1086.	1.6	58
244	Cardiac hybrid imaging guides revascularization prior to non-cardiac surgery. <i>International Journal of Cardiology</i> , 2013, 163, e44-e46.	1.7	1
245	Clinical Positron Emission Tomography/Magnetic Resonance Imaging Applications. <i>Seminars in Nuclear Medicine</i> , 2013, 43, 3-10.	4.6	67
246	The value of coronary calcium score in daily clinical routine, a case series of patients with extensive coronary calcifications. <i>International Journal of Cardiology</i> , 2013, 162, e47-e49.	1.7	2
247	CT coronary angiography: impact of adapted statistical iterative reconstruction (ASIR) on coronary stenosis and plaque composition analysis. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 719-724.	1.5	48
248	Predictive Value of Cardiac Computed Tomography and the Impact of Renal Function on All Cause Mortality (from Coronary Computed Tomography Angiography Evaluation for Clinical Outcomes). <i>American Journal of Cardiology</i> , 2013, 111, 1563-1569.	1.6	9
249	Impact of cardiac magnetic resonance imaging on human lymphocyte DNA integrity. <i>European Heart Journal</i> , 2013, 34, 2340-2345.	2.2	82
250	Registry for the Evaluation of the PROgnostic value of a novel integrated imaging approach combining Single Photon Emission Computed Tomography with coronary calcification imaging (REPROSPECT). <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 374-380.	1.2	15
251	Body mass index and the prevalence, severity, and risk of coronary artery disease: an international multicentre study of 13 874 patients. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 456-463.	1.2	80
252	Coronary artery stents: influence of adaptive statistical iterative reconstruction on image quality using 64-HDCT. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 969-977.	1.2	24

#	ARTICLE	IF	CITATIONS
253	Reversible true myocardial hibernation. <i>European Heart Journal</i> , 2013, 34, 648-648.	2.2	5
254	Cardiovascular Risk among Stable Individuals Suspected of Having Coronary Artery Disease with No Modifiable Risk Factors: Results from an International Multicenter Study of 5262 Patients. <i>Radiology</i> , 2013, 267, 718-726.	7.3	28
255	Added prognostic value of myocardial blood flow quantitation in rubidium-82 positron emission tomography imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 1203-1210.	1.2	96
256	Attenuation Correction Maps for SPECT Myocardial Perfusion Imaging from Contrast-Enhanced Coronary CT Angiography: Gemstone Spectral Imaging with Single-Source Dual Energy and Material Decomposition. <i>Journal of Nuclear Medicine</i> , 2013, 54, 2077-2080.	5.0	8
257	Impact of inflammation on adverse cardiovascular events in patients with acute coronary syndromes. <i>Journal of Cardiovascular Medicine</i> , 2013, 14, 807-814.	1.5	24
258	Reply: Cadmium-Zinc-Telluride SPECT in Very Morbidly Obese Patients Routinely Provides High-Diagnostic-Quality Myocardial Perfusion Imaging. <i>Journal of Nuclear Medicine</i> , 2013, 54, 661.2-662.	5.0	0
259	SNMMI/ASNC/SCCT Guideline for Cardiac SPECT/CT and PET/CT 1.0. <i>Journal of Nuclear Medicine</i> , 2013, 54, 1485-1507.	5.0	184
260	Assessment of an elastin binding molecule for PET imaging of atherosclerotic plaques. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 3, 326-35.	1.0	3
261	Diagnostic Value of <sup>13</sup> N-Ammonia Myocardial Perfusion PET: Added Value of Myocardial Flow Reserve. <i>Journal of Nuclear Medicine</i> , 2012, 53, 1230-1234.	5.0	182
262	Coronary Calcium Score as an Adjunct to Nuclear Myocardial Perfusion Imaging for Risk Stratification Before Noncardiac Surgery. <i>Journal of Nuclear Medicine</i> , 2012, 53, 1081-1086.	5.0	25
263	Coronary Computed Tomographic Angiography and Risk of All-Cause Mortality and Nonfatal Myocardial Infarction in Subjects Without Chest Pain Syndrome From the CONFIRM Registry (Coronary CT Angiography Evaluation for Clinical Outcomes: An International Multicenter Registry). <i>Circulation</i> , 2012, 126, 304-313.	1.6	202
264	Cadmium-Zinc-Telluride Myocardial Perfusion Imaging in Obese Patients. <i>Journal of Nuclear Medicine</i> , 2012, 53, 1401-1406.	5.0	57
265	Hybrid CCTA/IVUS: breaking the traditional boundaries of coronary imaging. <i>European Heart Journal</i> , 2012, 33, 941-943.	2.2	5
266	Prognostic value of vessel dominance in relation to significant coronary artery disease determined with non-invasive computed tomography coronary angiography. <i>European Heart Journal</i> , 2012, 33, 1367-1377.	2.2	58
267	Whole-heart dynamic three-dimensional magnetic resonance perfusion imaging for the detection of coronary artery disease defined by fractional flow reserve: determination of volumetric myocardial ischaemic burden and coronary lesion location. <i>European Heart Journal</i> , 2012, 33, 2016-2024.	2.2	76
268	All-cause mortality benefit of coronary revascularization vs. medical therapy in patients without known coronary artery disease undergoing coronary computed tomographic angiography: results from CONFIRM (COronary CT Angiography Evaluation For Clinical Outcomes: An International Multicenter Registry). <i>Journal of Nuclear Medicine</i> , 2012, 53, 1401-1406.	2.2	65
269	Statins use and coronary artery plaque composition: Results from the International Multicenter CONFIRM Registry. <i>Atherosclerosis</i> , 2012, 225, 148-153.	0.8	72
270	Coronary Computed Tomographic Angiography as a Gatekeeper to Invasive Diagnostic and Surgical Procedures. <i>Journal of the American College of Cardiology</i> , 2012, 60, 2103-2114.	2.8	144



#	ARTICLE	IF	CITATIONS
271	Age- and gender-specific differences in the prognostic value of CT coronary angiography. <i>Heart</i> , 2012, 98, 232-237.	2.9	22
272	Cardiac quadruple-fusion imaging: A brief report on a novel integrated multimodality approach for in vivo visualization of transplanted stem cells. <i>International Journal of Cardiology</i> , 2012, 161, 62-63.	1.7	9
273	Differences in Prevalence, Extent, Severity, and Prognosis of Coronary Artery Disease Among Patients With and Without Diabetes Undergoing Coronary Computed Tomography Angiography. <i>Diabetes Care</i> , 2012, 35, 1787-1794.	8.6	120
274	Hypodense regions in unenhanced CT identify nonviable myocardium: validation versus 18F-FDG PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 1920-1926.	6.4	6
275	Transplantation and Tracking of Human-Induced Pluripotent Stem Cells in a Pig Model of Myocardial Infarction. <i>Circulation</i> , 2012, 126, 430-439.	1.6	170
276	Image quality and radiation dose comparison of prospectively triggered low-dose CCTA: 128-slice dual-source high-pitch spiral versus 64-slice single-source sequential acquisition. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1217-1225.	1.5	46
277	What have we learned from CONFIRM? Prognostic implications from a prospective multicenter international observational cohort study of consecutive patients undergoing coronary computed tomographic angiography. <i>Journal of Nuclear Cardiology</i> , 2012, 19, 787-795.	2.1	35
278	Why Quantify Myocardial Perfusion?. <i>Current Cardiovascular Imaging Reports</i> , 2012, 5, 133-143.	0.6	4
279	Quantification of myocardial blood flow with <sup>82</sup> Rb positron emission tomography: clinical validation with <sup>15</sup> O-water. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 1037-1047.	6.4	86
280	Downstream resource utilization following hybrid cardiac imaging with an integrated cadmium-zinc-telluride/64-slice CT device. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 430-436.	6.4	27
281	Low-Dose Computed Tomography Coronary Angiography With Prospective Electrocardiogram Triggering. <i>Journal of the American College of Cardiology</i> , 2011, 57, 332-336.	2.8	84
282	Cardiac Fusion Imaging Reveals Steal Phenomenon Due to Giant Left Circumflex Artery Fistula to the Right Atrium. <i>Journal of the American College of Cardiology</i> , 2011, 58, e15.	2.8	0
283	Age- and Sex-Related Differences in All-Cause Mortality Risk Based on Coronary Computed Tomography Angiography Findings. <i>Journal of the American College of Cardiology</i> , 2011, 58, 849-860.	2.8	668
284	Prognostic Assessment of Coronary Artery Bypass Patients With 64-Slice Computed Tomography Angiography. <i>Journal of the American College of Cardiology</i> , 2011, 58, 2389-2395.	2.8	50
285	Prevalence and Severity of Coronary Artery Disease and Adverse Events Among Symptomatic Patients With Coronary Artery Calcification Scores of Zero Undergoing Coronary Computed Tomography Angiography. <i>Journal of the American College of Cardiology</i> , 2011, 58, 2533-2540.	2.8	321
286	Rationale and design of the CONFIRM (COronary CT Angiography EvaluatioN For Clinical Outcomes: An) Tj ETQq0 Q 0 rgBT / Overlock 10	1.3	152
287	Semiconductor Detectors Allow Low-Dose "Low-Dose 1-Day SPECT Myocardial Perfusion Imaging. <i>Journal of Nuclear Medicine</i> , 2011, 52, 1204-1209.	5.0	56
288	Rapid cardiac hybrid imaging with minimized radiation dose for accurate non-invasive assessment of ischemic coronary artery disease. <i>International Journal of Cardiology</i> , 2011, 153, 10-13.	1.7	16

#	ARTICLE	IF	CITATIONS
289	Comparative in vivo analysis of the atherosclerotic plaque targeting properties of eight human monoclonal antibodies. <i>Atherosclerosis</i> , 2011, 214, 325-330.	0.8	21
290	PET and PET/CT in cardiovascular disease. <i>Annals of the New York Academy of Sciences</i> , 2011, 1228, 109-136.	3.8	22
291	Prognostic Value of Renal Dysfunction for the Prediction of Outcome Versus Results of Computed Tomographic Coronary Angiography. <i>American Journal of Cardiology</i> , 2011, 108, 968-972.	1.6	14
292	Very high coronary calcium score unmasks obstructive coronary artery disease in patients with normal SPECT MPI. <i>Heart</i> , 2011, 97, 998-1003.	2.9	67
293	Impact of CT attenuation correction on the viability pattern assessed by <sup>99m</sup> Tc-tetrofosmin SPECT/ <sup>18</sup> F-FDG PET. <i>International Journal of Cardiovascular Imaging</i> , 2011, 27, 913-921.	1.5	10
294	Relationship between obstructive coronary artery disease and abnormal stress testing in patients with paroxysmal or persistent atrial fibrillation. <i>International Journal of Cardiovascular Imaging</i> , 2011, 27, 777-785.	1.5	24
295	Nuclear myocardial perfusion imaging with a novel cadmium-zinc-telluride detector SPECT/CT device: first validation versus invasive coronary angiography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 2025-2030.	6.4	78
296	Lower dose and shorter acquisition: Pushing the boundaries of myocardial perfusion SPECT. <i>Journal of Nuclear Cardiology</i> , 2011, 18, 830-832.	2.1	12
297	Left ventricular dyssynchrony assessment by phase analysis from gated PET-FDG scans. <i>Journal of Nuclear Cardiology</i> , 2011, 18, 920-925.	2.1	29
298	Main pulmonary artery diameter from attenuation correction CT scans in cardiac SPECT accurately predicts pulmonary hypertension. <i>Journal of Nuclear Cardiology</i> , 2011, 18, 634-641.	2.1	21
299	Incremental Prognostic Value of Cardiac Computed Tomography in Coronary Artery Disease Using CONFIRM. <i>Circulation: Cardiovascular Imaging</i> , 2011, 4, 463-472.	2.6	201
300	Prognostic performance of low-dose coronary CT angiography with prospective ECG triggering. <i>Heart</i> , 2011, 97, 1385-1390.	2.9	15
301	Acute, Subacute, and Chronic Myocardial Infarction: Quantitative Comparison of 2D and 3D Late Gadolinium Enhancement MR Imaging. <i>Radiology</i> , 2011, 259, 704-711.	7.3	65
302	Performance of the Traditional Age, Sex, and Angina Typicality-Based Approach for Estimating Pretest Probability of Angiographically Significant Coronary Artery Disease in Patients Undergoing Coronary Computed Tomographic Angiography. <i>Circulation</i> , 2011, 124, 2423-2432.	1.6	263
303	Ionizing radiation risks of cardiac imaging: estimates of the immeasurable. <i>European Heart Journal</i> , 2011, 32, 269-271.	2.2	26
304	Myocardial bridging causing infarction and ischaemia. <i>European Heart Journal</i> , 2011, 32, 790-790.	2.2	7
305	Influence of smoking on the prognostic value of cardiovascular computed tomography coronary angiography. <i>European Heart Journal</i> , 2011, 32, 365-370.	2.2	13
306	Prognostic value of cardiac hybrid imaging integrating single-photon emission computed tomography with coronary computed tomography angiography. <i>European Heart Journal</i> , 2011, 32, 1465-1471.	2.2	127

#	ARTICLE	IF	CITATIONS
307	Inter-scan variability of coronary artery calcium scoring assessed on 64-multidetector computed tomography vs. dual-source computed tomography: a head-to-head comparison. <i>European Heart Journal</i> , 2011, 32, 1865-1874.	2.2	71
308	Impact of cardiac hybrid single-photon emission computed tomography/computed tomography imaging on choice of treatment strategy in coronary artery disease. <i>European Heart Journal</i> , 2011, 32, 2824-2829.	2.2	64
309	Cardiac hybrid imaging in a patient with a single coronary artery originating from the right sinus of Valsalva. <i>European Heart Journal</i> , 2011, 32, 2757-2757.	2.2	2
310	Hybrid cardiac magnetic resonance/computed tomographic imaging: first fusion of three-dimensional magnetic resonance perfusion and low-dose coronary computed tomographic angiography. <i>European Heart Journal</i> , 2011, 32, 2625-2625.	2.2	13
311	Cardiac hybrid imaging. <i>European Heart Journal</i> , 2011, 32, 2100-2108.	2.2	96
312	Improved Outcome Prediction by SPECT Myocardial Perfusion Imaging After CT Attenuation Correction. <i>Journal of Nuclear Medicine</i> , 2011, 52, 196-200.	5.0	73
313	Long-term prognostic value of left ventricular dyssynchrony assessment by phase analysis from myocardial perfusion imaging. <i>Heart</i> , 2011, 97, 33-37.	2.9	68
314	The Potential Value of Hybrid Positron Emission Tomography/Dual-Source Computed Tomography Imaging in Coronary Bypass Surgery. <i>Heart Surgery Forum</i> , 2011, 14, 283.	0.5	2
315	Incidental Detection of a Pulmonary Adenocarcinoma on Low-Dose Computed Tomography Used for Attenuation Correction in Myocardial Perfusion Imaging With SPECT. <i>Clinical Nuclear Medicine</i> , 2010, 35, 751-752.	1.3	6
316	Coronary calcium score scans for attenuation correction of quantitative PET/CT 13N-ammonia myocardial perfusion imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 517-521.	6.4	27
317	Non-invasive assessment of coronary artery disease with CT coronary angiography and SPECT: a novel dose-saving fast-track algorithm. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 522-527.	6.4	33
318	New reconstruction algorithm allows shortened acquisition time for myocardial perfusion SPECT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 750-757.	6.4	48
319	Ultrafast nuclear myocardial perfusion imaging on a new gamma camera with semiconductor detector technique: first clinical validation. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 773-778.	6.4	165
320	Real-time breath-hold triggering of myocardial perfusion imaging with a novel cadmium-zinc-telluride detector gamma camera. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 1903-1908.	6.4	38
321	Ultrafast assessment of left ventricular dyssynchrony from nuclear myocardial perfusion imaging on a new high-speed gamma camera. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 2086-2092.	6.4	39
322	Severe left main coronary stenosis and mitral regurgitation in a young female patient without cardiovascular risk factors 14 years after mediastinal radiation therapy. <i>Clinical Research in Cardiology</i> , 2010, 99, 199-201.	3.3	1
323	Multimodality cardiac imaging. <i>Journal of Nuclear Cardiology</i> , 2010, 17, 4-7.	2.1	6
324	Myocardial perfusion imaging with real-time respiratory triggering: Impact of inspiration breath-hold on left ventricular functional parameters. <i>Journal of Nuclear Cardiology</i> , 2010, 17, 848-852.	2.1	12

#	ARTICLE	IF	CITATIONS
325	Validation of a new contrast material protocol adapted to body surface area for optimized low-dose CT coronary angiography with prospective ECG-triggering. <i>International Journal of Cardiovascular Imaging</i> , 2010, 26, 591-597.	1.5	44
326	Predictive Value of Multislice Computed Tomography Variables of Atherosclerosis for Ischemia on Stress-Rest Single-Photon Emission Computed Tomography. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 718-726.	2.6	17
327	Nuclear Myocardial Perfusion Imaging with a Cadmium-Zinc-Telluride Detector Technique: Optimized Protocol for Scan Time Reduction. <i>Journal of Nuclear Medicine</i> , 2010, 51, 46-51.	5.0	195
328	Validation of CT Attenuation Correction for High-Speed Myocardial Perfusion Imaging Using a Novel Cadmium-Zinc-Telluride Detector Technique. <i>Journal of Nuclear Medicine</i> , 2010, 51, 1539-1544.	5.0	59
329	Usefulness of Additional Coronary Calcium Scoring in Low-dose CT Coronary Angiography with Prospective ECG-Triggering. <i>Academic Radiology</i> , 2010, 17, 201-206.	2.5	27
330	Comparative immunohistochemical staining of atherosclerotic plaques using F16, F8 and L19: Three clinical-grade fully human antibodies. <i>Atherosclerosis</i> , 2010, 208, 382-389.	0.8	47
331	Hybrid Imaging: PET-CT and SPECT-CT. , 2010, , 89-99.		5
332	Hybrid Cardiac Imaging. , 2010, , 121-131.		1
333	Prevalence of Coronary Artery Disease Assessed by Multislice Computed Tomography Coronary Angiography in Patients With Paroxysmal or Persistent Atrial Fibrillation. <i>Circulation: Cardiovascular Imaging</i> , 2009, 2, 100-106.	2.6	61
334	Low-dose computed tomography coronary angiography and myocardial perfusion imaging: cardiac hybrid imaging below 3mSv. <i>European Heart Journal</i> , 2009, 30, 644-644.	2.2	24
335	Diagnostic accuracy of computed tomography coronary angiography and evaluation of stress-only single-photon emission computed tomography/computed tomography hybrid imaging: comparison of prospective electrocardiogram-triggering vs. retrospective gating. <i>European Heart Journal</i> , 2009, 30, 600-607.	2.2	84
336	Coronary CT angiography and myocardial perfusion imaging to detect flow-limiting stenoses: a potential gatekeeper for coronary revascularization?. <i>European Heart Journal</i> , 2009, 30, 2921-2929.	2.2	70
337	Left bundle branch block causes relative but not absolute septal underperfusion during exercise. <i>European Heart Journal</i> , 2009, 30, 2993-2999.	2.2	43
338	Evaluation of a Body Mass Index-Adapted Protocol for Low-Dose 64-MDCT Coronary Angiography with Prospective ECG Triggering. <i>American Journal of Roentgenology</i> , 2009, 192, 635-638.	2.2	84
339	Low-Dose Coronary CT Angiography With Prospective ECG Triggering: Validation of a Contrast Material Protocol Adapted to Body Mass Index. <i>American Journal of Roentgenology</i> , 2009, 193, 802-806.	2.2	24
340	Determinants of vessel contrast in BMI-adapted low dose CT coronary angiography with prospective ECG-triggering. <i>International Journal of Cardiovascular Imaging</i> , 2009, 25, 625-630.	1.5	34
341	Prevalence of noncardiac findings on low dose 64-slice computed tomography used for attenuation correction in myocardial perfusion imaging with SPECT. <i>International Journal of Cardiovascular Imaging</i> , 2009, 25, 859-865.	1.5	23
342	Cardiac hybrid imaging: state-of-the-art. <i>Annals of Nuclear Medicine</i> , 2009, 23, 325-331.	2.2	31

#	ARTICLE	IF	CITATIONS
343	Combining CT and nuclear: a winning hybrid team. <i>Journal of Nuclear Cardiology</i> , 2009, 16, 170-172.	2.1	7
344	Protocol for measuring myocardial blood flow by PET/CT in cats. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 244-249.	6.4	2
345	Diverticulum of the Posterior Left Atrial Wall. <i>Echocardiography</i> , 2009, 26, 471-472.	0.9	4
346	Body physique and heart rate variability determine the occurrence of stair-step artefacts in 64-slice CT coronary angiography with prospective ECG-triggering. <i>European Radiology</i> , 2009, 19, 1698-1703.	4.5	26
347	Reply to Letter to the Editor re: body physique and heart rate variability determine the occurrence of stair-step artefacts in 64-slice CT coronary angiography with prospective ECG-triggering. <i>European Radiology</i> , 2009, 19, 2956-2957.	4.5	0
348	Prognostic Value of Multislice Computed Tomography and Gated Single-Photon Emission Computed Tomography in Patients With Suspected Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2009, 53, 623-632.	2.8	308
349	Long-Term Prognostic Value of <sup>13</sup> N-Ammonia Myocardial Perfusion Positron Emission Tomography. <i>Journal of the American College of Cardiology</i> , 2009, 54, 150-156.	2.8	568
350	Aortic Valve Replacement Through a Minimally Invasive Approach: Preoperative Planning, Surgical Technique, and Outcome. <i>Annals of Thoracic Surgery</i> , 2009, 88, 1851-1856.	1.3	103
351	Hybrid SPECT/CT and PET/CT Imaging: The Next Step in Noninvasive Cardiac Imaging. <i>Seminars in Nuclear Medicine</i> , 2009, 39, 341-347.	4.6	61
352	Low-dose CT Coronary Angiography Using Prospective ECG-Triggering. <i>Academic Radiology</i> , 2009, 16, 15-21.	2.5	44
353	Gender, Age, and Body Surface Area are the Major Determinants of Ascending Aorta Dimensions in Subjects With Apparently Normal Echocardiograms. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 720-725.	2.8	64
354	Incremental prognostic value of multi-slice computed tomography coronary angiography over coronary artery calcium scoring in patients with suspected coronary artery disease. <i>European Heart Journal</i> , 2009, 30, 2622-2629.	2.2	147
355	Caffeine Impairs Myocardial Blood Flow Response to Physical Exercise in Patients with Coronary Artery Disease as well as in Age-Matched Controls. <i>PLoS ONE</i> , 2009, 4, e5665.	2.5	34
356	Diagnostic accuracy of myocardial perfusion imaging with single photon emission computed tomography and positron emission tomography: a comparison with coronary angiography. <i>International Journal of Cardiovascular Imaging</i> , 2008, 24, 511-518.	1.5	37
357	Impact of hypertension on the diagnostic accuracy of coronary angiography with computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2008, 24, 763-770.	1.5	4
358	Accuracy of quantitative coronary angiography with computed tomography and its dependency on plaque composition. <i>International Journal of Cardiovascular Imaging</i> , 2008, 24, 895-904.	1.5	33
359	Coronary Angiography with Low-Dose Computed Tomography at 1.4 mSv. <i>Herz</i> , 2008, 33, 75-75.	1.1	12
360	<sup>13</sup> N-ammonia myocardial perfusion imaging with a PET/CT scanner: impact on clinical decision making and cost-effectiveness. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 889-895.	6.4	35

#	ARTICLE	IF	CITATIONS
361	Coronary artery ectasia causing ischemia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 2142-2142.	6.4	3
362	Hybrid cardiac imaging: More than the sum of its parts?. <i>Journal of Nuclear Cardiology</i> , 2008, 15, 123-126.	2.1	17
363	Radiation dose estimates in dual-source computed tomography coronary angiography. <i>European Radiology</i> , 2008, 18, 592-599.	4.5	194
364	Coronary 64-slice CT angiography predicts outcome in patients with known or suspected coronary artery disease. <i>European Radiology</i> , 2008, 18, 1162-1173.	4.5	135
365	Reference values for quantitative left ventricular and left atrial measurements in cardiac computed tomography. <i>European Radiology</i> , 2008, 18, 1625-1634.	4.5	68
366	Interaction of Caffeine With Regadenoson-Induced Hyperemic Myocardial Blood Flow as Measured by Positron Emission Tomography. <i>Journal of the American College of Cardiology</i> , 2008, 51, 328-329.	2.8	50
367	Low-Dose Computed Tomography Coronary Angiography With Prospective Triggering. <i>Journal of the American College of Cardiology</i> , 2008, 52, 1456-1457.	2.8	16
368	Comparison of Diagnostic Accuracy of 64-Slice Computed Tomography Coronary Angiography in Patients with Low, Intermediate, and High Cardiovascular Risk. <i>Academic Radiology</i> , 2008, 15, 452-461.	2.5	52
369	Accuracy of low-dose computed tomography coronary angiography using prospective electrocardiogram-triggering: first clinical experience. <i>European Heart Journal</i> , 2008, 29, 3037-3042.	2.2	125
370	Cardiac computed tomography: indications, applications, limitations, and training requirements: Report of a Writing Group deployed by the Working Group Nuclear Cardiology and Cardiac CT of the European Society of Cardiology and the European Council of Nuclear Cardiology. <i>European Heart Journal</i> , 2008, 29, 531-556.	2.2	487
371	Dual-source computed tomography coronary angiography: influence of obesity, calcium load, and heart rate on diagnostic accuracy. <i>European Heart Journal</i> , 2008, 29, 766-776.	2.2	161
372	Assessment of coronary sinus anatomy between normal and insufficient mitral valves by multi-slice computertomography for mitral annuloplasty device implantation†. <i>European Journal of Cardio-thoracic Surgery</i> , 2008, 33, 583-589.	1.4	22
373	Functionally Relevant Coronary Artery Disease: Comparison of 64-Section CT Angiography with Myocardial Perfusion SPECT. <i>Radiology</i> , 2008, 248, 414-423.	7.3	202
374	Effect of Decrease in Heart Rate Variability on the Diagnostic Accuracy of 64-MDCT Coronary Angiography. <i>American Journal of Roentgenology</i> , 2008, 190, 1583-1590.	2.2	55
375	Myocardial Bridging: Depiction Rate and Morphology at CT Coronary Angiography—Comparison with Conventional Coronary Angiography. <i>Radiology</i> , 2008, 246, 754-762.	7.3	95
376	Role of Attenuation Correction to Discriminate Defects Caused by Left Bundle Branch Block Versus Coronary Stenosis in Single Photon Emission Computed Tomography Myocardial Perfusion Imaging. <i>Clinical Nuclear Medicine</i> , 2008, 33, 748-751.	1.3	9
377	Left Ventricular and Left Atrial Dimensions and Volumes. <i>Investigative Radiology</i> , 2008, 43, 284-289.	6.2	80
378	Interarterial Course of the Right Coronary Artery. <i>Clinical Nuclear Medicine</i> , 2008, 33, 335-336.	1.3	1

#	ARTICLE	IF	CITATIONS
379	Cardiac Fusion Imaging With Low-Dose Computed Tomography Using Prospective Electrocardiogram Gating. <i>Clinical Nuclear Medicine</i> , 2008, 33, 490-491.	1.3	2
380	Cardiac Image Fusion from Stand-Alone SPECT and CT: Clinical Experience. <i>Journal of Nuclear Medicine</i> , 2007, 48, 696-703.	5.0	201
381	Systemic nitric oxide synthase inhibition improves coronary flow reserve to adenosine in patients with significant stenoses. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H2178-H2182.	3.2	12
382	Bland-White-Garland syndrome: extensive collaterals prevent ischaemia. <i>European Heart Journal</i> , 2007, 28, 1672-1672.	2.2	4
383	Feasibility of low-dose coronary CT angiography: first experience with prospective ECG-gating. <i>European Heart Journal</i> , 2007, 29, 191-197.	2.2	479
384	SPECT-CT fusion imaging integrating anatomy and perfusion. <i>European Heart Journal</i> , 2007, 28, 145-145.	2.2	9
385	Coronary Artery Motion and Cardiac Phases: Dependency on Heart Rate—Implications for CT Image Reconstruction. <i>Radiology</i> , 2007, 245, 567-576.	7.3	169
386	Aortic Regurgitation: Assessment with 64-Section CT. <i>Radiology</i> , 2007, 245, 111-121.	7.3	99
387	Added Value of Coronary Artery Calcium Score as an Adjunct to Gated SPECT for the Evaluation of Coronary Artery Disease in an Intermediate-Risk Population. <i>Journal of Nuclear Medicine</i> , 2007, 48, 1424-1430.	5.0	120
388	Absolute Quantification of Myocardial Blood Flow with <sup>13</sup> N-Ammonia and 3-Dimensional PET. <i>Journal of Nuclear Medicine</i> , 2007, 48, 1783-1789.	5.0	46
389	Image Quality and Reconstruction Intervals of Dual-Source CT Coronary Angiography. <i>Investigative Radiology</i> , 2007, 42, 543-549.	6.2	162
390	Evaluation of temporal windows for coronary artery bypass graft imaging with 64-slice CT. <i>European Radiology</i> , 2007, 17, 2819-2828.	4.5	20
391	Dual-Source CT Coronary Angiography: Image Quality, Mean Heart Rate, and Heart Rate Variability. <i>American Journal of Roentgenology</i> , 2007, 189, 567-573.	2.2	169
392	Assessment of myocardial perfusion by dynamic O-15-labeled water PET imaging: Validation of a new fast factor analysis. <i>Journal of Nuclear Cardiology</i> , 2007, 14, 698-705.	2.1	13
393	Accuracy of 64-Slice Computed Tomography for the Preoperative Detection of Coronary Artery Disease in Patients With Chronic Aortic Regurgitation. <i>American Journal of Cardiology</i> , 2007, 100, 701-706.	1.6	85
394	Coronary artery stent geometry and in-stent contrast attenuation with 64-slice computed tomography. <i>European Radiology</i> , 2007, 17, 1464-1473.	4.5	31
395	Use of coronary calcium score scans from stand-alone multislice computed tomography for attenuation correction of myocardial perfusion SPECT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 11-19.	6.4	106
396	Accuracy of 64-slice CT angiography for the detection of functionally relevant coronary stenoses as assessed with myocardial perfusion SPECT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1162-1171.	6.4	125

#	ARTICLE	IF	CITATIONS
397	Validation of a new cardiac image fusion software for three-dimensional integration of myocardial perfusion SPECT and stand-alone 64-slice CT angiography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1097-1106.	6.4	140
398	82-Rubidium—the dawn of cardiac PET in Europe?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1963-1964.	6.4	8
399	Caffeine Decreases Exercise-Induced Myocardial Flow Reserve. <i>Journal of the American College of Cardiology</i> , 2006, 47, 405-410.	2.8	53
400	Thick Maximum Intensity Projections for the Assessment of Left Ventricular Function With 64-Slice Computed Tomography. <i>Investigative Radiology</i> , 2006, 41, 746-752.	6.2	1
401	Differential effects of pharmacologic stressors: More than meets the eye. <i>Journal of Nuclear Cardiology</i> , 2006, 13, 311-312.	2.1	5
402	Influence of cardiac hemodynamic parameters on coronary artery opacification with 64-slice computed tomography. <i>European Radiology</i> , 2006, 16, 1111-1116.	4.5	65
403	Optimal image reconstruction intervals for non-invasive coronary angiography with 64-slice CT. <i>European Radiology</i> , 2006, 16, 1964-1972.	4.5	118
404	Accuracy of dual-source CT coronary angiography: first experience in a high pre-test probability population without heart rate control. <i>European Radiology</i> , 2006, 16, 2739-2747.	4.5	395
405	Noninvasive Coronary Angiography with 64-Section CT: Effect of Average Heart Rate and Heart Rate Variability on Image Quality. <i>Radiology</i> , 2006, 241, 378-385.	7.3	298
406	18 F-Choline Images Murine Atherosclerotic Plaques Ex Vivo. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 584-589.	2.4	111
407	Assistant professorships and the Swiss National Science Foundation. <i>Circulation</i> , 2006, 113, f54-5.	1.6	0
408	Comparison of 64-slice CT with gated SPECT for evaluation of left ventricular function. <i>Journal of Nuclear Medicine</i> , 2006, 47, 1288-94.	5.0	52
409	Repeatability of cold pressor test-induced flow increase assessed with H(2)(15)O and PET. <i>Journal of Nuclear Medicine</i> , 2006, 47, 1420-6.	5.0	60
410	Measurement of left ventricular volumes and function using O-15 labeled carbon monoxide gated PET. <i>Journal of Nuclear Cardiology</i> , 2005, 12, 620-621.	2.1	2
411	Tetrahydrobiopterin restores impaired coronary microvascular dysfunction in hypercholesterolaemia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005, 32, 84-91.	6.4	35
412	The quantification of absolute myocardial perfusion in humans by contrast echocardiography. <i>Journal of the American College of Cardiology</i> , 2005, 45, 754-762.	2.8	230
413	Myocardial blood flow measurement by PET: technical aspects and clinical applications. <i>Journal of Nuclear Medicine</i> , 2005, 46, 75-88.	5.0	195
414	Assessment of the long-term reproducibility of baseline and dobutamine-induced myocardial blood flow in patients with stable coronary artery disease. <i>Journal of Nuclear Medicine</i> , 2005, 46, 212-9.	5.0	30



#	ARTICLE	IF	CITATIONS
415	Integrated PET/CT for the assessment of coronary artery disease: a feasibility study. <i>Journal of Nuclear Medicine</i> , 2005, 46, 930-5.	5.0	133
416	Novel doppler assessment of intracoronary volumetric flow reserve: validation against PET in patients with or without flow-dependent vasodilation. <i>Journal of Nuclear Medicine</i> , 2005, 46, 1272-7.	5.0	11
417	Systemic Inhibition of Nitric Oxide Synthase Unmasks Neural Constraint of Maximal Myocardial Blood Flow in Humans. <i>Circulation</i> , 2004, 110, 1431-1436.	1.6	30
418	Regional myocardial ischemia in hypertrophic cardiomyopathy: Impact of myectomy. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2004, 128, 163-169.	0.8	33
419	A novel in vivo procedure for volumetric flow measurements. <i>Ultrasound in Medicine and Biology</i> , 2004, 30, 633-637.	1.5	14
420	Impact of altitude exposure on myocardial blood flow and flow reserve. <i>International Congress Series</i> , 2004, 1264, 111-116.	0.2	0
421	Advances in Cardiac Applications for PET and PET/CT. , 2004, , 424-443.		0
422	CT attenuation correction for myocardial perfusion quantification using a PET/CT hybrid scanner. <i>Journal of Nuclear Medicine</i> , 2004, 45, 537-42.	5.0	96
423	Gated (99m)Tc-tetrofosmin SPECT for discriminating infarct from artifact in fixed myocardial perfusion defects. <i>Journal of Nuclear Medicine</i> , 2004, 45, 754-9.	5.0	36
424	Beta-adrenergic blockade and myocardial perfusion in coronary artery disease: differential effects in stenotic versus remote myocardial segments. <i>Journal of Nuclear Medicine</i> , 2004, 45, 1626-31.	5.0	40
425	Influence of Altitude Exposure on Coronary Flow Reserve. <i>Circulation</i> , 2003, 108, 1202-1207.	1.6	110
426	Bicycle exercise stress in PET for assessment of coronary flow reserve: repeatability and comparison with adenosine stress. <i>Journal of Nuclear Medicine</i> , 2003, 44, 146-54.	5.0	64
427	Isolated ventricular noncompaction is associated with coronary microcirculatory dysfunction. <i>Journal of the American College of Cardiology</i> , 2002, 39, 450-454.	2.8	212
428	Increased myocardial blood flow during acute exposure to simulated altitudes. <i>Journal of Nuclear Cardiology</i> , 2001, 8, 158-164.	2.1	23
429	Impact of exercise-induced coronary vasomotion on anti-ischemic therapy. <i>Coronary Artery Disease</i> , 2000, 11, 363-369.	0.7	12
430	High level of cholesterol increases coronary vasomotor tone during exercise. <i>Coronary Artery Disease</i> , 2000, 11, 459-466.	0.7	3
431	In vitro validation of volumetric blood flow measurement using Doppler flow wire. <i>Ultrasound in Medicine and Biology</i> , 2000, 26, 1301-1310.	1.5	15
432	Coronary Heart Disease in Smokers. <i>Circulation</i> , 2000, 102, 1233-1238.	1.6	228

#	ARTICLE	IF	CITATIONS
433	Coronary flow reserve assessment from average peak velocity profiles alone must be judged with caution. <i>Journal of the American College of Cardiology</i> , 2000, 35, 1363-1364.	2.8	8
434	Low density lipoprotein cholesterol and coronary microvascular dysfunction in hypercholesterolemia. <i>Journal of the American College of Cardiology</i> , 2000, 36, 103-109.	2.8	190
435	Long-term follow-up of 34 adults with isolated left ventricular noncompaction: a distinct cardiomyopathy with poor prognosis. <i>Journal of the American College of Cardiology</i> , 2000, 36, 493-500.	2.8	1,106
436	Effect of NO Donors on LV Diastolic Function in Patients With Severe Pressure-Overload Hypertrophy. <i>Circulation</i> , 1999, 99, 2396-2401.	1.6	63
437	Practicability and safety of dipyridamole cardiac imaging in patients with severe chronic obstructive pulmonary disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1999, 26, 812-817.	6.4	20
438	Cardiac risk after mediastinal irradiation for Hodgkin's disease. <i>Radiotherapy and Oncology</i> , 1998, 46, 51-62.	0.6	186
439	Percutaneous Transluminal Coronary Angioplasty Reverses Vasoconstriction of Stenotic Coronary Arteries in Hypertensive Patients. <i>Circulation</i> , 1998, 98, 1192-1197.	1.6	7
440	Reversal of Abnormal Coronary Vasomotion by Calcium Antagonists in Patients With Hypercholesterolemia. <i>Circulation</i> , 1998, 97, 1348-1354.	1.6	29
441	Influence of the culprit lesion on clinical symptoms of coronary artery disease, with special emphasis on exercise data. <i>Coronary Artery Disease</i> , 1998, 9, 185-190.	0.7	6
442	Coronary Vasomotion After Percutaneous Transluminal Coronary Angioplasty Depends on the Severity of the Culprit Lesion. <i>Journal of the American College of Cardiology</i> , 1997, 30, 682-688.	2.8	15
443	Coronary artery dimensions in primary and secondary left ventricular hypertrophy. <i>Journal of the American College of Cardiology</i> , 1996, 28, 745-750.	2.8	31
444	Abnormal Coronary Vasomotion in Hypertension: Role of Coronary Artery Disease <sup>11</sup> This study was supported by the Swiss National Science Foundation, Bern, Switzerland.. <i>Journal of the American College of Cardiology</i> , 1996, 28, 935-941.	2.8	28
445	Normalization of Abnormal Coronary Vasomotion by Calcium Antagonists in Patients With Hypertension. <i>Circulation</i> , 1996, 93, 1380-1387.	1.6	89
446	Coronary vasomotion during dynamic exercise: Influence of intravenous and intracoronary nicardipine. <i>Journal of the American College of Cardiology</i> , 1995, 26, 624-631.	2.8	25
447	Reduced Epicardial Coronary Vasodilator Capacity in Patients With Left Ventricular Hypertrophy. <i>Circulation</i> , 1995, 91, 2916-2923.	1.6	13
448	Effect of aortic valve stenosis (pressure overload) and regurgitation (volume overload) on left ventricular systolic and diastolic function. <i>American Journal of Cardiology</i> , 1992, 69, 927-934.	1.6	104