

# Kyriaki Michailidou

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/988255/publications.pdf>

Version: 2024-02-01

175  
papers

14,358  
citations

30551

56  
h-index

27587

110  
g-index

191  
all docs

191  
docs citations

191  
times ranked

19694  
citing authors

#	ARTICLE	IF	CITATIONS
1	Adapting the ACMG/AMP variant classification framework: A perspective from the ClinGen Hemoglobinopathy Variant Curation Expert Panel. <i>Human Mutation</i> , 2022, 43, 1089-1096.	1.1	20
2	Rare germline copy number variants (CNVs) and breast cancer risk. <i>Communications Biology</i> , 2022, 5, 65.	2.0	6
3	Common variants in breast cancer risk loci predispose to distinct tumor subtypes. <i>Breast Cancer Research</i> , 2022, 24, 2.	2.2	15
4	A Swedish Genome-Wide Haplotype Association Analysis Identifies a Novel Breast Cancer Susceptibility Locus in 8p21.2 and Characterizes Three Loci on Chromosomes 10, 11 and 16. <i>Cancers</i> , 2022, 14, 1206.	1.7	1
5	Polygenic risk scores for prediction of breast cancer risk in Asian populations. <i>Genetics in Medicine</i> , 2022, 24, 586-600.	1.1	27
6	A Genome-Wide Gene-Based Gene-Environment Interaction Study of Breast Cancer in More than 90,000 Women. <i>Cancer Research Communications</i> , 2022, 2, 211-219.	0.7	6
7	Genome-wide and transcriptome-wide association studies of mammographic density phenotypes reveal novel loci. <i>Breast Cancer Research</i> , 2022, 24, 27.	2.2	15
8	Genome-wide interaction analysis of menopausal hormone therapy use and breast cancer risk among 62,370 women. <i>Scientific Reports</i> , 2022, 12, 6199.	1.6	2
9	Effect of HBB genotype on survival in a cohort of transfusion-dependent thalassemia patients in Cyprus. <i>Haematologica</i> , 2021, 106, 2458-2468.	1.7	9
10	Combined Associations of a Polygenic Risk Score and Classical Risk Factors With Breast Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2021, 113, 329-337.	3.0	45
11	Detecting rare copy number variants from Illumina genotyping arrays with the CamCNV pipeline: Segmentation of $\Delta$ scores improves detection and reliability. <i>Genetic Epidemiology</i> , 2021, 45, 237-248.	0.6	10
12	Breast Cancer Risk Genes Association Analysis in More than 113,000 Women. <i>New England Journal of Medicine</i> , 2021, 384, 428-439.	13.9	532
13	Implementation of multigene panel NGS diagnosis in the national primary ciliary dyskinesia cohort of Cyprus: An island with a high disease prevalence. <i>Human Mutation</i> , 2021, 42, e62-e77.	1.1	8
14	Evaluating Polygenic Risk Scores for Breast Cancer in Women of African Ancestry. <i>Journal of the National Cancer Institute</i> , 2021, 113, 1168-1176.	3.0	41
15	Gene-Environment Interactions Relevant to Estrogen and Risk of Breast Cancer: Can Gene-Environment Interactions Be Detected Only among Candidate SNPs from Genome-Wide Association Studies?. <i>Cancers</i> , 2021, 13, 2370.	1.7	4
16	Cross-ancestry GWAS meta-analysis identifies six breast cancer loci in African and European ancestry women. <i>Nature Communications</i> , 2021, 12, 4198.	5.8	24
17	Functional annotation of the 2q35 breast cancer risk locus implicates a structural variant in influencing activity of a long-range enhancer element. <i>American Journal of Human Genetics</i> , 2021, 108, 1190-1203.	2.6	6
18	Large-scale cross-cancer fine-mapping of the 5p15.33 region reveals multiple independent signals. <i>Human Genetics and Genomics Advances</i> , 2021, 2, 100041.	1.0	6

#	ARTICLE	IF	CITATIONS
19	Prediction of Parkinson's Disease Risk Based on Genetic Profile and Established Risk Factors. <i>Genes</i> , 2021, 12, 1278.	1.0	5
20	Association of germline genetic variants with breast cancer-specific survival in patient subgroups defined by clinic-pathological variables related to tumor biology and type of systemic treatment. <i>Breast Cancer Research</i> , 2021, 23, 86.	2.2	7
21	Comparative Y-chromosome analysis among Cypriots in the context of historical events and migrations. <i>PLoS ONE</i> , 2021, 16, e0255140.	1.1	1
22	Mendelian randomisation study of smoking exposure in relation to breast cancer risk. <i>British Journal of Cancer</i> , 2021, 125, 1135-1145.	2.9	9
23	The International Hemoglobinopathy Research Network (<scp>INHERENT</scp>): An international initiative to study the role of genetic modifiers in hemoglobinopathies. <i>American Journal of Hematology</i> , 2021, 96, E416-E420.	2.0	14
24	Pathogenic and Low-Frequency Variants in Children With Central Precocious Puberty. <i>Frontiers in Endocrinology</i> , 2021, 12, 745048.	1.5	7
25	Combination of a 15-SNP Polygenic Risk Score and Classical Risk Factors for the Prediction of Breast Cancer Risk in Cypriot Women. <i>Cancers</i> , 2021, 13, 4568.	1.7	6
26	Muscle-derived exosomes encapsulate myomiRs and are involved in local skeletal muscle tissue communication. <i>FASEB Journal</i> , 2021, 35, e21279.	0.2	35
27	Impact of the COVID-19 Pandemic on the Mental Health of Healthcare Workers. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1435.	1.2	82
28	Germline variants and breast cancer survival in patients with distant metastases at primary breast cancer diagnosis. <i>Scientific Reports</i> , 2021, 11, 19787.	1.6	2
29	Intramuscular Evaluation of Chimeric Locked Nucleic Acid/2'-OMethyl-Modified Antisense Oligonucleotides for Targeted Exon 23 Skipping in Mdx Mice. <i>Pharmaceuticals</i> , 2021, 14, 1113.	1.7	0
30	The Role of Perceived Organizational Support in Mental Health of Healthcare Workers During the COVID-19 Pandemic: A Cross-Sectional Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 707293.	1.3	22
31	The International Hemoglobinopathy Research Network (INHERENT): An International Initiative to Study the Role of Genetic Modifiers in Hemoglobinopathies. <i>Blood</i> , 2021, 138, 948-948.	0.6	4
32	Meta-analysis of up to 622,409 individuals identifies 40 novel smoking behaviour associated genetic loci. <i>Molecular Psychiatry</i> , 2020, 25, 2392-2409.	4.1	83
33	Genetically Predicted Levels of DNA Methylation Biomarkers and Breast Cancer Risk: Data From 228,951 Women of European Descent. <i>Journal of the National Cancer Institute</i> , 2020, 112, 295-304.	3.0	35
34	Assessment of interactions between 205 breast cancer susceptibility loci and 13 established risk factors in relation to breast cancer risk, in the Breast Cancer Association Consortium. <i>International Journal of Epidemiology</i> , 2020, 49, 216-232.	0.9	21
35	Evaluation of associations between genetically predicted circulating protein biomarkers and breast cancer risk. <i>International Journal of Cancer</i> , 2020, 146, 2130-2138.	2.3	13
36	Fine-mapping of 150 breast cancer risk regions identifies 191 likely target genes. <i>Nature Genetics</i> , 2020, 52, 56-73.	9.4	120

#	ARTICLE	IF	CITATIONS
37	Chromatin interactome mapping at 139 independent breast cancer risk signals. <i>Genome Biology</i> , 2020, 21, 8.	3.8	27
38	A Mendelian randomization analysis of circulating lipid traits and breast cancer risk. <i>International Journal of Epidemiology</i> , 2020, 49, 1117-1131.	0.9	41
39	Vaccine confidence among parents: Large scale study in eighteen European countries. <i>Vaccine</i> , 2020, 38, 1505-1512.	1.7	74
40	European polygenic risk score for prediction of breast cancer shows similar performance in Asian women. <i>Nature Communications</i> , 2020, 11, 3833.	5.8	88
41	NGS Panel Testing of Triple-Negative Breast Cancer Patients in Cyprus: A Study of BRCA-Negative Cases. <i>Cancers</i> , 2020, 12, 3140.	1.7	8
42	Genome-wide association study identifies 32 novel breast cancer susceptibility loci from overall and subtype-specific analyses. <i>Nature Genetics</i> , 2020, 52, 572-581.	9.4	265
43	Clustering of known low and moderate risk alleles rather than a novel recessive high-risk gene in non-BRCA1/2 sib trios affected with breast cancer. <i>International Journal of Cancer</i> , 2020, 147, 2708-2716.	2.3	2
44	Germline HOXB13 mutations p.G84E and p.R217C do not confer an increased breast cancer risk. <i>Scientific Reports</i> , 2020, 10, 9688.	1.6	2
45	Proteomic analysis in lupus mice identifies Coronin-1A as a potential biomarker for lupus nephritis. <i>Arthritis Research and Therapy</i> , 2020, 22, 147.	1.6	5
46	Identification of novel splice mutation in <i>SMAD3</i> in two Cypriot families with nonsyndromic thoracic aortic aneurysm. Two case reports. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2020, 8, e1378.	0.6	4
47	Assessment of polygenic architecture and risk prediction based on common variants across fourteen cancers. <i>Nature Communications</i> , 2020, 11, 3353.	5.8	75
48	Transcriptome-wide association study of breast cancer risk by estrogen receptor status. <i>Genetic Epidemiology</i> , 2020, 44, 442-468.	0.6	32
49	Genetic Susceptibility to Systemic Sclerosis in the Greek-Cypriot Population: A Pilot Study. <i>Genetic Testing and Molecular Biomarkers</i> , 2020, 24, 309-317.	0.3	1
50	The FANCM:p.Arg658* truncating variant is associated with risk of triple-negative breast cancer. <i>Npj Breast Cancer</i> , 2019, 5, 38.	2.3	28
51	Re-evaluating genetic variants identified in candidate gene studies of breast cancer risk using data from nearly 280,000 women of Asian and European ancestry. <i>EBioMedicine</i> , 2019, 48, 203-211.	2.7	14
52	Shared heritability and functional enrichment across six solid cancers. <i>Nature Communications</i> , 2019, 10, 431.	5.8	88
53	The spectrum of <i>BRCA1</i> and <i>BRCA2</i> pathogenic sequence variants in Middle Eastern, North African, and South European countries. <i>Human Mutation</i> , 2019, 40, e1-e23.	1.1	34
54	Authors' response: Associations of obesity and circulating insulin and glucose with breast cancer risk. <i>International Journal of Epidemiology</i> , 2019, 48, 1016-1017.	0.9	1

#	ARTICLE	IF	CITATIONS
55	The functional ALDH2 polymorphism is associated with breast cancer risk: A pooled analysis from the Breast Cancer Association Consortium. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2019, 7, e707.	0.6	9
56	Wide phenotypic variability in RSPH9-associated primary ciliary dyskinesia: review of a case-series from Cyprus. <i>Journal of Thoracic Disease</i> , 2019, 11, 2067-2075.	0.6	19
57	Genome-wide association and transcriptome studies identify target genes and risk loci for breast cancer. <i>Nature Communications</i> , 2019, 10, 1741.	5.8	90
58	In Silico Assessment of the Structural, Functional and Stability Impact of a Nonsense PRF1 Mutation with Uncertain Clinical Significance; Identified in 2 Unrelated Cypriot Triple-Negative Breast Cancer Patients. , 2019, , .		1
59	Polygenic Risk Scores for Prediction of Breast Cancer and Breast Cancer Subtypes. <i>American Journal of Human Genetics</i> , 2019, 104, 21-34.	2.6	711
60	Exome Chip Meta-analysis Fine Maps Causal Variants and Elucidates the Genetic Architecture of Rare Coding Variants in Smoking and Alcohol Use. <i>Biological Psychiatry</i> , 2019, 85, 946-955.	0.7	69
61	Associations of obesity and circulating insulin and glucose with breast cancer risk: a Mendelian randomization analysis. <i>International Journal of Epidemiology</i> , 2019, 48, 795-806.	0.9	81
62	The <i>BRCA2</i> c.68-7T>A variant is not pathogenic: A model for clinical calibration of spliceogenicity. <i>Human Mutation</i> , 2018, 39, 729-741.	1.1	19
63	Genetic overlap between endometriosis and endometrial cancer: evidence from cross-disease genetic correlation and GWAS meta-analyses. <i>Cancer Medicine</i> , 2018, 7, 1978-1987.	1.3	62
64	Oral health training, knowledge, attitudes and practices of primary care paediatricians: a European survey. <i>European Journal of Pediatrics</i> , 2018, 177, 675-681.	1.3	19
65	Joint associations of a polygenic risk score and environmental risk factors for breast cancer in the Breast Cancer Association Consortium. <i>International Journal of Epidemiology</i> , 2018, 47, 526-536.	0.9	88
66	MicroRNAs as possible biomarkers for screening of aortic aneurysms: a systematic review and validation study. <i>Biomarkers</i> , 2018, 23, 253-264.	0.9	16
67	Epidemiology of ATTRV30M neuropathy in Cyprus and the modifier effect of complement C1q on the age of disease onset. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2018, 25, 220-226.	1.4	12
68	Novel variants in the ACTA2 and MYH11 genes in a Cypriot family with thoracic aortic aneurysms: a case report. <i>BMC Medical Genetics</i> , 2018, 19, 208.	2.1	5
69	Identification of nine new susceptibility loci for endometrial cancer. <i>Nature Communications</i> , 2018, 9, 3166.	5.8	178
70	Meta-Analysis of Common and Rare Variants. <i>Methods in Molecular Biology</i> , 2018, 1793, 73-88.	0.4	8
71	A transcriptome-wide association study of 229,000 women identifies new candidate susceptibility genes for breast cancer. <i>Nature Genetics</i> , 2018, 50, 968-978.	9.4	184
72	Abstract 5314: DNA methylation quantitative trait loci and breast cancer risk: Data from nearly 230,000 women of European descent. , 2018, , .		2

#	ARTICLE	IF	CITATIONS
73	Sigmoido-Cecal Fistula: A Rare Case of Complicated Recurrent Diverticulitis and a Review of the Literature. <i>American Journal of Case Reports</i> , 2018, 19, 1386-1392.	0.3	6
74	Abstract 3222: Evaluation of associations between circulating proteins and breast cancer risk using genetic variants. , 2018, , .		0
75	<i>BRCA2</i> Hypomorphic Missense Variants Confer Moderate Risks of Breast Cancer. <i>Cancer Research</i> , 2017, 77, 2789-2799.	0.4	75
76	Genomic analyses identify hundreds of variants associated with age at menarche and support a role for puberty timing in cancer risk. <i>Nature Genetics</i> , 2017, 49, 834-841.	9.4	426
77	Evaluating genetic variants associated with breast cancer risk in high and moderate-penetrance genes in Asians. <i>Carcinogenesis</i> , 2017, 38, 511-518.	1.3	38
78	The care of adolescents and young adults with cancer: results of the ESMO/SIOPE survey. <i>ESMO Open</i> , 2017, 2, e000252.	2.0	48
79	Association analysis identifies 65 new breast cancer risk loci. <i>Nature</i> , 2017, 551, 92-94.	13.7	1,099
80	Identification of ten variants associated with risk of estrogen-receptor-negative breast cancer. <i>Nature Genetics</i> , 2017, 49, 1767-1778.	9.4	289
81	Gene-environment interactions involving functional variants: Results from the Breast Cancer Association Consortium. <i>International Journal of Cancer</i> , 2017, 141, 1830-1840.	2.3	20
82	Exome array analysis identifies GPR35 as a novel susceptibility gene for anthracycline-induced cardiotoxicity in childhood cancer. <i>Pharmacogenetics and Genomics</i> , 2017, 27, 445-453.	0.7	22
83	Genetic modifiers of CHEK2*1100delC-associated breast cancer risk. <i>Genetics in Medicine</i> , 2017, 19, 599-603.	1.1	67
84	The OncoArray Consortium: A Network for Understanding the Genetic Architecture of Common Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 126-135.	1.1	278
85	Type 2 Diabetes Susceptibility in the Greek-Cypriot Population: Replication of Associations with TCF7L2, FTO, HHEX, SLC30A8 and IGF2BP2 Polymorphisms. <i>Genes</i> , 2017, 8, 16.	1.0	21
86	TP53-based interaction analysis identifies cis-eQTL variants for TP53BP2, FBXO28, and FAM53A that associate with survival and treatment outcome in breast cancer. <i>Oncotarget</i> , 2017, 8, 18381-18398.	0.8	14
87	<i>PHIP</i> - a novel candidate breast cancer susceptibility locus on 6q14.1. <i>Oncotarget</i> , 2017, 8, 102769-102782.	0.8	9
88	Abstract 1309: Association between insulin resistance and breast cancer risk: A Mendelian randomization analysis of data from 228,000 women of European descent. , 2017, , .		0
89	Clinical disease spectrum in RSPH9 Primary Ciliary Dyskinesia patients: a case series. , 2017, , .		0
90	Association of breast cancer risk with genetic variants showing differential allelic expression: Identification of a novel breast cancer susceptibility locus at 4q21. <i>Oncotarget</i> , 2016, 7, 80140-80163.	0.8	31

#	ARTICLE	IF	CITATIONS
91	Genetically Predicted Body Mass Index and Breast Cancer Risk: Mendelian Randomization Analyses of Data from 145,000 Women of European Descent. <i>PLoS Medicine</i> , 2016, 13, e1002105.	3.9	118
92	Fine-Mapping of the 1p11.2 Breast Cancer Susceptibility Locus. <i>PLoS ONE</i> , 2016, 11, e0160316.	1.1	12
93	Fine-scale mapping of 8q24 locus identifies multiple independent risk variants for breast cancer. <i>International Journal of Cancer</i> , 2016, 139, 1303-1317.	2.3	51
94	<i>PALB2</i> , <i>CHEK2</i> and <i>ATM</i> rare variants and cancer risk: data from COGS. <i>Journal of Medical Genetics</i> , 2016, 53, 800-811.	1.5	174
95	Patient survival and tumor characteristics associated with <i>CHEK2</i> :p.1157T findings from the Breast Cancer Association Consortium. <i>Breast Cancer Research</i> , 2016, 18, 98.	2.2	39
96	Identification of independent association signals and putative functional variants for breast cancer risk through fine-scale mapping of the 12p11 locus. <i>Breast Cancer Research</i> , 2016, 18, 64.	2.2	31
97	Prediction of breast cancer risk based on common genetic variants in women of East Asian ancestry. <i>Breast Cancer Research</i> , 2016, 18, 124.	2.2	52
98	Genetic predisposition to ductal carcinoma in situ of the breast. <i>Breast Cancer Research</i> , 2016, 18, 22.	2.2	43
99	Association of genetic susceptibility variants for type 2 diabetes with breast cancer risk in women of European ancestry. <i>Cancer Causes and Control</i> , 2016, 27, 679-693.	0.8	21
100	Five endometrial cancer risk loci identified through genome-wide association analysis. <i>Nature Genetics</i> , 2016, 48, 667-674.	9.4	77
101	Evidence that the 5p12 Variant rs10941679 Confers Susceptibility to Estrogen-Receptor-Positive Breast Cancer through <i>FGF10</i> and <i>MRPS30</i> Regulation. <i>American Journal of Human Genetics</i> , 2016, 99, 903-911.	2.6	59
102	Meta-analysis of Genome Wide Association Studies Identifies Genetic Markers of Late Toxicity Following Radiotherapy for Prostate Cancer. <i>EBioMedicine</i> , 2016, 10, 150-163.	2.7	69
103	Incorporating Functional Genomic Information in Genetic Association Studies Using an Empirical Bayes Approach. <i>Genetic Epidemiology</i> , 2016, 40, 176-187.	0.6	14
104	An intergenic risk locus containing an enhancer deletion in 2q35 modulates breast cancer risk by deregulating <i>IGFBP5</i> expression. <i>Human Molecular Genetics</i> , 2016, 25, 3863-3876.	1.4	33
105	Genetic Risk Score Mendelian Randomization Shows that Obesity Measured as Body Mass Index, but not Waist:Hip Ratio, Is Causal for Endometrial Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 1503-1510.	1.1	64
106	rs2735383, located at a microRNA binding site in the 3'UTR of <i>NBS1</i> , is not associated with breast cancer risk. <i>Scientific Reports</i> , 2016, 6, 36874.	1.6	2
107	Mendelian randomization study of adiposity-related traits and risk of breast, ovarian, prostate, lung and colorectal cancer. <i>International Journal of Epidemiology</i> , 2016, 45, 896-908.	0.9	124
108	Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. <i>Cancer Discovery</i> , 2016, 6, 1052-1067.	7.7	157



#	ARTICLE	IF	CITATIONS
109	A genomic approach to therapeutic target validation identifies a glucose-lowering <i>GLP1R</i> variant protective for coronary heart disease. <i>Science Translational Medicine</i> , 2016, 8, 341ra76.	5.8	100
110	Identification of four novel susceptibility loci for oestrogen receptor negative breast cancer. <i>Nature Communications</i> , 2016, 7, 11375.	5.8	93
111	Functional mechanisms underlying pleiotropic risk alleles at the 19p13.1 breast-ovarian cancer susceptibility locus. <i>Nature Communications</i> , 2016, 7, 12675.	5.8	78
112	Fine scale mapping of the 17q22 breast cancer locus using dense SNPs, genotyped within the Collaborative Oncological Gene-Environment Study (COGs). <i>Scientific Reports</i> , 2016, 6, 32512.	1.6	19
113	CYP19A1 fine-mapping and Mendelian randomization: estradiol is causal for endometrial cancer. <i>Endocrine-Related Cancer</i> , 2016, 23, 77-91.	1.6	62
114	Combined genetic and splicing analysis of <i>BRCA1</i> c.[594-2A>C; 641A>G] highlights the relevance of naturally occurring in-frame transcripts for developing disease gene variant classification algorithms. <i>Human Molecular Genetics</i> , 2016, 25, 2256-2268.	1.4	106
115	No evidence that protein truncating variants in <i>BRIP1</i> are associated with breast cancer risk: implications for gene panel testing. <i>Journal of Medical Genetics</i> , 2016, 53, 298-309.	1.5	94
116	Breast cancer risk variants at 6q25 display different phenotype associations and regulate <i>ESR1</i> , <i>RMND1</i> and <i>CCDC170</i> . <i>Nature Genetics</i> , 2016, 48, 374-386.	9.4	125
117	Patients with a High Polygenic Risk of Breast Cancer do not have An Increased Risk of Radiotherapy Toxicity. <i>Clinical Cancer Research</i> , 2016, 22, 1413-1420.	3.2	16
118	<i>BRCA2</i> Polymorphic Stop Codon K3326X and the Risk of Breast, Prostate, and Ovarian Cancers. <i>Journal of the National Cancer Institute</i> , 2016, 108, djv315.	3.0	77
119	<i>RAD51B</i> in Familial Breast Cancer. <i>PLoS ONE</i> , 2016, 11, e0153788.	1.1	26
120	The Relationship between Common Genetic Markers of Breast Cancer Risk and Chemotherapy-Induced Toxicity: A Case-Control Study. <i>PLoS ONE</i> , 2016, 11, e0158984.	1.1	15
121	Novel Bayes Factors That Capture Expert Uncertainty in Prior Density Specification in Genetic Association Studies. <i>Genetic Epidemiology</i> , 2015, 39, 239-248.	0.6	10
122	Meta-analysis of genome-wide association studies identifies common susceptibility polymorphisms for colorectal and endometrial cancer near <i>SH2B3</i> and <i>TSHZ1</i> . <i>Scientific Reports</i> , 2015, 5, 17369.	1.6	35
123	A polymorphism in the base excision repair gene <i>PARP2</i> is associated with differential prognosis by chemotherapy among postmenopausal breast cancer patients. <i>BMC Cancer</i> , 2015, 15, 978.	1.1	6
124	Common germline polymorphisms associated with breast cancer-specific survival. <i>Breast Cancer Research</i> , 2015, 17, 58.	2.2	26
125	Large-Scale Genomic Analyses Link Reproductive Aging to Hypothalamic Signaling, Breast Cancer Susceptibility, and <i>BRCA1</i> -Mediated DNA Repair. <i>Obstetrical and Gynecological Survey</i> , 2015, 70, 758-762.	0.2	0
126	SNP-SNP interaction analysis of <i>NF-<math>\kappa</math>B</i> signaling pathway on breast cancer survival. <i>Oncotarget</i> , 2015, 6, 37979-37994.	0.8	20



#	ARTICLE	IF	CITATIONS
127	Prediction of Breast Cancer Risk Based on Profiling With Common Genetic Variants. Journal of the National Cancer Institute, 2015, 107, .	3.0	428
128	Fine-mapping identifies two additional breast cancer susceptibility loci at 9q31.2. Human Molecular Genetics, 2015, 24, 2966-2984.	1.4	40
129	Fine-Scale Mapping of the 5q11.2 Breast Cancer Locus Reveals at Least Three Independent Risk Variants Regulating MAP3K1. American Journal of Human Genetics, 2015, 96, 5-20.	2.6	76
130	Inherited variants in the inner centromere protein (INCENP) gene of the chromosomal passenger complex contribute to the susceptibility of ER-negative breast cancer. Carcinogenesis, 2015, 36, 256-271.	1.3	14
131	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. Nature Genetics, 2015, 47, 373-380.	9.4	513
132	Polymorphisms in a Putative Enhancer at the 10q21.2 Breast Cancer Risk Locus Regulate NRBF2 Expression. American Journal of Human Genetics, 2015, 97, 22-34.	2.6	37
133	Identification of Novel Genetic Markers of Breast Cancer Survival. Journal of the National Cancer Institute, 2015, 107, .	3.0	56
134	Candidate locus analysis of the TERT/CLPTM1L cancer risk region on chromosome 5p15 identifies multiple independent variants associated with endometrial cancer risk. Human Genetics, 2015, 134, 231-245.	1.8	34
135	Genome-wide association study of susceptibility loci for breast cancer in Sardinian population. BMC Cancer, 2015, 15, 383.	1.1	12
136	Novel Associations between Common Breast Cancer Susceptibility Variants and Risk-Predicting Mammographic Density Measures. Cancer Research, 2015, 75, 2457-2467.	0.4	55
137	Large-scale genomic analyses link reproductive aging to hypothalamic signaling, breast cancer susceptibility and BRCA1-mediated DNA repair. Nature Genetics, 2015, 47, 1294-1303.	9.4	357
138	Multiple novel prostate cancer susceptibility signals identified by fine-mapping of known risk loci among Europeans. Human Molecular Genetics, 2015, 24, 5589-5602.	1.4	67
139	Height and Breast Cancer Risk: Evidence From Prospective Studies and Mendelian Randomization. Journal of the National Cancer Institute, 2015, 107, djv219.	3.0	99
140	Comprehensive genetic assessment of the ESR1 locus identifies a risk region for endometrial cancer. Endocrine-Related Cancer, 2015, 22, 851-861.	1.6	25
141	Fine-Scale Mapping of the 4q24 Locus Identifies Two Independent Loci Associated with Breast Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1680-1691.	1.1	24
142	Identification and characterization of novel associations in the CASP8/ALS2CR12 region on chromosome 2 with breast cancer risk. Human Molecular Genetics, 2015, 24, 285-298.	1.4	38
143	Fine-mapping of the HNF1B multicancer locus identifies candidate variants that mediate endometrial cancer risk. Human Molecular Genetics, 2015, 24, 1478-1492.	1.4	50
144	Abstract 2780: Evaluation of genetic variants in high and moderate-penetrance breast cancer susceptibility genes in East Asians. , 2015, , .		1

#	ARTICLE	IF	CITATIONS
145	Abstract 5570: Heterogeneity of luminal breast cancer characterized by immunohistochemical expression of basal markers. , 2015, , .		0
146	Abstract 2779: A genome-wide analysis of more than 160,000 individuals identifies four novel pleiotropic risk loci shared between breast and ovarian cancer. , 2015, , .		0
147	Abstract 2783: Common functional mechanisms underlying pleiotropy at the 19p13.1 breast and ovarian cancer susceptibility locus. , 2015, , .		1
148	MicroRNA Related Polymorphisms and Breast Cancer Risk. PLoS ONE, 2014, 9, e109973.	1.1	49
149	Genetic Predisposition to In Situ and Invasive Lobular Carcinoma of the Breast. PLoS Genetics, 2014, 10, e1004285.	1.5	39
150	2q36.3 is associated with prognosis for oestrogen receptor-negative breast cancer patients treated with chemotherapy. Nature Communications, 2014, 5, 4051.	5.8	16
151	Common non-synonymous SNPs associated with breast cancer susceptibility: findings from the Breast Cancer Association Consortium. Human Molecular Genetics, 2014, 23, 6096-6111.	1.4	53
152	A large-scale assessment of two-way SNP interactions in breast cancer susceptibility using 46 450 cases and 42 461 controls from the breast cancer association consortium. Human Molecular Genetics, 2014, 23, 1934-1946.	1.4	32
153	A Genome-wide Association Study of Early-Onset Breast Cancer Identifies <i>PCSK9</i> as a Novel Breast Cancer Gene and Supports a Common Genetic Spectrum for Breast Cancer at Any Age. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 658-669.	1.1	77
154	FGF receptor genes and breast cancer susceptibility: results from the Breast Cancer Association Consortium. British Journal of Cancer, 2014, 110, 1088-1100.	2.9	21
155	Parent-of-origin-specific allelic associations among 106 genomic loci for age at menarche. Nature, 2014, 514, 92-97.	13.7	548
156	Evidence that breast cancer risk at the 2q35 locus is mediated through IGFBP5 regulation. Nature Communications, 2014, 5, 4999.	5.8	105
157	Genetic variation in mitotic regulatory pathway genes is associated with breast tumor grade. Human Molecular Genetics, 2014, 23, 6034-6046.	1.4	12
158	A genome wide association study (GWAS) providing evidence of an association between common genetic variants and late radiotherapy toxicity. Radiotherapy and Oncology, 2014, 111, 178-185.	0.3	128
159	Genetic variation at CYP3A is associated with age at menarche and breast cancer risk: a case-control study. Breast Cancer Research, 2014, 16, R51.	2.2	14
160	Abstract 5545: Rare genetic variation association with neurotoxicity and infection in breast cancer patients enrolled in PG-SNPS. , 2014, , .		0
161	Fine-Scale Mapping of the FGFR2 Breast Cancer Risk Locus: Putative Functional Variants Differentially Bind FOXA1 and E2F1. American Journal of Human Genetics, 2013, 93, 1046-1060.	2.6	98
162	Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. Nature Genetics, 2013, 45, 371-384.	9.4	493

#	ARTICLE	IF	CITATIONS
163	Functional Variants at the 11q13 Risk Locus for Breast Cancer Regulate Cyclin D1 Expression through Long-Range Enhancers. <i>American Journal of Human Genetics</i> , 2013, 92, 489-503.	2.6	201
164	Genome-wide association studies identify four ER negative-specific breast cancer risk loci. <i>Nature Genetics</i> , 2013, 45, 392-398.	9.4	374
165	Large-scale genotyping identifies 41 new loci associated with breast cancer risk. <i>Nature Genetics</i> , 2013, 45, 353-361.	9.4	960
166	Common genetic determinants of breast-cancer risk in East Asian women: a collaborative study of 23 637 breast cancer cases and 25 579 controls. <i>Human Molecular Genetics</i> , 2013, 22, 2539-2550.	1.4	86
167	Identification of a BRCA2-Specific Modifier Locus at 6p24 Related to Breast Cancer Risk. <i>PLoS Genetics</i> , 2013, 9, e1003173.	1.5	105
168	A genome-wide association scan (GWAS) for mean telomere length within the COGS project: identified loci show little association with hormone-related cancer risk. <i>Human Molecular Genetics</i> , 2013, 22, 5056-5064.	1.4	130
169	Evaluating Genome-Wide Association Study-Identified Breast Cancer Risk Variants in African-American Women. <i>PLoS ONE</i> , 2013, 8, e58350.	1.1	66
170	Mammographic Breast Density and Breast Cancer: Evidence of a Shared Genetic Basis. <i>Cancer Research</i> , 2012, 72, 1478-1484.	0.4	54
171	Decreased breast cancer risk in systemic lupus erythematosus: the search for a genetic basis continues. <i>Lupus</i> , 2012, 21, 896-899.	0.8	25
172	Genome-wide association analysis identifies three new breast cancer susceptibility loci. <i>Nature Genetics</i> , 2012, 44, 312-318.	9.4	256
173	A meta-analysis of genome-wide association studies of breast cancer identifies two novel susceptibility loci at 6q14 and 20q11. <i>Human Molecular Genetics</i> , 2012, 21, 5373-5384.	1.4	168
174	Functional Polymorphisms in the TERT Promoter Are Associated with Risk of Serous Epithelial Ovarian and Breast Cancers. <i>PLoS ONE</i> , 2011, 6, e24987.	1.1	48
175	Genome-wide association study identifies a common variant associated with risk of endometrial cancer. <i>Nature Genetics</i> , 2011, 43, 451-454.	9.4	141