

Shin-Jae Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9883797/publications.pdf>

Version: 2024-02-01

31
papers

334
citations

1040056

9
h-index

888059

17
g-index

32
all docs

32
docs citations

32
times ranked

587
citing authors

#	ARTICLE	IF	CITATIONS
1	Triglyceride glucose index is a useful marker for predicting subclinical coronary artery disease in the absence of traditional risk factors. <i>Lipids in Health and Disease</i> , 2020, 19, 7.	3.0	69
2	Association between insulin resistance, hyperglycemia, and coronary artery disease according to the presence of diabetes. <i>Scientific Reports</i> , 2019, 9, 6129.	3.3	65
3	A critical review of hemodynamic changes and left ventricular remodeling after surgical aortic valve replacement and percutaneous aortic valve replacement. <i>American Heart Journal</i> , 2014, 168, 150-159.e7.	2.7	30
4	Metabolic Syndrome and the Risk of New-Onset Atrial Fibrillation in Middle-Aged East Asian Men. <i>Circulation Journal</i> , 2018, 82, 1763-1769.	1.6	23
5	Independent role of low-density lipoprotein cholesterol in subclinical coronary atherosclerosis in the absence of traditional cardiovascular risk factors. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 866-872.	1.2	22
6	A Case of Cardiac Lymphangioma Presenting as a Cystic Mass in the Right Atrium. <i>Yonsei Medical Journal</i> , 2007, 48, 1043.	2.2	14
7	Prediabetes is not a risk factor for subclinical coronary atherosclerosis. <i>International Journal of Cardiology</i> , 2017, 243, 479-484.	1.7	14
8	Remote Ischemic Preconditioning for the Prevention of Contrast-Induced Acute Kidney Injury in Diabetics Receiving Elective Percutaneous Coronary Intervention. <i>PLoS ONE</i> , 2016, 11, e0164256.	2.5	13
9	Comparison between angiotensin-converting enzyme inhibitor and angiotensin receptor blocker after percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2020, 306, 35-41.	1.7	12
10	Impact of diabetes mellitus in patients undergoing contemporary percutaneous coronary intervention: Results from a Korean nationwide study. <i>PLoS ONE</i> , 2018, 13, e0208746.	2.5	11
11	Moderate-intensity versus high-intensity statin therapy in Korean patients with angina undergoing percutaneous coronary intervention with drug-eluting stents: A propensity-score matching analysis. <i>PLoS ONE</i> , 2018, 13, e0207889.	2.5	9
12	High-density lipoprotein cholesterol and the risk of obstructive coronary artery disease beyond low-density lipoprotein cholesterol in non-diabetic individuals. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 706-714.	1.8	9
13	N-terminal pro-B-type natriuretic peptide as a marker of disease severity in patients with pericardial effusions. <i>Korean Journal of Internal Medicine</i> , 2008, 23, 78-86.	1.7	7
14	Relationship between the optimal cut-off values of anthropometric indices for predicting metabolic syndrome and carotid intima-medial thickness in a Korean population. <i>Medicine (United States)</i> , 2019, 98, e17620.	1.0	6
15	A randomized, open-label, parallel, multi-center Phase IV study to compare the efficacy and safety of atorvastatin 10 and 20 mg in high-risk Asian patients with hypercholesterolemia. <i>PLoS ONE</i> , 2021, 16, e0245481.	2.5	5
16	Congenital Double-Orifice Mitral Valve with Mitral Regurgitation due to Flail Leaflet in an Elderly Patient. <i>Korean Journal of Internal Medicine</i> , 2005, 20, 251.	1.7	5
17	A Case of Perimembranous Ventricular Septal Defect Associated with Sinus of Valsalva Aneurysm Mimicking Membranous Septal Aneurysm. <i>Journal of Cardiovascular Imaging</i> , 2015, 23, 113.	0.8	4
18	High HDL-C levels reduce the risk of obstructive coronary artery disease in asymptomatic diabetics who achieved optimal glycemic control. <i>Scientific Reports</i> , 2019, 9, 15306.	3.3	4

#	ARTICLE	IF	CITATIONS
19	Homocysteine is not a risk factor for subclinical coronary atherosclerosis in asymptomatic individuals. PLoS ONE, 2020, 15, e0231428.	2.5	4
20	Radiofrequency catheter ablation for drug-refractory paroxysmal atrial fibrillation in a patient with Ebstein's anomaly. HeartRhythm Case Reports, 2017, 3, 109-111.	0.4	3
21	Fimasartan versus perindopril with and without diuretics in the treatment of elderly patients with essential hypertension (Fimasartan in the Senior Subjects (FITNESS)): study protocol for a randomized controlled trial. Trials, 2019, 20, 389.	1.6	3
22	Effect of atrial fibrillation in Asian patients undergoing percutaneous coronary intervention with drug-eluting stents for stable coronary artery disease. Medicine (United States), 2018, 97, e13488.	1.0	1
23	Comparison of new implantation of cardiac implantable electronic device between tertiary and non-tertiary hospitals: a Korean nationwide study. Scientific Reports, 2021, 11, 3705.	3.3	1
24	A Randomized, Double-blind, Active-controlled, Two Parallel-Group, Optional Titration, Multicenter, Phase IIIb Study to Evaluate the Efficacy and Safety of Fimasartan Versus Perindopril Monotherapy With and Without a Diuretic Combination in Elderly Patients With Essential Hypertension. Clinical Therapeutics, 2021, 43, 1746-1756.	2.5	0
25	Left Ventricular Apical Aneurysm: Atypical Feature of Cardiac Sarcoidosis Diagnosed by Multimodality Imaging. Korean Circulation Journal, 2022, 52, 169.	1.9	0
26	An Unusual Case of Scimitar Syndrome with Drainage to the Right Atrium. Journal of Cardiovascular Imaging, 0, 30, .	0.7	0
27	Title is missing!. , 2020, 15, e0231428.		0
28	Title is missing!. , 2020, 15, e0231428.		0
29	Title is missing!. , 2020, 15, e0231428.		0
30	Title is missing!. , 2020, 15, e0231428.		0
31	Unusual Case of Iatrogenic Inadvertent Diversion of the Inferior Vena Cava Into the Left Atrium in a Patient With Atrial Septal Defect: Diagnosed by the Intraoperative Transesophageal Echocardiography. Journal of Cardiovascular Imaging, 0, 30, .	0.7	0