Shin-Jae Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9883797/publications.pdf

Version: 2024-02-01

| 31 | 334 | 9 | 17 g-index |
|----------------|----------------------|--------------------|-----------------------|
| papers | citations | h-index | g-index |
| 32 all docs | 32 docs citations | 32 times ranked | 587 citing authors |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 1 | Left Ventricular Apical Aneurysm: Atypical Feature of Cardiac Sarcoidosis Diagnosed by Multimodality Imaging. Korean Circulation Journal, 2022, 52, 169. | 1.9 | O |
| 2 | A randomized, open-label, parallel, multi-center Phase IV study to compare the efficacy and safety of atorvastatin 10 and 20 mg in high-risk Asian patients with hypercholesterolemia. PLoS ONE, 2021, 16, e0245481. | 2.5 | 5 |
| 3 | Comparison of new implantation of cardiac implantable electronic device between tertiary and non-tertiary hospitals: a Korean nationwide study. Scientific Reports, 2021, 11, 3705. | 3.3 | 1 |
| 4 | A Randomized, Double-blind, Active-controlled, Two Parallel-Group, Optional Titration, Multicenter, Phase IIIb Study to Evaluate the Efficacy and Safety of Fimasartan Versus Perindopril Monotherapy With and Without a Diuretic Combination in Elderly Patients With Essential Hypertension. Clinical Therapeutics, 2021, 43, 1746-1756. | 2.5 | 0 |
| 5 | High-density lipoprotein cholesterol and the risk of obstructive coronary artery disease beyond low-density lipoprotein cholesterol in non-diabetic individuals. European Journal of Preventive Cardiology, 2020, 27, 706-714. | 1.8 | 9 |
| 6 | Comparison between angiotensin-converting enzyme inhibitor and angiotensin receptor blocker after percutaneous coronary intervention. International Journal of Cardiology, 2020, 306, 35-41. | 1.7 | 12 |
| 7 | Triglyceride glucose index is a useful marker for predicting subclinical coronary artery disease in the absence of traditional risk factors. Lipids in Health and Disease, 2020, 19, 7. | 3.0 | 69 |
| 8 | Homocysteine is not a risk factor for subclinical coronary atherosclerosis in asymptomatic individuals. PLoS ONE, 2020, 15, e0231428. | 2.5 | 4 |
| 9 | Title is missing!. , 2020, 15, e0231428. | | O |
| 10 | Title is missing!. , 2020, 15, e0231428. | | 0 |
| 11 | Title is missing!. , 2020, 15, e0231428. | | O |
| 12 | Title is missing!. , 2020, 15, e0231428. | | 0 |
| 13 | Fimasartan versus perindopril with and without diuretics in the treatment of elderly patients with essential hypertension (Fimasartan in the Senior Subjects (FITNESS)): study protocol for a randomized controlled trial. Trials, 2019, 20, 389. | 1.6 | 3 |
| 14 | High HDL-C levels reduce the risk of obstructive coronary artery disease in asymptomatic diabetics who achieved optimal glycemic control. Scientific Reports, 2019, 9, 15306. | 3.3 | 4 |
| 15 | Association between insulin resistance, hyperglycemia, and coronary artery disease according to the presence of diabetes. Scientific Reports, 2019, 9, 6129. | 3.3 | 65 |
| 16 | Independent role of low-density lipoprotein cholesterol in subclinical coronary atherosclerosis in the absence of traditional cardiovascular risk factors. European Heart Journal Cardiovascular Imaging, 2019, 20, 866-872. | 1.2 | 22 |
| 17 | Relationship between the optimal cut-off values of anthropometric indices for predicting metabolic syndrome and carotid intima-medial thickness in a Korean population. Medicine (United States), 2019, 98, e17620. | 1.0 | 6 |
| 18 | Effect of atrial fibrillation in Asian patients undergoing percutaneous coronary intervention with drug-eluting stents for stable coronary artery disease. Medicine (United States), 2018, 97, e13488. | 1.0 | 1 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Moderate-intensity versus high-intensity statin therapy in Korean patients with angina undergoing percutaneous coronary intervention with drug-eluting stents: A propensity-score matching analysis. PLoS ONE, 2018, 13, e0207889. | 2.5 | 9 |
| 20 | Impact of diabetes mellitus in patients undergoing contemporary percutaneous coronary intervention: Results from a Korean nationwide study. PLoS ONE, 2018, 13, e0208746. | 2.5 | 11 |
| 21 | Metabolic Syndrome and the Risk of New-Onset Atrial Fibrillation in Middle-Aged East Asian Men. Circulation Journal, 2018, 82, 1763-1769. | 1.6 | 23 |
| 22 | Radiofrequency catheter ablation for drug-refractory paroxysmal atrial fibrillation in a patient with Ebstein's anomaly. HeartRhythm Case Reports, 2017, 3, 109-111. | 0.4 | 3 |
| 23 | Prediabetes is not a risk factor for subclinical coronary atherosclerosis. International Journal of Cardiology, 2017, 243, 479-484. | 1.7 | 14 |
| 24 | Remote Ischemic Preconditioning for the Prevention of Contrast-Induced Acute Kidney Injury in Diabetics Receiving Elective Percutaneous Coronary Intervention. PLoS ONE, 2016, 11, e0164256. | 2.5 | 13 |
| 25 | A Case of Perimembranous Ventricular Septal Defect Associated with Sinus of Valsalva Aneurysm Mimicking Membranous Septal Aneurysm. Journal of Cardiovascular Imaging, 2015, 23, 113. | 0.8 | 4 |
| 26 | A critical review of hemodynamic changes and left ventricular remodeling after surgical aortic valve replacement and percutaneous aortic valve replacement. American Heart Journal, 2014, 168, 150-159.e7. | 2.7 | 30 |
| 27 | N-terminal pro-B-type natriuretic peptide as a marker of disease severity in patients with pericardial effusions. Korean Journal of Internal Medicine, 2008, 23, 78-86. | 1.7 | 7 |
| 28 | A Case of Cardiac Lymphangioma Presenting as a Cystic Mass in the Right Atrium. Yonsei Medical Journal, 2007, 48, 1043. | 2,2 | 14 |
| 29 | Congenital Double-Orifice Mitral Valve with Mitral Regurgitation due to Flail Leaflet in an Elderly Patient. Korean Journal of Internal Medicine, 2005, 20, 251. | 1.7 | 5 |
| 30 | An Unusual Case of Scimitar Syndrome with Drainage to the Right Atrium. Journal of Cardiovascular Imaging, 0, 30, . | 0.7 | 0 |
| 31 | Unusual Case of latrogenic Inadvertent Diversion of the Inferior Vena Cava Into the Left Atrium in a Patient With Atrial Septal Defect: Diagnosed by the Intraoperative Transesophageal Echocardiography. Journal of Cardiovascular Imaging, 0, 30, . | 0.7 | 0 |