## **Douglas A Drevets**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/990049/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	<i>Listeria monocytogenes</i> : epidemiology, human disease, and mechanisms of brain invasion. FEMS Immunology and Medical Microbiology, 2008, 53, 151-165.	2.7	261
2	Invasion of the Central Nervous System by Intracellular Bacteria. Clinical Microbiology Reviews, 2004, 17, 323-347.	13.6	211
3	The Ly-6Chigh Monocyte Subpopulation Transports <i>Listeria monocytogenes</i> into the Brain during Systemic Infection of Mice. Journal of Immunology, 2004, 172, 4418-4424.	0.8	141
4	Treatment of bipolar depression with minocycline and/or aspirin: an adaptive, 2×2 double-blind, randomized, placebo-controlled, phase IIA clinical trial. Translational Psychiatry, 2018, 8, 27.	4.8	105
5	Dissemination of Listeria monocytogenes by Infected Phagocytes. Infection and Immunity, 1999, 67, 3512-3517.	2.2	104
6	Listeria monocytogenes-Infected Phagocytes Can Initiate Central Nervous System Infection in Mice. Infection and Immunity, 2001, 69, 1344-1350.	2.2	76
7	Identification and Clinical Management of Persons with Chronic Hepatitis C Virus Infection — Cherokee Nation, 2012–2015. Morbidity and Mortality Weekly Report, 2016, 65, 461-466.	15.1	53
8	IFN-γ triggers CCR2-independent monocyte entry into the brain during systemic infection by virulent Listeria monocytogenes. Brain, Behavior, and Immunity, 2010, 24, 919-929.	4.1	33
9	Innate Responses to Systemic Infection by Intracellular Bacteria Trigger Recruitment of Ly-6ChighMonocytes to the Brain. Journal of Immunology, 2008, 181, 529-536.	0.8	31
10	Severe <i>Listeria monocytogenes</i> Infection Induces Development of Monocytes with Distinct Phenotypic and Functional Features. Journal of Immunology, 2010, 185, 2432-2441.	0.8	30
11	Validity of International Classification of Diseases codes in identifying illicit drug use target conditions using medical record data as a reference standard: A systematic review. Drug and Alcohol Dependence, 2020, 208, 107825.	3.2	23
12	Neuroinvasive Listeria monocytogenes Infection Triggers IFN-Activation of Microglia and Upregulates Microglial miR-155. Frontiers in Immunology, 2018, 9, 2751.	4.8	17
13	Evaluation of the Cherokee Nation Hepatitis C Virus Elimination Program in the First 22 Months of Implementation. JAMA Network Open, 2020, 3, e2030427.	5.9	15
14	Vaccine strain Listeria monocytogenes bacteremia occurring 31 months after immunization. Infection, 2019, 47, 489-492.	4.7	14
15	Validity of ICD-based algorithms to estimate the prevalence of injection drug use among infective endocarditis hospitalizations in the absence of a reference standard. Drug and Alcohol Dependence, 2020, 209, 107906.	3.2	13
16	Neuroinvasive Listeria monocytogenes infection triggers accumulation of brain CD8+ tissue-resident memory T cells in a miR-155-dependent fashion. Journal of Neuroinflammation, 2020, 17, 259.	7.2	10
17	Comparison of monocyte gene expression among patients with neurocysticercosis-associated epilepsy, Idiopathic Epilepsy and idiopathic headaches in India. PLoS Neglected Tropical Diseases, 2017, 11, e0005664.	3.0	9
18	Management of nontuberculous mycobacterial infections of the eye and orbit: A retrospective case series. American Journal of Ophthalmology Case Reports, 2020, 20, 100971.	0.7	6

**DOUGLAS A DREVETS** 

#	Article	IF	CITATIONS
19	Distinguishing neurocysticercosis epilepsy from epilepsy of unknown etiology using a minimal serum mass profiling platform. Experimental Parasitology, 2018, 192, 98-107.	1.2	5
20	Bordetella bronchiseptica infections in patients with HIV/AIDS. Medicine (United States), 2021, 100, e28244.	1.0	5
21	Distinguishing and Biochemical Phenotype Analysis of Epilepsy Patients Using a Novel Serum Profiling Platform. Brain Sciences, 2020, 10, 504.	2.3	2
22	Anionic phospholipid expression as a molecular target in Listeria monocytogenes and Escherichia coli. International Journal of Antimicrobial Agents, 2020, 56, 106183.	2.5	1
23	Imaging correlates of serum enzyme-linked immunoelectrotransfer blot (EITB) positivity in patients with parenchymal neurocysticercosis: results from 521 patients. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2021, , .	1.8	1
24	The importance of being in or out. FEMS Microbiology Letters, 2017, 364, .	1.8	0
25	Distinguishing patients with idiopathic epilepsy from solitary cysticercus granuloma epilepsy and biochemical phenotype assessment using a serum biomolecule profiling platform. PLoS ONE, 2020, 15, e0237064.	2.5	0