Alison Gulbis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9906202/publications.pdf

Version: 2024-02-01

623734 552781 1,075 36 14 26 citations g-index h-index papers 36 36 36 2002 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Improved outcomes of high-risk relapsed Hodgkin lymphoma patients after high-dose chemotherapy: a 15-year analysis. Haematologica, 2022, 107, 899-908.	3.5	9
2	Feasibility and Implementation of a Multimodal Supportive Care Program to Improve Outcomes in Older Patients Undergoing Allogeneic Stem Cell Transplantation. Transplantation and Cellular Therapy, 2021, 27, 1008-1014.	1.2	5
3	<i>Bacterial Prophylaxis in Patients with Acute Gvhd; Who Is at Risk for Bloodstream Infections?</i> Blood, 2021, 138, 2870-2870.	1.4	O
4	Management guidelines for paediatric patients receiving chimeric antigen receptor T cell therapy. Nature Reviews Clinical Oncology, 2019, 16, 45-63.	27.6	178
5	High-Dose Chemotherapy Regimens. , 2019, , 37-57.		0
6	Allogeneic stem cell transplantation (AlloSCT) for patients (pts) with acute leukemia following venetoclax-based therapy Journal of Clinical Oncology, 2019, 37, 7047-7047.	1.6	1
7	Allogeneic stem cell transplantation (AlloSCT) for patients (pts) with lymphoma and chronic lymphocytic leukemia (CLL) following targeted small molecules inhibitors (SMIs) Journal of Clinical Oncology, 2019, 37, 7550-7550.	1.6	O
8	Clinical Relevance of MYC/BCL2 and Cell of Origin in Patients with Relapsed Diffuse Large B-Cell Lymphoma Treated with Autologous Stem Cell Transplantation. Blood, 2019, 134, 2021-2021.	1.4	0
9	Post-Transplant Cyclophosphamide (PT-Cy) Based Haploidentical Cell Transplantation (Haplo) Versus Rabbit Anti-Thymocyte Globulin (r-ATG) Based HLA Matched Unrelated Donor (MUD) Transplantation in Patients (pts) with Relapsed/Refractory Lymphoma. Blood, 2019, 134, 4530-4530.	1.4	O
10	Nonmyeloablative Allogeneic Transplantation (NMAT) Confers an Overall Survival Benefit with Similar Non-Relapse Mortality When Compared to Autologous Stem Transplantation (ASCT) for Patients (pts) with Relapsed Follicular Lymphoma (FL). Blood, 2019, 134, 322-322.	1.4	0
11	Phase II Trial of High-Dose Gemcitabine/Busulfan/Melphalan with Autologous Stem Cell Transplantation for Primary Refractory or Poor-Risk Relapsed Hodgkin Lymphoma. Biology of Blood and Marrow Transplantation, 2018, 24, 1602-1609.	2.0	15
12	Choosing Wisely BMT: American Society for Blood and Marrow Transplantation and Canadian Blood and Marrow Transplant Group's List of 5 Tests and Treatments to Question in Blood and Marrow Transplantation. Biology of Blood and Marrow Transplantation, 2018, 24, 909-913.	2.0	39
13	Prevention of Cytomegalovirus Reactivation in Haploidentical Stem Cell Transplantation. Biology of Blood and Marrow Transplantation, 2018, 24, 353-358.	2.0	43
14	Durability Results of Non-Myeloablative (NMA) Allogeneic Stem Cell Transplantation (alloSCT) for Relapsed Follicular Lymphoma: 17- Year Experience. Blood, 2018, 132, 4651-4651.	1.4	0
15	Influence of the Intensity of the Conditioning Regimens on the Risks of Gvhd in Patients Receiving Rituximab Prophylaxis during Allogeneic Stem Cell Transplantation (alloSCT). Blood, 2018, 132, 4584-4584.	1.4	0
16	Durable Responses with Ipilimumab Plus Lenalidomide after Allogeneic and Autologous Stem Cell Transplantation for Patients with Lymphoid Malignancies. Blood, 2018, 132, 4585-4585.	1.4	1
17	High-dose gemcitabine, busulfan, and melphalan for autologous stem-cell transplant in patients with relapsed or refractory myeloma: a phase 2 trial and matched-pair comparison with melphalan. Lancet Haematology,the, 2017, 4, e283-e292.	4.6	19
18	Modified <scp>CVAD</scp> and modified <scp>CBAD</scp> compared to highâ€dose cyclophosphamide for peripheral blood stem cell mobilization in patients with multiple myeloma. European Journal of Haematology, 2017, 98, 388-392.	2.2	12

#	Article	IF	Citations
19	Phase 1 clinical trial using mbIL21 ex vivo–expanded donor-derived NK cells after haploidentical transplantation. Blood, 2017, 130, 1857-1868.	1.4	256
20	Double epigenetic modulation of highâ€dose chemotherapy with azacitidine and vorinostat for patients with refractory or poorâ€risk relapsed lymphoma. Cancer, 2016, 122, 2680-2688.	4.1	48
21	Leukemia cell mobilization with G-CSF plus plerixafor during busulfan–fludarabine conditioning for allogeneic stem cell transplantation. Bone Marrow Transplantation, 2015, 50, 939-946.	2.4	32
22	A case series using famciclovir in stem cell transplant recipients with valacyclovir hypersensitivity reactions. Journal of Oncology Pharmacy Practice, 2015, 21, 305-309.	0.9	4
23	Vorinostat Combined with High-Dose Gemcitabine, Busulfan, and Melphalan with Autologous Stem Cell Transplantation in Patients with Refractory Lymphomas. Biology of Blood and Marrow Transplantation, 2015, 21, 1914-1920.	2.0	46
24	Characterizing human herpes virus 6 following hematopoietic stem cell transplantation. Journal of Oncology Pharmacy Practice, 2015, 21, 85-92.	0.9	2
25	Allogeneic stem cell transplant in patients with chronic lymphocytic leukemia with 17p deletion: consult-transplant versus consult- no-transplant analysis. Leukemia and Lymphoma, 2015, 56, 711-715.	1.3	21
26	Use of argatroban and catheter-directed thrombolysis with alteplase in an oncology patient with heparin-induced thrombocytopenia with thrombosis. American Journal of Health-System Pharmacy, 2014, 71, 711-716.	1.0	1
27	The impact of pre-transplant valganciclovir on early cytomegalovirus reactivation after allogeneic hematopoietic stem cell transplantation. Journal of Oncology Pharmacy Practice, 2014, 20, 257-262.	0.9	4
28	The Emerging Role of Gemcitabine in Conditioning Regimens for Hematopoietic Stem Cell Transplantation. Biology of Blood and Marrow Transplantation, 2014, 20, 1382-1389.	2.0	6
29	BFR (bendamustine, fludarabine, and rituximab) allogeneic conditioning for chronic lymphocytic leukemia/lymphoma: reduced myelosuppression and GVHD. Blood, 2014, 124, 2306-2312.	1.4	35
30	Tacrolimusâ€associated posterior reversible encephalopathy syndrome in hematopoietic allogeneic stem cell transplantation. American Journal of Hematology, 2013, 88, 301-305.	4.1	81
31	High-Dose Infusional Gemcitabine Combined with Busulfan and Melphalan with Autologous Stem-Cell Transplantation in Patients with Refractory Lymphoid Malignancies. Biology of Blood and Marrow Transplantation, 2012, 18, 1677-1686.	2.0	43
32	Evaluation and Management of BK Virus-Associated Nephropathy Following Allogeneic Hematopoietic CellÂTransplantation. Biology of Blood and Marrow Transplantation, 2011, 17, 1589-1593.	2.0	18
33	Hemorrhagic cystitis after allogeneic hematopoietic stem cell transplants is the complex result of BK virus infection, preparative regimen intensity and donor type. Haematologica, 2010, 95, 1183-1190.	3.5	152
34	Polyoma (BK) Viruria Prior to Allogeneic Hematopoietic Stem Cell Transplantation (HSCT) from Donors Other Than Matched Siblings: A Prospective Evaluation of Hemorrhagic Cystitis (HC) Incidence. Blood, 2008, 112, 50-50.	1.4	1
35	Does Polyoma (BK) Virus Contribute to Development of Hemorrhagic Cystitis (HC) in Unrelated Donor Allogeneic Hematopoietic Stem Cell Transplantation (UD HSCT) Recipients? A Prospective Evaluation Blood, 2006, 108, 5282-5282.	1.4	0
36	A randomized phase III study of pretransplant conditioning for AML/MDS with fludarabine and once daily IV busulfan ± clofarabine in allogeneic stem cell transplantation. Bone Marrow Transplantation, 0, , .	2.4	3