## Daisy Zamora

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9909107/publications.pdf

Version: 2024-02-01

430874 454955 1,620 31 18 30 h-index citations g-index papers 32 32 32 2568 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Adjunctive Aspirin vs Placebo in Patients With Schizophrenia: Results of Two Randomized Controlled Trials. Schizophrenia Bulletin, 2021, 47, 1077-1087.	4.3	16
2	Dietary alteration of n-3 and n-6 fatty acids for headache reduction in adults with migraine: randomized controlled trial. BMJ, The, 2021, 374, n1448.	6.0	43
3	Methodology for altering omega-3 EPA+DHA and omega-6 linoleic acid as controlled variables in a dietary trial. Clinical Nutrition, 2021, 40, 3859-3867.	5.0	8
4	Evaluating pimavanserin as a treatment for psychiatric disorders: A pharmacological property in search of an indication. Expert Opinion on Pharmacotherapy, 2021, 22, 1651-1660.	1.8	8
5	Plasma oxylipins and unesterified precursor fatty acids are altered by DHA supplementation in pregnancy: Can they help predict risk of preterm birth?. Prostaglandins Leukotrienes and Essential Fatty Acids, 2020, 153, 102041.	2.2	16
6	Sodium Nitroprusside Infusion for the Treatment of Schizophrenia. Schizophrenia Bulletin Open, 2020, $1, \dots$	1.7	2
7	Are Patients With Schizophrenia Better Off With Lifetime Antipsychotic Medication?. Journal of Clinical Psychopharmacology, 2020, 40, 145-148.	1.4	7
8	Identifying oxidized lipid mediators as prognostic biomarkers of chronic posttraumatic headache. Pain, 2020, 161, 2775-2785.	4.2	10
9	Effect of Adjunctive Estradiol on Schizophrenia Among Women of Childbearing Age. JAMA Psychiatry, 2019, 76, 1009.	11.0	23
10	Temperature and time-dependent effects of delayed blood processing on oxylipin concentrations in human plasma. Prostaglandins Leukotrienes and Essential Fatty Acids, 2019, 150, 31-37.	2.2	8
11	Should antipsychotic medications for schizophrenia be given for a lifetime? Replication of a naturalistic, long-term, follow-up study of antipsychotic treatment. CNS Spectrums, 2019, 24, 557-563.	1.2	9
12	The effect of minocycline on symptoms in schizophrenia: Results from a randomized controlled trial. Schizophrenia Research, 2019, 206, 325-332.	2.0	31
13	Regulation of rat plasma and cerebral cortex oxylipin concentrations with increasing levels of dietary linoleic acid. Prostaglandins Leukotrienes and Essential Fatty Acids, 2018, 138, 71-80.	2.2	46
14	Effects of diets enriched in linoleic acid and its peroxidation products on brain fatty acids, oxylipins, and aldehydes in mice. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2018, 1863, 1206-1213.	2.4	27
15	Lipidomic Analysis of Oxidized Fatty Acids in Plant and Algae Oils. Journal of Agricultural and Food Chemistry, 2017, 65, 1941-1951.	5.2	46
16	Should Antipsychotic Medications for Schizophrenia Be Given for a Lifetime?. Journal of Clinical Psychopharmacology, 2017, 37, 125-130.	1.4	9
17	A randomized, doubleâ€blind, placebo―and risperidoneâ€controlled study on valnoctamide for acute mania. Bipolar Disorders, 2017, 19, 285-294.	1.9	6
18	A systems approach for discovering linoleic acid derivatives that potentially mediate pain and itch. Science Signaling, 2017, 10, .	3.6	58

#	Article	IF	CITATIONS
19	Raloxifene Plus Antipsychotics Versus Placebo Plus Antipsychotics in Severely Ill Decompensated Postmenopausal Women With Schizophrenia or Schizoaffective Disorder. Journal of Clinical Psychiatry, 2017, 78, e758-e765.	2.2	41
20	Re-evaluation of the traditional diet-heart hypothesis: analysis of recovered data from Minnesota Coronary Experiment (1968-73). BMJ, The, 2016, 353, i1246.	6.0	266
21	Dietary linoleic acid-induced alterations in pro- and anti-nociceptive lipid autacoids. Molecular Pain, 2016, 12, 174480691663638.	2.1	44
22	Diet-Induced Changes in n-3- and n-6-Derived Endocannabinoids and Reductions in Headache Pain and Psychological Distress. Journal of Pain, 2015, 16, 707-716.	1.4	58
23	Targeted alterations in dietary n-3 and n-6 fatty acids improve life functioning and reduce psychological distress among patients with chronic headache. Pain, 2015, 156, 587-596.	4.2	56
24	Targeted alteration of dietary n-3 and n-6 fatty acids for the treatment of chronic headaches: A randomized trial. Pain, 2013, 154, 2441-2451.	4.2	147
25	Intakes of long-chain omega-3 (nâ^3) PUFAs and fish in relation to incidence of asthma among American young adults: the CARDIA study. American Journal of Clinical Nutrition, 2013, 97, 173-178.	4.7	71
26	Use of dietary linoleic acid for secondary prevention of coronary heart disease and death: evaluation of recovered data from the Sydney Diet Heart Study and updated meta-analysis. BMJ, The, 2013, 346, e8707-e8707.	6.0	405
27	Low- <i>n</i> -6 and low- <i>n</i> -6 plus high- <i>n</i> -3 diets for use in clinical research. British Journal of Nutrition, 2013, 110, 559-568.	2.3	49
28	Are the 2005 Dietary Guidelines for Americans Associated With Reduced Risk of Type 2 Diabetes and Cardiometabolic Risk Factors?. Diabetes Care, 2011, 34, 1183-1185.	8.6	36
29	Low-carbohydrate diet scores and risk of type 2 diabetes in men. American Journal of Clinical Nutrition, 2011, 94, 611.	4.7	2
30	Diet quality and weight gain among black and white young adults: the Coronary Artery Risk Development in Young Adults (CARDIA) Study (1985–2005). American Journal of Clinical Nutrition, 2010, 92, 784-793.	4.7	72
31	Longitudinal Associations between Diet Quality and Obesity in the United States, 1985 through 2005: Findings from the CARDIA Study. FASEB Journal, 2007, 21, A6.	0.5	O