Tomohiko Fukuda

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9918052/publications.pdf

Version: 2024-02-01

687363 839539 18 477 13 18 citations h-index g-index papers 18 18 18 792 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	The anti-malarial chloroquine suppresses proliferation and overcomes cisplatin resistance of endometrial cancer cells via autophagy inhibition. Gynecologic Oncology, 2015, 137, 538-545.	1.4	67
2	PI3K/mTOR pathway inhibition overcomes radioresistance via suppression of the HIF1- $\hat{l}\pm$ /VEGF pathway in endometrial cancer. Gynecologic Oncology, 2015, 138, 174-180.	1.4	52
3	Antitumor Activity and Induction of TP53-Dependent Apoptosis toward Ovarian Clear Cell Adenocarcinoma by the Dual PI3K/mTOR Inhibitor DS-7423. PLoS ONE, 2014, 9, e87220.	2.5	40
4	Significance of survivin as a prognostic factor and a therapeutic target in endometrial cancer. Gynecologic Oncology, 2016, 141, 564-569.	1.4	35
5	MDM2 is a potential therapeutic target and prognostic factor for ovarian clear cell carcinomas with wild type TP53. Oncotarget, 2016, 7, 75328-75338.	1.8	33
6	Putative tumor suppression function of SIRT6 in endometrial cancer. FEBS Letters, 2015, 589, 2274-2281.	2.8	31
7	Autophagy inhibition augments resveratrol-induced apoptosis in Ishikawa endometrial cancer cells. Oncology Letters, 2016, 12, 2560-2566.	1.8	31
8	Kaempferol, a natural dietary flavonoid, suppresses 17βâ€'estradiolâ€'induced survivin expression and causes apoptotic cell death in endometrial cancer. Oncology Letters, 2018, 16, 6195-6201.	1.8	31
9	Prognostic importance of CDK4/6-specific activity as a predictive marker for recurrence in patients with endometrial cancer, with or without adjuvant chemotherapy. British Journal of Cancer, 2015, 113, 1477-1483.	6.4	30
10	BMP signaling is a therapeutic target in ovarian cancer. Cell Death Discovery, 2020, 6, 139.	4.7	22
11	Antitumor activity of a combination of dual PI3K/mTOR inhibitor SAR245409 and selective MEK1/2 inhibitor pimasertib in endometrial carcinomas. Gynecologic Oncology, 2015, 138, 323-331.	1.4	19
12	Synergistic antitumor effects of combination PI3K/mTOR and MEK inhibition (SAR245409 and pimasertib) in mucinous ovarian carcinoma cells by fluorescence resonance energy transfer imaging. Oncotarget, 2016, 7, 29577-29591.	1.8	18
13	Characterization of TP53 and PI3K signaling pathways as molecular targets in gynecologic malignancies. Journal of Obstetrics and Gynaecology Research, 2016, 42, 757-762.	1.3	17
14	Tumor Promoting Effect of BMP Signaling in Endometrial Cancer. International Journal of Molecular Sciences, 2021, 22, 7882.	4.1	14
15	BMP2-induction of FN14 promotes protumorigenic signaling in gynecologic cancer cells. Cellular Signalling, 2021, 87, 110146.	3. 6	11
16	CCAR2 negatively regulates nuclear receptor LXR \hat{l}_{\pm} by competing with SIRT1 deacetylase. Journal of Steroid Biochemistry and Molecular Biology, 2015, 149, 80-88.	2.5	10
17	HAND2-mediated proteolysis negatively regulates the function of estrogen receptor α. Molecular Medicine Reports, 2015, 12, 5538-5544.	2.4	9
18	The Emerging Role of FOXL2 in Regulating the Transcriptional Activation Function of Estrogen Receptor I ² : An Insight Into Ovarian Folliculogenesis. Reproductive Sciences, 2017, 24, 133-141.	2.5	7