

Matthew J Arduino

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/991842/publications.pdf>

Version: 2024-02-01

144
papers

9,022
citations

36303

51
h-index

45317

90
g-index

144
all docs

144
docs citations

144
times ranked

6196
citing authors

#	ARTICLE	IF	CITATIONS
1	Keeping health care linens clean: Underrecognized hazards and critical control points to avoid contamination of laundered health care textiles. <i>American Journal of Infection Control</i> , 2022, 50, 1178-1181.	2.3	3
2	Tap Water Avoidance Decreases Rates of Hospital-onset Pulmonary Nontuberculous Mycobacteria: A Call for Water Management in Healthcare. <i>Clinical Infectious Diseases</i> , 2021, 73, 528-530.	5.8	1
3	Clinical Laboratory Biosafety Gaps: Lessons Learned from Past Outbreaks Reveal a Path to a Safer Future. <i>Clinical Microbiology Reviews</i> , 2021, 34, e0012618.	13.6	13
4	Water Management and Monitoring Practices in Hospitals—United States, 2018. <i>Infection Control and Hospital Epidemiology</i> , 2020, 41, s83-s84.	1.8	2
5	Gastrointestinal Flexible Endoscopes: Infection Control Risks, Lessons Learned from Outbreaks, and Centers for Disease Control and Prevention Guidance. <i>Gastrointestinal Endoscopy Clinics of North America</i> , 2020, 30, 723-733.	1.4	6
6	Multicenter Outbreak of Gram-Negative Bloodstream Infections in Hemodialysis Patients. <i>American Journal of Kidney Diseases</i> , 2019, 74, 610-619.	1.9	19
7	Investigation of healthcare infection risks from water-related organisms: Summary of CDC consultations, 2014–2017. <i>Infection Control and Hospital Epidemiology</i> , 2019, 40, 621-626.	1.8	34
8	Hemodialysis-Associated Infections. , 2019, , 389-410.e8.		14
9	<i>Pseudomonas aeruginosa</i> Outbreak in a Neonatal Intensive Care Unit Attributed to Hospital Tap Water. <i>Infection Control and Hospital Epidemiology</i> , 2017, 38, 801-808.	1.8	47
10	Outbreak of <i>Pantoea agglomerans</i> Bloodstream Infections at an Oncology Clinic—Illinois, 2012-2013. <i>Infection Control and Hospital Epidemiology</i> , 2017, 38, 314-319.	1.8	27
11	Vital Signs: Health Care—Associated Legionnaires™ Disease Surveillance Data from 20 States and a Large Metropolitan Area — United States, 2015. <i>Morbidity and Mortality Weekly Report</i> , 2017, 66, 584-589.	15.1	46
12	A Large Outbreak of Hepatitis C Virus Infections in a Hemodialysis Clinic. <i>Infection Control and Hospital Epidemiology</i> , 2016, 37, 125-133.	1.8	47
13	Assessment of the Overall and Multidrug-Resistant Organism Bioburden on Environmental Surfaces in Healthcare Facilities. <i>Infection Control and Hospital Epidemiology</i> , 2016, 37, 1426-1432.	1.8	74
14	Notes From the Field: Probable Mucormycosis Among Adult Solid Organ Transplant Recipients at an Acute Care Hospital — Pennsylvania, 2014–2015. <i>American Journal of Transplantation</i> , 2016, 16, 2758-2759.	4.7	0
15	Notes from the Field: Probable Mucormycosis Among Adult Solid Organ Transplant Recipients at an Acute Care Hospital — Pennsylvania, 2014–2015. <i>Morbidity and Mortality Weekly Report</i> , 2016, 65, 481-482.	15.1	17
16	Early Identification and Prevention of the Spread of Ebola — United States. <i>MMWR Supplements</i> , 2016, 65, 75-84.	35.0	19
17	Surface Sampling. , 2015, , 2.6.2-1-2.6.2-14.		3
18	Epidemiology and Ecology of Opportunistic Premise Plumbing Pathogens: <i>Legionella pneumophila</i> , <i>Mycobacterium avium</i> , and <i>Pseudomonas aeruginosa</i> . <i>Environmental Health Perspectives</i> , 2015, 123, 749-758.	6.0	208

#	ARTICLE	IF	CITATIONS
19	Laboratory replication of filtration procedures associated with <i>Serratia marcescens</i> bloodstream infections in patients receiving compounded amino acid solutions. <i>American Journal of Health-System Pharmacy</i> , 2015, 72, 1285-1291.	1.0	1
20	Hemodialysis and Water Quality. <i>Seminars in Dialysis</i> , 2013, 26, 427-438.	1.3	79
21	Editorial Commentary: Climbing the Evidentiary Hierarchy for Environmental Infection Control. <i>Clinical Infectious Diseases</i> , 2013, 56, 36-39.	5.8	26
22	Plumbing of hospital premises is a reservoir for opportunistically pathogenic microorganisms: a review. <i>Biofouling</i> , 2013, 29, 147-162.	2.2	74
23	Storage Effects on Sample Integrity of Environmental Surface Sampling Specimens with <i>Bacillus anthracis</i> Spores. , 2013, s1, 002.		3
24	Outbreak of hepatitis C virus infections at an outpatient hemodialysis facility: the importance of infection control competencies. <i>Nephrology Nursing Journal</i> , 2013, 40, 101-10, 164; quiz 111.	0.2	12
25	Vascular access hemorrhages contribute to deaths among hemodialysis patients. <i>Kidney International</i> , 2012, 82, 686-692.	5.2	63
26	Development and Validation of a PulseNet Standardized Protocol for Subtyping Isolates of <i>Cronobacter</i> Species. <i>Foodborne Pathogens and Disease</i> , 2012, 9, 861-867.	1.8	29
27	Point-of-Use Membrane Filtration and Hyperchlorination to Prevent Patient Exposure to Rapidly Growing Mycobacteria in the Potable Water Supply of a Skilled Nursing Facility. <i>Infection Control and Hospital Epidemiology</i> , 2011, 32, 837-844.	1.8	29
28	Outbreak of <i>Burkholderia cepacia</i> complex among ventilated pediatric patients linked to hospital sinks. <i>American Journal of Infection Control</i> , 2011, 39, 775-778.	2.3	45
29	Chlorine dioxide inactivation of bacterial threat agents. <i>Letters in Applied Microbiology</i> , 2011, 53, 225-230.	2.2	23
30	Chlorine disinfection of <i>Francisella tularensis</i> . <i>Letters in Applied Microbiology</i> , 2011, 52, 84-86.	2.2	8
31	Epidemiology, Surveillance, and Prevention of Hepatitis C Virus Infections in Hemodialysis Patients. <i>American Journal of Kidney Diseases</i> , 2010, 56, 371-378.	1.9	65
32	Epidemiology, Surveillance, and Prevention of Bloodstream Infections in Hemodialysis Patients. <i>American Journal of Kidney Diseases</i> , 2010, 56, 566-577.	1.9	97
33	Hemodialysis-Associated Infections. , 2010, , 335-353.		2
34	National validation study of a swab protocol for the recovery of <i>Bacillus anthracis</i> spores from surfaces. <i>Journal of Microbiological Methods</i> , 2010, 81, 141-146.	1.6	51
35	Preventing infections in patients undergoing hemodialysis. <i>Expert Review of Anti-Infective Therapy</i> , 2010, 8, 643-655.	4.4	25
36	Variability of <i>Burkholderia pseudomallei</i> Strain Sensitivities to Chlorine Disinfection. <i>Applied and Environmental Microbiology</i> , 2009, 75, 5405-5409.	3.1	17

#	ARTICLE	IF	CITATIONS
37	Recovery Efficiency and Limit of Detection of Aerosolized <i>Bacillus anthracis</i> Sterne from Environmental Surface Samples. <i>Applied and Environmental Microbiology</i> , 2009, 75, 4297-4306.	3.1	56
38	Structural Analysis of Biofilm Formation by Rapidly and Slowly Growing Nontuberculous Mycobacteria. <i>Applied and Environmental Microbiology</i> , 2009, 75, 2091-2098.	3.1	81
39	Multistate Outbreak of <i>Serratia marcescens</i> Bloodstream Infections Caused by Contamination of Prefilled Heparin and Isotonic Sodium Chloride Solution Syringes. <i>Archives of Internal Medicine</i> , 2009, 169, 1705.	3.8	36
40	An Outbreak of Postoperative Gram-Negative Bacterial Endophthalmitis Associated with Contaminated Trypan Blue Ophthalmic Solution. <i>Clinical Infectious Diseases</i> , 2009, 48, 1580-1583.	5.8	32
41	Contaminated Product Water as the Source of <i>Phialemonium curvatum</i> Bloodstream Infection among Patients Undergoing Hemodialysis. <i>Infection Control and Hospital Epidemiology</i> , 2009, 30, 840-847.	1.8	23
42	Hepatitis C Virus Transmission in Hemodialysis Units Importance of Infection Control Practices and Aseptic Technique. <i>Infection Control and Hospital Epidemiology</i> , 2009, 30, 900-903.	1.8	46
43	Fatal group C streptococcal infection due to transfusion of a bacterially contaminated pooled platelet unit despite routine bacterial culture screening. <i>Transfusion</i> , 2008, 48, 2177-2183.	1.6	26
44	Gadolinium-Containing Magnetic Resonance Imaging Contrast and Nephrogenic Systemic Fibrosis: A Case-Control Study. <i>American Journal of Kidney Diseases</i> , 2008, 51, 966-975.	1.9	91
45	Multistate outbreak of toxic anterior segment syndrome, 2005. <i>Journal of Cataract and Refractive Surgery</i> , 2008, 34, 585-590.	1.5	57
46	Pseudo-outbreak of <i>Mycobacterium abscessus</i> Infection Caused by Laboratory Contamination. <i>Infection Control and Hospital Epidemiology</i> , 2008, 29, 57-62.	1.8	27
47	Outbreak of Adverse Reactions Associated with Contaminated Heparin. <i>New England Journal of Medicine</i> , 2008, 359, 2674-2684.	27.0	258
48	Multistate Outbreak of <i>Pseudomonas fluorescens</i> Bloodstream Infection after Exposure to Contaminated Heparinized Saline Flush Prepared by a Compounding Pharmacy. <i>Clinical Infectious Diseases</i> , 2008, 47, 1372-1379.	5.8	107
49	Outbreak of <i>Serratia marcescens</i> Bloodstream and Central Nervous System Infections After Interventional Pain Management Procedures. <i>Clinical Journal of Pain</i> , 2008, 24, 374-380.	1.9	25
50	Infections in dialysis patients. <i>Nephrology News & Issues</i> , 2008, 22, 48-50, 53, 55-7 passim.	0.1	0
51	Monochloramine Inactivation of Bacterial Select Agents. <i>Applied and Environmental Microbiology</i> , 2007, 73, 3437-3439.	3.1	40
52	A National Outbreak of <i>Ralstonia mannitolilytica</i> Associated With Use of a Contaminated Oxygen-Delivery Device Among Pediatric Patients. <i>Pediatrics</i> , 2007, 119, 1061-1068.	2.1	54
53	Survival of <i>Burkholderia pseudomallei</i> on Environmental Surfaces. <i>Applied and Environmental Microbiology</i> , 2007, 73, 8001-8004.	3.1	18
54	Multistate Outbreak of <i>Burkholderia cenocepacia</i> Colonization and Infection Associated With the Use of Intrinsically Contaminated Alcohol-Free Mouthwash. <i>Chest</i> , 2007, 132, 1825-1831.	0.8	49

#	ARTICLE	IF	CITATIONS
55	Outbreak of <i>Pseudomonas aeruginosa</i> Infections After Transrectal Ultrasound-Guided Prostate Biopsy. <i>Urology</i> , 2007, 69, 912-914.	1.0	46
56	Streptococcal Meningitis Following Myelogram Procedures. <i>Infection Control and Hospital Epidemiology</i> , 2007, 28, 614-617.	1.8	8
57	Pyrogenic Reactions and Hemorrhage Associated With Intrinsic Exposure to Endotoxin-Contaminated Intravenous Solutions. <i>Infection Control and Hospital Epidemiology</i> , 2006, 27, 735-741.	1.8	0
58	Outbreak of Bloodstream Infection With the Mold <i>Phialemonium</i> Among Patients Receiving Dialysis at a Hemodialysis Unit. <i>Infection Control and Hospital Epidemiology</i> , 2006, 27, 1164-1170.	1.8	13
59	An Outbreak of <i>Burkholderia cepacia</i> Associated With Contamination of Albuterol and Nasal Spray. <i>Chest</i> , 2006, 130, 1346-1353.	0.8	44
60	Evaluation of a Macrofoam Swab Protocol for the Recovery of <i>Bacillus anthracis</i> Spores from a Steel Surface. <i>Applied and Environmental Microbiology</i> , 2006, 72, 4429-4430.	3.1	65
61	Outbreak of Catheter-Associated <i>Klebsiella oxytoca</i> and <i>Enterobacter cloacae</i> Bloodstream Infections in an Oncology Chemotherapy Center. <i>Archives of Internal Medicine</i> , 2005, 165, 2639.	3.8	46
62	Outbreak of <i>Ralstonia pickettii</i> Bacteremia in a Neonatal Intensive Care Unit. <i>Pediatric Infectious Disease Journal</i> , 2005, 24, 1099-1103.	2.0	38
63	Nosocomial Infections in Hemodialysis Units. , 2005, , 429-450.		2
64	Chlorine Inactivation of Bacterial Bioterrorism Agents. <i>Applied and Environmental Microbiology</i> , 2005, 71, 566-568.	3.1	71
65	Saline-Filled Breast Implant Contamination with <i>Curvularia</i> Species among Women Who Underwent Cosmetic Breast Augmentation. <i>Journal of Infectious Diseases</i> , 2005, 192, 170-177.	4.0	27
66	<i>Special Article</i>: National Surveillance of Dialysis-Associated Diseases in the United States, 2002. <i>Seminars in Dialysis</i> , 2005, 18, 52-61.	1.3	393
67	Tetrasodium EDTA as a Novel Central Venous Catheter Lock Solution Against Biofilm. <i>Infection Control and Hospital Epidemiology</i> , 2005, 26, 515-519.	1.8	148
68	A Clone of Methicillin-Resistant <i>Staphylococcus aureus</i> among Professional Football Players. <i>New England Journal of Medicine</i> , 2005, 352, 468-475.	27.0	690
69	Why is an infection control program needed in the hemodialysis setting?. <i>Nephrology News & Issues</i> , 2005, 19, 44, 46-9.	0.1	2
70	Boiling and <i>Bacillus</i> Spores. <i>Emerging Infectious Diseases</i> , 2004, 10, 1887-1888.	4.3	14
71	Swab Materials and <i>Bacillus anthracis</i> Spore Recovery from Nonporous Surfaces. <i>Emerging Infectious Diseases</i> , 2004, 10, 1023-1029.	4.3	149
72	<i>Mycobacterium goodii</i> Infections Associated with Surgical Implants at Colorado Hospital. <i>Emerging Infectious Diseases</i> , 2004, 10, 1859-1862.	4.3	30

#	ARTICLE	IF	CITATIONS
73	Special Article: National Surveillance of Dialysis-Associated Diseases in the United States, 2001. <i>Seminars in Dialysis</i> , 2004, 17, 310-319.	1.3	66
74	Epidemic Parenteral Exposure to Volatile Sulfur-Containing Compounds at a Hemodialysis Center. <i>Infection Control and Hospital Epidemiology</i> , 2004, 25, 256-261.	1.8	12
75	Improving Water Quality Can Reduce Pyrogenic Reactions Associated With Reuse of Cardiac Catheters. <i>Infection Control and Hospital Epidemiology</i> , 2003, 24, 955-960.	1.8	7
76	Survival of <i>Yersinia pestis</i> on Environmental Surfaces. <i>Applied and Environmental Microbiology</i> , 2003, 69, 2166-2171.	3.1	63
77	Inactivation of <i>Bacillus anthracis</i> Spores. <i>Emerging Infectious Diseases</i> , 2003, 9, 623-627.	4.3	154
78	<i>Enterobacter cloacae</i> bloodstream infections in pediatric patients traced to a hospital pharmacy. <i>American Journal of Health-System Pharmacy</i> , 2003, 60, 1440-1446.	1.0	32
79	<i>Serratia marcescens</i> Bacteremia Traced to an Infused Narcotic. <i>New England Journal of Medicine</i> , 2002, 346, 1529-1537.	27.0	76
80	An Outbreak of Neonatal Deaths in Brazil Associated with Contaminated Intravenous Fluids. <i>Journal of Infectious Diseases</i> , 2002, 186, 81-86.	4.0	16
81	National Surveillance of Dialysis-Associated Diseases in the United States, 2000. <i>Seminars in Dialysis</i> , 2002, 15, 162-171.	1.3	110
82	Who will you call when disaster strikes in the dialysis facility?. <i>Nephrology News & Issues</i> , 2002, 16, 54-5.	0.1	0
83	INFECTION CONTROL IN HEMODIALYSIS UNITS. <i>Infectious Disease Clinics of North America</i> , 2001, 15, 797-812.	5.1	34
84	Control of Vancomycin-Resistant <i>Enterococcus</i> in Health Care Facilities in a Region. <i>New England Journal of Medicine</i> , 2001, 344, 1427-1433.	27.0	287
85	Vancomycin-resistant enterococci colonization in patients at seven hemodialysis centers. <i>Kidney International</i> , 2001, 60, 1511-1516.	5.2	31
86	Methicillin-resistant <i>Staphylococcus aureus</i> sepsis associated with the transfusion of contaminated platelets: a case report. <i>Transfusion</i> , 2001, 41, 1426-1430.	1.6	10
87	Evaluation of a reporting system for bacterial contamination of blood components in the United States. <i>Transfusion</i> , 2001, 41, 1486-1492.	1.6	39
88	Transfusion-transmitted bacterial infection in the United States, 1998 through 2000. <i>Transfusion</i> , 2001, 41, 1493-1499.	1.6	351
89	<i>Serratia liquefaciens</i> Bloodstream Infections from Contamination of Epoetin Alfa at a Hemodialysis Center. <i>New England Journal of Medicine</i> , 2001, 344, 1491-1497.	27.0	150
90	Pontiac Fever Due to <i>Legionella micdadei</i> from a Whirlpool Spa: Possible Role of Bacterial Endotoxin. <i>Journal of Infectious Diseases</i> , 2001, 184, 1289-1292.	4.0	49

#	ARTICLE	IF	CITATIONS
91	Nosocomial Outbreak of <i>Microbacterium</i> Species Bacteremia among Cancer Patients. <i>Journal of Infectious Diseases</i> , 2001, 184, 754-760.	4.0	38
92	An Epidemic of Corneal Destruction Caused by Plasma Gas Sterilization. <i>JAMA Ophthalmology</i> , 2000, 118, 1167.	2.4	59
93	Multistate outbreak of hemolysis in hemodialysis patients traced to faulty blood tubing sets. <i>Kidney International</i> , 2000, 57, 1668-1674.	5.2	33
94	The Role of the Centers for Disease Control and Prevention in Hemodialysis. <i>Seminars in Dialysis</i> , 2000, 13, 63-63.	1.3	0
95	CDC Investigations of Noninfectious Outbreaks of Adverse Events in Hemodialysis Facilities, 1979-1999. <i>Seminars in Dialysis</i> , 2000, 13, 86-91.	1.3	15
96	National Surveillance of Dialysis-Associated Diseases in the United States, 1997. <i>Seminars in Dialysis</i> , 2000, 13, 75-85.	1.3	102
97	Transfusion-related sepsis due to <i>Serratia liquefaciens</i> in the United States. <i>Transfusion</i> , 2000, 40, 931-935.	1.6	65
98	<i>Enterobacter cloacae</i> Bloodstream Infections Traced to Contaminated Human Albumin. <i>Clinical Infectious Diseases</i> , 2000, 30, 35-40.	5.8	35
99	Pyrogenic Reactions Associated With Single Daily Dosing of Intravenous Gentamicin. <i>Infection Control and Hospital Epidemiology</i> , 2000, 21, 771-774.	1.8	9
100	Multistate Nosocomial Outbreak of <i>Ralstonia pickettii</i> Colonization Associated with an Intrinsically Contaminated Respiratory Care Solution. <i>Clinical Infectious Diseases</i> , 1999, 29, 1281-1286.	5.8	79
101	Regional Dissemination of Vancomycin-Resistant Enterococci Resulting from Interfacility Transfer of Colonized Patients. <i>Journal of Infectious Diseases</i> , 1999, 180, 391-396.	4.0	71
102	An Outbreak of Gram-Negative Bacteremia in Hemodialysis Patients Traced to Hemodialysis Machine Waste Drain Ports. <i>Infection Control and Hospital Epidemiology</i> , 1999, 20, 746-751.	1.8	44
103	The Prevalence of Colonization With Vancomycin-Resistant <i>Enterococcus</i> at a Veterans' Affairs Institution. <i>Infection Control and Hospital Epidemiology</i> , 1999, 20, 171-175.	1.8	59
104	Outbreak of sterile peritonitis among continuous cycling peritoneal dialysis patients. <i>Kidney International</i> , 1998, 54, 1367-1371.	5.2	29
105	Comparison of the microbial barrier properties of a needleless and a conventional needle-based intravenous access system. <i>American Journal of Infection Control</i> , 1998, 26, 437-441.	2.3	48
106	Sanitary care and maintenance of ice storage chests and ice-making machines in health care facilities. <i>American Journal of Infection Control</i> , 1998, 26, 111-112.	2.3	10
107	<i>Enterobacter cloacae</i> and <i>Pseudomonas aeruginosa</i> polymicrobial bloodstream infections traced to extrinsic contamination of a dextrose multidose vial. <i>Journal of Pediatrics</i> , 1998, 133, 640-644.	1.8	67
108	An Epidemic of <i>Malassezia pachydermatis</i> in an Intensive Care Nursery Associated with Colonization of Health Care Workers' Pet Dogs. <i>New England Journal of Medicine</i> , 1998, 338, 706-711.	27.0	253

#	ARTICLE	IF	CITATIONS
109	A Cluster of Bloodstream Infections and Pyrogenic Reactions among Hemodialysis Patients Traced to Dialysis Machine Waste-Handling Option Units. <i>American Journal of Nephrology</i> , 1998, 18, 485-489.	3.1	31
110	National Surveillance of Dialysis Associated Diseases in the United States, 1995. <i>ASAIO Journal</i> , 1998, 44, 98-107.	1.6	124
111	How Should Dialyzers Be Reprocessed?. <i>Seminars in Dialysis</i> , 1998, 11, 282-284.	1.3	8
112	Outbreak of <i>Acinetobacter</i> spp. bloodstream infections in a nursery associated with contaminated aerosols and air conditioners. <i>Pediatric Infectious Disease Journal</i> , 1998, 17, 716-722.	2.0	99
113	An Outbreak of <i>Enterobacter hormaechei</i> Infection and Colonization in an Intensive Care Nursery. <i>Clinical Infectious Diseases</i> , 1997, 24, 1243-1244.	5.8	53
114	<i>Staphylococcus Aureus</i> Bloodstream Infections Among Patients Undergoing Electroconvulsive Therapy Traced to Breaks in Infection Control and Possible Extrinsic Contamination by Propofol. <i>Anesthesia and Analgesia</i> , 1997, 85, 420-425.	2.2	33
115	<i>Serratia marcescens</i> Outbreak Associated with Extrinsic Contamination of 1% Chlorxylenol Soap. <i>Infection Control and Hospital Epidemiology</i> , 1997, 18, 704-709.	1.8	103
116	<i>Staphylococcus Aureus</i> Bloodstream Infections Among Patients Undergoing Electroconvulsive Therapy Traced to Breaks in Infection Control and Possible Extrinsic Contamination by Propofol. <i>Anesthesia and Analgesia</i> , 1997, 85, 420-425.	2.2	41
117	Microbiologic evaluation of needleless and needle-access devices. <i>American Journal of Infection Control</i> , 1997, 25, 377-380.	2.3	40
118	Pyrogenic reactions in patients undergoing cardiac catheterization associated with contaminated glass medicine cups. , 1997, 42, 12-18.		13
119	Potential Hazards of Deionization Systems Used for Water Purification in Hemodialysis. <i>Artificial Organs</i> , 1996, 20, 2-7.	1.9	21
120	<i>Ochrobactrum anthropi</i> Meningitis in Pediatric Pericardial Allograft Transplant Recipients. <i>Journal of Infectious Diseases</i> , 1996, 173, 656-660.	4.0	53
121	<i>Candida parapsilosis</i> Bloodstream Infections in Neonatal Intensive Care Unit Patients: Epidemiologic and Laboratory Confirmation of a Common Source Outbreak. <i>Pediatric Infectious Disease Journal</i> , 1996, 15, 998-1002.	2.0	69
122	Epidemic aluminum intoxication in hemodialysis patients traced to use of an aluminum pump. <i>Kidney International</i> , 1995, 48, 469-474.	5.2	88
123	Epidemiology and Mortality Risk of Vancomycin-Resistant Enterococcal Bloodstream Infections. <i>Journal of Infectious Diseases</i> , 1995, 172, 993-1000.	4.0	310
124	An Outbreak of Gram-Negative Bloodstream Infections in Chronic Hemodialysis Patients. <i>American Journal of Nephrology</i> , 1995, 15, 1-4.	3.1	54
125	Postoperative Infections Traced to Contamination of an Intravenous Anesthetic, Propofol. <i>New England Journal of Medicine</i> , 1995, 333, 147-154.	27.0	516
126	An Outbreak of Pyrogenic Reactions in Chronic Hemodialysis Patients Associated with Hemodialyzer Reuse. <i>Artificial Organs</i> , 1995, 19, 289-294.	1.9	25

#	ARTICLE	IF	CITATIONS
127	The Effects of Endotoxin in Contaminated Dialysate and Polysulfone or Cellulosic Membranes on the Release of TNF during Simulated Dialysis. <i>Artificial Organs</i> , 1995, 19, 880-886.	1.9	10
128	Outbreak of Pyrogenic Reactions and Gram-Negative Bacteremia in a Hemodialysis Center. <i>American Journal of Nephrology</i> , 1994, 14, 85-89.	3.1	38
129	Bacterial Contamination of Platelets at a University Hospital: Increased Identification Due to Intensified Surveillance. <i>Infection Control and Hospital Epidemiology</i> , 1994, 15, 82-87.	1.8	41
130	<i>Mycobacterium abscessus</i> Pseudoinfection Traced to an Automated Endoscope Washer: Utility of Epidemiologic and Laboratory Investigation. <i>Journal of Infectious Diseases</i> , 1994, 169, 1166-1169.	4.0	83
131	Bloodstream infections in neonatal intensive care unit patients. <i>Pediatric Infectious Disease Journal</i> , 1994, 13, 1111-1116.	2.0	146
132	The Clinical Relevance of Dialysate Sterility. <i>Seminars in Dialysis</i> , 1994, 7, 263-267.	1.3	7
133	Bacterial Contamination of Platelets at a University Hospital: Increased Identification Due to Intensified Surveillance. <i>Infection Control and Hospital Epidemiology</i> , 1994, 15, 82-87.	1.8	18
134	Should Hemodialysis Fluid Be Sterile?. <i>Seminars in Dialysis</i> , 1993, 6, 34-36.	1.3	6
135	Anaphylactoid reactions associated with reuse of hollow-fiber hemodialyzers and ACE inhibitors. <i>Kidney International</i> , 1992, 42, 1232-1237.	5.2	67
136	Bacteria and Endotoxin Removal from Bicarbonate Dialysis Fluids for Use in Conventional, High-Efficiency, and High-Flux Hemodialysis. <i>Artificial Organs</i> , 1992, 16, 141-145.	1.9	23
137	Microbial Growth and Endotoxin Production in the Intravenous Anesthetic Propofol. <i>Infection Control and Hospital Epidemiology</i> , 1991, 12, 535-539.	1.8	68
138	Microbial Growth and Endotoxin Production in the Intravenous Anesthetic Propofol. <i>Infection Control and Hospital Epidemiology</i> , 1991, 12, 535-539.	1.8	30
139	Hemolysis Associated with Hydrogen Peroxide at a Pediatric Dialysis Center. <i>American Journal of Nephrology</i> , 1990, 10, 123-127.	3.1	37
140	<i>Mycobacterium chelonae</i> Infection among Patients Receiving High-Flux Dialysis in a Hemodialysis Clinic in California. <i>Journal of Infectious Diseases</i> , 1990, 161, 85-90.	4.0	149
141	Outbreak of Gram-Negative Bacteremia and Pyrogenic Reactions in a Hemodialysis Center. <i>American Journal of Nephrology</i> , 1990, 10, 397-403.	3.1	57
142	Recovery of Bacteria from Reprocessed High Flux Dialyzers After Bacterial Contamination of the Header Spaces and O-Rings. <i>ASAIO Transactions</i> , 1989, 35, 314-316.	0.2	14
143	Decontamination and Disinfection. , 0, , 373-381.		2
144	Decontamination in the Microbiology Laboratory. , 0, , 463-473.		1