## Weng Yee Chin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9924999/publications.pdf

Version: 2024-02-01

51	965	471509	501196
papers	citations	h-index	g-index
51	51	51	1453
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	The Psychometric Properties of the Center for Epidemiologic Studies Depression Scale in Chinese Primary Care Patients: Factor Structure, Construct Validity, Reliability, Sensitivity and Responsiveness. PLoS ONE, 2015, 10, e0135131.	2.5	133
2	Five-Year Effectiveness of the Multidisciplinary Risk Assessment and Management Programme–Diabetes Mellitus (RAMP-DM) on Diabetes-Related Complications and Health Service Uses—A Population-Based and Propensity-Matched Cohort Study. Diabetes Care, 2018, 41, 49-59.	8.6	82
3	Evaluation of the quality of care of a multi-disciplinary risk factor assessment and management programme (RAMP) for diabetic patients. BMC Family Practice, 2012, 13, 116.	2.9	50
4	Evaluation of the internal and external responsiveness of the Pressure Ulcer Scale for Healing ( <scp>PUSH</scp> ) tool for assessing acute and chronic wounds. Journal of Advanced Nursing, 2016, 72, 1134-1143.	3.3	47
5	Primary-level worker interventions for the care of people living with mental disorders and distress in low- and middle-income countries. The Cochrane Library, 2021, 2021, CD009149.	2.8	47
6	Detection and management of depression in adult primary care patients in Hong Kong: a cross-sectional survey conducted by a primary care practice-based research network. BMC Family Practice, 2014, 15, 30.	2.9	43
7	Help-seeking intentions and subsequent 12-month mental health service use in Chinese primary care patients with depressive symptoms. BMJ Open, 2015, 5, e006730-e006730.	1.9	41
8	Effect of Multifactorial Treatment Targets and Relative Importance of Hemoglobin A1c, Blood Pressure, and Lowâ€Density Lipoproteinâ€Cholesterol on Cardiovascular Diseases in Chinese Primary Care Patients With Type 2 Diabetes Mellitus: A Populationâ€Based Retrospective Cohort Study. Journal of the American Heart Association, 2017, 6, .	3.7	37
9	Prediction of new onset of end stage renal disease in Chinese patients with type 2 diabetes mellitus – a population-based retrospective cohort study. BMC Nephrology, 2017, 18, 257.	1.8	33
10	Association of Blood Pressure and Risk of Cardiovascular and Chronic Kidney Disease in Hong Kong Hypertensive Patients. Hypertension, 2019, 74, 331-340.	2.7	27
11	The mediating role of sleep quality in the association between nocturia and health-related quality of life. Health and Quality of Life Outcomes, 2019, 17, 181.	2.4	27
12	Development of a cardiovascular diseases risk prediction model and tools for <scp>C</scp> hinese patients with type 2 diabetes mellitus: <scp>A</scp> populationâ€based retrospective cohort study. Diabetes, Obesity and Metabolism, 2018, 20, 309-318.	4.4	26
13	Mental Health Mediating the Relationship Between Symptom Severity and Healthâ€Related Quality of Life in Patients with Lower Urinary Tract Symptoms. LUTS: Lower Urinary Tract Symptoms, 2016, 8, 141-149.	1.3	25
14	Effect of Achieved Systolic Blood Pressure on Cardiovascular Outcomes in Patients With Type 2 Diabetes: A Population-Based Retrospective Cohort Study. Diabetes Care, 2018, 41, 1134-1141.	8.6	25
15	The Impact of Cardiovascular Disease and Chronic Kidney Disease on Life Expectancy and Direct Medical Cost in a 10-Year Diabetes Cohort Study. Diabetes Care, 2020, 43, 1750-1758.	8.6	24
16	Prediction of five-year all-cause mortality in Chinese patients with type 2 diabetes mellitus – A population-based retrospective cohort study. Journal of Diabetes and Its Complications, 2017, 31, 939-944.	2.3	19
17	Association ofÂHemoglobin A1c Levels With Cardiovascular Disease and Mortality inÂChinese Patients WithÂDiabetes. Journal of the American College of Cardiology, 2016, 67, 456-458.	2.8	18
18	The epidemiology and natural history of depressive disorders in Hong Kong's primary care. BMC Family Practice, 2011, 12, 129.	2.9	17

#	Article	IF	CITATIONS
19	12-Month naturalistic outcomes of depressive disorders in Hong Kong's primary care. Family Practice, 2015, 32, 288-296.	1.9	16
20	Mental health of Chinese primary care patients with lower urinary tract symptoms. Psychology, Health and Medicine, 2016, 21, 113-127.	2.4	16
21	Ageâ€specific associations of <scp>glycated haemoglobin</scp> variability with cardiovascular disease and mortality in patients with type 2 diabetes mellitus: A 10―year cohort study. Diabetes, Obesity and Metabolism, 2020, 22, 1316-1327.	4.4	15
22	Health-related quality of life mediates associations between multi-morbidity and depressive symptoms in Chinese primary care patients. Family Practice, 2016, 33, 61-68.	1.9	13
23	Association of visit-to-visit variability of systolic blood pressure with cardiovascular disease, chronic kidney disease and mortality in patients with hypertension. Journal of Hypertension, 2020, 38, 943-953.	0.5	13
24	Prevalence and severity of burnout in Hong Kong doctors up to 20 years post-graduation: a cross-sectional study. BMJ Open, 2020, 10, e040178.	1.9	13
25	Do We Need a Patient-Centered Target for Systolic Blood Pressure in Hypertensive Patients With Type 2 Diabetes Mellitus?. Hypertension, 2017, 70, 1273-1282.	2.7	12
26	A prospective cohort study to investigate parental stress and child health in low-income Chinese families: protocol paper. BMJ Open, 2018, 8, e018792.	1.9	12
27	The responsiveness of the International Prostate Symptom Score, Incontinence Impact Questionnaireâ€7 and Depression, Anxiety and Stress Scaleâ€21 in patients with lower urinary tract symptoms. Journal of Advanced Nursing, 2015, 71, 1857-1870.	3.3	11
28	Trajectory Pathways for Depressive Symptoms and Their Associated Factors in a Chinese Primary Care Cohort by Growth Mixture Modelling. PLoS ONE, 2016, 11, e0147775.	2.5	10
29	Association of more negative attitude towards commencing insulin with lower glycosylated hemoglobin (HbA1c) level: a survey on insulin-naà ve type 2 diabetes mellitus Chinese patients. Journal of Diabetes and Metabolic Disorders, 2015, 15, 3.	1.9	9
30	Cultural adaptation and psychometric properties of the Chinese Burden of Treatment Questionnaire (C-TBQ) in primary care patients with multi-morbidity. Family Practice, 2019, 36, 657-665.	1.9	9
31	Prevalence of depression and suicide ideation in Hong Kong doctors: a cross-sectional study. Scientific Reports, 2021, 11, 19366.	3.3	9
32	The test–retest reliability of the <scp>I</scp> ncontinence <scp>Q</scp> uestionnaireâ€ <scp>U</scp> rinary <scp>I</scp> ncontinence <scp>S</scp> hort <scp>F</scp> orm ( <scp>ICIQ</scp> â€ <scp>UI SF</scp> ) for assessing type of urinary incontinence in males and females. Journal of Clinical Nursing, 2015, 24, 3742-3744.	3.0	8
33	Evaluation of the internal and external responsiveness of Short Form-12 Health Survey version 2 (SF-12v2) in patients with type 2 diabetes mellitus. Quality of Life Research, 2018, 27, 2459-2469.	3.1	8
34	Evaluation of the responsiveness of Short Form-12 Health Survey version 2 (SF-12v2) in Chinese patients with hypertension in primary care. Quality of Life Research, 2019, 28, 2851-2857.	3.1	8
35	Greater variability in lipid measurements associated with kidney diseases in patients with type 2 diabetes mellitus in a 10-year diabetes cohort study. Scientific Reports, 2021, 11, 8047.	3.3	8
36	Translation and Validation of a Condom Self-Efficacy Scale (CSES) Chinese Version. AIDS Education and Prevention, 2016, 28, 499-510.	1.1	7

#	Article	lF	Citations
37	Ten-year risk prediction models of complications and mortality of Chinese patients with diabetes mellitus in primary care in Hong Kong: a study protocol. BMJ Open, 2018, 8, e023070.	1.9	7
38	Evaluation of the outcomes of care of nurseâ€led continence care clinics for Chinese patients with lower urinary tract symptoms, a 2â€year prospective longitudinal study. Journal of Advanced Nursing, 2017, 73, 1158-1171.	3 <b>.</b> 3	6
39	An evidence-based first consultation for depression: nine key messages. British Journal of General Practice, 2018, 68, 200-201.	1.4	6
40	Non″aboratoryâ€based risk assessment model for case detection of diabetes mellitus and preâ€diabetes in primary care. Journal of Diabetes Investigation, 2022, 13, 1374-1386.	2.4	6
41	Cultural adaptation and content validity of a Chinese translation of the †Person-Centered Primary Care Measure': findings from cognitive debriefing. Family Medicine and Community Health, 2020, 8, e000621.	1.6	5
42	Classification Rule for 5-year Cardiovascular Diseases Risk using decision tree in Primary Care Chinese Patients with Type 2 Diabetes Mellitus. Scientific Reports, 2017, 7, 15238.	3.3	4
43	Retrospective cohort study to investigate the 10-year trajectories of disease patterns in patients with hypertension and/or diabetes mellitus on subsequent cardiovascular outcomes and health service utilisation: a study protocol. BMJ Open, 2021, 11, e038775.	1.9	3
44	Association Between Team-Based Continuity of Care and Risk of Cardiovascular Diseases Among Patients With Diabetes: A Retrospective Cohort Study. Diabetes Care, 2022, 45, 1162-1169.	8.6	3
45	Lower urinary tract symptoms and health-related quality of life in Hong Kong primary care: a cross-sectional study. Quality of Life Research, 2020, 29, 1311-1321.	3.1	2
46	Effectiveness of routine measurement of health-related quality of life in improving the outcomes of patients with musculoskeletal problems—a cluster randomised controlled trial: protocol paper. BMJ Open, 2020, 10, e040373.	1.9	2
47	The association between trajectories of risk factors and risk of cardiovascular disease or mortality among patients with diabetes or hypertension: A systematic review. PLoS ONE, 2022, 17, e0262885.	2.5	2
48	Exploration of the psychometric properties of the Person-Centred Primary Care Measure (PCPCM) in a Chinese primary care population in Hong Kong: a cross-sectional validation study. BMJ Open, 2021, 11, e052655.	1.9	1
49	What shapes student attitudes to providing psychological care?. Medical Education, 2012, 46, 1131-1132.	2.1	0
50	Identifying and articulating the student experience in the Intercalated Enrichment Year. BMC Medical Education, 2022, 22, 246.	2.4	0
51	Development and validation of a diabetes mellitus and prediabetes risk prediction function for case finding in primary care in Hong Kong: a cross-sectional study and a prospective study protocol paper. BMJ Open, 2022, 12, e059430.	1.9	0