

Weng Yee Chin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9924999/publications.pdf>

Version: 2024-02-01

51
papers

965
citations

471509

17
h-index

501196

28
g-index

51
all docs

51
docs citations

51
times ranked

1453
citing authors

#	ARTICLE	IF	CITATIONS
1	The association between trajectories of risk factors and risk of cardiovascular disease or mortality among patients with diabetes or hypertension: A systematic review. <i>PLoS ONE</i> , 2022, 17, e0262885.	2.5	2
2	Non-laboratory-based risk assessment model for case detection of diabetes mellitus and pre-diabetes in primary care. <i>Journal of Diabetes Investigation</i> , 2022, 13, 1374-1386.	2.4	6
3	Association Between Team-Based Continuity of Care and Risk of Cardiovascular Diseases Among Patients With Diabetes: A Retrospective Cohort Study. <i>Diabetes Care</i> , 2022, 45, 1162-1169.	8.6	3
4	Identifying and articulating the student experience in the Intercalated Enrichment Year. <i>BMC Medical Education</i> , 2022, 22, 246.	2.4	0
5	Development and validation of a diabetes mellitus and prediabetes risk prediction function for case finding in primary care in Hong Kong: a cross-sectional study and a prospective study protocol paper. <i>BMJ Open</i> , 2022, 12, e059430.	1.9	0
6	Retrospective cohort study to investigate the 10-year trajectories of disease patterns in patients with hypertension and/or diabetes mellitus on subsequent cardiovascular outcomes and health service utilisation: a study protocol. <i>BMJ Open</i> , 2021, 11, e038775.	1.9	3
7	Greater variability in lipid measurements associated with kidney diseases in patients with type 2 diabetes mellitus in a 10-year diabetes cohort study. <i>Scientific Reports</i> , 2021, 11, 8047.	3.3	8
8	Primary-level worker interventions for the care of people living with mental disorders and distress in low- and middle-income countries. <i>The Cochrane Library</i> , 2021, 2021, CD009149.	2.8	47
9	Prevalence of depression and suicide ideation in Hong Kong doctors: a cross-sectional study. <i>Scientific Reports</i> , 2021, 11, 19366.	3.3	9
10	Exploration of the psychometric properties of the Person-Centred Primary Care Measure (PCPCM) in a Chinese primary care population in Hong Kong: a cross-sectional validation study. <i>BMJ Open</i> , 2021, 11, e052655.	1.9	1
11	Lower urinary tract symptoms and health-related quality of life in Hong Kong primary care: a cross-sectional study. <i>Quality of Life Research</i> , 2020, 29, 1311-1321.	3.1	2
12	Association of visit-to-visit variability of systolic blood pressure with cardiovascular disease, chronic kidney disease and mortality in patients with hypertension. <i>Journal of Hypertension</i> , 2020, 38, 943-953.	0.5	13
13	Cultural adaptation and content validity of a Chinese translation of the "Person-Centered Primary Care Measure™": findings from cognitive debriefing. <i>Family Medicine and Community Health</i> , 2020, 8, e000621.	1.6	5
14	Prevalence and severity of burnout in Hong Kong doctors up to 20 years post-graduation: a cross-sectional study. <i>BMJ Open</i> , 2020, 10, e040178.	1.9	13
15	The Impact of Cardiovascular Disease and Chronic Kidney Disease on Life Expectancy and Direct Medical Cost in a 10-Year Diabetes Cohort Study. <i>Diabetes Care</i> , 2020, 43, 1750-1758.	8.6	24
16	Age-specific associations of glycosylated haemoglobin variability with cardiovascular disease and mortality in patients with type 2 diabetes mellitus: A 10-year cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1316-1327.	4.4	15
17	Effectiveness of routine measurement of health-related quality of life in improving the outcomes of patients with musculoskeletal problems—a cluster randomised controlled trial: protocol paper. <i>BMJ Open</i> , 2020, 10, e040373.	1.9	2
18	Evaluation of the responsiveness of Short Form-12 Health Survey version 2 (SF-12v2) in Chinese patients with hypertension in primary care. <i>Quality of Life Research</i> , 2019, 28, 2851-2857.	3.1	8

#	ARTICLE	IF	CITATIONS
19	Association of Blood Pressure and Risk of Cardiovascular and Chronic Kidney Disease in Hong Kong Hypertensive Patients. <i>Hypertension</i> , 2019, 74, 331-340.	2.7	27
20	Cultural adaptation and psychometric properties of the Chinese Burden of Treatment Questionnaire (C-TBQ) in primary care patients with multi-morbidity. <i>Family Practice</i> , 2019, 36, 657-665.	1.9	9
21	The mediating role of sleep quality in the association between nocturia and health-related quality of life. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 181.	2.4	27
22	A prospective cohort study to investigate parental stress and child health in low-income Chinese families: protocol paper. <i>BMJ Open</i> , 2018, 8, e018792.	1.9	12
23	An evidence-based first consultation for depression: nine key messages. <i>British Journal of General Practice</i> , 2018, 68, 200-201.	1.4	6
24	Effect of Achieved Systolic Blood Pressure on Cardiovascular Outcomes in Patients With Type 2 Diabetes: A Population-Based Retrospective Cohort Study. <i>Diabetes Care</i> , 2018, 41, 1134-1141.	8.6	25
25	Development of a cardiovascular diseases risk prediction model and tools for Chinese patients with type 2 diabetes mellitus: a population-based retrospective cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 309-318.	4.4	26
26	Five-Year Effectiveness of the Multidisciplinary Risk Assessment and Management Programme "Diabetes Mellitus (RAMP-DM) on Diabetes-Related Complications and Health Service Uses" A Population-Based and Propensity-Matched Cohort Study. <i>Diabetes Care</i> , 2018, 41, 49-59.	8.6	82
27	Ten-year risk prediction models of complications and mortality of Chinese patients with diabetes mellitus in primary care in Hong Kong: a study protocol. <i>BMJ Open</i> , 2018, 8, e023070.	1.9	7
28	Evaluation of the internal and external responsiveness of Short Form-12 Health Survey version 2 (SF-12v2) in patients with type 2 diabetes mellitus. <i>Quality of Life Research</i> , 2018, 27, 2459-2469.	3.1	8
29	Prediction of five-year all-cause mortality in Chinese patients with type 2 diabetes mellitus " A population-based retrospective cohort study. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 939-944.	2.3	19
30	Do We Need a Patient-Centered Target for Systolic Blood Pressure in Hypertensive Patients With Type 2 Diabetes Mellitus?. <i>Hypertension</i> , 2017, 70, 1273-1282.	2.7	12
31	Effect of Multifactorial Treatment Targets and Relative Importance of Hemoglobin A1c, Blood Pressure, and Low-Density Lipoprotein Cholesterol on Cardiovascular Diseases in Chinese Primary Care Patients With Type 2 Diabetes Mellitus: A Population-Based Retrospective Cohort Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	37
32	Evaluation of the outcomes of care of nurse-led continence care clinics for Chinese patients with lower urinary tract symptoms, a 2-year prospective longitudinal study. <i>Journal of Advanced Nursing</i> , 2017, 73, 1158-1171.	3.3	6
33	Classification Rule for 5-year Cardiovascular Diseases Risk using decision tree in Primary Care Chinese Patients with Type 2 Diabetes Mellitus. <i>Scientific Reports</i> , 2017, 7, 15238.	3.3	4
34	Prediction of new onset of end stage renal disease in Chinese patients with type 2 diabetes mellitus " a population-based retrospective cohort study. <i>BMC Nephrology</i> , 2017, 18, 257.	1.8	33
35	Trajectory Pathways for Depressive Symptoms and Their Associated Factors in a Chinese Primary Care Cohort by Growth Mixture Modelling. <i>PLoS ONE</i> , 2016, 11, e0147775.	2.5	10
36	Mental Health Mediating the Relationship Between Symptom Severity and Health-Related Quality of Life in Patients with Lower Urinary Tract Symptoms. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2016, 8, 141-149.	1.3	25

#	ARTICLE	IF	CITATIONS
37	Translation and Validation of a Condom Self-Efficacy Scale (CSES) Chinese Version. <i>AIDS Education and Prevention</i> , 2016, 28, 499-510.	1.1	7
38	Health-related quality of life mediates associations between multi-morbidity and depressive symptoms in Chinese primary care patients. <i>Family Practice</i> , 2016, 33, 61-68.	1.9	13
39	Evaluation of the internal and external responsiveness of the Pressure Ulcer Scale for Healing (<sc>PUSH</sc>) tool for assessing acute and chronic wounds. <i>Journal of Advanced Nursing</i> , 2016, 72, 1134-1143.	3.3	47
40	Association of Hemoglobin A1c Levels With Cardiovascular Disease and Mortality in Chinese Patients With Diabetes. <i>Journal of the American College of Cardiology</i> , 2016, 67, 456-458.	2.8	18
41	Mental health of Chinese primary care patients with lower urinary tract symptoms. <i>Psychology, Health and Medicine</i> , 2016, 21, 113-127.	2.4	16
42	Association of more negative attitude towards commencing insulin with lower glycosylated hemoglobin (HbA1c) level: a survey on insulin-naïve type 2 diabetes mellitus Chinese patients. <i>Journal of Diabetes and Metabolic Disorders</i> , 2015, 15, 3.	1.9	9
43	The test-retest reliability of the <sc>Incontinence <sc>Questionnaire</sc> <sc>Urinary <sc>Incontinence <sc>Short <sc>Form</sc> (<sc>ICIQ</sc>-<sc>UI SF</sc>) for assessing type of urinary incontinence in males and females. <i>Journal of Clinical Nursing</i> , 2015, 24, 3742-3744.	3.0	8
44	The responsiveness of the International Prostate Symptom Score, Incontinence Impact Questionnaire and Depression, Anxiety and Stress Scale in patients with lower urinary tract symptoms. <i>Journal of Advanced Nursing</i> , 2015, 71, 1857-1870.	3.3	11
45	The Psychometric Properties of the Center for Epidemiologic Studies Depression Scale in Chinese Primary Care Patients: Factor Structure, Construct Validity, Reliability, Sensitivity and Responsiveness. <i>PLoS ONE</i> , 2015, 10, e0135131.	2.5	133
46	12-Month naturalistic outcomes of depressive disorders in Hong Kong's primary care. <i>Family Practice</i> , 2015, 32, 288-296.	1.9	16
47	Help-seeking intentions and subsequent 12-month mental health service use in Chinese primary care patients with depressive symptoms. <i>BMJ Open</i> , 2015, 5, e006730-e006730.	1.9	41
48	Detection and management of depression in adult primary care patients in Hong Kong: a cross-sectional survey conducted by a primary care practice-based research network. <i>BMC Family Practice</i> , 2014, 15, 30.	2.9	43
49	What shapes student attitudes to providing psychological care?. <i>Medical Education</i> , 2012, 46, 1131-1132.	2.1	0
50	Evaluation of the quality of care of a multi-disciplinary risk factor assessment and management programme (RAMP) for diabetic patients. <i>BMC Family Practice</i> , 2012, 13, 116.	2.9	50
51	The epidemiology and natural history of depressive disorders in Hong Kong's primary care. <i>BMC Family Practice</i> , 2011, 12, 129.	2.9	17