
Guy H Hans

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9945445/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Opioids and the Management of Chronic Severe Pain in the Elderly: Consensus Statement of an International Expert Panel with Focus on the Six Clinically Most Often Used World Health Organization step III Opioids (Buprenorphine, Fentanyl, Hydromorphone, Methadone, Morphine,) Tj ETQq1 1 0.7	784 <mark>3</mark> 14 rgB	T 700erlock
2	Peripheral input and its importance for central sensitization. Annals of Neurology, 2013, 74, 630-636.	5.3	202
3	Central Sensitization in Patients with Rheumatoid Arthritis: A Systematic Literature Review. Seminars in Arthritis and Rheumatism, 2012, 41, 556-567.	3.4	159
4	Local Injection of Endothelin-1 Produces Pain-Like Behavior and Excitation of Nociceptors in Rats. Journal of Neuroscience, 2001, 21, 5358-5366.	3.6	156
5	In the mind or in the brain? Scientific evidence for central sensitisation in chronic fatigue syndrome. European Journal of Clinical Investigation, 2012, 42, 203-212.	3.4	138
6	Behavioral signs of acute pain produced by application of endothelin-1 to rat sciatic nerve. NeuroReport, 1998, 9, 2279-2283.	1.2	132
7	The efficacy and safety of pregabalin in the treatment of neuropathic pain associated with chronic lumbosacral radiculopathy. Pain, 2010, 150, 420-427.	4.2	132
8	Topical 5% Lidocaine (Lignocaine) Medicated Plaster Treatment for Post-Herpetic Neuralgia. Clinical Drug Investigation, 2009, 29, 393-408.	2.2	110
9	Efficacy and tolerability of a 5% lidocaine medicated plaster for the topical treatment of post-herpetic neuralgia: results of a long-term study. Current Medical Research and Opinion, 2009, 25, 1295-1305.	1.9	83
10	Opioid Rotation in the Management of Chronic Pain: Where Is the Evidence?. Pain Practice, 2010, 10, 85-93.	1.9	83
11	Behavioral assessment of facial pain in rats: face grooming patterns after painful and non-painful sensory disturbances in the territory of the rat's infraorbital nerve. Pain, 1998, 76, 173-178.	4.2	82
12	Endogenous Pain Modulation in Response to Exercise in Patients with Rheumatoid Arthritis, Patients with Chronic Fatigue Syndrome and Comorbid Fibromyalgia, and Healthy Controls: A Doubleâ€Blind Randomized Controlled Trial. Pain Practice, 2015, 15, 98-106.	1.9	71
13	Endothelin-1-induced pain and hyperalgesia: A review of pathophysiology, clinical manifestations and future therapeutic options. Neuropeptides, 2008, 42, 119-132.	2.2	62
14	Levobupivacaine Combined with Sufentanil and Epinephrine for Intrathecal Labor Analgesia: A Comparison with Racemic Bupivacaine. Anesthesia and Analgesia, 2001, 93, 996-1000.	2.2	60
15	What is localized neuropathic pain? A first proposal to characterize and define a widely used term. Pain Management, 2012, 2, 71-77.	1.5	56
16	Safe Use of Epidural Corticosteroid Injections: Recommendations of the WIP Benelux Work Group. Pain Practice, 2019, 19, 61-92.	1.9	56
17	Methadone-Induced Toxic Leukoencephalopathy: MR Imaging and MR Proton Spectroscopy Findings. American Journal of Neuroradiology, 2010, 31, 565-566.	2.4	51
18	Pain assessment by pupil dilation reflex in response to noxious stimulation in anaesthetized adults. Acta Anaesthesiologica Scandinavica, 2018, 62, 1050-1056.	1.6	47

GUY H HANS

#	Article	IF	CITATIONS
19	A pharmacological treatment algorithm for localized neuropathic pain. Current Medical Research and Opinion, 2016, 32, 377-384.	1.9	45
20	Posterior epidural space depth: safety of the loss of resistance and hanging drop techniques. British Journal of Anaesthesia, 1999, 83, 807-809.	3.4	42
21	Buprenorphine—A review of its role in neuropathic pain. Journal of Opioid Management, 2007, 3, 195-206.	0.5	42
22	Neurosensory changes in a human model of endothelin-1 induced pain: A behavioral study. Neuroscience Letters, 2007, 418, 117-121.	2.1	40
23	Tapentadol Prolonged Release Versus Strong Opioids for Severe, Chronic Low Back Pain: Results of an Open-Label, Phase 3b Study. Advances in Therapy, 2013, 30, 229-259.	2.9	39
24	The diagnosis and management of neuropathic pain in daily practice in Belgium: an observational study. BMC Public Health, 2007, 7, 170.	2.9	38
25	Nociceptive sensitization by endothelin-1. Brain Research Reviews, 2009, 60, 36-42.	9.0	37
26	Transdermal buprenorphine – a critical appraisal of its role in pain management. Journal of Pain Research, 2009, 2, 117.	2.0	36
27	The 5% Lidocaine-Medicated Plaster: Its Inclusion in International Treatment Guidelines for Treating Localized Neuropathic Pain, and Clinical Evidence Supporting its Use. Pain and Therapy, 2016, 5, 149-169.	3.2	35
28	Pharmacological characterization of acute pain behavior produced by application of endothelin-1 to rat sciatic nerve. Journal of Pain, 2000, 1, 46-53.	1.4	33
29	Management of neuropathic pain after surgical and non-surgical trauma with lidocaine 5% patches: study of 40 consecutive cases. Current Medical Research and Opinion, 2009, 25, 2737-2743.	1.9	31
30	Neuropathic Pain and Pharmacological Treatment. Pain Practice, 2014, 14, 283-295.	1.9	30
31	Influence of Morphine and Naloxone on Pain Modulation in Rheumatoid Arthritis, Chronic Fatigue Syndrome/Fibromyalgia, and Controls: A Doubleâ€Blind, Randomized, Placeboâ€Controlled, Crossâ€Over Study. Pain Practice, 2018, 18, 418-430.	1.9	30
32	Safety and efficacy outcomes of long-term treatment up to 4 years with 5% lidocaine medicated plaster in patients with post-herpetic neuralgia. Current Medical Research and Opinion, 2012, 28, 1337-1346.	1.9	29
33	Sensory processing and central pain modulation in patients with chronic shoulder pain: A case ontrol study. Scandinavian Journal of Medicine and Science in Sports, 2018, 28, 1183-1192.	2.9	26
34	Differential drug effects on spontaneous and evoked pain behavior in a model of trigeminal neuropathic pain. Journal of Pain Research, 2017, Volume 10, 279-286.	2.0	22
35	Chronic Constriction Injury of the Rat's Infraorbital Nerve (IoN-CCI) to Study Trigeminal Neuropathic Pain. Journal of Visualized Experiments, 2015, , .	0.3	21
36	Belgian consensus on chronic pancreatitis in adults and children: statements on diagnosis and nutritional, medical, and surgical treatment. Acta Gastro-Enterologica Belgica, 2014, 77, 47-65.	1.0	21

GUY H HANS

#	Article	IF	CITATIONS
37	Treatment of an acute severe central neuropathic pain syndrome by topical application of lidocaine 5% patch: a case report. Spinal Cord, 2008, 46, 311-313.	1.9	20
38	Outcome predictors for treatment success with 5% lidocaine medicated plaster in low back pain with neuropathic components and neuropathic pain after surgical and nonsurgical trauma. Journal of Pain Research, 2011, 4, 25.	2.0	19
39	Does acetaminophen activate endogenous pain inhibition in chronic fatigue syndrome/fibromyalgia and rheumatoid arthritis? A double-blind randomized controlled cross-over trial. Pain Physician, 2013, 16, E61-70.	0.4	17
40	A COST-UTILITY ANALYSIS OF PREGABALIN IN THE MANAGEMENT OF PERIPHERAL NEUROPATHIC PAIN. Acta Clinica Belgica, 2008, 63, 170-178.	1.2	16
41	A C-fiber–mediated neuropathic brachioradial pruritus. Journal of Neurosurgery, 2010, 113, 118-121.	1.6	16
42	ls an easy and reliable diagnosis of localized neuropathic pain (LNP) possible in general practice? Development of a screening tool based on IASP criteria. Current Medical Research and Opinion, 2014, 30, 1357-1366.	1.9	16
43	Pupillary dilation reflex and pupillary pain index evaluation during general anaesthesia: a pilot study. Romanian Journal of Anaesthesia and Intensive Care, 2018, 25, 19-23.	0.3	16
44	Flawed Study Design and Incorrect Presentation of Data Negatively Impact Potentially Useful Interventional Treatments for Patients with Low Back Pain: A Critical Review of <i><scp>JAMA</scp></i> 's MinT Study. Pain Practice, 2018, 18, 292-295.	1.9	15
45	Staff empowerment and engagement in a magnet® recognized and joint commission international accredited academic centre in Belgium: a cross-sectional survey. BMC Health Services Research, 2018, 18, 756.	2.2	14
46	Postherpetic neuralgia in Europe: The scale of the problem and outlook for the future. Journal of Clinical Gerontology and Geriatrics, 2013, 4, 102-108.	0.7	13
47	Behavioral study of non-evoked orofacial pain following different types of infraorbital nerve injury in rats. Physiology and Behavior, 2015, 138, 292-296.	2.1	13
48	Objective Nociceptive Assessment in Ventilated ICU Patients: A Feasibility Study Using Pupillometry and the Nociceptive Flexion Reflex. Journal of Visualized Experiments, 2018, , .	0.3	11
49	Treatment of breakthrough cancer pain: to titrate or to proportionate?. Current Medical Research and Opinion, 2013, 29, 1523-1526.	1.9	10
50	Thermal quantitative sensory testing to assess the sensory effects of three local anesthetic solutions in a randomized trial of interscalene blockade for shoulder surgery. Canadian Journal of Anaesthesia, 2016, 63, 46-55.	1.6	8
51	Impact of topical 5% lidocaine-medicated plasters on sleep and quality of life in patients with postherpetic neuralgia. Pain Management, 2016, 6, 229-239.	1.5	8
52	Orofacial neuropathic pain reduces spontaneous burrowing behavior in rats. Physiology and Behavior, 2018, 191, 91-94.	2.1	8
53	Localised neuropathic pain in the primary care setting: a cross-sectional study of prevalence, clinical characteristics, treatment patterns, quality of life and sleep performance. Current Medical Research and Opinion, 2021, 37, 293-302.	1.9	8
54	RECENT ADVANCES IN THE PHARMACOLOGY OF NERVE-INJURY PAIN. Neurologic Clinics, 1998, 16, 951-965.	1.8	6

Guy H Hans

#	Article	IF	CITATIONS
55	Low back pain. Lancet, The, 2018, 392, 2548-2549.	13.7	5
56	A low dose of three local anesthetic solutions for interscalene blockade tested by thermal quantitative sensory testing: a randomized controlled trial. Journal of Clinical Monitoring and Computing, 2019, 33, 307-316.	1.6	5
57	Implementation of an Enhanced Recovery Pathway for Minimally Invasive Pectus Surgery: A Population-Based Cohort Study Evaluating Short- and Long-Term Outcomes Using eHealth Technology. JMIR Perioperative Medicine, 2018, 1, e10996.	1.0	4
58	Buprenorphine in the Treatment of Neuropathic Pain. ACS Symposium Series, 2013, , 103-123.	0.5	3
59	Effects of Stellate Ganglion Block on Analgesia Produced by Cervical Paravertebral Block as Established by Quantitative Sensory Testing: A Randomized Controlled Trial. Pain Medicine, 2018, 19, 2223-2235.	1.9	3
60	Preliminary Evaluation of a Web-Based Psychological Screening Tool in Adolescents Undergoing Minimally Invasive Pectus Surgery: Single-Center Observational Cohort Study. JMIR Mental Health, 2018, 5, e45.	3.3	3
61	Lidocaine 5% patch for localized neuropathic pain: progress for the patient, a new approach for the physician. Clinical Pharmacology: Advances and Applications, 2010, 2, 65.	1.2	2
62	Cerebral Activation during Von Frey Filament Stimulation in Subjects with Endothelin-1-Induced Mechanical Hyperalgesia: A Functional MRI Study. BioMed Research International, 2013, 2013, 1-11.	1.9	2
63	Upper rectus abdominis paralysis after robot-assisted thoracic oncology surgery with cryoanalgesia: A rare complication. JTCVS Techniques, 2021, 10, 534-537.	0.4	2
64	Altered sensitivity to mechanical stimulation during prolonged subcutaneous administration of endothelin-1 in rats. Journal of Pain Research, 2009, 2, 67.	2.0	1
65	Recommended Dexamethasone Dose for Epidural Administration: Response to the Comments of Koetsier. Pain Practice, 2019, 19, 345-346.	1.9	1
66	Leadership in Nursing Excellence. Journal of Nursing Administration, 2020, 50, 578-583.	1.4	1
67	Buprenorphine Analgesia in Chronic Pain. , 2013, , 109-137.		1
68	PPN5 A MODEL-BASED COST-UTILITY ANALYSIS OF LYRICAâ,,¢(PREGABALIN) VERSUS CURRENT PHARMACEUTICAL MANAGEMENT OF PERIPHERAL NEUROPATHIC PAIN. Value in Health, 2005, 8, A141.	0.3	0
69	Prise en charge de la douleur chronique en BelgiqueÂ: organisation et financement. Douleurs, 2016, 17, 6-12.	0.0	0
70	The Release of Dissolved Gases from Solution during Decompression after Hyperbaric Treatment: Effervescent Tables and Henry's Law. Anesthesiology, 2001, 95, 816-816.	2.5	0
71	Laboratory analysis of two Delta SARS-CoV-2 variant outbreaks in the Port of Antwerp. Acta Clinica Belgica, 2021, , 1-8.	1.2	0