

Einar Timdal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9945453/publications.pdf>

Version: 2024-02-01

22
papers

624
citations

933447

10
h-index

752698

20
g-index

22
all docs

22
docs citations

22
times ranked

897
citing authors

#	ARTICLE	IF	CITATIONS
1	Notes for genera: Ascomycota. Fungal Diversity, 2017, 86, 1-594.	12.3	213
2	New insights into classification and evolution of the Lecanoromycetes (Pezizomycotina, Ascomycota) from phylogenetic analyses of three ribosomal RNA- and two protein-coding genes. Mycologia, 2006, 98, 1088-1103.	1.9	140
3	Molecular systematics and character evolution in the lichen family Ramalinaceae (Ascomycota:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627 To	0.7	57
4	Molecular phylogenetics and taxonomy of <i>Hypocenomyce</i> sensu lato (Ascomycota:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 To 940-956.	0.7	56
5	OLICH: A reference library of DNA barcodes for Nordic lichens. Biodiversity Data Journal, 2019, 7, e36252.	0.8	27
6	Studies on Phyllopsora (Ramalinaceae) in Peru. Lichenologist, 2008, 40, 337-362.	0.8	24
7	Molecular phylogenetics and taxonomy of the Calvitimela aglaea complex (Tephromelataceae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627 To	1.9	18
8	Species delimitation, bioclimatic range, and conservation status of the threatened lichen <i>Fuscopannaria confusa</i> . Lichenologist, 2012, 44, 565-575.	0.8	17
9	Multiple, Distinct Intercontinental Lineages but Isolation of Australian Populations in a Cosmopolitan Lichen-Forming Fungal Taxon, <i>Psora decipiens</i> (Psoraceae, Ascomycota). Frontiers in Microbiology, 2018, 9, 283.	3.5	17
10	Studies on Eschatogonia (Ramalinaceae) in Peru. Lichenologist, 2008, 40, 31-38.	0.8	15
11	Towards an integrative taxonomy of <i>Phyllopsora</i> (Ramalinaceae). Lichenologist, 2019, 51, 323-392.	0.8	11
12	Three new species of <i>Krogia</i> (Ramalinaceae, lichenised Ascomycota) from the Paleotropics. MycoKeys, 2018, 40, 69-88.	1.9	6
13	A regional study of the genus <i>Phyllopsora</i> (Ramalinaceae) in Asia and Melanesia. MycoKeys, 2019, 53, 23-72.	1.9	5
14	<i>Squamarina</i> (lichenised fungi) species described from China belong to at least three unrelated genera. MycoKeys, 2020, 66, 135-157.	1.9	5
15	<i>Miriquidica ventosa</i> comb. nov., a Rediscovered Lichen. Bryologist, 1993, 96, 616.	0.6	2
16	<i>Rhizocarpon quinonum</i> , a new anthraquinone-containing species from the Alaska Peninsula. Lichenologist, 2016, 48, 367-375.	0.8	2
17	Three new species and one new combination of <i>Gypsoplaca</i> (lichenized Ascomycota) from the Hengduan Mountains in China. Mycological Progress, 2018, 17, 781-790.	1.4	2
18	<i>Phaeorrhiza</i> (Physciaceae), a new lichen genus record to China. Phytotaxa, 2021, 510, .	0.3	2

#	ARTICLE	IF	CITATIONS
19	Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 13. Italian Botanist, 0, 13, 1-17.	0.0	2
20	<i>Xylopsora canopeorum</i> (Umbilicariaceae), a new lichen species from the canopy of <i>Sequoia sempervirens</i> . MycoKeys, 2018, 30, 1-15.	1.9	1
21	(2687) Proposal to conserve the name <i>Phyllopsora</i> against <i>Triclinum</i> and <i>Crocynia</i> (<i>Ramalinaceae</i> , lichenized <i>Ascomycota</i>). Taxon, 2019, 68, 590-591.	0.7	1
22	The circumscription and phylogenetic position of <i>Bryonora</i> (Lecanoraceae, Ascomycota), with two additions to the genus. Mycologia, 0, , 1-17.	1.9	1