

# Einar Timdal

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9945453/publications.pdf>

Version: 2024-02-01

22  
papers

624  
citations

933447

10  
h-index

752698

20  
g-index

22  
all docs

22  
docs citations

22  
times ranked

897  
citing authors

#	ARTICLE	IF	CITATIONS
1	Phaeorrhiza (Physciaceae), a new lichen genus record to China. Phytotaxa, 2021, 510, .	0.3	2
2	Squamarina (lichenised fungi) species described from China belong to at least three unrelated genera. MycoKeys, 2020, 66, 135-157.	1.9	5
3	Towards an integrative taxonomy of Phyllopsora (Ramalinaceae). Lichenologist, 2019, 51, 323-392.	0.8	11
4	(2687) Proposal to conserve the name <i>Phyllopsora</i> against <i>Triclinum</i> and <i>Crocynia</i> ( <i>Ramalinaceae</i> , lichenized <i>Ascomycota</i> ). Taxon, 2019, 68, 590-591.	0.7	1
5	OLICH: A reference library of DNA barcodes for Nordic lichens. Biodiversity Data Journal, 2019, 7, e36252.	0.8	27
6	A regional study of the genus Phyllopsora (Ramalinaceae) in Asia and Melanesia. MycoKeys, 2019, 53, 23-72.	1.9	5
7	Three new species and one new combination of Gypsoplaca (lichenized Ascomycota) from the Hengduan Mountains in China. Mycological Progress, 2018, 17, 781-790.	1.4	2
8	Xylopsora canopeorum (Umbilicariaceae), a new lichen species from the canopy of Sequoia sempervirens. MycoKeys, 2018, 30, 1-15.	1.9	1
9	Molecular systematics and character evolution in the lichen family Ramalinaceae (Ascomycota:). Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 22	0.7	57
10	Multiple, Distinct Intercontinental Lineages but Isolation of Australian Populations in a Cosmopolitan Lichen-Forming Fungal Taxon, Psora decipiens (Psoraceae, Ascomycota). Frontiers in Microbiology, 2018, 9, 283.	3.5	17
11	Three new species of Krogia (Ramalinaceae, lichenised Ascomycota) from the Paleotropics. MycoKeys, 2018, 40, 69-88.	1.9	6
12	Notes for genera: Ascomycota. Fungal Diversity, 2017, 86, 1-594.	12.3	213
13	Rhizocarpon quinonum, a new anthraquinone-containing species from the Alaska Peninsula. Lichenologist, 2016, 48, 367-375.	0.8	2
14	Molecular phylogenetics and taxonomy of the Calvitimela aglaea complex (Tephromelataceae,). Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 22	1.9	18
15	Molecular phylogenetics and taxonomy of <i>Hypocenomyce</i> sensu lato (Ascomycota:). Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 22	0.7	56
16	Species delimitation, bioclimatic range, and conservation status of the threatened lichen Fuscopannaria confusa. Lichenologist, 2012, 44, 565-575.	0.8	17
17	Studies on Phyllopsora ( Ramalinaceae) in Peru. Lichenologist, 2008, 40, 337-362.	0.8	24
18	Studies on Eschatogonia (Ramalinaceae) in Peru. Lichenologist, 2008, 40, 31-38.	0.8	15

#	ARTICLE	IF	CITATIONS
19	New insights into classification and evolution of the Lecanoromycetes (Pezizomycotina, Ascomycota) from phylogenetic analyses of three ribosomal RNA- and two protein-coding genes. <i>Mycologia</i> , 2006, 98, 1088-1103.	1.9	140
20	<i>Miriquidica ventosa</i> comb. nov., a Rediscovered Lichen. <i>Bryologist</i> , 1993, 96, 616.	0.6	2
21	Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 13. <i>Italian Botanist</i> , 0, 13, 1-17.	0.0	2
22	The circumscription and phylogenetic position of <i>Bryonora</i> (Lecanoraceae, Ascomycota), with two additions to the genus. <i>Mycologia</i> , 0, , 1-17.	1.9	1