

# Valentina A Andreeva

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/995853/publications.pdf>

Version: 2024-02-01

97  
papers

3,602  
citations

117625

34  
h-index

155660

55  
g-index

98  
all docs

98  
docs citations

98  
times ranked

5538  
citing authors

#	ARTICLE	IF	CITATIONS
1	Diet and physical activity during the coronavirus disease 2019 (COVID-19) lockdown (March–May 2020): results from the French NutriNet-Sant� cohort study. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 924-938.	4.7	284
2	Comparison of the sociodemographic characteristics of the large NutriNet-Sant� e-cohort with French Census data: the issue of volunteer bias revisited. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 893-898.	3.7	145
3	Total and Specific Polyphenol Intakes in Midlife Are Associated with Cognitive Function Measured 13 Years Later. <i>Journal of Nutrition</i> , 2012, 142, 76-83.	2.9	131
4	Cross-Sectional and Longitudinal Associations of Different Sedentary Behaviors with Cognitive Performance in Older Adults. <i>PLoS ONE</i> , 2012, 7, e47831.	2.5	130
5	The Associations between Emotional Eating and Consumption of Energy-Dense Snack Foods Are Modified by Sex and Depressive Symptomatology. <i>Journal of Nutrition</i> , 2014, 144, 1264-1273.	2.9	127
6	Mediterranean diet and cognitive function: a French study. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 369-376.	4.7	125
7	Artificial sweeteners and cancer risk: Results from the NutriNet-Sant� population-based cohort study. <i>PLoS Medicine</i> , 2022, 19, e1003950.	8.4	108
8	A Healthy Dietary Pattern at Midlife Is Associated with Subsequent Cognitive Performance. <i>Journal of Nutrition</i> , 2012, 142, 909-915.	2.9	95
9	French adults' cognitive performance after daily supplementation with antioxidant vitamins and minerals at nutritional doses: a post hoc analysis of the Supplementation in Vitamins and Mineral Antioxidants (SU.VI.MAX) trial. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 892-899.	4.7	89
10	Comparison of Dietary Intakes Between a Large Online Cohort Study (Etude NutriNet-Sant�) and a Nationally Representative Cross-Sectional Study (Etude Nationale Nutrition Sant�) in France: Addressing the Issue of Generalizability in E-Epidemiology. <i>American Journal of Epidemiology</i> , 2016, 184, 660-669.	3.4	84
11	Cognitive function after supplementation with B vitamins and long-chain omega-3 fatty acids: ancillary findings from the SU.FOL.OM3 randomized trial. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 278-286.	4.7	80
12	Cross-cultural validity of the Intuitive Eating Scale-2. Psychometric evaluation in a sample of the general French population. <i>Appetite</i> , 2015, 84, 34-42.	3.7	80
13	Carotenoid-rich dietary patterns during midlife and subsequent cognitive function. <i>British Journal of Nutrition</i> , 2014, 111, 915-923.	2.3	75
14	Trajectories of Peer Social Influences as Long-term Predictors of Drug Use from Early Through Late Adolescence. <i>Journal of Youth and Adolescence</i> , 2009, 38, 454-465.	3.5	72
15	Long-term association between the dietary inflammatory index and cognitive functioning: findings from the SU.VI.MAX study. <i>European Journal of Nutrition</i> , 2017, 56, 1647-1655.	3.9	72
16	Fruit and vegetable intake and cognitive function in the SU.VI.MAX 2 prospective study. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1295-1303.	4.7	67
17	Omega 3 fatty acids and cognitive health in older people. <i>British Journal of Nutrition</i> , 2012, 107, S152-S158.	2.3	66
18	Spatial heterogeneity of the relationships between environmental characteristics and active commuting: towards a locally varying social ecological model. <i>International Journal of Health Geographics</i> , 2015, 14, 12.	2.5	64

#	ARTICLE	IF	CITATIONS
19	Circadian nutritional behaviours and cancer risk: New insights from the NutriNet-Sant� prospective cohort study: Disclaimers. <i>International Journal of Cancer</i> , 2018, 143, 2369-2379.	5.1	64
20	Intuitive eating is inversely associated with body weight status in the general population�based NutriNet-Sant� study. <i>Obesity</i> , 2016, 24, 1154-1161.	3.0	63
21	Acculturation and Sun-Safe Behaviors Among US Latinos: Findings From the 2005 Health Information National Trends Survey. <i>American Journal of Public Health</i> , 2009, 99, 734-741.	2.7	61
22	Sociodemographic, lifestyle and dietary correlates of dietary supplement use in a large sample of French adults: results from the NutriNet-Sant� cohort study. <i>British Journal of Nutrition</i> , 2013, 110, 1480-1491.	2.3	61
23	The Inflammatory Potential of the Diet Is Associated with Depressive Symptoms in Different Subgroups of the General Population. <i>Journal of Nutrition</i> , 2017, 147, 879-887.	2.9	60
24	Socioeconomic, Lifestyle and Dietary Factors Associated with Dietary Supplement Use during Pregnancy. <i>PLoS ONE</i> , 2013, 8, e70733.	2.5	49
25	Objective understanding of the Nutri-score front-of-pack label by European consumers and its effect on food choices: an online experimental study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 146.	4.6	48
26	Weight-Loss Strategies Used by the General Population: How Are They Perceived?. <i>PLoS ONE</i> , 2014, 9, e97834.	2.5	47
27	Walking and cycling for commuting, leisure and errands: relations with individual characteristics and leisure-time physical activity in a cross-sectional survey (the ACTI-Cit�s project). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 150.	4.6	46
28	Prospective association between adherence to the Mediterranean diet and risk of depressive symptoms in the French SU.VI.MAX cohort. <i>European Journal of Nutrition</i> , 2018, 57, 1225-1235.	3.9	45
29	Clustering of Midlife Lifestyle Behaviors and Subsequent Cognitive Function: A Longitudinal Study. <i>American Journal of Public Health</i> , 2014, 104, e170-e177.	2.7	44
30	Dual association between polyphenol intake and breast cancer risk according to alcohol consumption level: a prospective cohort study. <i>Breast Cancer Research and Treatment</i> , 2013, 137, 225-236.	2.5	43
31	Participant Profiles According to Recruitment Source in a Large Web-Based Prospective Study: Experience From the Nutrinet-Sant� Study. <i>Journal of Medical Internet Research</i> , 2013, 15, e205.	4.3	42
32	Supplementation with B vitamins or n�3 fatty acids and depressive symptoms in cardiovascular disease survivors: ancillary findings from the SUpplementation with FOLate, vitamins B-6 and B-12 and/or OMEga-3 fatty acids (SU.FOL.OM3) randomized trial. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 208-214.	4.7	41
33	Impulsivity is associated with food intake, snacking, and eating disorders in a general population. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 117-126.	4.7	40
34	Intuitive Eating Dimensions Were Differently Associated with Food Intake in the General Population�Based NutriNet-Sant� Study. <i>Journal of Nutrition</i> , 2017, 147, 61-69.	2.9	37
35	A Healthy Dietary Pattern at Midlife, Combined with a Regulated Energy Intake, Is Related to Increased Odds for Healthy Aging. <i>Journal of Nutrition</i> , 2015, 145, 2139-2145.	2.9	35
36	B Vitamin and/or �-3 Fatty Acid Supplementation and Cancer. <i>Archives of Internal Medicine</i> , 2012, 172, 540.	3.8	34

#	ARTICLE	IF	CITATIONS
37	Breast cancer screening utilization among Eastern European immigrant women worldwide: a systematic literature review and a focus on psychosocial barriers. <i>Psycho-Oncology</i> , 2013, 22, 2664-2675.	2.3	34
38	Motives for Participating in a Web-Based Nutrition Cohort According to Sociodemographic, Lifestyle, and Health Characteristics: The NutriNet-Sant� Cohort Study. <i>Journal of Medical Internet Research</i> , 2014, 16, e189.	4.3	34
39	Intake of specific nutrients and foods and hearing level measured 13 years later. <i>British Journal of Nutrition</i> , 2013, 109, 2079-2088.	2.3	31
40	Seeking health- and nutrition-related information on the Internet in a large population of French adults: results of the NutriNet-Sant� study. <i>British Journal of Nutrition</i> , 2016, 115, 2039-2046.	2.3	29
41	Quick and Easy Screening for Vitamin D Insufficiency in Adults. <i>Medicine (United States)</i> , 2016, 95, e2783.	1.0	29
42	Dietary Monounsaturated Fatty Acids Intake and Risk of Skin Photoaging. <i>PLoS ONE</i> , 2012, 7, e44490.	2.5	29
43	Cross-Sectional but Not Longitudinal Association Between n-3 Fatty Acid Intake and Depressive Symptoms: Results From the SU.VI.MAX 2 Study. <i>American Journal of Epidemiology</i> , 2012, 175, 979-987.	3.4	28
44	Demographic, socioeconomic, disease history, dietary and lifestyle cancer risk factors associated with alcohol consumption. <i>International Journal of Cancer</i> , 2014, 134, 445-459.	5.1	28
45	Association Between Adherence to the Mediterranean Diet at Midlife and Healthy Aging in a Cohort of French Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 347-354.	3.6	28
46	Nutritional risk factors for SARS-CoV-2 infection: a prospective study within the NutriNet-Sant� cohort. <i>BMC Medicine</i> , 2021, 19, 290.	5.5	26
47	Evidence of a cumulative effect of cardiometabolic disorders at midlife and subsequent cognitive function. <i>Age and Ageing</i> , 2015, 44, 648-654.	1.6	24
48	Sex-Specific Sociodemographic Correlates of Dietary Patterns in a Large Sample of French Elderly Individuals. <i>Nutrients</i> , 2016, 8, 484.	4.1	24
49	Healthy Aging 5 Years After a Period of Daily Supplementation With Antioxidant Nutrients: A Post Hoc Analysis of the French Randomized Trial SU.VI.MAX. <i>American Journal of Epidemiology</i> , 2015, 182, 694-704.	3.4	23
50	Changes in Sedentary Behaviours and Associations with Physical Activity through Retirement: A 6-Year Longitudinal Study. <i>PLoS ONE</i> , 2014, 9, e106850.	2.5	23
51	Association between dietary intake of n-3 polyunsaturated fatty acids and severity of skin photoaging in a middle-aged Caucasian population. <i>Journal of Dermatological Science</i> , 2013, 72, 233-239.	1.9	22
52	Dietary scores at midlife and healthy ageing in a French prospective cohort. <i>British Journal of Nutrition</i> , 2016, 116, 666-676.	2.3	20
53	International evidence for the effectiveness of the front-of-package nutrition label called Nutri-Score. <i>Central European Journal of Public Health</i> , 2021, 29, 76-79.	1.1	20
54	Are foods "healthy" or "healthier"? Front-of-pack labelling and the concept of healthiness applied to foods. <i>British Journal of Nutrition</i> , 2022, 127, 948-952.	2.3	20

#	ARTICLE	IF	CITATIONS
55	Cognitive Behavioral Theories Used to Explain Injection Risk Behavior Among Injection Drug Users: A Review and Suggestions for the Integration of Cognitive and Environmental Models. <i>Health Education and Behavior</i> , 2010, 37, 504-532.	2.5	19
56	Baseline Plasma Fatty Acids Profile and Incident Cardiovascular Events in the SU.FOL.OM3 Trial: The Evidence Revisited. <i>PLoS ONE</i> , 2014, 9, e92548.	2.5	18
57	Alcohol Consumption in Midlife and Cognitive Performance Assessed 13 Years Later in the SU.VI.MAX 2 Cohort. <i>PLoS ONE</i> , 2012, 7, e52311.	2.5	16
58	B Vitamin and/or n-3 Fatty Acid Supplementation and Health-Related Quality of Life: Ancillary Findings from the SU.FOL.OM3 Randomized Trial. <i>PLoS ONE</i> , 2014, 9, e84844.	2.5	16
59	Impact of the Front-of-Pack Label Nutri-Score on the Nutritional Quality of Food Choices in a Quasi-Experimental Trial in Catering. <i>Nutrients</i> , 2021, 13, 4530.	4.1	15
60	Concurrent Psychosocial Predictors of Sun Safety Among Middle School Youth*. <i>Journal of School Health</i> , 2008, 78, 374-381.	1.6	13
61	Midlife plasma vitamin D concentrations and performance in different cognitive domains assessed 13 years later. <i>British Journal of Nutrition</i> , 2015, 113, 1628-1637.	2.3	13
62	Lessons Learned From Methodological Validation Research in E-Epidemiology. <i>JMIR Public Health and Surveillance</i> , 2016, 2, e160.	2.6	13
63	Assessment of Response Consistency and Respective Participant Profiles in the Internet-based NutriNet-Sante Cohort. <i>American Journal of Epidemiology</i> , 2014, 179, 910-916.	3.4	12
64	Midlife Dietary Vitamin D Intake and Subsequent Performance in Different Cognitive Domains. <i>Annals of Nutrition and Metabolism</i> , 2014, 65, 81-89.	1.9	12
65	Macronutrient Intake in Relation to Migraine and Non-Migraine Headaches. <i>Nutrients</i> , 2018, 10, 1309.	4.1	12
66	Adherence to National Dietary Guidelines in Association with Oral Health Impact on Quality of Life. <i>Nutrients</i> , 2018, 10, 527.	4.1	12
67	How Computer Literacy and Socioeconomic Status Affect Attitudes Toward a Web-Based Cohort: Results From the NutriNet-Sant� Study. <i>Journal of Medical Internet Research</i> , 2015, 17, e34.	4.3	12
68	Age-Related Smoking Progression among Adolescents in China. <i>Journal of Adolescent Health</i> , 2006, 39, 686-693.	2.5	11
69	Sociodemographic profiles regarding bitter food consumption. Cross-sectional evidence from a general French population. <i>Appetite</i> , 2013, 67, 53-60.	3.7	11
70	Plasma vitamin D status and recurrent depressive symptoms in the French SU.VI.MAX cohort. <i>European Journal of Nutrition</i> , 2017, 56, 2289-2298.	3.9	11
71	Leisure-Time Physical Activity and Sedentary Behavior and Their Cross-Sectional Associations with Excessive Daytime Sleepiness in the French SU.VI.MAX-2 Study. <i>International Journal of Behavioral Medicine</i> , 2016, 23, 143-152.	1.7	10
72	Polish Consumers' Understanding of Different Front-of-Package Food Labels: A Randomized Experiment. <i>Foods</i> , 2022, 11, 134.	4.3	10

#	ARTICLE	IF	CITATIONS
73	Midlife Iron Status Is Inversely Associated with Subsequent Cognitive Performance, Particularly in Perimenopausal Women. <i>Journal of Nutrition</i> , 2013, 143, 1974-1981.	2.9	9
74	Prospective association between body mass index at midlife and healthy aging among French adults. <i>Obesity</i> , 2017, 25, 1254-1262.	3.0	9
75	Sex-specific associations of different anthropometric indices with acute and chronic insomnia. <i>European Journal of Public Health</i> , 2017, 27, 1026-1031.	0.3	9
76	A Comparison of Sugar Intake between Individuals with High and Low Trait Anxiety: Results from the NutriNet-Sant� Study. <i>Nutrients</i> , 2021, 13, 1526.	4.1	9
77	Determinants of Host Society Acculturation and Its Relationship with Health Behaviors and Outcomes: A New Research and Intervention Framework. <i>Journal of Immigrant and Minority Health</i> , 2015, 17, 1420-1426.	1.6	8
78	Adherence to dietary guidelines as a protective factor against chronic or recurrent depressive symptoms in the French SU.VI.MAX cohort. <i>Preventive Medicine</i> , 2016, 91, 335-343.	3.4	8
79	Alcoholic beverage consumption, smoking habits, and periodontitis: A cross-sectional investigation of the NutriNet-Sant� study. <i>Journal of Periodontology</i> , 2021, 92, 727-737.	3.4	8
80	Modulation of the association between plasma intercellular adhesion molecule-1 and cancer risk by n-3 PUFA intake: a nested case-control study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 944-950.	4.7	7
81	Are different vascular risk scores calculated at midlife uniformly associated with subsequent poor cognitive performance?. <i>Atherosclerosis</i> , 2015, 243, 286-292.	0.8	6
82	Dispositional optimism is associated with weight status, eating behavior, and eating disorders in a general population-based study. <i>International Journal of Eating Disorders</i> , 2020, 53, 1696-1708.	4.0	6
83	Trends in breastfeeding practices and mothers' experience in the French NutriNet-Sant� cohort. <i>International Breastfeeding Journal</i> , 2021, 16, 50.	2.6	6
84	Caffeine Intake and Its Sex-Specific Association with General Anxiety: A Cross-Sectional Analysis among General Population Adults. <i>Nutrients</i> , 2022, 14, 1242.	4.1	6
85	Need and Possibilities for Seat Belt Use Promotion in Bashkortostan, Russia. <i>Evaluation and the Health Professions</i> , 2008, 31, 282-289.	1.9	5
86	Host society acculturation and health practices and outcomes in the United States: Public health policy and research implications worldwide. <i>Journal of Public Health Policy</i> , 2014, 35, 278-291.	2.0	5
87	Dietary macronutrient intake according to sex and trait anxiety level among non-diabetic adults: a cross-sectional study. <i>Nutrition Journal</i> , 2021, 20, 78.	3.4	5
88	Glycaemic index, glycaemic load and cancer risk: results from the prospective NutriNet-Sant� cohort. <i>International Journal of Epidemiology</i> , 2022, 51, 250-264.	1.9	5
89	Moderated Mediation Regarding the Sun-Safe Behaviors of U.S. Latinos: Advancing the Theory and Evidence for Acculturation-Focused Research and Interventions. <i>Journal of Immigrant and Minority Health</i> , 2010, 12, 691-698.	1.6	4
90	Anxiety is a potential effect modifier of the association between red and processed meat consumption and cancer risk: findings from the NutriNet-Sant� cohort. <i>European Journal of Nutrition</i> , 2021, 60, 1887-1896.	3.9	4

#	ARTICLE	IF	CITATIONS
91	Resilience Is Associated with Less Eating Disorder Symptoms in the NutriNet-Sant� Cohort Study. International Journal of Environmental Research and Public Health, 2022, 19, 1471.	2.6	4
92	Reply to T Aalbers et al. American Journal of Clinical Nutrition, 2013, 97, 1412-1413.	4.7	3
93	Ultra-processed food intake and eating disorders: Cross-sectional associations among French adults. Journal of Behavioral Addictions, 2022, 11, 588-599.	3.7	3
94	Adapting Smoking Cessation Programming to the Bulgarian Context. Evaluation and the Health Professions, 2008, 31, 290-296.	1.9	2
95	Fermentable Oligosaccharides, Disaccharides, Monosaccharides, and Polyols (FODMAPs) and Cancer Risk in the Prospective NutriNet-Sant� Cohort. Journal of Nutrition, 2022, 152, 1059-1069.	2.9	2
96	Associations between Resilience and Food Intake Are Mediated by Emotional Eating in the NutriNet-Sant� Study. Journal of Nutrition, 2022, 152, 1907-1915.	2.9	2
97	Abstract P1-09-02: Risk of breast and other cancers associated with the consumption of artificial sweeteners: Results from the prospective NutriNet-Sant� cohort. Cancer Research, 2022, 82, P1-09-02-P1-09-02.	0.9	0