
Valentina A Andreeva

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/995853/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Are foods â€~healthy' or â€~healthier'? Front-of-pack labelling and the concept of healthiness applied to foods. British Journal of Nutrition, 2022, 127, 948-952.	2.3	20
2	Glycaemic index, glycaemic load and cancer risk: results from the prospective NutriNet-Santé cohort. International Journal of Epidemiology, 2022, 51, 250-264.	1.9	5
3	Fermentable Oligosaccharides, Disaccharides, Monosaccharides, and Polyols (FODMAPs) and Cancer Risk in the Prospective NutriNet-Santé Cohort. Journal of Nutrition, 2022, 152, 1059-1069.	2.9	2
4	Polish Consumers' Understanding of Different Front-of-Package Food Labels: A Randomized Experiment. Foods, 2022, 11, 134.	4.3	10
5	Resilience Is Associated with Less Eating Disorder Symptoms in the NutriNet-Santé Cohort Study. International Journal of Environmental Research and Public Health, 2022, 19, 1471.	2.6	4
6	Abstract P1-09-02: Risk of breast and other cancers associated with the consumption of artificial sweeteners: Results from the prospective NutriNet-Santé cohort. Cancer Research, 2022, 82, P1-09-02-P1-09-02.	0.9	0
7	Caffeine Intake and Its Sex-Specific Association with General Anxiety: A Cross-Sectional Analysis among General Population Adults. Nutrients, 2022, 14, 1242.	4.1	6
8	Artificial sweeteners and cancer risk: Results from the NutriNet-Santé population-based cohort study. PLoS Medicine, 2022, 19, e1003950.	8.4	108
9	Ultra-processed food intake and eating disorders: Cross-sectional associations among French adults. Journal of Behavioral Addictions, 2022, 11, 588-599.	3.7	3
10	Associations between Resilience and Food Intake Are Mediated by Emotional Eating in the NutriNet-Santé Study. Journal of Nutrition, 2022, 152, 1907-1915.	2.9	2
11	Anxiety is a potential effect modifier of the association between red and processed meat consumption and cancer risk: findings from the NutriNet-Santé cohort. European Journal of Nutrition, 2021, 60, 1887-1896.	3.9	4
12	Alcoholic beverage consumption, smoking habits, and periodontitis: A crossâ€sectional investigation of the NutriNetâ€Santé study. Journal of Periodontology, 2021, 92, 727-737.	3.4	8
13	International evidence for the effectiveness of the front-of-package nutrition label called Nutri-Score. Central European Journal of Public Health, 2021, 29, 76-79.	1.1	20
14	Diet and physical activity during the coronavirus disease 2019 (COVID-19) lockdown (March–May 2020): results from the French NutriNet-Santé cohort study. American Journal of Clinical Nutrition, 2021, 113, 924-938.	4.7	284
15	A Comparison of Sugar Intake between Individuals with High and Low Trait Anxiety: Results from the NutriNet-Santé Study. Nutrients, 2021, 13, 1526.	4.1	9
16	Trends in breastfeeding practices and mothers' experience in the French NutriNet-Santé cohort. International Breastfeeding Journal, 2021, 16, 50.	2.6	6
17	Dietary macronutrient intake according to sex and trait anxiety level among non-diabetic adults: a cross-sectional study. Nutrition Journal, 2021, 20, 78.	3.4	5
18	Nutritional risk factors for SARS-CoV-2 infection: a prospective study within the NutriNet-Santé cohort. BMC Medicine, 2021, 19, 290.	5.5	26

VALENTINA A ANDREEVA

#	Article	IF	CITATIONS
19	Impact of the Front-of-Pack Label Nutri-Score on the Nutritional Quality of Food Choices in a Quasi-Experimental Trial in Catering. Nutrients, 2021, 13, 4530.	4.1	15
20	Objective understanding of the Nutri-score front-of-pack label by European consumers and its effect on food choices: an online experimental study. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 146.	4.6	48
21	Dispositional optimism is associated with weight status, eating behavior, and eating disorders in a general populationâ€based study. International Journal of Eating Disorders, 2020, 53, 1696-1708.	4.0	6
22	Impulsivity is associated with food intake, snacking, and eating disorders in a general population. American Journal of Clinical Nutrition, 2019, 109, 117-126.	4.7	40
23	Association Between Adherence to the Mediterranean Diet at Midlife and Healthy Aging in a Cohort of French Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 347-354.	3.6	28
24	Prospective association between adherence to the Mediterranean diet and risk of depressive symptoms in the French SU.VI.MAX cohort. European Journal of Nutrition, 2018, 57, 1225-1235.	3.9	45
25	Macronutrient Intake in Relation to Migraine and Non-Migraine Headaches. Nutrients, 2018, 10, 1309.	4.1	12
26	Adherence to National Dietary Guidelines in Association with Oral Health Impact on Quality of Life. Nutrients, 2018, 10, 527.	4.1	12
27	Circadian nutritional behaviours and cancer risk: New insights from the NutriNetâ€santé prospective cohort study: Disclaimers. International Journal of Cancer, 2018, 143, 2369-2379.	5.1	64
28	Long-term association between the dietary inflammatory index and cognitive functioning: findings from the SU.VI.MAX study. European Journal of Nutrition, 2017, 56, 1647-1655.	3.9	72
29	Prospective association between body mass index at midlife and healthy aging among French adults. Obesity, 2017, 25, 1254-1262.	3.0	9
30	The Inflammatory Potential of the Diet Is Associated with Depressive Symptoms in Different Subgroups of the General Population. Journal of Nutrition, 2017, 147, 879-887.	2.9	60
31	Intuitive Eating Dimensions Were Differently Associated with Food Intake in the General Population–Based NutriNet-Santé Study. Journal of Nutrition, 2017, 147, 61-69.	2.9	37
32	Plasma vitamin D status and recurrent depressive symptoms in the French SU.VI.MAX cohort. European Journal of Nutrition, 2017, 56, 2289-2298.	3.9	11
33	Sex-specific associations of different anthropometric indices with acute and chronic insomnia. European Journal of Public Health, 2017, 27, 1026-1031.	0.3	9
34	Sex-Specific Sociodemographic Correlates of Dietary Patterns in a Large Sample of French Elderly Individuals. Nutrients, 2016, 8, 484.	4.1	24
35	Intuitive eating is inversely associated with body weight status in the general populationâ€based NutriNetâ€Santé study. Obesity, 2016, 24, 1154-1161.	3.0	63
36	Dietary scores at midlife and healthy ageing in a French prospective cohort. British Journal of Nutrition, 2016, 116, 666-676.	2.3	20

3

#	Article	IF	CITATIONS
37	Seeking health- and nutrition-related information on the Internet in a large population of French adults: results of the NutriNet-Santé study. British Journal of Nutrition, 2016, 115, 2039-2046.	2.3	29
38	Quick and Easy Screening for Vitamin D Insufficiency in Adults. Medicine (United States), 2016, 95, e2783.	1.0	29
39	Adherence to dietary guidelines as a protective factor against chronic or recurrent depressive symptoms in the French SU.VI.MAX cohort. Preventive Medicine, 2016, 91, 335-343.	3.4	8
40	Comparison of Dietary Intakes Between a Large Online Cohort Study (Etude NutriNet-Santé) and a Nationally Representative Cross-Sectional Study (Etude Nationale Nutrition Santé) in France: Addressing the Issue of Generalizability in E-Epidemiology. American Journal of Epidemiology, 2016, 184, 660-669.	3.4	84
41	Leisure-Time Physical Activity and Sedentary Behavior and Their Cross-Sectional Associations with Excessive Daytime Sleepiness in the French SU.VI.MAX-2 Study. International Journal of Behavioral Medicine, 2016, 23, 143-152.	1.7	10
42	Lessons Learned From Methodological Validation Research in E-Epidemiology. JMIR Public Health and Surveillance, 2016, 2, e160.	2.6	13
43	Midlife plasma vitamin D concentrations and performance in different cognitive domains assessed 13 years later. British Journal of Nutrition, 2015, 113, 1628-1637.	2.3	13
44	Walking and cycling for commuting, leisure and errands: relations with individual characteristics and leisure-time physical activity in a cross-sectional survey (the ACTI-Cités project). International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 150.	4.6	46
45	Comparison of the sociodemographic characteristics of the large NutriNet-Santé e-cohort with French Census data: the issue of volunteer bias revisited. Journal of Epidemiology and Community Health, 2015, 69, 893-898.	3.7	145
46	Determinants of Host Society Acculturation and Its Relationship with Health Behaviors and Outcomes: A New Research and Intervention Framework. Journal of Immigrant and Minority Health, 2015, 17, 1420-1426.	1.6	8
47	Spatial heterogeneity of the relationships between environmental characteristics and active commuting: towards a locally varying social ecological model. International Journal of Health Geographics, 2015, 14, 12.	2.5	64
48	Evidence of a cumulative effect of cardiometabolic disorders at midlife and subsequent cognitive function. Age and Ageing, 2015, 44, 648-654.	1.6	24
49	Healthy Aging 5 Years After a Period of Daily Supplementation With Antioxidant Nutrients: A Post Hoc Analysis of the French Randomized Trial SU.VI.MAX. American Journal of Epidemiology, 2015, 182, 694-704.	3.4	23
50	Are different vascular risk scores calculated at midlife uniformly associated with subsequent poor cognitive performance?. Atherosclerosis, 2015, 243, 286-292.	0.8	6
51	A Healthy Dietary Pattern at Midlife, Combined with a Regulated Energy Intake, Is Related to Increased Odds for Healthy Aging. Journal of Nutrition, 2015, 145, 2139-2145.	2.9	35
52	Cross-cultural validity of the Intuitive Eating Scale-2. Psychometric evaluation in a sample of the general French population. Appetite, 2015, 84, 34-42.	3.7	80
53	How Computer Literacy and Socioeconomic Status Affect Attitudes Toward a Web-Based Cohort: Results From the NutriNet-Santé Study. Journal of Medical Internet Research, 2015, 17, e34.	4.3	12
54	B Vitamin and/or n-3 Fatty Acid Supplementation and Health-Related Quality of Life: Ancillary Findings from the SU.FOL.OM3 Randomized Trial. PLoS ONE, 2014, 9, e84844.	2.5	16

VALENTINA A ANDREEVA

#	Article	IF	CITATIONS
55	Demographic, socioeconomic, disease history, dietary and lifestyle cancer risk factors associated with alcohol consumption. International Journal of Cancer, 2014, 134, 445-459.	5.1	28
56	Carotenoid-rich dietary patterns during midlife and subsequent cognitive function. British Journal of Nutrition, 2014, 111, 915-923.	2.3	75
57	Assessment of Response Consistency and Respective Participant Profiles in the Internet-based NutriNet-Sante Cohort. American Journal of Epidemiology, 2014, 179, 910-916.	3.4	12
58	Midlife Dietary Vitamin D Intake and Subsequent Performance in Different Cognitive Domains. Annals of Nutrition and Metabolism, 2014, 65, 81-89.	1.9	12
59	The Associations between Emotional Eating and Consumption of Energy-Dense Snack Foods Are Modified by Sex and Depressive Symptomatology. Journal of Nutrition, 2014, 144, 1264-1273.	2.9	127
60	Weight-Loss Strategies Used by the General Population: How Are They Perceived?. PLoS ONE, 2014, 9, e97834.	2.5	47
61	Host society acculturation and health practices and outcomes in the United States: Public health policy and research implications worldwide. Journal of Public Health Policy, 2014, 35, 278-291.	2.0	5
62	Clustering of Midlife Lifestyle Behaviors and Subsequent Cognitive Function: A Longitudinal Study. American Journal of Public Health, 2014, 104, e170-e177.	2.7	44
63	Baseline Plasma Fatty Acids Profile and Incident Cardiovascular Events in the SU.FOL.OM3 Trial: The Evidence Revisited. PLoS ONE, 2014, 9, e92548.	2.5	18
64	Changes in Sedentary Behaviours and Associations with Physical Activity through Retirement: A 6-Year Longitudinal Study. PLoS ONE, 2014, 9, e106850.	2.5	23
65	Motives for Participating in a Web-Based Nutrition Cohort According to Sociodemographic, Lifestyle, and Health Characteristics: The NutriNet-Santé Cohort Study. Journal of Medical Internet Research, 2014, 16, e189.	4.3	34
66	Dual association between polyphenol intake and breast cancer risk according to alcohol consumption level: a prospective cohort study. Breast Cancer Research and Treatment, 2013, 137, 225-236.	2.5	43
67	Sociodemographic profiles regarding bitter food consumption. Cross-sectional evidence from a general French population. Appetite, 2013, 67, 53-60.	3.7	11
68	Association between dietary intake of n-3 polyunsaturated fatty acids and severity of skin photoaging in a middle-aged Caucasian population. Journal of Dermatological Science, 2013, 72, 233-239.	1.9	22
69	Breast cancer screening utilization among Eastern European immigrant women worldwide: a systematic literature review and a focus on psychosocial barriers. Psycho-Oncology, 2013, 22, 2664-2675.	2.3	34
70	Sociodemographic, lifestyle and dietary correlates of dietary supplement use in a large sample of French adults: results from the NutriNet-Santé cohort study. British Journal of Nutrition, 2013, 110, 1480-1491.	2.3	61
71	Reply to T Aalbers et al. American Journal of Clinical Nutrition, 2013, 97, 1412-1413.	4.7	3
72	Midlife Iron Status Is Inversely Associated with Subsequent Cognitive Performance, Particularly in Perimenopausal Women. Journal of Nutrition, 2013, 143, 1974-1981.	2.9	9

VALENTINA A ANDREEVA

#	Article	IF	CITATIONS
73	Mediterranean diet and cognitive function: a French study. American Journal of Clinical Nutrition, 2013, 97, 369-376.	4.7	125
74	Intake of specific nutrients and foods and hearing level measured 13 years later. British Journal of Nutrition, 2013, 109, 2079-2088.	2.3	31
75	Socioeconomic, Lifestyle and Dietary Factors Associated with Dietary Supplement Use during Pregnancy. PLoS ONE, 2013, 8, e70733.	2.5	49
76	Participant Profiles According to Recruitment Source in a Large Web-Based Prospective Study: Experience From the Nutrinet-Santé Study. Journal of Medical Internet Research, 2013, 15, e205.	4.3	42
77	Modulation of the association between plasma intercellular adhesion molecule-1 and cancer risk by n-3 PUFA intake: a nested case-control study. American Journal of Clinical Nutrition, 2012, 95, 944-950.	4.7	7
78	Supplementation with B vitamins or nâ^'3 fatty acids and depressive symptoms in cardiovascular disease survivors: ancillary findings from the SUpplementation with FOLate, vitamins B-6 and B-12 and/or OMega-3 fatty acids (SU.FOL.OM3) randomized trial. American Journal of Clinical Nutrition, 2012, 96, 208-214.	4.7	41
79	Total and Specific Polyphenol Intakes in Midlife Are Associated with Cognitive Function Measured 13 Years Later3. Journal of Nutrition, 2012, 142, 76-83.	2.9	131
80	A Healthy Dietary Pattern at Midlife Is Associated with Subsequent Cognitive Performance. Journal of Nutrition, 2012, 142, 909-915.	2.9	95
81	Cross-Sectional but Not Longitudinal Association Between n-3 Fatty Acid Intake and Depressive Symptoms: Results From the SU.VI.MAX 2 Study. American Journal of Epidemiology, 2012, 175, 979-987.	3.4	28
82	B Vitamin and/or ω-3 Fatty Acid Supplementation and Cancer. Archives of Internal Medicine, 2012, 172, 540.	3.8	34
83	Alcohol Consumption in Midlife and Cognitive Performance Assessed 13 Years Later in the SU.VI.MAX 2 Cohort. PLoS ONE, 2012, 7, e52311.	2.5	16
84	Omega 3 fatty acids and cognitive health in older people. British Journal of Nutrition, 2012, 107, S152-S158.	2.3	66
85	Dietary Monounsaturated Fatty Acids Intake and Risk of Skin Photoaging. PLoS ONE, 2012, 7, e44490.	2.5	29
86	Cross-Sectional and Longitudinal Associations of Different Sedentary Behaviors with Cognitive Performance in Older Adults. PLoS ONE, 2012, 7, e47831.	2.5	130
87	French adults' cognitive performance after daily supplementation with antioxidant vitamins and minerals at nutritional doses: a post hoc analysis of the Supplementation in Vitamins and Mineral Antioxidants (SU.VI.MAX) trial. American Journal of Clinical Nutrition, 2011, 94, 892-899.	4.7	89
88	Cognitive function after supplementation with B vitamins and long-chain omega-3 fatty acids: ancillary findings from the SU.FOL.OM3 randomized trial. American Journal of Clinical Nutrition, 2011, 94, 278-286.	4.7	80
89	Fruit and vegetable intake and cognitive function in the SU.VI.MAX 2 prospective study. American Journal of Clinical Nutrition, 2011, 94, 1295-1303.	4.7	67
90	Moderated Mediation Regarding the Sun-Safe Behaviors of U.S. Latinos: Advancing the Theory and Evidence for Acculturation-Focused Research and Interventions. Journal of Immigrant and Minority Health, 2010, 12, 691-698.	1.6	4

#	Article	IF	CITATIONS
91	Cognitive Behavioral Theories Used to Explain Injection Risk Behavior Among Injection Drug Users: A Review and Suggestions for the Integration of Cognitive and Environmental Models. Health Education and Behavior, 2010, 37, 504-532.	2.5	19
92	Trajectories of Peer Social Influences as Long-term Predictors of Drug Use from Early Through Late Adolescence. Journal of Youth and Adolescence, 2009, 38, 454-465.	3.5	72
93	Acculturation and Sun-Safe Behaviors Among US Latinos: Findings From the 2005 Health Information National Trends Survey. American Journal of Public Health, 2009, 99, 734-741.	2.7	61
94	Concurrent Psychosocial Predictors of Sun Safety Among Middle School Youth*. Journal of School Health, 2008, 78, 374-381.	1.6	13
95	Adapting Smoking Cessation Programming to the Bulgarian Context. Evaluation and the Health Professions, 2008, 31, 290-296.	1.9	2
96	Need and Possibilities for Seat Belt Use Promotion in Bashkortostan, Russia. Evaluation and the Health Professions, 2008, 31, 282-289.	1.9	5
97	Age-Related Smoking Progression among Adolescents in China. Journal of Adolescent Health, 2006, 39, 686-693.	2.5	11