

# Sarah Byford

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/997544/publications.pdf>

Version: 2024-02-01

236  
papers

13,360  
citations

25034

57  
h-index

27406

106  
g-index

248  
all docs

248  
docs citations

248  
times ranked

12343  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | The Development and Internal Evaluation of a Predictive Model to Identify for Whom Mindfulness-Based Cognitive Therapy Offers Superior Relapse Prevention for Recurrent Depression Versus Maintenance Antidepressant Medication. <i>Clinical Psychological Science</i> , 2023, 11, 59-76.  | 4.0 | 5         |
| 2  | Autistic characteristics in eating disorders: Treatment adaptations and impact on clinical outcomes. <i>European Eating Disorders Review</i> , 2022, 30, 671-690.  | 4.1 | 21        |
| 3  | The feasibility of a strategy for the remote recruitment, consenting and assessment of recent referrals: a protocol for phase 1 of the On-Line Parent Training for the Initial Management of ADHD referrals (OPTIMA). <i>Pilot and Feasibility Studies</i> , 2022, 8, 1.   | 1.2 | 16        |
| 4  | Universal Mindfulness Training in Schools for Adolescents: a Scoping Review and Conceptual Model of Moderators, Mediators, and Implementation Factors. <i>Prevention Science</i> , 2022, 23, 934-953.  | 2.6 | 26        |
| 5  | Teachers' views on the acceptability and implementation of the Incredible Years Teacher Classroom Management programme in English (UK) primary schools from the STARS trial. <i>British Journal of Educational Psychology</i> , 2022, 92, 1160-1177.   | 2.9 | 2         |
| 6  | Contributing factors to healthcare costs in individuals with autism spectrum disorder: a systematic review. <i>BMC Health Services Research</i> , 2022, 22, 604.   | 2.2 | 4         |
| 7  | Effectiveness and cost-effectiveness of psychiatric mother and baby units: quasi-experimental study. <i>British Journal of Psychiatry</i> , 2022, 221, 628-636.  | 2.8 | 9         |
| 8  | Multisite randomised controlled trial of trauma-focused cognitive behaviour therapy for psychosis to reduce post-traumatic stress symptoms in people with co-morbid post-traumatic stress disorder and psychosis, compared to treatment as usual: study protocol for the STAR (Study of Trauma And) Tj ETQq0 0 0 rgBT /Overlök 10 Tf 5   | 1.6 | 8         |
| 9  | The clinical effectiveness and cost-effectiveness of a "stepping into day treatment" approach versus inpatient treatment as usual for anorexia nervosa in adult specialist eating disorder services (DAISIES) Tj ETQq1 1 0,784314 rgBT /Overlök 10 Tf 5<br>non-inferiority trial. <i>Trials</i> , 2022, 23, .  | 1.6 | 8         |
| 10 | Cost-effectiveness of screening tools for identifying depression in early pregnancy: a decision tree model. <i>BMC Health Services Research</i> , 2022, 22, .  | 2.2 | 5         |
| 11 | Perinatal mental health services in pregnancy and the year after birth: the ESMI research programme including RCT. <i>Programme Grants for Applied Research</i> , 2022, 10, 1-142.   | 1.0 | 9         |
| 12 | Children in foster care with symptoms of reactive attachment disorder: feasibility randomised controlled trial of a modified video-feedback parenting intervention. <i>BJPsych Open</i> , 2022, 8, .   | 0.7 | 1         |
| 13 | Effectiveness and cost-effectiveness of universal school-based mindfulness training compared with normal school provision in reducing risk of mental health problems and promoting well-being in adolescence: the MYRIAD cluster randomised controlled trial. <i>Evidence-Based Mental Health</i> , 2022, 25, 99-109.  | 4.5 | 62        |
| 14 | Effectiveness of universal school-based mindfulness training compared with normal school provision on teacher mental health and school climate: results of the MYRIAD cluster randomised controlled trial. <i>Evidence-Based Mental Health</i> , 2022, 25, 125-134.  | 4.5 | 18        |
| 15 | School-based mindfulness training in early adolescence: what works, for whom and how in the MYRIAD trial?. <i>Evidence-Based Mental Health</i> , 2022, 25, 117-124.  | 4.5 | 45        |
| 16 | Supported discharge service versus inpatient care evaluation (SITE): a randomised controlled trial comparing effectiveness of an intensive community care service versus inpatient treatment as usual for adolescents with severe psychiatric disorders: self-harm, functional impairment, and educational and clinical outcomes. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 1427-1436. | 4.7 | 18        |
| 17 | Cost and health impacts of adherence to the National Institute for Health and Care Excellence schizophrenia guideline recommendations. <i>British Journal of Psychiatry</i> , 2021, 218, 224-229.  | 2.8 | 11        |
| 18 | A novel approach for autism spectrum condition patients with eating disorders: Analysis of treatment cost savings. <i>European Eating Disorders Review</i> , 2021, 29, 514-518.  | 4.1 | 14        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | M.I.C.Eâ€™Mental Health Intervention for Children with Epilepsy: a randomised controlled, multi-centre clinical trial evaluating the clinical and cost-effectiveness of MATCH-ADTC in addition to usual care compared to usual care alone for children and young people with common mental health disorders and epilepsyâ€™study protocol. <i>Trials</i> , 2021, 22, 132. | 1.6 | 9         |
| 20 | Feasibility of telephone-delivered therapy for common mental health difficulties embedded in pediatric epilepsy clinics. <i>Epilepsy and Behavior</i> , 2021, 116, 107743.  | 1.7 | 8         |
| 21 | The Role of Schools in Early Adolescentsâ€™ Mental Health: Findings From the MYRIAD Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021, 60, 1467-1478.   | 0.5 | 31        |
| 22 | Update to the effectiveness and cost-effectiveness of a mindfulness training programme in schools compared with normal school provision (MYRIAD): study protocol for a randomised controlled trial. <i>Trials</i> , 2021, 22, 254.  | 1.6 | 12        |
| 23 | Supporting Parents & Kids Through Lockdown Experiences (SPARKLE): A digital parenting support app implemented in an ongoing general population cohort study during the COVID-19 pandemic: A structured summary of a study protocol for a randomised controlled trial. <i>Trials</i> , 2021, 22, 267.  | 1.6 | 11        |
| 24 | Overview and Use of Tools for Selecting Modelling Techniques in Health Economic Studies. <i>Pharmacoeconomics</i> , 2021, 39, 757-770.  | 3.3 | 3         |
| 25 | Challenges in developing capability measures for children and young people for use in the economic evaluation of health and care interventions. <i>Health Economics (United Kingdom)</i> , 2021, 30, 1990-2003.   | 1.7 | 6         |
| 26 | The Development and Internal Evaluation of a Predictive Model to Identify for Whom Mindfulness-Based Cognitive Therapy Offers Superior Relapse Prevention for Recurrent Depression Versus Maintenance Antidepressant Medication. <i>Biological Psychiatry</i> , 2021, 89, S36-S37.  | 1.3 | 1         |
| 27 | A video-feedback parenting intervention to prevent enduring behaviour problems in at-risk children aged 12â€™36 months: the Healthy Start, Happy Start RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-84.   | 2.8 | 3         |
| 28 | Cost-effectiveness of specialist eating disorders services for children and adolescents with anorexia nervosa: a national surveillance study. <i>Journal of Eating Disorders</i> , 2021, 9, 76.   | 2.7 | 2         |
| 29 | A Brief Home-Based Parenting Intervention to Reduce Behavior Problems in Young Children. <i>JAMA Pediatrics</i> , 2021, 175, 567.   | 6.2 | 27        |
| 30 | Using a pragmatically adapted, low-cost contingency management intervention to promote heroin abstinence in individuals undergoing treatment for heroin use disorder in UK drug services (PRAISE): a cluster randomised trial. <i>BMJ Open</i> , 2021, 11, e046371.   | 1.9 | 5         |
| 31 | DECRYPT trial: study protocol for a phase II randomised controlled trial of cognitive therapy for post-traumatic stress disorder (PTSD) in youth exposed to multiple traumatic stressors. <i>BMJ Open</i> , 2021, 11, e047600.  | 1.9 | 2         |
| 32 | The Reflective Fostering Programmeâ€™improving the wellbeing of children in care through a group intervention for foster carers: a randomised controlled trial. <i>Trials</i> , 2021, 22, 841.  | 1.6 | 4         |
| 33 | The Incredible Yearsâ€™ Teacher Classroom Management programme and its impact on teachersâ€™ professional self-efficacy, work-related stress, and general well-being: Results from the <scp>STARS</scp> randomized controlled trial. <i>British Journal of Educational Psychology</i> , 2020, 90, 330-348.  | 2.9 | 13        |
| 34 | Do sleep disturbances in depressed adolescents improve following psychological treatment for depression?. <i>Journal of Affective Disorders</i> , 2020, 262, 205-210.   | 4.1 | 15        |
| 35 | Refractory depression â€™ mechanisms and efficacy of radically open dialectical behaviour therapy (RefraMED): findings of a randomised trial on benefits and harms. <i>British Journal of Psychiatry</i> , 2020, 216, 204-212.  | 2.8 | 20        |
| 36 | Teachersâ€™ perceptions of the impact of the Incredible Yearsâ€™Teacher Classroom Management programme on their practice and on the social and emotional development of their pupils. <i>British Journal of Educational Psychology</i> , 2020, 90, 75-90.   | 2.9 | 10        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | An exploratory parallel-group randomised controlled trial of antenatal Guided Self-Help (plus usual) Tj ETQq1 1 0.784314 rgBT /Overlock<br>Disorders, 2020, 261, 187-197.   | 4.1  | 14        |
| 38 | Systematic review of the methods of health economic models assessing antipsychotic medication for schizophrenia. PLoS ONE, 2020, 15, e0234996.  | 2.5  | 5         |
| 39 | Evaluation of the Cost-effectiveness of Services for Schizophrenia in the UK Across the Entire Care Pathway in a Single Whole-Disease Model. JAMA Network Open, 2020, 3, e205888.   | 5.9  | 17        |
| 40 | Out of pocket expenses in obsessive compulsive disorder. Journal of Mental Health, 2020, , 1-6.   | 1.9  | 0         |
| 41 | Psychological interventions for people with psychotic experiences: A systematic review and meta-analysis of controlled and uncontrolled effectiveness and economic studies. Australian and New Zealand Journal of Psychiatry, 2020, 54, 673-695.  | 2.3  | 12        |
| 42 | Low-Intensity Guided Help Through Mindfulness (LIGHTMIND): study protocol for a randomised controlled trial comparing supported mindfulness-based cognitive therapy self-help to supported cognitive behavioural therapy self-help for adults experiencing depression. Trials, 2020, 21, 374. | 1.6  | 7         |
| 43 | Assertive outreach treatment versus care as usual for the treatment of high-need, high-cost alcohol related frequent attenders: study protocol for a randomised controlled trial. BMC Public Health, 2020, 20, 332.   | 2.9  | 4         |
| 44 | A Systematic Review of Economic Models Across the Entire Schizophrenia Pathway. Pharmacoeconomics, 2020, 38, 537-555.   | 3.3  | 6         |
| 45 | Multisystemic therapy versus management as usual in the treatment of adolescent antisocial behaviour (START): 5-year follow-up of a pragmatic, randomised, controlled, superiority trial. Lancet Psychiatry, the, 2020, 7, 420-430.   | 7.4  | 17        |
| 46 | Multisystemic therapy compared with management as usual for adolescents at risk of offending: the START II RCT. Health Services and Delivery Research, 2020, 8, 1-114.  | 1.4  | 3         |
| 47 | Training School Teachers to Deliver a Mindfulness Program: Exploring Scalability, Acceptability, Effectiveness, and Cost-effectiveness. Global Advances in Health and Medicine, 2020, 9, 216495612096473.   | 1.6  | 16        |
| 48 | The effectiveness and cost-effectiveness of the Incredible Years <sup>®</sup> Teacher Classroom Management programme in primary school children: results of the STARS cluster randomised controlled trial. Psychological Medicine, 2019, 49, 828-842.   | 4.5  | 35        |
| 49 | The Herts and Minds study: feasibility of a randomised controlled trial of Mentalization-Based Treatment versus usual care to support the wellbeing of children in foster care. BMC Psychiatry, 2019, 19, 215.  | 2.6  | 19        |
| 50 | Protocol for a quasi-experimental study of the effectiveness and cost-effectiveness of mother and baby units compared with general psychiatric inpatient wards and crisis resolution team services (The) Tj ETQq0 0 0.19 BT /Overlock 10 T  | 0.19 | 0         |
| 51 | Refractory depression â€” cost-effectiveness of radically open dialectical behaviour therapy: findings of economic evaluation of RefraMED trial. BJPsych Open, 2019, 5, e64.  | 0.7  | 3         |
| 52 | Psychometric properties of the five-level EuroQoL-5 dimension and Short Form-6 dimension measures of health-related quality of life in a population of pregnant women with depression. BJPsych Open, 2019, 5, e88.  | 0.7  | 13        |
| 53 | Psychological interventions for people with psychotic experiences: protocol for a systematic review and meta-analysis. Systematic Reviews, 2019, 8, 124.  | 5.3  | 2         |
| 54 | Assessing feasibility of routine identification tools for mental health disorder in neurology clinics. Archives of Disease in Childhood, 2019, 104, 1161-1166.  | 1.9  | 12        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | For Baby's Sake: Intervention Development and Evaluation Design of a Whole-Family Perinatal Intervention to Break the Cycle of Domestic Abuse. <i>Journal of Family Violence</i> , 2019, 34, 539-551.  | 3.3 | 20        |
| 56 | Prognostic Implications for Adolescents With Depression Who Drop Out of Psychological Treatment During a Randomized Controlled Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019, 58, 983-992.                                     | 0.5 | 25        |
| 57 | Efficacy and cost-effectiveness of an adjunctive personalised psychosocial intervention in treatment-resistant maintenance opioid agonist therapy: a pragmatic, open-label, randomised controlled trial. <i>Lancet Psychiatry</i> , 2019, 6, 391-402.                    | 7.4 | 26        |
| 58 | Care experiences of young people with eating disorders and their parents: qualitative study. <i>BJPsych Open</i> , 2019, 5, e6.  | 0.7 | 45        |
| 59 | Cost-effectiveness analysis of telephone cognitive-behaviour therapy for adolescents with obsessive-compulsive disorder. <i>BJPsych Open</i> , 2019, 5, e7.  | 0.7 | 8         |
| 60 | Incidence of anorexia nervosa in young people in the UK and Ireland: a national surveillance study. <i>BMJ Open</i> , 2019, 9, e027339.  | 1.9 | 32        |
| 61 | Moderators and predictors of outcomes in telephone delivered compared to face-to-face cognitive behaviour therapy for paediatric obsessive-compulsive disorder: preliminary evidence from a non-inferiority RCT. <i>Cognitive Behaviour Therapy</i> , 2019, 48, 353-368. | 3.5 | 4         |
| 62 | Interaction structures between depressed adolescents and their therapists in short-term psychoanalytic psychotherapy and cognitive behavioural therapy. <i>Clinical Child Psychology and Psychiatry</i> , 2019, 24, 446-461.   | 1.6 | 15        |
| 63 | Psychological distress among primary school teachers: a comparison with clinical and population samples. <i>Public Health</i> , 2019, 166, 53-56.  | 2.9 | 24        |
| 64 | Alternative community-based models of care for young people with anorexia nervosa: the CostED national surveillance study. <i>Health Services and Delivery Research</i> , 2019, 7, 1-78.   | 1.4 | 10        |
| 65 | Extended-release naltrexone versus standard oral naltrexone versus placebo for opioid use disorder: the NEAT three-arm RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-72.  | 2.8 | 3         |
| 66 | Training teachers in classroom management to improve mental health in primary school children: the STARS cluster RCT. <i>Public Health Research</i> , 2019, 7, 1-150.  | 1.3 | 13        |
| 67 | Multisystemic therapy versus management as usual in the treatment of adolescent antisocial behaviour (START): a pragmatic, randomised controlled, superiority trial. <i>Lancet Psychiatry</i> , 2018, 5, 119-133.  | 7.4 | 63        |
| 68 | Accuracy of the Whooley questions and the Edinburgh Postnatal Depression Scale in identifying depression and other mental disorders in early pregnancy. <i>British Journal of Psychiatry</i> , 2018, 212, 50-56.   | 2.8 | 135       |
| 69 | Comparison of effectiveness and cost-effectiveness of an intensive community supported discharge service versus treatment as usual for adolescents with psychiatric emergencies: a randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 477-485.             | 7.4 | 70        |
| 70 | The cost of child and adolescent mental health services. <i>Lancet Psychiatry</i> , 2018, 5, 299-300.  | 7.4 | 23        |
| 71 | The Association Between Child and Family Characteristics and the Mental Health and Wellbeing of Caregivers of Children with Autism in Mid-Childhood. <i>Journal of Autism and Developmental Disorders</i> , 2018, 48, 1189-1198.   | 2.7 | 48        |
| 72 | Cost-effectiveness of cognitive therapy as an early intervention for post-traumatic stress disorder in children and adolescents: a trial based evaluation and model. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2018, 59, 773-780.       | 5.2 | 17        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | The Autism Family Experience Questionnaire (AFEQ): An Ecologically-Valid, Parent-Nominated Measure of Family Experience, Quality of Life and Prioritised Outcomes for Early Intervention. <i>Journal of Autism and Developmental Disorders</i> , 2018, 48, 1052-1062.   | 2.7  | 48        |
| 74 | 34.3 IMPROVING THE DETECTION OF INDIVIDUALS AT RISK OF DEVELOPING PSYCHOSIS IN PRIMARY MENTAL HEALTH CARE. <i>Schizophrenia Bulletin</i> , 2018, 44, S57-S57.   | 4.3  | 0         |
| 75 | Positive reinforcement targeting abstinence in substance misuse (PRAISE): Study protocol for a Cluster RCT & process evaluation of contingency management. <i>Contemporary Clinical Trials</i> , 2018, 71, 124-132.   | 1.8  | 3         |
| 76 | Radically open dialectical behaviour therapy for refractory depression: the RefraMED RCT. <i>Efficacy and Mechanism Evaluation</i> , 2018, 5, 1-112.  | 0.7  | 11        |
| 77 | Effectiveness of adjunctive, personalised psychosocial intervention for non-response to opioid agonist treatment: Study protocol for a pragmatic randomised controlled trial. <i>Contemporary Clinical Trials</i> , 2017, 53, 36-43.  | 1.8  | 12        |
| 78 | Care experiences of young people with eating disorders and their parents: a qualitative study. <i>Lancet, The</i> , 2017, 389, S70.   | 13.7 | 1         |
| 79 | Cognitive behavioural therapy and short-term psychoanalytical psychotherapy versus a brief psychosocial intervention in adolescents with unipolar major depressive disorder (IMPACT): a multicentre, pragmatic, observer-blind, randomised controlled superiority trial. <i>Lancet Psychiatry</i> , 2017, 4, 109-119. | 7.4  | 181       |
| 80 | The ward as emotional ecology: Adolescent experiences of managing mental health and distress in psychiatric inpatient settings. <i>Health and Place</i> , 2017, 46, 210-218.  | 3.3  | 34        |
| 81 | Assessing the validity of the ICECAP-A capability measure for adults with depression. <i>BMC Psychiatry</i> , 2017, 17, 46.   | 2.6  | 35        |
| 82 | The effectiveness and cost-effectiveness of a mindfulness training programme in schools compared with normal school provision (MYRIAD): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 194.  | 1.6  | 54        |
| 83 | Low-intensity cognitive-behaviour therapy interventions for obsessive-compulsive disorder compared to waiting list for therapist-led cognitive-behaviour therapy: 3-arm randomised controlled trial of clinical effectiveness. <i>PLoS Medicine</i> , 2017, 14, e1002337.   | 8.4  | 25        |
| 84 | Preventing enduring behavioural problems in young children through early psychological intervention (Healthy Start, Happy Start): study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 543.  | 1.6  | 11        |
| 85 | REFLECTIONS ON THE NICE DECISION TO REJECT PATIENT PRODUCTION LOSSES. <i>International Journal of Technology Assessment in Health Care</i> , 2017, 33, 638-643.   | 0.5  | 3         |
| 86 | Cognitive-behavioural therapy and short-term psychoanalytic psychotherapy versus brief psychosocial intervention in adolescents with unipolar major depression (IMPACT): a multicentre, pragmatic, observer-blind, randomised controlled trial. <i>Health Technology Assessment</i> , 2017, 21, 1-94.                 | 2.8  | 61        |
| 87 | Clinical effectiveness, cost-effectiveness and acceptability of low-intensity interventions in the management of obsessive-compulsive disorder: the Obsessive-Compulsive Treatment Efficacy randomised controlled Trial (OCTET). <i>Health Technology Assessment</i> , 2017, 21, 1-132.                               | 2.8  | 41        |
| 88 | Cost and Outcome of Behavioural Activation (COBRA): a randomised controlled trial of behavioural activation versus cognitive-behavioural therapy for depression. <i>Health Technology Assessment</i> , 2017, 21, 1-366.   | 2.8  | 24        |
| 89 | Cognitive-behaviour therapy for health anxiety in medical patients (CHAMP): a randomised controlled trial with outcomes to 5 years. <i>Health Technology Assessment</i> , 2017, 21, 1-58.   | 2.8  | 34        |
| 90 | An economic evaluation of contingency management for completion of hepatitis B vaccination in those on treatment for opiate dependence. <i>Addiction</i> , 2016, 111, 1616-1627.  | 3.3  | 8         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | Efficacy of Mindfulness-Based Cognitive Therapy in Prevention of Depressive Relapse. <i>JAMA Psychiatry</i> , 2016, 73, 565.  | 11.0 | 558       |
| 92  | Cost and Outcome of Behavioural Activation versus Cognitive Behavioural Therapy for Depression (COBRA): a randomised, controlled, non-inferiority trial. <i>Lancet, The</i> , 2016, 388, 871-880.   | 13.7 | 427       |
| 93  | Human trafficking and severe mental illness: an economic analysis of survivors's use of psychiatric services. <i>BMC Health Services Research</i> , 2016, 16, 284.  | 2.2  | 20        |
| 94  | Parent-mediated social communication therapy for young children with autism (PACT): long-term follow-up of a randomised controlled trial. <i>Lancet, The</i> , 2016, 388, 2501-2509.  | 13.7 | 367       |
| 95  | Depression: an exploratory parallel-group randomised controlled trial of Antenatal guided self help for Women (DAWN): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 503.  | 1.6  | 13        |
| 96  | Decision analytic model exploring the cost and cost-offset implications of street triage. <i>BMJ Open</i> , 2016, 6, e009670.   | 1.9  | 18        |
| 97  | Clinical characteristics associated with the prescribing of SSRI medication in adolescents with major unipolar depression. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 1287-1295.   | 4.7  | 8         |
| 98  | The effectiveness, acceptability and cost-effectiveness of psychosocial interventions for maltreated children and adolescents: an evidence synthesis. <i>Health Technology Assessment</i> , 2016, 20, 1-508.  | 2.8  | 32        |
| 99  | The basics of economic evaluation in mental healthcare. <i>BJ Psych Advances</i> , 2015, 21, 345-353.   | 0.7  | 8         |
| 100 | Lamotrigine versus inert placebo in the treatment of borderline personality disorder: study protocol for a randomized controlled trial and economic evaluation. <i>Trials</i> , 2015, 16, 308.  | 1.6  | 9         |
| 101 | Cost-effectiveness analysis of a communication-focused therapy for pre-school children with autism: results from a randomised controlled trial. <i>BMC Psychiatry</i> , 2015, 15, 316.  | 2.6  | 38        |
| 102 | Evaluation of multisystemic therapy pilot services in Services for Teens Engaging in Problem Sexual Behaviour (STEPS-B): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 492.   | 1.6  | 10        |
| 103 | Refractory depression: mechanisms and evaluation of radically open dialectical behaviour therapy (RO-DBT) [REFRAMED]: protocol for randomised trial. <i>BMJ Open</i> , 2015, 5, e008857.  | 1.9  | 24        |
| 104 | Comparing service use and costs among adolescents with autism spectrum disorders, special needs and typical development. <i>Autism</i> , 2015, 19, 562-569.   | 4.1  | 37        |
| 105 | Clinical effectiveness and cost-effectiveness of tailored intensive liaison between primary and secondary care to identify individuals at risk of a first psychotic illness (the LEGs study): a cluster-randomised controlled trial. <i>Lancet Psychiatry</i> , 2015, 2, 984-993. | 7.4  | 47        |
| 106 | Economic evaluations of contingency management in illicit drug misuse programmes: A systematic review. <i>Drug and Alcohol Review</i> , 2015, 34, 289-298.  | 2.1  | 19        |
| 107 | Effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse or recurrence (PREVENT): a randomised controlled trial. <i>Lancet, The</i> , 2015, 386, 63-73.             | 13.7 | 390       |
| 108 | The clinical and cost-effectiveness of brief advice for excessive alcohol consumption among people attending sexual health clinics: a randomised controlled trial. <i>Sexually Transmitted Infections</i> , 2015, 91, 37-43.  | 1.9  | 21        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 109 | Understanding influences on teachers' uptake and use of behaviour management strategies within the STARS trial: process evaluation protocol for a randomised controlled trial. <i>BMC Public Health</i> , 2015, 15, 119.  | 2.9  | 12        |
| 110 | Treatment mechanism in the MRC preschool autism communication trial: implications for study design and parent-focused therapy for children. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015, 56, 162-170.   | 5.2  | 95        |
| 111 | The effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse/recurrence: results of a randomised controlled trial (the PREVENT study). <i>Health Technology Assessment</i> , 2015, 19, 1-124. | 2.8  | 49        |
| 112 | O-90...Randomised controlled trial of joint crisis plans to reduce compulsory treatment for people with psychosis: Clinical outcomes and implementation. <i>BMJ Supportive and Palliative Care</i> , 2015, 5, A28.3-A28.  | 1.6  | 0         |
| 113 | Using generic preference-based measures in mental health: psychometric validity of the EQ-5D and SF-6D. <i>British Journal of Psychiatry</i> , 2014, 205, 236-243.  | 2.8  | 95        |
| 114 | Telephone Cognitive-Behavioral Therapy for Adolescents With Obsessive-Compulsive Disorder: A Randomized Controlled Non-inferiority Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 1298-1307.e2.   | 0.5  | 82        |
| 115 | Linking abuse and recovery through advocacy: an observational study. <i>Epidemiology and Psychiatric Sciences</i> , 2014, 23, 99-113.   | 3.9  | 28        |
| 116 | Cost and outcome of behavioural activation versus cognitive behaviour therapy for depression (COBRA): study protocol for a randomised controlled trial. <i>Trials</i> , 2014, 15, 29.   | 1.6  | 25        |
| 117 | Clinical and cost-effectiveness of cognitive behaviour therapy for health anxiety in medical patients: a multicentre randomised controlled trial. <i>Lancet, The</i> , 2014, 383, 219-225.  | 13.7 | 129       |
| 118 | Update to the study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment depressive relapse/recurrence: the PREVENT trial. <i>Trials</i> , 2014, 15, 217.  | 1.6  | 12        |
| 119 | Obsessive Compulsive Treatment Efficacy Trial (OCTET) comparing the clinical and cost effectiveness of self-managed therapies: study protocol for a randomised controlled trial. <i>Trials</i> , 2014, 15, 278.   | 1.6  | 10        |
| 120 | Restricted and Repetitive Behaviors in Autism Spectrum Disorders and Typical Development: Cross-Sectional and Longitudinal Comparisons. <i>Journal of Autism and Developmental Disorders</i> , 2014, 44, 1207-1219.   | 2.7  | 93        |
| 121 | The state of the art in European research on reducing social exclusion and stigma related to mental health: A systematic mapping of the literature. <i>European Psychiatry</i> , 2014, 29, 381-389.   | 0.2  | 110       |
| 122 | Authors' reply. <i>British Journal of Psychiatry</i> , 2014, 204, 241-242.  | 2.8  | 1         |
| 123 | The clinical effectiveness, cost-effectiveness and acceptability of community-based interventions aimed at improving or maintaining quality of life in children of parents with serious mental illness: a systematic review. <i>Health Technology Assessment</i> , 2014, 18, 1-250.                         | 2.8  | 99        |
| 124 | The clinical effectiveness and cost-effectiveness of brief intervention for excessive alcohol consumption among people attending sexual health clinics: a randomised controlled trial (SHEAR). <i>Health Technology Assessment</i> , 2014, 18, 1-48.  | 2.8  | 13        |
| 125 | A systematic review, psychometric analysis and qualitative assessment of generic preference-based measures of health in mental health populations and the estimation of mapping functions from widely used specific measures. <i>Health Technology Assessment</i> , 2014, 18, vii-viii, xiii-xxv, 1-188.    | 2.8  | 179       |
| 126 | Comparison of high and low intensity contact between secondary and primary care to detect people at ultra-high risk for psychosis: study protocol for a theory-based, cluster randomized controlled trial. <i>Trials</i> , 2013, 14, 222.   | 1.6  | 10        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 127 | Predictors of parent-child interaction style in dyads with autism. <i>Research in Developmental Disabilities</i> , 2013, 34, 3400-3410.   | 2.2  | 32        |
| 128 | Evaluation of multisystemic therapy pilot services in the Systemic Therapy for At Risk Teens (START) trial: study protocol for a randomised controlled trial. <i>Trials</i> , 2013, 14, 265.  | 1.6  | 14        |
| 129 | The validity and responsiveness of the EQ-5D measure of health-related quality of life in an adolescent population with persistent major depression. <i>Journal of Mental Health</i> , 2013, 22, 101-110.   | 1.9  | 30        |
| 130 | Clinical outcomes of Joint Crisis Plans to reduce compulsory treatment for people with psychosis: a randomised controlled trial. <i>Lancet</i> , 2013, 381, 1634-1641.  | 13.7 | 148       |
| 131 | Cost-effectiveness of injectable opioid treatment vs oral methadone for chronic heroin addiction. <i>British Journal of Psychiatry</i> , 2013, 203, 341-349.  | 2.8  | 66        |
| 132 | Joint crisis plans for people with borderline personality disorder: feasibility and outcomes in a randomised controlled trial. <i>British Journal of Psychiatry</i> , 2013, 202, 357-364.   | 2.8  | 55        |
| 133 | Economic Evaluation of Multisystemic Therapy for Young People at Risk for Continuing Criminal Activity in the UK. <i>PLoS ONE</i> , 2013, 8, e61070.  | 2.5  | 17        |
| 134 | Randomised Controlled Trial of Joint Crisis Plans to Reduce Compulsory Treatment for People with Psychosis: Economic Outcomes. <i>PLoS ONE</i> , 2013, 8, e74210.   | 2.5  | 31        |
| 135 | Group art therapy as an adjunctive treatment for people with schizophrenia: multicentre pragmatic randomised trial. <i>BMJ: British Medical Journal</i> , 2012, 344, e846-e846.   | 2.3  | 99        |
| 136 | Costs and outcomes of an intervention programme for offenders with personality disorders. <i>British Journal of Psychiatry</i> , 2012, 200, 336-341.  | 2.8  | 30        |
| 137 | An examination of the factors that influence costs in medical patients with health anxiety. <i>Journal of Psychosomatic Research</i> , 2012, 73, 59-62.   | 2.6  | 13        |
| 138 | Supporting teachers and children in schools: the effectiveness and cost-effectiveness of the incredible years teacher classroom management programme in primary school children: a cluster randomised controlled trial, with parallel economic and process evaluations. <i>BMC Public Health</i> , 2012, 12, 719. | 2.9  | 33        |
| 139 | Brief intervention for alcohol misuse in people attending sexual health clinics: study protocol for a randomized controlled trial. <i>Trials</i> , 2012, 13, 149.   | 1.6  | 4         |
| 140 | Service and Wider Societal Costs of Very Young Children with Autism in the UK. <i>Journal of Autism and Developmental Disorders</i> , 2012, 42, 797-804.  | 2.7  | 66        |
| 141 | Service and Wider Societal Costs of Very Young Children with Autism in the UK. <i>Journal of Autism and Developmental Disorders</i> , 2012, 42, 797.  | 2.7  | 2         |
| 142 | Group art therapy as an adjunctive treatment for people with schizophrenia: a randomised controlled trial (MATISSE). <i>Health Technology Assessment</i> , 2012, 16, iii-iv, 1-76.  | 2.8  | 45        |
| 143 | Impact of Treatment Success on Health Service Use and Cost in Depression. <i>Pharmacoeconomics</i> , 2011, 29, 157-170.   | 3.3  | 37        |
| 144 | FC14-05 - Parent-mediated communication-focused treatment for preschool children with autism (MRC) Tj ETQq0 0,0 rgBT /Qverlock 10   | 0.2  | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | CHAMP: Cognitive behaviour therapy for health anxiety in medical patients, a randomised controlled trial. <i>BMC Psychiatry</i> , 2011, 11, 99.   | 2.6 | 28        |
| 146 | Costs and longer-term savings of parenting programmes for the prevention of persistent conduct disorder: a modelling study. <i>BMC Public Health</i> , 2011, 11, 803.   | 2.9 | 74        |
| 147 | Improving mood with psychoanalytic and cognitive therapies (IMPACT): a pragmatic effectiveness superiority trial to investigate whether specialised psychological treatment reduces the risk for relapse in adolescents with moderate to severe unipolar depression: study protocol for a randomised controlled trial. <i>Trials</i> , 2011, 12, 175. | 1.6 | 106       |
| 148 | Group therapy for adolescents with repeated self harm: randomised controlled trial with economic evaluation. <i>BMJ: British Medical Journal</i> , 2011, 342, d682-d682.  | 2.3 | 96        |
| 149 | Alternatives to standard acute in-patient care in England: roles and populations served. <i>British Journal of Psychiatry</i> , 2010, 197, s6-s13.  | 2.8 | 19        |
| 150 | Alternatives to standard acute in-patient care in England: short-term clinical outcomes and cost-effectiveness. <i>British Journal of Psychiatry</i> , 2010, 197, s14-s19.  | 2.8 | 29        |
| 151 | Alternatives to standard acute in-patient care in England: readmissions, service use and cost after discharge. <i>British Journal of Psychiatry</i> , 2010, 197, s20-s25.   | 2.8 | 23        |
| 152 | Preschoolers with autism show greater impairment in receptive compared with expressive language abilities. <i>International Journal of Language and Communication Disorders</i> , 2010, 45, 681-690.  | 1.5 | 221       |
| 153 | The MATISSE study: a randomised trial of group art therapy for people with schizophrenia. <i>BMC Psychiatry</i> , 2010, 10, 65.   | 2.6 | 35        |
| 154 | CRIMSON [CRisis plan IMPact: Subjective and Objective coercion and eNgagement] Protocol: A randomised controlled trial of joint crisis plans to reduce compulsory treatment of people with psychosis. <i>Trials</i> , 2010, 11, 102.  | 1.6 | 27        |
| 155 | The effectiveness of joint crisis plans for people with borderline personality disorder: protocol for an exploratory randomised controlled trial. <i>Trials</i> , 2010, 11, 18.   | 1.6 | 16        |
| 156 | Study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment in the prevention of depressive relapse/recurrence: the PREVENT trial. <i>Trials</i> , 2010, 11, 99.  | 1.6 | 40        |
| 157 | Ethics and economics: the case for mental healthcare. <i>Advances in Psychiatric Treatment</i> , 2010, 16, 468-473.   | 0.5 | 6         |
| 158 | The successes and failures of the DSPD experiment: the assessment and management of severe personality disorder. <i>Medicine, Science and the Law</i> , 2010, 50, 95-99.  | 1.0 | 69        |
| 159 | A randomised controlled multicentre trial of treatments for adolescent anorexia nervosa including assessment of cost-effectiveness and patient acceptability – the TOuCAN trial. <i>Health Technology Assessment</i> , 2010, 14, 1-98.  | 2.8 | 80        |
| 160 | Residential alternatives to acute in-patient care in England: satisfaction, ward atmosphere and service user experiences. <i>British Journal of Psychiatry</i> , 2010, 197, s41-s45.  | 2.8 | 35        |
| 161 | Effectiveness and cost-effectiveness of admissions to women's crisis houses compared with traditional psychiatric wards: pilot patient-preference randomised controlled trial. <i>British Journal of Psychiatry</i> , 2010, 197, s32-s40.   | 2.8 | 33        |
| 162 | How does mindfulness-based cognitive therapy work?. <i>Behaviour Research and Therapy</i> , 2010, 48, 1105-1112.  | 3.1 | 633       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 163 | Parent-mediated communication-focused treatment in children with autism (PACT): a randomised controlled trial. <i>Lancet, The</i> , 2010, 375, 2152-2160.   | 13.7 | 645       |
| 164 | Valuing knowledge of the cost and cost-effectiveness of medicines. <i>The Psychiatrist</i> , 2010, 34, 369-370.   | 0.3  | 0         |
| 165 | The assessment of dangerous and severe personality disorder: lessons from a randomised controlled trial linked to qualitative analysis. <i>Journal of Forensic Psychiatry and Psychology</i> , 2009, 20, 132-146.                                 | 1.0  | 46        |
| 166 | Economic evaluations in evidence based healthcare. <i>Evidence-Based Mental Health</i> , 2009, 12, 36-39.   | 4.5  | 1         |
| 167 | Management, Leadership and Resources in Children's Homes: What Influences Outcomes in Residential Child-Care Settings?. <i>British Journal of Social Work</i> , 2009, 39, 828-845.  | 1.4  | 23        |
| 168 | Critique of the assessment phase of the DSPD programme. <i>Journal of Forensic Psychiatry and Psychology</i> , 2009, 20, 151-154.   | 1.0  | 0         |
| 169 | The assessment of dangerous and severe personality disorder: service use, cost, and consequences. <i>Journal of Forensic Psychiatry and Psychology</i> , 2009, 20, 120-131.   | 1.0  | 38        |
| 170 | Lifetime and current costs of supporting young adults who deliberately poisoned themselves in childhood and adolescence. <i>Journal of Mental Health</i> , 2009, 18, 297-306.   | 1.9  | 6         |
| 171 | Methodological Challenges in Evaluating the Effectiveness of Women's Crisis Houses Compared With Psychiatric Wards. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 722-727.  | 1.0  | 17        |
| 172 | Obstacles to the economic evaluation of specialist child and adolescent mental health services. , 2009, , 165-180.  |      | 2         |
| 173 | Is processing speed predictive of functional outcome in psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 437-444.  | 3.1  | 6         |
| 174 | Mindfulness-based cognitive therapy to prevent relapse in recurrent depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2008, 76, 966-978.  | 2.0  | 635       |
| 175 | A randomised controlled trial of cognitive behaviour therapy in adolescents with major depression treated by selective serotonin reuptake inhibitors. The ADAPT trial. <i>Health Technology Assessment</i> , 2008, 12, iii-iv, ix-60.             | 2.8  | 90        |
| 176 | Cost-effectiveness of selective serotonin reuptake inhibitors and routine specialist care with and without cognitive-behavioural therapy in adolescents with major depression. <i>British Journal of Psychiatry</i> , 2007, 191, 521-527.         | 2.8  | 89        |
| 177 | Economic evaluation of a randomised controlled trial for anorexia nervosa in adolescents. <i>British Journal of Psychiatry</i> , 2007, 191, 436-440.  | 2.8  | 103       |
| 178 | Clinical effectiveness of treatments for anorexia nervosa in adolescents. <i>British Journal of Psychiatry</i> , 2007, 191, 427-435.  | 2.8  | 213       |
| 179 | Selective serotonin reuptake inhibitors (SSRIs) and routine specialist care with and without cognitive behaviour therapy in adolescents with major depression: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2007, 335, 142. | 2.3  | 301       |
| 180 | Collecting service use data for economic evaluation in DSPD populations. <i>British Journal of Psychiatry</i> , 2007, 190, s75-s78.   | 2.8  | 19        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 181 | Comparison of alternative methods of collection of service use data for the economic evaluation of health care interventions. <i>Health Economics (United Kingdom)</i> , 2007, 16, 531-536.  | 1.7  | 64        |
| 182 | Joint crisis plans for people with psychosis: economic evaluation of a randomized controlled trial. <i>BMC Psychiatry</i> , 2007, 7, .   | 2.6  | 2         |
| 183 | Do care patterns change over time in a newly established mental health service? A report from the UK700 trial. <i>European Psychiatry</i> , 2006, 21, 300-306.   | 0.2  | 2         |
| 184 | Cost-effectiveness of screening and referral to an alcohol health worker in alcohol misusing patients attending an accident and emergency department: A decision-making approach. <i>Drug and Alcohol Dependence</i> , 2006, 81, 47-54.    | 3.2  | 84        |
| 185 | Mental health provision for young offenders: service use and cost. <i>British Journal of Psychiatry</i> , 2006, 188, 541-546.  | 2.8  | 63        |
| 186 | Methodology for the Randomised Injecting Opioid Treatment Trial (RIOTT): evaluating injectable methadone and injectable heroin treatment versus optimised oral methadone treatment in the UK. <i>Harm Reduction Journal</i> , 2006, 3, 28. | 3.2  | 41        |
| 187 | Mental health needs of young offenders in custody and in the community. <i>British Journal of Psychiatry</i> , 2006, 188, 534-540.   | 2.8  | 171       |
| 188 | Violence in women with psychosis in the community: Prospective study. <i>British Journal of Psychiatry</i> , 2006, 188, 264-270.   | 2.8  | 102       |
| 189 | Joint crisis plans for people with psychosis: economic evaluation of a randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2006, 333, 729.  | 2.3  | 54        |
| 190 | A guide to cost-effectiveness acceptability curves. <i>British Journal of Psychiatry</i> , 2005, 187, 106-108.   | 2.8  | 329       |
| 191 | Annotation: Economic evaluations of child and adolescent mental health interventions: a systematic review. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2005, 46, 919-930.                                   | 5.2  | 76        |
| 192 | Children with Complex Mental Health Problems: Needs, Costs and Predictors over One Year. <i>Child and Adolescent Mental Health</i> , 2005, 10, 170-178.  | 3.5  | 28        |
| 193 | The Nottingham study of neurotic disorder: predictors of 12 year costs. <i>Acta Psychiatrica Scandinavica</i> , 2005, 112, 224-232.  | 4.5  | 24        |
| 194 | Evidence of cost-effective treatments for depression: a systematic review. <i>Journal of Affective Disorders</i> , 2005, 84, 1-13.   | 4.1  | 103       |
| 195 | Service costs for severe personality disorder at a special hospital. <i>Criminal Behaviour and Mental Health</i> , 2005, 15, 184-190.  | 0.8  | 12        |
| 196 | Primary Prevention of Child Mental Health Problems using Primary Health Care Professionals: Cost Comparisons. <i>International Journal of Mental Health Promotion</i> , 2005, 7, 95-102.   | 0.8  | 5         |
| 197 | Screening and referral for brief intervention of alcohol-misusing patients in an emergency department: a pragmatic randomised controlled trial. <i>Lancet, The</i> , 2004, 364, 1334-1339.   | 13.7 | 252       |
| 198 | Internal vs. external care management in severe mental illness: Randomized controlled trial and qualitative study. <i>Journal of Mental Health</i> , 2004, 13, 453-466.  | 1.9  | 17        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Differential Effects of Manual Assisted Cognitive Behavior Therapy in the Treatment of Recurrent Deliberate Self-harm and Personality Disturbance: the Popmact Study. <i>Journal of Personality Disorders</i> , 2004, 18, 102-116.           | 1.4 | 96        |
| 200 | Cost-effectiveness of brief cognitive behaviour therapy versus treatment as usual in recurrent deliberate self-harm: a decision-making approach. <i>Psychological Medicine</i> , 2003, 33, 977-986.  | 4.5 | 75        |
| 201 | Randomized controlled trial of brief cognitive behaviour therapy versus treatment as usual in recurrent deliberate self-harm: the POPMACT study. <i>Psychological Medicine</i> , 2003, 33, 969-976.  | 4.5 | 181       |
| 202 | Service Variation in Baseline Variables and Prediction of Risk in a Randomised Controlled Trial of Psychological Treatment in Repeated Parasuicide: The Popmact Study. <i>International Journal of Social Psychiatry</i> , 2003, 49, 58-69.  | 3.1 | 29        |
| 203 | Economic Evaluation of Complex Health and Social Care Interventions. <i>National Institute Economic Review</i> , 2003, 186, 98-108.  | 0.6 | 26        |
| 204 | Meta-analysis of data on costs from trials of counselling in primary care: using individual patient data to overcome sample size limitations in economic analyses. <i>BMJ: British Medical Journal</i> , 2003, 326, 1247-1250.               | 2.3 | 38        |
| 205 | Research with unaccompanied children seeking asylum. <i>BMJ: British Medical Journal</i> , 2003, 327, 1400-1402.   | 2.3 | 28        |
| 206 | Developments in the quantity and quality of economic evaluations in mental health. <i>Current Opinion in Psychiatry</i> , 2003, 16, 703-707.   | 6.3 | 13        |
| 207 | Economic evaluation of complex health and social care interventions. <i>National Institute Economic Review</i> , 2003, 186, 98-108.  | 0.6 | 4         |
| 208 | Economic evaluation of complex health and social care interventions. <i>National Institute Economic Review</i> , 2003, 186, 98-108.  | 0.6 | 17        |
| 209 | Economics Notes: Economic modelling before clinical trials. <i>BMJ: British Medical Journal</i> , 2002, 325, 98-98.  | 2.3 | 12        |
| 210 | Cost-effectiveness of cognitive-behavioral therapy for depression: current evidence and future research priorities. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2002, 2, 457-465.                                      | 1.4 | 8         |
| 211 | Exposure to case management: Relationships to patient characteristics and outcome. <i>British Journal of Psychiatry</i> , 2002, 181, 236-241.  | 2.8 | 25        |
| 212 | The effect of alcohol consumption on cost of care in severe psychotic illness: a report from the UK700 study. <i>Acta Psychiatrica Scandinavica</i> , 2002, 106, 241-246.  | 4.5 | 8         |
| 213 | Factors that influence the cost of caring for patients with severe psychotic illness. <i>British Journal of Psychiatry</i> , 2001, 178, 441-447.   | 2.8 | 40        |
| 214 | Intellectual functioning and outcome of patients with severe psychotic illness randomised to intensive case management. <i>British Journal of Psychiatry</i> , 2001, 178, 166-171.   | 2.8 | 70        |
| 215 | Randomised controlled trial of non-directive counselling, cognitive-behaviour therapy, and usual general practitioner care for patients with depression. II: Cost effectiveness. <i>BMJ: British Medical Journal</i> , 2000, 321, 1389-1392. | 2.3 | 160       |
| 216 | Randomised comparison of the effectiveness and costs of community and hospital based mental health services for children with behavioural. <i>BMJ: British Medical Journal</i> , 2000, 321, 1047-1050.                                       | 2.3 | 65        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Effects of case-load size on the process of care of patients with severe psychotic illness. British Journal of Psychiatry, 2000, 177, 427-433.  | 2.8 | 0         |
| 218 | Effects of case-load size on the process of care of patients with severe psychotic illness. Report from the UK700 trial. British Journal of Psychiatry, 2000, 177, 427-433.   | 2.8 | 62        |
| 219 | Cost-effectiveness of intensive v. standard case management for severe psychotic illness. British Journal of Psychiatry, 2000, 176, 537-543.  | 2.8 | 74        |
| 220 | Economic Note: Cost of illness studies. BMJ: British Medical Journal, 2000, 320, 1335-1335.   | 2.3 | 244       |
| 221 | FC10.01 Outcome of Patients with Severe Mental Illness and Borderline Intellectual Functioning. European Psychiatry, 2000, 15, 291s-291s.   | 0.2 | 0         |
| 222 | Sustainable Aquaculture in the Twenty-First Century. Reviews in Fisheries Science, 2000, 8, 141-150.  | 2.1 | 54        |
| 223 | Randomised controlled trial of non-directive counselling, cognitive-behaviour therapy and usual general practitioner care in the management of depression as well as mixed anxiety and depression in primary care.. Health Technology Assessment, 2000, 4, .    | 2.8 | 196       |
| 224 | Randomised controlled trial of non-directive counselling, cognitive-behaviour therapy and usual general practitioner care in the management of depression as well as mixed anxiety and depression in primary care. Health Technology Assessment, 2000, 4, 1-83. | 2.8 | 37        |
| 225 | Cost-effectiveness analysis of a home-based social work intervention for children and adolescents who have deliberately poisoned themselves. British Journal of Psychiatry, 1999, 174, 56-62.   | 2.8 | 77        |
| 226 | Economics Notes: Types of economic evaluation. BMJ: British Medical Journal, 1999, 318, 1349-1349.  | 2.3 | 60        |
| 227 | Comparison of intensive and standard case management for patients with psychosis. British Journal of Psychiatry, 1999, 174, 74-78.  | 2.8 | 81        |
| 228 | Economic issues in nutrition research. Nutrition, 1998, 14, 248-250.  | 2.4 | 1         |
| 229 | Common Errors and Controversies in Pharmacoeconomic Analyses. Pharmacoeconomics, 1998, 13, 659-666.   | 3.3 | 29        |
| 230 | Randomized Trial of a Home-Based Family Intervention for Children Who Have Deliberately Poisoned Themselves. Journal of the American Academy of Child and Adolescent Psychiatry, 1998, 37, 512-518.   | 0.5 | 242       |
| 231 | Economics notes: Perspectives in economic evaluation. BMJ: British Medical Journal, 1998, 316, 1529-1530.   | 2.3 | 144       |
| 232 | Randomized trial of a home-based family intervention for children who have deliberately poisoned themselves. Journal of the American Academy of Child and Adolescent Psychiatry, 1998, 37, 512-8.   | 0.5 | 57        |
| 233 | Randomised trial comparing hysterectomy and transcervical endometrial resection: effect on health related quality of life and costs two years after surgery. BJOG: an International Journal of Obstetrics and Gynaecology, 1996, 103, 142-149.                  | 2.3 | 165       |
| 234 | Reflections on my role as a mental health service user co-applicant in a randomized control trial. Research for All, 0, 4, .  | 0.4 | 2         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | The Long-Term Impact of Multisystemic Therapy: An Experiential Study of the Adolescent-Young Adult Life Transition. <i>Journal of Adolescent Research</i> , 0, , 074355842110253.  | 2.1 | 5         |
| 236 | The Children and Young People Quality of Life Study: A protocol for the qualitative development of attributes for capability wellbeing measures for use in health economic evaluation with children and young people. <i>Wellcome Open Research</i> , 0, 7, 117. | 1.8 | 3         |