

# Aleksander Prejbisz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/997952/publications.pdf>

Version: 2024-02-01

129  
papers

5,047  
citations

136950

32  
h-index

102487

66  
g-index

134  
all docs

134  
docs citations

134  
times ranked

5283  
citing authors

#	ARTICLE	IF	CITATIONS
1	Current progress in clinical, molecular, and genetic aspects of adult fibromuscular dysplasia. <i>Cardiovascular Research</i> , 2022, 118, 65-83.	3.8	14
2	Blood Pressure and Arterial Stiffness in Association With Aircraft Noise Exposure: Long-Term Observation and Potential Effect of COVID-19 Lockdown. <i>Hypertension</i> , 2022, 79, 325-334.	2.7	19
3	Plasma Steroid Profiling in Patients With Adrenal Incidentaloma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e1181-e1192.	3.6	19
4	Head/neck paragangliomas: focus on tumor location, mutational status and plasma methoxytyramine. <i>Endocrine-Related Cancer</i> , 2022, 29, 213-224.	3.1	12
5	Improved Diagnostic Accuracy of Clonidine Suppression Testing Using an Age-Related Cutoff for Plasma Normetanephrine. <i>Hypertension</i> , 2022, 79, 1257-1264.	2.7	8
6	Preanalytical Considerations and Outpatient Versus Inpatient Tests of Plasma Metanephrines to Diagnose Pheochromocytoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e3689-e3698.	3.6	4
7	The European/International Fibromuscular Dysplasia Registry and Initiative (FEIRI)â€™ clinical phenotypes and their predictors based on a cohort of 1000 patients. <i>Cardiovascular Research</i> , 2021, 117, 950-959.	3.8	33
8	Rare loss-of-function mutations of <i>PTGIR</i> are enriched in fibromuscular dysplasia. <i>Cardiovascular Research</i> , 2021, 117, 1154-1165.	3.8	20
9	Longitudinal changes in maternal left atrial volume index and uterine artery pulsatility indices in uncomplicated pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 224, 221.e1-221.e15.	1.3	3
10	Intrarenal hemodynamics and kidney function in pheochromocytoma and paraganglioma before and after surgical treatment. <i>Blood Pressure</i> , 2021, 30, 1-8.	1.5	0
11	Metastatic pheochromocytoma and paraganglioma: signs and symptoms related to catecholamine secretion. <i>Discover Oncology</i> , 2021, 12, 9.	2.1	5
12	Primary aldosteronism is highly prevalent in patients with hypertension and moderate to severe obstructive sleep apnea. <i>Journal of Clinical Sleep Medicine</i> , 2021, 17, 629-637.	2.6	17
13	Obstructive Sleep Apneaâ€™ Induced Neurogenic Nocturnal Hypertension. <i>Hypertension</i> , 2021, 77, 1047-1060.	2.7	31
14	Optimized procedures for testing plasma metanephrines in patients on hemodialysis. <i>Scientific Reports</i> , 2021, 11, 14706.	3.3	5
15	Beyond Atherosclerosis and Fibromuscular Dysplasia: Rare Causes of Renovascular Hypertension. <i>Hypertension</i> , 2021, 78, 898-911.	2.7	12
16	Lifestyle, psychological, socioeconomic and environmental factors and their impact on hypertension during the coronavirus disease 2019 pandemic. <i>Journal of Hypertension</i> , 2021, 39, 1077-1089.	0.5	44
17	Targeted Metabolomics as a Tool in Discriminating Endocrine From Primary Hypertension. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e1111-e1128.	3.6	19
18	Plasma metanephrines and prospective prediction of tumor location, size and mutation type in patients with pheochromocytoma and paraganglioma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 353-363.	2.3	32

#	ARTICLE	IF	CITATIONS
19	Genetic investigation of fibromuscular dysplasia identifies risk loci and shared genetics with common cardiovascular diseases. <i>Nature Communications</i> , 2021, 12, 6031.	12.8	34
20	2021 PoLA/CFPiP/PCS/PSLD/PSD/PSH guidelines on the diagnosis and therapy of lipid disorders in Poland. <i>Diagnostyka Laboratoryjna i Wiadomości PTDL</i> , 2021, 57, 1-99.	0.1	0
21	PoLA/CFPiP/PCS/PSLD/PSD/PSH guidelines on diagnosis and therapy of lipid disorders in Poland 2021. <i>Archives of Medical Science</i> , 2021, 17, 1447-1547.	0.9	78
22	Fibrin clot properties and fibrinolysis in patients with endocrine hypertension due to aldosterone or catecholamines excess. <i>Clinical Endocrinology</i> , 2021, , .	2.4	0
23	Use of Steroid Profiling Combined With Machine Learning for Identification and Subtype Classification in Primary Aldosteronism. <i>JAMA Network Open</i> , 2020, 3, e2016209.	5.9	53
24	Left Ventricular Structural and Functional Alterations in Patients With Pheochromocytoma/Paraganglioma Before and After Surgery. <i>JACC: Cardiovascular Imaging</i> , 2020, 13, 2498-2509.	5.3	18
25	Genetics, prevalence, screening and confirmation of primary aldosteronism: a position statement and consensus of the Working Group on Endocrine Hypertension of The European Society of Hypertension. <i>Journal of Hypertension</i> , 2020, 38, 1919-1928.	0.5	151
26	Retinal arterial remodeling in patients with pheochromocytoma or paraganglioma and its reversibility following surgical treatment. <i>Journal of Hypertension</i> , 2020, 38, 1551-1558.	0.5	3
27	Genetic Study of <i>PHACTR1</i> and Fibromuscular Dysplasia, Meta-Analysis and Effects on Clinical Features of Patients. <i>Hypertension</i> , 2020, 76, e4-e7.	2.7	9
28	Systematic and Multidisciplinary Evaluation of Fibromuscular Dysplasia Patients Reveals High Prevalence of Previously Undetected Fibromuscular Dysplasia Lesions and Affects Clinical Decisions. <i>Hypertension</i> , 2020, 75, 1102-1109.	2.7	20
29	Glucocorticoid Excess in Patients with Pheochromocytoma Compared with Paraganglioma and Other Forms of Hypertension. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3374-e3383.	3.6	17
30	Pregnancy-Related Complications in Patients With Fibromuscular Dysplasia. <i>Hypertension</i> , 2020, 76, 545-553.	2.7	10
31	Genetics, diagnosis, management and future directions of research of phaeochromocytoma and paraganglioma: a position statement and consensus of the Working Group on Endocrine Hypertension of the European Society of Hypertension. <i>Journal of Hypertension</i> , 2020, 38, 1443-1456.	0.5	190
32	Hypertension, the renin-angiotensin system, and the risk of lower respiratory tract infections and lung injury: implications for COVID-19. <i>Cardiovascular Research</i> , 2020, 116, 1688-1699.	3.8	282
33	Dissecting visceral fibromuscular dysplasia reveals a new vascular phenotype of the disease: a report from the ARCADIA-POL study. <i>Journal of Hypertension</i> , 2020, 38, 737-744.	0.5	7
34	Pheochromocytoma and Paraganglioma. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2020, , 109-125.	0.1	0
35	Secondary Hyperaldosteronism. , 2019, , 664-667.		0
36	High incidence and clinical characteristics of fibromuscular dysplasia in patients with spontaneous cervical artery dissection: The ARCADIA-POL study. <i>Vascular Medicine</i> , 2019, 24, 112-119.	1.5	23

#	ARTICLE	IF	CITATIONS
37	Reference intervals for LC-MS/MS measurements of plasma free, urinary free and urinary acid-hydrolyzed deconjugated normetanephrine, metanephrine and methoxytyramine. <i>Clinica Chimica Acta</i> , 2019, 490, 46-54.	1.1	50
38	Prevalence of smoking and clinical characteristics in fibromuscular dysplasia. The ARCADIA-POL study. <i>Blood Pressure</i> , 2019, 28, 49-56.	1.5	5
39	Adrenomedullary function, obesity and permissive influences of catecholamines on body mass in patients with chromaffin cell tumours. <i>International Journal of Obesity</i> , 2019, 43, 263-275.	3.4	12
40	Pheochromocytoma and paraganglioma: clinical feature-based disease probability in relation to catecholamine biochemistry and reason for disease suspicion. <i>European Journal of Endocrinology</i> , 2019, 181, 409-420.	3.7	58
41	Metabolic impact of pheochromocytoma/paraganglioma: targeted metabolomics in patients before and after tumor removal. <i>European Journal of Endocrinology</i> , 2019, 181, 647-657.	3.7	19
42	Management of hypertension in pregnancy: prevention, diagnosis, treatment and long-term prognosis. <i>Kardiologia Polska</i> , 2019, 77, 757-806.	0.6	20
43	2019 Guidelines for the Management of Hypertension – Part 8–9. <i>Arterial Hypertension</i> , 2019, 23, 203-239.	0.3	3
44	Intra-renal blood flow parameters assessed by doppler sonography in hypertensive patients with fibromuscular dysplasia – relationship to renal function and target organ damage. The ARCADIA-POL study. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 234-241.	0.4	3
45	Echocardiographic assessment of left ventricular morphology and function in patients with fibromuscular dysplasia. <i>Journal of Hypertension</i> , 2018, 36, 1318-1325.	0.5	18
46	Adrenal Vein Sampling Is the Preferred Method to Select Patients With Primary Aldosteronism for Adrenalectomy. <i>Hypertension</i> , 2018, 71, 10-14.	2.7	26
47	Next-generation panel sequencing identifies NF1 germline mutations in three patients with pheochromocytoma but no clinical diagnosis of neurofibromatosis type 1. <i>European Journal of Endocrinology</i> , 2018, 178, K1-K9.	3.7	19
48	Quality of Life in Primary Aldosteronism: A Comparative Effectiveness Study of Adrenalectomy and Medical Treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 16-24.	3.6	99
49	Renal denervation – can we press the “ON” button again?. <i>Postępy W Kardiologii Interwencyjnej</i> , 2018, 14, 321-327.	0.2	5
50	Renal Denervation in Resistant Hypertension and Obstructive Sleep Apnea. <i>Hypertension</i> , 2018, 72, 381-390.	2.7	73
51	Biochemical Diagnosis of Chromaffin Cell Tumors in Patients at High and Low Risk of Disease: Plasma versus Urinary Free or Deconjugated O-Methylated Catecholamine Metabolites. <i>Clinical Chemistry</i> , 2018, 64, 1646-1656.	3.2	121
52	Missed clinical clues in patients with pheochromocytoma/paraganglioma discovered by imaging. <i>Endocrine Connections</i> , 2018, 7, 1168-1177.	1.9	11
53	Plasma methoxytyramine: clinical utility with metanephrines for diagnosis of pheochromocytoma and paraganglioma. <i>European Journal of Endocrinology</i> , 2017, 177, 103-113.	3.7	82
54	Characteristics of Pediatric vs Adult Pheochromocytomas and Paragangliomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1122-1132.	3.6	120

#	ARTICLE	IF	CITATIONS
55	Altered plasma fibrin clot properties in hypertensive patients with obstructive sleep apnoea are improved by continuous positive airway pressure treatment. <i>Journal of Hypertension</i> , 2017, 35, 1035-1043.	0.5	8
56	Outcomes after adrenalectomy for unilateral primary aldosteronism: an international consensus on outcome measures and analysis of remission rates in an international cohort. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 689-699.	11.4	595
57	Growth Rate of Paragangliomas Related to Germline Mutations of the SDHx Genes. <i>Endocrine Practice</i> , 2017, 23, 342-352.	2.1	23
58	Primary Aldosteronism and Obstructive Sleep Apnea: Is This A Bidirectional Relationship?. <i>Hormone and Metabolic Research</i> , 2017, 49, 969-976.	1.5	34
59	Reduced left ventricular strain is related to blood parameters in patients with polycythemia vera. <i>International Journal of Cardiology</i> , 2017, 226, 34-37.	1.7	1
60	A single-centre experience of the implementation of adrenal vein sampling procedure: the impact on the diagnostic work-up in primary aldosteronism. <i>Kardiologia Polska</i> , 2017, 75, 28-34.	0.6	5
61	Stosowanie skojarzenia beta-adrenolityku i inhibitora konwertazy angiotensyny w terapii nadciÅnienia tÅmiczego – spojrzenie hipertensjologa. <i>Kardiologia Polska</i> , 2017, 75, 13-18.	0.6	2
62	Relationship between gender and clinical characteristics, associated factors, and hypertension treatment in patients with resistant hypertension. <i>Kardiologia Polska</i> , 2017, 75, 421-431.	0.6	6
63	Leki zÅone w terapii nadciÅnienia tÅmiczego w Polsce. Stanowisko EkspertÅw Polskiego Towarzystwa NadciÅnienia TÅmiczego oraz Sekcji Farmakoterapii Sercowo-Naczyniowej Polskiego Towarzystwa Kardiologicznego. <i>Arterial Hypertension</i> , 2017, 21, 105-115.	0.3	0
64	Single-pill combinations (SPCs) and treatment of arterial hypertension in Poland. Expert consensus statement of the Polish Society of Hypertension and Polish Cardiac Society Working Group on Cardiovascular Pharmacotherapy. <i>Kardiologia Polska</i> , 2017, 75, 1357-1367.	0.6	2
65	Mediastinal paragangliomas related to SDHx gene mutations. <i>Kardiochirurgia I Torakochirurgia Polska</i> , 2016, 3, 276-282.	0.1	12
66	Adrenal vein sampling versus CT scan to determine treatment in primary aldosteronism: an outcome-based randomised diagnostic trial. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 739-746.	11.4	208
67	Subclinical Mood and Cognition Impairments and Blood Pressure Control in a Large Cohort of Elderly Hypertensives. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 864.e17-864.e22.	2.5	12
68	Activation of Human T Cells in Hypertension. <i>Hypertension</i> , 2016, 68, 123-132.	2.7	191
69	Evaluation of Head and Neck Paragangliomas by Computed Tomography in Patients with Pheochromocytoma-Paraganglioma Syndromes. <i>Polski PrzeglÅd Radiologii I Medycyny Nuklearnej</i> , 2016, 81, 510-518.	1.0	6
70	Pulmonary artery dilation indicates severe obstructive sleep apnea in patients with resistant hypertension: the Resist-POL Study. <i>Polish Archives of Internal Medicine</i> , 2016, 126, 222-229.	0.4	10
71	Przypadkowo wykryty guz nadnercza (incydentaloma) u dorosÅych – zasady postÅpowania rekomendowane przez Polskie Towarzystwo Endokrynologiczne. <i>Endokrynologia Polska</i> , 2016, 67, 234-258.	1.0	46
72	Renal resistive index in patients with true resistant hypertension: results from the RESIST-POL study. <i>Kardiologia Polska</i> , 2016, 74, 142-150.	0.6	13

#	ARTICLE	IF	CITATIONS
73	Effects of renal sympathetic denervation on blood pressure and glycaemic control in patients with true resistant hypertension: results of Polish Renal Denervation Registry (RDN-POL Registry). <i>Kardiologia Polska</i> , 2016, 74, 961-968.	0.6	7
74	Factors Associated With Diastolic Dysfunction in Patients With Resistant Hypertension: Resist-POL Study. <i>American Journal of Hypertension</i> , 2015, 28, 307-311.	2.0	11
75	Lack of utility of SDHB mutation testing in adrenergic metastatic pheochromocytoma. <i>European Journal of Endocrinology</i> , 2015, 172, 89-95.	3.7	17
76	CD3 ALDOSTERONISM, HEART AND VESSELS. <i>Artery Research</i> , 2015, 12, 1.	0.6	0
77	Usefulness of Somatostatin Receptor Scintigraphy ( $^{99m}\text{Tc}$ -[HYNIC, $^1\text{Tj}$ ETQq1 1 0.784314 $\mu\text{g}$ BT /Overlock 10 $\mu\text{Ci}$ with $^{125}\text{I}$ -SDHx; Gene-Related Pheochromocytomas and Paragangliomas Detected by Computed Tomography. <i>Neuroendocrinology</i> , 2015, 101, 321-330.	2.5	13
78	Determinants of concentric left ventricular hypertrophy in patients with resistant hypertension: RESIST-POL study. <i>Hypertension Research</i> , 2015, 38, 545-550.	2.7	18
79	Hypertension in patients with Alzheimer's disease—prevalence, characteristics, and impact on clinical outcome. Experience of one neurology center in Poland. <i>Journal of the American Society of Hypertension</i> , 2015, 9, 711-724.	2.3	8
80	Measurements of plasma metanephrines by immunoassay vs liquid chromatography with tandem mass spectrometry for diagnosis of pheochromocytoma. <i>European Journal of Endocrinology</i> , 2015, 172, 251-260.	3.7	47
81	A registry-based study of thyroid paraganglioma: histological and genetic characteristics. <i>Endocrine-Related Cancer</i> , 2015, 22, 191-204.	3.1	29
82	Smaller caliber renal arteries are a novel feature of uromodulin-associated kidney disease. <i>Kidney International</i> , 2015, 88, 160-166.	5.2	5
83	Relationship between hemodynamic parameters of renal artery stenosis and the changes of kidney function after renal artery stenting in patients with hypertension and preserved renal function. <i>Blood Pressure</i> , 2015, 24, 30-34.	1.5	13
84	Assessment of adherence to treatment in patients with resistant hypertension using toxicological serum analysis. A subgroup evaluation of the RESIST-POL study. <i>Polish Archives of Internal Medicine</i> , 2015, 125, 65-72.	0.4	18
85	Malignant hypertension: new aspects of an old clinical entity. <i>Polish Archives of Internal Medicine</i> , 2015, 126, 86-93.	0.4	10
86	2015 guidelines for the management of hypertension. Recommendations of the Polish Society of Hypertension—short version. <i>Kardiologia Polska</i> , 2015, 73, 676-700.	0.6	24
87	Factors associated with resistant hypertension in a large cohort of hypertensive patients: the Pol-Fokus study. <i>Polish Archives of Internal Medicine</i> , 2015, 125, 249-259.	0.4	12
88	Trends for beta-blockers use in a large cohort of Polish hypertensive patients—Pol-Fokus Study. <i>Arterial Hypertension</i> , 2015, 19, 120-128.	0.3	0
89	Malignant hypertension: new aspects of an old clinical entity. <i>Polish Archives of Internal Medicine</i> , 2015, 126, 86-93.	0.4	0
90	Editorial Renal denervation after the symplicity HTN-3 trial. <i>Postepy W Kardiologii Interwencyjnej</i> , 2014, 2, 75-77.	0.2	6

#	ARTICLE	IF	CITATIONS
91	Pheochromocytoma Presenting as Takotsubo-Like Cardiomyopathy Following Delivery. <i>Endocrine Practice</i> , 2014, 20, 233-236.	2.1	8
92	Relationship between obstructive sleep apnea and markers of cardiovascular alterations in never-treated hypertensive patients. <i>Hypertension Research</i> , 2014, 37, 573-579.	2.7	20
93	Biochemical diagnosis of phaeochromocytoma using plasma-free normetanephrine, metanephrine and methoxytyramine: importance of supine sampling under fasting conditions. <i>Clinical Endocrinology</i> , 2014, 80, 478-486.	2.4	96
94	Effect of percutaneous renal denervation on blood pressure level and sympathetic activity in a patient with polycystic kidney disease. <i>Clinical Research in Cardiology</i> , 2014, 103, 251-253.	3.3	10
95	Levodopa therapy in Parkinson's disease: influence on liquid chromatographic tandem mass spectrometric-based measurements of plasma and urinary normetanephrine, metanephrine and methoxytyramine. <i>Annals of Clinical Biochemistry</i> , 2014, 51, 38-46.	1.6	26
96	Independent association of obstructive sleep apnea with left ventricular geometry and systolic function in resistant hypertension: the RESIST-POL study. <i>Sleep Medicine</i> , 2014, 15, 1302-1308.	1.6	30
97	Renin-secreting juxtaglomerular cell tumor of the kidney causing severe hypertension and polyuria. <i>Polish Archives of Internal Medicine</i> , 2014, 124, 207-208.	0.4	3
98	Transient dynamic left ventricular outflow tract obstruction in a patient with pheochromocytoma. <i>Kardiologia Polska</i> , 2014, 72, 472-472.	0.6	3
99	The issue of treatment-resistant hypertension in clinical practice. <i>Pediatrica I Medycyna Rodzinna</i> , 2014, 1, 57-68.	0.1	0
100	The issue of treatment-resistant hypertension in clinical practice. <i>Pediatrica I Medycyna Rodzinna</i> , 2014, 10, 152-162.	0.1	0
101	Renal Artery Stenosis in Patients With Resistant Hypertension. <i>American Journal of Cardiology</i> , 2013, 112, 1417-1420.	1.6	18
102	Reference intervals for plasma free metanephrines with an age adjustment for normetanephrine for optimized laboratory testing of phaeochromocytoma. <i>Annals of Clinical Biochemistry</i> , 2013, 50, 62-69.	1.6	98
103	Analysis of plasma 3-methoxytyramine, normetanephrine and metanephrine by ultraperformance liquid chromatography tandem mass spectrometry: utility for diagnosis of dopamine-producing metastatic phaeochromocytoma. <i>Annals of Clinical Biochemistry</i> , 2013, 50, 147-155.	1.6	99
104	Simultaneous liquid chromatography tandem mass spectrometric determination of urinary free metanephrines and catecholamines, with comparisons of free and deconjugated metabolites. <i>Clinica Chimica Acta</i> , 2013, 418, 50-58.	1.1	82
105	Testing new susceptibility genes in the cohort of apparently sporadic phaeochromocytoma/paraganglioma patients with clinical characteristics of hereditary syndromes. <i>Clinical Endocrinology</i> , 2013, 79, 817-823.	2.4	38
106	Expert reviews Renal denervation " current evidence and perspectives. <i>Postepy W Kardiologii Interwencyjnej</i> , 2013, 4, 362-368.	0.2	4
107	Prognostic value of renal fractional flow reserve in blood pressure response after renal artery stenting (PREFER study). <i>Cardiology Journal</i> , 2013, 20, 418-422.	1.2	15
108	Primary aldosteronism " recent progress and current concepts. <i>Endokrynologia Polska</i> , 2013, 64, 312-318.	1.0	2

#	ARTICLE	IF	CITATIONS
109	Relationship between primary aldosteronism and obstructive sleep apnoea, metabolic abnormalities and cardiac structure in patients with resistant hypertension. <i>Endokrynologia Polska</i> , 2013, 64, 363-367.	1.0	24
110	Adrenomedullin concentrations at two time points following myocardial infarction and prediction of mid-term outcomes. <i>Archives of Medical Science</i> , 2011, 6, 971-976.	0.9	5
111	Cardiovascular manifestations of pheochromocytoma. <i>Journal of Hypertension</i> , 2011, 29, 2049-2060.	0.5	224
112	Assessment of renal artery stenosis using both resting pressures ratio and fractional flow reserve " Relationship to angiography and ultrasonography. <i>Blood Pressure</i> , 2011, 20, 211-217.	1.5	11
113	Response to Renal Denervation for Sleep Apnea and Resistant Hypertension: Alternative or Complementary to Effective Continuous Positive Airway Pressure Treatment?. <i>Hypertension</i> , 2011, 58, .	2.7	0
114	Effects of Renal Sympathetic Denervation on Blood Pressure, Sleep Apnea Course, and Glycemic Control in Patients With Resistant Hypertension and Sleep Apnea. <i>Hypertension</i> , 2011, 58, 559-565.	2.7	427
115	Pheochromocytoma in a 86-year-old patient presenting with reversible myocardial dysfunction. <i>Blood Pressure</i> , 2011, 20, 383-386.	1.5	1
116	Reduced Kidney Function Estimated by Cystatin C and Clinical Outcomes in Hypertensive Patients with Coronary Artery Disease: Association with Homocysteine and Other Cardiovascular Risk Factors. <i>Kidney and Blood Pressure Research</i> , 2010, 33, 139-148.	2.0	3
117	On the nature of heart rate variability in a breathing normal subject: A stochastic process analysis. <i>Chaos</i> , 2009, 19, 028504.	2.5	15
118	Relationship between renal resistive index and early target organ damage in patients with never treated essential hypertension. <i>Blood Pressure</i> , 2009, 18, 55-61.	1.5	48
119	The 24-h blood pressure measurement may predict mortality and cardiovascular events in hypertensive patients with coronary artery disease. <i>Blood Pressure Monitoring</i> , 2009, 14, 99-102.	0.8	7
120	Extra-adrenal and adrenal pheochromocytomas associated with a germline SDHC mutation. <i>Nature Clinical Practice Endocrinology and Metabolism</i> , 2008, 4, 111-115.	2.8	95
121	Impact of Screening Kindreds for SDHD p.Cys11X as a Common Mutation Associated with Paraganglioma Syndrome Type 1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 4818-4825.	3.6	28
122	Cardiovascular risk factors in hypertensive patients with coronary artery disease and coexisting renal artery stenosis. <i>Journal of Hypertension</i> , 2007, 25, 663-670.	0.5	39
123	Carotid Intima-Media Thickness as a Marker of Cardiovascular Risk in Hypertensive Patients With Coronary Artery Disease. <i>American Journal of Hypertension</i> , 2007, 20, 1058-1064.	2.0	50
124	Characterization of insomnia in patients with essential hypertension. <i>Blood Pressure</i> , 2006, 15, 213-219.	1.5	37
125	The coexistence of acute aortic dissection with autosomal dominant polycystic kidney disease - description of two hypertensive patients. <i>Blood Pressure</i> , 2004, 13, 283-286.	1.5	10
126	Cardiac arrests, atrioventricular block, and pheochromocytoma. <i>American Journal of Hypertension</i> , 2004, 17, 544-545.	2.0	11



#	ARTICLE	IF	CITATIONS
127	Decreased plasma concentration of a novel anti-inflammatory proteinâ€”adiponectinâ€”in hypertensive men with coronary artery disease. <i>Thrombosis Research</i> , 2003, 110, 365-369.	1.7	80
128	Dopamine and Dopa Urinary Excretion in Patients with Pheochromocytomaâ€”Diagnostic Implications. <i>Blood Pressure</i> , 2001, 10, 212-216.	1.5	26
129	Detection of pheochromocytoma by enzyme immunoassay measurements of plasma metanephrines requires appropriately established upper cut-offs of reference intervals. <i>Endocrine Abstracts</i> , 0, , .	0.0	0