

ASSESSMENT OF OUTCOME AFTER SEVERE BRAIN DA

Lancet, The

305, 480-484

DOI: 10.1016/s0140-6736(75)92830-5

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Who cares for head injuries?. BMJ: British Medical Journal, 1975, 3, 267-270. | 2.4 | 31 |
| 2 | Lactic dehydrogenase isoenzymes following head injury. Injury, 1975, 7, 258-262. | 0.7 | 20 |
| 3 | PREDICTING OUTCOME IN INDIVIDUAL PATIENTS AFTER SEVERE HEAD INJURY. Lancet, The, 1976, 307, 1031-1034.6.3 | | 573 |
| 5 | Rehabilitation of the brain-damaged survivor. Injury, 1976, 8, 80-97. | 0.7 | 20 |
| 6 | Assessment and prognosis of coma after head injury. Acta Neurochirurgica, 1976, 34, 45-55. | 0.9 | 727 |
| 7 | Assessment of the psychosocial outcome of severe head injury. Acta Neurochirurgica, 1976, 34, 57-70. | 0.9 | 86 |
| 8 | Initial state, outcome, and autopsy findings in a series of 200 consecutive traumatic comas. A computerised analysis. Acta Neurochirurgica, 1976, 34, 99-105. | 0.9 | 6 |
| 9 | Irrecoverable brain damage after resuscitation: brain death and other syndromes. Resuscitation, 1976, 5, 49-52. | 1.3 | 9 |
| 10 | Resource Allocation for the Severely Brain Damaged. Archives of Neurology, 1976, 33, 595-597. | 4.9 | 64 |
| 11 | Assessment of the severity of head injury.. Journal of Neurology, Neurosurgery and Psychiatry, 1976, 39, 647-655. | 0.9 | 132 |
| 12 | Assessment of the Quality of Survival in Brain-Injured or Diseased Individuals. British Journal of Occupational Therapy, 1977, 40, 210-212. | 0.5 | 0 |
| 13 | The outcome from severe head injury with early diagnosis and intensive management. Journal of Neurosurgery, 1977, 47, 491-502. | 0.9 | 796 |
| 14 | Significance of intracranial hypertension in severe head injury. Journal of Neurosurgery, 1977, 47, 503-516. | 0.9 | 704 |
| 15 | Severe head injuries in three countries.. Journal of Neurology, Neurosurgery and Psychiatry, 1977, 40, 291-298. | 0.9 | 456 |
| 16 | Decerebrate rigidity in acute head injury. Journal of Neurosurgery, 1977, 47, 680-698. | 0.9 | 80 |
| 17 | Multiple Organ Failure. Lancet, The, 1977, 310, 72-73. | 6.3 | 1 |
| 18 | Evaluation of brain function in severe human head trauma with multimodality evoked potentials. Journal of Neurosurgery, 1977, 47, 163-177. | 0.9 | 202 |
| 20 | Recovery of cognition after prolonged vegetative state. Annals of Neurology, 1977, 2, 167-168. | 2.8 | 70 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 21 | A prospective study of nontraumatic coma: Methods and results in 310 patients. <i>Annals of Neurology</i> , 1977, 2, 211-220. | 2.8 | 161 |
| 22 | Emotional sequelae of head injury. <i>Annals of Neurology</i> , 1977, 2, 492-494. | 2.8 | 96 |
| 23 | Post-traumatic hydrocephalus in patients with severe head injury. <i>Neuroradiology</i> , 1978, 16, 261-265. | 1.1 | 69 |
| 24 | The influence of the decompressive operation on the intracranial pressure and the pressure-volume relation in patients with severe head injuries. <i>Acta Neurochirurgica</i> , 1978, 45, 1-13. | 0.9 | 78 |
| 25 | POST NEO NATALLY ACQUIRED CEREBRAL PALSY. <i>Acta Neurologica Scandinavica</i> , 1978, 57, 11-146. | 1.0 | 8 |
| 26 | RECOVERY FROM COMA AND REINNERVATION-RATE. <i>Lancet, The</i> , 1978, 311, 710. | 6.3 | 3 |
| 27 | BILATERAL RETICULAR FORMATION LESIONS CAUSING COMA: THEIR EFFECTS ON REGIONAL CEREBRAL BLOOD FLOW, GLUCOSE UTILIZATION AND OXIDATIVE METABOLISM. <i>Annals of the New York Academy of Sciences</i> , 1978, 315, 105-109. | 1.8 | 4 |
| 28 | THE VEGETATIVE STATE AND ITS PROGNOSIS FOLLOWING NONTRAUMATIC COMA. <i>Annals of the New York Academy of Sciences</i> , 1978, 315, 293-306. | 1.8 | 69 |
| 29 | SERUM-MYELIN-BASIC-PROTEIN ASSAY IN DIAGNOSIS AND PROGNOSIS OF PATIENTS WITH HEAD INJURY. <i>Lancet, The</i> , 1978, 311, 113-115. | 6.3 | 119 |
| 30 | Somatosensory evoked potentials for the prognosis of coma in humans. <i>Experimental Neurology</i> , 1978, 60, 304-317. | 2.0 | 48 |
| 31 | Outcome following severe head injuries in children. <i>Journal of Neurosurgery</i> , 1978, 48, 679-688. | 0.9 | 327 |
| 32 | Measuring the outcome from head injuries. <i>Journal of Neurosurgery</i> , 1978, 48, 673-678. | 0.9 | 149 |
| 33 | Behavioral Sequelae of Closed Head Injury. <i>Archives of Neurology</i> , 1978, 35, 720. | 4.9 | 214 |
| 34 | Predictive value of serum lactate dehydrogenase in head injury.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1978, 41, 948-953. | 0.9 | 33 |
| 35 | Long-term recovery of visual reaction time after closed head injury.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1978, 41, 452-457. | 0.9 | 123 |
| 36 | Early Insults to the Injured Brain. <i>JAMA - Journal of the American Medical Association</i> , 1978, 240, 439. | 3.8 | 340 |
| 37 | Numerical grading of clinical neurological status after serious head injury.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1978, 41, 1125-1130. | 0.9 | 13 |
| 38 | Assessment, Treatment and Rehabilitation of Adult Patients with Brain Damage. <i>International Rehabilitation Medicine</i> , 1978, 1, 3-9. | 0.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 39 | Assessment of Outcome following Severe Closed Head Injury. <i>Scottish Medical Journal</i> , 1978, 23, 105-106. | 0.7 | 3 |
| 40 | Blink reflexes in severe traumatic coma.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1979, 42, 470-474. | 0.9 | 16 |
| 41 | The stages of recovery from severe head injury with special reference to late outcome. <i>International Rehabilitation Medicine</i> , 1979, 1, 155-159. | 0.6 | 41 |
| 42 | Head Injuries--Panel 3. <i>Archives of Neurology</i> , 1979, 36, 750-758. | 4.9 | 14 |
| 43 | Long-term neuropsychological outcome of closed head injury. <i>Journal of Neurosurgery</i> , 1979, 50, 412-422. | 0.9 | 302 |
| 44 | The outcome with aggressive treatment in severe head injuries. <i>Journal of Neurosurgery</i> , 1979, 50, 20-25. | 0.9 | 419 |
| 45 | Failure of high-dose steroid therapy to influence intracranial pressure in patients with severe head injury. <i>Journal of Neurosurgery</i> , 1979, 51, 301-306. | 0.9 | 138 |
| 46 | Dexamethasone and severe head injury. <i>Journal of Neurosurgery</i> , 1979, 51, 307-316. | 0.9 | 229 |
| 47 | Psychological consequences of blunt head injury. <i>International Rehabilitation Medicine</i> , 1979, 1, 160-165. | 0.6 | 65 |
| 48 | Age and Outcome of Severe Head Injury. , 1979, 28, 140-143. | | 33 |
| 49 | Brain Death—An Opposing Viewpoint. <i>JAMA - Journal of the American Medical Association</i> , 1979, 242, 1985. | 3.8 | 64 |
| 50 | Computerised tomography after recent severe head injury in patients without acute intracranial haematoma.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1979, 42, 215-225. | 0.9 | 61 |
| 51 | Central somatosensory conduction time in comatose patients. <i>Annals of Neurology</i> , 1979, 5, 379-384. | 2.8 | 134 |
| 52 | Outcome following acute subdural haematoma. <i>Acta Neurochirurgica</i> , 1979, 49, 191-198. | 0.9 | 19 |
| 53 | Penetrating craniocerebral gunshot wounds in civilians. <i>Acta Neurochirurgica</i> , 1979, 49, 199-205. | 0.9 | 62 |
| 54 | Outcome following head injuries in the aged. <i>Acta Neurochirurgica</i> , 1979, 49, 67-79. | 0.9 | 49 |
| 56 | Problems and perspectives in the evaluation of psychological deficits after cerebral lesions. <i>International Rehabilitation Medicine</i> , 1979, 1, 182-192. | 0.6 | 10 |
| 57 | Serious head injury in sport.. <i>BMJ: British Medical Journal</i> , 1980, 281, 789-791. | 2.4 | 88 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 59 | Neurologic Critical Care. American Journal of Nursing, 1980, 80, 760. | 0.2 | 1 |
| 60 | The outcome from acute subdural haematoma following decompressive hemicraniectomy. Acta Neurochirurgica, 1980, 54, 61-69. | 0.9 | 44 |
| 61 | Predicting lethal outcome after severe head injury ? A computer-assisted analysis of neurological symptoms and laboratory values. Acta Neurochirurgica, 1980, 52, 225-238. | 0.9 | 14 |
| 62 | Intracranial hypertension in severe head injuries. Acta Neurochirurgica, 1980, 52, 249-263. | 0.9 | 11 |
| 63 | A retrospective study on the effects of low and high doses of betamethasone on severe closed head injury. Acta Neurochirurgica, 1980, 51, 149-155. | 0.9 | 3 |
| 64 | Measuring the duration of post traumatic amnesia.. Journal of Neurology, Neurosurgery and Psychiatry, 1980, 43, 377-379. | 0.9 | 112 |
| 65 | Rapid Neurologic Assessment and Initial Management for the Patient with Traumatic Dental Injuries. Journal of the American Dental Association, 1980, 100, 530-534. | 0.7 | 21 |
| 66 | The role of craniectomy in the treatment of chronic subdural hematomas. Journal of Neurosurgery, 1980, 52, 776-781. | 0.9 | 68 |
| 67 | Prolonged posttraumatic unconsciousness. Journal of Neurosurgery, 1980, 52, 625-634. | 0.9 | 140 |
| 68 | THE SOMATOSENSORY EVOKED POTENTIAL IN PATIENTS WITH SEVERE HEAD INJURY: OUTCOME PREDICTION AND MONITORING OF BRAIN FUNCTION. Annals of the New York Academy of Sciences, 1980, 338, 683-688. | 1.8 | 1 |
| 69 | COMPUTERISED TOMOGRAPHY AS AN INDICATION OF LONG-TERM OUTCOME AFTER ACUTE CARBON MONOXIDE POISONING. Lancet, The, 1980, 315, 783-784. | 6.3 | 27 |
| 70 | Traumatic Acute Subdural Hematoma. New England Journal of Medicine, 1981, 304, 1511-1518. | 13.9 | 773 |
| 71 | Comparison of Discrimination Techniques Applied to a Complex Data Set of Head Injured Patients. Journal of the Royal Statistical Society Series A (General), 1981, 144, 145. | 0.6 | 251 |
| 72 | Linguistic recovery after closed head injury. Brain and Language, 1981, 12, 360-374. | 0.8 | 70 |
| 74 | Disability after severe head injury: observations on the use of the Glasgow Outcome Scale.. Journal of Neurology, Neurosurgery and Psychiatry, 1981, 44, 285-293. | 0.9 | 1,044 |
| 75 | Improved confidence of outcome prediction in severe head injury. Journal of Neurosurgery, 1981, 54, 751-762. | 0.9 | 480 |
| 76 | Prognosis in Nontraumatic Coma. Annals of Internal Medicine, 1981, 94, 293. | 2.0 | 360 |
| 77 | Prognostic Value of CT in Head Injuries. Neurologia Medico-Chirurgica, 1981, 21, 685-696. | 1.0 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 79 | Predicting the need for operation in the patient with an occult traumatic intracranial hematoma. <i>Journal of Neurosurgery</i> , 1981, 55, 75-81. | 0.9 | 80 |
| 80 | Central somatosensory conduction after head injury. <i>Annals of Neurology</i> , 1981, 10, 411-419. | 2.8 | 148 |
| 81 | Natural history of global and critical brain ischaemia Part III: cerebral prognostic signs after cardiopulmonary resuscitation. Cerebral recovery course and rate during the first year after global and critical ischaemia monitored and predicted by EEG and neurological signs. <i>Resuscitation</i> , 1981, 9, 175-188. | 1.3 | 22 |
| 82 | Observations on 82 patients with extradural hematoma. <i>Journal of Neurosurgery</i> , 1981, 54, 179-186. | 0.9 | 140 |
| 83 | Evoked potentials in severe head injury--analysis and relation to outcome.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1981, 44, 796-802. | 0.9 | 113 |
| 84 | Further experience in the management of severe head injury. <i>Journal of Neurosurgery</i> , 1981, 54, 289-299. | 0.9 | 585 |
| 85 | Reaction time and attention after closed head injury. <i>Journal of Clinical Neuropsychology</i> , 1981, 3, 355-362. | 1.2 | 4 |
| 86 | Diffuse cerebral swelling following head injuries in children: the syndrome of "malignant brain edema". <i>Journal of Neurosurgery</i> , 1981, 54, 170-178. | 0.9 | 516 |
| 87 | Early prediction of outcome in head-injured patients. <i>Journal of Neurosurgery</i> , 1981, 54, 300-303. | 0.9 | 131 |
| 88 | The Assessment of Social Adjustment. <i>Archives of General Psychiatry</i> , 1981, 38, 1250. | 13.8 | 210 |
| 89 | Steroids in severe head injury. <i>Journal of Neurosurgery</i> , 1981, 54, 596-600. | 0.9 | 140 |
| 90 | Prognostic implications of early multimodality evoked potentials in severely head-injured patients. <i>Journal of Neurosurgery</i> , 1981, 55, 227-236. | 0.9 | 158 |
| 91 | Creatine kinase isoenzymes in acute brain injury. <i>Journal of Neurosurgery</i> , 1981, 55, 511-515. | 0.9 | 45 |
| 92 | Hemostasis and computerized tomography in head injury. <i>Journal of Neurosurgery</i> , 1981, 55, 718-724. | 0.9 | 44 |
| 93 | Reversible brain-stem dysfunction following acute traumatic subdural hematoma. <i>Journal of Neurosurgery</i> , 1981, 55, 516-523. | 0.9 | 44 |
| 94 | Intracranial pressure in nontraumatic ischemic and hypoxic cerebral insults. <i>Journal of Neurosurgery</i> , 1981, 54, 489-493. | 0.9 | 23 |
| 95 | The short-term outcome of severe blunt head injury as reported by relatives of the injured persons.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1981, 44, 527-533. | 0.9 | 370 |
| 96 | Influence of the type of intracranial lesion on outcome from severe head injury. <i>Journal of Neurosurgery</i> , 1982, 56, 26-32. | 0.9 | 508 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 97 | Considerations in early surgery on good-risk patients with ruptured intracranial aneurysms. Journal of Neurosurgery, 1982, 56, 180-185. | 0.9 | 51 |
| 98 | Emergency Intracranial Pressure Monitoring in Pediatrics. Clinical Pediatrics, 1982, 21, 391-396. | 0.4 | 21 |
| 99 | Effect of intracranial pressure monitoring and aggressive treatment on mortality in severe head injury. Journal of Neurosurgery, 1982, 56, 498-503. | 0.9 | 422 |
| 100 | Air Transport of Pediatric Emergency Cases. New England Journal of Medicine, 1982, 307, 1465-1468. | 13.9 | 39 |
| 101 | Clinical applications of the pressure-volume index in treatment of pediatric head injuries. Journal of Neurosurgery, 1982, 56, 819-825. | 0.9 | 116 |
| 102 | The dynamics of neuronal dysfunction and recovery following severe head injury assessed with serial multimodality evoked potentials. Journal of Neurosurgery, 1982, 57, 168-177. | 0.9 | 54 |
| 103 | Prognosis of severe head injuries. Journal of Neurosurgery, 1982, 57, 779-783. | 0.9 | 120 |
| 105 | Management of traumatic intracranial haematoma.. BMJ: British Medical Journal, 1982, 285, 1695-1697. | 2.4 | 103 |
| 106 | The pattern of recovery after severe head injury. Clinical Neurology and Neurosurgery, 1982, 84, 15-IN1. | 0.6 | 11 |
| 107 | Intracranial pressure: to monitor or not to monitor?. Journal of Neurosurgery, 1982, 56, 650-659. | 0.9 | 544 |
| 108 | Some observations on the blink reflex in posttraumatic coma. Electroencephalography and Clinical Neurophysiology, 1982, 54, 406-417. | 0.3 | 18 |
| 109 | THE SOMATOSENSORY EVOKED POTENTIAL IN PATIENTS WITH SEVERE HEAD INJURY: OUTCOME PREDICTION AND MONITORING OF BRAIN FUNCTION. Annals of the New York Academy of Sciences, 1982, 388, 683-688. | 1.8 | 25 |
| 110 | Evoked Potentials in Severe Head Injury Patients. The American Journal of EEG Technology, 1982, 22, 125-134. | 0.3 | 3 |
| 111 | Comparing two head injury treatments by linear logistic model. Acta Neurochirurgica, 1982, 62, 31-46. | 0.9 | 4 |
| 112 | Computerized tomography (CT) in patients with head injuries. Assessment of outcome based upon initial clinical findings and initial CT scans. Acta Neurochirurgica, 1982, 65, 81-91. | 0.9 | 14 |
| 113 | A model based description of a head injury treatment. Acta Neurochirurgica, 1982, 60, 265-279. | 0.9 | 1 |
| 114 | Diffuse axonal injury and traumatic coma in the primate. Annals of Neurology, 1982, 12, 564-574. | 2.8 | 1,341 |
| 115 | An international collaborative clinical study mechanism for resuscitation research. Resuscitation, 1982, 10, 141-147. | 1.3 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 116 | Intensive care after fresh water immersion accidents in children. <i>Anaesthesia</i> , 1982, 37, 1157-1162. | 1.8 | 13 |
| 117 | Intensive management of severe head injuries. <i>Anaesthesia</i> , 1983, 38, 214-225. | 1.8 | 11 |
| 118 | Acute subdural haematoma: Better results with neurosurgeons than general surgeons. <i>Injury</i> , 1983, 14, 489-492. | 0.7 | 11 |
| 119 | Risk factors in traumatic head injury. <i>Acta Neurochirurgica</i> , 1983, 69, 15-21. | 0.9 | 19 |
| 120 | Treatment and outcome of the severely head injured child. <i>Intensive Care Medicine</i> , 1983, 9, 13-16. | 3.9 | 58 |
| 121 | Cerebral resuscitation after cardiac arrest: Summaries and suggestions. <i>American Journal of Emergency Medicine</i> , 1983, 1, 198-214. | 0.7 | 19 |
| 122 | Subdural hematomas. <i>World Neurosurgery</i> , 1983, 19, 216-231. | 1.3 | 99 |
| 123 | Neurosurgeryâ€™Where is it going?. <i>World Neurosurgery</i> , 1983, 20, 79-81. | 1.3 | 1 |
| 124 | Increased damage after ischemic stroke in patients with hyperglycemia with or without established diabetes mellitus. <i>American Journal of Medicine</i> , 1983, 74, 540-544. | 0.6 | 641 |
| 125 | Central somatosensory conduction time and short latency somatosensory evoked potentials in post-traumatic coma. <i>Electroencephalography and Clinical Neurophysiology</i> , 1983, 56, 583-596. | 0.3 | 79 |
| 126 | Incidence and prognostic value of spindles in post-traumatic coma. <i>Electroencephalography and Clinical Neurophysiology</i> , 1983, 56, 420-429. | 0.3 | 44 |
| 127 | TREATMENT OF ELEVATED INTRACRANIAL PRESSURE WITH DIMETHYL SULFOXIDE. <i>Annals of the New York Academy of Sciences</i> , 1983, 411, 286-292. | 1.8 | 33 |
| 128 | Agreement between physicians on assessment of outcome following severe head injury. <i>Journal of Neurosurgery</i> , 1983, 58, 321-325. | 0.9 | 105 |
| 129 | Severe head injury managed without intracranial pressure monitoring. <i>Journal of Neurosurgery</i> , 1983, 59, 601-605. | 0.9 | 70 |
| 130 | Comparison of outcome in two series of patients with severe head injuries. <i>Journal of Neurosurgery</i> , 1983, 59, 745-750. | 0.9 | 45 |
| 131 | The prognostic value of computerized tomography in comatose head-injured patients. <i>Journal of Neurosurgery</i> , 1983, 59, 951-957. | 0.9 | 133 |
| 132 | Megadose steroids in severe head injury. <i>Journal of Neurosurgery</i> , 1983, 58, 326-330. | 0.9 | 214 |
| 133 | Outcome from severe head injury related to the type of intracranial lesion. <i>Journal of Neurosurgery</i> , 1983, 59, 762-774. | 0.9 | 212 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 134 | Intraventricular hemorrhage in severe head injury. Journal of Neurosurgery, 1983, 58, 217-222. | 0.9 | 57 |
| 135 | Enzymatic changes in serum and cerebrospinal fluid in neurological injury. Journal of Neurosurgery, 1983, 58, 27-37. | 0.9 | 84 |
| 136 | Intracranial pressure in central nervous system infections and cerebral ischaemia of infancy.. Archives of Disease in Childhood, 1983, 58, 184-186. | 1.0 | 53 |
| 137 | Physiologic and prognostic significance of "alpha coma".. Journal of Neurology, Neurosurgery and Psychiatry, 1983, 46, 632-638. | 0.9 | 44 |
| 138 | The favorable effect of early parenteral feeding on survival in head-injured patients. Journal of Neurosurgery, 1983, 58, 906-912. | 0.9 | 270 |
| 139 | Neuropsychological Recovery in Head Injury. Archives of Neurology, 1983, 40, 333-338. | 4.9 | 137 |
| 140 | Creatine kinase isoenzymes in severe head injury. Journal of Neurosurgery, 1983, 58, 689-692. | 0.9 | 45 |
| 141 | Statistical validation of a severity of illness measure.. American Journal of Public Health, 1983, 73, 878-884. | 1.5 | 100 |
| 142 | Auditory evoked responses, impedance measures, and diagnostic speech audiometry in severe head injury. Otolaryngology - Head and Neck Surgery, 1983, 91, 50-60. | 1.1 | 19 |
| 143 | Electroencephalographic Findings in Pediatric Cases of Coma. Clinical EEG (electroencephalography), 1983, 14, 207-213. | 0.9 | 5 |
| 144 | Intracranial arterial aneurysms in children and adolescents. Journal of Neurosurgery, 1983, 58, 832-837. | 0.9 | 170 |
| 145 | Childhood head injuries in Israel: epidemiology and outcome. International Rehabilitation Medicine, 1983, 5, 32-36. | 0.6 | 18 |
| 146 | Central Nervous System Function in Critical Care. Surgical Clinics of North America, 1983, 63, 401-416. | 0.5 | 2 |
| 149 | Severe Head Injury. Physical Therapy, 1983, 63, 1946-1951. | 1.1 | 40 |
| 150 | Considerations for Functional Training in Adults After Head Injury. Physical Therapy, 1983, 63, 1975-1982. | 1.1 | 5 |
| 151 | Clinical Predictors of Outcome in Ischemic Stroke. Neurologic Clinics, 1983, 1, 103-117. | 0.8 | 30 |
| 152 | Prediction of delayed cerebral ischaemia after subarachnoid haemorrhage by computed tomography.. Journal of Neurology, Neurosurgery and Psychiatry, 1984, 47, 1197-1202. | 0.9 | 50 |
| 153 | CT scan in severe diffuse head injury: physiological and clinical correlations.. Journal of Neurology, Neurosurgery and Psychiatry, 1984, 47, 600-603. | 0.9 | 120 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 154 | Causes of acute deterioration in patients with a ruptured intracranial aneurysm. Journal of Neurosurgery, 1984, 60, 935-939. | 0.9 | 59 |
| 155 | Predicting outcome from closed head injury by early assessment of trauma severity. Journal of Neurosurgery, 1984, 61, 581-585. | 0.9 | 54 |
| 156 | Absent or compressed basal cisterns on first CT scan: ominous predictors of outcome in severe head injury. Journal of Neurosurgery, 1984, 61, 691-694. | 0.9 | 181 |
| 157 | Initial International Use of APACHE. Medical Decision Making, 1984, 4, 297-313. | 1.2 | 37 |
| 158 | Effect of selective inhibitor of thromboxane A2 synthetase on cerebral vasospasm after early surgery. Journal of Neurosurgery, 1984, 61, 24-29. | 0.9 | 40 |
| 159 | Cerebrospinal fluid enolase in stroke.. Journal of Neurology, Neurosurgery and Psychiatry, 1984, 47, 724-729. | 0.9 | 103 |
| 160 | A Preliminary Prospective Neurophysiological Study of Coma in Children. JAMA Pediatrics, 1984, 138, 492. | 3.6 | 3 |
| 161 | Extracranial insults and outcome in patients with acute head injuryâ€™relationship to the Glasgow Coma Scale. Injury, 1984, 16, 25-29. | 0.7 | 95 |
| 162 | Severity of illness and injury in pediatric air transport. Annals of Emergency Medicine, 1984, 13, 108-111. | 0.3 | 22 |
| 163 | The social and emotional consequences of head injury and stroke. Applied Psychology, 1984, 33, 427-455. | 4.4 | 10 |
| 164 | The effect of high dose barbiturate decompression after severe head injury. A controlled clinical trial. Acta Neurochirurgica, 1984, 72, 157-166. | 0.9 | 62 |
| 165 | Review of 1,000 consecutive cases of severe head injury treated before the advent of CT scanning. Acta Neurochirurgica, 1984, 72, 167-195. | 0.9 | 12 |
| 166 | Decerebrate rigidity and vegetative signs in the acute midbrain syndrome with special regard to motor activity and intracranial pressure. Acta Neurochirurgica, 1984, 72, 219-233. | 0.9 | 21 |
| 167 | Computer-assisted prediction of outcome of severely head-injured patients. Journal of Microcomputer Applications, 1984, 7, 271-277. | 0.1 | 7 |
| 168 | Facilitating the sexual integration of the head-injured person in the community. Sexuality and Disability, 1984, 7, 28-42. | 0.4 | 8 |
| 169 | Clinical trials and cerebral resuscitation research. Annals of Emergency Medicine, 1984, 13, 868-872. | 0.3 | 8 |
| 171 | Metronidazole in the treatment of metastatic brain tumors. Journal of Neuro-Oncology, 1984, 2, 105-111. | 1.4 | 11 |
| 172 | Prehospital use of the glasgow coma scale in severe head injury. Journal of Emergency Medicine, 1984, 2, 1-6. | 0.3 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 173 | Saccadic oscillations associated with the quick phases of caloric nystagmus in severe diffuse brain damage. <i>Clinical Neurology and Neurosurgery</i> , 1984, 86, 21-27. | 0.6 | 3 |
| 174 | DIFFUSE AXONAL INJURY IN HEAD INJURIES CAUSED BY A FALL. <i>Lancet, The</i> , 1984, 324, 1420-1422. | 6.3 | 86 |
| 175 | NEUROLOGICAL INJURIES IN SOUTH AUSTRALIA: THE INFLUENCE OF DISTANCE ON MANAGEMENT AND OUTCOME. <i>ANZ Journal of Surgery</i> , 1984, 54, 29-35. | 0.3 | 24 |
| 176 | Analysis of 223 ruptured intracranial aneurysms with special reference to rerupture. <i>World Neurosurgery</i> , 1984, 21, 445-452. | 1.3 | 41 |
| 177 | Predictive Validity of Rappaport's Disability Rating Scale in Subjects with Acute Brain Dysfunction. <i>Physical Therapy</i> , 1984, 64, 1357-1360. | 1.1 | 37 |
| 178 | Hospital Admitted Head Injury: A Prospective Study in Tr ndelag, Norway, 1979 80. <i>Scandinavian Journal of Public Health</i> , 1984, 12, 7-14. | 0.6 | 41 |
| 179 | The contribution of brain injury to the overall injury severity of brain-injured patients. <i>Journal of Neurosurgery</i> , 1984, 60, 697-699. | 0.9 | 18 |
| 183 | Antifibrinolytic Treatment in Subarachnoid Hemorrhage. <i>New England Journal of Medicine</i> , 1984, 311, 432-437. | 13.9 | 291 |
| 184 | Chronic Subdural Haematoma in the CT Scan Era. <i>Scottish Medical Journal</i> , 1985, 30, 152-155. | 0.7 | 6 |
| 185 | Head Injury in Road Traffic Accidents: A Prospective Study in Tr ndelag, Norway, 1979 80. <i>Scandinavian Journal of Public Health</i> , 1985, 13, 23-27. | 0.6 | 5 |
| 186 | Dipyridamole and postoperative ischemic deficits in aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1985, 63, 699-703. | 0.9 | 35 |
| 188 | Scoring system to assess disease severity in children. <i>Intensive Care Medicine</i> , 1985, 11, 20-5. | 3.9 | 2 |
| 189 | Measurements of brain-stem auditory evoked potentials in infancy, childhood, and adolescence. <i>Child's Nervous System</i> , 1985, 1, 337-340. | 0.6 | 6 |
| 190 | Derivation of a bioclinical prognostic index in severe head injury. <i>Intensive Care Medicine</i> , 1985, 11, 186-191. | 3.9 | 22 |
| 191 | Neuromonitoring. <i>Journal of Neurology</i> , 1985, 232, 125-133. | 1.8 | 59 |
| 192 | Advances in the management of closed head injury. <i>Annals of Emergency Medicine</i> , 1985, 14, 789-795. | 0.3 | 6 |
| 193 | Pediatric head injury: The critical role of the emergency physician. <i>Annals of Emergency Medicine</i> , 1985, 14, 1178-1184. | 0.3 | 31 |
| 194 | Severe head injury in children: early prognosis and outcome. <i>Child's Nervous System</i> , 1985, 1, 158-162. | 0.6 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 195 | Increased concentration of hypoxanthine in human central cerebrospinal fluid after subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 1985, 77, 52-59. | 0.9 | 12 |
| 196 | Epidural monitoring of the intracranial pressure in severe head injury characterized by non-localizing motor response. <i>Acta Neurochirurgica</i> , 1985, 74, 21-26. | 0.9 | 12 |
| 197 | Creatine kinase BB in blood as index of prognosis and effect of treatment after severe head injury. <i>Acta Neurochirurgica</i> , 1985, 76, 131-136. | 0.9 | 15 |
| 198 | Creatine kinaseBB-activity after head trauma related to outcome. <i>Acta Neurochirurgica</i> , 1985, 76, 137-139. | 0.9 | 22 |
| 199 | A long-term follow-up study of juvenile aneurysm patients. <i>Acta Neurochirurgica</i> , 1985, 77, 103-109. | 0.9 | 18 |
| 200 | Increased levels of somatomedins in human lumbar and central cerebrospinal fluid after subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 1985, 78, 157-160. | 0.9 | 10 |
| 201 | AUDITORY SHORT, MIDDLE, AND LONG LATENCY RESPONSES IN ACUTELY COMATOSE PATIENTS. <i>Laryngoscope</i> , 1985, 95, 324-327. | 1.1 | 31 |
| 202 | Effect of mannitol on cerebral blood flow and cerebral perfusion pressure in human head injury. <i>Journal of Neurosurgery</i> , 1985, 63, 43-48. | 0.9 | 188 |
| 203 | Computed tomography in the prediction of outcome in head injury. <i>American Journal of Roentgenology</i> , 1985, 144, 483-486. | 1.0 | 29 |
| 204 | Outcome from severe head injury in children and adolescents. <i>Journal of Neurosurgery</i> , 1985, 62, 194-199. | 0.9 | 197 |
| 205 | Three months after severe head injury: psychiatric and social impact on relatives.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1985, 48, 870-875. | 0.9 | 131 |
| 206 | Outcome from "rescue clipping" of ruptured intracranial aneurysms during induction anaesthesia and endotracheal intubation.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1985, 48, 160-163. | 0.9 | 27 |
| 207 | Impact of Computed Tomography on Subdural Hematoma. <i>JAMA - Journal of the American Medical Association</i> , 1985, 253, 2378. | 3.8 | 8 |
| 208 | Magnetic Resonance Imaging After 'Diffuse' Nonmissile Head Injury. <i>Archives of Neurology</i> , 1985, 42, 963. | 4.9 | 51 |
| 209 | Association of Arterial Hypertension with Poor Outcome in Children with Acute Brain Injury. <i>Clinical Pediatrics</i> , 1985, 24, 320-323. | 0.4 | 16 |
| 210 | The Glasgow Assessment Schedule: Clinical and research assessment of head injury outcome. <i>International Rehabilitation Medicine</i> , 1985, 7, 145-149. | 0.6 | 32 |
| 211 | Modified injury severity scale and concurrent steroid therapy: Independent correlates of negative nitrogen balance in pediatric trauma. <i>Journal of Pediatric Surgery</i> , 1985, 20, 799-802. | 0.8 | 11 |
| 212 | THE WORK OF A REGIONAL HEAD INJURY SERVICE. <i>Lancet</i> , The, 1985, 325, 1141-1144. | 6.3 | 55 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 213 | Influence of self-monitoring on heterosexual conversational behaviors of head trauma youth. Applied Research in Mental Retardation, 1985, 6, 269-282. | 0.4 | 29 |
| 214 | Syndrome of inappropriate secretion of antidiuretic hormone after severe head injury. World Neurosurgery, 1985, 23, 383-387. | 1.3 | 60 |
| 215 | Is the auditory brain-stem response (ABR) effective in the assessment of post-traumatic coma?. Electroencephalography and Clinical Neurophysiology - Evoked Potentials, 1985, 62, 332-337. | 2.0 | 48 |
| 216 | Assessing illness severity: Does clinical judgment work?. Journal of Chronic Diseases, 1986, 39, 439-452. | 1.3 | 295 |
| 217 | Long-lasting EEG reactions in comatose patients after repetitive stimulation. Electroencephalography and Clinical Neurophysiology, 1986, 64, 402-410. | 0.3 | 11 |
| 218 | Impaired verbal and figural fluency after head injury. Archives of Clinical Neuropsychology, 1986, 1, 87-101. | 0.3 | 22 |
| 219 | PSYCHOSOCIAL OUTCOME OF HEAD INJURY. Lancet, The, 1986, 328, 164. | 6.3 | 2 |
| 220 | A randomized clinical study of cardiopulmonary cerebral resuscitation: Design, methods, and patient characteristics. American Journal of Emergency Medicine, 1986, 4, 72-86. | 0.7 | 258 |
| 221 | Survival following cardiopulmonary arrest occurring during outpatient general anesthesia: Report of a case. Journal of Oral and Maxillofacial Surgery, 1986, 44, 558-561. | 0.5 | 6 |
| 222 | Maxillofacial skeleton injuries in the western states of Nigeria. British Journal of Oral and Maxillofacial Surgery, 1986, 24, 31-39. | 0.4 | 68 |
| 223 | Outcome evaluation following subarachnoid hemorrhage. Journal of Neurosurgery, 1986, 64, 191-196. | 0.9 | 127 |
| 224 | Arteriovenous malformations of the brain: natural history in unoperated patients.. Journal of Neurology, Neurosurgery and Psychiatry, 1986, 49, 1-10. | 0.9 | 748 |
| 226 | The assessment of severe head injury by short-latency somatosensory and brain-stem auditory evoked potentials. Electroencephalography and Clinical Neurophysiology - Evoked Potentials, 1986, 65, 188-195. | 2.0 | 130 |
| 227 | Auditory brain-stem (ABs) and middle latency auditory responses (MLRs) in the prognosis of severely head-injured patients. Electroencephalography and Clinical Neurophysiology - Evoked Potentials, 1986, 65, 196-202. | 2.0 | 45 |
| 228 | ACUTE SUBDURAL HAEMATOMAS: AETIOLOGY, PATHOLOGY AND OUTCOME. ANZ Journal of Surgery, 1986, 56, 907-913. | 0.3 | 16 |
| 229 | EXPERIENCE WITH EXTRADURAL HAEMATOMAS IN NEW SOUTH WALES. ANZ Journal of Surgery, 1986, 56, 535-541. | 0.3 | 20 |
| 230 | EXPERIENCE WITH MULTIPLE INTRACRANIAL HAEMATOMAS IN NEW SOUTH WALES. ANZ Journal of Surgery, 1986, 56, 543-548. | 0.3 | 10 |
| 231 | EXPERIENCE WITH ACUTE SUBDURAL HAEMATOMAS IN NEW SOUTH WALES. ANZ Journal of Surgery, 1986, 56, 549-556. | 0.3 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 232 | EPIDEMIOLOGY AND CLINICAL OUTCOMES OF NEUROTRAUMA IN NEW SOUTH WALES. ANZ Journal of Surgery, 1986, 56, 557-566. | 0.3 | 21 |
| 233 | EXPERIENCE WITH CHRONIC SUBDURAL HAEMATOMAS IN NEW SOUTH WALES. ANZ Journal of Surgery, 1986, 56, 577-583. | 0.3 | 11 |
| 234 | Head Injury and Outcome: A Critical Review of Methodology. , 0, , . | | 2 |
| 238 | Differences between neurological and neurosurgical approaches in the management of malignant brain tumours.. BMJ: British Medical Journal, 1986, 293, 1015-1018. | 2.4 | 23 |
| 239 | Barbiturate Coma in Head Injury. Journal of Neurosurgery, 1986, 65, 573-4. | 0.9 | 0 |
| 240 | Serum and urine zinc response in head-injured patients. Journal of Neurosurgery, 1986, 64, 224-230. | 0.9 | 88 |
| 242 | Early outcome prediction in severe head injury: comparison between children and adults. Child's Nervous System, 1986, 2, 67-71. | 0.6 | 37 |
| 243 | Use of an international data bank to compare outcome following severe head injury in different centres. Statistics in Medicine, 1986, 5, 103-112. | 0.8 | 28 |
| 244 | Assessing the performance and clinical impact of a computerized prognostic system in severe head injury. Statistics in Medicine, 1986, 5, 403-410. | 0.8 | 27 |
| 245 | Alcohol and traumatic brain damage. Injury, 1986, 17, 150-153. | 0.7 | 29 |
| 247 | Post-traumatic diffuse axonal brain injury. Analysis of 78 patients studied with Computed Tomography. Acta Neurochirurgica, 1986, 81, 27-35. | 0.9 | 67 |
| 248 | Prognosis, incidence and management of acute traumatic intracranial pneumocephalus. Acta Neurochirurgica, 1986, 80, 93-99. | 0.9 | 62 |
| 249 | Cognitive sequelae of severe head injury in relation to the Glasgow Outcome Scale.. Journal of Neurology, Neurosurgery and Psychiatry, 1986, 49, 549-553. | 0.9 | 68 |
| 250 | The significance of traumatic haematoma in the region of the basal ganglia.. Journal of Neurology, Neurosurgery and Psychiatry, 1986, 49, 29-34. | 0.9 | 61 |
| 251 | Predicting the Outcome From Hypoxic-Ischemic Coma. JAMA - Journal of the American Medical Association, 1986, 255, 1569. | 3.8 | 2 |
| 252 | Randomized Clinical Study of Thiopental Loading in Comatose Survivors of Cardiac Arrest. New England Journal of Medicine, 1986, 314, 397-403. | 13.9 | 554 |
| 253 | Clinical course and outcome of severe head injury in Australia. Journal of Neurosurgery, 1986, 65, 15-18. | 0.9 | 37 |
| 254 | CSF brain creatine kinase levels and lactic acidosis in severe head injury. Journal of Neurosurgery, 1986, 65, 625-629. | 0.9 | 55 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 255 | Prognostic significance of ventricular CSF lactic acidosis in severe head injury. <i>Journal of Neurosurgery</i> , 1986, 65, 615-624. | 0.9 | 135 |
| 256 | Predictors and indicators of quality of life in patients with Closed-Head injury. <i>Neuropsychology, Development and Cognition Section A: Journal of Clinical and Experimental Neuropsychology</i> , 1986, 8, 469-485. | 1.4 | 111 |
| 257 | Cerebral hemodynamics in patients with acute severe head trauma. <i>Journal of Neurosurgery</i> , 1986, 64, 231-237. | 0.9 | 123 |
| 258 | Neurosurgical complications after apparently minor head injury. <i>Journal of Neurosurgery</i> , 1986, 65, 203-210. | 0.9 | 239 |
| 259 | Normal computerized tomography scans in severe head injury. <i>Journal of Neurosurgery</i> , 1986, 65, 784-789. | 0.9 | 107 |
| 260 | Experience with Althesin in the management of persistently raised ICP following severe head injury. <i>Journal of Neurosurgery</i> , 1986, 64, 414-419. | 0.9 | 6 |
| 261 | Effect of high-dose dexamethasone on outcome from severe head injury. <i>Journal of Neurosurgery</i> , 1986, 64, 81-88. | 0.9 | 206 |
| 262 | Analysis of 76 civilian craniocerebral gunshot wounds. <i>Journal of Neurosurgery</i> , 1986, 65, 9-14. | 0.9 | 138 |
| 263 | Physiologic Abnormalities and Outcome From Acute Disease. <i>Archives of Internal Medicine</i> , 1986, 146, 1389. | 4.3 | 62 |
| 264 | Neurobehavioral Outcome After Closed Head Injury in Childhood and Adolescence. <i>Archives of Neurology</i> , 1987, 44, 194-198. | 4.9 | 95 |
| 265 | The neurobehavioural rating scale: assessment of the behavioural sequelae of head injury by the clinician.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1987, 50, 183-193. | 0.9 | 425 |
| 266 | Outcome after severe head injury. <i>Journal of Neurosurgery</i> , 1987, 67, 648-656. | 0.9 | 291 |
| 267 | Return to work after severe head injury. <i>International Disability Studies</i> , 1987, 9, 49-54. | 0.4 | 39 |
| 268 | Immune complexes and complement activation following rupture of intracranial saccular aneurysms. <i>Journal of Neurosurgery</i> , 1987, 66, 891-897. | 0.9 | 88 |
| 269 | Magnetic resonance imaging and computerized tomography in relation to the neurobehavioral sequelae of mild and moderate head injuries. <i>Journal of Neurosurgery</i> , 1987, 66, 706-713. | 0.9 | 316 |
| 270 | Comparing the Areas under More Than Two Independent ROC Curves. <i>Medical Decision Making</i> , 1987, 7, 149-155. | 1.2 | 84 |
| 271 | The effect of nutritional support on outcome from severe head injury. <i>Journal of Neurosurgery</i> , 1987, 67, 668-676. | 0.9 | 214 |
| 272 | Pressure-volume index in head injury. <i>Journal of Neurosurgery</i> , 1987, 67, 832-840. | 0.9 | 138 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 273 | Effects of Dexamethasone in Primary Supratentorial Intracerebral Hemorrhage. <i>New England Journal of Medicine</i> , 1987, 316, 1229-1233. | 13.9 | 346 |
| 274 | The impact-absorbing effects of facial fractures in closed-head injuries. <i>Journal of Neurosurgery</i> , 1987, 66, 542-547. | 0.9 | 104 |
| 275 | S-100 protein and neuron-specific enolase in cerebrospinal fluid and serum: markers of cell damage in human central nervous system.. <i>Stroke</i> , 1987, 18, 911-918. | 1.0 | 469 |
| 276 | Extrapolated creatine kinase-BB isoenzyme activity in assessment of initial brain damage after severe head injury. <i>Journal of Neurosurgery</i> , 1987, 66, 714-717. | 0.9 | 18 |
| 277 | The predictive value of catecholamines in assessing outcome in traumatic brain injury. <i>Journal of Neurosurgery</i> , 1987, 66, 875-882. | 0.9 | 154 |
| 278 | Rerupture of intracranial aneurysms: a clinicoanatomic study. <i>Journal of Neurosurgery</i> , 1987, 67, 29-33. | 0.9 | 92 |
| 279 | Motorcycling and Head Injury: Admissions to a regional head injury unit. <i>British Journal of Neurosurgery</i> , 1987, 1, 271-275. | 0.4 | 4 |
| 281 | Aneurysmal subarachnoid hemorrhage. Complications and outcome in a hospital population.. <i>Stroke</i> , 1987, 18, 1061-1067. | 1.0 | 163 |
| 282 | Implications of systemic hypotension for the neurological examination in patients with severe head injury. <i>World Neurosurgery</i> , 1987, 28, 419-422. | 1.3 | 24 |
| 283 | Randomized clinical study of thiopental loading in comatose survivors of cardiac arrest. <i>Journal of Pediatric Surgery</i> , 1987, 22, 86. | 0.8 | 70 |
| 284 | The Patient with Critical Neurological Disease. <i>Critical Care Clinics</i> , 1987, 3, 217-233. | 1.0 | 18 |
| 285 | Predicting the Outcome: A New Crystal Ball?. <i>Journal of the Royal Society of Medicine</i> , 1987, 80, 133-134. | 1.1 | 1 |
| 286 | The clinical significance of the P15 wave of the somatosensory evoked potential in tentorial herniation. <i>Neurological Research</i> , 1987, 9, 154-158. | 0.6 | 1 |
| 287 | Assessment of Prognosis in Nontraumatic Coma in a Tropical Environment. <i>Tropical Doctor</i> , 1987, 17, 52-56. | 0.2 | 3 |
| 288 | Head injuries to children riding bicycles. <i>Medical Journal of Australia</i> , 1987, 146, 619-621. | 0.8 | 33 |
| 289 | Brainstem auditory evoked response and vestibulo-ocular reflex in severe head injury patients. <i>Acta Neurochirurgica</i> , 1987, 87, 40-43. | 0.9 | 6 |
| 290 | Traumatic intraventricular haemorrhage. <i>Acta Neurochirurgica</i> , 1987, 88, 95-103. | 0.9 | 13 |
| 291 | Changes produced by CT scanning in the outlook of severe head injury. <i>Acta Neurochirurgica</i> , 1987, 85, 87-95. | 0.9 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 292 | Delayed epidural hematoma a review. <i>Acta Neurochirurgica</i> , 1987, 84, 13-23. | 0.9 | 48 |
| 293 | ?Top of the basilar? syndrome: Clinico-radiological evaluation. <i>Neuroradiology</i> , 1987, 29, 354-359. | 1.1 | 23 |
| 294 | Counting the people disabled by head injury. <i>Injury</i> , 1987, 18, 7-9. | 0.7 | 20 |
| 295 | Survival of intensive care patients I: prognostic factors from the patient's medical history. <i>Acta Anaesthesiologica Scandinavica</i> , 1988, 32, 93-100. | 0.7 | 26 |
| 296 | Prediction of severe postoperative complications in patients admitted to neuroanaesthesia. <i>Acta Anaesthesiologica Scandinavica</i> , 1988, 32, 681-685. | 0.7 | 1 |
| 297 | Prognosis of the posttraumatic vegetative state. <i>Acta Neurochirurgica</i> , 1988, 95, 49-52. | 0.9 | 109 |
| 298 | The Glasgow-Liège Scale. <i>Acta Neurochirurgica</i> , 1988, 91, 1-11. | 0.9 | 71 |
| 299 | The Reaction Level Scale (RLS 85). <i>Acta Neurochirurgica</i> , 1988, 91, 12-20. | 0.9 | 255 |
| 300 | S-100 protein in cerebrospinal fluid of patients with subarachnoid haemorrhage: A potential marker of brain damage. <i>Acta Neurochirurgica</i> , 1988, 93, 116-122. | 0.9 | 67 |
| 301 | The amount of blood in CSF and degree of hydrocephalus studied with CT as compared to clinical condition and concentrations of various substances in human CSF after subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 1988, 94, 38-41. | 0.9 | 6 |
| 302 | Priorities in the management of polytraumatised patients with head injury: Partially resolved problems. <i>Acta Neurochirurgica</i> , 1988, 94, 70-73. | 0.9 | 17 |
| 303 | Outcome of self-inflicted gunshot wounds of the brain. <i>Annals of Emergency Medicine</i> , 1988, 17, 247-253. | 0.3 | 67 |
| 304 | Predictors of electromechanical dissociation during cardiac arrest. <i>Annals of Emergency Medicine</i> , 1988, 17, 572-575. | 0.3 | 16 |
| 305 | A controlled trial of prehospital advanced life support in trauma. <i>Annals of Emergency Medicine</i> , 1988, 17, 582-588. | 0.3 | 92 |
| 306 | Variables affecting outcome from severe brain injury in children. <i>Intensive Care Medicine</i> , 1988, 14, 417-421. | 3.9 | 45 |
| 307 | Serial recordings of auditory brainstem responses in severe head injury: relationship between test timing and prognostic power. <i>Intensive Care Medicine</i> , 1988, 14, 422-428. | 3.9 | 16 |
| 308 | Timing of aneurysm surgery. <i>European Archives of Psychiatry and Neurological Sciences</i> , 1988, 237, 291-297. | 0.9 | 20 |
| 309 | Prognostic value of somatosensory- and motor-evoked potentials in patients with a non-traumatic coma. <i>European Archives of Psychiatry and Neurological Sciences</i> , 1988, 237, 184-187. | 0.9 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 310 | Brain Enzyme Levels in CSF after Cardiac Arrest and Resuscitation in Dogs: Markers of Damage and Predictors of Outcome. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988, 8, 262-275. | 2.4 | 54 |
| 311 | The inductive inference of pattern recognition rules which are capable of a linguistic interpretation. <i>Computers and Mathematics With Applications</i> , 1988, 15, 839-862. | 1.4 | 0 |
| 312 | Tactual extinction without anomia: Evidence of attentional factors in a patient with a partial callosal disconnection. <i>Neuropsychologia</i> , 1988, 26, 851-868. | 0.7 | 9 |
| 313 | Extradural haemorrhage: strategies for management in remote places. <i>Injury</i> , 1988, 19, 307-312. | 0.7 | 34 |
| 314 | Prediction of delayed cerebral ischemia, rebleeding, and outcome after aneurysmal subarachnoid hemorrhage.. <i>Stroke</i> , 1988, 19, 1250-1256. | 1.0 | 318 |
| 315 | Thyroid test abnormalities in traumatic brain Injury: Correlation with neurologic impairment and sympathetic nervous system activation. <i>American Journal of Medicine</i> , 1988, 84, 201-208. | 0.6 | 69 |
| 316 | Effect of cisternal drainage after early operation for ruptured intracranial aneurysms. <i>World Neurosurgery</i> , 1988, 30, 441-444. | 1.3 | 23 |
| 317 | Nimodipine treatment of selected good-risk patients with subarachnoid hemorrhage: No significant difference between present and historical results. <i>World Neurosurgery</i> , 1988, 30, 180-186. | 1.3 | 13 |
| 318 | Head trauma and nonsurvival—a sample survey. <i>World Neurosurgery</i> , 1988, 30, 273-275. | 1.3 | 4 |
| 319 | Interobserver agreement for the assessment of handicap in stroke patients.. <i>Stroke</i> , 1988, 19, 604-607. | 1.0 | 5,117 |
| 320 | Outcome of aneurysmal subarachnoid hemorrhage in patients 66 years of age and older. <i>Clinical Neurology and Neurosurgery</i> , 1988, 90, 203-207. | 0.6 | 17 |
| 321 | Comprehensive head injury rehabilitation: An outcome evaluation. <i>Brain Injury</i> , 1988, 2, 313-322. | 0.6 | 55 |
| 322 | Severe adolescent head injury: Implications for transition into adult life. <i>Pediatric Neurology</i> , 1988, 4, 337-341. | 1.0 | 10 |
| 323 | Recurrent Aneurysmal Subarachnoid Haemorrhage: Incidence, timing and effects. A re-appraisal in a surgical series. <i>British Journal of Neurosurgery</i> , 1988, 2, 43-48. | 0.4 | 14 |
| 324 | The effect of intracerebral hematoma location on the risk of brain-stem compression and on clinical outcome. <i>Journal of Neurosurgery</i> , 1988, 69, 518-522. | 0.9 | 114 |
| 325 | Cerebral blood flow, vasoreactivity, and oxygen consumption during barbiturate therapy in severe traumatic brain lesions. <i>Journal of Neurosurgery</i> , 1988, 68, 424-431. | 0.9 | 196 |
| 326 | Acute epidural hematoma: an analysis of factors influencing the outcome of patients undergoing surgery in coma. <i>Journal of Neurosurgery</i> , 1988, 68, 48-57. | 0.9 | 127 |
| 327 | Management of Intraventricular Haemorrhage in Patients with Haemorrhagic Cerebrovascular Diseases. <i>British Journal of Neurosurgery</i> , 1988, 2, 23-32. | 0.4 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 328 | Nimodipine treatment in poor-grade aneurysm patients. <i>Journal of Neurosurgery</i> , 1988, 68, 505-517. | 0.9 | 479 |
| 329 | Dose-escalation study of intravenous nicardipine in patients with aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1988, 68, 393-400. | 0.9 | 105 |
| 330 | The heterogeneity of social outcome following head injury.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1988, 51, 833-838. | 0.9 | 26 |
| 331 | Intraventricular Haematoma: management of comatose patients with valve regulated external ventricular drainage. <i>British Journal of Neurosurgery</i> , 1988, 2, 465-469. | 0.4 | 9 |
| 332 | Posttraumatic cerebral hemispheric swelling. <i>Journal of Neurosurgery</i> , 1988, 68, 417-423. | 0.9 | 109 |
| 333 | Management of elderly patients with aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1988, 69, 332-339. | 0.9 | 99 |
| 334 | Diagnosis and treatment of vertebral aneurysms. <i>Journal of Neurosurgery</i> , 1988, 69, 345-349. | 0.9 | 141 |
| 335 | Enhanced specificity of prognosis in severe head injury. <i>Journal of Neurosurgery</i> , 1988, 69, 381-385. | 0.9 | 171 |
| 336 | Relationship of depth of brain lesions to consciousness and outcome after closed head injury. <i>Journal of Neurosurgery</i> , 1988, 69, 861-866. | 0.9 | 101 |
| 337 | High-dose barbiturate control of elevated intracranial pressure in patients with severe head injury. <i>Journal of Neurosurgery</i> , 1988, 69, 15-23. | 0.9 | 543 |
| 338 | Report of World Federation of Neurological Surgeons Committee on a Universal Subarachnoid Hemorrhage Grading Scale. <i>Journal of Neurosurgery</i> , 1988, 68, 985-6. | 0.9 | 994 |
| 339 | Intracranial Operation Within Seven Days of Aneurysmal Subarachnoid Hemorrhage. <i>Archives of Neurology</i> , 1988, 45, 1065. | 4.9 | 15 |
| 340 | Modified Auditory Brainstem Responses (MABR) Part 2 - Studies in Patients with Intracranial Lesions. <i>Clinical EEG (electroencephalography)</i> , 1988, 19, 95-107. | 0.9 | 5 |
| 341 | A universal subarachnoid hemorrhage scale: report of a committee of the World Federation of Neurosurgical Societies.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1988, 51, 1457-1457. | 0.9 | 595 |
| 342 | Aneurysmal subarachnoid hemorrhage in Izumo City and Shimane Prefecture of Japan. Incidence.. <i>Stroke</i> , 1988, 19, 170-175. | 1.0 | 89 |
| 343 | Evaluation of an Intellectual Function Assessment Method in Adults with Acquired Brain Damage. <i>Scandinavian Journal of Caring Sciences</i> , 1988, 2, 11-18. | 1.0 | 0 |
| 344 | Aneurysmal subarachnoid hemorrhage in Izumo City and Shimane Prefecture of Japan. Outcome.. <i>Stroke</i> , 1988, 19, 176-180. | 1.0 | 52 |
| 350 | Auditory brain stem responses (ABR) in patients with acute severe closed head injuries. <i>Journal of Laryngology and Otology</i> , 1988, 102, 755-759. | 0.4 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 351 | Post-ictal Blood Pressure in Aneurysmal Subarachnoid Haemorrhage. <i>British Journal of Neurosurgery</i> , 1988, 2, 153-159. | 0.4 | 8 |
| 352 | Comparison of Administration of Two Standard Intravenous Amino Acid Formulas to Severely Brain-Injured Patients. <i>Drug Intelligence & Clinical Pharmacy</i> , 1988, 22, 763-768. | 0.4 | 18 |
| 353 | Psychosocial Sequelae of Head Injury – Anatomy of a Relationship. <i>British Journal of Psychiatry</i> , 1988, 153, 141-146. | 1.7 | 20 |
| 354 | Spectral Analysis of the EEG in Craniocerebral Trauma. <i>Canadian Journal of Neurological Sciences</i> , 1988, 15, 82-86. | 0.3 | 21 |
| 356 | Nursing Interventions. <i>Critical Care Nursing Clinics of North America</i> , 1989, 1, 155-164. | 0.4 | 1 |
| 357 | Cerebral Physiologic Monitoring. <i>Critical Care Clinics</i> , 1989, 5, 845-861. | 1.0 | 7 |
| 358 | Neuropsychological outcome of patients operated upon for an intracranial aneurysm: analysis of general prognostic factors and of the effects of the location of the aneurysm.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1989, 52, 1135-1140. | 0.9 | 48 |
| 359 | Diffuse axonal injury in head trauma.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1989, 52, 838-841. | 0.9 | 206 |
| 361 | Delayed deterioration in patients with traumatic frontal contusions.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1989, 52, 351-354. | 0.9 | 40 |
| 362 | Catabolic Effect of Dexamethasone in Patients with Major Head Injuries. <i>Journal of Parenteral and Enteral Nutrition</i> , 1989, 13, 372-376. | 1.3 | 14 |
| 363 | The effects of earlier surgery and shorter bedrest on the outcome in patients with subarachnoid haemorrhage.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1989, 52, 776-777. | 0.9 | 9 |
| 364 | Traumatic Epidural Haematomas of the Posterior Fossa: 20 new cases and a review of the literature since 1961. <i>British Journal of Neurosurgery</i> , 1989, 3, 171-180. | 0.4 | 21 |
| 365 | Effect of oral nimodipine on cerebral infarction and outcome after subarachnoid haemorrhage: British aneurysm nimodipine trial.. <i>BMJ: British Medical Journal</i> , 1989, 298, 636-642. | 2.4 | 957 |
| 366 | Neurological Outcome After Out-of-Hospital Cardiac Arrest. <i>Archives of Neurology</i> , 1989, 46, 753. | 4.9 | 137 |
| 367 | Reintegration into the Community after Head Injury: The Results of an Ethnographic Study. <i>Occupation Participation and Health</i> , 1989, 9, 67-83. | 0.9 | 48 |
| 370 | Psychosocial outcome for the survivors of severe blunt head injury: the results from a consecutive series of 100 patients.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1989, 52, 1128-1134. | 0.9 | 182 |
| 371 | Sensory stimulation of severely brain-injured patients. <i>Brain Injury</i> , 1989, 3, 141-147. | 0.6 | 62 |
| 372 | Defining outcome. <i>Brain Injury</i> , 1989, 3, 325-329. | 0.6 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 373 | Vocational evaluation of traumatic brain injury patients using the functional assessment inventory. <i>Brain Injury</i> , 1989, 3, 27-34. | 0.6 | 10 |
| 374 | Diagnosis and Management of Delayed Traumatic Intracerebral Haematomas. <i>British Journal of Neurosurgery</i> , 1989, 3, 367-372. | 0.4 | 32 |
| 375 | Acute subdural hematomas: an age-dependent clinical entity. <i>Journal of Neurosurgery</i> , 1989, 71, 858-863. | 0.9 | 174 |
| 376 | Cerebral blood flow and metabolism in severely head-injured children. <i>Journal of Neurosurgery</i> , 1989, 71, 63-71. | 0.9 | 253 |
| 377 | Improved outcome prediction based on CSF extrapolated creatine kinase BB isoenzyme activity and other risk factors in severe head injury. <i>Journal of Neurosurgery</i> , 1989, 71, 54-58. | 0.9 | 17 |
| 378 | Angioplasty for the treatment of symptomatic vasospasm following subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1989, 71, 654-660. | 0.9 | 248 |
| 379 | Management problems in acute hydrocephalus after subarachnoid hemorrhage.. <i>Stroke</i> , 1989, 20, 747-753. | 1.0 | 296 |
| 380 | Serial electrocardiographic recording in aneurysmal subarachnoid hemorrhage.. <i>Stroke</i> , 1989, 20, 1162-1167. | 1.0 | 193 |
| 381 | Severe traumatic brain lesions in Sweden. Part I: Aspects of management in non-neurosurgical clinics. <i>Brain Injury</i> , 1989, 3, 247-265. | 0.6 | 33 |
| 382 | Impact of traumatic brain damage on family dynamics and functioning: A review. <i>Brain Injury</i> , 1989, 3, 219-233. | 0.6 | 108 |
| 383 | Prognosis in traumatic basal ganglia haematoma. <i>Acta Neurochirurgica</i> , 1989, 97, 114-116. | 0.9 | 21 |
| 384 | Early management and priorities of polytraumatized patients with intracranial lesions. <i>Neurosurgical Review</i> , 1989, 12, 12-16. | 1.2 | 0 |
| 385 | Multiple injuries: Follow-up. <i>Neurosurgical Review</i> , 1989, 12, 139-142. | 1.2 | 0 |
| 386 | CT findings and outcome in head injuries - effects of aging. <i>Neurosurgical Review</i> , 1989, 12, 178-183. | 1.2 | 6 |
| 387 | Two types of delayed traumatic intracerebral hematoma: Differential forms of treatment. <i>Neurosurgical Review</i> , 1989, 12, 231-236. | 1.2 | 6 |
| 388 | Creatin-Kinase-BB in blood after severe head injury. <i>Neurosurgical Review</i> , 1989, 12, 412-415. | 1.2 | 0 |
| 389 | Chronic vegetative state after severe head injury: Clinical study; electrophysiological investigations and CT scan in 15 cases. <i>Neurosurgical Review</i> , 1989, 12, 477-499. | 1.2 | 29 |
| 390 | A new scoring system for disease intensity in a surgical intensive care unit. <i>World Journal of Surgery</i> , 1989, 13, 252-258. | 0.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 391 | Immunological method for prediction of progress in neurological deficit in patients with intracranial aneurysm rupture. <i>Acta Neurochirurgica</i> , 1989, 97, 67-70. | 0.9 | 7 |
| 392 | Enzymatic changes in the cerebrospinal fluid as indices of pathological change. <i>Acta Neurochirurgica</i> , 1989, 97, 71-76. | 0.9 | 11 |
| 393 | S-100 Protein in cerebrospinal fluid after aneurysmal subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 1989, 99, 135-144. | 0.9 | 68 |
| 394 | The small acoustic tumour; a chance to preserve hearing. <i>Acta Neurochirurgica</i> , 1989, 98, 115-117. | 0.9 | 12 |
| 395 | Subarachnoid haemorrhage of unknown aetiology. <i>Acta Neurochirurgica</i> , 1989, 101, 35-41. | 0.9 | 36 |
| 396 | The brain-stem and 40 Hz middle latency auditory evoked potentials in brain death. <i>Acta Neurochirurgica</i> , 1989, 101, 52-55. | 0.9 | 17 |
| 397 | Creatine-Kinase-BB after severe head-injury as an index of prognosis in relation to nature of trauma and patients age. <i>Acta Neurochirurgica</i> , 1989, 101, 117-120. | 0.9 | 3 |
| 398 | Head injury perils. <i>Geriatric Nursing</i> , 1989, 10, 285-287. | 0.9 | 0 |
| 399 | Survival compared to the general population and changes in health status among intensive care patients. <i>Acta Anaesthesiologica Scandinavica</i> , 1989, 33, 6-12. | 0.7 | 54 |
| 400 | The Belgian cardiopulmonary cerebral resuscitation registry. Form protocol. <i>Resuscitation</i> , 1989, 17, S5-S10. | 1.3 | 19 |
| 401 | Pre-CPR conditions and the final outcome of CPR. <i>Resuscitation</i> , 1989, 17, S11-S21. | 1.3 | 28 |
| 402 | Influence of time intervals on outcome of CPR. <i>Resuscitation</i> , 1989, 17, S23-S33. | 1.3 | 51 |
| 403 | Influence of pre-CPR conditions on EMS response times in circulatory arrest. <i>Resuscitation</i> , 1989, 17, S45-S51. | 1.3 | 3 |
| 404 | Bystander cardiopulmonary resuscitation (CPR) in out-of-hospital cardiac arrest. <i>Resuscitation</i> , 1989, 17, S55-S69. | 1.3 | 150 |
| 405 | Evaluation of cardiopulmonary resuscitation (CPR) techniques. <i>Resuscitation</i> , 1989, 17, S99-S109. | 1.3 | 46 |
| 406 | Decision making to cease or to continue cardiopulmonary resuscitation (CPR). <i>Resuscitation</i> , 1989, 17, S137-S147. | 1.3 | 32 |
| 407 | Clinical outcome after head injury in children. <i>Child's Nervous System</i> , 1989, 5, 156-159. | 0.6 | 24 |
| 408 | A controlled study of Dextran 40: effect on cerebral blood flow and metabolic rates in acute head trauma. <i>Intensive Care Medicine</i> , 1989, 15, 499-504. | 3.9 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 409 | The treatment of spontaneous intracerebral hemorrhage. <i>Journal of Neurosurgery</i> , 1989, 70, 755-758. | 0.9 | 313 |
| 410 | AGGRESSIVE MANAGEMENT OF SEVERE CLOSED HEAD TRAUMA: TIME FOR REAPPRAISAL. <i>Lancet, The</i> , 1989, 334, 369-371. | 6.3 | 38 |
| 411 | Neuropsychological Follow-Up Of Patients Operated For Aneurysms Of Anterior Communicating Artery. <i>Cortex</i> , 1989, 25, 261-273. | 1.1 | 68 |
| 412 | Nimodipine. <i>Drugs</i> , 1989, 37, 669-699. | 4.9 | 187 |
| 413 | Hypocalcemia in critically ill children. <i>Journal of Pediatrics</i> , 1989, 114, 946-951. | 0.9 | 96 |
| 414 | Surgical exploration before computed tomography scanning in children with traumatic tentorial herniation. <i>World Neurosurgery</i> , 1989, 32, 434-438. | 1.3 | 6 |
| 415 | Extradural hematomas of the posterior cranial fossa. <i>World Neurosurgery</i> , 1989, 32, 300-303. | 1.3 | 38 |
| 416 | Assessment of childhood injury severity. <i>Journal of Paediatrics and Child Health</i> , 1989, 25, 6-9. | 0.4 | 1 |
| 417 | The prognostic significance of the third ventricle and basal cisterns in severe closed head injury. <i>Clinical Radiology</i> , 1989, 40, 13-16. | 0.5 | 28 |
| 418 | The significance of haematomas of the basal ganglia in closed head injury. <i>Clinical Radiology</i> , 1989, 40, 619-621. | 0.5 | 6 |
| 419 | Social interaction and speed of information processing following very severe head-injury. <i>Psychological Medicine</i> , 1989, 19, 175-182. | 2.7 | 40 |
| 420 | Severe traumatic brain lesions in Sweden. Part 3: Economic aspects of aggressive neurosurgical intensive care. <i>Brain Injury</i> , 1989, 3, 283-293. | 0.6 | 9 |
| 421 | Severe traumatic brain lesions in Sweden. Part 2: Impact of aggressive neurosurgical intensive care. <i>Brain Injury</i> , 1989, 3, 267-281. | 0.6 | 28 |
| 422 | Central Pain Complicating Infarction Following Subarachnoid Haemorrhage. <i>British Journal of Neurosurgery</i> , 1989, 3, 435-441. | 0.4 | 16 |
| 423 | Effect of fluid intake and antihypertensive treatment on cerebral ischemia after subarachnoid hemorrhage.. <i>Stroke</i> , 1989, 20, 1511-1515. | 1.0 | 91 |
| 424 | Does "Black" Brain Mean Doom? Computed Tomography in the Prediction of Outcome in Children with Severe Head Injuries: "Benign" vs "Malignant" Brain Swelling. <i>Journal of Medical Imaging and Radiation Oncology</i> , 1989, 33, 344-347. | 0.6 | 6 |
| 425 | Postoperative hemodynamic and metabolic changes in patients with subarachnoid hemorrhage.. <i>Stroke</i> , 1989, 20, 1504-1510. | 1.0 | 94 |
| 426 | Effect of fludrocortisone acetate in patients with subarachnoid hemorrhage.. <i>Stroke</i> , 1989, 20, 1156-1161. | 1.0 | 182 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 427 | Clinical Features and Outcome in 68 Cases of Aneurysmal Subarachnoid Hemorrhage without Aneurysm Repair. <i>Neurologia Medico-Chirurgica</i> , 1989, 29, 811-815. | 1.0 | 1 |
| 428 | The Outcome of Head Injury: The Saudi Experience. <i>Neurologia Medico-Chirurgica</i> , 1989, 29, 816-819. | 1.0 | 3 |
| 429 | Measurement of Serum Alkaline Phosphatase Isozyme I in Brain-damaged Patients. <i>Neurologia Medico-Chirurgica</i> , 1989, 29, 995-998. | 1.0 | 13 |
| 431 | Steps towards cost-benefit analysis of regional neurosurgical care.. <i>BMJ: British Medical Journal</i> , 1990, 301, 629-635. | 2.4 | 78 |
| 432 | Platelet thromboxane release after subarachnoid hemorrhage and surgery.. <i>Stroke</i> , 1990, 21, 566-571. | 1.0 | 36 |
| 433 | Alcohol Intoxication Blunts Sympatho-Adrenal Activation Following Brain Injury. <i>Alcoholism: Clinical and Experimental Research</i> , 1990, 14, 205-209. | 1.4 | 30 |
| 434 | The Adrenocortical Response to Brain Injury: Correlation with the Severity of Neurologic Dysfunction, Effects of Intoxication, and Patient Outcome. <i>Alcoholism: Clinical and Experimental Research</i> , 1990, 14, 917-921. | 1.4 | 57 |
| 435 | Self-rating versus neuropsychological performance of moderate versus severe head-injured patients. <i>Brain Injury</i> , 1990, 4, 7-17. | 0.6 | 126 |
| 436 | <l>Postoperative Luxury Perfusion Syndrome in Patients with Severe Subarachnoid Hemorrhage Treated by Early Aneurysmal Clipping</l>. <i>Neurologia Medico-Chirurgica</i> , 1990, 30, 16-23. | 1.0 | 8 |
| 437 | Clinical Significance of Traumatic Subarachnoid Hemorrhage. <i>Neurologia Medico-Chirurgica</i> , 1990, 30, 396-400. | 1.0 | 29 |
| 438 | Rapid evaluation of comatose patients. <i>Postgraduate Medicine</i> , 1990, 87, 223-233. | 0.9 | 5 |
| 439 | Observations on intracranial dynamics during respiratory physiotherapy in unconscious neurosurgical patients. <i>Acta Anaesthesiologica Scandinavica</i> , 1990, 34, 99-103. | 0.7 | 25 |
| 440 | Cerebral blood flow and metabolism following subarachnoid haemorrhage: cerebral oxygen uptake and global blood flow during the acute period in patients with SAH. <i>Acta Neurologica Scandinavica</i> , 1990, 82, 174-182. | 1.0 | 70 |
| 441 | Benefits and risks of antifibrinolytic therapy in the management of ruptured intracranial aneurysms. <i>Acta Neurochirurgica</i> , 1990, 102, 1-10. | 0.9 | 72 |
| 442 | Head injuries coexistent with pelvic or lower extremity fractures-early or delayed osteosynthesis. <i>Acta Neurochirurgica</i> , 1990, 102, 19-21. | 0.9 | 41 |
| 443 | Dose escalation trial of a novel calcium antagonist, AT877, in patients with aneurysmal subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 1990, 107, 11-15. | 0.9 | 40 |
| 444 | Changes in the levels of neuropeptide Y-LI in the external jugular vein in connection with vasoconstriction following subarachnoid haemorrhage in man. <i>Acta Neurochirurgica</i> , 1990, 107, 75-81. | 0.9 | 27 |
| 445 | Head injuries complicated by chest trauma a review of 50 consecutive patients. <i>Acta Neurochirurgica</i> , 1990, 103, 109-111. | 0.9 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 446 | Flunarizine treatment in poor-grade aneurysm patients. <i>Acta Neurochirurgica</i> , 1990, 103, 11-17. | 0.9 | 17 |
| 447 | Atrial natriuretic peptide-LI following subarachnoid haemorrhage in man. <i>Acta Neurochirurgica</i> , 1990, 106, 18-23. | 0.9 | 25 |
| 448 | Multiple intracranial aneurysms in elderly patients. <i>Acta Neurochirurgica</i> , 1990, 106, 119-126. | 0.9 | 69 |
| 449 | Traumatic extradural haematomas in pediatric age group. <i>Acta Neurochirurgica</i> , 1990, 106, 136-139. | 0.9 | 37 |
| 450 | Has modern management improved the outcome of infants with intracranial tumours?. <i>Child's Nervous System</i> , 1990, 6, 327-330. | 0.6 | 12 |
| 451 | Extradural haemorrhage in infancy and childhood. <i>Child's Nervous System</i> , 1990, 6, 383-387. | 0.6 | 15 |
| 452 | Peptidergic innervation of the cerebral circulation. Role in subarachnoid hemorrhage in man. <i>Neurosurgical Review</i> , 1990, 13, 265-272. | 1.2 | 33 |
| 453 | Clinical assessment of pediatric disorders of higher cerebral function. <i>Current Problems in Pediatrics</i> , 1990, 20, 7-60. | 1.1 | 6 |
| 454 | Transluminal Angioplasty for Treatment of Vasospasm. <i>Neurosurgery Clinics of North America</i> , 1990, 1, 387-399. | 0.8 | 76 |
| 455 | Severe brain injury: intensive family involvement in community-based rehabilitation. <i>Medical Journal of Australia</i> , 1990, 153, 730-732. | 0.8 | 5 |
| 456 | Neurobehavioral outcome 1 year after severe head injury. <i>Journal of Neurosurgery</i> , 1990, 73, 699-709. | 0.9 | 275 |
| 457 | Recurrent hematomas following craniotomy for traumatic intracranial mass. <i>Journal of Neurosurgery</i> , 1990, 72, 9-14. | 0.9 | 79 |
| 458 | Relationship of early cerebral blood flow and metabolism to outcome in acute head injury. <i>Journal of Neurosurgery</i> , 1990, 72, 176-182. | 0.9 | 240 |
| 459 | Effect of nimodipine on platelet function in patients with subarachnoid hemorrhage.. <i>Stroke</i> , 1990, 21, 1283-1288. | 1.0 | 38 |
| 460 | The effectiveness of coma arousal intervention. <i>Brain Injury</i> , 1990, 4, 191-197. | 0.6 | 54 |
| 461 | The International Cooperative Study on the Timing of Aneurysm Surgery. <i>Journal of Neurosurgery</i> , 1990, 73, 37-47. | 0.9 | 858 |
| 462 | Circadian rhythms in the body temperatures of intensive care patients with brain lesions.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1990, 53, 345-347. | 0.9 | 19 |
| 463 | Return to work after rehabilitation following traumatic brain injury. <i>Brain Injury</i> , 1990, 4, 49-56. | 0.6 | 85 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 464 | A scale for neurosurgical audit. <i>British Journal of Neurosurgery</i> , 1990, 4, 463-465. | 0.4 | 2 |
| 465 | Establishing a head-injury rehabilitation service. <i>International Disability Studies</i> , 1990, 12, 86-88. | 0.4 | 4 |
| 466 | Computer analysis of cortical evoked potentials following severe head injury. <i>Brain Injury</i> , 1990, 4, 19-26. | 0.6 | 11 |
| 467 | The International Cooperative Study on the Timing of Aneurysm Surgery. <i>Journal of Neurosurgery</i> , 1990, 73, 18-36. | 0.9 | 1,782 |
| 468 | Calcitonin gene-related peptide-LI in subarachnoid haemorrhage in man. Signs of activation of the trigemino-cerebrovascular system?. <i>British Journal of Neurosurgery</i> , 1990, 4, 171-179. | 0.4 | 75 |
| 469 | Intravenous cocaine abuse and subarachnoid haemorrhage: Effect on outcome. <i>British Journal of Neurosurgery</i> , 1990, 4, 27-30. | 0.4 | 31 |
| 470 | Assessing the clinical impact of a predictive system in severe head injury. <i>Medical Informatics = Medecine Et Informatique</i> , 1990, 15, 269-273. | 0.8 | 10 |
| 471 | A double blind placebo controlled trial of the calcium entry blocking drug, nicardipine, in the treatment of vasospasm following severe head injury. <i>British Journal of Neurosurgery</i> , 1990, 4, 9-15. | 0.4 | 40 |
| 472 | The significance of skull fracture in acute traumatic intracranial hematomas in adolescents: a prospective study. <i>Journal of Neurosurgery</i> , 1990, 72, 189-194. | 0.9 | 84 |
| 473 | Neuropsychological outcome of survivors of out-of-hospital cardiac arrest. <i>Journal of Emergency Medicine</i> , 1990, 8, 407-412. | 0.3 | 30 |
| 475 | Audit of transfer of unconscious head-injured patients to a neurosurgical unit. <i>Lancet, The</i> , 1990, 335, 330-334. | 6.3 | 122 |
| 476 | Management of head injury patients who talked and deteriorated. <i>World Neurosurgery</i> , 1990, 34, 27-29. | 1.3 | 13 |
| 477 | Uncommon causes of intraventricular hemorrhage. <i>Clinical Neurology and Neurosurgery</i> , 1990, 92, 195-202. | 0.6 | 6 |
| 479 | Mass concentration measurements of creatine kinase BB isoenzyme as an index of brain tissue damage. <i>Clinica Chimica Acta</i> , 1990, 193, 125-135. | 0.5 | 4 |
| 480 | Management morbidity and mortality in grade IV and V patients with aneurysmal subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 1990, 103, 5-10. | 0.9 | 76 |
| 481 | Epidemiological characteristics of subarachnoid hemorrhage in an urban population. <i>Journal of Clinical Epidemiology</i> , 1991, 44, 641-648. | 2.4 | 20 |
| 482 | NINDS Traumatic Coma Data Bank: intracranial pressure monitoring methodology. <i>Journal of Neurosurgery</i> , 1991, 75, S21-S27. | 0.9 | 73 |
| 483 | Outcome in patients with subarachnoid haemorrhage and negative angiography according to pattern of haemorrhage on computed tomography. <i>Lancet, The</i> , 1991, 338, 964-968. | 6.3 | 314 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 484 | Risk monitoring of randomized trials in emergency medicine: Experience of the Brain Resuscitation Clinical Trial II. <i>American Journal of Emergency Medicine</i> , 1991, 9, 112-117. | 0.7 | 5 |
| 485 | A randomized clinical study of a calcium-entry blocker (lidoflazine) in the treatment of comatose survivors of cardiac arrest. <i>Journal of Emergency Medicine</i> , 1991, 9, 532. | 0.3 | 39 |
| 486 | Evaluation of the Leeds prognostic score for severe head injury. <i>Lancet, The</i> , 1991, 337, 1451-1453. | 6.3 | 20 |
| 487 | Clinical trials in acute ischemic stroke: Problems in design and interpretation. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 1991, 1, 134-141. | 0.7 | 3 |
| 488 | A new classification of head injury based on computerized tomography. <i>Journal of Neurosurgery</i> , 1991, 75, S14-S20. | 0.9 | 1,005 |
| 489 | Hyperglycemia and neurological outcome in patients with head injury. <i>Journal of Neurosurgery</i> , 1991, 75, 545-551. | 0.9 | 309 |
| 490 | Death and functional outcome after spontaneous intracerebral hemorrhage. A prospective study of 166 cases using multivariate analysis.. <i>Stroke</i> , 1991, 22, 1-6. | 1.0 | 377 |
| 491 | A comparison between electroencephalography and somatosensory evoked potentials for outcome prediction following severe head injury. <i>Electroencephalography and Clinical Neurophysiology</i> , 1991, 78, 228-233. | 0.3 | 36 |
| 492 | Comprehensive Predictions of Outcome in Closed Head-Injured Patients.. <i>Annals of the New York Academy of Sciences</i> , 1991, 620, 82-101. | 1.8 | 93 |
| 494 | Monitoring rate of recovery to predict outcome in minimally responsive patients. <i>Archives of Physical Medicine and Rehabilitation</i> , 1991, 72, 897-901. | 0.5 | 162 |
| 495 | Clinical Analysis of Traumatic Subarachnoid Hemorrhage.. <i>Kurume Medical Journal</i> , 1991, 38, 167-171. | 0.0 | 4 |
| 496 | Treatment of Abnormal Intracranial Pressure. <i>Neurosurgery Clinics of North America</i> , 1991, 2, 267-284. | 0.8 | 41 |
| 497 | A two-year survey of aneurysmal subarachnoid haemorrhage. <i>Medical Journal of Australia</i> , 1991, 154, 506-509. | 0.8 | 5 |
| 498 | Head Injuries in Children. <i>Critical Care Nursing Clinics of North America</i> , 1991, 3, 411-421. | 0.4 | 7 |
| 499 | Intraparenchymal and Intraventricular Hemorrhage without Mass Effect in Traumatic Coma. <i>Canadian Journal of Neurological Sciences</i> , 1991, 18, 458-462. | 0.3 | 5 |
| 500 | Angiographic vasospasm and release of platelet thromboxane after subarachnoid hemorrhage.. <i>Stroke</i> , 1991, 22, 451-455. | 1.0 | 24 |
| 501 | Treatment of acute hydrocephalus after subarachnoid hemorrhage with serial lumbar puncture.. <i>Stroke</i> , 1991, 22, 190-194. | 1.0 | 69 |
| 502 | Diffuse Axonal Injury and Early Intracranial Sequelae in Severe Head Injury. <i>Neurologia Medico-Chirurgica</i> , 1991, 31, 390-395. | 1.0 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 503 | Subdural Hematoma Due to Ruptured Intracranial Aneurysm. <i>Neurologia Medico-Chirurgica</i> , 1991, 31, 82-86. | 1.0 | 34 |
| 504 | Recommended guidelines for uniform reporting of data from out-of-hospital cardiac arrest: the Utstein style™. <i>Resuscitation</i> , 1991, 22, 1-26. | 1.3 | 352 |
| 505 | Outcome 1 to 3 years after severe traumatic brain injury in children and adolescents. <i>Injury</i> , 1991, 22, 315-320. | 0.7 | 66 |
| 506 | Spatial mapping of SEP in comatose patients: Improved outcome prediction by combined parietal N20 and frontal N30 analysis. <i>Brain Topography</i> , 1991, 3, 447-455. | 0.8 | 11 |
| 507 | Serum neurone specific enolase (NSE) levels as an indicator of neuronal damage in patients with cerebral infarction. <i>European Journal of Clinical Investigation</i> , 1991, 21, 497-500. | 1.7 | 89 |
| 508 | Cerebral vasoreactivity and the prediction of outcome in severe traumatic brain lesions. <i>Acta Anaesthesiologica Scandinavica</i> , 1991, 35, 113-122. | 0.7 | 97 |
| 509 | Cerebral blood flow and metabolism following subarachnoid haemorrhage: effect of subarachnoid blood. <i>Acta Neurologica Scandinavica</i> , 1991, 83, 226-233. | 1.0 | 43 |
| 510 | Acute post-traumatic intraventricular hemorrhage analysis of 25 patients with emphasis on final outcome. <i>Acta Neurologica Scandinavica</i> , 1991, 84, 85-90. | 1.0 | 24 |
| 511 | The clinical course of perimesencephalic nonaneurysmal subarachnoid hemorrhage. <i>Annals of Neurology</i> , 1991, 29, 463-468. | 2.8 | 191 |
| 512 | A trial of the effect of nimodipine on outcome after head injury. <i>Acta Neurochirurgica</i> , 1991, 110, 97-105. | 0.9 | 102 |
| 513 | Medical and surgical treatment of intracerebellar haematomas. <i>Acta Neurochirurgica</i> , 1991, 110, 24-28. | 0.9 | 36 |
| 514 | Bilateral epidural haematoma. <i>Acta Neurochirurgica</i> , 1991, 110, 29-32. | 0.9 | 37 |
| 515 | Neurosurgical intensive care improves outcome after severe head injury. <i>Acta Neurochirurgica</i> , 1991, 110, 57-64. | 0.9 | 51 |
| 516 | Cyclosporine a prevents neurological deterioration of patients with SAH ? A preliminary report. <i>Acta Neurochirurgica</i> , 1991, 112, 25-27. | 0.9 | 41 |
| 517 | Effect of continuous cisternal drainage on cerebral vasospasm. <i>Acta Neurochirurgica</i> , 1991, 112, 28-36. | 0.9 | 75 |
| 518 | Pre- and post-operative cerebral blood flow changes in subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 1991, 109, 30-33. | 0.9 | 11 |
| 519 | Grading and outcome prediction of cases of aneurysmal subarachnoid haemorrhage by bedside xenon cerebral blood flowmetry. <i>Acta Neurochirurgica</i> , 1991, 108, 1-6. | 0.9 | 6 |
| 520 | Surgical treatment of multiple intracranial aneurysms. <i>Acta Neurochirurgica</i> , 1991, 108, 22-29. | 0.9 | 49 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 521 | HM-PAO-SPECT in persistent vegetative state after head injury: Prognostic indicator of the likelihood of recovery?. <i>Intensive Care Medicine</i> , 1991, 17, 149-153. | 3.9 | 40 |
| 522 | Endocrine abnormalities in severe traumatic brain injury â€”a cue to prognosis in severe craniocerebral trauma?. <i>Intensive Care Medicine</i> , 1991, 17, 25-29. | 3.9 | 91 |
| 523 | Local cerebral blood flow with prostaglandin E1 or trimethaphan during cerebral aneurysm clip ligation. <i>Canadian Journal of Anaesthesia</i> , 1991, 38, 831-836. | 0.7 | 18 |
| 524 | Hypodense bubbles in acute extradural haematomas following venous sinus tear. <i>Neuroradiology</i> , 1991, 33, 152-154. | 1.1 | 18 |
| 525 | Recommended guidelines for uniform reporting of data from out-of-hospital cardiac arrest: The utstein style. <i>Annals of Emergency Medicine</i> , 1991, 20, 861-874. | 0.3 | 397 |
| 526 | Head injuries in infants and young children: the value of the Paediatric Coma Scale. <i>Child's Nervous System</i> , 1991, 7, 183-90. | 0.6 | 79 |
| 527 | Do children with severe head injury benefit from intensive care?. <i>Child's Nervous System</i> , 1991, 7, 299-304. | 0.6 | 19 |
| 528 | Phase I trial of tissue plasminogen activator for the prevention of vasospasm in patients with aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1991, 75, 189-196. | 0.9 | 133 |
| 529 | The outcome of severe closed head injury. <i>Journal of Neurosurgery</i> , 1991, 75, S28-S36. | 0.9 | 436 |
| 530 | A critical appraisal of stroke evaluation and rating scales.. <i>Stroke</i> , 1991, 22, 1345-1352. | 1.0 | 161 |
| 531 | The Traumatic Coma Data Bank: design, methods, and baseline characteristics. <i>Journal of Neurosurgery</i> , 1991, 75, S8-S13. | 0.9 | 107 |
| 532 | Subarachnoid hemorrhage of unknown etiology: early prognostic factors for long-term functional capacity. <i>Journal of Neurosurgery</i> , 1991, 74, 601-605. | 0.9 | 40 |
| 533 | Long-term effects of nimodipine on cerebral infarcts and outcome after aneurysmal subarachnoid hemorrhage and surgery. <i>Journal of Neurosurgery</i> , 1991, 74, 8-13. | 0.9 | 88 |
| 534 | Risks factors for cerebral infarction in good-grade patients after aneurysmal subarachnoid hemorrhage and surgery: a prospective study. <i>Journal of Neurosurgery</i> , 1991, 74, 14-20. | 0.9 | 108 |
| 535 | Reduced platelet aggregability and thromboxane release after rebleeding in patients with subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1991, 74, 21-26. | 0.9 | 13 |
| 536 | Shunt surgery for hydrocephalus in tuberculous meningitis: a long-term follow-up study. <i>Journal of Neurosurgery</i> , 1991, 74, 64-69. | 0.9 | 125 |
| 537 | Platelet thromboxane release and delayed cerebral ischemia in patients with subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1991, 74, 386-392. | 0.9 | 58 |
| 538 | Intracisternal recombinant tissue plasminogen activator after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1991, 75, 181-188. | 0.9 | 136 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 539 | Effect of intrathecal fibrinolytic therapy on clot lysis and vasospasm in patients with aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1991, 75, 197-201. | 0.9 | 105 |
| 540 | Prediction tree for severely head-injured patients. <i>Journal of Neurosurgery</i> , 1991, 75, 251-255. | 0.9 | 168 |
| 541 | Cerebral circulation and metabolism after severe traumatic brain injury: the elusive role of ischemia. <i>Journal of Neurosurgery</i> , 1991, 75, 685-693. | 0.9 | 656 |
| 542 | Adverse effects of prolonged hyperventilation in patients with severe head injury: a randomized clinical trial. <i>Journal of Neurosurgery</i> , 1991, 75, 731-739. | 0.9 | 1,020 |
| 543 | Impact of traumatic brain damage on family dynamics and functioning: a review. <i>International Disability Studies</i> , 1991, 13, 150-157. | 0.4 | 10 |
| 544 | Decision-making following closed-head injury: Can response speed be retrained?. <i>Neuropsychology, Development and Cognition Section A: Journal of Clinical and Experimental Neuropsychology</i> , 1991, 13, 639-651. | 1.4 | 44 |
| 545 | Acute subdural hematoma: morbidity, mortality, and operative timing. <i>Journal of Neurosurgery</i> , 1991, 74, 212-218. | 0.9 | 353 |
| 546 | The head-injured family. <i>Neuropsychology, Development and Cognition Section A: Journal of Clinical and Experimental Neuropsychology</i> , 1991, 13, 155-188. | 1.4 | 182 |
| 547 | Recommended guidelines for uniform reporting of data from out-of-hospital cardiac arrest: the Utstein Style. A statement for health professionals from a task force of the American Heart Association, the European Resuscitation Council, the Heart and Stroke Foundation of Canada, and the Australian Resuscitation Council. <i>Circulation</i> , 1991, 84, 960-975. | 1.6 | 1,679 |
| 548 | Can early admission reduce aneurysmal rebleeds? A prospective study on aneurysmal incidence, aneurysmal rebleeds, admission and treatment delays in a defined region. <i>British Journal of Neurosurgery</i> , 1991, 5, 601-608. | 0.4 | 34 |
| 549 | One-session operation via bilateral craniotomies for multiple aneurysms after subarachnoid haemorrhage. <i>British Journal of Neurosurgery</i> , 1991, 5, 55-60. | 0.4 | 13 |
| 550 | Regional Cerebral Blood Flow After Human Cardiac Arrest. <i>Archives of Neurology</i> , 1991, 48, 625. | 4.9 | 50 |
| 551 | Vegetative State After Closed-Head Injury. <i>Archives of Neurology</i> , 1991, 48, 580. | 4.9 | 145 |
| 552 | P300 Auditory Event-Related Potentials in Nontraumatic Coma. <i>Archives of Neurology</i> , 1991, 48, 1267. | 4.9 | 62 |
| 553 | A Randomized Clinical Study of a Calcium-Entry Blocker (Lidoflazine) in the Treatment of Comatose Survivors of Cardiac Arrest. <i>New England Journal of Medicine</i> , 1991, 324, 1225-1231. | 13.9 | 317 |
| 554 | The relationship of ventricular drainage to aneurysmal rebleeding. <i>Journal of Neurosurgery</i> , 1992, 76, 422-427. | 0.9 | 141 |
| 555 | Extracranial complications of severe head injury. <i>Journal of Neurosurgery</i> , 1992, 77, 901-907. | 0.9 | 271 |
| 556 | The role of endothelin-1 in the origin of cerebral vasospasm in patients with aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1992, 77, 96-100. | 0.9 | 203 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 557 | Chemical monitoring of neurosurgical intensive care patients using intracerebral microdialysis. <i>Journal of Neurosurgery</i> , 1992, 76, 72-80. | 0.9 | 354 |
| 558 | The Catecholamine Response to Multisystem Trauma. <i>Archives of Surgery</i> , 1992, 127, 899. | 2.3 | 71 |
| 559 | Behavioural and psychosocial sequelae of severe closed head injury and regional cerebral blood flow: a SPECT study.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1992, 55, 475-480. | 0.9 | 75 |
| 560 | Motor and somatosensory evoked potentials in coma: analysis and relation to clinical status and outcome.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1992, 55, 470-474. | 0.9 | 36 |
| 561 | EFFECT OF PROSTAGLANDIN E 1 -INDUCED HYPOTENSION ON CARBON DIOXIDE REACTIVITY AND LOCAL CEREBRAL BLOOD FLOW AFTER SUBARACHNOID HAEMORRHAGE. <i>British Journal of Anaesthesia</i> , 1992, 68, 268-271. | 1.5 | 10 |
| 562 | Recovery and compensatory strategies in head injured memory impaired people several years after insult.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1992, 55, 177-180. | 0.9 | 36 |
| 564 | The Test of Orientation for Rehabilitation Patients: Test-Retest Reliability. <i>Occupation Participation and Health</i> , 1992, 12, 172-185. | 0.9 | 1 |
| 565 | Intracranial blood flow velocity after head injury: relationship to severity of injury, time, neurological status and outcome.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1992, 55, 787-791. | 0.9 | 60 |
| 566 | Does thrombin prevent cerebral vasospasm following aneurysmal subarachnoid haemorrhage?. <i>British Journal of Neurosurgery</i> , 1992, 6, 313-319. | 0.4 | 7 |
| 567 | Prediction of motor status 3 and 6 months post severe traumatic brain injury: A preliminary study. <i>Brain Injury</i> , 1992, 6, 489-498. | 0.6 | 10 |
| 568 | Functional outcome of low-level traumatically brain-injured admitted to an acute rehabilitation programme. <i>Brain Injury</i> , 1992, 6, 447-459. | 0.6 | 20 |
| 569 | Letter to the Editors: Post-comatose unawareness?. <i>Brain Injury</i> , 1992, 6, 101-102. | 0.6 | 0 |
| 570 | Post-traumatic amnesia and Glasgow Coma Scale related to outcome in survivors in a consecutive series of patients with severe closed-head injury. <i>Brain Injury</i> , 1992, 6, 373-380. | 0.6 | 109 |
| 571 | How does post-traumatic amnesia differ from the amnesic syndrome and from chronic memory impairment?. <i>Neuropsychological Rehabilitation</i> , 1992, 2, 231-243. | 1.0 | 29 |
| 572 | Intracranial tumours in the elderly: The effect of age on the outcome of first time surgery for meningiomas. <i>British Journal of Neurosurgery</i> , 1992, 6, 131-137. | 0.4 | 54 |
| 573 | Regression-based prediction of long-term outcome following multidisciplinary rehabilitation for traumatic brain injury. <i>Neuropsychology, Development and Cognition Section D: the Clinical Neuropsychologist</i> , 1992, 6, 383-405. | 1.4 | 19 |
| 574 | Recommended guidelines for uniform reporting of data from out-of-hospital cardiac arrest (new) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1 Association, Heart and Stroke Foundation of Canada, and Australian Resuscitation Council.. <i>Heart</i> , 1992, 67, 325-333. | 1.2 | 38 |
| 575 | Alcohol consumption as a risk factor for poor outcome after aneurysmal subarachnoid haemorrhage.. <i>BMJ: British Medical Journal</i> , 1992, 304, 1663-1667. | 2.4 | 59 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 576 | The Prognostic Value of Somatosensory and Motor Evoked Potentials in Comatose Patients. <i>Neurosurgery</i> , 1992, 31, 429-434. | 0.6 | 33 |
| 577 | Minor Leak before Rupture of an Intracranial Aneurysm and Subarachnoid Hemorrhage of Unknown Etiology. <i>Neurosurgery</i> , 1992, 30, 7-11. | 0.6 | 77 |
| 578 | Doppler CO2 test as an indicator of cerebral vasoreactivity and prognosis in severe intracranial hemorrhages.. <i>Stroke</i> , 1992, 23, 962-966. | 1.0 | 71 |
| 579 | Early Single-Stage Repair of Complex Craniofacial Trauma. <i>Neurosurgery</i> , 1992, 30, 166-172. | 0.6 | 41 |
| 581 | Factors Affecting Operative and Excess Long-term Mortality in 935 Patients with Intracranial Meningioma. <i>Neurosurgery</i> , 1992, 31, 2-12. | 0.6 | 213 |
| 582 | Role of Prostaglandins in Delayed Cerebral Ischemia after Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 1992, 30, 17-22. | 0.6 | 17 |
| 583 | Predictors of Survival and Severity of Disability after Severe Brain Injury in Children. <i>Neurosurgery</i> , 1992, 31, 254-264. | 0.6 | 224 |
| 584 | Saccular Aneurysms of the Distal Anterior Cerebral Artery and Its Branches. <i>Neurosurgery</i> , 1992, 31, 994-999. | 0.6 | 69 |
| 585 | Pure Motor Hemiparesis with Stable Somatosensory Evoked Potential Monitoring during Aneurysm Surgery. <i>Neurosurgery</i> , 1992, 31, 145-150. | 0.6 | 30 |
| 586 | Severe Head Injury in Children. <i>Neurosurgery</i> , 1992, 31, 435-444. | 0.6 | 243 |
| 587 | Left unilateral dysgraphia in a patient with an atypical pattern of handedness: A cognitive analysis. <i>Aphasiology</i> , 1992, 6, 293-307. | 1.4 | 8 |
| 588 | A unified form for neurological scoring of hemispheric stroke with motor impairment.. <i>Stroke</i> , 1992, 23, 1678-1679. | 1.0 | 35 |
| 589 | The International Cooperative Study on the Timing of Aneurysm Surgery. The North American experience.. <i>Stroke</i> , 1992, 23, 205-214. | 1.0 | 298 |
| 590 | Infarction after aneurysm rupture does not depend on distribution or clearance rate of blood.. <i>Stroke</i> , 1992, 23, 374-379. | 1.0 | 49 |
| 591 | Long-term follow-up study after extracranial-intracranial bypass surgery for anterior circulation ischemia in childhood moyamoya disease. <i>Journal of Neurosurgery</i> , 1992, 77, 84-89. | 0.9 | 236 |
| 592 | Total overall management and surgical outcome after aneurysmal subarachnoid haemorrhage in a defined population. <i>British Journal of Neurosurgery</i> , 1992, 6, 409-420. | 0.4 | 52 |
| 593 | Problems in Assessing the Technology of Critical Care Medicine. <i>International Journal of Technology Assessment in Health Care</i> , 1992, 8, 419-443. | 0.2 | 16 |
| 594 | Hematogenous factors and prediction of delayed ischemic deficit after subarachnoid hemorrhage.. <i>Stroke</i> , 1992, 23, 1404-1409. | 1.0 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 595 | Choroid Plexus Arteriovenous Malformations. <i>Neurologia Medico-Chirurgica</i> , 1992, 32, 201-206. | 1.0 | 16 |
| 596 | Evaluation of Therapeutically Induced Hypertension in Patients with Delayed Cerebral Vasospasm by Xenon-enhanced Computed Tomography. <i>Neurologia Medico-Chirurgica</i> , 1992, 32, 671-678. | 1.0 | 26 |
| 599 | Long-term neuropsychological outcome after severe head injury with good recovery. <i>Brain Injury</i> , 1992, 6, 45-52. | 0.6 | 29 |
| 600 | Severe traumatic brain injury "epidemiology and outcome after 3 years. <i>Disability and Rehabilitation</i> , 1992, 14, 23-26. | 0.9 | 49 |
| 601 | Late improvement in closed head injury with a low-pressure valve shunt. <i>Brain Injury</i> , 1992, 6, 71-73. | 0.6 | 6 |
| 602 | Posttraumatic cerebral arterial spasm: transcranial Doppler ultrasound, cerebral blood flow, and angiographic findings. <i>Journal of Neurosurgery</i> , 1992, 77, 575-583. | 0.9 | 220 |
| 603 | Limitations of the Glasgow Coma Scale in predicting outcome in children with traumatic brain injury. <i>Journal of Pediatrics</i> , 1992, 120, 195-199. | 0.9 | 147 |
| 604 | Assessing the outcome of pediatric intensive care. <i>Journal of Pediatrics</i> , 1992, 121, 68-74. | 0.9 | 829 |
| 605 | Clinical tools for the 90s: magnetic resonance spectroscopy and metabolite imaging. <i>European Journal of Radiology</i> , 1992, 14, 128-140. | 1.2 | 129 |
| 606 | Predictors of mortality in severely head-injured patients with civilian gunshot wounds: A report from the nih traumatic coma data bank. <i>World Neurosurgery</i> , 1992, 38, 418-423. | 1.3 | 151 |
| 607 | Effect of temporary pacing on patients with bradycardia in the acute stage following subarachnoid hemorrhage. <i>World Neurosurgery</i> , 1992, 37, 261-263. | 1.3 | 2 |
| 608 | Quantified EEG and cortical evoked responses in patients with chronic traumatic frontal lesions. <i>Electroencephalography and Clinical Neurophysiology - Evoked Potentials</i> , 1992, 84, 127-138. | 2.0 | 29 |
| 609 | Assessing brain function in post-traumatic coma by means of bit-mapped SEPs, BAEPs, CT, SPET and clinical scores. Prognostic implications. <i>Electroencephalography and Clinical Neurophysiology - Evoked Potentials</i> , 1992, 84, 499-514. | 2.0 | 24 |
| 610 | Effect of AT877 on cerebral vasospasm after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1992, 76, 571-577. | 0.9 | 401 |
| 612 | Handedness and carotid plaque lesion.. <i>Stroke</i> , 1992, 23, 1679-1680. | 1.0 | 4 |
| 613 | Significance of Different Levels of the Edinburgh 2 Coma Scale Calculated from the Outcome of Neurosurgical Patients. <i>Neurosurgery</i> , 1992, 31, 1023-1029. | 0.6 | 2 |
| 614 | Intraventricular Hemorrhage in Blunt Head Trauma. <i>Neurosurgery</i> , 1992, 31, 678-685. | 0.6 | 91 |
| 615 | Single Intracisternal Bolus of Recombinant Tissue Plasminogen Activator in Patients with Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 1992, 30, 877-881. | 0.6 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 616 | Traumatic Extradural Hematoma of Delayed Onset Is Not a Rarity. <i>Neurosurgery</i> , 1992, 30, 681-686. | 0.6 | 65 |
| 617 | Neuropsychiatry Sequelae of Head Injuries. <i>Psychiatric Clinics of North America</i> , 1992, 15, 395-413. | 0.7 | 197 |
| 618 | Late MRI after head injury in children: relationship to clinical features and outcome. <i>Child's Nervous System</i> , 1992, 8, 445-452. | 0.6 | 84 |
| 619 | The epidemiology of head injury in Cantabria. <i>European Journal of Epidemiology</i> , 1992, 8, 832-837. | 2.5 | 45 |
| 621 | Survival after out-of-hospital cardiac arrest in elderly patients. <i>Annals of Emergency Medicine</i> , 1992, 21, 1179-1184. | 0.3 | 55 |
| 622 | Emergency department echocardiography improves outcome in penetrating cardiac injury. <i>Annals of Emergency Medicine</i> , 1992, 21, 709-712. | 0.3 | 281 |
| 623 | Corpus callosum lesions after closed head injury in children: MRI, clinical features and outcome. <i>Neuroradiology</i> , 1992, 34, 384-388. | 1.1 | 49 |
| 624 | Forms for registration of CPR efforts and outcome, respectively for out-of-hospital and in-hospital cardiac arrest. <i>Resuscitation</i> , 1992, 24, 155-166. | 1.3 | 12 |
| 625 | Plasma osmolality, osmoregulation and prognosis after head injury. <i>Acta Neurochirurgica</i> , 1992, 116, 33-37. | 0.9 | 13 |
| 626 | Carbon dioxide reactivity and local cerebral blood flow during prostaglandin E1 or nitroglycerine-induced hypotension. <i>Canadian Journal of Anaesthesia</i> , 1992, 39, 799-804. | 0.7 | 17 |
| 627 | Prostaglandin E1 and carbon dioxide reactivity during cerebral aneurysm surgery. <i>Canadian Journal of Anaesthesia</i> , 1992, 39, 247-252. | 0.7 | 10 |
| 628 | Carbon dioxide reactivity during prostaglandin E1. induced hypotension for cerebral aneurysm surgery. <i>Canadian Journal of Anaesthesia</i> , 1992, 39, 253-259. | 0.7 | 14 |
| 629 | Clinical outcome and cognitive impairment in patients with severe head injuries treated with barbiturate coma. <i>Acta Neurochirurgica</i> , 1992, 117, 153-159. | 0.9 | 30 |
| 630 | Is vascular angiopathy following intracranial aneurysm rupture immunologically mediated?. <i>Acta Neurochirurgica</i> , 1992, 117, 34-37. | 0.9 | 24 |
| 631 | Acute head injuries in the elderly. An analysis of 136 consecutive patients. <i>Acta Neurochirurgica</i> , 1992, 118, 98-102. | 0.9 | 59 |
| 632 | Cerebral vasospasm in elderly patients treated by early operation for ruptured intracranial aneurysms. <i>Acta Neurochirurgica</i> , 1992, 115, 79-85. | 0.9 | 63 |
| 633 | Cognitive deficits after rupture and early repair of anterior communicating artery aneurysms. <i>Acta Neurochirurgica</i> , 1992, 116, 6-13. | 0.9 | 41 |
| 634 | Subarachnoid haemorrhage of unknown aetiology. <i>Acta Neurochirurgica</i> , 1992, 119, 29-34. | 0.9 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 635 | Head injuries in infants and children: Measures to reduce mortality and morbidity in road accidents. <i>World Journal of Surgery</i> , 1992, 16, 403-409. | 0.8 | 5 |
| 636 | Trauma patient scoring. <i>Bailliere's Clinical Anaesthesiology</i> , 1992, 6, 47-66. | 0.2 | 2 |
| 637 | Early and late outcome in head injury patients with radiological evidence of brain damage. <i>Acta Neurologica Scandinavica</i> , 1992, 86, 194-198. | 1.0 | 24 |
| 638 | The Role of Early Tracheotomy in the Management of the Neurosurgical Patient. <i>Laryngoscope</i> , 1992, 102, 559-562. | 1.1 | 30 |
| 639 | Abbreviated injury scaling of head injury as a prognostic tool for functional outcome. <i>Accident Analysis and Prevention</i> , 1992, 24, 181-185. | 3.0 | 9 |
| 640 | Scoring systems. <i>Orthopaedics and Trauma</i> , 1993, 7, 4-8. | 0.3 | 2 |
| 641 | Outcome of patients with aneurysmal and presumed aneurysmal bleeding. A hospital study based on 100 consecutive cases in a neurological clinic. <i>Neurosurgical Review</i> , 1993, 16, 15-25. | 1.2 | 22 |
| 642 | Outcomes after cardiac arrest. <i>Annals of Emergency Medicine</i> , 1993, 22, 64-69. | 0.3 | 33 |
| 643 | Cerebral resuscitation after cardiac arrest: Research initiatives and future directions. <i>Annals of Emergency Medicine</i> , 1993, 22, 324-349. | 0.3 | 176 |
| 644 | Prolonged resuscitation efforts for cardiac arrest patients who cannot be resuscitated at the scene: Who is likely to benefit?. <i>Annals of Emergency Medicine</i> , 1993, 22, 1659-1663. | 0.3 | 38 |
| 645 | Cerebral ischemia-reperfusion injury after severe head injury and its possible treatment with polyethyleneglycol-superoxide dismutase. <i>Annals of Emergency Medicine</i> , 1993, 22, 1014-1021. | 0.3 | 33 |
| 646 | Cerebral trauma and alcohol abuse. <i>European Journal of Clinical Investigation</i> , 1993, 23, 182-187. | 1.7 | 45 |
| 647 | Successful prevention of neurological deficit in SAH patients with 2-chlorodeoxyadenosine. <i>Acta Neurochirurgica</i> , 1993, 124, 61-65. | 0.9 | 7 |
| 648 | The management outcome of patients with a ruptured posterior circulation aneurysm. <i>Acta Neurochirurgica</i> , 1993, 125, 9-14. | 0.9 | 17 |
| 649 | CT-guided stereotactic aspiration and treatment of brain abscesses. <i>Acta Neurochirurgica</i> , 1993, 125, 58-63. | 0.9 | 25 |
| 650 | Shunt-dependent hydrocephalus after subarachnoid haemorrhage and aneurysm surgery: Timing of surgery is not a risk factor. <i>Acta Neurochirurgica</i> , 1993, 123, 118-124. | 0.9 | 73 |
| 651 | Controversies in the management of spontaneous cerebellar haemorrhage a consecutive series of 49 cases and review of the literature. <i>Acta Neurochirurgica</i> , 1993, 122, 187-193. | 0.9 | 124 |
| 652 | A strategy for analyzing multiple parameters with application to aneurysmal SAH patients all of them clipped but treated with and without cyclosporine. <i>Acta Neurochirurgica</i> , 1993, 122, 194-199. | 0.9 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 653 | Early ischaemia after severe head injury preliminary results in patients with diffuse brain injuries. Acta Neurochirurgica, 1993, 122, 204-214. | 0.9 | 39 |
| 654 | Impaired in vitro proliferative response of suppressor lymphocytes in patients with subarachnoid haemorrhage from ruptured intracranial aneurysm. Acta Neurochirurgica, 1993, 122, 240-243. | 0.9 | 7 |
| 655 | One-year outcome in early aneurysm surgery: a 14 years experience. Acta Neurochirurgica, 1993, 122, 1-10. | 0.9 | 139 |
| 656 | One-year outcome in early aneurysm surgery: Prediction of outcome. Acta Neurochirurgica, 1993, 123, 25-32. | 0.9 | 79 |
| 657 | The Glasgow Coma Scale: A mathematical critique. Acta Neurochirurgica, 1993, 120, 132-135. | 0.9 | 27 |
| 658 | Acute subdural haematoma in adults: an analysis of outcome in comatose patients. Acta Neurochirurgica, 1993, 121, 95-99. | 0.9 | 137 |
| 659 | Vasodilators during cerebral aneurysm surgery. Canadian Journal of Anaesthesia, 1993, 40, 775-790. | 0.7 | 18 |
| 660 | Glasgow Outcome Scale: An inter-rater reliability study. Brain Injury, 1993, 7, 309-317. | 0.6 | 107 |
| 661 | Predictors and indicators of work status after traumatic brain injury: A meta-analysis. Neuropsychological Rehabilitation, 1993, 3, 5-35. | 1.0 | 138 |
| 662 | A comparison of the Glasgow Coma Scale and the Swedish Reaction Level Scale. Brain Injury, 1993, 7, 501-506. | 0.6 | 98 |
| 663 | Volume of intracerebral hemorrhage. A powerful and easy-to-use predictor of 30-day mortality.. Stroke, 1993, 24, 987-993. | 1.0 | 1,574 |
| 664 | Management of closed head injury in the patient with maxillofacial trauma. Journal of Oral and Maxillofacial Surgery, 1993, 51, 298-303. | 0.5 | 21 |
| 665 | Early prediction of individual outcome after cardiopulmonary resuscitation. Lancet, The, 1993, 341, 855-858. | 6.3 | 176 |
| 666 | The prognostic value of three-modality evoked potentials (TMEPs) in anoxic and traumatic comas. Neurophysiologie Clinique, 1993, 23, 209-226. | 1.0 | 73 |
| 667 | Does prediction of outcome alter patient management?. Lancet, The, 1993, 341, 1487-1491. | 6.3 | 139 |
| 668 | Dissociation of frontal and parietal components of somatosensory evoked potentials in severe head injury. Electroencephalography and Clinical Neurophysiology - Evoked Potentials, 1993, 88, 369-376. | 2.0 | 30 |
| 669 | Cerebral vasospasm following post-traumatic subarachnoid hemorrhage evaluated by transcranial Doppler ultrasonography. Journal of the Neurological Sciences, 1993, 119, 1-7. | 0.3 | 59 |
| 670 | Management of low-risk head injuries in an entire area: Results of an 18-month survey. World Neurosurgery, 1993, 39, 269-275. | 1.3 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 671 | Outcome and management of intraoperative aneurysm rupture. <i>World Neurosurgery</i> , 1993, 40, 26-30. | 1.3 | 81 |
| 672 | Extradural haematoma: Trends in outcome over 35 years. <i>British Journal of Neurosurgery</i> , 1993, 7, 465-471. | 0.4 | 34 |
| 673 | Cranial MR Imaging and Cerebral ^{99m} Tc HM-PAO-Spect in Patients with Subacute or Chronic Severe Closed Head Injury and Normal CT Examinations. <i>Acta Radiologica</i> , 1993, 34, 593-599. | 0.5 | 36 |
| 674 | Effect of mild hypothermia on uncontrollable intracranial hypertension after severe head injury. <i>Journal of Neurosurgery</i> , 1993, 79, 363-368. | 0.9 | 521 |
| 675 | The Westmead Head Injury Project. Physical and social outcomes following severe head injury. <i>British Journal of Neurosurgery</i> , 1993, 7, 643-650. | 0.4 | 27 |
| 676 | Long-term outcome of head injuries: a 23 year follow up study of children with head injuries.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1993, 56, 410-415. | 0.9 | 160 |
| 677 | Prospective study on the prevention of cerebral vasospasm by intrathecal fibrinolytic therapy with tissue-type plasminogen activator. <i>Journal of Neurosurgery</i> , 1993, 78, 430-437. | 0.9 | 119 |
| 678 | Endovascular treatment of the acutely ruptured intracranial aneurysm. <i>Journal of Neurosurgery</i> , 1993, 79, 1-2. | 0.9 | 44 |
| 679 | A clinical study of the relationship of timing to outcome of surgery for ruptured cerebral aneurysms. <i>Journal of Neurosurgery</i> , 1993, 79, 373-378. | 0.9 | 111 |
| 680 | Management outcome in the elderly patient following subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1993, 78, 554-561. | 0.9 | 94 |
| 681 | Improving the outcome of severe head injury with the oxygen radical scavenger polyethylene glycol-conjugated superoxide dismutase: a Phase II trial. <i>Journal of Neurosurgery</i> , 1993, 78, 375-382. | 0.9 | 213 |
| 682 | A randomized controlled trial of high-dose intravenous nicardipine in aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1993, 78, 537-547. | 0.9 | 320 |
| 683 | The Westmead Head Injury Project outcome in severe head injury. A comparative analysis of pre-hospital, clinical and CT variables. <i>British Journal of Neurosurgery</i> , 1993, 7, 267-279. | 0.4 | 316 |
| 684 | Vegetative survival: The medical facts and ethical dilemmas. <i>Neuropsychological Rehabilitation</i> , 1993, 3, 99-108. | 1.0 | 11 |
| 686 | A Multicenter Trial for Resuscitation of Injured Patients With 7.5% Sodium Chloride. <i>Archives of Surgery</i> , 1993, 128, 1003. | 2.3 | 318 |
| 687 | Survival After Severe Brain Injury in the Aged. <i>Archives of Surgery</i> , 1993, 128, 787. | 2.3 | 111 |
| 688 | Hyperbaric Oxygen Therapy Adjunctive to Mild Hypertensive Hypervolemia for Symptomatic Vasospasm. <i>Neurologia Medico-Chirurgica</i> , 1993, 33, 92-99. | 1.0 | 15 |
| 689 | Acute Subdural Hematoma: Severity of Injury, Surgical Intervention, and Mortality. <i>Neurologia Medico-Chirurgica</i> , 1993, 33, 13-18. | 1.0 | 91 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 690 | Sequential Changes in the Platelet Count in Patients with Symptomatic Vasospasm after Subarachnoid Hemorrhage. <i>Neurologia Medico-Chirurgica</i> , 1993, 33, 220-224. | 1.0 | 9 |
| 691 | Acute Subdural Hematoma. <i>Neurologia Medico-Chirurgica</i> , 1993, 33, 552-558. | 1.0 | 42 |
| 692 | Combined Endovascular and Neurosurgical Approach for Paraclinoid Internal Carotid Artery Aneurysms. <i>Neurosurgery</i> , 1993, 33, 986-992. | 0.6 | 45 |
| 693 | The Expectant Treatment of "Asymptomatic" Supratentorial Epidural Hematomas. <i>Neurosurgery</i> , 1993, 32, 176-179. | 0.6 | 98 |
| 694 | A Prospective Study of Impairment of Cognition and Memory and Recovery after Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 1993, 33, 572-587. | 0.6 | 129 |
| 695 | Which Neuropsychological Deficits Are Hidden behind a Good Outcome (Glasgow = I) after Aneurysmal Subarachnoid Hemorrhage?. <i>Neurosurgery</i> , 1993, 33, 999-1006. | 0.6 | 113 |
| 696 | Long-Term Observations of Intracranial Pressure after Severe Head Injury. The Phenomenon of Secondary Rise of Intracranial Pressure. <i>Neurosurgery</i> , 1993, 32, 17-24. | 0.6 | 113 |
| 697 | Delayed and Progressive Brain Injury in Closed-Head Trauma. <i>Neurosurgery</i> , 1993, 32, 25-31. | 0.6 | 203 |
| 698 | Role of Prostaglandins in Delayed Cerebral Ischemia after Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 1993, 32, 329-330. | 0.6 | 1 |
| 699 | The Significance of Subarachnoid Hemorrhage after Penetrating Craniocerebral Injury. <i>Neurosurgery</i> , 1993, 32, 532-540. | 0.6 | 99 |
| 700 | Computerised Tomography and Stroke. <i>Scottish Medical Journal</i> , 1993, 38, 136-138. | 0.7 | 7 |
| 701 | Amount of blood on computed tomography as an independent predictor after aneurysm rupture.. <i>Stroke</i> , 1993, 24, 809-814. | 1.0 | 148 |
| 702 | Effect of THAM upon outcome in severe head injury: a randomized prospective clinical trial. <i>Journal of Neurosurgery</i> , 1993, 78, 54-59. | 0.9 | 110 |
| 703 | Selective endovascular treatment of 71 intracranial aneurysms with platinum coils. <i>Journal of Neurosurgery</i> , 1993, 79, 3-10. | 0.9 | 215 |
| 704 | Plasma glucose levels and outcome after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1993, 79, 885-891. | 0.9 | 118 |
| 705 | Functional image of dynamic computed tomography in diagnostic and prognostic evaluation of ischemic stroke within the first 6 hours.. <i>Stroke</i> , 1993, 24, 1933-1944. | 1.0 | 8 |
| 706 | Magnetic resonance imaging findings associated with cardiac arrest.. <i>Stroke</i> , 1993, 24, 1005-1014. | 1.0 | 63 |
| 707 | Development of yes/no systems in individuals with severe traumatic brain injuries. <i>AAC: Augmentative and Alternative Communication</i> , 1993, 9, 184-190. | 0.8 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 708 | Acute traumatic intracerebral haematomas: Determinants of outcome in a retrospective series of 202 cases. <i>British Journal of Neurosurgery</i> , 1993, 7, 611-622. | 0.4 | 34 |
| 709 | The Scope of Neurosurgery for Elderly People. <i>Age and Ageing</i> , 1993, 22, 337-342. | 0.7 | 21 |
| 710 | Treatment of Intraventricular Hemorrhage with Tissue Plasminogen Activator. <i>Neurosurgery</i> , 1993, 32, 941-947. | 0.6 | 132 |
| 711 | Relationship between Glasgow Outcome Scale and Neuropsychological Measures after Brain Injury. <i>Neurosurgery</i> , 1993, 33, 34-39. | 0.6 | 50 |
| 712 | The Significance of Subarachnoid Hemorrhage after Penetrating Craniocerebral Injury. <i>Neurosurgery</i> , 1993, 32, 532-540. | 0.6 | 91 |
| 713 | Treatment of Intraventricular Hemorrhage with Tissue Plasminogen Activator. <i>Neurosurgery</i> , 1993, 32, 941-947. | 0.6 | 2 |
| 714 | Outcome of pediatric traumatic brain injury at three years: A cohort study. <i>Archives of Physical Medicine and Rehabilitation</i> , 1994, 75, 733-741. | 0.5 | 213 |
| 715 | Prognosis of rehabilitation outcome in head injury using the Disability Rating Scale. <i>Archives of Physical Medicine and Rehabilitation</i> , 1994, 75, 156-163. | 0.5 | 47 |
| 716 | Intensive Care Unit Resource Utilisation. <i>Anaesthesia and Intensive Care</i> , 1994, 22, 46-60. | 0.2 | 13 |
| 717 | A New Quantitative Measure for Monitoring Somatosensory Evoked Potentials. <i>Canadian Journal of Neurological Sciences</i> , 1994, 21, S17-S22. | 0.3 | 3 |
| 718 | Management of Intracerebral Hemorrhage in a Large Metropolitan Population. <i>Neurosurgery</i> , 1994, 34, 882-887. | 0.6 | 83 |
| 719 | Vasospasm Prevention with Postoperative Intrathecal Thrombolytic Therapy. <i>Neurosurgery</i> , 1994, 34, 235-245. | 0.6 | 78 |
| 720 | Endovascular Treatment of Vasospasm. <i>Neurosurgery Clinics of North America</i> , 1994, 5, 437-447. | 0.8 | 50 |
| 721 | Integrated Multimodality Monitoring in the Neurosurgical Intensive Care Unit. <i>Neurosurgery Clinics of North America</i> , 1994, 5, 661-670. | 0.8 | 21 |
| 722 | Outcome of Out-of-Hospital Cardiac Arrest in New York City. <i>JAMA - Journal of the American Medical Association</i> , 1994, 271, 678. | 3.8 | 329 |
| 723 | Neurobehavioural consequences of closed head injury in older adults.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1994, 57, 961-966. | 0.9 | 54 |
| 724 | Influence of major depression on 1-year outcome in patients with traumatic brain injury. <i>Journal of Neurosurgery</i> , 1994, 81, 726-733. | 0.9 | 96 |
| 725 | Endoscopic-guided clipping of cerebral aneurysms. <i>British Journal of Neurosurgery</i> , 1994, 8, 559-565. | 0.4 | 47 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 726 | Brain-injured persons in an altered state of consciousness: Measures and intervention strategies. <i>Brain Injury</i> , 1994, 8, 689-699. | 0.6 | 31 |
| 727 | Guidelines for the management of aneurysmal subarachnoid hemorrhage. A statement for healthcare professionals from a special writing group of the Stroke Council, American Heart Association.. <i>Circulation</i> , 1994, 90, 2592-2605. | 1.6 | 273 |
| 728 | Neuropsychological Differences Between College Students with Learning Disabilities and Those with Mild Head Injury. <i>Journal of Learning Disabilities</i> , 1994, 27, 315-324. | 1.5 | 30 |
| 729 | Definition of initial grading, specific events, and overall outcome in patients with aneurysmal subarachnoid hemorrhage. A survey.. <i>Stroke</i> , 1994, 25, 1623-1627. | 1.0 | 71 |
| 730 | Neurobehavioral Effects of Phenytoin and Carbamazepine in Patients Recovering From Brain Trauma: A Comparative Study. <i>Archives of Neurology</i> , 1994, 51, 653-660. | 4.9 | 98 |
| 731 | Carotid Blood-Flow Velocity Changes Detected By Doppler Ultrasound in Determination of Brain Death in Children. <i>Clinical Pediatrics</i> , 1994, 33, 669-674. | 0.4 | 13 |
| 732 | Temporal profile of outcomes in severe head injury. <i>Journal of Neurosurgery</i> , 1994, 81, 169-173. | 0.9 | 105 |
| 733 | Medical Aspects of the Persistent Vegetative State. <i>New England Journal of Medicine</i> , 1994, 330, 1572-1579. | 13.9 | 694 |
| 734 | Role of intracranial pressure monitoring in severely head-injured patients without signs of intracranial hypertension on initial computerized tomography. <i>Journal of Neurosurgery</i> , 1994, 80, 46-50. | 0.9 | 96 |
| 735 | Guidelines for the management of aneurysmal subarachnoid hemorrhage. A statement for healthcare professionals from a special writing group of the Stroke Council, American Heart Association.. <i>Stroke</i> , 1994, 25, 2315-2328. | 1.0 | 536 |
| 736 | A comparison of neuropsychological and functional outcome, and uptake of rehabilitation services, following severe and moderate head injury. <i>Clinical Rehabilitation</i> , 1994, 8, 301-306. | 1.0 | 10 |
| 737 | Direct clipping of basilar trunk aneurysms using temporary balloon occlusion. <i>Journal of Neurosurgery</i> , 1994, 80, 230-236. | 0.9 | 52 |
| 738 | The effect of surgery on the severity of vasospasm. <i>Journal of Neurosurgery</i> , 1994, 80, 433-439. | 0.9 | 66 |
| 739 | Diffuse brain swelling after head injury: more often malignant in adults than children?. <i>Journal of Neurosurgery</i> , 1994, 80, 675-680. | 0.9 | 118 |
| 740 | A randomized trial of two doses of nicardipine in aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1994, 80, 788-796. | 0.9 | 124 |
| 741 | The Sensory Stimulation Assessment Measure (SSAM): A tool for early evaluation of severely brain-injured patients. <i>Brain Injury</i> , 1994, 8, 309-321. | 0.6 | 52 |
| 742 | Economic aspects of capacity for work after severe traumatic brain lesions. <i>Brain Injury</i> , 1994, 8, 37-47. | 0.6 | 26 |
| 743 | The Efficacy of Barbiturate Coma in the Management of Uncontrolled Intracranial Hypertension Following Neurosurgical Trauma. <i>Journal of Neurotrauma</i> , 1994, 11, 325-331. | 1.7 | 51 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 744 | Is there a difference in cognitive deficits after aneurysmal subarachnoid haemorrhage and subarachnoid haemorrhage of unknown origin?. <i>Acta Neurochirurgica</i> , 1994, 127, 129-135. | 0.9 | 39 |
| 745 | Aneurysmal bleeding. A plea for early surgery in good-risk patients. <i>Acta Neurochirurgica</i> , 1994, 128, 126-131. | 0.9 | 9 |
| 746 | Prevention of delayed ischaemic deficits after aneurysmal subarachnoid haemorrhage by intrathecal bolus injection of tissue plasminogen activator (rTPA). <i>Acta Neurochirurgica</i> , 1994, 128, 137-143. | 0.9 | 42 |
| 747 | Avoidable factors that contribute to complications in the surgical treatment of chronic subdural haematoma. <i>Acta Neurochirurgica</i> , 1994, 129, 15-19. | 0.9 | 22 |
| 748 | Iliac crest versus artificial bone grafts in 250 cervical fusions. <i>Acta Neurochirurgica</i> , 1994, 129, 54-57. | 0.9 | 74 |
| 749 | Cortical blood flow recorded during early or delayed surgery for ruptured intracranial aneurysms. <i>Acta Neurochirurgica</i> , 1994, 131, 1-5. | 0.9 | 3 |
| 750 | Longitudinal study of cerebral blood flow following early or delayed surgery for ruptured intracranial aneurysms. <i>Acta Neurochirurgica</i> , 1994, 131, 6-11. | 0.9 | 0 |
| 751 | Effects of prophylactic intrathecal administrations of nicardipine on vasospasm in patients with severe aneurysmal subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 1994, 131, 19-25. | 0.9 | 55 |
| 752 | Penetrating craniocerebral shrapnel injuries during 'Operation Desert Storm': Early results of a conservative surgical treatment. <i>Acta Neurochirurgica</i> , 1994, 126, 120-123. | 0.9 | 45 |
| 753 | Early management in poor grade aneurysm patients. <i>Acta Neurochirurgica</i> , 1994, 126, 33-37. | 0.9 | 115 |
| 754 | A multicenter trial of the efficacy of nimodipine on outcome after severe head injury. <i>Annals of Emergency Medicine</i> , 1994, 24, 547. | 0.3 | 14 |
| 755 | Traumatic intracranial aneurysms in childhood and adolescence. <i>Child's Nervous System</i> , 1994, 10, 361-379. | 0.6 | 141 |
| 756 | Matching injuries to trauma facilities. <i>Injury</i> , 1994, 25, 204-205. | 0.7 | 0 |
| 757 | Coma in the pediatric patient: Evaluation and management. <i>Indian Journal of Pediatrics</i> , 1994, 61, 13-26. | 0.3 | 2 |
| 758 | SEVERE HEAD INJURY MANAGEMENT IN A GENERAL SURGICAL DEPARTMENT. <i>ANZ Journal of Surgery</i> , 1994, 64, 527-529. | 0.3 | 11 |
| 760 | Effect of nicardipine and diltiazem on internal carotid artery blood flow velocity and local cerebral blood flow during cerebral aneurysm surgery for subarachnoid hemorrhage. <i>Journal of Clinical Anesthesia</i> , 1994, 6, 99-105. | 0.7 | 42 |
| 761 | Attention and Control Deficits Following Closed Head Injury. <i>Cortex</i> , 1994, 30, 603-618. | 1.1 | 80 |
| 762 | The pathogenesis and fate of traumatic subdural hygroma. <i>British Journal of Neurosurgery</i> , 1994, 8, 551-558. | 0.4 | 73 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 763 | Prognostic value of frontal and parietal somatosensory evoked potentials in severe head injury: a long-term follow-up study. <i>Electroencephalography and Clinical Neurophysiology - Evoked Potentials</i> , 1994, 92, 568-570. | 2.0 | 10 |
| 764 | Assessment of neurological prognosis in comatose survivors of cardiac arrest. <i>Lancet, The</i> , 1994, 343, 1055-1059. | 6.3 | 444 |
| 765 | Prospective study of sentinel headache in aneurysmal subarachnoid haemorrhage. <i>Lancet, The</i> , 1994, 344, 590-593. | 6.3 | 263 |
| 766 | Predicting outcome in icu patients: Disease specific severity scores. <i>Reanimation Urgences</i> , 1994, 3, 183-189. | 0.1 | 0 |
| 767 | Clinical neurological trauma parameters as predictors for neuropsychological recovery and long-term outcome in paediatric closed head injury: a review of the literature. <i>Clinical Neurology and Neurosurgery</i> , 1994, 96, 273-283. | 0.6 | 13 |
| 768 | Computed tomographic findings after acute carbon monoxide poisoning. <i>American Journal of Emergency Medicine</i> , 1994, 12, 448-451. | 0.7 | 43 |
| 769 | Angiographic vasospasm in a contemporary series of patients with aneurysmal subarachnoid haemorrhage. <i>Journal of Clinical Neuroscience</i> , 1994, 1, 106-110. | 0.8 | 2 |
| 771 | One-year survival after prehospital cardiac arrest: The Utstein style applied to a rural-suburban system. <i>American Journal of Emergency Medicine</i> , 1994, 12, 17-20. | 0.7 | 35 |
| 772 | Post-coma disturbance and post-traumatic amnesia as nonlinear predictors of cognitive outcome following severe closed head injury: Findings from the Westmead Head Injury Project. <i>Brain Injury</i> , 1994, 8, 519-528. | 0.6 | 41 |
| 773 | Psychosocial outcome 5-8 years after severe traumatic brain lesions and the impact of rehabilitation services. <i>Brain Injury</i> , 1994, 8, 49-64. | 0.6 | 74 |
| 774 | Management and long-term outcome following subarachnoid haemorrhage and intracranial aneurysm surgery in elderly patients: An audit of 199 consecutive cases. <i>British Journal of Neurosurgery</i> , 1994, 8, 23-30. | 0.4 | 46 |
| 775 | Somatosensory Evoked Potentials and Intracranial Pressure in Severe Head Injury. <i>Canadian Journal of Neurological Sciences</i> , 1994, 21, 219-226. | 0.3 | 14 |
| 776 | Ruptured intracranial aneurysms—learning from experience. <i>British Journal of Neurosurgery</i> , 1994, 8, 519-527. | 0.4 | 33 |
| 777 | Subgaleal haematoma resulting in extradural compression following craniotomy. Report of two cases. <i>British Journal of Neurosurgery</i> , 1994, 8, 603-605. | 0.4 | 2 |
| 778 | Alterations in plasma concentrations of natriuretic peptides and antidiuretic hormone after subarachnoid hemorrhage.. <i>Stroke</i> , 1994, 25, 2198-2203. | 1.0 | 652 |
| 779 | Posttraumatic Meningitis. <i>Neurosurgery</i> , 1994, 35, 422-427. | 0.6 | 88 |
| 780 | SEP and MEP in comatose patients. <i>Neurological Research</i> , 1994, 16, 89-92. | 0.6 | 15 |
| 781 | Intrathecal fibrinolysis using recombinant tissue plasminogen activator (rTPA) for prevention of cerebral vasospasm and delayed ischaemic deficits after aneurysmal subarachnoid haemorrhage. Experimental and clinical data. <i>Neurological Research</i> , 1994, 16, 54-58. | 0.6 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 782 | The Prospective Application of a Grading System for Arteriovenous Malformations. <i>Neurosurgery</i> , 1994, 34, 2-7. | 0.6 | 206 |
| 783 | A prospective study of psychosocial adaptation following subarachnoid haemorrhage. <i>Neuropsychological Rehabilitation</i> , 1994, 4, 7-30. | 1.0 | 22 |
| 784 | Prognosis of young adults with ischemic stroke. A long-term follow-up study assessing recurrent vascular events and functional outcome in the Iowa Registry of Stroke in Young Adults.. <i>Stroke</i> , 1994, 25, 1360-1365. | 1.0 | 172 |
| 785 | Severe symptomatic vasospasm: the role of immediate postoperative angioplasty. <i>Journal of Neurosurgery</i> , 1994, 80, 224-229. | 0.9 | 77 |
| 786 | The Use of Lobectomy in the Management of Severe Closed-Head Trauma. <i>Neurosurgery</i> , 1994, 34, 628-634. | 0.6 | 14 |
| 787 | The Localizing Value of Asymmetry in Pupillary Size in Severe Head Injury. <i>Neurosurgery</i> , 1994, 34, 840-846. | 0.6 | 37 |
| 788 | A Phase II Clinical Trial of Recombinant Human Tissue-type Plasminogen Activator against Cerebral Vasospasm after Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 1994, 35, 597-605. | 0.6 | 65 |
| 789 | Gunshot Wounds to the Brain in Children and Adolescents. <i>Neurosurgery</i> , 1994, 35, 225-233. | 0.6 | 50 |
| 790 | Low clinical ischemic threshold for cerebral blood flow in severe acute brain trauma. <i>Journal of Neurosurgery</i> , 1994, 80, 143-147. | 0.9 | 28 |
| 791 | A multicenter trial of the efficacy of nimodipine on outcome after severe head injury. <i>Journal of Neurosurgery</i> , 1994, 80, 797-804. | 0.9 | 160 |
| 792 | Safety study of tirilazad mesylate in patients with acute ischemic stroke (STIPAS).. <i>Stroke</i> , 1994, 25, 418-423. | 1.0 | 60 |
| 793 | </>Combined Cisternal Drainage and Intrathecal Urokinase Injection Therapy for Prevention of Vasospasm in Patients with Aneurysmal Subarachnoid Hemorrhage</>. <i>Neurologia Medico-Chirurgica</i> , 1995, 35, 732-736. | 1.0 | 29 |
| 794 | </>Observation of Vasospasm after Subarachnoid Hemorrhage by Magnetic Resonance Angiography</>. <i>Neurologia Medico-Chirurgica</i> , 1995, 35, 298-304. | 1.0 | 7 |
| 795 | Early Clinical Outcome of Patients with Ruptured Cerebral Aneurysms Treated by Endovascular (GDC) or Microsurgical Techniques. <i>Interventional Neuroradiology</i> , 1995, 1, 19-27. | 0.7 | 63 |
| 796 | Balance abilities in individuals with moderate and severe traumatic brain injury. <i>Brain Injury</i> , 1995, 9, 445-451. | 0.6 | 32 |
| 797 | Perioperative Management of Aneurysmal Subarachnoid Hemorrhage. <i>Anesthesia and Analgesia</i> , 1995, 81, 1060-1072. | 1.1 | 7 |
| 798 | One year psychosocial outcome in head injury. <i>Journal of the International Neuropsychological Society</i> , 1995, 1, 67-77. | 1.2 | 179 |
| 799 | Traumatic brain injury: Factors predicting return to work or school. <i>Brain Injury</i> , 1995, 9, 517-532. | 0.6 | 161 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 800 | Quality of Life after Subarachnoid Haemorrhage, and its Relationship to Impairments, Disabilities and Depression. <i>Scandinavian Journal of Occupational Therapy</i> , 1995, 2, 105-112. | 1.1 | 10 |
| 801 | Perseveration. Part II: A study of perseveration in closed-head injury. <i>Brain Injury</i> , 1995, 9, 161-172. | 0.6 | 14 |
| 802 | Neuropsychological outcome at 1-year post head injury.. <i>Neuropsychology</i> , 1995, 9, 80-90. | 1.0 | 459 |
| 803 | An interdisciplinary perspective on the agitated brain injured patient. <i>NeuroRehabilitation</i> , 1995, 5, 299-308. | 0.5 | 9 |
| 804 | Multimodality Treatment of Deep Arteriovenous Malformations: Thalamus, Basal Ganglia, and Brain Stem. <i>Neurosurgery</i> , 1995, 37, 29-36. | 0.6 | 181 |
| 805 | Frontal Lobe Changes after Severe Diffuse Closed Head Injury in Children. <i>Neurosurgery</i> , 1995, 37, 392-400. | 0.6 | 52 |
| 806 | Gunshot Wounds to the Head in Civilian Practice. <i>Neurosurgery</i> , 1995, 37, 1104-1112. | 0.6 | 72 |
| 807 | Continuous Regional Cerebral Cortical Blood Flow Monitoring in Head-injured Patients. <i>Neurosurgery</i> , 1995, 36, 943-950. | 0.6 | 85 |
| 808 | Evolving Brain Lesions in the First 12 Hours after Head Injury. <i>Neurosurgery</i> , 1995, 37, 899-904. | 0.6 | 155 |
| 810 | Aneurysmal and Microaneurysmal "Angiogram-negative" Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 1995, 37, 48-55. | 0.6 | 95 |
| 811 | Hemostasis in Spontaneous Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 1995, 37, 226-234. | 0.6 | 49 |
| 812 | A multi-center investigation of neurobehavioral outcome after traumatic brain injury. <i>NeuroRehabilitation</i> , 1995, 5, 255-267. | 0.5 | 5 |
| 813 | Focal cerebral hyperemia after focal head injury in humans: a benign phenomenon?. <i>Journal of Neurosurgery</i> , 1995, 83, 277-284. | 0.9 | 68 |
| 814 | Perioperative Management of Aneurysmal Subarachnoid Hemorrhage. <i>Anesthesia and Analgesia</i> , 1995, 81, 1060-1072. | 1.1 | 27 |
| 815 | Admission to a Pediatric Intensive Care Unit for Bacterial Meningitis: Review of 168 Cases. <i>Journal of Intensive Care Medicine</i> , 1995, 10, 253-260. | 1.3 | 1 |
| 817 | Immediate prognosis of primary intracerebral hemorrhage using an easy model for the prediction of survival. <i>Acta Neurologica Scandinavica</i> , 1995, 91, 306-309. | 1.0 | 63 |
| 818 | Superficial temporal artery " Middle cerebral artery anastomosis for acute cerebral ischemia: The effect of small augmentation of blood flow. <i>Acta Neurochirurgica</i> , 1995, 137, 128-137. | 0.9 | 34 |
| 819 | The haemodynamic effect of transcranial Doppler-guided high-dose nimodipine treatment in established vasospasm after subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 1995, 135, 179-185. | 0.9 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 820 | Anti-phospholipid antibodies and cerebral vasospasm following subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 1995, 135, 191-197. | 0.9 | 11 |
| 821 | Treatment of patients with severe head injury by triamcinolone: a prospective, controlled multicenter clinical trial of 396 cases. <i>Research in Experimental Medicine</i> , 1995, 195, 217-229. | 0.7 | 92 |
| 822 | The abbreviated injury scale as a predictor of outcome of severe head injury. <i>Intensive Care Medicine</i> , 1995, 21, 606-609. | 3.9 | 61 |
| 823 | Perimesencephalic and nonperimesencephalic subarachnoid haemorrhages with negative angiograms. <i>Acta Neurochirurgica</i> , 1995, 132, 14-19. | 0.9 | 85 |
| 824 | ?Head-shaking syndrome? neurological deterioration during continuous head-shaking as an adjunct to cisternal irrigation for clot removal in patients with acute subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 1995, 132, 20-25. | 0.9 | 9 |
| 825 | Alterations in perivascular dilatory neuropeptides (CGRP, SP, VIP) in the external jugular vein and in the cerebrospinal fluid following subarachnoid haemorrhage in man. <i>Acta Neurochirurgica</i> , 1995, 132, 32-41. | 0.9 | 74 |
| 826 | Head-injured adult patients with GCS of 3 on admission ? Who have a chance to survive?. <i>Acta Neurochirurgica</i> , 1995, 133, 56-59. | 0.9 | 34 |
| 827 | The transzygomatic approach: A long-term clinical review. <i>Acta Neurochirurgica</i> , 1995, 136, 111-116. | 0.9 | 20 |
| 828 | Effect of ultra-early referral on management outcome in subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 1995, 136, 51-61. | 0.9 | 19 |
| 829 | Coating of intracranial aneurysms: A long-term follow-up study of 34 cases. <i>Acta Neurochirurgica</i> , 1995, 136, 62-66. | 0.9 | 10 |
| 830 | Significance of ST segment elevation in electrocardiograms in patients with ruptured cerebral aneurysms. <i>Acta Neurochirurgica</i> , 1995, 133, 141-146. | 0.9 | 68 |
| 831 | The Rivermead Post Concussion Symptoms Questionnaire: a measure of symptoms commonly experienced after head injury and its reliability. <i>Journal of Neurology</i> , 1995, 242, 587-592. | 1.8 | 1,224 |
| 832 | Predictive value of brain-stem auditory evoked potentials in children with post-traumatic coma produced by diffuse brain injury. <i>Child's Nervous System</i> , 1995, 11, 400-405. | 0.6 | 11 |
| 833 | Predicting Outcome in Pediatric Submersion Victims. <i>Annals of Emergency Medicine</i> , 1995, 26, 312-319. | 0.3 | 90 |
| 834 | Recommended Guidelines for Uniform Reporting of Pediatric Advanced Life Support: The Pediatric Utstein Style. <i>Annals of Emergency Medicine</i> , 1995, 26, 487-503. | 0.3 | 47 |
| 835 | Head injuries in children: a chronicle of a quarter of a century. <i>Child's Nervous System</i> , 1995, 11, 256-264. | 0.6 | 8 |
| 836 | Problems of the Glasgow Coma Scale with early intubated patients. <i>Neurosurgical Review</i> , 1995, 18, 253-257. | 1.2 | 48 |
| 837 | Treatment of severe intraventricular hemorrhage by intraventricular infusion of urokinase. <i>Neurosurgical Review</i> , 1995, 18, 95-100. | 1.2 | 63 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 838 | Evaluation of outcome following cardiac arrest in patients presenting to two Scottish emergency departments. <i>Resuscitation</i> , 1995, 29, 33-39. | 1.3 | 22 |
| 839 | Recommended guidelines for uniform reporting of pediatric advanced life support: The Pediatric Utstein Style. <i>Resuscitation</i> , 1995, 30, 95-115. | 1.3 | 138 |
| 840 | Management of minor closed head injury in children and adolescents. <i>Pediatric Surgery International</i> , 1995, 10, 465. | 0.6 | 6 |
| 841 | Use of the Injury Severity Score in head injury. <i>Injury</i> , 1995, 26, 399-400. | 0.7 | 19 |
| 842 | Severe snowboarding injuries. <i>Injury</i> , 1995, 26, 539-542. | 0.7 | 88 |
| 843 | Posterior Skull Base Transfacial Approaches. <i>Clinics in Plastic Surgery</i> , 1995, 22, 491-511. | 0.7 | 34 |
| 844 | Cerebral Hemodynamic Disturbances Following Penetrating Craniocerebral Injury and their Influence on Outcome. <i>Neurosurgery Clinics of North America</i> , 1995, 6, 657-667. | 0.8 | 21 |
| 845 | Saccular Aneurysms of the Proximal (M1) Segment of the Middle Cerebral Artery. <i>Neurosurgery</i> , 1995, 36, 441-446. | 0.6 | 27 |
| 846 | Acidente vascular de tronco encefálico estudo de 21 casos. <i>Arquivos De Neuro-Psiquiatria</i> , 1995, 53, 75-81. | 0.3 | 1 |
| 847 | Stereotactic Puncture and Lysis of Spontaneous Intracerebral Hemorrhage Using Recombinant Tissue-Plasminogen Activator. <i>Neurosurgery</i> , 1995, 36, 328-335. | 0.6 | 114 |
| 848 | Fibrinolytic Therapy for Acute Embolic Stroke. <i>Neurosurgery</i> , 1995, 36, 246-253. | 0.6 | 122 |
| 849 | Endosaccular treatment of inoperable intracranial aneurysms with platinum coils. <i>British Journal of Neurosurgery</i> , 1995, 9, 585-592. | 0.4 | 63 |
| 850 | Cerebrovascular carbon dioxide reactivity assessed by intracranial pressure dynamics in severely head injured patients. <i>Journal of Neurosurgery</i> , 1995, 82, 386-393. | 0.9 | 48 |
| 851 | Neurobehavioral Outcome of Closed Head Injury: Implications for Clinical Trials. <i>Journal of Neurotrauma</i> , 1995, 12, 601-610. | 1.7 | 90 |
| 852 | Prescribing of potentially harmful drugs to patients admitted to hospital after head injury.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1995, 58, 753-755. | 0.9 | 53 |
| 853 | Personality and psychosocial function after brain injury. <i>Brain Injury</i> , 1995, 9, 697-712. | 0.6 | 35 |
| 854 | Systemic Hypothermia in Treatment of Severe Brain Injury: A Review and Update. <i>Journal of Neurotrauma</i> , 1995, 12, 923-927. | 1.7 | 69 |
| 855 | Quality of life and cognitive deficits after subarachnoid haemorrhage. <i>British Journal of Neurosurgery</i> , 1995, 9, 465-476. | 0.4 | 127 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 856 | The Apache II scoring system in neurosurgical patients: a comparison with simple Glasgow coma scoring. <i>British Journal of Neurosurgery</i> , 1995, 9, 179-187. | 0.4 | 14 |
| 857 | Prediction of outcome in resuscitated patients by clinical course and early somatosensory-evoked potentials. <i>Clinical Intensive Care: International Journal of Critical & Coronary Care Medicine</i> , 1995, 6, 219-227. | 0.1 | 4 |
| 858 | Models of brain injury rehabilitation. <i>Brain Injury</i> , 1995, 9, 735-743. | 0.6 | 24 |
| 859 | Impairment, disability, or handicap in peripheral neuropathy: analysis of the use of outcome measures in clinical trials in patients with peripheral neuropathies.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1995, 59, 165-169. | 0.9 | 18 |
| 860 | Introspective capacities in patients with cognitive deficits after subarachnoid hemorrhage. <i>Journal of Clinical and Experimental Neuropsychology</i> , 1995, 17, 499-517. | 0.8 | 26 |
| 861 | Psychosocial and emotional sequelae of individuals with traumatic brain injury: a literature review and recommendations. <i>Brain Injury</i> , 1995, 9, 81-92. | 0.6 | 371 |
| 862 | Prediction of Recovery from Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 1995, 12, 913-922. | 1.7 | 61 |
| 863 | Risk Factors for Impaired Outcome After Spontaneous Intracerebral Hemorrhage. <i>Archives of Neurology</i> , 1995, 52, 1193-1200. | 4.9 | 202 |
| 864 | Intraventricular recombinant tissue plasminogen activator for lysis of intraventricular haemorrhage.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1995, 58, 447-451. | 0.9 | 101 |
| 865 | Head injury.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1995, 58, 526-539. | 0.9 | 130 |
| 866 | Predictive value of serum ionized but not total magnesium levels in head injuries. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1995, 55, 671-677. | 0.6 | 70 |
| 867 | On Functions, Abilities and Quality of Life After Subarachnoid Haemorrhage: Occupational Therapy Aspects. <i>Scandinavian Journal of Occupational Therapy</i> , 1995, 2, 167-167. | 1.1 | 0 |
| 868 | Developmental models of social cognition in assessing the role of family stress in relatives' predictions following traumatic brain injury. <i>Brain Injury</i> , 1995, 9, 173-186. | 0.6 | 26 |
| 869 | Timing of postoperative intracranial hematoma development and implications for the best use of neurosurgical intensive care. <i>Journal of Neurosurgery</i> , 1995, 82, 48-50. | 0.9 | 139 |
| 870 | An additional therapeutic effect of adequate hyperventilation in severe acute brain trauma: normalization of cerebral glucose uptake. <i>Journal of Neurosurgery</i> , 1995, 82, 379-385. | 0.9 | 80 |
| 871 | One-year outcome following craniotomy for traumatic hematoma in patients with fixed dilated pupils. <i>Journal of Neurosurgery</i> , 1995, 82, 961-965. | 0.9 | 129 |
| 872 | Early treatment of subarachnoid hemorrhage after preventing rerupture of an aneurysm. <i>Journal of Neurosurgery</i> , 1995, 83, 34-41. | 0.9 | 53 |
| 873 | Improved outcome after rupture of anterior circulation aneurysms: a retrospective 10-year review of 224 good-grade patients. <i>Journal of Neurosurgery</i> , 1995, 83, 394-402. | 0.9 | 128 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 874 | Coincident Timing by Nondisabled, Mentally Retarded, and Traumatic Brain-Injured Individuals under Varying Target-Exposure Conditions. <i>Perceptual and Motor Skills</i> , 1995, 80, 487-496. | 0.6 | 5 |
| 875 | Noradrenaline concentrations and electrocardiographic abnormalities after aneurysmal subarachnoid haemorrhage.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1995, 58, 614-617. | 0.9 | 40 |
| 876 | Phase II trial of tirilazad in aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1995, 82, 786-790. | 0.9 | 120 |
| 877 | Classification and regression trees (CART) for prediction of function at 1 year following head trauma. <i>Journal of Neurosurgery</i> , 1995, 82, 764-771. | 0.9 | 66 |
| 878 | Sleep abnormalities in traumatic apallic syndrome.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1995, 58, 484-486. | 0.9 | 28 |
| 879 | Prospective double-blind placebo-controlled randomized trial on the use of ranitidine in preventing postoperative gastroduodenal complications in high-risk neurosurgical patients. <i>Journal of Neurosurgery</i> , 1995, 82, 413-417. | 0.9 | 29 |
| 880 | Controlled lumbar drainage in pediatric head injury. <i>Journal of Neurosurgery</i> , 1995, 83, 453-460. | 0.9 | 92 |
| 881 | Outcome of post-traumatic unawareness persisting for more than a month.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1995, 58, 465-466. | 0.9 | 14 |
| 882 | Embolisation of recently ruptured intracranial aneurysms.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1995, 59, 616-620. | 0.9 | 115 |
| 883 | Aspirin and delayed cerebral ischemia after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1995, 82, 945-952. | 0.9 | 100 |
| 884 | Cerebral perfusion pressure: management protocol and clinical results. <i>Journal of Neurosurgery</i> , 1995, 83, 949-962. | 0.9 | 849 |
| 885 | Traumatic basal ganglia haemorrhage: report of 7 cases. <i>Journal of Clinical Neuroscience</i> , 1995, 2, 55-58. | 0.8 | 7 |
| 887 | Improved outcome for patients with a cardiac arrest by supervision of the emergency medical services system. <i>Netherlands Journal of Medicine</i> , 1995, 46, 123-130. | 0.6 | 10 |
| 888 | Proton magnetic resonance spectroscopy in children with acute central nervous system injury. <i>Pediatric Neurology</i> , 1995, 12, 323-334. | 1.0 | 35 |
| 889 | Hemodynamic evaluation with dynamic DSA during the treatment of cerebral vasospasm: A retrospective study. <i>World Neurosurgery</i> , 1995, 44, 63-74. | 1.3 | 22 |
| 890 | Assessment of delayed cerebral vasospasm using intracisternal echographyâ€”Technical note. <i>World Neurosurgery</i> , 1995, 44, 319-325. | 1.3 | 1 |
| 891 | Management of intracranial hemorrhage associated with anticoagulant therapy. <i>World Neurosurgery</i> , 1995, 44, 438-443. | 1.3 | 125 |
| 892 | Progress in the management of patients with aneurysmal subarachnoid hemorrhage: A single hospital review for 20 years. <i>World Neurosurgery</i> , 1995, 44, 522-527. | 1.3 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 893 | Progress in the management of patients with aneurysmal subarachnoid hemorrhage: A single hospital review for 20 years. <i>World Neurosurgery</i> , 1995, 44, 528-532. | 1.3 | 8 |
| 894 | Intracerebral hematoma in patients with ruptured cerebral aneurysms. <i>World Neurosurgery</i> , 1995, 43, 272-277. | 1.3 | 107 |
| 895 | The post-concussional syndrome: Physiogenesis, psychogenesis and malingering. An integrative model. <i>Journal of Psychosomatic Research</i> , 1995, 39, 675-693. | 1.2 | 96 |
| 896 | Surgical techniques in orbital roof fractures: early treatment and results. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 1995, 23, 6-11. | 0.7 | 47 |
| 897 | Alcohol-associated acute head trauma in human subjects is associated with early deficits in serum ionized Mg and Ca. <i>Alcohol</i> , 1995, 12, 433-437. | 0.8 | 25 |
| 898 | Electrodermal response and outcome from severe brain injury. <i>Brain Injury</i> , 1995, 9, 61-80. | 0.6 | 17 |
| 899 | The long-term outcome of head injury: Implications for service planning. <i>Brain Injury</i> , 1995, 9, 595-605. | 0.6 | 50 |
| 900 | Coping and psychosocial function after brain injury. <i>Brain Injury</i> , 1995, 9, 607-618. | 0.6 | 63 |
| 901 | Recommendations for use of uniform nomenclature pertinent to patients with severe alterations in consciousness. <i>Archives of Physical Medicine and Rehabilitation</i> , 1995, 76, 205-209. | 0.5 | 287 |
| 902 | Functional outcome after rehabilitation for severe traumatic brain injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 1995, 76, 1103-1112. | 0.5 | 86 |
| 903 | Somatosensory evoked potentials for prediction of outcome in acute severe brain injury. <i>Journal of Pediatrics</i> , 1995, 126, 44-49. | 0.9 | 88 |
| 904 | In-hospital mortality after out-of-hospital cardiac arrest. <i>Lancet, The</i> , 1995, 346, 417-421. | 6.3 | 103 |
| 905 | Epidemiology of head injury in rural Taiwan – a four year survey. <i>Journal of Clinical Neuroscience</i> , 1995, 2, 210-215. | 0.8 | 17 |
| 906 | Diffuse axonal injury. <i>Journal of Clinical Neuroscience</i> , 1995, 2, 216-223. | 0.8 | 4 |
| 907 | Frontotemporal orbitozygomatiko-alar approach for skull surgery. <i>Journal of Clinical Neuroscience</i> , 1995, 2, 229-234. | 0.8 | 5 |
| 908 | Endothelin-1 levels in plasma and cerebrospinal fluid following subarachnoid haemorrhage. <i>Journal of Clinical Neuroscience</i> , 1995, 2, 252-256. | 0.8 | 10 |
| 909 | Extradural haematomas: How many deaths can be avoided?. <i>Acta Neurochirurgica</i> , 1995, 133, 50-55. | 0.9 | 45 |
| 910 | Clinical and Radiologic Features of Cerebral Edema in Fulminant Hepatic Failure. <i>Mayo Clinic Proceedings</i> , 1995, 70, 119-124. | 1.4 | 82 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 911 | Impact of traumatic subarachnoid hemorrhage on outcome in nonpenetrating head injury. <i>Journal of Neurosurgery</i> , 1995, 83, 445-452. | 0.9 | 91 |
| 912 | Executive Functioning Following Mild Closed Head Injury. <i>Cortex</i> , 1996, 32, 261-278. | 1.1 | 46 |
| 913 | Head injuries from bicycle accidents. <i>Clinical Neurology and Neurosurgery</i> , 1996, 98, 281-285. | 0.6 | 8 |
| 914 | Stereotactic radiosurgery for arteriovenous malformations of the brain using a standard linear accelerator: the Lyon experience. <i>Radiotherapy and Oncology</i> , 1996, 40, 51-54. | 0.3 | 18 |
| 915 | Efficacy of prophylactic nimodipine for delayed ischemic deficit after subarachnoid hemorrhage: a metaanalysis. <i>Journal of Neurosurgery</i> , 1996, 84, 405-414. | 0.9 | 306 |
| 916 | Very poor prognosis in cases with extravasation of the contrast medium during angiography. <i>World Neurosurgery</i> , 1996, 45, 560-564. | 1.3 | 19 |
| 917 | Evaluation of outcome after intracranial aneurysm surgery: The neuropsychiatric approach. <i>World Neurosurgery</i> , 1996, 45, 422-429. | 1.3 | 20 |
| 918 | Evaluation of time-dependent thresholds of cerebral blood flow and transit time during the acute stage of cerebral embolism: A retrospective study. <i>World Neurosurgery</i> , 1996, 46, 135-145. | 1.3 | 18 |
| 919 | IFCN recommended standards for electrophysiologic monitoring in comatose and other unresponsive states. Report of an IFCN committee. <i>Electroencephalography and Clinical Neurophysiology</i> , 1996, 99, 103-122. | 0.3 | 63 |
| 920 | Critical illness myopathy and neuropathy. <i>Lancet</i> , The, 1996, 347, 1579-1582. | 6.3 | 454 |
| 921 | The outcome for children with blunt trauma is best at a pediatric trauma center. <i>Journal of Pediatric Surgery</i> , 1996, 31, 72-77. | 0.8 | 204 |
| 922 | Putaminal and thalamic hemorrhage in ethnic Chinese living in Hong Kong. <i>World Neurosurgery</i> , 1996, 46, 441-445. | 1.3 | 5 |
| 923 | Association between injury indices and outcome after severe traumatic brain injury in children. <i>Archives of Physical Medicine and Rehabilitation</i> , 1996, 77, 125-132. | 0.5 | 110 |
| 924 | Supervision rating scale: A measure of functional outcome from brain injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 1996, 77, 765-772. | 0.5 | 177 |
| 926 | Out-of-hospital cardiac arrests: An 8-year New York city experience. <i>American Journal of Emergency Medicine</i> , 1996, 14, 364-368. | 0.7 | 57 |
| 927 | The Westmead head injury project: Outcome prediction in acute subdural haematoma. <i>Journal of Clinical Neuroscience</i> , 1996, 3, 143-148. | 0.8 | 4 |
| 928 | An inter-rater reliability study of the Functional Assessment Measure (FIM + FAM). <i>Disability and Rehabilitation</i> , 1996, 18, 341-347. | 0.9 | 63 |
| 929 | Impairment of Non-Specific Immunity in Patients in Persistent Vegetative State. <i>Immunopharmacology and Immunotoxicology</i> , 1996, 18, 549-569. | 1.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 930 | A.207 Outcome after surgical aneurysm repair after subarachnoidal haemorrhage. British Journal of Anaesthesia, 1996, 76, 65-66. | 1.5 | 0 |
| 931 | Superior Wall Aneurysms of the Internal Carotid Artery : Intraoperative Findings and Operative Technique. Japanese Journal of Neurosurgery, 1996, 5, 273-280. | 0.0 | 14 |
| 932 | Titanium Aneurysm Clips: Part III Clinical Application in 16 Patients with Subarachnoid Hemorrhage. Neurosurgery, 1996, 38, 1170-1175. | 0.6 | 31 |
| 933 | Clinicopathological Heterogeneity in the Classification of Mild Head Injury. Neurosurgery, 1996, 38, 245-250. | 0.6 | 154 |
| 934 | Glasgow Coma Scale in the Prediction of Outcome after Early Aneurysm Surgery. Neurosurgery, 1996, 39, 19-25. | 0.6 | 79 |
| 935 | The Role of Computed Tomographic Angiography in the Diagnosis of Intracranial Aneurysms and Emergent Aneurysm Clipping. Neurosurgery, 1996, 38, 481-487. | 0.6 | 86 |
| 936 | RecuperaÃ§Ã£o das vÃtimas de traumatismo cranio-encefÃlico no perÃodo de 1 ano apÃs o trauma. Revista Da AssociaÃ£o MÃ©dica Brasileira, 1996, 30, 484. | 0.3 | 2 |
| 937 | Intracranial Aneurysms and Cervicocephalic Arterial Dissections Associated with Congenital Heart Disease. Neurosurgery, 1996, 39, 685-690. | 0.6 | 86 |
| 938 | The impact of posttraumatic seizures on 1-year neuropsychological and psychosocial outcome of head injury. Journal of the International Neuropsychological Society, 1996, 2, 494-504. | 1.2 | 27 |
| 939 | Outcome of intensive rehabilitation after severe brain injury: a long-term follow-up study. Brain Injury, 1996, 10, 631-650. | 0.6 | 102 |
| 940 | Patients with traumatic brain injury referred to a rehabilitation and re-employment programme: social and professional outcome for 508 Finnish patients 5 or more years after injury. Brain Injury, 1996, 10, 883-900. | 0.6 | 57 |
| 941 | Management of poor grade patients after subarachnoid haemorrhage: the importance of neuroradiological findings on clinical outcome. British Journal of Neurosurgery, 1996, 10, 445-452. | 0.4 | 19 |
| 942 | Hospitalâ€Acquired Pressure Ulcers and Risk of Death. Journal of the American Geriatrics Society, 1996, 44, 1435-1440. | 1.3 | 176 |
| 943 | Coronary Artery Bypass Graftingâ€Associated Ischemic Stroke; A Clinical and Neuroradiological Study. Journal of Neuroimaging, 1996, 6, 20-22. | 1.0 | 16 |
| 944 | Revascularization and Aneurysm Surgery: Current Techniques, Indications, and Outcome. Neurosurgery, 1996, 38, 83-94. | 0.6 | 397 |
| 945 | Do we evaluate outcome appropriately?. Neurological Research, 1996, 18, 248-250. | 0.6 | 2 |
| 946 | Subarachnoid hemorrhage of unknown etiology. Neurological Research, 1996, 18, 220-226. | 0.6 | 23 |
| 947 | The Contralateral Transcallosal Approach: Experience with 32 Patients. Neurosurgery, 1996, 39, 729-734. | 0.6 | 117 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 948 | The Effect of Nimodipine Monotherapy and Combined Treatment with Ketamine and Lignocaine in Aneurysmal Subarachnoid Haemorrhage. <i>Journal of International Medical Research</i> , 1996, 24, 425-432. | 0.4 | 1 |
| 949 | Sensory stimulation: theoretical perspectives and the evidence for effectiveness. <i>NeuroRehabilitation</i> , 1996, 6, 69-78. | 0.5 | 38 |
| 950 | The role of prognosis in clinical decision making. <i>Journal of General Internal Medicine</i> , 1996, 11, 422-425. | 1.3 | 46 |
| 952 | Cognitive activation during PET: A case study of monozygotic twins discordant for closed head injury. <i>Neuropsychologia</i> , 1996, 34, 689-697. | 0.7 | 15 |
| 953 | Rehabilitation and reintegration of multiply injured patients: an outcome study with special reference to multiple lower limb fractures. <i>Injury</i> , 1996, 27, 133-138. | 0.7 | 59 |
| 954 | Outcome after acute extradural haematoma, influence of additional injuries and neurological complications in the ICU. <i>Injury</i> , 1996, 27, 345-349. | 0.7 | 61 |
| 955 | Ketamine for analgosedative therapy in intensive care treatment of head-injured patients. <i>Acta Neurochirurgica</i> , 1996, 138, 1193-1199. | 0.9 | 133 |
| 956 | Validation of a quality of life questionnaire for critically ill patients. <i>Intensive Care Medicine</i> , 1996, 22, 1034-1042. | 3.9 | 489 |
| 957 | Severe head injuries: An outcome prediction and survival analysis. <i>Intensive Care Medicine</i> , 1996, 22, 1391-1395. | 3.9 | 52 |
| 958 | Prognosis of stroke patients undergoing mechanical ventilation. <i>Intensive Care Medicine</i> , 1996, 22, 174-175. | 3.9 | 6 |
| 959 | Event-related potentials "neurophysiological tools for predicting emergence and early outcome from traumatic coma. <i>Intensive Care Medicine</i> , 1996, 22, 39-46. | 3.9 | 161 |
| 960 | Early neuropsychological sequelae of aneurysm surgery and subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 1996, 138, 1370-1379. | 0.9 | 27 |
| 961 | Cerebral vasospasm after subarachnoid haemorrhage of unknown aetiology: A clinical and transcranial Doppler study. <i>Acta Neurochirurgica</i> , 1996, 138, 560-569. | 0.9 | 13 |
| 962 | Cerebral lactate production in relation to intracranial pressure, cranial computed tomography findings, and outcome in patients with severe head injury. <i>Acta Neurochirurgica</i> , 1996, 138, 928-937. | 0.9 | 32 |
| 963 | Cerebral aneurysms unrelated to arterial bifurcations. <i>Acta Neurochirurgica</i> , 1996, 138, 958-964. | 0.9 | 46 |
| 964 | One hundred and twenty-seven cases of acute subdural haematoma operated on. <i>Acta Neurochirurgica</i> , 1996, 138, 185-191. | 0.9 | 138 |
| 965 | Early aneurysm surgery and dehydration therapy in patients with severe subarachnoid haemorrhage without ICH. <i>Acta Neurochirurgica</i> , 1996, 138, 1050-1056. | 0.9 | 23 |
| 966 | Ruptured cerebral aneurysm: Influence of specialist and trainee-performed operations on outcome. <i>Acta Neurochirurgica</i> , 1996, 138, 1067-1069. | 0.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 967 | Brain tissue pO ₂ in relation to cerebral perfusion pressure, TCD findings and TCD-CO ₂ -reactivity after severe head injury. <i>Acta Neurochirurgica</i> , 1996, 138, 425-434. | 0.9 | 87 |
| 968 | Early post-traumatic seizures in children: Clinical and radiological aspects of injury. <i>Journal of Paediatrics and Child Health</i> , 1996, 32, 173-176. | 0.4 | 42 |
| 969 | Neuron-Specific Enolase, a Marker of Acute Neuronal Injury, is Increased in Complex Partial Status Epilepticus. <i>Epilepsia</i> , 1996, 37, 606-609. | 2.6 | 123 |
| 970 | 9 Acute management of head injury. <i>Bailliere's Clinical Anaesthesiology</i> , 1996, 10, 535-563. | 0.2 | 0 |
| 971 | Complement activation in the central nervous system following blood-brain barrier damage in man. <i>Annals of Neurology</i> , 1996, 40, 587-596. | 2.8 | 125 |
| 972 | Transcranial Doppler sonography at the early stage of acute central nervous system infections in adults. <i>Ultrasound in Medicine and Biology</i> , 1996, 22, 173-178. | 0.7 | 30 |
| 973 | Quality-of-Life and Formal Functional Testing of Survivors of Out-of-Hospital Cardiac Arrest Correlates Poorly With Traditional Neurologic Outcome Scales. <i>Annals of Emergency Medicine</i> , 1996, 28, 597-605. | 0.3 | 93 |
| 974 | Supratentorial primitive neuroectodermal tumors in children. <i>Journal of Neuro-Oncology</i> , 1996, 29, 75-84. | 1.4 | 114 |
| 975 | Estimation of Cerebral Blood Flow at Bedside by Continuous Jugular Thermodilution. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1996, 16, 1263-1270. | 2.4 | 27 |
| 976 | Ecological validity of neuropsychological and other predictors following head injury. <i>Clinical Neuropsychologist</i> , 1996, 10, 382-396. | 1.5 | 32 |
| 977 | An audit of aneurysmal subarachnoid haemorrhage: earlier resuscitation and surgery reduces inpatient stay and deaths from rebleeding.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1996, 60, 301-306. | 0.9 | 50 |
| 978 | Prehospital cardiac arrest in Leicestershire: targeting areas for improvement.. <i>Emergency Medicine Journal</i> , 1996, 13, 251-255. | 0.4 | 11 |
| 979 | Skull fractures in children: a population study.. <i>Emergency Medicine Journal</i> , 1996, 13, 386-389. | 0.4 | 23 |
| 980 | The value of the Short Form 36 score in the outcome assessment of subarachnoid haemorrhage. <i>British Journal of Neurosurgery</i> , 1996, 10, 187-192. | 0.4 | 26 |
| 981 | Childhood Traumatic Brain Injury. <i>Journal of Learning Disabilities</i> , 1996, 29, 652-661. | 1.5 | 94 |
| 982 | Posttraumatic Amnesia as a Predictor of Outcome After Severe Closed Head Injury. <i>Archives of Neurology</i> , 1996, 53, 782. | 4.9 | 126 |
| 983 | Effects of Pegorgotein on Neurologic Outcome of Patients With Severe Head Injury. <i>JAMA - Journal of the American Medical Association</i> , 1996, 276, 538. | 3.8 | 143 |
| 984 | Brainstem Auditory Evoked Potentials in Respiratory Insufficiency Following Encephalitis. <i>International Journal of Neuroscience</i> , 1996, 84, 35-44. | 0.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 985 | Age and outcome after aneurysmal subarachnoid hemorrhage: why do older patients fare worse?. Journal of Neurosurgery, 1996, 85, 410-418. | 0.9 | 326 |
| 986 | Posttraumatic ventriculomegaly: hydrocephalus or atrophy? A new approach for diagnosis using CSF dynamics. Journal of Neurosurgery, 1996, 85, 1026-1035. | 0.9 | 156 |
| 987 | Thresholds for Cerebral Ischemia after Severe Head Injury: Relationship with Late CT Findings and Outcome. Journal of Neurotrauma, 1996, 13, 17-23. | 1.7 | 44 |
| 988 | Post-traumatic apallic syndrome following head injury. Part 1: Clinical characteristics. Disability and Rehabilitation, 1996, 18, 1-20. | 0.9 | 12 |
| 989 | Gender-related differences in aneurysmal subarachnoid hemorrhage. Journal of Neurosurgery, 1996, 84, 43-48. | 0.9 | 170 |
| 990 | Traumatic subarachnoid hemorrhage and its treatment with nimodipine. Journal of Neurosurgery, 1996, 85, 82-89. | 0.9 | 172 |
| 991 | 'Malignant' Middle Cerebral Artery Territory Infarction. Archives of Neurology, 1996, 53, 309. | 4.9 | 1,291 |
| 992 | Cobalt-55 positron emission tomography in traumatic brain injury: a pilot study.. Journal of Neurology, Neurosurgery and Psychiatry, 1996, 60, 221-224. | 0.9 | 42 |
| 993 | Neurochemical monitoring using intracerebral microdialysis in patients with subarachnoid hemorrhage. Journal of Neurosurgery, 1996, 84, 606-616. | 0.9 | 228 |
| 994 | Randomized, double-blind, vehicle-controlled trial of tirilazad mesylate in patients with aneurysmal subarachnoid hemorrhage: a cooperative study in Europe, Australia, and New Zealand. Journal of Neurosurgery, 1996, 84, 221-228. | 0.9 | 349 |
| 995 | Effects of a hydroxyl radical scavenger on delayed ischemic neurological deficits following aneurysmal subarachnoid hemorrhage: results of a multicenter, placebo-controlled double-blind trial. Journal of Neurosurgery, 1996, 84, 792-803. | 0.9 | 116 |
| 996 | Ultra-early rebleeding in spontaneous subarachnoid hemorrhage. Journal of Neurosurgery, 1996, 84, 35-42. | 0.9 | 214 |
| 997 | Traumatic subarachnoid hemorrhage as a predictable indicator of delayed ischemic symptoms. Journal of Neurosurgery, 1996, 84, 762-768. | 0.9 | 90 |
| 998 | Predicting length of hospital stay and cost by aneurysm grade on admission. Journal of Neurosurgery, 1996, 85, 388-391. | 0.9 | 30 |
| 999 | Giant intracranial aneurysm and fibromuscular dysplasia in an adolescent with α 1-antitrypsin deficiency. Journal of Neurosurgery, 1996, 85, 503-506. | 0.9 | 58 |
| 1000 | Moderate hypothermia in patients with severe head injury: cerebral and extracerebral effects. Journal of Neurosurgery, 1996, 85, 533-541. | 0.9 | 209 |
| 1001 | Hyperemia following traumatic brain injury: relationship to intracranial hypertension and outcome. Journal of Neurosurgery, 1996, 85, 762-771. | 0.9 | 124 |
| 1002 | Adverse effects of pentobarbital on cerebral venous oxygenation of comatose patients with acute traumatic brain swelling: relationship to outcome. Journal of Neurosurgery, 1996, 85, 758-761. | 0.9 | 69 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1003 | Augmented Feedback for Enhanced Skill Acquisition in Individuals with Traumatic Brain Injury. Perceptual and Motor Skills, 1996, 82, 507-514. | 0.6 | 13 |
| 1004 | Characteristics and surgical treatment of dolichoectatic and fusiform aneurysms. Journal of Neurosurgery, 1996, 84, 185-193. | 0.9 | 274 |
| 1005 | Internal Carotid Artery Sacrifice for Radical Resection of Skull Base Tumors. Skull Base, 1996, 6, 119-123. | 0.4 | 46 |
| 1006 | Prevalence of impairments 5 years after a head injury, and their relationship with disabilities and outcome. Brain Injury, 1996, 10, 487-498. | 0.6 | 138 |
| 1007 | Predicting outcome in poor-grade patients with subarachnoid hemorrhage: a retrospective review of 159 aggressively managed cases. Journal of Neurosurgery, 1996, 85, 39-49. | 0.9 | 330 |
| 1008 | Incidence of cerebral vasospasm after endovascular treatment of acutely ruptured aneurysms: report on 69 cases. Journal of Neurosurgery, 1997, 87, 830-835. | 0.9 | 162 |
| 1009 | Serial changes of hemostasis in aneurysmal subarachnoid hemorrhage with special reference to delayed ischemic neurological deficits. Journal of Neurosurgery, 1997, 86, 594-602. | 0.9 | 47 |
| 1010 | Cerebral blood flow as a predictor of outcome following traumatic brain injury. Journal of Neurosurgery, 1997, 86, 633-641. | 0.9 | 148 |
| 1011 | Intravenous insulin-like growth factor-I (IGF-I) in moderate-to-severe head injury: a Phase II safety and efficacy trial. Journal of Neurosurgery, 1997, 86, 779-786. | 0.9 | 67 |
| 1012 | Surgical indications in patients with an intracerebral hemorrhage due to ruptured middle cerebral artery aneurysm. Journal of Neurosurgery, 1997, 87, 170-175. | 0.9 | 82 |
| 1013 | Intracranial aneurysms treated with the Guglielmi detachable coil: midterm clinical results in a consecutive series of 100 patients. Journal of Neurosurgery, 1997, 87, 176-183. | 0.9 | 330 |
| 1014 | Follow-up evaluation of dissecting aneurysms of the vertebrobasilar circulation by using gadolinium-enhanced magnetic resonance imaging. Journal of Neurosurgery, 1997, 87, 385-390. | 0.9 | 29 |
| 1015 | Cranial base approaches to posterior circulation aneurysms. Journal of Neurosurgery, 1997, 87, 544-554. | 0.9 | 124 |
| 1016 | Neuropsychological Test Scores Before and After Brain-injury Rehabilitation in Relation to Return to Employment. Neuropsychological Rehabilitation, 1997, 7, 23-42. | 1.0 | 24 |
| 1017 | A randomized, double-blind, vehicle-controlled trial of tirilazad mesylate in patients with aneurysmal subarachnoid hemorrhage: a cooperative study in North America. Journal of Neurosurgery, 1997, 86, 467-474. | 0.9 | 266 |
| 1018 | Evaluation of the transient hyperemic response test in head-injured patients. Journal of Neurosurgery, 1997, 86, 773-778. | 0.9 | 116 |
| 1019 | Hemodynamically significant cerebral vasospasm and outcome after head injury: a prospective study. Journal of Neurosurgery, 1997, 87, 221-233. | 0.9 | 140 |
| 1020 | Predicting premorbid neuropsychological functioning following pediatric traumatic brain injury. Journal of Clinical and Experimental Neuropsychology, 1997, 19, 825-837. | 0.8 | 44 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1021 | Significance of pupillary reactivity in poor-grade aneurysm patients as a prognostic factor and an indication for active treatment. <i>British Journal of Neurosurgery</i> , 1997, 11, 25-31. | 0.4 | 14 |
| 1022 | Delayed surgery for ruptured intracranial aneurysms: a reappraisal. <i>British Journal of Neurosurgery</i> , 1997, 11, 104-109. | 0.4 | 16 |
| 1023 | The relationship of subarachnoid hemorrhage and the need for postoperative shunting. <i>Journal of Neurosurgery</i> , 1997, 86, 462-466. | 0.9 | 163 |
| 1024 | Transiently Increased Basilar Artery Flow Velocity following Severe Head Injury: A Time Course Transcranial Doppler Study. <i>Journal of Neurotrauma</i> , 1997, 14, 629-636. | 1.7 | 23 |
| 1025 | Herpes simplex encephalitis treated with acyclovir: diagnosis and long term outcome. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1997, 63, 321-326. | 0.9 | 325 |
| 1026 | Performance of brain-injured versus healthy adults on three versions of the category test. <i>Clinical Neuropsychologist</i> , 1997, 11, 174-179. | 1.5 | 15 |
| 1027 | Acute hydrocephalus in posterior fossa injury. <i>Journal of Neurosurgery</i> , 1997, 86, 629-632. | 0.9 | 35 |
| 1028 | Timing of surgery in patients with aneurysmal subarachnoid haemorrhage: rebleeding is still the major cause of poor outcome in neurosurgical units that aim at early surgery. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1997, 63, 490-493. | 0.9 | 86 |
| 1029 | Impact on clinical outcome of secondary brain insults during the neurointensive care of patients with subarachnoid haemorrhage: a pilot study.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1997, 62, 512-516. | 0.9 | 62 |
| 1030 | Outcome of subarachnoid haemorrhage. An analysis of surgical variables, cognitive and emotional sequelae related to SPECT scanning. <i>British Journal of Neurosurgery</i> , 1997, 11, 378-387. | 0.4 | 48 |
| 1031 | Coagulopathy in acute head injury-a study of its role as a prognostic indicator. <i>British Journal of Neurosurgery</i> , 1997, 11, 398-404. | 0.4 | 103 |
| 1032 | Head injury therapies. <i>Expert Opinion on Investigational Drugs</i> , 1997, 6, 1511-1526. | 1.9 | 4 |
| 1033 | Fibrinolytic parameters as an admission prognostic marker of head injury in patients who talk and deteriorate. <i>Journal of Neurosurgery</i> , 1997, 86, 768-772. | 0.9 | 42 |
| 1034 | Effectiveness of ambulance paramedics versus ambulance technicians in managing out of hospital cardiac arrest.. <i>Emergency Medicine Journal</i> , 1997, 14, 142-148. | 0.4 | 9 |
| 1035 | Measurement of post-traumatic amnesia: how reliable is it?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1997, 62, 38-42. | 0.9 | 85 |
| 1036 | The Predictive Validity of the Newcastle Independence Assessment Form Research (NIAF-R): Further Development of an Alternative Measure. <i>Neurorehabilitation and Neural Repair</i> , 1997, 11, 213-218. | 1.4 | 1 |
| 1037 | Temporary occlusion of the middle cerebral artery in intracranial aneurysm surgery: time limitation and advantage of brain protection. <i>Journal of Neurosurgery</i> , 1997, 87, 817-824. | 0.9 | 164 |
| 1038 | Effects of Early Defibrillation by Ambulance Personnel on Short- and Long-term Outcome of Cardiac Arrest Survival. <i>Chest</i> , 1997, 112, 1584-1591. | 0.4 | 46 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1039 | Hemostasis and fibrinolysis activation after subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1997, 87, 207-214. | 0.9 | 72 |
| 1040 | High-risk mild head injury. <i>Journal of Neurosurgery</i> , 1997, 87, 234-238. | 0.9 | 117 |
| 1041 | Cerebral arteriovenous oxygen difference: a predictor of cerebral infarction and outcome in patients with severe head injury. <i>Journal of Neurosurgery</i> , 1997, 87, 1-8. | 0.9 | 79 |
| 1042 | Cranial base approaches to posterior circulation aneurysms. <i>Neurosurgical Focus</i> , 1997, 3, E1. | 1.0 | 1 |
| 1043 | Successful Treatment of Uncontrollable Posttraumatic Intracranial Hypertension with Dihydroergotamin in a Child. <i>Anesthesia and Analgesia</i> , 1997, 85, 1218-1220. | 1.1 | 2 |
| 1044 | Does Teleradiology Improve Inter-hospital Management of Head-Injury?. <i>Canadian Journal of Neurological Sciences</i> , 1997, 24, 235-239. | 0.3 | 45 |
| 1045 | Successful Treatment of Uncontrollable Posttraumatic Intracranial Hypertension with Dihydroergotamin in a Child. <i>Anesthesia and Analgesia</i> , 1997, 85, 1218-1220. | 1.1 | 3 |
| 1046 | Functional Outcome after Inpatient Rehabilitation following Aneurysmal Subarachnoid Hemorrhage: A Prospective Analysis. <i>Topics in Stroke Rehabilitation</i> , 1997, 4, 29-37. | 1.0 | 10 |
| 1047 | Survival Probability, Delayed Mortality, and Relationship Between Short-term Outcome and Long-term Survival After Aneurysmal Subarachnoid Hemorrhage. <i>Neurologia Medico-Chirurgica</i> , 1997, 37, 18-24. | 1.0 | 6 |
| 1048 | Hemispheric Cerebral Atrophy after Traumatic Extra-axial Hematoma in Adults. <i>Neurologia Medico-Chirurgica</i> , 1997, 37, 819-824. | 1.0 | 8 |
| 1049 | Correlation between Blood Parameters and Symptomatic Vasospasm in Subarachnoid Hemorrhage Patients. <i>Neurologia Medico-Chirurgica</i> , 1997, 37, 881-885. | 1.0 | 33 |
| 1050 | Distribution of Intraarterially Administered Papaverine in Endovascular Treatment of Delayed Cerebral Vasospasm. <i>Neurologia Medico-Chirurgica</i> , 1997, 37, 163-172. | 1.0 | 3 |
| 1051 | Aneurysms Located at the Horizontal Segment of the Anterior Cerebral Artery or the Middle Cerebral Artery. <i>Neurologia Medico-Chirurgica</i> , 1997, 37, 387-391. | 1.0 | 1 |
| 1052 | A New Subarachnoid Hemorrhage Grading System Based on the Glasgow Coma Scale: A Comparison with the Hunt and Hess and World Federation of Neurological Surgeons Scales in a Clinical Series. <i>Neurosurgery</i> , 1997, 41, 140-148. | 0.6 | 161 |
| 1053 | Infratentorial Empyema: Analysis of 22 Cases. <i>Neurosurgery</i> , 1997, 41, 1263-1269. | 0.6 | 62 |
| 1054 | Neurological and Psychosocial Outcome 4 to 7 Years after Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 1997, 41, 25-34. | 0.6 | 168 |
| 1055 | Technical Aspects and Recent Trends in the Management of Large and Giant Midbasilar Artery Aneurysms. <i>Neurosurgery</i> , 1997, 41, 513-521. | 0.6 | 84 |
| 1056 | Outcome after severe head injury: An analysis of prediction based upon comparison of neural network versus logistic regression analysis. <i>Neurological Research</i> , 1997, 19, 274-280. | 0.6 | 51 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1057 | Admission examination factors predicting cognitive improvement during acute brain injury rehabilitation. <i>Brain Injury</i> , 1997, 11, 713-722. | 0.6 | 10 |
| 1058 | Neurobehavioural consequences of closed head injury in the elderly. <i>Brain Injury</i> , 1997, 11, 871-876. | 0.6 | 27 |
| 1059 | The impact of teleradiology on the inter-hospital transfer of neurosurgical patients. <i>British Journal of Neurosurgery</i> , 1997, 11, 52-56. | 0.4 | 73 |
| 1060 | Cerebral autoregulation following minor head injury. <i>Journal of Neurosurgery</i> , 1997, 86, 425-432. | 0.9 | 244 |
| 1061 | Recovery and rehabilitation following traumatic brain injury. <i>Brain Injury</i> , 1997, 11, 305-318. | 0.6 | 60 |
| 1062 | Reliability and validity of the german version of the sickness impact profile in patients with chronic obstructive pulmonary disease. <i>Psychology and Health</i> , 1997, 12, 149-159. | 1.2 | 14 |
| 1063 | Drug Induced Double Peak Waveforms in the N20-Component of Somatosensory Evoked Potentials. <i>International Journal of Neuroscience</i> , 1997, 91, 199-211. | 0.8 | 1 |
| 1064 | Surprising neurobehavioral functioning and brief major depression following penetrating brain injury in an adolescent. <i>Neurocase</i> , 1997, 3, 127-136. | 0.2 | 3 |
| 1065 | The Application of a Paired Comparisons Technique to Identify Sequence of Recovery After Severe Head Injury. <i>Neuropsychological Rehabilitation</i> , 1997, 7, 441-458. | 1.0 | 6 |
| 1066 | THE MANAGEMENT OF SEVERE TRAUMATIC BRAIN INJURY. <i>Emergency Medicine Clinics of North America</i> , 1997, 15, 581-604. | 0.5 | 55 |
| 1068 | Causes and Outcome of Mechanical Ventilation in Patients With Hemispheric Ischemic Stroke. <i>Mayo Clinic Proceedings</i> , 1997, 72, 210-213. | 1.4 | 54 |
| 1069 | Intra-arterial Thrombolysis in Acute Basilar Artery Thromboembolism: The Initial Mayo Clinic Experience. <i>Mayo Clinic Proceedings</i> , 1997, 72, 1005-1013. | 1.4 | 115 |
| 1070 | Surgical management of vertebrobasilar aneurysms. <i>Journal of Clinical Neuroscience</i> , 1997, 4, 39-46. | 0.8 | 1 |
| 1071 | Head injury in urban and rural populations in a developing country. <i>Journal of Clinical Neuroscience</i> , 1997, 4, 469-472. | 0.8 | 7 |
| 1072 | The history of the glasgow coma scale: An interview with professor Bryan Jennett*1. <i>Disaster Management and Response</i> , 1997, 3, 114-118. | 0.1 | 16 |
| 1073 | Disability and handicap 5 years after a head injury: A population-based study. <i>Journal of Clinical Epidemiology</i> , 1997, 50, 595-601. | 2.4 | 48 |
| 1074 | Therapeutic management of grade IV aneurysm patients. <i>World Neurosurgery</i> , 1997, 47, 54-58. | 1.3 | 37 |
| 1075 | Concurrent aneurysm rupture and thrombosis of high grade internal carotid artery stenosis: Report of two cases. <i>World Neurosurgery</i> , 1997, 47, 532-539. | 1.3 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1076 | The effect of orbitozygomatic access for ruptured basilar and related aneurysms on management outcome. <i>World Neurosurgery</i> , 1997, 47, 354-358. | 1.3 | 21 |
| 1077 | Written language production and neuropsychological function in children with traumatic brain injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 1997, 78, 1096-1102. | 0.5 | 27 |
| 1078 | Long-term neuropsychological outcome and loss of social autonomy after traumatic brain injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 1997, 78, 1316-1320. | 0.5 | 243 |
| 1079 | Association of apolipoprotein E polymorphism with outcome after head injury. <i>Lancet, The</i> , 1997, 350, 1069-1071. | 6.3 | 655 |
| 1080 | Elevated levels of the complement components C3 and factor B in ventricular cerebrospinal fluid of patients with traumatic brain injury. <i>Journal of Neuroimmunology</i> , 1997, 73, 63-69. | 1.1 | 107 |
| 1082 | Intracerebral Hemorrhage After Intravenous t-PA Therapy for Ischemic Stroke. <i>Stroke</i> , 1997, 28, 2109-2118. | 1.0 | 1,104 |
| 1083 | Clinical Neuropharmacology of Behavioral Recovery Following Brain Injury. <i>Physical Medicine and Rehabilitation Clinics of North America</i> , 1997, 8, 651-665. | 0.7 | 2 |
| 1084 | Preinjury family environment as a determinant of recovery from traumatic brain injuries in school-age children. <i>Journal of the International Neuropsychological Society</i> , 1997, 3, 617-630. | 1.2 | 283 |
| 1085 | Cerebellar Abscess: The Significance of Cerebrospinal Fluid Diversion. <i>Neurosurgery</i> , 1997, 41, 61-67. | 0.6 | 22 |
| 1086 | Cerebral Arterial Spasm after Penetrating Craniocerebral Gunshot Wounds: Transcranial Doppler and Cerebral Blood Flow Findings. <i>Neurosurgery</i> , 1997, 41, 351-360. | 0.6 | 35 |
| 1088 | Localized <i>in vivo</i> ¹ H-MRS of traumatic brain injury. <i>European Journal of Neurology</i> , 1997, 4, 246-254. | 1.7 | 10 |
| 1089 | Early and Longtime Modifications of Temperature Regulation after Severe Head Injury.. <i>Annals of the New York Academy of Sciences</i> , 1997, 813, 722-732. | 1.8 | 14 |
| 1090 | Recommended Guidelines for Reviewing, Reporting, and Conducting Research on In-hospital Resuscitation: The In-hospital Utstein Style*. <i>Academic Emergency Medicine</i> , 1997, 4, 603-627. | 0.8 | 13 |
| 1091 | Serious brain injury from traffic-related causes: Priorities for primary prevention. <i>Accident Analysis and Prevention</i> , 1997, 29, 811-816. | 3.0 | 41 |
| 1092 | Cardiac Arrest Witnessed by Prehospital Personnel: Intersystem Variation in Initial Rhythm as a Basis for a Proposed Extension of the Utstein Recommendations. <i>Annals of Emergency Medicine</i> , 1997, 30, 76-81. | 0.3 | 24 |
| 1093 | Interleukin-8 Released into the Cerebrospinal Fluid after Brain Injury is Associated with Blood-Brain Barrier Dysfunction and Nerve Growth Factor Production. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997, 17, 280-289. | 2.4 | 263 |
| 1094 | Blood Glucose Concentration after Cardiopulmonary Resuscitation Influences Functional Neurological Recovery in Human Cardiac Arrest Survivors. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997, 17, 430-436. | 2.4 | 139 |
| 1095 | The potential utility of a shared medical record in a "first-time" stroke population. <i>Journal of Vascular Nursing</i> , 1997, 15, 29-33. | 0.2 | 26 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1096 | Commentary on "the potential utility of a shared medical record in a "first time" stroke population". Journal of Vascular Nursing, 1997, 15, 34-36. | 0.2 | 0 |
| 1097 | Epidemiology of traumatic brain injury in children and adolescents in south-western Sweden. Acta Paediatrica, International Journal of Paediatrics, 1997, 86, 730-735. | 0.7 | 62 |
| 1098 | Outcome in elderly injured patients: injury severity versus host factors. Injury, 1997, 28, 588-592. | 0.7 | 24 |
| 1099 | Design of the trial of Org 10172 in acute stroke treatment (TOAST). Contemporary Clinical Trials, 1997, 18, 358-377. | 2.0 | 58 |
| 1100 | The association between blood lactate concentration on admission, duration of cardiac arrest, and functional neurological recovery in patients resuscitated from ventricular fibrillation. Intensive Care Medicine, 1997, 23, 1138-1143. | 3.9 | 85 |
| 1101 | Outcome of pediatric patients with severe brain injury in Korea: a comparison with reports in the West. Child's Nervous System, 1997, 13, 82-86. | 0.6 | 6 |
| 1102 | Cerebral perfusion changes in traumatic diffuse brain injury; IMP SPECT studies. Annals of Nuclear Medicine, 1997, 11, 167-172. | 1.2 | 9 |
| 1103 | Plasma levels of protein C, protein S, and antithrombin III in patients with subarachnoid haemorrhage. Acta Neurochirurgica, 1997, 139, 134-140. | 0.9 | 4 |
| 1108 | How reliable is the predictive value of SEP (somatosensory evoked potentials) patterns in severe brain damage with special regard to the bilateral loss of cortical responses?. Intensive Care Medicine, 1997, 23, 301-308. | 3.9 | 76 |
| 1109 | Repeat intra-arterial papaverine for recurrent cerebral vasospasm after subarachnoid haemorrhage. Neuroradiology, 1997, 39, 751-759. | 1.1 | 44 |
| 1110 | S-100 protein plasma levels after aneurysmal subarachnoid haemorrhage. Acta Neurochirurgica, 1997, 139, 1155-1160. | 0.9 | 123 |
| 1111 | Comparison of serial S-100 and NSE serum measurements after severe head injury. Acta Neurochirurgica, 1997, 139, 1161-1165. | 0.9 | 167 |
| 1112 | Haematoma evacuation does not improve outcome in spontaneous supratentorial intracerebral haemorrhage: A case-control study. Acta Neurochirurgica, 1997, 139, 897-904. | 0.9 | 32 |
| 1113 | The European Brain Injury Consortium. Acta Neurochirurgica, 1997, 139, 797-803. | 0.9 | 39 |
| 1114 | Open surgery of giant paraclinoid aneurysms improved by intraoperative angiography and endovascular retrograde suction decompression. Acta Neurochirurgica, 1997, 139, 1026-1032. | 0.9 | 44 |
| 1115 | CO2 reactivity in patients after subarachnoid haemorrhage. Acta Neurochirurgica, 1997, 139, 1038-1041. | 0.9 | 25 |
| 1116 | Quantitative cerebral blood flow and metabolism determination in the first 48 hours after severe head injury with a new dynamic spect device. Acta Neurochirurgica, 1997, 139, 636-642. | 0.9 | 27 |
| 1117 | Post-traumatic bilateral diffuse cerebral swelling. Acta Neurochirurgica, 1997, 139, 295-302. | 0.9 | 21 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1118 | Sequential computerized tomography changes and related final outcome in severe head injury patients. <i>Acta Neurochirurgica</i> , 1997, 139, 385-391. | 0.9 | 102 |
| 1119 | Acute subdural hematoma: Outcome and outcome prediction. <i>Neurosurgical Review</i> , 1997, 20, 239-244. | 1.2 | 144 |
| 1120 | Clinical Trial of Induced Hypothermia in Comatose Survivors of Out-of-Hospital Cardiac Arrest. <i>Annals of Emergency Medicine</i> , 1997, 30, 146-153. | 0.3 | 390 |
| 1121 | Recommended Guidelines for Reviewing, Reporting, and Conducting Research on In-Hospital Resuscitation: The In-Hospital "Utstein Style". <i>Annals of Emergency Medicine</i> , 1997, 29, 650-679. | 0.3 | 86 |
| 1122 | Recommended guidelines for reviewing, reporting, and conducting research on in-hospital resuscitation: the in-hospital "Utstein style". <i>Resuscitation</i> , 1997, 34, 151-183. | 1.3 | 206 |
| 1123 | Preoperative superselective embolization of skull-base meningiomas: indications and limitations. <i>Journal of Neuro-Oncology</i> , 1998, 40, 67-71. | 1.4 | 51 |
| 1124 | Methodological considerations in the neuropsychological study of central nervous system underarousal with a specific emphasis on coma. <i>Neuropsychology Review</i> , 1998, 8, 191-201. | 2.5 | 2 |
| 1125 | Cerebral perfusion pressure and intracranial pressure in relation to neuropsychological outcome. <i>Intensive Care Medicine</i> , 1998, 24, 236-241. | 3.9 | 24 |
| 1126 | Incidence of hospital-treated traumatic brain injury in an Australian community. <i>Australian and New Zealand Journal of Public Health</i> , 1998, 22, 419-423. | 0.8 | 114 |
| 1127 | MODERATE HEAD INJURY: A SYSTEM OF NEUROTRAUMA CARE. <i>ANZ Journal of Surgery</i> , 1998, 68, 58-64. | 0.3 | 30 |
| 1128 | Neuropsychological outcome of operated cerebral aneurysms: prognostic factors on 148 patients. <i>Acta Neurologica Scandinavica</i> , 1998, 97, 393-397. | 1.0 | 11 |
| 1129 | Quantitative electroencephalographic evaluation of non-fatal and fatal traumatic coma. <i>Electroencephalography and Clinical Neurophysiology</i> , 1998, 106, 244-250. | 0.3 | 47 |
| 1130 | Auditory and somatosensory evoked potentials in coma following spontaneous cerebral hemorrhage: early prognosis and outcome. <i>Electroencephalography and Clinical Neurophysiology</i> , 1998, 107, 332-338. | 0.3 | 20 |
| 1131 | Medical management in south-west Sweden of children and adolescents with serious traumatic brain injury. <i>Injury</i> , 1998, 29, 193-198. | 0.7 | 3 |
| 1132 | Management of war penetrating craniocerebral injuries during the war in Croatia. <i>Injury</i> , 1998, 29, 613-618. | 0.7 | 30 |
| 1133 | Relationship between short-term outcome and occurrence of cerebral artery stenosis in survivors of bacterial meningitis. <i>Journal of Neurology</i> , 1998, 245, 87-92. | 1.8 | 22 |
| 1134 | Der innerklinische Utstein-Style (Teil II). <i>Notfall Und Rettungsmedizin</i> , 1998, 1, 157-175. | 0.2 | 2 |
| 1135 | Craniofacial Access in Children. <i>Acta Neurochirurgica</i> , 1998, 140, 33-40. | 0.9 | 29 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1136 | Does Subarachnoid Blood Extravasation per se Induce Long-Term Neuropsychological and Cognitive Alterations?. Acta Neurochirurgica, 1998, 140, 805-812. | 0.9 | 31 |
| 1137 | Outcome After Aneurysmal Subarachnoid Haemorrhage: The use of a Graphical Model in the Assessment of Risk Factors. Acta Neurochirurgica, 1998, 140, 1019-1027. | 0.9 | 29 |
| 1138 | Transcranial Cerebral Oximetry Related to Transcranial Doppler After Aneurysmal Subarachnoid Haemorrhage. Acta Neurochirurgica, 1998, 140, 1029-1036. | 0.9 | 18 |
| 1139 | Unco-Parahippocampectomy for Direct Surgical Treatment of Downward Transtentorial Herniation. Acta Neurochirurgica, 1998, 140, 1239-1244. | 0.9 | 24 |
| 1140 | Prognostic Factors in Posttraumatic Severe Diffuse Brain Injury. Acta Neurochirurgica, 1998, 140, 1257-1261. | 0.9 | 19 |
| 1141 | Extradural hematoma of the posterior cranial fossa. Neurosurgical Review, 1998, 21, 52-57. | 1.2 | 23 |
| 1142 | Long-term cardiac arrest survivors of the Vienna emergency medical service. Resuscitation, 1998, 38, 137-143. | 1.3 | 36 |
| 1143 | Preliminary clinical outcome study of mild resuscitative hypothermia after out-of-hospital cardiopulmonary arrest. Resuscitation, 1998, 39, 61-66. | 1.3 | 179 |
| 1144 | Devenir neuropsychologique à long terme des traumatisés crâniens. Évaluation à 5 ans des troubles neuropsychologiques et comportementaux par l'Échelle neurocomportementale Révisée (à propos de) Tj ET Qq O O rg BT /Overlo RÉéducation Fonctionnelle De Réadaptation Et De Médecine Physique, 1998, 41, 171-181. | 0.8 | 21 |
| 1145 | Reprise du travail et qualité de vie des traumatisés crâniens graves: l'expérience d'une section d'observation et d'aide à l'insertion professionnelle. Annales De Réadaptation Et De Médecine Physique: Revue Scientifique De La Société Française De Rééducation Fonctionnelle Et De Médecine Physique, 1998, 41, 133-138. | 0.8 | 6 |
| 1146 | Prediction of recovery from post-traumatic vegetative state with cerebral magnetic-resonance imaging. Lancet, The, 1998, 351, 1763-1767. | 6.3 | 233 |
| 1147 | Systematic review of early prediction of poor outcome in anoxicischaemic coma. Lancet, The, 1998, 352, 1808-1812. | 6.3 | 506 |
| 1148 | Assessment scales for the evaluation of stroke patients. Journal of Stroke and Cerebrovascular Diseases, 1998, 7, 113-127. | 0.7 | 40 |
| 1150 | Early hypotension worsens neurological outcome in pediatric patients with moderately severe head trauma. Journal of Pediatric Surgery, 1998, 33, 333-338. | 0.8 | 158 |
| 1151 | Rapid spontaneous resolution of acute subdural hematoma and HIV related cerebral atrophy: case report. World Neurosurgery, 1998, 50, 241-244. | 1.3 | 31 |
| 1152 | Recombinant tissue plasminogen activator for the treatment of spontaneous adult intraventricular hemorrhage. World Neurosurgery, 1998, 50, 526-532. | 1.3 | 57 |
| 1153 | Determinants of 30-day mortality of spontaneous intracerebral hemorrhage in Pakistan. World Neurosurgery, 1998, 50, 336-343. | 1.3 | 15 |
| 1154 | Traumatic brain injury: Efficacy of multidisciplinary rehabilitation. Archives of Physical Medicine and Rehabilitation, 1998, 79, 678-683. | 0.5 | 107 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1155 | Aging effect on psychosocial outcome in traumatic brain injury. Archives of Physical Medicine and Rehabilitation, 1998, 79, 881-887. | 0.5 | 105 |
| 1156 | Task performance in virtual environments used for cognitive rehabilitation after traumatic brain injury. Archives of Physical Medicine and Rehabilitation, 1998, 79, 888-892. | 0.5 | 141 |
| 1157 | PROGNOSIS IN ANOXIC AND TRAUMATIC COMA. Critical Care Clinics, 1998, 14, 497-511. | 1.0 | 54 |
| 1158 | Manejo de la hemorragia subaracnoidea y de los aneurismas cerebrales en las mini-unidades de NeurocirugÃa. Resultados de una auditorÃa. Neurocirugia, 1998, 9, 141-151. | 0.2 | 3 |
| 1159 | Conversational discourse abilities following severe traumatic brain injury: a follow up study. Brain Injury, 1998, 12, 911-935. | 0.6 | 139 |
| 1160 | Gunshot Wounds in Brains of Children: Prognostic Variables in Mortality, Course, and Outcome. Journal of Neurotrauma, 1998, 15, 967-972. | 1.7 | 30 |
| 1161 | "It Is not only the Kind of Injury that Matters, but the Kind of Head": The Contribution of Premorbid Psychosocial Factors to Rehabilitation Outcomes after Severe Traumatic Brain Injury. Neuropsychological Rehabilitation, 1998, 8, 1-18. | 1.0 | 25 |
| 1162 | Compound anterior cranial base fractures: classification using computerized tomography scanning as a basis for selection of patients for dural repair. Journal of Neurosurgery, 1998, 88, 471-477. | 0.9 | 82 |
| 1163 | Sexual adjustment and its predictors after traumatic brain injury. Brain Injury, 1998, 12, 349-368. | 0.6 | 97 |
| 1164 | Performance of healthy adults versus individuals with brain injuries on the supplemental measures of the WAIS-R NI. Brain Injury, 1998, 12, 753-758. | 0.6 | 2 |
| 1165 | Bradykinesia and bradyphrenia revisited: patterns of subclinical deficit in motor speed and cognitive functioning in head-injured patients with good recovery. Brain Injury, 1998, 12, 429-441. | 0.6 | 23 |
| 1166 | The effect of stimulus presentation rate on syntax test performance in brain-injured adolescents. Aphasiology, 1998, 12, 421-433. | 1.4 | 9 |
| 1167 | Neuropsychological, psychosocial and vocational correlates of the Glasgow Outcome Scale at 6 months post injury: a study of moderate to severe traumatic brain injury patients. Brain Injury, 1998, 12, 555-567. | 0.6 | 56 |
| 1168 | Caregiver burden at 1 year following severe traumatic brain injury. Brain Injury, 1998, 12, 1045-1059. | 0.6 | 224 |
| 1169 | Perilesional Blood Flow and Edema Formation in Acute Intracerebral Hemorrhage. Stroke, 1998, 29, 1791-1798. | 1.0 | 232 |
| 1170 | Rehabilitation after traumatic brain injury in adults. Disability and Rehabilitation, 1998, 20, 435-447. | 0.9 | 126 |
| 1171 | Structured Interviews for the Glasgow Outcome Scale and the Extended Glasgow Outcome Scale: Guidelines for Their Use. Journal of Neurotrauma, 1998, 15, 573-585. | 1.7 | 1,938 |
| 1172 | Using the Levels of Cognitive Functioning Assessment Scale with Patients with Traumatic Brain Injury in an Acute Care Setting. Rehabilitation Nursing, 1998, 23, 88-94. | 0.3 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1173 | The Influence of Chronic Prearrest Health Conditions on Mortality and Functional Neurological Recovery in Cardiac Arrest Survivors. <i>American Journal of Medicine</i> , 1998, 104, 369-373. | 0.6 | 18 |
| 1174 | Prediction of employment outcome one to three years following traumatic brain injury (TBI). <i>Brain Injury</i> , 1998, 12, 255-263. | 0.6 | 96 |
| 1175 | Traumatic brain injury in childhood: intellectual, behavioural and social outcome into adulthood. <i>Brain Injury</i> , 1998, 12, 283-296. | 0.6 | 141 |
| 1176 | Caregiver burden at 6 months following severe traumatic brain injury. <i>Brain Injury</i> , 1998, 12, 225-238. | 0.6 | 156 |
| 1177 | Recovery and rehabilitation following subarachnoid haemorrhage. Part I: outcome after inpatient rehabilitation. <i>Brain Injury</i> , 1998, 12, 443-454. | 0.6 | 52 |
| 1178 | Stroke in children and sickle-cell disease. <i>Neurology</i> , 1998, 51, 169-176. | 1.5 | 245 |
| 1179 | Deep hypothermia and circulatory arrest for surgery of complex intracranial aneurysms ¹ . <i>European Journal of Cardio-thoracic Surgery</i> , 1998, 13, 223-229. | 0.6 | 47 |
| 1180 | Assessing disability after head injury: improved use of the Glasgow Outcome Scale. <i>Journal of Neurosurgery</i> , 1998, 89, 939-943. | 0.9 | 88 |
| 1181 | Management of Unruptured Intracranial Aneurysm in Japan. <i>Medical Decision Making</i> , 1998, 18, 357-364. | 1.2 | 44 |
| 1182 | Interstitial glycerol as a marker for membrane phospholipid degradation in the acutely injured human brain. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1998, 64, 486-491. | 0.9 | 230 |
| 1183 | Neuropsychiatric sequelae one year after a minor head injury. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1998, 65, 899-902. | 0.9 | 106 |
| 1184 | Microsurgical treatment of arteriovenous malformations: analysis and comparison with stereotactic radiosurgery. <i>Journal of Neurosurgery</i> , 1998, 88, 641-646. | 0.9 | 160 |
| 1185 | External hydrocephalus after aneurysm surgery: paradoxical response to ventricular shunting. <i>Journal of Neurosurgery</i> , 1998, 88, 485-489. | 0.9 | 53 |
| 1186 | Endovascular embolization of 150 basilar tip aneurysms with Guglielmi detachable coils: results of the Food and Drug Administration multicenter clinical trial. <i>Journal of Neurosurgery</i> , 1998, 89, 81-86. | 0.9 | 239 |
| 1187 | The role of futility judgments in improperly limiting the scope of clinical research.. <i>Journal of Medical Ethics</i> , 1998, 24, 308-313. | 1.0 | 2 |
| 1188 | Effects of Hypertonic Saline Hydroxyethyl Starch Solution and Mannitol in Patients With Increased Intracranial Pressure After Stroke. <i>Stroke</i> , 1998, 29, 1550-1555. | 1.0 | 249 |
| 1189 | Selection of severely head injured patients for mild hypothermia therapy. <i>Journal of Neurosurgery</i> , 1998, 89, 206-211. | 0.9 | 84 |
| 1190 | Sample size in clinical trials with dichotomous endpoints: use of covariables. <i>Journal of Biopharmaceutical Statistics</i> , 1998, 8, 367-375. | 0.4 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1191 | Is routine transcranial Doppler ultrasound monitoring useful in the management of subarachnoid hemorrhage?. <i>Journal of Neurosurgery</i> , 1998, 88, 272-276. | 0.9 | 61 |
| 1192 | Direct packing of the isolated sinus in patients with dural arteriovenous fistulas of the transverse and sigmoid sinus. <i>Journal of Neurosurgery</i> , 1998, 88, 449-456. | 0.9 | 119 |
| 1193 | Rupture of a previously documented small asymptomatic intracranial aneurysm in a patient with autosomal dominant polycystic kidney disease. <i>Journal of Neurosurgery</i> , 1998, 89, 479-482. | 0.9 | 14 |
| 1194 | Oxidative stress in the human brain after subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1998, 89, 748-754. | 0.9 | 79 |
| 1195 | Moderate Hypothermia in the Treatment of Patients With Severe Middle Cerebral Artery Infarction. <i>Stroke</i> , 1998, 29, 2461-2466. | 1.0 | 661 |
| 1196 | A multicenter trial on the efficacy of using tirilazad mesylate in cases of head injury. <i>Journal of Neurosurgery</i> , 1998, 89, 519-525. | 0.9 | 302 |
| 1197 | Multivariate Analysis of Predictors of Hematoma Enlargement in Spontaneous Intracerebral Hemorrhage. <i>Stroke</i> , 1998, 29, 1160-1166. | 1.0 | 356 |
| 1198 | Soluble ICAM-1 in CSF Coincides with the Extent of Cerebral Damage in Patients with Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 1998, 15, 399-409. | 1.7 | 92 |
| 1199 | Early Hemicraniectomy in Patients With Complete Middle Cerebral Artery Infarction. <i>Stroke</i> , 1998, 29, 1888-1893. | 1.0 | 694 |
| 1200 | Moderate Hypothermia for 48 Hours After Temporary Epidural Brain Compression Injury in a Canine Outcome Model. <i>Journal of Neurotrauma</i> , 1998, 15, 323-336. | 1.7 | 34 |
| 1201 | Neurobehavioural disturbances, rehabilitation outcome, and lesion site in patients after rupture and repair of anterior communicating artery aneurysm. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1998, 65, 93-102. | 0.9 | 76 |
| 1202 | Episodic memory and the self in a case of isolated retrograde amnesia. <i>Brain</i> , 1998, 121, 1951-1973. | 3.7 | 403 |
| 1203 | Completion Rates and Feasibility of Outcome Measures: Experience in a Multicenter Clinical Trial of Systemic Hypothermia for Severe Head Injury. <i>Journal of Neurotrauma</i> , 1998, 15, 685-692. | 1.7 | 23 |
| 1204 | The persistent vegetative state after closed head injury: clinical and magnetic resonance imaging findings in 42 patients. <i>Journal of Neurosurgery</i> , 1998, 88, 809-816. | 0.9 | 109 |
| 1205 | Predicting late outcome for patients with traumatic brain injury referred to a rehabilitation programme: a study of 508 Finnish patients 5 years or more after injury. <i>Brain Injury</i> , 1998, 12, 95-107. | 0.6 | 118 |
| 1206 | Pulmonary function and radiographic abnormalities related to neurological outcome after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1998, 88, 28-37. | 0.9 | 54 |
| 1207 | Increased Plasma Concentration of Adrenomedullin in Patients with Subarachnoid Hemorrhage. <i>Anesthesia and Analgesia</i> , 1998, 87, 859-863. | 1.1 | 28 |
| 1208 | The Relationship of Soluble Adhesion Molecule Concentrations in Systemic and Jugular Venous Serum to Injury Severity and Outcome After Traumatic Brain Injury. <i>Anesthesia and Analgesia</i> , 1998, 86, 759-765. | 1.1 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1209 | Medical and Neurological Complications of Ischemic Stroke. <i>Stroke</i> , 1998, 29, 447-453. | 1.0 | 356 |
| 1210 | A study on the efficacy of intraventricular urokinase in the treatment of intraventricular haemorrhage. <i>British Journal of Neurosurgery</i> , 1998, 12, 234-239. | 0.4 | 43 |
| 1211 | Assessment of brain perfusion in coma and comparison between SPECT and CT scan data: Preliminary report. <i>Neurological Research</i> , 1998, 20, S40-S43. | 0.6 | 3 |
| 1212 | Cognitive Deficits in the Acute Stage after Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 1998, 43, 1054-1064. | 0.6 | 91 |
| 1213 | Cerebral blood flow and tissue oxygenation monitoring during aneurysm surgery. <i>Neurological Research</i> , 1998, 20, S44-S47. | 0.6 | 21 |
| 1214 | Metabolic Profiles of Patients with Subarachnoid Hemorrhage Treated by Early Surgery. <i>Neurosurgery</i> , 1998, 42, 1268-1274. | 0.6 | 38 |
| 1215 | Selection of Cerebral Aneurysms for Treatment Using Guglielmi Detachable Coils: The Preliminary University of Illinois at Chicago Experience. <i>Neurosurgery</i> , 1998, 43, 1281-1295. | 0.6 | 240 |
| 1216 | A Prospective Randomized Study of Anterior Single-level Cervical Disc Operations with Long-term Follow-up: Surgical Fusion Is Unnecessary. <i>Neurosurgery</i> , 1998, 43, 51-55. | 0.6 | 192 |
| 1217 | Hypothermic Circulatory Arrest in Neurovascular Surgery: Evolving Indications and Predictors of Patient Outcome. <i>Neurosurgery</i> , 1998, 43, 10-20. | 0.6 | 98 |
| 1218 | Neuroimaging, Physical, and Developmental Findings After Inflicted and Noninflicted Traumatic Brain Injury in Young Children. <i>Pediatrics</i> , 1998, 102, 300-307. | 1.0 | 355 |
| 1219 | Family Burden and Adaptation During the Initial Year After Traumatic Brain Injury in Children. <i>Pediatrics</i> , 1998, 102, 110-116. | 1.0 | 166 |
| 1220 | Ebselen in Acute Ischemic Stroke. <i>Stroke</i> , 1998, 29, 12-17. | 1.0 | 562 |
| 1221 | Comparison of the Use of Medical Resources and Outcomes in the Treatment of Aneurysmal Subarachnoid Hemorrhage Between Canada and the United States. <i>Stroke</i> , 1998, 29, 351-358. | 1.0 | 18 |
| 1222 | Asymptomatic Internal Carotid Artery Stenosis Defined by Ultrasound and the Risk of Subsequent Stroke in the Elderly. <i>Stroke</i> , 1998, 29, 2371-2376. | 1.0 | 95 |
| 1223 | The Efficacy and Safety of Angioplasty for Cerebral Vasospasm after Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 1998, 42, 979-986. | 0.6 | 174 |
| 1224 | Carotid Endarterectomy Among Medicare Beneficiaries. <i>Stroke</i> , 1998, 29, 46-52. | 1.0 | 113 |
| 1225 | Safety and efficacy of transluminal balloon angioplasty in the prevention of vasospasm in patients with Fisher Grade 3 subarachnoid hemorrhage: a pilot study. <i>Neurosurgical Focus</i> , 1998, 5, E7. | 1.0 | 5 |
| 1226 | Impact of Medical Treatment on the Outcome of Patients After Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 1998, 29, 924-930. | 1.0 | 76 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1227 | A Cohort Study of the Safety and Feasibility of Intraventricular Urokinase for Nonaneurysmal Spontaneous Intraventricular Hemorrhage. <i>Stroke</i> , 1998, 29, 1573-1579. | 1.0 | 124 |
| 1228 | Cumulative Epinephrine Dose during Cardiopulmonary Resuscitation and Neurologic Outcome. <i>Annals of Internal Medicine</i> , 1998, 129, 450. | 2.0 | 145 |
| 1229 | Outcome after External Decompression for Massive Cerebral Infarction. <i>Neurologia Medico-Chirurgica</i> , 1998, 38, 131-136. | 1.0 | 54 |
| 1230 | Combination of Serine Protease Inhibitor FUT-175 and Thromboxane Synthetase Inhibitor OKY-046 Decreases Cerebral Vasospasm in Patients with Subarachnoid Hemorrhage.. <i>Neurologia Medico-Chirurgica</i> , 1998, 38, 704-709. | 1.0 | 18 |
| 1231 | Combination Therapy of Fasudil Hydrochloride and Ozagrel Sodium for Cerebral Vasospasm Following Aneurysmal Subarachnoid Hemorrhage. <i>Neurologia Medico-Chirurgica</i> , 1998, 38, 805-811. | 1.0 | 26 |
| 1232 | Significance of Acute Cerebral Swelling in Patients with Sylvian Hematoma due to Ruptured Middle Cerebral Artery Aneurysm, and its Management. <i>Neurologia Medico-Chirurgica</i> , 1998, 38, 844-850. | 1.0 | 28 |
| 1233 | Multimodality Treatment for Large and Critically Located Arteriovenous Malformations. <i>Neurologia Medico-Chirurgica</i> , 1998, 38, 186-192. | 1.0 | 37 |
| 1234 | Intra-arterial Papaverine Treatment for Cerebral Vasospasm: Our Experience and Review of the Literature. <i>Neurologia Medico-Chirurgica</i> , 1998, 38, 189-195. | 1.0 | 21 |
| 1235 | Aneurysm Surgery in the Acute Stage. <i>Neurologia Medico-Chirurgica</i> , 1998, 38, 45-49. | 1.0 | 21 |
| 1236 | Increased Plasma Concentration of Adrenomedullin in Patients with Subarachnoid Hemorrhage. <i>Anesthesia and Analgesia</i> , 1998, 87, 859-863. | 1.1 | 35 |
| 1237 | The Relationship of Soluble Adhesion Molecule Concentrations in Systemic and Jugular Venous Serum to Injury Severity and Outcome After Traumatic Brain Injury. <i>Anesthesia and Analgesia</i> , 1998, 86, 759-765. | 1.1 | 19 |
| 1238 | Causes of Morbidity and Mortality Following Intracranial Aneurysm Rupture. <i>Canadian Journal of Neurological Sciences</i> , 1998, 25, 209-215. | 0.3 | 64 |
| 1239 | Evaluation of Cerebral Vasospasm after Early Surgical and Endovascular Treatment of Ruptured Intracranial Aneurysms. <i>Neurosurgery</i> , 1998, 42, 258-267. | 0.6 | 106 |
| 1240 | Causes of Death in a Consecutive Series of 390 Surgically Treated Ruptured Intracranial Aneurysms. <i>Surgery for Cerebral Stroke</i> , 1998, 26, 119-122. | 0.0 | 1 |
| 1241 | Cost and Outcomes Analysis. <i>Neurosurgery Clinics of North America</i> , 1998, 9, 629-640. | 0.8 | 8 |
| 1242 | Surgical Treatment of Aneurysms of the Anterior Cerebral Artery. <i>Neurosurgery Clinics of North America</i> , 1998, 9, 797-821. | 0.8 | 19 |
| 1243 | Surgical Strategies for Giant Intracranial Aneurysms. <i>Neurosurgery Clinics of North America</i> , 1998, 9, 725-742. | 0.8 | 85 |
| 1244 | Transcranial Doppler in Vertebrobasilar Vasospasm after Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 1998, 43, 282-291. | 0.6 | 48 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1245 | Too Little, Too Late: Does Tirilazad Mesylate Reduce Fatigue after Subarachnoid Hemorrhage?. Neurosurgery, 1998, 43, 782-787. | 0.6 | 22 |
| 1246 | Intraoperative Angiography of Brain Arteriovenous Malformations. Neurosurgery, 1999, 45, 491-499. | 0.6 | 47 |
| 1247 | Prognostic Value and Determinants of Ultraearly Angiographic Vasospasm after Aneurysmal Subarachnoid Hemorrhage. Neurosurgery, 1999, 44, 967-973. | 0.6 | 71 |
| 1248 | Mild Hypothermia as a Protective Therapy during Intracranial Aneurysm Surgery: A Randomized Prospective Pilot Trial. Neurosurgery, 1999, 44, 23-32. | 0.6 | 199 |
| 1249 | Intracranial Subdural Empyemas in the Era of Computed Tomography: A Review of 699 Cases. Neurosurgery, 1999, 44, 529-535. | 0.6 | 189 |
| 1250 | Cranial Extradural Empyema in the Era of Computed Tomography: A Review of 82 Cases. Neurosurgery, 1999, 44, 748-753. | 0.6 | 59 |
| 1251 | Preventive Approach to Poststroke Rehabilitation in Older People. Clinics in Geriatric Medicine, 1999, 15, 801-818. | 1.0 | 3 |
| 1252 | Management Strategies for Improving Outcome Following Severe Head Injury. Critical Care Nursing Clinics of North America, 1999, 11, 209-225. | 0.4 | 7 |
| 1253 | Hypothermic Circulatory Arrest in Neurovascular Surgery: Evolving Indications and Predictors of Patient Outcome. Neurosurgery, 1999, 44, 686-687. | 0.6 | 6 |
| 1254 | Computerized tomography angiography in patients with subarachnoid hemorrhage: from aneurysm detection to treatment without conventional angiography. Journal of Neurosurgery, 1999, 91, 761-767. | 0.9 | 141 |
| 1255 | Endovascular coil placement compared with surgical clipping for the treatment of unruptured middle cerebral artery aneurysms: a consecutive series. Journal of Neurosurgery, 1999, 90, 1025-1030. | 0.9 | 138 |
| 1256 | Quality-of-Life Assessment in Patients with Lesions of the Cranial Base. Skull Base, 1999, 9, 259-264. | 0.4 | 15 |
| 1257 | Outcome after complex neurosurgery: the caregiver's burden is forgotten. Journal of Neurosurgery, 1999, 91, 359-363. | 0.9 | 73 |
| 1258 | A comparison between endovascular and surgical management of basilar artery apex aneurysms. Journal of Neurosurgery, 1999, 90, 868-874. | 0.9 | 112 |
| 1259 | Double-blind, randomized, vehicle-controlled study of high-dose tirilazad mesylate in women with aneurysmal subarachnoid hemorrhage. Part II. A cooperative study in North America. Journal of Neurosurgery, 1999, 90, 1018-1024. | 0.9 | 176 |
| 1260 | Double-blind, randomized, vehicle-controlled study of high-dose tirilazad mesylate in women with aneurysmal subarachnoid hemorrhage. Part I. A cooperative study in Europe, Australia, New Zealand, and South Africa. Journal of Neurosurgery, 1999, 90, 1011-1017. | 0.9 | 164 |
| 1261 | The efficacy of an abbreviated course of nimodipine in patients with good-grade aneurysmal subarachnoid hemorrhage. Journal of Neurosurgery, 1999, 90, 203-206. | 0.9 | 24 |
| 1262 | The prophylactic use of transluminal balloon angioplasty in patients with Fisher Grade 3 subarachnoid hemorrhage: a pilot study. Journal of Neurosurgery, 1999, 91, 51-58. | 0.9 | 88 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1263 | Little benefit from mild hypothermia therapy for severely head injured patients with low intracranial pressure. <i>Journal of Neurosurgery</i> , 1999, 91, 185-191. | 0.9 | 97 |
| 1264 | Prognostic value of early computerized tomography scanning following craniotomy for traumatic hematomas. <i>Journal of Neurosurgery</i> , 1999, 91, 581-587. | 0.9 | 23 |
| 1265 | Failure of the competitive N-methyl-d-aspartate antagonist Selfotel (CGS 19755) in the treatment of severe head injury: results of two Phase III clinical trials. <i>Journal of Neurosurgery</i> , 1999, 91, 737-743. | 0.9 | 242 |
| 1266 | Outcome After Endovascular Treatment of Hunt and Hess Grade IV or V Aneurysms. <i>Stroke</i> , 1999, 30, 2617-2622. | 1.0 | 68 |
| 1267 | Measuring Outcome: Development of an Approach. <i>Neuropsychological Rehabilitation</i> , 1999, 9, 363-371. | 1.0 | 5 |
| 1268 | Traumatic brain injury: a view from the inside. <i>Brain Injury</i> , 1999, 13, 839-844. | 0.6 | 14 |
| 1269 | Case study: Rapid evaluation of S-100 serum levels. Case report and comparison to previous results. <i>Brain Injury</i> , 1999, 13, 387-391. | 0.6 | 23 |
| 1270 | Gastric decontamination—a view for the millennium.. <i>Emergency Medicine Journal</i> , 1999, 16, 84-86. | 0.4 | 16 |
| 1271 | Serum neuron-specific enolase in the major subtypes of status epilepticus. <i>Neurology</i> , 1999, 52, 746-746. | 1.5 | 156 |
| 1272 | Endovascular treatment of multiple intracranial aneurysms by using Guglielmi detachable coils. <i>Journal of Neurosurgery</i> , 1999, 90, 857-864. | 0.9 | 94 |
| 1273 | Outcome Measures on Inpatient Cognitive and Behavioural Units: An Overview. <i>Neuropsychological Rehabilitation</i> , 1999, 9, 345-361. | 1.0 | 5 |
| 1274 | Outcome Measurement in an Inpatient and Outpatient Traumatic Brain Injury Rehabilitation Programme. <i>Neuropsychological Rehabilitation</i> , 1999, 9, 517-534. | 1.0 | 36 |
| 1275 | How should a subarachnoid hemorrhage grading scale be determined? A combinatorial approach based solely on the Glasgow Coma Scale. <i>Journal of Neurosurgery</i> , 1999, 90, 680-687. | 0.9 | 84 |
| 1276 | Improved efficiency of hypervolemic therapy with inhibition of natriuresis by fludrocortisone in patients with aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1999, 91, 947-952. | 0.9 | 149 |
| 1277 | Functional anatomy of neuropsychological deficits after severe traumatic brain injury. <i>Neurology</i> , 1999, 53, 1963-1963. | 1.5 | 132 |
| 1278 | Recombinant Tissue-Type Plasminogen Activator (Alteplase) for Ischemic Stroke 3 to 5 Hours After Symptom Onset. <i>JAMA - Journal of the American Medical Association</i> , 1999, 282, 2019. | 3.8 | 1,030 |
| 1279 | Surgical decompression for traumatic brain swelling: indications and results. <i>Journal of Neurosurgery</i> , 1999, 90, 187-196. | 0.9 | 367 |
| 1280 | Cognition following subarachnoid hemorrhage from anterior communicating artery aneurysm: relation to timing of surgery. <i>Journal of Neurosurgery</i> , 1999, 91, 402-407. | 0.9 | 84 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1281 | Crush Head Injuries in Infants and Young Children: Neurologic and Neuropsychologic Sequelae. <i>Journal of Child Neurology</i> , 1999, 14, 496-501. | 0.7 | 23 |
| 1282 | Ruptured Intracranial Aneurysms: Acute Endovascular Treatment with Electrolytically Detachable Coils—A Prospective Randomized Study. <i>Radiology</i> , 1999, 211, 325-336. | 3.6 | 239 |
| 1283 | Inflicted Traumatic Brain Injury: Relationship of Developmental Outcome to Severity of Injury. <i>Pediatric Neurosurgery</i> , 1999, 31, 251-258. | 0.4 | 81 |
| 1284 | Exercise in old age: time to unwrap the cotton wool. <i>British Journal of Sports Medicine</i> , 1999, 33, 295-296. | 3.1 | 10 |
| 1285 | Corticosteroids in head injury—the CRASH trial.. <i>Emergency Medicine Journal</i> , 1999, 16, 83-84. | 0.4 | 20 |
| 1286 | Early prediction of neurological outcome after falls in children: metabolic and clinical markers.. <i>Emergency Medicine Journal</i> , 1999, 16, 186-188. | 0.4 | 15 |
| 1287 | Long term outcome after out-of-hospital cardiac arrest with physician staffed emergency medical services: the Utstein style applied to a mid-sized urban/suburban area. <i>Heart</i> , 1999, 82, 674-679. | 1.2 | 191 |
| 1288 | Cavernous malformations of the brainstem: experience with 100 patients. <i>Journal of Neurosurgery</i> , 1999, 90, 50-58. | 0.9 | 474 |
| 1289 | First Observations of the Safety and Tolerability of a Competitive Antagonist to the Glutamate NMDA Receptor (CGS 19755) in Patients with Severe Head Injury. <i>Journal of Neurotrauma</i> , 1999, 16, 843-850. | 1.7 | 15 |
| 1290 | Evaluation of Designs for Clinical Trials of Neuroprotective Agents in Head Injury. <i>Journal of Neurotrauma</i> , 1999, 16, 1131-1138. | 1.7 | 65 |
| 1291 | Ventral frontal contribution to self-regulation: Convergence of episodic memory and inhibition. <i>Neurocase</i> , 1999, 5, 263-275. | 0.2 | 91 |
| 1292 | Propofol in the treatment of moderate and severe head injury: a randomized, prospective double-blinded pilot trial. <i>Journal of Neurosurgery</i> , 1999, 90, 1042-1052. | 0.9 | 202 |
| 1293 | One year outcome in mild to moderate head injury: the predictive value of acute injury characteristics related to complaints and return to work. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1999, 66, 207-213. | 0.9 | 332 |
| 1294 | Hypothalamic derangement in traumatized patients: growth hormone (GH) and prolactin response to thyrotrophin-releasing hormone and GH-releasing hormone. <i>Clinical Endocrinology</i> , 1999, 50, 741-747. | 1.2 | 30 |
| 1295 | Neurone-specific enolase and N -acetyl-aspartate as potential peripheral markers of ischaemic stroke. <i>European Journal of Clinical Investigation</i> , 1999, 29, 6-11. | 1.7 | 39 |
| 1296 | Speed performance and long-term functional and vocational outcome in a group of young patients with moderate or severe traumatic brain injury. <i>European Journal of Neurology</i> , 1999, 6, 179-185. | 1.7 | 23 |
| 1297 | Early and Late Posttraumatic Seizures in Traumatic Brain Injury Rehabilitation Patients: Brain Injury Factors Causing Late Seizures and Influence of Seizures on Long-Term Outcome. <i>Epilepsia</i> , 1999, 40, 584-589. | 2.6 | 255 |
| 1298 | Patient outcome after endovascular treatment of intracranial aneurysms with reference to microsurgical clipping. <i>Acta Neurologica Scandinavica</i> , 1999, 99, 284-290. | 1.0 | 17 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1299 | Prognostic performance and customization of the SAPS II: results of a multicenter Austrian study. <i>Intensive Care Medicine</i> , 1999, 25, 192-197. | 3.9 | 79 |
| 1300 | Correlation between serum IL-6 and CRP levels and severity of head injury in children. <i>Intensive Care Medicine</i> , 1999, 25, 288-292. | 3.9 | 67 |
| 1301 | Severe brain injury in children: long-term outcome and its prediction using somatosensory evoked potentials (SEPs). <i>Intensive Care Medicine</i> , 1999, 25, 722-728. | 3.9 | 63 |
| 1302 | ILCOR Advisory Statement. <i>European Journal of Pediatrics</i> , 1999, 158, 345-358. | 1.3 | 10 |
| 1303 | Usefulness of Clinical Scores to Predict Outcome in Bacterial Meningitis. <i>Infection</i> , 1999, 27, 239-243. | 2.3 | 15 |
| 1304 | The Extended Transbasal Approach: Clinical Applications and Complications. <i>Acta Neurochirurgica</i> , 1999, 141, 579-585. | 0.9 | 19 |
| 1307 | The European Brain Injury Consortium Survey of Head Injuries. <i>Acta Neurochirurgica</i> , 1999, 141, 223-236. | 0.9 | 344 |
| 1308 | Dissection from Fundus to Neck for Ruptured Anterior and Middle Cerebral Artery Aneurysms at the Acute Surgery. <i>Acta Neurochirurgica</i> , 1999, 141, 563-570. | 0.9 | 23 |
| 1309 | Long-Term Functional Effects of Aneurysmal Subarachnoid Haemorrhage with Special Emphasis on the Patient's View. <i>Acta Neurochirurgica</i> , 1999, 141, 571-577. | 0.9 | 55 |
| 1310 | Correlation Between Jugular Bulb Oxygen Saturation and Partial Pressure of Brain Tissue Oxygen During CO ₂ and O ₂ Reactivity Tests in Severely Head-Injured Patients. <i>Acta Neurochirurgica</i> , 1999, 141, 825-834. | 0.9 | 29 |
| 1311 | Posterior fossa epidural hematomas: observations on a series of 73 cases. <i>Neurosurgical Review</i> , 1999, 22, 34-40. | 1.2 | 56 |
| 1312 | IL-10 levels in cerebrospinal fluid and serum of patients with severe traumatic brain injury: relationship to IL-6, TNF- α , TGF- β 1 and blood-brain barrier function. <i>Journal of Neuroimmunology</i> , 1999, 101, 211-221. | 1.1 | 300 |
| 1313 | Superior extension of intraoperative brain damage in case of normothermic systemic perfusion during coronary artery bypass operations. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1999, 118, 432-437. | 0.4 | 18 |
| 1314 | The effect of elicitation task on discourse coherence and cohesion in adolescents with brain injury. <i>Journal of Communication Disorders</i> , 1999, 32, 327-349. | 0.8 | 83 |
| 1315 | The use of polyglactin 910-polydioxanon in the treatment of defects of the orbital roof. <i>Journal of Oral and Maxillofacial Surgery</i> , 1999, 57, 1301-1305. | 0.5 | 11 |
| 1316 | Doentes com traumatismo crânio-encefálico em coma operados. Factores de morbilidade e mortalidade. <i>Neurocirurgia</i> , 1999, 10, 345-349. | 0.2 | 0 |
| 1317 | La «técnica de Dalias» en el tratamiento de los aneurismas de la arteria oftálmica de gran tamaño. <i>Neurocirurgia</i> , 1999, 10, 55-60. | 0.2 | 3 |
| 1319 | Head injuries in four British neurosurgical centres. <i>British Journal of Neurosurgery</i> , 1999, 13, 564-569. | 0.4 | 54 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1320 | TGF- β 2 Is Elevated in the CSF of Patients with Severe Traumatic Brain Injuries and Parallels Blood-Brain Barrier Function. <i>Journal of Neurotrauma</i> , 1999, 16, 617-628. | 1.7 | 135 |
| 1321 | Recovery of written language production in children with traumatic brain injury: outcomes at one year. <i>Aphasiology</i> , 1999, 13, 691-700. | 1.4 | 9 |
| 1322 | Results of early surgical evacuation of packed intraventricular hemorrhage from aneurysmal rupture in patients with poor-grade subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1999, 91, 408-414. | 0.9 | 70 |
| 1323 | Increased incidence and impact of nonconvulsive and convulsive seizures after traumatic brain injury as detected by continuous electroencephalographic monitoring. <i>Journal of Neurosurgery</i> , 1999, 91, 750-760. | 0.9 | 512 |
| 1324 | Surgical management of cavernous malformations of the brain stem. <i>British Journal of Neurosurgery</i> , 1999, 13, 366-375. | 0.4 | 39 |
| 1325 | Fibrinolytic treatment of intraventricular haemorrhage preceding surgical repair of ruptured aneurysms and arteriovenous malformations. <i>British Journal of Neurosurgery</i> , 1999, 13, 128-131. | 0.4 | 33 |
| 1326 | Surgical intervention, biopsy and APOE genotype in cerebral amyloid angiopathy-related haemorrhage. <i>British Journal of Neurosurgery</i> , 1999, 13, 462-467. | 0.4 | 13 |
| 1327 | Multivariate Analysis of Predictors of Cerebral Vasospasm Occurrence After Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 1999, 30, 1402-1408. | 1.0 | 280 |
| 1328 | Ventricular pressure monitoring during bilateral decompression with dural expansion. <i>Journal of Neurosurgery</i> , 1999, 91, 953-959. | 0.9 | 109 |
| 1329 | Cognitive and psychosocial outcome following moderate or severe traumatic brain injury. <i>Brain Injury</i> , 1999, 13, 489-504. | 0.6 | 142 |
| 1330 | Elderly trauma: they are different. <i>Australian Critical Care</i> , 1999, 12, 24-30. | 0.6 | 18 |
| 1331 | Encéphalite aiguë grave pédiatrique: 14 cas consécutifs. <i>Reanimation Urgences</i> , 1999, 8, 395-398. | 0.1 | 1 |
| 1332 | Cervene in acute ischemic stroke: Results of a double-blind, placebo-controlled, dose-comparison study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 1999, 8, 224-230. | 0.7 | 22 |
| 1333 | Aneurysmal intracerebral hemorrhage: Clinical outcome after emergent surgical treatment. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 1999, 8, 240-247. | 0.7 | 2 |
| 1334 | Effect of clot removal and surgical manipulation on regional cerebral blood flow and delayed vasospasm in early aneurysm surgery for subarachnoid hemorrhage. <i>World Neurosurgery</i> , 1999, 51, 81-88. | 1.3 | 54 |
| 1335 | A prospective study on the effects of early surgery on vasospasm after subarachnoid hemorrhage. <i>World Neurosurgery</i> , 1999, 51, 392-398. | 1.3 | 20 |
| 1336 | Surgery and long-term outcome for ruptured anterior circulation aneurysms in patients in their ninth decade of life. <i>World Neurosurgery</i> , 1999, 52, 123-127. | 1.3 | 27 |
| 1337 | Individualized surgical strategy for the reduction of stroke risk in patients undergoing coronary artery bypass grafting11This article has been selected for the open discussion forum on the STS Web site: http://www.sts.org/section/atstdiscussion/ . <i>Annals of Thoracic Surgery</i> , 1999, 67, 1246-1253. | 0.7 | 35 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1338 | Somatosensory and motor evoked potentials at different stages of recovery from severe traumatic brain injury. Archives of Physical Medicine and Rehabilitation, 1999, 80, 33-39. | 0.5 | 33 |
| 1339 | Relationship between the clinical manifestations, computed tomographic findings and the outcome in 80 patients with primary pontine hemorrhage. Journal of the Neurological Sciences, 1999, 167, 107-111. | 0.3 | 53 |
| 1340 | Penetrating craniocerebral injuries in a civilian population in mid-Europe. Clinical Neurology and Neurosurgery, 1999, 101, 175-181. | 0.6 | 14 |
| 1341 | Etiology, neurologic correlations, and prognosis in alpha coma. Clinical Neurophysiology, 1999, 110, 205-213. | 0.7 | 125 |
| 1342 | Early Surgical Treatment for Supratentorial Intracerebral Hemorrhage. Stroke, 1999, 30, 1833-1839. | 1.0 | 321 |
| 1343 | Recovery Versus Retest Effects in Attention after Closed Head Injury. Journal of Clinical and Experimental Neuropsychology, 1999, 21, 585-605. | 0.8 | 55 |
| 1344 | Paradoxical Facilitation of a Free Recall of Nonwords in Persons with Traumatic Brain Injury. Brain and Cognition, 1999, 39, 187-201. | 0.8 | 12 |
| 1345 | Hypertonic saline solution for control of elevated intracranial pressure in patients with exhausted response to mannitol and barbiturates. Neurological Research, 1999, 21, 758-764. | 0.6 | 278 |
| 1346 | Cerebrospinal Fluid Creatine Kinaseâ€“BB Isoenzyme Activity and Outcome After Subarachnoid Hemorrhage. Archives of Neurology, 1999, 56, 1348. | 4.9 | 33 |
| 1347 | Endovascular Treatment of Unruptured Vertebro-basilar Aneurysms. Interventional Neuroradiology, 1999, 5, 83-88. | 0.7 | 5 |
| 1348 | Traumatic subarachnoid haemorrhage. British Journal of Hospital Medicine, 1999, 60, 497-499. | 0.3 | 10 |
| 1349 | Chronic Shunt-dependent Hydrocephalus after Early Surgical and Early Endovascular Treatment of Ruptured Intracranial Aneurysms. Neurosurgery, 1999, 44, 503-509. | 0.6 | 126 |
| 1350 | Clinical and Angiographic Results of Endosaccular Coiling Treatment of Giant and Very Large Intracranial Aneurysms: A 7-year, Single-center Experience. Neurosurgery, 1999, 45, 793-804. | 0.6 | 265 |
| 1351 | Comparison of Transcranial Doppler Investigation of Aneurysmal Vasospasm with Digital Subtraction Angiographic and Clinical Findings. Neurosurgery, 1999, 45, 443-450. | 0.6 | 69 |
| 1352 | Serum S-100B Protein in Severe Head Injury. Neurosurgery, 1999, 45, 477-483. | 0.6 | 244 |
| 1353 | Why Have Recent Trials of Neuroprotective Agents in Head Injury Failed to Show Convincing Efficacy? A Pragmatic Analysis and Theoretical Considerations. Neurosurgery, 1999, 44, 1286-1298. | 0.6 | 127 |
| 1354 | Factors Associated with Hydrocephalus after Aneurysmal Subarachnoid Hemorrhage. Neurosurgery, 1999, 45, 1120-1128. | 0.6 | 145 |
| 1355 | Barbiturates for acute traumatic brain injury. , 1999, , CD000033. | | 60 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1356 | Familial Subarachnoid Hemorrhage. <i>Stroke</i> , 1999, 30, 1099-1102. | 1.0 | 28 |
| 1357 | Improved survival after aneurysmal subarachnoid hemorrhage: review of management during a 12-year period. <i>Journal of Neurosurgery</i> , 1999, 90, 664-672. | 0.9 | 115 |
| 1358 | Five-year experience in using coil embolization for ruptured intracranial aneurysms: outcomes and incidence of late rebleeding. <i>Journal of Neurosurgery</i> , 1999, 90, 656-663. | 0.9 | 437 |
| 1359 | Psychosocial adjustment after traumatic brain injury: what are the important variables?. <i>Psychological Medicine</i> , 1999, 29, 713-725. | 2.7 | 95 |
| 1360 | Neurologic Rehabilitation: A Guide to Diagnosis, Prognosis, and Treatment Planning. <i>Journal of Head Trauma Rehabilitation</i> , 1999, 14, 100-102. | 1.0 | 0 |
| 1361 | Endovascular Occlusion of Basilar Bifurcation Aneurysms With Electrolytically Detachable Coils. <i>Canadian Journal of Neurological Sciences</i> , 1999, 26, 172-181. | 0.3 | 9 |
| 1362 | Neurobehavioural symptoms one year after a head injury. <i>British Journal of Psychiatry</i> , 1999, 174, 360-365. | 1.7 | 90 |
| 1363 | Elevated jugular venous oxygen saturation after severe head injury. <i>Journal of Neurosurgery</i> , 1999, 90, 9-15. | 0.9 | 108 |
| 1364 | The Family Burden of Injury Interview: Reliability and Validity Studies. <i>Journal of Head Trauma Rehabilitation</i> , 1999, 14, 394-405. | 1.0 | 59 |
| 1365 | Measuring Psychosocial Recovery after Traumatic Brain Injury: Psychometric Properties of a New Scale. <i>Journal of Head Trauma Rehabilitation</i> , 1999, 14, 543-557. | 1.0 | 125 |
| 1366 | Long-Acting Psychotraumatic Properties of a Cardiac Arrest Experience. <i>American Journal of Psychiatry</i> , 1999, 156, 912-919. | 4.0 | 79 |
| 1367 | Infarct Volume as a Surrogate or Auxiliary Outcome Measure in Ischemic Stroke Clinical Trials. <i>Stroke</i> , 1999, 30, 293-298. | 1.0 | 225 |
| 1368 | Postoperative Outcome of 37 Patients With Lobar Intracerebral Hemorrhage Related to Cerebral Amyloid Angiopathy. <i>Stroke</i> , 1999, 30, 29-33. | 1.0 | 64 |
| 1369 | Trend in Outcome of Cerebral Aneurysmal Rupture Since 1985: A Proposal for Future Treatment. <i>Stroke</i> , 1999, 30, 1730-1731. | 1.0 | 10 |
| 1370 | Cognitive and Behavioral Sequelae of Closed Head Injury in Older Adults According to Their Significant Others. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 1999, 11, 38-44. | 0.9 | 27 |
| 1371 | Usefulness of Transcranial Color-Coded Sonography in the Diagnosis of Cerebral Vasospasm. <i>Stroke</i> , 1999, 30, 1091-1098. | 1.0 | 74 |
| 1372 | Early hemicraniectomy in patients with complete middle cerebral artery occlusion. <i>Journal of Neurosurgical Anesthesiology</i> , 1999, 11, 128. | 0.6 | 0 |
| 1373 | Monitoring of brain metabolism during aneurysm surgery using microdialysis and brain multiparameter sensors. <i>Neurological Research</i> , 1999, 21, 352-358. | 0.6 | 57 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1374 | Spinal Cord Stimulation for Cerebral Vasospasm as Prophylaxis.. Neurologia Medico-Chirurgica, 2000, 40, 352-357. | 1.0 | 27 |
| 1375 | Treatment of Bacterial Brain Abscess by Repeated Aspiration. Follow up by Serial Computed Tomography.. Neurologia Medico-Chirurgica, 2000, 40, 98-105. | 1.0 | 24 |
| 1376 | Endovascular Treatment of Basilar Tip Aneurysms Using Guglielmi Detachable Coils: Anatomic and Clinical Outcomes in 73 Patients from a Single Institution. Neurosurgery, 2000, 47, 1332-1342. | 0.6 | 14 |
| 1377 | Do neurocognitive ability and personality traits account for different aspects of psychosocial outcome after traumatic brain injury?. Rehabilitation Psychology, 2000, 45, 260-273. | 0.7 | 22 |
| 1378 | The relationship of blunt head trauma, subarachnoid hemorrhage, and rupture of pre-existing intracranial saccular aneurysms. Neurological Research, 2000, 22, 165-170. | 0.6 | 27 |
| 1379 | The Value of the "Worst" Computed Tomographic Scan in Clinical Studies of Moderate and Severe Head Injury. Neurosurgery, 2000, 46, 70-77. | 0.6 | 136 |
| 1380 | Factors Associated with Aneurysm Size in Patients with Subarachnoid Hemorrhage: Effect of Smoking and Aneurysm Location. Neurosurgery, 2000, 46, 44-50. | 0.6 | 60 |
| 1381 | The Influence of Hyperglycemia on Neurological Outcome in Patients with Severe Head Injury. Neurosurgery, 2000, 46, 335-342. | 0.6 | 383 |
| 1382 | Head Injury: Recent Past, Present, and Future. Neurosurgery, 2000, 47, 546-561. | 0.6 | 188 |
| 1383 | Transcranial Brainstem Stab Injuries: A Retrospective Analysis of 17 Patients. Neurosurgery, 2000, 47, 1117-1123. | 0.6 | 62 |
| 1384 | Aneurysms at Nonbranching Sites in the Supraclinoid Portion of the Internal Carotid Artery: Internal Carotid Artery Trunk Aneurysms. Neurosurgery, 2000, 47, 578-586. | 0.6 | 20 |
| 1385 | Brain Natriuretic Peptide and Cerebral Vasospasm in Subarachnoid Hemorrhage. Stroke, 2000, 31, 118-122. | 1.0 | 97 |
| 1386 | A Predictive Risk Model for Outcomes of Ischemic Stroke. Stroke, 2000, 31, 448-455. | 1.0 | 172 |
| 1387 | Apolipoprotein E Polymorphism. Stroke, 2000, 31, 2068-2073. | 1.0 | 48 |
| 1388 | Quantitative Analysis of the Loss of Distinction Between Gray and White Matter in Comatose Patients After Cardiac Arrest. Stroke, 2000, 31, 2163-2167. | 1.0 | 208 |
| 1389 | Evaluation of big endothelin-1 concentrations in serum and ventricular cerebrospinal fluid after early surgical compared with nonsurgical management of ruptured intracranial aneurysms. Neurosurgical Focus, 2000, 8, 1-7. | 1.0 | 9 |
| 1390 | Microcatheter Intrathecal Urokinase Infusion Into Cisterna Magna for Prevention of Cerebral Vasospasm. Stroke, 2000, 31, 2141-2148. | 1.0 | 27 |
| 1391 | Urokinase Cisternal Irrigation Therapy for Prevention of Symptomatic Vasospasm After Aneurysmal Subarachnoid Hemorrhage. Stroke, 2000, 31, 1256-1262. | 1.0 | 70 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1392 | Endovascular Treatment of Ruptured Posterior Circulation Cerebral Aneurysms. <i>Stroke</i> , 2000, 31, 100-110. | 1.0 | 152 |
| 1394 | Serum procalcitonin levels in bacterial and abacterial meningitis. <i>Critical Care Medicine</i> , 2000, 28, 1828-1832. | 0.4 | 150 |
| 1395 | Magnesium Sulfate in the Management of Patients with Fisher Grade 3 Subarachnoid Hemorrhage: A Pilot Study. <i>Neurosurgery</i> , 2000, 47, 602-607. | 0.6 | 69 |
| 1396 | Coma Prognosis in Children. <i>Journal of Clinical Neurophysiology</i> , 2000, 17, 457-466. | 0.9 | 11 |
| 1397 | Finding the Most Powerful Measures of the Effectiveness of Tissue Plasminogen Activator in the NINDS tPA Stroke Trial. <i>Stroke</i> , 2000, 31, 2335-2341. | 1.0 | 138 |
| 1398 | Effect of Intravenous Recombinant Tissue Plasminogen Activator on Ischemic Stroke Lesion Size Measured by Computed Tomography. <i>Stroke</i> , 2000, 31, 2912-2919. | 1.0 | 106 |
| 1399 | Mild Resuscitative Hypothermia to Improve Neurological Outcome After Cardiac Arrest. <i>Stroke</i> , 2000, 31, 86-94. | 1.0 | 278 |
| 1400 | A Review of Outcome after Moderate and Severe Closed Head Injury with an Introduction to Life Care Planning. <i>Journal of Head Trauma Rehabilitation</i> , 2000, 15, 767-782. | 1.0 | 41 |
| 1401 | Scoring system fatigue and the search for a way forward. <i>Critical Care Medicine</i> , 2000, 28, 2145-2146. | 0.4 | 23 |
| 1402 | Aneurysms at Nonbranching Sites in the Supraclinoid Portion of the Internal Carotid Artery: Internal Carotid Artery Trunk Aneurysms. <i>Neurosurgery</i> , 2000, 47, 578-586. | 0.6 | 286 |
| 1403 | Endovascular Treatment of Basilar Tip Aneurysms Using Guglielmi Detachable Coils: Anatomic and Clinical Outcomes in 73 Patients from a Single Institution. <i>Neurosurgery</i> , 2000, 47, 1332-1342. | 0.6 | 145 |
| 1404 | Ventricular Cerebrospinal Fluid and Serum Concentrations of sTNF- α , IL-1 α , and IL-6 After Aneurysmal Subarachnoid Hemorrhage. <i>Journal of Neurosurgical Anesthesiology</i> , 2000, 12, 297-306. | 0.6 | 60 |
| 1405 | The Nature and Duration of Acute Concussive Symptoms in Australian Football. <i>Clinical Journal of Sport Medicine</i> , 2000, 10, 235-238. | 0.9 | 129 |
| 1406 | Service Utilization following Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2000, 15, 1208-1226. | 1.0 | 53 |
| 1407 | Review of the methodologies and applications of scoring systems in neonatal and pediatric intensive care. <i>Pediatric Critical Care Medicine</i> , 2000, 1, 20-27. | 0.2 | 67 |
| 1408 | Multiple Interstitial Substances Measured by Microdialysis in Patients with Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2000, 47, 1106-1116. | 0.6 | 77 |
| 1409 | Effects of Timing of Coil Embolization after Aneurysmal Subarachnoid Hemorrhage on Procedural Morbidity and Outcomes. <i>Neurosurgery</i> , 2000, 47, 1320-1331. | 0.6 | 64 |
| 1410 | Role of Cerebrospinal Fluid Shunting for Human Immunodeficiency Virus-positive Patients with Tuberculous Meningitis and Hydrocephalus. <i>Neurosurgery</i> , 2000, 47, 644-650. | 0.6 | 22 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1411 | Antifibrinolytic treatment in subarachnoid hemorrhage. <i>Neurology</i> , 2000, 54, 77-77. | 1.5 | 141 |
| 1412 | Cognitive and linguistic correlates of children's discourse after closed head injury: A three-year follow-up. <i>Journal of the International Neuropsychological Society</i> , 2000, 6, 741-751. | 1.2 | 87 |
| 1413 | The Center for Outcome Measurement in Brain Injury (COMBI): An Internet Resource You Should Know About. <i>Journal of Head Trauma Rehabilitation</i> , 2000, 15, 734-738. | 1.0 | 12 |
| 1414 | Heart rate variability after acute traumatic brain injury in children. <i>Critical Care Medicine</i> , 2000, 28, 3907-3912. | 0.4 | 169 |
| 1415 | Rehabilitation of executive functioning: An experimental clinical validation of Goal Management Training. <i>Journal of the International Neuropsychological Society</i> , 2000, 6, 299-312. | 1.2 | 557 |
| 1416 | Magnesium Sulfate in the Management of Patients with Fisher Grade 3 Subarachnoid Hemorrhage: A Pilot Study. <i>Neurosurgery</i> , 2000, 47, 602-607. | 0.6 | 47 |
| 1417 | Role of Cerebrospinal Fluid Shunting for Human Immunodeficiency Virus-positive Patients with Tuberculous Meningitis and Hydrocephalus. <i>Neurosurgery</i> , 2000, 47, 644-650. | 0.6 | 22 |
| 1418 | CO2 reactivity and brain oxygen pressure monitoring in severe head injury. <i>Critical Care Medicine</i> , 2000, 28, 3268-3274. | 0.4 | 114 |
| 1419 | Measurements of cortical cellular pH by intracranial tonometer in severe head injury. <i>Critical Care Medicine</i> , 2000, 28, 3275-3280. | 0.4 | 20 |
| 1420 | Electroencephalogram silence ratio for early outcome prognosis in severe head trauma. <i>Critical Care Medicine</i> , 2000, 28, 3522-3529. | 0.4 | 28 |
| 1421 | Corticosteroids for acute traumatic brain injury. , 2000, , CD000196. | | 18 |
| 1422 | Cervene (Nalmefene) in Acute Ischemic Stroke. <i>Stroke</i> , 2000, 31, 1234-1239. | 1.0 | 98 |
| 1423 | Endovascular and surgical treatment of unruptured cerebral aneurysms: Comparison of risks. <i>Annals of Neurology</i> , 2000, 48, 11-19. | 2.8 | 238 |
| 1424 | Dynamic cerebral autoregulation in patients undergoing surgery for intracranial tumors. <i>European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology</i> , 2000, 12, 1-7. | 1.4 | 11 |
| 1425 | Neurological rehabilitation of severely disabled cardiac arrest survivors. Part I. Course of post-acute inpatient treatment. <i>Resuscitation</i> , 2000, 47, 231-239. | 1.3 | 56 |
| 1426 | Neurological rehabilitation of severely disabled cardiac arrest survivors. Part II. Life situation of patients and families after treatment. <i>Resuscitation</i> , 2000, 47, 241-248. | 1.3 | 132 |
| 1427 | Prognostic performance of two expert systems based on Bayesian belief networks. <i>Decision Support Systems</i> , 2000, 27, 431-442. | 3.5 | 11 |
| 1428 | The timing of disability measurements following injury. <i>Injury</i> , 2000, 31, 93-98. | 0.7 | 33 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1429 | Evaluation of disability and handicap following injury. <i>Injury</i> , 2000, 31, 99-106. | 0.7 | 45 |
| 1430 | Acute confusional state as presenting feature in aneurysmal subarachnoid hemorrhage: frequency and characteristics. <i>Journal of Neurology</i> , 2000, 247, 112-116. | 1.8 | 48 |
| 1431 | Traumatic brain stem lesions in children. <i>Child's Nervous System</i> , 2000, 16, 21-24. | 0.6 | 25 |
| 1432 | Neuropsychiatric aspects of traumatic brain injury. <i>Current Treatment Options in Neurology</i> , 2000, 2, 169-186. | 0.7 | 88 |
| 1433 | Emergency management of deeply comatose children with acute rupture of cerebral arteriovenous malformations. <i>Canadian Journal of Anaesthesia</i> , 2000, 47, 758-766. | 0.7 | 42 |
| 1434 | Management of head injury in a regional hospital. <i>Irish Journal of Medical Science</i> , 2000, 169, 103-106. | 0.8 | 5 |
| 1435 | Outcome from Complex Neurosurgery: An Evidence Based Approach. <i>Acta Neurochirurgica</i> , 2000, 142, 367-371. | 0.9 | 29 |
| 1436 | Age and Outcome After Severe Head Injury. <i>Acta Neurochirurgica</i> , 2000, 142, 373-381. | 0.9 | 76 |
| 1437 | Tentorial Meningiomas. Report on Twenty-Seven Cases. <i>Acta Neurochirurgica</i> , 2000, 142, 513-526. | 0.9 | 40 |
| 1438 | Hypoxanthine, Uric Acid and Allantoin as Indicators of in Vivo Free Radical Reactions. Description of a HPLC Method and Human Brain Microdialysis Data. <i>Acta Neurochirurgica</i> , 2000, 142, 1135-1142. | 0.9 | 45 |
| 1439 | Early post-traumatic seizures in children with head injury. <i>Child's Nervous System</i> , 2000, 16, 862-866. | 0.6 | 89 |
| 1440 | Difference in pathogenesis between herpes simplex virus type 1 encephalitis and tick-borne encephalitis demonstrated by means of cerebrospinal fluid markers of glial and neuronal destruction. <i>Journal of Neurology</i> , 2000, 247, 636-642. | 1.8 | 74 |
| 1441 | Giant Serpentine Aneurysms: Multidisciplinary Management. <i>Interventional Neuroradiology</i> , 2000, 6, 41-52. | 0.7 | 5 |
| 1442 | Toward More Rational Prediction of Outcome in Patients with High-grade Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2000, 46, 28-36. | 0.6 | 108 |
| 1443 | Brain Oxygen Tension in Severe Head Injury. <i>Neurosurgery</i> , 2000, 46, 868-878. | 0.6 | 361 |
| 1444 | False Localization of Rupture Site in Patients with Multiple Cerebral Aneurysms and Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2000, 46, 825-830. | 0.6 | 40 |
| 1445 | Limits of Intermittent Jugular Bulb Oxygen Saturation Monitoring in the Management of Severe Head Trauma Patients. <i>Neurosurgery</i> , 2000, 46, 1131-1139. | 0.6 | 57 |
| 1446 | Subcortical Hypoperfusion following Surgery For Aneurysmal Subarachnoid Haemorrhage: Implications For Cognitive Performance?. <i>Behavioural Neurology</i> , 2000, 12, 39-51. | 1.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1447 | Management of Severe Traumatic Brain Injury by Decompressive Craniectomy. <i>Neurosurgery</i> , 2000, 47, 315-323. | 0.6 | 330 |
| 1448 | Prediction and timing of tracheostomy in patients with infratentorial lesions requiring mechanical ventilatory support. <i>Critical Care Medicine</i> , 2000, 28, 1383-1387. | 0.4 | 118 |
| 1449 | Tirilazad Mesylate in Acute Ischemic Stroke. <i>Stroke</i> , 2000, 31, 2257-2265. | 1.0 | 91 |
| 1450 | Surgical Approaches for the Treatment of Aneurysms on the P2 Segment of the Posterior Cerebral Artery. <i>Neurosurgery</i> , 2000, 47, 359-366. | 0.6 | 83 |
| 1451 | Multimodality Treatment of Nongalenic Arteriovenous Malformations in Pediatric Patients. <i>Neurosurgery</i> , 2000, 47, 346-358. | 0.6 | 109 |
| 1452 | Basal Brain Injury in Aneurysm Surgery. <i>Neurosurgery</i> , 2000, 46, 1070-1076. | 0.6 | 48 |
| 1453 | Differing Perspectives on Outcome after Subarachnoid Hemorrhage: The Patient, the Relative, the Neurosurgeon. <i>Neurosurgery</i> , 2000, 46, 831-840. | 0.6 | 94 |
| 1454 | Effects of Timing of Coil Embolization after Aneurysmal Subarachnoid Hemorrhage on Procedural Morbidity and Outcomes. <i>Neurosurgery</i> , 2000, 47, 1320-1331. | 0.6 | 44 |
| 1455 | Cerebral Hemodynamic Effects of 7.2% Hypertonic Saline in Patients with Head Injury and Raised Intracranial Pressure. <i>Journal of Neurotrauma</i> , 2000, 17, 41-51. | 1.7 | 171 |
| 1456 | Head injury in the severely injured: long-term follow-up in 157 patients. <i>British Journal of Neurosurgery</i> , 2000, 14, 219-224. | 0.4 | 11 |
| 1457 | Effect of Hypervolemic Therapy on Cerebral Blood Flow After Subarachnoid Hemorrhage. <i>Stroke</i> , 2000, 31, 383-391. | 1.0 | 407 |
| 1458 | The rtPA (Alteplase) 0- to 6-Hour Acute Stroke Trial, Part A (A0276g). <i>Stroke</i> , 2000, 31, 811-816. | 1.0 | 397 |
| 1459 | Evaluating the outcome of severe head injury with transcranial Doppler ultrasonography. <i>Neurosurgical Focus</i> , 2000, 8, 1-7. | 1.0 | 94 |
| 1460 | Onset seizures independently predict poor outcome after subarachnoid hemorrhage. <i>Neurology</i> , 2000, 55, 1315-1320. | 1.5 | 172 |
| 1461 | Effect of long-term mild hypothermia therapy in patients with severe traumatic brain injury: 1-year follow-up review of 87 cases. <i>Journal of Neurosurgery</i> , 2000, 93, 546-549. | 0.9 | 245 |
| 1462 | Anticonvulsant prophylaxis and timing of seizures after aneurysmal subarachnoid hemorrhage. <i>Neurology</i> , 2000, 55, 258-265. | 1.5 | 167 |
| 1463 | Cost and Outcome of Mechanical Ventilation for Life-Threatening Stroke. <i>Stroke</i> , 2000, 31, 2346-2353. | 1.0 | 112 |
| 1464 | An efficacy and safety study of the ETA/B receptor antagonist TAK-044 in subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2000, 93, 992-997. | 0.9 | 102 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1465 | Long-term natural history of hemorrhagic type moyamoya disease in 42 patients. <i>Journal of Neurosurgery</i> , 2000, 93, 976-980. | 0.9 | 163 |
| 1466 | Stereotactic Computed Tomographicâ€“Guided Aspiration and Thrombolysis of Intracerebral Hematoma. <i>Stroke</i> , 2000, 31, 834-840. | 1.0 | 133 |
| 1467 | Plasma endothelin concentrations after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2000, 92, 390-400. | 0.9 | 112 |
| 1468 | Is cerebral perfusion pressure a major determinant of cerebral blood flow during head elevation in comatose patients with severe intracranial lesions?. <i>Journal of Neurosurgery</i> , 2000, 92, 606-614. | 0.9 | 72 |
| 1469 | Adverse effects of limited hypotensive anesthesia on the outcome of patients with subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2000, 92, 971-975. | 0.9 | 60 |
| 1470 | Prospective analysis of aneurysm treatment in a series of 103 consecutive patients when endovascular embolization is considered the first option. <i>Journal of Neurosurgery</i> , 2000, 93, 175-182. | 0.9 | 127 |
| 1471 | Primary intracerebral and aneurysmal subarachnoid hemorrhage in Izumo City, Japan. Part II: management and surgical outcome. <i>Journal of Neurosurgery</i> , 2000, 93, 967-975. | 0.9 | 51 |
| 1472 | Impact of Guglielmi detachable coils on outcomes of patients with intracranial aneurysms treated by a multidisciplinary team at a single institution. <i>Journal of Neurosurgery</i> , 2000, 93, 569-580. | 0.9 | 31 |
| 1473 | High level of extracellular potassium and its correlates after severe human head injury: relationship to high intracranial pressure. <i>Journal of Neurosurgery</i> , 2000, 93, 800-807. | 0.9 | 81 |
| 1474 | Early proton magnetic resonance spectroscopy in normal-appearing brain correlates with outcome in patients following traumatic brain injury. <i>Brain</i> , 2000, 123, 2046-2054. | 3.7 | 241 |
| 1475 | Computed Tomography Scan Features. <i>Journal of Neurotrauma</i> , 2000, 17, 597-627. | 1.7 | 75 |
| 1476 | WAIS-III and WMS-III Profiles of Mildly to Severely Brain-Injured Patients. <i>Applied Neuropsychology</i> , 2000, 7, 126-132. | 1.5 | 66 |
| 1477 | Outcomes of Early Endovascular Versus Surgical Treatment of Ruptured Cerebral Aneurysms. <i>Stroke</i> , 2000, 31, 2369-2377. | 1.0 | 387 |
| 1478 | The remodeling technique of balloon-assisted Guglielmi detachable coil placement in wide-necked aneurysms: experience at the University of Illinois at Chicago. <i>Journal of Neurosurgery</i> , 2000, 93, 388-396. | 0.9 | 149 |
| 1479 | Clinical Research: PEG Feeding Tube Placement Following a Stroke: When to Place, When to Wait. <i>Nutrition in Clinical Practice</i> , 2000, 15, 36-39. | 1.1 | 2 |
| 1480 | Intracranial hypertension and cerebral perfusion pressure: influence on neurological deterioration and outcome in severe head injury. <i>Journal of Neurosurgery</i> , 2000, 92, 1-6. | 0.9 | 583 |
| 1481 | Quantitative measurement of cerebral blood flow by 99mTc-HMPAO SPECT in acute ischaemic stroke: usefulness in determining therapeutic options. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2000, 69, 472-478. | 0.9 | 43 |
| 1482 | The Utility of the Modified Barthel Index for Traumatic Brain Injury Rehabilitation and Prognosis. <i>British Journal of Occupational Therapy</i> , 2000, 63, 469-475. | 0.5 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1483 | Emotional and cognitive consequences of head injury in relation to the Glasgow outcome scale. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2000, 69, 204-209. | 0.9 | 170 |
| 1484 | Elevation of Prostate-Specific Markers After Cardiopulmonary Resuscitation. <i>Circulation</i> , 2000, 102, 290-293. | 1.6 | 34 |
| 1485 | Complications and outcome in patients with aneurysmal subarachnoid haemorrhage: a prospective hospital based cohort study in The Netherlands. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2000, 68, 337-341. | 0.9 | 252 |
| 1486 | Hypopituitarism following traumatic brain injury and aneurysmal subarachnoid hemorrhage: a preliminary report. <i>Journal of Neurosurgery</i> , 2000, 93, 743-752. | 0.9 | 389 |
| 1487 | Metabolic and Clinical Markers of Prognosis in the Era of CT Imaging in Children with Acute Epidural Hematomas. <i>Pediatric Neurosurgery</i> , 2000, 33, 70-75. | 0.4 | 25 |
| 1488 | A study of the functional outcome and mortality in elderly patients with head injuries. <i>Journal of Clinical Neuroscience</i> , 2000, 7, 301-304. | 0.8 | 57 |
| 1489 | Cerebral oxygenation and systemic trauma related factors determining neurological outcome after brain injury. <i>Journal of Clinical Neuroscience</i> , 2000, 7, 226-233. | 0.8 | 44 |
| 1490 | The changing pattern of head injury in Thailand. <i>Journal of Clinical Neuroscience</i> , 2000, 7, 223-225. | 0.8 | 17 |
| 1491 | Predictive value of proton magnetic resonance spectroscopy in pediatric closed head injury. <i>Pediatric Neurology</i> , 2000, 23, 114-125. | 1.0 | 131 |
| 1492 | Out-of-hospital resuscitation in Tartu: Effect of reorganization of Estonian EMS system. <i>American Journal of Emergency Medicine</i> , 2000, 18, 469-473. | 0.7 | 20 |
| 1494 | Is decompressive craniectomy for acute cerebral infarction of any benefit?. <i>World Neurosurgery</i> , 2000, 53, 225-230. | 1.3 | 94 |
| 1495 | Considerations on surgical treatment for elderly patients with intracranial aneurysms. <i>World Neurosurgery</i> , 2000, 53, 231-238. | 1.3 | 34 |
| 1496 | Saccular cerebral aneurysms in young adults. <i>World Neurosurgery</i> , 2000, 54, 59-67. | 1.3 | 22 |
| 1497 | Intraoperative variables and early outcome after aneurysm surgery. <i>World Neurosurgery</i> , 2000, 54, 304-315. | 1.3 | 24 |
| 1498 | Chronic hydrocephalus in elderly patients following subarachnoid hemorrhage. <i>World Neurosurgery</i> , 2000, 53, 119-125. | 1.3 | 90 |
| 1499 | Glasgow Outcome Scale: research scale or blunt instrument?. <i>Lancet, The</i> , 2000, 356, 1540-1541. | 6.3 | 19 |
| 1500 | Treatment of ruptured saccular intracranial aneurysms by microsurgery and electrolytically detachable coils: Evaluation of outcome and long-term follow-up. <i>Operative Techniques in Neurosurgery</i> , 2000, 3, 282-299. | 0.1 | 5 |
| 1501 | Hemorragia subaracnoidea aneurismática. Introducci3n a algunos de los aspectos más importantes de esta enfermedad. <i>Neurocirugia</i> , 2000, 11, 156-168. | 0.2 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1503 | Resultados del tratamiento quirúrgico del hematoma subdural cráneo. Comparación de dos técnicas: minitrópano y drenaje cerrado continuo versus dos trópanos y drenaje externo abierto. Neurocirugía, 2000, 11, 377-390. | 0.2 | 7 |
| 1504 | Experiencia inicial con la angio-TC-3D en el manejo de la hemorragia subaracnoidea y de los aneurismas cerebrales. Neurocirugía, 2000, 11, 23-30. | 0.2 | 4 |
| 1505 | Calcium antagonists for acute ischemic stroke. , 2000, , CD001928. | | 61 |
| 1507 | Assessment of Agents for the Treatment of Head Injury. CNS Drugs, 2000, 13, 139-154. | 2.7 | 13 |
| 1508 | Reliability of the relative's questionnaire for assessment of outcome after brain injury. Disability and Rehabilitation, 2000, 22, 446-450. | 0.9 | 6 |
| 1509 | Outcome from poor grade aneurysmal subarachnoid haemorrhage which poor grade subarachnoid haemorrhage patients benefit from aneurysm clipping?. British Journal of Neurosurgery, 2000, 14, 105-109. | 0.4 | 111 |
| 1510 | Quantitative head injury assessment: magnetic resonance spectroscopy and intensive care management during MR. Clinical Intensive Care: International Journal of Critical & Coronary Care Medicine, 2000, 11, 187-193. | 0.1 | 1 |
| 1511 | The cause and incidence of secondary insults in severely head-injured adults and children. British Journal of Neurosurgery, 2000, 14, 424-431. | 0.4 | 46 |
| 1512 | The Wessex Head Injury Matrix (WHIM) main scale: a preliminary report on a scale to assess and monitor patient recovery after severe head injury. Clinical Rehabilitation, 2000, 14, 408-416. | 1.0 | 580 |
| 1513 | CT prognostic factors in acute subdural haematomas: the value of the 'worst' CT scan. British Journal of Neurosurgery, 2000, 14, 110-116. | 0.4 | 173 |
| 1515 | Postanoxic alpha (theta) coma: a reappraisal of its prognostic significance. Clinical Neurophysiology, 2000, 111, 297-304. | 0.7 | 94 |
| 1516 | Clinical correlates and prognosis in early spindle coma. Clinical Neurophysiology, 2000, 111, 584-590. | 0.7 | 59 |
| 1517 | Comparison of serum S-100 protein levels following stroke and traumatic brain injury. Journal of the Neurological Sciences, 2000, 181, 104-110. | 0.3 | 94 |
| 1518 | Magnetic evoked potentials in neurocritical care patients with acute brainstem lesions. Journal of the Neurological Sciences, 2000, 172, 30-37. | 0.3 | 23 |
| 1519 | Initial hyperglycemia as an indicator of severity of the ictus in poor-grade patients with spontaneous subarachnoid hemorrhage. Clinical Neurology and Neurosurgery, 2000, 102, 78-83. | 0.6 | 67 |
| 1520 | A multicenter prospective randomized controlled trial of the efficacy of mild hypothermia for severely head injured patients with low intracranial pressure. Journal of Neurosurgery, 2001, 94, 50-54. | 0.9 | 193 |
| 1521 | Current concepts: Diffuse axonal injury associated traumatic brain injury. Archives of Physical Medicine and Rehabilitation, 2001, 82, 1461-1471. | 0.5 | 483 |
| 1522 | Results of surgical treatment of intrasylvian hematomas due to ruptured intracranial aneurysms. Clinical Neurology and Neurosurgery, 2001, 103, 23-28. | 0.6 | 29 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1523 | Supracerebellar transtentorial approach to posterior temporo-medial structures. <i>Journal of Neurosurgery</i> , 2001, 94, 339-345. | 0.9 | 85 |
| 1524 | Post-traumatic cerebral infarction: Neuroimaging findings, etiology and outcome. <i>Acta Radiologica</i> , 2001, 42, 254-260. | 0.5 | 26 |
| 1525 | Tirilazad for acute ischaemic stroke. <i>The Cochrane Library</i> , 2001, , CD002087. | 1.5 | 31 |
| 1526 | Recommendations for Grading of Concussion in Athletes. <i>Sports Medicine</i> , 2001, 31, 629-636. | 3.1 | 61 |
| 1527 | The Relation Between Acute Physiological Variables and Outcome on the Glasgow Outcome Scale and Disability Rating Scale Following Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2001, 18, 115-125. | 1.7 | 73 |
| 1528 | Visual field loss after stroke: Confrontation and perimetry in the assessment of recovery. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2001, 10, 113-117. | 0.7 | 17 |
| 1529 | Specific characteristics and management strategies of posterior cerebral artery aneurysms:report of eleven cases. <i>Journal of Clinical Neuroscience</i> , 2001, 8, 23-26. | 0.8 | 24 |
| 1530 | Outcome prediction in severe head injury: analyses of clinical prognostic factors. <i>Journal of Clinical Neuroscience</i> , 2001, 8, 120-123. | 0.8 | 119 |
| 1531 | Magnetic resonance imaging for surgical consideration of acute head injury. <i>Journal of Clinical Neuroscience</i> , 2001, 8, 240-244. | 0.8 | 5 |
| 1532 | Long-latency auditory-evoked potentials in severe traumatic brain injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2001, 82, 57-65. | 0.5 | 48 |
| 1533 | Severe penetrating head injury: A study of outcomes. <i>Archives of Physical Medicine and Rehabilitation</i> , 2001, 82, 306-310. | 0.5 | 41 |
| 1534 | A comparison of substance abuse and violence in the prediction of long-term rehabilitation outcomes after traumatic brain injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2001, 82, 571-577. | 0.5 | 105 |
| 1535 | Prognostic value of evoked potentials and sleep recordings in the prolonged comatose state of children. Preliminary data. <i>Neurophysiologie Clinique</i> , 2001, 31, 283-292. | 1.0 | 41 |
| 1536 | Does wave VI of BAEP pertain to the prognosis of coma?. <i>Neurophysiologie Clinique</i> , 2001, 31, 406-411. | 1.0 | 9 |
| 1537 | Clinical outcomes of aneurysmal subarachnoid hemorrhage patients treated with oral diltiazem and limited intensive care management. <i>World Neurosurgery</i> , 2001, 55, 138-146. | 1.3 | 10 |
| 1538 | A study of blood coagulation and fibrinolytic system in spontaneous subarachnoid hemorrhage. <i>World Neurosurgery</i> , 2001, 55, 197-203. | 1.3 | 76 |
| 1539 | The blood leukocyte count and its prognostic significance in severe head injury. <i>World Neurosurgery</i> , 2001, 55, 190-196. | 1.3 | 67 |
| 1540 | The influence of surgical experience on the rate of intraoperative aneurysm rupture and its impact on aneurysm treatment outcome. <i>World Neurosurgery</i> , 2001, 56, 151-156. | 1.3 | 50 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1541 | Management outcome for ruptured anterior circulation aneurysms with a Hunt and Hess clinical grade of III in patients in the 9th decade of life. <i>World Neurosurgery</i> , 2001, 56, 294-300. | 1.3 | 27 |
| 1543 | Neurological and mental outcome after severe head injury in childhood: a long-term follow-up of 318 children. <i>Disability and Rehabilitation</i> , 2001, 23, 665-669. | 0.9 | 41 |
| 1544 | Neuropsychological Outcome in Relation to the Traumatic Coma Data Bank Classification of Computed Tomography Imaging. <i>Journal of Neurotrauma</i> , 2001, 18, 869-879. | 1.7 | 38 |
| 1545 | Complement Activation in the Human Brain after Traumatic Head Injury. <i>Journal of Neurotrauma</i> , 2001, 18, 1295-1311. | 1.7 | 186 |
| 1546 | Repinotan (BAY Å– 3702): A 5HT1A Agonist in Traumatically Brain Injured Patients. <i>Journal of Neurotrauma</i> , 2001, 18, 1313-1321. | 1.7 | 27 |
| 1547 | Delayed Hemispheric Neuronal Loss in Severely Head-Injured Patients. <i>Journal of Neurotrauma</i> , 2001, 18, 665-674. | 1.7 | 29 |
| 1548 | Psychosocial functioning during the year following severe traumatic brain injury. <i>Brain Injury</i> , 2001, 15, 683-696. | 0.6 | 3 |
| 1549 | Does intensive rehabilitation improve the functional outcome of patients with traumatic brain injury? Interim result of a randomized controlled trial. <i>British Journal of Neurosurgery</i> , 2001, 15, 464-473. | 0.4 | 34 |
| 1550 | Ventriculoperitoneal shunting in childhood tuberculous meningitis. <i>British Journal of Neurosurgery</i> , 2001, 15, 119-125. | 0.4 | 126 |
| 1551 | Age and functioning after mild traumatic brain injury: the acute picture. <i>Brain Injury</i> , 2001, 15, 857-864. | 0.6 | 43 |
| 1552 | Population-based analysis of arteriovenous malformation treatment. <i>Journal of Neurosurgery</i> , 2001, 95, 633-637. | 0.9 | 107 |
| 1553 | Abnormal Cerebral Blood Volume in Regions of Contused and Normal Appearing Brain Following Traumatic Brain Injury Using Perfusion Magnetic Resonance Imaging. <i>Journal of Neurotrauma</i> , 2001, 18, 585-593. | 1.7 | 54 |
| 1554 | Fibrinolytic Therapy in Intraventricular Hemorrhage. <i>Annals of Pharmacotherapy</i> , 2001, 35, 1435-1448. | 0.9 | 49 |
| 1555 | Ischemic complications of surgery for anterior choroidal artery aneurysms. <i>Journal of Neurosurgery</i> , 2001, 94, 565-572. | 0.9 | 140 |
| 1556 | Neuroimaging and its role in developing interventions. , 2001, , 415-443. | | 0 |
| 1557 | Adrenaline and vasopressin for cardiac arrest. <i>The Cochrane Library</i> , 2001, , . | 1.5 | 2 |
| 1558 | Relation between Glasgow outcome score extended (GOSE) and the EQ-5D health status questionnaire after head injury. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001, 70, 267a-268. | 0.9 | 6 |
| 1559 | Measuring Surgical Outcomes. , 2001, , 101-113. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1560 | Risk factors and outcome in 100 patients with aneurysmal subarachnoid hemorrhage. <i>Arquivos De Neuro-Psiquiatria</i> , 2001, 59, 676-680. | 0.3 | 27 |
| 1561 | Endovascular and Surgical Management of Multiple Intradural Aneurysms. <i>Interventional Neuroradiology</i> , 2001, 7, 291-302. | 0.7 | 12 |
| 1562 | Stroke after bone marrow transplantation: Frequency, aetiology and outcome. <i>Brain</i> , 2001, 124, 1043-1051. | 3.7 | 96 |
| 1563 | Results after Surgical and Endovascular Treatment of Paraclinoid Aneurysms by a Combined Neurovascular Team. <i>Neurosurgery</i> , 2001, 48, 78-90. | 0.6 | 139 |
| 1564 | Prophylactic Hyperdynamic Postoperative Fluid Therapy after Aneurysmal Subarachnoid Hemorrhage: A Clinical, Prospective, Randomized, Controlled Study. <i>Neurosurgery</i> , 2001, 49, 593-606. | 0.6 | 234 |
| 1565 | Cerebral Revascularization Using Radial Artery Grafts for the Treatment of Complex Intracranial Aneurysms: Techniques and Outcomes for 17 Patients. <i>Neurosurgery</i> , 2001, 49, 646-659. | 0.6 | 164 |
| 1566 | A History and Review of Quantitative Electroencephalography in Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2001, 16, 165-190. | 1.0 | 49 |
| 1567 | Safety and Feasibility of Craniectomy with Duraplasty as the Initial Surgical Intervention for Severe Traumatic Brain Injury. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001, 50, 1050-1059. | 1.1 | 119 |
| 1568 | Current Multimodality Management of Infectious Intracranial Aneurysms. <i>Neurosurgery</i> , 2001, 48, 1203-1214. | 0.6 | 139 |
| 1569 | Cognitive and neurobehavioral functioning after mild versus moderate traumatic brain injury in older adults. <i>Journal of the International Neuropsychological Society</i> , 2001, 7, 373-383. | 1.2 | 77 |
| 1570 | Current Multimodality Management of Infectious Intracranial Aneurysms. <i>Neurosurgery</i> , 2001, 48, 1203-1214. | 0.6 | 103 |
| 1571 | Secondary insults in severe head injury—Do multiply injured patients do worse?. <i>Critical Care Medicine</i> , 2001, 29, 1116-1123. | 0.4 | 118 |
| 1572 | The Influence of Apolipoprotein E Genotype on Outcome after Spontaneous Subarachnoid Hemorrhage: A Preliminary Study. <i>Neurosurgery</i> , 2001, 48, 1006-1011. | 0.6 | 42 |
| 1573 | Improving Clinical Outcomes from Acute Subdural Hematomas with the Emergency Preoperative Administration of High Doses of Mannitol: A Randomized Trial. <i>Neurosurgery</i> , 2001, 49, 864-871. | 0.6 | 128 |
| 1574 | Asymptomatic versus Symptomatic Infarcts from Vasospasm in Patients with Subarachnoid Hemorrhage: Serial Magnetic Resonance Imaging. <i>Neurosurgery</i> , 2001, 49, 1341-1350. | 0.6 | 122 |
| 1575 | Brain Injury and Neuroendocrine Function. , 2001, 11, 275-281. | | 4 |
| 1576 | Childhood morbidity after severe traumatic brain injury: Increased detection with the Multiattribute Health Status Classification. <i>Pediatric Critical Care Medicine</i> , 2001, 2, 145-150. | 0.2 | 15 |
| 1577 | Results after Surgical and Endovascular Treatment of Paraclinoid Aneurysms by a Combined Neurovascular Team. <i>Neurosurgery</i> , 2001, 48, 78-90. | 0.6 | 102 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1578 | Improving Clinical Outcomes from Acute Subdural Hematomas with the Emergency Preoperative Administration of High Doses of Mannitol: A Randomized Trial. <i>Neurosurgery</i> , 2001, 49, 864-871. | 0.6 | 76 |
| 1579 | Thrombolytic therapy during cardiopulmonary resuscitation and the role of coagulation activation after cardiac arrest. <i>Current Opinion in Critical Care</i> , 2001, 7, 176-183. | 1.6 | 83 |
| 1580 | Prophylactic Hyperdynamic Postoperative Fluid Therapy after Aneurysmal Subarachnoid Hemorrhage: A Clinical, Prospective, Randomized, Controlled Study. <i>Neurosurgery</i> , 2001, 49, 593-606. | 0.6 | 178 |
| 1581 | Coagulopathy Predicts Poor Outcome Following Head Injury in Children Less Than 16 Years of Age. <i>Journal of Neurosurgical Anesthesiology</i> , 2001, 13, 13-18. | 0.6 | 70 |
| 1582 | Craniotomy Improves Outcomes for Cranial Subdural Empyemas: Computed Tomography-Era Experience with 699 Patients. <i>Neurosurgery</i> , 2001, 49, 872-878. | 0.6 | 4 |
| 1583 | Antithrombin Treatment in Patients With Traumatic Brain Injury. <i>Journal of Neurosurgical Anesthesiology</i> , 2001, 13, 49-56. | 0.6 | 29 |
| 1584 | Factor Analysis of an Outcome Interview for Use in Clinical Trials of Traumatically Brain-Injured Patients. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2001, 80, 196-205. | 0.7 | 7 |
| 1585 | Prognostic Value of Intraventricular Blood in Perimesencephalic Nonaneurysmal Subarachnoid Hemorrhage. <i>Journal of Computer Assisted Tomography</i> , 2001, 25, 742-746. | 0.5 | 12 |
| 1586 | Introduction and Methology. <i>Journal of Trauma</i> , 2001, 51, S44-S49. | 2.3 | 21 |
| 1587 | Management and Outcomes in a Low-volume Cerebral Aneurysm Practice. <i>Neurosurgery</i> , 2001, 48, 91-100. | 0.6 | 28 |
| 1588 | Long-Term Recovery Course After Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2001, 16, 318-329. | 1.0 | 68 |
| 1589 | Improved Functional Outcome for Severely Injured Children Treated at Pediatric Trauma Centers. <i>Journal of Trauma</i> , 2001, 51, 824-834. | 2.3 | 143 |
| 1590 | Evidence-Based Review of Sport-Related Concussion: Clinical Science. <i>Clinical Journal of Sport Medicine</i> , 2001, 11, 150-159. | 0.9 | 155 |
| 1591 | Current Issues in the Management of Severe Head Injury. <i>Contemporary Neurosurgery</i> , 2001, 23, 1-8. | 0.2 | 0 |
| 1592 | Cerebral Revascularization Using Radial Artery Grafts for the Treatment of Complex Intracranial Aneurysms: Techniques and Outcomes for 17 Patients. <i>Neurosurgery</i> , 2001, 49, 646-659. | 0.6 | 141 |
| 1593 | Cardiopulmonary Resuscitation Performed by Bystanders Does Not Increase Adverse Effects as Assessed by Chest Radiography. <i>Anesthesia and Analgesia</i> , 2001, 93, 128-133. | 1.1 | 40 |
| 1594 | Effects of 2 Patterns of Prehospital Care on the Outcome of Patients With Severe Head Injury. <i>Archives of Surgery</i> , 2001, 136, 1293. | 2.3 | 59 |
| 1595 | Three-dimensional computerized tomography angiographyâ€”guided surgery of acutely ruptured cerebral aneurysms. <i>Journal of Neurosurgery</i> , 2001, 94, 718-727. | 0.9 | 117 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1596 | Early Onset of Lipid Peroxidation after Human Traumatic Brain Injury: A Fatal Limitation for the Free Radical Scavenger Pharmacological Therapy?. <i>Journal of Investigative Medicine</i> , 2001, 49, 450-458. | 0.7 | 50 |
| 1597 | Timing of surgery for aneurysmal subarachnoid haemorrhage. <i>The Cochrane Library</i> , 2001, , CD001697. | 1.5 | 39 |
| 1598 | Social and institutional factors in adjustment to traumatic brain injury.. <i>Rehabilitation Psychology</i> , 2001, 46, 82-99. | 0.7 | 7 |
| 1599 | The relationship of caregiver coping to family outcomes during the initial year following pediatric traumatic injury.. <i>Journal of Consulting and Clinical Psychology</i> , 2001, 69, 406-415. | 1.6 | 84 |
| 1600 | Effect of a Platelet-Activating Factor Receptor Antagonist, E5880, on Cerebral Vasospasm After Aneurysmal Subarachnoid Hemorrhage. <i>Open Clinical Trial to Investigate Efficacy and Safety.. Neurologia Medico-Chirurgica</i> , 2001, 41, 165-176. | 1.0 | 14 |
| 1601 | Surgical Treatment of Hemangioblastomas With Presurgical Endovascular Embolization.. <i>Neurologia Medico-Chirurgica</i> , 2001, 41, 246-252. | 1.0 | 67 |
| 1602 | Acute Subdural Hematoma in Patients Who Underwent Aneurysm Clipping. Four Case Reports.. <i>Neurologia Medico-Chirurgica</i> , 2001, 41, 393-398. | 1.0 | 2 |
| 1603 | Confirmatory factor analyses of the alcohol use disorders identification test (AUDIT) among adolescents treated in emergency departments.. <i>Journal of Studies on Alcohol and Drugs</i> , 2001, 62, 838-842. | 2.4 | 49 |
| 1604 | Chapter 5 Head Injuries. <i>Blue Books of Practical Neurology</i> , 2001, , 77-98. | 0.1 | 0 |
| 1605 | Grading and Decision-Making in (Aneurysmal) Subarachnoid Haemorrhage. <i>Interventional Neuroradiology</i> , 2001, 7, 283-289. | 0.7 | 10 |
| 1606 | Craniotomy Improves Outcomes for Cranial Subdural Empyemas: Computed Tomography-Era Experience with 699 Patients. <i>Neurosurgery</i> , 2001, 49, 872-878. | 0.6 | 89 |
| 1607 | Management and Outcomes in a Low-volume Cerebral Aneurysm Practice. <i>Neurosurgery</i> , 2001, 48, 91-100. | 0.6 | 24 |
| 1608 | Nella fase riabilitativa di un traumatizzato cranico la spettroscopia protonica ha un valore prognostico?: Studio preliminare. <i>The Neuroradiology Journal</i> , 2001, 14, 183-186. | 0.1 | 0 |
| 1609 | La flussimetria ematica cerebrale mediante Xenon-TAC nelle lesioni traumatiche diffuse. <i>The Neuroradiology Journal</i> , 2001, 14, 395-405. | 0.1 | 1 |
| 1610 | Combined surgical and endovascular techniques of flow alteration to treat fusiform and complex wide-necked intracranial aneurysms that are unsuitable for clipping or coil embolization. <i>Journal of Neurosurgery</i> , 2001, 95, 24-35. | 0.9 | 112 |
| 1611 | Effect of Intra-Arterial Papaverine on Regional Cerebral Blood Flow in Hemodynamically Relevant Cerebral Vasospasm. <i>Stroke</i> , 2001, 32, 498-505. | 1.0 | 118 |
| 1612 | Association of Apolipoprotein E Polymorphism With Outcome After Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2001, 32, 1181-1184. | 1.0 | 72 |
| 1613 | Acute Systemic Inflammatory Response Syndrome in Subarachnoid Hemorrhage. <i>Stroke</i> , 2001, 32, 1989-1993. | 1.0 | 203 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1614 | Elevated jugular venous oxygen saturation after severe head injury. <i>Neurosurgical Focus</i> , 2001, 11, 9-15. | 1.0 | 6 |
| 1615 | Cocaine Use Is an Independent Risk Factor for Cerebral Vasospasm After Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2001, 32, 2338-2343. | 1.0 | 100 |
| 1616 | Changes in Intervention and Outcome in Elderly Patients With Subarachnoid Hemorrhage. <i>Stroke</i> , 2001, 32, 2845-2949. | 1.0 | 75 |
| 1617 | Intracranial hypertension and cerebral perfusion pressure: influence on neurological deterioration and outcome in severe head injury. <i>Neurosurgical Focus</i> , 2001, 11, 1-6. | 1.0 | 7 |
| 1618 | Anticoagulation and induced hypertension after endovascular treatment for ruptured intracranial aneurysms. <i>Critical Care Medicine</i> , 2001, 29, 641-644. | 0.4 | 19 |
| 1619 | Evidence for Excess Long-Term Mortality After Treated Subarachnoid Hemorrhage. <i>Stroke</i> , 2001, 32, 2850-2853. | 1.0 | 75 |
| 1620 | Reduced Hippocampal Volume in Association With P50 Nonsuppression Following Traumatic Brain Injury. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2001, 13, 213-221. | 0.9 | 30 |
| 1621 | Selective effect of closed-head injury on central resource allocation: evidence from dual-task performance. <i>Experimental Brain Research</i> , 2001, 136, 364-378. | 0.7 | 13 |
| 1622 | Advances in Management of Neurosurgical Trauma in Different Continents. <i>World Journal of Surgery</i> , 2001, 25, 1174-1178. | 0.8 | 33 |
| 1623 | Head Injury in the United Kingdom. <i>World Journal of Surgery</i> , 2001, 25, 1210-1220. | 0.8 | 134 |
| 1624 | Outcomes of neurocritical care. <i>Current Neurology and Neuroscience Reports</i> , 2001, 1, 593-598. | 2.0 | 4 |
| 1625 | New insights on thrombolytic treatment of acute ischemic stroke. <i>Current Neurology and Neuroscience Reports</i> , 2001, 1, 19-25. | 2.0 | 7 |
| 1626 | MRImaging Findings after Ventricular Puncture in Patients with SAH. <i>Acta Neurochirurgica</i> , 2001, 143, 1133-1140. | 0.9 | 11 |
| 1627 | Pupillary Abnormality on Admission and Brain Bulging During Surgery as Unfavourable Predictors in Patients Treated with Hypothermia: A Retrospective Review of 81 Patients with Severe Head Injury. <i>Acta Neurochirurgica</i> , 2001, 143, 1229-1235. | 0.9 | 2 |
| 1628 | Evoked Potentials in Acute Head Injured Patients with MRI-Detected Intracerebral Lesions. <i>Acta Neurochirurgica</i> , 2001, 143, 873-883. | 0.9 | 12 |
| 1629 | Sphenoid Wing Meningioma en Plaque: A Clinical Review. <i>Acta Neurochirurgica</i> , 2001, 143, 749-758. | 0.9 | 92 |
| 1630 | Intracranial Hemangiopericytoma: Study of 12 Cases. <i>Acta Neurochirurgica</i> , 2001, 143, 575-586. | 0.9 | 119 |
| 1631 | Severe traumatic brain injury. <i>Resuscitation</i> , 2001, 48, 77-90. | 1.3 | 152 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1632 | Serum levels of the brain-derived proteins S-100 and NSE predict long-term outcome after cardiac arrest. <i>Resuscitation</i> , 2001, 49, 183-191. | 1.3 | 177 |
| 1633 | Spontaneous subarachnoid haemorrhage as a cause of out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2001, 51, 27-32. | 1.3 | 579 |
| 1634 | The CRASH trial protocol (Corticosteroid randomisation after significant head injury) [74459797]. <i>BMC Emergency Medicine</i> , 2001, 1, 1. | 0.7 | 21 |
| 1635 | Treatment of aneurysmal subarachnoid haemorrhage in elderly patients. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2001, 26, 247-256. | 0.7 | 12 |
| 1636 | An outcome study of severe traumatic head injury using the "Lund therapy" with low-dose prostacyclin. <i>Acta Anaesthesiologica Scandinavica</i> , 2001, 45, 402-406. | 0.7 | 110 |
| 1637 | Coping strategies in patients following subarachnoid haemorrhage. <i>Acta Neurologica Scandinavica</i> , 2001, 104, 148-155. | 1.0 | 11 |
| 1638 | Asthenic-emotional disorder after aneurysmal SAH: reliability, symptomatology and relation to outcome. <i>Acta Neurologica Scandinavica</i> , 2001, 103, 379-385. | 1.0 | 34 |
| 1639 | Construction of a single global scale for multi-item assessments of the same variable. <i>Statistics in Medicine</i> , 2001, 20, 3831-3846. | 0.8 | 67 |
| 1640 | Apolipoprotein E phenotype and the efficacy of intravenous tissue plasminogen activator in acute ischemic stroke. <i>Annals of Neurology</i> , 2001, 49, 736-744. | 2.8 | 54 |
| 1641 | Traumatic Brain Injury Outcome in Older Adults: A Critical Review of the Literature. <i>Journal of Clinical Geropsychology</i> , 2001, 7, 161-187. | 0.7 | 28 |
| 1642 | Surgical treatment of thalamic hematomas via the contralateral transcallosal approach. <i>Neurosurgical Review</i> , 2001, 24, 108-113. | 1.2 | 8 |
| 1644 | Cerebral aneurysms in childhood. <i>Child's Nervous System</i> , 2001, 17, 37-41. | 0.6 | 41 |
| 1645 | Intrathecal administration of nicardipine hydrochloride to prevent vasospasm in patients with subarachnoid hemorrhage. <i>Neurosurgical Review</i> , 2001, 24, 180-184. | 1.2 | 47 |
| 1646 | Influence of intraventricular hemorrhage on outcome after rupture of intracranial aneurysm. <i>Neurosurgical Review</i> , 2001, 24, 185-191. | 1.2 | 67 |
| 1647 | The Use of Clinical Scales in Depicting Cerebrovascular Complications in Bacterial Meningitis. <i>Journal of Neuroimaging</i> , 2001, 11, 25-29. | 1.0 | 10 |
| 1648 | Efficacy of prehospital critical care teams for severe blunt head injury in the Australian setting. <i>Injury</i> , 2001, 32, 455-460. | 0.7 | 39 |
| 1649 | Outcomes of open versus closed treatment of mandibular subcondylar fractures. <i>Journal of Oral and Maxillofacial Surgery</i> , 2001, 59, 370-375. | 0.5 | 195 |
| 1650 | The comparative impact of video-consultation on neurosurgical health services. <i>International Journal of Medical Informatics</i> , 2001, 62, 175-180. | 1.6 | 21 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1651 | POST-TRAUMATIC CEREBRAL INFARCTION. Neuroimaging findings, etiology and outcome. Acta Radiologica, 2001, 42, 254-260. | 0.5 | 38 |
| 1652 | Astroglial Protein S-100 Is an Early and Sensitive Marker of Hypoxic Brain Damage and Outcome After Cardiac Arrest in Humans. Circulation, 2001, 103, 2694-2698. | 1.6 | 688 |
| 1653 | A practical outcome scale for paediatric head injury. Archives of Disease in Childhood, 2001, 84, 120-124. | 1.0 | 117 |
| 1654 | Cognitive and adaptive outcomes and age at insult effects after non-traumatic coma. Archives of Disease in Childhood, 2001, 84, 200-204. | 1.0 | 22 |
| 1655 | The medicolegal aspects of automatism in mild head injury. British Journal of Sports Medicine, 2001, 35, 288-290. | 3.1 | 4 |
| 1656 | Adult respiratory distress syndrome: a complication of induced hypertension after severe head injury. Journal of Neurosurgery, 2001, 95, 560-568. | 0.9 | 290 |
| 1657 | Rehabilitation after traumatic brain injury. Trauma, 2001, 3, 193-204. | 0.2 | 11 |
| 1658 | Cerebral Autoregulation and Outcome in Acute Brain Injury. Biological Research for Nursing, 2001, 2, 175-185. | 1.0 | 31 |
| 1659 | Hyperthermia After Cardiac Arrest Is Associated With an Unfavorable Neurologic Outcome. Archives of Internal Medicine, 2001, 161, 2007. | 4.3 | 398 |
| 1660 | Intracranial pressure and surgical decompression for traumatic brain injury: Biological rationale and protocol for a randomized clinical trial. Neurological Research, 2001, 23, 277-290. | 0.6 | 40 |
| 1661 | Development of a Novel, Weighted, Quantifiable Stroke Scale. Stroke, 2001, 32, 1800-1807. | 1.0 | 49 |
| 1662 | Defining Acute Mild Head Injury in Adults: A Proposal Based on Prognostic Factors, Diagnosis, and Management. Journal of Neurotrauma, 2001, 18, 657-664. | 1.7 | 243 |
| 1663 | Functional Status Examination: A New Instrument for Assessing Outcome in Traumatic Brain Injury. Journal of Neurotrauma, 2001, 18, 127-140. | 1.7 | 167 |
| 1664 | Basal ganglia hematomas in severely head injured patients: clinicoradiological analysis of 37 cases. Journal of Neurosurgery, 2001, 94, 224-232. | 0.9 | 40 |
| 1665 | Efficacy of controlled-release papaverine pellets in preventing symptomatic cerebral vasospasm. Journal of Neurosurgery, 2001, 95, 44-50. | 0.9 | 36 |
| 1666 | Altered Cellular Metabolism Following Traumatic Brain Injury: A Magnetic Resonance Spectroscopy Study. Journal of Neurotrauma, 2001, 18, 231-240. | 1.7 | 92 |
| 1667 | Calcium Antagonists for Ischemic Stroke. Stroke, 2001, 32, 570-576. | 1.0 | 156 |
| 1668 | Performance in motor sports. British Journal of Sports Medicine, 2001, 35, 290-291. | 3.1 | 32 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1669 | Ischemic stroke outcome. <i>Neurology</i> , 2001, 57, 691-697. | 1.5 | 31 |
| 1670 | EARLY REHABILITATION AFTER SEVERE BRAIN INJURY: A FRENCH PERSPECTIVE. <i>Journal of Rehabilitation Medicine</i> , 2001, 33, 99-109. | 0.8 | 17 |
| 1671 | Head injuries in skiers: an analysis of injury severity and outcome. <i>Brain Injury</i> , 2001, 15, 429-434. | 0.6 | 22 |
| 1672 | Trends over time in the management of subarachnoid haemorrhage in Newcastle: review of 1609 patients. <i>British Journal of Neurosurgery</i> , 2001, 15, 388-395. | 0.4 | 42 |
| 1673 | Psychosocial functioning during the year following severe traumatic brain injury. <i>Brain Injury</i> , 2001, 15, 683-696. | 0.6 | 171 |
| 1674 | Neurobehavioral Symptoms in Childhood Closed-Head Injuries: Changes in Prevalence and Correlates During the First Year Postinjury. <i>Journal of Pediatric Psychology</i> , 2001, 26, 79-91. | 1.1 | 80 |
| 1675 | Prediction of neuropsychiatric outcome following mild trauma brain injury: an examination of the Glasgow Coma Scale. <i>Brain Injury</i> , 2001, 15, 489-497. | 0.6 | 72 |
| 1676 | Sertraline to improve arousal and alertness in severe traumatic brain injury secondary to motor vehicle crashes. <i>Brain Injury</i> , 2001, 15, 321-331. | 0.6 | 87 |
| 1677 | The neurobehavioural rating scale-revised: sensitivity and validity in closed head injury assessment. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001, 71, 643-651. | 0.9 | 70 |
| 1678 | Neuropathology in vegetative and severely disabled patients after head injury. <i>Neurology</i> , 2001, 56, 486-490. | 1.5 | 168 |
| 1679 | Fixed and dilated pupils after trauma, stroke, and previous intracranial surgery: management and outcome. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001, 71, 175-181. | 0.9 | 60 |
| 1680 | Pediatric cerebral aneurysms. <i>Journal of Neurosurgery</i> , 2001, 94, 733-739. | 0.9 | 157 |
| 1681 | Lack of Effect of Induction of Hypothermia after Acute Brain Injury. <i>New England Journal of Medicine</i> , 2001, 344, 556-563. | 13.9 | 1,462 |
| 1682 | The structural basis of moderate disability after traumatic brain damage. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001, 71, 521-524. | 0.9 | 52 |
| 1683 | Carbon dioxide reactivity, pressure autoregulation, and metabolic suppression reactivity after head injury: a transcranial Doppler study. <i>Journal of Neurosurgery</i> , 2001, 95, 222-232. | 0.9 | 97 |
| 1684 | Surgery on a saccular vertebral artery posterior inferior cerebellar artery aneurysm via the transcondylar fossa (supracondylar transjugular tubercle) approach or the transcondylar approach: surgical results and indications for using two different lateral skull base approaches. <i>Journal of Neurosurgery</i> , 2001, 95, 268-274. | 0.9 | 74 |
| 1685 | Role of dural fenestrations in acute subdural hematoma. <i>Journal of Neurosurgery</i> , 2001, 95, 263-267. | 0.9 | 21 |
| 1686 | Health-related quality of life after subarachnoid hemorrhage: impacts of bleeding severity, computerized tomography findings, vasospasm, surgery, and neurological grade. <i>Journal of Neurosurgery</i> , 2001, 94, 241-251. | 0.9 | 112 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1687 | Cerebral hemodynamic impairment after aneurysmal subarachnoid hemorrhage as evaluated using transcranial Doppler ultrasonography: relationship to delayed cerebral ischemia and clinical outcome. <i>Journal of Neurosurgery</i> , 2001, 95, 393-401. | 0.9 | 75 |
| 1688 | Endovascular treatment with Guglielmi detachable coils for basilar artery trunk aneurysms: clinical experience with 41 aneurysms in 39 patients. <i>Journal of Neurosurgery</i> , 2001, 95, 624-632. | 0.9 | 87 |
| 1689 | Combined endovascular treatment of dissecting vertebral artery aneurysms by using stents and coils. <i>Journal of Neurosurgery</i> , 2001, 94, 427-432. | 0.9 | 141 |
| 1690 | Prediction of Outcome in Mild to Moderate Head Injury: A Review. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2001, 23, 837-851. | 0.8 | 66 |
| 1691 | Neuropsychological functioning during the year following severe traumatic brain injury. <i>Brain Injury</i> , 2001, 15, 283-296. | 0.6 | 72 |
| 1692 | Determination of threshold levels of cerebral perfusion pressure and intracranial pressure in severe head injury by using receiver operating characteristic curves: an observational study in 291 patients. <i>Journal of Neurosurgery</i> , 2001, 94, 412-416. | 0.9 | 141 |
| 1693 | Markers for Cell-Mediated Immune Response Are Elevated in Cerebrospinal Fluid and Serum After Severe Traumatic Brain Injury in Humans. <i>Journal of Neurotrauma</i> , 2001, 18, 479-489. | 1.7 | 71 |
| 1694 | Evaluation of the Traumatic Coma Data Bank Computed Tomography Classification for Severe Head Injury. <i>Journal of Neurotrauma</i> , 2001, 18, 649-655. | 1.7 | 55 |
| 1695 | Validity and Sensitivity to Change of the Extended Glasgow Outcome Scale in Mild to Moderate Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2001, 18, 575-584. | 1.7 | 149 |
| 1696 | Intrathecal Levels of Complement-Derived Soluble Membrane Attack Complex (sC5b-9) Correlate with Blood-Brain Barrier Dysfunction in Patients with Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2001, 18, 773-781. | 1.7 | 138 |
| 1697 | Hypothermia on Admission in Patients with Severe Brain Injury. <i>Journal of Neurotrauma</i> , 2002, 19, 293-301. | 1.7 | 136 |
| 1698 | Progressive hemorrhage after head trauma: predictors and consequences of the evolving injury. <i>Journal of Neurosurgery</i> , 2002, 96, 109-116. | 0.9 | 374 |
| 1699 | Misclassification and Treatment Effect on Primary Outcome Measures in Clinical Trials of Severe Neurotrauma. <i>Journal of Neurotrauma</i> , 2002, 19, 17-22. | 1.7 | 50 |
| 1700 | Decreased length of stay, cost savings and descriptive findings of enhanced patient care resulting from an integrated traumatic brain injury programme. <i>Brain Injury</i> , 2002, 16, 537-554. | 0.6 | 54 |
| 1701 | Immediate administration of tranexamic acid and reduced incidence of early rebleeding after aneurysmal subarachnoid hemorrhage: a prospective randomized study. <i>Journal of Neurosurgery</i> , 2002, 97, 771-778. | 0.9 | 303 |
| 1702 | The minimally conscious state. <i>Neurology</i> , 2002, 58, 349-353. | 1.5 | 2,824 |
| 1703 | Brain injury: quality of life's greatest challenge. <i>Brain Injury</i> , 2002, 16, 837-848. | 0.6 | 53 |
| 1704 | The coagulopathy in acute head injury: comparison of cerebral versus peripheral measurements of haemostatic activation markers. <i>British Journal of Neurosurgery</i> , 2002, 16, 362-369. | 0.4 | 29 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1705 | Outcome following intracerebral hemorrhage and subarachnoid hemorrhage. Neurological Research, 2002, 24, 58-62. | 0.6 | 46 |
| 1706 | Outcome of Traumatic Brain Injuries in 1,508 Patients: Impact of Prehospital Care. Journal of Neurotrauma, 2002, 19, 855-868. | 1.7 | 44 |
| 1707 | Surgical decompression for cerebral oedema in acute ischaemic stroke. , 2002, , CD003435. | | 26 |
| 1708 | Mild Therapeutic Hypothermia to Improve the Neurologic Outcome after Cardiac Arrest. New England Journal of Medicine, 2002, 346, 549-556. | 13.9 | 6,963 |
| 1709 | Increases in GABA concentrations during cerebral ischaemia: a microdialysis study of extracellular amino acids. Journal of Neurology, Neurosurgery and Psychiatry, 2002, 72, 99-105. | 0.9 | 58 |
| 1710 | Improving the Assessment of Outcomes in Stroke. Stroke, 2002, 33, 2243-2246. | 1.0 | 637 |
| 1711 | Emergency craniotomy in patients worsening due to expanded cerebral hematoma. Neurology, 2002, 58, 1367-1372. | 1.5 | 78 |
| 1712 | What advice should we give to athletes postconcussion?. British Journal of Sports Medicine, 2002, 36, 316-318. | 3.1 | 26 |
| 1713 | Minor head injury as cause and co-factor in the aetiology of stroke in childhood: a report of eight cases. Journal of Neurology, Neurosurgery and Psychiatry, 2002, 73, 13-16. | 0.9 | 88 |
| 1714 | Tolerability of bolus versus continuous gastric feeding in brain-injured patients. Neurological Research, 2002, 24, 613-620. | 0.6 | 91 |
| 1715 | Effects of Hypertonic (10%) Saline in Patients With Raised Intracranial Pressure After Stroke. Stroke, 2002, 33, 136-140. | 1.0 | 205 |
| 1716 | Prognostic value of SSEP in early aneurysm surgery after SAH in poor-grade patients. Neurological Research, 2002, 24, 756-764. | 0.6 | 10 |
| 1717 | Regional differences in patient characteristics, case management, and outcomes in traumatic brain injury: experience from the tirilazad trials. Journal of Neurosurgery, 2002, 97, 549-557. | 0.9 | 95 |
| 1718 | Subarachnoid hemorrhage caused by a dissecting aneurysm of the internal carotid artery. Journal of Neurosurgery, 2002, 97, 576-583. | 0.9 | 55 |
| 1719 | Temporary arterial occlusion in the repair of ruptured intracranial aneurysms: an analysis of risk factors for stroke. Journal of Neurosurgery, 2002, 97, 836-842. | 0.9 | 51 |
| 1720 | Complementary management of partially occluded aneurysms by using surgical or endovascular therapy. Journal of Neurosurgery, 2002, 97, 843-850. | 0.9 | 28 |
| 1721 | Effectiveness of neurosurgical clip application in patients with aneurysmal subarachnoid hemorrhage. Journal of Neurosurgery, 2002, 97, 1036-1041. | 0.9 | 30 |
| 1722 | Improving the prediction of outcome in severe acute closed head injury by using discriminant function analysis of normal auditory brainstem response latencies and amplitudes. Journal of Neurosurgery, 2002, 97, 1062-1069. | 0.9 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1723 | Free fatty acids in human cerebrospinal fluid following subarachnoid hemorrhage and their potential role in vasospasm: a preliminary observation. <i>Journal of Neurosurgery</i> , 2002, 97, 272-279. | 0.9 | 48 |
| 1724 | Plasma endothelin and big endothelin concentrations and serum endothelin-converting enzyme activity following aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2002, 97, 1287-1293. | 0.9 | 50 |
| 1725 | Ultra-early surgery for aneurysmal subarachnoid hemorrhage: outcomes for a consecutive series of 391 patients not selected by grade or age. <i>Journal of Neurosurgery</i> , 2002, 97, 250-258. | 0.9 | 124 |
| 1726 | Tissue Plasminogen Activator in Cardiac Arrest with Pulseless Electrical Activity. <i>New England Journal of Medicine</i> , 2002, 346, 1522-1528. | 13.9 | 183 |
| 1727 | Early and persistent impaired percent alpha variability on continuous electroencephalography monitoring as predictive of poor outcome after traumatic brain injury. <i>Journal of Neurosurgery</i> , 2002, 97, 84-92. | 0.9 | 118 |
| 1728 | Dynamic autoregulatory response after severe head injury. <i>Journal of Neurosurgery</i> , 2002, 97, 1054-1061. | 0.9 | 76 |
| 1729 | Endovascular treatment of giant and large intracranial aneurysms by using a combination of stent placement and liquid polymer injection. <i>Journal of Neurosurgery</i> , 2002, 96, 474-482. | 0.9 | 147 |
| 1730 | Guglielmi Detachable Coil Embolization of Posterior Circulation Aneurysms. <i>Stroke</i> , 2002, 33, 2509-2518. | 1.0 | 112 |
| 1731 | Tumors of the skull base in children: review of tumor types and management strategies. <i>Neurosurgical Focus</i> , 2002, 12, 1-13. | 1.0 | 72 |
| 1732 | Prognosis of severe head injury: an experience in Thailand. <i>British Journal of Neurosurgery</i> , 2002, 16, 487-493. | 0.4 | 15 |
| 1733 | Evaluation of individual and group changes in social outcome after aneurysmal subarachnoid haemorrhage: a long-term follow-up study. <i>Journal of Rehabilitation Medicine</i> , 2002, 34, 251-259. | 0.8 | 31 |
| 1734 | Magnesium sulfate therapy after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2002, 96, 510-514. | 0.9 | 183 |
| 1735 | Management of Carotid Artery Invasion in Advanced Malignancies of Head and Neck Comparison of Techniques. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2002, 111, 772-777. | 0.6 | 17 |
| 1736 | Increased levels of lipid peroxides as predictive of symptomatic vasospasm and poor outcome after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2002, 97, 1302-1305. | 0.9 | 43 |
| 1737 | Endovascular Treatment of Ruptured Intracranial Aneurysms in Patients Aged 65 Years and Older. <i>Stroke</i> , 2002, 33, 2620-2625. | 1.0 | 94 |
| 1738 | Head injury outcome prediction in the emergency department: a role for protein S-100B?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2002, 73, 542-546. | 0.9 | 80 |
| 1739 | Non-Atherosclerotic Fusiform Cerebral Aneurysms. <i>Canadian Journal of Neurological Sciences</i> , 2002, 29, 41-48. | 0.3 | 37 |
| 1740 | Intracranial Aneurysms: The Surgical and Endovascular Approach. , 2002, , 1154-1216. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1741 | Ruptured aneurysm on a double origin of the posterior inferior cerebellar artery: a pathological entity in an anatomical variation. <i>Journal of Neurosurgery</i> , 2002, 96, 127-131. | 0.9 | 41 |
| 1742 | Outcome measures for clinical trials in neurotrauma. <i>Neurosurgical Focus</i> , 2002, 13, 1-11. | 1.0 | 48 |
| 1743 | Reoperation for Acute Hemispheric Stroke after Carotid Endarterectomy: Is There Any Value?. <i>Neurosurgery</i> , 2002, 50, 486-493. | 0.6 | 0 |
| 1744 | Dissecting Aneurysms of Intracranial Carotid Circulation. <i>Stroke</i> , 2002, 33, 941-947. | 1.0 | 102 |
| 1745 | Late Recurrence of Subarachnoid Hemorrhage Due to Regrowth of Aneurysm After Neck Clipping Surgery. Four Case Reports.. <i>Neurologia Medico-Chirurgica</i> , 2002, 42, 496-500. | 1.0 | 23 |
| 1746 | Post-Operative Monitoring of Cortical Taurine in Patients with Subarachnoid Hemorrhage: A Microdialysis Study. <i>Advances in Experimental Medicine and Biology</i> , 2002, 483, 595-603. | 0.8 | 7 |
| 1747 | Coiling of Ruptured Pericallosal Artery Aneurysms. <i>Neurosurgery</i> , 2002, 50, 11-15. | 0.6 | 53 |
| 1748 | Cerebral Extraction of Oxygen and Intracranial Hypertension in Severe, Acute, Pediatric Brain Trauma: Preliminary Novel Management Strategies. <i>Neurosurgery</i> , 2002, 50, 774-780. | 0.6 | 52 |
| 1749 | Cranio-cerebral Gunshot Wounds. <i>Neurosurgery Quarterly</i> , 2002, 12, 1-18. | 0.1 | 19 |
| 1750 | Neurodevelopmental outcome of young pediatric intensive care survivors of serious brain injury*. <i>Pediatric Critical Care Medicine</i> , 2002, 3, 345-350. | 0.2 | 34 |
| 1751 | Traumatic Subarachnoid Hemorrhage: Demographic and Clinical Study of 750 Patients from the European Brain Injury Consortium Survey of Head Injuries. <i>Neurosurgery</i> , 2002, 50, 261-269. | 0.6 | 101 |
| 1752 | Major Clinical and Physiological Benefits of Early High Doses of Mannitol for Intraparenchymal Temporal Lobe Hemorrhages with Abnormal Pupillary Widening: A Randomized Trial. <i>Neurosurgery</i> , 2002, 51, 628-638. | 0.6 | 62 |
| 1753 | Microsurgical Fenestration of the Lamina Terminalis Reduces the Incidence of Shunt-dependent Hydrocephalus after Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2002, 51, 1403-1413. | 0.6 | 71 |
| 1754 | Reoperation for Acute Hemispheric Stroke after Carotid Endarterectomy: Is There Any Value?. <i>Neurosurgery</i> , 2002, 50, 486-493. | 0.6 | 18 |
| 1755 | Prognostic Significance of Hypernatremia and Hyponatremia among Patients with Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2002, 50, 749-756. | 0.6 | 215 |
| 1756 | Endovascular Treatment for Poorest-grade Subarachnoid Hemorrhage in the Acute Stage: Has the Outcome Been Improved?. <i>Neurosurgery</i> , 2002, 50, 1199-1206. | 0.6 | 25 |
| 1757 | Clinical and Radiographic Outcome in the Management of Posterior Circulation Aneurysms by Use of Direct Surgical or Endovascular Techniques. <i>Neurosurgery</i> , 2002, 51, 14-22. | 0.6 | 89 |
| 1758 | Coiling of Ruptured Pericallosal Artery Aneurysms. <i>Neurosurgery</i> , 2002, 50, 11-15. | 0.6 | 37 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1759 | Endovascular Treatment for Poorest-grade Subarachnoid Hemorrhage in the Acute Stage: Has the Outcome Been Improved?. Neurosurgery, 2002, 50, 1199-1206. | 0.6 | 23 |
| 1760 | Basilar Apex Aneurysms: Surgical Results and Perspectives from an Initial Experience. Neurosurgery, 2002, 50, 1-10. | 0.6 | 7 |
| 1761 | Treatment of acute traumatic brain injury in children with moderate hypothermia improves intracranial hypertension. Critical Care Medicine, 2002, 30, 2742-2751. | 0.4 | 170 |
| 1762 | Role of Frameless Stereotaxy in the Surgical Treatment of Cerebral Arteriovenous Malformations: Technique and Outcomes in a Controlled Study of 44 Consecutive Patients. Neurosurgery, 2002, 51, 1108-1118. | 0.6 | 47 |
| 1763 | Penetrating Missile Head Injuries: Personal Experiences During the Lebanese Conflict. Neurosurgery Quarterly, 2002, 12, 299-306. | 0.1 | 1 |
| 1764 | Traumatic Subarachnoid Hemorrhage: Demographic and Clinical Study of 750 Patients from the European Brain Injury Consortium Survey of Head Injuries. Neurosurgery, 2002, 50, 261-269. | 0.6 | 99 |
| 1765 | Cerebral Perfusion before and after Endovascular or Surgical Treatment of Acutely Ruptured Cerebral Aneurysms: A 1-Year Prospective Follow-up Study. Neurosurgery, 2002, 51, 312-326. | 0.6 | 19 |
| 1766 | Early Endovascular Treatment of Ruptured Cerebral Aneurysms in Patients in Very Poor Neurological Condition. Neurosurgery, 2002, 50, 457-465. | 0.6 | 6 |
| 1767 | Volumetric Stereotaxy and the Supratentorial Occipitosubtemporal Approach in the Resection of Posterior Hippocampus and Parahippocampal Gyrus Lesions. Neurosurgery, 2002, 50, 978-988. | 0.6 | 2 |
| 1768 | Continuous monitoring of cerebrovascular pressure reactivity allows determination of optimal cerebral perfusion pressure in patients with traumatic brain injury. Critical Care Medicine, 2002, 30, 733-738. | 0.4 | 646 |
| 1769 | Bedside microdialysis: A tool to monitor cerebral metabolism in subarachnoid hemorrhage patients?*. Critical Care Medicine, 2002, 30, 1062-1070. | 0.4 | 181 |
| 1770 | Standardized Outcome Evaluation after Blunt Multiple Injuries by Scoring Systems: A Clinical Follow-Up Investigation 2 Years after Injury. Journal of Trauma, 2002, 52, 1160-1168. | 2.3 | 75 |
| 1771 | Basilar Apex Aneurysms: Surgical Results and Perspectives from an Initial Experience. Neurosurgery, 2002, 50, 1-10. | 0.6 | 156 |
| 1772 | Early Endovascular Treatment of Ruptured Cerebral Aneurysms in Patients in Very Poor Neurological Condition. Neurosurgery, 2002, 50, 457-465. | 0.6 | 66 |
| 1773 | Volumetric Stereotaxy and the Supratentorial Occipitosubtemporal Approach in the Resection of Posterior Hippocampus and Parahippocampal Gyrus Lesions. Neurosurgery, 2002, 50, 978-988. | 0.6 | 21 |
| 1774 | Cerebral Perfusion before and after Endovascular or Surgical Treatment of Acutely Ruptured Cerebral Aneurysms: A 1-Year Prospective Follow-up Study. Neurosurgery, 2002, 51, 312-326. | 0.6 | 18 |
| 1775 | Hypertonic versus isotonic crystalloid for fluid resuscitation in critically ill patients. , 2002, , CD002045. | | 13 |
| 1776 | A COMPARISON OF ALCOHOL SCREENING INSTRUMENTS AMONG UNDER-AGED DRINKERS TREATED IN EMERGENCY DEPARTMENTS. Alcohol and Alcoholism, 2002, 37, 444-450. | 0.9 | 60 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1777 | Ultra-early surgery for aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2002, 97, 247-249. | 0.9 | 8 |
| 1778 | Effect of apolipoprotein E genotype on hematoma volume after trauma. <i>Journal of Neurosurgery</i> , 2002, 96, 90-96. | 0.9 | 105 |
| 1779 | Effects of Induced Hypertension on Intracranial Pressure and Flow Velocities of the Middle Cerebral Arteries in Patients With Large Hemispheric Stroke. <i>Stroke</i> , 2002, 33, 998-1004. | 1.0 | 96 |
| 1780 | Nutritional support for head-injured patients. , 2002, , CD001530. | | 21 |
| 1781 | Endovascular Treatment of Intracranial Aneurysms With Guglielmi Detachable Coils. <i>Stroke</i> , 2002, 33, 210-217. | 1.0 | 166 |
| 1782 | Combined Clinical and Imaging Information as an Early Stroke Outcome Measure. <i>Stroke</i> , 2002, 33, 466-472. | 1.0 | 75 |
| 1783 | Anatomical and Clinical Outcomes after Endovascular Treatment for Unruptured Cerebral Aneurysms. <i>Interventional Neuroradiology</i> , 2002, 8, 367-376. | 0.7 | 13 |
| 1784 | A Population-Based Study of Brain Arteriovenous Malformation. <i>Stroke</i> , 2002, 33, 2794-2800. | 1.0 | 199 |
| 1785 | Sensory stimulation for brain injured individuals in coma or vegetative state. <i>The Cochrane Library</i> , 2002, , CD001427. | 1.5 | 37 |
| 1786 | Direct Costs of Modern Treatment of Aneurysmal Subarachnoid Hemorrhage in the First Year After Diagnosis. <i>Stroke</i> , 2002, 33, 1595-1599. | 1.0 | 74 |
| 1787 | Retrospective Assessment of Rehabilitation Outcome After Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2002, 17, 510-525. | 1.0 | 10 |
| 1788 | Quality-of-Life Assessment in Neurosurgical Patients. <i>Neurosurgery Quarterly</i> , 2002, 12, 132-141. | 0.1 | 7 |
| 1789 | Caregiver Burden During the Year Following Severe Traumatic Brain Injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2002, 24, 434-447. | 0.8 | 124 |
| 1790 | Predicting recovery in patients suffering from traumatic brain injury by using admission variables and physiological data: a comparison between decision tree analysis and logistic regression. <i>Journal of Neurosurgery</i> , 2002, 97, 326-336. | 0.9 | 191 |
| 1791 | Sensory stimulation of brain-injured individuals in coma or vegetative state: results of a Cochrane systematic review. <i>Clinical Rehabilitation</i> , 2002, 16, 464-472. | 1.0 | 116 |
| 1792 | When should we operate on major fractures in patients with severe head injuries?. <i>American Journal of Surgery</i> , 2002, 183, 261-267. | 0.9 | 77 |
| 1793 | Surgical management of aneurysms of the bifurcation of the internal carotid artery. <i>Clinical Neurology and Neurosurgery</i> , 2002, 104, 103-114. | 0.6 | 33 |
| 1794 | Tratamiento quirúrgico de los aneurismas de la arteria comunicante anterior basado en el estudio de angio-TAC con reconstrucción tridimensional y sin angiografía preoperatoria. <i>Neurocirugía</i> , 2002, 13, 446-454. | 0.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1795 | Effects of Body Position on Intracranial Pressure and Cerebral Perfusion in Patients With Large Hemispheric Stroke. <i>Stroke</i> , 2002, 33, 497-501. | 1.0 | 194 |
| 1796 | Trauma to the pontomesencephalic brainstem—a major clue to the prognosis of severe traumatic brain injury. <i>British Journal of Neurosurgery</i> , 2002, 16, 256-260. | 0.4 | 35 |
| 1797 | Early S-100B serum level correlates to quality of life in patients after severe head injury. <i>Brain Injury</i> , 2002, 16, 807-816. | 0.6 | 30 |
| 1798 | The Glasgow Coma Scale: History and current practice. <i>Trauma</i> , 2002, 4, 91-103. | 0.2 | 27 |
| 1799 | Early seizures following non-penetrating traumatic brain injury in adults: risk factors and clinical significance. <i>Brain Injury</i> , 2002, 16, 323-330. | 0.6 | 56 |
| 1800 | Identification of rehabilitation problems after head injury. <i>Brain Injury</i> , 2002, 16, 1057-1063. | 0.6 | 9 |
| 1801 | Comparison of the predictive power of socio-economic variables, severity of injury and age on long-term outcome of traumatic brain injury: sample-specific variables versus factors as predictors. <i>Brain Injury</i> , 2002, 16, 9-27. | 0.6 | 86 |
| 1802 | Traumatic encephalocele related to orbital roof fractures: report of six cases and literature review. <i>World Neurosurgery</i> , 2002, 57, 117-125. | 1.3 | 62 |
| 1803 | Civilian infratentorial gunshot injuries: outcome analysis of 26 patients. <i>World Neurosurgery</i> , 2002, 58, 225-232. | 1.3 | 12 |
| 1804 | Nonrandomized studies of rehabilitation for traumatic brain injury: Can they determine effectiveness?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002, 83, 1235-1244. | 0.5 | 40 |
| 1805 | Thrombolysis for acute ischemic stroke: Future directions. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2002, 11, 183-196. | 0.7 | 1 |
| 1806 | Treatment of ruptured anterior circulation aneurysm based on computerized tomography angiography: surgical results and indications for additional digital subtraction angiography. <i>Journal of Clinical Neuroscience</i> , 2002, 9, 22-29. | 0.8 | 14 |
| 1807 | Talked and deteriorated head injury patients: how many poor outcomes can be avoided?. <i>Journal of Clinical Neuroscience</i> , 2002, 9, 640-643. | 0.8 | 21 |
| 1808 | Aggressive surgical treatment of elderly patients following subarachnoid haemorrhage: management outcome results. <i>Journal of Clinical Neuroscience</i> , 2002, 9, 404-410. | 0.8 | 32 |
| 1809 | Impact of early endovascular aneurysmal occlusion on outcome of patients in poor grade after subarachnoid haemorrhage: a prospective, consecutive study. <i>Journal of Clinical Neuroscience</i> , 2002, 9, 648-652. | 0.8 | 12 |
| 1811 | Early cognitive status and productivity outcome after traumatic brain injury: Findings from the TBI Model Systems. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002, 83, 183-192. | 0.5 | 150 |
| 1813 | Pre-embolization study of ruptured cerebral aneurysm with rotational and 3D reconstruction angiography. <i>International Congress Series</i> , 2002, 1247, 39-52. | 0.2 | 1 |
| 1814 | Tratamiento rehabilitador de los traumatismos craneoencefálicos en la fase aguda. <i>Rehabilitacion</i> , 2002, 36, 321-326. | 0.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1816 | Traumatismos craneoencefálicos. Escalas de valoración para la medida de resultados en rehabilitación. <i>Rehabilitación</i> , 2002, 36, 408-417. | 0.2 | 8 |
| 1817 | Cervical spine trauma associated with moderate and severe head injury: incidence, risk factors, and injury characteristics. <i>Journal of Neurosurgery: Spine</i> , 2002, 96, 285-291. | 0.9 | 116 |
| 1819 | Outcome of and Prognostic Factors for Herpes Simplex Encephalitis in Adult Patients: Results of a Multicenter Study. <i>Clinical Infectious Diseases</i> , 2002, 35, 254-260. | 2.9 | 433 |
| 1820 | Stereotactic fibrinolysis of spontaneous intracerebral hematoma using infusion of recombinant tissue plasminogen activator. <i>Arquivos De Neuro-Psiquiatria</i> , 2002, 60, 362-366. | 0.3 | 4 |
| 1821 | Prospective System Analysis of the Pre- and Early Hospital Care in Severe Head Injury in Bavaria at a Population-Based Level. <i>European Surgical Research</i> , 2002, 34, 42-46. | 0.6 | 7 |
| 1822 | Barbiturate coma for intracranial hypertension: Clinical observations. <i>Journal of Critical Care</i> , 2002, 17, 58-62. | 1.0 | 16 |
| 1823 | Prolonged intrathecal release of soluble Fas following severe traumatic brain injury in humans. <i>Journal of Neuroimmunology</i> , 2002, 122, 167-174. | 1.1 | 69 |
| 1824 | ERPs and behavioural indices of long-term preattentive and attentive deficits after closed head injury. <i>Neuropsychologia</i> , 2002, 40, 2350-2359. | 0.7 | 29 |
| 1825 | Comparison of MRI and electrophysiological studies for detecting brainstem lesions in traumatic brain injury. <i>Muscle and Nerve</i> , 2002, 26, 270-273. | 1.0 | 18 |
| 1826 | Carotid and cerebral angiography performed by cardiologists: Cerebrovascular complications. <i>Catheterization and Cardiovascular Interventions</i> , 2002, 55, 277-280. | 0.7 | 37 |
| 1827 | Induction of cell death by sera from patients with acute brain injury as a mechanism of production of autoantibodies. <i>Arthritis and Rheumatism</i> , 2002, 46, 3290-3300. | 6.7 | 19 |
| 1829 | Traumatic Brain Injury and Subarachnoid Hemorrhage: In Vivo Occult Pathology Demonstrated by Magnetic Resonance Spectroscopy may not be "Ischaemic". A Primary Study and Review of the Literature. <i>Acta Neurochirurgica</i> , 2002, 144, 853-862. | 0.9 | 58 |
| 1830 | Multiple Intracranial Hydatidosis. <i>Acta Neurochirurgica</i> , 2002, 144, 1179-1185. | 0.9 | 34 |
| 1831 | Trends in Subarachnoid Haemorrhage in Elderly Persons from Nagasaki, Japan: Analysis of the Nagasaki SAH Data Bank for Cerebral Aneurysm, 1989-1998. <i>Acta Neurochirurgica</i> , 2002, 144, 1133-1139. | 0.9 | 13 |
| 1832 | Basilar vasospasm following spontaneous and traumatic subarachnoid haemorrhage: clinical implications. <i>Acta Neurochirurgica</i> , 2002, 144, 137-144. | 0.9 | 38 |
| 1833 | The impact of initial management on the outcome of children with severe head injury. <i>Child's Nervous System</i> , 2002, 18, 54-60. | 0.6 | 34 |
| 1834 | Prognostic factors and outcome of children with severe head injury: an 8-year experience. <i>Child's Nervous System</i> , 2002, 18, 129-136. | 0.6 | 145 |
| 1835 | Volume-targeted therapy of increased intracranial pressure: the Lund concept unifies surgical and non-surgical treatments. <i>Acta Anaesthesiologica Scandinavica</i> , 2002, 46, 929-941. | 0.7 | 112 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1836 | Organic psychiatric disorders after aneurysmal SAH: outcome and associations with age, bleeding severity, and arterial hypertension. <i>Acta Neurologica Scandinavica</i> , 2002, 106, 8-18. | 1.0 | 14 |
| 1837 | Results of surgery for aneurysmal subarachnoid haemorrhage in northern Norway: a retrospective study with special focus on timing of surgery in a rural area. <i>Acta Neurologica Scandinavica</i> , 2002, 106, 355-360. | 1.0 | 7 |
| 1838 | Long-term intrathecal Baclofen infusion in supraspinal spasticity of adulthood. <i>Acta Neurologica Scandinavica</i> , 2002, 105, 83-87. | 1.0 | 34 |
| 1839 | Poststroke shoulder pain: a prospective study of the association and risk factors in 152 patients from a consecutive cohort of 205 patients presenting with stroke. <i>European Journal of Pain</i> , 2002, 6, 467-474. | 1.4 | 154 |
| 1840 | The Mures-Uzhgorod-Debrecen study: a comparison of hospital stroke services in Central-Eastern Europe. <i>European Journal of Neurology</i> , 2002, 9, 293-296. | 1.7 | 6 |
| 1841 | Cerebral vasospasm and ischaemic infarction in clipped and coiled intracranial aneurysm patients. <i>European Journal of Neurology</i> , 2002, 9, 389-399. | 1.7 | 44 |
| 1842 | Thrombolytic therapy after cardiac arrest and its effect on neurological outcome. <i>Resuscitation</i> , 2002, 52, 63-69. | 1.3 | 55 |
| 1843 | Acute subdural hematoma caused by ruptured cerebral aneurysms: diagnostic and therapeutic pitfalls. <i>Resuscitation</i> , 2002, 52, 71-76. | 1.3 | 61 |
| 1844 | Survivors of ventricular tachyarrhythmias due to a transient or reversible disorder have a high recurrence rate of lethal cardiac events. <i>Resuscitation</i> , 2002, 54, 237-243. | 1.3 | 13 |
| 1845 | Quality of life 6-months after cardiac arrest. <i>Resuscitation</i> , 2002, 55, 37-44. | 1.3 | 53 |
| 1846 | Elevated Intracranial IL-18 in Humans and Mice after Traumatic Brain Injury and Evidence of Neuroprotective Effects of IL-18 α Binding Protein after Experimental Closed Head Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002, 22, 971-978. | 2.4 | 163 |
| 1847 | Blood Flow Velocities in the Basal Cerebral Vein After Head Trauma: A Prospective Study in 82 Patients. <i>Journal of Neuroimaging</i> , 2002, 12, 325-329. | 1.0 | 7 |
| 1848 | Effects of therapeutic hypothermia on intracranial pressure and outcome in patients with severe head injury. <i>Intensive Care Medicine</i> , 2002, 28, 1563-1573. | 3.9 | 272 |
| 1849 | Specialist neurocritical care and outcome from head injury. <i>Intensive Care Medicine</i> , 2002, 28, 547-553. | 3.9 | 394 |
| 1850 | Prone position as prevention of lung injury in comatose patients: a prospective, randomized, controlled study. <i>Intensive Care Medicine</i> , 2002, 28, 564-569. | 3.9 | 122 |
| 1851 | Endovascular cooling with heat exchange catheters: a new method to induce and maintain hypothermia. <i>Intensive Care Medicine</i> , 2003, 29, 939-943. | 3.9 | 90 |
| 1852 | The functional outcome and quality of life of children after admission to an intensive care unit. <i>Intensive Care Medicine</i> , 2003, 29, 795-800. | 3.9 | 97 |
| 1853 | Effects of a Femoral Shaft Fracture on Multiply Injured Patients with a Head Injury. <i>World Journal of Surgery</i> , 2003, 27, 365-369. | 0.8 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1854 | Multitasking costs in close-head injury patients. <i>Experimental Brain Research</i> , 2003, 152, 29-41. | 0.7 | 10 |
| 1855 | Endovascular treatment of PICA aneurysms. <i>Neuroradiology</i> , 2003, 45, 188-192. | 1.1 | 53 |
| 1856 | Angiographic follow-up of vertebrobasilar artery aneurysms treated with detachable coils. <i>Neuroradiology</i> , 2003, 45, 435-440. | 1.1 | 13 |
| 1857 | Acute community-acquired bacterial meningitis in adults admitted to the intensive care unit: clinical manifestations, management and prognostic factors. <i>Intensive Care Medicine</i> , 2003, 29, 1967-1973. | 3.9 | 88 |
| 1858 | Follow-up after intensive care: a single center study. <i>Intensive Care Medicine</i> , 2003, 29, 2149-2156. | 3.9 | 74 |
| 1859 | Early decompressive craniotomy in children with severe traumatic brain injury. <i>Child's Nervous System</i> , 2003, 19, 666-673. | 0.6 | 148 |
| 1860 | Multiple trauma in pediatric patients. <i>Pediatric Surgery International</i> , 2003, 19, 417-423. | 0.6 | 73 |
| 1861 | Role of brain natriuretic peptide in cerebral vasospasm. <i>Acta Neurochirurgica</i> , 2003, 145, 851-860. | 0.9 | 67 |
| 1862 | Neuropsychological assessment after microsurgical clipping or endovascular treatment for anterior communicating artery aneurysm. <i>Acta Neurochirurgica</i> , 2003, 145, 867-872. | 0.9 | 83 |
| 1864 | The Ischemic Stroke Genetics Study (ISGS) Protocol. <i>BMC Neurology</i> , 2003, 3, 4. | 0.8 | 44 |
| 1865 | Psychological care in trauma patients. <i>Injury</i> , 2003, 34, 17-25. | 0.7 | 183 |
| 1867 | Recommended guidelines for uniform reporting of data from drowning: the Utstein style. <i>Resuscitation</i> , 2003, 59, 45-57. | 1.3 | 149 |
| 1868 | A different approach to missile induced head injuries. <i>Computerized Medical Imaging and Graphics</i> , 2003, 27, 397-409. | 3.5 | 9 |
| 1869 | In-hospital factors associated with improved outcome after out-of-hospital cardiac arrest. A comparison between four regions in Norway. <i>Resuscitation</i> , 2003, 56, 247-263. | 1.3 | 300 |
| 1870 | Cardiac arrest: long-term cognitive and imaging analysis. <i>Resuscitation</i> , 2003, 57, 287-297. | 1.3 | 44 |
| 1871 | Prognostic significance of SSEP, BAEP and serum S-100B monitoring after aneurysm surgery. <i>Acta Neurologica Scandinavica</i> , 2003, 108, 161-169. | 1.0 | 12 |
| 1872 | Major bleeding complications after cardiopulmonary resuscitation: impact of thrombolytic treatment. <i>Journal of Internal Medicine</i> , 2003, 253, 128-135. | 2.7 | 54 |
| 1873 | Posttraumatic Epilepsy: Neuroradiologic and Neuropsychological Assessment of Long-term Outcome. <i>Epilepsia</i> , 2003, 44, 569-574. | 2.6 | 78 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1874 | Fixation of femoral fractures in multiple-injury patients with combined chest and head injuries. ANZ Journal of Surgery, 2003, 73, 1018-1021. | 0.3 | 18 |
| 1875 | Energy Dysfunction as a Predictor of Outcome after Moderate or Severe Head Injury: Indices of Oxygen, Glucose, and Lactate Metabolism. Journal of Cerebral Blood Flow and Metabolism, 2003, 23, 1239-1250. | 2.4 | 284 |
| 1876 | Traumatic subarachnoid hemorrhage on the computerized tomography scan obtained at admission: a multicenter assessment of the accuracy of diagnosis and the potential impact on patient outcome. Journal of Neurosurgery, 2003, 98, 37-42. | 0.9 | 99 |
| 1877 | Recomendaciones de la 6.a Conferencia de Consenso de la SEMICYUC. Estado vegetativo persistente postanoxia en el adulto. Medicina Intensiva, 2003, 27, 544-555. | 0.4 | 6 |
| 1880 | Efectividad de la rehabilitación neuropsicológica en pacientes con daño cerebral adquirido: fundamentos y dificultades metodológicas en la investigación. Rehabilitacion, 2003, 37, 103-112. | 0.2 | 6 |
| 1881 | Symptomatic vasospasm and outcomes following aneurysmal subarachnoid hemorrhage: a comparison between surgical repair and endovascular coil occlusion. Journal of Neurosurgery, 2003, 98, 319-325. | 0.9 | 150 |
| 1882 | The prognostic value of evoked responses from primary somatosensory and auditory cortex in comatose patients. Clinical Neurophysiology, 2003, 114, 1615-1627. | 0.7 | 128 |
| 1883 | An fMRI study of executive functioning after severe diffuse TBI. Brain Injury, 2003, 17, 919-930. | 0.6 | 59 |
| 1884 | Brain tissue oxygen guided treatment supplementing ICP/ CPP therapy after traumatic brain injury. Journal of Neurology, Neurosurgery and Psychiatry, 2003, 74, 760-764. | 0.9 | 174 |
| 1885 | Neurologic complications of liver transplantation in adults. Neurology, 2003, 61, 1174-1178. | 1.5 | 135 |
| 1886 | Deep and brainstem cavernomas: a consecutive 8-year series. Journal of Neurosurgery, 2003, 99, 31-37. | 0.9 | 185 |
| 1887 | A prospective study of predictors of prolonged hospital stay and disability after stroke. Journal of Clinical Neuroscience, 2003, 10, 665-669. | 0.8 | 66 |
| 1889 | The effects on prognosis of surgical treatment of hypertensive putaminal hematomas through transsylvian transinsular approach. World Neurosurgery, 2003, 59, 176-183. | 1.3 | 44 |
| 1891 | Management of carotid artery injuries: Louisiana State University Shreveport experience. World Neurosurgery, 2003, 59, 184-190. | 1.3 | 21 |
| 1892 | Importance of neuropsychological evaluation after surgery in patients with unruptured cerebral aneurysms. World Neurosurgery, 2003, 59, 271-277. | 1.3 | 41 |
| 1893 | Analysis of ischemic brain damage in cases of acute subdural hematomas. World Neurosurgery, 2003, 59, 463-471. | 1.3 | 31 |
| 1894 | Brain and systemic temperature in patients with severe subarachnoid hemorrhage. World Neurosurgery, 2003, 60, 159-164. | 1.3 | 20 |
| 1895 | Randomized, pilot study of intermittent pneumatic compression devices plus dalteparin versus intermittent pneumatic compression devices plus heparin for prevention of venous thromboembolism in patients undergoing craniotomy. World Neurosurgery, 2003, 59, 362-371. | 1.3 | 93 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1896 | Apolipoprotein e ϵ 4 and the risk of unfavorable outcome after aneurysmal subarachnoid hemorrhage. <i>World Neurosurgery</i> , 2003, 60, 391-396. | 1.3 | 45 |
| 1897 | Outcome following moderate traumatic brain injury. <i>World Neurosurgery</i> , 2003, 60, 285-291. | 1.3 | 72 |
| 1898 | Outcome 3 to 5 years after moderate to severe traumatic brain injury ¹¹ No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003, 84, 1449-1457. | 0.5 | 431 |
| 1899 | Cognitive Structure of Executive Deficits in Frontally Lesioned Head Trauma Patients Performing Activities of Daily Living. <i>Cortex</i> , 2003, 39, 273-291. | 1.1 | 141 |
| 1900 | Recommended Guidelines for Uniform Reporting of Data From Drowning. <i>Circulation</i> , 2003, 108, 2565-2574. | 1.6 | 214 |
| 1901 | The Clinical Significance of Major Depression Following Mild Traumatic Brain Injury. <i>Psychosomatics</i> , 2003, 44, 31-37. | 2.5 | 176 |
| 1902 | Intracranial suppuration: a clinical comparison of subdural empyemas and epidural abscesses. <i>World Neurosurgery</i> , 2003, 59, 191-196. | 1.3 | 53 |
| 1903 | 5. Outcomes after acquired brain injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003, 84, S23-S27. | 0.5 | 10 |
| 1904 | Development of a novel method to predict disability after head trauma in children. <i>Journal of Pediatric Surgery</i> , 2003, 38, 482-485. | 0.8 | 15 |
| 1905 | Posttraumatic hydrocephalus: a clinical, neuroradiologic, and neuropsychologic assessment of long-term outcome ¹¹ No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003, 84, 1637-1641. | 0.5 | 168 |
| 1906 | Status epilepticus in Hong Kong Chinese: aetiology, outcome and predictors of death and morbidity. Seizure: the Journal of the British Epilepsy Association, 2003, 12, 478-482. | 0.9 | 54 |
| 1907 | Predicting neuropsychologic outcome after traumatic brain injury in children. <i>Pediatric Neurology</i> , 2003, 28, 104-114. | 1.0 | 78 |
| 1908 | Subarachnoid hemorrhage of unknown origin and the basilar artery configuration. <i>Journal of Clinical Neuroscience</i> , 2003, 10, 74-78. | 0.8 | 7 |
| 1909 | Deep cerebral venous sinus thrombosis often presents with neuropsychologic symptoms. <i>Journal of Clinical Neuroscience</i> , 2003, 10, 310-312. | 0.8 | 17 |
| 1910 | Stereotactic aspiration of intracerebral haematoma: significance of surgical timing and haematoma volume reduction. <i>Journal of Clinical Neuroscience</i> , 2003, 10, 439-443. | 0.8 | 29 |
| 1911 | Hemispheric asymmetry and temporal profiles of cerebral pressure autoregulation in head injury. <i>Journal of Clinical Neuroscience</i> , 2003, 10, 670-673. | 0.8 | 23 |
| 1913 | Outcome of prolonged coma following severe traumatic brain injury. <i>Brain Injury</i> , 2003, 17, 49-54. | 0.6 | 40 |
| 1917 | Patient age and outcome following severe traumatic brain injury: an analysis of 5600 patients. <i>Journal of Neurosurgery</i> , 2003, 99, 666-673. | 0.9 | 491 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1918 | Traumatic brain injury: classification of initial severity and determination of functional outcome. Disability and Rehabilitation, 2003, 25, 9-18. | 0.9 | 63 |
| 1919 | Neuropsychiatric sequelae in TBI: a comparison across different age groups. Brain Injury, 2003, 17, 835-846. | 0.6 | 54 |
| 1920 | The impact of interventional neuroradiology on service in a neurosurgical unit. British Journal of Neurosurgery, 2003, 17, 155-159. | 0.4 | 6 |
| 1921 | Association between surgeon seniority and outcome in intracranial aneurysm surgery. British Journal of Neurosurgery, 2003, 17, 124-129. | 0.4 | 13 |
| 1922 | The cognitive impairments due to the occipito-parietal brain injury after gunshot: a successful neurorehabilitation case study. Brain Injury, 2003, 17, 701-713. | 0.6 | 15 |
| 1923 | Long term neuropsychological outcome after head injury: relation to APOE genotype. Journal of Neurology, Neurosurgery and Psychiatry, 2003, 74, 1047-1052. | 0.9 | 121 |
| 1924 | Cerebrovascular pressure reactivity is related to global cerebral oxygen metabolism after head injury. Journal of Neurology, Neurosurgery and Psychiatry, 2003, 74, 765-770. | 0.9 | 66 |
| 1925 | Aneurysmal subarachnoid hemorrhage in young adults: a comparison between patients in the third and fourth decades of life. Journal of Neurosurgery, 2003, 99, 276-279. | 0.9 | 15 |
| 1926 | Long-Term Outcomes of Out-of-Hospital Cardiac Arrest after Successful Early Defibrillation. New England Journal of Medicine, 2003, 348, 2626-2633. | 13.9 | 361 |
| 1927 | Trauma scores and trauma outcome measures. Trauma, 2003, 5, 61-70. | 0.2 | 8 |
| 1928 | Neuroimaging of Intraparenchymal Lesions Predicts Outcome in Shaken Baby Syndrome. Pediatrics, 2003, 112, 808-814. | 1.0 | 90 |
| 1929 | Traumatic Brain Injury Brief Outcome Interview. Applied Neuropsychology, 2003, 10, 145-152. | 1.5 | 1 |
| 1930 | Understanding Sports-Related Concussion. JAMA - Journal of the American Medical Association, 2003, 290, 2604. | 3.8 | 17 |
| 1931 | Glucose levels and outcome after subarachnoid hemorrhage. Neurology, 2003, 61, 1132-1133. | 1.5 | 85 |
| 1932 | Activities of daily living instruments. Neurology, 2003, 60, 738-742. | 1.5 | 66 |
| 1933 | Effect of Estrogen Plus Progestin on Stroke in Postmenopausal Women. JAMA - Journal of the American Medical Association, 2003, 289, 2673. | 3.8 | 1,021 |
| 1934 | Ruptured intracranial aneurysms: the outcome of surgical treatment in experienced hands in the period prior to the advent of endovascular coiling. Journal of Neurology, Neurosurgery and Psychiatry, 2003, 74, 1680-1684. | 0.9 | 22 |
| 1935 | Cost-Effective Outcome for Treating Poor-Grade Subarachnoid Hemorrhage. Stroke, 2003, 34, 2508-2511. | 1.0 | 568 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1936 | Characterization of perioperative seizures and epilepsy following aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2003, 99, 978-985. | 0.9 | 129 |
| 1937 | Noninvasive Cerebrovascular Autoregulation Assessment in Traumatic Brain Injury: Validation and Utility. <i>Journal of Neurotrauma</i> , 2003, 20, 69-75. | 1.7 | 74 |
| 1938 | Traumatic epidural haematoma of the posterior fossa in childhood: 16 new cases and a review of the literature. <i>British Journal of Neurosurgery</i> , 2003, 17, 226-229. | 0.4 | 25 |
| 1939 | Î±-Melanocyte-Stimulating Hormone Is Decreased in Plasma of Patients with Acute Brain Injury. <i>Journal of Neurotrauma</i> , 2003, 20, 251-260. | 1.7 | 37 |
| 1940 | Outcome of contemporary surgery for chronic subdural haematoma: evidence based review. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003, 74, 937-943. | 0.9 | 469 |
| 1941 | Pituitary deficiency following aneurysmal subarachnoid haemorrhage. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003, 74, 1133-1135. | 0.9 | 23 |
| 1942 | Endovascular Treatment of Ruptured Intracranial Aneurysms with Detachable Coils: Long-term Clinical and Serial Angiographic Results. <i>Radiology</i> , 2003, 227, 720-724. | 3.6 | 182 |
| 1943 | Bedside Monitoring of Circulating Blood Volume After Subarachnoid Hemorrhage. <i>Stroke</i> , 2003, 34, 956-960. | 1.0 | 52 |
| 1944 | Acute Focal Neurological Deficits in Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2003, 34, 1382-1388. | 1.0 | 108 |
| 1945 | Craniotomy for Treatment of Unruptured Aneurysms Is Not Associated With Long-Term Cognitive Dysfunction. <i>Stroke</i> , 2003, 34, 2195-2199. | 1.0 | 54 |
| 1946 | Effect on Cerebral Vasospasm of Coil Embolization Followed by Microcatheter Intrathecal Urokinase Infusion Into the Cisterna Magna. <i>Stroke</i> , 2003, 34, 2549-2554. | 1.0 | 81 |
| 1947 | Strengthening Acute Stroke Trials Through Optimal Use of Disability End Points. <i>Stroke</i> , 2003, 34, 2676-2680. | 1.0 | 49 |
| 1948 | Intracranial Heme Metabolism and Cerebral Vasospasm After Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2003, 34, 2796-2800. | 1.0 | 62 |
| 1949 | Monitoring of brain tissue oxygenation following severe subarachnoid hemorrhage. <i>Neurological Research</i> , 2003, 25, 445-450. | 0.6 | 74 |
| 1950 | Pulmonary Contusion in Severe Head Trauma Patients. <i>Chest</i> , 2003, 124, 2261-2266. | 0.4 | 30 |
| 1951 | Treatment of anterior communicating artery aneurysms: complementary aspects of microsurgical and endovascular procedures. <i>Journal of Neurosurgery</i> , 2003, 99, 3-14. | 0.9 | 226 |
| 1952 | Regional cerebral blood flow monitoring in the diagnosis of delayed ischemia following aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2003, 98, 1227-1234. | 0.9 | 177 |
| 1953 | Endovascular Treatment of Basilar Tip Aneurysms with Guglielmi Detachable Coils: Predictors of Immediate and Long-term Results with Multivariate Analysisâ€™6-year Experience. <i>Radiology</i> , 2003, 226, 867-879. | 3.6 | 108 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1954 | Apolipoprotein E polymorphism and outcome after closed traumatic brain injury: influence of ethnic and regional differences. <i>Journal of Neurosurgery</i> , 2003, 98, 302-306. | 0.9 | 59 |
| 1955 | Use of a wedged microcatheter for curative transarterial embolization of complex intracranial dural arteriovenous fistulas: indications, endovascular technique, and outcome in 21 patients. <i>Journal of Neurosurgery</i> , 2003, 98, 498-506. | 0.9 | 148 |
| 1956 | Monitoring of brain tissue oxygenation during aneurysm surgery: prediction of procedure-related ischemic events. <i>Journal of Neurosurgery</i> , 2003, 98, 515-523. | 0.9 | 50 |
| 1957 | The efficacy and safety of aprotinin for hemostasis during intracranial surgery. <i>Journal of Neurosurgery</i> , 2003, 98, 1208-1216. | 0.9 | 24 |
| 1958 | Treatment and outcome in 30 patients with posterior cerebral artery aneurysms. <i>Journal of Neurosurgery</i> , 2003, 99, 15-22. | 0.9 | 60 |
| 1959 | Cocaine use as a predictor of outcome in aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2003, 99, 271-275. | 0.9 | 74 |
| 1960 | Asymmetry of pressure autoregulation after traumatic brain injury. <i>Journal of Neurosurgery</i> , 2003, 99, 991-998. | 0.9 | 66 |
| 1961 | No effect of enoxaparin on outcome of aneurysmal subarachnoid hemorrhage: a randomized, double-blind, placebo-controlled clinical trial. <i>Journal of Neurosurgery</i> , 2003, 99, 953-959. | 0.9 | 125 |
| 1962 | Serum Neuron-Specific Enolase and S-100B Protein in Cardiac Arrest Patients Treated With Hypothermia. <i>Stroke</i> , 2003, 34, 2881-2886. | 1.0 | 300 |
| 1963 | Assessment of critical thresholds for cerebral perfusion pressure by performing bedside monitoring of cerebral energy metabolism. <i>Neurosurgical Focus</i> , 2003, 15, 1-8. | 1.0 | 49 |
| 1964 | Hemorrhagic Shearing Lesions in Children and Adolescents with Posttraumatic Diffuse Axonal Injury: Improved Detection and Initial Results. <i>Radiology</i> , 2003, 227, 332-339. | 3.6 | 392 |
| 1965 | Epidemiology of traumatic comas: a prospective population-based study. <i>Brain Injury</i> , 2003, 17, 279-293. | 0.6 | 59 |
| 1966 | Intracerebral hematoma from aneurysm rupture. <i>Neurosurgical Focus</i> , 2003, 15, 1-5. | 1.0 | 62 |
| 1967 | Endovascular Treatment of Paraclinoid Aneurysms: Experience with 73 Patients. <i>Neurosurgery</i> , 2003, 53, 14-24. | 0.6 | 108 |
| 1968 | Intracranial aneurysm surgery and its future. <i>Journal of the Royal Society of Medicine</i> , 2003, 96, 540-543. | 1.1 | 15 |
| 1969 | Clotting Onset Time May Be a Predictor of Outcome in Human Brain Injury: A Pilot Study. <i>Journal of Neurosurgical Anesthesiology</i> , 2003, 15, 13-18. | 0.6 | 23 |
| 1970 | Decompressive Craniectomy For Intractable Cerebral Edema: Experience Of a Single Center. <i>Journal of Neurosurgical Anesthesiology</i> , 2003, 15, 25-32. | 0.6 | 80 |
| 1971 | Endovascular Coil Occlusion of Ruptured Saccular Cerebral Aneurysms Using Guglielmi Detachable Coils. <i>The Neuroradiology Journal</i> , 2003, 16, 1213-1222. | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1972 | Endovascular and Surgical Treatment for Dural Arteriovenous Fistulae of the Superior Petrosal Sinus. <i>The Neuroradiology Journal</i> , 2003, 16, 1291-1293. | 0.1 | 0 |
| 1973 | Development of a longitudinal study of complications and functional outcomes after traumatic brain injury. <i>Brain Injury</i> , 2003, 17, 265-278. | 0.6 | 12 |
| 1974 | Challenges in the Management of Intracranial Subdural Empyema. <i>Neurosurgery Quarterly</i> , 2003, 13, 198-206. | 0.1 | 5 |
| 1975 | Positive effects of Cerebrolysin on electroencephalogram slowing, cognition and clinical outcome in patients with postacute traumatic brain injury: an exploratory study. <i>International Clinical Psychopharmacology</i> , 2003, 18, 271-278. | 0.9 | 30 |
| 1976 | Sibling Relationships and Behavior After Pediatric Traumatic Brain Injury. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2003, 24, 24-31. | 0.6 | 29 |
| 1977 | Reliability of Ratings on the Glasgow Outcome Scales from In-person and Telephone Structured Interviews. <i>Journal of Head Trauma Rehabilitation</i> , 2003, 18, 252-258. | 1.0 | 146 |
| 1978 | North Star Project. <i>Journal of Head Trauma Rehabilitation</i> , 2003, 18, 292-302. | 1.0 | 17 |
| 1979 | Use of Somatosensory-Evoked Potentials and Cognitive Event-Related Potentials in Predicting Outcomes of Patients with Severe Traumatic Brain Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2003, 82, 53-61. | 0.7 | 77 |
| 1980 | Outcome Measures in Stroke. <i>Critical Care Nursing Quarterly</i> , 2003, 26, 283-295. | 0.4 | 10 |
| 1981 | Concentrations of Inducible Nitric Oxide Synthase (iNOS) and Neuronal Nitric Oxide Synthase (nNOS) in Cerebrospinal Fluid of Patients With Severe Head Injuries. <i>Neurosurgery Quarterly</i> , 2003, 13, 117-124. | 0.1 | 2 |
| 1982 | Timing of neurologic deterioration in massive middle cerebral artery infarction: A multicenter review. <i>Critical Care Medicine</i> , 2003, 31, 272-277. | 0.4 | 192 |
| 1983 | Evolution of the Management of Tentorial Dural Arteriovenous Malformations. <i>Neurosurgery</i> , 2003, 52, 750-762. | 0.6 | 159 |
| 1984 | Hypomagnesemia after Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2003, 52, 276-282. | 0.6 | 139 |
| 1985 | Management of Acute Cerebellar Infarction: One Institution's Experience. <i>Neurosurgery</i> , 2003, 53, 1061-1066. | 0.6 | 79 |
| 1986 | Predictive value of somatosensory evoked potentials for awakening from coma*. <i>Critical Care Medicine</i> , 2003, 31, 960-967. | 0.4 | 254 |
| 1987 | Physiologic data acquisition system and database for the study of disease dynamics in the intensive care unit*. <i>Critical Care Medicine</i> , 2003, 31, 433-441. | 0.4 | 74 |
| 1988 | Correlation between transcranial interleukin-6 gradient and outcome in patients with acute brain injury. <i>Critical Care Medicine</i> , 2003, 31, 933-938. | 0.4 | 93 |
| 1989 | Blood Pressure and Outcome after Severe Pediatric Traumatic Brain Injury. <i>Journal of Trauma</i> , 2003, 55, 1039-1044. | 2.3 | 110 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1990 | Seizures after Aneurysmal Subarachnoid Hemorrhage Treated with Coil Embolization. <i>Neurosurgery</i> , 2003, 52, 545-552. | 0.6 | 77 |
| 1991 | Transluminal Balloon Angioplasty Improves Brain Tissue Oxygenation and Metabolism in Severe Vasospasm after Aneurysmal Subarachnoid Hemorrhage: Case Report. <i>Neurosurgery</i> , 2003, 52, 970-976. | 0.6 | 39 |
| 1992 | Surgical Indications to Maintain Quality of Life in Elderly Patients with Ruptured Intracranial Aneurysms. <i>Neurosurgery</i> , 2003, 52, 1010-1016. | 0.6 | 19 |
| 1993 | Endovascular Treatment for Dural Arteriovenous Fistulae of the Superior Petrosal Sinus. <i>Neurosurgery</i> , 2003, 53, 25-33. | 0.6 | 51 |
| 1994 | Poor-grade Aneurysmal Subarachnoid Hemorrhage: Outcome after Treatment with Urgent Surgery. <i>Neurosurgery</i> , 2003, 53, 1275-1282. | 0.6 | 121 |
| 1995 | Primary Intracerebral Hemorrhage in Izumo City, Japan: Incidence Rates and Outcome in Relation to the Site of Hemorrhage. <i>Neurosurgery</i> , 2003, 53, 1283-1298. | 0.6 | 107 |
| 1996 | Incidence and Clinical Evolution of Postoperative Deficits after Volumetric Stereotactic Resection of Glial Neoplasms Involving the Supplementary Motor Area. <i>Neurosurgery</i> , 2003, 52, 506-516. | 0.6 | 80 |
| 1997 | Intraoperative Cerebral Angiography: Superficial Temporal Artery Method and Results. <i>Neurosurgery</i> , 2003, 53, 1067-1075. | 0.6 | 29 |
| 1998 | Neurosurgical Management of Intracranial Aneurysms Previously Treated with Endovascular Therapy. <i>Neurosurgery</i> , 2003, 52, 283-295. | 0.6 | 95 |
| 1999 | Safety of sedation with ketamine in severe head injury patients: Comparison with sufentanil. <i>Critical Care Medicine</i> , 2003, 31, 711-717. | 0.4 | 258 |
| 2000 | Intracranial pressure following aneurysmal subarachnoid hemorrhage: monitoring practices and outcome data. <i>Neurosurgical Focus</i> , 2003, 14, 1-5. | 1.0 | 42 |
| 2001 | Calcium channel blockers for acute traumatic brain injury. <i>The Cochrane Library</i> , 2003, , . | 1.5 | 58 |
| 2003 | Cooperative Study of Ruptured Vertebrobasilar Artery Aneurysms in the Tohoku District in Japan. <i>Neurologia Medico-Chirurgica</i> , 2003, 43, 219-227. | 1.0 | 7 |
| 2004 | Predicting Outcome in Ischemic Stroke. <i>Stroke</i> , 2003, 34, 200-202. | 1.0 | 73 |
| 2005 | Cerebrovascular Disease and Stroke. , 2003, , 1123-1137. | | 1 |
| 2006 | Incidence and Outcome of Multiple Intracranial Aneurysms in a Defined Population. <i>Stroke</i> , 2003, 34, 16-21. | 1.0 | 212 |
| 2007 | Surgical Indications to Maintain Quality of Life in Elderly Patients with Ruptured Intracranial Aneurysms. <i>Neurosurgery</i> , 2003, 52, 1010-1016. | 0.6 | 19 |
| 2009 | Neuropsychological rehabilitation in the community. , 2003, , 212-236. | | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2010 | Intracranial Aneurysm Surgery and its Future. <i>Journal of the Royal Society of Medicine</i> , 2003, 96, 540-543. | 1.1 | 12 |
| 2011 | Evaluation of pituitary and thyroid hormones in patients with subarachnoid hemorrhage due to ruptured intracranial aneurysm. <i>Arquivos De Neuro-Psiquiatria</i> , 2003, 61, 14-19. | 0.3 | 34 |
| 2012 | Psychiatric disorders among older adolescents treated in emergency departments on weekends: a comparison with a matched community sample.. <i>Journal of Studies on Alcohol and Drugs</i> , 2003, 64, 616-622. | 2.4 | 12 |
| 2013 | 4: Rehabilitation after traumatic brain injury. <i>Medical Journal of Australia</i> , 2003, 178, 290-295. | 0.8 | 265 |
| 2014 | Surgical Outcome in Poor-grade Aneurysmal Subarachnoid Hemorrhage: Effect of Age and Timing of Surgery. <i>Surgery for Cerebral Stroke</i> , 2004, 32, 7-12. | 0.0 | 2 |
| 2015 | Conduct of Stroke-Related Clinical Trials. , 2004, , 1187-1207. | | 1 |
| 2016 | Nonthyroidal illness syndrome in patients with subarachnoid hemorrhage due to intracranial aneurysm. <i>Arquivos De Neuro-Psiquiatria</i> , 2004, 62, 26-32. | 0.3 | 9 |
| 2017 | Theory of Mind and social beliefs in adolescents with traumatic brain injury. <i>NeuroRehabilitation</i> , 2004, 19, 245-256. | 0.5 | 77 |
| 2018 | Use of neuron-specific enolase for assessing the severity and outcome of neurological disorders in patients. <i>Brazilian Journal of Medical and Biological Research</i> , 2004, 37, 19-26. | 0.7 | 54 |
| 2019 | Treatment of Refractory Status Epilepticus With Inhalational Anesthetic Agents Isoflurane and Desflurane. <i>Archives of Neurology</i> , 2004, 61, 1254-9. | 4.9 | 212 |
| 2020 | Efficacy of multiple intraarterial papaverine infusions for improvement in cerebral circulation time in patients with recurrent cerebral vasospasm. <i>Journal of Neurosurgery</i> , 2004, 100, 414-421. | 0.9 | 61 |
| 2021 | Intracranial vertebral artery dissection with subarachnoid hemorrhage: clinical characteristics and outcomes in conservatively treated patients. <i>Journal of Neurosurgery</i> , 2004, 101, 25-30. | 0.9 | 118 |
| 2022 | Influence of apoptosis on neurological outcome following traumatic cerebral contusion. <i>Journal of Neurosurgery</i> , 2004, 101, 233-240. | 0.9 | 61 |
| 2023 | Clot volume and clearance rate as independent predictors of vasospasm after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2004, 101, 255-261. | 0.9 | 155 |
| 2024 | Early surgery-related complications after aneurysm clip placement: an analysis of causes and patient outcomes. <i>Journal of Neurosurgery</i> , 2004, 101, 600-606. | 0.9 | 34 |
| 2025 | Influence of aspirin on outcome following aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2004, 101, 921-925. | 0.9 | 54 |
| 2026 | Ruptured distal middle cerebral artery aneurysm. <i>Journal of Neurosurgery</i> , 2004, 100, 384-388. | 0.9 | 36 |
| 2027 | Selective Impairment of Inhibition After TBI in Children. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2004, 26, 589-597. | 0.8 | 40 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2028 | Prevalence of Pituitary Deficiency in Patients after Aneurysmal Subarachnoid Hemorrhage. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 4986-4992. | 1.8 | 128 |
| 2029 | Nursing tools and strategies to assess cognition and confusion. <i>British Journal of Nursing</i> , 2004, 13, 621-626. | 0.3 | 13 |
| 2030 | Components of Executive Function in Typically Developing and Head-Injured Children. <i>Developmental Neuropsychology</i> , 2004, 25, 61-83. | 1.0 | 57 |
| 2031 | Discourse Macrolevel Processing After Severe Pediatric Traumatic Brain Injury. <i>Developmental Neuropsychology</i> , 2004, 25, 37-60. | 1.0 | 61 |
| 2032 | Proteome Study of Human Cerebrospinal Fluid following Traumatic Brain Injury Indicates Fibrin(ogen) Degradation Products as Trauma-Associated Markers. <i>Journal of Neurotrauma</i> , 2004, 21, 854-863. | 1.7 | 87 |
| 2033 | Relationships between Cerebrospinal Fluid Markers of Excitotoxicity, Ischemia, and Oxidative Damage after Severe TBI: The Impact of Gender, Age, and Hypothermia. <i>Journal of Neurotrauma</i> , 2004, 21, 125-136. | 1.7 | 162 |
| 2034 | Nitric Oxide as a Prognostic Marker for Neurological Diseases. <i>Antioxidants and Redox Signaling</i> , 2004, 6, 613-617. | 2.5 | 8 |
| 2035 | Effect of human albumin administration on clinical outcome and hospital cost in patients with subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2004, 100, 585-590. | 0.9 | 75 |
| 2036 | Centrifugal Distribution of Regional Cerebral Blood Flow and its Time Course in Traumatic Intracerebral Hematomas. <i>Journal of Neurotrauma</i> , 2004, 21, 655-666. | 1.7 | 31 |
| 2037 | A Population-Based Comparison of Clinical and Outcome Characteristics of Young Children With Serious Inflicted and Noninflicted Traumatic Brain Injury. <i>Pediatrics</i> , 2004, 114, 633-639. | 1.0 | 242 |
| 2038 | Prehospital Hypertonic Saline Resuscitation of Patients With Hypotension and Severe Traumatic Brain Injury. <i>JAMA - Journal of the American Medical Association</i> , 2004, 291, 1350. | 3.8 | 400 |
| 2039 | The Clinical Practice of a Community Rehabilitation Team for People with Acquired Brain Injury. <i>Brain Impairment</i> , 2004, 5, 81-92. | 0.5 | 18 |
| 2040 | Relationship between intracranial pressure and other clinical variables in patients with aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2004, 101, 408-416. | 0.9 | 197 |
| 2041 | Outcome Rating Scales for Pediatric Head Injury. <i>Journal of Intensive Care Medicine</i> , 2004, 19, 205-219. | 1.3 | 10 |
| 2042 | The Effect of Warfarin and Intensity of Anticoagulation on Outcome of Intracerebral Hemorrhage. <i>Archives of Internal Medicine</i> , 2004, 164, 880. | 4.3 | 544 |
| 2043 | Outcome of Survivors of Acute Stroke Who Require Prolonged Ventilatory Assistance and Tracheostomy. <i>Cerebrovascular Diseases</i> , 2004, 18, 325-331. | 0.8 | 75 |
| 2044 | Buffalo Metropolitan Area and Erie County Stroke Study: Rationale, Design, and Methods. <i>Neuroepidemiology</i> , 2004, 23, 289-298. | 1.1 | 5 |
| 2045 | Glial and neuronal proteins in serum predict outcome after severe traumatic brain injury. <i>Neurology</i> , 2004, 62, 1303-1310. | 1.5 | 371 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2046 | CHANGES IN CSF S100B AND CYTOKINE CONCENTRATIONS IN EARLY-PHASE SEVERE TRAUMATIC BRAIN INJURY. <i>Shock</i> , 2004, 22, 102-107. | 1.0 | 211 |
| 2047 | Plasminogen Activator Inhibitor-1 4G Allele in the 4G/5G Promoter Polymorphism Increases the Occurrence of Cerebral Ischemia After Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2004, 35, 1280-1283. | 1.0 | 50 |
| 2048 | Basilar Artery Vasospasm and Delayed Posterior Circulation Ischemia After Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2004, 35, 1867-1872. | 1.0 | 56 |
| 2049 | Influence of Extraneurological Insults on Ventricular Enlargement and Neuropsychological Functioning after Moderate and Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2004, 21, 864-876. | 1.7 | 33 |
| 2050 | Does induced hypertension reduce cerebral ischaemia within the traumatized human brain?. <i>Brain</i> , 2004, 127, 2479-2490. | 3.7 | 84 |
| 2051 | Differential responses in three thalamic nuclei in moderately disabled, severely disabled and vegetative patients after blunt head injury. <i>Brain</i> , 2004, 127, 2470-2478. | 3.7 | 61 |
| 2052 | Six-month recovery from mild to moderate Traumatic Brain Injury: the role of APOE- ϵ 4 allele. <i>Brain</i> , 2004, 127, 2621-2628. | 3.7 | 116 |
| 2053 | Blood transfusion and increased risk for vasospasm and poor outcome after subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2004, 101, 1-7. | 0.9 | 207 |
| 2054 | Neurological, neuropsychological, and psychosocial outcome following treatment of unruptured intracranial aneurysms: A review and commentary. <i>Journal of the International Neuropsychological Society</i> , 2004, 10, 114-34. | 1.2 | 21 |
| 2055 | Selective Metabolic Reduction in Gray Matter Acutely following Human Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2004, 21, 149-161. | 1.7 | 103 |
| 2056 | Post-operative hematoma after surgery for intracranial meningiomas: Causes, avoidable risk factors and clinical outcome. <i>Neurological Research</i> , 2004, 26, 61-66. | 0.6 | 89 |
| 2057 | Anterior Pituitary Dysfunction in Survivors of Traumatic Brain Injury. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 4929-4936. | 1.8 | 346 |
| 2058 | Posterior Pituitary Dysfunction after Traumatic Brain Injury. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 5987-5992. | 1.8 | 235 |
| 2059 | Possible interpretation of subjective complaints in patients with spontaneous subarachnoid haemorrhage. <i>Journal of Rehabilitation Medicine</i> , 2004, 36, 63-69. | 0.8 | 25 |
| 2060 | Frequency, risk factors, anatomy, and course of unilateral neglect in an acute stroke cohort. <i>Neurology</i> , 2004, 63, 468-474. | 1.5 | 322 |
| 2061 | Is there a Sex Difference in the Course Following Traumatic Brain Injury?. <i>Biological Research for Nursing</i> , 2004, 5, 299-310. | 1.0 | 54 |
| 2062 | Time interval of oral feeding recovery as a prognostic factor in severe traumatic brain injury. <i>Brain Injury</i> , 2004, 18, 103-109. | 0.6 | 34 |
| 2063 | Subdural empyema and cerebellar abscess due to chronic otitis media. <i>International Journal of Clinical Practice</i> , 2004, 58, 214-217. | 0.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2064 | Effect of cerebrolysin on moderate and severe head injury: Preliminary result of a cohort study. <i>Annals of the College of Surgeons of Hong Kong</i> , 2004, 8, 22-24. | 0.0 | 1 |
| 2065 | Patient information after ruptured intracranial aneurysm. <i>Journal of Advanced Nursing</i> , 2004, 48, 551-559. | 1.5 | 15 |
| 2066 | Prevalence of persistent vegetative state/apallic syndrome in Vienna. <i>European Journal of Neurology</i> , 2004, 11, 461-466. | 1.7 | 29 |
| 2067 | Alcohol Use Disorders Among Emergency Department-Treated Older Adolescents: A New Brief Screen (RUFT-Cut) Using the AUDIT, CAGE, CRAFFT, and RAPS-QF. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 746-753. | 1.4 | 64 |
| 2068 | Incidence and Mechanisms of Cerebral Ischemia in Early Clinical Head Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004, 24, 202-211. | 2.4 | 271 |
| 2069 | Moderate and Severe Traumatic Brain Injury: Epidemiologic, Imaging and Neuropathologic Perspectives. <i>Brain Pathology</i> , 2004, 14, 185-194. | 2.1 | 33 |
| 2070 | Evaluation of coma and brain death. <i>Seminars in Pediatric Neurology</i> , 2004, 11, 105-118. | 1.0 | 20 |
| 2071 | Predicting outcome after multiple trauma: which scoring system?. <i>Injury</i> , 2004, 35, 347-358. | 0.7 | 232 |
| 2072 | Epidemiology of major injury in the population of Friuli Venezia Giulia Italy. <i>Injury</i> , 2004, 35, 391-400. | 0.7 | 41 |
| 2073 | Traumatic brain injury and stabilisation of long bone fractures: an update. <i>Injury</i> , 2004, 35, 1077-1086. | 0.7 | 27 |
| 2074 | Assessment of quality of life and cognitive function after out-of-hospital cardiac arrest with successful resuscitation. <i>American Journal of Cardiology</i> , 2004, 93, 131-135. | 0.7 | 69 |
| 2075 | Prognostic implication of early ejection fraction on long-term mortality and quality of life following out-of-hospital cardiac arrest. <i>American Journal of Cardiology</i> , 2004, 93, 1027-1030. | 0.7 | 8 |
| 2076 | Childhood head injury: causes, outcome, and outcome predictors. <i>Pediatric Surgery International</i> , 2004, 20, 348-52. | 0.6 | 28 |
| 2077 | Der Munich-Neurotrauma-Score (MNTS). <i>Intensivmedizin Und Notfallmedizin</i> , 2004, 41, 111-120. | 0.2 | 0 |
| 2078 | Incidence of residual intracranial AVMs after surgical resection and efficacy of immediate surgical re-exploration. <i>Acta Neurochirurgica</i> , 2004, 146, 1-7. | 0.9 | 33 |
| 2079 | Time course of CT evolution in traumatic subarachnoid haemorrhage: a study of 141 patients. <i>Acta Neurochirurgica</i> , 2004, 146, 257-263. | 0.9 | 53 |
| 2080 | Clinical predictors and neuropsychological outcome in severe traumatic brain injury patients. <i>Acta Neurochirurgica</i> , 2004, 146, 457-462. | 0.9 | 30 |
| 2081 | Quality of life after decompressive craniectomy in patients suffering from supratentorial brain ischemia. <i>Acta Neurochirurgica</i> , 2004, 146, 691-5. | 0.9 | 64 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2082 | Computed tomographic demonstrated infarcts after surgical and endovascular treatment of aneurysmal subarachnoid hemorrhage. <i>Acta Neurochirurgica</i> , 2004, 146, 1177-1183. | 0.9 | 47 |
| 2083 | Gunshot to the head with brain injury: report of an attempted murder. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2004, 36, 257-261. | 0.3 | 0 |
| 2084 | Defining "therapeutically inconsequential" head computed tomographic findings in patients with blunt head trauma. <i>Annals of Emergency Medicine</i> , 2004, 44, 47-56. | 0.3 | 43 |
| 2087 | Citation classics in critical care medicine. <i>Intensive Care Medicine</i> , 2004, 30, 902-910. | 3.9 | 189 |
| 2088 | Hyperemia following aneurysmal subarachnoid hemorrhage: incidence, diagnosis, clinical features, and outcome. <i>Intensive Care Medicine</i> , 2004, 30, 1298-302. | 3.9 | 12 |
| 2089 | Severe traumatic head injury in adults: Which patients are at risk of early hyperthermia?. <i>Intensive Care Medicine</i> , 2004, 30, 785-790. | 3.9 | 55 |
| 2090 | Sustained moderate reductions in arterial CO ₂ after brain trauma Time-course of cerebral blood flow velocity and intracranial pressure. <i>Intensive Care Medicine</i> , 2004, 30, 2180-2187. | 3.9 | 48 |
| 2091 | Endovascular treatment of remnants of intracranial aneurysms following incomplete clipping. <i>Neuroradiology</i> , 2004, 46, 318-322. | 1.1 | 18 |
| 2092 | Clinical outcome after endovascular coil embolization in elderly patients with subarachnoid hemorrhage. <i>Neuroradiology</i> , 2004, 46, 385-391. | 1.1 | 43 |
| 2093 | Magnetic resonance angiography in the selection of patients suitable for neurosurgical intervention of ruptured intracranial aneurysms. <i>Neuroradiology</i> , 2004, 46, 867-875. | 1.1 | 23 |
| 2094 | The neurodevelopmental outcome in infants who have sustained a subdural haemorrhage from non-accidental head injury. <i>Child Abuse Review</i> , 2004, 13, 178-187. | 0.4 | 34 |
| 2095 | Epileptic seizures after subarachnoid hemorrhage. <i>Annals of Neurology</i> , 2004, 33, 286-291. | 2.8 | 101 |
| 2096 | Efficacy and morbidity of arc-therapy radiosurgery for cerebral arteriovenous malformations: a comparison with the natural history. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004, 58, 1353-1363. | 0.4 | 77 |
| 2097 | Long-term subjective memory function in ventricular fibrillation out-of-hospital cardiac arrest survivors resuscitated by early defibrillation. <i>Resuscitation</i> , 2004, 60, 189-195. | 1.3 | 50 |
| 2098 | Long-term survival and neurological outcome of patients who received recombinant tissue plasminogen activator during out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2004, 61, 123-129. | 1.3 | 60 |
| 2099 | Prediction rules for estimating neurologic outcome following out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2004, 63, 145-155. | 1.3 | 41 |
| 2100 | Relationship between shunt-dependent hydrocephalus after subarachnoid haemorrhage and duration of cerebrospinal fluid drainage. <i>British Journal of Neurosurgery</i> , 2004, 18, 130-134. | 0.4 | 38 |
| 2101 | Serum S100B levels in patients with cerebral and extracerebral infectious disease. <i>Scandinavian Journal of Infectious Diseases</i> , 2004, 36, 10-13. | 1.5 | 57 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2102 | Predictive value of sensory and cognitive evoked potentials for awakening from coma. <i>Neurology</i> , 2004, 63, 669-673. | 1.5 | 175 |
| 2103 | Neuropsychological and Information Processing Performance and Its Relationship to White Matter Changes Following Moderate and Severe Traumatic Brain Injury: A Preliminary Study. <i>Applied Neuropsychology</i> , 2004, 11, 134-152. | 1.5 | 67 |
| 2104 | Early Vasospasm on Admission Angiography in Patients with Aneurysmal Subarachnoid Hemorrhage Is a Predictor for In-Hospital Complications and Poor Outcome. <i>Stroke</i> , 2004, 35, 2506-2511. | 1.0 | 116 |
| 2105 | An Investigation of Neuronal Integrity in Severe Paediatric Traumatic Brain Injury. <i>Child Neuropsychology</i> , 2004, 10, 248-261. | 0.8 | 21 |
| 2106 | Classification and Regression Tree for Prediction of Outcome after Severe Head Injury Using Simple Clinical and Laboratory Variables. <i>Journal of Neurotrauma</i> , 2004, 21, 886-893. | 1.7 | 101 |
| 2107 | Successful use of the new high-dose mannitol treatment in patients with Glasgow Coma Scale scores of 3 and bilateral abnormal pupillary widening: a randomized trial. <i>Journal of Neurosurgery</i> , 2004, 100, 376-383. | 0.9 | 94 |
| 2108 | Normobaric hyperoxia-induced improvement in cerebral metabolism and reduction in intracranial pressure in patients with severe head injury: a prospective historical cohort-matched study. <i>Journal of Neurosurgery</i> , 2004, 101, 435-444. | 0.9 | 218 |
| 2109 | Social Competence in Young Children With Inflicted Traumatic Brain Injury. <i>Developmental Neuropsychology</i> , 2004, 26, 707-733. | 1.0 | 26 |
| 2110 | Combined Intravenous and Intra-Arterial Recanalization for Acute Ischemic Stroke: The Interventional Management of Stroke Study. <i>Stroke</i> , 2004, 35, 904-911. | 1.0 | 676 |
| 2112 | Recombinant Factor VIIa for Rapid Reversal of Warfarin Anticoagulation in Acute Intracranial Hemorrhage. <i>Mayo Clinic Proceedings</i> , 2004, 79, 1495-1500. | 1.4 | 206 |
| 2113 | Crisis disautonómicas tras traumatismo craneoencefálico grave. <i>Medicina Intensiva</i> , 2004, 28, 376-379. | 0.4 | 2 |
| 2114 | Recomendaciones de la VI Conferencia de Consenso de la SEMICYUC: estado vegetativo persistente postanoxia en el adulto. <i>Medicina Intensiva</i> , 2004, 28, 173-183. | 0.4 | 9 |
| 2117 | A program encouraging early defibrillation results in improved in-hospital resuscitation efficacy. <i>Journal of the American College of Cardiology</i> , 2004, 44, 846-852. | 1.2 | 104 |
| 2118 | Outcomes following childhood head injury: a population study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 737-742. | 0.9 | 116 |
| 2119 | Marked reduction of cerebral vasospasm with lumbar drainage of cerebrospinal fluid after subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2004, 100, 215-224. | 0.9 | 222 |
| 2120 | Tumor necrosis factor-mediated inhibition of interleukin-18 in the brain: a clinical and experimental study in head-injured patients and in a murine model of closed head injury. <i>Journal of Neuroinflammation</i> , 2004, 1, 13. | 3.1 | 33 |
| 2121 | Traumatismo craneoencefálico: valor pronóstico de los marcadores de hipercoagulabilidad y fibrinólisis. <i>Medicina Intensiva</i> , 2004, 28, 403-407. | 0.4 | 0 |
| 2122 | Occurrence of Pituitary Dysfunction following Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2004, 21, 685-696. | 1.7 | 293 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2123 | GFAP Versus S100B in Serum after Traumatic Brain Injury: Relationship to Brain Damage and Outcome. <i>Journal of Neurotrauma</i> , 2004, 21, 1553-1561. | 1.7 | 332 |
| 2125 | Angiographic assessment of cerebral circulation time for outcome prediction in patients with subarachnoid hemorrhage. <i>World Neurosurgery</i> , 2004, 62, 115-120. | 1.3 | 10 |
| 2126 | Posttraumatic basilar artery vasospasm. <i>World Neurosurgery</i> , 2004, 62, 201-206. | 1.3 | 21 |
| 2127 | Early external decompressive craniectomy with duroplasty improves functional recovery in patients with massive hemispheric embolic infarction. <i>World Neurosurgery</i> , 2004, 62, 420-429. | 1.3 | 47 |
| 2128 | Measuring gross motor recovery in young children with early brain injury. <i>Pediatric Neurology</i> , 2004, 31, 311-317. | 1.0 | 6 |
| 2129 | Relation of ECG changes to neurological outcome in patients with aneurysmal subarachnoid hemorrhage. <i>International Journal of Cardiology</i> , 2004, 96, 369-373. | 0.8 | 84 |
| 2130 | Analysis of magnetic resonance imaging (MRI) morphometry and cerebral blood flow in patients with hypoxic-ischemic encephalopathy. <i>Journal of Clinical Neuroscience</i> , 2004, 11, 376-380. | 0.8 | 19 |
| 2131 | Coagulopathy as a parameter to predict the outcome in head injury patients – analysis of 61 cases. <i>Journal of Clinical Neuroscience</i> , 2004, 11, 710-714. | 0.8 | 67 |
| 2132 | Predictors of problem drinking among older adolescent emergency department patients. <i>Journal of Emergency Medicine</i> , 2004, 27, 209-218. | 0.3 | 7 |
| 2133 | Insulin-like growth factor 1 as a predictor of ischemic stroke outcome in the elderly. <i>American Journal of Medicine</i> , 2004, 117, 312-317. | 0.6 | 107 |
| 2134 | Cerebral protection during carotid endarterectomy. <i>American Journal of Surgery</i> , 2004, 188, 772-777. | 0.9 | 16 |
| 2137 | Measuring psychosocial recovery after brain injury: change versus competency. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004, 85, 538-545. | 0.5 | 22 |
| 2138 | Outcome after mild to moderate traumatic brain injury: The role of dizziness. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004, 85, 1662-1666. | 0.5 | 139 |
| 2139 | Intracranial aneurysms in Sarawak General Hospital over a 30-month period. <i>Journal of Clinical Neuroscience</i> , 2004, 11, 254-258. | 0.8 | 3 |
| 2140 | Current usage of three-dimensional computed tomography angiography for the diagnosis and treatment of ruptured cerebral aneurysms. <i>Journal of Clinical Neuroscience</i> , 2004, 11, 481-485. | 0.8 | 7 |
| 2141 | ICP threshold in CPP management of severe head injury patients. <i>World Neurosurgery</i> , 2004, 61, 429-434. | 1.3 | 25 |
| 2142 | Reduction of ischemic sequelae following spontaneous subarachnoid hemorrhage: a double-blind, randomized comparison of enoxaparin versus placebo. <i>Clinical Neurology and Neurosurgery</i> , 2004, 106, 97-103. | 0.6 | 83 |
| 2143 | Effect of intravenous corticosteroids on death within 14 days in 10,008 adults with clinically significant head injury (MRC CRASH trial): randomised placebo-controlled trial. <i>Lancet</i> , The, 2004, 364, 1321-1328. | 6.3 | 1,016 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2144 | Far Lateral Suboccipital Approach for the Treatment of Proximal Posteroinferior Cerebellar Artery Aneurysms: Surgical Results and Long-term Outcome. <i>Neurosurgery</i> , 2004, 55, 39-54. | 0.6 | 43 |
| 2145 | Craniocerebral Aspergillus of Sinonasal Origin in Immunocompetent Patients: Clinical Spectrum and Outcome in 25 Cases. <i>Neurosurgery</i> , 2004, 55, 602-613. | 0.6 | 130 |
| 2146 | Outcome Scales. <i>Journal of Neurosurgery</i> , 2004, 100, 358; author reply 358-9. | 0.9 | 0 |
| 2147 | Cerebral microdialysis of patients with severe traumatic brain injury exhibits highly individualistic patterns as visualized by cluster analysis with self-organizing maps*. <i>Critical Care Medicine</i> , 2004, 32, 2428-2436. | 0.4 | 57 |
| 2148 | Impact of age on long-term survival and quality of life following out-of-hospital cardiac arrest*. <i>Critical Care Medicine</i> , 2004, 32, 963-967. | 0.4 | 82 |
| 2149 | Microsurgical Treatment of Basilar Apex Aneurysms: Perioperative and Long-term Clinical Outcome. <i>Neurosurgery</i> , 2004, 54, 286-299. | 0.6 | 82 |
| 2150 | Routine Cerebral Angiography after Surgery for Saccular Aneurysms: Is It Worth It?. <i>Neurosurgery</i> , 2004, 55, 1015-1024. | 0.6 | 105 |
| 2151 | Subcortical White Matter Metabolic Changes Remote from Focal Hemorrhagic Lesions Suggest Diffuse Injury after Human Traumatic Brain Injury. <i>Neurosurgery</i> , 2004, 55, 1306-1317. | 0.6 | 60 |
| 2152 | Cerebral autoregulation in pediatric traumatic brain injury*. <i>Pediatric Critical Care Medicine</i> , 2004, 5, 257-263. | 0.2 | 163 |
| 2153 | Glasgow Coma Scale Score, Mortality, and Functional Outcome in Head-Injured Patients. <i>Journal of Trauma</i> , 2004, 56, 1084-1089. | 2.3 | 93 |
| 2154 | External Subdural Drainage in the Treatment of Infantile Chronic Subdural Hematoma. <i>Journal of Trauma</i> , 2004, 57, 104-107. | 2.3 | 10 |
| 2155 | Cerebral Venous Flow Velocity Predicts Poor Outcome in Subarachnoid Hemorrhage. <i>Stroke</i> , 2004, 35, 1873-1878. | 1.0 | 26 |
| 2156 | Endovascular Coil Occlusion of 1811 Intracranial Aneurysms: Early Angiographic and Clinical Results. <i>Neurosurgery</i> , 2004, 54, 268-285. | 0.6 | 293 |
| 2157 | Life after death: Posttraumatic stress disorder in survivors of cardiac arrest—Prevalence, associated factors, and the influence of sedation and analgesia. <i>Critical Care Medicine</i> , 2004, 32, 378-383. | 0.4 | 121 |
| 2158 | Health-Related Quality of Life and Disability in Survivors of Multiple Trauma One Year After Intensive Care Unit Discharge. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2004, 83, 171-176. | 0.7 | 79 |
| 2159 | Evaluation of Management of Road Trauma Survivors with Brain Injury and Neurologic Disability in Victoria. <i>Journal of Trauma</i> , 2004, 56, 137-149. | 2.3 | 23 |
| 2160 | Evolving Traumatic Brain Lesions. <i>Neurosurgery Quarterly</i> , 2004, 14, 97-104. | 0.1 | 23 |
| 2161 | Risk Adjustment Effect on Stroke Clinical Trials. <i>Stroke</i> , 2004, 35, e43-5. | 1.0 | 18 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2162 | Incidence and Early Prognosis of Aneurysmal Subarachnoid Hemorrhage in Kumamoto Prefecture, Japan. <i>Neurosurgery</i> , 2004, 54, 31-38. | 0.6 | 40 |
| 2163 | Grading of Subarachnoid Hemorrhage: Modification of the World Federation of Neurosurgical Societies Scale on the Basis of Data for a Large Series of Patients. <i>Neurosurgery</i> , 2004, 54, 566-576. | 0.6 | 127 |
| 2164 | Resource Use After Subarachnoid Hemorrhage: Comparison Between Endovascular and Surgical Treatment. <i>Neurosurgery</i> , 2004, 54, 1081-1088. | 0.6 | 27 |
| 2165 | Recurrent ventricular fibrillation in out-of-hospital cardiac arrest after defibrillation by police and firefighters: Implications for automated external defibrillator users. <i>Critical Care Medicine</i> , 2004, 32, S436-S439. | 0.4 | 13 |
| 2166 | Giant Vertebrobasilar Aneurysms: Endovascular Treatment and Long-term Follow-up. <i>Neurosurgery</i> , 2004, 55, 316-326. | 0.6 | 69 |
| 2167 | Treatment of Unruptured Cerebral Aneurysms by Embolization with Guglielmi Detachable Coils: Case-fatality, Morbidity, and Effectiveness in Preventing Bleeding—A Systematic Review of the Literature. <i>Neurosurgery</i> , 2004, 55, 767-778. | 0.6 | 117 |
| 2169 | Detection of soluble intercellular adhesion molecule-1 and vascular cell adhesion molecule-1 in both cerebrospinal fluid and serum of patients after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2004, 101, 1030-1036. | 0.9 | 53 |
| 2170 | Prognosis of Traumatic Head Injury in South Tunisia: A Multivariate Analysis of 437 Cases. <i>Journal of Trauma</i> , 2004, 57, 255-261. | 2.3 | 77 |
| 2171 | Can Bispectral Index Monitoring Predict Recovery of Consciousness in Patients with Severe Brain Injury?. <i>Anesthesiology</i> , 2004, 101, 43-51. | 1.3 | 80 |
| 2172 | Selenium supplementation for critically ill adults. , 2004, , CD003703. | | 42 |
| 2173 | Hypertonic versus near isotonic crystalloid for fluid resuscitation in critically ill patients. <i>The Cochrane Library</i> , 2004, , CD002045. | 1.5 | 84 |
| 2174 | Poor-grade aneurysmal subarachnoid hemorrhage: relationship of cerebral metabolism to outcome. <i>Journal of Neurosurgery</i> , 2004, 100, 400-406. | 0.9 | 128 |
| 2175 | Serial Lactate Determinations for Prediction of Outcome After Cardiac Arrest. <i>Medicine (United States)</i> , 2004, 83, 140-146. | 0.4 | 140 |
| 2176 | Psychosocial outcome of TBI in children with unilateral frontal lesions. <i>Journal of the International Neuropsychological Society</i> , 2004, 10, 305-16. | 1.2 | 72 |
| 2177 | Prediction of global outcome with acute neuropsychological testing following closed-head injury. <i>Journal of the International Neuropsychological Society</i> , 2004, 10, 807-817. | 1.2 | 30 |
| 2178 | Assessment of Jugular Blood Oxygen and Lactate Indices for Detection of Cerebral Ischemia and Prognosis. <i>Journal of Neurosurgical Anesthesiology</i> , 2004, 16, 226-231. | 0.6 | 36 |
| 2179 | Digital Video-Electroencephalographic Monitoring in the Neurological-Neurosurgical Intensive Care Unit. <i>Archives of Neurology</i> , 2004, 61, 1090-4. | 4.9 | 165 |
| 2180 | Interpersonal Stressors and Resources as Predictors of Parental Adaptation Following Pediatric Traumatic Injury.. <i>Journal of Consulting and Clinical Psychology</i> , 2004, 72, 776-784. | 1.6 | 50 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2181 | Regional differences in outcome from subarachnoid haemorrhage: comparative audit. <i>BMJ: British Medical Journal</i> , 2004, 328, 1234-1235. | 2.4 | 6 |
| 2182 | Prognosis for mild traumatic brain injury: results of the who collaborating centre task force on mild traumatic brain injury. <i>Journal of Rehabilitation Medicine</i> , 2004, 36, 84-105. | 0.8 | 1,032 |
| 2183 | Fibered Electrolytically Detachable Platinum Coils Used for the Endovascular Treatment of Intracranial Aneurysms. <i>Interventional Neuroradiology</i> , 2004, 10, 5-26. | 0.7 | 22 |
| 2184 | Clinical Features and Management of Intracranial Hemorrhage in Patients Undergoing Maintenance Dialysis Therapy. <i>Neurologia Medico-Chirurgica</i> , 2004, 44, 225-233. | 1.0 | 27 |
| 2185 | Paramedian Suboccipital Mini-Craniectomy for Evacuation of Spontaneous Cerebellar Hemorrhage. <i>Neurologia Medico-Chirurgica</i> , 2004, 44, 578-583. | 1.0 | 20 |
| 2186 | Prevention of Symptomatic Vasospasm After Aneurysmal Subarachnoid Hemorrhage by Intraoperative Cisternal Fibrinolysis Using Tissue-Type Plasminogen Activator Combined With Continuous Cisternal Drainage. <i>Neurologia Medico-Chirurgica</i> , 2004, 44, 569-577. | 1.0 | 31 |
| 2187 | Outcome after subarachnoid hemorrhage from a very small aneurysm: a case-control series. <i>Journal of Neurosurgery</i> , 2004, 100, 623-625. | 0.9 | 23 |
| 2188 | Chapter 69 Sensory and cognitive evoked potentials in the prognosis of coma. <i>Supplements To Clinical Neurophysiology</i> , 2004, 57, 656-661. | 2.1 | 6 |
| 2189 | International pediatric sepsis consensus conference: Definitions for sepsis and organ dysfunction in pediatrics*. <i>Pediatric Critical Care Medicine</i> , 2005, 6, 2-8. | 0.2 | 3,052 |
| 2190 | The Use of High-Dose Epinephrine for Patients With Out-of-Hospital Cardiopulmonary Arrest Refractory to Prehospital Interventions. <i>Pediatric Emergency Care</i> , 2005, 21, 227-237. | 0.5 | 57 |
| 2191 | CEREBROSPINAL FLUID CONCENTRATIONS OF ANTI-INFLAMMATORY MEDIATORS IN EARLY-PHASE SEVERE TRAUMATIC BRAIN INJURY. <i>Shock</i> , 2005, 23, 406-410. | 1.0 | 125 |
| 2193 | Decompressive Hemicraniectomy for Poor-grade Aneurysmal Subarachnoid Hemorrhage Patients with Associated Intracerebral Hemorrhage: Clinical Outcome and Quality of Life Assessment. <i>Neurosurgery</i> , 2005, 56, 12-20. | 0.6 | 101 |
| 2194 | Influence of definition and location of hypotension on outcome following severe pediatric traumatic brain injury*. <i>Critical Care Medicine</i> , 2005, 33, 2645-2650. | 0.4 | 106 |
| 2195 | Vector Analysis Correlating Bullet Trajectory to Outcome after Civilian Through-and-Through Gunshot Wound to the Head: Using Imaging Cues to Predict Fatal Outcome. <i>Neurosurgery</i> , 2005, 57, 737-747. | 0.6 | 55 |
| 2196 | Complications and Postoperative Care in Patients Undergoing Treatment for Unruptured Intracranial Aneurysms. <i>Journal of Neurosurgical Anesthesiology</i> , 2005, 17, 100-105. | 0.6 | 30 |
| 2197 | NONSPECIFIC INCREASE OF SYSTEMIC NEURON-SPECIFIC ENOLASE AFTER TRAUMA: CLINICAL AND EXPERIMENTAL FINDINGS. <i>Shock</i> , 2005, 24, 119-123. | 1.0 | 81 |
| 2198 | Preference-Based Quality of Life in Patients With Cerebral Aneurysms. <i>Stroke</i> , 2005, 36, 303-309. | 1.0 | 16 |
| 2199 | Somatosensory and brainstem auditory evoked potentials in cardiac arrest patients treated with hypothermia*. <i>Critical Care Medicine</i> , 2005, 33, 1736-1740. | 0.4 | 192 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2200 | Primer on medical management of severe brain injury. <i>Critical Care Medicine</i> , 2005, 33, 1392-1399. | 0.4 | 104 |
| 2201 | Acute secondary adrenal insufficiency after traumatic brain injury: A prospective study*. <i>Critical Care Medicine</i> , 2005, 33, 2358-2366. | 0.4 | 283 |
| 2202 | Treatment of Cerebral Vasospasm with Intra-arterial Fasudil Hydrochloride. <i>Neurosurgery</i> , 2005, 56, 214-223. | 0.6 | 54 |
| 2203 | Late Recurrence of Subarachnoid Hemorrhage after Treatment for Ruptured Aneurysms: Patient Characteristics and Outcomes. <i>Neurosurgery</i> , 2005, 56, 197-204. | 0.6 | 57 |
| 2204 | Effect of Presenting Hemorrhage on Outcome after Microsurgical Resection of Brain Arteriovenous Malformations. <i>Neurosurgery</i> , 2005, 56, 485-493. | 0.6 | 149 |
| 2205 | Factors Associated with Outcome after Hemispherectomy for Large Middle Cerebral Artery Territory Infarction. <i>Neurosurgery</i> , 2005, 56, 681-692. | 0.6 | 104 |
| 2206 | D-dimer Predicts Outcome after Aneurysmal Subarachnoid Hemorrhage: No Effect of Thromboprophylaxis on Coagulation Activity. <i>Neurosurgery</i> , 2005, 57, 16-24. | 0.6 | 44 |
| 2207 | Impact of Coil Embolization on Overall Management and Outcome of Patients with Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2005, 57, 216-224. | 0.6 | 20 |
| 2208 | Herniation Secondary to Critical Postcraniotomy Cerebrospinal Fluid Hypovolemia. <i>Neurosurgery</i> , 2005, 57, 286-292. | 0.6 | 81 |
| 2209 | Thrombolysis for Intraventricular Hemorrhage. <i>Neurosurgery Quarterly</i> , 2005, 15, 211-222. | 0.1 | 1 |
| 2210 | Intraventricular Hemorrhage after Aneurysmal Subarachnoid Hemorrhage: Pilot Study of Treatment with Intraventricular Tissue Plasminogen Activator. <i>Neurosurgery</i> , 2005, 56, 205-213. | 0.6 | 70 |
| 2211 | Effect of the Neurosurgeon's Surgical Experience on Outcomes from Intraoperative Aneurysmal Rupture. <i>Neurosurgery</i> , 2005, 57, 9-15. | 0.6 | 104 |
| 2212 | Survival of Cardiac Arrest after Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2005, 57, 25-31. | 0.6 | 49 |
| 2213 | Heparin-induced Thrombocytopenia Type II in Subarachnoid Hemorrhage Patients: Incidence and Complications. <i>Neurosurgery</i> , 2005, 57, 243-248. | 0.6 | 34 |
| 2214 | When the brain is injured, the body suffers*. <i>Critical Care Medicine</i> , 2005, 33, 697-698. | 0.4 | 3 |
| 2215 | Analysis of Intraoperative Rupture in the Surgical Treatment of 1694 Saccular Aneurysms. <i>Neurosurgery</i> , 2005, 56, 455-468. | 0.6 | 143 |
| 2216 | Factors Associated with Neurological Outcome and Lesion Progression in Traumatic Subarachnoid Hemorrhage Patients. <i>Neurosurgery</i> , 2005, 56, 671-680. | 0.6 | 143 |
| 2217 | Symptomatic Radionecrosis after AVM Stereotactic Radiosurgery. <i>Interventional Neuroradiology</i> , 2005, 11, 25-33. | 0.7 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2218 | Physiological thresholds for irreversible tissue damage in contusional regions following traumatic brain injury. <i>Brain</i> , 2005, 128, 1931-1942. | 3.7 | 168 |
| 2219 | Racial differences in demographics, acute complications, and outcomes in patients with subarachnoid hemorrhage: a large patient series. <i>Journal of Neurosurgery</i> , 2005, 103, 18-24. | 0.9 | 22 |
| 2220 | Risk factors for ischemic lesions following aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2005, 102, 194-201. | 0.9 | 53 |
| 2221 | Understanding Coma and Persistent Vegetative State. <i>Journal of Hospice and Palliative Nursing</i> , 2005, 7, 246-247. | 0.5 | 0 |
| 2222 | The Vegetative and Minimally Conscious States. <i>Journal of Head Trauma Rehabilitation</i> , 2005, 20, 30-50. | 1.0 | 154 |
| 2223 | Refractory posttraumatic intracranial hypertension: treatment with an external lumbar drainage. <i>European Journal of Anaesthesiology</i> , 2005, 22, 9. | 0.7 | 0 |
| 2224 | Workers' risk of unemployment after traumatic brain injury: A normed comparison. <i>Journal of the International Neuropsychological Society</i> , 2005, 11, 747-52. | 1.2 | 92 |
| 2225 | Intracranial Pressure Monitoring. <i>AACN Advanced Critical Care</i> , 2005, 16, 456-475. | 1.9 | 18 |
| 2226 | The CDC Traumatic Brain Injury Surveillance System. <i>Journal of Head Trauma Rehabilitation</i> , 2005, 20, 215-228. | 1.0 | 171 |
| 2227 | Cold simple intravenous infusions preceding special endovascular cooling for faster induction of mild hypothermia after cardiac arrest—a feasibility study. <i>Resuscitation</i> , 2005, 64, 347-351. | 1.3 | 192 |
| 2228 | The three-phase model of cardiac arrest as applied to ventricular fibrillation in a large, urban emergency medical services system. <i>Resuscitation</i> , 2005, 64, 341-346. | 1.3 | 35 |
| 2229 | Quality of life of elderly patients after prehospital thrombolytic therapy. <i>Resuscitation</i> , 2005, 66, 183-188. | 1.3 | 2 |
| 2230 | Using video-oculography for galvanic evoked vestibulo-ocular monitoring in comatose patients. <i>Journal of Neuroscience Methods</i> , 2005, 145, 127-131. | 1.3 | 9 |
| 2231 | Plasma Values of Oxidants and Antioxidants in Acute Brain Hemorrhage: Role of Free Radicals in the Development of Brain Injury. <i>Biological Trace Element Research</i> , 2005, 108, 043-052. | 1.9 | 19 |
| 2232 | Physiological and Biochemical Principles Underlying Volume-Targeted Therapy The "Lund Concept". <i>Neurocritical Care</i> , 2005, 2, 083-096. | 1.2 | 53 |
| 2233 | Subarachnoid Hemorrhage Grading Scales: A Systematic Review. <i>Neurocritical Care</i> , 2005, 2, 110-118. | 1.2 | 268 |
| 2234 | The Safety and Feasibility of Continuous Intravenous Magnesium Sulfate for Prevention of Cerebral Vasospasm in Aneurysmal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2005, 3, 016-023. | 1.2 | 29 |
| 2235 | Early clinical predictive factors during coma recovery. <i>Acta Neurochirurgica Supplementum</i> , 2005, 93, 201-205. | 0.5 | 22 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2237 | Long-time outcome after transient transtentorial herniation in patients with traumatic brain injury. <i>Acta Anaesthesiologica Scandinavica</i> , 2005, 49, 337-340. | 0.7 | 32 |
| 2238 | Emergency neurosurgery by general surgeons at a remote major hospital. <i>ANZ Journal of Surgery</i> , 2005, 75, 852-857. | 0.3 | 31 |
| 2239 | Inducing hypothermia to decrease neurological deficit: literature review. <i>Journal of Advanced Nursing</i> , 2005, 52, 189-199. | 1.5 | 5 |
| 2240 | A Novel Method of Evaluating the Impact of Secondary Brain Insults on Functional Outcomes in Traumatic Brain-injured Patients. <i>Academic Emergency Medicine</i> , 2005, 12, 1-6. | 0.8 | 25 |
| 2241 | Outcome 1 year after aneurysmal subarachnoid hemorrhage: relation between cognitive performance and neuroimaging. <i>Acta Neurologica Scandinavica</i> , 2005, 112, 76-80. | 1.0 | 35 |
| 2242 | Sequential analyses of neurobiochemical markers of cerebral damage in cerebrospinal fluid and serum in CNS infections. <i>Acta Neurologica Scandinavica</i> , 2005, 112, 303-308. | 1.0 | 25 |
| 2243 | Proteomic Identification of the Involvement of the Mitochondrial Rieske Protein in Epilepsy. <i>Epilepsia</i> , 2005, 46, 339-343. | 2.6 | 19 |
| 2244 | Shock: Management Guidelines. <i>Apollo Medicine</i> , 2005, 2, 277-286. | 0.0 | 0 |
| 2246 | Qualité de vie après traumatisme crânien sévère. <i>Pratiques Psychologiques</i> , 2005, 11, 343-357. | 0.4 | 3 |
| 2247 | PAIS: paracetamol (acetaminophen) in stroke; protocol for a randomized, double blind clinical trial. [ISCRTN 74418480]. <i>BMC Cardiovascular Disorders</i> , 2005, 5, 24. | 0.7 | 29 |
| 2248 | Recurrent central neurocytomas. <i>Cancer</i> , 2005, 104, 135-142. | 2.0 | 69 |
| 2249 | Comparison of the local and systemic effects of sepsis in predicting survival. <i>British Journal of Surgery</i> , 2005, 74, 750-752. | 0.1 | 23 |
| 2250 | Extradural haematoma in the Irish Republic: An analysis of 82 cases with emphasis on "delay". <i>British Journal of Surgery</i> , 2005, 77, 1391-1394. | 0.1 | 13 |
| 2251 | The establishment of endovascular aneurysm coiling at a neurovascular unit: report of experience during early years. <i>Neuroradiology</i> , 2005, 47, 144-152. | 1.1 | 9 |
| 2252 | Emergent endovascular treatment of ruptured vertebral artery dissecting aneurysms. <i>Neuroradiology</i> , 2005, 47, 158-164. | 1.1 | 81 |
| 2253 | Endovascular management for intracranial ruptured aneurysms in elderly patients: outcome and technical aspects. <i>Neuroradiology</i> , 2005, 47, 446-457. | 1.1 | 16 |
| 2254 | Vertebrobasilar dissection with subarachnoid hemorrhage: a retrospective study of 29 patients. <i>Neuroradiology</i> , 2005, 47, 97-104. | 1.1 | 94 |
| 2255 | Low T3 Syndrome in Head-Injured Patients is Associated with Prolonged Suppression of Markers of Cell-Mediated Immune Response. <i>European Journal of Trauma and Emergency Surgery</i> , 2005, 31, 359-368. | 0.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2256 | A prospective study of outcome predictors after severe brain injury in children. <i>Intensive Care Medicine</i> , 2005, 31, 840-845. | 3.9 | 53 |
| 2257 | Apoptosis of Jurkat cells induced by serum of patients with acute severe brain injury. <i>Intensive Care Medicine</i> , 2005, 31, 791-798. | 3.9 | 9 |
| 2258 | Genes and outcome after aneurysmal subarachnoid haemorrhage. <i>Journal of Neurology</i> , 2005, 252, 417-422. | 1.8 | 35 |
| 2259 | Mortality prediction in critical care for acute stroke: Severity of illness "score or coma" scale?. <i>Journal of Neurology</i> , 2005, 252, 1249-1254. | 1.8 | 37 |
| 2260 | Somatosensory evoked potentials in children with severe head trauma. <i>European Journal of Pediatrics</i> , 2005, 164, 417-420. | 1.3 | 11 |
| 2261 | Surgical treatment for brain metastases: prognostic factors and survival in 177 patients. <i>Neurosurgical Review</i> , 2005, 28, 115-119. | 1.2 | 119 |
| 2263 | A comparison of different grading scales for predicting outcome after subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 2005, 147, 5-16. | 0.9 | 46 |
| 2264 | Intracranial aneurysms in patients 18 years of age or under, are they different from aneurysms in adult population?. <i>Acta Neurochirurgica</i> , 2005, 147, 469-476. | 0.9 | 87 |
| 2265 | Timing of aneurysm surgery in subarachnoid haemorrhage " an observational study in The Netherlands. <i>Acta Neurochirurgica</i> , 2005, 147, 815-821. | 0.9 | 46 |
| 2266 | Regional differences in outcome from subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 2005, 147, 959-964. | 0.9 | 4 |
| 2267 | Distal posterior inferior cerebellar artery aneurysms: Clinical characteristics and surgical management. <i>Acta Neurochirurgica</i> , 2005, 147, 1131-1139. | 0.9 | 54 |
| 2268 | Endothelin-1 in plasma, cisternal CSF and microdialysate following aneurysmal SAH. <i>Acta Neurochirurgica</i> , 2005, 147, 1271-1279. | 0.9 | 45 |
| 2269 | Management following resuscitation from cardiac arrest: Recommendations from the 2003 Rocky mountain critical care conference. <i>Canadian Journal of Anaesthesia</i> , 2005, 52, 309-322. | 0.7 | 30 |
| 2270 | Functional Neuroimaging Studies of Cognitive Recovery After Acquired Brain Damage in Adults. <i>Neuropsychology Review</i> , 2005, 15, 169-183. | 2.5 | 33 |
| 2271 | High Risk of Hypogonadism After Traumatic Brain Injury: Clinical Implications. <i>Pituitary</i> , 2005, 8, 245-249. | 1.6 | 37 |
| 2272 | Development of Glasgow Coma and Outcome Scales. <i>Nepal Journal of Neuroscience</i> , 2005, 2, 24-28. | 0.1 | 29 |
| 2273 | Screening TBI patients with the brain acoustic monitor: Association with CT scan findings and neurologic status at hospital discharge. <i>Clinical Intensive Care: International Journal of Critical & Coronary Care Medicine</i> , 2005, 16, 97-105. | 0.1 | 2 |
| 2274 | Validation of a new measure for post-acute rehabilitation. <i>International Journal of Therapy and Rehabilitation</i> , 2005, 12, 63-71. | 0.1 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 2275 | The vegetative and minimally conscious states: Consensus-based criteria for establishing diagnosis and prognosis. <i>NeuroRehabilitation</i> , 2005, 19, 293-298. | 0.5 | 105 |
| 2278 | Further Analysis of NINDS Study. , 2005, , 129-147. | | 0 |
| 2279 | Looking While Listening and Speaking. <i>Journal of Speech, Language, and Hearing Research</i> , 2005, 48, 1429-1441. | 0.7 | 31 |
| 2280 | HEMS VS. GROUND-BLS CARE IN TRAUMATIC CARDIAC ARREST. <i>Prehospital Emergency Care</i> , 2005, 9, 79-84. | 1.0 | 40 |
| 2281 | Modeling the minimally conscious state: measurements of brain function and therapeutic possibilities. <i>Progress in Brain Research</i> , 2005, 150, 473-610. | 0.9 | 46 |
| 2282 | Hypothermia for neuroprotection after cardiac arrest: Systematic review and individual patient data meta-analysis. <i>Critical Care Medicine</i> , 2005, 33, 414-418. | 0.4 | 1,128 |
| 2283 | Paroxysmal episodic hypothalamic instability with hypothermia after traumatic brain injury. <i>Brain Injury</i> , 2005, 19, 1277-1283. | 0.6 | 26 |
| 2284 | A "Malignant" Variant of Status Epilepticus. <i>Archives of Neurology</i> , 2005, 62, 1428. | 4.9 | 124 |
| 2285 | Prognosis and Decision Making in Severe Stroke. <i>JAMA - Journal of the American Medical Association</i> , 2005, 294, 725. | 3.8 | 131 |
| 2286 | Multiple aneurysms of the anterior communicating artery: radiological and surgical difficulties. <i>Journal of Neurosurgery</i> , 2005, 102, 495-502. | 0.9 | 10 |
| 2287 | Serum S-100B as an Indicator of Early Postoperative Deterioration after Meningioma Surgery. <i>Clinical Chemistry</i> , 2005, 51, 202-207. | 1.5 | 15 |
| 2288 | Hyperglycemia, excess weight, and history of hypertension as risk factors for poor outcome and cerebral infarction after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2005, 102, 998-1003. | 0.9 | 129 |
| 2289 | Applicability and relevance of models that predict short term outcome after intracerebral haemorrhage. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 76, 839-844. | 0.9 | 56 |
| 2290 | Mild Intraoperative Hypothermia during Surgery for Intracranial Aneurysm. <i>New England Journal of Medicine</i> , 2005, 352, 135-145. | 13.9 | 631 |
| 2291 | Subarachnoid hemorrhage caused by posterior inferior cerebellar artery aneurysm with an anomalous course of the atlantoaxial segment of the vertebral artery. <i>Journal of Neurosurgery</i> , 2005, 103, 356-360. | 0.9 | 26 |
| 2292 | Hypopituitarism after traumatic brain injury. <i>European Journal of Endocrinology</i> , 2005, 152, 679-691. | 1.9 | 186 |
| 2293 | Pre-Injury, Injury and Early Post-Injury Predictors of Long-Term Functional and Psychosocial Recovery After Severe Traumatic Brain Injury. <i>Brain Impairment</i> , 2005, 6, 75-89. | 0.5 | 72 |
| 2294 | Endovascular coil embolization of intracranial aneurysms: important factors related to rates and outcomes of incomplete occlusion. <i>Journal of Neurosurgery</i> , 2005, 102, 607-615. | 0.9 | 50 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2295 | Age, intracranial pressure, autoregulation, and outcome after brain trauma. <i>Journal of Neurosurgery</i> , 2005, 102, 450-454. | 0.9 | 163 |
| 2296 | Novel aspects of the neuropathology of the vegetative state after blunt head injury. <i>Progress in Brain Research</i> , 2005, 150, 445-455. | 0.9 | 38 |
| 2297 | Matrix Detachable Coils for the Endovascular Treatment of Intracranial Aneurysms. <i>Stroke</i> , 2005, 36, 2176-2180. | 1.0 | 74 |
| 2298 | Pressure reactivity as a guide in the treatment of cerebral perfusion pressure in patients with brain trauma. <i>Journal of Neurosurgery</i> , 2005, 102, 311-317. | 0.9 | 202 |
| 2299 | Basilar artery dissection. <i>Journal of Neurosurgery</i> , 2005, 102, 476-481. | 0.9 | 55 |
| 2300 | Upper basilar artery aneurysms: oculomotor outcomes in 163 cases. <i>Journal of Neurosurgery</i> , 2005, 102, 482-488. | 0.9 | 26 |
| 2301 | The Short Form-12 and the measurement of health status in patients with cerebral aneurysms: performance, validity, and reliability. <i>Journal of Neurosurgery</i> , 2005, 102, 489-494. | 0.9 | 39 |
| 2302 | Safety of intracranial aneurysm surgery performed in a postgraduate training program: implications for training. <i>Journal of Neurosurgery</i> , 2005, 102, 616-621. | 0.9 | 29 |
| 2303 | Brain injuries caused by spherical bolts. <i>Journal of Neurosurgery</i> , 2005, 102, 864-869. | 0.9 | 2 |
| 2304 | Predictive value of an early Glasgow Outcome Scale score: 15-month score changes. <i>Journal of Neurosurgery</i> , 2005, 103, 239-245. | 0.9 | 29 |
| 2305 | Mental health, anxiety, and depression in patients with cerebral aneurysms. <i>Journal of Neurosurgery</i> , 2005, 103, 636-641. | 0.9 | 22 |
| 2306 | Evoked potentials in severe brain injury. <i>Progress in Brain Research</i> , 2005, 150, 415-426. | 0.9 | 38 |
| 2307 | Coping strategies, social support, life orientation and health-related quality of life following traumatic brain injury. <i>Brain Injury</i> , 2005, 19, 1181-1190. | 0.6 | 89 |
| 2308 | Functional Outcome Scales in Traumatic Brain Injury: A Comparison of the Glasgow Outcome Scale (Extended) and the Functional Status Examination. <i>Journal of Neurotrauma</i> , 2005, 22, 1319-1326. | 1.7 | 77 |
| 2309 | Clazosentan (AXV-034343), a selective endothelin A receptor antagonist, in the prevention of cerebral vasospasm following severe aneurysmal subarachnoid hemorrhage: results of a randomized, double-blind, placebo-controlled, multicenter Phase IIa study. <i>Journal of Neurosurgery</i> , 2005, 103, 9-17. | 0.9 | 243 |
| 2310 | Ventricular Enlargement after Moderate or Severe Head Injury: A Frequent and Neglected Problem. <i>Journal of Neurotrauma</i> , 2005, 22, 1303-1310. | 1.7 | 81 |
| 2311 | Monitoring of Cerebral Blood Flow and Metabolism in Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2005, 22, 955-965. | 1.7 | 70 |
| 2312 | A preliminary investigation of road traffic accident rate after severe brain injury. <i>Brain Injury</i> , 2005, 19, 159-163. | 0.6 | 53 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2313 | Neuropathology of the vegetative state after head injury. <i>Neuropsychological Rehabilitation</i> , 2005, 15, 198-213. | 1.0 | 55 |
| 2314 | Frontal and Temporal Morphometric Findings on MRI in Children after Moderate to Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2005, 22, 333-344. | 1.7 | 214 |
| 2315 | Late Neurologic and Cognitive Sequelae of Inflicted Traumatic Brain Injury in Infancy. <i>Pediatrics</i> , 2005, 116, e174-e185. | 1.0 | 292 |
| 2316 | Hyperglycemia in the Hospital Setting: The Case for Improved Control among Non-Diabetics. <i>Annals of Pharmacotherapy</i> , 2005, 39, 492-501. | 0.9 | 25 |
| 2317 | The natural history of post-traumatic neurohypophysial dysfunction. <i>European Journal of Endocrinology</i> , 2005, 152, 371-377. | 1.9 | 156 |
| 2318 | Early surgery for ruptured cerebral arteriovenous malformations. , 2005, 94, 111-114. | | 40 |
| 2319 | Estimation of Hidden State Variables of the Intracranial System Using Constrained Nonlinear Kalman Filters. , 2005, 2005, 5631-4. | | 0 |
| 2320 | Angiographic and clinical results in 316 coil-treated basilar artery bifurcation aneurysms. <i>Journal of Neurosurgery</i> , 2005, 103, 990-999. | 0.9 | 92 |
| 2321 | Evoked potentials for the prediction of vegetative state in the acute stage of coma. <i>Neuropsychological Rehabilitation</i> , 2005, 15, 372-380. | 1.0 | 39 |
| 2322 | Identifying factors contributing to child and family outcome 30 months after traumatic brain injury in children. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 76, 401-408. | 0.9 | 182 |
| 2323 | Accidental and nonaccidental head injuries in infants: a prospective study. <i>Journal of Neurosurgery: Pediatrics</i> , 2005, 102, 380-384. | 0.8 | 99 |
| 2324 | Comparison of prognosis and complications after warning leaks in subarachnoid hemorrhageâ€”experience with 214 patients following aneurysm clipping. <i>Neurological Research</i> , 2005, 27, 620-624. | 0.6 | 7 |
| 2325 | Trends in Surgical and Management Outcomes in Patients with Aneurysmal Subarachnoid Hemorrhage in Izumo City, Japan, between 1980â€”1989 and 1990â€”1998. <i>Cerebrovascular Diseases</i> , 2005, 19, 39-48. | 0.8 | 32 |
| 2326 | Epidemiology and prognosis of coma in daytime television dramas. <i>BMJ: British Medical Journal</i> , 2005, 331, 1537-1539. | 2.4 | 19 |
| 2327 | Utility of Outcome Measures After Treatment for Intracranial Aneurysms. <i>Stroke</i> , 2005, 36, 792-796. | 1.0 | 56 |
| 2328 | The association between APOE Î¼4, age and outcome after head injury: a prospective cohort study. <i>Brain</i> , 2005, 128, 2556-2561. | 3.7 | 198 |
| 2329 | Prediction of â€”awakeningâ€™ and outcome in prolonged acute coma from severe traumatic brain injury: evidence for validity of short latency SEPs. <i>Clinical Neurophysiology</i> , 2005, 116, 229-235. | 0.7 | 79 |
| 2330 | Survival of a Neurologically Intact Patient With Subarachnoid Hemorrhage and Cardiopulmonary Arrest. <i>Mayo Clinic Proceedings</i> , 2005, 80, 1073-1076. | 1.4 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2332 | The impact of age on traumatic brain injury. <i>Physical Medicine and Rehabilitation Clinics of North America</i> , 2005, 16, 163-177. | 0.7 | 69 |
| 2333 | Beneficial effect of cerebrolysin on moderate and severe head injury patients: result of a cohort study. , 2005, 95, 59-60. | | 38 |
| 2334 | Early Glasgow Outcome Scale Scores Predict Long-Term Functional Outcome in Patients with Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2005, 22, 947-954. | 1.7 | 85 |
| 2335 | Design and Analysis of Phase III Trials with Ordered Outcome Scales: The Concept of the Sliding Dichotomy. <i>Journal of Neurotrauma</i> , 2005, 22, 511-517. | 1.7 | 140 |
| 2336 | Subjective well-being and quality of life following traumatic brain injury in adults: A long-term population-based follow-up. <i>Brain Injury</i> , 2005, 19, 1041-1048. | 0.6 | 52 |
| 2337 | Spontaneous subarachnoid haemorrhage in the era of transition from surgery to embolization. A study of the overall outcome. <i>British Journal of Neurosurgery</i> , 2005, 19, 389-394. | 0.4 | 5 |
| 2338 | Balance disorder and traumatic brain injury: Preliminary findings of a multi-factorial observational study. <i>Brain Injury</i> , 2005, 19, 1095-1104. | 0.6 | 35 |
| 2339 | Life satisfaction and disability after severe traumatic brain injury. <i>Brain Injury</i> , 2005, 19, 227-238. | 0.6 | 94 |
| 2340 | Gunshot wounds to the head: Gang- and non-gang-related injuries and outcomes. <i>Brain Injury</i> , 2005, 19, 505-510. | 0.6 | 12 |
| 2341 | Systematic review of measures and their concepts used in published studies focusing on rehabilitation in the acute hospital and in early post-acute rehabilitation facilities. <i>Disability and Rehabilitation</i> , 2005, 27, 419-429. | 0.9 | 49 |
| 2342 | Estimating and Testing Treatment Effects on Two Binary Endpoints and Association Between Endpoints in Clinical Trials. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2005, 34, 751-769. | 0.6 | 1 |
| 2343 | Outcome scoring in neurosurgery: the cognitive outcome score, an alternative to the Glasgow outcome scale. <i>Journal of Clinical Neuroscience</i> , 2005, 12, 119-123. | 0.8 | 4 |
| 2344 | Development of early cerebral swelling in surgically treated ruptured aneurysm of acute stage, its significance, and management. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2005, 14, 58-66. | 0.7 | 1 |
| 2345 | Bacterial meningitis in Hong Kong: 10-yearsâ€™ experience. <i>Clinical Neurology and Neurosurgery</i> , 2005, 107, 366-370. | 0.6 | 70 |
| 2346 | Neurologic outcome in children after extracorporeal membrane oxygenation: Prognostic value of diagnostic tests. <i>Pediatric Neurology</i> , 2005, 32, 173-179. | 1.0 | 37 |
| 2347 | Supraorbital eyebrow minicraniotomy for anterior circulation aneurysms. <i>World Neurosurgery</i> , 2005, 63, 47-51. | 1.3 | 106 |
| 2348 | Predicting the overall management outcome in patients with a subarachnoid hemorrhage accompanied by a massive intracerebral or full-packed intraventricular hemorrhage: a 15-year retrospective study. <i>World Neurosurgery</i> , 2005, 63, 329-334. | 1.3 | 25 |
| 2349 | Unilateral pterional approach to bilateral aneurysms of the middle cerebral artery. <i>World Neurosurgery</i> , 2005, 63, S1-S7. | 1.3 | 31 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2350 | Recurrent primary intracerebral hemorrhage in Izumo City, Japan. <i>World Neurosurgery</i> , 2005, 64, 28-35. | 1.3 | 37 |
| 2351 | Pathophysiology of posttraumatic temporal lobe lesions. <i>World Neurosurgery</i> , 2005, 64, S22-S29. | 1.3 | 2 |
| 2352 | Trans-cranial Doppler in severe head injury: Evaluation of pattern of changes in cerebral blood flow velocity and its impact on outcome. <i>World Neurosurgery</i> , 2005, 64, 174-179. | 1.3 | 31 |
| 2353 | The long-term effects of transluminal balloon angioplasty for vasospasms after subarachnoid hemorrhage: analyses of cerebral blood flow and reactivity. <i>World Neurosurgery</i> , 2005, 64, 122-126. | 1.3 | 36 |
| 2354 | Evaluation of invasiveness and efficacy of 2 different keyhole approaches to large basal ganglia hematomas. <i>World Neurosurgery</i> , 2005, 64, 253-259. | 1.3 | 6 |
| 2355 | Thromboxane and prostacyclin biosynthesis in patients with acute spontaneous intracerebral hemorrhage. <i>Thrombosis Research</i> , 2005, 115, 367-373. | 0.8 | 16 |
| 2356 | Late Auditory and Event-Related Potentials Can Be Useful to Predict Good Functional Outcome After Coma. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 917-923. | 0.5 | 68 |
| 2357 | Alcohol use disorder symptoms and risk-taking behavior as predictors of alcohol-related medical events among young adults treated in emergency departments. <i>Addictive Behaviors</i> , 2005, 30, 1674-1689. | 1.7 | 14 |
| 2358 | The natural history of post-traumatic hypopituitarism: Implications for assessment and treatment. <i>American Journal of Medicine</i> , 2005, 118, 1416.e1-1416.e7. | 0.6 | 144 |
| 2367 | High-Volume Hemofiltration After Out-of-Hospital Cardiac Arrest. <i>Journal of the American College of Cardiology</i> , 2005, 46, 432-437. | 1.2 | 244 |
| 2368 | Utilidad de la TAC secuencial y la monitorizaci3n de la presi3n intracraneal para detectar nuevo efecto masa intracraneal en pacientes con traumatismo craneal grave y lesi3n inicial Tipo I-II. <i>Neurocirugia</i> , 2005, 16, 217-234. | 0.2 | 23 |
| 2369 | Predicting Outcome after Traumatic Brain Injury: Development and Validation of a Prognostic Score Based on Admission Characteristics. <i>Journal of Neurotrauma</i> , 2005, 22, 1025-1039. | 1.7 | 257 |
| 2370 | Corticosteroids for acute traumatic brain injury. <i>The Cochrane Library</i> , 2005, , CD000196. | 1.5 | 136 |
| 2371 | Is This Patient Having a Stroke?. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 2391. | 3.8 | 175 |
| 2372 | Nutritional support for head-injured patients. <i>The Cochrane Library</i> , 2006, , CD001530. | 1.5 | 77 |
| 2373 | Neuroimaging for Traumatic Brain Injury. , 2006, , 233-259. | | 0 |
| 2374 | Primary Hemorrhagic Stroke in Children With Sickle Cell Disease Is Associated With Recent Transfusion and Use of Corticosteroids. <i>Pediatrics</i> , 2006, 118, 1916-1924. | 1.0 | 116 |
| 2375 | Comparison of functional outcome following acute care in young, middle-aged and elderly patients with traumatic brain injury. <i>Brain Injury</i> , 2006, 20, 779-790. | 0.6 | 139 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2376 | Slight and short-lasting increase of serum S-100B protein in extra-cranial trauma. <i>Brain Injury</i> , 2006, 20, 867-872. | 0.6 | 20 |
| 2377 | Diffusion Tensor Imaging in the Corpus Callosum in Children after Moderate to Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2006, 23, 1412-1426. | 1.7 | 233 |
| 2378 | Severe head injury and the risk of early death. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006, 77, 1054-1059. | 0.9 | 41 |
| 2379 | Establishing a prognosis for functional outcome during coma recovery. <i>Brain Injury</i> , 2006, 20, 743-758. | 0.6 | 12 |
| 2380 | MR imaging of head trauma: Visibility of contusions and other intraparenchymal injuries in early and late stage. <i>Brain Injury</i> , 2006, 20, 409-416. | 0.6 | 24 |
| 2381 | Aminophylline in bradycardiac arrest: a randomised placebo-controlled trial. <i>Lancet</i> , The, 2006, 367, 1577-1584. | 6.3 | 40 |
| 2384 | Geriatric Neurologic Emergencies. <i>Emergency Medicine Clinics of North America</i> , 2006, 24, 273-298. | 0.5 | 16 |
| 2385 | Coma, Delirium, and Cognitive Dysfunction in Critical Illness. <i>Critical Care Clinics</i> , 2006, 22, 787-804. | 1.0 | 25 |
| 2387 | Predictive value of S-100B protein and neuron specific-enolase as markers of traumatic brain damage in clinical use. <i>Brain Injury</i> , 2006, 20, 463-468. | 0.6 | 43 |
| 2388 | Serum neuron-specific enolase as early predictor of outcome after in-hospital cardiac arrest: a cohort study. <i>Critical Care</i> , 2006, 10, R133. | 2.5 | 62 |
| 2389 | Frequency of behavioural problems at one year following traumatic brain injury: Correspondence between patient and caregiver reports. <i>Neuropsychological Rehabilitation</i> , 2006, 16, 684-694. | 1.0 | 21 |
| 2390 | Nonoperative management of acute epidural hematomas: A "no-brainer". <i>American Journal of Surgery</i> , 2006, 192, 801-805. | 0.9 | 21 |
| 2391 | The effect of litigation on long term cognitive and psychosocial outcome after severe brain injury. <i>Archives of Clinical Neuropsychology</i> , 2006, 21, 239-246. | 0.3 | 16 |
| 2392 | Treatment of intraventricular hemorrhage with intraventricular administration of recombinant tissue plasminogen activator. <i>Clinical Neurology and Neurosurgery</i> , 2006, 108, 451-455. | 0.6 | 37 |
| 2393 | The impact of the international subarachnoid aneurysm trial (ISAT) on the management of aneurysmal subarachnoid haemorrhage in a neurosurgical unit in the UK. <i>Clinical Neurology and Neurosurgery</i> , 2006, 108, 117-123. | 0.6 | 115 |
| 2394 | Predicting Mortality After Intracerebral Hemorrhage: Comparison of Scoring Systems and Influence of Withdrawal of Care. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2006, 15, 144-150. | 0.7 | 19 |
| 2395 | Some prognostic models for traumatic brain injury were not valid. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 132-143. | 2.4 | 62 |
| 2396 | Intraoperative applications of intracranial pressure monitoring in patients with severe head injury. <i>Journal of Clinical Neuroscience</i> , 2006, 13, 218-223. | 0.8 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2397 | Therapeutic hypothermia for severely head-injured patients with acute subdural haematoma. <i>Journal of Clinical Neuroscience</i> , 2006, 13, 733-737. | 0.8 | 11 |
| 2398 | Comparison of craniotomy and craniectomy in patients with acute subdural haematoma. <i>Journal of Clinical Neuroscience</i> , 2006, 13, 718-721. | 0.8 | 64 |
| 2399 | Clinical outcome of severe head injury using three different ICP and CPP protocol-driven therapies. <i>Journal of Clinical Neuroscience</i> , 2006, 13, 818-822. | 0.8 | 40 |
| 2400 | Critical Score of Glasgow Coma Scale for Pediatric Traumatic Brain Injury. <i>Pediatric Neurology</i> , 2006, 34, 379-387. | 1.0 | 67 |
| 2401 | Early transcranial Doppler after subarachnoid hemorrhage: clinical and radiological correlations. <i>World Neurosurgery</i> , 2006, 65, 247-252. | 1.3 | 27 |
| 2402 | Brain abscess in 142 patients: factors influencing outcome and mortality. <i>World Neurosurgery</i> , 2006, 65, 557-562. | 1.3 | 159 |
| 2403 | Endovascular embolization vs surgical clipping in treatment of cerebral aneurysms: morbidity and mortality with short-term outcome. <i>World Neurosurgery</i> , 2006, 66, 277-284. | 1.3 | 80 |
| 2404 | Revascularizing the upper basilar circulation with saphenous vein grafts: operative technique and lessons learned. <i>World Neurosurgery</i> , 2006, 66, 285-297. | 1.3 | 21 |
| 2405 | Survey of traumatic intracranial hemorrhage in Taiwan. <i>World Neurosurgery</i> , 2006, 66, S20-S25. | 1.3 | 16 |
| 2406 | Early surgical treatment vs conservative management for spontaneous supratentorial intracerebral hematomas: a prospective randomized study. <i>World Neurosurgery</i> , 2006, 66, 492-501. | 1.3 | 139 |
| 2407 | Subdural intracranial pressure monitoring in severe head injury: clinical experience with the Codman MicroSensor. <i>World Neurosurgery</i> , 2006, 66, S8-S13. | 1.3 | 24 |
| 2408 | Clinical experience of hydroxyethyl starch (10% HES 200/0.5) in cerebral perfusion pressure protocol for severe head injury. <i>World Neurosurgery</i> , 2006, 66, S26-S31. | 1.3 | 6 |
| 2409 | Head injuries in adolescents in Taiwan: a comparison between urban and rural groups. <i>World Neurosurgery</i> , 2006, 66, S14-S19. | 1.3 | 14 |
| 2410 | Study of Factors associated with Neurological Outcome in Traumatic Subarachnoid Hemorrhage. <i>Journal of Korean Neurotraumatology Society</i> , 2006, 2, 18. | 0.0 | 1 |
| 2412 | Influence of Lamina Terminalis Fenestration on the Occurrence of the Shunt-Dependent Hydrocephalus in Anterior Communicating Artery Aneurysmal Subarachnoid Hemorrhage. <i>Journal of Korean Medical Science</i> , 2006, 21, 113. | 1.1 | 14 |
| 2414 | Endothelial Nitric Oxide Gene T-786C Polymorphism and Subarachnoid Hemorrhage in Korean Population. <i>Journal of Korean Medical Science</i> , 2006, 21, 922. | 1.1 | 30 |
| 2415 | Cognitive Assessment in Chinese Patients with Aneurysmal Subarachnoid Hemorrhage. <i>Behavioural Neurology</i> , 2006, 17, 117-120. | 1.1 | 16 |
| 2416 | Penetrating craniocerebral injuries from the former Yugoslavia battlefields. <i>Indian Journal of Neurotrauma</i> , 2006, 3, 27-30. | 0.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2417 | Location of Out-of-Hospital Cardiac Arrests in Takatsuki City Where Should Automated External Defibrillator be Placed?. <i>Circulation Journal</i> , 2006, 70, 827-831. | 0.7 | 36 |
| 2418 | Angioplasty for intracranial artery stenosis. <i>The Cochrane Library</i> , 2006, , CD004133. | 1.5 | 33 |
| 2419 | Repeated Endovascular Coil Occlusion in 350 of 2759 Intracranial Aneurysms: Safety and Effectiveness Aspects. <i>Neurosurgery</i> , 2006, 58, 224-232. | 0.6 | 101 |
| 2420 | Ability of neuron-specific enolase to predict survival to hospital discharge after successful cardiopulmonary resuscitation. <i>Canadian Journal of Emergency Medicine</i> , 2006, 8, 13-18. | 0.5 | 21 |
| 2421 | Endovascular Treatment of Intracranial Aneurysms: Long-Term Follow-up. <i>Neuroradiology Journal</i> , 2006, 19, 339-347. | 0.6 | 2 |
| 2423 | Endovascular Surgery for Proximal Posterior Inferior Cerebellar Artery Aneurysms: An Analysis of Glasgow Outcome Score by Hunt-Hess Grades. <i>Neurosurgery</i> , 2006, 58, 619-625. | 0.6 | 70 |
| 2424 | Outcome in neurocritical care: Advances in monitoring and treatment and effect of a specialized neurocritical care team. <i>Critical Care Medicine</i> , 2006, 34, S232-S238. | 0.4 | 87 |
| 2425 | Thalamic Nuclei After Human Blunt Head Injury. <i>Journal of Neuropathology and Experimental Neurology</i> , 2006, 65, 478-488. | 0.9 | 109 |
| 2426 | Aggressive Behavior Following Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2006, 21, 45-56. | 1.0 | 209 |
| 2427 | Friends After Traumatic Brain Injury in Children. <i>Journal of Head Trauma Rehabilitation</i> , 2006, 21, 505-513. | 1.0 | 73 |
| 2428 | Neuropsychological sequelae of bacterial and viral meningitis. <i>Brain</i> , 2006, 129, 333-345. | 3.7 | 135 |
| 2429 | Prognosis Value of Plasma S100B Protein Levels after Subarachnoid Aneurysmal Hemorrhage. <i>Anesthesiology</i> , 2006, 104, 658-666. | 1.3 | 79 |
| 2430 | Putting the Pieces Together. <i>Journal of Head Trauma Rehabilitation</i> , 2006, 21, 57-67. | 1.0 | 118 |
| 2431 | Intravenous Magnesium Sulfate After Aneurysmal Subarachnoid Hemorrhage: A Prospective Randomized Pilot Study. <i>Journal of Neurosurgical Anesthesiology</i> , 2006, 18, 142-148. | 0.6 | 100 |
| 2432 | Out-of-hospital resuscitation in Estonia: a bystander-witnessed sudden cardiac arrest. <i>European Journal of Emergency Medicine</i> , 2006, 13, 14-20. | 0.5 | 8 |
| 2433 | Impact of Basilar Artery Vasospasm on Outcome in Patients with Severe Cerebral Vasospasm after Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2006, 59, 454-455. | 0.6 | 0 |
| 2434 | Quantitation of Ischemic Events After Severe Traumatic Brain Injury in Humans: A Simple Scoring System. <i>Journal of Neurosurgical Anesthesiology</i> , 2006, 18, 170-178. | 0.6 | 20 |
| 2435 | The first Italian trauma registry of national relevance: methodology and initial results. <i>European Journal of Emergency Medicine</i> , 2006, 13, 197-203. | 0.5 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2436 | Reliability and validity of the Pediatric Intensity Level of Therapy (PILOT) scale: A measure of the use of intracranial pressure-directed therapies. <i>Critical Care Medicine</i> , 2006, 34, 1981-1987. | 0.4 | 38 |
| 2437 | Prevalence and Prognosis of Traumatic Intraventricular Hemorrhage in Patients with Blunt Head Trauma. <i>Journal of Trauma</i> , 2006, 60, 1010-1017. | 2.3 | 54 |
| 2438 | Indications for CT Scanning in Mild Traumatic Brain Injury: A Cost-Effectiveness Study. <i>Journal of Trauma</i> , 2006, 61, 558-566. | 2.3 | 73 |
| 2439 | Feasibility and Limitations of Endovascular Coil Embolization of Anterior Communicating Artery Aneurysms: Morphological Considerations. <i>Neurosurgery</i> , 2006, 59, 43-52. | 0.6 | 63 |
| 2440 | Complex analysis of intracranial hypertension using approximate entropy*. <i>Critical Care Medicine</i> , 2006, 34, 87-95. | 0.4 | 70 |
| 2441 | Continuous assessment of cerebrovascular autoregulation after traumatic brain injury using brain tissue oxygen pressure reactivity*. <i>Critical Care Medicine</i> , 2006, 34, 1783-1788. | 0.4 | 211 |
| 2442 | Gender Modifies the Influence of Age on Outcome After Successfully Resuscitated Cardiac Arrest. <i>Medicine (United States)</i> , 2006, 85, 288-294. | 0.4 | 33 |
| 2443 | Initial and Serial Evoked Potentials in Cerebrovascular Critical Care Patients. <i>Journal of Clinical Neurophysiology</i> , 2006, 23, 389-394. | 0.9 | 32 |
| 2444 | Six-year mortality and quality of life in critically ill patients with chronic obstructive pulmonary disease. <i>Critical Care Medicine</i> , 2006, 34, 2317-2324. | 0.4 | 63 |
| 2445 | A POPULATION-BASED STUDY OF NEUROSURGICAL AND ENDOVASCULAR TREATMENT OF RUPTURED, INTRACRANIAL ANEURYSMS IN A SMALL NEUROSURGICAL UNIT. <i>Neurosurgery</i> , 2006, 59, 1168-1176. | 0.6 | 12 |
| 2446 | Retractable Self-expandable Stent for Endovascular Treatment of Wide-necked Intracranial Aneurysms: Preliminary Experience. <i>Neurosurgery</i> , 2006, 58, 451-457. | 0.6 | 75 |
| 2447 | Approach to the comatose patient. <i>Critical Care Medicine</i> , 2006, 34, 31-41. | 0.4 | 125 |
| 2448 | Improved prediction of awakening or nonawakening from severe anoxic coma using tree-based classification analysis*. <i>Critical Care Medicine</i> , 2006, 34, 1520-1524. | 0.4 | 201 |
| 2449 | Epidemiology and early predictive factors of mortality and outcome in children with traumatic severe brain injury: Experience of a French pediatric trauma center*. <i>Pediatric Critical Care Medicine</i> , 2006, 7, 461-467. | 0.2 | 191 |
| 2450 | Complications of Cerebral Arteriovenous Malformation Embolization: Multivariate Analysis of Predictive Factors. <i>Neurosurgery</i> , 2006, 58, 602-611. | 0.6 | 163 |
| 2451 | The Physical Performance Test and the evaluation of functional status in patients with cerebral aneurysms. <i>Journal of Neurosurgery</i> , 2006, 104, 525-530. | 0.9 | 3 |
| 2452 | Neuropsychological function in a group of patients 25 years after sustaining minor head injuries as children and adolescents. <i>Scandinavian Journal of Psychology</i> , 2006, 47, 245-251. | 0.8 | 41 |
| 2453 | Factors predictive of fatality in massive middle cerebral artery territory infarction and clinical experience of decompressive hemicraniectomy. <i>European Journal of Neurology</i> , 2006, 13, 765-771. | 1.7 | 48 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2454 | Community-Acquired Bacterial Meningitis in Older People. <i>Journal of the American Geriatrics Society</i> , 2006, 54, 1500-1507. | 1.3 | 85 |
| 2455 | Elevation of ST2 protein levels in cerebrospinal fluid following subarachnoid hemorrhage. <i>Acta Neurologica Scandinavica</i> , 2006, 113, 060227054621002. | 1.0 | 16 |
| 2456 | Influence of cardiopulmonary resuscitation on levels of tumour markers. <i>European Journal of Cancer Care</i> , 2006, 15, 252-256. | 0.7 | 9 |
| 2457 | The experience of surviving traumatic brain injury. <i>Journal of Advanced Nursing</i> , 2006, 54, 407-417. | 1.5 | 69 |
| 2458 | A Data mining framework of noninvasive intracranial pressure assessment. <i>Biomedical Signal Processing and Control</i> , 2006, 1, 64-77. | 3.5 | 23 |
| 2459 | Performance of department staff in the window between discovery of collapse to cardiac arrest team arrival. <i>Resuscitation</i> , 2006, 69, 213-220. | 1.3 | 20 |
| 2460 | Cardiac arrest in public locationsâ€”An independent predictor for better outcome?. <i>Resuscitation</i> , 2006, 70, 395-403. | 1.3 | 40 |
| 2461 | Management of patients with <i>Streptococcus milleri</i> brain abscesses. <i>Journal of Infection</i> , 2006, 52, 443-450. | 1.7 | 36 |
| 2462 | Impact of Intracranial Pressure and Cerebral Perfusion Pressure on Severe Disability and Mortality After Head Injury. <i>Neurocritical Care</i> , 2006, 4, 008-013. | 1.2 | 298 |
| 2463 | Neuromonitoring in Neurological Critical Care. <i>Neurocritical Care</i> , 2006, 4, 083-092. | 1.2 | 25 |
| 2464 | Multilobar Electroencephalography Monitoring During Intracranial Aneurysm Surgery. <i>Neurocritical Care</i> , 2006, 4, 215-222. | 1.2 | 6 |
| 2465 | Alteration in brain natriuretic peptide (BNP) plasma concentration following severe traumatic brain injury. <i>Acta Neurochirurgica</i> , 2006, 148, 529-533. | 0.9 | 58 |
| 2466 | Effect of arachnoid plasty using fibrin glue membrane after clipping of ruptured aneurysm on the occurrence of complications and outcome in the elderly patients. <i>Acta Neurochirurgica</i> , 2006, 148, 627-631. | 0.9 | 34 |
| 2467 | Comparison of moderate hyperventilation and mannitol for control of intracranial pressure control in patients with severe traumatic brain injury â€” a study of cerebral blood flow and metabolism. <i>Acta Neurochirurgica</i> , 2006, 148, 845-851. | 0.9 | 43 |
| 2468 | Brainstem hypoperfusion in severe symptomatic vasospasm following aneurysmal subarachnoid hemorrhage: role of basilar artery vasospasm. <i>Acta Neurochirurgica</i> , 2006, 148, 929-935. | 0.9 | 4 |
| 2469 | Utility of catheter-assisted Guglielmi detachable coiling in the treatment of wide-necked aneurysms. <i>Acta Neurochirurgica</i> , 2006, 148, 1045-1052. | 0.9 | 16 |
| 2470 | Evaluation of apoptosis in cerebrospinal fluid of patients with severe head injury. <i>Acta Neurochirurgica</i> , 2006, 148, 1157-1164. | 0.9 | 58 |
| 2471 | Early decompressive craniectomy may be effective in the treatment of refractory intracranial hypertension after traumatic brain injury. <i>Child's Nervous System</i> , 2006, 22, 1268-1274. | 0.6 | 75 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2472 | Intracranial aneurysms in children under 1 year of age: a systematic review of the literature. <i>Child's Nervous System</i> , 2006, 22, 1395-1409. | 0.6 | 86 |
| 2474 | Cerebrospinal fluid ferritin in chronic hydrocephalus after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurology</i> , 2006, 253, 1170-1176. | 1.8 | 46 |
| 2475 | Interobserver agreement and predictive value for outcome of two rating scales for the amount of extravasated blood after aneurysmal subarachnoid haemorrhage. <i>Journal of Neurology</i> , 2006, 253, 1217-1220. | 1.8 | 39 |
| 2476 | Dexamethasone treatment in adults with pneumococcal meningitis: risk factors for death. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2006, 25, 73-78. | 1.3 | 21 |
| 2477 | A neuropsychological assessment of dual-task costs in closed-head injury patients using Cohen's effect size estimation method. <i>Psychological Research</i> , 2006, 70, 553-561. | 1.0 | 9 |
| 2478 | Intraventricular meningiomas: a report of 16 cases. <i>Neurosurgical Review</i> , 2006, 29, 30-35. | 1.2 | 72 |
| 2479 | Amplitude-integrated EEG (aEEG) predicts outcome after cardiac arrest and induced hypothermia. <i>Intensive Care Medicine</i> , 2006, 32, 836-842. | 3.9 | 182 |
| 2481 | Quality of Life in Multiply Injured Patients. <i>European Journal of Trauma and Emergency Surgery</i> , 2006, 32, 44-62. | 0.3 | 24 |
| 2482 | Long-term Outcome after Lower Extremity Injuries in Severely Injured Patients. <i>European Journal of Trauma and Emergency Surgery</i> , 2006, 32, 365-373. | 0.3 | 11 |
| 2483 | Bacterial brain abscesses: An evaluation of 96 cases. <i>Journal of Infection</i> , 2006, 52, 359-366. | 1.7 | 101 |
| 2484 | Comparison of subjective and objective measurements of balance disorders following traumatic brain injury. <i>Medical Engineering and Physics</i> , 2006, 28, 234-239. | 0.8 | 132 |
| 2485 | Increased levels of F2-isoprostanes following aneurysmal subarachnoid hemorrhage in humans. <i>Free Radical Biology and Medicine</i> , 2006, 40, 1466-1473. | 1.3 | 54 |
| 2486 | Clinical interpretation and use of stroke scales. <i>Lancet Neurology</i> , The, 2006, 5, 603-612. | 4.9 | 684 |
| 2487 | Effect of nimodipine on outcome in patients with traumatic subarachnoid haemorrhage: a systematic review. <i>Lancet Neurology</i> , The, 2006, 5, 1029-1032. | 4.9 | 73 |
| 2488 | An investigation of auto-reactivity after head injury. <i>Journal of Neuroimmunology</i> , 2006, 174, 180-186. | 1.1 | 569 |
| 2489 | Dexamethasone and long-term outcome in adults with bacterial meningitis. <i>Annals of Neurology</i> , 2006, 60, 456-468. | 2.8 | 95 |
| 2490 | Effects of intraoperative hypothermia on neuropsychological outcomes after intracranial aneurysm surgery. <i>Annals of Neurology</i> , 2006, 60, 518-527. | 2.8 | 91 |
| 2491 | Measuring cognitive outcome after subarachnoid hemorrhage. <i>Annals of Neurology</i> , 2006, 60, 502-504. | 2.8 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2492 | Prognostic Influence and Computed Tomography Findings in Dysautonomic Crises After Traumatic Brain Injury. <i>Journal of Trauma</i> , 2006, 61, 1129-1133. | 2.3 | 79 |
| 2493 | Early combined cranioplasty and programmable shunt in patients with skull bone defects and CSF-circulation disorders. <i>Neurological Research</i> , 2006, 28, 139-144. | 0.6 | 78 |
| 2494 | Late intellectual and academic outcomes following traumatic brain injury sustained during early childhood. <i>Journal of Neurosurgery: Pediatrics</i> , 2006, 105, 287-296. | 0.8 | 113 |
| 2495 | Critical Appraisal and Review of the Rankin Scale and Its Derivatives. <i>Neuroepidemiology</i> , 2006, 26, 4-15. | 1.1 | 69 |
| 2496 | Relationship between 3-Month National Institutes of Health Stroke Scale Score and Dependence in Ischemic Stroke Patients. <i>Neuroepidemiology</i> , 2006, 27, 96-100. | 1.1 | 11 |
| 2497 | Pediatric Traumatic Brain Injury: Past, Present and Future. <i>Developmental Neuroscience</i> , 2006, 28, 264-275. | 1.0 | 47 |
| 2498 | The Impact of Functional Status at Three Months on Long-Term Survival After Spontaneous Intracerebral Hemorrhage. <i>Stroke</i> , 2006, 37, 487-491. | 1.0 | 38 |
| 2499 | Impact of Basilar Artery Vasospasm on Outcome in Patients With Severe Cerebral Vasospasm After Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2006, 37, 2738-2743. | 1.0 | 17 |
| 2500 | Hypertensive Intracerebral Hemorrhage in Young People. <i>Stroke</i> , 2006, 37, 2946-2950. | 1.0 | 41 |
| 2501 | Biomarkers and Neuroimaging of Brain Injury after Cardiac Arrest. <i>Seminars in Neurology</i> , 2006, 26, 413-421. | 0.5 | 18 |
| 2502 | Efficacy and Safety of Endovascular Cooling After Cardiac Arrest. <i>Stroke</i> , 2006, 37, 1792-1797. | 1.0 | 239 |
| 2503 | Cerebral hemodynamic changes gauged by transcranial Doppler ultrasonography in patients with posttraumatic brain swelling treated by surgical decompression. <i>Journal of Neurosurgery</i> , 2006, 104, 93-100. | 0.9 | 90 |
| 2504 | Pediatric infratentorial subdural empyema: analysis of 14 cases. <i>Journal of Neurosurgery: Pediatrics</i> , 2006, 105, 370-377. | 0.8 | 20 |
| 2505 | Regular Aspirin-Use Preceding the Onset of Primary Intracerebral Hemorrhage is an Independent Predictor for Death. <i>Stroke</i> , 2006, 37, 129-133. | 1.0 | 191 |
| 2506 | Investigating gender differences in outcome following severe traumatic brain injury in a predominantly Asian population. <i>British Journal of Neurosurgery</i> , 2006, 20, 73-78. | 0.4 | 31 |
| 2507 | Early neurological deterioration in acute stroke: clinical characteristics and impact on outcome. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2006, 99, 625-633. | 0.2 | 117 |
| 2508 | Treatment of ruptured intracranial aneurysms since the International Subarachnoid Aneurysm Trial: practice utilizing clip ligation and coil embolization as individual or complementary therapies. <i>Journal of Neurosurgery</i> , 2006, 104, 344-349. | 0.9 | 55 |
| 2509 | Long-term Parental and Family Adaptation Following Pediatric Brain Injury. <i>Journal of Pediatric Psychology</i> , 2006, 31, 1072-1083. | 1.1 | 141 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2510 | Recovery of Impairments After Severe Traumatic Brain Injury: Findings From a Prospective, Multicentre Study. <i>Brain Impairment</i> , 2006, 7, 1-15. | 0.5 | 23 |
| 2511 | Subarachnoid haemorrhage in patients ≥ 75 years: clinical course, treatment and outcome. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006, 77, 933-937. | 0.9 | 88 |
| 2512 | Family history of stroke and severity of neurologic deficit after stroke. <i>Neurology</i> , 2006, 67, 1396-1402. | 1.5 | 24 |
| 2513 | The Role of Functional Neuroimaging in Pediatric Brain Injury. <i>Pediatrics</i> , 2006, 117, 1372-1381. | 1.0 | 37 |
| 2514 | Clinical Characteristics and Prognostic Factors of Postencephalitic Epilepsy in Children. <i>Journal of Child Neurology</i> , 2006, 21, 1047-1051. | 0.7 | 61 |
| 2515 | Reliability and sensitivity to change of measurement instruments used in a traumatic brain injury population. <i>Clinical Rehabilitation</i> , 2006, 20, 686-700. | 1.0 | 113 |
| 2516 | Modified Rankin Scale with Expanded Guidance Scheme and Interview Questionnaire: Interrater Agreement and Reproducibility of Assessment. <i>Cerebrovascular Diseases</i> , 2006, 21, 271-278. | 0.8 | 79 |
| 2517 | Transthoracic Incremental Monophasic Versus Biphasic Defibrillation by Emergency Responders (TIMBER). <i>Circulation</i> , 2006, 114, 2010-2018. | 1.6 | 68 |
| 2518 | Acute metabolic brain changes following traumatic brain injury and their relevance to clinical severity and outcome. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006, 78, 501-507. | 0.9 | 85 |
| 2519 | Over-Complete Discrete Wavelet Transformation of the Normal Auditory Brainstem Response Improves Prediction of Outcome following Severe Acute Closed Head Injury. <i>Audiology and Neuro-Otology</i> , 2006, 11, 249-258. | 0.6 | 1 |
| 2520 | Effects of Conjugated Equine Estrogen on Stroke in the Women's Health Initiative. <i>Circulation</i> , 2006, 113, 2425-2434. | 1.6 | 324 |
| 2521 | Comorbid Psychiatric Disorders and Alcohol-Related Injury Among Adolescents and Young Adults Treated in Emergency Departments. <i>Journal of Dual Diagnosis</i> , 2006, 2, 27-46. | 0.7 | 0 |
| 2522 | Transcranial Doppler ultrasonography as an early outcome forecaster following severe brain injury. <i>British Journal of Neurosurgery</i> , 2006, 20, 386-390. | 0.4 | 14 |
| 2523 | Use of the WHOQOL-BREF for Evaluating Persons with Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2006, 23, 1609-1620. | 1.7 | 59 |
| 2524 | Aspects on Decompressive Craniectomy in Patients with Traumatic Head Injuries. <i>Journal of Neurotrauma</i> , 2006, 23, 1502-1509. | 1.7 | 115 |
| 2525 | Intrathecal and Systemic Concentration of NT-proBNP in Patients with Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2006, 23, 943-949. | 1.7 | 62 |
| 2526 | Neurobehavioural deficits after severe traumatic brain injury (TBI). <i>Brain Injury</i> , 2006, 20, 569-574. | 0.6 | 61 |
| 2527 | Blood blister-like aneurysms at nonbranching sites of the internal carotid artery. <i>Journal of Neurosurgery</i> , 2006, 105, 400-405. | 0.9 | 120 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2528 | Neurobehavioral and Quality of Life Changes Associated with Growth Hormone Insufficiency after Complicated Mild, Moderate, or Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2006, 23, 928-942. | 1.7 | 148 |
| 2529 | Child Outcomes and Family Characteristics 1 Year After Severe Inflicted or Noninflicted Traumatic Brain Injury. <i>Pediatrics</i> , 2006, 117, 317-324. | 1.0 | 79 |
| 2530 | Clinical Significance of α -II-Spectrin Breakdown Products in Cerebrospinal Fluid after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2007, 24, 354-366. | 1.7 | 194 |
| 2531 | Mature rapid response system and potentially avoidable cardiopulmonary arrests in hospital. <i>Quality and Safety in Health Care</i> , 2007, 16, 260-265. | 2.5 | 92 |
| 2532 | Clinical review: Prognostic value of magnetic resonance imaging in acute brain injury and coma. <i>Critical Care</i> , 2007, 11, 230. | 2.5 | 112 |
| 2533 | Working memory after severe traumatic brain injury. <i>Journal of the International Neuropsychological Society</i> , 2007, 13, 770-80. | 1.2 | 64 |
| 2534 | MRI changes and ApoE genotype, a prospective 1-year follow-up of traumatic brain injury: A pilot study. <i>Brain Injury</i> , 2007, 21, 1307-1314. | 0.6 | 14 |
| 2535 | Outcome following subdural haemorrhages in infancy. <i>Archives of Disease in Childhood</i> , 2007, 92, 343-347. | 1.0 | 47 |
| 2536 | Endovascular coiling of intracranial aneurysms using bioactive coils: a single-center study. <i>Acta Radiologica</i> , 2007, 48, 565-576. | 0.5 | 14 |
| 2537 | Continuous Monitoring of Cerebrovascular Autoregulation After Subarachnoid Hemorrhage by Brain Tissue Oxygen Pressure Reactivity and Its Relation to Delayed Cerebral Infarction. <i>Stroke</i> , 2007, 38, 981-986. | 1.0 | 226 |
| 2538 | The Interventional Management of Stroke (IMS) II Study. <i>Stroke</i> , 2007, 38, 2127-2135. | 1.0 | 586 |
| 2539 | Cognitive and Neurophysiological Outcome of Cardiac Arrest Survivors Treated With Therapeutic Hypothermia. <i>Stroke</i> , 2007, 38, 2303-2308. | 1.0 | 103 |
| 2540 | CSF biomarkers for improved prognostic accuracy in acute CNS disease. <i>Neurological Research</i> , 2007, 29, 691-708. | 0.6 | 41 |
| 2541 | Impact of hyperglycemia on neurological deficits and extracellular glucose levels in aneurysmal subarachnoid hemorrhage patients. <i>Neurological Research</i> , 2007, 29, 647-653. | 0.6 | 31 |
| 2542 | Inhibition of lipopolysaccharide stimulated interleukin-1 β production after subarachnoid hemorrhage. <i>Neurological Research</i> , 2007, 29, 47-52. | 0.6 | 7 |
| 2543 | Intentional overdose with insulin: prognostic factors and toxicokinetic/toxicodynamic profiles. <i>Critical Care</i> , 2007, 11, R115. | 2.5 | 48 |
| 2544 | Neurodevelopmental Outcome After Severe Traumatic Brain Injury in Very Young Children: Role for Subcortical Lesions. <i>Journal of Child Neurology</i> , 2007, 22, 519-529. | 0.7 | 37 |
| 2545 | The impacts and outcomes of implementing head injury guidelines: clinical experience in Thailand. <i>Emergency Medicine Journal</i> , 2007, 24, 25-30. | 0.4 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 2546 | Surgical and endovascular management of symptomatic posterior circulation fusiform aneurysms. <i>Journal of Neurosurgery</i> , 2007, 106, 855-865. | 0.9 | 98 |
| 2547 | Neural injury and recovery near cortical contusions: a clinical magnetic resonance spectroscopy study. <i>Journal of Neurosurgery</i> , 2007, 106, 370-377. | 0.9 | 33 |
| 2548 | Intracranial pressure and cerebral perfusion pressure as risk factors in children with traumatic brain injuries. <i>Journal of Neurosurgery: Pediatrics</i> , 2007, 106, 463-466. | 0.8 | 28 |
| 2549 | Intraventricular hemorrhage from ruptured aneurysm: clinical characteristics, complications, and outcomes in a large, prospective, multicenter study population. <i>Journal of Neurosurgery</i> , 2007, 107, 261-265. | 0.9 | 73 |
| 2550 | Early ischemic lesion on computed tomography: predictor of poor outcome among survivors of aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2007, 107, 1074-1079. | 0.9 | 29 |
| 2551 | Image-Guided Microneurosurgical Management of Small Arteriovenous Malformation: Role of Neuronavigation and Intraoperative Doppler Sonography. <i>Minimally Invasive Neurosurgery</i> , 2007, 50, 163-169. | 0.9 | 24 |
| 2552 | Neurocognitive Outcome and Serum Biomarkers in Inflicted versus Non-Inflicted Traumatic Brain Injury in Young Children. <i>Journal of Neurotrauma</i> , 2007, 24, 97-105. | 1.7 | 101 |
| 2553 | Cerebrospinal Fluid Biomarkers versus Glasgow Coma Scale and Glasgow Outcome Scale in Pediatric Traumatic Brain Injury: The Role of Young Age and Inflicted Injury. <i>Journal of Neurotrauma</i> , 2007, 24, 75-86. | 1.7 | 57 |
| 2554 | Hybrid Outcome Prediction Model for Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2007, 24, 136-146. | 1.7 | 52 |
| 2555 | Elevated S100B levels do not correlate with the severity of encephalopathy during sepsis. <i>British Journal of Anaesthesia</i> , 2007, 99, 518-521. | 1.5 | 66 |
| 2556 | Six-Month Outcome of Emergency Percutaneous Coronary Intervention in Resuscitated Patients After Cardiac Arrest Complicating ST-Elevation Myocardial Infarction. <i>Circulation</i> , 2007, 115, 1354-1362. | 1.6 | 263 |
| 2557 | Corticosteroids for Bacterial Meningitis in Adults in Sub-Saharan Africa. <i>New England Journal of Medicine</i> , 2007, 357, 2441-2450. | 13.9 | 265 |
| 2558 | Prognostic factors of long-term functioning and productivity after traumatic brain injury: a systematic review of prospective cohort studies. <i>Clinical Rehabilitation</i> , 2007, 21, 1024-1037. | 1.0 | 125 |
| 2559 | Improving quality of ADL performance after rehabilitation among people with acquired brain injury. <i>Scandinavian Journal of Occupational Therapy</i> , 2007, 14, 250-257. | 1.1 | 25 |
| 2560 | Review of the Acuity Scoring Systems for the Pediatric Intensive Care Unit and Their Use in Quality Improvement. <i>Journal of Intensive Care Medicine</i> , 2007, 22, 131-140. | 1.3 | 44 |
| 2561 | Application of Neuroendoscopy in the Treatment of Intraventricular Hemorrhage. <i>Cerebrovascular Diseases</i> , 2007, 24, 91-96. | 0.8 | 63 |
| 2562 | Incidence and Outcome of Traumatic Brain Injury in an Urban Area in Western Europe over 10 Years. <i>European Surgical Research</i> , 2007, 39, 372-379. | 0.6 | 72 |
| 2563 | Successful Use of Prolonged Mild Hypothermia in a Patient With Severe Head Injury and Diffuse Brain Swelling-Case Report-. <i>Neurologia Medico-Chirurgica</i> , 2007, 47, 116-120. | 1.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2564 | Multiple organ failure after trauma affects even long-term survival and functional status. <i>Critical Care</i> , 2007, 11, R95. | 2.5 | 81 |
| 2565 | Social outcomes in childhood brain disorder: A heuristic integration of social neuroscience and developmental psychology. <i>Psychological Bulletin</i> , 2007, 133, 535-556. | 5.5 | 363 |
| 2567 | Effects of Fentanyl and S(+)-ketamine on Cerebral Hemodynamics, Gastrointestinal Motility, and Need of Vasopressors in Patients With Intracranial Pathologies. <i>Journal of Neurosurgical Anesthesiology</i> , 2007, 19, 257-262. | 0.6 | 70 |
| 2568 | EFFECTS OF USING COMBINED TRANSPETROSAL SURGICAL APPROACHES TO TREAT PETROCLIVAL MENINGIOMAS. <i>Neurosurgery</i> , 2007, 60, 982-992. | 0.6 | 74 |
| 2569 | OBSERVER VARIATION IN THE ASSESSMENT OF OUTCOME IN TRAUMATIC BRAIN INJURY. <i>Neurosurgery</i> , 2007, 61, 123-129. | 0.6 | 61 |
| 2570 | COGNITIVE OUTCOME AFTER ANEURYSMAL SUBARACHNOID HEMORRHAGE. <i>Neurosurgery</i> , 2007, 60, 649-657. | 0.6 | 82 |
| 2571 | Neurologic Outcome of Posttraumatic Refractory Intracranial Hypertension Treated With External Lumbar Drainage. <i>Journal of Trauma</i> , 2007, 62, 282-286. | 2.3 | 27 |
| 2572 | Prevalence of Pelvic Fractures, Associated Injuries, and Mortality: The United Kingdom Perspective. <i>Journal of Trauma</i> , 2007, 63, 875-883. | 2.3 | 186 |
| 2573 | Outcomes studies in cerebrovascular neurosurgery. <i>Neurosurgical Focus</i> , 2007, 22, 1-15. | 1.0 | 9 |
| 2574 | Determinants of Long-Term Functional Consequences After Major Trauma. <i>Journal of Trauma</i> , 2007, 62, 919-927. | 2.3 | 179 |
| 2575 | CEREBRAL BLOOD FLOW IN TRAUMATIC CONTUSIONS IS PREDOMINANTLY REDUCEDAFTER AN INDUCED ACUTE ELEVATION OF CEREBRAL PERFUSION PRESSURE. <i>Neurosurgery</i> , 2007, 60, 115-123. | 0.6 | 16 |
| 2576 | INCIDENCE AND CLINICAL EVOLUTION OF POSTOPERATIVE DEFICITS AFTER VOLUMETRIC STEREOTACTIC RESECTION OF GLIAL NEOPLASMS INVOLVING THE SUPPLEMENTARY MOTOR AREA. <i>Neurosurgery</i> , 2007, 61, 506-516. | 0.6 | 52 |
| 2577 | THE STOCKHOLM 20-YEAR FOLLOW-UP OF ANEURYSMAL SUBARACHNOID HEMORRHAGE OUTCOME. <i>Neurosurgery</i> , 2007, 60, 1017-1024. | 0.6 | 28 |
| 2578 | MICROSURGERY OR RADIOSURGERY FOR CEREBRAL ARTERIOVENOUS MALFORMATIONS? A STUDY OF TWO PAIRED SERIES. <i>Neurosurgery</i> , 2007, 61, 39-50. | 0.6 | 49 |
| 2579 | Hyperventilation following head injury: Effect on ischemic burden and cerebral oxidative metabolism*. <i>Critical Care Medicine</i> , 2007, 35, 568-578. | 0.4 | 306 |
| 2580 | The Association Between the Postconcussion Symptoms and Clinical Outcomes for Patients With Mild Traumatic Brain Injury. <i>Journal of Trauma</i> , 2007, 62, 657-663. | 2.3 | 78 |
| 2581 | Two Cohorts of Severely Injured Trauma Patients, Nearly Two Decades Apart: Unchanged Mortality But Improved Quality of Life Despite Higher Age. <i>Journal of Trauma</i> , 2007, 63, 670-675. | 2.3 | 25 |
| 2582 | A Review of the Predictive Ability of Glasgow Coma Scale Scores in Head-Injured Patients. <i>Journal of Neuroscience Nursing</i> , 2007, 39, 68-75. | 0.7 | 100 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2583 | SUBARACHNOID CLOT VOLUME CORRELATES WITH AGE, NEUROLOGICAL GRADE, AND BLOOD PRESSURE. <i>Neurosurgery</i> , 2007, 60, 259-267. | 0.6 | 31 |
| 2584 | EFFECTS OF TOBACCO DOSE AND LENGTH OF EXPOSURE ON DELAYED NEUROLOGICAL DETERIORATION AND OVERALL CLINICAL OUTCOME AFTER ANEURYSMAL SUBARACHNOID HEMORRHAGE. <i>Neurosurgery</i> , 2007, 61, 475-481. | 0.6 | 23 |
| 2586 | Clinical application of mild therapeutic hypothermia after cardiac arrest*. <i>Critical Care Medicine</i> , 2007, 35, 1041-1047. | 0.4 | 377 |
| 2587 | The effects of head trauma on hypothalamic-pituitary function in children and adolescents. <i>Current Opinion in Pediatrics</i> , 2007, 19, 465-470. | 1.0 | 34 |
| 2588 | PREDICTORS OF CEREBRAL INFARCTION IN PATIENTS WITH ANEURYSMAL SUBARACHNOID HEMORRHAGE. <i>Neurosurgery</i> , 2007, 60, 658-667. | 0.6 | 233 |
| 2589 | SECONDARY INSULTS IN SUBARACHNOID HEMORRHAGE. <i>Neurosurgery</i> , 2007, 61, 704-715. | 0.6 | 78 |
| 2590 | Timing of Surgery After Multisystem Injury With Traumatic Brain Injury: Effect on Neuropsychological and Functional Outcome. <i>Journal of Trauma</i> , 2007, 62, 1250-1258. | 2.3 | 31 |
| 2591 | Traumatic Brain Injury in Intoxicated Patients. <i>Journal of Trauma</i> , 2007, 63, 365-369. | 2.3 | 15 |
| 2592 | ANEURYSMS OF THE DISTAL ANTERIOR CEREBRAL ARTERY. <i>Neurosurgery</i> , 2007, 60, 227-234. | 0.6 | 62 |
| 2593 | COILING VERSUS CLIPPING FOR THE TREATMENT OF ANEURYSMAL SUBARACHNOID HEMORRHAGE. <i>Neurosurgery</i> , 2007, 60, 434-442. | 0.6 | 74 |
| 2594 | TUMOR NECROSIS FACTOR- α GENE AND CEREBRAL ANEURYSMS. <i>Neurosurgery</i> , 2007, 60, 668-673. | 0.6 | 38 |
| 2595 | Microsurgical treatment of unruptured intracranial aneurysms. A consecutive surgical experience consisting of 450 aneurysms treated in the endovascular era. <i>World Neurosurgery</i> , 2007, 67, 457-464. | 1.3 | 51 |
| 2596 | Multivariable Prognostic Analysis in Traumatic Brain Injury: Results from The IMPACT Study. <i>Journal of Neurotrauma</i> , 2007, 24, 329-337. | 1.7 | 1,082 |
| 2597 | IMPACT Database of Traumatic Brain Injury: Design And Description. <i>Journal of Neurotrauma</i> , 2007, 24, 239-250. | 1.7 | 205 |
| 2598 | Reliability of a Telephone-Based Glasgow Outcome Scale Assessment Using a Structured Interview in a Heterogenous Population of Patients and Examiners. <i>Journal of Neurotrauma</i> , 2007, 24, 1437-1446. | 1.7 | 15 |
| 2599 | Long-term survival after successful in-hospital cardiac arrest resuscitation. <i>American Heart Journal</i> , 2007, 153, 831-836. | 1.2 | 74 |
| 2600 | Thrombolytic therapy vs primary percutaneous intervention after ventricular fibrillation cardiac arrest due to acute ST-segment elevation myocardial infarction and its effect on outcome. <i>American Journal of Emergency Medicine</i> , 2007, 25, 545-550. | 0.7 | 58 |
| 2601 | Hypothermia for out-of-hospital cardiac arrest survivors: a single-center experience. <i>American Journal of Emergency Medicine</i> , 2007, 25, 1078-1080. | 0.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2603 | The relationship between Glasgow coma/outcome scores and abnormal CT scan findings in chronic subdural hematoma. <i>Clinical Neurology and Neurosurgery</i> , 2007, 109, 152-157. | 0.6 | 20 |
| 2604 | Early surgical treatment of middle cerebral artery aneurysms associated with intracerebral haematoma. <i>Clinical Neurology and Neurosurgery</i> , 2007, 109, 431-435. | 0.6 | 29 |
| 2605 | Prediction of functional outcome of ischemic stroke patients in northwest China. <i>Clinical Neurology and Neurosurgery</i> , 2007, 109, 571-577. | 0.6 | 27 |
| 2606 | Aneurysms unsuitable for endovascular intervention: Surgical outcome and management challenges over a 5-year period following International Subarachnoid Haemorrhage Trial (ISAT). <i>Clinical Neurology and Neurosurgery</i> , 2007, 109, 868-875. | 0.6 | 27 |
| 2607 | Bacterial brain abscesses: prognostic value of an imaging severity index. <i>Clinical Radiology</i> , 2007, 62, 564-572. | 0.5 | 13 |
| 2608 | Clinical outcome of severe head injury in different protocol-driven therapies. <i>Journal of Clinical Neuroscience</i> , 2007, 14, 449-454. | 0.8 | 21 |
| 2609 | Glasgow Coma Scale on admission is correlated with postoperative Glasgow Outcome Scale in chronic subdural hematoma. <i>Journal of Clinical Neuroscience</i> , 2007, 14, 1240-1241. | 0.8 | 20 |
| 2610 | The impact of time, legislation, and geography on the epidemiology of traumatic brain injury. <i>Journal of Clinical Neuroscience</i> , 2007, 14, 930-935. | 0.8 | 67 |
| 2611 | Cerebral energy failure after subarachnoid hemorrhage: The role of relative hyperglycolysis. <i>Journal of Clinical Neuroscience</i> , 2007, 14, 948-954. | 0.8 | 16 |
| 2612 | Sex Differences in Stroke Severity, Symptoms, and Deficits After First-ever Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2007, 16, 34-39. | 0.7 | 60 |
| 2613 | Predicting coma and other low responsive patients outcome using event-related brain potentials: A meta-analysis. <i>Clinical Neurophysiology</i> , 2007, 118, 606-614. | 0.7 | 180 |
| 2615 | Management of Transorbital Brain Injury. <i>Journal of the Chinese Medical Association</i> , 2007, 70, 36-38. | 0.6 | 46 |
| 2617 | Prognostic Factors for Outcome in Patients With Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2007, 38, 2315-2321. | 1.0 | 515 |
| 2618 | Comparison of the O-Log and GOAT as measures of posttraumatic amnesia. <i>Brain Injury</i> , 2007, 21, 513-520. | 0.6 | 24 |
| 2619 | Preliminary Efficacy Report of a Novel Thrombolytic Agent for Acute Ischaemic Stroke within a 5-Hour Window. <i>CNS Drugs</i> , 2007, 21, 937-946. | 2.7 | 6 |
| 2620 | Assessing adaptive behaviour in the post-acute setting following traumatic brain injury: Initial reliability and validity of the Adaptive Behaviour and Community Competency Scale (ABCCS). <i>Brain Injury</i> , 2007, 21, 521-529. | 0.6 | 7 |
| 2621 | Neuropsychological function 23 years after mild traumatic brain injury: A comparison of outcome after paediatric and adult head injuries. <i>Brain Injury</i> , 2007, 21, 963-979. | 0.6 | 140 |
| 2622 | Children and young adults in a prolonged unconscious state after severe brain injury: Long-term functional outcome as measured by the DRS and the GOSE after early intensive neurorehabilitation. <i>Brain Injury</i> , 2007, 21, 53-61. | 0.6 | 26 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2623 | Analysis of acute traumatic axonal injury using diffusion tensor imaging. <i>British Journal of Neurosurgery</i> , 2007, 21, 340-348. | 0.4 | 134 |
| 2624 | Neuropsychiatric consequences of traumatic brain injury: A comparison between two age groups. <i>Brain Injury</i> , 2007, 21, 301-307. | 0.6 | 60 |
| 2625 | Impaired Cerebral Autoregulation in Infants and Young Children Early after Inflicted Traumatic Brain Injury: A Preliminary Report. <i>Journal of Neurotrauma</i> , 2007, 24, 87-96. | 1.7 | 144 |
| 2626 | Acute extradural haematoma in the elderly. <i>British Journal of Neurosurgery</i> , 2007, 21, 16-20. | 0.4 | 20 |
| 2627 | Outcomes and recurrence rates in chronic subdural haematoma. <i>British Journal of Neurosurgery</i> , 2007, 21, 272-275. | 0.4 | 88 |
| 2628 | Improvement in GOS and GOSE scores 6 and 12 months after severe traumatic brain injury. <i>Brain Injury</i> , 2007, 21, 1225-1231. | 0.6 | 47 |
| 2629 | Rehabilitation of endogenous task shift processes in closed head injury patients. <i>Neuropsychological Rehabilitation</i> , 2007, 17, 1-33. | 1.0 | 20 |
| 2630 | Efficacy of and tolerance to mild induced hypothermia after out-of-hospital cardiac arrest using an endovascular cooling system. <i>Critical Care</i> , 2007, 11, R71. | 2.5 | 90 |
| 2631 | Clinical review: Beyond immediate survival from resuscitation – long-term outcome considerations after cardiac arrest. <i>Critical Care</i> , 2007, 11, 235. | 2.5 | 17 |
| 2632 | The incidence of dysautonomia and its relationship with autonomic arousal following traumatic brain injury. <i>Brain Injury</i> , 2007, 21, 1175-1181. | 0.6 | 115 |
| 2633 | Severe intracranial bleedings during endovascular procedures: outcome of surgically treated patients. <i>Neurological Research</i> , 2007, 29, 81-90. | 0.6 | 20 |
| 2634 | Les potentiels Ã©voquÃ©s dans lâ€™Ã©valuation de lâ€™encÃ©phalopathie postanoxique. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , 2007, 16, 521-526. | 0.1 | 2 |
| 2635 | Does intensive rehabilitation improve the functional outcome of patients with traumatic brain injury (TBI)? A randomized controlled trial. <i>Brain Injury</i> , 2007, 21, 681-690. | 0.6 | 107 |
| 2636 | Endovascular treatment of intracranial aneurysms as the first therapeutic option. <i>Journal of Neuroradiology</i> , 2007, 34, 250-259. | 0.6 | 18 |
| 2637 | Brain perfusion and VEP reactivity in occipital and parietal areas are associated to recovery from hypoxic vegetative state. <i>Journal of the Neurological Sciences</i> , 2007, 260, 150-158. | 0.3 | 24 |
| 2638 | Clinical malnutrition in severe traumatic brain injury: Factors associated and outcome at 6 months. <i>Indian Journal of Neurotrauma</i> , 2007, 4, 35-39. | 0.3 | 20 |
| 2639 | Cerebral vasospasm after subarachnoid hemorrhage: the emerging revolution. <i>Nature Clinical Practice Neurology</i> , 2007, 3, 256-263. | 2.7 | 337 |
| 2640 | Urinary disturbances following traumatic brain injury: Clinical and urodynamic evaluation. <i>NeuroRehabilitation</i> , 2007, 22, 93-98. | 0.5 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2641 | Disorders of Consciousness: Coma, Vegetative State, and Minimally Conscious State. , 2007, , 580-597. | | 2 |
| 2642 | Predictive value of scoring system in severe pediatric head injury. <i>Medicina (Lithuania)</i> , 2007, 43, 861. | 0.8 | 20 |
| 2643 | Brain Injury. , 2007, , 239-260. | | 0 |
| 2644 | Coagulation, coma, and outcome in bacterial meningitis – An observational study of 38 adult cases. <i>Journal of Infection</i> , 2007, 55, 141-148. | 1.7 | 13 |
| 2645 | Increased survival despite a reduction in out-of-hospital ventricular fibrillation in north-east Italy. <i>Resuscitation</i> , 2007, 72, 52-58. | 1.3 | 39 |
| 2646 | Incidence of cross-border emergency care and outcomes of cardiopulmonary resuscitation in a unique European region. <i>Resuscitation</i> , 2007, 72, 66-73. | 1.3 | 9 |
| 2647 | Epidemiology, trends, and outcome of out-of-hospital cardiac arrest of non-cardiac origin. <i>Resuscitation</i> , 2007, 72, 200-206. | 1.3 | 137 |
| 2648 | Acute ST-elevation myocardial infarction after successful cardiopulmonary resuscitation. <i>Resuscitation</i> , 2007, 72, 379-385. | 1.3 | 145 |
| 2649 | Assessment of a three-phase model of out-of-hospital cardiac arrest in patients with ventricular fibrillation. <i>Resuscitation</i> , 2007, 73, 229-235. | 1.3 | 15 |
| 2650 | Primary percutaneous coronary intervention and mild induced hypothermia in comatose survivors of ventricular fibrillation with ST-elevation acute myocardial infarction. <i>Resuscitation</i> , 2007, 74, 227-234. | 1.3 | 272 |
| 2651 | Can brain natriuretic peptide predict outcome after cardiac arrest? An observational study. <i>Resuscitation</i> , 2007, 74, 439-445. | 1.3 | 46 |
| 2652 | Efficacy of therapeutic hypothermia after out-of-hospital cardiac arrest due to ventricular fibrillation. <i>Resuscitation</i> , 2007, 75, 252-259. | 1.3 | 136 |
| 2653 | Cardiopulmonary resuscitation-associated major liver injury. <i>Resuscitation</i> , 2007, 75, 445-453. | 1.3 | 87 |
| 2654 | Neurologic complications in adult living donor liver transplant recipients. <i>Clinical Transplantation</i> , 2007, 21, 544-547. | 0.8 | 45 |
| 2655 | Therapeutic hypothermia after out-of-hospital cardiac arrest: experiences with patients treated with percutaneous coronary intervention and cardiogenic shock. <i>Acta Anaesthesiologica Scandinavica</i> , 2007, 51, 137-142. | 0.7 | 235 |
| 2656 | Quality of life and psychiatric sequelae following aneurysmal subarachnoid haemorrhage: does neuroendocrine dysfunction play a role?. <i>Clinical Endocrinology</i> , 2007, 66, 833-837. | 1.2 | 51 |
| 2657 | Convulsive Status Epilepticus: Clinical Profile in a Developing Country. <i>Epilepsia</i> , 2007, 48, 2217-2223. | 2.6 | 53 |
| 2658 | Correlation of a high D-dimer level with poor outcome in traumatic intracranial hemorrhage. <i>European Journal of Neurology</i> , 2007, 14, 1073-1078. | 1.7 | 32 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2659 | Infection after acute stroke is associated with poor short-term outcome. <i>Acta Neurologica Scandinavica</i> , 2007, 115, 331-338. | 1.0 | 93 |
| 2660 | Demographics, injury characteristics and outcome of traumatic brain injuries in northern Sweden. <i>Acta Neurologica Scandinavica</i> , 2007, 116, 300-306. | 1.0 | 25 |
| 2661 | Treatment of extradural haemorrhage in Queensland: Interhospital transfer, preoperative delay and clinical outcome. <i>EMA - Emergency Medicine Australasia</i> , 2007, 19, 325-332. | 0.5 | 15 |
| 2662 | Recovery and neurological evaluation. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2007, 21, 431-447. | 1.7 | 34 |
| 2663 | Outcome of traumatic extradural haematoma in Hong Kong. <i>Injury</i> , 2007, 38, 76-80. | 0.7 | 73 |
| 2664 | Are pre-hospital time and emergency department disposition time useful process indicators for trauma care in Italy?. <i>Injury</i> , 2007, 38, 305-311. | 0.7 | 39 |
| 2665 | What is quality care in trauma?. <i>Injury</i> , 2007, 38, 525-526. | 0.7 | 5 |
| 2666 | Effects of therapeutic mild hypothermia on patients with severe traumatic brain injury after craniotomy. <i>Journal of Critical Care</i> , 2007, 22, 229-235. | 1.0 | 129 |
| 2667 | Nosocomial bacterial meningitis in adults: a prospective series of 50 cases. <i>Journal of Hospital Infection</i> , 2007, 66, 71-78. | 1.4 | 70 |
| 2668 | Facial Fracture Repair in the Traumatic Brain Injury Patient. <i>Journal of Oral and Maxillofacial Surgery</i> , 2007, 65, 1693-1699. | 0.5 | 12 |
| 2669 | A genome-wide genotyping study in patients with ischaemic stroke: initial analysis and data release. <i>Lancet Neurology</i> , The, 2007, 6, 414-420. | 4.9 | 175 |
| 2670 | Estimation of Hidden State Variables of the Intracranial System Using Constrained Nonlinear Kalman Filters. <i>IEEE Transactions on Biomedical Engineering</i> , 2007, 54, 597-610. | 2.5 | 39 |
| 2671 | HÃ©morrhagie sous-arachnoÃ©dienne en rÃ©animation. , 2007, , 199-215. | | 0 |
| 2672 | Cumulative Dose of Hypertension Predicts Outcome in Intracranial Hemorrhage Better Than American Heart Association Guidelines. <i>Academic Emergency Medicine</i> , 2007, 14, 695-701. | 0.8 | 13 |
| 2673 | Arginine Vasopressin as a Supplementary Vasopressor in Refractory Hypertensive, Hypervolemic, Hemodilutional Therapy in Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2007, 6, 3-10. | 1.2 | 17 |
| 2674 | The UKNG database: a simple audit tool for interventional neuroradiology. <i>Neuroradiology</i> , 2007, 49, 499-503. | 1.1 | 4 |
| 2675 | Safety of endovascular treatment of intracranial aneurysms with a new, complex shaped Guglielmi detachable coil. <i>Neuroradiology</i> , 2007, 49, 761-766. | 1.1 | 16 |
| 2676 | Endovascular treatment of giant or very large intracranial aneurysms with different modalities: an analysis of 20 cases. <i>Neuroradiology</i> , 2007, 49, 819-828. | 1.1 | 41 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2677 | Apoptosis of neuronal cells induced by serum of patients with acute brain injury: a new in vitro prognostic model. <i>Intensive Care Medicine</i> , 2007, 33, 58-65. | 3.9 | 14 |
| 2678 | Global cerebral blood flow and CPP after severe head injury: a Xenon-CT study. <i>Intensive Care Medicine</i> , 2007, 33, 856-862. | 3.9 | 22 |
| 2679 | Microalbuminuria is a prognostic predictor in aneurysmal subarachnoid hemorrhage. <i>Intensive Care Medicine</i> , 2007, 33, 1000-1006. | 3.9 | 34 |
| 2680 | Management of 350 aneurysmal subarachnoid hemorrhages in 22 Italian neurosurgical centers. <i>Intensive Care Medicine</i> , 2007, 33, 1580-1586. | 3.9 | 62 |
| 2681 | Guidelines for Quality Management of Apallic Syndrome / Vegetative State. <i>European Journal of Trauma and Emergency Surgery</i> , 2007, 33, 268-292. | 0.3 | 27 |
| 2682 | Endovascular Treatment of Anterior Circulation Cerebral Aneurysms by Using Guglielmi Detachable Coils. <i>Klinische Neuroradiologie</i> , 2007, 17, 98-107. | 0.9 | 0 |
| 2683 | How useful is the 3-dimensional, surgeon's perspective-adjusted visualisation of the vessel anatomy during aneurysm surgery? A prospective clinical trial. <i>Neurosurgical Review</i> , 2007, 30, 209-217. | 1.2 | 15 |
| 2684 | Problems with "out of area evacuations" from areas of unrest. A need for uniform and simple-to-apply outcome predictors. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2007, 39, 128-134. | 0.3 | 0 |
| 2685 | Haemodynamic patterns in children with posttraumatic diffuse brain swelling. A preliminary study in 6 cases with neuroradiological features consistent with diffuse axonal injury. <i>Acta Neurochirurgica</i> , 2007, 149, 347-356. | 0.9 | 21 |
| 2686 | The prognostic value of serum S-100B protein in spontaneous subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 2007, 149, 231-238. | 0.9 | 35 |
| 2687 | A study of possible correlation between subarachnoid haemorrhage related vasospasm and the post-bleed blood platelet count chart in a Caucasian population. <i>Acta Neurochirurgica</i> , 2007, 149, 387-391. | 0.9 | 5 |
| 2688 | Head injuries due to landmines. <i>Acta Neurochirurgica</i> , 2007, 149, 777-782. | 0.9 | 14 |
| 2689 | Erythropoietin in patients with aneurysmal subarachnoid haemorrhage: a double blind randomised clinical trial. <i>Acta Neurochirurgica</i> , 2007, 149, 1089-1101. | 0.9 | 90 |
| 2690 | Severe Traumatic Brain Injury in Austria VI: Effects of guideline-based management. <i>Wiener Klinische Wochenschrift</i> , 2007, 119, 64-71. | 1.0 | 38 |
| 2691 | Pediatric intracranial aneurysms' clinical characteristics and outcome of surgical treatment. <i>Child's Nervous System</i> , 2007, 23, 327-333. | 0.6 | 57 |
| 2692 | Endoscopy-guided removal of spontaneous intracerebral hemorrhage: comparison with computer tomography-guided stereotactic evacuation. <i>Child's Nervous System</i> , 2007, 23, 677-683. | 0.6 | 60 |
| 2693 | Endovascular cooling improves neurological short-term outcome after prehospital cardiac arrest. <i>Intensivmedizin Und Notfallmedizin</i> , 2007, 44, 37-42. | 0.2 | 26 |
| 2694 | Spinal arteriovenous shunts presenting as intracranial subarachnoid haemorrhage. <i>Journal of Neurology</i> , 2007, 254, 1044-1051. | 1.8 | 23 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2695 | Clinical features, prognostic and risk factors of central nervous system infections in patients with systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 2007, 26, 895-901. | 1.0 | 56 |
| 2696 | Prognostic factors in adult community-acquired bacterial meningitis: a 4-year retrospective study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2007, 26, 743-746. | 1.3 | 14 |
| 2697 | Community-Acquired Bacterial Meningitis in Adults: Antibiotic Timing in Disease Course and Outcome. <i>Infection</i> , 2007, 35, 225-231. | 2.3 | 83 |
| 2698 | Role of intracranial pressure values and patterns in predicting outcome in traumatic brain injury: a systematic review. <i>Neurocritical Care</i> , 2007, 6, 104-112. | 1.2 | 182 |
| 2699 | Predictors of 1-year outcome after coiling for poor-grade subarachnoid aneurysmal hemorrhage. <i>Neurocritical Care</i> , 2007, 7, 18-26. | 1.2 | 52 |
| 2700 | An approach for predicting and describing patient outcome using multicriteria decision analysis and decision rules. <i>European Journal of Operational Research</i> , 2008, 185, 984-997. | 3.5 | 20 |
| 2701 | Refractory intracranial hypertension and "second-tier" therapies in traumatic brain injury. <i>Intensive Care Medicine</i> , 2008, 34, 461-467. | 3.9 | 110 |
| 2702 | Hyperglycemia and cerebral glucose in aneurysmal subarachnoid hemorrhage. <i>Intensive Care Medicine</i> , 2008, 34, 1200-1207. | 3.9 | 82 |
| 2703 | Bryan Jennett and the field of traumatic brain injury. His intellectual and ethical heritage in neuro-intensive care. <i>Intensive Care Medicine</i> , 2008, 34, 1774-1778. | 3.9 | 11 |
| 2704 | MR angiographic evaluation is limited in intracranial aneurysms embolized with Nexus coils. <i>Neuroradiology</i> , 2008, 50, 171-178. | 1.1 | 15 |
| 2705 | Circumferential and fusiform intracranial aneurysms: reconstructive endovascular treatment with self-expandable stents. <i>Neuroradiology</i> , 2008, 50, 499-507. | 1.1 | 48 |
| 2706 | Balloon-assisted coiling of intracranial aneurysms is not associated with a higher complication rate. <i>Neuroradiology</i> , 2008, 50, 769-776. | 1.1 | 34 |
| 2707 | The use of Hypertonic Saline in the Treatment of Post-Traumatic Cerebral Edema: A Review. <i>European Journal of Trauma and Emergency Surgery</i> , 2008, 34, 397-409. | 0.8 | 7 |
| 2709 | Fluid Balance and Blood Volume Measurement after Aneurysmal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2008, 8, 391-397. | 1.2 | 45 |
| 2710 | Early Derangements in Oxygen and Glucose Metabolism Following Head Injury: The Ischemic Penumbra and Pathophysiological Heterogeneity. <i>Neurocritical Care</i> , 2008, 9, 319-325. | 1.2 | 46 |
| 2711 | Structural genomic variation in ischemic stroke. <i>Neurogenetics</i> , 2008, 9, 101-108. | 0.7 | 32 |
| 2713 | Reductions in qEEG slowing over 1 year and after treatment with Cerebrolysin in patients with moderate-severe traumatic brain injury. <i>Journal of Neural Transmission</i> , 2008, 115, 683-692. | 1.4 | 30 |
| 2714 | Aneurysm clipping after endovascular treatment with coils: a report of 13 cases. <i>Neurosurgical Review</i> , 2008, 31, 403-411. | 1.2 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2715 | ICP and CPP: excellent predictors of long term outcome in severely brain injured children. <i>Child's Nervous System</i> , 2008, 24, 245-251. | 0.6 | 46 |
| 2717 | Prehospital cooling with hypothermia caps (PreCoCa): a feasibility study. <i>Clinical Research in Cardiology</i> , 2008, 97, 768-772. | 1.5 | 55 |
| 2718 | What should be defined as good outcome in stroke trials; a modified Rankin score of 0 or 1 or 2?. <i>Journal of Neurology</i> , 2008, 255, 867-874. | 1.8 | 115 |
| 2719 | The Utstein template for uniform reporting of data following major trauma: a joint revision by SCANTEM, TARN, DGU-TR and RITG. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2008, 16, 7. | 1.1 | 233 |
| 2720 | A risk score for unfavorable outcome in adults with bacterial meningitis. <i>Annals of Neurology</i> , 2008, 63, 90-97. | 2.8 | 95 |
| 2721 | Strict normoglycaemic blood glucose levels in the therapeutic management of patients within 12h after cardiac arrest might not be necessary. <i>Resuscitation</i> , 2008, 76, 214-220. | 1.3 | 98 |
| 2722 | Increased prevalence of sustained return of spontaneous circulation following transition to biphasic waveform defibrillation. <i>Resuscitation</i> , 2008, 77, 39-45. | 1.3 | 20 |
| 2723 | Resuscitation Outcomes Consortium (ROC) PRIMED cardiac arrest trial methods. <i>Resuscitation</i> , 2008, 78, 186-195. | 1.3 | 44 |
| 2724 | A high peak current 150-J fixed-energy defibrillation protocol treats recurrent ventricular fibrillation (VF) as effectively as initial VF. <i>Resuscitation</i> , 2008, 79, 28-33. | 1.3 | 28 |
| 2725 | Neurological and functional status following cardiac arrest: Method and tool utility. <i>Resuscitation</i> , 2008, 79, 249-256. | 1.3 | 107 |
| 2726 | Health status and life satisfaction after decompressive craniectomy for malignant middle cerebral artery infarction. <i>Acta Neurologica Scandinavica</i> , 2008, 117, 305-310. | 1.0 | 37 |
| 2727 | Does eicosapentaenoic acid (EPA) inhibit cerebral vasospasm in patients after aneurysmal subarachnoid hemorrhage?. <i>Acta Neurologica Scandinavica</i> , 2008, 118, 54-59. | 1.0 | 34 |
| 2728 | Computed tomography and single-photon emission computed tomography as diagnostic tools in acquired brain injury among children and adolescents. <i>Developmental Medicine and Child Neurology</i> , 1997, 39, 502-507. | 1.1 | 17 |
| 2729 | The King's Outcome Scale for Childhood Head Injury and injury severity and outcome measures in children with traumatic brain injury. <i>Developmental Medicine and Child Neurology</i> , 2008, 50, 426-431. | 1.1 | 42 |
| 2730 | Risk factors and outcome of seizures after spontaneous aneurysmal subarachnoid hemorrhage. <i>European Journal of Neurology</i> , 2008, 15, 451-457. | 1.7 | 41 |
| 2731 | Hypotension in anaesthetized patients during aneurysm clipping: not as bad as expected?. <i>Acta Anaesthesiologica Scandinavica</i> , 2008, 52, 1006-1011. | 0.7 | 16 |
| 2732 | Comparisons of risk-adjusted clinical outcomes for patients with aneurysmal subarachnoid haemorrhage across eight teaching hospitals in Japan. <i>Journal of Evaluation in Clinical Practice</i> , 2008, 14, 416-421. | 0.9 | 3 |
| 2734 | Use of the Oxford Handicap Scale at hospital discharge to predict Glasgow Outcome Scale at 6 months in patients with traumatic brain injury. <i>BMC Medical Research Methodology</i> , 2008, 8, 72. | 1.4 | 21 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2735 | HLA antigens and complement types in patients with intracranial saccular aneurysms. <i>Tissue Antigens</i> , 1986, 28, 176-181. | 1.0 | 31 |
| 2736 | Interleukin 6 gene polymorphisms are not associated with aneurysmal subarachnoid haemorrhage in an Italian population. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2008, 79, 471-473. | 0.9 | 14 |
| 2737 | Papel del médico forense en la valoración de los traumatismos craneoencefálicos. <i>Revista Clínica Española</i> , 2008, 208, 26-28. | 0.2 | 0 |
| 2738 | Coma and Stupor. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2008, 90, 57-78. | 1.0 | 6 |
| 2739 | Geriatric head injuries - Experience and expectations. <i>Indian Journal of Neurotrauma</i> , 2008, 05, 69-73. | 0.3 | 11 |
| 2740 | Randomized controlled trial of magnesium sulphate in severe closed traumatic brain injury. <i>Indian Journal of Neurotrauma</i> , 2008, 5, 27-33. | 0.3 | 26 |
| 2741 | Novelty P3 elicited by the subject's own name in comatose patients. <i>Clinical Neurophysiology</i> , 2008, 119, 2224-2230. | 0.7 | 131 |
| 2742 | Base de datos multicéntrica de hemorragia subaracnoidea espontánea del Grupo de Trabajo de Patología Vasculare de la Sociedad Española de Neurocirugía: presentación, criterios de inclusión y desarrollo de una base de datos en internet. <i>Neurocirugía</i> , 2008, 19, 405-415. | 0.2 | 19 |
| 2743 | Riabilitazione della persona con esiti di trauma cranioencefalico e di grave cerebrolesione acquisita. <i>EMC - Medicina Riabilitativa</i> , 2008, 15, 1-23. | 0.0 | 0 |
| 2745 | Coma After Global Ischemic Brain Injury: Pathophysiology and Emerging Therapies. <i>Critical Care Clinics</i> , 2008, 24, 25-44. | 1.0 | 43 |
| 2746 | Hyperglycemia in Patients Undergoing Cerebral Aneurysm Surgery: Its Association With Long-term Gross Neurologic and Neuropsychological Function. <i>Mayo Clinic Proceedings</i> , 2008, 83, 406-417. | 1.4 | 82 |
| 2747 | Classification of Traumatic Brain Injury for Targeted Therapies. <i>Journal of Neurotrauma</i> , 2008, 25, 719-738. | 1.7 | 930 |
| 2748 | Diffusion tensor imaging during recovery from severe traumatic brain injury and relation to clinical outcome: a longitudinal study. <i>Brain</i> , 2008, 131, 559-572. | 3.7 | 481 |
| 2749 | Arteriovenous differences of oxygen and transcranial Doppler sonography in the management of aneurysmal subarachnoid hemorrhage. <i>Journal of Clinical Neuroscience</i> , 2008, 15, 630-636. | 0.8 | 1 |
| 2750 | Three-dimensional reconstructed CT scanning for targeting hypertensive putaminal hemorrhage. <i>Journal of Clinical Neuroscience</i> , 2008, 15, 693-696. | 0.8 | 6 |
| 2752 | Neuropsychologic and Functional Outcome After Complicated Mild Traumatic Brain Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008, 89, 904-911. | 0.5 | 217 |
| 2753 | Rationale and design of the Home Automatic External Defibrillator Trial (HAT). <i>American Heart Journal</i> , 2008, 155, 445-454. | 1.2 | 11 |
| 2754 | Defining survivorship after high-grade aneurysmal subarachnoid hemorrhage. <i>World Neurosurgery</i> , 2008, 69, 261-265. | 1.3 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2755 | Continuation of poor surgical outcome after elderly brain injury. <i>World Neurosurgery</i> , 2008, 69, 474-477. | 1.3 | 20 |
| 2756 | Safety of low-dose subcutaneous enoxaparin for the prevention of venous thromboembolism after primary intracerebral haemorrhage. <i>Thrombosis Research</i> , 2008, 123, 206-212. | 0.8 | 59 |
| 2757 | Pediatric Coma: Prognosis and Outcome. <i>Developmental Medicine and Child Neurology</i> , 1980, 22, 3-12. | 1.1 | 20 |
| 2758 | ASSESSMENT OF POST-TRAUMATIC AMNESIA IN YOUNG CHILDREN. <i>Developmental Medicine and Child Neurology</i> , 1992, 34, 885-892. | 1.1 | 19 |
| 2759 | 18-FLUORODEOXYGLUCOSE POSITRON EMISSION TOMOGRAPHY IN CHILDREN AND ADOLESCENTS WITH TRAUMATIC BRAIN INJURY. <i>Developmental Medicine and Child Neurology</i> , 2008, 37, 213-220. | 1.1 | 35 |
| 2760 | Prognostication – The lost skill of medicine. <i>European Journal of Internal Medicine</i> , 2008, 19, 155-164. | 1.0 | 34 |
| 2761 | Angiographic features, surgical management and outcomes of proximal middle cerebral artery aneurysms. <i>Clinical Neurology and Neurosurgery</i> , 2008, 110, 544-551. | 0.6 | 32 |
| 2762 | Venous drainage patterns in perimesencephalic nonaneurysmal subarachnoid hemorrhage. <i>Clinical Neurology and Neurosurgery</i> , 2008, 110, 587-591. | 0.6 | 57 |
| 2763 | Arrested development and disrupted callosal microstructure following pediatric traumatic brain injury: relation to neurobehavioral outcomes. <i>NeuroImage</i> , 2008, 42, 1305-1315. | 2.1 | 156 |
| 2764 | Cerebral Apoptosis in Severe Traumatic Brain Injury Patients: An <i>In Vitro</i> , <i>In Vivo</i> , and Postmortem Study. <i>Journal of Neurotrauma</i> , 2008, 25, 581-591. | 1.7 | 70 |
| 2765 | La integración en la comunidad como medida de resultado de la neurorrehabilitación en el traumatismo craneoencefálico. <i>Rehabilitacion</i> , 2008, 42, 67-72. | 0.2 | 3 |
| 2766 | Effect of Infectious Diseases on Outcome After Heart Transplant. <i>Mayo Clinic Proceedings</i> , 2008, 83, 304-308. | 1.4 | 46 |
| 2767 | Neurobehavioral Management of Traumatic Brain Injury in the Critical Care Setting. <i>Critical Care Clinics</i> , 2008, 24, 737-765. | 1.0 | 35 |
| 2769 | Outcome Following Cardiopulmonary Arrest. <i>Pediatric Clinics of North America</i> , 2008, 55, 969-987. | 0.9 | 20 |
| 2770 | Second language acquisition after traumatic brain injury: A case study. <i>Disability and Rehabilitation</i> , 2008, 30, 1397-1407. | 0.9 | 1 |
| 2771 | Prediction of Functional Outcome in Patients With Primary Intracerebral Hemorrhage. <i>Stroke</i> , 2008, 39, 2304-2309. | 1.0 | 405 |
| 2772 | Predicting outcome after traumatic brain injury: practical prognostic models based on large cohort of international patients. <i>BMJ: British Medical Journal</i> , 2008, 336, 425-429. | 2.4 | 950 |
| 2773 | MMPI-2 profiles 23 years after paediatric mild traumatic brain injury. <i>Brain Injury</i> , 2008, 22, 39-50. | 0.6 | 29 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 2774 | Effects of Glasgow Outcome Scale Misclassification on Traumatic Brain Injury Clinical Trials. <i>Journal of Neurotrauma</i> , 2008, 25, 641-651. | 1.7 | 54 |
| 2775 | Prediction of severe brain damage outcome using two data mining methods. , 2008, , . | | 3 |
| 2776 | Development and validation of the Paediatric Care and Needs Scale (PCANS) for assessing support needs of children and youth with acquired brain injury. <i>Developmental Neurorehabilitation</i> , 2008, 11, 204-214. | 0.5 | 16 |
| 2777 | Effects of fluid therapy following aneurysmal subarachnoid haemorrhage: a prospective clinical study. <i>British Journal of Neurosurgery</i> , 2008, 22, 257-268. | 0.4 | 54 |
| 2778 | Thrombolysis with Alteplase 3 to 4.5 Hours after Acute Ischemic Stroke. <i>New England Journal of Medicine</i> , 2008, 359, 1317-1329. | 13.9 | 5,749 |
| 2779 | Chapter 48 Assessment of a patient with stroke. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2008, 94, 971-1009. | 1.0 | 1 |
| 2780 | Mild therapeutic hypothermia shortens intensive care unit stay of survivors after out-of-hospital cardiac arrest compared to historical controls. <i>Critical Care</i> , 2008, 12, R78. | 2.5 | 73 |
| 2781 | Changes and effects of plasma arginine vasopressin in traumatic brain injury. <i>Journal of Endocrinological Investigation</i> , 2008, 31, 996-1000. | 1.8 | 9 |
| 2782 | Long-term functional outcome and performance status after intensive care unit re-admission: a prospective survey. <i>British Journal of Anaesthesia</i> , 2008, 100, 219-223. | 1.5 | 28 |
| 2783 | Towards an understanding of sex differences in functional outcome following moderate to severe traumatic brain injury: a systematic review. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2008, 79, 1197-1201. | 0.9 | 43 |
| 2784 | Continuous Electroencephalographic Monitoring in Critically Ill Patients With Central Nervous System Infections. <i>Archives of Neurology</i> , 2008, 65, 1612-8. | 4.9 | 117 |
| 2785 | Results and complications of transarterial embolization of intracranial dural arteriovenous fistulas using Onyx-18. <i>Journal of Neurosurgery</i> , 2008, 109, 1083-1090. | 0.9 | 66 |
| 2786 | Changes of the plasma ketone body level and arterial ketone body ratio at the onset of mild aneurysmal subarachnoid hemorrhage. <i>Neurological Research</i> , 2008, 30, 898-902. | 0.6 | 5 |
| 2787 | Effects of temporary clipping during aneurysm surgery. <i>Neurological Research</i> , 2008, 30, 542-546. | 0.6 | 31 |
| 2788 | Time of Hypotension and Discharge Outcome in Children with Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2008, 25, 495-502. | 1.7 | 51 |
| 2789 | SHORT COMMUNICATION: Diffuse Changes in Cortical Thickness in Pediatric Moderate-to-Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2008, 25, 1343-1345. | 1.7 | 90 |
| 2790 | Management and outcome in patients following head injury admitted to an Irish Regional Hospital. <i>Brain Injury</i> , 2008, 22, 305-312. | 0.6 | 6 |
| 2791 | The changing spectrum of coma. <i>Nature Clinical Practice Neurology</i> , 2008, 4, 544-546. | 2.7 | 86 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 2792 | The Vegetative and Minimally Conscious States. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2008, 90, 99-111. | 1.0 | 24 |
| 2793 | Diagnostic and prognostic use of bispectral index in coma, vegetative state and related disorders. Brain Injury, 2008, 22, 926-931. | 0.6 | 101 |
| 2794 | Global outcome, productivity and epilepsy 3â€”8 years after severe head injury. The impact of injury severity. Clinical Rehabilitation, 2008, 22, 653-662. | 1.0 | 26 |
| 2795 | Predicting Outcome after Traumatic Brain Injury: Development and International Validation of Prognostic Scores Based on Admission Characteristics. PLoS Medicine, 2008, 5, e165. | 3.9 | 993 |
| 2796 | Predictors of positive growth after traumatic brain injury: A longitudinal study. Brain Injury, 2008, 22, 427-435. | 0.6 | 59 |
| 2797 | Pituitary function in paediatric survivors of severe traumatic brain injury. Archives of Disease in Childhood, 2008, 93, 133-137. | 1.0 | 59 |
| 2798 | Clipping of very large or giant unruptured intracranial aneurysms in the anterior circulation: an outcome study. Journal of Neurosurgery, 2008, 109, 1012-1018. | 0.9 | 72 |
| 2800 | Association between apolipoprotein-Â4 and long-term outcome after traumatic brain injury. Journal of Neurology, Neurosurgery and Psychiatry, 2008, 79, 426-430. | 0.9 | 34 |
| 2801 | Do men and women differ in their course following traumatic brain injury? A preliminary prospective investigation of early outcome. Brain Injury, 2008, 22, 183-191. | 0.6 | 33 |
| 2802 | Surgical Outcome following Decompressive Craniectomy for Poor-Grade Aneurysmal Subarachnoid Hemorrhage in Patients with Associated Massive Intracerebral or Sylvian Hematomas. Cerebrovascular Diseases, 2008, 26, 612-617. | 0.8 | 79 |
| 2803 | Endovascular Treatment of Peripheral Aneurysms of the Posterior Inferior Cerebellar Artery. American Journal of Neuroradiology, 2008, 29, 1783-1788. | 1.2 | 66 |
| 2804 | Heterogeneity of cerebral perfusion 1 week after haemorrhage is an independent predictor of clinical outcome in patients with aneurysmal subarachnoid haemorrhage. Journal of Neurology, Neurosurgery and Psychiatry, 2008, 79, 1128-1133. | 0.9 | 17 |
| 2805 | Neuropsychological Assessment and Management of People in States of Impaired Consciousness: An Overview of Some Recent Studies. Brain Impairment, 2008, 9, 28-35. | 0.5 | 6 |
| 2806 | Outcome after Complicated Minor Head Injury. American Journal of Neuroradiology, 2008, 29, 506-513. | 1.2 | 61 |
| 2807 | <i>Reply:</i>. American Journal of Neuroradiology, 2008, 29, e99-e99. | 1.2 | 0 |
| 2808 | Effect of decompressive craniectomy on intracranial pressure and cerebrospinal compensation following traumatic brain injury. Journal of Neurosurgery, 2008, 108, 66-73. | 0.9 | 207 |
| 2809 | Delayed Time to Defibrillation after In-Hospital Cardiac Arrest. New England Journal of Medicine, 2008, 358, 9-17. | 13.9 | 575 |
| 2810 | Acute clinical grading in pediatric severe traumatic brain injury and its association with subsequent intracranial pressure, cerebral perfusion pressure, and brain oxygenation. Neurosurgical Focus, 2008, 25, E4. | 1.0 | 17 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2811 | Approach to a child with depressed level of consciousness and coma. Therapy: Open Access in Clinical Medicine, 2008, 5, 435-449. | 0.2 | 1 |
| 2812 | Combined internal uncrusectomy and decompressive craniectomy for the treatment of severe closed head injury: experience with 80 cases. Journal of Neurosurgery, 2008, 108, 74-79. | 0.9 | 30 |
| 2813 | Blood blister-like aneurysms of the internal carotid artery trunk causing subarachnoid hemorrhage: treatment and outcome. Journal of Neurosurgery, 2008, 108, 662-671. | 0.9 | 214 |
| 2814 | A comparison of 3 radiographic scales for the prediction of delayed ischemia and prognosis following subarachnoid hemorrhage. Journal of Neurosurgery, 2008, 109, 199-207. | 0.9 | 86 |
| 2815 | Multimodality treatment of posterior fossa arteriovenous malformations. Journal of Neurosurgery, 2008, 108, 1152-1161. | 0.9 | 80 |
| 2816 | Surgical treatment of aneurysmal subarachnoid haemorrhage in the presence of 24-h endovascular availability: management and results. British Journal of Neurosurgery, 2008, 22, 53-62. | 0.4 | 18 |
| 2817 | Validation of a Prognostic Subarachnoid Hemorrhage Grading Scale Derived Directly From the Glasgow Coma Scale. Stroke, 2008, 39, 1347-1348. | 1.0 | 111 |
| 2818 | A QEEG index of level of functional dependence for people sustaining acquired brain injury: The Seville Independence Index (SINDI). Brain Injury, 2008, 22, 61-74. | 0.6 | 23 |
| 2819 | Neurobehavioral Grand Rounds Introduction: Does near drowning in ice water prevent anoxic induced brain injury?. Journal of the International Neuropsychological Society, 2008, 14, 656-659. | 1.2 | 1 |
| 2821 | INTRA-ARTERIAL TIROFIBAN INFUSION FOR THROMBOEMBOLISM DURING ENDOVASCULAR TREATMENT OF INTRACRANIAL ANEURYSMS. Neurosurgery, 2008, 63, 230-238. | 0.6 | 46 |
| 2822 | THE CURRENT ROLE OF MICROSURGERY FOR POSTERIOR CIRCULATION ANEURYSMS. Neurosurgery, 2008, 62, 1236-1253. | 0.6 | 134 |
| 2825 | Lesi3n traum3tica del enc3falo. , 2008, , 539-550. | | 0 |
| 2826 | Outcome in 1,000 Head Injury Hospital Admissions: The Athens Head Trauma Registry. Journal of Trauma, 2008, 65, 789-793. | 2.3 | 29 |
| 2827 | Design and Validation of a Critical Pathway for Hospital Management of Patients With Severe Traumatic Brain Injury. Journal of Trauma, 2008, 64, 1327-1341. | 2.3 | 14 |
| 2828 | S100B as an additional prognostic marker in subarachnoid aneurysmal hemorrhage*. Critical Care Medicine, 2008, 36, 2267-2273. | 0.4 | 84 |
| 2829 | Direct transport versus interhospital transfer of patients with severe head injury in Norway. European Journal of Emergency Medicine, 2008, 15, 249-255. | 0.5 | 13 |
| 2830 | Management of behavioural and psychological symptoms of dementia and acquired brain injury. , 2008, , 187-216. | | 6 |
| 2831 | CHRONIC HYPOPITUITARISM AFTER TRAUMATIC BRAIN INJURY. Neurosurgery, 2008, 62, 1080-1094. | 0.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2832 | Routine Serial Computed Tomographic Scans in Mild Traumatic Brain Injury: When are They Cost-Effective?. <i>Journal of Trauma</i> , 2008, 65, 66-72. | 2.3 | 32 |
| 2833 | Cranial computed tomographic findings in a large group of children with drowning: Diagnostic, prognostic, and forensic implications*. <i>Pediatric Critical Care Medicine</i> , 2008, 9, 567-572. | 0.2 | 62 |
| 2834 | CHRONIC HYPOPITUITARISM AFTER TRAUMATIC BRAIN INJURY. <i>Neurosurgery</i> , 2008, 62, 1080-1094. | 0.6 | 123 |
| 2835 | Multimodal Early Rehabilitation and Predictors of Outcome in Survivors of Severe Traumatic Brain Injury. <i>Journal of Trauma</i> , 2008, 65, 1028-1035. | 2.3 | 35 |
| 2836 | Complications associated with anemia and blood transfusion in patients with aneurysmal subarachnoid hemorrhage. <i>Critical Care Medicine</i> , 2008, 36, 2070-2075. | 0.4 | 125 |
| 2837 | OPTIMIZATION OF BACTERIAL DIAGNOSIS YIELD AFTER NEEDLE ASPIRATION IN IMMUNOCOMPETENT ADULTS WITH BRAIN ABSCESES. <i>Operative Neurosurgery</i> , 2008, 63, 362-368. | 0.4 | 8 |
| 2838 | Admission Microalbuminuria and Neurologic Outcomes in Intensive Care Unit Patients With Spontaneous Intracerebral Hemorrhage. <i>Journal of Neurosurgical Anesthesiology</i> , 2008, 20, 163-168. | 0.6 | 10 |
| 2839 | Mild therapeutic hypothermia in patients after out-of-hospital cardiac arrest due to acute ST-segment elevation myocardial infarction undergoing immediate percutaneous coronary intervention*. <i>Critical Care Medicine</i> , 2008, 36, 1780-1786. | 0.4 | 252 |
| 2840 | Cricothyrotomy in Air Medical Transport. <i>Journal of Trauma</i> , 2008, 64, 1543-1547. | 2.3 | 25 |
| 2841 | Contralateral Acute Epidural Hematoma After Decompressive Surgery of Acute Subdural Hematoma: Clinical Features and Outcome. <i>Journal of Trauma</i> , 2008, 65, 1298-1302. | 2.3 | 64 |
| 2842 | PRELIMINARY EXPERIENCE WITH THE ENTERPRISE STENT FOR ENDOVASCULAR TREATMENT OF COMPLEX INTRACRANIAL ANEURYSMS. <i>Neurosurgery</i> , 2008, 62, 1063-1070. | 0.6 | 85 |
| 2843 | Diffusion Tensor Imaging in Relation to Cognitive and Functional Outcome of Traumatic Brain Injury in Children. <i>Journal of Head Trauma Rehabilitation</i> , 2008, 23, 197-208. | 1.0 | 144 |
| 2844 | Neurogenic Pulmonary Edema in Patients With Subarachnoid Hemorrhage. <i>Journal of Neurosurgical Anesthesiology</i> , 2008, 20, 188-192. | 0.6 | 195 |
| 2845 | DISTAL ANTERIOR CEREBRAL ARTERY ANEURYSMS. <i>Neurosurgery</i> , 2008, 62, 590-601. | 0.6 | 93 |
| 2846 | Effect of hyperoxia on regional oxygenation and metabolism after severe traumatic brain injury: Preliminary findings*. <i>Critical Care Medicine</i> , 2008, 36, 273-281. | 0.4 | 207 |
| 2847 | STATIN USE WAS NOT ASSOCIATED WITH LESS VASOSPASM OR IMPROVED OUTCOME AFTER SUBARACHNOID HEMORRHAGE. <i>Neurosurgery</i> , 2008, 62, 422-430. | 0.6 | 100 |
| 2848 | VALIDATION OF AN ANEURYSMAL SUBARACHNOID HEMORRHAGE GRADING SCALE IN 1532 CONSECUTIVE PATIENTS. <i>Neurosurgery</i> , 2008, 63, 204-211. | 0.6 | 54 |
| 2849 | POSTTRAUMATIC STRESS DISORDER EXPLAINS REDUCED QUALITY OF LIFE IN SUBARACHNOID HEMORRHAGE PATIENTS IN BOTH THE SHORT AND LONG TERM. <i>Neurosurgery</i> , 2008, 63, 1095-1105. | 0.6 | 103 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2850 | EFFECTS OF USING COMBINED TRANSPETROSAL SURGICAL APPROACHES TO TREAT PETROCLIVAL MENINGIOMAS. <i>Neurosurgery</i> , 2008, 62, SHC1213-SHC1223. | 0.6 | 30 |
| 2851 | TREATMENT OF GIANT MIDDLE CEREBRAL ARTERY ANEURYSMS WITH A FLOW REPLACEMENT BYPASS USING THE EXCIMER LASER-ASSISTED NONOCCLUSIVE ANASTOMOSIS TECHNIQUE. <i>Neurosurgery</i> , 2008, 63, 12-22. | 0.6 | 53 |
| 2852 | DOES ADHERENCE TO TREATMENT TARGETS IN CHILDREN WITH SEVERE TRAUMATIC BRAIN INJURY AVOID BRAIN HYPOXIA? A BRAIN TISSUE OXYGENATION STUDY. <i>Neurosurgery</i> , 2008, 63, 83-92. | 0.6 | 55 |
| 2853 | Decompressive Craniectomy. <i>Neurosurgery Quarterly</i> , 2008, 18, 45-53. | 0.1 | 13 |
| 2854 | Is continuous insulin treatment safe in aneurysmal subarachnoid hemorrhage?. <i>Vascular Health and Risk Management</i> , 2008, Volume 4, 885-891. | 1.0 | 14 |
| 2856 | PRELIMINARY EXPERIENCE WITH THE ENTERPRISE STENT FOR ENDOVASCULAR TREATMENT OF COMPLEX INTRACRANIAL ANEURYSMS. <i>Neurosurgery</i> , 2008, 62, 1063-1070. | 0.6 | 1 |
| 2857 | Stereotactic Multiplanar Reformatted Computed Tomography-Guided Catheter Placement and Thrombolysis of Spontaneous Intracerebral Hematomas. <i>Journal of Korean Neurosurgical Society</i> , 2008, 44, 185. | 0.5 | 5 |
| 2858 | Investigation of In-Hospital Cardiac Arrest Using Utstein Template: The Limitation of Early Defibrillation. <i>Nihon Kyukyu Igakukai Zasshi</i> , 2008, 19, 139-149. | 0.0 | 0 |
| 2859 | The prognostic value of injury severity, location of event, and age at injury in pediatric traumatic head injuries. <i>Neuropsychiatric Disease and Treatment</i> , 2008, 4, 405. | 1.0 | 7 |
| 2860 | Gunshot Wounds to the Head in Civilian Practice. <i>American Surgeon</i> , 2009, 75, 223-226. | 0.4 | 22 |
| 2861 | Psychosocial outcome following subarachnoid haemorrhage: An under-researched problem. <i>British Journal of Neuroscience Nursing</i> , 2009, 5, 372-380. | 0.1 | 4 |
| 2862 | Injury severity variables as predictors of WeeFIM scores in pediatric TBI: Time to follow commands is best. <i>Journal of Pediatric Rehabilitation Medicine</i> , 2009, 2, 297-307. | 0.3 | 42 |
| 2863 | Scoring systems for trauma and head injury. , 0, , 47-53. | | 0 |
| 2864 | Outcome and prognosis after head injury. , 0, , 279-287. | | 0 |
| 2865 | Traumatic Acute Epidural Hematoma in Children. <i>Journal of Korean Neurotraumatology Society</i> , 2009, 5, 11. | 0.0 | 2 |
| 2866 | Risk of Stroke with Temporary Arterial Occlusion in Patients Undergoing Craniotomy for Cerebral Aneurysm. <i>Journal of Korean Neurosurgical Society</i> , 2009, 46, 31. | 0.5 | 24 |
| 2867 | Hyponatremia and brain injury: absence of alterations of serum brain natriuretic peptide and vasopressin. <i>Arquivos De Neuro-Psiquiatria</i> , 2009, 67, 1037-1044. | 0.3 | 15 |
| 2868 | Determining ICH Score: can we go beyond?. <i>Arquivos De Neuro-Psiquiatria</i> , 2009, 67, 605-608. | 0.3 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2869 | The Functional Outcome and Recovery of Patients Admitted to an Intensive Care Unit following Drug Overdose: A Follow-Up Study. <i>Anaesthesia and Intensive Care</i> , 2009, 37, 802-806. | 0.2 | 23 |
| 2870 | Driving and Traumatic Brain Injury. , 2009, , 71-94. | | 2 |
| 2871 | Magnetic resonance spectroscopy in traumatic brain injury. , 0, , 656-669. | | 0 |
| 2872 | Nonlinear Pressure-Flow Relationship Is Able to Detect Asymmetry of Brain Blood Circulation Associated with Midline Shift. <i>Journal of Neurotrauma</i> , 2009, 26, 227-233. | 1.7 | 21 |
| 2873 | Intracerebral Hemorrhage Volume Predicts Poor Neurologic Outcome in Children. <i>Stroke</i> , 2009, 40, 1666-1671. | 1.0 | 80 |
| 2874 | Nimodipine in aneurysmal subarachnoid hemorrhage: a randomized study of intravenous or peroral administration. <i>Journal of Neurosurgery</i> , 2009, 110, 58-63. | 0.9 | 68 |
| 2875 | Apolipoprotein E4 as a Predictor of Outcomes in Pediatric Mild Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2009, 26, 1489-1495. | 1.7 | 72 |
| 2876 | Intracranial Pressure Waveform Analysis During Rest and Suctioning. <i>Biological Research for Nursing</i> , 2009, 11, 174-186. | 1.0 | 17 |
| 2877 | Acute systemic erythropoietin therapy to reduce delayed ischemic deficits following aneurysmal subarachnoid hemorrhage: a Phase II randomized, double-blind, placebo-controlled trial. <i>Journal of Neurosurgery</i> , 2009, 111, 171-180. | 0.9 | 171 |
| 2878 | Endovascular coil embolization of anterior choroidal artery aneurysms. <i>Journal of Neurosurgery</i> , 2009, 111, 963-969. | 0.9 | 30 |
| 2879 | Independent Associations Between Electrocardiographic Abnormalities and Outcomes in Patients With Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2009, 40, 412-418. | 1.0 | 53 |
| 2880 | The Risk of Aneurysmal Subarachnoid Hemorrhage During Pregnancy, Delivery, and the Puerperium in the Utrecht Population. <i>Stroke</i> , 2009, 40, 1148-1151. | 1.0 | 88 |
| 2881 | Sample Size Estimates for Clinical Trials of Vasospasm in Subarachnoid Hemorrhage. <i>Stroke</i> , 2009, 40, 2362-2367. | 1.0 | 55 |
| 2882 | Management and outcome of patients with acute traumatic subdural hematomas and pre-injury oral anticoagulation therapy. <i>Neurological Research</i> , 2009, 31, 1012-1018. | 0.6 | 41 |
| 2883 | Consensus Statement on Concussion in Sport 3rd International Conference on Concussion in Sport Held in Zurich, November 2008. <i>Clinical Journal of Sport Medicine</i> , 2009, 19, 185-200. | 0.9 | 337 |
| 2884 | Clinical evaluation of the safety and efficacy of lumbar cerebrospinal fluid drainage for the treatment of refractory increased intracranial pressure. <i>Journal of Neurosurgery</i> , 2009, 110, 1200-1208. | 0.9 | 78 |
| 2885 | Endovascular Treatment of 174 Middle Cerebral Artery Aneurysms: Clinical Outcome and Radiologic Results at Long-term Follow-up. <i>Radiology</i> , 2009, 253, 191-198. | 3.6 | 57 |
| 2886 | Clinical and Angiographic Follow-up of Ruptured Intracranial Aneurysms Treated with Endovascular Embolization. <i>American Journal of Neuroradiology</i> , 2009, 30, 1035-1040. | 1.2 | 64 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2887 | Time course for autoregulation recovery following severe traumatic brain injury. <i>Journal of Neurosurgery</i> , 2009, 111, 695-700. | 0.9 | 69 |
| 2888 | Effect of country or continent of treatment on outcome after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2009, 111, 67-74. | 0.9 | 11 |
| 2889 | The role of surgery for high-grade intracranial dural arteriovenous fistulas: importance of obliteration of venous outflow. <i>Journal of Neurosurgery</i> , 2009, 110, 913-920. | 0.9 | 75 |
| 2890 | Relevance of intracranial hypertension for cerebral metabolism in aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2009, 111, 94-101. | 0.9 | 60 |
| 2891 | Somatosensory evoked potentials during mild hypothermia after cardiopulmonary resuscitation. <i>Neurology</i> , 2009, 73, 1457-1461. | 1.5 | 101 |
| 2892 | Wide-necked Intracranial Aneurysms: Treatment with Stent-assisted Coil Embolization during Acute (<72 Hours) Subarachnoid Hemorrhage—Experience in 61 Consecutive Patients. <i>Radiology</i> , 2009, 253, 199-208. | 3.6 | 159 |
| 2893 | Apolipoprotein E genotype and outcome after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2009, 110, 989-995. | 0.9 | 29 |
| 2894 | Consensus Statement on Concussion in Sport — The Third International Conference on Concussion in Sport Held in Zurich, November 2008. <i>Physician and Sportsmedicine</i> , 2009, 37, 141-159. | 1.0 | 138 |
| 2895 | Simvastatin for the prevention of symptomatic cerebral vasospasm following aneurysmal subarachnoid hemorrhage: a single-institution prospective cohort study. <i>Journal of Neurosurgery</i> , 2009, 110, 968-974. | 0.9 | 63 |
| 2896 | Foreword. <i>Neuropsychological Rehabilitation</i> , 2009, 19, 785-789. | 1.0 | 1 |
| 2897 | Racial Differences in Survival After In-Hospital Cardiac Arrest. <i>JAMA - Journal of the American Medical Association</i> , 2009, 302, 1195. | 3.8 | 145 |
| 2898 | APOE Genotype and Functional Outcome Following Aneurysmal Subarachnoid Hemorrhage. <i>Biological Research for Nursing</i> , 2009, 10, 205-212. | 1.0 | 27 |
| 2899 | Randomized, Controlled Trial of Oral Ribavirin for Japanese Encephalitis in Children in Uttar Pradesh, India. <i>Clinical Infectious Diseases</i> , 2009, 48, 400-406. | 2.9 | 77 |
| 2900 | Endothelial Nitric Oxide Synthase Tagging Single Nucleotide Polymorphisms and Recovery From Aneurysmal Subarachnoid Hemorrhage. <i>Biological Research for Nursing</i> , 2009, 11, 42-52. | 1.0 | 18 |
| 2901 | Decompressive craniectomy in children with nontraumatic refractory high intracranial pressure. <i>Journal of Neurosurgery: Pediatrics</i> , 2009, 3, 66-69. | 0.8 | 22 |
| 2902 | Cost-Effectiveness of Therapeutic Hypothermia After Cardiac Arrest. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2009, 2, 421-428. | 0.9 | 81 |
| 2903 | Pediatric Stroke: Do Clinical Factors Predict Delays in Presentation?. <i>Journal of Pediatrics</i> , 2009, 154, 727-732.e1. | 0.9 | 22 |
| 2904 | Consensus statement on Concussion in Sport—The 3rd International Conference on Concussion in Sport held in Zurich, November 2008. <i>Journal of Science and Medicine in Sport</i> , 2009, 12, 340-351. | 0.6 | 80 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2905 | Stroke in young Nigerian adults. <i>Journal of Vascular Nursing</i> , 2009, 27, 98-102. | 0.2 | 28 |
| 2906 | Predicting the Outcome of Patients With Subarachnoid Hemorrhage Using Machine Learning Techniques. <i>IEEE Transactions on Information Technology in Biomedicine</i> , 2009, 13, 794-801. | 3.6 | 54 |
| 2908 | Long-term effects of severe closed head injury on memory: evidence from a consecutive series of young adults. <i>Acta Neurologica Scandinavica</i> , 1984, 70, 285-298. | 1.0 | 32 |
| 2909 | The use of evoked potentials in the management of patients with severe cerebral trauma. <i>Acta Neurologica Scandinavica</i> , 2009, 72, 489-494. | 1.0 | 22 |
| 2910 | The C3-F gene in patients with intracranial saccular aneurysms. <i>Acta Neurologica Scandinavica</i> , 2009, 74, 356-359. | 1.0 | 13 |
| 2911 | Predictive value of P300 event-related potentials compared with EEG and somatosensory evoked potentials in non-traumatic coma. <i>Acta Neurologica Scandinavica</i> , 1993, 87, 423-427. | 1.0 | 37 |
| 2912 | Surgical intervention and heparin-anticoagulation improve prognosis of rhinogenic/otogenic and posttraumatic meningitis. <i>Acta Neurologica Scandinavica</i> , 1994, 89, 293-298. | 1.0 | 11 |
| 2913 | Subarachnoid blood on CT and memory dysfunctions in aneurysmal subarachnoid hemorrhage. <i>Acta Neurologica Scandinavica</i> , 2009, 90, 331-336. | 1.0 | 18 |
| 2914 | Cerebral hemodynamics in the posterior circulation of patients with bacterial meningitis. <i>Acta Neurologica Scandinavica</i> , 1996, 93, 443-449. | 1.0 | 12 |
| 2915 | Acute herpes simplex encephalitis: clinical assessment and prognostic data. <i>Acta Neurologica Scandinavica</i> , 1996, 93, 149-155. | 1.0 | 22 |
| 2916 | Correlation of F4-neuroprostanes levels in cerebrospinal fluid with outcome of aneurysmal subarachnoid hemorrhage in humans. <i>Free Radical Biology and Medicine</i> , 2009, 47, 814-824. | 1.3 | 47 |
| 2917 | Severe head injury among children: Prognostic factors and outcome. <i>Injury</i> , 2009, 40, 535-540. | 0.7 | 23 |
| 2918 | Bicycle related injuries presenting to a trauma centre in Hong Kong. <i>Injury</i> , 2009, 40, 555-559. | 0.7 | 34 |
| 2919 | Changes in case fatality of aneurysmal subarachnoid haemorrhage over time, according to age, sex, and region: a meta-analysis. <i>Lancet Neurology</i> , The, 2009, 8, 635-642. | 4.9 | 1,079 |
| 2920 | Post Traumatic Cerebral Oedema in Severe Head Injury is Related to Intracranial Pressure and Cerebral Perfusion Pressure but not to Cerebral Compliance. <i>Asian Journal of Surgery</i> , 2009, 32, 157-162. | 0.2 | 9 |
| 2921 | A historical analysis of severe head injury. <i>Neurosurgical Review</i> , 2009, 32, 343-354. | 1.2 | 11 |
| 2922 | Chronic subdural hematoma outcome prediction using logistic regression and an artificial neural network. <i>Neurosurgical Review</i> , 2009, 32, 479-484. | 1.2 | 43 |
| 2923 | Microdialysis patterns in subarachnoid hemorrhage patients with focus on ischemic events and brain interstitial glutamine levels. <i>Acta Neurochirurgica</i> , 2009, 151, 437-446. | 0.9 | 24 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2924 | Temporal patterns of interstitial pyruvate and amino acids after subarachnoid haemorrhage are related to the level of consciousness—a clinical microdialysis study. <i>Acta Neurochirurgica</i> , 2009, 151, 771-780. | 0.9 | 15 |
| 2925 | Lessons learned by personal failures in aneurysm surgery: what went wrong, and why?. <i>Acta Neurochirurgica</i> , 2009, 151, 1013-1024. | 0.9 | 10 |
| 2926 | Subdural empyema secondary to sinus infection in children. <i>Child's Nervous System</i> , 2009, 25, 199-205. | 0.6 | 30 |
| 2927 | Brain tissue oxygenation changes in children during the first 24h following head injury. <i>Child's Nervous System</i> , 2009, 25, 341-345. | 0.6 | 11 |
| 2928 | Brain tissue oxygen tension monitoring in pediatric severe traumatic brain injury. <i>Child's Nervous System</i> , 2009, 25, 1325-1333. | 0.6 | 124 |
| 2929 | Thrombolyse mit Alteplase 3 bis 4.5 Stunden nach akutem ischämischen Schlaganfall. <i>Intensivmedizin Und Notfallmedizin</i> , 2009, 46, 1-6. | 0.2 | 0 |
| 2930 | Serum S-100B protein levels in patients with herpes simplex encephalitis and tick-borne encephalitis — A marker of CNS damage during the initial stage of disease. <i>Journal of Neurology</i> , 2009, 256, 586-590. | 1.8 | 8 |
| 2931 | Implications of Early Versus Late Bilateral Pulmonary Infiltrates in Patients with Aneurysmal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2009, 10, 20-7. | 1.2 | 20 |
| 2932 | Metaanalysis of Tirilazad Mesylate in Patients with Aneurysmal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2009, 10, 141-147. | 1.2 | 47 |
| 2933 | Relationship Between Hemoglobin Concentrations and Outcomes Across Subgroups of Patients with Aneurysmal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2009, 10, 157-165. | 1.2 | 80 |
| 2934 | The Prognostic Value of the EEG in Postanoxic Coma. <i>Neurocritical Care</i> , 2009, 10, 318-325. | 1.2 | 23 |
| 2935 | Inpatient Hyperglycemia Following Aneurysmal Subarachnoid Hemorrhage: Relation to Cerebral Metabolism and Outcome. <i>Neurocritical Care</i> , 2009, 11, 56-63. | 1.2 | 63 |
| 2936 | Decompressive Craniectomy in Aneurysmal Subarachnoid Hemorrhage: Relation to Cerebral Perfusion Pressure and Metabolism. <i>Neurocritical Care</i> , 2009, 11, 384-394. | 1.2 | 35 |
| 2937 | The Value of the Trauma Mechanism in the Triage of Severely Injured Elderly. <i>European Journal of Trauma and Emergency Surgery</i> , 2009, 35, 49-55. | 0.8 | 7 |
| 2938 | TNF- α and sICAM-1 in intracranial aneurysmal rupture. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2009, 57, 137-140. | 1.0 | 14 |
| 2939 | Sodium lactate versus mannitol in the treatment of intracranial hypertensive episodes in severe traumatic brain-injured patients. <i>Intensive Care Medicine</i> , 2009, 35, 471-479. | 3.9 | 201 |
| 2940 | Endovascular treatment of proximal anterior cerebral artery aneurysms. <i>Neuroradiology</i> , 2009, 51, 99-102. | 1.1 | 23 |
| 2941 | Stenting is improving and stabilizing anatomical results of coiled intracranial aneurysms. <i>Neuroradiology</i> , 2009, 51, 419-425. | 1.1 | 72 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2942 | Hyperglycemia in bacterial meningitis: a prospective cohort study. <i>BMC Infectious Diseases</i> , 2009, 9, 57. | 1.3 | 24 |
| 2943 | Outcome after severe head injury: focal surgical lesions do not imply a better Glasgow Outcome Score than diffuse injuries at 3 months. <i>Journal of Trauma Management and Outcomes</i> , 2009, 3, 5. | 0.9 | 3 |
| 2944 | Submersion, accidental hypothermia and cardiac arrest, mechanical chest compressions as a bridge to final treatment: a case report. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2009, 17, 7. | 1.1 | 25 |
| 2945 | Pre-hospital recording of vital data in the severely head injured patient. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2009, 17, O2. | 1.1 | 1 |
| 2946 | Impact of early surgery after aneurysmal subarachnoid haemorrhage. <i>Acta Neurologica Scandinavica</i> , 2009, 119, 100-106. | 1.0 | 9 |
| 2947 | Seasonal variation of intracerebral haemorrhage in subjects with untreated hypertension. <i>Acta Neurologica Scandinavica</i> , 2009, 120, 59-63. | 1.0 | 5 |
| 2948 | Functioning and disability 6-15 years after traumatic brain injuries in northern Sweden. <i>Acta Neurologica Scandinavica</i> , 2009, 120, 389-395. | 1.0 | 43 |
| 2949 | Cerebrospinal fluid outflow and intracranial pressure in hydrocephalic patients with external ventricular drainage. <i>Acta Neurologica Scandinavica</i> , 2009, 122, 140-7. | 1.0 | 3 |
| 2950 | The Debrecen Stroke Database: Demographic Characteristics, Risk Factors, Stroke Severity and Outcome in 8088 Consecutive Hospitalised Patients with Acute Cerebrovascular Disease. <i>International Journal of Stroke</i> , 2009, 4, 335-339. | 2.9 | 17 |
| 2951 | Prognostic factors and outcome after drowning in an adult population. <i>Acta Anaesthesiologica Scandinavica</i> , 2009, 53, 935-940. | 0.7 | 23 |
| 2952 | Outcome, timing and adverse events in therapeutic hypothermia after out-of-hospital cardiac arrest. <i>Acta Anaesthesiologica Scandinavica</i> , 2009, 53, 926-934. | 0.7 | 445 |
| 2953 | The cutoff values of intrathecal interleukin 8 and 6 for predicting the neurological outcome in cardiac arrest victims. <i>Resuscitation</i> , 2009, 80, 189-193. | 1.3 | 30 |
| 2954 | Diffusion and perfusion MRI of the brain in comatose patients treated with mild hypothermia after cardiac arrest: A prospective observational study. <i>Resuscitation</i> , 2009, 80, 425-430. | 1.3 | 67 |
| 2955 | The Glasgow coma score is a predictor of good outcome in cardiac arrest patients treated with therapeutic hypothermia. <i>Resuscitation</i> , 2009, 80, 658-661. | 1.3 | 73 |
| 2956 | Neuron specific enolase and S-100B as predictors of outcome after cardiac arrest and induced hypothermia. <i>Resuscitation</i> , 2009, 80, 784-789. | 1.3 | 185 |
| 2957 | History of diabetes mellitus as a neurologic predictor in comatose survivors of cardiac arrest of cardiac origin treated with mild hypothermia. <i>Resuscitation</i> , 2009, 80, 881-887. | 1.3 | 14 |
| 2958 | Long-term neurological outcome after cardiac arrest and therapeutic hypothermia. <i>Resuscitation</i> , 2009, 80, 1119-1123. | 1.3 | 136 |
| 2959 | Ventricular fibrillation in Rochester, Minnesota: Experience over 18 years. <i>Resuscitation</i> , 2009, 80, 1253-1258. | 1.3 | 81 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2960 | Comparison of the Cerebral Performance Category Score and the Health Utilities Index for Survivors of Cardiac Arrest. <i>Annals of Emergency Medicine</i> , 2009, 53, 241-248.e1. | 0.3 | 114 |
| 2961 | Validation of 3 Termination of Resuscitation Criteria for Good Neurologic Survival After Out-of-Hospital Cardiac Arrest. <i>Annals of Emergency Medicine</i> , 2009, 54, 239-247. | 0.3 | 39 |
| 2962 | Traumatic intracerebral haemorrhage: Is the CT pattern related to outcome?. <i>British Journal of Neurosurgery</i> , 2009, 23, 601-605. | 0.4 | 24 |
| 2963 | Closed Head Injury. , 2009, , 131-142. | | 1 |
| 2964 | Coma and Altered Mental Status in the Surgical Critical Care Setting; Brain Death. , 2009, , 195-210. | | 0 |
| 2965 | Disorders of consciousness: further pathophysiological insights using motor cortex transcranial magnetic stimulation. <i>Progress in Brain Research</i> , 2009, 177, 191-200. | 0.9 | 24 |
| 2966 | The reliability and validity of the PALOC-s: A Post-Acute Level of Consciousness scale for assessment of young patients with prolonged disturbed consciousness after brain injury. <i>Neuropsychological Rehabilitation</i> , 2009, 19, 1-27. | 1.0 | 29 |
| 2967 | Predicting Outcomes of Traumatic Brain Injury by Imaging Modality and Injury Distribution. <i>Journal of Neurotrauma</i> , 2009, 26, 1183-1196. | 1.7 | 127 |
| 2968 | Cerebral microdialysis for detection of bacterial meningitis in aneurysmal subarachnoid hemorrhage patients: a cohort study. <i>Critical Care</i> , 2009, 13, R2. | 2.5 | 22 |
| 2969 | S-100B and neuron-specific enolase as predictors of neurological outcome in patients after cardiac arrest and return of spontaneous circulation: a systematic review. <i>Critical Care</i> , 2009, 13, R121. | 2.5 | 102 |
| 2970 | Changes in serum creatinine in the first 24 hours after cardiac arrest indicate prognosis: an observational cohort study. <i>Critical Care</i> , 2009, 13, R168. | 2.5 | 63 |
| 2971 | Natural history of recovery from brain injury after prolonged disorders of consciousness: outcome of patients admitted to inpatient rehabilitation with 1â€™4 year follow-up. <i>Progress in Brain Research</i> , 2009, 177, 73-88. | 0.9 | 239 |
| 2972 | Quantitative T2 mapping as a potential marker for the initial assessment of the severity of damage after traumatic brain injury in rat. <i>Experimental Neurology</i> , 2009, 217, 154-164. | 2.0 | 45 |
| 2973 | Functional MRI study of the primary somatosensory cortex in comatose survivors of cardiac arrest. <i>Experimental Neurology</i> , 2009, 217, 320-327. | 2.0 | 24 |
| 2974 | Detachable coil embolisation of ruptured intracranial aneurysms: A single center study, a decade experience. <i>Clinical Neurology and Neurosurgery</i> , 2009, 111, 179-188. | 0.6 | 38 |
| 2975 | Intraventricular thrombolysis for massive intraventricular hemorrhage due to periventricular arteriovenous malformations. <i>Clinical Neurology and Neurosurgery</i> , 2009, 111, 544-550. | 0.6 | 13 |
| 2976 | Stent/coil treatment of very large and giant unruptured ophthalmic and cavernous aneurysms. <i>World Neurosurgery</i> , 2009, 71, 19-24. | 1.3 | 70 |
| 2977 | Sleep following sport-related concussions. <i>Sleep Medicine</i> , 2009, 10, 35-46. | 0.8 | 172 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 2978 | Pituitary insufficiency after traumatic brain injury. <i>Journal of Clinical Neuroscience</i> , 2009, 16, 202-208. | 0.8 | 52 |
| 2979 | Predicting long-term outcome in poor grade aneurysmal subarachnoid haemorrhage patients utilising the Glasgow Coma Scale. <i>Journal of Clinical Neuroscience</i> , 2009, 16, 26-31. | 0.8 | 31 |
| 2980 | Outcome and prognostic factors of traumatic brain injury: a prospective evaluation in a Jakarta University hospital. <i>Journal of Clinical Neuroscience</i> , 2009, 16, 925-928. | 0.8 | 22 |
| 2981 | Evaluation of a revised Glasgow Coma Score scale in predicting long-term outcome of poor grade aneurysmal subarachnoid hemorrhage patients. <i>Journal of Clinical Neuroscience</i> , 2009, 16, 894-899. | 0.8 | 27 |
| 2982 | Endovascular embolization of small ruptured intracranial aneurysms using a biplane angiographic system with three-dimensional rotational digital subtraction angiography. <i>Journal of Clinical Neuroscience</i> , 2009, 16, 1028-1033. | 0.8 | 4 |
| 2983 | Parenteral and enteral nutrition in the management of neurosurgical patients in the intensive care unit. <i>Journal of Clinical Neuroscience</i> , 2009, 16, 1161-1167. | 0.8 | 14 |
| 2984 | Consensus statement on concussion in sport – The 3rd International Conference on concussion in sport, held in Zurich, November 2008. <i>Journal of Clinical Neuroscience</i> , 2009, 16, 755-763. | 0.8 | 120 |
| 2985 | Mild therapeutic hypothermia after cardiac arrest and the risk of bleeding in patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2009, 132, 387-391. | 0.8 | 64 |
| 2986 | Early achievement of mild therapeutic hypothermia and the neurologic outcome after cardiac arrest. <i>International Journal of Cardiology</i> , 2009, 133, 223-228. | 0.8 | 198 |
| 2987 | Decompressive Hemicraniectomy in Large Putaminal Hematomas: An Indian Experience. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2009, 18, 1-10. | 0.7 | 41 |
| 2988 | Lactic Dehydrogenase in Cerebrospinal Fluid May Differentiate Between Structural and Non-structural Central Nervous System Lesions in Patients with Diminished Levels of Consciousness. <i>Journal of Emergency Medicine</i> , 2009, 37, 93-97. | 0.3 | 11 |
| 2991 | Mortality Over Four Decades After Traumatic Brain Injury Rehabilitation: A Retrospective Cohort Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 1506-1513. | 0.5 | 141 |
| 2992 | Brief screens for detecting alcohol use disorder among 18-20-year old young adults in emergency departments: Comparing AUDIT-C, CRAFFT, RAPS4-QF, FAST, RUFT-Cut, and DSM-IV 2-Item Scale. <i>Addictive Behaviors</i> , 2009, 34, 668-674. | 1.7 | 91 |
| 2993 | Cognitive functioning and health related quality of life after rupture of an aneurysm on the anterior communicating artery versus middle cerebral artery. <i>British Journal of Neurosurgery</i> , 2009, 23, 507-515. | 0.4 | 25 |
| 2994 | The Central Nervous System in Pediatric Critical Illness and Injury. , 2009, , . | | 2 |
| 2995 | Nimodipine can improve cerebral metabolism and outcome in patients with severe head trauma. <i>Pharmacological Research</i> , 2009, 59, 120-124. | 3.1 | 26 |
| 2996 | Predictive Value of the Disorders of Consciousness Scale (DOCS). <i>PM and R</i> , 2009, 1, 152-161. | 0.9 | 13 |
| 2997 | Consensus Statement on Concussion in Sport – The 3 rd International Conference on Concussion in Sport Held in Zurich, November 2008. <i>PM and R</i> , 2009, 1, 406-420. | 0.9 | 62 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 2998 | Single-center experience with the Neuroform stent for endovascular treatment of wide-necked intracranial aneurysms. <i>World Neurosurgery</i> , 2009, 72, 612-619. | 1.3 | 39 |
| 2999 | Implementation of Brain Trauma Foundation guidelines in children with acute traumatic brain injury in tertiary-care hospital in Pakistan. <i>Indian Journal of Neurotrauma</i> , 2009, 6, 111-114. | 0.3 | 2 |
| 3000 | Disaster management of civilian gunshot head wounds in north Indian state. <i>Indian Journal of Neurotrauma</i> , 2009, 6, 27-41. | 0.3 | 7 |
| 3001 | Magnetic resonance spectroscopy and diffusion tensor imaging in coma survivors: promises and pitfalls. <i>Progress in Brain Research</i> , 2009, 177, 215-229. | 0.9 | 47 |
| 3002 | Endovascular treatment of anterior choroidal artery aneurysms. <i>Journal of Neuroradiology</i> , 2009, 36, 228-232. | 0.6 | 13 |
| 3003 | Subjective Fatigue, Mental Effort, and Attention Deficits After Severe Traumatic Brain Injury. <i>Neurorehabilitation and Neural Repair</i> , 2009, 23, 939-944. | 1.4 | 77 |
| 3004 | Hyperglycemia and Clinical Outcome in Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2009, 40, e424-30. | 1.0 | 96 |
| 3005 | Hypothermia for neuroprotection in adults after cardiopulmonary resuscitation. , 2009, , CD004128. | | 84 |
| 3006 | Association of injury severity, MRI-results and ApoE genotype with 1-year outcome in mainly mild TBI: A preliminary study. <i>Brain Injury</i> , 2009, 23, 396-402. | 0.6 | 40 |
| 3007 | Patients with spontaneous subarachnoid haemorrhage " presentation of a 10-year hospital series. <i>British Journal of Neurosurgery</i> , 2009, 23, 499-506. | 0.4 | 21 |
| 3008 | First CT findings and improvement in GOS and GOSE scores 6 and 12 months after severe traumatic brain injury. <i>Brain Injury</i> , 2009, 23, 403-410. | 0.6 | 16 |
| 3009 | Hypothermia after Cardiac Arrest: Lessons Learned from National Registries. <i>Journal of Neurotrauma</i> , 2009, 26, 365-369. | 1.7 | 12 |
| 3010 | Safety and Tolerability of Cyclosporin A in Severe Traumatic Brain Injury Patients: Results from a Prospective Randomized Trial. <i>Journal of Neurotrauma</i> , 2009, 26, 2195-2206. | 1.7 | 98 |
| 3011 | Long-term cognitive outcome after neurosurgically treated childhood traumatic brain injury. <i>Brain Injury</i> , 2009, 23, 1008-1016. | 0.6 | 18 |
| 3012 | Postsurgical examination of functional outcome of patients having undergone surgical treatment of intracranial aneurysm. <i>Scandinavian Journal of Caring Sciences</i> , 2009, 23, 130-139. | 1.0 | 4 |
| 3013 | Management of Severe Community-acquired Septic Meningitis in Adults: From Emergency Department to Intensive Care Unit. <i>Journal of the Formosan Medical Association</i> , 2009, 108, 112-118. | 0.8 | 14 |
| 3014 | Intérêt pronostique de l'IRM cérébrale chez le traumatisé crânien. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , 2009, 18, 566-575. | 0.1 | 0 |
| 3016 | Review of motor recovery in patients with traumatic brain injury. <i>NeuroRehabilitation</i> , 2009, 24, 349-353. | 0.5 | 46 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3017 | Therapeutic hypothermia after cardiac arrest in clinical practice: Review and compilation of recent experiences. <i>Critical Care Medicine</i> , 2009, 37, S223-S226. | 0.4 | 93 |
| 3018 | Social Functioning After Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2009, 24, 460-467. | 1.0 | 145 |
| 3019 | OUTCOME PREDICTORS AND SPECTRUM OF TREATMENT ELIGIBILITY WITH PROSPECTIVE PROTOCOLIZED MANAGEMENT OF INTRACEREBRAL HEMORRHAGE. <i>Neurosurgery</i> , 2009, 64, 436-446. | 0.6 | 20 |
| 3020 | A NATIONAL INTERNET-BASED SURVEY OF CEREBRAL ANEURYSM PREFERENCE-BASED QUALITY OF LIFE. <i>Neurosurgery</i> , 2009, 64, 249-255. | 0.6 | 3 |
| 3021 | SURGICAL REPAIR OF UNRUPTURED AND RUPTURED MIDDLE CEREBRAL ARTERY ANEURYSMS. <i>Neurosurgery</i> , 2009, 64, 412-422. | 0.6 | 47 |
| 3022 | CHRONIC SUBDURAL HEMATOMAS TREATED BY BURR HOLE TREPANATION AND A SUBPERIOSTAL DRAINAGE SYSTEM. <i>Neurosurgery</i> , 2009, 64, 1116-1122. | 0.6 | 81 |
| 3023 | STENT-ASSISTED COIL EMBOLIZATION OF POSTERIOR CIRCULATION ANEURYSMS USING SOLITAIRE AB. <i>Neurosurgery</i> , 2009, 65, 258-266. | 0.6 | 70 |
| 3024 | Psychosocial adjustment and life satisfaction until 5 years after severe brain damage. <i>International Journal of Rehabilitation Research</i> , 2009, 32, 139-147. | 0.7 | 11 |
| 3025 | Prehospital Hypocapnia and Poor Outcome After Severe Traumatic Brain Injury. <i>Journal of Trauma</i> , 2009, 66, 1577-1583. | 2.3 | 36 |
| 3026 | Cortical Information Processing in Coma. <i>Cognitive and Behavioral Neurology</i> , 2009, 22, 53-62. | 0.5 | 30 |
| 3027 | Magnesium Sulfate Therapy for Cerebral Vasospasm After Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery Quarterly</i> , 2009, 19, 35-39. | 0.1 | 15 |
| 3028 | Unique challenges in clinical trials in traumatic brain injury. <i>Critical Care Medicine</i> , 2009, 37, S129-S135. | 0.4 | 94 |
| 3029 | Medical and Psychosocial Predictors of Caregiver Distress and Perceived Burden Following Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2009, 24, 145-154. | 1.0 | 48 |
| 3030 | The Use of Hypothermia as a Treatment for Traumatic Brain Injury. <i>Journal of Neuroscience Nursing</i> , 2009, 41, 159-167. | 0.7 | 4 |
| 3031 | RaceEthnicity and Outcome After Traumatic Brain Injury at a Single, Diverse Center. <i>Journal of Trauma</i> , 2009, 67, 75-80. | 2.3 | 31 |
| 3032 | HYPEREMIA BENEATH EVACUATED ACUTE SUBDURAL HEMATOMA IS FREQUENT AND PROLONGED IN PATIENTS WITH AN UNFAVORABLE OUTCOME. <i>Neurosurgery</i> , 2009, 64, 705-718. | 0.6 | 18 |
| 3033 | PERIOPERATIVE FEVER AND OUTCOME IN SURGICAL PATIENTS WITH ANEURYSMAL SUBARACHNOID HEMORRHAGE. <i>Neurosurgery</i> , 2009, 64, 897-908. | 0.6 | 65 |
| 3034 | ENDOVASCULAR RETROGRADE SUCTION DECOMPRESSION AS AN ADJUNCT TO SURGICAL TREATMENT OF OPHTHALMIC ANEURYSMS. <i>Operative Neurosurgery</i> , 2009, 64, ons107-ons112. | 0.4 | 23 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3035 | RESULTS, OUTCOMES, AND FOLLOW-UP OF REMNANTS IN THE TREATMENT OF OPHTHALMIC ANEURYSMS. Neurosurgery, 2009, 64, 218-230. | 0.6 | 54 |
| 3036 | Intracranial angioplasty and stent placement for direct cerebral revascularization of nonacute intracranial occlusions and near occlusions. Neurosurgical Focus, 2009, 26, E3. | 1.0 | 20 |
| 3037 | PATIENTS WITH MODERATE HEAD INJURY. Neurosurgery, 2009, 64, 690-697. | 0.6 | 63 |
| 3038 | Physiologic and functional outcome correlates of brain tissue hypoxia in traumatic brain injury*. Critical Care Medicine, 2009, 37, 283-290. | 0.4 | 189 |
| 3039 | Neurologic Complications in Non-Neurological Intensive Care Units. Neurologist, 2009, 15, 254-267. | 0.4 | 7 |
| 3040 | LATERAL SUPRAORBITAL APPROACH APPLIED TO OLFACTORY GROOVE MENINGIOMAS. Neurosurgery, 2009, 65, 39-53. | 0.6 | 98 |
| 3041 | A Colloquium on the Congress "A Gift for Life. Considerations on Organ Donation" Transplantation, 2009, 88, S108-S158. | 0.5 | 12 |
| 3042 | A New Index Derived from the Cerebrovascular Pressure Transmission and Correlated with Consciousness Recovery in Severely Head-Injured Intensive Care Patients. Anesthesia and Analgesia, 2009, 109, 1883-1891. | 1.1 | 5 |
| 3043 | FAT AND NEUROSURGERY. Neurosurgery, 2009, 64, 316-327. | 0.6 | 33 |
| 3044 | Consensus Statement on Concussion in Sport: The 3rd International Conference on Concussion in Sport Held in Zurich, November 2008. Journal of Athletic Training, 2009, 44, 434-448. | 0.9 | 282 |
| 3045 | Hospital-Based Study of the Prognostic Factors in Adult Patients with Acute Community-Acquired Bacterial Meningitis in Tokyo, Japan. Internal Medicine, 2009, 48, 295-300. | 0.3 | 23 |
| 3046 | Endovascular Treatment With Bare Platinum Coils for Middle Cerebral Artery Aneurysms. Neurologia Medico-Chirurgica, 2009, 49, 287-293. | 1.0 | 15 |
| 3047 | Follow-up of Large Aneurysms Treated with Coil Embolization at an Acute Stage in Patients with Poor-Grade Subarachnoid Hemorrhage. Interventional Neuroradiology, 2009, 15, 45-51. | 0.7 | 1 |
| 3048 | Prediction of Neurological Outcome Using Bispectral Index Monitoring in Patients with Severe Ischemic-Hypoxic Brain Injury Undergoing Emergency Surgery. Anesthesiology, 2009, 110, 1106-1115. | 1.3 | 40 |
| 3049 | The motor response to stimulation predicts outcome as well as the full Glasgow Coma Scale in children with severe head injury*. Pediatric Critical Care Medicine, 2009, 11, 1. | 0.2 | 37 |
| 3050 | Arrhythmias and heart rate variability during and after therapeutic hypothermia for cardiac arrest*. Critical Care Medicine, 2009, 37, 403-409. | 0.4 | 77 |
| 3051 | Effect of 35°C Hypothermia on Intracranial Pressure and Clinical Outcome in Patients With Severe Traumatic Brain Injury. Journal of Trauma, 2009, 66, 166-173. | 2.3 | 62 |
| 3052 | MEASURING PREFERENCE-BASED QUALITY OF LIFE USING THE EUROQOL EQ-5D IN PATIENTS WITH CEREBRAL ANEURYSMS. Neurosurgery, 2009, 65, 565-573. | 0.6 | 24 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3053 | Endocrine Response After Severe Subarachnoid Hemorrhage Related to Sodium and Blood Volume Regulation. <i>Anesthesia and Analgesia</i> , 2009, 108, 1922-1928. | 1.1 | 68 |
| 3054 | Designing clinical trials to improve neurobehavioral outcome after traumatic brain injury: From bench to bedside*. <i>Critical Care Medicine</i> , 2009, 37, 784-785. | 0.4 | 5 |
| 3055 | Prognostic Indicators and Outcome Prediction Model for Severe Traumatic Brain Injury. <i>Journal of Trauma</i> , 2009, 66, 304-308. | 2.3 | 35 |
| 3056 | Admission Base Deficit as a Long-Term Prognostic Factor in Severe Pediatric Trauma Patients. <i>Journal of Trauma</i> , 2009, 67, 1272-1277. | 2.3 | 26 |
| 3057 | Interleukin-1 Cluster Gene Polymorphisms and Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2010, 66, 1058-1063. | 0.6 | 13 |
| 3058 | Perfusion Computed Tomographic Imaging and Surgical Selection With Patients After Poor-Grade Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2010, 67, 964-975. | 0.6 | 38 |
| 3059 | Quantitative assessment of somatosensory-evoked potentials after cardiac arrest in rats: Prognostication of functional outcomes*. <i>Critical Care Medicine</i> , 2010, 38, 1709-1717. | 0.4 | 38 |
| 3060 | A Supplementary Grading Scale for Selecting Patients With Brain Arteriovenous Malformations for Surgery. <i>Neurosurgery</i> , 2010, 66, 702-713. | 0.6 | 370 |
| 3061 | Early Prognosis of Severe Traumatic Brain Injury in an Urban Argentinian Trauma Center. <i>Journal of Trauma</i> , 2010, 68, 564-570. | 2.3 | 32 |
| 3062 | The Prognostic Value of NSE and S100B From Serum and Cerebrospinal Fluid in Patients With Spontaneous Subarachnoid Hemorrhage. <i>Journal of Neurosurgical Anesthesiology</i> , 2010, 22, 21-31. | 0.6 | 77 |
| 3063 | Outcome Assessment in Traumatic Brain Injury Clinical Trials and Prognostic Studies. <i>Journal of Head Trauma Rehabilitation</i> , 2010, 25, 92-98. | 1.0 | 13 |
| 3064 | Measuring Outcome in Traumatic Brain Injury Treatment Trials. <i>Journal of Head Trauma Rehabilitation</i> , 2010, 25, 375-382. | 1.0 | 107 |
| 3065 | Ubiquitin C-terminal hydrolase is a novel biomarker in humans for severe traumatic brain injury*. <i>Critical Care Medicine</i> , 2010, 38, 138-144. | 0.4 | 259 |
| 3066 | Continuous amplitude-integrated electroencephalogram predicts outcome in hypothermia-treated cardiac arrest patients. <i>Critical Care Medicine</i> , 2010, 38, 1838-1844. | 0.4 | 256 |
| 3067 | Red Blood Cell Transfusion Is Associated With Infection and Extracerebral Complications After Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2010, 66, 312-318. | 0.6 | 70 |
| 3068 | Which Variables Help Explain the Poor Health-Related Quality of Life After Subarachnoid Hemorrhage? A Meta-analysis. <i>Neurosurgery</i> , 2010, 66, 772-783. | 0.6 | 46 |
| 3069 | Early Endovascular Coiling of Posterior Communicating Artery Saccular Aneurysm in the Setting of Staphylococcus Bacteremia. <i>Neurosurgery</i> , 2010, 66, E847. | 0.6 | 8 |
| 3070 | Cerebral Blood Flow and Metabolism Following Decompressive Craniectomy for Control of Increased Intracranial Pressure. <i>Neurosurgery</i> , 2010, 67, 65-72. | 0.6 | 61 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3071 | Brain Energy Metabolism in Patients With Spontaneous Subarachnoid Hemorrhage and Global Cerebral Edema. <i>Neurosurgery</i> , 2010, 66, 1102-1110. | 0.6 | 39 |
| 3072 | Three decades of pediatric intensive care: Who was admitted, what happened in intensive care, and what happened afterward*. <i>Pediatric Critical Care Medicine</i> , 2010, 11, 549-555. | 0.2 | 326 |
| 3073 | A Big Bang. <i>Neurosurgery</i> , 2010, 66, 1-6. | 0.6 | 28 |
| 3074 | Intraventricular Hemorrhage Volume Predicts Poor Outcomes But Not Delayed Ischemic Neurological Deficits Among Patients With Ruptured Cerebral Aneurysms. <i>Neurosurgery</i> , 2010, 67, 1044-1053. | 0.6 | 50 |
| 3075 | Morbidity of Transcallosal and Transcortical Approaches to Lesions in and Around the Lateral and Third Ventricles: A Single-Institution Experience. <i>Neurosurgery</i> , 2010, 67, 1483-1496. | 0.6 | 100 |
| 3076 | Early somatosensory evoked potential grades in comatose traumatic brain injury patients predict cognitive and functional outcome*. <i>Critical Care Medicine</i> , 2010, 38, 167-174. | 0.4 | 53 |
| 3077 | Cognitive Functioning and Health-Related Quality of Life 1 Year After Aneurysmal Subarachnoid Hemorrhage in Preoperative Comatose Patients (Hunt and Hess Grade V Patients). <i>Neurosurgery</i> , 2010, 66, 475-485. | 0.6 | 58 |
| 3078 | Magnetic Resonance Spectroscopy Predicts Outcomes for Children With Nonaccidental Trauma. <i>Pediatrics</i> , 2010, 125, 295-303. | 1.0 | 67 |
| 3079 | Clinical Implications of Subarachnoid Clots Detected by Diffusion-Weighted Imaging in the Acute Stage of Aneurysm Rupture. <i>Neurologia Medico-Chirurgica</i> , 2010, 50, 192-199. | 1.0 | 4 |
| 3080 | Comparison of Large Intrasyllian and Subpial Hematomas Caused by Rupture of Middle Cerebral Artery Aneurysm. <i>Neurologia Medico-Chirurgica</i> , 2010, 50, 281-285. | 1.0 | 13 |
| 3081 | Efficacy and Safety of Key Hole Craniotomy for the Evacuation of Spontaneous Cerebellar Hemorrhage. <i>Neurologia Medico-Chirurgica</i> , 2010, 50, 367-372. | 1.0 | 12 |
| 3083 | Intensive Insulin Therapy in Severe Traumatic Brain Injury: A Randomized Trial. <i>Journal of Trauma</i> , 2010, 68, 904-911. | 2.3 | 48 |
| 3084 | Quality-Adjusted Life-Years and Helmet Use Among Motorcyclists Sustaining Head Injuries. <i>American Journal of Public Health</i> , 2010, 100, 165-170. | 1.5 | 13 |
| 3085 | The Sundt Clip Graft. <i>Operative Neurosurgery</i> , 2010, 66, ons300-ons305. | 0.4 | 11 |
| 3087 | Selective embolization of unruptured intracranial aneurysms is associated with low retreatment rate. <i>Neuroradiology</i> , 2010, 52, 141-146. | 1.1 | 15 |
| 3088 | Neuroimaging after coma. <i>Neuroradiology</i> , 2010, 52, 15-24. | 1.1 | 54 |
| 3089 | A multiparameter panel method for outcome prediction following aneurysmal subarachnoid hemorrhage. <i>Intensive Care Medicine</i> , 2010, 36, 107-115. | 3.9 | 75 |
| 3090 | A predictive tool by fuzzy logic for outcome of patients with intracranial aneurysm. <i>Expert Systems With Applications</i> , 2010, 37, 1043-1049. | 4.4 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3091 | Craniocerebral gunshot injuries in preschoolers. <i>Child's Nervous System</i> , 2010, 26, 61-66. | 0.6 | 18 |
| 3092 | Endocrine function in children acutely following severe traumatic brain injury. <i>Child's Nervous System</i> , 2010, 26, 647-653. | 0.6 | 28 |
| 3093 | Massive intraventricular haemorrhage from aneurysmal rupture: patient proportions and eligibility for intraventricular fibrinolysis. <i>Journal of Neurology</i> , 2010, 257, 354-358. | 1.8 | 10 |
| 3094 | MR angiography in patients with subarachnoid hemorrhage: adequate to evaluate vasospasm-induced vascular narrowing?. <i>Neurosurgical Review</i> , 2010, 33, 431-439. | 1.2 | 12 |
| 3095 | Neurointensive care is justified in elderly patients with severe subarachnoid hemorrhage— an outcome and secondary insults study. <i>Acta Neurochirurgica</i> , 2010, 152, 241-249. | 0.9 | 28 |
| 3096 | Acute subdural hematoma from ruptured cerebral aneurysm. <i>Acta Neurochirurgica</i> , 2010, 152, 501-507. | 0.9 | 42 |
| 3097 | Meningiomas in the elderly, the surgical benefit and a new scoring system. <i>Acta Neurochirurgica</i> , 2010, 152, 87-97. | 0.9 | 73 |
| 3098 | Hierarchical log linear analysis of admission blood parameters and clinical outcome following traumatic brain injury. <i>Acta Neurochirurgica</i> , 2010, 152, 953-957. | 0.9 | 18 |
| 3099 | Early infarction detected by diffusion-weighted imaging in patients with subarachnoid hemorrhage. <i>Acta Neurochirurgica</i> , 2010, 152, 1197-1205. | 0.9 | 20 |
| 3100 | Early global brain oedema in relation to clinical admission parameters and outcome in patients with aneurysmal subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 2010, 152, 1527-1533. | 0.9 | 23 |
| 3101 | Intraoperative 5-aminolevulinic-acid-induced fluorescence in meningiomas. <i>Acta Neurochirurgica</i> , 2010, 152, 1711-1719. | 0.9 | 104 |
| 3102 | The impact of endovascular management on the outcome of aneurysmal subarachnoid hemorrhage in the elderly in Eastern Finland. <i>Acta Neurochirurgica</i> , 2010, 152, 1493-1502. | 0.9 | 38 |
| 3103 | Traumatic extradural hematoma — role of non-surgical management and reasons for conversion. <i>Indian Journal of Surgery</i> , 2010, 72, 124-129. | 0.2 | 15 |
| 3104 | Continuous Selective Intraarterial Infusion of Nimodipine for Therapy of Refractory Cerebral Vasospasm. <i>Neurocritical Care</i> , 2010, 12, 346-351. | 1.2 | 45 |
| 3105 | Comparison of the Predictability of Neurological Outcome by Serum Procalcitonin and Glial Fibrillary Acidic Protein in Postcardiac-Arrest Patients. <i>Neurocritical Care</i> , 2010, 12, 252-257. | 1.2 | 45 |
| 3106 | Intra-Aortic Balloon Pump Counterpulsation in the Setting of Subarachnoid Hemorrhage, Cerebral Vasospasm, and Neurogenic Stress Cardiomyopathy. Case Report and Review of the Literature. <i>Neurocritical Care</i> , 2010, 13, 101-108. | 1.2 | 51 |
| 3107 | Loss of Cortisol Circadian Rhythm in Patients with Traumatic Brain Injury: A Microdialysis Evaluation. <i>Neurocritical Care</i> , 2010, 13, 211-216. | 1.2 | 35 |
| 3108 | The FOUR Score Predicts Outcome in Patients after Cardiac Arrest. <i>Neurocritical Care</i> , 2010, 13, 205-210. | 1.2 | 56 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3109 | QTc Interval and Neurological Outcomes in Aneurysmal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2010, 13, 347-354. | 1.2 | 25 |
| 3110 | Relevance of Cerebral Interleukin-6 After Aneurysmal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2010, 13, 339-346. | 1.2 | 113 |
| 3111 | Adjunctive dexamethasone in bacterial meningitis: a meta-analysis of individual patient data. <i>Lancet Neurology</i> , The, 2010, 9, 254-263. | 4.9 | 245 |
| 3112 | Improved Noninvasive Intracranial Pressure Assessment With Nonlinear Kernel Regression. <i>IEEE Transactions on Information Technology in Biomedicine</i> , 2010, 14, 971-978. | 3.6 | 34 |
| 3114 | Addressing access to palliative care services in the surgical intensive care unit. <i>Surgery</i> , 2010, 147, 871-877. | 1.0 | 58 |
| 3115 | Size of ruptured intracranial saccular aneurysms in patients in Izumo City, Japan. <i>World Neurosurgery</i> , 2010, 73, 84-92. | 0.7 | 26 |
| 3116 | Incidence of self-reported brain injury and the relationship with substance abuse: findings from a longitudinal community survey. <i>BMC Public Health</i> , 2010, 10, 171. | 1.2 | 24 |
| 3117 | Patients beyond salvation?. <i>Injury</i> , 2010, 41, 52-57. | 0.7 | 20 |
| 3118 | Is dopexamine superior to dopamine in the treatment of multiple trauma patients? A prospective, double-blind, randomised study. <i>Injury</i> , 2010, 41, 499-505. | 0.7 | 2 |
| 3119 | Incidence and significance of injuries to the foot and ankle in polytrauma patients? An analysis of the Trauma Registry of DGU. <i>Injury</i> , 2010, 41, 210-215. | 0.7 | 31 |
| 3120 | Factors Associated with Reduced Longer-Term Capacity to Work in Patients after Polytrauma: A Swiss Trauma Center Experience. <i>Journal of the American College of Surgeons</i> , 2010, 211, 81-91. | 0.2 | 28 |
| 3121 | Neuropsychologic Impact of Treatment Modalities in Subarachnoid Hemorrhage: Clipping Is No Different from Coiling. <i>World Neurosurgery</i> , 2010, 74, 129-138. | 0.7 | 20 |
| 3122 | Recurrent Intracranial Aneurysms After Successful Neck Clipping. <i>World Neurosurgery</i> , 2010, 74, 472-477. | 0.7 | 35 |
| 3123 | Predictive value of clinical and radiological findings in inflicted traumatic brain injury. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2010, 99, 1329-1336. | 0.7 | 18 |
| 3124 | COUNTING HEADS: ESTIMATING TRAUMATIC BRAIN INJURY IN NEW SOUTH WALES. <i>Community Health Studies</i> , 1990, 14, 118-125. | 0.0 | 14 |
| 3125 | Predictors of neurologic outcome in hypothermia after cardiac arrest. <i>Annals of Neurology</i> , 2010, 68, 907-914. | 2.8 | 291 |
| 3126 | Cold saline infusion and ice packs alone are effective in inducing and maintaining therapeutic hypothermia after cardiac arrest. <i>Resuscitation</i> , 2010, 81, 15-19. | 1.3 | 73 |
| 3127 | Cardiac arrest in the catheterisation laboratory: A 5-year experience of using mechanical chest compressions to facilitate PCI during prolonged resuscitation efforts. <i>Resuscitation</i> , 2010, 81, 383-387. | 1.3 | 146 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3128 | Increase in plasma glucagon, a factor in hyperglycemia, is related to neurological outcome in postcardiac-arrest patients. <i>Resuscitation</i> , 2010, 81, 187-192. | 1.3 | 9 |
| 3129 | Two simple questions to assess neurologic outcomes at 3 months after out-of-hospital cardiac arrest: Experience from the Public Access Defibrillation Trial. <i>Resuscitation</i> , 2010, 81, 530-533. | 1.3 | 45 |
| 3130 | Hypokalemia during the cooling phase of therapeutic hypothermia and its impact on arrhythmogenesis. <i>Resuscitation</i> , 2010, 81, 1632-1636. | 1.3 | 57 |
| 3131 | Are patients brain-dead after successful resuscitation from cardiac arrest suitable as organ donors? A systematic review. <i>Resuscitation</i> , 2010, 81, 1609-1614. | 1.3 | 37 |
| 3132 | Adenosine A1 receptor gene variants associated with post-traumatic seizures after severe TBI. <i>Epilepsy Research</i> , 2010, 90, 259-272. | 0.8 | 82 |
| 3133 | Three-year multicenter surveillance of community-acquired listeria monocytogenes meningitis in adults. <i>BMC Infectious Diseases</i> , 2010, 10, 324. | 1.3 | 63 |
| 3134 | Antithrombotic therapy and outcomes of cervical arterial dissection in the trauma patient: a case series. <i>Journal of Trauma Management and Outcomes</i> , 2010, 4, 13. | 0.9 | 8 |
| 3135 | Effects of acute substance use and pre-injury substance abuse on traumatic brain injury severity in adults admitted to a trauma centre. <i>Journal of Trauma Management and Outcomes</i> , 2010, 4, 6. | 0.9 | 32 |
| 3136 | 2-year survival of patients undergoing mild hypothermia treatment after ventricular fibrillation cardiac arrest is significantly improved compared to historical controls. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2010, 18, 2. | 1.1 | 19 |
| 3137 | Brain injury: recovery and rehabilitation. <i>Wiley Interdisciplinary Reviews: Cognitive Science</i> , 2010, 1, 108-118. | 1.4 | 12 |
| 3138 | Better than expected survival after primary intracerebral hemorrhage in patients with untreated hypertension despite high admission blood pressures. <i>European Journal of Neurology</i> , 2010, 17, 708-714. | 1.7 | 12 |
| 3139 | Practitioner Review: Beyond shaken baby syndrome: what influences the outcomes for infants following traumatic brain injury?. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2010, 51, 967-980. | 3.1 | 15 |
| 3140 | Surface Cooling for Rapid Induction of Mild Hypothermia After Cardiac Arrest: Design Determines Efficacy. <i>Academic Emergency Medicine</i> , 2010, 17, 360-367. | 0.8 | 21 |
| 3141 | Out-of-hospital Cardiac Arrest in Denver, Colorado: <i>Epidemiology and Outcomes</i> . <i>Academic Emergency Medicine</i> , 2010, 17, 391-398. | 0.8 | 17 |
| 3142 | Outcome prediction in traumatic brain injury: comparison of neurological status, CT findings, and blood levels of S100B and GFAP. <i>Acta Neurologica Scandinavica</i> , 2010, 121, 178-185. | 1.0 | 75 |
| 3143 | A comprehensive model of care for rehabilitation of children with acquired brain injuries. <i>Child: Care, Health and Development</i> , 2010, 36, 31-43. | 0.8 | 73 |
| 3144 | Outcome evaluation in glioblastoma patients using different ranking scores: KPS, GOS, mRS and MRC. <i>European Journal of Cancer Care</i> , 2010, 19, 39-44. | 0.7 | 39 |
| 3145 | Imaging of Hypoxic-Ischemic Penumbra with ¹⁸ F-fluoromisonidazole PET/CT and Measurement of Related Cerebral Metabolism in Aneurysmal Subarachnoid Hemorrhage. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2010, 30, 36-45. | 2.4 | 36 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3146 | Cognitive dysfunction and health-related quality of life after a cardiac arrest and therapeutic hypothermia. <i>Acta Anaesthesiologica Scandinavica</i> , 2010, 54, 721-728. | 0.7 | 75 |
| 3147 | Induced hypothermia in comatose survivors of asphyxia: a case series of 14 consecutive cases. <i>Acta Anaesthesiologica Scandinavica</i> , 2010, 54, 821-826. | 0.7 | 47 |
| 3148 | Very long-term neuropsychological and behavioral consequences of mild and complicated mild TBI: increased impact of pediatric versus adult TBI. , 2010, , 118-144. | | 2 |
| 3149 | STROKE AND HEAD INJURY. , 2010, , 199-226. | | 1 |
| 3150 | Traumatic brain injury in older adults. , 0, , 345-356. | | 0 |
| 3151 | Community-Acquired Bacterial Meningitis in Alcoholic Patients. <i>PLoS ONE</i> , 2010, 5, e9102. | 1.1 | 28 |
| 3152 | Avaliaço epidemiolgica dos pacientes com traumatismo raquimedular operados no Hospital Estadual "Professor Carlos da Silva Lacaz". <i>Coluna/ Columna</i> , 2010, 9, 58-61. | 0.0 | 11 |
| 3153 | Do children with Glasgow 13/14 could be identified as mild traumatic brain injury?. <i>Arquivos De Neuro-Psiquiatria</i> , 2010, 68, 381-384. | 0.3 | 11 |
| 3154 | Early rebleeding after coiling of ruptured intracranial aneurysms. <i>Acta Radiologica</i> , 2010, 51, 1043-1049. | 0.5 | 34 |
| 3155 | Diffusion Tensor Imaging Analysis of Frontal Lobes in Pediatric Traumatic Brain Injury. <i>Journal of Child Neurology</i> , 2010, 25, 976-984. | 0.7 | 70 |
| 3156 | Relationship of aggressive monitoring and treatment to improved outcomes in severe traumatic brain injury. <i>Journal of Neurosurgery</i> , 2010, 112, 1105-1112. | 0.9 | 142 |
| 3157 | Automated External Defibrillators and Survival After In-Hospital Cardiac Arrest. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 2129. | 3.8 | 88 |
| 3158 | Present State of Microneurosurgery of Cerebral Arteriovenous Malformations. <i>Acta Neurochirurgica Supplementum</i> , 2010, 107, 71-76. | 0.5 | 31 |
| 3159 | The prognostic value of the temporal course of S100 β protein in post-acute severe brain injury: A prospective and observational study. <i>Brain Injury</i> , 2010, 24, 609-619. | 0.6 | 39 |
| 3160 | Head Trauma in Children, Part 2: Course and Discharge With Outcome. <i>Journal of Child Neurology</i> , 2010, 25, 274-283. | 0.7 | 30 |
| 3161 | Effects of a Short-acting β 2 Receptor Antagonist Landiolol on Hemodynamics and Tissue Injury Markers in Patients With Subarachnoid Hemorrhage Undergoing Intracranial Aneurysm Surgery. <i>Journal of Neurosurgical Anesthesiology</i> , 2010, 22, 230-239. | 0.6 | 20 |
| 3162 | Prevalence and Determinants of Cognitive Complaints after Aneurysmal Subarachnoid Hemorrhage. <i>Cerebrovascular Diseases</i> , 2010, 29, 557-563. | 0.8 | 99 |
| 3163 | Preoperative Prediction of Outcome in 283 Poor-Grade Patients with Subarachnoid Hemorrhage: A Project of the Chugoku-Shikoku Division of the Japan Neurosurgical Society. <i>Cerebrovascular Diseases</i> , 2010, 30, 105-113. | 0.8 | 61 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3164 | Intraosseous administration of thrombolysis in out-of-hospital massive pulmonary thromboembolism. <i>Emergency Medicine Journal</i> , 2010, 27, 641-644. | 0.4 | 14 |
| 3165 | A multicentre study on the clinical utility of post-traumatic amnesia duration in predicting global outcome after moderate-severe traumatic brain injury. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010, 81, 87-89. | 0.9 | 69 |
| 3166 | Head Trauma in Children, Part 1: Admission, Diagnostics, and Findings. <i>Journal of Child Neurology</i> , 2010, 25, 146-156. | 0.7 | 16 |
| 3167 | Head Trauma in Children, Part 3: Clinical and Psychosocial Outcome After Head Trauma in Children. <i>Journal of Child Neurology</i> , 2010, 25, 409-422. | 0.7 | 27 |
| 3168 | Are there common core features of apathy in different neuropsychiatric samples as assessed by the Apathy Evaluation Scale?. <i>Nordic Journal of Psychiatry</i> , 2010, 64, 49-57. | 0.7 | 17 |
| 3169 | Cognitive and Functional Outcome After Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2010, 41, e519-36. | 1.0 | 570 |
| 3170 | Site of Ruptured Intracranial Saccular Aneurysms in Patients in Izumo City, Japan. <i>Cerebrovascular Diseases</i> , 2010, 30, 72-84. | 0.8 | 25 |
| 3171 | Postsurgical Intracranial Hypotension: Diagnostic and Prognostic Imaging Findings. <i>American Journal of Neuroradiology</i> , 2010, 31, 100-105. | 1.2 | 38 |
| 3172 | Neuroglobin Genetic Polymorphisms and Their Relationship to Functional Outcomes after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2010, 27, 999-1006. | 1.7 | 44 |
| 3173 | Prevalence and impact of diffuse axonal injury in patients with moderate and severe head injury: a cohort study of early magnetic resonance imaging findings and 1-year outcome. <i>Journal of Neurosurgery</i> , 2010, 113, 556-563. | 0.9 | 196 |
| 3174 | Acute Gonadotroph and Somatotroph Hormonal Suppression after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2010, 27, 1007-1019. | 1.7 | 60 |
| 3175 | 150 Years of Treating Severe Traumatic Brain Injury: A Systematic Review of Progress in Mortality. <i>Journal of Neurotrauma</i> , 2010, 27, 1343-1353. | 1.7 | 203 |
| 3176 | Feasibility of the Neurological Outcome Scale for Traumatic Brain Injury (NOS-TBI) in Adults. <i>Journal of Neurotrauma</i> , 2010, 27, 975-981. | 1.7 | 33 |
| 3177 | Detailed long-term outcome analysis after decompressive craniectomy for severe traumatic brain injury. <i>Brain Injury</i> , 2010, 24, 1539-1549. | 0.6 | 32 |
| 3178 | Pituitary Function at Long-Term Follow-Up of Childhood Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2010, 27, 1827-1835. | 1.7 | 37 |
| 3179 | YKL-40 Expression in Traumatic Brain Injury: An Initial Analysis. <i>Journal of Neurotrauma</i> , 2010, 27, 1215-1223. | 1.7 | 71 |
| 3180 | A simulation study evaluating approaches to the analysis of ordinal outcome data in randomized controlled trials in traumatic brain injury: results from the IMPACT Project. <i>Clinical Trials</i> , 2010, 7, 44-57. | 0.7 | 86 |
| 3181 | Care of pediatric neurosurgical patients in Iraq in 2007: clinical and ethical experience of a field hospital. <i>Journal of Neurosurgery: Pediatrics</i> , 2010, 6, 250-256. | 0.8 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3182 | BCL2 Genotypes: Functional and Neurobehavioral Outcomes after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2010, 27, 1413-1427. | 1.7 | 44 |
| 3183 | Stereology of cerebral cortex after traumatic brain injury matched to the Glasgow Outcome Score. <i>Brain</i> , 2010, 133, 139-160. | 3.7 | 87 |
| 3184 | Randomized, double-blind, placebo-controlled, pilot trial of high-dose methylprednisolone in aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2010, 112, 681-688. | 0.9 | 88 |
| 3185 | Quality of life after traumatic brain injury: The clinical use of the QOLIBRI, a novel disease-specific instrument. <i>Brain Injury</i> , 2010, 24, 1272-1291. | 0.6 | 117 |
| 3186 | Tenascin-C is induced in cerebral vasospasm after subarachnoid hemorrhage in rats and humans: a pilot study. <i>Neurological Research</i> , 2010, 32, 179-184. | 0.6 | 37 |
| 3187 | Value of Cerebral Microhemorrhages Detected with Susceptibility-weighted MR Imaging for Prediction of Long-term Outcome in Children with Nonaccidental Trauma. <i>Radiology</i> , 2010, 256, 898-905. | 3.6 | 80 |
| 3188 | Interaction of neurovascular protection of erythropoietin with age, sepsis, and statin therapy following aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2010, 112, 1235-1239. | 0.9 | 19 |
| 3189 | The apolipoprotein E ϵ 4 allele and outcome in severe traumatic brain injury treated by an intracranial pressure-targeted therapy. <i>Journal of Neurosurgery</i> , 2010, 112, 1113-1119. | 0.9 | 26 |
| 3190 | The small microsurgical aneurysm at the basilar apex. <i>Journal of Neurosurgery</i> , 2010, 112, 1216-1221. | 0.9 | 16 |
| 3191 | Effect of Statin Treatment on Vasospasm, Delayed Cerebral Ischemia, and Functional Outcome in Patients With Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2010, 41, e47-52. | 1.0 | 111 |
| 3192 | Craniopharyngioma Clinical Status Scale: a standardized metric of preoperative function and posttreatment outcome. <i>Neurosurgical Focus</i> , 2010, 28, E2. | 1.0 | 42 |
| 3193 | Minor Head Injury: CT-based Strategies for Management—A Cost-effectiveness Analysis. <i>Radiology</i> , 2010, 254, 532-540. | 3.6 | 80 |
| 3194 | Endovascular treatment of very small intracranial aneurysms. <i>Journal of Neurosurgery</i> , 2010, 112, 551-556. | 0.9 | 69 |
| 3196 | Quality of Life after Brain Injury (QOLIBRI): Scale Development and Metric Properties. <i>Journal of Neurotrauma</i> , 2010, 27, 1167-1185. | 1.7 | 189 |
| 3197 | Prognosis of six-month functioning after moderate to severe traumatic brain injury: a systematic review of prospective cohort studies. <i>Journal of Rehabilitation Medicine</i> , 2010, 42, 425-436. | 0.8 | 56 |
| 3198 | Epidemiology of Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery Clinics of North America</i> , 2010, 21, 221-233. | 0.8 | 206 |
| 3199 | Prospective longitudinal study of biochemical changes in critically ill patients with severe traumatic brain injury: Factors associated and outcome at 6 months. <i>Indian Journal of Neurotrauma</i> , 2010, 7, 23-27. | 0.3 | 15 |
| 3200 | Dural-stabs after wide craniectomy to decompress acute subdural hematoma with severe traumatic brain edema—An alternative technique to open dural flap. <i>Indian Journal of Neurotrauma</i> , 2010, 7, 29-35. | 0.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3201 | Single photon emission computed tomography evaluation in patients with mild to moderate head injury. <i>Indian Journal of Neurotrauma</i> , 2010, 7, 107-111. | 0.3 | 2 |
| 3202 | Non-metallic and metallic craniocerebral missile injuries: Varied outcome. <i>Indian Journal of Neurotrauma</i> , 2010, 7, 113-121. | 0.3 | 3 |
| 3203 | Validation of the Stroke Specific Quality of Life scale in patients with aneurysmal subarachnoid haemorrhage. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010, 81, 485-489. | 0.9 | 59 |
| 3204 | Correlation between brain interstitial and total serum cortisol levels in traumatic brain injury. A preliminary study. <i>Journal of Endocrinological Investigation</i> , 2010, 33, 368-372. | 1.8 | 6 |
| 3205 | A simple hospital discharge score predicts Glasgow Outcome Scale at 12 months in patients with traumatic brain injury. <i>Critical Care</i> , 2010, 14, P303. | 2.5 | 0 |
| 3206 | Mild therapeutic hypothermia alters neuron specific enolase as an outcome predictor after resuscitation: 97 prospective hypothermia patients compared to 133 historical non-hypothermia patients. <i>Critical Care</i> , 2010, 14, R69. | 2.5 | 136 |
| 3207 | Who benefits most from mild therapeutic hypothermia in coronary intervention era? A retrospective and propensity-matched study. <i>Critical Care</i> , 2010, 14, R155. | 2.5 | 23 |
| 3208 | Treatment of brain arteriovenous malformations with high-flow arteriovenous fistulas: risk and complications associated with endovascular embolization in multimodality treatment. <i>Journal of Neurosurgery</i> , 2010, 113, 715-722. | 0.9 | 71 |
| 3209 | A Method for Reducing Misclassification in the Extended Glasgow Outcome Score. <i>Journal of Neurotrauma</i> , 2010, 27, 843-852. | 1.7 | 49 |
| 3211 | Semantic processing in comatose patients with intact temporal lobes as reflected by the N400 event-related potential. <i>Neuroscience Letters</i> , 2010, 474, 88-92. | 1.0 | 24 |
| 3212 | Emotional electrodermal response in coma and other low-responsive patients. <i>Neuroscience Letters</i> , 2010, 475, 44-47. | 1.0 | 16 |
| 3213 | Outcome following surgery for ophthalmic segment aneurysms. <i>Journal of Clinical Neuroscience</i> , 2010, 17, 38-42. | 0.8 | 20 |
| 3214 | Neurological and systemic complications of tuberculous meningitis and its treatment at Auckland City Hospital, New Zealand. <i>Journal of Clinical Neuroscience</i> , 2010, 17, 1114-1118. | 0.8 | 55 |
| 3215 | A review of tuberculous meningitis at Auckland City Hospital, New Zealand. <i>Journal of Clinical Neuroscience</i> , 2010, 17, 1018-1022. | 0.8 | 14 |
| 3216 | I _h , Proteins in Serum Predict Outcome After Severe Traumatic Brain Injury. <i>Journal of Surgical Research</i> , 2010, 160, 302-307. | 0.8 | 125 |
| 3217 | Time of Day, Outcome, and Response to Thrombolytic Therapy: The National Institute of Neurological Disorders and Stroke Recombinant Tissue Plasminogen Activator Stroke Trial Experience. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2010, 19, 40-48. | 0.7 | 15 |
| 3218 | Behavioral Symptoms in Long-Term Survivors of Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2010, 19, 326-332. | 0.7 | 16 |
| 3219 | Prognostic value of biochemical markers of brain damage and oxidative stress in post-surgical aneurysmal subarachnoid hemorrhage patients. <i>Brain Research Bulletin</i> , 2010, 81, 173-177. | 1.4 | 28 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 3220 | A pilot study in acute subarachnoid haemorrhagic patients after aneurysm clipping with complementary therapies of Chinese medicine. <i>Complementary Therapies in Medicine</i> , 2010, 18, 191-198. | 1.3 | 6 |
| 3221 | Attentional distractor interference may be diminished by concurrent working memory load in normal participants and traumatic brain injury patients. <i>Brain and Cognition</i> , 2010, 74, 298-305. | 0.8 | 12 |
| 3222 | Endoscopic evacuation of hypertensive putaminal hemorrhage guided by the 3D reconstructed CT scan: A preliminary report. <i>Clinical Neurology and Neurosurgery</i> , 2010, 112, 892-896. | 0.6 | 8 |
| 3223 | Prognostic value of standard EEG in traumatic and non-traumatic disorders of consciousness following coma. <i>Clinical Neurophysiology</i> , 2010, 121, 274-280. | 0.7 | 78 |
| 3224 | An evaluation of a post-acute rehabilitation unit after five years of operations. <i>Annals of Physical and Rehabilitation Medicine</i> , 2010, 53, 457-473. | 1.1 | 2 |
| 3225 | Longitudinal Changes in the Health-Related Quality of Life During the First Year After Traumatic Brain Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 474-480. | 0.5 | 48 |
| 3226 | Cognitive and Behavioral Impairment in Traumatic Brain Injury Related to Outcome and Return to Work. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 1436-1441. | 0.5 | 191 |
| 3227 | Recommendations for the Use of Common Outcome Measures in Traumatic Brain Injury Research. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 1650-1660.e17. | 0.5 | 385 |
| 3228 | Extended Analysis of Early Computed Tomography Scans of Traumatic Brain Injured Patients and Relations to Outcome. <i>Journal of Neurotrauma</i> , 2010, 27, 51-64. | 1.7 | 124 |
| 3229 | Clinical Perspective. <i>Australian Occupational Therapy Journal</i> , 2010, 36, 220-225. | 0.6 | 2 |
| 3230 | Causes of encephalitis and differences in their clinical presentations in England: a multicentre, population-based prospective study. <i>Lancet Infectious Diseases</i> , The, 2010, 10, 835-844. | 4.6 | 1,107 |
| 3231 | Targeted Temperature Management for Comatose Survivors of Cardiac Arrest. <i>New England Journal of Medicine</i> , 2010, 363, 1256-1264. | 13.9 | 258 |
| 3233 | Cortisol Dynamics in the Acute Phase of Aneurysmal Subarachnoid Hemorrhage: Associations with Disease Severity and Outcome. <i>Journal of Neurotrauma</i> , 2010, 27, 189-195. | 1.7 | 29 |
| 3234 | Indices of Impaired Self-Awareness in Traumatic Brain Injury Patients with Focal Frontal Lesions and Executive Deficits: Implications for Outcome Measurement. <i>Journal of Neurotrauma</i> , 2010, 27, 1195-1202. | 1.7 | 62 |
| 3235 | APOE genetic associations with seizure development after severe traumatic brain injury. <i>Brain Injury</i> , 2010, 24, 1468-1477. | 0.6 | 26 |
| 3236 | Longitudinal outcomes of patients with traumatic brain injury: A preliminary study. <i>Brain Injury</i> , 2010, 24, 1606-1615. | 0.6 | 20 |
| 3237 | Neurological sequelae after cerebral anoxia. <i>Brain Injury</i> , 2010, 24, 755-761. | 0.6 | 44 |
| 3238 | Efficacy of cognitive behavioural therapy for children and adolescents with traumatic brain injury. <i>Disability and Rehabilitation</i> , 2011, 33, 675-683. | 0.9 | 22 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3239 | Hyperphosphorylated neurofilament NF-H as a predictor of mortality after brain injury in children. <i>Brain Injury</i> , 2011, 25, 221-226. | 0.6 | 63 |
| 3240 | Comparison of subjective and objective assessments of outcome after traumatic brain injury using the International Classification of Functioning, Disability and Health (ICF). <i>Disability and Rehabilitation</i> , 2011, 33, 2464-2478. | 0.9 | 27 |
| 3241 | Cortisol and adrenocorticotrophic hormone dynamics in the acute phase of subarachnoid haemorrhage. <i>British Journal of Neurosurgery</i> , 2011, 25, 684-692. | 0.4 | 30 |
| 3242 | Evaluation of the anterior pituitary function in the acute phase after spontaneous subarachnoid hemorrhage. <i>Journal of Endocrinological Investigation</i> , 2011, 34, 361-365. | 1.8 | 33 |
| 3243 | Neuropathological Findings in Disabled Survivors of a Head Injury. <i>Journal of Neurotrauma</i> , 2011, 28, 701-709. | 1.7 | 74 |
| 3244 | Collapse-to-emergency medical service cardiopulmonary resuscitation interval and outcomes of out-of-hospital cardiopulmonary arrest: a nationwide observational study. <i>Critical Care</i> , 2011, 15, R120. | 2.5 | 23 |
| 3245 | Rehabilitative techniques. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2011, 102, 263-278. | 1.0 | 10 |
| 3246 | The Acute Symptoms of Sport-Related Concussion: Diagnosis and On-field Management. <i>Clinics in Sports Medicine</i> , 2011, 30, 49-61. | 0.9 | 54 |
| 3247 | Primary Outcomes for Resuscitation Science Studies. <i>Circulation</i> , 2011, 124, 2158-2177. | 1.6 | 277 |
| 3248 | Cranioplasty as a surrogate marker for excellent outcome in severe head injury. <i>Indian Journal of Neurotrauma</i> , 2011, 8, 7-9. | 0.3 | 1 |
| 3249 | Incidence, Causes, and Outcomes of Out-of-Hospital Cardiac Arrest in Children. <i>Journal of the American College of Cardiology</i> , 2011, 57, 1822-1828. | 1.2 | 141 |
| 3250 | Conceptualizing functional cognition in traumatic brain injury rehabilitation. <i>Brain Injury</i> , 2011, 25, 348-364. | 0.6 | 20 |
| 3251 | Does Neurologic Examination During Inpatient Rehabilitation Help Predict Global Outcome After Nonpenetrating Traumatic Brain Injury?. <i>PM and R</i> , 2011, 3, 6-12. | 0.9 | 6 |
| 3252 | Biochemical markers and somatosensory evoked potentials in patients after cardiac arrest: The role of neurological outcome scores. <i>Journal of the Neurological Sciences</i> , 2011, 305, 80-84. | 0.3 | 9 |
| 3253 | Severe pediatric head injuries (I). Epidemiology, clinical manifestations and course. <i>Medicina Intensiva (English Edition)</i> , 2011, 35, 331-336. | 0.1 | 1 |
| 3254 | Serious pediatric head injuries (II): factors associated to morbidity and mortality. <i>Medicina Intensiva (English Edition)</i> , 2011, 35, 337-343. | 0.1 | 0 |
| 3255 | Prognostic Value of Magnetic Resonance Imaging in Moderate and Severe Head Injury: A Prospective Study of Early MRI Findings and One-Year Outcome. <i>Journal of Neurotrauma</i> , 2011, 28, 691-699. | 1.7 | 66 |
| 3257 | Manejo y tratamiento microquirúrgico de las dilataciones infundibulares de la arteria comunicante posterior. Serie de nueve casos y revisión de la literatura. <i>Neurocirugía</i> , 2011, 22, 301-309. | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3258 | Urologic Dysfunction and Neurologic Outcome in Coma Survivors After Severe Traumatic Brain Injury in the Postacute and Chronic Phase. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1134-1138. | 0.5 | 28 |
| 3259 | A simple and useful coma scale for patients with neurologic emergencies: the Emergency Coma Scale. <i>American Journal of Emergency Medicine</i> , 2011, 29, 196-202. | 0.7 | 16 |
| 3260 | Assessing Health-Related Quality of Life with the EQ-5D. <i>Air Medical Journal</i> , 2011, 30, 258-263. | 0.3 | 5 |
| 3261 | Treatment of ruptured internal carotid artery trunk aneurysms: Feasibility of endovascular trapping or proximal obliteration of the ICA. <i>Clinical Neurology and Neurosurgery</i> , 2011, 113, 285-288. | 0.6 | 8 |
| 3262 | Analysis of multiple factors affecting surgical outcomes of proximal middle cerebral artery aneurysms. <i>Clinical Neurology and Neurosurgery</i> , 2011, 113, 362-367. | 0.6 | 20 |
| 3263 | Outcome measures for traumatic brain injury. <i>Clinical Neurology and Neurosurgery</i> , 2011, 113, 435-441. | 0.6 | 147 |
| 3264 | Potential advantages and limitations of the Leo stent in endovascular treatment of complex cerebral aneurysms. <i>European Journal of Radiology</i> , 2011, 79, 317-322. | 1.2 | 27 |
| 3265 | Diagnostic Value of the Glasgow Coma Scale for Traumatic Brain Injury in 18,002 Patients with Severe Multiple Injuries. <i>Journal of Neurotrauma</i> , 2011, 28, 527-534. | 1.7 | 84 |
| 3266 | Hypothermia after cardiac arrest should be further evaluated—A systematic review of randomised trials with meta-analysis and trial sequential analysis. <i>International Journal of Cardiology</i> , 2011, 151, 333-341. | 0.8 | 148 |
| 3267 | Life Satisfaction and Return to Work After Aneurysmal Subarachnoid Hemorrhage. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2011, 20, 324-329. | 0.7 | 111 |
| 3268 | Significance of minor traumatic lesions in focal head injuries. <i>Journal of Clinical Neuroscience</i> , 2011, 18, 520-523. | 0.8 | 2 |
| 3269 | Systematic review of quality of life in the management of vestibular schwannoma. <i>Journal of Clinical Neuroscience</i> , 2011, 18, 1573-1584. | 0.8 | 100 |
| 3270 | Thrombolytic Therapy for Acute Ischemic Stroke beyond Three Hours. <i>Journal of Emergency Medicine</i> , 2011, 40, 82-92. | 0.3 | 40 |
| 3271 | Value of post-resuscitation electrocardiogram in the diagnosis of acute myocardial infarction in out-of-hospital cardiac arrest patients. <i>Resuscitation</i> , 2011, 82, 1148-1153. | 1.3 | 108 |
| 3272 | Mild therapeutic hypothermia is associated with favourable outcome in patients after cardiac arrest with non-shockable rhythms. <i>Resuscitation</i> , 2011, 82, 1162-1167. | 1.3 | 160 |
| 3273 | Survival does not improve when therapeutic hypothermia is added to post-cardiac arrest care. <i>Resuscitation</i> , 2011, 82, 1168-1173. | 1.3 | 35 |
| 3274 | Prognostic Predictors of Outcome in an Operative Series in Traumatic Brain Injury Patients. <i>Journal of the Formosan Medical Association</i> , 2011, 110, 258-264. | 0.8 | 24 |
| 3275 | Leveraging Biomarker Platforms and Systems Biology for Rehabiomics and Biologics Effectiveness Research. <i>PM and R</i> , 2011, 3, S139-47. | 0.9 | 25 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3276 | Dynamic monitors of brain function: a new target in neurointensive care unit. <i>Critical Care</i> , 2011, 15, R170. | 2.5 | 19 |
| 3277 | Detection of copeptin in peripheral blood of patients with aneurysmal subarachnoid hemorrhage. <i>Critical Care</i> , 2011, 15, R288. | 2.5 | 44 |
| 3278 | Clinical Scales to Assess Patients with Stroke. , 2011, , 307-333. | | 0 |
| 3279 | Conduct of Stroke-Related Clinical Trials. , 2011, , 1192-1203. | | 1 |
| 3280 | Papel neuroprotector da hipotermia terapêutica p ³ s paragem cardio-respirat ³ ria. <i>Revista Brasileira De Terapia Intensiva</i> , 2011, 23, 455-461. | 0.1 | 3 |
| 3281 | Discussing therapeutic hypothermia and the "Cool it"™ study. <i>Journal of Paramedic Practice: the Clinical Monthly for Emergency Care Professionals</i> , 2011, 3, 541-543. | 0.0 | 0 |
| 3282 | Long-Term Follow-up of Patients with Post-Traumatic Refractory High Intracranial Pressure Treated with Lumbar Drainage. <i>Anaesthesia and Intensive Care</i> , 2011, 39, 79-83. | 0.2 | 14 |
| 3283 | The Influence of Objective Prognostic Information on the Likelihood of Informed Consent for Decompressive Craniectomy: A Study of Australian Anaesthetists. <i>Anaesthesia and Intensive Care</i> , 2011, 39, 659-665. | 0.2 | 11 |
| 3284 | Influence of Clinical and Anatomic Features on Treatment Decisions for Anterior Communicating Artery Aneurysms. <i>Journal of Korean Neurosurgical Society</i> , 2011, 50, 81. | 0.5 | 18 |
| 3285 | Hypoxia Due to Cardiac Arrest Induces a Time-Dependent Increase in Serum Amyloid β^2 Levels in Humans. <i>PLoS ONE</i> , 2011, 6, e28263. | 1.1 | 149 |
| 3286 | Diffuse Axonal Injury in Patients With Head Injuries: An Epidemiologic and Prognosis Study of 124 Cases. <i>Journal of Trauma</i> , 2011, 71, 838-846. | 2.3 | 57 |
| 3287 | Contralateral Subdural Effusion After Decompressive Craniectomy in Patients With Severe Traumatic Brain Injury: Clinical Features and Outcome. <i>Journal of Trauma</i> , 2011, 71, 833-837. | 2.3 | 13 |
| 3288 | Cochlear Implantation in Patients With Bilateral Severe Sensorineural Hearing Loss After Major Blunt Head Trauma. <i>Otology and Neurotology</i> , 2011, 32, 48-54. | 0.7 | 24 |
| 3289 | Early Prognosis After Severe Traumatic Brain Injury With Minor or Absent Computed Tomography Scan Lesions. <i>Journal of Trauma</i> , 2011, 70, 447-451. | 2.3 | 25 |
| 3290 | Validation of the IMPACT Outcome Prediction Score Using the Nottingham Head Injury Register Dataset. <i>Journal of Trauma</i> , 2011, 71, 387-392. | 2.3 | 21 |
| 3291 | Microsurgery for Previously Coiled Aneurysms: Experience With 81 Patients. <i>Neurosurgery</i> , 2011, 68, 140-154. | 0.6 | 41 |
| 3292 | Endovascular Treatment of Posterior Circulation Fusiform Aneurysms: Single-Center Experience in 31 Patients. <i>Neurosurgery</i> , 2011, 69, 274-283. | 0.6 | 54 |
| 3293 | Lower Incidence of Transcranial Doppler and Symptomatic Vasospasm After Aneurysmal Subarachnoid Hemorrhage and Aneurysm Clipping in the Elderly Patient?. <i>Neurosurgery</i> , 2011, 69, 261-267. | 0.6 | 25 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3294 | Sedation for critically ill adults with severe traumatic brain injury: A systematic review of randomized controlled trials*. Critical Care Medicine, 2011, 39, 2743-2751. | 0.4 | 188 |
| 3295 | Relationship Between Psychiatric Disorders and 1-Year Psychosocial Outcome Following Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2011, 26, 79-89. | 1.0 | 54 |
| 3296 | Adverse events and their relation to mortality in out-of-hospital cardiac arrest patients treated with therapeutic hypothermia*. Critical Care Medicine, 2011, 39, 57-64. | 0.4 | 681 |
| 3297 | Large Between-Center Differences in Outcome After Moderate and Severe Traumatic Brain Injury in the International Mission on Prognosis and Clinical Trial Design in Traumatic Brain Injury (IMPACT) Study. Neurosurgery, 2011, 68, 601-608. | 0.6 | 99 |
| 3298 | Comparing the Responsiveness of Functional Outcome Assessment Measures for Trauma Registries. Journal of Trauma, 2011, 71, 63-68. | 2.3 | 51 |
| 3299 | Dynamics of Glial Fibrillary Acidic Protein During Traumatic Brain Injury in Children. Journal of Trauma, 2011, 71, 854-859. | 2.3 | 17 |
| 3300 | Lateral Supraorbital Approach Applied to Anterior Clinoidal Meningiomas: Experience With 73 Consecutive Patients. Neurosurgery, 2011, 68, 1632-1647. | 0.6 | 56 |
| 3301 | Neuropsychiatric Disorders in Persons With Severe Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2011, 26, 116-126. | 1.0 | 159 |
| 3302 | Effects of Gender on Outcomes After Traumatic Brain Injury. Journal of Trauma, 2011, 71, 1620-1626. | 2.3 | 39 |
| 3303 | Microneurosurgical Management of Ophthalmic Segment of the Internal Carotid Artery Aneurysms: Single-Surgeon Operative Experience From Louisiana State University, Shreveport. Neurosurgery, 2011, 68, 355-371. | 0.6 | 62 |
| 3304 | Risk of Hemorrhage in Patients With Untreated Spetzler-Martin Grade IV and V Arteriovenous Malformations: A Long-term Follow-up Study in 63 Patients. Neurosurgery, 2011, 68, 372-378. | 0.6 | 90 |
| 3305 | Primary or Secondary Decompressive Craniectomy: Different Indication and Outcome. Canadian Journal of Neurological Sciences, 2011, 38, 612-620. | 0.3 | 39 |
| 3306 | Revascularization for Complex Cerebral Aneurysms. Canadian Journal of Neurological Sciences, 2011, 38, 712-718. | 0.3 | 11 |
| 3307 | Mechanical versus manual chest compressions for cardiac arrest. , 2011, , CD007260. | | 27 |
| 3308 | Late Reopening of Adequately Coiled Intracranial Aneurysms. Stroke, 2011, 42, 1331-1337. | 1.0 | 77 |
| 3310 | Intra-Arterial Nimodipine Infusion for Cerebral Vasospasm in Patients with Aneurysmal Subarachnoid Hemorrhage. Interventional Neuroradiology, 2011, 17, 169-178. | 0.7 | 38 |
| 3311 | Neurologic clinical scales. , 0, , 353-356. | | 0 |
| 3312 | Cortical Subarachnoid Hemorrhage Caused by Cerebral Venous Thrombosis. Neurologia Medico-Chirurgica, 2011, 51, 30-36. | 1.0 | 26 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3313 | Neurointensive care of patients with severe community-acquired meningitis. <i>Acta Anaesthesiologica Scandinavica</i> , 2011, 55, 732-739. | 0.7 | 27 |
| 3314 | Plasma tau protein in comatose patients after cardiac arrest treated with therapeutic hypothermia. <i>Acta Anaesthesiologica Scandinavica</i> , 2011, 55, 1132-1138. | 0.7 | 57 |
| 3315 | The effect of nursing interventions on the intracranial pressure in paediatric traumatic brain injury. <i>Nursing in Critical Care</i> , 2011, 16, 77-84. | 1.1 | 23 |
| 3316 | The experiences of non-operative treatment in patients with bacterial brain abscess. <i>Clinical Microbiology and Infection</i> , 2011, 17, 615-620. | 2.8 | 10 |
| 3317 | Local Skull Trephination Before Transfer Is Associated With Favorable Outcomes in Cerebral Herniation from Epidural Hematoma. <i>Academic Emergency Medicine</i> , 2011, 18, 78-85. | 0.8 | 21 |
| 3318 | CSF Bcl-2 and cytochrome C temporal profiles in outcome prediction for adults with severe TBI. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 1886-1896. | 2.4 | 43 |
| 3319 | Prevalence and incidence of longer term pain in survivors of polytrauma. <i>Surgery</i> , 2011, 150, 985-995. | 1.0 | 23 |
| 3322 | Decompressive Craniectomy and Early Cranioplasty for the Management of Severe Head Injury: A Prospective Multicenter Study on 147 Patients. <i>World Neurosurgery</i> , 2011, 75, 558-562. | 0.7 | 84 |
| 3323 | Brain Abscess: Management and Outcome Analysis of a Computed Tomography Era Experience with 973 Patients. <i>World Neurosurgery</i> , 2011, 75, 716-726. | 0.7 | 137 |
| 3324 | Risk Factors Related to Aneurysmal Rebleeding. <i>World Neurosurgery</i> , 2011, 76, 292-298. | 0.7 | 87 |
| 3325 | Hyponatremia in Patients with Traumatic Brain Injury: Etiology, Incidence, and Severity Correlation. <i>World Neurosurgery</i> , 2011, 76, 355-360. | 0.7 | 57 |
| 3326 | Fibrinogen is not elevated in the cerebrospinal fluid of patients with multiple sclerosis. <i>Fluids and Barriers of the CNS</i> , 2011, 8, 25. | 2.4 | 14 |
| 3327 | Measuring functional and quality of life outcomes following major head injury: Common scales and checklists. <i>Injury</i> , 2011, 42, 281-287. | 0.7 | 456 |
| 3328 | Aneurysmatic subarachnoidal haemorrhage: Incidence and location of small ruptured cerebral aneurysms – a retrospective population-based study. <i>Wiener Klinische Wochenschrift</i> , 2011, 123, 444-449. | 1.0 | 20 |
| 3329 | Treatment and outcomes for pediatric head injuries in Mississippi. <i>Child's Nervous System</i> , 2011, 27, 583-590. | 0.6 | 0 |
| 3330 | Cerebrovascular response in children following severe traumatic brain injury. <i>Child's Nervous System</i> , 2011, 27, 1465-1476. | 0.6 | 77 |
| 3333 | Predicting fatigue 1 year after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurology</i> , 2011, 258, 1091-1097. | 1.8 | 56 |
| 3334 | From unresponsive wakefulness to minimally conscious PLUS and functional locked-in syndromes: recent advances in our understanding of disorders of consciousness. <i>Journal of Neurology</i> , 2011, 258, 1373-1384. | 1.8 | 530 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3335 | Falcotentorial subdural empyema: analysis of 10 cases. <i>Acta Neurochirurgica</i> , 2011, 153, 164-170. | 0.9 | 18 |
| 3336 | Genu of corpus callosum in diffuse axonal injury induces a worse 1-year outcome in patients with traumatic brain injury. <i>Acta Neurochirurgica</i> , 2011, 153, 1687-1694. | 0.9 | 14 |
| 3337 | The Geriatric Scoring System (GSS) in meningioma patientsâ€™ validation. <i>Acta Neurochirurgica</i> , 2011, 153, 1501-1508. | 0.9 | 37 |
| 3338 | The Geriatric Scoring System (GSS) in meningioma patients: response to comments. <i>Acta Neurochirurgica</i> , 2011, 153, 2289-2290. | 0.9 | 0 |
| 3339 | Clinical presentation and treatment of distal posterior inferior cerebellar artery aneurysms. <i>Neurosurgical Review</i> , 2011, 34, 57-67. | 1.2 | 45 |
| 3341 | Diffusivity of Normal-Appearing Tissue in Acute Traumatic Brain Injury. <i>Clinical Neuroradiology</i> , 2011, 21, 75-82. | 1.0 | 12 |
| 3342 | Repeated magnetic resonance imaging and cerebral performance after cardiac arrestâ€™A pilot study. <i>Resuscitation</i> , 2011, 82, 549-555. | 1.3 | 21 |
| 3343 | Cardiac arrest survivors with moderate elevated body mass index may have a better neurological outcome: A cohort study. <i>Resuscitation</i> , 2011, 82, 869-873. | 1.3 | 32 |
| 3344 | Intracranial Hemorrhage Following Neuroendovascular Procedures with Abciximab is Associated with High Mortality: A Multicenter Series. <i>Neurocritical Care</i> , 2011, 15, 85-95. | 1.2 | 35 |
| 3345 | Outcome in Poor Grade Subarachnoid Hemorrhage Patients Treated with Acute Endovascular Coiling of Aneurysms and Aggressive Intensive Care. <i>Neurocritical Care</i> , 2011, 14, 341-347. | 1.2 | 63 |
| 3346 | Search for Genetic Variants in the Ryanodine Receptor 1 Gene in Patients with Symptomatic Cerebral Vasospasm after Aneurysmal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2011, 15, 410-415. | 1.2 | 12 |
| 3347 | Comparison of the Full Outline of UnResponsiveness and Glasgow Liege Scale/Glasgow Coma Scale in an Intensive Care Unit Population. <i>Neurocritical Care</i> , 2011, 15, 447-453. | 1.2 | 73 |
| 3348 | Clinical characteristics and therapeutic outcomes of nosocomial super-infection in adult bacterial meningitis. <i>BMC Infectious Diseases</i> , 2011, 11, 133. | 1.3 | 21 |
| 3349 | Acute/subacute cerebral infarction (ASCI) in HIV-negative adults with cryptococcal meningoencephalitis (CM): a MRI-based follow-up study and a clinical comparison to HIV-negative CM adults without ASCI. <i>BMC Neurology</i> , 2011, 11, 12. | 0.8 | 27 |
| 3350 | Analyses of cerebral microdialysis in patients with traumatic brain injury: relations to intracranial pressure, cerebral perfusion pressure and catheter placement. <i>BMC Medicine</i> , 2011, 9, 21. | 2.3 | 48 |
| 3351 | S-100B is superior to NSE, BDNF and GFAP in predicting outcome of resuscitation from cardiac arrest with hypothermia treatment. <i>Resuscitation</i> , 2011, 82, 26-31. | 1.3 | 87 |
| 3352 | Quality of cardiopulmonary resuscitation in out-of-hospital cardiac arrest is hampered by interruptions in chest compressionsâ€™A nationwide prospective feasibility study. <i>Resuscitation</i> , 2011, 82, 263-269. | 1.3 | 67 |
| 3353 | Effect of time and day of admission on 1-month survival and neurologically favourable 1-month survival in out-of-hospital cardiopulmonary arrest patients. <i>Resuscitation</i> , 2011, 82, 863-868. | 1.3 | 52 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3354 | Severe QTc prolongation under mild hypothermia treatment and incidence of arrhythmias after cardiac arrest—A prospective study in 34 survivors with continuous Holter ECG. <i>Resuscitation</i> , 2011, 82, 859-862. | 1.3 | 39 |
| 3355 | Association between Cerebral Performance Category, Modified Rankin Scale, and discharge disposition after cardiac arrest. <i>Resuscitation</i> , 2011, 82, 1036-1040. | 1.3 | 188 |
| 3356 | Sixteen-year single-surgeon experience with coil embolization for ruptured intracranial aneurysms: recurrence rates and incidence of late rebleeding. <i>Journal of Neurosurgery</i> , 2011, 114, 863-874. | 0.9 | 75 |
| 3357 | Early surgery of multiple versus single aneurysms after subarachnoid hemorrhage: an increased risk for cerebral vasospasm?. <i>Journal of Neurosurgery</i> , 2011, 114, 935-941. | 0.9 | 31 |
| 3358 | Variation of patient characteristics, management, and outcome with timing of surgery for aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2011, 114, 1045-1053. | 0.9 | 30 |
| 3359 | Cardiac standstill for cerebral aneurysms in 103 patients: an update on the experience at the Barrow Neurological Institute. <i>Journal of Neurosurgery</i> , 2011, 114, 877-884. | 0.9 | 68 |
| 3360 | Outcome After Spontaneous Subarachnoid Hemorrhage Measured With the EQ-5D. <i>Stroke</i> , 2011, 42, 3284-3286. | 1.0 | 21 |
| 3361 | Neurological outcome in patients with traumatic brain injury and its relationship with computed tomography patterns of traumatic subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2011, 114, 1510-1515. | 0.9 | 29 |
| 3362 | Middle cerebral artery aneurysms in children: case series and review. <i>Journal of Neurosurgery: Pediatrics</i> , 2011, 8, 79-89. | 0.8 | 46 |
| 3363 | Delayed diagnosis of aneurysmal subarachnoid hemorrhage in patients: a community-based study. <i>Journal of Neurosurgery</i> , 2011, 115, 707-714. | 0.9 | 10 |
| 3364 | Relation between brain interstitial and systemic glucose concentrations after subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2011, 115, 66-74. | 0.9 | 32 |
| 3365 | Intracranial aneurysms: optimized diagnostic tools call for thorough interdisciplinary treatment strategies. <i>Therapeutic Advances in Neurological Disorders</i> , 2011, 4, 267-279. | 1.5 | 17 |
| 3366 | Hypodensity of extradural hematomas in children: an ominous sign. <i>Journal of Neurosurgery: Pediatrics</i> , 2011, 8, 417-421. | 0.8 | 2 |
| 3367 | Acute Serum Hormone Levels: Characterization and Prognosis after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2011, 28, 871-888. | 1.7 | 151 |
| 3368 | Comparison of Effects of Equiosmolar Doses of Mannitol and Hypertonic Saline on Cerebral Blood Flow and Metabolism in Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2011, 28, 2003-2012. | 1.7 | 109 |
| 3369 | Clinical Trial of Nicardipine Prolonged-Release Implants for Preventing Cerebral Vasospasm: Multicenter Cooperative Study in Tokyo. , 2011, 110, 165-167. | | 22 |
| 3370 | The Nottingham Head Injury Register: A Survey of 1,276 Adult Cases of Moderate and Severe Traumatic Brain Injury in a British Neurosurgery Centre. <i>Journal of the Intensive Care Society</i> , 2011, 12, 29-36. | 1.1 | 2 |
| 3371 | Cerebrospinal Fluid Tenascin-C in Cerebral Vasospasm After Aneurysmal Subarachnoid Hemorrhage. <i>Journal of Neurosurgical Anesthesiology</i> , 2011, 23, 310-317. | 0.6 | 40 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3372 | Early Surgical Management of Middle Cerebral Artery Aneurysms Associated With Intracerebral Hematomas. <i>Neurosurgery Quarterly</i> , 2011, 21, 26-32. | 0.1 | 0 |
| 3373 | Molecular Biomarker of Inflammatory Response Is Associated with Rebleeding in Spontaneous Intracerebral Hemorrhage. <i>European Neurology</i> , 2011, 66, 322-327. | 0.6 | 24 |
| 3374 | Long-term MRI findings of patients with embolized cerebral aneurysms. <i>Acta Radiologica</i> , 2011, 52, 204-210. | 0.5 | 5 |
| 3375 | A 3-tier classification of cerebral arteriovenous malformations. <i>Journal of Neurosurgery</i> , 2011, 114, 842-849. | 0.9 | 276 |
| 3376 | Therapeutic Hypothermia After Out-of-Hospital Cardiac Arrest. <i>Circulation</i> , 2011, 124, 206-214. | 1.6 | 184 |
| 3377 | Improved Survival with Therapeutic Hypothermia after Cardiac Arrest with Cold Saline and Surfacing Cooling: Keep It Simple. <i>Emergency Medicine International</i> , 2011, 2011, 1-4. | 0.3 | 9 |
| 3378 | Assessment of Procalcitonin to Predict Outcome in Hypothermia-Treated Patients after Cardiac Arrest. <i>Critical Care Research and Practice</i> , 2011, 2011, 1-7. | 0.4 | 23 |
| 3379 | Resource utilization in the management of traumatic brain injury patients in a critical care unit: An audit from rural setup of a developing country. <i>International Journal of Critical Illness and Injury Science</i> , 2011, 1, 110. | 0.2 | 7 |
| 3380 | National Taiwan University Irritability Scale: Evaluating Irritability in Patients With Traumatic Brain Injury. <i>Brain Impairment</i> , 2011, 12, 200-209. | 0.5 | 7 |
| 3381 | Focal Intradural Brain Infections in Children: An Analysis of Management and Outcome. <i>Pediatric Neurosurgery</i> , 2011, 47, 113-124. | 0.4 | 24 |
| 3382 | Single photon emission computed tomography scanning: A predictor of outcome in vegetative state of head injury. <i>Journal of Neurosciences in Rural Practice</i> , 2011, 02, 012-016. | 0.3 | 4 |
| 3383 | Clipping surgery for aneurysmal subarachnoid hemorrhage in patients aged 75 years or older. <i>Neurological Research</i> , 2011, 33, 853-857. | 0.6 | 18 |
| 3384 | Endovascular Treatment of Paraclinoid Aneurysms. <i>Interventional Neuroradiology</i> , 2011, 17, 425-430. | 0.7 | 19 |
| 3385 | Decompressive Craniectomy in 14 Children With Severe Head Injury: Clinical Results With Long-Term Follow-Up and Review of the Literature. <i>Journal of Trauma</i> , 2011, 71, 133-140. | 2.3 | 25 |
| 3386 | Effect of the Modified Glasgow Coma Scale Score Criteria for Mild Traumatic Brain Injury on Mortality Prediction: Comparing Classic and Modified Glasgow Coma Scale Score Model Scores of 13. <i>Journal of Trauma</i> , 2011, 71, 1185-1193. | 2.3 | 85 |
| 3387 | Cooling for cerebral protection during brain surgery. , 2011, , CD006638. | | 9 |
| 3388 | Immunodepression After Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2011, 42, 53-58. | 1.0 | 116 |
| 3389 | Meta-Analysis of the Effectiveness and Safety of Prophylactic Use of Nimodipine in Patients with an Aneurysmal Subarachnoid Haemorrhage. <i>CNS and Neurological Disorders - Drug Targets</i> , 2011, 10, 834-844. | 0.8 | 35 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3390 | Frameless stereotactic aspiration and subsequent fibrinolytic therapy for the treatment of spontaneous intracerebral haemorrhage. <i>British Journal of Neurosurgery</i> , 2011, 25, 369-375. | 0.4 | 20 |
| 3391 | Predictors of Poor Outcome at Hospital Discharge Following a Spontaneous Intracerebral Hemorrhage. <i>International Journal of Neuroscience</i> , 2011, 121, 267-270. | 0.8 | 7 |
| 3392 | Efficacy of a clinical stroke score in monitoring complications in acute ischaemic stroke patients could be used as an independent prognostic factor. <i>Annals of African Medicine</i> , 2011, 10, 55. | 0.2 | 1 |
| 3393 | Long-term cognitive outcomes following out-of-hospital cardiac arrest. <i>Neurology</i> , 2011, 77, 1438-1445. | 1.5 | 72 |
| 3394 | Validating the incidence of coagulopathy and disseminated intravascular coagulation in patients with traumatic brain injury – analysis of 242 cases. <i>British Journal of Neurosurgery</i> , 2011, 25, 363-368. | 0.4 | 71 |
| 3395 | Outcome of Abusive Head Trauma. , 2011, , 451-457. | | 2 |
| 3396 | Isolated traumatic head injury in children: Analysis of 276 observations. <i>Journal of Emergencies, Trauma and Shock</i> , 2011, 4, 29. | 0.3 | 12 |
| 3397 | Long term outcome after subarachnoid haemorrhage of unknown aetiology. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011, 82, 1264-1266. | 0.9 | 24 |
| 3398 | Does therapeutic hypothermia affect time to awakening in cardiac arrest survivors?. <i>Neurology</i> , 2011, 77, 1346-1350. | 1.5 | 49 |
| 3399 | Revisiting the eye opening response of the Glasgow Coma Scale. <i>Indian Journal of Critical Care Medicine</i> , 2011, 15, 58-59. | 0.3 | 5 |
| 3400 | A Validated Prediction Tool for Initial Survivors of In-Hospital Cardiac Arrest. <i>Archives of Internal Medicine</i> , 2012, 172, 947. | 4.3 | 131 |
| 3401 | Disruptions of functional connectivity in the default mode network of comatose patients. <i>Neurology</i> , 2012, 78, 175-181. | 1.5 | 167 |
| 3402 | C-reactive protein in intracerebral hemorrhage. <i>Neurology</i> , 2012, 79, 690-699. | 1.5 | 69 |
| 3403 | Generalized periodic discharges in the critically ill. <i>Neurology</i> , 2012, 79, 1951-1960. | 1.5 | 167 |
| 3404 | Hyperacute cerebral aneurysm rerupture during CT angiography. <i>Journal of Neurosurgery</i> , 2012, 116, 1244-1250. | 0.9 | 23 |
| 3405 | Can glasgow score at discharge represent final outcome in severe head injury?. <i>Journal of Emergencies, Trauma and Shock</i> , 2012, 5, 217. | 0.3 | 9 |
| 3406 | Travmatik beyin yaralanmasında klinik tanı ve değerlendirme. <i>Medical Journal of Bakirkoy</i> , 2012, , . | 0.0 | 0 |
| 3407 | Parent-Child Interaction Therapy as a Family-Oriented Approach to Behavioral Management Following Pediatric Traumatic Brain Injury: A Case Report. <i>Journal of Pediatric Psychology</i> , 2012, 37, 251-261. | 1.1 | 24 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3408 | What's New in Emergencies Trauma and Shock? Studying glasgow outcome scores at discharge and final outcomes in severe head injury. <i>Journal of Emergencies, Trauma and Shock</i> , 2012, 5, 211. | 0.3 | 0 |
| 3409 | Prognostic significance of age in traumatic brain injury. <i>Journal of Neurosciences in Rural Practice</i> , 2012, 03, 131-135. | 0.3 | 62 |
| 3410 | Decompressive hemicraniectomy in supra-tentorial malignant infarcts. , 2012, 3, 29. | | 4 |
| 3411 | Hypothermia in Comatose Survivors From Out-of-Hospital Cardiac Arrest. <i>Circulation</i> , 2012, 126, 2826-2833. | 1.6 | 127 |
| 3412 | In-Person Versus Telehealth Assessment of Discourse Ability in Adults With Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2012, 27, 424-432. | 1.0 | 43 |
| 3413 | Outcome of Decompressive Craniectomy in Patients With Severe Head Injury. <i>Neurosurgery Quarterly</i> , 2012, 22, 149-152. | 0.1 | 13 |
| 3414 | Visual Sequelae After Consensus-Based Treatment of Ophthalmic Artery Segment Aneurysms. <i>Journal of Neuro-Ophthalmology</i> , 2012, 32, 27-32. | 0.4 | 29 |
| 3415 | Return to Driving After Severe Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2012, 27, 210-215. | 1.0 | 38 |
| 3416 | The deleterious effects of methamphetamine use on initial presentation and clinical outcomes in aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2012, 117, 781-786. | 0.9 | 28 |
| 3417 | Giant anterior clinoidal meningiomas: surgical technique and outcomes. <i>Journal of Neurosurgery</i> , 2012, 117, 654-665. | 0.9 | 54 |
| 3418 | The Spectrum Captured: A Methodological Approach to Studying Incidence and Outcomes of Traumatic Brain Injury on a Population Level. <i>Neuroepidemiology</i> , 2012, 38, 18-29. | 1.1 | 50 |
| 3419 | Outcome after severe brain trauma due to acute subdural hematoma. <i>Journal of Neurosurgery</i> , 2012, 117, 324-333. | 0.9 | 98 |
| 3420 | Endothelin Receptor Antagonists for Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2012, 43, 2671-2676. | 1.0 | 69 |
| 3421 | Long-term outcome of 114 children with cerebral aneurysms. <i>Journal of Neurosurgery: Pediatrics</i> , 2012, 9, 636-645. | 0.8 | 65 |
| 3422 | Impact of GOS Misclassification on Ordinal Outcome Analysis of Traumatic Brain Injury Clinical Trials. <i>Journal of Neurotrauma</i> , 2012, 29, 719-726. | 1.7 | 18 |
| 3423 | The Working Memory Questionnaire: A scale to assess everyday life problems related to deficits of working memory in brain injured patients. <i>Neuropsychological Rehabilitation</i> , 2012, 22, 634-649. | 1.0 | 54 |
| 3424 | Inflammasome proteins in cerebrospinal fluid of brain-injured patients as biomarkers of functional outcome. <i>Journal of Neurosurgery</i> , 2012, 117, 1119-1125. | 0.9 | 142 |
| 3425 | Should We Emergently Revascularize Occluded Coronaries for Cardiac Arrest?. <i>Circulation</i> , 2012, 126, 1605-1613. | 1.6 | 211 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 3426 | Lasting Pituitary Hormone Deficiency after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2012, 29, 81-89. | 1.7 | 44 |
| 3427 | Irritability following traumatic brain injury: Divergent manifestations of annoyance and verbal aggression. <i>Brain Injury</i> , 2012, 26, 1185-1191. | 0.6 | 31 |
| 3428 | Comparison of the Predictive Power of the LODS and APACHE II Scoring Systems in a Neurological Intensive Care Unit. <i>Journal of International Medical Research</i> , 2012, 40, 777-786. | 0.4 | 10 |
| 3429 | An online positive parenting skills programme for paediatric traumatic brain injury: feasibility and parental satisfaction. <i>Journal of Telemedicine and Telecare</i> , 2012, 18, 333-338. | 1.4 | 32 |
| 3430 | Long-term Outcome of Patients Presenting With Acute Infectious Encephalitis of Various Causes in France. <i>Clinical Infectious Diseases</i> , 2012, 54, 1455-1464. | 2.9 | 115 |
| 3431 | Epidemiology and clinical characteristics of traumatic brain injuries in a rural setting in Maharashtra, India. 2007-2009. <i>International Journal of Critical Illness and Injury Science</i> , 2012, 2, 167. | 0.2 | 31 |
| 3432 | CLINICAL AND PREDICTIVE SIGNIFICANCE OF HYPONATREMIA AFTER ANEURYSMAL SUBARACHNOID HEMORRHAGE. <i>Balkan Medical Journal</i> , 2012, 29, 243-6. | 0.3 | 8 |
| 3433 | Stroke in Young Adults: A Prospective Study from Northwestern Nigeria. <i>ISRN Neurology</i> , 2012, 2012, 1-5. | 1.5 | 27 |
| 3434 | The Platelet Function Analyzer (PFA-100) as a Screening Tool in Neurosurgery. <i>ISRN Hematology</i> , 2012, 2012, 1-7. | 1.6 | 17 |
| 3435 | The prognostic significance of the timing of total enteral feeding in traumatic brain injury. , 2012, 3, 31. | | 16 |
| 3436 | Progressive Epidural Hematoma in Patients with Head Trauma: Incidence, Outcome, and Risk Factors. <i>Emergency Medicine International</i> , 2012, 2012, 1-8. | 0.3 | 42 |
| 3437 | Impact of Changes in Resuscitation Practice on Survival and Neurological Outcome After Out-of-Hospital Cardiac Arrest Resulting From Nonshockable Arrhythmias. <i>Circulation</i> , 2012, 125, 1787-1794. | 1.6 | 70 |
| 3438 | Mild hypothermia treatment in patients resuscitated from non-shockable cardiac arrest. <i>Emergency Medicine Journal</i> , 2012, 29, 100-103. | 0.4 | 49 |
| 3439 | Trends in Survival after In-Hospital Cardiac Arrest. <i>New England Journal of Medicine</i> , 2012, 367, 1912-1920. | 13.9 | 1,277 |
| 3440 | Cranial decompression for the treatment of malignant intracranial hypertension after ischemic cerebral infarction: decompressive craniectomy and hinge craniotomy. <i>Journal of Neurosurgery</i> , 2012, 116, 1289-1298. | 0.9 | 52 |
| 3441 | New considerations in the design of clinical trials for traumatic brain injury. <i>Clinical Investigation</i> , 2012, 2, 153-162. | 0.0 | 41 |
| 3442 | A cohort study of outcomes following head injury among children and young adults in full-time education. <i>Emergency Medicine Journal</i> , 2012, 29, 451-454. | 0.4 | 10 |
| 3443 | Clinical Significance of Impaired Cerebrovascular Autoregulation After Severe Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2012, 43, 2097-2101. | 1.0 | 120 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3444 | Clinical predictors of outcome following inflicted traumatic brain injury in children. <i>Journal of Trauma and Acute Care Surgery</i> , 2012, 73, S248-S253. | 1.1 | 26 |
| 3445 | Meningioma Surgery in the Elderly. <i>Neurosurgery</i> , 2012, 70, 555-565. | 0.6 | 56 |
| 3446 | Risk Factors for Acute Subdural Hematoma From Intracranial Aneurysm Rupture. <i>Neurosurgery</i> , 2012, 71, 264-269. | 0.6 | 31 |
| 3447 | Endovascular Treatment of Ruptured Dissecting Posterior Inferior Cerebellar Artery Aneurysms. <i>Interventional Neuroradiology</i> , 2012, 18, 442-448. | 0.7 | 18 |
| 3448 | Cardiac and central vascular functional alterations in the acute phase of aneurysmal subarachnoid hemorrhage*. <i>Critical Care Medicine</i> , 2012, 40, 223-232. | 0.4 | 33 |
| 3449 | Brain Arteriovenous Malformations Are Associated With Interleukin-1 Cluster Gene Polymorphisms. <i>Neurosurgery</i> , 2012, 70, 12-17. | 0.6 | 27 |
| 3450 | Lateral Supraorbital Approach Applied to Tuberculum Sellae Meningiomas. <i>Neurosurgery</i> , 2012, 70, 1504-1519. | 0.6 | 59 |
| 3451 | Does a Prehospital Glasgow Coma Scale Score Predict Pediatric Outcomes?. <i>Pediatric Emergency Care</i> , 2012, 28, 1027-1032. | 0.5 | 15 |
| 3452 | Calcium antagonists for acute ischemic stroke. <i>The Cochrane Library</i> , 2012, , CD001928. | 1.5 | 35 |
| 3453 | Iron chelators for acute stroke. <i>The Cochrane Library</i> , 2012, , CD009280. | 1.5 | 8 |
| 3454 | Management of Distal Posterior Inferior Cerebellar Artery Aneurysms. <i>Journal of Craniofacial Surgery</i> , 2012, 23, 1388-1390. | 0.3 | 5 |
| 3455 | Continuous determination of optimal cerebral perfusion pressure in traumatic brain injury*. <i>Critical Care Medicine</i> , 2012, 40, 2456-2463. | 0.4 | 447 |
| 3456 | Prognostic Value of Intraventricular Bleeding in Spontaneous Intraparenchymal Cerebral Hemorrhage of Small Volume. <i>Neurosurgery</i> , 2012, 70, 929-935. | 0.6 | 8 |
| 3457 | Postoperative Outcome of Cerebral Amyloid Angiopathy-Related Lobar Intracerebral Hemorrhage. <i>Neurosurgery</i> , 2012, 70, 125-130. | 0.6 | 28 |
| 3458 | Tight Glycemic Control Reduces Infection and Improves Neurological Outcome in Critically Ill Neurosurgical and Neurological Patients. <i>Neurosurgery</i> , 2012, 71, 692-702. | 0.6 | 27 |
| 3459 | Outcome of patients with severe brain trauma who were treated either by neurosurgeons or by trauma surgeons. <i>Journal of Trauma</i> , 2012, 72, 1263-1270. | 2.3 | 6 |
| 3460 | Timing of neuroprognostication in postcardiac arrest therapeutic hypothermia*. <i>Critical Care Medicine</i> , 2012, 40, 719-724. | 0.4 | 119 |
| 3461 | Decompressive Craniectomy for Traumatic Brain Injury. , 2012, , 1551-1557. | | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3462 | Endovascular management of vertebrobasilar artery dissecting aneurysms. <i>Turkish Neurosurgery</i> , 2012, 23, 323-8. | 0.1 | 13 |
| 3463 | Impact of Early Intravenous Epinephrine Administration on Outcomes Following Out-of-Hospital Cardiac Arrest. <i>Circulation Journal</i> , 2012, 76, 1639-1645. | 0.7 | 96 |
| 3464 | Status Epilepticus: A Review, With Emphasis on Refractory Cases. <i>Canadian Journal of Neurological Sciences</i> , 2012, 39, 157-169. | 0.3 | 24 |
| 3465 | DMN Operational Synchrony Relates to Self-Consciousness: Evidence from Patients in Vegetative and Minimally Conscious States. <i>Open Neuroimaging Journal</i> , 2012, 6, 55-68. | 0.2 | 66 |
| 3466 | Outcome Measures Used in Pediatric Stroke Studies. <i>Archives of Neurology</i> , 2012, 69, 23. | 4.9 | 46 |
| 3467 | Duration of resuscitation efforts and survival after in-hospital cardiac arrest: an observational study. <i>Lancet, The</i> , 2012, 380, 1473-1481. | 6.3 | 343 |
| 3468 | Survival and neurologic outcome after traumatic out-of-hospital cardiopulmonary arrest in a pediatric and adult population: a systematic review. <i>Critical Care</i> , 2012, 16, R117. | 2.5 | 111 |
| 3469 | Blood levels of copeptin on admission predict outcomes in out-of-hospital cardiac arrest survivors treated with therapeutic hypothermia. <i>Critical Care</i> , 2012, 16, R187. | 2.5 | 18 |
| 3470 | Endothelin-receptor antagonists for aneurysmal subarachnoid hemorrhage: an updated meta-analysis of randomized controlled trials. <i>Critical Care</i> , 2012, 16, R198. | 2.5 | 22 |
| 3471 | Patient Organ Radiation Doses During Treatment for Aneurysmal Subarachnoid Hemorrhage. <i>Clinical Neuroradiology</i> , 2012, 22, 315-325. | 1.0 | 8 |
| 3472 | Posttraumatic seizures in children with severe traumatic brain injury. <i>Child's Nervous System</i> , 2012, 28, 1925-1929. | 0.6 | 68 |
| 3473 | Decompressive craniectomy for encephalitis with brain herniation: case report and review of the literature. <i>Acta Neurochirurgica</i> , 2012, 154, 1717-1724. | 0.9 | 43 |
| 3474 | The IMPACT prognosis calculator used in patients with severe traumatic brain injury treated with an ICP-targeted therapy. <i>Acta Neurochirurgica</i> , 2012, 154, 1567-1573. | 0.9 | 22 |
| 3475 | Surgical treatment of symptomatic cerebral cavernous malformations in eloquent brain regions. <i>Acta Neurochirurgica</i> , 2012, 154, 1419-1430. | 0.9 | 25 |
| 3476 | A prospective randomised study to compare the utility and outcomes of subdural and subperiosteal drains for the treatment of chronic subdural haematoma. <i>Acta Neurochirurgica</i> , 2012, 154, 2083-2089. | 0.9 | 48 |
| 3477 | Circulatory characteristics of normovolemia and normotension therapy after subarachnoid hemorrhage, focusing on pulmonary edema. <i>Acta Neurochirurgica</i> , 2012, 154, 2195-2202. | 0.9 | 13 |
| 3478 | Clinical presentation and treatment of distal anterior inferior cerebellar artery aneurysms. <i>Neurosurgical Review</i> , 2012, 35, 497-504. | 1.2 | 50 |
| 3479 | Clinical evaluation of the Trauma Outcome Profile (TOP) in the longer-term follow-up of polytrauma patients. <i>Injury</i> , 2012, 43, 1566-1574. | 0.7 | 39 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3480 | The Effect of Vasospasm on Cerebral Perfusion: A Colour Duplex Study of the Extra- and Intracranial Cerebral Arteries. <i>Ultrasound in Medicine and Biology</i> , 2012, 38, 360-367. | 0.7 | 5 |
| 3481 | A Randomized Outcome Study of Enteral versus Intravenous Nimodipine in 171 Patients After Acute Aneurysmal Subarachnoid Hemorrhage. <i>World Neurosurgery</i> , 2012, 78, 101-109. | 0.7 | 38 |
| 3482 | Developing traumatic brain injury data bank: Prospective study to understand the pattern of documentation and presentation. <i>Indian Journal of Neurotrauma</i> , 2012, 9, 87-92. | 0.3 | 12 |
| 3483 | Maternal cardiac arrest and perimortem caesarean delivery: Evidence or expert-based?. <i>Resuscitation</i> , 2012, 83, 1191-1200. | 1.3 | 206 |
| 3484 | NCB-plating in the treatment of geriatric and periprosthetic femoral fractures. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2012, 98, 765-772. | 0.9 | 18 |
| 3485 | Relating Quality of Life to Glasgow Outcome Scale Health States. <i>Journal of Neurotrauma</i> , 2012, 29, 1322-1327. | 1.7 | 22 |
| 3486 | Injury data from unhelmeted football head impacts evaluated against critical strain tolerance curves. <i>Proceedings of the Institution of Mechanical Engineers, Part P: Journal of Sports Engineering and Technology</i> , 2012, 226, 177-184. | 0.4 | 15 |
| 3487 | The influence of gender on the injury severity, course and outcome of traumatic brain injury. <i>Brain Injury</i> , 2012, 26, 1360-1371. | 0.6 | 54 |
| 3488 | Multiple indicators model of long-term mortality in traumatic brain injury. <i>Brain Injury</i> , 2012, 26, 1472-1481. | 0.6 | 43 |
| 3489 | The scope of early traumatic brain injury as a long-term health concern in two nationwide samples: Prevalence and prognostic factors. <i>Brain Injury</i> , 2012, 26, 1-13. | 0.6 | 26 |
| 3490 | TBI 13 years on: factors associated with post-traumatic growth. <i>Disability and Rehabilitation</i> , 2012, 34, 1461-1467. | 0.9 | 40 |
| 3491 | Association of KIBRA rs17070145 polymorphism and episodic memory in individuals with severe TBI. <i>Brain Injury</i> , 2012, 26, 1658-1669. | 0.6 | 25 |
| 3492 | Functional outcomes of decompressive hemicraniectomy following malignant middle cerebral artery infarctions: a systematic review. <i>British Journal of Neurosurgery</i> , 2012, 26, 310-315. | 0.4 | 27 |
| 3493 | Persistent hypogonadism influences estradiol synthesis, cognition and outcome in males after severe TBI. <i>Brain Injury</i> , 2012, 26, 1226-1242. | 0.6 | 39 |
| 3494 | Care management of spasticity with botulinum toxin-A in patients with severe acquired brain injury: A 1-year follow-up prospective study. <i>Brain Injury</i> , 2012, 26, 979-983. | 0.6 | 8 |
| 3495 | Prostacyclin treatment and clinical outcome in severe traumatic brain injury patients managed with an ICP-targeted therapy: A prospective study. <i>Brain Injury</i> , 2012, 26, 67-75. | 0.6 | 16 |
| 3496 | The influence of rewarming after therapeutic hypothermia on outcome after cardiac arrest. <i>Resuscitation</i> , 2012, 83, 996-1000. | 1.3 | 68 |
| 3497 | Clinical implication of extended-spectrum cephalosporin nonsusceptibility in <i>Streptococcus pneumoniae</i> meningitis. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2012, 31, 3029-3034. | 1.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3498 | Management of pediatric intracranial gunshot wounds: predictors of favorable clinical outcome and a new proposed treatment paradigm. <i>Journal of Neurosurgery: Pediatrics</i> , 2012, 10, 511-517. | 0.8 | 27 |
| 3499 | Intraoperative mild hypothermia for postoperative neurological deficits in intracranial aneurysm patients. , 2012, , CD008445. | | 18 |
| 3500 | Therapeutic hypothermia is associated with improved neurologic outcome and survival in cardiac arrest survivors of non-shockable rhythms. <i>Resuscitation</i> , 2012, 83, 202-207. | 1.3 | 120 |
| 3501 | Neurologic recovery after therapeutic hypothermia in patients with post-cardiac arrest myoclonus. <i>Resuscitation</i> , 2012, 83, 265-269. | 1.3 | 96 |
| 3502 | Role of cardiac troponin in the diagnosis of acute myocardial infarction in comatose patients resuscitated from out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2012, 83, 452-458. | 1.3 | 44 |
| 3503 | The beneficial effect of mild therapeutic hypothermia depends on the time of complete circulatory standstill in patients with cardiac arrest. <i>Resuscitation</i> , 2012, 83, 596-601. | 1.3 | 67 |
| 3504 | Early- versus late-initiation of therapeutic hypothermia after cardiac arrest: Preliminary observations from the experience of 17 Italian intensive care units. <i>Resuscitation</i> , 2012, 83, 823-828. | 1.3 | 51 |
| 3505 | Effects of variation in temperature management on cerebral performance category scores in patients who received therapeutic hypothermia post cardiac arrest. <i>Resuscitation</i> , 2012, 83, 829-834. | 1.3 | 72 |
| 3506 | Prognostic value of copeptin: One-year outcome in patients with traumatic brain injury. <i>Peptides</i> , 2012, 33, 164-169. | 1.2 | 25 |
| 3507 | Relationship between plasma leptin levels and clinical outcomes of pediatric traumatic brain injury. <i>Peptides</i> , 2012, 35, 166-171. | 1.2 | 16 |
| 3508 | Complications of Anterior Craniotomy Through Lateral Supraorbital Approach. <i>World Neurosurgery</i> , 2012, 77, 698-703. | 0.7 | 30 |
| 3509 | Acute varicella zoster encephalitis without evidence of primary vasculopathy in a case-series of 20 patients. <i>Clinical Microbiology and Infection</i> , 2012, 18, 808-819. | 2.8 | 83 |
| 3510 | Does the Extended Glasgow Outcome Scale Add Value to the Conventional Glasgow Outcome Scale?. <i>Journal of Neurotrauma</i> , 2012, 29, 53-58. | 1.7 | 125 |
| 3511 | Target temperature management after out-of-hospital cardiac arrest—a randomized, parallel-group, assessor-blinded clinical trial—rationale and design. <i>American Heart Journal</i> , 2012, 163, 541-548. | 1.2 | 141 |
| 3513 | A Prospective Study on Employment Outcome 3 Years After Moderate to Severe Traumatic Brain Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 993-999. | 0.5 | 93 |
| 3514 | The CSF concentration of ADMA, but not of ET-1, is correlated with the occurrence and severity of cerebral vasospasm after subarachnoid hemorrhage. <i>Neuroscience Letters</i> , 2012, 524, 20-24. | 1.0 | 24 |
| 3515 | Functional outcome prediction following intracerebral hemorrhage. <i>Journal of Clinical Neuroscience</i> , 2012, 19, 795-798. | 0.8 | 17 |
| 3516 | EEG oscillatory states as neuro-phenomenology of consciousness as revealed from patients in vegetative and minimally conscious states. <i>Consciousness and Cognition</i> , 2012, 21, 149-169. | 0.8 | 75 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3517 | Plasma high-mobility group box 1 levels and prediction of outcome in patients with traumatic brain injury. <i>Clinica Chimica Acta</i> , 2012, 413, 1737-1741. | 0.5 | 77 |
| 3518 | Clinical experiences of ruptured posteroinferior cerebellar artery aneurysms and anatomical analysis in the Cadaver in a single center of China. <i>Clinical Neurology and Neurosurgery</i> , 2012, 114, 366-371. | 0.6 | 10 |
| 3519 | Epidemiology of subarachnoid hemorrhage in the Yaeyama Islands, an isolated subtropical region of Japan most frequently affected by typhoons: A population-based study. <i>Clinical Neurology and Neurosurgery</i> , 2012, 114, 1226-1231. | 0.6 | 5 |
| 3520 | Results of endovascular treatment for intracranial wide-necked saccular and dissecting aneurysms using the Enterprise stent: A single center experience. <i>European Journal of Radiology</i> , 2012, 81, 1179-1183. | 1.2 | 29 |
| 3521 | Using Onyx in endovascular embolization of internal carotid artery large or giant aneurysms. <i>European Journal of Radiology</i> , 2012, 81, 1858-1862. | 1.2 | 8 |
| 3522 | Acute posthypoxic myoclonus after cardiopulmonary resuscitation. <i>BMC Neurology</i> , 2012, 12, 63. | 0.8 | 98 |
| 3523 | Relationship between plasma high mobility group box-1 protein levels and clinical outcomes of aneurysmal subarachnoid hemorrhage. <i>Journal of Neuroinflammation</i> , 2012, 9, 194. | 3.1 | 49 |
| 3524 | Late decompressive craniectomy after traumatic brain injury: neurological outcome at 6 months after ICU discharge. <i>Journal of Trauma Management and Outcomes</i> , 2012, 6, 8. | 0.9 | 8 |
| 3525 | Calculating trauma triage precision: effects of different definitions of major trauma. <i>Journal of Trauma Management and Outcomes</i> , 2012, 6, 9. | 0.9 | 46 |
| 3526 | Validity of a Pediatric Version of the Glasgow Outcome Scale—Extended. <i>Journal of Neurotrauma</i> , 2012, 29, 1126-1139. | 1.7 | 237 |
| 3527 | Continuous Monitoring of the Monro-Kellie Doctrine: Is It Possible?. <i>Journal of Neurotrauma</i> , 2012, 29, 1354-1363. | 1.7 | 52 |
| 3528 | Spectrum of Traumatic Brain Injury from Mild to Severe. <i>Surgical Clinics of North America</i> , 2012, 92, 939-957. | 0.5 | 45 |
| 3529 | Prognostic relevance of circulating endothelial progenitor cells for severe traumatic brain injury. <i>Brain Injury</i> , 2012, 26, 291-297. | 0.6 | 21 |
| 3530 | Prognosis of Patients with Altered State of Consciousness. , 2012, , 11-23. | | 27 |
| 3531 | Future Perspectives of Clinical Coma Science. , 2012, , 155-162. | | 0 |
| 3532 | Modeling Serum Biomarkers S100 Beta and Neuron-Specific Enolase as Predictors of Outcome After Out-of-Hospital Cardiac Arrest. <i>Journal of the American College of Cardiology</i> , 2012, 60, 304-311. | 1.2 | 49 |
| 3533 | Decreased plasma gelsolin is associated with 1-year outcome in patients with traumatic brain injury. <i>Journal of Critical Care</i> , 2012, 27, 527.e1-527.e6. | 1.0 | 9 |
| 3535 | Investigation of the endovascularly treated and untreated unruptured vertebrobasilar artery aneurysms. <i>European Journal of Radiology</i> , 2012, 81, 2741-2745. | 1.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3536 | Change in plasma visfatin level after severe traumatic brain injury. <i>Peptides</i> , 2012, 38, 8-12. | 1.2 | 21 |
| 3537 | Falls from heights in Pediatrics. Epidemiology and evolution of 54 patients. <i>Medicina Intensiva (English Edition)</i> , 2012, 36, 89-94. | 0.1 | 2 |
| 3538 | Unexpected neuropsychological improvement after cranioplasty: a case series study. <i>British Journal of Neurosurgery</i> , 2012, 26, 827-831. | 0.4 | 60 |
| 3539 | Barbiturates for acute traumatic brain injury. <i>The Cochrane Library</i> , 2012, 12, CD000033. | 1.5 | 128 |
| 3540 | Primary prevention of pediatric abusive head trauma: A cost audit and cost-utility analysis. <i>Child Abuse and Neglect</i> , 2012, 36, 760-770. | 1.3 | 41 |
| 3541 | Primary respiratory arrest recognised by emergency medical technicians and followed by cardiac arrest in Japan: Identification of a subgroup of EMT-witnessed cardiac arrests with an extremely poor outcome. <i>Resuscitation</i> , 2012, 83, 1098-1105. | 1.3 | 5 |
| 3542 | Successful treatment of refractory cardiac arrest by emergency physicians using pre-hospital ECLS. <i>Resuscitation</i> , 2012, 83, e177-e178. | 1.3 | 30 |
| 3543 | Quality of life after multiple trauma: validation and population norm of the Polytrauma Outcome (POLO) chart. <i>European Journal of Trauma and Emergency Surgery</i> , 2012, 38, 403-415. | 0.8 | 17 |
| 3544 | The impact of coagulopathy on the outcome of traumatic epidural hematoma. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2012, 132, 1445-1450. | 1.3 | 12 |
| 3545 | From clinical judgment to odds: A history of prognostication in anoxic-ischemic coma. <i>Resuscitation</i> , 2012, 83, 940-945. | 1.3 | 5 |
| 3546 | Comparison of long-term outcomes of patients with severe traumatic or hypoxic brain injuries treated with intrathecal baclofen therapy for dysautonomia. <i>Brain Injury</i> , 2012, 26, 1451-1463. | 0.6 | 19 |
| 3548 | Impact of Herpes simplex virus load and red blood cells in cerebrospinal fluid upon herpes simplex meningo-encephalitis outcome. <i>BMC Infectious Diseases</i> , 2012, 12, 356. | 1.3 | 23 |
| 3549 | Surgical decompression for cerebral oedema in acute ischaemic stroke. <i>The Cochrane Library</i> , 2012, 1, CD003435. | 1.5 | 54 |
| 3550 | Tutorials in Endovascular Neurosurgery and Interventional Neuroradiology. , 2012, , . | | 14 |
| 3551 | Intracranial drug delivery for subarachnoid hemorrhage. <i>Therapeutic Delivery</i> , 2012, 3, 91-103. | 1.2 | 6 |
| 3552 | Use of the King's Outcome Scale for Childhood Head Injury in the evaluation of outcome in childhood traumatic brain injury. <i>Developmental Neurorehabilitation</i> , 2012, 15, 171-177. | 0.5 | 12 |
| 3553 | Effect of Clazosentan in Patients with Aneurysmal Subarachnoid Hemorrhage: A Meta-Analysis of Randomized Controlled Trials. <i>PLoS ONE</i> , 2012, 7, e47778. | 1.1 | 27 |
| 3554 | A Useful New Coma Scale in Acute Stroke Patients: Four Score. <i>Anaesthesia and Intensive Care</i> , 2012, 40, 131-136. | 0.2 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3555 | Current Opinions on Epidemiology, Treatment and Outcome After Traumatic Brain Injury. Journal of Trauma & Treatment, 2012, 01, . | 0.0 | 2 |
| 3556 | Level of satisfaction in patients/attendants admitted with traumatic brain injury at an advanced ER/Casualty in a Tertiary Care Teaching Hospital. Journal of Hospital Administration, 2012, 2, 89. | 0.0 | 1 |
| 3557 | Organic psychiatry and epilepsy. , 2012, , 391-420. | | 2 |
| 3558 | Design and analysis of clinical trials in TBI. , 0, , 192-204. | | 0 |
| 3560 | Decreasing incidence of paroxysmal sympathetic hyperactivity syndrome in the vegetative state. Journal of Rehabilitation Medicine, 2012, 44, 502-504. | 0.8 | 27 |
| 3561 | Glasgow outcome scale at hospital discharge as a prognostic index in patients with severe traumatic brain injury. Arquivos De Neuro-Psiquiatria, 2012, 70, 604-608. | 0.3 | 11 |
| 3562 | Neurorehabilitation for severe disorder of consciousness: the S. Anna "RAN operational model. Journal of Rehabilitation Medicine, 2012, 44, 512-516. | 0.8 | 8 |
| 3563 | The Meaning of the Prognostic Factors in Ruptured Middle Cerebral Artery Aneurysm with Intracerebral Hemorrhage. Journal of Korean Neurosurgical Society, 2012, 52, 80. | 0.5 | 8 |
| 3564 | Serial measurement of neuron specific enolase improves prognostication in cardiac arrest patients treated with hypothermia: A prospective study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2012, 20, 6. | 1.1 | 47 |
| 3565 | Impact of safety monitoring on error probabilities of binary efficacy outcome analyses in large phase III group sequential trials. Pharmaceutical Statistics, 2012, 11, 310-317. | 0.7 | 1 |
| 3566 | Closed Head Injury. , 2012, , 325-347. | | 4 |
| 3567 | Discrimination ability of prediction models for ordinal outcomes: Relationships between existing measures and a new measure. Biometrical Journal, 2012, 54, 674-685. | 0.6 | 38 |
| 3568 | Complexity of intracranial pressure correlates with outcome after traumatic brain injury. Brain, 2012, 135, 2399-2408. | 3.7 | 73 |
| 3570 | Prognosis of Severe Traumatic Brain Injury: To Treat or Not to Treat, That Is the Question. , 2012, , 73-78. | | 0 |
| 3571 | Pharmacological Treatments. , 2012, , 121-138. | | 1 |
| 3572 | Lessons from traumatic head injury for assessing functional status after brain tumour. Journal of Neuro-Oncology, 2012, 108, 239-246. | 1.4 | 1 |
| 3573 | Propofol and remifentanil versus midazolam and fentanyl for sedation during therapeutic hypothermia after cardiac arrest: a randomised trial. Intensive Care Medicine, 2012, 38, 959-967. | 3.9 | 74 |
| 3574 | Early recurrent hemorrhage after coil embolization in ruptured intracranial aneurysms. Neuroradiology, 2012, 54, 719-726. | 1.1 | 42 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3575 | The Modified Glasgow Outcome Score for the prediction of outcome in patients after cardiac arrest: a prospective clinical proof of concept study. <i>Clinical Research in Cardiology</i> , 2012, 101, 533-543. | 1.5 | 13 |
| 3576 | Decompressive craniectomies, facts and fiction: a retrospective analysis of 526 cases. <i>Acta Neurochirurgica</i> , 2012, 154, 919-926. | 0.9 | 43 |
| 3577 | Effect of magnesium sulfate therapy on patients with aneurysmal subarachnoid hemorrhage using serum S100B protein as a prognostic marker. <i>Neurosurgical Review</i> , 2012, 35, 421-427. | 1.2 | 16 |
| 3578 | Toward operational architectonics of consciousness: basic evidence from patients with severe cerebral injuries. <i>Cognitive Processing</i> , 2012, 13, 111-131. | 0.7 | 40 |
| 3579 | Early cerebral infarction as a risk factor for poor outcome after aneurysmal subarachnoid haemorrhage. <i>European Journal of Neurology</i> , 2012, 19, 332-339. | 1.7 | 23 |
| 3580 | Subarachnoid hemorrhage in elderly: Advantages of the endovascular treatment. <i>Geriatrics and Gerontology International</i> , 2012, 12, 46-49. | 0.7 | 18 |
| 3581 | The precision of PiCCO [®] measurements in hypothermic post-cardiac arrest patients. <i>Anaesthesia</i> , 2012, 67, 236-243. | 1.8 | 48 |
| 3582 | Functional outcome after head injury: Comparison of 12-45 year old male and female hormonally active patients. <i>Injury</i> , 2012, 43, 603-607. | 0.7 | 4 |
| 3583 | Intraparenchymal vs Extracranial Ventricular Drain Intracranial Pressure Monitors in Traumatic Brain Injury: Less Is More?. <i>Journal of the American College of Surgeons</i> , 2012, 214, 950-957. | 0.2 | 48 |
| 3584 | A Case of Inaccurate Prognostication After the ARCTIC Protocol. <i>Journal of Pain and Symptom Management</i> , 2012, 43, 1120-1125. | 0.6 | 6 |
| 3586 | Ischemic Complications after Radial Artery Grafting and Aneurysmal Trapping for Ruptured Internal Carotid Artery Anterior Wall Aneurysm. <i>World Neurosurgery</i> , 2012, 77, 166-171. | 0.7 | 37 |
| 3587 | Subdural Drainage versus Subperiosteal Drainage in Burr-Hole Trepanation for Symptomatic Chronic Subdural Hematomas. <i>World Neurosurgery</i> , 2012, 77, 111-118. | 0.7 | 59 |
| 3588 | Health-related quality of life and cost-effectiveness of treatment in subarachnoid haemorrhage. <i>European Journal of Neurology</i> , 2012, 19, 1455-1461. | 1.7 | 14 |
| 3589 | Outcome in polytraumatized patients with and without brain injury. <i>Acta Anaesthesiologica Scandinavica</i> , 2012, 56, 1163-1174. | 0.7 | 58 |
| 3590 | Serial soluble neurofilament heavy chain in plasma as a marker of brain injury after cardiac arrest. <i>Critical Care</i> , 2012, 16, R45. | 2.5 | 34 |
| 3591 | Time course of cerebral hemodynamics in aneurysmal subarachnoid hemorrhage. <i>Journal of Clinical Ultrasound</i> , 2012, 40, 91-98. | 0.4 | 9 |
| 3592 | Prognosis of coma after therapeutic hypothermia: A prospective cohort study. <i>Annals of Neurology</i> , 2012, 71, 206-212. | 2.8 | 290 |
| 3593 | Correlation between BIS and GCS in patients suffering from head injury. <i>Irish Journal of Medical Science</i> , 2012, 181, 77-80. | 0.8 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3594 | The FOUR Score Predicts Outcome in Patients After Traumatic Brain Injury. <i>Neurocritical Care</i> , 2012, 16, 95-101. | 1.2 | 71 |
| 3595 | Systematic assessment and meta-analysis of the efficacy and safety of fasudil in the treatment of cerebral vasospasm in patients with subarachnoid hemorrhage. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 131-139. | 0.8 | 68 |
| 3597 | The usefulness of S100B, NSE, GFAP, NF-H, secretagogin and Hsp70 as a predictive biomarker of outcome in children with traumatic brain injury. <i>Acta Neurochirurgica</i> , 2012, 154, 93-103. | 0.9 | 122 |
| 3598 | Intentional partial coiling dome protection of complex ruptured cerebral aneurysms prevents acute rebleeding and produces favorable clinical outcomes. <i>Acta Neurochirurgica</i> , 2012, 154, 27-31. | 0.9 | 20 |
| 3599 | C-reactive protein as predictor for poor outcome after aneurysmal subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 2012, 154, 397-404. | 0.9 | 55 |
| 3600 | Acute encephalopathy associated with <i>Campylobacter jejuni</i> enteritis. <i>Neurological Sciences</i> , 2012, 33, 155-158. | 0.9 | 2 |
| 3601 | Dexamethasone for adult community-acquired bacterial meningitis: 20 years of experience in daily practice. <i>Journal of Neurology</i> , 2012, 259, 225-236. | 1.8 | 13 |
| 3602 | Development of a Decision Tree Analysis model that predicts recovery from acute brain injury. <i>Japan Journal of Nursing Science</i> , 2013, 10, 89-97. | 0.5 | 7 |
| 3603 | SAHIT Investigators' on the Outcome of Some Subarachnoid Hemorrhage Clinical Trials. <i>Translational Stroke Research</i> , 2013, 4, 286-296. | 2.3 | 29 |
| 3604 | Outcome after severe multiple trauma: a retrospective analysis. <i>Journal of Trauma Management and Outcomes</i> , 2013, 7, 4. | 0.9 | 41 |
| 3605 | Neurological prognostication after cardiac arrest—Recommendations from the Swedish Resuscitation Council. <i>Resuscitation</i> , 2013, 84, 867-872. | 1.3 | 121 |
| 3606 | Altered Mental Status in Older Patients in the Emergency Department. <i>Clinics in Geriatric Medicine</i> , 2013, 29, 101-136. | 1.0 | 120 |
| 3607 | Advanced accident research system based on a medical and engineering data in the metropolitan area of Florence. <i>BMC Emergency Medicine</i> , 2013, 13, 3. | 0.7 | 11 |
| 3608 | Does Additional Head Trauma Affect the Long-term Outcome After Upper Extremity Trauma in Multiple Traumatized Patients: Is There an Additional Effect of Traumatic Brain Injury?. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 2899-2905. | 0.7 | 20 |
| 3609 | Influence of ATP-Binding Cassette Polymorphisms on Neurological Outcome After Traumatic Brain Injury. <i>Neurocritical Care</i> , 2013, 19, 192-198. | 1.2 | 27 |
| 3610 | Lumbar Drainage for the Treatment of Severe Bacterial Meningitis. <i>Neurocritical Care</i> , 2013, 19, 199-205. | 1.2 | 46 |
| 3611 | Cerebrovascular Pressure Reactivity and Cerebral Oxygen Regulation After Severe Head Injury. <i>Neurocritical Care</i> , 2013, 19, 69-73. | 1.2 | 16 |
| 3612 | Outcome Prediction in Moderate and Severe Traumatic Brain Injury: A Focus on Computed Tomography Variables. <i>Neurocritical Care</i> , 2013, 19, 79-89. | 1.2 | 54 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 3613 | Outcome of Poor-Grade Subarachnoid Hemorrhage as Determined by Biomarkers of Glucose Cerebral Metabolism. <i>Neurocritical Care</i> , 2013, 18, 234-244. | 1.2 | 13 |
| 3614 | Clinical Prediction Models for Aneurysmal Subarachnoid Hemorrhage: A Systematic Review. <i>Neurocritical Care</i> , 2013, 18, 143-153. | 1.2 | 122 |
| 3615 | Cerebrospinal fluid biomarkers in patients with varicella-zoster virus CNS infections. <i>Journal of Neurology</i> , 2013, 260, 1813-1821. | 1.8 | 49 |
| 3616 | Aneurysmal subarachnoid hemorrhage in elderly patients: long-term outcome and prognostic factors in an interdisciplinary treatment approach. <i>Journal of Neurology</i> , 2013, 260, 1052-1060. | 1.8 | 51 |
| 3617 | Neuroinflammation: beneficial and detrimental effects after traumatic brain injury. <i>Inflammopharmacology</i> , 2013, 21, 309-320. | 1.9 | 110 |
| 3618 | Traumatic and nontraumatic brain injury. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2013, 110, 401-409. | 1.0 | 26 |
| 3619 | Safety of Intraventricular Hemorrhage (IVH) Thrombolysis Based on CT Localization of External Ventricular Drain (EVD) Fenestrations and Analysis of EVD Tract Hemorrhage. <i>Neurocritical Care</i> , 2013, 19, 103-110. | 1.2 | 23 |
| 3620 | Invasive versus non-invasive cooling after in- and out-of-hospital cardiac arrest: a randomized trial. <i>Clinical Research in Cardiology</i> , 2013, 102, 607-614. | 1.5 | 71 |
| 3621 | Impact of concomitant injuries on outcomes after traumatic brain injury. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2013, 133, 659-668. | 1.3 | 48 |
| 3622 | Outcome after severe brain trauma associated with epidural hematoma. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2013, 133, 199-207. | 1.3 | 21 |
| 3623 | Contralateral extraaxial hematomas after urgent neurosurgery of a mass lesion in patients with traumatic brain injury. <i>European Journal of Trauma and Emergency Surgery</i> , 2013, 39, 277-283. | 0.8 | 6 |
| 3624 | Glasgow Coma Scale score at intensive care unit discharge predicts the 1-year outcome of patients with severe traumatic brain injury. <i>European Journal of Trauma and Emergency Surgery</i> , 2013, 39, 285-292. | 0.8 | 29 |
| 3625 | The prognostic reliability of the Glasgow coma score in traumatic brain injuries: evaluation of MRI data. <i>European Journal of Trauma and Emergency Surgery</i> , 2013, 39, 79-86. | 0.8 | 5 |
| 3626 | Current practice in neuropsychological outcome reporting after aneurysmal subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 2013, 155, 2045-2051. | 0.9 | 25 |
| 3627 | Somatotropic and thyroid hormones in the acute phase of subarachnoid haemorrhage. <i>Acta Neurochirurgica</i> , 2013, 155, 2053-2062. | 0.9 | 25 |
| 3628 | Long-Term Outcomes in Elderly Survivors of In-Hospital Cardiac Arrest. <i>New England Journal of Medicine</i> , 2013, 368, 1019-1026. | 13.9 | 141 |
| 3629 | Consensus statement on Concussion in Sport – The 4th International Conference on Concussion in Sport held in Zurich, November 2012. <i>Journal of Science and Medicine in Sport</i> , 2013, 16, 178-189. | 0.6 | 87 |
| 3630 | Consensus statement on Concussion in Sport – The 4th International Conference on Concussion in Sport held in Zurich, November 2012. <i>Physical Therapy in Sport</i> , 2013, 14, e1-e13. | 0.8 | 279 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 3631 | Health-Related Quality of Life After Spontaneous Subarachnoid Hemorrhage Measured in a Recent Patient Population. <i>World Neurosurgery</i> , 2013, 79, 296-307. | 0.7 | 30 |
| 3633 | Does the number of rescuers affect the survival rate from out-of-hospital cardiac arrests? Two or more rescuers are not always better than one. <i>Resuscitation</i> , 2013, 84, 154-161. | 1.3 | 23 |
| 3634 | Prolonged Hypothermia for Neurological Protection. <i>Therapeutic Hypothermia and Temperature Management</i> , 2013, 3, 88-91. | 0.3 | 0 |
| 3635 | Heparin-binding protein: An early indicator of critical illness and predictor of outcome in cardiac arrest. <i>Resuscitation</i> , 2013, 84, 935-939. | 1.3 | 22 |
| 3636 | Effect of progesterone administration on prognosis of patients with diffuse axonal injury due to severe head trauma. <i>Clinical Neurology and Neurosurgery</i> , 2013, 115, 2019-2022. | 0.6 | 51 |
| 3637 | Intraventricular hemorrhage treated with intraventricular fibrinolysis. A 10-year experience. <i>Medicina Intensiva</i> , 2013, 37, 61-66. | 0.4 | 13 |
| 3638 | Longitudinal Description of the Glasgow Outcome Scale-Extended for Individuals in the Traumatic Brain Injury Model Systems National Database: A National Institute on Disability and Rehabilitation Research Traumatic Brain Injury Model Systems Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 2486-2493. | 0.5 | 48 |
| 3639 | Less invasive polyaxial locking plate fixation in periprosthetic and peri-implant fractures of the femur—A prospective study of 41 patients. <i>Injury</i> , 2013, 44, 239-248. | 0.7 | 53 |
| 3640 | Cerebral microarteriovenous malformations: a series of 28 cases. <i>Journal of Neurosurgery</i> , 2013, 119, 594-602. | 0.9 | 31 |
| 3641 | Visual outcomes for surgical treatment of large and giant carotid ophthalmic segment aneurysms: a case series utilizing retrograde suction decompression (the “Dallas technique”). <i>Journal of Neurosurgery</i> , 2013, 118, 937-946. | 0.9 | 41 |
| 3642 | Association between the Cerebral Inflammatory and Matrix Metalloproteinase Responses after Severe Traumatic Brain Injury in Humans. <i>Journal of Neurotrauma</i> , 2013, 30, 1727-1736. | 1.7 | 48 |
| 3643 | Use of the CRASH study prognosis calculator in patients with severe traumatic brain injury treated with an intracranial pressure-targeted therapy. <i>Journal of Clinical Neuroscience</i> , 2013, 20, 996-1001. | 0.8 | 28 |
| 3644 | Cardiac arrest caused by acute intoxication—insight from a registry. <i>American Journal of Emergency Medicine</i> , 2013, 31, 1443-1447. | 0.7 | 14 |
| 3645 | Targeted Temperature Management at 33°C versus 36°C after Cardiac Arrest. <i>New England Journal of Medicine</i> , 2013, 369, 2197-2206. | 13.9 | 2,805 |
| 3646 | Advancing care for traumatic brain injury: findings from the IMPACT studies and perspectives on future research. <i>Lancet Neurology</i> , The, 2013, 12, 1200-1210. | 4.9 | 142 |
| 3647 | Plasma copeptin concentration and outcome after pediatric traumatic brain injury. <i>Peptides</i> , 2013, 42, 43-47. | 1.2 | 33 |
| 3648 | Subjective impact of traumatic brain injury on long-term outcome at a minimum of 10 years after trauma—first results of a survey on 368 patients from a single academic trauma center in Germany. <i>Patient Safety in Surgery</i> , 2013, 7, 32. | 1.1 | 8 |
| 3649 | Adult tonic-clonic convulsive status epilepticus over the last 11 years in a resource-poor country: a tertiary referral centre study from southern Thailand. <i>Epileptic Disorders</i> , 2013, 15, 255-261. | 0.7 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3650 | The study protocol for the Head Injury Retrieval Trial (HIRT): a single centre randomised controlled trial of physician prehospital management of severe blunt head injury compared with management by paramedics. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2013, 21, 69. | 1.1 | 10 |
| 3651 | Intracranial extravasation of contrast medium during diagnostic CT angiography in the initial evaluation of subarachnoid hemorrhage: report of 16 cases and review of the literature. <i>SpringerPlus</i> , 2013, 2, 413. | 1.2 | 10 |
| 3652 | The prognostic value of gray-white-matter ratio in cardiac arrest patients treated with hypothermia. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2013, 21, 23. | 1.1 | 77 |
| 3653 | Estimation of optic nerve sheath diameter on an initial brain computed tomography scan can contribute prognostic information in traumatic brain injury patients. <i>Critical Care</i> , 2013, 17, R61. | 2.5 | 81 |
| 3654 | Validation of Clinical Prediction Scores in Patients with Primary Intracerebral Hemorrhage. <i>Neurocritical Care</i> , 2013, 19, 329-335. | 1.2 | 40 |
| 3655 | Cognitive function after cardiac arrest and temperature management; rationale and description of a sub-study in the Target Temperature Management trial. <i>BMC Cardiovascular Disorders</i> , 2013, 13, 85. | 0.7 | 16 |
| 3656 | Pattern of Brain Injury in the Acute Setting of Human Septic Shock. <i>Critical Care</i> , 2013, 17, R204. | 2.5 | 118 |
| 3657 | Validation of a new neurological score (FOUR Score) in the assessment of neurosurgical patients with severely impaired consciousness. <i>Acta Neurochirurgica</i> , 2013, 155, 2133-2139. | 0.9 | 30 |
| 3658 | Blunted serum and enhanced salivary free cortisol concentrations in the chronic phase after aneurysmal subarachnoid haemorrhage—is stress the culprit?. <i>Stress</i> , 2013, 16, 153-162. | 0.8 | 7 |
| 3659 | Hypothermia After CPR Prolongs Conduction Times of Somatosensory Evoked Potentials. <i>Neurocritical Care</i> , 2013, 19, 25-30. | 1.2 | 14 |
| 3660 | A systematic review of psychosocial outcomes within 2 years of paediatric traumatic brain injury in a school-aged population. <i>Brain Injury</i> , 2013, 27, 1217-1237. | 0.6 | 32 |
| 3661 | Long-term outcome of medically confirmed and self-reported early traumatic brain injury in two nationwide samples. <i>Brain Injury</i> , 2013, 27, 1106-1118. | 0.6 | 8 |
| 3662 | What predicts a poor outcome in older stroke survivors? A systematic review of the literature. <i>Disability and Rehabilitation</i> , 2013, 35, 1774-1782. | 0.9 | 51 |
| 3663 | Concomitant injuries and its influence on functional outcome after traumatic brain injury. <i>Disability and Rehabilitation</i> , 2013, 35, 1546-1551. | 0.9 | 43 |
| 3664 | Effects and Outcomes in Civilian and Military Traumatic Brain Injury: Similarities, Differences, and Forensic Implications. <i>Behavioral Sciences and the Law</i> , 2013, 31, 814-832. | 0.6 | 17 |
| 3665 | Group-Based Trajectory Analysis Applications for Prognostic Biomarker Model Development in Severe TBI: A Practical Example. <i>Journal of Neurotrauma</i> , 2013, 30, 938-945. | 1.7 | 91 |
| 3666 | Rehabilitation Outcome of Unconscious Traumatic Brain Injury Patients. <i>Journal of Neurotrauma</i> , 2013, 30, 1476-1483. | 1.7 | 30 |
| 3667 | Divergent manifestations of irritability in patients with mild and moderate-to-severe traumatic brain injury: Perspectives of awareness and neurocognitive correlates. <i>Brain Injury</i> , 2013, 27, 1008-1015. | 0.6 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3668 | Identifying implications of thrombolysis for stroke rehabilitation: Knowledge gaps in current research. <i>Disability and Rehabilitation</i> , 2013, 35, 924-930. | 0.9 | 5 |
| 3669 | A Prospective Evaluation of the Temporal Matrix Metalloproteinase Response after Severe Traumatic Brain Injury in Humans. <i>Journal of Neurotrauma</i> , 2013, 30, 1717-1726. | 1.7 | 33 |
| 3670 | S100B Is an Important Outcome Predictor in Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2013, 30, 519-528. | 1.7 | 115 |
| 3671 | Endovascular treatment of very small ruptured intracranial aneurysms: complications, occlusion rates and prediction of outcome. <i>Journal of NeuroInterventional Surgery</i> , 2013, 5, iii66-iii71. | 2.0 | 26 |
| 3672 | Does the impact of elective temporary clipping on intraoperative rupture really influence neurological outcome after surgery for ruptured anterior circulation aneurysms? A prospective multivariate study. <i>Acta Neurochirurgica</i> , 2013, 155, 237-246. | 0.9 | 31 |
| 3673 | Chronic subdural haematomas: a comparative study of an enlarged single burr hole versus double burr hole drainage. <i>Neurosurgical Review</i> , 2013, 36, 151-155. | 1.2 | 23 |
| 3674 | Sustained low efficiency dialysis as standard renal replacement therapy in an interdisciplinary intensive care unit – A five year cost-benefit analysis. <i>Colombian Journal of Anesthesiology</i> , 2013, 41, 88-96. | 0.5 | 0 |
| 3675 | Intraventricular hemorrhage treated with intraventricular fibrinolysis. A 10-year experience. <i>Medicina Intensiva (English Edition)</i> , 2013, 37, 61-66. | 0.1 | 0 |
| 3676 | Consensus Statement on Concussion in Sport – The 4th International Conference on Concussion in Sport Held in Zurich, November 2012. <i>PM and R</i> , 2013, 5, 255-279. | 0.9 | 621 |
| 3677 | Utility of diffusion-weighted magnetic resonance imaging in severe focal traumatic brain injuries. <i>Medicina Intensiva (English Edition)</i> , 2013, 37, 375-382. | 0.1 | 2 |
| 3678 | Head injury triage in a sub Saharan African urban population. <i>International Journal of Surgery</i> , 2013, 11, 265-269. | 1.1 | 37 |
| 3679 | Coronary angioplasty is associated with a better neurological outcome in the era of modern management of out-of-hospital cardiac arrest. <i>International Journal of Cardiology</i> , 2013, 169, e91-e92. | 0.8 | 5 |
| 3680 | Cerebral Vasospasm and Health-Related Quality of Life After Subarachnoid Hemorrhage. <i>World Neurosurgery</i> , 2013, 80, 113-120. | 0.7 | 4 |
| 3681 | Subarachnoid Hemorrhage International Trialists Data Repository (SAHIT). <i>World Neurosurgery</i> , 2013, 79, 418-422. | 0.7 | 54 |
| 3682 | Out-of-hospital cardiac arrest and percutaneous coronary intervention for ST-elevation myocardial infarction: Long-term survival and neurological outcome. <i>International Journal of Cardiology</i> , 2013, 166, 236-241. | 0.8 | 30 |
| 3683 | The influence of induced hypothermia and delayed prognostication on the mode of death after cardiac arrest. <i>Resuscitation</i> , 2013, 84, 337-342. | 1.3 | 269 |
| 3684 | APACHE II scoring to predict outcome in post-cardiac arrest. <i>Resuscitation</i> , 2013, 84, 651-656. | 1.3 | 47 |
| 3685 | NSE and S-100B are not sufficiently predictive of neurologic outcome after therapeutic hypothermia for cardiac arrest. <i>Resuscitation</i> , 2013, 84, 1382-1386. | 1.3 | 66 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3686 | Safety and feasibility of prehospital extra corporeal life support implementation by non-surgeons for out-of-hospital refractory cardiac arrest. <i>Resuscitation</i> , 2013, 84, 1525-1529. | 1.3 | 142 |
| 3687 | Treatment of non-traumatic out-of-hospital cardiac arrest with active compression decompression cardiopulmonary resuscitation plus an impedance threshold device. <i>Resuscitation</i> , 2013, 84, 1214-1222. | 1.3 | 51 |
| 3688 | Intracranial pressure variability predicts short-term outcome after intracerebral hemorrhage: A retrospective study. <i>Journal of the Neurological Sciences</i> , 2013, 330, 38-44. | 0.3 | 28 |
| 3689 | Postanoxic Status Epilepticus Can Be Identified and Treatment Guided Successfully by Continuous Electroencephalography. <i>Therapeutic Hypothermia and Temperature Management</i> , 2013, 3, 84-87. | 0.3 | 20 |
| 3690 | A population based study of outcomes after evacuation of primary supratentorial intracerebral hemorrhage. <i>Clinical Neurology and Neurosurgery</i> , 2013, 115, 1350-1355. | 0.6 | 13 |
| 3691 | Cognitive, Physical, and Psychological Status After Intracranial Aneurysm Rupture: A Cross-Sectional Study of a Stockholm Case Series 1996 to 1999. <i>World Neurosurgery</i> , 2013, 79, 130-135. | 0.7 | 11 |
| 3692 | Diagnosis sostenida de baja eficiencia en una unidad de cuidados intensivos interdisciplinarios: un análisis costo-beneficio a 5 años. <i>Colombian Journal of Anesthesiology</i> , 2013, 41, 88-96. | 0.5 | 0 |
| 3693 | Hypocortisolism in Noncomatose Patients during the Acute Phase of Subarachnoid Hemorrhage. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013, 22, e189-e196. | 0.7 | 25 |
| 3694 | Association between angiographic culprit lesion and out-of-hospital cardiac arrest in ST-elevation myocardial infarction patients. <i>Resuscitation</i> , 2013, 84, 1530-1535. | 1.3 | 21 |
| 3695 | Emergency cardio-pulmonary bypass in cardiac arrest: Seventeen years of experience. <i>Resuscitation</i> , 2013, 84, 326-330. | 1.3 | 36 |
| 3696 | The occurrence of shivering in cardiac arrest survivors undergoing therapeutic hypothermia is associated with a good neurologic outcome. <i>Resuscitation</i> , 2013, 84, 626-629. | 1.3 | 55 |
| 3697 | Increased plasma 8-iso-Prostaglandin F ₂ concentration in severe human traumatic brain injury. <i>Clinica Chimica Acta</i> , 2013, 421, 7-11. | 0.5 | 12 |
| 3698 | Outcomes of traumatic brain injury in Hong Kong: Validation with the TRISS, CRASH, and IMPACT models. <i>Journal of Clinical Neuroscience</i> , 2013, 20, 1693-1696. | 0.8 | 27 |
| 3699 | Impact of gender-age interaction on the outcome of ischemic stroke in an Italian cohort of patients treated according to a standardized clinical pathway. <i>European Journal of Internal Medicine</i> , 2013, 24, 807-812. | 1.0 | 16 |
| 3700 | Rehabilitation outcome of patients with severe and prolonged disorders of consciousness after aneurysmal subarachnoid hemorrhage (aSAH). <i>Clinical Neurology and Neurosurgery</i> , 2013, 115, 2136-2141. | 0.6 | 25 |
| 3701 | Emergency Department inter-hospital transfer for post-cardiac arrest care: Initial experience with implementation of a regional cardiac resuscitation center in the United States. <i>Resuscitation</i> , 2013, 84, 596-601. | 1.3 | 13 |
| 3702 | Prognostication after cardiac arrest. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2013, 27, 359-372. | 1.7 | 10 |
| 3704 | A meta-analysis of treating acute traumatic brain injury with calcium channel blockers. <i>Brain Research Bulletin</i> , 2013, 99, 41-47. | 1.4 | 22 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3705 | Investigation of the inter-observer variability effect on the prognostic value of somatosensory evoked potentials of the median nerve (SSEP) in cardiac arrest survivors using an SSEP classification. <i>Resuscitation</i> , 2013, 84, 1375-1381. | 1.3 | 55 |
| 3706 | Encephalitis due to <i>Mycobacterium tuberculosis</i> in France. <i>Médecine Et Maladies Infectieuses</i> , 2013, 43, 230-238. | 5.1 | 11 |
| 3707 | Sublingual microcirculation is impaired in post-cardiac arrest patients. <i>Resuscitation</i> , 2013, 84, 1717-1722. | 1.3 | 40 |
| 3708 | Genetic variability in glutamic acid decarboxylase genes: Associations with post-traumatic seizures after severe TBI. <i>Epilepsy Research</i> , 2013, 103, 180-194. | 0.8 | 59 |
| 3709 | Prognostic contributions of the underlying inflammatory disease and acute organ dysfunction in critically ill patients with systemic rheumatic diseases. <i>European Journal of Internal Medicine</i> , 2013, 24, e40-e44. | 1.0 | 34 |
| 3710 | Consensus Statement on Concussion in Sport: The 4th International Conference on Concussion in Sport Held in Zurich, November 2012. <i>Journal of the American College of Surgeons</i> , 2013, 216, e55-e71. | 0.2 | 80 |
| 3711 | Tau proteins in serum predict neurological outcome after hypoxic brain injury from cardiac arrest: Results of a pilot study. <i>Resuscitation</i> , 2013, 84, 351-356. | 1.3 | 199 |
| 3712 | Duration of resuscitation efforts and survival after in-hospital cardiac arrest – Authors' reply. <i>Lancet</i> , The, 2013, 381, 447. | 6.3 | 3 |
| 3713 | Predictors of outcome in hypoglycemic encephalopathy. <i>Diabetes Research and Clinical Practice</i> , 2013, 101, 159-163. | 1.1 | 24 |
| 3714 | Subarachnoid haemorrhage WFNS grade V: is maximal treatment worthwhile?. <i>Acta Neurochirurgica</i> , 2013, 155, 579-586. | 0.9 | 68 |
| 3715 | Descriptive Epidemiology in Relation to Gender Differences and Treatment Modalities 10 Years After Intracranial Aneurysm Rupture in the Stockholm Cohort 1996–1999. <i>World Neurosurgery</i> , 2013, 80, 328-334. | 0.7 | 8 |
| 3716 | Traumatic Brain Injury: Evidence-Based Neuroimaging. , 2013, , 357-384. | | 1 |
| 3717 | Frequency and Impact of Intensive Care Unit Complications on Moderate-Severe Traumatic Brain Injury: Early Results of the Outcome Prognostication in Traumatic Brain Injury (OPTIMISM) Study. <i>Neurocritical Care</i> , 2013, 18, 318-331. | 1.2 | 47 |
| 3718 | The Glasgow Outcome at Discharge Scale: An Inpatient Assessment of Disability after Brain Injury. <i>Journal of Neurotrauma</i> , 2013, 30, 970-974. | 1.7 | 24 |
| 3719 | Procalcitonin after cardiac arrest – An indicator of severity of illness, ischemia-reperfusion injury and outcome. <i>Resuscitation</i> , 2013, 84, 782-787. | 1.3 | 89 |
| 3720 | Neurofilament light chain as an early and sensitive predictor of long-term neurological outcome in patients after cardiac arrest. <i>International Journal of Cardiology</i> , 2013, 168, 1322-1327. | 0.8 | 45 |
| 3721 | ACS network-based implementation of therapeutic hypothermia for the treatment of comatose out-of-hospital cardiac arrest survivors improves clinical outcomes: the first European experience. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2013, 21, 22. | 1.1 | 17 |
| 3722 | Health-related quality of life at median 12 months after aneurysmal subarachnoid hemorrhage, measured with EuroQoL-5D. <i>Acta Neurochirurgica</i> , 2013, 155, 587-593. | 0.9 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3723 | Diffusion Tensor Imaging for Predicting the Clinical Outcome of Delayed Encephalopathy of Acute Carbon Monoxide Poisoning. <i>European Neurology</i> , 2013, 69, 275-280. | 0.6 | 24 |
| 3724 | Intraventricular fibrinolysis for severe aneurysmal intraventricular hemorrhage: a randomized controlled trial and meta-analysis. <i>Neurosurgical Review</i> , 2013, 36, 523-531. | 1.2 | 33 |
| 3725 | Cytokine Gene Polymorphisms and Outcome after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2013, 30, 1710-1716. | 1.7 | 47 |
| 3726 | Functional outcomes and quality of life of young adults who survive out-of-hospital cardiac arrest. <i>Emergency Medicine Journal</i> , 2013, 30, 532-537. | 0.4 | 25 |
| 3727 | Safety and occlusion rates of surgical treatment of unruptured intracranial aneurysms: a systematic review and meta-analysis of the literature from 1990 to 2011. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2013, 84, 42-48. | 0.9 | 190 |
| 3728 | Determinants of health-related quality of life after aneurysmal subarachnoid hemorrhage: a systematic review. <i>Quality of Life Research</i> , 2013, 22, 1027-1043. | 1.5 | 49 |
| 3729 | Measuring outcome after severe TBI. <i>Neurological Research</i> , 2013, 35, 277-284. | 0.6 | 13 |
| 3730 | Quantitative Diffusion-Tensor Tractography of Long Association Tracts in Patients with Traumatic Brain Injury without Associated Findings at Routine MR Imaging. <i>Radiology</i> , 2013, 267, 231-239. | 3.6 | 61 |
| 3731 | Endovascular Treatment of Unruptured A1 Segment Aneurysms. <i>Interventional Neuroradiology</i> , 2013, 19, 186-194. | 0.7 | 9 |
| 3732 | Sliding dichotomy compared with fixed dichotomization of ordinal outcome scales in subarachnoid hemorrhage trials. <i>Journal of Neurosurgery</i> , 2013, 118, 3-12. | 0.9 | 15 |
| 3733 | The impact of attention deficit hyperactivity disorder on recovery from mild traumatic brain injury. <i>Journal of Neurosurgery: Pediatrics</i> , 2013, 12, 97-102. | 0.8 | 51 |
| 3734 | Volumetric analysis of subarachnoid hemorrhage: assessment of the reliability of two computerized methods and their comparison with other radiographic scales. <i>Journal of Neurosurgery</i> , 2013, 118, 84-93. | 0.9 | 37 |
| 3735 | Prognosis of acute subdural haematoma from intracranial aneurysm rupture. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2013, 84, 254-257. | 0.9 | 21 |
| 3736 | CSF and Serum Biomarkers Focusing on Cerebral Vasospasm and Ischemia after Subarachnoid Hemorrhage. <i>Stroke Research and Treatment</i> , 2013, 2013, 1-7. | 0.5 | 63 |
| 3737 | Hanging-associated out-of-hospital cardiac arrests in Melbourne, Australia. <i>Emergency Medicine Journal</i> , 2013, 30, 38-42. | 0.4 | 23 |
| 3738 | Microstructural Basis of Contusion Expansion in Traumatic Brain Injury: Insights from Diffusion Tensor Imaging. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 855-862. | 2.4 | 51 |
| 3739 | Mild Traumatic Brain Injury: Implications for Social Work Research and Practice With Civilian and Military Populations. <i>Social Work in Health Care</i> , 2013, 52, 498-518. | 0.8 | 10 |
| 3740 | Outcome after decompressive craniectomy in patients with dominant middle cerebral artery infarction: A preliminary report. <i>Annals of Indian Academy of Neurology</i> , 2013, 16, 509. | 0.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3741 | Causes of tracheal re-intubation after craniotomy: A prospective study. Saudi Journal of Anaesthesia, 2013, 7, 410. | 0.2 | 7 |
| 3742 | The Influence of Hemocoagulation Disorders on the Development of Posttraumatic Cerebral Infarction and Outcome in Patients with Moderate or Severe Head Trauma. BioMed Research International, 2013, 2013, 1-9. | 0.9 | 29 |
| 3743 | Early Predictors of Functional Disability After Spine Trauma. Spine, 2013, 38, 999-1007. | 1.0 | 6 |
| 3744 | Results of titanium locking plate and stainless steel cerclage wire combination in femoral fractures. Indian Journal of Orthopaedics, 2013, 47, 454. | 0.5 | 13 |
| 3745 | Subjective Sleep Disturbance in Veterans Receiving Care in the Veterans Affairs Polytrauma System Following Blast-Related Mild Traumatic Brain Injury. Military Medicine, 2013, 178, 951-956. | 0.4 | 35 |
| 3746 | Multiple Organ Dysfunction After Return of Spontaneous Circulation in Postcardiac Arrest Syndrome. Critical Care Medicine, 2013, 41, 1492-1501. | 0.4 | 135 |
| 3747 | Referral to Rehabilitation After Severe Traumatic Brain Injury. Neurorehabilitation and Neural Repair, 2013, 27, 35-44. | 1.4 | 50 |
| 3748 | The value of spontaneous EEG oscillations in distinguishing patients in vegetative and minimally conscious states. Supplements To Clinical Neurophysiology, 2013, 62, 81-99. | 2.1 | 29 |
| 3749 | Temporal Differences in Out-of-Hospital Cardiac Arrest Incidence and Survival. Circulation, 2013, 128, 2595-2602. | 1.6 | 98 |
| 3750 | Factors influencing delayed extubation after infratentorial craniotomy for tumour resection: a prospective cohort study of 800 patients in a Chinese neurosurgical centre. Journal of International Medical Research, 2013, 41, 208-217. | 0.4 | 27 |
| 3751 | Consensus Statement on Concussion in Sport – the 4th International Conference on Concussion in Sport Held in Zurich, November 2012. Clinical Journal of Sport Medicine, 2013, 23, 89-117. | 0.9 | 384 |
| 3752 | Nonconvulsive Electrographic Seizures are Common in Children With Abusive Head Trauma*. Pediatric Critical Care Medicine, 2013, 14, 709-715. | 0.2 | 54 |
| 3753 | Self-Awareness and Health-Related Quality of Life After Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2013, 28, 464-472. | 1.0 | 45 |
| 3754 | The Differential Contributions of Posttraumatic Amnesia Duration and Time Since Injury in Prediction of Functional Outcomes Following Moderate-to-Severe Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2013, 28, 48-58. | 1.0 | 18 |
| 3755 | Association Between Postresuscitation Partial Pressure of Arterial Carbon Dioxide and Neurological Outcome in Patients With Post – Cardiac Arrest Syndrome. Circulation, 2013, 127, 2107-2113. | 1.6 | 175 |
| 3756 | Predictive value of S-100 β protein for prognosis in patients with moderate and severe traumatic brain injury: systematic review and meta-analysis. BMJ, The, 2013, 346, f1757-f1757. | 3.0 | 109 |
| 3757 | Coma and Disorders of Consciousness: Scientific Advances and Practical Considerations for Clinicians. Seminars in Neurology, 2013, 33, 083-090. | 0.5 | 42 |
| 3758 | Induced Hypothermia in Severe Bacterial Meningitis. JAMA - Journal of the American Medical Association, 2013, 310, 2174. | 3.8 | 170 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3759 | Risk Modifiers for Concussion and Prolonged Recovery. <i>Sports Health</i> , 2013, 5, 537-541. | 1.3 | 87 |
| 3760 | What is the lowest threshold to make a diagnosis of concussion?. <i>British Journal of Sports Medicine</i> , 2013, 47, 268-271. | 3.1 | 82 |
| 3761 | Continuous EEG in therapeutic hypothermia after cardiac arrest. <i>Neurology</i> , 2013, 80, 339-344. | 1.5 | 183 |
| 3762 | Out-of-hospital cardiac arrest in Cork, Ireland. <i>Emergency Medicine Journal</i> , 2013, 30, 496-500. | 0.4 | 20 |
| 3763 | Endothelin-1 and Endothelin Receptor Gene Variants and Their Association With Negative Outcomes Following Aneurysmal Subarachnoid Hemorrhage. <i>Biological Research for Nursing</i> , 2013, 15, 390-397. | 1.0 | 13 |
| 3764 | Consensus statement on concussion in sport: the 4th International Conference on Concussion in Sport held in Zurich, November 2012. <i>British Journal of Sports Medicine</i> , 2013, 47, 250-258. | 3.1 | 1,744 |
| 3765 | Invasive mechanical ventilation in acute coronary syndromes in the era of percutaneous coronary intervention. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2013, 2, 109-117. | 0.4 | 16 |
| 3766 | Incidence of neurologic death among patients with brain injury: a cohort study in a Canadian health region. <i>Cmaj</i> , 2013, 185, E838-E845. | 0.9 | 34 |
| 3767 | Neurological Outcome Scale for Traumatic Brain Injury: III. Criterion-Related Validity and Sensitivity to Change in the NABIS Hypothermia-II Clinical Trial. <i>Journal of Neurotrauma</i> , 2013, 30, 1506-1511. | 1.7 | 17 |
| 3768 | Traumatic brain injuries caused by traffic accidents in five European countries: outcome and public health consequences. <i>European Journal of Public Health</i> , 2013, 23, 682-687. | 0.1 | 34 |
| 3769 | Image guided surgery in the management of craniocerebral gunshot injuries. , 2013, 4, 448. | | 9 |
| 3770 | Predicting levels of independence with expressing needs and ideas 1 year after severe brain injury.. <i>Rehabilitation Psychology</i> , 2013, 58, 253-262. | 0.7 | 5 |
| 3771 | Neurological and functional outcomes of subdural hematoma evacuation in patients over 70 years of age. <i>Journal of Neurosciences in Rural Practice</i> , 2013, 04, 250-256. | 0.3 | 37 |
| 3772 | Common Carotid Artery Occlusion: A Case Series. <i>ISRN Neurology</i> , 2013, 2013, 1-8. | 1.5 | 16 |
| 3773 | The Surgical Outcome of Traumatic Extra-Axial Hematomas Causing Brain Herniation in Children. <i>Pediatric Neurosurgery</i> , 2013, 49, 215-222. | 0.4 | 4 |
| 3774 | Consensus Statement on Concussion in Sport: The 4th International Conference on Concussion in Sport, Zurich, November 2012. <i>Journal of Athletic Training</i> , 2013, 48, 554-575. | 0.9 | 378 |
| 3775 | Head Injuries in Sports. , 2013, , 1-18. | | 0 |
| 3776 | Apolipoprotein E, brain injury and neurodevelopmental outcome of children. <i>Genes, Brain and Behavior</i> , 2013, 12, 348-352. | 1.1 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3777 | S100b as a Prognostic Biomarker in Outcome Prediction for Patients with Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2013, 30, 946-957. | 1.7 | 137 |
| 3778 | Bedside assessment of residual functional activation in minimally conscious state using NIRS and general linear models. , 2013, 2013, 3551-4. | | 8 |
| 3779 | Factors influencing outcome in patients with cardiac arrest in the <scp>ICU</scp>. <i>Acta Anaesthesiologica Scandinavica</i> , 2013, 57, 784-792. | 0.7 | 26 |
| 3780 | Prehospital non-drug assisted intubation for adult trauma patients with a Glasgow Coma Score less than 9. <i>Emergency Medicine Journal</i> , 2013, 30, 935-941. | 0.4 | 11 |
| 3781 | Cortisol levels are influenced by sedation in the acute phase after subarachnoid haemorrhage. <i>Acta Anaesthesiologica Scandinavica</i> , 2013, 57, 452-460. | 0.7 | 12 |
| 3782 | Impact of Aromatase Genetic Variation on Hormone Levels and Global Outcome after Severe TBI. <i>Journal of Neurotrauma</i> , 2013, 30, 1415-1425. | 1.7 | 38 |
| 3783 | Health-Related Quality of Life in Traumatic Brain Injury: Is a Proxy Report Necessary?. <i>Journal of Neurotrauma</i> , 2013, 30, 1845-1851. | 1.7 | 23 |
| 3784 | Updating Memory after Mild Traumatic Brain Injury and Orthopedic Injuries. <i>Journal of Neurotrauma</i> , 2013, 30, 618-624. | 1.7 | 16 |
| 3785 | Targeting Brain Tissue Oxygenation in Traumatic Brain Injury. <i>Respiratory Care</i> , 2013, 58, 162-172. | 0.8 | 27 |
| 3786 | Low triiodothyronine syndrome as a predictor of poor outcomes in patients undergoing brain tumor surgery: a pilot study. <i>Journal of Neurosurgery</i> , 2013, 118, 1279-1287. | 0.9 | 55 |
| 3787 | Dissociation of Vegetative and Minimally Conscious Patients Based on Brain Operational Architectonics. <i>Clinical EEG and Neuroscience</i> , 2013, 44, 209-220. | 0.9 | 19 |
| 3788 | The Biomechanical Determinants of Concussion: Finite Element Simulations to Investigate Brain Tissue Deformations During Sporting Impacts to the Unprotected Head. <i>Journal of Applied Biomechanics</i> , 2013, 29, 721-730. | 0.3 | 71 |
| 3789 | Mild Therapeutic Hypothermia After Out-of-Hospital Cardiac Arrest Complicating <scp>ST</scp>-Elevation Myocardial Infarction: Long-term Results in Clinical Practice. <i>Clinical Cardiology</i> , 2013, 36, 414-421. | 0.7 | 21 |
| 3791 | Better lactate clearance associated with good neurologic outcome in survivors who treated with therapeutic hypothermia after out-of-hospital cardiac arrest. <i>Critical Care</i> , 2013, 17, R260. | 2.5 | 55 |
| 3792 | Stent-Assisted Coiling of Ruptured Wide-Necked Intracranial Aneurysms. <i>Interventional Neuroradiology</i> , 2013, 19, 283-288. | 0.7 | 12 |
| 3793 | Early versus delayed mobilisation for aneurysmal subarachnoid haemorrhage. <i>The Cochrane Library</i> , 2013, , CD008346. | 1.5 | 4 |
| 3794 | Health-Related Quality of Life 10 Years After Intracranial Aneurysm Rupture. <i>Neurosurgery</i> , 2013, 72, 397-406. | 0.6 | 22 |
| 3795 | Repolarization Abnormalities in Patients with Subarachnoid and Intracerebral Hemorrhage. <i>Anesthesia and Analgesia</i> , 2013, 116, 190-197. | 1.1 | 35 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3796 | Neurogenic Pulmonary Edema in Patients with Nontraumatic Intracerebral Hemorrhage. <i>Anesthesia and Analgesia</i> , 2013, 116, 855-861. | 1.1 | 28 |
| 3797 | The Impact of the Body Mass Index on Outcome After Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2013, 73, 201-208. | 0.6 | 33 |
| 3798 | Functional outcomes following blunt cerebrovascular injury. <i>Journal of Trauma and Acute Care Surgery</i> , 2013, 74, 955-960. | 1.1 | 27 |
| 3799 | Plasma gelsolin levels and outcomes after aneurysmal subarachnoid hemorrhage. <i>Critical Care</i> , 2013, 17, R149. | 2.5 | 17 |
| 3800 | A meta-analysis of functional outcome among older adults with traumatic brain injury. <i>NeuroRehabilitation</i> , 2013, 32, 409-414. | 0.5 | 51 |
| 3801 | Retrospective Analysis of Operative Treatment of a Series of 100 Patients With Subdural Hematoma. <i>Neurologia Medico-Chirurgica</i> , 2013, 53, 26-33. | 1.0 | 21 |
| 3802 | Mortality of elderly individuals with TBI in the first 5 years following injury. <i>NeuroRehabilitation</i> , 2013, 32, 225-232. | 0.5 | 8 |
| 3803 | Fatigue, psychosocial adaptation and quality of life one year after traumatic brain injury and suspected traumatic axonal injury; evaluations of patients and relatives: A pilot study. <i>Journal of Rehabilitation Medicine</i> , 2013, 45, 771-777. | 0.8 | 29 |
| 3804 | Effects of Art Therapy Using Color on Purpose in Life in Patients with Stroke and Their Caregivers. <i>Yonsei Medical Journal</i> , 2013, 54, 15. | 0.9 | 21 |
| 3805 | Intracranial Non-traumatic Aneurysms in Children and Adolescents. <i>Current Pediatric Reviews</i> , 2013, 9, 343-352. | 0.4 | 79 |
| 3806 | Clinical Outcome Prediction in Aneurysmal Subarachnoid Hemorrhage Using Bayesian Neural Networks with Fuzzy Logic Inferences. <i>Computational and Mathematical Methods in Medicine</i> , 2013, 2013, 1-10. | 0.7 | 31 |
| 3807 | Severe traumatic brain injuries in Northern Sweden: A prospective 2-year study. <i>Journal of Rehabilitation Medicine</i> , 2013, 45, 792-800. | 0.8 | 15 |
| 3808 | Techniques and strategies in neurocritical care originating from Southern Scandinavia. <i>Journal of Rehabilitation Medicine</i> , 2013, 45, 710-717. | 0.8 | 9 |
| 3809 | Epidemiology, Outcomes and Predictors of Recovery in Childhood Encephalitis. <i>Pediatric Infectious Disease Journal</i> , 2013, 32, 839-844. | 1.1 | 34 |
| 3810 | Sustained low efficiency dialysis as standard renal replacement therapy in an interdisciplinary intensive care unit - A five year cost-benefit analysis†. <i>Colombian Journal of Anesthesiology</i> , 2013, 41, 88-96. | 0.5 | 0 |
| 3811 | Pioneering Paediatric Intensive Care Medicine in New Zealand. <i>Anaesthesia and Intensive Care</i> , 2013, 41, 655-670. | 0.2 | 0 |
| 3812 | Quality of Life and Associated Socio-Clinical Factors after Encephalitis in Children and Adults in England: A Population-Based, Prospective Cohort Study. <i>PLoS ONE</i> , 2014, 9, e103496. | 1.1 | 25 |
| 3813 | Evidence-Based Treatment of Chronic Subdural Hematoma. , 2014, , . | | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3814 | Impact of ventriculoperitoneal shunting on chronic normal pressure hydrocephalus in consciousness rehabilitation. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 876-881. | 0.8 | 8 |
| 3815 | Survival and Neurologic Outcomes of Out-of-Hospital Cardiac Arrest Patients Who Were Transferred after Return of Spontaneous Circulation for Integrated Post-Cardiac Arrest Syndrome Care: The Another Feasibility of the Cardiac Arrest Center. <i>Journal of Korean Medical Science</i> , 2014, 29, 1301. | 1.1 | 21 |
| 3817 | Chronic Subdural Hematomas: Comparison between Unilateral and Bilateral Involvement. <i>Korean Journal of Neurotrauma</i> , 2014, 10, 55. | 0.2 | 11 |
| 3818 | Are Blood Blister-Like Aneurysms a Specific Type of Dissection? A Comparative Study of Blood Blister-Like Aneurysms and Ruptured Mizutani Type 4 Vertebral Artery Dissections. <i>Journal of Korean Neurosurgical Society</i> , 2014, 56, 395. | 0.5 | 18 |
| 3819 | A study of Correlation Between motor Component of GCS score on Admission and Glasgow Outcome scale Score at Discharge in head injured Patients who underwent Surgical intervention. <i>Bangladesh Medical Journal</i> , 2014, 40, 41-46. | 0.1 | 1 |
| 3820 | A long-term, complex, unitary appraisal regarding neurorestorative, including neurorehabilitative, outcomes in patients treated with Cerebrolysin®; following traumatic brain injury. <i>Journal of Neurorestoratology</i> , 2014, , 85. | 1.1 | 3 |
| 3822 | Recent Trends in Survival From Out-of-Hospital Cardiac Arrest in the United States. <i>Circulation</i> , 2014, 130, 1876-1882. | 1.6 | 464 |
| 3823 | Status epilepticus in adults: A study from Nigeria. <i>International Journal of Epilepsy</i> , 2014, 01, 069-074. | 0.5 | 2 |
| 3824 | Assessing Recovery and Disability After Physical Trauma: The Pediatric Injury Functional Outcome Scale. <i>Journal of Pediatric Psychology</i> , 2014, 39, 653-665. | 1.1 | 28 |
| 3826 | Coping strategies in individuals after traumatic brain injury: associations with health-related quality of life. <i>Disability and Rehabilitation</i> , 2014, 36, 2152-2160. | 0.9 | 15 |
| 3827 | Surgical treatment of poor grade middle cerebral artery aneurysms associated with large sylvian hematomas following prophylactic hinged craniectomy. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2014, 34, 716-721. | 1.0 | 8 |
| 3828 | Trauma care inside and outside business hours: comparison of process quality and outcome indicators in a German level-1 trauma center. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2014, 22, 62. | 1.1 | 12 |
| 3829 | Assessment of the internal construct validity of the revised High-Level Mobility Assessment Tool for traumatic orthopaedic injuries. <i>Clinical Rehabilitation</i> , 2014, 28, 491-498. | 1.0 | 7 |
| 3830 | Component analysis of verbal fluency performance in younger participants with moderate-to-severe traumatic brain injury. <i>Brain Injury</i> , 2014, 28, 456-464. | 0.6 | 10 |
| 3831 | Predictive value of C-reactive protein for the outcome after primary intracerebral hemorrhage. <i>Journal of Neurosurgery</i> , 2014, 121, 1374-1379. | 0.9 | 36 |
| 3832 | Pathology of traumatic brain injury. <i>Veterinary Research Communications</i> , 2014, 38, 297-305. | 0.6 | 20 |
| 3833 | “Bone-mesh” Combined fractured bone and titanium mesh for primary reconstruction of compound skull fractures. <i>Indian Journal of Neurotrauma</i> , 2014, 11, 103-108. | 0.3 | 2 |
| 3834 | Clinical Outcomes, Predictors, and Prevalence of Anterior Pituitary Disorders Following Traumatic Brain Injury. <i>Critical Care Medicine</i> , 2014, 42, 712-721. | 0.4 | 54 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3835 | Symptomatic treatment of unresponsive wakefulness syndrome with transcranially focused extracorporeal shock waves. <i>NeuroRehabilitation</i> , 2014, 35, 235-244. | 0.5 | 24 |
| 3836 | Self-perceived health status following aneurysmal subarachnoid haemorrhage: a cohort study. <i>BMJ Open</i> , 2014, 4, e003932. | 0.8 | 25 |
| 3837 | Outcome from spontaneous subarachnoid haemorrhage—results from 2007—2011 and comparison with our previous series. <i>Upsala Journal of Medical Sciences</i> , 2014, 119, 38-43. | 0.4 | 8 |
| 3838 | EEG Neurofeedback therapy: Can it attenuate brain changes in TBI?. <i>NeuroRehabilitation</i> , 2014, 35, 481-484. | 0.5 | 35 |
| 3839 | Prognostic value of neuropeptide proenkephalin A in patients with severe traumatic brain injury. <i>Peptides</i> , 2014, 58, 42-46. | 1.2 | 7 |
| 3840 | Early Bispectral Index and Sedation Requirements During Therapeutic Hypothermia Predict Neurologic Recovery Following Cardiac Arrest*. <i>Critical Care Medicine</i> , 2014, 42, 1204-1212. | 0.4 | 29 |
| 3841 | Viral Aetiology of Central Nervous System Infections in Adults Admitted to a Tertiary Referral Hospital in Southern Vietnam over 12 Years. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e3127. | 1.3 | 36 |
| 3842 | Smoking and outcome of traumatic brain injury. <i>Brain Injury</i> , 2014, 28, 155-160. | 0.6 | 12 |
| 3843 | Hydrocephalus during rehabilitation following severe TBI. Relation to recovery, outcome, and length of stay. <i>NeuroRehabilitation</i> , 2014, 35, 755-761. | 0.5 | 24 |
| 3844 | Clinical Profile of SE in Children in a Tertiary Care Hospital in Bihar. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2014, 8, PC14-7. | 0.8 | 10 |
| 3845 | Favourable 5-year postdischarge survival of comatose patients resuscitated from out-of-hospital cardiac arrest, managed with immediate coronary angiogram on admission. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2014, 3, 183-191. | 0.4 | 32 |
| 3846 | Cognitive recovery after severe traumatic brain injury in children/adolescents and adults: Similar positive outcome but different underlying pathways?. <i>Brain Injury</i> , 2014, 28, 900-905. | 0.6 | 7 |
| 3847 | Late recovery in cerebral fat embolism. <i>Indian Journal of Orthopaedics</i> , 2014, 48, 100-103. | 0.5 | 12 |
| 3848 | Multiple Intracranial Aneurysms: Endovascular Treatment and Complications. <i>Interventional Neuroradiology</i> , 2014, 20, 442-447. | 0.7 | 30 |
| 3849 | Poor outcome prediction by burst suppression ratio in adults with post-anoxic coma without hypothermia. <i>Neurological Research</i> , 2014, 36, 453-460. | 0.6 | 21 |
| 3850 | Automated Prediction of Glasgow Outcome Scale for Traumatic Brain Injury. , 2014, , . | | 3 |
| 3851 | Predictors of increased cumulative serum levels of the N-terminal prohormone of brain natriuretic peptide 4 days after acute spontaneous subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2014, 120, 599-604. | 0.9 | 15 |
| 3852 | Subarachnoid hemorrhage as a psychological trauma. <i>Journal of Neurosurgery</i> , 2014, 120, 923-930. | 0.9 | 27 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 3853 | Increased Levels of Serum IL-18 Are Associated with the Long-Term Outcome of Severe Traumatic Brain Injury. <i>NeuroImmunoModulation</i> , 2014, 21, 8-12. | 0.9 | 25 |
| 3854 | Validation of the CRASH model in the prediction of 18-month mortality and unfavorable outcome in severe traumatic brain injury requiring decompressive craniectomy. <i>Journal of Neurosurgery</i> , 2014, 120, 1131-1137. | 0.9 | 30 |
| 3855 | Very Early Administration of Progesterone for Acute Traumatic Brain Injury. <i>New England Journal of Medicine</i> , 2014, 371, 2457-2466. | 13.9 | 463 |
| 3856 | White Matter Changes in Comatose Survivors of Anoxic Ischemic Encephalopathy and Traumatic Brain Injury: Comparative Diffusion-Tensor Imaging Study. <i>Radiology</i> , 2014, 270, 506-516. | 3.6 | 45 |
| 3857 | “Good-old-days” bias: A prospective follow-up study to examine the preinjury supernormal status in patients with mild traumatic brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2014, 36, 399-409. | 0.8 | 20 |
| 3858 | The vegetative state/unresponsive wakefulness syndrome: a systematic review of prevalence studies. <i>European Journal of Neurology</i> , 2014, 21, 1361-1368. | 1.7 | 82 |
| 3859 | Feasibility of Optic Nerve Sheath Diameter Measured on Initial Brain Computed Tomography as an Early Neurologic Outcome Predictor After Cardiac Arrest. <i>Academic Emergency Medicine</i> , 2014, 21, 1121-1128. | 0.8 | 52 |
| 3860 | Impaired arousal at initial presentation predicts 6-month mortality: An analysis of 1084 acutely ill older patients. <i>Journal of Hospital Medicine</i> , 2014, 9, 772-778. | 0.7 | 23 |
| 3861 | Comparison of in-hospital and out-of-hospital cardiac arrest outcomes in a Scandinavian community. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 316-322. | 0.7 | 23 |
| 3862 | Satisfaction of patients’ next of kin in a “Hub & Spoke” ICU network. <i>Anaesthesia</i> , 2014, 69, 1117-1126. | 1.3 | 6 |
| 3863 | Will time heal? A long-term follow-up of severe disorders of consciousness. <i>Annals of Clinical and Translational Neurology</i> , 2014, 1, 401-408. | 1.7 | 58 |
| 3864 | Neural correlates of apathy revealed by lesion mapping in participants with traumatic brain injuries. <i>Human Brain Mapping</i> , 2014, 35, 943-953. | 1.9 | 41 |
| 3865 | Hypothermia after cardiac arrest does not affect serum levels of neuron-specific enolase and protein S. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 1093-1100. | 0.7 | 25 |
| 3866 | Gas-containing brain abscess: Etiology, clinical characteristics, and outcome. <i>Kaohsiung Journal of Medical Sciences</i> , 2014, 30, 619-624. | 0.8 | 3 |
| 3867 | Concentrations of remifentanyl, propofol, fentanyl, and midazolam during rewarming from therapeutic hypothermia. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 709-715. | 0.7 | 28 |
| 3868 | Transitional experiences in patients following intracranial aneurysm rupture. <i>Journal of Clinical Nursing</i> , 2014, 23, 1263-1273. | 1.4 | 2 |
| 3869 | Effect of regional trauma centralization on volume, injury severity and outcomes of injured patients admitted to trauma centres. <i>British Journal of Surgery</i> , 2014, 101, 959-964. | 0.1 | 60 |
| 3870 | Predicting Outcome after Traumatic Brain Injury: Development of Prognostic Scores Based on the IMPACT and the APACHE II. <i>Journal of Neurotrauma</i> , 2014, 31, 1721-1732. | 1.7 | 30 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3871 | Outcome prediction model for severe traumatic brain injury. <i>Acute Medicine & Surgery</i> , 2014, 1, 31-36. | 0.5 | 3 |
| 3872 | Hospital Variation in Survival Trends for In-hospital Cardiac Arrest. <i>Journal of the American Heart Association</i> , 2014, 3, e000871. | 1.6 | 61 |
| 3873 | Executive dysfunction is related with decreased frontal lobe blood flow in patients with subarachnoid haemorrhage. <i>Brain Injury</i> , 2014, 28, 15-19. | 0.6 | 14 |
| 3874 | The Utility of Infarct Volume Measurement in Pediatric Ischemic Stroke. <i>Journal of Child Neurology</i> , 2014, 29, 811-817. | 0.7 | 11 |
| 3875 | Is a high initial World Federation of Neurosurgery (WFNS) grade really associated with a poor clinical outcome in elderly patients with ruptured intracranial aneurysms treated with coiling?. <i>Journal of NeuroInterventional Surgery</i> , 2014, 6, 286-290. | 2.0 | 12 |
| 3876 | The use of intravenous Milrinone to treat cerebral vasospasm following traumatic subarachnoid hemorrhage. <i>SpringerPlus</i> , 2014, 3, 633. | 1.2 | 12 |
| 3877 | Study protocol for the PHANTOM study: prehospital assessment of noninvasive tissue oximetry monitoring. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2014, 22, 57. | 1.1 | 3 |
| 3878 | Readmission Rates and Long-Term Hospital Costs Among Survivors of an In-Hospital Cardiac Arrest. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2014, 7, 889-895. | 0.9 | 21 |
| 3879 | Cerebral Performance Category at Hospital Discharge Predicts Long-Term Survival of Cardiac Arrest Survivors Receiving Targeted Temperature Management*. <i>Critical Care Medicine</i> , 2014, 42, 2575-2581. | 0.4 | 47 |
| 3880 | Prognostic Value of Somatosensory-evoked Potentials and CT Scan Evaluation in Acute Traumatic Brain Injury. <i>Journal of Neurosurgical Anesthesiology</i> , 2014, 26, 299-305. | 0.6 | 6 |
| 3881 | Spectrum and outcome predictors of central nervous system infections in a neurological critical care unit in India: a retrospective review. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2014, 108, 141-146. | 0.7 | 26 |
| 3882 | Impact of Presenting Rhythm on Short- and Long-Term Neurologic Outcome in Comatose Survivors of Cardiac Arrest Treated With Therapeutic Hypothermia*. <i>Critical Care Medicine</i> , 2014, 42, 2225-2234. | 0.4 | 23 |
| 3883 | Short- and Long-Term Outcome in Elderly Patients After Out-of-Hospital Cardiac Arrest. <i>Critical Care Medicine</i> , 2014, 42, 2350-2357. | 0.4 | 60 |
| 3884 | Influence of \dot{V}_E -Stat and pH-Stat Blood Gas Management Strategies on Cerebral Blood Flow and Oxygenation in Patients Treated With Therapeutic Hypothermia After Out-of-Hospital Cardiac Arrest. <i>Critical Care Medicine</i> , 2014, 42, 1849-1861. | 0.4 | 29 |
| 3885 | Models of Mild Traumatic Brain Injury. <i>Neurosurgery</i> , 2014, 75, S34-S49. | 0.6 | 54 |
| 3886 | Prognostication after cardiac arrest. <i>Current Opinion in Critical Care</i> , 2014, 20, 280-286. | 1.6 | 33 |
| 3887 | Intraoperative Monitoring for Intracranial Aneurysms. <i>Journal of Clinical Neurophysiology</i> , 2014, 31, 563-567. | 0.9 | 18 |
| 3888 | Arterial Blood Pressure and Neurologic Outcome After Resuscitation From Cardiac Arrest*. <i>Critical Care Medicine</i> , 2014, 42, 2083-2091. | 0.4 | 125 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3889 | Pediatric Intensive Care Outcomes. <i>Pediatric Critical Care Medicine</i> , 2014, 15, 821-827. | 0.2 | 265 |
| 3890 | Bundle of Measures for External Cerebral Ventricular Drainage-Associated Ventriculitis*. <i>Critical Care Medicine</i> , 2014, 42, 66-73. | 0.4 | 64 |
| 3891 | Are We Exchanging Morbidity for Mortality in Pediatric Intensive Care?*. <i>Pediatric Critical Care Medicine</i> , 2014, 15, 898-899. | 0.2 | 6 |
| 3892 | Safety, Feasibility, and Outcomes of Induced Hypothermia Therapy Following In-Hospital Cardiac Arrest—Evaluation of a Large Prospective Registry*. <i>Critical Care Medicine</i> , 2014, 42, 2537-2545. | 0.4 | 29 |
| 3893 | Low Self-Awareness of Individuals With Severe Traumatic Brain Injury Can Lead to Reduced Ability to Take Another Person's Perspective. <i>Journal of Head Trauma Rehabilitation</i> , 2014, 29, 157-171. | 1.0 | 63 |
| 3894 | Prognostic value of intrathecal heme oxygenase-1 concentration in patients with Fisher Grade III aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2014, 121, 1388-1393. | 0.9 | 19 |
| 3895 | Quality-of-Life after Anterior Skull Base Surgery: A Systematic Review. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2014, 75, 073-089. | 0.4 | 30 |
| 3896 | Do Injury Characteristics Predict the Severity of Acute Neuropsychological Deficits Following Sports-Related Concussion? A Meta-analysis. <i>Journal of the International Neuropsychological Society</i> , 2014, 20, 81-87. | 1.2 | 14 |
| 3897 | Relationship Between the Functional Status Scale and the Pediatric Overall Performance Category and Pediatric Cerebral Performance Category Scales. <i>JAMA Pediatrics</i> , 2014, 168, 671. | 3.3 | 172 |
| 3898 | The impact of pediatric traumatic brain injury (TBI) on family functioning: A systematic review. <i>Journal of Pediatric Rehabilitation Medicine</i> , 2014, 7, 241-254. | 0.3 | 45 |
| 3899 | Mechanical Chest Compressions and Simultaneous Defibrillation vs Conventional Cardiopulmonary Resuscitation in Out-of-Hospital Cardiac Arrest. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 53. | 3.8 | 343 |
| 3900 | Endovascular treatment of ruptured intracranial aneurysms in patients 70 years of age and older. , 2014, 5, 104. | | 6 |
| 3901 | Predicting Outcome in Traumatic Brain Injury. <i>Neurosurgery</i> , 2014, 75, 632-647. | 0.6 | 120 |
| 3902 | Clinical and Radiological Heterogeneity in Aneurysmal Sub-Arachnoid Haemorrhage According to Risk-Factor Profile. <i>International Journal of Stroke</i> , 2014, 9, 1052-1056. | 2.9 | 6 |
| 3903 | Extending Communication for Patients with Disorders of Consciousness. <i>Journal of Neuroimaging</i> , 2014, 24, 31-38. | 1.0 | 18 |
| 3904 | Results of clipping surgery for aneurysmal subarachnoid hemorrhage in the ninth and tenth decades of life. <i>Journal of Clinical Neuroscience</i> , 2014, 21, 1567-1569. | 0.8 | 16 |
| 3905 | Clipping versus coiling for intracranial aneurysms. <i>Neurologia I Neurochirurgia Polska</i> , 2014, 48, 122-129. | 0.6 | 7 |
| 3906 | Vasopressin and oxytocin in CSF and plasma of patients with aneurysmal subarachnoid haemorrhage. <i>Neuropeptides</i> , 2014, 48, 91-96. | 0.9 | 37 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3907 | Duplex sonography of cerebral blood flow after cardiac arrestâ€”A prospective observational study. <i>Resuscitation</i> , 2014, 85, 516-521. | 1.3 | 27 |
| 3908 | Trauma recidivists: surprisingly better outcomes than initially injured trauma patients. <i>American Journal of Surgery</i> , 2014, 207, 427-431. | 0.9 | 12 |
| 3909 | Incidence and outcome from adult cardiac arrest occurring in the intensive care unit: A systematic review of the literature. <i>Resuscitation</i> , 2014, 85, 472-479. | 1.3 | 38 |
| 3910 | Decompressive craniectomy for severe traumatic brain injury: The relationship between surgical complications and the prediction of an unfavourable outcome. <i>Injury</i> , 2014, 45, 1332-1339. | 0.7 | 72 |
| 3911 | Long-Term Health-Related Quality of Life After Spontaneous Nontraumatic Subarachnoid Hemorrhage: Self and Proxy Reports in a 10-Year Period. <i>World Neurosurgery</i> , 2014, 81, 105-109. | 0.7 | 7 |
| 3912 | Individual Characteristics and Management Decisions Affect Outcome of Anticoagulated Patients with Intracranial Hemorrhage. <i>World Neurosurgery</i> , 2014, 81, 742-751. | 0.7 | 4 |
| 3913 | Pituitary Dysfunction After Aneurysmal Subarachnoid Hemorrhage Is Associated with Impaired Early Outcome. <i>World Neurosurgery</i> , 2014, 81, 529-537. | 0.7 | 19 |
| 3914 | Plasma levels of adrenomedullin in patients with traumatic brain injury: Potential contribution to prognosis. <i>Peptides</i> , 2014, 56, 146-150. | 1.2 | 10 |
| 3915 | Meningiomas Engaging Major Venous Sinuses. <i>World Neurosurgery</i> , 2014, 81, 116-124. | 0.7 | 64 |
| 3916 | Multimodality Treatment of Cerebral Arteriovenous Malformations. <i>World Neurosurgery</i> , 2014, 82, 149-159. | 0.7 | 58 |
| 3917 | Traumatic Brain Injury: An Objective Model of Consent. <i>Neuroethics</i> , 2014, 7, 11-18. | 1.7 | 1 |
| 3919 | ADMA Levels and Arginine/ADMA Ratios Reflect Severity of Disease and Extent of Inflammation After Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2014, 21, 91-101. | 1.2 | 17 |
| 3920 | Comparison of nifekalant and amiodarone for resuscitation of out-of-hospital cardiopulmonary arrest resulting from shock-resistant ventricular fibrillation. <i>Journal of Anesthesia</i> , 2014, 28, 587-592. | 0.7 | 27 |
| 3921 | Pediatric intracranial aneurysmsâ€”our experience and review of literature. <i>Child's Nervous System</i> , 2014, 30, 873-883. | 0.6 | 64 |
| 3922 | Neuroprognostication of hypoxicâ€”ischaemic coma in the therapeutic hypothermia era. <i>Nature Reviews Neurology</i> , 2014, 10, 190-203. | 4.9 | 81 |
| 3923 | Cerebrospinal Fluid Cortisol and Progesterone Profiles and Outcomes Prognostication after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2014, 31, 699-712. | 1.7 | 50 |
| 3925 | Temporal changes in CT perfusion values before and after cranioplasty in patients without symptoms related to external decompression: a pilot study. <i>Neuroradiology</i> , 2014, 56, 237-243. | 1.1 | 18 |
| 3926 | Autologous bone flap cranioplasty following decompressive craniectomy is combined with a high complication rate in pediatric traumatic brain injury patients. <i>Acta Neurochirurgica</i> , 2014, 156, 813-824. | 0.9 | 111 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3927 | Should the Neurointensive Care Management of Traumatic Brain Injury Patients be Individualized According to Autoregulation Status and Injury Subtype?. <i>Neurocritical Care</i> , 2014, 21, 259-265. | 1.2 | 31 |
| 3928 | Using Risk Prediction Tools in Survivors of In-hospital Cardiac Arrest. <i>Current Cardiology Reports</i> , 2014, 16, 457. | 1.3 | 10 |
| 3929 | Assessing discriminative ability of risk models in clustered data. <i>BMC Medical Research Methodology</i> , 2014, 14, 5. | 1.4 | 40 |
| 3930 | Secondary Peaks of S100B in Serum Relate to Subsequent Radiological Pathology in Traumatic Brain Injury. <i>Neurocritical Care</i> , 2014, 20, 217-229. | 1.2 | 87 |
| 3931 | Brain Injury Biomarkers as Outcome Predictors in Pediatric Severe Traumatic Brain Injury. <i>Neurocritical Care</i> , 2014, 20, 427-435. | 1.2 | 41 |
| 3932 | Is It Still Cool to Cool? Interpreting the Latest Hypothermia for Cardiac Arrest Trial. <i>Annals of Emergency Medicine</i> , 2014, 63, 368-369. | 0.3 | 1 |
| 3933 | The Concurrent Validity and Responsiveness of the High-Level Mobility Assessment Tool for Mobility Limitations in People With Multitrauma Orthopedic Injuries. <i>PM and R</i> , 2014, 6, 235-240. | 0.9 | 7 |
| 3934 | Value analysis of continuous EEG in patients during therapeutic hypothermia after cardiac arrest. <i>Resuscitation</i> , 2014, 85, 785-789. | 1.3 | 74 |
| 3935 | Health-related quality of life improves during the first six months after cardiac arrest and hypothermia treatment. <i>Resuscitation</i> , 2014, 85, 215-220. | 1.3 | 42 |
| 3936 | High-dose midazolam infusion for refractory status epilepticus. <i>Neurology</i> , 2014, 82, 359-365. | 1.5 | 92 |
| 3937 | Treatment of traumatic acute posterior fossa subdural hematoma: report of four cases with systematic review and management algorithm. <i>Acta Neurochirurgica</i> , 2014, 156, 199-206. | 0.9 | 12 |
| 3938 | Neurologic complications of cardiac arrest. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2014, 119, 25-39. | 1.0 | 4 |
| 3939 | Requirement for a structured algorithm in cardiac arrest following major trauma: Epidemiology, management errors, and preventability of traumatic deaths in Berlin. <i>Resuscitation</i> , 2014, 85, 405-410. | 1.3 | 95 |
| 3940 | Neurotraumatology. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2014, 121, 1751-1772. | 1.0 | 1 |
| 3941 | Acute neurosurgery for traumatic brain injury by general surgeons in Swedish county hospitals: A regional study. <i>Acta Neurochirurgica</i> , 2014, 156, 177-185. | 0.9 | 13 |
| 3942 | Anatomical variants of the basal vein of Rosenthal: prevalence in idiopathic subarachnoid hemorrhage. <i>Acta Neurochirurgica</i> , 2014, 156, 45-51. | 0.9 | 18 |
| 3943 | Intracerebral hemorrhage in young from a tertiary neurology center in North India. <i>Journal of the Neurological Sciences</i> , 2014, 336, 42-47. | 0.3 | 20 |
| 3944 | MMN and Novelty P3 in Coma and Other Altered States of Consciousness: A Review. <i>Brain Topography</i> , 2014, 27, 467-479. | 0.8 | 131 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 3945 | Effect of Prehospital Induction of Mild Hypothermia on Survival and Neurological Status Among Adults With Cardiac Arrest. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 45. | 3.8 | 502 |
| 3946 | Pressure ulcer in patients with severe traumatic brain injury: significant factors and association with neurological outcome. <i>Journal of Clinical Nursing</i> , 2014, 23, 1114-1119. | 1.4 | 36 |
| 3947 | Post-cardiac arrest serum levels of glial fibrillary acidic protein for predicting neurological outcome. <i>Resuscitation</i> , 2014, 85, 1654-1661. | 1.3 | 32 |
| 3948 | Neurological Manifestations of Influenza Infection in Children and Adults: Results of a National British Surveillance Study. <i>Clinical Infectious Diseases</i> , 2014, 58, 775-784. | 2.9 | 143 |
| 3949 | Efficacy and safety of the pterional keyhole approach for the treatment of anterior circulation aneurysms. <i>Neurosurgical Review</i> , 2014, 37, 629-636. | 1.2 | 26 |
| 3950 | Early Pharmacological Treatment of Delirium May Reduce Physical Restraint Use. <i>Annals of Pharmacotherapy</i> , 2014, 48, 328-334. | 0.9 | 22 |
| 3951 | Neurosurgery in Ischemic Stroke. , 2014, , 1-32. | | 0 |
| 3953 | Hypertonic saline versus other intracranial pressure-lowering agents for people with acute traumatic brain injury. <i>The Cochrane Library</i> , 0, , . | 1.5 | 2 |
| 3954 | Endovascular treatment of pediatric intracranial aneurysms: a retrospective study of 35 aneurysms. <i>Journal of NeuroInterventional Surgery</i> , 2014, 6, 432-438. | 2.0 | 44 |
| 3955 | Nonaneurysmal Perimesencephalic Subarachnoid Hemorrhage: Diagnosis, Pathophysiology, Clinical Characteristics, and Long-Term Outcome. <i>World Neurosurgery</i> , 2014, 82, 1131-1143. | 0.7 | 52 |
| 3956 | Measures and outcomes. <i>Lancet Neurology</i> , The, 2014, 13, 763. | 4.9 | 0 |
| 3957 | P351: Event-related brain potentials in patients with brain injury. <i>Clinical Neurophysiology</i> , 2014, 125, S142. | 0.7 | 1 |
| 3958 | Is It Still Cool to Cool? Interpreting the Latest Hypothermia for Cardiac Arrest Trial. <i>Annals of Emergency Medicine</i> , 2014, 64, 199-206. | 0.3 | 3 |
| 3959 | Comparison of the performances of copeptin and multiple biomarkers in long-term prognosis of severe traumatic brain injury. <i>Peptides</i> , 2014, 60, 13-17. | 1.2 | 37 |
| 3960 | Mechanical versus manual chest compressions for cardiac arrest. <i>The Cochrane Library</i> , 2014, , CD007260. | 1.5 | 68 |
| 3961 | Determinants and predictors of outcome in super refractory status epilepticusâ€”A developing country perspective. <i>Epilepsy Research</i> , 2014, 108, 1609-1617. | 0.8 | 50 |
| 3962 | Chronic subdural hematoma: a systematic review and meta-analysis of surgical procedures. <i>Journal of Neurosurgery</i> , 2014, 121, 665-673. | 0.9 | 237 |
| 3963 | Electroencephalography (EEG) for neurological prognostication after cardiac arrest and targeted temperature management; rationale and study design. <i>BMC Neurology</i> , 2014, 14, 159. | 0.8 | 34 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3965 | Continuous electroencephalography in a surgical intensive care unit. <i>Intensive Care Medicine</i> , 2014, 40, 228-234. | 3.9 | 122 |
| 3966 | Characteristics and prognosis of sudden cardiac death in Greater Paris. <i>Intensive Care Medicine</i> , 2014, 40, 846-854. | 3.9 | 149 |
| 3967 | Effekt des Zeitpunkts der Aufnahme im Krankenhaus auf das Behandlungsergebnis nach schwerem Schädelhirntrauma in Österreich. <i>Wiener Klinische Wochenschrift</i> , 2014, 126, 278-285. | 1.0 | 3 |
| 3968 | Complications of titanium cranioplasty—a retrospective analysis of 174 patients. <i>Acta Neurochirurgica</i> , 2014, 156, 989-998. | 0.9 | 99 |
| 3969 | Trauma scoring systems and databases. <i>British Journal of Anaesthesia</i> , 2014, 113, 286-294. | 1.5 | 78 |
| 3970 | The role of cell-free DNA measured by a fluorescent test in the management of isolated traumatic head injuries. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2014, 22, 21. | 1.1 | 21 |
| 3971 | Association between initial prescribed minute ventilation and post-resuscitation partial pressure of arterial carbon dioxide in patients with post-cardiac arrest syndrome. <i>Annals of Intensive Care</i> , 2014, 4, 9. | 2.2 | 36 |
| 3972 | The brain-enriched microRNA miR-124 in plasma predicts neurological outcome after cardiac arrest. <i>Critical Care</i> , 2014, 18, R40. | 2.5 | 35 |
| 3973 | Patient-specific thresholds of intracranial pressure in severe traumatic brain injury. <i>Journal of Neurosurgery</i> , 2014, 120, 893-900. | 0.9 | 121 |
| 3974 | Role of neuroimaging in management of traumatic brain injury. <i>Trauma</i> , 2014, 16, 227-242. | 0.2 | 1 |
| 3975 | The Glasgow Coma Scale at 40 years: standing the test of time. <i>Lancet Neurology</i> , The, 2014, 13, 844-854. | 4.9 | 614 |
| 3976 | Positive Prognostication from Median-Nerve Somatosensory Evoked Cortical Potentials. <i>Neurocritical Care</i> , 2014, 21, 238-244. | 1.2 | 18 |
| 3977 | Physical and psychological long-term outcome after traumatic brain injury in children and adult patients. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 26. | 1.0 | 47 |
| 3978 | Systematic Review of the Clinical Course, Natural History, and Prognosis for Pediatric Mild Traumatic Brain Injury: Results of the International Collaboration on Mild Traumatic Brain Injury Prognosis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, S174-S191. | 0.5 | 79 |
| 3979 | High doses of a new botulinum toxin type A (NT-201) in adult patients with severe spasticity following brain injury and cerebral palsy. <i>NeuroRehabilitation</i> , 2014, 34, 515-522. | 0.5 | 24 |
| 3980 | Prognostic factors of long-term outcome in cases of severe traumatic brain injury. <i>Annals of Physical and Rehabilitation Medicine</i> , 2014, 57, 436-451. | 1.1 | 10 |
| 3981 | Calvarial Fracture Patterns on CT Imaging Predict Risk of a Delayed Epidural Hematoma following Decompressive Craniectomy for Traumatic Brain Injury. <i>American Journal of Neuroradiology</i> , 2014, 35, 1930-1935. | 1.2 | 30 |
| 3982 | Efficacy and Safety of Subdural Drains After Burr-Hole Evacuation of Chronic Subdural Hematomas: Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>World Neurosurgery</i> , 2014, 82, 1148-1157. | 0.7 | 57 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 3984 | The role of middle latency evoked potentials in early prediction of favorable outcomes among patients with severe ischemic brain injuries. <i>Journal of the Neurological Sciences</i> , 2014, 345, 112-117. | 0.3 | 12 |
| 3985 | Being a neighbor to Syria: A retrospective analysis of patients brought to our clinic for cranial gunshot wounds in the Syrian civil war. <i>Clinical Neurology and Neurosurgery</i> , 2014, 125, 222-228. | 0.6 | 47 |
| 3986 | Salt or sugar for your injured brain? A meta-analysis of randomised controlled trials of mannitol versus hypertonic sodium solutions to manage raised intracranial pressure in traumatic brain injury. <i>Emergency Medicine Journal</i> , 2014, 31, 679-683. | 0.4 | 71 |
| 3987 | Parasellar Meningiomas in Pregnancy: Surgical Results and Visual Outcomes. <i>World Neurosurgery</i> , 2014, 82, e503-e512. | 0.7 | 21 |
| 3988 | Cardiac arrest due to accidental hypothermia—A 20 year review of a rare condition in an urban area. <i>Resuscitation</i> , 2014, 85, 749-756. | 1.3 | 42 |
| 3989 | Postresuscitation hemodynamics during therapeutic hypothermia after out-of-hospital cardiac arrest with ventricular fibrillation: A retrospective study. <i>Resuscitation</i> , 2014, 85, 1018-1024. | 1.3 | 42 |
| 3990 | The Impact of Temporary Artery Occlusion During Intracranial Aneurysm Surgery on Long-Term Clinical Outcome: Part I. Patients with Subarachnoid Hemorrhage. <i>World Neurosurgery</i> , 2014, 82, 140-148. | 0.7 | 26 |
| 3992 | Neurologic outcome in comatose patients resuscitated from out-of-hospital cardiac arrest with prolonged downtime and treated with therapeutic hypothermia. <i>Resuscitation</i> , 2014, 85, 1042-1046. | 1.3 | 35 |
| 3993 | Cardiac arrest and hypothermia treatment—function and life satisfaction among survivors in the first 6 months. <i>Resuscitation</i> , 2014, 85, 538-543. | 1.3 | 18 |
| 3994 | A Pilot Randomized Trial of an Online Parenting Skills Program for Pediatric Traumatic Brain Injury: Improvements in Parenting and Child Behavior. <i>Behavior Therapy</i> , 2014, 45, 455-468. | 1.3 | 66 |
| 3995 | End-of-life decisions in patients with severe acute brain injury. <i>Lancet Neurology</i> , The, 2014, 13, 515-524. | 4.9 | 101 |
| 3996 | Comparative evaluation of MRS and SPECT in prognostication of patients with mild to moderate head injury. <i>Journal of Clinical Neuroscience</i> , 2014, 21, 745-750. | 0.8 | 21 |
| 3997 | Prospective longitudinal MRI study of brain volumes and diffusion changes during the first year after moderate to severe traumatic brain injury. <i>NeuroImage: Clinical</i> , 2014, 5, 128-140. | 1.4 | 60 |
| 3998 | “Nobody is dead until warm and dead” Prolonged resuscitation is warranted in arrested hypothermic victims also in remote areas—A retrospective study from northern Norway. <i>Resuscitation</i> , 2014, 85, 1204-1211. | 1.3 | 104 |
| 3999 | The association between a quantitative computed tomography (CT) measurement of cerebral edema and outcomes in post-cardiac arrest—A validation study. <i>Resuscitation</i> , 2014, 85, 1348-1353. | 1.3 | 66 |
| 4000 | A 4-year implementation strategy of aggressive post-resuscitation care and temperature management after cardiac arrest. <i>Resuscitation</i> , 2014, 85, 1251-1256. | 1.3 | 9 |
| 4001 | Health-Related Quality of Life 3 Years After Moderate to Severe Traumatic Brain Injury: A Prospective Cohort Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 1268-1276. | 0.5 | 46 |
| 4002 | The Impact of Temporary Artery Occlusion During Intracranial Aneurysm Surgery on Long-Term Clinical Outcome: Part II. The Patient Who Undergoes Elective Clipping. <i>World Neurosurgery</i> , 2014, 82, 402-408. | 0.7 | 24 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4003 | Instrumentos de medida más frecuentemente empleados en la valoración del traumatismo craneoencefálico. <i>Rehabilitación</i> , 2014, 48, 175-181. | 0.2 | 2 |
| 4004 | Long-Term Outcome in Surviving Patients After Clipping of Intracranial Aneurysms. <i>World Neurosurgery</i> , 2014, 81, 316-321. | 0.7 | 10 |
| 4005 | Prognostic value of the Marshall computed tomography classification for traumatic subarachnoid hemorrhage. <i>Asian Biomedicine</i> , 2014, 8, 609-614. | 0.2 | 0 |
| 4006 | Scales in the neurointensive care unit. , 0, , 66-78. | | 0 |
| 4007 | Predictive Value of Somatosensory Evoked Potentials for Patients With Severe Traumatic Brain Injury. <i>Neurosurgery</i> , 2014, 61, 171-174. | 0.6 | 3 |
| 4008 | Inhaled Isoflurane Sedation During Therapeutic Hypothermia After Cardiac Arrest. <i>Critical Care Medicine</i> , 2014, 42, e161-e166. | 0.4 | 32 |
| 4009 | Early Pressure Dressing for the Prevention of Subdural Effusion Secondary to Decompressive Craniectomy in Patients With Severe Traumatic Brain Injury. <i>Journal of Craniofacial Surgery</i> , 2014, 25, 1836-1839. | 0.3 | 10 |
| 4010 | Functional Correlates of Midline Brain Volume Loss in Chronic Traumatic Brain Injury. <i>Journal of the International Neuropsychological Society</i> , 2015, 21, 650-655. | 1.2 | 11 |
| 4011 | Characterization of in-hospital cardiac arrest in adult patients at a tertiary hospital in Kenya. <i>African Journal of Emergency Medicine</i> , 2015, 5, 70-74. | 0.4 | 7 |
| 4012 | Comment les patients cérébro-lésés et leurs proches perçoivent les liens entre leur histoire familiale antérieure et le vécu actuel de la lésion cérébrale. <i>Journal of Medical Rehabilitation</i> , 2015, 35, 216-226. | 0.0 | 0 |
| 4013 | Clinical and radiological prognostic indicators in childhood tuberculous meningitis. <i>Journal of Pediatric Neurology</i> , 2015, 10, 181-186. | 0.0 | 0 |
| 4014 | Long-term outcome of severe herpes simplex encephalitis: a population-based observational study. <i>Critical Care</i> , 2015, 19, 345. | 2.5 | 78 |
| 4015 | Development of a prompt model for predicting neurological outcomes in patients with return of spontaneous circulation from out-of-hospital cardiac arrest. <i>Acute Medicine & Surgery</i> , 2015, 2, 176-182. | 0.5 | 2 |
| 4016 | Clobazam: An effective add-on therapy in refractory status epilepticus. <i>Epilepsia</i> , 2015, 56, e83-9. | 2.6 | 26 |
| 4017 | Mechanical versus manual chest compressions for out-of-hospital cardiac arrest: a meta-analysis of randomized controlled trials. <i>Scientific Reports</i> , 2015, 5, 15635. | 1.6 | 14 |
| 4018 | Theory of mind impairment after severe traumatic brain injury and its relationship with caregivers' quality of life. <i>Restorative Neurology and Neuroscience</i> , 2015, 33, 335-345. | 0.4 | 34 |
| 4019 | Global Outcome Trajectories After TBI Among Survivors and Nonsurvivors. <i>Journal of Head Trauma Rehabilitation</i> , 2015, 30, E1-E10. | 1.0 | 39 |
| 4020 | High levels of serum mannose-binding lectins are associated with the severity and clinical outcomes of severe traumatic brain injury. <i>Clinica Chimica Acta</i> , 2015, 451, 111-116. | 0.5 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4021 | Increased in-hospital mortality following severe head injury in young children: results from a nationwide trauma registry. <i>European Journal of Medical Research</i> , 2015, 20, 65. | 0.9 | 18 |
| 4022 | Indomethacin in controlling intracranial hypertension secondary to severe traumatic brain injury. <i>The Cochrane Library</i> , 0, , . | 1.5 | 1 |
| 4023 | Improved Survival of Patients with Warfarin-Associated Intracerebral Haemorrhage: A Retrospective Longitudinal Population-Based Study. <i>International Journal of Stroke</i> , 2015, 10, 876-881. | 2.9 | 21 |
| 4024 | Role of oral Minocycline in acute encephalitis syndrome in India – a randomized controlled trial. <i>BMC Infectious Diseases</i> , 2015, 16, 67. | 1.3 | 39 |
| 4025 | The administration of dextrose during in-hospital cardiac arrest is associated with increased mortality and neurologic morbidity. <i>Critical Care</i> , 2015, 19, 160. | 2.5 | 25 |
| 4026 | An observational study of the association between microalbuminuria and increased N-terminal pro-B-type natriuretic peptide in patients with subarachnoid hemorrhage. <i>Journal of Intensive Care</i> , 2015, 3, 42. | 1.3 | 3 |
| 4027 | Pharmacotherapy for chronic cognitive impairment in traumatic brain injury. <i>The Cochrane Library</i> , 2015, , CD009221. | 1.5 | 18 |
| 4028 | Stroke treated at a neurosurgical ward: a cohort study. <i>Acta Neurologica Scandinavica</i> , 2015, 132, 329-336. | 1.0 | 9 |
| 4029 | Routine intracranial pressure monitoring in acute coma. <i>The Cochrane Library</i> , 2016, 2016, CD002043. | 1.5 | 38 |
| 4030 | Severe traumatic brain injuries from motor vehicle-related events in New Caledonia: epidemiology, outcome and public health consequences. <i>Australian and New Zealand Journal of Public Health</i> , 2015, 39, 188-191. | 0.8 | 4 |
| 4031 | Intensive care practices in brain death diagnosis and organ donation. <i>Anaesthesia</i> , 2015, 70, 1130-1139. | 1.8 | 69 |
| 4032 | Prognostic Value of the Amount of Bleeding After Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2015, 77, 898-907. | 0.6 | 23 |
| 4033 | Distribution of Lower Limb Spasticity Does Not Influence Mobility Outcome Following Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2015, 30, E49-E57. | 1.0 | 20 |
| 4034 | Improving Survival and Neurologic Function for Younger Age Groups After Out-of-Hospital Cardiac Arrest in Sweden. <i>Pediatric Critical Care Medicine</i> , 2015, 16, 750-757. | 0.2 | 42 |
| 4035 | Automated prognosis analysis for traumatic brain injury CT images. , 2015, , . | | 1 |
| 4036 | Generalized epileptiform discharges in postanoxic encephalopathy: Quantitative characterization in relation to outcome. <i>Epilepsia</i> , 2015, 56, 1845-1854. | 2.6 | 69 |
| 4037 | Narratives of family transition during the first year post-head injury: perspectives of the non-injured members. <i>Journal of Advanced Nursing</i> , 2015, 71, 849-859. | 1.5 | 11 |
| 4038 | Complete Recovery With the Chain of Survival After a Prolonged (120 Minutes) Out-of-Hospital Cardiac Arrest Due to Brugada Syndrome. <i>Medicine (United States)</i> , 2015, 94, e1107. | 0.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4039 | Integrating Palliative Care Into the Care of Neurocritically Ill Patients. <i>Critical Care Medicine</i> , 2015, 43, 1964-1977. | 0.4 | 105 |
| 4040 | Chronic Inflammation After Severe Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2015, 30, 369-381. | 1.0 | 139 |
| 4041 | Posttraumatic Brain Injury Cognitive Performance Is Moderated by Variation Within ANKK1 and DRD2 Genes. <i>Journal of Head Trauma Rehabilitation</i> , 2015, 30, E54-E66. | 1.0 | 43 |
| 4042 | Cerebellar strokes: a clinical outcome review of 79 cases. <i>Singapore Medical Journal</i> , 2015, 56, 145-149. | 0.3 | 18 |
| 4043 | Care and Neurorehabilitation in the Disorder of Consciousness: A Model in Progress. <i>Scientific World Journal, The</i> , 2015, 2015, 1-10. | 0.8 | 10 |
| 4044 | Evaluation of Regional White Matter Volume Reduction after Diffuse Axonal Injury using Voxel-based Morphometry. <i>Magnetic Resonance in Medical Sciences</i> , 2015, 14, 183-192. | 1.1 | 5 |
| 4045 | Cortisol Supplement Combined with Psychotherapy and Citalopram Improves Depression Outcomes in Patients with Hypocortisolism after Traumatic Brain Injury. , 2015, 6, 418. | | 8 |
| 4046 | Comparison of the Outcomes and Recurrence with Three Surgical Techniques for Chronic Subdural Hematoma: Single, Double Burr Hole, and Double Burr Hole Drainage with Irrigation. <i>Korean Journal of Neurotrauma</i> , 2015, 11, 75. | 0.2 | 39 |
| 4047 | Measuring scales used for assessment of patients with traumatic brain injury: multicenter studies. <i>Patient Preference and Adherence</i> , 2015, 9, 869. | 0.8 | 7 |
| 4048 | Serum Total Cholinesterase Activity on Admission Is Associated with Disease Severity and Outcome in Patients with Traumatic Brain Injury. <i>PLoS ONE</i> , 2015, 10, e0129082. | 1.1 | 16 |
| 4049 | Prevalence and Predictors of Gastrostomy Tube and Tracheostomy Placement in Anoxic/Hypoxic Ischemic Encephalopathic Survivors of In-Hospital Cardiopulmonary Resuscitation in the United States. <i>PLoS ONE</i> , 2015, 10, e0132612. | 1.1 | 7 |
| 4050 | Osteoporosis Self-Assessment Tool for Asians Can Predict Neurologic Prognosis in Patients with Isolated Moderate Traumatic Brain Injury. <i>PLoS ONE</i> , 2015, 10, e0132685. | 1.1 | 4 |
| 4051 | Simultaneous Cranioplasty and Subdural-Peritoneal Shunting for Contralateral Symptomatic Subdural Hygroma following Decompressive Craniectomy. <i>Scientific World Journal, The</i> , 2015, 2015, 1-6. | 0.8 | 5 |
| 4052 | Cerebral Abscess Potentially of Odontogenic Origin. <i>Case Reports in Dentistry</i> , 2015, 2015, 1-4. | 0.2 | 9 |
| 4053 | Motorcycle-Related Traumatic Brain Injuries: Helmet Use and Treatment Outcome. <i>Neuroscience Journal</i> , 2015, 2015, 1-6. | 2.3 | 5 |
| 4054 | Mortality and One-Year Functional Outcome in Elderly and Very Old Patients with Severe Traumatic Brain Injuries: Observed and Predicted. <i>Behavioural Neurology</i> , 2015, 2015, 1-7. | 1.1 | 23 |
| 4055 | Misunderstanding of Fisher Group 4. <i>Surgery for Cerebral Stroke</i> , 2015, 43, 232-233. | 0.0 | 0 |
| 4056 | Hypertonic Saline in Paediatric Traumatic Brain Injury: A Review of Nine Yearsâ€™ Experience with 23.4% Hypertonic Saline as Standard Hyperosmolar Therapy. <i>Anaesthesia and Intensive Care</i> , 2015, 43, 204-210. | 0.2 | 24 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4057 | Combined ECG, Echocardiographic, and Biomarker Criteria for Diagnosing Acute Myocardial Infarction in Out-of-Hospital Cardiac Arrest Patients. <i>Yonsei Medical Journal</i> , 2015, 56, 887. | 0.9 | 20 |
| 4058 | Intrathecal lactate predicting hydrocephalus after aneurysmal subarachnoid hemorrhage. <i>Journal of Surgical Research</i> , 2015, 199, 523-528. | 0.8 | 12 |
| 4059 | Neurological prognostication after cardiac arrest and targeted temperature management 33°C versus 36°C: Results from a randomised controlled clinical trial. <i>Resuscitation</i> , 2015, 93, 164-170. | 1.3 | 110 |
| 4060 | The etiology and outcome of non-traumatic coma in critical care: a systematic review. <i>BMC Anesthesiology</i> , 2015, 15, 65. | 0.7 | 53 |
| 4061 | Association of gender to outcome after out-of-hospital cardiac arrest – a report from the International Cardiac Arrest Registry. <i>Critical Care</i> , 2015, 19, 182. | 2.5 | 87 |
| 4062 | Posterior fossa arteriovenous malformations: Significance of higher incidence of bleeding and hydrocephalus. <i>Clinical Neurology and Neurosurgery</i> , 2015, 134, 37-43. | 0.6 | 18 |
| 4063 | Selenium supplementation for critically ill adults. <i>The Cochrane Library</i> , 2018, 2018, CD003703. | 1.5 | 46 |
| 4064 | The Inflammatory Marker suPAR After Cardiac Arrest. <i>Therapeutic Hypothermia and Temperature Management</i> , 2015, 5, 89-94. | 0.3 | 12 |
| 4065 | High Angiopoietin-1 levels predict a good functional outcome within 72h of an aneurysmal subarachnoid hemorrhage: A prospective study from a single center. <i>Journal of the Neurological Sciences</i> , 2015, 356, 72-76. | 0.3 | 14 |
| 4066 | Emergence agitation during recovery from intracranial surgery under general anaesthesia: a protocol and statistical analysis plan for a prospective multicentre cohort study. <i>BMJ Open</i> , 2015, 5, e007542-e007542. | 0.8 | 9 |
| 4067 | The Head Injury Retrieval Trial (HIRT): a single-centre randomised controlled trial of physician prehospital management of severe blunt head injury compared with management by paramedics only. <i>Emergency Medicine Journal</i> , 2015, 32, 869-875. | 0.4 | 55 |
| 4068 | The Utility of Therapeutic Hypothermia for Post-Cardiac Arrest Syndrome Patients With an Initial Nonshockable Rhythm. <i>Circulation</i> , 2015, 132, 2146-2151. | 1.6 | 56 |
| 4069 | Impact of time to return of spontaneous circulation on neuroprotective effect of targeted temperature management at 33 or 36 degrees in comatose survivors of out-of hospital cardiac arrest. <i>Resuscitation</i> , 2015, 96, 310-316. | 1.3 | 43 |
| 4070 | Per-Protocol and Pre-Defined population analysis of the LINC study. <i>Resuscitation</i> , 2015, 96, 92-99. | 1.3 | 5 |
| 4071 | The time dependent association of adrenaline administration and survival from out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2015, 96, 180-185. | 1.3 | 44 |
| 4072 | Trends in Outcomes for Out-of-Hospital Cardiac Arrest by Age in Japan. <i>Medicine (United States)</i> , 2015, 94, e2049. | 0.4 | 53 |
| 4073 | Aneurysm Clip Compression Technique in the Surgery of Aneurysms with Hard/Calcified Neck. <i>World Neurosurgery</i> , 2015, 84, 688-696. | 0.7 | 12 |
| 4074 | Mechanical chest compression does not seem to improve outcome after out-of hospital cardiac arrest. A single center observational trial. <i>Resuscitation</i> , 2015, 96, 220-225. | 1.3 | 23 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4075 | Biochemical neuromonitoring of poor-grade aneurysmal subarachnoid hemorrhage: comparative analysis of metabolic events detected by cerebral microdialysis and by retrograde jugular vein catheterization. <i>Neurological Research</i> , 2015, 37, 578-587. | 0.6 | 12 |
| 4076 | Burden of Traumatic Brain Injury in New Zealand: Incidence, Prevalence and Disability-Adjusted Life Years. <i>Neuroepidemiology</i> , 2015, 44, 255-261. | 1.1 | 22 |
| 4077 | Association between Head Injury and Helmet Use in Alpine Skiers: Cohort Study from a Swiss Level I Trauma Center. <i>Journal of Neurotrauma</i> , 2015, 32, 557-562. | 1.7 | 23 |
| 4078 | Spontaneous subarachnoid hemorrhage of unknown origin: hospital course and long-term clinical and angiographic follow-up. <i>Journal of Neurosurgery</i> , 2015, 122, 663-670. | 0.9 | 63 |
| 4079 | Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports: Update of the Utstein Resuscitation Registry Templates for Out-of-Hospital Cardiac Arrest. <i>Circulation</i> , 2015, 132, 1286-1300. | 1.6 | 726 |
| 4080 | Handbook of Vocational Rehabilitation and Disability Evaluation. <i>Handbooks in Health, Work, and Disability</i> , 2015, , . | 0.0 | 20 |
| 4081 | Results of surgical treatment of anterior clinoidal meningiomas – our experiences. <i>Neurologia i Neurochirurgia Polska</i> , 2015, 49, 29-35. | 0.6 | 18 |
| 4082 | Validity of the Modified Charlson Comorbidity Index as Predictor of Short-term Outcome in Older Stroke Patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 330-336. | 0.7 | 20 |
| 4083 | Validation of the Pittsburgh Cardiac Arrest Category illness severity score. <i>Resuscitation</i> , 2015, 89, 86-92. | 1.3 | 115 |
| 4084 | Evaluation of vestibulo-ocular reflex in patients with damage to the central nervous system (GCS) Tj ETQq1 1 0.784314 rgBT 5/Overloc | 0.9 | 5 |
| 4085 | Acute CSF interleukin-6 trajectories after TBI: Associations with neuroinflammation, polytrauma, and outcome. <i>Brain, Behavior, and Immunity</i> , 2015, 45, 253-262. | 2.0 | 120 |
| 4086 | Robust whole-brain segmentation: Application to traumatic brain injury. <i>Medical Image Analysis</i> , 2015, 21, 40-58. | 7.0 | 146 |
| 4087 | Infratentorial complications following preresection CSF diversion in children with posterior fossa tumors. <i>Journal of Neurosurgery: Pediatrics</i> , 2015, 15, 4-11. | 0.8 | 39 |
| 4088 | Multiple imputation to deal with missing EQ-5D-3L data: Should we impute individual domains or the actual index?. <i>Quality of Life Research</i> , 2015, 24, 805-815. | 1.5 | 60 |
| 4089 | Cognitive function and health-related quality of life four years after cardiac arrest. <i>Resuscitation</i> , 2015, 89, 13-18. | 1.3 | 53 |
| 4091 | Tubercular meningitis with hydrocephalus with HIV co-infection: role of cerebrospinal fluid diversion procedures. <i>Journal of Neurosurgery</i> , 2015, 122, 1087-1095. | 0.9 | 19 |
| 4092 | Decerebrate posturing following traumatic brain injury: MRI findings and their diagnostic value. <i>Clinical Radiology</i> , 2015, 70, 278-285. | 0.5 | 5 |
| 4093 | Prehospital management of traumatic brain injury patients – a gender perspective. <i>International Emergency Nursing</i> , 2015, 23, 250-253. | 0.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4094 | New rehabilitation models for neurologic inpatients in Brazil. <i>Disability and Rehabilitation</i> , 2015, 37, 268-273. | 0.9 | 9 |
| 4095 | Long-Term Outcome and Quality of Life After Craniectomy in Speech-Dominant Swollen Middle Cerebral Artery Infarction. <i>Neurocritical Care</i> , 2015, 22, 6-14. | 1.2 | 19 |
| 4096 | Optimal Cerebral Perfusion Pressure Management at Bedside: A Single-Center Pilot Study. <i>Neurocritical Care</i> , 2015, 23, 92-102. | 1.2 | 103 |
| 4097 | Medication use and fall risk assessment for falls in an acute care hospital. <i>Geriatrics and Gerontology International</i> , 2015, 15, 856-863. | 0.7 | 35 |
| 4098 | Kidney-Brain Link in Traumatic Brain Injury Patients? A preliminary report. <i>Neurocritical Care</i> , 2015, 22, 192-201. | 1.2 | 36 |
| 4099 | Predicting outcome after traumatic brain injury. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2015, 128, 455-474. | 1.0 | 62 |
| 4100 | Variable neuroendocrine-immune dysfunction in individuals with unfavorable outcome after severe traumatic brain injury. <i>Brain, Behavior, and Immunity</i> , 2015, 45, 15-27. | 2.0 | 53 |
| 4101 | Cooling for cerebral protection during brain surgery. <i>The Cochrane Library</i> , 2015, 2015, CD006638. | 1.5 | 14 |
| 4102 | Blood Metabolomic Predictors of 1-Year Outcome in Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2015, 23, 225-232. | 1.2 | 8 |
| 4103 | The influence of age and chronic medical conditions on neurological outcomes in out of hospital cardiac arrest. <i>Resuscitation</i> , 2015, 89, 169-176. | 1.3 | 65 |
| 4104 | Functional outcome, cognition and quality of life after out-of-hospital cardiac arrest and therapeutic hypothermia: data from a randomized controlled trial. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015, 23, 12. | 1.1 | 38 |
| 4105 | Ecological validity of the Dysexecutive Questionnaire: Results from the PariS-TBI study. <i>Neuropsychological Rehabilitation</i> , 2015, 25, 864-878. | 1.0 | 29 |
| 4106 | Out-of-hospital cardiac arrest in the elderly: A large-scale population-based study. <i>Resuscitation</i> , 2015, 94, 28-32. | 1.3 | 61 |
| 4107 | A new method for evaluation of motor injury after acute brain ischemic damage. <i>International Journal of Neuroscience</i> , 2015, 125, 298-306. | 0.8 | 2 |
| 4108 | Use of multisequence 3.0-T MRI to detect severe traumatic brain injury and predict the outcome. <i>British Journal of Radiology</i> , 2015, 88, 20150129. | 1.0 | 7 |
| 4109 | Higher-volume hypertonic saline and increased thrombotic risk in pediatric traumatic brain injury. <i>Journal of Critical Care</i> , 2015, 30, 1267-1271. | 1.0 | 24 |
| 4110 | Effectiveness of implantable cardioverter-defibrillators in survivors of inhospital cardiac arrest. <i>American Heart Journal</i> , 2015, 169, 870-878.e1. | 1.2 | 3 |
| 4111 | ED prognostication of comatose cardiac arrest patients undergoing therapeutic hypothermia is unreliable. <i>American Journal of Emergency Medicine</i> , 2015, 33, 802-806. | 0.7 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4112 | Clinical and Radiological Outcomes After Treatment of Unruptured Paraophthalmic Internal Carotid Artery Aneurysms: a Comparative and Pooled Analysis of Single-Center Experiences. <i>World Neurosurgery</i> , 2015, 84, 1726-1738. | 0.7 | 23 |
| 4113 | Outcome and risk factors in children after traumatic cardiac arrest and successful resuscitation. <i>Resuscitation</i> , 2015, 96, 59-65. | 1.3 | 16 |
| 4114 | Target temperature management of 33°C and 36°C in patients with out-of-hospital cardiac arrest with initial non-shockable rhythm – A TTM sub-study. <i>Resuscitation</i> , 2015, 89, 142-148. | 1.3 | 56 |
| 4115 | High Prevalence of Pituitary Dysfunction After Aneurysmal Subarachnoid Hemorrhage: A Long-Term Prospective Study Using Dynamic Endocrine Testing. <i>World Neurosurgery</i> , 2015, 83, 574-582. | 0.7 | 22 |
| 4116 | Effect of prehospital initiation of therapeutic hypothermia in adults with cardiac arrest on time-to-target temperature. <i>Canadian Journal of Emergency Medicine</i> , 2015, 17, 240-247. | 0.5 | 6 |
| 4117 | Effectiveness of lower target temperature therapeutic hypothermia in post-cardiac arrest syndrome patients with a resuscitation interval of ≥30 min. <i>Journal of Intensive Care</i> , 2015, 3, 28. | 1.3 | 24 |
| 4118 | Association of Bystander and First-Responder Intervention With Survival After Out-of-Hospital Cardiac Arrest in North Carolina, 2010-2013. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 255. | 3.8 | 315 |
| 4119 | Spinal cord injury incidence, prognosis, and outcome: an analysis of the TraumaRegister DGU. <i>Spine Journal</i> , 2015, 15, 1994-2001. | 0.6 | 85 |
| 4120 | Attention Deficits After Aneurysmal Subarachnoid Hemorrhage Measured Using the Test of Variables of Attention. <i>Stroke</i> , 2015, 46, 1374-1376. | 1.0 | 15 |
| 4121 | Endoluminal Reconstruction for Nonsaccular Aneurysms of the Proximal Posterior Cerebral Artery with the Pipeline Embolization Device. <i>American Journal of Neuroradiology</i> , 2015, 36, 1299-1302. | 1.2 | 22 |
| 4122 | Patients Experience High Levels of Anxiety 2 Years Following Aneurysmal Subarachnoid Hemorrhage. <i>World Neurosurgery</i> , 2015, 83, 1090-1097. | 0.7 | 34 |
| 4123 | Alternative Clinical Trial Design in Neurocritical Care. <i>Neurocritical Care</i> , 2015, 22, 378-384. | 1.2 | 4 |
| 4124 | Validation of a New Clinico-Radiological Grading for Compound Head Injury: Implications on the Prognosis and the Need for Surgical Intervention. <i>World Neurosurgery</i> , 2015, 84, 1244-1250. | 0.7 | 19 |
| 4125 | Severity and distribution of spasticity does not limit mobility or influence compensatory strategies following traumatic brain injury. <i>Brain Injury</i> , 2015, 29, 1232-1238. | 0.6 | 12 |
| 4126 | Elderly patients with intracranial aneurysms have higher quality of life after coil embolization: a decision analysis. <i>Journal of NeuroInterventional Surgery</i> , 2015, 7, 898-904. | 2.0 | 18 |
| 4127 | What is the outcome of cancer patients admitted to the ICU after cardiac arrest? Results from a multicenter study. <i>Resuscitation</i> , 2015, 92, 38-44. | 1.3 | 33 |
| 4128 | Spectral analysis-based risk score enables early prediction of mortality and cerebral performance in patients undergoing therapeutic hypothermia for ventricular fibrillation and comatose status. <i>International Journal of Cardiology</i> , 2015, 186, 250-258. | 0.8 | 9 |
| 4129 | Treatment and Outcomes Among 102 Posterior Inferior Cerebellar Artery Aneurysms: A Comparison of Endovascular and Microsurgical Clip Ligation. <i>World Neurosurgery</i> , 2015, 83, 784-793. | 0.7 | 42 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4130 | Feasibility of the combination of 3D CTA and 2D CT imaging guidance for clipping microsurgery of anterior communicating artery aneurysm. <i>British Journal of Neurosurgery</i> , 2015, 29, 229-236. | 0.4 | 5 |
| 4131 | Rehabilitation of Moderate-to-Severe Traumatic Brain Injury. <i>Seminars in Neurology</i> , 2015, 35, e1-e13. | 0.5 | 33 |
| 4132 | Impact of specialist neurovascular care in subarachnoid haemorrhage. <i>Clinical Neurology and Neurosurgery</i> , 2015, 133, 55-60. | 0.6 | 11 |
| 4133 | Shorter time to target temperature is associated with poor neurologic outcome in post-arrest patients treated with targeted temperature management. <i>Resuscitation</i> , 2015, 88, 114-119. | 1.3 | 63 |
| 4134 | A novel classification of frontal bone fractures: The prognostic significance of vertical fracture trajectory and skull base extension. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2015, 68, 645-653. | 0.5 | 17 |
| 4135 | Survival in patients without acute ST elevation after cardiac arrest and association with early coronary angiography: a post hoc analysis from the TTM trial. <i>Intensive Care Medicine</i> , 2015, 41, 856-864. | 3.9 | 84 |
| 4136 | Prospective study of the correlation between admission plasma homocysteine levels and neurological outcome following subarachnoid hemorrhage: A case for the reverse epidemiology paradox?. <i>Acta Neurochirurgica</i> , 2015, 157, 399-407. | 0.9 | 25 |
| 4137 | Therapeutic hypothermia after nonshockable cardiac arrest: the HYPERION multicenter, randomized, controlled, assessor-blinded, superiority trial. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015, 23, 26. | 1.1 | 29 |
| 4138 | Neurologic Function and Health-Related Quality of Life in Patients Following Targeted Temperature Management at 33°C vs 36°C After Out-of-Hospital Cardiac Arrest. <i>JAMA Neurology</i> , 2015, 72, 634. | 4.5 | 150 |
| 4139 | Neuron-Specific Enolase as a Predictor of Death or Poor Neurological Outcome After Out-of-Hospital Cardiac Arrest and Targeted Temperature Management at 33°C and 36°C. <i>Journal of the American College of Cardiology</i> , 2015, 65, 2104-2114. | 1.2 | 248 |
| 4140 | Side of pupillary mydriasis predicts the cognitive prognosis in patients with severe traumatic brain injury. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 392-405. | 0.7 | 6 |
| 4141 | Nonsurgical acute traumatic subdural hematoma: what is the risk?. <i>Journal of Neurosurgery</i> , 2015, 123, 1176-1183. | 0.9 | 62 |
| 4142 | Prophylactic antibiotics are associated with a lower incidence of pneumonia in cardiac arrest survivors treated with targeted temperature management. <i>Resuscitation</i> , 2015, 92, 154-159. | 1.3 | 53 |
| 4143 | Efficiency and safety of a noninvasive therapeutic hypothermia protocol in cardiac arrest. <i>European Journal of Emergency Medicine</i> , 2015, 22, 29-34. | 0.5 | 4 |
| 4144 | Therapeutic Hypothermia in Children After Cardiac Arrest. <i>Pediatric Emergency Care</i> , 2015, 31, 296-303. | 0.5 | 18 |
| 4145 | Clinical Course Score (CCS). <i>Journal of Neurosurgical Anesthesiology</i> , 2015, 27, 26-30. | 0.6 | 3 |
| 4146 | Hemodynamics and Vasopressor Support During Targeted Temperature Management at 33°C Versus 36°C After Out-of-Hospital Cardiac Arrest. <i>Critical Care Medicine</i> , 2015, 43, 318-327. | 0.4 | 144 |
| 4147 | Hospital costs of out-of-hospital cardiac arrest patients treated in intensive care; a single centre evaluation using the national tariff-based system. <i>BMJ Open</i> , 2015, 5, e005797-e005797. | 0.8 | 46 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4148 | The use of hypnosis in severe brain injury rehabilitation: a case report. <i>Acta Neurologica Belgica</i> , 2015, 115, 771-772. | 0.5 | 7 |
| 4149 | Patients with subarachnoid haemorrhage from vertebrobasilar dissection: treatment with stent-in-stent technique. <i>Neuroradiology</i> , 2015, 57, 605-614. | 1.1 | 17 |
| 4150 | Magnesium Sulfate for Acute Traumatic Brain Injury. <i>Journal of Craniofacial Surgery</i> , 2015, 26, 393-398. | 0.3 | 21 |
| 4152 | Decompressive hemicraniectomy with or without clot evacuation for large spontaneous supratentorial intracerebral hemorrhages. <i>Clinical Neurology and Neurosurgery</i> , 2015, 128, 117-122. | 0.6 | 34 |
| 4153 | Cohort Study on the Association Between Helmet Use and Traumatic Brain Injury in Snowboarders From a Swiss Tertiary Trauma Center. <i>World Neurosurgery</i> , 2015, 84, 805-812. | 0.7 | 9 |
| 4154 | Natural history and treatment of craniocervical junction dural arteriovenous fistulas. <i>Journal of Clinical Neuroscience</i> , 2015, 22, 1701-1707. | 0.8 | 71 |
| 4155 | Service utilisation in a public post-acute rehabilitation unit following traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2015, 25, 841-863. | 1.0 | 6 |
| 4156 | Clinical Practice Variability in Temperature Correction of Arterial Blood Gas Measurements and Outcomes in Hypothermia-Treated Patients After Cardiac Arrest. <i>Therapeutic Hypothermia and Temperature Management</i> , 2015, 5, 135-142. | 0.3 | 2 |
| 4157 | Surgical challenges for lateral ventricle meningiomas: A consecutive series of 21 patients. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2015, 35, 742-746. | 1.0 | 7 |
| 4158 | Brain ventricular dimensions and relationship to outcome in adult patients with bacterial meningitis. <i>BMC Infectious Diseases</i> , 2015, 15, 367. | 1.3 | 8 |
| 4159 | Levels of F ₂ -isoprostanes, F ₄ -neuroprostanes, and total nitrate/nitrite in plasma and cerebrospinal fluid of patients with traumatic brain injury. <i>Free Radical Research</i> , 2015, 49, 1419-1430. | 1.5 | 22 |
| 4160 | Resection of olfactory groove meningioma – a review of complications and prognostic factors. <i>British Journal of Neurosurgery</i> , 2015, 29, 685-692. | 0.4 | 18 |
| 4161 | The impact of British Neurosurgery on traumatic brain injury research. <i>British Journal of Neurosurgery</i> , 2015, 29, 604-605. | 0.4 | 0 |
| 4162 | Patterns of post-acute health care utilization after a severe traumatic brain injury: Results from the Paris-TBI cohort. <i>Brain Injury</i> , 2015, 29, 701-708. | 0.6 | 31 |
| 4163 | Matrix Metalloproteinase Expression in Contusional Traumatic Brain Injury: A Paired Microdialysis Study. <i>Journal of Neurotrauma</i> , 2015, 32, 1553-1559. | 1.7 | 56 |
| 4164 | Head Injury in Children. <i>Journal of Child Neurology</i> , 2015, 30, 1153-1158. | 0.7 | 7 |
| 4165 | Adverse events associated with poor neurological outcome during targeted temperature management and advanced critical care after out-of-hospital cardiac arrest. <i>Critical Care</i> , 2015, 19, 283. | 2.5 | 36 |
| 4166 | Clinical characteristics and outcome of clinically diagnosed viral encephalitis in southwest China. <i>Neurological Sciences</i> , 2015, 36, 2191-2197. | 0.9 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4167 | One-year outcome after prehospital intubation. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 524-530. | 0.7 | 5 |
| 4168 | Hypoxia and Outcome Prediction in Early-Stage Coma (Project HOPE): an observational prospective cohort study. <i>BMC Neurology</i> , 2015, 15, 82. | 0.8 | 5 |
| 4169 | EPO in traumatic brain injury: two strikes but not out?. <i>Lancet, The</i> , 2015, 386, 2452-2454. | 6.3 | 6 |
| 4170 | Do Lower Target Temperatures or Prolonged Cooling Provide Improved Outcomes for Comatose Survivors of Cardiac Arrest Treated With Hypothermia?. <i>Journal of the American Heart Association</i> , 2015, 4, e002123. | 1.6 | 24 |
| 4171 | Measuring Serum Amyloid A for Infection Prediction in Aneurysmal Subarachnoid Hemorrhage. <i>Journal of Proteome Research</i> , 2015, 14, 3948-3956. | 1.8 | 20 |
| 4172 | Long-Term Excess Mortality After Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2015, 46, 1813-1818. | 1.0 | 72 |
| 4173 | Intrinsic Functional Connectivity Patterns Predict Consciousness Level and Recovery Outcome in Acquired Brain Injury. <i>Journal of Neuroscience</i> , 2015, 35, 12932-12946. | 1.7 | 128 |
| 4174 | Policies Allowing Family Presence During Resuscitation and Patterns of Care During In-Hospital Cardiac Arrest. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015, 8, 226-234. | 0.9 | 43 |
| 4176 | Validation of the modified Graeb score in aneurysmal subarachnoid hemorrhage. <i>Acta Neurochirurgica</i> , 2015, 157, 1867-1872. | 0.9 | 14 |
| 4177 | Survival from sports-related sudden cardiac arrest: In sports facilities versus outside of sports facilities. <i>American Heart Journal</i> , 2015, 170, 339-345.e1. | 1.2 | 25 |
| 4178 | Increased return of spontaneous circulation at the expense of neurologic outcomes: Is prehospital epinephrine for out-of-hospital cardiac arrest really worth it?. <i>Journal of Critical Care</i> , 2015, 30, 1376-1381. | 1.0 | 61 |
| 4179 | Serum caspase-cleaved cytokeratin-18 levels and outcomes after aneurysmal subarachnoid hemorrhage. <i>Journal of the Neurological Sciences</i> , 2015, 359, 298-304. | 0.3 | 13 |
| 4180 | Management of recurrent aneurysms following endovascular therapy. <i>Journal of Clinical Neuroscience</i> , 2015, 22, 1901-1906. | 0.8 | 8 |
| 4181 | Perceptions of links between family history and the experience of illness among brain-damaged patients and their families. <i>Annals of Physical and Rehabilitation Medicine</i> , 2015, 58, 179-182. | 1.1 | 0 |
| 4182 | Effects of Clot Removal by Meticulous Irrigation and Continuous Low-Dose Intravenous Nicardipine on Symptomatic Cerebral Vasospasm in Patients with Aneurysmal Subarachnoid Hemorrhage Treated by Clipping. <i>World Neurosurgery</i> , 2015, 84, 1798-1803. | 0.7 | 13 |
| 4183 | The relationship between age and outcome in out-of-hospital cardiac arrest patients. <i>Resuscitation</i> , 2015, 94, 49-54. | 1.3 | 64 |
| 4184 | The role of bystanders, first responders, and emergency medical service providers in timely defibrillation and related outcomes after out-of-hospital cardiac arrest: Results from a statewide registry. <i>Resuscitation</i> , 2015, 96, 303-309. | 1.3 | 95 |
| 4185 | Early targeted brain COOLing in the cardiac CATHeterisation laboratory following cardiac arrest (COOLCATH). <i>Resuscitation</i> , 2015, 97, 61-67. | 1.3 | 17 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4186 | Thrombolysis after initially unsuccessful cardiopulmonary resuscitation in presumed pulmonary embolism. <i>American Journal of Emergency Medicine</i> , 2015, 33, 132.e1-132.e2. | 0.7 | 10 |
| 4187 | Automated cardiopulmonary resuscitation using a load-distributing band external cardiac support device for in-hospital cardiac arrest: A single centre experience of AutoPulse-CPR. <i>International Journal of Cardiology</i> , 2015, 180, 7-14. | 0.8 | 19 |
| 4188 | Effects of statins-use for patients with aneurysmal subarachnoid hemorrhage: a meta-analysis of randomized controlled trials. <i>Scientific Reports</i> , 2015, 4, 4573. | 1.6 | 22 |
| 4189 | Outcome Prediction in Patients After Cardiac Arrest: A Simplified Method for Determination of Grayâ€“White Matter Ratio in Cranial Computed Tomography. <i>Clinical Neuroradiology</i> , 2015, 25, 49-54. | 1.0 | 50 |
| 4190 | Improved outcome in Sweden after out-of-hospital cardiac arrest and possible association with improvements in every link in the chain of survival. <i>European Heart Journal</i> , 2015, 36, 863-871. | 1.0 | 126 |
| 4191 | Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports: Update of the Utstein Resuscitation Registry Templates for Out-of-Hospital Cardiac Arrest. <i>Resuscitation</i> , 2015, 96, 328-340. | 1.3 | 541 |
| 4192 | Quantitative Lobar Cerebral Blood Flow for Outcome Prediction after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2015, 32, 75-82. | 1.7 | 12 |
| 4193 | Prolonged Mild Therapeutic Hypothermia versus Fever Control with Tight Hemodynamic Monitoring and Slow Rewarming in Patients with Severe Traumatic Brain Injury: A Randomized Controlled Trial. <i>Journal of Neurotrauma</i> , 2015, 32, 422-429. | 1.7 | 125 |
| 4194 | Long-term survival with unfavourable outcome: a qualitative and ethical analysis. <i>Journal of Medical Ethics</i> , 2015, 41, 963-969. | 1.0 | 14 |
| 4195 | Practical Scale for the Management of Head Injured Patients in Coma or with Possible Multiple Injuries. <i>Journal of Neurology and Neuroscience</i> , 2016, 7, . | 0.4 | 0 |
| 4196 | Profile and Outcome of In-hospital Cardiac Arrest in Coronary Care Unit of a Tertiary Care Hospital. <i>Cardiovascular Journal</i> , 2016, 8, 123-127. | 0.0 | 0 |
| 4197 | Clinical outcomes of surgical clipping for intracranial aneurysms in patients with a Hunt and Hess grade 4 or 5. <i>Arquivos De Neuro-Psiquiatria</i> , 2016, 74, 478-481. | 0.3 | 5 |
| 4198 | Traumatic Brain Injury: Treatment with Mild Prolonged Hypothermia. <i>Journal of Anesthesia & Clinical Research</i> , 2016, 07, . | 0.1 | 0 |
| 4199 | A Randomized Controlled Trial of Compression Rates during Cardiopulmonary Resuscitation. <i>Journal of Korean Medical Science</i> , 2016, 31, 1491. | 1.1 | 11 |
| 4200 | The Development of Neuroendocrine Disturbances over Time: Longitudinal Findings in Patients after Traumatic Brain Injury and Subarachnoid Hemorrhage. <i>International Journal of Molecular Sciences</i> , 2016, 17, 2. | 1.8 | 30 |
| 4201 | Clinical outcomes of 3-year experience of targeted temperature management in patients with out-of-hospital cardiac arrest at Songklanagarind Hospital in Southern Thailand: an analysis of the MICU-TTM registry. <i>Open Access Emergency Medicine</i> , 2016, Volume 8, 67-72. | 0.6 | 4 |
| 4202 | Traumatic brain injury in a rural indigenous population in Canada: a community-based approach to surveillance. <i>CMAJ Open</i> , 2016, 4, E249-E259. | 1.1 | 9 |
| 4203 | Prognostic Value of Initial Standard EEG and MRI in Patients with Herpes Simplex Encephalitis. <i>Journal</i> | | |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4204 | Utility of serum concentration of protein S100 at admission to the medical intensive care unit in prediction of permanent neurological injury. <i>Kardiochirurgia I Torakochirurgia Polska</i> , 2016, 4, 347-352. | 0.1 | 2 |
| 4205 | Clinical Outcome of Acute Epidural Hematoma in Korea: Preliminary Report of 285 Cases Registered in the Korean Trauma Data Bank System. <i>Korean Journal of Neurotrauma</i> , 2016, 12, 47. | 0.2 | 12 |
| 4206 | Perioperative Predictors of Extubation Failure and the Effect on Clinical Outcome After Infratentorial Craniotomy. <i>Medical Science Monitor</i> , 2016, 22, 2431-2438. | 0.5 | 17 |
| 4207 | Review and Outcome of Prolonged Cardiopulmonary Resuscitation. <i>Critical Care Research and Practice</i> , 2016, 2016, 1-9. | 0.4 | 16 |
| 4208 | <i>Nao-Xue-Shu</i> Oral Liquid Protects and Improves Secondary Brain Insults of Hypertensive Cerebral Hemorrhage. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016, 2016, 1-6. | 0.5 | 6 |
| 4209 | Feasibility of Magnetoencephalography after Endovascular Treatment of Ruptured Intracranial Aneurysms. <i>Frontiers in Neurology</i> , 2016, 7, 163. | 1.1 | 2 |
| 4210 | What is the value of regional cerebral saturation in post-cardiac arrest patients? A prospective observational study. <i>Critical Care</i> , 2016, 20, 327. | 2.5 | 30 |
| 4211 | GLP-1 analogues for neuroprotection after out-of-hospital cardiac arrest: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 304. | 0.7 | 10 |
| 4212 | Leptin levels after subarachnoid haemorrhage are gender dependent. <i>SpringerPlus</i> , 2016, 5, 667. | 1.2 | 1 |
| 4213 | Results of early cranial decompression as an initial approach for damage control therapy in severe traumatic brain injury in a hospital with limited resources. <i>Journal of Neurosciences in Rural Practice</i> , 2016, 7, 7-12. | 0.3 | 15 |
| 4214 | Alcohol Intoxication Reduces Systemic Interleukin-6 Levels and Leukocyte Counts After Severe TBI Compared With Not Intoxicated TBI Patients. <i>Shock</i> , 2016, 46, 261-269. | 1.0 | 30 |
| 4215 | Impact of acute kidney injury on patient outcome in out-of-hospital cardiac arrest: a prospective observational study. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 1170-1181. | 0.7 | 26 |
| 4216 | Can we identify termination of resuscitation criteria in cardiac arrest due to drowning: results from the French national out-of-hospital cardiac arrest registry. <i>Journal of Evaluation in Clinical Practice</i> , 2016, 22, 928-935. | 0.9 | 10 |
| 4217 | Autonomic Impairment in Severe Traumatic Brain Injury: A Multimodal Neuromonitoring Study. <i>Critical Care Medicine</i> , 2016, 44, 1173-1181. | 0.4 | 61 |
| 4218 | Swiftly Decreasing Cerebrospinal Fluid Cathelicidin Concentration Predicts Improved Outcome in Childhood Bacterial Meningitis. <i>Journal of Clinical Microbiology</i> , 2016, 54, 1648-1649. | 1.8 | 3 |
| 4219 | Prognosis of Variant Angina Manifesting as Aborted Sudden Cardiac Death. <i>Journal of the American College of Cardiology</i> , 2016, 68, 137-145. | 1.2 | 102 |
| 4220 | Outcome After Decompressive Craniectomy in Different Pathologies. <i>World Neurosurgery</i> , 2016, 93, 389-397. | 0.7 | 9 |
| 4221 | Prehospital traumatic cardiac arrest. <i>Journal of Trauma and Acute Care Surgery</i> , 2016, 81, 285-293. | 1.1 | 85 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4222 | Plasma thrombospondin-1 and clinical outcomes in traumatic brain injury. <i>Acta Neurologica Scandinavica</i> , 2016, 134, 189-196. | 1.0 | 4 |
| 4223 | Association of mean platelet volume and platelet count with the development and prognosis of ischemic and hemorrhagic stroke. <i>International Journal of Laboratory Hematology</i> , 2016, 38, 233-239. | 0.7 | 72 |
| 4224 | Neuroendocrine Disturbances One to Five or More Years after Traumatic Brain Injury and Aneurysmal Subarachnoid Hemorrhage: Data from the German Database on Hypopituitarism. <i>Journal of Neurotrauma</i> , 2016, 33, 1544-1553. | 1.7 | 37 |
| 4225 | The Combination of Biomarkers for Prognostication of Long-Term Outcome in Patients Treated with Mild Hypothermia After Out-of-Hospital Cardiac Arrest—A Pilot Study. <i>Therapeutic Hypothermia and Temperature Management</i> , 2016, 6, 85-90. | 0.3 | 24 |
| 4226 | Temporal Patterns of Circulating Inflammation Biomarker Networks Differentiate Susceptibility to Nosocomial Infection Following Blunt Trauma in Humans. <i>Annals of Surgery</i> , 2016, 263, 191-198. | 2.1 | 122 |
| 4227 | Intraoperative mild hypothermia for postoperative neurological deficits in people with intracranial aneurysm. <i>The Cochrane Library</i> , 2016, 2016, CD008445. | 1.5 | 16 |
| 4228 | Cognitive functioning following traumatic brain injury: A five-year follow-up. <i>NeuroRehabilitation</i> , 2016, 38, 71-78. | 0.5 | 24 |
| 4229 | Regionalisation of trauma care in England. <i>Bone and Joint Journal</i> , 2016, 98-B, 1253-1261. | 1.9 | 28 |
| 4230 | Chronic subdural hematoma: Differences between unilateral and bilateral occurrence. <i>Journal of Clinical Neuroscience</i> , 2016, 34, 252-258. | 0.8 | 33 |
| 4231 | Early Cerebral Circulation Disturbance in Patients Suffering from Severe Traumatic Brain Injury (TBI): A Xenon CT and Perfusion CT Study. <i>Neurologia Medico-Chirurgica</i> , 2016, 56, 501-509. | 1.0 | 25 |
| 4232 | Use of S-100B, NSE, CRP and ESR to predict neurological outcomes in patients with return of spontaneous circulation and treated with hypothermia. <i>Emergency Medicine Journal</i> , 2016, 33, 690-695. | 0.4 | 26 |
| 4233 | Predicting Intracranial Pressure and Brain Tissue Oxygen Crises in Patients With Severe Traumatic Brain Injury. <i>Critical Care Medicine</i> , 2016, 44, 1754-1761. | 0.4 | 43 |
| 4234 | Informatics in neurocritical care. <i>Current Opinion in Critical Care</i> , 2016, 22, 1. | 1.6 | 13 |
| 4235 | Automated assessment of early hypoxic brain edema in non-enhanced CT predicts outcome in patients after cardiac arrest. <i>Resuscitation</i> , 2016, 104, 91-94. | 1.3 | 30 |
| 4236 | Functional polymorphisms of macrophage migration inhibitory factor as predictors of morbidity and mortality of pneumococcal meningitis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 3597-3602. | 3.3 | 55 |
| 4237 | Supervivencia y estado neurológico tras muerte súbita cardiaca extrahospitalaria. Resultados del Registro Andaluz de Parada Cardiorrespiratoria Extrahospitalaria. <i>Revista Espanola De Cardiologia</i> , 2016, 69, 494-500. | 0.6 | 10 |
| 4238 | Epidural Hematoma Treated Conservatively: When to Expect the Worst. <i>Canadian Journal of Neurological Sciences</i> , 2016, 43, 74-81. | 0.3 | 21 |
| 4239 | Representativity and co-morbidity: Two factors of importance when reporting health status among survivors of cardiac arrest. <i>Resuscitation</i> , 2016, 101, 44-49. | 1.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4240 | Patient-Specific Thresholds and Doses of Intracranial Hypertension in Severe Traumatic Brain Injury. <i>Acta Neurochirurgica Supplementum</i> , 2016, 122, 117-120. | 0.5 | 14 |
| 4241 | Pre-hospital severe traumatic brain injury – comparison of outcome in paramedic versus physician staffed emergency medical services. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016, 24, 62. | 1.1 | 39 |
| 4242 | Corticosteroid therapy in refractory shock following cardiac arrest: a randomized, double-blind, placebo-controlled, trial. <i>Critical Care</i> , 2016, 20, 82. | 2.5 | 46 |
| 4243 | Association of initial rhythm with neurologically favorable survival in non-shockable out-of-hospital cardiac arrest without a bystander witness or bystander cardiopulmonary resuscitation. <i>European Journal of Internal Medicine</i> , 2016, 30, 61-67. | 1.0 | 17 |
| 4244 | Poststroke Aphasia Frequency, Recovery, and Outcomes: A Systematic Review and Meta-Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 2188-2201.e8. | 0.5 | 248 |
| 4245 | The impact of downtime on neurologic intact survival in patients with targeted temperature management after out-of-hospital cardiac arrest: National multicenter cohort study. <i>Resuscitation</i> , 2016, 105, 203-208. | 1.3 | 31 |
| 4246 | Pre-hospital Delay as Determinant of Ischemic Stroke Outcome in an Italian Cohort of Patients Not Receiving Thrombolysis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 1458-1466. | 0.7 | 10 |
| 4247 | Influence of the temperature on the moment of awakening in patients treated with therapeutic hypothermia after cardiac arrest. <i>Resuscitation</i> , 2016, 103, 32-36. | 1.3 | 31 |
| 4248 | Regional Variation in Out-of-Hospital Cardiac Arrest Survival in the United States. <i>Circulation</i> , 2016, 133, 2159-2168. | 1.6 | 212 |
| 4249 | Modified Rankin Scale and Short-Term Outcome in Cranial Neurosurgery: A Prospective and Unselected Cohort Study. <i>World Neurosurgery</i> , 2016, 91, 567-573.e7. | 0.7 | 24 |
| 4250 | Outcomes in Cardiac Arrest Patients due to Toxic Exposure Treated with Therapeutic Hypothermia. <i>Journal of Medical Toxicology</i> , 2016, 12, 263-269. | 0.8 | 6 |
| 4251 | Poor outcome is associated with less negative fluid balance in patients with aneurysmal subarachnoid hemorrhage treated with prophylactic vasopressor-induced hypertension. <i>Annals of Intensive Care</i> , 2016, 6, 25. | 2.2 | 19 |
| 4252 | Combination of low-contact cerclage wiring and osteosynthesis in the treatment of femoral fractures. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2016, 26, 397-406. | 0.6 | 15 |
| 4253 | Uncertainty, conflict and consent: revisiting the futility debate in neurotrauma. <i>Acta Neurochirurgica</i> , 2016, 158, 1251-1257. | 0.9 | 10 |
| 4254 | Dural sinus obstruction following head injury: a diagnostic and clinical study. <i>Journal of Neurosurgery: Pediatrics</i> , 2016, 18, 253-262. | 0.8 | 16 |
| 4255 | Ultra-early microsurgical treatment within 24 h of SAH improves prognosis of poor-grade aneurysm combined with intracerebral hematoma. <i>Oncology Letters</i> , 2016, 11, 3173-3178. | 0.8 | 22 |
| 4256 | Recovery of consciousness after 7 years in vegetative state of non-traumatic origin: A single case study. <i>Brain Injury</i> , 2016, 30, 1029-1034. | 0.6 | 16 |
| 4257 | Comparison of team-focused CPR vs standard CPR in resuscitation from out-of-hospital cardiac arrest: Results from a statewide quality improvement initiative. <i>Resuscitation</i> , 2016, 105, 165-172. | 1.3 | 48 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4259 | Thrombus remnant despite intra-arterial thrombolysis for thrombus formation during endovascular treatment of ruptured cerebral aneurysms: Does it harm?. <i>Interventional Neuroradiology</i> , 2016, 22, 407-412. | 0.7 | 8 |
| 4260 | Single electroencephalographic patterns as specific and time-dependent indicators of good and poor outcome after cardiac arrest. <i>Clinical Neurophysiology</i> , 2016, 127, 2610-2617. | 0.7 | 65 |
| 4261 | Delayed awakening after cardiac arrest: prevalence and risk factors in the Parisian registry. <i>Intensive Care Medicine</i> , 2016, 42, 1128-1136. | 3.9 | 109 |
| 4263 | Can Serum Glucose Level in Early Admission Predict Outcome in Patients with Severe Head Trauma?. <i>World Neurosurgery</i> , 2016, 87, 132-135. | 0.7 | 9 |
| 4264 | Lower Health-Related Quality of Life in Polytrauma Patients. <i>Medicine (United States)</i> , 2016, 95, e3515. | 0.4 | 24 |
| 4265 | Pre-hospital versus in-hospital initiation of cooling for survival and neuroprotection after out-of-hospital cardiac arrest. <i>The Cochrane Library</i> , 2016, 3, CD010570. | 1.5 | 17 |
| 4266 | Iatrogenic intracranial placement of nasopharyngeal airway after trauma. <i>British Journal of Neurosurgery</i> , 2016, 30, 448-449. | 0.4 | 0 |
| 4267 | External drains versus no drains after burr-hole evacuation for the treatment of chronic subdural haematoma in adults. <i>The Cochrane Library</i> , 2016, 2016, CD011402. | 1.5 | 32 |
| 4268 | Outcome and predictors for successful resuscitation in the emergency room of adult patients in traumatic cardiorespiratory arrest. <i>Critical Care</i> , 2016, 20, 282. | 2.5 | 25 |
| 4269 | An intervention for cardiac arrest survivors with chronic fatigue: A feasibility study with preliminary outcomes. <i>Resuscitation</i> , 2016, 105, 109-115. | 1.3 | 19 |
| 4270 | Effect of stimulus type and temperature on EEG reactivity in cardiac arrest. <i>Clinical Neurophysiology</i> , 2016, 127, 3412-3417. | 0.7 | 23 |
| 4271 | Functional resting-state fMRI connectivity correlates with serum levels of the S100B protein in the acute phase of traumatic brain injury. <i>NeuroImage: Clinical</i> , 2016, 12, 1004-1012. | 1.4 | 52 |
| 4272 | Inter-rater reliability of post-arrest cerebral performance category (CPC) scores. <i>Resuscitation</i> , 2016, 109, 21-24. | 1.3 | 58 |
| 4273 | Soluble urokinase plasminogen activator receptor (suPAR): Its relation to neurological outcome in patients with survived cardiac arrest. <i>IJC Metabolic & Endocrine</i> , 2016, 12, 8-13. | 0.5 | 1 |
| 4274 | Association Between Therapeutic Hypothermia and Survival After In-Hospital Cardiac Arrest. <i>JAMA - Journal of the American Medical Association</i> , 2016, 316, 1375. | 3.8 | 119 |
| 4275 | Helium ventilation for treatment of post-cardiac arrest syndrome: A safety and feasibility study. <i>Resuscitation</i> , 2016, 107, 145-149. | 1.3 | 7 |
| 4276 | Neuroepidemiology of traumatic brain injury. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2016, 138, 207-223. | 1.0 | 97 |
| 4277 | Comparison of the pharmacokinetics of vancomycin in neurosurgical and non-neurosurgical patients. <i>International Journal of Antimicrobial Agents</i> , 2016, 48, 381-387. | 1.1 | 18 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4278 | Controversies in the Management of Traumatic Brain Injury. <i>Anesthesiology Clinics</i> , 2016, 34, 557-575. | 0.6 | 11 |
| 4279 | De novo status epilepticus is associated with adverse outcome: An 11-year retrospective study in Hong Kong. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2016, 40, 42-45. | 0.9 | 8 |
| 4280 | Decompressive Craniectomy for Ischemic Stroke: Effect of Hemorrhagic Transformation on Outcome. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 2177-2183. | 0.7 | 13 |
| 4281 | Treatment of Unruptured Intracranial Aneurysms and Cognitive Performance: Preliminary Results of a Prospective Clinical Trial. <i>World Neurosurgery</i> , 2016, 94, 145-156. | 0.7 | 16 |
| 4282 | Peculiarities of Neurological Disorders and Study Designs. <i>Frontiers of Neurology and Neuroscience</i> , 2016, 39, 8-23. | 3.0 | 1 |
| 4284 | External validation of the Norwegian survival prediction model in trauma after major trauma in Southern Finland. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 48-58. | 0.7 | 10 |
| 4285 | Intracerebral hemorrhage score in patients with spontaneous intracerebral hemorrhage pretreated and not treated with antithrombotics. <i>Neurology and Clinical Neuroscience</i> , 2016, 4, 169-175. | 0.2 | 2 |
| 4286 | Status epilepticus in the elderly—A retrospective study on 120 patients. <i>Epilepsy Research</i> , 2016, 127, 317-323. | 0.8 | 46 |
| 4287 | Epidemiology and outcomes of out-of-hospital cardiac arrest in Qatar: A nationwide observational study. <i>International Journal of Cardiology</i> , 2016, 223, 1007-1013. | 0.8 | 20 |
| 4288 | Past, Present, and Future of Traumatic Brain Injury Research. <i>Neurosurgery Clinics of North America</i> , 2016, 27, 375-396. | 0.8 | 54 |
| 4289 | Increased Frontal Lobe Activation After Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2016, 47, 2503-2510. | 1.0 | 10 |
| 4290 | Conventional Versus Compression-Only Versus No-Bystander Cardiopulmonary Resuscitation for Pediatric Out-of-Hospital Cardiac Arrest. <i>Circulation</i> , 2016, 134, 2060-2070. | 1.6 | 64 |
| 4291 | Neuroprotective Effects of the Glucagon-Like Peptide-1 Analog Exenatide After Out-of-Hospital Cardiac Arrest. <i>Circulation</i> , 2016, 134, 2115-2124. | 1.6 | 42 |
| 4292 | Characteristics and Predictors of Mortality in Patients With Cardiovascular Shock in Japan—Results From the Japanese Circulation Society Cardiovascular Shock Registry. <i>Circulation Journal</i> , 2016, 80, 852-859. | 0.7 | 27 |
| 4293 | Recovery of functional capacity in severe trauma victims at one year after injury: association with trauma-related and hospital stay aspects. <i>Journal of Physical Therapy Science</i> , 2016, 28, 1432-1437. | 0.2 | 3 |
| 4294 | Prolonged CPR. <i>Trends in Anaesthesia and Critical Care</i> , 2016, 9, 13-19. | 0.4 | 2 |
| 4295 | Functional Outcome After Poor-Grade Subarachnoid Hemorrhage: A Single-Center Study and Systematic Literature Review. <i>Neurocritical Care</i> , 2016, 25, 338-350. | 1.2 | 63 |
| 4296 | Utility of neuron-specific enolase in traumatic brain injury; relations to S100B levels, outcome, and extracranial injury severity. <i>Critical Care</i> , 2016, 20, 285. | 2.5 | 116 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4297 | Results of Clipping Surgery for Aneurysmal Subarachnoid Hemorrhage in Elderly Patients Aged 90 or Older. <i>Acta Neurochirurgica Supplementum</i> , 2016, 123, 13-16. | 0.5 | 7 |
| 4298 | Management and outcome of traumatic epidural hematoma in 41 infants and children from a single center. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2016, 102, 769-774. | 0.9 | 11 |
| 4299 | Effect of prehospital epinephrine on out-of-hospital cardiac arrest: a report from the national out-of-hospital cardiac arrest data registry in Japan, 2011-2012. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 1255-1264. | 0.8 | 21 |
| 4300 | The Glasgow Outcome Scale - 40 years of application and refinement. <i>Nature Reviews Neurology</i> , 2016, 12, 477-485. | 4.9 | 226 |
| 4301 | Coronary angiography after cardiac arrest: Rationale and design of the COACT trial. <i>American Heart Journal</i> , 2016, 180, 39-45. | 1.2 | 28 |
| 4302 | Early Cranioplasty in Patients With Posttraumatic Decompressive Craniectomy and Its Correlation with Changes in Cerebral Perfusion Parameters and Neurocognitive Outcome. <i>World Neurosurgery</i> , 2016, 94, 303-308. | 0.7 | 19 |
| 4303 | Disability and health-related quality-of-life 4 years after a severe traumatic brain injury: A structural equation modelling analysis. <i>Brain Injury</i> , 2016, 30, 1665-1671. | 0.6 | 30 |
| 4304 | Influence of body mass index on the prognosis of patients successfully resuscitated from out-of-hospital cardiac arrest treated by therapeutic hypothermia. <i>Resuscitation</i> , 2016, 109, 49-55. | 1.3 | 33 |
| 4305 | Serum neurofilament light protein predicts clinical outcome in traumatic brain injury. <i>Scientific Reports</i> , 2016, 6, 36791. | 1.6 | 281 |
| 4307 | Urine biomarkers give early prediction of acute kidney injury and outcome after out-of-hospital cardiac arrest. <i>Critical Care</i> , 2016, 20, 314. | 2.5 | 25 |
| 4308 | Pediatric Traumatic Brain Injury :. <i>The Japanese Journal of Rehabilitation Medicine</i> , 2016, 53, 305-310. | 0.0 | 0 |
| 4309 | Early administration of epinephrine (adrenaline) in patients with cardiac arrest with initial shockable rhythm in hospital: propensity score matched analysis. <i>BMJ</i> , The, 2016, 353, i1577. | 3.0 | 76 |
| 4310 | White matter disorders. , 0, , 42-94. | | 0 |
| 4311 | Deaths: Trauma, Head and Spine - Pathology. , 2016, , 153-161. | | 1 |
| 4312 | Investigation and treatment of pulmonary embolism as a potential etiology may be important to improve post-resuscitation prognosis in non-shockable out-of-hospital cardiopulmonary arrest: report on an analysis of the SOS-KANTO 2012 study. <i>Acute Medicine & Surgery</i> , 2016, 3, 250-259. | 0.5 | 10 |
| 4313 | Subdural Empyema Caused by <i>Neisseria meningitidis</i> . <i>Pediatric Infectious Disease Journal</i> , 2016, 35, 1156-1159. | 1.1 | 6 |
| 4314 | Functional Neurologic Outcomes Change Over the First 6 Months After Cardiac Arrest. <i>Critical Care Medicine</i> , 2016, 44, e1202-e1207. | 0.4 | 52 |
| 4315 | Ischemic Lesion on Computed Tomography after Subarachnoid Hemorrhage. <i>Neurosurgery Quarterly</i> , 2016, 26, 225-229. | 0.1 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4316 | Prognostic value of the recovery time of continuous normal voltage in amplitude-integrated electroencephalography in out-of-hospital cardiac arrest patients treated with therapeutic hypothermia: a retrospective study. <i>Journal of Intensive Care</i> , 2016, 4, 25. | 1.3 | 25 |
| 4317 | Sex-Related Differences in Outcome in Patients with Aneurysmal Subarachnoid Hemorrhage. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 2067-2070. | 0.7 | 12 |
| 4318 | Acute and prolonged complement activation in the central nervous system during herpes simplex encephalitis. <i>Journal of Neuroimmunology</i> , 2016, 295-296, 130-138. | 1.1 | 11 |
| 4319 | Ankle Plantarflexor Spasticity Does Not Restrict the Recovery of Ankle Plantarflexor Strength or Ankle Power Generation for Push-Off During Walking Following Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2016, 31, E52-E58. | 1.0 | 8 |
| 4320 | Persistent Hypogonadotropic Hypogonadism in Men After Severe Traumatic Brain Injury: Temporal Hormone Profiles and Outcome Prediction. <i>Journal of Head Trauma Rehabilitation</i> , 2016, 31, 277-287. | 1.0 | 29 |
| 4321 | A biopsychosocial analysis of sexuality in adult males and their partners after severe traumatic brain injury. <i>Brain Injury</i> , 2016, 30, 1082-1095. | 0.6 | 29 |
| 4322 | Chronic impact of traumatic brain injury on outcome and quality of life: a narrative review. <i>Critical Care</i> , 2016, 20, 148. | 2.5 | 276 |
| 4324 | Clinical Characteristics and Follow-up of South Indian Children with Autoimmune Encephalopathy. <i>Indian Journal of Pediatrics</i> , 2016, 83, 1367-1373. | 0.3 | 6 |
| 4325 | Item-Level Psychometrics of the Glasgow Outcome Scale. <i>OTJR Occupation, Participation and Health</i> , 2016, 36, 65-73. | 0.4 | 3 |
| 4326 | Editor's Choice-Progress in the chain of survival and its impact on outcomes of patients admitted to a specialized high-volume cardiac arrest center during the past two decades. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 3-12. | 0.4 | 13 |
| 4327 | Mechanical chest compressions in the coronary catheterization laboratory to facilitate coronary intervention and survival in patients requiring prolonged resuscitation efforts. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016, 24, 4. | 1.1 | 28 |
| 4328 | Applying the termination of resuscitation rules to out-of-hospital cardiac arrests of both cardiac and non-cardiac etiologies: a prospective cohort study. <i>Critical Care</i> , 2016, 20, 49. | 2.5 | 34 |
| 4329 | Time-differentiated target temperature management after out-of-hospital cardiac arrest: a multicentre, randomised, parallel-group, assessor-blinded clinical trial (the TTH48 trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 228. | 0.7 | 32 |
| 4330 | Long-Term Outcomes Among Elderly Survivors of Out-of-Hospital Cardiac Arrest. <i>Journal of the American Heart Association</i> , 2016, 5, e002924. | 1.6 | 31 |
| 4331 | Prognostic Markers for Poor Recovery After Mild Traumatic Brain Injury in Older Adults: A Pilot Cohort Study. <i>Journal of Head Trauma Rehabilitation</i> , 2016, 31, E33-E43. | 1.0 | 20 |
| 4332 | Epidemiology, Risk Factors, and Outcomes of Out-of-Hospital Cardiac Arrest Caused by Stroke. <i>Medicine (United States)</i> , 2016, 95, e3107. | 0.4 | 16 |
| 4333 | Long-term neurological outcomes in patients after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2016, 101, 1-5. | 1.3 | 63 |
| 4334 | Bacterial meningitis in patients with HIV: A population-based prospective study. <i>Journal of Infection</i> , 2016, 72, 362-368. | 1.7 | 23 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4335 | Causes and outcomes of new onset status epilepticus and predictors of refractoriness to therapy. <i>Journal of Clinical Neuroscience</i> , 2016, 26, 89-94. | 0.8 | 17 |
| 4336 | Ventriculoperitoneal shunt placement in poor-grade patients with chronic normal pressure hydrocephalus after aneurysmal subarachnoid haemorrhage. <i>Brain Injury</i> , 2016, 30, 74-78. | 0.6 | 3 |
| 4337 | Surgery for sporadic vestibular schwannoma. Part I: General outcome and risk of tumor recurrence. <i>Neurologia I Neurochirurgia Polska</i> , 2016, 50, 83-89. | 0.6 | 5 |
| 4338 | Trends in traumatic out-of-hospital cardiac arrest in Perth, Western Australia from 1997 to 2014. <i>Resuscitation</i> , 2016, 98, 79-84. | 1.3 | 39 |
| 4339 | Awakening following cardiac arrest: Determined by the definitions used or the therapies delivered?. <i>Resuscitation</i> , 2016, 100, 38-44. | 1.3 | 16 |
| 4340 | The prognostic value of the grey-to-white matter ratio in cardiac arrest patients treated with extracorporeal membrane oxygenation. <i>Resuscitation</i> , 2016, 99, 50-55. | 1.3 | 35 |
| 4341 | Clinical Scales to Assess Patients with Stroke. , 2016, , 308-325.e6. | | 2 |
| 4342 | Core Outcomes and Common Data Elements in Chronic Subdural Hematoma: A Systematic Review of the Literature Focusing on Reported Outcomes. <i>Journal of Neurotrauma</i> , 2016, 33, 1212-1219. | 1.7 | 39 |
| 4343 | Dynamic Changes in White Matter Abnormalities Correlate With Late Improvement and Deterioration Following TBI. <i>Neurorehabilitation and Neural Repair</i> , 2016, 30, 49-62. | 1.4 | 59 |
| 4344 | Predicting Outcomes after Severe and Moderate Traumatic Brain Injury: An External Validation of Impact and Crash Prognostic Models in a Large Spanish Cohort. <i>Journal of Neurotrauma</i> , 2016, 33, 1598-1606. | 1.7 | 19 |
| 4345 | Surgery for Intracerebral Hemorrhage. , 2016, , 1137-1147. | | 0 |
| 4346 | Are regional variations in activity of dispatcher-assisted cardiopulmonary resuscitation associated with out-of-hospital cardiac arrests outcomes? A nation-wide population-based cohort study. <i>Resuscitation</i> , 2016, 98, 27-34. | 1.3 | 6 |
| 4347 | Risk Factors for the Development of Contralateral Epidural Hematoma Following Decompressive Craniectomy in Patients with Calvarial Skull Fracture Contralateral to the Craniectomy Site. <i>World Neurosurgery</i> , 2016, 89, 223-229. | 0.7 | 11 |
| 4348 | The optic nerve sheath diameter as a useful tool for early prediction of outcome after cardiac arrest: A prospective pilot study. <i>Resuscitation</i> , 2016, 103, 7-13. | 1.3 | 42 |
| 4349 | Establishing a Traumatic Brain Injury Program of Care: Benchmarking Outcomes after Institutional Adoption of Evidence-Based Guidelines. <i>Journal of Neurotrauma</i> , 2016, 33, 2026-2033. | 1.7 | 9 |
| 4350 | Clinical Results and Outcome Improvement Over Time in Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2016, 33, 2019-2025. | 1.7 | 5 |
| 4351 | Principal components derived from CSF inflammatory profiles predict outcome in survivors after severe traumatic brain injury. <i>Brain, Behavior, and Immunity</i> , 2016, 53, 183-193. | 2.0 | 45 |
| 4352 | Progesterone for Traumatic Brain Injury: A Meta-Analysis Review of Randomized Controlled Trials. <i>World Neurosurgery</i> , 2016, 90, 199-210. | 0.7 | 18 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4353 | A comparison of the Full Outline of UnResponsiveness (FOUR) score and Glasgow Coma Score (GCS) in predictive modelling in traumatic brain injury. <i>British Journal of Neurosurgery</i> , 2016, 30, 211-220. | 0.4 | 28 |
| 4354 | Prognostic models for prediction of outcomes after traumatic brain injury based on patients admission characteristics. <i>Brain Injury</i> , 2016, 30, 393-406. | 0.6 | 14 |
| 4355 | Current Opinion and Use of Transcranial Doppler Ultrasonography in Traumatic Brain Injury in the Pediatric Intensive Care Unit. <i>Journal of Neurotrauma</i> , 2016, 33, 2105-2114. | 1.7 | 31 |
| 4356 | Reliability and Validity of the Therapy Intensity Level Scale: Analysis of Clinimetric Properties of a Novel Approach to Assess Management of Intracranial Pressure in Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2016, 33, 1768-1774. | 1.7 | 43 |
| 4357 | Standardized EEG interpretation accurately predicts prognosis after cardiac arrest. <i>Neurology</i> , 2016, 86, 1482-1490. | 1.5 | 293 |
| 4358 | Ten years of experience in endovascular treatment of ruptured aneurysms of the posterior inferior cerebellar artery. <i>Interventional Neuroradiology</i> , 2016, 22, 129-137. | 0.7 | 19 |
| 4359 | Conduct of Stroke-Related Clinical Trials. , 2016, , 1030-1041. | | 3 |
| 4360 | Survival and Neurologic Outcome After Out-of-hospital Cardiac Arrest. Results of the Andalusian Out-of-hospital Cardiopulmonary Arrest Registry. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016, 69, 494-500. | 0.4 | 6 |
| 4361 | Parechovirus Encephalitis and Neurodevelopmental Outcomes. <i>Pediatrics</i> , 2016, 137, e20152848. | 1.0 | 105 |
| 4362 | Comparison of early and late decompressive craniectomy on the long-term outcome in patients with moderate and severe traumatic brain injury: a meta-analysis. <i>British Journal of Neurosurgery</i> , 2016, 30, 251-257. | 0.4 | 15 |
| 4363 | Can mortality due to circulatory failure in comatose out-of-hospital cardiac arrest patients be predicted on admission? A study in a retrospective derivation cohort validated in a prospective cohort. <i>Journal of Critical Care</i> , 2016, 32, 56-62. | 1.0 | 13 |
| 4364 | Cerebrovascular Signal Complexity Six Hours after Intensive Care Unit Admission Correlates with Outcome after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2016, 33, 2011-2018. | 1.7 | 33 |
| 4365 | Use of Targeted Temperature Management After Out-of-hospital Cardiac Arrest: A Meta-Analysis of Randomized Controlled Trials. <i>American Journal of Medicine</i> , 2016, 129, 522-527.e2. | 0.6 | 7 |
| 4366 | Clinical profile and outcome of refractory convulsive status epilepticus in older children from a developing country. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2016, 36, 31-35. | 0.9 | 9 |
| 4367 | Retrospectively evaluated preinjury personality traits influence postconcussion symptoms. <i>Applied Neuropsychology Adult</i> , 2016, 23, 322-332. | 0.7 | 13 |
| 4368 | Computerised cognitive training in acquired brain injury: A systematic review of outcomes using the International Classification of Functioning (ICF). <i>Neuropsychological Rehabilitation</i> , 2016, 26, 673-741. | 1.0 | 43 |
| 4369 | Determinants and significance of cerebral oximetry after cardiac arrest: A prospective cohort study. <i>Resuscitation</i> , 2016, 99, 1-6. | 1.3 | 25 |
| 4370 | Time to start of cardiopulmonary resuscitation and the effect of target temperature management at 33°C and 36°C. <i>Resuscitation</i> , 2016, 99, 44-49. | 1.3 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4371 | Temporal delays in trauma craniotomies. <i>Journal of Neurosurgery</i> , 2016, 125, 642-647. | 0.9 | 23 |
| 4372 | Factors influencing the outcome (GOS) in reconstructive cranioplasty. <i>Neurosurgical Review</i> , 2016, 39, 133-139. | 1.2 | 29 |
| 4373 | Decompressive Craniectomy in Patients with Traumatic Brain Injury: Are the Usual Indications Congruent with Those Evaluated in Clinical Trials?. <i>Neurocritical Care</i> , 2016, 25, 10-19. | 1.2 | 37 |
| 4374 | New Target-Specific Oral Anticoagulants and Intracranial Bleeding: Management and Outcome in a Single-Center Case Series. <i>World Neurosurgery</i> , 2016, 88, 132-139. | 0.7 | 16 |
| 4375 | Persistent problems 1 year after mild traumatic brain injury: a longitudinal population study in New Zealand. <i>British Journal of General Practice</i> , 2016, 66, e16-e23. | 0.7 | 167 |
| 4376 | Decompressive Craniectomy for Severe Traumatic Brain Injury: A Systematic Review. <i>World Neurosurgery</i> , 2016, 88, 411-420. | 0.7 | 73 |
| 4377 | A comprehensive picture of 4-year outcome of severe brain injuries. Results from the Paris-TBI study. <i>Annals of Physical and Rehabilitation Medicine</i> , 2016, 59, 100-106. | 1.1 | 83 |
| 4378 | Herpes simplex and varicella zoster CNS infections: clinical presentations, treatments and outcomes. <i>Infection</i> , 2016, 44, 337-345. | 2.3 | 80 |
| 4379 | Change of serum levels of thioredoxin in patients with severe traumatic brain injury. <i>Clinica Chimica Acta</i> , 2016, 453, 62-66. | 0.5 | 12 |
| 4380 | A multicenter prospective cohort study of volume management after subarachnoid hemorrhage: circulatory characteristics of pulmonary edema after subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2016, 125, 254-263. | 0.9 | 25 |
| 4381 | Forensic Pathology of Traumatic Brain Injury. <i>Veterinary Pathology</i> , 2016, 53, 962-978. | 0.8 | 40 |
| 4382 | Association of the <i>APOE-ε4</i> allele with outcome of traumatic brain injury in children and youth: a meta-analysis and meta-regression. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, 433-440. | 0.9 | 44 |
| 4383 | Progesterone neuroprotection: The background of clinical trial failure. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016, 160, 53-66. | 1.2 | 77 |
| 4384 | Brain-Derived Neurotrophic Factor (BDNF) in Traumatic Brain Injury-Related Mortality. <i>Neurorehabilitation and Neural Repair</i> , 2016, 30, 83-93. | 1.4 | 89 |
| 4385 | The CAHP (Cardiac Arrest Hospital Prognosis) score: a tool for risk stratification after out-of-hospital cardiac arrest. <i>European Heart Journal</i> , 2016, 37, 3222-3228. | 1.0 | 228 |
| 4386 | Outcomes in neuroanesthesia: What matters most?. <i>Canadian Journal of Anaesthesia</i> , 2016, 63, 205-211. | 0.7 | 22 |
| 4387 | Methods to place a value on additional evidence are illustrated using a case study of corticosteroids after traumatic brain injury. <i>Journal of Clinical Epidemiology</i> , 2016, 70, 183-190. | 2.4 | 4 |
| 4388 | Neuroimaging characteristics of ruptured aneurysm as predictors of outcome after aneurysmal subarachnoid hemorrhage: pooled analyses of the SAHIT cohort. <i>Journal of Neurosurgery</i> , 2016, 124, 1703-1711. | 0.9 | 25 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4389 | A Propensity Score Analysis of the Impact of Invasive Intracranial Pressure Monitoring on Outcomes after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2016, 33, 853-858. | 1.7 | 33 |
| 4390 | Emergency resuscitative thoracotomy performed in European civilian trauma patients with blunt or penetrating injuries: a systematic review. <i>European Journal of Trauma and Emergency Surgery</i> , 2016, 42, 677-685. | 0.8 | 42 |
| 4391 | Towards a new treatment paradigm for ruptured blood blister-like aneurysms of the internal carotid artery? A rapid systematic review. <i>Journal of NeuroInterventional Surgery</i> , 2016, 8, 488-494. | 2.0 | 58 |
| 4392 | Use of Transcranial Doppler in Patients with Severe Traumatic Brain Injuries. <i>Journal of Neurotrauma</i> , 2017, 34, 121-127. | 1.7 | 53 |
| 4393 | Very Early Administration of Progesterone Does Not Improve Neuropsychological Outcomes in Subjects with Moderate to Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2017, 34, 115-120. | 1.7 | 26 |
| 4394 | Cerebrospinal fluid high mobility group box 1 is associated with neuronal death in subarachnoid hemorrhage. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 435-443. | 2.4 | 32 |
| 4395 | Therapeutic hypothermia in patients following traumatic brain injury: a systematic review. <i>Nursing in Critical Care</i> , 2017, 22, 150-160. | 1.1 | 9 |
| 4396 | Recovery From a Subarachnoid Hemorrhage. <i>Communication Disorders Quarterly</i> , 2017, 38, 119-128. | 0.5 | 0 |
| 4397 | Impact of Glasgow Coma Scale score and pupil parameters on mortality rate and outcome in pediatric and adult severe traumatic brain injury: a retrospective, multicenter cohort study. <i>Journal of Neurosurgery</i> , 2017, 126, 760-767. | 0.9 | 86 |
| 4398 | Impact of in or out of office hours at admission time on outcome in out-of-hospital cardiac arrest patients. <i>European Journal of Emergency Medicine</i> , 2017, 24, 249-254. | 0.5 | 1 |
| 4399 | Acute respiratory failure after drowning: a retrospective multicenter survey. <i>European Journal of Emergency Medicine</i> , 2017, 24, 295-300. | 0.5 | 24 |
| 4400 | Evaluation of the Effect of Aneurysmal Clipping on Electrocardiography and Echocardiographic Changes in Patients With Subarachnoid Hemorrhage: A Prospective Observational Study. <i>Journal of Neurosurgical Anesthesiology</i> , 2017, 29, 335-340. | 0.6 | 17 |
| 4401 | Management of acute traumatic intracranial haematoma in rural and remote areas of Australia. <i>ANZ Journal of Surgery</i> , 2017, 87, 80-85. | 0.3 | 14 |
| 4402 | The Glasgow Coma Scale and evidence-informed practice: a critical review of where we are and where we need to be. <i>Journal of Clinical Nursing</i> , 2017, 26, 280-293. | 1.4 | 20 |
| 4403 | Clinical characteristics of ruptured distal middle cerebral artery aneurysms: Review of the literature. <i>Journal of Clinical Neuroscience</i> , 2017, 40, 14-17. | 0.8 | 9 |
| 4404 | The trajectories of overall disability in the first 5 years after moderate and severe traumatic brain injury. <i>Brain Injury</i> , 2017, 31, 329-335. | 0.6 | 31 |
| 4405 | Outcome following surgical treatment of chronic subdural hematoma in the oldest-old population. <i>Neurosurgical Review</i> , 2017, 40, 461-468. | 1.2 | 22 |
| 4406 | MRI detection of cerebral lesions in post-traumatic anisocoria: specificity and prognostic significance. <i>Clinical Radiology</i> , 2017, 72, 426.e7-426.e15. | 0.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4407 | Head injury serum markers for assessing response to trauma: Design of the HeadSMART study. <i>Brain Injury</i> , 2017, 31, 370-378. | 0.6 | 19 |
| 4408 | Comparison of endovascular and microsurgical management of 208 basilar apex aneurysms. <i>Journal of Neurosurgery</i> , 2017, 127, 1342-1352. | 0.9 | 26 |
| 4409 | Safety and effectiveness of microsurgical clipping, endovascular coiling, and stent assisted coiling for unruptured anterior communicating artery aneurysms: a systematic analysis of observational studies. <i>Journal of NeuroInterventional Surgery</i> , 2017, 9, 761-765. | 2.0 | 39 |
| 4410 | Clinical outcome after surgical clipping or endovascular coiling for cerebral aneurysms: a pragmatic meta-analysis of randomized and non-randomized trials with short- and long-term follow-up. <i>Journal of NeuroInterventional Surgery</i> , 2017, 9, 264-277. | 2.0 | 28 |
| 4411 | Neuromodulation of Consciousness Disorders. , 2017, , 317-346. | | 0 |
| 4412 | The Association of Surgical Method with Outcomes of Acute Subdural Hematoma Patients: Experience with 643 Consecutive Patients. <i>World Neurosurgery</i> , 2017, 101, 335-342. | 0.7 | 26 |
| 4413 | Predictors of long-term functional outcome and health-related quality of life after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2017, 113, 77-82. | 1.3 | 50 |
| 4414 | Impact of dexamethasone in patients with aneurysmal subarachnoid haemorrhage. <i>European Journal of Neurology</i> , 2017, 24, 645-651. | 1.7 | 27 |
| 4415 | Microsurgical versus endovascular interventions for blood-blister aneurysms of the internal carotid artery: systematic review of literature and meta-analysis on safety and efficacy. <i>Journal of Neurosurgery</i> , 2017, 127, 1361-1373. | 0.9 | 50 |
| 4416 | Critical care management of traumatic brain injury. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2017, 140, 239-274. | 1.0 | 45 |
| 4417 | Effect of prehospital advanced airway management for pediatric out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2017, 114, 66-72. | 1.3 | 44 |
| 4418 | Initial arterial carbon dioxide tension is associated with neurological outcome after resuscitation from cardiac arrest. <i>Resuscitation</i> , 2017, 114, 53-58. | 1.3 | 13 |
| 4419 | Magnetic resonance imaging study of cryptococcal neuroradiological lesions in HIV-negative cryptococcal meningitis. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2017, 36, 1367-1372. | 1.3 | 20 |
| 4420 | Intracranial pressure monitoring after primary decompressive craniectomy in traumatic brain injury: a clinical study. <i>Acta Neurochirurgica</i> , 2017, 159, 615-622. | 0.9 | 25 |
| 4421 | Computed tomography and clinical outcome in patients with severe traumatic brain injury. <i>Brain Injury</i> , 2017, 31, 351-358. | 0.6 | 16 |
| 4422 | Acute Management of Moderate-Severe Traumatic Brain Injury. <i>Physical Medicine and Rehabilitation Clinics of North America</i> , 2017, 28, 227-243. | 0.7 | 15 |
| 4423 | Gender differences in early invasive strategy after cardiac arrest: Insights from the PROCAT registry. <i>Resuscitation</i> , 2017, 114, 7-13. | 1.3 | 29 |
| 4424 | Ventriculo-peritoneal shunt surgery for tuberculous meningitis: A systematic review. <i>Journal of the Neurological Sciences</i> , 2017, 375, 255-263. | 0.3 | 36 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4425 | Spinal Cord Stimulation for Vegetative State and Minimally Conscious State: Changes in Consciousness Level and Motor Function. <i>Acta Neurochirurgica Supplementum</i> , 2017, 124, 37-42. | 0.5 | 22 |
| 4426 | Subarachnoid Haemorrhage in the Elderly. , 2017, , 375-410. | | 0 |
| 4427 | Injuries to the upper extremities in polytrauma. <i>Bone and Joint Journal</i> , 2017, 99-B, 255-260. | 1.9 | 12 |
| 4428 | Impact of mean arterial pressure on clinical outcomes in comatose survivors of out-of-hospital cardiac arrest: Insights from the University of Ottawa Heart Institute Regional Cardiac Arrest Registry (CAPITAL-CARe). <i>Resuscitation</i> , 2017, 113, 27-32. | 1.3 | 41 |
| 4429 | Intraoperative Indocyanine Green-Based Cortical Perfusion Assessment in Patients Suffering from Severe Traumatic Brain Injury. <i>World Neurosurgery</i> , 2017, 101, 431-443. | 0.7 | 13 |
| 4430 | Defining Pediatric Chronic Critical Illness for Clinical Care, Research, and Policy. <i>Hospital Pediatrics</i> , 2017, 7, 236-244. | 0.6 | 76 |
| 4431 | Outcome following surgical treatment of chronic subdural hematoma in the oldest-old population. <i>Neurosurgical Review</i> , 2017, 40, 527-528. | 1.2 | 9 |
| 4432 | Predictors of good neurologic outcome after resuscitation beyond 30Âmin in out-of-hospital cardiac arrest patients undergoing therapeutic hypothermia. <i>Internal and Emergency Medicine</i> , 2018, 13, 413-419. | 1.0 | 7 |
| 4433 | A prospective outcome study observing patients with severe traumatic brain injury over 10â€“15Âyears. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 502-512. | 0.7 | 8 |
| 4434 | Pulmonary embolism related sudden cardiac arrest admitted alive at hospital: Management and outcomes. <i>Resuscitation</i> , 2017, 115, 135-140. | 1.3 | 31 |
| 4435 | Comments on "Outcome Trends after US Military Concussive Injury". <i>Journal of Neurotrauma</i> , 2017, 34, 2204-2205. | 1.7 | 0 |
| 4436 | Early-Onset Ventilator-Associated Pneumonia in Patients with Severe Traumatic Brain Injury: Incidence, Risk Factors, and Consequences in Cerebral Oxygenation and Outcome. <i>Neurocritical Care</i> , 2017, 27, 187-198. | 1.2 | 57 |
| 4437 | Acute brain trauma, lung injury, and pneumonia: more than just altered mental status and decreased airway protection. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2017, 313, L1-L15. | 1.3 | 53 |
| 4438 | Stent-assisted coiling of wide-neck bifurcation aneurysms with a branch incorporated in the aneurysm base: long-term follow-up in 49 patients with 53 aneurysms. <i>Neuroradiology</i> , 2017, 59, 619-624. | 1.1 | 7 |
| 4439 | Five-year follow-up of persons with brain injury entering the French vocational and social rehabilitation programme UEROS: Return-to-work, life satisfaction, psychosocial and community integration. <i>Brain Injury</i> , 2017, 31, 655-666. | 0.6 | 9 |
| 4440 | Early predictors of poor outcome after out-of-hospital cardiac arrest. <i>Critical Care</i> , 2017, 21, 96. | 2.5 | 168 |
| 4441 | Prognostication in critically ill patients with severe traumatic brain injury: the TBI-Prognosis multicentre feasibility study. <i>BMJ Open</i> , 2017, 7, e013779. | 0.8 | 17 |
| 4442 | Monitoring of Optimal Cerebral Perfusion Pressure in Traumatic Brain Injured Patients Using a Multi-Window Weighting Algorithm. <i>Journal of Neurotrauma</i> , 2017, 34, 3081-3088. | 1.7 | 45 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4443 | Hypophosphatemia after nontraumatic intracranial hemorrhage. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 641-649. | 0.7 | 13 |
| 4444 | Mild induced hypothermia and survival after out-of-hospital cardiac arrest. <i>American Journal of Emergency Medicine</i> , 2017, 35, 1595-1600. | 0.7 | 2 |
| 4445 | Characteristics and outcomes of out-of-hospital sudden cardiac arrest according to the time of occurrence. <i>Resuscitation</i> , 2017, 116, 16-21. | 1.3 | 48 |
| 4446 | Two-Year Follow-Up After Percutaneous Dilatational Tracheostomy in a Surgical ICU. <i>Respiratory Care</i> , 2017, 62, 963-969. | 0.8 | 2 |
| 4447 | Cost-Effectiveness of Craniotomy for Epidural Hematomas at a Major Government Hospital in Cambodia. <i>World Journal of Surgery</i> , 2017, 41, 2215-2223. | 0.8 | 5 |
| 4448 | Relative risk of hemorrhage during pregnancy in patients with brain arteriovenous malformations. <i>International Journal of Stroke</i> , 2017, 12, 741-747. | 2.9 | 22 |
| 4449 | Aggressive medical management of acute traumatic subdural hematomas before emergency craniotomy in patients presenting with bilateral unreactive pupils. A cohort study. <i>Acta Neurochirurgica</i> , 2017, 159, 1553-1559. | 0.9 | 7 |
| 4450 | Simple Tumor Localization Scale for Estimating Management Outcome of Intracranial Meningioma. <i>World Neurosurgery</i> , 2017, 104, 876-882. | 0.7 | 8 |
| 4451 | Completely Thrombosed Aneurysms of the Posterior Cerebral Artery: A Comprehensive Review. <i>Journal of Neurological Surgery, Part A: Central European Neurosurgery</i> , 2017, 78, 488-501. | 0.4 | 1 |
| 4452 | Characteristics and outcome among 14,933 adult cases of in-hospital cardiac arrest: A nationwide study with the emphasis on gender and age. <i>American Journal of Emergency Medicine</i> , 2017, 35, 1839-1844. | 0.7 | 43 |
| 4453 | Penetrating Bihemispheric Traumatic Brain Injury: A Collective Review of Gunshot Wounds to the Head. <i>World Neurosurgery</i> , 2017, 104, 653-659. | 0.7 | 31 |
| 4454 | Formulation of a Three-Tier Cisternal Grade as a Predictor of In-Hospital Outcome from a Prospective Study of Patients with Traumatic Intracranial Hematoma. <i>World Neurosurgery</i> , 2017, 104, 848-855. | 0.7 | 2 |
| 4455 | Medical Management of the Severe Traumatic Brain Injury Patient. <i>Neurocritical Care</i> , 2017, 27, 430-446. | 1.2 | 68 |
| 4456 | Validating Multi-Dimensional Outcome Assessment Using the Traumatic Brain Injury Common Data Elements: An Analysis of the TRACK-TBI Pilot Study Sample. <i>Journal of Neurotrauma</i> , 2017, 34, 3158-3172. | 1.7 | 59 |
| 4457 | Outcome among VF/VT patients in the LINC (LUCAS IN cardiac arrest) trial—A randomised, controlled trial. <i>Resuscitation</i> , 2017, 115, 155-162. | 1.3 | 14 |
| 4458 | The relationship between verbal fluency performance and grocery shopping in participants with and without moderate-to-severe traumatic brain injury. An initial investigation. <i>Aphasiology</i> , 2017, 31, 1416-1432. | 1.4 | 1 |
| 4459 | Activation of Cytotoxic Natural Killer Cells After Aneurysmal Subarachnoid Hemorrhage. <i>World Neurosurgery</i> , 2017, 101, 666-676.e1. | 0.7 | 9 |
| 4460 | Body mass index and outcome of out-of-hospital cardiac arrest patients not treated by targeted temperature management. <i>American Journal of Emergency Medicine</i> , 2017, 35, 1247-1251. | 0.7 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4461 | Early Asymmetric Cardio-Cerebral Causality and Outcome after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2017, 34, 2743-2752. | 1.7 | 31 |
| 4462 | Isoflurane Sedation on the ICU in Cardiac Arrest Patients Treated With Targeted Temperature Management: An Observational Propensity-Matched Study. <i>Critical Care Medicine</i> , 2017, 45, e384-e390. | 0.4 | 30 |
| 4463 | Updating Evidence for Using Hypothermia in Pediatric Severe Traumatic Brain Injury: Conventional and Bayesian Meta-Analytic Perspectives*. <i>Pediatric Critical Care Medicine</i> , 2017, 18, 355-362. | 0.2 | 24 |
| 4464 | Cerebral Perfusion Pressure Insults and Associations with Outcome in Adult Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2017, 34, 2425-2431. | 1.7 | 46 |
| 4465 | The association between physician turnover (the "July Effect") and survival after in-hospital cardiac arrest. <i>Resuscitation</i> , 2017, 114, 133-140. | 1.3 | 18 |
| 4466 | Impact of Early Vasopressor Administration on Neurological Outcomes after Prolonged Out-of-Hospital Cardiac Arrest. <i>Prehospital and Disaster Medicine</i> , 2017, 32, 297-304. | 0.7 | 12 |
| 4467 | Characteristics and clinical outcomes of head-injured cyclists with and without helmets in urban and rural areas of Taiwan: A 15-year study. <i>Traffic Injury Prevention</i> , 2017, 18, 193-198. | 0.6 | 10 |
| 4468 | Delayed Deterioration of EEG Background Rhythm Post-cardiac Arrest. <i>Neurocritical Care</i> , 2017, 26, 411-419. | 1.2 | 13 |
| 4469 | Benzalkonium tolerance genes and outcome in <i>Listeria monocytogenes</i> meningitis. <i>Clinical Microbiology and Infection</i> , 2017, 23, 265.e1-265.e7. | 2.8 | 87 |
| 4470 | Treatment of cerebral vasospasm following aneurysmal subarachnoid haemorrhage: a systematic review and meta-analysis. <i>European Radiology</i> , 2017, 27, 3333-3342. | 2.3 | 60 |
| 4471 | A comparison of the universal TOR Guideline to the absence of prehospital ROSC and duration of resuscitation in predicting futility from out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2017, 111, 96-102. | 1.3 | 44 |
| 4472 | A diffusion tensor magnetic resonance imaging study of paediatric patients with severe non-traumatic brain injury. <i>Developmental Medicine and Child Neurology</i> , 2017, 59, 199-206. | 1.1 | 13 |
| 4473 | Public access defibrillation and outcomes after pediatric out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2017, 111, 1-7. | 1.3 | 32 |
| 4474 | Cardiopulmonary resuscitation duration and survival in out-of-hospital cardiac arrest patients. <i>Resuscitation</i> , 2017, 111, 74-81. | 1.3 | 68 |
| 4475 | Epidemiology of recurrent traumatic brain injury in the general population. <i>Neurology</i> , 2017, 89, 2198-2209. | 1.5 | 46 |
| 4476 | Dynamics of clinical recovery during the early phase of rehabilitation in patients with severe traumatic and non-traumatic brain injury. <i>Brain Injury</i> , 2017, 31, 1463-1468. | 0.6 | 5 |
| 4477 | The Quantitative and Functional Changes of Postoperative Peripheral Blood Immune Cell Subsets Relate to Prognosis of Patients with Subarachnoid Hemorrhage: A Preliminary Study. <i>World Neurosurgery</i> , 2017, 108, 206-215. | 0.7 | 25 |
| 4478 | Association of Public Health Initiatives With Outcomes for Out-of-Hospital Cardiac Arrest at Home and in Public Locations. <i>JAMA Cardiology</i> , 2017, 2, 1226. | 3.0 | 73 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4479 | Predicting outcome after cardiac arrest with serum S-100B protein and procalcitonin. <i>European Journal of Anaesthesiology</i> , 2017, 34, 846-848. | 0.7 | 3 |
| 4480 | Somatosensory evoked potentials in patients with high-grade aneurysmal subarachnoid hemorrhage. <i>Neurosurgical Focus</i> , 2017, 43, E17. | 1.0 | 5 |
| 4481 | Predictors of Outcome in Aneurysmal Subarachnoid Hemorrhage Patients. <i>Stroke</i> , 2017, 48, 2958-2963. | 1.0 | 97 |
| 4482 | Prognostic Value of Early S100 Calcium Binding Protein B and Neuron-Specific Enolase in Patients with Poor-Grade Aneurysmal Subarachnoid Hemorrhage: A Pilot Study. <i>World Neurosurgery</i> , 2017, 108, 669-675. | 0.7 | 20 |
| 4483 | Cost Effectiveness of Intracranial Pressure Monitoring in Pediatric Patients with Severe Traumatic Brain Injury: A Simulation Modeling Approach. <i>Value in Health Regional Issues</i> , 2017, 14, 96-102. | 0.5 | 7 |
| 4484 | Safety and efficacy of stereotactic aspiration with fibrinolysis for deep-seated spontaneous intracerebral hemorrhages: A single-center experience. <i>Medicina (Lithuania)</i> , 2017, 53, 303-309. | 0.8 | 4 |
| 4485 | Individualizing Thresholds of Cerebral Perfusion Pressure Using Estimated Limits of Autoregulation. <i>Critical Care Medicine</i> , 2017, 45, 1464-1471. | 0.4 | 116 |
| 4486 | The prevalence of growth hormone deficiency in survivors of subarachnoid haemorrhage: results from a large single centre study. <i>Pituitary</i> , 2017, 20, 624-634. | 1.6 | 10 |
| 4487 | Head Computed Tomography Scan in Isolated Traumatic Brain Injury in a Low-Income Country. <i>World Neurosurgery</i> , 2017, 107, 382-388. | 0.7 | 5 |
| 4488 | Deep brain stimulation for disorders of consciousness: Systematic review of cases and ethics. <i>Brain Stimulation</i> , 2017, 10, 1013-1023. | 0.7 | 43 |
| 4489 | Consciousness Level and Recovery Outcome Prediction Using High-Order Brain Functional Connectivity Network. <i>Lecture Notes in Computer Science</i> , 2017, 10511, 17-24. | 1.0 | 4 |
| 4490 | The Nature of EEG Reactivity to Light, Sound, and Pain Stimulation in Neurosurgical Comatose Patients Evaluated by a Quantitative Method. <i>Clinical EEG and Neuroscience</i> , 2017, 48, 428-437. | 0.9 | 17 |
| 4491 | Midterm outcomes of intracranial aneurysms with bleb formation with densely coiling of the aneurismal neck or entire aneurysm. <i>Medicine (United States)</i> , 2017, 96, e7046. | 0.4 | 3 |
| 4492 | Neuropsychological outcome of children with traumatic brain injury and its association with late magnetic resonance imaging findings: A cohort study. <i>Brain Injury</i> , 2017, 31, 1689-1694. | 0.6 | 6 |
| 4493 | Measuring the impact of emergency medical services (EMS) on out-of-hospital cardiac arrest survival in a developing country. <i>Medicine (United States)</i> , 2017, 96, e7570. | 0.4 | 30 |
| 4494 | Time dependent transition of the levels of protein-conjugated acrolein (PC-Acro), IL-6 and CRP in plasma during stroke. <i>ENeurologicalSci</i> , 2017, 7, 18-24. | 0.5 | 3 |
| 4495 | Efficacy of Closed Continuous Lumbar Drainage on the Treatment of Postcraniotomy Meningitis: A Retrospective Analysis of 1062 Cases. <i>World Neurosurgery</i> , 2017, 106, 925-931. | 0.7 | 6 |
| 4496 | Old age and hydrocephalus are associated with poor prognosis in patients with tuberculous meningitis. <i>Medicine (United States)</i> , 2017, 96, e7370. | 0.4 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4497 | Late Functional Changes Post-“Severe Traumatic Brain Injury Are Related to Community Reentry Support: Results From the Paris-TBI Cohort. <i>Journal of Head Trauma Rehabilitation</i> , 2017, 32, E26-E34. | 1.0 | 19 |
| 4498 | Long-Term Survival in Adult Patients With Severe Acute Lung Failure Receiving Venovenous Extracorporeal Membrane Oxygenation. <i>Critical Care Medicine</i> , 2017, 45, 1718-1725. | 0.4 | 22 |
| 4499 | Role of diffusion tensor imaging in the diagnosis and management of post-traumatic anosmia. <i>Brain Injury</i> , 2017, 31, 1964-1968. | 0.6 | 7 |
| 4500 | Linguistic Validation of Interactive Educational Interventions in Neurologic Trauma. <i>World Neurosurgery</i> , 2017, 107, 87-93. | 0.7 | 4 |
| 4501 | Letter to the Editor. Microsurgery for basilar apex aneurysms in the modern era. <i>Journal of Neurosurgery</i> , 2017, 127, 1468-1469. | 0.9 | 1 |
| 4502 | Health-Related Quality of Life Dynamics 2 Years Following Aneurysmal Subarachnoid Hemorrhage: A Prospective Cohort Study Using EQ-5D. <i>Neurosurgery</i> , 2017, 81, 650-658. | 0.6 | 10 |
| 4503 | Urinary F2-Isoprostane Concentration as a Poor Prognostic Factor After Subarachnoid Hemorrhage.. <i>World Neurosurgery</i> , 2017, 107, 185-193. | 0.7 | 6 |
| 4504 | Ruptured carotid-ophthalmic aneurysm treatment: a non-inferiority meta-analysis comparing endovascular coiling and surgical clipping. <i>British Journal of Neurosurgery</i> , 2017, 31, 345-349. | 0.4 | 7 |
| 4505 | Outcome at two weeks in patients with Traumatic brain injury following road traffic accidents in an urban tertiary hospital in Uganda. <i>Cogent Medicine</i> , 2017, 4, 1326205. | 0.7 | 2 |
| 4506 | Prehospital intravenous access for survival from out-of-hospital cardiac arrest: propensity score matched analyses from a population-based cohort study in Osaka, Japan. <i>BMJ Open</i> , 2017, 7, e015055. | 0.8 | 6 |
| 4507 | Chertsey Outcome Score for Trauma: Development and validation of a new unifying patient reported outcome measure for orthopaedic trauma. <i>Chinese Journal of Traumatology - English Edition</i> , 2017, 20, 329-332. | 0.7 | 4 |
| 4508 | Interventions for managing skeletal muscle spasticity following traumatic brain injury. <i>The Cochrane Library</i> , 2017, 2017, CD008929. | 1.5 | 21 |
| 4509 | Paro cardíaco. <i>EMC - Tratado De Medicina</i> , 2017, 21, 1-8. | 0.0 | 1 |
| 4510 | Traumatic brain injury: integrated approaches to improve prevention, clinical care, and research. <i>Lancet Neurology</i> , The, 2017, 16, 987-1048. | 4.9 | 1,571 |
| 4511 | Preoperative N-terminal pro-B-type natriuretic peptide concentration and prognosis of brain tumor patients: a 5-year follow up study. <i>Scientific Reports</i> , 2017, 7, 14775. | 1.6 | 7 |
| 4512 | Evaluation of clinical characteristics as indicators for shunt procedure in patients with medulloblastoma. <i>Porto Biomedical Journal</i> , 2017, 2, 240-241. | 0.4 | 1 |
| 4513 | Morbidity. <i>Pediatric Clinics of North America</i> , 2017, 64, 1147-1165. | 0.9 | 46 |
| 4514 | "I am not afraid of death" – a survey on preferences concerning neurosurgical interventions among patients over 75 years. <i>Acta Neurochirurgica</i> , 2017, 159, 1547-1552. | 0.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4515 | The Role of Imaging in Clinical Stroke Scales That Predict Functional Outcome: A Systematic Review. <i>Neurohospitalist, The</i> , 2017, 7, 169-178. | 0.3 | 5 |
| 4516 | Treatment of a Pregnant Patient in a Persistent Vegetative State. <i>Obstetrics and Gynecology</i> , 2017, 129, 107-110. | 1.2 | 2 |
| 4517 | Safety of neural stem cell transplantation in patients with severe traumatic brain injury. <i>Experimental and Therapeutic Medicine</i> , 2017, 13, 3613-3618. | 0.8 | 25 |
| 4518 | Unruptured Paraclinoid Aneurysm Treatment Effects on Visual Function: Systematic Review and Meta-analysis. <i>World Neurosurgery</i> , 2017, 106, 322-330. | 0.7 | 11 |
| 4519 | Serum neutrophil gelatinase-associated lipocalin levels predict the neurological outcomes of out-of-hospital cardiac arrest victims. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 111. | 0.7 | 15 |
| 4520 | Protein S100 as outcome predictor after out-of-hospital cardiac arrest and targeted temperature management at 33°C and 36°C. <i>Critical Care</i> , 2017, 21, 153. | 2.5 | 64 |
| 4521 | Are characteristics of hospitals associated with outcome after cardiac arrest? Insights from the Great Paris registry. <i>Resuscitation</i> , 2017, 118, 63-69. | 1.3 | 30 |
| 4522 | Mild Traumatic Brain Injury: Longitudinal Study of Cognition, Functional Status, and Post-Traumatic Symptoms. <i>Journal of Neurotrauma</i> , 2017, 34, 1524-1530. | 1.7 | 134 |
| 4523 | Quality of life in persons after traumatic brain injury as self-perceived and as perceived by the caregivers. <i>Neurological Sciences</i> , 2017, 38, 279-286. | 0.9 | 24 |
| 4524 | An Association Between ICP-Derived Data and Outcome in TBI Patients: The Role of Sample Size. <i>Neurocritical Care</i> , 2017, 27, 103-107. | 1.2 | 26 |
| 4525 | Health Care Costs of Spontaneous Aneurysmal Subarachnoid Hemorrhage for Rehabilitation, Home Care, and In-Hospital Treatment for the First Year. <i>World Neurosurgery</i> , 2017, 97, 495-500. | 0.7 | 26 |
| 4526 | Short- and long-term neurobehavioral effects of lumbar puncture and shunting in patients with malabsorptive hydrocephalus after subarachnoid haemorrhage: An explorative case study. <i>Journal of Clinical Neuroscience</i> , 2017, 36, 88-93. | 0.8 | 7 |
| 4527 | Does progesterone improve outcome in diffuse axonal injury?. <i>Brain Injury</i> , 2017, 31, 16-23. | 0.6 | 15 |
| 4528 | Epidemiology and aetiology of traumatic cardiac arrest in England and Wales – A retrospective database analysis. <i>Resuscitation</i> , 2017, 110, 90-94. | 1.3 | 70 |
| 4529 | Surgical management of acute subdural haematomas in elderly: report of a single center experience. <i>British Journal of Neurosurgery</i> , 2017, 31, 244-248. | 0.4 | 34 |
| 4530 | Effectiveness of 7.5% hypertonic saline in children with severe traumatic brain injury. <i>Journal of Critical Care</i> , 2017, 38, 52-56. | 1.0 | 15 |
| 4531 | The prognostic reliability of intracranial pressure monitoring and MRI data in severe traumatic brain injury. <i>Magnetic Resonance Imaging</i> , 2017, 36, 210-215. | 1.0 | 1 |
| 4532 | Placing intracerebral probes to optimise detection of delayed cerebral ischemia and allow for the prediction of patient outcome in aneurysmal subarachnoid haemorrhage. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 2820-2832. | 2.4 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4533 | Sex-based differences in adults with community-acquired bacterial meningitis: a prospective cohort study. <i>Clinical Microbiology and Infection</i> , 2017, 23, 121.e9-121.e15. | 2.8 | 19 |
| 4534 | Hospital-based study of the distribution of pathogens in adult bacterial meningitis with underlying disease in Tokyo, Japan. <i>Neurology and Clinical Neuroscience</i> , 2017, 5, 8-17. | 0.2 | 4 |
| 4535 | Stent-assisted coiling in ruptured cerebral aneurysms: multi-center experience in acute phase. <i>Radiologia Medica</i> , 2017, 122, 43-52. | 4.7 | 28 |
| 4536 | Effect of rescue breathing by lay rescuers for out-of-hospital cardiac arrest caused by respiratory disease: a nationwide, population-based, propensity score-matched study. <i>Internal and Emergency Medicine</i> , 2017, 12, 493-501. | 1.0 | 3 |
| 4537 | A systematic review and meta-analysis of the association between arterial carbon dioxide tension and outcomes after cardiac arrest. <i>Resuscitation</i> , 2017, 111, 116-126. | 1.3 | 52 |
| 4538 | Injury severity measures for predicting return-to-work after a traumatic brain injury. <i>Accident Analysis and Prevention</i> , 2017, 98, 101-107. | 3.0 | 28 |
| 4539 | Intraventricular Meningiomas: A Series of 42 Patients at a Single Institution and Literature Review. <i>World Neurosurgery</i> , 2017, 97, 178-188. | 0.7 | 29 |
| 4540 | A strategy to expeditious invasive treatment improves clinical outcome in comatose patients with aneurysmal subarachnoid haemorrhage. <i>European Journal of Neurology</i> , 2017, 24, 82-89. | 1.7 | 14 |
| 4541 | Therapeutic effect of erythropoietin in patients with traumatic brain injury: a meta-analysis of randomized controlled trials. <i>Journal of Neurosurgery</i> , 2017, 127, 8-15. | 0.9 | 20 |
| 4542 | Ankle plantarflexor spasticity is not differentially disabling for those who are weak following traumatic brain injury. <i>Brain Injury</i> , 2017, 31, 193-198. | 0.6 | 5 |
| 4543 | Post-cardiac arrest shock treated with veno-arterial extracorporeal membrane oxygenation. <i>Resuscitation</i> , 2017, 110, 126-132. | 1.3 | 35 |
| 4544 | Higher Cerebrospinal Fluid pH may Contribute to the Development of Delayed Cerebral Ischemia after Aneurysmal Subarachnoid Hemorrhage. <i>Translational Stroke Research</i> , 2017, 8, 165-173. | 2.3 | 41 |
| 4545 | Time-frequency analyses of reaction times and theta/beta EEG ratio in pediatric patients with traumatic brain injury: A preliminary study. <i>Developmental Neurorehabilitation</i> , 2017, 20, 393-407. | 0.5 | 6 |
| 4546 | Self-awareness rehabilitation after Traumatic Brain Injury: A pilot study to compare two group therapies. <i>Restorative Neurology and Neuroscience</i> , 2017, 35, 115-127. | 0.4 | 15 |
| 4547 | Feature Selection Methods Applied to Severe Brain Damages Data. , 0, , . | | 2 |
| 4548 | External validation of the rotterdam computed tomography score in the prediction of mortality in severe traumatic brain injury. <i>Journal of Neurosciences in Rural Practice</i> , 2017, 08, S023-S026. | 0.3 | 16 |
| 4549 | Determinants of prognosis in neurocatastrophes. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2017, 140, 379-395. | 1.0 | 2 |
| 4550 | Overview of Traumatic Brain Injury: An Immunological Context. <i>Brain Sciences</i> , 2017, 7, 11. | 1.1 | 70 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4551 | Amino Acids in Cerebrospinal Fluid of Patients with Aneurysmal Subarachnoid Haemorrhage: An Observational Study. <i>Frontiers in Neurology</i> , 2017, 8, 438. | 1.1 | 16 |
| 4552 | Understanding the Mechanisms of Recovery and/or Compensation following Injury. <i>Neural Plasticity</i> , 2017, 2017, 1-12. | 1.0 | 62 |
| 4553 | German validation of Quality of Life after Brain Injury (QOLIBRI) assessment and associated factors. <i>PLoS ONE</i> , 2017, 12, e0176668. | 1.1 | 17 |
| 4554 | Lesions in deep gray nuclei after severe traumatic brain injury predict neurologic outcome. <i>PLoS ONE</i> , 2017, 12, e0186641. | 1.1 | 12 |
| 4555 | Regional brain morphometry in patients with traumatic brain injury based on acute- and chronic-phase magnetic resonance imaging. <i>PLoS ONE</i> , 2017, 12, e0188152. | 1.1 | 25 |
| 4556 | Management of intracranial hemorrhage in adult patients on extracorporeal membrane oxygenation (ECMO): An observational cohort study. <i>PLoS ONE</i> , 2017, 12, e0190365. | 1.1 | 38 |
| 4557 | Cerebrovascular pressure reactivity monitoring using wavelet analysis in traumatic brain injury patients: A retrospective study. <i>PLoS Medicine</i> , 2017, 14, e1002348. | 3.9 | 48 |
| 4558 | Temporal profile of intracranial pressure and cerebrovascular reactivity in severe traumatic brain injury and association with fatal outcome: An observational study. <i>PLoS Medicine</i> , 2017, 14, e1002353. | 3.9 | 59 |
| 4559 | Physician-staffed helicopter emergency medical service has a beneficial impact on the incidence of prehospital hypoxia and secured airways on patients with severe traumatic brain injury. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017, 25, 94. | 1.1 | 38 |
| 4560 | Neurological outcomes and duration from cardiac arrest to the initiation of extracorporeal membrane oxygenation in patients with out-of-hospital cardiac arrest: a retrospective study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017, 25, 95. | 1.1 | 61 |
| 4561 | Protocol based invasive intracranial pressure monitoring in acute liver failure: feasibility, safety and impact on management. <i>Critical Care</i> , 2017, 21, 178. | 2.5 | 30 |
| 4562 | Association of neuron-specific enolase values with outcomes in cardiac arrest survivors is dependent on the time of sample collection. <i>Critical Care</i> , 2017, 21, 172. | 2.5 | 47 |
| 4563 | The impact of sex and age on neurological outcomes in out-of-hospital cardiac arrest patients with targeted temperature management. <i>Critical Care</i> , 2017, 21, 272. | 2.5 | 25 |
| 4564 | Prognostic implications of blood lactate concentrations after cardiac arrest: a retrospective study. <i>Annals of Intensive Care</i> , 2017, 7, 101. | 2.2 | 35 |
| 4565 | Outcome of in- and out-of-hospital cardiac arrest survivors with liver cirrhosis. <i>Annals of Intensive Care</i> , 2017, 7, 103. | 2.2 | 21 |
| 4566 | Ventriculoperitoneal shunt insertion for hydrocephalus in human immunodeficiency virus-infected adults: a systematic review and meta-analysis protocol. <i>Systematic Reviews</i> , 2017, 6, 201. | 2.5 | 2 |
| 4567 | Effect of sex and age on traumatic brain injury: a geographical comparative study. <i>Archives of Public Health</i> , 2017, 75, 43. | 1.0 | 19 |
| 4568 | Long-term outcome in 324 polytrauma patients: what factors are associated with posttraumatic stress disorder and depressive disorder symptoms?. <i>European Journal of Medical Research</i> , 2017, 22, 44. | 0.9 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4569 | Continuous Electroencephalography (cEEG) Monitoring and Outcomes of Critically Ill Patients. <i>Medical Science Monitor</i> , 2017, 23, 649-658. | 0.5 | 12 |
| 4570 | Unintentional Head Injury in Children Less than 3 Years of Age: An Insight into Safety Practices in a Developing Country. <i>Pediatric Neurosurgery</i> , 2017, 52, 306-312. | 0.4 | 2 |
| 4571 | Recent advances in Japanese encephalitis. <i>F1000Research</i> , 2017, 6, 259. | 0.8 | 13 |
| 4572 | <i>Neurotrauma.</i> , 2017, , 535-585. | | 0 |
| 4573 | Kinematic measures provide useful information after intracranial aneurysm treatment. <i>Journal of Rehabilitation and Assistive Technologies Engineering</i> , 2017, 4, 205566831774499. | 0.6 | 0 |
| 4574 | Assessment of functional status in the ICU: instruments used in Brazilian settings. <i>Fisioterapia Em Movimento</i> , 2017, 30, 187-195. | 0.4 | 1 |
| 4575 | A Less Invasive Strategy for Ruptured Cerebral Aneurysms with Intracerebral Hematomas: Endovascular Coil Embolization Followed by Stereotactic Aspiration of Hematomas Using Urokinase. <i>Journal of Cerebrovascular and Endovascular Neurosurgery</i> , 2017, 19, 81. | 0.2 | 3 |
| 4576 | Epidemiology and Risk Factors for Bicycle-Related Severe Head Injury: A Single Center Experience. <i>Korean Journal of Neurotrauma</i> , 2017, 13, 90. | 0.2 | 7 |
| 4577 | Relationship between Functional Status Prior to Onset of Critical Illness and Mortality: A Prospective Multicentre Cohort Study. <i>Anaesthesia and Intensive Care</i> , 2017, 45, 351-358. | 0.2 | 2 |
| 4578 | Effect of Pre-Hospital Advanced Airway Management for Out-Of-Hospital Cardiac Arrest Caused by Respiratory Disease: A Propensity Score-Matched Study. <i>Anaesthesia and Intensive Care</i> , 2017, 45, 375-383. | 0.2 | 11 |
| 4579 | Cortisol evaluation during the acute phase of traumatic brain injury—A prospective study. <i>Clinical Endocrinology</i> , 2018, 88, 627-636. | 1.2 | 20 |
| 4580 | Prognostic role of high sensitivity C-reactive protein and interleukin-6 in glioma and meningioma patients. <i>Journal of Neuro-Oncology</i> , 2018, 138, 351-358. | 1.4 | 22 |
| 4581 | Predicting outcomes in aneurysmal subarachnoid haemorrhage. <i>BMJ: British Medical Journal</i> , 2018, 360, k102. | 2.4 | 6 |
| 4582 | Treatment of Tuberculous Meningitis and Its Complications in Adults. <i>Current Treatment Options in Neurology</i> , 2018, 20, 5. | 0.7 | 60 |
| 4583 | Score on Coma Recovery Scale-Revised at admission predicts outcome at discharge in intensive rehabilitation after severe brain injury. <i>Brain Injury</i> , 2018, 32, 730-734. | 0.6 | 39 |
| 4584 | Pressure Reactivity-Based Optimal Cerebral Perfusion Pressure in a Traumatic Brain Injury Cohort. <i>Acta Neurochirurgica Supplementum</i> , 2018, 126, 209-212. | 0.5 | 26 |
| 4585 | Meningioma surgery in younger and older adults: patient profile and surgical outcomes. <i>European Geriatric Medicine</i> , 2018, 9, 95-101. | 1.2 | 21 |
| 4586 | The Glasgow Outcome Scale Extended-Revised (GOSE-R) to include minimally conscious state in the vegetative state category. <i>Journal of the Neurological Sciences</i> , 2018, 388, 22. | 0.3 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4587 | Refractory status epilepticus: Impact of baseline comorbidity and usefulness of STESS and EMSE scoring systems in predicting mortality and functional outcome. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018, 56, 98-103. | 0.9 | 22 |
| 4588 | Is "Moderate" the Correct Adjective?*. <i>Critical Care Medicine</i> , 2018, 46, 829-831. | 0.4 | 2 |
| 4589 | Association of Prehospital Advanced Life Support by Physician With Survival After Out-of-Hospital Cardiac Arrest With Blunt Trauma Following Traffic Collisions. <i>JAMA Surgery</i> , 2018, 153, e180674. | 2.2 | 38 |
| 4590 | Performance evaluation and validation of the animal trauma triage score and modified Glasgow Coma Scale with suggested category adjustment in dogs: A VetCOT registry study. <i>Journal of Veterinary Emergency and Critical Care</i> , 2018, 28, 192-200. | 0.4 | 35 |
| 4591 | Association between body mass index and clinical outcomes of patients after cardiac arrest and resuscitation: A meta-analysis. <i>American Journal of Emergency Medicine</i> , 2018, 36, 1270-1279. | 0.7 | 18 |
| 4592 | Cerebral saturation in cardiac arrest patients measured with near-infrared technology during pre-hospital advanced life support. Results from Copernicus I cohort study. <i>Resuscitation</i> , 2018, 129, 107-113. | 1.3 | 35 |
| 4593 | Coma. <i>Neurology</i> , 2018, 90, e1638-e1645. | 1.5 | 42 |
| 4594 | Predictors of functional outcome after hanging injury. <i>Chinese Journal of Traumatology - English Edition</i> , 2018, 21, 84-87. | 0.7 | 3 |
| 4595 | "It's nothing you could ever prepare anyone for": the experiences of young people and their families following parental stroke. <i>Brain Injury</i> , 2018, 32, 474-486. | 0.6 | 10 |
| 4596 | Effect of target temperature management at 32-34°C in cardiac arrest patients considering assessment by regional cerebral oxygen saturation: A multicenter retrospective cohort study. <i>Resuscitation</i> , 2018, 126, 185-190. | 1.3 | 10 |
| 4597 | Acute brain lesions on magnetic resonance imaging in relation to neurological outcome after cardiac arrest. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 635-647. | 0.7 | 8 |
| 4598 | A subarachnoid haemorrhage-specific outcome tool. <i>Brain</i> , 2018, 141, 1111-1121. | 3.7 | 41 |
| 4599 | Effect of prior dengue infection on severity and outcome of Japanese encephalitis. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2018, 37, 519-525. | 1.3 | 2 |
| 4600 | Functional Status Examination in Patients with Moderate-to-Severe Traumatic Brain Injuries. <i>Journal of Neurotrauma</i> , 2018, 35, 1132-1137. | 1.7 | 6 |
| 4601 | Should We Perform an Immediate Coronary Angiogram in All Patients After Cardiac Arrest?. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 249-256. | 1.1 | 59 |
| 4602 | Improvement on the Coma Recovery Scale "Revised During the First Four Weeks of Hospital Stay Predicts Outcome at Discharge in Intensive Rehabilitation After Severe Brain Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 914-919. | 0.5 | 31 |
| 4603 | Medically induced hypertension, hypervolaemia and haemodilution for the treatment and prophylaxis of vasospasm following aneurysmal subarachnoid haemorrhage: systematic review. <i>British Journal of Neurosurgery</i> , 2018, 32, 157-164. | 0.4 | 23 |
| 4604 | Increased rate of ventriculostomy-related hemorrhage following endovascular treatment of ruptured aneurysms compared to clipping. <i>Acta Neurochirurgica</i> , 2018, 160, 545-550. | 0.9 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4605 | A propensity score analysis of the impact of surgical intervention on unexpected 30-day readmission following admission for subdural hematoma. <i>Journal of Neurosurgery</i> , 2018, 129, 1008-1016. | 0.9 | 11 |
| 4606 | Blunt Cerebrovascular Artery Injury and Stroke in Severely Injured Patients: An International Multicenter Analysis. <i>World Journal of Surgery</i> , 2018, 42, 2043-2053. | 0.8 | 54 |
| 4607 | Serum levels of S100B from jugular bulb as a biomarker of poor prognosis in patients with severe acute brain injury. <i>Journal of the Neurological Sciences</i> , 2018, 385, 109-114. | 0.3 | 6 |
| 4608 | Techniques of cognitive rehabilitation in patients with disorders of consciousness: a systematic review. <i>Neurological Sciences</i> , 2018, 39, 641-645. | 0.9 | 9 |
| 4609 | A narrative review of the clinical application of pressure reactivity indices in the neurocritical care unit. <i>British Journal of Neurosurgery</i> , 2018, 32, 4-12. | 0.4 | 7 |
| 4610 | Limited influence of blunt aortic injuries on the outcome of polytraumatized patients: a matched pair analysis. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018, 138, 211-218. | 1.3 | 2 |
| 4611 | Design of DISCOâ€”Direct or Subacute Coronary Angiography in Out-of-Hospital Cardiac Arrest study. <i>American Heart Journal</i> , 2018, 197, 53-61. | 1.2 | 26 |
| 4612 | Temporal Trends in Healthcare Costs and Outcome Following ICU Admission After Traumatic Brain Injury. <i>Critical Care Medicine</i> , 2018, 46, e302-e309. | 0.4 | 25 |
| 4613 | Predicting neurologically intact survival after in-hospital cardiac arrest-external validation of the Good Outcome Following Attempted Resuscitation score. <i>Resuscitation</i> , 2018, 128, 63-69. | 1.3 | 26 |
| 4614 | Low serum Kallistatin level was associated with poor neurological outcome of out-of-hospital cardiac arrest survivors: Proteomics study. <i>Resuscitation</i> , 2018, 128, 6-10. | 1.3 | 4 |
| 4615 | Comparison of two sedation regimens during targeted temperature management after cardiac arrest. <i>Resuscitation</i> , 2018, 128, 204-210. | 1.3 | 67 |
| 4616 | The Incidence and Impact of Secondary Cerebral Insults on Outcome After Aneurysmal Subarachnoid Hemorrhage. <i>World Neurosurgery</i> , 2018, 114, e483-e494. | 0.7 | 20 |
| 4617 | Significant Injury of the Mammillothalamic Tract without Injury of the Corticospinal Tract After Aneurysmal Subarachnoid Hemorrhage: A Retrospective Diffusion Tensor Imaging Study. <i>World Neurosurgery</i> , 2018, 114, e624-e630. | 0.7 | 14 |
| 4618 | Medico-economic Evaluation of Out-of-hospital Cardiac Arrest Patient Management. <i>Annual Update in Intensive Care and Emergency Medicine</i> , 2018, , 165-173. | 0.1 | 0 |
| 4619 | Comparison between frontolateral approach and pterional approach in the surgical treatment of paraclinoid aneurysms. <i>Journal of Clinical Neuroscience</i> , 2018, 52, 80-87. | 0.8 | 2 |
| 4620 | Predicting Long-Term Global Outcome after Traumatic Brain Injury: Development of a Practical Prognostic Tool Using the Traumatic Brain Injury Model Systems National Database. <i>Journal of Neurotrauma</i> , 2018, 35, 1587-1595. | 1.7 | 75 |
| 4621 | A Comparison of Computed Tomographyâ€”Based Scales with and without Consideration of the Presence or Absence of Intraventricular Hemorrhage in Patients with Aneurysmal Subarachnoid Hemorrhage. <i>World Neurosurgery</i> , 2018, 114, e926-e937. | 0.7 | 2 |
| 4622 | Cerebral Near-Infrared Spectroscopy in Adult Patients Undergoing Venous-Arterial Extracorporeal Membrane Oxygenation. <i>Neurocritical Care</i> , 2018, 29, 94-104. | 1.2 | 59 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4623 | Music interventions in disorders of consciousness (DOC) – a systematic review. <i>Brain Injury</i> , 2018, 32, 704-714. | 0.6 | 19 |
| 4624 | Proving cortical death after vascular coma: Evoked potentials, EEG and neuroimaging. <i>Clinical Neurophysiology</i> , 2018, 129, 1105-1116. | 0.7 | 8 |
| 4625 | Predictor of Isolated Trauma in Head: A New Simple Predictor for Survival of Isolated Traumatic Brain Injury. <i>Journal of Emergency Medicine</i> , 2018, 54, 427-434. | 0.3 | 8 |
| 4626 | Is telemonitoring useful for supporting persons with consciousness disorders and caregivers? A preliminary observational study in a real-life population. <i>Journal of Telemedicine and Telecare</i> , 2018, 24, 56-62. | 1.4 | 6 |
| 4627 | Cognitive rehabilitation after severe acquired brain injury: current evidence and future directions. <i>Neuropsychological Rehabilitation</i> , 2018, 28, 879-898. | 1.0 | 45 |
| 4628 | Long-term reintegration and quality of life in patients with subarachnoid hemorrhage and a good neurological outcome: findings after more than 20 years. <i>Journal of Neurosurgery</i> , 2018, 128, 785-792. | 0.9 | 27 |
| 4629 | Surgical treatment of neuronal-glia tumors of mesial-basal part of temporal lobe: Long term outcome and control of epilepsy in pediatric patients. <i>Neurologia I Neurochirurgia Polska</i> , 2018, 52, 2-8. | 0.6 | 5 |
| 4630 | Hyperglycaemia in comatose survivors of out-of-hospital cardiac arrest. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 442-449. | 0.4 | 14 |
| 4631 | The Bandung neurosurgery patient outcomes project, Indonesia (Part I): Methods, participant characteristics, and pre-discharge outcomes. <i>International Journal of Health Planning and Management</i> , 2018, 33, e57-e66. | 0.7 | 7 |
| 4632 | Severe head injury in very old patients: to treat or not to treat? Results of an online questionnaire for neurosurgeons. <i>Neurosurgical Review</i> , 2018, 41, 183-187. | 1.2 | 10 |
| 4633 | The effect of cranioplasty following decompressive craniectomy on cerebral blood perfusion, neurological, and cognitive outcome. <i>Journal of Neurosurgery</i> , 2018, 128, 229-235. | 0.9 | 57 |
| 4634 | Neutrophil to Lymphocyte Ratio as a Novel Predictor of Outcome in Patients With Severe Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2018, 33, E53-E59. | 1.0 | 49 |
| 4635 | Iatrogenic Effect? Cautions when Utilizing an Early Health Education for Post-concussion Symptoms. <i>Archives of Clinical Neuropsychology</i> , 2018, 33, 131-142. | 0.3 | 3 |
| 4636 | Impact of helmet use on traumatic brain injury from road traffic accidents in Cambodia. <i>Traffic Injury Prevention</i> , 2018, 19, 66-70. | 0.6 | 14 |
| 4637 | Diagnosis and treatment of severe neurosurgical patients with pyogenic ventriculitis caused by gram-negative bacteria. <i>Neurological Sciences</i> , 2018, 39, 79-84. | 0.9 | 14 |
| 4638 | A National Trial on Differences in Cerebral Perfusion Pressure Values by Measurement Location. <i>Neurocritical Care</i> , 2018, 28, 221-228. | 1.2 | 10 |
| 4639 | Serum N-terminal proBNP, not troponin I, at presentation predicts long-term neurologic outcome in acute charcoal-burning carbon monoxide intoxication. <i>Clinical Toxicology</i> , 2018, 56, 412-420. | 0.8 | 10 |
| 4640 | Veno-arterial extracorporeal membrane oxygenation (VA-ECMO) for emergency cardiac support. <i>Journal of Critical Care</i> , 2018, 44, 31-38. | 1.0 | 30 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4641 | Subjective complaints after acquired brain injury: presentation of the Brain Injury Complaint Questionnaire (BICoQ). <i>Journal of Neuroscience Research</i> , 2018, 96, 601-611. | 1.3 | 24 |
| 4642 | Electronic Health Data Predict Outcomes After Aneurysmal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2018, 28, 184-193. | 1.2 | 21 |
| 4643 | Self-awareness four years after severe traumatic brain injury: discordance between the patient's and relative's complaints. Results from the Paris-TBI study. <i>Clinical Rehabilitation</i> , 2018, 32, 692-704. | 1.0 | 26 |
| 4644 | Influence of inter-stimulus interval of spinal cord stimulation in patients with disorders of consciousness: A preliminary functional near-infrared spectroscopy study. <i>NeuroImage: Clinical</i> , 2018, 17, 1-9. | 1.4 | 25 |
| 4645 | The impact of airway strategy on the patient outcome after out-of-hospital cardiac arrest: A propensity score matched analysis. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 423-431. | 0.4 | 30 |
| 4646 | Pharmacological Treatments. , 2018, , 181-206. | | 1 |
| 4647 | Fibrinolytic for treatment of intraventricular hemorrhage: A meta-analysis and systematic review. <i>International Journal of Stroke</i> , 2018, 13, 11-23. | 2.9 | 24 |
| 4648 | Cerebrospinal Fluid Cathelicidin Correlates With the Bacterial Load and Outcomes in Childhood Bacterial Meningitis. <i>Pediatric Infectious Disease Journal</i> , 2018, 37, 182-185. | 1.1 | 11 |
| 4649 | Prevention and Treatment of Hyponatremia in Patients with Subarachnoid Hemorrhage: A Systematic Review. <i>World Neurosurgery</i> , 2018, 109, 222-229. | 0.7 | 28 |
| 4650 | Prevalence, Characteristics, and Long-Term Prognosis of Epilepsy Associated with Pediatric Brain Tumors. <i>World Neurosurgery</i> , 2018, 109, e594-e600. | 0.7 | 8 |
| 4651 | Improvement rate of patients with severe brain injury during post-acute intensive rehabilitation. <i>Neurological Sciences</i> , 2018, 39, 753-755. | 0.9 | 13 |
| 4652 | Targeted Temperature Management After Cardiac Arrest: Systematic Review and Meta-analyses. <i>Anesthesia and Analgesia</i> , 2018, 126, 867-875. | 1.1 | 36 |
| 4653 | The Glucagon-Like Peptide-1 Analog Exenatide Increases Blood Glucose Clearance, Lactate Clearance, and Heart Rate in Comatose Patients After Out-of-Hospital Cardiac Arrest. <i>Critical Care Medicine</i> , 2018, 46, e118-e125. | 0.4 | 7 |
| 4654 | Improving cannulation time for extracorporeal life support in refractory cardiac arrest of presumed cardiac cause – Comparison of two percutaneous cannulation techniques in the catheterization laboratory in a center without on-site cardiovascular surgery. <i>Resuscitation</i> , 2018, 122, 69-75. | 1.3 | 23 |
| 4655 | Evaluation of the Hospital Anxiety and Depression Scale (HADS) in screening stroke patients for symptoms: Item Response Theory (IRT) analysis. <i>Journal of Affective Disorders</i> , 2018, 228, 33-40. | 2.0 | 31 |
| 4656 | Analysis of overlapping surgery in patients undergoing microsurgical aneurysm clipping: acute and long-term outcomes from the Barrow Ruptured Aneurysm Trial. <i>Journal of Neurosurgery</i> , 2018, 129, 711-717. | 0.9 | 13 |
| 4657 | Head Injuries in Urban Environment Skiing and Snowboarding: A Retrospective Study on Injury Severity and Injury Mechanisms. <i>Scandinavian Journal of Surgery</i> , 2018, 107, 166-171. | 1.3 | 5 |
| 4658 | Independent impact of plasma homocysteine levels on neurological outcome following head injury. <i>Neurosurgical Review</i> , 2018, 41, 513-517. | 1.2 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4659 | Time to epinephrine and survival after paediatric out-of-hospital cardiac arrest. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2018, 4, 144-151. | 1.4 | 37 |
| 4660 | Multivariable and Bayesian Network Analysis of Outcome Predictors in Acute Aneurysmal Subarachnoid Hemorrhage: Review of a Pure Surgical Series in the Post-International Subarachnoid Aneurysm Trial Era. <i>Operative Neurosurgery</i> , 2018, 14, 603-610. | 0.4 | 11 |
| 4661 | Vitamin D status and 3-month Glasgow Outcome Scale scores in patients in neurocritical care: prospective analysis of 497 patients. <i>Journal of Neurosurgery</i> , 2018, 128, 1635-1641. | 0.9 | 6 |
| 4662 | Mechanical versus manual chest compressions for cardiac arrest. <i>The Cochrane Library</i> , 2018, 8, CD007260. | 1.5 | 49 |
| 4663 | Well-being among survivors of out-of-hospital cardiac arrest: a cross-sectional retrospective study in Sweden. <i>BMJ Open</i> , 2018, 8, e021729. | 0.8 | 23 |
| 4664 | Feasibility of telephone-administered interviews to evaluate long-term outcomes of trauma patients in urban Ethiopia. <i>Trauma Surgery and Acute Care Open</i> , 2018, 3, e000256. | 0.8 | 8 |
| 4665 | Association Between Driving Distance From Nearest Fire Station and Survival of Out-of-Hospital Cardiac Arrest. <i>Journal of the American Heart Association</i> , 2018, 7, e008771. | 1.6 | 13 |
| 4666 | Cerebral arteriovenous malformations – usability of Spetzler-Martin and Spetzler-Ponce scales in qualification to endovascular embolisation and neurosurgical procedure. <i>Polish Journal of Radiology</i> , 2018, 83, 243-247. | 0.5 | 3 |
| 4667 | Prothrombin Complex Concentrate for Warfarin-Associated Intracranial Bleeding in Neurosurgical Patients: A Single-Center Experience. <i>Medicina (Lithuania)</i> , 2018, 54, 22. | 0.8 | 4 |
| 4668 | Predictive value of plasma fibrinogen levels for outcome of aneurysmal subarachnoid haemorrhage during the first week of illness. <i>Phlebological Review</i> , 2018, 26, 36-43. | 0.1 | 0 |
| 4669 | Long-Term Effects of Decompressive Craniectomy on Functional Outcomes after Traumatic Brain Injury: A Multicenter Study. <i>American Surgeon</i> , 2018, 84, 1314-1318. | 0.4 | 10 |
| 4670 | Transcortical approach to lateral ventricular central neurocytomas: a case series and review of the literature. <i>Egyptian Journal of Neurosurgery</i> , 2018, 33, . | 0.2 | 1 |
| 4671 | Vehicle Driving after Stroke: Who Does it Better? A Descriptive Study in a Group of Patients Treated at the Clinical Hospital at the University of Chile. <i>International Journal of Physical Medicine & Rehabilitation</i> , 2018, 06, . | 0.5 | 0 |
| 4672 | Closed Head Injury. , 2018, , 366-389.e4. | | 1 |
| 4673 | Short –Infraslow–Activity (SISA) With Burst Suppression in Acute Anoxic Encephalopathy: A Rare, Specific Ominous Sign With Acute Posthypoxic Myoclonus or Acute Symptomatic Seizures. <i>Journal of Clinical Neurophysiology</i> , 2018, 35, 496-503. | 0.9 | 1 |
| 4674 | Clinical Feature and Outcomes of Secondary Hydrocephalus Caused by Head Trauma. <i>Korean Journal of Neurotrauma</i> , 2018, 14, 86. | 0.2 | 10 |
| 4675 | Incidence and clinical significance of postoperative delirium after brain tumor surgery. <i>Acta Neurochirurgica</i> , 2018, 160, 2327-2337. | 0.9 | 17 |
| 4676 | Risk factors predicting prognosis and outcome of elderly patients with isolated traumatic brain injury. <i>Journal of Orthopaedic Surgery and Research</i> , 2018, 13, 277. | 0.9 | 29 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4677 | Integrated information in the EEG of preterm infants increases with family nurture intervention, age, and conscious state. PLoS ONE, 2018, 13, e0206237. | 1.1 | 28 |
| 4678 | Detection of central nervous system viral infections in adults in Manado, North Sulawesi, Indonesia. PLoS ONE, 2018, 13, e0207440. | 1.1 | 18 |
| 4679 | Emergency department evaluation of the concussed athlete. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2018, 158, 81-90. | 1.0 | 1 |
| 4680 | Temporal Trends in the Use of Therapeutic Hypothermia for Out-of-Hospital Cardiac Arrest. JAMA Network Open, 2018, 1, e184511. | 2.8 | 63 |
| 4681 | Motor Vehicle Collisions and Their Consequencesâ€”Part II: Predictors of Impairment and Disability. Psychological Injury and Law, 2018, 11, 288-306. | 1.0 | 7 |
| 4682 | Acute liver dysfunction after cardiac arrest. PLoS ONE, 2018, 13, e0206655. | 1.1 | 33 |
| 4683 | Cerebrospinal fluid untargeted metabolomic profiling of aneurysmal subarachnoid hemorrhage: an exploratory study. British Journal of Neurosurgery, 2018, 32, 637-641. | 0.4 | 15 |
| 4684 | A mathematical model of neuroinflammation in severe clinical traumatic brain injury. Journal of Neuroinflammation, 2018, 15, 345. | 3.1 | 14 |
| 4685 | Trajectories of early secondary insults correlate to outcomes of traumatic brain injury: results from a large, single centre, observational study. BMC Emergency Medicine, 2018, 18, 52. | 0.7 | 32 |
| 4686 | Do Out-of-Hospital Cardiac Arrest Patients Have Increased Chances of Survival When Transported to a Cardiac Resuscitation Center?. Journal of the American Heart Association, 2018, 7, e011079. | 1.6 | 12 |
| 4687 | Has Outcome of Subarachnoid Hemorrhage Changed With Improvements in Neurosurgical Services?. Stroke, 2018, 49, 2890-2895. | 1.0 | 25 |
| 4688 | Mortality Is PassÃ©: The Importance of Morbidity as an Outcome*. Pediatric Critical Care Medicine, 2018, 19, 683-684. | 0.2 | 5 |
| 4689 | Intrathecal baclofen in paroxysmal sympathetic hyperactivity: Impact on oral treatment. Brain and Behavior, 2018, 8, e01124. | 1.0 | 16 |
| 4690 | Influence of study population definition on the effect of age on outcomes after blunt head trauma. Brain Injury, 2018, 32, 1725-1730. | 0.6 | 4 |
| 4691 | Long-term neurological outcomes in out-of-hospital cardiac arrest patients treated with targeted-temperature management. Resuscitation, 2018, 133, 33-39. | 1.3 | 33 |
| 4692 | Skin Augmentation as a Last-Resort Operative Technique During Decompressive Craniectomy. World Neurosurgery, 2018, 119, e417-e428. | 0.7 | 4 |
| 4693 | Intrathecal penetration of meropenem and vancomycin administered by continuous infusion in patients suffering from ventriculitisâ€”a retrospective analysis. Acta Neurochirurgica, 2018, 160, 2099-2105. | 0.9 | 17 |
| 4694 | Exercise-related resuscitated out-of-hospital cardiac arrest due to presumed myocardial ischemia: Result from coronary angiography and intravascular ultrasound. Resuscitation, 2018, 133, 40-46. | 1.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4695 | Cognitive Sequelae of Unruptured and Ruptured Intracranial Aneurysms and their Treatment: Modalities for Neuropsychological Assessment. <i>World Neurosurgery</i> , 2018, 120, 537-549. | 0.7 | 17 |
| 4696 | Categorization of post-cardiac arrest patients according to the pattern of amplitude-integrated electroencephalography after return of spontaneous circulation. <i>Critical Care</i> , 2018, 22, 226. | 2.5 | 26 |
| 4697 | Conscious While Being Considered in an Unresponsive Wakefulness Syndrome for 20 Years. <i>Frontiers in Neurology</i> , 2018, 9, 671. | 1.1 | 14 |
| 4698 | Long-term recovery profile of patients with severe disability or in vegetative states following severe primary intracerebral hemorrhage. <i>Journal of Critical Care</i> , 2018, 48, 269-275. | 1.0 | 8 |
| 4699 | Longer-term quality of life following major trauma: age only significantly affects outcome after the age of 80 years. <i>Clinical Interventions in Aging</i> , 2018, Volume 13, 773-785. | 1.3 | 17 |
| 4700 | Association of Bystander and First-Responder Efforts and Outcomes According to Sex: Results From the North Carolina HeartRescue Statewide Quality Improvement Initiative. <i>Journal of the American Heart Association</i> , 2018, 7, e009873. | 1.6 | 18 |
| 4702 | The role of coagulopathy on clinical outcome following traumatic brain injury in children: analysis of 66 consecutive cases in a single center institution. <i>Child's Nervous System</i> , 2018, 34, 2455-2461. | 0.6 | 14 |
| 4703 | Neurointensive care of patients with cerebral venous sinus thrombosis and intracerebral haemorrhage. <i>Journal of Clinical Neuroscience</i> , 2018, 58, 83-88. | 0.8 | 4 |
| 4704 | Serum vitamin D deficiency in subjects with severe acquired brain injury and relationship with functional severity. <i>Brain Injury</i> , 2018, 32, 1817-1823. | 0.6 | 4 |
| 4705 | A multicentre randomized pilot trial on the effectiveness of different levels of cooling in comatose survivors of out-of-hospital cardiac arrest: the FROST-I trial. <i>Intensive Care Medicine</i> , 2018, 44, 1807-1815. | 3.9 | 49 |
| 4706 | Excessive release of endogenous neuropeptide Y into cerebrospinal fluid after treatment of spontaneous subarachnoid haemorrhage and its possible impact on self-reported neuropsychological performance – results of a prospective clinical pilot study on good-grade patients. <i>Neurological Research</i> , 2018, 40, 1001-1013. | 0.6 | 9 |
| 4707 | Early Treatment Decisions in Poor-Grade Patients with Subarachnoid Hemorrhage. <i>World Neurosurgery</i> , 2018, 119, e568-e573. | 0.7 | 20 |
| 4708 | Effect of epileptiform abnormality burden on neurologic outcome and antiepileptic drug management after subarachnoid hemorrhage. <i>Clinical Neurophysiology</i> , 2018, 129, 2219-2227. | 0.7 | 37 |
| 4709 | What Can Be Learned from Diffusion Tensor Imaging from a Large Traumatic Brain Injury Cohort?: White Matter Integrity and Its Relationship with Outcome. <i>Journal of Neurotrauma</i> , 2018, 35, 2365-2376. | 1.7 | 15 |
| 4710 | Direct transport to a PCI-capable hospital is associated with improved survival after adult out-of-hospital cardiac arrest of medical aetiology. <i>Resuscitation</i> , 2018, 128, 76-82. | 1.3 | 28 |
| 4711 | Survival after in-hospital cardiac arrest among cerebrovascular disease patients. <i>Journal of Clinical Neuroscience</i> , 2018, 54, 1-6. | 0.8 | 7 |
| 4712 | Lower heart rate is associated with good one-year outcome in post-resuscitation patients. <i>Resuscitation</i> , 2018, 128, 112-118. | 1.3 | 14 |
| 4713 | Pre-Clinical Testing of Therapies for Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2018, 35, 2737-2754. | 1.7 | 68 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4714 | Traumatic Brain Injury Caused by Missile Wounds in the North of Palestine: A Single Institution's Experience with 520 Consecutive Civilian Patients. <i>World Neurosurgery</i> , 2018, 116, e329-e339. | 0.7 | 15 |
| 4715 | Management of Pediatric Posterior Circulation Aneurysms—12-Year Single-Institution Experience. <i>World Neurosurgery</i> , 2018, 116, e624-e633. | 0.7 | 9 |
| 4716 | Clinical Trials for Traumatic Brain Injury: Designs and Challenges. <i>Neuromethods</i> , 2018, , 361-378. | 0.2 | 0 |
| 4717 | Outcomes and healthcare-associated costs one year after intensive care-treated cardiac arrest. Resuscitation, 2018, 131, 128-134. | 1.3 | 31 |
| 4718 | Quality of life and level of post-traumatic stress disorder among trauma patients: A comparative study between a regional and a university hospital. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2018, 26, 44. | 1.1 | 18 |
| 4719 | One-year outcome following brain injury: a comparison of younger versus elderly major trauma patients. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018, 138, 1375-1387. | 1.3 | 3 |
| 4720 | Arteriovenous Malformations of the Posterior Fossa: Focus on Surgically Treated Patients Presenting with Hemorrhage. <i>World Neurosurgery</i> , 2018, 116, e934-e943. | 0.7 | 6 |
| 4721 | A new tool to assess responsiveness in disorders of consciousness (DoC): a preliminary study on the Brief Post-Coma Scale (BPCS). <i>Neurological Sciences</i> , 2018, 39, 1651-1656. | 0.9 | 5 |
| 4722 | Symptomatic periprocedural intracranial hemorrhage unrelated to coil embolization in 1287 patients with intracranial aneurysms. <i>Neuroradiology</i> , 2018, 60, 853-859. | 1.1 | 1 |
| 4724 | The Use of Blood-Based Biomarkers to Improve the Design of Clinical Trials of Traumatic Brain Injury. , 2018, , 139-166. | | 7 |
| 4725 | Prospective study: Long-term outcome at 12-15 years after aneurysmal subarachnoid hemorrhage. <i>Acta Neurologica Scandinavica</i> , 2018, 138, 400-407. | 1.0 | 8 |
| 4726 | Quality of Life Among Patients Undergoing Decompressive Craniectomy for Traumatic Brain Injury Using Glasgow Outcome Scale Extended and Quality of Life After Brain Injury Scale. <i>World Neurosurgery</i> , 2018, 116, e783-e790. | 0.7 | 8 |
| 4727 | Value and mechanisms of EEG reactivity in the prognosis of patients with impaired consciousness: a systematic review. <i>Critical Care</i> , 2018, 22, 184. | 2.5 | 73 |
| 4728 | Nerve trauma of the lower extremity: evaluation of 60,422 leg injured patients from the TraumaRegister DGU [®] between 2002 and 2015. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2018, 26, 40. | 1.1 | 49 |
| 4729 | Rate and impact of multidrug-resistant organisms in patients with aneurysmal subarachnoid hemorrhage. <i>Acta Neurochirurgica</i> , 2018, 160, 2049-2054. | 0.9 | 5 |
| 4730 | Unfavorable Outcome in Patients with Aneurysmal Subarachnoid Hemorrhage WFNS Grade I. <i>World Neurosurgery</i> , 2018, 118, e217-e222. | 0.7 | 10 |
| 4731 | Routine blood markers from different biological pathways improve early risk stratification in cardiac arrest patients: Results from the prospective, observational COMMUNICATE study. <i>Resuscitation</i> , 2018, 130, 138-145. | 1.3 | 28 |
| 4732 | Data on the effect of target temperature management at 32–34 °C in cardiac arrest patients considering assessment by regional cerebral oxygen saturation: A multicenter retrospective cohort study. <i>Data in Brief</i> , 2018, 17, 1417-1427. | 0.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4733 | Assessment of Platelet Function in Traumatic Brain Injury—A Retrospective Observational Study in the Neuro-Critical Care Setting. <i>Frontiers in Neurology</i> , 2018, 9, 15. | 1.1 | 29 |
| 4734 | Prospective evaluation of the Quality of Life after Brain Injury (QOLIBRI) score: minor differences in patients with major versus no or mild traumatic brain injury at one-year follow up. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 136. | 1.0 | 20 |
| 4735 | The evolution of cranial meningioma surgery—a single-center 25-year experience. <i>Acta Neurochirurgica</i> , 2018, 160, 1801-1812. | 0.9 | 27 |
| 4736 | Performance on the APACHE II, SAPS II, SOFA and the OHCA score of post-cardiac arrest patients treated with therapeutic hypothermia. <i>PLoS ONE</i> , 2018, 13, e0196197. | 1.1 | 30 |
| 4737 | The prognostic factors of HIV-negative adult cryptococcal meningitis with a focus on cranial MRI-based neuroimaging findings. <i>Journal of Clinical Neuroscience</i> , 2018, 55, 57-61. | 0.8 | 10 |
| 4738 | Neurologic outcomes after extracorporeal membrane oxygenation assisted CPR for resuscitation of out-of-hospital cardiac arrest patients: A systematic review. <i>Resuscitation</i> , 2018, 130, 146-158. | 1.3 | 67 |
| 4739 | Outcome of patients with acute bacterial meningitis in a teaching hospital in Ethiopia: A prospective study. <i>PLoS ONE</i> , 2018, 13, e0200067. | 1.1 | 23 |
| 4740 | A Conceptual Framework to Reduce Inpatient Preventable Deaths. <i>Joint Commission Journal on Quality and Patient Safety</i> , 2018, 44, 413-420. | 0.4 | 1 |
| 4741 | Successful Therapeutic Hypothermia in a Propofol-Related Cardiac Arrest Case: A Case Report and Literature Review. <i>Therapeutic Hypothermia and Temperature Management</i> , 2018, 8, 239-244. | 0.3 | 2 |
| 4742 | Finger or Light: Stimulation Sensitivity of Visual Startle in the Coma Recovery Scale-Revised for Disorders of Consciousness. <i>Neuroscience Bulletin</i> , 2018, 34, 709-712. | 1.5 | 3 |
| 4743 | The effect of time on cognitive impairments after non-traumatic subarachnoid haemorrhage and after traumatic brain injury. <i>Brain Injury</i> , 2018, 32, 1465-1476. | 0.6 | 12 |
| 4744 | Effects of transcranial LED therapy on the cognitive rehabilitation for diffuse axonal injury due to severe acute traumatic brain injury: study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 249. | 0.7 | 10 |
| 4745 | Does semiology of status epilepticus have an impact on treatment response and outcome?. <i>Epilepsy and Behavior</i> , 2018, 83, 81-86. | 0.9 | 8 |
| 4746 | Psychological and behavioural difficulties following severe TBI in adolescence: a comparison with a sample of peers with brain lesions of other origin and with a control group. <i>Brain Injury</i> , 2018, 32, 1011-1020. | 0.6 | 8 |
| 4747 | Traumatic brain injury (TBI) outcomes in an LMIC tertiary care centre and performance of trauma scores. <i>BMC Anesthesiology</i> , 2018, 18, 4. | 0.7 | 20 |
| 4748 | Severe thoracic trauma — still an independent predictor for death in multiple injured patients?. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2018, 26, 6. | 1.1 | 26 |
| 4749 | Perioperative anaesthetic adverse events in Thailand (PAAad THAI) study: Incident report of perioperative convulsion. <i>Journal of Perioperative Practice</i> , 2018, 28, 152-158. | 0.3 | 1 |
| 4750 | Age and benefit of early coronary angiography after out-of-hospital cardiac arrest in patients presenting with shockable rhythm: Insights from the Sudden Death Expertise Center registry. <i>Resuscitation</i> , 2018, 128, 126-131. | 1.3 | 20 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4751 | Severe metabolic acidosis after out-of-hospital cardiac arrest: risk factors and association with outcome. <i>Annals of Intensive Care</i> , 2018, 8, 62. | 2.2 | 31 |
| 4752 | Five-year motor functional outcome in children with acquired brain injury. Yet to the end of the story?. <i>Developmental Neurorehabilitation</i> , 2018, 21, 449-456. | 0.5 | 8 |
| 4753 | The prognostic value of discontinuous EEG patterns in postanoxic coma. <i>Clinical Neurophysiology</i> , 2018, 129, 1534-1543. | 0.7 | 43 |
| 4754 | Antero posterior elongation of midbrain in traumatic brain injury- significant sign yet a mistaken entity. <i>British Journal of Neurosurgery</i> , 2018, 32, 129-135. | 0.4 | 1 |
| 4755 | Increased level of compleasomes in cerebrospinal fluid of patients with herpes simplex encephalitis. <i>Journal of NeuroVirology</i> , 2018, 24, 702-711. | 1.0 | 8 |
| 4756 | Subdivisions of the posteromedial cortex in disorders of consciousness. <i>NeuroImage: Clinical</i> , 2018, 20, 260-266. | 1.4 | 6 |
| 4757 | Long-term neurological outcomes in patients aged over 90 years who are admitted to the intensive care unit following cardiac arrest. <i>Resuscitation</i> , 2018, 132, 6-12. | 1.3 | 13 |
| 4758 | Influence of demographic factors and clinical status parameters on long-term neurological, psychological and vegetative outcome following traumatic brain injury. <i>Brain Injury</i> , 2018, 32, 1500-1509. | 0.6 | 3 |
| 4759 | Comparison of the performance of mental health, drug and alcohol comorbidities based on ICD-10-AM and medical records for predicting 12-month outcomes in trauma patients. <i>BMC Health Services Research</i> , 2018, 18, 408. | 0.9 | 6 |
| 4760 | Carbon dioxide dynamics in relation to neurological outcome in resuscitated out-of-hospital cardiac arrest patients: an exploratory Target Temperature Management Trial substudy. <i>Critical Care</i> , 2018, 22, 196. | 2.5 | 31 |
| 4761 | Optimal mean arterial pressure in comatose survivors of out-of-hospital cardiac arrest: An analysis of area below blood pressure thresholds. <i>Resuscitation</i> , 2018, 128, 175-180. | 1.3 | 39 |
| 4762 | Baroreflex Impairment After Subarachnoid Hemorrhage Is Associated With Unfavorable Outcome. <i>Stroke</i> , 2018, 49, 1632-1638. | 1.0 | 12 |
| 4763 | Effectiveness of Homeopathic Medicines as Add-on to Institutional Management Protocol for Acute Encephalitis Syndrome in Children: An Open-Label Randomized Placebo-Controlled Trial. <i>Homeopathy</i> , 2018, 107, 161-171. | 0.5 | 26 |
| 4764 | Characteristics of jugular bulb oxygen saturation in patients after cardiac arrest: A prospective study. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 1237-1245. | 0.7 | 11 |
| 4765 | Diffuse axonal injury (DAI) in moderate to severe head injured patients: Pure DAI vs. non-pure DAI. <i>Clinical Neurology and Neurosurgery</i> , 2018, 171, 116-123. | 0.6 | 13 |
| 4766 | Alterations of the levels of primary antioxidant enzymes in different grades of human astrocytoma tissues. <i>Free Radical Research</i> , 2018, 52, 856-871. | 1.5 | 5 |
| 4767 | Combination of Clinical Exam, MRI and EEG to Predict Outcome Following Cardiac Arrest and Targeted Temperature Management. <i>Neurocritical Care</i> , 2018, 29, 396-403. | 1.2 | 32 |
| 4768 | Time to epileptiform activity and EEG background recovery are independent predictors after cardiac arrest. <i>Clinical Neurophysiology</i> , 2018, 129, 1660-1668. | 0.7 | 47 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4769 | Survival factors of hospitalized out-of-hospital cardiac arrest patients in Taiwan: A retrospective study. <i>PLoS ONE</i> , 2018, 13, e0191954. | 1.1 | 32 |
| 4770 | Cardiac events within one year after a subarachnoid haemorrhage: The predictive value of troponin elevation after aneurysm occlusion. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 420-428. | 0.8 | 7 |
| 4771 | Benefits of the tranexamic acid in head trauma with no extracranial bleeding: a prospective follow-up of 180 patients. <i>European Journal of Trauma and Emergency Surgery</i> , 2019, 45, 719-726. | 0.8 | 35 |
| 4772 | A Systematic Review of Outcome Measures Employed in Aneurysmal Subarachnoid Hemorrhage (aSAH) Clinical Research. <i>Neurocritical Care</i> , 2019, 30, 534-541. | 1.2 | 39 |
| 4773 | Rate and risk factors for a hyperactivity delirium in patients with aneurysmal subarachnoid haemorrhage. <i>Neurosurgical Review</i> , 2019, 42, 481-488. | 1.2 | 14 |
| 4774 | Prognosis, Outcome Measures, and Prevention. , 2019, , 227-239. | | 0 |
| 4775 | Neuroimaging Findings in Sepsis-Induced Brain Dysfunction: Association with Clinical and Laboratory Findings. <i>Neurocritical Care</i> , 2019, 30, 106-117. | 1.2 | 28 |
| 4776 | Traumatic cardiac arrest and resuscitative endovascular balloon occlusion of the aorta (REBOA): a preliminary analysis utilizing high fidelity invasive blood pressure recording and videography. <i>European Journal of Trauma and Emergency Surgery</i> , 2019, 45, 1097-1105. | 0.8 | 17 |
| 4777 | Impact of the angiographic burden on the incidence of out-of-hospital ventricular fibrillation in patients with acute myocardial infarction. <i>Heart and Vessels</i> , 2019, 34, 52-61. | 0.5 | 5 |
| 4778 | Development and External Validation of an Early Prognostic Model for Survivors of Out-of-hospital Cardiac Arrest. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 535-542. | 0.4 | 5 |
| 4779 | Long-term and delayed functional recovery in patients with severe cerebrovascular and traumatic brain injury requiring tracheostomy. <i>Journal of Neurosurgery</i> , 2019, 131, 114-121. | 0.9 | 12 |
| 4780 | Effectiveness of Combined External Ventricular Drainage with Intraventricular Fibrinolysis for the Treatment of Intraventricular Haemorrhage with Acute Obstructive Hydrocephalus. <i>Cerebrovascular Diseases Extra</i> , 2019, 9, 77-89. | 0.5 | 18 |
| 4781 | Prearrest prediction of favourable neurological survival following in-hospital cardiac arrest: The Prediction of outcome for In-Hospital Cardiac Arrest (PIHCA) score. <i>Resuscitation</i> , 2019, 143, 92-99. | 1.3 | 22 |
| 4782 | Serum neurofilament light chain as a prognostic marker in postanoxic encephalopathy. <i>Epilepsy and Behavior</i> , 2019, 101, 106432. | 0.9 | 15 |
| 4783 | Favorable Functional Recovery in Severe Traumatic Brain Injury Survivors beyond Six Months. <i>Journal of Neurotrauma</i> , 2019, 36, 3158-3163. | 1.7 | 49 |
| 4784 | Neuron-specific enolase (NSE) improves clinical risk scores for prediction of neurological outcome and death in cardiac arrest patients: Results from a prospective trial. <i>Resuscitation</i> , 2019, 142, 50-60. | 1.3 | 45 |
| 4785 | Surgical Outcome of Isolated Extradural Hematomas Operated in a Teaching Hospital in Western Nepal. <i>Nepal Journal of Neuroscience</i> , 2019, 16, 21-24. | 0.1 | 0 |
| 4786 | The Transition Trajectory for the Patient with a Traumatic Brain Injury. <i>Nursing Clinics of North America</i> , 2019, 54, 409-423. | 0.7 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4787 | Incorporating baseline functional status to improve validity of neurological outcome assessments following cardiac arrest. <i>Resuscitation</i> , 2019, 142, 69-73. | 1.3 | 3 |
| 4788 | Depression, apathy and impaired self-awareness following severe traumatic brain injury: a preliminary investigation. <i>Brain Injury</i> , 2019, 33, 1245-1256. | 0.6 | 35 |
| 4789 | Development of a point of care system for automated coma prognosis: a prospective cohort study protocol. <i>BMJ Open</i> , 2019, 9, e029621. | 0.8 | 4 |
| 4790 | Convulsive status epilepticus due to different evolutionary stages of neurocysticercosis - solitary cysticercus granuloma, low cyst load, and single calcific lesion in an endemic country: Clinical profile. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2019, 71, 229-232. | 0.9 | 7 |
| 4791 | Herbal medicine for acute management and rehabilitation of traumatic brain injury. <i>Medicine (United Tj ETQq0 0 0 rgBT /Overlock 10 Tf</i> | 0.4 | 6 |
| 4792 | In Hospitals With More Nurses Who Have Baccalaureate Degrees, Better Outcomes For Patients After Cardiac Arrest. <i>Health Affairs</i> , 2019, 38, 1087-1094. | 2.5 | 39 |
| 4793 | Spontaneous Aneurysmal Subarachnoid Hemorrhage and Related Cortisol and Immunologic Alterations: Impact on Patients' Health-related Quality of Life. <i>Journal of Neurological Surgery, Part A: Central European Neurosurgery</i> , 2019, 80, 371-380. | 0.4 | 3 |
| 4794 | Reply to: Methodological issues in the study of inter-hospital transfer in low-volume and high-volume emergency departments and survival outcomes after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2019, 144, 209. | 1.3 | 0 |
| 4795 | CSF proteomics of patients with hydrocephalus and subarachnoid haemorrhage. <i>Translational Neuroscience</i> , 2019, 10, 244-253. | 0.7 | 3 |
| 4796 | Outcome after Interdisciplinary Treatment for Aneurysmal Subarachnoid Hemorrhage – A Single Center Experience. <i>Medicina (Lithuania)</i> , 2019, 55, 724. | 0.8 | 2 |
| 4798 | Prognostic performance of computerized tomography scoring systems in civilian penetrating traumatic brain injury: an observational study. <i>Acta Neurochirurgica</i> , 2019, 161, 2467-2478. | 0.9 | 8 |
| 4799 | 2019 American Heart Association Focused Update on Systems of Care: Dispatcher-Assisted Cardiopulmonary Resuscitation and Cardiac Arrest Centers: An Update to the American Heart Association Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. <i>Circulation</i> , 2019, 140, e895-e903. | 1.6 | 41 |
| 4800 | Encephalitis and aseptic meningitis: short-term and long-term outcome, quality of life and neuropsychological functioning. <i>Scientific Reports</i> , 2019, 9, 16158. | 1.6 | 11 |
| 4801 | Bystander-initiated conventional vs compression-only cardiopulmonary resuscitation and outcomes after out-of-hospital cardiac arrest due to drowning. <i>Resuscitation</i> , 2019, 145, 166-174. | 1.3 | 17 |
| 4802 | Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports: Update of the Utstein Resuscitation Registry Template for In-Hospital Cardiac Arrest. <i>Resuscitation</i> , 2019, 144, 166-177. | 1.3 | 71 |
| 4803 | Epidemiology, etiology, and outcomes of out-of-hospital cardiac arrest in young patients in lebanon. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1390-1395. | 0.5 | 6 |
| 4805 | Outcome of microsurgical clipping of anterior circulation aneurysms during the period of vasospasm: single center experience in Egypt. <i>Egyptian Journal of Neurosurgery</i> , 2019, 34, . | 0.2 | 0 |
| 4806 | Surgical management for large hypertensive basal ganglionic hemorrhage: single center experience. <i>Egyptian Journal of Neurosurgery</i> , 2019, 34, . | 0.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 4807 | Early Prognostication after Traumatic Brain Injury: Specific Validation of the IMPACT Prognostic Calculator in a Level 1 Trauma Center. <i>Journal of Neurological Surgery, Part A: Central European Neurosurgery</i> , 2019, 80, 423-429. | 0.4 | 0 |
| 4808 | The Functional Status Examination in Mild Traumatic Brain Injury: A TRACK-TBI Sub-Study. <i>Archives of Clinical Neuropsychology</i> , 2019, 34, 1165-1174. | 0.3 | 12 |
| 4809 | Clinical EEG slowing correlates with delirium severity and predicts poor clinical outcomes. <i>Neurology</i> , 2019, 93, e1260-e1271. | 1.5 | 60 |
| 4810 | Long-Term Follow-Up of Disability, Cognitive, and Emotional Impairments after Severe Traumatic Brain Injury. <i>Behavioural Neurology</i> , 2019, 2019, 1-7. | 1.1 | 18 |
| 4811 | Targeted Temperature Management After Cardiac Arrest: The Montreal Heart Institute Experience. <i>CJC Open</i> , 2019, 1, 238-244. | 0.7 | 0 |
| 4812 | The chronic ICU patient: Is intensive care worthwhile for patients with very prolonged ICU-stay (â‰¥30 days)? <i>Intensive Care Medicine</i> , 2019, 24, 1083-1088. | 1.0 | 8 |
| 4813 | Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports: Update of the Utstein Resuscitation Registry Template for In-Hospital Cardiac Arrest: A Consensus Report From a Task Force of the International Liaison Committee on Resuscitation (American Heart Association, European Resuscitation Council, International Resuscitation Federation, Japanese Resuscitation Council, Korean Resuscitation Council, Middle East Resuscitation Council, New Zealand Resuscitation Council, North American Resuscitation Council, and Resuscitation Council in Australasia) <i>Resuscitation</i> , 2019, 133, 105-144. | 1.6 | 133 |
| 4814 | Targeted Temperature Management for Cardiac Arrest with Nonshockable Rhythm. <i>New England Journal of Medicine</i> , 2019, 381, 2327-2337. | 13.9 | 439 |
| 4815 | Early prediction of neurological outcome after barbiturate coma therapy in patients undergoing brain tumor surgery. <i>PLoS ONE</i> , 2019, 14, e0215280. | 1.1 | 9 |
| 4816 | The malnutrition in polytrauma patients (MaPP) study: Research protocol. <i>Nutrition and Health</i> , 2019, 25, 291-301. | 0.6 | 4 |
| 4817 | Targeted hypothermia versus targeted Normothermia after out-of-hospital cardiac arrest (TTM2): A randomized clinical trialâ€™ Rationale and design. <i>American Heart Journal</i> , 2019, 217, 23-31. | 1.2 | 72 |
| 4818 | Timing of brain computed tomography and accuracy of outcome prediction after cardiac arrest. <i>Resuscitation</i> , 2019, 145, 8-14. | 1.3 | 40 |
| 4819 | Adrenaline and vasopressin for cardiac arrest. <i>The Cochrane Library</i> , 2019, 2019, CD003179. | 1.5 | 30 |
| 4820 | Prolonged targeted temperature management reduces memory retrieval deficits six months post-cardiac arrest: A randomised controlled trial. <i>Resuscitation</i> , 2019, 134, 1-9. | 1.3 | 19 |
| 4821 | Enduring Neuroprotective Effect of Subacute Neural Stem Cell Transplantation After Penetrating TBI. <i>Frontiers in Neurology</i> , 2018, 9, 1097. | 1.1 | 12 |
| 4822 | Prehospital on-scene anaesthetist treating severe traumatic brain injury patients is associated with lower mortality and better neurological outcome. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2019, 27, 9. | 1.1 | 22 |
| 4823 | Associations between partial pressure of oxygen and neurological outcome in out-of-hospital cardiac arrest patients: an explorative analysis of a randomized trial. <i>Critical Care</i> , 2019, 23, 30. | 2.5 | 33 |
| 4824 | Value of EEG reactivity for prediction of neurologic outcome after cardiac arrest: Insights from the Parisian registry. <i>Resuscitation</i> , 2019, 142, 168-174. | 1.3 | 24 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4825 | Association of bystander cardiopulmonary resuscitation and neurological outcome after out-of-hospital cardiac arrest due to drowning in Japan, 2013–2016. <i>Resuscitation</i> , 2019, 141, 111-120. | 1.3 | 16 |
| 4826 | Disorders of Consciousness. , 2019, , 731-765. | | 5 |
| 4827 | Reexamination of the UN10 Rule to Discontinue Resuscitation During In-Hospital Cardiac Arrest. <i>JAMA Network Open</i> , 2019, 2, e194941. | 2.8 | 9 |
| 4828 | Early electroencephalography for outcome prediction of postanoxic coma: A prospective cohort study. <i>Annals of Neurology</i> , 2019, 86, 203-214. | 2.8 | 120 |
| 4829 | Prognostic Value of Neurological Status on Hospital Arrival for Short-Term Outcome in Patients With Cardiovascular Shock—Sub-analysis of the Japanese Circulation Society Cardiovascular Shock Registry. <i>Circulation Journal</i> , 2019, 83, 1247-1253. | 0.7 | 2 |
| 4830 | Urine α -2-Microglobulin, Osteopontin, and Trefoil Factor 3 May Early Predict Acute Kidney Injury and Outcome after Cardiac Arrest. <i>Critical Care Research and Practice</i> , 2019, 2019, 1-9. | 0.4 | 7 |
| 4831 | The calibrated model-based concordance improved assessment of discriminative ability in patient clusters of limited sample size. <i>Diagnostic and Prognostic Research</i> , 2019, 3, 11. | 0.8 | 6 |
| 4832 | Geriatric brain tumor management part I: Meningioma. <i>Journal of Clinical Neuroscience</i> , 2019, 67, 5-9. | 0.8 | 9 |
| 4833 | Targeted temperature management for cardiac arrest. <i>Progress in Cardiovascular Diseases</i> , 2019, 62, 272-278. | 1.6 | 17 |
| 4834 | Brain Diffusion Imaging Findings May Predict Clinical Outcome after Cardiac Arrest. <i>Journal of Neuroimaging</i> , 2019, 29, 540-547. | 1.0 | 8 |
| 4835 | Adrenaline, ROSC and survival in patients resuscitated from in-hospital cardiac arrest. <i>Resuscitation</i> , 2019, 140, 64-71. | 1.3 | 7 |
| 4836 | Comparative study of computed tomographic scoring systems and predictors of early mortality in severe traumatic brain injury. <i>Journal of Clinical Neuroscience</i> , 2019, 66, 100-106. | 0.8 | 23 |
| 4837 | Effect of Trans-Nasal Evaporative Intra-arrest Cooling on Functional Neurologic Outcome in Out-of-Hospital Cardiac Arrest. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 1677. | 3.8 | 115 |
| 4838 | Joint sequencing of human and pathogen genomes reveals the genetics of pneumococcal meningitis. <i>Nature Communications</i> , 2019, 10, 2176. | 5.8 | 83 |
| 4839 | Long-term health outcomes in survivors after chronic subdural haematoma. <i>Journal of Clinical Neuroscience</i> , 2019, 66, 133-137. | 0.8 | 12 |
| 4840 | A Serum Protein Biomarker Panel Improves Outcome Prediction in Human Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2019, 36, 2850-2862. | 1.7 | 129 |
| 4841 | Comparison of the Incidence and Severity of Traumatic Brain Injury Caused by Electrical Bicycle and Bicycle Accidents—A Retrospective Cohort Study From a Swiss Level I Trauma Center. <i>World Neurosurgery</i> , 2019, 126, e1023-e1034. | 0.7 | 23 |
| 4842 | Blood Pressure and End-tidal Carbon Dioxide Ranges during Aneurysm Occlusion and Neurologic Outcome after an Aneurysmal Subarachnoid Hemorrhage. <i>Anesthesiology</i> , 2019, 130, 92-105. | 1.3 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4843 | The Relationship of the FOUR Score to Patient Outcome: A Systematic Review. <i>Journal of Neurotrauma</i> , 2019, 36, 2469-2483. | 1.7 | 24 |
| 4844 | Chemokine RANTES and IL-1 β in mild therapeutic hypothermia-treated patients after out-of-hospital sudden cardiac arrest. <i>Postępy W Kardiologii Interwencyjnej</i> , 2019, 15, 98-106. | 0.1 | 4 |
| 4845 | Usefulness of neuron specific enolase in prognostication after cardiac arrest: Impact of age and time to ROSC. <i>Resuscitation</i> , 2019, 139, 214-221. | 1.3 | 22 |
| 4846 | Large urban center improves out-of-hospital cardiac arrest survival. <i>Resuscitation</i> , 2019, 139, 234-240. | 1.3 | 16 |
| 4847 | Dutch Prospective Observational Study on Prehospital Treatment of Severe Traumatic Brain Injury: The BRAIN-PROTECT Study Protocol. <i>Prehospital Emergency Care</i> , 2019, 23, 820-827. | 1.0 | 9 |
| 4848 | Patients With Refractory Out-of-Cardiac Arrest and Sustained Ventricular Fibrillation as Candidates for Extracorporeal Cardiopulmonary Resuscitation—Prospective Multi-Center Observational Study. <i>Circulation Journal</i> , 2019, 83, 1011-1018. | 0.7 | 46 |
| 4849 | Paroxysmal Sympathetic Hyperactivity Rate in Vegetative or Minimally Conscious State after Acquired Brain Injury Evaluated by Paroxysmal Sympathetic Hyperactivity Assessment Measure. <i>Journal of Neurotrauma</i> , 2019, 36, 2430-2434. | 1.7 | 18 |
| 4850 | Association of miR-34a Expression with Quality of Life of Glioblastoma Patients: A Prospective Study. <i>Cancers</i> , 2019, 11, 300. | 1.7 | 10 |
| 4851 | Effect of age of transfused red blood cells on neurologic outcome following traumatic brain injury (ABLE-tbi Study): a nested study of the Age of Blood Evaluation (ABLE) trial. <i>Canadian Journal of Anaesthesia</i> , 2019, 66, 696-705. | 0.7 | 5 |
| 4852 | Functional Status Examination versus Glasgow Outcome Scale Extended as Outcome Measures in Traumatic Brain Injuries: How Do They Compare?. <i>Journal of Neurotrauma</i> , 2019, 36, 2423-2429. | 1.7 | 14 |
| 4853 | Cost-effectiveness of public automated external defibrillators. <i>Resuscitation</i> , 2019, 138, 250-258. | 1.3 | 18 |
| 4854 | Diagnosing the GOSE: Structural and Psychometric Properties Using Item Response Theory, a TRACK-TBI Pilot Study. <i>Journal of Neurotrauma</i> , 2019, 36, 2493-2505. | 1.7 | 13 |
| 4855 | A Detailed Overview of Long-Term Outcomes in Severe Traumatic Brain Injury Eight Years Post-injury. <i>Frontiers in Neurology</i> , 2019, 10, 120. | 1.1 | 79 |
| 4856 | Association of extracerebral organ failure with 1-year survival and healthcare-associated costs after cardiac arrest: an observational database study. <i>Critical Care</i> , 2019, 23, 67. | 2.5 | 14 |
| 4857 | Prognosis of Six-Month Glasgow Outcome Scale in Severe Traumatic Brain Injury Using Hospital Admission Characteristics, Injury Severity Characteristics, and Physiological Monitoring during the First Day Post-Injury. <i>Journal of Neurotrauma</i> , 2019, 36, 2417-2422. | 1.7 | 23 |
| 4858 | Pediatric Intracranial Aneurysms: Favorable Outcomes Despite Rareness and Complexity. <i>World Neurosurgery</i> , 2019, 125, e1203-e1216. | 0.7 | 18 |
| 4859 | Prognostic value of copeptin in patients with aneurysmal subarachnoid hemorrhage. <i>Journal of Neuroimmunology</i> , 2019, 330, 116-122. | 1.1 | 16 |
| 4860 | Contralateral Approach to Paraclinoid Aneurysms: Angiographic Analysis and Surgical Results of 12 Patients. <i>Journal of Neurological Surgery, Part A: Central European Neurosurgery</i> , 2019, 80, 180-186. | 0.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4861 | Glasgow Outcome Scale Measures and Impact on Analysis and Results of a Randomized Clinical Trial of Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2019, 36, 2484-2492. | 1.7 | 13 |
| 4862 | Corticosteroid treatment compared with surgery in chronic subdural hematoma: a systematic review and meta-analysis. <i>Acta Neurochirurgica</i> , 2019, 161, 1231-1242. | 0.9 | 37 |
| 4863 | Longitudinal Analysis of Corpus Callosum Diffusion Tensor Imaging Metrics and Its Association with Neurological Outcome. <i>Journal of Neurotrauma</i> , 2019, 36, 2785-2802. | 1.7 | 6 |
| 4864 | Construct validity and reliability of the Full Outline of UnResponsiveness (FOUR) score in spontaneous subarachnoid haemorrhage caused by aneurysm rupture. <i>Journal of Clinical Nursing</i> , 2019, 28, 3776-3785. | 1.4 | 1 |
| 4865 | Predictive Factors of Poor Prognosis After Surgical Management of Traumatic Acute Subdural Hematomas: A Single-Center Series. <i>World Neurosurgery</i> , 2019, 126, e944-e952. | 0.7 | 18 |
| 4866 | Haptoglobin genotype and aneurysmal subarachnoid hemorrhage. <i>Neurology</i> , 2019, 92, e2150-e2164. | 1.5 | 15 |
| 4867 | Nationwide survey of influenza-associated acute encephalopathy in Japanese adults. <i>Journal of the Neurological Sciences</i> , 2019, 399, 101-107. | 0.3 | 2 |
| 4868 | What Is a Concussive Brain Injury?. , 2019, , 33-92. | | 1 |
| 4869 | Why Outcomes Vary. , 2019, , 285-382. | | 0 |
| 4870 | How Should One Measure "Outcome" of Concussion?: An Introduction to the Common Data Elements for Mild TBI and Concussion. , 2019, , 694-715. | | 0 |
| 4871 | Outcomes for Hemodialysis Patients Given Cardiopulmonary Resuscitation for Cardiac Arrest at Outpatient Dialysis Clinics. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 461-470. | 3.0 | 20 |
| 4872 | Calcium antagonists for acute ischemic stroke. <i>The Cochrane Library</i> , 2019, 2019, CD001928. | 1.5 | 20 |
| 4873 | Effect of Physician-Staffed Emergency Medical Services (P-EMS) on the Outcome of Patients with Severe Traumatic Brain Injury: A Review of the Literature. <i>Prehospital Emergency Care</i> , 2019, 23, 730-739. | 1.0 | 10 |
| 4874 | Derivation and Validation of the SWAP Score for Very Early Prediction of Neurologic Outcome in Patients With Out-of-Hospital Cardiac Arrest. <i>Annals of Emergency Medicine</i> , 2019, 73, 578-588. | 0.3 | 17 |
| 4875 | Risk factors for the development of posttraumatic hydrocephalus after unilateral decompressive craniectomy in patients with traumatic brain injury. <i>Journal of Clinical Neuroscience</i> , 2019, 63, 62-67. | 0.8 | 12 |
| 4876 | Interleukin-6 Levels in Cerebrospinal Fluid and Plasma in Patients with Severe Spontaneous Subarachnoid Hemorrhage. <i>World Neurosurgery</i> , 2019, 122, e612-e618. | 0.7 | 20 |
| 4877 | Prediction of Outcomes for Ruptured Aneurysm Surgery. <i>Stroke</i> , 2019, 50, 595-601. | 1.0 | 12 |
| 4878 | Severe head injury in elderly: 6-year comparison of treatment and outcome between southern Finland and Navarra (Spain). <i>European Journal of Trauma and Emergency Surgery</i> , 2021, 47, 1429-1436. | 0.8 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4879 | Cognitive Impairment, Functional Outcome, and Delayed Cerebral Ischemia After Aneurysmal Subarachnoid Hemorrhage. <i>World Neurosurgery</i> , 2019, 124, e558-e562. | 0.7 | 45 |
| 4880 | Risk Factors for Recurrent Hematoma After Surgery for Acute Traumatic Subdural Hematoma. <i>World Neurosurgery</i> , 2019, 124, e563-e571. | 0.7 | 8 |
| 4881 | One-year longitudinal study of psychological distress and self-assessed health in survivors of out-of-hospital cardiac arrest. <i>BMJ Open</i> , 2019, 9, e029756. | 0.8 | 24 |
| 4883 | The role of s100b as a predictor of the functional outcome in geriatric patients with acute cerebrovascular stroke. <i>Egyptian Journal of Neurology, Psychiatry and Neurosurgery</i> , 2019, 55, . | 0.4 | 3 |
| 4884 | Variation in survival after out-of-hospital cardiac arrest between receiving hospitals in Japan: an observational study. <i>BMJ Open</i> , 2019, 9, e033919. | 0.8 | 9 |
| 4885 | Defining and Managing Pain in Stroke and Traumatic Brain Injury Research. <i>Comparative Medicine</i> , 2019, 69, 510-519. | 0.4 | 6 |
| 4886 | Chronic subdural hematoma (CSH) is still an important clinical problem. Analysis of 700 consecutive patients. <i>Translational Neuroscience</i> , 2019, 10, 260-263. | 0.7 | 4 |
| 4887 | Decompressive craniectomy for the treatment of high intracranial pressure in closed traumatic brain injury. <i>The Cochrane Library</i> , 2019, 2019, CD003983. | 1.5 | 46 |
| 4888 | Hypertonic saline versus other intracranial pressure-lowering agents for people with acute traumatic brain injury. <i>The Cochrane Library</i> , 2019, 12, CD010904. | 1.5 | 18 |
| 4889 | Infrared pupillometry to help predict neurological outcome for patients achieving return of spontaneous circulation following cardiac arrest: a systematic review protocol. <i>Systematic Reviews</i> , 2019, 8, 286. | 2.5 | 2 |
| 4890 | Indomethacin for intracranial hypertension secondary to severe traumatic brain injury in adults. <i>The Cochrane Library</i> , 2019, 2019, . | 1.5 | 4 |
| 4891 | Temporal trends in the use of targeted temperature management after cardiac arrest and association with outcome: insights from the Paris Sudden Death Expertise Centre. <i>Critical Care</i> , 2019, 23, 391. | 2.5 | 15 |
| 4892 | Combination of S100B and procalcitonin improves prognostic performance compared to either alone in patients with cardiac arrest. <i>Medicine (United States)</i> , 2019, 98, e14496. | 0.4 | 26 |
| 4893 | Outcomes of microsurgical clipping vs coil embolization for ruptured aneurysmal subarachnoid hemorrhage. <i>Medicine (United States)</i> , 2019, 98, e16821. | 0.4 | 10 |
| 4894 | Preventable poor outcome from rebleeding by emergency aneurysm occlusion in patients with aneurysmal subarachnoid haemorrhage. <i>European Stroke Journal</i> , 2019, 4, 240-246. | 2.7 | 15 |
| 4895 | Feasibility of Hidden Markov Models for the Description of Time-Varying Physiologic State After Severe Traumatic Brain Injury. <i>Critical Care Medicine</i> , 2019, 47, e880-e885. | 0.4 | 9 |
| 4896 | Continuous EEG Findings in Autoimmune Encephalitis. <i>Journal of Clinical Neurophysiology</i> , 2021, 38, 124-129. | 0.9 | 30 |
| 4897 | Early clinical management of acute CNS infections: a prospective cohort study. <i>Future Microbiology</i> , 2019, 14, 1309-1320. | 1.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4898 | Iatrogenic cerebral gas embolism—A systematic review of case reports. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 154-160. | 0.7 | 17 |
| 4899 | Electrographic Seizures in Patients with Acute Encephalitis. <i>Neurocritical Care</i> , 2019, 30, 207-215. | 1.2 | 16 |
| 4900 | Anterior Communicating Artery Complex Aneurysms: Anatomic Characteristics as Predictors of Surgical Outcome in 300 Cases. <i>World Neurosurgery</i> , 2019, 122, e896-e906. | 0.7 | 19 |
| 4901 | Performance of clinical risk scores to predict mortality and neurological outcome in cardiac arrest patients. <i>Resuscitation</i> , 2019, 136, 21-29. | 1.3 | 38 |
| 4902 | Cognitive functioning following traumatic brain injury: The first 5 years. <i>NeuroRehabilitation</i> , 2019, 43, 377-386. | 0.5 | 8 |
| 4903 | Outcomes of Retreatment for Intracranial Aneurysms — A Meta-Analysis. <i>Neurosurgery</i> , 2019, 85, 750-761. | 0.6 | 16 |
| 4904 | Gender-Specific Improvements in Outcome 1 and 2 Years After Major Trauma. <i>Journal of Surgical Research</i> , 2019, 235, 459-469. | 0.8 | 9 |
| 4905 | Enhanced readability of discharge summaries decreases provider telephone calls and patient readmissions in the posthospital setting. <i>Surgery</i> , 2019, 165, 789-794. | 1.0 | 17 |
| 4906 | Performance of injury severity measures in trauma research: a literature review and validation analysis of studies from low-income and middle-income countries. <i>BMJ Open</i> , 2019, 9, e023161. | 0.8 | 16 |
| 4907 | Outcome of Ventriculoperitoneal Shunt Surgery in Human Immunodeficiency Virus—Positive Patients on Combination Antiretroviral Therapy with Tuberculosis Meningitis and Hydrocephalus. <i>World Neurosurgery</i> , 2019, 123, e574-e580. | 0.7 | 9 |
| 4908 | Association between lymphocyte count and neurological outcomes in post—cardiac arrest patients treated with mild therapeutic hypothermia. <i>Acute Medicine & Surgery</i> , 2019, 6, 30-39. | 0.5 | 5 |
| 4909 | Do Mechanical Chest Compression Devices Compared With High-Quality Manual Chest Compressions Improve Neurologically Intact Survival of Patients Who Experience Cardiac Arrest?. <i>Annals of Emergency Medicine</i> , 2019, 73, 620-623. | 0.3 | 3 |
| 4910 | Serum Neurofilament Light Chain for Prognosis of Outcome After Cardiac Arrest. <i>JAMA Neurology</i> , 2019, 76, 64. | 4.5 | 158 |
| 4911 | Children sustaining a severe acquired brain lesion before age 3 years: a follow-up study at 1 year from insult. <i>Brain Injury</i> , 2019, 33, 160-167. | 0.6 | 4 |
| 4912 | The Glasgow Outcome Scale Extended-Revised (GOSE-R) to include Minimally Conscious State in the Vegetative State/Unresponsive Wakefulness Syndrome category: a correlation with Coma Recovery Scale-Revised (CRS-R). <i>European Journal of Physical and Rehabilitation Medicine</i> , 2019, 55, 139-140. | 1.1 | 10 |
| 4913 | Spontaneous Hyperventilation in Severe Traumatic Brain Injury: Incidence and Association with Poor Neurological Outcome. <i>Neurocritical Care</i> , 2019, 30, 405-413. | 1.2 | 16 |
| 4914 | Cerebrospinal fluid lactate and neurological outcome after subarachnoid haemorrhage. <i>Journal of Clinical Neuroscience</i> , 2019, 60, 63-67. | 0.8 | 5 |
| 4915 | Do older patients with acute or subacute subdural hematoma benefit from surgery?. <i>British Journal of Neurosurgery</i> , 2019, 33, 51-57. | 0.4 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4916 | Bilateral Vertebral Artery Dissection and Unilateral Carotid Artery Dissection in Case of Ehlers-Danlos Syndrome Type IV. <i>World Neurosurgery</i> , 2019, 121, 83-87. | 0.7 | 11 |
| 4917 | Predictors of cognitive function in the acute phase after aneurysmal subarachnoid hemorrhage. <i>Acta Neurochirurgica</i> , 2019, 161, 177-184. | 0.9 | 20 |
| 4918 | Identifying clinical complexity in patients affected by severe acquired brain injury in neurorehabilitation: a cross sectional survey. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2019, 55, 191-198. | 1.1 | 18 |
| 4919 | Experiences with a temporary synthetic skin substitute after decompressive craniectomy: a retrospective two-center analysis. <i>Acta Neurochirurgica</i> , 2019, 161, 493-499. | 0.9 | 4 |
| 4920 | Ambulance Density and Outcomes After Out-of-Hospital Cardiac Arrest. <i>Circulation</i> , 2019, 139, 1262-1271. | 1.6 | 30 |
| 4921 | Patterns of moderate and severe injury in children after the introduction of major trauma networks. <i>Archives of Disease in Childhood</i> , 2019, 104, 366-371. | 1.0 | 24 |
| 4922 | Comparative Effectiveness of Surgery for Traumatic Acute Subdural Hematoma in an Aging Population. <i>Journal of Neurotrauma</i> , 2019, 36, 1184-1191. | 1.7 | 14 |
| 4923 | MELAS: Monitoring treatment with magnetic resonance spectroscopy. <i>Acta Neurologica Scandinavica</i> , 2019, 139, 82-85. | 1.0 | 19 |
| 4924 | Treatment effect on ordinal functional outcome using piecewise multistate Markov model with unobservable baseline: an application to the modified Rankin scale. <i>Journal of Biopharmaceutical Statistics</i> , 2019, 29, 82-97. | 0.4 | 2 |
| 4925 | Association Between Therapeutic Hypothermia and Outcomes in Patients with Non-shockable Out-of-Hospital Cardiac Arrest Developed After Emergency Medical Service Arrival (SOS-KANTO 2012) Tj ETQq1 1 01784314 r8BT /Over | | |
| 4926 | We are not the same people we used to be: An exploration of family biographical narratives and identity change following traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2019, 29, 1256-1272. | 1.0 | 20 |
| 4927 | Preliminary validation study of the Sydney Post-Traumatic Amnesia Scale (SYPTAS) in children with traumatic brain injury aged 4 to 7 years. <i>Applied Neuropsychology: Child</i> , 2019, 8, 61-69. | 0.7 | 2 |
| 4928 | Clinical characteristics and prognosis of traumatic head injury following road traffic accidents admitted in ICU –an analysis of 694 cases–. <i>European Journal of Trauma and Emergency Surgery</i> , 2019, 45, 245-253. | 0.8 | 21 |
| 4929 | Characteristics and Long-Term Outcome of 127 Children With Cerebral Arteriovenous Malformations. <i>Neurosurgery</i> , 2019, 84, 151-159. | 0.6 | 29 |
| 4930 | Does the subspecialty of an intensive care unit (ICU) has an impact on outcome in patients suffering from aneurysmal subarachnoid hemorrhage?. <i>Neurosurgical Review</i> , 2019, 42, 147-153. | 1.2 | 3 |
| 4931 | Neuropsychological Changes in Patients Undergoing Treatment of Unruptured Intracranial Aneurysms. <i>Neurosurgery</i> , 2019, 84, 581-587. | 0.6 | 10 |
| 4932 | Intraoperative use of transcranial motor/sensory evoked potential monitoring in the clipping of intracranial aneurysms: evaluation of false-positive and false-negative cases. <i>Journal of Neurosurgery</i> , 2019, 130, 936-948. | 0.9 | 34 |
| 4933 | Accidental hypothermia as an independent risk factor of poor neurological outcome in older multiply injured patients with severe traumatic brain injury: a matched pair analysis. <i>European Journal of Trauma and Emergency Surgery</i> , 2019, 45, 255-261. | 0.8 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4934 | Temporal Patterns and Influential Factors of Blood Glucose Levels During the First 10-Day Critical Period After Brain Injury. <i>Clinical Nursing Research</i> , 2019, 28, 744-761. | 0.7 | 1 |
| 4935 | Preoperative verbal memory problems and their clinical prognostic value in meningioma patients: A prospective study. <i>Applied Neuropsychology Adult</i> , 2019, 26, 503-512. | 0.7 | 2 |
| 4936 | Valoración funcional tras tratamiento neurointensivo pediátrico. Nueva escala de estado funcional (FSS). <i>Neurología</i> , 2020, 35, 311-317. | 0.3 | 0 |
| 4938 | On the relation between dimensions of fatigue and depression in adolescents and young adults with acquired brain injury. <i>Neuropsychological Rehabilitation</i> , 2020, 30, 872-887. | 1.0 | 8 |
| 4939 | Trauma center need: the American College of Surgeons™ definition in contrast to Swiss highly specialized medicine regulations—a Swiss trauma center perspective. <i>European Journal of Trauma and Emergency Surgery</i> , 2020, 46, 397-406. | 0.8 | 4 |
| 4940 | Donor referral from outside the intensive care unit: A multidisciplinary cooperation model using communication apps and redefining referral criteria. <i>Medicina Intensiva</i> , 2020, 44, 142-149. | 0.4 | 4 |
| 4941 | Surgical management of spontaneous intracerebral hemorrhage: insights from randomized controlled trials. <i>Neurosurgical Review</i> , 2020, 43, 999-1006. | 1.2 | 8 |
| 4942 | Change in neuron specific enolase levels in out-of-hospital cardiopulmonary arrest survivors as a simple and useful tool to predict neurological prognosis. <i>Revista Espanola De Cardiologia (English Ed)</i> Tj ETQq1 1 00784314 rgBT /Ove | 0.8 | 4 |
| 4943 | Prognostic value of automated pupillometry: an unselected cohort from a cardiac intensive care unit. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 779-787. | 0.4 | 17 |
| 4944 | Age differences in outcome after mild traumatic brain injury: results from the HeadSMART study. <i>International Review of Psychiatry</i> , 2020, 32, 22-30. | 1.4 | 12 |
| 4945 | Fibrinolytics and Intraventricular Hemorrhage: A Systematic Review and Meta-analysis. <i>Neurocritical Care</i> , 2020, 32, 262-271. | 1.2 | 19 |
| 4946 | Machine Learning to Predict In-Hospital Morbidity and Mortality after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2020, 37, 202-210. | 1.7 | 66 |
| 4947 | Operative versus non-operative treatment of traumatic brain injuries in patients 80 years of age or older. <i>Neurosurgical Review</i> , 2020, 43, 1305-1314. | 1.2 | 6 |
| 4948 | Ability of the PILOT score to predict 6-month functional outcome in pediatric patients with moderate to severe traumatic brain injury. <i>Journal of Pediatric Surgery</i> , 2020, 55, 1238-1244. | 0.8 | 5 |
| 4949 | Genetic Variability and Trajectories of DNA Methylation May Support a Role for HAMP in Patient Outcomes After Aneurysmal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2020, 32, 550-563. | 1.2 | 10 |
| 4950 | High Mortality from Major Vascular Trauma in Traffic Accidents: A Population-Based Study. <i>Scandinavian Journal of Surgery</i> , 2020, 109, 328-335. | 1.3 | 0 |
| 4951 | Behavioral Recovery and Early Decision Making in Patients with Prolonged Disturbance in Consciousness after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2020, 37, 357-365. | 1.7 | 38 |
| 4952 | Spatial and Temporal Pattern of Ischemia and Abnormal Vascular Function Following Traumatic Brain Injury. <i>JAMA Neurology</i> , 2020, 77, 339. | 4.5 | 49 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 4953 | The Story of the Development and Adoption of the Glasgow Coma Scale: Part I, The Early Years. <i>World Neurosurgery</i> , 2020, 134, 311-322. | 0.7 | 16 |
| 4954 | Extracorporeal cardiopulmonary resuscitation in out-of-hospital cardiac arrest: a registry study. <i>European Heart Journal</i> , 2020, 41, 1961-1971. | 1.0 | 172 |
| 4955 | Sex-based differences in the response to dexamethasone in bacterial meningitis: Analysis of the European dexamethasone in adulthood bacterial meningitis study. <i>British Journal of Clinical Pharmacology</i> , 2020, 86, 386-391. | 1.1 | 6 |
| 4956 | Coil migration during or after endovascular coiling of cerebral aneurysms. <i>Journal of NeuroInterventional Surgery</i> , 2020, 12, 505-511. | 2.0 | 21 |
| 4957 | Is an increased PaO ₂ in a normobaric state safe in acute CO poisoning?. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 126, 448-457. | 1.2 | 0 |
| 4958 | Bedside interpretation of simplified continuous EEG after cardiac arrest. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 85-92. | 0.7 | 10 |
| 4959 | Troponin I as an early biomarker of cardiopulmonary parameters during the first 24 h of intensive care unit treatment in isolated traumatic brain injury patients. <i>Injury</i> , 2020, 51, 1189-1195. | 0.7 | 9 |
| 4960 | Diagnostic performance of the basic and advanced life support termination of resuscitation rules: A systematic review and diagnostic meta-analysis. <i>Resuscitation</i> , 2020, 148, 3-13. | 1.3 | 22 |
| 4961 | Hypothermic to ischemic ratio and mortality in post-cardiac arrest patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 546-555. | 0.7 | 4 |
| 4962 | Gender differences in cognitive outcome after cardiac arrest: A retrospective cohort study. <i>Brain Injury</i> , 2020, 34, 122-130. | 0.6 | 8 |
| 4963 | Ability of Fibrin Monomers to Predict Progressive Hemorrhagic Injury in Patients with Severe Traumatic Brain Injury. <i>Neurocritical Care</i> , 2020, 33, 182-195. | 1.2 | 9 |
| 4964 | Screening tools for early neuropsychological impairment after aneurysmal subarachnoid hemorrhage. <i>Neurological Sciences</i> , 2020, 41, 817-824. | 0.9 | 12 |
| 4965 | Impact of Sex on Survival and Neurologic Outcomes in Adults With In-Hospital Cardiac Arrest. <i>American Journal of Cardiology</i> , 2020, 125, 309-312. | 0.7 | 5 |
| 4966 | Functioning and disability from 10 to 16 years after traumatic brain injury. <i>Acta Neurologica Scandinavica</i> , 2020, 141, 115-122. | 1.0 | 3 |
| 4967 | Dispatcher-assisted cardiopulmonary resuscitation: Differential effects of landline, Mobile, and transferred calls. <i>Resuscitation</i> , 2020, 146, 96-102. | 1.3 | 10 |
| 4968 | The evolving role of novel treatment techniques in the management of patients with refractory VF/pVT out-of-hospital cardiac arrest. <i>American Journal of Emergency Medicine</i> , 2020, 38, 648-654. | 0.7 | 4 |
| 4969 | Racial and Ethnic Disparities in Postcardiac Arrest Targeted Temperature Management Outcomes*. <i>Critical Care Medicine</i> , 2020, 48, 56-63. | 0.4 | 9 |
| 4970 | Post out-of-hospital cardiac arrest care in a tertiary care center in southern Thailand: From emergency department to intensive care unit. <i>Hong Kong Journal of Emergency Medicine</i> , 2020, 27, 155-161. | 0.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4971 | Herbal Medicine for Traumatic Brain Injury: A Systematic Review and Meta-Analysis of Randomized Controlled Trials and Limitations. <i>Frontiers in Neurology</i> , 2020, 11, 772. | 1.1 | 5 |
| 4972 | In-hospital cardiac arrest in critically ill patients with covid-19: multicenter cohort study. <i>BMJ</i> , The, 2020, 371, m3513. | 3.0 | 108 |
| 4973 | The Impact of Extracerebral Infection After Subarachnoid Hemorrhage: A Single-Center Cohort Study. <i>World Neurosurgery</i> , 2020, 144, e883-e897. | 0.7 | 13 |
| 4974 | Rationale and methods of the Advanced R2Eperfusion STRategies for Refractory Cardiac Arrest (ARREST) trial. <i>American Heart Journal</i> , 2020, 229, 29-39. | 1.2 | 24 |
| 4975 | Decompressive craniectomy in aneurysmal subarachnoid hemorrhage: Who and when? â€œ A systematic review and meta-analysis. <i>Clinical Neurology and Neurosurgery</i> , 2020, 199, 106252. | 0.6 | 14 |
| 4976 | Major trauma due to suicide attempt: increased workload but not mortality. <i>European Journal of Trauma and Emergency Surgery</i> , 2022, 48, 519-523. | 0.8 | 5 |
| 4977 | Switch from parenteral to oral antibiotics for brain abscesses: a retrospective cohort study of 109 patients. <i>Journal of Antimicrobial Chemotherapy</i> , 2020, 75, 3062-3066. | 1.3 | 9 |
| 4978 | Machine Learning Algorithms and Quantitative Electroencephalography Predictors for Outcome Prediction in Traumatic Brain Injury: A Systematic Review. <i>IEEE Access</i> , 2020, 8, 102075-102092. | 2.6 | 18 |
| 4979 | The association of partial pressures of oxygen and carbon dioxide with neurological outcome after out-of-hospital cardiac arrest: an explorative International Cardiac Arrest Registry 2.0 study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2020, 28, 67. | 1.1 | 9 |
| 4980 | Outcome prediction with resting-state functional connectivity after cardiac arrest. <i>Scientific Reports</i> , 2020, 10, 11695. | 1.6 | 18 |
| 4981 | Short-term outcome following significant trauma: increasing age per se has only a relatively low impact. <i>European Journal of Trauma and Emergency Surgery</i> , 2021, 47, 1979-1992. | 0.8 | 1 |
| 4982 | Genetic Variation in <i>Neisseria meningitidis</i> Does Not Influence Disease Severity in Meningococcal Meningitis. <i>Frontiers in Medicine</i> , 2020, 7, 594769. | 1.2 | 8 |
| 4983 | Coping and Health-Related Quality of Life after Closed Head Injury. <i>Clinical Neurology and Neurosurgery</i> , 2020, 197, 106194. | 0.6 | 1 |
| 4984 | Traumatic brain injury with concomitant injury to the spleen: characteristics and mortality of a high-risk trauma cohort from the TraumaRegister DGUÂ®. <i>European Journal of Trauma and Emergency Surgery</i> , 2022, 48, 4451-4459. | 0.8 | 3 |
| 4985 | Role of LCF scale as an outcome prognostic index in patients with traumatic brain injury. <i>Neurological Sciences</i> , 2020, 42, 2747-2752. | 0.9 | 6 |
| 4986 | Prediction of Clinical Outcome at Discharge After Rupture of Anterior Communicating Artery Aneurysm Using the Random Forest Technique. <i>Frontiers in Neurology</i> , 2020, 11, 538052. | 1.1 | 10 |
| 4987 | Efficacy and safety of endovascular coiling vs surgical clipping for patients with ruptured carotid-ophthalmic aneurysm. <i>Medicine (United States)</i> , 2020, 99, e23235. | 0.4 | 1 |
| 4988 | Serial disseminated intravascular coagulation score with neuron specific enolase predicts the mortality of cardiac arrestâ€”a pilot study. <i>Journal of Thoracic Disease</i> , 2020, 12, 3573-3581. | 0.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 4989 | Iron chelators for acute stroke. The Cochrane Library, 2020, 2020, CD009280. | 1.5 | 9 |
| 4990 | Incidence, impact and risk factors for multidrug-resistant organisms (MDRO) in patients with major trauma: a European Multicenter Cohort Study. <i>European Journal of Trauma and Emergency Surgery</i> , 2022, 48, 659-665. | 0.8 | 9 |
| 4991 | Association between patient race and staff resuscitation efforts after cardiac arrest in outpatient dialysis clinics: A study from the CARES surveillance group. <i>Resuscitation</i> , 2020, 156, 42-50. | 1.3 | 8 |
| 4992 | Functional outcomes at 12 months for patients with traumatic brain injury, intracerebral haemorrhage and subarachnoid haemorrhage treated in an Australian neurocritical care unit: A prospective cohort study. <i>Australian Critical Care</i> , 2020, 33, 497-503. | 0.6 | 4 |
| 4993 | The Self-Awareness Multilevel Assessment Scale, a New Tool for the Assessment of Self-Awareness After Severe Acquired Brain Injury: Preliminary Findings. <i>Frontiers in Psychology</i> , 2020, 11, 1732. | 1.1 | 6 |
| 4994 | The Glasgow Coma Scale Pupils score: a nurse's perspective. <i>British Journal of Neuroscience Nursing</i> , 2020, 16, 89-92. | 0.1 | 0 |
| 4995 | Functional assessment of a series of paediatric patients receiving neurointensive treatment: the new Functional Status Scale. <i>Neurologia (English Edition)</i> , 2020, 35, 311-317. | 0.2 | 0 |
| 4996 | Post-traumatic growth and value-directed living after acquired brain injury. <i>Neuropsychological Rehabilitation</i> , 2022, 32, 84-103. | 1.0 | 12 |
| 4997 | Extracorporeal cardiopulmonary resuscitation without target temperature management for out-of-hospital cardiac arrest patients prolongs the therapeutic time window: a retrospective analysis of a nationwide multicentre observational study in Japan. <i>Journal of Intensive Care</i> , 2020, 8, 58. | 1.3 | 6 |
| 4998 | Increased QT Dispersion Is Linked to Worse Outcomes in Patients Hospitalized for Out-of-Hospital Cardiac Arrest. <i>Journal of the American Heart Association</i> , 2020, 9, e016485. | 1.6 | 8 |
| 4999 | Macrophage-specific protein perforin-2 is associated with poor neurological recovery and reduced survival after sudden cardiac arrest. <i>Resuscitation</i> , 2020, 155, 180-188. | 1.3 | 1 |
| 5000 | Chronic disorders of consciousness: a case report with longitudinal evaluation of disease progression using 7T magnetic resonance imaging. <i>BMC Neurology</i> , 2020, 20, 396. | 0.8 | 2 |
| 5001 | Electroencephalographic features in patients undergoing extracorporeal membrane oxygenation. <i>Critical Care</i> , 2020, 24, 629. | 2.5 | 20 |
| 5002 | Dynamics of cerebrospinal fluid levels of matrix metalloproteinases in human traumatic brain injury. <i>Scientific Reports</i> , 2020, 10, 18075. | 1.6 | 19 |
| 5003 | Clinical Features of 57 Patients with Lipoid Congenital Adrenal Hyperplasia: Criteria for Nonclassic Form Revisited. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3929-e3937. | 1.8 | 16 |
| 5004 | Volume Change in Frontal Cholinergic Structures After Traumatic Brain Injury and Cognitive Outcome. <i>Frontiers in Neurology</i> , 2020, 11, 832. | 1.1 | 5 |
| 5005 | OHCA (Out-of-Hospital Cardiac Arrest) and CAHP (Cardiac Arrest Hospital Prognosis) scores to predict outcome after in-hospital cardiac arrest: Insight from a multicentric registry. <i>Resuscitation</i> , 2020, 156, 167-173. | 1.3 | 17 |
| 5006 | Long-Term Analysis of Functional Outcomes in Traumatic Brain Injury Patients. <i>American Surgeon</i> , 2020, 86, 1124-1128. | 0.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5007 | Endovascular treatment versus standard management for cerebral vasospasm after aneurysmal subarachnoid haemorrhage. <i>The Cochrane Library</i> , 0, , . | 1.5 | 0 |
| 5008 | Surgical therapy for moyamoya disease. <i>The Cochrane Library</i> , 0, , . | 1.5 | 0 |
| 5009 | Serum neutrophil gelatinase-associated lipocalin at 3 hours after return of spontaneous circulation in patients with cardiac arrest and therapeutic hypothermia: early predictor of acute kidney injury. <i>BMC Nephrology</i> , 2020, 21, 389. | 0.8 | 4 |
| 5010 | Efficacy of Thiamine in the Treatment of Postcardiac Arrest Patients: A Randomized Controlled Study. <i>Critical Care Research and Practice</i> , 2020, 2020, 1-7. | 0.4 | 4 |
| 5011 | Prevalence and predictors of fatigue after aneurysmal subarachnoid hemorrhage. <i>Acta Neurochirurgica</i> , 2020, 162, 3107-3116. | 0.9 | 13 |
| 5012 | Neurological outcome after extracorporeal cardiopulmonary resuscitation for in-hospital cardiac arrest: a systematic review and meta-analysis. <i>Critical Care</i> , 2020, 24, 505. | 2.5 | 20 |
| 5013 | Comparison of Bypass and Non-Bypass Surgical Treatments for Internal Carotid Artery Blood Blister-Like Aneurysms: A Meta-Analysis of Efficacy, Safety, and Outcomes. <i>World Neurosurgery</i> , 2020, 144, 283-292.e12. | 0.7 | 8 |
| 5014 | When, How, and to What Extent Are Individuals with Unresponsive Wakefulness Syndrome Able to Progress? Functional Independence. <i>Brain Sciences</i> , 2020, 10, 990. | 1.1 | 7 |
| 5016 | Clinical Q & A: Translating Therapeutic Temperature Management from Theory to Practice. <i>Therapeutic Hypothermia and Temperature Management</i> , 2020, 10, 248-253. | 0.3 | 0 |
| 5017 | Patient outcomes of school-age, out-of-hospital cardiac arrest in Japan: A nationwide study of schoolchildren as witnesses. <i>Acute Medicine & Surgery</i> , 2020, 7, e607. | 0.5 | 4 |
| 5018 | Arginine and Arginine/ADMA Ratio Predict 90-Day Mortality in Patients with Out-of-Hospital Cardiac Arrest—Results from the Prospective, Observational COMMUNICATE Trial. <i>Journal of Clinical Medicine</i> , 2020, 9, 3815. | 1.0 | 4 |
| 5019 | Out-of-hospital cardiac arrest patients with an initial non-shockable rhythm could be candidates for extracorporeal cardiopulmonary resuscitation: a retrospective study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2020, 28, 101. | 1.1 | 20 |
| 5020 | Donor referral from outside the intensive care unit: A multidisciplinary cooperation model using communication apps and redefining referral criteria. <i>Medicina Intensiva (English Edition)</i> , 2020, 44, 142-149. | 0.1 | 0 |
| 5021 | Association of Taurine with In-Hospital Mortality in Patients after Out-of-Hospital Cardiac Arrest: Results from the Prospective, Observational COMMUNICATE Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1405. | 1.0 | 11 |
| 5022 | Outcomes and prognostic factors of pediatric patients with a Glasgow Coma Score of 3 after blunt head trauma. <i>Child's Nervous System</i> , 2020, 36, 2657-2665. | 0.6 | 5 |
| 5023 | Improvement of quality of life (QOL) between 1 and 4 years after traumatic brain injury (TBI) in ICU patients. <i>Acta Neurochirurgica</i> , 2020, 162, 1619-1628. | 0.9 | 2 |
| 5024 | Neurological Prognostication in Children After Cardiac Arrest. <i>Pediatric Neurology</i> , 2020, 108, 13-22. | 1.0 | 12 |
| 5025 | Imbalance between plasma double-stranded DNA and deoxyribonuclease activity predicts mortality after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2020, 151, 26-32. | 1.3 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5026 | Brain injury. , 2020, , 271-292. | | 1 |
| 5027 | Performance and outcome evaluation of emergency resuscitative thoracotomy in a Norwegian trauma centre: a population-based consecutive series with survival benefits. <i>Injury</i> , 2020, 51, 1956-1960. | 0.7 | 8 |
| 5028 | Clinical effects of polymyxin B-immobilized fiber column direct hemoperfusion for severe bacterial meningitis: A series of 10 cases. <i>Clinical Case Reports (discontinued)</i> , 2020, 8, 823-832. | 0.2 | 1 |
| 5029 | Thrombolysis with alteplase 3-4.5 hours after acute ischaemic stroke: the first multicentre, phase III trial in China. <i>Stroke and Vascular Neurology</i> , 2020, 5, 285-290. | 1.5 | 8 |
| 5030 | The Presence of Anemia in Children with Abusive Head Trauma. <i>Journal of Pediatrics</i> , 2020, 223, 148-155.e2. | 0.9 | 3 |
| 5031 | Analysis of Normal High-Frequency Intracranial Pressure Values and Treatment Threshold in Neurocritical Care Patients. <i>JAMA Neurology</i> , 2020, 77, 1150. | 4.5 | 23 |
| 5032 | Sixto Obrador SENEC prize 2019: Utility of diffusion tensor imaging as a prognostic tool in moderate to severe traumatic brain injury. Part I. Analysis of DTI metrics performed during the early subacute stage. <i>Neurocirug a (English Edition)</i> , 2020, 31, 132-145. | 0.1 | 1 |
| 5033 | Performance of a guideline-recommended algorithm for prognostication of poor neurological outcome after cardiac arrest. <i>Intensive Care Medicine</i> , 2020, 46, 1852-1862. | 3.9 | 59 |
| 5034 | Aneurysmal subarachnoid hemorrhage: A pilot study for using longitudinal cognitive and neuropsychological testing for functional outcomes. <i>Clinical Neurology and Neurosurgery</i> , 2020, 194, 105941. | 0.6 | 3 |
| 5035 | Time to intra-arrest therapeutic hypothermia in out-of-hospital cardiac arrest patients and its association with neurologic outcome: a propensity matched sub-analysis of the PRINCESS trial. <i>Intensive Care Medicine</i> , 2020, 46, 1361-1370. | 3.9 | 17 |
| 5036 | Neurological Prognostic Value of Adjusted Ca ²⁺ Concentration in Adult Patients with Out-of-Hospital Cardiac Arrest. <i>International Heart Journal</i> , 2020, 61, 295-300. | 0.5 | 0 |
| 5037 | Low falls causing major injury: a retrospective study. <i>Irish Journal of Medical Science</i> , 2020, 189, 1435-1443. | 0.8 | 6 |
| 5038 | Monitoring Outcome after Hospital-Presenting Milder Spectrum Pediatric Traumatic Brain Injury Using the Glasgow Outcome Scale-Extended, Pediatric Revision. <i>Journal of Neurotrauma</i> , 2020, 37, 1627-1636. | 1.7 | 7 |
| 5039 | Sports-related concussions and subconcussive impacts in athletes: incidence, diagnosis, and the emerging role of EPA and DHA. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, 886-892. | 0.9 | 12 |
| 5040 | Occurrence and prognostic effect of cervical spine injuries and cervical artery injuries with concomitant severe head injury. <i>Acta Neurochirurgica</i> , 2020, 162, 1445-1453. | 0.9 | 4 |
| 5041 | Damage to the eye and optic nerve in seriously traumatized patients with concomitant head injury: analysis of 84,627 cases from the TraumaRegister DGU [ ] between 2002 and 2015. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2020, 28, 15. | 1.1 | 2 |
| 5042 | Latent Class Analysis to Classify Injury Severity in Pediatric Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2020, 37, 1512-1520. | 1.7 | 9 |
| 5043 | Weights for ordinal analyses of the modified Rankin Scale in stroke trials: A population-based cohort study. <i>EClinicalMedicine</i> , 2020, 23, 100415. | 3.2 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5044 | Missed hand and forearm injuries in multiple trauma patients: An analysis from the TraumaRegister DGU®. <i>Injury</i> , 2020, 51, 1608-1617. | 0.7 | 10 |
| 5045 | Circulating Levels of Brain-Enriched MicroRNAs Correlate with Neuron Specific Enolase after Cardiac Arrest—A Substudy of the Target Temperature Management Trial. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4353. | 1.8 | 4 |
| 5046 | SIXTO OBRADOR SENEC PRIZE 2019: Utility of diffusion tensor imaging as a prognostic tool in moderate to severe traumatic brain injury. Part II: Longitudinal analysis of DTI metrics and its association with patient's outcome. <i>NeurocirugÅa (English Edition)</i> , 2020, 31, 231-248. | 0.1 | 2 |
| 5047 | Impact of Goal-Directed Therapy on Delayed Ischemia After Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2020, 51, 2287-2296. | 1.0 | 39 |
| 5048 | Transcranial Doppler Sonography Defined Vasospasm, Ischemic Brain Lesions, and Delayed Ischemic Neurological Deficit in Younger and Elderly Patients after Aneurysmal Subarachnoid Hemorrhage. <i>World Neurosurgery</i> , 2020, 138, e718-e724. | 0.7 | 3 |
| 5049 | Prehospital Epinephrine as a Potential Factor Associated with Prehospital Rearrest. <i>Prehospital Emergency Care</i> , 2020, 24, 741-750. | 1.0 | 8 |
| 5050 | Effect of the Dutch Hip Fracture Audit implementation on mortality, length of hospital stay and time until surgery in elderly hip fracture patients; a multi-center cohort study. <i>Injury</i> , 2020, 51, 1038-1044. | 0.7 | 4 |
| 5051 | Needs and treatment options in chronic traumatic brain injury: A feasibility trial of a community-based intervention. <i>Cogent Medicine</i> , 2020, 7, . | 0.7 | 3 |
| 5052 | The burden of headache following aneurysmal subarachnoid hemorrhage: a prospective single-center cross-sectional analysis. <i>Acta Neurochirurgica</i> , 2020, 162, 893-903. | 0.9 | 31 |
| 5053 | The association between serum adipocyte fatty acidâ€“binding protein and 3-month disability outcome after aneurysmal subarachnoid hemorrhage. <i>Journal of Neuroinflammation</i> , 2020, 17, 66. | 3.1 | 7 |
| 5054 | Heart Rate After Resuscitation From Out-of-Hospital Cardiac Arrest due to Acute Coronary Syndrome Is an Independent Predictor of Clinical Outcome. <i>Circulation Journal</i> , 2020, 84, 569-576. | 0.7 | 5 |
| 5055 | Application Values of Six Scoring Systems in the Prognosis of Stroke Patients. <i>Frontiers in Neurology</i> , 2019, 10, 1416. | 1.1 | 9 |
| 5056 | Type of advanced airway and survival after pediatric out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2020, 150, 145-153. | 1.3 | 14 |
| 5057 | Out-of-hospital cardiac arrest quality of life follow-up study of survivors in Munster, Ireland. <i>Irish Journal of Medical Science</i> , 2020, 189, 1073-1085. | 0.8 | 2 |
| 5058 | Neuroprognostic accuracy of blood biomarkers for post-cardiac arrest patients: A systematic review and meta-analysis. <i>Resuscitation</i> , 2020, 148, 108-117. | 1.3 | 23 |
| 5059 | Hypertonic saline versus other intracranial pressure-lowering agents for people with acute traumatic brain injury. <i>The Cochrane Library</i> , 2020, 2020, CD010904. | 1.5 | 28 |
| 5060 | Outcome After Decompressive Craniectomy for Middle Cerebral Artery Infarction: Timing of the Intervention. <i>Neurosurgery</i> , 2020, 86, E318-E325. | 0.6 | 23 |
| 5061 | Survival and outcome in patients with aneurysmal subarachnoid hemorrhage in Glasgow coma score 3â€“5. <i>Acta Neurochirurgica</i> , 2020, 162, 533-544. | 0.9 | 17 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5062 | Exploratory Observational Study of Extracorporeal Cardiopulmonary Resuscitation for Nonshockable Out-Of-Hospital Cardiac Arrest Occurring After an Emergency Medical Services Arrival: SOS-KANTO 2012 Study Report. <i>Journal of Emergency Medicine</i> , 2020, 58, 375-384. | 0.3 | 11 |
| 5063 | A randomised double-blind pilot trial comparing a mean arterial pressure target of 65 mm Hg versus 72 mm Hg after out-of-hospital cardiac arrest. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, S100-S109. | 0.4 | 33 |
| 5064 | Influence of Bloodâ€“Brain Barrier Integrity on Brain Protein Biomarker Clearance in Severe Traumatic Brain Injury: A Longitudinal Prospective Study. <i>Journal of Neurotrauma</i> , 2020, 37, 1381-1391. | 1.7 | 46 |
| 5065 | Impact of a posttraumatic cerebral infarction on outcome in patients with TBI: the Italian multicenter cohort INCEPT study. <i>Critical Care</i> , 2020, 24, 33. | 2.5 | 14 |
| 5066 | Recovery in cognitive motor dissociation after severe brain injury: A cohort study. <i>PLoS ONE</i> , 2020, 15, e0228474. | 1.1 | 29 |
| 5067 | Age-dependent trends in survival after adult in-hospital cardiac arrest. <i>Resuscitation</i> , 2020, 151, 189-196. | 1.3 | 23 |
| 5068 | Patient and Institutional Characteristics Influence the Decision to Use Extracorporeal Cardiopulmonary Resuscitation for Inâ€“Hospital Cardiac Arrest. <i>Journal of the American Heart Association</i> , 2020, 9, e015522. | 1.6 | 28 |
| 5069 | The role of amantadine in cognitive recovery early after traumatic brain injury: A systematic review. <i>Clinical Neurology and Neurosurgery</i> , 2020, 194, 105815. | 0.6 | 20 |
| 5070 | Dexmedetomidine in medical cardiac intensive care units. Data from a multicenter prospective registry. <i>International Journal of Cardiology</i> , 2020, 310, 162-166. | 0.8 | 5 |
| 5071 | Mortality prediction and long-term outcomes for civilian cerebral gunshot wounds: A decision-tree algorithm based on a single trauma center. <i>Journal of Clinical Neuroscience</i> , 2020, 75, 71-79. | 0.8 | 8 |
| 5072 | Haptoglobin genotype and outcome after aneurysmal subarachnoid haemorrhage. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020, 91, 305-313. | 0.9 | 11 |
| 5073 | The Sequential Organ Failure Assessment (SOFA) score predicts mortality and neurological outcome in patients with post-cardiac arrest syndrome. <i>Journal of Cardiology</i> , 2020, 76, 295-302. | 0.8 | 20 |
| 5074 | Higher sensitivity for traumatic cerebral microbleeds at 7 T ultra-high field MRI: is it clinically significant for the acute state of the patients and later quality of life?. <i>Therapeutic Advances in Neurological Disorders</i> , 2020, 13, 175628642091129. | 1.5 | 9 |
| 5075 | Comparative analysis of MGAP, GAP, and RISC2 as predictors of patient outcome and emergency interventional need in emergency room treatment of the injured. <i>European Journal of Trauma and Emergency Surgery</i> , 2020, 47, 2017-2027. | 0.8 | 1 |
| 5076 | Ventriculoperitoneal shunt insertion in human immunodeficiency virus infected adults: a systematic review and meta-analysis. <i>BMC Neurology</i> , 2020, 20, 141. | 0.8 | 3 |
| 5077 | EEG to Identify Attempted Movement in Unresponsive Wakefulness Syndrome. <i>Clinical EEG and Neuroscience</i> , 2020, 51, 339-347. | 0.9 | 6 |
| 5078 | Traumatic brain injuryâ€“needs and treatment options in the chronic phase: Study protocol for a randomized controlled community-based intervention. <i>Trials</i> , 2020, 21, 294. | 0.7 | 15 |
| 5079 | Genetic Variability in the Iron Homeostasis Pathway and Patient Outcomes After Aneurysmal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2020, 33, 749-758. | 1.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5080 | Functional outcome after severe childhood traumatic brain injury: Results of the TGE prospective longitudinal study. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021, 64, 101375. | 1.1 | 21 |
| 5081 | Time to Return of Spontaneous Circulation and Survival: When to Transport in out-of-Hospital Cardiac Arrest?. <i>Prehospital Emergency Care</i> , 2021, 25, 171-181. | 1.0 | 21 |
| 5082 | Pattern of injuries and management of adolescent trauma in a combined adult and paediatric major trauma centre in United Kingdom. <i>Trauma</i> , 2021, 23, 44-50. | 0.2 | 2 |
| 5083 | Endogenous calcitonin gene-related peptide in cerebrospinal fluid and early quality of life and mental health after good-grade spontaneous subarachnoid hemorrhage—a feasibility series. <i>Neurosurgical Review</i> , 2021, 44, 1479-1492. | 1.2 | 4 |
| 5084 | Gastric regurgitation predicts neurological outcome in out-of-hospital cardiac arrest survivors. <i>European Journal of Internal Medicine</i> , 2021, 83, 54-57. | 1.0 | 4 |
| 5085 | Trauma patients's health-related quality of life and perceptions of care: A longitudinal study based on data from the Swedish Trauma Registry. <i>International Emergency Nursing</i> , 2021, 55, 100850. | 0.6 | 1 |
| 5086 | Potential for recovery between 4 and 8 years after a severe traumatic brain injury. Data from the Paris-TBI longitudinal study. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021, 64, 101422. | 1.1 | 2 |
| 5087 | Developing an instrument for an early prediction model of long-term functional outcomes in people with acquired injuries of the central nervous system: protocol and methodological aspects. <i>Neurological Sciences</i> , 2021, 42, 2441-2446. | 0.9 | 0 |
| 5088 | Outcomes following acute poor-grade aneurysmal subarachnoid bleed — Is early definitive treatment better than delayed management?. <i>Journal of the Intensive Care Society</i> , 2021, 22, 198-203. | 1.1 | 2 |
| 5089 | Role of brain natriuretic peptide in the prediction of long-term surgical outcome of chronic subdural hematoma. <i>Journal of the Neurological Sciences</i> , 2021, 420, 117240. | 0.3 | 5 |
| 5090 | Detecting axonal injury in individual patients after traumatic brain injury. <i>Brain</i> , 2021, 144, 92-113. | 3.7 | 64 |
| 5091 | Prognostic value of the 2010 consensus definition of delayed cerebral ischemia after aneurysmal subarachnoid hemorrhage. <i>Journal of the Neurological Sciences</i> , 2021, 420, 117261. | 0.3 | 8 |
| 5092 | Embedded rehabilitation in major trauma: Retrospective pre-post observational study of service and patient outcomes. <i>Injury</i> , 2021, 52, 160-166. | 0.7 | 9 |
| 5093 | Ruptured Spinal Aneurysms: Diagnosis and Management Paradigms. <i>World Neurosurgery</i> , 2021, 146, e368-e377. | 0.7 | 8 |
| 5094 | Veno-arterial CO2 difference and respiratory quotient after cardiac arrest: An observational cohort study. <i>Journal of Critical Care</i> , 2021, 62, 131-137. | 1.0 | 2 |
| 5095 | Cerebrospinal fluid brevicin and neurocan fragment patterns in human traumatic brain injury. <i>Clinica Chimica Acta</i> , 2021, 512, 74-83. | 0.5 | 8 |
| 5096 | Predicting the Individual Treatment Effect of Neurosurgery for Patients with Traumatic Brain Injury in the Low-Resource Setting: A Machine Learning Approach in Uganda. <i>Journal of Neurotrauma</i> , 2021, 38, 928-939. | 1.7 | 13 |
| 5097 | Severity and predictors of head injury due to bicycle accidents in Western Australia. <i>Acta Neurochirurgica</i> , 2021, 163, 49-56. | 0.9 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5098 | Presentations and outcomes of central nervous system TB in a UK cohort: The high burden of neurological morbidity. <i>Journal of Infection</i> , 2021, 82, 90-97. | 1.7 | 12 |
| 5099 | Extracorporeal Life Support in Postcardiotomy Cardiogenic Shock: A View on Scenario, Outcome, and Risk Factors in 261 Patients. <i>Thoracic and Cardiovascular Surgeon</i> , 2021, 69, 271-278. | 0.4 | 3 |
| 5100 | A survey of neurosurgical management and prognostication of traumatic brain injury following the RESCUEicp trial. <i>British Journal of Neurosurgery</i> , 2021, 35, 329-333. | 0.4 | 2 |
| 5101 | Assessment of the ECG T-Wave in Patients With Subarachnoid Hemorrhage. <i>Journal of Neurosurgical Anesthesiology</i> , 2021, 33, 58-64. | 0.6 | 3 |
| 5102 | Hypertonic Saline Versus Mannitol for Traumatic Brain Injury: A Systematic Review and Meta-analysis With Trial Sequential Analysis. <i>Journal of Neurosurgical Anesthesiology</i> , 2021, 33, 10-20. | 0.6 | 34 |
| 5103 | Stimulus-induced EEG-patterns and outcome after cardiac arrest. <i>Clinical Neurophysiology Practice</i> , 2021, 6, 219-224. | 0.6 | 2 |
| 5104 | Hyperoxemia during the hyperacute phase of aneurysmal subarachnoid hemorrhage is associated with delayed cerebral ischemia and poor outcome: a retrospective observational study. <i>Journal of Neurosurgery</i> , 2021, 134, 25-32. | 0.9 | 16 |
| 5105 | Health Economic Aspects of Aneurysmal Subarachnoid Hemorrhage: Factors Determining First Year In-Hospital Treatment Expenses. <i>Journal of Neurological Surgery, Part A: Central European Neurosurgery</i> , 2021, 82, 204-210. | 0.4 | 3 |
| 5106 | Does the Size of Unilateral Decompressive Craniectomy Impact Clinical Outcomes in Patients with Intracranial Mass Effect after Severe Traumatic Brain Injury?. <i>Korean Journal of Neurotrauma</i> , 2021, 17, 3. | 0.2 | 4 |
| 5107 | Non-linear association between arterial oxygen tension and survival after out-of-hospital cardiac arrest: A multicentre observational study. <i>Resuscitation</i> , 2021, 158, 130-138. | 1.3 | 6 |
| 5108 | Hospital-level intracranial pressure monitoring utilization and functional outcome in severe traumatic brain injury: a post hoc analysis of prospective multicenter observational study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2021, 29, 5. | 1.1 | 3 |
| 5109 | Follow-Up DSA at Day 9 \pm 2 after Subarachnoid Hemorrhage Predicts Long-Term Recurrence of Ruptured Cerebral Aneurysm after Coiling. <i>Journal of Neuroendovascular Therapy</i> , 2021, , . | 0.1 | 0 |
| 5110 | Factors influencing 1-year functional outcome after surgery in aneurysmal subarachnoid hemorrhage patients: A single-center series. <i>Journal of Innovative Optical Health Sciences</i> , 2021, 16, 525-530. | 0.5 | 0 |
| 5111 | Outcome of decompressive craniectomy for traumatic brain injury: An institutional-based analysis from Nepal. <i>Journal of Innovative Optical Health Sciences</i> , 2021, 16, 288-293. | 0.5 | 3 |
| 5112 | Serum neurofilament measurement improves clinical risk scores for outcome prediction after cardiac arrest: results of a prospective study. <i>Critical Care</i> , 2021, 25, 32. | 2.5 | 16 |
| 5113 | Brain Multimodal Monitoring in Severe Acute Brain Injury: Is It Relevant to Patient Outcome and Mortality?. <i>Acta Neurochirurgica Supplementum</i> , 2021, 131, 83-86. | 0.5 | 5 |
| 5114 | Neuropsychological and behavioral disorders, functional outcomes and quality of life in traumatic brain injury victims. <i>Pan African Medical Journal</i> , 2021, 38, 346. | 0.3 | 5 |
| 5115 | Effect of Out-of-Hospital Sodium Nitrite on Survival to Hospital Admission After Cardiac Arrest. <i>JAMA - Journal of the American Medical Association</i> , 2021, 325, 138. | 3.8 | 17 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5116 | Development and temporal external validation of a simple risk score tool for prediction of outcomes after severe head injury based on admission characteristics from level-1 trauma centre of India using retrospectively collected data. <i>BMJ Open</i> , 2021, 11, e040778. | 0.8 | 0 |
| 5117 | Improving Outcome Prediction for Traumatic Brain Injury From Imbalanced Datasets Using RUSBoosted Trees on Electroencephalography Spectral Power. <i>IEEE Access</i> , 2021, 9, 121608-121631. | 2.6 | 7 |
| 5118 | Association of post-resuscitation inflammatory response with favorable neurologic outcomes in adults with in-hospital cardiac arrest. <i>Resuscitation</i> , 2021, 159, 54-59. | 1.3 | 7 |
| 5119 | Extracellular vesicle concentrations of glial fibrillary acidic protein and neurofilament light measured 1 year after traumatic brain injury. <i>Scientific Reports</i> , 2021, 11, 3896. | 1.6 | 17 |
| 5120 | Automated mechanical cardiopulmonary resuscitation devices versus manual chest compressions in the treatment of cardiac arrest: protocol of a systematic review and meta-analysis comparing machine to human. <i>BMJ Open</i> , 2021, 11, e042062. | 0.8 | 8 |
| 5121 | Traumatic Epidural and Subdural Hematoma: Epidemiology, Outcome, and Dating. <i>Medicina (Lithuania)</i> , 2021, 57, 125. | 0.8 | 33 |
| 5122 | Prognostic value of variables derived from heart rate variability in patients with traumatic brain injury after decompressive surgery. <i>PLoS ONE</i> , 2021, 16, e0245792. | 1.1 | 4 |
| 5123 | Comparison of outcomes of neurosurgical operations performed before and during the COVID-19 pandemic: a matched cohort study. <i>BMJ Open</i> , 2021, 11, e047063. | 0.8 | 5 |
| 5124 | Assessing neurological prognosis in post-cardiac arrest patients from short vs plain text EEG reports: A survey among intensive care clinicians. <i>Resuscitation</i> , 2021, 159, 7-12. | 1.3 | 1 |
| 5125 | Cognitive Impairments and Risk Factors After Ruptured Anterior Communicating Artery Aneurysm Treatment in Low-Grade Patients Without Severe Complications: A Multicenter Retrospective Study. <i>Frontiers in Neurology</i> , 2021, 12, 613785. | 1.1 | 8 |
| 5126 | Vasopressin and methylprednisolone for in-hospital cardiac arrest – Protocol for a randomized, double-blind, placebo-controlled trial. <i>Resuscitation Plus</i> , 2021, 5, 100081. | 0.6 | 5 |
| 5127 | Impact of Intracerebral Hematoma Evacuation During Decompressive Hemicraniectomy on Functional Outcomes. <i>Stroke</i> , 2021, 52, 1105-1108. | 1.0 | 3 |
| 5128 | Surgical intervention and patient factors associated with poor outcomes in patients with traumatic brain injury at a tertiary care hospital in Uganda. <i>Journal of Neurosurgery</i> , 2021, 135, 1569-1578. | 0.9 | 2 |
| 5129 | Prognostic benefits of prior amiodarone or β -blocker use before the onset of ventricular arrhythmia with hemodynamic collapse. <i>Heart and Vessels</i> , 2021, 36, 1430-1437. | 0.5 | 1 |
| 5130 | Temporal Trends of Out-of-Hospital Cardiac Arrests Without Resuscitation Attempt by Emergency Medical Services. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021, 14, e006626. | 0.9 | 4 |
| 5131 | Prediction of Neurologically Intact Survival in Cardiac Arrest Patients without Pre-Hospital Return of Spontaneous Circulation: Machine Learning Approach. <i>Journal of Clinical Medicine</i> , 2021, 10, 1089. | 1.0 | 5 |
| 5132 | Post-cardiac arrest myoclonus and in ICU mortality: insights from the Parisian Registry of Cardiac Arrest (PROCAT). <i>Neurological Sciences</i> , 2022, 43, 533-540. | 0.9 | 1 |
| 5133 | Evaluation of the relation of Platelet Volume Index, MPV and RDW values with mortality in spontaneous intraparenchymal hemorrhages. <i>Family Practice and Palliative Care</i> , 0, , 35-42. | 0.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5134 | Concentrations of estradiol, progesterone and testosterone in serum and cerebrospinal fluid of patients with aneurysmal subarachnoid hemorrhage correlate weakly with transcranial Doppler flow velocities. <i>BMC Neuroscience</i> , 2021, 22, 29. | 0.8 | 5 |
| 5135 | Early blood pH as an independent predictor of neurological outcome in patients with out-of-hospital cardiac arrest. <i>Medicine (United States)</i> , 2021, 100, e25724. | 0.4 | 6 |
| 5137 | An international bibliometric study of scientific articles on intracranial aneurysms. <i>Neuroradiology Journal</i> , 2021, 34, 482-493. | 0.6 | 17 |
| 5138 | Outcome of Patients with Multiple Intracranial Aneurysms after Subarachnoid Hemorrhage and Future Risk of Rupture of Unruptured Aneurysm. <i>Journal of Clinical Medicine</i> , 2021, 10, 1712. | 1.0 | 5 |
| 5139 | Complications and Neurological Outcome following Intraoperative Aneurysm Rupture in Adult Patients Undergoing Intracranial Aneurysmal Clipping: A Retrospective Study. <i>Journal of Neurosciences in Rural Practice</i> , 2021, 12, 382-388. | 0.3 | 2 |
| 5140 | Association between age and neurological outcomes in out-of-hospital cardiac arrest patients resuscitated with extracorporeal cardiopulmonary resuscitation: a nationwide multicentre observational study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2022, 11, 35-42. | 0.4 | 15 |
| 5141 | Predicting Cognitive Rehabilitation Needs in Patients with Central Nervous System Infections Using Montreal Cognitive Assessment. <i>SN Comprehensive Clinical Medicine</i> , 2021, 3, 1350-1357. | 0.3 | 3 |
| 5142 | Association of Dose of Intracranial Hypertension with Outcome in Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2021, 34, 722-730. | 1.2 | 21 |
| 5143 | European Resuscitation Council Guidelines 2021: Epidemiology of cardiac arrest in Europe. <i>Resuscitation</i> , 2021, 161, 61-79. | 1.3 | 307 |
| 5144 | Predictive Value of Rotterdam Score and Marshall Score in Traumatic Brain Injury: A Contemporary Review. <i>Indian Journal of Neurotrauma</i> , 2022, 19, 069-077. | 0.3 | 1 |
| 5145 | Depiction of Resuscitation on Medical Dramas: Proposed Effect on Patient Expectations. <i>Cureus</i> , 2021, 13, e14419. | 0.2 | 2 |
| 5146 | Out-of-hospital cardiac arrest due to hanging: a retrospective analysis. <i>Emergency Medicine Journal</i> , 2022, 39, 106-110. | 0.4 | 1 |
| 5147 | Association between body mass index and clinical outcomes in out-of-hospital cardiac arrest survivors treated with targeted temperature management. <i>Journal of the Chinese Medical Association</i> , 2021, 84, 504-509. | 0.6 | 8 |
| 5148 | The effectiveness of a family-centred intervention after traumatic brain injury: A pragmatic randomised controlled trial. <i>Clinical Rehabilitation</i> , 2021, 35, 026921552110103. | 1.0 | 9 |
| 5150 | Neutrophil-to-lymphocyte ratio is associated with increased cerebral blood flow velocity in acute bacterial meningitis. <i>Scientific Reports</i> , 2021, 11, 11383. | 1.6 | 4 |
| 5151 | Association of transport time with adverse outcome in paediatric trauma. <i>BJS Open</i> , 2021, 5, . | 0.7 | 6 |
| 5152 | Impact of dispatcher-assisted cardiopulmonary resuscitation on neurologically intact survival in out-of-hospital cardiac arrest: a systematic review. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2021, 29, 70. | 1.1 | 23 |
| 5153 | Complications, outcomes, and management strategies of non-missile penetrating head injuries. <i>Journal of Neurosurgery</i> , 2021, 134, 1658-1666. | 0.9 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5154 | Peptidomic profiling of cerebrospinal fluid from patients with intracranial saccular aneurysms. <i>Journal of Proteomics</i> , 2021, 240, 104188. | 1.2 | 3 |
| 5155 | Predictors of outcome in super refractory status epilepticus. <i>Epilepsy and Behavior</i> , 2021, 118, 107929. | 0.9 | 4 |
| 5156 | YoÄŸun BakÄ±m Äcenitesinde Takip Edilen Kafa ve GÄŸÄŸÄ¼s TravmasÄ± HastalarÄ±nda Mortalite OranÄ± Tahmin Edilebilir mi?. <i>Adnan Menderes Äcenesitesi SaÄŸlÄ±k Bilimleri FakÄ¼ltesi Dergisi</i> , 2021, 5, 230-238. | 0.4 | 2 |
| 5157 | Evaluation of efficacy and safety of endovascular coiling for patients with aneurysmal subarachnoid hemorrhage. <i>Medicine (United States)</i> , 2021, 100, e25728. | 0.4 | 1 |
| 5158 | Classification of Peritumoral Veins in Convexity and Parasagittal Meningiomas and Its Significance in Preventing Cerebral Venous Infarction. <i>World Neurosurgery</i> , 2021, 149, e261-e268. | 0.7 | 2 |
| 5159 | Impact of Total Epinephrine Dose on Long Term Neurological Outcome for Cardiac Arrest Patients: A Cohort Study. <i>Frontiers in Pharmacology</i> , 2021, 12, 580234. | 1.6 | 8 |
| 5160 | Biomarker prognostication of cognitive impairment may be feasible even in out-of hospital cardiac arrest survivors with good neurological outcome. <i>Resuscitation</i> , 2021, 162, 396-402. | 1.3 | 8 |
| 5161 | Arterial carbon dioxide tension has a non-linear association with survival after out-of-hospital cardiac arrest: A multicentre observational study. <i>Resuscitation</i> , 2021, 162, 82-90. | 1.3 | 5 |
| 5162 | Evidence-Based Approach to Out-of-Hospital Cardiac Arrest. Current Treatment Options in <i>Cardiovascular Medicine</i> , 2021, 23, 43. | 0.4 | 3 |
| 5163 | The effect of serum D-dimer levels on the cognitive outcome of patients with moderate traumatic brain injury. <i>Egyptian Journal of Neurosurgery</i> , 2021, 36, . | 0.2 | 0 |
| 5164 | The association between frailty and clinical outcomes in hospitalised patients requiring Code Blue activation. <i>Internal Medicine Journal</i> , 2021, , . | 0.5 | 0 |
| 5165 | Thermoregulation in post-cardiac arrest patients treated with targeted temperature management. <i>Resuscitation</i> , 2021, 162, 63-69. | 1.3 | 2 |
| 5166 | Altered MicroRNA Expression in Intracranial Aneurysmal Tissues: Possible Role in TGF-Î² Signaling Pathway. <i>Cellular and Molecular Neurobiology</i> , 2022, 42, 2393-2405. | 1.7 | 8 |
| 5167 | The Boston Assessment of Traumatic Brain Injury-Lifetime Semistructured Interview for Assessment of TBI and Subconcussive Injury Among Female Survivors of Intimate Partner Violence: Evidence of Research Utility and Validity. <i>Journal of Head Trauma Rehabilitation</i> , 2022, 37, E175-E185. | 1.0 | 11 |
| 5168 | Complex Autoantibody Responses Occur following Moderate to Severe Traumatic Brain Injury. <i>Journal of Immunology</i> , 2021, 207, 90-100. | 0.4 | 24 |
| 5170 | Epinephrine dosing interval and neurological outcome in out-of-hospital cardiac arrest. <i>Perfusion (United Kingdom)</i> , 2021, , 026765912110251. | 0.5 | 2 |
| 5171 | Posterior Reversible Encephalopathy Syndrome Is the Common Cause of New-Onset Seizures in the Peripartum Period: A Tertiary Hospital-Based Study in South India. <i>Journal of Epilepsy Research</i> , 2021, 11, 49-55. | 0.1 | 0 |
| 5172 | The effect of head cooling and remote ischemic conditioning on patients with traumatic brain injury. <i>IScience</i> , 2021, 24, 102472. | 1.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5173 | Neutrophil to lymphocyte ratio predicts early growth of traumatic intracerebral haemorrhage. <i>Annals of Clinical and Translational Neurology</i> , 2021, 8, 1601-1609. | 1.7 | 10 |
| 5174 | Clipping of unruptured cerebral aneurysms. <i>Wiener Klinische Wochenschrift</i> , 2021, , 1. | 1.0 | 0 |
| 5175 | EEG functional connectivity contributes to outcome prediction of postanoxic coma. <i>Clinical Neurophysiology</i> , 2021, 132, 1312-1320. | 0.7 | 12 |
| 5176 | Pattern of Brain Injury in Patients With Thrombotic Thrombocytopenic Purpura in the Precaplacizumab Era. <i>Critical Care Medicine</i> , 2021, 49, e931-e940. | 0.4 | 4 |
| 5177 | Contribution of CT-Scan Analysis by Artificial Intelligence to the Clinical Care of TBI Patients. <i>Frontiers in Neurology</i> , 2021, 12, 666875. | 1.1 | 11 |
| 5178 | Effect of cranioplasty timing on the functional neurological outcome and postoperative complications. , 2021, 12, 264. | | 7 |
| 5179 | Next-generation sequencing diagnostics of bacteremia in pediatric sepsis. <i>Medicine (United States)</i> , 2021, 100, e26403. | 0.4 | 7 |
| 5180 | External Lumbar Drainage following Traumatic Intracranial Hypertension: A Systematic Review and Meta-Analysis. <i>Neurosurgery</i> , 2021, 89, 395-405. | 0.6 | 7 |
| 5181 | Postâ€craniotomy fever and its associated factors in patients with traumatic brain injury. <i>Nursing in Critical Care</i> , 2022, 27, 483-492. | 1.1 | 3 |
| 5182 | Long-term follow-up of neurosurgical outcomes for adult patients in Uganda with traumatic brain injury. <i>Journal of Neurosurgery</i> , 2021, 134, 1929-1939. | 0.9 | 2 |
| 5183 | Impact of anticoagulation and antiplatelet drugs on surgery rates and mortality in trauma patients. <i>Scientific Reports</i> , 2021, 11, 15172. | 1.6 | 12 |
| 5184 | Influence of Decompressive Craniectomy Post Evacuation of Epidural Hematoma in Comatose Patients. <i>World Neurosurgery</i> , 2021, 151, e753-e759. | 0.7 | 1 |
| 5185 | Metabolic derangements are associated with impaired glucose delivery following traumatic brain injury. <i>Brain</i> , 2021, 144, 3492-3504. | 3.7 | 19 |
| 5186 | Absolute serum neurofilament light chain levels and its early kinetics predict brain injury after out-of-hospital cardiac arrest. <i>Journal of Neurology</i> , 2022, 269, 1530-1537. | 1.8 | 7 |
| 5187 | Cerebral Hemodynamic Correlates of Transcutaneous Auricular Vagal Nerve Stimulation in Consciousness Restoration: An Open-Label Pilot Study. <i>Frontiers in Neurology</i> , 2021, 12, 684791. | 1.1 | 15 |
| 5188 | Survivors of avalanche accidents: posttraumatic stress disorder symptoms and quality of life: a multicentre study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2021, 29, 96. | 1.1 | 5 |
| 5189 | Relationships between neuropsychological impairments and functional outcome eight years after severe traumatic brain injury: Results from the Paris-TBI study. <i>Brain Injury</i> , 2021, 35, 1001-1010. | 0.6 | 7 |
| 5190 | Extreme Delta Brush in Anti-NMDAR Encephalitis Correlates With Poor Functional Outcome and Death. <i>Frontiers in Neurology</i> , 2021, 12, 686521. | 1.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5191 | Regional cerebral oxygen saturation in cardiac arrest survivors undergoing targeted temperature management 36 °C versus 33 °C: A randomized clinical trial. <i>Resuscitation</i> , 2021, 167, 362-371. | 1.3 | 7 |
| 5192 | Individualized Prognostic Prediction of the Long-Term Functional Trajectory in Pediatric Acquired Brain Injury. <i>Journal of Personalized Medicine</i> , 2021, 11, 675. | 1.1 | 10 |
| 5193 | Skin sympathetic nerve activity as a biomarker for neurologic recovery during therapeutic hypothermia for cardiac arrest. <i>Heart Rhythm</i> , 2021, 18, 1162-1170. | 0.3 | 6 |
| 5194 | Traumatic axonal injury: is the prognostic information produced by conventional MRI and DTI complementary or supplementary?. <i>Journal of Neurosurgery</i> , 2022, 136, 242-256. | 0.9 | 5 |
| 5195 | General health condition of patients hospitalized after an incident of in-hospital or out-of-hospital sudden cardiac arrest with return of spontaneous circulation. <i>Clinical Cardiology</i> , 2021, 44, 1256-1262. | 0.7 | 2 |
| 5196 | Effect of a temporary lying position on cerebral hemodynamic and cerebral oxygenation parameters in patients with severe brain trauma. <i>Acta Neurochirurgica</i> , 2021, 163, 2595-2602. | 0.9 | 3 |
| 5197 | Impact of the COVID-19 pandemic on emergency medical service response to out-of-hospital cardiac arrests in Taiwan: a retrospective observational study. <i>Emergency Medicine Journal</i> , 2021, 38, 679-684. | 0.4 | 32 |
| 5198 | Combined use of venoarterial extracorporeal membrane oxygenation and intra-aortic balloon pump after cardiac arrest. <i>Resuscitation</i> , 2021, 167, 345-354. | 1.3 | 9 |
| 5199 | Treelet transform analysis to identify clusters of systemic inflammatory variance in a population with moderate-to-severe traumatic brain injury. <i>Brain, Behavior, and Immunity</i> , 2021, 95, 45-60. | 2.0 | 10 |
| 5200 | Intensive care-treated cardiac arrest: a retrospective study on the impact of extended age on mortality, neurological outcome, received treatments and healthcare-associated costs. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2021, 29, 103. | 1.1 | 6 |
| 5201 | Pretend play ability in preschool-aged children with an acquired brain injury. <i>Australian Occupational Therapy Journal</i> , 2021, 68, 407-418. | 0.6 | 0 |
| 5202 | Association of Troponin T levels and functional outcome 3 months after subarachnoid hemorrhage. <i>Scientific Reports</i> , 2021, 11, 16154. | 1.6 | 5 |
| 5203 | Gamma-Glutamyl Transpeptidase to Platelet Ratio: A New Inflammatory Marker Associated with Outcomes after Cardiac Arrest. <i>Mediators of Inflammation</i> , 2021, 2021, 1-10. | 1.4 | 2 |
| 5204 | Subarachnoid Hemorrhage Due to Rupture of Vertebral Artery Dissecting Aneurysms: Treatments, Outcomes, and Prognostic Factors. <i>World Neurosurgery</i> , 2021, 152, e86-e93. | 0.7 | 6 |
| 5205 | CORRELATION OF RADIOLOGICAL FINDINGS WITH SHORT-TERM CLINICAL OUTCOME IN PATIENTS OF TRAUMATIC BRAIN INJURY AT A PUBLIC HOSPITAL IN NORTH INDIA.., 2021,, 10-12. | | 0 |
| 5207 | Afferent Visual Manifestations of Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2021, 38, 2778-2789. | 1.7 | 6 |
| 5208 | Reduced Priming Effect for Visual Spatial Perspective Taking in Patients With Severe Acquired Brain Injury. <i>Archives of Clinical Neuropsychology</i> , 2021,, . | 0.3 | 1 |
| 5209 | Arteriovenous malformations in the optic apparatus: systematic literature review and report of four cases. <i>Journal of Neurosurgery</i> , 2022, 136, 464-474. | 0.9 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 5210 | Younger age is associated with higher levels of self-reported affective and cognitive sequelae six months post-cardiac arrest. <i>Resuscitation</i> , 2021, 165, 148-153. | 1.3 | 8 |
| 5211 | Cognitive dysfunction after out-of-hospital cardiac arrest: Rate of impairment and clinical predictors. <i>Resuscitation</i> , 2021, 165, 154-160. | 1.3 | 14 |
| 5212 | Functional Outcomes Over the First Year After Moderate to Severe Traumatic Brain Injury in the Prospective, Longitudinal TRACK-TBI Study. <i>JAMA Neurology</i> , 2021, 78, 982. | 4.5 | 103 |
| 5213 | Prognostic factors of adult tuberculous meningitis in intensive care unit: a single-center retrospective study in East China. <i>BMC Neurology</i> , 2021, 21, 308. | 0.8 | 3 |
| 5214 | Combination of Neutrophil-to-Lymphocyte Ratio and Admission Glasgow Coma Scale Score Is Independent Predictor of Clinical Outcome in Diffuse Axonal Injury. <i>World Neurosurgery</i> , 2021, 152, e118-e127. | 0.7 | 5 |
| 5215 | Application of a standardized EEG pattern classification in the assessment of neurological prognosis after cardiac arrest: A retrospective analysis. <i>Resuscitation</i> , 2021, 165, 38-44. | 1.3 | 3 |
| 5216 | Evoked and Event-Related Potentials as Biomarkers of Consciousness State and Recovery. <i>Journal of Clinical Neurophysiology</i> , 2022, 39, 22-31. | 0.9 | 14 |
| 5217 | Angiography after Out-of-Hospital Cardiac Arrest without ST-Segment Elevation. <i>New England Journal of Medicine</i> , 2021, 385, 2544-2553. | 13.9 | 197 |
| 5218 | Ability of serum annexin A1 to predict 6-month poor clinical outcome following aneurysmal subarachnoid hemorrhage. <i>Clinica Chimica Acta</i> , 2021, 519, 142-147. | 0.5 | 3 |
| 5219 | Presenting symptoms and functional outcome of chronic subdural hematoma patients. <i>Acta Neurologica Scandinavica</i> , 2022, 145, 38-46. | 1.0 | 4 |
| 5220 | Brain tissue oxygenation guided therapy and outcome in non-traumatic subarachnoid hemorrhage. <i>Scientific Reports</i> , 2021, 11, 16235. | 1.6 | 24 |
| 5221 | Association between time to advanced airway management and neurologically favourable survival during out-of-hospital cardiac arrest. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2021, 40, 100906. | 0.6 | 11 |
| 5222 | Predicting early recovery of consciousness after cardiac arrest supported by quantitative electroencephalography. <i>Resuscitation</i> , 2021, 165, 130-137. | 1.3 | 14 |
| 5223 | Comparing the Quality of Life after Brain Injury-Overall Scale and Satisfaction with Life Scale as Outcome Measures for Traumatic Brain Injury Research. <i>Journal of Neurotrauma</i> , 2021, 38, 3352-3363. | 1.7 | 3 |
| 5224 | Long-term outcome of Simpson IV meningioma resection: Would it improve with adjuvant SRS?. <i>Clinical Neurology and Neurosurgery</i> , 2021, 207, 106766. | 0.6 | 1 |
| 5225 | Circulatory trajectories after out-of-hospital cardiac arrest: a prospective cohort study. <i>BMC Anesthesiology</i> , 2021, 21, 219. | 0.7 | 7 |
| 5226 | Traumatic Brain Injury-Related Pediatric Mortality and Morbidity in Low- and Middle-Income Countries: A Systematic Review. <i>World Neurosurgery</i> , 2021, 153, 109-130.e23. | 0.7 | 17 |
| 5227 | Serum calprotectin as a prognostic predictor in severe traumatic brain injury. <i>Clinica Chimica Acta</i> , 2021, 520, 101-107. | 0.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5228 | Impact of Phosphatemia Variability in Neurological Outcomes in Patients With Spontaneous Subarachnoid Hemorrhage. <i>Cureus</i> , 2021, 13, e18257. | 0.2 | 1 |
| 5229 | Neutrophil-to-Lymphocyte Ratios and Infections after Traumatic Brain Injury: Associations with Hospital Resource Utilization and Long-Term Outcome. <i>Journal of Clinical Medicine</i> , 2021, 10, 4365. | 1.0 | 5 |
| 5230 | Ophthalmic Segment Aneurysms: Surgical Treatment and Outcomes. <i>Journal of Neurosciences in Rural Practice</i> , 2021, 12, 635-641. | 0.3 | 2 |
| 5231 | Determining the global outcomes of traumatic brain injury in low-, middle- and high- income countries: a prospective, global neurosurgery, multicenter cohort study (Global NeuroSurg 1 Study) <i>TJ ETQq1 1 0.764214 rgBT /Overlo</i> | 0.3 | 9 |
| 5232 | Shorter Interval from Witnessed Out-Of-Hospital Cardiac Arrest to Reaching the Target Temperature Could Improve Neurological Outcomes After Extracorporeal Cardiopulmonary Resuscitation with Target Temperature Management: A Retrospective Analysis of a Japanese Nationwide Multicenter Observational Registry. <i>Therapeutic Hypothermia and Temperature Management</i> , 2021, 11, 185-191. | 0.3 | 9 |
| 5233 | A validation & verification driven ontology: An iterative process. <i>Applied Ontology</i> , 2021, 16, 297-337. | 1.0 | 1 |
| 5234 | Factors influencing the outcome of patients with traumatic acute subdural hematoma (ASDH) â€œ A single centre analysis. <i>Interdisciplinary Neurosurgery: Advanced Techniques and Case Management</i> , 2021, 25, 101130. | 0.2 | 1 |
| 5235 | A Manual for the Glasgow Outcome Scale-Extended Interview. <i>Journal of Neurotrauma</i> , 2021, 38, 2435-2446. | 1.7 | 106 |
| 5236 | Comorbidity in traumatic brain injury and functional outcomes: a systematic review. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2021, 57, 535-550. | 1.1 | 8 |
| 5237 | Effect of Vasopressin and Methylprednisolone vs Placebo on Return of Spontaneous Circulation in Patients With In-Hospital Cardiac Arrest. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 1586. | 3.8 | 69 |
| 5238 | How effective is extracorporeal cardiopulmonary resuscitation (ECPR) for out-of-hospital cardiac arrest? A systematic review and meta-analysis. <i>American Journal of Emergency Medicine</i> , 2022, 51, 127-138. | 0.7 | 29 |
| 5239 | Central Curation of Glasgow Outcome Scale-Extended Data: Lessons Learned from TRACK-TBI. <i>Journal of Neurotrauma</i> , 2021, 38, 2419-2434. | 1.7 | 7 |
| 5240 | Cell transplantation: history of development, bioetic and legal aspects, prospects for treatment traumatic brain injury. <i>Ukrainian Neurosurgical Journal</i> , 2021, 27, 17-24. | 0.1 | 1 |
| 5241 | Clinical Outcomes Following Emergent Percutaneous Coronary Intervention for Acute Total/Subtotal Occlusion of the Left Main Coronary Artery. <i>Circulation Journal</i> , 2021, 85, 1789-1796. | 0.7 | 3 |
| 5242 | Emerging role of serum dickkopf-1 in prognosis of aneurysmal subarachnoid hemorrhage. <i>Clinica Chimica Acta</i> , 2021, 521, 116-121. | 0.5 | 1 |
| 5243 | Inhaled nitric oxide in adults with in-hospital cardiac arrest: A feasibility study. <i>Nitric Oxide - Biology and Chemistry</i> , 2021, 115, 30-33. | 1.2 | 6 |
| 5244 | Neurological outcome in adult out-of-hospital cardiac arrest â€œ Not all doom and gloom!. <i>Resuscitation</i> , 2021, 167, 227-232. | 1.3 | 5 |
| 5245 | Serum hypoxia-inducible factor 1alpha emerges as a prognostic factor for severe traumatic brain injury. <i>Clinica Chimica Acta</i> , 2021, 522, 77-82. | 0.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5246 | King Charles VIII of France's Death: From an Unsubstantiated Traumatic Brain Injury to More Realistic Hypotheses. <i>World Neurosurgery</i> , 2021, 156, 60-67. | 0.7 | 1 |
| 5247 | Design of Stroke-Related Clinical Trials. , 2022, , 944-955.e3. | | 0 |
| 5248 | Clinical Scales to Assess Patients With Stroke. , 2022, , 262-280.e6. | | 0 |
| 5249 | OUP accepted manuscript. <i>BJS Open</i> , 2021, 5, . | 0.7 | 1 |
| 5250 | Neurointensive care results and risk factors for unfavorable outcome in aneurysmatic SAH: a comparison of two age groups. <i>Acta Neurochirurgica</i> , 2021, 163, 1469-1478. | 0.9 | 7 |
| 5251 | Validation of shunt dependency prediction scores after aneurysmal spontaneous subarachnoid hemorrhage. <i>Acta Neurochirurgica</i> , 2021, 163, 743-751. | 0.9 | 12 |
| 5252 | Acute liver injury associated with Oxyfluorfen toxicity. <i>SAGE Open Medical Case Reports</i> , 2021, 9, 2050313X2110004. | 0.2 | 0 |
| 5253 | Optimal Cerebral Perfusion Pressure Based on Intracranial Pressure-Derived Indices of Cerebrovascular Reactivity: Which One Is Better for Outcome Prediction in Moderate/Severe Traumatic Brain Injury?. <i>Acta Neurochirurgica Supplementum</i> , 2021, 131, 173-179. | 0.5 | 2 |
| 5254 | Stroke Rehabilitation. , 2021, , 954-971.e3. | | 5 |
| 5255 | Role of Quantitative EEG and EEG Reactivity in Traumatic Brain Injury. <i>Clinical EEG and Neuroscience</i> , 2022, 53, 452-459. | 0.9 | 4 |
| 5256 | Timing of Intravenous Epinephrine Administration During Out-of-Hospital Cardiac Arrest. <i>Shock</i> , 2021, 56, 709-717. | 1.0 | 4 |
| 5257 | Withdrawing care. Experience in a medical intensive care unit. <i>JAMA - Journal of the American Medical Association</i> , 1994, 271, 1358-1361. | 3.8 | 60 |
| 5258 | Scale, Scope and Philosophy of the Clinical Problem. <i>Novartis Foundation Symposium</i> , 1975, , 3-22. | 1.2 | 15 |
| 5259 | Prevalence of hemolysis and metabolic acidosis in patients with circulatory failure supported with extracorporeal life support: a marker for survival?. <i>European Journal of Heart Failure</i> , 2017, 19, 110-116. | 2.9 | 13 |
| 5260 | Pediatric Traumatic Head Injuries. , 2006, , 291-314. | | 1 |
| 5261 | Surgical treatment of unruptured cerebral aneurysms in the elderly. , 2005, 94, 97-101. | | 7 |
| 5262 | Decompressive craniectomy in traumatic brain injury: outcome following protocol-driven therapy. , 2006, 96, 11-16. | | 99 |
| 5263 | Cerebral blood flow in mean cerebral artery low density areas is not always ischemic in patients with aneurysmal subarachnoid hemorrhage - relationship with neurological outcome. , 2005, 95, 153-158. | | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5264 | Association between outcome, cerebral pressure reactivity and slow ICP waves following head injury. <i>Acta Neurochirurgica Supplementum</i> , 2005, 95, 25-28. | 0.5 | 45 |
| 5265 | High-Field Neuroimaging in Traumatic Brain Injury. , 2006, , 169-176. | | 3 |
| 5266 | The Analysis of Head Injury Data Using Decision Tree Techniques. <i>Lecture Notes in Computer Science</i> , 1999, , 336-345. | 1.0 | 3 |
| 5267 | Moderate and Severe Traumatic Brain Injury. , 2011, , 663-696. | | 31 |
| 5268 | Evidence-Based Neuroimaging for Traumatic Brain Injury in Children. , 2010, , 85-102. | | 1 |
| 5269 | Psychological Rehabilitation for US Veterans. , 2010, , 159-176. | | 2 |
| 5270 | A Critical Review of Stroke Trial Analytical Methodology: Outcome Measures, Study Design, and Correction for Imbalances. , 2012, , 833-861. | | 10 |
| 5271 | Toward a Definition of Recovery of Function. , 1988, , 1-14. | | 20 |
| 5272 | Neuropsychological Aspects of Motor Vehicle Operation. <i>Foundations of Neuropsychology</i> , 1990, , 307-334. | 0.2 | 10 |
| 5274 | Issues in Behavioral Neurology and Brain Injury. <i>Foundations of Neuropsychology</i> , 1989, , 39-90. | 0.2 | 2 |
| 5275 | Long-Term Psychological Consequences of Cerebral Lesions. <i>Handbook of Behavioral Neurobiology</i> , 1979, , 495-540. | 0.3 | 11 |
| 5276 | An Overview of Developments in Research on Recovery from Brain Injury. <i>Advances in Experimental Medicine and Biology</i> , 1992, 325, 1-22. | 0.8 | 10 |
| 5277 | Neuropsychological Rehabilitation. <i>Advances in Experimental Medicine and Biology</i> , 1992, , 105-114. | 0.8 | 2 |
| 5278 | Data Analysis of Patients with Severe Head Injury. , 1997, , 131-148. | | 5 |
| 5279 | Clinical Criteriaâ€”Childrenâ€™s Coma Score and Outcome Scaleâ€”for Decision Making in Managing Head-Injured Infants and Toddlers. <i>Principles of Pediatric Neurosurgery</i> , 1986, , 141-150. | 0.1 | 4 |
| 5280 | Systematic Search for Brain Resuscitation Potentials after Total Circulatory Arrest. , 1986, , 349-375. | | 4 |
| 5281 | Sensory Evoked Potentials in Coma and Brain Death. , 1989, , 223-240. | | 1 |
| 5282 | Strategies for Intervention with Families of Brain-Injured Patients. , 1984, , 227-246. | | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5283 | A Rehabilitation Program for Brain-Injured Adults. , 1984, , 273-312. | | 3 |
| 5284 | Assessment of Learning and Memory. <i>Critical Issues in Neuropsychology</i> , 1995, , 185-213. | 0.4 | 5 |
| 5285 | Neuropsychological Assessment of Traumatic Brain Injury in the Intensive Care and Acute Care Environment. <i>Critical Issues in Neuropsychology</i> , 1992, , 271-292. | 0.4 | 3 |
| 5286 | Geriatric Head Injury. <i>Critical Issues in Neuropsychology</i> , 1997, , 280-297. | 0.4 | 6 |
| 5287 | Brain Imaging and Neuropsychological Outcome in Traumatic Brain Injury. <i>Critical Issues in Neuropsychology</i> , 1989, , 161-183. | 0.4 | 7 |
| 5288 | Head injury " the challenge: principles and practice of service organization. , 1995, , 3-11. | | 4 |
| 5289 | An urban community service: head injury " using occupational therapy to meet the challenge of community reintegration. , 1995, , 66-83. | | 1 |
| 5291 | Pronostic des patients r"cup"rant du coma. , 2011, , 17-29. | | 4 |
| 5292 | Basilar artery vasospasm: impact on outcome. <i>Acta Neurochirurgica Supplementum</i> , 2008, , 387-389. | 0.5 | 1 |
| 5293 | Hyper flow and intracranial hypertension in diffuse axonal injury: An update to gennarelli doctrine. <i>Acta Neurochirurgica Supplementum</i> , 2008, 101, 137-140. | 0.5 | 4 |
| 5294 | The Glasgow Coma and Outcome Scales: Practical Questions and Answers. , 2009, , 395-409. | | 3 |
| 5295 | Decompressive craniotomy: durotomy instead of duroplasty to reduce prolonged ICP elevation. <i>Acta Neurochirurgica Supplementum</i> , 2008, 102, 93-97. | 0.5 | 20 |
| 5296 | Cerebral CO2 reactivity in severe head injury. A transcranial Doppler study. <i>Acta Neurochirurgica Supplementum</i> , 2008, 102, 171-175. | 0.5 | 9 |
| 5297 | Decompressive craniectomy for hemispheric infarction: predictive factors for six month rehabilitation outcome. <i>Acta Neurochirurgica Supplementum</i> , 2008, 102, 331-333. | 0.5 | 3 |
| 5298 | Assessing the Neurological Outcome of Traumatic Acute Subdural Hematoma Patients with and without Primary Decompressive Craniectomies. <i>Acta Neurochirurgica Supplementum</i> , 2010, 106, 235-237. | 0.5 | 20 |
| 5299 | Tenascin-C Is a Possible Mediator Between Initial Brain Injury and Vasospasm-Related and -Unrelated Delayed Cerebral Ischemia After Aneurysmal Subarachnoid Hemorrhage. <i>Acta Neurochirurgica Supplementum</i> , 2015, 120, 117-121. | 0.5 | 19 |
| 5301 | Measuring the Health Status of Pediatric Intensive Care Unit Survivors. , 2003, , 107-115. | | 2 |
| 5302 | Pathophysiology, Management and Outcome After Multiple Trauma. , 1997, , 229-262. | | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5303 | The Prognostic Value of Biochemical Data From Blood and CSF: Analysis in Patients With Severe Head Injury. <i>Advances in Neurosurgery</i> , 1978, , 132-137. | 0.1 | 3 |
| 5307 | Intracranial Pressure, Primary/Secondary Brain Stem Injury and Prognosis in Cerebral Trauma. , 1983, , 501-507. | | 8 |
| 5309 | Control of Intracranial Pressure in Severe Head Injury. , 1983, , 567-571. | | 6 |
| 5310 | Role of Intracranial Pressure Monitoring in the Management of Occult Traumatic Intradural Hematoma. , 1986, , 635-638. | | 1 |
| 5311 | Local Basal Ganglia and Brain Stem Blood Flow in the Head Injured Patient Using Stable Xenon Enhanced CT Scanning. , 1986, , 680-686. | | 13 |
| 5313 | Improved Outcome as a Result of Recognition of Absent and Compressed Cisterns on Initial CT Scans. , 1989, , 598-602. | | 5 |
| 5314 | The Prognostic Importance of Somatosensory Evoked Potentials, Computed Tomography, and Clinical Findings in Severe Head Trauma. <i>Advances in Neurosurgery</i> , 1989, , 117-122. | 0.1 | 2 |
| 5315 | Outcome After Severe Head Injury with Midbrain Syndrome in the Acute Stage. <i>Advances in Neurosurgery</i> , 1989, , 23-26. | 0.1 | 2 |
| 5316 | Incidence, Management, and Outcome of Patients with Premature Rupture of Cerebral Aneurysms During Surgery. <i>Advances in Neurosurgery</i> , 1989, , 203-207. | 0.1 | 7 |
| 5317 | Motor Function Assessment Scale. , 1990, , 407-411. | | 3 |
| 5319 | Assessment and Management of Memory Problems. , 1992, , 194-202. | | 1 |
| 5320 | Intracranial and Cerebral Perfusion Pressure Monitoring in the Head Injured Patient: Which Index?. , 1993, , 544-548. | | 5 |
| 5322 | Angioplasty of Vasospasm. <i>Medical Radiology</i> , 1993, , 123-133. | 0.0 | 4 |
| 5323 | Measuring the Severity of Injury. <i>Yearbook of Intensive Care and Emergency Medicine</i> , 1992, , 682-690. | 0.1 | 1 |
| 5324 | Perimesencephalic Subarachnoid Hemorrhage: Risk Factors, Clinical Presentations, and Outcome. , 2011, 110, 197-201. | | 24 |
| 5325 | Intra-arterial Administration of Fasudil Hydrochloride for Vasospasm Following Subarachnoid Haemorrhage: Experience of 90 Cases. , 2011, 110, 179-181. | | 15 |
| 5326 | Aneurysms of the Posterior Cerebral Artery and Approach Selection in Their Microsurgical Treatment: Emphasis on the Approaches: SAHEA and SCTTA. <i>Acta Neurochirurgica Supplementum</i> , 2011, 112, 85-92. | 0.5 | 18 |
| 5327 | Outcome of Acute Subdural Haematoma Following Decompressive Hemicraniectomy. , 1979, 28, 195-198. | | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5328 | The Neuropathology of the Vegetative State and Severe Disability After Non-Missile Head Injury. Acta Neurochirurgica Supplementum, 1983, 32, 65-67. | 0.5 | 33 |
| 5329 | Balloon Prophylaxis of Aneurysmal Vasospasm. , 2001, 77, 185-190. | | 3 |
| 5330 | Effect of Intracerebral Lesions Detected in Early MRI on Outcome After Acute Brain Injury. , 2000, 76, 265-267. | | 24 |
| 5331 | Surgical Strategies for Giant Intracranial Aneurysms. Acta Neurochirurgica Supplementum, 1999, 72, 141-156. | 0.5 | 67 |
| 5332 | Das Aachener Lebensqualitätsinventar für Patienten mit Hirnschädigung: Entwicklung und methodische Gütekriterien. , 1996, , 83-101. | | 9 |
| 5333 | Endovascular Coiling Compared with Surgical Clipping for the Treatment of Unruptured Middle Cerebral Artery Aneurysms: An Update. , 2002, 82, 41-46. | | 63 |
| 5334 | Posttraumatic Edema in the Corpus Callosum Shown by MRI. Acta Neurochirurgica Supplementum, 1997, 70, 80-83. | 0.5 | 16 |
| 5335 | Evoked Potential Monitoring in Neurosurgical Practice. Advances and Technical Standards in Neurosurgery, 1986, 14, 25-70. | 0.2 | 32 |
| 5336 | Prediction of Outcome After Head Injury – A Critical Review. Advances in Neurotraumatology, 1986, , 229-247. | 0.1 | 3 |
| 5337 | Direct Microsurgical Approach to Giant Intracranial Aneurysms. Considerations, Technical Notes and Results in a Series of 47 Cases. , 1994, , 203-211. | | 1 |
| 5338 | Reliability of the Barthel Index Outcome Measure Selected for the NINDS t-PA Stroke Trial. , 1995, , 327-334. | | 5 |
| 5339 | Predicting Outcomes in Patients with Traumatic Brain Injury Using Machine Learning Models. Lecture Notes in Mechanical Engineering, 2020, , 12-20. | 0.3 | 2 |
| 5340 | Predicting outcome in the slow to respond traumatically brain-injured patient: Acute and subacute parameters. NeuroRehabilitation, 1996, 6, 19-32. | 0.5 | 10 |
| 5341 | Cognitive Impairment Consequent to Motor Vehicle Collisions. , 2008, , 243-309. | | 4 |
| 5342 | Comparison of Results with CT Scanning and Magnetic Resonance Imaging of Brain-Injured Patients Undergoing Rehabilitation. , 1987, , 89-97. | | 1 |
| 5343 | Recovery versus Outcome after Head Injury in Children. , 1986, , 233-240. | | 2 |
| 5344 | Outcome Prediction in Pediatric Critical Care. , 2006, , 65-72. | | 1 |
| 5345 | Neurosurgical Epidemiology and Outcomes Assessment. , 2011, , 183-202. | | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5346 | Medical and Surgical Management of Chronic Subdural Hematomas. , 2011, , 535-543. | | 6 |
| 5347 | Surgery for Intracerebral Hemorrhage. , 2011, , 1336-1348. | | 1 |
| 5348 | An automatic detection method for 40-Hz auditory steady state response and its application in prognosis of comatose patients. Clinical Neurophysiology, 2020, 131, 703-715. | 0.7 | 6 |
| 5349 | Cambio en la enolasa neuroespecífica de los supervivientes de parada cardiorrespiratoria extrahospitalaria: herramienta útil para predecir el pronóstico neurológico. Revista Espanola De Cardiologia, 2020, 73, 232-240. | 0.6 | 5 |
| 5350 | Serum GFAP and UCH-L1 for the prediction of neurological outcome in comatose cardiac arrest patients. Resuscitation, 2020, 154, 61-68. | 1.3 | 37 |
| 5352 | Outcomes Following Exploratory Burr Holes for Traumatic Brain Injury in a Resource Poor Setting. World Neurosurgery, 2017, 105, 257-264. | 0.7 | 23 |
| 5353 | Neuroprotective effect of gacyclidine: A multicenter double-blind pilot trial in patients with acute traumatic brain injury. Neurochirurgie, 2004, 50, 83-95. | 0.6 | 22 |
| 5354 | Closed Head Injuries in Athletes. Clinics in Sports Medicine, 1990, 9, 247-261. | 0.9 | 7 |
| 5355 | Emergency Department Management of Head Injuries. Emergency Medicine Clinics of North America, 1984, 2, 749-760. | 0.5 | 45 |
| 5356 | Neurobehavioral Outcome. Neurosurgery Clinics of North America, 1991, 2, 457-472. | 0.8 | 26 |
| 5357 | Evoked Potentials in the Prognosis of Traumatic Lesions of the Central Nervous System. Physical Medicine and Rehabilitation Clinics of North America, 1994, 5, 643-656. | 0.7 | 1 |
| 5358 | Neuropsychological Assessment and Cognitive Rehabilitation after Brain Injury. Physical Medicine and Rehabilitation Clinics of North America, 1992, 3, 291-318. | 0.7 | 5 |
| 5360 | The relationship of caregiver coping to family outcomes during the initial year following pediatric traumatic injury. Journal of Consulting and Clinical Psychology, 2001, 69, 406-15. | 1.6 | 34 |
| 5361 | Assessment of Syntax After Adolescent Brain Injury. Journal of Speech, Language, and Hearing Research, 1998, 41, 137-149. | 0.7 | 30 |
| 5362 | Development of a Bayesian Network for the Prognosis of Head Injuries using Graphical Model Selection Techniques. Methods of Information in Medicine, 1999, 38, 37-42. | 0.7 | 20 |
| 5363 | Association between cardiac rhythm conversion and neurological outcome among cardiac arrest patients with initial shockable rhythm: a nationwide prospective study in Japan. European Heart Journal: Acute Cardiovascular Care, 2021, 10, 119-126. | 0.4 | 12 |
| 5364 | Disability Rating Scale in the First Few Weeks After a Severe Traumatic Brain Injury as a Predictor of 6-Month Functional Outcome. Neurosurgery, 2021, 88, 619-626. | 0.6 | 2 |
| 5365 | Vector Analysis Correlating Bullet Trajectory to Outcome after Civilian Through-and-Through Gunshot Wound to the Head: Using Imaging Cues to Predict Fatal Outcome. Neurosurgery, 2005, 57, 737-747. | 0.6 | 21 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5366 | Stereotactic Catheter Ventriculocisternostomy for Clearance of Subarachnoid Hemorrhage in Patients with Coiled Aneurysms. <i>Operative Neurosurgery</i> , 2018, 14, 231-235. | 0.4 | 8 |
| 5368 | FUNCTIONAL OUTCOME FROM TRAUMATIC BRAIN INJURY. <i>American Journal of Physical Medicine and Rehabilitation</i> , 1996, 75, 105-113. | 0.7 | 40 |
| 5369 | REVISED TRAUMA SCORE. <i>American Journal of Physical Medicine and Rehabilitation</i> , 1996, 75, 456-461. | 0.7 | 16 |
| 5370 | COMPARISON OF SPEECH-EVOKED V TONE-EVOKED P300 RESPONSE. <i>American Journal of Physical Medicine and Rehabilitation</i> , 1999, 78, 367-371. | 0.7 | 34 |
| 5371 | 'Out-of-hospital cardiac arrests' treated by the West Midlands Ambulance Service over a 2-year period. <i>European Journal of Anaesthesiology</i> , 1998, 15, 702-709. | 0.7 | 9 |
| 5372 | Contribution of Initial Median-Nerve Somatosensory Evoked Potentials and Brainstem Auditory Evoked Potentials to Prediction of Clinical Outcome in Cerebrovascular Critical Care Patients: A Statistical Evaluation. <i>Journal of Clinical Neurophysiology</i> , 1998, 15, 154-158. | 0.9 | 9 |
| 5373 | Serial Evoked Potentials and Outcome in Cerebrovascular Critical Care Patients. <i>Journal of Clinical Neurophysiology</i> , 2000, 17, 326-330. | 0.9 | 18 |
| 5374 | Changes of Brainstem and Perimesencephalic Cistern. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 38, 330-333. | 1.1 | 22 |
| 5375 | Multiple Injuries. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 38, 681-686. | 1.1 | 70 |
| 5376 | Prognostic Factors after Acute Subdural Hematoma. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 39, 36-43. | 1.1 | 118 |
| 5377 | Diagnosis and Management of Minor Head Injury. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 39, 696-701. | 1.1 | 26 |
| 5378 | Severe Skiing Injuries. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 39, 737-741. | 1.1 | 43 |
| 5379 | Chronological Positron Emission Tomographic Study of Severe Diffuse Brain Injury in the Chronic Stage. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 40, 50-56. | 1.1 | 26 |
| 5380 | Civilian Cases of Tangential Gunshot Wounds to the Head. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 40, 57-60. | 1.1 | 13 |
| 5381 | Major Trauma in Young and Old. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 40, 78-82. | 1.1 | 89 |
| 5382 | Cerebral Extraction of Oxygen, Lactate Production, and Perfusion Pressure in Gunshot Wound to the Head. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 40, 445-448. | 1.1 | 5 |
| 5383 | Hypoxemia and Arterial Hypotension at the Accident Scene in Head Injury. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 40, 764-767. | 1.1 | 267 |
| 5384 | Predicting Survival from Head Trauma 24 Hours after Injury. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 41, 91-99. | 1.1 | 53 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5385 | Prognosis and Clinical Relevance of Anisocoria-Craniotomy Latency for Epidural Hematoma in Comatose Patients. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 41, 120-122. | 1.1 | 93 |
| 5386 | Analysis of Quality of Life in Polytraumatized Patients Two Years after Discharge from an Intensive Care Unit. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 41, 326-332. | 1.1 | 84 |
| 5387 | Associated Head Injury Should Not Prevent Nonoperative Management of Spleen or Liver Injury in Children. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 41, 471-475. | 1.1 | 51 |
| 5388 | Pediatric Craniocerebral Wounds from Plastic Bullets. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 41, 859-863. | 1.1 | 14 |
| 5389 | Long-Term Functional Status and Mortality of Elderly Patients with Severe Closed Head Injuries. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 41, 957-963. | 1.1 | 75 |
| 5390 | Impact of Traumatic Subarachnoid Hemorrhage on Outcome in Nonpenetrating Head Injury. Part II. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 41, 964-971. | 1.1 | 31 |
| 5391 | Rehabilitation Results of Patients with Multiple Injuries and Multiple Organ Failure and Long-term Intensive Care. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 42, 919-926. | 1.1 | 33 |
| 5392 | Individual Patient Cohort Analysis of the Efficacy of Hypertonic Saline/Dextran in Patients with Traumatic Brain Injury and Hypotension. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 42, 61S-65S. | 1.1 | 209 |
| 5393 | Management of Patients with Severe Head Injury in the Preclinical Phase. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 42, 71S-75S. | 1.1 | 23 |
| 5394 | Equine-Related Neurosurgical Trauma. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 43, 97-99. | 1.1 | 61 |
| 5395 | Pediatric Polytrauma. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 43, 501-506. | 1.1 | 66 |
| 5396 | Cerebral Hemodynamic Response to CO sub 2 after Severe Head Injury. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 44, 495-500. | 1.1 | 9 |
| 5397 | Importance of a Reliable Admission Glasgow Coma Scale Score for Determining the Need for Evacuation of Posttraumatic Subdural Hematomas. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 44, 868-873. | 1.1 | 104 |
| 5398 | Neurogenic Hypotension in Patients with Severe Head Injuries. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 44, 958-963. | 1.1 | 72 |
| 5399 | Timing Fracture Repair in Patients with Severe Brain Injury (Glasgow Coma Scale Score <9). <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 44, 977-983. | 1.1 | 113 |
| 5400 | S-100 Serum Levels after Minor and Major Head Injury. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 45, 765-767. | 1.1 | 102 |
| 5401 | Factors Influencing the Functional Outcome of Patients with Acute Epidural Hematomas. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 45, 946-952. | 1.1 | 91 |
| 5402 | Magnetic Resonance Imaging Findings in Cerebral Fat Embolism. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 46, 324-327. | 1.1 | 115 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5403 | Decompressive Surgery in Acute Head Injuries. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 46, 914-919. | 1.1 | 27 |
| 5404 | Surgical Outcome of Traumatic Intracranial Hematoma at a Regional Hospital in Taiwan. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 47, 39-43. | 1.1 | 25 |
| 5405 | Comparative Use of Magnetic Resonance Imaging and Electrophysiologic Investigation for the Prognosis of Head Injury. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 47, 44-49. | 1.1 | 39 |
| 5406 | NEUROLOGIC MEASURES: LEVEL OF CONSCIOUSNESS AND GLASGOW COMA SCALE. <i>Journal of Trauma</i> , 2001, 51, S64-S70. | 2.3 | 4 |
| 5407 | NEUROLOGIC MEASURES: PUPILLARY SIZE AND LIGHT REFLEX. <i>Journal of Trauma</i> , 2001, 51, S71-S72. | 2.3 | 1 |
| 5408 | Were you knocked out? a team physician's approach to initial concussion management. <i>Medicine and Science in Sports and Exercise</i> , 1997, 29, 207-212. | 0.2 | 26 |
| 5409 | Predictors of Survival and Severity of Disability after Severe Brain Injury in Children. <i>Neurosurgery</i> , 1992, 31, 254-264. | 0.6 | 22 |
| 5410 | Severe Head Injury in Children. <i>Neurosurgery</i> , 1992, 31, 435-444. | 0.6 | 7 |
| 5411 | Outcome Measures for Clinical Trials Involving Traumatically Brain-Injured Patients. <i>Neurosurgery</i> , 1992, 31, 975-978. | 0.6 | 15 |
| 5412 | Long-Term Observations of Intracranial Pressure after Severe Head Injury. The Phenomenon of Secondary Rise of Intracranial Pressure. <i>Neurosurgery</i> , 1993, 32, 17-24. | 0.6 | 17 |
| 5413 | Delayed and Progressive Brain Injury in Closed-Head Trauma. <i>Neurosurgery</i> , 1993, 32, 25-31. | 0.6 | 32 |
| 5414 | Emergent Aneurysm Clipping without Angiography in the Moribund Patient with Intracerebral Hemorrhage. <i>Neurosurgery</i> , 1993, 33, 189-197. | 0.6 | 15 |
| 5415 | Vasospasm Prevention with Postoperative Intrathecal Thrombolytic Therapy. <i>Neurosurgery</i> , 1994, 34, 235-245. | 0.6 | 10 |
| 5416 | Gunshot Wounds to the Brain in Children and Adolescents. <i>Neurosurgery</i> , 1994, 35, 225-233. | 0.6 | 4 |
| 5417 | Posttraumatic Meningitis. <i>Neurosurgery</i> , 1994, 35, 422-427. | 0.6 | 6 |
| 5418 | A Phase II Clinical Trial of Recombinant Human Tissue-type Plasminogen Activator against Cerebral Vasospasm after Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 1994, 35, 597-605. | 0.6 | 4 |
| 5419 | Fibrinolytic Therapy for Acute Embolic Stroke. <i>Neurosurgery</i> , 1995, 36, 246-253. | 0.6 | 10 |
| 5420 | Stereotactic Puncture and Lysis of Spontaneous Intracerebral Hemorrhage Using Recombinant Tissue-Plasminogen Activator. <i>Neurosurgery</i> , 1995, 36, 328-335. | 0.6 | 17 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5421 | Continuous Regional Cerebral Cortical Blood Flow Monitoring in Head-injured Patients. <i>Neurosurgery</i> , 1995, 36, 943-950. | 0.6 | 8 |
| 5422 | Multimodality Treatment of Deep Arteriovenous Malformations. <i>Neurosurgery</i> , 1995, 37, 29-36. | 0.6 | 25 |
| 5423 | A Randomized Trial of Intraoperative, Intracisternal Tissue Plasminogen Activator for the Prevention of Vasospasm. <i>Neurosurgery</i> , 1995, 37, 168-178. | 0.6 | 11 |
| 5424 | Frontal Lobe Changes after Severe Diffuse Closed Head Injury in Children. <i>Neurosurgery</i> , 1995, 37, 392-400. | 0.6 | 5 |
| 5425 | Transient Cerebellar Mutism after Posterior Fossa Surgery in Children. <i>Neurosurgery</i> , 1995, 37, 894-898. | 0.6 | 4 |
| 5426 | Evolving Brain Lesions in the First 12 Hours after Head Injury. <i>Neurosurgery</i> , 1995, 37, 899-907. | 0.6 | 11 |
| 5427 | Gunshot Wounds to the Head in Civilian Practice. <i>Neurosurgery</i> , 1995, 37, 1104-1112. | 0.6 | 9 |
| 5428 | The Safety and Efficacy of Cyclosporine A in the Prevention of Vasospasm in Patients with Fisher Grade 3 Subarachnoid Hemorrhages: A Pilot Study. <i>Neurosurgery</i> , 1997, 40, 289-293. | 0.6 | 55 |
| 5429 | Magnetic Resonance Imaging in Relation to Functional Outcome of Pediatric Closed Head Injury: A Test of the Ommaya-Gennarelli Model. <i>Neurosurgery</i> , 1997, 40, 432-441. | 0.6 | 84 |
| 5430 | Effect of Nitrous Oxide on Neurologic and Neuropsychological Function after Intracranial Aneurysm Surgery. <i>Anesthesiology</i> , 2008, 108, 568-579. | 1.3 | 43 |
| 5431 | Total Intravenous Anesthesia Including Ketamine versus Volatile Gas Anesthesia for Combat-related Operative Traumatic Brain Injury. <i>Anesthesiology</i> , 2008, 109, 44-53. | 1.3 | 51 |
| 5432 | Long-term Outcome in Chest Trauma. <i>Anesthesiology</i> , 2008, 109, 864-871. | 1.3 | 38 |
| 5433 | Effect of Nitrous Oxide Use on Long-term Neurologic and Neuropsychological Outcome in Patients Who Received Temporary Proximal Artery Occlusion during Cerebral Aneurysm Clipping Surgery. <i>Anesthesiology</i> , 2009, 110, 563-573. | 1.3 | 54 |
| 5434 | No Association between Intraoperative Hypothermia or Supplemental Protective Drug and Neurologic Outcomes in Patients Undergoing Temporary Clipping during Cerebral Aneurysm Surgery. <i>Anesthesiology</i> , 2010, 112, 86-101. | 1.3 | 113 |
| 5435 | A Prospective Study of Optic Nerve Ultrasound for the Detection of Elevated Intracranial Pressure in Severe Traumatic Brain Injury. <i>Critical Care Medicine</i> , 2020, 48, e1278-e1285. | 0.4 | 22 |
| 5436 | INSUFFICIENT PRODUCTION OF URINARY TRYPSIN INHIBITOR FOR NEUTROPHIL ELASTASE RELEASE AFTER CARDIAC ARREST. <i>Shock</i> , 2008, 29, 549-552. | 1.0 | 6 |
| 5437 | Application of Electrophysiologic Techniques in Poor Outcome Prediction Among Patients With Severe Focal and Diffuse Ischemic Brain Injury. <i>Journal of Clinical Neurophysiology</i> , 2011, 28, 497-503. | 0.9 | 40 |
| 5439 | Effects of case management after severe head injury. <i>BMJ: British Medical Journal</i> , 1994, 308, 1199-1205. | 2.4 | 30 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5440 | Misdiagnosis of the vegetative state: retrospective study in a rehabilitation unit. <i>BMJ: British Medical Journal</i> , 1996, 313, 13-16. | 2.4 | 687 |
| 5441 | Corticosteroids in acute traumatic brain injury: systematic review of randomised controlled trials. <i>BMJ: British Medical Journal</i> , 1997, 314, 1855-1855. | 2.4 | 156 |
| 5442 | Corticosteroids in acute traumatic brain injury. <i>BMJ: British Medical Journal</i> , 1998, 316, 396-396. | 2.4 | 9 |
| 5443 | Study protocol for SFX-01 after subarachnoid haemorrhage (SAS): a multicentre randomised double-blinded, placebo controlled trial. <i>BMJ Open</i> , 2020, 10, e028514. | 0.8 | 23 |
| 5444 | Timing of surgery for supratentorial aneurysmal subarachnoid haemorrhage: report of a prospective study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2002, 72, 480-4. | 0.9 | 53 |
| 5445 | Recommended Guidelines for Uniform Reporting of Pediatric Advanced Life Support: The Pediatric Utstein Style. <i>Circulation</i> , 1995, 92, 2006-2020. | 1.6 | 134 |
| 5446 | Recommended Guidelines for Reviewing, Reporting, and Conducting Research on In-Hospital Resuscitation: The In-Hospital "Utstein Style"™. <i>Circulation</i> , 1997, 95, 2213-2239. | 1.6 | 372 |
| 5447 | Predictors of Early Deterioration and Mortality in Black Americans With Spontaneous Intracerebral Hemorrhage. <i>Stroke</i> , 1995, 26, 1764-1767. | 1.0 | 149 |
| 5448 | Study of Aneurysmal Subarachnoid Hemorrhage in Izumo City, Japan. <i>Stroke</i> , 1995, 26, 761-766. | 1.0 | 97 |
| 5449 | Clinical Relevance and Frequency of Transient Stenoses of the Middle and Anterior Cerebral Arteries in Bacterial Meningitis. <i>Stroke</i> , 1995, 26, 1399-1403. | 1.0 | 42 |
| 5450 | Causes of Morbidity and Mortality After Ruptured Aneurysm Surgery in a Series of 230 Patients. <i>Stroke</i> , 1995, 26, 1553-1557. | 1.0 | 113 |
| 5451 | Asymmetry of Intracranial Hemodynamics as an Indicator of Mass Effect in Acute Intracerebral Hemorrhage. <i>Stroke</i> , 1996, 27, 1788-1792. | 1.0 | 61 |
| 5452 | Serum Neuron-Specific Enolase, Carnosinase, and Their Ratio in Acute Stroke. <i>Stroke</i> , 1996, 27, 2064-2068. | 1.0 | 38 |
| 5454 | Will Increased Awareness Among Physicians of the Significance of Sudden Agonizing Headache Affect the Outcome of Subarachnoid Hemorrhage?. <i>Stroke</i> , 1996, 27, 807-812. | 1.0 | 33 |
| 5455 | A Randomized Trial of Tirilazad Mesylate in Patients With Acute Stroke (RANTTAS). <i>Stroke</i> , 1996, 27, 1453-1458. | 1.0 | 161 |
| 5456 | Misdiagnosis of Symptomatic Cerebral Aneurysm. <i>Stroke</i> , 1996, 27, 1558-1563. | 1.0 | 131 |
| 5457 | Early Hemorrhage Growth in Patients With Intracerebral Hemorrhage. <i>Stroke</i> , 1997, 28, 1-5. | 1.0 | 1,189 |
| 5458 | Outcome of Aneurysmal Subarachnoid Hemorrhage in Patients on Anticoagulant Treatment. <i>Stroke</i> , 1997, 28, 6-9. | 1.0 | 62 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5459 | Cerebral Aneurysms in the Elderly in Yamaguchi, Japan. <i>Stroke</i> , 1997, 28, 1926-1931. | 1.0 | 49 |
| 5460 | S-100 Protein and Neuron-Specific Enolase Concentrations in Blood as Indicators of Infarction Volume and Prognosis in Acute Ischemic Stroke. <i>Stroke</i> , 1997, 28, 1956-1960. | 1.0 | 382 |
| 5461 | Surgery for Primary Intracerebral Hemorrhage: Is It Safe and Effective?. <i>Stroke</i> , 1997, 28, 2126-2132. | 1.0 | 149 |
| 5462 | Outcome in 43 Patients With Distal Anterior Cerebral Artery Aneurysms. <i>Stroke</i> , 1997, 28, 2405-2409. | 1.0 | 74 |
| 5463 | Superoxide Dismutase Activity in Serum of Patients With Acute Cerebral Ischemic Injury. <i>Stroke</i> , 1997, 28, 2425-2428. | 1.0 | 102 |
| 5464 | Case-Fatality Rates and Functional Outcome After Subarachnoid Hemorrhage. <i>Stroke</i> , 1997, 28, 660-664. | 1.0 | 896 |
| 5465 | Cerebrospinal Fluid Tissue Factor and Thrombin-Antithrombin III Complex as Indicators of Tissue Injury After Subarachnoid Hemorrhage. <i>Stroke</i> , 1997, 28, 1666-1670. | 1.0 | 35 |
| 5466 | Plasma Insulin-like Growth Factor I and IGF Binding Protein 3 Levels in Patients With Acute Cerebral Ischemic Injury. <i>Stroke</i> , 1997, 28, 1744-1748. | 1.0 | 82 |
| 5467 | Association of Neighborhood Race and Income With Survival After Out-of-Hospital Cardiac Arrest. <i>Journal of the American Heart Association</i> , 2020, 9, e014178. | 1.6 | 41 |
| 5468 | Hypoxic encephalopathy after near-drowning studied by quantitative 1H-magnetic resonance spectroscopy.. <i>Journal of Clinical Investigation</i> , 1996, 97, 1142-1154. | 3.9 | 119 |
| 5469 | Rate of Psychiatric Illness 1 Year After Traumatic Brain Injury. <i>American Journal of Psychiatry</i> , 1999, 156, 374-378. | 4.0 | 312 |
| 5470 | Growth differentiation factor 15 and early prognosis after out-of-hospital cardiac arrest. <i>Annals of Intensive Care</i> , 2019, 9, 119. | 2.2 | 8 |
| 5471 | Targeted temperature management guided by the severity of hyperlactatemia for out-of-hospital cardiac arrest patients: a post hoc analysis of a nationwide, multicenter prospective registry. <i>Annals of Intensive Care</i> , 2019, 9, 127. | 2.2 | 21 |
| 5472 | A Novel Method of Evaluating the Impact of Secondary Brain Insults on Functional Outcomes in Traumatic Brain-injured Patients. <i>Academic Emergency Medicine</i> , 2005, 12, 1-6. | 0.8 | 34 |
| 5475 | Discourse Macrolevel Processing After Severe Pediatric Traumatic Brain Injury. <i>Developmental Neuropsychology</i> , 2004, 25, 37-60. | 1.0 | 30 |
| 5476 | Components of Executive Function in Typically Developing and Head-Injured Children. <i>Developmental Neuropsychology</i> , 2004, 25, 61-83. | 1.0 | 28 |
| 5477 | Treatment options for large hemispheric stroke. <i>Neurology</i> , 2001, 57, S61-8. | 1.5 | 117 |
| 5478 | D-optimal designs for multinomial logistic models. <i>Annals of Statistics</i> , 2020, 48, . | 1.4 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5479 | Traumatic Extradural Hematoma of Delayed Onset Is Not a Rarity. <i>Neurosurgery</i> , 1992, 30, 681-686. | 0.6 | 26 |
| 5480 | Single Intracisternal Bolus of Recombinant Tissue Plasminogen Activator in Patients with Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 1992, 30, 877-881. | 0.6 | 59 |
| 5481 | Factors Affecting Operative and Excess Long-term Mortality in 935 Patients with Intracranial Meningioma. <i>Neurosurgery</i> , 1992, 31, 2-12. | 0.6 | 239 |
| 5482 | Pure Motor Hemiparesis with Stable Somatosensory Evoked Potential Monitoring during Aneurysm Surgery. <i>Neurosurgery</i> , 1992, 31, 145-150. | 0.6 | 45 |
| 5483 | Intraventricular Hemorrhage in Blunt Head Trauma. <i>Neurosurgery</i> , 1992, 31, 678-685. | 0.6 | 133 |
| 5484 | Saccular Aneurysms of the Distal Anterior Cerebral Artery and Its Branches. <i>Neurosurgery</i> , 1992, 31, 994-999. | 0.6 | 110 |
| 5485 | Significance of Different Levels of the Edinburgh 2 Coma Scale Calculated from the Outcome of Neurosurgical Patients. <i>Neurosurgery</i> , 1992, 31, 1023-1029. | 0.6 | 4 |
| 5486 | Relationship between Glasgow Outcome Scale and Neuropsychological Measures after Brain Injury. <i>Neurosurgery</i> , 1993, 33, 34-39. | 0.6 | 45 |
| 5487 | Chronic Subdural Hematoma. <i>Neurosurgery</i> , 1993, 33, 67-72. | 0.6 | 118 |
| 5488 | Emergent Aneurysm Clipping without Angiography in the Moribund Patient with Intracerebral Hemorrhage. <i>Neurosurgery</i> , 1993, 33, 189-197. | 0.6 | 64 |
| 5489 | A Prospective Study of Impairment of Cognition and Memory and Recovery after Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 1993, 33, 572-587. | 0.6 | 186 |
| 5490 | Combined Endovascular and Neurosurgical Approach for Paraclinoid Internal Carotid Artery Aneurysms. <i>Neurosurgery</i> , 1993, 33, 986-992. | 0.6 | 72 |
| 5491 | Which Neuropsychological Deficits Are Hidden behind a Good Outcome (Glasgow = I) after Aneurysmal Subarachnoid Hemorrhage?. <i>Neurosurgery</i> , 1993, 33, 999-1006. | 0.6 | 166 |
| 5492 | The Prospective Application of a Grading System for Arteriovenous Malformations. <i>Neurosurgery</i> , 1994, 34, 2-7. | 0.6 | 171 |
| 5493 | The Use of Lobectomy in the Management of Severe Closed-Head Trauma. <i>Neurosurgery</i> , 1994, 34, 628-634. | 0.6 | 22 |
| 5494 | The Localizing Value of Asymmetry in Pupillary Size in Severe Head Injury. <i>Neurosurgery</i> , 1994, 34, 840-846. | 0.6 | 66 |
| 5495 | Management of Intracerebral Hemorrhage in a Large Metropolitan Population. <i>Neurosurgery</i> , 1994, 34, 882-887. | 0.6 | 111 |
| 5496 | Saccular Aneurysms of the Proximal (M1) Segment of the Middle Cerebral Artery. <i>Neurosurgery</i> , 1995, 36, 441-446. | 0.6 | 49 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5497 | Magnetic Resonance Imaging in Relation to Functional Outcome of Pediatric Closed Head Injury: A Test of the Ommaya-Gennarelli Model. <i>Neurosurgery</i> , 1997, 40, 432-441. | 0.6 | 57 |
| 5498 | Technical Aspects and Recent Trends in the Management of Large and Giant Midbasilar Artery Aneurysms. <i>Neurosurgery</i> , 1997, 41, 513-521. | 0.6 | 73 |
| 5499 | Selection of Cerebral Aneurysms for Treatment Using Guglielmi Detachable Coils: The Preliminary University of Illinois at Chicago Experience. <i>Neurosurgery</i> , 1998, 43, 1281-1295. | 0.6 | 180 |
| 5500 | Why Have Recent Trials of Neuroprotective Agents in Head Injury Failed to Show Convincing Efficacy? A Pragmatic Analysis and Theoretical Considerations. <i>Neurosurgery</i> , 1999, 44, 1286-1298. | 0.6 | 9 |
| 5501 | Differing Perspectives on Outcome after Subarachnoid Hemorrhage: The Patient, the Relative, the Neurosurgeon. <i>Neurosurgery</i> , 2000, 46, 831-840. | 0.6 | 67 |
| 5502 | Brain Oxygen Tension in Severe Head Injury. <i>Neurosurgery</i> , 2000, 46, 868-878. | 0.6 | 225 |
| 5503 | Head Injury: Recent Past, Present, and Future. <i>Neurosurgery</i> , 2000, 47, 546-561. | 0.6 | 121 |
| 5504 | Major Clinical and Physiological Benefits of Early High Doses of Mannitol for Intraparenchymal Temporal Lobe Hemorrhages with Abnormal Pupillary Widening: A Randomized Trial. <i>Neurosurgery</i> , 2002, 51, 628-638. | 0.6 | 29 |
| 5505 | Microsurgical Fenestration of the Lamina Terminalis Reduces the Incidence of Shunt-dependent Hydrocephalus after Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2002, 51, 1403-1413. | 0.6 | 28 |
| 5506 | Were you knocked out? a team physician's approach to initial concussion management. <i>Medicine and Science in Sports and Exercise</i> , 1997, 29, 207-212. | 0.2 | 2 |
| 5507 | Functional Capacity Scale as a new tool for early functional assessment in patients after surgical treatment of intracranial aneurysms: A prospective study involving 128 patients. <i>Medical Science Monitor</i> , 2012, 18, CR680-CR686. | 0.5 | 2 |
| 5508 | Implementation of Thromboelastometry for Coagulation Management in Isolated Traumatic Brain Injury Patients Undergoing Craniotomy. <i>Medical Science Monitor</i> , 2020, 26, e922879. | 0.5 | 12 |
| 5509 | Recovery from prolonged disorders of consciousness: A dual-center prospective cohort study in China. <i>World Journal of Clinical Cases</i> , 2020, 8, 2520-2529. | 0.3 | 12 |
| 5510 | Evaluation of novel computerized tomography scoring systems in human traumatic brain injury: An observational, multicenter study. <i>PLoS Medicine</i> , 2017, 14, e1002368. | 3.9 | 74 |
| 5511 | Impact of Rescue-Thrombolysis during Cardiopulmonary Resuscitation in Patients with Pulmonary Embolism. <i>PLoS ONE</i> , 2009, 4, e8323. | 1.1 | 28 |
| 5512 | Mapping Traumatic Axonal Injury Using Diffusion Tensor Imaging: Correlations with Functional Outcome. <i>PLoS ONE</i> , 2011, 6, e19214. | 1.1 | 82 |
| 5513 | Life or Death: Prognostic Value of a Resting EEG with Regards to Survival in Patients in Vegetative and Minimally Conscious States. <i>PLoS ONE</i> , 2011, 6, e25967. | 1.1 | 37 |
| 5514 | Reduction in Inter-Hemispheric Connectivity in Disorders of Consciousness. <i>PLoS ONE</i> , 2012, 7, e37238. | 1.1 | 48 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5515 | Meningococcal Factor H Binding Protein fHbpd184 Polymorphism Influences Clinical Course of Meningococcal Meningitis. PLoS ONE, 2012, 7, e47973. | 1.1 | 12 |
| 5516 | Impact of Thoracic Injury on Traumatic Brain Injury Outcome. PLoS ONE, 2013, 8, e74204. | 1.1 | 9 |
| 5517 | Neuro-Intensive Treatment Targeting Intracranial Hypertension Improves Outcome in Severe Bacterial Meningitis: An Intervention-Control Study. PLoS ONE, 2014, 9, e91976. | 1.1 | 86 |
| 5518 | Platelet Count and Early Outcome in Patients with Spontaneous Cerebellar Hemorrhage: A Retrospective Study. PLoS ONE, 2015, 10, e0119109. | 1.1 | 15 |
| 5519 | Comparative Assessment of the Prognostic Value of Biomarkers in Traumatic Brain Injury Reveals an Independent Role for Serum Levels of Neurofilament Light. PLoS ONE, 2015, 10, e0132177. | 1.1 | 114 |
| 5520 | Early Standard Electroencephalogram Abnormalities Predict Mortality in Septic Intensive Care Unit Patients. PLoS ONE, 2015, 10, e0139969. | 1.1 | 89 |
| 5521 | Prevalence of Intrathecal Acyclovir Resistant Virus in Herpes Simplex Encephalitis Patients. PLoS ONE, 2016, 11, e0155531. | 1.1 | 17 |
| 5522 | Single versus Serial Measurements of Neuron-Specific Enolase and Prediction of Poor Neurological Outcome in Persistently Unconscious Patients after Out-Of-Hospital Cardiac Arrest – A TTM-Trial Substudy. PLoS ONE, 2017, 12, e0168894. | 1.1 | 55 |
| 5523 | Mortality after out-of-hospital cardiac arrest in a Spanish Region. PLoS ONE, 2017, 12, e0175818. | 1.1 | 12 |
| 5524 | A trauma network with centralized and local health care structures: Evaluating the effectiveness of the first certified Trauma Network of the German Society of Trauma Surgery. PLoS ONE, 2018, 13, e0194292. | 1.1 | 10 |
| 5525 | Brain MRI findings in relation to clinical characteristics and outcome of tuberculous meningitis. PLoS ONE, 2020, 15, e0241974. | 1.1 | 33 |
| 5526 | Clinico-Etiological Profile of Pediatric Refractory Status Epilepticus at a Public Hospital in India. Journal of Epilepsy Research, 2019, 9, 36-41. | 0.1 | 7 |
| 5527 | Does Red Cell Distribution Width Predict Outcome in Traumatic Brain Injury: Comparison to Corticosteroid Randomization After Significant Head Injury. Journal of Clinical Medicine Research, 2018, 10, 9-12. | 0.6 | 9 |
| 5528 | Very Low-pressure Hydrocephalus: A New Clinical Entity and Issues of Treatment. The Showa University Journal of Medical Sciences, 2011, 23, 109-114. | 0.1 | 1 |
| 5529 | A New Scale Based on CT Classification and the Glasgow Coma Scale to Extract Non-preventable Trauma Death in TRISS Methodology. The Showa University Journal of Medical Sciences, 2000, 12, 331-341. | 0.1 | 2 |
| 5530 | Impact of early coronary angiography on the survival to discharge after out-of-hospital cardiac arrest. Clinical and Experimental Emergency Medicine, 2017, 4, 65-72. | 0.5 | 10 |
| 5532 | Endovascular treatment of cerebral aneurysms: a retrospective study of 163 embolized aneurysms. Arquivos De Neuro-Psiquiatria, 2007, 65, 411-415. | 0.3 | 2 |
| 5533 | Unnecessary admissions of head-injured patients at the University Hospital of the West Indies. West Indian Medical Journal, 2007, 56, 226-9. | 0.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5534 | Surgical and intensive care needs of head-injured patients transferred to the University Hospital of the West Indies. <i>West Indian Medical Journal</i> , 2007, 56, 230-3. | 0.4 | 4 |
| 5535 | Fatores de risco para dependência após trauma crânio-encefálico. <i>ACTA Paulista De Enfermagem</i> , 2005, 18, 354-360. | 0.1 | 2 |
| 5537 | Consensus Statement on Concussion in Sport – the 3rd International Conference on Concussion in Sport held in Zurich, November 2008. <i>SA Sports Medicine</i> , 2009, 21, . | 0.1 | 42 |
| 5538 | To What Extent Are Main Accident-Insurer Cases Representative of All Significantly Injured? A Swiss Monocenter Perspective. <i>Journal of Insurance Medicine (New York, N Y)</i> , 2019, 48, 65-78. | 0.1 | 1 |
| 5539 | Preoperative low tri-iodothyronine concentration is associated with worse health status and shorter five year survival of primary brain tumor patients. <i>Oncotarget</i> , 2017, 8, 8648-8656. | 0.8 | 18 |
| 5540 | Identification of novel biomarkers for prediction of neurological prognosis following cardiac arrest. <i>Oncotarget</i> , 2017, 8, 16144-16157. | 0.8 | 8 |
| 5541 | CLASSIFICATION OF CRANIAL TRAUMA. <i>Russian Journal of Forensic Medicine</i> , 2015, 1, 37-48. | 0.0 | 11 |
| 5542 | Design of the Northern Nevada Orthopaedic Trauma Panel: A Model, Level-II Community-Hospital System. <i>Journal of Bone and Joint Surgery - Series A</i> , 2001, 83, 283-289. | 1.4 | 16 |
| 5543 | Severity, Causes and Outcomes of Traumatic Brain Injuries Occurring at Different Locations: Implications for Prevention and Public Health. <i>Central European Journal of Public Health</i> , 2015, 23, 142-148. | 0.4 | 5 |
| 5545 | Stroke Characteristics and Outcomes of Adult Patients Admitted to the University Teaching Hospital, Lusaka, Zambia. <i>The Open General & Internal Medicine Journal</i> , 2012, 5, 3-8. | 0.3 | 25 |
| 5546 | Functional Evaluation of Awareness in Vegetative and Minimally Conscious State. <i>Open Neuroimaging Journal</i> , 2017, 11, 17-25. | 0.2 | 17 |
| 5547 | Transitions Between Circulatory States After Out-of-Hospital Cardiac Arrest: Protocol for an Observational, Prospective Cohort Study. <i>JMIR Research Protocols</i> , 2018, 7, e17. | 0.5 | 6 |
| 5548 | The impact of admission to a pediatric intensive care unit assessed by means of global and cognitive performance scales. <i>Jornal De Pediatria</i> , 2007, 83, 505-11. | 0.9 | 25 |
| 5549 | Characteristics of the M1 Segment Aneurysms and Consideration for Surgical Treatment.. <i>Surgery for Cerebral Stroke</i> , 2001, 29, 192-195. | 0.0 | 6 |
| 5550 | Out-of-hospital cardiac arrest at place of residence is associated with worse outcomes in patients admitted to intensive care. A post-hoc analysis of the targeted temperature management trial. <i>Minerva Anestesiologica</i> , 2019, 85, 738-745. | 0.6 | 3 |
| 5551 | Independent predictors for functional outcome after drainage of chronic subdural hematoma identified using a logistic regression model. <i>Journal of Neurosurgical Sciences</i> , 2020, 64, 133-140. | 0.3 | 9 |
| 5552 | ADL in Traumatic Brain Injuries with Functional Assessment Measure (FAM).. <i>The Japanese Journal of Rehabilitation Medicine</i> , 2001, 38, 253-258. | 0.1 | 5 |
| 5553 | Rehabilitation after traumatic brain injury: an Australian context. <i>Higher Brain Function Research</i> , 2008, 28, 129-142. | 0.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5554 | Association between inflammatory markers and cognitive outcome in patients with acute brain dysfunction due to sepsis. <i>Noropsikiyatri Arsivi</i> , 2018, 56, 63-70. | 0.2 | 17 |
| 5555 | Predictors of recovery in moderate to severe traumatic brain injury. <i>Journal of Neurosurgery</i> , 2019, 131, 1648-1657. | 0.9 | 5 |
| 5556 | Long-term follow-up of pediatric head trauma patients treated at Mulago National Referral Hospital in Uganda. <i>Journal of Neurosurgery: Pediatrics</i> , 2019, 23, 125-132. | 0.8 | 12 |
| 5557 | Blast-induced traumatic brain injury: the experience from a level I trauma center in southern Thailand. <i>Neurosurgical Focus</i> , 2018, 45, E7. | 1.0 | 10 |
| 5558 | Intracranial pressure-based barbiturate coma treatment in children with refractory intracranial hypertension due to traumatic brain injury. <i>Journal of Neurosurgery: Pediatrics</i> , 2020, 25, 375-383. | 0.8 | 9 |
| 5559 | Traumatic cerebrovascular injury: clinical characteristics and illustrative cases. <i>Neurosurgical Focus</i> , 2019, 47, E4. | 1.0 | 9 |
| 5560 | Verbal learning deficits following severe head injury: heterogeneity in recovery over 1 year. <i>Journal of Neurosurgery</i> , 1991, 75, S50-S58. | 0.9 | 40 |
| 5561 | Evaluation of safety, effectiveness and reproducibility of telemedicine for neurosurgical screening. <i>Einstein (Sao Paulo, Brazil)</i> , 2019, 17, eAO4609. | 0.3 | 3 |
| 5562 | Addressing neuropsychiatric disturbances during rehabilitation after traumatic brain injury: current and future methods. <i>Dialogues in Clinical Neuroscience</i> , 2011, 13, 325-345. | 1.8 | 29 |
| 5563 | Early, specialist vocational rehabilitation to facilitate return to work after traumatic brain injury: the FRESH feasibility RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-124. | 1.3 | 33 |
| 5564 | Outcome measures for adult critical care: a systematic review.. <i>Health Technology Assessment</i> , 2000, 4, . | 1.3 | 87 |
| 5565 | Comparative Study of Outcomes between Shunting after Cranioplasty and in Cranioplasty after Shunting in Large Concave Flaccid Cranial Defect with Hydrocephalus. <i>Journal of Korean Neurosurgical Society</i> , 2008, 44, 211. | 0.5 | 27 |
| 5566 | Predictors for Functional Recovery and Mortality of Surgically Treated Traumatic Acute Subdural Hematomas in 256 Patients. <i>Journal of Korean Neurosurgical Society</i> , 2009, 45, 143. | 0.5 | 48 |
| 5567 | Extracranial-Intracranial Bypass Surgery Using a Radial Artery Interposition Graft for Cerebrovascular Diseases. <i>Journal of Korean Neurosurgical Society</i> , 2011, 50, 185. | 0.5 | 18 |
| 5568 | Clinical Comparison of 30-Day Mortalities and 6-Month Functional Recoveries after Spontaneous Intracerebral Hemorrhage in Patients with or without End-Stage Renal Disease. <i>Journal of Korean Neurosurgical Society</i> , 2013, 54, 164. | 0.5 | 6 |
| 5569 | Aneurysmal Neck Clipping as the Primary Treatment Option for Both Ruptured and Unruptured Middle Cerebral Artery Aneurysms. <i>Journal of Korean Neurosurgical Society</i> , 2016, 59, 269. | 0.5 | 15 |
| 5570 | Effects of Trauma Center Establishment on the Clinical Characteristics and Outcomes of Patients with Traumatic Brain Injury : A Retrospective Analysis from a Single Trauma Center in Korea. <i>Journal of Korean Neurosurgical Society</i> , 2019, 62, 232-242. | 0.5 | 6 |
| 5571 | Exploratory Analyses of Cerebral Gray Matter Volumes After Out-of-Hospital Cardiac Arrest in Good Outcome Survivors. <i>Frontiers in Psychology</i> , 2020, 11, 856. | 1.1 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5572 | Behavioral Manifestations During the Early and Long-Term Stages of Recovery After Closed Head Injury. <i>Psychiatric Annals</i> , 1984, 14, 540-546. | 0.1 | 18 |
| 5573 | Gait and Glasgow Coma Scale scores can predict functional recovery in patients with traumatic brain injury. <i>Neural Regeneration Research</i> , 2012, 7, 1978-84. | 1.6 | 11 |
| 5574 | Prognosis in prolonged coma patients with diffuse axonal injury assessed by somatosensory evoked potentia. <i>Neural Regeneration Research</i> , 2013, 8, 948-54. | 1.6 | 1 |
| 5575 | Japan Stroke Scale.. Nosotchu, 1997, 19, 1-5. | 0.0 | 2 |
| 5576 | Reliability of modified Rankin Scale-Introduction of a guidance scheme and a questionnaire written in Japanese-. Nosotchu, 2007, 29, 6-13. | 0.0 | 8 |
| 5578 | Ozagrel for Postoperative Management of Aneurysmal Subarachnoid Hemorrhages. <i>Neurology India</i> , 2019, 67, 1286. | 0.2 | 3 |
| 5579 | The Outcome of Aneurysm Clipping in Septuagenarians “ A Retrospective Analysis in a Basic Neurovascular Unit. <i>Neurology India</i> , 2020, 68, 101. | 0.2 | 3 |
| 5580 | Frontolateral Approach Applied to Sellar Region Lesions. <i>Chinese Medical Journal</i> , 2016, 129, 1558-1564. | 0.9 | 5 |
| 5581 | Perioperative problems in patients with brainstem tumors and their influence on patient outcome. <i>Journal of Anaesthesiology Clinical Pharmacology</i> , 2016, 32, 172. | 0.2 | 8 |
| 5582 | Mild therapeutic hypothermia in patients resuscitated from out-of-hospital cardiac arrest: A meta-analysis of randomized controlled trials. <i>Annals of Cardiac Anaesthesia</i> , 2016, 19, 4. | 0.3 | 7 |
| 5583 | Neurological outcomes of neurosurgical operations for multiple trauma elderly patients in Hong Kong. <i>Journal of Emergencies, Trauma and Shock</i> , 2011, 4, 346. | 0.3 | 10 |
| 5584 | Dynamic changes in growth factor levels over a 7-day period predict the functional outcomes of traumatic brain injury. <i>Neural Regeneration Research</i> , 2018, 13, 2134. | 1.6 | 9 |
| 5585 | Decompressive craniectomy with multi-dural stabs - A combined (SKIMS) technique to evacuate acute subdural hematoma with underlying severe traumatic brain edema. <i>Journal of Innovative Optical Health Sciences</i> , 2013, 8, 15-20. | 0.5 | 11 |
| 5586 | Outcome of surgery for operable supratentorial mass lesions in patients presenting with decerebration following severe head injury: A retrospective analysis of factors affecting outcome. <i>Journal of Innovative Optical Health Sciences</i> , 2015, 10, 145. | 0.5 | 8 |
| 5587 | Comparing monomodality treatments of low-grade intracranial arteriovenous malformation at Hospital Kuala Lumpur between 2008 and 2011: A retrospective study. <i>Journal of Innovative Optical Health Sciences</i> , 2016, 11, 22-28. | 0.5 | 3 |
| 5588 | Subarachnoid hemorrhage in Kashmir: Causes, risk factors, and outcome. <i>Journal of Innovative Optical Health Sciences</i> , 2011, 6, 57-71. | 0.5 | 16 |
| 5589 | The economic divide in outcome following severe head injury. <i>Journal of Innovative Optical Health Sciences</i> , 2012, 7, 17-20. | 0.5 | 22 |
| 5590 | Outcome of patients with traumatic head injury in infants: An institutional experience at level 1 trauma center. <i>Journal of Pediatric Neurosciences</i> , 2013, 8, 104. | 0.2 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5591 | Epidemiology and treatment outcome of head injury in children: A prospective study. <i>Journal of Pediatric Neurosciences</i> , 2014, 9, 237. | 0.2 | 18 |
| 5592 | Role of hyperbaric oxygen therapy in severe head injury in children. <i>Journal of Pediatric Neurosciences</i> , 2012, 7, 4. | 0.2 | 16 |
| 5593 | Age limit for surgical treatment of poor-grade patients with subarachnoid hemorrhage: A project of the Chugoku-Shikoku division of the Japan neurosurgical society. , 2012, 3, 143. | | 14 |
| 5594 | Chronic subdural hematoma: Surgical management and outcome in 986 cases: A classification and regression tree approach. , 2015, 6, 127. | | 54 |
| 5595 | Acute clinical deterioration of posterior fossa epidural hematoma: Clinical features, risk factors and outcome. <i>Biomedical Journal</i> , 2012, 35, 271. | 1.4 | 8 |
| 5596 | The optimal operative timing of traumatic intracranial acute subdural hematoma correlated with outcome. <i>Journal of Innovative Optical Health Sciences</i> , 2018, 13, 1158-1164. | 0.5 | 10 |
| 5597 | Endovascular treatment of ruptured pica aneurysms and association with its extradural origin: A single-center experience. <i>Indian Journal of Radiology and Imaging</i> , 2018, 28, 232-238. | 0.3 | 7 |
| 5598 | Demographic profile, clinical features, imaging and outcomes in patients with traumatic brain injury presenting to emergency room. <i>The Journal of Clinical and Scientific Research</i> , 2019, 8, 132. | 0.1 | 3 |
| 5599 | Management of brain abscess: Changing trend and experience in Enugu, Nigeria. <i>Scientia Africana</i> , 2017, 23, 106. | 0.0 | 12 |
| 5600 | Effect of Neuromuscular Blockers on Outcomes in Patients Receiving Therapeutic Hypothermia Following Cardiac Arrest. <i>Analgesia & Resuscitation: Current Research</i> , 2013, 01, . | 0.1 | 3 |
| 5601 | Call for an Integrative and Multi-Disciplinary Approach to Traumatic Brain Injury (TBI). <i>Psychology</i> , 2015, 06, 323-374. | 0.3 | 9 |
| 5602 | Thirteen-year experience with coil embolization of 481 ruptured intracranial aneurysms: angiographic and clinical results. <i>Diagnostic and Interventional Radiology</i> , 2012, 19, 165-72. | 0.7 | 7 |
| 5603 | APACHE II Score Immediately after Cardiac Arrest as a Predictor of Good Neurological Outcome in Out-of-Hospital Cardiac Arrest Patients Receiving Targeted Temperature Management. <i>Acute and Critical Care</i> , 2018, 33, 83-88. | 0.6 | 4 |
| 5604 | SIMPLIFIED MULTI-ORGAN DYSFUNCTION SCORE PREDICTS DISABILITY IN AFRICAN CHILDREN WITH PLASMODIUM FALCIPARUM MALARIA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2006, 75, 443-447. | 0.6 | 13 |
| 5605 | Impact of Dysnatremia and Dyskalemia on Prognosis in Patients with Aneurysmal Subarachnoid Hemorrhage: A Retrospective Study. <i>Indian Journal of Critical Care Medicine</i> , 2019, 23, 562-567. | 0.3 | 14 |
| 5606 | Demonstrating the Effectiveness of Occupational Therapy After Severe Brain Trauma. <i>American Journal of Occupational Therapy</i> , 1989, 43, 613-615. | 0.1 | 2 |
| 5607 | Traumatic Brain Injury in Children: Issues in Community Function. <i>American Journal of Occupational Therapy</i> , 2001, 55, 377-384. | 0.1 | 33 |
| 5608 | Measuring Stroke Survivorsâ€™ Functional Status Independence: Five Perspectives. <i>American Journal of Occupational Therapy</i> , 2009, 63, 600-608. | 0.1 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5609 | Safety and efficacy of treatment of very small intracranial aneurysms. Polish Journal of Radiology, 2019, 84, 360-364. | 0.5 | 2 |
| 5610 | Posttraumatic cerebral infarction after decompressive craniectomy for traumatic brain injury: incidence, risk factors and outcome. Turkish Neurosurgery, 2017, , . | 0.1 | 8 |
| 5611 | Treatment of spontaneous subarachnoid hemorrhage and self-reported neuropsychological performance at 6 months – results of a prospective clinical pilot study on good-grade patients. Turkish Neurosurgery, 2017, 28, 369-388. | 0.1 | 6 |
| 5612 | Indocyanine green videoangiography in clipping of paraclinoid aneurysms. Turkish Neurosurgery, 2012, 24, 319-22. | 0.1 | 2 |
| 5613 | Correlation between Arterial Blood Gas Analysis and Outcome in patients with severe head trauma. Ulusal Travma Ve Acil Cerrahi Dergisi, 2014, 20, 236-240. | 0.1 | 5 |
| 5614 | Validation of Korean Version of Coma Recovery Scale-Revised (K-CRSR). Annals of Rehabilitation Medicine, 2018, 42, 536-541. | 0.6 | 6 |
| 5615 | Adaptation of global hemostasis to therapeutic hypothermia in patients with out-of-hospital cardiac arrest: Thromboelastography study. Cardiology Journal, 2019, 26, 77-86. | 0.5 | 8 |
| 5616 | OUTCOME AFTER SEVERE HEAD INJURY DEFINITIONS AND PREDICTIONS. Medical Journal of Australia, 1976, 2, 475-477. | 0.8 | 8 |
| 5617 | Head injuries in country and city. Medical Journal of Australia, 1984, 141, 13-17. | 0.8 | 24 |
| 5618 | Delayed referral of patients with aneurysmal subarachnoid haemorrhage. Medical Journal of Australia, 1995, 162, 310-311. | 0.8 | 9 |
| 5619 | Data Mining in Neurology. , 0, , . | | 9 |
| 5620 | The preventive effect of dexmedetomidine on paroxysmal sympathetic hyperactivity in severe traumatic brain injury patients who have undergone surgery: a retrospective study. PeerJ, 2017, 5, e2986. | 0.9 | 25 |
| 5621 | Traumatic Subacute Subdural Hematomas : Possible Mechanisms that Cause their Development. Japanese Journal of Neurosurgery, 1995, 4, 121-127. | 0.0 | 8 |
| 5622 | Intellectual Impairment and Recovery in Patients with Aneurysmal Subarachnoid Hemorrhage. Japanese Journal of Neurosurgery, 1997, 6, 250-255. | 0.0 | 2 |
| 5623 | Magnetic Susceptibility Artifacts in a Diffuse Brain Injury and Their Pathological Significance. Japanese Journal of Neurosurgery, 1998, 7, 433-439. | 0.0 | 2 |
| 5624 | Effect of adjunctive lidocaine-based scalp block and laryngotracheal local anesthesia vs general anesthesia only on plasma and cerebrospinal fluid pro-inflammatory cytokine concentrations in patients with cerebral aneurysm: a randomized controlled trial. Croatian Medical Journal, 2021, 62, 338-346. | 0.2 | 1 |
| 5625 | Clinical Features and Outcomes of Streptococcus pneumoniae Meningitis in Children: A Retrospective Analysis of 26 Cases in China. Neuropediatrics, 2022, 53, 032-038. | 0.3 | 6 |
| 5626 | Complementary roles of neural synchrony and complexity for indexing consciousness and chances of surviving in acute coma. NeuroImage, 2021, 245, 118638. | 2.1 | 20 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5627 | Predictive Value of the Serum Albumin Level on Admission in Patients With Spontaneous Subarachnoid Hemorrhage. <i>Frontiers in Surgery</i> , 2021, 8, 719226. | 0.6 | 11 |
| 5628 | Usability of the Level of the S100B Protein, the Gosling Pulsatility Index, and the Jugular Venous Oxygen Saturation for the Prediction of Mortality and Morbidity in Patients with Severe Traumatic Brain Injury. <i>BioMed Research International</i> , 2021, 2021, 1-8. | 0.9 | 0 |
| 5629 | Twist drill craniostomy vs burr hole drainage of chronic subdural hematoma: a systematic review and meta-analysis. <i>Acta Neurochirurgica</i> , 2021, 163, 3229-3241. | 0.9 | 12 |
| 5630 | Optimal Course of Statins for Patients With Aneurysmal Subarachnoid Hemorrhage: Is Longer Treatment Better? A Meta-Analysis of Randomized Controlled Trials. <i>Frontiers in Neuroscience</i> , 2021, 15, 757505. | 1.4 | 3 |
| 5631 | The impact of helmet use on neurosurgical care and outcomes after pediatric all-terrain vehicle and dirt bike crashes: a 10-year single-center experience. <i>Journal of Neurosurgery: Pediatrics</i> , 2022, 29, 106-114. | 0.8 | 3 |
| 5632 | Survival outcomes and resuscitation process measures in maternal in-hospital cardiac arrest. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, 401.e1-401.e10. | 0.7 | 4 |
| 5633 | Seizure-like activity at the onset of emergency medical service-witnessed out-of-hospital cardiac arrest: An observational study. <i>Resuscitation Plus</i> , 2021, 8, 100168. | 0.6 | 1 |
| 5634 | Immediate Surgery for SAH Patients with Early Rebleeding. <i>Japanese Journal of Neurosurgery</i> , 2000, 9, 3-9. | 0.0 | 1 |
| 5635 | Diffuse Axonal Injury with or Without an Evacuated Intracranial Hematoma in Head Injured Patients. Are They Different Lesions?. , 2000, 76, 415-418. | | 3 |
| 5636 | Conservative and Invasive Treatment of Space-Occupying Hemispheric Stroke. <i>Yearbook of Intensive Care and Emergency Medicine</i> , 2000, , 563-576. | 0.1 | 0 |
| 5637 | S-100 Serum Levels and Outcome After Severe Head Injury. , 2000, 76, 97-100. | | 18 |
| 5638 | The relative importance of ICP and CPP, with special reference to neuro-worsening. <i>European Journal of Anaesthesiology</i> , 2000, 17, 53-54. | 0.7 | 0 |
| 5639 | Central Nervous System Failure: Neurotrauma Trials. , 2000, , 398-410. | | 0 |
| 5640 | False Localization of Rupture Site in Patients with Multiple Cerebral Aneurysms and Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2000, 46, 825-830. | 0.6 | 40 |
| 5641 | Intracranial arterial aneurysms. <i>Neurology Bulletin</i> , 2000, XXXII, 61-72. | 0.0 | 0 |
| 5642 | Use of Scanning Techniques in the Diagnosis of Damage from Carbon Monoxide. , 2000, , 363-380. | | 2 |
| 5643 | Prognostic Factors of Subarachnoid Hemorrhage Due to Ruptured Cerebral Aneurysm: A Retrospective Analysis of 231 Patients. <i>The Showa University Journal of Medical Sciences</i> , 2001, 13, 61-67. | 0.1 | 0 |
| 5644 | Factors Influencing the Survival of the Patients with Prehospital Cardiac Arrest. <i>Sunhwan'gi</i> , 2001, 31, 1059. | 0.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5645 | Outcomes in Patients with Ischemic Cerebrovascular Disease.. Kurume Medical Journal, 2001, 48, 223-226. | 0.0 | 2 |
| 5646 | Endovascular Treatment of 105 Cases of Acute Intracranial Aneurysm: Practical Aspects, Complications, Outcome, and Prospects.. Nihon Kyukyu Igakukai Zasshi, 2001, 12, 726-732. | 0.0 | 0 |
| 5647 | Does Immediate Brain Hypothermia Improve Outcome of Patients with Poor-grade Subarachnoid Hemorrhage?. Nihon Kyukyu Igakukai Zasshi, 2001, 12, 669-679. | 0.0 | 1 |
| 5648 | Effect of Therapeutic Hypothermia on Outcome of Patients Resuscitated after Cardiopulmonary Arrest.. Nihon Kyukyu Igakukai Zasshi, 2001, 12, 433-438. | 0.0 | 0 |
| 5649 | Ethics, Outcome Variables and Clinical Scales: The Clinician's Point of View. , 2001, , 29-41. | | 1 |
| 5650 | Significance of Cerebral Cortical Cellular pH Measurement in Neurointensive Care.. Nihon Kyukyu Igakukai Zasshi, 2001, 12, 406-414. | 0.0 | 0 |
| 5651 | Hemorragia intracerebral espontánea. Revista Neurociencias, 2010, 18, 347-352. | 0.0 | 0 |
| 5652 | The Influence of Apolipoprotein E Genotype on Outcome after Spontaneous Subarachnoid Hemorrhage: A Preliminary Study. Neurosurgery, 2001, 48, 1006-1011. | 0.6 | 16 |
| 5653 | EPIDEMIOLOGY: CAUSE OF INJURY. Journal of Trauma, 2001, 51, S53-S56. | 2.3 | 0 |
| 5654 | SYSTEMIC MEASURES: RESPIRATORY DISTRESS. Journal of Trauma, 2001, 51, S63. | 2.3 | 0 |
| 5655 | FEATURES ON CT SCANNING. Journal of Trauma, 2001, 51, S74-S79. | 2.3 | 0 |
| 5656 | EPIDEMIOLOGY: MODE OF INJURY. Journal of Trauma, 2001, 51, S57. | 2.3 | 0 |
| 5657 | SYSTEMIC MEASURES: HYPOTENSION. Journal of Trauma, 2001, 51, S60-S61. | 2.3 | 0 |
| 5658 | DEMOGRAPHIC FACTORS: AGE. Journal of Trauma, 2001, 51, S51-S52. | 2.3 | 0 |
| 5659 | FEATURES ON CT SCANNING. Journal of Trauma, 2001, 51, S82-S84. | 2.3 | 0 |
| 5660 | NEUROLOGIC MEASURES: INTRACRANIAL PRESSURE. Journal of Trauma, 2001, 51, S73. | 2.3 | 0 |
| 5661 | SYSTEMIC MEASURES: COAGULOPATHY. Journal of Trauma, 2001, 51, S62. | 2.3 | 0 |
| 5662 | KEY ISSUES FOR FUTURE RESEARCH IN PROGNOSIS IN PBI. Journal of Trauma, 2001, 51, S85-S86. | 2.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5663 | EPIDEMIOLOGY: CALIBER OF WEAPON. Journal of Trauma, 2001, 51, S58-S59. | 2.3 | 0 |
| 5664 | FEATURES ON CT SCANNING. Journal of Trauma, 2001, 51, S80-S81. | 2.3 | 0 |
| 5665 | Gerinnungsaktivierung bei Reanimation â€” Gibt es klinische Konsequenzen?. , 2002, , 119-136. | | 0 |
| 5666 | Embolization of acutely ruptured cerebral aneurysms.. Nihon Kyukyu Igakukai Zasshi, 2002, 13, 312-319. | 0.0 | 0 |
| 5667 | HirnstammfunktionsstÃ¶rungen. EEG und Koma. SchÃ¤del-Hirn-Trauma. , 2002, , 381-424. | | 0 |
| 5668 | Prognosis in Cerebral Dysfunction in Patients with Head Trauma. , 2002, , 369-380. | | 0 |
| 5669 | Clinical Outcome of Ruptured Intracranial Dissecting Aneurysm in Vertebrobasilar System.. Surgery for Cerebral Stroke, 2002, 30, 456-460. | 0.0 | 0 |
| 5670 | Acute head injury. , 2002, , 221-289. | | 0 |
| 5671 | Traumatic Brain Injury: Severity and Outcome. , 2002, , 673-687. | | 0 |
| 5672 | Traumatic Brain Injury: Severity and Outcome. , 2002, , 673-687. | | 0 |
| 5673 | Treatment Strategy in Patients with Severe Aneurysmal Subarachnoid Hemorrhage. Japanese Journal of Neurosurgery, 2002, 11, 186-195. | 0.0 | 0 |
| 5674 | Traumatic Central Nervous System Injury. Handbook of Experimental Pharmacology, 2002, , 387-407. | 0.9 | 0 |
| 5675 | Legal Update: Catastrophic Impairment: Catastrophic Impairment: Use of the AMA Guides in Ontario. AMA Guides Newsletter, 2002, 7, 6-7. | 0.3 | 0 |
| 5676 | Assessment of Disability After Stroke. , 2002, , . | | 0 |
| 5677 | Overall Outcome Of Aneurysmal Subarachnoid Hemorrhage Over A 5-Year Period: Early Surgical Procedure Strategy For Poor-Grade Patients. Nihon Kyukyu Igakukai Zasshi, 2003, 14, 389-399. | 0.0 | 1 |
| 5678 | Verletzungen des zentralen Nervensystems. , 2003, , 1446-1455. | | 0 |
| 5679 | Induced acute arterial hypertension and regional cerebral flow in intracontusional low density area. , 2003, 86, 361-365. | | 10 |
| 5680 | The Relevance of Age and Sex, and Hemorrhage Severity and Site for Predicting Daily Activities 3 Months after Aneurysmal Subarachnoid Hemorrhage. The Japanese Journal of Rehabilitation Medicine, 2003, 40, 824-832. | 0.1 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5681 | The Epidemiology and Pathophysiology of Traumatic Brain Injury. , 2003, , . | | 0 |
| 5682 | Intensive care of ischemic stroke. , 2003, , 183-194. | | 0 |
| 5683 | Neuropsychologische und psychosoziale Folgen von SchÄdel-Hirn-Traumen. , 2004, , 508-527. | | 0 |
| 5684 | SchÄdel-Hirn-Trauma (SHT). , 2004, , 981-997. | | 0 |
| 5685 | Therapeutic Indications for Aneurysmal Subarachnoid Hemorrhage in Aged People. Surgery for Cerebral Stroke, 2004, 32, 119-125. | 0.0 | 3 |
| 5686 | Brain and Spinal Cord Injury. , 2004, , 254-278. | | 0 |
| 5687 | Clinical Outcome of Severe Head Injury Patients based on Japan Neurotrauma Data Bank. Japanese Journal of Neurosurgery, 2004, 13, 80-88. | 0.0 | 0 |
| 5689 | SchÄdel-Hirn-Trauma. , 2004, , 100-113. | | 0 |
| 5690 | Outcomes of Neurosciences Critical Care. , 2004, , 581-587. | | 0 |
| 5691 | Clinical Features and Surgical Treatments of SAH in Elderly Patients. Surgery for Cerebral Stroke, 2004, 32, 55-60. | 0.0 | 3 |
| 5692 | Intraventricular Hemorrhage. , 2004, , 1231-1243. | | 0 |
| 5693 | Prospective documentation and analysis of the pre- and early clinical management in severe head injury in Southern Bavaria at a population based level. , 2004, 89, 119-123. | | 8 |
| 5694 | Does Blood Ammonia Level at Time of Initial Treatment Predict the Outcome of Patients in Cardiopulmonary Arrest on Arrival?. Nihon Kyukyu Igakukai Zasshi, 2005, 16, 283-288. | 0.0 | 2 |
| 5695 | Tratamiento de los traumatismos craneoencefÄlicos. , 2005, , 63-74. | | 0 |
| 5696 | SchÄdel-Hirn-Trauma. , 2005, , 391-399. | | 0 |
| 5697 | Intraaneurysmal Embolization for Ruptured Aneurysm in the Acute Stage: Our Indication and Results. Surgery for Cerebral Stroke, 2005, 33, 342-346. | 0.0 | 0 |
| 5698 | Outcome after severe head injury. , 2005, , 467-487. | | 0 |
| 5700 | Variability of SF-36 scores within gorse categories. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, S560-S560. | 2.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5701 | A mathematical model for predicting the outcome in moderate head injury. <i>Neurology India</i> , 2006, 54, 28. | 0.2 | 1 |
| 5702 | Embolization of Ruptured Aneurysms in Elderly Patients with Severe SAH: Is Tight Packing Really Needed?. <i>Surgery for Cerebral Stroke</i> , 2006, 34, 6-11. | 0.0 | 1 |
| 5703 | Early Surgical Treatment for the Elderly with Severe SAH: Surgical Indication Based on Glasgow Coma Scale. <i>Surgery for Cerebral Stroke</i> , 2006, 34, 1-5. | 0.0 | 1 |
| 5704 | Glasgow-Outcome-Scale. , 2006, , . | | 1 |
| 5705 | The parameters of life quality in patients with intracranial aneurysms rupture in the long-term period. <i>Ukrainian Neurosurgical Journal</i> , 2006, . | 0.1 | 0 |
| 5706 | Ultra-early Treatment for Poor-grade Patients with Subarachnoid Hemorrhage. <i>Surgery for Cerebral Stroke</i> , 2007, 35, 7-12. | 0.0 | 4 |
| 5707 | Historical Perspective on Head Injury(<SPECIAL ISSUE>Current Trends of the Treatment of) Tj ETQq0 0 0 rgBT /Overlock_10 Tf 50 50 | 0.0 | 0 |
| 5709 | Neuropsychological and Psychological Rehabilitation After TBI. , 2007, , 91-118. | | 0 |
| 5710 | The Epidemiology and Pathophysiology of Traumatic Brain Injury. , 2007, , 1-48. | | 0 |
| 5711 | Surgical Outcome of Ruptured Cerebral Aneurysmal Operated During the Period of Vasospasm. <i>Surgery for Cerebral Stroke</i> , 2008, 36, 294-297. | 0.0 | 0 |
| 5712 | Treatment results of endovascular surgery in the acute stage for ruptured anterior communicating artery aneurysms. <i>Journal of Neuroendovascular Therapy</i> , 2008, 2, 9-15. | 0.1 | 0 |
| 5713 | Treatment Results of Endovascular Surgery in the Acute Stage for Ruptured Cerebral Aneurysms. <i>Surgery for Cerebral Stroke</i> , 2008, 36, 45-49. | 0.0 | 0 |
| 5714 | SchÄdel-Hirn-Trauma. , 2008, , 877-892. | | 0 |
| 5715 | Traumatic Brain Injuries in Children. , 2008, , 447-466. | | 0 |
| 5716 | Coil embolization for ruptured intracranial aneurysm transported from islnads. <i>Journal of Neuroendovascular Therapy</i> , 2008, 2, 145-148. | 0.1 | 0 |
| 5717 | PLASMA AND CEREBROSPINAL FLUID HOMOCYSTEINE, NITRIC OXIDE AND MALONDIALDEHYDE LEVELS IN ACUTE ISCHEMIC STROKE: POSSIBLE ROLE OF FREE RADICALS IN THE DEVELOPMENT OF BRAIN INJURY. <i>Electronic Journal of General Medicine</i> , 2008, 5, . | 0.3 | 3 |
| 5719 | Evaluation of Coma. , 2009, , 1-11. | | 7 |
| 5720 | The comparison of complications on the endovascular and surgical treatment in elderly cerebral aneurysm patients. <i>Korean Journal of Anesthesiology</i> , 2009, 57, 460. | 0.9 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5721 | Investigation of Heart Rate Variability after Cardiopulmonary Resuscitation and Subsequent Hypothermia. IFMBE Proceedings, 2009, , 1762-1764. | 0.2 | 1 |
| 5722 | A Preliminary Attempt to Validation of Glasgow Outcome Scale for Describing Severe Brain Damages. Advances in Intelligent and Soft Computing, 2009, , 161-170. | 0.2 | 2 |
| 5723 | Apolipoprotein E4 as a Predictor of Outcomes in Pediatric Mild Traumatic Brain Injury. Journal of Neurotrauma, 0, , 110306202455053. | 1.7 | 0 |
| 5726 | Scoring systems to evaluate severity-of-illness and organ dysfunction in patients admitted to the intensive care unit and emergency room. Nihon Kyukyū Igakukai Zasshi, 2010, 21, 327-342. | 0.0 | 0 |
| 5727 | Neuropsychiatric Assessment of Traumatic Brain Injury During Acute Neurorehabilitation*. , 2010, , 123-146. | | 0 |
| 5730 | Tumors of the Skull Base in Children. , 2010, , 615-628. | | 0 |
| 5731 | Respiratory Disorders: Effects on Neurocognitive and Brain Function. , 2010, , 129-145. | | 0 |
| 5733 | PERIOPERATIVE MANAGEMENT OF ADULT PATIENTS WITH SEVERE HEAD INJURY. , 2010, , 317-326. | | 2 |
| 5734 | Closed Head Injury. , 2010, , 83-101. | | 0 |
| 5735 | Cerebral Blood Flow Measurement in the Assessment of Post-Traumatic Cerebral Contusions. Open Journal of Radiology, 2011, 01, 21-27. | 0.1 | 2 |
| 5736 | Traumatismos craneoencefálicos. , 2011, , 149-e20. | | 0 |
| 5737 | Les traitements pharmacologiques chez les patients rÃ©cupÃ©rant du coma. , 2011, , 127-146. | | 0 |
| 5739 | Prediction of Neurological Outcome after Cardiac Arrest. Annual Update in Intensive Care and Emergency Medicine, 2011, , 654-663. | 0.1 | 0 |
| 5740 | Neuropsychological Concerns. , 2011, , 297-328. | | 0 |
| 5741 | 13 Neuroimaging for Traumatic Brain Injury. , 2011, , 217-243. | | 0 |
| 5743 | Glasgow Outcome Scale. , 2011, , 1150-1152. | | 4 |
| 5744 | Title is missing!. Journal of the Japanese Society of Intensive Care Medicine, 2011, 18, 363-368. | 0.0 | 0 |
| 5745 | Jennett, Bryan (1926â€“2008). , 2011, , 1366-1368. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5748 | SchÄdel-Hirn-Trauma. , 2011, , 859-872. | | 0 |
| 5749 | Critical Care Management of Traumatic Brain Injury. , 2011, , 3397-3423. | | 6 |
| 5750 | Neuropsychologische Aufgaben in der neurologischen Fr¼hrehabilitation. , 2011, , 651-663. | | 1 |
| 5751 | SchÄdel-Hirn-Verletzungen. , 2011, , 1197-1208. | | 0 |
| 5752 | Measuring and Analysis of Outcome in Stroke Trials. Korean Journal of Stroke, 2011, 13, 1. | 0.1 | 1 |
| 5754 | Arterial Aneurysms. , 2012, , 125-168. | | 0 |
| 5756 | Effect of Hydrogel Pad and Conventional Method on the Induction Time of Therapeutic Hypothermia in Patients with Out-of-Hospital Cardiac Arrest. The Korean Journal of Critical Care Medicine, 2012, 27, 218. | 0.2 | 0 |
| 5757 | Surgical Management of Midbasilar and Lower Basilar Aneurysms. , 2012, , 925-936. | | 0 |
| 5761 | Problemas con la nomenclatura y la localidad tipo de Nyctelia Multicristata (Coleoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 422 Td (T | 0.1 | 2 |
| 5762 | Management of Head Injury. , 2012, , 59-70. | | 0 |
| 5763 | Transitory Vegetative State/unresponsive Wakefulness Syndrome: Does it Exist?. , 2012, , 759-767. | | 0 |
| 5764 | Neurobehavioral Assessments of Cerebral Vasospasm. Springer Protocols, 2012, , 567-606. | 0.1 | 0 |
| 5765 | Traumatic Extradural Hematoma â€œ Our Comparative Experience between Conservative and Surgical Management in Rural India. IOSR Journal of Dental and Medical Sciences, 2012, 1, 7-11. | 0.0 | 0 |
| 5766 | NeuroAnimation et sujets ÃgÃs. RÃfÃrences En RÃanimation, 2012, , 329-350. | 0.0 | 0 |
| 5767 | HirnstammfunktionsstÃrungen. EEG und Koma. SchÄdel-Hirn-Trauma. , 2012, , 281-312. | | 0 |
| 5768 | Determination of Neurological Prognosis. , 2012, , 101-106. | | 0 |
| 5769 | Coma and Brain Death. , 2012, , 327-349. | | 0 |
| 5770 | Dynamic Brain Function Monitoring a New Concept in Neuro-Intensive Care. , 0, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5772 | Navigating Medical Speech-Language Pathology Reports for Children With TBI. Perspectives on School-Based Issues, 2012, 13, 63-69. | 0.1 | 0 |
| 5773 | Proton Magnetic Resonance Spectroscopy: Application in Non-Accidental Trauma. , 2013, , 95-104. | | 0 |
| 5774 | Decompressive Craniectomy for Severe Traumatic Brain Injury: A Review of its Current Status. Journal of Neurology & Neurophysiology, 2013, 04, . | 0.1 | 1 |
| 5775 | Endovascular treatment of intracranial ophthalmic segment aneurysms: a series and literature review. Turkish Neurosurgery, 2013, 26, 223-8. | 0.1 | 2 |
| 5776 | Neurorehabilitation. , 2013, , 879-894. | | 0 |
| 5778 | Preoperative cerebrospinal fluid S100B protein and neurological outcomes in subarachnoid hemorrhage. Journal of the Japanese Society of Intensive Care Medicine, 2013, 20, 608-613. | 0.0 | 0 |
| 5779 | Behavior After Aneurysmal Subarachnoid Hemorrhage: Cognition and Functional Outcome. , 2014, , 177-197. | | 0 |
| 5780 | Clinical Outcomes, Stroke Trials, and Cognitive Outcome. , 2014, , 283-314. | | 1 |
| 5781 | Diffusion MRI Biomarkers of White Matter Damage in Traumatic Brain Injury. , 2014, , 91-106. | | 0 |
| 5782 | Unconsciousness, Coma, and Death by Neurological Criteria. , 2014, , 3-22. | | 0 |
| 5783 | Recommended Guidelines for Uniform Reporting of Data from Drowning: The Utstein Style. , 2014, , 757-765. | | 0 |
| 5784 | Combined Spinal Epidural Catheters for Epidural Cooling, Cerebrospinal Fluid Aspiration and Spinal Intralipid Infusion for Treatment of Spinal and Brain Injuries, Diseases and Protection. Open Journal of Anesthesiology, 2014, 04, 13-30. | 0.1 | 0 |
| 5785 | Coma and Altered Mental Status. , 2014, , 433-445. | | 0 |
| 5786 | Outcome Assessment. , 2014, , 95-110. | | 0 |
| 5787 | Chapitre 9. Le traumatisme crÃ©nien. , 2014, , 235. | | 0 |
| 5788 | Acute Physiologic and Chronic Health Examination II and Sequential Organ Failure Assessment Scores for Predicting Outcomes of Out-of-Hospital Cardiac Arrest Patients Treated with Therapeutic Hypothermia. Korean Journal of Critical Care Medicine, 2014, 29, 288. | 0.1 | 1 |
| 5789 | Clinical Evaluation and Neuroimaging Technologies. , 2014, , 25-34. | | 0 |
| 5790 | Subdural Haematomas: Study of 200 cases. TAJ Journal of Teachers Association, 2009, 19, 63-65. | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5791 | Post-Traumatic Hydrocephalus in Patients with Severe Head Injury. , 1978, , 261-265. | | 0 |
| 5793 | Prognostic Value of the Intracranial Pressure Levels During the Acute Phase of Severe Head Injuries. , 1979, 28, 70-73. | | 7 |
| 5794 | Predicting Outcome After Severe Head Injuryâ€”A Computer-Assisted Analysis of Neurological Symptoms and Laboratory Values. , 1979, 28, 171-173. | | 6 |
| 5795 | Cerebral Resuscitation after Global Ischemic Anoxia. , 1979, , 251-268. | | 1 |
| 5796 | Combined Clinical and EEG Examinations for Assessment of Severity of Acute Head Injuries. , 1979, 28, 35-39. | | 6 |
| 5797 | Early Prognosis of Severe Head Injuries in Children. , 1979, 28, 144-147. | | 3 |
| 5798 | The Prognostic Value of Osmolality Within the First Week of Sustaining Head Injury. , 1979, 28, 115-119. | | 2 |
| 5799 | Das SchÃdelhirntrauma beim Kind â€” Ergebnisse der Intensivpflege. , 1980, , 159-163. | | 0 |
| 5800 | The Grief-Relief Process. Orthopedic Clinics of North America, 1981, 12, 193-200. | 0.5 | 8 |
| 5801 | Efficacy, Efficiency and Adequacy in Neurosurgery. , 1982, , 1-16. | | 0 |
| 5802 | Cranial Computed Tomography: Its Influence on Results of Treating Traumatic Intracranial Extradural Hematomas. Advances in Neurosurgery, 1982, , 101-107. | 0.1 | 0 |
| 5803 | Traumatisches Mittelhirnsyndrom: Differentialdiagnose primÃr/sekundÃrer HirnstammschÃden, Prognose und intrakranieller Druck. , 1982, , 72-86. | | 3 |
| 5806 | Advances in Cardiopulmonary-Cerebral Resuscitation Relevant to Disaster Medicine. , 1985, , 363-372. | | 0 |
| 5807 | Liquorenzyme als Gewebszerfallmarker in der FrÃ¼hdiagnostik ausgeprÃgter Hirninfarkte. Verhandlungen Der Deutschen Gesellschaft FÃ¼r Neurologie, 1985, , 147-150. | 0.0 | 0 |
| 5809 | Memory in Head Trauma. , 1986, , 179-197. | | 0 |
| 5810 | The Relative Durations of Coma and Posttraumatic Amnesia after Severe Nonmissile Head Injury: Findings from the Pilot Phase of the National Traumatic Coma Data Bank. , 1986, , 89-97. | | 2 |
| 5811 | Possibilities and Limitations of High-Dose Barbiturate Therapy in the Management of Intracranial Hypertension. Advances in Neurosurgery, 1986, , 312-316. | 0.1 | 0 |
| 5812 | Protective Effect of Facial Fractures on Closed Head Injuries. , 1987, , 15-29. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5813 | Patienten nach Reanimation. , 1988, , 411-430. | | 0 |
| 5814 | Psychische Störungen nach geschlossenen Hirntraumen. , 1988, , 297-323. | | 3 |
| 5815 | Brain Electrical Activity Mapping (BEAM) of Event-Related Potentials in Coma. Advances in Neurosurgery, 1988, , 105-107. | 0.1 | 0 |
| 5816 | Future Directions in Rehabilitation of Brain Injured People. , 1988, , 69-86. | | 0 |
| 5818 | Factors Influencing Outcome After Severe Head Trauma. Update in Intensive Care and Emergency Medicine, 1988, , 537-544. | 0.6 | 0 |
| 5819 | Zum klinischen Bild und Verlauf des hypoxisch-anoxischen Komas. , 1989, , 21-27. | | 0 |
| 5820 | Treatment of Subarachnoid Hemorrhage with Oral Nimodipine: Preliminary Report of the British Aneurysm Trial. , 1989, , 563-567. | | 0 |
| 5821 | Singificance of WFNS Grading for Severe Cases of Ruptured Aneurysms. Surgery for Cerebral Stroke, 1989, 17, 388-391. | 0.0 | 0 |
| 5822 | Neuropsychology and Neuroimaging after Traumatic Brain Damage. , 1989, , 27-38. | | 0 |
| 5823 | Evaluation of W.F.N.S. Grading of the Patients with Ruptured Aneurysm Who Underwent Early Surgical Intervention. Surgery for Cerebral Stroke, 1989, 17, 392-396. | 0.0 | 0 |
| 5824 | Comparison of Magnetic Resonance Imaging, X-ray Computed Tomography, Electroencephalography, and Long-Term Outcome After Head Injury: A Prospective Reexamination of 55 Patients. Advances in Neurosurgery, 1989, , 27-35. | 0.1 | 0 |
| 5825 | Sollen rupturierte Hirngefäßaneurysmen im höheren Lebensalter früh operiert werden?. Verhandlungen Der Deutschen Gesellschaft Für Neurologie, 1989, , 271-275. | 0.0 | 0 |
| 5826 | Outcome of Patients with an Acute Traumatic Subdural Hematoma. Advances in Neurosurgery, 1989, , 49-52. | 0.1 | 1 |
| 5829 | Prognosis of Brain Failure in the Intensive Care Unit. Update in Intensive Care and Emergency Medicine, 1989, , 260-275. | 0.6 | 0 |
| 5830 | Blink- und Masseterreflex bei hypoxisch bedingten Hirnstammschäden. , 1989, , 297-307. | | 0 |
| 5832 | Head and Spinal Cord Injury. Foundations of Neurology, 1990, , 171-183. | 0.1 | 0 |
| 5835 | Magnetic Resonance Imaging in Basal Skull Fracture.. Nihon Kyukyu Igakukai Zasshi, 1990, 1, 98-102. | 0.0 | 0 |
| 5836 | The Effect of Nimodipine on Outcome After Head Injury: A Prospective Randomised Control Trial. , 1991, , 263-277. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5837 | Neurosurgical Intensive Care: General Considerations. <i>Advances in Neurosurgery</i> , 1991, , 189-193. | 0.1 | 0 |
| 5838 | Effect of High Dose of Nicardipine on Cerebral Vasospasm in Patients with Ruptured Aneurysm. <i>Surgery for Cerebral Stroke</i> , 1991, 19, 231-235. | 0.0 | 0 |
| 5839 | Care of the Patient with Brain Injury. <i>Anesthesiology Clinics</i> , 1991, 9, 347-358. | 1.4 | 0 |
| 5840 | Role of Prostaglandins in Delayed Cerebral Ischemia after Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 1992, 30, 17-22. | 0.6 | 0 |
| 5841 | Surgical Procedure in Multiple Cerebral Aneurysms. <i>Advances in Neurosurgery</i> , 1992, , 86-90. | 0.1 | 0 |
| 5842 | Minor Leak before Rupture of an Intracranial Aneurysm and Subarachnoid Hemorrhage of Unknown Etiology. <i>Neurosurgery</i> , 1992, 30, 7-11. | 0.6 | 3 |
| 5843 | Rehabilitation After Severe Head Injury. , 1992, 55, 72-74. | | 3 |
| 5845 | Recovery from Head Trauma: A Curvilinear Process?. <i>Critical Issues in Neuropsychology</i> , 1992, , 247-270. | 0.4 | 2 |
| 5846 | Principles of Aneurysm Surgery in the Acute Stage of Subarachnoid Hemorrhage. <i>Advances in Neurosurgery</i> , 1992, , 96-102. | 0.1 | 0 |
| 5847 | Poor-Grade Patients with Aneurysmal Subarachnoid Hemorrhage: Early or Late Operation?. <i>Advances in Neurosurgery</i> , 1992, , 112-116. | 0.1 | 1 |
| 5849 | The Relation between Perioperative Events and Neurological Prognosis in Emergency Neurosurgery.. <i>The Journal of Japan Society for Clinical Anesthesia</i> , 1992, 12, 218-222. | 0.0 | 0 |
| 5850 | Timing and Grading: Problems in Poor-Grade Subarachnoid Hemorrhage. <i>Advances in Neurosurgery</i> , 1992, , 117-122. | 0.1 | 0 |
| 5851 | Early Single-Stage Repair of Complex Craniofacial Trauma. <i>Neurosurgery</i> , 1992, 30, 166-172. | 0.6 | 1 |
| 5852 | Therapeutic Trial of Cerebral Vasospasm with the Serine Protease Inhibitor, FUT-175, Administered in the Acute Stage after Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 1992, 30, 358-363. | 0.6 | 0 |
| 5853 | The Prognostic Value of Somatosensory and Motor Evoked Potentials in Comatose Patients. <i>Neurosurgery</i> , 1992, 31, 429-434. | 0.6 | 0 |
| 5854 | Management Outcome for Vertebrobasilar Artery Aneurysms by Early Surgery. <i>Neurosurgery</i> , 1992, 31, 857-862. | 0.6 | 0 |
| 5855 | Diagnostic Significance of Serum Neuron-Specific Enolase and Myelin Basic Protein Assay in Patients with Acute Head Injury. , 1993, 43, 381-383. | | 71 |
| 5856 | PLATELET ACTIVITY IN PATIENTS TREATED WITH TICLOPIDINE OR SODIUM OZAGREL. <i>The KITAKANTO Medical Journal</i> , 1993, 43, 133-145. | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5857 | Diagnosis and Management of Coma in Children. , 1993, , 103-122. | | 1 |
| 5858 | A Mathematical Model for Outcome Prediction in Severe Head Injury. , 1993, , 396-399. | | 1 |
| 5859 | Initial Assessment, Interim Monitoring and Final Outcome in Clinical Studies of Head Injury. , 1993, , 449-452. | | 0 |
| 5860 | GehÄrt der polytraumatisierte Patient mit SchÄdel-Hirn-Trauma primÄr in neurochirurgische Hand?. Hefte Zur Zeitschrift Der Unfallchirurg, 1993, , 556-560. | 0.0 | 0 |
| 5861 | Treatment of Acute Subdural Hematoma. , 1993, , 367-370. | | 0 |
| 5862 | The Expectant Treatment of ???Asymptomatic??? Supratentorial Epidural Hematomas. Neurosurgery, 1993, 32, 176???179. | 0.6 | 2 |
| 5863 | Combined Pterional-Subtemporal Approach to Upper Basilar Artery Aneurysms. , 1994, , 238-243. | | 0 |
| 5865 | Clinical Effects of Nimodipine in Prevention of Vasospasm After Subarachnoid Hemorrhage. , 1994, , 107-112. | | 0 |
| 5866 | Head Injuries from Bicycle Accidents. Advances in Neurosurgery, 1994, , 249-253. | 0.1 | 0 |
| 5868 | Management of acute subdural hematoma with diffuse cerebral injury. Based on experience of hematoma irrigation with trephination therapy.. Nihon Kyukyu Igakukai Zasshi, 1994, 5, 15-25. | 0.0 | 1 |
| 5870 | Management Results Attained by Predominantly Late Surgery for Intracranial Aneurysms. Neurosurgery, 1994, 34, 227???234. | 0.6 | 0 |
| 5871 | Evaluation of Cerebral Hemodynamics, Cerbral Oxygen Metabolism, and Outcome in Patients with Traumatic Subarachnoid Hemorrhage (TSAH) : Continuous Monitoring of Transcranial Doppler Sonography (TCD) and Jugular Bulb Venous Oxygen Saturation (SiO2). Neurosonology, 1995, 8, 11-20. | 0.0 | 0 |
| 5872 | Handicap as a measure of outcome following head injury. , 1995, , 225-233. | | 1 |
| 5873 | Continuous monitoring of cortical temperature in neurosurgical intensive care.. Nihon Kyukyu Igakukai Zasshi, 1995, 6, 43-48. | 0.0 | 0 |
| 5874 | A national service: coma to community. , 1995, , 25-36. | | 0 |
| 5875 | Cardiac Dysfunction following Cardiopulmonary Resuscitation in Out-of-Hospital Cardiac Arrest Survivors. Journal of the Japanese Society of Intensive Care Medicine, 1995, 2, 107-111. | 0.0 | 2 |
| 5876 | Aneurysmal and Microaneurysmal ???Angiogram-negative??? Subarachnoid Hemorrhage. Neurosurgery, 1995, 37, 48???55. | 0.6 | 3 |
| 5877 | Hemostasis in Spontaneous Subarachnoid Hemorrhage. Neurosurgery, 1995, 37, 226???234. | 0.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5878 | Growth Hormone (GH) Releasing Hormone- and Thyrotropin Releasing Hormone-Induced GH Release in the Acute Phase of Trauma. , 1996, , 335-345. | | 0 |
| 5879 | Evozierte Potentiale in der Intensivmedizin. , 1996, , 499-555. | | 1 |
| 5880 | Coma, Persistent Vegetative State, and Death. , 1996, , 537-555. | | 1 |
| 5881 | The Role of Computed Tomographic Angiography in the Diagnosis of Intracranial Aneurysms and Emergent Aneurysm Clipping. Neurosurgery, 1996, 38, 481-487. | 0.6 | 65 |
| 5882 | Titanium Aneurysm Clips: Part III-Clinical Application in 16 Patients with Subarachnoid Hemorrhage. Neurosurgery, 1996, 38, 1170-1175. | 0.6 | 26 |
| 5883 | Assessment of Cerebral Dysfunction. , 1997, , 453-464. | | 0 |
| 5884 | Analysis of Immune Mediator Production Following Traumatic Brain Injury. , 1997, , 263-304. | | 1 |
| 5885 | Experimental Traumatic Brain Injury: Implications for Clinical Treatment. Developments in Critical Care Medicine and Anesthesiology, 1997, , 123-138. | 0.1 | 0 |
| 5886 | Management of Severe Head Injury in Children. Yearbook of Intensive Care and Emergency Medicine, 1997, , 766-773. | 0.1 | 2 |
| 5887 | Out-of-hospital cardiac arrest caused by acute myocardial infarction.. Nihon Kyukyu Igakukai Zasshi, 1997, 8, 201-208. | 0.0 | 0 |
| 5888 | Surprising Neurobehavioral Functioning and Brief Major Depression Following Penetrating Brain Injury in an Adolescent. Neurocase, 1997, 3, 127-136. | 0.2 | 0 |
| 5890 | Letter to the Editor. Arteriosclerosis, Thrombosis, and Vascular Biology, 1997, 42, 1196. | 1.1 | 1 |
| 5891 | Relation between systemic adhesion molecule concentrations and injury type, severity and outcome after acute brain injury. European Journal of Anaesthesiology, 1997, 14, 544-545. | 0.7 | 1 |
| 5892 | Medical Rehabilitation for Traumatic Brain Injured Patients at Acute Medical Center.. The Japanese Journal of Rehabilitation Medicine, 1998, 35, 157-163. | 0.1 | 1 |
| 5893 | Monitoring Brain Oxygen Tension in Severe Head Injury: The Rotterdam Experience. , 1998, 71, 190-194. | | 27 |
| 5894 | Frakturen okzipitaler Kondylen. , 1998, , 129-144. | | 2 |
| 5895 | Potential efficacy of ebselen in acute ischemic stroke.. Nosotchu, 1998, 20, 673-677. | 0.0 | 0 |
| 5896 | Symptomatology. , 1998, , 29-74. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5897 | Relationship of Neuron Specific Enolase and Protein S-100 Concentrations in Systemic and Jugular Venous Serum to Injury Severity and Outcome after Traumatic Brain Injury. , 1998, 71, 117-119. | | 49 |
| 5898 | Recurrent Hemorrhage in Patients with Previous Surgery for Cerebral Aneurysms. Surgery for Cerebral Stroke, 1998, 26, 158-163. | 0.0 | 3 |
| 5899 | Efficiency of the Glasgow Outcome Scale (GOS)-Score for the Long-Term Follow-Up after Severe Brain Injuries. , 1998, 71, 138-141. | | 13 |
| 5900 | Surgical Management of Severely Head Injured Patients. , 1998, , 297-301. | | 0 |
| 5901 | Minimally Invasive Techniques in Monitoring of Brain Tissue Oxygenation and Intracranial Pressure in Neurosurgical Intensive Care. , 1998, , 51-62. | | 0 |
| 5902 | Prospective Analysis of Patient Management in Severe Head Injury. , 1998, 71, 107-110. | | 3 |
| 5904 | System Analysis of Patient Management During the Pre- and Early Clinical Phase in Severe Head Injury. , 1999, 73, 93-97. | | 5 |
| 5905 | Challenges in Translating the Efficacy of Neuroprotective Agents in Experimental Models Into Knowledge of Clinical Benefits in Head Injured Patients. , 1999, 73, 111-116. | | 9 |
| 5906 | Indications for Surgical Treatment of Hypertensive Cerebellar Hemorrhage : Multivariate Analysis of Functional Outcome. Japanese Journal of Neurosurgery, 1999, 8, 33-40. | 0.0 | 2 |
| 5907 | Measurement of cerebrovascular carbon dioxide reactivity using continuous jugular venous oxygen saturation monitoring in severe head injury.. Nihon Kyukyu Igakukai Zasshi, 1999, 10, 338-347. | 0.0 | 0 |
| 5908 | Revealing and evaluation of clinical symptoms in patients with acute bacterial meningitis. Neurology Bulletin, 1999, XXXI, 17-23. | 0.0 | 0 |
| 5909 | Prophylactic Intra-arterial Administration of Fasudil Hydrochloride for Vasospasm Following Subarachnoid Haemorrhage. Acta Neurochirurgica Supplementum, 2015, 120, 167-169. | 0.5 | 9 |
| 5910 | Cerebral Hemispheres. , 2014, , 505-537. | | 0 |
| 5911 | KompiuterinÄ—s tomografijos atlikimo taktika ir reikÅ¡mÄ— vertinant galvos smegenÅ³ traumÄ... bei prognozÄ™. Health Sciences, 2014, 24, 61-65. | 0.0 | 0 |
| 5912 | Six Month Quality of Life of Trauma Patients from A Non- Trauma Regional Hospital in Singapore. International Journal of Anesthetics and Anesthesiology, 2014, 1, . | 0.1 | 0 |
| 5914 | SchÄdel-Hirn-Trauma. , 2015, , 1031-1043. | | 0 |
| 5915 | SchÄdel-Hirn-Trauma. , 2015, , 1-23. | | 0 |
| 5916 | Serving Men with Traumatic Brain Injuries. Science & Practice Perspectives / A Publication of the National Institute on Drug Abuse, National Institutes of Health, 2015, , 179-196. | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5917 | Neurosurgery Neurosurgery in Ischemic Stroke. , 2015, , 2771-2798. | | 0 |
| 5918 | 57. Rehabilitation and Outcome of Head Injuries. , 2015, , . | | 0 |
| 5919 | CLASSIFICATION OF CRANIAL TRAUMA. Chapter I.. Russian Journal of Forensic Medicine, 2015, 1, 42-46. | 0.0 | 3 |
| 5920 | Etiology and treatment outcome of pedestrians with traumatic brain injuries from road traffic crashes. International Journal of Medical Research and Health Sciences, 2015, 4, 861. | 0.1 | 0 |
| 5922 | Head Injuries in Sports. , 2015, , 2935-2951. | | 0 |
| 5923 | COMPLICATIONS OF PURULENT MENINGOENCEPHALITIS IN CHILDREN. Vestnik Khirurgii Imeni I I Grekova, 2015, 174, 43-46. | 0.0 | 1 |
| 5924 | Primary Decompressive Craniectomy: Effects on Neurocritical Care Management, Long-Term Neurologic Status and Mortality. International Journal of Anesthesiology & Research, 0, , 79-84. | 1.0 | 0 |
| 5926 | Combination of internal and external brain decompression due to repeated rupture and thrombosis of aneurysm with intracerebral haematoma: case report. Ukrainian Neurosurgical Journal, 2015, . | 0.1 | 1 |
| 5927 | Severe diffuse brain injury. Justifiability of decompressive craniectomy. Ukrainian Neurosurgical Journal, 2015, . | 0.1 | 0 |
| 5928 | Basilar Artery Aneurysm: Role for Open Surgery. , 2016, , 83-92. | | 2 |
| 5929 | Neuropsychology Rehabilitation. , 2016, , 273-284. | | 0 |
| 5930 | Outcome of Surgically Treated Traumatic Extradural Hematoma. British Journal of Medicine and Medical Research, 2016, 12, 1-9. | 0.2 | 1 |
| 5931 | Spasticity In Patients With Severe Acquired Brain Injury: An Impairment That Is Poorly Understood And Poorly Measured. International Journal of Neurology and Brain Disorders, 2016, 3, 1-4. | 0.0 | 0 |
| 5932 | The importance of cardiopulmonary arrest registry. , 2016, 08, . | | 0 |
| 5933 | Intra-Arterial Infusion of Fasudil as a Treatment of Symptomatic Vasospasm Following SAH. Medical Diagnosis, 2016, 06, 79-83. | 0.0 | 0 |
| 5934 | Clinical outcome prediction in aneurysmal subarachnoid hemorrhage - Alterations in brain-body interface. , 2016, 7, 527. | | 1 |
| 5935 | Treatment strategy at combat traumatic brain injury. Ukrainian Neurosurgical Journal, 2016, . | 0.1 | 1 |
| 5936 | ELEVATED AT ADMISSION SERUM NEURON SPECIFIC ENOLASE AND HYPERGLYCEMIA ARE PREDICTORS OF POOR OUTCOME OF POST-RESUSCITATION PATIENTS. Al Azhar Medical Journal = Majallat Al-Tibb Al-Azhar, 2016, 45, 331-344. | 0.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5940 | An analysis of the predictors of mortality and morbidity in patients admitted after suicidal hanging to an Indian multidisciplinary Intensive Care Unit. Indian Journal of Anaesthesia, 2017, 61, 538. | 0.3 | 3 |
| 5941 | High-Field Neuroimaging in Traumatic Brain Injury and Disorders of Consciousness. , 2017, , 199-210. | | 0 |
| 5942 | é™ċâ†...âĵfâœæċæ,fè€...â@è†°šçš,,ç%°1â¾4'â•â°â¾4Ĉâ”Ĉâ¾4¾ç'°â™”â«ç%°1âĈĈ-â-âŸâ,»âf³â,âf¼ââšââ,â•â.1/2è”¼Ĉâ%°ââ¼/4 | | |
| 5943 | Prognostication in Adults. , 2017, , 445-464. | | 0 |
| 5944 | Arterial Aneurysms. , 2017, , 141-194. | | 1 |
| 5945 | Schedeltrauma. , 2017, , 38-53. | | 0 |
| 5947 | Glasgow Outcome Scale. , 2017, , 1-2. | | 0 |
| 5948 | Clinical Profile and Outcome of Japanese Encephalitis in children Admitted with acute Encephalitis Syndrome in a tertiary Care hospital in Gaya, India. Journal of Medical Science and Clinical Research, 2017, 05, 20916-20919. | 0.0 | 1 |
| 5949 | Injury Scoring Systems and Injury Classification. , 2017, , 35-70. | | 0 |
| 5951 | Role of Magnetic Resonance Spectroscopy for Prognosis of Patients with Traumatic Brain Injury. Indian Journal of Neurotrauma, 2017, 14, 075-082. | 0.3 | 1 |
| 5952 | Time-related outcome in patients with traumatic brain injury admitted to neurosurgical care in a tertiary centreoutcomes in patients with traumatic brain injury admitted to neurosurgical care at various time intervals in a tertiary centre. Archives of International Surgery, 2018, 8, 95. | 0.0 | 0 |
| 5953 | Post-Aneurysmal Subarachnoid Hemorrhage Vasospasm, Clinical Correlation between the Aneurysm Site and Clinical Vasospasm. Open Journal of Modern Neurosurgery, 2018, 08, 306-314. | 0.0 | 0 |
| 5954 | SchÄdel-Hirn-Verletzungen. , 2018, , 1-13. | | 0 |
| 5955 | Detecting Safety Signals Among Adverse Events in Clinical Trials. ICSA Book Series in Statistics, 2018, , 107-125. | 0.0 | 1 |
| 5956 | A study on serum uric acid levels in acute ischemic Stroke and its prognostic significance. International Journal of Pharma and Bio Sciences, 2018, 9, . | 0.1 | 0 |
| 5957 | Risk Factors Determination for Complication in Adult Tubercular Meningitis Patients. International Journal of Current Research and Review (discontinued), 2018, 10, 01-05. | 0.1 | 0 |
| 5958 | Traumatic Acute Subdural Hematoma: Treatment by Evacuation with Decompressive Craniotomy and Cranioplasty, Case Series and Surgical Outcome Analysis. Open Journal of Modern Neurosurgery, 2018, 08, 331-341. | 0.0 | 3 |
| 5959 | Jennett, Bryan (1926â€“2008). , 2018, , 1872-1874. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5960 | Glasgow Outcome Scale. , 2018, , 1575-1576. | | 0 |
| 5961 | Aneurysm Clipping and Outcome for Hunt & Hess Grade 4, 5 Subarachnoid Hemorrhage – A Literature Review. Open Journal of Modern Neurosurgery, 2018, 08, 215-232. | 0.0 | 0 |
| 5962 | Uncovering Fraud, Misconduct, and Other Data Quality Issues in Clinical Trials. ICSA Book Series in Statistics, 2018, , 261-276. | 0.0 | 0 |
| 5963 | Intracranial Pressure. , 2018, , 11-28. | | 0 |
| 5964 | Conservative Plan for Post Traumatic Extradural Hematoma: Risk Factors Favouring Conversion to Surgery. Open Journal of Modern Neurosurgery, 2018, 08, 323-330. | 0.0 | 0 |
| 5965 | Tumores da base do crânio em pacientes idosos. Jbnc - Jornal Brasileiro De Neurocirurgia, 2018, 19, 19-24. | 0.0 | 0 |
| 5966 | Dopamine agonists for traumatic brain injury. The Cochrane Library, 0, , | 1.5 | 1 |
| 5967 | ANALYSIS OF CLINICO-RADIOLOGICAL FACTORS AND THEIR EFFECTIVENESS IN PROGNOSTICATION OF TRAUMATIC BRAIN INJURY- A PROSPECTIVE STUDY CONDUCTED AT A TERTIARY CARE HOSPITAL. Journal of Evolution of Medical and Dental Sciences, 2018, 7, 3457-3461. | 0.1 | 0 |
| 5969 | The Association Between Early Discharge and Long-Term Outcome of Patients with Traumatic Intracranial Hemorrhage Admitted to Emergency Departments. Trauma Monthly, 2018, In Press, . | 0.2 | 0 |
| 5970 | Inter hemispheric connectivity and attention in patients with disorders of consciousness after severe traumatic brain injury. Journal of Neurology & Stroke, 2018, 8, . | 0.0 | 6 |
| 5971 | Etiological analysis, morbidities and mortality that affect the young and middle aged admitted with altered mental status in a general hospital. International Journal of Advances in Medicine, 2018, 5, 1295. | 0.0 | 1 |
| 5972 | Intracranial pressure monitor insertion in traumatic brain injury: a single center, retrospective decision process analysis. Journal of Neurosurgical Sciences, 2024, 68, . | 0.3 | 0 |
| 5973 | Comparative study of results of treatment and selected prognostic factors of patients hospitalized in intensive care unit in year 2015 after incident of cardiac arrest with recovery of spontaneous circulation – preliminary report. Annales Academiae Medicae Silesiensis, 2019, 73, 8-18. | 0.1 | 0 |
| 5974 | Long Term Survival and Functional Neurological Outcome in Conscious Hospital Survivors Undergoing Therapeutic Hypothermia. Indian Journal of Critical Care Medicine, 2019, 23, 20-26. | 0.3 | 3 |
| 5975 | Respiratory Disorders: Effects on Neurocognitive and Brain Function. , 2019, , 167-185. | | 0 |
| 5976 | Full Outline of UnResponsiveness score versus Glasgow Coma Scale in critically ill patients with altered sensorium: A comparison of inter-observer variability and outcomes. Indian Journal of Anaesthesia, 2019, 63, 640. | 0.3 | 8 |
| 5977 | Factors predicting outcomes in surgically treated pediatric traumatic brain injury. Journal of Innovative Optical Health Sciences, 2019, 14, 737-743. | 0.5 | 3 |
| 5978 | Surgical Treatment of Traumatic Brain Injuries of Children in Abidjan: Difficulties, Results and Prospects. Open Journal of Modern Neurosurgery, 2019, 09, 369-378. | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 5979 | Revue narrative de lâ€™effet des traumatismes crÃ¢niens sur la fatigue. Neuropsychologie Clinique Et AppliquÃ©e, 2019, 3, 82-91. | 0.1 | 0 |
| 5980 | Executive Dysfunction After Traumatic Brain Injury. , 2019, , 83-122. | | 0 |
| 5981 | Chronic Subdural Hematoma: Pitfalls to Avoid for Better Outcome. Open Journal of Modern Neurosurgery, 2019, 09, 419-428. | 0.0 | 0 |
| 5982 | Dizziness in Traumatic Brain Injury: Visual-Vestibular Dysfunction, Neurotological Approach. Research in Vestibular Science, 2019, 18, 27-31. | 0.1 | 1 |
| 5983 | GENERAL DESCRIPTION OF ORGANIZING SPECIAL CARE IN SEVERE COMBINED TRAUMATIC BRAIN INJURY IN OSH REGION OF KYRGYZ REPUBLIC. Likars'ka Sprava, 2019, , 106-110. | 0.2 | 1 |
| 5984 | An Intelligent Rule-based System for Status Epilepticus Prognostication. Journal of Biomedical Physics and Engineering, 2021, 11, 185-196. | 0.5 | 0 |
| 5985 | Chronic Traumatic Encephalopathy. , 2020, , 399-419. | | 0 |
| 5986 | Vegetative State from the Perspective of Islamic Law. Journal of Ecophysiology and Occupational Health, 2019, 19, 102. | 0.1 | 0 |
| 5987 | Worse Than Death: Survey of Public Perceptions of Disability Outcomes After Hypothetical Traumatic Brain Injury. Annals of Surgery, 2021, 273, 500-506. | 2.1 | 7 |
| 5988 | Study of risk factors, clinical spectrum, and outcome for head injury in pediatric age group in Western India. African Journal of Paediatric Surgery, 2020, 17, 26. | 0.2 | 3 |
| 5989 | Neuropsychological Disability: A Hidden Epidemic of Neurological Conditions. Neurology India, 2020, 68, 154. | 0.2 | 6 |
| 5990 | An Unusual Case of the Successful Treatment of Carbapenem-resistant Ventriculitis with Intravenous Colistin. Cureus, 2020, 12, e7120. | 0.2 | 0 |
| 5991 | Premio Sixto Obrador SENEC 2019: el uso de la secuencia tensor de difusiÃ³n como herramienta pronÃ³stica en los pacientes con traumatismo craneoencefÃ¡lico grave y moderado. Parte I. AnÃ¡lisis de las caracterÃsticas del tensor de difusiÃ³n realizado durante la fase subaguda precoz. Neurocirugia, 2020, 31, 132-145. | 0.2 | 2 |
| 5993 | Prognostic computed tomography Scores in traumatic brain injury. Clinical Neurology and Neurosurgery, 2020, 195, 105957. | 0.6 | 3 |
| 5994 | Optimal Partial Pressure of Oxygen Affects Outcomes in Patients With Severe Traumatic Brain Injury. Cureus, 2020, 12, e9964. | 0.2 | 0 |
| 5995 | Mental Health and Family Functioning in Patients and Their Family Members after Traumatic Brain Injury: A Cross-Sectional Study. Brain Sciences, 2020, 10, 670. | 1.1 | 10 |
| 5996 | Optimal Cerebral Perfusion Pressure Guided by Brain Oxygen Pressure Measurement. Frontiers in Neurology, 2021, 12, 732830. | 1.1 | 8 |
| 5998 | Association Between Hospital Resuscitation Team Leader Credentials and Survival Outcomes for In-hospital Cardiac Arrest. Mayo Clinic Proceedings Innovations, Quality & Outcomes, 2021, 5, 1021-1028. | 1.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 5999 | Does Barbiturate "Mono-Therapy" Favorably Influence Brain Survival After Traumatic Coma?. <i>Advances in Neurosurgery</i> , 1983, , 336-345. | 0.1 | 0 |
| 6000 | Thiopentone in the Treatment of Severe Head Injury: Is Raised Intracranial Pressure the Sole Indication for Its Use?. , 1983, , 146-157. | | 1 |
| 6001 | Trauma to the Nervous System. , 1983, , 85-103. | | 0 |
| 6002 | Comprehensive Monitoring and Computerized Tomographic Follow Up in Patients with Acute Severe Head Injury: Coma-Outcome Correlations. <i>Acta Neurochirurgica Supplementum</i> , 1983, 32, 61-64. | 0.5 | 1 |
| 6003 | One-year results in elderly patients with severe head injury. <i>Formosan Journal of Surgery</i> , 2020, 53, 55-63. | 0.1 | 2 |
| 6005 | Intravenous vs intraosseous adrenaline administration in cardiac arrest. <i>Medicine (United States)</i> , 2020, 99, e23917. | 0.4 | 0 |
| 6006 | The Role of Urine F2-isoprostane Concentration in Delayed Cerebral Ischemia after Aneurysmal Subarachnoid Haemorrhage" A Poor Prognostic Factor. <i>Diagnostics</i> , 2021, 11, 5. | 1.3 | 7 |
| 6007 | Intracranial pressure monitoring following traumatic brain injury: evaluation of indications, complications, and significance of follow-up imaging" an exploratory, retrospective study of consecutive patients at a level I trauma center. <i>European Journal of Trauma and Emergency Surgery</i> , 2022, 48, 863-870. | 0.8 | 6 |
| 6008 | Diagnosis and On-Field Management of Sports-Related Concussion. , 2020, , 37-57. | | 0 |
| 6009 | To Treat or Not to Treat in the Acute Setting (Withholding) and Withdrawal of Treatment. , 2020, , 135-144. | | 0 |
| 6010 | Posterior communicating artery aneurysms: Analysis of predictors of surgical outcome. <i>Journal of Cerebro Vascular Sciences</i> , 2020, 8, 91. | 0.1 | 0 |
| 6011 | Unsolved Problems of Brain Trauma. <i>Neurology India</i> , 2020, 68, 534. | 0.2 | 1 |
| 6012 | Is Procalcitonin a Marker of Neurologic Outcome or Early Infection in Patients Treated with Targeted Temperature Management?. <i>Indian Journal of Critical Care Medicine</i> , 2020, 24, 327-331. | 0.3 | 1 |
| 6013 | General Overview. , 2020, , 565-567. | | 0 |
| 6014 | Prognostication in Traumatic Brain Injury- A Prospective Study of 100 Patients in Tertiary Care Hospital in Rural Area. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2020, 9, 413-417. | 0.1 | 0 |
| 6017 | A multicenter cluster randomized, stepped wedge implementation trial for targeted normoxia in critically ill trauma patients: study protocol and statistical analysis plan for the Strategy to Avoid Excessive Oxygen (SAVE-O2) trial. <i>Trials</i> , 2021, 22, 784. | 0.7 | 5 |
| 6018 | Endovascular treatment of brain arteriovenous malformations involving the anterior cerebral artery. <i>Medicine International</i> , 2021, 1, . | 0.2 | 3 |
| 6020 | Shock on Admission as a Potential Marker for ICU Mortality of Cardiac Arrest Patients. <i>International Heart Journal</i> , 2020, 61, 795-798. | 0.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6021 | Intensive management of severe head injuries.. Anaesthesia, 1983, 38, 214-225. | 1.8 | 18 |
| 6022 | Diagnostic impact of the spectrum of ischemic cerebral blood flow thresholds in sedated subarachnoid hemorrhage patients. , 2006, 96, 53-56. | | 1 |
| 6023 | Reperfusion of low attenuation areas complicating subarachnoid hemorrhage. , 2006, 96, 85-87. | | 0 |
| 6024 | Neuropsychologische Aufgaben in der neurologischen Frührehabilitation. , 2006, , 553-564. | | 0 |
| 6027 | Craniocerebral Trauma and Vertebrospinal Trauma. , 2007, , 519-606. | | 0 |
| 6028 | Die Verletzungen der Körperperipherien. , 2007, , 267-338. | | 0 |
| 6030 | Burden of Moderate and Severe Head Injury in Kashmir Valley. Indian Journal of Neurotrauma, 2021, 18, 79-83. | 0.3 | 0 |
| 6031 | Minicraniotomy Under Local Anesthesia and Monitored Sedation for the Operative Treatment of Uncomplicated Traumatic Acute Extradural Hematoma. World Neurosurgery, 2020, 142, 513-519. | 0.7 | 4 |
| 6032 | Decompressive Craniectomy in Management of Severe Traumatic Brain Injury. Contemporary Neurosurgery, 2020, 42, 1-5. | 0.2 | 0 |
| 6034 | Neurologic Prognostication by QEEG in Post Cardiac Arrest Patients with Therapeutic Hypothermia. Journal of the Korean Neurological Association, 2020, 38, 260-271. | 0.0 | 0 |
| 6035 | Simultaneous cranioplasty and ventriculoperitoneal shunt placement in patients with traumatic brain injury undergoing unilateral decompressive craniectomy. Journal of Clinical Neuroscience, 2020, 79, 45-50. | 0.8 | 6 |
| 6036 | PREMIO SIXTO OBRADOR SENECA 2019: El uso de la secuencia Tensor de difusión como herramienta pronóstica en los pacientes con traumatismo craneoencefálico grave y moderado. Parte II: Análisis longitudinal de las características del Tensor de difusión y su relación con la evolución de los pacientes. Neurocirugía. 2020, 31, 231-248. | 0.2 | 1 |
| 6037 | Face-to-Face Versus Telephonic Extended Glasgow Outcome Score Testing After Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2021, 36, E134-E138. | 1.0 | 5 |
| 6038 | Assessing Illness Severity and Outcome in Critically Ill Patients. Emergency Medicine Clinics of North America, 1986, 4, 623-633. | 0.5 | 7 |
| 6039 | Head injury in partner-abusive men. Journal of Consulting and Clinical Psychology, 1994, 62, 1187-93. | 1.6 | 23 |
| 6040 | A United Kingdom Perspective. , 0, , . | | 1 |
| 6041 | Loss of Consciousness: Pathophysiology and Implications in Grading and Safe Return to Play. Journal of Athletic Training, 2001, 36, 249-252. | 0.9 | 36 |
| 6042 | Predicting the outcome: a new crystal ball?. Journal of the Royal Society of Medicine, 1987, 80, 133-4. | 1.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6043 | Surveillance of traumatic brain injuries in Utah. <i>Western Journal of Medicine</i> , 1996, 165, 192-6. | 0.3 | 18 |
| 6044 | Acute subdural hematoma in a high school football player. <i>Journal of Athletic Training</i> , 1995, 30, 69-71. | 0.9 | 7 |
| 6046 | Early outcomes of out-of-hospital cardiac arrest after early defibrillation: a 24 months retrospective analysis. <i>Indian Pacing and Electrophysiology Journal</i> , 2006, 6, 194-201. | 0.3 | 3 |
| 6047 | Severe head injury in children: geographical range of an emergency neurosurgical practice. <i>Emergency Medicine Journal</i> , 2004, 21, 433-7. | 0.4 | 10 |
| 6048 | Outcome and prognostic factors of hemicraniectomy for space occupying cerebral infarction. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 270-4. | 0.9 | 125 |
| 6049 | An aid to predicting prognosis in patients with non-traumatic coma at one day. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001, 71 Suppl 1, i24-5. | 0.9 | 0 |
| 6050 | Predicting outcome after head injury. <i>Journal of the Royal Society of Medicine</i> , 1976, 69, 140-1. | 0.1 | 1 |
| 6051 | Head injuries in childhood: a 2-year survey. <i>Cmaj</i> , 1983, 128, 281-4. | 0.1 | 10 |
| 6052 | Long-term cognitive deficits in patients with good outcomes after aneurysmal subarachnoid hemorrhage from anterior communicating artery. <i>Croatian Medical Journal</i> , 2006, 47, 253-63. | 0.2 | 36 |
| 6053 | Effect of continuous cisternal cerebrospinal fluid drainage for patients with thin subarachnoid hemorrhage. <i>Vascular Health and Risk Management</i> , 2007, 3, 401-4. | 1.0 | 10 |
| 6054 | Acute management of poor condition subarachnoid hemorrhage patients. <i>Vascular Health and Risk Management</i> , 2007, 3, 1075-82. | 1.0 | 4 |
| 6055 | Delayed intracerebral haematomas in moderate to severe head injuries in young adults. <i>Annals of the Royal College of Surgeons of England</i> , 1992, 74, 345-9; discussion 349-50. | 0.3 | 6 |
| 6056 | Microvascular reconstruction of complex craniofacial defects. <i>Annals of the Royal College of Surgeons of England</i> , 1997, 79, 278-83. | 0.3 | 9 |
| 6057 | Acute endovascular treatment by coil embolisation of ruptured intracranial aneurysms. <i>Annals of the Royal College of Surgeons of England</i> , 2001, 83, 253-6; discussion 257. | 0.3 | 13 |
| 6058 | A 5-year study of the outcome of surgically treated depressed skull fractures. <i>Annals of the Royal College of Surgeons of England</i> , 2002, 84, 196-200. | 0.3 | 19 |
| 6059 | Rationale of the SEAS study: Serial Echocardiography After Subarachnoid haemorrhage, a prospective national, multicentre, multidisciplinary, cohort study to evaluate cardiac abnormalities following intracranial haemorrhage. <i>Netherlands Heart Journal</i> , 2006, 14, 366-371. | 0.3 | 2 |
| 6060 | The management of increased intracranial pressure in children. <i>Journal of the National Medical Association</i> , 1983, 75, 1189-96. | 0.6 | 0 |
| 6061 | Development and psychometric properties of the Patient-Head Injury Participation Scale (P-HIPS) and the Patient-Head Injury Neurobehavioral Assessment Scale (P-HINAS): patient and family determined outcomes scales. <i>Neuropsychiatric Disease and Treatment</i> , 2007, 3, 373-88. | 1.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6063 | Injury severity variables as predictors of WeeFIM scores in pediatric TBI: Time to follow commands is best. <i>Journal of Pediatric Rehabilitation Medicine</i> , 2009, 2, 297-307. | 0.3 | 18 |
| 6064 | Traumatic brain injury in infants and toddlers, 0-3 years old. <i>Journal of Medicine and Life</i> , 2011, 4, 234-43. | 0.4 | 21 |
| 6065 | MR spectroscopy in patients after surgical clipping and endovascular embolisation of intracranial aneurysms. <i>Polish Journal of Radiology</i> , 2010, 75, 24-9. | 0.5 | 2 |
| 6066 | Early decompressive craniectomy for neurotrauma: an institutional experience. <i>Ulusal Travma Ve Acil Cerrahi Dergisi</i> , 2009, 15, 28-38. | 0.1 | 11 |
| 6067 | Review of global menace of road accidents with special reference to malaysia- a social perspective. <i>The Malaysian Journal of Medical Sciences</i> , 2003, 10, 31-9. | 0.3 | 18 |
| 6068 | Health-related quality of life after traumatic brain injury: Italian validation of the QOLIBRI. <i>Functional Neurology</i> , 2014, 29, 167-76. | 1.3 | 11 |
| 6069 | Outcomes of early physiotherapy in patients with cerebral aneurysms treated by surgical clipping or endovascular embolization. <i>Neural Regeneration Research</i> , 2012, 7, 1900-5. | 1.6 | 0 |
| 6070 | Predictive Factors of Survival and 6-Month Favorable Outcome of Very Severe Head Trauma Patients; a Historical Cohort Study. <i>Emergency</i> , 2017, 5, e24. | 0.6 | 3 |
| 6071 | PATTERN OF REFERRALS OF HEAD INJURY TO THE UNIVERSITY COLLEGE HOSPITAL, IBADAN. <i>Annals of Ibadan Postgraduate Medicine</i> , 2017, 15, 34-40. | 0.1 | 7 |
| 6072 | Neurotrauma pediatric scales. <i>Journal of Medicine and Life</i> , 2008, 1, 403-14. | 0.4 | 1 |
| 6073 | Concussion in adolescent rugby union players: comprehensive acute assessment protocol and development of the SSC concussion passport to monitor long-term health. <i>BMJ Open Sport and Exercise Medicine</i> , 2018, 4, e000455. | 1.4 | 0 |
| 6074 | Multiple ruptured cerebral aneurysms at the National Hospital of the Kyrgyz Republic between 2008 and 2014: a departmental summary. <i>Nagoya Journal of Medical Science</i> , 2019, 81, 511-518. | 0.6 | 1 |
| 6075 | Restrictive transfusion strategy for critically injured patients (RESTRIC) trial: a study protocol for a cluster-randomised, crossover non-inferiority trial. <i>BMJ Open</i> , 2020, 10, e037238. | 0.8 | 1 |
| 6076 | Guglielmi detachable coil treatment of ruptured saccular cerebral aneurysms: retrospective review of a 10-year single-center experience. <i>American Journal of Neuroradiology</i> , 2003, 24, 526-33. | 1.2 | 105 |
| 6077 | Endovascular treatment of intracranial aneurysms with matrix coils: a preliminary study of immediate post-treatment results. <i>American Journal of Neuroradiology</i> , 2005, 26, 373-5. | 1.2 | 19 |
| 6078 | Coiling of very large or giant cerebral aneurysms: long-term clinical and serial angiographic results. <i>American Journal of Neuroradiology</i> , 2003, 24, 257-62. | 1.2 | 173 |
| 6079 | CT findings and clinical features as markers for patient outcome in primary pontine hemorrhage. <i>American Journal of Neuroradiology</i> , 2004, 25, 257-60. | 1.2 | 45 |
| 6080 | MR imaging after aneurysmal subarachnoid hemorrhage and surgery: a long-term follow-up study. <i>American Journal of Neuroradiology</i> , 2001, 22, 1143-8. | 1.2 | 50 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6081 | Endovascular treatment of posterior circulation cerebral aneurysms by using Guglielmi detachable coils: a 10-year single-center experience with special regard to technical development. American Journal of Neuroradiology, 2005, 26, 1732-8. | 1.2 | 54 |
| 6082 | The retrograde approach: a consideration for the endovascular treatment of aneurysms. American Journal of Neuroradiology, 2000, 21, 262-8. | 1.2 | 60 |
| 6083 | Selective endovascular treatment of intracranial aneurysms with sapphire coils. American Journal of Neuroradiology, 2004, 25, 1368-72. | 1.2 | 4 |
| 6084 | HyperForm remodeling-balloon for endovascular treatment of wide-neck intracranial aneurysms. American Journal of Neuroradiology, 2004, 25, 1381-3. | 1.2 | 54 |
| 6085 | Magnetization transfer imaging and proton MR spectroscopy in the evaluation of axonal injury: correlation with clinical outcome after traumatic brain injury. American Journal of Neuroradiology, 2001, 22, 143-51. | 1.2 | 127 |
| 6086 | Endovascular treatment of ruptured intracranial aneurysms in elderly people. American Journal of Neuroradiology, 2004, 25, 592-5. | 1.2 | 41 |
| 6087 | Intra-arterial nimodipine for the treatment of symptomatic cerebral vasospasm after aneurysmal subarachnoid hemorrhage: preliminary results. American Journal of Neuroradiology, 2004, 25, 1067-76. | 1.2 | 173 |
| 6088 | Endovascular treatment of intracranial aneurysms with a branch arising from the sac. American Journal of Neuroradiology, 2006, 27, 142-7. | 1.2 | 57 |
| 6089 | Selective endovascular treatment of intracranial aneurysms with a liquid embolic: a single-center experience in 39 patients with 41 aneurysms. American Journal of Neuroradiology, 2005, 26, 885-93. | 1.2 | 29 |
| 6090 | Procedural complications of coiling of ruptured intracranial aneurysms: incidence and risk factors in a consecutive series of 681 patients. American Journal of Neuroradiology, 2006, 27, 1498-501. | 1.2 | 119 |
| 6091 | Nursing, Caregiving and Psychological support in Chronic Disorders of Consciousness: a scoping review. Acta Biomedica, 2021, 92, e2021013. | 0.2 | 0 |
| 6092 | Combined endovascular treatment for both intracranial aneurysm and symptomatic vasospasm. American Journal of Neuroradiology, 2003, 24, 133-9. | 1.2 | 37 |
| 6093 | Endovascular treatment of peripheral cerebellar artery aneurysms. American Journal of Neuroradiology, 2003, 24, 1208-13. | 1.2 | 39 |
| 6094 | Diffuse axonal injury associated with chronic traumatic brain injury: evidence from T2*-weighted gradient-echo imaging at 3 T. American Journal of Neuroradiology, 2003, 24, 1049-56. | 1.2 | 189 |
| 6095 | Three-dimensional packing with complex orbit coils for the endovascular treatment of intracranial aneurysms. American Journal of Neuroradiology, 2005, 26, 1342-8. | 1.2 | 22 |
| 6096 | Fast detection of diffuse axonal damage in severe traumatic brain injury: comparison of gradient-recalled echo and turbo proton echo-planar spectroscopic imaging MRI sequences. American Journal of Neuroradiology, 2005, 26, 1140-8. | 1.2 | 21 |
| 6097 | Decompressive craniectomy: indications and results of 24 cases at the neurosurgery clinic of Fann university hospital of Dakar. Pan African Medical Journal, 2021, 38, 399. | 0.3 | 0 |
| 6098 | Long-Term Cognitive Outcome following Aneurysmal Subarachnoid Haemorrhage. Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106184. | 0.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6099 | Chronic Disorders of Consciousness: Diagnosis and Prognosis. <i>Neuroscience and Behavioral Physiology</i> , 2021, 51, 1132-1147. | 0.2 | 0 |
| 6100 | Spontaneous eye blinking as a diagnostic marker in prolonged disorders of consciousness. <i>Scientific Reports</i> , 2021, 11, 22393. | 1.6 | 8 |
| 6101 | Isolated traumatic acute subdural haematoma: outcome in relation to age, Glasgow Coma Scale, and haematoma thickness. <i>Egyptian Journal of Neurology, Psychiatry and Neurosurgery</i> , 2021, 57, . | 0.4 | 0 |
| 6102 | Prognostication of neurologic outcome using gray-white-matter-ratio in comatose patients after cardiac arrest. <i>BMC Neurology</i> , 2021, 21, 456. | 0.8 | 8 |
| 6103 | Extended Analysis of Axonal Injuries Detected Using Magnetic Resonance Imaging in Critically Ill Traumatic Brain Injury Patients. <i>Journal of Neurotrauma</i> , 2022, 39, 58-66. | 1.7 | 5 |
| 6104 | Impact of chronic obstructive pulmonary disease on survival and neurologic outcomes in adults with in-hospital cardiac arrest. <i>PLoS ONE</i> , 2021, 16, e0259698. | 1.1 | 0 |
| 6105 | Epinephrine before defibrillation in patients with shockable in-hospital cardiac arrest: propensity matched analysis. <i>BMJ, The</i> , 2021, 375, e066534. | 3.0 | 14 |
| 6106 | The Effect of Therapeutic Hypothermia after Cardiac Arrest on the Neurological Outcome and Survivalâ€”A Systematic Review of RCTs Published between 2016 and 2020. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11817. | 1.2 | 8 |
| 6107 | Background frequency can enhance the prognostication power of EEG patterns categories in comatose cardiac arrest survivors: a prospective, multicenter, observational cohort study. <i>Critical Care</i> , 2021, 25, 398. | 2.5 | 4 |
| 6108 | Neuron-Specific Enolase (NSE) Predicts Long-Term Mortality in Adult Patients after Cardiac Arrest: Results from a Prospective Trial. <i>Medicines (Basel, Switzerland)</i> , 2021, 8, 72. | 0.7 | 9 |
| 6109 | Clinical factors associated with significant coronary lesions following outâ€”ofâ€”hospital cardiac arrest. <i>Academic Emergency Medicine</i> , 2022, 29, 456-464. | 0.8 | 4 |
| 6110 | Safety and efficacy of C1-inhibitor in traumatic brain injury (CIAO@TBI): study protocol for a randomized, placebo-controlled, multi-center trial. <i>Trials</i> , 2021, 22, 874. | 0.7 | 4 |
| 6111 | ICU delirium burden predicts functional neurologic outcomes. <i>PLoS ONE</i> , 2021, 16, e0259840. | 1.1 | 7 |
| 6112 | Recommended Guidelines for Uniform Reporting of Pediatric Advanced Life Support: The Pediatric Utstein Style. <i>Pediatrics</i> , 1995, 96, 765-779. | 1.0 | 39 |
| 6113 | Prognostic value of global deep white matter DTI metrics for 1-year outcome prediction in ICU traumatic brain injury patients: an MRI-COMA and CENTER-TBI combined study. <i>Intensive Care Medicine</i> , 2022, 48, 201-212. | 3.9 | 13 |
| 6114 | Microsurgery of Giant Intracranial Aneurysm: A Single Institution Outcome Study. <i>Neurology India</i> , 2021, 69, 984. | 0.2 | 1 |
| 6115 | Genome-Wide Association Study of Clinical Outcome After Aneurysmal Subarachnoid Haemorrhage: Protocol. <i>Translational Stroke Research</i> , 2022, 13, 565-576. | 2.3 | 5 |
| 6116 | Magnetic Resonance Spectroscopy of Hypoxic-Ischemic Encephalopathy After Cardiac Arrest. <i>Neurology</i> , 2022, 98, . | 1.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6117 | Can the rate of mortality and neurological recovery be predicted from the time of onset of symptoms and MRI grade in patients with cerebral fat embolism?. Bone and Joint Journal, 2022, 104-B, 142-149. | 1.9 | 4 |
| 6118 | Long-term outcomes after out-of-hospital cardiac arrest: A systematic review and meta-analysis. Resuscitation, 2022, 171, 15-29. | 1.3 | 27 |
| 6119 | Determinants of mortality and long-term outcome in children with refractory and super refractory status epilepticus. Journal of Clinical Neuroscience, 2022, 97, 12-16. | 0.8 | 1 |
| 6120 | Meso-scale network analysis of resting state-fMRI brain network connectivity performs poorly as a prognostic tool in critically ill traumatic brain injury patients. NeuroImage Reports, 2022, 2, 100079. | 0.5 | 1 |
| 6124 | Surgery for acute subdural haematoma: the value of pre-emptive decompressive craniectomy by Propensity score analysis. Journal of Neurosurgical Sciences, 2020, , . | 0.3 | 1 |
| 6125 | Restrictive transfusion strategy for critically injured patients (RESTRIC) trial: a study protocol for a cluster-randomised, crossover non-inferiority trial. BMJ Open, 2020, 10, e037238. | 0.8 | 4 |
| 6126 | Functional outcome, dependency and well-being after traumatic brain injury in the elderly population: A systematic review and meta-analysis. Brain and Spine, 2021, 1, 100849. | 0.0 | 6 |
| 6127 | A placebo-controlled randomized clinical trial of amantadine hydrochloride for evaluating the functional improvement of patients following severe acute traumatic brain injury. Journal of Neurosurgical Sciences, 2023, 67, . | 0.3 | 4 |
| 6129 | VE-CAM-S: Visual EEG-Based Grading of Delirium Severity and Associations With Clinical Outcomes. , 2022, 4, e0611. | | 8 |
| 6130 | Characteristics, image findings and clinical outcome of moderate and severe traumatic brain injury among severely injured children: a population-based cohort study. European Journal of Trauma and Emergency Surgery, 2022, 48, 4473-4480. | 0.8 | 3 |
| 6131 | A dynamic model to predict long-term outcomes in patients with prolonged disorders of consciousness. Aging, 2022, 14, 789-799. | 1.4 | 6 |
| 6132 | Evolution of Incidence, Management, and Outcomes Over Time in Sports-Related Sudden Cardiac Arrest. Journal of the American College of Cardiology, 2022, 79, 238-246. | 1.2 | 24 |
| 6133 | Antiplatelet therapy for standalone coiling of ruptured intracranial aneurysms: a systematic review and meta-analysis. Journal of NeuroInterventional Surgery, 2022, 14, 1207-1212. | 2.0 | 4 |
| 6134 | Prediction of Recovery from Traumatic Brain Injury with EEG Power Spectrum in Combination of Independent Component Analysis and RUSBoost Model. BioMedInformatics, 2022, 2, 106-123. | 1.0 | 2 |
| 6135 | Cranial nerve injuries in patients with moderate to severe head trauma – Analysis of 91,196 patients from the TraumaRegister DGU® between 2008 and 2017. Clinical Neurology and Neurosurgery, 2022, 212, 107089. | 0.6 | 3 |
| 6136 | Clinical Significance of Gray to White Matter Ratio after Cardiopulmonary Resuscitation in Children. Children, 2022, 9, 36. | 0.6 | 1 |
| 6137 | In search of the perfect outcome in neuroanaesthesia and neurocritical care. Anaesthesia, 2022, 77, 3-7. | 1.8 | 3 |
| 6138 | Long-term outcome after severe traumatic brain injury: a systematic literature review. Acta Neurochirurgica, 2022, 164, 599-613. | 0.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6139 | Ethical issues in neurocritical care. <i>Revue Neurologique</i> , 2022, 178, 57-63. | 0.6 | 2 |
| 6140 | Changing profile of encephalitis: Results of a 4-year study in France. <i>Infectious Diseases Now</i> , 2022, 52, 1-6. | 0.7 | 16 |
| 6141 | Effect of large-scale disasters on bystander-initiated cardiopulmonary resuscitation in family-witnessed, friend-witnessed and colleague-witnessed out-of-hospital cardiac arrest: a retrospective analysis of prospectively collected, nationwide, population-based data. <i>BMJ Open</i> , 2022, 12, e055640. | 0.8 | 3 |
| 6142 | Posterior Reversible Encephalopathy in Sepsis-Associated Encephalopathy: Experience from a Single Center. <i>Neurocritical Care</i> , 2022, 36, 372-386. | 1.2 | 7 |
| 6143 | Thyroid Hormone Levels Help to Predict Outcome of Critically Ill Patients Undergoing Early Neurological Rehabilitation. <i>BioMed Research International</i> , 2022, 2022, 1-8. | 0.9 | 1 |
| 6144 | Epinephrine versus norepinephrine in cardiac arrest patients with post-resuscitation shock. <i>Intensive Care Medicine</i> , 2022, 48, 300-310. | 3.9 | 23 |
| 6145 | Factors Associated With Brain Tissue Oxygenation Changes After RBC Transfusion in Acute Brain Injury Patients. <i>Critical Care Medicine</i> , 2022, 50, e539-e547. | 0.4 | 14 |
| 6146 | THE CURRENT ROLE OF MICROSURGERY FOR POSTERIOR CIRCULATION ANEURYSMS. <i>Neurosurgery</i> , 2008, 62, 1236-1253. | 0.6 | 12 |
| 6148 | Nomogram for predicting post-traumatic hydrocephalus after decompressive craniectomy for traumatic brain injury. <i>Revista Da Associação Médica Brasileira</i> , 2022, 68, 37-43. | 0.3 | 3 |
| 6149 | Targeted Temperature Management Experience of an Academic Emergency Department: A 5-Year Retrospective Study. <i>Therapeutic Hypothermia and Temperature Management</i> , 2022, , . | 0.3 | 0 |
| 6150 | Trends in the Rehabilitation Area in the Japanese Guidelines for the Management of Stroke 2021. <i>Rigakuryoho Kagaku</i> , 2022, 37, 129-141. | 0.0 | 0 |
| 6151 | Factors Associated With High and Low Life Satisfaction 10 Years After Traumatic Brain Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2022, 103, 2164-2173. | 0.5 | 3 |
| 6152 | Socioeconomic functioning in patients with brain abscess " a nationwide, population-based cohort study in Denmark. <i>Journal of Infection</i> , 2022, 84, 621-627. | 1.7 | 3 |
| 6153 | Chinese Admission Warning Strategy for Predicting the Hospital Discharge Outcome in Patients with Traumatic Brain Injury. <i>Journal of Clinical Medicine</i> , 2022, 11, 974. | 1.0 | 3 |
| 6154 | The "Blood pressure and oxygenation targets in post resuscitation care, a randomized clinical trial" design and statistical analysis plan. <i>Trials</i> , 2022, 23, 177. | 0.7 | 9 |
| 6155 | Effect of Intra-arrest Transport, Extracorporeal Cardiopulmonary Resuscitation, and Immediate Invasive Assessment and Treatment on Functional Neurologic Outcome in Refractory Out-of-Hospital Cardiac Arrest. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 737. | 3.8 | 242 |
| 6156 | Characterisation of Severe Traumatic Brain Injury Severity from Fresh Cerebral Biopsy of Living Patients: An Immunohistochemical Study. <i>Biomedicines</i> , 2022, 10, 518. | 1.4 | 5 |
| 6157 | Posttraumatic Amnesia: A Systematic Review and Meta-Analysis. Proposal for a New Severity Classification. <i>World Neurosurgery</i> , 2022, 162, e369-e393. | 0.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6158 | Longitudinal whole-brain analysis of multi-subject diffusion data in diffuse axonal injury. <i>Arquivos De Neuro-Psiquiatria</i> , 2022, 80, 280-288. | 0.3 | 0 |
| 6159 | Incidence and outcomes of in-hospital cardiac arrest in Japan 2011–2017: a nationwide inpatient database study. <i>Journal of Intensive Care</i> , 2022, 10, 10. | 1.3 | 8 |
| 6160 | Surgical resection of petroclival meningiomas of the cerebellopontine angle and/or diaphragma sellae extension via an extended intradural anterior transpetrous approach. <i>British Journal of Neurosurgery</i> , 2022, , 1-8. | 0.4 | 2 |
| 6161 | A Comparison between Conventional and Extracorporeal Cardiopulmonary Resuscitation in Out-of-Hospital Cardiac Arrest: A Systematic Review and Meta-Analysis. <i>Healthcare (Switzerland)</i> , 2022, 10, 591. | 1.0 | 8 |
| 6162 | Post-Resuscitation Partial Pressure of Arterial Carbon Dioxide and Outcome in Patients with Out-of-Hospital Cardiac Arrest: A Multicenter Retrospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 1523. | 1.0 | 3 |
| 6163 | Clinimetric study and review of the Reaction Level Scale. <i>Acta Neurologica Scandinavica</i> , 2022, 145, 706-720. | 1.0 | 1 |
| 6164 | Prehospital traumatic cardiac arrest: a systematic review and meta-analysis. <i>European Journal of Trauma and Emergency Surgery</i> , 2022, 48, 3357-3372. | 0.8 | 10 |
| 6165 | Predictive performances of ALS and BLS termination of resuscitation rules in out-of-hospital cardiac arrest for different resuscitation protocols. <i>BMC Emergency Medicine</i> , 2022, 22, 53. | 0.7 | 3 |
| 6166 | Temporal patterns of inflammation-related proteins measured in the cerebrospinal fluid of patients with aneurysmal subarachnoid hemorrhage using multiplex Proximity Extension Assay technology. <i>PLoS ONE</i> , 2022, 17, e0263460. | 1.1 | 4 |
| 6167 | Randomized Evaluation of Surgery in Elderly with Traumatic Acute SubDural Hematoma (RESET-ASDH) Tj ETQq1 1 0.784314 rgBT /Overl design. <i>Trials</i> , 2022, 23, 242. | 0.7 | 3 |
| 6168 | Efficacy and Safety of Glucocorticoids Versus Placebo as an Adjuvant Treatment to Surgery in Chronic Subdural Hematoma: A Systematic Review and Meta-Analysis of Randomized Controlled Clinical Trials. <i>World Neurosurgery</i> , 2022, 159, 198-206.e4. | 0.7 | 1 |
| 6169 | Deep Learning to Predict Traumatic Brain Injury Outcomes in the Low-Resource Setting. <i>World Neurosurgery</i> , 2022, 164, e8-e16. | 0.7 | 8 |
| 6170 | Risk stratification and cost-effectiveness analysis of adult patients receiving extracorporeal membrane oxygenation. <i>Journal of Evaluation in Clinical Practice</i> , 2022, 28, 615-623. | 0.9 | 2 |
| 6171 | “My head feels like it has gone through a mixer” a qualitative interview study on recovery 1 year after aneurysmal subarachnoid hemorrhage. <i>Disability and Rehabilitation</i> , 2023, 45, 1323-1331. | 0.9 | 2 |
| 6172 | Neurofilament light compared to neuron-specific enolase as a predictor of unfavourable outcome after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2022, 174, 1-8. | 1.3 | 14 |
| 6173 | Platelet count is not associated with delayed cerebral ischemia after aneurysmal subarachnoid hemorrhage as defined by the 2010 consensus definition. <i>Journal of the Neurological Sciences</i> , 2022, 436, 120227. | 0.3 | 2 |
| 6174 | Electroencephalography at the height of a pandemic: EEG findings in patients with COVID-19. <i>Clinical Neurophysiology</i> , 2022, 137, 102-112. | 0.7 | 6 |
| 6175 | Survival and neurological outcome after out-of-hospital cardiac arrest treated with and without mechanical circulatory support. <i>Resuscitation Plus</i> , 2022, 10, 100230. | 0.6 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6176 | Assessment of Metabolic Dysfunction in Sepsis in a Retrospective Single-Centre Cohort. <i>Critical Care Research and Practice</i> , 2021, 2021, 1-10. | 0.4 | 0 |
| 6177 | Depressive symptoms following traumatic brain injury are associated with resting-state functional connectivity. <i>Psychological Medicine</i> , 2023, 53, 2698-2705. | 2.7 | 6 |
| 6178 | Cerebral Vasospasm: Mechanisms, Pathomorphology, Diagnostics, Treatment. , 0, , . | | 0 |
| 6179 | Early Pupillometry Assessment in Traumatic Brain Injury Patients: A Retrospective Study. <i>Brain Sciences</i> , 2021, 11, 1657. | 1.1 | 7 |
| 6180 | Iron homeostasis pathway DNA methylation trajectories reveal a role for STEAP3 metalloreductase in patient outcomes after aneurysmal subarachnoid hemorrhage. , 2021, 1, . | | 13 |
| 6181 | Post-traumatic Stress Disorder after Severe Traumatic Brain Injury: A Systematic Review. <i>Archives of Clinical Neuropsychology</i> , 2022, 37, 583-594. | 0.3 | 4 |
| 6182 | Credibility of the Neutrophil-to-Lymphocyte Count Ratio in Severe Traumatic Brain Injury. <i>Life</i> , 2021, 11, 1352. | 1.1 | 2 |
| 6183 | Post-Hypoxic Myoclonus Status following Out-of-Hospital Cardiac Arrest—Does It still Predict a Poor Outcome? A Retrospective Study. <i>Healthcare (Switzerland)</i> , 2022, 10, 41. | 1.0 | 1 |
| 6184 | Surgical results for hypertensive intracerebral hemorrhages depending on intervention timing. <i>Annals of Clinical and Experimental Neurology</i> , 2021, 15, 36-43. | 0.1 | 0 |
| 6185 | Self-Reported Complaints as Prognostic Markers for Outcome After Mild Traumatic Brain Injury in Elderly: A Machine Learning Approach. <i>Frontiers in Neurology</i> , 2021, 12, 751539. | 1.1 | 1 |
| 6186 | Improving Diagnosis and Prognosis in Acute Severe Brain Injury: A Multimodal Imaging Protocol. <i>Frontiers in Neurology</i> , 2021, 12, 757219. | 1.1 | 28 |
| 6187 | Predictors of Favorable Neurologic Outcomes in a Territory-First Extracorporeal Cardiopulmonary Resuscitation Program. <i>ASAIO Journal</i> , 2021, Publish Ahead of Print, . | 0.9 | 1 |
| 6188 | Association between Neurologic Outcomes and Changes of Muscle Mass Measured by Brain Computed Tomography in Neurocritically Ill Patients. <i>Journal of Clinical Medicine</i> , 2022, 11, 90. | 1.0 | 1 |
| 6189 | Neurological Prognostication After Hypoglycemic Coma: Role of Clinical and EEG Findings. <i>Neurocritical Care</i> , 2022, 37, 273-280. | 1.2 | 4 |
| 6190 | Stent-assisted Coiling vs. Flow Diverter for Treating Blood Blister-like Aneurysms. <i>Clinical Neuroradiology</i> , 2022, 32, 889-902. | 1.0 | 9 |
| 6191 | Association of Lower Limb Focal Spasticity With Kinematic Variables During Walking in Traumatic Brain Injury. <i>Journal of Neurologic Physical Therapy</i> , 2022, 46, 213-218. | 0.7 | 2 |
| 6192 | Magnesium in subarachnoid hemorrhage. , 2011, , 193-204. | | 1 |
| 6201 | Head injuries in children under 36 months of age. <i>Child's Nervous System</i> , 1988, 4, 34-39. | 0.6 | 124 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6202 | Head-injured subjects aged over 50 years: correlations between variables of trauma and neuropsychological follow-up. <i>Journal of Neurology</i> , 1992, 239, 256-260. | 1.8 | 38 |
| 6203 | Improving the Precision of the Glasgow Outcome Scale-Extended Using Item Response Theory: A TRACK-TBI Study. <i>Journal of Neurotrauma</i> , 2022, , . | 1.7 | 1 |
| 6204 | Concussion in adolescent rugby union players: comprehensive acute assessment protocol and development of the SSC concussion passport to monitor long-term health. <i>BMJ Open Sport and Exercise Medicine</i> , 2018, 4, e000455. | 1.4 | 1 |
| 6209 | Nifekalant versus Amiodarone for Out-Of-Hospital Cardiac Arrest with Refractory Shockable Rhythms; a Post Hoc Analysis.. <i>Archives of Academic Emergency Medicine</i> , 2022, 10, e6. | 0.2 | 0 |
| 6211 | Cerebral Autoregulation Monitoring and Online Arden Syntax Clinical Decision Support for the Treatment of Intracranial Hypertension in Children with Traumatic Brain Injury. <i>Studies in Health Technology and Informatics</i> , 2020, 271, 184-190. | 0.2 | 0 |
| 6212 | A Digital Clinical Guideline Based on HL7 Arden Syntax for the Treatment of Children with Traumatic Brain Injury. <i>Studies in Health Technology and Informatics</i> , 2020, 272, 395-398. | 0.2 | 0 |
| 6214 | The Role of Risk Factor in the Surgical Treatment of Hemorrhagic Stroke. <i>Sklifosovsky Journal Emergency Medical Care</i> , 2022, 11, 31-41. | 0.3 | 0 |
| 6215 | Endoscopic Removal of Acute Traumatic Intracerebral Hemorrhage. <i>Sklifosovsky Journal Emergency Medical Care</i> , 2022, 11, 22-30. | 0.3 | 0 |
| 6216 | Neuron-Specific Enolase and S100B: The Earliest Predictors of Poor Outcome in Cardiac Arrest. <i>Journal of Clinical Medicine</i> , 2022, 11, 2344. | 1.0 | 2 |
| 6217 | Differences in Presentation, Radiological Features, and Outcomes in Traumatic Versus Spontaneous Acute Subdural Hematomas—A Single-Institution Population-Based Study. <i>World Neurosurgery</i> , 2022, 164, e235-e244. | 0.7 | 1 |
| 6218 | Early use of barbiturates is associated with increased mortality in traumatic brain injury patients from a propensity score-based analysis of a prospective cohort. <i>PLoS ONE</i> , 2022, 17, e0268013. | 1.1 | 8 |
| 6219 | Survival From Pediatric Out-of-Hospital Cardiac Arrest During Nights and Weekends. <i>JACC Asia</i> , 2022, 2, 433-443. | 0.5 | 8 |
| 6220 | The Cerebrospinal Fluid Proteomic Response to Traumatic and Nontraumatic Acute Brain Injury: A Prospective Study. <i>Neurocritical Care</i> , 2022, 37, 463-470. | 1.2 | 4 |
| 6221 | Association between inflammatory markers and survival in comatose, resuscitated out-of-hospital cardiac arrest patients. <i>Scandinavian Cardiovascular Journal</i> , 2022, 56, 85-90. | 0.4 | 4 |
| 6222 | Clinical Characteristics of Hydrocephalus Following the Treatment of Pyogenic Ventriculitis Caused by Multi/Extensive Drug-Resistant Gram-Negative Bacilli, <i>Acinetobacter Baumannii</i> , and <i>Klebsiella Pneumoniae</i> . <i>Frontiers in Surgery</i> , 2022, 9, 854627. | 0.6 | 4 |
| 6223 | Psychophysiological Effects of Biographical Interventions in People With Unresponsive Wakefulness Syndrome and Minimally Conscious State. <i>Frontiers in Neurology</i> , 2022, 13, . | 1.1 | 0 |
| 6224 | Accuracy of head computed tomography scoring systems in predicting outcomes for patients with moderate to severe traumatic brain injury: A ProTECT III ancillary study. <i>Neuroradiology Journal</i> , 2023, 36, 38-48. | 0.6 | 4 |
| 6225 | Neuroimaging and neurological outcome of children with acute encephalitis. <i>Developmental Medicine and Child Neurology</i> , 2022, 64, 1262-1269. | 1.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 6226 | Does the Type of Surgery in Brain Abscess Patients Influence the Outcome? Analysis Based on the Propensity Score Method. <i>Acta Clinica Croatica</i> , 2021, , . | 0.1 | 2 |
| 6229 | Discrepancy between disability and reported well-being after traumatic brain injury. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2022, 93, 785-796. | 0.9 | 6 |
| 6230 | Pediatric Traumatic Brain Injury: An Update on Preclinical Models, Clinical Biomarkers, and the Implications of Cerebrovascular Dysfunction. <i>Journal of Central Nervous System Disease</i> , 2022, 14, 117957352210981. | 0.7 | 7 |
| 6231 | Emergency Craniotomy and Burr-Hole Trephination in a Low-Resource Setting: Capacity Building at a Regional Hospital in Cambodia. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6471. | 1.2 | 2 |
| 6232 | Neuropsychiatric disorders after severe traumatic brain injury: An overview. , 2022, , 71-83. | | 0 |
| 6233 | Post-coma syndrome in the context of severe acquired brain injury: Traumatic brain injury and beyond. , 2022, , 205-219. | | 0 |
| 6234 | Features of the World Health Organization Disability Assessment Schedule 2.0 and its applications for traumatic brain injury assessment. , 2022, , 223-231. | | 0 |
| 6235 | Prognostic properties of the association between the Sâ€100B protein levels and the mean cerebral blood flow velocity in patients diagnosed with severe traumatic brain injury. <i>Biomedical Reports</i> , 2022, 17, . | 0.9 | 1 |
| 6236 | Characterizing Profiles of TBI Severity: Predictors of Functional Outcomes and Well-Being. <i>Journal of Head Trauma Rehabilitation</i> , 2023, 38, E65-E78. | 1.0 | 4 |
| 6238 | Long-term neuro-functional disability in adult patients with community-acquired bacterial meningitis. <i>Infection</i> , 2022, 50, 1363-1372. | 2.3 | 1 |
| 6242 | Welche Aussagekraft besitzen die gelÃufigen psychodiagnostischen Testverfahren fÃ¼r den Nachweis eines organischen Hirnschadens?. <i>Archiv Fur Psychiatrie Und Nervenkrankheiten</i> , 1979, 227, 109-120. | 0.6 | 3 |
| 6245 | Posterior midline approach to odontoidectomy: A novel method to treat basilar invagination. <i>Journal of Craniovertebral Junction and Spine</i> , 2022, 13, 146. | 0.4 | 0 |
| 6246 | A Prospective Comparative Evaluation of Surgery and Conservative Treatment for Compound Depressed Skull Fractures. <i>World Neurosurgery</i> , 2022, 164, e1281-e1289. | 0.7 | 2 |
| 6247 | Prehospital ABC (Age, Bystander and Cardiogram) scoring system to predict neurological outcomes of cardiopulmonary arrest on arrival: post hoc analysis of a multicentre prospective observational study. <i>Emergency Medicine Journal</i> , 2023, 40, 42-47. | 0.4 | 2 |
| 6248 | Prognostic Significance of The Blood Urea Nitrogen to Creatinine Ratio in In-Hospital Cardiac Arrest after Targeted Temperature Management. <i>Journal of the Chinese Medical Association</i> , 0, Publish Ahead of Print, . | 0.6 | 1 |
| 6249 | C-Terminal Proarginine Vasopressin is Associated with Disease Outcome and Mortality, but not with Delayed Cerebral Ischemia in Critically Ill Patients with an Aneurysmal Subarachnoid Hemorrhage: A Prospective Cohort Study. <i>Neurocritical Care</i> , 0, , . | 1.2 | 0 |
| 6250 | Longâ€term effects of lower versus higher oxygenation levels in adult <sc>ICU</sc> patientsâ€A systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 910-922. | 0.7 | 4 |
| 6251 | Extracorporeal cardiopulmonary resuscitation with temperature management could improve the neurological outcomes of out-of-hospital cardiac arrest: a retrospective analysis of a nationwide multicenter observational study in Japan. <i>Journal of Intensive Care</i> , 2022, 10, . | 1.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6252 | Treatment during cerebral vasospasm phaseâ€” complication association and outcome in aneurysmal subarachnoid haemorrhage. <i>Journal of Neurology</i> , 0, , . | 1.8 | 1 |
| 6253 | Guideline of clinical neurorestorative treatment for brain trauma (2022â€”China version). <i>Journal of Neurorestoratology</i> , 2022, 10, 100005. | 1.1 | 6 |
| 6254 | Headaches in Traumatic Brain Injury: Improvement Over Time, Associations With Quality of Life, and Impact of Migraine-Type Headaches. <i>Journal of Head Trauma Rehabilitation</i> , 0, Publish Ahead of Print, . | 1.0 | 1 |
| 6255 | A national effort to improve outcomes for in-hospital cardiac arrest in China: The BASeline Investigation of Cardiac Arrest (BASIC-IHCA). <i>Resuscitation Plus</i> , 2022, 11, 100259. | 0.6 | 8 |
| 6256 | DOES ADHERENCE TO TREATMENT TARGETS IN CHILDREN WITH SEVERE TRAUMATIC BRAIN INJURY AVOID BRAIN HYPOXIA? A BRAIN TISSUE OXYGENATION STUDY. <i>Neurosurgery</i> , 2008, 63, 83-92. | 0.6 | 8 |
| 6257 | Incidence and characteristics of physical disabilities in patients with postconcussion syndrome following mTBI. <i>Medicine (United States)</i> , 2022, 101, e29784. | 0.4 | 1 |
| 6258 | The Outcomes of In-hospital Cardiopulmonary Resuscitation: A Cross-sectional Study in Iran. <i>Journal of Clinical Research in Paramedical Sciences</i> , 2022, 11, . | 0.1 | 4 |
| 6259 | High Expression of PDK4 Could Play a Potentially Protective Role by Attenuating Oxidative Stress after Subarachnoid Hemorrhage. <i>Journal of Clinical Medicine</i> , 2022, 11, 3974. | 1.0 | 3 |
| 6260 | Differences in self-reported health between cardiac arrest survivors with good cerebral performance and survivors with moderate cerebral disability: a nationwide register study. <i>BMJ Open</i> , 2022, 12, e058945. | 0.8 | 5 |
| 6261 | Effect of inotropic agents on oxygenation and cerebral perfusion in acute brain injury. <i>Frontiers in Neurology</i> , 0, 13, . | 1.1 | 4 |
| 6262 | Brain Tissue Oxygenation-Guided Therapy and Outcome in Traumatic Brain Injury: A Single-Center Matched Cohort Study. <i>Brain Sciences</i> , 2022, 12, 887. | 1.1 | 4 |
| 6263 | Functional dependence among stroke survivors: A concept analysis. <i>Nursing Forum</i> , 0, , . | 1.0 | 0 |
| 6264 | Dynamic prediction of mortality after traumatic brain injury using a machine learning algorithm. <i>Npj Digital Medicine</i> , 2022, 5, . | 5.7 | 14 |
| 6265 | TREATMENT OF GIANT MIDDLE CEREBRAL ARTERY ANEURYSMS WITH A FLOW REPLACEMENT BYPASS USING THE EXCIMER LASER-ASSISTED NONOCCLUSIVE ANASTOMOSIS TECHNIQUE. <i>Neurosurgery</i> , 2008, 63, 12-22. | 0.6 | 14 |
| 6267 | FEASIBILITY AND LIMITATIONS OF ENDOVASCULAR COIL EMBOLIZATION OF ANTERIOR COMMUNICATING ARTERY ANEURYSMS. <i>Neurosurgery</i> , 2006, 59, 43-52. | 0.6 | 8 |
| 6268 | The endogenous neuropeptide calcitonin gene-related peptide after spontaneous subarachnoid hemorrhageâ€”A potential psychoactive prognostic serum biomarker of pain-associated neuropsychological symptoms. <i>Frontiers in Neurology</i> , 0, 13, . | 1.1 | 1 |
| 6269 | Comparative analysis of the results of endoscopic surgery and external ventricular drainage in patients with intraventricular hemorrhage. <i>Russian Journal of Neurosurgery</i> , 2022, 24, 25-34. | 0.1 | 1 |
| 6270 | Arterial and venous vascular complications in patients requiring peripheral venoarterial extracorporeal membrane oxygenation. <i>Frontiers in Medicine</i> , 0, 9, . | 1.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 6271 | Blood-Pressure Targets in Comatose Survivors of Cardiac Arrest. <i>New England Journal of Medicine</i> , 2022, 387, 1456-1466. | 13.9 | 93 |
| 6272 | Surgical Management among Patients with Spontaneous Supratentorial Intracerebral Haemorrhage Admitted in a Tertiary Care Centre: A Descriptive Cross-sectional Study. <i>Journal of the Nepal Medical Association</i> , 2022, 60, 697-701. | 0.1 | 0 |
| 6273 | Serum Levels of Myo-inositol Predicts Clinical Outcome 1 Year After Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2022, 91, 790-798. | 0.6 | 3 |
| 6274 | Prevalence and outcomes of patients developing heparin-induced thrombocytopenia during extracorporeal membrane oxygenation. <i>PLoS ONE</i> , 2022, 17, e0272577. | 1.1 | 8 |
| 6275 | Clinical Value of TCCD for Evaluating the Prognosis of Patients with Severe Traumatic Brain Injury After Large Decompressive Craniectomy: A Retrospective Study. <i>Advances in Therapy</i> , 0, , . | 1.3 | 0 |
| 6276 | Evaluation of abdominal compressionâ€“decompression combined with chest compression CPR performed by a new device: Is the prognosis improved after this combination CPR technique?. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2022, 30, . | 1.1 | 1 |
| 6277 | Pre-Injury Antiplatelet Therapy and Risk of Adverse Outcomes after Traumatic Brain Injury: A Systematic Review and Meta-Analysis. <i>Neurotrauma Reports</i> , 2022, 3, 308-320. | 0.5 | 6 |
| 6278 | Clinical Characteristics and Outcome of Patients with Multiple Intracranial Aneurysms from a University Hospital in Nepal. <i>Journal of Innovative Optical Health Sciences</i> , 0, , . | 0.5 | 1 |
| 6279 | Neurofilament light chain in central nervous system infections: a prospective study of diagnostic accuracy. <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 3 |
| 6280 | Traumatic brain injury in the elderly after a skiing accident: A retrospective cohort study in a level 1 emergency department in Switzerland. <i>PLoS ONE</i> , 2022, 17, e0273168. | 1.1 | 2 |
| 6281 | The relationship between non-aneurysmal spontaneous subarachnoid hemorrhage and basilar tip anatomy. <i>Journal of Cerebrovascular and Endovascular Neurosurgery</i> , 0, , . | 0.2 | 0 |
| 6282 | Epidemiology of out-of-hospital cardiac arrests caused by anaphylaxis and factors associated with outcomes: an observational study. <i>BMJ Open</i> , 2022, 12, e062877. | 0.8 | 1 |
| 6283 | Comparison of the prognostic value of coma scales among health-care professionals: a prospective observational study. <i>Acta Neurologica Belgica</i> , 0, , . | 0.5 | 1 |
| 6284 | Long-Term Outcomes of Patients with Primary Brain Tumors after Acute Rehabilitation: A Retrospective Analyses of Factors. <i>Life</i> , 2022, 12, 1208. | 1.1 | 2 |
| 6285 | Clinical effectiveness of nimodipine for the prevention of poor outcome after aneurysmal subarachnoid hemorrhage: A systematic review and meta-analysis. <i>Frontiers in Neurology</i> , 0, 13, . | 1.1 | 2 |
| 6286 | Suicide Attempts Assisted By Firefighters According to Traumatic Brain Injury. , 0, , . | | 0 |
| 6287 | Blood Pressure Variability and Outcome in Traumatic Brain Injury: A Propensity Score Matching Study. <i>Western Journal of Emergency Medicine</i> , 2022, 23, 769-780. | 0.6 | 0 |
| 6288 | Neurotrauma: a burgeoning, yet understudied disease of rural areas in developing countries. <i>Journal of Neurosurgery</i> , 2022, , 1-8. | 0.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6289 | The S-100B level, intracranial pressure, body temperature, and transcranial blood flow velocities predict the outcome of the treatment of severe brain injury. <i>Medicine (United States)</i> , 2022, 101, e30348. | 0.4 | 1 |
| 6290 | Continuous lumbar drainage after aneurysmal subarachnoid hemorrhage decreased malondialdehyde in cerebrospinal fluid and improved outcome. <i>Journal of the Formosan Medical Association</i> , 2023, 122, 164-171. | 0.8 | 2 |
| 6291 | Acute seizure risk in patients with encephalitis: development and validation of clinical prediction models from two independent prospective multicentre cohorts. <i>BMJ Neurology Open</i> , 2022, 4, e000323. | 0.7 | 1 |
| 6292 | Intra- and post-operative acute hemorrhagic complications of Onyx embolization of brain arteriovenous malformations: A single-center experience. <i>Frontiers in Neurology</i> , 0, 13, . | 1.1 | 1 |
| 6293 | Association between cerebrovascular reactivity in adult traumatic brain injury and improvement in patient outcome over time: an exploratory analysis. <i>Acta Neurochirurgica</i> , 2022, 164, 3107-3118. | 0.9 | 4 |
| 6294 | Clinical characteristics of patients with cardiac arrest induced by pesticide poisoning: Analysis of 15 cases. <i>Medicina Clínica</i> , 2022, 159, 543-548. | 0.3 | 3 |
| 6295 | Made to measure—Selecting outcomes in aneurysmal subarachnoid hemorrhage research. <i>Frontiers in Neurology</i> , 0, 13, . | 1.1 | 1 |
| 6296 | One and Done Epinephrine in Out-of-Hospital Cardiac Arrest? Outcomes in a Multiagency United States Study. <i>Prehospital Emergency Care</i> , 2023, 27, 751-757. | 1.0 | 1 |
| 6297 | Autologous Free Fascia Lata Can Be Used as Dura Graft in the Salvage Treatment of Recalcitrant Postcraniotomy Intracranial Infection Caused by Multidrug-Resistant Gram-Negative Bacteria. <i>Infection and Drug Resistance</i> , 0, Volume 15, 5667-5677. | 1.1 | 1 |
| 6298 | Infectious encephalitis in elderly patients: a prospective multicentre observational study in France 2016–2019. <i>Infection</i> , 0, , . | 2.3 | 1 |
| 6299 | Time Course and Clinical Significance of Hematoma Expansion in Moderate-to-Severe Traumatic Brain Injury: An Observational Cohort Study. <i>Neurocritical Care</i> , 2023, 38, 60-70. | 1.2 | 5 |
| 6300 | Spontaneous Hyperventilation Is Common in Patients with Spontaneous Cerebellar Hemorrhage, and Its Severity Is Associated with Outcome. <i>Journal of Clinical Medicine</i> , 2022, 11, 5564. | 1.0 | 0 |
| 6301 | Funnel plots a graphical instrument for the evaluation of population performance and quality of trauma care: a blueprint of implementation. <i>European Journal of Trauma and Emergency Surgery</i> , 2023, 49, 513-522. | 0.8 | 2 |
| 6302 | Ventriculosubgaleal shunting for spontaneous intraventricular haemorrhage: is it a good alternative to external ventricular drainage?. <i>Egyptian Journal of Neurology, Psychiatry and Neurosurgery</i> , 2022, 58, . | 0.4 | 0 |
| 6303 | Long-Term Outcomes for Out-of-Hospital Cardiac Arrest in Elderly Patients: An Analysis of Cardiac Arrest Registry to Enhance Survival Data Linked to Medicare Files. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2022, 15, . | 0.9 | 4 |
| 6304 | Low-Flow Duration and Outcomes of Extracorporeal Cardiopulmonary Resuscitation in Adults With In-Hospital Cardiac Arrest: A Nationwide Inpatient Database Study*. <i>Critical Care Medicine</i> , 2022, 50, 1768-1777. | 0.4 | 6 |
| 6306 | Post-intensive care syndrome in out-of-hospital cardiac arrest patients: A prospective observational cohort study. <i>PLoS ONE</i> , 2022, 17, e0276011. | 1.1 | 8 |
| 6307 | A summary of common grading systems used in neurosurgical practice. , 0, 13, 497. | | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6308 | Strategies of Advanced Airway Management in Out-of-Hospital Cardiac Arrest during Intra-Arrest Hypothermia: Insights from the PRINCESS Trial. <i>Journal of Clinical Medicine</i> , 2022, 11, 6370. | 1.0 | 1 |
| 6309 | A Genome-Wide Association Study of Outcome After Aneurysmal Subarachnoid Haemorrhage: Discovery Analysis. <i>Translational Stroke Research</i> , 2023, 14, 681-687. | 2.3 | 1 |
| 6310 | Effect of Lower vs Higher Oxygen Saturation Targets on Survival to Hospital Discharge Among Patients Resuscitated After Out-of-Hospital Cardiac Arrest. <i>JAMA - Journal of the American Medical Association</i> , 2022, 328, 1818. | 3.8 | 58 |
| 6311 | Exploring the measurement of pediatric cognitive-communication disorders in traumatic brain injury research: A scoping review. <i>Brain Injury</i> , 2022, 36, 1207-1227. | 0.6 | 0 |
| 6312 | Characteristics and outcome of traumatic cardiac arrest at a level 1 trauma centre over 10 years in Sweden. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2022, 30, . | 1.1 | 8 |
| 6313 | The predictors of hyperglycemia and its effects on neurological outcome in the patients with aneurysmal subarachnoid hemorrhage undergoing surgical clipping: A prospective observational study. , 0, 13, 471. | | 0 |
| 6314 | Trends in Neurotrauma Epidemiology, Management, and Outcomes During the COVID-19 Pandemic in Kigali, Rwanda. <i>Journal of Neurotrauma</i> , 0, , . | 1.7 | 0 |
| 6315 | Outcome after veno-arterial extracorporeal membrane oxygenation in elderly patients: a 14-year single-center experience. <i>Artificial Organs</i> , 0, , . | 1.0 | 1 |
| 6316 | Temperature Control After In-Hospital Cardiac Arrest: A Randomized Clinical Trial. <i>Circulation</i> , 2022, 146, 1357-1366. | 1.6 | 37 |
| 6317 | Outcome after veno-venous extracorporeal membrane oxygenation in elderly compared to younger patients: A 14-year retrospective observational study. <i>Artificial Organs</i> , 2023, 47, 882-890. | 1.0 | 3 |
| 6318 | Pediatric Critical Care Outcomes. <i>Critical Care Clinics</i> , 2023, 39, 309-326. | 1.0 | 6 |
| 6319 | Evidence-based interconversion of the Glasgow Outcome and modified Rankin scales: pitfalls and best practices. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022, 31, 106845. | 0.7 | 1 |
| 6320 | Survivors with bad outcome after hypoxic-ischemic encephalopathy: full-term neonates compare unfavourably with children. <i>Swiss Medical Weekly</i> , 0, , . | 0.8 | 2 |
| 6322 | Outcome Prediction of Unconscious Patients Based on Weighted Sparse Brain Network Construction. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2023, 27, 469-479. | 3.9 | 2 |
| 6323 | Correlation between arteriovenous malformation nidus size and intraparenchymal hematoma volume in the event of rupture. <i>Brain and Spine</i> , 2022, 2, 101663. | 0.0 | 2 |
| 6324 | Classification of neurologic outcomes from medical notes using natural language processing. <i>Expert Systems With Applications</i> , 2023, 214, 119171. | 4.4 | 2 |
| 6325 | A Machine Learning-Based Approach to Predict Prognosis and Length of Hospital Stay in Adults and Children With Traumatic Brain Injury: Retrospective Cohort Study. <i>Journal of Medical Internet Research</i> , 2022, 24, e41819. | 2.1 | 8 |
| 6326 | Vertex epidural hematoma: Diagnosis, therapeutic consideration and outcome. <i>Injury</i> , 2023, 54, 87-92. | 0.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6327 | The impact of early surgical treatment of tracheal stenosis on neurorehabilitation outcome in patients with severe acquired brain injury. <i>Brain Injury</i> , 2023, 37, 74-82. | 0.6 | 1 |
| 6328 | Seizures in adults with suspected central nervous system infection. <i>BMC Neurology</i> , 2022, 22, . | 0.8 | 4 |
| 6329 | Determinants of Quality of Life after Pediatric Traumatic Brain Injury. <i>Journal of Pediatric Intensive Care</i> , 0, , . | 0.4 | 0 |
| 6330 | Cerebrospinal Fluid Lactate and Glucose Levels as Predictors of Symptomatic Delayed Cerebral Ischemia in Patients with Aneurysmal Subarachnoid Hemorrhage. <i>World Neurosurgery</i> , 2023, 170, e596-e602. | 0.7 | 4 |
| 6331 | Target Temperature Management Following Pediatric Cardiac Arrest: A Systematic Review and Network Meta-Analysis to Compare the Effectiveness of the Length of Therapeutic Hypothermia. <i>Cureus</i> , 2022, , . | 0.2 | 1 |
| 6334 | Is there a weekend effect on mortality rate and outcome for moderate and severe traumatic brain injury? A population-based, observational cohort study. <i>Brain and Spine</i> , 2022, 2, 101699. | 0.0 | 4 |
| 6335 | A more conservative test of sex differences in the treatment and outcome of in-hospital cardiac arrest. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2023, 58, 191-197. | 0.8 | 0 |
| 6336 | Clinical (Mis)Judgments of Quality of Life after Disability. <i>Journal of Clinical Ethics</i> , 2004, 15, 300-307. | 0.1 | 20 |
| 6337 | Early-start antiplatelet therapy after operation in patients with spontaneous intracerebral hemorrhage and high risk of ischemic events (E-start): Protocol for a multi-centered, prospective, open-label, blinded endpoint randomized controlled trial. <i>Frontiers in Aging Neuroscience</i> , 0, 14, . | 1.7 | 0 |
| 6338 | Double sequential external defibrillation versus standard defibrillation in refractory ventricular fibrillation: A systematic review and meta-analysis. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, . | 1.1 | 2 |
| 6339 | Nomogram for Early Prediction of Outcome in Coma Patients with Severe Traumatic Brain Injury Receiving Right Median Nerve Electrical Stimulation Treatment. <i>Journal of Clinical Medicine</i> , 2022, 11, 7529. | 1.0 | 1 |
| 6340 | Predicting neurological outcome in adult patients with cardiac arrest: systematic review and meta-analysis of prediction model performance. <i>Critical Care</i> , 2022, 26, . | 2.5 | 10 |
| 6341 | Endoscopic surgery for spontaneous supratentorial intracerebral haemorrhage: A systematic review and meta-analysis. <i>Frontiers in Neurology</i> , 0, 13, . | 1.1 | 2 |
| 6342 | Effect of Comorbidities on the Outcome of Patients with Aneurysmal Subarachnoid Hemorrhage: A Prospective Observational Study. <i>Journal of Neuroanaesthesiology and Critical Care</i> , 2022, 09, 142-148. | 0.1 | 1 |
| 6343 | Bacterial ribosomal RNA detection in cerebrospinal fluid using a viromics approach. <i>Fluids and Barriers of the CNS</i> , 2022, 19, . | 2.4 | 0 |
| 6344 | Clinical characteristics of patients with cardiac arrest induced by pesticide poisoning: Analysis of 15 cases. <i>Medicina Clínica (English Edition)</i> , 2022, 159, 543-548. | 0.1 | 0 |
| 6345 | Surgery for spontaneous supratentorial intracerebral haemorrhage. <i>The Cochrane Library</i> , 2022, . | 1.5 | 0 |
| 6346 | Neutrophil-lymphocyte ratio as a predictor of outcome following traumatic brain injury: Systematic review and meta-analysis. <i>Journal of Neurosciences in Rural Practice</i> , 0, 13, 618-635. | 0.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6347 | Comparison of 4-factor prothrombin complex concentrate and andexanet alfa for reversal of apixaban and rivaroxaban in the setting of intracranial hemorrhage. <i>Journal of Thrombosis and Thrombolysis</i> , 2023, 55, 519-526. | 1.0 | 4 |
| 6348 | Transcutaneous auricular vagus nerve stimulation in disorders of consciousness: A mini-narrative review. <i>Medicine (United States)</i> , 2022, 101, e31808. | 0.4 | 3 |
| 6349 | Posturographic Measurement of Body Sway in Survivors of Severe Closed Head Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 1993, 74, 1151-1156. | 0.5 | 37 |
| 6350 | Assessing Cognitive Outcomes in Coma Survivors: A Literature Review. <i>Brain Sciences</i> , 2023, 13, 96. | 1.1 | 1 |
| 6351 | Clinical Burden of Angiographic Vasospasm and Its Complications After Aneurysmal Subarachnoid Hemorrhage: A Systematic Review. <i>Neurology and Therapy</i> , 2023, 12, 371-390. | 1.4 | 1 |
| 6352 | Association of Extravascular Leakage on Computed Tomography Angiography with Fibrinogen Levels at Admission in Patients with Traumatic Brain Injury. <i>Neurotrauma Reports</i> , 2023, 4, 3-13. | 0.5 | 2 |
| 6353 | Long term effects of severe acquired brain injury: A follow-up investigation on the role of cognitive reserve on cognitive outcomes. <i>Applied Neuropsychology Adult</i> , 0, , 1-6. | 0.7 | 2 |
| 6355 | The effect of shunt removal on the quality of life in patients with congenital hydrocephalus. <i>Child's Nervous System</i> , 0, , . | 0.6 | 0 |
| 6356 | Relationship between health-related quality-of-life and functional outcome 6 months after moderate to severe TBI. <i>Annals of Physical and Rehabilitation Medicine</i> , 2023, 66, 101715. | 1.1 | 0 |
| 6357 | Outcomes of Patients With in- and out-of-hospital Cardiac Arrest on Extracorporeal Cardiopulmonary Resuscitation: A Single-center Retrospective Cohort Study. <i>Current Problems in Cardiology</i> , 2023, 48, 101578. | 1.1 | 4 |
| 6358 | Duration between aneurysm rupture and treatment and its association with outcome in aneurysmal subarachnoid haemorrhage. <i>Scientific Reports</i> , 2023, 13, . | 1.6 | 1 |
| 6359 | Targeted Temperature Management in Pediatric Traumatic Brain Injury: A Systematic Review and Network Meta-Analysis. <i>World Neurosurgery</i> , 2023, , . | 0.7 | 0 |
| 6360 | Surgical Management in Herpes Simplex Encephalitis: Illustrative Case Report and Systematic Review of the Literature. <i>Neurosurgery</i> , 2023, 92, 915-933. | 0.6 | 0 |
| 6362 | Epidemiology, Outcomes, and Costs of Pediatric Traumatic Brain Injury Treated in the ICU. <i>Annual Update in Intensive Care and Emergency Medicine</i> , 2023, , 453-466. | 0.1 | 0 |
| 6363 | Rapid response EEG with needle electrodes in an intensive care unit with limited resources. <i>Clinical Neurophysiology Practice</i> , 2023, 8, 44-48. | 0.6 | 0 |
| 6364 | Self-processing in coma, unresponsive wakefulness syndrome and minimally conscious state. <i>Frontiers in Human Neuroscience</i> , 0, 17, . | 1.0 | 1 |
| 6365 | A comparison of clinical assessment with common diagnostic tools for monitoring concussion recovery in adolescent rugby union players. <i>Physical Therapy in Sport</i> , 2023, 61, 165-171. | 0.8 | 1 |
| 6366 | Long-term survival, functional capacity and quality of life after refractory out-of-hospital cardiac arrest treated with mechanical circulatory support. <i>Resuscitation Plus</i> , 2023, 14, 100387. | 0.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6367 | Advanced airway management for pediatric out-of-hospital cardiac arrest: A systematic review and network meta-analysis. <i>American Journal of Emergency Medicine</i> , 2023, 68, 161-169. | 0.7 | 3 |
| 6368 | Lumbar puncture for treating acute hydrocephalus after aneurysmal subarachnoid haemorrhage. <i>Journal of the Neurological Sciences</i> , 2023, 446, 120566. | 0.3 | 1 |
| 6369 | Sudden Cardiac Arrests in the Polish Tatra Mountains: A Retrospective Study. <i>Wilderness and Environmental Medicine</i> , 2023, 34, 128-134. | 0.4 | 1 |
| 6370 | Association between the types of bystander cardiopulmonary resuscitation and the survival with good neurologic outcome of preschool pediatric out-of-hospital cardiac arrest cases in Japan: A propensity score matching analysis using an extended nationwide database. <i>Frontiers in Pediatrics</i> , 0, 10, . | 0.9 | 3 |
| 6371 | The Possible Role of Apathy on Conflict Monitoring: Preliminary Findings of a Behavioral Study on Severe Acquired Brain Injury Patients Using Flanker Tasks. <i>Brain Sciences</i> , 2023, 13, 298. | 1.1 | 1 |
| 6372 | Aneurysmal Subarachnoid Hemorrhage in Hospitalized Patients on Anticoagulantsâ€”A Two Center Matched Case-Control Study. <i>Journal of Clinical Medicine</i> , 2023, 12, 1476. | 1.0 | 1 |
| 6373 | Outcome measures in neurosurgery: Is a unified approach better? A literature review. , 0, 14, 61. | | 0 |
| 6374 | A Long Short-Term Memory Network Using Resting-State Electroencephalogram to Predict Outcomes Following Moderate Traumatic Brain Injury. <i>Computers</i> , 2023, 12, 45. | 2.1 | 1 |
| 6375 | Plasma neurofilament light is a predictor of neurological outcome 12Âh after cardiac arrest. <i>Critical Care</i> , 2023, 27, . | 2.5 | 7 |
| 6376 | Intestinal injury in cardiac arrest is associated with multiple organ dysfunction: A prospective cohort study. <i>Resuscitation</i> , 2023, 185, 109748. | 1.3 | 0 |
| 6377 | Early Factors Predictive of Extreme High and Low Life Satisfaction 10 Years Postâ€”Moderate to Severe Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2023, 38, 448-457. | 1.0 | 1 |
| 6378 | Duret Brainstem Hemorrhage After Transtentorial Descending Brain Herniation: A Systematic Review and Meta-Analysis. <i>World Neurosurgery</i> , 2023, 173, 251-262.e4. | 0.7 | 3 |
| 6379 | Hippocampal vulnerability to hyperhomocysteinemia worsens pathological outcomes of mild traumatic brain injury in rats. <i>Journal of Central Nervous System Disease</i> , 2023, 15, 117957352311600. | 0.7 | 1 |
| 6380 | Association between the extent of diffusion restriction on brain diffusion-weighted imaging and neurological outcomes after an out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2023, 187, 109761. | 1.3 | 3 |
| 6381 | Elevated levels of several chemokines in the cerebrospinal fluid of patients with subarachnoid hemorrhage are associated with worse clinical outcome. <i>PLoS ONE</i> , 2023, 18, e0282424. | 1.1 | 1 |
| 6382 | â€œIâ€™ve never experienced this before, I donâ€™t know what I needâ€” a qualitative study on social support and self-care during the first year after an aneurysmal subarachnoid hemorrhage. <i>Disability and Rehabilitation</i> , 2024, 46, 931-938. | 0.9 | 0 |
| 6383 | Tracking auditory mismatch negativity responses during full conscious state and coma. <i>Frontiers in Neurology</i> , 0, 14, . | 1.1 | 0 |
| 6384 | Risk factors and pathogen characteristics associated with unfavorable outcomes among adults with pneumococcal meningitis in Japan, 2006 to 2016. <i>Journal of Infection and Chemotherapy</i> , 2023, , . | 0.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6385 | Clinical Analysis of Poor Outcomes After Surgery for Aneurysmal Subarachnoid Hemorrhage in Guizhou, China. <i>World Neurosurgery</i> , 2023, 173, e766-e777. | 0.7 | 0 |
| 6386 | Clinical features and prognostic factors in adults with viral meningitis. <i>Brain</i> , 2023, 146, 3816-3825. | 3.7 | 7 |
| 6387 | Adverse events associated with microsurgical treatment for ruptured intracerebral aneurysms: a prospective nationwide study on subarachnoid haemorrhage in Sweden. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2023, 94, 575-580. | 0.9 | 3 |
| 6388 | Prognostication and Goals of Care Decisions in Severe Traumatic Brain Injury: A Survey of The Seattle International Severe Traumatic Brain Injury Consensus Conference Working Group. <i>Journal of Neurotrauma</i> , 2023, 40, 1707-1717. | 1.7 | 8 |
| 6389 | Endothelial nitric oxide synthase rs1799983 gene polymorphism is associated with the risk of developing intracranial aneurysm. <i>Acta Neurochirurgica</i> , 0, , . | 0.9 | 0 |
| 6390 | In perspective: the patient at the heart of research in acute cardiovascular care. <i>European Heart Journal: Acute Cardiovascular Care</i> , 0, , . | 0.4 | 0 |
| 6392 | Characteristics and Outcomes of Emergency Transferred Patients with Foreign Body Airway Obstruction in Tokyo, Japan. <i>Prehospital and Disaster Medicine</i> , 2023, 38, 326-331. | 0.7 | 1 |
| 6393 | Clinical Assessment in the Neurocritical Care Unit. , 2013, , 84-98.e3. | | 0 |
| 6394 | Systemic immune-inflammation index may predict the acute kidney injury and prognosis in patients with spontaneous cerebral hemorrhage undergoing craniotomy: a single-center retrospective study. <i>BMC Nephrology</i> , 2023, 24, . | 0.8 | 3 |
| 6395 | Impact of early percutaneous dilatative tracheostomy in patients with subarachnoid hemorrhage on main cerebral, hemodynamic, and respiratory variables: A prospective observational study. <i>Frontiers in Neurology</i> , 0, 14, . | 1.1 | 0 |
| 6396 | Cerebro-spinal fluid glucose and lactate concentrations changes in response to therapies in patients with primary brain injury: the START-TRIP study. <i>Critical Care</i> , 2023, 27, . | 2.5 | 1 |
| 6397 | Epileptiform patterns predicting unfavorable outcome in postanoxic patients: A matter of time?. <i>Neurophysiologie Clinique</i> , 2023, 53, 102860. | 1.0 | 0 |
| 6398 | External validation of the PROLOGUE score to predict neurological outcome in adult patients after cardiac arrest: a prospective cohort study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2023, 31, . | 1.1 | 5 |
| 6399 | Neuroprognostication in the Post Cardiac Arrest Patient: A Canadian Cardiovascular Society Position Statement. <i>Canadian Journal of Cardiology</i> , 2023, 39, 366-380. | 0.8 | 7 |
| 6400 | Incidence and risk factors of posttraumatic hydrocephalus and its association with outcome following intensive care unit treatment for traumatic brain injury: a multicenter observational study. <i>Journal of Neurosurgery</i> , 2023, , 1-10. | 0.9 | 0 |
| 6401 | PCO2 on arrival as a predictive biomarker in patients with out-of-hospital cardiac arrest. <i>American Journal of Emergency Medicine</i> , 2023, 69, 92-99. | 0.7 | 3 |
| 6402 | An assessment of midline shift as a prognostic parameter of neurological recovery following extradural haematoma. <i>International Journal of Clinical Practice</i> , 1988, 42, 203-206. | 0.8 | 0 |
| 6403 | Therapeutic effects of vasopressin on cardiac arrest: a systematic review and meta-analysis. <i>BMJ Open</i> , 2023, 13, e065061. | 0.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 6404 | Modeling outcome trajectories in patients with acquired brain injury using a non-linear dynamic evolution approach. Scientific Reports, 2023, 13, . | 1.6 | 1 |
| 6427 | Hypertonic Saline Versus Other Intracranial-Pressure-Lowering Agents for Patients with Acute Traumatic Brain Injury: A Systematic Review and Meta-analysis. Neurocritical Care, 0, , . | 1.2 | 3 |
| 6460 | Predicting neurologic recovery after severe acute brain injury using resting-state networks. Journal of Neurology, 2023, 270, 6071-6080. | 1.8 | 1 |
| 6499 | Head Injuries in Sports. , 2023, , 1-9. | | 0 |
| 6514 | EEG bei Hirnstammfunktionsst rungen und Koma. Sch del-Hirn-Trauma. , 2023, , 271-301. | | 0 |
| 6531 | Epidemiology of horse trauma: a literature review. European Journal of Trauma and Emergency Surgery, 0, , . | 0.8 | 0 |
| 6540 |   Rehabilitation Matters!   Physical Rehabilitation as an Essential Process Post-acute Trauma Care. , 2023, , 765-768. | | 0 |