

# STATISTICAL METHODS FOR ASSESSING AGREEMENT MEASUREMENT

Lancet, The

327, 307-310

DOI: [10.1016/s0140-6736\(86\)90837-8](https://doi.org/10.1016/s0140-6736(86)90837-8)

Citation Report

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 8  | Beat-by-beat monitoring of cardiac output with pressure recording analytical method. , 2005, , 425-436.  |     | 0         |
| 9  | An Introduction to High-Throughput Bioinformatics Data. , 2006, , 1-39.  |     | 4         |
| 10 | Statistical applications in dental anthropology. , 2008, , 35-68.  |     | 8         |
| 11 | A study on the use of a portable monitoring device (Somnocheck Micro) for the investigation and diagnosis of obstructive sleep apnoea in comparison with polysomnography. Pakistan Journal of Medical Sciences, 1969, 32, 471-5. | 0.3 | 7         |
| 12 | A NON-INVASIVE METHOD FOR MEASURING CARDIAC OUTPUT: THE EFFECT OF CHRISTMAS LUNCH. Lancet, The, 1986, 328, 1422-1424.  | 6.3 | 49        |
| 13 | REPEATABILITY OF ASEPSIS WOUND SCORING METHOD. Lancet, The, 1986, 327, 1208-1209.  | 6.3 | 28        |
| 14 | The peak flow whistle: a simple device for monitoring peak flow in children.. BMJ: British Medical Journal, 1986, 293, 1410-1410.  | 2.4 | 0         |
| 15 | Mercury hazards arising from the repair of sphygmomanometers.. BMJ: British Medical Journal, 1986, 293, 1409-1410.   | 2.4 | 12        |
| 16 | Finger systolic pressure: its use in screening for hypertension and monitoring.. BMJ: British Medical Journal, 1986, 293, 775-778.   | 2.4 | 8         |
| 17 | Cutaneous oxygen level in premature and term babies - comparison of different methods of measurement. Early Human Development, 1986, 14, 327-328.  | 0.8 | 0         |
| 19 | Comparison of electrocardiographic and echocardiographic measures of left ventricular hypertrophy in the assessment of aortic stenosis. Heart, 1986, 56, 106-106.  | 1.2 | 0         |
| 20 | Comparison of methods of measuring blood pressure.. Journal of Epidemiology and Community Health, 1986, 40, 274-277.   | 2.0 | 43        |
| 21 | Dr Dancy reply. Heart, 1986, 56, 106-106.  | 1.2 | 0         |
| 22 | Low cost carbon monoxide monitors in smoking assessment.. Thorax, 1986, 41, 886-887.   | 2.7 | 173       |
| 23 | Comparison of electrocardiographic and echocardiographic measures of left ventricular hypertrophy in the assessment of aortic stenosis. Heart, 1986, 56, 105-106.  | 1.2 | 0         |
| 24 | Non-invasive estimation of the mean pressure difference in aortic stenosis by Doppler ultrasound.. Heart, 1986, 56, 450-454.   | 1.2 | 6         |
| 25 | A comparison of direct and indirect measurements of oxygen delivery and consumption: The effects of prostacyclin in two human volunteers. Scandinavian Journal of Clinical and Laboratory Investigation, 1987, 47, 37-45.        | 0.6 | 9         |
| 26 | A new non-invasive estimation of the stenotic aortic valve area by pulsed Doppler mapping.. Heart, 1987, 57, 44-50.  | 1.2 | 20        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 27 | Cardiac stroke volume during exercise measured by Doppler echocardiography: comparison with the thermodilution technique and evaluation of reproducibility.. Heart, 1987, 58, 455-459.   | 1.2 | 33        |
| 28 | Thermal dye double indicator dilution measurement of lung water in man: comparison with gravimetric measurements.. Thorax, 1987, 42, 72-76.  | 2.7 | 55        |
| 29 | Clinical Neuroepidemiology. Archives of Neurology, 1987, 44, 1091.   | 4.9 | 47        |
| 30 | Monitoring Oxygenation. Chest, 1987, 91, 932.  | 0.4 | 1         |
| 31 | Doppler ultrasound in the assessment of severity of coarctation of the aorta and interruption of the aortic arch.. Heart, 1987, 57, 38-43.   | 1.2 | 61        |
| 32 | Measurement of milk intake by deuterium dilution.. Archives of Disease in Childhood, 1987, 62, 796-800.  | 1.0 | 23        |
| 33 | A comparison of the assessment of mitral valve area by continuous wave Doppler and by cross sectional echocardiography.. Heart, 1987, 57, 348-355.   | 1.2 | 9         |
| 34 | Radionuclide left ventricular ejection fraction: a comparison of three methods.. Heart, 1987, 57, 242-246.   | 1.2 | 55        |
| 35 | Comparative bronchial responses to hyperosmolar saline and methacholine in asthma.. Thorax, 1987, 42, 953-958.   | 2.7 | 36        |
| 36 | Evaluation of the turbine pocket spirometer.. Thorax, 1987, 42, 689-693.   | 2.7 | 32        |
| 37 | A comparison in neonatal piglets of model-dependent and model-independent methods for measuring glucose turnover. Clinical Physics and Physiological Measurement: an Official Journal of the Hospital Physicists' Association, Deutsche Gesellschaft Fur Medizinische Physik and the European Federation of Organisations for Medical Physics, 1987, 8, 355-365. | 0.5 | 1         |
| 38 | An automated enzymic micromethod for the measurement of fat in human milk. Journal of Dairy Research, 1987, 54, 487-492.   | 0.7 | 9         |
| 39 | PSYCHOPHYSICAL MEASUREMENT OF THE FOVEAL AVASCULAR ZONE. Ophthalmic and Physiological Optics, 1987, 7, 405-410.  | 1.0 | 22        |
| 40 | The quality of ultrasound telemetry fetal heart rate records. Journal of Obstetrics and Gynaecology, 1987, 8, 12-15.   | 0.4 | 1         |
| 41 | A study of the human immune response to Lolium perenne (rye) pollen and its components, Lol p I and Lol p II (Rye I and Rye II). Journal of Allergy and Clinical Immunology, 1987, 80, 646-655.  | 1.5 | 22        |
| 42 | The influence of signal loss on the comparison between computer analyses of the fetal heart rate in labour using pulsed doppler ultrasound (with autocorrelation) and simultaneous scalp electrocardiogram. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1987, 25, 29-34.  | 0.5 | 22        |
| 43 | Reproducibility of intravenous linear pharmacokinetic parameters of ethanol in dogs. Alcohol, 1987, 4, 77-79.  | 0.8 | 2         |
| 44 | The use of sodium para-aminohippurate (PAH) as a marker of the completeness of urine collections: Studies in patients receiving total parenteral nutrition. Clinical Nutrition, 1987, 6, 267-275.  | 2.3 | 6         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 45 | EVALUATION OF A NEW BLOOD GLUCOSE METER. <i>Lancet, The</i> , 1987, 329, 1205-1206.  | 6.3 | 2         |
| 47 | Computer based system for assessing dietary intake. <i>BMJ: British Medical Journal</i> , 1987, 295, 785-785.  | 2.4 | 0         |
| 48 | Rapid assessment of ventilation by measurement of carbon dioxide elimination during high-frequency ventilation of kittens. <i>Pediatric Pulmonology</i> , 1987, 3, 406-412.  | 1.0 | 1         |
| 49 | Quantitative assessment of the density of neurofibrillary tangles and senile plaques in senile dementia of the Alzheimer type. Comparison of immunocytochemistry with a specific antibody and Bodian's protargol method. <i>Acta Neuropathologica</i> , 1987, 73, 167-170. | 3.9 | 78        |
| 50 | A simple method for the quantitation of <sup>14</sup> C-whole-body autoradiograms. <i>International Journal of Radiation Applications and Instrumentation Part A, Applied Radiation and Isotopes</i> , 1987, 38, 329-333.  | 0.5 | 39        |
| 51 | Accuracy of commercial 24-hour electrocardiogram analyzers for quantitation of total and repetitive ventricular arrhythmias. <i>American Journal of Cardiology</i> , 1987, 60, 1299-1305.  | 0.7 | 19        |
| 52 | Combined Doppler and echocardiographic measurement of cardiac output: theory and application in pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1987, 94, 1014-1027.  | 1.1 | 112       |
| 53 | Saliva oestriol, oestradiol, oestrone and progesterone levels in pregnancy: spontaneous labour at term is preceded by a rise in the saliva oestriol:progesterone ratio. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1987, 94, 227-235.           | 1.1 | 57        |
| 54 | Continuous display of plasma potassium during cardiac surgery. <i>Anaesthesia</i> , 1987, 42, 23-29.   | 1.8 | 5         |
| 55 | Intratracheal pressure during controlled ventilation in infants. <i>Anaesthesia</i> , 1987, 42, 1332-1333.   | 1.8 | 0         |
| 56 | Peak intratracheal pressure during controlled ventilation in infants and children.. <i>Anaesthesia</i> , 1987, 42, 719-726.  | 1.8 | 4         |
| 57 | The measurement of pain. <i>Bailliere's Clinical Rheumatology</i> , 1987, 1, 71-89.  | 1.0 | 30        |
| 58 | Non-immune Fab and Fc-mediated interactions of avian Ig with <i>S. aureus</i> and group C and G streptococci. <i>Apmis</i> , 1988, 96, 239-249.  | 0.9 | 23        |
| 59 | Assessment, of coronary angioplasty: Comparison of visual assessment, hand-held caliper measurement and automated digital quantitation. <i>Catheterization and Cardiovascular Diagnosis</i> , 1988, 15, 237-242.   | 0.7 | 36        |
| 60 | Effect of heparinization of catheters on pulmonary artery oximetry. <i>Journal of Clinical Monitoring and Computing</i> , 1988, 4, 204-209.  | 0.6 | 1         |
| 61 | The hidden effect of time. <i>Statistics in Medicine</i> , 1988, 7, 629-637.   | 0.8 | 101       |
| 62 | Patient evaluation of a pen-sized glucose meter. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 1988, 5, 204-206.  | 0.2 | 8         |
| 63 | Clinical trial of the Continucath intra-arterial oxygen monitor.. <i>Anaesthesia</i> , 1988, 43, 677-682.  | 1.8 | 20        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 64 | Pulse oximetry and postoperative hypothermia.. Anaesthesia, 1988, 43, 402-404.  | 1.8 | 37        |
| 65 | Normal range of fetal transcutaneous carbon dioxide tension during labour. BJOG: an International Journal of Obstetrics and Gynaecology, 1988, 95, 257-264.   | 1.1 | 5         |
| 66 | High-Resolution Proton Magnetic Resonance Spectroscopy of Rabbit Brain: Regional Metabolite Levels and Postmortem Changes. Journal of Neurochemistry, 1988, 51, 163-171.  | 2.1 | 199       |
| 67 | The relationship between bronchial responsiveness to methacholine and bronchial responsiveness to histamine in asthmatic subjects. Pulmonary Pharmacology, 1988, 1, 53-58.  | 0.5 | 31        |
| 68 | Anal sensation and the continence mechanism. Diseases of the Colon and Rectum, 1988, 31, 433-438.   | 0.7 | 42        |
| 69 | Repeatability of lactulose hydrogen breath test in subjects with normal or prolonged orocecal transit. Digestive Diseases and Sciences, 1988, 33, 1525-1527.  | 1.1 | 23        |
| 70 | Impaired left ventricular systolic function during exercise in middle-aged insulin-dependent and noninsulin-dependent diabetic subjects without clinically evident cardiovascular disease. American Journal of Cardiology, 1988, 62, 1273-1279. | 0.7 | 71        |
| 71 | Physician perception of exercise electrocardiography as a prognostic test after acute myocardial infarction. American Journal of Cardiology, 1988, 62, 675-678.   | 0.7 | 60        |
| 72 | Influence of image sampling frequency on the perceived movement characteristics of progressively motile human spermatozoa. Gamete Research, 1988, 20, 313-327.  | 1.7 | 89        |
| 73 | Measurement of natural killer cell cytotoxicity by area under a cytotoxic curve. Journal of Immunological Methods, 1988, 115, 95-98.  | 0.6 | 15        |
| 74 | Streptococcal protein G has affinity for both Fab- and Fc-fragments of human IgG. Molecular Immunology, 1988, 25, 121-126.  | 1.0 | 71        |
| 75 | Pad-weighing test performed with standardized bladder volume. Urology, 1988, 32, 78-80.   | 0.5 | 107       |
| 76 | The use of sequential doses of inhaled histamine in the measurement of bronchial responsiveness: Cumulative effect and distortion produced by shortening the test protocol. Journal of Allergy and Clinical Immunology, 1988, 82, 863-868.      | 1.5 | 9         |
| 77 | Clinical evaluation of the Pollenex BP-850 automatic sphygmomanometer. International Journal of Psychophysiology, 1988, 6, 65-69.   | 0.5 | 5         |
| 78 | Assessment of generalized lymphadenopathy in aids research: The degree of clinical agreement. Journal of Clinical Epidemiology, 1988, 41, 267-273.  | 2.4 | 4         |
| 79 | Combined first pass and equilibrium radionuclide cardiographic determination of stroke volume for quantitation of valvular regurgitation. Journal of the American College of Cardiology, 1988, 11, 769-773.                                     | 1.2 | 13        |
| 80 | Cardiac output: Measurement of the future or relic of the past?. Journal of Cardiothoracic and Vascular Anesthesia, 1988, 2, 587-589.   | 0.2 | 2         |
| 81 | Ethanol elimination in the anesthetized dog: Intragastric versus intravenous administration. Alcohol, 1988, 5, 111-116.   | 0.8 | 3         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 82  | Thermodilution cardiac output measurements during conventional and high-frequency ventilation. Journal of Cardiothoracic and Vascular Anesthesia, 1988, 2, 320-325.  | 0.2 | 2         |
| 83  | Simplified syringe procedures for the estimation of functional residual capacity. Journal of Critical Care, 1988, 3, 180-189.  | 1.0 | 11        |
| 84  | Simultaneous measurements of cardiac output by thermodilution, esophageal doppler, and electrical impedance in anesthetized patients. Journal of Cardiothoracic and Vascular Anesthesia, 1988, 2, 590-595. | 0.2 | 40        |
| 85  | LITHIUM CLEARANCE. Lancet, The, 1988, 331, 642.  | 6.3 | 1         |
| 86  | Disposable pudendal nerve stimulator: evaluation of the standard instrument and new device.. Gut, 1988, 29, 1131-1133.   | 6.1 | 58        |
| 87  | The end of the p value?. Heart, 1988, 60, 177-180.   | 1.2 | 56        |
| 88  | Field evaluation of the Copal UA-231 automatic sphygmomanometer.. Journal of Epidemiology and Community Health, 1988, 42, 321-324.   | 2.0 | 9         |
| 89  | Doppler assessment of the interventricular pressure drop in patients with ventricular septal defects.. Heart, 1988, 60, 50-56.   | 1.2 | 14        |
| 90  | Grating and recognition acuities of young amblyopes.. British Journal of Ophthalmology, 1988, 72, 50-54.   | 2.1 | 19        |
| 91  | Maturation of the lower oesophageal sphincter in the preterm baby.. Gut, 1988, 29, 167-172.  | 6.1 | 74        |
| 92  | A Sensitive Direct Radioimmunoassay for Assessing D-Norgestrel Levels in Human Plasma. Annals of Clinical Biochemistry, 1988, 25, 280-287.   | 0.8 | 13        |
| 94  | Abolition of methacholine induced bronchoconstriction by the hyperventilation of exercise or volition.. Thorax, 1988, 43, 631-636.   | 2.7 | 34        |
| 95  | COMPARISON OF NEUROMUSCULAR BLOCKADE IN THE DIAPHRAGM AND THE HAND. British Journal of Anaesthesia, 1988, 61, 279-285.   | 1.5 | 12        |
| 96  | THE HALOSCALE â€œINFANTAâ€-WRIGHT RESPIROMETER. British Journal of Anaesthesia, 1988, 60, 232-238.  | 1.5 | 5         |
| 97  | Left ventricular volume measured rapidly by oblique magnetic resonance imaging.. Heart, 1988, 60, 188-195.   | 1.2 | 54        |
| 98  | Whole blood assay of theophylline concentrations using immunochromatographic stick.. Archives of Disease in Childhood, 1988, 63, 571-572.  | 1.0 | 1         |
| 99  | A METHOD FOR MEASURING TIDAL VOLUME DURING HIGH FREQUENCY JET VENTILATION. British Journal of Anaesthesia, 1988, 61, 601-605.  | 1.5 | 11        |
| 100 | Prediction of oxygenation during sleep in patients with chronic obstructive lung disease.. Thorax, 1988, 43, 312-317.  | 2.7 | 39        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 101 | Assessment of the thickness of the right ventricular free wall by magnetic resonance imaging in patients with hypertrophic cardiomyopathy.. Heart, 1988, 60, 440-445.   | 1.2 | 32        |
| 102 | Characterisation of the normal right ventricular pressure-volume relation by biplane angiography and simultaneous micromanometer pressure measurements.. Heart, 1988, 59, 23-30.  | 1.2 | 162       |
| 103 | A Comparison of Blood Pressure Measurements Obtained with the Dinamap 845XT, the Standard Mercury Sphygmomanometer and the London School of Hygiene Device. Clinical and Experimental Hypertension, 1988, 10, 575-588.                | 0.3 | 9         |
| 104 | Evaluation of the CellSoft automated semen analysis system in a routine laboratory setting. Fertility and Sterility, 1988, 50, 960-968.   | 0.5 | 75        |
| 105 | Use of Memory Meters to Measure Reliability of Self Blood Glucose Monitoring. Diabetic Medicine, 1988, 5, 459-462.  | 1.2 | 22        |
| 106 | The use of accurate visual acuity measurements in clinical anti-cataract formulation trials. Ophthalmic and Physiological Optics, 1988, 8, 397-401.   | 1.0 | 125       |
| 107 | Comparison of A New Portable Electronic Sphygmomanometer (Copal Ua251) with the Hawksley Random Zero Machine. Clinical and Experimental Hypertension, 1988, 10, 589-596.  | 0.3 | 2         |
| 108 | A Comparison of the Microerythrocyte Sedimentation Rate and the Macroerythrocyte Sedimentation Rate Methods in Pediatric Patients. Pediatric Pathology, 1988, 8, 135-141.   | 0.5 | 0         |
| 109 | More on Doppler flowmetry and portal hypertension. Gastroenterology, 1988, 95, 260-261.   | 0.6 | 5         |
| 110 | A Proficiency Score for Assessing the Reliability of Self Blood Glucose Monitoring. Diabetic Medicine, 1988, 5, 489-493.  | 1.2 | 6         |
| 111 | Effect of topical corticosteroids on seasonally induced increases in nasal mast cells. BMJ: British Medical Journal, 1988, 296, 1572-1573.  | 2.4 | 57        |
| 112 | Near-Patient Testing: Quality of Laboratory Test Results Obtained by Non-technical Personnel in a Decentralized Setting. American Journal of Clinical Pathology, 1988, 89, 797-801.   | 0.4 | 24        |
| 113 | How accurately does the Reflotron dry-chemistry system measure plasma total cholesterol levels when used as a community-screening device?. Medical Journal of Australia, 1988, 149, 122-125.  | 0.8 | 30        |
| 114 | An inexpensive method for sensitive enzymatic determination of oxalate in urine and plasma.. Clinical Chemistry, 1988, 34, 1451-1455.   | 1.5 | 30        |
| 115 | Intralaboratory Reproducibility of Interpretation of Pap Smears: Results of an Experiment. Tumori, 1988, 74, 737-744.   | 0.6 | 7         |
| 116 | In vivo isotope-fractionation factors and the measurement of deuterium- and oxygen-18-dilution spaces from plasma, urine, saliva, respiratory water vapor, and carbon dioxide. American Journal of Clinical Nutrition, 1988, 47, 1-6. | 2.2 | 151       |
| 117 | Determination of left ventricular wall thickness and muscle mass by intravenous digital subtractionangiography: validation of the method. European Heart Journal, 1988, 9, 73-86.   | 1.0 | 3         |
| 118 | Changes in Serum Anticonvulsant Levels with Febrile Illness in Children with Epilepsy. Canadian Journal of Neurological Sciences, 1988, 15, 281-285.  | 0.3 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 119 | A Comparative Study of Cardiac Output Measurement by Dye Dilution and Pulsed Doppler Ultrasound. <i>Anaesthesia and Intensive Care</i> , 1988, 16, 272-277.   | 0.2 | 18        |
| 120 | A Comparison of Fifteen Pulse Oximeters. Part I: A Clinical Comparison; Part II: A Test of Performance under Conditions of Poor Perfusion. <i>Anaesthesia and Intensive Care</i> , 1989, 17, 62-73.                           | 0.2 | 49        |
| 121 | Assessing agreement. <i>Medical Journal of Australia</i> , 1989, 151, 235-236.  | 0.8 | 5         |
| 122 | Measurement of extracellular water volume by bromide ion chromatography. <i>American Journal of Clinical Nutrition</i> , 1989, 50, 1290-1294.   | 2.2 | 52        |
| 123 | Comparison of the Finapres Blood Pressure Monitor with Intra-arterial Manometry during Induction of Anaesthesia. <i>Anaesthesia and Intensive Care</i> , 1989, 17, 470-475.   | 0.2 | 25        |
| 124 | Fully automated computer analysis of intracolonic pressures.. <i>Gut</i> , 1989, 30, 642-649.   | 6.1 | 15        |
| 125 | New direct method for measuring red cell lithium.. <i>Journal of Clinical Pathology</i> , 1989, 42, 435-437.  | 1.0 | 19        |
| 126 | Assessing cardiac pumping capability by exercise testing and inotropic stimulation.. <i>Heart</i> , 1989, 62, 20-25.  | 1.2 | 29        |
| 127 | Spironolactone is an Effective and Well Tolerated Systemic Antiandrogen Therapy for Hirsute Women*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1989, 68, 966-970.  | 1.8 | 81        |
| 128 | Variability of the Doppler gradient in pulmonary valve stenosis before and after balloon dilatation.. <i>Heart</i> , 1989, 62, 212-216.   | 1.2 | 8         |
| 129 | Assessment of the orifice diameter by a multigated pulsed Doppler system in children with congenital semilunar valve stenosis.. <i>Heart</i> , 1989, 62, 50-56.   | 1.2 | 0         |
| 130 | <i>Pseudomonas aeruginosa</i> antibodies in blood spots from patients with cystic fibrosis.. <i>Archives of Disease in Childhood</i> , 1989, 64, 1599-1603.   | 1.0 | 16        |
| 131 | Statistics on microcomputers: a non-algebraic guide to their appropriate use in biomedical research and pathology laboratory practice. 4. Correlation and regression.. <i>Journal of Clinical Pathology</i> , 1989, 42, 4-12. | 1.0 | 10        |
| 132 | Initial experience with a telemeterized gait analysis system. <i>Clinical Rehabilitation</i> , 1989, 3, 205-209.  | 1.0 | 1         |
| 133 | Direct agglutination test and other assays for measuring antibodies to <i>Toxoplasma gondii</i> .. <i>Journal of Clinical Pathology</i> , 1989, 42, 536-541.  | 1.0 | 33        |
| 134 | Doppler flow characteristics in the assessment of pulmonary artery pressure in ductus arteriosus.. <i>Heart</i> , 1989, 62, 284-290.  | 1.2 | 15        |
| 135 | Effect of infusion rate of indomethacin on cerebrovascular responses in preterm neonates.. <i>Archives of Disease in Childhood</i> , 1989, 64, 8-12.  | 1.0 | 37        |
| 136 | Determination of the ratio of pulmonary blood flow to systemic blood flow by derivation of amplitude weighted mean velocity from continuous wave Doppler spectra.. <i>Heart</i> , 1989, 61, 167-171.                          | 1.2 | 12        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 137 | Measurement of nasal mucociliary clearance.. Archives of Disease in Childhood, 1989, 64, 546-550.  | 1.0 | 75        |
| 138 | Impairment of diastolic function by shortened filling period in severe left ventricular disease.. Heart, 1989, 62, 246-252.  | 1.2 | 40        |
| 139 | OXYGEN DESATURATION FOLLOWING SEDATION FOR REGIONAL ANALGESIA. British Journal of Anaesthesia, 1989, 62, 206-209.  | 1.5 | 25        |
| 141 | Differences in Plethysmographic Lung Volumes. Chest, 1989, 95, 117-123.  | 0.4 | 9         |
| 142 | Evaluation of Automatic Analysis of SCSB, Airflow and Oxygen Saturation Signals in Patients with Sleep Related Apneas. Chest, 1989, 96, 255-261.   | 0.4 | 72        |
| 143 | Half time of the diastolic aortoventricular pressure difference by continuous wave Doppler ultrasound: a measure of the severity of aortic regurgitation?. Heart, 1989, 61, 336-343.                         | 1.2 | 29        |
| 144 | Preferential Looking in the mentally handicapped. Eye, 1989, 3, 833-839.   | 1.1 | 10        |
| 145 | <sup>51</sup> Cr-EDTA plasma clearance in severe renal failure determined by one plasma sample. Scandinavian Journal of Clinical and Laboratory Investigation, 1989, 49, 555-559.                            | 0.6 | 16        |
| 146 | A comparison of parametric with semiparametric analysis of the concentration versus effect relationship of metocurine in dogs and pigs. Journal of Pharmacokinetics and Pharmacodynamics, 1989, 17, 291-304. | 0.6 | 15        |
| 147 | Correlation, causation and agreement. American Journal of Cardiology, 1989, 63, 392.   | 0.7 | 4         |
| 148 | Evaluation of a microprocessor-controlled sphygmomanometer for recording blood pressure during exercise. American Journal of Cardiology, 1989, 64, 806-808.  | 0.7 | 2         |
| 149 | Computer-based implementation of the ST-segment/heart rate slope. American Journal of Cardiology, 1989, 64, 926-930.   | 0.7 | 37        |
| 150 | Renal function in conscious dogs: Potential effect of gender on measurement. Research in Experimental Medicine, 1989, 189, 371-379.  | 0.7 | 19        |
| 152 | New echocardiographic and angiographic methods for right atrial volume determination: In vitro validation and in vivo results. International Journal of Cardiovascular Imaging, 1989, 5, 39-51.              | 0.2 | 6         |
| 153 | Pulse oximetry and finger blood pressure measurement during open-heart surgery. Journal of Clinical Monitoring and Computing, 1989, 5, 221-228.  | 0.6 | 17        |
| 154 | Evaluation of heavy water for indicator dilution cardiac output measurement. Journal of Clinical Monitoring and Computing, 1989, 5, 236-242.   | 0.6 | 4         |
| 155 | Pulse oximetry. Journal of Clinical Monitoring and Computing, 1989, 5, 37-62.  | 0.6 | 179       |
| 156 | Pulsed Doppler sonographic measurement of normal values for the flow velocities in the intracranial arteries of healthy newborns. Pediatric Radiology, 1989, 19, 71-78.                                      | 1.1 | 76        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 157 | Comparison of thumb acceleration and thenar EMG in a pharmacodynamic study of alcuronium. <i>Acta Anaesthesiologica Scandinavica</i> , 1989, 33, 545-548.  | 0.7 | 23        |
| 158 | Measurement of S-phase fractions in lymphoid tissue comparing fresh versus paraffin-embedded tissue and 4',6'-diamidino-2 phenylindole dihydrochloride versus propidium iodide staining. <i>Cytometry</i> , 1989, 10, 410-416.               | 1.8 | 56        |
| 159 | Clinical evaluation of routine urodynamic investigations in prostatism. <i>Neurourology and Urodynamics</i> , 1989, 8, 545-578.  | 0.8 | 47        |
| 160 | Evaluation of methods for indirect calorimetry with a ventilated lung model. <i>Intensive Care Medicine</i> , 1989, 15, 196-202.   | 3.9 | 16        |
| 161 | Measurement of tendon reflexes by surface electromyography in normal subjects. <i>Journal of Neurology</i> , 1989, 236, 231-237.   | 1.8 | 44        |
| 162 | A new algorithm for deriving pulsatile blood flow waveforms tested using simulated dynamic angiographic data. <i>Neuroradiology</i> , 1989, 31, 263-269.   | 1.1 | 42        |
| 163 | Validity of rapid estimation of erythrocyte volume in the diagnosis of polycythemia vera. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1989, 15, 32-7.  | 2.2 | 6         |
| 164 | Continuous multi-channel intravascular monitoring of the effects of dopamine and dobutamine on plasma potassium in dogs. <i>Intensive Care Medicine</i> , 1989, 15, 446-51.  | 3.9 | 5         |
| 165 | Transthoracic electrical bioimpedance versus thermodilution technique for cardiac output measurement during mechanical ventilation. <i>Intensive Care Medicine</i> , 1989, 15, 219-220.  | 3.9 | 4         |
| 166 | Validation of a new closed circuit indirect calorimetry method compared with the open Douglas bag method. <i>Intensive Care Medicine</i> , 1989, 15, 274-278.  | 3.9 | 20        |
| 167 | Clinical significance of airway responsiveness in children of low birthweight. <i>Pediatric Pulmonology</i> , 1989, 7, 251-258.  | 1.0 | 50        |
| 168 | A comparison of three methods of assessing inter-observer variation applied to ultrasonic fetal measurement in the third trimester. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1989, 96, 1261-1265.               | 1.1 | 35        |
| 169 | A comparison of three methods of assessing interobserver variation applied to measurement of the symphysis-fundal height. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1989, 96, 1266-1271.                         | 1.1 | 59        |
| 170 | Can a Computer Reliably Elicit an Alcohol History?. <i>Addiction</i> , 1989, 84, 405-411.  | 1.7 | 26        |
| 171 | Pulse oximetry in the recovery room. <i>Anaesthesia</i> , 1989, 44, 345-348.   | 1.8 | 19        |
| 172 | A new, improved test system for rapid measurement of blood glucose. <i>Diabetes Research and Clinical Practice</i> , 1989, 7, 51-55.   | 1.1 | 7         |
| 173 | Lung function testing and AIDS. <i>Respiratory Medicine</i> , 1989, 83, 133-138.   | 1.3 | 31        |
| 174 | Repeatability of Doppler ultrasound measurement of blood flow velocity and its variability in the supraclavicular segment of the internal carotid artery in preterm newborns. <i>Ultrasound in Medicine and Biology</i> , 1989, 15, 545-553. | 0.7 | 9         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 175 | Postoperative wound scoring. <i>Biomedicine and Pharmacotherapy</i> , 1989, 43, 669-673.   | 2.5 | 46        |
| 176 | Pressure pain thresholds and thermal nociceptive thresholds in chronic tension-type headache. <i>Pain</i> , 1989, 38, 203-210.   | 2.0 | 186       |
| 178 | Measurement of cardiac output in pregnancy by thoracic electrical bioimpedance and thermodilution. <i>American Journal of Obstetrics and Gynecology</i> , 1989, 161, 680-684.  | 0.7 | 74        |
| 179 | Miniature electronic blood pressure monitor compared with a blind-reading mercury sphygmomanometer in pregnancy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1989, 33, 147-153.           | 0.5 | 4         |
| 180 | A comparison of thermodilution and pulsed Doppler cardiac output measurement in critically ill children. <i>Journal of Pediatrics</i> , 1989, 115, 554-560.  | 0.9 | 26        |
| 181 | A comparative study of cardiac output in neonates supported by mechanical ventilation: measurement with thoracic electrical bioimpedance and pulsed Doppler ultrasound. <i>Journal of Pediatrics</i> , 1989, 114, 632-635. | 0.9 | 23        |
| 182 | First passage radionuclide cardiography for determination of cardiac output: evaluation of an improved method. <i>International Journal of Cardiology</i> , 1989, 23, 79-85.   | 0.8 | 8         |
| 183 | Continuous fick cardiac output by fiberoptic oxymetry during aorto-coronary bypass surgery. a comparison with thermodilution cardiac output. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1989, 3, 19.       | 0.2 | 1         |
| 184 | Urate production by human heart. <i>Journal of Molecular and Cellular Cardiology</i> , 1989, 21, 691-695.  | 0.9 | 59        |
| 185 | Measurement of carboxyhaemoglobin by spectrophotometry and gas chromatography. <i>Clinical Physiology</i> , 1989, 9, 581-586.  | 0.7 | 16        |
| 186 | A clinical evaluation of the Topcon RM6000 autorefractor. <i>Australasian journal of optometry, The</i> , 1989, 72, 150-153.   | 0.6 | 12        |
| 187 | The effect of hypoalbuminaemia, hyperbilirubinaemia and renal failure on serum fructosamine concentration in non-diabetic individuals. <i>Clinica Chimica Acta</i> , 1989, 182, 123-129.                                   | 0.5 | 9         |
| 188 | Measurement of glomerular filtration rate in children with insulin-dependent diabetes mellitus. <i>Clinica Chimica Acta</i> , 1989, 182, 131-139.  | 0.5 | 18        |
| 189 | Staging of carcinoma of the uterine cervix: MRI-surgical correlation. <i>Clinical Radiology</i> , 1989, 40, 401-405.   | 0.5 | 82        |
| 190 | The bioavailability and pharmacokinetics of morphine after intravenous, oral and buccal administration in healthy volunteers.. <i>British Journal of Clinical Pharmacology</i> , 1989, 27, 499-505.                        | 1.1 | 155       |
| 191 | LITHIUM MONITORING CLOSE TO THE PATIENT. <i>Lancet, The</i> , 1989, 334, 1461.   | 6.3 | 9         |
| 192 | Measurements of human pressure-pain thresholds on fingers and toes. <i>Pain</i> , 1989, 38, 211-217.   | 2.0 | 265       |
| 194 | Evaluation of a user-operated patient-side blood gas and chemistry monitor in children undergoing cardiac surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1989, 3, 741-744.                            | 0.2 | 5         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 195 | Electronic reduction of haloaromatic compounds. A theoretical study. Journal of the Chemical Society Perkin Transactions II, 1989, , 2017-2021.  | 0.9 | 9         |
| 196 | A Comparison of Two Intact-Molecule Parathyroid Hormone Assays. Annals of Clinical Biochemistry, 1989, 26, 376-377.  | 0.8 | 0         |
| 197 | Automated Semen Analysis. Fertility and Sterility, 1989, 52, 343-345.  | 0.5 | 26        |
| 199 | Within-clinic Reagent Strip Lipid Measurement. Diabetic Medicine, 1989, 6, 824-828.  | 1.2 | 7         |
| 200 | Body composition of lactating women determined by anthropometry and deuterium dilution. British Journal of Nutrition, 1989, 61, 25-33.   | 1.2 | 16        |
| 201 | Dental health and acute myocardial infarction.. BMJ: British Medical Journal, 1989, 298, 1579-1580.  | 2.4 | 7         |
| 202 | Long-term repeatability of human alcohol metabolism, sensitivity and acute tolerance.. Journal of Studies on Alcohol and Drugs, 1989, 50, 162-169.   | 2.4 | 35        |
| 203 | Reproducibility of ethanol elimination rates in long-sleep and short-sleep mice.. Journal of Studies on Alcohol and Drugs, 1989, 50, 519-524.  | 2.4 | 10        |
| 204 | Portal vein blood flow measurements using pulsed doppler and electromagnetic flowmetry in dogs: A comparative study. Gastroenterology, 1989, 96, 913-919.  | 0.6 | 24        |
| 205 | Portal Vein Blood Flow Measurements Using Pulsed Doppler and Electromagnetic Flowmetry in Dogs: A Comparative Study. Gastroenterology, 1989, 96, 913-919.  | 0.6 | 38        |
| 206 | Postmicturition residual bladder volumes in healthy babies.. Archives of Disease in Childhood, 1989, 64, 825-828.  | 1.0 | 21        |
| 207 | Optimisation of positive and expiratory pressure for maximal delivery of oxygen to tissues using oesophageal Doppler ultrasonography.. BMJ: British Medical Journal, 1989, 298, 1350-1353.                             | 2.4 | 21        |
| 208 | Dental health and acute myocardial infarction: Author's reply. BMJ: British Medical Journal, 1989, 298, 1580-1580.   | 2.4 | 2         |
| 209 | Accuracy of weighed dietary records: Authors' reply. BMJ: British Medical Journal, 1990, 300, 1139-1139.   | 2.4 | 1         |
| 210 | Accuracy of weighed dietary records.. BMJ: British Medical Journal, 1990, 300, 1138-1139.  | 2.4 | 0         |
| 211 | Evaluation of the semi-automated Autosperm semen analysis system. I. Accuracy and comparison with the conventional method and the automated Hamilton-Thorn system. Fertility and Sterility, 1990, 53, 111-119.         | 0.5 | 11        |
| 212 | Hypertrophy of Technology. Fertility and Sterility, 1990, 54, 1188-1191.   | 0.5 | 0         |
| 213 | The British Hypertension Society protocol for the evaluation of automated and semi-automated blood pressure measuring devices with special reference to ambulatory systems. Journal of Hypertension, 1990, 8, 607-619. | 0.3 | 598       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 214 | Serum hormone levels affect sperm function. <i>Fertility and Sterility</i> , 1990, 54, 113-120.   | 0.5 | 21        |
| 215 | Testicular temperatures measured by thermistor probe and contact thermography. <i>Fertility and Sterility</i> , 1990, 54, 173-174.  | 0.5 | 9         |
| 216 | The effects of hypoxia and hypercapnia on perceived breathlessness during exercise in humans.. <i>Journal of Physiology</i> , 1990, 428, 579-593.   | 1.3 | 40        |
| 217 | Capsaicin and sensory neuropeptide stimulation of goblet cell secretion in guinea-pig trachea.. <i>Journal of Physiology</i> , 1990, 431, 629-641.  | 1.3 | 116       |
| 218 | The clinical value of the haemoglobin concentration analysis (g/L) and the calculation of oxyhaemoglobin saturation (%) in an automatic blood gas analyser (ABL2, Radiometer A/S, Denmark). <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1990, 50, 241-245. | 0.6 | 2         |
| 220 | Evaluation of the semi-automated Autosperm semen analysis system. II. Comparison with conventional method, time-exposure photomicrography, and automated CellSoft system. <i>Fertility and Sterility</i> , 1990, 53, 120-130.   | 0.5 | 6         |
| 221 | Aortic compliance measured by non-invasive Doppler ultrasound: Description of a method and its reproducibility. <i>Clinical Science</i> , 1990, 78, 463-468.  | 1.8 | 81        |
| 222 | Observer variability in echo-Doppler measurements of portal flow in cirrhotic patients and normal volunteers. <i>Gastroenterology</i> , 1990, 98, 1603-1611.  | 0.6 | 161       |
| 223 | Clinical Assessment of Central Venous Pressure in the Critically Ill. <i>American Journal of the Medical Sciences</i> , 1990, 299, 175-178.   | 0.4 | 102       |
| 224 | Temporal association between Der pl exposure, immediate hypersensitivity and clinical severity of eczema. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1990, 45, 445-450.  | 2.7 | 15        |
| 225 | Comparison of two IgE antibody tests with skin test and clinical history in asthmatic patients. <i>Pediatric Allergy and Immunology</i> , 1990, 1, 34-40.   | 1.1 | 10        |
| 226 | Blood pressure measurement during transport A comparison of direct and oscillotometric readings in critically ill patients. <i>Anaesthesia</i> , 1990, 45, 659-665.   | 1.8 | 63        |
| 227 | A disposable blood pressure cuff. An assessment of its accuracy. <i>Anaesthesia</i> , 1990, 45, 666-668.  | 1.8 | 0         |
| 228 | Method-comparison studies: the Keeler Pulsair tonometer. <i>Anaesthesia</i> , 1990, 45, 595-596.  | 1.8 | 1         |
| 229 | Platelet activating factor does not cause a reproducible increase in bronchial responsiveness in normal man. <i>Clinical and Experimental Allergy</i> , 1990, 20, 525-532.  | 1.4 | 24        |
| 230 | In Vivo Measurements of Ethanol Concentration in Rabbit Brain by <sup>1</sup> H Magnetic Resonance Spectroscopy. <i>Journal of Neurochemistry</i> , 1990, 54, 1188-1195.  | 2.1 | 29        |
| 231 | Measurement of cardiac output in pregnancy by thermodilution and impedance techniques. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1990, 97, 90-91.   | 1.1 | 0         |
| 232 | Effectiveness of ultrasound determination of fetal abdominal circumference and fetal ponderal index in the diagnosis of asymmetrical growth retardation. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1990, 97, 118-123.                                     | 1.1 | 26        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 233 | Variation in the measurement of fetal abdominal circumference. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1990, 97, 549-550.   | 1.1 | 0         |
| 234 | Cyclic changes in composition and volume of the breast during the menstrual cycle, measured by magnetic resonance imaging. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1990, 97, 595-602. | 1.1 | 133       |
| 235 | Assessment of menstrual blood loss using a pictorial chart. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1990, 97, 734-739.  | 1.1 | 893       |
| 236 | Clinical evaluation of an ensemble-averaging impedance cardiograph for monitoring stroke volume during spontaneous breathing. <i>Acta Anaesthesiologica Scandinavica</i> , 1990, 34, 190-196.                       | 0.7 | 11        |
| 237 | Validation of impedance cardiography measurements of cardiac output during limited exercise in heart transplant recipients. <i>Transplant International</i> , 1990, 3, 108-112.                                     | 0.8 | 9         |
| 238 | Factors influencing the relationship between a newborn assessment of gestational maturity and the gestational age interval. <i>Paediatric and Perinatal Epidemiology</i> , 1990, 4, 133-146.                        | 0.8 | 40        |
| 239 | Evaluation of the Hamilton-Thorn 2030 motility analyser for routine semen analysis in an infertility clinic. <i>Journal of Developmental and Physical Disabilities</i> , 1990, 13, 100-109.                         | 3.6 | 32        |
| 240 | Pulse Oximetry in Horses. <i>Veterinary Surgery</i> , 1990, 19, 243-248.  | 0.5 | 34        |
| 241 | Assessment of four ambulatory blood pressure monitors and measurements by clinicians versus intraarterial blood pressure at rest and during exercise. <i>American Journal of Cardiology</i> , 1990, 65, 60-66.      | 0.7 | 159       |
| 242 | Left ventricular filling impairment in asymptomatic chronic alcoholics. <i>American Journal of Cardiology</i> , 1990, 66, 1473-1477.  | 0.7 | 77        |
| 243 | Estimation of arterial compliance in aortic regurgitation: three methods evaluated in pigs. <i>Medical and Biological Engineering and Computing</i> , 1990, 28, 293-299.  | 1.6 | 7         |
| 244 | Evaluation of an air-filled microballoon and mini-transducer in the clinical practice of anorectal manometry. <i>Diseases of the Colon and Rectum</i> , 1990, 33, 594-597.  | 0.7 | 9         |
| 245 | Rectal mucosal electrosensory testing—Evidence for a rectal sensory neuropathy in idiopathic constipation. <i>Diseases of the Colon and Rectum</i> , 1990, 33, 419-423.   | 0.7 | 149       |
| 246 | Antimony electrodes. <i>Digestive Diseases and Sciences</i> , 1990, 35, 950-955.  | 1.1 | 17        |
| 247 | Continuous intraoperative monitoring of hepatic blood perfusion using a noninvasive surface electrode. <i>Digestive Diseases and Sciences</i> , 1990, 35, 399-405.  | 1.1 | 11        |
| 248 | Antimony and glass pH electrodes can be used interchangeably in 24-hour studies of gastric acidity. <i>Digestive Diseases and Sciences</i> , 1990, 35, 1473-1481.   | 1.1 | 25        |
| 249 | Relationship between arterial carbon dioxide and end-tidal carbon dioxide when a nasal sampling port is used. <i>Journal of Clinical Monitoring and Computing</i> , 1990, 6, 93-98.                                 | 0.6 | 30        |
| 250 | Commercial double-indicator-dilution densitometer using heavy water: Evaluation in oleic-acid pulmonary edema. <i>Journal of Clinical Monitoring and Computing</i> , 1990, 6, 99-106.                               | 0.6 | 15        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 251 | Errors in 14 pulse oximeters during profound hypoxia. <i>Journal of Clinical Monitoring and Computing</i> , 1990, 6, 158-159.   | 0.6 | 1         |
| 252 | Angiographic morphology of recurrent stenoses after percutaneous transluminal coronary angioplasty: are lesions longer at restenosis?. <i>International Journal of Cardiovascular Imaging</i> , 1990, 6, 77-84.                                   | 0.2 | 3         |
| 253 | Accuracy of four indirect methods of blood pressure measurement, with hemodynamic correlations. <i>Journal of Clinical Monitoring and Computing</i> , 1990, 6, 284-298.   | 0.6 | 29        |
| 254 | Evaluation of a pulse oximeter during profound hypothermia. An assessment of the Biox 3700 during induction of hypothermia before cardiac surgery in paediatric patients. <i>Journal of Clinical Monitoring and Computing</i> , 1990, 7, 217-222. | 0.3 | 5         |
| 255 | Comparison of perfusion lung scanning and angiography in the estimation of vascular obstruction in acute pulmonary embolism. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1990, 17, 315-319.                               | 2.2 | 77        |
| 256 | Comparison of a modified Fick method with thermodilution for determining cardiac output in critically ill patients on mechanical ventilation. <i>Intensive Care Medicine</i> , 1990, 16, 248-251.   | 3.9 | 15        |
| 257 | A comparison of measurements of blood pressure, heart-rate and oxygenation during inter-hospital transport of the critically ill. <i>Intensive Care Medicine</i> , 1990, 16, 317-322.   | 3.9 | 23        |
| 258 | Transcutaneous blood gas analysis during sleep and exercise in cystic fibrosis. <i>Pediatric Pulmonology</i> , 1990, 8, 162-167.  | 1.0 | 15        |
| 259 | Respiratory system compliance assessed by the multiple occlusion and weighted spirometer method in non-intubated healthy newborns. <i>Pediatric Pulmonology</i> , 1990, 8, 273-279.   | 1.0 | 9         |
| 260 | The assessment of methods of measurement. <i>Statistics in Medicine</i> , 1990, 9, 351-362.   | 0.8 | 141       |
| 261 | Estimation of the linear relationship between the measurements of two methods with proportional errors. <i>Statistics in Medicine</i> , 1990, 9, 1463-1473.   | 0.8 | 124       |
| 262 | Quantitation of left ventricular asynchrony on radionuclide angiography phase images. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1990, 16, 801-806.  | 2.2 | 3         |
| 263 | Pressure/cross-sectional area probe in the assessment of urethral closure function. <i>Urological Research</i> , 1990, 18, 143-147.   | 1.5 | 18        |
| 264 | Validation of impedance cardiography measurements of cardiac output during limited exercise in heart transplant recipients. <i>Transplant International</i> , 1990, 3, 108-112.   | 0.8 | 8         |
| 265 | Assay of follitropin and lutropin by fluorescence enzyme immunoassay. <i>Journal of Clinical Laboratory Analysis</i> , 1990, 4, 170-174.  | 0.9 | 5         |
| 266 | Determination of transaortic valve gradient. <i>Catheterization and Cardiovascular Diagnosis</i> , 1990, 20, 218-218.   | 0.7 | 1         |
| 267 | A note on the use of the intraclass correlation coefficient in the evaluation of agreement between two methods of measurement. <i>Computers in Biology and Medicine</i> , 1990, 20, 337-340.  | 3.9 | 577       |
| 268 | Predicting deterioration of treated tuberculosis by corticosteroid reserve and C-reactive protein. <i>Journal of Infection</i> , 1990, 21, 61-69.   | 1.7 | 38        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 269 | Comparison of Active and Diffusive Sampling Methods for Environmental Monitoring of Styrene. <i>Journal of Occupational and Environmental Hygiene</i> , 1990, 5, 364-369.   | 0.5 | 3         |
| 270 | Agreement between Noninvasive Oximetric Values for Oxygen Saturation. <i>Chest</i> , 1990, 97, 814-819.   | 0.4 | 35        |
| 271 | Simultaneous measurement of free-living energy expenditure by the doubly labeled water method and heart-rate monitoring. <i>American Journal of Clinical Nutrition</i> , 1990, 52, 59-65.   | 2.2 | 205       |
| 272 | Strain-gauge fontanometry-an advance in non-invasive intracranial pressure measurement. <i>Clinical Physics and Physiological Measurement: an Official Journal of the Hospital Physicists' Association, Deutsche Gesellschaft Fur Medizinische Physik and the European Federation of Organisations for Medical Physics</i> , 1990, 11, 125-134. | 0.5 | 5         |
| 273 | Measuring peak expiratory flow in general practice: comparison of mini Wright peak flow meter and turbine spirometer.. <i>BMJ: British Medical Journal</i> , 1990, 300, 1629-1631.  | 2.4 | 23        |
| 274 | Comparing clinical tests of visual function in cataract with the patient's perceived visual disability. <i>Eye</i> , 1990, 4, 712-717.  | 1.1 | 159       |
| 275 | Husband-wife diet concordance and changes in dietary practices by surviving spouses of cancer cases. <i>Nutrition and Cancer</i> , 1990, 13, 175-187.   | 0.9 | 9         |
| 276 | The reliability of the Pelli-Robson contrast sensitivity chart. <i>Ophthalmic and Physiological Optics</i> , 1990, 10, 21-24.   | 1.0 | 197       |
| 278 | Jet and ultrasonic nebuliser output: use of a new method for direct measurement of aerosol output.. <i>Thorax</i> , 1990, 45, 728-732.  | 2.7 | 104       |
| 279 | Latex enzyme immunoassay for measuring IgG antibodies to rubella virus.. <i>Journal of Clinical Pathology</i> , 1990, 43, 766-770.  | 1.0 | 3         |
| 280 | Blood pressure measurement in adults: large cuffs for all?. <i>Journal of Epidemiology and Community Health</i> , 1990, 44, 170-173.  | 2.0 | 15        |
| 281 | Acute effects of ethanol on left ventricular diastolic function.. <i>Heart</i> , 1990, 64, 129-132.   | 1.2 | 22        |
| 282 | Discrepancies between Doppler and catheter gradients in aortic prosthetic valves in vitro. A manifestation of localized gradients and pressure recovery.. <i>Circulation</i> , 1990, 82, 1467-1475.   | 1.6 | 178       |
| 283 | Low plasma iron status and akathisia.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1990, 53, 671-674.  | 0.9 | 43        |
| 284 | Automated non-invasive measurement of cardiac output by the carbon dioxide rebreathing method: comparisons with dye dilution and thermodilution.. <i>Heart</i> , 1990, 63, 195-199.   | 1.2 | 28        |
| 285 | Measurement error in human dental mensuration. <i>Annals of Human Biology</i> , 1990, 17, 523-528.  | 0.4 | 21        |
| 286 | Non-invasive determination of cardiac output by Doppler echocardiography and electrical bioimpedance.. <i>Heart</i> , 1990, 63, 93-97.  | 1.2 | 110       |
| 287 | Estimation of mean left atrial pressure from transesophageal pulsed Doppler echocardiography of pulmonary venous flow.. <i>Circulation</i> , 1990, 82, 1127-1139.   | 1.6 | 430       |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 288 | Prophylactic and Therapeutic Effects of a Monoclonal Antibody to Tumor Necrosis Factor- $\alpha$ in Experimental Gram-Negative Shock. <i>Journal of Infectious Diseases</i> , 1990, 162, 421-427.                                       | 1.9 | 212       |
| 289 | Precision of Larsen grading of radiographs in assessing progression of rheumatoid arthritis in individual patients.. <i>Annals of the Rheumatic Diseases</i> , 1990, 49, 286-289.   | 0.5 | 18        |
| 290 | Gallbladder Volume and Contraction Measured by Sum-of-Cylinders Method Compared with Ellipsoid and Area-Length Methods. <i>Acta Radiologica</i> , 1990, 31, 591-596.  | 0.5 | 28        |
| 291 | Monoclonal Antibody to Endotoxin Core Protects Mice from <i>Escherichia coli</i> Sepsis by a Mechanism Independent of Tumor Necrosis Factor and Interleukin-6. <i>Journal of Infectious Diseases</i> , 1990, 162, 454-459.              | 1.9 | 59        |
| 292 | Quantification of Left-Sided Valvular Stenoses by Color Doppler Imaging of Jets. <i>Angiology</i> , 1990, 41, 352-364.  | 0.8 | 11        |
| 293 | A Comparison of Chromogen Test Strip (Chemstrip bG) and Serum Glucose Values in Newborns. <i>JAMA Pediatrics</i> , 1990, 144, 183.  | 3.6 | 11        |
| 294 | Alveolar partial pressures of carbon dioxide and oxygen measured by a helium washout technique.. <i>Thorax</i> , 1990, 45, 520-524.   | 2.7 | 9         |
| 296 | Therapeutic Drug Monitoring of Phenytoin Rationale and Current Status. <i>Clinical Pharmacokinetics</i> , 1990, 19, 341-358.  | 1.6 | 37        |
| 297 | Measurement of Conjugated Diene Lipids by Derivative Spectroscopy in Heptane Extracts of Plasma. <i>Annals of Clinical Biochemistry</i> , 1990, 27, 258-266.  | 0.8 | 29        |
| 298 | Instantaneous Cross-sectional Flow Velocity Profiles: A Comparative Study of Two Ultrasound Doppler Methods Applied to an In Vitro Pulsatile Flow Model. <i>Journal of the American Society of Echocardiography</i> , 1990, 3, 451-464. | 1.2 | 21        |
| 299 | Markers of disease severity in peripheral atherosclerosis. <i>European Journal of Vascular Surgery</i> , 1990, 4, 513-518.  | 0.9 | 10        |
| 300 | Optimal collection of blood samples for the measurement of tumor necrosis factor ?. <i>Cytokine</i> , 1990, 2, 353-356.   | 1.4 | 38        |
| 301 | Tachyphylaxis to inhaled histamine in asthma: Its significance and relationship to basal airway responsiveness. <i>Journal of Allergy and Clinical Immunology</i> , 1990, 86, 265-271.  | 1.5 | 15        |
| 302 | Anticardiolipin antibodies and thrombosis: Buffer's influence on the detection and quantitation of anticardiolipin antibody measured by ELISA. <i>Thrombosis Research</i> , 1990, 57, 215-226.  | 0.8 | 17        |
| 303 | Lp(a) levels in different types of dyslipidemia in the French population. <i>Atherosclerosis</i> , 1990, 85, 61-69.   | 0.4 | 23        |
| 304 | Value and accuracy of dual oximetry during pulmonary resections. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1990, 4, 441-452.   | 0.2 | 2         |
| 305 | Reproducibility of echocardiographic estimates of the area of stenosed aortic valves using the continuity equation. <i>International Journal of Cardiology</i> , 1990, 26, 349-354.   | 0.8 | 17        |
| 306 | Determination of the luminal diameter of the radial artery in man by high frequency ultrasound: A methodological study. <i>Ultrasound in Medicine and Biology</i> , 1990, 16, 787-791.  | 0.7 | 31        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | Hypoxic acidemia, hyperviscosity, and maternal hypertension do not affect the umbilical arterial velocity waveform in fetal sheep. <i>American Journal of Obstetrics and Gynecology</i> , 1990, 163, 1313-1320.  | 0.7 | 19        |
| 308 | Measurement of cardiac output by impedance technique. <i>American Journal of Obstetrics and Gynecology</i> , 1990, 163, 1104-1106.   | 0.7 | 4         |
| 309 | Cardiac output determined by ultrasoundâ€Doppler: clinical applications. <i>Clinical Physiology</i> , 1990, 10, 463-473.   | 0.7 | 26        |
| 310 | Combined left and right ventricular volume determination by radionuclide angiocardiology using double bolus and equilibrium technique. <i>Clinical Physiology</i> , 1990, 10, 475-488.   | 0.7 | 10        |
| 311 | Bioimpedance: A novel method for the determination of extravascular lung water. <i>Journal of Surgical Research</i> , 1990, 48, 454-459.   | 0.8 | 28        |
| 312 | The contribution of sex, electrophoretic phenotype, pregnancy and race to the variability of delta-aminolevulinic dehydrase (ALADH) levels in human erythrocytes. A study in Black mixed Brazilians. <i>Clinica Chimica Acta</i> , 1990, 194, 229-234. | 0.5 | 2         |
| 313 | A comparison of serum mucoprotein with serum $\alpha_1$ acid glycoprotein, haptoglobin, and $\alpha_1$ antitrypsin assays in monitoring inflammatory bowel disease. <i>Clinica Chimica Acta</i> , 1990, 188, 59-69.                                    | 0.5 | 14        |
| 314 | Evaluation of a simple method for the measurement of cytidine deaminase in serum and comparison with a reference method. <i>Clinica Chimica Acta</i> , 1990, 192, 55-59.   | 0.5 | 4         |
| 315 | Comparative accuracy of Doppler echocardiographic methods for clinical stroke volume determination. <i>American Heart Journal</i> , 1990, 120, 116-123.  | 1.2 | 253       |
| 317 | Doppler estimates of cardiac output. <i>Journal of Pediatrics</i> , 1990, 117, 165-166.  | 0.9 | 0         |
| 318 | The effect of 2 weeks treatment with cetirizine on bronchial reactivity to methacholine in asthma.. <i>British Journal of Clinical Pharmacology</i> , 1990, 29, 79-84.   | 1.1 | 19        |
| 320 | Day-to-day variability of voltage measurements used in electrocardiographic criteria for left ventricular hypertrophy. <i>Journal of the American College of Cardiology</i> , 1990, 15, 618-623.   | 1.2 | 59        |
| 321 | Validation of a computerized version of the 10-item (self-rating) Edinburgh postnatal depression scale. <i>Journal of Affective Disorders</i> , 1991, 22, 73-77.   | 2.0 | 34        |
| 322 | Heart rate variability in patients with ventricular arrhythmias: Effect of antiarrhythmic drugs. <i>Journal of the American College of Cardiology</i> , 1991, 17, 604-612.   | 1.2 | 130       |
| 323 | Glucose: A fuel for thought!. <i>Journal of Paediatrics and Child Health</i> , 1991, 27, 21-30.  | 0.4 | 38        |
| 324 | Interâ€and intraindividual variability in the concentrationâ€effect (sedation) relationship of flunitrazepam.. <i>British Journal of Clinical Pharmacology</i> , 1991, 31, 89-92.  | 1.1 | 33        |
| 325 | Comparison and reproducibility of transthoracic bioimpedance and dual beam Doppler ultrasound measurement of cardiac function in healthy volunteers.. <i>British Journal of Clinical Pharmacology</i> , 1991, 32, 275-282.                             | 1.1 | 27        |
| 326 | A comparison of serum and saliva paracetamol concentrations.. <i>British Journal of Clinical Pharmacology</i> , 1991, 31, 553-555.   | 1.1 | 26        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 327 | Measurement of total body water in pregnant women using deuterium dilution: Validation of the plateau method. <i>Nutrition Research</i> , 1991, 11, 527-537.   | 1.3 | 4         |
| 329 | The reliability of neonatal head circumference measurement. <i>Journal of Clinical Epidemiology</i> , 1991, 44, 1027-1035.   | 2.4 | 40        |
| 330 | Urine collection from disposable nappies. <i>Lancet, The</i> , 1991, 338, 674-676.   | 6.3 | 54        |
| 331 | Measurement of intima-media thickness of common carotid arteries with high-resolution B-mode ultrasonography: Inter- and intra-observer variability. <i>Ultrasound in Medicine and Biology</i> , 1991, 17, 225-230.                                    | 0.7 | 206       |
| 332 | Urine collection from disposable nappies. <i>Lancet, The</i> , 1991, 338, 1077-1078.   | 6.3 | 1         |
| 333 | Discrepancy between laboratory determination and visual estimation of blood loss during normal delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1991, 38, 119-124.   | 0.5 | 164       |
| 334 | The fetal heart rate trace is normal, isn't it?. <i>Lancet, The</i> , 1991, 337, 215-218.  | 6.3 | 133       |
| 335 | The dose-response slope: a useful method for expressing the results of methacholine provocation tests in healthy subjects?. <i>Respiratory Medicine</i> , 1991, 85, 365-371.   | 1.3 | 14        |
| 336 | Left ventricular end-systolic pressure estimated from measurements in a peripheral artery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1991, 5, 551-553.  | 0.6 | 27        |
| 337 | Non-invasive Doppler-derived cardiac output: A validation study comparing this technique with thermodilution and fick methods. <i>European Journal of Vascular Surgery</i> , 1991, 5, 497-500.   | 0.9 | 28        |
| 338 | Leg-length discrepancy measured by ultrasonography. <i>Acta Orthopaedica</i> , 1991, 62, 121-124.  | 1.4 | 42        |
| 339 | Detection Of Bursts Of Microneurographic Activity And Estimation Of Burst Parameters. , 0, , .   |     | 0         |
| 340 | The ion sensitive field effect transistor (ISFET) pH electrode: a new sensor for long term ambulatory pH monitoring.. <i>Gut</i> , 1991, 32, 240-245.  | 6.1 | 57        |
| 341 | The influence of dental status on the detection of IgG class anti-viral antibodies in human saliva. <i>Archives of Oral Biology</i> , 1991, 36, 221-226.   | 0.8 | 20        |
| 342 | Serum lipids, lipoproteins, and apolipoproteins during postmenopausal estrogen replacement therapy combined with either 19-nortestosterone derivatives or 17-hydroxyprogesterone derivatives. <i>American Journal of Medicine</i> , 1991, 90, 584-589. | 0.6 | 19        |
| 343 | Reliability of impedance cardiography in measuring central haemodynamics. <i>Clinical Physiology</i> , 1991, 11, 579-588.  | 0.7 | 48        |
| 344 | Serum lipids, lipoproteins, and apolipoproteins during postmenopausal estrogen replacement therapy combined with either 19-nortestosterone derivatives or 17-hydroxyprogesterone derivatives. <i>American Journal of Medicine</i> , 1991, 90, 584-589. | 0.6 | 60        |
| 345 | A research tool for measurement of recovery from sedation: The vancouver sedative recovery scale. <i>Journal of Pediatric Surgery</i> , 1991, 26, 1263-1267.   | 0.8 | 49        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 346 | Capillary plasma lipid profiles. <i>Clinica Chimica Acta</i> , 1991, 204, 189-197.   | 0.5 | 0         |
| 347 | Measurement of serum Apo A1 and Apo B: Comparison of immunoturbidimetric and rate nephelometric techniques. <i>Clinica Chimica Acta</i> , 1991, 197, 123-132.  | 0.5 | 11        |
| 348 | Native fluorescence of extravasated proteins. <i>Journal of Pharmacological Methods</i> , 1991, 25, 251-262.   | 0.7 | 7         |
| 349 | Late asthmatic responses after exercise challenge are reproducible. <i>Journal of Allergy and Clinical Immunology</i> , 1991, 87, 1128-1137.   | 1.5 | 18        |
| 350 | Light scatter changes due to corneal oedema and contact lens wear. <i>Journal of the British Contact Lens Association</i> , 1991, 14, 183-187.   | 0.2 | 5         |
| 351 | Meningiomas and sex hormones, radiotherapy and benign brain tumours. <i>European Journal of Cancer &amp; Clinical Oncology</i> , 1991, 27, 1185.   | 0.9 | 0         |
| 352 | Comparison of prostate-specific antigen assays. <i>European Journal of Cancer &amp; Clinical Oncology</i> , 1991, 27, 1185.  | 0.9 | 0         |
| 353 | Errors in pressure gradient measurement by continuous wave Doppler ultrasound: Type, size and age effects in bioprosthetic aortic valves. <i>Journal of the American College of Cardiology</i> , 1991, 18, 769-779.  | 1.2 | 33        |
| 354 | Time-dependent variation in the cardiac conduction system assessed in young healthy individuals at weeks' interval: Implications for clinical trials. <i>Journal of the American College of Cardiology</i> , 1991, 18, 792-800.                                  | 1.2 | 24        |
| 355 | The effect of auto-positive end-expiratory pressure on the arterial-end-tidal carbon dioxide pressure gradient and expired carbon dioxide slope in critically ill patients during total ventilatory support. <i>Journal of Critical Care</i> , 1991, 6, 202-210. | 1.0 | 11        |
| 356 | The continuity equation tested in a bileaflet aortic prosthesis. <i>International Journal of Cardiology</i> , 1991, 31, 149-154.   | 0.8 | 22        |
| 357 | TUMOUR NECROSIS FACTOR-ALPHA IMMUNODETECTION IN BLOOD MONOCYTES AND SERUM: PRELIMINARY FINDINGS IN WEIGHT-LOSING CANCER PATIENTS. <i>ANZ Journal of Surgery</i> , 1991, 61, 141-146.   | 0.3 | 2         |
| 359 | Lipoprotein (a) and coronary heart disease risk: a nested case-control study of the Helsinki Heart Study participants. <i>Atherosclerosis</i> , 1991, 89, 59-67.   | 0.4 | 337       |
| 360 | Quantitation of solid-phase immunoassays using a fibre-optic reflectance spectrophotometer. <i>Journal of Immunological Methods</i> , 1991, 143, 167-173.  | 0.6 | 1         |
| 361 | One- and two-step non-competitive avidin-biotin immunoassays for monomeric and heterodimeric antigen. <i>Journal of Immunological Methods</i> , 1991, 136, 77-84.  | 0.6 | 9         |
| 362 | C-reactive protein measured in dried blood spots from patients with cystic fibrosis. <i>Journal of Immunological Methods</i> , 1991, 143, 69-72.   | 0.6 | 17        |
| 363 | Pulse oximetry from the nasal septum. <i>Journal of Clinical Anesthesia</i> , 1991, 3, 447-450.  | 0.7 | 15        |
| 364 | Continuous determination of cardiac output using a flow-directed doppler pulmonary artery catheter. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1991, 5, 309-315.   | 0.6 | 29        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 365 | Respective Timing of Maximal Color Doppler Jet Areas and of Peak Velocity of Jets in Left-sided Valvular Lesions: Clinical Implications. <i>Journal of the American Society of Echocardiography</i> , 1991, 4, 258-266. | 1.2 | 12        |
| 366 | The Statistical Analysis of the Intra-observer Repeatability of Four Clinical Measurement Techniques. <i>Physiotherapy</i> , 1991, 77, 89-91.   | 0.2 | 21        |
| 367 | Intraoperative Assessment of the Lawrence 3000 Doppler Cardiac Output Monitor. <i>Anaesthesia and Intensive Care</i> , 1991, 19, 251-255.   | 0.2 | 5         |
| 368 | Improving Agreement between Thoracic Bioimpedance and Dye Dilution Cardiac Output Estimation in Children. <i>Anaesthesia and Intensive Care</i> , 1991, 19, 434-440.  | 0.2 | 20        |
| 370 | Continuous arterial and venous blood gas monitoring during cardiopulmonary bypass. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1991, 102, 431-439.  | 0.4 | 18        |
| 371 | Accuracy of Portable Blood Glucose Monitoring: <i>&lt;i&gt;Effect of Glucose Level and Prandial State&lt;/i&gt;</i> . <i>American Journal of Clinical Pathology</i> , 1991, 95, 247-252.                                | 0.4 | 24        |
| 372 | Evaluation of 99mTc-hexamethylpropyleneamine oxime cerebral blood flow mapping after acute focal ischemia in rats.. <i>Stroke</i> , 1991, 22, 1284-1290.  | 1.0 | 20        |
| 373 | A Semi-Automated Micromethod for the Determination of Calcium and Phosphorus in Human Milk. <i>Annals of Clinical Biochemistry</i> , 1991, 28, 49-54.   | 0.8 | 22        |
| 374 | Monitoring of Renal Transplant Graft Function by Regular Postal Capillary Blood Sampling. <i>Annals of Clinical Biochemistry</i> , 1991, 28, 303-304.   | 0.8 | 0         |
| 375 | Bhattacharya: A New Application for Quality Control. <i>Annals of Clinical Biochemistry</i> , 1991, 28, 386-392.  | 0.8 | 3         |
| 376 | Determination of Kappa and Lambda Light Chains in Serum Immunoglobulins G, A and M. <i>Annals of Clinical Biochemistry</i> , 1991, 28, 461-466.   | 0.8 | 21        |
| 377 | Use of the Difference Plot in Determining Bias in Luteinizing Hormone Immunoassay. <i>Annals of Clinical Biochemistry</i> , 1991, 28, 517-518.  | 0.8 | 1         |
| 378 | Computer-assisted assessment of human sperm morphology: comparison with visual assessment. <i>Fertility and Sterility</i> , 1991, 55, 983-988.  | 0.5 | 45        |
| 379 | Reflotron Performance in a Community Screening Program: Results of the Massachusetts Model Systems for Blood Cholesterol Screening Project. <i>American Journal of Preventive Medicine</i> , 1991, 7, 397-405.          | 1.6 | 4         |
| 380 | Measurement of body fat in elderly subjects by dual-energy x-ray absorptiometry, bioelectrical impedance, and anthropometry. <i>American Journal of Clinical Nutrition</i> , 1991, 53, 1117-1123.                       | 2.2 | 119       |
| 381 | The translation and evaluation of an Urdu version of the Hospital Anxiety and Depression Scale. <i>Acta Psychiatrica Scandinavica</i> , 1991, 83, 81-85.  | 2.2 | 106       |
| 382 | Reliability of Six Pulse Oximeters in Chronic Obstructive Pulmonary Disease. <i>Chest</i> , 1991, 99, 842-846.  | 0.4 | 30        |
| 383 | The interchangeability of radioisotope and X-ray based measurements of bone mineral density. <i>British Journal of Radiology</i> , 1991, 64, 217-220.   | 1.0 | 5         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 384 | Lipoprotein-Cholesterol Analysis during Screening: Accuracy and Reliability. <i>Annals of Internal Medicine</i> , 1991, 114, 741-747.   | 2.0 | 24        |
| 385 | Ascites increases the resting energy expenditure in liver cirrhosis. <i>Gastroenterology</i> , 1991, 100, 738-744.  | 0.6 | 129       |
| 386 | Quantification of Left to Right Shunts by Echo Doppler Cardiography in Patients with Ventricular Septal Defects. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1991, 80, 355-360.   | 0.7 | 11        |
| 387 | Reliability of Transabdominal Ultrasound in the Measurement of Prostate Size. <i>Journal of Medical Imaging and Radiation Oncology</i> , 1991, 35, 358-360.   | 0.6 | 3         |
| 388 | The clearance of iohexol as a measure of the glomerular filtration rate in children with chronic renal failure. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1991, 51, 729-734.   | 0.6 | 39        |
| 389 | Automated Blood Pressure Recording in Pregnancy. <i>Clinical and Experimental Hypertension Part B, Hypertension in Pregnancy</i> , 1991, 10, 7-19.  | 0.2 | 3         |
| 390 | A single plasma sample method for estimation of the glomerular filtration rate in infants and children using iohexol, II: establishment of the optimal plasma sampling time and a comparison with the $^{99m}\text{Tc}$ -DTPA method. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1991, 51, 343-348. | 0.6 | 23        |
| 391 | Body fat in lean and overweight women estimated by six methods. <i>British Journal of Nutrition</i> , 1991, 65, 95-103.   | 1.2 | 84        |
| 392 | Measurement of milk intake: tracer-to-infant deuterium dilution method. <i>British Journal of Nutrition</i> , 1991, 65, 3-14.   | 1.2 | 39        |
| 394 | Influence of Sample Type on the Interpretation of the Oral Glucose Tolerance Test for Gestational Diabetes Mellitus. <i>Diabetic Medicine</i> , 1991, 8, 129-134.   | 1.2 | 22        |
| 395 | Capillary and Venous Blood Glucose Measurements Using a Direct Glucose-sensing Meter. <i>Diabetic Medicine</i> , 1991, 8, 875-880.  | 1.2 | 13        |
| 396 | Assessment of scales of disability and handicap for stroke patients.. <i>Stroke</i> , 1991, 22, 1242-1244.  | 1.0 | 276       |
| 397 | Automated Exercise Blood Pressure Measurements in Children: A Preliminary Study. <i>Pediatric Exercise Science</i> , 1991, 3, 290-299.  | 0.5 | 8         |
| 398 | Experimental evaluation of an endoscopic balloon for manometry of esophageal varices. <i>Gastroenterology</i> , 1991, 101, 1692-1700.   | 0.6 | 13        |
| 399 | Size calculation of restriction enzyme <i>Hae</i> III-generated fragments detected by probe YNH24 by comparison of data from two laboratories: The generation of fragment-size frequencies. <i>Forensic Science International</i> , 1991, 49, 21-31.  | 1.3 | 8         |
| 400 | Edge detection versus densitometry for assessing coronary stenting quantitatively. <i>American Journal of Cardiology</i> , 1991, 67, 484-490.   | 0.7 | 49        |
| 401 | Beneficial effect of atrial pacing in severe acute aortic regurgitation and role of M-mode echocardiography in determining the optimal pacing interval. <i>American Journal of Cardiology</i> , 1991, 67, 398-403.  | 0.7 | 12        |
| 402 | Comparison of left ventricular ejection fraction by magnetic resonance imaging and radionuclide ventriculography in idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1991, 67, 411-415.   | 0.7 | 49        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 403 | Doppler echocardiographic estimation of mitral valve area during changing hemodynamic conditions. American Journal of Cardiology, 1991, 68, 1485-1490.  | 0.7 | 59        |
| 404 | Comparative quantitative angiographic analysis of directional coronary atherectomy and balloon coronary angioplasty. American Journal of Cardiology, 1991, 68, 1556-1563.                               | 0.7 | 37        |
| 405 | Factors influencing Doppler indexes of left ventricular filling in healthy persons. American Journal of Cardiology, 1991, 68, 653-659.  | 0.7 | 105       |
| 406 | Effects of early captopril administration on infarct expansion, left ventricular remodeling and exercise capacity after acute myocardial infarction. American Journal of Cardiology, 1991, 68, 713-718. | 0.7 | 90        |
| 407 | Edge detection versus videodensitometry for quantitative angiographic assessment of directional coronary atherectomy. American Journal of Cardiology, 1991, 68, 534-539.                                | 0.7 | 27        |
| 408 | Doppler echocardiographic estimation of transmitral pressure gradients and correlations with micromanometer gradients in mitral stenosis. American Journal of Cardiology, 1991, 67, 1161-1164.          | 0.7 | 7         |
| 410 | Letters to the editor. Diseases of the Colon and Rectum, 1991, 34, 729.   | 0.7 | 1         |
| 411 | In vitro validation of a right ventricular thermodilution ejection fraction system. Annals of Biomedical Engineering, 1991, 19, 165-177.  | 1.3 | 14        |
| 412 | Continuous finger arterial pressure: Utility in the cardiovascular laboratory. Clinical Autonomic Research, 1991, 1, 43-53.   | 1.4 | 169       |
| 413 | Blood pressure changes associated with tilting in normotensive subjects: Differences in response pattern as measured by oscillometry and auscultation. Clinical Autonomic Research, 1991, 1, 161-166.   | 1.4 | 3         |
| 414 | Reproducibility of ultrasonic measurement of fetal cardiac haemodynamics. BJOG: an International Journal of Obstetrics and Gynaecology, 1991, 98, 807-814.  | 1.1 | 17        |
| 415 | Measurement of PC20histamine with the use of two different nebulizers and measurement of FEV1 and PEF. Allergy: European Journal of Allergy and Clinical Immunology, 1991, 46, 213-216.                 | 2.7 | 4         |
| 416 | Intravenous propofol anaesthesia using a computerised infusion system. Anaesthesia, 1991, 46, 156-157.  | 1.8 | 57        |
| 417 | Potential errors in pulse oximetry.. Anaesthesia, 1991, 46, 202-206.  | 1.8 | 136       |
| 418 | Potential errors in pulse oximetry.. Anaesthesia, 1991, 46, 207-212.  | 1.8 | 152       |
| 419 | Continuous direct and indirect blood pressure measurement (Finapres) in the critically ill. Anaesthesia, 1991, 46, 1050-1055.   | 1.8 | 24        |
| 420 | Measurement of involved surface area in patients with psoriasis. British Journal of Dermatology, 1991, 124, 565-570.  | 1.4 | 169       |
| 421 | Nucleolar organizer regions in benign and malignant prostatic disease. Histopathology, 1991, 18, 449-452.   | 1.6 | 13        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 422 | Radioimmunoassay of human eosinophil cationic protein (ECP) by an improved method. Establishment of normal levels in serum and turnover in vivo. <i>Clinical and Experimental Allergy</i> , 1991, 21, 561-567.  | 1.4 | 201       |
| 423 | Peripheral blood neutrophils in inflammatory bowel disease: morphological evidence of in vivo activation in active disease. <i>Clinical and Experimental Immunology</i> , 1991, 86, 489-493.  | 1.1 | 103       |
| 424 | Glomerular filtration rate, 131I-hippuran clearance and estimated creatinine clearance in cancer patients. <i>British Journal of Cancer</i> , 1991, 64, 401-405.  | 2.9 | 12        |
| 425 | Sodium modeling in hemodiafiltration. <i>Kidney International</i> , 1991, 40, 525-532.  | 2.6 | 37        |
| 426 | Amperometric enzyme electrode for the determination of aspartate aminotransferase and alanine aminotransferase in serum. <i>Analytica Chimica Acta</i> , 1991, 245, 57-62.  | 2.6 | 35        |
| 427 | Cyproterone acetate for severe hirsutism: results of a double-blind dose-ranging study*. <i>Clinical Endocrinology</i> , 1991, 35, 5-10.  | 1.2 | 97        |
| 428 | Cholecystokinin receptor antagonist loxiglumide modulates plasma levels of gastro-entero-pancreatic hormones in man Feedback control of cholecystokinin and gastrin secretion. <i>European Journal of Clinical Investigation</i> , 1991, 21, 501-511. | 1.7 | 39        |
| 429 | Basic studies of pulse oximetry in a rabbit model. <i>Acta Anaesthesiologica Scandinavica</i> , 1991, 35, 596-599.  | 0.7 | 24        |
| 430 | Development and evaluation of two automated methods for quantifying human muscle sympathetic nerve activity. <i>Computers in Biology and Medicine</i> , 1991, 21, 221-235.  | 3.9 | 10        |
| 431 | The frequency/volume chart in detrusor instability. <i>Neurourology and Urodynamics</i> , 1991, 10, 533-543.  | 0.8 | 48        |
| 432 | Quantitation of intrinsic drug-metabolizing capacity in human liver biopsy specimens: Support for the intact-hepatocyte theory. <i>Hepatology</i> , 1991, 13, 475-481.  | 3.6 | 31        |
| 433 | A clinical evaluation of rapid automatic noninvasive blood pressure determination with the Ohmeda 2120 "return-to-flow" method. <i>Journal of Clinical Monitoring and Computing</i> , 1991, 7, 241-244.   | 0.6 | 2         |
| 434 | The accuracy of the biox 3700 pulse oximeter in patients receiving vasoactive therapy. <i>Intensive Care Medicine</i> , 1991, 17, 484-486.  | 3.9 | 37        |
| 435 | Non-invasive pulmonary blood flow measurement by means of CO2 analysis of expiratory gases. <i>Intensive Care Medicine</i> , 1991, 17, 98-102.  | 3.9 | 18        |
| 436 | Bioimpedance versus thermodilution cardiac output measurement: The bomed NCCOM3 after coronary bypass surgery. <i>Intensive Care Medicine</i> , 1991, 17, 383-386.  | 3.9 | 34        |
| 437 | Left ventricular wall thickness measurements by magnetic resonance: a validation study. <i>International Journal of Cardiovascular Imaging</i> , 1991, 7, 31-41.  | 0.2 | 19        |
| 438 | Validation of quantitative analysis of intravascular ultrasound images. <i>International Journal of Cardiovascular Imaging</i> , 1991, 6, 247-253.  | 0.2 | 101       |
| 439 | Potential risk factors for development of postmenopausal osteoporosis " Examined over a 12-year period. <i>Osteoporosis International</i> , 1991, 1, 95-102.  | 1.3 | 175       |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 440 | Measurement of cardiac output-transtacheal Doppler versus thermodilution. Canadian Journal of Anaesthesia, 1991, 38, 931-934.   | 0.7 | 6         |
| 441 | Cardiac output by Doppler echocardiography in the premature baboon: Comparison with radiolabeled microspheres. Pediatric Cardiology, 1991, 12, 92-97.   | 0.6 | 5         |
| 442 | Repeated provocation tests in asthmatic children for testing tachyphylaxis to histamine. Pediatric Pulmonology, 1991, 10, 106-111.  | 1.0 | 6         |
| 443 | Pulse oximetry versus measured arterial oxygen saturation: A comparison of the Nellcor N100 and the Biox III. Pediatric Pulmonology, 1991, 10, 132-135.   | 1.0 | 22        |
| 444 | Comparison of three methods for measuring respiratory mechanics in ventilated children. Pediatric Pulmonology, 1991, 10, 291-295.   | 1.0 | 25        |
| 445 | Grading of superficial antral gastritis: Comparison of cell-counting and photographic-based methods. Journal of Pathology, 1991, 163, 251-256.  | 2.1 | 5         |
| 446 | Maximum likelihood techniques applied to method comparison studies. Statistics in Medicine, 1991, 10, 981-988.  | 0.8 | 11        |
| 447 | The importance of the orientation of the electrode plates in recording the external anal sphincter EMG by non-invasive anal plug electrodes. International Journal of Colorectal Disease, 1991, 6, 5-8.               | 1.0 | 35        |
| 448 | An evaluation of pulse oximetry in prehospital care. Annals of Emergency Medicine, 1991, 20, 887-891.   | 0.3 | 31        |
| 449 | The intrasession repeatability of pattern electroretinograms and the effects of digital filtering. Documenta Ophthalmologica, 1991, 76, 351-358.  | 1.0 | 13        |
| 450 | Reproducibility of quantitative hexakis-2-methoxyisobutylisonitrile single photon emission tomography in stable coronary artery disease. European Journal of Nuclear Medicine and Molecular Imaging, 1991, 18, 17-22. | 2.2 | 3         |
| 451 | Rate of urinary bladder blood flow evaluated by <sup>133</sup> Xe washout and radioactive microspheres in pigs. Urological Research, 1991, 19, 387-391.   | 1.5 | 11        |
| 452 | Impedance Cardiography for Repeated Determination of Stroke Volume in Elderly Hypertensives: Correlation with Pulsed Doppler Echocardiography. Angiology, 1991, 42, 648-653.  | 0.8 | 18        |
| 454 | Quantitative Bone and <sup>67</sup> Ga Scintigraphy in the Differentiation of Necrotizing External Otitis From Severe External Otitis. JAMA Otolaryngology, 1991, 117, 623-626.                                       | 1.5 | 21        |
| 455 | NON-INVASIVE MEASUREMENT OF CARDIAC OUTPUT BY THORACIC ELECTRICAL BIOIMPEDANCE: A STUDY OF REPRODUCIBILITY AND COMPARISON WITH THERMODILUTION. British Journal of Anaesthesia, 1991, 67, 788-794.                     | 1.5 | 52        |
| 456 | Non-invasive measurement of the regurgitant fraction by pulsed Doppler echocardiography in isolated pure mitral regurgitation.. Heart, 1991, 66, 290-294.   | 1.2 | 12        |
| 457 | Evaluation of the Ciba Corning Biotrack 512 coagulation monitor for the control of oral anticoagulation.. Journal of Clinical Pathology, 1991, 44, 950-953.   | 1.0 | 48        |
| 458 | The Chalfont Seizure Severity Scale.. Journal of Neurology, Neurosurgery and Psychiatry, 1991, 54, 873-876.   | 0.9 | 138       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 459 | Older's classification of Colles' fractures: Good intraobserver and interobserver reproducibility in 185 cases. <i>Acta Orthopaedica</i> , 1991, 62, 463-464.   | 1.4 | 36        |
| 460 | Impairment of vasomotor reflexes in the fingertips of leprosy patients.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1991, 54, 965-971.  | 0.9 | 29        |
| 461 | Microlavage: a technique for determining the volume of epithelial lining fluid.. <i>Thorax</i> , 1991, 46, 658-662.   | 2.7 | 38        |
| 462 | Relation between electromyography and anal manometry of the external anal sphincter.. <i>Gut</i> , 1991, 32, 1031-1034.   | 6.1 | 39        |
| 463 | Assessment of Diesse Ves-matic automated system for measuring erythrocyte sedimentation rate.. <i>Journal of Clinical Pathology</i> , 1991, 44, 946-949.  | 1.0 | 20        |
| 464 | Quantitative angiography after directional coronary atherectomy.. <i>Heart</i> , 1991, 66, 122-129.   | 1.2 | 49        |
| 465 | Estimating the size of myocardial infarction by magnetic resonance imaging.. <i>Heart</i> , 1991, 66, 359-363.  | 1.2 | 13        |
| 466 | Statistics in respiratory medicine. 2. Repeatability and method comparison.. <i>Thorax</i> , 1991, 46, 454-456.   | 2.7 | 319       |
| 467 | Respiratory rate: measurement of variability over time and accuracy at different counting periods.. <i>Archives of Disease in Childhood</i> , 1991, 66, 1199-1203.  | 1.0 | 92        |
| 468 | Participation of the cysteinyl leukotrienes in the acute bronchoconstrictor response to inhaled platelet activating factor in man.. <i>Thorax</i> , 1991, 46, 441-445.  | 2.7 | 39        |
| 469 | Body water measurement in growth disorders: a comparison of bioelectrical impedance and skinfold thickness techniques with isotope dilution.. <i>Archives of Disease in Childhood</i> , 1991, 66, 220-222.  | 1.0 | 51        |
| 470 | Simultaneous determination of glomerular filtration rate and effective renal plasma flow. <i>Clinical Physics and Physiological Measurement: an Official Journal of the Hospital Physicists' Association, Deutsche Gesellschaft Fur Medizinische Physik and the European Federation of Organisations for Medical Physics</i> , 1991, 12, 269-277. | 0.5 | 11        |
| 471 | Estimation of Doppler gradients at rest and during exercise in patients with recoarctation of the aorta.. <i>Heart</i> , 1991, 65, 155-157.   | 1.2 | 14        |
| 472 | Comparative performance <i>in vitro</i> and <i>in vivo</i> of Lunar DPX and Hologic QDR-1000 dual energy X-ray absorptiometers. <i>British Journal of Radiology</i> , 1991, 64, 1023-1029.  | 1.0 | 110       |
| 474 | A computer based system for the study of QT intervals. , 0, , .   |     | 4         |
| 475 | Noninvasive estimation of the instantaneous first derivative of left ventricular pressure using continuous-wave Doppler echocardiography.. <i>Circulation</i> , 1991, 83, 2101-2110.  | 1.6 | 116       |
| 476 | Statistical analysis of comparison between laboratory methods.. <i>Journal of Clinical Pathology</i> , 1991, 44, 700-701.   | 1.0 | 19        |
| 477 | COMPARISON OF CONTEMPORANEOUS AND RETROSPECTIVE ASSESSMENT OF POSTOPERATIVE PAIN USING THE VISUAL ANALOGUE SCALE. <i>British Journal of Anaesthesia</i> , 1991, 67, 768-771.  | 1.5 | 50        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 478 | Tay-Sachs disease heterozygote detection: use of a centrifugal analyser for automation of hexosaminidase assays with two different artificial substrates.. Journal of Medical Genetics, 1991, 28, 101-109.  | 1.5 | 11        |
| 479 | Improving Doctors' Understanding of Statistics. Journal of the Royal Statistical Society Series A: Statistics in Society, 1991, 154, 223.   | 0.6 | 150       |
| 480 | Assessment of the Glycotronic C blood glucose meter.. Journal of Clinical Pathology, 1991, 44, 785-786.   | 1.0 | 0         |
| 481 | Statistics in respiratory medicine. 3. Scale, parametric methods, and transformations.. Thorax, 1991, 46, 536-538.  | 2.7 | 14        |
| 482 | Evaluation of a 200 mm long vacuum aspiration tube for measurement of erythrocyte sedimentation rate.. Journal of Clinical Pathology, 1991, 44, 429-430.  | 1.0 | 2         |
| 483 | Left ventricular dysfunction in the fetus: relation to aortic valve anomalies and endocardial fibroelastosis.. Heart, 1991, 66, 419-424.  | 1.2 | 119       |
| 484 | Magnetic Resonance Imaging Hyperintensities in Alzheimer's Disease-Reply. Archives of Neurology, 1991, 48, 469-470.   | 4.9 | 9         |
| 485 | A Triple Isotope Technique for Estimation of Fat and Vitamin B12 Malabsorption in Crohn's Disease. Scandinavian Journal of Gastroenterology, 1991, 26, 307-312.   | 0.6 | 2         |
| 486 | A single plasma sample method for estimation of the glomerular filtration rate in infants and children using iohexol, I: establishment of a body weight-related formula for the distribution volume of iohexol. Scandinavian Journal of Clinical and Laboratory Investigation, 1991, 51, 335-342. | 0.6 | 43        |
| 487 | Evaluation of two infrared autorefractors in pseudophakia. Ophthalmic and Physiological Optics, 1992, 12, 405-410.  | 1.0 | 4         |
| 488 | EAMI"Exercise Training in Anterior Myocardial Infarction: An Ongoing Multicenter Randomized Study". Chest, 1992, 101, 315S-321S.  | 0.4 | 10        |
| 489 | Does Radial Artery Pressure Accurately Reflect Aortic Pressure?. Chest, 1992, 102, 1193-1198.   | 0.4 | 323       |
| 490 | The Reliability of Self-Reported Alcohol Consumption in the Remote Past. Epidemiology, 1992, 3, 535-539.  | 1.2 | 50        |
| 491 | Evaluating Correlation with Proper Bounds. Biometrics, 1992, 48, 1207.  | 0.8 | 50        |
| 492 | Clinical evaluation of the Takeda Medical (A & D) TM 2420 ambulatory blood pressure monitor. Practical experience and comparison with direct and indirect measurements. Scandinavian Journal of Clinical and Laboratory Investigation, 1992, 52, 261-268.   | 0.6 | 22        |
| 493 | Measurement of tibial torsion" a new technique applicable to ultrasound and computed tomography. British Journal of Radiology, 1992, 65, 119-126.   | 1.0 | 45        |
| 494 | Reflectance Pulse Oximetry in Fetal Lambs. Pediatric Research, 1992, 31, 266-269.   | 1.1 | 51        |
| 495 | Keratometry and post-operative astigmatism. Eye, 1992, 6, 63-65.  | 1.1 | 10        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 496 | Method Comparison—A Different Approach. <i>Annals of Clinical Biochemistry</i> , 1992, 29, 556-560.   | 0.8 | 110       |
| 497 | An Evaluation of Self-Measured Blood Pressure in a Study With a Calcium-Channel Antagonist Versus a $\alpha$ -Blocker. <i>American Journal of Hypertension</i> , 1992, 5, 154-160.  | 1.0 | 38        |
| 498 | The Diurnal Blood Pressure Profile: A Population Study. <i>American Journal of Hypertension</i> , 1992, 5, 386-392.   | 1.0 | 145       |
| 499 | Deterioration in the accuracy of the Pulsair non-contact tonometer with use: Need for regular calibration. <i>Eye</i> , 1992, 6, 530-534.   | 1.1 | 24        |
| 500 | Accurate screening for abdominal aortic aneurysm. <i>Clinical Physics and Physiological Measurement: an Official Journal of the Hospital Physicists' Association, Deutsche Gesellschaft Fur Medizinische Physik and the European Federation of Organisations for Medical Physics</i> , 1992, 13, 135-138. | 0.5 | 24        |
| 501 | Comparison of aspiration and scintigraphic techniques for the measurement of gastric emptying rates of liquids in humans.. <i>Gut</i> , 1992, 33, 115-117.  | 6.1 | 27        |
| 502 | Pseudohypertension and the measurement of blood pressure.. <i>Hypertension</i> , 1992, 20, 26-31.   | 1.3 | 23        |
| 503 | Serum Lp(a) as a discriminant marker of early atherosclerotic plaque at three extracoronary sites in hypercholesterolemic men. The PCVMETRA Group.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1992, 12, 1346-1352.  | 3.8 | 69        |
| 504 | Correlation between echocardiographic and morphological investigations of lesions of the tricuspid valve diagnosed during fetal life. <i>Heart</i> , 1992, 68, 580-585.   | 1.2 | 41        |
| 505 | Measurement of Resting Energy Expenditure in Patients With Chronic Obstructive Pulmonary Disease in a Clinical Setting. <i>Journal of Parenteral and Enteral Nutrition</i> , 1992, 16, 364-368.   | 1.3 | 26        |
| 506 | Variability of Indirect Methods Used to Determine Blood Pressure. <i>Archives of Internal Medicine</i> , 1992, 152, 139.  | 4.3 | 32        |
| 507 | Continuous wave Doppler echocardiography after surgical repair of coarctation of the aorta. <i>Heart</i> , 1992, 68, 192-194.   | 1.2 | 17        |
| 508 | Quantification of right to left shunt at rest and during exercise in patients with pulmonary arteriovenous malformations.. <i>Thorax</i> , 1992, 47, 790-796.   | 2.7 | 77        |
| 509 | TRANSOESOPHAGEAL PULSED WAVE DOPPLER MEASUREMENT OF CARDIAC OUTPUT DURING MAJOR VASCULAR SURGERY: COMPARISON WITH THE THERMODILUTION TECHNIQUE. <i>British Journal of Anaesthesia</i> , 1992, 69, 101-104.  | 1.5 | 24        |
| 510 | Effect of vigabatrin on striatal dopamine receptors: evidence in humans for interactions of GABA and dopamine systems.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1992, 55, 758-761.   | 0.9 | 33        |
| 511 | Intravascular ultrasound imaging of the coronary arteries: an in vitro evaluation of measurement of area of the lumen and atheroma characterisation. <i>Heart</i> , 1992, 68, 276-281.  | 1.2 | 17        |
| 512 | Transoesophageal Doppler echocardiographic measurement of cardiac output by the mitral annulus method. <i>Heart</i> , 1992, 68, 510-515.  | 1.2 | 20        |
| 513 | Validation of a portable indirect calorimetry system for measurement of energy expenditure in sick preterm infants.. <i>Archives of Disease in Childhood</i> , 1992, 67, 1207-1211.   | 1.0 | 28        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 514 | Randomised trial of inhaled steroids in preterm infants with respiratory symptoms at follow up.. Thorax, 1992, 47, 910-913.   | 2.7 | 52        |
| 515 | Noninvasive measurement of the time constant of left ventricular relaxation using the continuous-wave Doppler velocity profile of mitral regurgitation.. Circulation, 1992, 86, 272-278.                  | 1.6 | 68        |
| 516 | Assessment of value of calibrated lyophilised plasmas to determine International Sensitivity Index for coagulometers.. Journal of Clinical Pathology, 1992, 45, 58-60.                                    | 1.0 | 32        |
| 517 | Maternal recall of infant feeding events is accurate.. Journal of Epidemiology and Community Health, 1992, 46, 203-206.   | 2.0 | 90        |
| 518 | Calculation of aortic regurgitation orifice area by Doppler echocardiography: an application of the continuity equation. Heart, 1992, 68, 236-240.  | 1.2 | 14        |
| 519 | Profile of bronchial responsiveness in children with respiratory symptoms.. Archives of Disease in Childhood, 1992, 67, 574-579.  | 1.0 | 36        |
| 520 | The Dinamap 1846SX automated blood pressure recorder: comparison with the Hawksley random zero sphygmomanometer under field conditions.. Journal of Epidemiology and Community Health, 1992, 46, 164-169. | 2.0 | 62        |
| 521 | Impact of finite orifice size on proximal flow convergence. Implications for Doppler quantification of valvular regurgitation.. Circulation Research, 1992, 70, 923-930.                                  | 2.0 | 138       |
| 522 | Determination of cardiac output by an angle and diameter independent dual beam Doppler technique in critically ill infants.. Heart, 1992, 67, 180-184.  | 1.2 | 8         |
| 523 | Fasting hypochlorhydria with gram positive gastric flora is highly prevalent in healthy old people.. Gut, 1992, 33, 1331-1337.  | 6.1 | 91        |
| 524 | Predicted and observed sizes of dystrophin in some patients with gene deletions that disrupt the open reading frame.. Journal of Medical Genetics, 1992, 29, 892-896.                                     | 1.5 | 28        |
| 525 | Prediction of general practice workload from census based social deprivation scores.. Journal of Epidemiology and Community Health, 1992, 46, 532-536.  | 2.0 | 49        |
| 526 | Evaluation of noninvasive blood pressure monitoring devices Spacelabs 90202 and 90207 versus resting and ambulatory 24-hour intra-arterial blood pressure.. Hypertension, 1992, 20, 227-232.              | 1.3 | 138       |
| 527 | Lung sound intensity in patients with emphysema and in normal subjects at standardised airflows.. Thorax, 1992, 47, 674-679.  | 2.7 | 44        |
| 528 | Accuracy and Precision of a Portable Anticoagulation Monitor in a Clinical Setting. Archives of Internal Medicine, 1992, 152, 589.  | 4.3 | 66        |
| 529 | Estimating Energy Expenditure. Journal of Parenteral and Enteral Nutrition, 1992, 16, 595-595.  | 1.3 | 0         |
| 530 | Renal function in sick very low birthweight infants: 2. Urea and creatinine excretion.. Archives of Disease in Childhood, 1992, 67, 1146-1153.  | 1.0 | 20        |
| 531 | Validating the SF-36 health survey questionnaire: new outcome measure for primary care.. BMJ: British Medical Journal, 1992, 305, 160-164.  | 2.4 | 3,603     |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 532 | Alternative method of positioning the pH probe for oesophageal pH monitoring.. Gut, 1992, 33, 111-114.   | 6.1 | 11        |
| 533 | Development of a shuttle walking test of disability in patients with chronic airways obstruction.. Thorax, 1992, 47, 1019-1024.  | 2.7 | 1,152     |
| 534 | Attenuation of exercise induced asthma by local hyperthermia.. Thorax, 1992, 47, 592-597.  | 2.7 | 9         |
| 535 | Body composition and body hydration in old age estimated by means of skinfold thickness and deuterium dilution. Annals of Human Biology, 1992, 19, 57-66.  | 0.4 | 15        |
| 536 | Left ventricular performance in children: transthoracic versus transoesophageal measurement of M mode derived indices. Heart, 1992, 68, 485-487.   | 1.2 | 8         |
| 537 | Axillary and rectal temperature measurements in infants.. Archives of Disease in Childhood, 1992, 67, 122-125.   | 1.0 | 98        |
| 538 | Repeatability of methacholine challenge in asthmatic children measured by change in transcutaneous oxygen tension.. Thorax, 1992, 47, 804-808.   | 2.7 | 27        |
| 539 | Variability of inspired oxygen concentration with nasal cannulas.. Thorax, 1992, 47, 609-611.  | 2.7 | 105       |
| 540 | Beta endorphin release in patients after spontaneous and provoked acute myocardial ischaemia.. Heart, 1992, 67, 230-235.   | 1.2 | 38        |
| 541 | Ambulatory Blood Pressure Monitoring: A Must in the Future?. Annals of Medicine, 1992, 24, 111-112.  | 1.5 | 4         |
| 542 | Alkaline Oesophageal Reflux-An Artefact Due to Oxygen Corrosion of Antimony pH Electrodes. Scandinavian Journal of Gastroenterology, 1992, 27, 1084-1088.  | 0.6 | 22        |
| 543 | Review papers : Design and analysis of reliability studies. Statistical Methods in Medical Research, 1992, 1, 123-157.   | 0.7 | 164       |
| 544 | Accuracy and reproducibility of an on-line quantitative coronary angiographic system. , 0, , .   |     | 0         |
| 545 | Validation of the beat to beat measurement of blood velocity in the human ascending aorta by a new high temporal resolution Doppler ultrasound spectral analyser. Heart, 1992, 68, 223-229.                    | 1.2 | 15        |
| 546 | Statistics from the inside. 7. Regression and correlation.. Archives of Disease in Childhood, 1992, 67, 1306-1309.   | 1.0 | 9         |
| 547 | Four-component model for the assessment of body composition in humans: comparison with alternative methods, and evaluation of the density and hydration of fat-free mass. Clinical Science, 1992, 82, 687-693. | 1.8 | 360       |
| 548 | Measuring the Albumin Excretion Rate: Agreement Between Methods and Biological Variability. Diabetic Medicine, 1992, 9, 138-143.   | 1.2 | 41        |
| 549 | Cephalic stimulation of gastrointestinal secretory and motor responses in humans. Gastroenterology, 1992, 103, 383-391.  | 0.6 | 93        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 550 | Measurement of gastric emptying by magnetic resonance imaging in humans. <i>Gastroenterology</i> , 1992, 103, 369-376.  | 0.6 | 168       |
| 551 | Dynamic anal manometry: Physiological variations and pathophysiological findings in fecal incontinence. <i>Gastroenterology</i> , 1992, 103, 103-113.   | 0.6 | 30        |
| 552 | Chemiluminescence assay of mucosal reactive oxygen metabolites in inflammatory bowel disease. <i>Gastroenterology</i> , 1992, 103, 186-196.   | 0.6 | 336       |
| 553 | Decision to treat mild hypertension after assessment by ambulatory monitoring and World Health Organisation recommendations.. <i>BMJ: British Medical Journal</i> , 1992, 305, 1062-1066.               | 2.4 | 16        |
| 554 | Assessing observer variability: Authors' reply. <i>BMJ: British Medical Journal</i> , 1992, 305, 313-314.   | 2.4 | 2         |
| 555 | Daily energy expenditure in free-living children: comparison of heart-rate monitoring with the doubly labeled water (2H218O) method. <i>American Journal of Clinical Nutrition</i> , 1992, 56, 343-352. | 2.2 | 254       |
| 556 | Validation of the in vivo measurement of adipose tissue by magnetic resonance imaging of lean and obese pigs. <i>American Journal of Clinical Nutrition</i> , 1992, 56, 7-13.                           | 2.2 | 86        |
| 557 | Validation of estimates of energy intake by weighed dietary record and diet history in children and adolescents. <i>American Journal of Clinical Nutrition</i> , 1992, 56, 29-35.                       | 2.2 | 348       |
| 558 | Doppler Cardiac Output and Left Ventricular Performance after Cardiac Surgery. <i>Chest</i> , 1992, 102, 380-386.   | 0.4 | 12        |
| 559 | Non-Invasive Methods of Measuring Venous Compliance. <i>Phlebology</i> , 1992, 7, 78-81.  | 0.6 | 13        |
| 560 | Normal Range of Motion of the Cervical Spine: An Initial Goniometric Study. <i>Physical Therapy</i> , 1992, 72, 770-780.  | 1.1 | 333       |
| 561 | Tumour growth rates in squamous carcinoma of the head and neck measured by in vivo bromodeoxyuridine incorporation and flow cytometry. <i>British Journal of Cancer</i> , 1992, 65, 698-702.            | 2.9 | 30        |
| 562 | A Comparison of Three Pulmonary Artery Oximetry Catheters in Intensive Care Unit Patients. <i>Chest</i> , 1992, 102, 896-905.   | 0.4 | 24        |
| 563 | Quantitative Radio-Isotope Scanning of the Sacroiliac Joints in Ankylosing Spondylitis. <i>Acta Radiologica</i> , 1992, 33, 169-171.  | 0.5 | 9         |
| 564 | Cardiovascular effects of carbon dioxide in ventilated preterm infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1992, 81, 498-503.  | 0.7 | 13        |
| 565 | Clinical Utility of Ambulatory Blood Pressure Monitoring in Target Organ Complications and Equipment Choices. <i>Journal of Clinical Pharmacology</i> , 1992, 32, 620-626.                              | 1.0 | 6         |
| 566 | Portable maximum respiratory pressure measurementâ€™A comparison with laboratory techniques. <i>Journal of Medical Engineering and Technology</i> , 1992, 16, 82-86.                                    | 0.8 | 1         |
| 567 | Baroreflex control of stroke volume in man: an effect mediated by the vagus.. <i>Journal of Physiology</i> , 1992, 448, 539-550.  | 1.3 | 51        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 568 | The Effect of Insulin Infusion on Capillary Blood Flow in the Diabetic Neuropathic Foot. <i>Diabetic Medicine</i> , 1992, 9, 630-634.  | 1.2 | 25        |
| 569 | Precision of gestational age assessment in the neonate. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1992, 81, 95-99.   | 0.7 | 16        |
| 570 | Thermal Threshold Testing for the Assessment of Small Fibre Dysfunction: Normal Values and Reproducibility. <i>Diabetic Medicine</i> , 1992, 9, 546-549.   | 1.2 | 45        |
| 571 | Effects of different ocular fixation conditions on A-scan ultrasound biometry measurements. <i>Ophthalmic and Physiological Optics</i> , 1992, 12, 491-495.  | 1.0 | 12        |
| 572 | Measuring psychiatric disorder in the recent past: the use of the Psychiatric Assessment Schedule retrospectively. <i>Psychological Medicine</i> , 1992, 22, 457-463.  | 2.7 | 10        |
| 573 | Statistical methods for assessing observer variability in clinical measures.. <i>BMJ: British Medical Journal</i> , 1992, 304, 1491-1494.  | 2.4 | 848       |
| 574 | Hemoglobin desaturation during sleep and daytime in patients with cystic fibrosis and severe airway obstruction. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1992, 81, 1002-1006.                | 0.7 | 22        |
| 575 | Ambulatory blood pressure monitoring in elderly patients with isolated systolic hypertension. <i>Journal of Hypertension</i> , 1992, 10, H31.  | 0.3 | 37        |
| 576 | Variability and Similarity of Manual Office and Automated Blood Pressures. <i>Journal of Clinical Pharmacology</i> , 1992, 32, 614-619.  | 1.0 | 15        |
| 577 | Comparison of the effect of different reference data on Lunar DPX and Hologic QDR-1000 dual-energy X-ray absorptiometers. <i>British Journal of Radiology</i> , 1992, 65, 1124-1129.                                 | 1.0 | 57        |
| 578 | Evaluation of Breath-by-Breath Measurement of Respiratory Gas Exchange in Pediatric Exercise Testing. <i>Chest</i> , 1992, 102, 147-152.   | 0.4 | 28        |
| 579 | Evaluation of Cardiac Output by Thoracic Electrical Bioimpedance during Exercise in Normal Subjects. <i>Chest</i> , 1992, 102, 448-455.  | 0.4 | 39        |
| 580 | â€œMedullary Ray Glomerular Countingâ€• as a Method of Assessment of Human Nephrogenesis. <i>Pathology Research and Practice</i> , 1992, 188, 775-782.   | 1.0 | 31        |
| 581 | Thermodilution cardiac output: Comparison between automated and manual injection of indicator. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1992, 6, 17-19.  | 0.6 | 18        |
| 582 | Evaluation of the Ferraris pocket peak flow meter for the measurement of peak expiratory flow rate (PEFR), and forced expiratory volume in the first second (FEV1). <i>Respiratory Medicine</i> , 1992, 86, 525-526. | 1.3 | 3         |
| 583 | Validation and reproducibility of bidirectional laser Doppler velocimetry for the measurement of retinal blood flow. <i>Current Eye Research</i> , 1992, 11, 633-640.  | 0.7 | 7         |
| 584 | Doppler assessment of prosthetic valve orifice area. An in vitro study.. <i>Circulation</i> , 1992, 85, 2275-2283.   | 1.6 | 71        |
| 585 | Quality of life and antihypertensive drugs in the elderly. <i>Aging Clinical and Experimental Research</i> , 1992, 4, 115-123.   | 1.4 | 5         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 586 | Role of the Antrum in the Gastric Emptying of a Non-Nutrient Liquid in the Rat. <i>Scandinavian Journal of Gastroenterology</i> , 1992, 27, 748-752.   | 0.6 | 8         |
| 587 | The von Rosen splint compared with the Frejka pillow. <i>Acta Orthopaedica</i> , 1992, 63, 389-392.  | 1.4 | 14        |
| 588 | Agreement and reproducibility of the estimates of cardiovascular function by impedance cardiography and M-mode echocardiography in healthy subjects.. <i>British Journal of Clinical Pharmacology</i> , 1992, 34, 88-92.   | 1.1 | 9         |
| 589 | The effects of an oral thromboxane TP receptor antagonist BAY u 3405, on prostaglandin D2-induced and histamine-induced bronchoconstriction in asthma, and relationship to plasma drug concentrations.. <i>British Journal of Clinical Pharmacology</i> , 1992, 34, 402-408.   | 1.1 | 40        |
| 590 | An evaluation of three methods used to assess the gestational age of Aboriginal neonates. <i>Journal of Paediatrics and Child Health</i> , 1992, 28, 312-317.  | 0.4 | 20        |
| 591 | Observer variability in the sonographic measurement of renal length in childhood. <i>Clinical Radiology</i> , 1992, 46, 344-347.   | 0.5 | 38        |
| 592 | Accuracy of central venous pressure monitoring in the intraabdominal inferior vena cava: A canine study. <i>Journal of Pediatrics</i> , 1992, 120, 67-71.  | 0.9 | 38        |
| 593 | Determination of plasma cholecystokinin (CCK) concentrations by bioassay and radioimmunoassay in man. A critical evaluation. <i>Regulatory Peptides</i> , 1992, 37, 255-269.   | 1.9 | 12        |
| 594 | Cost-effectiveness analysis of the use of chlorhexidine detergent in preoperative whole-body disinfection in wound infection prophylaxis. <i>Journal of Hospital Infection</i> , 1992, 21, 179-191.  | 1.4 | 70        |
| 595 | Continuous intra-arterial oximetry, pulse oximetry, and co-oximetry during cardiac surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1992, 6, 668-673.   | 0.6 | 8         |
| 596 | Oxygenator exhaust capnography: A method of estimating arterial carbon dioxide tension during cardiopulmonary bypass. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1992, 6, 42-45.   | 0.6 | 20        |
| 597 | Patellofemoral relationships and distal insertion of the vastus medialis muscle: A magnetic resonance imaging study in nonsymptomatic subjects and in patients with patellar dislocation. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 1992, 8, 465-468. | 1.3 | 51        |
| 598 | Ascites dynamics in cirrhosis. <i>Journal of Hepatology</i> , 1992, 16, 369-375.   | 1.8 | 15        |
| 599 | Measurement imprecision: ignore or investigate?. <i>Lancet, The</i> , 1992, 339, 587-588.  | 6.3 | 14        |
| 601 | Validity of postnatal assessments of gestational age: A comparison of the method of Ballard et al. and early ultrasonography. <i>American Journal of Obstetrics and Gynecology</i> , 1992, 166, 891-895.   | 0.7 | 62        |
| 602 | Long-term prognostic significance of thymidine labelling index in primary breast cancer. <i>European Journal of Cancer</i> , 1992, 28, 424-426.  | 1.3 | 18        |
| 603 | Continuous thermodilution cardiac output measurement in intensive care unit patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1992, 6, 270-274.   | 0.6 | 150       |
| 605 | Body composition analysis: an evaluation of 2 component models, multicomponent models and bedside techniques. <i>Clinical Nutrition</i> , 1992, 11, 114-127.   | 2.3 | 51        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 606 | Validity of self-reported pregravid weight. <i>Annals of Epidemiology</i> , 1992, 2, 715-721.  | 0.9 | 91        |
| 607 | The reproducibility of colour-coded duplex scanning in measuring arterial wall dimensions. <i>European Journal of Vascular Surgery</i> , 1992, 6, 386-389.   | 0.9 | 6         |
| 608 | Continuous noninvasive blood pressure monitoring during thoracic surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1992, 6, 51-54.   | 0.6 | 7         |
| 609 | A method of preparing blood leucocytes for flow cytometry which prevents upregulation of leucocyte integrins. <i>Journal of Immunological Methods</i> , 1992, 146, 219-228.  | 0.6 | 103       |
| 610 | Estimating the reliability of clinical tests. <i>Ophthalmic and Physiological Optics</i> , 1992, 12, 111-113.  | 1.0 | 1         |
| 612 | Intraocular pressure measurement in children using the Keeler Pulsair tonometer. <i>Ophthalmic and Physiological Optics</i> , 1992, 12, 287-290.   | 1.0 | 18        |
| 613 | Adverse effects of epinephrine in patients with advanced left ventricular dysfunction: analysis of ventriculo-arterial coupling. <i>International Journal of Cardiology</i> , 1992, 34, 143-155.                                       | 0.8 | 6         |
| 614 | The Hatle orifice area formula tested in normal bileaflet mechanical mitral prostheses. <i>International Journal of Cardiology</i> , 1992, 35, 397-404.  | 0.8 | 5         |
| 615 | Lithium determination in outpatient clinics by an ion-selective electrode in venous and capillary whole blood. <i>Psychiatry Research</i> , 1992, 44, 71-77.   | 1.7 | 10        |
| 616 | Doppler evaluation of aortic valve area in children with aortic stenosis. <i>Journal of the American College of Cardiology</i> , 1992, 20, 749.  | 1.2 | 0         |
| 617 | On measuring "agreement" and not "correlation". <i>Journal of the American College of Cardiology</i> , 1992, 20, 750.  | 1.2 | 0         |
| 618 | Left ventricular flow propagation during early filling is related to wall relaxation: A color M-mode Doppler analysis. <i>Journal of the American College of Cardiology</i> , 1992, 20, 420-432.                                       | 1.2 | 790       |
| 619 | Noninvasive determination of aortic input impedance and external left ventricular power output: A validation and repeatability study of a new technique. <i>Journal of the American College of Cardiology</i> , 1992, 20, 952-963.     | 1.2 | 339       |
| 620 | Value and limitations of Doppler echocardiographic determination of mitral valve area in Lutembacher syndrome. <i>Journal of the American College of Cardiology</i> , 1992, 20, 1362-1370.   | 1.2 | 18        |
| 621 | Computer-Aided Analysis of Gastrointestinal Pressure Recordings: Comparison with Manual Scoring. <i>Scandinavian Journal of Gastroenterology</i> , 1992, 27, 805-811.  | 0.6 | 3         |
| 622 | Quality-of-Life Assessment: Can We Keep It Simple?. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 1992, 155, 353.  | 0.6 | 268       |
| 623 | Comparison of two elemental-analyzer gas-isotope-ratio mass spectrometer systems in the simultaneous measurement of carbon-13/carbon-12 ratios and carbon content in organic samples. <i>Analytical Chemistry</i> , 1992, 64, 354-358. | 3.2 | 20        |
| 624 | Use of noninvasive finger blood pressure monitoring in the estimation of aortic pressure at rest and during the Mueller manoeuvre. <i>Clinical Physiology</i> , 1992, 12, 619-628.   | 0.7 | 28        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 625 | Assessment of the composition of major body regions by dual-energy X-ray absorptiometry (DEXA), with special reference to limb muscle mass. <i>Clinical Physiology</i> , 1992, 12, 253-266.        | 0.7 | 196       |
| 626 | Edge detection versus densitometry in the quantitative assessment of stenosis phantoms: An in vivo comparison in porcine coronary arteries. <i>American Heart Journal</i> , 1992, 124, 1181-1189.  | 1.2 | 57        |
| 627 | The value of radiographic predictors of the rate of mandibular residual ridge resorption. <i>Journal of Prosthetic Dentistry</i> , 1992, 68, 69-73.  | 1.1 | 4         |
| 628 | Improving the reliability of orthopaedic measurements. <i>Journal of Bone and Joint Surgery: British Volume</i> , 1992, 74-B, 287-291.   | 3.4 | 104       |
| 629 | In vivo estimation of lactose hydrolysis in premature infants using a dual stable tracer technique. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1992, 263, E1002-E1009. | 1.8 | 5         |
| 630 | Derived Oxygen Saturations are not Clinically Useful for the Calculation of Oxygen Consumption. <i>Anaesthesia and Intensive Care</i> , 1992, 20, 460-463.   | 0.2 | 10        |
| 631 | A Clinical Evaluation of the Hemocue Haemoglobinometer using Capillary, Venous and Arterial Samples. <i>Anaesthesia and Intensive Care</i> , 1992, 20, 497-500.                                    | 0.2 | 62        |
| 632 | Renal transplantation in tuberous sclerosis.. <i>BMJ: British Medical Journal</i> , 1992, 305, 313-313.  | 2.4 | 6         |
| 633 | Accuracy of the BoMED NCCOM3 Bioimpedance Cardiac Output Monitor during Induced Hypotension: An Experimental Study in Dogs. <i>Anaesthesia and Intensive Care</i> , 1992, 20, 326-331.             | 0.2 | 25        |
| 634 | Noninvasive estimation of total body water in critically ill children after cardiac operations. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1992, 104, 585-589.                        | 0.4 | 25        |
| 635 | Continuous thermodilution cardiac output measurement in sheep. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1992, 104, 315-320.   | 0.4 | 55        |
| 636 | The use of portable blood glucose monitors by trained lay operators. <i>Medical Journal of Australia</i> , 1992, 157, 446-448.   | 0.8 | 4         |
| 637 | Assessing observer variability.. <i>BMJ: British Medical Journal</i> , 1992, 305, 313-314.   | 2.4 | 7         |
| 638 | Gall stones induced by octreotide.. <i>BMJ: British Medical Journal</i> , 1992, 305, 313-313.  | 2.4 | 1         |
| 639 | Fluorescence Polarization Immunoassay and HPLC Assays Compared for Measuring Monoethylglycinexylidide in Liver-Transplant Patients. <i>Clinical Chemistry</i> , 1992, 38, 2426-2430.               | 1.5 | 15        |
| 640 | Validating the SF-36: Authors' reply. <i>BMJ: British Medical Journal</i> , 1992, 305, 646-646.  | 2.4 | 7         |
| 641 | Validating the SF-36.. <i>BMJ: British Medical Journal</i> , 1992, 305, 645-646.   | 2.4 | 13        |
| 642 | Pad-weighing tests in the diagnosis and quantification of incontinence. <i>International Urogynecology Journal</i> , 1992, 3, 324-328.   | 0.7 | 23        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 643 | Relationship between the pivot shift and the configuration of the lateral tibial plateau. Archives of Orthopaedic and Trauma Surgery, 1992, 111, 228-229.  | 1.3 | 59        |
| 644 | Lens opacity in patients with hypercholesterolemia and ischaemic heart disease. Documenta Ophthalmologica, 1992, 80, 309-315.  | 1.0 | 5         |
| 645 | Reliability of first-pass radionuclide determination of cardiac output in the upright position at rest and during exercise. European Journal of Nuclear Medicine and Molecular Imaging, 1992, 19, 955-9.           | 2.2 | 3         |
| 646 | Measurements of bone mineral density of the proximal femur by two commercially available dual energy X-ray absorptiometric systems. European Journal of Nuclear Medicine and Molecular Imaging, 1992, 19, 41-6.    | 2.2 | 36        |
| 647 | Accuracy and repeatability of left ventricular systolic and diastolic function measurements using an ambulatory radionuclide monitor. European Journal of Nuclear Medicine and Molecular Imaging, 1992, 19, 800-6. | 2.2 | 28        |
| 648 | Estimation of extracellular space and blood volume using bioelectrical impedance measurements. The Clinical Investigator, 1992, 70, 600-5.   | 0.6 | 5         |
| 649 | Diagnosis of the acute ischaemic heart by ion elution from myocardium. Journal of Pathology, 1992, 167, 205-209.   | 2.1 | 0         |
| 650 | Immunoreactivity of proliferating cell nuclear antigen compared with bromodeoxyuridine incorporation in normal and neoplastic rat tissue. Journal of Pathology, 1992, 168, 75-83.                                  | 2.1 | 46        |
| 651 | Estimation of arterial carbon dioxide by end-tidal and transcutaneous PCO2 measurements in ventilated children. Pediatric Pulmonology, 1992, 12, 153-157.  | 1.0 | 71        |
| 652 | Respiratory compliance in infants—a preliminary evaluation of the multiple interrupter technique. Pediatric Pulmonology, 1992, 14, 118-125.  | 1.0 | 25        |
| 653 | Validation of respiratory inductance plethysmography (Respirace®) for the measurement of tidal breathing parameters in newborns. Pediatric Pulmonology, 1992, 14, 187-191.   | 1.0 | 89        |
| 654 | Tympanic thermometer accuracy. Annals of Emergency Medicine, 1992, 21, 1300.   | 0.3 | 0         |
| 655 | A reappraisal of the measurement of glomerular filtration rate in pre-term infants. Pediatric Nephrology, 1992, 6, 323-327.  | 0.9 | 17        |
| 656 | Volume measurement of multiple sclerosis lesions with magnetic resonance images. Neuroradiology, 1992, 34, 475-479.  | 1.1 | 112       |
| 657 | Tympanic thermometer accuracy. Annals of Emergency Medicine, 1992, 21, 1300.   | 0.3 | 0         |
| 658 | INACCURACY OF ELECTRONIC SPHYGMOMANOMETERS. Clinical and Experimental Pharmacology and Physiology, 1992, 19, 304-306.  | 0.9 | 7         |
| 659 | DEVELOPMENT AND VALIDATION OF ECHOCARDIOGRAPHY METHODS FOR ESTIMATING LEFT VENTRICULAR MASS IN RATS. Clinical and Experimental Pharmacology and Physiology, 1992, 19, 361-364.                                     | 0.9 | 20        |
| 660 | A comparison between computerised (mean range) and clinical visual cardiotocographic assessment. BJOG: an International Journal of Obstetrics and Gynaecology, 1992, 99, 817-820.                                  | 1.1 | 18        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 661 | Longitudinal changes in skin-prick test reactivity over 2 years in a population of schoolchildren with respiratory symptoms. <i>Clinical and Experimental Allergy</i> , 1992, 22, 948-957.                                     | 1.4 | 21        |
| 662 | Inhibitory effects of formoterol and terbutaline on the development of late phase skin reactions. <i>Clinical and Experimental Allergy</i> , 1992, 22, 257-263.  | 1.4 | 17        |
| 663 | Cerebral Lactate Turnover after Electroshock: In vivo Measurements by <sup>1</sup> H/ <sup>13</sup> C Magnetic Resonance Spectroscopy. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992, 12, 1022-1029.             | 2.4 | 51        |
| 664 | Assessment of glomerular filtration rate in small animals by intraperitoneal <sup>99m</sup> Tc DTPA. <i>Kidney International</i> , 1992, 41, 450-454.  | 2.6 | 23        |
| 665 | Comparing roadside with subsequent breath alcohol analyses and their relevance to the issue of retrograde extrapolation. <i>Forensic Science International</i> , 1992, 57, 193-201.  | 1.3 | 3         |
| 666 | Investigation of the between-gel and within-gel variation in fragment size determinations found when using single locus DNA probes. <i>Forensic Science International</i> , 1992, 53, 173-191.                                 | 1.3 | 1         |
| 667 | In vivo evaluation of the reproducibility of T1 and T2 measured in the brain of patients with multiple sclerosis. <i>Magnetic Resonance Imaging</i> , 1992, 10, 579-584.   | 1.0 | 14        |
| 668 | Trace elements in autopsy tissue. <i>Food Chemistry</i> , 1992, 43, 299-306.   | 4.2 | 15        |
| 669 | Retinal vessel measurement: comparison between observer and computer driven methods. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 1992, 230, 221-225.   | 1.0 | 50        |
| 670 | Gastroesophageal pH step-up inaccurately locates proximal border of lower esophageal sphincter. <i>Digestive Diseases and Sciences</i> , 1992, 37, 1185-1191.  | 1.1 | 55        |
| 671 | Aortic distensibility in children with the Marfan syndrome. <i>American Journal of Cardiology</i> , 1992, 70, 691-693.   | 0.7 | 55        |
| 672 | Effects of the class III antiarrhythmic drug dofetilide on ventricular monophasic action potential duration and QT interval dispersion in stable angina pectoris. <i>American Journal of Cardiology</i> , 1992, 70, 1432-1437. | 0.7 | 81        |
| 673 | Limitations in the assessment of changes of cardiac output by Doppler echocardiography under various hemodynamic conditions. <i>American Journal of Cardiology</i> , 1992, 70, 1370-1374.                                      | 0.7 | 6         |
| 674 | Estimation of mitral valve area from regression analysis of the pressure gradient in mitral stenosis. <i>American Journal of Cardiology</i> , 1992, 69, 1050-1055.   | 0.7 | 0         |
| 675 | Hemodynamic evaluation by Doppler echocardiography of small (≤21 mm) prostheses and bioprostheses in the aortic valve position. <i>American Journal of Cardiology</i> , 1992, 70, 240-246.                                     | 0.7 | 32        |
| 676 | Viscous fluid retention. <i>Diseases of the Colon and Rectum</i> , 1992, 35, 357-361.  | 0.7 | 9         |
| 677 | The X-ray measurement of hallux valgus: an inter- and intra-observer error study. <i>Foot</i> , 1992, 2, 7-11.   | 0.4 | 43        |
| 679 | Systolic arterial pressure determination by a new pulse monitor technique. <i>Canadian Journal of Anaesthesia</i> , 1992, 39, 596-599.   | 0.7 | 2         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 680 | Immunoradiometric assay of insulin, intact proinsulin and 32â€³3 split proinsulin and radioimmunoassay of insulin in diet-treated Type 2 (non-insulin-dependent) diabetic subjects. <i>Diabetologia</i> , 1992, 35, 469-474. | 2.9 | 53        |
| 681 | Liveweight estimation of cattle by scale and by tape, a method comparison study. <i>Tropical Animal Health and Production</i> , 1992, 24, 109-114.   | 0.5 | 13        |
| 682 | Computerized infusion test compared to steady pressure constant infusion test in measurement of resistance to CSF outflow. <i>Acta Neurochirurgica</i> , 1992, 119, 12-16.   | 0.9 | 77        |
| 683 | Use of end-tidalPco 2 and transcutaneousPco 2 as noninvasive measurement of arterialPco 2 in extubated patients recovering from general anesthesia. <i>Journal of Clinical Monitoring and Computing</i> , 1992, 8, 226-230.  | 0.6 | 19        |
| 684 | Technology assessment of anesthesia monitors. <i>Journal of Clinical Monitoring and Computing</i> , 1992, 8, 142-146.  | 0.6 | 8         |
| 685 | Measurement of systolic blood pressure with a pulse oximeter. <i>Journal of Clinical Monitoring and Computing</i> , 1992, 8, 147-147.  | 0.6 | 0         |
| 686 | Experimental and clinical evaluation of a noninvasive reflectance pulse oximeter sensor. <i>Journal of Clinical Monitoring and Computing</i> , 1992, 8, 257-266.   | 0.6 | 31        |
| 687 | Noninvasive cardiac output determined with a new method based on gas exchange measurements and carbon dioxide rebreathing: A study in animals/pigs. <i>Journal of Clinical Monitoring and Computing</i> , 1992, 8, 267-278.  | 0.6 | 16        |
| 688 | Continuous noninvasive cardiac output as estimated from the pulse contour curve. <i>Journal of Clinical Monitoring and Computing</i> , 1992, 8, 20-27.   | 0.6 | 54        |
| 689 | An evaluation of two activated clotting time monitors during cardiac surgery. <i>Journal of Clinical Monitoring and Computing</i> , 1992, 8, 33-36.  | 0.6 | 21        |
| 690 | Does central venous oxygen saturation accurately reflect mixed venous oxygen saturation? Nothing is simple, unfortunately. <i>Intensive Care Medicine</i> , 1992, 18, 386-387.   | 3.9 | 301       |
| 691 | Monitoring of central venous oxygen saturation versus mixed venous oxygen saturation in critically ill patients. <i>Intensive Care Medicine</i> , 1992, 18, 101-104.   | 3.9 | 629       |
| 692 | Oxygen consumption after cardiac surgery â€”a comparison between calculation by Fick's principle and measurement by indirect calorimetry. <i>Intensive Care Medicine</i> , 1992, 18, 206-209.                                | 3.9 | 41        |
| 693 | Analysis of trough serum growth hormone concentrations: comparison of an immunoradiometric assay and a sensitive ELISA for growth hormone. <i>Clinical Endocrinology</i> , 1992, 37, 169-174.                                | 1.2 | 9         |
| 694 | Brain interstitial volume fraction and tortuosity in anoxia. Evaluation of the ionâ€³selective microâ€³electrode method. <i>Acta Physiologica Scandinavica</i> , 1992, 146, 473-484.   | 2.3 | 46        |
| 695 | The accuracy of pulse oximetry at two haematocrit levels. <i>Acta Anaesthesiologica Scandinavica</i> , 1992, 36, 454-459.  | 0.7 | 13        |
| 696 | Ethnic variation in postnatal assessments of gestational age: a reappraisal. <i>Paediatric and Perinatal Epidemiology</i> , 1992, 6, 423-433.  | 0.8 | 22        |
| 697 | Agreement between Clinical Methods of Measurement of Urinary Frequency and Functional Bladder Capacity. <i>British Journal of Urology</i> , 1992, 69, 17-21.   | 0.1 | 57        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 698 | A Self-administered Patient Questionnaire in the Assessment of Symptoms before and after Prostatectomy. <i>British Journal of Urology</i> , 1992, 69, 375-380.   | 0.1 | 7         |
| 699 | Methodological problems related to the quantitative assessment of stretch, elastic recoil, and balloon-artery ratio. <i>Catheterization and Cardiovascular Diagnosis</i> , 1992, 25, 174-185.  | 0.7 | 44        |
| 700 | In-vivo validation of on-line and off-line geometric coronary measurements using insertion of stenosis phantoms in porcine coronary arteries. <i>Catheterization and Cardiovascular Diagnosis</i> , 1992, 27, 16-27.   | 0.7 | 112       |
| 701 | Skeletal maturity in normal children from Liverpool, United Kingdom. <i>Clinical Anatomy</i> , 1992, 5, 458-465.   | 1.5 | 1         |
| 702 | Evaluating agreement between two methods for measuring the same quantity: A response. <i>Computers in Biology and Medicine</i> , 1992, 22, 369-371.  | 3.9 | 7         |
| 703 | The frequency/volume chart in genuine stress incontinent women. <i>Neurourology and Urodynamics</i> , 1992, 11, 23-31.   | 0.8 | 40        |
| 704 | The reliability of the mankin score for osteoarthritis. <i>Journal of Orthopaedic Research</i> , 1992, 10, 58-61.  | 1.2 | 284       |
| 705 | Doppler echocardiographic measurement of cardiac output in man using mitral annulus method. <i>Journal of Clinical Ultrasound</i> , 1992, 20, 263-270.   | 0.4 | 10        |
| 706 | Measurements of uterine volume: A comparison between measurements by ultrasonography and by water displacement. <i>Journal of Clinical Ultrasound</i> , 1992, 20, 457-460.   | 0.4 | 8         |
| 707 | A pilot study of eating disorders in Mirpur (Pakistan) using an Urdu version of the eating attitudes test. <i>International Journal of Eating Disorders</i> , 1992, 11, 243-251.   | 2.1 | 64        |
| 708 | Predictive accuracy of bioelectrical impedance equations corrected for fat-free body size. <i>American Journal of Human Biology</i> , 1992, 4, 319-326.  | 0.8 | 6         |
| 709 | Validity of single-site and multi-site models for estimating body composition of women using near-infrared interactance. <i>American Journal of Human Biology</i> , 1992, 4, 579-593.  | 0.8 | 15        |
| 710 | Maximal oxygen consumption of Colombian women of differing socioeconomic status. <i>American Journal of Human Biology</i> , 1992, 4, 625-633.  | 0.8 | 6         |
| 711 | Measurement of subcutaneous adipose tissue using ultrasound images. <i>American Journal of Physical Anthropology</i> , 1992, 89, 347-357.  | 2.1 | 22        |
| 712 | Influence of recognition errors of computerised analysis of 24-hour electrocardiograms on the measurement of spectral components of heart rate variability. <i>International Journal of Bio-medical Computing</i> , 1993, 32, 223-235.   | 0.5 | 16        |
| 713 | Limitations of the zero crossing detector in the analysis of intracoronary doppler: A comparison with fast fourier transform analysis of basal, hyperemic, and transstenotic blood flow velocity measurements in patients with coronary artery disease. <i>Catheterization and Cardiovascular Diagnosis</i> , 1993, 28, 56-64. | 0.7 | 18        |
| 714 | Digital geometric measurements in comparison to cinefilm analysis of coronary artery dimensions. <i>Catheterization and Cardiovascular Diagnosis</i> , 1993, 28, 283-290.  | 0.7 | 21        |
| 715 | Simplified method for calculating aortic valve resistance: Correlation with valve area and standard formula. <i>Catheterization and Cardiovascular Diagnosis</i> , 1993, 30, 15-21.  | 0.7 | 2         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 716 | Precision of recumbent anthropometry. <i>American Journal of Human Biology</i> , 1993, 5, 159-167.   | 0.8 | 45        |
| 717 | Statistical methods in interphase cytogenetics: An experimental approach. <i>Cytometry</i> , 1993, 14, 716-724.  | 1.8 | 48        |
| 718 | N <sup>3</sup> -Nitro-L-arginine Administration Corrects Peripheral Vasodilation and Systemic Capillary Hypotension and Ameliorates Plasma Volume Expansion and Sodium Retention in Portal Hypertensive Rats. <i>Hepatology</i> , 1993, 17, 84-90. | 3.6 | 112       |
| 719 | Ultrasonic fetal weight estimation: Analysis of inter- and intra-observer variability. <i>Journal of Clinical Ultrasound</i> , 1993, 21, 515-519.  | 0.4 | 49        |
| 720 | Part 6: Statistics in orthopaedics. <i>Orthopaedics and Trauma</i> , 1993, 7, 44-50.   | 0.3 | 0         |
| 721 | Assessment of automated capillary electrophoresis for therapeutic and diagnostic drug monitoring: determination of bupivacaine in drain fluid and antipyrine in plasma. <i>Journal of Chromatography A</i> , 1993, 652, 407-416.                   | 1.8 | 35        |
| 722 | Magnetic resonance imaging of patellofemoral relationships. <i>Skeletal Radiology</i> , 1993, 22, 403-410.   | 1.2 | 67        |
| 723 | The use of continuous density gradients for the assessment of islet and exocrine tissue densities and islet purification. <i>Acta Diabetologica</i> , 1993, 30, 175-180.   | 1.2 | 27        |
| 724 | Comparison of triphenyltetrazolium chloride (TTC) staining versus detection of fibronectin in experimental myocardial infarction. <i>Histochemistry</i> , 1993, 99, 265-275.   | 1.9 | 41        |
| 725 | Evaluation of isotope proctography in constipated subjects. <i>International Journal of Colorectal Disease</i> , 1993, 8, 225-225.   | 1.0 | 2         |
| 726 | A glucose monitoring system for on line estimation in man of blood glucose concentration using a miniaturized glucose sensor implanted in the subcutaneous tissue and a wearable control unit. <i>Diabetologia</i> , 1993, 36, 658-663.            | 2.9 | 100       |
| 727 | Assessment of passive respiratory compliance in healthy preterm infants: A critical evaluation. <i>Pediatric Pulmonology</i> , 1993, 15, 304-311.  | 1.0 | 30        |
| 728 | Lung function and bronchial challenges in infants: Repeatability of histamine and comparison with methacholine challenges. <i>Pediatric Pulmonology</i> , 1993, 16, 177-183.   | 1.0 | 21        |
| 729 | Comparison of helium dilution and nitrogen washout measurements of functional residual capacity in premature infants. <i>Pediatric Pulmonology</i> , 1993, 16, 197-200.  | 1.0 | 36        |
| 730 | Measurement of breath amplitudes: Comparison of three noninvasive respiratory monitors to integrated pneumotachograph. <i>Pediatric Pulmonology</i> , 1993, 16, 254-258.   | 1.0 | 37        |
| 731 | Direction, site of origin and duration of jets: implications in the color Doppler assessment of valvar lesions. <i>International Journal of Cardiovascular Imaging</i> , 1993, 9, 157-168.   | 0.2 | 1         |
| 732 | Intra- and interobserver variability of a fast on-line quantitative coronary angiographic system. <i>International Journal of Cardiovascular Imaging</i> , 1993, 9, 249-256.   | 0.2 | 14        |
| 733 | Concordance versus correlation. <i>Annals of Emergency Medicine</i> , 1993, 22, 269.   | 0.3 | 11        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 734 | SINGLE POINT ESTIMATION OF PLATELET ANGIOTENSIN II RECEPTOR NUMBER MAY NOT BE VALID SCREENING TEST FOR PREGNANCY-INDUCED HYPERTENSION. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1993, 20, 339-342.   | 0.9 | 2         |
| 735 | The determinants of airway hyperresponsiveness to hypertonic saline in atopic asthma in vivo. Relationship with sub-populations of peripheral blood leucocytes. <i>Clinical and Experimental Allergy</i> , 1993, 23, 678-688.                                    | 1.4 | 18        |
| 736 | Comparison of Planimetry and Image Analysis For the Discrimination Between Normal and Abnormal Cells In Cytological Smears of Suspicious Lesions of the Oral Cavity. <i>Cytopathology</i> , 1993, 4, 27-35.  | 0.4 | 18        |
| 737 | Sedation with propofol during surgery under local blockade.. <i>Anaesthesia</i> , 1993, 48, 210-213.   | 1.8 | 62        |
| 738 | The measurement of right ventricular ejection fraction by thermodilution.. <i>Anaesthesia</i> , 1993, 48, 312-314.   | 1.8 | 7         |
| 739 | Evaluation of an alternative method of blood sampling from arterial cannulae. <i>Anaesthesia</i> , 1993, 48, 530-532.  | 1.8 | 5         |
| 740 | A comparison of two systems for assessing cerebral venous oxyhaemoglobin saturation during cardiopulmonary bypass in humans. <i>Anaesthesia</i> , 1993, 48, 697-700.   | 1.8 | 80        |
| 741 | Pharmacokinetic model-controlled infusion of midazolara. <i>Anaesthesia</i> , 1993, 48, 823-824.   | 1.8 | 0         |
| 742 | A device for phototesting patients before PUVA therapy. <i>British Journal of Dermatology</i> , 1993, 129, 700-703.  | 1.4 | 16        |
| 743 | Practicality, Usefulness, and Limits of Pulse Oximetry in Critical Small Animal Patients. <i>Journal of Veterinary Emergency and Critical Care</i> , 1993, 3, 5-12.  | 0.4 | 30        |
| 744 | Choosing the Stimulation Rate in Patients with Intermittent Bradycardia and a Single Lead Pacemaker. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1993, 16, 702-707.  | 0.5 | 3         |
| 745 | Noninvasive assessment of the maternal cerebral circulation by transcranial Doppler ultrasound during angiotensin II infusion. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1993, 100, 85-91.   | 1.1 | 25        |
| 746 | Longitudinal assessment of amniotic fluid index. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1993, 100, 816-819.   | 1.1 | 45        |
| 747 | Intra-observer and inter-observer reliability of the pulsatility index calculated from pulsed Doppler flow velocity waveforms in three fetal vessels. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1993, 100, 134-138.                  | 1.1 | 49        |
| 748 | Fetal cerebral Doppler in the recognition of fetal compromise. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1993, 100, 139-144.   | 1.1 | 33        |
| 749 | A new ultrasensitive chemiluminescent assay for the site-specific quantification of alkaline phosphatase in gingival crevicular fluid. <i>Journal of Periodontal Research</i> , 1993, 28, 266-273.   | 1.4 | 37        |
| 750 | Alzheimer's lesions labelled by anti-ubiquitin antibodies: comparison with other staining techniques. A study of 15 cases with graded intellectual status in ageing and Alzheimer's disease. <i>Neuropathology and Applied Neurobiology</i> , 1993, 19, 364-371. | 1.8 | 24        |
| 751 | Precision of a new bedside method for estimation of the circulating blood volume. <i>Acta Anaesthesiologica Scandinavica</i> , 1993, 37, 622-627.  | 0.7 | 18        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 752 | Monitoring of neuromuscular transmission by electromyography (II). <i>Acta Anaesthesiologica Scandinavica</i> , 1993, 37, 788-798.  | 0.7 | 12        |
| 753 | An acoustical guidance and position monitoring system for endotracheal tubes. <i>IEEE Transactions on Biomedical Engineering</i> , 1993, 40, 1330-1335.   | 2.5 | 14        |
| 754 | Sodium-lithium countertransport: does it matter how it is calculated?. <i>European Journal of Clinical Investigation</i> , 1993, 23, 418-422.   | 1.7 | 5         |
| 755 | Comparing Laboratory Tests Using the Difference Plot Method. <i>Veterinary Clinical Pathology</i> , 1993, 22, 46-48.  | 0.3 | 27        |
| 756 | Influence of three different preparation techniques on the results of human sperm morphology analysis*. <i>Journal of Developmental and Physical Disabilities</i> , 1993, 16, 362-369.  | 3.6 | 29        |
| 757 | Neonatal morphometric indices of fetal growth: analysis of observer variability. <i>Early Human Development</i> , 1993, 35, 37-43.  | 0.8 | 15        |
| 758 | Assessment of non-invasive techniques for measuring blood pressure in preterm infants of birthweight less than or equal to 750 grams. <i>Early Human Development</i> , 1993, 33, 217-222.   | 0.8 | 10        |
| 759 | Monitoring oxygenation. <i>Current Anaesthesia and Critical Care</i> , 1993, 4, 213-222.  | 0.3 | 4         |
| 760 | Laser scanning tomography and stereophotogrammetry in three-dimensional optic disc analysis. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 1993, 231, 193-198.  | 1.0 | 39        |
| 761 | The influence of stimulus parameters on the visual field indices by automated projection perimetry. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 1993, 231, 337-343.   | 1.0 | 3         |
| 762 | Noninvasive measurement of human forearm oxygen consumption by near infrared spectroscopy. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1993, 67, 20-25.   | 1.2 | 208       |
| 763 | Rate-corrected QT interval: Techniques and limitations. <i>American Journal of Cardiology</i> , 1993, 72, B17-B22.  | 0.7 | 359       |
| 764 | Maximal blood flow velocity in severe coronary stenoses measured with a Doppler guidewire. <i>American Journal of Cardiology</i> , 1993, 71, D54-D61.   | 0.7 | 55        |
| 765 | Usefulness of repeat coronary angiography 24 hours after successful balloon angioplasty to evaluate early luminal deterioration and facilitate quantitative analysis. <i>American Journal of Cardiology</i> , 1993, 72, 1341-1347.  | 0.7 | 30        |
| 766 | Noninvasive assessment of coronary flow dynamics before and after coronary angioplasty using transesophageal Doppler. <i>American Journal of Cardiology</i> , 1993, 72, 1238-1242.  | 0.7 | 25        |
| 767 | Relation between clinical presentation and angiographic findings in unstable angina pectoris, and comparison with that in stable angina. <i>American Journal of Cardiology</i> , 1993, 72, 544-550.   | 0.7 | 62        |
| 768 | Accuracy and reproducibility of left ventricular mass measurement by subcostal M-mode echocardiography in hypertensive patients and professional bicyclists. <i>American Journal of Cardiology</i> , 1993, 72, 620-624.   | 0.7 | 11        |
| 769 | Noninvasive computerized assessment of left ventricular performance and systemic hemodynamics by study of aortic root pressure and flow estimates in healthy men, and men with acute and healed myocardial infarction. <i>American Journal of Cardiology</i> , 1993, 72, 260-267. | 0.7 | 17        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 770 | Measurement of cardiac output by automated single-breath technique, and comparison with thermodilution and Fick methods in patients with cardiac disease. <i>American Journal of Cardiology</i> , 1993, 71, 105-109.   | 0.7 | 31        |
| 771 | Exercise hyperventilation chronic congestive heart failure and its relation to functional capacity and hemodynamics. <i>American Journal of Cardiology</i> , 1993, 71, 1007-1008.  | 0.7 | 5         |
| 772 | Systolic flow velocity profile in the left ventricular outflow tract in persons free of heart disease. <i>American Journal of Cardiology</i> , 1993, 72, 1172-1178.  | 0.7 | 29        |
| 773 | Influence of the recognition artefact in automatic analysis of long-term electrocardiograms on time-domain measurement of heart rate variability. <i>Medical and Biological Engineering and Computing</i> , 1993, 31, 539-544.                               | 1.6 | 49        |
| 774 | Usefulness of sodium chloride as a nondiffusible indicator in the measurement of extravascular lung thermal volume in dogs. <i>Medical and Biological Engineering and Computing</i> , 1993, 31, S67-S72.   | 1.6 | 2         |
| 775 | Accuracy of pulse oximetry at various haematocrits and during haemolysis in an in vitro model. <i>Medical and Biological Engineering and Computing</i> , 1993, 31, 135-141.  | 1.6 | 21        |
| 776 | How accurate is clinical examination in diagnosing and quantifying pelvicorectal disorders? A prospective study in a group of 50 patients complaining of defecatory difficulties. <i>Diseases of the Colon and Rectum</i> , 1993, 36, 430-438.               | 0.7 | 82        |
| 777 | Quantification of left-side intracardiac pressures and gradients using mitral and aortic regurgitant velocities by simultaneous left and right catheterization and continuous-wave doppler echocardiography. <i>Clinical Cardiology</i> , 1993, 16, 863-870. | 0.7 | 8         |
| 778 | Effect of delay and storage on whole-blood clotting analysis as determined by thrombelastography. <i>Journal of Clinical Monitoring and Computing</i> , 1993, 9, 5-8.  | 0.6 | 4         |
| 779 | Noninvasive continuous blood pressure measurement: A clinical evaluation of the Cortronic APM 770. <i>Journal of Clinical Monitoring and Computing</i> , 1993, 9, 18-24.   | 0.6 | 6         |
| 780 | Validation of diagnostic tests. <i>Intensive Care Medicine</i> , 1993, 19, 304-305.  | 3.9 | 1         |
| 781 | Inflation static pressure-volume curves of the total respiratory system determined without any instrumentation other than the mechanical ventilator. <i>Intensive Care Medicine</i> , 1993, 19, 33-38.   | 3.9 | 31        |
| 782 | Bedside measurement of intra-abdominal pressure (IAP) via an indwelling naso-gastric tube: Clinical validation of the technique. <i>Intensive Care Medicine</i> , 1993, 19, 478-480.   | 3.9 | 100       |
| 783 | Intrinsic PEEP determined by static pressure-volume curves – application of a novel automated occlusion method. <i>Intensive Care Medicine</i> , 1993, 19, 166-171.  | 3.9 | 8         |
| 784 | Near-patient blood gas and electrolyte analyses are accurate when performed by non-laboratory-trained individuals. <i>Journal of Clinical Monitoring and Computing</i> , 1993, 9, 341-346.   | 0.6 | 11        |
| 785 | Homogeneous amperometric immunoassay for theophylline in whole blood. <i>Biosensors and Bioelectronics</i> , 1993, 8, 415-419.   | 5.3 | 29        |
| 786 | Fundal height measurement Part 2 – Infra- and interexaminer reliability of three measurement techniques. <i>Journal of Nurse-midwifery</i> , 1993, 38, 17-22.  | 0.5 | 12        |
| 787 | Capnometry and the paediatric laryngeal mask airway. <i>Canadian Journal of Anaesthesia</i> , 1993, 40, 1038-1043.   | 0.7 | 31        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 788 | Liquid crystal skin thermometry: an accurate reflection of core temperature?. Canadian Journal of Anaesthesia, 1993, 40, 375-381.  | 0.7 | 15        |
| 789 | Assessment of the arterial tonometer (N-CAT) for the continuous blood pressure measurement in rapid atrial fibrillation. Canadian Journal of Anaesthesia, 1993, 40, 388-393.   | 0.7 | 15        |
| 790 | Assessment of double-burst monitoring at 10 mA above threshold current. Canadian Journal of Anaesthesia, 1993, 40, 502-506.  | 0.7 | 3         |
| 791 | Computerized photo-plethysmography of the finger. Canadian Journal of Anaesthesia, 1993, 40, 271-278.  | 0.7 | 25        |
| 792 | Stability and long-term durability of raman spectroscopy. Journal of Clinical Monitoring and Computing, 1993, 9, 241-251.  | 0.6 | 6         |
| 793 | Experimental and predicted dual oximetry variability. Journal of Clinical Monitoring and Computing, 1993, 9, 268-274.  | 0.6 | 2         |
| 794 | A new infrared tympanic thermometer. Journal of Anesthesia, 1993, 7, 33-39.  | 0.7 | 6         |
| 795 | Variability of the computerized single-breath nitrogen washout test in healthy adults. Results from a field survey in a French rural area. Clinical Physiology, 1993, 13, 35-50.   | 0.7 | 10        |
| 796 | Variability of digitized left ventricular M-mode echocardiography: a study in healthy subjects and patients with repaired tetralogy of Fallot. Clinical Physiology, 1993, 13, 373-383.   | 0.7 | 8         |
| 797 | Volume blood flow measurements with a transit time flowmeter: an <i>in vivo</i> and <i>in vitro</i> variability and validation study. Clinical Physiology, 1993, 13, 547-557.  | 0.7 | 126       |
| 798 | Noninvasive estimates of aortic root pressures: external subclavian arterial pulse tracing calibrated by oscillometrically determined brachial arterial pressures. Clinical Physiology, 1993, 13, 573-586.                             | 0.7 | 21        |
| 799 | Reproducibility of cardiac volume measurements including left ventricular mass determined by MRI. Clinical Physiology, 1993, 13, 587-597.  | 0.7 | 37        |
| 800 | Comparison of lipoprotein(a) assay methods in serum and in a plasminogen-free fraction. Clinica Chimica Acta, 1993, 218, 83-95.  | 0.5 | 8         |
| 801 | Automated measurement of QT interval dispersion from hard-copy ECGs. Journal of Electrocardiology, 1993, 26, 321-331.  | 0.4 | 47        |
| 802 | Noninvasive evaluation of right ventricular and pulmonary artery systolic pressures in patients with ventricular septal defects: Simultaneous study of Doppler and catheterization data. American Heart Journal, 1993, 125, 1073-1081. | 1.2 | 15        |
| 803 | Visual versus quantitative assessment of the severity of coronary artery stenoses: Can the angiographer's eye be reeducated?. American Heart Journal, 1993, 126, 594-600.  | 1.2 | 25        |
| 804 | Quantitative angiography during coronary angioplasty with a single angiographic view: A comparison of automated edge detection and videodensitometric techniques. American Heart Journal, 1993, 126, 1326-1333.                        | 1.2 | 28        |
| 805 | Valve area and cardiac output in aortic stenosis: Quantification by magnetic resonance velocity mapping. American Heart Journal, 1993, 126, 1156-1164.   | 1.2 | 100       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 806 | Pulsed Doppler transesophageal echocardiographic determination of cardiac output in human beings: Comparison with thermodilution technique. <i>American Heart Journal</i> , 1993, 126, 956-962.  | 1.2 | 61        |
| 807 | Can the same edge-detection algorithm be applied to on-line and off-line analysis systems? Validation of a new cinefilm-based geometric coronary measurement software. <i>American Heart Journal</i> , 1993, 126, 312-321.   | 1.2 | 19        |
| 808 | Determination of plasma volume with indocyanine green in man. <i>Life Sciences</i> , 1993, 53, 1597-1604.  | 2.0 | 73        |
| 809 | A survey of undergraduate and continuing medical education about antimicrobial chemotherapy in the United Kingdom. <i>British Journal of Clinical Pharmacology</i> , 1993, 36, 511-519.  | 1.1 | 20        |
| 810 | Disagreement between standard transthoracic impedance cardiography and the automated transthoracic electrical bioimpedance method in estimating the cardiovascular responses to phenylephrine and isoprenaline in healthy man.. <i>British Journal of Clinical Pharmacology</i> , 1993, 35, 349-355. | 1.1 | 10        |
| 811 | Impedance cardiography [letter; comment]. <i>British Journal of Clinical Pharmacology</i> , 1993, 36, 88-89.   | 1.1 | 0         |
| 812 | Frequency of adverse drug reactions [letter; comment]. <i>British Journal of Clinical Pharmacology</i> , 1993, 36, 89-91.  | 1.1 | 1         |
| 813 | Oxygen consumption-oxygen delivery relationship in children. <i>Journal of Pediatrics</i> , 1993, 123, 208-214.  | 0.9 | 37        |
| 814 | Splenic function, assessed by quantification of erythrocyte membrane pits, is normal in chronic active hepatitis and primary biliary cirrhosis. <i>Journal of Hepatology</i> , 1993, 18, 106-111.  | 1.8 | 12        |
| 815 | Reliability of filter-strip sampling of gingival crevicular fluid for volume determination using the Periotron. <i>Journal of Periodontal Research</i> , 1993, 28, 227-230.  | 1.4 | 12        |
| 816 | Superior mesenteric artery blood flow in man measured with intra-arterial Doppler catheters. <i>Journal of Hepatology</i> , 1993, 17, 20-27.   | 1.8 | 39        |
| 817 | Aortic compliance measurements using doppler ultrasound: In vivo biochemical correlates. <i>Ultrasound in Medicine and Biology</i> , 1993, 19, 683-710.  | 0.7 | 114       |
| 818 | Comparison of results from two methods of measurement of stride characteristics. , 0, , .  |     | 0         |
| 819 | Characteristic features of blind spot size and location, when evaluated with automated perimetry: Values obtained in normal subjects. <i>Neuro-Ophthalmology</i> , 1993, 13, 309-315.  | 0.4 | 12        |
| 820 | Portal Hypertension and Esophageal Varices in Cystic Fibrosis: Unreliability of Echo-Doppler Flowmetry. <i>Scandinavian Journal of Gastroenterology</i> , 1993, 28, 1042-1046.   | 0.6 | 13        |
| 821 | Bioactive glass versus hydroxylapatite in reconstruction of osteochondral defects in the rabbit. <i>Acta Orthopaedica</i> , 1993, 64, 678-682.   | 1.4 | 44        |
| 822 | The use of a microcomputer to automate measurement of action potential duration for both transmembrane and monophasic action potentials. <i>Physiological Measurement</i> , 1993, 14, 347-358.   | 1.2 | 3         |
| 823 | Measurement of organ blood flow with coloured microspheres: a first time-saving improvement using automated spectrophotometry. , 0, , .  |     | 18        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 826 | Accuracy of pulse oximetry in children with cyanotic congenital heart disease. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1993, 7, 61-65.  | 0.6 | 66        |
| 827 | A New Ultrasonographic Method to Detect Disease Activity and Predict Response to immunosuppressive Treatment in Graves Ophthalmopathy. <i>Ophthalmology</i> , 1993, 100, 556-561.  | 2.5 | 77        |
| 828 | Three-dimensional Echocardiographic Volume Computation: In Vitro Comparison to Standard Two-dimensional Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 1993, 6, 467-475.   | 1.2 | 41        |
| 829 | Home cholesterol testing. <i>Lancet, The</i> , 1993, 341, 313-314.   | 6.3 | 4         |
| 830 | Predicted and measured resting energy expenditure in healthy young women. <i>Clinical Nutrition</i> , 1993, 12, 1-7.   | 2.3 | 8         |
| 832 | Intraoperative measurement of activated partial thromboplastin time and prothrombin time by a portable laser photometer in patients following cardiopulmonary bypass. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1993, 7, 402-409. | 0.6 | 29        |
| 833 | Body composition of patients with Alzheimer's disease. <i>Journal of the American Dietetic Association</i> , 1993, 93, 47-52.  | 1.3 | 26        |
| 834 | Small arteries can be accurately studied in vivo, using high frequency ultrasound. <i>Ultrasound in Medicine and Biology</i> , 1993, 19, 717-725.  | 0.7 | 34        |
| 835 | Evaluation of Wright pocket flow meter with mini Wright meter in children and adults. <i>Respiratory Medicine</i> , 1993, 87, 551-553.   | 1.3 | 1         |
| 836 | Evaluation of FASTPAC, a New Strategy for Threshold Estimation with the Humphrey Field Analyzer, in a Glaucomatous Population. <i>Ophthalmology</i> , 1993, 100, 949-954.  | 2.5 | 47        |
| 837 | Comparison of abilities of various interpretations of bio-electrical impedance to predict reference method body composition assessment. <i>Clinical Nutrition</i> , 1993, 12, 236-242.   | 2.3 | 22        |
| 838 | Ultrasonic backscatter system for automated on-line endocardial boundary detection: Evaluation by ultrafast computed tomography. <i>Journal of the American College of Cardiology</i> , 1993, 22, 839-847.   | 1.2 | 87        |
| 839 | Prevalence of aortic valve abnormalities in the elderly: An echocardiographic study of a random population sample. <i>Journal of the American College of Cardiology</i> , 1993, 21, 1220-1225.   | 1.2 | 1,002     |
| 840 | Measurement accuracy of cardiac output in humans: Indicator-dilution technique versus geometric analysis by ultrafast computed tomography. <i>Journal of the American College of Cardiology</i> , 1993, 21, 1482-1489.                             | 1.2 | 22        |
| 841 | Mitral valve area calculations immediately after percutaneous balloon mitral valvuloplasty: Effect of the atrial septal defect. <i>Journal of the American College of Cardiology</i> , 1993, 21, 1568-1573.  | 1.2 | 21        |
| 842 | Magnetic resonance volume flow and jet velocity mapping in aortic coarctation. <i>Journal of the American College of Cardiology</i> , 1993, 22, 1515-1521.   | 1.2 | 140       |
| 843 | Amplitude-weighted mean velocity: Clinical utilization for quantitation of mitral regurgitation. <i>Journal of the American College of Cardiology</i> , 1993, 22, 1684-1690.   | 1.2 | 10        |
| 844 | Effect of multiple doses of nedocromil sodium given after allergen inhalation in asthma. <i>Journal of Allergy and Clinical Immunology</i> , 1993, 92, 777-783.  | 1.5 | 11        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 845 | Relative potencies and time course of changes in adenosine 5â€²-monophosphate airway responsiveness with inhaled furosemide and bumetanide in asthma. <i>Journal of Allergy and Clinical Immunology</i> , 1993, 92, 288-297.   | 1.5 | 27        |
| 846 | Randomised double-blind trial of prednisone versus radiotherapy in Graves' ophthalmopathy. <i>Lancet, The</i> , 1993, 342, 949-954.  | 6.3 | 322       |
| 847 | Evaluation of a tympanic thermometer in children. <i>Lancet, The</i> , 1993, 342, 1364-1365.   | 6.3 | 14        |
| 848 | Direct and indirect methods for the quantification of leg volume: comparison between water displacement volumetry, the disk model method and the frustum sign model method, using the correlation coefficient and the limits of agreement. <i>Journal of Biomedical Engineering</i> , 1993, 15, 477-480. | 0.7 | 169       |
| 849 | Reliability and accuracy of measurement of transductal gradient by Doppler ultrasound. <i>International Journal of Cardiology</i> , 1993, 40, 35-43.   | 0.8 | 8         |
| 850 | Quantitative surface EMG of pericranial muscles. Reproducibility and variability. <i>Electroencephalography and Clinical Neurophysiology - Evoked Potentials</i> , 1993, 89, 1-9.  | 2.0 | 27        |
| 851 | Dynamic thermographic imaging for estimation of regional perfusion in the tuberculin reaction in healthy adults. <i>Journal of Immunological Methods</i> , 1993, 162, 97-107.  | 0.6 | 3         |
| 852 | Capillary blood glucose measurements in hospital inpatients using portable glucose meters. <i>Australian and New Zealand Journal of Medicine</i> , 1993, 23, 667-671.  | 0.5 | 15        |
| 853 | Reading performance with low vision aids: relationship with contrast sensitivity. <i>Ophthalmic and Physiological Optics</i> , 1993, 13, 9-16.   | 1.0 | 50        |
| 854 | Reliability of high- and low-contrast letter charts. <i>Ophthalmic and Physiological Optics</i> , 1993, 13, 17-26.   | 1.0 | 66        |
| 855 | Clinical evaluation of a range of autorefractors. <i>Ophthalmic and Physiological Optics</i> , 1993, 13, 129-137.  | 1.0 | 36        |
| 856 | Reliability of visual performance measurement under optical degradation. <i>Ophthalmic and Physiological Optics</i> , 1993, 13, 143-150.   | 1.0 | 17        |
| 857 | Therapeutic Drug Monitoring Using Oral Samples Collected with the OraSureÂ® Device. <i>Annals of the New York Academy of Sciences</i> , 1993, 694, 337-339.  | 1.8 | 6         |
| 858 | Evaluation of the VMM Turbine for Spirometry in the Applied Physiology Laboratory. <i>Applied Physiology, Nutrition, and Metabolism</i> , 1993, 18, 317-324.   | 1.7 | 3         |
| 859 | Clinical Pharmacokinetics of Continuous Intravenous Administration of Penicillins. <i>Clinical Infectious Diseases</i> , 1993, 17, 491-495.  | 2.9 | 40        |
| 860 | Potential of Measurements of Unsaturated Vitamin B <sub>12</sub> -Binding Capacity in Serial Colonoscopic Biopsy Specimens for Global and Regional Assessments of Disease Severity in Inflammatory Bowel Disease. <i>Scandinavian Journal of Gastroenterology</i> , 1993, 28, 1005-1010.                 | 0.6 | 1         |
| 861 | Two-Dimensional Echocardiography for Prediction of Aortic Valve Prosthesis Size: A Comparative Study of Medtronic-Hall and Carpentier-Edwards Supra-annular Valves. <i>Scandinavian Journal of Thoracic and Cardiovascular Surgery</i> , 1993, 27, 87-92.  | 0.2 | 2         |
| 862 | Quantification of left-to-right atrial shunting and defect size after balloon mitral commissurotomy using biplane transesophageal echocardiography, color flow Doppler mapping, and the principle of proximal flow convergence.. <i>Circulation</i> , 1993, 87, 1591-1603.                               | 1.6 | 28        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 863 | Screening for a raised rectal temperature in Africa.. Archives of Disease in Childhood, 1993, 69, 437-439.   | 1.0 | 10        |
| 864 | ICSH recommendations for measurement of erythrocyte sedimentation rate. International Council for Standardization in Haematology (Expert Panel on Blood Rheology). Journal of Clinical Pathology, 1993, 46, 198-203. | 1.0 | 154       |
| 865 | An evaluation of a bioelectrical impedance analyser for the estimation of body fat content.. British Journal of Sports Medicine, 1993, 27, 63-66.  | 3.1 | 21        |
| 866 | Variability of the plateau response to methacholine in subjects without respiratory symptoms.. Thorax, 1993, 48, 512-517.  | 2.7 | 9         |
| 867 | Measurement of airway responsiveness to methacholine: relative importance of the precision of drug delivery and the method of assessing response.. Thorax, 1993, 48, 239-243.  | 2.7 | 89        |
| 868 | Near-infrared interactance in assessing superficial body fat in exclusively breast-fed, full-term neonates. Acta Paediatrica, International Journal of Paediatrics, 1993, 82, 1-5.                                   | 0.7 | 8         |
| 869 | The effect of pilocarpine on the glaucomatous visual field.. British Journal of Ophthalmology, 1993, 77, 721-725.  | 2.1 | 23        |
| 870 | Dilution kinetics of H(2)18O for the measurement of total body water in preterm babies in the first week after birth.. Archives of Disease in Childhood, 1993, 69, 28-31.  | 1.0 | 20        |
| 871 | Evaluation of the Reproducibility and Accuracy of Ambulatory Blood Pressure Monitoring Using the Takeda TM-2420 Automated Blood Pressure Monitor. Clinical and Experimental Hypertension, 1993, 15, 271-287.         | 0.5 | 10        |
| 872 | Recognition of Cognitive Impairment in Elderly Patients Being Discharged from Hospital. Clinical Gerontologist, 1993, 12, 3-15.  | 1.2 | 1         |
| 873 | CT for Assessment of Pancreatic and Periampullary Cancer. Acta Radiologica, 1993, 34, 569-572.   | 0.5 | 15        |
| 874 | Statistical Analysis for Method Comparison Data. JAMA Ophthalmology, 1993, 111, 582.   | 2.6 | 3         |
| 875 | National standard for measurement of resting and ambulatory blood pressures with automated sphygmomanometers.. Hypertension, 1993, 21, 504-509.  | 1.3 | 329       |
| 876 | Sources of Variability in Posterior Rhinomanometry. Annals of Otolaryngology, Rhinology and Laryngology, 1993, 102, 631-638.   | 0.6 | 6         |
| 877 | Standardization Of Hapten Immunoprocudures: Total Cortisol. Scandinavian Journal of Clinical and Laboratory Investigation, 1993, 53, 3-41.   | 0.6 | 14        |
| 878 | COMPARISON OF END-TIDAL AND ARTERIAL CARBON DIOXIDE MEASUREMENTS DURING ANAESTHESIA WITH THE LARYNGEAL MASK AIRWAY. British Journal of Anaesthesia, 1993, 71, 734-735.   | 1.5 | 16        |
| 879 | Nasal IgA response in wheezy infants.. Archives of Disease in Childhood, 1993, 68, 472-476.  | 1.0 | 22        |
| 880 | Magnetic resonance imaging of coronary arteries: technique and preliminary results.. Heart, 1993, 70, 315-326.   | 1.2 | 156       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 881 | Theophylline in Oral Mucosal Transudate: A Practical Method for Monitoring Outpatient Therapy. The American Review of Respiratory Disease, 1993, 147, 739-743.   | 2.9 | 6         |
| 882 | Tidal Volume Measurements in Newborns Using Respiratory Inductive Plethysmography. The American Review of Respiratory Disease, 1993, 148, 585-588.   | 2.9 | 70        |
| 883 | Who's afraid of informed consent?. BMJ: British Medical Journal, 1993, 306, 298-300.   | 2.4 | 145       |
| 884 | Continuous blood gas monitoring in haemodialysis using an electrode inserted in the extracorporeal dialysis circulation. Scandinavian Journal of Clinical and Laboratory Investigation, 1993, 53, 197-200. | 0.6 | 2         |
| 885 | Cardiorespiratory Fitness Evaluation by the Shuttle Test in Asthmatic Subjects During Aerobic Training. Chest, 1993, 103, 1135-1141.   | 0.4 | 77        |
| 886 | Avidin-Biotin Based Electrochemical Immunoassay for Thyrotropin. Annals of Clinical Biochemistry, 1993, 30, 570-577.   | 0.8 | 44        |
| 887 | Effects of N- <sup>15</sup> -Nitro-L-Arginine Methyl Ester on the Cerebral Circulation of Newborn Piglets Quantified In Vivo by Near-Infrared Spectroscopy. Pediatric Research, 1993, 34, 354-359.         | 1.1 | 16        |
| 888 | Comparison of Gas Exchange, Lactate, and Lactic Acidosis Thresholds in Patients with Chronic Obstructive Pulmonary Disease. The American Review of Respiratory Disease, 1993, 148, 622-626.                | 2.9 | 64        |
| 889 | Keratometry using the Goldmann tonometer. Eye, 1993, 7, 43-46.   | 1.1 | 3         |
| 890 | Can bio-electrical impedance be used to measure total body water in dialysis patients?. Physiological Measurement, 1993, 14, 455-461.  | 1.2 | 11        |
| 891 | Comparison of Nitrogen Washout and Plethysmographic Measurements of Lung Volume in Healthy Infants. The American Review of Respiratory Disease, 1993, 148, 1496-1501.                                      | 2.9 | 41        |
| 892 | Activated T-Lymphocytes and Macrophages in Bronchial Mucosa of Subjects with Chronic Bronchitis. The American Review of Respiratory Disease, 1993, 147, 301-306.   | 2.9 | 335       |
| 893 | A preliminary assessment of laser Doppler perfusion imaging in human skin using the tuberculin reaction as a model. Physiological Measurement, 1993, 14, 241-252.  | 1.2 | 45        |
| 894 | In vivo measurement of total body chlorine using the 8.57 MeV prompt de-excitation following thermal neutron capture. Physics in Medicine and Biology, 1993, 38, 161-172.                                  | 1.6 | 14        |
| 895 | Reliability of Measuring Forward Head Posture in a Clinical Setting. Journal of Orthopaedic and Sports Physical Therapy, 1993, 17, 155-160.  | 1.7 | 88        |
| 896 | The effects of different filters on the results of the signal-averaged electrocardiogram analysis. , 0, , .  |     | 0         |
| 897 | Non-invasive measurement of intracranial pressure in the newborn and the infant: the Rotterdam teletransducer.. Archives of Disease in Childhood, 1993, 69, 493-497.                                       | 1.0 | 15        |
| 898 | Novel approach to the interpretation of long-term "deterioration" in ejection fraction in individual patients with coronary artery disease.. Heart, 1993, 70, 226-232.                                     | 1.2 | 6         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 899 | Early treatment with captopril after acute myocardial infarction.. Heart, 1993, 69, 215-222.  | 1.2 | 58        |
| 900 | Evaluation of anatomical obstruction by Doppler echocardiography and magnetic resonance imaging in patients with coarctation of the aorta.. Heart, 1993, 69, 352-355.   | 1.2 | 28        |
| 901 | A new noninvasive method for the estimation of peak dP/dt.. Circulation, 1993, 88, 2693-2699.   | 1.6 | 59        |
| 902 | Changes in methacholine induced bronchoconstriction with the long acting beta 2 agonist salmeterol in mild to moderate asthmatic patients.. Thorax, 1993, 48, 1121-1124.  | 2.7 | 64        |
| 903 | Quantitative Doppler assessment of valvular regurgitation.. Circulation, 1993, 87, 841-848.   | 1.6 | 298       |
| 904 | Accuracy of electronic digital calipers compared with quantitative angiography in measuring coronary arterial diameter.. Circulation, 1993, 88, 1724-1729.  | 1.6 | 95        |
| 905 | Urine Collection From Disposable Diapers in Premature Infants: Biochemical Analysis. Clinical Pediatrics, 1993, 32, 314-315.  | 0.4 | 4         |
| 906 | Measurement of ionised calcium concentration in neonates.. Archives of Disease in Childhood, 1993, 69, 77-78.   | 1.0 | 7         |
| 907 | Abdominal diameters as indicators of visceral fat: comparison between magnetic resonance imaging and anthropometry. British Journal of Nutrition, 1993, 70, 47-58.  | 1.2 | 149       |
| 908 | Pulmonary deposition of a nebulised aerosol during mechanical ventilation.. Thorax, 1993, 48, 154-159.  | 2.7 | 64        |
| 909 | New method for determining faecal fat excretion in infancy.. Archives of Disease in Childhood, 1993, 69, 138-140.   | 1.0 | 4         |
| 910 | Evaluation of a computerised polysomnography system.. Thorax, 1993, 48, 280-283.  | 2.7 | 13        |
| 911 | Right heart pressure determination by Doppler in infants with tricuspid regurgitation.. Archives of Disease in Childhood, 1993, 69, 216-220.  | 1.0 | 53        |
| 912 | Dysprosium as a nonabsorbable marker for studies of mineral absorption with stable isotope tracers in human subjects.. Journal of the American College of Nutrition, 1993, 12, 307-315.                                       | 1.1 | 32        |
| 913 | Errors in estimating peritoneal fluid by bioelectrical impedance analysis and total body electrical conductivity.. Journal of the American College of Nutrition, 1993, 12, 66-72.   | 1.1 | 38        |
| 914 | Measurement of inspiratory muscle performance with incremental threshold loading: a comparison of two techniques.. Thorax, 1993, 48, 354-359.   | 2.7 | 15        |
| 915 | Sonographic measurement of relative renal volume in children: comparison with scintigraphic determination of relative renal function.. American Journal of Roentgenology, 1993, 161, 157-160.                                 | 1.0 | 34        |
| 916 | Body Composition Analysis in Liver Cirrhosis. The Measurement of Body Fat by Dual Energy X-ray Absorptiometry in Comparison to Skinfold Anthropometry, Bioelectrical Impedance and Total Body Potassium. , 1993, 60, 211-214. |     | 10        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 917 | The classical limit of ionization in fast ion-atom collisions. <i>Journal of Physics B: Atomic, Molecular and Optical Physics</i> , 1993, 26, 3101-3122.  | 0.6 | 92        |
| 918 | Bias and variability in blood pressure measurement with ambulatory recorders.. <i>Hypertension</i> , 1993, 22, 591-598.   | 1.3 | 44        |
| 919 | Ambulatory blood pressure monitoring.. <i>Archives of Disease in Childhood</i> , 1993, 69, 681-684.   | 1.0 | 13        |
| 920 | Echocardiographic assessment of mitral valve size in obstructive hypertrophic cardiomyopathy. Anatomic validation from mitral valve specimen.. <i>Circulation</i> , 1993, 88, 548-555.                  | 1.6 | 67        |
| 921 | Comparison of acoustic quantification and Doppler echocardiography in assessment of left ventricular diastolic variables.. <i>Heart</i> , 1993, 70, 448-456.  | 1.2 | 43        |
| 922 | Noninvasive measurement of rate of left ventricular relaxation by Doppler echocardiography. Validation with simultaneous cardiac catheterization.. <i>Circulation</i> , 1993, 88, 146-155.              | 1.6 | 87        |
| 923 | Reproducibility of Doppler ultrasound measurement of resistance index in renal allografts. <i>British Journal of Radiology</i> , 1993, 66, 510-513.   | 1.0 | 28        |
| 924 | Pathology review in cancer research. <i>British Journal of Cancer</i> , 1993, 68, 827-830.  | 2.9 | 6         |
| 925 | Manometry of esophageal varices: Comparison of an endoscopic balloon technique with needle puncture. <i>Gastroenterology</i> , 1993, 105, 1159-1166.  | 0.6 | 57        |
| 926 | Reliability of Sampling Urine from Disposable Diapers in Elderly Incontinent Women. <i>Journal of the American Geriatrics Society</i> , 1993, 41, 1182-1186.  | 1.3 | 21        |
| 927 | A Novel Device for the Rapid In-clinic Measurement of Haemoglobin A1c. <i>Diabetic Medicine</i> , 1993, 10, 260-263.  | 1.2 | 23        |
| 928 | Accurate and Precise Blood Glucose Measurement in the Hypoglycaemic Range. <i>Diabetic Medicine</i> , 1993, 10, 560-563.  | 1.2 | 3         |
| 929 | Simultaneous Ultrasonic Monitoring of Gallbladder Emptying and Gastric Emptying after Liquid Test Meal.. <i>Internal Medicine</i> , 1993, 32, 758-762.  | 0.3 | 4         |
| 930 | Repeatability of Transcranial Doppler Measurements of Arterial Blood Flow Velocities in Healthy Subjects. <i>Clinical Science</i> , 1993, 84, 599-604.  | 1.8 | 29        |
| 931 | The Development of a New Method of Cephalometric and Study Cast Mensuration with a Computer Controlled, Video Image Capture System: Part I. <i>British Journal of Orthodontics</i> , 1993, 20, 203-214. | 0.3 | 10        |
| 932 | The Measurement of Thoraco-abdominal Asynchrony in Infants With Severe Laryngotracheobronchitis. <i>Chest</i> , 1993, 103, 1842-1848.   | 0.4 | 34        |
| 933 | The Application of Generalizability Theory to Reliability Assessment: An Illustration Using Isometric Force Measurements. <i>Physical Therapy</i> , 1993, 73, 386-395.                                  | 1.1 | 204       |
| 934 | Accuracy of measurements of body composition by dual-energy x-ray absorptiometry in vivo. <i>American Journal of Clinical Nutrition</i> , 1993, 57, 605-608.  | 2.2 | 372       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 935 | Intraoperative Transesophageal Echocardiography Using High Resolution Imaging in Infants and Children with Congenital Heart Disease. <i>Echocardiography</i> , 1993, 10, 599-608.  | 0.3 | 35        |
| 936 | Magnetic resonance jet velocity mapping in mitral and aortic valve stenosis.. <i>Circulation</i> , 1993, 87, 1239-1248.  | 1.6 | 166       |
| 937 | Reduced Sampling Protocols in Estimation of Insulin Sensitivity and Glucose Effectiveness Using the Minimal Model in NIDDM. <i>Diabetes</i> , 1993, 42, 1635-1641.   | 0.3 | 25        |
| 938 | Comparison of Repeated Measurement of Ambulatory and Clinic Blood Pressure Readings in Isolated Systolic Hypertension. <i>Clinical and Experimental Hypertension</i> , 1993, 15, 895-909.  | 0.5 | 13        |
| 939 | Evaluation of the Sysmex NE-8000: Automated Hematology Analyzer in a High-Volume Outpatient Laboratory. <i>American Journal of Clinical Pathology</i> , 1993, 100, 618-625.  | 0.4 | 31        |
| 940 | The mechanism of directional coronary atherectomy. <i>European Heart Journal</i> , 1993, 14, 505-510.  | 1.0 | 13        |
| 941 | The reliability of stroke outcome measures. <i>Clinical Rehabilitation</i> , 1993, 7, 290-296.   | 1.0 | 49        |
| 942 | Method Comparison. <i>Annals of Clinical Biochemistry</i> , 1993, 30, 501-501.   | 0.8 | 0         |
| 943 | Pad weighing tests with 50% or 75% bladder filling: Does it matter?. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1993, 72, 377-381.   | 1.3 | 24        |
| 944 | Maternal reporting of birthweight in a Peruvian shanty town.. <i>American Journal of Public Health</i> , 1993, 83, 1177-1178.  | 1.5 | 1         |
| 945 | Assessment of human sperm acrosome reaction by flow cytometry: validation and evaluation of the method by fluorescence-activated cell sorting**Presented in part at the 48th Annual Meeting of The American Fertility Society, New Orleans, Louisiana, November 2 to 5, 1992.. <i>Fertility and Sterility</i> , 1993, 60, 1076-1081. | 0.5 | 17        |
| 946 | Errors in the assessment of tympanic membrane perforations. <i>Clinical Otolaryngology</i> , 1993, 18, 58-62.  | 0.6 | 8         |
| 948 | Comparison of body composition assessments by bioelectrical impedance and by anthropometry in premenopausal Chinese women. <i>British Journal of Nutrition</i> , 1993, 69, 657-664.  | 1.2 | 20        |
| 949 | External Imaging of Atherosclerosis in Rabbits Using an <sup>123</sup> I-labeled Synthetic Peptide Fragment. <i>Journal of Clinical Pharmacology</i> , 1993, 33, 1039-1047.  | 1.0 | 37        |
| 950 | Metabolic acidosis and breathlessness during exercise and hypercapnia in man.. <i>Journal of Physiology</i> , 1993, 461, 47-61.  | 1.3 | 23        |
| 951 | Measurement of carboxyhemoglobin and total hemoglobin by five specialized spectrophotometers (CO-oximeters) in comparison with reference methods. <i>Clinical Chemistry</i> , 1993, 39, 1693-1700.   | 1.5 | 115       |
| 952 | Validation of fluorescent-labeled microspheres for measurement of regional organ perfusion. <i>Journal of Applied Physiology</i> , 1993, 74, 2585-2597.  | 1.2 | 339       |
| 953 | Comparison between methods of tonometry: time for a change of approach.. <i>British Journal of Ophthalmology</i> , 1993, 77, 754-755.  | 2.1 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 954 | Informed consent.. BMJ: British Medical Journal, 1993, 306, 928-928.  | 2.4 | 0         |
| 955 | Informed consent.. BMJ: British Medical Journal, 1993, 306, 928-929.  | 2.4 | 2         |
| 956 | Informed consent.. BMJ: British Medical Journal, 1993, 306, 928-929.  | 2.4 | 2         |
| 957 | Detection of small changes in body composition by dual-energy x-ray absorptiometry. American Journal of Clinical Nutrition, 1993, 57, 845-850.  | 2.2 | 183       |
| 958 | Adipose tissue distribution as assessed by magnetic resonance imaging and total body fat by magnetic resonance imaging, underwater weighing, and body-water dilution in healthy women. American Journal of Clinical Nutrition, 1993, 58, 830-838. | 2.2 | 54        |
| 959 | Accuracy of Three Pulse Oximeters During Exercise and Hypoxemia in Patients With Cystic Fibrosis. Chest, 1993, 104, 1187-1190.  | 0.4 | 19        |
| 960 | Resting metabolic rate in homozygous sickle cell disease. American Journal of Clinical Nutrition, 1993, 57, 32-34.  | 2.2 | 80        |
| 961 | Total body studies in normal British women using dual energy X-ray absorptiometry. British Journal of Radiology, 1993, 66, 303-308.   | 1.0 | 33        |
| 962 | Measurement of Blood Pressure During Pregnancy: Evaluation of the â€œTriCUFFâ€™. Australian and New Zealand Journal of Obstetrics and Gynaecology, 1993, 33, 48-50.   | 0.4 | 2         |
| 963 | In vivo measurement of changes in body composition: description of methods and their validation against 12-d continuous whole-body calorimetry. American Journal of Clinical Nutrition, 1993, 58, 455-462.  | 2.2 | 58        |
| 964 | A Comparison between Direct and Calculated Oxygen Saturation in Intensive Care. Anaesthesia and Intensive Care, 1993, 21, 72-75.  | 0.2 | 10        |
| 965 | The reliability of ultrasonographic assessment of neonatal hips. Journal of Bone and Joint Surgery: British Volume, 1993, 75-B, 479-482.  | 3.4 | 75        |
| 966 | Clinical and laboratory studies of time-resolved fluorescence immunoassays of thyrotropin and free triiodothyronine. Clinical Chemistry, 1993, 39, 679-682.   | 1.5 | 10        |
| 967 | Informed consent.. BMJ: British Medical Journal, 1993, 306, 928-928.  | 2.4 | 0         |
| 968 | Reliability of goniometric measurements and visual estimates of ankle joint active range of motion obtained in a clinical setting. Archives of Physical Medicine and Rehabilitation, 1993, 74, 1113-1118.   | 0.5 | 153       |
| 969 | Ambulatory Blood Pressure Monitoring. Vascular Medicine Review, 1993, vmr-4, 95-109.  | 0.2 | 1         |
| 970 | Birth size of Australian Aboriginal babies. Medical Journal of Australia, 1993, 159, 586-591.   | 0.8 | 38        |
| 971 | Doppler echocardiography evaluation of the CarboMedics valve in patients with small aortic anulus and valve prosthesisâ€™ body surface area mismatch. Journal of Thoracic and Cardiovascular Surgery, 1994, 108, 57-62.                           | 0.4 | 40        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 972 | Cerebral Venous Oxygen Saturation Studied with Bilateral Samples in the Internal Jugular Veins. <i>Neurosurgery</i> , 1994, 34, 38-44.   | 0.6 | 130       |
| 973 | Evaluation of a symmetrically disposed Pitot tube flowmeter for measuring gas flow during exercise. <i>Journal of Applied Physiology</i> , 1994, 77, 2659-2665.                                      | 1.2 | 55        |
| 974 | Comparison of approximate and iterative methods to calculate the efficiency of haemodialysis as $KT/V$ . <i>International Journal of Artificial Organs</i> , 1994, 17, 531-536.                      | 0.7 | 2         |
| 975 | Effect of hematocrit on dialyzer urea and creatinine clearance indices in a hemodialysis patient with erythrocytosis. <i>International Journal of Artificial Organs</i> , 1994, 17, 591-594.         | 0.7 | 2         |
| 976 | Body composition in white adults by dual-energy x-ray absorptiometry, densitometry, and total body water. <i>American Journal of Clinical Nutrition</i> , 1994, 59, 547-555.                         | 2.2 | 83        |
| 977 | Total body water in pregnancy: assessment by using bioelectrical impedance. <i>American Journal of Clinical Nutrition</i> , 1994, 59, 578-585.   | 2.2 | 106       |
| 978 | Reliability of goniometric measurements of active arm elevation in the scapular plane obtained in a clinical setting. <i>Archives of Physical Medicine and Rehabilitation</i> , 1994, 75, 1137-1144. | 0.5 | 36        |
| 979 | A comparative study of peri-prosthetic bone mineral density measurement using two different dual-energy X-ray absorptiometry systems. <i>British Journal of Radiology</i> , 1994, 67, 852-855.       | 1.0 | 10        |
| 980 | A Comparison of Syringes to Collect Blood for Analysis of Gases, Electrolytes and Glucose. <i>Anaesthesia and Intensive Care</i> , 1994, 22, 698-702.  | 0.2 | 5         |
| 981 | Body composition of Colombian women. <i>American Journal of Clinical Nutrition</i> , 1994, 60, 279-285.  | 2.2 | 14        |
| 982 | Ability of two new thyrotropin (TSH) assays to separate hyperthyroid patients from euthyroid patients with low TSH. <i>Clinical Chemistry</i> , 1994, 40, 101-105.                                   | 1.5 | 33        |
| 983 | An objective method for edge detection in MRI morphometry. <i>European Psychiatry</i> , 1994, 9, 205-207.  | 0.1 | 32        |
| 984 | Is determination of creatine kinase-2 after electrophoretic separation accurate?. <i>Clinical Chemistry</i> , 1994, 40, 177-183.   | 1.5 | 9         |
| 985 | Development and validation of a monoclonal antibody enzyme immunoassay for measuring progesterone in saliva. <i>Clinical Chemistry</i> , 1994, 40, 454-458.  | 1.5 | 24        |
| 986 | Evaluating test methods by estimating total error. <i>Clinical Chemistry</i> , 1994, 40, 464-471.  | 1.5 | 5         |
| 987 | Carboxyhemoglobin determined in neonatal blood with a CO-oximeter unaffected by fetal oxyhemoglobin. <i>Clinical Chemistry</i> , 1994, 40, 1522-1527.  | 1.5 | 27        |
| 988 | Psychosocial functioning of young adults with cystic fibrosis and their families.. <i>Thorax</i> , 1994, 49, 798-802.  | 2.7 | 60        |
| 989 | Transfer of Technology From Statistical Journals to the Biomedical Literature. <i>JAMA - Journal of the American Medical Association</i> , 1994, 272, 129.   | 3.8 | 67        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 990  | Effect of increased wall thickness on indices of left ventricular pump function in children.. Heart, 1994, 72, 182-185.   | 1.2 | 4         |
| 991  | Oxygen and 99mTc-MAA shunt estimations in patients with pulmonary arteriovenous malformations: effects of changes in posture and lung volume.. Thorax, 1994, 49, 327-331.                                 | 2.7 | 33        |
| 992  | Haematocrit measurements during cardiopulmonary bypass surgery: comparison of three stat methods with a blood cell counter. Perfusion (United Kingdom), 1994, 9, 127-134.                                 | 0.5 | 10        |
| 993  | Three-dimensional echocardiography. In vivo validation for right ventricular volume and function.. Circulation, 1994, 89, 2342-2350.  | 1.6 | 136       |
| 994  | Peripheral mononuclear leucocyte beta adrenoceptors and non-specific bronchial responsiveness to methacholine in young and elderly normal subjects and asthmatic patients.. Thorax, 1994, 49, 26-32.      | 2.7 | 34        |
| 995  | Chemical and glass thermometers for axillary temperatures: how do they compare?. Archives of Disease in Childhood, 1994, 71, 259-260.   | 1.0 | 6         |
| 996  | Clinical comparison of the ProTon and Tono-Pen tonometers with the Goldmann applanation tonometer.. British Journal of Ophthalmology, 1994, 78, 895-898.  | 2.1 | 37        |
| 997  | Inspiratory muscle relaxation rate assessed from sniff nasal pressure.. Thorax, 1994, 49, 1127-1133.  | 2.7 | 32        |
| 998  | Serial echocardiographic assessment of left ventricular geometry and function after large myocardial infarction in the rat.. Circulation, 1994, 89, 345-354.  | 1.6 | 384       |
| 999  | Cholesterol measurement by reflotron dry chemistry in infants, children and adults. Scandinavian Journal of Clinical and Laboratory Investigation, 1994, 54, 61-65.                                       | 0.6 | 15        |
| 1000 | The nottingham system: Objective assessment of facial nerve function in the clinic. Otolaryngology - Head and Neck Surgery, 1994, 110, 156-161.   | 1.1 | 97        |
| 1001 | Thoracocardiographic-Derived Left Ventricular Systolic Time Intervals. Chest, 1994, 106, 1668-1674.   | 0.4 | 12        |
| 1002 | Determination of Conjugated and Unconjugated Serum 3 $\beta$ -OH Bile Acids by High-Performance Liquid Chromatography. Annals of Clinical Biochemistry, 1994, 31, 479-484.                                | 0.8 | 3         |
| 1003 | High Performance Liquid Chromatography (HPLC): An Important Technique in the Studies of Lignocaine and its Metabolism. Journal of Liquid Chromatography and Related Technologies, 1994, 17, 2273-2289.    | 0.9 | 6         |
| 1004 | Growth of Colorectal Polyps: Recovery and Evaluation of Unresected Polyps of Less Than 10 mm, 1 Year after Detection. Scandinavian Journal of Gastroenterology, 1994, 29, 640-645.                        | 0.6 | 78        |
| 1005 | Flow-Through Analysis of Glutathione in Human Erythrocytes with an Amperometric Biosensor. Analytical Letters, 1994, 27, 15-27.   | 1.0 | 10        |
| 1006 | Synovial Volume â€” A Marker of Disease Severity in Rheumatoid Arthritis? Quantification by MRI. Scandinavian Journal of Rheumatology, 1994, 23, 197-202.   | 0.6 | 74        |
| 1007 | Salt restriction in hypertensionâ€”the effect of dietary advice and self monitoring of chloride concentration in urine. Scandinavian Journal of Clinical and Laboratory Investigation, 1994, 54, 399-404. | 0.6 | 10        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1008 | A postal version of the Barthel Index. <i>Clinical Rehabilitation</i> , 1994, 8, 233-239.   | 1.0 | 78        |
| 1009 | Comparison of sulphur dioxide and metabisulphite airway reactivity in subjects with asthma.. <i>Thorax</i> , 1994, 49, 250-256.   | 2.7 | 14        |
| 1010 | Effects of angiotensin converting enzyme inhibition on sodium excretion in patients with hypoxaemic chronic obstructive pulmonary disease.. <i>Thorax</i> , 1994, 49, 995-998.  | 2.7 | 20        |
| 1011 | Measurement of transfer factor during constant exhalation.. <i>Thorax</i> , 1994, 49, 1121-1126.  | 2.7 | 17        |
| 1012 | Proliferating cell nuclear antigen (PCNA): a new marker to study human colonic cell proliferation.. <i>Gut</i> , 1994, 35, 530-535.   | 6.1 | 155       |
| 1013 | Critical evaluation of three chest radiograph scores in cystic fibrosis.. <i>Thorax</i> , 1994, 49, 863-866.  | 2.7 | 25        |
| 1014 | Changes in Aortic Annulus Diameter During the Cardiac Cycle and its Effect on Predicting Aortic Valve Prosthesis Size. <i>Journal of Diagnostic Medical Sonography</i> , 1994, 10, 262-267.   | 0.1 | 2         |
| 1015 | The Use and Clinical Importance of a Substrate-Specific Electrode for Rapid Determination of Blood Lactate Concentrations. <i>JAMA - Journal of the American Medical Association</i> , 1994, 272, 1678.   | 3.8 | 171       |
| 1016 | Comparison of magnetic resonance angiography, duplex ultrasound, and digital subtraction angiography in assessment of extracranial internal carotid artery stenosis.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1994, 57, 1466-1478. | 0.9 | 68        |
| 1017 | Simultaneous Urography and Determination of Glomerular Filtration Rate. <i>Acta Radiologica</i> , 1994, 35, 391-395.  | 0.5 | 5         |
| 1018 | Validez de un sistema de registro portátil (MESAM IV) para el diagnóstico del síndrome de apnea del sueño. <i>Archivos De Bronconeumología</i> , 1994, 30, 331-338.   | 0.4 | 11        |
| 1019 | Accuracy, reproducibility, and variability of hand-held dynamometry in motor neuron disease.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1994, 57, 326-332.   | 0.9 | 42        |
| 1020 | Intracardiac ultrasound measurement of volumes and ejection fraction in normal, infarcted, and aneurysmal left ventricles using a 10-MHz ultrasound catheter.. <i>Circulation</i> , 1994, 90, 1481-1491.  | 1.6 | 30        |
| 1021 | Factors affecting ambulatory blood pressure reproducibility. Results of the HARVEST Trial. Hypertension and Ambulatory Recording Venetia Study.. <i>Hypertension</i> , 1994, 23, 211-216.   | 1.3 | 194       |
| 1022 | Simultaneous measurement of cardiac output by thermodilution, thoracic electrical bioimpedance and Doppler ultrasound. <i>British Journal of Anaesthesia</i> , 1994, 72, 133-138.   | 1.5 | 56        |
| 1023 | Comparison of dietary assessment methods in nutritional epidemiology: weighed records v. 24 h recalls, food-frequency questionnaires and estimated-diet records. <i>British Journal of Nutrition</i> , 1994, 72, 619-643.                             | 1.2 | 664       |
| 1024 | Feeding-induced Changes in Energy Expenditure in Children With Cystic Fibrosis. <i>Journal of Parenteral and Enteral Nutrition</i> , 1994, 18, 497-502.   | 1.3 | 9         |
| 1025 | Comparison of Doppler derived haemodynamic variables and simultaneous high fidelity pressure measurements in severe pulmonary hypertension.. <i>Heart</i> , 1994, 72, 384-389.  | 1.2 | 87        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1026 | Regional myocardial velocity imaged by magnetic resonance in patients with ischaemic heart disease.. Heart, 1994, 72, 332-338.  | 1.2 | 44        |
| 1027 | Deriving a useful packed cell volume estimate from haemoglobin analysis.. Journal of Clinical Pathology, 1994, 47, 78-79.   | 1.0 | 16        |
| 1028 | Magnetic resonance and echocardiographic imaging of pulmonary artery size throughout stages of Fontan reconstruction.. Circulation, 1994, 90, 2927-2936.  | 1.6 | 67        |
| 1029 | Computerised determination of spontaneous inspiratory and expiratory times in premature neonates during intermittent positive pressure ventilation. I: A new technique.. Archives of Disease in Childhood: Fetal and Neonatal Edition, 1994, 71, F156-F160. | 1.4 | 4         |
| 1030 | Accurate vessel width measurement from fundus photographs: a new concept.. British Journal of Ophthalmology, 1994, 78, 24-29.   | 2.1 | 51        |
| 1031 | Noninvasive method for determination of arterial compliance using Doppler echocardiography and subclavian pulse tracings. Validation and clinical application of a physiological model of the circulation.. Circulation, 1994, 89, 2688-2699.               | 1.6 | 78        |
| 1032 | Mitral regurgitation determined by radionuclide cardiography: dependence on posture and exercise.. Heart, 1994, 72, 156-160.  | 1.2 | 7         |
| 1033 | Inaccuracy of glomerular filtration rate estimation from height/plasma creatinine ratio.. Archives of Disease in Childhood, 1994, 70, 387-390.  | 1.0 | 36        |
| 1034 | Induction of right ventricular hypertrophy with obstructing balloon catheter.. Circulation, 1994, 89, 1911-1912.  | 1.6 | 2         |
| 1035 | Arterialised earlobe blood gas analysis: an underused technique.. Thorax, 1994, 49, 364-366.  | 2.7 | 116       |
| 1036 | An exercise challenge protocol for epidemiological studies of asthma in children: comparison with histamine challenge. European Respiratory Journal, 1994, 7, 43-49.  | 3.1 | 118       |
| 1037 | Peak expiratory nitric oxide differences in men and women: relation to the menstrual cycle.. Heart, 1994, 72, 243-245.  | 1.2 | 122       |
| 1038 | Systematic difference between blood pressure readings caused by cuff type.. Hypertension, 1994, 24, 786-792.  | 1.3 | 28        |
| 1039 | Optic disc measurement with the Zeiss four mirror contact lens.. British Journal of Ophthalmology, 1994, 78, 775-780.   | 2.1 | 20        |
| 1040 | Effects of dobutamine on oxygen consumption in septic patients. Direct versus indirect determinations.. American Journal of Respiratory and Critical Care Medicine, 1994, 150, 95-100.  | 2.5 | 80        |
| 1041 | Analysis of tidal breathing parameters in infancy: how variable is TPTEF:TE?. American Journal of Respiratory and Critical Care Medicine, 1994, 150, 1347-1354.   | 2.5 | 93        |
| 1042 | Corticosteroids contribute to muscle weakness in chronic airflow obstruction.. American Journal of Respiratory and Critical Care Medicine, 1994, 150, 11-16.  | 2.5 | 428       |
| 1043 | Dependence of Gorlin formula and continuity equation valve areas on transvalvular volume flow rate in valvular aortic stenosis.. Circulation, 1994, 89, 827-835.  | 1.6 | 183       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1044 | Measuring ataxia: quantification based on the standard neurological examination.. Journal of Neurology, Neurosurgery and Psychiatry, 1994, 57, 22-26.  | 0.9 | 85        |
| 1045 | Associations of the HDL2 and HDL3 cholesterol subfractions with the development of ischemic heart disease in British men. The Caerphilly and Speedwell Collaborative Heart Disease Studies.. Circulation, 1994, 90, 769-774.                       | 1.6 | 87        |
| 1046 | Determination of human tumour necrosis factor- $\alpha$ (TNF- $\alpha$ ) by time-resolved immunofluorometric assay. Scandinavian Journal of Clinical and Laboratory Investigation, 1994, 54, 475-483.  | 0.6 | 12        |
| 1047 | Sniff nasal inspiratory pressure. A noninvasive assessment of inspiratory muscle strength.. American Journal of Respiratory and Critical Care Medicine, 1994, 150, 1678-1683.  | 2.5 | 212       |
| 1048 | Handicap one year after a stroke: validity of a new scale.. Journal of Neurology, Neurosurgery and Psychiatry, 1994, 57, 825-829.  | 0.9 | 142       |
| 1049 | Evaluation of a new electronic spirometer: the vitalograph "Escort" spirometer.. Thorax, 1994, 49, 175-178.  | 2.7 | 25        |
| 1050 | Statistics Notes: Some examples of regression towards the mean. BMJ: British Medical Journal, 1994, 309, 780-780.  | 2.4 | 318       |
| 1051 | Relationship between Brain Blood Flow and Carotid Arterial Flow in the Sheep Fetus. Pediatric Research, 1994, 35, 329-333.   | 1.1 | 108       |
| 1052 | Reproducibility study of posterior subcapsular opacities on the NEI retroillumination image analysis system. Eye, 1994, 8, 657-661.  | 1.1 | 1         |
| 1053 | Comparison of extra-cellular fluid volume measurement in children by <sup>99</sup> Tcm-DPTA clearance and multi-frequency impedance techniques. Physiological Measurement, 1994, 15, 251-260.  | 1.2 | 25        |
| 1054 | Comparison of macro- and micro-lightguide spectrophotometric measurements of microvascular haemoglobin oxygenation in the tuberculin reaction in normal human skin. Physiological Measurement, 1994, 15, 115-128.                                  | 1.2 | 26        |
| 1055 | Acoustic method to estimate the longitudinal area profile of endotracheal tubes.. American Journal of Respiratory and Critical Care Medicine, 1994, 149, 28-33.  | 2.5 | 42        |
| 1056 | Relationship between balance and dual tracer isotopic measurements of calcium absorption and excretion.. Journal of Clinical Endocrinology and Metabolism, 1994, 79, 965-969.  | 1.8 | 19        |
| 1057 | Time-resolved immunofluorometric assay for thyrotropin improved for enhanced functional sensitivity and clinical discrimination. Scandinavian Journal of Clinical and Laboratory Investigation, 1994, 54, 317-321.                                 | 0.6 | 5         |
| 1058 | A new Doppler imaging measurement in aortic stenosis: The contour length of the jet origin flow area. Relationships between both, with usual Doppler data and left ventricular hypertrophy. Ultrasound in Medicine and Biology, 1994, 20, 831-839. | 0.7 | 1         |
| 1059 | Population screening for low bone mineral density: Do non-attenders have a lower risk of osteoporosis?. Osteoporosis International, 1994, 4, 149-153.  | 1.3 | 17        |
| 1060 | Comparison of intraarterial with continuous noninvasive blood pressure measurement in postoperative pediatric patients. Journal of Clinical Monitoring and Computing, 1994, 10, 11-20.   | 0.6 | 26        |
| 1061 | Mixed venous O <sub>2</sub> saturation: Measured by co-oximetry versus calculated from P <sub>a</sub> v <sub>o</sub> 2. Journal of Clinical Monitoring and Computing, 1994, 10, 39-44.   | 0.6 | 15        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1062 | Invasive monitoring combined with two-dimensional echocardiographic study in septic shock. Intensive Care Medicine, 1994, 20, 550-554.   | 3.9 | 126       |
| 1063 | Intra-abdominal pressure measurement using a modified nasogastric tube: Description and validation of a new technique. Intensive Care Medicine, 1994, 20, 588-590.   | 3.9 | 119       |
| 1064 | In vitro accuracy of three blood O2 saturation optic catheter systems. Intensive Care Medicine, 1994, 20, 480-483.   | 3.9 | 15        |
| 1065 | Monitoring of right ventricular function using a conventional slow response thermistor catheter. Intensive Care Medicine, 1994, 20, 348-353.   | 3.9 | 19        |
| 1066 | Noninvasive evaluation of the influence of aortic wave reflection on left ventricular ejection during auxotonic contraction. Heart and Vessels, 1994, 9, 30-39.  | 0.5 | 39        |
| 1067 | Comparison of the sphygmoscillographic method with the direct and auscultatory methods of measuring blood pressure. Journal of Clinical Monitoring and Computing, 1994, 10, 373-376.                         | 0.6 | 7         |
| 1068 | The evaluation of a new intravascular blood gas monitoring system in the pig. Journal of Clinical Monitoring and Computing, 1994, 10, 387-391.   | 0.6 | 52        |
| 1069 | Agreement Between Large And Small Cuffs In Sphygmomanometry: A Quantitative Assessment. Journal of Clinical Monitoring and Computing, 1994, 10, 127-133.   | 0.6 | 25        |
| 1070 | A proposal for scientific validation of instruments for indirect blood pressure measurement at rest, during exercise, and in critical care. Journal of Clinical Monitoring and Computing, 1994, 10, 163-177. | 0.6 | 6         |
| 1071 | Haemodynamic dose-efficacy of levosimendan in healthy volunteers. European Journal of Clinical Pharmacology, 1994, 47, 267-274.  | 0.8 | 56        |
| 1072 | Evaluation of oxygen uptake and delivery in critically ill patients: A statistical reappraisal. Intensive Care Medicine, 1994, 20, 19-26.  | 3.9 | 38        |
| 1073 | A new paediatric metabolic monitor. Intensive Care Medicine, 1994, 20, 51-57.  | 3.9 | 43        |
| 1074 | Clinical assessment of a continuous intra-arterial blood gas monitoring system. Canadian Journal of Anaesthesia, 1994, 41, 64-70.  | 0.7 | 12        |
| 1075 | The Vancouver sedative recovery scale for children: validation and reliability of scoring based on videotaped instruction. Canadian Journal of Anaesthesia, 1994, 41, 913-918.                               | 0.7 | 22        |
| 1076 | A laboratory assessment of the miles glucometer elite blood glucose meter. Clinical Biochemistry, 1994, 27, 501-505.   | 0.8 | 7         |
| 1077 | The effects of bisphosphonates on the resorption cycle of isolated osteoclasts. Calcified Tissue International, 1994, 55, 368-375.   | 1.5 | 104       |
| 1078 | Monitoring kidney function in diabetic nephropathy. Diabetologia, 1994, 37, 708-712.   | 2.9 | 28        |
| 1079 | Redox processes in malaria and other parasitic diseases. Histochemistry, 1994, 102, 389-395.   | 1.9 | 52        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1080 | Alteration of maximum anal resting pressure by digital rectal examination prior to manometry: analysis of agreement between repeat measurements. <i>International Journal of Colorectal Disease</i> , 1994, 9, 207-210.                         | 1.0 | 12        |
| 1081 | The superiority of rectal thermometry to oral thermometry with regard to accuracy. <i>Journal of Advanced Nursing</i> , 1994, 20, 660-665.  | 1.5 | 11        |
| 1082 | Statistics in medicine: Citations of papers in the first ten years. <i>Statistics in Medicine</i> , 1994, 13, 3-10.   | 0.8 | 3         |
| 1083 | Therapeutic methods repeatability of response to hypertonic saline aerosol in children with mild to severe asthma. <i>Pediatric Pulmonology</i> , 1994, 18, 330-336.  | 1.0 | 26        |
| 1084 | Effect of alcohol swabbing on capillary blood glucose measurements. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 1994, 11, 251-254.   | 0.2 | 8         |
| 1085 | Evaluation of copper(II)-pyruvaldehyde bis (N-4-methylthiosemicarbazone) for tissue blood flow measurement usina a trapped tracer model. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1994, 21, 336-341.                 | 2.2 | 41        |
| 1086 | Laparoscopic intracorporeal ultrasound. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 1994, 8, 167-172.   | 1.3 | 39        |
| 1087 | Hemodynamic effects of the novel cardiotoxic drug simendan: Echocardiographic assessment in healthy volunteers. <i>Cardiovascular Drugs and Therapy</i> , 1994, 8, 263-269.   | 1.3 | 7         |
| 1088 | Automatic selection of tidal volume, respiratory frequency and minute ventilation in intubated ICU patients as startup procedure for closed-loop controlled ventilation. <i>Journal of Clinical Monitoring and Computing</i> , 1994, 11, 19-30. | 0.3 | 51        |
| 1089 | Computer assisted detection of REM and non-REM sleep for analysis of nocturnal hypoxaemia in patients with ventilatory impairment. <i>Journal of Clinical Monitoring and Computing</i> , 1994, 11, 63-70.                                       | 0.3 | 2         |
| 1090 | Gd-DOTA as a gastrointestinal contrast agent for gastric emptying measurements with MRI. <i>Magnetic Resonance in Medicine</i> , 1994, 31, 388-393.   | 1.9 | 64        |
| 1091 | CAAS II: A second generation system for off-line and on-line quantitative coronary angiography. <i>Catheterization and Cardiovascular Diagnosis</i> , 1994, 33, 61-75.  | 0.7 | 112       |
| 1092 | Quantification of intracoronary volume by videodensitometry: Validation study using fluid filling of human coronary casts. <i>Catheterization and Cardiovascular Diagnosis</i> , 1994, 33, 89-94.   | 0.7 | 8         |
| 1093 | The Nonstarch Polysaccharides in Mexican Pulses and Cereal Products. <i>Journal of Food Composition and Analysis</i> , 1994, 7, 260-281.  | 1.9 | 6         |
| 1094 | Sensory thresholds in older adults: Reproducibility and reference values. <i>Muscle and Nerve</i> , 1994, 17, 454-461.  | 1.0 | 54        |
| 1095 | Does forearm mixed nerve conduction velocity reflect retrograde changes in carpal tunnel syndrome?. <i>Muscle and Nerve</i> , 1994, 17, 725-729.  | 1.0 | 21        |
| 1096 | Lymphocyte subset analysis by boolean algebra: A phenotypic approach using a cocktail of 5 antibodies and 3 color immunofluorescence. <i>Cytometry</i> , 1994, 15, 258-266.   | 1.8 | 10        |
| 1097 | Ploidy pattern and cell cycle in breast cancer as detected by image analysis and flow cytometry. <i>Cytometry</i> , 1994, 18, 79-87.  | 1.8 | 14        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1098 | Method for preserving erythrocytic $\hat{\Gamma}$ -aminolevulinic acid dehydratase activity that facilitates population studies on lead intoxication. <i>Journal of Applied Toxicology</i> , 1994, 14, 365-368.      | 1.4 | 11        |
| 1099 | Simulation study of a panel of reliability indicators applied to paired measurements. <i>American Journal of Human Biology</i> , 1994, 6, 311-320.   | 0.8 | 8         |
| 1100 | Precision, accuracy, and image plane uniformity in NMR relaxation time imaging on a 1.5 T whole-body MR imaging system. <i>Magnetic Resonance Imaging</i> , 1994, 12, 775-784.                                       | 1.0 | 34        |
| 1101 | Relationships between contour and/or contour/area ratio at Doppler and left ventricular hypertrophy in patients with significant aortic stenosis. <i>Ultrasound in Medicine and Biology</i> , 1994, 20, 841-847.     | 0.7 | 0         |
| 1102 | In vitro evaluation of three-dimensional ultrasonography in volume estimation of abdominal organs. <i>Ultrasound in Medicine and Biology</i> , 1994, 20, 157-165.  | 0.7 | 114       |
| 1103 | Automated simultaneous isolation and quantitation of labeled amino acid fractions from plasma and tissue by ion-exchange chromatography. <i>Biomedical Applications</i> , 1994, 660, 251-257.                        | 1.7 | 18        |
| 1104 | Aortic compliance measured by non-invasive Doppler ultrasound: application of a personal computer based Mk II system and its repeatability. <i>Medical Engineering and Physics</i> , 1994, 16, 213-221.              | 0.8 | 15        |
| 1105 | Measurement of body surface area in children with liver disease by a novel three-dimensional body scanning device. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1994, 68, 514-518.    | 1.2 | 20        |
| 1106 | Strength and cross-sectional area of knee extensor muscles in children. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1994, 68, 402-405.   | 1.2 | 66        |
| 1107 | Increased bilirubin production, ceruloplasmin concentrations and hyperbilirubinaemia in full-term newborn infants. <i>Early Human Development</i> , 1994, 38, 91-96.   | 0.8 | 8         |
| 1108 | Quantification of left ventricular function with an automated border detection system and comparison with radionuclide ventriculography. <i>American Journal of Cardiology</i> , 1994, 73, 195-199.                  | 0.7 | 67        |
| 1109 | Assessment of left atrial volumes and phasic function using cine magnetic resonance imaging in normal subjects. <i>American Journal of Cardiology</i> , 1994, 73, 1135-1138.   | 0.7 | 115       |
| 1110 | Echocardiographic evidence of left ventricular hypertrophy in a general aged population. <i>American Journal of Cardiology</i> , 1994, 74, 385-390.  | 0.7 | 41        |
| 1111 | Determination of cardiac output using acoustic quantification in critically ill patients. <i>American Journal of Cardiology</i> , 1994, 74, 810-813.   | 0.7 | 29        |
| 1112 | Use of mean arterial pressure for noninvasive determination of left ventricular end-systolic wall stress in infants and children. <i>American Journal of Cardiology</i> , 1994, 74, 98-99.                           | 0.7 | 58        |
| 1113 | Measurement of left ventricular ejection fraction by acoustic quantification and comparison with radionuclide angiography. <i>American Journal of Cardiology</i> , 1994, 74, 1052-1056.                              | 0.7 | 62        |
| 1114 | Predictors of the pressor response to the clinic visit in essential hypertensives with and without diabetes mellitus. <i>Clinical Autonomic Research</i> , 1994, 4, 323-329.   | 1.4 | 0         |
| 1115 | Evaluation of non-invasive blood pressure measurement by the Finapres method at rest and during dynamic exercise in subjects with cardiovascular insufficiency. <i>Clinical Autonomic Research</i> , 1994, 4, 49-56. | 1.4 | 28        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1116 | Quantification of evacuation proctography. <i>Diseases of the Colon and Rectum</i> , 1994, 37, 1151-1154.   | 0.7 | 44        |
| 1117 | Wedge hepatic venous pressure reflects portal venous pressure during vasoactive drug administration in nonalcoholic cirrhosis. <i>Digestive Diseases and Sciences</i> , 1994, 39, 2439-2444.                | 1.1 | 16        |
| 1118 | Inter- and intrasubject variability of solid and liquid gastric emptying parameters. <i>Digestive Diseases and Sciences</i> , 1994, 39, 109-115.  | 1.1 | 95        |
| 1119 | Stroke volume measurement during supine and upright cycle exercise by impedance cardiography. <i>Annals of Biomedical Engineering</i> , 1994, 22, 514-523.  | 1.3 | 9         |
| 1120 | Infrared Tympanic Thermometry for Neonatal Temperature Assessment. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 1994, 23, 798-804.  | 0.2 | 17        |
| 1121 | Simultaneous Assessment of Vasoreactivity Using Transcranial Doppler Ultrasound and Cerebral Blood Flow in Healthy Subjects. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994, 14, 974-981.      | 2.4 | 61        |
| 1122 | Validation of automated blood pressure recording in pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1994, 101, 66-69.  | 1.1 | 37        |
| 1123 | A comparative study of the fetal electrocardiogram recorded by the STAN and Nottingham systems. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1994, 101, 582-586.                   | 1.1 | 11        |
| 1124 | PRACTICALITY, USEFULNESS, AND LIMITS OF END-TIDAL CARBON DIOXIDE MONITORING IN CRITICAL SMALL ANIMAL PATIENTS. <i>Journal of Veterinary Emergency and Critical Care</i> , 1994, 4, 29-39.                   | 0.4 | 17        |
| 1125 | Short- and Long-Term Reproducibility of QT, QTc, and QT Dispersion Measurement in Healthy Subjects. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1994, 17, 928-937.                                | 0.5 | 221       |
| 1126 | Influence of Filtering Techniques on the Time-Domain Analysis, Diagnosis, and Clinical Use of Signal-Averaged Electrocardiogram. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1994, 17, 1107-1117. | 0.5 | 7         |
| 1127 | Relationship Between Short- and Long-Term Measurements of Heart Rate Variability in Patients at Risk of Sudden Cardiac Death. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1994, 17, 2194-2200.    | 0.5 | 19        |
| 1128 | Variations in serum soluble IL-2 receptor concentration. <i>Pediatric Allergy and Immunology</i> , 1994, 5, 230-234.  | 1.1 | 18        |
| 1129 | Tumour necrosis factor-alpha and leukotriene E4 production in wheezy infants. <i>Clinical and Experimental Allergy</i> , 1994, 24, 121-126.   | 1.4 | 34        |
| 1130 | Creating optimal home conditions for the house dust mite. <i>Clinical and Experimental Allergy</i> , 1994, 24, 207-209.   | 1.4 | 10        |
| 1131 | Sputum eosinophilia after asthmatic responses induced by isocyanates in sensitized subjects. <i>Clinical and Experimental Allergy</i> , 1994, 24, 29-34.  | 1.4 | 100       |
| 1132 | Predictable nitrous oxide uptake enables simple oxygen uptake monitoring during low flow anaesthesia. <i>Anaesthesia</i> , 1994, 49, 29-31.   | 1.8 | 6         |
| 1133 | Near infrared spectroscopy. <i>Anaesthesia</i> , 1994, 49, 76-76.   | 1.8 | 4         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1134 | Noninvasive monitoring of respiratory volume: correlation and accuracy. <i>Anaesthesia</i> , 1994, 49, 76-76.   | 1.8 | 0         |
| 1135 | Intra-operative blood glucose measurements.. <i>Anaesthesia</i> , 1994, 49, 129-132.  | 1.8 | 27        |
| 1136 | Breath monitoring device. <i>Anaesthesia</i> , 1994, 49, 552-552.   | 1.8 | 2         |
| 1137 | Blood pressure measurement using oscillometric finger cuffs in children and young adults.. <i>Anaesthesia</i> , 1994, 49, 895-899.  | 1.8 | 6         |
| 1138 | Reliability of naevus counts in identifying individuals at high risk of malignant melanoma. <i>British Journal of Dermatology</i> , 1994, 130, 51-56.   | 1.4 | 24        |
| 1139 | Strain gauge plethysmography and Doppler ultrasound in the measurement of limb blood flow. <i>European Journal of Clinical Investigation</i> , 1994, 24, 279-286.   | 1.7 | 24        |
| 1140 | Design of intravascular fiber optic blood gas sensors. <i>IEEE Engineering in Medicine and Biology Magazine</i> , 1994, 13, 327-335.  | 1.1 | 20        |
| 1141 | Intraoperative measurement of activated partial thromboplastin time and prothrombin time with a new compact monitor. <i>Acta Anaesthesiologica Scandinavica</i> , 1994, 38, 232-237.  | 0.7 | 31        |
| 1142 | The agreement between adductor pollicis mechanomyogram and first dorsal interosseous electromyogram. <i>Acta Anaesthesiologica Scandinavica</i> , 1994, 38, 869-878.  | 0.7 | 23        |
| 1143 | Reliable and Very Sensitive Flow Cytometric Method for Counting Low Leucocyte Numbers in Platelet Concentrates. <i>Vox Sanguinis</i> , 1994, 67, 172-177.   | 0.7 | 13        |
| 1144 | Reproducibility of nocturnal oxygen saturation and body movement recordings in patients with respiratory diseases. <i>Journal of Sleep Research</i> , 1994, 3, 60-61.   | 1.7 | 0         |
| 1145 | Mast cells in the airway lumen and bronchial mucosa of patients with chronic bronchitis.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1994, 149, 1311-1316.   | 2.5 | 84        |
| 1146 | Thermal testing: normative data and repeatability for various test algorithms. <i>Journal of the Neurological Sciences</i> , 1994, 125, 39-45.  | 0.3 | 265       |
| 1147 | The ductus arteriosus, pre- and post-ductal oxygen saturation measurements in fetal lambs. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1994, 55, 135-140.  | 0.5 | 10        |
| 1148 | Predicting resting energy expenditure in patients with musculoskeletal deformities. <i>Clinical Nutrition</i> , 1994, 13, 286-290.  | 2.3 | 2         |
| 1149 | A comparison of skinfold thickness, body mass index, bioelectrical impedance analysis and dual-energy X-ray absorptiometry in assessing body composition in obese subjects before and after weight loss. <i>Clinical Nutrition</i> , 1994, 13, 177-182. | 2.3 | 16        |
| 1150 | PASAT performance and the pattern of uptake of <sup>99m</sup> Tc-exametazime in brain estimated with single photon emission tomography. <i>Biological Psychology</i> , 1994, 38, 1-18.  | 1.1 | 29        |
| 1151 | Quantification of mitral regurgitation by integrated Doppler backscatter power. <i>Journal of the American College of Cardiology</i> , 1994, 24, 690-695.   | 1.2 | 16        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1152 | Two-dimensional mitral flow velocity profiles in pig models using epicardial doppler echocardiography. <i>Journal of the American College of Cardiology</i> , 1994, 24, 532-545.  | 1.2 | 42        |
| 1153 | Accurate measurement of the transmitral gradient in patients with mitral stenosis: A simultaneous catheterization and Doppler echocardiographic study. <i>Journal of the American College of Cardiology</i> , 1994, 24, 152-158.                  | 1.2 | 134       |
| 1154 | A new approach for the quantification of complex lesion morphology: The gradient field transform; Basic principles and validation results. <i>Journal of the American College of Cardiology</i> , 1994, 24, 216-224.                              | 1.2 | 184       |
| 1155 | Quantification of pericardial effusions by three-dimensional echocardiography. <i>Journal of the American College of Cardiology</i> , 1994, 24, 254-259.  | 1.2 | 22        |
| 1156 | Continuous wave Doppler echocardiography for noninvasive assessment of left ventricular dP/dt and relaxation time constant from mitral regurgitant spectra in patients. <i>Journal of the American College of Cardiology</i> , 1994, 23, 970-976. | 1.2 | 58        |
| 1157 | Validation of continuous wave Doppler-determined right ventricular peak positive and negative dp/dt: Effect of right atrial pressure on measurement. <i>Journal of the American College of Cardiology</i> , 1994, 23, 1638-1643.                  | 1.2 | 38        |
| 1158 | Quantitative detection of hepatitis B virus DNA in serum using chemiluminescence: comparison with radioactive solution hybridization assay. <i>Journal of Virological Methods</i> , 1994, 49, 141-151.  | 1.0 | 29        |
| 1159 | Repeatability of colour M-mode Doppler measurements of left ventricular filling. <i>International Journal of Cardiology</i> , 1994, 43, 79-85.  | 0.8 | 10        |
| 1160 | Repeatability of measurements of pulmonary venous flow indices. <i>International Journal of Cardiology</i> , 1994, 47, 169-175.   | 0.8 | 7         |
| 1161 | Monitoring anticoagulation following intracoronary procedures: which method?. <i>International Journal of Cardiology</i> , 1994, 45, 103-108.   | 0.8 | 4         |
| 1162 | Minimal model for determination of insulin sensitivity: repeatability in control and obese subjects. <i>Diabetes Research and Clinical Practice</i> , 1994, 26, 145-148.  | 1.1 | 4         |
| 1163 | Reliability of the Cambridge Low Contrast Gratings. <i>Ophthalmic and Physiological Optics</i> , 1994, 14, 287-289.   | 1.0 | 15        |
| 1164 | Precision and reliability study of a modified keratometric technique for measuring the radius of curvature of soft contact lenses. <i>Ophthalmic and Physiological Optics</i> , 1994, 14, 320-325.  | 1.0 | 3         |
| 1165 | Effects of posterior segment disorders on oscillatory displacement thresholds, and on acuities as measured using the Potential Acuity Meter and laser interferometer. <i>Ophthalmic and Physiological Optics</i> , 1994, 14, 132-138.             | 1.0 | 11        |
| 1166 | Comparison of the techniques of videorefraction and static retinoscopy in the measurement of refractive error in infants. <i>Ophthalmic and Physiological Optics</i> , 1994, 14, 20-24.   | 1.0 | 20        |
| 1167 | Review of past and present techniques of measuring corneal topography. <i>Ophthalmic and Physiological Optics</i> , 1994, 14, 49-58.  | 1.0 | 26        |
| 1168 | Spatial summation of the differential light threshold as a function of visual field location and age. <i>Ophthalmic and Physiological Optics</i> , 1994, 14, 71-78.   | 1.0 | 14        |
| 1169 | Analysis of method-comparison data. <i>Ophthalmic and Physiological Optics</i> , 1994, 14, 92-96.   | 1.0 | 19        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1170 | Repeatability of the phenolâ€red thread and tear thinning time tests for tear film function. Australasian journal of optometry, The, 1994, 77, 64-68.   | 0.6 | 40        |
| 1171 | Automated visual acuity testing. Australasian journal of optometry, The, 1994, 77, 190-195.   | 0.6 | 11        |
| 1172 | Alteration of the extracellular and total body water volumes measured by multiple frequency bioelectrical impedance analysis (MFBIA). Nutrition Research, 1994, 14, 717-727.  | 1.3 | 21        |
| 1173 | The measurement of body composition by infrared interactance: An evaluation. Nutrition Research, 1994, 14, 1165-1177.   | 1.3 | 1         |
| 1174 | Comparability of the tandem-R andIMx assays for the measurement of serum prostate-specific antigen. Urology, 1994, 44, 512-518.   | 0.5 | 34        |
| 1175 | Visual Assessment of Valvular Regurgitation: Comparison With Quantitative Doppler Measurements. Journal of the American Society of Echocardiography, 1994, 7, 480-487.  | 1.2 | 28        |
| 1176 | Hertel Exophthalmometry without Orbital Rim Contact. Ophthalmology, 1994, 101, 931-937.   | 2.5 | 25        |
| 1177 | Magnetic resonance angiography or IADSA for diagnosis of carotid pseudo occlusion?. European Journal of Vascular Surgery, 1994, 8, 562-566.   | 0.9 | 10        |
| 1178 | Intraoperative cardiac output monitoring: Comparison of impedance cardiography and thermodilution. Journal of Cardiothoracic and Vascular Anesthesia, 1994, 8, 24-29.   | 0.6 | 35        |
| 1179 | A method for measuring the effects of anticholinergics on histamine-induced bronchoconstriction in normal subjects. Oxitropium bromide provides dose-dependent protection. Respiratory Medicine, 1994, 88, 273-279. | 1.3 | 1         |
| 1180 | Is body composition an important variable in the pharmacokinetics of anticancer drugs?. Cancer Chemotherapy and Pharmacology, 1994, 34, 3-13.   | 1.1 | 27        |
| 1181 | Two-dimensional transesophageal echocardiographic determination of mitral valve area in adults with mitral stenosis. American Heart Journal, 1994, 127, 1348-1353.  | 1.2 | 8         |
| 1182 | Quantification of tricuspid regurgitation by means of the proximal flow convergence method: A clinical study. American Heart Journal, 1994, 127, 1354-1362.   | 1.2 | 53        |
| 1183 | Angle of incidence does not affect accuracy of mitral stenosis area calculation by pressure half-time: Application to Doppler transesophageal echocardiography. American Heart Journal, 1994, 127, 1562-1572.       | 1.2 | 11        |
| 1184 | Measurement of volumetric coronary blood flow by simultaneous intravascular two-dimensional and Doppler ultrasound: Validation in an animal model. American Heart Journal, 1994, 128, 237-243.                      | 1.2 | 51        |
| 1185 | Utility and limitations of biplane transesophageal echocardiographic automated border detection for estimation of left ventricular stroke volume and cardiac output. American Heart Journal, 1994, 128, 389-396.    | 1.2 | 28        |
| 1186 | The left atrial volume curve can be assessed from pulmonary vein and mitral valve velocity tracings. American Heart Journal, 1994, 127, 886-898.  | 1.2 | 19        |
| 1187 | Thermodilution left-sided cardiac output for valve area determination after balloon mitral valvotomy. American Heart Journal, 1994, 128, 934-940.   | 1.2 | 2         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1188 | Evaluation of ventricular septal defect by transesophageal echocardiography: Intraoperative assessment. <i>American Heart Journal</i> , 1994, 127, 585-592.  | 1.2 | 33        |
| 1189 | Appropriate interpretation of indirect calorimetry for determining energy expenditure of patients in intensive care units. <i>American Journal of Surgery</i> , 1994, 167, 547-549.                    | 0.9 | 23        |
| 1190 | Transesophageal echocardiographic measurements of cardiac output in cardiac surgical patients. <i>Annals of Thoracic Surgery</i> , 1994, 58, 1486-1489.  | 0.7 | 19        |
| 1191 | Measurement of Hemoglobin in Unlysed Blood by Near-Infrared Spectroscopy. <i>Applied Spectroscopy</i> , 1994, 48, 484-488.   | 1.2 | 44        |
| 1192 | Precipitation procedures used to isolate high density lipoprotein with particular reference to effects on apo A-I-only particles and lipoprotein(a). <i>Clinica Chimica Acta</i> , 1994, 229, 77-85.   | 0.5 | 5         |
| 1193 | A new precipitation method with magnetic separation for high-density-lipoprotein cholesterol assay. <i>Clinica Chimica Acta</i> , 1994, 228, 133-142.  | 0.5 | 4         |
| 1194 | Measurement of oxygen uptake in newborn infants during assisted and spontaneous ventilation. <i>Respiration Physiology</i> , 1994, 98, 227-239.  | 2.8 | 6         |
| 1195 | Efficiently estimated histologic cell counts. <i>Human Pathology</i> , 1994, 25, 333-336.  | 1.1 | 46        |
| 1196 | Determining cell density in breast carcinomas. <i>Human Pathology</i> , 1994, 25, 431-432.   | 1.1 | 2         |
| 1197 | Markers of coagulation and fibrinolysis in blood drawn into citrate with and without D-Phe-Pro-Arg-Chloromethylketone (PPACK). <i>Thrombosis Research</i> , 1994, 73, 279-284.                         | 0.8 | 10        |
| 1198 | Parallel line bioassay or single-point calibration for the establishment of reference ranges. <i>Thrombosis Research</i> , 1994, 75, 479-483.  | 0.8 | 1         |
| 1199 | Prognostic value of cytological grading of fine-needle aspirates from breast carcinomas. <i>Lancet, The</i> , 1994, 343, 947-949.  | 6.3 | 166       |
| 1200 | Clinical data systems, part 1: data and medical records. <i>Lancet, The</i> , 1994, 344, 1543-1547.  | 6.3 | 62        |
| 1201 | Prostate specific antigen estimation with optical biosensor. <i>Lancet, The</i> , 1994, 343, 301-302.  | 6.3 | 5         |
| 1202 | Measurement of carotid stenosis. <i>Lancet, The</i> , 1994, 344, 749-750.  | 6.3 | 2         |
| 1203 | A comparison of skinfold anthropometry and bioelectrical impedance analysis for measuring percentage body fat in patients with cirrhosis. <i>Journal of Hepatology</i> , 1994, 21, 878-883.            | 1.8 | 27        |
| 1204 | Thiopurine methyltransferase activity in a French population: h.p.l.c. assay conditions and effects of drugs and inhibitors.. <i>British Journal of Clinical Pharmacology</i> , 1994, 38, 1-8.         | 1.1 | 55        |
| 1205 | Reproducibility of noninvasive measurement and of short-term variability of blood pressure and heart rate in healthy volunteers.. <i>British Journal of Clinical Pharmacology</i> , 1994, 38, 109-115. | 1.1 | 22        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1206 | Are laboratory values in bone marrow aspirate predictable for venous blood in paediatric patients?. Resuscitation, 1994, 27, 123-128.   | 1.3 | 67        |
| 1207 | Use of bovine myeloperoxidase as an indicator of mastitis in dairy cattle. Veterinary Microbiology, 1994, 42, 317-326.  | 0.8 | 21        |
| 1208 | The use of bright-field microscopy in evaluating bovine acrosome reaction. Theriogenology, 1994, 42, 655-662.   | 0.9 | 5         |
| 1209 | Contact lens opacity grading system (CLOGS). Journal of the British Contact Lens Association, 1994, 17, 19-24.  | 0.2 | 3         |
| 1210 | Collection of venous blood samples from competition horses: a new approach. Equine Veterinary Journal, 1994, 26, 503-505.   | 0.9 | 2         |
| 1211 | Ability of new lung function tests to assess methacholine-induced airway obstruction in infants. Pediatric Pulmonology, 1994, 18, 308-316.  | 1.0 | 36        |
| 1212 | Correlation and agreement. Clinical Radiology, 1994, 49, 658.   | 0.5 | 0         |
| 1213 | A practical and reliable method of measuring blood pressure in the neonate by pulse oximetry. Journal of Pediatrics, 1994, 125, 591-595.  | 0.9 | 26        |
| 1214 | Elevated energy expenditure and reduced energy intake in obese prepubertal children: Paradox of poor dietary reliability in obesity?. Journal of Pediatrics, 1994, 124, 348-354.  | 0.9 | 64        |
| 1216 | Human venous endothelium can promote intimal hyperplasia in a paracrine manner. Journal of Vascular Surgery, 1994, 19, 577-584.   | 0.6 | 26        |
| 1217 | Comparison of the effects on lung function of two methods of bronchodilator administration. Respiratory Medicine, 1994, 88, 229-233.  | 1.3 | 20        |
| 1218 | Continuous intravascular blood gas monitoring. Journal of Cardiothoracic and Vascular Anesthesia, 1994, 8, 342-353.   | 0.6 | 21        |
| 1219 | Methemoglobin levels during prolonged combined nitroglycerin and sodium nitroprusside infusions in infants after cardiac surgery. Journal of Cardiothoracic and Vascular Anesthesia, 1994, 8, 658-662.  | 0.6 | 13        |
| 1220 | A New Method for Echocardiographic Computerized Three-dimensional Reconstruction of Left Ventricular Endocardial Surface: In Vitro Accuracy and Clinical Repeatability of Volumes. Journal of the American Society of Echocardiography, 1994, 7, 571-581. | 1.2 | 45        |
| 1221 | A Simplified Method for Calculating Wall Stress in Infants and Children. Journal of the American Society of Echocardiography, 1994, 7, 646-651.   | 1.2 | 18        |
| 1222 | Measuring Eye Movements in Graves Ophthalmopathy. Ophthalmology, 1994, 101, 1341-1346.  | 2.5 | 77        |
| 1223 | Airways resistance and lung volume before and after bronchodilator therapy in symptomatic preterm infants. Respiratory Medicine, 1994, 88, 281-286.   | 1.3 | 16        |
| 1224 | Validation of commercial cardiac output computers in a flow model. Journal of Cardiothoracic and Vascular Anesthesia, 1994, 8, 179.   | 0.6 | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1225 | Measuring changes in logarithmic data, with special reference to bronchial responsiveness. <i>Journal of Clinical Epidemiology</i> , 1994, 47, 1099-1108.  | 2.4 | 33        |
| 1226 | Continuous versus injectate cardiac output measurement does not correlate in the early phase after hypothermic cardiopulmonary bypass. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1994, 8, 41.                                       | 0.6 | 0         |
| 1227 | Measuring blood pressure in pregnant women: A comparison of direct and indirect methods. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 171, 661-667.  | 0.7 | 57        |
| 1228 | Assessment of Renal Function During Pregnancy Using a Random Urine Protein to Creatinine Ratio and Cockcroft-Gault Formula. <i>American Journal of Kidney Diseases</i> , 1994, 24, 416-420.  | 2.1 | 70        |
| 1229 | The Incidence of Post-operative Hypoxaemia Following Lobectomy and Pneumonectomy: A pilot study. <i>Physiotherapy</i> , 1994, 80, 521-527.   | 0.2 | 1         |
| 1230 | Comparison of cardiac output measurement by continuous thermodilution with electromagnetometry in adult cardiac surgical patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1994, 8, 631-635.                                      | 0.6 | 33        |
| 1231 | A longitudinal study of cardiac output in normal human pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 170, 849-856.   | 0.7 | 288       |
| 1232 | Automated blood pressure measurement devices: A potential source of morbidity in preeclampsia?. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 170, 1303-1307.   | 0.7 | 27        |
| 1233 | A new approach for bedside measurement of left-to-right shunts in patients using fiberoptic thermistor catheters and double indicator dilution technique. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1994, 8, 39.                    | 0.6 | 1         |
| 1234 | The measurement of diastolic blood pressure during pregnancy: Which Korotkoff phase should be used?. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 170, 574-578.  | 0.7 | 29        |
| 1235 | Breathlessness in microvascular angina. <i>Respiratory Medicine</i> , 1994, 88, 731-736.   | 1.3 | 2         |
| 1236 | Assessment of left ventricular regional function by radionuclide angiography: Effects of number of sectors on repeatability. <i>Nuclear Medicine and Biology</i> , 1994, 21, 883-887.  | 0.3 | 2         |
| 1237 | Relationship between Infective Load of <i>Helicobacter pylori</i> and Reactive Oxygen Metabolite Production in Antral Mucosa. <i>Scandinavian Journal of Gastroenterology</i> , 1994, 29, 419-424.   | 0.6 | 132       |
| 1238 | Inter and intra-individual variability of sperm morphology after selection with three different techniques: Layering, swimup from pellet and percoll. <i>Journal of Endocrinological Investigation</i> , 1994, 17, 729-732.                          | 1.8 | 14        |
| 1239 | Accuracy of subcutaneous fat measurement: Comparison of skinfold calipers, ultrasound, and computed tomography. <i>Journal of the American Dietetic Association</i> , 1994, 94, 855-858.   | 1.3 | 140       |
| 1240 | On-line estimation of cardiac output with a new automated border detection system using transesophageal echocardiography: A preliminary comparison with thermodilution. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1994, 8, 625-630. | 0.6 | 13        |
| 1241 | Clinical evaluation of pulse contour continuous cardiac output measurement. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1994, 8, 11.  | 0.6 | 0         |
| 1242 | Dynamics of mitral regurgitant flow and orifice area. Physiologic application of the proximal flow convergence method: clinical data and experimental testing.. <i>Circulation</i> , 1994, 90, 307-322.  | 1.6 | 265       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1243 | Volumetric MRI measurements in bipolars compared with schizophrenics and healthy controls. <i>Psychological Medicine</i> , 1994, 24, 689-699.  | 2.7 | 192       |
| 1244 | The diagnosis of toxoplasmosis using IgG avidity. <i>Epidemiology and Infection</i> , 1994, 112, 399-408.  | 1.0 | 59        |
| 1245 | Laboratory standards in routine clinical andrology. <i>Reproductive Medicine Review</i> , 1994, 3, 97-111.   | 0.3 | 34        |
| 1246 | Total energy expenditure and energy intake in the pre-school child: a comparison. <i>British Journal of Nutrition</i> , 1994, 72, 13-20.   | 1.2 | 119       |
| 1247 | Measuring the body composition of elderly subjects: a comparison of methods. <i>British Journal of Nutrition</i> , 1994, 72, 33-44.  | 1.2 | 43        |
| 1248 | Between-laboratory comparison of densitometry and bio-electrical impedance measurements. <i>British Journal of Nutrition</i> , 1994, 71, 309-316.                                      | 1.2 | 14        |
| 1249 | Linking the field to the laboratory in nutrition research. <i>Proceedings of the Nutrition Society</i> , 1994, 53, 43-51.  | 0.4 | 3         |
| 1252 | Variability of Arterial Blood Gas Values Over Time in Stable Medical ICU Patients. <i>Chest</i> , 1994, 106, 187-193.  | 0.4 | 39        |
| 1253 | Prediction of body density from skinfold thickness in elderly subjects: are the existing equations valid?. <i>Annals of Human Biology</i> , 1994, 21, 613-616.                         | 0.4 | 2         |
| 1254 | Comparison of oscillometric and intra-arterial blood pressure and pulse measurement. <i>Journal of Medical Engineering and Technology</i> , 1994, 18, 179-181.                         | 0.8 | 14        |
| 1255 | A Ward Comparison Between the One Touch II and Glucometer II Blood Glucose Meters. <i>Diabetic Medicine</i> , 1994, 11, 214-217.   | 1.2 | 13        |
| 1256 | Arterial or mixed venous lactate measurement in critically ill children. Is there a difference?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1994, 83, 412-413.    | 0.7 | 20        |
| 1257 | Real-time, Automated Echocardiographic Measures of Ventricular Area and Area Change:. <i>Echocardiography</i> , 1994, 11, 111-117.   | 0.3 | 3         |
| 1258 | Iohexol and inulin clearance. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1994, 83, 1160-1160.   | 0.7 | 1         |
| 1259 | HAS THE CELLULAR PROLIFERATION MARKER KI67 ANY CLINICAL RELEVANCE IN SQUAMOUS CELL CARCINOMA OF THE HEAD AND NECK?. <i>Clinical Otolaryngology</i> , 1994, 19, 13-18.                  | 0.6 | 65        |
| 1260 | A Novel Capillary Collection Method for Obtaining Current Glycosylated Haemoglobin Levels in Diabetic Children. <i>Diabetic Medicine</i> , 1994, 11, 319-322.                          | 1.2 | 5         |
| 1261 | Accuracy of central venous pressure measurements in the inferior vena cava in the ventilated child. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1994, 83, 512-514. | 0.7 | 24        |
| 1262 | Continuous measurement of blood gases using a combined electrochemical and spectrophotometric sensor. <i>Journal of Medical Engineering and Technology</i> , 1994, 18, 165-168.        | 0.8 | 28        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1263 | Comparison Between Peak Expiratory Flow Rates (PEFR) and FEV1 in the Monitoring of Asthmatic Subjects at an Outpatient Clinic. <i>Chest</i> , 1994, 106, 1419-1426.   | 0.4 | 72        |
| 1264 | Comparison of spiral-acquisition computed tomography and conventional computed tomography in the assessment of pulmonary metastatic disease. <i>British Journal of Radiology</i> , 1994, 67, 436-444.                 | 1.0 | 46        |
| 1265 | Body composition in nonalcoholic cirrhosis: The effect of disease etiology and severity on nutritional compartments. <i>Gastroenterology</i> , 1994, 106, 1611-1617.  | 0.6 | 99        |
| 1266 | Gender and the Clinical Usefulness of the Albumin:Creatinine Ratio. <i>Diabetic Medicine</i> , 1994, 11, 32-36.   | 1.2 | 71        |
| 1267 | A Predictive Equation for Determination of Resting Energy Expenditure in Mechanically Ventilated Patients. <i>Chest</i> , 1994, 105, 544-549.   | 0.4 | 8         |
| 1268 | Reliability of the Radial Arterial Pressure During Anesthesia. <i>Chest</i> , 1994, 105, 69-75.   | 0.4 | 23        |
| 1269 | Automated blood pressure measurement devices: A potential source of morbidity in preeclampsia?. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 170, 1303-1307.  | 0.7 | 25        |
| 1270 | Inaccuracy of Noninvasive Estimates of VD/VT in Clinical Exercise Testing. <i>Chest</i> , 1994, 106, 1476-1480.   | 0.4 | 47        |
| 1271 | Assessing reproducibility: agreement <math>\langle I \rangle</math> vs <math>\langle I \rangle</math> correlation. <i>European Respiratory Journal</i> , 1994, 7, 1910-1910.  | 3.1 | 0         |
| 1272 | Short-wavelength Automated Perimetry Without Lens Density Testing. <i>American Journal of Ophthalmology</i> , 1994, 118, 632-641.   | 1.7 | 56        |
| 1273 | Disagreement between the Roche CobasÂ® Core and Hybritech TANDEMÂ®-E PSA Assays When Measuring Free, Complexed and Total Serum Prostate Specific Antigen. <i>Annals of Clinical Biochemistry</i> , 1994, 31, 501-505. | 0.8 | 7         |
| 1274 | Reliability of Glucose Measurement Using the HemoCue Analyser in Hypoglycaemia. <i>Annals of Clinical Biochemistry</i> , 1994, 31, 573-575.   | 0.8 | 12        |
| 1275 | Electronic cell counting to measure total cell numbers in bronchoalveolar lavage fluid. <i>European Respiratory Journal</i> , 1994, 7, 1527-1531.   | 3.1 | 14        |
| 1276 | Caltrac versus calorimeter determination of 24-h energy expenditure in female children and adolescents. <i>Medicine and Science in Sports and Exercise</i> , 1994, 26, 1524-1530.                                     | 0.2 | 51        |
| 1277 | Determination of Fractional Absorption of Dietary Calcium in Humans. <i>Journal of Nutrition</i> , 1994, 124, 674-682.  | 1.3 | 91        |
| 1278 | Accuracy of Ultrasound in a Screening Programme for Abdominal Aortic Aneurysms. <i>Journal of Medical Screening</i> , 1994, 1, 3-6.   | 1.1 | 49        |
| 1279 | Accuracy of dual-energy x-ray absorptiometry for body-composition measurements in children. <i>American Journal of Clinical Nutrition</i> , 1994, 60, 660-665.  | 2.2 | 212       |
| 1280 | Experimentally-induced Autonomic Neuropathy. <i>Neurosurgery</i> , 1994, 35, 457-462.   | 0.6 | 5         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1281 | Observations on the techniques used in the qualitative and quantitative diagnosis of schistosomiasis. <i>Annals of Tropical Medicine and Parasitology</i> , 1994, 88, 305-316.   | 1.6 | 9         |
| 1282 | Validation of the tracer-balance concept with reference to leucine: 24-h intravenous tracer studies with L-[1-13C]leucine and [15N-15N]urea. <i>American Journal of Clinical Nutrition</i> , 1994, 59, 100-111.                              | 2.2 | 137       |
| 1283 | Comparison of two epidemiological protocols for measuring airway responsiveness and allergic sensitivity in adults. <i>European Respiratory Journal</i> , 1994, 7, 1798-1804.  | 3.1 | 13        |
| 1284 | Coughing frequency in patients with persistent cough: assessment using a 24 hour ambulatory recorder. <i>European Respiratory Journal</i> , 1994, 7, 1246-1253.  | 3.1 | 274       |
| 1285 | The stability of cotinine in unfrozen saliva mailed to the laboratory.. <i>American Journal of Public Health</i> , 1994, 84, 1182-1183.  | 1.5 | 24        |
| 1286 | The abundant natural sources and uses of chlorinated chemicals.. <i>American Journal of Public Health</i> , 1994, 84, 1183-1183.   | 1.5 | 7         |
| 1287 | Evaluation of mitral regurgitation using a digitally determined color Doppler flow convergence 'centerline' acceleration method. Studies in an animal model with quantified mitral regurgitation.. <i>Circulation</i> , 1994, 89, 2879-2887. | 1.6 | 59        |
| 1288 | Doppler ultrasound measurement of cerebral blood flow.. <i>Stroke</i> , 1994, 25, 1524-1525.   | 1.0 | 7         |
| 1289 | portable measurement of maximum mouth pressures. <i>European Respiratory Journal</i> , 1994, 7, 398-401.   | 3.1 | 86        |
| 1290 | Does Hypercarbia Develop Faster During Laparoscopic Herniorrhaphy Than During Laparoscopic Cholecystectomy? Assessment with Continuous Blood Gas Monitoring. <i>Anesthesia and Analgesia</i> , 1995, 81, 1243-1249.                          | 1.1 | 0         |
| 1291 | Construction and Validation of an Alternate Form General Mental Health Scale for the Medical Outcomes Study Short-Form 36-Item Health Survey. <i>Medical Care</i> , 1995, 33, 15-28.   | 1.1 | 231       |
| 1292 | Refractive Index and Osmolality of Human Tears. <i>Optometry and Vision Science</i> , 1995, 72, 718-724.   | 0.6 | 77        |
| 1293 | Oxygen Saturation in Children in the Postoperative Period. <i>Anesthesia and Analgesia</i> , 1995, 80, 14-19.  | 1.1 | 1         |
| 1294 | Feasibility and accuracy of a fiberoptic catheter for measurement of venous oxygen saturation in newborn infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1995, 84, 122-127.   | 0.7 | 7         |
| 1295 | Comparison Between Transesophageal Doppler Echocardiography and Nuclear Cardioangiography for the Evaluation of Left Ventricular Filling During Coronary Artery Bypass Grafting. <i>Anesthesia and Analgesia</i> , 1995, 80, 41-46.          | 1.1 | 7         |
| 1296 | Automated Echocardiographic Analysis. <i>Anesthesiology</i> , 1995, 83, 285-292..  | 1.3 | 26        |
| 1297 | Do Standard Monitoring Sites Reflect True Brain Temperature When Profound Hypothermia Is Rapidly Induced and Reversed?A. <i>Anesthesiology</i> , 1995, 82, 344-351.  | 1.3 | 266       |
| 1298 | Smoking Habits in Patients with Ulcerative Colitis: Evaluation of Retrospective Questionnaires. <i>Inflammatory Bowel Diseases</i> , 1995, 1, 91-94.   | 0.9 | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1299 | The families of anorexia nervosa and cystic fibrosis patients. <i>Psychological Medicine</i> , 1995, 25, 985-993.   | 2.7 | 49        |
| 1300 | The reproducibility of subjective appetite scores. <i>British Journal of Nutrition</i> , 1995, 73, 517-530.   | 1.2 | 121       |
| 1301 | Symphysis-fundus height: construction of a new Swedish reference curve, based on ultrasonically dated pregnancies. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1995, 74, 346-351.   | 1.3 | 37        |
| 1302 | Microbial colonization of the Groningen speaking valve and its relationship to valve failure. <i>Clinical Otolaryngology</i> , 1995, 20, 555-556.   | 0.6 | 30        |
| 1303 | Reliability of Screening for Sensory Impairment in Depressed Versus Nondepressed Older Adults. <i>Journal of the American Geriatrics Society</i> , 1995, 43, 684-687.   | 1.3 | 2         |
| 1304 | Continuous haemodynamic monitoring in children: use of transoesophageal Doppler. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1995, 84, 761-764.   | 0.7 | 39        |
| 1305 | Assessment of Gastric pH in the Critically Ill. <i>Worldviews on Evidence-Based Nursing</i> , 1995, E2, 50-59.  | 1.2 | 0         |
| 1306 | Reproducibility of the signal-averaged electrocardiogram using individual lead analysis. <i>European Heart Journal</i> , 1995, 16, 1244-1254.   | 1.0 | 13        |
| 1307 | Screening for Microalbuminuria in Type 2 Diabetic Patients: the Evaluation of a Dipstick Test in General Practice. <i>Diabetic Medicine</i> , 1995, 12, 657-663.  | 1.2 | 17        |
| 1308 | Serum interleukin-2 receptor in infants and young children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1995, 84, 151-155.  | 0.7 | 10        |
| 1309 | An automated system for the functional evaluation of oscillometric non-invasive blood pressure monitors. <i>Journal of Medical Engineering and Technology</i> , 1995, 19, 162-176.  | 0.8 | 10        |
| 1310 | Statistics in <i>Diabetic Medicine</i> . <i>Diabetic Medicine</i> , 1995, 12, 100-101.  | 1.2 | 0         |
| 1311 | Third generation time-resolved immunofluorometric TSH assay for automatic immunoassay system evaluated. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1995, 55, 537-541.   | 0.6 | 9         |
| 1312 | Multi-frequency impedance for the prediction of extracellular water and total body water. <i>British Journal of Nutrition</i> , 1995, 73, 349-358.  | 1.2 | 112       |
| 1313 | Intrasubject variability in airway inflammation sampled by bronchoalveolar lavage in stable asthmatics. <i>European Respiratory Journal</i> , 1995, 8, 1866-1871.   | 3.1 | 14        |
| 1314 | Evaluation of the CellTrak Computer-Assisted Sperm Analysis System* in comparison to the Cellsoft System* to measure human sperm hyperactivation*CellTrak Computer-Assisted Sperm Analysis System, Motion Analysis Corporation, Santa Rosa, California.â€Cellsoft Computer-Assisted Sperm Analysis System. <i>Crvo Resources, New York, New York., Fertility and Sterility</i> , 1995, 64, 427-432. | 0.5 | 8         |
| 1315 | How reliable are ultrasound measurements of renal length in adults?. <i>British Journal of Radiology</i> , 1995, 68, 1087-1089.   | 1.0 | 48        |
| 1316 | Peak Inspiratory Mouth Pressure in Healthy Subjects and in Patients With COPD. <i>Chest</i> , 1995, 107, 652-656.   | 0.4 | 48        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1317 | Reliability and Validity of Activity Measures in Preadolescent Girls. <i>Pediatric Exercise Science</i> , 1995, 7, 389-399.   | 0.5 | 17        |
| 1318 | Evaluation of a Second-Generation Electrochemical Blood Glucose Monitoring System. <i>Diabetic Medicine</i> , 1995, 12, 173-176.  | 1.2 | 5         |
| 1319 | Random Blood Glucose Estimation in Type 2 Diabetes: Does it Reflect Overall Glycaemic Control?. <i>Diabetic Medicine</i> , 1995, 12, 637-637.   | 1.2 | 1         |
| 1320 | Are Frozen Urine Samples Acceptable for Estimating Albumin Excretion in Research?. <i>Diabetic Medicine</i> , 1995, 12, 713-716.  | 1.2 | 21        |
| 1321 | New developments in functional assessment: Probabilistic models for gold standards. <i>NeuroRehabilitation</i> , 1995, 5, 3-25.   | 0.5 | 9         |
| 1322 | Modified Urine Osmolal Gap: An Accurate Method for Estimating the Urinary Ammonium Concentration?. <i>Nephron</i> , 1995, 69, 98-99.  | 0.9 | 15        |
| 1323 | Use of dual-energy X-ray absorptiometry in obese individuals. <i>American Journal of Clinical Nutrition</i> , 1995, 62, 730-734.  | 2.2 | 230       |
| 1324 | Brain Oxygen, CO <sub>2</sub> , pH, and Temperature Monitoring. <i>Neurosurgery</i> , 1995, 37, 1168-1177.  | 0.6 | 174       |
| 1325 | Immunoassay of Collagen Crosslinks in Acidified Urine. <i>Annals of Clinical Biochemistry</i> , 1995, 32, 326-328.  | 0.8 | 2         |
| 1327 | Oxygen Saturation in Children in the Postoperative Period. <i>Anesthesia and Analgesia</i> , 1995, 80, 14-19.   | 1.1 | 12        |
| 1328 | Noninvasive Evaluation of Instantaneous Total Mechanical Activity of the Respiratory Muscles During Pressure Support Ventilation. <i>Chest</i> , 1995, 108, 208-215.                          | 0.4 | 23        |
| 1329 | A new fully automated system for the morphometric analysis of human sperm heads. <i>Fertility and Sterility</i> , 1995, 63, 1306-1317.  | 0.5 | 39        |
| 1330 | Sperm morphology: assessing the agreement between the manual method (strict criteria) and the sperm morphology analyzer IVOS. <i>Fertility and Sterility</i> , 1995, 63, 134-141.             | 0.5 | 69        |
| 1331 | Impaired Bronchodilator Response to Albuterol in Healthy Elderly Men and Women. <i>Chest</i> , 1995, 108, 401-406.  | 0.4 | 90        |
| 1332 | CPAP Machine Performance and Altitude. <i>Chest</i> , 1995, 108, 1577-1580.   | 0.4 | 21        |
| 1333 | Multiphase Transesophageal Echocardiographic Doppler Imaging Accurately Determines Cardiac Output Measurements in Critically Ill Patients. <i>Chest</i> , 1995, 107, 769-773.                 | 0.4 | 101       |
| 1334 | A Method of Relating Whole Blood Cyclosporin a Results by HPLC to Abbott TDx <sup>®</sup> Monoclonal and Polyclonal Immunoassays. <i>Annals of Clinical Biochemistry</i> , 1995, 32, 208-209. | 0.8 | 4         |
| 1335 | The Yellow Springs Analyser Gives Lower Results than other Glucose Oxidase Methods of Glucose Measurement. <i>Annals of Clinical Biochemistry</i> , 1995, 32, 329-331.                        | 0.8 | 3         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1336 | Wide Diversity in Measurements of Growth Hormone after Stimulation Tests in Short Children are Due to Assay Variability. <i>Annals of Clinical Biochemistry</i> , 1995, 32, 369-372.                           | 0.8 | 12        |
| 1337 | Analysis of Sweat Chloride by Reversed Phase High-Performance Liquid Chromatography. <i>Annals of Clinical Biochemistry</i> , 1995, 32, 502-505.   | 0.8 | 3         |
| 1338 | GMP "good modelling practice: an essential component of good manufacturing practice. <i>Trends in Biotechnology</i> , 1995, 13, 481-492.   | 4.9 | 88        |
| 1339 | How to Undertake a Technical Evaluation. <i>Physiotherapy</i> , 1995, 81, 696-698.   | 0.2 | 0         |
| 1340 | Reliability of Isometric Quadriceps Muscle Strength Testing in Young Subjects and Elderly Osteo-arthritic Subjects. <i>Physiotherapy</i> , 1995, 81, 399-404.  | 0.2 | 7         |
| 1341 | Reliability of Measuring Quadriceps Cross-sectional Area with Compound B Ultrasound Scanning. <i>Physiotherapy</i> , 1995, 81, 241.  | 0.2 | 0         |
| 1342 | Reliability of Muscle Function Measures. <i>Physiotherapy</i> , 1995, 81, 241-242.   | 0.2 | 0         |
| 1343 | Relation between aortic dirotic notch pressure and mean aortic pressure in adults. <i>American Journal of Cardiology</i> , 1995, 76, 301-306.  | 0.7 | 32        |
| 1344 | Comparison of the 10-Minute supine-30-minute tilt test with 24-hour ambulatory blood pressure for the diagnosis of diastolic systemic hypertension. <i>American Journal of Cardiology</i> , 1995, 76, 366-369. | 0.7 | 10        |
| 1345 | Comparison of echocardiographic methods with magnetic resonance imaging for assessment of right ventricular function in children. <i>American Journal of Cardiology</i> , 1995, 76, 589-594.                   | 0.7 | 250       |
| 1346 | Is the pulmonary venous-transmitral a-wave duration difference altered by age and hypertension?. <i>American Journal of Cardiology</i> , 1995, 76, 722-724.  | 0.7 | 13        |
| 1347 | Accuracy of quantitation of aortic stenosis using femoral arterial recordings corrected for both temporal delay and systolic amplification. <i>American Journal of Cardiology</i> , 1995, 76, 725-728.         | 0.7 | 3         |
| 1348 | Effect of menopause on left ventricular filling in 50-year-old women. <i>American Journal of Cardiology</i> , 1995, 76, 1093-1096.   | 0.7 | 25        |
| 1349 | Coronary lumen at six-month follow-up of a new radiopaque cordis tantalum stent using quantitative angiography and intracoronary ultrasound. <i>American Journal of Cardiology</i> , 1995, 76, 1135-1142.      | 0.7 | 32        |
| 1350 | Determination of ventricular volumes in human fetal hearts by two-dimensional echocardiography. <i>American Journal of Cardiology</i> , 1995, 76, 1313-1316.   | 0.7 | 69        |
| 1351 | Long-term reproducibility of coronary flow velocity measurements in patients with coronary artery disease. <i>American Journal of Cardiology</i> , 1995, 75, 1177-1180.  | 0.7 | 30        |
| 1352 | Quantitation of cardiac output with velocity-encoded, phase-difference magnetic resonance imaging. <i>American Journal of Cardiology</i> , 1995, 75, 1250-1255.  | 0.7 | 135       |
| 1353 | Feasibility and accuracy of Doppler echocardiographic estimation of pulmonary artery occlusive pressure in the intensive care unit. <i>American Journal of Cardiology</i> , 1995, 75, 1256-1262.               | 0.7 | 104       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1354 | High dose testosterone therapy for reduction of final height in constitutionally tall boys: does it influence testicular function in adulthood?. <i>Clinical Endocrinology</i> , 1995, 43, 87-95.                                   | 1.2 | 39        |
| 1355 | In vivo analysis and three-dimensional visualisation of blood flow patterns at vascular end-to-side anastomoses. <i>European Journal of Vascular and Endovascular Surgery</i> , 1995, 10, 168-181.                                  | 0.8 | 6         |
| 1356 | Disease assessment indices: activity, damage and severity. <i>Bailliere's Clinical Rheumatology</i> , 1995, 9, 267-285.   | 1.0 | 35        |
| 1357 | Continuous Noninvasive Determination of Pulsus Paradoxus: A Pilot Study. <i>Academic Emergency Medicine</i> , 1995, 2, 894-900.   | 0.8 | 17        |
| 1358 | Evaluation of Capnography in Nonintubated Emergency Department Patients with Respiratory Distress. <i>Academic Emergency Medicine</i> , 1995, 2, 901-908.   | 0.8 | 29        |
| 1359 | The Health Consequences of Injury Questionnaire. <i>Academic Emergency Medicine</i> , 1995, 2, 535-543.   | 0.8 | 5         |
| 1360 | A Portable Blood Gas Analyzer for Equine Venous Blood. <i>Journal of Veterinary Internal Medicine</i> , 1995, 9, 353-356.   | 0.6 | 10        |
| 1361 | Doppler Ultrasonographic, Oscillometric Sphygmomanometric, and Photoplethysmographic Techniques for Noninvasive Blood Pressure Measurement in Anesthetized Cats. <i>Journal of Veterinary Internal Medicine</i> , 1995, 9, 405-414. | 0.6 | 151       |
| 1362 | Is the SF 36 sensitive to sleep disruption? A study in subjects with sleep apnoea. <i>Journal of Sleep Research</i> , 1995, 4, 183-188.   | 1.7 | 64        |
| 1363 | Both gravity and non-gravity dependent factors determine regional blood flow within the goat lung. <i>Acta Physiologica Scandinavica</i> , 1995, 153, 343-353.  | 2.3 | 57        |
| 1364 | Glomerular filtration rate measurement: a neglected test in urological practice. <i>British Journal of Urology</i> , 1995, 75, 296-300.   | 0.1 | 21        |
| 1365 | Comparison of cardiac output measurement techniques: thermodilution, Doppler, $\text{CO}_2$ rebreathing and the direct Fick method. <i>Acta Anaesthesiologica Scandinavica</i> , 1995, 39, 245-251.                                 | 0.7 | 102       |
| 1366 | Continuous cardiac output measurements in the perioperative period. <i>Acta Anaesthesiologica Scandinavica</i> , 1995, 39, 485-488.   | 0.7 | 34        |
| 1367 | Reliability of $\text{CO}_2$ measurements from the airway by a pharyngeal catheter in unintubated, spontaneously breathing subjects. <i>Acta Anaesthesiologica Scandinavica</i> , 1995, 39, 637-642.                                | 0.7 | 14        |
| 1368 | A new method of using gas exchange measurements for the noninvasive determination of cardiac output: clinical experiences in adults following cardiac surgery. <i>Acta Anaesthesiologica Scandinavica</i> , 1995, 39, 727-732.      | 0.7 | 20        |
| 1369 | Intra-arterial and extra-arterial pH, $\text{PCO}_2$ and $\text{PO}_2$ monitors. <i>Acta Anaesthesiologica Scandinavica</i> , 1995, 39, 69-74.  | 0.7 | 8         |
| 1370 | Central venous versus mixed venous oxygen content. <i>Acta Anaesthesiologica Scandinavica</i> , 1995, 39, 33-36.  | 0.7 | 22        |
| 1371 | The accuracy of a fiberoptic oximeter over a wide range of arterial oxygen saturation values in piglets. <i>Acta Anaesthesiologica Scandinavica</i> , 1995, 39, 71-76.  | 0.7 | 7         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1372 | Measurements of sodium and potassium in newborns and prematures by ion-selective electrodes and flame photometry: Influence of lipid and protein content of blood. <i>Acta Anaesthesiologica Scandinavica</i> , 1995, 39, 107-111.  | 0.7 | 6         |
| 1373 | Oxygen metabolism changes and outcome in response to immediate colloid treatment in the endotoxaemic rat. <i>Acta Anaesthesiologica Scandinavica</i> , 1995, 39, 43-49.   | 0.7 | 5         |
| 1374 | The assessment of communication skills in palliative medicine: a comparison of the scores of examiners and simulated patients. <i>Medical Education</i> , 1995, 29, 424-429.  | 1.1 | 44        |
| 1375 | Cell counts in the substantia nigra: a comparison of single section counts and disector counts in patients with Parkinson's disease and in controls. <i>Neuropathology and Applied Neurobiology</i> , 1995, 21, 10-17.  | 1.8 | 53        |
| 1376 | Single section and disector counts in evaluating neuronal loss from the substantia nigra in patients with Parkinson's disease. <i>Neuropathology and Applied Neurobiology</i> , 1995, 21, 341-343.  | 1.8 | 35        |
| 1377 | Distal versus proximal electrode placement in the prediction of total body water and extracellular water from multifrequency bioelectrical impedance. <i>American Journal of Human Biology</i> , 1995, 7, 77-83.  | 0.8 | 5         |
| 1378 | Relationship between portal blood flow measured by image-directed doppler ultrasonography and hepatic blood flow measured by indocyanine green constant infusion in patients with cirrhosis. <i>Journal of Clinical Ultrasound</i> , 1995, 23, 297-303.                         | 0.4 | 18        |
| 1379 | Mitral valve flow measured with cine MR velocity mapping in patients with ischemic heart disease: comparison with doppler echocardiography. <i>Journal of Magnetic Resonance Imaging</i> , 1995, 5, 89-92.  | 1.9 | 48        |
| 1380 | Measurement of regional aortic compliance by MR imaging: A study of reproducibility. <i>Journal of Magnetic Resonance Imaging</i> , 1995, 5, 635-639.   | 1.9 | 28        |
| 1381 | Flow quantitation with echo-planar phase-contrast velocity mapping: In vitro and in vivo evaluation. <i>Journal of Magnetic Resonance Imaging</i> , 1995, 5, 656-662.   | 1.9 | 47        |
| 1382 | In vivo comparison of different quantitative edge detection systems used for measuring coronary arterial diameters. <i>Catheterization and Cardiovascular Diagnosis</i> , 1995, 34, 72-80.  | 0.7 | 26        |
| 1383 | Analyses of measurements taken from adult femurs of a British population. <i>International Journal of Osteoarchaeology</i> , 1995, 5, 305-323.  | 0.6 | 12        |
| 1384 | Smoking habits in patients with ulcerative colitis: Evaluation of retrospective questionnaires. <i>Inflammatory Bowel Diseases</i> , 1995, 1, 91-94.  | 0.9 | 0         |
| 1385 | Cytological grading of breast carcinoma. <i>Diagnostic Cytopathology</i> , 1995, 12, 191-193.   | 0.5 | 5         |
| 1386 | Typing and grading breast carcinoma on fine-needle aspiration: Is this clinically useful information?. <i>Diagnostic Cytopathology</i> , 1995, 13, 260-265.   | 0.5 | 25        |
| 1387 | Reproducibility of Doppler measurements of blood flow velocity in the uterine and ovarian arteries in premenopausal women. <i>Ultrasound in Medicine and Biology</i> , 1995, 21, 313-319.   | 0.7 | 19        |
| 1388 | Volume flow estimation using time domain correlation and ultrasonic flowmetry. <i>Ultrasound in Medicine and Biology</i> , 1995, 21, 1037-1045.   | 0.7 | 32        |
| 1389 | Reproducibility of Doppler blood flow velocity measurements in the uterine and ovarian arteries of postmenopausal women. <i>European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology</i> , 1995, 2, 3-9. | 1.4 | 4         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1390 | Left ventricular volume determination using colour superpositioning of contrast echocardiograms. European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology, 1995, 2, 17-27. | 1.4 | 2         |
| 1391 | Assessment of the sensitivity of bioimpedance to volume changes in body water. Pediatric Nephrology, 1995, 9, 337-340.  | 0.9 | 17        |
| 1392 | Cardiac output measurement in critically ill patients: comparison of continuous and conventional thermodilution techniques. Canadian Journal of Anaesthesia, 1995, 42, 972-976.   | 0.7 | 36        |
| 1393 | An evaluation of the N-CAT, a new arterial tonometer. Canadian Journal of Anaesthesia, 1995, 42, 526-531.   | 0.7 | 4         |
| 1394 | Does the initial distribution volume of glucose reflect plasma volume after haemorrhage in dogs?. Canadian Journal of Anaesthesia, 1995, 42, 163-167.   | 0.7 | 14        |
| 1395 | A new pediatric respiratory monitor that accurately measures imposed work of breathing: A validation study. Journal of Clinical Monitoring and Computing, 1995, 11, 14-17.  | 0.6 | 13        |
| 1396 | A comparison of dynamic and isometric force sensors for train-of-four measurement using submaximal stimulation current. Journal of Clinical Monitoring and Computing, 1995, 11, 18-22.  | 0.6 | 3         |
| 1397 | A new method for PO.1 measurement using standard respiratory equipment. Intensive Care Medicine, 1995, 21, 554-560.   | 3.9 | 82        |
| 1398 | A comparison of extradural and intraparenchymatous intracranial pressures in head injured patients. Intensive Care Medicine, 1995, 21, 850-852.   | 3.9 | 46        |
| 1399 | Reliability of clinical assessments of respiratory system compliance (Crs) made by junior doctors. Intensive Care Medicine, 1995, 21, 257-260.  | 3.9 | 6         |
| 1400 | Validation of a simple method assessing nitric oxide and nitrogen dioxide concentrations. Intensive Care Medicine, 1995, 21, 537-541.   | 3.9 | 26        |
| 1401 | Respiratory mechanics by least squares fitting in mechanically ventilated patients: Applications during paralysis and during pressure support ventilation. Intensive Care Medicine, 1995, 21, 406-413.  | 3.9 | 128       |
| 1402 | Clinical validation of the Deltatrac monitoring system in mechanically ventilated patients. Intensive Care Medicine, 1995, 21, 149-153.   | 3.9 | 111       |
| 1403 | Agreement between self reports and proxy reports of quality of life in epilepsy patients. Quality of Life Research, 1995, 4, 159-168.   | 1.5 | 131       |
| 1404 | Simultaneous in vivo comparison of two-versus three-wavelength mixed venous (Svo 2) oximetry catheters. Journal of Clinical Monitoring and Computing, 1995, 11, 329-334.  | 0.6 | 12        |
| 1405 | Clinical evaluation of continuous noninvasive blood pressure monitoring: Accuracy and tracking capabilities. Journal of Clinical Monitoring and Computing, 1995, 11, 245-252.   | 0.6 | 49        |
| 1406 | Measurement of respiratory rate and timing using a nasal thermocouple. Journal of Clinical Monitoring and Computing, 1995, 11, 159-164.   | 0.6 | 29        |
| 1407 | Clinical evaluation of the oscillometric blood pressure monitor in adults and children based on the 1992 AAMI SP-10 standards. Journal of Clinical Monitoring and Computing, 1995, 11, 123-130.   | 0.6 | 37        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1408 | Thickness of patellofemoral articular cartilage as measured on MR imaging: sequence comparison of accuracy, reproducibility, and interobserver variation. <i>Skeletal Radiology</i> , 1995, 24, 431-435.   | 1.2 | 17        |
| 1409 | Relation between myocardial uptake of thallium-201 chloride and fluorine-18 fluorodeoxyglucose imaged with single-photon emission tomography in normal individuals. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1995, 22, 56-60. | 2.2 | 21        |
| 1410 | Noninvasive continuous blood pressure measurement during anaesthesia: A clinical evaluation of a method commonly used in measuring devices. <i>Journal of Clinical Monitoring and Computing</i> , 1995, 12, 1-10.  | 0.3 | 7         |
| 1411 | The discrepancy between echocardiography, cineventriculography and thermodilution. <i>International Journal of Cardiovascular Imaging</i> , 1995, 11, 255-262.   | 0.2 | 10        |
| 1412 | Measurement of visual acuity with two different charts; a comparison of results and repeatability in patients with cataract. <i>Documenta Ophthalmologica</i> , 1995, 90, 61-66.   | 1.0 | 10        |
| 1413 | Double burst monitoring during surgical degrees of neuromuscular blockade: A comparison with train-of-four. <i>Journal of Clinical Monitoring and Computing</i> , 1995, 12, 191-196.   | 0.3 | 2         |
| 1414 | Measurement of left ventricular ejection fraction from gated technetium-99m sestamibi myocardial images. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1995, 22, 528-531.  | 2.2 | 19        |
| 1415 | Anterior, posterior, left anterior oblique, and geometric mean views in gastric emptying studies using a glucose solution. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1995, 22, 154-157.  | 2.2 | 9         |
| 1416 | The functional limitations profile may be a valid, reliable and sensitive measure of disability in multiple sclerosis. <i>Journal of Neurology</i> , 1995, 242, 650-657.   | 1.8 | 14        |
| 1417 | Visual assessment of medial temporal lobe atrophy on magnetic resonance imaging: Interobserver reliability. <i>Journal of Neurology</i> , 1995, 242, 557-560.  | 1.8 | 352       |
| 1418 | ?Normal? response of the QT interval and QT dispersion following intravenous injection of the sodium channel blocker disopyramide: Methodological aspects. <i>Cardiovascular Drugs and Therapy</i> , 1995, 9, 573-580.                                   | 1.3 | 11        |
| 1419 | Response Measures in the Acute Treatment of Migraine. <i>Cephalalgia</i> , 1995, 15, 519-522.  | 1.8 | 24        |
| 1420 | Relationship Between Venous and Arterial Carboxyhemoglobin Levels in Patients With Suspected Carbon Monoxide Poisoning. <i>Annals of Emergency Medicine</i> , 1995, 25, 481-483.   | 0.3 | 91        |
| 1421 | Tympanic Membrane Thermometry in the Care of Out-of-Hospital Patients. <i>Annals of Emergency Medicine</i> , 1995, 25, 41-47.  | 0.3 | 9         |
| 1422 | A case-control study of trapezius muscle activity in office and manual workers with shoulder and neck pain and symptom-free controls. <i>International Archives of Occupational and Environmental Health</i> , 1995, 67, 11-18.                          | 1.1 | 62        |
| 1423 | Assessment of patients with menorrhagia: How valid is a structured clinical history as a measure of health status?. <i>Quality of Life Research</i> , 1995, 4, 33-40.  | 1.5 | 113       |
| 1424 | Methodological and statistical problems in the construction of composite measurement scales: A survey of six medical and epidemiological journals. <i>Statistics in Medicine</i> , 1995, 14, 331-345.  | 0.8 | 122       |
| 1425 | High frequency of light chain restriction in labial gland biopsies of Sjögren's syndrome detected by in situ hybridization. <i>Journal of Pathology</i> , 1995, 177, 35-40.  | 2.1 | 22        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1426 | To the editor: On measurement of chloride concentration in microvolume samples of sweat. <i>Pediatric Pulmonology</i> , 1995, 19, 66-66.   | 1.0 | 0         |
| 1428 | A critical assessment of uncalibrated respiratory inductance plethysmography (Respirtrace®) for the measurement of tidal breathing parameters in newborns and infants. <i>Pediatric Pulmonology</i> , 1995, 20, 119-124. | 1.0 | 19        |
| 1429 | Validation of a nitrogen washout system to measure functional residual capacity in premature infants with hyaline membrane disease. <i>Pediatric Pulmonology</i> , 1995, 20, 403-409.                                    | 1.0 | 9         |
| 1431 | Gated planar technetium 99m-labeled sestamibi myocardial perfusion image inversion for quantitative scintigraphic assessment of left ventricular function*. <i>Journal of Nuclear Cardiology</i> , 1995, 2, 285-295.     | 1.4 | 11        |
| 1432 | Comparison of central venous pressure measurements in the intrathoracic and the intra-abdominal vena cava in critically ill children. <i>Anaesthesia</i> , 1995, 50, 407-410.  | 1.8 | 9         |
| 1433 | The TOF-Guard neuromuscular transmission monitor.. <i>Anaesthesia</i> , 1995, 50, 699-702.   | 1.8 | 67        |
| 1434 | The use of a portable refractometer to measure desflurane. <i>Anaesthesia</i> , 1995, 50, 607-610.   | 1.8 | 3         |
| 1435 | The use of video image analysis for the measurement of venous ulcers. <i>British Journal of Dermatology</i> , 1995, 133, 565-570.  | 1.4 | 27        |
| 1436 | Bee venom immunotherapy induces a shift in cytokine responses from a TH-2 to a TH-1 dominant pattern: comparison of rush and conventional immunotherapy. <i>Clinical and Experimental Allergy</i> , 1995, 25, 828-838.   | 1.4 | 183       |
| 1437 | Validation and application of a new simple strategy for measurements of urinary leukotriene E4 in humans. <i>Clinical and Experimental Allergy</i> , 1995, 25, 467-479.  | 1.4 | 109       |
| 1438 | A combined approach to reduce mite allergen in the bedroom. <i>Clinical and Experimental Allergy</i> , 1995, 25, 1179-1183.  | 1.4 | 36        |
| 1439 | Variability and repeatability of house dust mite allergen measurement: implications for study design and interpretation. <i>Clinical and Experimental Allergy</i> , 1995, 25, 1190-1197.                                 | 1.4 | 41        |
| 1440 | Cytological scoring system in primary breast cancer. <i>Cytopathology</i> , 1995, 6, 130-132.  | 0.4 | 0         |
| 1441 | The effects on chronic periodontitis of a subgingivally-placed redox agent in a slow release device. <i>Journal of Clinical Periodontology</i> , 1995, 22, 494-500.  | 2.3 | 17        |
| 1442 | Kt/V in CAPD by different estimations of V. <i>Kidney International</i> , 1995, 48, 563-569.   | 2.6 | 47        |
| 1443 | The standard peritoneal permeability analysis: A tool for the assessment of peritoneal permeability characteristics in CAPD patients. <i>Kidney International</i> , 1995, 48, 866-875.                                   | 2.6 | 173       |
| 1444 | Three-Lead Measurement of QTc Dispersion. <i>Journal of Cardiovascular Electrophysiology</i> , 1995, 6, 987-992.   | 0.8 | 25        |
| 1445 | Jugular Bulb Saturation and Mixed Venous Saturation During Cardiopulmonary Bypass. <i>Journal of Cardiac Surgery</i> , 1995, 10, 503-508.  | 0.3 | 37        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1446 | Calibration and reliability of the Periotron 6000 for individual gingival crevicular fluid samples. <i>Journal of Periodontal Research</i> , 1995, 30, 73-79.   | 1.4 | 35        |
| 1447 | Tympanic Versus Rectal Thermometry in Pregnant Women. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 1995, 24, 719-724.   | 0.2 | 5         |
| 1448 | Contralateral differences among biomarkers determined by a modified nasal lavage technique after unilateral antigen challenge. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1995, 50, 308-315.                               | 2.7 | 18        |
| 1449 | Computer Analysis of Monophasic Action Potentials: Manual Validation and Clinically Pertinent Applications. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1995, 18, 1666-1678.  | 0.5 | 46        |
| 1450 | Central Venous Pressure Measurements in the Caudal Vena Cava of Sedated Cats. <i>Journal of Veterinary Emergency and Critical Care</i> , 1995, 5, 121-129.  | 0.4 | 17        |
| 1451 | Investigation of the arterial and venous upper arm vascular bed. <i>Medical Engineering and Physics</i> , 1995, 17, 264-272.  | 0.8 | 4         |
| 1452 | Evaluation of serum protein separation by capillary electrophoresis: prospective analysis of 1000 specimens. <i>Biomedical Applications</i> , 1995, 672, 241-251.   | 1.7 | 57        |
| 1453 | Proliferation measurements with flow cytometry Tpot in cancer of the uterine cervix: Correlation between two laboratories and preliminary clinical results. <i>International Journal of Radiation Oncology Biology Physics</i> , 1995, 32, 1319-1329. | 0.4 | 63        |
| 1454 | In vivo comparison of 3D ultrasonography and magnetic resonance imaging in volume estimation of human kidneys. <i>Ultrasound in Medicine and Biology</i> , 1995, 21, 25-32.   | 0.7 | 105       |
| 1455 | Comparison of optical, needle probe and ultrasonic techniques for the measurement of articular cartilage thickness. <i>Journal of Biomechanics</i> , 1995, 28, 231-235.   | 0.9 | 146       |
| 1456 | Determination of nitrate and nitrite in vegetables by capillary electrophoresis with indirect detection. <i>Journal of Chromatography A</i> , 1995, 706, 479-492.   | 1.8 | 96        |
| 1457 | Real-time measurement of pulse wave velocity from arterial pressure waveforms. <i>Medical and Biological Engineering and Computing</i> , 1995, 33, 636-642.   | 1.6 | 19        |
| 1458 | Influence of cisapride on gastric emptying of solids and liquids monitored by <sup>13</sup> C breath tests. <i>Digestive Diseases and Sciences</i> , 1995, 40, 2200-2206.   | 1.1 | 50        |
| 1459 | Evaluation of ultrafast phase-contrast imaging in the thoracic aorta. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 1995, 3, 59-66.   | 1.1 | 12        |
| 1460 | Neutron activation analysis: Criterion method for evaluation of dual-energy X-ray absorptiometry measurements in infants. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 1995, 195, 139-144.   | 0.7 | 6         |
| 1461 | Opposing placental gradients for thiocyanate and cotinine at birth. <i>Early Human Development</i> , 1995, 42, 73-79.   | 0.8 | 13        |
| 1462 | An evaluation of tests in routine use for the quantitation of antibody to hepatitis B surface antigen. <i>Serodiagnosis and Immunotherapy in Infectious Disease</i> , 1995, 7, 173-180.   | 0.2 | 0         |
| 1463 | MedCalc: a new computer program for medical statistics. <i>Computer Methods and Programs in Biomedicine</i> , 1995, 48, 257-262.  | 2.6 | 444       |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1464 | Clinical and public health perspectives and applications of health-related quality of life measurement. <i>Social Science and Medicine</i> , 1995, 41, 1383-1394.   | 1.8 | 210       |
| 1465 | Cardiac through-plane motion: comparison of long- and short-axis MR images of the left ventricle. <i>European Radiology</i> , 1995, 5, 60-65.   | 2.3 | 1         |
| 1466 | Does the threshold of transcutaneous partial pressure of carbon dioxide represent the respiratory compensation point or anaerobic threshold?. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1995, 71, 326-331.              | 1.2 | 2         |
| 1467 | An aid to the determination of the ventilatory threshold. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1995, 71, 65-70.  | 1.2 | 7         |
| 1468 | Agreement between measures of pulmonary artery and tympanic temperatures. <i>Research in Nursing and Health</i> , 1995, 18, 365-370.  | 0.8 | 13        |
| 1469 | Electrochemical dehydrogenase-based homogeneous assays in whole blood. <i>Clinical Chemistry</i> , 1995, 41, 591-598.   | 1.5 | 31        |
| 1470 | Interpretation of serial measurements of international normalized ratio for prothrombin times in monitoring oral anticoagulant therapy. <i>Clinical Chemistry</i> , 1995, 41, 1171-1176.  | 1.5 | 43        |
| 1471 | Immunometric assays of luteinizing hormone (LH): differences in recognition of plasma LH by anti-intact and beta-subunit-specific antibodies in various physiological and pathophysiological situations. <i>Clinical Chemistry</i> , 1995, 41, 1139-1145. | 1.5 | 9         |
| 1472 | The Reproducibility of the Fast Peritoneal Equilibration Test. <i>Peritoneal Dialysis International</i> , 1995, 15, 382-383.  | 1.1 | 7         |
| 1473 | Biochemical Aspects and Clinical Perspectives of Continuous Urea Monitoring in Plasma Ultrafiltrate: Preliminary Results of a Multicenter Study. <i>International Journal of Artificial Organs</i> , 1995, 18, 544-547.                                   | 0.7 | 9         |
| 1474 | Body-composition assessment by dual-energy x-ray absorptiometry in subjects aged 4-26 y. <i>American Journal of Clinical Nutrition</i> , 1995, 61, 746-753.   | 2.2 | 192       |
| 1475 | Resting energy expenditure in children with phenylketonuria. <i>American Journal of Clinical Nutrition</i> , 1995, 62, 797-801.   | 2.2 | 41        |
| 1476 | Phenylalanine and tyrosine kinetics in young men throughout a continuous 24-h period, at a low phenylalanine intake. <i>American Journal of Clinical Nutrition</i> , 1995, 61, 555-570.   | 2.2 | 36        |
| 1477 | Test/retest study of the European Organization for Research and Treatment of Cancer Core Quality-of-Life Questionnaire.. <i>Journal of Clinical Oncology</i> , 1995, 13, 1249-1254.   | 0.8 | 335       |
| 1478 | Comparison of the heart rate-monitoring and factorial methods: assessment of energy expenditure in highland and coastal Ecuadoreans. <i>American Journal of Clinical Nutrition</i> , 1995, 61, 1146-1152.   | 2.2 | 69        |
| 1479 | Estimating energy expenditure from specific activity of urine urea during lengthy subcutaneous NaH <sub>14</sub> CO <sub>3</sub> infusion. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1995, 269, E172-E182.                   | 1.8 | 5         |
| 1480 | Acid-Base Balance Determination on Ultrafiltrate in Two-Chamber Technique Hemodiafiltration (PFD). <i>International Journal of Artificial Organs</i> , 1995, 18, 726-730.   | 0.7 | 1         |
| 1481 | A Modified Two-Bun Method for Routine Urea Modeling: Clinical Validation in 120 Patients on a Free Diet. <i>International Journal of Artificial Organs</i> , 1995, 18, 553-557.   | 0.7 | 2         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1482 | A Novel Method of Determining Portal Systemic Shunting using Biodegradable 99TcM Labelled Albumin Microspheres. <i>HPB Surgery</i> , 1995, 8, 223-229.  | 2.2 | 2         |
| 1483 | Intra- and Interlaboratory Reproducibility of an ELISA Serological Test for Lyme Disease. <i>Canadian Journal of Infectious Diseases &amp; Medical Microbiology</i> , 1995, 6, 90-95.                             | 0.3 | 2         |
| 1484 | Quantitative assessment of infant body fat by anthropometry and total-body electrical conductivity. <i>American Journal of Clinical Nutrition</i> , 1995, 61, 279-286.  | 2.2 | 28        |
| 1485 | A Comparison of Two Transcutaneous Monitors for the Measurement of Arterial Po <sub>2</sub> and Pco <sub>2</sub> in Neonates. <i>Anaesthesia and Intensive Care</i> , 1995, 23, 708-714.                          | 0.2 | 24        |
| 1486 | Measurement of Cerebral Venous Oxyhemoglobin Saturation in Children by Near-Infrared Spectroscopy and Partial Jugular Venous Occlusion. <i>Pediatric Research</i> , 1995, 38, 319-323.                            | 1.1 | 112       |
| 1487 | The assessment of fracture healing using dual X-ray absorptiometry: a feasibility study using phantoms. <i>Physics in Medicine and Biology</i> , 1995, 40, 119-136.   | 1.6 | 14        |
| 1488 | Competence and performance in activities of daily living of patients following rehabilitation from stroke. <i>Disability and Rehabilitation</i> , 1995, 17, 15-23.  | 0.9 | 23        |
| 1489 | Comparison between oxygen consumption calculated by Fick's principle using a continuous thermodilution technique and measured by indirect calorimetry. <i>British Journal of Anaesthesia</i> , 1995, 75, 719-723. | 1.5 | 38        |
| 1490 | Comparison of fluticasone propionate and beclomethasone dipropionate on direct and indirect measurements of bronchial hyperresponsiveness in patients with stable asthma.. <i>Thorax</i> , 1995, 50, 1044-1050.   | 2.7 | 39        |
| 1491 | The Accuracy of MRI-determined Synovial Membrane and Joint Effusion Volumes in Arthritis:A comparison of pre- and post-aspiration volumes. <i>Scandinavian Journal of Rheumatology</i> , 1995, 24, 305-311.       | 0.6 | 35        |
| 1492 | Comparison of peak oxygen consumption during cycle and treadmill exercise in severe chronic obstructive pulmonary disease.. <i>Thorax</i> , 1995, 50, 829-833.  | 2.7 | 57        |
| 1493 | Optic disc measurement: a comparison of indirect ophthalmoscopic methods.. <i>British Journal of Ophthalmology</i> , 1995, 79, 910-915.   | 2.1 | 20        |
| 1494 | Effect of an inhaled neutral endopeptidase inhibitor, phosphoramidon, on baseline airway calibre and bronchial responsiveness to bradykinin in asthma.. <i>Thorax</i> , 1995, 50, 505-510.                        | 2.7 | 19        |
| 1495 | In vitro oxyhaemoglobin saturation measurements in haemoglobin solutions using fiberoptic pulmonary artery catheters. <i>British Journal of Anaesthesia</i> , 1995, 74, 201-208.                                  | 1.5 | 2         |
| 1496 | Evaluation of the Pneupac Ventipac portable ventilator: comparison of performance in a mechanical lung and anaesthetized patients. <i>British Journal of Anaesthesia</i> , 1995, 75, 645-650.                     | 1.5 | 13        |
| 1497 | Macroscopic assessment of pulmonary emphysema by image analysis.. <i>Journal of Clinical Pathology</i> , 1995, 48, 318-322.   | 1.0 | 32        |
| 1498 | Measurement of organ blood flow with coloured microspheres in the rat. <i>Cardiovascular Research</i> , 1995, 29, 74-79.  | 1.8 | 75        |
| 1499 | Determination of body composition from skinfold thickness: a validation study.. <i>Archives of Disease in Childhood</i> , 1995, 73, 305-310.  | 1.0 | 119       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1500 | Comparison of two reflectance photometers in the assessment of neonatal hypoglycaemia.. Archives of Disease in Childhood: Fetal and Neonatal Edition, 1995, 73, F170-F173.  | 1.4 | 14        |
| 1501 | Activation and inhibition of the endogenous opioid system in human heart failure.. Heart, 1995, 73, 41-48.  | 1.2 | 15        |
| 1502 | An easier alternative to orthogonal regression for calculation of International Sensitivity Indexes.. Journal of Clinical Pathology, 1995, 48, 901-903.   | 1.0 | 0         |
| 1503 | The use of Statistics in the British Journal of Psychiatry. British Journal of Psychiatry, 1995, 167, 683-688.  | 1.7 | 70        |
| 1504 | Measurement of Fat-Free Mass in Infants. Pediatric Research, 1995, 38, 411-417.   | 1.1 | 19        |
| 1505 | Computed tomography evaluation of renal parenchymal volume in patients with chronic pyelonephritis and its relationship to glomerular filtration rate. British Journal of Radiology, 1995, 68, 130-133.                     | 1.0 | 12        |
| 1506 | Comparison of single-breath and plethysmographic measurements of resistance in infancy.. American Journal of Respiratory and Critical Care Medicine, 1995, 151, 1451-1458.  | 2.5 | 26        |
| 1507 | Repeated inhalation challenge with exogenous and endogenous histamine released by acetaldehyde inhalation in asthmatic patients.. American Journal of Respiratory and Critical Care Medicine, 1995, 152, 456-460.           | 2.5 | 13        |
| 1508 | Effect of smoking cessation on airway inflammation in chronic bronchitis.. American Journal of Respiratory and Critical Care Medicine, 1995, 152, 1262-1267.  | 2.5 | 196       |
| 1509 | Comparison Between Transesophageal Doppler Echocardiography and Nuclear Cardioangiography for the Evaluation of Left Ventricular Filling During Coronary Artery Bypass Grafting. Anesthesia and Analgesia, 1995, 80, 41-46. | 1.1 | 10        |
| 1510 | Cytokines in the airway mucosa of subjects with asthma induced by toluene diisocyanate.. American Journal of Respiratory and Critical Care Medicine, 1995, 151, 607-612.  | 2.5 | 35        |
| 1511 | Monitoring of breathing tube position and patency in situ using reflected sound. , 0, , .   |     | 0         |
| 1512 | The Biomechanical Characteristics of the Middle Ear System Measured by a New Method II: Clinical application and normal material. Acta Oto-Laryngologica, 1995, 115, 414-421.   | 0.3 | 6         |
| 1513 | Work of Breathing After Extubation. Chest, 1995, 107, 204-209.  | 0.4 | 84        |
| 1514 | Validation of a Portable Sleep Apnea Monitoring Device. Chest, 1995, 108, 388-393.  | 0.4 | 65        |
| 1515 | Color Doppler Ultrasonography for the Assessment of Renal Blood Flow in Heart Failure. Chest, 1995, 108, 912-918.   | 0.4 | 7         |
| 1516 | Does Hypercarbia Develop Faster During Laparoscopic Herniorrhaphy Than During Laparoscopic Cholecystectomy? Assessment with Continuous Blood Gas Monitoring. Anesthesia and Analgesia, 1995, 81, 1243-1249.                 | 1.1 | 24        |
| 1517 | Reliability of Measurements of Lumbar Spine Sagittal Mobility Obtained With the Flexible Curve. Journal of Orthopaedic and Sports Physical Therapy, 1995, 21, 13-20.  | 1.7 | 45        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1518 | Airway wall remodeling after cessation of exposure to isocyanates in sensitized asthmatic subjects.. American Journal of Respiratory and Critical Care Medicine, 1995, 151, 489-494.                   | 2.5 | 116       |
| 1519 | Image processing of computerised visual field data.. British Journal of Ophthalmology, 1995, 79, 207-212.  | 2.1 | 37        |
| 1520 | Reproducibility with the Keeler Pulsair 2000 non-contact tonometer.. British Journal of Ophthalmology, 1995, 79, 554-557.  | 2.1 | 30        |
| 1521 | Unocular fields of fixation in thyroid eye disease. Eye, 1995, 9, 348-351.   | 1.1 | 21        |
| 1522 | Effect of Iopentol on Renal Function and its Use for Calculation of Glomerular Filtration Rate in Children. Acta Radiologica, 1995, 36, 64-68.   | 0.5 | 0         |
| 1523 | Bronchoalveolar lavage cellularity in healthy children.. American Journal of Respiratory and Critical Care Medicine, 1995, 152, 163-168.   | 2.5 | 110       |
| 1524 | Technical Report. Clinical Chemistry and Laboratory Medicine, 1995, 33, .  | 1.4 | 1         |
| 1525 | Crossed polarising filters to measure relative afferent pupillary defects: Reproducibility, correlation with neutral density filters and use in central retinal vein occlusion. Eye, 1995, 9, 624-628. | 1.1 | 8         |
| 1526 | Formulaic Methods of Estimating Calorie Requirements in Mechanically Ventilated Obese Patients: A Reappraisal. Nutrition in Clinical Practice, 1995, 10, 229-232.                                      | 1.1 | 47        |
| 1528 | Intraobserver and Interobserver Variations in Sonographic Measurements of Kidney Size in Adult Volunteers. Acta Radiologica, 1995, 36, 399-401.  | 0.5 | 93        |
| 1529 | CT-Assessment of Dependent Lung Densities in Man during General Anaesthesia. Acta Radiologica, 1995, 36, 626-632.  | 0.5 | 168       |
| 1530 | Quantification of Serum Proteins Using Capillary Electrophoresis. Annals of Clinical Biochemistry, 1995, 32, 493-497.  | 0.8 | 46        |
| 1531 | Mouth pressure in response to magnetic stimulation of the phrenic nerves.. Thorax, 1995, 50, 620-624.  | 2.7 | 83        |
| 1532 | Aortic root replacement with a pulmonary autograft. European Journal of Cardio-thoracic Surgery, 1995, 9, 378-383.   | 0.6 | 24        |
| 1533 | Ultrasonography in Arthritis of the Knee. Acta Radiologica, 1995, 36, 19-26.   | 0.5 | 59        |
| 1534 | Measurement of Wear in Retrieved Acetabular Sockets. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 1995, 209, 233-242.                           | 1.0 | 38        |
| 1535 | Non-invasive estimation of venous admixture: validation of a new formula. British Journal of Anaesthesia, 1995, 74, 538-543.   | 1.5 | 16        |
| 1536 | Imaging blood vessels of the head and neck.. Journal of Neurology, Neurosurgery and Psychiatry, 1995, 59, 225-237.   | 0.9 | 26        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1538 | Arm-ankle systolic blood pressure difference at rest and after exercise in the assessment of aortic coarctation.. Heart, 1995, 73, 270-276.   | 1.2 | 27        |
| 1539 | Measurement of lung volume and optimal oxygenation during high frequency oscillation.. Archives of Disease in Childhood: Fetal and Neonatal Edition, 1995, 72, F180-F183.   | 1.4 | 26        |
| 1540 | In vitro validation of right ventricular volume measurement by three dimensional echocardiography.. Heart, 1995, 74, 460-463.   | 1.2 | 44        |
| 1541 | Accuracy of Laboratory and Portable Monitor International Normalized Ratio Determinations. Archives of Internal Medicine, 1995, 155, 1861.  | 4.3 | 68        |
| 1542 | A Comparison of Fat-free Mass Estimates in Men Infected With the Human Immunodeficiency Virus. Journal of Parenteral and Enteral Nutrition, 1995, 19, 28-32.  | 1.3 | 7         |
| 1543 | Critical evaluation of computerised x ray planimetry for the measurement of lung volumes.. Thorax, 1995, 50, 383-386.   | 2.7 | 7         |
| 1544 | Adequacy of prescribing nasal continuous positive airway pressure therapy for the sleep apnoea/hypopnoea syndrome on the basis of night time respiratory recording variables.. Thorax, 1995, 50, 969-971.         | 2.7 | 20        |
| 1545 | Measurement of effective alveolar carbon dioxide tension during spontaneous breathing in normal subjects and patients with chronic airways obstruction.. Thorax, 1995, 50, 240-244.                               | 2.7 | 6         |
| 1546 | Repeatability and validity of a field kit for estimation of cholinesterase in whole blood.. Occupational and Environmental Medicine, 1995, 52, 57-64.   | 1.3 | 26        |
| 1547 | Barthel ADL Index: a comparison of administration methods. Clinical Rehabilitation, 1995, 9, 34-39.   | 1.0 | 24        |
| 1548 | Relationships between defecographic findings, rectal emptying, and colonic transit time in constipated patients.. Gut, 1995, 36, 907-912.   | 6.1 | 85        |
| 1549 | Oesophageal sensation assessed by electrical stimuli and brain evoked potentials--a new model for visceral nociception.. Gut, 1995, 37, 603-609.  | 6.1 | 38        |
| 1550 | Comparison of Doppler echocardiographic methods with heart catheterisation in assessing aortic valve area in 100 patients with aortic stenosis.. Heart, 1995, 73, 293-298.  | 1.2 | 32        |
| 1551 | Static lung compliance in chronic heart failure: relation with dyspnoea and exercise capacity.. Thorax, 1995, 50, 245-248.  | 2.7 | 26        |
| 1552 | Comparison of polysomnography with ResCare Autoset in the diagnosis of the sleep apnoea/hypopnoea syndrome.. Thorax, 1995, 50, 1201-1203.   | 2.7 | 54        |
| 1553 | Maximal values of sniff nasal inspiratory pressure in healthy subjects.. Thorax, 1995, 50, 371-375.   | 2.7 | 188       |
| 1554 | Hormonal, renal, and autonomic nerve factors involved in the excretion of sodium and water during dynamic salt and water loading in hypoxaemic chronic obstructive pulmonary disease.. Thorax, 1995, 50, 838-845. | 2.7 | 18        |
| 1555 | Magnetic resonance imaging compared to echocardiography to assess left ventricular mass in the hypertensive patient. American Journal of Hypertension, 1995, 8, 221-228.  | 1.0 | 306       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1556 | Loss of nocturnal blood pressure fall after liver transplantation during immunosuppressive therapy*. American Journal of Hypertension, 1995, 8, 598-605.  | 1.0 | 43        |
| 1557 | Effects of actual versus arbitrary awake and sleep times on analyses of 24-h blood pressure. American Journal of Hypertension, 1995, 8, 676-680.  | 1.0 | 42        |
| 1558 | Cardiac output measurement: Lack of agreement between thermodilution and thoracic electric bioimpedance in two clinical settings. Journal of Clinical Anesthesia, 1995, 7, 182-185.   | 0.7 | 26        |
| 1559 | Lung function measurement in general practice: a comparison of the Escort spirometer with the Micromed turbine spirometer and the mini-Wright peak flow meter. Respiratory Medicine, 1995, 89, 657-663.                         | 1.3 | 7         |
| 1560 | Functional residual capacity to thoracic gas volume (FRC:TGV) ratio in healthy neonates. Respiratory Medicine, 1995, 89, 429-433.   | 1.3 | 12        |
| 1561 | Neural influences on the iris of diabetic rats and effect of oculomotor nerve crush. Journal of the Autonomic Nervous System, 1995, 55, 112-114.  | 1.9 | 2         |
| 1562 | Beneficial effect of an ACTH4â€“9 analogue on experimentally induced diabetic autonomic neuropathy in the eye of the rat under general anaesthesia. Journal of the Autonomic Nervous System, 1995, 51, 49-57.                   | 1.9 | 7         |
| 1563 | The effects of aging on the cutaneous microvasculature. Journal of the American Academy of Dermatology, 1995, 33, 749-756.  | 0.6 | 168       |
| 1564 | Comparison of two methods, the thermodilution method of Fick and the Douglas bag method, in estimating the resting energy expenditure (REE). Nutrition Research, 1995, 15, 1747-1754.   | 1.3 | 1         |
| 1565 | A hand-held keratometer. Ophthalmic and Physiological Optics, 1995, 15, 227-230.  | 1.0 | 8         |
| 1566 | A clinical trial of the SUN SK-2000 computer-assisted videokeratoscope. Ophthalmic and Physiological Optics, 1995, 15, 105-115.   | 1.0 | 4         |
| 1567 | Computerized fetal heart rate analysis in labour based on 2-s sampling. Can it proceed with confidence?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1995, 63, 105.                                    | 0.5 | 5         |
| 1568 | Comparison of cardiac output measurements by thermodilution and thoracic electrical bioimpedance in critically ill versus non-critically ill patients. American Journal of Emergency Medicine, 1995, 13, 626-631.               | 0.7 | 27        |
| 1569 | Appearance scales to measure cosmetic outcomes of healed lacerations. American Journal of Emergency Medicine, 1995, 13, 229-231.  | 0.7 | 165       |
| 1570 | Measuring the accuracy of the infrared tympanic thermometer: Correlation does not signify agreement. Journal of Emergency Medicine, 1995, 13, 617-621.  | 0.3 | 43        |
| 1571 | Recollected versus contemporary patient reports of pre-operative symptoms in men undergoing transurethral prostatic resection for benign disease. Journal of Clinical Epidemiology, 1995, 48, 749-756.                          | 2.4 | 16        |
| 1572 | Methodological issues in assessing reproducibilityâ€“A comparative study of various indices of reproducibility applied to repeat ELISA serologic tests for Lyme disease. Journal of Clinical Epidemiology, 1995, 48, 1123-1132. | 2.4 | 47        |
| 1573 | A semiquantitative food frequency questionnaire for use in epidemiologic research among the elderly: Validation by comparison with dietary history. Journal of Clinical Epidemiology, 1995, 48, 859-868.                        | 2.4 | 80        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1574 | Î <sup>2</sup> -Adrenergically mediated thermogenic and heart rate responses: Effect of obesity and weight loss. <i>Metabolism: Clinical and Experimental</i> , 1995, 44, 520-524.   | 1.5 | 22        |
| 1575 | A simple visual assessment technique to discriminate between menorrhagia and normal menstrual blood loss. <i>Obstetrics and Gynecology</i> , 1995, 85, 977-982.  | 1.2 | 245       |
| 1576 | Estimation of glomerular filtration rate in dogs with <sup>99m</sup> Tc-DTPA and iohexol. <i>Research in Veterinary Science</i> , 1995, 58, 138-143.   | 0.9 | 61        |
| 1577 | Reduction of infant myopia: a longitudinal cycloplegic study. <i>Vision Research</i> , 1995, 35, 1313-1324.  | 0.7 | 51        |
| 1578 | Beat-to-beat agreement of noninvasive finger artery and invasive radial artery blood pressure in hypertensive patients taking cardiovascular medication. <i>Clinical Physiology</i> , 1995, 15, 219-229.   | 0.7 | 28        |
| 1579 | Modification and validation of a commercially available portable detector for measurement of adipose tissue blood flow. <i>Clinical Physiology</i> , 1995, 15, 241-248.  | 0.7 | 62        |
| 1580 | Quantification of right ventricular function with magnetic resonance imaging in children with normal hearts and with congenital heart disease. <i>American Heart Journal</i> , 1995, 130, 828-837.   | 1.2 | 173       |
| 1581 | Coronary arteriography for quantitative analysis: Experimental and clinical comparison of cinefilm and video recordings. <i>American Heart Journal</i> , 1995, 129, 471-475.   | 1.2 | 20        |
| 1582 | Mechanism of high-speed rotational atherectomy and adjunctive balloon angioplasty revisited by quantitative coronary angiography: Edge detection versus videodensitometry. <i>American Heart Journal</i> , 1995, 130, 405-412.                     | 1.2 | 10        |
| 1583 | Transesophageal echocardiographic guidance of cardioversion in patients with atrial fibrillation. <i>American Heart Journal</i> , 1995, 129, 1204-1215.  | 1.2 | 122       |
| 1584 | Intracardiac ultrasonographic assessment of atrial septal defect area: In vitro validation and technical considerations. <i>American Heart Journal</i> , 1995, 130, 302-306.   | 1.2 | 11        |
| 1585 | Cross-validation of Fat-Free Mass Estimated From Body Density Against Bioelectrical Resistance: Effects of Obesity and Gender. <i>Obesity</i> , 1995, 3, 531-539.  | 4.0 | 20        |
| 1586 | Comparison of micro-enzymatic and high-performance liquid chromatographic methods for the assay of serum 1,5-anhydroglucitol. <i>Clinica Chimica Acta</i> , 1995, 235, 91-99.  | 0.5 | 18        |
| 1587 | Osler's maneuver: Absence of usefulness for the detection of pseudohypertension in an elderly population. <i>American Journal of Medicine</i> , 1995, 98, 42-49.   | 0.6 | 42        |
| 1588 | Stability of serum prostate-specific antigen determination across laboratory, assay, and storage time. <i>Urology</i> , 1995, 45, 447-453.   | 0.5 | 27        |
| 1589 | Application of a colorimetric method to the determination of the protein content of commercial foods, mixed human diets and nitrogen losses in infantile diarrhoea. <i>International Journal of Food Sciences and Nutrition</i> , 1995, 46, 21-29. | 1.3 | 6         |
| 1590 | A sequential binding assay with a working range extending beyond seven orders of magnitude. <i>Journal of Immunological Methods</i> , 1995, 178, 131-140.  | 0.6 | 9         |
| 1591 | Dual analyte assay based on particle types of different size measured by flow cytometry. <i>Journal of Immunological Methods</i> , 1995, 178, 141-151.   | 0.6 | 15        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1592 | Difference and ratio plots: simple tools for improved presentation and interpretation of scientific data Unexpected possibilities for the use of the conglutinin binding assay in inflammatory rheumatic diseases. <i>Journal of Immunological Methods</i> , 1995, 178, 211-218. | 0.6 | 4         |
| 1593 | Ambulatory blood pressure in pregnancy: Comparison of the Spacelabs 90207 and Accutacker II monitors with intraarterial recordings. <i>American Journal of Obstetrics and Gynecology</i> , 1995, 173, 218-223.   | 0.7 | 13        |
| 1594 | Ultrasonographic measurement of the dividing membrane in twin pregnancy during the second and third trimesters: A reproducibility study. <i>American Journal of Obstetrics and Gynecology</i> , 1995, 173, 1546-1550.  | 0.7 | 64        |
| 1595 | Second Trimester Colour Doppler Imaging of the Uterine Artery: Reproducibility of the Resistance Index. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1995, 35, 254-256.   | 0.4 | 2         |
| 1596 | The reproducibility and effect on non- $\epsilon$ -specific airway responsiveness of inhaled prostaglandin D2 and leukotriene D4 in asthmatic subjects.. <i>British Journal of Clinical Pharmacology</i> , 1995, 39, 119-123.  | 1.1 | 11        |
| 1597 | Method specificity of non-invasive blood pressure measurement: oscillometry and finger pulse pressure vs acoustic methods.. <i>British Journal of Clinical Pharmacology</i> , 1995, 40, 291-297.   | 1.1 | 10        |
| 1598 | Inter-individual and intra-individual variability of ethanol concentration-time profiles: comparison of ethanol ingestion before or after an evening meal.. <i>British Journal of Clinical Pharmacology</i> , 1995, 40, 387-392.   | 1.1 | 43        |
| 1599 | The validation of energy and protein intakes by doubly labelled water and 24-hour urinary nitrogen excretion in post-obese subjects. <i>Journal of Human Nutrition and Dietetics</i> , 1995, 8, 51-64.   | 1.3 | 32        |
| 1600 | The role of contrast sensitivity charts and contrast letter charts in clinical practice. <i>Australasian journal of optometry, The</i> , 1995, 78, 43-57.  | 0.6 | 73        |
| 1601 | Comparison of Chemcard Cholesterol test and laboratory cholesterol measurements. <i>Australian and New Zealand Journal of Medicine</i> , 1995, 25, 716-719.  | 0.5 | 1         |
| 1602 | Assessing the Impact of Blood Sample Type on the Estimated Prevalence of Impaired Glucose Tolerance and Diabetes Mellitus in Epidemiological Surveys. <i>Diabetic Medicine</i> , 1995, 12, 325-329.  | 1.2 | 13        |
| 1603 | "Hospital Hyperglycaemia"; Perception or Reality?. <i>Diabetic Medicine</i> , 1995, 12, 74-76.   | 1.2 | 0         |
| 1604 | A new colour M-mode index of diastolic filling compared with radionuclide ventriculography. <i>International Journal of Cardiology</i> , 1995, 48, 89-95.  | 0.8 | 7         |
| 1605 | Is diastolic dysfunction associated with thrombogenesis? A study of circulating markers of a prothrombotic state in patients with coronary artery disease. <i>International Journal of Cardiology</i> , 1995, 50, 31-42.   | 0.8 | 16        |
| 1606 | New method for evaluating left ventricular wall motion by color-coded tissue doppler imaging: In vitro and in vivo studies. <i>Journal of the American College of Cardiology</i> , 1995, 25, 717-724.  | 1.2 | 472       |
| 1607 | Effective mitral regurgitant orifice area: Clinical use and pitfalls of the proximal isovelocity surface area method. <i>Journal of the American College of Cardiology</i> , 1995, 25, 703-709.  | 1.2 | 360       |
| 1609 | An explanation for discrepancy between angiographic and intravascular ultrasound measurements after percutaneous transluminal coronary angioplasty. <i>Journal of the American College of Cardiology</i> , 1995, 25, 633-639.  | 1.2 | 47        |
| 1610 | Cardiac index quantification by Doppler ultrasound in patients without left ventricular outflow tract abnormalities. <i>Journal of the American College of Cardiology</i> , 1995, 25, 710-716.   | 1.2 | 67        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1611 | Correspondence of left ventricular ejection fraction determinations from two-dimensional echocardiography, radionuclide angiography and contrast cineangiography. <i>Journal of the American College of Cardiology</i> , 1995, 25, 937-942.   | 1.2 | 99        |
| 1612 | Heterogeneity of vasomotor response to acetylcholine along the human coronary artery. <i>Journal of the American College of Cardiology</i> , 1995, 25, 1046-1055.   | 1.2 | 42        |
| 1613 | Comparison of transesophageal and intracardiac electrophysiologic studies in characterization of supraventricular tachycardia in pediatric patients. <i>Journal of the American College of Cardiology</i> , 1995, 26, 159-163.  | 1.2 | 39        |
| 1614 | Left ventricular blood flow patterns in normal subjects: A quantitative analysis by three-dimensional magnetic resonance velocity mapping. <i>Journal of the American College of Cardiology</i> , 1995, 26, 224-238.  | 1.2 | 243       |
| 1615 | Evaluation of pulmonary artery histopathologic findings in congenital heart disease: An in vitro study using intravascular ultrasound imaging. <i>Journal of the American College of Cardiology</i> , 1995, 26, 272-276.  | 1.2 | 29        |
| 1616 | Simultaneous measurement of pulmonary venous flow by intravascular catheter Doppler velocimetry and transesophageal doppler echocardiography: Relation to left atrial pressure and left atrial and left ventricular function. <i>Journal of the American College of Cardiology</i> , 1995, 26, 239-249. | 1.2 | 46        |
| 1617 | Intraoperative validation of mitral inflow determination by transesophageal echocardiography: Comparison of single-plane, biplane and thermodilution techniques. <i>Journal of the American College of Cardiology</i> , 1995, 26, 1047-1053.  | 1.2 | 36        |
| 1618 | Left ventricular beat-to-beat performance in atrial fibrillation: Contribution of frank-starling mechanism after short rather than long RR intervals. <i>Journal of the American College of Cardiology</i> , 1995, 26, 1516-1521.   | 1.2 | 100       |
| 1619 | Dynamic change in mitral regurgitant orifice area: comparison of color doppler echocardiographic and electromagnetic flowmeter-based methods in a chronic animal model. <i>Journal of the American College of Cardiology</i> , 1995, 26, 528-536.   | 1.2 | 34        |
| 1621 | The relationship between critical power and running performance. <i>Journal of Sports Sciences</i> , 1995, 13, 265-269.   | 1.0 | 37        |
| 1622 | Running intensity as determined by heart rate is the same in fast and slow runners in both the 10 and 21 km races. <i>Journal of Sports Sciences</i> , 1995, 13, 405-410.   | 1.0 | 16        |
| 1623 | The Functional Independence Measure: A comparative validity and reliability study. <i>Disability and Rehabilitation</i> , 1995, 17, 10-14.  | 0.9 | 385       |
| 1624 | Comparison of M-mode and two-dimensional echocardiographic algorithms used to estimate left ventricular mass: The Coronary Artery Risk Development in Young Adults Study. <i>Journal of the American Society of Echocardiography</i> , 1995, 8, 780-792.  | 1.2 | 13        |
| 1625 | Evaluation of the extent and timing of the coronary hyperemic response to dipyridamole: A study with transesophageal echocardiography and positron emission tomography with oxygen 15 water. <i>Journal of the American Society of Echocardiography</i> , 1995, 8, 864-873.                             | 1.2 | 35        |
| 1626 | Clinical Assessment, Optic Disk Measurements, and Visual-Evoked Potential in Optic Nerve Hypoplasia. <i>American Journal of Ophthalmology</i> , 1995, 120, 605-612.   | 1.7 | 41        |
| 1627 | Directional low-pass filtering for improved accuracy and reproducibility of stenosis quantification in coronary arteriograms. <i>IEEE Transactions on Medical Imaging</i> , 1995, 14, 242-248.  | 5.4 | 32        |
| 1628 | The Origin of Nocturnal Intra-gastric pH Rises in Healthy Subjects. <i>Scandinavian Journal of Gastroenterology</i> , 1995, 30, 935-943.  | 0.6 | 23        |
| 1629 | Measuring dietary intake in remote Australian aboriginal communities. <i>Ecology of Food and Nutrition</i> , 1995, 34, 19-31.   | 0.8 | 25        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1630 | Reliability of low contrast letter charts in various viewing conditions. <i>Neuro-Ophthalmology</i> , 1995, 15, 143-147.   | 0.4 | 0         |
| 1631 | Trough-To-Peak Versus Surface Ratio in the Assessment of Antihypertensive Agents. <i>Blood Pressure</i> , 1995, 4, 350-357.  | 0.7 | 12        |
| 1632 | Validity of dual X-ray absorptiometry scanning for determination of body composition in IDDM patients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1995, 55, 691-699. | 0.6 | 12        |
| 1633 | The Cost Effectiveness of Amoxicillin/Clavulanic Acid as Antibacterial Prophylaxis in Abdominal and Gynaecological Surgery. <i>Pharmacoeconomics</i> , 1995, 7, 347-356.                         | 1.7 | 11        |
| 1634 | Assessment of an automatic determination of left ventricular dP/dt from Doppler spectra of mitral regurgitation. , 0, , .  |     | 1         |
| 1635 | Rehabits: A common language of functional assessment. <i>Archives of Physical Medicine and Rehabilitation</i> , 1995, 76, 113-122.   | 0.5 | 65        |
| 1636 | A video-based version of the pendulum test: Technique and normal response. <i>Archives of Physical Medicine and Rehabilitation</i> , 1995, 76, 166-176.  | 0.5 | 42        |
| 1637 | Magnetic resonance scanning in cystic fibrosis: Comparison with computed tomography. <i>Clinical Radiology</i> , 1995, 50, 84-89.  | 0.5 | 24        |
| 1638 | The use of ultrasound for monitoring breast tumour response to pro-adjuvant therapy. <i>Clinical Radiology</i> , 1995, 50, 681-686.  | 0.5 | 25        |
| 1639 | Early refractive development in humans. <i>Survey of Ophthalmology</i> , 1995, 40, 207-216.  | 1.7 | 104       |
| 1640 | Evaluation of methods for calculating census healthindicators for GP practices. <i>Public Health</i> , 1995, 109, 369-374.   | 1.4 | 10        |
| 1641 | Effect of airway pressure on inferior vena cava pressure as a measure of central venous pressure in children. <i>Journal of Pediatrics</i> , 1995, 126, 961-965.                                 | 0.9 | 24        |
| 1642 | Accuracy of aural infrared temperature device. <i>Journal of Pediatrics</i> , 1995, 126, 324.  | 0.9 | 4         |
| 1643 | Observer variation and reproducibility of endoscopic ultrasonography. <i>Gastrointestinal Endoscopy</i> , 1995, 41, 115-120.   | 0.5 | 69        |
| 1644 | Evaluation of mitral stenosis with velocity-encoded cine-magnetic resonance imaging. <i>American Journal of Cardiology</i> , 1995, 75, 365-369.  | 0.7 | 69        |
| 1646 | Comparing methods of measurement: why plotting difference against standard method is misleading. <i>Lancet, The</i> , 1995, 346, 1085-1087.  | 6.3 | 2,091     |
| 1647 | Malaria vaccine in children under 12 months of age. <i>Lancet, The</i> , 1995, 346, 1554-1556.   | 6.3 | 5         |
| 1648 | Insulin resistance: interactions between obesity and a common variant of insulin receptor substrate-1. <i>Lancet, The</i> , 1995, 346, 397-402.  | 6.3 | 219       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1649 | Congestive heart failure and sodium dichloroacetate. Journal of the American College of Cardiology, 1995, 25, 804.  | 1.2 | 2         |
| 1650 | Should we estimate liver span in the right mid-clavicular line or the midline?. Journal of Paediatrics and Child Health, 1995, 31, 241-244.   | 0.4 | 4         |
| 1651 | AN EVALUATION OF THREE METHODS USED TO ASSESS GESTATIONAL AGE OF ABORIGINAL NEONATES. Journal of Paediatrics and Child Health, 1995, 31, 261-261.   | 0.4 | 6         |
| 1652 | Inferior vena cava pressure as an estimate of central venous pressure. Journal of Paediatrics and Child Health, 1995, 31, 399-402.  | 0.4 | 18        |
| 1653 | Use of simple clinical parameters to assess severity of bronchiolitis. Journal of Paediatrics and Child Health, 1995, 31, 465-468.  | 0.4 | 12        |
| 1654 | Urinary 17 $\alpha$ -hydroxyprogesterone in management of 21 -hydroxylase deficiency. Journal of Paediatrics and Child Health, 1995, 31, 47-50.   | 0.4 | 4         |
| 1655 | Quality of life measurements in the evaluation of treatment: proposed guidelines.. British Journal of Clinical Pharmacology, 1995, 39, 217-222.   | 1.1 | 36        |
| 1656 | Continuous thermodilution cardiac output: Agreement with fick and bolus thermodilution methods. Journal of Cardiothoracic and Vascular Anesthesia, 1995, 9, 399-404.  | 0.6 | 34        |
| 1657 | Continuous versus intermittent cardiac output measurement in cardiac surgical patients undergoing hypothermic cardiopulmonary bypass. Journal of Cardiothoracic and Vascular Anesthesia, 1995, 9, 405-411.                                    | 0.6 | 60        |
| 1658 | Evaluation of the paratrend 7 intravascular blood gas monitor during cardiac surgery: Comparison with the C4000 in-line blood gas monitor during cardiopulmonary bypass. Journal of Cardiothoracic and Vascular Anesthesia, 1995, 9, 412-419. | 0.6 | 89        |
| 1659 | Respiratory muscle loading and the work of breathing. Journal of Cardiothoracic and Vascular Anesthesia, 1995, 9, 192-204.  | 0.6 | 13        |
| 1660 | A comparison of transesophageal and transthoracic echocardiographic assessment of left ventricular function in pediatric patients with congenital heart disease. Journal of Cardiothoracic and Vascular Anesthesia, 1995, 9, 665-669.         | 0.6 | 13        |
| 1661 | The relationship between systolic pressure and stroke volume describes myocardial contractility. Journal of Cardiothoracic and Vascular Anesthesia, 1995, 9, 676-683.   | 0.6 | 1         |
| 1662 | A review of impedance cardiography. Heart and Lung: Journal of Acute and Critical Care, 1995, 24, 183-193.  | 0.8 | 73        |
| 1663 | Evaluation of impedance cardiography: Comparison of NCCOM3-R7 with Fick and thermodilution methods. Heart and Lung: Journal of Acute and Critical Care, 1995, 24, 194-206.  | 0.8 | 27        |
| 1664 | Assessing agreement between clinical measurement methods. Heart and Lung: Journal of Acute and Critical Care, 1995, 24, 240-245.  | 0.8 | 22        |
| 1665 | Multiple frequency bioelectrical impedance for the prediction of total body potassium in cystic fibrosis. Clinical Nutrition, 1995, 14, 348-353.  | 2.3 | 12        |
| 1666 | Ability of new lung function tests to assess methacholine-induced airway obstruction in infants. Revue Francaise D'allergologie Et D'immunologie Clinique, 1995, 35, 387-395.   | 0.1 | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1667 | Automated echocardiographic quantification of left ventricular volumes and ejection fraction: Validation in the intensive care setting. <i>Journal of the American Society of Echocardiography</i> , 1995, 8, 29-36.   | 1.2 | 24        |
| 1668 | Nutritional status in peritoneal dialysis. , 1995, 5, 2-10.  |     | 11        |
| 1669 | Biplane transesophageal color Doppler echocardiography for assessment of mitral valve area with mitral inflow jet widths. <i>Journal of the American Society of Echocardiography</i> , 1995, 8, 121-131.   | 1.2 | 6         |
| 1670 | Nuclear Morphometry in Differential Diagnosis of Renal Oncocytoma and Renal Cell Carcinoma. <i>Journal of Urology</i> , 1995, 154, 1302-1306.  | 0.2 | 6         |
| 1671 | Magnetic resonance imaging with superparamagnetic iron oxide particles to evaluate hepatic macrophageâ€”Monocytic phagocytosis after arterial devascularization in Minipigs. <i>Academic Radiology</i> , 1995, 2, 565-575.                                   | 1.3 | 2         |
| 1672 | Variability in measurement of abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 1995, 21, 945-952.  | 0.6 | 265       |
| 1673 | Heat pain thresholds: normative data and repeatability. <i>Pain</i> , 1995, 60, 329-332.   | 2.0 | 276       |
| 1674 | Study of vascular access blood flow by angiodynography. <i>American Journal of Kidney Diseases</i> , 1995, 25, 22-25.  | 2.1 | 11        |
| 1675 | Transesophageal transgastric echocardiography in infants and children: The subcostal view equivalent. <i>Journal of the American Society of Echocardiography</i> , 1995, 8, 231-244.   | 1.2 | 33        |
| 1677 | Research in the cardiac intensive care unit. <i>Progress in Pediatric Cardiology</i> , 1995, 4, 177-184.   | 0.2 | 0         |
| 1678 | Determination of Prostatic Volume with Transrectal Ultrasound: A Study of Intra-Observer and Interobserver Variation. <i>Journal of Urology</i> , 1996, 155, 1299-1300.  | 0.2 | 44        |
| 1679 | Beat-to-beat variability of left ventricular indexes measured by acoustic quantification: Influence of heart rate and respirationâ€”Correlation with M-mode echocardiography. <i>Journal of the American Society of Echocardiography</i> , 1996, 9, 221-230. | 1.2 | 10        |
| 1680 | Feasibility of a two-dimensional echocardiographic method for the clinical assessment of right ventricular volume and function in children. <i>Journal of the American Society of Echocardiography</i> , 1996, 9, 637-645.                                   | 1.2 | 25        |
| 1681 | Tomographic left ventricular volume determination in the presence of aneurysm by three-dimensional echocardiographic imaging. I: Asymmetric model hearts. <i>Journal of the American Society of Echocardiography</i> , 1996, 9, 488-500.                     | 1.2 | 37        |
| 1682 | Quantification of mitral flow by doppler color flow mapping. <i>Journal of the American Society of Echocardiography</i> , 1996, 9, 700-709.  | 1.2 | 7         |
| 1683 | Digital compression of echocardiograms: Impact on quantitative interpretation of color doppler velocity. <i>Journal of the American Society of Echocardiography</i> , 1996, 9, 606-615.  | 1.2 | 27        |
| 1684 | On-line echocardiographic assessment of hemodynamic indexes by an adaptive Doppler analysis algorithm and signal/noise ratio calculation. <i>Journal of the American Society of Echocardiography</i> , 1996, 9, 9-17.  | 1.2 | 3         |
| 1685 | A study of the human aortic valve orifice by transesophageal echocardiography. <i>Journal of the American Society of Echocardiography</i> , 1996, 9, 668-674.  | 1.2 | 17        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1686 | Variation in measurement of ankle-brachial pressure index in routine clinical practice. <i>Journal of Vascular Surgery</i> , 1996, 24, 871-875.   | 0.6 | 43        |
| 1687 | Assessment of diastolic left ventricular filling by echocardiographic automated border detection and comparison with radionuclide ventriculography. <i>Journal of the American Society of Echocardiography</i> , 1996, 9, 135-146.  | 1.2 | 20        |
| 1688 | Interobserver and intraobserver variation for analysis of left ventricular wall motion at baseline and during low- and high-dose dobutamine stress echocardiography in patients with high prevalence of wall motion abnormalities at rest. <i>Journal of the American Society of Echocardiography</i> , 1996, 9, 320-328. | 1.2 | 19        |
| 1689 | Contrast echocardiographic quantification of regional myocardial perfusion: Validation with an isolated rabbit heart model. <i>Journal of the American Society of Echocardiography</i> , 1996, 9, 156-165.  | 1.2 | 21        |
| 1690 | Allometry of Anaerobic Performance: A Gender Comparison. <i>Applied Physiology, Nutrition, and Metabolism</i> , 1996, 21, 48-62.  | 1.7 | 22        |
| 1691 | Evaluation of aortic regurgitation with digitally determined color doppler-imaged flow convergence acceleration: A quantitative study in sheep. <i>Journal of the American College of Cardiology</i> , 1996, 27, 203-210.   | 1.2 | 16        |
| 1692 | Left ventricular function in patients with coronary artery disease assessed by gated tomographic myocardial perfusion images. <i>Journal of the American College of Cardiology</i> , 1996, 27, 173-181.   | 1.2 | 141       |
| 1693 | Diurnal pattern of QTc interval: How long is prolonged?. <i>Journal of the American College of Cardiology</i> , 1996, 27, 76-83.  | 1.2 | 277       |
| 1694 | New method for accurate calculation of regurgitant flow rate based on analysis of doppler color flow maps of the proximal flow field validation in a canine model of mitral regurgitation with initial application in patients. <i>Journal of the American College of Cardiology</i> , 1996, 27, 161-172.                 | 1.2 | 49        |
| 1695 | A new doppler method for quantification of volumetric flow: In vivo validation using color doppler. <i>Journal of the American College of Cardiology</i> , 1996, 27, 182-192.   | 1.2 | 53        |
| 1696 | Determination of aortic valve area in valvular aortic stenosis by direct measurement using intracardiac echocardiography: A comparison with the gorlin and continuity equations. <i>Journal of the American College of Cardiology</i> , 1996, 27, 392-398.  | 1.2 | 29        |
| 1697 | Doppler echocardiography reliably predicts pulmonary artery wedge pressure in patients with chronic heart failure with and without mitral regurgitation. <i>Journal of the American College of Cardiology</i> , 1996, 27, 883-893.  | 1.2 | 138       |
| 1698 | Second harmonic imaging of an intravenously administered echocardiographic contrast agent. <i>Journal of the American College of Cardiology</i> , 1996, 27, 1519-1525.  | 1.2 | 139       |
| 1699 | Three-dimensional reconstruction of color doppler flow convergence regions and regurgitant jets: An in vitro quantitative study. <i>Journal of the American College of Cardiology</i> , 1996, 27, 1511-1518.  | 1.2 | 68        |
| 1700 | Late ventricular geometry and performance changes of functional single ventricle throughout staged fontan reconstruction assessed by magnetic resonance imaging. <i>Journal of the American College of Cardiology</i> , 1996, 28, 212-221.  | 1.2 | 135       |
| 1701 | Left ventricular systolic and diastolic function assessed with two-dimensional and Doppler echocardiography in "white coat" hypertension. <i>Journal of the American College of Cardiology</i> , 1996, 28, 190-196.   | 1.2 | 26        |
| 1702 | Improved doppler detection of proximal left anterior descending coronary artery stenosis after intravenous injection of a lung-crossing contrast agent: A transesophageal doppler echocardiographic study. <i>Journal of the American College of Cardiology</i> , 1996, 27, 1413-1421.                                    | 1.2 | 54        |
| 1703 | Vascular Mechanisms of Blood Pressure Rhythms. <i>Annals of the New York Academy of Sciences</i> , 1996, 783, 84-94.  | 1.8 | 4         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1704 | Editorial. Journal of Sports Sciences, 1996, 14, 199-199.   | 1.0 | 25        |
| 1705 | Development of the Preterm Infant Breastfeeding Behavior Scale (PIBBS): A Study of Nurse-Mother Agreement. Journal of Human Lactation, 1996, 12, 207-219.   | 0.8 | 98        |
| 1706 | Tidal breathing analysis as a measure of airway obstruction in children three years of age and older.. American Journal of Respiratory and Critical Care Medicine, 1996, 153, 1253-1258.  | 2.5 | 74        |
| 1707 | Assessment of mitral annular dynamics during diastole by Doppler tissue imaging: Comparison with mitral Doppler inflow in subjects without heart disease and in patients with left ventricular hypertrophy. American Heart Journal, 1996, 131, 982-987. | 1.2 | 275       |
| 1708 | Morphometric analysis in three-dimensional intracoronary ultrasound: An in vitro and in vivo study performed with a novel system for the contour detection of lumen and plaque. American Heart Journal, 1996, 132, 516-527.                             | 1.2 | 137       |
| 1709 | Detection of coronary calcification with electron-beam computed tomography: Evaluation of interexamination reproducibility and comparison of three image-acquisition protocols. American Heart Journal, 1996, 132, 550-558.                             | 1.2 | 139       |
| 1710 | Determination of mitral valve area in patients with mitral stenosis by the flow-convergence "region method during changing hemodynamic conditions. American Heart Journal, 1996, 132, 633-641.  | 1.2 | 9         |
| 1711 | Intracardiac echocardiography: In vitro and in vivo validation for right ventricular volume and function. American Heart Journal, 1996, 131, 320-328.   | 1.2 | 21        |
| 1712 | Quantitative assessment of stenotic aortic valve area by using intracardiac echocardiography: In vitro validation and initial in vivo illustration. American Heart Journal, 1996, 132, 137-144.   | 1.2 | 12        |
| 1713 | Volume-rendered, three-dimensional echocardiographic determination of the size, shape, and position of atrial septal defects: Validation in an in vitro model. American Heart Journal, 1996, 132, 376-381.  | 1.2 | 36        |
| 1714 | Correspondence of aortic valve area determination from transesophageal echocardiography, transthoracic echocardiography, and cardiac catheterization. American Heart Journal, 1996, 132, 1163-1172.   | 1.2 | 35        |
| 1715 | Left ventricular pressure-volume relations with transesophageal echocardiographic automated border detection: Comparison with conductance-catheter technique. American Heart Journal, 1996, 131, 544-552.   | 1.2 | 34        |
| 1716 | Quantitative three-dimensional reconstruction of left ventricular volume with complete borders detected by acoustic quantification underestimates volume. American Heart Journal, 1996, 131, 553-559.   | 1.2 | 23        |
| 1717 | Repeatability of laser Doppler measurements of cutaneous blood flow in clinical pharmacology studies. Fundamental and Clinical Pharmacology, 1996, 10, 319-320.   | 1.0 | 1         |
| 1718 | IS PLATELET PHOSPHOLIPID-DEPENDENT THROMBIN GENERATION ALTERED BY ACUTE MYOCARDIAL INFARCTION OR ASPIRIN?. Thrombosis Research, 1996, 83, 329-338.  | 0.8 | 14        |
| 1719 | Multiple session experimental pain measurement. Pain, 1996, 67, 327-333.  | 2.0 | 103       |
| 1720 | Quantitative microbiology in the management of burn patients. I. Correlation between quantitative and qualitative burn wound biopsy culture and surface alginate swab culture. Burns, 1996, 22, 173-176.  | 1.1 | 60        |
| 1723 | A computer-assisted telephone interview technique for assessment of asthma morbidity and drug use in adult asthma. Journal of Clinical Epidemiology, 1996, 49, 653-656.   | 2.4 | 40        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1724 | Developing a condition-specific measure of health for patients with dyspepsia and ulcer-related symptoms. <i>Journal of Clinical Epidemiology</i> , 1996, 49, 565-571.   | 2.4 | 33        |
| 1725 | Assessing reproducibility of enzyme-linked immunosorbent assay serologic tests. <i>Journal of Clinical Epidemiology</i> , 1996, 49, 1075.  | 2.4 | 0         |
| 1726 | Standardization of blood pressure measurement in an international comparative study. <i>Journal of Clinical Epidemiology</i> , 1996, 49, 869-877.  | 2.4 | 105       |
| 1727 | Use of surrogate respondents in studies of stroke and dementia. <i>Journal of Clinical Epidemiology</i> , 1996, 49, 1187-1194.   | 2.4 | 11        |
| 1728 | Comparison of self-reported and medical record health care utilization measures. <i>Journal of Clinical Epidemiology</i> , 1996, 49, 989-995.  | 2.4 | 310       |
| 1729 | Blood Pressure Evaluation by Noninvasive and Traditional Methods Consistencies and Discrepancies Among Photoplethysmomanometry, Office Sphygmomanometry, and Ambulatory Monitoring. Effects of Blood Pressure Measurement. <i>American Journal of Hypertension</i> , 1996, 9, 293-299. | 1.0 | 13        |
| 1730 | Home Self Blood Pressure Measurement in General Practice The SMART Study. <i>American Journal of Hypertension</i> , 1996, 9, 644-652.  | 1.0 | 101       |
| 1731 | Age-related and vasomotor stimuli-induced changes in renal vascular resistance detected by Doppler ultrasound. <i>American Journal of Hypertension</i> , 1996, 9, 461-466.   | 1.0 | 71        |
| 1732 | Hemodynamics in White Coat Hypertension Compared to Ambulatory Hypertension and Normotension*. <i>American Journal of Hypertension</i> , 1996, 9, 1090-1098.   | 1.0 | 17        |
| 1733 | Re: Cardiac output measurement: Lack of agreement between two methods of clinical measurement. <i>Journal of Clinical Anesthesia</i> , 1996, 8, 338-339.   | 0.7 | 0         |
| 1734 | Comparison of esophageal, tympanic, and forehead skin temperatures in adult patients. <i>Journal of Clinical Anesthesia</i> , 1996, 8, 462-468.  | 0.7 | 40        |
| 1735 | Immunoassays (ELISA) of urokinase-type plasminogen activator (uPA): Report of an EORTC/BIOMED-1 Workshop. <i>European Journal of Cancer</i> , 1996, 32, 1371-1381.   | 1.3 | 71        |
| 1736 | Estimating maximal EMG amplitude for the trapezius muscle: On the optimization of experimental procedure and electrode placement for improved reliability and increased signal amplitude. <i>Journal of Electromyography and Kinesiology</i> , 1996, 6, 51-58.                         | 0.7 | 29        |
| 1737 | Doppler echocardiographic assessment of prosthetic aortic valve area: Estimation with the continuity equation compared to the Gorlin formula. <i>International Journal of Cardiology</i> , 1996, 55, 177-181.  | 0.8 | 3         |
| 1738 | Valuing health states: A comparison of methods. <i>Journal of Health Economics</i> , 1996, 15, 209-231.  | 1.3 | 265       |
| 1739 | Maximum voluntary weight-bearing by the affected and unaffected legs in standing following stroke. <i>Clinical Biomechanics</i> , 1996, 11, 333-342.   | 0.5 | 100       |
| 1740 | Clinical comparison of the Keeler Pulsair 2000, American Optical MkII and Goldmann applanation tonometers. <i>Ophthalmic and Physiological Optics</i> , 1996, 16, 171-177.   | 1.0 | 23        |
| 1741 | Spatial frequency dependent observer bias in the measurement of contrast sensitivity. <i>Ophthalmic and Physiological Optics</i> , 1996, 16, 513-519.  | 1.0 | 9         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1742 | A new computer assisted objective method for quantifying vascular changes of the bulbar conjunctivae. <i>Ophthalmic and Physiological Optics</i> , 1996, 16, 430-437.  | 1.0 | 20        |
| 1743 | Calcitonin promotes osteoclast survival in vitro. <i>Molecular and Cellular Endocrinology</i> , 1996, 122, 119-129.  | 1.6 | 62        |
| 1744 | Serum neuron specific enolase (S-NSE) reference interval evaluation by time-resolved immunofluorometry compared with a radioimmunoassay. <i>Clinica Chimica Acta</i> , 1996, 249, 77-91.   | 0.5 | 8         |
| 1745 | Validation of right and left ventricular conductance and echocardiography for cardiac function studies. <i>Annals of Thoracic Surgery</i> , 1996, 62, 1104-1109.   | 0.7 | 23        |
| 1746 | Body Composition and Tissue Distributions in Growth Hormone Deficient Adults Before and After Growth Hormone Treatment. <i>Obesity</i> , 1996, 4, 45-54.   | 4.0 | 65        |
| 1747 | Evaluation of pulse oximetry in anaesthetised foals using multiple combinations of transducer type and transducer attachment site. <i>Equine Veterinary Journal</i> , 1996, 28, 437-445.   | 0.9 | 31        |
| 1748 | The reliability of measuring quadriceps cross-sectional area with compound B ultrasound scanning. <i>Physiotherapy Research International</i> , 1996, 1, 112-126.  | 0.7 | 17        |
| 1749 | Prospective controlled study of endoscopic ultrasonography and endoscopic retrograde cholangiography in patients with suspected common-bileduct lithiasis. <i>Lancet, The</i> , 1996, 347, 75-79.  | 6.3 | 293       |
| 1750 | Psychometric scores and persistence of irritable bowel after infectious diarrhoea. <i>Lancet, The</i> , 1996, 347, 150-153.  | 6.3 | 466       |
| 1751 | Comparison of intrathoracic and intra-abdominal measurements of central venous pressure. <i>Lancet, The</i> , 1996, 347, 1155-1157.  | 6.3 | 61        |
| 1752 | Use of electronic callipers for radiological and clinical measurements. <i>Lancet, The</i> , 1996, 347, 828-829.   | 6.3 | 12        |
| 1753 | Accurate measurement of impaired glomerular filtration using single-dose oral cimetidine. <i>American Journal of Kidney Diseases</i> , 1996, 27, 504-511.  | 2.1 | 42        |
| 1754 | Effects of dobutamine on doppler echocardiographic indexes of aortic stenosis. <i>Journal of the American College of Cardiology</i> , 1996, 28, 1206-1213.   | 1.2 | 83        |
| 1755 | Effects of Beta-Blockade and Atropine on Ischemic Responses in Left Ventricular Regions Subtending Coronary Stenosis During Dobutamine Stress Echocardiography. <i>Journal of the American College of Cardiology</i> , 1996, 28, 1866-1876.                  | 1.2 | 21        |
| 1756 | Right Ventricular Diastolic Function in Children With Pulmonary Regurgitation After Repair of Tetralogy of Fallot: Volumetric Evaluation by Magnetic Resonance Velocity Mapping. <i>Journal of the American College of Cardiology</i> , 1996, 28, 1827-1835. | 1.2 | 231       |
| 1757 | THE OLD MANUAL TILT TUBE THROMBOTEST: STILL USEFUL IN THE MANAGEMENT OF ORAL ANTICOAGULANTS?. <i>Thrombosis Research</i> , 1996, 84, 379-384.  | 0.8 | 0         |
| 1758 | Reliability of electromyographic power spectral analysis of back muscle endurance in healthy subjects. <i>Archives of Physical Medicine and Rehabilitation</i> , 1996, 77, 259-264.  | 0.5 | 127       |
| 1759 | Reliability of isokinetic measurements of ankle dorsal and plantar flexors in normal subjects and in patients with peripheral neuropathy. <i>Archives of Physical Medicine and Rehabilitation</i> , 1996, 77, 265-268.                                       | 0.5 | 51        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1760 | Evaluation of iohexol as a marker for the clinical measurement of glomerular filtration rate in dogs. <i>Research in Veterinary Science</i> , 1996, 60, 117-121.   | 0.9 | 43        |
| 1761 | A method for estimating respiratory muscle efficiency using an automated metabolic cart. <i>Respiration Physiology</i> , 1996, 106, 171-177.   | 2.8 | 2         |
| 1762 | Axial radiography or CT in the measurement of patellofemoral malalignment indices in children and adolescents?. <i>Clinical Radiology</i> , 1996, 51, 639-643.   | 0.5 | 17        |
| 1763 | A guide to clinical epidemiology for radiologists: Part II statistical analysis. <i>Clinical Radiology</i> , 1996, 51, 317-324.  | 0.5 | 16        |
| 1764 | A study of carotid artery echography in hypertension. <i>Current Therapeutic Research</i> , 1996, 57, 782-796.   | 0.5 | 2         |
| 1765 | A new, hand-held keratometer: comparison of the Nidek KM-500 auto keratometer with the B&L keratometer and the topcon RK-3000A keratometer. <i>Journal of the British Contact Lens Association</i> , 1996, 19, 45-48.  | 0.2 | 6         |
| 1766 | Tympanometric preconditioning of the tympanic membrane. <i>Hearing Research</i> , 1996, 102, 28-34.  | 0.9 | 27        |
| 1767 | 4 Fetal monitoring with lactate. <i>Bailliere's Clinical Obstetrics and Gynaecology</i> , 1996, 10, 225-242.   | 0.6 | 18        |
| 1769 | Assessment of accuracy and applicability of a portable electronic diary card spirometer for asthma treatment. <i>Respiratory Medicine</i> , 1996, 90, 619-622.   | 1.3 | 15        |
| 1770 | Inhaled nedocromil sodium in symptomatic young children born prematurely. <i>Respiratory Medicine</i> , 1996, 90, 467-471.   | 1.3 | 2         |
| 1771 | The effect of a time delay on the measurement of capillary blood gases. <i>Respiratory Medicine</i> , 1996, 90, 107-109.   | 1.3 | 5         |
| 1772 | An investigation of the changes in aortic diameter and an evaluation of their effect on Doppler measurement of cardiac output in pregnancy. <i>International Journal of Obstetric Anesthesia</i> , 1996, 5, 73-78.   | 0.2 | 2         |
| 1773 | A comparison of non-invasive methods of blood pressure measurement in normotensive and hypertensive pregnant women. <i>International Journal of Obstetric Anesthesia</i> , 1996, 5, 168-171.   | 0.2 | 7         |
| 1774 | A portable quantitative capnometer in test. <i>American Journal of Emergency Medicine</i> , 1996, 14, 586-587.   | 0.7 | 9         |
| 1775 | A new method of measuring heparin levels in whole blood by protamine titration using a heparin-responsive electrochemical sensor. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1996, 10, 447-450.  | 0.6 | 27        |
| 1776 | The agreement between ventricular volumes and ejection fraction by transesophageal echocardiography or a combined radionuclear and thermodilution technique in patients after coronary artery surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1996, 10, 323-328. | 0.6 | 27        |
| 1777 | Continuous cardiac output measurement by thermodeprivation is unsatisfactory in cardiac surgical patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1996, 10, 442-444.   | 0.6 | 2         |
| 1778 | The reliability and criterion-related validity of the infrared tympanic thermometer. <i>Journal of Perianesthesia Nursing</i> , 1996, 11, 300-302.   | 0.3 | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1779 | Repeatability and Reproducibility of Optic Disc Measurement with the Zeiss 4-mirror Contact Lens. <i>Ophthalmology</i> , 1996, 103, 163-167.  | 2.5 | 7         |
| 1780 | BLOOD GAS MONITORING. <i>Critical Care Clinics</i> , 1996, 12, 865-874.   | 1.0 | 13        |
| 1781 | Reproducibility and stability of normalized EMG measurements on musculus trapezius. <i>Ergonomics</i> , 1996, 39, 171-185.  | 1.1 | 72        |
| 1782 | Prediction of body composition in elderly men over 75 years of age. <i>Annals of Human Biology</i> , 1996, 23, 127-147.   | 0.4 | 30        |
| 1783 | Variability between methods of calculating mitral valve area: Simultaneous Doppler echocardiographic and cardiac catheterization studies conducted before and after percutaneous mitral valvuloplasty. <i>Journal of the American Society of Echocardiography</i> , 1996, 9, 684-690. | 1.2 | 24        |
| 1784 | Short- and long-term variability of echocardiographic stress-velocity indexes of cardiac function in a pediatric population. <i>Journal of the American Society of Echocardiography</i> , 1996, 9, 251-256.   | 1.2 | 1         |
| 1785 | Use of a video time display in determining general gait measures. <i>Australian Journal of Physiotherapy</i> , 1996, 42, 213-217.   | 0.9 | 11        |
| 1786 | Indices of airway inflammation in induced sputum: reproducibility and validity of cell and fluid-phase measurements.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1996, 154, 308-317.   | 2.5 | 900       |
| 1787 | Measurement of cashmere yield and mean fibre diameter using the optical fibre diameter analyser. <i>Australian Journal of Experimental Agriculture</i> , 1996, 36, 429.   | 1.0 | 22        |
| 1788 | Comparison of manual and automatic CPAP titration in patients with sleep apnea/hypopnea syndrome.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1996, 154, 1755-1758.  | 2.5 | 103       |
| 1789 | Non-invasive measurement of left ventricular volumes and function by gated positron emission tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1996, 23, 1594-1602.   | 2.2 | 29        |
| 1790 | Left ventricular ejection fraction from gated SPET myocardial perfusion studies: a method based on the radial distribution of count rate density across the myocardial wall. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1996, 23, 1628-1633.                 | 2.2 | 64        |
| 1791 | Reproducibility of technetium-99m mercaptoacetyltriglycine clearance. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1996, 23, 195-198.  | 2.2 | 21        |
| 1792 | Systemic filling pressure in the intact circulation determined with a slow inflation procedure. <i>Pflugers Archiv European Journal of Physiology</i> , 1996, 431, 863-867.   | 1.3 | 1         |
| 1793 | Systemic filling pressure in the intact circulation determined with a slow inflation procedure. <i>Pflugers Archiv European Journal of Physiology</i> , 1996, 431, 863-867.   | 1.3 | 3         |
| 1794 | A method for non-invasively computing left atrial pressure. , 0, , .  |     | 0         |
| 1795 | Assessment of inter-observer and intra-observer variability in the measurement of QT dispersion. , 0, , .   |     | 5         |
| 1796 | Tests of spinal mobility and muscle strength in the young: Reliability and normative values. <i>Physiotherapy Theory and Practice</i> , 1996, 12, 151-160.  | 0.6 | 6         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1797 | An inter-rater reliability study of the Functional Assessment Measure (FIM + FAM). Disability and Rehabilitation, 1996, 18, 341-347.   | 0.9 | 63        |
| 1798 | Sequence versus phenylephrine assessment of the baroreflex gain in post-myocardial infarction patients. , 0, , .   |     | 0         |
| 1799 | Multi-frequency bioelectrical impedance: a comparison between the Cole-Cole modelling and Hanai equations with the classical impedance index approach. Annals of Human Biology, 1996, 23, 31-40.                     | 0.4 | 22        |
| 1800 | Methods for Measuring Maximal Isometric Grip Strength during Short and Sustained Contractions, Including Intra-rater Reliability. Upsala Journal of Medical Sciences, 1996, 101, 273-285.                            | 0.4 | 24        |
| 1801 | Comparison of Cerebral Blood Flow Measured by Laser- Doppler Flowmetry and Hydrogen Clearance in Cats after Cerebral Insult and Hypervolemic Hemodilution. Neurosurgery, 1996, 38, 355-361.                          | 0.6 | 32        |
| 1802 | Association between Oxygen Delivery and Consumption in Patients Undergoing Cardiac Surgery. is There Supply Dependence?. Anaesthesia and Intensive Care, 1996, 24, 651-657.  | 0.2 | 15        |
| 1803 | FUNCTIONAL OUTCOME MEASURES AFTER DISPLACED INTRA-ARTICULAR CALCANEAL FRACTURES. Journal of Bone and Joint Surgery: British Volume, 1996, 78-B, 119-123.   | 3.4 | 92        |
| 1804 | Caudate Nucleus Morphology in Tardive Dyskinesia. British Journal of Psychiatry, 1996, 169, 631-636.   | 1.7 | 16        |
| 1805 | Validation and clinical application of a continuous P0.1 measurement using standard respiratory equipment. Technology and Health Care, 1996, 4, 415-424.   | 0.5 | 7         |
| 1806 | A.63 Comparison of transcutaneous and arterial PCO2 during controlled ventilation in adult surgical patients. British Journal of Anaesthesia, 1996, 76, 20.  | 1.5 | 4         |
| 1807 | Iohexol clearance for GFR-determination in renal failure—single or multiple plasma sampling?. Nephrology Dialysis Transplantation, 1996, 11, 521-525.  | 0.4 | 17        |
| 1808 | Components of total energy expenditure in free-living elderly men (over 75 years of age) : measurement, predictability and relationship to quality-of-life indices. British Journal of Nutrition, 1996, 75, 161-173. | 1.2 | 15        |
| 1809 | Assay of plasma homocysteine: light sensitivity of the fluorescent 7-benzo-2-oxa-1, 3-diazole-4-sulfonic acid derivative, and use of appropriate calibrators. Clinical Chemistry, 1996, 42, 2028-2032.               | 1.5 | 61        |
| 1810 | Ciba Corning ACS:180 testosterone assay evaluated. Clinical Chemistry, 1996, 42, 1445-1449.  | 1.5 | 55        |
| 1811 | Estimation of Total Creatinine Clearance is Unreliable in Children on Peritoneal Dialysis. Peritoneal Dialysis International, 1996, 16, 73-77.   | 1.1 | 5         |
| 1812 | Fractional Urea Clearance Estimates Using Two Anthropometric Formulas in Continuous Peritoneal Dialysis: Sex, Height, and Body Composition Differences. Peritoneal Dialysis International, 1996, 16, 135-141.        | 1.1 | 5         |
| 1813 | Peritoneal Dialysis Kinetic Modeling: Validation in a Multicenter Clinical Study. Peritoneal Dialysis International, 1996, 16, 471-481.  | 1.1 | 73        |
| 1814 | Body Composition of Children on Capd. Peritoneal Dialysis International, 1996, 16, 561-566.  | 1.1 | 10        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1815 | Predicting Creatinine Clearance for Rational Dosage Adjustments in the Elderly.. Japanese Journal of Clinical Pharmacology and Therapeutics, 1996, 27, 731-739.   | 0.1 | 1         |
| 1816 | Respiratory resistance by end-inspiratory occlusion and forced oscillations in intubated patients. Journal of Applied Physiology, 1996, 80, 1105-1111.  | 1.2 | 28        |
| 1817 | Influence of changes in peritoneal fluid on body-composition measurements by dual-energy X-ray absorptiometry in patients receiving continuous ambulatory peritoneal dialysis. American Journal of Clinical Nutrition, 1996, 64, 237-241. | 2.2 | 23        |
| 1818 | On-line urea kinetics in haemodiafiltration. Nephrology Dialysis Transplantation, 1996, 11, 1084-1092.  | 0.4 | 6         |
| 1819 | Impact of hemodialysis on dual X-ray absorptiometry, bioelectrical impedance measurements, and anthropometry. American Journal of Clinical Nutrition, 1996, 63, 80-86.  | 2.2 | 91        |
| 1820 | Carotid Arterial Blood Flow in the Ovine Fetus as a Continuous Measure of Cerebral Blood Flow. Journal of the Society for Gynecologic Investigation, 1996, 3, 60-65.  | 1.9 | 19        |
| 1821 | Segmental body composition assessed by bioelectrical impedance analysis and DEXA in humans. Journal of Applied Physiology, 1996, 81, 2580-2587.   | 1.2 | 120       |
| 1822 | Agreement in alcohol consumption levels as measured by two different questionnaires.. Journal of Studies on Alcohol and Drugs, 1996, 57, 406-409.   | 2.4 | 6         |
| 1823 | Muscular blood flow response to submaximal leg exercise in normal subjects and in patients with heart failure. Journal of Applied Physiology, 1996, 81, 2571-2579.  | 1.2 | 36        |
| 1824 | Are basal metabolic rate prediction equations appropriate for female children and adolescents?. Journal of Applied Physiology, 1996, 81, 2407-2414.   | 1.2 | 41        |
| 1825 | Evaluation of Non-Linear and Linear Mathematical Models for Creatinine and Glucose Fitting in Peritoneal Dialysis. International Journal of Artificial Organs, 1996, 19, 221-231.   | 0.7 | 0         |
| 1826 | The set point of calciumâ€”another view. Nephrology Dialysis Transplantation, 1996, 11, 1722-1725.  | 0.4 | 3         |
| 1827 | Resting metabolic rate and body composition in stunted and nonstunted children. American Journal of Clinical Nutrition, 1996, 64, 137-141.  | 2.2 | 28        |
| 1828 | Left ventricular volume calculations using a multiplanar transoesophageal echoprobe; in vitro validation and comparison with biplane angiography. European Heart Journal, 1996, 17, 1279-1288.  | 1.0 | 25        |
| 1829 | Comparison of five body-composition methods in peritoneal dialysis patients. American Journal of Clinical Nutrition, 1996, 64, 125-130.   | 2.2 | 56        |
| 1830 | QUESTIONNAIRE ON THE PERCEPTIONS OF PATIENTS ABOUT SHOULDER SURGERY. Journal of Bone and Joint Surgery: British Volume, 1996, 78-B, 593-600.  | 3.4 | 545       |
| 1831 | Estimating exercise stroke volume from asymptotic oxygen pulse in humans. Journal of Applied Physiology, 1996, 81, 2674-2679.   | 1.2 | 116       |
| 1832 | Reducing the Use of Laboratory Animals in Toxicological Research and Testing by Better Experimental Design. Journal of the Royal Statistical Society Series B: Methodological, 1996, 58, 127-140.   | 0.8 | 1         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1833 | Evaluation of dual-energy X-ray absorptiometry for body-composition assessment in piglets and term human neonates. <i>American Journal of Clinical Nutrition</i> , 1996, 63, 157-163.   | 2.2 | 116       |
| 1834 | A Multi-Observer Study Examining the Radiographic Visibility of Fishbone Foreign Bodies. <i>Journal of the Royal Society of Medicine</i> , 1996, 89, 31-34.   | 1.1 | 37        |
| 1835 | Twenty-four-hour intravenous and oral tracer studies with L-[1-13C]phenylalanine and L-[3,3-2H2]tyrosine at a tyrosine-free, generous phenylalanine intake in adults. <i>American Journal of Clinical Nutrition</i> , 1996, 63, 532-545.    | 2.2 | 32        |
| 1836 | Airflow limitation in chronic bronchitis is associated with T-lymphocyte and macrophage infiltration of the bronchial mucosa.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1996, 153, 629-632.                      | 2.5 | 150       |
| 1837 | A detailed study of the effect of videoframe rates of 25, 30 and 60 Hertz on human sperm movement characteristics. <i>Human Reproduction</i> , 1996, 11, 304-310.   | 0.4 | 26        |
| 1838 | Creatinine determination in peritoneal dialysis: what method should be used?. <i>Nephrology Dialysis Transplantation</i> , 1996, 11, 2282-2287.   | 0.4 | 13        |
| 1841 | A Rapid Anion Exchange High-Performance Liquid Chromatography Method for the Measurement of HbA2 in Whole Blood. <i>Annals of Clinical Biochemistry</i> , 1996, 33, 253-256.  | 0.8 | 3         |
| 1842 | A prospective study on the predictive value of normal sperm morphology as evaluated by computer (IVOS**Hamilton Thome Research Version 2.1 Dimension Program, Beverly, Massachusetts.). <i>Fertility and Sterility</i> , 1996, 66, 285-291. | 0.5 | 37        |
| 1844 | Pulsed Wave Doppler Measurement of Cardiac Output from the Right Ventricular Outflow Tract. <i>Anesthesia and Analgesia</i> , 1996, 83, 466-471.  | 1.1 | 16        |
| 1845 | Reproducibility of Cardiopulmonary Exercise Parameters in Patients With Valvular Heart Disease. <i>Chest</i> , 1996, 110, 685-692.  | 0.4 | 25        |
| 1847 | The Accuracy of a Handheld Portable Spirometer. <i>Chest</i> , 1996, 109, 152-157.  | 0.4 | 46        |
| 1848 | Continuous Fiberoptic Arterial and Venous Blood Gas Monitoring in Hemorrhagic Shock. <i>Chest</i> , 1996, 109, 1049-1055.   | 0.4 | 48        |
| 1850 | Measurement of Human Igf-II Using Sephacryl Extraction: A Rapid and Reliable Assay Method. <i>Annals of Clinical Biochemistry</i> , 1996, 33, 201-208.  | 0.8 | 4         |
| 1853 | Beyond the Myths of Difference Plots. <i>Annals of Clinical Biochemistry</i> , 1996, 33, 575-577.   | 0.8 | 16        |
| 1854 | Transvaginal three-dimensional ultrasound: accuracy of follicular volume measurements. <i>Fertility and Sterility</i> , 1996, 65, 371-376.  | 0.5 | 122       |
| 1855 | Oscillometric Blood Pressure Measurements by Different Devices Are Not Interchangeable. <i>Anesthesia and Analgesia</i> , 1996, 82, 377-381.  | 1.1 | 26        |
| 1856 | Increase in epithelial mast cell numbers in the nasal mucosa of patients with perennial allergic rhinitis. <i>Journal of Laryngology and Otology</i> , 1996, 110, 929-933.  | 0.4 | 28        |
| 1857 | Repaired aortic coarctation in adultsâ€™ magnetic resonance imaging with velocity mapping shows distortions of anatomy and flow. <i>Cardiology in the Young</i> , 1996, 6, 20-27.   | 0.4 | 5         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1858 | Validation Study of a New Transit Time Ultrasonic Flow Probe for Continuous Great Vessel Measurements. <i>ASAIO Journal</i> , 1996, 42, M671-676.   | 0.9 | 69        |
| 1859 | Regional variations of ultrasonic integrated backscatter in normal and myopathic left ventricles. A new multi-view approach. <i>European Heart Journal</i> , 1996, 17, 1747-1755.   | 1.0 | 29        |
| 1860 | Jugular Venous Bulb Oxyhemoglobin Saturation During Cardiac Surgery. <i>Anesthesia and Analgesia</i> , 1996, 82, 964-968.   | 1.1 | 5         |
| 1861 | Noninvasive Estimate of Work of Breathing Due to the Endotracheal Tube. <i>Anesthesiology</i> , 1996, 85, 1324-1333..   | 1.3 | 40        |
| 1862 | The Relationship Between Cerebral Blood Flow and Transcranial Doppler Blood Flow Velocity During Hypothermic Cardiopulmonary Bypass in Adults. <i>Anesthesia and Analgesia</i> , 1996, 82, 1146-1151.   | 1.1 | 0         |
| 1863 | Validation in Volunteers of a Near-Infrared Spectroscopy for Monitoring Brain Oxygenation In Vivo. <i>Anesthesia and Analgesia</i> , 1996, 82, 269-277.   | 1.1 | 99        |
| 1864 | Comparison between Radionuclide Ejection Fraction and Fractional Area Changes Derived from Transesophageal Echocardiography Using Automated Border Detection. <i>Anesthesiology</i> , 1996, 85, 468-474..   | 1.3 | 37        |
| 1866 | A Comparison of Methods for Measuring Trunk List. <i>Spine</i> , 1996, 21, 1667-1670.   | 1.0 | 40        |
| 1867 | Transesophageal Echocardiography in Myocardial Revascularization. <i>Anesthesia and Analgesia</i> , 1996, 82, 1132-1138.  | 1.1 | 9         |
| 1868 | Single Injection Thermodilution. <i>Anesthesiology</i> , 1996, 85, 481-490..  | 1.3 | 29        |
| 1869 | A Comparison of Radiographic and Electrogoniometric Angles in Adolescent Idiopathic Scoliosis. <i>Spine</i> , 1996, 21, 1549-1555.  | 1.0 | 27        |
| 1870 | The Influence of Carbon Dioxide and Body Position on Near-Infrared Spectroscopic Assessment of Cerebral Hemoglobin Oxygen Saturation. <i>Anesthesia and Analgesia</i> , 1996, 82, 278-287.  | 1.1 | 2         |
| 1871 | Relationship Between End-Tidal and Arterial Carbon Dioxide with Laryngeal Mask Airways and Endotracheal Tubes in Children. <i>Anesthesia and Analgesia</i> , 1996, 82, 247-250.   | 1.1 | 1         |
| 1872 | Pulsed Wave Doppler Measurement of Cardiac Output from the Right Ventricular Outflow Tract. <i>Anesthesia and Analgesia</i> , 1996, 83, 466-471.  | 1.1 | 47        |
| 1873 | Jugular Venous Bulb Oxyhemoglobin Saturation During Cardiac Surgery. <i>Anesthesia and Analgesia</i> , 1996, 82, 964-968.   | 1.1 | 25        |
| 1874 | Oscillometric Blood Pressure Measurements by Different Devices Are Not Interchangeable. <i>Anesthesia and Analgesia</i> , 1996, 82, 377-381.  | 1.1 | 44        |
| 1875 | The prognostic value of pre-discharge quantitative two-dimensional echocardiographic measurements and the effects of early lisinopril treatment on left ventricular structure and function after acute myocardial infarction in the GISSI-3 Trial. <i>European Heart Journal</i> , 1996, 17, 1646-1656. | 1.0 | 104       |
| 1876 | Reproducibility and automatic measurement of QT dispersion. <i>European Heart Journal</i> , 1996, 17, 1035-1039.  | 1.0 | 114       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1877 | Ionic dialysance as a method for the on-line monitoring of delivered dialysis without blood sampling. <i>Nephrology Dialysis Transplantation</i> , 1996, 11, 2023-2030.  | 0.4 | 63        |
| 1878 | Comparing two methods of clinical measurement: the Bland-Altman technique. A review of the anaesthesia and critical care literature. <i>Clinical Intensive Care: International Journal of Critical &amp; Coronary Care Medicine</i> , 1996, 7, 308-310.  | 0.1 | 0         |
| 1879 | Methods of estimating cardiac output in the field. <i>QJM - Monthly Journal of the Association of Physicians</i> , 1996, 89, 457-462.  | 0.2 | 4         |
| 1880 | The Relationship Between Cerebral Blood Flow and Transcranial Doppler Blood Flow Velocity During Hypothermic Cardiopulmonary Bypass in Adults. <i>Anesthesia and Analgesia</i> , 1996, 82, 1146-1151.  | 1.1 | 47        |
| 1881 | Psychomotor Speed and Postural Control in Chronic Low Back Pain Patients. <i>Spine</i> , 1996, 21, 2621-2627.  | 1.0 | 125       |
| 1882 | Evaluation of an On-Demand, Ex Vivo Bedside Blood Gas Monitor on Pulmonary Artery Blood Gas Determinations. <i>Anesthesia and Analgesia</i> , 1996, 83, 500-504.   | 1.1 | 3         |
| 1883 | Relationship Between End-Tidal and Arterial Carbon Dioxide with Laryngeal Mask Airways and Endotracheal Tubes in Children. <i>Anesthesia and Analgesia</i> , 1996, 82, 247-250.  | 1.1 | 23        |
| 1884 | The validity of predicted body composition in Chinese adults from anthropometry and bioelectrical impedance in comparison with densitometry. <i>British Journal of Nutrition</i> , 1996, 76, 175-182.  | 1.2 | 25        |
| 1885 | Dual-energy X-ray absorptiometry for the measurement of gross body composition in rats. <i>British Journal of Nutrition</i> , 1996, 75, 803-809.   | 1.2 | 22        |
| 1887 | Intrasubject variability in airway inflammation in biopsies in mild to moderate stable asthma.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1996, 153, 899-903.  | 2.5 | 45        |
| 1888 | Validation in Volunteers of a Near-Infrared Spectroscope for Monitoring Brain Oxygenation In Vivo. <i>Anesthesia and Analgesia</i> , 1996, 82, 269-277.  | 1.1 | 172       |
| 1889 | Measuring Resolution in the Contrast Domain. <i>Optometry and Vision Science</i> , 1996, 73, 398-403.  | 0.6 | 37        |
| 1890 | Development Standards for Health Measures. <i>Journal of Health Services Research and Policy</i> , 1996, 1, 238-246.   | 0.8 | 99        |
| 1891 | Validation of the Addiction Severity Index in French-speaking alcoholic patients.. <i>Journal of Studies on Alcohol and Drugs</i> , 1996, 57, 585-590.   | 2.4 | 37        |
| 1892 | Visual and different automatic scoring profiles of respiratory variables in the diagnosis of sleep apnoea-hypopnoea syndrome. <i>European Respiratory Journal</i> , 1996, 9, 125-130.  | 3.1 | 30        |
| 1893 | Differences in $\langle I \rangle P \langle I \rangle O \langle SUB \rangle 2 \langle /SUB \rangle$ and $\langle I \rangle P \langle I \rangle CO \langle SUB \rangle 2 \langle /SUB \rangle$ between arterial and arterialized earlobe samples. <i>European Respiratory Journal</i> , 1996, 9, 186-189. | 3.1 | 65        |
| 1894 | Separation of airway and tissue properties by transfer respiratory impedance and thoracic gas volume in reversible airway obstruction. <i>European Respiratory Journal</i> , 1996, 9, 253-261.   | 3.1 | 8         |
| 1895 | Age-dependency of surfactant phospholipids and surfactant protein A in bronchoalveolar lavage fluid of children without bronchopulmonary disease. <i>European Respiratory Journal</i> , 1996, 9, 328-333.  | 3.1 | 26        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1896 | Preparation of bronchoalveolar lavage fluid with microscope slide smears. <i>European Respiratory Journal</i> , 1996, 9, 603-608.  | 3.1 | 21        |
| 1897 | Relevance of asbestos bodies in sputum. <i>European Respiratory Journal</i> , 1996, 9, 680-686.  | 3.1 | 33        |
| 1898 | Peak expiratory flow and the resistance of the mini-Wright peak flow meter. <i>European Respiratory Journal</i> , 1996, 9, 828-833.  | 3.1 | 33        |
| 1899 | Home recording of PEF in young asthmatics: does it contribute to management?. <i>European Respiratory Journal</i> , 1996, 9, 872-879.  | 3.1 | 46        |
| 1900 | Changes in neurokinin A airway responsiveness with inhaled lysine-acetylsalicylate in asthma. <i>European Respiratory Journal</i> , 1996, 9, 1139-1145.  | 3.1 | 7         |
| 1901 | Assessment of the voluntary activation of the diaphragm using cervical and cortical magnetic stimulation. <i>European Respiratory Journal</i> , 1996, 9, 1224-1231.  | 3.1 | 60        |
| 1902 | An unattended device for sleep-related breathing disorders: validation study in suspected obstructive sleep apnoea syndrome. <i>European Respiratory Journal</i> , 1996, 9, 1251-1256.   | 3.1 | 31        |
| 1903 | Improvement of tidal breathing pattern analysis in children with asthma by on-line automatic data processing. <i>European Respiratory Journal</i> , 1996, 9, 1306-1313.  | 3.1 | 19        |
| 1904 | Variability in airway inflammation sampled by bronchoalveolar lavage. <i>European Respiratory Journal</i> , 1996, 9, 1766-1767.  | 3.1 | 1         |
| 1905 | Effects of lung volume and thoracic gas compression on maximal and partial flow-volume curves. <i>European Respiratory Journal</i> , 1996, 9, 2168-2173.   | 3.1 | 13        |
| 1906 | Capsaicin cough receptor sensitivity test in children. <i>European Respiratory Journal</i> , 1996, 9, 2220-2223.   | 3.1 | 48        |
| 1907 | Functional residual capacity in healthy preschool children. <i>European Respiratory Journal</i> , 1996, 9, 2224-2230.  | 3.1 | 9         |
| 1908 | Comparison of a limited computerized diagnostic system (ResCare Autoset <sup>®</sup> ,t) with polysomnography in the diagnosis of obstructive sleep apnoea syndrome. <i>European Respiratory Journal</i> , 1996, 9, 2360-2364. | 3.1 | 53        |
| 1909 | Repeatability of cellular and soluble markers of inflammation in induced sputum from patients with asthma. <i>European Respiratory Journal</i> , 1996, 9, 2441-2447.   | 3.1 | 169       |
| 1910 | Comparison of two methods of collecting induced sputum in asthmatic subjects. <i>European Respiratory Journal</i> , 1996, 9, 2448-2453.  | 3.1 | 108       |
| 1911 | Analysis of the double occlusion which provides four pressure gradients. <i>European Respiratory Journal</i> , 1996, 9, 2578-2583.   | 3.1 | 6         |
| 1912 | Diagnostic accuracy of a portable recording device (MESAM IV) in suspected obstructive sleep apnoea. <i>European Respiratory Journal</i> , 1996, 9, 2597-2605.   | 3.1 | 87        |
| 1913 | Variability of markers of airway inflammation in BAL. <i>European Respiratory Journal</i> , 1996, 9, 2700-2701.  | 3.1 | 0         |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1915 | Autonomic Control of Skin Microvessels: Assessment by Power Spectrum of Photoplethysmographic Waves. <i>Clinical Science</i> , 1996, 90, 345-355.  | 1.8 | 126       |
| 1916 | Zinc absorption in premature infants: comparison of two isotopic methods. <i>American Journal of Clinical Nutrition</i> , 1996, 63, 342-347.   | 2.2 | 23        |
| 1917 | Adequacy of haemodialysis and nutrition in maintenance haemodialysis patients: clinical evaluation of a new on-line urea monitor. <i>Nephrology Dialysis Transplantation</i> , 1996, 11, 1568-1573.  | 0.4 | 18        |
| 1918 | Zinc supplementation increases growth and circulating insulin-like growth factor I (IGF-I) in growth-retarded Vietnamese children. <i>American Journal of Clinical Nutrition</i> , 1996, 63, 514-519.  | 2.2 | 198       |
| 1919 | Predicting body composition by densitometry from simple anthropometric measurements. <i>American Journal of Clinical Nutrition</i> , 1996, 63, 4-14.   | 2.2 | 307       |
| 1920 | A radiopaque marker technique for measuring gastrointestinal transit in subjects with an ileostomy. <i>Digestive Diseases and Sciences</i> , 1996, 41, 2302-2306.  | 1.1 | 7         |
| 1921 | Peak oxygen consumption and lactate threshold in full mask versus mouth mask conditions during incremental exercise. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1996, 73, 311-316.  | 1.2 | 3         |
| 1922 | Optimising the methodology of calculating the cerebral blood flow of newborn infants from near infra-red spectrophotometry data. <i>Medical and Biological Engineering and Computing</i> , 1996, 34, 221-226.  | 1.6 | 8         |
| 1923 | Anin vivo <sup>13</sup> C magnetic resonance spectroscopic study of the relationship between diet and adipose tissue composition. <i>Lipids</i> , 1996, 31, 145-151.   | 0.7 | 53        |
| 1924 | Lactate in cord blood and its relationship to pH and catecholamines in spontaneous vaginal deliveries. <i>Early Human Development</i> , 1996, 46, 97-104.  | 0.8 | 18        |
| 1925 | Evaluation of the FACScount, TRAx CD4 and Dynabeads methods for CD4 lymphocyte determination. <i>Journal of Immunological Methods</i> , 1996, 195, 103-112.  | 0.6 | 50        |
| 1926 | Computer assisted diabetes care: a 6-year retrospective. <i>Computer Methods and Programs in Biomedicine</i> , 1996, 50, 209-230.  | 2.6 | 49        |
| 1927 | Double burst monitoring during recovery from atracurium-induced neuromuscular blockade: a comparison with train-of-four. <i>Journal of Clinical Monitoring and Computing</i> , 1996, 13, 209-215.  | 0.3 | 1         |
| 1928 | Comparison of nurse and computer charting of physiological variables in an intensive care unit. <i>Journal of Clinical Monitoring and Computing</i> , 1996, 13, 235-241.   | 0.3 | 14        |
| 1929 | Sonographic measurement of the thymus in infants. <i>European Radiology</i> , 1996, 6, 700-3.  | 2.3 | 59        |
| 1930 | Force generation capacity of knee extensor muscles in speed skaters. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1996, 73, 544-551.  | 1.2 | 9         |
| 1931 | Sex difference in force generation capacity during repeated maximal knee extensions. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1996, 73, 557-562.  | 1.2 | 36        |
| 1932 | Torque, total work, power, torque acceleration energy and acceleration time assessed on a dynamometer: reliability of knee and elbow extensor and flexor strength measurements. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1996, 74, 206-210. | 1.2 | 46        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1933 | Muscle substrate utilization from alveolar gas exchange in trained cyclists. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1996, 72, 341-348.  | 1.2 | 7         |
| 1934 | Association between the anaerobic threshold and the break-point in the double product/work rate relationship. <i>European Journal of Applied Physiology</i> , 1996, 75, 14-21.   | 1.2 | 37        |
| 1935 | Validity of random urines to quantitate proteinuria in children with human immunodeficiency virus nephropathy. <i>Pediatric Nephrology</i> , 1996, 10, 598-601.  | 0.9 | 17        |
| 1936 | Radioreceptor assay for sirolimus. <i>Clinical Biochemistry</i> , 1996, 29, 457-460.   | 0.8 | 12        |
| 1937 | Does impedance cardiography reliably estimate left ventricular ejection fraction?. <i>Journal of Clinical Monitoring and Computing</i> , 1996, 12, 5-9.  | 0.6 | 7         |
| 1938 | Blood glucose reagent strip tests in the operating room: Influence of hematocrit, partial pressure of oxygen, and blood glucose level - a comparison of the BM-test 1-44, BM-accutest, and satellite G reagent strip systems. <i>Journal of Clinical Monitoring and Computing</i> , 1996, 12, 27-33. | 0.6 | 12        |
| 1939 | Comparison between a rapid glycohaemoglobin (HbA1c) immunoassay and other indices of glycaemic control. <i>Acta Diabetologica</i> , 1996, 33, 232-235.   | 1.2 | 4         |
| 1940 | Reproducibility of thermodilution cardiac output determination in critically ill patients: Comparison between bolus and continuous method. <i>Journal of Clinical Monitoring and Computing</i> , 1996, 12, 379-385.  | 0.6 | 52        |
| 1941 | Intra-arterial blood gas monitoring system: More accurate values can be obtained. <i>Journal of Clinical Monitoring and Computing</i> , 1996, 12, 141-147.   | 0.6 | 5         |
| 1942 | Reproducibility of left ventricular size, shape and mass with echocardiography, magnetic resonance imaging and radionuclide angiography in patients with anterior wall infarction. <i>International Journal of Cardiovascular Imaging</i> , 1996, 12, 233-240.                                       | 0.2 | 39        |
| 1943 | The impact of vessel orientation in space on densitometric measurements of cross sectional areas of coronary arteries. <i>International Journal of Cardiovascular Imaging</i> , 1996, 12, 289-297.   | 0.2 | 3         |
| 1944 | Assessment of left ventricular volume and mass by cine magnetic resonance imaging in patients with anterior myocardial infarction intra-observer and inter-observer variability on contour detection. <i>International Journal of Cardiovascular Imaging</i> , 1996, 12, 11-19.                      | 0.2 | 66        |
| 1945 | Quantification of pulmonary and systemic blood flow by magnetic resonance velocity mapping in the assessment of atrial-level shunts. <i>International Journal of Cardiovascular Imaging</i> , 1996, 12, 143-152.   | 0.2 | 16        |
| 1946 | Reproducibility of quantitative coronary analysis. <i>International Journal of Cardiovascular Imaging</i> , 1996, 12, 197-203.   | 0.2 | 24        |
| 1947 | Lack of prognostic significance of the monoclonal antibody Ki-S1, a novel marker of proliferative activity, in node-negative breast carcinoma. <i>Breast Cancer Research and Treatment</i> , 1996, 37, 123-133.  | 1.1 | 18        |
| 1948 | Bioelectrical impedance for monitoring the efficacy of lymphoedema treatment programmes. <i>Breast Cancer Research and Treatment</i> , 1996, 38, 169-176.  | 1.1 | 103       |
| 1949 | Reproducibility of a new method to determine cough-induced leak-point pressure in women with stress urinary incontinence. <i>International Urogynecology Journal</i> , 1996, 7, 13-19.   | 0.7 | 21        |
| 1950 | Repeatibility of CT-scan quantitative analysis during pressure support ventilation (PSV) in patients with acute respiratory failure (ARF). <i>Intensive Care Medicine</i> , 1996, 22, S119-S119.   | 3.9 | 1         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1951 | Analysis of the accuracy of continuous thermodilution cardiac output measurement. Intensive Care Medicine, 1996, 22, 1125-1129.   | 3.9 | 61        |
| 1952 | Semi-continuous versus injectate cardiac output measurement in intensive care patients after cardiac surgery. Intensive Care Medicine, 1996, 22, 312-318.                       | 3.9 | 49        |
| 1953 | A comparison between continuous central venous pressure measurement from right atrium and abdominal vena cava or common iliac vein. Intensive Care Medicine, 1996, 22, 571-574. | 3.9 | 23        |
| 1954 | Clinical evaluation of a continuous intra-arterial blood gas system in critically ill patients. Intensive Care Medicine, 1996, 22, 1162-1168.                                   | 3.9 | 21        |
| 1955 | Comparison of gastric air tonometry with standard saline tonometry. Intensive Care Medicine, 1996, 22, 1239-1243.   | 3.9 | 11        |
| 1956 | The influence of weight on stroke volume determination by means of impedance cardiography in cardiac surgery patients. Intensive Care Medicine, 1996, 22, 766-771.              | 3.9 | 20        |
| 1957 | Continuous intra-arterial blood gas monitoring. Intensive Care Medicine, 1996, 22, 818-828.   | 3.9 | 26        |
| 1958 | Continuous arterial gas monitoring: Initial experience with the Paratrend 7 in children. Intensive Care Medicine, 1996, 22, 1414-1417.  | 3.9 | 23        |
| 1959 | Use of capnography to detect hypercapnic episodes during weaning from mechanical ventilation. Intensive Care Medicine, 1996, 22, 374-381.                                       | 3.9 | 28        |
| 1960 | Continuous measurement of cardiac output by the Fick principle in infants and children: Comparison with the thermodilution method. Intensive Care Medicine, 1996, 22, 467-471.  | 3.9 | 40        |
| 1961 | Clinical evaluation of a multiparameter intra-arterial blood-gas sensor. Intensive Care Medicine, 1996, 22, 507-513.  | 3.9 | 34        |
| 1962 | The automatic selection of ventilation parameters during the initial phase of mechanical ventilation. Intensive Care Medicine, 1996, 22, 199-207.                               | 3.9 | 26        |
| 1963 | Assessment of gastric acidity in intensive care patients: Intermittent pH registration cannot replace continuous pH monitoring. Intensive Care Medicine, 1996, 22, 220-225.     | 3.9 | 8         |
| 1964 | Accuracy of oscillometric blood pressure measurement in critically ill neonates with reference to the arterial pressure wave shape. Intensive Care Medicine, 1996, 22, 242-248. | 3.9 | 31        |
| 1965 | Transgastric, pulsed doppler echocardiographic determination of cardiac output. Intensive Care Medicine, 1996, 22, 34-38.   | 3.9 | 43        |
| 1968 | Estimation of Pulmonary Arterial Pressure in the Newborn: Study of the Repeatability of Four Doppler Echocardiographic Techniques. Pediatric Cardiology, 1996, 17, 360-369.     | 0.6 | 49        |
| 1969 | Precision of sonographic measurement of articular cartilage: inter- and intraobserver analysis. Skeletal Radiology, 1996, 25, 545-549.  | 1.2 | 51        |
| 1970 | Abdominal surgery alters the calibration of bioimpedance cardiac output measurement. Journal of Clinical Monitoring and Computing, 1996, 13, 1-8.                               | 0.3 | 16        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1971 | Clinical evaluation of a new continuous intraarterial blood gas monitoring system in the intensive care setting. <i>Journal of Anesthesia</i> , 1996, 10, 163-169.  | 0.7 | 5         |
| 1972 | Oxygen consumption in infants and children during heart catheterization. <i>Pediatric Cardiology</i> , 1996, 17, 207-213.   | 0.6 | 48        |
| 1973 | Long-term transcutaneous monitoring of oxygen tension and carbon dioxide at 42°C in critically ill neonates: improved performance of the tcpo <sub>2</sub> monitor with topical metabolic inhibition. <i>European Journal of Pediatrics</i> , 1996, 155, 1043-1046. | 1.3 | 13        |
| 1974 | Comparison of repeatability of the multifocal electroretinogram and Humphrey perimeter. <i>Documenta Ophthalmologica</i> , 1996, 92, 281-289.   | 1.0 | 21        |
| 1975 | Retest variability and diurnal effects in the pattern electroretinogram. <i>Documenta Ophthalmologica</i> , 1996, 92, 311-323.  | 1.0 | 35        |
| 1976 | The use of the iSTAT portable analyzer in patients undergoing cardiopulmonary bypass. <i>Journal of Clinical Monitoring and Computing</i> , 1996, 12, 311-315.  | 0.6 | 26        |
| 1977 | Accuracy and precision of a new, portable, handheld blood gas analyzer, the IRMA®. <i>Journal of Clinical Monitoring and Computing</i> , 1996, 12, 317-324.   | 0.6 | 21        |
| 1978 | Assessment of extensor and flexor strength in the individual gonarthrotic patient: Interpretation of performance changes. <i>Clinical Rheumatology</i> , 1996, 15, 154-160.   | 1.0 | 17        |
| 1979 | Respiratory mechanics and arterial blood gases during and after laparoscopic cholecystectomy. <i>Canadian Journal of Anaesthesia</i> , 1996, 43, 129-133.   | 0.7 | 77        |
| 1980 | Acceleromyography improves detection of residual neuromuscular blockade in children. <i>Canadian Journal of Anaesthesia</i> , 1996, 43, 589-594.  | 0.7 | 32        |
| 1981 | Oxygen flow through nasal cannulae. <i>Canadian Journal of Anaesthesia</i> , 1996, 43, 636-639.   | 0.7 | 2         |
| 1982 | Perioperative on-site haemoglobin determination: as accurate as laboratory values?. <i>Canadian Journal of Anaesthesia</i> , 1996, 43, 795-798.   | 0.7 | 23        |
| 1983 | A comparison of four infrared tympanic thermometers with tympanic membrane temperatures measured by thermocouples. <i>Canadian Journal of Anaesthesia</i> , 1996, 43, 1224-1228.  | 0.7 | 26        |
| 1984 | Longitudinal study of intrahepatic portal flow: A novel approach using Doppler technique. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1996, 11, 586-593.  | 1.4 | 0         |
| 1985 | Response to double-burst appears before response to train-of-four stimulation during recovery from non-depolarizing neuromuscular blockade. <i>Acta Anaesthesiologica Scandinavica</i> , 1996, 40, 719-723.   | 0.7 | 4         |
| 1986 | Continuous monitoring of the central venous oxygen saturation in surgical patients: comparison to the monitoring of the mixed venous saturation. <i>Acta Anaesthesiologica Scandinavica</i> , 1996, 40, 956-956.  | 0.7 | 0         |
| 1987 | Continuous end-tidal carbon dioxide monitoring during normofrequent jet-ventilation. <i>Acta Anaesthesiologica Scandinavica</i> , 1996, 40, 1238-1241.  | 0.7 | 4         |
| 1988 | Validation of the combined olfactory test. <i>Clinical Otolaryngology</i> , 1996, 21, 512-518.  | 0.6 | 26        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1989 | Measurement of volumetric flow with no angle correction using multiplanar pulsed Doppler ultrasound. <i>IEEE Transactions on Biomedical Engineering</i> , 1996, 43, 589-599.  | 2.5 | 21        |
| 1990 | Contrast-enhanced Doppler ultrasound for noninvasive assessment of pulmonary artery pressure during exercise in patients with chronic congestive heart failure. <i>American Journal of Cardiology</i> , 1996, 78, 229-232.  | 0.7 | 23        |
| 1991 | Measurement of parasympathetic activity from 24-hour ambulatory electrocardiograms and its reproducibility and sensitivity in normal subjects, patients with symptomatic myocardial ischemia, and patients with diabetes mellitus. <i>American Journal of Cardiology</i> , 1996, 77, 154-158. | 0.7 | 58        |
| 1992 | Comparison of cleft and papillary muscle position in cleft mitral valve and atrioventricular septal defect. <i>American Journal of Cardiology</i> , 1996, 77, 164-169.  | 0.7 | 65        |
| 1993 | Comparison of impedance cardiography with thermodilution and direct fick methods for noninvasive measurement of stroke volume and cardiac output during incremental exercise in patients with ischemic cardiomyopathy. <i>American Journal of Cardiology</i> , 1996, 77, 1293-1301.           | 0.7 | 104       |
| 1994 | Comparison and reproducibility of visual echocardiographic and quantitative radionuclide left ventricular ejection fractions. <i>American Journal of Cardiology</i> , 1996, 77, 843-850.  | 0.7 | 270       |
| 1995 | Value of multiplane transesophageal echocardiography in determining aortic valve area in aortic stenosis. <i>American Journal of Cardiology</i> , 1996, 77, 882-885.  | 0.7 | 65        |
| 1996 | Comparison of impedance cardiography with indirect fick (CO <sub>2</sub> ) method of measuring cardiac output in healthy children during exercise. <i>American Journal of Cardiology</i> , 1996, 77, 745-749.   | 0.7 | 35        |
| 1997 | Usefulness of three-dimensional reconstruction for interpretation and quantitative analysis of intracoronary ultrasound during stent deployment. <i>American Journal of Cardiology</i> , 1996, 77, 761-764.   | 0.7 | 27        |
| 1998 | Shortened duration of post-ischemic hyperemic blood flow in the forearm of patients with heart failure. <i>American Journal of Cardiology</i> , 1996, 77, 300-302.  | 0.7 | 5         |
| 1999 | Human fetal intrapartum oxygen saturation monitoring: Agreement between readings from two sensors on the same fetus. <i>American Journal of Obstetrics and Gynecology</i> , 1996, 174, 1594-1598.   | 0.7 | 26        |
| 2000 | Comparison of an Electronic Food Diary with a Nonquantitative Food Frequency Questionnaire in Male and Female Smokers and Nonsmokers. <i>Journal of the American Dietetic Association</i> , 1996, 96, 283-285.  | 1.3 | 13        |
| 2001 | Comparison of Multiple-Pass 24-Hour Recall Estimates of Energy Intake With Total Energy Expenditure Determined By the Doubly Labeled Water Method in Young Children. <i>Journal of the American Dietetic Association</i> , 1996, 96, 1140-1144.   | 1.3 | 388       |
| 2002 | Automatic backscatter analysis of regional left ventricular systolic function using color kinesis. <i>American Journal of Cardiology</i> , 1996, 77, 1345-1350.   | 0.7 | 21        |
| 2003 | Assessment of mean left atrial pressure from the left ventricular pressure tracing in patients with cardiomyopathies. <i>American Journal of Cardiology</i> , 1996, 78, 107-110.  | 0.7 | 55        |
| 2004 | Right Ventricular Stiffness Measured by a New Method Without Volume Estimation in Coronary Artery Disease. <i>American Journal of Cardiology</i> , 1996, 78, 298-303.   | 0.7 | 6         |
| 2005 | Ambulatory Blood Pressure Monitoring in Atrial Fibrillation. <i>American Journal of Cardiology</i> , 1996, 78, 350-353.   | 0.7 | 37        |
| 2006 | Quantification of the minimal luminal cross-sectional area after coronary stenting by two-and three-dimensional intravascular ultrasound versus edge detection and videodensitometry. <i>American Journal of Cardiology</i> , 1996, 78, 520-525.  | 0.7 | 62        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2007 | Assessment of left ventricular function by meridional and circumferential endsystolic stress/minor-axis shortening relations in dilated cardiomyopathy. American Journal of Cardiology, 1996, 78, 544-549.  | 0.7 | 23        |
| 2008 | Arterial baroreflex sensitivity assessed from phase IV of the Valsalva maneuver. American Journal of Cardiology, 1996, 78, 575-579.   | 0.7 | 45        |
| 2009 | Comparison of Doppler Echocardiography With Thermodilution for Assessing Cardiac Output in Advanced Congestive Heart Failure. American Journal of Cardiology, 1996, 78, 708-712.  | 0.7 | 44        |
| 2010 | Estimation of pulmonary artery pressure by spectral analysis of the second heart sound. American Journal of Cardiology, 1996, 78, 785-789.  | 0.7 | 46        |
| 2011 | Estimation of left ventricular chamber and stroke volume by limited M-mode echocardiography and validation by two-dimensional and doppler echocardiography. American Journal of Cardiology, 1996, 78, 801-807.  | 0.7 | 136       |
| 2012 | Evaluation of Five QT Correction Formulas Using a Software-Assisted Method of Continuous QT Measurement from 24-Hour Holter Recordings. American Journal of Cardiology, 1996, 78, 920-926.  | 0.7 | 76        |
| 2013 | Three-dimensional echocardiographic measurement of left ventricular volumes and ejection fraction using a multiplane transesophageal probe in patients. American Journal of Cardiology, 1996, 78, 1077-1080.  | 0.7 | 33        |
| 2014 | Computerized assessment of coronary lumen and atherosclerotic plaque dimensions in three-dimensional intravascular ultrasound correlated with histomorphometry. American Journal of Cardiology, 1996, 78, 1202-1209.  | 0.7 | 62        |
| 2015 | Assessment of right ventricular function in patients with congestive heart failure by echocardiographic automated boundary detection. American Journal of Cardiology, 1996, 78, 1317-1321.  | 0.7 | 24        |
| 2016 | Computer versus manual measurement of ST-segment deviation. Journal of Electrocardiology, 1996, 29, 78-82.  | 0.4 | 11        |
| 2017 | Effect of residual noise level on reproducibility of the signal-averaged ECG. Journal of Electrocardiology, 1996, 29, 235-241.  | 0.4 | 6         |
| 2018 | A comparison of aural and rectal temperature measurements in children with moderate and severe injuries. Journal of Emergency Nursing, 1996, 22, 403-408.   | 0.5 | 13        |
| 2019 | Quality control in quantitation of components of the plasminogen activator system in tumour extracts. Fibrinolysis, 1996, 10, 149-151.  | 0.5 | 3         |
| 2020 | The seasonal pattern assessment questionnaire for identifying seasonal affective disorders. Journal of Affective Disorders, 1996, 41, 193-199.  | 2.0 | 39        |
| 2021 | The effect of posture change on the position of the skin marks for the transverse horizontal axis. Journal of Prosthetic Dentistry, 1996, 75, 545-551.  | 1.1 | 12        |
| 2022 | Feasibility of aortic diameter measurement by multiplane transesophageal echocardiography for preoperative selection and preparation of homograft aortic valves. Journal of Thoracic and Cardiovascular Surgery, 1996, 112, 954-961.  | 0.4 | 13        |
| 2023 | Measurement of heparin concentration in whole blood with the Hepcon/HMS device does not agree with laboratory determination of plasma heparin concentration using a chromogenic substrate for activated factor X. Journal of Thoracic and Cardiovascular Surgery, 1996, 112, 154-161. | 0.4 | 56        |
| 2024 | Statistical Disagreement. Physiotherapy, 1996, 82, 384.   | 0.2 | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2025 | A comparison of pulmonary and femoral artery thermodilution cardiac indices in paediatric intensive care patients. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1996, 85, 336-338.   | 0.7 | 84        |
| 2026 | Microdialysis for metabolic monitoring in neonates after surgery. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1996, 85, 589-594.  | 0.7 | 27        |
| 2027 | Comparison of measured sleeping metabolic rate and predicted basal metabolic rate in the first year of life. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1996, 85, 1013-1018.   | 0.7 | 11        |
| 2028 | Noninvasive Cardiac Index Monitoring in Gunshot Wound Victims. <i>Academic Emergency Medicine</i> , 1996, 3, 682-688.   | 0.8 | 19        |
| 2029 | Whole Blood Leukocyte Counts of Domestic Cats and African Lions Utilizing a Disposable Hemacytometer. <i>Veterinary Clinical Pathology</i> , 1996, 25, 84-86.   | 0.3 | 0         |
| 2030 | The National Hospital Seizure Severity Scale: A Further Development of the Chalfont Seizure Severity Scale. <i>Epilepsia</i> , 1996, 37, 563-571.   | 2.6 | 178       |
| 2031 | A comparison of body fat estimates using anthropometry and bioelectrical impedance analysis with distinct prediction equations in elderly persons in the Republic of Guatemala. <i>Nutrition</i> , 1996, 12, 168-175.   | 1.1 | 7         |
| 2032 | A Comparison of the Food Composition Table-based Estimates of Dietary Element Intake with the Values Obtained by Inductively Coupled Plasma Atomic Emission Spectrometry: An Experience in a Japanese Population. <i>Journal of Trace Elements in Medicine and Biology</i> , 1996, 10, 237-244. | 1.5 | 17        |
| 2033 | Measuring cardiac output. <i>Current Anaesthesia and Critical Care</i> , 1996, 7, 309-314.  | 0.3 | 1         |
| 2034 | A comparison of the use of transoesophageal Doppler and thermodilution techniques for cardiac output determination. <i>European Journal of Anaesthesiology</i> , 1996, 13, 136-142.   | 0.7 | 22        |
| 2035 | Temperatures measured by a deep body thermometer (CoretempR) compared with tissue temperatures measured at various depths using needles placed into the sole of the foot. <i>European Journal of Anaesthesiology</i> , 1996, 13, 340-345.   | 0.7 | 19        |
| 2036 | Reliability of visual acuity in children with reduced vision. <i>Ophthalmic and Physiological Optics</i> , 1996, 16, 447-449.   | 1.0 | 20        |
| 2037 | Non-invasive assessment of arterial stenoses in angioplasty surveillance: A comparison with angiography. <i>European Journal of Vascular and Endovascular Surgery</i> , 1996, 12, 471-481.  | 0.8 | 22        |
| 2038 | Interobserver variability in measuring the dimensions of the abdominal aorta: Comparison of ultrasound and computed tomography. <i>European Journal of Vascular and Endovascular Surgery</i> , 1996, 12, 230-237.   | 0.8 | 132       |
| 2039 | Accuracy of duplex sonography before carotid endarterectomy " A comparison with angiography. <i>European Journal of Vascular and Endovascular Surgery</i> , 1996, 12, 331-336.  | 0.8 | 49        |
| 2040 | Validation of a new transit time ultrasound flowmeter in man. <i>European Journal of Vascular and Endovascular Surgery</i> , 1996, 12, 91-96.   | 0.8 | 102       |
| 2041 | Comparison of transesophageal echocardiographic, fick, and thermodilution cardiac output in critically ill patients. <i>Journal of Critical Care</i> , 1996, 11, 109-116.   | 1.0 | 49        |
| 2042 | Ventilatory factors affecting inhaled nitric oxide concentrations during continuous-flow administration. <i>Journal of Critical Care</i> , 1996, 11, 138-143.   | 1.0 | 8         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2043 | Poor in vivo reproducibility of gastric intramucosal pH determined by saline-filled balloon tonometry. <i>Journal of Critical Care</i> , 1996, 11, 144-150.   | 1.0 | 21        |
| 2044 | Comparison of rat epididymal sperm counts by IVOS HTM-IDENT and hemacytometer. <i>Reproductive Toxicology</i> , 1996, 10, 529-533.  | 1.3 | 22        |
| 2045 | Kinetics and functional implications of Th1 and Th2 cytokine production following activation of peripheral blood mononuclear cells in primary culture. <i>European Journal of Immunology</i> , 1996, 26, 1260-1265. | 1.6 | 66        |
| 2046 | Adaptive blood pool segmentation in three-dimensions: Application to MR cardiac evaluation. <i>Journal of Magnetic Resonance Imaging</i> , 1996, 6, 690-697.  | 1.9 | 11        |
| 2047 | Lesion volume measurement in multiple sclerosis: How important is accurate repositioning?. <i>Journal of Magnetic Resonance Imaging</i> , 1996, 6, 705-713.   | 1.9 | 40        |
| 2048 | Velocity-encoded, phase-difference cine MRI measurements of coronary artery flow: Dependence of flow accuracy on the number of cine frames. <i>Journal of Magnetic Resonance Imaging</i> , 1996, 6, 733-742.        | 1.9 | 29        |
| 2049 | Determination of knee joint cartilage thickness using three-dimensional magnetic resonance chondro-crassometry (3D MR-CCM). <i>Magnetic Resonance in Medicine</i> , 1996, 36, 256-265.                              | 1.9 | 156       |
| 2050 | To the editor: Comparison of dynamic and passive respiratory mechanics in ventilated newborn infants. <i>Pediatric Pulmonology</i> , 1996, 22, 280-281.   | 1.0 | 2         |
| 2051 | To the editor: Comparison of dynamic and passive measurements of respiratory mechanics in ventilated newborn infants. <i>Pediatric Pulmonology</i> , 1996, 22, 281-282.   | 1.0 | 0         |
| 2052 | Evaluation of gallbladder volume and emptying with a novel three-dimensional ultrasound system: Comparison with the sum-of-cylinders and the ellipsoid methods. , 1996, 24, 277-285.                                |     | 28        |
| 2053 | Lung volume measurements immediately after extubation by prediction of "extubation failure" in premature infants. , 1996, 21, 250-254.  |     | 31        |
| 2054 | A safe clinical system for nitric oxide inhalation therapy for pediatric patients. , 1996, 22, 174-181.   |     | 1         |
| 2055 | Precise control of nitric oxide concentration in the inspired gas of continuous flow respiratory devices. , 1996, 22, 182-187.  |     | 4         |
| 2056 | The influence of sleeping position on functional residual capacity and effective pulmonary blood flow in healthy neonates. , 1996, 22, 342-347.   |     | 16        |
| 2057 | Comparison of sputum processing techniques in cystic fibrosis. , 1996, 22, 402-407.   |     | 16        |
| 2058 | Development of a Rapid and Efficient Magnetic Resonance Imaging Technique for Analysis of Body Fat Distribution. , 1996, 9, 156-164.  |     | 23        |
| 2059 | Reproducibility of Human Cardiac <sup>31</sup> P-NMR Spectroscopy. , 1996, 9, 217-227.  |     | 65        |
| 2060 | Precision of measuring body fat distribution in adolescent African American girls from the "healthy growth study"™. <i>American Journal of Human Biology</i> , 1996, 8, 325-329.                                    | 0.8 | 8         |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2061 | Prediction of total body water and fatness from anthropometry: Importance of skinfold measurements. <i>American Journal of Human Biology</i> , 1996, 8, 331-340.   | 0.8 | 5         |
| 2062 | Inaccuracy of quantitative coronary arteriography when analyzed from S-VHS videotape. , 1996, 37, 32-38.   |     | 7         |
| 2063 | Hypoglycemia is effectively evaluated at the bedside by the ames glucometer Elite <sup>®</sup> . <i>Clinical Biochemistry</i> , 1996, 29, 279-281.   | 0.8 | 2         |
| 2064 | Evaluation of the tracking potential of a noninvasive estimator of cardiac output. <i>Computers in Biology and Medicine</i> , 1996, 26, 281-295.   | 3.9 | 1         |
| 2065 | Magnetic resonance imaging to study lesions of atherosclerosis in the hyperlipidemic rabbit aorta. <i>Magnetic Resonance Imaging</i> , 1996, 14, 93-102.   | 1.0 | 57        |
| 2066 | Approximation of arterial input curve data in MRI estimation of cerebral blood-tumor-barrier leakage: Comparison between Gd-DTPA and <sup>99m</sup> Tc-DTPA input curves. <i>Magnetic Resonance Imaging</i> , 1996, 14, 235-241.   | 1.0 | 22        |
| 2067 | Reproducibility of metabolite peak areas in <sup>1</sup> H MRS of brain. <i>Magnetic Resonance Imaging</i> , 1996, 14, 281-292.  | 1.0 | 104       |
| 2068 | Quantification of MRI lesion load in multiple sclerosis: A comparison of three computer-assisted techniques. <i>Magnetic Resonance Imaging</i> , 1996, 14, 495-505.  | 1.0 | 198       |
| 2069 | A practical method for estimating enclosed volumes using 3D ultrasound. <i>European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology</i> , 1996, 3, 83-92.   | 1.4 | 34        |
| 2070 | The intra- and inter-operator variability of Echo-Doppler measurements for noninvasive pulmonary arterial pressure determination in congenital heart disease. <i>European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology</i> , 1996, 4, 91-98.                   | 1.4 | 3         |
| 2071 | Volume estimation from multiplanar 2D ultrasound images using a remote electromagnetic position and orientation sensor. <i>Ultrasound in Medicine and Biology</i> , 1996, 22, 561-572.   | 0.7 | 73        |
| 2072 | Rapid and non-invasive quantification of metabolic substrates in biological cell suspensions using non-linear dielectric spectroscopy with multivariate calibration and artificial neural networks. Principles and applications. <i>Bioelectrochemistry</i> , 1996, 40, 99-132.  | 1.0 | 38        |
| 2073 | Determination of fluconazole in human plasma by micellar electrokinetic capillary chromatography with detection at 190 nm. <i>Journal of Chromatography A</i> , 1996, 745, 165-172.  | 1.8 | 31        |
| 2074 | A comparison of statistical techniques to evaluate the performance of the glucometer elite <sup>®</sup> blood glucose meter. <i>Clinical Biochemistry</i> , 1996, 29, 521-527.   | 0.8 | 33        |
| 2075 | Experimental verification of technetium <sup>99m</sup> -labeled teboroxime kinetic parameters in the myocardium with dynamic single-photon emission computed tomography: Reproducibility, correlation to flow, and susceptibility to extravascular contamination <sup>1</sup> . <i>Journal of Nuclear Cardiology</i> , 1996, 3, 130-142. | 1.4 | 52        |
| 2076 | Use of Peak Expiratory Flow Rate in Emergency Department Evaluation of Acute Exacerbation of Chronic Obstructive Pulmonary Disease. <i>Annals of Emergency Medicine</i> , 1996, 27, 159-163.   | 0.3 | 50        |
| 2077 | An in vitro evaluation of the line pattern of the near and far walls of carotid arteries using B-mode ultrasound. <i>Ultrasound in Medicine and Biology</i> , 1996, 22, 1007-1015.   | 0.7 | 49        |
| 2078 | Total body water measurement in renal insufficiency. <i>Pediatric Nephrology</i> , 1996, 10, 195-199.  | 0.9 | 6         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2079 | Quantification of regional matrix nail production. <i>British Journal of Dermatology</i> , 1996, 134, 1083-1086.  | 1.4 | 68        |
| 2080 | Muscular Disorders in Tension-Type Headache. <i>Cephalalgia</i> , 1996, 16, 97-103.   | 1.8 | 73        |
| 2081 | Evaluation of Non-Invasive Techniques to Assess Vasoconstriction in Healthy Volunteers Using Methoxamine as a Probe Drug. <i>Cephalalgia</i> , 1996, 16, 507-517.   | 1.8 | 2         |
| 2082 | Knee moment at work: validation of a questionnaire based on knee moment in working life. <i>International Archives of Occupational and Environmental Health</i> , 1996, 68, 321-324.  | 1.1 | 2         |
| 2083 | Intra-individual variation of glucose, specific insulin and proinsulin concentrations measured by two oral glucose tolerance tests in a general Caucasian population: the Hoorn Study. <i>Diabetologia</i> , 1996, 39, 298-305. | 2.9 | 326       |
| 2084 | Using the SF-36 and Euroqol on an elderly population. <i>Quality of Life Research</i> , 1996, 5, 195-204.   | 1.5 | 247       |
| 2085 | Quality of life in early adolescence: A sixteendimensional health-related measure (16D). <i>Quality of Life Research</i> , 1996, 5, 205-211.  | 1.5 | 158       |
| 2086 | Cell proliferation in renal cell carcinoma ? a comparative study of cell kinetic methods. <i>Urological Research</i> , 1996, 24, 291-295.   | 1.5 | 5         |
| 2087 | The surface topography of retrieved femoral heads. <i>Journal of Materials Science: Materials in Medicine</i> , 1996, 7, 739-744.   | 1.7 | 21        |
| 2088 | Cisplatin-induced autonomic neuropathy: does it really exist?. <i>Journal of Neuro-Oncology</i> , 1996, 27, 53-60.  | 1.4 | 6         |
| 2089 | Quality of life in pre-adolescence: A 17-dimensional health-related measure (17D). <i>Quality of Life Research</i> , 1996, 5, 532-538.  | 1.5 | 128       |
| 2090 | Peak systolic over protodiastolic ratio as an objective substitute for the uterine artery notch. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1996, 103, 993-998.                                      | 1.1 | 23        |
| 2091 | Nuchal translucency measurements: frequency distribution and changes with gestation in a general population. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1996, 103, 1201-1204.                        | 1.1 | 61        |
| 2092 | Evaluation of the home pad test in the investigation of female urinary incontinence. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1996, 103, 162-167.  | 1.1 | 86        |
| 2093 | Evaluation of the home pad test in the investigation of female urinary incontinence. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1996, 103, 720-720.  | 1.1 | 1         |
| 2094 | Analysis of High Frequency QRS Potential During Exercise Testing in Patients with Coronary Artery Disease and in Healthy Subjects. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1996, 19, 2040-2050.                   | 0.5 | 25        |
| 2095 | Clinical Application of a Microcomputer System for Analysis of Monophasic Action Potentials. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1996, 19, 297-308.   | 0.5 | 10        |
| 2096 | Correlation Between Time-Domain Measures of Heart Rate Variability and Scatterplots in Postinfarction Patients. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1996, 19, 342-347.  | 0.5 | 47        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2097 | Difference in QT Interval Measurement on Ambulatory ECG Compared with Standard ECG. PACE - Pacing and Clinical Electrophysiology, 1996, 19, 1296-1303.  | 0.5 | 21        |
| 2098 | Immediate and Day-to-Day Reproducibility of the Signal-Averaged Electrocardiogram in Patients with Coronary Artery Disease. PACE - Pacing and Clinical Electrophysiology, 1996, 19, 443-454.                                  | 0.5 | 1         |
| 2099 | Evaluation of Transmittance and Reflectance Pulse Oximetry in a Canine Model of Hypotension and Desaturation. Journal of Veterinary Emergency and Critical Care, 1996, 6, 21-28.  | 0.4 | 11        |
| 2100 | Late Potentials Detected by Digital Holter ECG: Reproducibility, Lead Systems, and Effects of Physical Activity. Annals of Noninvasive Electrocardiology, 1996, 1, 70-78.   | 0.5 | 6         |
| 2101 | Interobserver Reproducibility of QT Interval Measurement and QT Dispersion in Patients After Acute Myocardial Infarction. Annals of Noninvasive Electrocardiology, 1996, 1, 363-374.  | 0.5 | 31        |
| 2102 | Measurement of tooth mobility in children using the periotest. Dental Traumatology, 1996, 12, 120-123.  | 0.8 | 19        |
| 2103 | 0.1%/0.2% commercial chlorhexidine solutions as subgingival irrigants in chronic periodontitis. Journal of Clinical Periodontology, 1996, 23, 320-325.  | 2.3 | 9         |
| 2104 | A comparison of retrospective versus contemporaneous nausea scores with patient-controlled analgesia. Anaesthesia, 1996, 51, 333-337.   | 1.8 | 11        |
| 2105 | Validation of three paediatric pain scores for use by parents. Anaesthesia, 1996, 51, 1005-1007.  | 1.8 | 90        |
| 2106 | Use of a neonatal noninvasive blood pressure module on adult patients. Anaesthesia, 1996, 51, 1129-1132.  | 1.8 | 4         |
| 2107 | Assessment of dermal water by high-frequency ultrasound: comparative studies with nuclear magnetic resonance. British Journal of Dermatology, 1996, 135, 218-224.   | 1.4 | 83        |
| 2108 | Airway eosinophilia and expression of interleukin-5 protein in asthma and in exacerbations of chronic bronchitis. Clinical and Experimental Allergy, 1996, 26, 766-774.   | 1.4 | 103       |
| 2109 | Validation of an incremental field test for the direct assessment of peak oxygen uptake in wheelchair-dependent athletes. Spinal Cord, 1996, 34, 288-293.   | 0.9 | 36        |
| 2110 | Color Duplex Measurement of Cerebral Blood Flow Volume: Intra- and Interobserver Reproducibility and Habituation to Serial Measurements in Normal Subjects. Journal of Cerebral Blood Flow and Metabolism, 1996, 16, 523-531. | 2.4 | 74        |
| 2111 | Estimation of Cerebral Blood Flow at Bedside by Continuous Jugular Thermodilution. Journal of Cerebral Blood Flow and Metabolism, 1996, 16, 1263-1270.  | 2.4 | 27        |
| 2112 | 9.0.0 References. Allergy: European Journal of Allergy and Clinical Immunology, 1996, 51, 38-41.  | 2.7 | 2         |
| 2113 | An investigation of the validity of attachment level measurements with an automated periodontal probe. Journal of Clinical Periodontology, 1996, 23, 452-455.   | 2.3 | 12        |
| 2114 | Deregulation of cell survival in cystic and dysplastic renal development. Kidney International, 1996, 49, 135-146.  | 2.6 | 157       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2115 | The post-hemodialysis rebound: Predicting and quantifying its effect on Kt/V. <i>Kidney International</i> , 1996, 50, 2094-2102.  | 2.6 | 171       |
| 2116 | Agreement Between Rectal and Tympanic Membrane Temperatures in Marathon Runners. <i>Annals of Emergency Medicine</i> , 1996, 28, 414-417.   | 0.3 | 40        |
| 2117 | Correlation versus agreement: Methods of measurement in medicine. <i>Annals of Emergency Medicine</i> , 1996, 27, 236-238.  | 0.3 | 8         |
| 2118 | Evaluation of an in-line dialysate urea monitor including assessment of 'V'. <i>Nephrology</i> , 1996, 2, 195-198.  | 0.7 | 0         |
| 2119 | VALIDATION OF A SUBENDOCARDIAL ISCHAEMIC SHEEP MODEL BY INTRACORONARY FLUORESCENT MICROSPHERES. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1996, 23, 111-118.   | 0.9 | 7         |
| 2120 | Radiological progression of hip osteoarthritis: definition, risk factors and correlations with clinical status.. <i>Annals of the Rheumatic Diseases</i> , 1996, 55, 356-362.   | 0.5 | 147       |
| 2121 | Radial artery tonometry: moderately accurate but unpredictable technique of continuous non-invasive arterial pressure measurement. <i>British Journal of Anaesthesia</i> , 1996, 76, 405-411.   | 1.5 | 36        |
| 2122 | Clinical evaluation of the Allergan Humphrey 500 autorefractor and the Nidek AR-1000 autorefractor.. <i>British Journal of Ophthalmology</i> , 1996, 80, 35-39.   | 2.1 | 54        |
| 2123 | Assessment of coronary artery stenosis by magnetic resonance imaging.. <i>Heart</i> , 1996, 75, 127-133.  | 1.2 | 147       |
| 2124 | Glaucoma in Mongolia. <i>JAMA Ophthalmology</i> , 1996, 114, 1235.  | 2.6 | 450       |
| 2125 | Evaluation of bronchial responsiveness to exercise in children as an objective measure of asthma in epidemiological surveys.. <i>Thorax</i> , 1996, 51, 590-595.  | 2.7 | 29        |
| 2126 | Resting energy expenditure and oxygen cost of breathing in patients with cystic fibrosis.. <i>Thorax</i> , 1996, 51, 126-131.   | 2.7 | 97        |
| 2127 | Haemodynamic changes during high frequency oscillation for respiratory distress syndrome.. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 1996, 74, F172-F176.   | 1.4 | 35        |
| 2128 | The use of a load cell for continuous cardiomy reservoir level measurement during cardiopulmonary bypass. <i>Perfusion (United Kingdom)</i> , 1996, 11, 319-325.  | 0.5 | 1         |
| 2129 | Assessment of a new transtelephonic portable spirometer.. <i>Thorax</i> , 1996, 51, 407-410.  | 2.7 | 26        |
| 2130 | Caffeine restriction has no role in the management of patients with symptomatic idiopathic ventricular premature beats.. <i>Heart</i> , 1996, 76, 355-357.  | 1.2 | 21        |
| 2131 | Reliability of data from proxy respondents in an international case-control study of cardiovascular disease and oral contraceptives. <i>World Health Organization Collaborative Study of Cardiovascular Disease and Steroid Hormone Contraception.. Journal of Epidemiology and Community Health</i> , 1996, 50, 674-680. | 2.0 | 19        |
| 2132 | Evaluating neurological outcome measures: the bare essentials.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1996, 60, 127-130.   | 0.9 | 130       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2133 | Arterial wall thickness measurements by B mode ultrasonography in patients with Takayasu's arteritis.. <i>Annals of the Rheumatic Diseases</i> , 1996, 55, 461-465.   | 0.5 | 31        |
| 2134 | Carpal tunnel syndrome: evaluation of a new method of assessing median nerve conduction at the wrist.. <i>Annals of the Rheumatic Diseases</i> , 1996, 55, 396-398.   | 0.5 | 5         |
| 2135 | Coronary haemodynamics in left ventricular hypertrophy.. <i>Heart</i> , 1996, 75, 369-376.  | 1.2 | 10        |
| 2136 | Agreement between the Takeda UA-731 automatic blood pressure measuring device and the manual mercury sphygmomanometer: an assessment under field conditions in Newcastle upon Tyne, UK.. <i>Journal of Epidemiology and Community Health</i> , 1996, 50, 218-222. | 2.0 | 3         |
| 2137 | Comparison of partially attended night time respiratory recordings and full polysomnography in patients with suspected sleep apnoea/hypopnoea syndrome.. <i>Thorax</i> , 1996, 51, 1043-1047.   | 2.7 | 30        |
| 2138 | Effect of loratadine, an H1 antihistamine, on induced cough in non-asthmatic patients with chronic cough.. <i>Thorax</i> , 1996, 51, 810-814.   | 2.7 | 23        |
| 2139 | Tidal breathing parameters in the first week of life and subsequent cough and wheeze.. <i>Thorax</i> , 1996, 51, 815-818.   | 2.7 | 31        |
| 2140 | KNEE JOINT SPACE WIDTH MEASUREMENT: AN EXPERIMENTAL STUDY OF THE INFLUENCE OF RADIOGRAPHIC PROCEDURE AND JOINT POSITIONING. <i>Rheumatology</i> , 1996, 35, 761-766.  | 0.9 | 100       |
| 2141 | Standardization of non-invasive impedance cardiography for assessment of stroke volume: comparison with thermodilution. <i>British Journal of Anaesthesia</i> , 1996, 77, 748-752.  | 1.5 | 44        |
| 2142 | Measuring Psychosocial Aspects of Well-Being in Older Community Residents: Performance of Four Short Scales. <i>Gerontologist</i> , The, 1996, 36, 54-62.   | 2.3 | 63        |
| 2143 | Reliability of a commercially available threshold loading device in healthy subjects and in patients with chronic obstructive pulmonary disease.. <i>Thorax</i> , 1996, 51, 601-605.  | 2.7 | 52        |
| 2144 | Compensatory Enlargement of Angiographically Normal Coronary Segments in Patients with Coronary Artery Disease. <i>Angiology</i> , 1996, 47, 775-781.   | 0.8 | 15        |
| 2145 | A Statistics Primer. <i>American Journal of Sports Medicine</i> , 1996, 24, 393-395.  | 1.9 | 10        |
| 2146 | Role of sputum differential cell count in detecting airway inflammation in patients with chronic bronchial asthma or COPD.. <i>Thorax</i> , 1996, 51, 1000-1004.  | 2.7 | 89        |
| 2147 | Measuring blood glucose in neonatal units: how does hemocue compare?. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 1996, 75, F202-F208.  | 1.4 | 22        |
| 2148 | Hip muscle strength and function in very elderly women. <i>Clinical Rehabilitation</i> , 1996, 10, 319-327.   | 1.0 | 4         |
| 2149 | Accuracy of home blood glucose meters during hypoglycemia. <i>Diabetes Care</i> , 1996, 19, 1412-1415.  | 4.3 | 103       |
| 2150 | Percutaneous transvenous intracardiac ultrasound imaging in dogs: a new approach to monitor left ventricular function.. <i>Heart</i> , 1996, 76, 442-448.   | 1.2 | 16        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2151 | An Evaluation of the Agreement Between Three Peak Flow Meters: Wright's, Miniwright's, and Pocket, When Used in Children. <i>Journal of Asthma</i> , 1996, 33, 125-130.   | 0.9 | 3         |
| 2152 | Videorecording or direct computer acquisition for videodensitometric analysis of 2-D echo images: what agreement?. , 0, , .   |     | 1         |
| 2153 | Effects of intrapulmonary insulin in patients with non-insulin-dependent diabetes. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1996, 56, 555-561.  | 0.6 | 25        |
| 2154 | Change in fat-free mass assessed by bioelectrical impedance, total body potassium and dual energy X-ray absorptiometry during prolonged weight loss. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1996, 56, 671-679.                      | 0.6 | 34        |
| 2155 | Comparison Between Incremental and Single-Dose Allergen Administration in Bronchial Provocation Tests. <i>Journal of Asthma</i> , 1996, 33, 169-178.  | 0.9 | 2         |
| 2156 | The validity and reliability of real-time ultrasound estimation of bladder volume in postnatal women. <i>Journal of Obstetrics and Gynaecology</i> , 1996, 16, 224-227.   | 0.4 | 9         |
| 2157 | Comparison of Diurnal Systolic Blood Pressure Change as Defined by Wrist Actigraphy, Fixed Time Periods and Cusum. <i>Blood Pressure</i> , 1996, 5, 216-221.  | 0.7 | 9         |
| 2158 | Scintigraphic measurement of gastric emptying and ultrasonographic assessment of antral area: relation to appetite.. <i>Gut</i> , 1996, 38, 816-821.  | 6.1 | 150       |
| 2159 | Clinical estimation of fetal weight in labour by mothers and midwives. <i>Journal of Obstetrics and Gynaecology</i> , 1996, 16, 483-487.  | 0.4 | 0         |
| 2160 | An automated algorithm for analysis of 2-D echocardiographic short-axis images: a brief overview. , 1996, , .   |     | 5         |
| 2161 | Analysis of Method Comparison Studies. <i>Annals of Clinical Biochemistry</i> , 1996, 33, 1-4.  | 0.8 | 150       |
| 2162 | Comparison of body composition by dual energy X-ray absorptiometry to other estimates of body composition during weight loss in obese patients with rheumatoid arthritis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1996, 56, 615-625. | 0.6 | 21        |
| 2163 | The Glasgow Pain Questionnaire: A New Generic Measure of Pain; Development and Testing. <i>International Journal of Epidemiology</i> , 1996, 25, 1060-1067.   | 0.9 | 27        |
| 2164 | Retest Reliability of Recall Measures of Leisure-Time Physical Activity in Australian Adults. <i>International Journal of Epidemiology</i> , 1996, 25, 153-159.   | 0.9 | 105       |
| 2165 | Airways obstruction, chronic expectoration, and rapid decline of FEV1 in smokers are associated with increased levels of sputum neutrophils.. <i>Thorax</i> , 1996, 51, 267-271.  | 2.7 | 377       |
| 2166 | <i>Helicobacter pylori</i> antibody titres in serum, plasma and successively thawed specimens: implications for epidemiological and clinical studies.. <i>Journal of Clinical Pathology</i> , 1996, 49, 1017-1019.  | 1.0 | 12        |
| 2167 | Validation of a 5-minute steady state indirect calorimetry protocol for resting energy expenditure in critically ill patients.. <i>Journal of the American College of Nutrition</i> , 1996, 15, 397-402.  | 1.1 | 64        |
| 2168 | Nondispersive Isotope-Selective Infrared Spectroscopy: A New Analytical Method for <sup>13</sup> C-Urea Breath Tests. <i>Scandinavian Journal of Gastroenterology</i> , 1996, 31, 442-445.  | 0.6 | 62        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2169 | Long-Term Reproducibility and Usefulness of Daytime Recording of Noninvasive 24-Hour Ambulatory Blood Pressure Monitoring in Borderline Hypertension: A Two-Year Follow-Up Study. <i>Clinical and Experimental Hypertension</i> , 1996, 18, 637-657. | 0.5 | 11        |
| 2170 | Functional imaging of the retina using the multifocal electroretinograph: a control study.. <i>British Journal of Ophthalmology</i> , 1996, 80, 831-834.   | 2.1 | 41        |
| 2171 | Longitudinal Assessment of Monocular Grating Acuity: Predictive Value of Estimates in Infancy. <i>Neuro-Ophthalmology</i> , 1996, 16, 15-25.   | 0.4 | 7         |
| 2172 | Comparison of the incision and aspiration methods for the diagnosis of placental malaria infection. <i>Journal of Obstetrics and Gynaecology</i> , 1996, 16, 316-320.  | 0.4 | 8         |
| 2173 | Assessment of food chemical intolerance in adult asthmatic subjects.. <i>Thorax</i> , 1996, 51, 805-809.   | 2.7 | 17        |
| 2174 | The Transferability of a Candidate Reference Method for Determination of Creatinine in Serum. <i>Clinical Chemistry and Laboratory Medicine</i> , 1996, 34, 921-6.   | 1.4 | 0         |
| 2176 | Assessing progression of patellofemoral osteoarthritis: a comparison between two radiographic methods.. <i>Annals of the Rheumatic Diseases</i> , 1996, 55, 875-879.   | 0.5 | 34        |
| 2177 | The order of draw of blood specimens into additive containing tubes not affect potassium and calcium measurements.. <i>Journal of Clinical Pathology</i> , 1996, 49, 1019-1020.  | 1.0 | 14        |
| 2178 | Value of body plethysmography in preoperative assessment of thoracotomy candidates. <i>European Journal of Cardio-thoracic Surgery</i> , 1996, 10, 312-319.  | 0.6 | 0         |
| 2179 | Some Analytical Considerations on the Measurement of Prostate-Specific Antigen. <i>Clinical Chemistry and Laboratory Medicine</i> , 1996, 34, 817-21.  | 1.4 | 3         |
| 2180 | The amygdala and intractable temporal lobe epilepsy. <i>Neurology</i> , 1996, 47, 1021-1031.   | 1.5 | 98        |
| 2181 | Comparison of Rectal, Axillary, and Forehead Temperatures. <i>JAMA Pediatrics</i> , 1996, 150, 74.   | 3.6 | 53        |
| 2182 | Secondary Prevention of Coronary Heart Disease in Patients with Extracoronary Atherosclerosis: A Need for Accuracy of Low Density Lipoprotein Determination. <i>Angiology</i> , 1996, 47, 241-246.   | 0.8 | 5         |
| 2183 | On-line estimation of left ventricular stroke volume using transoesophageal echocardiography and acoustic quantification. <i>British Journal of Anaesthesia</i> , 1996, 77, 365-369.   | 1.5 | 11        |
| 2184 | When to treat dyslipidaemia of patients with chronic renal failure on haemodialysis? A need to define specific guidelines. <i>Nephrology Dialysis Transplantation</i> , 1996, 11, 308-313.   | 0.4 | 16        |
| 2185 | Evaluation of gastric intramucosal pH measurements with tissue oxygenation indices in patients with severe sepsis. <i>Clinical Intensive Care: International Journal of Critical &amp; Coronary Care Medicine</i> , 1996, 7, 180-189.                | 0.1 | 8         |
| 2186 | The Influence of Carbon Dioxide and Body Position on Near-Infrared Spectroscopic Assessment of Cerebral Hemoglobin Oxygen Saturation. <i>Anesthesia and Analgesia</i> , 1996, 82, 278-287.   | 1.1 | 95        |
| 2187 | Transesophageal Echocardiography in Myocardial Revascularization. <i>Anesthesia and Analgesia</i> , 1996, 82, 1132-1138.   | 1.1 | 48        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 2188 | Quantitative assessment of MRI lesion load in multiple sclerosis: A comparison of conventional spin-echo with fast fluidattenuated inversion recovery. <i>Brain</i> , 1996, 119, 1349-1355.                                  | 3.7  | 164       |
| 2189 | Reference ranges of bone mineral density for women in southern England: the impact of local data on the diagnosis of osteoporosis. <i>British Journal of Radiology</i> , 1996, 69, 655-660.                                  | 1.0  | 59        |
| 2190 | Respiratory Rehabilitation, Exercise Capacity and Quality of Life in Chronic Airways Disease in Old Age. <i>Age and Ageing</i> , 1996, 25, 12-16.  | 0.7  | 82        |
| 2191 | Effect of oxitropium bromide on histamine-induced airway goblet cell secretion.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1996, 154, 231-236.   | 2.5  | 18        |
| 2192 | Estimation of occlusion pressure during assisted ventilation in patients with intrinsic PEEP.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1996, 154, 907-912.                                       | 2.5  | 46        |
| 2193 | Evaluation of an On-Demand, Ex Vivo Bedside Blood Gas Monitor on Pulmonary Artery Blood Gas Determinations. <i>Anesthesia and Analgesia</i> , 1996, 83, 500-504.   | 1.1  | 4         |
| 2194 | Measurement of limb length inequality Comparison of clinical methods with orthoradiography in 190 children. <i>Acta Orthopaedica</i> , 1996, 67, 242-244.  | 1.4  | 38        |
| 2195 | Age-related transmural peak mean velocities and peak velocity gradients by Doppler myocardial imaging in normal subjects. <i>European Heart Journal</i> , 1996, 17, 940-950.   | 1.0  | 109       |
| 2196 | Glomerular basement membrane thickness--a comparison of two methods of measurement in patients with unexplained haematuria. <i>Nephrology Dialysis Transplantation</i> , 1996, 11, 1256-1260.                                | 0.4  | 26        |
| 2197 | Density of <i>Helicobacter pylori</i> Infection In Vivo as Assessed by Quantitative Culture and Histology. <i>Journal of Infectious Diseases</i> , 1996, 174, 552-556.   | 1.9  | 174       |
| 2198 | Chest Wall Oscillation at 1 Hz Reduces Spontaneous Ventilation in Healthy Subjects During Sleep. <i>Chest</i> , 1996, 110, 128-135.  | 0.4  | 5         |
| 2199 | Calibration of a total body potassium monitor with an anthropomorphic phantom. <i>Physics in Medicine and Biology</i> , 1996, 41, 2447-2462.   | 1.6  | 12        |
| 2200 | Noninvasive determination of cardiac output in patients with severe airflow limitation.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1996, 153, 981-984.   | 2.5  | 7         |
| 2201 | Integrin upregulation on sputum neutrophils in smokers with chronic airway obstruction.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1996, 154, 1296-1300.   | 2.5  | 49        |
| 2202 | The Timing of Surgery for Severe Mitral Regurgitation. <i>New England Journal of Medicine</i> , 1996, 335, 1456-1458.  | 13.9 | 41        |
| 2203 | Optic disc height measurement with the Zeiss 4-mirror contact lens and 78 dioptre lens compared. <i>Eye</i> , 1996, 10, 371-376.   | 1.1  | 7         |
| 2204 | High-resolution MR imaging of stage I cervical neoplasia with a dedicated transvaginal coil: MR features and correlation of imaging and pathologic findings.. <i>American Journal of Roentgenology</i> , 1996, 166, 553-559. | 1.0  | 51        |
| 2205 | The use of recombinant human thyrotropin produced by Chinese hamster ovary cells for the preparation of immunoassay reagents.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 249-256.                  | 1.8  | 34        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2206 | Manchester and Oxford Universities Scale for the Psychopathological Assessment of Dementia (MOUSEPAD). British Journal of Psychiatry, 1996, 169, 293-307.  | 1.7 | 71        |
| 2207 | A method for measuring the CO <sub>2</sub> dead space volume in facial visors and respiratory protective devices in human subjects. Ergonomics, 1996, 39, 1087-1106.   | 1.1 | 3         |
| 2208 | Application of a new discreet form of Gauss' theorem for measuring volume. Physics in Medicine and Biology, 1996, 41, 1809-1821.   | 1.6 | 32        |
| 2209 | Reproducibility of electrical impedance tomographic spectroscopy (EITS) parametric images of neonatal lungs. Physiological Measurement, 1996, 17, A205-A212.   | 1.2 | 15        |
| 2210 | Mandibular bone mineral density as a predictor of skeletal osteoporosis. British Journal of Radiology, 1996, 69, 1019-1025.  | 1.0 | 171       |
| 2211 | Assessment of stenosis severity using a novel method to estimate spatial and temporal variations of blood flow velocity in biplane coronarography. Physics in Medicine and Biology, 1997, 42, 1549-1564.                       | 1.6 | 11        |
| 2212 | Evaluation of an ultrasonic method applied to the measurement of blood coagulation time. Physiological Measurement, 1997, 18, 129-143.   | 1.2 | 8         |
| 2213 | Airway closure measured by a technegas bolus and SPECT.. American Journal of Respiratory and Critical Care Medicine, 1997, 155, 682-688.   | 2.5 | 62        |
| 2214 | Transesophageal multiplane imaging of the human pulmonary artery: a comparison of MRI and multiplane transesophageal two-dimensional echocardiography. Cardiovascular Research, 1997, 34, 582-589.                             | 1.8 | 5         |
| 2215 | Non-invasive assessment of cardiac output during exercise in chronic obstructive pulmonary disease: comparison of the -rebreathing method and electrical impedance cardiography. Physiological Measurement, 1997, 18, 327-338. | 1.2 | 16        |
| 2216 | The agreement between colour Doppler systems in measuring internal carotid artery peak systolic velocities.. British Journal of Radiology, 1997, 70, 1043-1052.  | 1.0 | 11        |
| 2217 | A simple and reproducible method for assessing intimal-medial thickness of the common carotid artery.. British Journal of Radiology, 1997, 70, 85-89.  | 1.0 | 90        |
| 2218 | Planimetry of aortic valve area using multiplane transoesophageal echocardiography is not a reliable method for assessing severity of aortic stenosis.. Heart, 1997, 78, 68-73.  | 1.2 | 57        |
| 2219 | In vitro estimation of foetal liver volume using ultrasound, x-ray computed tomography and magnetic resonance imaging. Physiological Measurement, 1997, 18, 401-410.   | 1.2 | 5         |
| 2220 | Dynamic MR imaging compared with evacuation proctography when evaluating anorectal configuration and pelvic floor movement.. American Journal of Roentgenology, 1997, 169, 775-779.  | 1.0 | 132       |
| 2221 | Clinical assessment of a hand-held automated keratometer in cataract surgery. Eye, 1997, 11, 854-857.  | 1.1 | 4         |
| 2222 | Inter-observer agreement in clinical optic disc measurement using a modified 60 D lens. Eye, 1997, 11, 692-697.  | 1.1 | 16        |
| 2223 | RELATIONSHIPS BETWEEN SMOKING HABITS, SMOKING-ASSOCIATED HEMATOLOGICAL CHANGES, AND URINARY BENZENE METABOLITES. Journal of Toxicology and Environmental Health - Part A: Current Issues, 1997, 52, 1-17.                      | 1.1 | 3         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2224 | Effect of Surgical Lung Volume Reduction on Breathing Patterns in Severe Pulmonary Emphysema. American Journal of Respiratory and Critical Care Medicine, 1997, 156, 553-560.   | 2.5 | 71        |
| 2225 | CD4-Positive T-Lymphocytes Infiltrate the Bronchial Mucosa of Patients with Sjögren's Syndrome. American Journal of Respiratory and Critical Care Medicine, 1997, 156, 637-641.   | 2.5 | 60        |
| 2226 | Deuterium and Bromide Dilution, and Bioimpedance Spectrometry Independently Show That Growth Hormone-Deficient Adults Have an Enlarged Extracellular Water Compartment Related to Intracellular Water. Journal of Clinical Endocrinology and Metabolism, 1997, 82, 907-911. | 1.8 | 43        |
| 2227 | Intra-arterial Blood Pressure During Exercise and Left Ventricular Indices in Normotension and Borderline and Mild Hypertension. Blood Pressure, 1997, 6, 5-12.   | 0.7 | 7         |
| 2228 | Evaluation of treatment and post-treatment changes by the PAR Index. European Journal of Orthodontics, 1997, 19, 279-288.   | 1.1 | 88        |
| 2229 | Determination of peak oxygen uptake during upper body exercise. Ergonomics, 1997, 40, 491-499.  | 1.1 | 39        |
| 2230 | Baroreflex gain measured by the phenylephrine method and by the Robbe spectral technique in post-myocardial infarction patients. , 0, , .   |     | 0         |
| 2231 | High spatial resolution automated perimetry in glaucoma. British Journal of Ophthalmology, 1997, 81, 452-459.   | 2.1 | 38        |
| 2232 | Estimation of reproducibility and relative validity of the questions included in the EPIC Physical Activity Questionnaire. International Journal of Epidemiology, 1997, 26, 181S-189.   | 0.9 | 289       |
| 2233 | Comparison of two methods of measuring forearm oxygen consumption (VO <sub>2</sub> ) by near infrared spectroscopy. Journal of Biomedical Optics, 1997, 2, 171.   | 1.4 | 44        |
| 2234 | Assessment of fitness in patients with cystic fibrosis and mild lung disease. Thorax, 1997, 52, 425-430.  | 2.7 | 14        |
| 2235 | Comparison of the accuracy of the lithium dilution technique with the thermodilution technique for measurement of cardiac output. British Journal of Anaesthesia, 1997, 79, 770-775.  | 1.5 | 118       |
| 2236 | Monitoring oral anticoagulant treatment with the TAS near-patient test system: comparison with conventional thromboplastins.. Journal of Clinical Pathology, 1997, 50, 951-956.   | 1.0 | 20        |
| 2237 | Use of home sleep studies for diagnosis of the sleep apnoea/hypopnoea syndrome. Thorax, 1997, 52, 1068-1073.  | 2.7 | 112       |
| 2238 | Comparison of manual and automated cell counts in EDTA preserved synovial fluids. Storage has little influence on the results. Annals of the Rheumatic Diseases, 1997, 56, 622-626.   | 0.5 | 55        |
| 2239 | Radioimmunoassay for Serum Apolipoprotein D, an Atypical Apolipoprotein: Validation and Clinical Application. Annals of Clinical Biochemistry, 1997, 34, 537-542.   | 0.8 | 2         |
| 2240 | Open-Flow Microperfusion of Subcutaneous Adipose Tissue for On-Line Continuous Ex Vivo Measurement of Glucose Concentration. Diabetes Care, 1997, 20, 1114-1121.  | 4.3 | 78        |
| 2241 | QT dispersion as a risk factor for sudden cardiac death and fatal myocardial infarction in a coronary risk population.. Heart, 1997, 78, 268-272.   | 1.2 | 55        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2242 | Lactate Production by the Lungs in Acute Lung Injury. American Journal of Respiratory and Critical Care Medicine, 1997, 156, 1099-1104.  | 2.5 | 161       |
| 2243 | Nutritional impact of antipseudomonas intravenous antibiotic courses in cystic fibrosis. Archives of Disease in Childhood, 1997, 76, 437-440.  | 1.0 | 27        |
| 2244 | Validity of a Heart Rate Monitor During Work in the Laboratory and on the Space Shuttle. AIHA Journal, 1997, 58, 299-301.  | 0.4 | 12        |
| 2245 | Intravascular ultrasound in patients with acute pulmonary embolism after treatment with intravenous urokinase and high-dose heparin.. Heart, 1997, 77, 73-77.  | 1.2 | 13        |
| 2246 | Comparison of the Clinical Performances of the Immunoenzymometric Assays for N-Terminal and C-Terminal Type I Collagen Teloptides and the HPLC Assay for Pyridinium Cross-Links. Clinical Chemistry and Laboratory Medicine, 1997, 35, 63-8.                             | 1.4 | 1         |
| 2247 | Comparison of postal version of the Frenchay Activities Index with interviewer-administered version for use in people with stroke. Clinical Rehabilitation, 1997, 11, 131-138.   | 1.0 | 38        |
| 2248 | Comparison of transthoracic three dimensional echocardiography with magnetic resonance imaging in the assessment of right ventricular volume and mass.. Heart, 1997, 78, 127-130.  | 1.2 | 141       |
| 2249 | Reproducibility of the signal averaged P wave: time and frequency domain analysis.. Heart, 1997, 77, 412-416.  | 1.2 | 27        |
| 2250 | Adenosine monophosphate and histamine induced bronchoconstriction: repeatability and protection by terbutaline. Thorax, 1997, 52, 239-243.   | 2.7 | 23        |
| 2251 | A review of outcome indicators in the treatment of chronic limb oedema. Clinical Rehabilitation, 1997, 11, 181-191.  | 1.0 | 49        |
| 2252 | Validation of thoracic electrical bioimpedance as a porcine research tool.. British Journal of Anaesthesia, 1997, 78, 323-325.   | 1.5 | 8         |
| 2253 | Can prolonged expiration manoeuvres improve the prediction of arterial PCO2 from end-tidal PCO2?. British Journal of Anaesthesia, 1997, 78, 536-540.   | 1.5 | 17        |
| 2255 | An Experimental Model for the Acute and Chronic Evaluation of Intra-Aneurysmal Pressure. Journal of Endovascular Therapy, 1997, 4, 290-297.  | 0.8 | 5         |
| 2256 | Assessing agreement between measurements recorded on a ratio scale in sports medicine and sports science.. British Journal of Sports Medicine, 1997, 31, 314-318.  | 3.1 | 259       |
| 2257 | Quantitative, non-invasive assessment of ventricular septal defect shunt flow by measuring proximal isovelocity surface area on colour Doppler mapping.. Heart, 1997, 78, 305-309.   | 1.2 | 16        |
| 2258 | Assessment of atrial septal defect morphology by transthoracic three dimensional echocardiography using standard grey scale and Doppler myocardial imaging techniques: comparison with magnetic resonance imaging and intraoperative findings. Heart, 1997, 78, 382-389. | 1.2 | 46        |
| 2259 | CT Measurement of Anteversion in the Femoral Neck. Acta Radiologica, 1997, 38, 527-532.  | 0.5 | 36        |
| 2260 | Measurement of exposure to mouse urinary proteins in an epidemiological study.. Occupational and Environmental Medicine, 1997, 54, 135-140.  | 1.3 | 22        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2261 | The design and analysis of reliability studies for the use of epidemiological and audit indices in orthodontics.. British Journal of Orthodontics, 1997, 24, 139-147.                            | 0.3 | 86        |
| 2262 | A Rapid Desktop Theophylline Assay. Chest, 1997, 111, 324-326.   | 0.4 | 0         |
| 2263 | Airways Remodeling Is a Distinctive Feature of Asthma and Is Related to Severity of Disease. Chest, 1997, 111, 852-857.  | 0.4 | 366       |
| 2264 | Measurements of PEEP-Induced Changes in Lung Volume. Chest, 1997, 112, 107-112.  | 0.4 | 8         |
| 2265 | Peak Flow Lability. Chest, 1997, 112, 895-901.   | 0.4 | 31        |
| 2266 | Idiopathic focal dystonia: a disorder of muscle spindle afferent processing?. Brain, 1997, 120, 2179-2185.   | 3.7 | 151       |
| 2267 | Regional hippocampal [ <sup>11</sup> C]flumazenil PET in temporal lobe epilepsy with unilateral and bilateral hippocampal sclerosis. Brain, 1997, 120, 1865-1876.                                | 3.7 | 78        |
| 2269 | Comparison of an Auscultatory Versus an Oscillometric Ambulatory Blood Pressure Monitor in Normotensive, Hypertensive, and Preeclamptic Pregnancy. Hypertension in Pregnancy, 1997, 16, 187-202. | 0.5 | 22        |
| 2270 | Correspondence. Disability and Rehabilitation, 1997, 19, 120-123.  | 0.9 | 3         |
| 2271 | The craniofacial complex in karyotype 46,XY females. European Journal of Orthodontics, 1997, 19, 383-389.  | 1.1 | 1         |
| 2272 | Knee scoring systems in gonarthrosis: Evaluation of interobserver variability and the envelope of bias. Acta Orthopaedica, 1997, 68, 41-45.  | 1.4 | 37        |
| 2273 | Fetal transmission pulse oximetry. , 0, , .  |     | 0         |
| 2274 | A critical appraisal of measurement of the soft tissue outline using photographs and video. European Journal of Orthodontics, 1997, 19, 397-409.   | 1.1 | 20        |
| 2275 | Infant respiratory function after RSV-proven bronchiolitis.. American Journal of Respiratory and Critical Care Medicine, 1997, 155, 1349-1355.   | 2.5 | 40        |
| 2276 | Comparison of two Hologic DXA systems (QDR 1000 and QDR 4500/A).. British Journal of Radiology, 1997, 70, 728-739.   | 1.0 | 52        |
| 2277 | Comparison of End-Tidal and Arterial Carbon Dioxide in Infants Using Laryngeal Mask Airway and Endotracheal Tube. Anesthesia and Analgesia, 1997, 84, 51-53.                                     | 1.1 | 10        |
| 2278 | Densities of Dextrose-Free Intrathecal Local Anesthetics, Opioids, and Combinations Measured at 37 degrees C. Anesthesia and Analgesia, 1997, 84, 95-99.   | 1.1 | 32        |
| 2279 | Comparison of End-Tidal and Arterial Carbon Dioxide in Infants Using Laryngeal Mask Airway and Endotracheal Tube. Anesthesia and Analgesia, 1997, 84, 51-53.                                     | 1.1 | 21        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2280 | The validity of body mass index for the assessment of adiposity in children with disease states. <i>Annals of Human Biology</i> , 1997, 24, 209-215.                                       | 0.4 | 68        |
| 2281 | Accuracy and clinical performance of a continuous intra-arterial blood-gas monitoring system during thoroscopic surgery. <i>British Journal of Anaesthesia</i> , 1997, 79, 47-52.          | 1.5 | 40        |
| 2282 | Screening for amblyopia: a comparison of paediatric letter tests. <i>British Journal of Ophthalmology</i> , 1997, 81, 465-469.   | 2.1 | 48        |
| 2284 | Comparing two methods of follow up in a multicentre randomised trial. <i>Archives of Disease in Childhood</i> , 1997, 76, 369-376.   | 1.0 | 17        |
| 2285 | Adding a visual linear scale probability to the pioped probability of pulmonary embolism. <i>Acta Radiologica</i> , 1997, 38, 458-463.   | 0.5 | 5         |
| 2286 | Objective morphological assessment of macular hole surgery by scanning laser tomography. <i>British Journal of Ophthalmology</i> , 1997, 81, 107-116.                                      | 2.1 | 20        |
| 2287 | Is Dobutamine Stress Echocardiography Useful for Noninvasive Differentiation of Ischemic from Idiopathic Dilated Cardiomyopathy?. <i>Angiology</i> , 1997, 48, 783-793.                    | 0.8 | 19        |
| 2288 | Feasibility of using finger arterial pressure in neonates. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 1997, 77, F139-F140.                                      | 1.4 | 36        |
| 2289 | Development of a modified Winchester disability scale--the elderly at risk rating scale.. <i>Journal of Epidemiology and Community Health</i> , 1997, 51, 558-563.                         | 2.0 | 8         |
| 2290 | Evaluation of a New, Rapid and Automated Immunochemiluminometric Assay for the Measurement of Serum Intact Parathyroid Hormone. <i>Annals of Clinical Biochemistry</i> , 1997, 34, 97-103. | 0.8 | 32        |
| 2291 | Clinical experience with the Diametrics IRMA (Immediate Response Mobile Analysis) blood analysis system. <i>Perfusion (United Kingdom)</i> , 1997, 12, 27-30.                              | 0.5 | 5         |
| 2292 | Different approaches to synovial membrane volume determination by magnetic resonance imaging: manual versus automated segmentation. <i>Rheumatology</i> , 1997, 36, 1166-1177.             | 0.9 | 42        |
| 2293 | Reported activities of daily living: agreement between elderly subjects with and without dementia and their caregivers. <i>Age and Ageing</i> , 1997, 26, 99-106.                          | 0.7 | 114       |
| 2294 | An investigation of the adequacy of psychiatric interviews conducted through an interpreter. <i>Psychiatric Bulletin</i> , 1997, 21, 209-213.  | 0.3 | 31        |
| 2295 | Renal functional reserve in patients with severe chronic obstructive pulmonary disease. <i>Thorax</i> , 1997, 52, 411-415.   | 2.7 | 29        |
| 2296 | Non-invasive assessment of cardiac physiology by tissue Doppler echocardiography: A comparison with invasive haemodynamics. <i>European Heart Journal</i> , 1997, 18, 330-339.             | 1.0 | 99        |
| 2297 | Total and percentage body water in healthy Nigerian children aged 5â€“15 years. <i>Annals of Tropical Paediatrics</i> , 1997, 17, 67-76.   | 1.0 | 1         |
| 2298 | Comparison of Graded versus Constant Treadmill Test Protocols for Quantifying Intermittent Claudication. <i>Vascular Medicine</i> , 1997, 2, 93-97.  | 0.8 | 30        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2299 | Precision of Tympanometric Measurements. <i>Journal of Speech, Language, and Hearing Research</i> , 1997, 40, 215-222.  | 0.7 | 11        |
| 2300 | Single or duplicate analysis for automated prothrombin time and activated partial thromboplastin time?. <i>Pathology</i> , 1997, 29, 67-71.   | 0.3 | 2         |
| 2301 | A Sensitive and Robust Assay for Urokinase and Tissue-Type Plasminogen Activators (Upa and Tpa) and Their Inhibitor Type I (Pai-1) in Breast Tumor Cytosols. <i>International Journal of Biological Markers</i> , 1997, 12, 6-14.                         | 0.7 | 83        |
| 2302 | Determinants of body composition measured by dual-energy X-ray absorptiometry in Dutch children and adolescents. <i>American Journal of Clinical Nutrition</i> , 1997, 66, 232-238.   | 2.2 | 211       |
| 2303 | Spearman's Footrule as a Measure of Agreement. <i>Psychological Reports</i> , 1997, 80, 839-846.  | 0.9 | 20        |
| 2304 | Body composition assessed on the basis of arm circumference and triceps skinfold thickness: a new index validated in children by magnetic resonance imaging. <i>American Journal of Clinical Nutrition</i> , 1997, 65, 1709-1713.                         | 2.2 | 101       |
| 2305 | Sensitivity and Reproducibility of Fastâ€FLAIR, FSE, and TGSE Sequences for the MRI Assessment of Brain Lesion Load in Multiple Sclerosis: A Preliminary Study. <i>Journal of Neuroimaging</i> , 1997, 7, 98-102.  | 1.0 | 20        |
| 2306 | Cerebral Hemoglobin and Optical Pathlength Influence Near-Infrared Spectroscopy Measurement of Cerebral Oxygen Saturation. <i>Anesthesia and Analgesia</i> , 1997, 84, 1297-1305.   | 1.1 | 52        |
| 2307 | Effect of antibiotic therapy on nasal nitric oxide concentration in children with acute sinusitis.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1997, 155, 1680-1683.   | 2.5 | 96        |
| 2308 | Understanding Error Grid Analysis. <i>Diabetes Care</i> , 1997, 20, 911-912.  | 4.3 | 72        |
| 2309 | Crossâ€Validation of Anthropometric and Bioelectrical Resistance Prediction Equations for Body Composition in Older People Using the 4â€Compartment Model as a Criterion Method. <i>Journal of the American Geriatrics Society</i> , 1997, 45, 837-843. | 1.3 | 15        |
| 2310 | The impact of socioeconomic status on health functioning as assessed by the SF-36 questionnaire: the Whitehall II Study.. <i>American Journal of Public Health</i> , 1997, 87, 1484-1490.   | 1.5 | 229       |
| 2311 | Monitoring Gastric Mucosal Carbon Dioxide Pressure Using Gas Tonometry. <i>Anesthesiology</i> , 1997, 87, 504-510.  | 1.3 | 132       |
| 2312 | The Use of a Hemocue Blood Glucose Analyser in a Neonatal Unit. <i>Annals of Clinical Biochemistry</i> , 1997, 34, 287-290.   | 0.8 | 19        |
| 2313 | Method Comparison: Evaluation of Least Squares, Deming and Passing/Bablok Regression Procedures Using Computer Simulation. <i>Annals of Clinical Biochemistry</i> , 1997, 34, 319-320.  | 0.8 | 40        |
| 2314 | Difference versus Mean Plots. <i>Annals of Clinical Biochemistry</i> , 1997, 34, 570-571.   | 0.8 | 19        |
| 2316 | Impedance Cardiography Accurately Measures Cardiac Output During Exercise in Children With Cystic Fibrosis. <i>Chest</i> , 1997, 111, 333-337.  | 0.4 | 26        |
| 2317 | Prepubescentsâ€™ Ventilatory Responses to Exercise With Reference to Sex and Body Size. <i>Chest</i> , 1997, 112, 1554-1560.  | 0.4 | 36        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2318 | A new photo-oscillometric method employing the delta-algorithm for accurate blood pressure measurement. <i>Journal of Hypertension</i> , 1997, 15, 147-156.  | 0.3 | 12        |
| 2319 | Catch-up growth induced by growth hormone in the craniofacial skeleton of the Snell strain of the hypopituitary dwarf mouse. <i>European Journal of Orthodontics</i> , 1997, 19, 141-150.  | 1.1 | 10        |
| 2320 | The Bristol shared care glaucoma study - validity of measurements and patient satisfaction. <i>Journal of Public Health</i> , 1997, 19, 431-436.   | 1.0 | 29        |
| 2321 | Energy Needs Are Poorly Predicted in Critically Ill Elderly. <i>Journal of Intensive Care Medicine</i> , 1997, 12, 45-49.  | 1.3 | 4         |
| 2322 | Dental occlusion and arch size and shape in karyotype 46,XY females. <i>European Journal of Orthodontics</i> , 1997, 19, 329-335.  | 1.1 | 5         |
| 2323 | Comparison of echocardiography with magnetic resonance imaging in the assessment of the athlete's heart. <i>European Heart Journal</i> , 1997, 18, 1505-1513.  | 1.0 | 45        |
| 2324 | Is pH Paper an Acceptable, Low-Cost Alternative to the Blood Gas Analyzer for Determining Pleural Fluid pH?. <i>Chest</i> , 1997, 112, 1291-1292.  | 0.4 | 49        |
| 2325 | Noninvasive Monitoring of Carbon Dioxide During Respiratory Failure in Toddlers and Infants. <i>Anesthesia and Analgesia</i> , 1997, 85, 55-58.  | 1.1 | 53        |
| 2326 | Three-dimensional echocardiographic assessment of right ventricular volume and function in patients with pulmonary hypertension. <i>Cardiology in the Young</i> , 1997, 7, 317-324.  | 0.4 | 4         |
| 2327 | Comparison of right ventricular volumes by transthoracic and transesophageal echocardiography in patients with right ventricular volume overload. <i>Cardiology in the Young</i> , 1997, 7, 417-422.                                 | 0.4 | 1         |
| 2328 | Cross-sectional echocardiographic determination of right ventricular volume and myocardial mass in children. Normal values and values in children with interatrial communication. <i>Cardiology in the Young</i> , 1997, 7, 302-309. | 0.4 | 2         |
| 2329 | Continuous Cardiac Output Monitoring During Adult Liver Transplantation. <i>Anesthesia and Analgesia</i> , 1997, 85, 483-488.  | 1.1 | 11        |
| 2330 | Hypoxic Pulmonary Vasoconstriction in Human Lungs. <i>Anesthesiology</i> , 1997, 86, 308-315.  | 1.3 | 57        |
| 2331 | Assessment of antihypertensive treatment by ambulatory blood pressure. <i>Journal of Hypertension</i> , 1997, 15, S43-S50.   | 0.3 | 12        |
| 2332 | Free-living energy expenditure of adult men assessed by continuous heart-rate monitoring and doubly-labelled water. <i>British Journal of Nutrition</i> , 1997, 78, 695-708.   | 1.2 | 66        |
| 2333 | Critical evaluation of the factorial and heart-rate recording methods for the determination of energy expenditure of free-living elderly people. <i>British Journal of Nutrition</i> , 1997, 78, 709-722.                            | 1.2 | 38        |
| 2334 | Iodine status of New Zealand residents as assessed by urinary iodide excretion and thyroid hormones. <i>British Journal of Nutrition</i> , 1997, 78, 901-912.  | 1.2 | 57        |
| 2336 | Association between high heart rate and high arterial rigidity in normotensive and hypertensive subjects. <i>Journal of Hypertension</i> , 1997, 15, 1423-1430.  | 0.3 | 211       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2337 | Continuous Cardiac Output Monitoring During Adult Liver Transplantation. <i>Anesthesia and Analgesia</i> , 1997, 85, 483-488.   | 1.1 | 33        |
| 2338 | Relation of left ventricular longitudinal and circumferential shortening to ejection fraction in the presence or in the absence of mild hypertension. <i>Journal of Hypertension</i> , 1997, 15, 1011-1017.   | 0.3 | 35        |
| 2339 | Densities of Dextrose-Free Intrathecal Local Anesthetics, Opioids, and Combinations Measured at 37 degrees C. <i>Anesthesia and Analgesia</i> , 1997, 84, 95-99.  | 1.1 | 69        |
| 2340 | Influence of Thermoregulatory Vasomotion and Ambient Temperature Variation on the Accuracy of Core-temperature Estimates by Cutaneous Liquid-crystal Thermometers. <i>Anesthesiology</i> , 1997, 86, 603-612. | 1.3 | 71        |
| 2341 | Measurement of Cardiac Output by Pulse Dye Densitometry Using Indocyanine Green. <i>Anesthesiology</i> , 1997, 87, 816-822.   | 1.3 | 87        |
| 2342 | Is Kidney Length a Good Predictor of Kidney Volume?. <i>American Journal of the Medical Sciences</i> , 1997, 313, 85-89.  | 0.4 | 12        |
| 2343 | Cerebral Hemoglobin and Optical Pathlength Influence Near-Infrared Spectroscopy Measurement of Cerebral Oxygen Saturation. <i>Anesthesia and Analgesia</i> , 1997, 84, 1297-1305.                             | 1.1 | 48        |
| 2344 | Noninvasive Monitoring of Carbon Dioxide During Respiratory Failure in Toddlers and Infants. <i>Anesthesia and Analgesia</i> , 1997, 85, 55-58.   | 1.1 | 103       |
| 2345 | Validation of Clinical Measurement of Kyphosis With a Simple Instrument, the Arcometer. <i>Spine</i> , 1997, 22, 408-413.   | 1.0 | 47        |
| 2346 | Medical Record Validation of Maternally Reported Birth Characteristics and Pregnancy-related Events: A Report from the Children's Cancer Group. <i>American Journal of Epidemiology</i> , 1997, 145, 58-67.   | 1.6 | 236       |
| 2347 | Pulmonary venous flow velocity patterns in 143 normal subjects aged 20 to 80 years old: An echo 2D colour Doppler cooperative study. <i>European Heart Journal</i> , 1997, 18, 148-164.                       | 1.0 | 62        |
| 2348 | Transesophageal versus intracoronary Doppler measurements for calculation of coronary flow reserve. <i>Cardiovascular Research</i> , 1997, 36, 21-27.   | 1.8 | 11        |
| 2349 | Usefulness, Usability, and Quality Criteria for Noninvasive Methods in Cardiovascular Clinical Pharmacology. <i>Journal of Clinical Pharmacology</i> , 1997, 37, 11S-20S.                                     | 1.0 | 3         |
| 2350 | Comparison of two training programmes in chronic airway limitation patients: standardized versus individualized protocols. <i>European Respiratory Journal</i> , 1997, 10, 114-122.                           | 3.1 | 139       |
| 2351 | Comparison of invasive and noninvasive saturation monitoring in prescribing oxygen during exercise in COPD patients. <i>European Respiratory Journal</i> , 1997, 10, 446-451.                                 | 3.1 | 17        |
| 2352 | Mini-Wright peak flow meters are reliable after 5 years use. <i>European Respiratory Journal</i> , 1997, 10, 457-459.   | 3.1 | 10        |
| 2353 | A noninvasive electromyographic study on threshold and intensity of cough in humans. <i>European Respiratory Journal</i> , 1997, 10, 983-989.   | 3.1 | 48        |
| 2354 | Sniff nasal inspiratory pressure in patients with chronic obstructive pulmonary disease. <i>European Respiratory Journal</i> , 1997, 10, 1292-1296.   | 3.1 | 59        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2355 | Measurement of the specific airway resistance by plethysmography in young children accompanied by an adult. <i>European Respiratory Journal</i> , 1997, 10, 1599-1605.  | 3.1 | 74        |
| 2356 | A new use for an old Holter monitor: an ambulatory cough meter. <i>European Respiratory Journal</i> , 1997, 10, 1637-1639.  | 3.1 | 62        |
| 2358 | Should patients with sleep apnoea/hypopnoea syndrome be diagnosed and managed on the basis of home sleep studies?. <i>European Respiratory Journal</i> , 1997, 10, 1720-1724.   | 3.1 | 97        |
| 2359 | Do sputum eosinophils and ECP relate to the severity of asthma?. <i>European Respiratory Journal</i> , 1997, 10, 1809-1813.   | 3.1 | 57        |
| 2360 | AutoSet nasal CPAP titration: constancy of pressure, compliance and effectiveness at 8 month follow-up. <i>European Respiratory Journal</i> , 1997, 10, 2073-2078.  | 3.1 | 70        |
| 2361 | Sustained protection against distilled water provocation by a single dose of salmeterol in patients with asthma. <i>European Respiratory Journal</i> , 1997, 10, 2230-2236.   | 3.1 | 6         |
| 2362 | Comparison of helium dilution and plethysmographic lung volumes in pregnant women. <i>European Respiratory Journal</i> , 1997, 10, 2371-2375.   | 3.1 | 20        |
| 2363 | Measurement of absolute lung volumes by imaging techniques. <i>European Respiratory Journal</i> , 1997, 10, 2427-2431.  | 3.1 | 38        |
| 2364 | The effect of inhaling a dry powder of sodium chloride on the airways of asthmatic subjects. <i>European Respiratory Journal</i> , 1997, 10, 2465-2473.   | 3.1 | 21        |
| 2365 | Reproducibility of Ultrasonographic Measurements of Different Carotid and Femoral Artery Segments in Healthy Subjects and in Patients with Increased Intima-Media Thickness. <i>Clinical Science</i> , 1997, 93, 317-324. | 1.8 | 57        |
| 2366 | Clinical Application of Cardiac Output During Ramp Exercise Calculated Using the Fick Equation. <i>Japanese Circulation Journal</i> , 1997, 61, 488-494.  | 1.0 | 7         |
| 2367 | A Comparison of Pulmonary Availability Between Ventolin (Albuterol) Nebules and Ventolin (Albuterol) Respirator Solution. <i>Chest</i> , 1997, 111, 204-208.  | 0.4 | 36        |
| 2368 | Gestational age assessment by nurses in a developing country using the Ballard method, external criteria only. <i>Annals of Tropical Paediatrics</i> , 1997, 17, 333-342.   | 1.0 | 43        |
| 2369 | Effect of Inhaled Magnesium Sulfate on Sodium Metabisulfite-Induced Bronchoconstriction in Asthma. <i>Chest</i> , 1997, 111, 858-861.   | 0.4 | 28        |
| 2370 | Inaccuracy of the Schwartz formula in estimating glomerular filtration rate in Nigerian children. <i>Annals of Tropical Paediatrics</i> , 1997, 17, 179-185.  | 1.0 | 10        |
| 2371 | The need for specialist review of pathology in paediatric cancer. <i>British Journal of Cancer</i> , 1997, 75, 1156-1159.   | 2.9 | 16        |
| 2372 | Quantitative analysis of the lamina cribrosa in vivo using a scanning laser ophthalmoscope. <i>Current Eye Research</i> , 1997, 16, 1-8.  | 0.7 | 33        |
| 2373 | Agreement between different frequencies of measurements in ambulatory blood pressure monitoring. <i>Journal of Obstetrics and Gynaecology</i> , 1997, 17, 337-339.  | 0.4 | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2374 | Ultrasonography of clinically unstable hips: A prospective study of 143 neonates at birth and early follow-up. <i>Acta Orthopaedica</i> , 1997, 68, 527-532.  | 1.4 | 14        |
| 2375 | Evaluation of HemoCue <sup>®</sup> Blood Glucose Analyzer for the instant diagnosis of hypoglycaemia in newborns. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1997, 57, 719-724.   | 0.6 | 15        |
| 2376 | Prediction of total body water in Indian men from anthropometry and bioelectrical impedance using deuterium dilution as reference. <i>Annals of Human Biology</i> , 1997, 24, 355-361.  | 0.4 | 8         |
| 2377 | One-Step Enzyme-Linked Immunosorbent Assay (ELISA) for Plasma Fatty Acid-Binding Protein. <i>Annals of Clinical Biochemistry</i> , 1997, 34, 263-268.   | 0.8 | 104       |
| 2378 | The effects of pulse rate, artefact and pulse strength on oscillometric non-invasive blood pressure measurements. , 0, , .  |     | 0         |
| 2379 | Lack of agreement between bioimpedance and continuous thermodilution measurement of cardiac output in intensive care unit patients. <i>Critical Care</i> , 1997, 1, 71.   | 2.5 | 19        |
| 2380 | Non-invasive evaluation of left ventricular power output by simultaneous recordings of applanation tonometry and echocardiographic Doppler signals. , 0, , .  |     | 1         |
| 2381 | Body composition analysis by dual energy x-ray absorptiometry and anthropometry in adults with childhood-onset growth hormone (GH) deficiency before and after six months of recombinant GH therapy. <i>Journal of Endocrinological Investigation</i> , 1997, 20, 417-423.            | 1.8 | 11        |
| 2382 | Anterior Chamber Depth in Mongolians: Variation With Age, Sex, and Method of Measurement. <i>American Journal of Ophthalmology</i> , 1997, 124, 53-60.  | 1.7 | 124       |
| 2383 | Measurement of the quadriceps femoris muscle using magnetic resonance and ultrasound imaging.. <i>British Journal of Sports Medicine</i> , 1997, 31, 59-64.   | 3.1 | 91        |
| 2384 | Color Doppler Imaging of Ophthalmic Artery Blood Flow Velocity. <i>Ophthalmology</i> , 1997, 104, 653-658.  | 2.5 | 89        |
| 2385 | Prolonged myocardial contrast echocardiography via peripheral venous administration of QW3600 Injection (EchoGen <sup>®</sup> ): Its efficacy and side effects. <i>Journal of the American Society of Echocardiography</i> , 1997, 10, 11-24.   | 1.2 | 39        |
| 2386 | Determination of left ventricular mass and circumferential wall thickness by three-dimensional reconstruction: In vitro validation of a new method that uses a multiplane transesophageal transducer. <i>Journal of the American Society of Echocardiography</i> , 1997, 10, 107-119. | 1.2 | 31        |
| 2387 | Effect of Inhaled Furosemide and Cromolyn on Bronchoconstriction Induced by Ultrasonically Nebulized Distilled Water in Asthmatic Subjects. <i>Annals of Allergy, Asthma and Immunology</i> , 1997, 78, 238-243.  | 0.5 | 14        |
| 2388 | Freehand three-dimensional echocardiography for determination of left ventricular volume and mass in patients with abnormal ventricles: Comparison with magnetic resonance imaging. <i>Journal of the American Society of Echocardiography</i> , 1997, 10, 853-861.                   | 1.2 | 108       |
| 2389 | Transthoracic three-dimensional echocardiographic volumetry of distorted left ventricles using rotational scanning. <i>Journal of the American Society of Echocardiography</i> , 1997, 10, 840-844.   | 1.2 | 37        |
| 2390 | Estimation of Differential Renal Function in Children With a Prenatal Diagnosis of Unilateral Pelvic Dilatation. <i>Journal of Urology</i> , 1997, 157, 1390-1393.  | 0.2 | 9         |
| 2391 | New semiautomated Doppler method for quantification of volumetric flow: Intraoperative validation with multiplane transesophageal color Doppler imaging. <i>Journal of the American Society of Echocardiography</i> , 1997, 10, 330-336.  | 1.2 | 18        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2392 | Evaluation of two methods for quantitation of hepatitis C virus RNA*, **. Molecular Diagnosis and Therapy, 1997, 2, 39-46.   | 1.3 | 15        |
| 2393 | A chronic model for experimental investigation of epidural anesthesia in the rabbit. Regional Anesthesia and Pain Medicine, 1997, 22, 80-85.   | 1.1 | 22        |
| 2394 | Reproducibility of color Doppler flow quantification of aortic regurgitation. Journal of the American Society of Echocardiography, 1997, 10, 899-903.  | 1.2 | 17        |
| 2395 | Quantitative assessment of aortic stenosis by three-dimensional echocardiography. Journal of the American Society of Echocardiography, 1997, 10, 215-223.  | 1.2 | 49        |
| 2396 | Velocity of endometrial wavelike activity in spontaneous cycles. Fertility and Sterility, 1997, 68, 72-75.   | 0.5 | 42        |
| 2397 | The performance of 10 different methods for the estimation of sperm concentration. Fertility and Sterility, 1997, 68, 340-345.   | 0.5 | 74        |
| 2398 | The pruning of Doctor McDonough and the "humanizing" of statistics. Fertility and Sterility, 1997, 68, 570-572.  | 0.5 | 4         |
| 2399 | Gender differences and other determinants of the rise in plasma homocysteine after l-methionine loading. Atherosclerosis, 1997, 133, 105-110.  | 0.4 | 35        |
| 2400 | In vivo determinants of arterial biophysical properties: methodological considerations. Atherosclerosis, 1997, 135, 263-267.   | 0.4 | 1         |
| 2401 | Three-dimensional ultrasound device for rapid determination of bladder volume. Urology, 1997, 50, 341-348.   | 0.5 | 101       |
| 2402 | Time course of changes in adenosine 5'-monophosphate airway responsiveness with inhaled heparin in allergic asthma. Journal of Allergy and Clinical Immunology, 1997, 99, 338-342.                             | 1.5 | 22        |
| 2403 | Carbon dioxide and oxygen partial pressure measurements in the cerebrospinal fluid in a conventional blood gas analyzer: analysis of bias and precision. Journal of the Neurological Sciences, 1997, 147, 5-8. | 0.3 | 21        |
| 2404 | In vitro radiosensitivity of primary human fibroblasts. Lack of correlation with acute radiation toxicity in patients with head and neck cancer. Radiotherapy and Oncology, 1997, 43, 181-188.                 | 0.3 | 52        |
| 2405 | Inflammation in bronchial biopsies of subjects with chronic bronchitis: inverse relationship of CD8+ T lymphocytes with FEV1.. American Journal of Respiratory and Critical Care Medicine, 1997, 155, 852-857. | 2.5 | 601       |
| 2406 | Effort Perception in Children. Sports Medicine, 1997, 23, 139-148.   | 3.1 | 27        |
| 2407 | Towards reducing the trauma of direct intracompartmental pressure measurement for children: an in vitro assessment of small-diameter needles. Pediatric Surgery International, 1997, 12, 172-176.              | 0.6 | 9         |
| 2408 | Reliability of nursing assistants' observations of functioning and clinical symptoms and signs. Aging Clinical and Experimental Research, 1997, 9, 378-380.  | 1.4 | 16        |
| 2409 | Echocardiographic estimation of left ventricular cavity area with a newly developed automated contour tracking method. Journal of the American Society of Echocardiography, 1997, 10, 822-829.                 | 1.2 | 26        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2410 | Hypertensive heart disease: Quantitative evaluation of response to therapy with cine MR imaging. <i>Academic Radiology</i> , 1997, 4, 622-628.   | 1.3 | 3         |
| 2411 | Assessment of the haemodynamic response to exercise by means of electrical impedance cardiography: method, validation and clinical applications. <i>Physiological Measurement</i> , 1997, 18, 95-105.  | 1.2 | 24        |
| 2412 | A New Method For Bronchial-provocation Testing in Asthmatic Subjects Using a Dry Powder of Mannitol. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1997, 156, 758-765.   | 2.5 | 288       |
| 2413 | Abdominal aortic aneurysm: A general defect in the vasculature with focal manifestations in the abdominal aorta?. <i>Journal of Vascular Surgery</i> , 1997, 26, 247-254.  | 0.6 | 68        |
| 2414 | Serial Measurements of Body Composition in Obese Subjects During a Veryâ€Lowâ€Energy Diet (VLED) Comparing Bioelectrical Impedance with Hydrodensitometry. <i>Obesity</i> , 1997, 5, 250-256.  | 4.0 | 19        |
| 2415 | Accuracy of Three-Dimensional Ultrasonography in Volume Estimation of Cervical Carcinoma. <i>Gynecologic Oncology</i> , 1997, 66, 89-93.   | 0.6 | 87        |
| 2416 | Relative Validity and Repeatability of a New Questionnaire on Physical Activity. <i>Preventive Medicine</i> , 1997, 26, 37-43.   | 1.6 | 48        |
| 2417 | Stability over time of circadian rhythm of variability of heart rate in patients with stable coronary artery disease. <i>American Heart Journal</i> , 1997, 134, 411-418.  | 1.2 | 17        |
| 2418 | Prediction of pulmonary capillary wedge pressure and assessment of stroke volume by noninvasive impedance cardiography. <i>American Heart Journal</i> , 1997, 134, 450-455.  | 1.2 | 24        |
| 2419 | Automated morphometry of coronary arteries with digital image analysis of intravascular ultrasound. <i>American Heart Journal</i> , 1997, 133, 681-690.  | 1.2 | 45        |
| 2420 | Transthoracic three-dimensional echocardiographic reconstruction of left and right ventricles: In vitro validation and comparison with magnetic resonance imaging. <i>American Heart Journal</i> , 1997, 133, 221-229.   | 1.2 | 70        |
| 2421 | Comparison of echocardiographic acoustic quantification system and radionuclide ventriculography for estimating left ventricular ejection fraction: Validation in patients without regional wall motion abnormalities. <i>American Heart Journal</i> , 1997, 133, 359-363. | 1.2 | 32        |
| 2422 | Requirement for accurate measurement of regurgitant stroke volume by the combined continuous-wave Doppler and color Doppler flow convergence method. <i>American Heart Journal</i> , 1997, 133, 19-28.   | 1.2 | 7         |
| 2423 | Proliferating cell nuclear antigen as a marker of cell kinetics in aberrant crypt foci, hyperplastic polyps, adenomas, and adenocarcinomas of the human colon. <i>American Journal of Surgery</i> , 1997, 174, 425-430.  | 0.9 | 59        |
| 2424 | A model for the relation between the displacement of the ankle and the center of pressure in the frontal plane, during one-leg stance. <i>Gait and Posture</i> , 1997, 6, 39-49.   | 0.6 | 39        |
| 2425 | Assessment of the agreement between cardiac output measured by bolus thermodilution and continuous methods, with particular reference to the effect of heart rhythm. <i>Australian Critical Care</i> , 1997, 10, 5-11.   | 0.6 | 6         |
| 2426 | Computerized data collection in the operating room during coronary artery bypass surgery: A comparison to the hand-written anesthesia record. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1997, 11, 545-551.  | 0.6 | 36        |
| 2427 | Evaluation of the accuracy and response time of stat-mode continuous cardiac output. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1997, 11, 432-436.   | 0.6 | 51        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2428 | Continuous jugular venous versus nasopharyngeal temperature monitoring during hypothermic cardiopulmonary bypass for cardiac surgery. <i>Journal of Clinical Anesthesia</i> , 1997, 9, 312-316.   | 0.7 | 68        |
| 2429 | Detection of myocardial ischemia by transesophageal echocardiographically determined changes in left ventricular area in patients undergoing coronary artery bypass surgery. <i>Journal of Clinical Anesthesia</i> , 1997, 9, 388-393.  | 0.7 | 7         |
| 2430 | Evaluation of a pocket-sized turbine spirometer for clinical use with children. <i>Respiratory Medicine</i> , 1997, 91, 369-372.  | 1.3 | 3         |
| 2431 | Patients' assessment of sensory levels during epidural analgesia in labour. <i>International Journal of Obstetric Anesthesia</i> , 1997, 6, 239-241.  | 0.2 | 4         |
| 2434 | Evaluation of the Alcon Renaissance handheld automated keratometer. <i>International Contact Lens Clinic (New York, N Y)</i> , 1997, 24, 59-65.   | 0.1 | 1         |
| 2435 | Intra-individual variability of fibrinogen levels. <i>Journal of Clinical Epidemiology</i> , 1997, 50, 393-399.   | 2.4 | 16        |
| 2436 | Home Self-Monitoring of Blood Pressure Is Fully Automated Oscillometric Technique as Good as Conventional Stethoscopic Technique?. <i>American Journal of Hypertension</i> , 1997, 10, 428-433.   | 1.0 | 22        |
| 2437 | Mid- and Long-term Reproducibility of Noninvasive Measurements of Spontaneous Arterial Baroreflex Sensitivity in Healthy Volunteers. <i>American Journal of Hypertension</i> , 1997, 10, 790-797.   | 1.0 | 48        |
| 2438 | Reproducibility of Home Blood Pressure Measurements Over a 1-Year Period. <i>American Journal of Hypertension</i> , 1997, 10, 798-803.  | 1.0 | 98        |
| 2439 | Is a Series of Blood Pressure Measurements by the General Practitioner or the Patient a Reliable Alternative to Ambulatory Blood Pressure Measurement? A Study in General Practice With Reference to Short-term and Long-term Between-Visit Variability. <i>American Journal of Hypertension</i> , 1997, 10, 879-885. | 1.0 | 32        |
| 2440 | Ambulatory Blood Pressure Monitoring: How Reproducible Is It?. <i>American Journal of Hypertension</i> , 1997, 10, 936-939.   | 1.0 | 36        |
| 2441 | Comparison of glomerular filtration rate and serum creatinine in renal transplant patients. <i>Transplantation Proceedings</i> , 1997, 29, 2776-2777.   | 0.3 | 5         |
| 2442 | Measurement of Fibrinogen in Frozen Plasma. <i>Thrombosis Research</i> , 1997, 88, 481-484.   | 0.8 | 13        |
| 2443 | Corticosteroids decrease exhaled nitric oxide in children with acute asthma. <i>Journal of Pediatrics</i> , 1997, 131, 381-385.   | 0.9 | 209       |
| 2444 | Framingham safety survey. <i>Journal of Pediatrics</i> , 1997, 131, 499-500.  | 0.9 | 2         |
| 2445 | Bioelectrical impedance analysis for estimation of body water spaces. <i>Journal of Pediatrics</i> , 1997, 131, 500.  | 0.9 | 1         |
| 2447 | Treating the common cold. <i>Journal of Pediatrics</i> , 1997, 131, 501.  | 0.9 | 0         |
| 2449 | Automated quantitation of total protein in cultured skin fibroblasts. <i>Clinica Chimica Acta</i> , 1997, 259, 129-136.   | 0.5 | 4         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2450 | Competitive enzyme immunoassay for urinary vanillylmandelic acid. <i>Clinica Chimica Acta</i> , 1997, 264, 177-192.   | 0.5 | 25        |
| 2451 | Evaluation of a miniaturized thermal biosensor for the determination of glucose in whole blood. <i>Clinica Chimica Acta</i> , 1997, 267, 225-237.   | 0.5 | 45        |
| 2452 | An improved HPLC-enzyme-reactor method for the determination of oxalic acid in complex matrices. <i>Clinica Chimica Acta</i> , 1997, 261, 131-139.  | 0.5 | 53        |
| 2453 | Nitrous Oxide Method of Measuring Cerebral Blood Flow During Hypothermic Cardiopulmonary Bypass. <i>Annals of Thoracic Surgery</i> , 1997, 63, 736-740.   | 0.7 | 10        |
| 2454 | Systematic and random error in repeated measurements of temporal and distance parameters of gait after stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 1997, 78, 725-729.   | 0.5 | 85        |
| 2455 | The day-to-day variation in insulin sensitivity in non-insulin-dependent diabetes mellitus patients assessed by the hyperinsulinemic-euglycemic clamp method. <i>Metabolism: Clinical and Experimental</i> , 1997, 46, 374-376.   | 1.5 | 8         |
| 2456 | Total energy expenditure in patients with small-cell lung cancer: Results of a validated study using the bicarbonate-urea method. <i>Metabolism: Clinical and Experimental</i> , 1997, 46, 1412-1417.   | 1.5 | 73        |
| 2457 | Reference range and repeatability of a combined intestinal permeability and function test in clinically healthy Irish setter dogs. <i>Research in Veterinary Science</i> , 1997, 63, 257-261.   | 0.9 | 12        |
| 2458 | Hematologic Study of Red Pacu ( <i>Colossoma brachypomum</i> ). <i>Veterinary Clinical Pathology</i> , 1997, 26, 119-125.   | 0.3 | 18        |
| 2459 | Measurement of cardiac output in standing horses by Doppler echocardiography and thermodilution. <i>Equine Veterinary Journal</i> , 1997, 29, 18-25.  | 0.9 | 38        |
| 2460 | A methodology for evaluation of boundary detection algorithms on medical images. <i>IEEE Transactions on Medical Imaging</i> , 1997, 16, 642-652.   | 5.4 | 445       |
| 2461 | Imaging with electricity: Report of the European Concerted Action on Impedance Tomography. <i>Journal of Medical Engineering and Technology</i> , 1997, 21, 201-232.  | 0.8 | 167       |
| 2462 | Estimating Mean Pulmonary Wedge Pressure in Patients With Chronic Atrial Fibrillation From Transthoracic Doppler Indexes of Mitral and Pulmonary Venous Flow Velocity. <i>Journal of the American College of Cardiology</i> , 1997, 30, 19-26.  | 1.2 | 98        |
| 2463 | Electrocardiogram-Gated Intravascular Ultrasound Image Acquisition After Coronary Stent Deployment Facilitates On-Line Three-Dimensional Reconstruction and Automated Lumen Quantification. <i>Journal of the American College of Cardiology</i> , 1997, 30, 436-443.   | 1.2 | 76        |
| 2464 | Planimetry and Transthoracic Two-Dimensional Echocardiography in Noninvasive Assessment of Aortic Valve Area in Patients With Valvular Aortic Stenosis. <i>Journal of the American College of Cardiology</i> , 1997, 30, 753-759.   | 1.2 | 61        |
| 2465 | Calculation of Aortic Regurgitant Volume by a New Digital Doppler Color Flow Mapping Method: An Animal Study With Quantified Chronic Aortic Regurgitation. <i>Journal of the American College of Cardiology</i> , 1997, 30, 834-842.  | 1.2 | 23        |
| 2466 | Differences in Myocardial Velocity Gradient Measured Throughout the Cardiac Cycle in Patients With Hypertrophic Cardiomyopathy, Athletes and Patients With Left Ventricular Hypertrophy Due to Hypertension. <i>Journal of the American College of Cardiology</i> , 1997, 30, 760-768.  | 1.2 | 204       |
| 2467 | Echocardiography for Hemodynamic Assessment of Patients With Advanced Heart Failure and Potential Heart Transplant Recipients 11To discuss this article on line, visit the ACC Home Page at <a href="http://www.acc.org/members">www.acc.org/members</a> and click on the JACC Forum. <i>Journal of the American College of Cardiology</i> , 1997, 30, 1765-1772. | 1.2 | 74        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2468 | Pericardial Thickness Measured With Transesophageal Echocardiography: Feasibility and Potential Clinical Usefulness. <i>Journal of the American College of Cardiology</i> , 1997, 29, 1317-1323.                             | 1.2 | 134       |
| 2469 | A Note On "A Concordance Correlation Coefficient to Evaluate Reproducibility". <i>Biometrics</i> , 1997, 53, 1503.   | 0.8 | 166       |
| 2470 | Accuracy, precision and user-acceptability of self blood glucose monitoring machines. <i>Diabetes Research and Clinical Practice</i> , 1997, 36, 91-104.   | 1.1 | 45        |
| 2471 | Enhancing runoff modeling with GIS. <i>Landscape and Urban Planning</i> , 1997, 38, 13-23.   | 3.4 | 25        |
| 2472 | Effects of contract-relax stretching procedures on active range of motion of the cervical spine in the transverse plane. <i>Clinical Biomechanics</i> , 1997, 12, 136-138.   | 0.5 | 14        |
| 2473 | Variability of forces applied by experienced therapists during spinal mobilization. <i>Clinical Biomechanics</i> , 1997, 12, 393-399.  | 0.5 | 79        |
| 2474 | Postural sway and stepping response among working population: reproducibility, long-term stability, and associations with symptoms of the low back. <i>Clinical Biomechanics</i> , 1997, 12, 429-437.                        | 0.5 | 56        |
| 2475 | VALIDATION OF AN ANTHROPOMETRIC MODEL FOR TOTAL BODY WATER DETERMINATION IN THE ELDERLY. <i>Nutrition Research</i> , 1997, 17, 1-7.  | 1.3 | 1         |
| 2476 | Dialysate cell population and cancer antigen 125 in stable continuous ambulatory peritoneal dialysis patients: Their relationship with transport parameters. <i>American Journal of Kidney Diseases</i> , 1997, 29, 699-705. | 2.1 | 49        |
| 2477 | Medical statistics in obstetrics and gynaecology. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1997, 75, 99-102.   | 0.5 | 1         |
| 2478 | Accuracy of fetal pulse oximetry and pitfalls in measurements. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1997, 72, S21-S27.   | 0.5 | 16        |
| 2479 | Components of variance when assessing the reproducibility of body composition measurements using bio-impedance and the Hologic QDR-2000 DXA scanner. <i>Clinical Nutrition</i> , 1997, 16, 61-65.                            | 2.3 | 24        |
| 2480 | Menorrhagia—a search for epidemiological risk markers. <i>Maturitas</i> , 1997, 28, 19-25.   | 1.0 | 38        |
| 2481 | Phase I pharmacokinetic study of multicycle high-dose carboplatin followed by peripheral-blood stem-cell infusion in patients with cancer. <i>Journal of Clinical Oncology</i> , 1997, 15, 1481-1491.                        | 0.8 | 26        |
| 2482 | Echocardiographic changes after myocardial infarction in a model of left ventricular diastolic dysfunction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1997, 273, H2018-H2029.               | 1.5 | 23        |
| 2483 | Estimation of Cardiac Output by Noninvasive Echocardiographic Techniques in the Critically Ill Subject. <i>Anaesthesia and Intensive Care</i> , 1997, 25, 250-254.   | 0.2 | 83        |
| 2484 | Body fat estimation in late pregnancy and early postpartum: comparison of two-, three-, and four-component models. <i>American Journal of Clinical Nutrition</i> , 1997, 65, 432-438.  | 2.2 | 54        |
| 2485 | Effects of active vasoconstriction and total flow on perfusion distribution in the rabbit lung. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1997, 273, R1465-R1473.          | 0.9 | 5         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2487 | Continuous Measurement of Arterial and End-Tidal Carbon Dioxide during Cardiac Surgery: Pa-ETco <sub>2</sub> Gradient. <i>Anaesthesia and Intensive Care</i> , 1997, 25, 459-463.   | 0.2 | 14        |
| 2488 | Assessment of the Accuracy of Indirect Blood Pressure Measurements.. <i>International Heart Journal</i> , 1997, 38, 393-407.  | 0.6 | 26        |
| 2489 | Value of caregiver ratings in evaluating the quality of life of patients with cancer.. <i>Journal of Clinical Oncology</i> , 1997, 15, 1206-1217.   | 0.8 | 141       |
| 2490 | Prediction of percentage body fat from anthropometric measurements: comparison of New Zealand European and Polynesian young women. <i>American Journal of Clinical Nutrition</i> , 1997, 66, 2-7.   | 2.2 | 60        |
| 2491 | In vivo validation of whole body composition estimates from dual-energy X-ray absorptiometry. <i>Journal of Applied Physiology</i> , 1997, 83, 623-630.   | 1.2 | 243       |
| 2492 | Validation of Current Practice and a near Patient Testing Method for Oral-Anticoagulant Control in General Practice. <i>Journal of the Royal Society of Medicine</i> , 1997, 90, 657-660.   | 1.1 | 11        |
| 2493 | Quality of the Measurement of the Infrarenal Aortic Diameter by Ultrasound. <i>Journal of Medical Screening</i> , 1997, 4, 49-53.   | 1.1 | 39        |
| 2494 | Where to place the Doppler sample volume in the human main pulmonary artery: evaluated from magnetic resonance phase velocity maps. <i>Cardiovascular Research</i> , 1997, 33, 156-163.   | 1.8 | 4         |
| 2495 | Changes in total body fat during the human reproductive cycle as assessed by magnetic resonance imaging, body water dilution, and skinfold thickness: a comparison of methods. <i>American Journal of Clinical Nutrition</i> , 1997, 66, 1315-1322. | 2.2 | 31        |
| 2496 | A Clinical Study of Parenchymal and Subdural Miniature Strain-Gauge Transducers for Monitoring Intracranial Pressure. <i>Neurosurgery</i> , 1997, 41, 1213-1213.  | 0.6 | 1         |
| 2497 | Airway thermal volume in humans and its relation to body size. <i>Journal of Applied Physiology</i> , 1997, 83, 668-668.  | 1.2 | 7         |
| 2498 | Hemodynamic correlates of effective arterial elastance in mitral stenosis before and after balloon valvotomy. <i>Journal of Applied Physiology</i> , 1997, 83, 1083-1089.   | 1.2 | 7         |
| 2499 | Use of feces to estimate isotopic abundance in doubly labeled water studies in reindeer in summer and winter. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1997, 273, R1451-R1456.                   | 0.9 | 11        |
| 2500 | Spectral characteristics of ventricular response to atrial fibrillation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1997, 273, H2811-H2816.   | 1.5 | 44        |
| 2501 | Assessing total body and extracellular water from bioelectrical response spectroscopy. <i>Journal of Applied Physiology</i> , 1997, 82, 704-710.  | 1.2 | 27        |
| 2502 | Basal metabolism of weight-stable chronically undernourished men and women: lack of metabolic adaptation and ethnic differences. <i>American Journal of Clinical Nutrition</i> , 1997, 66, 1086-1093.   | 2.2 | 42        |
| 2503 | <sup>11</sup> C-flumazenil PET, volumetric MRI, and quantitative pathology in mesial temporal lobe epilepsy. <i>Neurology</i> , 1997, 49, 764-773.  | 1.5 | 102       |
| 2504 | Whole body sweat collection in humans: an improved method with preliminary data on electrolyte content. <i>Journal of Applied Physiology</i> , 1997, 82, 336-341.   | 1.2 | 224       |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2505 | Assessment of accelerography with the TOF-GUARD <sup>®</sup> : a comparison with electromyography. <i>European Journal of Anaesthesiology</i> , 1997, 14, 623.  | 0.7 | 29        |
| 2506 | Monitoring Nitric Oxide: A Comparison of Three Monitors in a Paediatric Ventilator Circuit. <i>Anaesthesia and Intensive Care</i> , 1997, 25, 138-141.  | 0.2 | 3         |
| 2507 | Estimation of Total Daily Creatinine Clearance in Capd from Serum Creatinine Concentration. <i>Peritoneal Dialysis International</i> , 1997, 17, 250-254.   | 1.1 | 6         |
| 2508 | Applications in Kinetic Modeling Using Pd Adequest <sup>®</sup> . <i>Peritoneal Dialysis International</i> , 1997, 17, 119-125.   | 1.1 | 30        |
| 2509 | Body composition in adults with cerebral palsy by dual-energy X-ray absorptiometry, bioelectrical impedance analysis, and skinfold anthropometry compared with the <sup>18</sup> O isotope-dilution technique. <i>American Journal of Clinical Nutrition</i> , 1997, 66, 1436-1442. | 2.2 | 38        |
| 2510 | Reliability of Tuberculin Skin Test Measurement. <i>Annals of Internal Medicine</i> , 1997, 126, 210.   | 2.0 | 98        |
| 2511 | Alterations in growth and body composition during puberty. I. Comparing multicompartiment body composition models. <i>Journal of Applied Physiology</i> , 1997, 83, 927-935.  | 1.2 | 120       |
| 2512 | Validation of single daytime samples of human milk to estimate the 24-h concentration of lipids in urban Guatemalan mothers. <i>American Journal of Clinical Nutrition</i> , 1997, 65, 439-444.   | 2.2 | 53        |
| 2513 | Comparison of 2-D Calculations from Periapical and Occlusal Radiographs versus 3-D Calculations from CAT Scans in Determining Bone Support for Cleft-Adjacent Teeth following Early Alveolar Bone Grafts. <i>Cleft Palate-Craniofacial Journal</i> , 1997, 34, 199-205.             | 0.5 | 88        |
| 2515 | Assessment of accuracy of the Doppler pressure half-time method in the estimation of the mitral valve area immediately after balloon mitral valvuloplasty. <i>European Heart Journal</i> , 1997, 18, 455-463.   | 1.0 | 20        |
| 2516 | Ventilation distribution during histamine provocation. <i>Journal of Applied Physiology</i> , 1997, 83, 1907-1916.  | 1.2 | 155       |
| 2517 | Performance of the AM-5600 blood pressure monitor: comparison with ambulatory intra-arterial pressure. <i>Journal of Applied Physiology</i> , 1997, 82, 698-703.  | 1.2 | 6         |
| 2518 | Measurements of leukotrienes in the urine: strategies and applications. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1997, 52, 124-135.  | 2.7 | 43        |
| 2519 | Severity scoring of atopic dermatitis: a comparison of three scoring systems. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1997, 52, 944-949.  | 2.7 | 63        |
| 2520 | A comparison of three standard methods of identifying mast cells in endobronchial biopsies in normal and asthmatic subjects. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1997, 52, 836-843.   | 2.7 | 5         |
| 2521 | Provocation tests with allergens. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1997, 52, 5-35.   | 2.7 | 69        |
| 2522 | Impedance cardiography in cardiac surgery patients: abnormal body weight gives unreliable cardiac output measurements. <i>Acta Anaesthesiologica Scandinavica</i> , 1997, 41, 708-712.  | 0.7 | 18        |
| 2523 | Can training improve the results with infrared tympanic thermometers?. <i>Acta Anaesthesiologica Scandinavica</i> , 1997, 41, 1066-1070.  | 0.7 | 37        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2524 | Aetiology and classification of small for gestational age infants. <i>Journal of Paediatrics and Child Health</i> , 1997, 33, 213-218.  | 0.4 | 22        |
| 2525 | Fasting and post-methionine homocysteine levels in a healthy Australian population. <i>Australian and New Zealand Journal of Medicine</i> , 1997, 27, 35-39.  | 0.5 | 17        |
| 2526 | SPECIAL ARTICLE COMPARING METHODS OF MEASUREMENT. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1997, 24, 193-203.   | 0.9 | 266       |
| 2527 | A comparison of the Invos 3100 and the Critikon 2020 near-infrared spectrophotometers as monitors of cerebral oxygenation. <i>Anaesthesia</i> , 1997, 52, 136-140.  | 1.8 | 38        |
| 2528 | Plasma volume estimation using indocyanine green with biexponential regression analysis of the decay curves. <i>Anaesthesia</i> , 1997, 52, 1166-1172.  | 1.8 | 22        |
| 2529 | The measurement of reticular basement membrane and submucosal collagen in the asthmatic airway. <i>Clinical and Experimental Allergy</i> , 1997, 27, 363-371.   | 1.4 | 190       |
| 2530 | Induced sputum to assess airway inflammation: a study of reproducibility. <i>Clinical and Experimental Allergy</i> , 1997, 27, 1138-1144.   | 1.4 | 93        |
| 2531 | Expression of interleukin (IL)-4 and IL-5 proteins in asthma induced by toluene diisocyanate (TDI). <i>Clinical and Experimental Allergy</i> , 1997, 27, 1292-1298.   | 1.4 | 75        |
| 2532 | Comparison of a radioallergosorbent (RAST) inhibition method and a monoclonal enzyme linked immunosorbent assay (ELISA) for aeroallergen measurement. <i>Clinical and Experimental Allergy</i> , 1997, 27, 1314-1321.   | 1.4 | 25        |
| 2533 | Seasonal allergic conjunctivitis is accompanied by increased mast cell numbers in the absence of leucocyte infiltration. <i>Clinical and Experimental Allergy</i> , 1997, 27, 1060-1066.                                | 1.4 | 75        |
| 2534 | An evaluation of the Spuncrit™ infra-red analyser for measurement of haematocrit. <i>International Journal of Laboratory Hematology</i> , 1997, 19, 183-186.  | 0.2 | 18        |
| 2535 | Eye drop container delivery: a source of response variation?. <i>Ophthalmic and Physiological Optics</i> , 1997, 17, 196-204.   | 1.0 | 10        |
| 2536 | Immediate and Short-Term Reproducibility of the P Wave Signal-Averaged Electrocardiogram. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1997, 20, 1636-1645.  | 0.5 | 17        |
| 2537 | Computerised estimation of the baseline fetal heart rate in labour: the low frequency line. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1997, 104, 1128-1133.                                 | 1.1 | 32        |
| 2538 | Accuracy of oscillometric blood pressure monitoring in pregnancy and pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1997, 104, 350-355.   | 1.1 | 64        |
| 2539 | Evaluating measurement variability in clinical investigations: the case of ultrasonic estimation of urinary bladder volume. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1997, 104, 1036-1036. | 1.1 | 25        |
| 2540 | Maternal middle cerebral artery velocimetry in normal pregnancy and postpartum. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1997, 104, 904-909.   | 1.1 | 26        |
| 2541 | Evaluation of an Oscillometric Blood Pressure Monitor on Anesthetized Cats and the Effect of Cuff Placement and Fur on Accuracy. <i>Veterinary Surgery</i> , 1997, 26, 347-353.   | 0.5 | 59        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2542 | Cephalometric evaluation of the changes in mandibular symphysis after 7 years of denture wearing. <i>Gerodontology</i> , 1997, 14, 101-105.  | 0.8 | 7         |
| 2543 | Evaluation of Ventricular dP/dt Before and After Open Heart Surgery Using Transesophageal Echocardiography. <i>Echocardiography</i> , 1997, 14, 15-22.   | 0.3 | 10        |
| 2544 | Echocardiographic Assessment of Regional and Global Left Ventricular Function: Wall-Motion Scoring in Parasternal and Apical Views Versus Apical Views Alone. <i>Echocardiography</i> , 1997, 14, 313-320.       | 0.3 | 6         |
| 2545 | Reference Techniques for Left Ventricular Volume Measurement by Three-Dimensional Echocardiography: Determination of Precision, Accuracy, and Feasibility. <i>Echocardiography</i> , 1997, 14, 329-335.          | 0.3 | 3         |
| 2546 | Diameters of the Pulmonary Arteries and Veins as an Indicator of Bilateral and Unilateral Pulmonary Blood Flow in Patients With Congenital Heart Disease. <i>Journal of Cardiac Surgery</i> , 1997, 12, 253-260. | 0.3 | 16        |
| 2547 | Physiological versus Clinical Value of Spectral and Nonspectral Techniques in the Evaluation of the Baroreflex. <i>Annals of Noninvasive Electrocardiology</i> , 1997, 2, 203-205.                               | 0.5 | 4         |
| 2548 | Circadian Variation and Waking Hour Dynamics of the QT Interval.. <i>Annals of Noninvasive Electrocardiology</i> , 1997, 2, 242-253.   | 0.5 | 3         |
| 2549 | Vaginal pudendal nerve stimulation: a new technique for assessment of pudendal nerve terminal motor latency. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1997, 76, 294-299.                            | 1.3 | 20        |
| 2550 | Particulate bioglassR as a grafting material in the treatment of periodontal intrabony defects. <i>Journal of Clinical Periodontology</i> , 1997, 24, 410-418.   | 2.3 | 154       |
| 2551 | Electronic diagnosis of occlusal caries in vitro: adaptation of the technique for epidemiological purposes. <i>Community Dentistry and Oral Epidemiology</i> , 1997, 25, 238-241.                                | 0.9 | 26        |
| 2552 | Routine determination of major anions in atmospheric aerosols by capillary electrophoresis. <i>Journal of Chromatography A</i> , 1997, 770, 349-359.   | 1.8 | 25        |
| 2553 | Measuring fruit and vegetable intake: is five-a-day enough?. <i>European Journal of Clinical Nutrition</i> , 1997, 51, 177-180.  | 1.3 | 26        |
| 2554 | A multi-center comparison of dual energy X-ray absorptiometers: In vivo and in vitro soft tissue measurement. <i>European Journal of Clinical Nutrition</i> , 1997, 51, 312-317.                                 | 1.3 | 39        |
| 2555 | Body composition analysis by dual energy X-ray absorptiometry in female diabetics differ between manufacturers. <i>European Journal of Clinical Nutrition</i> , 1997, 51, 449-454.                               | 1.3 | 37        |
| 2556 | para-aminobenzoic acid used as a marker for completeness of 24 hour urine: assessment of control limits for a specific HPLC method. <i>European Journal of Clinical Nutrition</i> , 1997, 51, 514-519.           | 1.3 | 58        |
| 2557 | A 7-day activity diary for assessment of daily energy expenditure validated by the doubly labelled water method in adolescents. <i>European Journal of Clinical Nutrition</i> , 1997, 51, 585-591.               | 1.3 | 147       |
| 2558 | The reliability of upper limb anthropometry in older Chinese people. <i>International Journal of Obesity</i> , 1997, 21, 542-547.  | 1.6 | 15        |
| 2559 | Changes in fat-free mass and fat mass in postpartum women: a comparison of body composition models. <i>International Journal of Obesity</i> , 1997, 21, 874-880.   | 1.6 | 22        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2560 | Measurement of Cerebral Blood Flow in Dogs with Near Infrared Spectroscopy in the Reflectance Mode Is Invalid. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997, 17, 695-703.                                    | 2.4 | 37        |
| 2561 | Development of a population-specific regression equation to estimate total body water in hemodialysis patients. <i>Kidney International</i> , 1997, 51, 1578-1582.  | 2.6 | 113       |
| 2562 | Quantitative SPECT of DMSA uptake by the kidneys: Assessment of reproducibility: Technical Note. <i>Kidney International</i> , 1997, 52, 817-820.   | 2.6 | 20        |
| 2563 | Relationship between MRI and morphometric kidney measurements in diabetic and non-diabetic rats. <i>Kidney International</i> , 1997, 51, 50-56.   | 2.6 | 36        |
| 2564 | Body composition by X-ray absorptiometry and bioelectrical impedance in chronic respiratory insufficiency patients. <i>Nutrition</i> , 1997, 13, 952-958.   | 1.1 | 43        |
| 2565 | Evaluation of bioelectrical impedance for prospective nutritional assessment in cystic fibrosis. <i>Nutrition</i> , 1997, 13, 412-416.  | 1.1 | 21        |
| 2566 | Core body temperature measurement: a comparison of axilla, tympanic membrane and pulmonary artery blood temperature. <i>Intensive and Critical Care Nursing</i> , 1997, 13, 266-272.  | 1.4 | 75        |
| 2567 | A clinical evaluation of an oscillometric blood pressure monitor on anesthetized horses. <i>Journal of Equine Veterinary Science</i> , 1997, 17, 537-540.   | 0.4 | 17        |
| 2568 | Measurement of gastric mucosal carbon dioxide tension by saline and air tonometry. <i>Journal of Critical Care</i> , 1997, 12, 208-213.   | 1.0 | 26        |
| 2569 | Preliminary clinical trial of an ex vivo arterial blood gas monitor. <i>Journal of Critical Care</i> , 1997, 12, 214-220.   | 1.0 | 5         |
| 2570 | Continuous jugular bulb venous oxygen saturation validation and variations during intracranial aneurysm surgery. <i>Journal of Critical Care</i> , 1997, 12, 112-119.   | 1.0 | 12        |
| 2571 | Improved reliability of ultrasonic surveillance of abdominal aortic aneurysms. <i>European Journal of Vascular and Endovascular Surgery</i> , 1997, 13, 149-153.  | 0.8 | 34        |
| 2572 | Lipid-rich carotid artery plaques appear echolucent on ultrasound B-mode images and may be associated with intraplaque haemorrhage. <i>European Journal of Vascular and Endovascular Surgery</i> , 1997, 14, 439-445.       | 0.8 | 145       |
| 2573 | Limb volume. <i>European Journal of Vascular and Endovascular Surgery</i> , 1997, 14, 415.  | 0.8 | 5         |
| 2574 | Clinical evaluation of infrared autorefractors for use in contact lens over refraction. <i>Contact Lens and Anterior Eye</i> , 1997, 20, 137-142.   | 0.8 | 5         |
| 2575 | Comparison of impedance and inductance ventilation sensors on adults during breathing, motion, and simulated airway obstruction. <i>IEEE Transactions on Biomedical Engineering</i> , 1997, 44, 555-566.                    | 2.5 | 93        |
| 2576 | Diagnosis of hypoglycaemia: effects of blood sample handling and evaluation of a glucose photometer in the low glucose range. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1997, 86, 474-478.            | 0.7 | 26        |
| 2577 | Cholesterol and carotid artery wall in children and adolescents with familial hypercholesterolaemia: a controlled study by ultrasound. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1997, 86, 1203-1207. | 0.7 | 76        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2578 | Comparison of two methods of measurement of whole blood glucose in the neonatal period. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1997, 86, 1246-1252.   | 0.7 | 15        |
| 2579 | Validity and Reliability of Measures Obtained from the Balance Performance Monitor During Quiet Standing. <i>Physiotherapy</i> , 1997, 83, 579-581.  | 0.2 | 9         |
| 2580 | Computer versus manual measurement of ST-segment deviation. <i>Journal of Electrocardiology</i> , 1997, 30, 151-156.   | 0.4 | 18        |
| 2581 | Transgastric Doppler Echocardiographic Assessment of the Severity of Aortic Stenosis Using Multiplane Transesophageal Echocardiography. <i>American Journal of Cardiology</i> , 1997, 79, 1273-1275.   | 0.7 | 17        |
| 2582 | Reproducibility of the ST-segment depression/heart rate analysis of the exercise electrocardiographic test in asymptomatic middle-aged population. <i>American Journal of Cardiology</i> , 1997, 79, 1414-1416.  | 0.7 | 5         |
| 2583 | Doppler Indexes of Left Ventricular Filling After Exercise in 50-Year-Old Healthy Persons. <i>American Journal of Cardiology</i> , 1997, 79, 1507-1511.  | 0.7 | 1         |
| 2584 | Comparison of Intravascular Ultrasound Measurements at the Sites of Balloon Dilatations of Femoral Arteries With Measurements of Postmortem Gross Arterial Segments at the Same Sites. <i>American Journal of Cardiology</i> , 1997, 79, 1564-1567.              | 0.7 | 2         |
| 2585 | Cardiologists'™ Perception of Risk of Coronary Revascularization Procedures. <i>American Journal of Cardiology</i> , 1997, 80, 338-341.  | 0.7 | 7         |
| 2586 | Quantitative Comparison of Angiographic Characteristics of Coronary Artery Disease in Patients With Noninsulin-Dependent Diabetes Mellitus Compared With Matched Nondiabetic Control Subjects. <i>American Journal of Cardiology</i> , 1997, 80, 550-556.        | 0.7 | 60        |
| 2587 | Preejectional Left Ventricular Wall Motion in Normal Subjects Using Doppler Tissue Imaging and Correlation With Ejection Fraction. <i>American Journal of Cardiology</i> , 1997, 80, 601-607.  | 0.7 | 42        |
| 2588 | Comparison of Continuous Left Ventricular Volumes by Transthoracic Two-Dimensional Digital Echo Quantification with Simultaneous Conductance Catheter Measurements in Patients with Cardiac Diseases. <i>American Journal of Cardiology</i> , 1997, 80, 756-761. | 0.7 | 46        |
| 2589 | Role of nitric oxide in the vasodilator response to mental stress in normal subjects. <i>American Journal of Cardiology</i> , 1997, 80, 1070-1074.   | 0.7 | 67        |
| 2590 | Usefulness of transesophageal imaging of flow convergence region in the operating room for evaluating isolated patent ductus arteriosus. <i>American Journal of Cardiology</i> , 1997, 80, 1108-1112.  | 0.7 | 6         |
| 2591 | Comparison of Estimates of Right Atrial Pressure by Physical Examination and Echocardiography in Patients With Congestive Heart Failure and Reasons for Discrepancies. <i>American Journal of Cardiology</i> , 1997, 80, 1615-1618.                              | 0.7 | 75        |
| 2592 | Do we really have a reproducible classification system for pelvic organ prolapse?. <i>American Journal of Obstetrics and Gynecology</i> , 1997, 177, 248.  | 0.7 | 1         |
| 2593 | The craniofacial complex in 47,XXX males. <i>Archives of Oral Biology</i> , 1997, 42, 579-586.   | 0.8 | 12        |
| 2594 | Laser scanning for the identification of repeatable landmarks of the ears and face. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 1997, 50, 308-314.   | 1.1 | 58        |
| 2595 | Urinary Urea Nitrogen is Imprecise as a Predictor of Protein Balance in Burned Children. <i>Journal of the American Dietetic Association</i> , 1997, 97, 489-495.  | 1.3 | 15        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2596 | Physical Activity Related Energy Expenditure in Children by Doubly Labeled Water as Compared with the Caltrac Accelerometer. <i>Journal of the American Dietetic Association</i> , 1997, 97, A73.   | 1.3 | 0         |
| 2597 | An evaluation of nine commercial EIA kits for the detection of measles specific IgG. <i>Journal of Virological Methods</i> , 1997, 66, 51-59.   | 1.0 | 29        |
| 2598 | Assessment of pfmdr 1 gene copy number by tandem competitive polymerase chain reaction. <i>Molecular and Biochemical Parasitology</i> , 1997, 85, 161-169.  | 0.5 | 31        |
| 2599 | Comparison of electrocardiograms recorded with standard leads and derived from the vectorcardiographic Frank leads in high-risk patients. <i>Intensive Care Medicine</i> , 1997, 23, 1049-1055.   | 3.9 | 4         |
| 2600 | Non-invasive measurement of cardiac output: whole-body impedance cardiography in simultaneous comparison with thermodilution and direct oxygen Fick methods. <i>Intensive Care Medicine</i> , 1997, 23, 1132-1137.                                  | 3.9 | 91        |
| 2601 | Therapeutic Consequences of Variation in Intraarterial Pressure Measurements After Iliac Angioplasty. <i>CardioVascular and Interventional Radiology</i> , 1997, 20, 426-430.   | 0.9 | 5         |
| 2602 | Simple and Cost Effective Clinical Methods for Measuring Neuromuscular Fade Responses with Emphasis on "Train of Four" Fade. <i>Journal of Clinical Monitoring and Computing</i> , 1997, 13, 11-17.   | 0.7 | 0         |
| 2603 | Comparison of transesophageal coronary sinus and left anterior descending coronary artery doppler measurements for the assessment of coronary row reserve. <i>Clinical Cardiology</i> , 1997, 20, 225-231.  | 0.7 | 20        |
| 2604 | Sensitivity and specificity of left ventricular ejection fraction by echocardiographic automated border detection: Comparison with radionuclide ventriculography. <i>Clinical Cardiology</i> , 1997, 20, 943-948.                                   | 0.7 | 15        |
| 2605 | Left ventricular mass assessed by three-dimensional echocardiography using rotational acquisition. <i>Clinical Cardiology</i> , 1997, 20, 957-962.  | 0.7 | 12        |
| 2606 | Localization and determination of infarct size by Gd-Mesoporphyrin enhanced MRI in dogs. <i>International Journal of Cardiovascular Imaging</i> , 1997, 13, 499-507.  | 0.2 | 23        |
| 2607 | How does computer-assisted digital wall motion analysis influence observer agreement and diagnostic accuracy during stress echocardiography?. <i>International Journal of Cardiovascular Imaging</i> , 1997, 13, 105-114.                           | 0.2 | 10        |
| 2608 | Comparison of QCA systems. <i>International Journal of Cardiovascular Imaging</i> , 1997, 13, 271-280.  | 0.2 | 23        |
| 2609 | Duction ranges in normal probands and patients with Graves' ophthalmopathy, determined using the Goldmann perimeter. <i>International Ophthalmology</i> , 1997, 21, 213-221.  | 0.6 | 30        |
| 2610 | Evaluation of electrochemical nitric oxide and nitrogen dioxide analyzers suitable for use during mechanical ventilation. <i>Journal of Clinical Monitoring and Computing</i> , 1997, 13, 25-34.  | 0.6 | 8         |
| 2611 | Assessment of errors when expiratory condensate PCO2 is used as a proxy for mixed expired PCO2 during mechanical ventilation. <i>Journal of Clinical Monitoring and Computing</i> , 1997, 13, 215-222.  | 0.6 | 0         |
| 2612 | Comparison of tympanic, esophageal and blood temperatures during mild hypothermic cardiopulmonary bypass: a study using an infrared emission detection tympanic thermometer. <i>Journal of Clinical Monitoring and Computing</i> , 1997, 13, 19-24. | 0.6 | 19        |
| 2613 | Validation of reflectance pulse oximetry: an evaluation of a new sensor in piglets. <i>Journal of Clinical Monitoring and Computing</i> , 1997, 13, 43-49.  | 0.6 | 12        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2614 | Near continuous cardiac output by thermodilution. <i>Journal of Clinical Monitoring and Computing</i> , 1997, 13, 233-239.   | 0.6 | 8         |
| 2615 | Cardiac output and circulating blood volume analysis by pulse dye-densitometry. <i>Journal of Clinical Monitoring and Computing</i> , 1997, 13, 81-89.   | 0.6 | 144       |
| 2616 | An algorithm for real-time, continuous evaluation of left ventricular mechanics by single-beat estimation of arterial and ventricular elastance. <i>Journal of Clinical Monitoring and Computing</i> , 1997, 13, 157-170.        | 0.6 | 13        |
| 2617 | Bench test assessment of dosage accuracy and measurement inaccuracy in nitric oxide inhalational therapy during high frequency oscillatory ventilation. <i>Journal of Clinical Monitoring and Computing</i> , 1997, 13, 349-355. | 0.6 | 3         |
| 2618 | Development of a direct weighting procedure for quality of life domains. <i>Quality of Life Research</i> , 1997, 6, 301-309.   | 1.5 | 138       |
| 2619 | A Comparison of Longitudinal Measurements in the Spine and Proximal Femur Using Lunar and Hologic Instruments. <i>Journal of Bone and Mineral Research</i> , 1997, 12, 2113-2118.  | 3.1 | 22        |
| 2620 | Site of Osteodensitometry in Perimenopausal Women: Correlation and Limits of Agreement Between Anatomic Regions. <i>Journal of Bone and Mineral Research</i> , 1997, 12, 1471-1479.  | 3.1 | 72        |
| 2621 | Cardiac output estimation by visual inspection vs thermodilution during cardiac surgery. <i>Canadian Journal of Anaesthesia</i> , 1997, 44, 126-130.   | 0.7 | 3         |
| 2623 | Incorrect analysis of data leads to incorrect conclusions. <i>Canadian Journal of Anaesthesia</i> , 1997, 44, 786-786.   | 0.7 | 2         |
| 2625 | Comparison of distal oesophageal temperature with œœdeepœœ and tracheal temperatures. <i>Canadian Journal of Anaesthesia</i> , 1997, 44, 433-438.  | 0.7 | 30        |
| 2626 | Photometric haemoglobin assessment. <i>Canadian Journal of Anaesthesia</i> , 1997, 44, 451-451.  | 0.7 | 0         |
| 2627 | Augmentation of urethral pressure profile by voluntary pelvic floor contraction. <i>International Urogynecology Journal</i> , 1997, 8, 284-287.  | 0.7 | 13        |
| 2628 | Characterization of a murine model for the rapid assessment of acute photodynamic response in tumour and muscle. <i>Lasers in Medical Science</i> , 1997, 12, 336-341.   | 1.0 | 8         |
| 2629 | Effect of postural changes on arterial baroreflex sensitivity assessed by the spontaneous sequence method and Valsalva manoeuvre in healthy subjects. <i>Clinical Autonomic Research</i> , 1997, 7, 143-148.                     | 1.4 | 47        |
| 2630 | Impact of litigation on quality of life outcomes in patients with chronic low back pain. <i>Irish Journal of Medical Science</i> , 1997, 166, 124-126.   | 0.8 | 17        |
| 2631 | The reproducibility of cardiac baroreceptor activity assessed non-invasively by spectral and sequence techniques. <i>Clinical Autonomic Research</i> , 1997, 7, 279-284.   | 1.4 | 26        |
| 2632 | Non-invasive continuous arterial pressure, heart rate and stroke volume measurements during graded head-up tilt in normal man. <i>Clinical Autonomic Research</i> , 1997, 7, 97-101.   | 1.4 | 24        |
| 2633 | Validity and reproducibility of electrical impedance tomography for measurement of calf blood flow in healthy subjects. <i>Medical and Biological Engineering and Computing</i> , 1997, 35, 107-112.                             | 1.6 | 13        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2634 | Measurement of flow in small vessels by magnetic resonance phase mapping techniques: anin vitro andin vivo study. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 1997, 5, 173-178.                      | 1.1 | 1         |
| 2635 | Infusion clearance of subcutaneous iothalamate versus standard renal clearance. <i>Pediatric Nephrology</i> , 1997, 11, 711-713.   | 0.9 | 11        |
| 2636 | Biological monitoring of vehicle mechanics and other workers exposed to low concentrations of benzene. <i>International Archives of Occupational and Environmental Health</i> , 1997, 70, 29-40.                                 | 1.1 | 63        |
| 2637 | Noninvasive cardiac output estimation: a preliminary study. <i>Biological Cybernetics</i> , 1997, 77, 111-122.   | 0.6 | 13        |
| 2638 | Reliability of pudendal nerve terminal motor latency. <i>International Journal of Colorectal Disease</i> , 1997, 12, 280-284.  | 1.0 | 41        |
| 2639 | Intra-observer reproducibility in measuring new putative MR markers of demyelination and axonal loss in multiple sclerosis: a comparison with conventional T2-weighted images. <i>Journal of Neurology</i> , 1997, 244, 266-270. | 1.8 | 153       |
| 2640 | Cardiofocal collimators for gated single-photon emission tomographic myocardial perfusion imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1997, 25, 3-7.  | 3.3 | 11        |
| 2641 | Accuracy of infrared ear thermometry in adult patients. <i>Intensive Care Medicine</i> , 1997, 23, 100-105.  | 3.9 | 86        |
| 2642 | Advantage of buffered solutions or automated capnometry in air-filled balloons for use in gastric tonometry. <i>Intensive Care Medicine</i> , 1997, 23, 423-427.   | 3.9 | 36        |
| 2643 | Validation of air tonometric measurement of gastric regional concentrations of CO 2 in critically ill septic patients. <i>Intensive Care Medicine</i> , 1997, 23, 524-529.   | 3.9 | 74        |
| 2644 | Measurement of cardiac output by transesophageal echocardiography in mechanically ventilated patients. <i>Intensive Care Medicine</i> , 1997, 23, 753-759.   | 3.9 | 46        |
| 2645 | Distribution of inhaled nitric oxide during sequential and continuous administration into the inspiratory limb of the ventilator. <i>Intensive Care Medicine</i> , 1997, 23, 849-858.  | 3.9 | 19        |
| 2646 | Comparison between cardiac output measured by thermodilution technique and calculated by O2 and modified CO2 Fick methods using a new metabolic monitor. <i>Intensive Care Medicine</i> , 1997, 23, 908-915.                     | 3.9 | 12        |
| 2647 | Clinical validation of cardiac output measurements using femoral artery thermodilution with direct Fick in ventilated children and infants. <i>Intensive Care Medicine</i> , 1997, 23, 987-991.                                  | 3.9 | 169       |
| 2648 | A comparison of conventional and fast spin-echo sequences for the measurement of lesion load in multiple sclerosis using a semi-automated contour technique. <i>Neuroradiology</i> , 1997, 39, 161-165.                          | 1.1 | 25        |
| 2649 | Interobserver variation in the sonographic estimation of renal volume in children. <i>Pediatric Radiology</i> , 1997, 27, 663-666.   | 1.1 | 27        |
| 2650 | Cerebral haemodynamics in internal carotid artery trial occlusion. <i>Acta Neurochirurgica</i> , 1997, 139, 1066-1073.   | 0.9 | 27        |
| 2651 | Test-retest repeatability of anorectal physiology tests in healthy volunteers. <i>Diseases of the Colon and Rectum</i> , 1997, 40, 287-292.  | 0.7 | 59        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2652 | Viscous fluid expulsion in the evaluation of the constipated patient. <i>Diseases of the Colon and Rectum</i> , 1997, 40, 580-584.  | 0.7 | 13        |
| 2653 | Myocardial velocity gradient measured throughout the cardiac cycle in dilated cardiomyopathy hearts – A potential new parameter of systolic and diastolic myocardial function by Doppler myocardial imaging. <i>European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology</i> , 1997, 5, 141-154. | 1.4 | 9         |
| 2654 | Normal values and reproducibility of anal endosonographic measurements. <i>European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology</i> , 1997, 6, 103-110.  | 1.4 | 12        |
| 2655 | The benefit of ultrasound in lesions of the pubic symphysis. <i>European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology</i> , 1997, 6, 111-116.   | 1.4 | 7         |
| 2656 | Methodological aspects of glucose monitoring with a slow continuous subcutaneous and intravenous ultrafiltration system in rats. <i>Biosensors and Bioelectronics</i> , 1997, 12, 967-976.  | 5.3 | 28        |
| 2658 | Left ventricular ejection fraction and volumes from gated single photon emission tomographic myocardial perfusion images: Comparison between two algorithms working in three-dimensional space. <i>Journal of Nuclear Cardiology</i> , 1997, 4, 472-476.  | 1.4 | 50        |
| 2659 | Monitoring of left ventricular ejection fraction with a miniature, nonimaging nuclear detector: Accuracy and reliability over time with special reference to blood labeling. <i>Journal of Nuclear Cardiology</i> , 1997, 4, 147-155.   | 1.4 | 3         |
| 2660 | The influence of stimulus duration on the reliability of pain ratings after nociceptive stimulation of the nasal mucosa with CO <sub>2</sub> . <i>European Journal of Pain</i> , 1997, 1, 207-213.  | 1.4 | 11        |
| 2661 | Noninvasive measurements of cardiac output in sheep: an improved thermometry method. <i>Medical Engineering and Physics</i> , 1997, 19, 618-629.  | 0.8 | 4         |
| 2662 | Respiratory function parameters in infants using inductive plethysmography. <i>Medical Engineering and Physics</i> , 1997, 19, 501-511.   | 0.8 | 5         |
| 2663 | Micellar electrokinetic capillary chromatography for therapeutic drug monitoring of zonisamide. <i>Biomedical Applications</i> , 1997, 695, 417-425.  | 1.7 | 33        |
| 2664 | Usefulness of MRI for the pre-operative evaluation of the pulmonary arteries in Tetralogy of Fallot. <i>Magnetic Resonance Imaging</i> , 1997, 15, 1005-1015.   | 1.0 | 34        |
| 2665 | Analysis of Parental Estimates of Children's Weights in the ED. <i>Annals of Emergency Medicine</i> , 1997, 30, 167-170.  | 0.3 | 46        |
| 2666 | Agreement Between Peripheral Venous and Arterial Lactate Levels. <i>Annals of Emergency Medicine</i> , 1997, 29, 479-483.   | 0.3 | 94        |
| 2667 | Transvenous versus perinervous stimulation of the phrenic nerve to assess the diaphragmatic strength in rabbits. <i>Journal of Neuroscience Methods</i> , 1997, 76, 135-141.  | 1.3 | 4         |
| 2668 | Electromyography (EMG) – Methodology and application in occupational health. <i>International Journal of Industrial Ergonomics</i> , 1997, 20, 207-214.   | 1.5 | 12        |
| 2669 | Doppler myocardial imaging vs. B-mode grey-scale imaging: A comparative in vitro and in vivo study into their relative efficacy in endocardial boundary detection. <i>Ultrasound in Medicine and Biology</i> , 1997, 23, 69-75.   | 0.7 | 18        |
| 2670 | Effects of velocity distribution, diameter measurement and velocity tracing on the accuracy of cardiac output measurement by pulsed doppler echocardiography in the aortic annulus of pigs. <i>Ultrasound in Medicine and Biology</i> , 1997, 23, 177-185.  | 0.7 | 7         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2671 | Evaluation of cerebral arterial flow with transcranial Doppler ultrasound: Theoretical development and phantom studies. <i>Ultrasound in Medicine and Biology</i> , 1997, 23, 1025-1031.                     | 0.7 | 32        |
| 2672 | Automated detection of local artery wall thickness based on M-line signal processing. <i>Ultrasound in Medicine and Biology</i> , 1997, 23, 1017-1023.   | 0.7 | 159       |
| 2673 | Clinical observations, pathology, bioassay in mice and serological response at slaughter in pigs experimentally infected with <i>Toxoplasma gondii</i> . <i>Veterinary Parasitology</i> , 1997, 72, 129-140. | 0.7 | 46        |
| 2674 | Effect of prolonged dissociation on the subjective measurement of near heterophoria. <i>Ophthalmic and Physiological Optics</i> , 1997, 17, 478-482.   | 1.0 | 13        |
| 2675 | Early changes in hemoglobin and hematocrit levels after packed red cell transfusion in patients with acute anemia. <i>Transfusion</i> , 1997, 37, 573-576.   | 0.8 | 49        |
| 2676 | Application of machine vision to assess involved surface in patients with psoriasis. <i>British Journal of Dermatology</i> , 1997, 137, 395-400.   | 1.4 | 16        |
| 2677 | Dermatology quality of life scales -a measure of the impact of skin diseases. <i>British Journal of Dermatology</i> , 1997, 136, 202-206.  | 1.4 | 69        |
| 2678 | Development of a tool to rate the quality assessment of randomized controlled trials using a Delphi technique*. <i>Journal of Advanced Nursing</i> , 1997, 25, 1262-1268.                                    | 1.5 | 55        |
| 2679 | Psychometric evaluation of a questionnaire to document side effects of chemotherapy. <i>Journal of Advanced Nursing</i> , 1997, 25, 999-1007.  | 1.5 | 24        |
| 2680 | Effect of continuous pressure on histopathological changes in denture-supporting tissues. <i>Journal of Oral Rehabilitation</i> , 1997, 24, 37-46.   | 1.3 | 48        |
| 2681 | The Reproducibility of Cephalic Pain Pressure Thresholds in Control Subjects and Headache Patients. <i>Cephalalgia</i> , 1997, 17, 748-755.  | 1.8 | 41        |
| 2682 | Semi-quantitative measurement of <i>Plasmodium falciparum</i> antigen PfHRP2 in blood and plasma. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1997, 91, 479-483.             | 0.7 | 75        |
| 2683 | Using a high-resolution display for screening visual acuity for near vision. <i>Displays</i> , 1997, 18, 11-19.  | 2.0 | 4         |
| 2684 | Histologic/histochemical grading system for osteoarthritic articular cartilage. Reproducibility and validity. <i>Arthritis and Rheumatism</i> , 1997, 40, 1766-1771.   | 6.7 | 83        |
| 2685 | The spectrum of hippocampal sclerosis: A quantitative magnetic resonance imaging study. <i>Annals of Neurology</i> , 1997, 41, 41-51.  | 2.8 | 199       |
| 2686 | Quantitative neuropathology and quantitative magnetic resonance imaging of the hippocampus in temporal lobe epilepsy. <i>Annals of Neurology</i> , 1997, 42, 756-766.  | 2.8 | 197       |
| 2687 | Cine MR fourier velocimetry of blood flow through cardiac valves: Comparison with doppler echocardiography. <i>Journal of Magnetic Resonance Imaging</i> , 1997, 7, 657-663.                                 | 1.9 | 48        |
| 2688 | Global cardiac function using fast breath-hold MRI: Validation of new acquisition and analysis techniques. <i>Magnetic Resonance in Medicine</i> , 1997, 37, 683-692.  | 1.9 | 86        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2689 | Repeatability of methacholine challenges in 2 to 4-year-old children with asthma, using a new technique for quantitative delivery of aerosol. , 1997, 23, 278-286.   |     | 23        |
| 2690 | Maximal inspiratory pressure and inspiratory muscle endurance time in asthmatic children: Reproducibility and relationship with pulmonary function tests. , 1997, 24, 385-390.   |     | 10        |
| 2691 | Underestimation of daily energy expenditure with the factorial method: Implications for anthropological research. American Journal of Physical Anthropology, 1997, 103, 443-454.   | 2.1 | 39        |
| 2692 | Ventilation and hypoxic ventilatory response of Tibetan and Aymara high altitude natives. , 1997, 104, 427-447.  |     | 190       |
| 2693 | Changes in diameter of the abdominal aorta with age: An epidemiological study. , 1997, 25, 7-13.   |     | 29        |
| 2694 | Intraobserver variability of pulsatility index measurements in three fetal vessels in the first trimester. , 1997, 25, 366-371.  |     | 6         |
| 2695 | The assessment of diabetic polyneuropathy in daily clinical practice: Reproducibility and validity of Semmes Weinstein monofilaments examination and clinical neurological examination. Muscle and Nerve, 1997, 20, 116-118. | 1.0 | 111       |
| 2696 | Reliability of multiple frequency bioelectrical impedance analysis: An intermachine comparison. American Journal of Human Biology, 1997, 9, 63-72.   | 0.8 | 43        |
| 2697 | Accuracy of anthropometric estimation of muscle cross-sectional area of the arm in males. American Journal of Human Biology, 1997, 9, 73-86.   | 0.8 | 29        |
| 2698 | Intensity-adaptive segmentation of single-echo T1-weighted magnetic resonance images. , 1997, 5, 194-205.  |     | 32        |
| 2699 | Analysis of reproducibility of reference lumen quantitation with intravascular ultrasound in stented coronary arteries. , 1997, 40, 1-7.   |     | 16        |
| 2700 | Validation of a new UNIX-based quantitative coronary angiographic system for the measurement of coronary artery lesions. , 1997, 40, 66-74.  |     | 24        |
| 2701 | Identification and analysis of eosinophils by flow cytometry using the depolarized side scatter-saponin method. , 1997, 29, 197-203.   |     | 16        |
| 2702 | Lymphocyte subset analysis on frozen whole blood. , 1997, 29, 340-350.   |     | 33        |
| 2703 | A Reference Method for the Analysis of Aldosterone in Blood by High-Performance Liquid Chromatography-Atmospheric Pressure Chemical Ionization-Tandem Mass Spectrometry. Analytical Biochemistry, 1997, 252, 308-313.        | 1.1 | 64        |
| 2704 | The application of the differential pH method to the biochemical evaluation of seminal plasma. Clinical Biochemistry, 1997, 30, 143-148.   | 0.8 | 5         |
| 2705 | Precision of the magnesium determination in mononuclear blood cells and erythrocytes. Clinical Biochemistry, 1997, 30, 203-208.  | 0.8 | 7         |
| 2706 | A system for postoperative visualization and analysis of left ventricular pressure-volume loops. Computers in Biology and Medicine, 1998, 28, 1-12.  | 3.9 | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2707 | Therapeutic monitoring of mycophenolic acid. <i>Clinical Biochemistry</i> , 1998, 31, 317-322.   | 0.8 | 118       |
| 2708 | Analytical issues on prostate-specific antigen in relation to prostate cancer screening. <i>Clinical Biochemistry</i> , 1998, 31, 633-639.   | 0.8 | 4         |
| 2709 | Protein binding of aspirin and salicylate measured by in vivo ultrafiltration*. <i>Clinical Pharmacology and Therapeutics</i> , 1998, 63, 285-295.   | 2.3 | 23        |
| 2710 | Representative assessment of long bone shaft biomechanical properties. <i>Journal of Biomechanics</i> , 1998, 31, 741-745.   | 0.9 | 19        |
| 2711 | Measurement of blood concentration of indocyanine green by pulse dye densitometry--comparison with the conventional spectrophotometric method. <i>Journal of Clinical Monitoring and Computing</i> , 1998, 14, 477-484.          | 0.7 | 36        |
| 2712 | Evaluation in volunteers of the VIA V-ABG automated bedside blood gas, chemistry, and hematocrit monitor. <i>Journal of Clinical Monitoring and Computing</i> , 1998, 14, 339-346.   | 0.7 | 10        |
| 2713 | Transcutaneous renal function monitor: precision during unsteady hemodynamics. <i>Journal of Clinical Monitoring and Computing</i> , 1998, 14, 275-282.  | 0.7 | 6         |
| 2714 | Left ventricular volumes assessed by different new three-dimensional echocardiographic methods and ordinary biplane technique. <i>International Journal of Cardiovascular Imaging</i> , 1998, 14, 55-63.                         | 0.2 | 18        |
| 2715 | Reduced apoptosis and proliferation and increased Bcl-2 in residual breast cancer following preoperative chemotherapy. <i>Breast Cancer Research and Treatment</i> , 1998, 48, 107-116.  | 1.1 | 105       |
| 2716 | Significant change in tests of neurological impairment in patients with brain tumours. <i>Journal of Neuro-Oncology</i> , 1998, 39, 81-90.   | 1.4 | 15        |
| 2717 | Normal left ventricular volumes and ejection fraction: assessment with quantitative digital cardioangiography. <i>International Journal of Cardiovascular Imaging</i> , 1998, 14, 27-36.   | 0.2 | 9         |
| 2718 | An analogue laser optical disc in comparison with cinefilm for visual analysis of coronary narrowings before and after coronary angioplasty. <i>International Journal of Cardiovascular Imaging</i> , 1998, 14, 19-26.           | 0.2 | 1         |
| 2719 | Assessment of coronary blood flow in humans using phase difference MR imaging. Comparison with intracoronary Doppler flow measurement. <i>International Journal of Cardiovascular Imaging</i> , 1998, 14, 179-186.               | 0.2 | 15        |
| 2720 | Contribution of long axis motion of left ventricular outflow to calculation of left ventricular stroke volume. <i>International Journal of Cardiovascular Imaging</i> , 1998, 14, 37-42.   | 0.2 | 0         |
| 2721 | Calculation of left ventricular outflow tract area using three-dimensional echocardiography. Influence on quantification of aortic valve stenosis. <i>International Journal of Cardiovascular Imaging</i> , 1998, 14, 373-379.   | 0.2 | 19        |
| 2722 | Reproducibility of right and left ventricular volume measurements by electron-beam CT in patients with congestive heart failure. <i>International Journal of Cardiovascular Imaging</i> , 1998, 14, 201-209.                     | 0.2 | 33        |
| 2723 | An echocardiographic and magnetic resonance imaging comparative study of right ventricular volume determination. <i>International Journal of Cardiovascular Imaging</i> , 1998, 14, 271-278.                                     | 0.2 | 18        |
| 2724 | Comparison of radionuclide angiography with three echocardiographic parameters of left ventricular function in patients after myocardial infarction. <i>International Journal of Cardiovascular Imaging</i> , 1998, 14, 413-418. | 0.2 | 23        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2725 | Intracardiac echocardiography: computerized detection of left ventricular borders. <i>International Journal of Cardiovascular Imaging</i> , 1998, 14, 397-411.   | 0.2 | 14        |
| 2726 | Estimation of the right ventricular volume and ejection fraction by transthoracic three-dimensional echocardiography. A validation study using magnetic resonance imaging. <i>International Journal of Cardiovascular Imaging</i> , 1998, 14, 385-390. | 0.2 | 48        |
| 2727 | Methodological challenges in the evaluation of prognostic factors in breast cancer. <i>Breast Cancer Research and Treatment</i> , 1998, 52, 289-303.   | 1.1 | 239       |
| 2728 | Methodological aspects of physical activity assessment in epidemiological studies. <i>European Journal of Epidemiology</i> , 1998, 14, 63-70.  | 2.5 | 57        |
| 2729 | Comparison of blood pressure measured by oscillometry from the supraorbital artery and invasively from the radial artery. <i>Journal of Clinical Monitoring and Computing</i> , 1998, 14, 113-117.   | 0.6 | 6         |
| 2730 | The proxy problem: child report versus parent report in health-related quality of life research. <i>Quality of Life Research</i> , 1998, 7, 387-397.   | 1.5 | 571       |
| 2731 | Interobserver Reproducibility and Biological Variability of the Surgicut II Bleeding Time. <i>Journal of Thrombosis and Thrombolysis</i> , 1998, 6, 155-158.   | 1.0 | 10        |
| 2732 | Peripheral Quantitative Computed Tomography in Human Long Bones: Evaluation of In Vitro and In Vivo Precision. <i>Journal of Bone and Mineral Research</i> , 1998, 13, 871-882.  | 3.1 | 232       |
| 2733 | Adolescent Attachment Questionnaire: A Brief Assessment of Attachment in Adolescence. <i>Journal of Youth and Adolescence</i> , 1998, 27, 661-673.   | 1.9 | 81        |
| 2734 | Comparison of guinea pig electroretinograms measured with bipolar corneal and unipolar intravitreal electrodes. <i>Documenta Ophthalmologica</i> , 1998, 95, 15-34.  | 1.0 | 26        |
| 2735 | Assessment of vascularity in histological sections: effects of methodology and value as an index of angiogenesis in breast tumours. <i>The Histochemical Journal</i> , 1998, 30, 849-856.  | 0.6 | 58        |
| 2736 | New Equipment for Neuromuscular Transmission Monitoring: A Comparison of the TOF-Guard with the Myograph 2000. <i>Journal of Clinical Monitoring and Computing</i> , 1998, 14, 19-27.  | 0.7 | 37        |
| 2737 | The UBIT-10013CO <sub>2</sub> Infrared Analyzer: Comparison Between Infrared Spectrometric Analysis and Mass Spectrometric Analysis. <i>Helicobacter</i> , 1998, 3, 49-53.   | 1.6 | 43        |
| 2738 | Training is required to improve the reliability of esophageal doppler to measure cardiac output in critically ill patients. <i>Intensive Care Medicine</i> , 1998, 24, 347-352.  | 3.9 | 170       |
| 2739 | Examination techniques for endosonography of the anal canal. <i>Abdominal Imaging</i> , 1998, 23, 301-303.   | 2.0 | 86        |
| 2740 | Bias and limits of agreement between hydrodensitometry, bioelectrical impedance and skinfold calipers measures of percentage body fat. <i>European Journal of Applied Physiology</i> , 1998, 77, 271-277.  | 1.2 | 25        |
| 2741 | Plasma volume in acute hypoxia: comparison of a carbon monoxide rebreathing method and dye dilution with Evans' blue. <i>European Journal of Applied Physiology</i> , 1998, 77, 457-461.   | 1.2 | 29        |
| 2742 | Lung volume measurements in infants with and without chronic lung disease. <i>European Journal of Pediatrics</i> , 1998, 157, 336-339.   | 1.3 | 16        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2743 | Skeletal maturation in adolescence: a comparison between the Tanner-Whitehouse II and the Fels method. <i>European Journal of Pediatrics</i> , 1998, 157, 798-801.   | 1.3 | 19        |
| 2744 | Improved risk stratification in unstable angina: Identification of patients at low risk for in-hospital cardiac events by admission echocardiography. <i>Clinical Cardiology</i> , 1998, 21, 725-730.                      | 0.7 | 15        |
| 2745 | Mesenteric, coeliac and splanchnic blood flow in humans during exercise. <i>Journal of Physiology</i> , 1998, 513, 907-913.  | 1.3 | 118       |
| 2746 | Characteristics of the Signal-Averaged P Wave in Orthotopic Heart Transplant Recipients. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1998, 21, 2327-2330.  | 0.5 | 4         |
| 2747 | Longitudinal Quantitative Hippocampal Magnetic Resonance Imaging Study of Adults with Newly Diagnosed Partial Seizures: One-Year Follow-Up Results. <i>Epilepsia</i> , 1998, 39, 633-639.                                  | 2.6 | 92        |
| 2748 | A Comparison of Indirect Blood Pressure Monitoring Techniques in the Anesthetized Cat. <i>Veterinary Surgery</i> , 1998, 27, 370-377.  | 0.5 | 144       |
| 2749 | The validity of continuous automated fluid monitoring during endometrial surgery: luxury or necessity?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1998, 105, 797-801.                          | 1.1 | 14        |
| 2750 | The effect of fetal neck position on nuchal translucency measurement. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1998, 105, 872-876.  | 1.1 | 55        |
| 2751 | The presentation of statistics. <i>Pediatric Allergy and Immunology</i> , 1998, 9, 108-115.  | 1.1 | 8         |
| 2752 | Central and mixed venous blood oxygen correlate well during acute normovolemic hemodilution in anesthetized pigs. <i>Acta Anaesthesiologica Scandinavica</i> , 1998, 42, 172-177.  | 0.7 | 27        |
| 2753 | The accuracy and precision of four infrared aural canal thermometers during cardiac surgery. <i>Acta Anaesthesiologica Scandinavica</i> , 1998, 42, 1222-1226.   | 0.7 | 55        |
| 2754 | Evaluation of long-term follow-up of glomerular function in renal transplant recipients. <i>Transplant International</i> , 1998, 11, 155-157.  | 0.8 | 0         |
| 2755 | Blood pressure measurement in anaesthetised sows: comparison between invasive and oscillometric methods during short term laparoscopic surgery. <i>Veterinary Anaesthesia and Analgesia</i> , 1998, 25, 37-40.             | 0.2 | 5         |
| 2756 | Carbon monoxide exposures in Australian workplaces could precipitate myocardial ischaemia in smoking workers with coronary artery disease. <i>Australian and New Zealand Journal of Public Health</i> , 1998, 22, 389-393. | 0.8 | 4         |
| 2757 | Validity and repeatability of the modified push-up method for measuring the amplitude of accommodation. <i>Australasian journal of optometry</i> , The, 1998, 81, 63-71.   | 0.6 | 20        |
| 2758 | An assessment of the use of simple methods to predict individual energy intakes for intervention studies. <i>European Journal of Clinical Nutrition</i> , 1998, 52, 54-59.   | 1.3 | 58        |
| 2759 | Comparison of in-vivo body composition using two Lunar dual-energy X-ray absorptiometers. <i>European Journal of Clinical Nutrition</i> , 1998, 52, 180-185.   | 1.3 | 16        |
| 2760 | Validation of a short food frequency questionnaire to assess calcium intake in children aged 3 to 6 years. <i>European Journal of Clinical Nutrition</i> , 1998, 52, 464-465.  | 1.3 | 56        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2761 | The basal metabolic rate and energy cost of standardised walking of short and tall men. <i>European Journal of Clinical Nutrition</i> , 1998, 52, 441-446.   | 1.3 | 17        |
| 2762 | Reproducibility of self-reported past body weight. <i>European Journal of Clinical Nutrition</i> , 1998, 52, 525-528.  | 1.3 | 47        |
| 2763 | Validation of a short food frequency questionnaire to assess consumption of cereal foods, fruit and vegetables in Chinese Singaporeans. <i>European Journal of Clinical Nutrition</i> , 1998, 52, 557-564.   | 1.3 | 30        |
| 2764 | Comparison of the traditional paper visual analogue scale questionnaire with an Apple Newton electronic appetite rating system (EARS) in free living subjects feeding ad libitum. <i>European Journal of Clinical Nutrition</i> , 1998, 52, 737-741.         | 1.3 | 99        |
| 2765 | Assessment of foot-to-foot bioelectrical impedance analysis for the prediction of total body water. <i>European Journal of Clinical Nutrition</i> , 1998, 52, 856-859.   | 1.3 | 38        |
| 2766 | Discriminating between body fat and fluid changes in the obese adult using bioimpedance vector analysis. <i>International Journal of Obesity</i> , 1998, 22, 97-104.   | 1.6 | 141       |
| 2767 | Assessment of research-based body composition techniques in healthy elderly men and women using the 4-compartment model as a criterion method. <i>International Journal of Obesity</i> , 1998, 22, 135-142.  | 1.6 | 48        |
| 2768 | Six-compartment body composition model: Inter-method comparisons of total body fat measurement. <i>International Journal of Obesity</i> , 1998, 22, 329-337.   | 1.6 | 151       |
| 2769 | Prediction of intra-abdominal and subcutaneous abdominal adipose tissue in healthy pre-pubertal children. <i>International Journal of Obesity</i> , 1998, 22, 549-558.   | 1.6 | 135       |
| 2770 | Agreement of skinfold measurement and bioelectrical impedance analysis (BIA) methods with dual energy X-ray absorptiometry (DEXA) in estimating total body fat in Anglo-Celtic Australians. <i>International Journal of Obesity</i> , 1998, 22, 854-860.     | 1.6 | 54        |
| 2771 | Monitoring of Cerebral Oxygen Metabolism in the Jugular Bulb: Reliability of Unilateral Measurements in Severe Head Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998, 18, 332-343.  | 2.4 | 65        |
| 2772 | Noninvasive Measurement of Regional Cerebral Blood Flow by Near-Infrared Spectroscopy and Indocyanine Green. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998, 18, 445-456.   | 2.4 | 188       |
| 2773 | Prognostic value of urokinase plasminogen activator in primary breast carcinoma: comparison of two immunoassay methods. <i>British Journal of Cancer</i> , 1998, 77, 1495-1501.  | 2.9 | 18        |
| 2774 | Effect of Skin Pigmentation on Pulse Oximetry Accuracy in the Emergency Department. <i>Academic Emergency Medicine</i> , 1998, 5, 965-970.   | 0.8 | 72        |
| 2775 | COMPARISON BETWEEN THE SCINTIGRAPHIC UPTAKE AND PLASMA CLEARANCE OF <sup>99m</sup> Tc-DIETHYLENETRIAMINEPENTACETIC ACID (DTPA) FOR THE EVALUATION OF THE GLOMERULAR FILTRATION RATE IN DOGS. <i>Veterinary Radiology and Ultrasound</i> , 1998, 39, 470-474. | 0.4 | 46        |
| 2776 | Automated Left Ventricular Endocardial Border Detection Using Acoustic Quantification in Children. <i>Echocardiography</i> , 1998, 15, 111-119.  | 0.3 | 4         |
| 2777 | Abnormal Inflow Wave Propagation in Patients with Doppler Characteristics of Impaired Left Ventricular Relaxation.. <i>Echocardiography</i> , 1998, 15, 537-543.   | 0.3 | 4         |
| 2778 | Influence of Pulsed-Doppler Sample Volume Location and Upper Body Tilt on Left Ventricular Filling Indices in Healthy Persons. <i>Echocardiography</i> , 1998, 15, 611-615.  | 0.3 | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2779 | Clinical Determinations of Volumes of Normal and Aneurysmatic Left Ventricles by Three-Dimensional Transesophageal Echocardiography. <i>Echocardiography</i> , 1998, 15, 641-650.  | 0.3 | 4         |
| 2780 | Circadian Pattern of the QT Dispersion Using Three Orthogonal Leads of a Holter ECG in Patients with Heart Failure. <i>Annals of Noninvasive Electrocardiology</i> , 1998, 3, 32-37.   | 0.5 | 2         |
| 2781 | Reproducibility of QT Interval Measurements Obtained from 24-Hour Digitized Ambulatory Three-Lead Electrocardiograms in Patients with Acute Myocardial Infarction and Healthy Volunteers. <i>Annals of Noninvasive Electrocardiology</i> , 1998, 3, 38-45.   | 0.5 | 8         |
| 2782 | Changes in body fat: measurements by neutron activation, densitometry and dual energy X-ray absorptiometry. <i>Applied Radiation and Isotopes</i> , 1998, 49, 507-509.   | 0.7 | 3         |
| 2783 | Compartmental models for glycaemic prediction and decision-support in clinical diabetes care: promise and reality. <i>Computer Methods and Programs in Biomedicine</i> , 1998, 56, 193-204.  | 2.6 | 57        |
| 2784 | Noninvasive Evaluation of Left Ventricular Diastolic Function in Hypertrophic Cardiomyopathy. <i>American Journal of Cardiology</i> , 1998, 81, 180-187.   | 0.7 | 59        |
| 2785 | Usefulness of Pulmonary Regurgitation Doppler Tracings in Predicting In-Hospital and Long-Term Outcome in Patients With Inferior Wall Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 1998, 81, 276-281.  | 0.7 | 12        |
| 2786 | Agreement and Reproducibility of Automatic Versus Manual Measurement of QT Interval and QT Dispersion. <i>American Journal of Cardiology</i> , 1998, 81, 471-477.  | 0.7 | 140       |
| 2787 | Comparison of Different Echocardiographic Methods With Radionuclide Imaging for Measuring Left Ventricular Ejection Fraction During Acute Myocardial Infarction Treated by Thrombolytic Therapy. <i>American Journal of Cardiology</i> , 1998, 81, 538-544.  | 0.7 | 166       |
| 2788 | Comparison of Quantitative Doppler With Magnetic Resonance Imaging for Assessment of the Severity of Mitral Regurgitation. <i>American Journal of Cardiology</i> , 1998, 81, 792-795.  | 0.7 | 78        |
| 2789 | Intravascular Ultrasonic Characteristics and Vasoreactivity of the Pulmonary Vasculature in Children With Pulmonary Hypertension 11This work was supported in part by grants from the March of Dimes Birth Defects Foundation, White Plains, New York; the Bugher Physician-Scientist Training Program, the Children's Hospital Research Institute, Denver, Colorado; the American Heart Association Established Investigator Award, Dallas, Texas; and Grant M0100069 of the General Clinical Research Centers Program, Nationa. <i>American Journal of Cardiology</i> , 1998, 81, 740-748. | 0.7 | 22        |
| 2790 | Anatomic M-mode: a new technique for quantitative assessment of left ventricular size and function. <i>American Journal of Cardiology</i> , 1998, 81, 82G-85G.   | 0.7 | 31        |
| 2791 | Three-dimensional echocardiographic assessment of the extension of dysfunctional mass in patients with coronary artery disease. <i>American Journal of Cardiology</i> , 1998, 81, 103G-106G.   | 0.7 | 8         |
| 2792 | Comparative Accuracy of Three Automated Techniques in the Noninvasive Estimation of Central Blood Pressure in Men. <i>American Journal of Cardiology</i> , 1998, 81, 1004-1012.  | 0.7 | 36        |
| 2793 | Comparison Between Echocardiographic Subtraction Method and First-Pass Radionuclide Ventriculography for Measuring Right Ventricular Volume After Operative "Repair" of Patients With Tetralogy of Fallot. <i>American Journal of Cardiology</i> , 1998, 81, 1258-1262.  | 0.7 | 7         |
| 2794 | Prognostic significance of echocardiographically estimated right ventricular shortening in advanced heart failure. <i>American Journal of Cardiology</i> , 1998, 82, 329-334.  | 0.7 | 118       |
| 2795 | Increasing degrees of left ventricular filling impairment modulate left atrial function in humans. <i>American Journal of Cardiology</i> , 1998, 82, 756-761.  | 0.7 | 214       |
| 2796 | Comparison of echocardiographic acoustic quantification with off-line manual tracing for determining left ventricular volume and ejection fraction in pediatric patients. <i>American Journal of Cardiology</i> , 1998, 82, 1428-1430.   | 0.7 | 12        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2797 | Transvaginal versus transperineal ultrasonography: A blinded comparison in the assessment of cervical length at midgestation. <i>American Journal of Obstetrics and Gynecology</i> , 1998, 179, 852-857.  | 0.7 | 46        |
| 2798 | A rapid assay of endotoxin in whole blood using autologous neutrophil dependent chemiluminescence. <i>Journal of Immunological Methods</i> , 1998, 212, 169-185.  | 0.6 | 147       |
| 2799 | A novel flow cytometric assay for quantitating adherence of <i>Helicobacter pylori</i> to gastric epithelial cells. <i>Journal of Immunological Methods</i> , 1998, 213, 19-30.   | 0.6 | 47        |
| 2800 | A comparison of maxillary and mandibular bone mineral densities. <i>Journal of Prosthetic Dentistry</i> , 1998, 79, 323-327.  | 1.1 | 145       |
| 2801 | Coronary artery bypass surgery as treatment for ischemic heart failure: the predictive value of viability assessment with quantitative positron emission tomography for symptomatic and functional outcome. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1998, 115, 791-799. | 0.4 | 97        |
| 2802 | MRI for physiology and function in congenital heart disease: Functional assessment of the heart preoperatively and postoperatively. <i>Seminars in Roentgenology</i> , 1998, 33, 239-251.   | 0.2 | 9         |
| 2803 | Reproducibility of computerized ecg measurements and coding in a nonhospitalized elderly population. <i>Journal of Electrocardiology</i> , 1998, 31, 189-195.   | 0.4 | 21        |
| 2804 | Observer variation in the assessment of resin composite. <i>Dental Materials</i> , 1998, 14, 1-5.   | 1.6 | 4         |
| 2805 | Bioelectric Impedance and Hydrostatic Weighing With and Without Head Submersion in Persons Who are Morbidly Obese. <i>Journal of the American Dietetic Association</i> , 1998, 98, 869-875.   | 1.3 | 21        |
| 2806 | Use of Food Quotients in Human Doubly Labeled Water Studies. <i>Journal of the American Dietetic Association</i> , 1998, 98, 1015-1020.   | 1.3 | 29        |
| 2807 | Intra-operative evaluation of a continuous versus intermittent bolus thermodilution technique of cardiac output measurement in cardiac surgical patients. <i>European Journal of Anaesthesiology</i> , 1998, 15, 196-201.   | 0.7 | 5         |
| 2808 | Reproducibility of measurements of intima-media thickness and distensibility in the common carotid artery. <i>European Journal of Vascular and Endovascular Surgery</i> , 1998, 16, 28-35.  | 0.8 | 68        |
| 2809 | Intra- and interobserver variability in ultrasound measurements of abdominal aortic diameter. The TromsÅ, study. <i>European Journal of Vascular and Endovascular Surgery</i> , 1998, 15, 497-504.  | 0.8 | 109       |
| 2810 | Current developments in measurement of corneal topography. <i>Contact Lens and Anterior Eye</i> , 1998, 21, S13-S30.  | 0.8 | 15        |
| 2811 | Automated, eight-cage indirect calorimetry in rats. <i>Nutrition</i> , 1998, 14, 672-677.   | 1.1 | 8         |
| 2812 | Assessment of body composition in infants and children. <i>Nutrition</i> , 1998, 14, 821-825.   | 1.1 | 47        |
| 2813 | Bioelectrical impedance analysis in human immunodeficiency virus-infected patients: comparison of single frequency with multifrequency, spectroscopy, and other novel approaches. <i>Nutrition</i> , 1998, 14, 658-666.   | 1.1 | 42        |
| 2814 | 2 Assessment of nutritional status in clinical practice. <i>Bailliere's Clinical Gastroenterology</i> , 1998, 12, 647-669.  | 0.9 | 16        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2815 | Social inequalities in morbidity from diabetes mellitus in public primary care clinics in Trinidad and Tobago. <i>Social Science and Medicine</i> , 1998, 46, 137-144.  | 1.8 | 17        |
| 2816 | Estimation of arterial CO <sub>2</sub> partial pressure by measurement of tracheal CO <sub>2</sub> during high-frequency jet ventilation in patients with a laryngectomy. <i>European Journal of Anaesthesiology</i> , 1998, 15, 1-5. | 0.7 | 1         |
| 2817 | Image magnification does not contribute to the repeatability of caliper placement in measuring nuchal translucency thickness. <i>Ultrasound in Obstetrics and Gynecology</i> , 1998, 11, 266-270.                                     | 0.9 | 26        |
| 2818 | The relative accuracy of mercury, Tempa-DOT and FeverScan thermometers. <i>Early Human Development</i> , 1998, 53, 171-178.   | 0.8 | 10        |
| 2819 | Clinical evaluation of the abbott Qvue-OptiQ continuous cardiac output system in critically ill medical patients. <i>Journal of Critical Care</i> , 1998, 13, 91-95.  | 1.0 | 13        |
| 2820 | Clinical trial of an ex vivo arterial blood gas monitor. <i>Journal of Critical Care</i> , 1998, 13, 190-197.   | 1.0 | 8         |
| 2821 | Thoracocardiography: Noninvasive monitoring of left ventricular stroke volume. <i>Journal of Critical Care</i> , 1998, 13, 146-157.   | 1.0 | 19        |
| 2822 | Reproducibility of automatic standard digital analysis of lens opacities. <i>Australian and New Zealand Journal of Ophthalmology</i> , 1998, 26, S29-31.  | 0.4 | 6         |
| 2823 | Assay of Low Deuterium Enrichment of Water by Isotopic Exchange with [U-13C <sub>3</sub> ]Acetone and Gas Chromatography-Mass Spectrometry. <i>Analytical Biochemistry</i> , 1998, 258, 315-321.                                      | 1.1 | 99        |
| 2824 | Development of a Scintillation Proximity Assay for High-Throughput Measurement of Intact Parathyroid Hormone. <i>Analytical Biochemistry</i> , 1998, 265, 216-224.  | 1.1 | 6         |
| 2825 | Selenium Determination in Biological Matrices. <i>Microchemical Journal</i> , 1998, 58, 325-336.  | 2.3 | 18        |
| 2826 | Capillary electrophoresis for therapeutic drug monitoring of antiepileptics. <i>Electrophoresis</i> , 1998, 19, 2856-2860.  | 1.3 | 33        |
| 2827 | Extending the simple linear regression model to account for correlated responses: An introduction to generalized estimating equations and multi-level mixed modelling. , 1998, 17, 1261-1291.   |     | 513       |
| 2828 | Use of assumed versus measured oxygen consumption for the determination of cardiac output using the Fick principle. , 1998, 43, 372-380.  |     | 39        |
| 2829 | Accuracy of computer-based quantification of aortic valve stenosis. , 1998, 44, 16-22.  |     | 0         |
| 2830 | Single platform flow cytometric absolute CD34+ cell counts based on the ISHAGE guidelines. , 1998, 34, 61-70.   |     | 409       |
| 2831 | A step in the right direction: Assessing exercise tolerance in cystic fibrosis. , 1998, 25, 278-284.  |     | 94        |
| 2832 | Comparison of lung volume measurements by antero-posterior chest X-ray and the SF <sub>6</sub> washout technique in mechanically ventilated infants. , 1998, 26, 265-272.   |     | 26        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2833 | Validity of published prediction equations for body composition in high altitude Bolivian Aymara as evaluated by doubly labeled water. , 1998, 10, 371-384.  |     | 6         |
| 2834 | Second metacarpal cross-sectional geometry: Rehabilitating a circular argument. , 1998, 10, 747-756.   |     | 18        |
| 2835 | Outcome measures for research in adult women with symptoms of lower urinary tract dysfunction. Neurourology and Urodynamics, 1998, 17, 255-262.  | 0.8 | 155       |
| 2836 | Hemoglobin concentration of high-altitude Tibetans and Bolivian Aymara. , 1998, 106, 385-400.  |     | 246       |
| 2837 | Right ventricular regional function using MR tagging: Normals versus chronic pulmonary hypertension. Magnetic Resonance in Medicine, 1998, 39, 116-123.  | 1.9 | 71        |
| 2838 | Magnetic resonance microimaging for noninvasive quantification of myocardial function and mass in the mouse. Magnetic Resonance in Medicine, 1998, 40, 43-48.  | 1.9 | 174       |
| 2839 | Invited. Calibration of water proton chemical shift with temperature for noninvasive temperature imaging during focused ultrasound surgery. Journal of Magnetic Resonance Imaging, 1998, 8, 175-181.   | 1.9 | 82        |
| 2840 | Experimental validation of an automated edge-detection method for a simultaneous determination of the endocardial and epicardial borders in short-axis cardiac MR images: Application in normal volunteers. Journal of Magnetic Resonance Imaging, 1998, 8, 1006-1014. | 1.9 | 44        |
| 2841 | Comparison of fast spiral, echo planar, and fast low-angle shot MRI for cardiac volumetry at .5T. Journal of Magnetic Resonance Imaging, 1998, 8, 1033-1039.   | 1.9 | 20        |
| 2842 | Black blood magnetic resonance angiography with Dy-DTPA polymer: Effect on arterial intraluminal signal intensity, lumen diameter, and wall thickness. Journal of Magnetic Resonance Imaging, 1998, 8, 1051-1059.  | 1.9 | 11        |
| 2843 | Correlation between biomechanical and structural changes during the regeneration of skeletal muscle after laceration injury. Journal of Orthopaedic Research, 1998, 16, 197-206.   | 1.2 | 68        |
| 2844 | Ultrasonographic estimation of postpartum postvoid residual bladder volume: A comparison between transabdominal and transvaginal ultrasonography. International Urogynecology Journal, 1998, 9, 9-12.  | 0.7 | 13        |
| 2845 | Analysis of wave reflections in the arterial system using wave intensity: A novel method for predicting the timing and amplitude of reflected waves. Heart and Vessels, 1998, 13, 103-113.   | 0.5 | 52        |
| 2846 | Creatinine clearance following cimetidine for estimation of glomerular filtration rate. Pediatric Nephrology, 1998, 12, 49-54.   | 0.9 | 59        |
| 2847 | Reference values for cystatin C serum concentrations in children. Pediatric Nephrology, 1998, 12, 125-129.   | 0.9 | 149       |
| 2848 | Guide for judicious use of the paracetamol absorption technique in a study of gastric emptying rate of liquids. Journal of Gastroenterology, 1998, 33, 785-791.  | 2.3 | 52        |
| 2849 | Interleukin 1 $\pm$ and hematological examination in mechanics exposed to low benzene concentrations. International Archives of Occupational and Environmental Health, 1998, 71, 19-28.  | 1.1 | 0         |
| 2850 | Central venous pressure from common iliac vein reflects right atrial pressure. Canadian Journal of Anaesthesia, 1998, 45, 798-801.   | 0.7 | 10        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2851 | The usefulness of celiteactivated thromboelastography for evaluation of fibrinolysis. Canadian Journal of Anaesthesia, 1998, 45, 993-996.   | 0.7 | 25        |
| 2852 | Evaluation of a new semi-continuous cardiac output system in the intensive care unit. Canadian Journal of Anaesthesia, 1998, 45, 578-583.   | 0.7 | 9         |
| 2853 | Continuous intra-arterial blood gas monitoring during oesophagectomy. Canadian Journal of Anaesthesia, 1998, 45, 273-276.   | 0.7 | 125       |
| 2854 | Cardiac output during liver transplantation. Canadian Journal of Anaesthesia, 1998, 45, 133-138.  | 0.7 | 30        |
| 2855 | Determination of total body water by multifrequency bio-electric impedance: development of several models. Medical and Biological Engineering and Computing, 1998, 36, 337-345.   | 1.6 | 24        |
| 2856 | Validierung eines ambulanten ScreeninggerÄtes fÄ¼r schlafbezogene AtmungsstÄ¼rungen: APNOESCREEN IÄ®. Somnologie, 1998, 2, 8-13.  | 0.9 | 3         |
| 2857 | Validierung eines Screening-GerÄtes zur Diagnostik und Therapiekontrolle schlafbezogener AtmungsstÄ¼rungen. Somnologie, 1998, 2, 189-193.   | 0.9 | 1         |
| 2858 | Assessment of skeletal maturation in infants: comparison between two methods in hypothyroid patients. Pediatric Radiology, 1998, 28, 622-626.   | 1.1 | 13        |
| 2859 | Skeletal age assessment in children and young adults: comparison between a newly developed sonographic method and conventional methods. Skeletal Radiology, 1998, 27, 271-277.  | 1.2 | 49        |
| 2860 | Regional myocardial wall thickening and global ejection fraction in patients with low angiographic left ventricular ejection fraction assessed by visual and quantitative resting ECG-gated 99m Tc-tetrofosmin single-photon emission tomography and magnetic resonance imaging. European Journal of Nuclear Medicine and Molecular Imaging, 1998, 25, 522-530. | 3.3 | 66        |
| 2861 | Gated SPET myocardial perfusion acquisition within 5 minutes using focussing collimators and a three-head gamma camera. European Journal of Nuclear Medicine and Molecular Imaging, 1998, 25, 587-593.  | 3.3 | 18        |
| 2863 | Comparison of measured and predicted energy expenditure in mechanically ventilated children. Intensive Care Medicine, 1998, 24, 464-468.  | 3.9 | 72        |
| 2864 | Determination of functional residual capacity (FRC) by multibreath nitrogen washout in a lung model and in mechanically ventilated patients. Intensive Care Medicine, 1998, 24, 487-493.  | 3.9 | 41        |
| 2865 | Comparison of air tonometry with gastric tonometry using saline and other equilibrating fluids: an in vivo and in vitro study. Intensive Care Medicine, 1998, 24, 777-784.  | 3.9 | 29        |
| 2866 | Point-of-care (POC) measurement of coagulation after cardiac surgery. Intensive Care Medicine, 1998, 24, 1187-1193.   | 3.9 | 43        |
| 2867 | Evaluation of long-term follow-up of glomerular function in renal transplant recipients. Transplant International, 1998, 11, 155-157.   | 0.8 | 1         |
| 2868 | Comparison and Cross-Calibration of DXA Systems: ODX-240 and Sophos L-XRA versus Hologic QDR-4500, for Spinal Bone Mineral Measurement. Translation of a Reference Database. Osteoporosis International, 1998, 8, 570-577.  | 1.3 | 11        |
| 2869 | Comparison of post-stress ejection fraction and relative left ventricular volumes by automatic analysis of gated myocardial perfusion single-photon emission computed tomography acquired in the supine and prone positions. Journal of Nuclear Cardiology, 1998, 5, 40-47.   | 1.4 | 36        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2870 | Relationship of gated SPECT ventricular function parameters to angiographic measurements*1. <i>Journal of Nuclear Cardiology</i> , 1998, 5, 295-303.   | 1.4 | 61        |
| 2871 | Variability of velocity and duration of microembolic signals detected by bigated transcranial Doppler sonography in carotid endarterectomy. <i>European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology</i> , 1998, 8, 1-6. | 1.4 | 3         |
| 2872 | Estimation of soluble L-lactate in dairy products using screen-printed sensors in a flow injection analyser. <i>Biosensors and Bioelectronics</i> , 1998, 13, 219-225.   | 5.3 | 31        |
| 2873 | Novel system for real-time ex vivo lactate monitoring in human whole blood1This paper was presented at the Fifth World Congress on Biosensors, Berlin, Germany, 3â€“5 June 1998.1. <i>Biosensors and Bioelectronics</i> , 1998, 13, 1271-1278.   | 5.3 | 17        |
| 2874 | Bioimpedance spectrometry in the determination of body water compartments: Accuracy and clinical significance. <i>Applied Radiation and Isotopes</i> , 1998, 49, 447-455.  | 0.7 | 79        |
| 2875 | Evaluation of multifrequency bioimpedance spectroscopy for measurement of the extracellular water space in critically ill patients. <i>Applied Radiation and Isotopes</i> , 1998, 49, 481-483.   | 0.7 | 27        |
| 2876 | Body composition measurements using DXA and other techniques in Tamoxifen-treated patients. <i>Applied Radiation and Isotopes</i> , 1998, 49, 643-645.   | 0.7 | 23        |
| 2877 | Determination of total body water by IVNAA and 40K counting in young normal and growth hormone deficient adults. <i>Applied Radiation and Isotopes</i> , 1998, 49, 671-672.  | 0.7 | 1         |
| 2878 | A comparative study of glucose meter accuracy during biochemical hypoglycaemia in humans. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 1998, 15, 135-138.  | 0.2 | 2         |
| 2879 | Microvessel density as a prognostic marker for transitional cell carcinoma of the bladder. <i>BJU International</i> , 1998, 81, 585-590.   | 1.3 | 25        |
| 2880 | The accuracy of the frequency-volume chart: comparison of self-reported and measured volumes. <i>BJU International</i> , 1998, 81, 709-711.  | 1.3 | 33        |
| 2881 | The ICS-'BPH' Study: uroflowmetry, lower urinary tract symptoms and bladder outlet obstruction. <i>BJU International</i> , 1998, 82, 619-623.  | 1.3 | 184       |
| 2882 | Quantitative techniques for lesion load measurement in multiple sclerosis: an assessment of the global threshold technique after non uniformity and histogram matching corrections. <i>European Journal of Neurology</i> , 1998, 5, 55-60.   | 1.7 | 10        |
| 2883 | Reliability of Cephalic Thermal Thresholds in Healthy Subjects. <i>Cephalalgia</i> , 1998, 18, 574-582.  | 1.8 | 39        |
| 2884 | The potential role of peripheral health workers and community key informants in the rapid assessment of community burden of disease: the example of lymphatic filariasis. <i>Tropical Medicine and International Health</i> , 1998, 3, 522-528.  | 1.0 | 6         |
| 2885 | Rapid risk household screening by neonatal arm circumference: results from a cohort study in rural Burkina Faso. <i>Tropical Medicine and International Health</i> , 1998, 3, 962-974.   | 1.0 | 18        |
| 2886 | Contrast and glare sensitivity in diabetic patients with and without pan-retinal photocoagulation. <i>Ophthalmic and Physiological Optics</i> , 1998, 18, 173-181.   | 1.0 | 9         |
| 2887 | Abbreviated kinetic profiles in area-under-the-curve monitoring of cyclosporine therapy. <i>Kidney International</i> , 1998, 54, 2146-2150.  | 2.6 | 26        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2888 | On-line assessment of delivered dialysis dose: Technical Note. <i>Kidney International</i> , 1998, 54, 263-267.   | 2.6 | 35        |
| 2889 | Quantitation of white cell subpopulations by polymerase chain reaction using frozen whole-blood samples. <i>Viral Activation Transfusion Study. Transfusion</i> , 1998, 38, 262-270.  | 0.8 | 31        |
| 2890 | Vascular density does not predict future metastatic disease in clinical stage 1 non-seminomatous germ cell tumours of the testis. <i>Histopathology</i> , 1998, 32, 217-224.  | 1.6 | 8         |
| 2891 | Performance of the sperm quality analyser in predicting the outcome of assisted reproduction. <i>Journal of Developmental and Physical Disabilities</i> , 1998, 21, 41-46.  | 3.6 | 15        |
| 2892 | Are electronic thermometry techniques suitable alternatives to traditional mercury in glass thermometry techniques in the paediatric setting?. <i>Journal of Advanced Nursing</i> , 1998, 28, 1030-1039.  | 1.5 | 28        |
| 2893 | Quality of life measures in psoriasis: a critical appraisal of their quality. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 1998, 23, 391-398.   | 0.7 | 57        |
| 2894 | Correlations among Epworth Sleepiness Scale scores, multiple sleep latency tests and psychological symptoms. <i>Journal of Sleep Research</i> , 1998, 7, 248-253.   | 1.7 | 177       |
| 2895 | Lung fluid and impedance cardiography. <i>Anaesthesia</i> , 1998, 53, 369-372.  | 1.8 | 15        |
| 2896 | Evaluation of the HemoCue® for measuring intra-operative haemoglobin concentrations: a comparison with the Coulter MaxM®. <i>Anaesthesia</i> , 1998, 53, 349-352.   | 1.8 | 70        |
| 2897 | Impedance cardiographyThe impact of new technology. <i>Anaesthesia</i> , 1998, 53, 677-684.   | 1.8 | 55        |
| 2898 | Determinants of eosinophil cationic protein in nasal lavages in children. <i>Clinical and Experimental Allergy</i> , 1998, 28, 300-305.   | 1.4 | 13        |
| 2899 | Inhaled corticosteroid reducedlamina reticularisof the basement membrane by modulation of insulin-like growth factor (IGF)-I expression in bronchial asthma. <i>Clinical and Experimental Allergy</i> , 1998, 28, 568-577.                                    | 1.4 | 117       |
| 2900 | Serum eosinophil cationic protein: distribution and reproducibility in a randomly selected sample of men living in rural Norfolk, UK. <i>Clinical and Experimental Allergy</i> , 1998, 28, 1345-1350.   | 1.4 | 9         |
| 2901 | Classification of asthma severity: should the international guidelines be changed?. <i>Clinical and Experimental Allergy</i> , 1998, 28, 1565-1570.   | 1.4 | 34        |
| 2902 | The effect of short-term cortisol changes on growth hormone responses to the pyridostigmine-growth-hormone-releasing-hormone test in healthy adults and patients with suspected growth hormone deficiency. <i>Clinical Endocrinology</i> , 1998, 49, 241-249. | 1.2 | 13        |
| 2903 | Reproducibility of the low dose dexamethasone suppression test: comparison between direct plasma and salivary cortisol assays. <i>Clinical Endocrinology</i> , 1998, 49, 307-310.   | 1.2 | 39        |
| 2904 | A new short practical quality of life questionnaire for use in Head and Neck Oncology outpatient clinics. <i>Clinical Otolaryngology</i> , 1998, 23, 528-532.   | 0.0 | 11        |
| 2905 | Analogue and digital electrocardiogram recordings in the assessment of heart rate variability. <i>Clinical Physiology</i> , 1998, 18, 157-166.  | 0.7 | 7         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2906 | Reproducibility of ultrasonic fetal volume blood flow measurements. <i>Clinical Physiology</i> , 1998, 18, 479-485.  | 0.7 | 15        |
| 2907 | Body composition and energy expenditure of patients with chronic cardiac failure. <i>European Journal of Clinical Investigation</i> , 1998, 28, 33-40.   | 1.7 | 16        |
| 2908 | In vitro measurement of kidney size: comparison of ultrasonography and MRI. <i>Ultrasound in Medicine and Biology</i> , 1998, 24, 683-688.   | 0.7 | 86        |
| 2909 | In vivo validation of the time domain velocity measurement technique of blood flow in human fetuses. <i>Ultrasound in Medicine and Biology</i> , 1998, 24, 9-13.   | 0.7 | 7         |
| 2910 | Blood Flow Through the Ductus Venosus in Human Fetus: Calculation Using Doppler Velocimetry and Computational Findings. <i>Ultrasound in Medicine and Biology</i> , 1998, 24, 477-487.   | 0.7 | 42        |
| 2911 | Intraobserver and interobserver variance in the measurement of ultrasound-estimated bladder weight. <i>Ultrasound in Medicine and Biology</i> , 1998, 24, 771-773.   | 0.7 | 29        |
| 2912 | Improved quantification of myocardial mass by three-dimensional echocardiography using a deposit contrast agent. <i>Ultrasound in Medicine and Biology</i> , 1998, 24, 647-653.  | 0.7 | 14        |
| 2913 | Ultrasound imaging for arterial wall thickness measurement: an in vitro study with stereomicroscopic correlation. <i>Ultrasound in Medicine and Biology</i> , 1998, 24, 833-839.   | 0.7 | 1         |
| 2914 | Quantification of iliac artery stenoses: a methodological comparative study between intravascular ultrasound, arteriography and duplex scanning. <i>Ultrasound in Medicine and Biology</i> , 1998, 24, 963-970.  | 0.7 | 7         |
| 2915 | In vitro evaluation of three-dimensional ultrasonography based on magnetic scanhead tracking. <i>Ultrasound in Medicine and Biology</i> , 1998, 24, 1161-1167.   | 0.7 | 43        |
| 2916 | Estimation of the human liver volume and configuration using three-dimensional ultrasonography: effect of a high-caloric liquid meal. <i>Ultrasound in Medicine and Biology</i> , 1998, 24, 1357-1367.   | 0.7 | 28        |
| 2917 | Comparison of Arterial and Venous Blood Gas Values in the Initial Emergency Department Evaluation of Patients With Diabetic Ketoacidosis. <i>Annals of Emergency Medicine</i> , 1998, 31, 459-465.   | 0.3 | 173       |
| 2918 | Determination of salicylic acid in human serum with capillary zone electrophoresis. <i>Biomedical Applications</i> , 1998, 706, 329-335.   | 1.7 | 19        |
| 2919 | Analysis of tert.-butyldimethylsilyl [1-13C]palmitic acid in stool samples by gas chromatography-mass spectrometry with electron impact ionisation: comparison with combustion isotope-ratio mass spectrometry. <i>Biomedical Applications</i> , 1998, 716, 1-6. | 1.7 | 8         |
| 2920 | Intra- and inter-observer variation in histological criteria used in age at death determination based on femoral cortical bone. <i>Forensic Science International</i> , 1998, 91, 219-230.   | 1.3 | 34        |
| 2921 | Image Contrast and Hippocampal Volumetric Measurements. <i>Magnetic Resonance Imaging</i> , 1998, 16, 13-17.   | 1.0 | 15        |
| 2922 | Automatic assessment of cardiac function from short-axis MRI: procedure and clinical evaluation. <i>Magnetic Resonance Imaging</i> , 1998, 16, 365-376.  | 1.0 | 36        |
| 2923 | Validation of bioanalytical chromatographic methods. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1998, 17, 193-218.   | 1.4 | 251       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2924 | Quality of life in epilepsy: comparison of four preference measures. <i>Epilepsy Research</i> , 1998, 29, 201-209.  | 0.8 | 47        |
| 2925 | Reliability of weight-bearing heel pad thickness measurements by ultrasound. <i>Clinical Biomechanics</i> , 1998, 13, 374-375.  | 0.5 | 15        |
| 2926 | Repeatability and comparability of automated keratometry: the Nikon NRK-8000, the Nidek KM-800 and the Bausch and Lomb keratometer. <i>Ophthalmic and Physiological Optics</i> , 1998, 18, 285-293. | 1.0 | 7         |
| 2927 | Who uses contrast sensitivity in optometric practice?. <i>Ophthalmic and Physiological Optics</i> , 1998, 18, S2-S13.   | 1.0 | 9         |
| 2928 | Reliability of and comparisons among three variations of the alternating cover test. <i>Ophthalmic and Physiological Optics</i> , 1998, 18, 430-437.  | 1.0 | 25        |
| 2929 | Assessment of a new through-the-eyelid technique for 'A' scan ultrasound ocular axial length measurement. <i>Ophthalmic and Physiological Optics</i> , 1998, 18, 408-414.                           | 1.0 | 9         |
| 2930 | Could a cycloplegic agent be replaced by a fogging or a corrective lens in the biometric measurement of the crystalline lens?. <i>Ophthalmic and Physiological Optics</i> , 1998, 18, 521-526.      | 1.0 | 4         |
| 2931 | Evaluation of the pinhole pupillometer. <i>Ophthalmic and Physiological Optics</i> , 1998, 18, 484-494.   | 1.0 | 1         |
| 2932 | A comparison of two histological validating techniques for occlusal caries. <i>Journal of Dentistry</i> , 1998, 26, 89-96.  | 1.7 | 16        |
| 2933 | The relationship between mandibular bone mineral density and panoramic radiographic measurements. <i>Journal of Dentistry</i> , 1998, 26, 337-343.  | 1.7 | 126       |
| 2934 | Morphometric assessment of enamel demineralisation from photographs. <i>Journal of Dentistry</i> , 1998, 26, 669-677.   | 1.7 | 17        |
| 2935 | Influence of duration and hour of recording on spectral measurements of heart rate variability. <i>Journal of the Autonomic Nervous System</i> , 1998, 73, 1-6.                                     | 1.9 | 17        |
| 2936 | Critical appraisal of left ventricular function assessment by the automated border detection method on echocardiography.. <i>International Journal of Cardiology</i> , 1998, 65, 193-199.           | 0.8 | 8         |
| 2937 | Technical and clinical evaluation of an electrochemistry glucose meter: experience in a diabetes center. <i>Diabetes Research and Clinical Practice</i> , 1998, 42, 9-15.                           | 1.1 | 14        |
| 2938 | Magnetic-resonance pelvimetry in breech presentation. <i>Lancet, The</i> , 1998, 351, 913.  | 6.3 | 3         |
| 2939 | Magnetic-resonance pelvimetry in breech presentation. <i>Lancet, The</i> , 1998, 351, 913.  | 6.3 | 1         |
| 2940 | Assessment of functional status in patients with cardiac disease. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 1998, 27, 263-273.  | 0.8 | 20        |
| 2941 | Meta-analysis of arterial oxygen saturation monitoring by pulse oximetry in adults. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 1998, 27, 387-408.                                  | 0.8 | 204       |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2942 | Lack of agreement between tympanic and oral temperature measurements in adult hospitalized patients. <i>American Journal of Infection Control</i> , 1998, 26, 428-430.   | 1.1 | 13        |
| 2943 | Reliability and validity testing of the Michigan Hand Outcomes Questionnaire. <i>Journal of Hand Surgery</i> , 1998, 23, 575-587.  | 0.7 | 822       |
| 2944 | Use of acridine orange in: flow cytometric assessment of micronuclei induction. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 1998, 414, 63-75.  | 0.9 | 40        |
| 2945 | Comparison of Acceleromyography and Electromyography in Vecuronium-induced Neuromuscular Blockade with Xenon or Sevoflurane Anesthesia. <i>Journal of Clinical Anesthesia</i> , 1998, 10, 200-203.   | 0.7 | 21        |
| 2946 | An evaluation of the use of concentrators for domiciliary oxygen supply for less than 8 h day <sup>-1</sup> . <i>Respiratory Medicine</i> , 1998, 92, 250-255.   | 1.3 | 5         |
| 2947 | Cold air inhalation and exercise-induced bronchoconstriction in relationship to metacholine bronchial responsiveness: different patterns in asthmatic children and children with other chronic lung diseases. <i>Respiratory Medicine</i> , 1998, 92, 308-315. | 1.3 | 62        |
| 2948 | Haemodynamic response during initiation of non-invasive positive pressure ventilation in COPD patients with acute ventilatory failure. <i>Respiratory Medicine</i> , 1998, 92, 331-337.  | 1.3 | 21        |
| 2949 | Inhalation challenge in ASA-induced asthma. <i>Respiratory Medicine</i> , 1998, 92, 378-384.   | 1.3 | 10        |
| 2950 | Comparison of four types of portable peak flow meters (Mini-Wright, Assess, Pulmo-graph and Wright) <i>Tj ETQq0 0 0 rgBT /Overlock 10.1</i>  | 1.3 | 20        |
| 2951 | Transcutaneous monitoring of blood gases: is it comparable with arterialized earlobe sampling?. <i>Respiratory Medicine</i> , 1998, 92, 584-587.   | 1.3 | 18        |
| 2952 | Neutrophils infiltrating bronchial epithelium in chronic obstructive pulmonary disease. <i>Respiratory Medicine</i> , 1998, 92, 863-870.   | 1.3 | 64        |
| 2953 | Quality of life in elderly patients with COPD: measurement and predictive factors. <i>Respiratory Medicine</i> , 1998, 92, 1231-1236.  | 1.3 | 100       |
| 2954 | The measurement of the single-breath transfer factor for carbon monoxide and its components using the Morgan Transflow system. <i>Respiratory Medicine</i> , 1998, 92, 628-632.  | 1.3 | 3         |
| 2955 | ESMAC Award. <i>Gait and Posture</i> , 1998, 8, 87-90.   | 0.6 | 20        |
| 2956 | Transcranial cerebral oxymetry during carotid endarterectomy: agreement between frontal and lateral probe measurements as compared with an electroencephalogram. <i>Vascular</i> , 1998, 6, 373-377.   | 0.5 | 26        |
| 2957 | Quantification of mitral regurgitant flow using proximal isovelocity surface area method: A transesophageal echocardiography perioperative study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1998, 12, 22-26.                                  | 0.6 | 12        |
| 2958 | Doppler-derived left ventricular rate of pressure rise and inotropic requirements during mitral valve surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1998, 12, 27-32.   | 0.6 | 8         |
| 2959 | Cardiac output measurement by transpulmonary versus conventional thermodilution technique in intensive care patients after coronary artery bypass grafting. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1998, 12, 519-522.                      | 0.6 | 40        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2960 | Is there an agreement between central venous and coronary sinus pressures?. Journal of Cardiothoracic and Vascular Anesthesia, 1998, 12, 610-611.   | 0.6 | 0         |
| 2961 | Detection of postoperative myocardial ischemia by bedside ST-segment analysis in coronary artery bypass graft patients. Journal of Cardiothoracic and Vascular Anesthesia, 1998, 12, 620-624. | 0.6 | 15        |
| 2962 | Repeatability of the hand-held Nidek auto-keratometer in children. Journal of AAPOS, 1998, 2, 186-187.  | 0.2 | 9         |
| 2964 | Exercise capacity and hormonal response in adults with childhood onset growth hormone deficiency during long-term somatropin treatment. Growth Hormone and IGF Research, 1998, 8, 377-384.    | 0.5 | 19        |
| 2965 | Comparison of Patient and Proxy EORTC QLQ-C30 Ratings in Assessing the Quality of Life of Cancer Patients. Journal of Clinical Epidemiology, 1998, 51, 617-631.                               | 2.4 | 173       |
| 2966 | Evaluation of a new ambulatory blood pressure device. American Journal of Hypertension, 1998, 11, 1486-1491.  | 1.0 | 3         |
| 2967 | A comparison of temperature measurements using three ear thermometers. Applied Nursing Research, 1998, 11, 158-166.   | 1.0 | 7         |
| 2968 | Another portable quantitative capnometer. American Journal of Emergency Medicine, 1998, 16, 399-400.  | 0.7 | 6         |
| 2969 | Dual-Energy X-Ray Absorptiometry in Predicting Mechanical Characteristics of Rat Femur. Bone, 1998, 22, 551-558.  | 1.4 | 50        |
| 2970 | Volume-Referent Bone Turnover Estimated From the Interlabel Area Fraction After Sequential Labeling. Bone, 1998, 22, 677-682.   | 1.4 | 33        |
| 2971 | Determination of the solute removal index for urea by using a partial spent dialysate collection method. American Journal of Kidney Diseases, 1998, 31, 986-990.                              | 2.1 | 19        |
| 2972 | Biostat 1000 and Daugirdas blood-based hemodialysis quantification: Agreement and reproducibility. American Journal of Kidney Diseases, 1998, 31, 1011-1018.                                  | 2.1 | 12        |
| 2973 | Comparison of Transvaginal Color Doppler Imaging and Color Doppler Energy for Assessment of Intraovarian Blood Flow. Obstetrics and Gynecology, 1998, 91, 561-567.                            | 1.2 | 24        |
| 2974 | Quantification of Cough-Related Urine Loss Using the Paper Towel Test. Obstetrics and Gynecology, 1998, 91, 705-709.  | 1.2 | 42        |
| 2975 | Assessment of a breath collection technique and portable breath hydrogen monitor for use in cats and dogs. Research in Veterinary Science, 1998, 65, 173-175.                                 | 0.9 | 11        |
| 2976 | Pulmonary blood flow measured by inspiratory inert gas concentration forcing oscillations. Respiration Physiology, 1998, 113, 47-56.  | 2.8 | 13        |
| 2977 | Chemoreflex thresholds to CO <sub>2</sub> in decerebrate cats. Respiration Physiology, 1998, 113, 1-10.   | 2.8 | 3         |
| 2978 | Therapeutic Drug Monitoring of Mycophenolic Acid: Comparison of HPLC and Immunoassay Reveals New MPA Metabolites. Transplantation Proceedings, 1998, 30, 1185-1187.                           | 0.3 | 109       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2979 | Optimization of cyclosporine therapy in kidney transplantation. Transplantation Proceedings, 1998, 30, 1673-1676.   | 0.3 | 1         |
| 2980 | Accuracy of a Portable International Normalization Ratio Monitor in Outpatients Receiving Long-Term Oral Anticoagulant Therapy. Thrombosis Research, 1998, 92, 11-17.   | 0.8 | 93        |
| 2981 | Precision of Patientsâ€™™ Measurements of the International Normalized Ratio (INR) Using a Patient Operated Whole Blood Home Coagulometer. Thrombosis Research, 1998, 92, 287-291.  | 0.8 | 14        |
| 2982 | Morphologic Grading of the Emphysematous Lung and Its Relation to Improvement After Lung Volume Reduction Surgery. Annals of Thoracic Surgery, 1998, 65, 793-799.   | 0.7 | 68        |
| 2983 | Test-retest reliability of trunk accelerometry during standing and walking. Archives of Physical Medicine and Rehabilitation, 1998, 79, 1377-1385.  | 0.5 | 223       |
| 2984 | An automated procedure for the determination of protein concentration in subcellular fractions. Clinica Chimica Acta, 1998, 273, 89-93.   | 0.5 | 2         |
| 2985 | A new method for plasma volume measurements with unlabeled dextran-70 instead of 125I-labeled albumin as an indicator. Clinica Chimica Acta, 1998, 275, 71-80.  | 0.5 | 25        |
| 2986 | Determination of serum tetranectin: technical and clinical evaluation of three sandwich immunoassays. Clinica Chimica Acta, 1998, 276, 19-34.   | 0.5 | 4         |
| 2987 | Simultaneous measurement of catecholamines and kallikrein in urine using boric acid preservative. Clinica Chimica Acta, 1998, 276, 89-102.  | 0.5 | 14        |
| 2988 | The effect of angiographic technique and image quality on the reproducibility of measurement of carotid stenosis and assessment of plaque surface morphology. Clinical Radiology, 1998, 53, 439-443.  | 0.5 | 31        |
| 2989 | Are phospholipase A2 and nitric oxide involved in the alterations in peritoneal transport during CAPD peritonitis?. Translational Research, 1998, 132, 329-340.   | 2.4 | 39        |
| 2990 | Circadian Rhythms of Atrioventricular Conduction Properties in Chronic Atrial Fibrillation With and Without Heart Failure. Journal of the American College of Cardiology, 1998, 31, 158-166.  | 1.2 | 49        |
| 2991 | Assessing Baroreflex Sensitivity in Post-Myocardial Infarction Patients: Comparison of Spectral and Phenylephrine Techniques. Journal of the American College of Cardiology, 1998, 31, 344-351.   | 1.2 | 64        |
| 2992 | Assessment of Left Atrial Pressureâ€™“Area Relation in Humans by Means of Retrograde Left Atrial Catheterization and Echocardiographic Automatic Boundary Detection: Effects of Dobutamine. Journal of the American College of Cardiology, 1998, 31, 426-436.   | 1.2 | 54        |
| 2993 | Assessment of Left Ventricular Contractile State by Preload-Adjusted Maximal Power Using Echocardiographic Automated Border Detection 11This study was supported in part by grants from the American Heart Association, Pennsylvania Affiliate, Camp Hill, Pennsylvania and the National Institutes of Health, Bethesda, Maryland (1R55 NR/OD4346-01A1).. Journal of the American College of Cardiology, 1998, 31, 282-291.   | 1.2 | 51        |
| 2994 | Post-Myocardial Infarction Left Ventricular Dysfunction is Abolished by Alpha-Adrenergic Blocking Agents 11This study was supported by institutional funds from the University of Milan (MURST 60%). Hewlett Packard Germany provided the echocardiographic equipment used in this study; Hewlett Packard Italiana S.P.A. provided technologic assistance in the acquisition of the data presented here.. Journal of the American College of Cardiology, 1998, 31, 282-291. | 1.2 | 51        |
| 2995 | Quantitation of Mitral Regurgitation Using the Systolic/Diastolic Pulmonary Venous Flow Velocity Ratio. Journal of the American College of Cardiology, 1998, 31, 1383-1390.   | 1.2 | 26        |
| 2996 | Use of the continuity equation for transesophageal Doppler assessment of severity of proximal left coronary artery stenosis: a quantitative coronary angiography validation study. Journal of the American College of Cardiology, 1998, 32, 42-48.  | 1.2 | 25        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2997 | The associations of body size and body composition with left ventricular mass: impacts for indexation in adults. <i>Journal of the American College of Cardiology</i> , 1998, 32, 451-457.   | 1.2 | 146       |
| 2998 | Quantification of mitral regurgitation by automated cardiac output measurement: experimental and clinical validation. <i>Journal of the American College of Cardiology</i> , 1998, 32, 1074-1082.  | 1.2 | 23        |
| 2999 | Application of the proximal flow convergence method to calculate the effective regurgitant orifice area in aortic regurgitation. <i>Journal of the American College of Cardiology</i> , 1998, 32, 1032-1039.   | 1.2 | 119       |
| 3000 | Coronary collateral quantitation in patients with coronary artery disease using intravascular flow velocity or pressure measurements. <i>Journal of the American College of Cardiology</i> , 1998, 32, 1272-1279.  | 1.2 | 232       |
| 3001 | Noninvasive assessment of coronary flow velocity and coronary flow velocity reserve in the left anterior descending coronary artery by Doppler echocardiography. <i>Journal of the American College of Cardiology</i> , 1998, 32, 1251-1259.   | 1.2 | 396       |
| 3002 | Administration of an intravenous perfluorocarbon contrast agent improves echocardiographic determination of left ventricular volumes and ejection fraction: comparison with cine magnetic resonance imaging. <i>Journal of the American College of Cardiology</i> , 1998, 32, 1426-1432. | 1.2 | 212       |
| 3003 | Accuracy of a new wrist cuff oscillometric blood pressure device—Comparisons with intraarterial and mercury manometer measurements. <i>American Journal of Hypertension</i> , 1998, 11, 1469-1474.   | 1.0 | 43        |
| 3004 | Évaluation et validation d'un outil de mesure de la charge en soins paramédicale en urgence préhospitalière. <i>Reanimation Urgences</i> , 1998, 7, 7-15.  | 0.1 | 3         |
| 3005 | Peut-on indifféremment utiliser la mesure sur sang veineux et le calcul sur sang capillaire du CO <sub>2</sub> total pour apprécier l'état acido-basique des enfants en réanimation?. <i>Reanimation Urgences</i> , 1998, 7, 623-628.  | 0.1 | 0         |
| 3006 | Validation of a handheld automated keratometer in adults. <i>Journal of Cataract and Refractive Surgery</i> , 1998, 24, 411-414.   | 0.7 | 10        |
| 3007 | COMPARISON OF 3 INVESTIGATIONAL ASSAYS FOR THE FREE FORM OF PROSTATE SPECIFIC ANTIGEN. <i>Journal of Urology</i> , 1998, 160, 420-425.   | 0.2 | 49        |
| 3008 | Accurate Noninvasive Estimation of Left Ventricular End-Diastolic Pressure: Comparison with Catheterization. <i>Journal of the American Society of Echocardiography</i> , 1998, 11, 126-131.   | 1.2 | 8         |
| 3009 | Comparison between two devices for measuring hip joint motions. <i>Clinical Rehabilitation</i> , 1998, 12, 497-505.  | 1.0 | 70        |
| 3010 | Pulmonary Venous Flow Doppler Velocities in Children. <i>Journal of the American Society of Echocardiography</i> , 1998, 11, 132-137.  | 1.2 | 25        |
| 3011 | Patellar alignment evaluated by MRI. <i>Acta Orthopaedica</i> , 1998, 69, 489-492.   | 1.4 | 25        |
| 3012 | Rates of Left Ventricular Isovolumic Pressure Rise and Fall from the Aortic Regurgitation Velocity Signal: Description of the Method and Validation in Human Beings. <i>Journal of the American Society of Echocardiography</i> , 1998, 11, 631-637.                                     | 1.2 | 6         |
| 3013 | Visualization of Clear Echocardiographic Images with Near Field Noise Reduction Technique: Experimental Study and Clinical Experience. <i>Journal of the American Society of Echocardiography</i> , 1998, 11, 660-667.   | 1.2 | 9         |
| 3014 | Tracer Kinetic Modeling of the 5-HT <sub>1A</sub> Receptor Ligand [carbonyl- <sup>11</sup> C]WAY-100635 for PET. <i>NeuroImage</i> , 1998, 8, 426-440.   | 2.1 | 267       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3015 | A Simplified, Practical Echocardiographic Approach for 3-Dimensional Surfacing and Quantitation of the Left Ventricle: Clinical Application in Patients with Abnormally Shaped Hearts. Journal of the American Society of Echocardiography, 1998, 11, 1001-1012.   | 1.2 | 16        |
| 3016 | Detection of Myocardial Perfusion Defects by Contrast Echocardiography in the Setting of Acute Myocardial Ischemia with Residual Antegrade Flow. Journal of the American Society of Echocardiography, 1998, 11, 228-235.   | 1.2 | 23        |
| 3018 | CARDIAC MR IMAGING IN CONGENITAL HEART DISEASE. Cardiology Clinics, 1998, 16, 315-348.   | 0.9 | 20        |
| 3019 | Effect of Hand Dominance on Bone Mass Measurement in Sedentary Individuals. Journal of Clinical Densitometry, 1998, 1, 359-367.  | 0.5 | 31        |
| 3020 | Autonomous Epicardial and Endocardial Boundary Detection in Echocardiographic Short-Axis Images. Journal of the American Society of Echocardiography, 1998, 11, 338-348.   | 1.2 | 19        |
| 3021 | Changes in Lung Volumes and Poor Perception of Bronchoconstriction-Induced Respiratory Symptoms. Annals of Allergy, Asthma and Immunology, 1998, 81, 315-321.  | 0.5 | 10        |
| 3022 | Diagnostic Accuracy and Role of Intraoperative Biplane Transesophageal Echocardiography in Pediatric Patients with Left Ventricle Outflow Tract Lesions. Journal of the American Society of Echocardiography, 1998, 11, 47-56.                                     | 1.2 | 11        |
| 3023 | Rapid Estimation of Regurgitant Volume by the Proximal Isovelocity Surface Area Method in Mitral Regurgitation: Can Continuous-Wave Doppler Echocardiography Be Omitted?. Journal of the American Society of Echocardiography, 1998, 11, 138-148.                  | 1.2 | 30        |
| 3024 | Variation of Flow Propagation Velocity with Age. Journal of the American Society of Echocardiography, 1998, 11, 20-25.   | 1.2 | 20        |
| 3025 | NO RELATIONSHIP BETWEEN SUBJECTIVE ASSESSMENT OF URINARY INCONTINENCE AND PAD TEST WEIGHT GAIN IN A RANDOM POPULATION SAMPLE OF MENOPAUSAL WOMEN. Journal of Urology, 1998, 159, 800-803.  | 0.2 | 52        |
| 3026 | Simultaneous doppler and catheter transvalvular pressure gradients across st jude bileaflet mitral valve prosthesis: In vivo study in a chronic animal model with pediatric valve sizes. Journal of the American Society of Echocardiography, 1998, 11, 1145-1154. | 1.2 | 6         |
| 3027 | Intracardiac echocardiographic imaging of the left ventricle from the right ventricle: Quantitative experimental evaluation. Journal of the American Society of Echocardiography, 1998, 11, 921-928.   | 1.2 | 8         |
| 3028 | Transthoracic echocardiographic measurement of coronary artery diameter: Validation against quantitative coronary angiography. Journal of the American Society of Echocardiography, 1998, 11, 893-897.   | 1.2 | 16        |
| 3029 | Review and evaluation of MRI nonuniformity corrections for brain tumor response measurements. Medical Physics, 1998, 25, 1655-1666.  | 1.6 | 34        |
| 3030 | The Use of Osmometry as a Means of Determining Changes in Drug Concentration During Jet Nebulization. Journal of Aerosol Medicine and Pulmonary Drug Delivery, 1998, 11, 89-100.   | 1.2 | 15        |
| 3031 | Adhesive tapes as capturing surfaces in Burkard sampling. Grana, 1998, 37, 305-310.  | 0.4 | 11        |
| 3032 | Multicenter Study on Reproducibility of Sperm Morphology Assessments. Archives of Andrology, 1998, 41, 103-114.  | 1.0 | 32        |
| 3033 | Improving pulmonary auscultation as a tool in the diagnosis of bronchial obstruction - results of an educational intervention. Scandinavian Journal of Primary Health Care, 1998, 16, 160-164.   | 0.6 | 3         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3034 | Electromyographic activities of the biceps during arm elevation in shoulders with rotator cuff tears. <i>Acta Orthopaedica</i> , 1998, 69, 575-579.  | 1.4 | 30        |
| 3035 | Scoring in forefoot surgery: A statistical evaluation of single variables and rating systems. <i>Acta Orthopaedica</i> , 1998, 69, 498-504.  | 1.4 | 34        |
| 3036 | Weighting for Joint Surface Area Improves the Information Provided by a Reduced 28-joint Articular Index of Swollen Joints. <i>Scandinavian Journal of Rheumatology</i> , 1998, 27, 125-129.   | 0.6 | 3         |
| 3037 | 3D IVUS border detection in highly diseased arteries with dissecting flaps. , 0, , .   |     | 1         |
| 3038 | Cardiac effects of short course dexamethasone in preterm infants. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 1998, 78, F133-F137.   | 1.4 | 47        |
| 3039 | Self-administered outcome instrument in carpal tunnel syndrome: Reliability, validity and responsiveness evaluated in 102 patients. <i>Acta Orthopaedica</i> , 1998, 69, 82-88.  | 1.4 | 100       |
| 3040 | Three-dimensional digital sonomicrometry: comparison with biplane radiography. , 0, , .  |     | 6         |
| 3041 | Measurement of Atherosclerotic Carotid Plaque Size In Vivo Using High Resolution Magnetic Resonance Imaging. <i>Circulation</i> , 1998, 98, 2666-2671.   | 1.6 | 285       |
| 3042 | Assessment of cerebral pressure autoregulation in humans - a review of measurement methods. <i>Physiological Measurement</i> , 1998, 19, 305-338.  | 1.2 | 455       |
| 3043 | Cystatin C—A New Marker of Glomerular Filtration Rate in Children Independent of Age and Height. <i>Pediatrics</i> , 1998, 101, 875-881.   | 1.0 | 359       |
| 3044 | Comparison of the heart rate variability parameters obtained from the electrocardiogram and the blood pressure wave. <i>Journal of Medical Engineering and Technology</i> , 1998, 22, 195-205.   | 0.8 | 26        |
| 3045 | Pulmonary embolism: Relation between the degree of right ventricle overload and the extent of perfusion defects. <i>American Heart Journal</i> , 1998, 135, 868-874.   | 1.2 | 59        |
| 3046 | Three-dimensional echocardiographic evaluation of left ventricular volume: Comparison of Doppler myocardial imaging and standard gray-scale imaging with cineventriculography—an in vitro and in vivo study. <i>American Heart Journal</i> , 1998, 135, 970-979. | 1.2 | 10        |
| 3047 | Quantification of the aortic valve area in three-dimensional echocardiographic data sets: Analysis of orifice overestimation resulting from suboptimal cut-plane selection. <i>American Heart Journal</i> , 1998, 135, 995-1003.                                 | 1.2 | 37        |
| 3048 | Three-dimensional surface area of the aortic valve orifice by three-dimensional echocardiography: Clinical validation of a novel index for assessment of aortic stenosis. <i>American Heart Journal</i> , 1998, 136, 1042-1050.                                  | 1.2 | 61        |
| 3049 | Mitral inflow and pulmonary venous Doppler measurements do not predict pulmonary capillary wedge pressure in heart transplant recipients. <i>American Heart Journal</i> , 1998, 135, 641-646.  | 1.2 | 9         |
| 3050 | Coronary calcium and standard risk factors in symptomatic patients referred for coronary angiography. <i>American Heart Journal</i> , 1998, 135, 696-702.  | 1.2 | 127       |
| 3051 | Evaluation of statistical equivalence using limits of agreement and associated sample size calculation. <i>Communications in Statistics - Theory and Methods</i> , 1998, 27, 1419-1432.  | 0.6 | 14        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3052 | Prediction of maximal oxygen uptake from a 20-m shuttle run as measured directly in runners and squash players. <i>Journal of Sports Sciences</i> , 1998, 16, 331-335.   | 1.0 | 63        |
| 3053 | Comparison of prostate-specific antigen corrected for total prostate volume and transition zone volume in a population-based screening study. <i>Urology</i> , 1998, 52, 237-246.  | 0.5 | 30        |
| 3054 | Bronchial subepithelial fibrosis and expression of matrix metalloproteinase-9 in asthmatic airway inflammation. <i>Journal of Allergy and Clinical Immunology</i> , 1998, 102, 783-788.  | 1.5 | 269       |
| 3055 | The utility of methacholine airway responsiveness measurements in evaluating anti-asthma drugs. <i>Journal of Allergy and Clinical Immunology</i> , 1998, 101, 342-348.  | 1.5 | 54        |
| 3056 | The effects of monosodium glutamate in adults with asthma who perceive themselves to be monosodium glutamate-intolerant. <i>Journal of Allergy and Clinical Immunology</i> , 1998, 101, 762-771.   | 1.5 | 45        |
| 3057 | Quantitative analysis of cholesterol and cholesteryl esters in human atherosclerotic plaques using near-infrared Raman spectroscopy. <i>Atherosclerosis</i> , 1998, 140, 81-88.  | 0.4 | 324       |
| 3058 | Relationship between potential doubling time (Tpot), labeling index and duration of DNA synthesis in 60 esophageal and 35 breast tumors: is it worthwhile to measure Tpot?. <i>Radiotherapy and Oncology</i> , 1998, 46, 157-167.  | 0.3 | 35        |
| 3059 | Chapter 13 Internal method validation. <i>Data Handling in Science and Technology</i> , 1998, 20, 379-440.   | 3.1 | 1         |
| 3060 | Validation of 24-hour dietary recall: A study in hemodialysis patients. , 1998, 8, 199-202.  |     | 18        |
| 3061 | Three-dimensional echocardiographic determination of left ventricular volumes and function by multiplane transesophageal transducer: dynamic in vitro validation and in vivo comparison with angiography and thermodilution. <i>Journal of the American Society of Echocardiography</i> , 1998, 11, 1113-1124. | 1.2 | 34        |
| 3062 | Quantification of Mitral Regurgitation by the Automated Cardiac Output Method: An In Vitro and In Vivo Study. <i>Journal of the American Society of Echocardiography</i> , 1998, 11, 643-651.  | 1.2 | 8         |
| 3063 | Amplitudes, Durations, and Timings of Apically Directed Left Ventricular Myocardial Velocities: I. Their Normal Pattern and Coupling to Ventricular Filling and Ejection. <i>Journal of the American Society of Echocardiography</i> , 1998, 11, 105-111.  | 1.2 | 117       |
| 3064 | Right ventricular volumes revisited: A simple model and simple formula for echocardiographic determination. <i>Journal of the American Society of Echocardiography</i> , 1998, 11, 864-873.  | 1.2 | 53        |
| 3065 | Reliability of assessment tools in rehabilitation: an illustration of appropriate statistical analyses. <i>Clinical Rehabilitation</i> , 1998, 12, 187-199.  | 1.0 | 753       |
| 3066 | Statistical Methods For Assessing Measurement Error (Reliability) in Variables Relevant to Sports Medicine. <i>Sports Medicine</i> , 1998, 26, 217-238.  | 3.1 | 2,685     |
| 3067 | Calibration and assessment of a fluid-filled catheter-transducer system for the measurement of ventricular diastolic pressures. <i>Physiological Measurement</i> , 1998, 19, 405-412.  | 1.2 | 2         |
| 3068 | Salmeterol Prevents Aspirin-induced Attacks of Asthma and Interferes with Eicosanoid Metabolism. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998, 158, 1168-1172.   | 2.5 | 37        |
| 3069 | Increased QT Dispersion in Patients With Vasospastic Angina. <i>Circulation</i> , 1998, 98, 435-440.   | 1.6 | 72        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3070 | Total Carbon Dioxide Measured by the Vitros Enzymatic Method. <i>Clinical Chemistry and Laboratory Medicine</i> , 1998, 36, 43-6.  | 1.4 | 10        |
| 3071 | Suprasternal Doppler ultrasound for assessment of stroke distance. <i>Archives of Disease in Childhood</i> , 1998, 79, 251-255.  | 1.0 | 11        |
| 3072 | Reproducibility of Ambulatory Blood Pressure Monitoring Results in Pregnancy. <i>American Journal of Hypertension</i> , 1998, 11, 852-855.   | 1.0 | 0         |
| 3073 | Production of nitrogen dioxide in a delivery system for inhalation of nitric oxide: a new equation for calculation. <i>British Journal of Anaesthesia</i> , 1998, 80, 213-217.   | 1.5 | 7         |
| 3074 | A placebo-controlled study of three osteocalcin assays for assessment of prednisolone-induced suppression of bone turnover. <i>Journal of Endocrinology</i> , 1998, 159, 127-131.                                      | 1.2 | 16        |
| 3075 | Estimation of the Glomerular Filtration Rate in NIDDM Patients From Plasma Creatinine Concentration After Cimetidine Administration. <i>Diabetes Care</i> , 1998, 21, 216-220.   | 4.3 | 27        |
| 3076 | Relation Between Number of Cardiovascular Risk Factors/Events and Noninvasive Doppler Ultrasound Assessments of Aortic Compliance. <i>Hypertension</i> , 1998, 32, 565-569.  | 1.3 | 150       |
| 3077 | Clinical evaluation of spine morphometric X-ray absorptiometry. <i>Rheumatology</i> , 1998, 37, 496-501.   | 0.9 | 36        |
| 3078 | Validation of a Laboratory Method of Measuring Postpartum Blood Loss. <i>Gynecologic and Obstetric Investigation</i> , 1998, 46, 31-33.  | 0.7 | 33        |
| 3079 | The Thermodilution Technique for Measuring Resting Energy Expenditure Does Not Agree With Indirect Calorimetry for the Critically Ill Patient. <i>Journal of Parenteral and Enteral Nutrition</i> , 1998, 22, 347-351. | 1.3 | 16        |
| 3080 | Increase in the chronically monitored cerebrospinal fluid pressure after experimental brain injury in rats. <i>Brain Injury</i> , 1998, 12, 525-536.   | 0.6 | 6         |
| 3081 | Diameter and Cross-sectional Area Relationship of the Human Main Pulmonary Artery: Evaluated by Epicardial Echocardiography. <i>Scandinavian Cardiovascular Journal</i> , 1998, 32, 269-275.                           | 0.4 | 2         |
| 3082 | Central venous pressure, pulmonary capillary wedge pressure and intrathoracic blood volumes as preload indicators in cardiac surgery patients. <i>European Journal of Cardio-thoracic Surgery</i> , 1998, 13, 533-540. | 0.6 | 194       |
| 3083 | Analytical and Clinical Performance of an Automated Immunoassay System (Immulite <sup>®</sup> ) for Estradiol in Serum. <i>Clinical Chemistry and Laboratory Medicine</i> , 1998, 36, 969-74.                          | 1.4 | 6         |
| 3084 | Severity of Airflow Limitation Is Associated with Severity of Airway Inflammation in Smokers. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998, 158, 1277-1285.                                | 2.5 | 469       |
| 3085 | Variability in knee radiographing: implication for definition of radiological progression in medial knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 1998, 57, 624-629.                                  | 0.5 | 76        |
| 3086 | Measured versus predicted oxygen consumption in children with congenital heart disease. <i>Heart</i> , 1998, 80, 601-605.  | 1.2 | 24        |
| 3087 | Neuromuscular monitoring by intensive care nurses: comparison of acceleromyography and tactile assessment. <i>British Journal of Anaesthesia</i> , 1998, 80, 384-385.  | 1.5 | 14        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3088 | Reliable keratometry with a new hand held surgical keratometer: calibration of the keratoscopic astigmatic ruler. <i>British Journal of Ophthalmology</i> , 1998, 82, 35-38.  | 2.1 | 4         |
| 3089 | Reference ranges for cardiac dimensions and blood flow velocity in preterm infants. <i>Heart</i> , 1998, 80, 281-285.   | 1.2 | 28        |
| 3090 | Reproducibility and Clinical Value of the Trough-to-Peak Ratio of the Antihypertensive Effect. <i>Hypertension</i> , 1998, 32, 424-429.   | 1.3 | 33        |
| 3091 | Predictive value of dobutamine echocardiography and positron emission tomography in identifying hibernating myocardium in patients with postischaemic heart failure. <i>Heart</i> , 1998, 79, 281-288.  | 1.2 | 122       |
| 3092 | Discrepancy between penetration depths derived from radiographic and direct measurement of acetabular components. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 1998, 212, 57-64. | 1.0 | 5         |
| 3093 | Use of pulse oximetry for blood pressure measurement after cardiac surgery. <i>Archives of Disease in Childhood</i> , 1998, 78, 457-460.  | 1.0 | 14        |
| 3094 | Marfan syndrome in children and adolescents: an adjusted nomogram for screening aortic root dilatation. <i>Heart</i> , 1998, 79, 69-72.   | 1.2 | 52        |
| 3095 | Reproducibility and responsiveness of quality of life assessment and six minute walk test in elderly heart failure patients. <i>Heart</i> , 1998, 80, 377-382.  | 1.2 | 211       |
| 3096 | Coronary artery disease: improved reproducibility of calcium scoring with an electron-beam CT volumetric method.. <i>Radiology</i> , 1998, 208, 807-814.  | 3.6 | 714       |
| 3097 | New Insights and Observations in Three-Dimensional Echocardiographic Visualization of Ventricular Septal Defects. <i>Circulation</i> , 1998, 98, 1307-1314.   | 1.6 | 42        |
| 3098 | Improved Assessment of Coronary Stenosis Severity Using the Relative Flow Velocity Reserve. <i>Circulation</i> , 1998, 98, 40-46.   | 1.6 | 114       |
| 3099 | Use of Muscle Fluid as a Source of Antibodies for Serologic Detection of <i>Salmonella</i> Infection in Slaughter Pig Herds. <i>Journal of Veterinary Diagnostic Investigation</i> , 1998, 10, 158-163.   | 0.5 | 111       |
| 3100 | Radiographic assessment of symptomatic knee osteoarthritis in the community: definitions and normal joint space. <i>Annals of the Rheumatic Diseases</i> , 1998, 57, 595-601.   | 0.5 | 168       |
| 3101 | A high-sensitivity test in the assessment of adrenocortical insufficiency: 10 microg vs 250 microg cosyntropin dose assessment of adrenocortical insufficiency. <i>Journal of Endocrinology</i> , 1998, 159, 275-280.                           | 1.2 | 31        |
| 3102 | An instrument for assessment of subjective visual disability in cataract patients. <i>British Journal of Ophthalmology</i> , 1998, 82, 617-624.   | 2.1 | 59        |
| 3103 | Effect of exercise induced hypoxaemia on myocardial repolarisation in severe chronic obstructive pulmonary disease. <i>Thorax</i> , 1998, 53, 572-576.  | 2.7 | 12        |
| 3104 | Measurement error as a source of QT dispersion: a computerised analysis. <i>Heart</i> , 1998, 80, 453-458.  | 1.2 | 63        |
| 3105 | Osteoarthritis of the hip: agreement between joint space width measurements on standing and supine conventional radiographs. <i>Annals of the Rheumatic Diseases</i> , 1998, 57, 519-523.   | 0.5 | 41        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3106 | Quantitative Automated Particle-Enhanced Immunonephelometric Assay for the Routinary Measurement of Human Cystatin C. <i>Clinical Chemistry and Laboratory Medicine</i> , 1998, 36, 859-65.                      | 1.4 | 69        |
| 3107 | Exhalation flow and pressure-controlled reservoir collection of exhaled nitric oxide for remote and delayed analysis. <i>Thorax</i> , 1998, 53, 775-779.   | 2.7 | 57        |
| 3108 | Leg extensor power and quadriceps strength: an assessment of repeatability in patients with osteoarthritic knees. <i>Clinical Rehabilitation</i> , 1998, 12, 120-126.  | 1.0 | 19        |
| 3109 | Test-Retest Reliability in Quantitative Physical Education Research: A Commentary. <i>European Physical Education Review</i> , 1998, 4, 145-152.   | 1.2 | 10        |
| 3110 | Reproducibility of volumetric measurements of normal maculae with the Heidelberg retina tomograph. <i>British Journal of Ophthalmology</i> , 1998, 82, 884-891.  | 2.1 | 23        |
| 3111 | Repeatability of lung function tests during methacholine challenge in wheezy infants. <i>Thorax</i> , 1998, 53, 933-938.   | 2.7 | 13        |
| 3112 | Spiral CT Angiography versus Aortography in the Assessment of Aortoiliac Length in Patients Undergoing Endovascular Abdominal Aortic Aneurysm Repair. <i>Journal of Endovascular Therapy</i> , 1998, 5, 222-227. | 0.8 | 10        |
| 3113 | Influence of Prior ACE Inhibitor Therapy on Morbidity and Mortality following Acute Myocardial Infarction. <i>Annals of Pharmacotherapy</i> , 1998, 32, 1141-1146.   | 0.9 | 7         |
| 3114 | Application of Color Doppler Flow Mapping to Calculate Orifice Area of St Jude Mitral Valve. <i>Circulation</i> , 1998, 98, 1205-1211.   | 1.6 | 7         |
| 3115 | Gastric tonometry: in vivo comparison of saline and air tonometry in patients with cardiogenic shock. <i>British Journal of Anaesthesia</i> , 1998, 81, 676-680.   | 1.5 | 19        |
| 3116 | The Effect of Angulation on Intravascular Ultrasound Imaging Observed in Vascular Phantoms. <i>Journal of Endovascular Therapy</i> , 1998, 5, 126-133.   | 0.8 | 0         |
| 3117 | Bone Mineral Density in the Lumbar Spine as Determined by Dual-Energy X-Ray Absorptiometry. <i>Acta Radiologica</i> , 1998, 39, 632-636.   | 0.5 | 14        |
| 3118 | Measurement of optic disc size: equivalence of methods to correct for ocular magnification. <i>British Journal of Ophthalmology</i> , 1998, 82, 643-649.   | 2.1 | 163       |
| 3119 | Static Intrinsic PEEP in COPD Patients during Spontaneous Breathing. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998, 157, 1044-1050.   | 2.5 | 17        |
| 3120 | COMPARISON OF TWO METHODS OF PROCESSING INDUCED SPUTUM: SELECTED VERSUS ENTIRE SPUTUM. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998, 158, 680-682.                                   | 2.5 | 3         |
| 3121 | Noninvasive Monitoring of Cardiac Output in Critically Ill Patients Using Transesophageal Doppler. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998, 158, 77-83.                         | 2.5 | 235       |
| 3122 | Evaluation of a New, Rapid, and Quantitative D-Dimer Test in Patients with Suspected Pulmonary Embolism. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998, 158, 65-70.                   | 2.5 | 107       |
| 3123 | Comparison Between Noninvasive Indices of Baroreceptor Sensitivity and the Phenylephrine Method in Post-Myocardial Infarction Patients. <i>Circulation</i> , 1998, 97, 1362-1367.                                | 1.6 | 173       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3124 | Restenosis of peripheral stents and stent grafts as revealed by intravascular sonography: in vivo comparison with angiography.. American Journal of Roentgenology, 1998, 170, 1181-1185.  | 1.0 | 21        |
| 3125 | The influence of extravascular lung water on cardiac output measurements using thoracic impedance cardiography. Physiological Measurement, 1998, 19, 491-499.   | 1.2 | 17        |
| 3126 | Short-term stability of baroreflex sensitivity. , 0, , .  |     | 0         |
| 3127 | Comparison of the precision of two vertebral morphometry programs for the lunar EXPERT-XL imaging densitometer.. British Journal of Radiology, 1998, 71, 388-398.   | 1.0 | 17        |
| 3128 | Total Lung Capacity by N <sub>2</sub> Washout from High and Low Lung Volumes in Ventilated Infants and Children. American Journal of Respiratory and Critical Care Medicine, 1998, 158, 526-531.                                  | 2.5 | 27        |
| 3129 | Psychomotor Speed in Chronic Low-Back Pain Patients and Healthy Controls: Construct Validity and Clinical Significance of the Measure. Perceptual and Motor Skills, 1998, 87, 1283-1296.  | 0.6 | 24        |
| 3130 | Reliabilities of Human Judgements: Measurements from Photographic CT Scan Images. Psychological Reports, 1998, 82, 171-181.   | 0.9 | 0         |
| 3131 | The determination of INR in stored whole blood. Journal of Clinical Pathology, 1998, 51, 360-363.   | 1.0 | 11        |
| 3132 | Bioelectrical impedance analysis for the estimation of body composition in rats. Laboratory Animals, 1998, 32, 65-71.   | 0.5 | 26        |
| 3133 | Surface-Specific Electrical Occlusal Caries Diagnosis: Reproducibility, Correlation with Histological Lesion Depth, and Tooth Type Dependence. Caries Research, 1998, 32, 330-336.  | 0.9 | 28        |
| 3134 | Clinical evaluation of a high-resolution new peripheral quantitative computerized tomography (pQCT) scanner for the bone densitometry at the lower limbs. Physics in Medicine and Biology, 1998, 43, 2279-2294.                   | 1.6 | 53        |
| 3135 | Comparison of Two Methods of Processing Induced Sputum: Selected versus Entire Sputum. American Journal of Respiratory and Critical Care Medicine, 1998, 157, 665-668.  | 2.5 | 57        |
| 3136 | Detection of QRS-duration in Chagas' patients with wavelets. , 0, , .   |     | 1         |
| 3137 | MOS-SF-36 in Evaluating Health-Related Quality of Life in Alcohol-Dependent Patients. American Journal of Drug and Alcohol Abuse, 1998, 24, 685-694.  | 1.1 | 92        |
| 3138 | How accurate is the hand-held refractor Retinomax® in measuring cycloplegic refraction: a further evaluation. Strabismus, 1998, 6, 133-142.   | 0.4 | 42        |
| 3139 | Is Real-Time Ultrasonic Bladder Volume Estimation Reliable and Valid? A Systematic Overview. Scandinavian Journal of Urology and Nephrology, 1998, 32, 325-330.   | 1.4 | 31        |
| 3140 | Clinical evaluation of keratometry and computerised videokeratography: intraobserver and interobserver variability on normal and astigmatic corneas. British Journal of Ophthalmology, 1998, 82, 637-642.                         | 2.1 | 12        |
| 3141 | Echo-Lucency of Computerized Ultrasound Images of Carotid Atherosclerotic Plaques Are Associated With Increased Levels of Triglyceride-Rich Lipoproteins as Well as Increased Plaque Lipid Content. Circulation, 1998, 97, 34-40. | 1.6 | 190       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3142 | Endogenous nitric oxide in patients with stable COPD: correlates with severity of disease. <i>Thorax</i> , 1998, 53, 881-883.  | 2.7 | 75        |
| 3143 | Reproducibility of topographic measures of the glaucomatous optic nerve head. <i>British Journal of Ophthalmology</i> , 1998, 82, 14-25.   | 2.1 | 16        |
| 3144 | Volume delivery during high frequency oscillation. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 1998, 78, F148-F150.  | 1.4 | 28        |
| 3145 | Physiological cardiac reserve: development of a non-invasive method and first estimates in man. <i>Heart</i> , 1998, 79, 289-294.  | 1.2 | 93        |
| 3146 | Effect of the number of peak expiratory flow readings per day on the estimation of diurnal variation. <i>Thorax</i> , 1998, 53, 790-792.   | 2.7 | 26        |
| 3147 | Spontaneous Variability of Left Ventricular Outflow Tract Gradient in Hypertrophic Obstructive Cardiomyopathy. <i>Circulation</i> , 1998, 97, 461-466.   | 1.6 | 98        |
| 3148 | Preparation of Urine Samples for Trace Metal Determination: A Study with Aluminium Analysis by Inductively Coupled Plasma Optical Emission Spectrometry. <i>Annals of Clinical Biochemistry</i> , 1998, 35, 245-253. | 0.8 | 20        |
| 3149 | Randomised controlled trial of eutectic mixture of local anaesthetics cream for venepuncture in healthy preterm infants. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 1998, 78, F138-F142.  | 1.4 | 53        |
| 3150 | Quantitative MRI in patients with idiopathic generalized epilepsy. Evidence of widespread cerebral structural changes. <i>Brain</i> , 1998, 121, 1661-1667.  | 3.7 | 136       |
| 3151 | White Coat Effect Detected Using Self-Monitoring of Blood Pressure at Home: Comparison With Ambulatory Blood Pressure. <i>American Journal of Hypertension</i> , 1998, 11, 820-827.                                  | 1.0 | 123       |
| 3152 | Validation of Predicted Total Body Water and Extracellular Water by Multi-Frequency Impedance in Young Indonesian Adults. <i>Annals of Nutrition and Metabolism</i> , 1998, 42, 119-126.                             | 1.0 | 9         |
| 3153 | Complete Blood Counts from Umbilical Cords of Healthy Term Newborns by Two Automated Cytometers. <i>Acta Haematologica</i> , 1998, 100, 167-173.   | 0.7 | 32        |
| 3154 | Real-time Three-dimensional Echocardiography for Determining Right Ventricular Stroke Volume in an Animal Model of Chronic Right Ventricular Volume Overload. <i>Circulation</i> , 1998, 97, 1897-1900.              | 1.6 | 156       |
| 3155 | Estimation of Blood Pressure Variability From 24-Hour Ambulatory Finger Blood Pressure. <i>Hypertension</i> , 1998, 32, 52-58.   | 1.3 | 52        |
| 3156 | Determinants of Pulse Pressure. <i>Hypertension</i> , 1998, 32, 556-559.   | 1.3 | 63        |
| 3157 | Comparison of different techniques to measure body composition in moderately active adolescents. <i>British Journal of Sports Medicine</i> , 1998, 32, 215-219.  | 3.1 | 33        |
| 3158 | Poor diagnostic value of colonic CD44v6 expression and serum concentrations of its soluble form in the differentiation of ulcerative colitis from Crohn's disease. <i>Gut</i> , 1998, 43, 375-382.                   | 6.1 | 12        |
| 3159 | Comparison of impedance cardiography and dye dilution method for measuring cardiac output. <i>Heart</i> , 1998, 79, 437-441.   | 1.2 | 19        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3160 | Precision and reliability for measurement of change in MRI lesion volume in multiple sclerosis: a comparison of two computer assisted techniques. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1998, 65, 42-47. | 0.9 | 52        |
| 3161 | Central Venous Catheters Versus Peripheral Veins for Sampling Blood Levels of Commonly Used Drugs. <i>Journal of Parenteral and Enteral Nutrition</i> , 1998, 22, 234-237.  | 1.3 | 30        |
| 3162 | Thoracic electrical bioimpedance: a non-invasive measure of cardiac output for porcine research. <i>Laboratory Animals</i> , 1998, 32, 324-329.   | 0.5 | 1         |
| 3163 | Metabolic Requirements of the Critically Ill, Mechanically Ventilated Trauma Patient: Measured Versus Predicted Energy Expenditure. <i>Nutrition in Clinical Practice</i> , 1998, 13, 25-31.                                  | 1.1 | 15        |
| 3164 | Regional changes in hippocampal T2 relaxation and volume: a quantitative magnetic resonance imaging study of hippocampal sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1998, 65, 656-664.             | 0.9 | 147       |
| 3165 | Expression of growth factors and remodelling of the airway wall in bronchial asthma. <i>Thorax</i> , 1998, 53, 21-27.   | 2.7 | 193       |
| 3166 | Silver/silver chloride electrodes for measurement of potential difference in human bronchi. <i>Thorax</i> , 1998, 53, 879-881.  | 2.7 | 8         |
| 3167 | The Automation of Sediment Urinalysis Using a New Urine Flow Cytometer (UF-100â„¢). <i>Clinical Chemistry and Laboratory Medicine</i> , 1998, 36, 909-17.   | 1.4 | 69        |
| 3168 | Influence of Biochemical Alterations on Arterial Stiffness in Patients With End-stage Renal Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 18, 535-541.   | 1.1 | 189       |
| 3169 | Validation of an Oscillometric Blood Pressure Measuring Device: A Substudy of the HOT Study. <i>Blood Pressure</i> , 1998, 7, 149-152.  | 0.7 | 15        |
| 3170 | Normalizing Intermethod Free Triiodothyronine Patient Results: Need for Commutable Materials. <i>Clinical Chemistry and Laboratory Medicine</i> , 1998, 36, 777-80.   | 1.4 | 3         |
| 3171 | Quantification of Aortic Stenosis in Mechanically Ventilated Patients Using Multiplane Transesophageal Doppler Echocardiography. <i>Chest</i> , 1998, 114, 94-97.   | 0.4 | 19        |
| 3172 | Long-term Within-Subject Variability of Inspiratory Neural Drive Response to Hypoxia. <i>Chest</i> , 1998, 114, 521-525.  | 0.4 | 11        |
| 3173 | Evaluation of Home Blood Pressure Monitors in Children and Adolescents. <i>American Journal of the Medical Sciences</i> , 1998, 315, 110-117.   | 0.4 | 2         |
| 3174 | Measuring Relative Agreement: Echocardiographer versus Computer. <i>Journal of Agricultural, Biological, and Environmental Statistics</i> , 1998, 3, 163.   | 0.7 | 13        |
| 3175 | Influence of Environmental Concentrations of NO on the Exhaled NO Test. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998, 158, 1299-1301.   | 2.5 | 34        |
| 3176 | Symmetry of the elbow kinematics during racing wheelchair propulsion. <i>Ergonomics</i> , 1998, 41, 1810-1820.  | 1.1 | 25        |
| 3177 | Circadian Rhythm of Plasma Leptin Levels in Upper and Lower Body Obese Women: Influence of Body Fat Distribution and Weight Loss. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998, 83, 1706-1712.              | 1.8 | 104       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3178 | Left ventricular ejection fraction in children measured by three-dimensional echocardiography using a new transthoracic integrated 3D-probe A comparison with equilibrium radionuclide angiography. <i>European Heart Journal</i> , 1998, 19, 1583-1588. | 1.0 | 45        |
| 3179 | Assessing incisor inclination: a non-invasive technique. <i>European Journal of Orthodontics</i> , 1998, 20, 721-726.  | 1.1 | 29        |
| 3180 | Comparison of CapiFlow and frame by frame analysis for the assessment of capillary red blood cell velocity. <i>Journal of Medical Engineering and Technology</i> , 1998, 22, 53-63.  | 0.8 | 17        |
| 3181 | Gamma-Glutamyltransferase is a Reliable Marker for Tubular Effects of Contrast Media. <i>Renal Failure</i> , 1998, 20, 319-324.  | 0.8 | 25        |
| 3182 | A comparison of adult pulmonary autograft diameter measurements with echocardiography and magnetic resonance imaging. <i>European Heart Journal</i> , 1998, 19, 301-309.   | 1.0 | 5         |
| 3183 | A comparison of the Barthel index and Nottingham extended activities of daily living scale in the assessment of disability in chronic airflow limitation in old age. <i>Age and Ageing</i> , 1998, 27, 369-374.  | 0.7 | 29        |
| 3184 | Comparison of tissue oxygen-tension measurements by different devices. An experimental study in pigs. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1998, 58, 63-72.  | 0.6 | 13        |
| 3185 | The effect of changing excitation frequency on parallel conductance in different sized hearts. <i>Cardiovascular Research</i> , 1998, 38, 668-675.   | 1.8 | 21        |
| 3186 | QT measurement for TU fused ECG morphology as exhibited during hypoglycaemia. , 0, , .   |     | 0         |
| 3187 | Diagnostic accuracy of computer-assisted sperm motion analysis. <i>Human Reproduction</i> , 1998, 13, 2512-2520.   | 0.4 | 51        |
| 3188 | Pulse Oximetry in Severe Carbon Monoxide Poisoning. <i>Chest</i> , 1998, 114, 1036-1041.   | 0.4 | 126       |
| 3189 | The subjective handicap of epilepsy. A new approach to measuring treatment outcome. <i>Brain</i> , 1998, 121, 317-343.   | 3.7 | 69        |
| 3190 | Creatinine Clearance Can Be Predicted from Plasma Creatinine and Body Composition Analysis by Means of Electrical Bioimpedance. <i>Renal Failure</i> , 1998, 20, 285-293.  | 0.8 | 20        |
| 3191 | Space analysis: a comparison between sonic digitization (DigiGraph <sup>TM</sup> Workstation) and the digital caliper. <i>European Journal of Orthodontics</i> , 1998, 20, 653-661.  | 1.1 | 20        |
| 3192 | The effect of oestrogen on intimal hyperplasia in cultured human ovarian veins. <i>Human Reproduction</i> , 1998, 13, 1449-1454.   | 0.4 | 1         |
| 3193 | Clinical validation of an automated boundary tracking algorithm using cardiac MR images. , 0, , .  |     | 5         |
| 3194 | A Statistics Primer. <i>American Journal of Sports Medicine</i> , 1998, 26, 483-485.   | 1.9 | 27        |
| 3195 | Statistics, Use in Immunology. , 1998, , 2211-2215.  |     | 4         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3196 | Contribution of parental blood pressures to association between low birth weight and adult high blood pressure: cross sectional study. <i>BMJ: British Medical Journal</i> , 1998, 316, 834-837.                                      | 2.4 | 92        |
| 3197 | Alkaline Phosphatase Activity Measurement in the UK by AMP-Buffered Methods: An Appraisal of Current Practice. <i>Annals of Clinical Biochemistry</i> , 1998, 35, 120-127.  | 0.8 | 9         |
| 3198 | Accuracy and precision of œœdeep sternalœœ and tracheal temperatures at high- and low-fresh-gas flows. <i>British Journal of Anaesthesia</i> , 1998, 81, 171-175.   | 1.5 | 14        |
| 3199 | Mechanisms of Residual Lumen Stenosis After High-Pressure Stent Implantation. <i>Circulation</i> , 1998, 98, 112-118.   | 1.6 | 90        |
| 3200 | Grading of Cerebral Dynamic Autoregulation From Spontaneous Fluctuations in Arterial Blood Pressure. <i>Stroke</i> , 1998, 29, 2341-2346.   | 1.0 | 177       |
| 3201 | The Visual Analog Scale in the Immediate Postoperative Period. <i>Anesthesia and Analgesia</i> , 1998, 86, 102-106.   | 1.1 | 72        |
| 3202 | Accuracy of Devices Used for Self-Monitoring of Blood Glucose. <i>Annals of Clinical Biochemistry</i> , 1998, 35, 68-74.  | 0.8 | 43        |
| 3204 | Conversion of Apolipoproteins A-1 and B Reference Limits Obtained by a Turbidimetric Procedure to other Methods. <i>Annals of Clinical Biochemistry</i> , 1998, 35, 311-313.  | 0.8 | 1         |
| 3205 | Total Antioxidant Capacity by Enhanced Chemiluminescence: Contribution of Urate. <i>Annals of Clinical Biochemistry</i> , 1998, 35, 553-554.  | 0.8 | 11        |
| 3206 | Using a Treatment-tradeoff Method to Elicit Preferences for the Treatment of Locally Advanced Non-Small-cell Lung Cancer. <i>Medical Decision Making</i> , 1998, 18, 256-267.   | 1.2 | 47        |
| 3207 | Assessment of Three Methods to Reduce the Influence of Mathematical Coupling on Oxygen Consumption and Delivery Relationships. <i>Chest</i> , 1998, 113, 1347-1355.   | 0.4 | 18        |
| 3208 | Atherosclerosis and left ventricular hypertrophy. <i>Journal of Hypertension</i> , 1998, 16, 1389-1395.   | 0.3 | 20        |
| 3209 | A Comparison Between Systolic Aortic Root Pressure and Finger Blood Pressure. <i>Chest</i> , 1998, 113, 1466-1474.  | 0.4 | 25        |
| 3210 | Comparison of air displacement plethysmography with dual-energy X-ray absorptiometry and 3 field methods for estimating body composition in middle-aged men. <i>American Journal of Clinical Nutrition</i> , 1998, 68, 786-793.       | 2.2 | 128       |
| 3211 | Mainstream End-tidal Carbon Dioxide Monitoring in the Neonatal Intensive Care Unit. <i>Pediatrics</i> , 1998, 101, 648-653.   | 1.0 | 93        |
| 3212 | Automatic detection of left ventricular shape in short axis ultrasound data using a 3D graph search algorithm. , 0, , .   |     | 0         |
| 3213 | Dual-energy X-ray absorptiometry in the clinical evaluation of body composition and bone mineral density in patients with chronic obstructive pulmonary disease. <i>American Journal of Clinical Nutrition</i> , 1998, 68, 1298-1303. | 2.2 | 72        |
| 3214 | Resting energy expenditure in children in a pediatric intensive care unit: comparison of Harris-Benedict and Talbot predictions with indirect calorimetry values. <i>American Journal of Clinical Nutrition</i> , 1998, 67, 74-80.    | 2.2 | 97        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3215 | Computerized Artifact Detection and Correction of Uroflow Curves: Towards a More Consistent Quantitative Assessment of Maximum Flow. <i>European Urology</i> , 1998, 33, 54-63.                       | 0.9 | 15        |
| 3216 | Modifiable Stroke Risk Factors in Volunteers Willing to Participate in a Prevention Program. <i>Neuroepidemiology</i> , 1998, 17, 179-187.  | 1.1 | 17        |
| 3217 | Changes in Plasma Volume in Immediate Pre- and Postoperative Periods in Patients with Major Gynecologic Surgery. <i>Transfusion Medicine and Hemotherapy</i> , 1998, 25, 222-228.                     | 0.7 | 3         |
| 3218 | Randomised trial of educational visits to enhance use of systematic reviews in 25 obstetric units. <i>BMJ: British Medical Journal</i> , 1998, 317, 1041-1046.  | 2.4 | 90        |
| 3219 | Application of newer clearance techniques for the determination of glomerular filtration rate. <i>Current Opinion in Nephrology and Hypertension</i> , 1998, 7, 675-680.                              | 1.0 | 74        |
| 3220 | Noninvasive Monitoring of Carbon Dioxide. <i>Anesthesia and Analgesia</i> , 1998, 86, 675-676.  | 1.1 | 0         |
| 3221 | Transcranial Doppler Detection of Microemboli During Percutaneous Transluminal Coronary Angioplasty. <i>Stroke</i> , 1998, 29, 2367-2370.   | 1.0 | 85        |
| 3222 | Accuracy of Cartilage Volume and Thickness Measurements With Magnetic Resonance Imaging. <i>Clinical Orthopaedics and Related Research</i> , 1998, 352, 137-148.                                      | 0.7 | 125       |
| 3223 | Observer Variability in the Measurement of the Size of Intracranial Aneurysms Using Power TCD. <i>Journal of Neuroimaging</i> , 1998, 8, 75-77.   | 1.0 | 4         |
| 3224 | Various ways of calculating echocardiographic left ventricular mass and their relative prognostic values. <i>Journal of Hypertension</i> , 1998, 16, 1201-1206.                                       | 0.3 | 9         |
| 3225 | Determination of Right Ventricular Structure and Function in Normoxic and Hypoxic Mice. <i>Circulation</i> , 1998, 98, 1015-1021.   | 1.6 | 68        |
| 3226 | Inflammation in High-Grade Carotid Stenosis. <i>Stroke</i> , 1998, 29, 1625-1630.   | 1.0 | 202       |
| 3227 | Can Cerebrovascular Reactivity Be Assessed Without Measuring Blood Pressure in Patients With Carotid Artery Disease?. <i>Stroke</i> , 1998, 29, 968-974.  | 1.0 | 54        |
| 3228 | Estimation of Vessel Flow and Diameter during Cerebral Vasospasm Using Transcranial Doppler Indices. <i>Neurosurgery</i> , 1998, 42, 1076-1081.   | 0.6 | 53        |
| 3229 | Delivery of Inhaled Nitric Oxide Using the Ohmeda INOvent Delivery System. <i>Chest</i> , 1998, 113, 1650-1657.   | 0.4 | 42        |
| 3230 | Cytotoxic and hormonal treatment for metastatic breast cancer: a systematic review of published randomized trials involving 31,510 women.. <i>Journal of Clinical Oncology</i> , 1998, 16, 3439-3460. | 0.8 | 535       |
| 3231 | The Development and Evaluation of a Disease-Specific Quality of Life Measurement Tool for Shoulder Instability. <i>American Journal of Sports Medicine</i> , 1998, 26, 764-772.                       | 1.9 | 598       |
| 3232 | The Visual Analog Scale in the Immediate Postoperative Period. <i>Anesthesia and Analgesia</i> , 1998, 86, 102-106.   | 1.1 | 601       |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3233 | Noninvasive Monitoring of Carbon Dioxide. <i>Anesthesia and Analgesia</i> , 1998, 86, 675-676.  | 1.1 | 1         |
| 3234 | Relationship Between Airway Obstruction and Respiratory Symptoms in Adult Asthmatics. <i>Chest</i> , 1998, 113, 272-277.  | 0.4 | 233       |
| 3235 | Epidemiology of Sarcopenia among the Elderly in New Mexico. <i>American Journal of Epidemiology</i> , 1998, 147, 755-763.   | 1.6 | 3,279     |
| 3236 | Reproducibility of oximetry with a static charge-sensitive bed in evaluation of obstructive sleep apnoea. <i>Clinical Physiology</i> , 1998, 18, 225-233.   | 0.7 | 8         |
| 3237 | Improvement in left ventricular ejection fraction and wall motion after successful recanalization of chronic coronary occlusions. <i>European Heart Journal</i> , 1998, 19, 273-281.  | 1.0 | 199       |
| 3238 | Reproducibility of pulse wave velocity and augmentation index measured by pulse wave analysis. <i>Journal of Hypertension</i> , 1998, 16, 2079-2084.  | 0.3 | 807       |
| 3239 | One-Footed and Externally Disturbed Two-Footed Postural Control in Patients With Chronic Low Back Pain and Healthy Control Subjects. <i>Spine</i> , 1998, 23, 2081-2089.  | 1.0 | 155       |
| 3240 | Pathoanatomic Mechanisms of Degenerative Spondylolisthesis. <i>Spine</i> , 1998, 23, 1447-1451.   | 1.0 | 68        |
| 3241 | Assessment of Sagittal Plane Segmental Motion in the Lumbar Spine. <i>Spine</i> , 1998, 23, 2648-2655.  | 1.0 | 35        |
| 3242 | First Clinical Implications of Perioperative Red Cell Volume Measurement with a Nonradioactive Marker (Sodium Fluorescein). <i>Anesthesia and Analgesia</i> , 1998, 87, 1234-1238.  | 1.1 | 29        |
| 3243 | Circulating Blood Volume Measured by Pulse Dye-Densitometry. <i>Anesthesiology</i> , 1998, 89, 1329-1335.   | 1.3 | 97        |
| 3244 | Centralized echocardiogram quality control in a multicenter study of regression of left ventricular hypertrophy in hypertension. <i>Journal of Hypertension</i> , 1998, 16, 531-535.  | 0.3 | 23        |
| 3245 | Accuracy of a Cerebral Oximeter in Healthy Volunteers under Conditions of Isocapnic Hypoxia. <i>Anesthesiology</i> , 1998, 88, 58-65.   | 1.3 | 115       |
| 3246 | Blood pressure measurement in epidemiological studies. <i>Journal of Hypertension</i> , 1998, 16, 739-746.  | 0.3 | 22        |
| 3247 | Reproducibility and clinical value of nocturnal hypotension. <i>Journal of Hypertension</i> , 1998, 16, 733-738.  | 0.3 | 222       |
| 3248 | Determinants of the limits of agreement between the sphygmomanometer and the SpaceLabs 90207 device for blood pressure measurement in healthy volunteers and insulin-dependent diabetic patients. <i>Journal of Hypertension</i> , 1998, 16, 1125-1130. | 0.3 | 49        |
| 3249 | Evaluation of Respiratory Inductive Plethysmography in Controlled Ventilation. <i>Chest</i> , 1998, 113, 443-451.   | 0.4 | 47        |
| 3250 | Self-reported waist circumference compared with the "Waist Watcher"™ tape-measure to identify individuals at increased health risk through intra-abdominal fat accumulation. <i>British Journal of Nutrition</i> , 1998, 80, 81-88.                     | 1.2 | 54        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3251 | Intraoperative Determination of Cardiac Output Using Multiplane Transesophageal Echocardiography. <i>Anesthesiology</i> , 1998, 89, 350-357.  | 1.3 | 162       |
| 3252 | Blood Volume Measurement at the Bedside Using ICG Pulse Spectrophometry. <i>Anesthesiology</i> , 1998, 89, 1322-1328.   | 1.3 | 102       |
| 3253 | Limitations of the difference between clinic and daytime blood pressure as a surrogate measure of the "white-coat" effect. <i>Journal of Hypertension</i> , 1998, 16, 23-29.  | 0.3 | 70        |
| 3254 | First Clinical Implications of Perioperative Red Cell Volume Measurement with a Nonradioactive Marker (Sodium Fluorescein). <i>Anesthesia and Analgesia</i> , 1998, 87, 1234-1238.  | 1.1 | 48        |
| 3255 | Clinical impact of various geometric models for calculation of echocardiographic left ventricular mass. <i>Journal of Hypertension</i> , 1998, 16, 1207-1214.   | 0.3 | 19        |
| 3256 | No evidence for an ethnic influence on basal metabolism: an examination of data from India and Australia. <i>British Journal of Nutrition</i> , 1998, 79, 333-341.  | 1.2 | 34        |
| 3257 | Importance of measuring CO <sub>2</sub> -production rate when using <sup>13</sup> C-breath tests to measure fat digestion. <i>British Journal of Nutrition</i> , 1998, 79, 541-545.   | 1.2 | 45        |
| 3258 | Development and testing of a quantitative food frequency questionnaire for use in Kerala, India. <i>Public Health Nutrition</i> , 1998, 1, 123-130.   | 1.1 | 36        |
| 3259 | Food photographs: practical guidelines I. Design and analysis of studies to validate portion size estimates. <i>Public Health Nutrition</i> , 1998, 1, 219-230.   | 1.1 | 55        |
| 3262 | Ultrafast Three-Dimensional Ultrasound. <i>Stroke</i> , 1998, 29, 1631-1637.  | 1.0 | 47        |
| 3263 | Reproducibility of Double Indicator Dilution Measurements of Intrathoracic Blood Volume Compartments, Extravascular Lung Water, and Liver Function. <i>Chest</i> , 1998, 113, 1070-1077.  | 0.4 | 149       |
| 3264 | Simultaneous Determination of Fecal Fat, Nitrogen and Water by Fourier Transform near Infrared Reflectance Spectroscopy through a Polyethylene/Polyamide Film. <i>Journal of Near Infrared Spectroscopy</i> , 1998, 6, A265-A272. | 0.8 | 4         |
| 3265 | A Comparison of the Kinetic and Kinematic Characteristics of Plyometric Drop-Jump and Pendulum Exercises. <i>Journal of Applied Biomechanics</i> , 1998, 14, 260-275.   | 0.3 | 18        |
| 3266 | Reproducibility of three different methods of measuring baroreflex sensitivity in normal subjects. <i>Clinical Science</i> , 1998, 95, 575-581.   | 1.8 | 31        |
| 3267 | Non-invasive measurements of arterial structure and function: repeatability, interrelationships and trial sample size. <i>Clinical Science</i> , 1998, 95, 669-679.   | 1.8 | 214       |
| 3268 | Assessment of the lactate biosensor methodology. <i>European Respiratory Journal</i> , 1998, 11, 183-187.   | 3.1 | 15        |
| 3269 | Prevalence of bronchial hyperresponsiveness to 4.5% saline and its relation to asthma and allergy symptoms in Austrian children. <i>European Respiratory Journal</i> , 1998, 11, 355-360.   | 3.1 | 45        |
| 3270 | Subjective scoring of cough in children: parent-completed vs child-completed diary cards vs an objective method. <i>European Respiratory Journal</i> , 1998, 11, 462-466.   | 3.1 | 188       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3271 | Exhaled single-breath nitric oxide measurements are reproducible, repeatable and reflect levels of nitric oxide found in the lower airways. <i>European Respiratory Journal</i> , 1998, 11, 467-472.       | 3.1 | 31        |
| 3272 | Induced sputum, bronchoalveolar lavage and blood from mild asthmatics: inflammatory cells, lymphocyte subsets and soluble markers compared. <i>European Respiratory Journal</i> , 1998, 11, 828-834.       | 3.1 | 95        |
| 3273 | Reproducibility of twitch mouth pressure, sniff nasal inspiratory pressure, and maximal inspiratory pressure. <i>European Respiratory Journal</i> , 1998, 11, 901-905.                                     | 3.1 | 72        |
| 3274 | Structure and function relationships of the respiratory muscles. <i>European Respiratory Journal</i> , 1998, 11, 906-911.  | 3.1 | 33        |
| 3275 | Nebulizer calibration using lithium chloride: an accurate, reproducible and user-friendly method. <i>European Respiratory Journal</i> , 1998, 11, 937-941.   | 3.1 | 5         |
| 3276 | Bronchodilator response to salbutamol after spontaneous recovery from nonspecific bronchial provocation tests in asthma. <i>European Respiratory Journal</i> , 1998, 11, 1086-1090.                        | 3.1 | 7         |
| 3277 | Forced oscillation technique for the evaluation of severe sleep apnoea/hypopnoea syndrome: a pilot study. <i>European Respiratory Journal</i> , 1998, 11, 1128-1134.                                       | 3.1 | 52        |
| 3279 | Standardization of ambulatory peak flow monitoring: the importance of recent $\beta_2$ -agonist inhalation. <i>European Respiratory Journal</i> , 1998, 12, 309-314.                                       | 3.1 | 15        |
| 3280 | Assessment of accuracy and applicability of a new electronic peak flow meter and asthma monitor. <i>European Respiratory Journal</i> , 1998, 12, 457-462.  | 3.1 | 30        |
| 3281 | Eleven peak flow meters: a clinical evaluation. <i>European Respiratory Journal</i> , 1998, 12, 511-513.   | 3.1 | 5         |
| 3282 | Increased peak expiratory flow variation in asthma: severe persistent increase but not nocturnal worsening of airway inflammation. <i>European Respiratory Journal</i> , 1998, 12, 546-550.                | 3.1 | 30        |
| 3283 | Use of mouth pressure twitches induced by cervical magnetic stimulation to assess voluntary activation of the diaphragm. <i>European Respiratory Journal</i> , 1998, 12, 672-678.                          | 3.1 | 13        |
| 3284 | Half-night polysomnography: how is it compared to full-night polysomnography?. <i>European Respiratory Journal</i> , 1998, 12, 748-749.  | 3.1 | 2         |
| 3285 | Detection of apnoeas, hypopnoeas and arousals by the AutoSet in the sleep apnoea/hypopnoea syndrome. <i>European Respiratory Journal</i> , 1998, 12, 764-769.  | 3.1 | 38        |
| 3286 | Simultaneous laboratory-based comparison of ResMed Autoset <sup>®</sup> with polysomnography in the diagnosis of sleep apnoea/hypopnoea syndrome. <i>European Respiratory Journal</i> , 1998, 12, 770-775. | 3.1 | 48        |
| 3287 | Nitric oxide measured with single-breath and tidal-breathing methods in asthma and COPD. <i>European Respiratory Journal</i> , 1998, 12, 816-819.  | 3.1 | 35        |
| 3288 | Validation of respiratory inductive plethysmography using the Qualitative Diagnostic Calibration method in anaesthetized infants. <i>European Respiratory Journal</i> , 1998, 12, 935-943.                 | 3.1 | 53        |
| 3289 | A collaborative study of infant respiratory function testing. <i>European Respiratory Journal</i> , 1998, 12, 944-953.   | 3.1 | 20        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3290 | New bioelectrical impedance formula for patients with respiratory insufficiency: comparison to dual-energy X-ray absorptiometry. <i>European Respiratory Journal</i> , 1998, 12, 960-966.                                  | 3.1 | 80        |
| 3291 | Measuring tidal volume and functional residual capacity change in sleeping infants using a volume displacement plethysmograph. <i>European Respiratory Journal</i> , 1998, 12, 1186-1190.                                  | 3.1 | 8         |
| 3292 | Single-breath method for assessing the viscoelastic properties of the respiratory system. <i>European Respiratory Journal</i> , 1998, 12, 1191-1196.   | 3.1 | 9         |
| 3293 | Transcutaneous Pco <sub>2</sub> to Monitor Noninvasive Mechanical Ventilation in Adults. <i>Chest</i> , 1998, 113, 768-773.  | 0.4 | 103       |
| 3294 | Skeletal Muscle Deoxygenation During Exercise Assessed by Near-Infrared Spectroscopy and its Relation to Expired Gas Analysis Parameters. <i>Japanese Circulation Journal</i> , 1998, 62, 649-657.                         | 1.0 | 25        |
| 3295 | Determination of Percent Body Fat by the Newly Developed Sulfur Hexafluoride Dilution Method and Air Displacement Plethysmography.. <i>Journal of Nutritional Science and Vitaminology</i> , 1998, 44, 561-568.            | 0.2 | 16        |
| 3296 | Calibration of a Reflectance Pulse Oximeter in Fetal Lambs for Arterial Oxygen Saturations Below 70%. <i>Journal of the Society for Gynecologic Investigation</i> , 1998, 5, 255-259.                                      | 1.9 | 0         |
| 3297 | Magnetic resonance imaging of total body fat. <i>Journal of Applied Physiology</i> , 1998, 85, 1778-1785.  | 1.2 | 284       |
| 3298 | Evaluation of Dual-Energy X-Ray Absorptiometry for Body-Composition Assessment in Rats. <i>Journal of Nutrition</i> , 1998, 128, 1550-1554.  | 1.3 | 71        |
| 3299 | Rapid determination of glomerular filtration rate by single-bolus inulin: a comparison of estimation analyses. <i>Journal of Applied Physiology</i> , 1998, 84, 2154-2162.   | 1.2 | 47        |
| 3300 | Whole Body Composition of Rats Determined by Dual Energy X-Ray Absorptiometry Is Correlated with Chemical Analysis. <i>Journal of Nutrition</i> , 1998, 128, 246-250.  | 1.3 | 55        |
| 3301 | Vagal modulation of heart rate during exercise: effects of age and physical fitness. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1998, 274, H424-H429.                                      | 1.5 | 218       |
| 3303 | Visualization and quantification of myocardial mass at risk using three-dimensional contrast echocardiography <sup>1</sup> . <i>Cardiovascular Research</i> , 1998, 40, 314-321.   | 1.8 | 11        |
| 3304 | Fluorescent microspheres are superior to radioactive microspheres in chronic blood flow measurements. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1998, 275, H110-H115.                     | 1.5 | 35        |
| 3305 | Alterations in cardiac SR Ca <sup>2+</sup> -release channels during development of heart failure in cardiomyopathic hamsters. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1998, 274, H1-H7. | 1.5 | 28        |
| 3306 | Comparative Analysis of MiB1 and p53 Expression in Human Bladder Tumors and Their Correlation with Cancer Progression. <i>European Urology</i> , 1998, 33, 278-284.  | 0.9 | 24        |
| 3307 | Conductivity: On-Line Monitoring of Dialysis Adequacy. <i>International Journal of Artificial Organs</i> , 1998, 21, 521-525.  | 0.7 | 11        |
| 3308 | Fraction of Carbon-Free Body Mass as Oxygen Is a Constant Body Composition Ratio in Men. <i>Journal of Nutrition</i> , 1998, 128, 1008-1010.   | 1.3 | 2         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3309 | Development of a Minimally Invasive Protocol for the Determination of Phenylalanine and Lysine Kinetics in Humans during the Fed State. <i>Journal of Nutrition</i> , 1998, 128, 1913-1919.                  | 1.3 | 88        |
| 3310 | Evaluation of a forced oscillation method to measure thoracic gas volume. <i>Journal of Applied Physiology</i> , 1998, 84, 862-867.  | 1.2 | 3         |
| 3311 | Insulin sensitivity and glucose effectiveness: minimal model analysis of regular and insulin-modified FSIGT. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1998, 274, E592-E599.    | 1.8 | 71        |
| 3312 | Who uses contrast sensitivity in optometric practice?. <i>Ophthalmic and Physiological Optics</i> , 1998, 18, S2.  | 1.0 | 0         |
| 3313 | Validation of Air as an Equilibration Medium in Gastric Tonometry: An in Vitro Evaluation of Two Techniques for Measuring Air Pco <sub>2</sub> . <i>Anaesthesia and Intensive Care</i> , 1998, 26, 46-50.    | 0.2 | 21        |
| 3314 | An Evaluation of a New Analyser for Inhaled Nitric Oxide Administration. <i>Anaesthesia and Intensive Care</i> , 1998, 26, 67-69.  | 0.2 | 1         |
| 3315 | Evaluation of a Lactate Sensor for Rapid Repeated Measurements of Blood Lactate Concentration. <i>Anaesthesia and Intensive Care</i> , 1998, 26, 184-188.  | 0.2 | 4         |
| 3316 | Organ-tissue mass measurement allows modeling of REE and metabolically active tissue mass. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1998, 275, E249-E258.                      | 1.8 | 280       |
| 3317 | Modeling the influence of body size and composition on M-mode echocardiographic dimensions. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1998, 274, H701-H708.                 | 1.5 | 17        |
| 3318 | Accuracy of Noninvasive Ultrasonic Volume Measurements on Human Kidney Transplants. <i>Nephron</i> , 1998, 80, 188-193.  | 0.9 | 18        |
| 3319 | Adipose tissue metabolism in the postprandial period: microdialysis and arteriovenous techniques compared. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1998, 274, E651-E655.      | 1.8 | 16        |
| 3320 | Energy expenditure in children predicted from heart rate and activity calibrated against respiration calorimetry. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1998, 275, E12-E18. | 1.8 | 26        |
| 3321 | Magnetic resonance imaging accurately estimates LV mass in a transgenic mouse model of cardiac hypertrophy. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1998, 274, H679-H683. | 1.5 | 67        |
| 3322 | Relation between zero-stress state and branching order of porcine left coronary arterial tree. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1998, 275, H2283-H2290.            | 1.5 | 15        |
| 3323 | Determining bone and total body mineral content from body density and bioelectrical response spectroscopy. <i>Journal of Applied Physiology</i> , 1998, 85, 1578-1582.                                       | 1.2 | 1         |
| 3324 | Small bowel tonometry is more accurate than gastric tonometry in detecting gut ischemia. <i>Journal of Applied Physiology</i> , 1998, 85, 1770-1777.   | 1.2 | 81        |
| 3325 | Overnight Titration of Human Respiratory Syncytial Virus Using Quantitative Shell Vial Amplification. <i>BioTechniques</i> , 1998, 25, 644-647.  | 0.8 | 18        |
| 3326 | A New Biosensor for Continuous Monitoring of the Spent Dialysate Urea Level in Standard Hemodialysis. <i>International Journal of Artificial Organs</i> , 1998, 21, 147-150.                                 | 0.7 | 17        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3327 | Spot ferritin assay for serum samples dried on filter paper. American Journal of Clinical Nutrition, 1998, 67, 88-92.  | 2.2 | 28        |
| 3328 | Estimation of total body water in very-low-birth-weight infants by using anthropometry with and without bioelectrical impedance and H <sub>2</sub> [18O]. American Journal of Clinical Nutrition, 1998, 68, 668-674. | 2.2 | 39        |
| 3329 | Growth hormone preserves cardiac sarcoplasmic reticulum Ca <sup>2+</sup> release channels (ryanodine) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 667<br>1998, 40, 64-73.   | 1.8 | 33        |
| 3330 | From the Journals. Journal of Wound Care, 1998, 7, 155-155.  | 0.5 | 0         |
| 3331 | A Simple Assessment of Peritoneal Transport in Stable Continuous Ambulatory Peritoneal Dialysis Patients. American Journal of Nephrology, 1998, 18, 311-317.   | 1.4 | 2         |
| 3332 | Human hydrometry: comparison of multifrequency bioelectrical impedance with <sup>2</sup> H <sub>2</sub> O and bromine dilution. Journal of Applied Physiology, 1998, 85, 1056-1062.                                  | 1.2 | 116       |
| 3333 | Leak measurements in spontaneously breathing premature newborns by using the flow-through technique. Journal of Applied Physiology, 1998, 85, 1187-1193.   | 1.2 | 21        |
| 3334 | Gastric emptying flow curves separated from carbon-labeled octanoic acid breath test results. American Journal of Physiology - Renal Physiology, 1998, 275, G169-G175.   | 1.6 | 42        |
| 3335 | Comparison of existing skinfold equations for estimating body fat in African American and white women. American Journal of Clinical Nutrition, 1998, 67, 1155-1161.  | 2.2 | 11        |
| 3336 | Assessment of water use for estimating exposure to tap water contaminants.. Environmental Health Perspectives, 1998, 106, 55-59.   | 2.8 | 48        |
| 3337 | Venous and arterial behavior during normal pregnancy. American Journal of Physiology - Heart and Circulatory Physiology, 1998, 274, H1605-H1612.   | 1.5 | 50        |
| 3338 | Is there evidence for an age-related reduction in metabolic rate?. Journal of Applied Physiology, 1998, 85, 2196-2204.   | 1.2 | 149       |
| 3339 | Pulmonary arterial compliance in dogs and pigs: the three-element windkessel model revisited. American Journal of Physiology - Heart and Circulatory Physiology, 1999, 277, H725-H731.                               | 1.5 | 43        |
| 3340 | Assessment of physical activity in older individuals: a doubly labeled water study. Journal of Applied Physiology, 1999, 86, 2090-2096.  | 1.2 | 117       |
| 3341 | Oral corticosteroid trials in the management of stable chronic obstructive pulmonary disease. QJM - Monthly Journal of the Association of Physicians, 1999, 92, 395-400.   | 0.2 | 25        |
| 3342 | Evaluation of Cardiac Function in Myocardial Infarction Patients by ECG 99mTc-MIBI Gated SPECT Using a Three-dimensional Perfusion/Motion Map Procedure.. International Heart Journal, 1999, 40, 413-425.            | 0.6 | 0         |
| 3343 | Validity of methods of body composition assessment in young and older men and women. Journal of Applied Physiology, 1999, 86, 1728-1738.   | 1.2 | 122       |
| 3344 | COMPARISON OF A COMMERCIAL ENZYME IMMUNOASSAY WITH PLAQUE REDUCTION NEUTRALIZATION FOR MATERNAL AND INFANT MEASLES ANTIBODY MEASUREMENT. Revista Do Instituto De Medicina Tropical De Sao Paulo, 1999, 41, 21-26.    | 0.5 | 11        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3345 | Measurement of tidal volume by using transthoracic impedance variations in rats. <i>Journal of Applied Physiology</i> , 1999, 86, 759-766.  | 1.2 | 14        |
| 3346 | Glomerular filtration rate estimation from plasma creatinine after inhibition of tubular secretion: relevance of the creatinine assay. <i>Nephrology Dialysis Transplantation</i> , 1999, 14, 1247-1251.            | 0.4 | 27        |
| 3347 | The <i>pfmdr1</i> Gene Is Associated with a Multidrug-Resistant Phenotype in <i>Plasmodium falciparum</i> from the Western Border of Thailand. <i>Antimicrobial Agents and Chemotherapy</i> , 1999, 43, 2943-2949.  | 1.4 | 245       |
| 3348 | Validation of fluorescent-labeled microspheres for measurement of relative blood flow in severely injured lungs. <i>Journal of Applied Physiology</i> , 1999, 87, 2381-2385.  | 1.2 | 12        |
| 3349 | Discrimination, adjusted correlation, and equivalence of imprecise tests: application to glucose tolerance. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999, 276, E365-E375.            | 1.8 | 26        |
| 3350 | Serial segmental bronchoalveolar lavage in individual rats. <i>Journal of Applied Physiology</i> , 1999, 87, 1230-1233.   | 1.2 | 13        |
| 3351 | Rapid and accurate $^{13}\text{CO}_2$ isotopic measurement in whole blood: comparison with expired gas. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999, 276, E212-E216.                | 1.8 | 3         |
| 3352 | Whole body protein kinetics using Phe and Tyr tracers: an evaluation of the accuracy of approximated flux values. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999, 276, E1194-E1200.    | 1.8 | 19        |
| 3353 | Aortic pressure-diameter relationship assessed by intravascular ultrasound: experimental validation in dogs. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1999, 276, H1078-H1085.     | 1.5 | 17        |
| 3354 | On the validity of blood flow measurement using colored microspheres. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1999, 276, H1150-H1158.  | 1.5 | 25        |
| 3355 | Branching patterns of intramural coronary vessels determined by microangiography using synchrotron radiation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1999, 276, H2262-H2267.    | 1.5 | 15        |
| 3356 | Hemodynamic effects of unloading the old heart. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1999, 277, H1863-H1871.  | 1.5 | 31        |
| 3357 | Aging and spectral characteristics of the nonharmonic component of 24-h heart rate variability. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1999, 276, R1724-R1731. | 0.9 | 14        |
| 3358 | Estimation of inspiratory pressure drop in neonatal and pediatric endotracheal tubes. <i>Journal of Applied Physiology</i> , 1999, 87, 36-46.   | 1.2 | 599       |
| 3359 | Chest wall kinematics and respiratory muscle action in walking healthy humans. <i>Journal of Applied Physiology</i> , 1999, 87, 938-946.  | 1.2 | 54        |
| 3360 | Noninvasive cardiac output measurement in orthostasis: pulse contour analysis compared with acetylene rebreathing. <i>Journal of Applied Physiology</i> , 1999, 87, 2266-2273.                                      | 1.2 | 20        |
| 3361 | Lumen reduction measurements of the internal carotid artery before and after Levovist enhancement: reproducibility and agreement with angiography. <i>Journal of Ultrasound in Medicine</i> , 1999, 18, 191-201.    | 0.8 | 11        |
| 3362 | Reliability of Thoracic Gas Volume Derived from Mechanical Impedance at Different Levels of the Vital Capacity. <i>Respiration</i> , 1999, 66, 323-331.   | 1.2 | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3363 | Measurement of body water by multifrequency bioelectrical impedance spectroscopy in a multiethnic pediatric population. <i>American Journal of Clinical Nutrition</i> , 1999, 70, 847-853.   | 2.2 | 60        |
| 3364 | Reliability and validity of body composition measures in female athletes. <i>Journal of Applied Physiology</i> , 1999, 87, 1114-1122.  | 1.2 | 90        |
| 3365 | Work of Breathing Measurement in the Critically Ill Patient. <i>Anaesthesia and Intensive Care</i> , 1999, 27, 561-573.  | 0.2 | 12        |
| 3366 | Haemodynamic Measurements (Continuous Cardiac Output and Systemic Vascular Resistance) in Critically Ill Patients: Transoesophageal Doppler versus Continuous Thermodilution. <i>Anaesthesia and Intensive Care</i> , 1999, 27, 33-37. | 0.2 | 32        |
| 3367 | Measurement of Cardiac Output by Transoesophageal Echocardiography: A Comparison of Two Doppler Methods with Thermodilution. <i>Anaesthesia and Intensive Care</i> , 1999, 27, 586-590.  | 0.2 | 24        |
| 3368 | Assessment and Significance of Mediastinal Bulk in Hodgkin's Disease: Comparison Between Computed Tomography and Chest Radiography. <i>Journal of Clinical Oncology</i> , 1999, 17, 2493-2493.   | 0.8 | 42        |
| 3369 | Regional skeletal muscle measurement: evaluation of new dual-energy X-ray absorptiometry model. <i>Journal of Applied Physiology</i> , 1999, 87, 1163-1171.  | 1.2 | 91        |
| 3370 | Determination of skeletal muscle and fat-free mass by nuclear and dual-energy X-ray absorptiometry methods in men and women aged 51-84 y. <i>American Journal of Clinical Nutrition</i> , 1999, 70, 228-233.                           | 2.2 | 85        |
| 3371 | Misuse of correlation and regression in three medical journals. <i>Journal of the Royal Society of Medicine</i> , 1999, 92, 123-128.   | 1.1 | 54        |
| 3372 | Validity of fan-beam dual-energy X-ray absorptiometry for measuring fat-free mass and leg muscle mass. <i>Journal of Applied Physiology</i> , 1999, 87, 1513-1520.   | 1.2 | 366       |
| 3373 | Evaluation of three methods for hemoglobin measurement in a blood donor setting. <i>Sao Paulo Medical Journal</i> , 1999, 117, 108-112.  | 0.4 | 38        |
| 3374 | Screening of folate status with use of dried blood spots on filter paper. <i>American Journal of Clinical Nutrition</i> , 1999, 70, 359-367.   | 2.2 | 58        |
| 3375 | Quality-of-Life Measurement in Advanced Cancer: Assessing the Individual. <i>Journal of Clinical Oncology</i> , 1999, 17, 3603-3611.   | 0.8 | 182       |
| 3376 | Transport and Temperature Effects on Measurement of Serum and Plasma Potassium. <i>Journal of the Royal Society of Medicine</i> , 1999, 92, 339-341.   | 1.1 | 17        |
| 3377 | Reliability of self-reported weight and height among State bank employees. <i>Revista De Saude Publica</i> , 1999, 33, 16-23.  | 0.7 | 37        |
| 3378 | Assessment of accessory pathway and atrial refractoriness by transoesophageal and intracardiac atrial stimulation. <i>Europace</i> , 1999, 1, 55-62.   | 0.7 | 6         |
| 3379 | The Standard Peritoneal Permeability Analysis in the Rabbit: A Longitudinal Model for Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 1999, 19, 56-64.   | 1.1 | 14        |
| 3380 | A Multinational Clinical Validation Study of Pd Adequest 2.0. <i>Peritoneal Dialysis International</i> , 1999, 19, 556-571.  | 1.1 | 54        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3381 | Validation of haemodialysis recirculation and access blood flow measured by thermodilution. <i>Nephrology Dialysis Transplantation</i> , 1999, 14, 376-383.  | 0.4 | 74        |
| 3382 | Comparison of cephalometric analysis using a non-radiographic sonic digitizer (DigiGraphTM) Tj ETQq1 1 0.784314,rgBT /Overlock 10 21   | 1.1 | 21        |
| 3383 | Imaging the Urethral Sphincter With Three-Dimensional Ultrasound. <i>Obstetrics and Gynecology</i> , 1999, 94, 295-301.  | 1.2 | 2         |
| 3384 | Three-dimensional Doppler. Techniques and clinical applications. <i>European Heart Journal</i> , 1999, 20, 619-627.  | 1.0 | 23        |
| 3385 | Infratentorial atrophy on magnetic resonance imaging and disability in multiple sclerosis. <i>Brain</i> , 1999, 122, 291-301.  | 3.7 | 106       |
| 3386 | Comparison of Oral and Tympanic Temperatures in a Veterans Administration Outpatient Clinic. <i>American Journal of the Medical Sciences</i> , 1999, 317, 301-303.   | 0.4 | 1         |
| 3387 | Portable Computerized Polysomnography in Attended and Unattended Settings. <i>Chest</i> , 1999, 115, 114-122.  | 0.4 | 48        |
| 3388 | Evaluation of Six Erythropoietin Kits. <i>Annals of Clinical Biochemistry</i> , 1999, 36, 380-387.   | 0.8 | 12        |
| 3389 | Accuracy of an Enzymatic Assay Device for Serum Ethanol Measurement. <i>Journal of Toxicology: Clinical Toxicology</i> , 1999, 37, 75-81.  | 1.5 | 11        |
| 3390 | Intra- and inter-laboratory variability in the assessment of sperm morphology by strict criteria: impact of semen preparation, staining techniques and manual versus computerized analysis. <i>Human Reproduction</i> , 1999, 14, 2036-2040. | 0.4 | 42        |
| 3391 | Interhemispheric supratentorial intracranial pressure gradients in head-injured patients: are they clinically important?. <i>Journal of Neurosurgery</i> , 1999, 90, 16-26.  | 0.9 | 122       |
| 3392 | The Determination of Relevant Goals and Criteria Used to Select an Automated Patient Care Information System: A Delphi Approach. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 1999, 6, 219-233.                   | 2.2 | 19        |
| 3393 | Glomerular filtration rate estimated from the uptake phase of <sup>99</sup> Tc-DTPA renography in chronic renal failure. <i>Nephrology Dialysis Transplantation</i> , 1999, 14, 1673-1678.   | 0.4 | 41        |
| 3394 | Prior Knowledge of Obstetric Gestational Age and Possible Bias of Ballard Score. <i>Obstetrics and Gynecology</i> , 1999, 93, 712-714.   | 1.2 | 0         |
| 3395 | A Comparative Study of Infrared Tympanic Thermometry and Rectal Mercury Thermometry. <i>Scandinavian Journal of Infectious Diseases</i> , 1999, 31, 105-106.   | 1.5 | 9         |
| 3396 | DNA flow cytometry of human semen. <i>Human Reproduction</i> , 1999, 14, 2506-2512.  | 0.4 | 43        |
| 3397 | Left-to-Right Cardiac Shunts: Comparison of Measurements Obtained with MR Velocity Mapping and with Radionuclide Angiography. <i>Radiology</i> , 1999, 211, 453-458.   | 3.6 | 61        |
| 3398 | Analysis of Observer Variability in Measurement of Pulmonary Artery Occlusion Pressures. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999, 160, 415-420.   | 2.5 | 57        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3399 | Correcting Static Intrinsic Positive End-expiratory Pressure for Expiratory Muscle Contraction. American Journal of Respiratory and Critical Care Medicine, 1999, 160, 785-790.   | 2.5 | 14        |
| 3400 | Comparison of the erythrocyte sedimentation rate measured in the eye casualty department by the Seditainer method with an automated system. Eye, 1999, 13, 754-757.   | 1.1 | 1         |
| 3401 | Extent, determinants and clinical importance of pressure recovery in patients with aortic valve stenosis. European Heart Journal, 1999, 20, 1355-1363.  | 1.0 | 55        |
| 3402 | In Vitro Measurement of Lymphocyte Steroid Sensitivity: Lack of Agreement Between Whole Blood Culture and Separated Lymphocyte Culture. Immunopharmacology and Immunotoxicology, 1999, 21, 41-53.                               | 1.1 | 7         |
| 3403 | Variable Airway Responsiveness to Inhaled Lipopolysaccharide. American Journal of Respiratory and Critical Care Medicine, 1999, 160, 297-303.   | 2.5 | 202       |
| 3404 | Compliance, Hysteresis, and Collapsibility of Human Small Airways. American Journal of Respiratory and Critical Care Medicine, 1999, 160, 1110-1118.  | 2.5 | 59        |
| 3405 | A Community Study of Exhaled Nitric Oxide in Healthy Children. American Journal of Respiratory and Critical Care Medicine, 1999, 159, 69-73.  | 2.5 | 202       |
| 3406 | Neutrophilic Inflammation in Severe Persistent Asthma. American Journal of Respiratory and Critical Care Medicine, 1999, 160, 1532-1539.  | 2.5 | 763       |
| 3407 | Quantification of the Esophageal Diaphragm Electromyogram with Magnetic Phrenic Nerve Stimulation. American Journal of Respiratory and Critical Care Medicine, 1999, 160, 1629-1634.  | 2.5 | 38        |
| 3408 | Interobserver variability in the interpretation of renal digital subtraction angiography.. American Journal of Roentgenology, 1999, 173, 1285-1288.   | 1.0 | 27        |
| 3409 | Can Diaphragmatic Contractility be Assessed by Twitch Airway Pressures in Patients with Chronic Obstructive Pulmonary Disease?. American Journal of Respiratory and Critical Care Medicine, 1999, 160, 1369-1374.               | 2.5 | 23        |
| 3410 | Exhaled Nitric Oxide Measurements in a Population Sample of Young Adults. American Journal of Respiratory and Critical Care Medicine, 1999, 159, 911-916.   | 2.5 | 116       |
| 3411 | Reliability of drop size from multi-dose eye drop bottles: is it cause for concern?. Eye, 1999, 13, 93-100.   | 1.1 | 53        |
| 3412 | Body Composition Determined by Six Different Methods in Women Bilaterally Adrenalectomized for Treatment of Cushing's Disease. Journal of Clinical Endocrinology and Metabolism, 1999, 84, 3991-3999.                           | 1.8 | 25        |
| 3413 | Pulmonary Emphysema: Subjective Visual Grading versus Objective Quantification with Macroscopic Morphometry and Thin-Section CT Densitometry. Radiology, 1999, 211, 851-858.  | 3.6 | 291       |
| 3414 | NO in Exhaled Air of Asthmatic Children Is Reduced by the Leukotriene Receptor Antagonist Montelukast. American Journal of Respiratory and Critical Care Medicine, 1999, 160, 1227-1231.  | 2.5 | 239       |
| 3415 | Measurement of the Distribution Volume of Gadopentetate Dimeglumine at Echo-planar MR Imaging to Quantify Myocardial Infarction: Comparison with <sup>99m</sup> Tc-DTPA Autoradiography in Rats. Radiology, 1999, 211, 698-708. | 3.6 | 315       |
| 3416 | The psychometric properties of clinical rating scales used in multiple sclerosis. Brain, 1999, 122, 141-159.  | 3.7 | 219       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3417 | Smoking habits among pregnant Danish women: reliability of information recorded after delivery. <i>Journal of Epidemiology and Community Health</i> , 1999, 53, 239-242.             | 2.0 | 18        |
| 3418 | Defecographic Study of Rectal Evacuation in Constipated Patients and Control Subjects. <i>Radiology</i> , 1999, 210, 103-108.  | 3.6 | 64        |
| 3419 | Statistical Evaluation of Agreement. <i>Radiology</i> , 1999, 210, 881-882.  | 3.6 | 0         |
| 3420 | Legg-Calvé-Perthes Disease: MR Imaging Evaluation during Manual Positioning of the Hip—Comparison with Conventional Arthrography. <i>Radiology</i> , 1999, 212, 519-525.             | 3.6 | 47        |
| 3421 | Comparison of Two Methods of Diagnostic Lung Lavage in Ventilated Infants with Lung Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999, 160, 771-777. | 2.5 | 51        |
| 3422 | Multiple frequency bioelectrical impedance analysis: a cross-validation study of the inductor circuit and Cole models. <i>Physiological Measurement</i> , 1999, 20, 333-347.         | 1.2 | 12        |
| 3423 | Rectal Carcinoma: Thin-Section MR Imaging for Staging in 28 Patients. <i>Radiology</i> , 1999, 211, 215-222.   | 3.6 | 416       |
| 3424 | Combined microlightguide spectrophotometry and microendoscopy for measurement of oxygen saturation in peripheral nerves. <i>Physiological Measurement</i> , 1999, 20, 65-73.         | 1.2 | 7         |
| 3425 | Total Antioxidant Power of Plasma: Male-Female Differences and Effect of Anticoagulant Used. <i>Annals of Clinical Biochemistry</i> , 1999, 36, 104-106.                             | 0.8 | 10        |
| 3427 | Reperfused Myocardial Infarction as Seen with Use of Necrosis-specific versus Standard Extracellular MR Contrast Media in Rats. <i>Radiology</i> , 1999, 213, 247-257.               | 3.6 | 118       |
| 3428 | Adequacy of clinical formulae for estimation of energy requirements in children with cystic fibrosis. <i>Archives of Disease in Childhood</i> , 1999, 81, 120-124.                   | 1.0 | 19        |
| 3429 | New Noninvasive Method for Coronary Flow Reserve Assessment. <i>Circulation</i> , 1999, 99, 771-778.   | 1.6 | 320       |
| 3430 | Aortic Pulse Wave Velocity as a Marker of Cardiovascular Risk in Hypertensive Patients. <i>Hypertension</i> , 1999, 33, 1111-1117.   | 1.3 | 1,335     |
| 3431 | Noninvasive Measurement of Cardiac Output: Two Methods Compared in Patients with Mitral Regurgitation. <i>Angiology</i> , 1999, 50, 95-101.  | 0.8 | 5         |
| 3432 | Acoustic monitoring of intraoperative neuromuscular block. <i>British Journal of Anaesthesia</i> , 1999, 83, 405-409.  | 1.5 | 23        |
| 3433 | Decreased serum biochemical markers of muscle origin in patients with ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 1999, 58, 541-545.                           | 0.5 | 8         |
| 3434 | On Measurement Assessments. <i>Acta Radiologica</i> , 1999, 40, 557-558.   | 0.5 | 1         |
| 3435 | Validation of the medical outcomes study family and marital functioning measures in SLE patients in Singapore. <i>Lupus</i> , 1999, 8, 514-520.                                      | 0.8 | 24        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3436 | Normal Human Right and Left Ventricular Mass, Systolic Function, and Gender Differences by Cine Magnetic Resonance Imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 1999, 1, 7-21.                               | 1.6 | 620       |
| 3437 | Reading radiographs in chronological order, in pairs or as single films has important implications for the discriminative power of rheumatoid arthritis clinical trials. <i>Rheumatology</i> , 1999, 38, 1213-1220.            | 0.9 | 103       |
| 3438 | Continuous monitoring of jugular bulb oxyhaemoglobin saturation using the Edslab dual lumen oximetry catheter during and after cardiac surgery. <i>British Journal of Anaesthesia</i> , 1999, 82, 521-524.                     | 1.5 | 13        |
| 3439 | Evaluation of ammonia measurements in dogs with two analysers for use in veterinary practice. <i>Veterinary Record</i> , 1999, 144, 523-526.   | 0.2 | 19        |
| 3440 | On the Standardization of Total Prostate-Specific Antigen: an Exercise with Two Reference Preparations. <i>Clinical Chemistry and Laboratory Medicine</i> , 1999, 37, 545-52.  | 1.4 | 16        |
| 3441 | Particle Counting Immunoassay for Urinary Cotinine. Comparison with Chromatography, Enzyme-linked Immunoassay and Fluorescence Polarization Immunoassay. <i>Clinical Chemistry and Laboratory Medicine</i> , 1999, 37, 729-34. | 1.4 | 8         |
| 3442 | Ultrasonographic Evaluation of Invasive Lobular Carcinoma. <i>Acta Radiologica</i> , 1999, 40, 369-375.  | 0.5 | 61        |
| 3443 | Reproducibility of thoracic aortic diameter measurement using computed tomographic scans. <i>European Journal of Cardio-thoracic Surgery</i> , 1999, 16, 59-62.  | 0.6 | 27        |
| 3444 | Evaluation of the First Automated Thyroglobulin Assay. <i>Clinical Chemistry and Laboratory Medicine</i> , 1999, 37, 159-64.   | 1.4 | 10        |
| 3445 | A Comparison of Apnea's Hypopnea Indices Derived from Different Definitions of Hypopnea. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999, 159, 43-48.   | 2.5 | 118       |
| 3446 | Abnormal perception of vibration-induced illusion of movement in dystonia. <i>Neurology</i> , 1999, 53, 1794-1794.   | 1.5 | 69        |
| 3447 | Patient centred assessment of quality of life for patients with four common conditions. <i>Quality and Safety in Health Care</i> , 1999, 8, 22-29.   | 2.5 | 97        |
| 3448 | Echocardiographic assessment of ejection fraction in left ventricular hypertrophy. <i>Heart</i> , 1999, 82, 192-198.   | 1.2 | 79        |
| 3449 | Three-Dimensional Reconstruction of the Color Doppler's Imaged Vena Contracta for Quantifying Aortic Regurgitation. <i>Circulation</i> , 1999, 99, 1611-1617.  | 1.6 | 56        |
| 3450 | Screening for refractive errors in children: accuracy of the hand held refractor Retinomax to screen for astigmatism. <i>British Journal of Ophthalmology</i> , 1999, 83, 157-161.   | 2.1 | 51        |
| 3451 | Improved method to measure urinary alkoxyacetic acids. <i>Occupational and Environmental Medicine</i> , 1999, 56, 460-467.   | 1.3 | 21        |
| 3452 | Role of the oxygen uptake efficiency slope in evaluating exercise tolerance. <i>Archives of Disease in Childhood</i> , 1999, 81, 73-75.  | 1.0 | 51        |
| 3453 | Measurement of Body Fat in Healthy Elderly Men: A Comparison of Methods. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 1999, 54, M70-M76.   | 1.7 | 58        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3454 | Tympanic membrane temperature as a measure of core temperature. Archives of Disease in Childhood, 1999, 80, 262-266.  | 1.0 | 120       |
| 3455 | Sniff Nasal Inspiratory Pressure. American Journal of Respiratory and Critical Care Medicine, 1999, 159, 107-111.   | 2.5 | 117       |
| 3456 | Validity of histopathological grading of articular cartilage from osteoarthritic knee joints. Annals of the Rheumatic Diseases, 1999, 58, 208-213.  | 0.5 | 98        |
| 3457 | Coronary revascularisation for postischaemic heart failure: how myocardial viability affects survival. Heart, 1999, 82, 684-688.  | 1.2 | 61        |
| 3458 | Imaging of thrombi and assessment of left atrial appendage function: a prospective study comparing transthoracic and transoesophageal echocardiography. Heart, 1999, 81, 192-198.                     | 1.2 | 78        |
| 3459 | Noninvasive Measurements of Infarct Size After Thrombolysis With a Necrosis-Avid MRI Contrast Agent. Circulation, 1999, 99, 690-696.  | 1.6 | 87        |
| 3460 | Immunohistochemical localisation of the matrix metalloproteinases MMP-3 and MMP-9 within the airways in asthma. Thorax, 1999, 54, 590-596.  | 2.7 | 98        |
| 3461 | Extracellular Water: Sodium Bromide Dilution Estimates Compared With Other Markers in Patients With Acquired Immunodeficiency Syndrome. Journal of Parenteral and Enteral Nutrition, 1999, 23, 61-66. | 1.3 | 20        |
| 3462 | Continuous neonatal blood gas monitoring using a multiparameter intra-arterial sensor. Archives of Disease in Childhood: Fetal and Neonatal Edition, 1999, 80, F93-F98.                               | 1.4 | 45        |
| 3463 | Measurements of systolic time intervals using a transoesophageal pulsed echo-Doppler. British Journal of Anaesthesia, 1999, 83, 630-636.  | 1.5 | 15        |
| 3464 | Validation of the end-expired method for measuring carboxyhaemoglobin levels for the use in occupational and environmental exposure studies. Occupational Medicine, 1999, 49, 43-45.                  | 0.8 | 3         |
| 3465 | Magnetic Resonance Imaging and Invasive Evaluation of Development of Heart Failure in Transgenic Mice With Myocardial Expression of Tumor Necrosis Factor- $\alpha$ . Circulation, 1999, 99, 448-454. | 1.6 | 148       |
| 3466 | Repeatability of goniometer measurements of the knee in patients wearing an Ilizarov external fixator: a clinic-based study. Clinical Rehabilitation, 1999, 13, 156-163.                              | 1.0 | 15        |
| 3467 | Multiple Clinic and Home Blood Pressure Measurements Versus Ambulatory Blood Pressure Monitoring. Hypertension, 1999, 34, 261-266.  | 1.3 | 95        |
| 3468 | Thickness of Acquired Salivary Pellicle as a Determinant of the Sites of Dental Erosion. Journal of Dental Research, 1999, 78, 1821-1828.   | 2.5 | 160       |
| 3469 | Design of a European multicenter study dedicated to the evaluation of the EDMUS system: EVALUED. Multiple Sclerosis Journal, 1999, 5, 234-238.  | 1.4 | 5         |
| 3470 | Reliability of ratings of perceived exertion during progressive treadmill exercise. British Journal of Sports Medicine, 1999, 33, 336-339.  | 3.1 | 99        |
| 3471 | Eosinophilic Inflammation in Stable Chronic Obstructive Pulmonary Disease. American Journal of Respiratory and Critical Care Medicine, 1999, 160, 1486-1492.  | 2.5 | 109       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3472 | Validation of Bioimpedance Analysis as a Measure of Change in Body Cell Mass as Estimated by Whole-Body Counting of Potassium in Adults. <i>Journal of Parenteral and Enteral Nutrition</i> , 1999, 23, 345-349.                              | 1.3 | 23        |
| 3473 | <i>Chlamydia pneumoniae</i> Infection and Early Asymptomatic Carotid Atherosclerosis. <i>Circulation</i> , 1999, 100, 832-837.  | 1.6 | 86        |
| 3474 | In-vitro activity of five antifungal agents against uncommon clinical isolates of <i>Candida</i> spp.. <i>Journal of Antimicrobial Chemotherapy</i> , 1999, 43, 295-299.  | 1.3 | 46        |
| 3475 | Effect of repetitive episodes of exercise induced myocardial ischaemia on left ventricular function in patients with chronic stable angina: evidence for cumulative stunning or ischaemic preconditioning?. <i>Heart</i> , 1999, 81, 404-411. | 1.2 | 41        |
| 3476 | Renal Volume Measurements: Accuracy and Repeatability of US Compared with That of MR Imaging. <i>Radiology</i> , 1999, 211, 623-628.  | 3.6 | 220       |
| 3477 | Inter- and intraobserver variation in the analysis of optic disc images: comparison of the Heidelberg retina tomograph and computer assisted planimetry. <i>British Journal of Ophthalmology</i> , 1999, 83, 664-669.                         | 2.1 | 89        |
| 3478 | Should the Electrocardiogram Be Used to Guide Therapy for Patients With Left Bundle-Branch Block and Suspected Myocardial Infarction?. <i>JAMA - Journal of the American Medical Association</i> , 1999, 281, 714.                            | 3.8 | 99        |
| 3479 | Visualization and Functional Assessment of Proximal and Middle Left Anterior Descending Coronary Stenoses in Humans With Magnetic Resonance Imaging. <i>Circulation</i> , 1999, 99, 3248-3254.  | 1.6 | 76        |
| 3480 | Neonatal Infrared Axillary Thermometry. <i>Clinical Pediatrics</i> , 1999, 38, 35-40.   | 0.4 | 6         |
| 3481 | Smallest Detectable Difference in Outcome Variables Related to Painful Restriction of the Temporomandibular Joint. <i>Journal of Dental Research</i> , 1999, 78, 784-789.   | 2.5 | 101       |
| 3482 | Accuracy, Clinical Correlation, and Patient Acceptance of Two Handheld Prothrombin Time Monitoring Devices in the Ambulatory Setting. <i>Annals of Pharmacotherapy</i> , 1999, 33, 775-780.   | 0.9 | 43        |
| 3483 | In Vivo Human Brachial Artery Elastic Mechanics. <i>Circulation</i> , 1999, 100, 41-47.   | 1.6 | 150       |
| 3484 | Effect of Body Build on the Validity of Predicted Body Fat from Body Mass Index and Bioelectrical Impedance. <i>Annals of Nutrition and Metabolism</i> , 1999, 43, 277-285.   | 1.0 | 38        |
| 3485 | Three-dimensional color Doppler for assessing mitral regurgitation during valvuloplasty. <i>European Journal of Cardio-thoracic Surgery</i> , 1999, 15, 127-133.  | 0.6 | 16        |
| 3486 | Development of a Scottish physical activity questionnaire: a tool for use in physical activity interventions. <i>British Journal of Sports Medicine</i> , 1999, 33, 244-249.  | 3.1 | 80        |
| 3487 | Rapid Platelet-Function Assay. <i>Circulation</i> , 1999, 99, 620-625.  | 1.6 | 271       |
| 3488 | The merit of routine cord blood pH measurement at birth. <i>Journal of Perinatal Medicine</i> , 1999, 27, 158-65.   | 0.6 | 18        |
| 3489 | Clinical Use of Continuous Arterial Blood Gas Monitoring in the Pediatric Intensive Care Unit. <i>Pediatrics</i> , 1999, 103, 440-445.  | 1.0 | 37        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3490 | Lead Screening Among Low-Income Children in Galveston, Texas. <i>Clinical Pediatrics</i> , 1999, 38, 655-660.  | 0.4 | 3         |
| 3491 | Assessment of Local Differences in Intima-Media Thickness in the Human Common Carotid Artery. <i>Journal of Vascular Research</i> , 1999, 36, 222-228.   | 0.6 | 21        |
| 3492 | Interactive Effect of Heart Rate and Muscle Sympathetic Nerve Activity on Blood Pressure. <i>Circulation</i> , 1999, 100, 2514-2518.   | 1.6 | 37        |
| 3493 | Physiological Basis for Potassium ( <sup>39</sup> K) Magnetic Resonance Imaging of the Heart. <i>Circulation Research</i> , 1999, 84, 913-920.   | 2.0 | 34        |
| 3494 | Inspiratory Flow Dynamics During Phrenic Nerve Stimulation in Awake Normals During Nasal Breathing. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999, 160, 614-620.                      | 2.5 | 26        |
| 3495 | The Bristol Shared Care Glaucoma Study: reliability of community optometric and hospital eye service test measures. <i>British Journal of Ophthalmology</i> , 1999, 83, 707-712.                                 | 2.1 | 62        |
| 3496 | Validation of minimally invasive measurement of myocardial perfusion using electron beam computed tomography and application in human volunteers. <i>Heart</i> , 1999, 81, 628-635.                              | 1.2 | 69        |
| 3497 | Objective quantitative analysis of eosinophils and bronchial epithelial cells in induced sputum by laser scanning cytometry. <i>Thorax</i> , 1999, 54, 124-130.  | 2.7 | 29        |
| 3498 | Larsen scoring of digitized X-ray images. <i>Rheumatology</i> , 1999, 38, 1127-1129.   | 0.9 | 14        |
| 3499 | Comparison of a new piezoelectric train-of-four neuromuscular monitor, the ParaGraph, and the Relaxometer mechanomyograph. <i>British Journal of Anaesthesia</i> , 1999, 82, 780-782.                            | 1.5 | 21        |
| 3500 | β-Adrenergic Blockade Improves Recovery of Myocardial Perfusion and Function After Coronary Stenting in Patients With Acute Myocardial Infarction. <i>Circulation</i> , 1999, 99, 482-490.                       | 1.6 | 184       |
| 3501 | Nasal pressure recording in the diagnosis of sleep apnoea hypopnoea syndrome. <i>Thorax</i> , 1999, 54, 506-510.   | 2.7 | 90        |
| 3502 | Vascular Effects of Estrogen and Vitamin E Therapies in Postmenopausal Women. <i>Circulation</i> , 1999, 100, 1851-1857.   | 1.6 | 99        |
| 3503 | In vitro and in vivo assessment of the Ventrak 1550/Capnogard 1265 for single breath carbon dioxide analysis in neonates. <i>British Journal of Anaesthesia</i> , 1999, 83, 503-510.                             | 1.5 | 12        |
| 3504 | Accuracy of pleural fluid pH and PCO <sub>2</sub> measurement in a blood gas analyser. Analysis of bias and precision. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1999, 59, 619-626. | 0.6 | 8         |
| 3505 | Estimation of Pulmonary Deposition of Aerosol Using Gamma Scintigraphy. <i>Journal of Aerosol Medicine and Pulmonary Drug Delivery</i> , 1999, 12, 9-15.   | 1.2 | 15        |
| 3506 | How valid and reliable are patient satisfaction data? An analysis of 195 studies. <i>International Journal for Quality in Health Care</i> , 1999, 11, 319-328.   | 0.9 | 395       |
| 3507 | Assessment of Bias in Comparing Measurements: A Reliability Example. <i>Measurement in Physical Education and Exercise Science</i> , 1999, 3, 195-205.   | 1.3 | 17        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3508 | Determining propulsive force in front crawl swimming: A comparison of two methods. <i>Journal of Sports Sciences</i> , 1999, 17, 97-105.  | 1.0 | 58        |
| 3509 | A Comparison of Air Displacement Plethysmography with Three Other Techniques to Determine Body Fat in Healthy Adults. <i>Journal of Parenteral and Enteral Nutrition</i> , 1999, 23, 293-299. | 1.3 | 86        |
| 3510 | Clinical Validity of a Self-Test Fructosamine in Outpatient Diabetic Management. <i>Diabetes Technology and Therapeutics</i> , 1999, 1, 435-441.  | 2.4 | 11        |
| 3511 | A comparison of two methods for measuring the signal to noise ratio on MR images. <i>Physics in Medicine and Biology</i> , 1999, 44, N261-N264.   | 1.6 | 225       |
| 3512 | Is the Framingham risk function valid for northern European populations? A comparison of methods for estimating absolute coronary risk in high risk men. <i>Heart</i> , 1999, 81, 40-46.      | 1.2 | 178       |
| 3513 | Diminished Wave Reflection in the Aorta. <i>Hypertension</i> , 1999, 33, 1118-1122.   | 1.3 | 133       |
| 3514 | In vitro validation of the luminal measurement of a novel catheter based moulding technique. <i>Heart</i> , 1999, 81, 206-211.  | 1.2 | 0         |
| 3515 | Three dimensional MRI estimates of brain and spinal cord atrophy in multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1999, 66, 323-330.                         | 0.9 | 152       |
| 3516 | Estimating venous admixture using a physiological simulator. <i>British Journal of Anaesthesia</i> , 1999, 82, 346-349.   | 1.5 | 25        |
| 3517 | A comparison of visual performance between a rigid PMMA and a foldable acrylic intraocular lens. <i>Eye</i> , 1999, 13, 329-335.  | 1.1 | 22        |
| 3518 | An Evaluation of Three-Dimensional Ultrasonography for The Measurement of Gallbladder Volume. <i>American Journal of Gastroenterology</i> , 1999, 94, 3492-3496.                              | 0.2 | 24        |
| 3519 | Simultaneous Measurement of Gastric Emptying of A Solid Meal by Ultrasound and by Scintigraphy. <i>American Journal of Gastroenterology</i> , 1999, 94, 2861-2865.                            | 0.2 | 72        |
| 3520 | Assessment of Body Composition by Bioelectrical Impedance in Adolescent Patients With Celiac Disease. <i>American Journal of Gastroenterology</i> , 1999, 94, 2951-2955.                      | 0.2 | 24        |
| 3521 | Submaximal exercise and maturation in 12-year-olds. <i>Journal of Sports Sciences</i> , 1999, 17, 107-114.  | 1.0 | 12        |
| 3522 | Upper extremity kinematics and body roll during preferred-side breathing and breath-holding front crawl swimming. <i>Journal of Sports Sciences</i> , 1999, 17, 689-696.                      | 1.0 | 55        |
| 3523 | Low hepatic iron concentration: evaluation of two complementary methods, colorimetric assay and iron histological scoring. <i>Journal of Clinical Pathology</i> , 1999, 52, 430-434.          | 1.0 | 16        |
| 3524 | Metabolic effects of discontinuing growth hormone treatment. <i>Archives of Disease in Childhood</i> , 1999, 80, 517-523.   | 1.0 | 29        |
| 3525 | Left Ventricular Diastolic Function in Normal Human Pregnancy. <i>Circulation</i> , 1999, 99, 511-517.  | 1.6 | 172       |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3526 | Bone age assessment: a large scale comparison of the Greulich and Pyle, and Tanner and Whitehouse (TW2) methods. <i>Archives of Disease in Childhood</i> , 1999, 81, 172-173.  | 1.0 | 191       |
| 3527 | Self-monitoring of blood glucose from abdominal skin: An extraordinary method. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 1999, 16, 12-15.   | 0.2 | 1         |
| 3528 | Intra- and inter-rater reliability of an 11-test package for assessing dysfunction due to back or neck pain. <i>Physiotherapy Research International</i> , 1999, 4, 214-232.   | 0.7 | 52        |
| 3529 | Surface plasmon resonance (SPR) analysis of coagulation in whole blood with application in prothrombin time assay. <i>Biosensors and Bioelectronics</i> , 1999, 14, 671-682.   | 5.3 | 48        |
| 3530 | Automatic quantification of left ventricular ejection fraction from gated blood pool SPECT. <i>Journal of Nuclear Cardiology</i> , 1999, 6, 498-506.   | 1.4 | 80        |
| 3531 | Quantification of SPECT myocardial perfusion images: Methodology and validation of the Yale-CQ method. <i>Journal of Nuclear Cardiology</i> , 1999, 6, 190-203.  | 1.4 | 62        |
| 3532 | Automated ejection fraction determination from gated myocardial FDG-PET data. <i>Journal of Nuclear Cardiology</i> , 1999, 6, 577-582.   | 1.4 | 22        |
| 3533 | Assessment of bed temperature monitoring for detecting body movement during sleep: comparison with simultaneous video image recording and actigraphy. <i>Medical Engineering and Physics</i> , 1999, 21, 1-8.  | 0.8 | 22        |
| 3534 | Comparison of methods to assess airborne rat and mouse allergen levels. I. Analysis of air samples. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1999, 54, 142-149.   | 2.7 | 49        |
| 3535 | Use of a pocket-sized turbine spirometer in monitoring exercise-induced bronchospasm and bronchodilator responses in children. <i>Pediatric Allergy and Immunology</i> , 1999, 10, 266-271.  | 1.1 | 6         |
| 3536 | Measuring forces and frequency during active compression decompression cardiopulmonary resuscitation: a device for training, research and real CPR. <i>Resuscitation</i> , 1999, 43, 17-24.  | 1.3 | 16        |
| 3537 | Evaluation of off-line automated intima-media thickness detection of the common carotid artery based on M-line signal processing. <i>Ultrasound in Medicine and Biology</i> , 1999, 25, 57-64.   | 0.7 | 106       |
| 3538 | An in vivo evaluation of the reproducibility of intima-media thickness measurements of the carotid artery segments using B-mode ultrasound. <i>Ultrasound in Medicine and Biology</i> , 1999, 25, 323-330.   | 0.7 | 49        |
| 3539 | Clinical implications of online and off-line interobserver variability in intracoronary ultrasound-guided interventions. <i>Ultrasound in Medicine and Biology</i> , 1999, 25, 509-514.  | 0.7 | 0         |
| 3540 | Fetal transesophageal echocardiography utilizing a 10-F, 10-MHz intravascular ultrasound catheter—a comparison with conventional maternal transabdominal fetal echocardiography in sheep. <i>Ultrasound in Medicine and Biology</i> , 1999, 25, 939-946. | 0.7 | 12        |
| 3541 | Experimental and clinical validation of arterial diameter waveform and intimal media thickness obtained from B-mode ultrasound image processing. <i>Ultrasound in Medicine and Biology</i> , 1999, 25, 1353-1363.  | 0.7 | 140       |
| 3542 | A Hierarchical Outcomes Approach to Test Assessment. <i>Annals of Emergency Medicine</i> , 1999, 33, 77-84.  | 0.3 | 45        |
| 3543 | A modern approach to the determination of expanded uncertainty in noninvasive blood oximetry. Measurement: <i>Journal of the International Measurement Confederation</i> , 1999, 25, 123-134.  | 2.5 | 2         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3544 | Cerebral blood flow determinations using fluorescent microspheres: variations on the sedimentation method validated. <i>Journal of Neuroscience Methods</i> , 1999, 87, 159-165.                                   | 1.3 | 24        |
| 3545 | Closed contour edge detection of blood vessel lumen and outer wall boundaries in black-blood MR images. <i>Magnetic Resonance Imaging</i> , 1999, 17, 257-266.   | 1.0 | 113       |
| 3546 | Age-dependent changes in spatial and temporal blood velocity distribution of early left ventricular filling. <i>Magnetic Resonance Imaging</i> , 1999, 17, 859-868.  | 1.0 | 15        |
| 3547 | Three-dimensional segmentation of luminal and adventitial borders in serial intravascular ultrasound images. <i>Computerized Medical Imaging and Graphics</i> , 1999, 23, 299-309.                                 | 3.5 | 56        |
| 3548 | A comparison of transoesophageal echocardiographic Doppler across the aortic valve and the thermodilution technique for estimating cardiac output. <i>Anaesthesia</i> , 1999, 54, 128-136.                         | 1.8 | 70        |
| 3549 | Evaluation of noninvasive blood pressure recording by photoplethysmography in clinical studies using angiotensin challenges. <i>British Journal of Clinical Pharmacology</i> , 1999, 48, 586-593.                  | 1.1 | 11        |
| 3550 | Estimation of the initial distribution volume of glucose by an incremental plasma glucose level at 3â€¦min after i.v. glucose in humans. <i>British Journal of Clinical Pharmacology</i> , 1999, 47, 361-364.      | 1.1 | 25        |
| 3551 | Clinical measures of disease severity and outcome in psoriasis: a critical appraisal of their quality. <i>British Journal of Dermatology</i> , 1999, 141, 185-191.   | 1.4 | 237       |
| 3552 | Microvolume fluorimetry for the determination of absolute CD4 and CD8 lymphocyte counts in patients with HIV: a comparative evaluation. <i>International Journal of Laboratory Hematology</i> , 1999, 21, 391-395. | 0.2 | 9         |
| 3553 | Accuracy of a novel realâ€¦time microprocessor QRS detector for heart rate variability assessment. <i>Clinical Physiology</i> , 1999, 19, 84-88.   | 0.7 | 35        |
| 3554 | Day-to-day variation in oxygen consumption and energy expenditure during submaximal treadmill walking in female adolescents. <i>Clinical Physiology</i> , 1999, 19, 161-168.                                       | 0.7 | 20        |
| 3555 | Non-invasive cardiac output assessment during moderate exercise: pulse contour compared with CO2 rebreathing. <i>Clinical Physiology</i> , 1999, 19, 230-237.  | 0.7 | 31        |
| 3556 | Comparison of resting energy expenditure measurements by ventilated canopy and by respiration chamber. <i>Clinical Physiology</i> , 1999, 19, 344-347.   | 0.7 | 1         |
| 3557 | Echocardiographic Assessment of Ejection Fraction in Left Ventricular Hypertrophy. <i>Clinical Physiology</i> , 1999, 19, 197-198.   | 0.7 | 3         |
| 3558 | Relative effectiveness of lignocaine-prilocaine emulsion and nitrous oxide inhalation for routine preoperative laboratory testing. <i>Paediatric Anaesthesia</i> , 1999, 9, 305-310.                               | 0.6 | 20        |
| 3559 | Comparison of endtidal CO2 and arterial blood gas analysis in paediatric patients undergoing controlled ventilation with a laryngeal mask or a face mask. <i>Paediatric Anaesthesia</i> , 1999, 9, 409-413.        | 0.6 | 4         |
| 3560 | Repeatability of the Intensity Dependence of Cortical Auditory Evoked Potentials in the Assessment of Cortical Information Processing. <i>Cephalalgia</i> , 1999, 19, 873-879.                                     | 1.8 | 23        |
| 3561 | Auditory Evoked Potentials in the Assessment of Central Nervous System Effects of Antimigraine Drugs. <i>Cephalalgia</i> , 1999, 19, 880-885.  | 1.8 | 25        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3562 | Validation of antroduodenal motility measurements made by echo-planar magnetic resonance imaging. <i>Neurogastroenterology and Motility</i> , 1999, 11, 19-25.   | 1.6 | 38        |
| 3563 | Maternal and child constitutional factors and the frequency of melanocytic naevi in children. <i>Paediatric and Perinatal Epidemiology</i> , 1999, 13, 316-324.  | 0.8 | 17        |
| 3564 | Multi-centre evaluation of repeatability and reproducibility of the direct agglutination test for visceral leishmaniasis. <i>Tropical Medicine and International Health</i> , 1999, 4, 31-37.                            | 1.0 | 39        |
| 3565 | Evaluation of a quantitative determination of CD4 and CD8 molecules as an alternative to CD4+and CD8+T lymphocyte counts in Africans. <i>Tropical Medicine and International Health</i> , 1999, 4, 79-84.                | 1.0 | 20        |
| 3566 | General practitioners'™ knowledge of functional and social factors in patients with rheumatoid arthritis. <i>Health and Social Care in the Community</i> , 1999, 7, 387-393.   | 0.7 | 9         |
| 3567 | The fraction of fields showing neoplastic tubules: a practical estimate of tubular differentiation in breast cancer. <i>Histopathology</i> , 1999, 35, 401-410.  | 1.6 | 6         |
| 3568 | A cross-cultural analysis of the use of the Edinburgh Post-Natal Depression Scale (EPDS) in health visiting practice. <i>Journal of Advanced Nursing</i> , 1999, 30, 655-664.  | 1.5 | 27        |
| 3569 | Determining older people's need for registered nursing in continuing healthcare: the contribution of the Royal College of Nursing's Older People Assessment Tool. <i>Journal of Clinical Nursing</i> , 1999, 8, 731-742. | 1.4 | 17        |
| 3570 | Measuring mania and critical appraisal of rating scales. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 1999, 24, 433-443.   | 0.7 | 13        |
| 3571 | Development of an interview-administered food-frequency questionnaire for use amongst women of South Asian ethnic origin in Britain. <i>Journal of Human Nutrition and Dietetics</i> , 1999, 12, 7-19.                   | 1.3 | 14        |
| 3572 | QT dispersion and late potentials during doxorubicin therapy for non-Hodgkin's lymphoma. <i>Journal of Internal Medicine</i> , 1999, 245, 359-364.   | 2.7 | 63        |
| 3573 | Pulmonary embolism: a follow-up study of the relation between the degree of right ventricle overload and the extent of perfusion defects. <i>Journal of Internal Medicine</i> , 1999, 245, 601-610.                      | 2.7 | 44        |
| 3574 | An evaluation of the Team Objective Structured Clinical Examination (TOSCE). <i>Medical Education</i> , 1999, 33, 34-41.   | 1.1 | 37        |
| 3575 | Repeatability of measurements of interpupillary distance. <i>Ophthalmic and Physiological Optics</i> , 1999, 19, 74-78.  | 1.0 | 26        |
| 3576 | A preliminary study on the Ocular Blood Flow (OBF) of Hong Kong Chinese. <i>Ophthalmic and Physiological Optics</i> , 1999, 19, 512-517.   | 1.0 | 13        |
| 3577 | Quest for postdialysis urea rebound-equilibrated Kt/V with only intradialytic urea samples. <i>Kidney International</i> , 1999, 56, 1149-1153.   | 2.6 | 13        |
| 3578 | Peripheral donor leukocytes prolong survival of rat renal allografts. <i>Kidney International</i> , 1999, 56, 1101-1112.   | 2.6 | 33        |
| 3579 | Echocardiography overestimates left ventricular mass in hemodialysis patients relative to magnetic resonance imaging. <i>Kidney International</i> , 1999, 56, 2248-2253.   | 2.6 | 135       |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 3580 | Comparing two measures of creatinine clearance: an application of errors-in-variables and bootstrap techniques. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 1999, 48, 39-52.  | 0.5  | 4         |
| 3581 | In vitro volume estimation of kidneys using three-dimensional ultrasonography and a position sensor. <i>European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology</i> , 1999, 10, 65-73. | 1.4  | 38        |
| 3582 | Assessment of left ventricular function by ECG-gated myocardial perfusion scintigraphy with image inversion technique: Comparison with equilibrium radionuclide angiography. <i>Journal of Nuclear Cardiology</i> , 1999, 6, 605-611.                          | 1.4  | 4         |
| 3583 | Use of a Handheld, Battery-operated Chemistry Analyzer for Evaluation of Heat-related Symptoms in the Backcountry of Grand Canyon National Park: A Brief Report. <i>Annals of Emergency Medicine</i> , 1999, 33, 418-422.                                      | 0.3  | 18        |
| 3584 | A comparison of the plasma disappearance of iohexol and $^{99m}\text{Tc}$ -DTPA for the measurement of glomerular filtration rate (GFR) in diabetes. <i>Australian and New Zealand Journal of Medicine</i> , 1999, 29, 693-700.                                | 0.5  | 33        |
| 3585 | Orthogonal polarization spectral imaging: A new method for study of the microcirculation. <i>Nature Medicine</i> , 1999, 5, 1209-1212.   | 15.2 | 793       |
| 3586 | Comparison of Axillary And Heating Block Methods of Activated Clotting Time (ACT) in Dogs. <i>Journal of Veterinary Emergency and Critical Care</i> , 1999, 9, 79-82.  | 0.4  | 5         |
| 3587 | Intra-individual variability and influence of urine collection period on dextromethorphan metabolic ratios in healthy subjects. <i>Fundamental and Clinical Pharmacology</i> , 1999, 13, 508-515.  | 1.0  | 22        |
| 3588 | Comparison of Different Methods for Manual P Wave Duration Measurement in 12-Lead Electrocardiograms. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1999, 22, 1532-1538.   | 0.5  | 98        |
| 3589 | A Gastroesophageal Electrode for Electrophysiological Studies. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1999, 22, 487-499.  | 0.5  | 3         |
| 3590 | AGREEMENT BETWEEN A-MODE AND B-MODE ULTRASONOGRAPHY IN THE MEASUREMENT OF OCULAR DISTANCES. <i>Veterinary Radiology and Ultrasound</i> , 1999, 40, 502-507.  | 0.4  | 43        |
| 3591 | A Meta-analysis of Published Studies Concerning the Validity of Thoracic Impedance Cardiography. <i>Annals of the New York Academy of Sciences</i> , 1999, 873, 121-127.   | 1.8  | 50        |
| 3592 | Factors of Importance to Doppler Indexes of Left Ventricular Filling in 50-Year-Old Hypertensive Persons. <i>Echocardiography</i> , 1999, 16, 539-545.   | 0.3  | 1         |
| 3593 | In Vitro Feasibility and Accuracy of Three-Dimensional Echocardiography for Ventricular Volume Assessment in Very Small Hearts. <i>Echocardiography</i> , 1999, 16, 653-661.   | 0.3  | 1         |
| 3594 | Contribution of Velocity Profiles at the Left Ventricular Outflow Tract to Calculations of Stroke Volume.. <i>Echocardiography</i> , 1999, 16, 11-16.  | 0.3  | 4         |
| 3595 | QT Dispersion: Comparison of Orthogonal, Quasi-orthogonal, and 12-Lead Configurations. <i>Annals of Noninvasive Electrocardiology</i> , 1999, 4, 167-175.  | 0.5  | 4         |
| 3596 | Calibration of the Periotron 8000R and 6000R by polynomial regression. <i>Journal of Periodontal Research</i> , 1999, 34, 79-86.   | 1.4  | 64        |
| 3597 | Relationship between overnight energy expenditure and BMR measured in a room-sized calorimeter. <i>European Journal of Clinical Nutrition</i> , 1999, 53, 107-111.   | 1.3  | 37        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3598 | Dual-energy X-ray absorptiometry for body composition estimation in Chinese women. <i>European Journal of Clinical Nutrition</i> , 1999, 53, 933-937.  | 1.3 | 17        |
| 3599 | The impact of body build on the relationship between body mass index and percent body fat. <i>International Journal of Obesity</i> , 1999, 23, 537-542.  | 1.6 | 161       |
| 3600 | Differences in whole body measurements by DXA-scanning using two Lunar DPX-L machines. <i>International Journal of Obesity</i> , 1999, 23, 764-770.  | 1.6 | 22        |
| 3601 | Body size and composition in Polynesians. <i>International Journal of Obesity</i> , 1999, 23, 1178-1183.   | 1.6 | 190       |
| 3602 | Assessment of limb muscle and adipose tissue by dual-energy X-ray absorptiometry using magnetic resonance imaging for comparison. <i>International Journal of Obesity</i> , 1999, 23, 1295-1302. | 1.6 | 61        |
| 3603 | Reproducibility of salt sensitivity testing using a dietary approach in essential hypertension. <i>Journal of Human Hypertension</i> , 1999, 13, 375-384.  | 1.0 | 27        |
| 3604 | Reproducibility of measurements of potential doubling time of tumour cells in the multicentre National Cancer Institute protocol T92-0045. <i>British Journal of Cancer</i> , 1999, 79, 323-332. | 2.9 | 15        |
| 3605 | Enumeration of CD34+ hematopoietic progenitor cells for clinical transplantation: comparison of three different methods. <i>Bone Marrow Transplantation</i> , 1999, 24, 1019-1027.               | 1.3 | 26        |
| 3606 | Reproducibility of the Adapted Leger and Boucher Test for wheelchair-dependent athletes. <i>Spinal Cord</i> , 1999, 37, 129-135.   | 0.9 | 15        |
| 3607 | Detection of bursts of microneurographic activity and estimation of burst parameters. <i>Computers in Biology and Medicine</i> , 1999, 29, 175-189.  | 3.9 | 3         |
| 3608 | Estimation of lactate in meat extracts by screen-printed sensors. <i>Analytica Chimica Acta</i> , 1999, 386, 7-12.   | 2.6 | 22        |
| 3609 | Multicenter evaluation of an amperometric immunosensor for plasma fatty acid-binding protein:. <i>Clinical Biochemistry</i> , 1999, 32, 229-231.   | 0.8 | 25        |
| 3610 | Analytical and clinical evaluation of TSH and thyroid hormones by electrochemiluminescent immunoassays. <i>Clinical Biochemistry</i> , 1999, 32, 395-403.  | 0.8 | 74        |
| 3611 | New developments in the standardization of total prostate-specific antigen. <i>Clinical Biochemistry</i> , 1999, 32, 627-634.  | 0.8 | 10        |
| 3612 | Continuous cardiac output monitoring - further applications of the thermodilution principle. <i>Intensive Care Medicine</i> , 1999, 25, 131-133.   | 3.9 | 8         |
| 3613 | Continuous thermodilution cardiac output: clinical validation against a reference technique of known accuracy. <i>Intensive Care Medicine</i> , 1999, 25, 166-172.                               | 3.9 | 58        |
| 3614 | A new simple method to perform pressure-volume curves obtained under quasi-static conditions during mechanical ventilation. <i>Intensive Care Medicine</i> , 1999, 25, 173-179.                  | 3.9 | 25        |
| 3615 | Does bronchial thermodilution allow estimation of cardiac output?. <i>Intensive Care Medicine</i> , 1999, 25, 211-215.   | 3.9 | 6         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3616 | Extravascular lung water and intrathoracic blood volume: double versus single indicator dilution technique. <i>Intensive Care Medicine</i> , 1999, 25, 216-219.   | 3.9 | 140       |
| 3617 | Validation of "nine equivalents of nursing manpower use score" on an independent data sample. <i>Intensive Care Medicine</i> , 1999, 25, 606-611.   | 3.9 | 49        |
| 3618 | Comparison of different methods for dead space measurements in ventilated newborns using CO 2 -volume plot. <i>Intensive Care Medicine</i> , 1999, 25, 705-713.   | 3.9 | 36        |
| 3619 | Comparison of four methods for measuring elevation of FRC in mechanically ventilated infants. <i>Intensive Care Medicine</i> , 1999, 25, 1118-1125.   | 3.9 | 10        |
| 3620 | Does indocyanine green accurately measure plasma volume independently of its disappearance rate from plasma in critically ill patients?. <i>Intensive Care Medicine</i> , 1999, 25, 1252-1258.                          | 3.9 | 17        |
| 3621 | Vancomycin assay performance in patients with acute renal failure. <i>Intensive Care Medicine</i> , 1999, 25, 1291-1296.  | 3.9 | 11        |
| 3622 | Maximal thickness of the normal human pericardium assessed by electron-beam computed tomography. <i>European Radiology</i> , 1999, 9, 1183-1189.  | 2.3 | 27        |
| 3625 | Lactate determination in exercise testing using an electrochemical analyser: with or without blood lysis?. <i>European Journal of Applied Physiology</i> , 1999, 79, 155-159.   | 1.2 | 5         |
| 3626 | Skinfold measurements in children with cystic fibrosis: monitoring fat-free mass and exercise effects. <i>European Journal of Pediatrics</i> , 1999, 158, 800-806.  | 1.3 | 25        |
| 3627 | Reproducibility of volumetric macular measurements in diabetic patients with the Heidelberg Retina Tomograph. <i>Documenta Ophthalmologica</i> , 1999, 97, 349-360.   | 1.0 | 7         |
| 3628 | Lithium dilution cardiac output measurements using a peripheral injection site comparison with central injection technique and thermodilution. <i>Journal of Clinical Monitoring and Computing</i> , 1999, 15, 279-285. | 0.7 | 19        |
| 3629 | Evaluation of a new advanced thoracic bioimpedance device for estimation of cardiac output. <i>Journal of Clinical Monitoring and Computing</i> , 1999, 15, 131-138.  | 0.7 | 19        |
| 3630 | Inter observer variability of the transcranial Doppler ultrasound technique: impact of lack of practice on the accuracy of measurement. <i>Journal of Clinical Monitoring and Computing</i> , 1999, 15, 179-184.        | 0.7 | 50        |
| 3631 | Can Baroreflex Sensitivity be Assessed in a Fully Non-invasive Way?. <i>Journal of Interventional Cardiac Electrophysiology</i> , 1999, 3, 294-296.   | 0.9 | 1         |
| 3632 | Computerized monitoring of physical activity and sleep in postoperative abdominal surgery patients. <i>Journal of Clinical Monitoring and Computing</i> , 1999, 15, 1-8.  | 0.7 | 34        |
| 3633 | Point-of-care and standard laboratory coagulation testing during cardiovascular surgery: balancing reliability and timeliness. <i>Journal of Clinical Monitoring and Computing</i> , 1999, 15, 197-204.                 | 0.7 | 11        |
| 3634 | Validation of an ultrasound scanner for determining urinary volumes in surgical patients and volunteers. <i>Journal of Clinical Monitoring and Computing</i> , 1999, 15, 379-385.                                       | 0.7 | 23        |
| 3635 | High fidelity correction of pressure signals from fluid-filled systems by harmonic analysis. <i>Journal of Clinical Monitoring and Computing</i> , 1999, 15, 307-315.   | 0.7 | 6         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3636 | Clinical investigation of a new combined pulse oximetry and carbon dioxide tension sensor in adult anaesthesia. , 1999, 15, 23-27.  |     | 53        |
| 3637 | Validation of the Natus CO-Stat End Tidal Breath Analyzer in children and adults. Journal of Clinical Monitoring and Computing, 1999, 15, 421-427.  | 0.7 | 36        |
| 3638 | A meta-analysis of studies using bias and precision statistics to compare cardiac output measurement techniques. , 1999, 15, 85-91.   |     | 1,135     |
| 3639 | Assessment of short-term blood pressure variability in anesthetized children: a comparative study between intraarterial and finger blood pressure. Journal of Clinical Monitoring and Computing, 1999, 15, 205-214.   | 0.7 | 11        |
| 3640 | Transcranial Doppler monitoring compared with invasive monitoring of intracranial pressure during acute intracranial hypertension. Journal of Clinical Monitoring and Computing, 1999, 15, 185-195.   | 0.7 | 6         |
| 3641 | Comparison of dobutamine stress echocardiography and exercise stress Thallium-201 SPECT for detection of myocardial ischemia after acute myocardial infarction treated with thrombolysis. International Journal of Cardiovascular Imaging, 1999, 15, 195-204. | 0.2 | 1         |
| 3642 | Changes in body composition during breast cancer chemotherapy with the CMFâ€regimen. Breast Cancer Research and Treatment, 1999, 57, 285-290.  | 1.1 | 69        |
| 3643 | Left atrial volumes assessed by three- and two-dimensional echocardiography compared to MRI estimates. International Journal of Cardiovascular Imaging, 1999, 15, 397-410.  | 0.2 | 220       |
| 3644 | Assessment of the mechanical properties of coronary arteries using intravascular ultrasound: an in vivo study. International Journal of Cardiovascular Imaging, 1999, 15, 287-294.  | 0.2 | 24        |
| 3645 | Quality assessment of drug sales data: the case of antibacterials in Iceland. International Journal of Clinical Pharmacy, 1999, 21, 221-226.  | 1.4 | 3         |
| 3646 | The development and validation of an instrument to assess acute sinus disease in children. Quality of Life Research, 1999, 8, 225-233.  | 1.5 | 21        |
| 3647 | Assessing the Rate of Bone Loss: A Technique Revisited. Journal of Bone and Mineral Research, 1999, 14, 1990-1990.  | 3.1 | 1         |
| 3648 | Is Equivalent Truly Equivalent?. Journal of Bone and Mineral Research, 1999, 14, 1468-1469.   | 3.1 | 0         |
| 3649 | It Is Not So Simple. Journal of Bone and Mineral Research, 1999, 14, 1469-1470.   | 3.1 | 0         |
| 3650 | Accuracy and Precision of the Portable StatPal II and the Laboratoryâ€Based NOVA Stat Profile 1 for Measurement of pH, Pco<sub>2</sub>, and Po<sub>2</sub> in Equine Blood. Veterinary Surgery, 1999, 28, 67-76.   | 0.5 | 16        |
| 3651 | Reliability, validity and responsiveness of two multiattribute utility measures in patients with chronic obstructive pulmonary disease. Quality of Life Research, 1999, 8, 45-54.   | 1.5 | 132       |
| 3652 | Portohepatic gradient and portal hemodynamics in patients with cirrhosis due to hepatitis C virus infection. Digestive Diseases and Sciences, 1999, 44, 155-162.  | 1.1 | 25        |
| 3653 | Use of QT dispersion measured on treadmill exercise electrocardiograms for detecting restenosis after percutaneous transluminal coronary angioplasty. Clinical Cardiology, 1999, 22, 639-648.   | 0.7 | 14        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3654 | Heritability of albumin excretion rate in families of patients with Type II diabetes. <i>Diabetologia</i> , 1999, 42, 1359-1366.   | 2.9 | 84        |
| 3655 | Collecting psychiatric resources utilisation data to calculate costs of care: a comparison between a service receipt interview and a case register. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999, 34, 541-547.   | 1.6 | 39        |
| 3656 | Q.E.D. Alcohol Test: a simple and quick method to detect ethanol in saliva of patients in emergency departments. <i>Intensive Care Medicine</i> , 1999, 25, 492-495.   | 3.9 | 21        |
| 3657 | Evaluation of a new, rapid lactate analyzer in critical care. <i>Intensive Care Medicine</i> , 1999, 25, 508-513.  | 3.9 | 30        |
| 3658 | Predicting patients' responses to changes in mechanical ventilation: a comparison between physicians and a physiological simulator. <i>Intensive Care Medicine</i> , 1999, 25, 839-842.  | 3.9 | 24        |
| 3659 | Reduced degenerative articular cartilage changes after meniscal allograft transplantation in sheep. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 1999, 7, 184-191.  | 2.3 | 65        |
| 3660 | Pad Testing in Incontinent Women: A Review. <i>International Urogynecology Journal</i> , 1999, 10, 111-115.  | 0.7 | 42        |
| 3661 | MR Imaging of Levator Ani Muscle Recovery Following Vaginal Delivery. <i>International Urogynecology Journal</i> , 1999, 10, 300-307.  | 0.7 | 119       |
| 3662 | Usefulness of Armspan and Height Comparison in Detecting Vertebral Deformities in Women. <i>Osteoporosis International</i> , 1999, 9, 129-133.   | 1.3 | 20        |
| 3663 | Accuracy and Precision of 62 Bone Densitometers Using a European Spine Phantom. <i>Osteoporosis International</i> , 1999, 10, 14-19.   | 1.3 | 41        |
| 3664 | Prediction of aminoglycoside distribution space in neonates by multiple frequency bioelectrical impedance analysis. <i>European Journal of Clinical Pharmacology</i> , 1999, 55, 671-676.  | 0.8 | 8         |
| 3665 | Cerebellar vermis diameter at cranial sonography for assessing gestational age in low-birth-weight infants. <i>Pediatric Radiology</i> , 1999, 29, 589-594.  | 1.1 | 18        |
| 3666 | Use of technetium-99m sestamibi ECG-gated single-photon emission tomography for the evaluation of left ventricular function following coronary artery bypass graft: comparison with three-dimensional magnetic resonance imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1999, 26, 705-712. | 3.3 | 41        |
| 3667 | Reproducibility of technetium-99m ethylenedicysteine clearance. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1999, 26, 900-902.   | 3.3 | 2         |
| 3668 | Similar effect of revascularization on technetium-99m sestamibi and 15-(p-iodophenyl)pentadecanoic acid uptake in myocardial infarction patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1999, 26, 1304-1309.   | 3.3 | 0         |
| 3669 | Effect of Inhaled Glucocorticoid on the Cellular Profile and Cytokine Levels in Induced Sputum from Asthmatic Patients. <i>Lung</i> , 1999, 177, 53-62.  | 1.4 | 28        |
| 3670 | Preoperative Assessment of Body Fluid Disturbances in Patients with Obstructive Jaundice. <i>World Journal of Surgery</i> , 1999, 23, 681-687.   | 0.8 | 17        |
| 3671 | Comparison of insulin sensitivity tests across a range of glucose tolerance from normal to diabetes. <i>Diabetologia</i> , 1999, 42, 678-687.  | 2.9 | 247       |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3672 | Ultrasound Densitometry of the Os Calcis in Patients with Hemiparesis Following a Cerebrovascular Accident. <i>Calcified Tissue International</i> , 1999, 65, 436-441.   | 1.5 | 12        |
| 3673 | Fibreoptic assessment of laryngeal aperture in patients with difficult laryngoscopy. <i>Canadian Journal of Anaesthesia</i> , 1999, 46, 226-231.   | 0.7 | 16        |
| 3674 | Evaluation of a mathematical model to predict intrapulmonary shunt non-invasively. <i>Canadian Journal of Anaesthesia</i> , 1999, 46, 483-487.   | 0.7 | 1         |
| 3675 | Accuracy of radial artery blood pressure determination with the Vasotracâ„¸. <i>Canadian Journal of Anaesthesia</i> , 1999, 46, 488-496.   | 0.7 | 42        |
| 3676 | Intraoperative detection of segmental wall motion abnormalities with transesophageal echocardiography. <i>Canadian Journal of Anaesthesia</i> , 1999, 46, 827-831.   | 0.7 | 25        |
| 3678 | Automatic measurement of long-term heart rate variability by implanted single-chamber devices. <i>Medical and Biological Engineering and Computing</i> , 1999, 37, 585-594.  | 1.6 | 17        |
| 3679 | Evaluation of labio-lingual bony support of lower incisors in orthodontically untreated adults with the help of computed tomography. <i>Journal of Orofacial Orthopedics</i> , 1999, 60, 321-334.  | 0.5 | 39        |
| 3681 | Comparison between measured and predicted resting metabolic rate in moderately active adolescents. <i>Acta Diabetologica</i> , 1999, 36, 141-145.  | 1.2 | 17        |
| 3682 | Direct Stereotactic MRI Location in the Globus Pallidus for Chronic Stimulation in Parkinson's Disease. <i>Acta Neurochirurgica</i> , 1999, 141, 759-766.  | 0.9 | 34        |
| 3683 | Abbreviated cyclosporine AUCs on Neoral - the search continues!. <i>Pediatric Nephrology</i> , 1999, 13, 98-102.   | 0.9 | 49        |
| 3684 | Transmural myocardial blood flow distribution in hypertrophic cardiomyopathy and effect of treatment. <i>Basic Research in Cardiology</i> , 1999, 94, 49-59.   | 2.5 | 72        |
| 3685 | Assessment of Thoracolumbar Rotation in Ankylosing Spondylitis: A Simple Tape Method. <i>Clinical Rheumatology</i> , 1999, 18, 152-157.  | 1.0 | 14        |
| 3686 | Degeneration of the Scaphoid-Trapezium Joint: A Useful Finding to Differentiate Calcium Pyrophosphate Deposition Disease from Osteoarthritis. <i>Clinical Rheumatology</i> , 1999, 18, 232-237.  | 1.0 | 18        |
| 3687 | Quantitative comparison of Zeiss-Humphrey model 840 and Rion UX-02 systems of ultrasound biomicroscopy. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 1999, 237, 381-386.  | 1.0 | 9         |
| 3688 | Detection of polycyclic aromatic hydrocarbon metabolites by high-pressure liquid chromatography after purification on immunoaffinity columns in urine from occupationally exposed workers. <i>International Archives of Occupational and Environmental Health</i> , 1999, 72, 161-168. | 1.1 | 44        |
| 3689 | Skin-prick blood samples are reliable for estimating Hb mass with the CO-dilution technique. <i>European Journal of Applied Physiology</i> , 1999, 79, 535-537.  | 1.2 | 9         |
| 3690 | Dosage of inhaled nitric oxide: a simple method for experimental studies. <i>Research in Experimental Medicine</i> , 1999, 199, 121-128.   | 0.7 | 0         |
| 3691 | Lipoprotein (a) metabolism estimated by nonsteady-state kinetics. <i>Lipids</i> , 1999, 34, 325-335.   | 0.7 | 18        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3692 | Multicenter-studie â€œKapnographie in der Schlafmedizinâ€. Somnologie, 1999, 3, 3-13.   | 0.9 | 6         |
| 3693 | Two Instruments to Determine Activated Partial Thromboplastin Time: Implications for Heparin Monitoring. Pharmacotherapy, 1999, 19, 383-387.   | 1.2 | 11        |
| 3694 | Dynamic updating in DIAS-NIDDM and DIAS causal probabilistic networks. IEEE Transactions on Biomedical Engineering, 1999, 46, 158-168.   | 2.5 | 9         |
| 3695 | CD4+ T cell enumeration in HIV infection with limited resources. Journal of Immunological Methods, 1999, 222, 209-217.   | 0.6 | 48        |
| 3696 | A solid-phase immobilized epitope immunoassay (SPIE-IA) permitting very sensitive and specific measurement of angiotensin II in plasma. Journal of Immunological Methods, 1999, 228, 37-47.  | 0.6 | 36        |
| 3697 | Guided versus unguided mandibular movement for duplicating intraoral eccentric tooth contacts in the articulator. Journal of Prosthetic Dentistry, 1999, 81, 14-22.  | 1.1 | 8         |
| 3698 | Comparison of Visual Estimation and Goniometry for Assessment of Metacarpophalangeal Joint Angle. Physiotherapy, 1999, 85, 201-208.  | 0.2 | 29        |
| 3699 | Comparison Between Usual and Low Doses of Insulin in the Assessment of Insulin Sensitivity with a Short Insulin Tolerance Test in Obese Women. Archives of Medical Research, 1999, 30, 385-387.  | 1.5 | 7         |
| 3700 | Relation of exercise capacity to left ventricular systolic function and diastolic filling in idiopathic or ischemic dilated cardiomyopathy. American Journal of Cardiology, 1999, 83, 728-734.   | 0.7 | 74        |
| 3701 | Comparison of measurement of left ventricular ejection fraction by Tc-99m sestamibi first-pass angiography with electron beam computed tomography in patients with anterior wall acute myocardial infarction. American Journal of Cardiology, 1999, 83, 1022-1026. | 0.7 | 20        |
| 3702 | New echocardiographic windows for quantitative determination of aortic regurgitation volume using color Doppler flow convergence and vena contracta. American Journal of Cardiology, 1999, 83, 1064-1068.  | 0.7 | 23        |
| 3703 | Insights into catheter/doppler discrepancies in congenital aortic stenosis. American Journal of Cardiology, 1999, 83, 1447-1450.   | 0.7 | 18        |
| 3704 | Three-dimensional echocardiography enhances the assessment of ventricular septal defect. American Journal of Cardiology, 1999, 83, 1576-1579.  | 0.7 | 36        |
| 3705 | Noninvasive assessment of the infarct-related coronary artery blood flow velocity using phase-contrast magnetic resonance imaging after coronary angioplasty. American Journal of Cardiology, 1999, 84, 24-30.   | 0.7 | 8         |
| 3706 | Best method in clinical practice and in research studies to determine left atrial size. American Journal of Cardiology, 1999, 84, 829-832.   | 0.7 | 496       |
| 3707 | Initial clinical experience of real-time three-dimensional echocardiography in patients with ischemic and idiopathic dilated cardiomyopathy. American Journal of Cardiology, 1999, 84, 1068-1073.  | 0.7 | 88        |
| 3708 | Quantitative evaluation of left ventricular regional wall motion using a real-time wall thickness curve system with two-dimensional echocardiography. American Journal of Cardiology, 1999, 84, 1204-1208.   | 0.7 | 4         |
| 3709 | Echocardiographic identification of thymic hypoplasia in tetralogy of fallot/tetralogy pulmonary atresia. American Journal of Cardiology, 1999, 84, 1268-1271.   | 0.7 | 12        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3710 | Real-time three-dimensional echocardiography for measurement of left ventricular volumes. <i>American Journal of Cardiology</i> , 1999, 84, 1434-1439.   | 0.7 | 120       |
| 3711 | Comparison of auscultatory and oscillometric automated blood pressure monitors in the setting of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 1999, 181, 1203-1210.  | 0.7 | 77        |
| 3712 | The craniofacial complex in 45,X/46,XX females. <i>Archives of Oral Biology</i> , 1999, 44, 1077-1084.   | 0.8 | 10        |
| 3713 | Measurement of Body Composition in People with HIV/AIDS. <i>Journal of the American Dietetic Association</i> , 1999, 99, 1109-1111.  | 1.3 | 23        |
| 3714 | Comparison of a Computer-based Food Frequency Questionnaire for Calcium Intake with 2 Other Assessment Tools. <i>Journal of the American Dietetic Association</i> , 1999, 99, 1579-1581.   | 1.3 | 20        |
| 3715 | A Na <sup>+</sup> /H <sup>+</sup> exchange inhibitor (SM-20550) protects from microvascular deterioration and myocardial injury after reperfusion. <i>European Journal of Pharmacology</i> , 1999, 374, 355-366.                         | 1.7 | 25        |
| 3716 | Using digital versus analog ECG data in clinical trials. <i>Journal of Electrocardiology</i> , 1999, 32, 103-107.  | 0.4 | 4         |
| 3717 | Analyses of prostaglandin D2 metabolites in urine: comparison between enzyme immunoassay and negative ion chemical ionisation gas chromatography-mass spectrometry. <i>Prostaglandins and Other Lipid Mediators</i> , 1999, 57, 149-165. | 1.0 | 24        |
| 3718 | Body composition in Prader-Willi syndrome: assessment and effects of growth hormone administration. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1999, 88, 105-108.   | 0.7 | 51        |
| 3719 | Upper arm measurements of healthy neonates comparing ultrasonography and anthropometric methods. <i>Early Human Development</i> , 1999, 54, 117-128.   | 0.8 | 10        |
| 3720 | The development of preterm infants' breastfeeding behavior. <i>Early Human Development</i> , 1999, 55, 247-264.  | 0.8 | 118       |
| 3721 | Inductance cardiography (thoracardiography): A novel, noninvasive technique for monitoring left ventricular filling. <i>Journal of Critical Care</i> , 1999, 14, 177-185.  | 1.0 | 11        |
| 3722 | Nutritional status and assessment of patients on home parenteral nutrition: anthropometry, bioelectrical impedance, or clinical judgment?. <i>Nutrition</i> , 1999, 15, 1-6.   | 1.1 | 27        |
| 3723 | Fat-free mass in chronic illness: comparison of bioelectrical impedance and dual-energy x-ray absorptiometry in 480 chronically ill and healthy subjects. <i>Nutrition</i> , 1999, 15, 668-676.  | 1.1 | 34        |
| 3724 | Soft tissue composition of pigs measured with dual x-ray absorptiometry: comparison with chemical analyses and effects of carcass thicknesses. <i>Nutrition</i> , 1999, 15, 697-703.   | 1.1 | 47        |
| 3725 | Direct Determination of Selenium and other Trace Elements in Serum Samples by ICP-MS. <i>Journal of Trace Elements in Medicine and Biology</i> , 1999, 12, 240-247.  | 1.5 | 33        |
| 3726 | Calculated and measured oxygen consumption in mechanically ventilated surgical patients in the early post-operative period. <i>European Journal of Anaesthesiology</i> , 1999, 16, 53-61.  | 0.7 | 5         |
| 3727 | Assessment of DNA content in formalin-fixed, paraffin-embedded tissue of lung cancer by laser scanning cytometer. <i>Pathology International</i> , 1999, 49, 695-701.  | 0.6 | 15        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3728 | Prediction of extracellular water and total body water by multifrequency bioelectrical impedance in a Southeast Asian population. <i>Asia Pacific Journal of Clinical Nutrition</i> , 1999, 8, 155-159.   | 0.3 | 11        |
| 3729 | Measuring the dietary intake of Samoans living in New Zealand: Comparison of a food frequency questionnaire and a 7 day diet record. <i>Asia Pacific Journal of Clinical Nutrition</i> , 1999, 8, 149-154.  | 0.3 | 9         |
| 3730 | Doppler velocimetry of normal human fetal venous intrapulmonary branches. <i>Ultrasound in Obstetrics and Gynecology</i> , 1999, 13, 247-254.   | 0.9 | 8         |
| 3731 | Effect and Outcome of Balloon Angioplasty and Stenting of the Iliac Arteries Evaluated by Intravascular Ultrasound. <i>European Journal of Vascular and Endovascular Surgery</i> , 1999, 17, 47-55.   | 0.8 | 11        |
| 3732 | Volume Flow Estimation by Colour Duplex. <i>European Journal of Vascular and Endovascular Surgery</i> , 1999, 17, 219-224.  | 0.8 | 14        |
| 3733 | Length Measurements of the Aorta After Endovascular Abdominal Aortic Aneurysm Repair. <i>European Journal of Vascular and Endovascular Surgery</i> , 1999, 18, 481-486.   | 0.8 | 23        |
| 3734 | Abdominal Aortic Aneurysm Measurements for Endovascular Repair: Intra- and Interobserver Variability of CT Measurements. <i>European Journal of Vascular and Endovascular Surgery</i> , 1999, 18, 475-480.  | 0.8 | 67        |
| 3735 | Grading Internal Carotid Artery Stenosis Using B-mode Ultrasound(In Vivo Study). <i>European Journal of Vascular and Endovascular Surgery</i> , 1999, 18, 315-322.  | 0.8 | 23        |
| 3736 | Mid-term Fixation Stability of the EndoVascular Technologies Endograft. <i>European Journal of Vascular and Endovascular Surgery</i> , 1999, 18, 300-307.   | 0.8 | 23        |
| 3737 | The Progression of Lower Limb Atherosclerosis is Associated with IgA Antibodies Against Chlamydia pneumoniae. <i>European Journal of Vascular and Endovascular Surgery</i> , 1999, 18, 527-529.   | 0.8 | 11        |
| 3738 | A Comparison of Infrared Ear Thermometry with Electronic Predictive Thermometry in a Geriatric Setting. <i>Geriatric Nursing</i> , 1999, 20, 314-317.   | 0.9 | 13        |
| 3739 | Resting energy expenditure should be measured in patients with cirrhosis, not predicted. <i>Hepatology</i> , 1999, 30, 655-664.   | 3.6 | 83        |
| 3740 | Magnetic resonance imaging-determined synovial membrane volume as a marker of disease activity and a predictor of progressive joint destruction in the wrists of patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1999, 42, 918-929.     | 6.7 | 316       |
| 3741 | Methodologic issues for the assessment of reproducibility: Comment on the article by Genant et al. <i>Arthritis and Rheumatism</i> , 1999, 42, 1556-1557.   | 6.7 | 2         |
| 3742 | Correlation analysis versus Bland-Altman analysis: Comment on the article by Genant et al. <i>Arthritis and Rheumatism</i> , 1999, 42, 1557-1558.   | 6.7 | 3         |
| 3743 | Short echo time single-voxel <sup>1</sup> H magnetic resonance spectroscopy in magnetic resonance imaging-negative temporal lobe epilepsy: Different biochemical profile compared with hippocampal sclerosis. <i>Annals of Neurology</i> , 1999, 45, 369-376. | 2.8 | 131       |
| 3744 | Application of obstetric ultrasound to determine the most suitable parameters for the aging of formalin-fixed human fetuses using manual measurements. , 1999, 12, 84-93.   |     | 10        |
| 3745 | Quantitative follow-up of patients with multiple sclerosis using MRI: Reproducibility. <i>Journal of Magnetic Resonance Imaging</i> , 1999, 9, 509-518.   | 1.9 | 83        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3746 | Automatic vessel segmentation using active contours in cine phase contrast flow measurements. <i>Journal of Magnetic Resonance Imaging</i> , 1999, 10, 41-51.   | 1.9 | 90        |
| 3747 | Spatial regularization of flow patterns in magnetic resonance velocity mapping. <i>Journal of Magnetic Resonance Imaging</i> , 1999, 10, 851-860.   | 1.9 | 3         |
| 3748 | In vivo diffusion tensor imaging of rat spinal cord with echo planar imaging. <i>Magnetic Resonance in Medicine</i> , 1999, 42, 300-306.  | 1.9 | 48        |
| 3749 | Texture analysis of spinal cord pathology in multiple sclerosis. <i>Magnetic Resonance in Medicine</i> , 1999, 42, 929-935.   | 1.9 | 83        |
| 3750 | Assessing coronary artery stenosis severity: In vitro validation of the concept of fractional flow reserve. <i>Catheterization and Cardiovascular Interventions</i> , 1999, 46, 375-379.                                    | 0.7 | 14        |
| 3751 | Minimally invasive evaluation of coronary stents with electron beam computed tomography: In vivo and in vitro experience. <i>Catheterization and Cardiovascular Interventions</i> , 1999, 48, 39-47.                        | 0.7 | 23        |
| 3752 | Quantitative measurements of in-stent restenosis: A comparison between quantitative coronary ultrasound and quantitative coronary angiography. <i>Catheterization and Cardiovascular Interventions</i> , 1999, 48, 133-142. | 0.7 | 28        |
| 3753 | IVUS analysis of the acute and long-term stent result using motorized pullback: Intraobserver and interobserver variability. <i>Catheterization and Cardiovascular Interventions</i> , 1999, 48, 245-250.                   | 0.7 | 12        |
| 3754 | A deterministic approach to automated stenosis quantification. <i>Catheterization and Cardiovascular Interventions</i> , 1999, 48, 435-445.   | 0.7 | 16        |
| 3755 | Regression with covariates and outcome calculated from a common set of variables measured with error: estimation using the SIMEX method. , 1999, 18, 2847-2862.   |     | 16        |
| 3756 | Percent of oxygen saturation of arterial hemoglobin among Bolivian Aymara at 3,900-4,000 m. , 1999, 108, 41-51.   |     | 75        |
| 3757 | Estimating energy intake of urban women in Colombia: Comparison of diet records and recalls. , 1999, 108, 53-63.  |     | 12        |
| 3758 | Comparative study of a modified competitive RT-PCR and amplicor HCV monitor assays for quantitation of hepatitis C virus RNA in serum. , 1999, 58, 35-43.   |     | 17        |
| 3759 | Bronchial challenge with carbachol in 3-6-year-old children: Body plethysmography assessments. , 1999, 27, 117-123.   |     | 12        |
| 3760 | Interrupter technique for evaluation of exercise-induced bronchospasm in children. , 1999, 27, 203-207.   |     | 17        |
| 3761 | Assessment of a peak flow whistle in nonasthmatic children. , 1999, 27, 428-431.  |     | 0         |
| 3762 | Thoracoabdominal asynchrony and ratio of time to peak tidal expiratory flow over total expiratory time in adolescents with cystic fibrosis. , 1999, 28, 199-204.  |     | 9         |
| 3763 | Tidal breathing parameters in young children: Comparison of measurement by respiratory inductance plethysmography to a facemask pneumotachograph system. , 1999, 28, 436-441.   |     | 12        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3764 | Heart rate indicators for assessing physical activity level in the field. , 1999, 11, 647-657.   |     | 14        |
| 3765 | Non-invasive measurement of bladder pressure using an external catheter. <i>Neurourology and Urodynamics</i> , 1999, 18, 455-469.  | 0.8 | 51        |
| 3766 | Validation of cough-induced leak point pressure measurement in the evaluation of pharmacological treatment of stress incontinence. <i>Neurourology and Urodynamics</i> , 1999, 18, 591-602.  | 0.8 | 16        |
| 3767 | Accurate assessment of abdominal aortic aneurysm with intravascular ultrasound scanning: Validation with computed tomographic angiography. <i>Journal of Vascular Surgery</i> , 1999, 29, 631-638.   | 0.6 | 28        |
| 3768 | Potential Applications of Intracardiac Echocardiography in the Assessment of the Aortic Valve from the Right Ventricular Outflow Tract. <i>Journal of the American Society of Echocardiography</i> , 1999, 12, 225-230.  | 1.2 | 5         |
| 3770 | A comparison of two methods of dietary assessment in peritoneal dialysis patients. , 1999, 9, 26-31.   |     | 18        |
| 3771 | Temporal Variability of Exercise Doppler Echocardiography in Patients with Nonstented Aortic Bioprostheses. <i>Journal of the American Society of Echocardiography</i> , 1999, 12, 484-491.  | 1.2 | 0         |
| 3772 | Echocardiographic Parameters of the Freestyle Stentless Bioprosthesis in Aortic Position: The European Experience. <i>Journal of the American Society of Echocardiography</i> , 1999, 12, 729-735.   | 1.2 | 11        |
| 3773 | Intracardiac Echocardiographic Guidance During Microwave Catheter Ablation. <i>Journal of the American Society of Echocardiography</i> , 1999, 12, 41-47.  | 1.2 | 15        |
| 3774 | Endothelial Dysfunction, Impaired Endogenous Fibrinolysis, and Cigarette Smoking. <i>Circulation</i> , 1999, 99, 1411-1415.  | 1.6 | 355       |
| 3775 | Measuring agreement in method comparison studies. <i>Statistical Methods in Medical Research</i> , 1999, 8, 135-160.   | 0.7 | 7,294     |
| 3776 | Maximum Static Respiratory Pressures in Healthy Elderly Men and Women: Issues of Reproducibility and Interpretation. <i>Respiration</i> , 1999, 66, 251-258.   | 1.2 | 73        |
| 3777 | Incidence and aetiology of heart failure; a population-based study. <i>European Heart Journal</i> , 1999, 20, 421-428.   | 1.0 | 574       |
| 3778 | The reproducibility of measurement of shoulder movement. <i>Acta Orthopaedica</i> , 1999, 70, 322-324.   | 1.4 | 22        |
| 3779 | Comparison of Abbott IMx total homocysteine assay with a high pressure liquid chromatography method for the measurement of total homocysteine in plasma and serum from a Norwegian population. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1999, 59, 369-374. | 0.6 | 12        |
| 3780 | Endoscopic Ultrasound Duplex Scanning for Measurement of Portal Venous Flow: Validation against Transit Time Ultrasound Flowmetry in Pigs. <i>Scandinavian Journal of Gastroenterology</i> , 1999, 34, 325-330.  | 0.6 | 6         |
| 3781 | Do Sinusoidal Models of Respiration Accurately Reflect the Respiratory Events of Patients Breathing on Nebulizers?. <i>Journal of Aerosol Medicine and Pulmonary Drug Delivery</i> , 1999, 12, 265-273.  | 1.2 | 15        |
| 3782 | Influence of Non-steady State During Isoglycemic Hyperinsulinemic Clamp in Hypertension: A LIFE Substudy. <i>Blood Pressure</i> , 1999, 8, 207-213.  | 0.7 | 12        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3783 | R wave duration as a measure of body position changes during sleep. , 0, , .   |     | 4         |
| 3784 | Measurements of blood vessel wall areas in black-blood MR images using global minimum snake algorithm. , 1999, , .   |     | 1         |
| 3785 | Identification of conduct and emotional syndromes using the Adelaide Behaviour Disorder Scale. Journal of Intellectual and Developmental Disability, 1999, 24, 133-138.  | 1.1 | 1         |
| 3786 | Left ventricular morphology and function in endurance-trained female athletes. Journal of Sports Sciences, 1999, 17, 633-642.  | 1.0 | 28        |
| 3787 | Ultrasound Measurements of Calcaneus for Estimation of Skeletal Status in Patients with Inflammatory Bowel Disease. Scandinavian Journal of Gastroenterology, 1999, 34, 790-797.   | 0.6 | 20        |
| 3788 | The cosmetic outcome in early breast cancer treated with breast conservation. European Journal of Surgical Oncology, 1999, 25, 566-570.  | 0.5 | 132       |
| 3789 | The development and validation of the Edinburgh Knee Function Scale: a simple tool for outcome measurement in non-surgical patients. Knee, 1999, 6, 115-123.   | 0.8 | 12        |
| 3791 | Methacholine-induced fall in forced vital capacity as a marker of asthma severity. Respiratory Medicine, 1999, 93, 277-282.  | 1.3 | 18        |
| 3792 | Volume calibration alone may be misleading. Respiratory Medicine, 1999, 93, 643-647.   | 1.3 | 11        |
| 3793 | Assessment of respiratory function: influence of spirometry reference values and normality criteria selection. Respiratory Medicine, 1999, 93, 523-535.  | 1.3 | 18        |
| 3794 | Agreement between spirometry and tracheal auscultation in assessing bronchial responsiveness in asthmatic children. Respiratory Medicine, 1999, 93, 102-107.   | 1.3 | 15        |
| 3795 | Heparin management test versus activated coagulation time during cardiovascular surgery: Correlation with anti-Xa activity. Journal of Cardiothoracic and Vascular Anesthesia, 1999, 13, 53-57.  | 0.6 | 17        |
| 3796 | Comparison of cardiac output assessed by pulse-contour analysis and thermodilution in patients undergoing minimally invasive direct coronary artery bypass grafting. Journal of Cardiothoracic and Vascular Anesthesia, 1999, 13, 437-440. | 0.6 | 165       |
| 3797 | Continuous arterial blood gas monitoring during bilateral sequential lung transplantation. Journal of Cardiothoracic and Vascular Anesthesia, 1999, 13, 253-257.   | 0.6 | 8         |
| 3798 | Relationship of tumor thickness in punch biopsy and subsequent surgical specimens in stage I squamous cell carcinoma of the lower lip. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 1999, 88, 141-144.        | 1.6 | 18        |
| 3799 | Reliability of laser Doppler flowmetry in a 2-probe assessment of pulpal blood flow. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 1999, 87, 742-748.  | 1.6 | 28        |
| 3800 | Ultrasonographic cross-sectional characteristics of muscles of the head and neck. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 1999, 87, 93-106.  | 1.6 | 58        |
| 3801 | Evaluation of methods for assessing visual function of infants. Journal of AAPOS, 1999, 3, 275-282.  | 0.2 | 33        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3802 | Clinimetric and Psychometric Strategies for Development of a Health Measurement Scale. Journal of Clinical Epidemiology, 1999, 52, 105-111.  | 2.4 | 144       |
| 3803 | Relationship of Health-Related Quality of Life to Symptom Severity in Diabetes Mellitus. Journal of Clinical Epidemiology, 1999, 52, 773-780.  | 2.4 | 46        |
| 3804 | Test-Retest Reliability of the GO-QOL. Journal of Clinical Epidemiology, 1999, 52, 875-884.  | 2.4 | 95        |
| 3805 | The Repeatability of Three Methods for Measuring Prospective Patients' Values in the Context of Treatment Choice for End-Stage Renal Disease. Journal of Clinical Epidemiology, 1999, 52, 849-860. | 2.4 | 16        |
| 3806 | Assessing Smallest Detectable Change Over Time in Continuous Structural Outcome Measures. Journal of Clinical Epidemiology, 1999, 52, 1225-1230.   | 2.4 | 55        |
| 3807 | Canadian hypertension society guidelines for ambulatory blood pressure monitoring. American Journal of Hypertension, 1999, 12, 1149-1157.  | 1.0 | 59        |
| 3808 | Methodological issues in volumetric magnetic resonance imaging of the brain in the Edinburgh High Risk Project. Psychiatry Research - Neuroimaging, 1999, 91, 31-44.                               | 0.9 | 35        |
| 3809 | Agreement and repeatability of infrared pupillometry and the comparison method. Ophthalmology, 1999, 106, 319-323.   | 2.5 | 56        |
| 3810 | The effect of neodymium:YAG capsulotomy on contrast sensitivity and the evaluation of methods for its assessment,. Ophthalmology, 1999, 106, 703-709.  | 2.5 | 48        |
| 3811 | Orbital helical computed tomography in the diagnosis and management of eye trauma. Ophthalmology, 1999, 106, 2330-2335.  | 2.5 | 96        |
| 3812 | Agreement between "time-blind"™ and "time-non-blind"™ assessments of depressive symptomatology. Psychiatry Research, 1999, 86, 251-258.  | 1.7 | 1         |
| 3813 | How high can a correlation coefficient be? Effects of limited reproducibility of common cardiological measures. International Journal of Cardiology, 1999, 69, 185-189.                            | 0.8 | 49        |
| 3814 | Assessment of ultra low frequency band power of heart rate variability: validation of alternative methods. International Journal of Cardiology, 1999, 71, 1-6.                                     | 0.8 | 6         |
| 3815 | Mechanics of the middle ear system: computerized measurements of its pressure"volume relationship. Auris Nasus Larynx, 1999, 26, 383-399.  | 0.5 | 16        |
| 3816 | A comparison of two motion analysis devices used in the measurement of lumbar spinal mobility. Clinical Biomechanics, 1999, 14, 612-619.   | 0.5 | 61        |
| 3817 | Natural logarithmic estimates of Kt/V in the pediatric hemodialysis population. American Journal of Kidney Diseases, 1999, 33, 518-522.  | 2.1 | 46        |
| 3818 | Ambulatory blood pressure monitoring and interdialytic weight gain in children receiving chronic hemodialysis. American Journal of Kidney Diseases, 1999, 33, 667-674.                             | 2.1 | 56        |
| 3819 | Variability of fasting and post-methionine plasma homocysteine levels in normo-and hyperhomocysteinaemic individuals. Netherlands Journal of Medicine, 1999, 55, 29-38.                            | 0.6 | 10        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3821 | A comparison of skinfold anthropometry and dual-energy X-ray absorptiometry for the evaluation of body fat in cirrhotic patients. <i>Clinical Nutrition</i> , 1999, 18, 349-351.  | 2.3 | 39        |
| 3822 | Quantitative assessment of cervical spondylotic myelopathy by a simple walking test. <i>Lancet</i> , The, 1999, 354, 370-373.   | 6.3 | 122       |
| 3823 | Accuracy of a Portable Blood Gas Analyzer Incorporating Optodes for Canine Blood. <i>Journal of Veterinary Internal Medicine</i> , 1999, 13, 597-600.   | 0.6 | 1         |
| 3824 | Human atrial repolarization: effects of sinus rate, pacing and drugs on the surface electrocardiogram. <i>Journal of the American College of Cardiology</i> , 1999, 33, 358-365.  | 1.2 | 29        |
| 3825 | Assessment of regional and global left ventricular function by reinjection Tl-201 and rest Tc-99m sestamibi ECG-gated SPECT. <i>Journal of the American College of Cardiology</i> , 1999, 33, 991-997.  | 1.2 | 105       |
| 3826 | A comparison of the cold pressor test and the diving test on coronary and systemic hemodynamics in patients with and without coronary artery disease. <i>International Journal of Cardiology</i> , 1999, 71, 7-15.  | 0.8 | 2         |
| 3827 | Validation of an accurate method for three-dimensional reconstruction and quantitative assessment of volumes, lengths and diameters of coronary vascular branches and segments from biplane angiographic projections. <i>International Journal of Cardiovascular Imaging</i> , 1999, 15, 339-353. | 0.2 | 56        |
| 3828 | A simple, sensitive and reproducible assay for pyridoxal 5-phosphate and 4-pyridoxic acid in human plasma. <i>Clinica Chimica Acta</i> , 1999, 280, 101-111.  | 0.5 | 96        |
| 3829 | Study of the joint space of the hip on supine and weight-bearing digital radiographs. <i>Clinical Radiology</i> , 1999, 54, 528-532.  | 0.5 | 18        |
| 3830 | Repeatability and methodology of resting energy expenditure in patients with cystic fibrosis. <i>Respiration Physiology</i> , 1999, 115, 301-307.   | 2.8 | 10        |
| 3831 | Removal of thermal artifact in alveolar pressure measurement during forced oscillation. <i>Respiration Physiology</i> , 1999, 117, 141-150.   | 2.8 | 6         |
| 3832 | Diaphragm inhibition with positive pressure ventilation: quantification of mechanical effects. <i>Respiration Physiology</i> , 1999, 118, 149-161.  | 2.8 | 7         |
| 3833 | Mycophenolic acid monitoring: evaluation of the EMIT MPA immunoassay in kidney and lung transplantation. <i>Transplantation Proceedings</i> , 1999, 31, 2275-2276.  | 0.3 | 15        |
| 3834 | Prior knowledge of obstetric gestational age and possible bias of Ballard score. <i>Obstetrics and Gynecology</i> , 1999, 93, 712-714.  | 1.2 | 4         |
| 3835 | Imaging the urethral sphincter with three-dimensional ultrasound. <i>Obstetrics and Gynecology</i> , 1999, 94, 295-301.   | 1.2 | 97        |
| 3836 | The Heparin Management Test. <i>Thrombosis Research</i> , 1999, 96, 481-485.  | 0.8 | 5         |
| 3837 | Strength assessment in postpolio syndrome: Validity of a hand-held dynamometer in detecting change. <i>Archives of Physical Medicine and Rehabilitation</i> , 1999, 80, 1316-1323.  | 0.5 | 47        |
| 3838 | Validity and reproducibility of crutch force and heart rate measurements to assess energy expenditure of paraplegic gait. <i>Archives of Physical Medicine and Rehabilitation</i> , 1999, 80, 1017-1023.  | 0.5 | 51        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3839 | Short versions of the telephone motor functional independence measure for use with persons with spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 1999, 80, 1477-1484.   | 0.5 | 27        |
| 3840 | Amygdala enlargement in dysthymia—a volumetric study of patients with temporal lobe epilepsy. <i>Biological Psychiatry</i> , 1999, 46, 1614-1623.  | 0.7 | 138       |
| 3841 | Stent attachment site—related endoleakage after stent graft treatment: An in vitro study of the effects of graft size, stent type, and atherosclerotic wall changes. <i>Journal of Vascular Surgery</i> , 1999, 30, 658-667.   | 0.6 | 40        |
| 3842 | Two-Dimensional Echocardiography with a 15-MHz Transducer Is a Promising Alternative for In Vivo Measurement of Left Ventricular Mass in Mice. <i>Journal of the American Society of Echocardiography</i> , 1999, 12, 70-75.   | 1.2 | 59        |
| 3843 | Diastolic Flow Pattern in the Normal Left Ventricle. <i>Journal of the American Society of Echocardiography</i> , 1999, 12, 500-507.   | 1.2 | 56        |
| 3844 | Three-Dimensional Echocardiography Improves Accuracy and Compensates for Sonographer Inexperience in Assessment of Left Ventricular Ejection Fraction. <i>Journal of the American Society of Echocardiography</i> , 1999, 12, 290-299.   | 1.2 | 21        |
| 3845 | A Statistical Analysis of the Accuracy of Sonography of the Patellar Tendon. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 1999, 15, 388-391.   | 1.3 | 30        |
| 3846 | Quantitative Assessment of Chronic Aortic Regurgitation with 3-Dimensional Echocardiographic Reconstruction: Comparison with Electromagnetic Flowmeter Measurements. <i>Journal of the American Society of Echocardiography</i> , 1999, 12, 138-148.   | 1.2 | 26        |
| 3847 | Development and testing of a quantitative food frequency questionnaire for use in Gujarat, India. <i>Public Health Nutrition</i> , 1999, 2, 39-50.   | 1.1 | 43        |
| 3848 | In vivo femoropopliteal arterial wall compliance in subjects with and without lower limb vascular disease. <i>Journal of Vascular Surgery</i> , 1999, 30, 936-945.   | 0.6 | 66        |
| 3849 | Flow Convergence Flow Rates from 3-Dimensional Reconstruction of Color Doppler Flow Maps for Computing Transvalvular Regurgitant Flows Without Geometric Assumptions: An In Vitro Quantitative Flow Study. <i>Journal of the American Society of Echocardiography</i> , 1999, 12, 1035-1044. | 1.2 | 49        |
| 3850 | Antral follicle counts by transvaginal ultrasonography are related to age in women with proven natural fertility. <i>Fertility and Sterility</i> , 1999, 72, 845-851.  | 0.5 | 348       |
| 3851 | Impact of On-Line Endocardial Border Detection on Determination of Left Ventricular Volume and Ejection Fraction by Transthoracic 3-Dimensional Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 1999, 12, 551-558.  | 1.2 | 14        |
| 3852 | Multiplane Transesophageal Echocardiographic Acquisition of Ascending Aortic Flow Velocities: A Comparison with Established Techniques. <i>Journal of the American Society of Echocardiography</i> , 1999, 12, 754-760.  | 1.2 | 4         |
| 3853 | Three-Dimensional Color Doppler: A New Approach for Quantitative Assessment of Mitral Regurgitant Jets. <i>Journal of the American Society of Echocardiography</i> , 1999, 12, 173-185.  | 1.2 | 42        |
| 3854 | Reversal of Intraventricular Flow Propagation During Isovolumic Relaxation: A Marker of Anterior Wall Dysfunction. <i>Journal of the American Society of Echocardiography</i> , 1999, 12, 801-810.   | 1.2 | 9         |
| 3855 | Use of Segmental Tissue Doppler Velocity to Quantitate Exercise Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 1999, 12, 901-912.  | 1.2 | 81        |
| 3856 | Comparison of 2 Myocardial Velocity Gradient Assessment Methods During Dobutamine Infusion with Doppler Myocardial Imaging. <i>Journal of the American Society of Echocardiography</i> , 1999, 12, 22-31.  | 1.2 | 19        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3857 | Reproducibility of Pulsed Wave Tissue Doppler Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 1999, 12, 492-499.   | 1.2 | 124       |
| 3858 | Evaluation of Descending Aortic Flow Volumes and Effective Orifice Area Through Aortic Coarctation by Spatiotemporal Integration of Color Doppler Data: An In Vitro Study. <i>Journal of the American Society of Echocardiography</i> , 1999, 12, 517-526.  | 1.2 | 5         |
| 3859 | GUIDELINES FOR MEASUREMENT VALIDATION IN CLINICAL TRIAL DESIGN. <i>Journal of Biopharmaceutical Statistics</i> , 1999, 9, 417-438.  | 0.4 | 27        |
| 3860 | Digital Photoplethysmography in the Diagnosis of Suspected Lower Limb DVT: Is It Useful?. <i>European Journal of Vascular and Endovascular Surgery</i> , 1999, 18, 71-79.   | 0.8 | 28        |
| 3861 | <sup>13</sup> C Mixed-Triglyceride Breath Test: Isotope Selective Non-Dispersive Infrared Spectrometry in Comparison with Isotope Ratio Mass Spectrometry in Volunteers and Patients with Chronic Pancreatitis. <i>Scandinavian Journal of Gastroenterology</i> , 1999, 34, 1153-1156.                              | 0.6 | 17        |
| 3862 | Physician-derived asthma diagnoses made on the basis of questionnaire data are in good agreement with interview-based diagnoses and are not affected by objective tests. <i>Journal of Allergy and Clinical Immunology</i> , 1999, 104, 791-796.  | 1.5 | 27        |
| 3863 | Measurement and characterization of cockroach allergens detected during normal domestic activity. <i>Journal of Allergy and Clinical Immunology</i> , 1999, 104, 672-680.   | 1.5 | 60        |
| 3864 | Three-dimensional color doppler: a clinical study in patients with mitral regurgitation. <i>Journal of the American College of Cardiology</i> , 1999, 33, 1646-1654.  | 1.2 | 70        |
| 3865 | Lack of effect of coenzyme Q on left ventricular function in patients with congestive heart failure. Coenzyme Q and matching placebo tablets were supplied by Health World Limited, Brisbane, Australia. <i>Journal of the American College of Cardiology</i> , 1999, 33, 1549-1552.                                | 1.2 | 145       |
| 3866 | Overestimation of catheter gradients by doppler ultrasound in patients with aortic stenosis: a predictable manifestation of pressure recovery. <i>Journal of the American College of Cardiology</i> , 1999, 33, 1655-1661.  | 1.2 | 273       |
| 3867 | Mechanisms of acute lumen gain and recurrent restenosis after rotational atherectomy of diffuse in-stent restenosis. <i>Journal of the American College of Cardiology</i> , 1999, 34, 33-39.  | 1.2 | 59        |
| 3868 | Noninvasive assessment of the cardiac baroreflex. <i>Journal of the American College of Cardiology</i> , 1999, 34, 211-215.   | 1.2 | 22        |
| 3869 | Validation of the accuracy of both right and left ventricular outflow volume determinations and semiautomated calculation of shunt volumes through atrial septal defects by digital color Doppler flow mapping in a chronic animal model. <i>Journal of the American College of Cardiology</i> , 1999, 34, 587-593. | 1.2 | 12        |
| 3870 | Noninvasive assessment of left atrial maximum dP/dt by a combination of transmitral and pulmonary venous flow. <i>Journal of the American College of Cardiology</i> , 1999, 34, 795-801.  | 1.2 | 49        |
| 3871 | Validation of a new noninvasive method (contrast-enhanced transthoracic second harmonic echo) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50<br><i>Journal of the American College of Cardiology</i> , 1999, 34, 1193-1200.   | 1.2 | 193       |
| 3872 | Reliability of echocardiographic assessment of left ventricular structure and function. <i>Journal of the American College of Cardiology</i> , 1999, 34, 1625-1632.   | 1.2 | 297       |
| 3873 | Triglyceride as a risk factor for ischaemic heart disease in British men: effect of adjusting for measurement error. <i>Atherosclerosis</i> , 1999, 143, 275-284.   | 0.4 | 40        |
| 3874 | Reliability of surface electromyographic measurements. <i>Clinical Neurophysiology</i> , 1999, 110, 725-734.  | 0.7 | 131       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3875 | Spectral versus visual EEG analysis in mild hepatic encephalopathy. <i>Clinical Neurophysiology</i> , 1999, 110, 1334-1344.   | 0.7 | 166       |
| 3876 | Analysis of the aerobic-anaerobic transition in elite cyclists during incremental exercise with the use of electromyography. <i>British Journal of Sports Medicine</i> , 1999, 33, 178-185.   | 3.1 | 118       |
| 3877 | The effect of longer-term creatine supplementation on elite swimming performance after an acute creatine loading. <i>Journal of Sports Sciences</i> , 1999, 17, 853-859.  | 1.0 | 26        |
| 3878 | Combination therapy in early rheumatoid arthritis: a randomised, controlled, double blind 52-week clinical trial of sulphasalazine and methotrexate compared with the single components. <i>Annals of the Rheumatic Diseases</i> , 1999, 58, 220-225. | 0.5 | 227       |
| 3879 | Predictive Versus Measured Energy Expenditure Using Limits of Agreement Analysis in Hospitalized, Obese Patients. <i>Journal of Parenteral and Enteral Nutrition</i> , 1999, 23, 147-154.   | 1.3 | 67        |
| 3880 | Continuous cardiac output measurement: pulse contour analysis vs thermodilution technique in cardiac surgical patients. <i>British Journal of Anaesthesia</i> , 1999, 82, 525-530.  | 1.5 | 178       |
| 3881 | Stability of questionnaire items in sport and exercise psychology: Bootstrap limits of agreement. <i>Journal of Sports Sciences</i> , 1999, 17, 725-734.  | 1.0 | 12        |
| 3882 | Assessing the severity of mitral stenosis: Variability between noninvasive and invasive measurements in patients with symptomatic mitral valve stenosis. <i>American Heart Journal</i> , 1999, 138, 777-784.  | 1.2 | 6         |
| 3883 | Secundum atrial septal defect is a dynamic three-dimensional entity. <i>American Heart Journal</i> , 1999, 137, 1075-1081.  | 1.2 | 33        |
| 3884 | Determinants of aortic artifacts during transesophageal echocardiography of the ascending aorta. <i>American Heart Journal</i> , 1999, 137, 967-972.  | 1.2 | 19        |
| 3885 | Novel Instrumental Approach to the Measurement of Total Body Water: Optothermal Detection of Heavy Water in the Blood Serum. <i>Applied Spectroscopy</i> , 1999, 53, 339-343.   | 1.2 | 10        |
| 3886 | Thermodiffusion for Continuous Quantification of Hepatic Microcirculation—Validation and Potential in Liver Transplantation. <i>Microvascular Research</i> , 1999, 58, 156-166.   | 1.1 | 37        |
| 3887 | The Use of Anthropometric and Dual-Energy X-ray Absorptiometry (DXA) Measures to Estimate Total Abdominal and Abdominal Visceral Fat in Men and Women. <i>Obesity</i> , 1999, 7, 256-264.   | 4.0 | 188       |
| 3888 | Heart Rate Monitoring as a Field Method for Estimating Energy Expenditure as Evaluated by the Doubly Labeled Water Method.. <i>Journal of Nutritional Science and Vitaminology</i> , 1999, 45, 79-94.   | 0.2 | 48        |
| 3889 | A Method for the Standardized Offline Collection of Exhaled Nitric Oxide. <i>Chest</i> , 1999, 116, 754-759.  | 0.4 | 52        |
| 3890 | Using the Computer Science and Applications (CSA) Activity Monitor in Preschool Children. <i>Pediatric Exercise Science</i> , 1999, 11, 413-420.  | 0.5 | 83        |
| 3891 | Are Practical Methods of Evaluating Body Fat in African-American Women Accurate?. <i>American Journal of Health Promotion</i> , 1999, 13, 200-202.  | 0.9 | 0         |
| 3892 | Interpreting Spirometric Data. <i>Chest</i> , 1999, 115, 557-562.   | 0.4 | 39        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3893 | Measurement of airway resistance using the interrupter technique in preschool children in the ambulatory setting. <i>European Respiratory Journal</i> , 1999, 13, 792.   | 3.1 | 95        |
| 3894 | The cellular composition of induced sputum in chronic obstructive pulmonary disease. <i>European Respiratory Journal</i> , 1999, 13, 839.  | 3.1 | 137       |
| 3895 | An in vivo comparison of a catheter mounted pressure transducer system with conventional balloon catheters. <i>European Respiratory Journal</i> , 1999, 13, 1158.  | 3.1 | 30        |
| 3896 | Repeatability of cough-related variables during fog challenges at threshold and suprathreshold stimulus intensity in humans. <i>European Respiratory Journal</i> , 1999, 13, 1447.   | 3.1 | 14        |
| 3897 | The effect of patient technique and training on the accuracy of self-recorded peak expiratory flow. <i>European Respiratory Journal</i> , 1999, 14, 28.  | 3.1 | 22        |
| 3898 | A comparison of a new transtelephonic portable spirometer with a laboratory spirometer. <i>European Respiratory Journal</i> , 1999, 14, 209.   | 3.1 | 9         |
| 3899 | Predicting composition of leg sections with anthropometry and bioelectrical impedance analysis, using magnetic resonance imaging as reference. <i>Clinical Science</i> , 1999, 96, 647-657.  | 1.8 | 66        |
| 3900 | Discrepancies between echocardiographic measurements of left ventricular mass in a healthy adult population. <i>Clinical Science</i> , 1999, 97, 377-383.  | 1.8 | 9         |
| 3901 | Reproducibility of methods for assessing baroreflex sensitivity in normal controls and in patients with chronic heart failure. <i>Clinical Science</i> , 1999, 97, 515-522.  | 1.8 | 86        |
| 3902 | The effect of processing on inflammatory markers in induced sputum. <i>European Respiratory Journal</i> , 1999, 13, 660-667.   | 3.1 | 66        |
| 3903 | Sampling of exhaled nitric oxide in children: end-expiratory plateau, balloon and tidal breathing methods compared. <i>European Respiratory Journal</i> , 1999, 13, 1406-1410.   | 3.1 | 35        |
| 3904 | Protruding the tongue improves posterior rhinomanometry in obstructive sleep apnoea syndrome. <i>European Respiratory Journal</i> , 1999, 14, 1278-1282.   | 3.1 | 13        |
| 3905 | Assessment of bronchial inflammation using an automated cell recognition system based on colour analysis. <i>European Respiratory Journal</i> , 1999, 14, 1394-1402.   | 3.1 | 26        |
| 3906 | The Relationship Between Age and Bronchial Responsiveness. <i>Chest</i> , 1999, 115, 660-665.  | 0.4 | 17        |
| 3907 | Validation of a self-administered food-frequency questionnaire administered in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study: comparison of energy, protein, and macronutrient intakes estimated with the doubly labeled water, urinary nitrogen, and repeated 24-h dietary recall methods. <i>American Journal of Clinical Nutrition</i> , 1999, 70, 439-447. | 2.2 | 764       |
| 3908 | Precision, accuracy, and reliability of hemoglobin assessment with use of capillary blood. <i>American Journal of Clinical Nutrition</i> , 1999, 69, 1243-1248.  | 2.2 | 113       |
| 3909 | Four-component model of body composition in children: density and hydration of fat-free mass and comparison with simpler models. <i>American Journal of Clinical Nutrition</i> , 1999, 69, 904-912.  | 2.2 | 298       |
| 3910 | Modification of Pleural Fluid p H by Local Anesthesia. <i>Chest</i> , 1999, 116, 399-402.  | 0.4 | 27        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3911 | Indirect and Direct Simultaneous, Comparative Blood Pressure Measurements with the Bosotron 2<sup>Å</sup> Device. <i>Kidney and Blood Pressure Research</i> , 1999, 22, 166-171.  | 0.9 | 7         |
| 3912 | Relating protein intake to nutritional status in haemodialysis patients: how to normalize the protein equivalent of total nitrogen appearance (PNA)? <i>Nephrology Dialysis Transplantation</i> , 1999, 14, 2165-2172.  | 0.4 | 18        |
| 3913 | Comparison of air-displacement plethysmography with hydrostatic weighing and bioelectrical impedance analysis for the assessment of body composition in healthy adults. <i>American Journal of Clinical Nutrition</i> , 1999, 69, 898-903.                            | 2.2 | 126       |
| 3914 | Variations and determinants of energy expenditure as measured by whole-body indirect calorimetry during puberty and adolescence. <i>American Journal of Clinical Nutrition</i> , 1999, 69, 1209-1216.   | 2.2 | 59        |
| 3915 | Maximal Isometric Strength of the Cervical Musculature in 100 Healthy Volunteers. <i>Spine</i> , 1999, 24, 1343.  | 1.0 | 131       |
| 3916 | Continuous Cardiac Output in Septic Shock by Simulating a Model of the Aortic Input Impedance. <i>Anesthesiology</i> , 1999, 90, 1317-1328.   | 1.3 | 202       |
| 3917 | Common Peroneal Nerve Stimulation for Neuromuscular Monitoring. <i>Anesthesia and Analgesia</i> , 1999, 88, 197-203.  | 1.1 | 0         |
| 3918 | Inferior Turbinate Goblet Cell Secretion in Patients with Perennial Allergic and Nonallergic Rhinitis. <i>American Journal of Rhinology &amp; Allergy</i> , 1999, 13, 473-478.  | 2.3 | 19        |
| 3919 | Analytical Error of Home Glucose Monitors: A Comparison of 18 Systems. <i>Annals of Clinical Biochemistry</i> , 1999, 36, 72-79.  | 0.8 | 24        |
| 3920 | Comparison of Two Methods for Measurement of Cardiac Troponin T in Patients with Acute Myocardial Infarction. <i>Annals of Clinical Biochemistry</i> , 1999, 36, 242-243.   | 0.8 | 3         |
| 3922 | <title>The need to develop guidelines for the evaluation of medical image processing procedures</title>. , 1999, 3661, 1466.  |     | 11        |
| 3923 | The Historical Evolution of Bioimpedance. <i>AACN Advanced Critical Care</i> , 1999, 10, 371-384.   | 1.9 | 18        |
| 3924 | Transthoracic 3-dimensional echocardiography in the assessment of subaortic stenosis due to a restrictive ventricular septal defect in double inlet left ventricle with discordant ventriculoarterial connections. <i>Cardiology in the Young</i> , 1999, 9, 549-555. | 0.4 | 12        |
| 3925 | Assessment of a narrative approach to the diet history. <i>Public Health Nutrition</i> , 1999, 2, 61-68.  | 1.1 | 22        |
| 3926 | Evaluation of a bar-code system for nutrient analysis in dietary surveys. <i>Public Health Nutrition</i> , 1999, 2, 579-586.  | 1.1 | 2         |
| 3927 | Consistency, Inter-rater Reliability, and Validity of 441 Consecutive Mock Oral Examinations in Anesthesiology. <i>Anesthesiology</i> , 1999, 91, 288-298.  | 1.3 | 66        |
| 3928 | Correlation between Cerebral Oxygen Saturation Measured by Near-infrared Spectroscopy and Jugular Oxygen Saturation in Patients with Severe Closed Head Injury. <i>Anesthesiology</i> , 1999, 91, 985-985.  | 1.3 | 68        |
| 3929 | Prediction of left ventricular geometry by clinic, pre-dialysis and 24-h ambulatory BP monitoring in hemodialysis patients. <i>Journal of Hypertension</i> , 1999, 17, 1751-1758.   | 0.3 | 92        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3930 | Increased Salivary Cortisol Reliably Induced by a Protein-Rich Midday Meal. <i>Psychosomatic Medicine</i> , 1999, 61, 214-224.  | 1.3 | 186       |
| 3931 | Capnography Monitoring During Neurosurgery. <i>Anesthesia and Analgesia</i> , 1999, 88, 43-48.  | 1.1 | 4         |
| 3932 | Effects of brain natriuretic peptide on forearm vasculature: comparison with atrial natriuretic peptide. <i>Cardiovascular Research</i> , 1999, 44, 595-600.  | 1.8 | 37        |
| 3933 | Development and Testing of a Five-Item Version of the Geriatric Depression Scale. <i>Journal of the American Geriatrics Society</i> , 1999, 47, 873-878.  | 1.3 | 595       |
| 3934 | Transcutaneous Monitoring of Carbon Dioxide Tension After Cardiothoracic Surgery in Infants and Children. <i>Anesthesia and Analgesia</i> , 1999, 88, 531-534.  | 1.1 | 15        |
| 3935 | Assessing Neuromuscular Block at the Larynx. <i>Anesthesia and Analgesia</i> , 1999, 88, 426-431.   | 1.1 | 14        |
| 3936 | Ambulatory Oximetry Monitoring in Patients With Severe COPD. <i>Chest</i> , 1999, 116, 314-321.   | 0.4 | 41        |
| 3937 | Assessing the diet of adolescent girls in the UK. <i>Public Health Nutrition</i> , 1999, 2, 571-577.  | 1.1 | 21        |
| 3938 | A comparison of methods of assessment of dietary selenium intakes in Otago, New Zealand. <i>British Journal of Nutrition</i> , 1999, 82, 131-138.   | 1.2 | 49        |
| 3939 | Capnography Monitoring During Neurosurgery. <i>Anesthesia and Analgesia</i> , 1999, 88, 43-48.  | 1.1 | 43        |
| 3940 | Ambulatory blood pressure predicts end-organ damage only in subjects with reproducible recordings. <i>Journal of Hypertension</i> , 1999, 17, 465-473.  | 0.3 | 38        |
| 3941 | Meta-Analysis of Normative Cervical Motion. <i>Spine</i> , 1999, 24, 1571.  | 1.0 | 147       |
| 3942 | Use of a Subjective Health Measure on Chinese Low Back Pain Patients in Hong Kong. <i>Spine</i> , 1999, 24, 961-966.  | 1.0 | 17        |
| 3943 | Clinical Validity and Stability of Active and Passive Cervical Range of Motion With Regard to Total and Unilateral Uniplanar Motion. <i>Spine</i> , 1999, 24, 1082-1089.  | 1.0 | 69        |
| 3944 | Assessing Neuromuscular Block at the Larynx. <i>Anesthesia and Analgesia</i> , 1999, 88, 426-431.   | 1.1 | 19        |
| 3945 | Intestinal Luminal Microdialysis. <i>Anesthesiology</i> , 1999, 91, 1807-1807.  | 1.3 | 74        |
| 3946 | Cross-Cultural Adaptation of the Roland-Morris Questionnaire for German-Speaking Patients With Low Back Pain. <i>Spine</i> , 1999, 24, 1099-1103.   | 1.0 | 157       |
| 3947 | Fine Particle (PM <sub>2.5</sub> ) Measurement Methodology, Quality Assurance Procedures, and Pilot Results of the EXPOLIS Study. <i>Journal of the Air and Waste Management Association</i> , 1999, 49, 1212-1220. | 0.9 | 86        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3948 | Transcutaneous Monitoring of Carbon Dioxide Tension After Cardiothoracic Surgery in Infants and Children. <i>Anesthesia and Analgesia</i> , 1999, 88, 531-534.  | 1.1 | 46        |
| 3949 | Ultrafiltration method for measuring vascular access flow rates during hemodialysis. <i>Kidney International</i> , 1999, 56, 1129-1135.   | 2.6 | 38        |
| 3950 | Common Peroneal Nerve Stimulation for Neuromuscular Monitoring. <i>Anesthesia and Analgesia</i> , 1999, 88, 197-203.  | 1.1 | 2         |
| 3951 | Reliability and limitations of echocardiographic measurement of left ventricular mass for risk stratification and follow-up in single patients. <i>Journal of Hypertension</i> , 1999, 17, 1955-1963.                         | 0.3 | 69        |
| 3952 | Assessment of Polyethylene Wear in Total Hip Replacement. <i>Clinical Orthopaedics and Related Research</i> , 1999, 369, 59-72.   | 0.7 | 159       |
| 3953 | Effect of Potential Confounding Factors on the Thrombolysis in Myocardial Infarction (TIMI) Trial Frame Count and Its Reproducibility. <i>Circulation</i> , 1999, 100, 2219-2223.   | 1.6 | 76        |
| 3954 | Determination of Hemoglobin Saturation in Patients With Acute Sickle Chest Syndrome. <i>Chest</i> , 1999, 115, 1316-1320.   | 0.4 | 45        |
| 3955 | Use of Pulse Oximetry to Recognize Severity of Airflow Obstruction in Obstructive Airway Disease. <i>Chest</i> , 1999, 115, 475-481.  | 0.4 | 57        |
| 3956 | Hyperlactatemia and Pulmonary Lactate Production in Patients With Fulminant Hepatic Failure. <i>Chest</i> , 1999, 116, 471-476.   | 0.4 | 45        |
| 3957 | In Vivo Assessment of Cardiac Remodeling After Myocardial Infarction in Rats by Cine-Magnetic Resonance Imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2000, 2, 171-180.                                      | 1.6 | 44        |
| 3958 | Continuous Monitoring of Fetal pH, pO <sub>2</sub> and pCO <sub>2</sub> Using a Fiberoptic Multiparameter Sensor in Animal Models Reproducing in utero Conditions. <i>Fetal Diagnosis and Therapy</i> , 2000, 15, 127-131.    | 0.6 | 10        |
| 3959 | Transesophageal 3-Dimensional Echocardiography: In Vivo Determination of Left Ventricular Mass in Comparison with Magnetic Resonance Imaging. <i>Journal of the American Society of Echocardiography</i> , 2000, 13, 205-215. | 1.2 | 39        |
| 3960 | Reconstruction of 3-Dimensional Right Ventricular Shape and Volume from 3 Orthogonal Planes. <i>Journal of the American Society of Echocardiography</i> , 2000, 13, 177-185.  | 1.2 | 8         |
| 3961 | Validation of the Orthogonal Polarization Spectral Imaging Technique on Solid Organs. , 2000, 24, 32-46.  |     | 13        |
| 3962 | Assessment of a genetic contribution to osteoarthritis of the hip: sibling study. <i>BMJ: British Medical Journal</i> , 2000, 321, 1179-1183.   | 2.4 | 112       |
| 3963 | Validation of the POLY-MESAM Seven-Channel Ambulatory Recording Unit. <i>Chest</i> , 2000, 117, 1613-1618.  | 0.4 | 62        |
| 3964 | Function: Magnetic Resonance Real-Time Imaging for the Evaluation of Left Ventricular Function. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2000, 2, 7-14.  | 1.6 | 63        |
| 3965 | Randomised controlled trial of nurse practitioner versus general practitioner care for patients requesting "same day" consultations in primary care. <i>BMJ: British Medical Journal</i> , 2000, 320, 1043-1048.              | 2.4 | 320       |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 3966 | Comparisons Between Sublingual and Gastric Tonometry During Hemorrhagic Shock. <i>Chest</i> , 2000, 118, 1127-1132.  | 0.4 | 103       |
| 3967 | A New Method for Lower Limb Volume Measurement â€” Laser Plethysmography: Comparison with Two Commonly Used Methods. <i>Phlebology</i> , 2000, 15, 115-121.  | 0.6 | 0         |
| 3968 | Feasibility and Accuracy of Left Ventricular Volumes and Ejection Fraction Determination by Fundamental, Tissue Harmonic, and Intravenous Contrast Imaging in Difficult-to-Image Patients. <i>Journal of the American Society of Echocardiography</i> , 2000, 13, 216-224. | 1.2 | 94        |
| 3969 | Clinical Usefulness of Intravenous Alunex for the Doppler Assessment of Aortic Stenosis. <i>Japanese Circulation Journal</i> , 2000, 64, 672-678.  | 1.0 | 1         |
| 3970 | A Nonmotorized Treadmill Test to Assess Childrenâ€™s Short-Term Power Output. <i>Pediatric Exercise Science</i> , 2000, 12, 91-100.  | 0.5 | 28        |
| 3971 | Reliability of Effort Perception for Regulating Exercise Intensity in Children Using the Cart and Load Effort Rating (CALER) Scale. <i>Pediatric Exercise Science</i> , 2000, 12, 388-397.   | 0.5 | 46        |
| 3972 | Cross Validation of the 20-m Shuttle Run Test for Children and Adolescents with Mental Retardation. <i>Adapted Physical Activity Quarterly</i> , 2000, 17, 402-412.  | 0.6 | 24        |
| 3973 | Cartilaginous airway wall dimensions and airway resistance in cystic fibrosis lungs. <i>European Respiratory Journal</i> , 2000, 15, 735-742.  | 3.1 | 71        |
| 3974 | Reproducibility of measurements of exhaled NO, and cell count and cytokine concentrations in induced sputum. <i>European Respiratory Journal</i> , 2000, 16, 242.  | 3.1 | 35        |
| 3975 | Bedside assessment of respiratory viscoelastic properties in ventilated patients. <i>European Respiratory Journal</i> , 2000, 16, 302.   | 3.1 | 11        |
| 3976 | Assessment of the viscosity of the pulmonary artery wall. <i>European Respiratory Journal</i> , 2000, 16, 1134-1141.   | 3.1 | 8         |
| 3977 | Total-body skeletal muscle mass: development and cross-validation of anthropometric prediction models. <i>American Journal of Clinical Nutrition</i> , 2000, 72, 796-803.  | 2.2 | 592       |
| 3978 | Mild to Moderate Sleep Respiratory Events. <i>Chest</i> , 2000, 118, 353-359.  | 0.4 | 158       |
| 3979 | Pharmacological mydriasis and optic disc examination. <i>British Journal of Ophthalmology</i> , 2000, 84, 894-898.   | 2.1 | 19        |
| 3980 | Serial echocardiographic assessment of left ventricular dimensions and function after myocardial infarction in mice. <i>Cardiovascular Research</i> , 2000, 45, 330-338.   | 1.8 | 161       |
| 3981 | <title>Automatic quantification of posterior capsule opacification</title>. , 2000, 3979, 119.   |     | 3         |
| 3982 | Reproducibility Validation Study Comparing Analog and Digital Imaging Technologies for the Measurement of Intima-Media Thickness. <i>Stroke</i> , 2000, 31, 1104-1110.   | 1.0 | 27        |
| 3983 | Detection of dissection and remodeling of atherosclerotic lesions in rabbits after balloon angioplasty by magnetic-resonance imaging. <i>Coronary Artery Disease</i> , 2000, 11, 599-606.  | 0.3 | 9         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 3984 | Three-Dimensional Ultrasound Observation of Carotid Artery Plaque Ulceration. <i>Stroke</i> , 2000, 31, 1651-1655.  | 1.0 | 104       |
| 3985 | The Oswestry Disability Index. <i>Spine</i> , 2000, 25, 2940-2953.  | 1.0 | 4,064     |
| 3986 | Clinical evaluation of the efficacy of the Braun PrecisionSensor oscillometric wrist blood pressure monitor for use on adults versus auscultation as defined by ANSI/AAMI SP10-1992. <i>Blood Pressure Monitoring</i> , 2000, 5, 239-245. | 0.4 | 11        |
| 3987 | Comparison of Rectal and Infrared Ear Temperatures in Older Hospital Inpatients. <i>Journal of the American Geriatrics Society</i> , 2000, 48, 63-66.   | 1.3 | 45        |
| 3988 | Gastric emptying of solids: Estimates of lag phase and constant emptying times. <i>Nuclear Medicine Communications</i> , 2000, 21, 665-675.   | 0.5 | 14        |
| 3989 | Misperceptions of "objective measurements"?. <i>American Journal of Public Health</i> , 2000, 90, 988b-989.   | 1.5 | 5         |
| 3990 | Effect of sample number and time on determination of plasma clearance of technetium Tc 99m pentetate and orthiodohippurate sodium I 131 in dogs and cats. <i>American Journal of Veterinary Research</i> , 2000, 61, 280-285.             | 0.3 | 29        |
| 3991 | Which is the Optimal Testing Method for Identifying an AV Delay that Allows Intrinsic Conduction?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2000, 23, 1758-1761.   | 0.5 | 3         |
| 3993 | Whole brain volume changes in patients with progressive MS treated with cladribine. <i>Neurology</i> , 2000, 55, 1714-1718.   | 1.5 | 124       |
| 3994 | Satisfaction profile (SAT-P) in 732 patients: Focus on subjectivity in hrqol assessment. <i>Psychology and Health</i> , 2000, 15, 409-422.  | 1.2 | 21        |
| 3995 | Use of transesophageal Doppler ultrasonography in ventilated pediatric patients: Derivation of cardiac output. <i>Critical Care Medicine</i> , 2000, 28, 2045-2050.   | 0.4 | 92        |
| 3996 | Ultrasonography for Cervical Length Measurement. <i>Obstetrics and Gynecology</i> , 2000, 96, 554-558.  | 1.2 | 6         |
| 3998 | Reproducibility of Computer-Quantified Carotid Plaque Echogenicity. <i>Stroke</i> , 2000, 31, 2189-2196.  | 1.0 | 189       |
| 3999 | Assessing Young People's Exercise Using Anaerobic Performance Tests. <i>European Journal of Physical Education</i> , 2000, 5, 231-258.  | 0.2 | 7         |
| 4000 | Neutrophils in induced sputum arise from central airways. <i>European Respiratory Journal</i> , 2000, 15, 36-40.  | 3.1 | 21        |
| 4001 | Reproducibility of serial intravascular ultrasound measurements in patients with angiographically silent coronary artery disease after heart transplantation. <i>Coronary Artery Disease</i> , 2000, 11, 555-562.                         | 0.3 | 22        |
| 4002 | Assessment of body position to quantify its effect on nocturnal blood pressure under ambulatory conditions. <i>Journal of Hypertension</i> , 2000, 18, 1737-1743.   | 0.3 | 16        |
| 4003 | Noninvasive Measurement of Pulmonary Vascular Resistances by Assessment of Cardiac Output and Pulmonary Transit Time. <i>Investigative Radiology</i> , 2000, 35, 727-731.   | 3.5 | 27        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4004 | A Pilot Study of Pharyngeal Pulse Oximetry with the Laryngeal Mask Airway: A Comparison with Finger Oximetry and Arterial Saturation Measurements in Healthy Anesthetized Patients. <i>Anesthesia and Analgesia</i> , 2000, 90, 440.  | 1.1 | 7         |
| 4006 | Comparing Methods of Clinical Measurement: Reporting Standards for Bland and Altman Analysis. <i>Anesthesia and Analgesia</i> , 2000, 90, 593-602.  | 1.1 | 226       |
| 4007 | A comparison of bolus versus continuous cardiac output in an experimental model of heart failure. <i>Critical Care Medicine</i> , 2000, 28, 1985-1990.  | 0.4 | 10        |
| 4008 | Reproducibility of radial pulse wave analysis in healthy subjects. <i>Journal of Hypertension</i> , 2000, 18, 1033-1040.  | 0.3 | 82        |
| 4009 | Regression of left ventricular hypertrophy in hypertensive patients treated with indapamide SR 1.5 mg versus enalapril 20 mg. <i>Journal of Hypertension</i> , 2000, 18, 1465-1475.   | 0.3 | 162       |
| 4010 | Reproducibility of assessment of myocardial function using gated <sup>99</sup> Tc <sup>m</sup> -MIBI SPECT and quantitative software. <i>Nuclear Medicine Communications</i> , 2000, 21, 1127-1134.   | 0.5 | 18        |
| 4011 | A simulation-based evaluation of nine oscillometric blood pressure monitors for self-measurement. <i>Blood Pressure Monitoring</i> , 2000, 5, 297-322.  | 0.4 | 7         |
| 4012 | Inhaled Nitric Oxide Delivery by Anesthesia Machines. <i>Anesthesia and Analgesia</i> , 2000, 90, 482-488.  | 1.1 | 10        |
| 4013 | A Noninvasive Anthropometric Technique for Measuring Kyphosis and Lordosis. <i>Spine</i> , 2000, 25, 1689-1694.   | 1.0 | 93        |
| 4014 | Heart rate and performance parameters in elite cyclists: a longitudinal study. <i>Medicine and Science in Sports and Exercise</i> , 2000, 32, 1777-1782.  | 0.2 | 222       |
| 4015 | Endotracheal Cardiac Output Monitor. <i>Anesthesiology</i> , 2000, 92, 178-178.   | 1.3 | 38        |
| 4016 | Effects of positive end-expiratory pressure on hemodynamics and indocyanine green kinetics in patients after orthotopic liver transplantation. <i>Critical Care Medicine</i> , 2000, 28, 1760-1765.   | 0.4 | 31        |
| 4017 | Simultaneous comparison of thoracic bioimpedance and arterial pulse waveform-derived cardiac output with thermodilution measurement. <i>Critical Care Medicine</i> , 2000, 28, 1798-1802.   | 0.4 | 43        |
| 4018 | Analysis of nonlinear volume-dependent respiratory system mechanics in pediatric patients. <i>Pediatric Critical Care Medicine</i> , 2000, 1, 111-118.  | 0.2 | 8         |
| 4019 | The Accuracy and Precision of Body Temperature Monitoring Methods During Regional and General Anesthesia. <i>Anesthesia and Analgesia</i> , 2000, 90, 938-945.  | 1.1 | 68        |
| 4020 | Citometria de fluxo, concordância e reprodutibilidade, com utilização de diferentes métodos de colheita. <i>Revista Portuguesa De Pneumologia</i> , 2000, 6, 607-617.   | 0.7 | 0         |
| 4021 | Direct Computation of Multiple 3D Flow Convergence isovelocity Surfaces from Digital 3D Reconstruction of Colour Doppler Data of the Flow Convergence Region: an in vitro Study with Differently Shaped Orifices. <i>European Journal of Echocardiography</i> , 2000, 1, 244-251. | 2.3 | 11        |
| 4022 | A reliable non-separation fluorescence quenching assay for total glycated serum protein: a simple alternative to nitroblue tetrazolium reduction. <i>Annals of Clinical Biochemistry</i> , 2000, 37, 372-379.   | 0.8 | 9         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4023 | Different responses of Finapres and the oscillometric finger blood pressure monitor during intensive vasomotion. <i>Journal of Medical Engineering and Technology</i> , 2000, 24, 95-101.  | 0.8 | 19        |
| 4024 | Comparison of Exercise Cardiac Output by the Fick Principle Using Oxygen and Carbon Dioxide*. <i>Chest</i> , 2000, 118, 631-640.   | 0.4 | 35        |
| 4025 | Diagnosing Sensory Abnormalities with Either Normal Values or Values from Contralateral Skin. <i>Anesthesiology</i> , 2000, 93, 718-727.   | 1.3 | 58        |
| 4026 | Accuracy of base excess—An in vitro evaluation of the Van Slyke equation. <i>Critical Care Medicine</i> , 2000, 28, 2932-2936.   | 0.4 | 57        |
| 4027 | Estimating cardiac filling pressure in mechanically ventilated patients with hyperinflation. <i>Critical Care Medicine</i> , 2000, 28, 3631-3636.  | 0.4 | 142       |
| 4028 | Pediatric cardiac output measurement using surface integration of velocity vectors: An in vivo validation study. <i>Critical Care Medicine</i> , 2000, 28, 3664-3671.  | 0.4 | 9         |
| 4029 | Ultrasound Assessment of Atherosclerotic Vessel Wall Changes. <i>Investigative Radiology</i> , 2000, 35, 699-706.  | 3.5 | 51        |
| 4030 | Influence of different supine body positions on blood pressure. <i>Journal of Hypertension</i> , 2000, 18, 1731-1736.  | 0.3 | 24        |
| 4031 | Body composition in dancers: the bioelectrical impedance method. <i>Medicine and Science in Sports and Exercise</i> , 2000, 32, 228.   | 0.2 | 38        |
| 4032 | Retest Variability of Human Infant Contrast Sensitivity: How Many Tests Are Sufficient?. <i>Optometry and Vision Science</i> , 2000, 77, 90-95.  | 0.6 | 5         |
| 4033 | The Repeatability of Discrete and Continuous Anterior Segment Grading Scales. <i>Optometry and Vision Science</i> , 2000, 77, 244-251.   | 0.6 | 55        |
| 4034 | Thoracic Epidural Anesthesia Via the Modified Taylor Approach in Infants. <i>Regional Anesthesia and Pain Medicine</i> , 2000, 25, 561-565.  | 1.1 | 9         |
| 4035 | A comparative evaluation of three accelerometry-based physical activity monitors. <i>Medicine and Science in Sports and Exercise</i> , 2000, 32, S489-S497.  | 0.2 | 272       |
| 4036 | Validity of Ultrasound Estimation of Fetal Weight. <i>Obstetrics and Gynecology</i> , 2000, 95, 856-860.   | 1.2 | 3         |
| 4037 | Relationship between arterial, mixed venous, and internal jugular carboxyhemoglobin concentrations at low, medium, and high concentrations in a piglet model of carbon monoxide toxicity. <i>Critical Care Medicine</i> , 2000, 28, 1998-2001. | 0.4 | 27        |
| 4038 | Noninvasive whole-body electrical bioimpedance cardiac output and invasive thermodilution cardiac output in high-risk surgical patients. <i>Critical Care Medicine</i> , 2000, 28, 2812-2818.  | 0.4 | 50        |
| 4039 | Abnormal Vasoreaction to Arousal Stimuli—An Early Sign of Diabetic Sympathetic Neuropathy Demonstrated by Laser Doppler Flowmetry. <i>Journal of Clinical Neurophysiology</i> , 2000, 17, 419-425.   | 0.9 | 25        |
| 4040 | Reliability of an air-braked ergometer to record peak power during a maximal cycling test. <i>Medicine and Science in Sports and Exercise</i> , 2000, 32, 1790-1793.   | 0.2 | 20        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4041 | Quantitative gated SPECT myocardial perfusion imaging with 201Tl: an assessment of the limitations. <i>Nuclear Medicine Communications</i> , 2000, 21, 1147-1151.  | 0.5 | 19        |
| 4042 | LACK OF AGREEMENT BETWEEN CENTRAL VENOUS PRESSURE AND PULMONARY CAPILLARY WEDGE PRESSURE IN PREECLAMPSIA. <i>Hypertension in Pregnancy</i> , 2000, 19, 261-271.  | 0.5 | 55        |
| 4043 | Measurement of Total Body Water in Children Using Bioelectrical Impedance: A Comparison of Several Prediction Equations. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2000, 31, 428-432.   | 0.9 | 10        |
| 4044 | The abdominal aortic aneurysm sac after endoluminal exclusion: A medium-term morphologic follow-up based on volumetric technology. <i>Journal of Vascular Surgery</i> , 2000, 31, 490-500.   | 0.6 | 66        |
| 4045 | Comparison of left ventricular ejection fraction and volumes in heart failure by echocardiography, radionuclide ventriculography and cardiovascular magnetic resonance. Are they interchangeable?. <i>European Heart Journal</i> , 2000, 21, 1387-1396.                                  | 1.0 | 838       |
| 4046 | Thrombus within an aortic aneurysm does not reduce pressure on the aneurysmal wall. <i>Journal of Vascular Surgery</i> , 2000, 31, 501-506.  | 0.6 | 167       |
| 4047 | Anterior Chamber Depth Measurement as a Screening Tool for Primary Angle-closure Glaucoma in an East Asian Population. <i>JAMA Ophthalmology</i> , 2000, 118, 257.   | 2.6 | 165       |
| 4048 | Assessment of blood lactate: practical evaluation of the Biosen 5030 lactate analyzer. <i>Medicine and Science in Sports and Exercise</i> , 2000, 32, 243.   | 0.2 | 27        |
| 4049 | The Relation Between Visual Acuity and Other Spatial Vision Measures. <i>Optometry and Vision Science</i> , 2000, 77, 653-662.   | 0.6 | 63        |
| 4050 | The use of visual analogue scales to assess motivation to eat in human subjects: a review of their reliability and validity with an evaluation of new hand-held computerized systems for temporal tracking of appetite ratings. <i>British Journal of Nutrition</i> , 2000, 84, 405-415. | 1.2 | 510       |
| 4051 | Estimating percentage total body fat and determining subcutaneous adipose tissue distribution with a new noninvasive optical device LIPOMETER. , 2000, 12, 221-230.  |     | 37        |
| 4052 | Validation of body composition estimates in male and female distance runners using estimates from a four-component model. , 2000, 12, 301-314.   |     | 24        |
| 4053 | Problems in the interpretation of HIV-1 viral load assays using commercial reagents. , 2000, 61, 187-194.  |     | 12        |
| 4054 | The relationship between inflammatory and serosal connective tissue changes in ileal Crohn's disease: evidence for a possible causative link. , 2000, 190, 196-202.  |     | 124       |
| 4055 | Tissue segmentation on MR images of the brain by possibilistic clustering on a 3D wavelet representation. <i>Journal of Magnetic Resonance Imaging</i> , 2000, 11, 267-278.  | 1.9 | 151       |
| 4056 | Left ventricular quantification in heart failure by cardiovascular MR using prospective respiratory navigator gating: Comparison with breath-hold acquisition. <i>Journal of Magnetic Resonance Imaging</i> , 2000, 11, 411-417.   | 1.9 | 35        |
| 4057 | Prospective multiaxial motion correction for fMRI. <i>Magnetic Resonance in Medicine</i> , 2000, 43, 459-469.  | 1.9 | 116       |
| 4058 | Therapeutic drug monitoring of albendazole: Determination of albendazole, albendazole sulfoxide, and albendazole sulfone in human plasma using nonaqueous capillary electrophoresis. <i>Electrophoresis</i> , 2000, 21, 729-736.   | 1.3 | 48        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4059 | Higher arterial oxygen saturation during submaximal exercise in Bolivian Aymara compared to European sojourners and Europeans born and raised at high altitude. <i>American Journal of Physical Anthropology</i> , 2000, 113, 169-181.                                     | 2.1 | 53        |
| 4060 | Interrupter technique versus plethysmography for measurement of respiratory resistance in children with asthma or cystic fibrosis. , 2000, 29, 213-220.  |     | 46        |
| 4061 | Inhaled mannitol identifies methacholine-responsive children with active asthma. , 2000, 29, 291-298.  |     | 31        |
| 4062 | Sniff nasal inspiratory pressure in children. , 2000, 29, 468-475.   |     | 39        |
| 4063 | Are preferences over health states complete?. , 2000, 9, 47-55.  |     | 39        |
| 4064 | A lantern color vision test for the rail industry. <i>American Journal of Industrial Medicine</i> , 2000, 38, 681-696.   | 1.0 | 14        |
| 4065 | One-round determination of seven leukocyte subsets in Rhesus macaque blood by flow cytometry. <i>Cytometry</i> , 2000, 41, 193-202.  | 1.8 | 16        |
| 4066 | Cytofluorometric methods for assessing absolute numbers of cell subsets in blood. <i>Cytometry</i> , 2000, 42, 327-346.  | 1.8 | 201       |
| 4067 | Quantification of jiggle in real electromyographic signals. <i>Muscle and Nerve</i> , 2000, 23, 1022-1034.   | 1.0 | 22        |
| 4068 | Quantification of left ventricular function with magnetic resonance images acquired in real time. <i>Journal of Magnetic Resonance Imaging</i> , 2000, 12, 430-438.  | 1.9 | 113       |
| 4069 | Tumor volume measurements of acoustic neuromas with three-dimensional constructive interference in steady state and conventional spin-echo MR imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2000, 12, 826-832.   | 1.9 | 21        |
| 4070 | Improved estimation of velocity and flow rate using regularized three-point phase-contrast velocimetry. <i>Magnetic Resonance in Medicine</i> , 2000, 44, 122-128.   | 1.9 | 18        |
| 4071 | Estimation of pressure gradients in pulsatile flow from magnetic resonance acceleration measurements. <i>Magnetic Resonance in Medicine</i> , 2000, 44, 66-72.   | 1.9 | 36        |
| 4072 | Plasma total homocysteine and other thiols analyzed by capillary electrophoresis/laser-induced fluorescence detection: Comparison with two other methods. <i>Electrophoresis</i> , 2000, 21, 2074-2079.  | 1.3 | 72        |
| 4073 | Use of structural magnetic resonance imaging to predict who will get Alzheimer's disease. <i>Annals of Neurology</i> , 2000, 47, 430-439.  | 2.8 | 607       |
| 4074 | Time-of-flight MR angiography with Gd-DTPA hexamethylene diamine co-polymer blood pool contrast agent: Comparison of enhanced MRA and conventional angiography for arterial stenosis induced in rabbits. <i>Journal of Magnetic Resonance Imaging</i> , 2000, 11, 638-646. | 1.9 | 8         |
| 4075 | A multicenter validation of an active contour-based left ventricular analysis technique. <i>Journal of Magnetic Resonance Imaging</i> , 2000, 12, 232-239.   | 1.9 | 16        |
| 4076 | Fifteen-count breathlessness score: An objective measure for children. <i>Pediatric Pulmonology</i> , 2000, 30, 56-62.   | 1.0 | 43        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4077 | Analysis of antepartum fetal heart rate tracing by physician and computer. <i>The Journal of Maternal-fetal Medicine</i> , 2000, 9, 181-185.  | 0.2 | 18        |
| 4078 | Two-hour urine collection for evaluating renal function correlates with 24-hour urine collection in pregnant patients. <i>The Journal of Maternal-fetal Medicine</i> , 2000, 9, 233-237.  | 0.2 | 17        |
| 4079 | A standardized and reliable method to apply the Global Assessment of Functioning (GAF) scale to psychiatric case records. <i>International Journal of Methods in Psychiatric Research</i> , 2000, 9, 79-86.                     | 1.1 | 10        |
| 4080 | Evaluation of microparticle enzyme immunoassay against HPLC-mass spectrometry for the determination of whole-blood tacrolimus in heart- and lung-transplant recipients. <i>Clinical Biochemistry</i> , 2000, 33, 557-562.       | 0.8 | 18        |
| 4081 | Artificial neural networks as a method to improve the precision of subcutaneous adipose tissue thickness measurements by means of the optical device LIPOMETER. <i>Computers in Biology and Medicine</i> , 2000, 30, 355-365.   | 3.9 | 11        |
| 4082 | Intraocular pressure and pulse rate measurements by the OBF tonograph - comparison to reference instruments. <i>Ophthalmic and Physiological Optics</i> , 2000, 20, 401-407.  | 1.0 | 11        |
| 4083 | The practical near acuity chart (PNAC) and prediction of visual ability at near1. <i>Ophthalmic and Physiological Optics</i> , 2000, 20, 90-97.   | 1.0 | 11        |
| 4084 | Improving the reliability of visual acuity measures in young children. <i>Ophthalmic and Physiological Optics</i> , 2000, 20, 173-184.  | 1.0 | 63        |
| 4085 | An optometrist's role of co-management in a hospital glaucoma clinic. <i>Ophthalmic and Physiological Optics</i> , 2000, 20, 351-359.   | 1.0 | 19        |
| 4086 | QTc dispersion increases during hemodialysis with low-calcium dialysate. <i>Kidney International</i> , 2000, 57, 2117-2122.   | 2.6 | 110       |
| 4087 | Renal blood flow measurement by positron emission tomography using 15O-labeled water. <i>Kidney International</i> , 2000, 57, 2511-2518.  | 2.6 | 39        |
| 4088 | Comparing different methods of assessing body composition in end-stage renal failure. <i>Kidney International</i> , 2000, 58, 408-416.  | 2.6 | 128       |
| 4089 | A new procedure for evaluation of renal function without urine collection in rat. <i>Kidney International</i> , 2000, 58, 1336-1341.  | 2.6 | 34        |
| 4090 | A fractional dialysate collection method to estimate solute removal in continuous venovenous hemodialysis. <i>Kidney International</i> , 2000, 58, 2579-2584.   | 2.6 | 6         |
| 4091 | Comparisons of tympanic membrane, abdominal skin, axillary, and rectal temperature measurements in term and preterm neonates. <i>Australian Journal of Cancer Nursing</i> , 2000, 2, 1-8.                                       | 0.8 | 19        |
| 4092 | Abnormal perception of the tonic vibration reflex in idiopathic focal dystonia. <i>European Journal of Neurology</i> , 2000, 7, 529-533.  | 1.7 | 38        |
| 4093 | Lower-dose 13 C-urea breath test to detect <i>Helicobacter pylori</i> infection-comparison between infrared spectrometer and mass spectrometry analysis. <i>Alimentary Pharmacology and Therapeutics</i> , 2000, 14, 1359-1363. | 1.9 | 29        |
| 4094 | Performance of the Radiometer OSM3 and ABL505 blood gas analysers for determination of sodium, potassium and haemoglobin concentrations. <i>Anaesthesia</i> , 2000, 55, 65-69.  | 1.8 | 17        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4095 | Bispectral index monitoring: comparison of two types of electrode. <i>Anaesthesia</i> , 2000, 55, 242-246.  | 1.8 | 8         |
| 4096 | A new method of predicting pulmonary capillary wedge pressure: the arterial pressure ratio. <i>Anaesthesia</i> , 2000, 55, 113-117.   | 1.8 | 9         |
| 4097 | The influence of the hand circulation on the assessment of venous distensibility of the human forearm with venous occlusion plethysmography. <i>British Journal of Clinical Pharmacology</i> , 2000, 50, 621-623.   | 1.1 | 10        |
| 4098 | Personal exposure to allergenic pollen and mould spores in inland New South Wales, Australia. <i>Clinical and Experimental Allergy</i> , 2000, 30, 1733-1739.   | 1.4 | 57        |
| 4099 | Evaluation of the von Willebrand factor antigen (vWF-Ag) assay using an immuno-turbidimetric method (STA Liatest <sup>Å</sup> vWF) automated on the MDA <sup>Å</sup> 180 coagulometer. <i>International Journal of Laboratory Hematology</i> , 2000, 22, 29-32. | 0.2 | 12        |
| 4100 | Blood pressure and Turner syndrome. <i>Clinical Endocrinology</i> , 2000, 52, 363-370.  | 1.2 | 107       |
| 4101 | Urine calcium and urine sodium concentrations are not related, after adjustment for urine magnesium. <i>Clinical Endocrinology</i> , 2000, 53, 235-242.   | 1.2 | 3         |
| 4102 | Cardiac output measured by electric bioimpedance compared with the CO <sub>2</sub> rebreathing technique at different exercise levels. <i>Clinical Physiology</i> , 2000, 20, 101-105.  | 0.7 | 17        |
| 4103 | Automated standardized pupillometry with optical method for purposes of clinical practice and research. <i>Clinical Physiology</i> , 2000, 20, 336-347.   | 0.7 | 103       |
| 4104 | Comparison of bioimpedance and radioisotope methods in the estimation of extracellular water volume before and after coronary artery bypass grafting operation. <i>Clinical Physiology</i> , 2000, 20, 283-291.   | 0.7 | 18        |
| 4105 | Brozek two-compartment model under-estimates body fat in black female athletes. <i>Clinical Physiology</i> , 2000, 20, 311-314.   | 0.7 | 2         |
| 4106 | Can stroke volume and cardiac output be determined reliably in a tilt-table test using the pulse contour method?. <i>Clinical Physiology</i> , 2000, 20, 488-495.   | 0.7 | 11        |
| 4107 | Computer-assisted assessment of sperm morphology: comparison with conventional techniques. <i>Journal of Developmental and Physical Disabilities</i> , 2000, 23, 22-28.   | 3.6 | 22        |
| 4108 | Training programme in techniques of self-control and communication skills to improve nurses' relationships with relatives of seriously ill patients: a randomized controlled study. <i>Journal of Advanced Nursing</i> , 2000, 32, 425-431.                     | 1.5 | 42        |
| 4109 | A 210-min solid phase cytometry test for the enumeration of <i>Escherichia coli</i> in drinking water. <i>Journal of Applied Microbiology</i> , 2000, 89, 390-396.  | 1.4 | 31        |
| 4110 | Rectal visceral sensitivity in healthy volunteers: influences of gender, age and methods. <i>Neurogastroenterology and Motility</i> , 2000, 12, 361-368.  | 1.6 | 78        |
| 4111 | Reliability of malaria microscopy in epidemiological studies: results of quality control. <i>Tropical Medicine and International Health</i> , 2000, 5, 3-8.   | 1.0 | 145       |
| 4112 | Varying Effects of Infections with <i>Mycoplasma hyopneumoniae</i> on the Weight Gain Recorded in Three Different Multisource Fattening Pig Herds. <i>Zoonoses and Public Health</i> , 2000, 47, 461-469.   | 1.4 | 15        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4113 | Validity of weight distribution and sway measurements of the Balance Performance Monitor. <i>Physiotherapy Research International</i> , 2000, 5, 19-32.   | 0.7 | 53        |
| 4114 | Reliability of goniometric measurements and visual estimates of hip ROM in patients with osteoarthritis. <i>Physiotherapy Research International</i> , 2000, 5, 241-248.  | 0.7 | 129       |
| 4115 | Quantification of adsorbed human serum albumin at solid interfaces: a comparison between radioimmunoassay (RIA) and simple null ellipsometry. <i>Colloids and Surfaces B: Biointerfaces</i> , 2000, 18, 71-81.  | 2.5 | 77        |
| 4116 | Evaluation of left ventricular systolic function by 3D echocardiography: a comparative study with X-ray angiography and radionuclide angiography. <i>European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology</i> , 2000, 11, 105-115. | 1.4 | 2         |
| 4117 | Cerebral blood flow velocity wave form as an indicator of neonatal left ventricular heart function. <i>European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology</i> , 2000, 12, 31-41.   | 1.4 | 10        |
| 4118 | Variability in Doppler ultrasound influences referral of patients for carotid surgery. <i>European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology</i> , 2000, 12, 137-143.  | 1.4 | 37        |
| 4119 | Diagnosis of allergic bronchopulmonary aspergillosis (ABPA) in cystic fibrosis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2000, 55, 50-58.  | 2.7 | 45        |
| 4120 | Determination of T-cell subpopulations and intracellular cytokine production (interleukin-2) in asthmatic parents. <i>Pediatric Allergy and Immunology</i> , 2000, 11, 12-19.   | 1.1 | 26        |
| 4121 | Airway nitric oxide in infants with acute wheezy bronchitis. <i>Pediatric Allergy and Immunology</i> , 2000, 11, 230-235.   | 1.1 | 30        |
| 4122 | Mixed venous oxygen saturation during mobilization after cardiac surgery: are reflectance oximetry catheters reliable?. <i>Acta Anaesthesiologica Scandinavica</i> , 2000, 44, 1103-1108.   | 0.7 | 8         |
| 4123 | Statistical analysis of medical data. Part II. <i>Journal of Nuclear Cardiology</i> , 2000, 7, 263-266.   | 1.4 | 4         |
| 4124 | Measurement of isometric muscle strength: a reproducibility study of maximal voluntary contraction in normal subjects and amyotrophic lateral sclerosis patients. <i>Medical Engineering and Physics</i> , 2000, 22, 167-174.   | 0.8 | 30        |
| 4125 | A hand-held quantitative capnometer during air embolism in Göttingen mini-pigs. <i>Resuscitation</i> , 2000, 45, 145-146.   | 1.3 | 0         |
| 4126 | Automated contour detection for high-frequency intravascular ultrasound imaging: a technique with blood noise reduction for edge enhancement. <i>Ultrasound in Medicine and Biology</i> , 2000, 26, 1033-1041.  | 0.7 | 32        |
| 4127 | In vitro validation of volumetric blood flow measurement using Doppler flow wire. <i>Ultrasound in Medicine and Biology</i> , 2000, 26, 1301-1310.  | 0.7 | 15        |
| 4128 | Calculating blood flow from Doppler measurements in the systemic-to-pulmonary artery shunt after the Norwood operation: a method based on computational fluid dynamics. <i>Ultrasound in Medicine and Biology</i> , 2000, 26, 209-219.  | 0.7 | 38        |
| 4129 | Doppler flow measurement using surface integration of velocity vectors (Sivv): in vitro validation. <i>Ultrasound in Medicine and Biology</i> , 2000, 26, 255-262.  | 0.7 | 5         |
| 4130 | Accuracy of in-vitro volume estimation of small structures using three-dimensional ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2000, 26, 425-432.   | 0.7 | 29        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 4131 | Measuring radiation fibrosis: the interobserver reliability of two methods of determining the degree of radiation fibrosis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2000, 47, 1209-1217. | 0.4  | 30        |
| 4132 | Biological dosimetry after total body irradiation (TBI) for hematologic malignancy patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2000, 46, 123-129.                                  | 0.4  | 16        |
| 4133 | Generalised cerebral atrophy following temporal lobectomy for intractable epilepsy associated with mesial temporal sclerosis. <i>Magnetic Resonance Imaging</i> , 2000, 18, 269-274.                                  | 1.0  | 6         |
| 4134 | Accuracy and validity of stereology as a quantitative method for assessment of human temporal lobe volumes acquired by magnetic resonance imaging. <i>Magnetic Resonance Imaging</i> , 2000, 18, 1017-1025.           | 1.0  | 35        |
| 4135 | Hippocampal and cerebellar volumetry in serially acquired MRI volume scans. <i>Magnetic Resonance Imaging</i> , 2000, 18, 1027-1033.  | 1.0  | 59        |
| 4136 | Vessel diameter measurements in gadolinium contrast-enhanced three-dimensional MRA of peripheral arteries. <i>Magnetic Resonance Imaging</i> , 2000, 18, 13-22.   | 1.0  | 56        |
| 4137 | Evaluation of water content by spatially resolved transverse relaxation times of human articular cartilage. <i>Magnetic Resonance Imaging</i> , 2000, 18, 423-430.  | 1.0  | 227       |
| 4138 | An axotomy model for the induction of death of rat and mouse corticospinal neurons in vivo. <i>Journal of Neuroscience Methods</i> , 2000, 100, 105-115.  | 1.3  | 30        |
| 4139 | Determinants of Cerebral Fractional Oxygen Extraction Using Near Infrared Spectroscopy in Preterm Neonates. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000, 20, 272-279.                                 | 2.4  | 118       |
| 4140 | Application of the Vestibular Disorders Activities of Daily Living Scale. <i>Laryngoscope</i> , 2000, 110, 1204-1209.   | 1.1  | 86        |
| 4141 | Steady-State versus Non-Steady-State QT-RR Relationships in 24-hour Holter Recordings. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2000, 23, 293-302.   | 0.5  | 33        |
| 4142 | Flow cytometry counting of CD34+ cells in whole blood. <i>Nature Medicine</i> , 2000, 6, 833-836.   | 15.2 | 97        |
| 4143 | Basal metabolic rate and energy costs at rest and during exercise in rural- and urban-dwelling Papua New Guinea Highlanders. <i>European Journal of Clinical Nutrition</i> , 2000, 54, 494-499.                       | 1.3  | 17        |
| 4144 | Reproducibility, power and validity of visual analogue scales in assessment of appetite sensations in single test meal studies. <i>International Journal of Obesity</i> , 2000, 24, 38-48.                            | 1.6  | 1,680     |
| 4145 | Measurement of visceral adipose tissue by DXA combined with anthropometry in obese humans. <i>International Journal of Obesity</i> , 2000, 24, 263-270.   | 1.6  | 93        |
| 4146 | Validation of bio-impedance spectroscopy: Effects of degree of obesity and ways of calculating volumes from measured resistance values. <i>International Journal of Obesity</i> , 2000, 24, 271-280.                  | 1.6  | 66        |
| 4147 | A Hattori chart analysis of body mass index in infants and children. <i>International Journal of Obesity</i> , 2000, 24, 325-329.   | 1.6  | 206       |
| 4148 | The paradox of low body mass index and high body fat percentage among Chinese, Malays and Indians in Singapore. <i>International Journal of Obesity</i> , 2000, 24, 1011-1017.  | 1.6  | 435       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4149 | Estimation of body fat in Caucasian and African-American girls: total-body electrical conductivity methodology versus a four-component model. <i>International Journal of Obesity</i> , 2000, 24, 1200-1206.  | 1.6 | 6         |
| 4150 | Indirect estimates of body composition are useful for groups but unreliable in individuals. <i>International Journal of Obesity</i> , 2000, 24, 1145-1152.  | 1.6 | 109       |
| 4151 | Validating a practical approach to determine weight control in obese children and adolescents. <i>International Journal of Obesity</i> , 2000, 24, 1648-1652.   | 1.6 | 4         |
| 4152 | Use of Tape-recorded Food Records in Assessing Children's Dietary Intake. <i>Obesity</i> , 2000, 8, 2-11.   | 4.0 | 31        |
| 4153 | Comparison of Zinc Reduction with Platinum Reduction for Analysis of Deuterium-Enriched Water Samples for the Doubly Labeled Water Technique. <i>Obesity</i> , 2000, 8, 302-308.  | 4.0 | 11        |
| 4154 | Usefulness of Anthropometry and DXA in Predicting Intra-abdominal Fat in Obese Men and Women. <i>Obesity</i> , 2000, 8, 36-42.  | 4.0 | 120       |
| 4155 | Percent Body Fat and Lean Mass Explain the Gender Difference in Leptin: Analysis and Interpretation of Leptin in Hispanic and Non-Hispanic White Adults. <i>Obesity</i> , 2000, 8, 543-552.   | 4.0 | 57        |
| 4156 | Assessment of middle cerebral artery diameter after aneurysmal subarachnoid hemorrhage by transcranial color-coded duplex sonography. <i>European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology</i> , 2000, 11, 15-19. | 1.4 | 9         |
| 4157 | Status of point-of-care testing: promise, realities, and possibilities. <i>Clinical Biochemistry</i> , 2000, 33, 427-440.   | 0.8 | 114       |
| 4158 | A New Insulin Immunoassay Specific for the Rapid-Acting Insulin Analog, Insulin Aspart, Suitable for Bioavailability, Bioequivalence, and Pharmacokinetic Studies. <i>Clinical Biochemistry</i> , 2000, 33, 627-633.  | 0.8 | 62        |
| 4159 | Development of a client-generated health outcome measure for community nursing. <i>Australian and New Zealand Journal of Public Health</i> , 2000, 24, 529-535.   | 0.8 | 9         |
| 4160 | Use of self-report to monitor overweight and obesity in populations: some issues for consideration. <i>Australian and New Zealand Journal of Public Health</i> , 2000, 24, 96-99.   | 0.8 | 110       |
| 4161 | Noninvasive blood pressure measurement in the upper and lower limbs of anaesthetized children. <i>Paediatric Anaesthesia</i> , 2000, 10, 591-593.   | 0.6 | 19        |
| 4162 | A study to assess the feasibility of using glucometer measurement of blood glucose on fresh blood sampled from the surgical field. <i>Paediatric Anaesthesia</i> , 2000, 10, 691-692.   | 0.6 | 0         |
| 4163 | Comparison between tidal breathing and dosimeter methods in assessing cough receptor sensitivity to capsaicin. <i>Respirology</i> , 2000, 5, 337-342.   | 1.3 | 23        |
| 4164 | Preferred walking speed for assessment of mobility performance: sighted guide versus non-sighted guide techniques. <i>Australasian journal of optometry</i> , The, 2000, 83, 279-282.   | 0.6 | 36        |
| 4165 | Calcium intakes among Australian women: Geelong Osteoporosis Study. <i>Australian and New Zealand Journal of Medicine</i> , 2000, 30, 21-27.  | 0.5 | 64        |
| 4166 | Rapid flow cytometric test for the diagnosis of membrane cytoskeleton-associated haemolytic anaemia. <i>British Journal of Haematology</i> , 2000, 111, 924-933.  | 1.2 | 91        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4167 | Affordable CD4 <sup>+</sup> T cell counts on a single platform™ flow cytometers I. Primary CD4 gating. British Journal of Haematology, 2000, 111, 1198-1208.   | 1.2 | 1         |
| 4168 | Proton Magnetic Resonance Spectroscopic Imaging Studies in Patients with Newly Diagnosed Partial Epilepsy. Epilepsia, 2000, 41, 825-831.   | 2.6 | 21        |
| 4169 | Pretreatment blood pressure reliably predicts progression of chronic nephropathies. Kidney International, 2000, 58, 2093-2101.   | 2.6 | 10        |
| 4170 | Multicompartment urea kinetics in well-dialyzed children. Kidney International, 2000, 58, 2138-2146.   | 2.6 | 18        |
| 4171 | Consistency of Multicenter Measurements of Heart Rate Variability in Survivors of Acute Myocardial Infarction. PACE - Pacing and Clinical Electrophysiology, 2000, 23, 157-164.  | 0.5 | 8         |
| 4172 | Comparative assessment of pelvic floor strength using a perineometer and digital examination. BJOG: an International Journal of Obstetrics and Gynaecology, 2000, 107, 1007-1011.  | 1.1 | 134       |
| 4173 | A Clinical, Radiographic, and Microbiologic Comparison of Astra Tech and Brånemark Single Tooth Implants. Clinical Implant Dentistry and Related Research, 2000, 2, 78-84.   | 1.6 | 44        |
| 4174 | Mothers™ Performing Creatatocrit Measures in the NICU: Accuracy, Reactions, and Cost. JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing, 2000, 29, 249-257.  | 0.2 | 30        |
| 4175 | COMPARABILITY OF LEFT VENTRICULAR M-MODE ECHOCARDIOGRAPHY IN DOGS PERFORMED IN LONG-AXIS AND SHORT-AXIS. Veterinary Radiology and Ultrasound, 2000, 41, 543-549.   | 0.4 | 20        |
| 4176 | Predictive Factors of Ventricular Fibrillation Triggered by Pause-Dependent Torsades de Pointes Associated with Acquired Long QT Interval:.. Journal of Cardiovascular Electrophysiology, 2000, 11, 990-997.                                 | 0.8 | 21        |
| 4177 | Capillary blood sampling from the ear of dogs and cats and use of portable meters to measure glucose concentration. Journal of Small Animal Practice, 2000, 41, 60-66.   | 0.5 | 65        |
| 4178 | Gestational age in pregnancies conceived after in vitro fertilization: a comparison between age assessed from oocyte retrieval, crown-rump length and biparietal diameter. Ultrasound in Obstetrics and Gynecology, 2000, 15, 41-46.         | 0.9 | 81        |
| 4179 | Intra- and interoperator repeatability of the nuchal translucency measurement. Ultrasound in Obstetrics and Gynecology, 2000, 15, 297-301.   | 0.9 | 38        |
| 4180 | Errors in the measurement of endometrial depth using transvaginal sonography in postmenopausal women on tamoxifen: random error is reduced using saline instillation sonography. Ultrasound in Obstetrics and Gynecology, 2000, 15, 321-326. | 0.9 | 13        |
| 4181 | Serial fetal lung volume measurement using three-dimensional ultrasound. Ultrasound in Obstetrics and Gynecology, 2000, 16, 154-158.   | 0.9 | 57        |
| 4182 | Maximal Aneurysm Diameter Follow-up is Inadequate after Endovascular Abdominal Aortic Aneurysm Repair. European Journal of Vascular and Endovascular Surgery, 2000, 20, 177-182.   | 0.8 | 176       |
| 4183 | Changes of the Infraarenal Aortic Segment After Conventional Abdominal Aortic Aneurysm Repair. European Journal of Vascular and Endovascular Surgery, 2000, 19, 643-647.   | 0.8 | 46        |
| 4184 | A Prospective Study of Changes in Aneurysm and Graft Length After Endovascular Exclusion of AAA Using Balloon and Self-expanding Endograft Systems. European Journal of Vascular and Endovascular Surgery, 2000, 20, 90-95.                  | 0.8 | 17        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4185 | The inaccuracy of venous and capillary blood glucose measurement using reagent strips in the newborn period and the effect of haematocrit. <i>Early Human Development</i> , 2000, 57, 111-121.   | 0.8 | 48        |
| 4186 | Measurement of peripheral oxygen utilisation in neonates using near infrared spectroscopy: comparison between arterial and venous occlusion methods. <i>Early Human Development</i> , 2000, 57, 211-224.   | 0.8 | 26        |
| 4187 | Good correlation between gated single photon emission computed myocardial tomography and contrast ventriculography in the assessment of global and regional left ventricular function. <i>International Journal of Cardiovascular Imaging</i> , 2000, 16, 447-453. | 0.2 | 28        |
| 4188 | 3D coronary reconstruction from routine single-plane coronary angiograms: clinical validation and quantitative analysis of the right coronary artery in 100 patients. <i>International Journal of Cardiovascular Imaging</i> , 2000, 16, 413-427.                  | 0.2 | 73        |
| 4189 | Increased vascular expression of iNOS at day but not at night in asthmatic subjects with increased nocturnal airway obstruction. <i>European Respiratory Journal</i> , 2000, 16, 445.  | 3.1 | 8         |
| 4190 | Observer variability of lung function measurements in 2-6-yr-old children. <i>European Respiratory Journal</i> , 2000, 16, 472.  | 3.1 | 32        |
| 4191 | Can peak expiratory flow be measured accurately during a forced vital capacity manoeuvre?. <i>European Respiratory Journal</i> , 2000, 16, 673.  | 3.1 | 11        |
| 4192 | Changes in negative symptoms and the risk of tardive dyskinesia: a longitudinal study. <i>Acta Psychiatrica Scandinavica</i> , 2000, 101, 300-306.   | 2.2 | 14        |
| 4193 | Accuracy of end-tidal carbon dioxide monitoring using the NBP-75R microstream capnometer. A study in intubated ventilated and spontaneously breathing nonintubated patients. <i>European Journal of Anaesthesiology</i> , 2000, 17, 622-626.                       | 0.7 | 22        |
| 4194 | The accuracy of the estimation of body weight and height in the intensive care unit. <i>European Journal of Anaesthesiology</i> , 2000, 17, 698-703.   | 0.7 | 40        |
| 4195 | Prediction of percentage body fat from anthropometry and bioelectrical impedance in Singaporean and Beijing Chinese. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2000, 9, 93-98.   | 0.3 | 14        |
| 4196 | Evaluation of a new bioelectrical impedance instrument for the prediction of body cell mass independently of height or weight. <i>Nutrition</i> , 2000, 16, 745-750.   | 1.1 | 7         |
| 4197 | Using semi-automated oscillometric blood pressure measurement in diabetic patients and their offspring. <i>Journal of Diabetes and Its Complications</i> , 2000, 14, 288-293.  | 1.2 | 11        |
| 4198 | Measurement and interpretation of QT dispersion. <i>Progress in Cardiovascular Diseases</i> , 2000, 42, 325-344.   | 1.6 | 49        |
| 4199 | Evaluation of Accuracy of Pulse Oximetry in Newborn Calves. <i>Veterinary Journal</i> , 2000, 159, 71-76.  | 0.6 | 21        |
| 4200 | Validation and Prognostic Value of Plasma Lactate Measurement in Bovine Respiratory Disease. <i>Veterinary Journal</i> , 2000, 160, 139-146.   | 0.6 | 33        |
| 4201 | Validity in clinical research: a review of basic concepts and definitions. <i>Physical Therapy in Sport</i> , 2000, 1, 19-27.  | 0.8 | 23        |
| 4202 | Reliability in evidence-based clinical practice: a primer for allied health professionals. <i>Physical Therapy in Sport</i> , 2000, 1, 54-62.  | 0.8 | 37        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4203 | The depth of the pouch of Douglas in nulliparous and parous women without genital prolapse and in patients with genital prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 182, 540-544.                          | 0.7 | 30        |
| 4204 | Validation of bioimpedance estimates of cardiac output in preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, 911-913.  | 0.7 | 17        |
| 4205 | Comparison of the effects of fetal cardiomyocyte and skeletal myoblast transplantation on postinfarction left ventricular function. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2000, 119, 1169-1175.                     | 0.4 | 286       |
| 4206 | Comparison of handâ€”leg and legâ€”leg bioelectric impedance devices in the assessment of body adiposity in prepubertal children. The STRIP study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2000, 89, 781-786. | 0.7 | 15        |
| 4207 | Muscle function assessment in children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2000, 89, 753-761.  | 0.7 | 47        |
| 4208 | Comparative Overview of Cardiac Output Measurement Methods: Has Impedance Cardiography Come of Age?. <i>Congestive Heart Failure</i> , 2000, 6, 60-73.  | 2.0 | 30        |
| 4209 | Reproducibility of Impedance Cardiography Hemodynamic Measures in Clinically Stable Heart Failure Patients. <i>Congestive Heart Failure</i> , 2000, 6, 74-82.   | 2.0 | 63        |
| 4210 | Frequency doubling technology and Octopus visual field. <i>Acta Ophthalmologica</i> , 2000, 78, 23-24.  | 0.4 | 0         |
| 4211 | Different value scales between frequencyâ€”doubling technique and standard threshold perimetry. <i>Acta Ophthalmologica</i> , 2000, 78, 26-27.  | 0.4 | 2         |
| 4212 | Validation of automated spectrofluorimetry for measurement of regional organ perfusion using fluorescent microspheres. <i>Computer Methods and Programs in Biomedicine</i> , 2000, 62, 115-125.                                       | 2.6 | 14        |
| 4213 | The biometrical comparison of cardiac imaging methods. <i>Computer Methods and Programs in Biomedicine</i> , 2000, 62, 21-34.   | 2.6 | 7         |
| 4214 | Measurement of T-helper cytokines secreted by cord blood mononuclear cells in response to allergens. <i>Journal of Immunological Methods</i> , 2000, 234, 13-22.  | 0.6 | 39        |
| 4215 | Measurement in dentistry. <i>Journal of Prosthetic Dentistry</i> , 2000, 83, 266-271.   | 1.1 | 12        |
| 4216 | Ventricular volume, chamber stiffness, and function after anteroapical aneurysm plication in the sheep. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2000, 119, 115-124.   | 0.4 | 45        |
| 4217 | Variability in Straight Leg Raise Measurements. <i>Physiotherapy</i> , 2000, 86, 361-370.   | 0.2 | 37        |
| 4218 | Reliability: What is it, and how is it measured?. <i>Physiotherapy</i> , 2000, 86, 94-99.   | 0.2 | 509       |
| 4219 | Cyclosporine versus tacrolimus (FK 506) for prevention of cardiac allograft vasculopathy. <i>American Journal of Cardiology</i> , 2000, 85, 266-269.  | 0.7 | 35        |
| 4220 | Pulmonary capillary wedge pressure in mitral stenosis accurately reflects mean left atrial pressure but overestimates transmitral gradient. <i>American Journal of Cardiology</i> , 2000, 85, 512-515.                                | 0.7 | 16        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4221 | Comparison of central venous and inferior vena caval pressures. American Journal of Cardiology, 2000, 85, 518-520.  | 0.7 | 29        |
| 4222 | Effect of aspirin and ticlopidine on plasma tissue factor levels in stable and unstable angina pectoris. American Journal of Cardiology, 2000, 85, 527-531.   | 0.7 | 10        |
| 4223 | Flow dynamics of stenotic aortic valves assessed by signal processing of Doppler spectrograms. American Journal of Cardiology, 2000, 85, 611-617.   | 0.7 | 25        |
| 4224 | Flexible Tape is an Appropriate Tool for Knee Height Measurement and Stature Estimation of Adults with Developmental Disabilities. Journal of the American Dietetic Association, 2000, 100, 105-107.                        | 1.3 | 4         |
| 4225 | Accuracy of Energy Intake Data Estimated by a Multiplepass, 24-hour Dietary Recall Technique. Journal of the American Dietetic Association, 2000, 100, 303-311.   | 1.3 | 222       |
| 4226 | Change in Body Mass Index does not Predict Change in Body Composition in Adolescent Girls with Anorexia Nervosa. Journal of the American Dietetic Association, 2000, 100, 457-460.  | 1.3 | 17        |
| 4227 | In-person vs Telephone-administered Multiple-pass 24-hour Recalls in Women. Journal of the American Dietetic Association, 2000, 100, 777-783.   | 1.3 | 166       |
| 4228 | Value of QT dispersion in the interpretation of treadmill exercise electrocardiograms of patients without exercise-induced chest pain or ST-segment depression. American Journal of Cardiology, 2000, 85, 1094-1099.        | 0.7 | 17        |
| 4229 | Surgical validation and implications for transcatheter closure of quantitative echocardiographic evaluation of atrial septal defect. American Journal of Cardiology, 2000, 85, 1124-1130.                                   | 0.7 | 18        |
| 4230 | Analysis of agreement between dobutamine stress echocardiography and exercise nuclear angiography in severe aortic regurgitation. American Journal of Cardiology, 2000, 86, 104-107.  | 0.7 | 5         |
| 4231 | Usefulness of Doppler echocardiography to determine the timing of surgery for supraaortic stenosis. American Journal of Cardiology, 2000, 86, 114-116.  | 0.7 | 15        |
| 4232 | Validation of the ejection fraction-velocity ratio: a new simplified "function-corrected" index for assessing aortic stenosis severity. American Journal of Cardiology, 2000, 86, 427-433.                                  | 0.7 | 14        |
| 4233 | Serial intravascular ultrasound and quantitative coronary angiography after self-expandable wallstent coronary artery implantation. American Journal of Cardiology, 2000, 86, 1015-1018.                                    | 0.7 | 7         |
| 4234 | Causes of early reintervention after successful coronary artery stenting. American Journal of Cardiology, 2000, 86, 1018-1021.  | 0.7 | 4         |
| 4235 | Comparison of gated single-photon emission computed tomography with magnetic resonance imaging for evaluation of left ventricular function in ischemic cardiomyopathy. American Journal of Cardiology, 2000, 86, 1299-1305. | 0.7 | 141       |
| 4236 | Usefulness of QT dispersion immediately after exercise as an indicator of coronary stenosis independent of gender or exercise-induced ST-segment depression. American Journal of Cardiology, 2000, 86, 1312-1317.           | 0.7 | 18        |
| 4237 | Comparison of four echocardiographic techniques for measuring left ventricular ejection fraction. American Journal of Cardiology, 2000, 86, 1358-1362.  | 0.7 | 54        |
| 4238 | Agreement between a generic and disease-specific quality-of-life instrument: the 15D and the SGRQ in asthmatic patients. Quality of Life Research, 2000, 9, 997-1003.   | 1.5 | 31        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4239 | The role of point-of-care anticoagulation monitoring in arterial and venous thromboembolic disorders. <i>Journal of Thrombosis and Thrombolysis</i> , 2000, 9, 187-198.   | 1.0 | 9         |
| 4240 | Comparison of the Goldmann-Weekers dark adaptometer and LKC Technologies Scotopic Sensitivity tester-1. <i>Documenta Ophthalmologica</i> , 2000, 101, 1-9.  | 1.0 | 25        |
| 4241 | Aortic root asymmetry in marfan patients; evaluation by magnetic resonance imaging and comparison with standard echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2000, 16, 161-168.   | 0.2 | 62        |
| 4242 | Substituting proxy ratings for patient ratings in cancer clinical trials: an analysis based on a Southwest Oncology Group trial in patients with brain metastases. <i>Quality of Life Research</i> , 2000, 9, 219-231.  | 1.5 | 45        |
| 4243 | Non-invasive cardiac output monitoring by aortic blood flow measurement with the Dynemo 3000. , 2000, 16, 127-140.  |     | 49        |
| 4244 | Systolic blood pressure at end-expiration measured by the automated systolic pressure variation monitor is equivalent to systolic blood pressure during apnea. , 2000, 16, 115-120.   |     | 4         |
| 4245 | Comparison of a prototype esophageal oximetry probe with two conventional digital pulse oximetry monitors in aortocoronary bypass patients. <i>Journal of Clinical Monitoring and Computing</i> , 2000, 16, 201-209.  | 0.7 | 8         |
| 4246 | Partial CO2 rebreathing indirect Fick technique for non-invasive measurement of cardiac output. <i>Journal of Clinical Monitoring and Computing</i> , 2000, 16, 361-374.  | 0.7 | 75        |
| 4247 | Monitoring of isoflurane and desflurane breakdown: interfering gases and infrared detection. <i>Journal of Clinical Monitoring and Computing</i> , 2000, 16, 535-540.   | 0.7 | 3         |
| 4248 | Non-invasive estimation of cardiac output in critical care patients. <i>Journal of Clinical Monitoring and Computing</i> , 2000, 16, 263-268.   | 0.7 | 7         |
| 4249 | Comparison of non-invasive blood pressure measurements on the arm and calf during cesarean delivery. <i>Journal of Clinical Monitoring and Computing</i> , 2000, 16, 557-562.   | 0.7 | 12        |
| 4250 | Accuracy and Precision of In Vivo Bone Mineral Measurements in Sheep Using Dual-Energy X-ray Absorptiometry. <i>Calcified Tissue International</i> , 2000, 66, 70-73.   | 1.5 | 20        |
| 4251 | Accuracy of Doppler Echocardiography in the Assessment of Pulmonary Hypertension in Liver Transplant Candidates. <i>Liver Transplantation</i> , 2000, 6, 453-458.   | 1.3 | 176       |
| 4252 | Early evaluation of tumour metabolic response using [18F]fluorodeoxyglucose and positron emission tomography:a pilot study following the phase II chemotherapy schedule for temozolomide in recurrent high-grade gliomas. <i>British Journal of Cancer</i> , 2000, 82, 608-615.                               | 2.9 | 114       |
| 4253 | Nicotine impairs endothelium-dependent dilatation in human veins in vivo. <i>Clinical Pharmacology and Therapeutics</i> , 2000, 67, 391-397.  | 2.3 | 89        |
| 4254 | Accuracy of the automated assessment of left ventricular function with gated perfusion SPECT in the presence of perfusion defects and left ventricular dysfunction: Correlation with equilibrium radionuclide ventriculography and echocardiography. <i>Journal of Nuclear Cardiology</i> , 2000, 7, 301-311. | 1.4 | 63        |
| 4255 | Comparison of two three-dimensional gated SPECT methods with thallium in patients with large myocardial infarction. <i>Journal of Nuclear Cardiology</i> , 2000, 7, 312-319.  | 1.4 | 15        |
| 4256 | Effect of reversible hypoperfusion on left ventricular volumes measured with gated SPECT at rest and after adenosine infusion. <i>Journal of Nuclear Cardiology</i> , 2000, 7, 655-660.   | 1.4 | 19        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4257 | Accuracy of Digital Tympanic, Oral, Axillary, and Rectal Thermometers Compared with Standard Rectal Mercury Thermometers. <i>The European Journal of Surgery</i> , 2000, 166, 848-851.  | 1.0 | 64        |
| 4258 | A systematic analysis of factors which may impact upon tomographic perfusion imaging measurements: implications for the use of Tc-99m sestamibi in acute myocardial infarction. <i>International Journal of Cardiovascular Imaging</i> , 2000, 16, 293-303.   | 0.2 | 1         |
| 4259 | Accurate measures of left ventricular ejection fraction using electron beam tomography: a comparison with radionuclide angiography, and cine angiography. <i>International Journal of Cardiovascular Imaging</i> , 2000, 16, 391-398.                         | 0.2 | 22        |
| 4260 | Three-dimensional echocardiographic measurement of left ventricular mass: comparison with magnetic resonance imaging and two-dimensional echocardiographic determinations in man. <i>International Journal of Cardiovascular Imaging</i> , 2000, 16, 347-357. | 0.2 | 46        |
| 4261 | Reliability of mechanical and phased-array designs for serial intravascular ultrasound examinations—animal and clinical studies in stented and non-stented coronary arteries. <i>International Journal of Cardiovascular Imaging</i> , 2000, 16, 365-375.     | 0.2 | 22        |
| 4262 | Isotope ratio mass spectrometry (IRMS) versus laser-assisted ratio analyzer (LARA): a comparative study using two doses of. <i>Digestive Diseases and Sciences</i> , 2000, 45, 2168-2174.   | 1.1 | 19        |
| 4263 | <sup>13</sup> C Urea Breath Test with Nondispersive Isotope-Selective Infrared Spectrometry: Reproducibility and Importance of the Fasting Status. <i>Helicobacter</i> , 2000, 5, 104-108.  | 1.6 | 17        |
| 4264 | Stability of the noninvasive baroreflex sensitivity assessment using cross-spectral analysis of heart rate and arterial blood pressure variabilities. <i>Clinical Cardiology</i> , 2000, 23, 201-204.   | 0.7 | 7         |
| 4265 | Enhanced detection of ischemic but viable myocardium by qt interval dispersion on treadmill exercise electrocardiograms of patients with healed anterior wall myocardial infarcts. <i>Clinical Cardiology</i> , 2000, 23, 277-284.                            | 0.7 | 6         |
| 4266 | Deuterium uptake and plasma cholesterol precursor levels correspond as methods for measurement of endogenous cholesterol synthesis in hypercholesterolemic women. <i>Lipids</i> , 2000, 35, 1037-1044.  | 0.7 | 49        |
| 4269 | Evaluation of Differences Between Fan-Beam and Pencil-Beam Densitometers. <i>Calcified Tissue International</i> , 2000, 67, 291-296.  | 1.5 | 44        |
| 4270 | Radioangioscintigraphy and Doppler Echocardiography in the Quantification of Left-to-Right Shunt. <i>Pediatric Cardiology</i> , 2000, 21, 240-243.  | 0.6 | 3         |
| 4271 | Phase-Velocity Cine Magnetic Resonance Imaging Measurement of Pulsatile Blood Flow in Children and Young Adults: In Vitro and In Vivo Validation. <i>Pediatric Cardiology</i> , 2000, 21, 104-110.  | 0.6 | 185       |
| 4272 | Assessment of cardiac preload and extravascular lung water by single transpulmonary thermodilution. <i>Intensive Care Medicine</i> , 2000, 26, 180-187.   | 3.9 | 1,511     |
| 4273 | Interobserver variability of the measurement of the mortality probability models (MPM II) in the assessment of severity of illness. <i>Intensive Care Medicine</i> , 2000, 26, 286-291.   | 3.9 | 18        |
| 4274 | Accuracy and reproducibility of long-term implanted transit-time ultrasound flow probes in dogs. <i>Intensive Care Medicine</i> , 2000, 26, 601-607.  | 3.9 | 29        |
| 4275 | Evaluation of a new module in the continuous monitoring of respiratory mechanics. <i>Intensive Care Medicine</i> , 2000, 26, 670-678.   | 3.9 | 16        |
| 4276 | The effect of lung injury and excessive lung fluid, on impedance cardiac output measurements, in the critically ill. <i>Intensive Care Medicine</i> , 2000, 26, 679-685.  | 3.9 | 42        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4277 | CO assessment by suprasternal Doppler in critically ill patients: comparison with thermodilution. <i>Intensive Care Medicine</i> , 2000, 26, 693-697.  | 3.9 | 5         |
| 4278 | Is a Calculated Total Hip BMD of Clinical Use?. <i>Osteoporosis International</i> , 2000, 11, 368-371.   | 1.3 | 7         |
| 4279 | A novel color M-mode Doppler echocardiographic index for left ventricular relaxation: depth of the maximal velocity point of left ventricular inflow in early diastole. <i>Heart and Vessels</i> , 2000, 15, 205-213.  | 0.5 | 4         |
| 4281 | Lack of synergism between long-term poor glycaemic control and three gene polymorphisms of the renin angiotensin system on risk of developing diabetic nephropathy in Type I diabetic patients. <i>Diabetologia</i> , 2000, 43, 794-799.   | 2.9 | 29        |
| 4282 | <sup>99m</sup> Tc(V)DMSA quantitatively predicts <sup>188</sup> Re(V)DMSA distribution in patients with prostate cancer metastatic to bone. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000, 27, 1405-1409.   | 2.2 | 69        |
| 4283 | Simplified quantitative determination of cerebral perfusion reserve with H <sub>2</sub> <sup>15</sup> O PET and acetazolamide. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000, 27, 1557-1563.  | 2.2 | 13        |
| 4284 | Limited performance of quantitative assessment of myocardial function by thallium-201 gated myocardial single-photon emission tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000, 27, 185-191.   | 3.3 | 28        |
| 4285 | Nationwide standardisation and evaluation of scintigraphic gastric emptying: reference values and comparisons between subgroups in a multicentre trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000, 27, 647-655.   | 3.3 | 62        |
| 4286 | Effect of temporal sampling on evaluation of left ventricular ejection fraction by means of thallium-201 gated SPET: comparison of 16- and 8-interval gating, with reference to equilibrium radionuclide angiography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000, 27, 694-699. | 3.3 | 33        |
| 4287 | Correlation of technetium-99m MIBI and thallium-201 retention in solitary cold thyroid nodules with postoperative histopathology. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000, 27, 713-720.   | 3.3 | 31        |
| 4288 | Can dimercaptosuccinic acid renal scintigraphy be used to assess global renal function?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000, 27, 727-730.  | 3.3 | 9         |
| 4289 | Three-dimensional magnetic resonance angiography of vascular lesions in children. <i>Heart and Vessels</i> , 2000, 15, 1-6.  | 0.5 | 7         |
| 4290 | Unbiased and efficient estimation of left ventricular volumes by three-dimensional echocardiography with coaxial sections. Validation with magnetic resonance imaging. <i>Heart and Vessels</i> , 2000, 15, 35-43.   | 0.5 | 7         |
| 4291 | Linear discriminant analysis of symptoms in patients with chronic constipation. <i>Diseases of the Colon and Rectum</i> , 2000, 43, 1419-1426.   | 0.7 | 208       |
| 4292 | Accuracy of carboxyhaemoglobin dilution method for the measurement of circulating blood volume. <i>Canadian Journal of Anaesthesia</i> , 2000, 47, 150-154.  | 0.7 | 16        |
| 4293 | Deep-forehead temperature correlates well with blood temperature. <i>Canadian Journal of Anaesthesia</i> , 2000, 47, 980-983.  | 0.7 | 38        |
| 4294 | Is axillary temperature an appropriate surrogate for core temperature?. <i>Indian Journal of Pediatrics</i> , 2000, 67, 571-574.   | 0.3 | 51        |
| 4295 | Validation of automated oscillometric sphygmomanometer (HDBPM) for arterial pressure measurement during haemodialysis. <i>Medical and Biological Engineering and Computing</i> , 2000, 38, 98-101.   | 1.6 | 10        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4296 | Development of a new simple estimating method for protein, fat, and carbohydrate in cooked foods.. Environmental Health and Preventive Medicine, 2000, 4, 205-211.                                     | 1.4 | 1         |
| 4297 | A new method to estimate rCBF using IMP and SPECT without any blood sampling. Annals of Nuclear Medicine, 2000, 14, 433-440.   | 1.2 | 10        |
| 4298 | Assessment of left ventricular function by gated myocardial perfusion and gated blood-pool SPECT: Can we use the same reference database?. Annals of Nuclear Medicine, 2000, 14, 75-80.                | 1.2 | 5         |
| 4299 | Estimation of the area at risk in myocardial infarction of rats by means of I-123 <sup>125</sup> I-methyliodophenyl pentadecanoic acid imaging. Annals of Nuclear Medicine, 2000, 14, 347-352.         | 1.2 | 5         |
| 4300 | Geometrical dimensions of the lower lumbar vertebrae - analysis of data from digitised CT images. European Spine Journal, 2000, 9, 242-248.  | 1.0 | 161       |
| 4301 | Range of global motion of the cervical spine: intraindividual reliability and the influence of measurement device. European Spine Journal, 2000, 9, 379-385.   | 1.0 | 62        |
| 4302 | Outcome scores in degenerative cervical disc surgery. European Spine Journal, 2000, 9, 137-143.  | 1.0 | 67        |
| 4303 | Resting metabolic rate in Italians: relation with body composition and anthropometric parameters. Acta Diabetologica, 2000, 37, 77-81.   | 1.2 | 13        |
| 4304 | Evaluation of diagnostic reliability of DCA 2000 for rapid and simple monitoring of HbA1c. Acta Diabetologica, 2000, 37, 1-7.  | 1.2 | 56        |
| 4305 | Continuous intra-arterial blood gas monitoring during thoracic surgery. Journal of Anesthesia, 2000, 14, 119-123.  | 0.7 | 7         |
| 4306 | The relationship between total tear protein concentrations determined by different methods and standards. Graefe's Archive for Clinical and Experimental Ophthalmology, 2000, 238, 571-576.            | 1.0 | 20        |
| 4307 | Field evaluation of a passive sampler for the exposure assessment of 2-methoxyethanol. International Archives of Occupational and Environmental Health, 2000, 73, 98-104.                              | 1.1 | 9         |
| 4308 | TTCA measurements in biomonitoring of low-level exposure to carbon disulphide. International Archives of Occupational and Environmental Health, 2000, 73, 263-269.                                     | 1.1 | 8         |
| 4309 | X-ray densitometry for the measurement of regional myocardial perfusion. Basic Research in Cardiology, 2000, 95, 261-270.  | 2.5 | 10        |
| 4310 | Validity and reliability of two muscle strength scores commonly used as endpoints in assessing treatment of myasthenia gravis. Journal of Neurology, 2000, 247, 286-290.                               | 1.8 | 78        |
| 4311 | Sensitivity and reproducibility of volume change measurements of different brain portions on magnetic resonance imaging in patients with multiple sclerosis. Journal of Neurology, 2000, 247, 960-965. | 1.8 | 51        |
| 4312 | Analysis of agreement between measurements of continuous variables: general principles and lessons from studies of imaging of carotid stenosis. Journal of Neurology, 2000, 247, 825-834.              | 1.8 | 52        |
| 4313 | A Comparison of Carbon Dioxide Monitoring and Oxygenation between Facemask and Divided Nasal Cannula. Anaesthesia and Intensive Care, 2000, 28, 151-154.   | 0.2 | 11        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4314 | The Role of Lean Body Mass as a Nutritional Index in Chinese Peritoneal Dialysis Patientsâ€™ Comparison of Creatinine Kinetics Method and Anthropometric Method. <i>Peritoneal Dialysis International</i> , 2000, 20, 708-714.    | 1.1 | 26        |
| 4315 | A Comparison between 1.36% and 3.86% Glucose Dialysis Solution for the Assessment of Peritoneal Membrane Function. <i>Peritoneal Dialysis International</i> , 2000, 20, 734-741.  | 1.1 | 61        |
| 4316 | Using Orthogonal Polarization Spectral Imaging for the Experimental Study of Microcirculation: Comparisons with Intravital Microscopy. , 2000, 24, 50-60.   |     | 14        |
| 4317 | Respiratory muscle activity measured with a noninvasive EMG technique: technical aspects and reproducibility. <i>Journal of Applied Physiology</i> , 2000, 88, 1955-1961.   | 1.2 | 128       |
| 4318 | Lower limb skeletal muscle mass: development of dual-energy X-ray absorptiometry prediction model. <i>Journal of Applied Physiology</i> , 2000, 89, 1380-1386.  | 1.2 | 88        |
| 4319 | Limits of Intermittent Jugular Bulb Oxygen Saturation Monitoring in the Management of Severe Head Trauma Patients. <i>Neurosurgery</i> , 2000, 46, 1131-1139.   | 0.6 | 57        |
| 4320 | Retinol concentrations in capillary dried blood spots from healthy volunteers: method validation. <i>American Journal of Clinical Nutrition</i> , 2000, 72, 450-454.  | 2.2 | 41        |
| 4321 | The effect of test speed on the motion characteristics of the lumbar spine during an A-P flexion-extension test. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2000, 14, 99-104.                                    | 0.4 | 11        |
| 4322 | Interobserver variability of cisternal blood on CT after aneurysmal subarachnoid hemorrhage. <i>Neurology</i> , 2000, 54, 2156-2158.  | 1.5 | 25        |
| 4323 | Estimation of skeletal muscle mass by bioelectrical impedance analysis. <i>Journal of Applied Physiology</i> , 2000, 89, 465-471.   | 1.2 | 1,077     |
| 4324 | The Manchester Respiratory Activities of Daily Living Questionnaire: Development, Reliability, Validity, and Responsiveness to Pulmonary Rehabilitation. <i>Journal of the American Geriatrics Society</i> , 2000, 48, 1496-1500. | 1.3 | 70        |
| 4325 | Metabolically active components of fat free mass and resting energy expenditure in nonobese adults. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000, 278, E308-E315.                                  | 1.8 | 137       |
| 4326 | Comparison of estimates of zinc absorption in humans by using 4 stable isotopic tracer methods and compartmental analysis. <i>American Journal of Clinical Nutrition</i> , 2000, 71, 523-529.                                     | 2.2 | 41        |
| 4328 | Analysis of Factors Influencing the Comparison of Homocysteine Values between the Third National Health and Nutrition Examination Survey (NHANES) and NHANES 1999+. <i>Journal of Nutrition</i> , 2000, 130, 2850-2854.           | 1.3 | 16        |
| 4329 | Measurement of fat mass using DEXA: a validation study in elderly adults. <i>Journal of Applied Physiology</i> , 2000, 89, 345-352.   | 1.2 | 194       |
| 4330 | Ventilatory and metabolic adaptations to walking and cycling in patients with COPD. <i>Journal of Applied Physiology</i> , 2000, 88, 1715-1720.   | 1.2 | 168       |
| 4331 | Echocardiographic criteria for detection of postinfarction congestive heart failure in rats. <i>Journal of Applied Physiology</i> , 2000, 89, 1445-1454.  | 1.2 | 135       |
| 4332 | Comparison of AutoSetÃ and polysomnography for the detection of apnea-hypopnea events. <i>Brazilian Journal of Medical and Biological Research</i> , 2000, 33, 515-519.   | 0.7 | 9         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4333 | Impaired sarcoplasmic reticulum Ca <sup>2+</sup> release rate after fatiguing stimulation in rat skeletal muscle. <i>Journal of Applied Physiology</i> , 2000, 89, 210-217.   | 1.2 | 65        |
| 4334 | Comparison of two hydrodensitometric methods for estimating percent body fat. <i>Journal of Applied Physiology</i> , 2000, 88, 1175-1180.   | 1.2 | 14        |
| 4335 | Primary care drug therapy training: the solution for phc nurses?. <i>Curationis</i> , 2000, 23, 43-52.  | 0.2 | 3         |
| 4336 | Determination of Total Plasma Homocysteine: Comparison of a New Enzyme Immunoassay and a HPLC Method. <i>Thrombosis and Haemostasis</i> , 2000, 83, 968-969.  | 1.8 | 9         |
| 4337 | Detecting lung overdistention in newborns treated with high-frequency oscillatory ventilation. <i>Journal of Applied Physiology</i> , 2000, 89, 364-372.  | 1.2 | 27        |
| 4338 | The Impact of Equations on Calculation of Lean Body Mass by Bioelectrical Impedance Analysis in RDT Patients. <i>International Journal of Artificial Organs</i> , 2000, 23, 168-172.                                      | 0.7 | 3         |
| 4339 | On-line monitoring of intrinsic PEEP in ventilator-dependent patients. <i>Journal of Applied Physiology</i> , 2000, 89, 985-995.  | 1.2 | 19        |
| 4340 | Effects of Anion Exchange Resin as Phosphate Binder on Serum Phosphate and Ipth Levels in Normal Rats. <i>International Journal of Artificial Organs</i> , 2000, 23, 243-249.   | 0.7 | 5         |
| 4341 | Low dose continuous combined hormone replacement therapy: early and late postmenopausal effect on endometrium.. <i>Journal of Ultrasound in Medicine</i> , 2000, 19, 33-38.   | 0.8 | 1         |
| 4342 | Body Composition in Human Infants at Birth and Postnatally. <i>Journal of Nutrition</i> , 2000, 130, 2188-2194.   | 1.3 | 81        |
| 4343 | GIT (Glucose Infusion Test): Polycentric Evaluation of a New Test for Vascular Access Recirculation. <i>Journal of Vascular Access</i> , 2000, 1, 152-157.  | 0.5 | 4         |
| 4344 | Estimating body fat in African American and white adolescent girls: a comparison of skinfold-thickness equations with a 4-compartment criterion model. <i>American Journal of Clinical Nutrition</i> , 2000, 72, 348-354. | 2.2 | 52        |
| 4345 | Comparison of total body chlorine, potassium, and water measurements in children with cystic fibrosis. <i>American Journal of Clinical Nutrition</i> , 2000, 71, 36-43.   | 2.2 | 10        |
| 4346 | Consultation skills of medical students before and after changes in curriculum. <i>Journal of the Royal Society of Medicine</i> , 2000, 93, 247-253.  | 1.1 | 19        |
| 4347 | Individualizing the aorto-radial pressure transfer function: feasibility of a model-based approach. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000, 279, H542-H549.                      | 1.5 | 79        |
| 4348 | Validation of the doubly labeled water method in rats during isolation and simulated weightlessness. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2000, 279, R1964-R1979.  | 0.9 | 18        |
| 4349 | Changes of interstitial fluid volume in superficial tissues detected by a miniature ultrasound device. <i>Journal of Applied Physiology</i> , 2000, 89, 359-363.  | 1.2 | 11        |
| 4350 | Methods for assessing hepatic distending pressure and changes in hepatic capacitance in pigs. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000, 279, H1796-H1803.                          | 1.5 | 4         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4351 | Regarding the validity of methods of body composition assessment in young and older men and women. <i>Journal of Applied Physiology</i> , 2000, 89, 2518-2520.   | 1.2 | 1         |
| 4352 | Pubertal alterations in growth and body composition. V. Energy expenditure, adiposity, and fat distribution. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000, 279, E1426-E1436.          | 1.8 | 56        |
| 4353 | New optical method for analyzing cortical blood flow heterogeneity in small animals: validation of the method. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000, 279, H1291-H1298.    | 1.5 | 22        |
| 4354 | Dual-energy X-ray absorptiometry: analysis of pediatric fat estimate errors due to tissue hydration effects. <i>Journal of Applied Physiology</i> , 2000, 89, 2365-2372.   | 1.2 | 32        |
| 4355 | Clinical Evaluation of the Non-Invasive Cardiac Output (NICO) Monitor in the Intensive Care Unit. <i>Anaesthesia and Intensive Care</i> , 2000, 28, 427-430.   | 0.2 | 63        |
| 4356 | Single-breath CO <sub>2</sub> analysis as a predictor of lung volume change in a model of acute lung injury. <i>Critical Care Medicine</i> , 2000, 28, 760-764.  | 0.4 | 10        |
| 4357 | Changes in Tumorigenesis- and Angiogenesis-related Gene Transcript Abundance Profiles in Ovarian Cancer Detected by Tailored High Density cDNA Arrays. <i>Molecular Medicine</i> , 2000, 6, 750-765.                 | 1.9 | 100       |
| 4358 | Agreement between Two Plasma Bicarbonate Assays in Critically Ill Patients. <i>Anaesthesia and Intensive Care</i> , 2000, 28, 399-402.   | 0.2 | 21        |
| 4359 | Quantitative Analysis of Orthogonal Polarization Spectral Images: Validation in the Hamster Dorsal Skinfold Chamber. , 2000, 24, 21-31.  |     | 6         |
| 4360 | Contribution of Expiratory Muscle Pressure to Dynamic Intrinsic Positive End-Expiratory Pressure. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000, 162, 1633-1640.                          | 2.5 | 28        |
| 4361 | Endothelial cells analysis with the TOPCON specular microscope SP-2000P and IMAGEnet system. <i>Current Eye Research</i> , 2000, 21, 788-798.  | 0.7 | 59        |
| 4362 | Comparison of Self-reported Home Blood Pressure Measurements with Automatically Stored Values and Ambulatory Blood Pressure. <i>Blood Pressure</i> , 2000, 9, 200-205.   | 0.7 | 22        |
| 4363 | How accurately are height, weight and leg length reported by the elderly, and how closely are they related to measurements recorded in childhood?. <i>International Journal of Epidemiology</i> , 2000, 29, 456-464. | 0.9 | 101       |
| 4364 | A paired comparison of tuberculin skin test results in health care workers using 5 TU and 10 TU tuberculin. <i>Thorax</i> , 2000, 55, 693-695.   | 2.7 | 12        |
| 4365 | Children's perception of breathlessness in acute asthma. <i>Archives of Disease in Childhood</i> , 2000, 83, 325-329.  | 1.0 | 26        |
| 4366 | Measures of Reliability in Sports Medicine and Science. <i>Sports Medicine</i> , 2000, 30, 1-15.   | 3.1 | 3,361     |
| 4367 | Relation of Left Ventricular Diastolic Properties to Systolic Function in Arterial Hypertension. <i>Circulation</i> , 2000, 101, 152-157.  | 1.6 | 123       |
| 4368 | Diagnosis of glaucoma using telemedicine – the effect of compression on the evaluation of optic nerve head cup-disc ratio. <i>Journal of Telemedicine and Telecare</i> , 2000, 6, 123-125.                           | 1.4 | 16        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4369 | Different effects of abnormal activation and myocardial disease on left ventricular ejection and filling times. <i>British Heart Journal</i> , 2000, 84, 272-276.  | 2.2 | 76        |
| 4370 | Evaluation of the ADVIA <sup>®</sup> Centaur <sup>®</sup> , <sup>†</sup> TSH-3 Assay. <i>Clinical Chemistry and Laboratory Medicine</i> , 2000, 38, 331-4.   | 1.4 | 8         |
| 4371 | Central and peripheral corneal thickness measured with the TOPCON specular microscope SP-2000P. <i>Current Eye Research</i> , 2000, 21, 799-807.   | 0.7 | 46        |
| 4372 | Gastric mucosal end-tidal P <sub>co 2</sub> difference as a continuous indicator of splanchnic perfusion. <i>British Journal of Anaesthesia</i> , 2000, 85, 563-569.   | 1.5 | 18        |
| 4373 | Enhancing the capacity of food consumption surveys of short duration to estimate long term consumer-only intakes by combination with a qualitative food frequency questionnaire. <i>Food Additives and Contaminants</i> , 2000, 17, 177-187. | 2.0 | 18        |
| 4374 | The Effects of Protease Inhibitor Therapy on Human Immunodeficiency Virus Type 1 Levels in Semen (AIDS Clinical Trials Group Protocol 850). <i>Journal of Infectious Diseases</i> , 2000, 181, 1622-1628.                                    | 1.9 | 69        |
| 4375 | Poor Agreement between Self-reported Birth Weight and Birth Weight from Original Records in Adult Women. <i>American Journal of Epidemiology</i> , 2000, 152, 609-615.   | 1.6 | 38        |
| 4376 | Performance Evaluation of Nine Hormone Assays on the Immulite 2000 <sup>®</sup> Immunoassay System. <i>Clinical Chemistry and Laboratory Medicine</i> , 2000, 38, 1039-42.   | 1.4 | 18        |
| 4377 | Feasibility of a Novel Blood Noise Reduction Algorithm to Enhance Reproducibility of Ultra <sup>®</sup> High-Frequency Intravascular Ultrasound Images. <i>Circulation</i> , 2000, 102, 1657-1663.   | 1.6 | 21        |
| 4378 | Diagnosing Respiratory Events and Tracing Air Flow by Internal Thermistors. <i>Acta Oto-Laryngologica</i> , 2000, 120, 414-419.  | 0.3 | 6         |
| 4379 | Time Course of Sleep-related Breathing Disorders in First-Ever Stroke or Transient Ischemic Attack. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000, 161, 375-380.  | 2.5 | 523       |
| 4380 | Translation and validation of the Oxford-12 Item Knee Score for use in Sweden. <i>Acta Orthopaedica</i> , 2000, 71, 268-274.   | 1.4 | 82        |
| 4381 | Arterial Mechanical Changes in Children With Familial Hypercholesterolemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 2070-2075.   | 1.1 | 205       |
| 4382 | Comparison of Four Methods to Assess Fungal $\beta$ -amylase in Flour Dust. <i>Annals of Occupational Hygiene</i> , 2000, , .  | 1.9 | 9         |
| 4383 | Automated Enzymatic Mitochondrial Antibody Assay for the Diagnosis of Primary Biliary Cirrhosis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2000, 38, 753-8.  | 1.4 | 9         |
| 4384 | Are Healthcare Providers Adequate Raters of Patients' Quality of Life - Perhaps more than we think?. <i>Acta Oncol<sup>3</sup>gica</i> , 2000, 39, 5-8.  | 0.8 | 24        |
| 4385 | The Radboud skills questionnaire: construction and reliability in patients with reflex sympathetic dystrophy of one upper extremity. <i>Disability and Rehabilitation</i> , 2000, 22, 233-245.   | 0.9 | 43        |
| 4386 | Beyond the Job Exposure Matrix (JEM): the Task Exposure Matrix (TEM). <i>Annals of Occupational Hygiene</i> , 2000, , .  | 1.9 | 45        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4387 | Evaluation of the Conformity of Human Growth Hormone. Concentrations Measured with the DPC Immulite® and the Nichols® Advantage®, Assays. <i>Clinical Chemistry and Laboratory Medicine</i> , 2000, 38, 799-800.   | 1.4 | 0         |
| 4388 | The Repeatability of Corneal Thickness Measures. <i>Cornea</i> , 2000, 19, 792-795.  | 0.9 | 268       |
| 4389 | A 1-year follow-up study of dynamic magnetic resonance imaging in early rheumatoid arthritis reveals synovitis to be increased in shared epitope-positive patients and predictive of erosions at 1 year. <i>British Journal of Rheumatology</i> , 2000, 39, 407-416. | 2.5 | 114       |
| 4390 | Automated analysis of digital oximetry in the diagnosis of obstructive sleep apnoea. <i>Thorax</i> , 2000, 55, 302-307.  | 2.7 | 225       |
| 4391 | Coronary Sinus Flow Measurement by Means of Velocity-encoded Cine MR Imaging: Validation by Using Flow Probes in Dogs. <i>Radiology</i> , 2000, 217, 487-493.  | 3.6 | 65        |
| 4392 | Videodensitometric quantitative angiography after coronary balloon angioplasty, compared to edge-detection quantitative angiography and intracoronary ultrasound imaging. <i>European Heart Journal</i> , 2000, 21, 654-661.   | 1.0 | 11        |
| 4393 | New Digital Measurement Methods for Left Ventricular Volume Using Real-time Three-dimensional Echocardiography: Comparison with Electromagnetic Flow Method and Magnetic Resonance Imaging. <i>European Journal of Echocardiography</i> , 2000, 1, 96-104.           | 2.3 | 21        |
| 4394 | Rapid Quantification of Left Ventricular Function and Mass Using Transoesophageal Three-dimensional Echocardiography: Validation of a Method that uses Long-axis Cutplanes*. <i>European Journal of Echocardiography</i> , 2000, 1, 213-221.                         | 2.3 | 33        |
| 4395 | Left Ventricular Volume Analysis for the Detection of Coronary Artery Disease During Dobutamine Stress Echocardiography in Patients Undergoing Vascular Surgery. <i>European Journal of Echocardiography</i> , 2000, 1, 263-270.                                     | 2.3 | 8         |
| 4396 | Measurement of Volumetric Mitral and Aortic Blood Flow Based on a New Freehand Three-dimensional Colour Flow Imaging Method. An in vivo Validation. <i>European Journal of Echocardiography</i> , 2000, 1, 204-212.  | 2.3 | 15        |
| 4397 | Comparison of QT dispersion during atrial fibrillation and sinus rhythm in the same patients, at normal and prolonged ventricular repolarization. <i>Europace</i> , 2000, 2, 20-31.  | 0.7 | 6         |
| 4398 | Continuous monitoring of regional cerebral blood flow: experimental and clinical validation of a novel thermal diffusion microprobe. <i>Journal of Neurosurgery</i> , 2000, 93, 265-274.   | 0.9 | 190       |
| 4399 | Cardiac Output Measurement by Arterial Thermodilution in Piglets. <i>Anesthesia and Analgesia</i> , 2000, 90, 57-58.   | 1.1 | 16        |
| 4400 | Laboratory, Clinical, and Kindergarten Test of a New Eccentric Infrared Photorefractor (PowerRefractor). <i>Optometry and Vision Science</i> , 2000, 77, 537-548.  | 0.6 | 140       |
| 4401 | Validity of four motion sensors in measuring moderate intensity physical activity. <i>Medicine and Science in Sports and Exercise</i> , 2000, 32, S471-S480.   | 0.2 | 411       |
| 4402 | Racial Differences in the Structure and Function of the Stress Urinary Continence Mechanism. <i>Obstetrics and Gynecology</i> , 2000, 95, 713-717.   | 1.2 | 1         |
| 4403 | A Pilot Study of Left Tracheal Pulse Oximetry. <i>Anesthesia and Analgesia</i> , 2000, 91, 1003-1006.  | 1.1 | 14        |
| 4404 | A comparison of health state utilities for dentofacial deformity as derived from patients and members of the general public. <i>European Journal of Orthodontics</i> , 2000, 22, 335-342.  | 1.1 | 24        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4405 | A comparison of glomerular filtration rate values determined using four radionuclide techniques in healthy volunteers. , 0, , .   |     | 0         |
| 4406 | Internet-Based Home Asthma Telemonitoring. Chest, 2000, 117, 148-155.   | 0.4 | 187       |
| 4407 | Reliability, Repeatability, and Sensitivity of the Modified Shuttle Test in Adult Cystic Fibrosis. Chest, 2000, 117, 1666-1671.   | 0.4 | 99        |
| 4408 | Quantitative and qualitative analysis of haemoglobin variants using capillary zone electrophoresis. Annals of Clinical Biochemistry, 2000, 37, 380-389.   | 0.8 | 16        |
| 4409 | Measurement of Urinary Free Cortisol Using the ACS:180 Serum Cortisol Chemiluminescent Immunoassay. Annals of Clinical Biochemistry, 2000, 37, 520-528.   | 0.8 | 13        |
| 4410 | An Objective Characterization of Atherosclerotic Lesion. Stroke, 2000, 31, 1921-1924.   | 1.0 | 35        |
| 4411 | Influence of Raised Plasma Osmolality on Clinical Outcome After Acute Stroke. Stroke, 2000, 31, 2043-2048.  | 1.0 | 183       |
| 4412 | Repeatability of the Visual Manipulation Test. Optometry and Vision Science, 2000, 77, 194-197.   | 0.6 | 0         |
| 4413 | Fibrinolytic actions of intra-arterial angiotensin II and bradykinin in vivo in man. Cardiovascular Research, 2000, 47, 707-714.  | 1.8 | 38        |
| 4414 | EVALUATION OF A NONINVASIVE TRANSCRANIAL DOPPLER AND BLOOD PRESSURE-BASED METHOD FOR THE ASSESSMENT OF CEREBRAL PERFUSION PRESSURE IN PREGNANT WOMEN. Hypertension in Pregnancy, 2000, 19, 331-340. | 0.5 | 54        |
| 4415 | Repeatability and Intercorrelations of Standard Vision Tests as a Function of Age. Optometry and Vision Science, 2000, 77, 412-420.   | 0.6 | 99        |
| 4416 | Reduction in the response to coronary and iliac artery injury with photodynamic therapy using 5-aminolaevulinic acid. Cardiovascular Research, 2000, 45, 478-485.                                   | 1.8 | 39        |
| 4417 | Assessment of dermal exposure during airless spray painting using a quantitative visualisation technique. Annals of Occupational Hygiene, 2000, , .   | 1.9 | 13        |
| 4418 | Validation of Foot to Foot Bioelectrical Impedance in 6- to 10-Year-Old Children. , 2000, 44, 168-174.  |     | 2         |
| 4419 | Helical and Single-Slice Conventional CT Versus Electron Beam CT for the Quantification of Coronary Artery Calcification. American Journal of Roentgenology, 2000, 174, 543-547.                    | 1.0 | 129       |
| 4420 | Fractal Analysis of Nuclear Medicine Images for the Diagnosis of Pulmonary Emphysema. American Journal of Roentgenology, 2000, 174, 1055-1059.  | 1.0 | 31        |
| 4421 | Adductor Pollicis Twitch Tension Assessed by Magnetic Stimulation of the Ulnar Nerve. American Journal of Respiratory and Critical Care Medicine, 2000, 162, 240-245.                               | 2.5 | 50        |
| 4422 | Inter- and Intraobserver Variability of CT Measurements Obtained After Endovascular Repair of Abdominal Aortic Aneurysms. American Journal of Roentgenology, 2000, 175, 1279-1282.                  | 1.0 | 83        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4423 | Exhaled Ethane, a Marker of Lipid Peroxidation, Is Elevated in Chronic Obstructive Pulmonary Disease. American Journal of Respiratory and Critical Care Medicine, 2000, 162, 369-373.                                   | 2.5 | 257       |
| 4424 | F <sub>e</sub> NO: Relationship to Exhalation Rates and Online versus Bag Collection in Healthy Adolescents. American Journal of Respiratory and Critical Care Medicine, 2000, 162, 539-545.                            | 2.5 | 56        |
| 4425 | Usefulness of Sniff Nasal Pressure in Patients with Neuromuscular or Skeletal Disorders. American Journal of Respiratory and Critical Care Medicine, 2000, 162, 1507-1511.  | 2.5 | 107       |
| 4426 | A Simple Flow-Driven Method for Online Measurement of Exhaled NO Starting at the Age of 4 to 5 Years. American Journal of Respiratory and Critical Care Medicine, 2000, 162, 1828-1832.                                 | 2.5 | 51        |
| 4427 | Detection of inter-atrial conduction defects with unfiltered signal-averaged P-wave ECG in patients with lone atrial fibrillation. Europace, 2000, 2, 32-41.  | 0.7 | 73        |
| 4428 | The Hyperoxic Test in Infants Reinvestigated. American Journal of Respiratory and Critical Care Medicine, 2000, 161, 160-165.   | 2.5 | 35        |
| 4429 | Physiologic Predictors of Lumbar Spine Bone Mass in Neonates. Pediatric Research, 2000, 48, 485-489.  | 1.1 | 25        |
| 4430 | Time-Resolved Contrast-Enhanced MR Angiography of Renal Artery Stenosis. American Journal of Roentgenology, 2000, 174, 1583-1588.   | 1.0 | 66        |
| 4431 | Respiratory Function in Survivors of the United Kingdom Extracorporeal Membrane Oxygenation Trial. American Journal of Respiratory and Critical Care Medicine, 2000, 161, 1129-1135.                                    | 2.5 | 58        |
| 4432 | Diaphragm and Chest Wall: Assessment of the Inspiratory Pump with MR Imaging—Preliminary Observations. Radiology, 2000, 215, 574-583.   | 3.6 | 124       |
| 4433 | Lung Function Response to Cold Air Challenge in Asthmatic and Healthy Children of 2–5 Years of Age. American Journal of Respiratory and Critical Care Medicine, 2000, 161, 1805-1809.                                   | 2.5 | 98        |
| 4434 | Comparison of Apnea Identified by Respiratory Inductance Plethysmography with That Detected by End-tidal CO <sub>2</sub> or Thermistor. American Journal of Respiratory and Critical Care Medicine, 2000, 162, 471-480. | 2.5 | 44        |
| 4435 | Poststress Measurements of Left Ventricular Function with Gated Perfusion SPECT: Comparison with Resting Measurements by Using a Same-Day Perfusion-Function Protocol. Radiology, 2000, 215, 529-533.                   | 3.6 | 35        |
| 4436 | A Simple Method for Obtaining Original Data from Published Graphs and Plots. American Journal of Roentgenology, 2000, 174, 1241-1244.   | 1.0 | 58        |
| 4437 | Comparison of intravenous and pulmonary artery injections of hypertonic saline for the assessment of conductance catheter parallel conductance. Cardiovascular Research, 2000, 46, 82-89.                               | 1.8 | 54        |
| 4438 | Measurement of high resolution ECG QT interval during controlled euglycaemia and hypoglycaemia. Physiological Measurement, 2000, 21, 295-303.   | 1.2 | 32        |
| 4439 | Evaluation of Home versus Laboratory Polysomnography in the Diagnosis of Sleep Apnea Syndrome. American Journal of Respiratory and Critical Care Medicine, 2000, 162, 814-818.  | 2.5 | 155       |
| 4440 | Granularity of the carotid artery intima-medial layer: reproducibility of quantification by a computer-based program. British Journal of Radiology, 2000, 73, 595-600.  | 1.0 | 16        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4441 | Long-term testing of an intracranial pressure monitoring device. <i>Journal of Neurosurgery</i> , 2000, 93, 852-858.   | 0.9 | 20        |
| 4442 | An Analysis Algorithm for Measuring Airway Lumen and Wall Areas from High-Resolution Computed Tomographic Data. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000, 161, 574-580.                | 2.5 | 142       |
| 4443 | Ultrasonic measurement of abdominal aortic aneurysm wall compliance: A reproducibility study. <i>Journal of Vascular Surgery</i> , 2000, 31, 507-513.  | 0.6 | 37        |
| 4444 | Ratings of perceived exertion in braille: validity and reliability in production mode. <i>British Journal of Sports Medicine</i> , 2000, 34, 297-302.  | 3.1 | 43        |
| 4445 | DXA body composition studies are not affected by extracellular water measurements using stable sodium bromide dilution. <i>Physiological Measurement</i> , 2000, 21, 541-547.  | 1.2 | 1         |
| 4446 | Induced sputum in children: feasibility, repeatability, and relation of findings to asthma severity. <i>Thorax</i> , 2000, 55, 768-774.  | 2.7 | 69        |
| 4447 | Tracing air flow and diagnosing hypopnoeas in normal subjects. <i>Physiological Measurement</i> , 2000, 21, 221-227.   | 1.2 | 6         |
| 4448 | Determination of stroke volume by means of electrical impedance tomography. <i>Physiological Measurement</i> , 2000, 21, 285-293.  | 1.2 | 60        |
| 4449 | Tissue oxygen saturation measured by near infrared spectrophotometry correlates with arterial oxygen saturation during induced oxygenation changes in neonates. <i>Physiological Measurement</i> , 2000, 21, 481-491.  | 1.2 | 19        |
| 4450 | Two- and Three-Dimensional CT Ventriculography. <i>American Journal of Roentgenology</i> , 2000, 174, 203-208.   | 1.0 | 51        |
| 4451 | Temperature measured at the axilla compared with rectum in children and young people: systematic review. <i>BMJ: British Medical Journal</i> , 2000, 320, 1174-1178.   | 2.4 | 207       |
| 4452 | Gastric emptying of a solid-liquid meal measured with <sup>13</sup> C octanoic acid breath test and real-time ultrasonography: a comparative study. <i>American Journal of Gastroenterology</i> , 2000, 95, 3097-3100. | 0.2 | 25        |
| 4453 | Affective aggression in patients with temporal lobe epilepsy: A quantitative MRI study of the amygdala. <i>Brain</i> , 2000, 123, 234-243.   | 3.7 | 225       |
| 4454 | The Adolescent Unresolved Attachment Questionnaire: The Assessment of Perceptions of Parental Abdication of Caregiving Behavior. <i>Journal of Genetic Psychology</i> , 2000, 161, 493-503.                            | 0.6 | 26        |
| 4455 | Quality on-line monitoring of active compression decompression cardiopulmonary resuscitation. , 0, , .   |     | 0         |
| 4456 | The euglycemic hyperinsulinemic clamp examination: variability and reproducibility. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2000, 60, 27-36.  | 0.6 | 48        |
| 4457 | Statistical methods in epidemiology. VI. Correlation and regression: the same or different?. <i>Disability and Rehabilitation</i> , 2000, 22, 813-819.   | 0.9 | 11        |
| 4458 | Correspondence: The Influence of Flow Cytometric Gating Strategy and Cell Preparation Procedures on CD34+ Cell Quantification. <i>Journal of Hematotherapy and Stem Cell Research</i> , 2000, 9, 11-12.                | 1.8 | 1         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4459 | Interobserver Reproducibility of the Halfway Grading System: A Scoring System for Assessment of Pelvic Organ Prolapse. <i>Journal of Gynecologic Surgery</i> , 2000, 16, 79-82.                      | 0.0 | 1         |
| 4460 | Cadmium Determination in Sedimented Dust by Atomic Emission Spectrometry With a New Radiofrequency Capacitively Coupled Plasma Source. <i>Analytical Letters</i> , 2000, 33, 323-335.                | 1.0 | 9         |
| 4461 | Oxygen Saturation Increases During Childhood and Decreases During Adulthood Among High Altitude Native Tibetans Residing at 3800-4200 m. <i>High Altitude Medicine and Biology</i> , 2000, 1, 25-32. | 0.5 | 38        |
| 4462 | The Subjective Index of Physical and Social Outcome (SIPSO): a new measure for use with stroke patients. <i>Clinical Rehabilitation</i> , 2000, 14, 288-299.   | 1.0 | 51        |
| 4463 | Comparison of Two Different Methods for Measurement of Phenylalanine in Dried Blood Spots. <i>Clinical Chemistry and Laboratory Medicine</i> , 2000, 38, 773-6.                                      | 1.4 | 10        |
| 4464 | The Southampton examination schedule for the diagnosis of musculoskeletal disorders of the upper limb. <i>Annals of the Rheumatic Diseases</i> , 2000, 59, 5-11.                                     | 0.5 | 122       |
| 4465 | Effects of Intravenous and Intracoronary Adenosine 5'-Triphosphate as Compared With Adenosine on Coronary Flow and Pressure Dynamics. <i>Circulation</i> , 2000, 101, 318-323.                       | 1.6 | 106       |
| 4466 | Magnetic Resonance-Based Assessment of Global Coronary Flow and Flow Reserve and Its Relation to Left Ventricular Functional Parameters. <i>Circulation</i> , 2000, 101, 2696-2702.                  | 1.6 | 141       |
| 4467 | Mechanical properties of the common carotid artery in Williams syndrome. <i>British Heart Journal</i> , 2000, 84, 290-293.   | 2.2 | 58        |
| 4468 | Optoelectronic Plethysmography in Intensive Care Patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000, 161, 1546-1552.   | 2.5 | 397       |
| 4469 | Oxygen uptake versus exercise intensity: a new concept in assessing cardiovascular exercise function in patients with congenital heart disease. <i>British Heart Journal</i> , 2000, 84, 46-52.      | 2.2 | 29        |
| 4470 | Coronary Vasodilator Capacity and Epicardial Vessel Remodeling in Physiological and Hypertensive Hypertrophy. <i>Hypertension</i> , 2000, 36, 343-349.   | 1.3 | 77        |
| 4471 | Quantitation of microcirculatory abnormalities in patients with primary Raynaud's phenomenon and systemic sclerosis by video capillaroscopy. <i>Rheumatology</i> , 2000, 39, 506-512.                | 0.9 | 79        |
| 4472 | Measurement of in vivo rectal mucosal cytokine and eicosanoid production in ulcerative colitis using filter paper. <i>Gut</i> , 2000, 46, 487-492.   | 6.1 | 88        |
| 4473 | Toxoplasma dye test using cell culture derived tachyzoites. <i>Journal of Clinical Pathology</i> , 2000, 53, 630-633.  | 1.0 | 17        |
| 4474 | In Vivo Magnetic Resonance Evaluation of Atherosclerotic Plaques in the Human Thoracic Aorta. <i>Circulation</i> , 2000, 101, 2503-2509.   | 1.6 | 316       |
| 4475 | Inter-rater reliability of the Frenchay Activities Index in patients with stroke and their carers. <i>Clinical Rehabilitation</i> , 2000, 14, 433-440.   | 1.0 | 67        |
| 4476 | Clinical and patho-anatomical factors affecting expansion of thoracic aortic aneurysms. <i>British Heart Journal</i> , 2000, 84, 277-283.  | 2.2 | 62        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4477 | Coronary Artery Flow Velocity Is Related To Lumen Area and Regional Left Ventricular Mass. <i>Circulation</i> , 2000, 102, 48-54.  | 1.6 | 101       |
| 4478 | Relation between right ventricular enlargement, QRS duration, and right ventricular function in patients with tetralogy of Fallot and pulmonary regurgitation after surgical repair. <i>British Heart Journal</i> , 2000, 84, 416-420.     | 2.2 | 135       |
| 4479 | The psychological impact of injury: effects of prior sport and exercise involvement. <i>British Journal of Sports Medicine</i> , 2000, 34, 436-439.  | 3.1 | 27        |
| 4480 | Correlation of Cerebral Oximetry Measurement with Carotid Artery Stump Pressures During Carotid Endarterectomy. <i>Vascular Surgery</i> , 2000, 34, 403-409.   | 0.3 | 12        |
| 4481 | Visual function thresholds in children. <i>Current Eye Research</i> , 2000, 21, 616-626.   | 0.7 | 4         |
| 4482 | Decimalization of the Oxford Clinical Cataract Classification and Grading System. <i>Ophthalmic Epidemiology</i> , 2000, 7, 49-60.   | 0.8 | 13        |
| 4483 | Validation of the Chinese SF-36 for quality of life assessment in patients with systemic lupus erythematosus. <i>Lupus</i> , 2000, 9, 708-712.   | 0.8 | 35        |
| 4484 | The Power-Velocity Integral at the Vena Contracta. <i>Circulation</i> , 2000, 102, 1053-1061.  | 1.6 | 43        |
| 4485 | Comparison of cardiac stroke volume measurement determined using stereological analysis of breath-hold cine MRI and phase contrast velocity mapping. <i>British Journal of Radiology</i> , 2000, 73, 825-832.                              | 1.0 | 20        |
| 4486 | Perceptual Characteristics of Adductor Spasmodic Dysphonia. <i>Annals of Otology, Rhinology and Laryngology</i> , 2000, 109, 741-748.  | 0.6 | 27        |
| 4487 | Effect of Losartan, a Type 1 Angiotensin II Receptor Antagonist, on Bronchial Hyperresponsiveness to Methacholine in Patients with Bronchial Asthma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000, 162, 40-44. | 2.5 | 43        |
| 4488 | Sociodemographic characteristics influencing birth outcome in Sweden, 1908-1930. Birth variables in The Population Study of Women in Gothenburg. <i>Journal of Epidemiology and Community Health</i> , 2000, 54, 269-278.                  | 2.0 | 15        |
| 4489 | Atrial Fibrillation After Coronary Artery Bypass Surgery. <i>Circulation</i> , 2000, 101, 1403-1408.   | 1.6 | 274       |
| 4490 | The reliability of the three-dimensional FASTRAK measurement system in measuring cervical spine and shoulder range of motion in healthy subjects. <i>British Journal of Rheumatology</i> , 2000, 39, 382-388.                              | 2.5 | 100       |
| 4491 | Evaluation of a New Simple and Rapid Enzyme-Linked Immunosorbent Assay Kit for Neopterin Determination. <i>Clinical Chemistry and Laboratory Medicine</i> , 2000, 38, 345-53.  | 1.4 | 26        |
| 4492 | Identification and monitoring of disordered water balance: Bioelectrical impedance analysis as an alternative to the target weight procedure. <i>International Journal of Mental Health Nursing</i> , 2000, 9, 177-183.                    | 5.0 | 2         |
| 4493 | Left atrial volume assessed by transthoracic three dimensional echocardiography and magnetic resonance imaging: dynamic changes during the heart cycle in children. <i>British Heart Journal</i> , 2000, 83, 537-542.                      | 2.2 | 74        |
| 4494 | A New Modular Chemiluminescence Immunoassay Analyser Evaluated. <i>Clinical Chemistry and Laboratory Medicine</i> , 2000, 38, 251-60.  | 1.4 | 25        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4495 | Development of the Vestibular Disorders Activities of Daily Living Scale. <i>JAMA Otolaryngology</i> , 2000, 126, 881.  | 1.5 | 115       |
| 4496 | Does adjustment of GFR to extracellular fluid volume improve the clinical utility of cystatin C?. <i>Archives of Disease in Childhood</i> , 2000, 82, 499-502.  | 1.0 | 14        |
| 4497 | Assessment of Coronary Arterial Restenosis With Phase-Contrast Magnetic Resonance Imaging Measurements of Coronary Flow Reserve. <i>Circulation</i> , 2000, 101, 2375-2381.                                 | 1.6 | 65        |
| 4498 | Whole body air displacement plethysmography compared with hydrodensitometry for body composition analysis. <i>Archives of Disease in Childhood</i> , 2000, 82, 159-164.                                     | 1.0 | 94        |
| 4499 | Feasibility and Reliability of Ankle/Arm Blood Pressure Index in Preventive Medicine. <i>Angiology</i> , 2000, 51, 463-471.   | 0.8 | 10        |
| 4500 | Randomised comparison of the effects of nicardipine and esmolol on coronary artery wall stress: implications for the risk of plaque rupture. <i>British Heart Journal</i> , 2000, 84, 377-382.              | 2.2 | 9         |
| 4501 | Evaluation of the Oxoid Aura image system for measuring zones of inhibition with the disc diffusion technique. <i>Journal of Antimicrobial Chemotherapy</i> , 2000, 46, 535-540.                            | 1.3 | 29        |
| 4502 | Evaluation of three methods to rate impairment in patients with complex regional pain syndrome I of one upper extremity. <i>Clinical Rehabilitation</i> , 2000, 14, 331-339.                                | 1.0 | 12        |
| 4503 | Pressure-Derived Fractional Flow Reserve to Assess Serial Epicardial Stenoses. <i>Circulation</i> , 2000, 101, 1840-1847.   | 1.6 | 241       |
| 4504 | Static versus Dynamic Distensibility of the Carotid Artery in Humans. <i>Journal of Vascular Research</i> , 2000, 37, 103-111.  | 0.6 | 28        |
| 4505 | Noninvasive Detection of Myocardial Ischemia From Perfusion Reserve Based on Cardiovascular Magnetic Resonance. <i>Circulation</i> , 2000, 101, 1379-1383.  | 1.6 | 539       |
| 4506 | Three-Dimensional Intravascular Ultrasound Assessment of Abdominal Aortic Aneurysm Necks. <i>Journal of Endovascular Therapy</i> , 2000, 7, 380-388.  | 0.8 | 12        |
| 4507 | Validation of a Chinese version of the Medical Outcomes Study Family and Marital Functioning Measures in patients with SLE. <i>Lupus</i> , 2000, 9, 702-707.  | 0.8 | 15        |
| 4508 | Prolonged left ventricular dysfunction occurs in patients with coronary artery disease after both dobutamine and exercise induced myocardial ischaemia. <i>British Heart Journal</i> , 2000, 83, 283-289.   | 2.2 | 30        |
| 4509 | Hyperventilation and asymptomatic chronic asthma. <i>Thorax</i> , 2000, 55, 1016-1022.  | 2.7 | 60        |
| 4510 | Comparison of the Abbott IMx <sup>®</sup> and a High-Performance Liquid Chromatography Method for Measuring Total Plasma Homocysteine. <i>Clinical Chemistry and Laboratory Medicine</i> , 2000, 38, 327-9. | 1.4 | 25        |
| 4511 | An Amplified ELISA Inhibition Method for the Measurement of Airborne Soybean Allergens. <i>International Archives of Allergy and Immunology</i> , 2000, 122, 42-48.   | 0.9 | 20        |
| 4512 | Comparison of Body Composition Analysis Methods in Clinical Routine. <i>Annals of Nutrition and Metabolism</i> , 2000, 44, 243-248.   | 1.0 | 71        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4513 | Noninvasive In Vivo Magnetic Resonance Imaging of Experimental Coronary Artery Lesions in a Porcine Model. <i>Circulation</i> , 2000, 101, 2956-2961.   | 1.6 | 102       |
| 4514 | Myocardial Strain by Doppler Echocardiography. <i>Circulation</i> , 2000, 102, 1158-1164.   | 1.6 | 1,025     |
| 4515 | Converting Enzyme Inhibition Normalizes QT Interval in Spontaneously Hypertensive Rats. <i>Hypertension</i> , 2000, 36, 350-354.  | 1.3 | 37        |
| 4516 | An Objective Analysis of the Pressure-Volume Curve in the Acute Respiratory Distress Syndrome. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000, 161, 432-439.                                    | 2.5 | 182       |
| 4517 | An experimental evaluation of the Spiegelberg intracranial pressure and intracranial compliance monitor. <i>Journal of Neurosurgery</i> , 2000, 93, 1072-1077.  | 0.9 | 37        |
| 4518 | Comparative Study of Home and Office Blood Pressure in Hypertensive Patients Treated with Enalapril/HCTZ 20/6 mg: The ESPADA Study. <i>Blood Pressure</i> , 2000, 9, 355-362.   | 0.7 | 7         |
| 4519 | Feasibility and validity of the RADAI, a self-administered rheumatoid arthritis disease activity index. <i>Rheumatology</i> , 2000, 39, 321-327.  | 0.9 | 146       |
| 4520 | Use of Saliva Specimens for Monitoring Indinavir Therapy in Human Immunodeficiency Virus-Infected Patients. <i>Antimicrobial Agents and Chemotherapy</i> , 2000, 44, 2572-2574.   | 1.4 | 16        |
| 4521 | Propidium Iodide Compares Favorably with Histology and Triphenyl Tetrazolium Chloride in the Assessment of Experimentally-induced Infarct Size. <i>Journal of Molecular and Cellular Cardiology</i> , 2000, 32, 225-232.  | 0.9 | 25        |
| 4522 | Body Composition and Health Status among Children and Adolescents. <i>Preventive Medicine</i> , 2000, 31, S34-S53.  | 1.6 | 41        |
| 4523 | Assessment of Physical Activity among Children and Adolescents: A Review and Synthesis. <i>Preventive Medicine</i> , 2000, 31, S54-S76.   | 1.6 | 341       |
| 4524 | Relation of changes over time in ventricular size and function to those in exercise capacity in patients with chronic heart failure. <i>American Heart Journal</i> , 2000, 139, 913-917.                                  | 1.2 | 18        |
| 4525 | Reproducibility of neointima quantification with motorized intravascular ultrasound pullback in stented coronary arteries. <i>American Heart Journal</i> , 2000, 139, 632-637.  | 1.2 | 18        |
| 4526 | Comparison of changes in manifest refraction and corneal power after photorefractive keratectomy. <i>American Journal of Ophthalmology</i> , 2000, 129, 68-75.  | 1.7 | 87        |
| 4527 | Refractive error study in children: sampling and measurement methods for a multi-country survey. <i>American Journal of Ophthalmology</i> , 2000, 129, 421-426.   | 1.7 | 275       |
| 4528 | A practical guide to the analysis of sirolimus using high-performance liquid chromatography with ultraviolet detection. <i>Clinical Therapeutics</i> , 2000, 22, B14-B24.   | 1.1 | 29        |
| 4529 | The quantification of sirolimus by high-performance liquid chromatography-tandem mass spectrometry and microparticle enzyme immunoassay in renal transplant recipients. <i>Clinical Therapeutics</i> , 2000, 22, B71-B85. | 1.1 | 52        |
| 4530 | Assessment of published reliability studies for cervical spine range-of-motion measurement tools. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2000, 23, 180-195.                                      | 0.4 | 93        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4531 | Frequency doubling technique in patients with ocular hypertension and glaucoma. <i>Ophthalmology</i> , 2000, 107, 288-294.  | 2.5 | 60        |
| 4532 | A comparison of alternative assessments of depressive symptom severity: a pilot study. <i>Psychiatry Research</i> , 2000, 95, 55-65.  | 1.7 | 14        |
| 4533 | A comparison of alternative assessments of depressive symptom severity: a pilot study. <i>Psychiatry Research</i> , 2000, 96, 269-279.  | 1.7 | 30        |
| 4534 | Orthogonal leads for the measurement of QT dispersion: a comparison with conventional leads. <i>International Journal of Cardiology</i> , 2000, 75, 245-248.  | 0.8 | 3         |
| 4535 | Validit  et reproductibilit  du rachim tre pour l tude de la mobilit  spino-pelvi-f morale dans le plan sagittal. <i>Annales De R adaptation Et De M decine Physique: Revue Scientifique De La Soci t  Fran aise De R ducation Fonctionnelle De R adaptation Et De M decine Physique</i> , 2000, 43, 116-124. | 0.8 | 3         |
| 4537 | Spurious metabolic acidosis in hemodialysis patients. <i>American Journal of Kidney Diseases</i> , 2000, 35, 1068-1071.   | 2.1 | 73        |
| 4538 | Intradialytic and interdialytic effects of treatment with 1.25 and 1.75 mmol/l of calcium dialysate on arterial compliance in patients on hemodialysis. <i>American Journal of Kidney Diseases</i> , 2000, 35, 1096-1103.   | 2.1 | 39        |
| 4539 | Precision of autokeratometry expressed as confidence ellipses in Euclidian 2-space. <i>Ophthalmic and Physiological Optics</i> , 2000, 20, 160-168.   | 1.0 | 4         |
| 4540 | Intra-observer repeatability and inter-observer agreement of the Smith method of measuring the anterior chamber depth. <i>Ophthalmic and Physiological Optics</i> , 2000, 20, 153-159.  | 1.0 | 4         |
| 4541 | Enamel demineralisation assessed by computerised image analysis of clinical photographs. <i>Journal of Dentistry</i> , 2000, 28, 319-326.   | 1.7 | 27        |
| 4542 | Ultrasonic measurement of enamel thickness: a tool for monitoring dental erosion?. <i>Journal of Dentistry</i> , 2000, 28, 187-191.   | 1.7 | 67        |
| 4543 | Comparison of Palmar Tilt, Radial Inclination and Ulnar Variance in Left and Right Wrists. <i>Journal of Hand Surgery</i> , 2000, 25, 431-433.  | 0.9 | 32        |
| 4544 | Continuous fiberoptic PCO2 monitoring indicates poorer gastric perfusion during supraceliac aortic clamping than conventional gastric tonometry in humans: A pilot study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2000, 14, 666-671.   | 0.6 | 5         |
| 4545 | Inter-laboratory comparison of flow  volume curve measurements as quality control procedure in the framework of an international epidemiological study (PEACE project). <i>Respiratory Medicine</i> , 2000, 94, 194-203.  | 1.3 | 11        |
| 4546 | Emphysematous lesions and lung function in healthy smokers 60 years of age. <i>Respiratory Medicine</i> , 2000, 94, 38-43.  | 1.3 | 45        |
| 4547 | Reproducibility of early and late asthmatic responses to allergen challenge in a large group of asthmatics. <i>Respiratory Medicine</i> , 2000, 94, 441-447.  | 1.3 | 14        |
| 4548 | Exercise-induced bronchoconstriction depends on exercise load. <i>Respiratory Medicine</i> , 2000, 94, 750-755.   | 1.3 | 129       |
| 4549 | Quantitative MRI volumetry of the entorhinal cortex in temporal lobe epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2000, 9, 208-215.  | 0.9 | 53        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4550 | Assessment of intracellular water by whole body bioelectrical impedance and total body potassium in HIV-positive patients. <i>Clinical Nutrition</i> , 2000, 19, 109-113.   | 2.3 | 29        |
| 4551 | Simplification of the method of assessing daily and nightly energy expenditure in children, using heart rate monitoring calibrated against open circuit indirect calorimetry. <i>Clinical Nutrition</i> , 2000, 19, 425-435.                  | 2.3 | 22        |
| 4552 | Median Nerve Latency Measurement Agreement Between Portable and Conventional Methods. <i>Journal of Hand Surgery</i> , 2000, 25, 73-77.   | 0.9 | 1         |
| 4553 | The Use of the Motion Analysis System for Evaluation of Loss of Movement in the Finger. <i>Journal of Hand Surgery</i> , 2000, 25, 195-199.   | 0.9 | 33        |
| 4554 | A Goniometric Glove for Clinical Hand Assessment. <i>Journal of Hand Surgery</i> , 2000, 25, 200-207.   | 0.9 | 68        |
| 4555 | MEDIAN NERVE LATENCY MEASUREMENT AGREEMENT BETWEEN PORTABLE AND CONVENTIONAL METHODS. <i>Journal of Hand Surgery</i> , 2000, 25, 73-77.   | 0.9 | 3         |
| 4556 | Accuracy of three-dimensional echocardiography with unrestricted selection of imaging planes for measurement of left ventricular volumes and ejection fraction. <i>American Heart Journal</i> , 2000, 140, 469-475.                           | 1.2 | 51        |
| 4557 | Evaluation of left ventricular volumes and ejection fraction with a nonfluoroscopic endoventricular three-dimensional mapping technique. <i>American Heart Journal</i> , 2000, 140, 596-602.  | 1.2 | 14        |
| 4558 | Interobserver test-retest reliability of the randot preschool stereoacuity test. <i>Journal of AAPOS</i> , 2000, 4, 354-358.  | 0.2 | 37        |
| 4559 | Effective therapy for severe Henoch-Schonlein purpura nephritis with prednisone and azathioprine: A clinical and histopathologic study. <i>Journal of Pediatrics</i> , 2000, 136, 370-375.  | 0.9 | 153       |
| 4560 | Psychometric properties of the Social Phobia Inventory (SPIN). <i>British Journal of Psychiatry</i> , 2000, 176, 379-386.   | 1.7 | 1,116     |
| 4561 | Analytic Validation of an Infrared Milk Urea Assay and Effects of Sample Acquisition Factors on Milk Urea Results. <i>Journal of Dairy Science</i> , 2000, 83, 435-442.   | 1.4 | 22        |
| 4562 | Comparison of keratometric values of healthy eyes measured by javal keratometer, nidek autokeratometer, and corneal analysis system (EyeSys). <i>International Contact Lens Clinic (New York, N) Tj ETQq0 001rgBT /Overlock 10</i>            |     |           |
| 4563 | The TromsÅ, Study:. <i>Journal of Clinical Epidemiology</i> , 2000, 53, 1104-1112.  | 2.4 | 36        |
| 4564 | Comparison of three blood pressure measurement methods for the evaluation of two antihypertensive drugs: feasibility, agreement, and reproducibility of blood pressure response. <i>American Journal of Hypertension</i> , 2000, 13, 632-639. | 1.0 | 55        |
| 4565 | Home blood pressure normalcy: The Didima study. <i>American Journal of Hypertension</i> , 2000, 13, 678-685.  | 1.0 | 45        |
| 4566 | Mesure de l'espace mort physiologique (VD/VT) chez des patients intubÃ©s en ventilation mÃ©canique: comparaison entre la chambre mixique et la calorimÃ©trie indirecte. <i>Reanimation Urgences</i> , 2000, 9, 109-114.                       | 0.1 | 0         |
| 4567 | Measuring blood pressure at the wrist. <i>Public Health</i> , 2000, 114, 165-168.   | 1.4 | 10        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4568 | Practicality and accuracy of prehospital rapid venous blood glucose determination. American Journal of Emergency Medicine, 2000, 18, 690-694.  | 0.7 | 11        |
| 4569 | Reproducibility of ambulatory blood pressure monitoring in hemodialysis patients. American Journal of Kidney Diseases, 2000, 36, 983-990.  | 2.1 | 98        |
| 4570 | Hand-grip muscle strength, lean body mass, and plasma proteins as markers of nutritional status in patients with chronic renal failure close to start of dialysis therapy. American Journal of Kidney Diseases, 2000, 36, 1213-1225.   | 2.1 | 241       |
| 4571 | Logarithmic extrapolation of a 15-minute postdialysis BUN to predict equilibrated BUN and calculate double-pool KT/V in the pediatric hemodialysis population. American Journal of Kidney Diseases, 2000, 36, 98-104.  | 2.1 | 34        |
| 4572 | Integrin and dystrophin associated adhesion protein complexes during regeneration of shearing-type muscle injury. Neuromuscular Disorders, 2000, 10, 121-132.  | 0.3 | 45        |
| 4573 | Validity and reliability of a kinematic protocol for determining foot contact events. Gait and Posture, 2000, 11, 32-37.   | 0.6 | 116       |
| 4574 | Is the placement of a pulmonary artery catheter still justified solely for the measurement of cardiac output?. Journal of Cardiothoracic and Vascular Anesthesia, 2000, 14, 119-124.   | 0.6 | 65        |
| 4575 | Beat-to-beat measurement of cardiac output by intravascular pulse contour analysis: A prospective criterion standard study in patients after cardiac surgery. Journal of Cardiothoracic and Vascular Anesthesia, 2000, 14, 125-129.  | 0.6 | 375       |
| 4576 | Three-dimensional reconstructions of normal and aneurysmatic left ventricles in vivo using transesophageal echocardiography. Journal of Cardiothoracic and Vascular Anesthesia, 2000, 14, 136-139.   | 0.6 | 1         |
| 4577 | Left ventricular function and mass after orthotopic heart transplantation: a comparison of cardiovascular magnetic resonance with echocardiography. Journal of Heart and Lung Transplantation, 2000, 19, 444-452.  | 0.3 | 65        |
| 4578 | Bone mineral status in adolescent girls: effects of eating disorders and exercise. Journal of Adolescent Health, 2000, 26, 322-329.  | 1.2 | 16        |
| 4579 | An evaluation of a new continuous blood pressure monitoring system in critically ill patients. Journal of Clinical Anesthesia, 2000, 12, 509-518.  | 0.7 | 28        |
| 4581 | Scotopic measurement of normal pupils: Colvard versus Video Vision Analyzer infrared pupillometer. Journal of Cataract and Refractive Surgery, 2000, 26, 859-866.  | 0.7 | 85        |
| 4582 | Agreement and repeatability of pupillometry using videokeratography and infrared devices. Journal of Cataract and Refractive Surgery, 2000, 26, 35-40.   | 0.7 | 49        |
| 4583 | Transit time flow measurement: experimental validation and comparison of three different systems. Annals of Thoracic Surgery, 2000, 70, 212-217.   | 0.7 | 73        |
| 4584 | Ascending aortic atheroma assessed intraoperatively by epiaortic and transesophageal echocardiography <sup>11</sup> The views expressed herein are those of the authors and do not necessarily reflect the views of the Department of the Army or the Department of Defense.. Annals of Thoracic Surgery, 2000, 70, 25-30. | 0.7 | 71        |
| 4585 | Resource utilization in coronary artery bypass operation: does surgical risk predict cost?. Annals of Thoracic Surgery, 2000, 69, 1092-1097.   | 0.7 | 35        |
| 4586 | Adjuvant physical therapy versus occupational therapy in patients with reflex sympathetic dystrophy/complex regional pain syndrome type I. Archives of Physical Medicine and Rehabilitation, 2000, 81, 49-56.  | 0.5 | 120       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4587 | Comparison of dual-energy X-ray absorptiometry to four other methods to determine body composition in underweight patients with chronic gastrointestinal disease. <i>Metabolism: Clinical and Experimental</i> , 2000, 49, 360-366. | 1.5 | 26        |
| 4588 | Racial differences in the structure and function of the stress urinary continence mechanism. <i>Obstetrics and Gynecology</i> , 2000, 95, 713-717.  | 1.2 | 112       |
| 4589 | Validity of ultrasound estimation of fetal weight. <i>Obstetrics and Gynecology</i> , 2000, 95, 856-860.  | 1.2 | 79        |
| 4590 | Ultrasonography for cervical length measurement: agreement between transvaginal and translabial techniques. <i>Obstetrics and Gynecology</i> , 2000, 96, 554-558.   | 1.2 | 33        |
| 4591 | Estimation of diaphragm length in patients with severe chronic obstructive pulmonary disease. <i>Respiration Physiology</i> , 2000, 123, 225-234.   | 2.8 | 23        |
| 4592 | Comparison of the determination of superoxide dismutase and antioxidant capacity in neurological patients using two different procedures. <i>Clinica Chimica Acta</i> , 2000, 301, 87-102.  | 0.5 | 15        |
| 4593 | Autoantibodies to IA-2 in insulin-dependent diabetes mellitus. <i>Clinica Chimica Acta</i> , 2000, 291, 53-66.  | 0.5 | 56        |
| 4594 | Discrepancy between Fibrinogen Concentrations Determined by Clotting Rate and Clottability Assays during the Acute-Phase Reaction. <i>Thrombosis Research</i> , 2000, 100, 397-403.   | 0.8 | 21        |
| 4595 | A New Sensitive Chromogenic Substrate Assay of Tissue Factor Pathway Inhibitor Type 1. <i>Thrombosis Research</i> , 2000, 97, 463-472.  | 0.8 | 30        |
| 4596 | Comparison between Routine Laboratory Prothrombin Time Measurements and Fingertick Determinations Using a Near-Patient Testing Device (Pro-TimeÅ®). <i>Thrombosis Research</i> , 2000, 97, 495-498.                                 | 0.8 | 14        |
| 4597 | Reliability of color Doppler ultrasound urodynamics in the evaluation of bladder outlet obstruction. <i>Urology</i> , 2000, 56, 967-971.  | 0.5 | 20        |
| 4598 | Normative values for female genital sensation. <i>Urology</i> , 2000, 56, 1035-1040.  | 0.5 | 91        |
| 4599 | Assessment of sperm characteristics post-thaw and response to calcium ionophore in relation to fertility in Swedish dairy AI bulls. <i>Theriogenology</i> , 2000, 53, 859-875.  | 0.9 | 81        |
| 4600 | Oral anticoagulation self-management and management by a specialist anticoagulation clinic: a randomised cross-over comparison. <i>Lancet, The</i> , 2000, 356, 97-102.   | 6.3 | 282       |
| 4601 | Contribution of central sensitisation to the development of noncardiac chest pain. <i>Lancet, The</i> , 2000, 356, 1154-1159.   | 6.3 | 324       |
| 4602 | Dual sugar permeability testing in diarrheal disease. <i>Journal of Pediatrics</i> , 2000, 136, 232-237.  | 0.9 | 25        |
| 4603 | Validation of the Coulter AcT Diff Hematology Analyzer for Analysis of Blood of Common Domestic Animals. <i>Veterinary Clinical Pathology</i> , 2000, 29, 132-136.  | 0.3 | 6         |
| 4604 | Effects of Acute Gastric Distention and Recovery on Tendency for Ventricular Arrhythmia in Dogs. <i>Journal of Veterinary Internal Medicine</i> , 2000, 14, 436-444.  | 0.6 | 16        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4605 | Fetal weight estimation by three-dimensional ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2000, 16, 445-452.   | 0.9 | 102       |
| 4606 | Enumeration of Absolute Cell Counts Using Immunophenotypic Techniques. <i>Current Protocols in Cytometry</i> , 2000, 13, Unit 6.8.   | 3.7 | 8         |
| 4607 | An Evaluation of the Methodology for the Assessment of Body Composition in Children and Adolescents. , 2000, 44, 1-13.   |     | 5         |
| 4608 | Comparison of Arm-to-Leg and Leg-to-Leg (Standing) Bioelectrical Impedance Analysis for the Estimation of Body Composition in 8- to 10-Year-Old Children. , 2000, 44, 14-24.   |     | 3         |
| 4609 | Rate of change in abdominal aortic aneurysm diameter after endovascular repair. <i>Journal of Vascular Surgery</i> , 2000, 32, 108-115.  | 0.6 | 75        |
| 4610 | Expansion rates and outcomes for iliac artery aneurysms. <i>Journal of Vascular Surgery</i> , 2000, 31, 114-121.   | 0.6 | 172       |
| 4611 | Pulsatile wall motion and blood pressure in aneurysms with open and thrombosed endoleaks—comparison of a wall track system and M-mode ultrasound scanning: An in vitro and animal study. <i>Journal of Vascular Surgery</i> , 2000, 32, 795-803. | 0.6 | 31        |
| 4612 | Spontaneous expression of mRNA for IL-10, GM-CSF, TGF- $\beta$ <sup>2</sup> , TNF- $\beta$ , and IL-6 in peripheral blood mononuclear cells from atopic dermatitis. <i>Annals of Allergy, Asthma and Immunology</i> , 2000, 84, 553-558.         | 0.5 | 32        |
| 4613 | Evaluation of five portable blood glucose meters for use in dogs. <i>Journal of the American Veterinary Medical Association</i> , 2000, 216, 203-209.  | 0.2 | 76        |
| 4614 | Reproducibility of the maximum accumulated oxygen deficit and run time to exhaustion during short-distance running. <i>Journal of Sports Sciences</i> , 2000, 18, 331-338.   | 1.0 | 25        |
| 4615 | Comparison of three commercial ultrasonic nebulizers. <i>Annals of Allergy, Asthma and Immunology</i> , 2000, 84, 255-261.   | 0.5 | 10        |
| 4616 | Measures of Reliability in Sports Medicine and Science. <i>Sports Medicine</i> , 2000, 30, 375-381.  | 3.1 | 64        |
| 4617 | Recent Developments for Optimal End-Points in Rheumatoid Arthritis Clinical Studies. <i>Disease Management and Health Outcomes</i> , 2000, 8, 87-97.   | 0.3 | 3         |
| 4618 | Noninvasive measurement of cerebral hemoglobin oxygen saturation using two near infrared spectroscopy approaches. <i>Journal of Biomedical Optics</i> , 2000, 5, 201.  | 1.4 | 91        |
| 4619 | Airway Wall Thickness in Asthma Assessed by Computed Tomography. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000, 162, 1518-1523.   | 2.5 | 353       |
| 4620 | Performance of Three Blood Glucose Meters. <i>Annals of Pharmacotherapy</i> , 2000, 34, 317-321.   | 0.9 | 63        |
| 4621 | Performance Evaluation of the MiniMed <sup>®</sup> Continuous Glucose Monitoring System During Patient Home Use. <i>Diabetes Technology and Therapeutics</i> , 2000, 2, 49-56.   | 2.4 | 268       |
| 4622 | Mass volume measurement in severe head injury: accuracy and feasibility of two pragmatic methods. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2000, 68, 14-17.  | 0.9 | 39        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4623 | Validity and Reproducibility of Echocardiographic Measurement of Left Ventricular Ejection Fraction by Acoustic Quantification with Tissue Harmonic Imaging Technique. <i>Journal of the American Society of Echocardiography</i> , 2000, 13, 300-305. | 1.2 | 34        |
| 4624 | The reliability of the American Knee Society Score. <i>Acta Orthopaedica</i> , 2000, 71, 603-608.  | 1.4 | 106       |
| 4625 | Intrinsic Stiffness of the Carotid Arterial Wall Material in Essential Hypertensives. <i>Hypertension</i> , 2000, 35, 1049-1054.   | 1.3 | 169       |
| 4626 | Comparison of global and local estimations of ultrasonic parameters at 20 MHz: in vivo normal skin. , 0, , .   |     | 0         |
| 4627 | Valuing Health-Related Quality of Life. <i>Pharmacoeconomics</i> , 2000, 17, 151-165.  | 1.7 | 177       |
| 4628 | Intra- and inter-individual variability in human sperm concentration, motility and vitality assessment during a workshop involving ten laboratories. <i>Human Reproduction</i> , 2000, 15, 2360-2368.  | 0.4 | 164       |
| 4629 | In vitro differentiation characteristics of human skin fibroblasts: correlations with radiotherapy-induced breast fibrosis in patients. <i>International Journal of Radiation Biology</i> , 2000, 76, 231-240.   | 1.0 | 20        |
| 4630 | Longitudinal changes in submaximal oxygen uptake in 11- to 13-year-olds. <i>Journal of Sports Sciences</i> , 2000, 18, 183-189.  | 1.0 | 25        |
| 4631 | Graduated Compression Elastic Stockings Reduce Lipodermatosclerosis and Ulcer Recurrence. <i>Phlebology</i> , 2000, 15, 33-37.   | 0.6 | 58        |
| 4632 | Inter-rater reliability of the Barthel ADL Index: how does a researcher compare to a nurse?. <i>Clinical Rehabilitation</i> , 2000, 14, 72-78.   | 1.0 | 50        |
| 4633 | Three-dimensional model-based stenosis quantification of the carotid arteries from contrast-enhanced MR angiography. , 0, , .  |     | 11        |
| 4634 | Relationships between volume and pressure measurements and stroke volume in critically ill patients. <i>Critical Care</i> , 2000, 4, 193.  | 2.5 | 72        |
| 4635 | Lack of agreement between tonometric and gastric juice partial carbon dioxide tension. <i>Critical Care</i> , 2000, 4, 249.  | 2.5 | 2         |
| 4637 | Understanding Observer Variation When Recording Stone Artifacts. <i>American Antiquity</i> , 2000, 65, 739-747.  | 0.6 | 42        |
| 4638 | Noninvasive Assessment of Inspiratory Muscle Function during Exercise. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000, 162, 2201-2207.   | 2.5 | 30        |
| 4639 | Statistical methods for the comparison of measurements derived from orthodontic imaging. <i>European Journal of Orthodontics</i> , 2000, 22, 257-269.  | 1.1 | 17        |
| 4640 | Development of physical selection procedures for the British Army. Phase 2: Relationship between physical performance tests and criterion tasks. <i>Ergonomics</i> , 2000, 43, 73-105.   | 1.1 | 100       |
| 4641 | Can Interstitial Glucose Assessment Replace Blood Glucose Measurements?. <i>Diabetes Technology and Therapeutics</i> , 2000, 2, 461-472.   | 2.4 | 175       |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 4642 | Assessment of Iron Absorption from Ferric Trimaltol. <i>Annals of Clinical Biochemistry</i> , 2000, 37, 457-466.   | 0.8  | 31        |
| 4643 | Comparison of Four Methods of Assessing Root Surface Debridement. <i>Journal of Periodontology</i> , 2000, 71, 385-393.  | 1.7  | 26        |
| 4644 | Thoracic epidural anesthesia via the modified Taylor approach in infants. <i>Regional Anesthesia and Pain Medicine</i> , 2000, 25, 561-565.  | 1.1  | 8         |
| 4645 | Mean Myocardial Velocity Mapping in Quantifying Regional Myocardial Contractile Reserve in Patients with Impaired Left Ventricular Systolic Function: Doppler Myocardial Imaging Study. <i>Journal of the American Society of Echocardiography</i> , 2000, 13, 96-107. | 1.2  | 5         |
| 4646 | Superiority of 3-dimensional versus 2-dimensional echocardiography for left ventricular volume assessment in small piglet hearts. <i>Journal of the American Society of Echocardiography</i> , 2000, 13, 918-923.  | 1.2  | 6         |
| 4647 | Contrast Harmonic Color Doppler Left Ventriculography: Machine-Interpreted Left Ventricular Ejection Fraction Compared with Equilibrium-Gated Radionuclide Ventriculography. <i>Journal of the American Society of Echocardiography</i> , 2000, 13, 368-378.           | 1.2  | 10        |
| 4648 | Precision Error of Fan-Beam Dual X-Ray Absorptiometry Scans at Spine, Hip, and Forearm. <i>Journal of Clinical Densitometry</i> , 2000, 3, 359-364.  | 0.5  | 49        |
| 4649 | A digital 3-dimensional method for computing great artery flows: In vitro validation studies. <i>Journal of the American Society of Echocardiography</i> , 2000, 13, 841-848.  | 1.2  | 22        |
| 4650 | The usefulness of a laser Doppler in the measurement of toe blood pressures. <i>Journal of Vascular Surgery</i> , 2000, 32, 1172-1179.   | 0.6  | 44        |
| 4653 | The effect of dietary supplements on the nPCR in stable hemodialysis patients. , 2000, 10, 69-75.  |      | 27        |
| 4654 | Comparison of ventricular volume and mass measurements from B- and C-scan images with the use of real-time 3-dimensional echocardiography: Studies in an in vitro model. <i>Journal of the American Society of Echocardiography</i> , 2000, 13, 910-917.               | 1.2  | 21        |
| 4655 | Myocardial longitudinal motion by tissue velocity imaging in the evaluation of patients with myocardial infarction. <i>Journal of the American Society of Echocardiography</i> , 2000, 13, 818-826.  | 1.2  | 41        |
| 4656 | Transesophageal Echocardiographic (TEE) Evaluation of the Aortic Valve, Left Ventricular Outflow Tract, and Pulmonic Valve. <i>Cardiology Clinics</i> , 2000, 18, 711-729.   | 0.9  | 17        |
| 4657 | Flow quantification in valvular heart disease based on the integral of backscattered acoustic power using Doppler ultrasound. <i>Proceedings of the IEEE</i> , 2000, 88, 307-330.  | 16.4 | 10        |
| 4658 | Thermal thresholds in complex regional pain syndrome type I: sensitivity and repeatability of the methods of limits and levels. <i>Clinical Neurophysiology</i> , 2000, 111, 1561-1568.  | 0.7  | 29        |
| 4659 | Prevalence of benign epileptiform variants and its implications in the management of epilepsy. <i>Clinical Neurophysiology</i> , 2000, 111, 561-562.   | 0.7  | 0         |
| 4660 | Postabsorptive plasma citrulline concentration is a marker of absorptive enterocyte mass and intestinal failure in humans. <i>Gastroenterology</i> , 2000, 119, 1496-1505.   | 0.6  | 437       |
| 4661 | Increasing prevalence of specific IgE to aeroallergens in an adult population: Two cross-sectional surveys 8 years apart. <i>Journal of Allergy and Clinical Immunology</i> , 2000, 106, 247-252.  | 1.5  | 188       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4662 | Interobserver Agreement in Duplex Scanning for Vein Grafts. <i>European Journal of Vascular and Endovascular Surgery</i> , 2000, 19, 504-508.  | 0.8 | 16        |
| 4663 | The Loughborough Intermittent Shuttle Test: A field test that simulates the activity pattern of soccer. <i>Journal of Sports Sciences</i> , 2000, 18, 97-104.  | 1.0 | 264       |
| 4664 | Cycle lumping or--sampling a witches' brew?. <i>Fertility and Sterility</i> , 2000, 73, 175-176.   | 0.5 | 3         |
| 4665 | Prospective evaluation of the ultrasound appearance of the endometrium in a cohort of 1,186 infertile women. <i>Fertility and Sterility</i> , 2000, 73, 106-113.   | 0.5 | 145       |
| 4666 | Brain atrophy in relapsing-remitting multiple sclerosis: relationship with "black holes"™, disease duration and clinical disability. <i>Journal of the Neurological Sciences</i> , 2000, 174, 85-91.   | 0.3 | 110       |
| 4667 | Sweat gland function as a measure of radiation change. <i>Radiotherapy and Oncology</i> , 2000, 54, 79-85.   | 0.3 | 11        |
| 4668 | Hepatic arterial blood flow velocities: assessment by transcutaneous and intravascular Doppler sonography. <i>Journal of Hepatology</i> , 2000, 32, 893-899.   | 1.8 | 29        |
| 4669 | Validation of real-time three-dimensional echocardiography for quantifying left ventricular volumes in the presence of a left ventricular aneurysm: in vitro and in vivo studies. <i>Journal of the American College of Cardiology</i> , 2000, 36, 900-907.              | 1.2 | 138       |
| 4670 | Prognostic value of pulmonary venous flow Doppler signal in left ventricular dysfunction. <i>Journal of the American College of Cardiology</i> , 2000, 36, 1295-1302.  | 1.2 | 87        |
| 4671 | Contrast-enhanced magnetic resonance imaging of myocardium at risk. <i>Journal of the American College of Cardiology</i> , 2000, 36, 1985-1991.  | 1.2 | 513       |
| 4672 | Noninvasive estimation of transmitral pressure drop across the normal mitral valve in humans: importance of convective and inertial forces during left ventricular filling. <i>Journal of the American College of Cardiology</i> , 2000, 36, 1942-1949.                  | 1.2 | 74        |
| 4673 | Hormone replacement therapy and distensibility of carotid arteries in postmenopausal women: a randomized, controlled trial. <i>Journal of the American College of Cardiology</i> , 2000, 36, 1789-1796.  | 1.2 | 42        |
| 4675 | Importance of imaging method over imaging modality in noninvasive determination of left ventricular volumes and ejection fraction. <i>Journal of the American College of Cardiology</i> , 2000, 35, 477-484.   | 1.2 | 252       |
| 4676 | Single-beat determination of preload recruitable stroke work relationship: derivation and evaluation in conscious dogs. <i>Journal of the American College of Cardiology</i> , 2000, 35, 502-513.  | 1.2 | 51        |
| 4677 | Assessment of five portable blood glucose meters for use in cats. <i>American Journal of Veterinary Research</i> , 2000, 61, 1587-1592.  | 0.3 | 65        |
| 4678 | Comparative study of ASCA (Anti-Saccharomyces cerevisiae antibody) assays in inflammatory bowel disease. <i>Gastroenterology</i> , 2001, 120, 827-833.   | 0.6 | 136       |
| 4679 | Comparison of cellular composition of induced sputum analyzed with Wright staining and immunocytochemistry. <i>Journal of Allergy and Clinical Immunology</i> , 2001, 108, 521-523.  | 1.5 | 11        |
| 4680 | Comparison of serum parathyroid hormone and ionized calcium and magnesium concentrations and fractional urinary clearance of calcium and phosphorus in healthy horses and horses with enterocolitis. <i>American Journal of Veterinary Research</i> , 2001, 62, 938-947. | 0.3 | 78        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4681 | A notational analysis of elite tennis strategy. <i>Journal of Sports Sciences</i> , 2001, 19, 107-115.  | 1.0 | 257       |
| 4682 | Measurement of Midfemoral Shaft Geometry: Repeatability and Accuracy Using Magnetic Resonance Imaging and Dual-Energy X-ray Absorptiometry. <i>Journal of Bone and Mineral Research</i> , 2001, 16, 2251-2259.  | 3.1 | 43        |
| 4683 | Determination of total menstrual blood loss. <i>Fertility and Sterility</i> , 2001, 76, 125-131.  | 0.5 | 145       |
| 4684 | Evaluation of the uterine cavity with magnetic resonance imaging, transvaginal sonography, hysterosonographic examination, and diagnostic hysteroscopy. <i>Fertility and Sterility</i> , 2001, 76, 350-357.   | 0.5 | 166       |
| 4685 | The postwash total progressively motile sperm cell count is a reliable predictor of total fertilization failure during in vitro fertilization treatment. <i>Fertility and Sterility</i> , 2001, 76, 884-891.  | 0.5 | 40        |
| 4686 | Endothelial function of the popliteal artery in patients with coronary artery disease. <i>Atherosclerosis</i> , 2001, 155, 187-193.   | 0.4 | 22        |
| 4687 | Regional myocardial systolic function during acute myocardial ischemia assessed by strain Doppler echocardiography. <i>Journal of the American College of Cardiology</i> , 2001, 37, 726-730.   | 1.2 | 239       |
| 4688 | Regional asynchrony during acute myocardial ischemia quantified by ultrasound strain rate imaging. <i>Journal of the American College of Cardiology</i> , 2001, 37, 1141-1148.  | 1.2 | 122       |
| 4689 | Beneficial effects of ramipril on left ventricular end-diastolic and end-systolic volume indexes after uncomplicated invasive revascularization are associated with a reduction in cardiac events in patients with moderately impaired left ventricular function and no clinical heart failure. <i>Journal of the American College of Cardiology</i> , 2001, 37, 1214-1220.   | 1.2 | 19        |
| 4690 | Effects of mental stress on coronary epicardial vasomotion and flow velocity in coronary artery disease: relationship with hemodynamic stress responses <sup>11</sup> The opinions and assertions expressed herein are those of the authors and should not be construed as reflecting those of the USUHS or the US Department of Defense. <i>Journal of the American College of Cardiology</i> , 2001, 37, 1359-1366. | 1.2 | 101       |
| 4691 | Accurate noninvasive estimation of pulmonary vascular resistance by Doppler echocardiography in patients with chronic heart failure. <i>Journal of the American College of Cardiology</i> , 2001, 37, 1813-1819.  | 1.2 | 100       |
| 4692 | The deceleration time of pulmonary venous diastolic flow is more accurate than the pulmonary artery occlusion pressure in predicting left atrial pressure. <i>Journal of the American College of Cardiology</i> , 2001, 37, 2025-2030.  | 1.2 | 40        |
| 4693 | Batista's operation: what have we learned?. <i>Journal of the American College of Cardiology</i> , 2001, 38, 286.   | 1.2 | 0         |
| 4694 | Rapid evaluation of left ventricular volume and mass without breath-holding using real-time interactive cardiac magnetic resonance imaging system. <i>Journal of the American College of Cardiology</i> , 2001, 38, 527-533.  | 1.2 | 73        |
| 4695 | Gender differences in wall shear stress-mediated brachial artery vasoconstriction and vasodilation. <i>Journal of the American College of Cardiology</i> , 2001, 38, 1668-1674.   | 1.2 | 97        |
| 4696 | Quantitation of functional mitral regurgitation during bicycle exercise in patients with heart failure. <i>Journal of the American College of Cardiology</i> , 2001, 38, 1685-1692.   | 1.2 | 135       |
| 4697 | Inflammation and atrophy in multiple sclerosis: MRI associations with disease course. <i>Journal of the Neurological Sciences</i> , 2001, 189, 99-104.  | 0.3 | 37        |
| 4698 | Kinematic and postural characteristics of sprint running on sloping surfaces. <i>Journal of Sports Sciences</i> , 2001, 19, 149-159.  | 1.0 | 66        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4699 | The Use of Three-Dimensional Ultrasound for Thyroid Volumetry. <i>Thyroid</i> , 2001, 11, 569-574.  | 2.4 | 68        |
| 4700 | Follow-up evaluation of endoluminally treated abdominal aortic aneurysms with duplex ultrasonography: Validation with computed tomography. <i>Journal of Vascular Surgery</i> , 2001, 33, 42-50.  | 0.6 | 120       |
| 4701 | INTRA-INDIVIDUAL VARIABILITY IN NIGHTTIME URINE PRODUCTION AND FUNCTIONAL BLADDER CAPACITY ESTIMATED BY HOME RECORDINGS IN PATIENTS WITH NOCTURNAL ENURESIS. <i>Journal of Urology</i> , 2001, 166, 2452-2455.  | 0.2 | 54        |
| 4702 | Interobserver variability in aortoiliac and femoropopliteal duplex scanning. <i>Journal of Vascular Surgery</i> , 2001, 33, 540-545.  | 0.6 | 43        |
| 4704 | Fetal transmission pulse oximetry: Is it accurate?. <i>American Journal of Obstetrics and Gynecology</i> , 2001, 185, 776.  | 0.7 | 2         |
| 4705 | Validation of myocardial blood flow estimation with nitrogen-13 ammonia PET by the argon inert gas technique in humans. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001, 28, 340-345.  | 2.2 | 13        |
| 4706 | Global and regional functional measurements with gated FDG PET in comparison with left ventriculography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001, 28, 221-229.   | 2.2 | 30        |
| 4707 | The Influence of Sensory Cues on the Perception of Exertion During Exercise and Central Regulation of Exercise Performance. <i>Sports Medicine</i> , 2001, 31, 935-952.   | 3.1 | 205       |
| 4708 | Automated Metabolic Gas Analysis Systems. <i>Sports Medicine</i> , 2001, 31, 841-861.   | 3.1 | 141       |
| 4709 | Method for the measurement of antioxidant activity in human fluids. <i>Journal of Clinical Pathology</i> , 2001, 54, 356-361.   | 1.0 | 1,261     |
| 4710 | Validation and Calibration of Mercury Intake through Self-Referred Fish Consumption in Riverine Populations in Pantanal Mato-grossense, Brazil. <i>Environmental Research</i> , 2001, 86, 88-93.  | 3.7 | 19        |
| 4711 | Rapid Assays for Detection of Anti-islet Autoantibodies: Implications for Organ Donor Screening. <i>Journal of Autoimmunity</i> , 2001, 16, 71-76.  | 3.0 | 14        |
| 4712 | Frequency doubling perimetry using a liquid crystal display. <i>American Journal of Ophthalmology</i> , 2001, 131, 332-338.   | 1.7 | 0         |
| 4713 | Computerized method of visual acuity testing: adaptation of the amblyopia treatment study visual acuity testing protocol   Additional technical information about the Electronic Visual Acuity Tester and the Amblyopia Treatment Study visual acuity testing protocol application can be obtained from the lead author (pmoke@jaeb.org).. <i>American Journal of Ophthalmology</i> , 2001, 132, 903-909. | 1.7 | 217       |
| 4714 | Correlation of peripheral venous pressure and central venous pressure in surgical patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2001, 15, 40-43.   | 0.6 | 90        |
| 4715 | Electric impedance for evaluation of body fluid balance in cardiac surgical patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2001, 15, 44-48.   | 0.6 | 38        |
| 4716 | Desflurane pharmacokinetics during cardiopulmonary bypass. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2001, 15, 179-182.  | 0.6 | 31        |
| 4717 | Assessment of intrathoracic blood volume as an indicator of cardiac preload: Single transpulmonary thermodilution technique versus assessment of pressure preload parameters derived from a pulmonary artery catheter. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2001, 15, 584-588.  | 0.6 | 130       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4718 | Advances in noninvasive cardiac output monitoring: An update. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2001, 15, 631-640.  | 0.6 | 32        |
| 4719 | Ethnic differences in anthropometry among adult Singaporean Chinese, Malays and Indians, and their effects on lung volumes. <i>Respiratory Medicine</i> , 2001, 95, 297-304.   | 1.3 | 27        |
| 4720 | Is continuous transcutaneous monitoring of P CO <sub>2</sub> (Tc P CO <sub>2</sub> ) over 8 h reliable in adults?. <i>Respiratory Medicine</i> , 2001, 95, 331-335.  | 1.3 | 77        |
| 4721 | How accurate are pulse oximeters in patients with acute exacerbations of chronic obstructive airways disease?. <i>Respiratory Medicine</i> , 2001, 95, 336-340.  | 1.3 | 78        |
| 4722 | Flextube reflectometry for localization of upper airway narrowing—a preliminary study in models and awake subjects. <i>Respiratory Medicine</i> , 2001, 95, 631-638.   | 1.3 | 16        |
| 4723 | The clinical utility of arterialized earlobe capillary blood in the assessment of patients for long-term oxygen therapy. <i>Respiratory Medicine</i> , 2001, 95, 655-660.  | 1.3 | 44        |
| 4724 | Screening of obstructive sleep apnoea: heart rate spectral analysis of nocturnal pulse oximetric recording. <i>Respiratory Medicine</i> , 2001, 95, 759-765.   | 1.3 | 25        |
| 4725 | Socket wear in bilateral simultaneous total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2001, 16, 117-120.  | 1.5 | 17        |
| 4726 | Surgical accuracy in Le Fort I maxillary osteotomies. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2001, 39, 96-102.   | 0.4 | 52        |
| 4727 | Assessment of body composition by bioelectrical impedance analysis without the need for measurement of height. <i>Clinical Nutrition</i> , 2001, 20, 21-26.  | 2.3 | 11        |
| 4728 | Total energy expenditure in stable patients with cystic fibrosis. <i>Clinical Nutrition</i> , 2001, 20, 235-241.   | 2.3 | 24        |
| 4729 | Body water compartment measurements: A comparison of bioelectrical impedance analysis with tritium and sodium bromide dilution techniques. <i>Clinical Nutrition</i> , 2001, 20, 339-343.  | 2.3 | 63        |
| 4730 | Effect of lateral versus supine wedged position on development of spinal blockade and hypotension. <i>International Journal of Obstetric Anesthesia</i> , 2001, 10, 182-188.   | 0.2 | 22        |
| 4731 | Estimation of pressure gradients by auscultation: An innovative and accurate physical examination technique. <i>American Heart Journal</i> , 2001, 141, 500-506.   | 1.2 | 9         |
| 4732 | A semiautomated objective technique for applying the proximal isovelocity surface area method to quantitate mitral regurgitation: Clinical studies with the digital flow map. <i>American Heart Journal</i> , 2001, 141, 653-660.                | 1.2 | 5         |
| 4733 | Evaluation and follow-up of patients with left ventricular apical to aortic conduits with 2D and 3D magnetic resonance imaging and Doppler echocardiography: A new look at an old operation. <i>American Heart Journal</i> , 2001, 141, 630-636. | 1.2 | 13        |
| 4734 | Tamoxifen is not detrimental to endothelial function in postmenopausal women with breast cancer. <i>American Heart Journal</i> , 2001, 142, 15A-19A.   | 1.2 | 7         |
| 4735 | Reliability, validity, and responsiveness of the six-minute walk test in patients with heart failure. <i>American Heart Journal</i> , 2001, 142, 698-703.  | 1.2 | 264       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4736 | Pharyngoesophageal Pressure Monitoring in Sleep Apnea Syndrome. <i>Otolaryngology - Head and Neck Surgery</i> , 2001, 125, 324-331.   | 1.1 | 24        |
| 4737 | Disproportionate alterations in body composition of large for gestational age neonates. <i>Journal of Pediatrics</i> , 2001, 138, 817-821.  | 0.9 | 51        |
| 4738 | The intra- and interrater reliability of the action research arm test: A practical test of upper extremity function in patients with stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2001, 82, 14-19. | 0.5 | 396       |
| 4739 | Biometric gonioscopy for measuring the anterior chamber angle. <i>Ophthalmology</i> , 2001, 108, 423-425.   | 2.5 | 1         |
| 4740 | Extending the Aberdeen Back Pain Scale to include the whole spine: a set of outcome measures for the neck, upper and lower back. <i>Pain</i> , 2001, 94, 261-274.   | 2.0 | 32        |
| 4741 | Burn depth and its histological measurement. <i>Burns</i> , 2001, 27, 154-160.  | 1.1 | 143       |
| 4742 | Arterial thermodilution: an alternative to pulmonary artery catheter for cardiac output assessment in burn patients. <i>Burns</i> , 2001, 27, 161-166.  | 1.1 | 61        |
| 4743 | Dermal cellular inflammation in burns. an insight into the function of dermal microvascular anatomy. <i>Burns</i> , 2001, 27, 433-438.  | 1.1 | 31        |
| 4744 | Bladder neck mobility in continent nulliparous women. <i>British Journal of Obstetrics and Gynaecology</i> , 2001, 108, 320-324.  | 0.9 | 63        |
| 4745 | Inadequate repeatability of the one-hour pad test: the need for a new incontinence outcome measure. <i>British Journal of Obstetrics and Gynaecology</i> , 2001, 108, 315-319.  | 0.9 | 36        |
| 4746 | Cardiovascular function in pregnancy: effects of posture. <i>British Journal of Obstetrics and Gynaecology</i> , 2001, 108, 344-352.  | 0.9 | 19        |
| 4747 | Anatomical and functional changes in the lower urinary tract during pregnancy. <i>British Journal of Obstetrics and Gynaecology</i> , 2001, 108, 726-732.   | 0.9 | 45        |
| 4748 | The reliability and validity of three dimensional ultrasound volumetric measurements using an in vitro balloon and in vivo uterine model. <i>British Journal of Obstetrics and Gynaecology</i> , 2001, 108, 573-582.    | 0.9 | 40        |
| 4749 | Evaluation of a clinical test. I: Assessment of reliability. <i>British Journal of Obstetrics and Gynaecology</i> , 2001, 108, 562-567.   | 0.9 | 83        |
| 4750 | Blood gases in pregnancy at sea level and at high altitude. <i>British Journal of Obstetrics and Gynaecology</i> , 2001, 108, 980-985.  | 0.9 | 35        |
| 4751 | Application of an exponential model to early postmortem bovine muscle pH decline. <i>Meat Science</i> , 2001, 58, 39-44.  | 2.7 | 22        |
| 4752 | Can interventional MRI provide an insight into the mechanics of a posteriorâ€“anterior mobilisation?. <i>Clinical Biomechanics</i> , 2001, 16, 926-929.   | 0.5 | 30        |
| 4753 | Application of a new simple method for estimating the amount of protein, fat, and carbohydrate in cooked foods consumed in one day. <i>Nutrition Research</i> , 2001, 21, 517-529.                                      | 1.3 | 1         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4754 | How echogenic is echogenic? Quantitative acoustics of the renal cortex. <i>American Journal of Kidney Diseases</i> , 2001, 37, 706-711.   | 2.1 | 64        |
| 4755 | Clinical grading of corneal staining of non-contact lens wearers. <i>Ophthalmic and Physiological Optics</i> , 2001, 21, 30-35.   | 1.0 | 56        |
| 4756 | Cyclosporin immunosuppression of sheep: pharmacokinetics and allograft survival. <i>Veterinary Immunology and Immunopathology</i> , 2001, 81, 23-36.  | 0.5 | 4         |
| 4757 | Comparison of spiral and electron beam tomography in the evaluation of coronary calcification in asymptomatic persons. <i>International Journal of Cardiology</i> , 2001, 77, 181-188.  | 0.8 | 59        |
| 4760 | Clinical and technical evaluation of a new self-monitoring blood glucose meter: assessment of analytical and user error. <i>Diabetes Research and Clinical Practice</i> , 2001, 53, 121-128.  | 1.1 | 13        |
| 4761 | Evaluation of a Citrate-Based Anticoagulant with Platelet Inhibitory Activity for Feline Blood Cell Counts. <i>Veterinary Clinical Pathology</i> , 2001, 30, 124-132.   | 0.3 | 35        |
| 4762 | Simplified Methods for Estimation of $^{99m}\text{Tc}$ -Pentetate and $^{131}\text{I}$ -Orthoiodohippurate Plasma Clearance in Dogs and Cats. <i>Journal of Veterinary Internal Medicine</i> , 2001, 15, 200-208.   | 0.6 | 23        |
| 4763 | Increased Platelet Aggregation Response in Cavalier King Charles Spaniels with Mitral Valve Prolapse. <i>Journal of Veterinary Internal Medicine</i> , 2001, 15, 209-216.   | 0.6 | 48        |
| 4764 | Heart rate and match analysis in pre-pubescent soccer players. <i>Journal of Sports Sciences</i> , 2001, 19, 379-384.   | 1.0 | 109       |
| 4765 | The ability of pulse oximetry to screen for hypoxemia and hypercapnia in patients breathing room air. <i>Journal of Emergency Medicine</i> , 2001, 20, 341-348.   | 0.3 | 14        |
| 4767 | Comparison of corneal thickness measurements using ultrasound and Orbscan slit-scanning topography in normal and post-LASIK eyes. <i>Journal of Cataract and Refractive Surgery</i> , 2001, 27, 1823-1828.  | 0.7 | 139       |
| 4768 | Standardisation of platelet counting accuracy in blood banks by reference to an automated immunoplatelet procedure: comparative evaluation of Cell-Dyn CD4000 impedance and optical platelet counts. <i>Transfusion and Apheresis Science</i> , 2001, 25, 93-106. | 0.5 | 15        |
| 4769 | Smoothed pseudo Wigner-Ville distribution as an alternative to Fourier transform in rats. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2001, 87, 258-267.  | 1.4 | 21        |
| 4770 | Spontaneous baroreflex sensitivity in children and young adults calculated in the time and frequency domain. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2001, 93, 71-78.   | 1.4 | 34        |
| 4771 | Postnatal development of blood pressure and baroreflex in mice. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2001, 94, 34-41.  | 1.4 | 53        |
| 4772 | Risk factors for lack of asthma self-management knowledge among ED patients not on inhaled steroids. <i>American Journal of Emergency Medicine</i> , 2001, 19, 253-259.   | 0.7 | 30        |
| 4773 | NPB-75: A portable quantitative microstream capnometer. <i>American Journal of Emergency Medicine</i> , 2001, 19, 208-210.  | 0.7 | 10        |
| 4774 | A comparison of quantitative computed tomography and dual x-ray absorptiometry for evaluation of bone mineral density in patients on chronic hemodialysis. <i>American Journal of Kidney Diseases</i> , 2001, 37, 1247-1252.                                      | 2.1 | 26        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4775 | Pelvic mobility when bending forward in standing position: Validity and reliability of 2 motion analysis devices. Archives of Physical Medicine and Rehabilitation, 2001, 82, 221-226.   | 0.5 | 21        |
| 4776 | Reliability of stationary dynamometer muscle strength testing in community-dwelling older adults. Archives of Physical Medicine and Rehabilitation, 2001, 82, 1128-1132.   | 0.5 | 60        |
| 4777 | Validity, reliability, and responsiveness of the fingertip-to-floor test. Archives of Physical Medicine and Rehabilitation, 2001, 82, 1566-1570.   | 0.5 | 212       |
| 4778 | Reproducibility of exercise tolerance in patients with end-stage renal disease. Archives of Physical Medicine and Rehabilitation, 2001, 82, 1421-1424.   | 0.5 | 23        |
| 4779 | Arterial blood gases during exercise: Validity of transcutaneous measurements. Archives of Physical Medicine and Rehabilitation, 2001, 82, 1686-1691.  | 0.5 | 13        |
| 4780 | Measurement of upper extremity volume in women after axillary dissection for breast cancer. Archives of Physical Medicine and Rehabilitation, 2001, 82, 1639-1644.   | 0.5 | 146       |
| 4781 | Levels of self-awareness after acute brain injury: How patients' and rehabilitation specialists' perceptions compare. Archives of Physical Medicine and Rehabilitation, 2001, 82, 49-56.   | 0.5 | 60        |
| 4782 | Validity and reliability comparison of 4 mobility measures in patients presenting with neurologic impairment. Archives of Physical Medicine and Rehabilitation, 2001, 82, 9-13.  | 0.5 | 330       |
| 4783 | Internal consistency, temporal stability, and reproducibility of individual index scores of the Test of Variables of Attention in children with attention-deficit/hyperactivity disorder. Archives of Clinical Neuropsychology, 2001, 16, 535-546. | 0.3 | 13        |
| 4784 | Psychometric properties of Aquarel. Journal of Clinical Epidemiology, 2001, 54, 157-165.   | 2.4 | 34        |
| 4785 | Establishing the minimal number of items for a responsive, valid, health-related quality of life instrument. Journal of Clinical Epidemiology, 2001, 54, 571-579.  | 2.4 | 57        |
| 4786 | Pulse pressure and aortic pulse wave are markers of cardiovascular risk in hypertensive populations. American Journal of Hypertension, 2001, 14, 91-97.  | 1.0 | 162       |
| 4787 | Rapid adjustment of antihypertensive drugs produces a durable improvement in blood pressure. American Journal of Hypertension, 2001, 14, 345-350.  | 1.0 | 15        |
| 4788 | Measurement variation of aortic pulse wave velocity in the elderly. American Journal of Hypertension, 2001, 14, 463-468.   | 1.0 | 72        |
| 4789 | Evaluation of white coat hypertension in children: importance of the definitions of normal ambulatory blood pressure and the severity of casual hypertension. American Journal of Hypertension, 2001, 14, 855-860.                                 | 1.0 | 152       |
| 4790 | Comparison of progesterone concentration determination by 12 non-isotopic immunoassays and gas chromatography/mass spectrometry in 99 human serum samples. Journal of Steroid Biochemistry and Molecular Biology, 2001, 78, 97-104.                | 1.2 | 21        |
| 4791 | A standardized method for the evaluation of respiratory muscle endurance in patients with Duchenne muscular dystrophy. Neuromuscular Disorders, 2001, 11, 171-177.   | 0.3 | 42        |
| 4792 | Myoglobin and creatine kinase isoenzyme MB mass assays: intermethod behaviour of patient sera and commercially available control materials. Clinica Chimica Acta, 2001, 303, 55-60.  | 0.5 | 18        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4793 | Antibodies to tissue transglutaminase: comparison of ELISA and immunoprecipitation assay in the presence and in the absence of calcium ions. <i>Clinica Chimica Acta</i> , 2001, 304, 75-84.  | 0.5 | 12        |
| 4794 | Determination of homovanillic acid in urine by stable isotope dilution and electrospray tandem mass spectrometry. <i>Clinica Chimica Acta</i> , 2001, 306, 35-41.   | 0.5 | 27        |
| 4795 | A new homogeneous enzyme immunoassay for thyroxine using glycogen phosphorylase b̂€thyroxine conjugates. <i>Clinica Chimica Acta</i> , 2001, 308, 99-106.   | 0.5 | 28        |
| 4796 | Factors affecting functional outcome after autologous skeletal myoblast transplantation. <i>Annals of Thoracic Surgery</i> , 2001, 71, 844-851.   | 0.7 | 166       |
| 4797 | Pelvic floor muscle contraction during a cough and decreased vesical neck mobility. <i>Obstetrics and Gynecology</i> , 2001, 97, 255-260.   | 1.2 | 77        |
| 4798 | Description and evaluation of a Newton-based electronic appetite rating system for temporal tracking of appetite in human subjects. <i>Physiology and Behavior</i> , 2001, 72, 615-619.   | 1.0 | 25        |
| 4799 | Determination of mycophenolate area under the curve by limited sampling strategy. <i>Transplantation Proceedings</i> , 2001, 33, 1052-1053.   | 0.3 | 44        |
| 4800 | As Compared To Kaolin Clotting Time, Silica Clotting Time Is a Specific and Sensitive Automated Method For Detecting Lupus Anticoagulant. <i>Thrombosis Research</i> , 2001, 101, 45-51.  | 0.8 | 23        |
| 4801 | One 24-hour frequency-volume chart in a woman with objective urinary motor urge incontinence is sufficient. <i>Urology</i> , 2001, 58, 188-192.   | 0.5 | 38        |
| 4802 | Noninvasive assessment of left ventricular isovolumic contraction and relaxation with continuous wave Doppler aortic regurgitant velocity signals: An in vivo validation study. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 715-722. | 1.2 | 4         |
| 4803 | Analysis of systolic and diastolic time intervals during dobutamine-atropine stress echocardiography: Diagnostic potential of the doppler myocardial performance index. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 978-986.         | 1.2 | 25        |
| 4804 | A REPRODUCIBLE PEDIATRIC DAYTIME URINARY INCONTINENCE QUESTIONNAIRE. <i>Journal of Urology</i> , 2001, 165, 569-573.  | 0.2 | 28        |
| 4806 | An assessment of tissue harmonic versus fundamental imaging modes for echocardiographic measurements. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 1191-1196.   | 1.2 | 12        |
| 4807 | Contrast-enhanced quantitation of left ventricular ejection fraction: What is the best method?. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 1183-1190.   | 1.2 | 15        |
| 4809 | Transfer function index of pulse volume recordings: A new method for vein graft surveillance. <i>Journal of Vascular Surgery</i> , 2001, 33, 546-553.   | 0.6 | 7         |
| 4810 | Interobserver and intraobserver reproducibility of peripheral blood and oxygen pressure measurements in the assessment of lower extremity arterial disease. <i>Journal of Vascular Surgery</i> , 2001, 33, 1033-1040.   | 0.6 | 88        |
| 4812 | Reproducibility of Volume-Adjusted Bone Mineral Density of Spine and Hip from Dual X-ray Absorptiometry. <i>Journal of Clinical Densitometry</i> , 2001, 4, 307-312.  | 0.5 | 9         |
| 4813 | Measurement of left ventricular volumes by 3-dimensional echocardiography with tissue harmonic imaging: A comparison with magnetic resonance imaging. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 169-179.                           | 1.2 | 34        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4814 | Effectiveness of Resistive Heating Compared With Passive Warming in Treating Hypothermia Associated With Minor Trauma: A Randomized Trial. <i>Mayo Clinic Proceedings</i> , 2001, 76, 369-375.  | 1.4 | 39        |
| 4816 | Use of peak Doppler gradient across ventricular septal defects leads to underestimation of right-sided pressures in patients with "reversed" Doppler signals. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 1197-1202.   | 1.2 | 9         |
| 4818 | Anatomic validation of a novel method for left ventricular volume and mass measurements with use of real-time 3-dimensional echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 1-10.  | 1.2 | 27        |
| 4819 | Tiempo de respuesta de un sistema de medicación de gasto cardíaco continuo por termodilución y saturación venosa mixta en una paciente con asistencia ventricular izquierda total. <i>Medicina Intensiva</i> , 2001, 25, 164-168.   | 0.4 | 1         |
| 4820 | Simple method for estimating regurgitant volume with use of a single radius for measuring proximal isovelocity surface area: an in vitro study of simulated mitral regurgitation. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 104-113.   | 1.2 | 6         |
| 4821 | Quantification of aortic regurgitation by real-time 3-dimensional echocardiography in a chronic animal model: Computation of aortic regurgitant volume as the difference between left and right ventricular stroke volumes. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 1112-1118. | 1.2 | 18        |
| 4823 | In vitro characterization of carotid plaque using a clinical ultrasound imaging system. , 0, , .  |     | 2         |
| 4824 | Calculation of mitral regurgitant orifice area with use of a simplified proximal convergence method: Initial clinical application. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 180-185.  | 1.2 | 57        |
| 4825 | Regional Bone Mass Measurement from Whole-Body Dual Energy X-Ray Absorptiometry Scan. <i>Journal of Clinical Densitometry</i> , 2001, 4, 131-136.   | 0.5 | 14        |
| 4826 | Ultrasound imaging facilitates localization of the epidural space during combined spinal and epidural anesthesia. <i>Regional Anesthesia and Pain Medicine</i> , 2001, 26, 64-67.   | 1.1 | 63        |
| 4827 | A Method for Noninvasive Determination of Inspiratory Resistance during Proportional Assist Ventilation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 163, 829-839.  | 2.5 | 110       |
| 4828 | Multistage hybrid active appearance model matching: segmentation of left and right ventricles in cardiac MR images. <i>IEEE Transactions on Medical Imaging</i> , 2001, 20, 415-423.  | 5.4 | 290       |
| 4829 | Quantitative Assessment of Severity of Ventricular Septal Defect by Three-Dimensional Reconstruction of Color Doppler-Imaged Vena Contracta and Flow Convergence Region. <i>Circulation</i> , 2001, 103, 664-669.   | 1.6 | 33        |
| 4830 | Arbutamine stimulation detects viable myocardium 4 weeks after coronary occlusion. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 138-148.  | 1.2 | 1         |
| 4831 | TRANSMISSION OF PENILE CUFF PRESSURE TO THE PENILE URETHRA. <i>Journal of Urology</i> , 2001, 166, 2545-2549.   | 0.2 | 16        |
| 4832 | Quantification of extracranial carotid artery stenosis by ultrafast three-dimensional ultrasound. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 1203-1211.   | 1.2 | 6         |
| 4833 | Real-time 3-dimensional echocardiographic evaluation of left ventricular volume: Correlation with magnetic resonance imaging—A validation study. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 1001-1009.  | 1.2 | 48        |
| 4834 | Association between myocardial right ventricular relaxation time and pulmonary arterial pressure in chronic obstructive lung disease: Analysis by pulsed Doppler tissue imaging. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 970-977.  | 1.2 | 97        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4835 | Coronary risk area measurement by intracardiac echocardiography and ultrasound contrast. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 706-711.   | 1.2 | 0         |
| 4836 | Endoscopic Doppler Ultrasound for Measurement of Azygos Blood Flow: Validation against Thermodilution and Assessment of Pharmacological Effects of Terlipressin in Portal Hypertension. <i>Scandinavian Journal of Gastroenterology</i> , 2001, 36, 318-325. | 0.6 | 13        |
| 4837 | Impedance cardiography for noninvasive assessment of systolic time intervals during exercise. <i>Research in Sports Medicine</i> , 2001, 10, 13-27.  | 0.0 | 12        |
| 4838 | Intra- and Interhospital Repeatability of Radionuclide Left Ventricular Ejection Fraction in Post-Infarction Patients. <i>Scandinavian Cardiovascular Journal</i> , 2001, 35, 35-39.   | 0.4 | 2         |
| 4839 | Muscle power patterns in the mid-acceleration phase of sprinting. <i>Journal of Sports Sciences</i> , 2001, 19, 263-272.   | 1.0 | 94        |
| 4840 | A new approach for noninvasive baroreflex sensitivity assessment: preliminary results. , 0, , .  |     | 0         |
| 4841 | Evaluation of the new ImmuliteTurbo cTnI assay and the original Immulite cTnI assay. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2001, 61, 593-601.   | 0.6 | 5         |
| 4842 | Shoulder and neck complaints in customer relations: individual risk factors and perceived exposures at work. <i>Ergonomics</i> , 2001, 44, 355-372.  | 1.1 | 47        |
| 4843 | Bedside Monitoring of Cerebral Blood Flow by Transcranial Thermo-Dye-Dilution Technique in Patients Suffering from Severe Traumatic Brain Injury or Subarachnoid Hemorrhage. <i>Journal of Neurotrauma</i> , 2001, 18, 595-605.                              | 1.7 | 13        |
| 4844 | The 15D instrument of health-related quality of life: properties and applications. <i>Annals of Medicine</i> , 2001, 33, 328-336.  | 1.5 | 946       |
| 4845 | A semi-automatic method for left ventricle volume estimate: an in vivo validation study. , 0, , .  |     | 0         |
| 4846 | Radiographic associations for "primary" hip osteoarthritis: A retrospective cohort study of 47 patients. <i>Acta Orthopaedica</i> , 2001, 72, 600-608.   | 1.4 | 9         |
| 4847 | Data recycling: A response to the changing technology from the statistical perspective with application to psychiatric sleep research. <i>Journal of Applied Statistics</i> , 2001, 28, 1029-1049.   | 0.6 | 1         |
| 4848 | A Temporal Validation of Scoring Algorithms for the 7-Day Physical Activity Recall. <i>Measurement in Physical Education and Exercise Science</i> , 2001, 5, 123-138.  | 1.3 | 11        |
| 4849 | How discriminatory is the objective structured clinical examination (OSCE) in the assessment of clinical competence of medical students?. <i>Journal of Obstetrics and Gynaecology</i> , 2001, 21, 223-227.  | 0.4 | 7         |
| 4850 | A New Method for Predicting Recovery After Stroke. <i>Stroke</i> , 2001, 32, 2867-2873.  | 1.0 | 169       |
| 4851 | Stability of psychometric questionnaires. <i>Journal of Sports Sciences</i> , 2001, 19, 273-278.   | 1.0 | 57        |
| 4852 | Validity and reliability of body composition assessed by the sulphur hexafluoride dilution method. <i>Journal of Sports Sciences</i> , 2001, 20, 663-670.  | 1.0 | 3         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4853 | Automated analysis of Doppler ultrasound velocity flow diagrams. IEEE Transactions on Medical Imaging, 2001, 20, 1422-1425.   | 5.4 | 36        |
| 4854 | Three-dimensional tracking of coronary arteries from biplane angiographic sequences using parametrically deformable models. IEEE Transactions on Medical Imaging, 2001, 20, 1341-1351.                                | 5.4 | 38        |
| 4855 | An Interactive Computer-Animated System (SpiroGame) Facilitates Spirometry in Preschool Children. American Journal of Respiratory and Critical Care Medicine, 2001, 164, 2200-2205.                                   | 2.5 | 101       |
| 4856 | DETERMINATION OF GLOMERULAR FILTRATION RATE PER UNIT RENAL VOLUME USING COMPUTERIZED TOMOGRAPHY:: CORRELATION WITH CONVENTIONAL MEASURES OF TOTAL AND DIVIDED RENAL FUNCTION. Journal of Urology, 2001, 165, 382-385. | 0.2 | 56        |
| 4857 | The validity of predicted body fat percentage from body mass index and from impedance in samples of five European populations. European Journal of Clinical Nutrition, 2001, 55, 973-979.                             | 1.3 | 173       |
| 4859 | Effect of contrast on systolic myocardial ultrasound color-Doppler velocity. , 0, , .   |     | 0         |
| 4860 | Characterization of the metabolic demands of simulated shipboard Royal Navy fire-fighting tasks. Ergonomics, 2001, 44, 766-780.   | 1.1 | 117       |
| 4861 | Flow-Cytometric Enumeration of CD34+ Cells: Comparison of a Conventional Lyse-and-Wash Method with Two Commercial Lyse-no-Wash Kits. Transfusion Medicine and Hemotherapy, 2001, 28, 326-334.                         | 0.7 | 0         |
| 4862 | Doppler echocardiography reliably predicts pulmonary artery wedge pressure in patients with chronic heart failure even when atrial fibrillation is present. European Journal of Heart Failure, 2001, 3, 173-181.      | 2.9 | 36        |
| 4863 | Tourniquets Cannot Identify Superficial Venous Reflux Nor Predict the Haemodynamic Outcome of Saphenous Vein Surgery. Phlebology, 2001, 16, 154-159.  | 0.6 | 0         |
| 4864 | Application criteria for infrared ear thermometers in pediatric surgery. Technology and Health Care, 2001, 9, 281-285.  | 0.5 | 7         |
| 4865 | Validity of estimating limb muscle volume by bioelectrical impedance. Journal of Applied Physiology, 2001, 91, 386-394.   | 1.2 | 131       |
| 4866 | Internal carotid artery stenosis: comparison of duplex scan and magnetic resonance angiography with digital subtraction angiography. Arquivos De Neuro-Psiquiatria, 2001, 59, 665-671.                                | 0.3 | 8         |
| 4867 | Extending fluorescent microsphere methods for regional organ blood flow to 13 simultaneous colors. American Journal of Physiology - Heart and Circulatory Physiology, 2001, 280, H2496-H2506.                         | 1.5 | 38        |
| 4868 | Body composition of anorexia nervosa patients assessed by underwater weighing and skinfold-thickness measurements before and after weight gain. American Journal of Clinical Nutrition, 2001, 73, 190-197.            | 2.2 | 52        |
| 4869 | Validity of inspiratory and expiratory methods of measuring gas exchange with a computerized system. Journal of Applied Physiology, 2001, 91, 218-224.  | 1.2 | 136       |
| 4870 | Effects of avertin versus xylazine-ketamine anesthesia on cardiac function in normal mice. American Journal of Physiology - Heart and Circulatory Physiology, 2001, 281, H1938-H1945.                                 | 1.5 | 99        |
| 4871 | Method Comparison in Cardiovascular Trials Using the Difference Plot Method. Cardiology, 2001, 1, 155-159.  | 0.3 | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4872 | A New Double Cuff Sphygmomanometer for Accurate Blood Pressure Measurement.. Hypertension Research, 2001, 24, 353-357.   | 1.5 | 12        |
| 4873 | Assessment of LV systolic function in atrial fibrillation using an index of preceding cardiac cycles. American Journal of Physiology - Heart and Circulatory Physiology, 2001, 281, H573-H580.                         | 1.5 | 37        |
| 4874 | New equations for estimating body cell mass from bioimpedance parallel models in healthy older Germans. American Journal of Physiology - Endocrinology and Metabolism, 2001, 281, E1005-E1014.                         | 1.8 | 35        |
| 4875 | Assessment of total body water from anthropometry-based equations using bioelectrical impedance as reference in Korean adult control and haemodialysis subjects. Nephrology Dialysis Transplantation, 2001, 16, 91-97. | 0.4 | 54        |
| 4876 | Pre and interdialytic acid-base balance in hemodialysis patients. International Journal of Artificial Organs, 2001, 24, 192-196.   | 0.7 | 16        |
| 4877 | Diurnal Variation of Hemodynamic Indices in Non-Dipper Hypertensive Patients.. Hypertension Research, 2001, 24, 195-201.   | 1.5 | 36        |
| 4878 | The Measurement of Total Body Potassium in Patients on Peritoneal Dialysis. Peritoneal Dialysis International, 2001, 21, 163-167.  | 1.1 | 11        |
| 4879 | Lower inflection point and recruitment with PEEP in ventilated patients with acute respiratory failure. Journal of Applied Physiology, 2001, 91, 441-450.  | 1.2 | 40        |
| 4880 | The Use of a Questionnaire and Simple Exercise Test in the Preoperative Assessment of Vascular Surgery Patients. Anaesthesia and Intensive Care, 2001, 29, 520-526.  | 0.2 | 17        |
| 4881 | Predictive equations for skeletal muscle mass. American Journal of Clinical Nutrition, 2001, 73, 993-994.  | 2.2 | 0         |
| 4882 | Tuning of pulmonary arterial circulation evidenced by MR phase mapping in healthy volunteers. Journal of Applied Physiology, 2001, 90, 469-474.  | 1.2 | 28        |
| 4883 | Reliability of isokinetic internal and external rotation of the shoulder in the scapular plane. Isokinetics and Exercise Science, 2001, 9, 65-72.  | 0.2 | 25        |
| 4884 | Comparison of total energy expenditure and energy intake in children aged 6-9 y. American Journal of Clinical Nutrition, 2001, 74, 643-649.  | 2.2 | 33        |
| 4885 | Effect of race and resistance training status on the density of fat-free mass and percent fat estimates. Journal of Applied Physiology, 2001, 91, 1259-1268.   | 1.2 | 17        |
| 4886 | Stable labeled microspheres to measure perfusion: validation of a neutron activation assay technique. American Journal of Physiology - Heart and Circulatory Physiology, 2001, 280, H108-H116.                         | 1.5 | 120       |
| 4887 | Validation and utility of novel volume reduction technique for determination of parallel conductance. American Journal of Physiology - Heart and Circulatory Physiology, 2001, 280, H475-H482.                         | 1.5 | 6         |
| 4888 | Hypertonic saline method accurately determines parallel conductance for dual-field conductance catheter. American Journal of Physiology - Heart and Circulatory Physiology, 2001, 281, H755-H763.                      | 1.5 | 106       |
| 4889 | Assessment of respiratory system mechanics by artificial neural networks: an exploratory study. Journal of Applied Physiology, 2001, 90, 1817-1824.  | 1.2 | 22        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 4890 | Transesophageal Dobutamine Stress Echocardiography With Tissue Doppler Imaging for Detection and Assessment of Coronary Artery Disease. <i>Journal of Investigative Medicine</i> , 2001, 49, 534-543.            | 0.7 | 7         |
| 4891 | Validity of two-component models for estimating body fat of black men. <i>Journal of Applied Physiology</i> , 2001, 90, 649-656.   | 1.2 | 24        |
| 4892 | Gender influence on jejunal migrating motor complex. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 280, G255-G263.  | 1.6 | 27        |
| 4893 | Time course of forearm arterial compliance changes during reactive hyperemia. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001, 281, H1093-H1103.                                 | 1.5 | 14        |
| 4894 | Beat-to-beat stroke volume estimation from aortic pressure waveform in conscious rats: comparison of models. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001, 281, H1148-H1155.  | 1.5 | 16        |
| 4895 | In vivo pressure-flow curve in unilateral rat lung ischemia-reperfusion injury. <i>Journal of Applied Physiology</i> , 2001, 90, 1865-1870.  | 1.2 | 3         |
| 4896 | Method for measuring long-term function of muscle-powered implants via radiotelemetry. <i>Journal of Applied Physiology</i> , 2001, 90, 1977-1985.   | 1.2 | 3         |
| 4897 | Comparison of OPS imaging and conventional capillary microscopy to study the human microcirculation. <i>Journal of Applied Physiology</i> , 2001, 91, 74-78.   | 1.2 | 205       |
| 4898 | Comparison of Three Methods to Estimate Plasma Bicarbonate in Critically Ill Patients: Henderson-Hasselbalch, Enzymatic, and Strong-Ion-Cap. <i>Anaesthesia and Intensive Care</i> , 2001, 29, 585-590.          | 0.2 | 15        |
| 4899 | Effects of Cisapride on Ventricular Depolarization-Repolarization and Arrhythmia Markers in Infants. <i>Neonatology</i> , 2001, 80, 30-34.   | 0.9 | 5         |
| 4900 | Comparison between the NASCET method and subjective visual impression in the evaluation of internal carotid artery stenosis. <i>Arquivos De Neuro-Psiquiatria</i> , 2001, 59, 672-675.                           | 0.3 | 5         |
| 4901 | How to Improve Total Error Modeling by Accounting for Error Sources Beyond Imprecision and Bias. <i>Clinical Chemistry</i> , 2001, 47, 1329-1330.  | 1.5 | 20        |
| 4903 | Determination of somatic cells in milk by solid phase cytometry. <i>Journal of Dairy Research</i> , 2001, 68, 9-14.  | 0.7 | 5         |
| 4904 | Evaluation of a model for total body protein mass based on dual-energy X-ray absorptiometry: comparison with a reference four-component model. <i>British Journal of Nutrition</i> , 2001, 86, 45-52.            | 1.2 | 25        |
| 4905 | Energy intake by multiple pass 24 h recall and total energy expenditure: a comparison in a representative sample of 3-4-year-olds. <i>British Journal of Nutrition</i> , 2001, 86, 601-605.                      | 1.2 | 46        |
| 4906 | A combination of statistical methods for the analysis of the relative validation data of the quantitative food frequency questionnaire used in the THUSA study. <i>Public Health Nutrition</i> , 2001, 4, 45-51. | 1.1 | 39        |
| 4907 | A culture-sensitive quantitative food frequency questionnaire used in an African population: 2. Relative validation by 7-day weighed records and biomarkers. <i>Public Health Nutrition</i> , 2001, 4, 63-71.    | 1.1 | 89        |
| 4908 | Agreement between a brief food frequency questionnaire and diet records using two statistical methods. <i>Public Health Nutrition</i> , 2001, 4, 255-264.  | 1.1 | 25        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4910 | Noninvasive Cardiac Output by Partial CO <sub>2</sub> Rebreathing after Severe Chest Trauma. <i>Journal of Trauma</i> , 2001, 51, 849-853.  | 2.3 | 37        |
| 4911 | Peak & OV0312; O <sub>2</sub> correction for fat-free mass estimated by anthropometry and DEXA. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 1968-1975.   | 0.2 | 8         |
| 4912 | Clinical Grading of the Upper Palpebral Conjunctiva of Non-Contact Lens Wearers. <i>Optometry and Vision Science</i> , 2001, 78, 13-18.   | 0.6 | 20        |
| 4913 | Body fat measurement among Singaporean Chinese, Malays and Indians: a comparative study using a four-compartment model and different two-compartment models. <i>British Journal of Nutrition</i> , 2001, 85, 491-498. | 1.2 | 74        |
| 4914 | Quantifying and separating the effects of macronutrient composition and non-macronutrients on energy density. <i>British Journal of Nutrition</i> , 2001, 86, 265-276.  | 1.2 | 40        |
| 4915 | The use of supermarket till receipts to determine the fat and energy intake in a UK population. <i>Public Health Nutrition</i> , 2001, 4, 1279-1286.  | 1.1 | 81        |
| 4916 | Validation of a quantitative food-frequency questionnaire for use in Western Mali. <i>Public Health Nutrition</i> , 2001, 4, 1267-1277.   | 1.1 | 47        |
| 4917 | Assessing Inspiratory Muscle Strength in Patients With Neurologic and Neuromuscular Diseases. <i>Chest</i> , 2001, 119, 1108-1113.  | 0.4 | 29        |
| 4918 | Noninvasive Monitoring of Carbon Dioxide During Mechanical Ventilation in Older Children: End-Tidal Versus Transcutaneous Techniques. <i>Anesthesia and Analgesia</i> , 2001, 92, 1427-1431.                          | 1.1 | 51        |
| 4919 | How Does the Plethysmogram Derived from the Pulse Oximeter Relate to Arterial Blood Pressure in Coronary Artery Bypass Graft Patients?. <i>Anesthesia and Analgesia</i> , 2001, 93, 1466-1471.                        | 1.1 | 50        |
| 4920 | Gastric intramucosal Pco <sub>2</sub> and pH variability in ventilated critically ill patients. <i>Critical Care Medicine</i> , 2001, 29, 88-95.  | 0.4 | 9         |
| 4921 | Plasma clearance of iodine contrast media as a measure of glomerular filtration rate in critically ill patients. <i>Critical Care Medicine</i> , 2001, 29, 1544-1550.   | 0.4 | 96        |
| 4922 | Accuracy of cardiac output estimation with multiplane transoesophageal echocardiography: comparison with thermodilution. <i>European Journal of Anaesthesiology</i> , 2001, 18, 16-17.                                | 0.7 | 0         |
| 4923 | Hepatitis C Virus RNA Assays. <i>Journal of Clinical Gastroenterology</i> , 2001, 33, 45-48.  | 1.1 | 3         |
| 4924 | Usefulness of home blood pressure measurements in assessing the effect of treatment in a single-blind placebo-controlled open trial. <i>Journal of Hypertension</i> , 2001, 19, 179-185.                              | 0.3 | 88        |
| 4925 | Non-invasive assessment of local arterial pulse pressure: comparison of applanation tonometry and echo-tracking. <i>Journal of Hypertension</i> , 2001, 19, 1037-1044.  | 0.3 | 323       |
| 4926 | Simultaneous heart rate-motion sensor technique to estimate energy expenditure. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 2118-2123.   | 0.2 | 81        |
| 4927 | Quantification of morphologic and hemodynamic severity of coarctation of the aorta by magnetic resonance imaging. <i>Cardiology in the Young</i> , 2001, 11, 512-520.   | 0.4 | 33        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4928 | Preclinical prediction of AD using neuropsychological tests. <i>Journal of the International Neuropsychological Society</i> , 2001, 7, 631-639.   | 1.2 | 448       |
| 4929 | Disagreement between bedside and laboratory activated partial thromboplastin time and international normalized ratio for various novel anticoagulants. <i>Blood Coagulation and Fibrinolysis</i> , 2001, 12, 583-591.   | 0.5 | 17        |
| 4930 | Estimation of end-expiratory lung volume variations by optoelectronic plethysmography. <i>Critical Care Medicine</i> , 2001, 29, 1807-1811.   | 0.4 | 45        |
| 4931 | Is coronary risk an accurate surrogate for cardiovascular risk for treatment decisions in mild hypertension? A population validation. <i>Journal of Hypertension</i> , 2001, 19, 691-696.   | 0.3 | 11        |
| 4932 | Ambulatory heart rate is underestimated when measured by an ambulatory blood pressure device. <i>Journal of Hypertension</i> , 2001, 19, 1301-1307.   | 0.3 | 2         |
| 4933 | FOVEAL ECTOPIA IN X-LINKED RETINOSCHISIS. <i>Retina</i> , 2001, 21, 361-366.  | 1.0 | 7         |
| 4934 | Limited Sampling Strategies for Estimating Cyclosporin Area Under the Concentration-Time Curve: Review of Current Algorithms. <i>Therapeutic Drug Monitoring</i> , 2001, 23, 100-114.   | 1.0 | 114       |
| 4935 | Validation of a new algorithm for the BPM-100 electronic oscillometric office blood pressure monitor. <i>Blood Pressure Monitoring</i> , 2001, 6, 161-165.  | 0.4 | 107       |
| 4936 | Effectiveness of Resistive Heating Compared With Passive Warming in Treating Hypothermia Associated With Minor Trauma: A Randomized Trial. <i>Mayo Clinic Proceedings</i> , 2001, 76, 369-375.  | 1.4 | 71        |
| 4937 | A Phase II Trial of Edatrexate, Vinblastine, Adriamycin, Cisplatin, and Filgrastim (EVAC/G-CSF) in Patients With Non-Small-Cell Carcinoma of the Lungs. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2001, 24, 551-555.                 | 0.6 | 18        |
| 4938 | Glabella Rhytids in Thyroid-Associated Orbitopathy. <i>Ophthalmic Plastic and Reconstructive Surgery</i> , 2001, 17, 91-95.   | 0.4 | 18        |
| 4939 | Assessment of Spinal Kinematics Using Open Interventional Magnetic Resonance Imaging. <i>Clinical Orthopaedics and Related Research</i> , 2001, 392, 341-348.   | 0.7 | 26        |
| 4940 | Accuracy and utility of a continuous intra-arterial blood gas monitoring system in pediatric patients. <i>Critical Care Medicine</i> , 2001, 29, 420-426.   | 0.4 | 34        |
| 4941 | Volumetric Quantification of Coronary Artery Calcifications Using Dual-Slice Spiral CT Scanner: Improved Reproducibility of Measurements with 180° Linear Interpolation Algorithm. <i>Journal of Computer Assisted Tomography</i> , 2001, 25, 278-286.            | 0.5 | 20        |
| 4942 | Radiologic Findings and Curve Progression 22 Years After Treatment for Adolescent Idiopathic Scoliosis. <i>Spine</i> , 2001, 26, 516-525.   | 1.0 | 151       |
| 4943 | Qualitative and quantitative clinical evaluation of the laser-assisted ratio analyser for detection of <i>Helicobacter pylori</i> infection by <sup>13</sup> C-urea breath tests. <i>European Journal of Gastroenterology and Hepatology</i> , 2001, 13, 807-810. | 0.8 | 19        |
| 4944 | Reproducibility of ambulatory blood pressure measurements in essential hypertension. <i>Blood Pressure Monitoring</i> , 2001, 6, 41-45.   | 0.4 | 40        |
| 4945 | Ultrasound Imaging Facilitates Localization of the Epidural Space During Combined Spinal and Epidural Anesthesia. <i>Regional Anesthesia and Pain Medicine</i> , 2001, 26, 64-67.   | 1.1 | 126       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4946 | Evaluation of the overall efficacy of the Omron office digital blood pressure HEM-907 monitor in adults. <i>Blood Pressure Monitoring</i> , 2001, 6, 107-110.   | 0.4 | 193       |
| 4947 | Mean cardiac output by thermodilution with a single controlled injection. <i>Critical Care Medicine</i> , 2001, 29, 1868-1873.  | 0.4 | 17        |
| 4948 | Reliable tidal volume estimates at the airway opening with an infant monitor during high-frequency oscillatory ventilation. <i>Critical Care Medicine</i> , 2001, 29, 1925-1930.  | 0.4 | 64        |
| 4949 | Dixon Quantitative Chemical Shift MRI for Bone Marrow Evaluation in the Lumbar Spine: A Reproducibility Study in Healthy Volunteers. <i>Journal of Computer Assisted Tomography</i> , 2001, 25, 691-697.  | 0.5 | 39        |
| 4950 | Estimating energy expenditure by heart-rate monitoring without individual calibration. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 939-945.  | 0.2 | 63        |
| 4951 | Rating of perceived exertion during high-intensity treadmill running. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 1953-1958.   | 0.2 | 40        |
| 4952 | Reliability of the Isokinetic Trunk Extensor Test, Biering-Sørensen Test, and Åstrand Bicycle Test. <i>Spine</i> , 2001, 26, 771-777.   | 1.0 | 130       |
| 4953 | Plasma Concentration of Topiramate Correlates With Cerebrospinal Fluid Concentration. <i>Therapeutic Drug Monitoring</i> , 2001, 23, 529-535.   | 1.0 | 34        |
| 4954 | Comparison of the oscillometric blood pressure monitor (BPM-100 Beta ) with the auscultatory mercury sphygmomanometer. <i>Blood Pressure Monitoring</i> , 2001, 6, 153-159.   | 0.4 | 75        |
| 4955 | Accuracy of delayed cultures of plugged telescoping catheter samples for diagnosing bacterial pneumonia. <i>Critical Care Medicine</i> , 2001, 29, 1311-1317.   | 0.4 | 17        |
| 4956 | Measurement of twitch transdiaphragmatic, esophageal, and endotracheal tube pressure with bilateral anterolateral magnetic phrenic nerve stimulation in patients in the intensive care unit. <i>Critical Care Medicine</i> , 2001, 29, 1325-1331. | 0.4 | 790       |
| 4957 | The effect of exercise modality on respiratory muscle performance in triathletes. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 2036-2043.   | 0.2 | 29        |
| 4958 | A Weighted Version of the Melbourne Low-Vision ADL Index: A Measure of Disability Impact. <i>Optometry and Vision Science</i> , 2001, 78, 565-579.  | 0.6 | 20        |
| 4959 | RENAL FUNCTION BEFORE AND LONG AFTER LIVER TRANSPLANTATION IN CHILDREN <sup>1</sup> . <i>Transplantation</i> , 2001, 72, 631-637.   | 0.5 | 64        |
| 4960 | Use of a New Myocardial Centroid for Measurement of Regional Myocardial Dysfunction by Electron Beam Computed Tomography. <i>Investigative Radiology</i> , 2001, 36, 193-203.   | 3.5 | 6         |
| 4961 | Reproducibility and cost of blood pressure self-measurement using the ÅLoaned Self-measurement Equipment ModelÅ™. <i>Blood Pressure Monitoring</i> , 2001, 6, 225-232.  | 0.4 | 6         |
| 4962 | Recirculation in Double Lumen Catheter Veno-Venous Extracorporeal Membrane Oxygenation Measured by an Ultrasound Dilution Technique. <i>ASAIO Journal</i> , 2001, 47, 372-376.  | 0.9 | 46        |
| 4963 | The Interoccasion Repeatability of Intraocular Pressure Measurement Using the Tono-Pen in a Sample of School-Aged Children. <i>Optometry and Vision Science</i> , 2001, 78, 580-583.  | 0.6 | 4         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4964 | Laboratory protocol for exercise asthma to evaluate salbutamol given by two devices. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 893-900.  | 0.2 | 56        |
| 4965 | A culture-sensitive quantitative food frequency questionnaire used in an African population: 1. Development and reproducibility. <i>Public Health Nutrition</i> , 2001, 4, 53-62.   | 1.1 | 90        |
| 4966 | Use of air displacement plethysmography for estimating body fat in a four-component model. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 1311-1317.  | 0.2 | 30        |
| 4967 | Pelvic Floor Muscle Contraction During a Cough and Decreased Vesical Neck Mobility. <i>Obstetrics and Gynecology</i> , 2001, 97, 255-260.   | 1.2 | 61        |
| 4968 | Comparison of indexed cardiac output measured with a noninvasive (NICO) technique vs. pulmonary artery catheter (PAC) in patients undergoing off-pump coronary artery bypass grafting. <i>European Journal of Anaesthesiology</i> , 2001, 18, 25. | 0.7 | 0         |
| 4969 | Non-invasive monitoring of pulmonary capillary wedge pressure in heart failure. <i>European Journal of Heart Failure</i> , 2001, 3, 41-46.  | 2.9 | 6         |
| 4970 | Feasibility and accuracy of transthoracic Doppler echocardiographic estimation of pulmonary capillary wedge pressure applying different methods. <i>European Journal of Heart Failure</i> , 2001, 3, 553-560.                                     | 2.9 | 8         |
| 4971 | Colombian Study to Assess the Use of Noninvasive Determination of Endothelium-Mediated Vasodilatation (CANDEV). Normal Values and Factors Associated. <i>Endothelium: Journal of Endothelial Cell Research</i> , 2001, 8, 157-166.                | 1.7 | 49        |
| 4972 | Prognostic value of simple measurement of chronic damage in renal biopsy specimens. <i>Nephrology Dialysis Transplantation</i> , 2001, 16, 1163-1169.   | 0.4 | 86        |
| 4973 | Early recovery of oxygen kinetics after submaximal exercise test predicts functional capacity in patients with chronic heart failure. <i>European Journal of Heart Failure</i> , 2001, 3, 685-692.  | 2.9 | 57        |
| 4974 | Flow measurements in dialysis shunts: lack of agreement between conventional Doppler, CVI, and ultrasound dilution. <i>Nephrology Dialysis Transplantation</i> , 2001, 16, 395-399.   | 0.4 | 27        |
| 4975 | Validation of an echocardiographic wall motion index in heart failure due to ischaemic heart disease. <i>European Journal of Heart Failure</i> , 2001, 3, 731-737.  | 2.9 | 10        |
| 4976 | COMPUTERIZED SEMEN ANALYSIS (CASA): EFFECT OF SEMEN CONCENTRATION AND CHAMBER DEPTH ON MEASUREMENTS. <i>Archives of Andrology</i> , 2001, 46, 37-42.  | 1.0 | 8         |
| 4977 | Effects of Dobutamine on Coronary Flow Velocity Response and Their Relations to Age.. <i>Tohoku Journal of Experimental Medicine</i> , 2001, 195, 171-179.  | 0.5 | 4         |
| 4978 | Estimating Pulmonary Capillary Wedge Pressures Using Doppler Variables of Early Diastolic Left Ventricular Inflow. <i>Japanese Circulation Journal</i> , 2001, 65, 33-39.   | 1.0 | 5         |
| 4979 | Point-of-Care Prothrombin Time Measurement for Professional and Patient Self-Testing Use. <i>American Journal of Clinical Pathology</i> , 2001, 115, 288-296.   | 0.4 | 39        |
| 4980 | A Validation Study on a Method to Estimate Nutrient Intake by Family Members through a Household-based Food-weighing Survey.. <i>Journal of Nutritional Science and Vitaminology</i> , 2001, 47, 222-227.   | 0.2 | 67        |
| 4981 | Comparison of Abbott AxSYM, Behring Opus Plus, DPC Immulite and Ortho-Clinical Diagnostics Vitros ECI for measurement of cardiac troponin I. <i>Annals of Clinical Biochemistry</i> , 2001, 38, 140-146.  | 0.8 | 14        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 4982 | Is Transperineal Ultrasonography of Cervical Length in Pregnant Women as Accurate as Endovaginal Ultrasonography? A Prospective, Blinded Comparison of Level of Agreement of Two Techniques. Journal of Obstetrics and Gynaecology Canada, 2001, 23, 592-596. | 0.1 | 1         |
| 4983 | The Effect of Postural Variations in Movement Co-Ordination during Plyometric Rebound Exercises. Journal of Applied Biomechanics, 2001, 17, 14-27.  | 0.3 | 2         |
| 4984 | Test-Retest Reproducibility of Submaximal and Maximal Cardiac Output by Doppler Echocardiography and CO <sub>2</sub> -Rebreathing in Prepubertal Children. Pediatric Exercise Science, 2001, 13, 214-224.   | 0.5 | 9         |
| 4985 | Increased QT dispersion in patients with Prinzmetal's variant angina and cardiac arrest. Cardiovascular Research, 2001, 50, 379-385.  | 1.8 | 30        |
| 4986 | Influence of aging on cardiac baroreflex sensitivity determined non-invasively by power spectral analysis. Clinical Science, 2001, 100, 267-274.  | 1.8 | 39        |
| 4987 | Comparison of two spatially resolved near-infrared photometers in the detection of tissue oxygen saturation: poor reliability at very low oxygen saturation. Clinical Science, 2001, 101, 715-718.  | 1.8 | 26        |
| 4988 | Comparison of resistance measured by the interrupter technique and by passive mechanics in sedated infants. European Respiratory Journal, 2001, 18, 330-334.  | 3.1 | 9         |
| 4989 | Evaluation of impulse oscillation system: comparison with forced oscillation technique and body plethysmography. European Respiratory Journal, 2001, 18, 564-570.   | 3.1 | 118       |
| 4990 | Exercise tolerance in children with cystic fibrosis undergoing lung transplantation assessment. European Respiratory Journal, 2001, 18, 293-297.  | 3.1 | 38        |
| 4991 | Influence of setting on unattended respiratory monitoring in the sleep apnoea/hypopnoea syndrome. European Respiratory Journal, 2001, 18, 530-534.  | 3.1 | 23        |
| 4992 | A new asthma severity index: a predictor of near-fatal asthma?. European Respiratory Journal, 2001, 18, 272-278.  | 3.1 | 19        |
| 4993 | How should airways resistance be measured in young children: mask or mouthpiece?. European Respiratory Journal, 2001, 17, 1244-1249.  | 3.1 | 25        |
| 4994 | Statistics for the European Respiratory Journal. European Respiratory Journal, 2001, 18, 393-401.   | 3.1 | 10        |
| 4995 | In vitro assessment of equipment and software to assess tidal breathing parameters in infants. European Respiratory Journal, 2001, 17, 100-107.   | 3.1 | 17        |
| 4996 | Effect of apparatus dead space on breathing parameters in newborns: "flow-through" versus conventional techniques. European Respiratory Journal, 2001, 17, 108-114.   | 3.1 | 37        |
| 4997 | Assessment of passive respiratory mechanics in infants: double versus single occlusion?. European Respiratory Journal, 2001, 17, 449-455.   | 3.1 | 14        |
| 4998 | Whistle mouth pressure as test of expiratory muscle strength. European Respiratory Journal, 2001, 17, 688-695.  | 3.1 | 23        |
| 4999 | Sleep fragmentation: comparison of two definitions of short arousals during sleep in OSAS patients. European Respiratory Journal, 2001, 17, 723-727.  | 3.1 | 30        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5000 | Urinary excretion reflects lung deposition of aminoglycoside aerosols in cystic fibrosis. <i>European Respiratory Journal</i> , 2001, 18, 316-322.   | 3.1 | 33        |
| 5001 | Performance of Nasal Prongs in Sleep Studies. <i>Chest</i> , 2001, 119, 442-450.   | 0.4 | 77        |
| 5002 | Indirect and Direct Gas Exchange at Maximum Exercise in Beryllium Sensitization and Disease. <i>Chest</i> , 2001, 120, 1702-1708.  | 0.4 | 12        |
| 5003 | Dynamic Lateral Patellar Tilt in the Anterior Cruciate Ligament-Deficient Knee. <i>American Journal of Sports Medicine</i> , 2001, 29, 593-599.  | 1.9 | 16        |
| 5004 | Tympanic thermometry in Nigerian children. <i>Annals of Tropical Paediatrics</i> , 2001, 21, 169-174.  | 1.0 | 7         |
| 5005 | Radiographic Abnormalities in the Thoracolumbar Spine of Young Elite Skiers. <i>American Journal of Sports Medicine</i> , 2001, 29, 446-449.   | 1.9 | 79        |
| 5006 | Spiral computed tomographic imaging related to computerized ultrasonographic images of carotid plaque morphology and histology.. <i>Journal of Ultrasound in Medicine</i> , 2001, 20, 451-458. | 0.8 | 26        |
| 5007 | Statistical Methods for Assessing Biomarkers. , 2002, 184, 081-109.  |     | 10        |
| 5008 | Are Aneroid Sphygmomanometers Accurate in Hospital and Clinic Settings?. <i>Archives of Internal Medicine</i> , 2001, 161, 729.  | 4.3 | 106       |
| 5009 | Reliability of the Melbourne Assessment of Unilateral Upper Limb Function. <i>Developmental Medicine and Child Neurology</i> , 2001, 43, 761.  | 1.1 | 192       |
| 5010 | Aortic pulse wave velocity as a marker of cardiovascular disease in subjects over 70 years old. <i>Journal of Hypertension</i> , 2001, 19, 871-877.  | 0.3 | 114       |
| 5011 | The spectrum of circadian blood pressure changes in type I diabetic patients. <i>Journal of Hypertension</i> , 2001, 19, 1421-1428.  | 0.3 | 52        |
| 5012 | Use of Saliva in Therapeutic Drug Monitoring of Caffeine in Preterm Infants. <i>Therapeutic Drug Monitoring</i> , 2001, 23, 250-254.   | 1.0 | 33        |
| 5013 | ORTHOGONAL POLARIZATION SPECTRAL IMAGING AS A TOOL FOR THE ASSESSMENT OF HEPATIC MICROCIRCULATION. <i>Transplantation</i> , 2001, 71, 1249-1256.   | 0.5 | 53        |
| 5014 | Comparison of Three Outcomes Instruments in Children. <i>Journal of Pediatric Orthopaedics</i> , 2001, 21, 425-432.  | 0.6 | 57        |
| 5015 | Visualisation and Measurement of Tracheal Diameter in the Sheep Fetus: An Ultrasound Study with Stereomicroscopic Correlation. <i>Fetal Diagnosis and Therapy</i> , 2001, 16, 342-345.         | 0.6 | 8         |
| 5016 | Bilirubin Measured on a Blood Gas Analyser: A Suitable Alternative for Near-Patient Assessment of Neonatal Jaundice?. <i>Annals of Clinical Biochemistry</i> , 2001, 38, 533-540.              | 0.8 | 17        |
| 5017 | Evaluation of plasma clearance of inulin in clinically normal and partially nephrectomized cats. <i>American Journal of Veterinary Research</i> , 2001, 62, 1332-1335.                         | 0.3 | 23        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5018 | Evaluation of accuracy and reliability of indirect calorimetry for the measurement of resting energy expenditure in healthy dogs. American Journal of Veterinary Research, 2001, 62, 1761-1767.         | 0.3 | 11        |
| 5019 | Use of plasma clearance of iohexol for estimating glomerular filtration rate in cats. American Journal of Veterinary Research, 2001, 62, 572-575.   | 0.3 | 45        |
| 5020 | Comparison of Carotid Arterial Resistive Indices With Intima-Media Thickness as Sonographic Markers of Atherosclerosis. Stroke, 2001, 32, 836-841.  | 1.0 | 95        |
| 5021 | Reply to WS Watson. American Journal of Clinical Nutrition, 2001, 73, 994.  | 2.2 | 0         |
| 5022 | Shape reconstruction of the left ventricle: accuracy of limited-plane three-dimensional echocardiography.. Journal of Ultrasound in Medicine, 2001, 20, 767-774.  | 0.8 | 1         |
| 5023 | Potassium-Based Dilutional Method to Measure Hemodialysis access Recirculation. International Journal of Artificial Organs, 2001, 24, 606-613.  | 0.7 | 7         |
| 5024 | Measuring Structural Changes in the Optic Nerve Head and Retinal Nerve Fibre Layer. European Journal of Ophthalmology, 2001, 11, 50-56.   | 0.7 | 4         |
| 5025 | A New Method for the Remote Collection of Nasal and Exhaled Nitric Oxide. Chest, 2001, 120, 1645-1650.  | 0.4 | 13        |
| 5026 | Exhaled Nitric Oxide Is Elevated in Patients With Progressive Systemic Sclerosis Without Interstitial Lung Disease. Chest, 2001, 119, 1449-1454.  | 0.4 | 36        |
| 5027 | Correlates of Peak Expiratory Flow Lability in Elderly Persons. Chest, 2001, 120, 1861-1868.  | 0.4 | 19        |
| 5028 | High Frame Rate Doppler Echocardiography in the Rat: an Evaluation of the Method. European Journal of Echocardiography, 2001, 2, 78-87.   | 2.3 | 25        |
| 5029 | Cardiac output measurements in congenital heart disease: validation of a simple, portable Doppler method.. Journal of Ultrasound in Medicine, 2001, 20, 365-370.  | 0.8 | 4         |
| 5030 | Title is missing!. Journal of Pediatric Orthopaedics, 2001, 21, 425-432.  | 0.6 | 65        |
| 5031 | Assessment of sequential same arm agreement of blood pressure measurements by a CVProfilorâ„¢ DOâ€“2020 versus a Baumanometerâ„¢ mercury sphygmomanometer. Blood Pressure Monitoring, 2001, 6, 149-152. | 0.4 | 11        |
| 5032 | Effect of Oral Postmenopausal Hormone Replacement on Progression of Atherosclerosis. Arteriosclerosis, Thrombosis, and Vascular Biology, 2001, 21, 262-268.   | 1.1 | 230       |
| 5033 | Accuracy of In Vivo Carotid B-Mode Ultrasound Compared With Pathological Analysis. Stroke, 2001, 32, 1520-1524.   | 1.0 | 46        |
| 5034 | Measurement of Vasomotor Reserve in the Transcranial Doppler-CO 2 Test Using an Ultrasound Contrast Agent (Levovist). Stroke, 2001, 32, 1298-1303.  | 1.0 | 6         |
| 5035 | Standardization of Bone Mineral Density at Femoral Neck, Trochanter and Ward's Triangle. Osteoporosis International, 2001, 12, 438-444.   | 1.3 | 200       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5036 | Comparison of Two Methods for Measuring Ultrasound Properties of the Heel in Postmenopausal Women. <i>Osteoporosis International</i> , 2001, 12, 500-505.   | 1.3 | 9         |
| 5037 | Prediction of Bone Strength in Growing Animals Using Noninvasive Bone Mass Measurements. <i>Calcified Tissue International</i> , 2001, 68, 230-234.   | 1.5 | 27        |
| 5038 | Three-Dimensional Echocardiographic Measurement of Left Ventricular Stroke Volume in Children: Comparison with Doppler Method. <i>Pediatric Cardiology</i> , 2001, 22, 116-120.   | 0.6 | 11        |
| 5039 | Assessment of ulnar variance: a radiological investigation in a Dutch population. <i>Skeletal Radiology</i> , 2001, 30, 633-638.  | 1.2 | 21        |
| 5040 | Elastic surface contour detection for the measurement of ejection fraction in myocardial perfusion SPET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001, 28, 48-55.                                 | 2.2 | 22        |
| 5041 | Assessment of left ventricular systolic and diastolic function based on the edge detection method with myocardial ECG-gated SPET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001, 28, 1512-1516.    | 3.3 | 26        |
| 5042 | Radiography of rheumatoid arthritis in the time of increasing drug effectiveness. <i>Current Rheumatology Reports</i> , 2001, 3, 46-52.   | 2.1 | 9         |
| 5043 | Health status of people with multiple sclerosis: a community mail survey. <i>Neurological Sciences</i> , 2001, 22, 307-315.   | 0.9 | 69        |
| 5044 | Detection of moderate hyperhomocysteinemia: Comparison of the Abbott fluorescence polarization immunoassay with the Bio-Rad and SBD-F high-performance liquid chromatographic assays. <i>Amino Acids</i> , 2001, 20, 435-440. | 1.2 | 13        |
| 5045 | Assessment of intracranial pressure volume relationships in childhood: the lumbar infusion test versus intracranial pressure monitoring. <i>Child's Nervous System</i> , 2001, 17, 382-390.                                   | 0.6 | 19        |
| 5046 | Hilfsmittel zur Labordiagnostik in der Intensivmedizin und Stellenwert der Point-of-care-Diagnostik. <i>Intensivmedizin Und Notfallmedizin</i> , 2001, 38, 12-18.   | 0.2 | 0         |
| 5047 | Repeatability of sites of sleep-induced upper airway obstruction. A 2-night study based on recordings of airway pressure and flow. <i>European Archives of Oto-Rhino-Laryngology</i> , 2001, 258, 259-264.                    | 0.8 | 25        |
| 5048 | Validation of PD Adequest 2.0 for pediatric dialysis patients. <i>Pediatric Nephrology</i> , 2001, 16, 205-211.   | 0.9 | 34        |
| 5049 | Measurement of urinary concentration: a critical appraisal of methodologies. <i>Pediatric Nephrology</i> , 2001, 16, 374-382.   | 0.9 | 152       |
| 5050 | Renal concentrating capacity test using desmopressin at bedtime. <i>Pediatric Nephrology</i> , 2001, 16, 439-442.   | 0.9 | 5         |
| 5051 | Importance of precise timing in the simplified 10-min 14 C-urea breath test procedure. <i>Journal of Gastroenterology</i> , 2001, 36, 187-189.  | 2.3 | 0         |
| 5052 | In Vitro validation of tissue doppler left ventricular regional wall velocities by using a novel balloon phantom. <i>Journal of Tongji Medical University</i> , 2001, 21, 337-340.  | 0.1 | 4         |
| 5053 | Accuracy and consistency of respiratory inductive plethysmography for overnight tidal volume measurement. <i>Journal of Tongji Medical University</i> , 2001, 21, 35-37.  | 0.1 | 3         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5054 | Usefulness of free-angle M-mode echocardiography in assessing left ventricular dimension and left ventricular systolic function. <i>Journal of Medical Ultrasonics</i> (2001), 2001, 28, 111-116.   | 0.6 | 0         |
| 5055 | Measurements of left ventricular dimensions using real-time acquisition in cardiac magnetic resonance imaging: comparison with conventional gradient echo imaging. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2001, 13, 101-108. | 1.1 | 24        |
| 5056 | Comparison insight dual X-ray absorptiometry (DXA), histomorphometry, ash weight, and morphometric indices for bone evaluation in an animal model (the orchidectomized rat) of male osteoporosis. <i>Calcified Tissue International</i> , 2001, 68, 31-37.    | 1.5 | 20        |
| 5059 | Continuous cardiac output measurements do not agree with conventional bolus thermodilution cardiac output determination. <i>Canadian Journal of Anaesthesia</i> , 2001, 48, 1143-1147.  | 0.7 | 28        |
| 5060 | Point of care and central laboratory determinations of the aPTT are not interchangeable in surgical intensive care patients. <i>Canadian Journal of Anaesthesia</i> , 2001, 48, 1155-1160.  | 0.7 | 43        |
| 5061 | Spatially resolved spectroscopy (NIRO-300) does not agree with jugular bulb oxygen saturation in patients undergoing warm bypass surgery. <i>Canadian Journal of Anaesthesia</i> , 2001, 48, 497-501.   | 0.7 | 43        |
| 5062 | A practical method to achieve prostate gland immobilization and target verification for daily treatment. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001, 51, 1431-1436.  | 0.4 | 98        |
| 5063 | Real-time three-dimensional color doppler echocardiography for characterizing the spatial velocity distribution and quantifying the peak flow rate in the left ventricular outflow tract. <i>Ultrasound in Medicine and Biology</i> , 2001, 27, 69-74.        | 0.7 | 52        |
| 5064 | Serial measurement of cross-sectional area in peripheral vein grafts using three-dimensional ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2001, 27, 61-68.   | 0.7 | 21        |
| 5065 | Patient motion compensation during transthoracic 3-D echocardiography. <i>Ultrasound in Medicine and Biology</i> , 2001, 27, 203-209.   | 0.7 | 8         |
| 5066 | Spatio-temporal mapping of intracardiac pressure gradients. A solution to Euler's equation from digital postprocessing of color Doppler M-mode echocardiograms. <i>Ultrasound in Medicine and Biology</i> , 2001, 27, 621-630.                                | 0.7 | 50        |
| 5067 | Noninvasive grading of the severity of portal hypertension in cirrhotic patients by echo-color-Doppler. <i>Ultrasound in Medicine and Biology</i> , 2001, 27, 901-907.  | 0.7 | 63        |
| 5068 | Automated edge-detection technique for measurement of brachial artery reactivity: a comparison of concordance with manual measurements. <i>Ultrasound in Medicine and Biology</i> , 2001, 27, 1285-1289.  | 0.7 | 15        |
| 5069 | Real-time spatial compound imaging improves reproducibility in the evaluation of atherosclerotic carotid plaques. <i>Ultrasound in Medicine and Biology</i> , 2001, 27, 1311-1317.  | 0.7 | 38        |
| 5070 | Does B-mode common carotid artery intima-media thickness differ from M-mode?. <i>Ultrasound in Medicine and Biology</i> , 2001, 27, 1333-1336.  | 0.7 | 24        |
| 5071 | The effect of pH change on the gastric emptying of liquids measured by electrical impedance tomography and pH-sensitive radiotelemetry capsule. <i>International Journal of Pharmaceutics</i> , 2001, 227, 167-175.   | 2.6 | 33        |
| 5072 | Comparison of carotid vessel wall area measurements using three different contrast-weighted black blood MR imaging techniques. <i>Magnetic Resonance Imaging</i> , 2001, 19, 795-802.   | 1.0 | 60        |
| 5073 | A comparison of videotape and audiotape assessment of patient-centredness in family physicians' consultations. <i>Patient Education and Counseling</i> , 2001, 45, 107-110.   | 1.0 | 16        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5074 | Properties of the 15D and EQ-5D utility measures in a community sample of people with epilepsy. <i>Epilepsy Research</i> , 2001, 44, 179-189.   | 0.8 | 54        |
| 5075 | Agreement between troponin T levels from plain and heparinized tubes. <i>EMA - Emergency Medicine Australasia</i> , 2001, 13, 451-455.  | 0.5 | 1         |
| 5076 | Point-of-care testing. <i>Anaesthesia</i> , 2001, 56, 760-763.  | 1.8 | 13        |
| 5077 | The Infantsâ€™ Dermatitis Quality of Life Index. <i>British Journal of Dermatology</i> , 2001, 144, 104-110.  | 1.4 | 315       |
| 5078 | Automated CD61 immunoplatelet analysis of thrombocytopenic samples. <i>British Journal of Haematology</i> , 2001, 112, 584-592.   | 1.2 | 41        |
| 5079 | Near-patient testing devices to monitor oral anticoagulant therapy. <i>British Journal of Haematology</i> , 2001, 113, 847-852.   | 1.2 | 41        |
| 5080 | Hormone replacement therapy and acquired resistance to activated protein C: results of a randomized, double-blind, placebo-controlled trial. <i>British Journal of Haematology</i> , 2001, 115, 415-420.                        | 1.2 | 80        |
| 5081 | Freezing of homogenized sputum samples for intermittent storage. <i>Clinical and Experimental Allergy</i> , 2001, 31, 1328-1331.  | 1.4 | 14        |
| 5082 | High serum folates and the simplification of red cell folate analysis. <i>International Journal of Laboratory Hematology</i> , 2001, 23, 15-20.   | 0.2 | 6         |
| 5083 | Sensitive LH and FSH assays for monitoring low serum levels in men undergoing steroidal contraception. <i>Clinical Endocrinology</i> , 2001, 55, 331-339.   | 1.2 | 18        |
| 5084 | TSH-receptor antibody measurement for differentiation of hyperthyroidism into Graves' disease and multinodular toxic goitre: a comparison of two competitive binding assays. <i>Clinical Endocrinology</i> , 2001, 55, 381-390. | 1.2 | 89        |
| 5085 | An ultrasensitive assay revealed age-related changes in serum oestradiol at low concentrations in both sexes from infancy to puberty. <i>Clinical Endocrinology</i> , 2001, 55, 789-795.  | 1.2 | 38        |
| 5086 | Reproducibility of contractile properties of the human paralysed and non-paralysed quadriceps muscle. <i>Clinical Physiology</i> , 2001, 21, 105-113.   | 0.7 | 22        |
| 5087 | Coronary flow reserve: measurement with transthoracic Doppler echocardiography is reproducible and comparable with positron emission tomography. <i>Clinical Physiology</i> , 2001, 21, 114-122.                                | 0.7 | 156       |
| 5088 | Factors influencing 133-xenon washout in a nose-sinus model. <i>Clinical Physiology</i> , 2001, 21, 246-252.  | 0.7 | 11        |
| 5089 | Day-to-day variation in oxygen consumption at submaximal loads during ergometer cycling by adolescents. <i>Clinical Physiology</i> , 2001, 21, 135-140.   | 0.7 | 16        |
| 5090 | Is oscillometric ankle pressure reliable in leg vascular disease?. <i>Clinical Physiology</i> , 2001, 21, 155-163.  | 0.7 | 18        |
| 5091 | A practical method to statistically classify devices according to their relative accuracy. <i>Clinical Physiology</i> , 2001, 21, 214-222.  | 0.7 | 3         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5092 | Long-term reproducibility of ambulatory blood pressure in unselected elderly subjects. <i>Clinical Physiology</i> , 2001, 21, 316-322.  | 0.7 | 18        |
| 5093 | The mode of left ventricular pumping: is there an outer contour change in addition to the atrioventricular plane displacement?. <i>Clinical Physiology</i> , 2001, 21, 437-446.                       | 0.7 | 34        |
| 5094 | Computerized analysing system using the active contour in ultrasound measurement of carotid artery intima-media thickness. <i>Clinical Physiology</i> , 2001, 21, 561-569.                            | 0.7 | 39        |
| 5095 | Comparison of airway conductance and FEV1 as measures of airway responsiveness to methacholine. <i>Clinical Physiology</i> , 2001, 21, 673-681.   | 0.7 | 10        |
| 5096 | Validation of grading scales for contact lens complications. <i>Ophthalmic and Physiological Optics</i> , 2001, 21, 17-29.  | 1.0 | 180       |
| 5097 | Clinical evaluation of the Shin-Nippon SRW-5000 autorefractor in children. <i>Ophthalmic and Physiological Optics</i> , 2001, 21, 87-100.   | 1.0 | 104       |
| 5098 | Clinical evaluation of the Shin-Nippon SRW-5000 autorefractor in adults. <i>Ophthalmic and Physiological Optics</i> , 2001, 21, 101-107.  | 1.0 | 145       |
| 5099 | Ocular blood flow tonometer reproducibility: the effect of operator experience and mode of application. <i>Ophthalmic and Physiological Optics</i> , 2001, 21, 401-406.                               | 1.0 | 16        |
| 5100 | The repeatability and accuracy of axial length and anterior chamber depth measurements from the IOLMaster™*. <i>Ophthalmic and Physiological Optics</i> , 2001, 21, 477-483.                          | 1.0 | 129       |
| 5101 | Diagnosis of eccentric fixation using a calibrated ophthalmoscope: defining clinically significant limits. <i>Ophthalmic and Physiological Optics</i> , 2001, 21, 461-469.                            | 1.0 | 8         |
| 5102 | Noninvasive transcutaneous determination of access blood flow rate. <i>Kidney International</i> , 2001, 60, 284-291.  | 2.6 | 33        |
| 5103 | Prediction of hypertension in chronic hemodialysis patients. <i>Kidney International</i> , 2001, 60, 1982-1989.   | 2.6 | 99        |
| 5104 | Anthropometry-based equations overestimate the urea distribution volume in hemodialysis patients. <i>Kidney International</i> , 2001, 59, 1165-1174.  | 2.6 | 33        |
| 5105 | Different Low Constant Flows Can Equally Determine the Lower Inflection Point in Acute Respiratory Distress Syndrome Patients. <i>Artificial Organs</i> , 2001, 25, 882-889.                          | 1.0 | 4         |
| 5106 | Comparison of Hippocampal Volumetry at 1.5 Tesla and at 3 Tesla. <i>Epilepsia</i> , 2001, 42, 1021-1024.  | 2.6 | 62        |
| 5107 | Simultaneous Validation of Ten Physical Activity Questionnaires in Older Men: A Doubly Labeled Water Study. <i>Journal of the American Geriatrics Society</i> , 2001, 49, 28-35.                      | 1.3 | 200       |
| 5108 | Counting of residual WBCs in WBC-reduced blood components: a multicenter evaluation of a microvolume fluorimeter by the United Kingdom National Blood Service. <i>Transfusion</i> , 2001, 41, 93-101. | 0.8 | 16        |
| 5109 | Evaluation of a CD61 MoAb method for enumeration of platelets in thrombocytopenic patients and its impact on the transfusion decision-making process. <i>Transfusion</i> , 2001, 41, 1212-1216.       | 0.8 | 17        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5110 | Umbilical cord blood lactate in normal infants: Comparison between two methods of measurement. <i>Journal of Paediatrics and Child Health</i> , 2001, 37, 24-27.   | 0.4 | 10        |
| 5111 | Accuracy and limitations of continuous oesophageal aortic blood flow measurement during general anaesthesia for children: comparison with transcutaneous echography-Doppler. <i>Paediatric Anaesthesia</i> , 2001, 11, 309-317.                  | 0.6 | 22        |
| 5112 | A comparison of ambulatory and conventional urodynamic studies in men with borderline outlet obstruction. <i>BJU International</i> , 2001, 83, 400-409.  | 1.3 | 33        |
| 5113 | Calculating the direct costs of urinary incontinence: a new test instrument. <i>BJU International</i> , 2001, 83, 596-606.   | 1.3 | 47        |
| 5114 | Discordant performance of assays for free and total prostate-specific antigen in relation to the early detection of prostate cancer. <i>BJU International</i> , 2001, 88, 545-550.   | 1.3 | 32        |
| 5115 | Iohexol as a marker of glomerular filtration rate in patients with diabetes: comparison of multiple and simplified sampling protocols. <i>Diabetic Medicine</i> , 2001, 18, 116-120.   | 1.2 | 18        |
| 5116 | Coronary heart disease risk assessment in diabetes mellitus--a comparison of PROCAM and Framingham risk assessment functions. <i>Diabetic Medicine</i> , 2001, 18, 355-359.  | 1.2 | 40        |
| 5117 | What is hypertension in diabetes? Ambulatory blood pressure in 137 normotensive and normoalbuminuric Type 1 diabetic patients. <i>Diabetic Medicine</i> , 2001, 18, 370-373.   | 1.2 | 15        |
| 5118 | TBI or not TBI: that is the question. Is it better to measure toe pressure than ankle pressure in diabetic patients?. <i>Diabetic Medicine</i> , 2001, 18, 528-532.  | 1.2 | 185       |
| 5119 | Variability of glomerular filtration rate estimation using single injection methods in Type 1 diabetic patients. <i>Diabetic Medicine</i> , 2001, 18, 464-468.   | 1.2 | 5         |
| 5120 | Assessment of blood pressure in patients with Type 2 diabetes: comparison between home blood pressure monitoring, clinic blood pressure measurement and 24-h ambulatory blood pressure monitoring. <i>Diabetic Medicine</i> , 2001, 18, 431-437. | 1.2 | 43        |
| 5121 | Non-diabetic relatives of Type 2 diabetic families: dietary intake contributes to the increased risk of diabetes. <i>Diabetic Medicine</i> , 2001, 18, 984-990.  | 1.2 | 21        |
| 5122 | Gastric emptying: the validity of the paracetamol absorption test adjusted for individual pharmacokinetics. <i>Neurogastroenterology and Motility</i> , 2001, 13, 179-185.   | 1.6 | 86        |
| 5123 | Cardiac Output In Mice Overexpressing beta2-Adrenoceptors Or With Myocardial Infarct. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2001, 28, 364-370.  | 0.9 | 12        |
| 5124 | Myocardial fibrosis assessment by semiquantitative, point-counting and computer-based methods in patients with heart muscle disease: a comparative study. <i>Histopathology</i> , 2001, 38, 338-343.   | 1.6 | 33        |
| 5125 | Scoring nuclear pleomorphism in breast cancer. <i>Histopathology</i> , 2001, 39, 259-265.  | 1.6 | 45        |
| 5126 | Denture satisfaction and clinical performance in a paediatric population. <i>International Journal of Paediatric Dentistry</i> , 2001, 10, 27-37.  | 1.0 | 12        |
| 5127 | The validation of a nursing nutritional assessment tool for use on acute elderly wards. <i>Journal of Human Nutrition and Dietetics</i> , 2001, 14, 137-148.   | 1.3 | 12        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5128 | Comparison of echocardiography and radionuclide ventriculography in the follow-up of left ventricular systolic function in adult lymphoma patients during doxorubicin therapy. <i>Journal of Internal Medicine</i> , 2001, 249, 297-303.                      | 2.7 | 29        |
| 5129 | The variability of the apnoea-hypopnoea index. <i>Journal of Sleep Research</i> , 2001, 10, 245-251.  | 1.7 | 138       |
| 5130 | Use of clinical judgement to guide administration of blood transfusions in Malawi. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2001, 95, 510-512.   | 0.7 | 22        |
| 5131 | Measurements of left ventricular dimensions using real-time acquisition in cardiac magnetic resonance imaging: comparison with conventional gradient echo imaging. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2001, 13, 101-108. | 1.1 | 8         |
| 5133 | OxiCarbo <sup>®</sup> , a single sensor for the non-invasive measurement of arterial oxygen saturation and CO <sub>2</sub> partial pressure at the ear lobe. <i>Sensors and Actuators B: Chemical</i> , 2001, 76, 527-530.                                    | 4.0 | 13        |
| 5134 | The effect of sieving on Der p 1 levels. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2001, 56, 1012-1013.   | 2.7 | 4         |
| 5135 | Exhaled nitric oxide in asthmatic and non-asthmatic children: Influence of type of allergen sensitization and exposure to tobacco smoke. <i>Pediatric Allergy and Immunology</i> , 2001, 12, 247-256.   | 1.1 | 47        |
| 5136 | Evaluation of two methods to calculate p <sub>50</sub> from a single blood sample. <i>Acta Anaesthesiologica Scandinavica</i> , 2001, 45, 550-552.  | 0.7 | 3         |
| 5137 | Lack of agreement between thermodilution and carbon dioxide-rebreathing cardiac output. <i>Acta Anaesthesiologica Scandinavica</i> , 2001, 45, 680-685.   | 0.7 | 78        |
| 5138 | Heart-lung interactions during positive pressure ventilation: left ventricular pressure-volume momentary response to airway pressure elevation. <i>Acta Anaesthesiologica Scandinavica</i> , 2001, 45, 702-709.   | 0.7 | 15        |
| 5139 | Ultrasound control for presumed difficult epidural puncture. <i>Acta Anaesthesiologica Scandinavica</i> , 2001, 45, 766-771.  | 0.7 | 199       |
| 5140 | Measuring patient satisfaction with anaesthesia: perioperative questionnaire versus standardised face-to-face interview. <i>Acta Anaesthesiologica Scandinavica</i> , 2001, 45, 65-72.  | 0.7 | 90        |
| 5141 | THIS ARTICLE HAS BEEN RETRACTED: Point-of-care (POC) testing of lactate in the intensive care patient. <i>Acta Anaesthesiologica Scandinavica</i> , 2001, 45, 194-199.  | 0.7 | 57        |
| 5142 | Cognitive correlates of supratentorial atrophy on MRI in multiple sclerosis. <i>Acta Neurologica Scandinavica</i> , 2001, 104, 214-223.   | 1.0 | 60        |
| 5143 | Outcome measures for research in adult women with symptoms of lower urinary tract dysfunction. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2001, 80, 981-985.   | 1.3 | 17        |
| 5144 | Biometric measurements of the eyes in teenagers and young adults with Down syndrome. <i>Acta Ophthalmologica</i> , 2001, 79, 616-625.   | 0.4 | 60        |
| 5145 | Meta-analyses in systematic reviews of randomized controlled trials in perinatal medicine: comparison of fixed and random effects models. <i>Statistics in Medicine</i> , 2001, 20, 3635-3647.  | 0.8 | 87        |
| 5146 | Imputation of missing values in the case of a multiple item instrument measuring alcohol consumption. <i>Statistics in Medicine</i> , 2001, 20, 2369-2381.  | 0.8 | 72        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5147 | Off-line exhaled nitric oxide measurements in children. <i>Pediatric Pulmonology</i> , 2001, 32, 159-167.   | 1.0 | 29        |
| 5148 | Reliability and responsiveness of the shuttle walking test in patients with chronic low back pain. <i>Physiotherapy Research International</i> , 2001, 6, 170-178.  | 0.7 | 31        |
| 5149 | Cervicocephalic kinaesthesia: reliability of a new test approach. <i>Physiotherapy Research International</i> , 2001, 6, 224-235.   | 0.7 | 69        |
| 5150 | Cine MRI using steady state free precession in the radial long axis orientation is a fast accurate method for obtaining volumetric data of the left ventricle. <i>Journal of Magnetic Resonance Imaging</i> , 2001, 14, 685-692.  | 1.9 | 101       |
| 5151 | Global myocardial blood flow and global flow reserve measurements by MRI and PET are comparable. <i>Journal of Magnetic Resonance Imaging</i> , 2001, 13, 361-366.  | 1.9 | 45        |
| 5152 | Feasibility of endocardial edge detection by using an inversion recovery artifact. <i>Journal of Magnetic Resonance Imaging</i> , 2001, 13, 461-466.  | 1.9 | 2         |
| 5153 | A fast FLAIR dual-echo technique for hippocampal T2 relaxometry: First experiences in patients with temporal lobe epilepsy. <i>Journal of Magnetic Resonance Imaging</i> , 2001, 13, 547-552.   | 1.9 | 32        |
| 5154 | Qualitative and quantitative analysis of regional left ventricular wall dynamics using real-time magnetic resonance imaging: Comparison with conventional breath-hold gradient echo acquisition in volunteers and patients. <i>Journal of Magnetic Resonance Imaging</i> , 2001, 14, 23-30. | 1.9 | 47        |
| 5155 | Magnetic resonance planimetry of the vena contracta as a new approach to assessment of stenotic heart valves: An in vitro study. <i>Journal of Magnetic Resonance Imaging</i> , 2001, 14, 31-34.  | 1.9 | 14        |
| 5156 | Steady-state free precession magnetic resonance imaging of the heart: Comparison with segmented k-space gradient-echo imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2001, 14, 230-236.  | 1.9 | 229       |
| 5157 | Multi-slice dynamic imaging: Complete functional cardiac MR examination within 15 seconds. <i>Journal of Magnetic Resonance Imaging</i> , 2001, 14, 300-305.  | 1.9 | 24        |
| 5158 | Magnetic resonance flow measurements in real time: Comparison with a standard gradient-echo technique. <i>Journal of Magnetic Resonance Imaging</i> , 2001, 14, 306-310.  | 1.9 | 23        |
| 5159 | Functional cardiac MR imaging with steady-state free precession (SSFP) significantly improves endocardial border delineation without contrast agents. <i>Journal of Magnetic Resonance Imaging</i> , 2001, 14, 362-367.   | 1.9 | 205       |
| 5160 | In vivo monitoring of microvessels in skin flaps: Introduction of a novel technique. <i>Microsurgery</i> , 2001, 21, 317-324.   | 0.6 | 52        |
| 5161 | Reliability in multi-site psychiatric studies. <i>International Journal of Methods in Psychiatric Research</i> , 2001, 10, 29-42.   | 1.1 | 7         |
| 5162 | Rapid measurement of aortic wave velocity: In vivo evaluation. <i>Magnetic Resonance in Medicine</i> , 2001, 46, 95-102.  | 1.9 | 25        |
| 5163 | Dual contrast TrueFISP imaging for left ventricular segmentation. <i>Magnetic Resonance in Medicine</i> , 2001, 46, 939-945.  | 1.9 | 14        |
| 5164 | Contractile properties of adjacent segments of single human muscle fibers. <i>Muscle and Nerve</i> , 2001, 24, 1319-1326.   | 1.0 | 4         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5165 | Reproducibility of intravascular ultrasound and intracoronary Doppler measurements. <i>Catheterization and Cardiovascular Interventions</i> , 2001, 53, 449-458.   | 0.7 | 18        |
| 5166 | Survival patterns of cancer patients. <i>Cancer</i> , 2001, 91, 2469-2475.   | 2.0 | 18        |
| 5167 | Urinary calcium excretion in the monitoring of bone metastases from prostatic carcinoma. <i>Cancer</i> , 2001, 92, 1468-1474.  | 2.0 | 16        |
| 5168 | An ultra-short perineal pad-test for evaluation of female stress urinary incontinence treatment. <i>Neurourology and Urodynamics</i> , 2001, 20, 277-285.  | 0.8 | 20        |
| 5169 | Enumeration of CD34+ cells in cord blood: A variation on a single-platform flow cytometric method based on the ISHAGE gating strategy. <i>Cytometry</i> , 2001, 46, 254-261.   | 1.8 | 72        |
| 5170 | Simultaneous determination of total plasma glutathione, homocysteine, cysteinylglycine, and methionine by high-performance liquid chromatography with electrochemical detection. <i>Journal of Clinical Laboratory Analysis</i> , 2001, 15, 144-153. | 0.9 | 65        |
| 5171 | Homogenous enzyme immunoassay for cyclosporine in whole blood using the EMIT <sup>®</sup> 2000 cyclosporine specific assay with the COBAS MIRA-plus analyzer. <i>Journal of Clinical Laboratory Analysis</i> , 2001, 15, 319-323.                    | 0.9 | 6         |
| 5172 | On the societal value of health care: what do we know about the person trade-off technique?. <i>Health Economics (United Kingdom)</i> , 2001, 10, 233-243.   | 0.8 | 31        |
| 5173 | In vivo surface strain and stereology of the frontal and maxillary bones of sheep: Implications for the structural design of the mammalian skull. <i>The Anatomical Record</i> , 2001, 264, 325-338.   | 2.3 | 37        |
| 5174 | Test-retest reliability of an icon/calendar-based questionnaire used to assess occupational history. <i>American Journal of Industrial Medicine</i> , 2001, 40, 512-522.   | 1.0 | 23        |
| 5175 | e-NO peak versus e-NO plateau values in evaluating e-NO production in steroid-naïve and in steroid-treated asthmatic children and in detecting response to inhaled steroid treatment. <i>Pediatric Pulmonology</i> , 2001, 31, 37-43.                | 1.0 | 4         |
| 5176 | Influence of jacket placement on respiratory compliance during raised lung volume measurements in infants. <i>Pediatric Pulmonology</i> , 2001, 31, 51-58.   | 1.0 | 10        |
| 5177 | Assessing the body composition of 6-17-year-old black and white girls in field studies. <i>American Journal of Human Biology</i> , 2001, 13, 249-254.  | 0.8 | 32        |
| 5178 | Quantitative analysis of vascular morphology from 3D MR angiograms: In vitro and in vivo results. <i>Magnetic Resonance in Medicine</i> , 2001, 45, 311-322.   | 1.9 | 65        |
| 5179 | Validity of duplex ultrasound as a diagnostic modality for internal carotid artery disease. <i>Catheterization and Cardiovascular Interventions</i> , 2001, 52, 9-15.  | 0.7 | 20        |
| 5180 | Prognostic factors for radiographic damage in early rheumatoid arthritis: A multiparameter prospective study. <i>Arthritis and Rheumatism</i> , 2001, 44, 1736-1743.   | 6.7 | 239       |
| 5181 | Ankylosing spondylitis assessment group preliminary definition of short-term improvement in ankylosing spondylitis. <i>Arthritis and Rheumatism</i> , 2001, 44, 1876-1886.   | 6.7 | 561       |
| 5182 | Evaluation of the structure-modifying effects of diacerein in hip osteoarthritis: ECHODIAH, a three-year, placebo-controlled trial. <i>Arthritis and Rheumatism</i> , 2001, 44, 2539-2547.   | 6.7 | 292       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5183 | Therapeutic drug monitoring of antiepileptics by capillary electrophoresis. <i>Journal of Chromatography A</i> , 2001, 924, 429-437.  | 1.8 | 39        |
| 5184 | Predicting systolic and diastolic aortic blood pressure and stroke volume in the intact sheep. <i>Journal of Biomechanics</i> , 2001, 34, 41-50.  | 0.9 | 39        |
| 5185 | Improved accuracy and reliability of sweepback angle, pitch angle and hand velocity calculations in swimming. <i>Journal of Biomechanics</i> , 2001, 34, 31-39.   | 0.9 | 28        |
| 5186 | A new noninvasive method for evaluation of coronary endothelial function in hypertensive patients based on change in diameter of the left main coronary artery induced by cold pressor test using echocardiography. <i>Clinical Cardiology</i> , 2001, 24, 291-296. | 0.7 | 10        |
| 5187 | DDQ-15 Health-Related Quality of Life Instrument for Patients with Digestive Disorders. <i>Health Services and Outcomes Research Methodology</i> , 2001, 2, 137-156.  | 0.8 | 5         |
| 5188 | Inaccuracies Inherent in Patient-Specific Dual-Energy X-Ray Absorptiometry Bone Mineral Density Measurements: Comprehensive Phantom-Based Evaluation. <i>Journal of Bone and Mineral Research</i> , 2001, 16, 417-426.  | 3.1 | 99        |
| 5189 | Reproducibility of two coronary calcium quantification algorithms in patients with different degrees of calcification. <i>International Journal of Cardiovascular Imaging</i> , 2001, 17, 133-142.  | 0.2 | 15        |
| 5190 | Antibody testing against canine coronavirus by immunoperoxidase plaque staining. <i>Veterinary Research Communications</i> , 2001, 25, 327-336.   | 0.6 | 3         |
| 5191 | Assessment of external anal sphincter morphology in idiopathic fecal incontinence with endocoil magnetic resonance imaging. <i>Digestive Diseases and Sciences</i> , 2001, 46, 1466-1471.   | 1.1 | 44        |
| 5192 | Comparison of immunoperoxidase plaque staining and neutralizing tests for canine distemper virus. <i>Veterinary Research Communications</i> , 2001, 25, 311-325.  | 0.6 | 10        |
| 5193 | Cardiac gated breath-hold black blood MRI of the coronary artery wall: an in vivo and ex vivo comparison. <i>International Journal of Cardiovascular Imaging</i> , 2001, 17, 195-201.   | 0.2 | 11        |
| 5194 | Standardisation of temperature observed by automatic weather stations. <i>Environmental Monitoring and Assessment</i> , 2001, 68, 127-136.  | 1.3 | 16        |
| 5195 | Clinical validation of an automated boundary tracking algorithm on cardiac MR images. <i>International Journal of Cardiovascular Imaging</i> , 2001, 17, 279-286.   | 0.2 | 14        |
| 5196 | Relationship between the heparin management test and the HemoTec activated clotting time in patients undergoing percutaneous coronary intervention. <i>Journal of Thrombosis and Thrombolysis</i> , 2001, 11, 217-221.  | 1.0 | 3         |
| 5197 | Volume coronary angiography using targeted scans (VCATS): a new strategy in MR coronary angiography. <i>International Journal of Cardiovascular Imaging</i> , 2001, 17, 405-410.  | 0.2 | 11        |
| 5198 | A novel realistic three-layer phantom for intravascular ultrasound imaging. <i>International Journal of Cardiovascular Imaging</i> , 2001, 17, 371-381.   | 0.2 | 17        |
| 5199 | Can parents rate their child's health-related quality of life? Results of a systematic review. , 2001, 10, 347-357.   |     | 970       |
| 5200 | Evaluation of a clinical test. I: Assessment of reliability. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2001, 108, 562-567.  | 1.1 | 40        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5201 | Compartmental Analysis of Breathing in the Supine and Prone Positions by Optoelectronic Plethysmography. <i>Annals of Biomedical Engineering</i> , 2001, 29, 60-70.   | 1.3 | 150       |
| 5202 | A Parametric Approach to Measuring Cerebral Blood Flow Autoregulation from Spontaneous Variations in Blood Pressure. <i>Annals of Biomedical Engineering</i> , 2001, 29, 18-25.   | 1.3 | 39        |
| 5203 | A blended estimator for a measure of agreement with a gold standard. <i>Journal of Agricultural, Biological, and Environmental Statistics</i> , 2001, 6, 326-339.   | 0.7 | 12        |
| 5204 | Assessment of left ventricular volume by an ambulatory radionuclide monitoring system during head-up tilt in patients with unexplained syncope: Relation to autonomic activity assessed by heart rate variability. <i>Journal of Nuclear Cardiology</i> , 2001, 8, 660-668. | 1.4 | 6         |
| 5205 | An evaluation of the graphical literacy of <i>Annals of Emergency Medicine</i> . <i>Annals of Emergency Medicine</i> , 2001, 37, 13-19.   | 0.3 | 24        |
| 5206 | Achieving graphical excellence: Suggestions and methods for creating high-quality visual displays of experimental data. <i>Annals of Emergency Medicine</i> , 2001, 37, 75-87.  | 0.3 | 79        |
| 5207 | Comparison of laboratory values obtained by means of routine venipuncture versus peripheral intravenous catheter after a normal saline solution bolus. <i>Annals of Emergency Medicine</i> , 2001, 38, 497-504.   | 0.3 | 25        |
| 5208 | Assessment of ejection fraction with Tl-201 gated SPECT in myocardial infarction: Precision in a rest-redistribution study and accuracy versus planar angiography. <i>Journal of Nuclear Cardiology</i> , 2001, 8, 31-39.   | 1.4 | 21        |
| 5209 | Preliminary clinical results of photon energy recovery in simultaneous rest Tl-201/stress Tc-99m sestamibi myocardial SPECT. <i>Journal of Nuclear Cardiology</i> , 2001, 8, 144-151.   | 1.4 | 5         |
| 5210 | Reproducibility of Tl-201 and Tc-99m sestamibi gated myocardial perfusion SPECT measurement of myocardial function. <i>Journal of Nuclear Cardiology</i> , 2001, 8, 182-187.  | 1.4 | 59        |
| 5211 | Left ventricular ejection fraction and volumes from gated blood pool tomography: Comparison between two automatic algorithms that work in three-dimensional space. <i>Journal of Nuclear Cardiology</i> , 2001, 8, 466-471.   | 1.4 | 20        |
| 5212 | Assessment of left ventricular diastolic function with electrocardiography-gated myocardial perfusion SPECT: Comparison with multigated equilibrium radionuclide angiography. <i>Journal of Nuclear Cardiology</i> , 2001, 8, 568-574.                                      | 1.4 | 70        |
| 5213 | Assessment of left ventricular diastolic function from quantitative electrocardiographic-gated 99mTc-tetrofosmin myocardial SPET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001, 28, 593-601.  | 2.2 | 49        |
| 5214 | A method to score radiographic change in psoriatic arthritis. <i>Zeitschrift Fur Rheumatologie</i> , 2001, 60, 156-166.   | 0.5 | 86        |
| 5215 | Interobserver and Intraobserver Reliability of Venous Transcranial Colorâ€Coded Flow Velocity Measurements. <i>Journal of Neuroimaging</i> , 2001, 11, 385-392.   | 1.0 | 22        |
| 5216 | Reliability of the Visual Analog Scale for Measurement of Acute Pain. <i>Academic Emergency Medicine</i> , 2001, 8, 1153-1157.  | 0.8 | 1,414     |
| 5217 | Reproducibility of QT Parameters Derived from 24-hour Ambulatory ECG Recordings in Healthy Subjects. <i>Annals of Noninvasive Electrocardiology</i> , 2001, 6, 24-31.   | 0.5 | 9         |
| 5218 | Analysis of P Wave and P Dispersion in Children with Secundum Atrial Septal Defect. <i>Annals of Noninvasive Electrocardiology</i> , 2001, 6, 305-309.  | 0.5 | 42        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5219 | Comparison of lipoprotein fractionation by sequential density gradient ultracentrifugation with precipitation or fast phase liquid chromatography. Names are necessary to report factually on available data; however, the US Department of Agriculture neither guarantees nor warrants the standard of the product, and the use of a name implies no approval of the product to the exclusion of others that may also be suitable.. Food Chemistry, 2001, 75, 115-122. | 4.2 | 2         |
| 5220 | Determination of isoprostaglandin F <sub>2α</sub> type III in human urine by gas chromatography-electronic impact mass spectrometry. Comparison with enzyme immunoassay. Biomedical Applications, 2001, 754, 333-343.   | 1.7 | 87        |
| 5221 | An ultrafiltration catheter for monitoring of venous lactate and glucose around myocardial ischemia. Biosensors and Bioelectronics, 2001, 16, 159-167.  | 5.3 | 16        |
| 5223 | Plasma ascorbic acid: measurement, stability and clinical utility revisited. Clinical Biochemistry, 2001, 34, 623-627.  | 0.8 | 86        |
| 5224 | Prediction of Body Fat by Anthropometry in Older Chinese People. Obesity, 2001, 9, 97-101.  | 4.0 | 18        |
| 5225 | Racial Differences in the Sums of Skinfolds and Percentage of Body Fat Estimated from Impedance in Black and White Girls, 9 to 19 Years of Age: The National Heart, Lung, and Blood Institute Growth and Health Study. Obesity, 2001, 9, 297-305.   | 1.5 | 39        |
| 5226 | Effect of Scalp and Facial Hair on Air Displacement Plethysmography Estimates of Percentage of Body Fat. Obesity, 2001, 9, 326-330.   | 1.5 | 56        |
| 5227 | Validation of food diary method for assessment of dietary energy and macronutrient intake in infants and children aged 6-24 months. European Journal of Clinical Nutrition, 2001, 55, 124-129.  | 1.3 | 56        |
| 5228 | Evaluation of a semi-quantitative food frequency questionnaire to estimate iodine intake. European Journal of Clinical Nutrition, 2001, 55, 287-292.  | 1.3 | 59        |
| 5229 | Validity of DISHES 98, a computerised dietary history interview: energy and macronutrient intake. European Journal of Clinical Nutrition, 2001, 55, 409-417.  | 1.3 | 83        |
| 5230 | Underestimation of percentage fat mass measured by bioelectrical impedance analysis compared to dual energy X-ray absorptiometry method in obese children. European Journal of Clinical Nutrition, 2001, 55, 423-429.   | 1.3 | 98        |
| 5231 | Variations in the measurement of resting energy expenditure in children with cystic fibrosis. European Journal of Clinical Nutrition, 2001, 55, 896-901.  | 1.3 | 10        |
| 5232 | Fractional zinc absorption using a single isotope tracer. European Journal of Clinical Nutrition, 2001, 55, 1098-1103.  | 1.3 | 7         |
| 5233 | The prediction of body composition in Chinese Australian females. International Journal of Obesity, 2001, 25, 286-291.  | 1.6 | 18        |
| 5234 | Foot-to-foot bioelectrical impedance analysis: a valuable tool for the measurement of body composition in children. International Journal of Obesity, 2001, 25, 273-278.  | 1.6 | 138       |
| 5235 | The prediction of basal metabolic rate in female patients with anorexia nervosa. International Journal of Obesity, 2001, 25, 359-364.   | 1.6 | 32        |
| 5236 | Precision of measurement and body size in whole-body air-displacement plethysmography. International Journal of Obesity, 2001, 25, 1161-1167.   | 1.6 | 59        |
| 5237 | Validation of deuterium labeled fatty acids for the measurement of dietary fat oxidation: a method for measuring fat-oxidation in free-living subjects. International Journal of Obesity, 2001, 25, 1240-1245.  | 1.6 | 44        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5238 | Skinfold caliper and ultrasound assessments of change in the distribution of subcutaneous fat during adolescent pregnancy. <i>International Journal of Obesity</i> , 2001, 25, 1340-1345.   | 1.6 | 23        |
| 5239 | Body composition in prepubertal girls: comparison of six methods. <i>International Journal of Obesity</i> , 2001, 25, 1352-1359.  | 1.6 | 35        |
| 5240 | Perceived disability and observed functional limitations in obese women. <i>International Journal of Obesity</i> , 2001, 25, 1705-1712.   | 1.6 | 53        |
| 5241 | Differences in body composition between Tongans and Australians: time to rethink the healthy weight ranges?. <i>International Journal of Obesity</i> , 2001, 25, 1806-1814.   | 1.6 | 49        |
| 5242 | A clinical study of the Korotkoff phases of blood pressure in children. <i>Journal of Human Hypertension</i> , 2001, 15, 197-201.   | 1.0 | 21        |
| 5243 | Validation of the Welch Allyn <i>â€œVital Signsâ€™</i> oscillometric blood pressure monitor. <i>Journal of Human Hypertension</i> , 2001, 15, 191-195.  | 1.0 | 74        |
| 5244 | A study of inter-arm blood pressure differences in primary care. <i>Journal of Human Hypertension</i> , 2001, 15, 519-522.  | 1.0 | 58        |
| 5245 | Evaluation of digital blood pressure measured with the Omron F3 device as an index of brachial arterial pressure, under different thermal and hormonal conditions. <i>Journal of Human Hypertension</i> , 2001, 15, 593-600.        | 1.0 | 4         |
| 5246 | Bladder neck mobility in continent nulliparous women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2001, 108, 320-324.   | 1.1 | 46        |
| 5247 | Inadequate repeatability of the one-hour pad test: the need for a new incontinence outcome measure. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2001, 108, 315-319.                                       | 1.1 | 24        |
| 5248 | Cardiovascular function in pregnancy: effects of posture. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2001, 108, 344-352.   | 1.1 | 18        |
| 5249 | Anatomical and functional changes in the lower urinary tract during pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2001, 108, 726-732.  | 1.1 | 42        |
| 5250 | The reliability and validity of three dimensional ultrasound volumetric measurements using an in vitro balloon and in vivo uterine model. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2001, 108, 573-582. | 1.1 | 37        |
| 5251 | Blood gases in pregnancy at sea level and at high altitude. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2001, 108, 980-985.   | 1.1 | 27        |
| 5252 | Do Ethanol and Deuterium Oxide Distribute Into the Same Water Space in Healthy Volunteers?. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 1423-1430.  | 1.4 | 23        |
| 5253 | Fast psychophysical procedures for clinical testing. <i>Australasian journal of optometry</i> , The, 2001, 84, 264-269.   | 0.6 | 10        |
| 5254 | Body Fat of Older Adult Subjects Calculated from Bioelectric Impedance Versus Anthropometry Correlated But Did Not Agree. <i>Journal of the American Dietetic Association</i> , 2001, 101, 1209-1212.                               | 1.3 | 7         |
| 5255 | Comparison of magnetic resonance real-time imaging of left ventricular function with conventional magnetic resonance imaging and echocardiography. <i>American Journal of Cardiology</i> , 2001, 87, 95-99.                         | 0.7 | 104       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5256 | Comparison of three-dimensional contrast-enhanced magnetic resonance angiography and axial radiographic angiography for diagnosing congenital stenoses in small pulmonary arteries. <i>American Journal of Cardiology</i> , 2001, 87, 420-424. | 0.7 | 30        |
| 5257 | Biventricular response to supine physical exercise in young adults assessed with ultrafast magnetic resonance imaging. <i>American Journal of Cardiology</i> , 2001, 87, 601-605.  | 0.7 | 74        |
| 5258 | Relation of heart rate and blood pressure turbulence following premature ventricular complexes to baroreflex sensitivity in chronic congestive heart failure. <i>American Journal of Cardiology</i> , 2001, 87, 737-742.                       | 0.7 | 123       |
| 5259 | Noninvasive determination of pulmonary artery wedge pressure in patients with chronic heart failure. <i>American Journal of Cardiology</i> , 2001, 87, 1213-1215.  | 0.7 | 28        |
| 5260 | Noninvasive visualization and measurement of great cardiac vein flow by transthoracic Doppler echocardiography in normal children. <i>American Journal of Cardiology</i> , 2001, 88, 710-713.  | 0.7 | 11        |
| 5261 | Prognostic usefulness of the six-minute walk in patients with advanced congestive heart failure secondary to ischemic or nonischemic cardiomyopathy. <i>American Journal of Cardiology</i> , 2001, 88, 987-993.                                | 0.7 | 158       |
| 5262 | Effect of harmonic imaging for planimetry on transthoracic echocardiography on visualization of the aortic valve. <i>American Journal of Cardiology</i> , 2001, 88, 1047-1049.   | 0.7 | 8         |
| 5263 | A simple scheme to initiate oral anticoagulant treatment in outpatients with nonrheumatic atrial fibrillation. <i>American Journal of Cardiology</i> , 2001, 88, 1214-1216.  | 0.7 | 19        |
| 5264 | Repeatability of Heart Rate Variability During Simple Cardiovascular Reflex Tests on Healthy Subjects. <i>Archives of Medical Research</i> , 2001, 32, 21-26.  | 1.5 | 38        |
| 5265 | A dermal model for spray painters. Part I: Subjective exposure modelling of spray paint deposition. <i>Annals of Occupational Hygiene</i> , 2001, 45, 15-23.   | 1.9 | 16        |
| 5266 | Affordable CD4+ T cell counts by flow cytometry. <i>Journal of Immunological Methods</i> , 2001, 257, 145-154.   | 0.6 | 50        |
| 5267 | Enzyme-linked immunosorbent assay for the determination of blood coagulation factor XIII A-subunit in plasma and in cell lysates. <i>Journal of Immunological Methods</i> , 2001, 258, 127-135.  | 0.6 | 67        |
| 5268 | Does Elbow Position Affect Strength and Reproducibility of Power Grip Measurements?. <i>Physiotherapy</i> , 2001, 87, 68-72.   | 0.2 | 33        |
| 5269 | Electromyographic Power Spectral Analysis of the Paraspinal Muscles. <i>Physiotherapy</i> , 2001, 87, 470-478.   | 0.2 | 9         |
| 5270 | Unreliable Reliability Analyses. <i>Physiotherapy</i> , 2001, 87, 612.   | 0.2 | 1         |
| 5271 | Comparative Study of Repositioning Splint Therapy and Passive Manual Range of Motion Techniques for Anterior Displaced Temporomandibular Discs with Unstable Excursive Reduction. <i>Physiotherapy</i> , 2001, 87, 26-36.                      | 0.2 | 40        |
| 5272 | Does the level of an intracapsular femoral fracture influence fracture healing after internal fixation? A study of 411 patients. <i>Injury</i> , 2001, 32, 53-56.  | 0.7 | 20        |
| 5273 | Ankle images digital analysis (AIDA): digital measurement of joint space width and subchondral sclerosis on standard radiographs. <i>Osteoarthritis and Cartilage</i> , 2001, 9, 264-272.  | 0.6 | 34        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5274 | Validation of the Western Ontario and McMaster University Osteoarthritis Index in Asians with Osteoarthritis in Singapore. <i>Osteoarthritis and Cartilage</i> , 2001, 9, 440-446.  | 0.6 | 88        |
| 5275 | Reliability, validity, and sensitivity to change of the Cochin hand functional disability scale in hand osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2001, 9, 570-577.   | 0.6 | 121       |
| 5276 | The development of a disease-specific quality of life measurement tool for osteoarthritis of the shoulder: The Western Ontario Osteoarthritis of the Shoulder (WOOS) index. <i>Osteoarthritis and Cartilage</i> , 2001, 9, 771-778. | 0.6 | 220       |
| 5277 | Transvaginal ultrasonographic measurement of endometrial thickness: an intra-observer and interobserver reproducibility study. <i>Radiography</i> , 2001, 7, 101-104.   | 1.1 | 10        |
| 5278 | Pre-operative estimation of primary breast cancer size: a comparison of clinical assessment, mammography and ultrasound. <i>Breast</i> , 2001, 10, 299-305.   | 0.9 | 22        |
| 5279 | QT and JT dispersion in patients with monomorphic or polymorphic ventricular tachycardia/ventricular fibrillation. <i>Journal of Electrocardiology</i> , 2001, 34, 119-125.   | 0.4 | 27        |
| 5280 | Two- and 3-dimensional MRI comparison of levator ani structure, volume, and integrity in women with stress incontinence and prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2001, 185, 11-19.                      | 0.7 | 237       |
| 5281 | Comparison of 2 modifications of the twin-block appliance in matched class II samples. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2001, 119, 572-577.  | 0.8 | 29        |
| 5282 | Estimation of the VA/(Q+VTIS) distribution from single-breath alkane uptake. <i>IEEE Transactions on Biomedical Engineering</i> , 2001, 48, 772-786.  | 2.5 | 1         |
| 5283 | Serotonin 5-HT1A Receptor Binding Potential Declines with Age as Measured by [ <sup>11</sup> C]WAY-100635 and PET. <i>Neuropsychopharmacology</i> , 2001, 24, 522-530.  | 2.8 | 110       |
| 5284 | Ultrasound assessment of the fetal foramen ovale. <i>Ultrasound in Obstetrics and Gynecology</i> , 2001, 17, 119-124.   | 0.9 | 40        |
| 5285 | Reproducibility of ductus venosus Doppler flow measurements at 11-14 weeks of gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2001, 17, 301-305.  | 0.9 | 28        |
| 5286 | Cervical length at 22-24 weeks of gestation: comparison of transvaginal and transperineal-translabial ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2001, 17, 335-340.  | 0.9 | 74        |
| 5287 | Three-dimensional ultrasound of the female urethra: comparing transvaginal and transrectal scanning. <i>Ultrasound in Obstetrics and Gynecology</i> , 2001, 17, 425-430.  | 0.9 | 31        |
| 5288 | Role of bioimpedance spectroscopy in assessment of body water compartments in hemodialysis patients. <i>American Journal of Kidney Diseases</i> , 2001, 38, 832-838.  | 2.1 | 71        |
| 5289 | Treatment of spondyloarthropathies. Recent advances and prospects in 2001. <i>Joint Bone Spine</i> , 2001, 68, 557-563.   | 0.8 | 20        |
| 5290 | Measuring non-spherical optical surfaces. <i>Contact Lens and Anterior Eye</i> , 2001, 24, 9-15.  | 0.8 | 3         |
| 5291 | Inter-instrument reliability of pinch strength scores. <i>Journal of Hand Therapy</i> , 2001, 14, 36-42.  | 0.7 | 40        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5292 | Estimation of body water compartments in cirrhosis by multiple-frequency bioelectrical-impedance analysis. <i>Nutrition</i> , 2001, 17, 31-34.  | 1.1 | 28        |
| 5293 | Total-body-water measurement with <sup>18</sup> O-labeled water in short-bowel patients with an ileostomy. <i>Nutrition</i> , 2001, 17, 287-291.  | 1.1 | 7         |
| 5294 | Single prediction equation for bioelectrical impedance analysis in adults aged 20-94 years. <i>Nutrition</i> , 2001, 17, 248-253.   | 1.1 | 454       |
| 5295 | Validation of dual x-ray absorptiometry for body-composition assessment of rats exposed to dietary stressors. <i>Nutrition</i> , 2001, 17, 607-613.   | 1.1 | 29        |
| 5296 | Examination of the validity and reliability of the accusport blood lactate analyser. <i>Journal of Science and Medicine in Sport</i> , 2001, 4, 129-138.  | 0.6 | 32        |
| 5297 | The level of accuracy and agreement in measures of FEO <sub>2</sub> , FECO <sub>2</sub> and V̇E between the cosmed K4b2 portable, respiratory gas analysis system and a metabolic cart. <i>Journal of Science and Medicine in Sport</i> , 2001, 4, 324-335. | 0.6 | 97        |
| 5298 | Measurement of fetal nuchal translucency thickness by three-dimensional ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2001, 18, 481-484.   | 0.9 | 32        |
| 5299 | Repeatability of measurement of uterine artery pulsatility index using transvaginal color Doppler. <i>Ultrasound in Obstetrics and Gynecology</i> , 2001, 18, 456-459.  | 0.9 | 30        |
| 5300 | Screening for pre-eclampsia and fetal growth restriction by uterine artery Doppler at 11-14 weeks of gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2001, 18, 583-586.   | 0.9 | 335       |
| 5301 | Re-emergence of iodine deficiency in Australia. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2001, 10, 200-203.  | 0.3 | 88        |
| 5302 | Validity and reliability of a new isometric hand dynamometer. <i>Sports Engineering</i> , 2001, 4, 147-152.   | 0.5 | 2         |
| 5303 | Discordance between proxy-reported and observed assessment of functional ability of children with juvenile idiopathic arthritis. <i>Rheumatology</i> , 2001, 40, 914-919.   | 0.9 | 38        |
| 5304 | Plasma Brain Natriuretic Peptide Measured by Fully-Automated Immunoassay and by Immunoradiometric Assay Compared. <i>Clinical Chemistry and Laboratory Medicine</i> , 2001, 39, 446-50.   | 1.4 | 39        |
| 5305 | Assessment of Local Pulse Wave Velocity in Arteries Using 2D Distension Waveforms. <i>Ultrasonic Imaging</i> , 2001, 23, 199-215.   | 1.4 | 77        |
| 5306 | A comparison of stereoscopic and monoscopic evaluation of optic disc topography using a digital optic disc stereo camera. <i>British Journal of Ophthalmology</i> , 2001, 85, 1347-1351.  | 2.1 | 35        |
| 5307 | Test-Retest Reliability of the Sunnaas ADL Index. <i>Scandinavian Journal of Occupational Therapy</i> , 2001, 8, 140-147.   | 1.1 | 15        |
| 5308 | ANKLE DORSIFLEXOR MUSCLE PERFORMANCE IN HEALTHY YOUNG MEN AND WOMEN: RELIABILITY OF ECCENTRIC PEAK TORQUE AND WORK MEASUREMENTS. <i>Journal of Rehabilitation Medicine</i> , 2001, 33, 90-96.   | 0.8 | 25        |
| 5309 | Comparison of Different Immunoassays for CA 19-9. <i>Clinical Chemistry and Laboratory Medicine</i> , 2001, 39, 1278-82.  | 1.4 | 24        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5310 | Self reported alcohol intake in pregnancy: comparison between four methods. <i>Journal of Epidemiology and Community Health</i> , 2001, 55, 738-745.  | 2.0 | 65        |
| 5311 | Effect of experience of severe stroke on subjective valuations of quality of life after stroke. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001, 70, 679-681.                                       | 0.9 | 23        |
| 5312 | Development of a self-reported Chronic Respiratory Questionnaire (CRQ-SR). <i>Thorax</i> , 2001, 56, 954-959.   | 2.7 | 222       |
| 5313 | Reliability of an interview approach to the Functional Independence Measure. <i>Clinical Rehabilitation</i> , 2001, 15, 301-310.  | 1.0 | 69        |
| 5314 | Measurements of Urinary Leptin and Capillary Leptin: Alternative Tools for the Assessment of the Leptin Status?. <i>Hormone Research in Paediatrics</i> , 2001, 56, 93-97.  | 0.8 | 6         |
| 5315 | Assessment of Myocardial Perfusion in Coronary Artery Disease by Magnetic Resonance. <i>Circulation</i> , 2001, 103, 2230-2235.   | 1.6 | 629       |
| 5316 | Detection of Fibrous Cap in Atherosclerotic Plaque by Intravascular Ultrasound by Use of Color Mapping of Angle-Dependent Echo-Intensity Variation. <i>Circulation</i> , 2001, 103, 1206-1211.                      | 1.6 | 41        |
| 5317 | Recruitment and Derecruitment During Acute Respiratory Failure. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 164, 122-130.   | 2.5 | 501       |
| 5318 | Evaluation of a disposable prism for applanation tonometry. <i>Eye</i> , 2001, 15, 279-282.   | 1.1 | 19        |
| 5319 | Short report: Urinary calcium excretion in enterally fed disabled children. <i>Archives of Disease in Childhood</i> , 2001, 85, 58-59.  | 1.0 | 3         |
| 5320 | LOW EFFECTIVENESS OF PRESCRIBED PARTIAL WEIGHT BEARING. <i>Journal of Rehabilitation Medicine</i> , 2001, 33, 42-46.  | 0.8 | 63        |
| 5321 | Paranasal Sinus Ventilation in Healthy Subjects and in Patients with Sinus Disease Evaluated with the 133-Xenon Washout Technique. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2001, 110, 667-674. | 0.6 | 18        |
| 5322 | Micromovements at the Aortic Aneurysm Neck Measured during Open Surgery with Close-Range Photogrammetry: Implications for Aortic Endografts. <i>Journal of Endovascular Therapy</i> , 2001, 8, 511-520.             | 0.8 | 13        |
| 5323 | Reliable Bioelectrical Impedance Analysis Estimate of Fat-free Mass in Liver, Lung, and Heart Transplant Patients. <i>Journal of Parenteral and Enteral Nutrition</i> , 2001, 25, 45-51.                            | 1.3 | 57        |
| 5324 | Intra-operative quality assessment of coronary artery bypass grafts. <i>Perfusion (United Kingdom)</i> , 2001, 16, 511-518.   | 0.5 | 14        |
| 5325 | Low-potassium and glucose-free dialysis maintains urea but enhances potassium removal. <i>Nephrology Dialysis Transplantation</i> , 2001, 16, 78-84.  | 0.4 | 78        |
| 5326 | Pulmonary Arterial Pressure Can Be Estimated by Transesophageal Pulsed Doppler Echocardiography. <i>Anesthesia and Analgesia</i> , 2001, 92, 1364-1369.   | 1.1 | 9         |
| 5327 | Using Artificial Intelligence to Predict the Equilibrated Postdialysis Blood Urea Concentration. <i>Blood Purification</i> , 2001, 19, 271-285.   | 0.9 | 27        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5328 | Short- and Long-Term Repeatability of Intrarenal Resistive Index in the Pig. <i>Investigative Radiology</i> , 2001, 36, 341-346.  | 3.5 | 4         |
| 5329 | An Improved Fluorophotometric Method for Tear Turnover Assessment. <i>Optometry and Vision Science</i> , 2001, 78, 30-36.   | 0.6 | 23        |
| 5330 | Clinical and computerized assessment of mandibular asymmetry. <i>European Journal of Orthodontics</i> , 2001, 23, 485-494.  | 1.1 | 35        |
| 5331 | Bedside Hemoglobinometry in Hemodialysis Patients: Lessons from Point-of-Care Testing. <i>ASAIO Journal</i> , 2001, 47, 240-243.  | 0.9 | 20        |
| 5332 | Continuous cardiac output measurements in intensive care patients after cardiac surgery. <i>European Journal of Anaesthesiology</i> , 2001, 18, 34.   | 0.7 | 0         |
| 5333 | Measurement of blood urea concentration during haemodialysis is not an accurate method to determine equilibrated postdialysis urea concentration. <i>Nephrology Dialysis Transplantation</i> , 2001, 16, 1814-1817.                                 | 0.4 | 14        |
| 5334 | Use of the Activated Partial Thromboplastin Time for Heparin Monitoring. <i>American Journal of Clinical Pathology</i> , 2001, 115, 148-155.  | 0.4 | 31        |
| 5335 | Reciprocal influence of slow waves extracted in intracranial pressure, arterial pressure and cerebral blood velocity signals. , 0, , .  |     | 0         |
| 5336 | Determination of plasma aprotinin levels by functional and immunologic assays. <i>Blood Coagulation and Fibrinolysis</i> , 2001, 12, 37-42.   | 0.5 | 7         |
| 5337 | Validation of the Arizona Activity Frequency Questionnaire using doubly labeled water. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 1959-1967.  | 0.2 | 98        |
| 5338 | Quantification of right and left ventricular function with real-time three-dimensional ultrasound. , 0, , .   |     | 4         |
| 5339 | Fetus and Uteroplacental Unit: Fast MR Imaging with Three-dimensional Reconstruction and Volumetryâ€”Feasibility Study. <i>Radiology</i> , 2001, 219, 567-573.  | 3.6 | 59        |
| 5340 | Relevance of Linearizing Nasal Prongs for Assessing Hypopneas and Flow Limitation During Sleep. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 163, 494-497.   | 2.5 | 64        |
| 5341 | Airway Inflammation in Children with Cystic Fibrosis and Healthy Children Assessed by Sputum Induction. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 164, 1425-1431.   | 2.5 | 160       |
| 5342 | Determination of optimal immobilizing doses of a medetomidine hydrochloride and ketamine hydrochloride combination in captive reindeer. <i>American Journal of Veterinary Research</i> , 2001, 62, 119-126.   | 0.3 | 14        |
| 5343 | The 6-minute walk test and prognosis in chronic heart failure â€” the available evidence. <i>European Heart Journal</i> , 2001, 22, 445-448.  | 1.0 | 16        |
| 5344 | Transthoracic Three-dimensional Echocardiography is as Good as Magnetic Resonance Imaging in Measuring Dynamic Changes in Left Ventricular Volume During the Heart Cycle in Children. <i>European Journal of Echocardiography</i> , 2001, 2, 31-39. | 2.3 | 35        |
| 5345 | Dynamic Changes of Atrial Septal Defect Area: New Insights by Three-dimensional Volume-rendered Echocardiography with High Temporal Resolution*. <i>European Journal of Echocardiography</i> , 2001, 2, 46-51.                                      | 2.3 | 34        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5346 | Quantification of Left Ventricular Function with Contrast-Enhanced Harmonic Colour Doppler and a Semiautomated Boundary Detection Algorithm in Technically Difficult Patients: Feasibility, Accuracy, and Inter-observer Variability. <i>European Journal of Echocardiography</i> , 2001, 2, 253-261. | 2.3 | 2         |
| 5347 | Subjective outcomes after knee arthroplasty. <i>Acta Orthopaedica</i> , 2001, 72, 1-63.   | 1.4 | 37        |
| 5348 | Subjective outcomes after knee arthroplasty. <i>Acta Orthopaedica</i> , 2001, 72, 1-63.   | 1.4 | 26        |
| 5349 | Effect of Size and Disease on Estimated Deposition of Drugs Administered Using Jet Nebulization in Children With Cystic Fibrosis. <i>Chest</i> , 2001, 119, 1123-1130.  | 0.4 | 47        |
| 5350 | Home Oximetry Studies for Diagnosis of Sleep Apnea/Hypopnea Syndrome. <i>Chest</i> , 2001, 120, 384-389.  | 0.4 | 39        |
| 5351 | Anatomic Landmarks To Estimate the Length of the Diaphragm From Chest Radiographs. <i>Chest</i> , 2001, 120, 444-452.   | 0.4 | 13        |
| 5352 | Evaluation of Right Ventricular Performance With a Right Ventricular Ejection Fraction Thermodilution Catheter and MRI in Patients With Pulmonary Hypertension. <i>Chest</i> , 2001, 120, 502-507.  | 0.4 | 99        |
| 5353 | Impact of Different Criteria for Defining Hypopneas in the Apnea-Hypopnea Index. <i>Chest</i> , 2001, 120, 909-914.   | 0.4 | 45        |
| 5354 | Sublingual Capnography. <i>Chest</i> , 2001, 120, 923-927.  | 0.4 | 157       |
| 5355 | Induced Sputum. <i>Chest</i> , 2001, 120, 1815-1821.  | 0.4 | 33        |
| 5356 | The use of MiniMed CGMS in real-time glucose monitoring. , 2001, , .  |     | 4         |
| 5357 | Resting energy expenditure of children attending a rehabilitation programme following head injury. <i>Developmental Neurorehabilitation</i> , 2001, 4, 51-55.   | 1.1 | 2         |
| 5358 | Prospective Evaluation of a Method for Estimating Ascending Aortic Pressure From the Radial Artery Pressure Waveform. <i>Hypertension</i> , 2001, 38, 932-937.  | 1.3 | 1,056     |
| 5359 | Quantitative imaging of tumour blood flow by contrast-enhanced magnetic resonance imaging. <i>British Journal of Cancer</i> , 2001, 85, 1655-1663.  | 2.9 | 30        |
| 5360 | Development and validation of the Nottingham Leisure Questionnaire (NLQ). <i>Clinical Rehabilitation</i> , 2001, 15, 647-656.   | 1.0 | 28        |
| 5361 | MEASUREMENT OF FERRITIN LEVELS: COMPARISON OF A COMMERCIAL IRMA TO AN IN-HOUSE ELISA METHOD. <i>Journal of Immunoassay and Immunochemistry</i> , 2001, 22, 371-384.   | 0.5 | 2         |
| 5362 | Middle-latency auditory evoked potentials during induction of thiopentone anaesthesia in pigs. <i>Laboratory Animals</i> , 2001, 35, 353-363.   | 0.5 | 23        |
| 5363 | Development of a new method for assessing the cardiac baroreflex: response to downward tilting in patients with diabetes mellitus. <i>British Heart Journal</i> , 2001, 86, 643-648.  | 2.2 | 6         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5364 | The development of a "reduced logMAR" visual acuity chart for use in routine clinical practice. <i>British Journal of Ophthalmology</i> , 2001, 85, 432-436.   | 2.1 | 162       |
| 5365 | Quantification of Mechanical and Neural Components of Vagal Baroreflex in Humans. <i>Hypertension</i> , 2001, 37, 1362-1368.   | 1.3 | 82        |
| 5366 | Reliability of Multicenter Pediatric Echocardiographic Measurements of Left Ventricular Structure and Function. <i>Circulation</i> , 2001, 104, 310-316.   | 1.6 | 81        |
| 5367 | Assessment of left ventricular long axis contraction can detect early myocardial dysfunction in asymptomatic patients with severe aortic regurgitation. <i>British Heart Journal</i> , 2001, 85, 30-36.  | 2.2 | 120       |
| 5368 | Preliminary experience of the estimation of cerebral perfusion pressure using transcranial Doppler ultrasonography. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001, 70, 198-204.  | 0.9 | 75        |
| 5369 | Factors related to agreement between self-reported and conventional Expanded Disability Status Scale (EDSS) scores. <i>Multiple Sclerosis Journal</i> , 2001, 7, 405-410.  | 1.4 | 23        |
| 5370 | Does the Stanford Health Assessment Questionnaire have potential as a monitoring tool for subjects with rheumatoid arthritis?. <i>Annals of the Rheumatic Diseases</i> , 2001, 60, 344-348.  | 0.5 | 41        |
| 5371 | Comparison between Circumflex Artery Motion and Mitral Annulus Motion. <i>Scandinavian Cardiovascular Journal</i> , 2001, 35, 318-325.   | 0.4 | 8         |
| 5372 | THE RESPONSIVENESS OF THE ACTION RESEARCH ARM TEST AND THE FUGL-MEYER ASSESSMENT SCALE IN CHRONIC STROKE PATIENTS. <i>Journal of Rehabilitation Medicine</i> , 2001, 33, 110-113.  | 0.8 | 295       |
| 5373 | Assessment of total energy expenditure in a Chinese population by a physical activity questionnaire: examination of validity. <i>International Journal of Food Sciences and Nutrition</i> , 2001, 52, 269-282.   | 1.3 | 69        |
| 5374 | Prediction of volatile anaesthetic solubility in blood and priming fluids for extracorporeal circulation. <i>British Journal of Anaesthesia</i> , 2001, 86, 338-344.   | 1.5 | 21        |
| 5375 | Repeatability and reproducibility of upper eyelid measurements. <i>British Journal of Ophthalmology</i> , 2001, 85, 99-101.  | 2.1 | 69        |
| 5376 | Endoscopic Doppler Ultrasound for Measurement of Azygos Blood Flow: Validation against Thermodilution and Assessment of Pharmacological Effects of Terlipressin in Portal Hypertension. <i>Scandinavian Journal of Gastroenterology</i> , 2001, 36, 318-325. | 0.6 | 17        |
| 5377 | Continuous intra-jugular venous blood-gas monitoring with the Paratrend 7 during hypothermic cardiopulmonary bypass. <i>British Journal of Anaesthesia</i> , 2001, 87, 223-228.  | 1.5 | 8         |
| 5378 | Importance of Validation of Immunoassays for Intact Proinsulin. <i>Clinical Chemistry and Laboratory Medicine</i> , 2001, 39, 631-3.   | 1.4 | 5         |
| 5379 | The Evaluation of Analytical Performance of the Precision G Point-of-Care Glucometer. <i>Clinical Chemistry and Laboratory Medicine</i> , 2001, 39, 1283-6.  | 1.4 | 14        |
| 5380 | Transcutaneous Bilirubin Measurement: A Multicenter Evaluation of a New Device. <i>Pediatrics</i> , 2001, 107, 1264-1271.  | 1.0 | 214       |
| 5381 | Assessment of lithium dilution cardiac output as a technique for measurement of cardiac output in dogs. <i>American Journal of Veterinary Research</i> , 2001, 62, 1255-1261.  | 0.3 | 80        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5382 | Measurement of joint space width in hip osteoarthritis: influence of joint positioning and radiographic procedure. <i>British Journal of Rheumatology</i> , 2001, 40, 414-419.  | 2.5 | 47        |
| 5383 | Venous pH can safely replace arterial pH in the initial evaluation of patients in the emergency department. <i>Emergency Medicine Journal</i> , 2001, 18, 340-342.  | 0.4 | 124       |
| 5384 | Validity and reliability of combining three methods to determine ventilatory threshold. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 1841-1848.   | 0.2 | 313       |
| 5385 | PHYSICAL MEASUREMENTS AND QUESTIONNAIRES AS DIAGNOSTIC TOOLS IN CHRONIC LOW BACK PAIN. <i>Journal of Rehabilitation Medicine</i> , 2001, 33, 31-35.   | 0.8 | 24        |
| 5386 | CROSS-CULTURAL ADAPTATION OF THE MINNESOTA LIVING WITH HEART FAILURE QUESTIONNAIRE FOR GERMAN-SPEAKING PATIENTS. <i>Journal of Rehabilitation Medicine</i> , 2001, 33, 182-186.   | 0.8 | 44        |
| 5387 | The use of portable radiometry to assess Raynaud's phenomenon: a practical alternative to thermal imaging. <i>British Journal of Rheumatology</i> , 2001, 40, 1384-1387.  | 2.5 | 6         |
| 5388 | The Canadian Occupational Performance Measure: Is it a Reliable Measure in Clients with Chronic Obstructive Pulmonary Disease?. <i>British Journal of Occupational Therapy</i> , 2001, 64, 305-310.                                       | 0.5 | 65        |
| 5389 | Bioelectrical Impedance Analysis Estimation of Water Compartments in Elderly Diseased Patients: The Source Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2001, 56, M344-M348.               | 1.7 | 46        |
| 5390 | AN INITIAL INVESTIGATION OF THE RELIABILITY OF THE RIVERMEAD EXTENDED ADL INDEX IN PATIENTS PRESENTING WITH NEUROLOGICAL IMPAIRMENT. <i>Journal of Rehabilitation Medicine</i> , 2001, 33, 61-70.   | 0.8 | 11        |
| 5391 | Oesophageal Doppler monitoring overestimates cardiac output during lumbar epidural anaesthesia. <i>British Journal of Anaesthesia</i> , 2001, 86, 794-797.  | 1.5 | 57        |
| 5392 | EDTA Samples for the Measurement of Erythrocyte Sedimentation Rate Using Sedimatic 100 Analyser. <i>Clinical Chemistry and Laboratory Medicine</i> , 2001, 39, 1001-3.  | 1.4 | 7         |
| 5393 | A new generation IRMA for ACTH with improved specificity: validation in various physiological and pathological conditions. <i>European Journal of Endocrinology</i> , 2001, 144, 369-377.   | 1.9 | 5         |
| 5394 | Noninvasive Quantification of Left-to-Right Shunt in Pediatric Patients. <i>Circulation</i> , 2001, 103, 2476-2482.   | 1.6 | 284       |
| 5395 | Effects of coronary revascularisation on myocardial blood flow and coronary vasodilator reserve in hibernating myocardium. <i>British Heart Journal</i> , 2001, 85, 208-212.  | 2.2 | 35        |
| 5396 | A Comparison Between Systolic and Diastolic Pulse Contour Analysis in the Evaluation of Arterial Stiffness. <i>Hypertension</i> , 2001, 37, E15-22.   | 1.3 | 63        |
| 5397 | Evaluation of a point-of-care coagulation analyzer for measurement of prothrombin time, activated partial thromboplastin time, and activated clotting time in dogs. <i>American Journal of Veterinary Research</i> , 2001, 62, 1455-1460. | 0.3 | 35        |
| 5398 | Correlation between central corneal thickness, applanation tonometry, and direct intracameral IOP readings. <i>British Journal of Ophthalmology</i> , 2001, 85, 85-87.  | 2.1 | 181       |
| 5399 | Incremental shuttle walk test in the assessment of patients for heart transplantation. <i>British Heart Journal</i> , 2001, 86, 183-187.  | 2.2 | 49        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5400 | The five item Barthel index. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001, 71, 225-230.  | 0.9 | 88        |
| 5401 | Gender-specific health behaviors of German university students predict the interest in campus health promotion. <i>Health Promotion International</i> , 2001, 16, 145-154.  | 0.9 | 86        |
| 5402 | A high low-density lipoprotein cholesterol to high-density lipoprotein cholesterol ratio as a potential risk factor for corticosteroid-induced osteonecrosis in rabbits. <i>Rheumatology</i> , 2001, 40, 196-201.   | 0.9 | 44        |
| 5403 | A comparison of cardiac output derived from the arterial pressure wave against thermodilution in cardiac surgery patients. <i>British Journal of Anaesthesia</i> , 2001, 87, 212-222.                               | 1.5 | 279       |
| 5404 | Short term variability of single breath carbon monoxide transfer factor. <i>Thorax</i> , 2001, 56, 358-361.   | 2.7 | 28        |
| 5405 | Peripheral Oscillatory Compliance Is Associated With Aortic Augmentation Index. <i>Hypertension</i> , 2001, 37, 1434-1439.  | 1.3 | 82        |
| 5406 | Pre-operative evaluation with MR in tetralogy of fallot and pulmonary atresia with ventricular septal defect. <i>Acta Radiologica</i> , 2001, 42, 63-69.  | 0.5 | 39        |
| 5407 | The shuttle walking test: a reproducible method for evaluating the impact of shortness of breath on functional capacity in patients with advanced cancer. <i>Thorax</i> , 2001, 56, 146-150.                        | 2.7 | 48        |
| 5408 | Comparisons between a pencil beam and two fan beam dual energy X-ray absorptiometers used for measuring total body bone and soft tissue. <i>British Journal of Radiology</i> , 2001, 74, 166-176.                   | 1.0 | 64        |
| 5409 | Repeatability of bronchial hyperresponsiveness to adenosine-5'-monophosphate (AMP) by a short dosimeter protocol. <i>Thorax</i> , 2001, 56, 362-365.  | 2.7 | 18        |
| 5410 | Repeatability of cellular constituents and cytokine concentration in fluid obtained by non-bronchoscopic bronchoalveolar lavage of infants receiving extracorporeal oxygenation. <i>Thorax</i> , 2001, 56, 924-931. | 2.7 | 5         |
| 5411 | Estimation of changes in cardiac output from the arterial blood pressure waveform in the upper limb. <i>British Journal of Anaesthesia</i> , 2001, 86, 486-496.   | 1.5 | 144       |
| 5412 | Responsiveness of the Cochin rheumatoid hand disability scale after surgery. <i>British Journal of Rheumatology</i> , 2001, 40, 843-850.  | 2.5 | 34        |
| 5413 | Lobar volume reduction surgery: a method of increasing the lung cancer resection rate in patients with emphysema. <i>Thorax</i> , 2001, 56, 791-795.  | 2.7 | 82        |
| 5414 | A Comparative Analysis of the SF-12 and the SF-36 among Ischaemic Heart Disease Patients. <i>Journal of Health Psychology</i> , 2001, 6, 707-711.   | 1.3 | 15        |
| 5415 | Tracheal tube pressure change during magnetic stimulation of the phrenic nerves as an indicator of diaphragm strength on the intensive care unit. <i>British Journal of Anaesthesia</i> , 2001, 87, 876-884.        | 1.5 | 32        |
| 5416 | Measuring the impact of multiple sclerosis on psychosocial functioning: the development of a new self-efficacy scale. <i>Clinical Rehabilitation</i> , 2001, 15, 259-265.   | 1.0 | 53        |
| 5417 | Reference values of interrupter respiratory resistance in healthy preschool white children. <i>Thorax</i> , 2001, 56, 691-695.  | 2.7 | 72        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5418 | Is Skeletal Myoblast Transplantation Clinically Relevant in the Era of Angiotensin-Converting Enzyme Inhibitors?. <i>Circulation</i> , 2001, 104, I-223-I-228.   | 1.6 | 53        |
| 5419 | New neuroretinal rim blood flow evaluation method combining Heidelberg retina flowmetry and tomography. <i>British Journal of Ophthalmology</i> , 2001, 85, 304-309.   | 2.1 | 24        |
| 5420 | The clinical evaluation of the Respi-check mask: a new oxygen mask incorporating a breathing indicator. <i>Emergency Medicine Journal</i> , 2001, 18, 366-369.   | 0.4 | 7         |
| 5421 | Effect of changes in arterial-mixed venous oxygen content difference ( $C(a-v)O_2$ ) on indices of pulmonary oxygen transfer in a model ARDS lung. <i>British Journal of Anaesthesia</i> , 2001, 86, 477-485.                                    | 1.5 | 23        |
| 5422 | Development and validation of a questionnaire for the assessment of physical activity in epidemiological studies in Sub-Saharan Africa. <i>International Journal of Epidemiology</i> , 2001, 30, 1361-1368.                                      | 0.9 | 58        |
| 5423 | Clinical comparison of the Keeler Pulsair 3000 with Goldmann applanation tonometry. <i>British Journal of Ophthalmology</i> , 2001, 85, 1303-1304.   | 2.1 | 39        |
| 5424 | A magnetic resonance study of complicated early childhood convulsion. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001, 71, 638-642.  | 0.9 | 37        |
| 5425 | Clinical validation of a new dimeric inhibin-A assay suitable for second trimester Down's syndrome screening. <i>Journal of Medical Screening</i> , 2001, 8, 2-7.  | 1.1 | 23        |
| 5426 | The repeatability of nonbronchoscopic bronchoalveolar lavage differential cell counts. <i>European Respiratory Journal</i> , 2001, 18, 1009-1012.  | 3.1 | 22        |
| 5427 | Brain temperature, body core temperature, and intracranial pressure in acute cerebral damage. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001, 71, 448-454.  | 0.9 | 252       |
| 5428 | Measurement of Exhaled Hydrocarbons. , 2001, 56, 109-118.  |     | 0         |
| 5429 | Reproducibility of Measurements of Cerebral Infarct Volume on CT Scans. <i>Stroke</i> , 2001, 32, 424-430.   | 1.0 | 94        |
| 5430 | Pulmonary Gas Exchange and Sputum Cellular Responses to Inhaled Leukotriene D4 in Asthma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 164, 202-206.  | 2.5 | 32        |
| 5431 | Theory of High-Speed MR Imaging of the Human Heart with the Selective Line Acquisition Mode. <i>Radiology</i> , 2001, 220, 540-547.  | 3.6 | 423       |
| 5432 | Interrupter Resistance in Preschool Children. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 163, 1350-1355.  | 2.5 | 108       |
| 5433 | Safety and Reproducibility of Sputum Induction in Asthmatic Subjects in a Multicenter Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 163, 1470-1475.   | 2.5 | 143       |
| 5434 | Assessing Coronary Sinus Blood Flow in Patients with Coronary Artery Disease. <i>American Journal of Roentgenology</i> , 2001, 177, 1161-1166.   | 1.0 | 33        |
| 5435 | Validity of self-reported energy intake in lean and obese young women, using two nutrient databases, compared with total energy expenditure assessed by doubly labeled water. <i>European Journal of Clinical Nutrition</i> , 2001, 55, 940-950. | 1.3 | 59        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5436 | Does macular laser alter the refraction in a diabetic with maculopathy? A pilot study. <i>Eye</i> , 2001, 15, 591-594.   | 1.1 | 3         |
| 5437 | MR Evaluation of Ventricular Function: True Fast Imaging with Steady-State Precession versus Fast Low-Angle Shot Cine MR Imaging: Feasibility Study. <i>Radiology</i> , 2001, 219, 264-269.  | 3.6 | 365       |
| 5438 | Discriminative Capacity of Bronchodilator Response Measured with Three Different Lung Function Techniques in Asthmatic and Healthy Children Aged 2 to 5 Years. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 164, 554-559. | 2.5 | 197       |
| 5439 | New TonoPen XL: Comparison with the Goldmann tonometer. <i>Eye</i> , 2001, 15, 52-58.  | 1.1 | 96        |
| 5440 | A comparative study in the use of brachial photoplethysmography and the QRS complex as timing references in determination of pulse transit time. , 0, , .  |     | 6         |
| 5441 | A Comparison of Footprint Indexes Calculated from Ink and Electronic Footprints. <i>Journal of the American Podiatric Medical Association</i> , 2001, 91, 203-209.   | 0.2 | 43        |
| 5442 | Improved MR Flow Mapping in Coronary Artery Bypass Grafts during Adenosine-induced Stress. <i>Radiology</i> , 2001, 218, 540-547.  | 3.6 | 45        |
| 5443 | Computed Tomography Assessment of Positive End-expiratory Pressure-induced Alveolar Recruitment in Patients with Acute Respiratory Distress Syndrome. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 163, 1444-1450.        | 2.5 | 289       |
| 5444 | Coronary Artery Calcification Measured at Electron-Beam CT: Agreement in Dual Scan Runs and Change over Time. <i>Radiology</i> , 2001, 218, 224-229.   | 3.6 | 86        |
| 5445 | Coronary Artery Calcium Measurement. <i>American Journal of Roentgenology</i> , 2001, 176, 1295-1298.  | 1.0 | 275       |
| 5446 | The Amblyopia Treatment Study Visual Acuity Testing Protocol. <i>JAMA Ophthalmology</i> , 2001, 119, 1345.   | 2.6 | 301       |
| 5447 | FeNO Measured at Fixed Exhalation Flow Rate during Controlled Tidal Breathing in Children from the Age of 2 Yr. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 163, 699-704.  | 2.5 | 69        |
| 5448 | Accuracy of Nasal Cannula Pressure Recordings for Assessment of Ventilation during Sleep. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 164, 1914-1919.  | 2.5 | 125       |
| 5449 | Inhaled Corticosteroids and the Treatment of Lymphocytic Bronchiolitis Following Lung Transplantation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 164, 1209-1212.   | 2.5 | 52        |
| 5450 | Estimation of Body Fatness by Air Displacement Plethysmography in African American and White Children. <i>Pediatric Research</i> , 2001, 50, 467-473.  | 1.1 | 71        |
| 5451 | Comparison of the Forced Oscillation Technique and the Interrupter Technique for Assessing Airway Obstruction and Its Reversibility in Children. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 164, 965-972.               | 2.5 | 66        |
| 5452 | A video-based optical system for rapid measurements of chest wall movement. <i>Physiological Measurement</i> , 2001, 22, 489-503.  | 1.2 | 16        |
| 5453 | Are ejection fractions from gated SPECT perfusion studies clinically useful? A comparison with radionuclide ventriculography. <i>Physiological Measurement</i> , 2001, 22, 413-422.  | 1.2 | 9         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5454 | Reproducibility of a non-invasive real-time measure of cardiac parasympathetic activity. <i>Physiological Measurement</i> , 2001, 22, 661-672.   | 1.2 | 15        |
| 5455 | Clinical evaluation of established optimal immobilizing doses of medetomidine-ketamine in captive reindeer ( <i>Rangifer tarandus tarandus</i> ). <i>American Journal of Veterinary Research</i> , 2001, 62, 406-413.  | 0.3 | 8         |
| 5456 | Grasping a Better Understanding of the Intrinsic Dynamics of Rhythmical and Discrete Prehension. <i>Journal of Motor Behavior</i> , 2001, 33, 27-36.   | 0.5 | 4         |
| 5457 | Static postural sway, proprioception, and maximal voluntary quadriceps contraction in patients with knee osteoarthritis and normal control subjects. <i>Annals of the Rheumatic Diseases</i> , 2001, 60, 612-618.  | 0.5 | 313       |
| 5458 | A test-retest reliability study of the Barthel Index, the Rivermead Mobility Index, the Nottingham extended Activities of Daily Living Scale and the Frenchay Activities Index in stroke patients. <i>Disability and Rehabilitation</i> , 2001, 23, 670-676. | 0.9 | 155       |
| 5459 | Microdysgenesis in temporal lobe epilepsy: A quantitative and immunohistochemical study of white matter neurones. <i>Brain</i> , 2001, 124, 2299-2309.   | 3.7 | 106       |
| 5460 | Tracking of the left ventricle in contrast enhanced echocardiography by anisotropic filtering and active contours algorithm. , 0, , .  |     | 1         |
| 5461 | Pulse-Wave Analysis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 147-152.  | 1.1 | 343       |
| 5462 | Reliability of gait speed measured by a timed walking test in patients one year after stroke. <i>Clinical Rehabilitation</i> , 2002, 16, 306-314.  | 1.0 | 146       |
| 5463 | CARDIAC MORPHOLOGY AND FUNCTION FOLLOWING LONG-TERM EXPOSURE TO CARBON MONOXIDE AT HIGH ALTITUDE IN RATS. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2002, 65, 1981-1998.  | 1.1 | 17        |
| 5464 | Impaired Accommodation of Proximal Stomach in Patients with Alcoholic Liver Cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , 2002, 37, 1403-1410.  | 0.6 | 30        |
| 5465 | Use of Family Proxies in Quality of Life Research for Cancer Patients at the End of Life: A Literature Review. <i>Cancer Investigation</i> , 2002, 20, 1086-1104.  | 0.6 | 138       |
| 5466 | The Correlation and Reproducibility of Histological Scoring Systems in Cartilage Repair. <i>Tissue Engineering</i> , 2002, 8, 627-634.   | 4.9 | 53        |
| 5467 | Mapping the left ventricular cavity by analysis of images reconstructed from 3D trans-oesophageal echocardiography. , 0, , .   |     | 2         |
| 5468 | COMPARISON OF PORTAPRESÂ® WITH STANDARD SPHYGMOMANOMETRY IN PREGNANCY. <i>Hypertension in Pregnancy</i> , 2002, 21, 65-76.   | 0.5 | 16        |
| 5469 | Reliability of the Manchester respiratory activities of daily living questionnaire as a postal questionnaire. <i>Age and Ageing</i> , 2002, 31, 355-358.   | 0.7 | 17        |
| 5470 | High resolution computed tomographic assessment of airway wall thickness in chronic asthma: reproducibility and relationship with lung function and severity. <i>Thorax</i> , 2002, 57, 247-253.   | 2.7 | 195       |
| 5471 | MArray: analysing single, replicated or reversed microarray experiments. <i>Bioinformatics</i> , 2002, 18, 1139-1140.  | 1.8 | 30        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5472 | Continuous and intermittent cardiac output measurement: pulmonary artery catheter versus aortic transpulmonary technique. <i>British Journal of Anaesthesia</i> , 2002, 88, 350-356.  | 1.5 | 205       |
| 5473 | Is comparison of changes in cardiac output, assessed by different methods, better than only comparing cardiac output to the reference method?. <i>British Journal of Anaesthesia</i> , 2002, 89, 336-339.   | 1.5 | 19        |
| 5474 | Adenosine in exhaled breath condensate in healthy volunteers and in patients with asthma. <i>European Respiratory Journal</i> , 2002, 20, 1393-1398.  | 3.1 | 182       |
| 5475 | Clinical Usefulness of Cystatin C for the Estimation of Glomerular Filtration Rate in Type 1 Diabetes: Reproducibility and accuracy compared with standard measures and iohexol clearance. <i>Diabetes Care</i> , 2002, 25, 2004-2009.  | 4.3 | 148       |
| 5476 | A Study of Forearm Versus Finger Stick Glucose Monitoring. <i>Diabetes Technology and Therapeutics</i> , 2002, 4, 13-23.  | 2.4 | 21        |
| 5477 | Comparison of Ethanol Concentrations in Saliva and Blood. <i>Journal of the Canadian Society of Forensic Science</i> , 2002, 35, 229-235.   | 0.7 | 2         |
| 5478 | Effect of a common reference plasma on the inter-laboratory variation of the measurement of total and free protein S: a collaborative study of the Dutch Working Group on Haemostasis Laboratory Diagnosis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2002, 62, 149-157.   | 0.6 | 6         |
| 5479 | Can a clinically useful aortic pressure wave be derived from a radial pressure wave? â€ Declaration of interest. Professor M. F. Oâ€™Rourke is a Director of PWV Medical, Sydney. PWV Medical provided funds and facilities for analysis of the data, and markets apparatus that uses the methods used in this study.. <i>British Journal of Anaesthesia</i> . 2002. 88. 481-488. | 1.5 | 67        |
| 5480 | Validity and Reliability of Diastolic Pulse Contour Analysis (Windkessel Model) in Humans. <i>Hypertension</i> , 2002, 39, 963-968.   | 1.3 | 63        |
| 5481 | Reliability, validity, and applicability of the Quebec User Evaluation of Satisfaction with assistive Technology (QUEST 2.0) for adults with multiple sclerosis. <i>Disability and Rehabilitation</i> , 2002, 24, 21-30.  | 0.9 | 189       |
| 5482 | A Three-Dimensional Quantitative Analysis of Restenosis Parameters after Balloon Angioplasty: Comparison between Semi-Automatic Computer-Assisted Planimetry and Stereology. <i>Journal of Vascular Research</i> , 2002, 39, 437-446.   | 0.6 | 10        |
| 5483 | IOP measurement and central corneal thickness. <i>British Journal of Ophthalmology</i> , 2002, 86, 120-121.   | 2.1 | 18        |
| 5484 | New applications of intracardiac echocardiography: assessment of coronary blood flow by colour and pulsed Doppler imaging in dogs. <i>British Heart Journal</i> , 2002, 88, 283-288.  | 2.2 | 3         |
| 5485 | Reliability of indices of neuromuscular leg performance in end-stage renal failure. <i>Journal of Rehabilitation Medicine</i> , 2002, 34, 273-277.  | 0.8 | 7         |
| 5486 | Coronary Risk Versus Cardiovascular Risk for Treatment Decisions in Mild Hypertension. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2002, 9, 275-280.  | 3.1 | 1         |
| 5487 | Monitoring high-dose heparin levels by ACT and HMT during extracorporeal circulation: diagnostic accuracy of three compact monitors. <i>Perfusion (United Kingdom)</i> , 2002, 17, 23-26.   | 0.5 | 8         |
| 5488 | Effect of cardiac cycle on ultrasound assessment of endothelial function. <i>Vascular Medicine</i> , 2002, 7, 103-108.  | 0.8 | 12        |
| 5489 | Ultrasonographic assessment of topographic anatomy in volunteers suggests a modification of the infraclavicular vertical brachial plexus block â€. <i>British Journal of Anaesthesia</i> , 2002, 88, 632-636.   | 1.5 | 108       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5490 | New methodology for assessment of intimal hyperplasia of vascular prostheses. ANZ Journal of Surgery, 2002, 72, 623-627.   | 0.3 | 16        |
| 5491 | Histidine-Rich Protein II: a Novel Approach to Malaria Drug Sensitivity Testing. Antimicrobial Agents and Chemotherapy, 2002, 46, 1658-1664.   | 1.4 | 168       |
| 5492 | Interpretation of the Gamma Interferon Test for Diagnosis of Subclinical Paratuberculosis in Cattle. Vaccine Journal, 2002, 9, 453-460.  | 3.2 | 39        |
| 5493 | Affordable CD4 + T-Cell Counting by Flow Cytometry: CD45 Gating for Volumetric Analysis. Vaccine Journal, 2002, 9, 1085-1094.  | 3.2 | 24        |
| 5494 | Assessment of the COBAS Amplicor HBV Monitor Test for Quantitation of Serum Hepatitis B Virus DNA Levels. Journal of Clinical Microbiology, 2002, 40, 1972-1976.   | 1.8 | 33        |
| 5495 | Reliability of the SNAP (score of neonatal acute physiology) data collection in mechanically ventilated term babies in New South Wales, Australia. Acta Paediatrica, International Journal of Paediatrics, 2002, 91, 424-429.        | 0.7 | 6         |
| 5496 | How reliable is length-based determination of body weight and tracheal tube size in the paediatric age group? The Broselow tape reconsidered. British Journal of Anaesthesia, 2002, 88, 283-285.                                     | 1.5 | 126       |
| 5497 | Comparison of two techniques for measuring penetration of sodium chloride particles through breathing system filters. British Journal of Anaesthesia, 2002, 89, 541-545.   | 1.5 | 13        |
| 5498 | Determinants of respiratory system input impedance and bronchodilator response in healthy Finnish preschool children. Clinical Physiology, 2002, 22, 64-71.  | 0.7 | 3         |
| 5499 | New methodology for assessment of intimal hyperplasia of vascular prostheses. ANZ Journal of Surgery, 2002, 72, 623-627.   | 0.3 | 2         |
| 5500 | Inconsistencies in bioelectrical impedance and anthropometric measurements of fat mass in a field study of prepubertal children. British Journal of Nutrition, 2002, 87, 163-175.  | 1.2 | 97        |
| 5501 | A portable forced oscillation device for respiratory home monitoring. European Respiratory Journal, 2002, 19, 146-150.   | 3.1 | 24        |
| 5502 | Test-retest reliability of the Work Ability Index questionnaire. Occupational Medicine, 2002, 52, 177-181.   | 0.8 | 308       |
| 5503 | PLASMA BIOCHEMICAL VALUES FROM APPARENTLY HEALTHY FREE-RANGING POLAR BEARS FROM SVALBARD. Journal of Wildlife Diseases, 2002, 38, 566-575.   | 0.3 | 37        |
| 5504 | Measurement of amygdala T2 relaxation time in temporal lobe epilepsy. Journal of Neurology, Neurosurgery and Psychiatry, 2002, 73, 753-755.  | 0.9 | 20        |
| 5505 | Automated quantification of aortic regurgitant volume and regurgitant fraction using the digital colour Doppler velocity profile integration method in patients with aortic regurgitation. British Heart Journal, 2002, 88, 481-484. | 2.2 | 4         |
| 5506 | Validation of the Phenylalanine/Tyrosine Ratio Determined by Tandem Mass Spectrometry: Sensitive Newborn Screening for Phenylketonuria. Clinical Chemistry and Laboratory Medicine, 2002, 40, 693-7.                                 | 1.4 | 57        |
| 5507 | Reliability of self assessed joint counts in ankylosing spondylitis. Annals of the Rheumatic Diseases, 2002, 61, 799-803.  | 0.5 | 10        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5508 | Assay of teicoplanin in serum: comparison of high-performance liquid chromatography and fluorescence polarization immunoassay. <i>Journal of Antimicrobial Chemotherapy</i> , 2002, 50, 107-110.                             | 1.3 | 31        |
| 5509 | Agreement between measured and self-reported weight in older women. Results from the British Women's Heart and Health Study. <i>Age and Ageing</i> , 2002, 31, 169-174.  | 0.7 | 104       |
| 5510 | Improved Accuracy of Quantitative Assessment of Left Ventricular Volume and Ejection Fraction by Geometric Models with Steady-State Free Precession. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2002, 4, 327-339. | 1.6 | 109       |
| 5511 | Natural head posture—considerations of reproducibility. <i>European Journal of Orthodontics</i> , 2002, 24, 457-470.   | 1.1 | 45        |
| 5512 | A novel clinical test of respiratory muscle endurance. <i>European Respiratory Journal</i> , 2002, 19, 232-239.  | 3.1 | 31        |
| 5513 | Improving the Action Research Arm test: a unidimensional hierarchical scale. <i>Clinical Rehabilitation</i> , 2002, 16, 646-653.   | 1.0 | 80        |
| 5514 | Performance Evaluation of the Precisionâ„¢ PCxâ„¢ Point-of-Care Blood Glucose Analyzer Using Discriminant Ratio Methodology. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 1052-5.                           | 1.4 | 11        |
| 5515 | Comparison of Laser-Probe and Photometric Determination of the Urinary Crystallization Risk of Calcium Oxalate. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 595-9.   | 1.4 | 10        |
| 5516 | Quantitative magnetic resonance imaging of the brain in survivors of very low birth weight. <i>Archives of Disease in Childhood</i> , 2002, 87, 279-283.   | 1.0 | 143       |
| 5517 | Evaluation of the validity and reliability of A-scan ultrasound biometry with a single use disposable cover. <i>British Journal of Ophthalmology</i> , 2002, 86, 344-349.  | 2.1 | 7         |
| 5518 | Left ventricular long axis function in diastolic heart failure is reduced in both diastole and systole: time for a redefinition?. <i>British Heart Journal</i> , 2002, 87, 121-125.  | 2.2 | 286       |
| 5519 | Non-invasive measurement of coronary flow reserve in children with Kawasaki disease. <i>British Heart Journal</i> , 2002, 87, 559-565.   | 2.2 | 24        |
| 5520 | Accuracy of serial screening for abdominal aortic aneurysms by ultrasound. <i>Journal of Medical Screening</i> , 2002, 9, 125-127.   | 1.1 | 67        |
| 5521 | Comparison of Two Different Methods for the Evaluation of Left Ventricular Ejection Fraction in Patients with Coronary Artery Disease. <i>Angiology</i> , 2002, 53, 693-698.   | 0.8 | 4         |
| 5522 | Comparison of Quick and Owren Prothrombin Time with Regard to the Harmonisation of the International Normalised Ratio (INR) System. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 399-403.                   | 1.4 | 22        |
| 5523 | Comparison of a cardiorespiratory device versus polysomnography for diagnosis of sleep apnoea. <i>European Respiratory Journal</i> , 2002, 20, 1505-1510.  | 3.1 | 83        |
| 5524 | Between-days reliability of electromyographic measures of paraspinal muscle fatigue at 40, 50 and 60% levels of maximal voluntary contractile force. <i>Clinical Rehabilitation</i> , 2002, 16, 761-771.                     | 1.0 | 40        |
| 5525 | Technical note: the comparison of hypointense lesions from â€˜pseudo-T1â€™ and T1-weighted images in secondary progressive multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2002, 8, 433-435.                         | 1.4 | 21        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5526 | A clinical trial of light cure acrylic resin for orthodontic use. <i>Journal of Orthodontics</i> , 2002, 29, 51-55.  | 0.4 | 11        |
| 5527 | Factors associated with early atrial fibrillation after ablation of common atrial flutter. A single centre prospective study. <i>European Heart Journal</i> , 2002, 23, 498-506.   | 1.0 | 65        |
| 5528 | Validation of the Diesse Mini-Ves Erythrocyte Sedimentation Rate (ESR) Analyzer Using the Westergren ESR Method in Patients With Systemic Inflammatory Conditions. <i>American Journal of Clinical Pathology</i> , 2002, 118, 14-17. | 0.4 | 29        |
| 5529 | Amygdala pathology in psychosis of epilepsy. <i>Brain</i> , 2002, 125, 140-149.  | 3.7 | 143       |
| 5530 | Mandibular outline assessment in three groups of orthodontic patients. <i>European Journal of Orthodontics</i> , 2002, 24, 605-614.  | 1.1 | 8         |
| 5531 | Prediction of the aerobic demand of walking in children. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 2097-2102.   | 0.2 | 14        |
| 5532 | Effect of dietary supplementation with $\omega$ -3 fatty acids on progression of atherosclerosis in carotid arteries. <i>Cardiovascular Research</i> , 2002, 54, 183-190.  | 1.8 | 81        |
| 5533 | A Comparison of the INVOS 4100 and the NIRO 300 Near-Infrared Spectrophotometers. <i>Anesthesia and Analgesia</i> , 2002, 94, 586-590.   | 1.1 | 148       |
| 5534 | Assessment of arterial gas pressures and cardiac output using a breathing lung model. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 1750-1756.  | 0.2 | 4         |
| 5535 | Intra- and Inter-observer Reproducibility of Transthoracic Pulmonary Venous Doppler Flow Indices after Acute Myocardial Infarction. <i>European Journal of Echocardiography</i> , 2002, 3, 32-38.                                    | 2.3 | 8         |
| 5536 | Visualization of Left Atrial Appendage and Assessment of its Function by Transthoracic Second Harmonic Imaging and Contrast-Enhanced Pulsed Doppler. <i>European Journal of Echocardiography</i> , 2002, 3, 13-23.                   | 2.3 | 23        |
| 5537 | Cephalometric soft tissue profile in unilateral cleft lip and palate patients. <i>European Journal of Orthodontics</i> , 2002, 24, 277-284.  | 1.1 | 29        |
| 5538 | Study of Two Techniques for Heparin Therapy Monitoring With an Amidolytic Anti-Factor Xa Assay. <i>Laboratory Medicine</i> , 2002, 33, 789-790.  | 0.8 | 1         |
| 5539 | A Simplified Approach to the Diagnosis of Elevated Intra-abdominal Pressure. <i>Journal of Trauma</i> , 2002, 52, 1169-1172.   | 2.3 | 44        |
| 5540 | Glucose pump test: a new method for blood flow measurements. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 2244-2248.   | 0.4 | 18        |
| 5541 | Comparison of the Tandem-E Immunoenzymetric and Immuno-1 PSA Assays. <i>Laboratory Medicine</i> , 2002, 33, 208-211.   | 0.8 | 1         |
| 5542 | Comparison of the Peak Exercise Response Measured by the Ramp and 1-min Step Cycle Exercise Protocols in Patients With Exertional Dyspnea. <i>Chest</i> , 2002, 121, 1099-1105.  | 0.4 | 25        |
| 5543 | Use of the Gas Exchange Threshold to Noninvasively Determine the Lactate Threshold in Patients With Cystic Fibrosis. <i>Chest</i> , 2002, 121, 1761-1770.  | 0.4 | 29        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5544 | Tidal Volume and Respiratory Timing Derived From a Portable Ventilation Monitor. <i>Chest</i> , 2002, 122, 684-691.  | 0.4 | 34        |
| 5545 | Energy intake and energy expenditure in elite lightweight female rowers. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 1823-1829.   | 0.2 | 42        |
| 5546 | Reliability of Binocular Vision Measurements Used in the Classification of Convergence Insufficiency. <i>Optometry and Vision Science</i> , 2002, 79, 254-264.   | 0.6 | 67        |
| 5547 | Photogrammetric Assessment of the Soft Tissue Profile in Unilateral Cleft Lip and Palate. <i>Cleft Palate-Craniofacial Journal</i> , 2002, 39, 597-603.  | 0.5 | 23        |
| 5548 | Assessment of Muscular Ventricular Septal Defect Closure by Transcatheter or Surgical Approach: A Three-Dimensional Echocardiographic Study. <i>European Heart Journal Cardiovascular Imaging</i> , 2002, 3, 185-191.                        | 0.5 | 26        |
| 5549 | Quantitative Near Infrared Spectroscopy Measurement of Cerebral Hemodynamics in Newborn Piglets. <i>Pediatric Research</i> , 2002, 51, 564-570.  | 1.1 | 104       |
| 5550 | Hemodialysis Access Imaging: Comparison of Flow-interrupted Contrast-enhanced MR Angiography and Digital Subtraction Angiography. <i>Radiology</i> , 2002, 225, 829-834.   | 3.6 | 25        |
| 5551 | Prediction of Postoperative Lung Function in Patients with Lung Cancer. <i>American Journal of Roentgenology</i> , 2002, 178, 667-672.   | 1.0 | 105       |
| 5552 | Ionic dialysance vs urea clearance in the absence of cardiopulmonary recirculation. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 106-111.  | 0.4 | 37        |
| 5553 | Comparison of semi-automated image analysis and manual methods for tissue quantification in pancreatic carcinoma. <i>Physics in Medicine and Biology</i> , 2002, 47, 1255-1266.  | 1.6 | 19        |
| 5554 | Skeletal Muscle Apoptosis and Weight Loss in Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002, 166, 485-489.  | 2.5 | 302       |
| 5555 | Comparing spot electrode arrangements for electric impedance cardiography. <i>Physiological Measurement</i> , 2002, 23, 457-467.   | 1.2 | 12        |
| 5556 | MR Imaging of Large Multinodular Goiters: Observer Agreement on Volume Versus Observer Disagreement on Dimensions of the Involved Trachea. <i>American Journal of Roentgenology</i> , 2002, 179, 259-266.                                    | 1.0 | 30        |
| 5557 | Validation of Nasal Pressure for the Identification of Apneas/Hypopneas during Sleep. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002, 166, 386-391.  | 2.5 | 86        |
| 5558 | Assessment of habitual energy and macronutrient intake in adults: comparison of a seven day food record with a dietary history interview. <i>European Journal of Clinical Nutrition</i> , 2002, 56, 105-113.                                 | 1.3 | 56        |
| 5559 | Loss of Body Cell Mass in Cushing's Syndrome: Effect of Treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 1078-1084.  | 1.8 | 41        |
| 5560 | Lymphangiomyomatosis: Correlation of Qualitative and Quantitative Thin-Section CT with Pulmonary Function Tests and Assessment of Dependence on Pleurodesis. <i>Radiology</i> , 2002, 223, 189-197.  | 3.6 | 61        |
| 5561 | Midthigh Muscle Cross-Sectional Area Is a Better Predictor of Mortality than Body Mass Index in Patients with Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002, 166, 809-813. | 2.5 | 730       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5562 | Expression and Regulation of Inducible Nitric Oxide Synthase from Human Primary Airway Epithelial Cells. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2002, 26, 144-151.                                       | 1.4 | 78        |
| 5563 | Use of Nasal Cannula for Detecting Sleep Apneas and Hypopneas in Infants and Children. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002, 166, 464-468.  | 2.5 | 84        |
| 5564 | Assessing agreement between CD34 enumeration by flow cytometry and volumetric analysis. <i>Bone Marrow Transplantation</i> , 2002, 29, 699-703.   | 1.3 | 4         |
| 5565 | Test-Retest Stability of Body-Image Scores in a Sample of 12-to 14-Yr.-Olds. <i>Perceptual and Motor Skills</i> , 2002, 95, 1007-1012.  | 0.6 | 3         |
| 5566 | Nutritional status of healthy elderly persons living in Dordogne, France, and relation with mortality and cognitive or functional decline. <i>European Journal of Clinical Nutrition</i> , 2002, 56, 305-312.                         | 1.3 | 74        |
| 5567 | Segmental bioelectrical impedance analysis in children aged 8-12 y: 1. The assessment of whole-body composition. <i>International Journal of Obesity</i> , 2002, 26, 684-691.   | 1.6 | 37        |
| 5568 | Improved Transcutaneous Bilirubinometry: Comparison of SpectR X BiliCheck and Minolta Jaundice Meter JM-102 for Estimating Total Serum Bilirubin in a Normal Newborn Population. <i>Journal of Perinatology</i> , 2002, 22, 12-14.    | 0.9 | 50        |
| 5569 | MR Flow Mapping in Coronary Artery Bypass Grafts: A Validation Study with Doppler Flow Measurements. <i>Radiology</i> , 2002, 222, 127-135.   | 3.6 | 41        |
| 5570 | Expiratory Asynchrony in Proportional Assist Ventilation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002, 165, 972-977.   | 2.5 | 41        |
| 5571 | 3D MR Angiography of Renal Arteries: Comparison of Volume Rendering and Maximum Intensity Projection Algorithms. <i>Radiology</i> , 2002, 223, 509-516.   | 3.6 | 56        |
| 5572 | Evaluation of an in-house enzyme-linked immunosorbent assay for quantitative measurement of serum total thyroxine concentration in dogs and cats. <i>Journal of the American Veterinary Medical Association</i> , 2002, 221, 243-249. | 0.2 | 25        |
| 5573 | Accuracy of MR Imaging for Revealing Residual Breast Cancer in Patients Who Have Undergone Neoadjuvant Chemotherapy. <i>American Journal of Roentgenology</i> , 2002, 179, 1193-1199.   | 1.0 | 330       |
| 5574 | Internet-based Home Monitoring of Pulmonary Function after Lung Transplantation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002, 165, 694-697.  | 2.5 | 112       |
| 5575 | Comparison of Insulin Sensitivity, Clearance, and Secretion Estimates Using Euglycemic and Hyperglycemic Clamps in Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 2899-2905.                           | 1.8 | 38        |
| 5576 | Instrument Translation and Evaluation of Equivalence and Psychometric Properties: The Chinese Sense of Coherence Scale. <i>Journal of Nursing Measurement</i> , 2002, 10, 59-76.  | 0.2 | 64        |
| 5577 | Validation of a food frequency questionnaire for nutritional calcium intake assessment in Italian women. <i>European Journal of Clinical Nutrition</i> , 2002, 56, 21-30.   | 1.3 | 221       |
| 5578 | A Comparison of the Lactate Pro, Accusport, Analox GM7 and Kodak Ektachem Lactate Analysers in Normal, Hot and Humid Conditions. <i>International Journal of Sports Medicine</i> , 2002, 23, 130-135.                                 | 0.8 | 69        |
| 5579 | Total body water measurement using bioelectrical impedance analysis, isotope dilution and total body potassium: a scoring system to facilitate intercomparison. <i>European Journal of Clinical Nutrition</i> , 2002, 56, 326-337.    | 1.3 | 12        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5580 | Segmental bioelectrical impedance analysis in children aged 8â€“12 y: 2. The assessment of regional body composition and muscle mass. <i>International Journal of Obesity</i> , 2002, 26, 692-700.   | 1.6 | 40        |
| 5581 | Detectable IL-8 and IL-10 in Bronchoalveolar Lavage Fluid from Preterm Infants Ventilated for Respiratory Distress Syndrome. <i>Pediatric Research</i> , 2002, 52, 973-978.  | 1.1 | 61        |
| 5582 | Contrast Media Clearance in a Single Kidney Measured on Multiphasic Helical CT. <i>American Journal of Roentgenology</i> , 2002, 178, 111-118.   | 1.0 | 23        |
| 5583 | Quantitative gated SPECT: the effect of reconstruction filter on calculated left ventricular ejection fractions and volumes. <i>Physics in Medicine and Biology</i> , 2002, 47, N99-N105.  | 1.6 | 16        |
| 5584 | Evaluation of an oscillometric blood pressure monitor for use in anesthetized cats. <i>Journal of the American Veterinary Medical Association</i> , 2002, 221, 646-650.  | 0.2 | 73        |
| 5585 | Tooth dimensions in hypodontia patients, their unaffected relatives and a control group measured by a new image analysis system. <i>European Journal of Orthodontics</i> , 2002, 24, 131-141.  | 1.1 | 71        |
| 5586 | Induced sputum is a reproducible method to assess airway inflammation in asthma. <i>Mediators of Inflammation</i> , 2002, 11, 293-298.   | 1.4 | 34        |
| 5587 | Optimizing fluid therapy in mechanically ventilated patients after cardiac surgery by on-line monitoring of left ventricular stroke volume variations. Comparison with aortic systolic pressure variations. <i>British Journal of Anaesthesia</i> , 2002, 88, 124-126. | 1.5 | 118       |
| 5588 | Effects of Selective $\beta_1$ - and $\beta_2$ -Adrenergic Blockade on Coronary Flow Reserve After Coronary Stenting. <i>Circulation</i> , 2002, 106, 2901-2907.   | 1.6 | 77        |
| 5589 | Test-retest reliability in isokinetic muscle strength measurements of the shoulder. <i>Journal of Rehabilitation Medicine</i> , 2002, 34, 91-95.   | 0.8 | 76        |
| 5590 | The prediction of height by armspan in older Chinese people. <i>Annals of Human Biology</i> , 2002, 29, 649-656.   | 0.4 | 17        |
| 5591 | Helicobacter Pylori Infection, the Cytotoxin Gene a Strain, and Carotid Artery Intima-Media Thickness. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2002, 9, 1-6.   | 3.1 | 17        |
| 5592 | Coronary Artery Calcium: Absolute Quantification in Nonenhanced and Contrast-enhanced Multiâ€“Detector Row CT Studies. <i>Radiology</i> , 2002, 223, 474-480.  | 3.6 | 182       |
| 5593 | Does Intake of Alcohol Increase the Risk of Presence and Growth of Colorectal Adenomas Followed-up in situ for Three Years?. <i>Scandinavian Journal of Gastroenterology</i> , 2002, 37, 80-87.  | 0.6 | 6         |
| 5594 | The validation of a religiosity measure for individuals with schizophrenia. <i>Mental Health, Religion and Culture</i> , 2002, 5, 267-284.   | 0.6 | 21        |
| 5595 | Estimation of Calorie and Protein Intake in Aged Patients: Validation of a Method Based on Meal Portions Consumed. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002, 57, M52-M56.   | 1.7 | 51        |
| 5596 | Inflammatory Mediators and Cell Adhesion Molecules as Indicators of Severity of Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 838-842.  | 1.1 | 151       |
| 5597 | Epicardial Colour-Doppler Scanning of Coronary Artery Stenoses and Graft Anastomoses. <i>Scandinavian Cardiovascular Journal</i> , 2002, 36, 95-99.  | 0.4 | 20        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5598 | Symptom Experiences: Perceptual Accuracy Between Advanced-Stage Cancer Patients and Family Caregivers in the Home Care Setting. <i>Journal of Clinical Oncology</i> , 2002, 20, 3495-3507.  | 0.8 | 100       |
| 5599 | The validity, reliability and responsiveness of the Nottingham Extended Activities of Daily Living scale in patients undergoing total hip replacement. <i>Disability and Rehabilitation</i> , 2002, 24, 371-377.  | 0.9 | 22        |
| 5600 | Differences in foetal heart rate variability from phonocardiography and abdominal electrocardiography. <i>Journal of Medical Engineering and Technology</i> , 2002, 26, 39-45.  | 0.8 | 8         |
| 5601 | Reliability of the Southampton examination schedule for the diagnosis of upper limb disorders in the general population. <i>Annals of the Rheumatic Diseases</i> , 2002, 61, 1103-1106.   | 0.5 | 59        |
| 5602 | Quantitative Assessment of Intrinsic Regional Myocardial Deformation by Doppler Strain Rate Echocardiography in Humans. <i>Circulation</i> , 2002, 106, 50-56.  | 1.6 | 479       |
| 5603 | Comparison of Immunoassays for Reproduction- and Thyroid-Hormones Performed on Five Automated Analysers: ARCHITECT, AxSYM, Centaur, Elecsys 2010 and IMMULITE 2000/Methodenvergleich von Immunoassays für Sexual- und Schilddrüsenhormone von fünf Routineanalysern: ARCHITECT, AxSYM, Centaur, Elecsys 2010 und IMMULITE 2000. <i>Laboratoriums Medizin</i> , 2002, 26, 191-202. | 0.1 | 0         |
| 5604 | Minimal hippocampal width relates to plasma homocysteine in community-dwelling older people. <i>Age and Ageing</i> , 2002, 31, 440-444.   | 0.7 | 79        |
| 5605 | C-Reactive Protein and Carotid Intimal Medial Thickness in a Community Population. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2002, 9, 97-103.   | 3.1 | 50        |
| 5606 | Diagnosing patients with longstanding shoulder joint pain. <i>Annals of the Rheumatic Diseases</i> , 2002, 61, 646-649.   | 0.5 | 47        |
| 5607 | A study to compare the reliability of composite finger flexion with goniometry for measurement of range of motion in the hand. <i>Clinical Rehabilitation</i> , 2002, 16, 562-570.  | 1.0 | 110       |
| 5608 | Characterisation of size and direction of osteophyte in knee osteoarthritis: a radiographic study. <i>Annals of the Rheumatic Diseases</i> , 2002, 61, 319-324.   | 0.5 | 60        |
| 5609 | The reliability and validity of the Nottingham Extended Activities of Daily Living Scale in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2002, 8, 372-376.   | 1.4 | 17        |
| 5610 | A comparison of bedside renal function estimates and measured glomerular filtration rate (Tc99mDTPA clearance) in cancer patients. <i>Annals of Oncology</i> , 2002, 13, 949-955.   | 0.6 | 53        |
| 5611 | Left Ventricular Mass. <i>Hypertension</i> , 2002, 40, 673-678.   | 1.3 | 146       |
| 5612 | How Good Are Parents at Assessing Melanocytic Nevi on Their Children? A Study Comparing Parental Counts, Dermatologist Counts, and Counts Obtained from Photographs. <i>American Journal of Epidemiology</i> , 2002, 155, 1128-1136.  | 1.6 | 6         |
| 5613 | Non-invasive automated assessment of the ratio of pulmonary to systemic flow in patients with atrial septal defects by the colour Doppler velocity profile integration method. <i>British Heart Journal</i> , 2002, 88, 278-282.  | 2.2 | 8         |
| 5614 | Breath-hold FLASH and FISP Cardiovascular MR Imaging: Left Ventricular Volume Differences and Reproducibility. <i>Radiology</i> , 2002, 223, 789-797.   | 3.6 | 270       |
| 5615 | The Guy's Neurological Disability Scale in patients with multiple sclerosis: a clinical evaluation of its reliability and validity. <i>Clinical Rehabilitation</i> , 2002, 16, 75-95.   | 1.0 | 55        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5616 | Intragastric maldistribution of a liquid meal in patients with reflux oesophagitis assessed by three dimensional ultrasonography. <i>Gut</i> , 2002, 50, 153-158.   | 6.1 | 67        |
| 5617 | Cardiac Function: MR Evaluation in One Breath Hold with Real-time True Fast Imaging with Steady-State Precession. <i>Radiology</i> , 2002, 222, 835-842.  | 3.6 | 146       |
| 5618 | Prostate Cancer Tumor Volume: Measurement with Endorectal MR and MR Spectroscopic Imaging. <i>Radiology</i> , 2002, 223, 91-97.   | 3.6 | 263       |
| 5619 | An investigation of new toxicity test method performance in validation studies: 2. comparison of three measures of toxicity test performance. <i>Human and Experimental Toxicology</i> , 2002, 21, 313-323. | 1.1 | 8         |
| 5620 | A Two-Center Evaluation of the Blood Gas Immediate Response Mobile Analyzer (IRMA). <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 182-91.   | 1.4 | 5         |
| 5621 | Comparison of three methods to measure absolute cerebral hemoglobin concentration in neonates by near-infrared spectrophotometry. <i>Journal of Biomedical Optics</i> , 2002, 7, 221.                       | 1.4 | 20        |
| 5622 | Development, validation and utilisation of food-frequency questionnaires " a review. <i>Public Health Nutrition</i> , 2002, 5, 567-587.   | 1.1 | 1,037     |
| 5623 | Agreement in assessing optic discs with a digital stereoscopic optic disc camera (Discam) and Heidelberg retina tomograph. <i>British Journal of Ophthalmology</i> , 2002, 86, 196-202.                     | 2.1 | 35        |
| 5624 | More Accurate Quantification of Pulmonary Blood Flow by Magnetic Resonance Imaging Than by Lung Perfusion Scintigraphy in Patients With Fontan Circulation. <i>Circulation</i> , 2002, 106, 1510-1513.      | 1.6 | 104       |
| 5625 | EEG signal processing in anaesthesia. Use of a neural network technique for monitoring depth of anaesthesia. <i>British Journal of Anaesthesia</i> , 2002, 88, 644-648.                                     | 1.5 | 65        |
| 5626 | Validation of Myocardial Acceleration During Isovolumic Contraction as a Novel Noninvasive Index of Right Ventricular Contractility. <i>Circulation</i> , 2002, 105, 1693-1699.                             | 1.6 | 421       |
| 5627 | A Chinese version of the Rheumatology Attitudes Index is a valid and reliable measure of learned helplessness in patients with SLE. <i>Lupus</i> , 2002, 11, 88-94.   | 0.8 | 6         |
| 5628 | The timed "Up & Go"™ is dependent on chair type. <i>Clinical Rehabilitation</i> , 2002, 16, 609-616.  | 1.0 | 69        |
| 5629 | Gadolinium-Enhanced 3-Dimensional Magnetic Resonance Angiography of Pulmonary Blood Supply in Patients With Complex Pulmonary Stenosis or Atresia. <i>Circulation</i> , 2002, 106, 473-478.                 | 1.6 | 235       |
| 5630 | Exhaled nitric oxide measurements with dynamic flow restriction in children aged 4-8 yrs. <i>European Respiratory Journal</i> , 2002, 20, 919-924.  | 3.1 | 47        |
| 5631 | Estimating Mean Glomerular Volume Using Two Arbitrary Parallel Sections. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, 2697-2705.  | 3.0 | 42        |
| 5632 | Postsystolic Shortening in Ischemic Myocardium. <i>Circulation</i> , 2002, 106, 718-724.  | 1.6 | 226       |
| 5633 | A new non-contact optical device for ocular biometry. <i>British Journal of Ophthalmology</i> , 2002, 86, 458-462.  | 2.1 | 228       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5634 | Are the general equations to predict BMR applicable to patients with anorexia nervosa?. Eating and Weight Disorders, 2002, 7, 53-59.  | 1.2 | 27        |
| 5635 | Functional monitoring of anthracycline cardiotoxicity:a prospective, blinded, long-term observational study of outcome in 120 patients. Annals of Oncology, 2002, 13, 699-709.                    | 0.6 | 291       |
| 5636 | Clinical validation of methods of diagnosis of neuropathy in a field study of United Kingdom sheep dippers. Occupational and Environmental Medicine, 2002, 59, 442-446.                           | 1.3 | 1         |
| 5637 | Agreement on Nutrient Intake between the Databases of the First National Health and Nutrition Examination Survey and the ESHA Food Processor. American Journal of Epidemiology, 2002, 156, 78-85. | 1.6 | 44        |
| 5638 | Measurement of right ventricular volume in healthy term and preterm neonates. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2002, 87, 89F-93.                                     | 1.4 | 23        |
| 5639 | Poor accuracy and interobserver reliability of knee arthroscopy measurements are improved by the use of variable angle elongated probes. Annals of the Rheumatic Diseases, 2002, 61, 540-543.     | 0.5 | 20        |
| 5640 | Accuracy of the AvoSure PT Pro System Compared with a Hospital Laboratory Standard. Annals of Pharmacotherapy, 2002, 36, 380-385.   | 0.9 | 10        |
| 5641 | Ultrasonic Characterization of the Pulmonary Venous Wall. Circulation, 2002, 106, 968-973.  | 1.6 | 51        |
| 5642 | Comparison of Temple Temperatures with Rectal Temperatures in Children Under Two Years of Age. Clinical Pediatrics, 2002, 41, 405-414.  | 0.4 | 55        |
| 5643 | JAT's Impact Factorâ€™Room for Improvement?. Journal of Analytical Toxicology, 2002, 26, 2-5.   | 1.7 | 11        |
| 5644 | Functional versus Fractional Oxygen Saturation Readings: Bias and Agreement Using Simulated Solutions and Adult Blood. Biological Research for Nursing, 2002, 3, 210-221.                         | 1.0 | 12        |
| 5645 | Evaluation of impulse oscillation system: comparison with forced oscillation technique and body plethysmography. European Respiratory Journal, 2002, 19, 1214-1220.                               | 3.1 | 52        |
| 5646 | Determination of plasma volume in anaesthetized piglets using the carbon monoxide (CO) method. Laboratory Animals, 2002, 36, 344-350.   | 0.5 | 26        |
| 5647 | Applicability of laser scanning cytometry to study paediatric alveolar macrophages. European Respiratory Journal, 2002, 20, 1437-1443.  | 3.1 | 4         |
| 5648 | Quality of care from the perspective of the cataract patient: the reliability and validity of the QUOTE-Cataract. British Journal of Ophthalmology, 2002, 86, 840-842.                            | 2.1 | 22        |
| 5649 | European Community Respiratory Health Survey calibration project of dosimeter driving pressures. European Respiratory Journal, 2002, 19, 252-256.   | 3.1 | 10        |
| 5650 | Proinsulin Is an Independent Predictor of Coronary Heart Disease. Circulation, 2002, 105, 2153-2158.  | 1.6 | 106       |
| 5651 | A comparison of transcutaneous bilirubinometers: SpectRx BiliCheck versus Minolta AirShields. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2002, 87, 137F-140.                   | 1.4 | 35        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5652 | Electrocardiographically Gated Multi-Detector Row CT for Assessment of Valvular Morphology and Calcification in Aortic Stenosis. <i>Radiology</i> , 2002, 225, 120-128.  | 3.6 | 165       |
| 5653 | Hypercholesterolaemia and lipid lowering treatment do not affect the acute endogenous fibrinolytic capacity in vivo. <i>British Heart Journal</i> , 2002, 87, 48-53.   | 2.2 | 20        |
| 5654 | Eliminating discard volumes in neonatal and pediatric blood sampling from arterial catheters: A comparison of three simple blood-conserving aspiration techniques. <i>Pediatric Critical Care Medicine</i> , 2002, 3, 134-140.   | 0.2 | 4         |
| 5655 | Insufficiency in a New Temporal-Artery Thermometer for Adult and Pediatric Patients. <i>Anesthesia and Analgesia</i> , 2002, 95, 67-71.  | 1.1 | 108       |
| 5656 | Analysis of proglycogen and macroglycogen content in muscle biopsy specimens obtained from horses. <i>American Journal of Veterinary Research</i> , 2002, 63, 570-575.   | 0.3 | 14        |
| 5657 | Comparison of Techniques for the Measurement of Left Ventricular Function Following Cardiac Transplantation. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2002, 4, 255-263.   | 1.6 | 57        |
| 5658 | Use of radial arterial tonometric continuous blood pressure measurement in cardiovascular reactivity studies. <i>Blood Pressure Monitoring</i> , 2002, 7, 259-263.   | 0.4 | 28        |
| 5659 | The Relationship Between Arch Dimensions and the 5-Year Index in the Primary Dentition of Patients With Complete UCLP. <i>Cleft Palate-Craniofacial Journal</i> , 2002, 39, 635-640.   | 0.5 | 21        |
| 5660 | C-Reactive Protein Predicts Progression of Atherosclerosis Measured at Various Sites in the Arterial Tree. <i>Stroke</i> , 2002, 33, 2750-2755.  | 1.0 | 178       |
| 5661 | Central Venous and Bladder Pressure Reflect Transdiaphragmatic Pressure During Pressure Support Ventilation. <i>Chest</i> , 2002, 121, 533-538.  | 0.4 | 27        |
| 5662 | Left Atrial Function Preserves Pulmonary Circulatory Pressure During Pacing-Tachycardia and Contributes to Exercise Capacity in Patients With Idiopathic Dilated Cardiomyopathy in Sinus Rhythm, Whose Exercise is Limited by Dyspnea. <i>Circulation Journal</i> , 2002, 66, 937-942. | 0.7 | 4         |
| 5663 | Comparison of Five Bilevel Pressure Ventilators in Patients with Chronic Ventilatory Failure. <i>Chest</i> , 2002, 122, 2105-2114.   | 0.4 | 58        |
| 5664 | Can peripheral venous blood gases replace arterial blood gases in emergency department patients?. <i>Canadian Journal of Emergency Medicine</i> , 2002, 4, 7-15.   | 0.5 | 87        |
| 5665 | Preoperative Diagnosis of Carotid Artery Stenosis. <i>Stroke</i> , 2002, 33, 2003-2008.  | 1.0 | 170       |
| 5666 | Inspiratory Capacity and Decrease in Lung Hyperinflation with Albuterol in COPD. <i>Chest</i> , 2002, 122, 2009-2014.  | 0.4 | 40        |
| 5667 | Observer Agreement in the Angiographic Assessment of Arteriovenous Malformations of the Brain. <i>Stroke</i> , 2002, 33, 1501-1508.  | 1.0 | 49        |
| 5668 | Upper-Extremity Volume Measurements in Women With Lymphedema: A Comparison of Measurements Obtained Via Water Displacement With Geometrically Determined Volume. <i>Physical Therapy</i> , 2002, 82, 1201-1212.  | 1.1 | 235       |
| 5669 | Respiratory variations of aortic VTI: a new index of hypovolemia and fluid responsiveness. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 283, H1729-H1733.  | 1.5 | 147       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5670 | Use of Near Infrared Spectroscopy for Estimation of Peripheral Venous Saturation in Newborns: Comparison with Co-Oximetry of Central Venous Blood. <i>Neonatology</i> , 2002, 82, 1-8.   | 0.9 | 22        |
| 5671 | Interrelationships of serum testosterone and free testosterone index with FFM and strength in aging men. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002, 283, E284-E294.                              | 1.8 | 154       |
| 5672 | Examination of the Metamax I and II oxygen analysers during exercise studies in the laboratory. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2002, 62, 585-598.  | 0.6 | 83        |
| 5673 | Estimating phosphate removal in haemodialysis: an additional tool to quantify dialysis dose. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 1037-1044.   | 0.4 | 76        |
| 5674 | The mechanical joint score: a new clinical index of joint damage in rheumatoid arthritis. <i>Rheumatology</i> , 2002, 41, 189-195.   | 0.9 | 12        |
| 5675 | Left ventricular hypertrophy screening using a hand-held ultrasound device. <i>European Heart Journal</i> , 2002, 23, 1516-1521.   | 1.0 | 56        |
| 5676 | The M-NMT Mechanosensor Cannot be Considered as a Reliable Clinical Neuromuscular Monitor in Daily Anesthesia Practice. <i>Anesthesia and Analgesia</i> , 2002, 95, 1827.  | 1.1 | 0         |
| 5677 | Repeated Assessment of Temporomandibular Joint Pain: Reasoned Decision-Making With Use of Unidimensional and Multidimensional Pain Scales. <i>Clinical Journal of Pain</i> , 2002, 18, 107-115.                                    | 0.8 | 10        |
| 5678 | Ultrasound recorded axillary artery blood flow during elbow-flexion exercise. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 1288-1293.  | 0.2 | 12        |
| 5679 | Reversible Prolongation of Motor Conduction Time After Transcranial Magnetic Brain Stimulation After Neurogenic Claudication in Spinal Stenosis. <i>Spine</i> , 2002, 27, 2284-2290.   | 1.0 | 7         |
| 5680 | Ultrasound Imaging of the Thoracic Epidural Space. <i>Regional Anesthesia and Pain Medicine</i> , 2002, 27, 200-206.   | 1.1 | 47        |
| 5681 | Preload Index: Pulmonary Artery Occlusion Pressure Versus Intrathoracic Blood Volume Monitoring During Lung Transplantation. <i>Anesthesia and Analgesia</i> , 2002, 95, 835-843.  | 1.1 | 59        |
| 5682 | Desaturation Events in Neonates during Mechanical Ventilation. <i>Critical Care Nursing Quarterly</i> , 2002, 24, 14-29.   | 0.4 | 8         |
| 5683 | Performance and Repeatability of the NEI-VFQ-25 in Patients With Dry Eye. <i>Cornea</i> , 2002, 21, 578-583.   | 0.9 | 87        |
| 5684 | Use of echocardiography for hemodynamic monitoring. <i>Critical Care Medicine</i> , 2002, 30, 1361-1364.   | 0.4 | 82        |
| 5685 | Lithium dilution cardiac output measurement: A clinical assessment of central venous and peripheral venous indicator injection*. <i>Critical Care Medicine</i> , 2002, 30, 2199-2204.  | 0.4 | 53        |
| 5686 | Assessment of Pulmonary Perfusion With Ultrafast Projection Magnetic Resonance Angiography in Comparison With Lung Perfusion Scintigraphy in Patients With Malignant Stenosis. <i>Investigative Radiology</i> , 2002, 37, 594-599. | 3.5 | 15        |
| 5687 | Reproducibility and normal ranges for gastric emptying in normal volunteers using a test meal designed for post-operative patients. <i>Nuclear Medicine Communications</i> , 2002, 23, 97-101.                                     | 0.5 | 11        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5688 | Does Indocyanine Green Accurately Measure Plasma Volume Early After Cardiac Surgery?. Anesthesia and Analgesia, 2002, 94, 781-786.  | 1.1 | 24        |
| 5689 | Preload Index: Pulmonary Artery Occlusion Pressure Versus Intrathoracic Blood Volume Monitoring During Lung Transplantation. Anesthesia and Analgesia, 2002, 95, 835-843.   | 1.1 | 110       |
| 5690 | Assessment of cardiac output from systemic arterial pressure in humans. Critical Care Medicine, 2002, 30, 1834-1841.  | 0.4 | 2,062     |
| 5691 | Accuracy and reliability of wrist-cuff devices for self-measurement of blood pressure. Journal of Hypertension, 2002, 20, 629-638.  | 0.3 | 76        |
| 5692 | Assessment of carotid plaque composition in hypertensive patients by ultrasonic tissue characterization: a validation study. Journal of Hypertension, 2002, 20, 1589-1596.  | 0.3 | 19        |
| 5693 | Pulse wave velocity and the second derivative of the finger photoplethysmogram in treated hypertensive patients. Journal of Hypertension, 2002, 20, 2415-2422.  | 0.3 | 102       |
| 5694 | The Performance of Four Different Corneal Topographers on Normal Human Corneas and Its Impact on Orthokeratology Lens Fitting. Optometry and Vision Science, 2002, 79, 175-183.   | 0.6 | 76        |
| 5695 | Validation of the Spanish Version of the Roland-Morris Questionnaire. Spine, 2002, 27, 538-542.   | 1.0 | 200       |
| 5696 | Validation of the Omron HEM-907 device for blood pressure measurement. Blood Pressure Monitoring, 2002, 7, 237-241.   | 0.4 | 246       |
| 5697 | Transesophageal Echocardiography Interpretation: A Comparative Analysis Between Cardiac Anesthesiologists and Primary Echocardiographers. Anesthesia and Analgesia, 2002, 94, 302-309.  | 1.1 | 19        |
| 5698 | Parent visual analogue scale ratings of children's pain do not reliably reflect pain reported by child. Pediatric Emergency Care, 2002, 18, 159-162.  | 0.5 | 83        |
| 5699 | Liquid Chromatography Tandem Mass Spectrometry Assay for Topiramate Analysis in Plasma and Cerebrospinal Fluid: Validation and Comparison With Fluorescence-Polarization Immunoassay. Therapeutic Drug Monitoring, 2002, 24, 658-664. | 1.0 | 33        |
| 5700 | Clinical Evaluation of the Dynamic Observing Tonometer. Journal of Glaucoma, 2002, 11, 334-339.   | 0.8 | 5         |
| 5701 | The effect of differences in measurement procedure on the comparability of blood pressure estimates in multi-centre studies. Blood Pressure Monitoring, 2002, 7, 95-104.  | 0.4 | 46        |
| 5702 | Accuracy of the Welch Allyn Vital Signs Monitor 52000 automatic blood pressure measuring device according to a modified British Hypertension Society protocol. Blood Pressure Monitoring, 2002, 7, 185-189.                           | 0.4 | 13        |
| 5703 | Pressure Ulcer Surface Area Measurement Using Instant Full-Scale Photography and Transparency Tracings. Advances in Skin and Wound Care, 2002, 15, 17-23.   | 0.5 | 39        |
| 5704 | Comparison of Interface Pressures in the Pediatric Population Among Various Support Surfaces. Journal of Wound, Ostomy and Continence Nursing, 2002, 29, 242-251.   | 0.6 | 2         |
| 5705 | RADIATION EXPOSURE FROM DIAGNOSTIC IMAGING: AGREEMENT BETWEEN SELF-REPORT AND MEDICAL RECORDS. Health Physics, 2002, 83, 907-917.   | 0.3 | 14        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5706 | Clinic, home and ambulatory pulse pressure: comparison and reproducibility. <i>Journal of Hypertension</i> , 2002, 20, 1987-1993.  | 0.3 | 31        |
| 5707 | Feasibility of myocardial dual-isotope perfusion imaging combined with gated single photon emission tomography for assessing coronary artery disease. <i>Nuclear Medicine Communications</i> , 2002, 23, 19-29.                                  | 0.5 | 1         |
| 5708 | The Effect of Myopic Axial Elongation and Posture on the Pulsatile Ocular Blood Flow in Young Normal Subjects. <i>Optometry and Vision Science</i> , 2002, 79, 300-305.  | 0.6 | 35        |
| 5709 | The Reliability of the Low Back Outcome Score for Back Pain. <i>Spine</i> , 2002, 27, 206-210.   | 1.0 | 42        |
| 5710 | Transcutaneous and intra-arterial blood gas monitoring???a comparison during apnoea testing for the determination of brain death. <i>European Journal of Emergency Medicine</i> , 2002, 9, 51-56.  | 0.5 | 17        |
| 5711 | Assessment of repeatability and correlates of arterial compliance. <i>Blood Pressure Monitoring</i> , 2002, 7, 231-235.  | 0.4 | 38        |
| 5712 | Inflationary oscillometric blood pressure monitoring: validation of the OMRON-MIT. <i>Blood Pressure Monitoring</i> , 2002, 7, 325-328.  | 0.4 | 27        |
| 5713 | Preload recruitable stroke work relationship in the right ventricle: Simultaneous assessment using conductance catheter and sonomicrometry*. <i>Critical Care Medicine</i> , 2002, 30, 2535-2541.  | 0.4 | 7         |
| 5714 | Automatic Determination of Aortic Compliance With Cine-Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2002, 37, 685-691.   | 3.5 | 26        |
| 5715 | Modeling of end-tidal and arterial PCO <sub>2</sub> gradient: comparison with experimental data. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 622-629.   | 0.2 | 23        |
| 5716 | Simultaneous and Rapid Analysis of Cyclosporin A and Creatinine in Finger Prick Blood Samples Using Liquid Chromatography Tandem Mass Spectrometry and Its Application in C2 Monitoring. <i>Therapeutic Drug Monitoring</i> , 2002, 24, 757-767. | 1.0 | 46        |
| 5717 | Wrist blood pressure-measuring devices: a comparative study of accuracy with a standard auscultatory method using a mercury manometer. <i>Blood Pressure Monitoring</i> , 2002, 7, 281-284.  | 0.4 | 24        |
| 5718 | Comparison of an ELISA and an LC/MS/MS Method for Measuring Tacrolimus Concentrations and Making Dosage Decisions in Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2002, 24, 607-615.  | 1.0 | 45        |
| 5719 | Title is missing!. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2002, 9, 97-103.  | 1.5 | 82        |
| 5720 | Quality control of the blood pressure phenotype in the European Project on Genes in Hypertension. <i>Blood Pressure Monitoring</i> , 2002, 7, 215-224.   | 0.4 | 109       |
| 5721 | Evaluation of the overall system precision of the Welch-Allyn transtelephonic home blood pressure monitor in adults with ParkinsonE14s disease. <i>Blood Pressure Monitoring</i> , 2002, 7, 285-288.   | 0.4 | 3         |
| 5723 | Transesophageal Echocardiography Interpretation: A Comparative Analysis Between Cardiac Anesthesiologists and Primary Echocardiographers. <i>Anesthesia and Analgesia</i> , 2002, 94, 302-309.   | 1.1 | 19        |
| 5724 | Can the EPIC food-frequency questionnaire be used in adolescent populations?. <i>Public Health Nutrition</i> , 2002, 5, 783-789.   | 1.1 | 46        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5725 | A Comparison of Three Different Scales for Rating Contact Lens Handling. <i>Optometry and Vision Science</i> , 2002, 79, 313-320.  | 0.6 | 38        |
| 5726 | Cimetidine improves prediction of the glomerular filtration rate by the cockcroft-gault formula in renal transplant recipients. <i>Transplantation</i> , 2002, 73, 770-774.  | 0.5 | 33        |
| 5727 | Cross-validation of the NCAA Method to Predict Body Fat for Minimum Weight in Collegiate Wrestlers. <i>Clinical Journal of Sport Medicine</i> , 2002, 12, 285-290.   | 0.9 | 17        |
| 5728 | Title is missing!. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2002, 9, 275-280.   | 1.5 | 3         |
| 5729 | Energy expenditure assessed by heart rate and doubly labeled water in young athletes. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 1360-1366.  | 0.2 | 43        |
| 5730 | Comparison of pedometer and accelerometer measures of free-living physical activity. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 2045-2051.   | 0.2 | 316       |
| 5731 | Influence of the physiological changes of gastric emptying on the simplified single sample <sup>14</sup> C-urea breath test. <i>Nuclear Medicine Communications</i> , 2002, 23, 171-174.   | 0.5 | 1         |
| 5732 | Comparison of the TriTrac-R3D accelerometer and a self-report activity diary with heart-rate monitoring for the assessment of energy expenditure in children. <i>British Journal of Nutrition</i> , 2002, 87, 623-631.                 | 1.2 | 37        |
| 5733 | Evaluation of a foot-to-foot bioelectrical impedance analyser in highly active, moderately active and less active young men. <i>British Journal of Nutrition</i> , 2002, 88, 205-210.  | 1.2 | 31        |
| 5734 | Assessing sleeping energy expenditure in children using heart-rate monitoring calibrated against open-circuit indirect calorimetry: a pilot study. <i>British Journal of Nutrition</i> , 2002, 88, 533-543.                            | 1.2 | 17        |
| 5735 | Relative bias in diet history measurements: a quality control technique for dietary intervention trials. <i>Public Health Nutrition</i> , 2002, 5, 537-545.  | 1.1 | 23        |
| 5736 | Validation of the second version of a quantitative food-frequency questionnaire for use in Western Mali. <i>Public Health Nutrition</i> , 2002, 5, 769-781.  | 1.1 | 25        |
| 5737 | Association Between Birth Weight and Adult Disorders in Twins: Validity of Self-reported Birth Weight. <i>Twin Research and Human Genetics</i> , 2002, 5, 308-309.   | 1.5 | 5         |
| 5738 | Birthweight in Dizygotic Twins. <i>Twin Research and Human Genetics</i> , 2002, 5, 309-309.  | 1.5 | 7         |
| 5739 | Orthogonal Polarization Spectral Imaging Versus Intravital Fluorescent Microscopy for Microvascular Studies in Wounds. <i>Annals of Plastic Surgery</i> , 2002, 48, 646-653.   | 0.5 | 28        |
| 5740 | Comparison of Multiple Against Single Pain Intensity Measurements in Complex Regional Pain Syndrome Type I: Analysis of 54 Patients. <i>Clinical Journal of Pain</i> , 2002, 18, 234-237.  | 0.8 | 14        |
| 5741 | Noninvasive proportional assist ventilation compared with noninvasive pressure support ventilation in hypercapnic acute respiratory failure. <i>Critical Care Medicine</i> , 2002, 30, 323-329.  | 0.4 | 86        |
| 5742 | Preload and haemodynamic assessment during liver transplantation: a comparison between the pulmonary artery catheter and transpulmonary indicator dilution techniques. <i>European Journal of Anaesthesiology</i> , 2002, 19, 868-875. | 0.7 | 8         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5743 | Assessment of Three Methods of pH Probe Positioning in Preterm Infants. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2002, 35, 69-72.  | 0.9 | 8         |
| 5744 | Field evaluation of energy expenditure in women using Tritrac accelerometers. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 1667-1674.  | 0.2 | 76        |
| 5745 | Neurohumoral prediction of left-ventricular morphologic response to $\hat{I}^2$ -blockade with metoprolol in chronic left-ventricular systolic heart failure. <i>European Journal of Heart Failure</i> , 2002, 4, 635-646. | 2.9 | 14        |
| 5746 | Antibody to Streptococcal Cysteine Proteinase as a Seromarker of Group A Streptococcal ( <i>Streptococcus pyogenes</i> ) Infections. <i>Scandinavian Journal of Infectious Diseases</i> , 2002, 34, 407-412.               | 1.5 | 10        |
| 5747 | The role of PC-1 and ACE genes in diabetic nephropathy in type 1 diabetic patients: evidence for a polygenic control of kidney disease progression. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 1402-1407.      | 0.4 | 16        |
| 5748 | What Is the Best Way To Measure Cardiac Output?. <i>Chest</i> , 2002, 122, 771-774.  | 0.4 | 9         |
| 5749 | Interexaminer Repeatability of a New, Modified Prentice Card Compared with Established Phoria Tests. <i>Optometry and Vision Science</i> , 2002, 79, 370-375.  | 0.6 | 39        |
| 5750 | The Neuromuscular Transmission Module Versus the Relaxometer Mechanomyograph for Neuromuscular Block Monitoring. <i>Anesthesia and Analgesia</i> , 2002, 94, 591-596.  | 1.1 | 54        |
| 5751 | The Dependency of LogMAR Visual Acuity Measurements on Chart Design and Scoring Rule. <i>Optometry and Vision Science</i> , 2002, 79, 788-792.   | 0.6 | 85        |
| 5752 | Working Group on Blood Pressure Monitoring of the European Society of Hypertension International Protocol for validation of blood pressure measuring devices in adults. <i>Blood Pressure Monitoring</i> , 2002, 7, 3-17.  | 0.4 | 641       |
| 5753 | Pressure-volume-based single-beat estimations cannot predict left ventricular contractility in vivo. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 282, H1739-H1750.                    | 1.5 | 55        |
| 5755 | Evaluation of Tear Film Interference Patterns and Measures of Tear Break-Up Time. <i>Optometry and Vision Science</i> , 2002, 79, 363-369.   | 0.6 | 126       |
| 5756 | Home Sleep Studies in the Assessment of Sleep Apnea/Hypopnea Syndrome. <i>Chest</i> , 2002, 122, 1156-1161.  | 0.4 | 92        |
| 5757 | Prolongation of cardiac repolarization by arsenic trioxide. <i>Blood</i> , 2002, 100, 2249-2252.   | 0.6 | 59        |
| 5758 | Quantification of right-to-left shunt with $^{99m}\text{Tc}$ -labelled albumin macroaggregates and 100% oxygen in patients with hereditary haemorrhagic telangiectasia. <i>Clinical Science</i> , 2002, 102, 127-134.      | 1.8 | 24        |
| 5759 | Non-invasive measurement of cardiac output in heart failure patients using a new foreign gas rebreathing technique. <i>Clinical Science</i> , 2002, 102, 247-252.  | 1.8 | 126       |
| 5760 | Left ventricular long-axis changes in early diastole and systole: impact of systolic function on diastole. <i>Clinical Science</i> , 2002, 102, 515-522.   | 1.8 | 103       |
| 5761 | Reproducibility of derived central arterial waveforms in patients with chronic renal failure. <i>Clinical Science</i> , 2002, 103, 59-65.  | 1.8 | 60        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5762 | Application of Coefficient of Reliability to the Studies of Physical Therapy.. Rigakuryoho Kagaku, 2002, 17, 181-187.  | 0.0 | 6         |
| 5763 | Validation of Three Alternative Methods to Measure Total Energy Expenditure against the Doubly Labeled Water Method for Older Japanese Men. Journal of Nutritional Science and Vitaminology, 2002, 48, 517-523.  | 0.2 | 70        |
| 5764 | Repeatability of Inspiratory Capacity During Incremental Exercise in Patients With Severe COPD. Chest, 2002, 121, 708-714.   | 0.4 | 58        |
| 5765 | Contributions of Rotations of the Trunk and Upper Extremity to Hand Velocity during Front Crawl Swimming. Journal of Applied Biomechanics, 2002, 18, 243-256.  | 0.3 | 32        |
| 5766 | Assessing Physical Activity among Children with Accelerometers Using Different Time Sampling Intervals and Placements. Pediatric Exercise Science, 2002, 14, 87-96.  | 0.5 | 222       |
| 5767 | Assessment of Critical Power with Children. Pediatric Exercise Science, 2002, 14, 259-268.   | 0.5 | 28        |
| 5768 | Home Unattended vs Hospital Telemonitored Polysomnography in Suspected Obstructive Sleep Apnea Syndrome. Chest, 2002, 121, 753-758.  | 0.4 | 59        |
| 5769 | Lack of Agreement Between Thermodilution and Fick Cardiac Output in Critically Ill Patients. Chest, 2002, 122, 990-997.  | 0.4 | 98        |
| 5770 | Multicomponent methods: evaluation of new and traditional soft tissue mineral models by in vivo neutron activation analysis,,. American Journal of Clinical Nutrition, 2002, 76, 968-974.  | 2.2 | 111       |
| 5771 | Equation to estimate resting energy expenditure in adolescents with sickle cell anemia. American Journal of Clinical Nutrition, 2002, 76, 1335-1344.   | 2.2 | 23        |
| 5772 | Validation of energy intake measurements determined from observer-recorded food records and recall methods compared with the doubly labeled water method in overweight and obese individuals. American Journal of Clinical Nutrition, 2002, 75, 263-267. | 2.2 | 68        |
| 5773 | Tuberculin Test Measurement. Chest, 2002, 122, 1299-1301.  | 0.4 | 26        |
| 5774 | Underwater Weighing Familiarization Program for Adults with Prader-Willi Syndrome. Adapted Physical Activity Quarterly, 2002, 19, 188-198.   | 0.6 | 0         |
| 5775 | Total-body skeletal muscle mass: estimation by a new dual-energy X-ray absorptiometry method. American Journal of Clinical Nutrition, 2002, 76, 378-383.   | 2.2 | 599       |
| 5776 | Comparison of Cardiac Output and Circulatory Blood Volumes by Transpulmonary Thermo-Dye Dilution and Transcutaneous Indocyanine Green Measurement in Critically Ill Patients. Chest, 2002, 121, 559-565.   | 0.4 | 58        |
| 5777 | Comparison of energy expenditure estimates from doubly labeled water, a physical activity questionnaire, and physical activity records. American Journal of Clinical Nutrition, 2002, 75, 519-525.   | 2.2 | 126       |
| 5778 | Body-composition assessment via air-displacement plethysmography in adults and children: a review. American Journal of Clinical Nutrition, 2002, 75, 453-467.  | 2.2 | 499       |
| 5779 | Whole Blood Collected on Filter Paper Provides a Minimally Invasive Method for Assessing Human Transferrin Receptor Level. Journal of Nutrition, 2002, 132, 3760-3763.   | 1.3 | 46        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5780 | Body fat in neonates and young infants: validation of skinfold thickness versus dual-energy X-ray absorptiometry,,. American Journal of Clinical Nutrition, 2002, 76, 1096-1100.                               | 2.2 | 158       |
| 5781 | Field Methods for Body Composition Assessment Are Valid in Healthy Chinese Adults. Journal of Nutrition, 2002, 132, 310-317.   | 1.3 | 35        |
| 5782 | Evaluating body fat in girls and female adolescents: advantages and disadvantages of dual-energy X-ray absorptiometry. American Journal of Clinical Nutrition, 2002, 76, 384-389.                              | 2.2 | 96        |
| 5783 | Utility of Actigraphy in the Diagnosis of Obstructive Sleep Apnea. Sleep, 2002, , .  | 0.6 | 25        |
| 5784 | The Most Effective Exercise for Strengthening the Supraspinatus Muscle. American Journal of Sports Medicine, 2002, 30, 374-381.  | 1.9 | 71        |
| 5785 | Assessment of a Transcutaneous Device in the Evaluation of Neonatal Hyperbilirubinemia in a Primarily Hispanic Population. Pediatrics, 2002, 110, 61-67.   | 1.0 | 91        |
| 5786 | Urinary Excretion of Cross-Linked N-Telopeptides of Type 1 Collagen to Assess Bone Resorption in Infants From Birth to 1 Year of Age. Pediatrics, 2002, 110, 105-109.  | 1.0 | 13        |
| 5787 | Measuring the meaning of disability in rheumatoid arthritis: the Personal Impact Health Assessment Questionnaire (PI HAQ). Annals of the Rheumatic Diseases, 2002, 61, 986-993.                                | 0.5 | 41        |
| 5788 | Noninvasive measurement of midexpiratory flow indicates bronchoconstriction in allergic rats. Journal of Applied Physiology, 2002, 93, 1208-1214.  | 1.2 | 49        |
| 5789 | Ultrasound of the thyroid gland in the newborn: normative data. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2002, 87, 209F-211.  | 1.4 | 72        |
| 5790 | Acute and Chronic Effects of Exercise on Heart Rate Variability in Adults and Children: A Review. Pediatric Exercise Science, 2002, 14, 328-344.   | 0.5 | 12        |
| 5791 | Effect of repeated episodes of reversible myocardial ischemia on myocardial blood flow and function in humans. American Journal of Physiology - Heart and Circulatory Physiology, 2002, 282, H1603-H1608.      | 1.5 | 58        |
| 5792 | Nasal Cellularity in 183 Unselected Schoolchildren Aged 9 to 11 Years. Pediatrics, 2002, 110, 1137-1142.   | 1.0 | 10        |
| 5793 | Oximeter Performance. Chest, 2002, 122, 1654-1660.   | 0.4 | 30        |
| 5794 | Detection of Carotid Artery Stenosis by In Vivo Duplex Ultrasound. Stroke, 2002, 33, 2402-2407.  | 1.0 | 24        |
| 5795 | Evaluation of skin erythema by use of chromametry and image analysis of digital photographs after intradermal administration of histamine in dogs. American Journal of Veterinary Research, 2002, 63, 565-569. | 0.3 | 7         |
| 5796 | Near-patient testing of blood glucose using the Bayer Rapidlab 860 analyser in a regional neonatal unit. Annals of Clinical Biochemistry, 2002, 39, 502-508.   | 0.8 | 16        |
| 5797 | Reliability of Transportable Instruments for Assessment of Infant Length. Journal of Nursing Measurement, 2002, 10, 111-121.   | 0.2 | 4         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 5798 | Differences Between Echocardiographic Measurements of Left Ventricular Dimensions and Function by Local Investigators and a Core Laboratory in a 2-year Follow-up Study of Patients with an Acute Myocardial Infarction. <i>European Heart Journal Cardiovascular Imaging</i> , 2002, 3, 263-270.      | 0.5  | 11        |
| 5799 | Quantitative Electroretinogram Measures of Phototransduction in Cone and Rod Photoreceptors. <i>JAMA Ophthalmology</i> , 2002, 120, 1045.  | 2.6  | 79        |
| 5800 | Transcutaneous carbon dioxide monitoring during high-frequency oscillatory ventilation in infants and children. <i>Critical Care Medicine</i> , 2002, 30, 1024-1027.   | 0.4  | 54        |
| 5801 | Chronic exertional compartment syndrome: muscle changes with isometric exercise. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 1900-1906.   | 0.2  | 31        |
| 5802 | Within-test Variability of Frequency-doubling Perimetry Using a 24-2 Test Pattern. <i>Journal of Glaucoma</i> , 2002, 11, 315-320.   | 0.8  | 24        |
| 5803 | Capillary and arterial blood gases in hemorrhagic shock: A comparative study. <i>Pediatric Critical Care Medicine</i> , 2002, 3, 375-377.  | 0.2  | 4         |
| 5804 | Overestimation of carotid artery stenosis with magnetic resonance angiography compared with digital subtraction angiography. <i>Journal of Vascular Surgery</i> , 2002, 36, 806-813.   | 0.6  | 14        |
| 5805 | Twenty-four-hour ambulatory blood pressure monitoring in atrial fibrillation. <i>Blood Pressure Monitoring</i> , 2002, 7, 149-156.   | 0.4  | 28        |
| 5806 | Assessment of a blood pressure measurement training programme for lay observers. <i>Blood Pressure Monitoring</i> , 2002, 7, 251-257.  | 0.4  | 20        |
| 5807 | Validation of the Microlife BP 3BTO-A oscillometric blood pressure monitoring device according to a modified British Hypertension Society protocol. <i>Blood Pressure Monitoring</i> , 2002, 7, 319-324.   | 0.4  | 95        |
| 5809 | Reliability of Isokinetic Strength and Aerobic Power Testing for Patients With Chronic Heart Failure. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2002, 22, 282-289.   | 0.5  | 18        |
| 5810 | The Applicability of Half-Mouth Examination to Periodontal Disease Assessment in Untreated Adult Populations. <i>Journal of Periodontology</i> , 2002, 73, 975-981.  | 1.7  | 49        |
| 5811 | Increase in Nocturnal Blood Pressure and Progression to Microalbuminuria in Type 1 Diabetes. <i>New England Journal of Medicine</i> , 2002, 347, 797-805.  | 13.9 | 667       |
| 5812 | Physical outcome measurements via the Internet: Reliability at two Internet speeds. <i>Journal of Telemedicine and Telecare</i> , 2002, 8, 50-52.  | 1.4  | 39        |
| 5813 | Multicenter Study of the LCx <sup>Â</sup> HIV RNA Quantitative Assay â€“ a New Competitive Reverse Transcriptase-PCR which Targets pol Genomic Region of HIV-1 for the Measurement of Type B, Non-Type B and Group O HIV-1 RNA. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 698-704. | 1.4  | 11        |
| 5814 | Vessel wall tracking based on the modified autocorrelation estimator. , 0, , .   |      | 1         |
| 5815 | Use of a rapid arterial blood gas analyzer to estimate blood hemoglobin concentration among critically ill adults. <i>Critical Care</i> , 2002, 6, 72.   | 2.5  | 24        |
| 5816 | Assessment of tissue oxygen tension: comparison of dynamic fluorescence quenching and polarographic electrode technique. <i>Critical Care</i> , 2002, 6, 76.   | 2.5  | 31        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5817 | Equipment review: new techniques for cardiac output measurement--oesophageal Doppler, Fick principle using carbon dioxide, and pulse contour analysis. <i>Critical Care</i> , 2002, 6, 216.   | 2.5 | 81        |
| 5818 | Effects of contrast material on computed tomographic measurements of lung volumes in patients with acute lung injury. <i>Critical Care</i> , 2002, 7, 63.   | 2.5 | 12        |
| 5819 | Doppler echocardiographic estimation of left ventricular end-diastolic pressure after MI in rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 283, H346-H352.  | 1.5 | 84        |
| 5820 | Superoxide Generation in Directional Coronary Atherectomy Specimens of Patients With Angina Pectoris. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 1838-1844.  | 1.1 | 177       |
| 5821 | Reliability of retinal photography in the assessment of retinal microvascular characteristics: the atherosclerosis risk in communities study. <i>American Journal of Ophthalmology</i> , 2002, 133, 78-88.  | 1.7 | 146       |
| 5822 | Noncontact corneal pachymetry with slit lamp-adapted optical coherence tomography. <i>American Journal of Ophthalmology</i> , 2002, 133, 444-450.   | 1.7 | 97        |
| 5823 | Comparability of proptosis measurements by different techniques11InternetAdvance publication at ajo.com March 7, 2002.. <i>American Journal of Ophthalmology</i> , 2002, 133, 813-818.  | 1.7 | 43        |
| 5824 | Reproducibility of Blood Pressure Response to Hydrochlorothiazide. <i>Journal of Clinical Hypertension</i> , 2002, 4, 408-412.  | 1.0 | 7         |
| 5825 | Evaluation of force-sensing resistors for gait event detection to trigger electrical stimulation to improve walking in the child with cerebral palsy. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2002, 10, 22-29.          | 2.7 | 97        |
| 5826 | Are 24-Hour Urine Samples and Creatinine Adjustment Required for Analysis of Inorganic Arsenic in Urine in Population Studies?. <i>Environmental Research</i> , 2002, 88, 219-224.  | 3.7 | 49        |
| 5827 | Absolute blood flow and oxygenconsumption in stunned myocardiumin patients with coronary artery disease. <i>Journal of the American College of Cardiology</i> , 2002, 39, 420-427.  | 1.2 | 41        |
| 5828 | Imaging of myocardial infarction: comparison of magnevist and gadophrin-3 in rabbits. <i>Journal of the American College of Cardiology</i> , 2002, 39, 1392-1398.   | 1.2 | 63        |
| 5829 | Electrocardiogram-gated single-photonemission computed tomography versus cardiacmagnetic resonance imaging for the assessmentof left ventricular volumes and ejection fraction. <i>Journal of the American College of Cardiology</i> , 2002, 39, 2059-2068. | 1.2 | 118       |
| 5830 | Noninvasive assessment of microvascular function in arterial hypertension by transthoracic doppler harmonic echocardiography. <i>Journal of the American College of Cardiology</i> , 2002, 39, 2012-2018.   | 1.2 | 53        |
| 5831 | Assessment of endothelial function using peripheral waveform analysis. <i>Journal of the American College of Cardiology</i> , 2002, 40, 521-528.  | 1.2 | 148       |
| 5832 | A new dynamic three-dimensional digital color doppler method for quantification of pulmonary regurgitation: validation study in an animal model. <i>Journal of the American College of Cardiology</i> , 2002, 40, 1179-1185.                                | 1.2 | 24        |
| 5833 | Compensatory changes in atrial volumes with normal aging: is atrial enlargement inevitable?. <i>Journal of the American College of Cardiology</i> , 2002, 40, 1630-1635.  | 1.2 | 182       |
| 5834 | Transthoracic Doppler assessment of coronary flow velocity reserve in children with Kawasaki disease. <i>Journal of the American College of Cardiology</i> , 2002, 40, 1816-1824.   | 1.2 | 36        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5835 | Atherosclerotic lesions in genetically modified mice quantified in vivo by non-invasive high-resolution magnetic resonance microscopy. <i>Atherosclerosis</i> , 2002, 162, 315-321.  | 0.4 | 58        |
| 5836 | Measurements of lead in human tibiae. A comparison between K-shell x-ray fluorescence and electrothermal atomic absorption spectrometry. <i>Physics in Medicine and Biology</i> , 2002, 47, 673-687.   | 1.6 | 37        |
| 5837 | Bedside methods versus dual energy X-ray absorptiometry for body composition measurement in COPD. <i>European Respiratory Journal</i> , 2002, 19, 626-631.   | 3.1 | 224       |
| 5838 | Methods to Determine Aerobic Endurance. <i>Sports Medicine</i> , 2002, 32, 675-700.  | 3.1 | 174       |
| 5839 | Comparison of simultaneous invasive and noninvasive measurements of pressure gradients in congenital aortic valve stenosis. <i>Journal of the American Society of Echocardiography</i> , 2002, 15, 1496-1502.  | 1.2 | 27        |
| 5840 | Components of respiratory resistance monitored in mechanically ventilated patients. <i>European Respiratory Journal</i> , 2002, 20, 1538-1544.   | 3.1 | 15        |
| 5841 | A new design of a polysomnography-based multi-center treatment study for the restless legs syndrome. <i>Clinical Neurophysiology</i> , 2002, 113, 571-578.   | 0.7 | 18        |
| 5842 | Derived equations are not precise enough to predict the adequacy of creatinine clearance in peritoneal dialysis patients. <i>American Journal of Kidney Diseases</i> , 2002, 40, 1036-1044.  | 2.1 | 4         |
| 5843 | Significance of pelvic floor muscles in anal incontinence. <i>Gastroenterology</i> , 2002, 123, 1441-1450.   | 0.6 | 110       |
| 5844 | Indirect calorimetry in patients with active respiratory infection – prevention of cross-infection. <i>Clinical Nutrition</i> , 2002, 21, 385-388.   | 2.3 | 6         |
| 5845 | Comparison of the Cosmed K4 b2 and the Deltatrac IITM metabolic cart in measuring resting energy expenditure in adults. <i>Clinical Nutrition</i> , 2002, 21, 491-497.   | 2.3 | 35        |
| 5846 | TH1/TH2 immune response profiles differ between atopic children in eastern and western Germany. <i>Journal of Allergy and Clinical Immunology</i> , 2002, 109, 338-342.  | 1.5 | 36        |
| 5847 | A shape-space-based approach to tracking myocardial borders and quantifying regional left-ventricular function applied in echocardiography. <i>IEEE Transactions on Medical Imaging</i> , 2002, 21, 226-238.   | 5.4 | 123       |
| 5848 | Comparison of methods of microvascular staining and quantification in prostate carcinoma: Relevance to prognosis. <i>Apmis</i> , 2002, 110, 177-185.   | 0.9 | 27        |
| 5849 | Prevention or Retardation of Joint Damage in Rheumatoid Arthritis. <i>Drugs</i> , 2002, 62, 1717-1724.   | 4.9 | 7         |
| 5850 | Differences in assessment of symptoms and quality of life between patients with advanced cancer and their specialist palliative care nurses in a home care setting. <i>Palliative Medicine</i> , 2002, 16, 488-494.  | 1.3 | 53        |
| 5851 | Quantitative analysis of aortic regurgitation: Real-time 3-dimensional and 2-dimensional color Doppler echocardiographic method – a clinical and a chronic animal study. <i>Journal of the American Society of Echocardiography</i> , 2002, 15, 966-971.     | 1.2 | 26        |
| 5852 | Correlation between measured inferior vena cava diameter and right atrial pressure depends on the echocardiographic method used in patients who are mechanically ventilated. <i>Journal of the American Society of Echocardiography</i> , 2002, 15, 944-949. | 1.2 | 60        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 5853 | Validation of a device to measure arterial pulse wave velocity by a photoplethysmographic method. <i>Physiological Measurement</i> , 2002, 23, 581-596.   | 1.2  | 115       |
| 5854 | Comparison of a sidestream capnograph and a mainstream capnograph in mechanically ventilated dogs. <i>Journal of the American Veterinary Medical Association</i> , 2002, 221, 1582-1585.  | 0.2  | 36        |
| 5855 | Measurement of aortic valve anatomic regurgitant area using transesophageal echocardiography: Implications for the quantitation of aortic regurgitation. <i>Journal of the American Society of Echocardiography</i> , 2002, 15, 1170-1174.  | 1.2  | 8         |
| 5856 | NONINVASIVE MEASUREMENT OF BLADDER PRESSURE BY CONTROLLED INFLATION OF A PENILE CUFF. <i>Journal of Urology</i> , 2002, 167, 1344-1347.   | 0.2  | 69        |
| 5857 | Quantification of left ventricular diastolic pressure-volume relations during routine cardiac catheterization by two-dimensional digital echo quantification and left ventricular micromanometer. <i>Journal of the American Society of Echocardiography</i> , 2002, 15, 225-232. | 1.2  | 5         |
| 5858 | Comparison of Pencil-, Fan-, and Cone-Beam Dual X-ray Absorptiometers for Evaluation of Bone Mineral Content in Excised Rat Bone. <i>Journal of Clinical Densitometry</i> , 2002, 5, 355-361.   | 0.5  | 10        |
| 5859 | Changes in Mitochondrial DNA as a Marker of Nucleoside Toxicity in HIV-Infected Patients. <i>New England Journal of Medicine</i> , 2002, 346, 811-820.  | 13.9 | 591       |
| 5860 | The effects of patellar taping on pain and neuromuscular performance in subjects with patellofemoral pain syndrome. <i>Clinical Rehabilitation</i> , 2002, 16, 821-827.   | 1.0  | 78        |
| 5862 | Noninvasive assessment of great cardiac vein flow by Doppler echocardiography: A validation study. <i>Journal of the American Society of Echocardiography</i> , 2002, 15, 253-258.  | 1.2  | 6         |
| 5863 | Left ventricular volume estimation for real-time three-dimensional echocardiography. <i>IEEE Transactions on Medical Imaging</i> , 2002, 21, 1202-1208.   | 5.4  | 105       |
| 5864 | The agreement between two diagnostic methods in binary cases: a proposal. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2002, 62, 391-398.   | 0.6  | 4         |
| 5865 | Statistical Methods in Assessing Agreement. <i>Journal of the American Statistical Association</i> , 2002, 97, 257-270.   | 1.8  | 345       |
| 5866 | Quality Control, Quality Assurance, and Proficiency Testing in the Andrology Laboratory. <i>Archives of Andrology</i> , 2002, 48, 417-431.  | 1.0  | 19        |
| 5867 | Intra- and interobserver repeatability of radiographic measurements in hallux surgery. <i>Acta Orthopaedica</i> , 2002, 73, 670-673.  | 1.4  | 2         |
| 5868 | Objective comparison of quantitative imaging modalities without the use of a gold standard. <i>IEEE Transactions on Medical Imaging</i> , 2002, 21, 441-449.  | 5.4  | 43        |
| 5869 | Reproducibility, repeatability, correlation and measurement error. <i>British Journal of Radiology</i> , 2002, 75, 193-194.   | 1.0  | 15        |
| 5870 | Variability of Trail Making Test, Symbol Digit Test and Line Trait Test in normal people. A normative study taking into account age-dependent decline and sociobiological variables. <i>Aging Clinical and Experimental Research</i> , 2002, 14, 117-131.                         | 1.4  | 154       |
| 5871 | Automated analysis of brachial ultrasound image sequences: early detection of cardiovascular disease via surrogates of endothelial function. <i>IEEE Transactions on Medical Imaging</i> , 2002, 21, 1271-1279.   | 5.4  | 69        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5872 | Inter-rater Reliability and Between-days Repeatability of Eight Physical Performance Tests. <i>Advances in Physiotherapy</i> , 2002, 4, 146-160.   | 0.2 | 25        |
| 5873 | The validity and reliability of relative body fat estimates and the construction of new prediction equations for young Japanese adult males. <i>Journal of Sports Sciences</i> , 2002, 20, 153-164.                          | 1.0 | 23        |
| 5874 | Evaluation of Gastric Emptying Measured with the 13 C-octanoic Acid Breath Test in Patients with Functional Dyspepsia: Comparison with Ultrasonography. <i>Scandinavian Journal of Gastroenterology</i> , 2002, 37, 662-666. | 0.6 | 33        |
| 5875 | In Vitro Agreement between Magnetic Resonance Imaging and Intraluminal Doppler Ultrasound for High Flow Velocity Measurements. <i>Scandinavian Cardiovascular Journal</i> , 2002, 36, 180-186.                               | 0.4 | 4         |
| 5876 | Comparison of Goldmann applanation tonometry with the Tonopen for measuring intraocular pressure in a population-based glaucoma survey in rural West Bengal. <i>Ophthalmic Epidemiology</i> , 2002, 9, 215-224.              | 0.8 | 34        |
| 5877 | Accuracy of pacing during breaststroke swimming using a novel pacing device, the Aquapacer <sup>®</sup> . <i>Journal of Sports Sciences</i> , 2002, 20, 537-546.   | 1.0 | 21        |
| 5878 | Evaluation of the Interchangeability of and Oxygen Uptake Efficiency Slope. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2002, 27, 589-601.  | 1.7 | 27        |
| 5879 | Influence of freeze-drying on the clotting properties of fibrinogen in plasma. <i>Thrombosis Research</i> , 2002, 105, 499-502.  | 0.8 | 10        |
| 5880 | Point of care measurement of lepirudin and heparin anticoagulation during systemic inflammation. <i>Thrombosis Research</i> , 2002, 108, 91-95.  | 0.8 | 5         |
| 5881 | Pulseco: a less-invasive method to monitor cardiac output from arterial pressure after cardiac surgery. <i>Annals of Thoracic Surgery</i> , 2002, 74, 1408-1412.   | 0.7 | 119       |
| 5882 | Matrix-dependent bias in total thyroxine measurement on the Beckman Access. <i>Clinica Chimica Acta</i> , 2002, 316, 171-174.  | 0.5 | 4         |
| 5883 | Effect of long-term storage at -80 °C on the various lipid parameters in stored plasma samples. <i>Clinica Chimica Acta</i> , 2002, 322, 179-181.  | 0.5 | 19        |
| 5884 | A sensitive, colorimetric, microtitre assay for alcohol dehydrogenase in standard endoscopic gastric biopsies. <i>Clinica Chimica Acta</i> , 2002, 322, 43-49.   | 0.5 | 3         |
| 5885 | An evaluation of three glucose meter systems and their performance in relation to criteria of acceptability for neonatal specimens. <i>Clinica Chimica Acta</i> , 2002, 322, 139-148.  | 0.5 | 20        |
| 5886 | The use of diagnostic data in clinical dental practice. <i>Dental Clinics of North America</i> , 2002, 46, 87-115.   | 0.8 | 12        |
| 5887 | The Reliability of Clinical Methods in Ophthalmology. <i>Survey of Ophthalmology</i> , 2002, 47, 375-386.  | 1.7 | 19        |
| 5888 | A semi-automated assessment of cell size and shape in monolayers, with optional adjustment for the cell's cell border width application to human corneal endothelium. <i>Tissue and Cell</i> , 2002, 34, 283-295.            | 1.0 | 24        |
| 5889 | Evaluation of the new EMIT enzyme immunoassay for the determination of whole-blood tacrolimus concentrations in kidney, heart, and liver transplant recipients. <i>Transplantation Proceedings</i> , 2002, 34, 2988-2990.    | 0.3 | 30        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5890 | Glucose gradient differences in subcutaneous tissue of healthy volunteers assessed with ultraslow microdialysis and a nanolitre glucose sensor. <i>Life Sciences</i> , 2002, 70, 2457-2466.  | 2.0 | 21        |
| 5891 | Stereotaxy-Based Regional Brain Volumetry Applied to Segmented MRI: Validation and Results in Deficit and Nondeficit Schizophrenia. <i>NeuroImage</i> , 2002, 17, 373-384.   | 2.1 | 49        |
| 5892 | Comparison of pulmonary arterial thermodilution and arterial pulse contour analysis: evaluation of a new algorithm. <i>Journal of Clinical Anesthesia</i> , 2002, 14, 296-301.   | 0.7 | 50        |
| 5893 | Is the sagittal configuration of the cervical spine changed in women with chronic whiplash syndrome? A comparative computer-assisted radiographic assessment. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2002, 25, 550-555. | 0.4 | 32        |
| 5894 | Interobserver reproducibility of the assessment of severity of complaints, grip strength, and pressure pain threshold in patients with lateral epicondylitis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002, 83, 1145-1150.     | 0.5 | 248       |
| 5895 | Impact of quality scales on levels of evidence inferred from a systematic review of exercise therapy and low back pain. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002, 83, 1745-1752.   | 0.5 | 63        |
| 5896 | The effect of hypothermia on calculated values using saline and automated air tonometry. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2002, 16, 304-307.   | 0.6 | 6         |
| 5897 | Lithium dilution cardiac output measurement in oleic acid-induced pulmonary edema. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2002, 16, 334-337.   | 0.6 | 6         |
| 5898 | Validation of continuous thermodilution cardiac output in patients implanted with a left ventricular assist device. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2002, 16, 727-730.  | 0.6 | 16        |
| 5899 | Comparison of continuous, stat, and intermittent cardiac output measurements in patients undergoing minimally invasive direct coronary artery bypass surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2002, 16, 186-190.      | 0.6 | 35        |
| 5900 | Intrathoracic blood volume index measured by thermodilution for preload monitoring after cardiac surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2002, 16, 191-195.  | 0.6 | 122       |
| 5901 | Extended NO analysis applied to patients with COPD, allergic asthma and allergic rhinitis. <i>Respiratory Medicine</i> , 2002, 96, 24-30.  | 1.3 | 119       |
| 5902 | Radiographic Assessment of the Relative Lengths of the Bones of the Fingers of the Human Hand. <i>Journal of Hand Surgery</i> , 2002, 27, 546-548.   | 0.9 | 31        |
| 5903 | Evaluation of satisfaction with midwifery care. <i>Midwifery</i> , 2002, 18, 260-267.  | 1.0 | 106       |
| 5904 | Noninvasive estimation of both systolic and diastolic pulmonary artery pressure from Doppler analysis of tricuspid regurgitant velocity spectrum in patients with chronic heart failure. <i>American Heart Journal</i> , 2002, 144, 1087-1094.   | 1.2 | 102       |
| 5905 | Assessment of handwashing practices with chemical and microbiologic methods: Preliminary results from a prospective crossover study. <i>American Journal of Infection Control</i> , 2002, 30, 334-340.   | 1.1 | 33        |
| 5906 | Comparison of interface pressures in the pediatric population among various support surfaces. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2002, 29, 242-251.  | 0.6 | 5         |
| 5907 | B-mode versus A-mode ultrasonographic measurements of mucosal thickness in vivo. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2002, 93, 110-117.  | 1.6 | 27        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5908 | QTc interval prolongation and QTc dispersion in children and adolescents with type 1 diabetes. <i>Journal of Pediatrics</i> , 2002, 141, 59-63.  | 0.9 | 50        |
| 5909 | Nightmare frequency in sexual assault survivors with PTSD. <i>Journal of Anxiety Disorders</i> , 2002, 16, 175-190.  | 1.5 | 140       |
| 5910 | Estimating energy expenditure from the Minnesota Leisure Time Physical Activity and Tecumseh Occupational Activity questionnaires – a doubly labeled water validation. <i>Journal of Clinical Epidemiology</i> , 2002, 55, 392-399.  | 2.4 | 71        |
| 5911 | The role of health care providers and significant others in evaluating the quality of life of patients with chronic disease. <i>Journal of Clinical Epidemiology</i> , 2002, 55, 1130-1143.  | 2.4 | 350       |
| 5912 | Venous pCO <sub>2</sub> and pH can be used to screen for significant hypercarbia in emergency patients with acute respiratory disease. <i>Journal of Emergency Medicine</i> , 2002, 22, 15-19.   | 0.3 | 100       |
| 5913 | Reproducibility of standardized retroillumination photography for quantification of posterior capsule opacification. <i>Journal of Cataract and Refractive Surgery</i> , 2002, 28, 265-270.  | 0.7 | 70        |
| 5914 | Assessment of anterior capsule opacification: photographic technique and quantification. <i>Journal of Cataract and Refractive Surgery</i> , 2002, 28, 271-275.  | 0.7 | 20        |
| 5915 | Cyclotorsion: A possible cause of residual astigmatism in refractive surgery. <i>Journal of Cataract and Refractive Surgery</i> , 2002, 28, 599-602.   | 0.7 | 86        |
| 5916 | Repeatability and validity of Zywave aberrometer measurements. <i>Journal of Cataract and Refractive Surgery</i> , 2002, 28, 2135-2141.  | 0.7 | 47        |
| 5917 | Standardized Uptake Values in 2-Deoxy-2-[18F]Fluoro-D-Glucose with Positron Emission Tomography. Clinical Significance of Iterative Reconstruction and Segmented Attenuation Compared with Conventional Filtered Back Projection and Measured Attenuation Correction. <i>Molecular Imaging and Biology</i> , 2002, 4, 294-300. | 1.3 | 10        |
| 5918 | Quantitative Evaluation of 2-Deoxy-2-[18F] Fluoro-D-Glucose Uptake in Hepatic Metastases with Combined PET-CT Iterative Reconstruction with CT Attenuation Correction Versus Filtered Back Projection with 68Germanium Attenuation Correction. <i>Molecular Imaging and Biology</i> , 2002, 4, 399-409.                        | 1.3 | 4         |
| 5919 | Reproducibility of twitch and sniff transdiaphragmatic pressures. <i>Respiratory Physiology and Neurobiology</i> , 2002, 132, 301-306.   | 0.7 | 36        |
| 5920 | Accuracy and precision of bone mineral density and bone mineral content in excised rat humeri using fan beam dual-energy X-ray absorptiometry. <i>Bone</i> , 2002, 30, 243-246.  | 1.4 | 44        |
| 5921 | Bone marrow fat cell enlargement and a rise in intraosseous pressure in steroid-treated rabbits with osteonecrosis. <i>Bone</i> , 2002, 30, 185-190.   | 1.4 | 148       |
| 5922 | Reliability and validity of a visual analog scale for acute abdominal pain in the ED. <i>American Journal of Emergency Medicine</i> , 2002, 20, 287-290.   | 0.7 | 348       |
| 5923 | French translation and validation of 3 functional disability scales for neck pain. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002, 83, 376-382.  | 0.5 | 145       |
| 5924 | Defining the femoral axis on lateral knee fluoroscopy. <i>Knee</i> , 2002, 9, 65-68.   | 0.8 | 29        |
| 5925 | Monitoring gaseous exchange: Implications for nursing care. <i>Australian Critical Care</i> , 2002, 15, 8-13.  | 0.6 | 1         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5926 | Pulseoximetry: sufficient to diagnose severe sleep apnea. <i>Sleep Medicine</i> , 2002, 3, 133-138.   | 0.8 | 44        |
| 5927 | Prediction of obstructive sleep apnea by OxiFlow in overweight patients. <i>Sleep Medicine</i> , 2002, 3, 417-422.  | 0.8 | 2         |
| 5928 | Efficacy of ultrasound imaging in obstetric epidural anesthesia. <i>Journal of Clinical Anesthesia</i> , 2002, 14, 169-175.   | 0.7 | 276       |
| 5929 | Transpulmonary thermodilution cardiac output measurement using the axillary artery in critically ill patients. <i>Journal of Clinical Anesthesia</i> , 2002, 14, 210-213.                                   | 0.7 | 31        |
| 5930 | Enzyme protein binding assay for determining folic acid in fortified cereal foods and stability of folic acid under different extraction conditions. <i>Food Control</i> , 2002, 13, 245-252.               | 2.8 | 45        |
| 5931 | Reproducibility of pain measurement and pain perception. <i>Pain</i> , 2002, 98, 205-216.   | 2.0 | 165       |
| 5932 | Comparing ophthalmoscopy, slide viewing, and semiautomated systems in optic disc morphometry. <i>Ophthalmology</i> , 2002, 109, 486-493.  | 2.5 | 41        |
| 5933 | Reliability of proton and goldmann applanation tonometers in normal and postkeratoplasty eyes. <i>Ophthalmology</i> , 2002, 109, 979-984.   | 2.5 | 24        |
| 5934 | Intraobserver and interobserver reproducibility in the evaluation of optic disc stereometric parameters by Heidelberg retina tomograph. <i>Ophthalmology</i> , 2002, 109, 1072-1077.                        | 2.5 | 84        |
| 5935 | Motion artifacts in scanning laser polarimetry. <i>Ophthalmology</i> , 2002, 109, 1568-1572.  | 2.5 | 9         |
| 5936 | Monothermal air caloric test in children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2002, 62, 11-15.  | 0.4 | 2         |
| 5937 | Effect of postmenopausal hormone replacement on atherosclerosis in femoral arteries. <i>Maturitas</i> , 2002, 41, 51-60.  | 1.0 | 31        |
| 5938 | Assessment of the cervix in the third trimester of pregnancy using transvaginal ultrasound scanning. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2002, 105, 31-35.         | 0.5 | 17        |
| 5939 | Measurement of vessel wall strain using cine phase contrast MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2002, 15, 418-428.  | 1.9 | 60        |
| 5940 | Surface Integration of Velocity Vectors from 3D Digital Colour Doppler: An Angle Independent Method for Laminar Flow Measurements. <i>European Heart Journal Cardiovascular Imaging</i> , 2002, 3, 177-184. | 0.5 | 15        |
| 5941 | Cognitive and Behavioral Outcomes of School-Aged Children Who Were Born Preterm. <i>JAMA - Journal of the American Medical Association</i> , 2002, 288, 728.  | 3.8 | 2,002     |
| 5943 | Fiabilidad de un aparato de medición automática de presión arterial en un servicio de Medicina Interna: Accutorr Plus PNI. <i>Hipertension Y Riesgo Vascular</i> , 2002, 19, 151-156.                       | 0.3 | 0         |
| 5944 | Can left ventricular diastolic stiffness be measured noninvasively?. <i>Journal of the American Society of Echocardiography</i> , 2002, 15, 935-943.  | 1.2 | 43        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5945 | Left anterior descending coronary artery flow and its relation to age in children. Journal of the American Society of Echocardiography, 2002, 15, 69-75.   | 1.2 | 28        |
| 5947 | Use of intravascular ultrasound to measure local compliance of the pediatric pulmonary artery: In vitro studies. Journal of the American Society of Echocardiography, 2002, 15, 1507-1514.   | 1.2 | 15        |
| 5948 | Left atrial inflow propagation rate: A new transesophageal echocardiographic index of preload. Journal of the American Society of Echocardiography, 2002, 15, 1057-1064.   | 1.2 | 4         |
| 5949 | Left ventricular inflow propagation velocity: Comparisons between pulsed wave and color M-mode Doppler echocardiography. Journal of the American Society of Echocardiography, 2002, 15, 1461-1467.   | 1.2 | 3         |
| 5950 | A validation study of aortic stroke volume using dynamic 4-dimensional color Doppler: An in vivo study. Journal of the American Society of Echocardiography, 2002, 15, 1045-1050.  | 1.2 | 24        |
| 5951 | A comparison of two skin test methodologies and allergens from two different manufacturers. Annals of Allergy, Asthma and Immunology, 2002, 88, 374-379.   | 0.5 | 25        |
| 5952 | Left atrial volume determination by three-dimensional echocardiography reconstruction: Validation and application of a simplified technique. Journal of the American Society of Echocardiography, 2002, 15, 1051-1056.   | 1.2 | 51        |
| 5954 | Coronary flow reserve assessment by Doppler echocardiography in children with and without congenital heart defect: Comparison with invasive technique. Journal of the American Society of Echocardiography, 2002, 15, 1121-1126.   | 1.2 | 20        |
| 5955 | Comprehensive assessment of patent ductus arteriosus by echocardiography before transcatheter closure. Journal of the American Society of Echocardiography, 2002, 15, 1154-1159.   | 1.2 | 19        |
| 5957 | Medida de la respuesta bronquial a la metacolina en niños asmáticos mediante la auscultación traqueal. Anales De Pediatría, 2002, 56, 304-309.   | 0.3 | 6         |
| 5958 | Reproducibility of DXA in Obese Women. Journal of Clinical Densitometry, 2002, 5, 35-44.   | 0.5 | 46        |
| 5959 | Noninvasive assessment of coronary flow velocity and coronary flow velocity reserve in the right coronary artery by transthoracic doppler echocardiography: Comparison with intracoronary doppler guidewire. Journal of the American Society of Echocardiography, 2002, 15, 1074-1079.             | 1.2 | 45        |
| 5960 | Assessment of coronary flow reserve by adenosine transthoracic echocardiography: Validation with intracoronary doppler. Journal of the American Society of Echocardiography, 2002, 15, 984-990.  | 1.2 | 48        |
| 5961 | Comparison of Two Hologic DXA Systems (QDR 1000 and QDR 4500/A) for In Vivo Bone Mass Measurement in the Baboon (Papio ursinus). Journal of Clinical Densitometry, 2002, 5, 313-318.   | 0.5 | 4         |
| 5962 | Blood flow in the left anterior descending coronary artery in children with ventricular septal defect. Journal of the American Society of Echocardiography, 2002, 15, 807-813.   | 1.2 | 10        |
| 5963 | Assessment of regional systolic and diastolic wall motion velocities in highly trained athletes by pulsed wave Doppler tissue imaging. Journal of the American Society of Echocardiography, 2002, 15, 900-905.   | 1.2 | 53        |
| 5964 | Quantification of instantaneous flow rate and dynamically changing effective orifice area using a geometry independent three-dimensional digital color Doppler method: An in vitro study mimicking mitral regurgitation. Journal of the American Society of Echocardiography, 2002, 15, 1189-1196. | 1.2 | 8         |
| 5965 | Is Doppler an accurate predictor of catheterization gradients for postoperative branch pulmonary stenosis?. Journal of the American Society of Echocardiography, 2002, 15, 1140-1144.  | 1.2 | 9         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 5966 | Echo doppler assessment of left ventricular function in rats with hypertensive hypertrophy. <i>Journal of the American Society of Echocardiography</i> , 2002, 15, 109-117.  | 1.2 | 42        |
| 5967 | Improving maximum walking distance in early peripheral arterial disease: Randomised controlled trial. <i>Australian Journal of Physiotherapy</i> , 2002, 48, 269-275.  | 0.9 | 37        |
| 5968 | Comparison of left atrial dimensions by transesophageal and transthoracic echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2002, 15, 143-149.  | 1.2 | 26        |
| 5969 | Direct quantification of transmitral flow volume with dynamic 3-dimensional digital color Doppler: A validation study in an animal model. <i>Journal of the American Society of Echocardiography</i> , 2002, 15, 55-62.  | 1.2 | 29        |
| 5970 | Assessment of myocardial viability in prior myocardial infarction by intravenous bolus microbubble injection: A new time domain index to estimate regional relative myocardial blood volume. <i>Journal of the American Society of Echocardiography</i> , 2002, 15, 798-806. | 1.2 | 5         |
| 5971 | Ultrasound imaging of the thoracic epidural space. <i>Regional Anesthesia and Pain Medicine</i> , 2002, 27, 200-206.   | 1.1 | 49        |
| 5973 | Interobserver and intraobserver variability in detection of patent foramen ovale and atrial septal aneurysm with transesophageal echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2002, 15, 441-446.   | 1.2 | 75        |
| 5974 | Evaluation of left ventricular diastolic function from spectral and color M-mode Doppler in genetically altered mice. <i>Journal of the American Society of Echocardiography</i> , 2002, 15, 1065-1073.  | 1.2 | 41        |
| 5975 | Quality assessment and quality control of echocardiographic performance in a large multicenter international study: Valsartan in Heart Failure Trial (Val-HeFT). <i>Journal of the American Society of Echocardiography</i> , 2002, 15, 293-307.                             | 1.2 | 26        |
| 5976 | Lumbar Spine Bone Measurements in Infants. <i>Journal of Clinical Densitometry</i> , 2002, 5, 17-25.   | 0.5 | 10        |
| 5977 | Comparative Evaluation of the DPX and DPX-IQ Lunar Densitometer Systems Following Software Upgrade. <i>Journal of Clinical Densitometry</i> , 2002, 5, 199-205.  | 0.5 | 2         |
| 5978 | A Measure of Agreement Between Clinicians and a Computer-Based Decision Support System for Planning Dental Treatment. <i>Journal of Dental Education</i> , 2002, 66, 1031-1037.  | 0.7 | 4         |
| 5979 | Preload and haemodynamic assessment during liver transplantation: a comparison between the pulmonary artery catheter and transpulmonary indicator dilution techniques. <i>European Journal of Anaesthesiology</i> , 2002, 19, 868.   | 0.7 | 71        |
| 5980 | Cardiac output assessed by arterial thermodilution during exsanguination and fluid resuscitation: experimental validation against a reference technique. <i>European Journal of Anaesthesiology</i> , 2002, 19, 337.   | 0.7 | 17        |
| 5981 | Dislocation of the bearing of the Oxford lateral unicompartamental arthroplasty. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2002, 84-B, 653-657.   | 3.4 | 23        |
| 5982 | Assessment of Fluid Status in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2002, 22, 683-692.  | 1.1 | 57        |
| 5983 | Fluid Status, Blood Pressure, and Cardiovascular Abnormalities in Patients on Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2002, 22, 477-487.   | 1.1 | 158       |
| 5984 | Effect of sevoflurane on the mid-latency auditory evoked potentials measured by a new fast extracting monitor. <i>Acta Anaesthesiologica Scandinavica</i> , 2002, 46, 252-256.   | 0.7 | 31        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 5985 | A Method for off-line Nasal Nitric Oxide Measurement. <i>Ear, Nose and Throat Journal</i> , 2002, 81, 449-453.  | 0.4 | 5         |
| 5986 | Simulation of Potassium Extraction by Continuous Haemodiafiltration. <i>Anaesthesia and Intensive Care</i> , 2002, 30, 198-201.   | 0.2 | 2         |
| 5987 | Body Composition in Mexican Adults by Air Displacement Pletismography (ADP) with the Bod-Pod and Deuterium Oxide Dilution Using Infrared Spectroscopy (IRS-DOD). <i>Food and Nutrition Bulletin</i> , 2002, 23, 99-102. | 0.5 | 4         |
| 5988 | Assessing Physical Activity of Women of Childbearing Age. Ongoing Work to Develop and Evaluate Simple Methods. <i>Food and Nutrition Bulletin</i> , 2002, 23, 30-33.  | 0.5 | 13        |
| 5989 | Statistical aspects of measurement in palliative care. <i>Palliative Medicine</i> , 2002, 16, 359-364.  | 1.3 | 6         |
| 5990 | The Relationship between Arch Dimensions and the 5-Year Index in the Primary Dentition of Patients with Complete UCLP. <i>Cleft Palate-Craniofacial Journal</i> , 2002, 39, 635-640.                                    | 0.5 | 27        |
| 5991 | Comparative measurements of total body water in healthy volunteers by online breath deuterium measurement and other near-subject methods. <i>American Journal of Clinical Nutrition</i> , 2002, 76, 1295-1301.          | 2.2 | 30        |
| 5992 | Near-infrared spirometry: noninvasive measurements of venous saturation in piglets and human subjects. <i>Journal of Applied Physiology</i> , 2002, 92, 372-384.  | 1.2 | 92        |
| 5993 | Peak Expiratory Flow Rate Underestimates Severity of Airflow Obstruction in Acute Asthma. <i>Korean Journal of Internal Medicine</i> , 2002, 17, 174-179.   | 0.7 | 12        |
| 5994 | Validity of Deuterium Oxide Dilution for the Measurement of Body Fat among Singaporeans. <i>Food and Nutrition Bulletin</i> , 2002, 23, 34-37.  | 0.5 | 3         |
| 5995 | Plasma free and total carnitine measured in children by tandem mass spectrometry. <i>Brazilian Journal of Medical and Biological Research</i> , 2002, 35, 1265-1271.  | 0.7 | 18        |
| 5997 | Tidal Volume Forced Expiration in Asthmatic Infants: Reproducibility and Reversibility Tests. <i>Respiration</i> , 2002, 69, 389-396.   | 1.2 | 15        |
| 5998 | Use of a short-term isotope-dilution method for determining the vitamin A status of children. <i>American Journal of Clinical Nutrition</i> , 2002, 76, 413-418.  | 2.2 | 28        |
| 5999 | The Decorin Gene 179 Allelic Variant Is Associated with a Slower Progression of Renal Disease in Patients with Type 1 Diabetes. <i>Nephron</i> , 2002, 92, 72-76.   | 0.9 | 13        |
| 6000 | Validation of OPS imaging for microvascular measurements during isovolumic hemodilution and low hematocrits. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 282, H1502-H1509.         | 1.5 | 63        |
| 6001 | Intravascular Ultrasound: Technique, Measurements and Angioplasty Guidance. <i>Cardiology</i> , 2002, 2, 16-23.   | 0.3 | 1         |
| 6002 | Echocardiographic assessment of cardiac function in diabetic <i>db/db</i> and transgenic <i>hGLUT4</i> mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 283, H976-H982.           | 1.5 | 226       |
| 6003 | Maternal cardiovascular changes during pregnancy and postpartum in mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 282, H918-H925.   | 1.5 | 68        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6004 | Chronic measurement of cardiac output in conscious mice. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2002, 282, R928-R935.   | 0.9 | 85        |
| 6005 | Aortic blood flow subtraction: an alternative method for measuring total renal blood flow in conscious dogs. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2002, 282, R1528-R1535. | 0.9 | 7         |
| 6006 | Rapid microplate method for PAH estimation. American Journal of Physiology - Renal Physiology, 2002, 283, F236-F241.   | 1.3 | 30        |
| 6007 | Validity of reported energy expenditure and energy and protein intakes in Swedish adolescent vegans and omnivores. American Journal of Clinical Nutrition, 2002, 75, 268-274.  | 2.2 | 33        |
| 6008 | Microcirculatory Changes Associated with Gastric Tube Formation in the Pig. European Surgical Research, 2002, 34, 411-417.   | 0.6 | 37        |
| 6009 | An Evaluation of Non-Invasive Blood Pressure (NIBP) Monitoring on the Wrist: Comparison with Upper Arm NIBP Measurement. Anaesthesia and Intensive Care, 2002, 30, 43-47.  | 0.2 | 26        |
| 6010 | A Note on the Concordance Correlation Coefficient. The Stata Journal, 2002, 2, 183-189.  | 0.9 | 135       |
| 6011 | Quality Control for Biomarker Determination in Oncology: The Experience of the Italian Network for Quality Assessment of Tumor Biomarkers (INQAT). International Journal of Biological Markers, 2002, 17, 201-214.       | 0.7 | 32        |
| 6012 | Ferritin concentrations in dried serum spots from capillary and venous blood in children in Sri Lanka: a validation study. American Journal of Clinical Nutrition, 2002, 75, 289-294.                                    | 2.2 | 15        |
| 6013 | Exhaled nitric oxide collected with two different mouthpieces: a study in asthmatic patients. Brazilian Journal of Medical and Biological Research, 2002, 35, 1133-1137.   | 0.7 | 6         |
| 6014 | Blood flow and oxygen uptake increase with total power during five different knee-extension contraction rates. Journal of Applied Physiology, 2002, 93, 1676-1684.   | 1.2 | 24        |
| 6015 | Bioelectrical impedance analysis models for prediction of total body water and fat-free mass in healthy and HIV-infected children and adolescents.,,. American Journal of Clinical Nutrition, 2002, 76, 991-999.         | 2.2 | 107       |
| 6016 | Use of a Durnin-Womersley formula to estimate change in subcutaneous fat content in HIV-infected subjects. American Journal of Clinical Nutrition, 2002, 75, 587-592.  | 2.2 | 14        |
| 6017 | Application of the Vena contracta Method for the Calculation of the Mitral Valve Area in Mitral Stenosis. Cardiology, 2002, 98, 50-59.   | 0.6 | 4         |
| 6018 | Photogrammetric Assessment of the Soft Tissue Profile in Unilateral Cleft Lip and Palate. Cleft Palate-Craniofacial Journal, 2002, 39, 597-603.  | 0.5 | 29        |
| 6019 | Body-size dependence of resting energy expenditure can be attributed to nonenergetic homogeneity of fat-free mass. American Journal of Physiology - Endocrinology and Metabolism, 2002, 282, E132-E138.                  | 1.8 | 197       |
| 6020 | Validity, Reproducibility, and Clinical Significance of Noninvasive Brachial-Ankle Pulse Wave Velocity Measurement.. Hypertension Research, 2002, 25, 359-364.   | 1.5 | 1,451     |
| 6021 | Left Atrial Maximum Volume Is a Recurrence Predictor in Lone Atrial Fibrillation. An Acoustic Quantification Study.. International Heart Journal, 2002, 43, 241-248.   | 0.6 | 22        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6022 | Measurement of Deuterium Oxide by Infrared Spectroscopy and Isotope Ratio Mass Spectrometry for Quantifying Daily Milk Intake in Breastfed Infants and Maternal Body Fat. <i>Food and Nutrition Bulletin</i> , 2002, 23, 38-41. | 0.5 | 14        |
| 6023 | Symmetry of Bilateral Lesions in Geographic Atrophy in Patients With Age-Related Macular Degeneration. <i>JAMA Ophthalmology</i> , 2002, 120, 579.  | 2.6 | 56        |
| 6024 | Assessment of Blood Flow Velocity Waveforms of the Pulmonary Circulation by Multigate Spectral Doppler Scanning and Traditional Pulsed Doppler Ultrasonography. <i>Journal of Ultrasound in Medicine</i> , 2002, 21, 31-37.     | 0.8 | 6         |
| 6025 | Accuracy of Real-time Three-dimensional Echocardiography for Quantifying Right Ventricular Volume. <i>Journal of Ultrasound in Medicine</i> , 2002, 21, 1069-1075.  | 0.8 | 51        |
| 6026 | Internet hand x-rays: A comparison of joint space narrowing and erosion scores (Sharp/Genant) of plain versus digitized x-rays in rheumatoid arthritis patients. <i>BMC Musculoskeletal Disorders</i> , 2002, 3, 13.            | 0.8 | 8         |
| 6027 | Resource use data by patient report or hospital records: Do they agree?. <i>BMC Health Services Research</i> , 2002, 2, 2.  | 0.9 | 26        |
| 6028 | Differences in Warfarin Dosing Decisions Based on International Normalized Ratio Measurements with Two Point-of-Care Testing Devices and a Reference Laboratory Measurement. <i>Pharmacotherapy</i> , 2002, 22, 1397-1404.      | 1.2 | 28        |
| 6029 | Point-of-Care versus Laboratory Monitoring of Patients Receiving Different Anticoagulant Therapies. <i>Pharmacotherapy</i> , 2002, 22, 677-685.   | 1.2 | 19        |
| 6030 | Noninvasive monitoring of cardiac output in human neonates and juvenile piglets by inductance cardiography (Thoracocardiography). <i>Journal of Critical Care</i> , 2002, 17, 259-266.  | 1.0 | 7         |
| 6031 | Algo-functional assessment of knee osteoarthritis: comparison of the test-retest reliability and construct validity of the Womac and Lequesne indexes. <i>Osteoarthritis and Cartilage</i> , 2002, 10, 602-610.                 | 0.6 | 103       |
| 6032 | Resting energy expenditure in children and adolescents: agreement between calorimetry and prediction equations. <i>Clinical Nutrition</i> , 2002, 21, 255-260.  | 2.3 | 115       |
| 6033 | An esophageal electrode for electrophysiological studies. <i>Journal of Electrocardiology</i> , 2002, 35, 151-157.  | 0.4 | 2         |
| 6034 | The use of reflection as an assessment of practice. Can you mark learning contracts?. <i>Nurse Education in Practice</i> , 2002, 2, 150-159.  | 1.0 | 4         |
| 6035 | Accuracy of magnetic resonance imaging and transvaginal ultrasonography in the diagnosis, mapping, and measurement of uterine myomas. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 186, 409-415.                | 0.7 | 297       |
| 6036 | Use of automated home blood pressure monitoring in pregnancy: Is it safe?. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 187, 1321-1328.   | 0.7 | 50        |
| 6037 | Estimating respiratory frequency from autoregressive spectral analysis of heart period. <i>IEEE Engineering in Medicine and Biology Magazine</i> , 2002, 21, 41-45.   | 1.1 | 108       |
| 6038 | Retinal vascular tree morphology: a semi-automatic quantification. <i>IEEE Transactions on Biomedical Engineering</i> , 2002, 49, 912-917.  | 2.5 | 203       |
| 6039 | Esophageal pulse oximetry utilizing reflectance photoplethysmography. <i>IEEE Transactions on Biomedical Engineering</i> , 2002, 49, 1360-1368.   | 2.5 | 41        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6040 | Concurrent Validity of the BOD POD and Dual Energy X-Ray Absorptiometry Techniques for Assessing Body Composition in Young Women. <i>Journal of the American Dietetic Association</i> , 2002, 102, 1677-1679.   | 1.3 | 56        |
| 6041 | Diagnostic accuracy and cost-effectiveness of contrast echocardiography on evaluation of cardiac function in technically very difficult patients in the intensive care unit. <i>American Journal of Cardiology</i> , 2002, 89, 711-718.   | 0.7 | 136       |
| 6042 | Comparison of impedance cardiography with invasive hemodynamic measurements in patients with heart failure secondary to ischemic or nonischemic cardiomyopathy. <i>American Journal of Cardiology</i> , 2002, 89, 993-995.  | 0.7 | 127       |
| 6043 | False-positive cardiac troponin I in a routine clinical population. <i>American Journal of Cardiology</i> , 2002, 89, 1212-1215.  | 0.7 | 68        |
| 6044 | Comparison of interstudy reproducibility of cardiovascular magnetic resonance with two-dimensional echocardiography in normal subjects and in patients with heart failure or left ventricular hypertrophy. <i>American Journal of Cardiology</i> , 2002, 90, 29-34.   | 0.7 | 1,259     |
| 6045 | Comparison of the right ventricular Tei index by tissue Doppler imaging to that obtained by pulsed Doppler in children without heart disease. <i>American Journal of Cardiology</i> , 2002, 90, 566-569.  | 0.7 | 142       |
| 6046 | Usefulness of phased-array intracardiac echocardiography for the assessment of left atrial mechanical "stunning" in atrial flutter and comparison with multiplane transesophageal echocardiography**All intracardiac echo catheters (Acunav, Acuson Corp., Mountain View,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 502 T<br>been obtained from Acuson for the conduct of this study.. <i>American Journal of Cardiology</i> , 2002, 90, 741-746. | 0.7 | 24        |
| 6047 | Usefulness of dynamic multislice computed tomography of left ventricular function in unstable angina pectoris and comparison with echocardiography. <i>American Journal of Cardiology</i> , 2002, 90, 1157-1160.  | 0.7 | 109       |
| 6048 | Reliability and validity of the assessment of depression in general practice: the short depression interview (SDI). <i>General Hospital Psychiatry</i> , 2002, 24, 396-405.   | 1.2 | 14        |
| 6049 | Reliability and Validity of Standing Balance Measurements with a Motion Analysis System. <i>Physiotherapy</i> , 2002, 88, 25-32.  | 0.2 | 15        |
| 6050 | A Standard Procedure for Using TURN180. <i>Physiotherapy</i> , 2002, 88, 342-353.   | 0.2 | 25        |
| 6051 | Refining the Ten-metre Walking Test for Use with Neurologically Impaired People. <i>Physiotherapy</i> , 2002, 88, 386-397.  | 0.2 | 192       |
| 6052 | Is the Q-Angle an Absolute or a Variable Measure?. <i>Physiotherapy</i> , 2002, 88, 296-302.  | 0.2 | 25        |
| 6053 | Segmentation of fat and muscle from MR images of the thigh by a possibilistic clustering algorithm. <i>Computer Methods and Programs in Biomedicine</i> , 2002, 68, 185-193.  | 2.6 | 33        |
| 6054 | Validity of Bone Mineral Density Measurements in Distal Sites as an Indicator of Total Bone Mineral Density in a Group of Pre-Adolescent and Adolescent Women. <i>Archives of Medical Research</i> , 2002, 33, 33-39.   | 1.5 | 16        |
| 6055 | A reproducible and variable intensity cycling performance protocol for warm conditions. <i>Journal of Science and Medicine in Sport</i> , 2002, 5, 95-107.  | 0.6 | 16        |
| 6056 | Thyroid volume measured by ultrasonography and CT. <i>Acta Radiologica</i> , 2002, 43, 269-274.   | 0.5 | 57        |
| 6057 | Evaluation of methods for MR imaging of human right ventricular heart volumes and mass. <i>Acta Radiologica</i> , 2002, 43, 587-592.  | 0.5 | 43        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6058 | The importance of quality management in fetal measurement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 19, 190-196.  | 0.9 | 79        |
| 6059 | Reproducibility of transvaginal three-dimensional endometrial volume measurements with virtual organ computer-aided analysis (VOCAL) during ovarian stimulation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 19, 76-80.                    | 0.9 | 56        |
| 6060 | Validation of skinfold thickness and hand-held impedance measurements for estimation of body fat percentage among Singaporean Chinese, Malay and Indian subjects. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2002, 11, 1-7.                  | 0.3 | 62        |
| 6061 | Dietary calcium intake in postmenopausal Malaysian women: comparison between the food frequency questionnaire and three-day food records. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2002, 11, 142-146.                                      | 0.3 | 47        |
| 6062 | Assessment of a rapid method for assessing adequacy of calcium intake. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2002, 11, 147-150.   | 0.3 | 12        |
| 6063 | Reproducibility of pulsed Doppler measurements of the maternal renal circulation in normal pregnancies and those with pregnancy-induced hypertension. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 19, 598-604.                             | 0.9 | 8         |
| 6064 | Reproducibility of three-dimensional ultrasound endometrial volume measurements in patients with postmenopausal bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 19, 282-286.   | 0.9 | 27        |
| 6065 | Cardiac ventricular performance in the appropriate- for-gestational age and small-for-gestational age fetus: relation to regional cardiac non-uniformity and peripheral resistance. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 20, 35-41. | 0.9 | 15        |
| 6066 | Intra- and interobserver reproducibility of ultrasound measurements of cervical length and width in the second and third trimesters of pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 20, 256-262.                                 | 0.9 | 67        |
| 6067 | Quantitative transvaginal two- and three-dimensional sonography of the ovaries: reproducibility of antral follicle counts. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 20, 270-275.  | 0.9 | 118       |
| 6068 | Repeatability of echocardiographic measurements in the human fetus. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 20, 332-339.   | 0.9 | 67        |
| 6069 | Intraobserver and interobserver reproducibility of ultrasound measurements of endometrial thickness in postmenopausal women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 20, 486-491.  | 0.9 | 36        |
| 6070 | Bipedal bioelectrical impedance analysis reproducibly estimates total body water in hemodialysis patients. <i>American Journal of Kidney Diseases</i> , 2002, 39, 154-158.  | 2.1 | 22        |
| 6071 | Predicting 30-minute postdialysis blood urea concentrations using the stop dialysate flow method. <i>American Journal of Kidney Diseases</i> , 2002, 39, 308-314.   | 2.1 | 4         |
| 6072 | A comparison of standardized versus "usual" blood pressure measurements in hemodialysis patients. <i>American Journal of Kidney Diseases</i> , 2002, 39, 1226-1230.   | 2.1 | 95        |
| 6073 | A New Automated Toe Blood Pressure Monitor for Assessment of Limb Ischemia. <i>European Journal of Vascular and Endovascular Surgery</i> , 2002, 24, 304-308.   | 0.8 | 16        |
| 6074 | Endovascular Repair of Wide Neck AAA " Preliminary Report on Feasibility and Complications. <i>European Journal of Vascular and Endovascular Surgery</i> , 2002, 24, 123-127.   | 0.8 | 26        |
| 6075 | Measuring the Abdominal Aorta with Ultrasonography and Computed Tomography " Difference and Variability. <i>European Journal of Vascular and Endovascular Surgery</i> , 2002, 24, 428-434.  | 0.8 | 79        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6076 | A kinematic study of lateral unicompartmental arthroplasty. <i>Knee</i> , 2002, 9, 237-240.   | 0.8 | 35        |
| 6077 | Psychometric qualities of the Dutch language version of the Disabilities of the Arm, Shoulder, and Hand questionnaire (DASH-DLV). <i>Journal of Hand Therapy</i> , 2002, 15, 347-354.   | 0.7 | 239       |
| 6078 | Measurement of body fat by dual-energy x-ray absorptiometry and bioimpedance analysis in men with prostate cancer. <i>Nutrition</i> , 2002, 18, 574-577.  | 1.1 | 12        |
| 6079 | Age-related decrease in energy expenditure at rest parallels reductions in mass of internal organs. <i>American Journal of Human Biology</i> , 2002, 14, 486-493.   | 0.8 | 11        |
| 6080 | Chiral analysis of albendazole sulfoxide enantiomers in human plasma and saliva using capillary electrophoresis with on-column absorption and fluorescence detection. <i>Journal of Separation Science</i> , 2002, 25, 1043-1054.   | 1.3 | 17        |
| 6081 | Seizure-associated hippocampal volume loss: A longitudinal magnetic resonance study of temporal lobe epilepsy. <i>Annals of Neurology</i> , 2002, 51, 641-644.  | 2.8 | 172       |
| 6082 | Reproducibility of left ventricular mass measurement using a half-Fourier black-blood single-shot fast spin-echo sequence within a single breath hold: Comparison with a conventional multiple breath-hold segmented gradient echo technique in patients. <i>Journal of Magnetic Resonance Imaging</i> , 2002, 15, 654-660. | 1.9 | 10        |
| 6083 | Collateral flow in coarctation of the aorta with magnetic resonance velocity mapping: Correlation to morphological imaging of collateral vessels. <i>Journal of Magnetic Resonance Imaging</i> , 2002, 15, 39-46.   | 1.9 | 46        |
| 6084 | Reproducibility of in vivo metabolite quantification with proton magnetic resonance spectroscopic imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2002, 15, 219-225.  | 1.9 | 43        |
| 6085 | Quantitative analysis of MRI signal abnormalities of brain white matter with high reproducibility and accuracy. <i>Journal of Magnetic Resonance Imaging</i> , 2002, 15, 203-209.   | 1.9 | 118       |
| 6086 | Comparison of two volumetric techniques for estimating liver volume using magnetic resonance imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2002, 15, 557-563.   | 1.9 | 59        |
| 6087 | Reproducibility of total cerebral blood flow measurements using phase contrast magnetic resonance imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2002, 16, 1-5.  | 1.9 | 138       |
| 6088 | Comparison of right ventricular volume measurement between segmented k-space gradient-echo and steady-state free precession magnetic resonance imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2002, 16, 253-258.   | 1.9 | 57        |
| 6089 | MR assessment of cerebral vascular response: A comparison of two methods. <i>Journal of Magnetic Resonance Imaging</i> , 2002, 16, 610-616.   | 1.9 | 20        |
| 6090 | MR assessment of left ventricular function: Quantitative comparison of fast imaging employing steady-state acquisition (FIESTA) with fast gradient echo cine technique. <i>Journal of Magnetic Resonance Imaging</i> , 2002, 16, 559-564.   | 1.9 | 47        |
| 6091 | The potential of contrast-enhanced magnetic resonance imaging for predicting left ventricular remodeling. <i>Journal of Magnetic Resonance Imaging</i> , 2002, 16, 633-640.   | 1.9 | 26        |
| 6092 | Intrahepatic HCV RNA loads in 37 HIV-HCV co-infected patients with controlled HIV infection. <i>Journal of Medical Virology</i> , 2002, 67, 143-151.  | 2.5 | 32        |
| 6093 | Body composition of long-term survivors of acute lymphoblastic leukaemia. <i>Medical and Pediatric Oncology</i> , 2002, 38, 165-172.  | 1.0 | 71        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6094 | Estimation of local aortic elastic properties with MRI. <i>Magnetic Resonance in Medicine</i> , 2002, 47, 649-654.  | 1.9 | 124       |
| 6095 | Assessment of contractile and noncontractile components in human skeletal muscle by magnetic resonance imaging. <i>Muscle and Nerve</i> , 2002, 25, 251-258.  | 1.0 | 30        |
| 6096 | Comparison of potentiated and unpotentiated twitches as an index of muscle fatigue. <i>Muscle and Nerve</i> , 2002, 25, 438-444.  | 1.0 | 144       |
| 6097 | Reliability of hand-held dynamometry in spinal muscular atrophy. <i>Muscle and Nerve</i> , 2002, 26, 64-70.   | 1.0 | 139       |
| 6098 | Technique of color Doppler quantification of vascularity in transplanted kidneys. <i>Journal of Clinical Ultrasound</i> , 2002, 30, 151-157.  | 0.4 | 4         |
| 6099 | Comparison of two different methods of quantitative coronary angiography in patients with acute coronary syndromes. <i>Catheterization and Cardiovascular Interventions</i> , 2002, 55, 442-449.  | 0.7 | 3         |
| 6100 | Pulmonary venous pressure: Relationship to pulmonary artery, pulmonary wedge, and left atrial pressure in normal, lightly sedated dogs. <i>Catheterization and Cardiovascular Interventions</i> , 2002, 56, 432-438.  | 0.7 | 29        |
| 6101 | A new intracoronary measurement catheter, MetriCath, compared to intravascular ultrasound and quantitative coronary angiography in a stented porcine coronary model. <i>Catheterization and Cardiovascular Interventions</i> , 2002, 57, 2-9.   | 0.7 | 5         |
| 6102 | Risk factors for damage in childhood-onset systemic lupus erythematosus: Cumulative disease activity and medication use predict disease damage. <i>Arthritis and Rheumatism</i> , 2002, 46, 436-444.  | 6.7 | 278       |
| 6103 | How to report radiographic data in randomized clinical trials in rheumatoid arthritis: Guidelines from a roundtable discussion. <i>Arthritis and Rheumatism</i> , 2002, 47, 215-218.  | 6.7 | 132       |
| 6104 | Determination of the minimal clinically important difference in rheumatoid arthritis joint damage of the Sharp/van der Heijde and Larsen/Scott scoring methods by clinical experts and comparison with the smallest detectable difference. <i>Arthritis and Rheumatism</i> , 2002, 46, 913-920. | 6.7 | 125       |
| 6105 | Increased thickness of the arterial intima-media detected by ultrasonography in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2002, 46, 1489-1497.  | 6.7 | 270       |
| 6106 | Use of a numerical rating scale as an answer modality in ankylosing spondylitis-specific questionnaires. <i>Arthritis and Rheumatism</i> , 2002, 47, 242-248.   | 6.7 | 82        |
| 6107 | Bone loss in patients with rheumatoid arthritis: Results from a population-based cohort of 366 patients followed up for two years. <i>Arthritis and Rheumatism</i> , 2002, 46, 1720-1728.   | 6.7 | 130       |
| 6108 | Measuring disease activity and functional status in patients with scleroderma and Raynaud's phenomenon. <i>Arthritis and Rheumatism</i> , 2002, 46, 2410-2420.  | 6.7 | 272       |
| 6109 | Uncoupling of type II collagen synthesis and degradation predicts progression of joint damage in patients with knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2002, 46, 2613-2624.  | 6.7 | 257       |
| 6110 | Clinical benefit of joint distraction in the treatment of severe osteoarthritis of the ankle: Proof of concept in an open prospective study and in a randomized controlled study. <i>Arthritis and Rheumatism</i> , 2002, 46, 2893-2902.  | 6.7 | 139       |
| 6111 | Association of baseline levels of markers of bone and cartilage degradation with long-term progression of joint damage in patients with early rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2002, 46, 2847-2856.  | 6.7 | 159       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6112 | Evaluation of the smallest detectable difference in outcome or process variables in ankylosing spondylitis. <i>Arthritis and Rheumatism</i> , 2002, 47, 582-587.  | 6.7 | 56        |
| 6113 | Design and quality considerations for randomized controlled trials in systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2002, 47, 73-81.  | 6.7 | 17        |
| 6114 | Comparison of three different ways of measuring distances between residences and high voltage power lines. <i>Bioelectromagnetics</i> , 2002, 23, 288-291.  | 0.9 | 12        |
| 6115 | Gambian Food Records: a New Framework for Computer Coding. <i>Journal of Food Composition and Analysis</i> , 2002, 15, 349-357.   | 1.9 | 4         |
| 6116 | Comparative study of pressure-flow parameters. <i>Neurourology and Urodynamics</i> , 2002, 21, 186-193.   | 0.8 | 12        |
| 6117 | Short-term reproducibility of cystometry and pressure-flow micturition studies in healthy women. <i>Neurourology and Urodynamics</i> , 2002, 21, 457-460.   | 0.8 | 53        |
| 6118 | Reliability of pelvic floor muscle strength measurement in elderly incontinent women. <i>Neurourology and Urodynamics</i> , 2002, 21, 42-47.  | 0.8 | 55        |
| 6119 | Development of a low-cost flow meter to grade the maximum flow rate. <i>Neurourology and Urodynamics</i> , 2002, 21, 48-54.   | 0.8 | 15        |
| 6120 | A test of two methods of radiographically deriving long bone cross-sectional properties compared to direct sectioning of the diaphysis. <i>International Journal of Osteoarchaeology</i> , 2002, 12, 335-342.   | 0.6 | 40        |
| 6121 | CD45-assisted PanLeucogating for accurate, cost-effective dual-platform CD4+ T-cell enumeration. <i>Cytometry</i> , 2002, 50, 69-77.  | 1.8 | 139       |
| 6122 | Precise CD4 T-cell counting using red diode laser excitation: For richer, for poorer. <i>Cytometry</i> , 2002, 50, 78-85.   | 1.8 | 43        |
| 6123 | A multicolor, no-lyse no-wash assay for the absolute counting of CD34+ cells by flow cytometry. <i>Cytometry</i> , 2002, 50, 249-253.   | 1.8 | 24        |
| 6124 | Adsorption/desorption phenomena on pure and Teflon® AF-coated titania surfaces studied by dynamic contact angle analysis. <i>Journal of Biomedical Materials Research Part B</i> , 2002, 62, 567-578.   | 3.0 | 49        |
| 6125 | Comparison of two methods to measure permeability of dentin. <i>Journal of Biomedical Materials Research Part B</i> , 2002, 63, 531-534.  | 3.0 | 7         |
| 6126 | Portable electrochemical blood uric acid meter. <i>Journal of Clinical Laboratory Analysis</i> , 2002, 16, 109-114.   | 0.9 | 10        |
| 6127 | Detection of the BCR-ABL Gene by Interphase Fluorescence In Situ Hybridization (iFISH) in Chronic Myelogenous Leukemia Patients after Hemopoietic Stem Cell Transplantation: The Feasibility of iFISH Monitoring of Therapeutic Response in Peripheral Blood. <i>International Journal of Hematology</i> , 2002, 76, 180-185. | 0.7 | 6         |
| 6128 | The single-plasma-sample method for determining the glomerular filtration rate with Tc-99m-diethylenetriamine pentaacetic acid in childhood and adolescence: Is it age-dependent?. <i>Annals of Nuclear Medicine</i> , 2002, 16, 541-548.   | 1.2 | 4         |
| 6129 | Quantification of regional pulmonary flow with 99mTc-MAA SPECT and cine phase contrast MR imaging. <i>Annals of Nuclear Medicine</i> , 2002, 16, 423-429.   | 1.2 | 7         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6130 | A simplified double-injection method to quantify corebral blood flow and vascular reserve using iodine-123 IMP-SPECT. <i>Annals of Nuclear Medicine</i> , 2002, 16, 127-135.  | 1.2 | 5         |
| 6131 | Accuracy of plasma sample methods for determination of glomerular filtration rate with <sup>99m</sup> Tc-DTPA. <i>Annals of Nuclear Medicine</i> , 2002, 16, 39-44.   | 1.2 | 19        |
| 6132 | Duration of control stimulation does not affect onset and offset of neuromuscular blockade at the corrugator supercilii muscle measured with phonomyography or acceleromyography. <i>Canadian Journal of Anaesthesia</i> , 2002, 49, 913-917. | 0.7 | 6         |
| 6133 | Utility of esophageal Doppler as a minimally invasive hemodynamic monitor: a review. <i>Canadian Journal of Anaesthesia</i> , 2002, 49, 393-401.  | 0.7 | 100       |
| 6135 | Respiratory mechanics by least squares fitting in mechanically ventilated patients: application on flow-limited COPD patients. <i>Intensive Care Medicine</i> , 2002, 28, 48-52.  | 3.9 | 24        |
| 6136 | Cardiac output measurement by pulse dye densitometry: a comparison with the Fick's principle and thermodilution method. <i>Intensive Care Medicine</i> , 2002, 28, 399-405.   | 3.9 | 28        |
| 6137 | High-frequency oscillatory ventilation in experimental lung injury: effects on gas exchange. <i>Intensive Care Medicine</i> , 2002, 28, 768-774.  | 3.9 | 23        |
| 6138 | Repeatability of Cystometry and Pressure-Flow Parameters in Female Patients. <i>International Urogynecology Journal</i> , 2002, 13, 72-75.  | 0.7 | 27        |
| 6139 | Does Osteoporosis Classification Using Heel BMD Agree Across Manufacturers?. <i>Osteoporosis International</i> , 2002, 13, 613-617.   | 1.3 | 10        |
| 6140 | Assessment of left ventricular end-systolic elastance from aortic pressure-left ventricular volume relations. <i>Heart and Vessels</i> , 2002, 16, 99-104.  | 0.5 | 15        |
| 6141 | A new noninvasive measurement system for wave intensity: evaluation of carotid arterial wave intensity and reproducibility. <i>Heart and Vessels</i> , 2002, 17, 12-21.   | 0.5 | 137       |
| 6142 | A Simple Method for Evaluating Abnormal Lengthening of the QT Interval During the Face Immersion Test. <i>Pediatric Cardiology</i> , 2002, 23, 122-126.   | 0.6 | 2         |
| 6143 | PET-CT image co-registration in the thorax: influence of respiration. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2002, 29, 351-360.  | 3.3 | 301       |
| 6144 | Use of arterialised venous instead of arterial blood for measurement of myocardial glucose metabolism during euglycaemic-hyperinsulinaemic clamping. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2002, 29, 663-669.   | 3.3 | 30        |
| 6145 | Gated myocardial perfusion tomography versus gated blood pool tomography for the calculation of left ventricular volumes and ejection fraction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2002, 29, 735-741.        | 3.3 | 17        |
| 6146 | Clinical examination is an inaccurate predictor of intraabdominal pressure. <i>World Journal of Surgery</i> , 2002, 26, 1428-1431.  | 0.8 | 300       |
| 6147 | The reproducibility of estimates of critical power and anaerobic work capacity in upper-body exercise. <i>European Journal of Applied Physiology</i> , 2002, 87, 43-49.   | 1.2 | 16        |
| 6148 | Endosonographic Anatomy of the Normal Anal Canal Compared with Endocoil Magnetic Resonance Imaging. <i>Diseases of the Colon and Rectum</i> , 2002, 45, 176-183.  | 0.7 | 66        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6149 | Limited Reliability of Lipid-laden Macrophage Index Restricts Its Use as a Test for Pulmonary Aspiration: Comparison with a Simple Semiquantitative Assay. <i>Pediatric and Developmental Pathology</i> , 2002, 5, 551-558. | 0.5 | 28        |
| 6150 | Glycohaemoglobin measurement: methodological differences in relation to interference by urea. <i>Acta Diabetologica</i> , 2002, 39, 35-39.  | 1.2 | 19        |
| 6151 | Blood glucose self-monitoring from abdominal skin: a precise and virtually pain-free method. <i>Acta Diabetologica</i> , 2002, 39, 97-104.  | 1.2 | 6         |
| 6153 | A new equation especially developed for predicting resting metabolic rate in the elderly for easy use in practice. <i>European Journal of Nutrition</i> , 2002, 41, 108-113.  | 1.8 | 34        |
| 6154 | Implantierbares kontinuierliches hämodynamisches Monitorsystem bei Patienten mit chronischer Herzinsuffizienz. <i>Zeitschrift Fur Herz-, Thorax- Und Gefasschirurgie</i> , 2002, 16, 286-292.                               | 0.0 | 0         |
| 6155 | Evaluation of Petri dish sampling for assessment of cat allergen in airborne dust. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2002, 57, 164-168.   | 2.7 | 46        |
| 6156 | A strategy to calculate cyclosporin A area under the time-concentration curve in pediatric renal transplantation. <i>Pediatric Transplantation</i> , 2002, 6, 313-318.  | 0.5 | 26        |
| 6157 | Cyclosporin A monitoring and AUC determination - where do we go?. <i>Pediatric Transplantation</i> , 2002, 6, 176-179.  | 0.5 | 6         |
| 6158 | Pulse contour analysis versus thermodilution in cardiac surgery patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2002, 46, 424-429.   | 0.7 | 72        |
| 6159 | 3 He-MRI-based vs. conventional determination of lung volumes in patients after unilateral lung transplantation: a new approach to regional spirometry. <i>Acta Anaesthesiologica Scandinavica</i> , 2002, 46, 845-852.     | 0.7 | 17        |
| 6160 | Accuracy of point-of-care-testing (POCT) for determining hemoglobin concentrations. <i>Acta Anaesthesiologica Scandinavica</i> , 2002, 46, 980-986.   | 0.7 | 84        |
| 6161 | Thermodilution cardiac output. <i>Acta Anaesthesiologica Scandinavica</i> , 2002, 46, 1103-1110.  | 0.7 | 19        |
| 6162 | Clinical evaluation of a partial CO2 rebreathing technique. <i>Acta Anaesthesiologica Scandinavica</i> , 2002, 46, 1175-1180.   | 0.7 | 0         |
| 6165 | Assessment of the respiratory exchange ratio in mechanically ventilated patients by a standard anaesthetic gas analyser. <i>Acta Anaesthesiologica Scandinavica</i> , 2002, 46, 1242-1250.                                  | 0.7 | 6         |
| 6166 | Detecting postoperative urinary retention with an ultrasound scanner. <i>Acta Anaesthesiologica Scandinavica</i> , 2002, 46, 279-282.   | 0.7 | 103       |
| 6167 | Randomized clinical trial of total vs. subtotal hysterectomy: validity of the trial questionnaire. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2002, 81, 968-974.  | 1.3 | 10        |
| 6168 | Probing around implants and teeth with healthy or inflamed peri-implant mucosa/gingiva. <i>Clinical Oral Implants Research</i> , 2002, 13, 113-126.   | 1.9 | 128       |
| 6169 | Curasan PRP kit vs. PCCS PRP system. <i>Clinical Oral Implants Research</i> , 2002, 13, 437-443.  | 1.9 | 97        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6170 | How do data from deepest pocket per quadrant relate to full-mouth scores?. Journal of Clinical Periodontology, 2002, 29, 219-223.  | 2.3 | 11        |
| 6171 | Effect of contact media on the diagnostic quality of electrical resistance measurements for occlusal caries. Community Dentistry and Oral Epidemiology, 2002, 30, 161-167.   | 0.9 | 1         |
| 6172 | The German version of the Oral Health Impact Profile - translation and psychometric properties. European Journal of Oral Sciences, 2002, 110, 425-433.   | 0.7 | 258       |
| 6174 | Endocoil magnetic resonance imaging quantification of external anal sphincter atrophy. British Journal of Surgery, 2002, 88, 853-859.  | 0.1 | 71        |
| 6175 | Association between plaque instability, angiogenesis and symptomatic carotid occlusive disease. British Journal of Surgery, 2002, 88, 945-950.   | 0.1 | 210       |
| 6176 | One visual analogue pain score is sufficient after laparoscopic cholecystectomy. British Journal of Surgery, 2002, 89, 114-115.  | 0.1 | 10        |
| 6177 | Evaluation of the HemoCue plasma haemoglobin analyser for assessing haemolysis in red cell concentrates during storage. Vox Sanguinis, 2002, 82, 76-79.  | 0.7 | 15        |
| 6178 | Interobserver variation in postimplant computed tomography contouring affects quality assessment of prostate brachytherapy. Brachytherapy, 2002, 1, 66-73.   | 0.2 | 90        |
| 6179 | Comparaison de deux techniques de monitoring du débit cardiaque : méthode du contour de pouls et thermodilution artérielle pulmonaire continue. IRBM News, 2002, 23, 243-253.  | 0.1 | 2         |
| 6180 | Arthroscopic assessment of human cartilage stiffness of the femoral condyles and the patella with a new tactile sensor. Medical Engineering and Physics, 2002, 24, 431-435.  | 0.8 | 48        |
| 6181 | A blinded in vitro study with Refacto® mock plasma samples: similar FVIII results between the chromogenic assay and a one-stage assay when using a higher cephalin dilution. Haemophilia, 2002, 8, 639-643.                            | 1.0 | 16        |
| 6182 | The perceived benefit of endodontic retreatment. International Endodontic Journal, 2002, 35, 359-365.  | 2.3 | 47        |
| 6183 | A method comparison study to assess the reliability of urine collection pads as a means of obtaining urine specimens from non-toilet-trained children for microbiological examination. Journal of Advanced Nursing, 2002, 37, 387-393. | 1.5 | 19        |
| 6184 | Estimation of energy intake in clinical practice: a comparison between a food record protocol and a precoded food record book. Journal of Clinical Nursing, 2002, 11, 688-694.   | 1.4 | 6         |
| 6185 | Estimation of total body water from bioelectrical impedance analysis in patients with pancreatic cancer - agreement between three methods of prediction. Journal of Human Nutrition and Dietetics, 2002, 15, 185-188.                  | 1.3 | 4         |
| 6186 | Are medical postgraduate certification processes valid? A systematic review of the published evidence. Medical Education, 2002, 36, 73-91.   | 1.1 | 64        |
| 6187 | Determinants of respiratory system input impedance and bronchodilator response in healthy Finnish preschool children. Clinical Physiology and Functional Imaging, 2002, 22, 64-71.   | 0.5 | 121       |
| 6188 | Validation of a newly developed B-mode image-processing technique versus wall-tracking ultrasound for the study of wall mechanics in small-calibre arteries. Clinical Physiology and Functional Imaging, 2002, 22, 180-186.            | 0.5 | 7         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6189 | The validity of the Computer Science and Applications activity monitor for use in coronary artery disease patients during level walking. <i>Clinical Physiology and Functional Imaging</i> , 2002, 22, 248-253.  | 0.5 | 20        |
| 6190 | Repeatability of measurements of oxygen consumption, heart rate and Borg's scale in men during ergometer cycling. <i>Clinical Physiology and Functional Imaging</i> , 2002, 22, 261-265.   | 0.5 | 28        |
| 6191 | Anthropometry, bioelectrical impedance and dual-energy X-ray absorptiometry in the assessment of body composition in elderly Finnish women. <i>Clinical Physiology and Functional Imaging</i> , 2002, 22, 383-391.                                       | 0.5 | 36        |
| 6192 | Comparison of ventilation/perfusion scintigraphy and helical CT for diagnosis of pulmonary embolism; strategy using clinical data and ancillary findings. <i>Clinical Physiology and Functional Imaging</i> , 2002, 22, 392-397.                         | 0.5 | 29        |
| 6193 | Sources of variability in the clinical photostress test. <i>Ophthalmic and Physiological Optics</i> , 2002, 22, 61-67.   | 1.0 | 35        |
| 6194 | MEM and Nott dynamic retinoscopy in patients with disorders of vergence and accommodation. <i>Ophthalmic and Physiological Optics</i> , 2002, 22, 214-220.   | 1.0 | 17        |
| 6195 | Validation of computer morphs for grading contact lens complications. <i>Ophthalmic and Physiological Optics</i> , 2002, 22, 341-349.  | 1.0 | 31        |
| 6196 | Central corneal thickness in European (white) individuals, especially children and the elderly, and assessment of its possible importance in clinical measures of intra-ocular pressure. <i>Ophthalmic and Physiological Optics</i> , 2002, 22, 491-504. | 1.0 | 82        |
| 6197 | Repeatability of corneal thickness measurements made by a scanning slit topography system. <i>Ophthalmic and Physiological Optics</i> , 2002, 22, 505-510.   | 1.0 | 27        |
| 6198 | Testing young infants with the Welch Allyn SureSight non-cycloplegic autorefractor. <i>Ophthalmic and Physiological Optics</i> , 2002, 22, 546-551.  | 1.0 | 18        |
| 6199 | Intra-observer and inter-observer repeatability of Anterior Eye Segment analysis system (EAS-1000) in anterior chamber configuration. <i>Ophthalmic and Physiological Optics</i> , 2002, 22, 552-559.  | 1.0 | 18        |
| 6200 | Clinical performance of the Reichert AT550: a new non-contact tonometer. <i>Ophthalmic and Physiological Optics</i> , 2002, 22, 560-564.   | 1.0 | 60        |
| 6201 | Urea volume of distribution exceeds total body water in patients with acute renal failure. <i>Kidney International</i> , 2002, 61, 317-323.  | 2.6 | 66        |
| 6202 | Molecular and structural consequences of early renal allograft injury. <i>Kidney International</i> , 2002, 61, 686-696.  | 2.6 | 112       |
| 6203 | Methodological issues in studying the epidemiology of mild to moderate chronic renal insufficiency. <i>Kidney International</i> , 2002, 61, 1567-1576.   | 2.6 | 171       |
| 6204 | A new technique for establishing dry weight in hemodialysis patients via whole body bioimpedance. <i>Kidney International</i> , 2002, 61, 2250-2258.   | 2.6 | 182       |
| 6205 | Iothalamate measured by capillary electrophoresis is a suitable alternative to radiolabeled inulin in renal micropuncture. <i>Kidney International</i> , 2002, 62, 1068-1074.  | 2.6 | 3         |
| 6206 | Editorials: Assessment of Blood Pressure in Hemodialysis Patients. <i>Seminars in Dialysis</i> , 2002, 15, 299-304.  | 0.7 | 44        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6207 | Evaluation of Different Methods for Assessing Intracellular Fluid in Healthy Older People: A Cross-validation Study. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 104-110.  | 1.3 | 10        |
| 6208 | Muscle fibre type, efficiency, and mechanical optima affect freely chosen pedal rate during cycling. <i>Acta Physiologica Scandinavica</i> , 2002, 176, 185-194.   | 2.3 | 78        |
| 6209 | Performance characteristics of scintigraphic transit measurements for studies of experimental therapies. <i>Alimentary Pharmacology and Therapeutics</i> , 2002, 16, 1781-1790.  | 1.9 | 170       |
| 6210 | Comparison of external jugular and central venous pressures in mechanically ventilated patients. <i>Anaesthesia</i> , 2002, 57, 584-605.   | 1.8 | 24        |
| 6211 | Prediction by computerised tomography of distance from skin to epidural space during thoracic epidural insertion. <i>Anaesthesia</i> , 2002, 57, 701-704.  | 1.8 | 30        |
| 6212 | Measurement of systemic oxygen uptake during low-flow anaesthesia with a standard technique vs. a novel method. <i>Anaesthesia</i> , 2002, 57, 654-658.  | 1.8 | 11        |
| 6213 | Leakage and absorption of isoflurane by different types of anaesthetic circuit and monitoring tubing. <i>Anaesthesia</i> , 2002, 57, 686-689.  | 1.8 | 5         |
| 6214 | Evaluation of an expired fraction carbon dioxide monitor. <i>Anaesthesia</i> , 2002, 57, 900-904.  | 1.8 | 3         |
| 6215 | Estimating unmeasured anions in critically ill patients: Anion-gap, base-deficit, and strong-ion-gap. <i>Anaesthesia</i> , 2002, 57, 1109-1114.  | 1.8 | 43        |
| 6216 | The value of risk scores for predicting postoperative nausea and vomiting when used to compare patient groups in a randomised controlled trial. <i>Anaesthesia</i> , 2002, 57, 1119-1128.  | 1.8 | 24        |
| 6217 | A comparison of cerebral oxygenation as measured by the NIRO 300 and the INVOS 5100 Near-Infrared Spectrophotometers. <i>Anaesthesia</i> , 2002, 57, 999-1006.   | 1.8 | 143       |
| 6218 | Repeatability of local forearm vasoconstriction to endothelin-1 measured by venous occlusion plethysmography. <i>British Journal of Clinical Pharmacology</i> , 2002, 54, 386-394.   | 1.1 | 16        |
| 6219 | The relative role of peripheral blood and bone marrow for monitoring molecular evidence of disease in follicular lymphoma by quantitative real-time polymerase chain reaction. <i>British Journal of Haematology</i> , 2002, 118, 563-566. | 1.2 | 15        |
| 6220 | Sputum processing: a new method to improve cytospin quality. <i>Clinical and Experimental Allergy</i> , 2002, 32, 674-680.   | 1.4 | 6         |
| 6221 | Cardiovascular responses during submaximal electrical stimulation-induced leg cycling in individuals with paraplegia. <i>Clinical Physiology and Functional Imaging</i> , 2002, 22, 92-98.   | 0.5 | 28        |
| 6222 | Measurement of glomerular filtration rate in renal transplant recipients: A comparison of methods. <i>Nephrology</i> , 2002, 7, 77-82.   | 0.7 | 7         |
| 6223 | Optimization of sputum-processing methods for the measurement of interleukin-5: Effects of protease inhibition. <i>Respirology</i> , 2002, 7, 111-116.   | 1.3 | 6         |
| 6224 | The relationship between FEV1 and PEF in the assessment of the severity of airways obstruction. <i>Respirology</i> , 2002, 7, 333-337.   | 1.3 | 50        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6225 | Are methods used to estimate weight in children accurate?. EMA - Emergency Medicine Australasia, 2002, 14, 160-165.  | 0.5 | 89        |
| 6226 | The reliability of endtidal CO <sub>2</sub> in spontaneously breathing children during anaesthesia with Laryngeal Mask Airway™, low flow, sevoflurane and caudal epidural. Paediatric Anaesthesia, 2002, 12, 438-441.                      | 0.6 | 3         |
| 6227 | Validation of the ethanol breath test and on-table weighing to measure irrigating fluid absorption during transurethral prostatectomy. BJU International, 2002, 90, 872-875.   | 1.3 | 19        |
| 6228 | The short insulin tolerance test lacks validity in adolescents with Type 1 diabetes. Diabetic Medicine, 2002, 19, 51-56.   | 1.2 | 4         |
| 6229 | Impact of poverty on the prevalence of diabetes and its complications in urban southern India. Diabetic Medicine, 2002, 19, 130-135.   | 1.2 | 93        |
| 6230 | Impaired vascular reactivity is present despite normal levels of von Willebrand factor in patients with uncomplicated Type 2 diabetes. Diabetic Medicine, 2002, 19, 476-481.   | 1.2 | 19        |
| 6231 | Comparison of vibration perception thresholds obtained with the Neurothesiometer and the CASE IV and relationship to nerve conduction studies. Diabetic Medicine, 2002, 19, 661-666.   | 1.2 | 46        |
| 6232 | Agreement of SpO <sub>2</sub> , SaO <sub>2</sub> and ScO <sub>2</sub> in anesthetized cynomolgus monkeys ( <i>Macaca fascicularis</i> ). Veterinary Anaesthesia and Analgesia, 2002, 29, 150-155.  | 0.3 | 7         |
| 6233 | Reproducibility and Feasibility of Neurophysiological Assessment of the Sensory Trigeminal System for Future Application To Paroxysmal Headaches. Cephalalgia, 2002, 22, 474-481.  | 1.8 | 7         |
| 6234 | Evaluation of the World Health Organization standard tourniquet test and a modified tourniquet test in the diagnosis of dengue infection in Viet Nam. Tropical Medicine and International Health, 2002, 7, 125-132.                        | 1.0 | 92        |
| 6235 | Indirect oscillometric and direct blood pressure measurements in anesthetized and conscious neonatal foals. Journal of Veterinary Emergency and Critical Care, 2002, 12, 75-80.  | 0.4 | 43        |
| 6236 | On the Influence of Pretest Conditions on the Reproducibility of the Pupillographic Sleepiness Test. Zum Einfluss der Vortestbedingungen auf die Reproduzierbarkeit des Pupillographischen Schlafigkeitstests. Somnologie, 2002, 6, 75-78. | 0.9 | 4         |
| 6237 | Perception of vertical and horizontal orientation in children with scoliosis. Journal of Orthopaedic Research, 2002, 20, 416-420.  | 1.2 | 27        |
| 6238 | Measurement of temporal lobe T2 relaxation times using a routine diagnostic MR imaging protocol in epilepsy. Epilepsy Research, 2002, 48, 131-142.   | 0.8 | 35        |
| 6239 | Comparison of intracranial pressure measured in the cerebral cortex and the cerebellum of the rat. Journal of Neuroscience Methods, 2002, 119, 83-88.  | 1.3 | 9         |
| 6240 | Definition of a moving gross target volume for stereotactic radiation therapy of stented coronary arteries. International Journal of Radiation Oncology Biology Physics, 2002, 52, 560-565.  | 0.4 | 9         |
| 6241 | Automated, nonrigid alignment of clinical myocardial contrast echocardiography image sequences: comparison with manual alignment. Ultrasound in Medicine and Biology, 2002, 28, 115-123.   | 0.7 | 13        |
| 6242 | A comparison of brachial artery reactivity measured by external and intravascular ultrasound. Ultrasound in Medicine and Biology, 2002, 28, 911-916.   | 0.7 | 1         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6243 | Strain during gastric contractions can be measured using Doppler ultrasonography. <i>Ultrasound in Medicine and Biology</i> , 2002, 28, 1457-1465.  | 0.7 | 43        |
| 6244 | An analysis of the performance characteristics of serological tests for the diagnosis of <i>Neospora caninum</i> infection in cattle. <i>Veterinary Parasitology</i> , 2002, 107, 197-207.  | 0.7 | 25        |
| 6245 | Evaluation of the repeatability of a crude adult indirect <i>Ostertagia ostertagi</i> ELISA and methods of expressing test results. <i>Veterinary Parasitology</i> , 2002, 109, 75-90.  | 0.7 | 48        |
| 6246 | Measurement of insulin sensitivity indices using <sup>13</sup> C-glucose and gas chromatography/combustion/isotope ratio mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2002, 16, 2009-2014.                             | 0.7 | 19        |
| 6247 | Diagnostics for conformity of paired quantitative measurements. <i>Statistics in Medicine</i> , 2002, 21, 1913-1935.  | 0.8 | 71        |
| 6248 | Assessing intrarater, interrater and test-retest reliability of continuous measurements. <i>Statistics in Medicine</i> , 2002, 21, 3431-3446.   | 0.8 | 311       |
| 6249 | Exhaled nitric oxide concentrations: Online versus offline values in healthy children. <i>Pediatric Pulmonology</i> , 2002, 33, 283-292.  | 1.0 | 38        |
| 6250 | Automated analysis of paradoxical ribcage motion during sleep in infants. <i>Pediatric Pulmonology</i> , 2002, 33, 38-46.   | 1.0 | 15        |
| 6251 | Assessment of a low-cost home monitoring spirometer for children. <i>Pediatric Pulmonology</i> , 2002, 33, 388-394.   | 1.0 | 21        |
| 6252 | Objective monitoring of cough in children with cystic fibrosis. <i>Pediatric Pulmonology</i> , 2002, 34, 331-335.   | 1.0 | 50        |
| 6253 | Techniques for measurement of thoracoabdominal asynchrony. <i>Pediatric Pulmonology</i> , 2002, 34, 462-472.  | 1.0 | 52        |
| 6254 | Comparison of measured sleeping metabolic rate and predicted basal metabolic rate during the first year of life: evidence of a bias changing with increasing metabolic rate. <i>European Journal of Clinical Nutrition</i> , 2002, 56, 650-655. | 1.3 | 9         |
| 6255 | Body composition in patients with an ileostomy and inflammatory bowel disease: validation of bio-electric impedance spectroscopy (BIS). <i>European Journal of Clinical Nutrition</i> , 2002, 56, 680-686.                                      | 1.3 | 15        |
| 6256 | Validation of the Italian food composition database of the European institute of oncology. <i>European Journal of Clinical Nutrition</i> , 2002, 56, 1004-1010.   | 1.3 | 8         |
| 6257 | Anthropometric measurements in both sides of the body in the assessment of nutritional status in prepubertal children. <i>European Journal of Clinical Nutrition</i> , 2002, 56, 1208-1215.   | 1.3 | 56        |
| 6258 | The prediction of visceral fat by dual-energy X-ray absorptiometry in the elderly: a comparison with computed tomography and anthropometry. <i>International Journal of Obesity</i> , 2002, 26, 984-993.  | 1.6 | 217       |
| 6259 | Sexual dimorphism in the energy content of weight change. <i>International Journal of Obesity</i> , 2002, 26, 1339-1348.  | 1.6 | 58        |
| 6260 | Accuracy of the Dinamap 1846 XT automated blood pressure monitor. <i>Journal of Human Hypertension</i> , 2002, 16, 647-652.   | 1.0 | 35        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6261 | Comparison of trough effect of telmisartan vs perindopril using self blood pressure measurement: EVERESTE study. <i>Journal of Human Hypertension</i> , 2002, 16, 865-873.  | 1.0 | 28        |
| 6262 | Continuous Blood Gas Monitoring Using an In-Dwelling Optode Method: Clinical Evaluation of the Neotrend Sensor Using a Luer Stub Adaptor to Access the Umbilical Artery Catheter. <i>Journal of Perinatology</i> , 2002, 22, 367-369.             | 0.9 | 14        |
| 6263 | Continuous Blood Gas Monitoring Using an In-Dwelling Optode Method: Comparison to Intermittent Arterial Blood Gas Sampling in ECMO Patients. <i>Journal of Perinatology</i> , 2002, 22, 472-474.  | 0.9 | 15        |
| 6264 | DXA: Potential for Creating a Metabolic Map of Organâ€Tissue Resting Energy Expenditure Components. <i>Obesity</i> , 2002, 10, 969-977.  | 4.0 | 61        |
| 6265 | Orthogonal polarisation spectral imaging as a new tool for the assessment of antivasular tumour treatment in vivo: a validation study. <i>British Journal of Cancer</i> , 2002, 86, 1622-1627.  | 2.9 | 33        |
| 6266 | Intense inflammation in bladder carcinoma is associated with angiogenesis and indicates good prognosis. <i>British Journal of Cancer</i> , 2002, 87, 1422-1430.   | 2.9 | 48        |
| 6267 | Value of the Corrected QT Interval Dispersion Obtained Exercise Electrocardiography in Determining Remote Vessel Disease in Patients with Healed Q-Wave Myocardial Infarction. <i>Annals of Noninvasive Electrocardiology</i> , 2002, 7, 228-233. | 0.5 | 2         |
| 6268 | Late Potential Analysis: Is a Mathematically-Derived X, Y, Z Lead System Comparable to a True Orthogonal X, Y, Z Lead System?. <i>Annals of Noninvasive Electrocardiology</i> , 2002, 7, 302-306.   | 0.5 | 0         |
| 6269 | IMx tacrolimus II assay: is it reliable at low blood concentrations? A comparison with tandem MS/MS. <i>Clinical Biochemistry</i> , 2002, 35, 389-392.  | 0.8 | 34        |
| 6270 | Therapeutic drug monitoring of lamotrigine using capillary electrophoresis. <i>Journal of Chromatography A</i> , 2002, 979, 353-368.  | 1.8 | 40        |
| 6271 | Assay of total homocysteine and other thiols by capillary electrophoresis and laser-induced fluorescence detection. <i>Journal of Chromatography A</i> , 2002, 979, 255-260.  | 1.8 | 37        |
| 6272 | Interobserver variability leads to significant differences in quantifiers of prostate implant adequacy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002, 54, 457-461.   | 0.4 | 109       |
| 6273 | Minimum distance estimation of the distribution functions of stochastically ordered random variables. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 2002, 51, 485-492.   | 0.5 | 4         |
| 6274 | Disposable tyrosinase-peroxidase bi-enzyme sensor for amperometric detection of phenols. <i>Biosensors and Bioelectronics</i> , 2002, 17, 1015-1023.  | 5.3 | 86        |
| 6275 | Methods: Validity and utility of community health workers' estimation of kava use. <i>Australian and New Zealand Journal of Public Health</i> , 2002, 26, 52-57.  | 0.8 | 29        |
| 6276 | A comparison of selfâ€reported and measured height, weight and BMI in Australian adolescents. <i>Australian and New Zealand Journal of Public Health</i> , 2002, 26, 473-478.  | 0.8 | 96        |
| 6277 | A comparison of urethral pressure profilometry using microtip and double-lumen perfusion catheters in women with genuine stress incontinence. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002, 109, 322-326.           | 1.1 | 26        |
| 6278 | Development and validation of a questionnaire for the assessment of bowel and lower urinary tract symptoms in women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002, 109, 413-423.                                    | 1.1 | 58        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6279 | The effect of body mass index on three methods of fetal weight estimation. BJOG: an International Journal of Obstetrics and Gynaecology, 2002, 109, 651-657.   | 1.1 | 75        |
| 6280 | Inflationary oscillometry provides accurate measurement of blood pressure in pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 2002, 109, 1143-1147.  | 1.1 | 30        |
| 6281 | Measurements of wave speed and reflected waves in elastic tubes and bifurcations. Journal of Biomechanics, 2002, 35, 775-783.  | 0.9 | 74        |
| 6282 | Comparison of near infrared reflectance analysis of fecal fat, nitrogen and water with conventional methods, and fecal energy content. Clinical Biochemistry, 2002, 35, 29-33.   | 0.8 | 9         |
| 6283 | Determination of myoglobin: comparative evaluation of the new automated VIDASR assay with two other immunoassays. Clinical Biochemistry, 2002, 35, 255-262.  | 0.8 | 7         |
| 6284 | Interaction between heparin and cardiac troponin T and troponin I from patients after coronary bypass surgery. Clinical Biochemistry, 2002, 35, 355-362.   | 0.8 | 20        |
| 6285 | New parameters in the interpretation of exercise testing in women: QTC dispersion and QT dispersion ratio difference. Clinical Cardiology, 2002, 25, 187-192.  | 0.7 | 4         |
| 6286 | Quantification of Mitral Regurgitation by the Proximal Flow Convergence Method—Comparison of Transthoracic and Transesophageal Echocardiography. Clinical Cardiology, 2002, 25, 517-524.   | 0.7 | 4         |
| 6287 | PET attenuation coefficients from CT images: experimental evaluation of the transformation of CT into PET 511-keV attenuation coefficients. European Journal of Nuclear Medicine and Molecular Imaging, 2002, 29, 922-927.   | 3.3 | 379       |
| 6288 | Clinical relevance of left ventricular volume assessment by gated myocardial SPET in patients with coronary artery disease. European Journal of Nuclear Medicine and Molecular Imaging, 2002, 29, 957-966.   | 3.3 | 14        |
| 6289 | Is furosemide administration effective in improving the accuracy of determination of differential renal function by means of technetium-99m DMSA in patients with hydronephrosis. European Journal of Nuclear Medicine and Molecular Imaging, 2002, 29, 1433-1437. | 3.3 | 5         |
| 6290 | Lean body mass-based standardized uptake value, derived from a predictive equation, might be misleading in PET studies. European Journal of Nuclear Medicine and Molecular Imaging, 2002, 29, 1630-1638.   | 3.3 | 39        |
| 6291 | Volume estimation of extensor muscles of the lower leg based on MR imaging. European Radiology, 2002, 12, 2982-2987.   | 2.3 | 47        |
| 6292 | Pelvimetry and patient acceptability compared between open 0.5-T and closed 1.5-T MR systems. European Radiology, 2002, 12, 2898-2905.   | 2.3 | 14        |
| 6293 | Histopathological correlation of corneal diseases with optical coherence tomography. Graefe's Archive for Clinical and Experimental Ophthalmology, 2002, 240, 727-734.   | 1.0 | 53        |
| 6294 | Non-invasive determination of intraocular pressure in the rat eye. Comparison of an electronic tonometer (TonoPen), and a rebound (impact probe) tonometer. , 2002, 240, 942-946.  |     | 82        |
| 6295 | Correct evaluation of renal glomerular filtration rate requires clearance assays. Pediatric Nephrology, 2002, 17, 847-851.   | 0.9 | 33        |
| 6296 | Isometric strength measurement for muscle weakness in cancer patients. Supportive Care in Cancer, 2002, 10, 430-438.   | 1.0 | 22        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6297 | The reliability of quantitative analysis on digital images of the scoliotic spine. <i>European Spine Journal</i> , 2002, 11, 535-542.   | 1.0 | 69        |
| 6298 | Repeatability of dermatomal warm and cold sensory thresholds in patients with sciatica. <i>European Spine Journal</i> , 2002, 11, 441-446.  | 1.0 | 20        |
| 6299 | Monitoring disease activity and progression in primary progressive multiple sclerosis using MRI: sub-voxel registration to identify lesion changes and to detect cerebral atrophy. <i>Journal of Neurology</i> , 2002, 249, 171-177.                    | 1.8 | 31        |
| 6300 | The upper inflection point of the pressure-volume curve. <i>Intensive Care Medicine</i> , 2002, 28, 842-849.  | 3.9 | 25        |
| 6301 | Inspiratory pressure-volume curves obtained using automated low constant flow inflation and automated occlusion methods in ARDS patients with a new device. <i>Intensive Care Medicine</i> , 2002, 28, 990-994.   | 3.9 | 21        |
| 6302 | Comparison between the Datex-Ohmeda M-COVX metabolic monitor and the Deltatrac II in mechanically ventilated patients. <i>Intensive Care Medicine</i> , 2002, 28, 870-876.  | 3.9 | 64        |
| 6303 | Effect of the degree of tricuspid regurgitation on cardiac output measurements by thermodilution. <i>Intensive Care Medicine</i> , 2002, 28, 1117-1121.   | 3.9 | 102       |
| 6304 | Pulse oximeter-enhanced accuracy of capnometry in children with cyanotic heart disease. <i>Intensive Care Medicine</i> , 2002, 28, 1336-1339.   | 3.9 | 9         |
| 6305 | Detecting lung injury in patients with pulmonary edema. <i>Intensive Care Medicine</i> , 2002, 28, 1246-1253.   | 3.9 | 47        |
| 6306 | Comparison of continuous thermodilution and bolus cardiac output measurements in septic shock. <i>Intensive Care Medicine</i> , 2002, 28, 1276-1280.  | 3.9 | 31        |
| 6307 | Evaluation of a noninvasive method for cardiac output measurement in critical care patients. <i>Intensive Care Medicine</i> , 2002, 28, 1470-1474.  | 3.9 | 32        |
| 6308 | Quantification of shunt volumes in congenital heart diseases using a breath-hold MR phase contrast technique—comparison with oximetry. <i>International Journal of Cardiovascular Imaging</i> , 2002, 18, 53-60.  | 0.2 | 48        |
| 6309 | The quantification of pulmonary valve haemodynamics using MRI. <i>International Journal of Cardiovascular Imaging</i> , 2002, 18, 217-225.  | 0.2 | 12        |
| 6310 | Measurement of left ventricular volume after anterior myocardial infarction: comparison of magnetic resonance imaging, echocardiography, and radionuclide ventriculography. <i>International Journal of Cardiovascular Imaging</i> , 2002, 18, 135-142. | 0.2 | 21        |
| 6311 | Assessing health status and quality-of-life instruments: attributes and review criteria. <i>Quality of Life Research</i> , 2002, 11, 193-205.   | 1.5 | 1,959     |
| 6312 | Determination of coronary calcium with multi-slice spiral computed tomography: a comparative study with electron-beam CT. <i>International Journal of Cardiovascular Imaging</i> , 2002, 18, 295-303.   | 0.2 | 84        |
| 6313 | Advanced contour detection for three-dimensional intracoronary ultrasound: a validation—in vitro and in vivo. <i>International Journal of Cardiovascular Imaging</i> , 2002, 18, 235-248.   | 0.2 | 57        |
| 6314 | The equivalence of English and Chinese SF-36 versions in bilingual Singapore Chinese. <i>Quality of Life Research</i> , 2002, 11, 495-503.  | 1.5 | 39        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6315 | A computerized method to measure systolic pressure variation (SPV) in mechanically ventilated patients. <i>Journal of Clinical Monitoring and Computing</i> , 2002, 17, 141-146.   | 0.7 | 5         |
| 6316 | A comparison of two impedance cardiographs using head-up tilting and trend analysis. <i>Journal of Clinical Monitoring and Computing</i> , 2002, 17, 153-160.  | 0.7 | 5         |
| 6317 | Automated evaluation of functional residual capacity by oxygen washout. <i>Journal of Clinical Monitoring and Computing</i> , 2002, 17, 195-201.   | 0.7 | 18        |
| 6318 | Clinical application in routine practice of the proximal flow convergence method to calculate the mitral surface area in mitral valve stenosis. <i>International Journal of Cardiovascular Imaging</i> , 2002, 18, 443-451.                | 0.2 | 10        |
| 6319 | Activated clotting time systems vary in precision and bias and are not interchangeable when following heparin management protocols during cardiopulmonary bypass. <i>Journal of Clinical Monitoring and Computing</i> , 2002, 17, 287-292. | 0.7 | 34        |
| 6320 | Universal Standardization of Forearm Bone Densitometry. <i>Journal of Bone and Mineral Research</i> , 2002, 17, 734-745.   | 3.1 | 54        |
| 6321 | Unconsciousness indication using time-domain parameters extracted from mid-latency auditory evoked potentials. <i>Journal of Clinical Monitoring and Computing</i> , 2002, 17, 361-366.  | 0.7 | 4         |
| 6322 | Sigh: tool to determine the respiratory viscoelastic properties. <i>Journal of Clinical Monitoring and Computing</i> , 2002, 17, 459-466.  | 0.7 | 0         |
| 6323 | Ultrafast Flow Quantification With Segmented k-Space Magnetic Resonance Phase Velocity Mapping. <i>Annals of Biomedical Engineering</i> , 2002, 30, 120-128.   | 1.3 | 15        |
| 6324 | Length-Normalized Pulse Photoplethysmography: A Noninvasive Method to Measure Blood Hemoglobin, Bronx, NY. <i>Annals of Biomedical Engineering</i> , 2002, 30, 1291-1298.  | 1.3 | 37        |
| 6325 | Prenatal Smoking and Alterations in Newborn Heart Rate During Transition. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 2002, 31, 680-687.  | 0.2 | 15        |
| 6326 | Determination of Left Ventricular Function by Emergency Physician Echocardiography of Hypotensive Patients. <i>Academic Emergency Medicine</i> , 2002, 9, 186-193.   | 0.8 | 141       |
| 6327 | Effects of equivolume isometric training programs comprising medium or high resistance on muscle size and strength. <i>European Journal of Applied Physiology</i> , 2002, 87, 112-119.   | 1.2 | 55        |
| 6328 | Utility of pulse oximetry in the detection of arterial hypoxemia in liver transplant candidates. <i>Liver Transplantation</i> , 2002, 8, 391-396.  | 1.3 | 94        |
| 6329 | The reliability of vital sign measurements. <i>Annals of Emergency Medicine</i> , 2002, 39, 233-237.   | 0.3 | 131       |
| 6330 | Development and Validation of QoL5 for Clinical Databases. A Short, Global and Generic Questionnaire Based on an Integrated Theory of the Quality of Life. <i>The European Journal of Surgery</i> , 2002, 168, 107-113.                    | 1.0 | 71        |
| 6331 | Catalogue of human tissue optical properties at terahertz frequencies. <i>Journal of Biological Physics</i> , 2003, 29, 123-128.   | 0.7 | 156       |
| 6332 | Low reproducibility of 2 x 24-hour continuous esophageal pH monitoring in infants and children: a limiting factor for interventional studies. <i>Digestive Diseases and Sciences</i> , 2003, 48, 1495-1502.                                | 1.1 | 22        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6333 | End-diastolic and end-systolic volume from the left ventricular angiogram: how accurate is visual frame selection? Comparison between visual and semi-automated computer-assisted analysis. <i>International Journal of Cardiovascular Imaging</i> , 2003, 19, 259-266. | 0.2 | 5         |
| 6334 | Improved functional cardiac MR imaging using the intravascular contrast agent CLARISCAN. <i>International Journal of Cardiovascular Imaging</i> , 2003, 19, 337-343.  | 0.2 | 4         |
| 6335 | Upper lifting performance of healthy young adults in functional capacity evaluations: a comparison of two protocols. <i>Journal of Occupational Rehabilitation</i> , 2003, 13, 297-305.   | 1.2 | 16        |
| 6336 | Test-retest reliability of the Isernhagen Work Systems Functional Capacity Evaluation in patients with chronic low back pain. <i>Journal of Occupational Rehabilitation</i> , 2003, 13, 207-218.  | 1.2 | 98        |
| 6337 | Variability of quantitative coronary angiography: an evaluation of on-site versus core laboratory analysis. <i>International Journal of Cardiovascular Imaging</i> , 2003, 19, 457-464.   | 0.7 | 17        |
| 6338 | Hydraulic Bench Testing of the TruCATHTM/TruCCOMTM Continuous Cardiac Output Monitor. <i>Cardiovascular Engineering (Dordrecht, Netherlands)</i> , 2003, 3, 93-102.   | 1.0 | 2         |
| 6339 | Factors Influencing Fetal Pulse Oximetry Performance. <i>Journal of Clinical Monitoring and Computing</i> , 2003, 18, 13-24.  | 0.7 | 14        |
| 6340 | Monitoring of Arterial Stiffness Indices by Applanation Tonometry and Pulse Wave Analysis: Reproducibility at Low Blood Pressures. <i>Journal of Clinical Monitoring and Computing</i> , 2003, 18, 137-144.   | 0.7 | 40        |
| 6341 | A Novel Approach to Measure Cardiac Output Noninvasively: A Comparison with the Thermodilution Method on Critical Care Patients. <i>Journal of Clinical Monitoring and Computing</i> , 2003, 18, 189-197.   | 0.7 | 3         |
| 6342 | Novel Concept for a Noninvasive Cardiopulmonary Monitor for Infants: A Pair of Pajamas with an Integrated Sensor Module. <i>Annals of Biomedical Engineering</i> , 2003, 31, 152-158.   | 1.3 | 15        |
| 6343 | Arterial Blood Gas Results Rarely Influence Emergency Physician Management of Patients with Suspected Diabetic Ketoacidosis. <i>Academic Emergency Medicine</i> , 2003, 10, 836-841.  | 0.8 | 41        |
| 6344 | Simultaneous cardiac output and regional myocardial perfusion determination with PET and nitrogen 13 ammonia. <i>Journal of Nuclear Cardiology</i> , 2003, 10, 28-33.   | 1.4 | 5         |
| 6345 | Applying the right statistics: analyses of measurement studies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 85-93.   | 0.9 | 1,102     |
| 6346 | Nuchal translucency thickness measurement: repeatability using a virtual ultrasound scanner. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 21, 596-601.  | 0.9 | 16        |
| 6347 | Reproducibility of three-dimensional ultrasound diagnosis of congenital uterine anomalies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 21, 578-582.  | 0.9 | 211       |
| 6348 | Estimation of fetal urinary bladder volume using the sum-of-cylinders method vs. the ellipsoid formula. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 67-73.   | 0.9 | 18        |
| 6349 | Reliability and validity of two methods of three-dimensional cervical volume measurement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 49-52.   | 0.9 | 9         |
| 6350 | Examination of fetal nasal bone and repeatability of measurement in early pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 131-134.  | 0.9 | 28        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6351 | Customizing fetal biometric charts. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 271-276.   | 0.9 | 47        |
| 6352 | Three-dimensional ultrasound fetal lung volume measurement: a systematic study comparing the multiplanar method with the rotational (VOCAL) technique. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 21, 111-118.  | 0.9 | 115       |
| 6353 | Intraobserver and interobserver variability of ovarian volume, gray-scale and color flow indices obtained using transvaginal three-dimensional power Doppler ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 21, 277-282.                         | 0.9 | 103       |
| 6354 | Evaluation of the measurement of the fetal fat layer, interventricular septum and abdominal circumference percentile in the prediction of macrosomia in pregnancies affected by gestational diabetes. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 586-590. | 0.9 | 49        |
| 6355 | Ear length in trisomy 21 fetuses at 11-14 weeks of gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 460-463.   | 0.9 | 26        |
| 6356 | Standards of Measurements in Myasthenia Gravis. <i>Annals of the New York Academy of Sciences</i> , 2003, 998, 445-452.   | 1.8 | 28        |
| 6357 | Validity of the St George's respiratory questionnaire at acute exacerbation of chronic bronchitis: comparison with the Nottingham health profile. <i>Quality of Life Research</i> , 2003, 12, 117-132.  | 1.5 | 23        |
| 6358 | Validation of an automated system for luminal and medial-adventitial border detection in three-dimensional intravascular ultrasound. <i>International Journal of Cardiovascular Imaging</i> , 2003, 19, 93-104.   | 0.2 | 13        |
| 6359 | Modified Method to Measure Nasal Potential Difference. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003, 41, 61-7.  | 1.4 | 16        |
| 6360 | End-expiratory lung impedance change enables bedside monitoring of end-expiratory lung volume change. <i>Intensive Care Medicine</i> , 2003, 29, 37-43.   | 3.9 | 178       |
| 6361 | PIM2: a revised version of the Paediatric Index of Mortality. <i>Intensive Care Medicine</i> , 2003, 29, 278-285.   | 3.9 | 973       |
| 6362 | Comparison of gravimetric and a double-indicator dilution technique for assessment of extra-vascular lung water in endotoxaemia. <i>Intensive Care Medicine</i> , 2003, 29, 460-466.  | 3.9 | 13        |
| 6363 | Temperature measurement in intensive care patients: comparison of urinary bladder, oesophageal, rectal, axillary, and inguinal methods versus pulmonary artery core method. <i>Intensive Care Medicine</i> , 2003, 29, 414-418.   | 3.9 | 250       |
| 6364 | Measurement of functional residual capacity by nitrogen washout during partial ventilatory support. <i>Intensive Care Medicine</i> , 2003, 29, 720-726.   | 3.9 | 29        |
| 6365 | Alveolar pressure monitoring: an evaluation in a lung model and in patients with acute lung injury. <i>Intensive Care Medicine</i> , 2003, 29, 955-962.   | 3.9 | 24        |
| 6366 | Comparison of the Glasgow Coma Scale and the Reaction Level Scale for assessment of cerebral responsiveness in the critically ill. <i>Intensive Care Medicine</i> , 2003, 29, 933-938.  | 3.9 | 54        |
| 6367 | Quality of life on admission to the intensive care: can we query the relatives?. <i>Intensive Care Medicine</i> , 2003, 29, 974-979.  | 3.9 | 688       |
| 6368 | Lean body mass-based standardized uptake value, derived from a predictive equation, might be misleading in PET studies. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 473-474.  | 3.3 | 1         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6369 | Comparison of methods for thyroid volume estimation in patients with Graves' disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 525-531.   | 3.3 | 84        |
| 6370 | Quantitative cerebral H <sub>2</sub> 15O perfusion PET without arterial blood sampling, a method based on washout rate. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 572-580.   | 3.3 | 22        |
| 6371 | Validation of an evaluation routine for left ventricular volumes, ejection fraction and wall motion from gated cardiac FDG PET: a comparison with cardiac magnetic resonance imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 545-553. | 3.3 | 53        |
| 6372 | Measurement of left ventricular volumes and ejection fraction by quantitative gated SPET, contrast ventriculography and magnetic resonance imaging: a meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 851-858.                  | 3.3 | 37        |
| 6373 | Impact of metallic dental implants on CT-based attenuation correction in a combined PET/CT scanner. <i>European Radiology</i> , 2003, 13, 724-728.   | 2.3 | 156       |
| 6374 | Aneurysmal sizing after endovascular repair in patients with abdominal aortic aneurysm: interobserver variability of various measurement protocols and its clinical relevance. <i>European Radiology</i> , 2003, 13, 2699-2704.  | 2.3 | 31        |
| 6375 | Single breath-hold real-time cine MR imaging: improved temporal resolution using generalized autocalibrating partially parallel acquisition (GRAPPA) algorithm. <i>European Radiology</i> , 2003, 13, 1931-1936.   | 2.3 | 92        |
| 6376 | Measurement of cardiac output from a test-bolus injection in multislice computed tomography. <i>European Radiology</i> , 2003, 13, 2498-2504.  | 2.3 | 69        |
| 6377 | Validation of a German version of the 'Disabilities of Arm, Shoulder and Hand' questionnaire (DASH-G). <i>Zeitschrift Fur Rheumatologie</i> , 2003, 62, 168-177.   | 0.5 | 109       |
| 6378 | Mycophenolic acid pharmacokinetics in stable pediatric renal transplantation. <i>Pediatric Nephrology</i> , 2003, 18, 266-272.   | 0.9 | 41        |
| 6379 | Measures of cardiovascular autonomic nervous function: agreement, reproducibility, and reference values in middle age and elderly subjects. <i>Diabetologia</i> , 2003, 46, 330-338.   | 2.9 | 73        |
| 6380 | Parametric analysis of carotid plaque using a clinical ultrasound imaging system. <i>Ultrasound in Medicine and Biology</i> , 2003, 29, 1521-1530.   | 0.7 | 23        |
| 6381 | Optimization of the principal parameters for the ultrarapid electrophoretic separation of reduced and oxidized glutathione by capillary electrophoresis. <i>Journal of Chromatography A</i> , 2003, 1017, 233-238.   | 1.8 | 31        |
| 6382 | Mathematical Determination of Inspiratory Upper Airway Resistance Using a Polynomial Equation. <i>Sleep and Breathing</i> , 2003, 7, 151-158.  | 0.9 | 16        |
| 6383 | Detection of different recumbent body positions from the electrocardiogram. <i>Medical and Biological Engineering and Computing</i> , 2003, 41, 206-210.   | 1.6 | 13        |
| 6384 | Signal processing technique for non-invasive real-time estimation of cardiac output by inductance cardiography (thoracocardiography). <i>Medical and Biological Engineering and Computing</i> , 2003, 41, 302-309.   | 1.6 | 6         |
| 6385 | Primary care anticoagulant management using near patient testing. <i>Irish Journal of Medical Science</i> , 2003, 172, 30-32.  | 0.8 | 2         |
| 6386 | Left ventricular mass index measured by quantitative gated myocardial SPECT with <sup>99m</sup> Tc-tetrofosmin: a comparison with echocardiography. <i>Annals of Nuclear Medicine</i> , 2003, 17, 31-39.   | 1.2 | 12        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6387 | Validation of hemoglobin estimation using hemocue. Indian Journal of Pediatrics, 2003, 70, 25-28.   | 0.3 | 64        |
| 6388 | Comparison of blood gas values in arterial and venous blood. Indian Journal of Pediatrics, 2003, 70, 781-785.   | 0.3 | 32        |
| 6389 | Comparison of methods for determination of glomerular filtration rate: Tc-99m-DTPA renography, predicted creatinine clearance method and plasma sample method. Annals of Nuclear Medicine, 2003, 17, 561-565.   | 1.2 | 88        |
| 6390 | Improved accuracy in estimation of left ventricular function parameters from QGS software with Tc-99m tetrofosmin gated-SPECT: a multivariate analysis. Annals of Nuclear Medicine, 2003, 17, 575-582.  | 1.2 | 6         |
| 6391 | Both the OxyArmâ,¢ and Capnoxygen mask provide clinically useful capnographic monitoring capability in volunteers. Canadian Journal of Anaesthesia, 2003, 50, 137-142.  | 0.7 | 16        |
| 6392 | Cardiac output monitoring: aortic transpulmonary thermodilution and pulse contour analysis agree with standard thermodilution methods in patients undergoing lung transplantation. Canadian Journal of Anaesthesia, 2003, 50, 707-711.                    | 0.7 | 591       |
| 6393 | Measurement of cardiac output: Comparison of four different methods. Indian Journal of Thoracic and Cardiovascular Surgery, 2003, 19, 163-168.  | 0.2 | 10        |
| 6394 | Laboratory Monitoring of Heparin and the Combination of Heparin and the Platelet Glycoprotein IIb/IIIa Receptor Antibody Fragment Abciximab (c7E3) in Patients Undergoing Percutaneous Transluminal Coronary Angioplasty (PTCA). Herz, 2003, 28, 445-452. | 0.4 | 3         |
| 6395 | Einfluss der HerzfrequenzÄnderung auf die Reproduzierbarkeit der Liquorflussmessungen im AquÄdukt. Klinische Neuroradiologie, 2003, 13, 20-26.  | 0.9 | 0         |
| 6397 | Material Properties of Subchondral Bone from Patients with Osteoporosis or Osteoarthritis by Microindentation testing and Electron Probe Microanalysis. Calcified Tissue International, 2003, 73, 66-71.  | 1.5 | 74        |
| 6398 | Validation of laser Doppler flowmetry coupled with intra-dermal injection for investigating effects of vasoactive agents on the skin microcirculation in man. European Journal of Clinical Pharmacology, 2003, 59, 99-102.                                | 0.8 | 15        |
| 6399 | Comparison of chlorzoxazone one-sample methods to estimate CYP2E1 activity in humans. European Journal of Clinical Pharmacology, 2003, 59, 775-778.   | 0.8 | 4         |
| 6400 | Estimates of Interventricular Septum Thickness Are Markedly Affected by the Method Used. Pediatric Cardiology, 2003, 24, 325-327.   | 0.6 | 1         |
| 6401 | Pressure Recovery in Pediatric Aortic Valve Stenosis. Pediatric Cardiology, 2003, 24, 457-462.  | 0.6 | 13        |
| 6402 | Pulmonary Venous Wedge Pressures Accurately Predict Pulmonary Arterial Pressures in Children with Single Ventricle Physiology. Pediatric Cardiology, 2003, 24, 531-537.   | 0.6 | 5         |
| 6403 | Femoral anteversion in infants: a method using ultrasound. Skeletal Radiology, 2003, 32, 462-467.   | 1.2 | 12        |
| 6404 | Polyethylene wear in total hip prostheses: the influence of direction of linear wear on volumetric wear determined from radiographic data. Skeletal Radiology, 2003, 32, 679-686.   | 1.2 | 22        |
| 6405 | Validation of the dual-table autoradiographic method to quantify two sequential rCBFs in a single SPET session with N -isopropyl-[ 123 I] p -iodoamphetamine. European Journal of Nuclear Medicine and Molecular Imaging, 2003, 30, 943-950.              | 3.3 | 12        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6406 | Comparison of 16-frame and 8-frame gated SPET imaging for determination of left ventricular volumes and ejection fraction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 1330-1337.  | 3.3 | 40        |
| 6407 | Comparison of $^{18}\text{O}$ and $^{36}\text{O}$ data acquisition for determination of left ventricular function from gated myocardial perfusion tomography and gated blood pool tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 1498-1504. | 3.3 | 17        |
| 6408 | Assessment of left ventricular diastolic function by gated single-photon emission tomography: comparison with Doppler echocardiography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 1532-1537.   | 3.3 | 10        |
| 6409 | Questioning the stability of sense of coherence. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003, 38, 475-484.  | 1.6 | 87        |
| 6410 | Evaluation of two novel methods for the direct and continuous measurement of the intra-abdominal pressure in a porcine model. <i>Intensive Care Medicine</i> , 2003, 29, 1605-1608.  | 3.9 | 59        |
| 6411 | Evaluation of a new invasive continuous cardiac output monitoring system: the truCCOMS system. <i>Intensive Care Medicine</i> , 2003, 29, 2096-2099.   | 3.9 | 9         |
| 6412 | Accuracy and repeatability of pediatric cardiac output measurement using Doppler: 20-year review of the literature. <i>Intensive Care Medicine</i> , 2003, 29, 1889-1894.  | 3.9 | 140       |
| 6413 | Comparison of the bispectral index monitor with the Comfort score in assessing level of sedation of critically ill children. <i>Intensive Care Medicine</i> , 2003, 29, 2239-2246.   | 3.9 | 83        |
| 6414 | Pulmonary capillary pressures during the acute respiratory distress syndrome. <i>Intensive Care Medicine</i> , 2003, 29, 2174-2179.  | 3.9 | 22        |
| 6415 | Prospective 3D ultrasonographic evaluation of immediate postpartum urine retention volume in 100 women who delivered vaginally. <i>International Urogynecology Journal</i> , 2003, -1, 1-1.  | 0.7 | 15        |
| 6416 | Comparison of ultrasound and X-ray absorptiometry bone measurements in a case control study of female rheumatoid arthritis patients and randomly selected subjects in the population. <i>Osteoporosis International</i> , 2003, 14, 312-319.   | 1.3 | 23        |
| 6417 | Contribution of clinical risk factors to bone density-based absolute fracture risk assessment in postmenopausal women. <i>Osteoporosis International</i> , 2003, 14, 334-338.  | 1.3 | 34        |
| 6418 | The diagnostic role of dual femur bone density measurement in low-impact fractures. <i>Osteoporosis International</i> , 2003, 14, 339-344.   | 1.3 | 13        |
| 6419 | A technical and clinical evaluation of digital X-ray radiogrammetry. <i>Osteoporosis International</i> , 2003, 14, 389-395.  | 1.3 | 43        |
| 6420 | Videobasierte 2D-Gangbildanalyse. <i>Manuelle Medizin</i> , 2003, 41, 208-214.   | 0.1 | 1         |
| 6421 | Wave intensity analysis from the common carotid artery: a new noninvasive index of cerebral vasomotor tone. <i>Heart and Vessels</i> , 2003, 18, 202-206.  | 0.5 | 40        |
| 6423 | Validation of air-displacement plethysmography for estimation of body fat mass in healthy elderly subjects. <i>European Journal of Nutrition</i> , 2003, 42, 207-216.  | 1.8 | 35        |
| 6424 | Accuracy of Three-dimensional Simulation in the Sizing of Aortic Endoluminal Devices. <i>Annals of Vascular Surgery</i> , 2003, 17, 129-136.   | 0.4 | 25        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6425 | The effect of even, positive and negative pacing on metabolic, kinematic and temporal variables during breaststroke swimming. <i>European Journal of Applied Physiology</i> , 2003, 88, 438-443.   | 1.2 | 58        |
| 6426 | A comparison of two time-domain analysis procedures in the determination of $\dot{V}\dot{E}^{\text{TM}}\text{O}_2$ kinetics by pseudorandom binary sequence exercise testing. <i>European Journal of Applied Physiology</i> , 2003, 88, 411-416. | 1.2 | 12        |
| 6427 | Non-invasive evaluation of gas exchange during a shuttle walking test vs. a 6-min walking test to assess exercise tolerance in COPD patients. <i>European Journal of Applied Physiology</i> , 2003, 89, 331-336.                                 | 1.2 | 95        |
| 6428 | A comparative assessment of two techniques for investigating initial cardiovascular reflexes under acute orthostatic stress. <i>European Journal of Applied Physiology</i> , 2003, 90, 449-457.  | 1.2 | 35        |
| 6429 | Relationships between bioelectric impedance and subcutaneous adipose tissue thickness measured by LIPO METER and skinfold calipers in children. <i>European Journal of Applied Physiology</i> , 2003, 90, 178-184.                               | 1.2 | 9         |
| 6430 | Agreement of two different methods for measurement of heart rate variability. <i>Clinical Autonomic Research</i> , 2003, 13, 99-102.   | 1.4 | 111       |
| 6431 | Rectal Heat Thresholds. <i>Diseases of the Colon and Rectum</i> , 2003, 46, 590-595.   | 0.7 | 24        |
| 6432 | Usefulness of age-adjusted equations to estimate body fat with air displacement plethysmography in male adolescent athletes. <i>Acta Diabetologica</i> , 2003, 40, s63-s67.  | 1.2 | 6         |
| 6433 | Internal carotid artery volume flow correlates to rCBF measurements. <i>Acta Neurochirurgica</i> , 2003, 145, 943-947.   | 0.9 | 19        |
| 6434 | Should the Schwartz formula for estimation of GFR be replaced by cystatin C formula?. <i>Pediatric Nephrology</i> , 2003, 18, 981-985.   | 0.9 | 395       |
| 6435 | Serum-elastin-peptides as Clinical Predictors of the Natural History of Abdominal Aortic Aneurysms. <i>International Journal of Angiology</i> , 2003, 12, 29-31.   | 0.2 | 0         |
| 6436 | Validity and accuracy of regional bioelectrical impedance devices to determine whole-body fatness. <i>Nutrition</i> , 2003, 19, 851-857.   | 1.1 | 51        |
| 6437 | Comparison of bioelectrical impedance prediction equations for fat-free mass in a population-based sample of 75 y olds. <i>Nutrition</i> , 2003, 19, 858-864.  | 1.1 | 36        |
| 6438 | Non-invasive cardiac output monitoring. <i>Current Anaesthesia and Critical Care</i> , 2003, 14, 187-191.  | 0.3 | 3         |
| 6439 | Evaluation of cystatin C and $\beta_2$ -microglobulin as markers of renal function in patients with type 2 diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2003, 17, 160-168.  | 1.2 | 34        |
| 6440 | Prognostic value of QT interval parameters in type 2 diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2003, 17, 169-178.  | 1.2 | 70        |
| 6441 | Influence of medial meniscectomy on tibiofemoral joint space width. <i>Osteoarthritis and Cartilage</i> , 2003, 11, 285-289.   | 0.6 | 10        |
| 6442 | Validation of cartilage volume and thickness measurements in the human shoulder with quantitative magnetic resonance imaging. <i>Osteoarthritis and Cartilage</i> , 2003, 11, 475-482.   | 0.6 | 73        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6443 | A practical method of estimating energy expenditure during tennis play. <i>Journal of Science and Medicine in Sport</i> , 2003, 6, 40-50.  | 0.6 | 39        |
| 6444 | Effect of measuring blood lactate concentrations using different automated lactate analysers on blood lactate transition thresholds. <i>Journal of Science and Medicine in Sport</i> , 2003, 6, 408-421.   | 0.6 | 57        |
| 6445 | Comparison of W <sub>peak</sub> , VO <sub>2peak</sub> and the ventilation threshold from two different incremental exercise tests: Relationship to endurance performance. <i>Journal of Science and Medicine in Sport</i> , 2003, 6, 422-435.                  | 0.6 | 76        |
| 6446 | Test-retest reliability of the aerobic power index component of the tri-level fitness profile in a sedentary population. <i>Journal of Science and Medicine in Sport</i> , 2003, 6, 443-454.   | 0.6 | 26        |
| 6447 | Comparison of a footpad analyser with a tetrapolar model for the determination of percent body fat in young men. <i>Journal of Science and Medicine in Sport</i> , 2003, 6, 455-460.   | 0.6 | 12        |
| 6448 | Validity in clinical research: a review of basic concepts and definitions†. <i>Physical Therapy in Sport</i> , 2003, 4, 115-121.   | 0.8 | 16        |
| 6449 | Reliability in evidence-based clinical practice: a primer for allied health professionals†. <i>Physical Therapy in Sport</i> , 2003, 4, 122-128.   | 0.8 | 84        |
| 6450 | New trends in affordable CD4+ T-cell enumeration by flow cytometry in HIV/AIDS. <i>Clinical and Applied Immunology Reviews</i> , 2003, 4, 91-107.  | 0.4 | 17        |
| 6451 | A Modified Sonographic Technique for Assessment of Gastric Emptying of Liquid. <i>Acta Radiologica</i> , 2003, 44, 340-342.  | 0.5 | 5         |
| 6452 | Value of 3D-Volume Rendering in the Assessment of Coronary Arteries with Retrospectively Ecg-Gated Multislice Spiral Ct. <i>Acta Radiologica</i> , 2003, 44, 302-309.  | 0.5 | 19        |
| 6453 | Transvaginal Power Doppler Ultrasound in Pelvic Congestion. A prospective comparison with transuterine venography. <i>Acta Radiologica</i> , 2003, 44, 269-274.  | 0.5 | 3         |
| 6454 | Reference Intervals and Age-related Changes for Platelet Count, Mean Platelet Volume and Plateletcrit in Healthy Pre-weaning Piglets in Italy. <i>Transboundary and Emerging Diseases</i> , 2003, 50, 466-469.   | 0.6 | 9         |
| 6455 | Computer-assisted retinal vessel measurement in an older population: correlation between right and left eyes. <i>Clinical and Experimental Ophthalmology</i> , 2003, 31, 326-330.  | 1.3 | 81        |
| 6456 | Comparison of the Retinomax autorefractor with hand-held retinoscopy in 1-year-old infants. <i>Clinical and Experimental Ophthalmology</i> , 2003, 31, 341-347.  | 1.3 | 14        |
| 6457 | Interobserver variation in duplex scanning of infrainguinal arterial bypass grafts. <i>European Journal of Vascular and Endovascular Surgery</i> , 2003, 25, 224-228.  | 0.8 | 5         |
| 6458 | A comparison of acute phase proteins and traditional risk factors as markers of combined plaque and intima-media thickness and plaque density in carotid and femoral arteries. <i>European Journal of Vascular and Endovascular Surgery</i> , 2003, 26, 81-87. | 0.8 | 10        |
| 6459 | Comparison of three methods for the determination of body fat in patients on long-term hemodialysis therapy. <i>Journal of the American Dietetic Association</i> , 2003, 103, 195-199.   | 1.3 | 30        |
| 6460 | Calculation of Bovine Haemoglobin Oxygen Saturation by Algorithms Integrating Age, Haemoglobin Content, Blood pH, Partial Pressures of Oxygen and Carbon Dioxide in the Blood, and Temperature. <i>Veterinary Journal</i> , 2003, 165, 258-265.                | 0.6 | 6         |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6461 | Assessment of the test-retest reliability and construct validity of a modified Lequesne index in knee osteoarthritis. <i>Joint Bone Spine</i> , 2003, 70, 520-525.   | 0.8 | 47        |
| 6462 | Psychometric properties of a generic health measure in Chinese patients with low back pain in Hong Kong. <i>Manual Therapy</i> , 2003, 8, 151-160.   | 1.6 | 3         |
| 6463 | Lumbar multifidus muscle size does not differ whether ultrasound imaging is performed in prone or side lying. <i>Manual Therapy</i> , 2003, 8, 161-165.  | 1.6 | 23        |
| 6464 | Can the Internet be used as a medium to evaluate knee angle?. <i>Manual Therapy</i> , 2003, 8, 242-246.  | 1.6 | 85        |
| 6465 | Subjective and objective measures of corneal staining related to multipurpose care systems. <i>Contact Lens and Anterior Eye</i> , 2003, 26, 3-9.  | 0.8 | 75        |
| 6466 | Verification of the vertex powers of varifocal rigid contact lenses. <i>Contact Lens and Anterior Eye</i> , 2003, 26, 181-187.   | 0.8 | 5         |
| 6467 | Bioluminescence ATP monitoring as a surrogate marker for microbial load on hands and surfaces in the home. <i>Food Microbiology</i> , 2003, 20, 735-739.   | 2.1 | 41        |
| 6468 | Reliability and validity of a computer-based little irregularity index: Authors' response. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2003, 124, A14.                                   | 0.8 | 0         |
| 6469 | Ambulatory GFR measurement with cold iothalamate in adults with chronic kidney disease. <i>American Journal of Kidney Diseases</i> , 2003, 41, 752-759.  | 2.1 | 42        |
| 6470 | Estimation of delivered dialysis dose by on-line monitoring of the ultraviolet absorbance in the spent dialysate. <i>American Journal of Kidney Diseases</i> , 2003, 41, 1026-1036.                                | 2.1 | 52        |
| 6471 | Flow monitoring: performance characteristics of ultrasound dilution versus color Doppler ultrasound compared with fistulography. <i>American Journal of Kidney Diseases</i> , 2003, 42, 539-545.                   | 2.1 | 92        |
| 6472 | Errors in measuring blood gases in the intensive care unit: Effect of delay in estimation. <i>Journal of Critical Care</i> , 2003, 18, 31-37.  | 1.0 | 30        |
| 6473 | Comparability of infant abdominal skin and axillary temperatures. <i>Newborn and Infant Nursing Reviews</i> , 2003, 3, 173-178.  | 0.4 | 12        |
| 6474 | Increased cycle length variability during ventricular fibrillation: A novel predictor of arrhythmia recurrence. <i>Journal of Electrocardiology</i> , 2003, 36, 137-146.   | 0.4 | 6         |
| 6475 | Neutron-activation analysis: A novel method for the assay of iohexol. <i>Translational Research</i> , 2003, 141, 106-109.  | 2.4 | 7         |
| 6476 | Anatomic variations in the levator ani muscle, endopelvic fascia, and urethra in nulliparas evaluated by magnetic resonance imaging. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 116-121.    | 0.7 | 102       |
| 6477 | The trans-cardiac conductance method for on-line measurement of left ventricular volume: assessment of parallel conductance offset volume. <i>IEEE Transactions on Biomedical Engineering</i> , 2003, 50, 234-240. | 2.5 | 8         |
| 6478 | Comparison of the ELISPOT and cytokine flow cytometry assays for the enumeration of antigen-specific T cells. <i>Journal of Immunological Methods</i> , 2003, 283, 141-153.  | 0.6 | 200       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6479 | Reliability, validity and psychometric properties of the Greek translation of the Major Depression Inventory. <i>BMC Psychiatry</i> , 2003, 3, 2.  | 1.1 | 27        |
| 6480 | The greek translation of the symptoms rating scale for depression and anxiety: preliminary results of the validation study. <i>BMC Psychiatry</i> , 2003, 3, 21.   | 1.1 | 45        |
| 6481 | Balance in single-limb stance in healthy subjects – reliability of testing procedure and the effect of short-duration sub-maximal cycling. <i>BMC Musculoskeletal Disorders</i> , 2003, 4, 14.   | 0.8 | 50        |
| 6482 | Tissue velocity Doppler assessment of atrial and ventricular electromechanical coupling and atrioventricular time intervals in normal subjects. <i>American Journal of Cardiology</i> , 2003, 92, 1347-1350.   | 0.7 | 51        |
| 6483 | Noninvasive visualization and measurement of posterior descending coronary artery flow velocity by transthoracic Doppler echocardiography in normal children. <i>American Journal of Cardiology</i> , 2003, 91, 376-379.   | 0.7 | 6         |
| 6484 | Effects of acute myocardial ischemia on QT dispersion by Dipyridamole stress echocardiography. <i>American Journal of Cardiology</i> , 2003, 91, 385-390.  | 0.7 | 18        |
| 6485 | Comparison of transthoracic and transesophageal three-dimensional echocardiography for assessment of atrial septal defect diameter in children. <i>American Journal of Cardiology</i> , 2003, 91, 500-502.   | 0.7 | 21        |
| 6486 | Comparison of accuracy of left ventricular echocardiographic measurements by fundamental imaging versus second harmonic imaging. <i>American Journal of Cardiology</i> , 2003, 91, 1037-1039.  | 0.7 | 27        |
| 6487 | Measuring pressure-derived fractional flow reserve through four french diagnostic catheters. <i>American Journal of Cardiology</i> , 2003, 91, 1075-1078.  | 0.7 | 20        |
| 6488 | A new device for automatic measurements of arterial stiffness and ankle-brachial index. <i>American Journal of Cardiology</i> , 2003, 91, 1519-1522.   | 0.7 | 196       |
| 6489 | Comparison between phase-velocity cine magnetic resonance imaging and invasive oximetry for quantification of atrial shunts. <i>American Journal of Cardiology</i> , 2003, 91, 1523-1525.  | 0.7 | 83        |
| 6490 | Usefulness of contrast echocardiography to improve the feasibility and accuracy of automated measurements of left ventricular volume and ejection fraction in patients with coronary artery disease. <i>American Journal of Cardiology</i> , 2003, 92, 71-74.                              | 0.7 | 5         |
| 6491 | Second-generation tissue Doppler with angle-corrected color-coded wall displacement for quantitative assessment of regional left ventricular function. <i>American Journal of Cardiology</i> , 2003, 92, 554-560.  | 0.7 | 24        |
| 6492 | Comparison of equilibrium radionuclide ventriculography with cardiovascular magnetic resonance for assessing the systemic right ventricle after Mustard or Senning procedures for complete transposition of the great arteries. <i>American Journal of Cardiology</i> , 2003, 92, 640-643. | 0.7 | 26        |
| 6493 | Comparison of two-dimensional echocardiographic tissue harmonic imaging and gated sestamibi single-photon emission computed tomographic left ventricular ejection fraction measurements. <i>American Journal of Cardiology</i> , 2003, 92, 759-762.  | 0.7 | 3         |
| 6494 | A critical appraisal of quantitative arthroscopy as an outcome measure in osteoarthritis of the knee. <i>Seminars in Arthritis and Rheumatism</i> , 2003, 33, 83-105.  | 1.6 | 23        |
| 6495 | The influence of inhaler selection on efficacy of asthma therapies. <i>Advanced Drug Delivery Reviews</i> , 2003, 55, 879-923.   | 6.6 | 36        |
| 6496 | Validation of a bioelectrical impedance analysis equation to predict appendicular skeletal muscle mass (ASMM). <i>Clinical Nutrition</i> , 2003, 22, 537-543.  | 2.3 | 167       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6497 | The agreement between measured and predicted resting energy expenditure in patients with pancreatic cancer – A pilot study. <i>Clinical Nutrition</i> , 2003, 22, S61-S62.  | 2.3 | 4         |
| 6498 | Reproducibility of HPV 16 and HPV 18 viral load quantitation using TaqMan real-time PCR assays. <i>Journal of Virological Methods</i> , 2003, 112, 23-33.   | 1.0 | 87        |
| 6499 | Identification of potential physiological and behavioral indicators of postoperative pain in horses after exploratory celiotomy for colic. <i>Applied Animal Behaviour Science</i> , 2003, 80, 31-43.   | 0.8 | 152       |
| 6500 | Lymphocyte subset enumeration in HIV seronegative and HIV-1 seropositive adults in Dar es Salaam, Tanzania: determination of reference values in males and females and comparison of two flow cytometric methods. <i>Journal of Immunological Methods</i> , 2003, 277, 65-74.   | 0.6 | 41        |
| 6501 | In vivo analysis of aortic valve dynamics by transesophageal 3-dimensional echocardiography with high temporal resolution. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2003, 125, 1412-1419.  | 0.4 | 46        |
| 6502 | Tendon Thickness and Depth from Skin for Supraspinatus, Common Wrist and Finger Extensors, Patellar and Achilles Tendons. <i>Physiotherapy</i> , 2003, 89, 375-383.   | 0.2 | 22        |
| 6503 | Repeatability and Limits of Agreement in Measurement of Hip Migration Percentage in Children with Bilateral Cerebral Palsy. <i>Physiotherapy</i> , 2003, 89, 276-281.   | 0.2 | 14        |
| 6504 | Assessing Reliability of Measurement of Gait Velocity. <i>Physiotherapy</i> , 2003, 89, 313-317.  | 0.2 | 19        |
| 6505 | Effect of a Cervical Lateral Glide on the Upper Limb Neurodynamic Test 1. <i>Physiotherapy</i> , 2003, 89, 678-684.   | 0.2 | 14        |
| 6506 | Rough Guide to the Fugl-Meyer Assessment. <i>Physiotherapy</i> , 2003, 89, 751-763.   | 0.2 | 64        |
| 6507 | New enzymatic assay for serum urea nitrogen using urea amidolyase. <i>Journal of Clinical Laboratory Analysis</i> , 2003, 17, 52-56.  | 0.9 | 2         |
| 6508 | Quantification of chemotherapeutic target gene mRNA expression in human breast cancer biopsies: Comparison of real-time reverse transcription-PCR vs. Relative quantification reverse transcription-PCR utilizing DNA sequencer analysis of PCR products. <i>Journal of Clinical Laboratory Analysis</i> , 2003, 17, 184-194. | 0.9 | 13        |
| 6509 | Multiple method comparison: Statistical model using percentage similarity. <i>Cytometry</i> , 2003, 54B, 46-53.   | 1.8 | 86        |
| 6510 | Flow rate calibration II: A clinical evaluation study using PanLeucoGating as a single-platform protocol. <i>Cytometry</i> , 2003, 55B, 8-13.   | 1.8 | 23        |
| 6511 | Recall of severe hypoglycaemia and self-estimated state of awareness in type 1 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2003, 19, 232-240.   | 1.7 | 194       |
| 6512 | Normal human left and right ventricular dimensions for MRI as assessed by turbo gradient echo and steady-state free precession imaging sequences. <i>Journal of Magnetic Resonance Imaging</i> , 2003, 17, 323-329.   | 1.9 | 660       |
| 6513 | Feedback-assisted three-dimensional reconstruction of the left ventricle with MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2003, 17, 528-537.  | 1.9 | 27        |
| 6514 | Comparison of right ventricular volume measurements between axial and short axis orientation using steady-state free precession magnetic resonance imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2003, 18, 25-32.   | 1.9 | 226       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6515 | A single breath-hold multiecho T2* cardiovascular magnetic resonance technique for diagnosis of myocardial iron overload. <i>Journal of Magnetic Resonance Imaging</i> , 2003, 18, 33-39.   | 1.9 | 741       |
| 6516 | Application of a B-spline active surface technique to the measurement of cervical cord volume in multiple sclerosis from three-dimensional MR images. <i>Journal of Magnetic Resonance Imaging</i> , 2003, 18, 368-371.                             | 1.9 | 23        |
| 6517 | Method for quantitation of dynamic MRI contrast agent uptake in colorectal liver metastases. <i>Journal of Magnetic Resonance Imaging</i> , 2003, 18, 315-320.  | 1.9 | 45        |
| 6518 | Magnetic resonance imaging of myocardial contrast enhancement with MS-325 and its relation to myocardial blood flow and the perfusion reserve. <i>Journal of Magnetic Resonance Imaging</i> , 2003, 18, 544-554.                                    | 1.9 | 56        |
| 6519 | Quantitative assessment of myocardial scar in delayed enhancement magnetic resonance imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2003, 18, 434-441.   | 1.9 | 71        |
| 6520 | Interscanner reproducibility of cardiovascular magnetic resonance T2* measurements of tissue iron in thalassemia. <i>Journal of Magnetic Resonance Imaging</i> , 2003, 18, 616-620.   | 1.9 | 149       |
| 6521 | Appraising surgeons learning sonography: Measuring measurement variability. <i>Journal of Clinical Ultrasound</i> , 2003, 31, 364-368.  | 0.4 | 4         |
| 6522 | Reduced-k-space encoding for dual-contrast TrueFISP imaging. <i>Magnetic Resonance in Medicine</i> , 2003, 49, 595-598.   | 1.9 | 4         |
| 6523 | Automatic segmentation of the brain and intracranial cerebrospinal fluid in T1-weighted volume MRI scans of the head, and its application to serial cerebral and intracranial volumetry. <i>Magnetic Resonance in Medicine</i> , 2003, 49, 872-884. | 1.9 | 71        |
| 6524 | Measuring human energy expenditure: What have we learned from the flex-heart rate method?. <i>American Journal of Human Biology</i> , 2003, 15, 479-489.  | 0.8 | 70        |
| 6525 | Motor evoked potentials from the striated urethral sphincter: A comparison of concentric needle and surface electrodes. <i>Neurourology and Urodynamics</i> , 2003, 22, 123-129.  | 0.8 | 21        |
| 6526 | Bladder-anal reflex. <i>Neurourology and Urodynamics</i> , 2003, 22, 683-686.   | 0.8 | 21        |
| 6527 | Motor evoked potentials from the pelvic floor. <i>Neurourology and Urodynamics</i> , 2003, 22, 620-637.   | 0.8 | 29        |
| 6528 | Frequency-volume charts: A tool to evaluate bladder sensation. <i>Neurourology and Urodynamics</i> , 2003, 22, 638-642.   | 0.8 | 111       |
| 6529 | The efficacy of using pulmonary vein wedge pressure for the estimation of pulmonary artery pressure in children with congenital heart disease. <i>Catheterization and Cardiovascular Interventions</i> , 2003, 58, 232-237.                         | 0.7 | 4         |
| 6530 | Utility of a 0.014? pressure-sensing guidewire to assess renal artery translesional systolic pressure gradients. <i>Catheterization and Cardiovascular Interventions</i> , 2003, 59, 372-377.   | 0.7 | 57        |
| 6531 | Reproducibility of coronary lumen, plaque, and vessel wall reconstruction and of endothelial shear stress measurements in vivo in humans. <i>Catheterization and Cardiovascular Interventions</i> , 2003, 60, 67-78.                                | 0.7 | 74        |
| 6532 | SPE/RIA vs LC/MS for measurement of low levels of budesonide in plasma. <i>Biomedical Chromatography</i> , 2003, 17, 14-20.   | 0.8 | 10        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6533 | Measurement of radiographic joint space width in the tibiofemoral compartment of the osteoarthritic knee: Comparison of standing anteroposterior and Lyon Schuss views. <i>Arthritis and Rheumatism</i> , 2003, 48, 378-384.  | 6.7 | 159       |
| 6534 | Computerized measurement of magnetic resonance imaging erosion volumes in patients with rheumatoid arthritis: A comparison with existing magnetic resonance imaging scoring systems and standard clinical outcome measures. <i>Arthritis and Rheumatism</i> , 2003, 48, 614-624.      | 6.7 | 73        |
| 6535 | Age and sex differences in hip joint space among asymptomatic subjects without structural change: Implications for epidemiologic studies. <i>Arthritis and Rheumatism</i> , 2003, 48, 1041-1046.  | 6.7 | 89        |
| 6536 | Radiographic damage associated with low bone mineral density and vertebral deformities in rheumatoid arthritis: The Oslo-Truro-Amsterdam (OSTRA) collaborative study. <i>Arthritis and Rheumatism</i> , 2003, 49, 209-215.  | 6.7 | 89        |
| 6537 | European Consensus Lupus Activity Measurement is sensitive to change in disease activity in childhood-onset systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2003, 49, 335-341.  | 6.7 | 52        |
| 6538 | Inflammation and bone resorption as independent factors of accelerated arterial wall thickening in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2003, 48, 3061-3067.   | 6.7 | 89        |
| 6539 | Prognostic factors for radiographic progression, radiographic damage, and disability in juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2003, 48, 3509-3517.   | 6.7 | 93        |
| 6540 | Validation of a rheumatoid arthritis health-related quality of life instrument, the CSHQ-RA. <i>Arthritis and Rheumatism</i> , 2003, 49, 798-803.   | 6.7 | 10        |
| 6541 | Preoperative assessment of prognostic factors in rectal cancer using high-resolution magnetic resonance imaging. <i>British Journal of Surgery</i> , 2003, 90, 355-364.   | 0.1 | 651       |
| 6542 | Analysis of a glucose tetrasaccharide elevated in Pompe disease by stable isotope dilution <sup>18</sup> O-electrospray ionization tandem mass spectrometry. <i>Analytical Biochemistry</i> , 2003, 316, 175-180.   | 1.1 | 63        |
| 6543 | Evaluation of the analytic performances of the new HPLC system HLC-723 G7 for the measurement of hemoglobin A1C. <i>Clinical Biochemistry</i> , 2003, 36, 607-610.  | 0.8 | 14        |
| 6544 | A telemetry-based velocometer to measure wheelchair velocity. <i>Journal of Biomechanics</i> , 2003, 36, 253-257.   | 0.9 | 32        |
| 6545 | In vitro evaluation of ultrasound Doppler strain rate imaging: modification for measurement in a slowly moving tissue phantom. <i>Ultrasound in Medicine and Biology</i> , 2003, 29, 1725-1734.   | 0.7 | 38        |
| 6546 | Comparison of ethanol concentrations in venous blood and end-expired breath during a controlled drinking study. <i>Forensic Science International</i> , 2003, 132, 18-25.   | 1.3 | 125       |
| 6547 | Evaluation of a tunable bandpass reaction cell inductively coupled plasma mass spectrometer for the determination of selenium in serum and urine. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2003, 58, 97-110.   | 1.5 | 27        |
| 6548 | Apparent diffusion coefficient (ADC) measurements may be more reliable and reproducible than lesion volume on diffusion-weighted images from patients with acute ischaemic stroke <sup>19</sup> implications for study design. <i>Magnetic Resonance Imaging</i> , 2003, 21, 617-624. | 1.0 | 23        |
| 6549 | Partial cut-off of the left ventricle: determinants and effects on volume parameters assessed by real-time 3-D echocardiography. <i>Ultrasound in Medicine and Biology</i> , 2003, 29, 25-30.   | 0.7 | 12        |
| 6550 | Estimation of liver tumor volume using a three-dimensional ultrasound volumetric system. <i>Ultrasound in Medicine and Biology</i> , 2003, 29, 839-846.   | 0.7 | 26        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6551 | Accuracy of three-dimensional transvaginal ultrasound in uterus volume measurements; comparison with two-dimensional ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2003, 29, 1681-1684.                       | 0.7 | 53        |
| 6552 | In Check Dial: accuracy for Diskus and Turbuhaler. <i>International Journal of Pharmaceutics</i> , 2003, 252, 275-280.  | 2.6 | 34        |
| 6553 | Determination of the trabecular bone direction from digitised radiographs. <i>Medical Engineering and Physics</i> , 2003, 25, 719-729.  | 0.8 | 9         |
| 6554 | Relationship between airway hyperresponsiveness to mannitol and adenosine monophosphate. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2003, 58, 762-766.                                       | 2.7 | 40        |
| 6555 | Haemodynamic monitoring and liver function evaluation by pulsion cold system Z-201 (PCS) during orthotopic liver transplantation. <i>Clinical Transplantation</i> , 2003, 17, 47-55.                                    | 0.8 | 11        |
| 6556 | Effectiveness of dentine bonding agents against cariogenic bacteria in vitro : a comparison of two methods. <i>Oral Microbiology and Immunology</i> , 2003, 18, 140-143.  | 2.8 | 7         |
| 6557 | Preload changes by positive pressure ventilation can be used for assessment of left ventricular systolic function. <i>Acta Anaesthesiologica Scandinavica</i> , 2003, 47, 541-548.                                      | 0.7 | 5         |
| 6558 | Comparison of transcutaneous and endtidal CO <sub>2</sub> -monitoring for rigid bronchoscopy during high-frequency jet ventilation. <i>Acta Anaesthesiologica Scandinavica</i> , 2003, 47, 861-867.                     | 0.7 | 25        |
| 6559 | The relationship of brain and cervical cord volume to disability in clinical subtypes of multiple sclerosis: a three-dimensional MRI study. <i>Acta Neurologica Scandinavica</i> , 2003, 108, 401-406.                  | 1.0 | 66        |
| 6560 | Lack of relationship between resistance to cerebrospinal fluid outflow and intracranial pressure in normal pressure hydrocephalus. <i>Acta Neurologica Scandinavica</i> , 2003, 108, 381-388.                           | 1.0 | 31        |
| 6561 | The reliability of assessment of vibration sense. <i>Acta Neurologica Scandinavica</i> , 2003, 107, 293-298.  | 1.0 | 22        |
| 6562 | Anorganic porous bovine-derived bone mineral (Bio-Oss®) and ePTFE membrane in the treatment of peri-implantitis in cynomolgus monkeys. <i>Clinical Oral Implants Research</i> , 2003, 14, 535-547.                      | 1.9 | 47        |
| 6563 | Implant surface preparation in the surgical treatment of experimental peri-implantitis with autogenous bone graft and ePTFE membrane in cynomolgus monkeys. <i>Clinical Oral Implants Research</i> , 2003, 14, 412-422. | 1.9 | 95        |
| 6564 | Implant-supported fixed cantilever prostheses in partially edentulous arches. A seven-year prospective study. <i>Clinical Oral Implants Research</i> , 2003, 14, 303-311.   | 1.9 | 77        |
| 6565 | Autogenous bone graft and ePTFE membrane in the treatment of peri-implantitis. I. Clinical and radiographic observations in cynomolgus monkeys. <i>Clinical Oral Implants Research</i> , 2003, 14, 391-403.             | 1.9 | 44        |
| 6566 | Autogenous bone graft and ePTFE membrane in the treatment of peri-implantitis. II. Stereologic and histologic observations in cynomolgus monkeys. <i>Clinical Oral Implants Research</i> , 2003, 14, 404-411.           | 1.9 | 41        |
| 6567 | Periodontal ultrasonography. <i>Journal of Clinical Periodontology</i> , 2003, 30, 849-854.   | 2.3 | 54        |
| 6568 | Respiratory snorkel and valve system for breath-by-breath gas analysis in swimming. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2003, 13, 322-329.  | 1.3 | 54        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6569 | Secular trends in body dimensions and physical fitness among adolescents in Sweden from 1974 to 1995. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2003, 13, 128-137.   | 1.3 | 94        |
| 6570 | The Periotest in traumatology. Part I. Does it have the properties necessary for use as a clinical device and can the measurements be interpreted?. <i>Dental Traumatology</i> , 2003, 19, 214-217.  | 0.8 | 33        |
| 6571 | Determination of tobramycin in serum using liquid chromatography-tandem mass spectrometry and comparison with a fluorescence polarisation assay. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003, 794, 329-335. | 1.2 | 62        |
| 6572 | An evaluation of the influence of therapeutic interventions on serum trace element levels in groups of patients. <i>Journal of Trace Elements in Medicine and Biology</i> , 2003, 17, 7-11.  | 1.5 | 2         |
| 6573 | Abdominal distension after colonic lactulose fermentation recorded by a new extensometer. <i>Neurogastroenterology and Motility</i> , 2003, 15, 427-433.   | 1.6 | 20        |
| 6574 | Estimation of the proportion of body fat in mice from the proportion of body water. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2003, 87, 196-204.  | 1.0 | 0         |
| 6575 | Survival, haemodynamics and cardiac remodelling follow up in mice after myocardial infarction. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2003, 30, 25-31.   | 0.9 | 13        |
| 6576 | Reexamining age, race, site, and thermometer type as variables affecting temperature measurement in adults - A comparison study. <i>BMC Nursing</i> , 2003, 2, 1.  | 0.9 | 20        |
| 6577 | Early diastolic filling dynamics in diastolic dysfunction. <i>Cardiovascular Ultrasound</i> , 2003, 1, 9.  | 0.5 | 4         |
| 6578 | Point-of-Care Testing of Hemostasis in Cardiac Surgery. , 2003, 1, 1.  |     | 51        |
| 6579 | Multivariate relationships between international normalized ratio and vitamin K-dependent coagulation-derived parameters in normal healthy donors and oral anticoagulant therapy patients. <i>Thrombosis Journal</i> , 2003, 1, 7.                                     | 0.9 | 23        |
| 6580 | Patient-reported use of health service resources compared with information from health providers. <i>Health and Social Care in the Community</i> , 2003, 11, 510-518.  | 0.7 | 42        |
| 6581 | Endotoxin contamination contributes to the pulmonary inflammatory and functional response to <i>Aspergillus fumigatus</i> extract inhalation in heaves horses. <i>Clinical and Experimental Allergy</i> , 2003, 33, 1183-1189.   | 1.4 | 50        |
| 6582 | A comparison of three methods for estimating height in the acutely ill elderly population. <i>Journal of Human Nutrition and Dietetics</i> , 2003, 16, 13-20.  | 1.3 | 118       |
| 6583 | Comparison of dietary fat and fatty acid intake estimated by the duplicate diet collection technique and estimated dietary records. <i>Journal of Human Nutrition and Dietetics</i> , 2003, 16, 393-401.   | 1.3 | 6         |
| 6584 | Are the measures used to calculate BMI accurate and valid for the use in older people?. <i>Journal of Human Nutrition and Dietetics</i> , 2003, 16, 366-367.   | 1.3 | 7         |
| 6585 | Extrapolation of reciprocal creatinine plot is not reliable in predicting the onset of dialysis in patients with progressive renal insufficiency. <i>Journal of Internal Medicine</i> , 2003, 253, 335-342.  | 2.7 | 13        |
| 6586 | Prediction of coronary heart disease: a comparison between the Copenhagen risk score and the Framingham risk score applied to a Dutch population. <i>Journal of Internal Medicine</i> , 2003, 253, 553-562.  | 2.7 | 42        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6587 | The reliability of different formulae to predict creatinine clearance. <i>Journal of Internal Medicine</i> , 2003, 253, 563-573.   | 2.7 | 55        |
| 6588 | All-digital image capture and whole-field analysis of ciliary beat frequency. <i>Journal of Microscopy</i> , 2003, 211, 103-111.   | 0.8 | 253       |
| 6589 | Following treatment of myogenous TMD patients with the temporomandibular opening index: an initial report. <i>Journal of Oral Rehabilitation</i> , 2003, 30, 668-670.  | 1.3 | 5         |
| 6590 | Effect of scanning level and muscle condition on ultrasonographic cross-sectional measurements of the anterior masseter muscle. <i>Journal of Oral Rehabilitation</i> , 2003, 30, 430-435.   | 1.3 | 6         |
| 6591 | Pharmacokinetic-pharmacodynamic study of apomorphine's effect on growth hormone secretion in healthy subjects. <i>Fundamental and Clinical Pharmacology</i> , 2003, 17, 473-481.   | 1.0 | 9         |
| 6592 | Simultaneous non-invasive assessment of arterial stiffness and haemodynamics—A validation study. <i>Clinical Physiology and Functional Imaging</i> , 2003, 23, 31-36.  | 0.5 | 86        |
| 6593 | Cling film as a barrier against CJD in corneal contact A-scan ultrasonography. <i>Ophthalmic and Physiological Optics</i> , 2003, 23, 9-12.  | 1.0 | 4         |
| 6594 | A comparison of cup-to-disc ratio evaluation in normal subjects using stereo biomicroscopy and digital imaging of the optic nerve head. <i>Ophthalmic and Physiological Optics</i> , 2003, 23, 51-59.  | 1.0 | 10        |
| 6595 | The combined influence of knowledge, training and experience when grading contact lens complications. <i>Ophthalmic and Physiological Optics</i> , 2003, 23, 79-85.  | 1.0 | 23        |
| 6596 | The repeatability and validity of dynamic retinoscopy in assessing the accommodative response. <i>Ophthalmic and Physiological Optics</i> , 2003, 23, 243-250.   | 1.0 | 51        |
| 6597 | Anterior chamber angle measurement with Anterior Eye Segment analysis system Nidek EAS-1000R: improving the repeatability. <i>Ophthalmic and Physiological Optics</i> , 2003, 23, 423-428.   | 1.0 | 8         |
| 6598 | Clinical performance of non-contact tonometry by Reichert AT550R in glaucomatous patients. <i>Ophthalmic and Physiological Optics</i> , 2003, 23, 503-506.   | 1.0 | 39        |
| 6599 | Improved illumination for the Perkins applanation tonometer. <i>Ophthalmic and Physiological Optics</i> , 2003, 23, 513-516.   | 1.0 | 1         |
| 6600 | The assessment of automated measures of hydrogel contact lens refractive index. <i>Ophthalmic and Physiological Optics</i> , 2003, 23, 517-525.  | 1.0 | 25        |
| 6601 | Learning effect, normal range, and test-retest variability of Frequency Doubling Perimetry as a function of age, perimetric experience, and the presence or absence of glaucoma. <i>Ophthalmic and Physiological Optics</i> , 2003, 23, 535-540. | 1.0 | 18        |
| 6602 | Visual acuity assessment: a comparison of two tests for measuring children's vision. <i>Ophthalmic and Physiological Optics</i> , 2003, 23, 541-546.   | 1.0 | 31        |
| 6603 | Evaluating the visual experience: visual acuity and the visual analogue scale. <i>Ophthalmic and Physiological Optics</i> , 2003, 23, 547-552.   | 1.0 | 6         |
| 6604 | Mass transfer of calcium across the peritoneum at three different peritoneal dialysis fluid Ca <sup>2+</sup> and glucose concentrations. <i>Kidney International</i> , 2003, 64, 208-215.  | 2.6 | 31        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6605 | A randomized, placebo-controlled trial of IGF-1 for delayed graft function: A human model to study postischemic ARF. <i>Kidney International</i> , 2003, 64, 593-602.   | 2.6 | 68        |
| 6606 | Predicting GFR in children and adults: A comparison of the Cockcroft-Gault, Schwartz, and Modification of Diet in Renal Disease formulas. <i>Kidney International</i> , 2003, 64, 1425-1436.  | 2.6 | 135       |
| 6607 | Magnetic resonance measurements of renal blood flow as a marker of disease severity in autosomal-dominant polycystic kidney disease <sup>11</sup> Thomas Andreoli, M.D., served as Guest Editor for this paper.. <i>Kidney International</i> , 2003, 64, 2214-2221. | 2.6 | 91        |
| 6608 | C-reactive protein is associated with renal function abnormalities in a non-diabetic population. <i>Kidney International</i> , 2003, 63, 654-661.   | 2.6 | 208       |
| 6609 | A Proton Magnetic Resonance Spectroscopy Study of Metabolites in the Occipital Lobes in Epilepsy. <i>Epilepsia</i> , 2003, 44, 550-558.   | 2.6 | 61        |
| 6610 | Effect of Angular Error on Tissue Doppler Velocities and Strain. <i>Echocardiography</i> , 2003, 20, 581-587.   | 0.3 | 48        |
| 6611 | Estimation of Left Ventricular Ejection Fraction From Doppler Derived Myocardial Performance Index in Patients With Acute Myocardial Infarction: Agreement With Echocardiographic and Radionuclide Measurements. <i>Echocardiography</i> , 2003, 20, 231-236.       | 0.3 | 12        |
| 6612 | Automated Quantification of Left Ventricular Function by the Automated Contour Tracking Method. <i>Echocardiography</i> , 2003, 20, 313-318.  | 0.3 | 11        |
| 6613 | Novel Approach to Measure Myocardial Performance Index: Pulsed-Wave Tissue Doppler Echocardiography. <i>Echocardiography</i> , 2003, 20, 503-510.   | 0.3 | 97        |
| 6614 | Frequency Measures Obtained from the Surface Electrocardiogram in Atrial Fibrillation Research and Clinical Decision-Making. <i>Journal of Cardiovascular Electrophysiology</i> , 2003, 14, S154-S161.  | 0.8 | 48        |
| 6615 | Clinical evaluation of an eccentric infrared photorefractor: the PowerRefractor. <i>Acta Ophthalmologica</i> , 2003, 81, 605-610.   | 0.4 | 20        |
| 6616 | Measured and predicted total body water in children with myelomeningocele. <i>Journal of Paediatrics and Child Health</i> , 2003, 39, 278-281.  | 0.4 | 6         |
| 6617 | Agreement in surfactant measurements of sputum induced with hypertonic and normal saline. <i>Respirology</i> , 2003, 8, 41-44.  | 1.3 | 19        |
| 6618 | Is potassium concentration from arterial blood gas analysis an accurate reflection of serum potassium?. <i>EMA - Emergency Medicine Australasia</i> , 2003, 15, 301-302.  | 0.5 | 2         |
| 6619 | Comparison of a verbal numeric rating scale with the visual analogue scale for the measurement of acute pain. <i>EMA - Emergency Medicine Australasia</i> , 2003, 15, 441-446.  | 0.5 | 216       |
| 6620 | Should we replace the mercury in glass thermometer with the tympanic thermometer?. <i>Annals of the College of Surgeons of Hong Kong</i> , 2003, 7, 18-22.  | 0.0 | 3         |
| 6621 | Comparison of ankle-brachial pressure index measurements using an automated oscillometric device with the standard doppler ultrasound technique. <i>ANZ Journal of Surgery</i> , 2003, 73, 105-108.   | 0.3 | 39        |
| 6622 | Comparison of Impedance Minute Ventilation and Direct Measured Minute Ventilation in a Rate Adaptive Pacemaker. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003, 26, 2127-2133.  | 0.5 | 22        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6623 | Electrocardiographic Ventricular Repolarization Parameters in Chronic Chagas' Disease as Predictors of Asymptomatic Left Ventricular Systolic Dysfunction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003, 26, 1326-1335.      | 0.5 | 20        |
| 6624 | Alternate site blood glucose testing: do patients prefer it?. <i>Diabetic Medicine</i> , 2003, 20, 325-328.  | 1.2 | 23        |
| 6625 | Performance assessment of the Medtronic-MiniMed Continuous Glucose Monitoring System and its use for measurement of glycaemic control in Type 1 diabetic subjects. <i>Diabetic Medicine</i> , 2003, 20, 1012-1015.                         | 1.2 | 123       |
| 6626 | Body composition in adolescent girls with Type 1 diabetes. <i>Diabetic Medicine</i> , 2003, 20, 1005-1011.   | 1.2 | 58        |
| 6627 | The Validity of "Recognition-Based"™ Headache Diagnoses in Adolescents. Data from the Nord-Trøndelag Health Study 1995-97, Head-Hunt-Youth. <i>Cephalalgia</i> , 2003, 23, 223-229.  | 1.8 | 34        |
| 6628 | Assessing urinary albumin excretion in pre-eclamptic women: which sample to use?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003, 110, 12-17.  | 1.1 | 19        |
| 6629 | Validation of the Welch Allyn 'Vital Signs' blood pressure measurement device in pregnancy and pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003, 110, 134-138.                                    | 1.1 | 31        |
| 6630 | Comparison of closed circuit and Fick-derived oxygen consumption in patients undergoing simultaneous aortocaval occlusion. <i>Anaesthesia</i> , 2003, 58, 378-384.   | 1.8 | 3         |
| 6631 | Eliminating protein from reusable laryngeal mask airways. <i>Anaesthesia</i> , 2003, 58, 346-353.  | 1.8 | 31        |
| 6632 | Evaluation of oesophageal pulse oximetry in patients undergoing cardiothoracic surgery*. <i>Anaesthesia</i> , 2003, 58, 422-427.   | 1.8 | 31        |
| 6633 | Study of postoperative nausea and vomiting: recommending risk models for group comparisons. <i>Anaesthesia</i> , 2003, 58, 492-493.  | 1.8 | 8         |
| 6634 | Evaluation of an expired fraction carbon dioxide monitor - incorrect statistical analysis?. <i>Anaesthesia</i> , 2003, 58, 598-599.  | 1.8 | 0         |
| 6635 | Factor viii assays in haemophilia a patients treated with refactoâ,ç. <i>British Journal of Haematology</i> , 2003, 121, 379-380.  | 1.2 | 8         |
| 6636 | Inappropriate analysis of reproducibility. <i>British Journal of Haematology</i> , 2003, 123, 745-745.   | 1.2 | 1         |
| 6637 | Intraobserver and interobserver agreement in anal endosonography. <i>British Journal of Surgery</i> , 2003, 86, 371-375.   | 0.1 | 100       |
| 6638 | Blood basophil numbers in chronic ordinary urticaria and healthy controls: diurnal variation, influence of loratadine and prednisolone and relationship to disease activity. <i>Clinical and Experimental Allergy</i> , 2003, 33, 337-341. | 1.4 | 143       |
| 6639 | Inhaled endotoxin and organic dust particulates have synergistic proinflammatory effects in equine heaves (organic dust-induced asthma). <i>Clinical and Experimental Allergy</i> , 2003, 33, 676-683.                                     | 1.4 | 113       |
| 6640 | Air filtration units in homes with cats: can they reduce personal exposure to cat allergen?. <i>Clinical and Experimental Allergy</i> , 2003, 33, 765-769.   | 1.4 | 49        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6641 | Bone density and body composition in children with growth hormone insensitivity syndrome receiving recombinant IGF-I. <i>Clinical Endocrinology</i> , 2003, 59, 487-491.  | 1.2 | 16        |
| 6642 | Estimation of Glomerular Filtration Rate in Older Patients with Chronic Renal Insufficiency: Is the Modification of Diet in Renal Disease Formula an Improvement?. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 1012-1017.         | 1.3 | 143       |
| 6643 | Validation of shuttle tests in children with cystic fibrosis. <i>Pediatric Pulmonology</i> , 2003, 35, 133-138.   | 1.0 | 76        |
| 6644 | Negative expiratory pressure: A new tool for evaluating lung function in children?. <i>Pediatric Pulmonology</i> , 2003, 35, 162-168.   | 1.0 | 20        |
| 6645 | Correlation between standing height, sitting height, and arm span as an index of pulmonary function in 6-10-year-old children. <i>Pediatric Pulmonology</i> , 2003, 36, 202-208.  | 1.0 | 32        |
| 6646 | Good estimation of arterial carbon dioxide by end-tidal carbon dioxide monitoring in the neonatal intensive care unit. <i>Pediatric Pulmonology</i> , 2003, 35, 292-295.  | 1.0 | 59        |
| 6647 | Pilot study of objective cough monitoring in infants. <i>Pediatric Pulmonology</i> , 2003, 35, 350-357.   | 1.0 | 29        |
| 6648 | Correlation of six different cystic fibrosis chest radiograph scoring systems with clinical parameters. <i>Pediatric Pulmonology</i> , 2003, 35, 441-445.   | 1.0 | 62        |
| 6649 | Validity of esophageal pressure measurements with positive end-expiratory pressure in preterm infants. <i>Pediatric Pulmonology</i> , 2003, 36, 216-222.  | 1.0 | 4         |
| 6650 | Determination of maximal voluntary ventilation in children with cystic fibrosis. <i>Pediatric Pulmonology</i> , 2003, 35, 467-471.  | 1.0 | 45        |
| 6651 | Repeatability of bronchial responsiveness to mannitol dry powder in children with asthma. <i>Pediatric Pulmonology</i> , 2003, 36, 490-494.   | 1.0 | 34        |
| 6652 | Effects of respiratory timing and cheek support on resistance measurements, before and after bronchodilation in asthmatic children using the interrupter technique. <i>Pediatric Pulmonology</i> , 2003, 36, 495-501.                               | 1.0 | 23        |
| 6653 | An improved concordance correlation coefficient. <i>Pharmaceutical Statistics</i> , 2003, 2, 253-261.   | 0.7 | 40        |
| 6654 | Development of a liquid chromatographic time-of-flight mass spectrometric method for the determination of unlabelled and deuterium-labelled?tocopherol in blood components. <i>Rapid Communications in Mass Spectrometry</i> , 2003, 17, 2797-2803. | 0.7 | 31        |
| 6655 | Stable-isotope dilution analysis of galactose metabolites in human erythrocytes. <i>Rapid Communications in Mass Spectrometry</i> , 2003, 17, 2833-2838.  | 0.7 | 16        |
| 6656 | Approaches to combat with confounding by indication in observational studies of intended drug effects. <i>Pharmacoepidemiology and Drug Safety</i> , 2003, 12, 551-558.   | 0.9 | 96        |
| 6657 | Reproducibility and reliability of pressure flow parameters in women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003, 110, 774-776.   | 1.1 | 45        |
| 6658 | Validation of a Self-Administered Questionnaire in Chinese in the Assessment of Eczema Severity. <i>Pediatric Dermatology</i> , 2003, 20, 465-469.  | 0.5 | 54        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6659 | Analysis of canine and feline haemograms using the VetScan HMT analyser. <i>Journal of Small Animal Practice</i> , 2003, 44, 443-448.  | 0.5 | 20        |
| 6660 | <i>Bench to Bedside:</i> Electrophysiologic and Clinical Principles of Noninvasive Hemodynamic Monitoring Using Impedance Cardiography. <i>Academic Emergency Medicine</i> , 2003, 10, 669-680.  | 0.8 | 122       |
| 6661 | The prognostic relevance of estimates of proliferative activity in early breast cancer. <i>Histopathology</i> , 2003, 43, 573-582.   | 1.6 | 29        |
| 6662 | Nasal nitric oxide measurements before and after repeated humming maneuvers. <i>European Journal of Clinical Investigation</i> , 2003, 33, 1090-1094.  | 1.7 | 19        |
| 6663 | Comparison of Methods for Achieving 24-Hour Energy Balance in a Whole-Room Indirect Calorimeter. <i>Obesity</i> , 2003, 11, 752-759.   | 4.0 | 27        |
| 6664 | Is the <i>ArteACC</i> Index a Valid Indicator of Free-Living Physical Activity in Adolescents?. <i>Obesity</i> , 2003, 11, 793-801.  | 4.0 | 56        |
| 6665 | Validity of Six Field and Laboratory Methods for Measurement of Body Composition in Boys. <i>Obesity</i> , 2003, 11, 852-858.  | 4.0 | 75        |
| 6666 | Relationship among Habitual Tea Consumption, Percent Body Fat, and Body Fat Distribution. <i>Obesity</i> , 2003, 11, 1088-1095.  | 4.0 | 120       |
| 6667 | Comparison of Hologic QDR $\alpha$ 1000/W and 4500W DXA Scanners in 13- to 18-Year Olds. <i>Obesity</i> , 2003, 11, 1545-1552.   | 4.0 | 35        |
| 6668 | Physical Activity Levels Are Low in Free-Living Adults with Chronic Paraplegia. <i>Obesity</i> , 2003, 11, 563-570.  | 4.0 | 169       |
| 6669 | Validation of energy intake estimated from a food frequency questionnaire: a doubly labelled water study. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 279-284.   | 1.3 | 73        |
| 6670 | Calculating energy requirements for men with HIV/AIDS in the era of highly active antiretroviral therapy. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 209-217.   | 1.3 | 18        |
| 6671 | Computerization of a dietary history interview in a running cohort; evaluation within the Amsterdam Growth and Health Longitudinal Study. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 394-404.   | 1.3 | 48        |
| 6672 | Differences in body composition between Singapore Chinese, Beijing Chinese and Dutch children. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 405-409.  | 1.3 | 68        |
| 6673 | Evaluation of a Dietary Targets Monitor. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 667-673.  | 1.3 | 40        |
| 6674 | Evaluation of factors determining the precision of body composition measurements by air displacement plethysmography. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 770-776.   | 1.3 | 51        |
| 6675 | Validation of a semi-quantitative food-frequency questionnaire used among 12-month-old Norwegian infants. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 881-888.   | 1.3 | 52        |
| 6676 | Body composition estimated by bioelectrical impedance in the Swedish elderly. Development of population-based prediction equation and reference values of fat-free mass and body fat for 70- and 75-y olds. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 909-916. | 1.3 | 56        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6677 | Cross-calibration of GE/Lunar pencil and fan-beam dual energy densitometers' bone mineral density and body composition studies. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 977-987.  | 1.3 | 68        |
| 6678 | Comparison of plasma biomarkers with dietary assessment methods for fruit and vegetable intake. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 988-998.  | 1.3 | 26        |
| 6679 | Estimation of body fatness from body mass index and bioelectrical impedance: comparison of New Zealand European, Maori and Pacific Island children. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 1394-1401.                        | 1.3 | 100       |
| 6680 | Estimates of percentage body fat in young adolescents: a comparison of dual-energy X-ray absorptiometry and air displacement plethysmography. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 1402-1410.                              | 1.3 | 32        |
| 6681 | Energy intake in Swedish adolescents: validation of diet history with doubly labelled water. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 1643-1652.   | 1.3 | 53        |
| 6682 | Measurements of linear dimensions on fundus photographs: comparison between photographic film and digital systems. <i>Eye</i> , 2003, 17, 619-622.  | 1.1 | 8         |
| 6683 | Improving on ETDRS acuities: design and results for a computerised thresholding device. <i>Eye</i> , 2003, 17, 701-706.   | 1.1 | 23        |
| 6684 | Evaluating a new logMAR chart designed to improve visual acuity assessment in population-based surveys. <i>Eye</i> , 2003, 17, 754-758.   | 1.1 | 42        |
| 6685 | Body composition by hydrometry (deuterium oxide dilution) and bioelectrical impedance in subjects aged >60 years from rural regions of Cuba, Chile and Mexico. <i>International Journal of Obesity</i> , 2003, 27, 848-855.                     | 1.6 | 22        |
| 6686 | Blood pressure measurement in an ambulatory setting: concordance between physician and patient self-measurement. <i>Journal of Human Hypertension</i> , 2003, 17, 45-50.  | 1.0 | 23        |
| 6687 | Flow-mediated dilation in brachial artery in the second half of pregnancy and prediction of pre-eclampsia. <i>Journal of Human Hypertension</i> , 2003, 17, 697-704.  | 1.0 | 50        |
| 6688 | Quantitative Cerebral Blood Flow Measurements in the Rat Using a Beta-Probe and H215O. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003, 23, 1455-1460.  | 2.4 | 39        |
| 6689 | Effects of continuous positive airway pressure on upper airway inspiratory dynamics in awake patients with sleep-disordered breathing. <i>Journal of Physiology</i> , 2003, 546, 279-287.   | 1.3 | 12        |
| 6690 | The effect of VLDL particles on the accuracy of a direct LDL-cholesterol method in type 2 diabetic patients. <i>Clinical Biochemistry</i> , 2003, 36, 177-183.  | 0.8 | 12        |
| 6691 | Gated fluorine 18 fluorodeoxyglucose positron emission tomography: determination of global and regional left ventricular function and myocardial tissue characterization. <i>Journal of Nuclear Cardiology</i> , 2003, 10, 297-303.             | 1.4 | 22        |
| 6692 | Évaluation de la reproductibilité et de la validité de construit d'une forme modifiée de l'indice algofonctionnel de Lequesne dans l'arthrose du genou. <i>Revue Du Rhumatisme (Edition Française)</i> , 2003, 70, 1105-1111.                   | 0.0 | 0         |
| 6694 | Simple plasma work-up for a fast chromatographic analysis of homocysteine, cysteine, methionine and aromatic amino acids. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003, 789, 311-322. | 1.2 | 38        |
| 6695 | Reliability of smooth pursuit, fixation, and saccadic eye movements. <i>Psychophysiology</i> , 2003, 40, 620-628.   | 1.2 | 146       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6696 | Evaluation of a Mental Health Service for Young Children: Development, Outcome and Satisfaction. <i>Child and Adolescent Mental Health</i> , 2003, 8, 68-77.  | 1.8 | 5         |
| 6697 | Quality assessment for prostate-specific antigen (PSA) in relation to ERSPC: report of the PSA Committee. <i>BJU International</i> , 2003, 92, 66-70.   | 1.3 | 10        |
| 6698 | Repeatability of the C&A100 colour vision test. <i>Australasian journal of optometry, The</i> , 2003, 86, 173-178.  | 0.6 | 6         |
| 6699 | Automated centerline for computed tomography colonography1. <i>Academic Radiology</i> , 2003, 10, 1291-1301.  | 1.3 | 27        |
| 6701 | Comparison of abdominal aortic aneurysm diameter measurements obtained with ultrasound and computed tomography: is there a difference?. <i>Journal of Vascular Surgery</i> , 2003, 38, 466-471.   | 0.6 | 87        |
| 6702 | Norepinephrine Inhibits the Pelvic Pressure Increase in Response to Flow Perfusion. <i>Journal of Urology</i> , 2003, 170, 268-271.   | 0.2 | 17        |
| 6703 | Quantitative assessment of pericardial effusion volume by two-dimensional echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2003, 16, 147-153.   | 1.2 | 9         |
| 6704 | Rapid freehand scanning three-dimensional echocardiography: Accurate measurement of left ventricular volumes and ejection fraction compared with quantitative gated scintigraphy. <i>Journal of the American Society of Echocardiography</i> , 2003, 16, 110-115. | 1.2 | 27        |
| 6705 | Analysis of global systolic and diastolic left ventricular performance using volume-time curves by real-time three-dimensional echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2003, 16, 29-37.                                    | 1.2 | 105       |
| 6706 | Single-beat determination of doppler-derived aortic flow measurement in patients with atrial fibrillation. <i>Journal of the American Society of Echocardiography</i> , 2003, 16, 712-715.  | 1.2 | 39        |
| 6707 | Evaluation of the longitudinal contraction of the left ventricle in normal subjects by doppler tissue tracking and strain rate. <i>Journal of the American Society of Echocardiography</i> , 2003, 16, 716-723.   | 1.2 | 68        |
| 6708 | Contrast-enhanced Doppler hemodynamics for noninvasive assessment of patients with chronic heart failure and left ventricular systolic dysfunction. <i>Journal of the American Society of Echocardiography</i> , 2003, 16, 124-131.                               | 1.2 | 19        |
| 6709 | Doppler tissue imaging: Regional myocardial function in hypertrophic cardiomyopathy and in athlete's heart. <i>Journal of the American Society of Echocardiography</i> , 2003, 16, 223-232.   | 1.2 | 97        |
| 6710 | Single-plane and biplane echocardiography: use of targeted scan planes improves the estimates of left ventricular volume and shape for analysis of postinfarction remodeling. <i>Journal of the American Society of Echocardiography</i> , 2003, 16, 448-456.     | 1.2 | 3         |
| 6711 | Magnetic resonance imaging measurement of blood volume flow in peripheral arteries in healthy subjects. <i>Journal of Vascular Surgery</i> , 2003, 38, 1060-1066.   | 0.6 | 38        |
| 6713 | Reported Measures of Hygiene and Incidence Rates for Hospital-Acquired Diarrhea in 31 French Pediatric Wards: Is There Any Relationship?. <i>Infection Control and Hospital Epidemiology</i> , 2003, 24, 520-525.   | 1.0 | 22        |
| 6714 | Noninvasive ultrasound measurements of aortic intima-media thickness: implications for in vivo study of aortic wall stress1 1Competition of interest: none.. <i>Journal of Vascular Surgery</i> , 2003, 37, 1270-1276.  | 0.6 | 39        |
| 6715 | Mitral annulus motion compared with wall motion scoring index in the assessment of left ventricular ejection fraction. <i>Journal of the American Society of Echocardiography</i> , 2003, 16, 622-629.  | 1.2 | 8         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6716 | Evaluation of aortoiliac aneurysm before endovascular repair: Comparison of contrast-enhanced magnetic resonance angiography with multidetector row computed tomographic angiography with an automated analysis software tool. <i>Journal of Vascular Surgery</i> , 2003, 37, 619-627. | 0.6 | 54        |
| 6717 | High-resolution MR Imaging of Human Atherosclerotic Femoral Arteries In Vivo: Validation with Intravascular Ultrasound. <i>Journal of Vascular and Interventional Radiology</i> , 2003, 14, 227-231.   | 0.2 | 89        |
| 6718 | Accuracy of mitral valve area measurements using transthoracic rapid freehand 3-dimensional scanning: comparison with noninvasive and invasive methods. <i>Journal of the American Society of Echocardiography</i> , 2003, 16, 1292-1300.  | 1.2 | 68        |
| 6719 | Bone Mineral Measurements in Mice. <i>Journal of Clinical Densitometry</i> , 2003, 6, 251-258.   | 0.5 | 24        |
| 6720 | Noninvasive assessment of flow velocity and flow velocity reserve in the right gastroepiploic artery graft by transcutaneous doppler echocardiography: comparison with an invasive technique. <i>Journal of the American Society of Echocardiography</i> , 2003, 16, 975-981.          | 1.2 | 0         |
| 6722 | Reproducibility and Concordance in Quantitative Ultrasound Measurements Between Densitometers. <i>Journal of Clinical Densitometry</i> , 2003, 6, 337-344.   | 0.5 | 1         |
| 6724 | Determination of left ventricular ejection fraction using intravenous contrast and a semiautomated border detection algorithm. <i>Journal of the American Society of Echocardiography</i> , 2003, 16, 22-28.   | 1.2 | 15        |
| 6725 | The role of MRI and ultrasound imaging in Morton's neuroma and the effect of size of lesion on symptoms. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2003, 85-B, 999-1005.  | 3.4 | 120       |
| 6726 | Amount of error in a measurement? Reliability. <i>Fertility and Sterility</i> , 2003, 80, 1287.  | 0.5 | 0         |
| 6727 | Amount of error in a measurement? Reliability. <i>Fertility and Sterility</i> , 2003, 80, 1287-1288.   | 0.5 | 1         |
| 6728 | Assessment of coronary flowreserve by coronary pressure measurement. <i>Journal of the American College of Cardiology</i> , 2003, 41, 1554-1560.   | 1.2 | 31        |
| 6729 | Enhanced external counterpulsation improves endothelial function in patients with symptomatic coronary artery disease. <i>Journal of the American College of Cardiology</i> , 2003, 41, 1761-1768.   | 1.2 | 363       |
| 6730 | Magnetic resonance to assess the aortic valve area in aortic stenosis. <i>Journal of the American College of Cardiology</i> , 2003, 42, 519-526.   | 1.2 | 178       |
| 6731 | A randomized comparison of atrial and dual-chamber pacing in 177 consecutive patients with sick sinus syndrome. <i>Journal of the American College of Cardiology</i> , 2003, 42, 614-623.  | 1.2 | 467       |
| 6732 | A visual approach for the accurate determination of echocardiographic left ventricular ejection fraction by medical students. <i>Journal of the American Society of Echocardiography</i> , 2003, 16, 824-831.  | 1.2 | 49        |
| 6733 | Knee injury and Osteoarthritis Outcome Score (KOOS) - validation and comparison to the WOMAC in total knee replacement. <i>Health and Quality of Life Outcomes</i> , 2003, 1, 17.  | 1.0 | 769       |
| 6734 | Validation of the Rheumatoid and Arthritis Outcome Score (RAOS) for the lower extremity. <i>Health and Quality of Life Outcomes</i> , 2003, 1, 55.   | 1.0 | 41        |
| 6735 | Role of Variability in Explaining Ethanol Pharmacokinetics. <i>Clinical Pharmacokinetics</i> , 2003, 42, 1-31.   | 1.6 | 214       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6736 | Intra- and interobserver variability in the measurements of abdominal aortic and common iliac artery diameter with computed tomography. The TromsÅ, study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2003, 25, 399-407.          | 0.8 | 79        |
| 6737 | Near patient cholesterol testing in patients with peripheral arterial disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 2003, 26, 267-271.  | 0.8 | 3         |
| 6738 | Total energy expenditure in underweight patients with severe chronic obstructive pulmonary disease living at home. <i>Clinical Nutrition</i> , 2003, 22, 159-165.   | 2.3 | 63        |
| 6739 | Which REE prediction equation should we use in normal-weight, overweight and obese women?. <i>Clinical Nutrition</i> , 2003, 22, 193-204.   | 2.3 | 82        |
| 6740 | Regression of left ventricular hypertrophy after treatment of hypertension: Comparison of directed M-echocardiography with magnetic resonance imaging in quantification of serial mass changes. <i>Journal of Cardiac Failure</i> , 2003, 9, 122-127. | 0.7 | 9         |
| 6741 | The heat/capsaicin sensitization model: A methodologic study. <i>Journal of Pain</i> , 2003, 4, 122-128.  | 0.7 | 97        |
| 6742 | High-efficiency particulate arrestâ€filter vacuum cleaners increase personal cat allergen exposure in homes with cats. <i>Journal of Allergy and Clinical Immunology</i> , 2003, 111, 784-787.  | 1.5 | 37        |
| 6743 | Magnification chromoendoscopy for the diagnosis of gastric intestinal metaplasia and dysplasia. <i>Gastrointestinal Endoscopy</i> , 2003, 57, 498-504.  | 0.5 | 150       |
| 6744 | Comparison of thermal threshold tests to assess small nerve fiber function: limits vs. levels. <i>Clinical Neurophysiology</i> , 2003, 114, 556-563.  | 0.7 | 43        |
| 6745 | Motor evoked potentials from the striated urethral sphincter and puborectal muscle: reproducibility of latencies. <i>Clinical Neurophysiology</i> , 2003, 114, 1891-1895.   | 0.7 | 9         |
| 6746 | A longitudinal study of brain morphometrics using quantitative magnetic resonance imaging and difference image analysis. <i>NeuroImage</i> , 2003, 20, 22-33.   | 2.1 | 154       |
| 6747 | Noninvasive measurement of regional cerebral blood flow and regional cerebral blood volume by near-infrared spectroscopy and indocyanine green dye dilution. <i>NeuroImage</i> , 2003, 20, 828-839.   | 2.1 | 127       |
| 6748 | Practical assessment of rotator cuff muscle volumes using shoulder MRI. <i>Acta Orthopaedica</i> , 2003, 74, 722-729.   | 1.4 | 37        |
| 6749 | Determination of the transcript profile of human endometrium. <i>Molecular Human Reproduction</i> , 2003, 9, 19-33.   | 1.3 | 300       |
| 6750 | Reliability and Validity of the Computer Science and Applications Accelerometer in a Mechanical Setting. <i>Measurement in Physical Education and Exercise Science</i> , 2003, 7, 101-119.  | 1.3 | 75        |
| 6751 | Three dimensional volume quantification of aortic valve calcification using multislice computed tomography. <i>British Heart Journal</i> , 2003, 89, 1191-1194.   | 2.2 | 74        |
| 6752 | Automatic realignment of myocardial first-pass MR perfusion images. , 0, , .  |     | 0         |
| 6753 | Analytical Evaluation of an Automated Immunoassay for Cardiac Troponin I: The Vidas Troponin I Assay. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003, 41, 1363-8.   | 1.4 | 7         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6754 | Differences between algorithms for spatial interpolation of 3D echocardiography images. , 2003, , .   |     | 1         |
| 6755 | Estimation of right ventricular volume without geometrical assumptions utilizing cardiac magnetic resonance data. , 2003, , .   |     | 3         |
| 6756 | Segmentation of RT3D ultrasound with implicit deformable models without gradients. , 0, , .   |     | 5         |
| 6757 | Comparison of bedside measurement of cardiac output with the thermodilution method and the Fick method in mechanically ventilated patients. <i>Critical Care</i> , 2003, 7, 171.                    | 2.5 | 35        |
| 6758 | Conventional or physicochemical approach in intensive care unit patients with metabolic acidosis. <i>Critical Care</i> , 2003, 7, R41.  | 2.5 | 145       |
| 6759 | Do changes in pulse oximeter oxygen saturation predict equivalent changes in arterial oxygen saturation?. <i>Critical Care</i> , 2003, 7, R67.  | 2.5 | 102       |
| 6760 | Statistics review 7: Correlation and regression. <i>Critical Care</i> , 2003, 7, 451.   | 2.5 | 236       |
| 6761 | Clinimetrics and psychometrics: two sides of the same coin. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 1146-1147.  | 2.4 | 39        |
| 6762 | Test development: two-sided coin or one-sided MÃ¶bius strip?. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 1148-1149.  | 2.4 | 7         |
| 6763 | Agreement between percentage pain reductions calculated from numeric rating scores of pain intensity and those reported by patients with acute or cancer pain. <i>Pain</i> , 2003, 106, 439-442.    | 2.0 | 43        |
| 6764 | Lingual tactile acuity, taste perception, and the density and diameter of fungiform papillae in female subjects. <i>Physiology and Behavior</i> , 2003, 80, 289-302.                                | 1.0 | 215       |
| 6765 | Comparison of bioassay and high performance liquid chromatographic assay of artesunate and dihydroartemisinin in plasma. <i>Acta Tropica</i> , 2003, 87, 371-375.                                   | 0.9 | 10        |
| 6766 | Reliability of reporting left ventricular systolic function by echocardiography: A systematic review of 3 methods. <i>American Heart Journal</i> , 2003, 146, 388-397.                              | 1.2 | 230       |
| 6767 | A computerized method of visual acuity testing. <i>American Journal of Ophthalmology</i> , 2003, 135, 194-205.  | 1.7 | 475       |
| 6768 | Reliability of the electronic early treatment diabetic retinopathy study testing protocol in children 7 to <13 years old. <i>American Journal of Ophthalmology</i> , 2003, 136, 655-661.            | 1.7 | 89        |
| 6769 | Repeatability of an automated Landolt C test, compared with the early treatment of diabetic retinopathy study (ETDRS) chart testing. <i>American Journal of Ophthalmology</i> , 2003, 136, 662-669. | 1.7 | 44        |
| 6770 | Reproducibility and clinical application of a newly developed stabilized retinal laser Doppler instrument. <i>American Journal of Ophthalmology</i> , 2003, 136, 578-579.                           | 1.7 | 3         |
| 6771 | Learning curve in endonasal dacryocystorhinostomy. <i>American Journal of Ophthalmology</i> , 2003, 136, 579-580.   | 1.7 | 4         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6772 | Comparison of measurements of refractive errors between the hand-held Retinomax and on-table autorefractors in cyclopleged and noncyclopleged children. <i>American Journal of Ophthalmology</i> , 2003, 136, 1120-1128.  | 1.7 | 33        |
| 6773 | Morbidity and mortality of aggressive resection in patients with advanced neuroendocrine tumors. <i>Archives of Surgery</i> , 2003, 138, 859.   | 2.3 | 193       |
| 6774 | Peak Mean Myocardial Velocities and Velocity Gradients Measured by Color M-Mode Tissue Doppler Imaging in Healthy Cats. <i>Journal of Veterinary Internal Medicine</i> , 2003, 17, 510-524.   | 0.6 | 30        |
| 6775 | Automated lung segmentation in X-ray computed tomography. <i>Academic Radiology</i> , 2003, 10, 1224-1236.  | 1.3 | 135       |
| 6776 | Accuracy and reliability of arthroscopic estimates of cartilage lesion size in a plastic knee simulation model. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2003, 19, 282-289.   | 1.3 | 22        |
| 6777 | Study of the afferent nervous system and its evaluation in women with impaired detrusor contractility treated with bethanechol. <i>Urology</i> , 2003, 62, 54-58.   | 0.5 | 32        |
| 6778 | Relative validity of a diet history interview in an intervention trial manipulating dietary fat in the management of Type II diabetes mellitus. <i>Preventive Medicine</i> , 2003, 36, 420-428.   | 1.6 | 54        |
| 6779 | Psychometric properties of the Activities-specific Balance Confidence scale among individuals with a lower-limb amputation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003, 84, 656-661.  | 0.5 | 138       |
| 6780 | The use of bioelectric impedance analysis to measure fluid compartments in subjects with chronic paraplegia. No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003, 84, 1033-1036.                           | 0.5 | 53        |
| 6781 | Reliability, validity, and responsiveness of the modified rapandji index for assessment of functional mobility of the rheumatoid hand. No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003, 84, 1033-1036. | 0.5 | 50        |
| 6782 | Variability and repeatability of retinal blood flow measurements using the Canon laser blood flowmeter. Aspects of this work were presented at the 2002 annual meetings of the Association for Research in Vision and Ophthalmology and of the American Diabetes Association. The authors have no proprietary interest in the Canon Laser Blood Flowmeter.. <i>Microvascular Research</i> , 2003, 65, 145-151.  | 1.1 | 60        |
| 6783 | Enzymatic assay for determination of bicarbonate ion in plasma using urea amidolyase. <i>Clinica Chimica Acta</i> , 2003, 328, 179-184.   | 0.5 | 7         |
| 6784 | Accurate measurement of free carnitine in dried blood spots by isotope-dilution electrospray tandem mass spectrometry without butylation. <i>Clinica Chimica Acta</i> , 2003, 335, 137-145.   | 0.5 | 22        |
| 6785 | Aortic Valve Calcification on Computed Tomography Predicts the Severity of Aortic Stenosis. <i>Clinical Radiology</i> , 2003, 58, 712-716.  | 0.5 | 129       |
| 6786 | Trace element intake and status of Italian subjects living in the Gubbio area. <i>Environmental Research</i> , 2003, 91, 71-77.   | 3.7 | 27        |
| 6787 | A simple new formula to assess liver weight. <i>Transplantation Proceedings</i> , 2003, 35, 1415-1420.  | 0.3 | 87        |
| 6788 | Cardiac output by femoral arterial thermodilution-calibrated pulse contour analysis during liver transplantation: comparison with pulmonary artery thermodilution. <i>Transplantation Proceedings</i> , 2003, 35, 1920-1922.  | 0.3 | 11        |
| 6789 | Knee rating scales. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2003, 19, 1103-1108.   | 1.3 | 90        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6790 | Baseline characteristics of the transient pattern electroretinogram in non-human primates: inter-ocular and inter-session variability. <i>Experimental Eye Research</i> , 2003, 77, 555-566.  | 1.2 | 15        |
| 6791 | Estimation of body composition from total body potassium [40K] counts among college women. <i>Nutrition Research</i> , 2003, 23, 57-66.   | 1.3 | 0         |
| 6792 | Estimation of sodium intake by urinary excretion and dietary records in children and adolescents from Porto Alegre, Brazil: a comparison of two methods. <i>Nutrition Research</i> , 2003, 23, 1477-1487.   | 1.3 | 19        |
| 6793 | Agreement of body weight, body fat percentage values between two body composition analyzers. <i>Nutrition Research</i> , 2003, 23, 1489-1494.   | 1.3 | 0         |
| 6794 | Renal impairment in patients with ovarian cancer. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2003, 106, 198-202.  | 0.5 | 10        |
| 6795 | Relationships of body fat distribution, insulin sensitivity and cardiovascular risk factors in lean, healthy non-diabetic Thai men and women. <i>Diabetes Research and Clinical Practice</i> , 2003, 60, 87-94.   | 1.1 | 23        |
| 6796 | Use of dried whole blood spots to measure CD4+ lymphocyte counts in HIV-1-infected patients. <i>Lancet, The</i> , 2003, 362, 1459-1460.   | 6.3 | 58        |
| 6797 | Whole blood versus plasma spots for measurement of HIV-1 viral load in HIV-infected African patients. <i>Lancet, The</i> , 2003, 362, 2067-2068.  | 6.3 | 62        |
| 6798 | The relationship between visual disability and visual field in patients with glaucoma. <i>Ophthalmology</i> , 2003, 110, 332-339.   | 2.5 | 93        |
| 6799 | Comparison of optic nerve head assessment with a digital stereoscopic camera (discam), scanning laser ophthalmoscopy, and stereophotography <sup>11</sup> The authors have no proprietary interest in the products or devices mentioned herein.The first two authors had equal part in preparation of the manuscript.. <i>Ophthalmology</i> , 2003, 110, 1499-1505. | 2.5 | 35        |
| 6800 | Nervous System Effects of Occupational Manganese Exposure on South African Manganese Mineworkers. <i>NeuroToxicology</i> , 2003, 24, 649-656.   | 1.4 | 72        |
| 6801 | Measures of Short-Term Testâ€™Retest Reliability of Computerized Neurobehavioral Tests. <i>NeuroToxicology</i> , 2003, 24, 513-521.   | 1.4 | 24        |
| 6802 | Aerobic exercise physiology in a professional rugby union team. <i>International Journal of Cardiology</i> , 2003, 87, 173-177.   | 0.8 | 33        |
| 6803 | The Role of the Independent Variable to Glucose Sensor Calibration. <i>Diabetes Technology and Therapeutics</i> , 2003, 5, 401-410.   | 2.4 | 17        |
| 6804 | Reduction in long-term functional disability in rheumatoid arthritis from 1977 to 1998:a longitudinal study of 3035 patients. <i>American Journal of Medicine</i> , 2003, 115, 371-376.   | 0.6 | 91        |
| 6805 | First-night effect in the chronic fatigue syndrome. <i>Psychiatry Research</i> , 2003, 120, 191-199.  | 1.7 | 49        |
| 6806 | Wheelchair configuration and postural alignment in persons with spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003, 84, 528-534.  | 0.5 | 45        |
| 6807 | Objective measurement of breast cancer oestrogen receptor status through digital image analysis. <i>European Journal of Surgical Oncology</i> , 2003, 29, 20-24.  | 0.5 | 55        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6808 | A comparison of cardioq and thermodilution cardiac output during off-pump coronary artery surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2003, 17, 728-732.   | 0.6 | 23        |
| 6809 | Comparison of thermodilution bolus cardiac output and Doppler cardiac output in the early post-cardiopulmonary bypass period. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2003, 17, 193-198.  | 0.6 | 26        |
| 6810 | Cardiac output measurement after coronary artery bypass grafting using bolus thermodilution, continuous thermodilution, and whole-body impedance cardiography. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2003, 17, 199-203.   | 0.6 | 13        |
| 6811 | Continuous measurement of cardiac output by inert gas throughflow: Comparison with thermodilution. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2003, 17, 204-210.   | 0.6 | 14        |
| 6812 | Comparison of continuous cardiac output measurements in patients after cardiac surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2003, 17, 211-216.  | 0.6 | 81        |
| 6813 | Measurement of cardiac output after cardiac surgery by a new transesophageal doppler device. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2003, 17, 217-220.   | 0.6 | 32        |
| 6814 | Quality of life after gastric transposition for oesophageal atresia. <i>Journal of Pediatric Surgery</i> , 2003, 38, 53-57.  | 0.8 | 91        |
| 6815 | Applicability of interrupter resistance measurements using the MicroRint <sup>®</sup> in daily practice. <i>Respiratory Medicine</i> , 2003, 97, 366-374.  | 1.3 | 31        |
| 6816 | Reliability of peak cardiorespiratory responses in patients with moderate to severe traumatic brain injury11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003, 84, 1629-1636. | 0.5 | 26        |
| 6817 | MINMOD Millennium: A Computer Program to Calculate Glucose Effectiveness and Insulin Sensitivity from the Frequently Sampled Intravenous Glucose Tolerance Test. <i>Diabetes Technology and Therapeutics</i> , 2003, 5, 1003-1015.   | 2.4 | 372       |
| 6818 | Skeletal muscle changes in patients with obstructive sleep apnoea syndrome. <i>Respiratory Medicine</i> , 2003, 97, 804-810.   | 1.3 | 47        |
| 6820 | Pediatric temperature measurement and child/parent/nurse preference using three temperature measurement instruments. <i>Journal of Pediatric Nursing</i> , 2003, 18, 314-320.  | 0.7 | 18        |
| 6821 | Fluoroscopically assisted stress radiography for varus-valgus stability assessment in flexion after total knee arthroplasty. <i>Journal of Arthroplasty</i> , 2003, 18, 513-515.   | 1.5 | 47        |
| 6822 | Radiographic evaluation of charnley cups used in first-time revision. <i>Journal of Arthroplasty</i> , 2003, 18, 1005-1015.  | 1.5 | 22        |
| 6823 | Comparison of 4 methods for quantifying posterior capsule opacification. <i>Journal of Cataract and Refractive Surgery</i> , 2003, 29, 106-111.  | 0.7 | 119       |
| 6824 | Clinical assessment of the Zeiss IOLMaster. <i>Journal of Cataract and Refractive Surgery</i> , 2003, 29, 518-522.   | 0.7 | 51        |
| 6825 | Comparison of anterior chamber depth measurement methods in phakic and pseudophakic eyes. <i>Journal of Cataract and Refractive Surgery</i> , 2003, 29, 89-94.   | 0.7 | 56        |
| 6826 | Comparison of a digital and a handheld infrared pupillometer for determining scotopic pupil diameter. <i>Journal of Cataract and Refractive Surgery</i> , 2003, 29, 112-117.   | 0.7 | 72        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6827 | Evaluation of refractive error measurements of the WaveScan WaveFront system and the Tracey Wavefront aberrometer. <i>Journal of Cataract and Refractive Surgery</i> , 2003, 29, 970-979.                  | 0.7 | 57        |
| 6828 | Corneal thickness measurements: Scanning-slit corneal topography and noncontact specular microscopy versus ultrasonic pachymetry. <i>Journal of Cataract and Refractive Surgery</i> , 2003, 29, 1313-1318. | 0.7 | 139       |
| 6829 | Contact versus immersion biometry of axial length before cataract surgery. <i>Journal of Cataract and Refractive Surgery</i> , 2003, 29, 2195-2198.  | 0.7 | 31        |
| 6830 | The reliability of telephone interviews compared with in-person interviews using memory aids. <i>Annals of Epidemiology</i> , 2003, 13, 495-501.   | 0.9 | 25        |
| 6831 | Test-retest reliability of EMG and peak torque during repetitive maximum concentric knee extensions. <i>Journal of Electromyography and Kinesiology</i> , 2003, 13, 281-287.                               | 0.7 | 99        |
| 6832 | How accurate are witness descriptions of epileptic seizures?. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2003, 12, 444-447.   | 0.9 | 61        |
| 6833 | Nitrate in exhaled breath condensate of patients with different airway diseases. <i>Nitric Oxide - Biology and Chemistry</i> , 2003, 8, 26-30.   | 1.2 | 100       |
| 6834 | Determination of IGF-I, IGF-II, IGFBP-2, and IGFBP-3 levels in serum and plasma: comparisons using the Bland-Altman method. <i>Growth Hormone and IGF Research</i> , 2003, 13, 341-346.                    | 0.5 | 28        |
| 6835 | A New Method to Record Subglottal Pressure Waves: Potential Applications. <i>Journal of Voice</i> , 2003, 17, 140-159.   | 0.6 | 13        |
| 6836 | The intra- and interobserver variability of ankle-arm blood pressure index according to its mode of calculation. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 215-220.                              | 2.4 | 45        |
| 6837 | A comparison of two time intervals for test-retest reliability of health status instruments. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 730-735.  | 2.4 | 506       |
| 6838 | Assessment of agreement of a quantitative variable: a new graphical approach. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 963-967.   | 2.4 | 74        |
| 6839 | Utility of automated brachial ankle pulse wave velocity measurements in hypertensive patients. <i>American Journal of Hypertension</i> , 2003, 16, 653-657.  | 1.0 | 242       |
| 6841 | Comparative performance of serum cystatin-c versus serum creatinine in diabetic subjects. <i>Diabetes and Metabolism</i> , 2003, 29, 377-383.  | 1.4 | 18        |
| 6842 | The internal consistency and intra-rater reliability of an assessment practice grid for community nurses. <i>Clinical Effectiveness in Nursing</i> , 2003, 7, 168-170.                                     | 0.1 | 2         |
| 6843 | Scoring polysomnography respiratory events: the utility of nasal pressure and oro-nasal thermal sensor recordings. <i>Sleep Medicine</i> , 2003, 4, 419-425.   | 0.8 | 35        |
| 6844 | Quality assessment of the cortical bone of the human mandible. <i>Bone</i> , 2003, 32, 35-44.  | 1.4 | 69        |
| 6845 | A comparison of bone geometry and cortical density at the mid-femur between prepuberty and young adulthood using magnetic resonance imaging. <i>Bone</i> , 2003, 33, 771-778.                              | 1.4 | 71        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6846 | Comparison of maximal voluntary isometric contraction and hand-held dynamometry in measuring muscle strength of patients with progressive lower motor neuron syndrome. <i>Neuromuscular Disorders</i> , 2003, 13, 744-750.         | 0.3 | 66        |
| 6847 | Intra-rater and inter-rater reliability of gait measurements with CODA mpx30 motion analysis system. <i>Gait and Posture</i> , 2003, 17, 59-67.  | 0.6 | 75        |
| 6848 | The mid-point of passive hip rotation range is an indicator of hip rotation in gait in cerebral palsy. <i>Gait and Posture</i> , 2003, 17, 88-91.  | 0.6 | 47        |
| 6849 | Body composition assessment in extreme obesity and after massive weight loss induced by gastric bypass surgery. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003, 284, E1080-E1088.                     | 1.8 | 152       |
| 6850 | Pressure Wave Reflection Assessed From the Peripheral Pulse. <i>Hypertension</i> , 2003, 41, 1016-1020.  | 1.3 | 182       |
| 6852 | Changes in Regional Left Atrial Function with Aging: Evaluation by Doppler Tissue Imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2003, 4, 92-100.   | 0.5 | 137       |
| 6853 | Temporal Stability of Performance Failure Appraisal Inventory Items. Measurement in Physical Education and Exercise Science, 2003, 7, 243-261.   | 1.3 | 19        |
| 6854 | Discordance in Lumbar Spine T-Scores and Nonstandardization of Standard Deviations. <i>Journal of Clinical Densitometry</i> , 2003, 6, 1-6.  | 0.5 | 21        |
| 6855 | Rapid and accurate noninvasive assessment of global left ventricular systolic function using biplane advanced automated contour tracking method. <i>Journal of the American Society of Echocardiography</i> , 2003, 16, 1237-1243. | 1.2 | 8         |
| 6856 | ¿De dónde y cuándo colocar el termómetro de mercurio? Resultados de una comparación. <i>Enfermería Clínica</i> , 2003, 13, 290-294.  | 0.1 | 0         |
| 6858 | Valoración de la fiabilidad externa de las publicaciones de dos revistas científicas durante el último quinquenio. <i>Medicina Clínica</i> , 2003, 121, 793-794.   | 0.3 | 0         |
| 6859 | State of home sleep studies. <i>Clinics in Chest Medicine</i> , 2003, 24, 283-295.   | 0.8 | 14        |
| 6860 | Trends in the Southern Annular Mode from Observations and Reanalyses. <i>Journal of Climate</i> , 2003, 16, 4134-4143.   | 1.2 | 1,528     |
| 6861 | Reliability of a Computerized Target-Pursuit System for Measuring Coordinated Exertion of Force. Perceptual and Motor Skills, 2003, 96, 1071-1085.   | 0.6 | 20        |
| 6862 | Estimating Human Energy Expenditure. <i>Sports Medicine</i> , 2003, 33, 683-698.   | 3.1 | 204       |
| 6863 | Assessment and Interpretation of Isokinetic Muscle Strength During Growth and Maturation. <i>Sports Medicine</i> , 2003, 33, 727-743.  | 3.1 | 130       |
| 6864 | Predicting Energy Expenditure of Physical Activity Using Hip- and Wrist-Worn Accelerometers. <i>Diabetes Technology and Therapeutics</i> , 2003, 5, 1023-1033.   | 2.4 | 96        |
| 6865 | Test of reliability of the Dizziness Handicap Inventory and The Activities-specific Balance Confidence Scale for Use in Sweden. <i>Advances in Physiotherapy</i> , 2003, 5, 137-144.   | 0.2 | 40        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6866 | Is the Rivermead Mobility Index appropriate to measure mobility in lower limb amputees?. <i>Disability and Rehabilitation</i> , 2003, 25, 143-153.   | 0.9 | 27        |
| 6867 | Limits to the measurement of habitual physical activity by questionnaires * Commentary. <i>British Journal of Sports Medicine</i> , 2003, 37, 197-206.   | 3.1 | 1,245     |
| 6868 | Lupus headaches in childhood-onset systemic lupus erythematosus: relationship to disease activity as measured by the systemic lupus erythematosus disease activity index (SLEDAI) and disease damage. <i>Lupus</i> , 2003, 12, 600-606.  | 0.8 | 29        |
| 6869 | Defining Relapse of Ulcerative Colitis Using a Symptom-based Activity Index. <i>Scandinavian Journal of Gastroenterology</i> , 2003, 38, 164-171.  | 0.6 | 115       |
| 6870 | Assessment of Breathlessness Perception by Borg Scale in Asthmatic Patients: Reproducibility and Applicability to Different Stimuli. <i>Journal of Asthma</i> , 2003, 40, 323-329.   | 0.9 | 21        |
| 6871 | Steroid-Naive Adolescents with Mild Intermittent Allergic Asthma Have Airway Hyperresponsiveness and Elevated Exhaled Nitric Oxide Levels. <i>Journal of Asthma</i> , 2003, 40, 301-310.   | 0.9 | 27        |
| 6872 | Mechanisms and consequences of large artery rigidity. <i>Canadian Journal of Physiology and Pharmacology</i> , 2003, 81, 205-211.  | 0.7 | 42        |
| 6873 | Critical Velocity and Anaerobic Distance Capacity in Prepubertal Children. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2003, 28, 561-575.   | 1.7 | 19        |
| 6874 | Value of rilmenidine therapy and its combination with perindopril on blood pressure and left ventricular hypertrophy in patients with essential hypertension (VERITAS). <i>Current Medical Research and Opinion</i> , 2003, 19, 205-217. | 0.9 | 8         |
| 6875 | Systolic long axis function of the left ventricle. Global and regional information. <i>Scandinavian Cardiovascular Journal</i> , 2003, 37, 253-258.  | 0.4 | 38        |
| 6876 | Continuous Systolic Blood Pressure Monitoring By the Difference in Electrocardiogram and Pulse Oximetry in Near-Term, Exteriorized Goat Fetuses. <i>Journal of the Society for Gynecologic Investigation</i> , 2003, 10, 200-204.        | 1.9 | 2         |
| 6877 | Resting energy expenditure and body composition in children with myelomeningocele. <i>Developmental Neurorehabilitation</i> , 2003, 6, 31-37.  | 1.1 | 23        |
| 6878 | Near-infrared transmittance pulse oximetry with laser diodes. <i>Journal of Biomedical Optics</i> , 2003, 8, 525.  | 1.4 | 30        |
| 6879 | Assessment of thoracoabdominal bands to detect respiratory effort-related arousal. <i>European Respiratory Journal</i> , 2003, 22, 661-667.  | 3.1 | 52        |
| 6880 | Spirometric reference values in a large Middle Eastern population. <i>European Respiratory Journal</i> , 2003, 22, 529-534.  | 3.1 | 50        |
| 6881 | A New Noninvasive Method for the Accurate and Precise Assessment of Varicose Vein Diameters. <i>Angiology</i> , 2003, 54, 541-549.   | 0.8 | 1         |
| 6882 | Two-Dimensional versus Three-Dimensional CT Scan for Aortic Measurement. <i>Journal of Endovascular Therapy</i> , 2003, 10, 531-538.   | 0.8 | 36        |
| 6883 | Slower rise of exhaled breath temperature in chronic obstructive pulmonary disease. <i>European Respiratory Journal</i> , 2003, 21, 439-443.   | 3.1 | 29        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6884 | Evaluation of the measurement of refractive error by the PowerRefractor: a remote, continuous and binocular measurement system of oculomotor function. <i>British Journal of Ophthalmology</i> , 2003, 87, 1504-1508. | 2.1 | 68        |
| 6885 | Interleukin-6 Promoter Polymorphism Modulates the Effects of Heavy Alcohol Consumption on Early Carotid Artery Atherosclerosis. <i>Stroke</i> , 2003, 34, 402-407.  | 1.0 | 78        |
| 6886 | Estimation of Total Glomerular Number in Stable Renal Transplants. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 2662-2668.  | 3.0 | 93        |
| 6887 | The validation of the Subjective Index of Physical and Social Outcome (SIPSO). <i>Clinical Rehabilitation</i> , 2003, 17, 283-289.  | 1.0 | 24        |
| 6888 | Test-Retest Reproducibility of Heart Rate Recovery After Treadmill Exercise. <i>Annals of Family Medicine</i> , 2003, 1, 236-241.   | 0.9 | 26        |
| 6889 | Six-Minute Walk Distance in Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2003, 167, 1522-1527.  | 2.5 | 331       |
| 6890 | Effect of alcohol on endothelial function in healthy subjects. <i>Vascular Medicine</i> , 2003, 8, 263-265.   | 0.8 | 38        |
| 6891 | Near-patient testing for coagulopathy after cardiac surgery. <i>British Journal of Anaesthesia</i> , 2003, 90, 499-501.   | 1.5 | 7         |
| 6892 | Heparin monitoring during cardiac surgery. Part 1: validation of whole-blood heparin concentration and activated clotting time. <i>Perfusion (United Kingdom)</i> , 2003, 18, 269-276.                                | 0.5 | 85        |
| 6893 | Measuring dietary fatty acid intake: validation of a food-frequency questionnaire against 7d weighed records. <i>British Journal of Nutrition</i> , 2003, 90, 215-220.  | 1.2 | 19        |
| 6894 | Comparison of digital infrared thermal imaging (DITI) with contact thermometry: pilot data from a sleep research laboratory. <i>Physiological Measurement</i> , 2003, 24, 717-725.                                    | 1.2 | 30        |
| 6895 | Psychometric properties of a Dutch short form of the Arthritis Impact Measurement Scales 2 (Dutch-AIMS2-SF). <i>British Journal of Rheumatology</i> , 2003, 42, 427-434.  | 2.5 | 26        |
| 6896 | Glycated Hemoglobin Standardization – National Glycohemoglobin Standardization Program (NGSP) Perspective. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003, 41, 1191-8.                                      | 1.4 | 140       |
| 6897 | Differences between Genotyping and Phenotyping Methods for Assessing Apolipoprotein(a) Size Polymorphisms. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003, 41, 1340-4.                                      | 1.4 | 0         |
| 6898 | Measurement of systemic carbon dioxide production during cardiopulmonary bypass: a comparison of Fick's principle with oxygenator exhaust output. <i>Perfusion (United Kingdom)</i> , 2003, 18, 339-344.              | 0.5 | 4         |
| 6899 | Validity of spirometric testing in a general practice population of patients with chronic obstructive pulmonary disease (COPD). <i>Thorax</i> , 2003, 58, 861-866.  | 2.7 | 160       |
| 6900 | Short and long term variability of the interrupter technique under field and standardised conditions in 3-6 year old children. <i>Thorax</i> , 2003, 58, 761-764.   | 2.7 | 29        |
| 6901 | Right Hemidiaphragmatic Mobility: Assessment with US Measurement of Craniocaudal Displacement of Left Branches of Portal Vein. <i>Radiology</i> , 2003, 228, 389-394.   | 3.6 | 42        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6902 | Comparability of Eight Immunoassay Procedures for the Determination of CA 15-3 and Related Markers. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003, 41, 1087-94.                                   | 1.4 | 4         |
| 6903 | The PEP respiratory monitor: a validation study. <i>Emergency Medicine Journal</i> , 2003, 20, 326-328.  | 0.4 | 10        |
| 6904 | Data Concordance from a Comparison between Filter Binding and Fluorescence Polarization Assay Formats for Identification of ROCK-II Inhibitors. <i>Journal of Biomolecular Screening</i> , 2003, 8, 399-409. | 2.6 | 20        |
| 6905 | Prostaglandin E2 in the expired breath condensate of patients with asthma. <i>European Respiratory Journal</i> , 2003, 22, 743-747.  | 3.1 | 44        |
| 6906 | Continuous intravascular blood gas monitoring: development, current techniques, and clinical use of a commercial device. <i>British Journal of Anaesthesia</i> , 2003, 91, 397-407.                          | 1.5 | 66        |
| 6907 | Assessment of Protein Nitrogen Appearance in Chinese Peritoneal Dialysis Patients—Which Method to Use?. <i>Renal Failure</i> , 2003, 25, 235-246.  | 0.8 | 6         |
| 6908 | Reliability of the Foot Posture Index and Traditional Measures of Foot Position. <i>Journal of the American Podiatric Medical Association</i> , 2003, 93, 203-213.   | 0.2 | 148       |
| 6909 | Individual Blood Pressure Responses to Changes in Salt Intake. <i>Hypertension</i> , 2003, 42, 459-467.  | 1.3 | 180       |
| 6910 | Helium-3 MRI diffusion coefficient: correlation to morphometry in a model of mild emphysema. <i>European Respiratory Journal</i> , 2003, 22, 14-19.  | 3.1 | 128       |
| 6911 | MR Imaging of Reperfused Myocardial Infarction: Comparison of Necrosis-Specific and Intravascular Contrast Agents in a Cat Model. <i>Radiology</i> , 2003, 226, 739-747.                                     | 3.6 | 23        |
| 6912 | How Sensitive to Clinical Change are ETDRS logMAR Visual Acuity Measurements?. , 2003, 44, 3278.   |     | 175       |
| 6913 | Simple Capillary Electrophoretic Determination of Soluble Oxalate and Nitrate in Forage Grasses. <i>Journal of Veterinary Diagnostic Investigation</i> , 2003, 15, 480-483.                                  | 0.5 | 12        |
| 6914 | Assessing mood in patients with multiple sclerosis. <i>Clinical Rehabilitation</i> , 2003, 17, 847-857.  | 1.0 | 17        |
| 6915 | Antioxidant Activities and Oxidative Stress Byproducts in Human Hypertension. <i>Hypertension</i> , 2003, 41, 1096-1101.   | 1.3 | 356       |
| 6916 | Beating Atrial Septal Defect Closure Monitored by Epicardial Real-Time Three-Dimensional Echocardiography Without Cardiopulmonary Bypass. <i>Circulation</i> , 2003, 107, 785-790.                           | 1.6 | 46        |
| 6917 | Sputum induction leads to a decrease of exhaled nitric oxide unrelated to airflow. <i>European Respiratory Journal</i> , 2003, 22, 354-357.  | 3.1 | 14        |
| 6918 | On-line detection of cholesterol and calcification by catheter based Raman spectroscopy in human atherosclerotic plaque ex vivo. <i>British Heart Journal</i> , 2003, 89, 1078-1082.                         | 2.2 | 40        |
| 6919 | Is Podocyte Injury Relevant in Diabetic Nephropathy?: Studies in Patients With Type 2 Diabetes. <i>Diabetes</i> , 2003, 52, 1031-1035.   | 0.3 | 273       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6920 | Imaging: do erosions heal?. Annals of the Rheumatic Diseases, 2003, 62, 10ii-12.   | 0.5 | 13        |
| 6921 | Accuracy of feedback-controlled oxygen delivery into a closed anaesthesia circuit for measurement of oxygen consumption $\dot{V}_{O_2}$ . British Journal of Anaesthesia, 2003, 90, 281-290.           | 1.5 | 7         |
| 6922 | Reliability of heart rate variability measures at rest and during light exercise in children. British Journal of Sports Medicine, 2003, 37, 550-552.   | 3.1 | 37        |
| 6923 | A critique of a UK standardized test of finger rewarming after cold provocation in the diagnosis and staging of hand-arm vibration syndrome. Occupational Medicine, 2003, 53, 325-330.                 | 0.8 | 26        |
| 6924 | Is There a Side Predilection for Cerebrovascular Disease?. Hypertension, 2003, 42, 56-60.  | 1.3 | 109       |
| 6925 | Spontaneous Indices Are Inconsistent With Arterial Baroreflex Gain. Hypertension, 2003, 42, 481-487.   | 1.3 | 142       |
| 6926 | Myocardial Ultrasonic Backscatter in Hypertension. Hypertension, 2003, 41, 230-236.  | 1.3 | 78        |
| 6927 | Noninvasive Evaluation of the Effectiveness of Endovascular AAA Exclusion. Journal of Endovascular Therapy, 2003, 10, 458-462.   | 0.8 | 5         |
| 6928 | Good inter-rater reliability of the Frenchay Activities Index in stroke patients. Clinical Rehabilitation, 2003, 17, 548-552.  | 1.0 | 50        |
| 6929 | The Tourette's Disorder Scale (TODS). Assessment, 2003, 10, 273-287.   | 1.9 | 71        |
| 6930 | Evolution of Analytical Performance in Portable Glucose Meters in the Last Decade. Diabetes Care, 2003, 26, 1170-1175.   | 4.3 | 55        |
| 6931 | Stability of Glutathione in Induced Sputum: Impact of Freezing. Respiration, 2003, 70, 523-527.  | 1.2 | 11        |
| 6932 | Reproducibility and Reversibility of Tidal Forced Expirations. Respiration, 2003, 70, 556-556.   | 1.2 | 3         |
| 6933 | Rapid Left-to-Right Shunt Quantification in Children by Phase-Contrast Magnetic Resonance Imaging Combined With Sensitivity Encoding (SENSE). Circulation, 2003, 108, 1355-1361.                       | 1.6 | 94        |
| 6934 | Measures of Obesity Are Associated With Vascular Stiffness in Young and Older Adults. Hypertension, 2003, 42, 468-473.   | 1.3 | 366       |
| 6935 | Ultrasound of the Horizontal Rectus Muscle Insertion Sites: Implications in Preoperative Assessment of Strabismus. , 2003, 44, 618.  |     | 30        |
| 6936 | The Effect of Posterior Capsule Opacification on Visual Function. , 2003, 44, 4665.  |     | 86        |
| 6937 | UK community prevalence of knee chondrocalcinosis: evidence that correlation with osteoarthritis is through a shared association with osteophyte. Annals of the Rheumatic Diseases, 2003, 62, 513-518. | 0.5 | 185       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6938 | Portable spectral Doppler echocardiographic device: overcoming limitations. <i>British Heart Journal</i> , 2003, 89, 1014-1018.   | 2.2 | 26        |
| 6939 | Amygdala volumetry in "imaging-negative" temporal lobe epilepsy. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003, 74, 1245-1249.  | 0.9 | 67        |
| 6940 | New Post-Imaging Software Provides Fast and Accurate Volume Data from CTA Surveillance after Endovascular Aneurysm Repair. <i>Journal of Endovascular Therapy</i> , 2003, 10, 887-893.                                  | 0.8 | 18        |
| 6941 | A method to preserve sputum for delayed examination. <i>European Respiratory Journal</i> , 2003, 22, 996-1000.  | 3.1 | 15        |
| 6942 | Beneficial effects of oats in the gluten-free diet of adults with special reference to nutrient status, symptoms and subjective experiences. <i>British Journal of Nutrition</i> , 2003, 90, 101-107.                   | 1.2 | 82        |
| 6943 | Extrapolation to zero-flow pressure in cerebral arteries to estimate intracranial pressure. <i>British Journal of Anaesthesia</i> , 2003, 90, 291-295.  | 1.5 | 24        |
| 6944 | A grey zone for quantitative diagnostic and screening tests. <i>International Journal of Epidemiology</i> , 2003, 32, 304-313.  | 0.9 | 107       |
| 6945 | Novel Insulin Sensitivity Index Derived from Oral Glucose Tolerance Test. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 1019-1023.  | 1.8 | 111       |
| 6946 | Serial Determinations of Absolute Plasma Volume with Indocyanine Green during Hemodialysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 2345-2351.   | 3.0 | 34        |
| 6947 | Noninvasive Assessment of Left Ventricular Force-Frequency Relationships Using Tissue Doppler-Derived Isovolumic Acceleration. <i>Circulation</i> , 2003, 107, 1647-1652.   | 1.6 | 199       |
| 6948 | A Novel Nonobstructive Intravascular MRI Coil. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003, 23, 346-350.   | 1.1 | 50        |
| 6949 | Variability across the optic nerve head in scanning laser tomography. <i>British Journal of Ophthalmology</i> , 2003, 87, 557-559.  | 2.1 | 46        |
| 6950 | Comparison of blood pressure measurements on the bare arm, below a rolled-up sleeve, or over a sleeve. <i>Family Practice</i> , 2003, 20, 730-732.  | 0.8 | 20        |
| 6951 | Assessment of left ventricular mass regression after aortic valve replacement - cardiovascular magnetic resonance versus M-mode echocardiography. <i>European Journal of Cardio-thoracic Surgery</i> , 2003, 24, 59-65. | 0.6 | 32        |
| 6952 | Health status measurement: sensitivity of the self-reported Chronic Respiratory Questionnaire (CRQ-SR) in pulmonary rehabilitation. <i>Thorax</i> , 2003, 58, 515-518.  | 2.7 | 53        |
| 6953 | Reference Levels of Insulin-Like Growth Factor I in the Serum of Healthy Adults: Comparison of Four Immunoassays. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003, 41, 1329-34.                                | 1.4 | 31        |
| 6954 | Updated gestational age specific birth weight, crown-heel length, and head circumference of Chinese newborns. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2003, 88, 229F-236.                 | 1.4 | 85        |
| 6955 | The trophic effect of dietary fibre is not associated with a change in total crypt number in the distal colon of rats. <i>Carcinogenesis</i> , 2003, 24, 343-348.   | 1.3 | 8         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6956 | Cysteinyl leukotrienes and 8-isoprostane in exhaled breath condensate of children with asthma exacerbations. <i>Thorax</i> , 2003, 58, 505-509.   | 2.7 | 194       |
| 6957 | Free Serum Cortisol during the Postoperative Acute Phase Response Determined by Equilibrium Dialysis Liquid Chromatography-Tandem Mass Spectrometry. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003, 41, 146-51.  | 1.4 | 32        |
| 6958 | Limitations of sniff nasal pressure in patients with severe neuromuscular weakness. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003, 74, 1685-1687.   | 0.9 | 72        |
| 6959 | Predictability of <i>Vibrio cholerae</i> in Chesapeake Bay. <i>Applied and Environmental Microbiology</i> , 2003, 69, 2773-2785.  | 1.4 | 171       |
| 6960 | Validation of vital signs recorded via a new telecare system. <i>Journal of Telemedicine and Telecare</i> , 2003, 9, 328-333.   | 1.4 | 5         |
| 6961 | "Objective" Measures of Atopic Dermatitis Severity. <i>Archives of Dermatology</i> , 2003, 139, 1490-2.   | 1.7 | 16        |
| 6962 | Clinical and Laboratory Evaluation of Specific Chemiluminescence Assays for Intact and Total Proinsulin. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003, 41, 1234-8.  | 1.4 | 22        |
| 6963 | Performance of impedance and inductance ventilation sensors on premature infants during natural breathing, motion, and airway obstruction. , 0, , .   |     | 1         |
| 6964 | The diagnostic reliability of Internet-based observational kinematic gait analysis. <i>Journal of Telemedicine and Telecare</i> , 2003, 9, 48-51.   | 1.4 | 31        |
| 6965 | Powerful morphometric indicator of prognosis in lupus nephritis. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2003, 96, 411-420.   | 0.2 | 36        |
| 6966 | Face mask spirometry and respiratory pressures in normal subjects. <i>European Respiratory Journal</i> , 2003, 22, 1001-1006.   | 3.1 | 60        |
| 6967 | Validity of a 2-km Walk Test in predicting the maximal oxygen uptake in moderately active Hungarian men. <i>European Journal of Sport Science</i> , 2003, 3, 1-8.   | 1.4 | 4         |
| 6968 | Comparative Evaluation of the Total Hepatitis C Virus Core Antigen, Branched-DNA, and Amplicor Monitor Assays in Determining Viremia for Patients with Chronic Hepatitis C during Interferon Plus Ribavirin Combination Therapy. <i>Journal of Clinical Microbiology</i> , 2003, 41, 3212-3220. | 1.8 | 79        |
| 6969 | Independent verification of ultrasound based image-guided radiation treatment, using electronic portal imaging and implanted gold markers. <i>Medical Physics</i> , 2003, 30, 2878-2887.  | 1.6 | 90        |
| 6970 | Calculated glomerular filtration rate is a useful screening tool to identify scleroderma patients with renal impairment. <i>British Journal of Rheumatology</i> , 2003, 42, 26-33.  | 2.5 | 50        |
| 6971 | The Design and Analysis of Microarray Experiments: Applications in Parasitology. <i>DNA and Cell Biology</i> , 2003, 22, 357-394.   | 0.9 | 16        |
| 6972 | Cost Savings Analysis of Using a Portable Coagulometer for Monitoring Homebound Elderly Patients Taking Warfarin. <i>The American Journal of Geriatric Cardiology</i> , 2003, 12, 283-287.  | 0.7 | 19        |
| 6973 | A registration-based approach to quantify flow-mediated dilation (FMD) of the brachial artery in ultrasound image sequences. <i>IEEE Transactions on Medical Imaging</i> , 2003, 22, 1458-1469.   | 5.4 | 21        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 6974 | Metformin or Antiandrogen in the Treatment of Hirsutism in Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 4116-4123.   | 1.8 | 186       |
| 6975 | Assessment of the reliability of a technique to measure postural sway in horses. <i>American Journal of Veterinary Research</i> , 2003, 64, 1354-1359.   | 0.3 | 28        |
| 6976 | A role for BRCA1 in sporadic breast cancer. <i>British Journal of Cancer</i> , 2003, 88, 1263-1270.  | 2.9 | 33        |
| 6977 | Prospective evaluation of a 3.1-mm battery-powered esophagoscope in screening for esophageal varices in cirrhotic patients. <i>American Journal of Gastroenterology</i> , 2003, 98, 807-812.   | 0.2 | 23        |
| 6978 | MEASUREMENTS OF RESPIRATORY CAPACITY IN PATIENTS WITH NEUROMUSCULAR DISEASES. <i>Experimental Lung Research</i> , 2003, 29, 537-548.   | 0.5 | 4         |
| 6979 | Hypoglycemia Prevalence in Prepubertal Children With Type 1 Diabetes on Standard Insulin Regimen: Use of Continuous Glucose Monitoring System. <i>Diabetes Care</i> , 2003, 26, 662-667.   | 4.3 | 96        |
| 6980 | Practical Value of Cardiac Magnetic Resonance Imaging for Clinical Quantification of Aortic Valve Stenosis. <i>Circulation</i> , 2003, 108, 2236-2243.   | 1.6 | 271       |
| 6981 | Intravenous salbutamol bolus compared with an aminophylline infusion in children with severe asthma: a randomised controlled trial. <i>Thorax</i> , 2003, 58, 306-310.   | 2.7 | 101       |
| 6982 | Measurement error of visual field tests in glaucoma. <i>British Journal of Ophthalmology</i> , 2003, 87, 107-112.  | 2.1 | 25        |
| 6983 | Intravascular ultrasound of the elastic pulmonary arteries: a new approach for the evaluation of primary pulmonary hypertension. <i>British Heart Journal</i> , 2003, 89, 311-315.   | 2.2 | 58        |
| 6984 | Continuous and intermittent cardiac output measurement: pulmonary artery catheter versus aortic transpulmonary technique. <i>British Journal of Anaesthesia</i> , 2003, 90, 254-257.   | 1.5 | 2         |
| 6985 | Digital analysis of choroidal neovascularisation in consecutive fluorescein angiograms for use in longitudinal clinical trials. <i>British Journal of Ophthalmology</i> , 2003, 87, 890-892.   | 2.1 | 6         |
| 6986 | Cerebral oxygenation measured by near-infrared spectroscopy during circulatory arrest and cardiopulmonary resuscitation. <i>British Journal of Anaesthesia</i> , 2003, 91, 438-442.  | 1.5 | 44        |
| 6987 | Influence of seasonal temperature on the repeat swimming performance of rainbow trout <i>Oncorhynchus mykiss</i> . <i>Journal of Experimental Biology</i> , 2003, 206, 3569-3579.  | 0.8 | 144       |
| 6988 | Sampling Requirements for Ambulatory Blood Pressure Monitoring in the Diagnosis of Hypertension in Pregnancy. <i>Hypertension</i> , 2003, 42, 619-624.   | 1.3 | 49        |
| 6990 | Clinical Performance of CGMS in Type 1 Diabetic Patients Treated by Continuous Subcutaneous Insulin Infusion Using Insulin Analogs. <i>Diabetes Care</i> , 2003, 26, 582-589.  | 4.3 | 123       |
| 6991 | Heparin monitoring during cardiac surgery. Part 2: calculating the overestimation of heparin by the activated clotting time. <i>Perfusion (United Kingdom)</i> , 2003, 18, 277-281.  | 0.5 | 36        |
| 6992 | Comparison of skinfold thicknesses and bioelectrical impedance analysis with dual-energy X-ray absorptiometry for the assessment of body fat in patients on long-term haemodialysis therapy. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 101-105. | 0.4 | 100       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 6993 | Testâ€“retest Reliability of Lower Extremity Functional and Self-reported Measures in Elderly with Osteoarthritis. <i>Advances in Physiotherapy</i> , 2003, 5, 155-160.   | 0.2 | 14        |
| 6994 | The Norwegian office-, home-, and ambulatory blood pressure study (NOHA). <i>Blood Pressure</i> , 2003, 12, 211-219.  | 0.7 | 21        |
| 6995 | Non-invasive determination of effective pulmonary blood flow: Evaluation of a simplified rebreathing method. <i>Journal of Medical Engineering and Technology</i> , 2003, 27, 194-199.  | 0.8 | 6         |
| 6996 | Simulation Study of Conditional, Bootstrap, and Confidence Intervals in Linear Regression. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2003, 32, 697-715.  | 0.6 | 0         |
| 6997 | Evaluating estimation techniques in medical imaging without a gold standard: experimental validation. , 2003, 5034, 230.  |     | 7         |
| 6998 | The maximally attainable $\dot{V}_{O_2}$ during exercise in humans: the peak vs. maximum issue. <i>Journal of Applied Physiology</i> , 2003, 95, 1901-1907.   | 1.2 | 390       |
| 6999 | Whole body muscle hypertrophy from resistance training: distribution and total mass. <i>British Journal of Sports Medicine</i> , 2003, 37, 543-545.   | 3.1 | 53        |
| 7000 | Characterization of Dysfunctional Myocardium by Positron Emission Tomography and Magnetic Resonance. <i>Circulation</i> , 2003, 108, 1095-1100.   | 1.6 | 165       |
| 7001 | Reproducibility of the Continuous Glucose Monitoring System Matches Previous Reports and the Intended Use of the Product. <i>Diabetes Care</i> , 2003, 26, 256-256.   | 4.3 | 16        |
| 7002 | Transcutaneous bilirubin measurement in newborn infants: evaluation of a new spectrophotometric method. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2003, 88, 350F-b-351.                                     | 1.4 | 12        |
| 7003 | Evaluation of two new high-sensitivity methods for C-reactive protein. <i>Annals of Clinical Biochemistry</i> , 2003, 40, 398-405.  | 0.8 | 18        |
| 7004 | Counting respiratory rate in infants under 2 months: comparison between observation and auscultation. <i>Annals of Tropical Paediatrics</i> , 2003, 23, 135-138.  | 1.0 | 8         |
| 7005 | Lung density distribution in dynamic CT correlates with oxygenation in ventilated pigs with lavage ARDS â€“This study contains parts of the doctoral thesis of Elena Ribel.. <i>British Journal of Anaesthesia</i> , 2003, 91, 699-708. | 1.5 | 42        |
| 7006 | Mercury in UK imported fish and shellfish and UK-farmed fish and their products. <i>Food Additives and Contaminants</i> , 2003, 20, 813-818.  | 2.0 | 31        |
| 7007 | A novel method for measuring serum ornithine carbamoyltransferase. <i>Annals of Clinical Biochemistry</i> , 2003, 40, 264-268.  | 0.8 | 8         |
| 7008 | Aspirin alters arterial function in patients with chronic heart failure treated with ACE inhibitors: a dose-mediated deleterious effect. <i>European Journal of Heart Failure</i> , 2003, 5, 271-279.                                   | 2.9 | 24        |
| 7009 | Poor specificity and recovery of urinary free cortisol as determined by the Bayer ADVIA Centaur extraction method. <i>Annals of Clinical Biochemistry</i> , 2003, 40, 563-565.  | 0.8 | 13        |
| 7010 | Clinical and technical evaluation of the ACS:OV serum assay and comparison with three other CA125-detecting assays. <i>Annals of Clinical Biochemistry</i> , 2003, 40, 663-673.   | 0.8 | 7         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7011 | Use of the Bayer DCA 2000+ for the measurement of glycated haemoglobin in a remote Australian Aboriginal community. <i>Annals of Clinical Biochemistry</i> , 2003, 40, 566-568.   | 0.8 | 8         |
| 7012 | Measurement error in short-term power testing in young people. <i>Journal of Sports Sciences</i> , 2003, 21, 135-142.   | 1.0 | 36        |
| 7013 | Radiographic progression in early rheumatoid arthritis: a 12-month randomized controlled study comparing the combination of cyclosporin and methotrexate with methotrexate alone. <i>British Journal of Rheumatology</i> , 2003, 42, 1545-1549. | 2.5 | 55        |
| 7014 | To clip or not to clip? Noseclips for spirometry. <i>European Respiratory Journal</i> , 2003, 21, 876-878.  | 3.1 | 44        |
| 7015 | Reliability Research: Towards a More Clinically Relevant Approach. <i>Physical Therapy Reviews</i> , 2003, 8, 169-176.  | 0.3 | 21        |
| 7016 | Paper Standard Gamble: The Reliability of a Paper Questionnaire to Assess Utility. <i>Medical Decision Making</i> , 2003, 23, 480-488.  | 1.2 | 48        |
| 7017 | Measurement of total homocysteine in plasma and blood spots using liquid chromatography-tandem mass spectrometry: comparison with the plasma Abbott IMx method. <i>Annals of Clinical Biochemistry</i> , 2003, 40, 161-165.                     | 0.8 | 38        |
| 7018 | International Sensitivity Index Calibration of the Near-Patient Testing Prothrombin Time Monitor, ProTime. <i>American Journal of Clinical Pathology</i> , 2003, 119, 241-245.  | 0.4 | 9         |
| 7019 | Reproducibility of the measurement of the muscle ergoreflex activity in chronic heart failure. <i>European Journal of Heart Failure</i> , 2003, 5, 453-461.   | 2.9 | 12        |
| 7020 | Interference caused by the contents of serum separator tubes in the Vitros CRP assay. <i>Annals of Clinical Biochemistry</i> , 2003, 40, 249-251.   | 0.8 | 20        |
| 7021 | Measuring Self-Reported Functional Status and Pain in Patients with Chronic Low Back Pain by Postal Questionnaires. <i>Spine</i> , 2003, 28, 828-833.   | 1.0 | 32        |
| 7022 | Dynamic Three-dimensional MR Renography for the Measurement of Single Kidney Function: Initial Experience. <i>Radiology</i> , 2003, 227, 289-294.   | 3.6 | 121       |
| 7023 | Transvaginal power Doppler ultrasound in pelvic congestion: A prospective comparison with transuterine venography. <i>Acta Radiologica</i> , 2003, 44, 269-274.   | 0.5 | 11        |
| 7024 | Determination of aortic compliance from magnetic resonance images using an automatic active contour model. <i>Physics in Medicine and Biology</i> , 2003, 48, 2391-2404.  | 1.6 | 23        |
| 7025 | Reporting Statistical Information in Medical Journal Articles. <i>JAMA Pediatrics</i> , 2003, 157, 321.   | 3.6 | 48        |
| 7026 | Use of myocardial tissue Doppler imaging for intraoperative monitoring of left ventricular function. <i>British Journal of Anaesthesia</i> , 2003, 91, 473-480.   | 1.5 | 30        |
| 7027 | Assessment of the perceptual threshold of touch (PTT) with high-frequency transcutaneous electric nerve stimulation (Hf/TENS) in elderly patients with stroke: a reliability study. <i>Clinical Rehabilitation</i> , 2003, 17, 825-834.         | 1.0 | 33        |
| 7028 | Three-dimensional analysis of MRI. <i>Handbook of Clinical Neurophysiology</i> , 2003, 3, 513-529.  | 0.0 | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7029 | Automated Fluorescence Polarization Immunoassay for Measurement of Increased Total Homocysteine Plasma Concentrations in Hemodialysis Patients. <i>Laboratory Medicine</i> , 2003, 34, 538-542.   | 0.8 | 0         |
| 7030 | Repeatability and Validity of the PowerRefractor and the Nidek AR600-A in an Adult Population with Healthy Eyes. <i>Optometry and Vision Science</i> , 2003, 80, 245-251.   | 0.6 | 87        |
| 7031 | Blood Flow Pulsatility Effects upon Oxygen Transfer in Artificial Lungs. <i>ASAIO Journal</i> , 2003, 49, 678-686.  | 0.9 | 12        |
| 7032 | Atrial structural remodelling and restoration of atrial contraction after linear ablation for atrial fibrillation. <i>European Heart Journal</i> , 2003, 24, 1942-1951.   | 1.0 | 76        |
| 7033 | A Methodology to Assess the Accuracy of a Portable Metabolic System (VmaxSTTM). <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 879-885.   | 0.2 | 32        |
| 7034 | Patterns of adherence to antiretroviral medications. <i>Aids</i> , 2003, 17, 1763-1767.   | 1.0 | 47        |
| 7035 | Reliability and Intensity of the Six-Minute Walk Test in Healthy Elderly Subjects. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 169-174.  | 0.2 | 260       |
| 7036 | Measurement of Refractive Errors in Young Myopes Using the COAS Shack-Hartmann Aberrometer. <i>Optometry and Vision Science</i> , 2003, 80, 6-14.   | 0.6 | 88        |
| 7037 | Reliability and Validity of Refractive Errorâ€‘Specific Quality-of-Life Instruments. <i>JAMA Ophthalmology</i> , 2003, 121, 1289.   | 2.6 | 58        |
| 7038 | A comparison between cystatin C, plasma creatinine and the Cockcroft and Gault formula for the estimation of glomerular filtration rate. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 2024-2031.                                | 0.4 | 476       |
| 7039 | M-Mode Echocardiography Overestimates Left Ventricular Mass in Patients with Normal Left Ventricular Shape: A Comparative Study Using Three-Dimensional Echocardiography. <i>European Journal of Echocardiography</i> , 2003, 4, 312-319. | 2.3 | 35        |
| 7040 | Field-testing and validation in a primary care setting of a point-of-care test for C-reactive protein. <i>Annals of Clinical Biochemistry</i> , 2003, 40, 178-180.  | 0.8 | 36        |
| 7041 | Prognostic Value of QT Interval Parameters for Mortality Risk Stratification in Chagasâ€™ Disease. <i>Circulation</i> , 2003, 108, 305-312.   | 1.6 | 125       |
| 7042 | Internal Carotid Artery Angle of Origin. <i>Stroke</i> , 2003, 34, 950-955.   | 1.0 | 86        |
| 7043 | Clinical Evaluation of the Shin-Nippon NVision-K 5001/Grand Seiko WR-5100K Autorefractor. <i>Optometry and Vision Science</i> , 2003, 80, 320-324.  | 0.6 | 157       |
| 7044 | The Effect of Illumination-Microscope Angle on Slit Lamp Estimate of the Anterior Chamber Depth. <i>Optometry and Vision Science</i> , 2003, 80, 237-244.   | 0.6 | 2         |
| 7045 | Estimating Respiratory System Compliance During Mechanical Ventilation Using Artificial Neural Networks. <i>Anesthesia and Analgesia</i> , 2003, 97, 1143-1148.   | 1.1 | 8         |
| 7046 | Noninvasive Monitoring of Cardiac Output during Exercise by Inductance Cardiography. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 747-752.  | 0.2 | 12        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7047 | Three-Dimensional Segmentation of Brain Aneurysms in CTA Using Non-parametric Region-Based Information and Implicit Deformable Models: Method and Evaluation. Lecture Notes in Computer Science, 2003, , 594-602.           | 1.0 | 12        |
| 7048 | Longitudinal strain quantitates regional right ventricular contractile function. American Journal of Physiology - Heart and Circulatory Physiology, 2003, 285, H2842-H2847.   | 1.5 | 176       |
| 7049 | Effect of Monitor Placement and of Activity Setting on the MTI Accelerometer Output. Medicine and Science in Sports and Exercise, 2003, 35, 320-326.  | 0.2 | 153       |
| 7050 | Venous Obstruction in Healthy Limbs: A Model for Chronic Compartment Syndrome?. Medicine and Science in Sports and Exercise, 2003, 35, 1638-1644.   | 0.2 | 20        |
| 7051 | M-line processing for real-time investigation of large artery mechanics. , 0, , .   |     | 0         |
| 7052 | Quantitative harmonic 3D echocardiography with a fast rotating ultrasound transducer. , 0, , .  |     | 3         |
| 7053 | Low-rate repetitive TMS allays central pain. Neurological Research, 2003, 25, 151-152.  | 0.6 | 34        |
| 7054 | Respiratory Monitoring by Means of an Unattended Device in Children With Suspected Uncomplicated Obstructive Sleep Apnea*. Chest, 2003, 124, 602-607.   | 0.4 | 55        |
| 7055 | Comparison of Three Methods for Differential Cell Count in Induced Sputum. Chest, 2003, 124, 1060-1066.   | 0.4 | 42        |
| 7056 | Comparison of Home Oximetry Monitoring With Laboratory Polysomnography in Children *. Chest, 2003, 124, 1702-1708.  | 0.4 | 127       |
| 7057 | Hidden Depletion of Fat-Free Mass and Bone Mineral Density in Adults With Cystic Fibrosis. Chest, 2003, 124, 2220-2228.   | 0.4 | 71        |
| 7058 | STATISTICS USED IN QUALITY CONTROL, QUALITY ASSURANCE, AND QUALITY IMPROVEMENT IN RADIOLOGICAL STUDIES. , 2003, , 101-156.  |     | 1         |
| 7059 | Regional Brain Atrophy Rate Predicts Future Cognitive Decline: 6-year Longitudinal MR Imaging Study of Normal Aging. Radiology, 2003, 229, 691-696.   | 3.6 | 253       |
| 7060 | Good short-term agreement between measured and calculated tracheal pressure. British Journal of Anaesthesia, 2003, 91, 239-248.   | 1.5 | 12        |
| 7061 | Development of a clinically feasible logMAR alternative to the Snellen chart: performance of the "compact reduced logMAR" visual acuity chart in amblyopic children. British Journal of Ophthalmology, 2003, 87, 1232-1234. | 2.1 | 64        |
| 7062 | Image analysis can be used to detect spatial changes in the histopathology of pancreatic tumours. Physics in Medicine and Biology, 2003, 48, N183-N191.   | 1.6 | 7         |
| 7063 | Variability of time-domain indices of dynamic cerebral autoregulation. Physiological Measurement, 2003, 24, 367-381.  | 1.2 | 82        |
| 7064 | Electrical impedance tomography to measure pulmonary perfusion: is the reproducibility high enough for clinical practice?. Physiological Measurement, 2003, 24, 491-499.  | 1.2 | 42        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7065 | Ability of Different Physical Activity Monitors to Detect Movement During Treadmill Walking. <i>International Journal of Sports Medicine</i> , 2003, 24, 43-50.  | 0.8 | 88        |
| 7066 | CT Signs of Hepatofugal Portal Venous Flow in Patients with Cirrhosis. <i>American Journal of Roentgenology</i> , 2003, 181, 1629-1633.  | 1.0 | 20        |
| 7067 | Coronary Calcification at Electron-Beam CT: Effect of Section Thickness on Calcium Scoring in Vitro and in Vivo. <i>Radiology</i> , 2003, 229, 520-525.  | 3.6 | 47        |
| 7068 | Evaluation of transcutaneous Doppler ultrasonography for the measurement of blood flow in the femoral artery of pigs. <i>American Journal of Veterinary Research</i> , 2003, 64, 43-50.  | 0.3 | 12        |
| 7069 | Comparison of the RT3 Research Tracker and Tritrac R3D Accelerometers. <i>Perceptual and Motor Skills</i> , 2003, 97, 510-518.   | 0.6 | 13        |
| 7070 | Promoter Polymorphism in the Endotoxin Receptor (CD14) Is Associated With Increased Carotid Atherosclerosis Only in Smokers. <i>Stroke</i> , 2003, 34, 600-604.  | 1.0 | 50        |
| 7071 | Adapting Active Shape Models for 3D Segmentation of Tubular Structures in Medical Images. <i>Lecture Notes in Computer Science</i> , 2003, 18, 136-147.  | 1.0 | 97        |
| 7072 | Agreement between physiotherapists on quality of movement rated via videotape. <i>Clinical Rehabilitation</i> , 2003, 17, 264-272.   | 1.0 | 41        |
| 7073 | Normal jugular bulb oxygen saturation. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003, 74, 784-786.   | 0.9 | 61        |
| 7074 | Morphological Quantification of Emphysema in Small Human Lung Specimens: Comparison of Methods and Relation with Clinical Data. <i>Modern Pathology</i> , 2003, 16, 1-7.   | 2.9 | 81        |
| 7075 | Comparison of Nasal and Oral Inhalation during Exhaled Breath Condensate Collection. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2003, 167, 850-855.   | 2.5 | 77        |
| 7076 | Aldehydes in Exhaled Breath Condensate of Patients with Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2003, 167, 1380-1386.   | 2.5 | 206       |
| 7077 | Measuring Single-Kidney Glomerular Filtration Rate on Single-Detector Helical CT Using a Two-Point Patlak Plot Technique in Patients with Increased Interstitial Space. <i>American Journal of Roentgenology</i> , 2003, 181, 147-156. | 1.0 | 56        |
| 7078 | Comparison of Blood Pressure Measurement Consistency Using Tonometric and Automated Oscillometric Instruments. <i>Journal of Nursing Measurement</i> , 2003, 11, 73-88.  | 0.2 | 1         |
| 7079 | Hepatic Arterial Phase MR Imaging with Automated Bolus-Detection Three-dimensional Fast Gradient-Recalled-Echo Sequence: Comparison with Test-Bolus Method. <i>Radiology</i> , 2003, 226, 558-566.                                     | 3.6 | 64        |
| 7080 | Bronchoalveolar Lavage Surfactant Protein A, B, and D Concentrations in Preterm Infants Ventilated for Respiratory Distress Syndrome Receiving Natural and Synthetic Surfactants. <i>Pediatric Research</i> , 2003, 53, 663-670.       | 1.1 | 40        |
| 7081 | Atrial Septal Defects in Pediatric Patients: Noninvasive Sizing with Cardiovascular MR Imaging. <i>Radiology</i> , 2003, 228, 361-369.   | 3.6 | 52        |
| 7082 | Quantitative Assessment of Left Ventricular Function with Interactive Real-Time Spiral and Radial MR Imaging. <i>Radiology</i> , 2003, 227, 870-876.   | 3.6 | 34        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7083 | Lymphatic Mapping in Patients with Breast Carcinoma: Reproducibility of Lymphoscintigraphic Results. <i>Radiology</i> , 2003, 228, 546-551.   | 3.6 | 58        |
| 7084 | Induced Sputum versus Bronchoalveolar Lavage during Acute Chest Syndrome in Sickle Cell Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2003, 168, 1373-1377.  | 2.5 | 32        |
| 7085 | Distinction of Renal Cell Carcinomas from High-Attenuation Renal Cysts at Portal Venous Phase Contrast-enhanced CT. <i>Radiology</i> , 2003, 228, 330-334.  | 3.6 | 49        |
| 7086 | Volume-Rendered Multidetector CT Angiography: Noninvasive Follow-Up of Patients Treated with Renal Artery Stents. <i>American Journal of Roentgenology</i> , 2003, 180, 233-239.  | 1.0 | 41        |
| 7087 | <b>Elective Endovascular Stent-Graft Repair of Atherosclerotic Thoracic Aortic Aneurysms:</b>Clinical Results and Midterm Follow-Up. <i>American Journal of Roentgenology</i> , 2003, 180, 709-715.   | 1.0 | 47        |
| 7088 | The whole leg radiograph Standing versus supine for determining axial alignment. <i>Acta Orthopaedica</i> , 2003, 74, 565-568.  | 1.4 | 78        |
| 7089 | Methods for the Assessment of Endobronchial Biopsies in Clinical Research. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2003, 168, S1-S17.   | 2.5 | 133       |
| 7090 | Absence of Deep Inspirationâ€œinduced Bronchoprotection against Inhaled Allergen. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2003, 167, 1660-1663.   | 2.5 | 11        |
| 7091 | Magnetic Resonance Imaging and T2 Relaxometry of Cerebral White Matter and Hippocampus in Children Born Preterm. <i>Pediatric Research</i> , 2003, 54, 868-874.   | 1.1 | 35        |
| 7092 | Coronary Artery: Quantitative Evaluation of Normal Diameter Determined with Electron-Beam CT Compared with Cine Coronary Angiographyâ€œInitial Experience. <i>Radiology</i> , 2003, 226, 263-271.   | 3.6 | 55        |
| 7093 | Detection and Characterization of Intracranial Aneurysms with MR Angiography: Comparison of Volume-Rendering and Maximum-Intensity-Projection Algorithms. <i>American Journal of Roentgenology</i> , 2003, 180, 55-64.  | 1.0 | 56        |
| 7094 | Can Findings from Postal Questionnaires be Combined with Interview Results to Improve the Response Rate among Ethnic Minority Populations?. <i>Ethnicity and Health</i> , 2003, 8, 63-69.   | 1.5 | 11        |
| 7095 | In vitro validation of an ultrasonic flowmeter in order to measure the functional residual capacity in newborns. <i>Physiological Measurement</i> , 2003, 24, 355-365.  | 1.2 | 17        |
| 7096 | Measuring nicotine intake in population surveys: Comparability of saliva cotinine and plasma cotinine estimates. <i>Nicotine and Tobacco Research</i> , 2003, 5, 349-355.   | 1.4 | 108       |
| 7097 | Randomized Short-term Trial of Two AutoCPAP Devices versus Fixed Continuous Positive Airway Pressure for the Treatment of Sleep Apnea. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2003, 168, 1506-1511.                                    | 2.5 | 76        |
| 7098 | Transfer function analysis for clinical evaluation of dynamic cerebral autoregulationâ€œA comparison between spontaneous and respiratory-induced oscillations. <i>Physiological Measurement</i> , 2003, 24, 27-43.  | 1.2 | 91        |
| 7099 | Validation of noninvasive assessment of coronary flow velocity reserve in the right coronary artery A comparison of transthoracic echocardiographic results with intracoronary Doppler flow wire measurements. <i>European Heart Journal</i> , 2003, 24, 1567-1575. | 1.0 | 57        |
| 7100 | Measured versus estimated oxygen consumption in ventilated patients with congenital heart disease: The validity of predictive equations. <i>Critical Care Medicine</i> , 2003, 31, 1235-1240.   | 0.4 | 67        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7101 | Cardiac output determined by echocardiography in patients with cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2003, 15, 503-507.  | 0.8 | 8         |
| 7102 | Physical Inactivity: Prevalence and Associated Variables in Brazilian Adults. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 1894-1900.  | 0.2 | 349       |
| 7103 | Dead Space Ventilation in Critically Ill Children With Lung Injury. <i>Chest</i> , 2003, 123, 2050-2056.   | 0.4 | 31        |
| 7104 | Coronary Artery Calcium Scoring. <i>Investigative Radiology</i> , 2003, 38, 761-768.   | 3.5 | 5         |
| 7105 | Reliability of Computed Tomography Measurements of Paraspinal Muscle Cross-Sectional Area and Density in Patients With Chronic Low Back Pain. <i>Spine</i> , 2003, 28, 1455-1460.  | 1.0 | 77        |
| 7106 | Noninvasive, near infrared spectroscopic-measured muscle pH and Po <sub>2</sub> indicate tissue perfusion for cardiac surgical patients undergoing cardiopulmonary bypass*. <i>Critical Care Medicine</i> , 2003, 31, 2324-2331. | 0.4 | 55        |
| 7107 | New Insights into Septal Anterior Wall Motion Velocities at End-Systole in Normal and Hypertrophied Left Ventricles. <i>European Heart Journal Cardiovascular Imaging</i> , 2003, 4, 108-111.                                    | 0.5 | 5         |
| 7108 | The Suitability of the Multistage Fitness Test to Assess Children's Aerobic Fitness. <i>European Journal of Physical Education</i> , 2003, 8, 19-28.   | 0.2 | 4         |
| 7109 | New developments in imaging in rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , 2003, 15, 288-295.   | 2.0 | 37        |
| 7110 | CogSport: Reliability and Correlation with Conventional Cognitive Tests Used in Postconcussion Medical Evaluations. <i>Clinical Journal of Sport Medicine</i> , 2003, 13, 28-32.   | 0.9 | 279       |
| 7111 | Clinical evaluation of the Trimline blood pressure cuffs with the Accutorr Plus™ Monitor. <i>Blood Pressure Monitoring</i> , 2003, 8, 137-140.   | 0.4 | 15        |
| 7112 | Measuring secondary deformities of the shoulder in children with obstetric brachial plexus lesion: reliability of three methods. <i>Journal of Pediatric Orthopaedics Part B</i> , 2003, 12, 211-214.                            | 0.3 | 0         |
| 7113 | Walking Speed in Children and Young Adults With Neuromuscular Disease: Comparison Between Two Assessment Methods. <i>Journal of Pediatric Orthopaedics</i> , 2003, 23, 302-307.  | 0.6 | 51        |
| 7114 | Measuring Agreement Between Diagnostic Devices. <i>Chest</i> , 2003, 124, 1535-1542.   | 0.4 | 81        |
| 7115 | Evaluation of Diagnostic Device for Obstructive Sleep Apnea. <i>Chest</i> , 2003, 124, 1623.   | 0.4 | 0         |
| 7116 | Comparison of automatic quantification software for the measurement of ventricular volume and ejection fraction in gated myocardial perfusion SPECT. <i>Nuclear Medicine Communications</i> , 2003, 24, 259-266.                 | 0.5 | 37        |
| 7117 | Interexaminer Difference and the Effect of Training on the Phenol Red Thread Test Results in Hong Kong-Chinese. <i>Optometry and Vision Science</i> , 2003, 80, 820-825.   | 0.6 | 5         |
| 7118 | Cardiac output determined by echocardiography in patients with cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2003, 15, 503-507.  | 0.8 | 11        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7119 | Comparative Study of Values of Calculated Bicarbonate and Measured Total Carbon Dioxide Content. Point of Care, 2003, 2, 135-143.  | 0.5 | 2         |
| 7120 | The influence of measured versus assumed uptake of oxygen in assessing pulmonary vascular resistance in patients with a bidirectional Glenn anastomosis. Cardiology in the Young, 2003, 13, 137-142.           | 0.4 | 20        |
| 7121 | Evaluation of two foot-to-foot bioelectrical impedance analysers to assess body composition in overweight and obese adolescents. British Journal of Nutrition, 2003, 90, 987-992.                              | 1.2 | 90        |
| 7122 | The Reliability and Validity of Hand-Held Refractometry Water Content Measures of Hydrogel Lenses. Optometry and Vision Science, 2003, 80, 447-453.  | 0.6 | 13        |
| 7123 | Statistical approaches for assessing the relative validity of a food-frequency questionnaire: use of correlation coefficients and the kappa statistic. Public Health Nutrition, 2003, 6, 313-321.              | 1.1 | 331       |
| 7124 | Evaluation of air-displacement plethysmography in children aged 5-7 years using a three-component model of body composition. British Journal of Nutrition, 2003, 90, 699-707.                                  | 1.2 | 52        |
| 7125 | Reproducibility and validity of a food-frequency questionnaire for use among low-income Brazilian workers. Public Health Nutrition, 2003, 6, 821-827.  | 1.1 | 45        |
| 7126 | A paracetamolâ€pasta test for assessing gastric emptying in healthy and diabetic subjects. Scandinavian Journal of Clinical and Laboratory Investigation, 2003, 63, 159-166.                                   | 0.6 | 8         |
| 7127 | Kinetic indices and dialysis outcomes. , 0, , .  |     | 1         |
| 7128 | Evaluation of the usefulness of a quantitative ultrasound device in screening of bone mineral density in children. Annals of Human Biology, 2003, 30, 304-315.   | 0.4 | 15        |
| 7129 | Comparison of anthropometric equations for estimation of total body water in peritoneal dialysis patients. Nephrology Dialysis Transplantation, 2003, 18, 384-389.   | 0.4 | 18        |
| 7130 | Constant-load Cycle Endurance Performance. Journal of Cardiopulmonary Rehabilitation and Prevention, 2003, 23, 143-150.  | 0.5 | 77        |
| 7131 | Comparison of plasma fibrinogen by Clauss, prothrombin time-derived, and immunonephelometric assays in a general population. Blood Coagulation and Fibrinolysis, 2003, 14, 197-201.                            | 0.5 | 24        |
| 7132 | Cycloplegic Autorefraction Results in Pre-School Children Using the Nikon Retinomax Plus and the Welch Allyn SureSight. Optometry and Vision Science, 2003, 80, 573-577.                                       | 0.6 | 47        |
| 7133 | A Rapid and Simultaneous Determination of Several Analgesic Antiinflammatory Agents by Capillary Zone Electrophoresis. Therapeutic Drug Monitoring, 2003, 25, 574-580.   | 1.0 | 25        |
| 7134 | Use of a Diet Interview Method to Define Stages of Change in Young Adults for Fruit, Vegetable, and Grain Intake. Topics in Clinical Nutrition, 2003, 18, 32-41.   | 0.2 | 8         |
| 7135 | Influence of Patient Variables and Sensor Location on Regional Cerebral Oxygen Saturation Measured by INVOS 4100 Near-Infrared Spectrophotometers. Journal of Neurosurgical Anesthesiology, 2003, 15, 302-306. | 0.6 | 125       |
| 7136 | A Combined Ear Sensor for Pulse Oximetry and Carbon Dioxide Tension Monitoring: Accuracy in Critically Ill Children. Anesthesia and Analgesia, 2003, 96, 82-84.  | 1.1 | 11        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7137 | Measurement of plasma viscosity in stored frozen samples. <i>Blood Coagulation and Fibrinolysis</i> , 2003, 14, 417-420.  | 0.5 | 7         |
| 7138 | Technique of Area Measurement of Epithelial Defects. <i>Cornea</i> , 2003, 22, 549-551.   | 0.9 | 52        |
| 7139 | Effect of caffeine on aortic elastic properties and wave reflection. <i>Journal of Hypertension</i> , 2003, 21, 563-570.  | 0.3 | 69        |
| 7140 | Use of arterial transfer functions for the derivation of aortic waveform characteristics. <i>Journal of Hypertension</i> , 2003, 21, 1299-1305.   | 0.3 | 127       |
| 7141 | Comparison of 99mTc-sestamibi-18F-fluorodeoxyglucose dual isotope simultaneous acquisition and rest-stress 99mTc-sestamibi single photon emission computed tomography for the assessment of myocardial viability. <i>Nuclear Medicine Communications</i> , 2003, 24, 251-257. | 0.5 | 9         |
| 7142 | Effects of method and MRI slice thickness on entorhinal cortex volumetry. <i>NeuroReport</i> , 2003, 14, 1291-1295.   | 0.6 | 7         |
| 7143 | Comparison between the Datex-Ohmeda M-NMTÂ® module and a force-displacement transducer for monitoring neuromuscular blockade. <i>European Journal of Anaesthesiology</i> , 2003, 20, 467-469.   | 0.7 | 38        |
| 7144 | Comparison of Spirometric-Gated and -Ungated HRCT in COPD. <i>Journal of Computer Assisted Tomography</i> , 2003, 27, 375-379.  | 0.5 | 34        |
| 7145 | Accuracy of &OV0312;O2max Prediction Equations in Older Adults. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 145-149.   | 0.2 | 39        |
| 7146 | Quantification of Mitral Valve Regurgitation by Left Ventricular Volume and Flow Measurements Using Electron Beam Computed Tomography: Comparison With Magnetic Resonance Imaging. <i>Journal of Computer Assisted Tomography</i> , 2003, 27, 385-391.                        | 0.5 | 11        |
| 7147 | Validity and Reliability of the Revised Convergence Insufficiency Symptom Survey in Children Aged 9 to 18 Years. <i>Optometry and Vision Science</i> , 2003, 80, 832-838.   | 0.6 | 238       |
| 7148 | The Maxi Stabil 3: validation of an aneroid device according to a modified British Hypertension Society protocol. <i>Blood Pressure Monitoring</i> , 2003, 8, 83-89.  | 0.4 | 14        |
| 7149 | Validation of the Hemochron Jr. Signature + Microcoagulation System and the Hemochron Configuration Manager. <i>Point of Care</i> , 2003, 2, 129-134.   | 0.5 | 2         |
| 7150 | Comparison of the Performance of Point-of-Care and Device Analyzers to Hospital Laboratory Instruments. <i>Point of Care</i> , 2003, 2, 172-178.  | 0.5 | 9         |
| 7151 | Echocardiographic Doppler Assessment of Pulmonary Capillary Wedge Pressure in Surgical Patients with Postoperative Circulatory Shock and Acute Lung Injury. <i>Anesthesiology</i> , 2003, 98, 1091-1100.  | 1.3 | 74        |
| 7152 | Agreement between Scheimpflug Photography and A-Scan Ultrasonography in Anterior Segment Ocular Measurements in Children. <i>Optometry and Vision Science</i> , 2003, 80, 529-534.  | 0.6 | 8         |
| 7153 | Multicenter Study on the Analytical Performance of a New Point-of-Care Blood Gas Analyzer. <i>Point of Care</i> , 2003, 2, 214-219.   | 0.5 | 2         |
| 7154 | Use of Acetylene Breathing to Determine Cardiac Output in Young and Older Adults. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 58-64.   | 0.2 | 32        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7155 | Noninvasive In Vivo Assessment of the Pancreatic Microcirculation: Orthogonal Polarization Spectral Imaging. <i>Pancreas</i> , 2003, 26, 139-143.  | 0.5 | 30        |
| 7156 | Assessment of blood coagulation in severe liver disease using thromboelastography. <i>Blood Coagulation and Fibrinolysis</i> , 2003, 14, 211-216.  | 0.5 | 23        |
| 7157 | Corneal Epithelial Thinning Profile Induced by Long-Term Wear of Hydrogel Lenses. <i>Cornea</i> , 2003, 22, 304-307.   | 0.9 | 72        |
| 7158 | Estimation of pulmonary artery occlusion pressure by an artificial neural network. <i>Critical Care Medicine</i> , 2003, 31, 261-266.  | 0.4 | 9         |
| 7159 | Validation and use of the Finometer <sup>TM</sup> for blood pressure measurement in normal, hypertensive and pre-eclamptic pregnancy. <i>Journal of Hypertension</i> , 2003, 21, 2053-2060.  | 0.3 | 30        |
| 7160 | Reflex Tear Ascorbate in Hong Kong Chinese Subjects: Method Comparison and Biological Variation. <i>Optometry and Vision Science</i> , 2003, 80, 632-636.  | 0.6 | 6         |
| 7161 | The Development and Evaluation of a Disease-specific Quality-of-Life Questionnaire for Disorders of the Rotator Cuff: The Western Ontario Rotator Cuff Index. <i>Clinical Journal of Sport Medicine</i> , 2003, 13, 84-92.   | 0.9 | 384       |
| 7162 | Loaned self-measurement equipment model compared with ambulatory blood pressure monitoring. <i>Blood Pressure Monitoring</i> , 2003, 8, 63-70.   | 0.4 | 12        |
| 7163 | Comparison of Noninvasive, Transcutaneous Bilirubin Measurement With Conventional Total Bilirubin Testing in Near-Term and Term Newborns. <i>Point of Care</i> , 2003, 2, 96-100.  | 0.5 | 1         |
| 7164 | Comparison of Glucometers Shows Lack of Harmonization Among Different Brands of Point-of-Care Glucose Monitoring Systems. <i>Point of Care</i> , 2003, 2, 208-213.   | 0.5 | 1         |
| 7165 | Comparison of body composition methods in overweight and obese children. <i>Journal of Applied Physiology</i> , 2003, 95, 2039-2046.   | 1.2 | 79        |
| 7166 | A Combined Ear Sensor for Pulse Oximetry and Carbon Dioxide Tension Monitoring: Accuracy in Critically Ill Children. <i>Anesthesia and Analgesia</i> , 2003, 96, 82-84.  | 1.1 | 17        |
| 7167 | Evaluation of a New Point-of-care Celite-activated Clotting Time Analyzer in Different Clinical Settings. <i>Anesthesiology</i> , 2003, 99, 54-59.   | 1.3 | 38        |
| 7168 | Development and Validation of a Grading System for the Quality of Cost-Effectiveness Studies. <i>Medical Care</i> , 2003, 41, 32-44.   | 1.1 | 253       |
| 7169 | Comparison of an Australian food-frequency questionnaire with diet records: implications for nutrition surveillance. <i>Public Health Nutrition</i> , 2003, 6, 415-422.  | 1.1 | 40        |
| 7170 | Comparison of commonly used procedures, including the doubly-labelled water technique, in the estimation of total energy expenditure of women with special reference to the significance of body fatness. <i>British Journal of Nutrition</i> , 2003, 90, 961-968. | 1.2 | 42        |
| 7171 | Reexamination of Validity and Reliability of the CSA Monitor in Walking and Running. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 1447-1454.   | 0.2 | 283       |
| 7172 | Pain Immediately Upon Sitting Down and Relieved by Standing Up Is Often Associated With Radiologic Lumbar Instability or Marked Anterior Loss of Disc Space. <i>Spine</i> , 2003, 28, 1327-1334.   | 1.0 | 38        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7173 | Correction of compliance and resistance altered by endotracheal tube leaks. <i>Pediatric Critical Care Medicine</i> , 2003, 4, 344-352.   | 0.2 | 13        |
| 7174 | Effects of method and MRI slice thickness on entorhinal cortex volumetry. <i>NeuroReport</i> , 2003, 14, 1291-1295.   | 0.6 | 8         |
| 7175 | Reducing the Radiation Dose During Excretory Urography: Flat-Panel Silicon X-Ray Detector Versus Computed Radiography. <i>American Journal of Roentgenology</i> , 2003, 181, 931-937.                             | 1.0 | 6         |
| 7176 | Quantitative analysis of three-dimensional tubular tree structures. , 2003, , .   |     | 4         |
| 7177 | The Validity of the Stanford Seven-Day Physical Activity Recall in Young Adults. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 1374-1380.  | 0.2 | 95        |
| 7178 | Minnesota Leisure Time Activity Questionnaire and Doubly Labeled Water in Adolescents. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 1923-1928.  | 0.2 | 39        |
| 7179 | No significant difference: use of statistical methods for testing equivalence in clinical veterinary literature. <i>Journal of the American Veterinary Medical Association</i> , 2003, 222, 433-437.              | 0.2 | 18        |
| 7180 | Stroke volumes and end-tidal carbon dioxide generated by precordial compression during ventricular fibrillation. <i>Critical Care Medicine</i> , 2003, 31, 1819-1823.   | 0.4 | 47        |
| 7181 | Application of continuous positive airway pressure to trace static pressure-volume curves of the respiratory system. <i>Critical Care Medicine</i> , 2003, 31, 2514-2519.   | 0.4 | 53        |
| 7182 | Correction factors for oxygen and flow-rate effects on neonatal Fleisch and Lilly pneumotachometers. <i>Pediatric Critical Care Medicine</i> , 2003, 4, 227-232.  | 0.2 | 10        |
| 7183 | Coronary Calcium Quantification Using Various Calibration Phantoms and Scoring Thresholds. <i>Investigative Radiology</i> , 2003, 38, 559-566.  | 3.5 | 31        |
| 7184 | Zebris Versus Myrin: A Comparative Study Between a Three-Dimensional Ultrasound Movement Analysis and an Inclinometer/Compass Method. <i>Spine</i> , 2003, 28, E433-E440.   | 1.0 | 100       |
| 7185 | Right atrial pressure as a measure of ventricular constraint arising from positive end-expiratory pressure during mechanical ventilation of the neonatal lamb. <i>Critical Care Medicine</i> , 2003, 31, 745-751. | 0.4 | 6         |
| 7186 | Factors influencing the accuracy of oscillometric blood pressure measurement in critically ill patients. <i>Critical Care Medicine</i> , 2003, 31, 793-799.   | 0.4 | 125       |
| 7187 | Assessing the quality of the data in a transplant registry: the European Liver Transplant Registry. <i>Transplantation</i> , 2003, 75, 2164-2167.   | 0.5 | 22        |
| 7188 | Core Temperature Monitoring with New Ventilatory Devices. <i>Anesthesia and Analgesia</i> , 2003, 96, 1688-1691.  | 1.1 | 7         |
| 7189 | A Comparative Evaluation of Transcutaneous and End-Tidal Measurements of CO <sub>2</sub> in Thoracic Anesthesia. <i>Anesthesia and Analgesia</i> , 2003, 97, 776-779.   | 1.1 | 31        |
| 7190 | Novel, Adjustable, Clinical Bymixer Measures Mixed Expired Gas Concentrations in Anesthesia Circle Circuit. <i>Anesthesia and Analgesia</i> , 2003, 97, 1414-1420.  | 1.1 | 7         |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7191 | Validation of the Telephone and In-Person Interview Versions of the 7-Day PAR. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 801-809.   | 0.2 | 141       |
| 7192 | Estimating Physical Activity Using the CSA Accelerometer and a Physical Activity Log. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 1605-1611.                                      | 0.2 | 74        |
| 7193 | Assessment of Physical Activity by Telephone Interview versus Objective Monitoring. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 2112-2118.  | 0.2 | 57        |
| 7194 | An Assessment of Two Different Methods of Left Ventricular Ejection Time Measurement by Transesophageal Echocardiography. <i>Anesthesia and Analgesia</i> , 2003, 97, 642-647.                       | 1.1 | 6         |
| 7195 | Pulse Contour Analysis for Cardiac Output Monitoring in Cardiac Surgery for Congenital Heart Disease. <i>Anesthesia and Analgesia</i> , 2003, 97, 1283-1288.   | 1.1 | 56        |
| 7196 | Title is missing!. <i>Journal of Pediatric Orthopaedics</i> , 2003, 23, 302-307.   | 0.6 | 56        |
| 7197 | Effect of the Foot on the Mechanical Alignment of the Lower Limbs. <i>Clinical Orthopaedics and Related Research</i> , 2003, 415, 193-201.   | 0.7 | 50        |
| 7198 | Manual and semi-automatic registration vs retrospective ECG gating for correction of cardiac motion. , 2003, , .   |     | 0         |
| 7199 | Paraspinal Electromyography That Compares Concentric with Monopolar Needles. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2003, 82, 917-924.                                    | 0.7 | 19        |
| 7200 | A Reassessment of Normal Cervical Range of Motion. <i>Spine</i> , 2003, 28, 1249-1257.   | 1.0 | 22        |
| 7201 | Can energy expenditure be predicted in critically ill children?*. <i>Pediatric Critical Care Medicine</i> , 2003, 4, 176-180.  | 0.2 | 77        |
| 7202 | The Postoperative Effects of Halothane Versus Isoflurane on Hepatic Artery and Portal Vein Blood Flow in Humans. <i>Anesthesia and Analgesia</i> , 2003, 96, 740-745.                                | 1.1 | 45        |
| 7203 | Oxygen Consumption Measurement: Agreement Between the Closed-Circuit PhysioFlex Anesthesia Machine and the Deltatrac II Indirect Calorimeter. <i>Anesthesia and Analgesia</i> , 2003, 97, 1680-1685. | 1.1 | 12        |
| 7204 | Breath-by-breath measurement of the volume displaced by diaphragm motion. <i>Journal of Applied Physiology</i> , 2003, 94, 1084-1091.  | 1.2 | 13        |
| 7205 | Mesial Temporal Structures and Comorbid Anxiety in Refractory Partial Epilepsy. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2003, 15, 450-452.                                    | 0.9 | 26        |
| 7206 | The Oxygen Uptake Response Running to Exhaustion at Peak Treadmill Speed. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 663-668.  | 0.2 | 32        |
| 7207 | Evaluation of Global Left Ventricular Myocardial Function with Electrocardiogram-Gated Multidetector Computed Tomography. <i>Investigative Radiology</i> , 2003, 38, 653-661.                        | 3.5 | 108       |
| 7208 | A More Efficient Magnetic Resonance Imaging???Based Strategy for Measuring Quadriceps Muscle Volume. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 425-433.                         | 0.2 | 99        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7209 | Evaluation of iohexol clearance used to estimate glomerular filtration rate in clinically normal foals. <i>American Journal of Veterinary Research</i> , 2003, 64, 1486-1490.  | 0.3 | 15        |
| 7210 | Preoperative Melanoma Thickness Determination by 20-MHz Sonography and Digital Videomicroscopy in Combination. <i>Archives of Dermatology</i> , 2003, 139, 293.  | 1.7 | 59        |
| 7211 | Home Overnight Pulse Oximetry in Patients With COPD. <i>Chest</i> , 2003, 123, 1127-1133.  | 0.4 | 39        |
| 7212 | Increased Exhaled 8-Isoprostane in Childhood Asthma. <i>Chest</i> , 2003, 124, 25-31.  | 0.4 | 134       |
| 7213 | Comparison between Second and Third Generation Troponin T Assay in Patients with Symptoms Suggestive of an Acute Coronary Syndrome but without ST Segment Elevation. <i>Cardiology</i> , 2003, 100, 29-35.               | 0.6 | 11        |
| 7214 | The Diagnosis of Soft Tissue Disorders of the Upper Limb. <i>Journal of Orthopaedic Medicine</i> , 2003, 25, 97-106.   | 0.0 | 0         |
| 7215 | Patient and Clinician Agreement on Personality Using the SWAP-200. <i>Journal of Personality Disorders</i> , 2003, 17, 208-218.  | 0.8 | 21        |
| 7216 | Normal Values for Left Anterior Descending Coronary Artery Flow Velocity Assessed by Transthoracic Doppler Echocardiography in Healthy Children. <i>Tohoku Journal of Experimental Medicine</i> , 2003, 199, 211-217.    | 0.5 | 6         |
| 7217 | Activity Diary Method for Predicting Energy Expenditure as Evaluated by a Whole-Body Indirect Human Calorimeter. <i>Journal of Nutritional Science and Vitaminology</i> , 2003, 49, 262-269.                             | 0.2 | 22        |
| 7218 | QDR 4500A DXA overestimates fat-free mass compared with criterion methods. <i>Journal of Applied Physiology</i> , 2003, 94, 959-965.   | 1.2 | 61        |
| 7219 | Percent body fat via DEXA: comparison with a four-compartment model. <i>Journal of Applied Physiology</i> , 2003, 94, 499-506.   | 1.2 | 130       |
| 7220 | Myocardial contractility by strain echocardiography: comparison with physiological measurements in an in vitro model. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 285, H2599-H2604. | 1.5 | 44        |
| 7221 | Hypoalgesic and Sympathoexcitatory Effects of Mobilization With Movement for Lateral Epicondylalgia. <i>Physical Therapy</i> , 2003, 83, 374-383.  | 1.1 | 200       |
| 7222 | Comparison between the Datex-Ohmeda M-NMT <sup>®</sup> module and a force-displacement transducer for monitoring neuromuscular blockade. <i>European Journal of Anaesthesiology</i> , 2003, 20, 467-469.                 | 0.7 | 18        |
| 7223 | Reliability and construct validity of the Oswestry Low Back Pain Disability Questionnaire in the elderly with low back pain. <i>The Pain Clinic</i> , 2003, 15, 55-59.   | 0.1 | 6         |
| 7224 | A Modified Pulmonary Index Score With Predictive Value for Pediatric Asthma Exacerbation. <i>Chest</i> , 2003, 124, 69S.   | 0.4 | 1         |
| 7225 | The ratio of flow in the superior and inferior caval veins after construction of a bidirectional cavopulmonary anastomosis in children. <i>Cardiology in the Young</i> , 2003, 13, 123-130.                              | 0.4 | 9         |
| 7226 | Can diaphragmatic contractility be assessed by airway twitch pressure in mechanically ventilated patients?. <i>Thorax</i> , 2003, 58, 58-62.   | 2.7 | 52        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7227 | Reduced sampling protocols with Bayesian hierarchical analysis during minimal model of IVGTT. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2003, 36, 421-425.             | 0.4 | 0         |
| 7228 | Long-term Vision Results Measured With Teller Acuity Cards and a New Light Perception/Projection Scale After Management of Late Stages of Retinopathy of Prematurity. JAMA Ophthalmology, 2003, 121, 991. | 2.6 | 22        |
| 7229 | Accuracy of noninvasive estimates of respiratory muscle effort during spontaneous breathing in restrictive diseases. Journal of Applied Physiology, 2003, 95, 1542-1549.                                  | 1.2 | 21        |
| 7230 | Reliability and validity of the Observational Gait Scale in children with spastic diplegia. Developmental Medicine and Child Neurology, 2003, 45, .   | 1.1 | 26        |
| 7231 | Echocardiographic measurement of cardiac output in rats. American Journal of Physiology - Heart and Circulatory Physiology, 2003, 284, H691-H697.   | 1.5 | 74        |
| 7232 | Home Diagnosis of Sleep Apnea: A Systematic Review of the Literature. Chest, 2003, 124, 1543-1579.  | 0.4 | 506       |
| 7233 | Evaluating the Use of a Portable Spirometer in a Study of Pediatric Asthma. Chest, 2003, 123, 1899-1907.  | 0.4 | 74        |
| 7234 | Long-term Repeatability of Induced Sputum Cells and Inflammatory Markers in Stable, Moderately Severe COPDa. Chest, 2003, 123, 778-783.   | 0.4 | 68        |
| 7235 | Impedance Cardiography. Chest, 2003, 123, 2028-2033.  | 0.4 | 204       |
| 7236 | Comparison between two measures of delay discounting in smokers.. Experimental and Clinical Psychopharmacology, 2003, 11, 131-138.  | 1.3 | 99        |
| 7237 | Deprivation, Diet, and Food-Retail Access: Findings from the Leeds 'Food Deserts' Study. Environment and Planning A, 2003, 35, 151-188.   | 2.1 | 321       |
| 7238 | Regional Ventilation by Electrical Impedance Tomography. Chest, 2003, 124, 314-322.   | 0.4 | 175       |
| 7239 | Cross Validation of the 20-Meter Shuttle Run Test for Adolescents with Down Syndrome. Adapted Physical Activity Quarterly, 2003, 20, 70-79.   | 0.6 | 24        |
| 7240 | Accuracy of Three Dry-Chemistry Methods for Lipid Profiling and Risk Factor Classification. International Journal of Sport Nutrition and Exercise Metabolism, 2003, 13, 358-368.                          | 1.0 | 12        |
| 7241 | Development and Reliability of a Measurement Device for Flexion Force of the First Metatarsophalangeal Joint. Journal of Applied Biomechanics, 2003, 19, 271-278.   | 0.3 | 1         |
| 7242 | Evaluation of Unattended Automated Titration To Determine Therapeutic Continuous Positive Airway Pressure in Patients With Obstructive Sleep Apnea. Chest, 2003, 123, 704-710.                            | 0.4 | 45        |
| 7243 | Total body protein: a new cellular level mass and distribution prediction model. American Journal of Clinical Nutrition, 2003, 78, 979-984.   | 2.2 | 37        |
| 7244 | Effectiveness of the US Department of Agriculture 5-step multiple-pass method in assessing food intake in obese and nonobese women. American Journal of Clinical Nutrition, 2003, 77, 1171-1178.          | 2.2 | 634       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7245 | The Reliability of Ten-Year Dietary Recall: Implications for Cancer Research. <i>Journal of Nutrition</i> , 2003, 133, 2663-2668.   | 1.3 | 56        |
| 7246 | Prospective study of the association of changes in dietary intake, physical activity, alcohol consumption, and smoking with 9-y gain in waist circumference among 16 587 US men. <i>American Journal of Clinical Nutrition</i> , 2003, 78, 719-727. | 2.2 | 323       |
| 7247 | Simplified Method to Measure Respiratory-Related Changes in Arterial Pulse Pressure in Patients Receiving Mechanical Ventilation*. <i>Chest</i> , 2003, 124, 665-670.   | 0.4 | 16        |
| 7248 | Development of a dried whole-blood spot thyroglobulin assay and its evaluation as an indicator of thyroid status in goitrous children receiving iodized salt. <i>American Journal of Clinical Nutrition</i> , 2003, 77, 1453-1458.                  | 2.2 | 76        |
| 7249 | Dietary potential renal acid load and renal net acid excretion in healthy, free-living children and adolescents. <i>American Journal of Clinical Nutrition</i> , 2003, 77, 1255-1260.   | 2.2 | 277       |
| 7250 | Development and validation of skinfold-thickness prediction equations with a 4-compartment model. <i>American Journal of Clinical Nutrition</i> , 2003, 77, 1186-1191.  | 2.2 | 106       |
| 7251 | Markers of the Validity of Reported Energy Intake. <i>Journal of Nutrition</i> , 2003, 133, 895S-920S.  | 1.3 | 855       |
| 7252 | Reasons for Rim Area Variability in Scanning Laser Tomography. , 2003, 44, 1126.  |     | 36        |
| 7253 | Method comparison: correlation is not enough to decide about agreement and clinical accuracy. <i>Thrombosis and Haemostasis</i> , 2003, 90, 555-556.  | 1.8 | 7         |
| 7254 | Comparison of Peripheral and Central Venous Pressures in Critically Ill Patients. <i>Anaesthesia and Intensive Care</i> , 2003, 31, 34-39.  | 0.2 | 37        |
| 7256 | Lack of night-to-night variability of sleep-disordered breathing measured during home monitoring. <i>Ear, Nose and Throat Journal</i> , 2003, 82, 135-138.  | 0.4 | 9         |
| 7257 | Subjective Assessment of Visual Verticality in follow-up of Patients with Acute Vestibular Disease. <i>Ear, Nose and Throat Journal</i> , 2003, 82, 442-446.  | 0.4 | 21        |
| 7258 | Subject-specific compressive tolerance estimates. <i>Technology and Health Care</i> , 2003, 11, 183-193.  | 0.5 | 6         |
| 7259 | ACCURACY OF WEIGHING SIMULATED INFANTS WITH IN-BED AND FREESTANDING SCALES WHILE CONNECTED AND DISCONNECTED TO A VENTILATOR. <i>Advances in Neonatal Care</i> , 2003, 3, 27-36.   | 0.5 | 5         |
| 7260 | Quantitative Analysis of Intrathoracic Airway Trees: Methods and Validation. <i>Lecture Notes in Computer Science</i> , 2003, 18, 222-233.  | 1.0 | 24        |
| 7261 | Peritoneal Transport Kinetics of Proteins in Children on Chronic Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2003, 23, 162-168.   | 1.1 | 5         |
| 7262 | Simple Assessment of Lactate Threshold by Means of the Bench Stepping in Older Population. <i>International Journal of Sport and Health Science</i> , 2003, 1, 207-215.   | 0.0 | 23        |
| 7263 | Growth and morbidity in children in the Aboriginal Birth Cohort Study: the urbanâ€œremote differential. <i>Medical Journal of Australia</i> , 2003, 178, 56-60.   | 0.8 | 37        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7264 | Basal and dynamic proinsulin-insulin relationship to assess $\beta$ -cell function during OGTT in metabolic disorders. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003, 285, E155-E162.   | 1.8 | 36        |
| 7265 | Assessment of resting energy expenditure in mechanically ventilated patients. <i>American Journal of Clinical Nutrition</i> , 2003, 78, 241-249.  | 2.2 | 181       |
| 7266 | Assessment of Two Alternative Sample Transport and Fixation Methods in the Microbiological Diagnosis of Bacterial Vaginosis. <i>Canadian Journal of Infectious Diseases &amp; Medical Microbiology</i> , 2003, 14, 322-326.   | 0.3 | 1         |
| 7267 | Validity of fluorescent microspheres method for bone blood flow measurement during intentional arterial hypotension. <i>Journal of Applied Physiology</i> , 2003, 95, 1153-1158.  | 1.2 | 14        |
| 7268 | Bioelectrical impedance measurements in patients with gastrointestinal disease: validation of the spectrum approach and a comparison of different methods for screening for nutritional depletion. <i>American Journal of Clinical Nutrition</i> , 2003, 78, 1111-1119. | 2.2 | 36        |
| 7269 | Whole-body skeletal muscle mass: development and validation of total-body potassium prediction models. <i>American Journal of Clinical Nutrition</i> , 2003, 77, 76-82.   | 2.2 | 56        |
| 7270 | How reproducible is self-reported information on exposure to smoking, drinking, and dietary patterns? Evidence among Brazilian adults in the PrA <sup>3</sup> -SaA <sup>de</sup> Study. <i>Sao Paulo Medical Journal</i> , 2003, 121, 63-66.                            | 0.4 | 18        |
| 7271 | A novel dual radio- and stable-isotope method for measuring calcium absorption in humans: comparison with the whole-body radioisotope retention method. <i>American Journal of Clinical Nutrition</i> , 2003, 77, 399-405.  | 2.2 | 23        |
| 7272 | Clinical Usefulness of the Second Derivative of a Photoplethysmogram Waveform(SDPTG). <i>Sunhwan'gi</i> , 2003, 33, 233.  | 0.3 | 2         |
| 7273 | Reference Plane Definition and Reproducibility in Optic Nerve Head Images. , 2003, 44, 1132.  |     | 30        |
| 7274 | Approach for Identifying Glaucomatous Optic Nerve Progression by Scanning Laser Tomography. , 2003, 44, 2621.   |     | 34        |
| 7275 | TEST-RETEST INTRA-RATER RELIABILITY OF GRIP FORCE IN PATIENTS WITH STROKE. <i>Journal of Rehabilitation Medicine</i> , 2003, 35, 189-194.   | 0.8 | 46        |
| 7276 | Estimation of preload recruitable stroke work relationship by a single-beat technique in humans. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 284, H744-H750.   | 1.5 | 39        |
| 7277 | Electrical stimulation of gluteus maximus in children with cerebral palsy: effects on gait characteristics and muscle strength. <i>Developmental Medicine and Child Neurology</i> , 2003, 45, 385-90.   | 1.1 | 19        |
| 7278 | Clinical Relevance of Inter-Method Differences in Fat-Free Mass Estimation in Chronic Obstructive Pulmonary Disease. <i>Respiration</i> , 2003, 70, 585-593.  | 1.2 | 12        |
| 7279 | Diffusion-Weighted Imaging of the Brain in Preterm Infants With Focal and Diffuse White Matter Abnormality. <i>Pediatrics</i> , 2003, 112, 1-7.   | 1.0 | 474       |
| 7280 | Comparison of oxygen saturation measured by pulse oximetry and arterial blood gas analysis in neonates. <i>Paediatrica Indonesiana</i> , 2003, 43, 211.   | 0.0 | 1         |
| 7281 | Patient <i>versus</i> surgeon satisfaction after total hip arthroplasty. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2003, 85-B, 495-498.  | 3.4 | 123       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7282 | Direct assessment and distribution of regional portal blood flow in the pig by means of fluorescent microspheres. <i>Journal of Applied Physiology</i> , 2003, 95, 1808-1816.  | 1.2 | 12        |
| 7283 | Clinical Evaluation of the HemoSonic Monitor in Cardiac Surgical Patients in the ICU. <i>Anaesthesia and Intensive Care</i> , 2003, 31, 408-411.   | 0.2 | 30        |
| 7284 | Correlation between turbidimetric and nephelometric methods of measuring C-reactive protein in patients with unstable angina or non-ST elevation acute myocardial infarction. <i>Arquivos Brasileiros De Cardiologia</i> , 2003, 81, 133-136.                  | 0.3 | 11        |
| 7285 | An Easy Method of Mentally Estimating the Metabolic Component of Acid/base Balance Using the FencI-Stewart Approach. <i>Anaesthesia and Intensive Care</i> , 2003, 31, 538-547.  | 0.2 | 14        |
| 7286 | Comparison of Feline Nasal Cavity Dimensions Measured by Acoustic Rhinometry and Nasal Casts. <i>American Journal of Rhinology &amp; Allergy</i> , 2003, 17, 233-239.  | 2.3 | 5         |
| 7287 | Regional myocardial function in healthy adults: assessment through tissue Doppler echocardiography. <i>Arquivos Brasileiros De Cardiologia</i> , 2003, 80, 465-82.   | 0.3 | 2         |
| 7288 | Reliability of two behavioral tools to assess pain in preterm neonates. <i>Sao Paulo Medical Journal</i> , 2003, 121, 72-76.   | 0.4 | 24        |
| 7289 | Comparison of the effectiveness of 2 dual-energy X-ray absorptiometers with that of total body water and computed tomography in assessing changes in body composition during weight change. <i>American Journal of Clinical Nutrition</i> , 2003, 77, 356-363. | 2.2 | 56        |
| 7290 | Time-dependent systolic and diastolic function in mice overexpressing calcineurin. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 284, H425-H430.  | 1.5 | 38        |
| 7291 | Clinical agreement between automated and calculated ultrasound measurements of bladder volume. <i>British Journal of Radiology</i> , 2003, 76, 832-834.  | 1.0 | 29        |
| 7292 | How much is necessary to indicate a real improvement in muscle function? A review of modern methods of reproducibility analysis. <i>Isokinetics and Exercise Science</i> , 2003, 11, 49-52.  | 0.2 | 25        |
| 7293 | Section 10: Summary and Conclusions. <i>Radiocarbon</i> , 2003, 45, 285-291.   | 0.8 | 9         |
| 7294 | Suggestions for an appropriate methodological approach for the validation of an evacuated blood collection tube made in plastic material including the effect of age. <i>Thrombosis and Haemostasis</i> , 2004, 91, 845-847.                                   | 1.8 | 6         |
| 7295 | Evaluating the Lower Extremities for Peripheral Arterial Obstructive Disease Using the Transfer Function Index. <i>Journal for Vascular Ultrasound</i> , 2004, 28, 9-12.   | 0.2 | 2         |
| 7296 | Pulmonary Vein Dimensions and Variation of Branching Pattern in Patients With Paroxysmal Atrial Fibrillation Using Magnetic Resonance Angiography. <i>International Heart Journal</i> , 2004, 45, 81-92.   | 0.6 | 28        |
| 7297 | Self Management of Oral Anticoagulation with the INRatio System: Accuracy and Reliability Following a Two-Day Structured Training Program. <i>Laboratory Medicine</i> , 2004, 35, 303-307.   | 0.8 | 0         |
| 7298 | Review of Statistical Evaluation of Measurement Errors by Dunn. <i>The Stata Journal</i> , 2004, 4, 480-483.   | 0.9 | 0         |
| 7299 | Noninvasive determination of upper airway resistance and flow limitation. <i>Journal of Applied Physiology</i> , 2004, 97, 1840-1848.  | 1.2 | 20        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7300 | Comparison of two plethysmography systems in assessment of forearm blood flow. <i>Journal of Applied Physiology</i> , 2004, 96, 1794-1799.  | 1.2 | 21        |
| 7301 | Total Protein Concentration in Human Amniotic Fluid Is Negatively Associated with Infant Birth Weight. <i>Journal of Nutrition</i> , 2004, 134, 1754-1758.  | 1.3 | 21        |
| 7302 | Reproducibility of Arterial Stiffness Indices (Pulse Wave Velocity and Augmentation Index) Simultaneously Assessed by Automated Pulse Wave Analysis and Their Associated Risk Factors in Essential Hypertensive Patients. <i>Hypertension Research</i> , 2004, 27, 851-857. | 1.5 | 141       |
| 7303 | Quantification of left ventricular mechanical dyssynchrony by conductance catheter in heart failure patients. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004, 286, H723-H730.  | 1.5 | 50        |
| 7304 | Use of Safe Cribs and Bedroom Size Among African American Infants With a High Rate of Bed Sharing. <i>JAMA Pediatrics</i> , 2004, 158, 286.   | 3.6 | 15        |
| 7305 | Prediction of daily energy expenditure during a feeding trial using measurements of resting energy expenditure, fat-free mass, or Harris-Benedict equations. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 876-880.   | 2.2 | 51        |
| 7306 | Pressure Phosphene Self-Tonometry: A Comparison with Goldmann Tonometry in Glaucoma Patients. , 2004, 45, 3131.   |     | 38        |
| 7307 | Fluorescent microsphere method is suitable for chronic bone blood flow measurement: a long-term study after meniscectomy in rabbits. <i>Journal of Applied Physiology</i> , 2004, 96, 1928-1936.  | 1.2 | 9         |
| 7308 | Comments on Use of Combined Measures from Capillary Blood to Assess Iron Deficiency in Rural Kenyan Children. <i>Journal of Nutrition</i> , 2004, 134, 1844-1845.   | 1.3 | 1         |
| 7309 | Point of care monitoring of oral anticoagulant therapy in children: comparison of CoaguChek Plus and Thrombotest methods with venous international normalised ratio. <i>Thrombosis and Haemostasis</i> , 2004, 92, 734-737.   | 1.8 | 31        |
| 7310 | Photopic ERGs in Patients with Optic Neuropathies: Comparison with Primate ERGs after Pharmacologic Blockade of Inner Retina. , 2004, 45, 3827.   |     | 122       |
| 7311 | Backward estimation of exposure to organochlorines using repeated measurements.. <i>Environmental Health Perspectives</i> , 2004, 112, 710-716.   | 2.8 | 19        |
| 7312 | Comparison of methods to assess change in children's body composition. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 64-69.   | 2.2 | 118       |
| 7313 | Comparison of calculated and direct low density lipoprotein cholesterol determinations in a routine laboratory. <i>East African Medical Journal</i> , 2004, 81, 154-8.  | 0.0 | 3         |
| 7314 | Assessing the Reliability of a Digital Preparation Assistant System Used in Dental Education. <i>Journal of Dental Education</i> , 2004, 68, 1228-1234.   | 0.7 | 28        |
| 7315 | Reply to Zeng et al.. <i>Journal of Nutrition</i> , 2004, 134, 1846-1847.   | 1.3 | 0         |
| 7316 | Endovascular Abdominal Aortic Aneurysm Repair: Is Delayed Helical CT Sufficient? [letter]. <i>Radiology</i> , 2004, 231, 602-604.   | 3.6 | 0         |
| 7317 | Angiographic Power 3â€Dimensional Quantitative Analysis in Gynecologic Solid Tumors. <i>Journal of Ultrasound in Medicine</i> , 2004, 23, 821-828.   | 0.8 | 14        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7318 | The Effect of Optical Defocus on the Testâ€“Retest Variability of Visual Acuity Measurements. , 2004, 45, 1076.   |     | 46        |
| 7319 | Improving Design and Analysis of Research: Lessons from Clinical Research. ATLA Alternatives To Laboratory Animals, 2004, 32, 31-39.  | 0.7 | 2         |
| 7320 | Speaking Stata: Graphing Agreement and Disagreement. The Stata Journal, 2004, 4, 329-349.   | 0.9 | 13        |
| 7322 | Haematoxylin and eosin staining in the diagnosis of Hodgkin's disease in Uganda. East African Medical Journal, 2004, 80, 119-23.  | 0.0 | 2         |
| 7323 | PicoGmeter, a custom-made fluorometer for the quantification of dsDNA by PicoGreenÂ® fluorescence. BioTechniques, 2004, 37, 778-782.  | 0.8 | 9         |
| 7324 | Intramachine and intermachine reproducibility of concentric performance: A study of the Con-Trex MJ and the Cybex Norm dynamometers. Isokinetics and Exercise Science, 2004, 12, 91-97.       | 0.2 | 19        |
| 7326 | Continuous measurement of gas uptake and elimination in anesthetized patients using an extractable marker gas. Journal of Applied Physiology, 2004, 97, 960-966.                              | 1.2 | 24        |
| 7327 | Electroretinography as a Screening Method for Mutations Causing Retinal Dysfunction in Mice. , 2004, 45, 601.   |     | 51        |
| 7329 | Comparison between cardiac output values measured by thermodilution and partial carbon dioxide rebreathing in patients with acute lung injury. Sao Paulo Medical Journal, 2004, 122, 233-238. | 0.4 | 9         |
| 7330 | A computed method for noninvasive MRI assessment of pulmonary arterial hypertension. Journal of Applied Physiology, 2004, 96, 463-468.  | 1.2 | 61        |
| 7331 | Evaluation of bioimpedance spectroscopy for measurements of body water distribution in healthy women before, during, and after pregnancy. Journal of Applied Physiology, 2004, 96, 967-973.   | 1.2 | 47        |
| 7332 | Computerized modeling of outcomes and lens fitting in orthokeratology. , 2004, , 205-225.   |     | 0         |
| 7333 | Influence of body composition on physical activity validation studies using doubly labeled water. Journal of Applied Physiology, 2004, 96, 1357-1364.   | 1.2 | 42        |
| 7334 | Changes in bone mineral density in the proximal femur after cementless total hip arthroplasty. Journal of Bone and Joint Surgery: British Volume, 2004, 86-B, 20-26.                          | 3.4 | 121       |
| 7335 | Reproducibility of Fetal Lung Volume Measurements With 3â€“Dimensional Ultrasonography. Journal of Ultrasound in Medicine, 2004, 23, 347-352.   | 0.8 | 51        |
| 7336 | Measuring Alcohol Consumption. Contemporary Drug Problems, 2004, 31, 467-540.   | 0.7 | 251       |
| 7337 | Corneal topography and its measurement. , 2004, , 17-47.  |     | 0         |
| 7338 | Assessment of resting energy expenditure in mechanically ventilated patients. American Journal of Clinical Nutrition, 2004, 79, 341-342.  | 2.2 | 2         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7339 | Using a Wrist-Worn Device Based on Peripheral Arterial Tonometry to Diagnose Obstructive Sleep Apnea: In-Laboratory and Ambulatory Validation. <i>Sleep</i> , 2004, 27, 923-933.                                    | 0.6 | 169       |
| 7340 | An Assessment of Self-Reported Disease Classification in Epidemiological Studies of Dry Eye. , 2004, 45, 3453.  |     | 34        |
| 7341 | Serum Tonicity, Extracellular Volume and Clinical Manifestations in Symptomatic Dialysis-Associated Hyperglycemia Treated Only with Insulin. <i>International Journal of Artificial Organs</i> , 2004, 27, 751-758. | 0.7 | 27        |
| 7342 | High Brachial-Ankle Pulse Wave Velocity Is an Independent Predictor of the Presence of Coronary Artery Disease in Men. <i>Hypertension Research</i> , 2004, 27, 71-78.  | 1.5 | 137       |
| 7343 | Field Evaluation of a Passive Sampler for Assessing Ethoxyethyl Acetate Exposures. <i>Journal of Occupational Health</i> , 2004, 46, 479-485.   | 1.0 | 5         |
| 7344 | A Prediction Equation for Total Body Water from Bioelectrical Impedance in Japanese Children.. <i>Journal of Physiological Anthropology and Applied Human Science</i> , 2004, 23, 35-39.                            | 0.4 | 11        |
| 7345 | Inter- and intra-study reproducibility of contrast echocardiography for assessment of interventricular septal wall perfusion rate in humans*1. <i>European Journal of Echocardiography</i> , 2004, 5, 367-374.      | 2.3 | 4         |
| 7346 | A new method for measurement of gas exchange during anaesthesia using an extractable marker gas. <i>Physiological Measurement</i> , 2004, 25, 1-14.   | 1.2 | 270       |
| 7347 | Assessment of parallel conductance for the trans-cardiac conductance method: can we use the hypertonic saline method with pulmonary artery injections?. <i>Physiological Measurement</i> , 2004, 25, 565-576.       | 1.2 | 3         |
| 7348 | Customized spectral band analysis compared with conventional Fourier analysis of heart rate variability in neonates. <i>Physiological Measurement</i> , 2004, 25, 1385-1395.  | 1.2 | 27        |
| 7349 | C<scp>ORRELATION OF</scp>C<scp>APILLARY AND</scp>V<scp>ENOUS</scp>B<scp>LOOD</scp>G<scp>LUCOMETRY WITH</scp>L<scp>ABORATORY</scp>D<scp>ETERMINATION</scp>. <i>Prehospital Emergency Care</i> , 2004, 8, 378-383.    | 1.0 | 23        |
| 7350 | Peripheral arterial tonometry, oximetry and actigraphy for ambulatory recording of sleep apnea. <i>Physiological Measurement</i> , 2004, 25, 1025-1036.   | 1.2 | 66        |
| 7351 | Comparison of the RT3 Research Tracker and Tritrac R3D Accelerometers during a Backpacking Expedition by a Single Subject. <i>Perceptual and Motor Skills</i> , 2004, 99, 545-546.                                  | 0.6 | 3         |
| 7352 | Prospective study of methodological issues in intracranial pressure monitoring in patients with hydrocephalus. <i>Journal of Neurosurgery</i> , 2004, 100, 260-265.   | 0.9 | 17        |
| 7353 | A Newborn Rat Model for the Study of Cerebral Hemodynamics by Near-Infrared Spectroscopy and Laser-Doppler Flowmetry in the Immature Brain. <i>Neonatology</i> , 2004, 85, 112-120.                                 | 0.9 | 3         |
| 7354 | Applanation resonance tonometry for intraocular pressure in humans. <i>Physiological Measurement</i> , 2004, 25, 1053-1065.   | 1.2 | 19        |
| 7355 | The Reproducibility of Perceptually Regulated Exercise Responses During Short-Term Cycle Ergometry. <i>International Journal of Sports Medicine</i> , 2004, 25, 362-367.  | 0.8 | 13        |
| 7356 | A clinical comparison of the quadhelix appliance and the nickel titanium (tandem loop) palatal expander: a preliminary, prospective investigation. <i>European Journal of Orthodontics</i> , 2004, 26, 411-420.     | 1.1 | 11        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7357 | Three-Dimensional Assessment of Extracranial Doppler Sonography in Carotid Artery Stenosis Compared With Digital Subtraction Angiography. <i>Stroke</i> , 2004, 35, 1847-1851.  | 1.0 | 25        |
| 7358 | Diffusion-Weighted Magnetic Resonance Imaging and Neurobiochemical Markers After Aortic Valve Replacement. <i>Stroke</i> , 2004, 35, 888-892.   | 1.0 | 90        |
| 7359 | Use of Air Displacement Plethysmography in the Determination of Percentage of Fat Mass in African American Children. <i>Pediatric Research</i> , 2004, 56, 47-54.   | 1.1 | 21        |
| 7360 | The agreement between reaction-board measurements and kinematic estimation of adult male human whole body centre of mass location during running. <i>Physiological Measurement</i> , 2004, 25, 1339-1354.                           | 1.2 | 9         |
| 7361 | Short-term studies of heart rate variability: comparison of two methods for recording. <i>Physiological Measurement</i> , 2004, 25, N15-N20.  | 1.2 | 3         |
| 7362 | Persistent diastolic dysfunction despite complete systolic functional recovery after reperfused acute myocardial infarction demonstrated by tagged magnetic resonance imaging. <i>European Heart Journal</i> , 2004, 25, 1419-1427. | 1.0 | 80        |
| 7363 | Comparison of the Bod Pod and dual energy x-ray absorptiometry in men. <i>Physiological Measurement</i> , 2004, 25, 671-678.  | 1.2 | 33        |
| 7364 | Measuring Maternal Sensitivity in Teen Mothers: Reliability and Feasibility of Two Instruments. <i>Journal of Nursing Measurement</i> , 2004, 12, 195-214.  | 0.2 | 5         |
| 7365 | Caudate and Hippocampal Volumes, Intelligence, and Motor Impairment in 7-Year-Old Children Who Were Born Preterm. <i>Pediatric Research</i> , 2004, 55, 884-893.  | 1.1 | 140       |
| 7366 | Transcutaneous bilirubinometry with the Bilicheck® in very premature newborns. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2004, 16, 209-214.  | 0.7 | 36        |
| 7367 | Blood Flow in Coronary Artery Bypass Vein Grafts: Volume versus Velocity at Cardiovascular MR Imaging. <i>Radiology</i> , 2004, 232, 915-920.   | 3.6 | 10        |
| 7368 | Noninvasive Assessment of Fetal Pulmonary Blood Flow in Experimental Pulmonary Hypertension in the Fetal Lamb. <i>Pediatric Research</i> , 2004, 56, 385-390.   | 1.1 | 4         |
| 7369 | Repeatability of Motor and Working-Memory Tasks in Healthy Older Volunteers: Assessment at Functional MR Imaging. <i>Radiology</i> , 2004, 233, 868-877.  | 3.6 | 46        |
| 7370 | Home, Clinic, and Ambulatory Blood Pressure Monitoring in Children with Chronic Renal Failure. <i>Pediatric Research</i> , 2004, 55, 492-497.   | 1.1 | 144       |
| 7371 | Bland-Altman Plot [letter]. <i>Radiology</i> , 2004, 231, 604-605.  | 3.6 | 13        |
| 7372 | Evaluation of aortic stenosis by cardiovascular magnetic resonance imaging: comparison with established routine clinical techniques. <i>Heart</i> , 2004, 90, 893-901.  | 1.2 | 134       |
| 7373 | The Patient-Oriented Eczema Measure. <i>Archives of Dermatology</i> , 2004, 140, 1513-9.  | 1.7 | 473       |
| 7374 | Multi-Phase Detector Row CT of Left Ventricular Function with Dedicated Analysis Software versus MR Imaging: Initial Experience. <i>Radiology</i> , 2004, 230, 403-410.   | 3.6 | 244       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7375 | Ventilation Asymmetry after Transplantation for Emphysema. American Journal of Respiratory and Critical Care Medicine, 2004, 170, 1233-1238.   | 2.5 | 21        |
| 7376 | Validation of the Direct Nasopharyngeal Sampling Method for Collection of Expired Air in Preterm Neonates. Pediatric Research, 2004, 55, 50-54.  | 1.1 | 23        |
| 7377 | Are Two-dimensional CT Measurements of Small Noncalcified Pulmonary Nodules Reliable?. Radiology, 2004, 231, 453-458.  | 3.6 | 314       |
| 7378 | Noninvasive Assessment of Blood Pressure Variability in Preterm Infants. Pediatric Research, 2004, 55, 220-223.  | 1.1 | 45        |
| 7379 | <b>Evaluating Changes in Coronary Artery Calcium:</b> An Analytic Method That Accounts for Interscan Variability. American Journal of Roentgenology, 2004, 182, 1327-1332.   | 1.0 | 179       |
| 7380 | A New Method for the Measurement of Cerebral Blood Volume and Total Circulating Blood Volume Using Near Infrared Spatially Resolved Spectroscopy and Indocyanine Green: Application and Validation in Neonates. Pediatric Research, 2004, 55, 134-141. | 1.1 | 50        |
| 7381 | Myocardial Viability: Rapid Assessment with Delayed Contrast-enhanced MR Imaging with Three-dimensional Inversion-Recovery Prepared Pulse Sequence. Radiology, 2004, 230, 576-582.   | 3.6 | 52        |
| 7382 | Clinimetric Properties of the Motor Activity Log for the Assessment of Arm Use in Hemiparetic Patients. Stroke, 2004, 35, 1410-1414.   | 1.0 | 376       |
| 7383 | Characterization of Focal Liver Lesions in Real Time Using Harmonic Imaging with High Mechanical Index and Contrast Agent Levovist. American Journal of Roentgenology, 2004, 182, 1505-1512.   | 1.0 | 21        |
| 7384 | Kinematic MRI Assessment of McConnell Taping before and after Exercise. American Journal of Sports Medicine, 2004, 32, 621-628.  | 1.9 | 46        |
| 7385 | A Wire-Based Dual-Analyte Sensor for Glucose and Lactate: In Vitro and In Vivo Evaluation. Diabetes Technology and Therapeutics, 2004, 6, 389-401.   | 2.4 | 21        |
| 7386 | Reducing the time period of steady state does not affect the accuracy of energy expenditure measurements by indirect calorimetry. Journal of Applied Physiology, 2004, 97, 130-134.  | 1.2 | 81        |
| 7387 | Diagnosis of Sleep-Related Breathing Disorders by Visual Analysis of Transthoracic Impedance Signals in Pacemakers. Circulation, 2004, 110, 2562-2567.   | 1.6 | 36        |
| 7388 | Residual Gravimetric Method to Measure Nebulizer Output. Journal of Aerosol Medicine and Pulmonary Drug Delivery, 2004, 17, 63-71.   | 1.2 | 31        |
| 7389 | Peak or plateau maximal inspiratory mouth pressure: which is best?. European Respiratory Journal, 2004, 23, 708-713.   | 3.1 | 92        |
| 7390 | Calculation of left ventricular volume from 3D echocardiography: a comparison of three image analysis techniques. , 0, , .   |     | 2         |
| 7391 | Measurement of mesothelioma on thoracic CT scans: A comparison of manual and computer-assisted techniques. Medical Physics, 2004, 31, 1105-1115.   | 1.6 | 72        |
| 7392 | Standardization of Reticulocyte Values in an Antidoping Context. American Journal of Clinical Pathology, 2004, 121, 816-825.   | 0.4 | 32        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7393 | Antigen Assay with the Potential To Aid in Diagnosis of Blastomycosis. <i>Journal of Clinical Microbiology</i> , 2004, 42, 4873-4875.  | 1.8 | 222       |
| 7394 | Comparison of Two Real-Time Quantitative Assays for Detection of Severe Acute Respiratory Syndrome Coronavirus. <i>Journal of Clinical Microbiology</i> , 2004, 42, 2094-2100.                       | 1.8 | 18        |
| 7395 | Validity and reliability of dual-energy X-ray absorptiometry for the assessment of abdominal adiposity. <i>Journal of Applied Physiology</i> , 2004, 97, 509-514.                                    | 1.2 | 216       |
| 7396 | Effect of Chronic Oral Supplementation with Vitamins on the Endothelial Function in Chronic Smokers. <i>Angiology</i> , 2004, 55, 653-660.   | 0.8 | 15        |
| 7397 | The Relationship Between Systemic and Whole-Body Hematocrit Is Not Constant during Ultrafiltration on Hemodialysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 463-469.  | 3.0 | 39        |
| 7398 | Multidetector CT Angiography Versus Digital Subtraction Angiography for Aortoiliac Length Measurements Prior to Endovascular AAA Repair. <i>Journal of Endovascular Therapy</i> , 2004, 11, 527-534. | 0.8 | 33        |
| 7399 | The neorule: a new instrument to measure linear growth in preterm infants. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2004, 89, F360-F363.                                | 1.4 | 10        |
| 7400 | The effects of changing pace on metabolism and stroke characteristics during high-speed breaststroke swimming. <i>Journal of Sports Sciences</i> , 2004, 22, 149-157.                                | 1.0 | 60        |
| 7401 | Scintigraphic measurement of tracheal mucus velocity in vivo. <i>European Respiratory Journal</i> , 2004, 23, 518-522.   | 3.1 | 29        |
| 7402 | Granulocyte markers in hypertonic and isotonic saline-induced sputum of asthmatic subjects. <i>European Respiratory Journal</i> , 2004, 24, 1018-1024.   | 3.1 | 21        |
| 7403 | Reliability of a device measuring triceps surae muscle fatigability. <i>British Journal of Sports Medicine</i> , 2004, 38, 163-167.  | 3.1 | 21        |
| 7404 | Influence of radiographic phenotype on risk of hip osteoarthritis within families. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 259-263.  | 0.5 | 14        |
| 7405 | Chest wall kinematics and respiratory muscle action in ankylosing spondylitis patients. <i>European Respiratory Journal</i> , 2004, 24, 453-460.   | 3.1 | 43        |
| 7406 | Detection of Nonesterified (Free) Fatty Acids in Bovine Serum: Comparative Evaluation of Two Methods. <i>Journal of Veterinary Diagnostic Investigation</i> , 2004, 16, 139-144.                     | 0.5 | 17        |
| 7407 | A Simple and Reliable Method for Clinical Assessment of Odor Thresholds. <i>Chemical Senses</i> , 2004, 29, 311-317.   | 1.1 | 48        |
| 7408 | A new standardised and self-administered quality of life questionnaire specific to obstructive sleep apnoea. <i>Thorax</i> , 2004, 59, 494-499.  | 2.7 | 98        |
| 7409 | Intraobserver and interobserver reproducibility in the evaluation of ultrasonic pachymetry measurements of central corneal thickness. <i>British Journal of Ophthalmology</i> , 2004, 88, 174-177.   | 2.1 | 147       |
| 7410 | Comparison of single-breath and tidal breathing exhaled nitric oxide levels in infants. <i>European Respiratory Journal</i> , 2004, 23, 369-372.   | 3.1 | 39        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7411 | Estimation of errors in determining intrathoracic blood volume using thermal dilution in pigs with acute lung injury and haemorrhage. British Journal of Anaesthesia, 2004, 93, 546-551.                                   | 1.5 | 26        |
| 7412 | Tissue spectroscope: a novel in vivo approach to real time monitoring of tissue vitality. Journal of Biomedical Optics, 2004, 9, 1028.   | 1.4 | 39        |
| 7413 | Reproducibility of bone mineral density measurement in daily practice. Annals of the Rheumatic Diseases, 2004, 63, 285-289.  | 0.5 | 75        |
| 7414 | Quantified measurement of activity provides insight into motor function and recovery in neurological disease. Journal of Neurology, Neurosurgery and Psychiatry, 2004, 75, 884-888.  | 0.9 | 106       |
| 7415 | Home respiratory polygraphy for diagnosis of sleep-disordered breathing in heart failure. European Respiratory Journal, 2004, 24, 443-448.   | 3.1 | 87        |
| 7416 | Plasmodium falciparum -Based Bioassay for Measurement of Artemisinin Derivatives in Plasma or Serum. Antimicrobial Agents and Chemotherapy, 2004, 48, 954-960.   | 1.4 | 25        |
| 7417 | The usefulness of Vistech and FACT contrast sensitivity charts for cataract and refractive surgery outcomes research. British Journal of Ophthalmology, 2004, 88, 11-16.   | 2.1 | 139       |
| 7418 | Multiscale Motion Mapping. Circulation, 2004, 110, 3093-3099.  | 1.6 | 25        |
| 7419 | The validity of capillary blood sampling in the determination of human growth hormone concentration during exercise in men. British Journal of Sports Medicine, 2004, 38, e27-e27.   | 3.1 | 9         |
| 7420 | Major method-specific differences in the measurement of intact parathyroid hormone: studies in patients with and without chronic renal failure. Annals of Clinical Biochemistry, 2004, 41, 149-154.                        | 0.8 | 12        |
| 7421 | Left Ventricular Mass in Relation to Genetic Variation in Angiotensin II Receptors, Renin System Genes, and Sodium Excretion. Circulation, 2004, 110, 2644-2650.   | 1.6 | 67        |
| 7423 | Measurement of Total Serum Testosterone in Adult Men: Comparison of Current Laboratory Methods Versus Liquid Chromatography-Tandem Mass Spectrometry. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 534-543. | 1.8 | 520       |
| 7424 | Case selection in macular relocation surgery for age related macular degeneration. British Journal of Ophthalmology, 2004, 88, 186-190.  | 2.1 | 48        |
| 7425 | Internal Carotid Artery Occlusion Assessed at Pulsed Arterial Spin-labeling Perfusion MR Imaging at Multiple Delay Times. Radiology, 2004, 233, 899-904.   | 3.6 | 100       |
| 7426 | Parametric Mean Survival Time Analysis in Gastric Cancer Patients. Medical Decision Making, 2004, 24, 131-141.   | 1.2 | 11        |
| 7427 | Novel Method of Quantifying Pulmonary Vascular Resistance by Use of Simultaneous Invasive Pressure Monitoring and Phase-Contrast Magnetic Resonance Flow. Circulation, 2004, 110, 826-834.                                 | 1.6 | 156       |
| 7428 | Long term effect of latanoprost on intraocular pressure in normal tension glaucoma. British Journal of Ophthalmology, 2004, 88, 630-634.   | 2.1 | 31        |
| 7429 | Temperature Measurement in Critical Care Adults: A Comparison of Thermometry and Measurement Routes. Biological Research for Nursing, 2004, 6, 117-125.  | 1.0 | 17        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7430 | Evaluation of the reliability of two field hockey specific sprint and dribble tests in young field hockey players. <i>British Journal of Sports Medicine</i> , 2004, 38, 138-142.   | 3.1 | 51        |
| 7431 | The influence of freezer storage of urine samples on the BONN-Risk-Index for calcium oxalate crystallization. <i>Clinical Chemistry and Laboratory Medicine</i> , 2004, 42, 665-9.  | 1.4 | 4         |
| 7432 | Validation of fan beam dual energy x ray absorptiometry for body composition assessment in adults aged 18-45 years. <i>British Journal of Sports Medicine</i> , 2004, 38, 472-476.  | 3.1 | 43        |
| 7433 | Improved early ventricular performance with a right ventricle to pulmonary artery conduit in stage 1 palliation for hypoplastic left heart syndrome: evidence from strain Doppler echocardiography. <i>British Heart Journal</i> , 2004, 90, 191-194.                     | 2.2 | 54        |
| 7434 | Body Composition in Diabetic Subjects with Chronic Kidney Disease: Interest of Bio-Impedance Analysis, and Anthropometry. <i>Annals of Nutrition and Metabolism</i> , 2004, 48, 409-413.  | 1.0 | 10        |
| 7435 | 3-Min step test and treadmill exercise for evaluating exercise-induced asthma. <i>European Respiratory Journal</i> , 2004, 23, 569-574.   | 3.1 | 32        |
| 7436 | Endobronchial ultrasound to assess airway wall thickening: validation <i>in vitro</i> and <i>in vivo</i> . <i>European Respiratory Journal</i> , 2004, 23, 813-817.   | 3.1 | 59        |
| 7437 | An editor's view of telemedicine. <i>Journal of Telemedicine and Telecare</i> , 2004, 10, 311-317.  | 1.4 | 6         |
| 7438 | Simultaneous Evaluation of Infarct Size and Cardiac Function in Intact Mice by Contrast-Enhanced Cardiac Magnetic Resonance Imaging Reveals Contractile Dysfunction in Noninfarcted Regions Early After Myocardial Infarction. <i>Circulation</i> , 2004, 109, 1161-1167. | 1.6 | 162       |
| 7439 | Different Effects of Antihypertensive Therapies Based on Losartan or Atenolol on Ultrasound and Biochemical Markers of Myocardial Fibrosis. <i>Circulation</i> , 2004, 110, 552-557.  | 1.6 | 157       |
| 7440 | 8-Iso-Prostaglandin F <sub>2</sub> ± as a Risk Marker in Patients With Coronary Heart Disease. <i>Circulation</i> , 2004, 110, e49-50.  | 1.6 | 12        |
| 7441 | Comparison of the carbon 13-labeled octanoic acid breath test and ultrasonography for assessment of gastric emptying of a semisolid meal in dogs. <i>American Journal of Veterinary Research</i> , 2004, 65, 1557-1562.   | 0.3 | 19        |
| 7442 | Clinimetric evaluation of shoulder disability questionnaires: a systematic review of the literature. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 335-341.   | 0.5 | 457       |
| 7443 | The normal hip joint space: variations in width, shape, and architecture on 223 pelvic radiographs. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 1145-1151.  | 0.5 | 116       |
| 7444 | Pulsed wave Doppler tissue echocardiography assessment of the long axis function of the right and left ventricles during the early neonatal period. <i>British Heart Journal</i> , 2004, 90, 175-180.   | 2.2 | 105       |
| 7445 | Pulse Oximetry in Children with Congenital Heart Disease: Effects of Cardiopulmonary Bypass and Cyanosis. <i>Journal of Intensive Care Medicine</i> , 2004, 19, 229-234.  | 1.3 | 18        |
| 7446 | Weighted Phenotypic Susceptibility Scores Are Predictive of the HIV-1 RNA Response in Protease Inhibitor-Experienced HIV-1 Infected Subjects. <i>Journal of Infectious Diseases</i> , 2004, 190, 886-893.   | 1.9 | 26        |
| 7447 | Characterization of the Korotkoff sounds using joint time-frequency analysis. <i>Physiological Measurement</i> , 2004, 25, 107-117.   | 1.2 | 32        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7448 | Comparison of serum digoxin concentration monitoring by fluorescence polarization immunoassay on the TDxFLx <sup>®</sup> and dry chemistry enzyme immunoassay on the Vitros 950. <i>Clinical Chemistry and Laboratory Medicine</i> , 2004, 42, 958-64. | 1.4 | 5         |
| 7449 | Measurement of the activated clotting time during cardiopulmonary bypass: differences between Hemotec <sup>®</sup> ACT and Hemochron <sup>®</sup> Jr apparatus. <i>Perfusion (United Kingdom)</i> , 2004, 19, 289-294.                                 | 0.5 | 20        |
| 7450 | Analytical and diagnostic accuracy of "second generation" assays for thyrotrophin receptor antibodies with radioactive and chemiluminescent tracers. <i>Journal of Clinical Pathology</i> , 2004, 57, 378-382.   | 1.0 | 27        |
| 7451 | Ultrasonographic fetal weight estimation: accuracy of formulas and accuracy of examiners by birth weight from 500 to 5000 g. <i>Journal of Perinatal Medicine</i> , 2004, 32, 155-61.  | 0.6 | 97        |
| 7452 | Comparison of Manual and Automated Methods for Determining Platelet Counts in Dogs with Macrothrombocytopenia. <i>Journal of Veterinary Diagnostic Investigation</i> , 2004, 16, 167-170.  | 0.5 | 6         |
| 7453 | Focus on Single Photons on Demand. <i>New Journal of Physics</i> , 2004, 6, .  | 1.2 | 69        |
| 7454 | Further evaluation of the immunonephelometric assay of soluble transferrin receptor and assessment of pediatric values in southern Italy. <i>Clinical Chemistry and Laboratory Medicine</i> , 2004, 42, 1442-4.  | 1.4 | 0         |
| 7455 | Coronary blood flow, metabolism, and function in dysfunctional viable myocardium before and early after surgical revascularisation. <i>Heart</i> , 2004, 90, 1291-1298.  | 1.2 | 9         |
| 7456 | Bone Density and Insertion Torque as Predictors of Anterior Cruciate Ligament Graft Fixation Strength. <i>American Journal of Sports Medicine</i> , 2004, 32, 1421-1429.   | 1.9 | 26        |
| 7457 | High-resolution contrast-enhanced magnetic resonance angiography of the carotid arteries using fluoroscopic monitoring of contrast arrival: diagnostic accuracy and interobserver variability. <i>Acta Radiologica</i> , 2004, 45, 164-170.            | 0.5 | 25        |
| 7458 | Assessment of Left Atrial Volume by Contrast Enhanced Magnetic Resonance Angiography. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2004, 6, 491-497.  | 1.6 | 28        |
| 7459 | Evaluation of a New Method for Automated Detection of Left Ventricular Boundaries in Time Series of Magnetic Resonance Images Using an Active Appearance Motion Model. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2004, 6, 609-617.         | 1.6 | 50        |
| 7460 | Value of Noncontact Mapping for Identifying Left Ventricular Scar in an Ovine Model. <i>Circulation</i> , 2004, 110, 3175-3180.  | 1.6 | 24        |
| 7461 | Accurate and Reproducible Mitral Valvular Blood Flow Measurement with Three-Directional Velocity-Encoded Magnetic Resonance Imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2004, 6, 767-776.   | 1.6 | 30        |
| 7462 | Combined Pulse Oximetry/Cutaneous Carbon Dioxide Tension Monitoring during Colonoscopies: Pilot Study with a Smart Ear Clip. <i>Digestion</i> , 2004, 70, 152-158.   | 1.2 | 34        |
| 7463 | The effect of image alignment on capillary blood flow measurement of the neuroretinal rim using the Heidelberg retina flowmeter. <i>British Journal of Ophthalmology</i> , 2004, 88, 204-206.  | 2.1 | 8         |
| 7464 | On the analysis of knee biomechanics using a wearable biomechatronic device. , 0, , .  |     | 5         |
| 7465 | Comparison and validation of high frequency ultrasound detection techniques in a mouse model for renal tumors. , 0, , .  |     | 4         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7466 | The Repeatability of Forced Expiratory Volume Measurements in Adults With Cystic Fibrosis. <i>Chest</i> , 2004, 125, 150-155.  | 0.4 | 24        |
| 7467 | Cerebral Oxygenation During Exercise in Cardiac Patients. <i>Chest</i> , 2004, 125, 182-190.   | 0.4 | 84        |
| 7468 | Follow-up of Adults With Coarctation of the Aorta. <i>Chest</i> , 2004, 126, 1169-1176.  | 0.4 | 42        |
| 7469 | Left Ventricular Mass: Manual and Automatic Segmentation of True FISP and FLASH Cine MR Images in Dogs and Pigs. <i>Radiology</i> , 2004, 230, 389-395.  | 3.6 | 77        |
| 7470 | 24-Hour Electrocardiogram before and during Cisapride Treatment in Neonates and Infants. <i>Neonatology</i> , 2004, 85, 229-236.   | 0.9 | 8         |
| 7471 | Body Composition by Three-Compartment Model and Relative Validity of Some Methods to Assess Percentage Body Fat in Mexican Healthy Elderly Subjects. <i>Gerontology</i> , 2004, 50, 366-372.   | 1.4 | 10        |
| 7472 | Development of a Forced Choice Photographic Questionnaire for Photic Phenomena and Its Testing "Repeatability, Reliability and Validity. <i>Ophthalmologica</i> , 2004, 218, 402-410.  | 1.0 | 12        |
| 7473 | Corneal Cell Density Measurement in vivo by Scanning Slit Confocal Microscopy: Method and Validation. <i>Ophthalmic Research</i> , 2004, 36, 270-276.  | 1.0 | 39        |
| 7474 | Airway Wall Thickness in Patients with COPD and Healthy Current Smokers and Healthy Non-Smokers: Assessment with High Resolution Computed Tomographic Scanning. <i>Respiration</i> , 2004, 71, 602-610.                                    | 1.2 | 39        |
| 7475 | Non-Specialist Ultrasound Measuring of Access Flow: New Technology. <i>Blood Purification</i> , 2004, 22, 78-83.   | 0.9 | 5         |
| 7476 | Reliability of a Semi-Automated Technique of Cerebral Infarct Volume Measurement with CT. <i>Cerebrovascular Diseases</i> , 2004, 18, 220-226.   | 0.8 | 10        |
| 7477 | Field Evaluation of Cycled Coupled Movements of Hand and Foot in Older Individuals. <i>Gerontology</i> , 2004, 50, 399-406.  | 1.4 | 23        |
| 7478 | Oral sucrose analgesia for preterm infant venepuncture. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2004, 89, 17F-18.  | 1.4 | 63        |
| 7479 | A Method for Simulation of Foveal Vision During Wear of Corrective Lenses. <i>Optometry and Vision Science</i> , 2004, 81, 729-738.  | 0.6 | 24        |
| 7480 | An Inexpensive, Simple, and Manual Method of CD4 T-Cell Quantitation in HIV-Infected Individuals for Use in Developing Countries. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2004, 36, 1006-1010.                     | 0.9 | 38        |
| 7481 | Proxy ratings of patient quality of life Factors related to patient "proxy agreement. <i>Acta Oncologica</i> , 2004, 43, 229-234.  | 0.8 | 85        |
| 7482 | Comparison of the standard predictive equation for calculation of resting energy expenditure with indirect calorimetry in hospitalized and healthy dogs. <i>Journal of the American Veterinary Medical Association</i> , 2004, 225, 58-64. | 0.2 | 41        |
| 7483 | Comparison of Noninvasive Tear Break-up Time Measurements from Black and White Background Instruments. <i>Optometry and Vision Science</i> , 2004, 81, 436-441.  | 0.6 | 22        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7484 | A rapid method to quantify left atrial contractile function: Doppler tissue imaging of the mitral annulus during atrial systole. <i>European Journal of Echocardiography</i> , 2004, 5, 86-92.                   | 2.3 | 72        |
| 7485 | A Comparison of Changes in Cardiac Preload Variables During Graded Hypovolemia and Hypervolemia in Mechanically Ventilated Dogs. <i>Anesthesia and Analgesia</i> , 2004, 99, 1780-1786.                          | 1.1 | 27        |
| 7486 | Accuracy of Noncycloplegic Autorefraction in School-Age Children in China. <i>Optometry and Vision Science</i> , 2004, 81, 49-55.  | 0.6 | 119       |
| 7487 | The Quality of Life Impact of Refractive Correction (QIRC) Questionnaire: Development and Validation. <i>Optometry and Vision Science</i> , 2004, 81, 769-777.   | 0.6 | 199       |
| 7488 | Clinical Evaluation of the Digene Hybrid Capture II Test and the COBAS AMPLICOR Monitor Test for Determination of Hepatitis B Virus DNA Levels. <i>Journal of Clinical Microbiology</i> , 2004, 42, 3513-3517.   | 1.8 | 12        |
| 7489 | Accurate Quantification of Right Ventricular Mass at MR Imaging by Using Cine True Fast Imaging with Steady-State Precession: Study in Dogs. <i>Radiology</i> , 2004, 230, 383-388.                              | 3.6 | 53        |
| 7490 | Heat-activated Liposomal MR Contrast Agent: Initial in Vivo Results in Rabbit Liver and Kidney. <i>Radiology</i> , 2004, 230, 743-752.   | 3.6 | 74        |
| 7491 | Absolute Myocardial Perfusion in Canines Measured by Using Dual-Bolus First-Pass MR Imaging. <i>Radiology</i> , 2004, 232, 677-684.  | 3.6 | 271       |
| 7492 | Rates and Determinants of Site-Specific Progression of Carotid Artery Intima-Media Thickness. <i>Stroke</i> , 2004, 35, 2150-2154.   | 1.0 | 142       |
| 7493 | Internal Carotid Artery Stenosis Measurement. <i>Stroke</i> , 2004, 35, 2776-2781.   | 1.0 | 34        |
| 7494 | A Simplified Method for Measuring Critical Pressures during Sleep in the Clinical Setting. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2004, 170, 86-93.                                 | 2.5 | 78        |
| 7495 | Echocardiographic assessment of left ventricular midwall mechanics in spontaneously hypertensive rats. <i>European Journal of Echocardiography</i> , 2004, 5, 169-175.   | 2.3 | 12        |
| 7496 | Localization and quantification of mitral valve prolapse using three-dimensional echocardiography. <i>European Journal of Echocardiography</i> , 2004, 5, 422-429.   | 2.3 | 53        |
| 7497 | Reproducibility of internal atrial defibrillation threshold in paroxysmal and persistent atrial fibrillation. <i>Europace</i> , 2004, 6, 267-272.  | 0.7 | 4         |
| 7498 | Ultrasound measured renal length versus low dose CT volume in predicting single kidney glomerular filtration rate. <i>British Journal of Radiology</i> , 2004, 77, 759-764.                                      | 1.0 | 77        |
| 7499 | Italian Addison Network Study: Update of Diagnostic Criteria for the Etiological Classification of Primary Adrenal Insufficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 1598-1604. | 1.8 | 83        |
| 7500 | <b>Dynamic Perfusion MRI Versus Perfusion Scintigraphy:</b> Prediction of Postoperative Lung Function in Patients with Lung Cancer. <i>American Journal of Roentgenology</i> , 2004, 182, 73-78.                 | 1.0 | 89        |
| 7501 | The effect of experiential anchoring on the reproducibility of exercise regulation in adolescent children. <i>Journal of Sports Sciences</i> , 2004, 22, 159-165.  | 1.0 | 9         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7502 | Development and validation of an Arabic rheumatoid hand disability scale. <i>Disability and Rehabilitation</i> , 2004, 26, 655-661.  | 0.9 | 8         |
| 7503 | Microarray segmentation methods significantly influence data precision. <i>Nucleic Acids Research</i> , 2004, 32, e50-e50.   | 6.5 | 57        |
| 7504 | Artificial neural networks improve the prediction of Kt/V, follow-up dietary protein intake and hypotension risk in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 1204-1211.              | 0.4 | 21        |
| 7505 | Accurate measurement of albuminuria at reduced cost. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 1934-1935.   | 0.4 | 0         |
| 7506 | Clinical validation of glucose pump test (GPT) compared with ultrasound dilution technology in arteriovenous graft surveillance. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 1835-1841.                         | 0.4 | 11        |
| 7507 | A Simple Model to Predict the Sensitivity to Change of Visual Acuity Measurements. <i>Optometry and Vision Science</i> , 2004, 81, 673-677.  | 0.6 | 6         |
| 7508 | Phonomyography and Mechanomyography Can Be Used Interchangeably to Measure Neuromuscular Block at the Adductor Pollicis Muscle. <i>Anesthesia and Analgesia</i> , 2004, 98, 377-381.                                       | 1.1 | 29        |
| 7509 | Assessing Residual Neuromuscular Blockade Using Acceleromyography Can Be Deceptive in Postoperative Awake Patients. <i>Anesthesia and Analgesia</i> , 2004, 98, 854-857.   | 1.1 | 40        |
| 7510 | Energy Expenditure of Walking and Running: Comparison with Prediction Equations. <i>Medicine and Science in Sports and Exercise</i> , 2004, 36, 2128-2134.   | 0.2 | 106       |
| 7511 | Repeatability of IOLMaster Biometry in Children. <i>Optometry and Vision Science</i> , 2004, 81, 829-834.  | 0.6 | 80        |
| 7512 | Noninvasive Angiography and Assessment of Left Ventricular Function Using Multislice Computed Tomography in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2004, 27, 2905-2910.                                     | 4.3 | 56        |
| 7513 | Accuracy and precision of objective refraction from wavefront aberrations. <i>Journal of Vision</i> , 2004, 4, 9.  | 0.1 | 425       |
| 7514 | The use of uniaxial accelerometry for the assessment of physical-activity-related energy expenditure: a validation study against whole-body indirect calorimetry. <i>British Journal of Nutrition</i> , 2004, 91, 235-243. | 1.2 | 495       |
| 7515 | Food-frequency questionnaires: a review of their design, validation and utilisation. <i>Nutrition Research Reviews</i> , 2004, 17, 5-22.   | 2.1 | 377       |
| 7516 | Effects of obesity upon genioglossus structure and function in obstructive sleep apnoea. <i>European Respiratory Journal</i> , 2004, 23, 425-429.  | 3.1 | 81        |
| 7517 | Repeatability indices for the Farnsworth D-15 test. <i>Visual Neuroscience</i> , 2004, 21, 449-453.  | 0.5 | 16        |
| 7518 | Continuous intra-arterial blood gas monitoring in rats. <i>Laboratory Animals</i> , 2004, 38, 133-137.   | 0.5 | 12        |
| 7519 | Assessment of muscle strength and motor fatigue with a knee dynamometer in subjects with multiple sclerosis: a new fatigue index. <i>Clinical Rehabilitation</i> , 2004, 18, 652-659.                                      | 1.0 | 66        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7520 | Insulin Resistance, Impaired Early Insulin Response, and Insulin Propeptides as Predictors of the Development of Type 2 Diabetes: A population-based, 7-year follow-up study in 70-year-old men. <i>Diabetes Care</i> , 2004, 27, 1433-1438. | 4.3 | 58        |
| 7521 | Performance Characteristics of a Quantitative TaqMan Hepatitis C Virus RNA Analyte-Specific Reagent. <i>Journal of Clinical Microbiology</i> , 2004, 42, 3739-3746.  | 1.8 | 41        |
| 7522 | Wrist-actigraphic estimation of sleep time under nCPAP treatment in sleep apnoea patients. <i>European Respiratory Journal</i> , 2004, 23, 891-895.  | 3.1 | 29        |
| 7523 | Total body skeletal muscle and adipose tissue volumes: estimation from a single abdominal cross-sectional image. <i>Journal of Applied Physiology</i> , 2004, 97, 2333-2338.   | 1.2 | 1,248     |
| 7524 | Functional residual capacity measurements in healthy infants: ultrasonic flow meter versus a mass spectrometer. <i>European Respiratory Journal</i> , 2004, 23, 763-768.   | 3.1 | 48        |
| 7525 | Clinical Performance of a Continuous Viscometric Affinity Sensor for Glucose. <i>Diabetes Technology and Therapeutics</i> , 2004, 6, 790-799.  | 2.4 | 24        |
| 7526 | Comparison of the Effects of Three Stepping Cadences on the Criterion-Related Validity of a Step Test in Chinese Children. <i>Measurement in Physical Education and Exercise Science</i> , 2004, 8, 167-179.                                 | 1.3 | 3         |
| 7527 | Accuracy of Three-Dimensional Ultrasound for Thyroid Volume Measurement in Children and Adolescents. <i>Thyroid</i> , 2004, 14, 113-120.   | 2.4 | 45        |
| 7528 | A Comparison of Accelerometers for Predicting Energy Expenditure and Vertical Ground Reaction Force in School-Age Children. <i>Measurement in Physical Education and Exercise Science</i> , 2004, 8, 119-144.                                | 1.3 | 22        |
| 7529 | A simple multistage field test for the prediction of anaerobic capacity in female games players. <i>British Journal of Sports Medicine</i> , 2004, 38, 784-789.  | 3.1 | 22        |
| 7530 | Assessment of body composition by dual energy X-ray absorptiometry, skinfold thickness and creatinine kinetics in chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 2289-2295.                         | 0.4 | 47        |
| 7531 | Flow Volume and Shunt Quantification in Pediatric Congenital Heart Disease by Real-Time Magnetic Resonance Velocity Mapping. <i>Circulation</i> , 2004, 109, 1987-1993.  | 1.6 | 99        |
| 7532 | Transcutaneous bilirubinometry with the Bilicheck <sup>®</sup> in very premature newborns. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2004, 16, 209-214.   | 0.7 | 14        |
| 7533 | Diagnostic performance of a new highly sensitive thyroglobulin immunoassay. <i>Journal of Endocrinology</i> , 2004, 182, 287-294.  | 1.2 | 45        |
| 7534 | Assessment of Agreement between the AMPLICOR HIV-1 MONITOR Test Versions 1.0 and 1.5. <i>Journal of Clinical Microbiology</i> , 2004, 42, 286-289.   | 1.8 | 6         |
| 7535 | Plasma glucose measurement with the Yellow Springs Glucose 2300 STAT and the Olympus AU640. <i>Journal of Clinical Pathology</i> , 2004, 57, 752-754.  | 1.0 | 58        |
| 7536 | Assessing the Sensitivity of Spontaneous Baroreflex Control of the Heart: Deeper Insight Into Complex Physiology. <i>Hypertension</i> , 2004, 43, e32-4; author reply e32-4.   | 1.3 | 33        |
| 7537 | Smoking cessation improves both direct and indirect airway hyperresponsiveness in COPD. <i>European Respiratory Journal</i> , 2004, 24, 391-396.   | 3.1 | 52        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7538 | Reliability of the Pediatric Evaluation of Disability Inventory (PEDI). Physical and Occupational Therapy in Pediatrics, 2004, 24, 61-77.  | 0.8 | 97        |
| 7539 | Cardiac output monitoring by pressure recording analytical method in cardiac surgery. European Journal of Cardio-thoracic Surgery, 2004, 26, 515-520.  | 0.6 | 80        |
| 7540 | Total heart volume variation throughout the cardiac cycle in humans. American Journal of Physiology - Heart and Circulatory Physiology, 2004, 287, H243-H250.  | 1.5 | 106       |
| 7541 | Improved brief assessment of cognition in aging and dementia. Neurology, 2004, 63, 543-546.  | 1.5 | 20        |
| 7542 | Measuring progression of cerebral white matter lesions on MRI. Neurology, 2004, 62, 1533-1539.   | 1.5 | 164       |
| 7543 | A Method for the Determination of Proximal Pulmonary Vein Size Using Contrast-Enhanced Magnetic Resonance Angiography. Journal of Cardiovascular Magnetic Resonance, 2004, 6, 927-936.   | 1.6 | 21        |
| 7544 | Pulmonary Nodules: Preliminary Experience with Three-dimensional Evaluation. Radiology, 2004, 231, 459-466.  | 3.6 | 180       |
| 7545 | Left Ventricular Ejection Fraction Calculation from Automatically Selected and Processed Diastolic and Systolic Frames in Short-Axis Cine-MRI. Journal of Cardiovascular Magnetic Resonance, 2004, 6, 817-827.                                       | 1.6 | 16        |
| 7546 | Cooling Detection Thresholds in the Assessment of Diabetic Sensory Polyneuropathy: Comparison of CASE IV and Medoc instruments. Diabetes Care, 2004, 27, 1674-1679.  | 4.3 | 42        |
| 7547 | Axillary and Thoracic Skin Temperatures Poorly Comparable to Core Body Temperature Circadian Rhythm: Results from 2 Adult Populations. Biological Research for Nursing, 2004, 5, 187-194.  | 1.0 | 24        |
| 7548 | Accuracy of One- and Two-Dimensional Algorithms with Optimal Image Plane Position for the Estimation of Left Ventricular Mass: A Comparative Study Using Magnetic Resonance Imaging. Journal of Cardiovascular Magnetic Resonance, 2004, 6, 845-854. | 1.6 | 14        |
| 7549 | Beat-to-beat detection of fetal heart rate: Doppler ultrasound cardiocography compared to direct ECG cardiocography in time and frequency domain. Physiological Measurement, 2004, 25, 585-593.  | 1.2 | 60        |
| 7550 | Forming test collections with no system pooling. , 2004, , .   |     | 56        |
| 7551 | Evaluation of the Cockcroft-Gault, Jelliffe and Wright formulae in estimating renal function in elderly cancer patients. Annals of Oncology, 2004, 15, 291-295.  | 0.6 | 121       |
| 7552 | Comparing and predicting between several methods of measurement. Biostatistics, 2004, 5, 399-413.  | 0.9 | 32        |
| 7553 | Effect of Inspiratory Flow on Methacholine Challenge in Children. Journal of Asthma, 2004, 41, 349-354.  | 0.9 | 1         |
| 7554 | Contrast-enhanced MR angiography for carotid disease. Neurology, 2004, 62, 1282-1290.  | 1.5 | 90        |
| 7555 | Volume flow measurements with a novel semi-automated 4D doppler ultrasound scanner. , 0, , .   |     | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7556 | In Vitro and in Vivo Spiral CT to Determine Bone Mineral Density: Initial Experience in Patients at Risk for Osteoporosis. <i>Radiology</i> , 2004, 231, 805-811.   | 3.6 | 87        |
| 7557 | Preservation of the bone mineral density of the femur after surface replacement of the hip. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2004, 86-B, 185-189.   | 3.4 | 178       |
| 7558 | Questionnaire for Persons with a Transfemoral Amputation (Q-TFA): Initial validity and reliability of a new outcome measure. <i>Journal of Rehabilitation Research and Development</i> , 2004, 41, 695.                         | 1.6 | 130       |
| 7559 | Tetrahydrobiopterin increases insulin sensitivity in patients with type 2 diabetes and coronary heart disease. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004, 287, E919-E925.                     | 1.8 | 56        |
| 7560 | Dual-energy X-ray absorptiometry lean soft tissue hydration: independent contributions of intra- and extracellular water. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004, 287, E842-E847.          | 1.8 | 56        |
| 7561 | Early mitral deceleration and left atrial stiffness. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004, 287, H1172-H1178.   | 1.5 | 37        |
| 7562 | Quantification and 3D Reconstruction of Atherosclerotic Plaque Components in Apolipoprotein E Knockout Mice Using Ex Vivo High-Resolution MRI. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 2384-2390. | 1.1 | 43        |
| 7563 | Technical report: Radiation sensitivity testing by fluorescencein situ hybridization: how many metaphases have to be analysed?. <i>International Journal of Radiation Biology</i> , 2004, 80, 615-620.                          | 1.0 | 15        |
| 7564 | Feasibility of sputum induction in lung transplant recipients. <i>Clinical Transplantation</i> , 2004, 18, 605-612.   | 0.8 | 1         |
| 7565 | Measurement of activated clotting time in children - comparison of the Celite i-STATR ACT with the Medtronic ACTR II. <i>Acta Anaesthesiologica Scandinavica</i> , 2004, 48, 211-217.   | 0.7 | 16        |
| 7566 | Peripheral venous pressure is an alternative to central venous pressure in paediatric surgery patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2004, 48, 1101-1104.   | 0.7 | 29        |
| 7567 | The platelet count accuracy of platelet concentrates obtained by using automated analysis is influenced by instrument bias and activated platelet components. <i>Vox Sanguinis</i> , 2004, 87, 196-203.                         | 0.7 | 23        |
| 7568 | Endoscopic intratracheal carbon dioxide measurements during pediatric flexible bronchoscopy. <i>Paediatric Anaesthesia</i> , 2004, 14, 650-655.   | 0.6 | 17        |
| 7569 | Reliability of radiographic measurement of small intestinal length. <i>Colorectal Disease</i> , 2004, 6, 327-329.   | 0.7 | 30        |
| 7570 | Criterion validity, test-retest reliability and sensitivity to change of the St George urinary incontinence score. <i>BJU International</i> , 2004, 93, 331-335.  | 1.3 | 10        |
| 7571 | Post-challenge hyperglycaemia is an independent risk factor for arterial stiffness in Japanese men. <i>Diabetic Medicine</i> , 2004, 21, 636-639.   | 1.2 | 14        |
| 7572 | The value of the Rydel-Seiffer tuning fork as a predictor of diabetic polyneuropathy compared with a neurothesiometer. <i>Diabetic Medicine</i> , 2004, 21, 563-567.  | 1.2 | 77        |
| 7573 | Evaluation of a bedside blood ketone sensor: the effects of acidosis, hyperglycaemia and acetoacetate on sensor performance. <i>Diabetic Medicine</i> , 2004, 21, 782-785.  | 1.2 | 28        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7574 | Vascular dysfunction and autonomic neuropathy in Type 2 diabetes. <i>Diabetic Medicine</i> , 2004, 21, 746-751.  | 1.2 | 66        |
| 7575 | 4. Monitoring proteinuria in patients with suspected or known renal disease. <i>Nephrology</i> , 2004, 9, S20-S22.   | 0.7 | 1         |
| 7576 | Can patients with dementia be assessed at a distance? The use of Telehealth and standardised assessments. <i>Internal Medicine Journal</i> , 2004, 34, 239-242.  | 0.5 | 96        |
| 7577 | Repeatability indices for the Adams Q15 test for colour normal and colour defective adults. <i>Australasian journal of optometry</i> , The, 2004, 87, 326-333.   | 0.6 | 5         |
| 7578 | Motility Assessment of Porcine Spermatozoa: a Comparison of Methods. <i>Reproduction in Domestic Animals</i> , 2004, 39, 447-453.  | 0.6 | 43        |
| 7579 | BioSomnia - Validity of a Mobile System to Detect Sleep and Sleep Quality. <i>BioSomnia - Validitat eines mobilen Systems zur Beurteilung von Schlaf und Schlafqualität</i> . <i>Somnologie</i> , 2004, 8, 131-138.                            | 0.9 | 4         |
| 7580 | A Cost-Effective Two-Step Strategy for the Diagnosis of Sleep Apnoea Syndrome. Eine kosteneffiziente Zwei-Stufen-Strategie zur Diagnostik des Schlafapnoesyndroms. <i>Somnologie</i> , 2004, 8, 139-145.                                       | 0.9 | 2         |
| 7581 | Evaluation of a new oscillometric blood pressure monitor in isoflurane-anesthetized dogs. <i>Veterinary Anaesthesia and Analgesia</i> , 2004, 31, 27-39.   | 0.3 | 68        |
| 7582 | Method: Comparison of surveys used to measure physical activity. <i>Australian and New Zealand Journal of Public Health</i> , 2004, 28, 128-134.   | 0.8 | 156       |
| 7583 | Repeatability of measurements of the initial distribution volume of glucose in haemodynamically stable patients. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2004, 29, 317-323.   | 0.7 | 16        |
| 7584 | Non-invasive monitoring of haemoglobin concentration in paediatric surgical patients using near-infrared spectroscopy. <i>Anaesthesia</i> , 2004, 59, 453-458.   | 1.8 | 11        |
| 7585 | Evaluation of a new continuous cardiac output monitor in off-pump coronary artery surgery. <i>Anaesthesia</i> , 2004, 59, 385-389.   | 1.8 | 13        |
| 7586 | Measurement of cardiac output by transpulmonary arterial thermodilution using a long radial artery catheter. A comparison with intermittent pulmonary artery thermodilution. <i>Anaesthesia</i> , 2004, 59, 590-594.                           | 1.8 | 50        |
| 7587 | Interobserver reliability between a nurse and anaesthetist of tests used for predicting difficult tracheal intubation. <i>Anaesthesia</i> , 2004, 59, 881-884.   | 1.8 | 14        |
| 7588 | Continuous Assessment of Right Ventricular Ejection Fraction: New pulmonary artery catheter versus transoesophageal echocardiography. <i>Anaesthesia</i> , 2004, 59, 1126-1132.  | 1.8 | 29        |
| 7589 | Transoesophageal echocardiography is unreliable for cardiac output assessment after cardiac surgery compared with thermodilution*. <i>Anaesthesia</i> , 2004, 59, 1184-1192.   | 1.8 | 39        |
| 7590 | Left ventricular volumes during exercise in endurance athletes assessed by contrast echocardiography. <i>Acta Physiologica Scandinavica</i> , 2004, 182, 45-51.  | 2.3 | 33        |
| 7591 | Validation of the Eczema Area and Severity Index for atopic dermatitis in a cohort of 1550 patients from the pimecrolimus cream 1% randomized controlled clinical trials programme. <i>British Journal of Dermatology</i> , 2004, 150, 96-102. | 1.4 | 136       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7592 | Assessment of the role of 17beta-oestradiol in bone metabolism in men: does the assay technique matter? The MINOS study. <i>Clinical Endocrinology</i> , 2004, 61, 447-457.  | 1.2 | 46        |
| 7593 | Quantitative computer-assisted digital-imaging upper airway analysis for obstructive sleep apnoea*. <i>Clinical Otolaryngology</i> , 2004, 29, 522-529.  | 0.0 | 25        |
| 7594 | Inter-brand differences in iron content of breakfast cereals and their impact on measurement of iron intake. <i>Journal of Human Nutrition and Dietetics</i> , 2004, 17, 461-469.  | 1.3 | 2         |
| 7595 | Influence of individually estimated portion size on the assessment of nutritional risk in colorectal cancer in Portugal. <i>Journal of Human Nutrition and Dietetics</i> , 2004, 17, 529-536.  | 1.3 | 5         |
| 7596 | Comparison of hand-to-hand bioimpedance and anthropometry equations versus dual-energy X-ray absorptiometry for the assessment of body fat percentage in 17-18-year-old conscripts. <i>Clinical Physiology and Functional Imaging</i> , 2004, 24, 85-90. | 0.5 | 85        |
| 7597 | Determination of both the time constant of $\dot{V}O_2$ and $\Delta\dot{V}O_2/\Delta W$ from a single incremental exercise test: validation and repeatability. <i>Clinical Physiology and Functional Imaging</i> , 2004, 24, 257-265.                    | 0.5 | 8         |
| 7598 | Plethysmography without venous occlusion for measuring forearm blood flow: comparison with venous occlusive method. <i>Clinical Physiology and Functional Imaging</i> , 2004, 24, 296-303.   | 0.5 | 4         |
| 7599 | Determination of the left ventricular long-axis orientation from a single short-axis MR image: relation to BMI and age. <i>Clinical Physiology and Functional Imaging</i> , 2004, 24, 310-315.   | 0.5 | 26        |
| 7600 | Aerobic and functional capacity in a group of healthy women: reference values and repeatability. <i>Clinical Physiology and Functional Imaging</i> , 2004, 24, 341-351.  | 0.5 | 13        |
| 7601 | The validity and reliability of the Perometer in evaluating human knee volume. <i>Clinical Physiology and Functional Imaging</i> , 2004, 24, 352-358.  | 0.5 | 33        |
| 7602 | Myocardial SPECT perfusion defect size compared to infarct size by delayed gadolinium-enhanced magnetic resonance imaging in patients with acute or chronic infarction. <i>Clinical Physiology and Functional Imaging</i> , 2004, 24, 380-386.           | 0.5 | 16        |
| 7603 | Reliability of three commercially available heart rate variability instruments using short-term (5-min) recordings. <i>Clinical Physiology and Functional Imaging</i> , 2004, 24, 359-367.   | 0.5 | 31        |
| 7604 | A novel visual analogue scale (VAS) device: an instrument based on the VAS designed to quantify the subjective visual experience. <i>Ophthalmic and Physiological Optics</i> , 2004, 24, 181-185.  | 1.0 | 9         |
| 7605 | Psychometric properties of vision-related quality of life questionnaires: a systematic review. <i>Ophthalmic and Physiological Optics</i> , 2004, 24, 257-273.   | 1.0 | 227       |
| 7606 | Validity and reliability of the revised convergence insufficiency symptom survey in adults. <i>Ophthalmic and Physiological Optics</i> , 2004, 24, 384-390.  | 1.0 | 177       |
| 7607 | A comparison of the ARK-700A autokeratometer and Medmont E300 corneal topographer when measuring peripheral corneal curvature. <i>Ophthalmic and Physiological Optics</i> , 2004, 24, 391-398.   | 1.0 | 14        |
| 7608 | Predicting prescribed magnification*. <i>Ophthalmic and Physiological Optics</i> , 2004, 24, 334-338.  | 1.0 | 10        |
| 7609 | Repeatability of the Waterloo Four-Contrast LogMAR Visual Acuity chart and Near Vision Test card on a group of normal young adults. <i>Ophthalmic and Physiological Optics</i> , 2004, 24, 427-435.  | 1.0 | 20        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7610 | Macular pigment optical density in young Chinese adults. <i>Ophthalmic and Physiological Optics</i> , 2004, 24, 586-593.   | 1.0 | 24        |
| 7611 | Reliability, normative data, and the effect of age-related macular disease on the Eger Macular Stressometer photostress recovery time. <i>Ophthalmic and Physiological Optics</i> , 2004, 24, 594-599.   | 1.0 | 14        |
| 7612 | Comparison of non-invasive cardiac output measurement by partial carbon dioxide rebreathing with the lithium dilution method in anesthetized dogs. <i>Journal of Veterinary Emergency and Critical Care</i> , 2004, 14, 187-195.                     | 0.4 | 24        |
| 7613 | The Prevalence of Migraine and Tension-Type Headaches Among Adolescents in Norway. The Nord-Trøndelag Health Study (Head-Hunt-Youth), A Large Population-Based Epidemiological Study. <i>Cephalalgia</i> , 2004, 24, 373-379.                        | 1.8 | 210       |
| 7614 | The validity of transvaginal ultrasound measurement of endometrial thickness: a comparison of ultrasound measurement with direct anatomical measurement. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004, 111, 1419-1424. | 1.1 | 15        |
| 7615 | Cost-effective screening method for antinuclear antibody detection. <i>APLAR Journal of Rheumatology</i> , 2004, 7, 13-18.   | 0.2 | 0         |
| 7616 | Assessing renal graft function in clinical trials: Can tests predicting glomerular filtration rate substitute for a reference method?. <i>Kidney International</i> , 2004, 65, 289-297.  | 2.6 | 114       |
| 7617 | Urea space and total body water measurements by stable isotopes in patients with acute renal failure. <i>Kidney International</i> , 2004, 65, 725-732.   | 2.6 | 57        |
| 7618 | Model-based study of the effects of the hemodialysis technique on the compensatory response to hypovolemia. <i>Kidney International</i> , 2004, 65, 1499-1510.   | 2.6 | 31        |
| 7619 | A systematic evaluation of bioelectrical impedance measurement after hemodialysis session. <i>Kidney International</i> , 2004, 65, 2435-2440.  | 2.6 | 91        |
| 7620 | The willingness of patients to accept an additional mortality risk in order to improve renal graft survival. <i>Kidney International</i> , 2004, 66, 375-382.  | 2.6 | 7         |
| 7621 | Usefulness of artificial neural networks to predict follow-up dietary protein intake in hemodialysis patients. <i>Kidney International</i> , 2004, 66, 399-407.  | 2.6 | 17        |
| 7622 | Mechanisms determining the ratio of conductivity clearance to urea clearance. <i>Kidney International</i> , 2004, 66, S3-S24.  | 2.6 | 51        |
| 7623 | Estimation of podocyte number: A comparison of methods. <i>Kidney International</i> , 2004, 66, 663-667.   | 2.6 | 60        |
| 7624 | Quantification of free water transport in peritoneal dialysis. <i>Kidney International</i> , 2004, 66, 849-854.  | 2.6 | 98        |
| 7625 | Validation of the Kidney Disease Quality of Life (KDQOL) Cognitive Function subscale. <i>Kidney International</i> , 2004, 66, 2361-2367.   | 2.6 | 58        |
| 7626 | Prediction of the Clinical Performance of Adult Arterial Cannulas. <i>Artificial Organs</i> , 2004, 28, 655-659.   | 1.0 | 4         |
| 7627 | Influence of Limb Positioning and Measurement Method on the Magnitude of the Tibial Plateau Angle. <i>Veterinary Surgery</i> , 2004, 33, 368-375.  | 0.5 | 103       |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7628 | Comparison of myocardial gated single photon emission computerised tomography, planar radionuclide ventriculography and echocardiography in evaluating left ventricular ejection fraction, wall thickening and wall motion. <i>International Journal of Clinical Practice</i> , 2004, 58, 1120-1126. | 0.8 | 6         |
| 7629 | Agreement between bicarbonate measured on arterial and venous blood gases. <i>EMA - Emergency Medicine Australasia</i> , 2004, 16, 407-409.  | 0.5 | 52        |
| 7630 | Comparing Methods of Measurement for Detecting Drug-Induced Changes in the QT Interval: Implications for Thoroughly Conducted ECG Studies. <i>Annals of Noninvasive Electrocardiology</i> , 2004, 9, 166-174.  | 0.5 | 37        |
| 7631 | Reliability and Validity of a Brief Questionnaire to Assess Television Viewing and Computer Use by Middle School Children. <i>Journal of School Health</i> , 2004, 74, 370-377.  | 0.8 | 172       |
| 7632 | Quantitative analysis of retinopathy in type 2 diabetes: identification of prognostic parameters for developing visual loss secondary to diabetic maculopathy. <i>Acta Ophthalmologica</i> , 2004, 82, 679-685.  | 0.4 | 21        |
| 7633 | Evaluation of a new periodontal probe tip design. A clinical and in vitro study. <i>Journal of Clinical Periodontology</i> , 2004, 31, 918-925.  | 2.3 | 2         |
| 7634 | Assessment of 'borderline' clinical competence using generalisability and decision studies in dental skills training. <i>European Journal of Dental Education</i> , 2004, 8, 127-132.  | 1.0 | 1         |
| 7635 | Comparison of two dust collection methods for reservoir indoor allergens and endotoxin on carpets and mattresses. <i>Indoor Air</i> , 2004, 14, 217-222.   | 2.0 | 26        |
| 7636 | White spot lesions around brackets: in vitro detection by laser fluorescence. <i>European Journal of Oral Sciences</i> , 2004, 112, 237-243.   | 0.7 | 44        |
| 7637 | Collinearity in linear regression is a serious problem in oral health research. <i>European Journal of Oral Sciences</i> , 2004, 112, 389-397.   | 0.7 | 68        |
| 7638 | The Validity of Emergency Department Triage Blood Pressure Measurements. <i>Academic Emergency Medicine</i> , 2004, 11, 237-243.   | 0.8 | 19        |
| 7639 | Agreement Between Scales in the Measurement of Breast Cancer Risk Perceptions. <i>Risk Analysis</i> , 2004, 24, 665-673.   | 1.5 | 71        |
| 7640 | Quantitative Intravenous Myocardial Contrast Echocardiography Predicts Recovery of Left Ventricular Function After Revascularization in Chronic Coronary Artery Disease. <i>Echocardiography</i> , 2004, 21, 119-124.  | 0.3 | 7         |
| 7641 | Value of Tissue Doppler Imaging to Predict Left Ventricular Filling Pressure in Patients with Coronary Artery Disease. <i>Echocardiography</i> , 2004, 21, 133-138.  | 0.3 | 27        |
| 7642 | Usefulness of Live Three-Dimensional Transthoracic Echocardiography in the Characterization of Atrial Septal Defects in Adults. <i>Echocardiography</i> , 2004, 21, 707-713.   | 0.3 | 43        |
| 7643 | Quantification of Mitral Regurgitation by Live Three-Dimensional Transthoracic Echocardiographic Measurements of Vena Contracta Area. <i>Echocardiography</i> , 2004, 21, 737-743.   | 0.3 | 91        |
| 7644 | HYPERTENSION IN HEMODIALYSIS PATIENTS: Blood Pressure Measurement in Hemodialysis Patients. <i>Seminars in Dialysis</i> , 2004, 17, 250-254.   | 0.7 | 17        |
| 7645 | Multicentre study of validity and interrater reliability of the modified Nursing Care Recording System (NCR11) for assessment of workload in the ICU. <i>Acta Anaesthesiologica Scandinavica</i> , 2004, 48, 690-696.  | 0.7 | 23        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7646 | Pressure-volume relationships in acute lung injury: methodological and clinical implications. <i>Acta Anaesthesiologica Scandinavica</i> , 2004, 48, 278-286.   | 0.7 | 18        |
| 7647 | Predictive value of mechanomyography and accelerometry for pulmonary function in partially paralyzed volunteers. <i>Acta Anaesthesiologica Scandinavica</i> , 2004, 48, 365-370.  | 0.7 | 26        |
| 7648 | Ultrasonic fetal weight estimation in women with pregnancy complicated by diabetes. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 1065-1066.  | 1.3 | 9         |
| 7649 | Evaluation of foot-to-foot bioelectrical impedance analysis for the prediction of total body water in oncology outpatients receiving radiotherapy. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 46-51.             | 1.3 | 23        |
| 7650 | Development and cross-validation of a prediction equation for estimating resting energy expenditure in healthy African-American and European-American women. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 474-480. | 1.3 | 34        |
| 7651 | Use of hand-to-hand impedancemetry to predict body composition of African women as measured by air displacement plethysmography. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 523-531.                             | 1.3 | 25        |
| 7652 | Assessment of body fatness in young children using the skinfold technique and BMI vs body water dilution. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 541-547.  | 1.3 | 17        |
| 7653 | Comparison of the Micro-Nutrica Nutritional Analysis program and the Russian Food Composition Database using data from the Baltic Nutrition Surveys. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 573-579.         | 1.3 | 23        |
| 7654 | Body composition in patients with short bowel syndrome: An assessment by bioelectric impedance spectroscopy (BIS) and dual-energy absorptiometry (DXA). <i>European Journal of Clinical Nutrition</i> , 2004, 58, 853-859.      | 1.3 | 17        |
| 7655 | The use of air displacement plethysmography in children and adolescents with cystic fibrosis. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 985-989.  | 1.3 | 9         |
| 7656 | Assessment of habitual meal pattern and intake of foods, energy and nutrients in Swedish adolescent girls: comparison of diet history with 7-day record. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 1181-1189.   | 1.3 | 18        |
| 7657 | Validity and reproducibility of a computerised tool for assessing the iron, calcium and vitamin C intake of Belgian women. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 1297-1305.                                 | 1.3 | 23        |
| 7658 | Comparison of anthropometry to DXA: a new prediction equation for men. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 1525-1531.   | 1.3 | 157       |
| 7659 | Comparison between standard Goldmann applanation prism and disposable applanation prism in tonometry. <i>Eye</i> , 2004, 18, 175-178.   | 1.1 | 15        |
| 7660 | Validation of Orbscan II posterior corneal curvature measurement for intraocular lens power calculation. <i>Eye</i> , 2004, 18, 357-360.  | 1.1 | 27        |
| 7661 | Within- and between-laboratory precision in the measurement of body volume using air displacement plethysmography and its effect on body composition assessment. <i>International Journal of Obesity</i> , 2004, 28, 80-90.     | 1.6 | 20        |
| 7662 | Dietary restraint and the mis-reporting of anthropometric measures by middle-aged adults. <i>International Journal of Obesity</i> , 2004, 28, 426-433.  | 1.6 | 21        |
| 7663 | Validation of the BodyGem <sup>®</sup> hand-held calorimeter. <i>International Journal of Obesity</i> , 2004, 28, 1479-1484.  | 1.6 | 43        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7664 | Validation of the Finometer device for measurement of blood pressure in black women. <i>Journal of Human Hypertension</i> , 2004, 18, 79-84.   | 1.0 | 138       |
| 7665 | Assessing Body Composition among 3- to 8-Year-Old Children: Anthropometry, BIA, and DXA. <i>Obesity</i> , 2004, 12, 1633-1640.   | 4.0 | 175       |
| 7666 | Estimation of glomerular filtration rate in paediatric cancer patients using <sup>51</sup> Cr-EDTA population pharmacokinetics. <i>British Journal of Cancer</i> , 2004, 90, 60-64.  | 2.9 | 29        |
| 7667 | Assessment of Salivary Flow Rate: Biologic Variation and Measure Error. <i>Laryngoscope</i> , 2004, 114, 1801-1804.  | 1.1 | 40        |
| 7668 | Therapeutic Drug Monitoring of Sirolimus: Effect of Concomitant Immunosuppressive Therapy and Optimization of Drug Dosing. <i>American Journal of Transplantation</i> , 2004, 4, 1345-1351.  | 2.6 | 57        |
| 7669 | Performance of Different Prediction Equations for Estimating Renal Function in Kidney Transplantation. <i>American Journal of Transplantation</i> , 2004, 4, 1826-1835.  | 2.6 | 184       |
| 7670 | Comparison of Impedance Cardiography to Direct Fick and Thermodilution Cardiac Output Determination in Pulmonary Arterial Hypertension. <i>Congestive Heart Failure</i> , 2004, 10, 7-10.  | 2.0 | 66        |
| 7671 | Iced versus room temperature injectate for assessment of cardiac output, intrathoracic blood volume, and extravascular lung water by single transpulmonary thermodilution. <i>Journal of Critical Care</i> , 2004, 19, 103-107.                                | 1.0 | 27        |
| 7672 | Transesophageal pulsed Doppler echocardiography of pulmonary venous flow to assess left ventricular filling pressure in ventilated patients with acute respiratory distress syndrome. <i>Journal of Critical Care</i> , 2004, 19, 187-197.                     | 1.0 | 21        |
| 7673 | Estimating human long bone cross-sectional geometric properties: a comparison of noninvasive methods. <i>Journal of Human Evolution</i> , 2004, 47, 221-235.   | 1.3 | 122       |
| 7674 | An enzyme immunoassay for the quantification of plasma and intracellular lopinavir in HIV-infected patients. <i>Journal of Immunological Methods</i> , 2004, 295, 37-48.   | 0.6 | 13        |
| 7675 | Monitoring osteoarthritis progression and therapy <sup>11</sup> Supported by Procter & Gamble Pharmaceuticals, Mason, OH. <i>Osteoarthritis and Cartilage</i> , 2004, 12, 55-60.   | 0.6 | 43        |
| 7676 | Translation, adaptation and validation of the Western Ontario and McMaster Universities osteoarthritis index (WOMAC) for an Arab population: the Sfax modified WOMAC. <i>Osteoarthritis and Cartilage</i> , 2004, 12, 459-468.                                 | 0.6 | 76        |
| 7677 | The distribution and inter-relationships of radiologic features of osteoarthrosis of the hip. <i>Osteoarthritis and Cartilage</i> , 2004, 12, 704-710.   | 0.6 | 22        |
| 7678 | Influence of the quality of tibial plateau alignment on the reproducibility of computer joint space measurement from Lyon schuss radiographic views of the knee in patients with knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2004, 12, 765-770. | 0.6 | 47        |
| 7679 | Three-dimensional echocardiography-guided atrial septectomy: An experimental study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2004, 128, 53-59.  | 0.4 | 17        |
| 7680 | Inter-tester reliability of scapular position in junior elite swimmers. <i>Physical Therapy in Sport</i> , 2004, 5, 146-155.   | 0.8 | 42        |
| 7681 | Measurement of mobility following stroke: a comparison of the Modified Rivermead Mobility Index and the Motor Assessment Scale. <i>Physiotherapy</i> , 2004, 90, 132-138.  | 0.2 | 16        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7682 | The Chester step test—a simple yet effective tool for the prediction of aerobic capacity. <i>Physiotherapy</i> , 2004, 90, 183-188.  | 0.2 | 130       |
| 7683 | An in vitro evaluation of the reliability and validity of an electronic pantograph by testing with five different articulators. <i>Journal of Prosthetic Dentistry</i> , 2004, 92, 83-89.                                    | 1.1 | 29        |
| 7684 | Induced sputum methodology: validity and reproducibility of total glutathione measurement in supernatant of healthy and asthmatic individuals. <i>Translational Research</i> , 2004, 144, 38-44.                             | 2.4 | 19        |
| 7685 | Enhancing specificity in proxy-design for the assessment of bioenergetics. <i>Journal of Science and Medicine in Sport</i> , 2004, 7, 197-204.   | 0.6 | 26        |
| 7686 | Accuracy and reliability of a Cosmed K4b2 portable gas analysis system. <i>Journal of Science and Medicine in Sport</i> , 2004, 7, 11-22.  | 0.6 | 256       |
| 7687 | Effect of the passive recovery period on the lactate minimum speed in sprinters and endurance runners. <i>Journal of Science and Medicine in Sport</i> , 2004, 7, 488-496.   | 0.6 | 14        |
| 7688 | Comparison of the Proview pressure phosphene tonometer performed by the patient and examiner with the Goldmann applanation tonometer. <i>Clinical and Experimental Ophthalmology</i> , 2004, 32, 29-32.                      | 1.3 | 20        |
| 7689 | Validation of the modification of diet in renal disease formula for estimating GFR with special emphasis on calibration of the serum creatinine assay. <i>American Journal of Kidney Diseases</i> , 2004, 44, 84-93.         | 2.1 | 231       |
| 7690 | Assessment of the test-retest reliability and construct validity of a modified WOMAC index in knee osteoarthritis. <i>Joint Bone Spine</i> , 2004, 71, 121-127.  | 0.8 | 71        |
| 7691 | Reliability of ultrasonography for the cervical multifidus muscle in asymptomatic and symptomatic subjects. <i>Manual Therapy</i> , 2004, 9, 83-88.  | 1.6 | 120       |
| 7692 | Inter- and intraexaminer reliability in palpation of the "primary respiratory mechanism" within the "cranial concept". <i>Manual Therapy</i> , 2004, 9, 22-29.   | 1.6 | 28        |
| 7693 | An Automated Method for Lumen and Media-Adventitia Border Detection in a Sequence of IVUS Frames. <i>IEEE Transactions on Information Technology in Biomedicine</i> , 2004, 8, 131-141.                                      | 3.6 | 83        |
| 7694 | A novel mathematical method based on urea kinetic modeling for computing the dialysis dose. <i>Computer Methods and Programs in Biomedicine</i> , 2004, 74, 109-128.   | 2.6 | 10        |
| 7695 | Reliability of sickness certificates in detecting potential sick leave reduction by modifying working conditions: a clinical epidemiology study. <i>BMC Public Health</i> , 2004, 4, 8.                                      | 1.2 | 6         |
| 7696 | Inter-observer reproducibility of measurements of range of motion in patients with shoulder pain using a digital inclinometer. <i>BMC Musculoskeletal Disorders</i> , 2004, 5, 18.   | 0.8 | 79        |
| 7697 | Panoptic versus conventional ophthalmoscope. <i>Clinical and Experimental Ophthalmology</i> , 2004, 32, 238-242.   | 1.3 | 20        |
| 7698 | Comparison of the Tono-Pen and Goldmann tonometer for measuring intraocular pressure in patients with glaucoma. <i>Clinical and Experimental Ophthalmology</i> , 2004, 32, 584-589.  | 1.3 | 45        |
| 7699 | Disagreement of energy and macronutrient intakes estimated from a food frequency questionnaire and 3-day diet record in girls 4 to 9 years of age. <i>Journal of the American Dietetic Association</i> , 2004, 104, 373-378. | 1.3 | 33        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7700 | Accuracy of dietary recall using the USDA five-step multiple-pass method in men: An observational validation study. <i>Journal of the American Dietetic Association</i> , 2004, 104, 595-603.  | 1.3 | 420       |
| 7701 | Advice that includes food sources of unsaturated fat supports future risk management of gestational diabetes mellitus. <i>Journal of the American Dietetic Association</i> , 2004, 104, 1863-1867.   | 1.3 | 16        |
| 7702 | Discrimination of osteoporotic patients with quantitative ultrasound using imaging or non-imaging device. <i>Joint Bone Spine</i> , 2004, 71, 419-423.   | 0.8 | 19        |
| 7703 | Effect of nutritional support on clinical outcome in patients at nutritional risk. <i>Clinical Nutrition</i> , 2004, 23, 539-550.  | 2.3 | 187       |
| 7704 | Simple and accurate assessment of energy expenditure in ventilated paediatric intensive care patients. <i>Clinical Nutrition</i> , 2004, 23, 657-663.  | 2.3 | 23        |
| 7705 | Body composition in underweight elderly subjects: reliability of bioelectrical impedance analysis. <i>Clinical Nutrition</i> , 2004, 23, 1371-1380.  | 2.3 | 34        |
| 7706 | Energy balance in cystic fibrosis when stable and during a respiratory exacerbation. <i>Clinical Nutrition</i> , 2004, 23, 1405-1412.  | 2.3 | 20        |
| 7707 | Validity of an Exam Assessment in Surgical Skill: EBSQ-VASC Pilot Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2004, 27, 341-348.   | 0.8 | 37        |
| 7708 | Is Ultrasound More Accurate than Axial Computed Tomography for Determination of Maximal Abdominal Aortic Aneurysm Diameter?. <i>European Journal of Vascular and Endovascular Surgery</i> , 2004, 28, 28-35.   | 0.8 | 94        |
| 7709 | Prostate Volume Ultrasonography: The Influence of Transabdominal versus Transrectal Approach, Device Type and Operator. <i>European Urology</i> , 2004, 46, 352-356.   | 0.9 | 41        |
| 7710 | Frequency Volume Charts in the Assessment and Evaluation of Treatment: How Should We Use Them?. <i>European Urology</i> , 2004, 46, 636-640.   | 0.9 | 21        |
| 7711 | Comparison of ability to identify left atrial thrombus by three-dimensional tomography versus transesophageal echocardiography in patients with atrial fibrillation. <i>American Journal of Cardiology</i> , 2004, 93, 486-489.  | 0.7 | 59        |
| 7712 | Usefulness of tissue doppler imaging for assessing aortic wall stiffness in children with the marfan syndrome. <i>American Journal of Cardiology</i> , 2004, 93, 1072-1075.  | 0.7 | 33        |
| 7713 | Coronary artery calcium volume scores on electron beam tomography in 12,936 asymptomatic adults. <i>American Journal of Cardiology</i> , 2004, 93, 1146-1149.  | 0.7 | 56        |
| 7714 | Accuracy of measurement of left ventricular volume and ejection fraction by new real-time three-dimensional echocardiography in patients with wall motion abnormalities secondary to myocardial infarction. <i>American Journal of Cardiology</i> , 2004, 94, 552-558. | 0.7 | 88        |
| 7715 | Comparison of ankle-brachial pressure index and pulse wave velocity as markers of the presence of coronary artery disease in subjects with a high risk of atherosclerotic cardiovascular disease. <i>American Journal of Cardiology</i> , 2004, 94, 868-872.           | 0.7 | 90        |
| 7716 | Simultaneous biplane single-beat assessment of left ventricular systolic function in patients with atrial fibrillation. <i>American Journal of Cardiology</i> , 2004, 94, 942-944.   | 0.7 | 10        |
| 7717 | Regional differences in right ventricular systolic function as determined by cine magnetic resonance imaging after infundibulotomy. <i>American Journal of Cardiology</i> , 2004, 94, 970-973.   | 0.7 | 28        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7718 | An evaluation of the acidogenic potential of asthma inhalers. Archives of Oral Biology, 2004, 49, 275-283.  | 0.8 | 38        |
| 7719 | Agreement between HbA1c measured by DCA 2000 and by HPLC: Effects of fetal hemoglobin concentrations. Archives of Medical Research, 2004, 35, 145-149.  | 1.5 | 8         |
| 7720 | Non-invasive cardiac output monitoring. Intensive and Critical Care Nursing, 2004, 20, 103-108.   | 1.4 | 19        |
| 7721 | Continuous cardiac output monitoring. Current Anaesthesia and Critical Care, 2004, 15, 367-377.   | 0.3 | 4         |
| 7722 | Reproducibility of brain ADC histograms. European Radiology, 2004, 14, 425-430.   | 2.3 | 52        |
| 7723 | Volumetric measurements of pulmonary nodules at multi-row detector CT: in vivo reproducibility. European Radiology, 2004, 14, 86-92.  | 2.3 | 276       |
| 7724 | Distribution of Intramyocardially injected extracellular MR contrast medium: effects of concentration and volume. European Radiology, 2004, 14, 334-340.  | 2.3 | 8         |
| 7725 | Sixteen-row multislice computed tomography in the assessment of pulmonary veins prior to ablative treatment: validation vs conventional pulmonary venography and study of reproducibility. European Radiology, 2004, 14, 369-374.         | 2.3 | 23        |
| 7726 | 3D CT modeling of hepatic vessel architecture and volume calculation in living donated liver transplantation. European Radiology, 2004, 14, 326-333.  | 2.3 | 80        |
| 7727 | Changes in computed tomography features following preoperative chemotherapy for nephroblastoma: relation to histopathological classification. European Radiology, 2004, 14, 990-994.  | 2.3 | 24        |
| 7728 | Stereological estimation of total intracranial volume on CT images. European Radiology, 2004, 14, 1285-90.  | 2.3 | 32        |
| 7729 | Comparison between tagged MRI and standard cine MRI for evaluation of left ventricular ejection fraction. European Radiology, 2004, 14, 1348-52.  | 2.3 | 17        |
| 7730 | Visual estimation of the global myocardial extent of hyperenhancement on delayed contrast-enhanced MRI. European Radiology, 2004, 14, 2182-2187.  | 2.3 | 26        |
| 7732 | Comparison between traditional 2-dimensional cephalometry and a 3-dimensional approach on human dry skulls. American Journal of Orthodontics and Dentofacial Orthopedics, 2004, 126, 397-409.   | 0.8 | 153       |
| 7733 | Effects of Burch colposuspension on the relative positions of the bladder neck to the levator ani muscle: An observational study that used magnetic resonance imaging. American Journal of Obstetrics and Gynecology, 2004, 190, 614-619. | 0.7 | 14        |
| 7734 | Identification of a Non-Linear Model as a New Method to Detect Expiratory Airflow Limitation in Mechanically Ventilated Patients. Acta Biotheoretica, 2004, 52, 241-254.  | 0.7 | 1         |
| 7735 | Reproducibility of the measurements of creatinine clearance in patients with a stable renal function. International Urology and Nephrology, 2004, 36, 109-112.  | 0.6 | 0         |
| 7736 | Comparison of Equivalence and Determination of Diagnostic Utility of Min-Mod and Clamp Methods for Insulin Resistance in Diabetes Free Subjects: A Meta-Analysis. Endocrine, 2004, 25, 259-264.   | 2.2 | 7         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7737 | Adjustment method for mechanical Boston scientific corporation 30 MHz intravascular ultrasound catheters connected to a ClearviewÂ®console. International Journal of Cardiovascular Imaging, 2004, 20, 83-91.                                     | 0.7 | 17        |
| 7738 | A way to improve the reproducibility of measurements of myocardial velocity gradients. International Journal of Cardiovascular Imaging, 2004, 20, 183-188.  | 0.7 | 2         |
| 7739 | Assessment of left ventricular volume and function by integration of simplified 3D echocardiography, tissue harmonic imaging and automated extraction of endocardial borders. International Journal of Cardiovascular Imaging, 2004, 20, 191-202. | 0.7 | 9         |
| 7740 | Quality of Life in Patients with Subjective Food Hypersensitivity: Applicability of the 10-Item Short Form of the Nepean Dyspepsia Index. Digestive Diseases and Sciences, 2004, 49, 680-687.   | 1.1 | 52        |
| 7741 | Performance of the DTL electrode compared to the Jet contact lens electrode in clinical testing. Documenta Ophthalmologica, 2004, 108, 77-86.   | 1.0 | 21        |
| 7742 | Testâ€“Retest Reliability of the Isernhagen Work Systems Functional Capacity Evaluation in Healthy Adults. Journal of Occupational Rehabilitation, 2004, 14, 295-305.   | 1.2 | 66        |
| 7743 | High and Low Grade Oligodendrogliomas (ODG): Correlation of Amino-Acid and Glucose Uptakes Using PET and Histological Classifications. Journal of Neuro-Oncology, 2004, 68, 263-274.  | 1.4 | 41        |
| 7744 | Estimation and comparison of derived preference scores from the SF-36 in lung transplant patients. Quality of Life Research, 2004, 13, 377-388.   | 1.5 | 16        |
| 7745 | Fractional moving blood volume estimation in the fetal lung using power Doppler ultrasound: a reproducibility study. Ultrasound in Obstetrics and Gynecology, 2004, 23, 369-373.  | 0.9 | 26        |
| 7746 | The interobserver reliability of three-dimensional power Doppler data acquisition within the female pelvis. Ultrasound in Obstetrics and Gynecology, 2004, 23, 501-508.   | 0.9 | 88        |
| 7747 | Maxillary length at 11-14 weeks of gestation in fetuses with trisomy 21. Ultrasound in Obstetrics and Gynecology, 2004, 24, 19-22.  | 0.9 | 55        |
| 7748 | A new formula for calculating weight in the fetus of â‰¥ 1600 g. Ultrasound in Obstetrics and Gynecology, 2004, 24, 775-780.  | 0.9 | 27        |
| 7749 | Increased cardiac atrial-to-ventricular length ratio in the fetal four-chamber view: a new marker for atrioventricular septal defects. Ultrasound in Obstetrics and Gynecology, 2004, 24, 618-622.  | 0.9 | 25        |
| 7750 | Three-dimensional power Doppler imaging of early-stage cervical cancer. Ultrasound in Obstetrics and Gynecology, 2004, 24, 664-671.   | 0.9 | 29        |
| 7751 | Sex-specific fetal weight prediction by ultrasound. Ultrasound in Obstetrics and Gynecology, 2004, 23, 30-35.   | 0.9 | 42        |
| 7752 | Intra- and interobserver repeatability of femur length measurement in early pregnancy. Ultrasound in Obstetrics and Gynecology, 2004, 23, 599-601.  | 0.9 | 9         |
| 7753 | Umbilical cord diameter at 11-14 weeks of gestation: relation to chromosomal defects. Ultrasound in Obstetrics and Gynecology, 2004, 23, 237-239.   | 0.9 | 9         |
| 7754 | Femur and humerus length in trisomy 21 fetuses at 11-14 weeks of gestation. Ultrasound in Obstetrics and Gynecology, 2004, 23, 143-147.   | 0.9 | 20        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7755 | Doppler blood flow velocity waveforms in the fetal renal arteries: variability at proximal and distal sites in the right and left arteries. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004, 23, 590-593.  | 0.9 | 12        |
| 7756 | Factors related to the impact of antihypertensive treatment in antioxidant activities and oxidative stress by-products in human hypertension. <i>American Journal of Hypertension</i> , 2004, 17, 809-816.   | 1.0 | 66        |
| 7757 | <sup>13</sup> C-Urea breath test, using a new compact nondispersive isotope-selective infrared spectrophotometer: comparison with mass spectrometry. <i>Journal of Gastroenterology</i> , 2004, 39, 629-634.   | 2.3 | 47        |
| 7758 | Accuracy of a point-of-care blood gas analyzer in gastric tonometry measurements of intramucosal pH (pHi) and P CO <sub>2</sub> gap. <i>Journal of Anesthesia</i> , 2004, 18, 14-17.   | 0.7 | 2         |
| 7759 | Performance of a tonometer for arterial pressure measurement during anesthesia in the elderly. <i>Journal of Anesthesia</i> , 2004, 18, 316-317.   | 0.7 | 3         |
| 7760 | Neovascular endothelial-cell activation: The link between angiogenesis, intimal leukocyte content, and development of symptomatic carotid occlusive disease. <i>International Journal of Angiology</i> , 2004, 13, 15-21.                                      | 0.2 | 4         |
| 7761 | Relationship between double product break point, lactate threshold, and ventilatory threshold in cardiac patients. <i>European Journal of Applied Physiology</i> , 2004, 91, 224-229.  | 1.2 | 18        |
| 7762 | The accuracy of volume estimates using ultrasound muscle thickness measurements in different muscle groups. <i>European Journal of Applied Physiology</i> , 2004, 91, 264-272.   | 1.2 | 282       |
| 7763 | Validity of uniaxial accelerometry during activities of daily living in children. <i>European Journal of Applied Physiology</i> , 2004, 91, 259-263.   | 1.2 | 53        |
| 7764 | Inter-test reliability for non-invasive measures of respiratory muscle function in healthy humans. <i>European Journal of Applied Physiology</i> , 2004, 91, 167-176.  | 1.2 | 50        |
| 7765 | Estimation of V̇O <sub>2</sub> max from the ratio between HRmax and HRrest ? the Heart Rate Ratio Method. <i>European Journal of Applied Physiology</i> , 2004, 91, 111-115.   | 1.2 | 130       |
| 7766 | A physiological counterpoint to mechanistic estimates of ?internal power? during cycling at different pedal rates. <i>European Journal of Applied Physiology</i> , 2004, 91, 435-442.  | 1.2 | 28        |
| 7767 | Reliability of erector spinae oxygenation and blood volume responses using near-infrared spectroscopy in healthy males. <i>European Journal of Applied Physiology</i> , 2004, 91, 499-507.   | 1.2 | 33        |
| 7768 | Chest wall kinematics and respiratory muscle coordinated action during hypercapnia in healthy males. <i>European Journal of Applied Physiology</i> , 2004, 91, 525-533.  | 1.2 | 20        |
| 7769 | Circadian rhythms in blood lactate concentration during incremental ergometer rowing. <i>European Journal of Applied Physiology</i> , 2004, 92, 69-74.   | 1.2 | 37        |
| 7770 | Detection of hyperbilirubinaemia in jaundiced full-term neonates by eye or by bilirubinometer?. <i>European Journal of Pediatrics</i> , 2004, 163, 722-727.  | 1.3 | 46        |
| 7771 | Comparison of EORTC Quality of Life Core Questionnaire (EORTC-QLQ-C30) and Gastrointestinal Quality of Life Index (GIQLI) in patients undergoing elective colorectal cancer resection. <i>International Journal of Colorectal Disease</i> , 2004, 19, 554-560. | 1.0 | 34        |
| 7772 | Der Munich-Neurotrauma-Score (MNTS). <i>Intensivmedizin Und Notfallmedizin</i> , 2004, 41, 111-120.  | 0.2 | 0         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7773 | Assessment of left ventricular function with steady-state-free-precession magnetic resonance imaging. <i>Clinical Research in Cardiology</i> , 2004, 93, 686-95.  | 1.2 | 24        |
| 7774 | Value of the proximal flow convergence method for quantification of the regurgitant volume in mitral regurgitation. <i>Clinical Research in Cardiology</i> , 2004, 93, 944-953.   | 1.2 | 1         |
| 7775 | Muscle sympathetic baroreflex sensitivity is different at rest and during evoked hypotension. <i>Basic Research in Cardiology</i> , 2004, 99, 152-158.  | 2.5 | 11        |
| 7776 | Age-related changes of the dentate nuclei in normal adults as revealed by 3D fast low angle shot (FLASH) echo sequence magnetic resonance imaging. <i>Journal of Neurology</i> , 2004, 251, 740-6.  | 1.8 | 29        |
| 7777 | European validation of a standardized clinical description of multiple sclerosis. <i>Journal of Neurology</i> , 2004, 251, 1472-1480.   | 1.8 | 40        |
| 7778 | Measuring intraocular pressure with the Pulsair 3000 and Rebound tonometers in elderly patients without an anesthetic. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2004, 242, 3-7.  | 1.0 | 87        |
| 7779 | Experimental evaluation of online optical coherence pachymetry for corneal refractive surgery. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2004, 242, 24-30.  | 1.0 | 18        |
| 7780 | Reliability of a standardized reading chart system: variance component analysis, test-retest and inter-chart reliability. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2004, 242, 31-39.                                   | 1.0 | 89        |
| 7781 | Observer Variability of Iliac Artery Measurements in Endovascular Repair of Abdominal Aortic Aneurysms. <i>Annals of Vascular Surgery</i> , 2004, 18, 644-652.  | 0.4 | 11        |
| 7782 | Osteogenesis imperfecta in childhood: effects of spondylodesis on functional ability, ambulation and perceived competence. <i>European Spine Journal</i> , 2004, 13, 108-113.   | 1.0 | 21        |
| 7783 | A new skin-surface device for measuring the curvature and global and segmental ranges of motion of the spine: reliability of measurements and comparison with data reviewed from the literature. <i>European Spine Journal</i> , 2004, 13, 122-136. | 1.0 | 295       |
| 7784 | Condition-specific outcome measures for low back pain. <i>European Spine Journal</i> , 2004, 13, 301-313.   | 1.0 | 57        |
| 7785 | Influence of zero flow pressure on fractional flow reserve. <i>Biomechanics and Modeling in Mechanobiology</i> , 2004, 3, 48-55.  | 1.4 | 7         |
| 7786 | Automatic segmentation and plaque characterization in atherosclerotic carotid artery MR images. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2004, 16, 227-234.  | 1.1 | 127       |
| 7787 | Optimal number of image slices for reliable measurement of left ventricular volumes and ejection fraction by three-dimensional transesophageal echocardiography. <i>Journal of Medical Ultrasonics (2001)</i> , 2004, 31, 59-65.                    | 0.6 | 0         |
| 7788 | Measurement of Coronary Lumen Area Using an Impedance Catheter: Finite Element Model and in Vitro Validation. <i>Annals of Biomedical Engineering</i> , 2004, 32, 1642-1653.  | 1.3 | 22        |
| 7790 | Phonomyographic measurements of neuromuscular blockade are similar to mechanomyography for hand muscles. <i>Canadian Journal of Anaesthesia</i> , 2004, 51, 795-800.  | 0.7 | 11        |
| 7791 | Comparison of phonomyography with balloon pressure mechanomyography to measure contractile force at the corrugator supercilii muscle. <i>Canadian Journal of Anaesthesia</i> , 2004, 51, 116-121.   | 0.7 | 15        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7793 | Quantification of left ventricular modification in weightlessness conditions from the spatio-temporal analysis of 2D echocardiographic images. <i>Medical and Biological Engineering and Computing</i> , 2004, 42, 610-617.  | 1.6 | 3         |
| 7794 | Evaluation of microfluidic blood gas sensors that combine microdialysis and optical monitoring. <i>Medical and Biological Engineering and Computing</i> , 2004, 42, 720-724.   | 1.6 | 8         |
| 7795 | Left ventricular ejection and filling rate measurement based on the automatic edge detection method of ECG-gated blood pool single-photon emission tomography. <i>Annals of Nuclear Medicine</i> , 2004, 18, 507-511.  | 1.2 | 7         |
| 7796 | A study on attenuation correction using Tc-99m external TCT source in Tc-99m GSA liver SPECT. <i>Annals of Nuclear Medicine</i> , 2004, 18, 585-590.   | 1.2 | 3         |
| 7797 | The relationship of intraocular pressure to intracranial pressure. <i>Annals of Emergency Medicine</i> , 2004, 43, 585-591.  | 0.3 | 95        |
| 7798 | Comparison of two homogeneous HDL cholesterol methods in a large population study. <i>Clinical Biochemistry</i> , 2004, 37, 745-749.   | 0.8 | 1         |
| 7799 | Determination of phenylalanine and tyrosine in dried blood specimens by ion-exchange chromatography using the Hitachi L-8800 analyzer. <i>Clinical Biochemistry</i> , 2004, 37, 857-862.   | 0.8 | 36        |
| 7800 | Identification des patientes ostéoporotiques par analyse ultrasonore osseuse avec ou sans imagerie. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2004, 71, 801-806.  | 0.0 | 0         |
| 7801 | Combination of pulsed-wave Doppler and real-time three-dimensional color Doppler echocardiography for quantifying the stroke volume in the left ventricular outflow tract. <i>Ultrasound in Medicine and Biology</i> , 2004, 30, 1441-1446.  | 0.7 | 12        |
| 7802 | Local and regional wave speed in the aorta: effects of arterial occlusion. <i>Medical Engineering and Physics</i> , 2004, 26, 23-29.   | 0.8 | 34        |
| 7803 | The effect of contrast reduction on pattern-reversal VEPs in suspected multiple sclerosis and optic neuritis. <i>Documenta Ophthalmologica</i> , 2004, 109, 157-161.   | 1.0 | 4         |
| 7804 | Agreement of an Inert Gas Rebreathing Device with Thermodilution and the Direct Oxygen Fick Method in Measurement of Pulmonary Blood Flow. <i>Journal of Clinical Monitoring and Computing</i> , 2004, 18, 373-378.  | 0.7 | 57        |
| 7805 | The pulse in reflectance pulse oximetry: Modeling and experimental studies. <i>Journal of Clinical Monitoring and Computing</i> , 2004, 18, 289-299.   | 0.7 | 39        |
| 7806 | Calculation Of O <sub>2</sub> Consumption During Low-Flow Anesthesia from Tidal Gas Concentrations, Flowmeter, and Minute Ventilation. <i>Journal of Clinical Monitoring and Computing</i> , 2004, 18, 325-332.  | 0.7 | 5         |
| 7807 | Routine breath-hold gradient echo MRI-derived right ventricular mass, volumes and function: accuracy, reproducibility and coherence study. <i>International Journal of Cardiovascular Imaging</i> , 2004, 20, 509-516.   | 0.7 | 98        |
| 7809 | Variability of left ventricular ejection fraction and volumes with quantitative gated SPECT: influence of algorithm, pixel size and reconstruction parameters in small and normal-sized hearts. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 1606-1613. | 3.3 | 55        |
| 7810 | Where exactly is the deep inguinal ring in patients with inguinal hernias?. <i>Surgical and Radiologic Anatomy</i> , 2004, 26, 198-201.  | 0.6 | 10        |
| 7811 | Can peripheral venous pressure be interchangeable with central venous pressure in patients undergoing cardiac surgery?. <i>Intensive Care Medicine</i> , 2004, 30, 627-632.  | 3.9 | 49        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7812 | A comparative evaluation of thermodilution and partial CO <sub>2</sub> rebreathing techniques for cardiac output assessment in critically ill patients during assisted ventilation. <i>Intensive Care Medicine</i> , 2004, 30, 82-87.          | 3.9 | 71        |
| 7813 | Indices to quantify changes in intracranial and cerebral perfusion pressure by assessing agreement between hourly and semi-continuous recordings. <i>Intensive Care Medicine</i> , 2004, 30, 510-513.  | 3.9 | 26        |
| 7814 | Lung volume in mechanically ventilated patients: measurement by simplified helium dilution compared to quantitative CT scan. <i>Intensive Care Medicine</i> , 2004, 30, 282-289.   | 3.9 | 56        |
| 7815 | Accuracy of pulse oximetry readings in an animal model of low perfusion caused by emerging pneumonia and sepsis. <i>Intensive Care Medicine</i> , 2004, 30, 709-713.   | 3.9 | 24        |
| 7816 | Impaired chemoreflex sensitivity in adult patients with multiple organ dysfunction syndrome?the potential role of disease severity. <i>Intensive Care Medicine</i> , 2004, 30, 665-672.  | 3.9 | 37        |
| 7817 | Monitoring of respiratory variations of aortic blood flow velocity using esophageal Doppler. <i>Intensive Care Medicine</i> , 2004, 30, 1182-1187.   | 3.9 | 76        |
| 7818 | Automatic calculation of the nine equivalents of nursing manpower use score (NEMS) using a patient data management system. <i>Intensive Care Medicine</i> , 2004, 30, 1487-1490.   | 3.9 | 13        |
| 7819 | Continuous central venous and pulmonary artery oxygen saturation monitoring in the critically ill. <i>Intensive Care Medicine</i> , 2004, 30, 1572-8.  | 3.9 | 372       |
| 7820 | Monitoring midline shift by transcranial color-coded sonography in traumatic brain injury. <i>Intensive Care Medicine</i> , 2004, 30, 1672-5.  | 3.9 | 46        |
| 7821 | Bedside estimation of absolute renal blood flow and glomerular filtration rate in the intensive care unit. <i>Intensive Care Medicine</i> , 2004, 30, 1776-1782.   | 3.9 | 29        |
| 7822 | Mixed venous blood gas sampling is not influenced by the speed of withdrawal in cardiac surgery patients. <i>Intensive Care Medicine</i> , 2004, 30, 1969-1973.  | 3.9 | 3         |
| 7823 | The validity of trans-esophageal Doppler ultrasonography as a measure of cardiac output in critically ill adults. <i>Intensive Care Medicine</i> , 2004, 30, 2060-2066.  | 3.9 | 230       |
| 7824 | Static pressure-volume curve characteristics are moderate estimators of optimal airway pressures in a mathematical model of (primary/pulmonary) acute respiratory distress syndrome. <i>Intensive Care Medicine</i> , 2004, 30, 2086-2093.     | 3.9 | 25        |
| 7825 | Quantitative ultrasound measurements of bone: measurement error, discordance, and their effects on longitudinal studies. <i>Osteoporosis International</i> , 2004, 15, 619-24.   | 1.3 | 10        |
| 7826 | Growth of C57Bl/6 Mice and the Material and Mechanical Properties of Cortical Bone from the Tibia. <i>Calcified Tissue International</i> , 2004, 74, 469-475.  | 1.5 | 146       |
| 7827 | The Effect of Calcium and Vitamin D3 Supplementation on the Healing of the Proximal Humerus Fracture: A Randomized Placebo-Controlled Study. <i>Calcified Tissue International</i> , 2004, 75, 183-188.  | 1.5 | 129       |
| 7828 | Comparison Between Cardiac Output Measured by the Pulmonary Arterial Thermodilution Technique and that Measured by the Femoral Arterial Thermodilution Technique in a Pediatric Animal Model. <i>Pediatric Cardiology</i> , 2004, 25, 119-123. | 0.6 | 55        |
| 7829 | Predictors of Successful Transcatheter Closure of Atrial Septal Defect by Cardiac Magnetic Resonance Imaging. <i>Pediatric Cardiology</i> , 2004, 25, 124-130.   | 0.6 | 53        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7830 | Tei Index Determined by Tissue Doppler Imaging in Patients with Pulmonary Regurgitation After Repair of Tetralogy of Fallot. <i>Pediatric Cardiology</i> , 2004, 25, 131-136.  | 0.6 | 85        |
| 7831 | Posterior Descending Coronary Artery Flow Reserve Assessment by Doppler Echocardiography in Children with and without Congenital Heart Defect Comparison with Invasive Technique. <i>Pediatric Cardiology</i> , 2004, 25, 647-653.   | 0.6 | 5         |
| 7832 | Nitrogen-13 ammonia cardiac positron emission tomography in mice: effects of clonidine-induced changes in cardiac work on myocardial perfusion. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 110-116.                                       | 3.3 | 22        |
| 7833 | Comparison of sestamibi, thallium, echocardiography and PET for the detection of hibernating myocardium. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 355-361.  | 3.3 | 19        |
| 7834 | Validation of 4D-MSPECT and QGS for quantification of left ventricular volumes and ejection fraction from gated 99m Tc-MIBI SPET: comparison with cardiac magnetic resonance imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 482-490. | 3.3 | 58        |
| 7835 | Validation of an immunoassay for measurement of canine cardiac troponin-I. <i>Journal of Veterinary Cardiology</i> , 2004, 6, 17-24.   | 0.3 | 35        |
| 7836 | Validation of a parent report measure of cognitive development in very preterm infants. <i>Developmental Medicine and Child Neurology</i> , 2004, 46, 389-397.   | 1.1 | 117       |
| 7837 | Évaluation de la reproductibilité et de la validité de construit d'une forme modifiée de l'indice Womac dans l'arthrose du genou. <i>Revue Du Rhumatisme (Edition Française)</i> , 2004, 71, 208-215.  | 0.0 | 0         |
| 7838 | Interrater reliability of Glasgow Coma Scale scores in the emergency department. <i>Annals of Emergency Medicine</i> , 2004, 43, 215-223.  | 0.3 | 228       |
| 7839 | Exercise echocardiography reflects cumulative anthracycline exposure during childhood. <i>Pediatric Blood and Cancer</i> , 2004, 42, 556-562.  | 0.8 | 33        |
| 7840 | Pilot study on the midsecond trimester examination of fetal nasal bone in the Chinese population. <i>Prenatal Diagnosis</i> , 2004, 24, 87-91.   | 1.1 | 43        |
| 7841 | Airway resistance by the interrupter technique: Which algorithm for measuring pressure?. <i>Pediatric Pulmonology</i> , 2004, 37, 31-36.   | 1.0 | 18        |
| 7842 | Comparison of spirometric reference values. <i>Pediatric Pulmonology</i> , 2004, 37, 515-522.  | 1.0 | 67        |
| 7843 | Automated breath hydrogen measurement at the part-per-million level on a continuous-flow isotope-ratio mass spectrometer. <i>Rapid Communications in Mass Spectrometry</i> , 2004, 18, 2502-2504.  | 0.7 | 4         |
| 7844 | Methods for assessing reliability and validity for a measurement tool: a case study and critique using the WHO haemoglobin colour scale. <i>Statistics in Medicine</i> , 2004, 23, 1603-1619.  | 0.8 | 44        |
| 7845 | Reproducibility of clinical data I: continuous outcomes. <i>Pharmaceutical Statistics</i> , 2004, 3, 99-108.   | 0.7 | 6         |
| 7846 | Inter-observer agreement in the assessment of endoscopic findings in ulcerative colitis. <i>BMC Gastroenterology</i> , 2004, 4, 9.   | 0.8 | 63        |
| 7847 | Intraocular pressure and ocular pulse amplitude using dynamic contour tonometry and contact lens tonometry. <i>BMC Ophthalmology</i> , 2004, 4, 4.   | 0.6 | 63        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7848 | Use of interrupter technique in assessment of bronchial responsiveness in normal subjects. <i>BMC Pulmonary Medicine</i> , 2004, 4, 11.   | 0.8 | 10        |
| 7849 | Non-Invasive monitoring of diaphragmatic timing by means of surface contact sensors: An experimental study in dogs. <i>BMC Pulmonary Medicine</i> , 2004, 4, 8.   | 0.8 | 8         |
| 7850 | The reproducibility of 13 CO <sub>2</sub> measurement. <i>Alimentary Pharmacology and Therapeutics</i> , 2004, 19, 142-144.   | 1.9 | 4         |
| 7851 | Evaluation of the reproducibility of the GHRH plus GHRP-6 test of growth hormone reserve in adults. <i>Clinical Endocrinology</i> , 2004, 60, 185-191.  | 1.2 | 13        |
| 7852 | A refined technique for determining the respiratory gas exchange responses to anaerobic metabolism during progressive exercise - repeatability in a group of healthy men. <i>Clinical Physiology and Functional Imaging</i> , 2004, 24, 1-9.  | 0.5 | 12        |
| 7853 | Estimate of pulmonary diffusing capacity for oxygen during exercise in humans from routine O <sub>2</sub> and CO <sub>2</sub> measurements. <i>Clinical Physiology and Functional Imaging</i> , 2004, 24, 46-57.  | 0.5 | 3         |
| 7854 | Cling film as a barrier against CJD in Goldmann-type applanation tonometry. <i>Ophthalmic and Physiological Optics</i> , 2004, 24, 27-34.   | 1.0 | 6         |
| 7855 | A comparison of manual and automated methods of measuring conjunctival vessel widths from photographic and digital images. <i>Ophthalmic and Physiological Optics</i> , 2004, 24, 74-81.  | 1.0 | 12        |
| 7856 | Automatic Recognition of Abnormal Respiratory Events During Sleep by a Pacemaker Transthoracic Impedance Sensor. <i>Journal of Cardiovascular Electrophysiology</i> , 2004, 15, 1034-1040.  | 0.8 | 59        |
| 7857 | Transcutaneous carbon dioxide monitoring during diabetic ketoacidosis in children and adolescents. <i>Paediatric Anaesthesia</i> , 2004, 14, 167-171.   | 0.6 | 21        |
| 7858 | The cardiac analgesic assessment scale (CAAS): a pain assessment tool for intubated and ventilated children after cardiac surgery. <i>Paediatric Anaesthesia</i> , 2004, 14, 336-343.   | 0.6 | 25        |
| 7859 | A hierarchical modelling approach for measuring reliability of and agreement between two types of magnetic field dosimeter. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 2004, 53, 261-278.   | 0.5 | 3         |
| 7860 | Automated self-initiated blood pressure or 24-hour ambulatory blood pressure monitoring in pregnancy?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004, 111, 38-41.  | 1.1 | 12        |
| 7861 | Anatomical considerations of the radius. <i>Clinical Anatomy</i> , 2004, 17, 564-569.   | 1.5 | 57        |
| 7862 | Distribution of radiographic osteoarthritis between the right and left hands, hips, and knees. <i>Arthritis and Rheumatism</i> , 2004, 50, 1487-1494.   | 6.7 | 56        |
| 7863 | Documenting damage progression in a two-year longitudinal study of rheumatoid arthritis patients with established disease (the DAMAGE study cohort): Is there an advantage in the use of magnetic resonance imaging as compared with plain radiography?. <i>Arthritis and Rheumatism</i> , 2004, 50, 1383-1389. | 6.7 | 26        |
| 7864 | Classifying structural joint damage in rheumatoid arthritis as progressive or nonprogressive using a composite definition of joint radiographic change: A preliminary proposal. <i>Arthritis and Rheumatism</i> , 2004, 50, 1083-1096.  | 6.7 | 19        |
| 7865 | Percutaneous radiofrequency ablation of pulmonary metastases in patients with colorectal cancer. <i>British Journal of Surgery</i> , 2004, 91, 217-223.   | 0.1 | 96        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7866 | Experimental validation of a statistical model for evaluating the past or future magnetic field exposures of a population living near power lines. <i>Bioelectromagnetics</i> , 2004, 25, 374-379.   | 0.9 | 5         |
| 7868 | Empirically derived new equations for calculating body fat percentage based on skinfold thickness and midarm circumference in preschool Indian children. <i>American Journal of Human Biology</i> , 2004, 16, 278-288.                           | 0.8 | 11        |
| 7869 | Comparison of bipolar and tetrapolar impedance techniques for assessing fat mass. <i>American Journal of Human Biology</i> , 2004, 16, 593-597.  | 0.8 | 18        |
| 7870 | Validation of different bioimpedance analyzers for predicting cell mass against whole-body counting of potassium (40K) as a reference method. <i>American Journal of Human Biology</i> , 2004, 16, 697-703.                                      | 0.8 | 32        |
| 7871 | Field evaluation of a portable blood lead analyzer in workers living at a high altitude: A follow-up investigation. <i>American Journal of Industrial Medicine</i> , 2004, 46, 656-662.  | 1.0 | 10        |
| 7872 | Protocol for volumetric segmentation of medial temporal structures using high-resolution 3-D magnetic resonance imaging. <i>Human Brain Mapping</i> , 2004, 22, 145-154.   | 1.9 | 65        |
| 7873 | Assessing quality of life in the elderly: a direct comparison of the EQ-5D and AQoL. <i>Health Economics (United Kingdom)</i> , 2004, 13, 793-805.   | 0.8 | 103       |
| 7874 | Perfect count: A novel approach for the single platform enumeration of absolute CD4+ T-lymphocytes. <i>Cytometry</i> , 2004, 57B, 47-52.   | 1.8 | 19        |
| 7875 | Comparison of invasive and noninvasive measurement of plasma disappearance rate of indocyanine green in patients undergoing liver transplantation: A prospective investigator-blinded study. <i>Liver Transplantation</i> , 2004, 10, 1060-1064. | 1.3 | 80        |
| 7876 | Cine MR imaging of heart valve dysfunction with segmented true fast imaging with steady state free precession. <i>Journal of Magnetic Resonance Imaging</i> , 2004, 19, 59-67.   | 1.9 | 48        |
| 7877 | MR flow mapping of dobutamine-induced changes in diastolic heart function. <i>Journal of Magnetic Resonance Imaging</i> , 2004, 19, 176-181.   | 1.9 | 16        |
| 7878 | Intra- and interstudy reproducibility of coronary artery diameter measurements in magnetic resonance coronary angiography. <i>Journal of Magnetic Resonance Imaging</i> , 2004, 20, 160-166.   | 1.9 | 14        |
| 7879 | 3D breath-held cardiac function with projection reconstruction in steady state free precession validated using 2D cine MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2004, 20, 411-416.  | 1.9 | 45        |
| 7880 | Impact of lung volume on MR signal intensity changes of the lung parenchyma. <i>Journal of Magnetic Resonance Imaging</i> , 2004, 20, 961-966.   | 1.9 | 57        |
| 7881 | Quantification of multicontrast vascular MR images with NLSnake, an active contour model: In vitro validation and in vivo evaluation. <i>Magnetic Resonance in Medicine</i> , 2004, 51, 370-379.   | 1.9 | 19        |
| 7882 | Semiautomatic segmentation and stenosis quantification of 3D contrast-enhanced MR angiograms of the internal carotid artery. <i>Magnetic Resonance in Medicine</i> , 2004, 51, 753-760.  | 1.9 | 23        |
| 7883 | Assessment of myocardial infarction in pigs using a rapid clearance blood pool contrast medium. <i>Magnetic Resonance in Medicine</i> , 2004, 51, 703-709.   | 1.9 | 15        |
| 7884 | MRI investigation of the threshold for thermally induced blood-brain barrier disruption and brain tissue damage in the rabbit brain. <i>Magnetic Resonance in Medicine</i> , 2004, 51, 913-923.  | 1.9 | 155       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7885 | Human whole-blood relaxometry at 1.5T: Assessment of diffusion and exchange models. <i>Magnetic Resonance in Medicine</i> , 2004, 52, 716-723.   | 1.9 | 54        |
| 7886 | Comparison of arterial spin labeling and first-pass dynamic contrast-enhanced MR imaging in the assessment of pulmonary perfusion in humans: The inflow spin-tracer saturation effect. <i>Magnetic Resonance in Medicine</i> , 2004, 52, 1291-1301.                                    | 1.9 | 20        |
| 7887 | Volumetric flow mapping for microvascular networks by bimodality imaging with light microscope and laser doppler imager. <i>Microscopy Research and Technique</i> , 2004, 65, 130-138.   | 1.2 | 0         |
| 7888 | Retrospective image-based gating of intracoronary ultrasound images for improved quantitative analysis: The intelligate method. <i>Catheterization and Cardiovascular Interventions</i> , 2004, 61, 84-94.   | 0.7 | 81        |
| 7889 | Quantitative coronary arteriography on digital flat-panel system. <i>Catheterization and Cardiovascular Interventions</i> , 2004, 63, 192-200.   | 0.7 | 11        |
| 7890 | Validation of a new formula for mean arterial pressure calculation: The new formula is superior to the standard formula. <i>Catheterization and Cardiovascular Interventions</i> , 2004, 63, 419-425.  | 0.7 | 86        |
| 7891 | The reproducibility of urodynamic findings in healthy female volunteers: Results of repeated studies in the same setting and after short-term follow-up. <i>Neurourology and Urodynamics</i> , 2004, 23, 311-316.  | 0.8 | 59        |
| 7892 | ICIQ: A brief and robust measure for evaluating the symptoms and impact of urinary incontinence. <i>Neurourology and Urodynamics</i> , 2004, 23, 322-330.  | 0.8 | 1,478     |
| 7893 | Comparison of repeatability of non-invasive and invasive urodynamics. <i>Neurourology and Urodynamics</i> , 2004, 23, 317-321.   | 0.8 | 12        |
| 7894 | Comments on the non-invasive measurement of bladder pressure developed by Pel et al.. <i>Neurourology and Urodynamics</i> , 2004, 23, 383-384.   | 0.8 | 1         |
| 7895 | Force-length relationship in the pelvic floor muscles under transverse vaginal distension: A method study in healthy women. <i>Neurourology and Urodynamics</i> , 2004, 23, 662-667.   | 0.8 | 26        |
| 7896 | Realignment of myocardial first-pass MR perfusion images using an automatic detection of the heart-lung interface. <i>Magnetic Resonance Imaging</i> , 2004, 22, 1001-1009.  | 1.0 | 9         |
| 7897 | Stereology versus planimetry to estimate the volume of malignant liver lesions on MR imaging. <i>Magnetic Resonance Imaging</i> , 2004, 22, 1011-1016.   | 1.0 | 17        |
| 7898 | Absolute quantitation of left ventricular wall and cavity parameters using ECG-gated PET. <i>Journal of Nuclear Cardiology</i> , 2004, 11, 38-46.  | 1.4 | 17        |
| 7899 | Compared with 3-dimensional analysis, 2-dimensional gated SPECT analysis overestimates left ventricular ejection fraction in patients with regional dyssynchrony. <i>Journal of Nuclear Cardiology</i> , 2004, 11, 159-164.  | 1.4 | 4         |
| 7900 | Baseline/post-nitrate Tc-99m tetrofosmin mismatch for the assessment of myocardial viability in patients with severe left ventricular dysfunction: comparison with baseline Tc-99m tetrofosmin scintigraphy/FDG PET imaging. <i>Journal of Nuclear Cardiology</i> , 2004, 11, 142-151. | 1.4 | 18        |
| 7901 | Estimation of coronary flow reserve by Tc-99m sestamibi imaging in patients with coronary artery disease: Comparison with the results of intracoronary Doppler technique. <i>Journal of Nuclear Cardiology</i> , 2004, 11, 682-688.  | 1.4 | 48        |
| 7902 | Validation of a commercial software package for quantification of computer use. <i>International Journal of Industrial Ergonomics</i> , 2004, 34, 237-241.   | 1.5 | 31        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7903 | Sonographic evaluation of subacromial space. <i>Ultrasonics</i> , 2004, 42, 683-687.  | 2.1 | 69        |
| 7904 | Volumetric tumor measurement using three-dimensional ultrasound: in vitro phantom study on measurement accuracy under various scanning conditions. <i>Ultrasound in Medicine and Biology</i> , 2004, 30, 27-34.   | 0.7 | 19        |
| 7905 | Tracking of regions-of-interest in myocardial contrast echocardiography. <i>Ultrasound in Medicine and Biology</i> , 2004, 30, 303-309.   | 0.7 | 31        |
| 7906 | Quantifying myocardial deformation throughout the cardiac cycle: a comparison of ultrasound strain rate, grey-scale M-mode and magnetic resonance imaging. <i>Ultrasound in Medicine and Biology</i> , 2004, 30, 591-598.   | 0.7 | 51        |
| 7907 | A novel in vivo procedure for volumetric flow measurements. <i>Ultrasound in Medicine and Biology</i> , 2004, 30, 633-637.  | 0.7 | 14        |
| 7908 | Aortic compliance in healthy subjects: evaluation of tissue Doppler imaging. <i>Ultrasound in Medicine and Biology</i> , 2004, 30, 753-759.   | 0.7 | 24        |
| 7909 | Evaluation of the ventricular system in children using transcranial ultrasound: reference values for routine diagnostics. <i>Ultrasound in Medicine and Biology</i> , 2004, 30, 745-751.  | 0.7 | 8         |
| 7910 | Is pericardium a suitable calibration reference in integrated backscatter analysis?. <i>Ultrasound in Medicine and Biology</i> , 2004, 30, 1063-1066.   | 0.7 | 2         |
| 7911 | Volume estimation of small phantoms and rat kidneys using three-dimensional ultrasonography and a position sensor. <i>Ultrasound in Medicine and Biology</i> , 2004, 30, 1109-1117.   | 0.7 | 7         |
| 7912 | Compliance of abdominal aortic aneurysms: Evaluation of tissue Doppler imaging. <i>Ultrasound in Medicine and Biology</i> , 2004, 30, 1099-1108.  | 0.7 | 45        |
| 7913 | Comparison of B-mode and echo tracking methods of assessing flow-mediated dilation. <i>Ultrasound in Medicine and Biology</i> , 2004, 30, 1447-1449.  | 0.7 | 33        |
| 7914 | Intégration de connaissances et modélisation en imagerie médicale. <i>IRBM News</i> , 2004, 25, 139-149.  | 0.1 | 2         |
| 7916 | Comparison of tunable bandpass reaction cell inductively coupled plasma mass spectrometry with conventional inductively coupled plasma mass spectrometry for the determination of heavy metals in whole blood and urine. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2004, 59, 1377-1387. | 1.5 | 42        |
| 7917 | An ultrasound-based method for determining pulse wave velocity in superficial arteries. <i>Journal of Biomechanics</i> , 2004, 37, 1615-1622.   | 0.9 | 132       |
| 7918 | <sup>7</sup> Li MR measures of blood lithium correlation with chemical analysis data. <i>Magnetic Resonance Imaging</i> , 2004, 22, 123-126.  | 1.0 | 5         |
| 7919 | Day-to-day variability of global left ventricular functional and perfusional measurements by quantitative gated SPECT using Tc-99m tetrofosmin in patients with heart failure due to coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2004, 11, 47-52.                                   | 1.4 | 22        |
| 7920 | A sol particle homogeneous immunoassay for measuring serum cystatin C. <i>Clinical Biochemistry</i> , 2004, 37, 27-35.  | 0.8 | 46        |
| 7921 | Analytical and clinical validation of the 25 OH vitamin D assay for the LIAISON® automated analyzer. <i>Clinical Biochemistry</i> , 2004, 37, 867-874.  | 0.8 | 215       |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7922 | Evaluation of an improved blood-conserving POCT sampling system. <i>Clinical Biochemistry</i> , 2004, 37, 977-984.   | 0.8 | 10        |
| 7923 | Centrifugation-based isolation of myosin for measurement of its synthesis rate in small muscle samples. <i>Analytical Biochemistry</i> , 2004, 327, 55-60.   | 1.1 | 14        |
| 7924 | Statistical method comparison: short- and long-column liquid chromatography assays of ketoconazole and formaldehyde in shampoo. <i>Analytica Chimica Acta</i> , 2004, 516, 87-106.   | 2.6 | 15        |
| 7925 | Prognostic factors in soft tissue sarcoma Tissue microarray for immunostaining, the importance of whole-tumor sections and time-dependence. <i>Acta Orthopaedica</i> , 2004, 75, 1-52.                                     | 1.4 | 12        |
| 7926 | Isovolumetric relaxation time of the right ventricle assessed by tissue Doppler imaging. <i>Scandinavian Cardiovascular Journal</i> , 2004, 38, 278-282.   | 0.4 | 6         |
| 7927 | Quantitative computer image analysis of serum $\hat{\pm}$ -fetoprotein rapid gold immunochromatographic dipstick assay. , 0, , .   |     | 6         |
| 7928 | Effects of glucagon-like peptide-1 on endothelial function in type 2 diabetes patients with stable coronary artery disease. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004, 287, E1209-E1215. | 1.8 | 583       |
| 7929 | VMO-VL reflex latency difference in osteoarthritic knees and controls. <i>Advances in Physiotherapy</i> , 2004, 6, 166-172.  | 0.2 | 8         |
| 7930 | Validation of timed micturition. <i>Scandinavian Journal of Urology and Nephrology</i> , 2004, 38, 385-390.  | 1.4 | 3         |
| 7931 | Measurement of Free Testosterone in Normal Women and Women with Androgen Deficiency: Comparison of Methods. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 525-533.                                   | 1.8 | 270       |
| 7932 | Semi-automated quantification of left ventricular volumes and mass from cardiac magnetic resonance images by level set models. , 2004, , .   |     | 0         |
| 7933 | Reproducibility of the study of placental vascularization by three-dimensional power Doppler. <i>Journal of Perinatal Medicine</i> , 2004, 32, 228-33.   | 0.6 | 109       |
| 7934 | Evaluation of "point of care" devices in the measurement of low blood glucose in neonatal practice. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2004, 89, F356-F359.                             | 1.4 | 75        |
| 7935 | Testâ€“retest stability of three tests for unilateral visual neglect in patients with stroke: Star Cancellation, Line Bisection, and the Baking Tray Task. <i>Neuropsychological Rehabilitation</i> , 2004, 14, 403-419.   | 1.0 | 47        |
| 7936 | Reliability and validity of measures taken during the Chester step test to predict aerobic power and to prescribe aerobic exercise. <i>British Journal of Sports Medicine</i> , 2004, 38, 197-205.                         | 3.1 | 122       |
| 7937 | Three-dimensional characterization of carotid plaque structure and deformation with non-invasive ultrasound imaging. , 0, , .  |     | 0         |
| 7938 | Comparison of Anthropometry to Dual Energy X-Ray Absorptiometry: A New Prediction Equation for Women. <i>Research Quarterly for Exercise and Sport</i> , 2004, 75, 248-258.  | 0.8 | 41        |
| 7939 | Coronary Artery Calcium Quantification at Multiâ€“Detector Row Helical CT versus Electron-Beam CT. <i>Radiology</i> , 2004, 230, 397-402.  | 3.6 | 103       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7940 | EQ-5D versus SF-6D in an Older, Chronically Ill Patient Group. <i>Applied Health Economics and Health Policy</i> , 2004, 3, 91-102.  | 1.0 | 44        |
| 7941 | Ventilatory Threshold Characterizations During Incremental Rowing and Cycling Exercises in Older Subjects. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2004, 29, 564-578.   | 1.7 | 3         |
| 7942 | Validation of Pulse Oximetry During Progressive Normobaric Hypoxia Utilizing a Portable Chamber. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2004, 29, 3-15.  | 1.7 | 25        |
| 7943 | Mechanically braked Wingate powers: agreement between SRM, corrected and conventional methods of measurement. <i>Journal of Sports Sciences</i> , 2004, 22, 661-667.   | 1.0 | 21        |
| 7944 | Strong ions, weak acids and base excess: a simplified Fenclâ€“Stewart approach to clinical acidâ€“base disorders â€“Presented in part at the Australian and New Zealand College of Anaesthetists Annual Scientific Meeting, May 12, 2002, Brisbane, Australia.. <i>British Journal of Anaesthesia</i> , 2004, 92, 54-60. | 1.5 | 229       |
| 7945 | Reproducibility of blood pressure variability, whiteâ€“coat effect and dipping pattern in untreated, uncomplicated and newly diagnosed essential hypertension. <i>Blood Pressure</i> , 2004, 13, 214-224.  | 0.7 | 55        |
| 7946 | Optimizing Pharmacodynamic Target Attainment Using the MYSTIC Antibiogram: Data Collected in North America in 2002. <i>Antimicrobial Agents and Chemotherapy</i> , 2004, 48, 2464-2470.  | 1.4 | 96        |
| 7947 | Measurement properties of the Frenchay Activities Index among individuals with a lower limb amputation. <i>Clinical Rehabilitation</i> , 2004, 18, 414-422.  | 1.0 | 51        |
| 7948 | A digital subtraction radiography scheme based on automatic multiresolution registration. <i>Dentomaxillofacial Radiology</i> , 2004, 33, 379-390.   | 1.3 | 23        |
| 7949 | Evaluation of the Modifid Jebsen Test of Hand Function and the University of Maryland Arm Questionnaire for Stroke. <i>Clinical Rehabilitation</i> , 2004, 18, 195-202.  | 1.0 | 58        |
| 7950 | Intra- and Interrater Reliabilities of the Myotonometer When Assessing the Spastic Condition of Children With Cerebral Palsy. <i>Journal of Child Neurology</i> , 2004, 19, 894-901.   | 0.7 | 42        |
| 7951 | Validity of Queen's College step test for use with young Indian men. <i>British Journal of Sports Medicine</i> , 2004, 38, 289-291.  | 3.1 | 62        |
| 7952 | Measurement of urinary cystatin C by particle-enhanced nephelometric immunoassay: precision, interferences, stability and reference range. <i>Annals of Clinical Biochemistry</i> , 2004, 41, 111-118.   | 0.8 | 80        |
| 7953 | The Trunk Impairment Scale: a new tool to measure motor impairment of the trunk after stroke. <i>Clinical Rehabilitation</i> , 2004, 18, 326-334.  | 1.0 | 354       |
| 7954 | Singular spectrum analysis applied to backscattered ultrasound signals from in vitro human cancellous bone specimens. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2004, 51, 302-312.  | 1.7 | 53        |
| 7955 | Microscopic Observation Drug Susceptibility Assay, a Rapid, Reliable Diagnostic Test for Multidrug-Resistant Tuberculosis Suitable for Use in Resource-Poor Settings. <i>Journal of Clinical Microbiology</i> , 2004, 42, 4432-4437.   | 1.8 | 139       |
| 7957 | Contrast agent increases doppler velocities and improves reproducibility of aortic valve area measurements in patients with aortic stenosis. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 247-252.   | 1.2 | 14        |
| 7959 | NONINVASIVE ASSESSMENT OF BLADDER CONTRACTILITY IN MEN. <i>Journal of Urology</i> , 2004, 172, 1394-1398.  | 0.2 | 41        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 7960 | Effects of coil closure of patent ductus arteriosus on left anterior descending coronary artery blood flow using transthoracic Doppler echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 659-663.  | 1.2 | 8         |
| 7961 | Discordance in DXA Male Reference Ranges. <i>Journal of Clinical Densitometry</i> , 2004, 7, 121-126.   | 0.5 | 14        |
| 7962 | Measurement of the Tei index: A comparison of M-mode and pulse Doppler methods. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 1259-1265.   | 1.2 | 28        |
| 7963 | Peak negative myocardial velocity gradient and wall-thickening velocity during early diastole are noninvasive parameters of left ventricular diastolic function in patients with Duchenne's progressive muscular dystrophy. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 322-329. | 1.2 | 24        |
| 7964 | Detection of ischemia and new insight into left ventricular physiology by strain Doppler and tissue velocity imaging: Assessment during coronary bypass operation of the beating heart. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 1225-1233.                                   | 1.2 | 44        |
| 7965 | Comparative cutoff points for adenosine monophosphate and methacholine challenge testing. <i>Annals of Allergy, Asthma and Immunology</i> , 2004, 93, 365-372.  | 0.5 | 18        |
| 7966 | Measurement of structural abnormalities in arthritis using radiographic images. <i>Radiologic Clinics of North America</i> , 2004, 42, 109-119.   | 0.9 | 18        |
| 7968 | Measurement of Portal Blood and Transjugular Intrahepatic Portosystemic Shunt Flow with Use of a Retrograde Thermodilutional Catheter. <i>Journal of Vascular and Interventional Radiology</i> , 2004, 15, 1105-1110.   | 0.2 | 6         |
| 7969 | Diagnostic accuracy of new handheld echocardiography with doppler and harmonic imaging properties. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 234-238.  | 1.2 | 18        |
| 7970 | Comparison of Narrow-Angle Fan-Beam and Pencil-Beam Densitometers. <i>Journal of Clinical Densitometry</i> , 2004, 7, 341-348.  | 0.5 | 12        |
| 7972 | Biochemistry and Clinical Role of Human Cystatin C. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2004, 41, 467-550.  | 2.7 | 229       |
| 7973 | Ultrasonic tissue characterization of the mouse myocardium: Successful in vivo cyclic variation measurements. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 883-892.   | 1.2 | 17        |
| 7975 | Determinant of left atrial dilation in patients with hypertrophic cardiomyopathy: A real-time 3-dimensional echocardiographic study. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 968-975.  | 1.2 | 46        |
| 7976 | Semiautomatic detection of left ventricular contours in contrast-enhanced echocardiographic images: Comparison with magnetic resonance imaging. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 876-882.   | 1.2 | 2         |
| 7977 | AN AUTOMATED PENILE COMPRESSION RELEASE MANEUVER AS A NONINVASIVE TEST FOR DIAGNOSIS OF BLADDER OUTLET OBSTRUCTION. <i>Journal of Urology</i> , 2004, 172, 2312-2315.   | 0.2 | 29        |
| 7978 | Application of Magnetic Resonance Imaging to Evaluation of Femoral Neck Structure in Growing Girls. <i>Journal of Clinical Densitometry</i> , 2004, 7, 161-168.   | 0.5 | 20        |
| 7979 | Assessment of regional myocardial strain by a novel automated tracking system from digital image files. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 1234-1238.   | 1.2 | 69        |
| 7981 | Transthoracic doppler validation in mammary artery grafts after minimal invasive direct coronary artery bypass operation. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 954-961.   | 1.2 | 6         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 7982 | Reproducibility of Fan-Beam DXA Measurements in Adults and Phantoms. <i>Journal of Clinical Densitometry</i> , 2004, 7, 413-418.   | 0.5 | 10        |
| 7983 | Anatomic m-mode, a pertinent tool for the daily practice of transthoracic echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 962-967.  | 1.2 | 8         |
| 7984 | Technical Standardization for Dual-Energy X-Ray Absorptiometry. <i>Journal of Clinical Densitometry</i> , 2004, 7, 27-36.  | 0.5 | 56        |
| 7985 | Serial imaging of the brain. <i>Neuroimaging Clinics of North America</i> , 2004, 14, 437-448.   | 0.5 | 0         |
| 7986 | Correlation of capillary and venous blood glucometry with laboratory determination. <i>Prehospital Emergency Care</i> , 2004, 8, 378-383.  | 1.0 | 19        |
| 7987 | Test-retest reliability of the Saladin card. <i>Optometry - Journal of the American Optometric Association</i> , 2004, 75, 629-639.  | 0.6 | 8         |
| 7988 | Ambulatory Blood Pressure Monitoring to Study White Coat Effect in Patients With Hypertension Followed in Primary Care. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2004, 57, 652-660.  | 0.4 | 1         |
| 7989 | Reproducibility of Measurements of Left Ventricular Function With Gated Myocardial Perfusion SPECT and Comparison With Blood Pool Radionuclide Ventriculography. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2004, 57, 931-938. | 0.4 | 4         |
| 7990 | Early Definition of Treatment Outcomes After Reperfusion Therapy for Myocardial Infarction. <i>Heart Lung and Circulation</i> , 2004, 13, 31-38.   | 0.2 | 0         |
| 7991 | Impaired brachial artery endothelium-dependent and -independent vasodilation in men with erectile dysfunction and no other clinical cardiovascular disease. <i>Journal of the American College of Cardiology</i> , 2004, 43, 179-184.      | 1.2 | 346       |
| 7992 | assessment of coronary remodeling in stenotic and nonstenotic coronary atherosclerotic lesions by multidetector spiral computed tomography. <i>Journal of the American College of Cardiology</i> , 2004, 43, 842-847.                      | 1.2 | 378       |
| 7993 | Long-term outcome (up to 15 years) of balloon angioplasty of discrete native coarctation of the aorta in adolescents and adults. <i>Journal of the American College of Cardiology</i> , 2004, 43, 1062-1067.                               | 1.2 | 118       |
| 7994 | High-resolution transthoracic real-time three-dimensional echocardiography. <i>Journal of the American College of Cardiology</i> , 2004, 43, 2083-2090.  | 1.2 | 280       |
| 7995 | Real-time three-dimensional echocardiography for rheumatic mitral valve stenosis evaluation. <i>Journal of the American College of Cardiology</i> , 2004, 43, 2091-2096.   | 1.2 | 217       |
| 7996 | Quantification of stenotic mitral valve area with magnetic resonance imaging and comparison with Doppler ultrasound. <i>Journal of the American College of Cardiology</i> , 2004, 44, 133-137.   | 1.2 | 70        |
| 7997 | Accurate and reproducible measurement of left ventricular volume and ejection fraction by contrast echocardiography. <i>Journal of the American College of Cardiology</i> , 2004, 44, 1030-1035.   | 1.2 | 299       |
| 7998 | Accurate and objective infarct sizing by contrast-enhanced magnetic resonance imaging in a canine myocardial infarction model. <i>Journal of the American College of Cardiology</i> , 2004, 44, 2383-2389.                                 | 1.2 | 457       |
| 7999 | Defective glucocorticoid receptor nuclear translocation and altered histone acetylation patterns in glucocorticoid-resistant patients. <i>Journal of Allergy and Clinical Immunology</i> , 2004, 113, 1100-1108.                           | 1.5 | 194       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8000 | Effects of inhaled corticosteroids on exhaled leukotrienes and prostanoids in asthmatic children. <i>Journal of Allergy and Clinical Immunology</i> , 2004, 114, 761-767.  | 1.5 | 121       |
| 8001 | Total body water in children with cystic fibrosis using bioelectrical impedance. <i>Journal of Cystic Fibrosis</i> , 2004, 3, 243-247.   | 0.3 | 10        |
| 8002 | Estimation of aortic valve effective orifice area by Doppler echocardiography: effects of valve inflow shape and flow rate. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 756-765.  | 1.2 | 69        |
| 8003 | The retrospective measurement of prenatal and perinatal events: accuracy of maternal recall. <i>Schizophrenia Research</i> , 2004, 71, 417-426.  | 1.1 | 123       |
| 8004 | Detection of cervical nerve root hypertrophy by ultrasonography in chronic inflammatory demyelinating polyradiculoneuropathy. <i>Journal of the Neurological Sciences</i> , 2004, 219, 15-21.  | 0.3 | 93        |
| 8005 | Multiparametric ISODATA analysis of embolic stroke and rt-PA intervention in rat. <i>Journal of the Neurological Sciences</i> , 2004, 223, 135-143.  | 0.3 | 29        |
| 8006 | Use of multifrequency bioelectrical impedance analysis for estimation of total body water and extracellular and intracellular fluid volumes in horses. <i>American Journal of Veterinary Research</i> , 2004, 65, 320-326.   | 0.3 | 33        |
| 8007 | The Use of the Osmole Gap as a Screening Test for the Presence of Exogenous Substances. <i>Toxicological Reviews</i> , 2004, 23, 189-202.  | 2.5 | 35        |
| 8008 | Real-time 3-dimensional echocardiography for quantification of the difference in left ventricular versus right ventricular stroke volume in a chronic animal model study: Improved results using C-scans for quantifying aortic regurgitation. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 870-875. | 1.2 | 14        |
| 8009 | Muestra de sangre capilar para el cribado de la diabetes mellitus tipo 2: dedo frente a antebrazo. <i>Medicina Clínica</i> , 2004, 123, 174-176.   | 0.3 | 1         |
| 8010 | The Validity of Bioelectrical Impedance Models in Clinical Populations. <i>Nutrition in Clinical Practice</i> , 2004, 19, 433-446.   | 1.1 | 175       |
| 8011 | Two-dimensional strain—a novel software for real-time quantitative echocardiographic assessment of myocardial function. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 1021-1029.  | 1.2 | 1,038     |
| 8012 | Accuracy and Precision of PIXImus Densitometry for Ex Vivo Mouse Long Bones. <i>Journal of Clinical Densitometry</i> , 2004, 7, 326-333.   | 0.5 | 21        |
| 8013 | Assessment of right ventricular function during exercise with quantitative Doppler tissue imaging in children late after repair of tetralogy of Fallot. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 863-869.  | 1.2 | 69        |
| 8014 | Interobserver variability of carotid Doppler peak velocity measurements among technologists in an ICAVL-accredited vascular laboratory. <i>Journal of Vascular Surgery</i> , 2004, 39, 735-741.  | 0.6 | 54        |
| 8015 | Myocardial acceleration during isovolumic contraction as a new index of right ventricular contractile function and its relation to pulmonary regurgitation in patients after repair of tetralogy of Fallot. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 332-337.                                    | 1.2 | 83        |
| 8016 | Statistical method comparison: short- and long-column liquid chromatography assays of ketoconazole and formaldehyde in shampoo. <i>Analytica Chimica Acta</i> , 2004, 516, 87-87.  | 2.6 | 0         |
| 8017 | Variability of maximal aortic aneurysm diameter measurements on CT scan: significance and methods to minimize. <i>Journal of Vascular Surgery</i> , 2004, 39, 811-815.   | 0.6 | 86        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8018 | Is three-dimensional computed tomography reconstruction justified before endovascular aortic aneurysm repair?. <i>Journal of Vascular Surgery</i> , 2004, 40, 443-447.  | 0.6 | 63        |
| 8019 | Direct intra-aneurysm sac pressure measurement using tip-pressure sensors: In vivo and in vitro evaluation. <i>Journal of Vascular Surgery</i> , 2004, 40, 711-716.   | 0.6 | 35        |
| 8020 | A rapid, simple measurement of human albumin in whole blood using a fluorescence immunoassay (I). <i>Clinica Chimica Acta</i> , 2004, 339, 147-156.   | 0.5 | 111       |
| 8021 | Validation of capillary glucose measurements to detect glucose intolerance or type 2 diabetes mellitus in the general population. <i>Clinica Chimica Acta</i> , 2004, 341, 33-40.   | 0.5 | 65        |
| 8022 | Effect of high bicarbonate hemodialysis on ionized calcium and risk of metastatic calcification. <i>Clinica Chimica Acta</i> , 2004, 343, 231-236.  | 0.5 | 21        |
| 8023 | Rapid simultaneous quantification of immunosuppressants in transplant patients by turbulent flow chromatography combined with tandem mass spectrometry. <i>Clinica Chimica Acta</i> , 2004, 346, 181-190.   | 0.5 | 121       |
| 8024 | Evaluation of Advia Centaur® automated chemiluminescence immunoassay for determining total homocysteine in plasma. <i>Clinica Chimica Acta</i> , 2004, 349, 113-120.  | 0.5 | 30        |
| 8025 | Determination of creatinine in urine by tandem mass spectrometry. <i>Clinica Chimica Acta</i> , 2004, 350, 99-106.  | 0.5 | 52        |
| 8026 | The relationship between EMG and change in thickness of transversus abdominis. <i>Clinical Biomechanics</i> , 2004, 19, 337-342.  | 0.5 | 360       |
| 8027 | Pharmacodynamic comparisons of antimicrobials against nosocomial isolates of escherichia coli, klebsiella pneumoniae, acinetobacter baumannii and pseudomonas aeruginosa from the MYSTIC surveillance program: the OPTAMA Program, South America 2002. <i>Diagnostic Microbiology and Infectious Disease</i> , 2004, 49, 109-116. | 0.8 | 40        |
| 8028 | Ultrasound velocity measurement to determine lipid content in salmon muscle; the effects of myosepta. <i>Food Research International</i> , 2004, 37, 611-620.   | 2.9 | 18        |
| 8029 | A stair-climbing test for ambulatory assessment of children with cerebral palsy. <i>Gait and Posture</i> , 2004, 20, 183-188.   | 0.6 | 24        |
| 8030 | Assessment and validation of a simple automated method for the detection of gait events and intervals. <i>Gait and Posture</i> , 2004, 20, 266-272.   | 0.6 | 188       |
| 8031 | Ex vivo bone mineral density of the wrist: influence of medullar fat. <i>Bone</i> , 2004, 34, 1023-1028.  | 1.4 | 17        |
| 8032 | Inter-ocular and inter-session reliability of the electroretinogram photopic negative response (PhNR) in non-human primates. <i>Experimental Eye Research</i> , 2004, 78, 83-93.  | 1.2 | 35        |
| 8033 | Comparison of fetal heart rate baseline estimation by SisPorto® 2.01 and a consensus of clinicians. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2004, 117, 174-178.  | 0.5 | 34        |
| 8034 | A comparison of left ventricular mass between two-dimensional echocardiography, using fundamental and tissue harmonic imaging, and cardiac MRI in patients with hypertension. <i>European Journal of Radiology</i> , 2004, 52, 103-109.   | 1.2 | 46        |
| 8035 | On the value of geometry-based models for left ventricular volumetry in magnetic resonance imaging and electron beam tomography: a Bland-Altman analysis. <i>European Journal of Radiology</i> , 2004, 52, 110-118.   | 1.2 | 18        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8036 | Measurement of tumour size in case selection for breast cancer therapy by clinical assessment and ultrasound. <i>European Journal of Surgical Oncology</i> , 2004, 30, 5-9.                                       | 0.5 | 20        |
| 8037 | Repeatability of flow cytometric and classical measurement of phagocytosis and respiratory burst in bovine polymorphonuclear leukocytes. <i>Veterinary Immunology and Immunopathology</i> , 2004, 97, 105-114.    | 0.5 | 57        |
| 8038 | Effect of positive and negative defocus on contrast sensitivity in myopes and non-myopes. <i>Vision Research</i> , 2004, 44, 1869-1878.   | 0.7 | 58        |
| 8039 | Evaluation of quality control procedures for 24-h dietary recalls: results from the Girls health Enrichment Multisite Studies. <i>Preventive Medicine</i> , 2004, 38, 14-23.                                      | 1.6 | 29        |
| 8040 | Transcranial Doppler sonography pulsatility index (PI) reflects intracranial pressure (ICP). <i>World Neurosurgery</i> , 2004, 62, 45-51.   | 1.3 | 951       |
| 8041 | Comparison of fluorescence polarization immunoassay and high-performance liquid chromatography methods for assay of teicoplanin: can correlation be improved?. <i>Pathologie Et Biologie</i> , 2004, 52, 584-588. | 2.2 | 10        |
| 8042 | Validation of a cardiac monitor for measuring heart rate variability in adult female pigs: accuracy, artefacts and editing. <i>Physiology and Behavior</i> , 2004, 80, 449-458.                                   | 1.0 | 101       |
| 8043 | A bolus/infusion paradigm for the novel NMDA receptor SPET tracer [ <sup>123</sup> I]CNS 1261. <i>Nuclear Medicine and Biology</i> , 2004, 31, 155-164.   | 0.3 | 30        |
| 8044 | A simplified autoradiographic method with [ <sup>14</sup> C]methyl-tryptophan to measure serotonin synthesis rate in the rat brain. <i>Nuclear Medicine and Biology</i> , 2004, 31, 1013-1019.                    | 0.3 | 0         |
| 8045 | Eyelid position measurement in Graves' ophthalmopathy. <i>Ophthalmology</i> , 2004, 111, 1029-1034.   | 2.5 | 49        |
| 8046 | Digital stereoscopic analysis of the optic disc. <i>Ophthalmology</i> , 2004, 111, 1873-1879.   | 2.5 | 9         |
| 8047 | Nightly Variability of Sleep-Disordered Breathing Measured over 3 Nights. <i>Otolaryngology - Head and Neck Surgery</i> , 2004, 131, 837-843.   | 1.1 | 69        |
| 8049 | Effect of body mass index on overnight oximetry for the diagnosis of sleep apnea. <i>Respiratory Medicine</i> , 2004, 98, 421-427.  | 1.3 | 36        |
| 8050 | Tremor side effects of salbutamol, quantified by a laser pointer technique. <i>Respiratory Medicine</i> , 2004, 98, 844-850.  | 1.3 | 25        |
| 8051 | Induced sputum and bronchoalveolar lavage from patients with hypersensitivity pneumonitis. <i>Respiratory Medicine</i> , 2004, 98, 977-983.   | 1.3 | 27        |
| 8052 | Measurement of agreement on health-related quality of life changes in response to respiratory rehabilitation by patients and physicians – A prospective study. <i>Respiratory Medicine</i> , 2004, 98, 1195-1202. | 1.3 | 39        |
| 8053 | Variability in the Epworth sleepiness scale score between the patient and the partner. <i>Sleep Medicine</i> , 2004, 5, 369-371.  | 0.8 | 23        |
| 8054 | Wrist actigraphy in estimation of sleep and wake in intellectually disabled subjects with motor handicaps. <i>Sleep Medicine</i> , 2004, 5, 541-550.  | 0.8 | 25        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8055 | Accurate method for clinical assessment of right lobe liver weight in adult living-related liver transplant. <i>Transplantation Proceedings</i> , 2004, 36, 1429-1433.   | 0.3 | 36        |
| 8056 | Evaluation of the new heterogeneous ACMLA immunoassay for the determination of whole-blood cyclosporine concentrations in bone marrow, kidney, heart, and liver transplant recipients. <i>Transplantation Proceedings</i> , 2004, 36, 1317-1320. | 0.3 | 6         |
| 8057 | Applicability and reproducibility of condom catheter method for measuring isovolumetric bladder pressure. <i>Urology</i> , 2004, 63, 56-60.  | 0.5 | 31        |
| 8058 | Digital photodensitometry: a reliable and accessible method for measuring bone density. <i>Journal of Archaeological Science</i> , 2004, 31, 711-719.  | 1.2 | 28        |
| 8059 | Comparison of the LASA Physical Activity Questionnaire with a 7-day diary and pedometer. <i>Journal of Clinical Epidemiology</i> , 2004, 57, 252-258.  | 2.4 | 430       |
| 8060 | The Sharp/van der Heijde method out-performed the Larsen/Scott method on the individual patient level in assessing radiographs in early rheumatoid arthritis. <i>Journal of Clinical Epidemiology</i> , 2004, 57, 502-512.                       | 2.4 | 31        |
| 8061 | Comparison of manual and automated methods to determine horizontal corneal diameter. <i>Journal of Cataract and Refractive Surgery</i> , 2004, 30, 374-380.  | 0.7 | 128       |
| 8062 | Confocal microscopy evaluation of stromal ablation depth after myopic laser in situ keratomileusis and photorefractive keratectomy. <i>Journal of Cataract and Refractive Surgery</i> , 2004, 30, 321-325.                                       | 0.7 | 18        |
| 8063 | Corneal pachymetry in normal and keratoconic eyes. <i>Journal of Cataract and Refractive Surgery</i> , 2004, 30, 1272-1277.  | 0.7 | 83        |
| 8064 | Surgically induced corneal refractive change following glaucoma surgery. <i>Journal of Cataract and Refractive Surgery</i> , 2004, 30, 1232-1239.  | 0.7 | 65        |
| 8065 | Autorefractometry as an outcome measure of laser in situ keratomileusis. <i>Journal of Cataract and Refractive Surgery</i> , 2004, 30, 1921-1928.  | 0.7 | 26        |
| 8066 | Effect of instrument rotation on handheld keratometry. <i>Journal of Cataract and Refractive Surgery</i> , 2004, 30, 2590-2594.  | 0.7 | 9         |
| 8067 | Correlation of infrared pupillometers and CCD-camera imaging from aberrometry and videokeratography for determining scotopic pupil size. <i>Journal of Cataract and Refractive Surgery</i> , 2004, 30, 2116-2123.                                | 0.7 | 40        |
| 8068 | POCOman. <i>Journal of Cataract and Refractive Surgery</i> , 2004, 30, 2058-2063.  | 0.7 | 66        |
| 8069 | The reproducibility of ultrasonic enamel thickness measurements: an in vitro study. <i>Journal of Dentistry</i> , 2004, 32, 83-89.   | 1.7 | 41        |
| 8070 | A comparison of cold, pinprick and touch for assessing the level of spinal block at caesarean section. <i>International Journal of Obstetric Anesthesia</i> , 2004, 13, 146-152.   | 0.2 | 88        |
| 8071 | Parent-administered visual acuity testing: Is it reliable and can it improve office efficiency?. <i>Journal of AAPOS</i> , 2004, 8, 332-337.   | 0.2 | 6         |
| 8072 | Assessment of hepatic ischemia-reperfusion injury by simultaneous measurement of tissue pO <sub>2</sub> , pCO <sub>2</sub> , and pH. <i>Microvascular Research</i> , 2004, 67, 38-47.  | 1.1 | 19        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8073 | Can cardiac vagal tone be estimated from the 10-second ECG?. International Journal of Cardiology, 2004, 95, 109-115.   | 0.8 | 68        |
| 8074 | Effect of pharmacological wash-out in patients undergoing exercise testing after acute myocardial infarction. International Journal of Cardiology, 2004, 97, 277-281.  | 0.8 | 10        |
| 8075 | Validation of surrogate estimates of insulin sensitivity and insulin secretion in children and adolescents. Journal of Pediatrics, 2004, 144, 47-55.   | 0.9 | 416       |
| 8076 | Left ventricular remodeling after experimental myocardial cryoinjury in rats. Journal of Surgical Research, 2004, 116, 91-97.  | 0.8 | 36        |
| 8077 | Measuring grip strength in normal adults: Reference ranges and a comparison of electronic and hydraulic instruments. Journal of Hand Surgery, 2004, 29, 514-519.   | 0.7 | 172       |
| 8078 | Average versus Maximum Grip Strength: Which is more Consistent?. Journal of Hand Surgery, 2004, 29, 82-84.   | 0.9 | 133       |
| 8079 | Characterization of Ceap-11 and Ceap-16, Two Novel Splicingâ€“Variantâ€“Proteins, Associated with Centrosome, Microtubule Aggregation and Cell Proliferation. Journal of Molecular Biology, 2004, 343, 71-82.                | 2.0 | 16        |
| 8080 | The interexaminer reproducibility of physical examination of the cervical spine. Journal of Manipulative and Physiological Therapeutics, 2004, 27, 84-90.  | 0.4 | 93        |
| 8081 | Interstudy reproducibility of right ventricular volumes, function, and mass with cardiovascular magnetic resonance. American Heart Journal, 2004, 147, 218-223.  | 1.2 | 686       |
| 8082 | Reproducibility of the proximal flow convergence method in mitral and tricuspid regurgitation. American Heart Journal, 2004, 147, 721-728.   | 1.2 | 11        |
| 8083 | Does chronic mitral regurgitation influence Doppler pressure half-timeâ€“derived calculation of the mitral valve area in patients with mitral stenosis?. American Heart Journal, 2004, 148, 703-709.                         | 1.2 | 20        |
| 8084 | Extended follow-up of patients randomly assigned in the angiotensin-converting enzyme inhibition post-revascularization study (APRES). American Heart Journal, 2004, 148, 475-480.   | 1.2 | 11        |
| 8085 | Comparison of the amblyopia treatment study hotv and electronic-early treatment of diabetic retinopathy study visual acuity protocols in children aged 5 to 12 years. American Journal of Ophthalmology, 2004, 137, 278-282. | 1.7 | 29        |
| 8086 | Interobserver variability in optical coherence tomography for macular edema. American Journal of Ophthalmology, 2004, 137, 1116-1117.  | 1.7 | 40        |
| 8087 | Corneal thickness measurement by confocal microscopy, ultrasound, and scanning slit methods. American Journal of Ophthalmology, 2004, 137, 1011-1020.  | 1.7 | 127       |
| 8088 | Intraobserver variability in optical coherence tomography. American Journal of Ophthalmology, 2004, 138, 477-479.  | 1.7 | 20        |
| 8089 | Cigar smoking has an acute detrimental effect on arterial stiffness. American Journal of Hypertension, 2004, 17, 299-303.  | 1.0 | 68        |
| 8090 | Left ventricular hypertrophy and its regression in essential arterial hypertension. A tissue Doppler imaging study. American Journal of Hypertension, 2004, 17, 882-890.   | 1.0 | 25        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8091 | Continuous intra-abdominal pressure measurement technique. American Journal of Surgery, 2004, 188, 679-684.   | 0.9 | 160       |
| 8095 | Reliability of maximal strength testing in older adults. Archives of Physical Medicine and Rehabilitation, 2004, 85, 329-334.   | 0.5 | 97        |
| 8096 | A comparison of 4 questionnaires to measure fatigue in postpoliomyelitis syndrome. Archives of Physical Medicine and Rehabilitation, 2004, 85, 392-398.   | 0.5 | 40        |
| 8097 | Intratester and intertester reliability of neck isometric dynamometry11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit on the author(s) or on any organization with which the author(s) is/are associated.. Archives of Physical Medicine and Rehabilitation, 2004, 85, 1309-1316.   | 0.5 | 59        |
| 8098 | Decreased isometric neck strength in women with chronic neck pain and the repeatability of neck strength measurements11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated.. Archives of Physical Medicine and Rehabilitation, 2004, 85, 1303-1308.           | 0.5 | 159       |
| 8099 | Repeatability of maximal quadriceps strength and its relationship to maximal voluntary activation in postpoliomyelitis syndrome11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated.. Archives of Physical Medicine and Rehabilitation, 2004, 85, 1273-1278. | 0.5 | 22        |
| 8100 | Test-Retest repeatability of gluteus maximus strength testing using a fixed digital dynamometer in children with cerebral palsy. Archives of Physical Medicine and Rehabilitation, 2004, 85, 2058-2063.   | 0.5 | 23        |
| 8101 | Reproducibility of walking at self-preferred and maximal speed in patients with postpoliomyelitis syndrome. Archives of Physical Medicine and Rehabilitation, 2004, 85, 1929-1932.  | 0.5 | 23        |
| 8102 | Relationships of ratings of appetite to food intake in healthy older men and women. Appetite, 2004, 43, 227-233.  | 1.8 | 18        |
| 8103 | Sagittal plane kinematics of a mobile-bearing unicompartmental knee arthroplasty at 10 years. Journal of Arthroplasty, 2004, 19, 590-597.   | 1.5 | 118       |
| 8104 | Continuous measurement of oxygen consumption during cardiopulmonary bypass: description of the method and in vivo observations. Annals of Thoracic Surgery, 2004, 77, 1671-1677.  | 0.7 | 7         |
| 8105 | Testâ€“retest repeatability of muscle sympathetic nerve activity: influence of data analysis and head-up tilt. Autonomic Neuroscience: Basic and Clinical, 2004, 114, 61-71.  | 1.4 | 46        |
| 8106 | Wideband enhancement of television images for people with visual impairments. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2004, 21, 937.   | 0.8 | 54        |
| 8107 | The effect of age and gender on epidermal nerve fiber density. Neurology, 2004, 62, 774-777.  | 1.5 | 173       |
| 8108 | Reliability of the GAITrite® walkway system for the quantification of temporo-spatial parameters of gait in young and older people. Gait and Posture, 2004, 20, 20-25.  | 0.6 | 577       |
| 8109 | Evaluation of an ambulatory system for gait analysis in hip osteoarthritis and after total hip replacement. Gait and Posture, 2004, 20, 102-107.  | 0.6 | 156       |
| 8110 | Validation of the portable VmaxST system for oxygen-uptake measurement. Gait and Posture, 2004, 20, 67-73.  | 0.6 | 75        |
| 8111 | Day-to-day variability of the long-term fractal component of heart rate variability ( $\hat{I}^2$ ) and the effect of an antianginal agent in patients with silent myocardial ischemia. Biomedicine and Pharmacotherapy, 2004, 58, S123-S128.   | 2.5 | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8112 | Effect of posture and artificial tears on corneal power measurements with a handheld automated keratometer. <i>Journal of Cataract and Refractive Surgery</i> , 2004, 30, 645-652.   | 0.7 | 10        |
| 8113 | Evaluation of intraocular pressure change after laser in situ keratomileusis using the pressure phosphene tonometer. <i>Journal of Cataract and Refractive Surgery</i> , 2004, 30, 390-397.  | 0.7 | 16        |
| 8114 | Estimation of pupil size by digital photography. <i>Journal of Cataract and Refractive Surgery</i> , 2004, 30, 381-389.  | 0.7 | 53        |
| 8115 | Comparison of the handheld Retinomax K-Plus2 and on-table autokeratometers in children with and without cycloplegia. <i>Journal of Cataract and Refractive Surgery</i> , 2004, 30, 669-674.  | 0.7 | 16        |
| 8116 | Scaling the sickness impact profile using item response theory: an exploration of linearity, adaptive use, and patient driven item weights. <i>Journal of Clinical Epidemiology</i> , 2004, 57, 66-74.   | 2.4 | 11        |
| 8117 | Accuracy of continuous nocturnal glucose monitoring after 48 and 72 hours in type 2 diabetes patients on combined oral and insulin therapy. <i>Diabetes and Metabolism</i> , 2004, 30, 517-521.  | 1.4 | 13        |
| 8118 | New technology, old standards: disparate activated clotting time measurements by the Hemochron Jr compared with the standard Hemochron. <i>Annals of Thoracic Surgery</i> , 2004, 77, 973-976.   | 0.7 | 18        |
| 8119 | A new clinical test for cervicocephalic kinesthetic sensibility: "the fly". <i>Archives of Physical Medicine and Rehabilitation</i> , 2004, 85, 490-495.   | 0.5 | 98        |
| 8120 | Automated lung segmentation for thoracic CT. <i>Academic Radiology</i> , 2004, 11, 1011-1021.  | 1.3 | 254       |
| 8121 | Comparison of computerized methods for detecting the ventilatory thresholds. <i>European Journal of Applied Physiology</i> , 2004, 93, 315-324.  | 1.2 | 60        |
| 8122 | AMON: A Wearable Multiparameter Medical Monitoring and Alert System. <i>IEEE Transactions on Information Technology in Biomedicine</i> , 2004, 8, 415-427.   | 3.6 | 557       |
| 8123 | Experience with the Continuous Glucose Monitoring System <sup>®</sup> in a Medical Intensive Care Unit. <i>Diabetes Technology and Therapeutics</i> , 2004, 6, 339-347.  | 2.4 | 141       |
| 8124 | Exhaled Breath Condensate as a Suitable Matrix to Assess Lung Dose and Effects in Workers Exposed to Cobalt and Tungsten. <i>Environmental Health Perspectives</i> , 2004, 112, 1293-1298.   | 2.8 | 88        |
| 8125 | A comparison of plateletworks <sup>®</sup> and platelet aggregometry for the assessment of aspirin-related platelet dysfunction in cardiac surgical patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2004, 18, 136-140.                                | 0.6 | 51        |
| 8126 | Comparison of esophageal Doppler, pulse contour analysis, and real-time pulmonary artery thermodilution for the continuous measurement of cardiac output. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2004, 18, 185-189.                                    | 0.6 | 92        |
| 8127 | Relationship between peripheral and central venous pressures in different patient positions, catheter sizes, and insertion sites. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2004, 18, 446-450.  | 0.6 | 48        |
| 8129 | Measurement of cardiac output before and after cardiopulmonary bypass: Comparison among aortic transit-time ultrasound, thermodilution, and noninvasive partial CO <sub>2</sub> rebreathing. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2004, 18, 563-572. | 0.6 | 87        |
| 8130 | Arterial versus venous sampling for activated coagulation time measurements during cardiac surgery: A comparative study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2004, 18, 573-580.   | 0.6 | 15        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8131 | Accuracy and performance of a modified continuous intravascular blood gas monitoring device during thoracoscopic surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2004, 18, 587-591.  | 0.6 | 10        |
| 8132 | Rapid and simple quantitative measurement of $\hat{I}\pm$ -fetoprotein by combining immunochromatographic strip test and artificial neural network image analysis system. <i>Clinica Chimica Acta</i> , 2004, 348, 87-93.  | 0.5 | 45        |
| 8133 | Assessment of central motor conduction to intrinsic hand muscles using the triple stimulation technique: normal values and repeatability. <i>Clinical Neurophysiology</i> , 2004, 115, 2558-2566.  | 0.7 | 34        |
| 8134 | Quantitative analysis of temporal lobe white matter T2 relaxation time in temporal lobe epilepsy. <i>NeuroImage</i> , 2004, 23, 318-324.   | 2.1 | 60        |
| 8135 | Impact of repeated antral follicle counts on the prediction of poor ovarian response in women undergoing in vitro fertilization. <i>Fertility and Sterility</i> , 2004, 81, 35-41.   | 0.5 | 96        |
| 8136 | Estrogen therapy increases plasma concentrations of nitric oxide metabolites in postmenopausal women but increases flow-mediated vasodilation only in younger women. <i>Fertility and Sterility</i> , 2004, 82, 1550-1555.   | 0.5 | 10        |
| 8137 | Effects of revascularisation and contractile reserve on left ventricular remodelling in patients with impaired left ventricular function. <i>International Journal of Cardiology</i> , 2004, 93, 55-61.  | 0.8 | 11        |
| 8138 | Can the reproducibility of fetal heart rate baseline estimation be improved?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2004, 112, 49-54.   | 0.5 | 30        |
| 8139 | Reliability of the Bishop score before labour induction at term. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2004, 112, 178-181.  | 0.5 | 40        |
| 8141 | A note on the suitability of an exponential equation to characterize pH decline corrected for muscle temperature in bovine muscle early post mortem. <i>Meat Science</i> , 2004, 66, 507-512.  | 2.7 | 6         |
| 8142 | Dried blood spot technology for CD4+ T-cell counting. <i>Lancet, The</i> , 2004, 363, 164.   | 6.3 | 11        |
| 8143 | Non-invasive assessment of hepatic iron stores by MRI. <i>Lancet, The</i> , 2004, 363, 357-362.  | 6.3 | 599       |
| 8144 | Urine pregnancy test and intrauterine inseminations. <i>Lancet, The</i> , 2004, 363, 362.  | 6.3 | 2         |
| 8145 | Mefloquine resistance in <i>Plasmodium falciparum</i> and increased <i>pfmdr1</i> gene copy number. <i>Lancet, The</i> , 2004, 364, 438-447.   | 6.3 | 707       |
| 8146 | As we said â€¦. <i>Lancet, The</i> , 2004, 364, 744.   | 6.3 | 1         |
| 8147 | Prediction of resting energy expenditure in a large population of obese children. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 1544-1550.   | 2.2 | 47        |
| 8148 | Low ratio of S-adenosylmethionine to S-adenosylhomocysteine is associated with vitamin deficiency in Brazilian pregnant women and newborns. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 1312-1321.   | 2.2 | 60        |
| 8149 | Combined Measurement of Ferritin, Soluble Transferrin Receptor, Retinol Binding Protein, and C-Reactive Protein by an Inexpensive, Sensitive, and Simple Sandwich Enzyme-Linked Immunosorbent Assay Technique. <i>Journal of Nutrition</i> , 2004, 134, 3127-3132. | 1.3 | 448       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8150 | Validation of a New System of Tracheal Sound Analysis for the Diagnosis of Sleep Apnea-Hypopnea Syndrome. <i>Sleep</i> , 2004, 27, 951-957.  | 0.6 | 89        |
| 8151 | Adjustments to the Modified Relative Dose Response (MRDR) Test for Assessment of Vitamin A Status Minimize the Blood Volume Used in Piglets. <i>Journal of Nutrition</i> , 2004, 134, 1186-1192.   | 1.3 | 31        |
| 8152 | New reference values for thyroid volume by ultrasound in iodine-sufficient schoolchildren: a World Health Organization/Nutrition for Health and Development Iodine Deficiency Study Group Report. <i>American Journal of Clinical Nutrition</i> , 2004, 79, 231-237.     | 2.2 | 225       |
| 8153 | Comparison between single-beat and multiple-beat methods for estimation of right ventricular contractility. <i>Critical Care Medicine</i> , 2004, 32, 1886-1890.   | 0.4 | 26        |
| 8154 | Evaluation of an Automated Subjective Refractor. <i>Optometry and Vision Science</i> , 2004, 81, 334-340.  | 0.6 | 23        |
| 8155 | The Assessment of Intraobserver and Interobserver Error in the Measurement of Noncongenital Scoliosis in Children $\geq$ 10 Years of Age. <i>Spine</i> , 2004, 29, 2548-2553.  | 1.0 | 61        |
| 8156 | ISSLS Prize Winner: A Study of Diffusion in Human Lumbar Discs: A Serial Magnetic Resonance Imaging Study Documenting the Influence of the Endplate on Diffusion in Normal and Degenerate Discs. <i>Spine</i> , 2004, 29, 2654-2667.                                     | 1.0 | 283       |
| 8157 | Accuracy and Precision of EyeSys and Orbscan Systems on Calibrated Spherical Test Surfaces. <i>Eye and Contact Lens</i> , 2004, 30, 74-78.   | 0.8 | 47        |
| 8158 | Blood pressure measurements by the Keito machine. Evaluation versus office blood pressure by physicians. <i>Blood Pressure Monitoring</i> , 2004, 9, 167-172.  | 0.4 | 4         |
| 8159 | The Validity of a New Noncontact Tonometer and Its Comparison with the Goldmann Tonometer. <i>Optometry and Vision Science</i> , 2004, 81, 601-605.  | 0.6 | 24        |
| 8160 | Automated Cardiac Output Measurement by Transesophageal Color Doppler Echocardiography. <i>Anesthesia and Analgesia</i> , 2004, 98, 1232-1238.   | 1.1 | 13        |
| 8161 | The Effect of Different Stages of Neuromuscular Block on the Bispectral Index and the Bispectral Index-XP Under Remifentanyl/Propofol Anesthesia. <i>Anesthesia and Analgesia</i> , 2004, 99, 781-787.   | 1.1 | 67        |
| 8162 | RELIABILITY AND VALIDITY OF THE INTERNATIONAL PHYSICAL ACTIVITY QUESTIONNAIRE (IPAQ). <i>Medicine and Science in Sports and Exercise</i> , 2004, 36, 556.  | 0.2 | 392       |
| 8163 | Comparison of Bod Pod?? and DXA in Female Collegiate Athletes. <i>Medicine and Science in Sports and Exercise</i> , 2004, 36, 731-735.   | 0.2 | 53        |
| 8164 | Reliability of Biomechanical Variables of Sprint Running. <i>Medicine and Science in Sports and Exercise</i> , 2004, 36, 850-861.  | 0.2 | 48        |
| 8165 | Predicted versus measured energy expenditure by continuous, online indirect calorimetry in ventilated, critically ill children during the early postinjury period*. <i>Pediatric Critical Care Medicine</i> , 2004, 5, 19-27.  | 0.2 | 96        |
| 8166 | The suitability of the Pediatric Index of Mortality (PIM), PIM2, the Pediatric Risk of Mortality (PRISM), and PRISM III for monitoring the quality of pediatric intensive care in Australia and New Zealand. <i>Pediatric Critical Care Medicine</i> , 2004, 5, 447-453. | 0.2 | 139       |
| 8167 | Comparison of the Temporal Artery and Rectal Thermometry in Children in the Emergency Department. <i>Pediatric Emergency Care</i> , 2004, 2, 736-741.  | 0.5 | 42        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8168 | MEASUREMENT OF LYMPHEDEMA USING A SIMPLE DEVICE. <i>Plastic and Reconstructive Surgery</i> , 2004, 113, 456-457.  | 0.7 | 0         |
| 8169 | Determination of Cardiac Output With Multislice Spiral Computed Tomography. <i>Investigative Radiology</i> , 2004, 39, 451-454.   | 3.5 | 21        |
| 8170 | Evaluation of Semiautomated Internal Carotid Artery Stenosis Quantification from 3-Dimensional Contrast-Enhanced Magnetic Resonance Angiograms. <i>Investigative Radiology</i> , 2004, 39, 418-426.                       | 3.5 | 11        |
| 8171 | Decrease in Left Ventricular Ejection Time on Digital Arterial Waveform during Simulated Hypovolemia in Normal Humans. <i>Journal of Trauma</i> , 2004, 56, 845-849.  | 2.3 | 19        |
| 8172 | Juxtaaortic Counterpulsation: Comparison with Intraaortic Counterpulsation in an Animal Model of Acute Heart Failure. <i>ASAIO Journal</i> , 2004, 50, 311-315.   | 0.9 | 9         |
| 8173 | Progress on the development of the MediWatch ambulatory blood pressure monitor and related devices. <i>Blood Pressure Monitoring</i> , 2004, 9, 149-165.  | 0.4 | 35        |
| 8174 | Quantitative lung perfusion scan as a predictor of aerosol distribution heterogeneity and disease severity in children with cystic fibrosis. <i>Nuclear Medicine Communications</i> , 2004, 25, 563-569.                  | 0.5 | 14        |
| 8175 | Multisegment and Halfscan Reconstruction of 16-Slice Computed Tomography for Detection of Coronary Artery Stenoses. <i>Investigative Radiology</i> , 2004, 39, 223-229.   | 3.5 | 127       |
| 8176 | Neither the Accuracy nor the Precision of Thermal Dilution Cardiac Output Measurements Is Altered by Acute Tricuspid Regurgitation in Pigs. <i>Anesthesia and Analgesia</i> , 2004, 98, 884-890.                          | 1.1 | 18        |
| 8177 | Simultaneous Determination of Neuromuscular Blockade at the Adducting and Abducting Laryngeal Muscles Using Phonomyography. <i>Anesthesia and Analgesia</i> , 2004, 98, 1729-1733.  | 1.1 | 9         |
| 8178 | An Evaluation of a Noninvasive Cardiac Output Measurement Using Partial Carbon Dioxide Rebreathing in Children. <i>Anesthesia and Analgesia</i> , 2004, 99, 1642-1647.  | 1.1 | 36        |
| 8179 | Validity of a Multi-Sensor Armband in Estimating Rest and Exercise Energy Expenditure. <i>Medicine and Science in Sports and Exercise</i> , 2004, 36, 1063-1069.  | 0.2 | 260       |
| 8180 | Accuracy of the double indicator method for measurement of extravascular lung water depends on the type of acute lung injury*. <i>Critical Care Medicine</i> , 2004, 32, 811-817.   | 0.4 | 72        |
| 8181 | Comparison of Cardiac Outputs of Major Burn Patients Undergoing Extensive Early Escharectomy: Esophageal Doppler Monitor Versus Thermodilution Pulmonary Artery Catheter. <i>Journal of Trauma</i> , 2004, 57, 1013-1017. | 2.3 | 38        |
| 8182 | Reliability and Validity of the Melbourne Edge Test and High/Low Contrast Visual Acuity Chart. <i>Optometry and Vision Science</i> , 2004, 81, 308-316.   | 0.6 | 40        |
| 8183 | THE EFFECT OF FLUID DENSITY AND VOLUME ON THE ACCURACY OF TEST WEIGHING IN A SIMULATED ORAL FEEDING SITUATION. <i>Advances in Neonatal Care</i> , 2004, 4, 158-165.   | 0.5 | 3         |
| 8184 | Accuracy of Polar S410 Heart Rate Monitor to Estimate Energy Cost of Exercise. <i>Medicine and Science in Sports and Exercise</i> , 2004, 36, 1433-1439.  | 0.2 | 100       |
| 8185 | An Evaluation of the Predictive Validity and Reliability of Ventilatory Threshold. <i>Medicine and Science in Sports and Exercise</i> , 2004, 36, 1716-1722.  | 0.2 | 64        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8186 | Fluorescent Microspheres Are Reliable for Serial Bone Blood Flow Measurements. <i>Clinical Orthopaedics and Related Research</i> , 2004, 427, 241-248.  | 0.7 | 3         |
| 8187 | Accuracy of Respiratory Inductive Plethysmography in Estimating Lung Volume Changes: The authors reply. <i>Critical Care Medicine</i> , 2004, 32, 1242.   | 0.4 | 0         |
| 8188 | Uptime in Children With Cerebral Palsy. <i>Journal of Pediatric Orthopaedics</i> , 2004, 24, 521-528.   | 0.6 | 11        |
| 8189 | Determination of Bone Age in Children With Cartilaginous Dysplasia (Multiple Hereditary) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 30 102-108.   | 0.6 | 6         |
| 8190 | Comparison of Peak Cough Flows Measured by Pneumotachograph and a Portable Peak Flow Meter. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2004, 83, 608-612.  | 0.7 | 48        |
| 8191 | 201Tl gated single photon emission computed tomographic myocardial perfusion imaging in the assessment of global and regional left ventricular function. Would it be favoured over equilibrium radionuclide angiography?. <i>Nuclear Medicine Communications</i> , 2004, 25, 665-673. | 0.5 | 5         |
| 8192 | Cardiac output measurement by pulse dye densitometry using three wavelengths*. <i>Pediatric Critical Care Medicine</i> , 2004, 5, 343-350.  | 0.2 | 23        |
| 8193 | Effect of Increased Sympathetic Activity on Electrical Activity from Myofascial Painful Areas. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2004, 83, 842-850.   | 0.7 | 27        |
| 8194 | The Relationship Between Bispectral Index and Electroencephalographic Parameters During Isoflurane Anesthesia. <i>Anesthesia and Analgesia</i> , 2004, 98, 1336-1340.   | 1.1 | 91        |
| 8195 | Effect of Race and Musculoskeletal Development on the Accuracy of Air Plethysmography. <i>Medicine and Science in Sports and Exercise</i> , 2004, 36, 1070-1077.  | 0.2 | 15        |
| 8196 | Positive end-expiratory pressure affects regional redistribution of ventilation differently in prone and supine sheep*. <i>Critical Care Medicine</i> , 2004, 32, 2039-2044.  | 0.4 | 53        |
| 8197 | Increases in P-Wave Dispersion Predict Postoperative Atrial Fibrillation After Coronary Artery Bypass Graft Surgery. <i>Anesthesia and Analgesia</i> , 2004, 98, 303-310.   | 1.1 | 70        |
| 8198 | Pulse dye densitometry using indigo carmine is useful for cardiac output measurement, but not for circulating blood volume measurement. <i>European Journal of Anaesthesiology</i> , 2004, 21, 632-637.   | 0.7 | 5         |
| 8199 | Operator-Independent Isotropic Three-Dimensional Magnetic Resonance Imaging for Morphology in Congenital Heart Disease. <i>Circulation</i> , 2004, 110, 163-169.  | 1.6 | 167       |
| 8200 | Microspheres Accurately Predict Regional Bone Blood Flow. <i>Clinical Orthopaedics and Related Research</i> , 2004, 424, 253-265.   | 0.7 | 19        |
| 8201 | Faster oscillometric manometry does not sacrifice the accuracy of blood pressure determination. <i>Blood Pressure Monitoring</i> , 2004, 9, 135-141.  | 0.4 | 3         |
| 8202 | Clinical Evaluation of the Topcon BV-1000 Automated Subjective Refraction System. <i>Optometry and Vision Science</i> , 2004, 81, 323-333.  | 0.6 | 18        |
| 8203 | Resting energy expenditure in obese children aged 4 to 15 years: Measured versus predicted data. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2004, 93, 739-746.   | 0.7 | 31        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8204 | Phase-Contrast Magnetic Resonance Imaging Measurements of Cerebral Autoregulation With a Breath-Hold Challenge. <i>Stroke</i> , 2004, 35, 1350-1354.  | 1.0 | 53        |
| 8205 | Comparative Testing of Pulse Oximeter Probes. <i>Anesthesia and Analgesia</i> , 2004, 98, 1354-1358.  | 1.1 | 14        |
| 8206 | Accuracy of delayed (24 hours) processing of bronchoalveolar lavage for diagnosing bacterial pneumonia. <i>Critical Care Medicine</i> , 2004, 32, 680-685.  | 0.4 | 13        |
| 8207 | Reproducibility of Cardiopulmonary Exercise Measurements in Patients With Pulmonary Arterial Hypertension. <i>Chest</i> , 2004, 126, 816-824.   | 0.4 | 91        |
| 8208 | Ethnic differences in vascular stiffness and relations to hypertensive target organ damage. <i>Journal of Hypertension</i> , 2004, 22, 1731-1737.   | 0.3 | 70        |
| 8209 | Functional analysis of the common carotid artery. <i>Journal of Hypertension</i> , 2004, 22, 973-981.   | 0.3 | 44        |
| 8210 | Accuracy of automated auscultatory blood pressure measurement during supine exercise and treadmill stress electrocardiogram-testing. <i>Blood Pressure Monitoring</i> , 2004, 9, 269-275.                                 | 0.4 | 54        |
| 8211 | Analytic Evaluation of the ??-Human Chorionic Gonadotropin Assay on the Stratus CS and Its Use in POCT. <i>Point of Care</i> , 2004, 3, 179-186.  | 0.5 | 0         |
| 8212 | Comparison of left atrial size by freehand scanning three-dimensional echocardiography and two-dimensional echocardiography. <i>European Journal of Echocardiography</i> , 2004, 5, 18-24.                                | 2.3 | 26        |
| 8213 | Reproducibility and responsiveness of a noninvasive EMG technique of the respiratory muscles in COPD patients and in healthy subjects. <i>Journal of Applied Physiology</i> , 2004, 96, 1723-1729.                        | 1.2 | 99        |
| 8214 | Longitudinal syndromal and sub-syndromal symptoms after severe depression: 10-year follow-up study. <i>British Journal of Psychiatry</i> , 2004, 184, 330-336.  | 1.7 | 85        |
| 8215 | Branched equation modeling of simultaneous accelerometry and heart rate monitoring improves estimate of directly measured physical activity energy expenditure. <i>Journal of Applied Physiology</i> , 2004, 96, 343-351. | 1.2 | 382       |
| 8216 | Misperceptions of body shape among university students from Germany and Lithuania. <i>Health Education</i> , 2004, 104, 113-121.  | 0.4 | 12        |
| 8217 | Intermuscular adipose tissue-free skeletal muscle mass: estimation by dual-energy X-ray absorptiometry in adults. <i>Journal of Applied Physiology</i> , 2004, 97, 655-660.   | 1.2 | 174       |
| 8218 | Identification of ultrasound-contrast-agent dilution systems for cardiac quantification. , 0, , .   |     | 2         |
| 8219 | Lack of Equivalence Between Central and Mixed Venous Oxygen Saturation. <i>Chest</i> , 2004, 126, 1891-1896.  | 0.4 | 179       |
| 8220 | Effect of the choice of food composition table on nutrient estimates: a comparison between the British and American (Chilean) tables. <i>Public Health Nutrition</i> , 2004, 7, 577-583.                                  | 1.1 | 15        |
| 8221 | Repeatability and Effects of Sequential Measurements with POBF Tonograph. <i>Optometry and Vision Science</i> , 2004, 81, 794-799.  | 0.6 | 10        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8222 | A Pilot Study of a System for Grading of Drainage Blebs after Glaucoma Surgery. <i>Journal of Glaucoma</i> , 2004, 13, 454-460.  | 0.8 | 161       |
| 8223 | Recent developments in cardiac output determination by bioimpedance: comparison with invasive cardiac output and potential cardiovascular applications. <i>Current Opinion in Cardiology</i> , 2004, 19, 229-237.                              | 0.8 | 88        |
| 8224 | An in vitro model for the detection of reduced platelet sensitivity to acetylsalicylic acid. <i>Blood Coagulation and Fibrinolysis</i> , 2004, 15, 187-195.  | 0.5 | 9         |
| 8225 | Point of Care Technologies. <i>International Anesthesiology Clinics</i> , 2004, 42, 73-94.   | 0.3 | 14        |
| 8226 | Quantification of Functional Mitral Valve Regurgitation in Patients With Congestive Heart Failure. <i>Investigative Radiology</i> , 2004, 39, 728-739.   | 3.5 | 9         |
| 8227 | Rotational Malalignment of the Tibia Following Reamed Intramedullary Nail Fixation. <i>Journal of Orthopaedic Trauma</i> , 2004, 18, 397-402.  | 0.7 | 89        |
| 8228 | Effect of blood sampling schedule and method of calculating the area under the curve on validity and precision of glycaemic index values. <i>British Journal of Nutrition</i> , 2004, 91, 295-300.   | 1.2 | 190       |
| 8229 | Description and validation of the ActiReg <sup>®</sup> : a novel instrument to measure physical activity and energy expenditure. <i>British Journal of Nutrition</i> , 2004, 92, 1001-1008.  | 1.2 | 61        |
| 8230 | Comparison of predicted body fat percentage from anthropometric methods and from impedance in university students. <i>British Journal of Nutrition</i> , 2004, 92, 827-832.  | 1.2 | 30        |
| 8231 | Issues in assessing the validity of nutrient data obtained from a food-frequency questionnaire: folate and vitamin B12 examples. <i>Public Health Nutrition</i> , 2004, 7, 751-756.  | 1.1 | 54        |
| 8232 | Validation of a semi-quantitative food-frequency questionnaire used among 2-year-old Norwegian children. <i>Public Health Nutrition</i> , 2004, 7, 757-764.  | 1.1 | 63        |
| 8233 | Re: Reliability and Validity of a Modified Lateral Cephalometric Analysis for Evaluation of Craniofacial Morphology and Growth in Cleft Patients.. <i>Journal of Craniofacial Surgery</i> , 2004, 15, 413-414.                                 | 0.3 | 0         |
| 8234 | The Repeatability of Clinical Measurements of Dry Eye. <i>Cornea</i> , 2004, 23, 272-285.  | 0.9 | 393       |
| 8235 | The Reliability and Validity of McMonnies Dry Eye Index. <i>Cornea</i> , 2004, 23, 365-371.  | 0.9 | 85        |
| 8236 | Pulse dye densitometry using indigo carmine is useful for cardiac output measurement, but not for circulating blood volume measurement. <i>European Journal of Anaesthesiology</i> , 2004, 21, 632-637.  | 0.7 | 8         |
| 8237 | Automated Short-Axis Cardiac Magnetic Resonance Image Acquisitions. <i>Investigative Radiology</i> , 2004, 39, 747-755.  | 3.5 | 6         |
| 8238 | Assessment of Automatic Vessel Tracking Techniques in Preoperative Planning of Transluminal Aortic Stent Graft Implantation. <i>Journal of Computer Assisted Tomography</i> , 2004, 28, 278-285.   | 0.5 | 19        |
| 8239 | Severe Gastroesophageal Reflux Disease and Cow Milk Hypersensitivity in Infants and Children: Disease Association and Evaluation of a New Challenge Procedure. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2004, 39, 383-391. | 0.9 | 89        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8240 | Validation of the French Version of the Fear Avoidance Belief Questionnaire. <i>Spine</i> , 2004, 29, 908-913.  | 1.0 | 143       |
| 8241 | Validity of Rim Area Measurements by Different Reference Planes. <i>Journal of Glaucoma</i> , 2004, 13, 245-250.  | 0.8 | 9         |
| 8242 | Determination of Bone Age in Children With Cartilaginous Dysplasia (Multiple Hereditary) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 667 Td (102-108.  | 0.6 | 14        |
| 8243 | Measurement of Oxygen Uptake and Carbon Dioxide Elimination Using the Bymixer. <i>Anesthesiology</i> , 2004, 100, 1427-1437.  | 1.3 | 11        |
| 8244 | Reproducibility Indices Applied to Cervical Pressure Pain Threshold Measurements in Healthy Subjects. <i>Clinical Journal of Pain</i> , 2004, 20, 341-347.  | 0.8 | 92        |
| 8245 | Nebivolol improves coronary flow reserve in hypertensive patients without coronary heart disease. <i>Journal of Hypertension</i> , 2004, 22, 2201-2208.   | 0.3 | 51        |
| 8246 | Gated blood-pool SPECT automated versus manual left ventricular function calculations. <i>Nuclear Medicine Communications</i> , 2004, 25, 75-80.  | 0.5 | 7         |
| 8247 | The static examination of children and young adults with cerebral palsy in the gait analysis laboratory: technique and observer agreement. <i>Journal of Pediatric Orthopaedics Part B</i> , 2004, 13, 1-8.   | 0.3 | 23        |
| 8248 | Validation of a new non-invasive portable tonometer for determining arterial pressure wave and pulse wave velocity. <i>Journal of Hypertension</i> , 2004, 22, 2285-2293.   | 0.3 | 245       |
| 8249 | Can There Be a Standard for Temperature Measurement in the Pediatric Intensive Care Unit?. <i>AACN Advanced Critical Care</i> , 2004, 15, 254-266.  | 1.9 | 31        |
| 8250 | Uptime in Children With Cerebral Palsy. <i>Journal of Pediatric Orthopaedics</i> , 2004, 24, 521-528.   | 0.6 | 44        |
| 8251 | Comparison of Liquid Chromatography-Tandem Mass Spectrometry with a Commercial Enzyme-Multiplied Immunoassay for the Determination of Plasma MPA in Renal Transplant Recipients and Consequences for Therapeutic Drug Monitoring. <i>Therapeutic Drug Monitoring</i> , 2004, 26, 609-619. | 1.0 | 82        |
| 8252 | Relationship between left ventricular mass and the ACE D/I polymorphism varies according to sodium intake. <i>Journal of Hypertension</i> , 2004, 22, 287-295.  | 0.3 | 25        |
| 8253 | Ocular Component Measurement Using the Zeiss IOLMaster. <i>Optometry and Vision Science</i> , 2004, 81, 27-34.  | 0.6 | 99        |
| 8254 | Multicenter Study on the Analytic Performance of a New Point-of-Care Blood Gas Analyzer and Its Use in Critical Care Testing. <i>Point of Care</i> , 2004, 3, 149-155.  | 0.5 | 5         |
| 8255 | Agreement Between Parent and Teacher Reports on Behavioral Problems Among Chinese Children. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2004, 25, 407-414.  | 0.6 | 39        |
| 8256 | Serial echocardiographic assessment of left ventricular mass. <i>Journal of Hypertension</i> , 2004, 22, 1813-1818.   | 0.3 | 9         |
| 8257 | Mycophenolic Acid in Diabetic Renal Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2004, 26, 620-625.  | 1.0 | 40        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8258 | Diagnostic value of Doppler assessment of the hepatic and portal vessels and ultrasound of the spleen in liver disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2004, 16, 147-155.                                      | 0.8 | 75        |
| 8259 | Non-invasive measurement of cardiac output in patients with chronic heart failure. <i>Blood Pressure Monitoring</i> , 2004, 9, 277-280.  | 0.4 | 35        |
| 8260 | Comparison of DXA, Siri <sup>™</sup> s 2C, and Lohman <sup>™</sup> s Db-Mineral Models for Estimating the Body Fat of Physically Active Adults. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2004, 14, 657-672. | 1.0 | 10        |
| 8261 | Reliability of Isokinetic and Isometric Knee-Extensor Force in Older Women. <i>Journal of Aging and Physical Activity</i> , 2004, 12, 525-537.   | 0.5 | 40        |
| 8262 | Determination of Ventilatory Threshold in Adolescents with Mental Retardation, with and Without Down Syndrome. <i>Pediatric Exercise Science</i> , 2004, 16, 126-137.  | 0.5 | 7         |
| 8263 | Correction of cardiac output obtained by Modelflow <sup>®</sup> from finger pulse pressure profiles with a respiratory method in humans. <i>Clinical Science</i> , 2004, 106, 371-376.   | 1.8 | 77        |
| 8264 | Non-invasive measurement of pulmonary blood flow during prone positioning in patients with early acute respiratory distress syndrome. <i>Clinical Science</i> , 2004, 106, 3-10.   | 1.8 | 9         |
| 8265 | Cardiac output by Modelflow <sup>®</sup> method from intra-arterial and fingertip pulse pressure profiles. <i>Clinical Science</i> , 2004, 106, 365-369.   | 1.8 | 69        |
| 8266 | Accurate, Noninvasive Continuous Monitoring of Cardiac Output by Whole-Body Electrical Bioimpedance. <i>Chest</i> , 2004, 125, 1431-1440.  | 0.4 | 113       |
| 8267 | The Difference between the Basal Metabolic Rate and the Sleeping Metabolic Rate in Japanese. <i>Journal of Nutritional Science and Vitaminology</i> , 2004, 50, 441-445.   | 0.2 | 16        |
| 8268 | Validity of the Multistage 20-M Shuttle-Run Test for Japanese Children, Adolescents, and Adults. <i>Pediatric Exercise Science</i> , 2004, 16, 113-125.  | 0.5 | 100       |
| 8269 | Comparison of 2 Accelerometers for Assessing Daily Energy Expenditure in Adults. <i>Journal of Physical Activity and Health</i> , 2004, 1, 270-280.  | 1.0 | 12        |
| 8270 | Reliability and Validity of the VmaxST Portable Metabolic Analyzer. <i>Journal of Physical Activity and Health</i> , 2004, 1, 413-422.   | 1.0 | 5         |
| 8271 | How Accurate Is Partial Weightbearing?. <i>Clinical Orthopaedics and Related Research</i> , 2004, 421, 282-286.  | 0.7 | 63        |
| 8272 | Expiratory trigger setting in pressure support ventilation: From mathematical model to bedside. <i>Critical Care Medicine</i> , 2004, 32, 1844-1850.   | 0.4 | 64        |
| 8273 | Measurement of Percentage of Body Fat in 411 Children and Adolescents: A Comparison of Dual-Energy X-Ray Absorptiometry With a Four-Compartment Model. <i>Pediatrics</i> , 2004, 113, 1285-1290.   | 1.0 | 190       |
| 8274 | MRI measures of perfusion-related changes in human skeletal muscle during progressive contractions. <i>Journal of Applied Physiology</i> , 2004, 97, 2385-2394.  | 1.2 | 81        |
| 8275 | Psychometric Properties of 2 Simplified 3-Level Balance Scales Used for Patients With Stroke. <i>Physical Therapy</i> , 2004, 84, 430-438.   | 1.1 | 44        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8276 | Comparison of simultaneous measurement of mouse systolic arterial blood pressure by radiotelemetry and tail-cuff methods. American Journal of Physiology - Heart and Circulatory Physiology, 2004, 286, H2408-H2415.   | 1.5 | 187       |
| 8277 | A computed method for noninvasive MRI assessment of pulmonary arterial hypertension. Journal of Applied Physiology, 2004, 97, 794-795.   | 1.2 | 23        |
| 8278 | Head area measurements of dead, live, X- and Y-bearing bovine spermatozoa. Reproduction, Fertility and Development, 2004, 16, 681.   | 0.1 | 11        |
| 8279 | Evaluation of a New Transcutaneous Bilirubinometer. Pediatrics, 2004, 113, 1628-1635.  | 1.0 | 183       |
| 8281 | Effect of the aerobic capacity on the validity of the anaerobic threshold for determination of the maximal lactate steady state in cycling. Brazilian Journal of Medical and Biological Research, 2004, 37, 1551-1556. | 0.7 | 52        |
| 8282 | Transcutaneous Bilirubin Measurements and Serum Total Bilirubin Levels in Indigenous African Infants. Pediatrics, 2004, 113, 1636-1641.  | 1.0 | 63        |
| 8283 | Assessing Driving with the Global Positioning System: Effect of Differential Correction. Transportation Research Record, 2004, 1899, 19-26.  | 1.0 | 7         |
| 8284 | Validity of the Adaptive Filter for Accurate Measurement of Cardiac Output in Impedance Cardiography. Tohoku Journal of Experimental Medicine, 2004, 202, 181-191.   | 0.5 | 6         |
| 8285 | Comparing Two Methods to Obtain Blood Specimens From Pediatric Central Venous Catheters. Journal of Pediatric Oncology Nursing, 2004, 21, 320-326.   | 1.5 | 23        |
| 8286 | Behavioural comparisons of positional demands in professional soccer.. International Journal of Performance Analysis in Sport, 2004, 4, 81-97.   | 0.5 | 38        |
| 8287 | Team performance indicators as a function of winning and losing in rugby union.. International Journal of Performance Analysis in Sport, 2004, 4, 61-71.   | 0.5 | 71        |
| 8288 | Body cell mass: model development and validation at the cellular level of body composition. American Journal of Physiology - Endocrinology and Metabolism, 2004, 286, E123-E128.                                       | 1.8 | 88        |
| 8289 | Physiological evaluation of a new quantitative SPECT method measuring regional ventilation and perfusion. Journal of Applied Physiology, 2004, 96, 1127-1136.  | 1.2 | 74        |
| 8290 | Intra- and inter-instrument reliability of Grip-Strength Measurements: GripTrack <sup>®</sup> and Jamar <sup>®</sup> hand dynamometers. Hand Therapy, 2005, 10, 47-55.   | 0.2 | 29        |
| 8291 | 9 Reliability of measurements in medical research and clinical practice. Studies in Multidisciplinarity, 2005, , 147-163.  | 0.0 | 5         |
| 8292 | Evaluation of Rotator Cuff Tears with Magnetic Resonance Arthrography. Clinical Orthopaedics and Related Research, 2005, 439, 109-115.   | 0.7 | 43        |
| 8293 | Computed Tomography Colonography. Journal of Computer Assisted Tomography, 2005, 29, 387-393.  | 0.5 | 18        |
| 8294 | Comparison of Fundus Autofluorescence and Minimum-Motion Measurements of Macular Pigment Distribution Profiles Derived from Identical Retinal Areas. Perception, 2005, 34, 1029-1034.                                  | 0.5 | 23        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8295 | Ultrasonic Periodontal Probing Based on the Dynamic Wavelet Fingerprint. <i>Eurasip Journal on Advances in Signal Processing</i> , 2005, 2005, 1.  | 1.0 | 12        |
| 8296 | Influence of age, site, and degenerative state on the speed of sound in equine articular cartilage. <i>American Journal of Veterinary Research</i> , 2005, 66, 1175-1180.  | 0.3 | 6         |
| 8297 | A Comparison of Radial Artery Blood Pressure Determination Between the Vasotrac Device and Invasive Arterial Blood Pressure Monitoring in Adolescents Undergoing Scoliosis Surgery. <i>Anesthesia and Analgesia</i> , 2005, 101, 978-985.  | 1.1 | 11        |
| 8298 | Evaluation of a lithium dilution cardiac output technique as a method for measurement of cardiac output in anesthetized cats. <i>American Journal of Veterinary Research</i> , 2005, 66, 1639-1645.  | 0.3 | 27        |
| 8299 | Bi-temporal 3D active appearance models with applications to unsupervised ejection fraction estimation. , 2005, , .  |     | 36        |
| 8300 | A Real-Time Method for Estimating the Concentrations of Isoflurane in Mixed Venous Blood by a Derived Fick's Equation. <i>Anesthesia and Analgesia</i> , 2005, 100, 38-45.   | 1.1 | 8         |
| 8301 | A Novel Energy Expenditure Prediction Equation for Intermittent Physical Activity. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, 2154-2161.   | 0.2 | 21        |
| 8302 | Analysis of Pregabalin at Therapeutic Concentrations in Human Plasma/Serum by Reversed-Phase HPLC. <i>Therapeutic Drug Monitoring</i> , 2005, 27, 451-456.   | 1.0 | 101       |
| 8303 | Limitations of Transcutaneous Carbon Dioxide Measurements for Assessing Long-term Mechanical Ventilation. <i>Chest</i> , 2005, 127, 1744-1748.   | 0.4 | 81        |
| 8304 | Monitoring Carbon Dioxide Tension and Arterial Oxygen Saturation by a Single Earlobe Sensor in Patients With Critical Illness or Sleep Apnea. <i>Chest</i> , 2005, 128, 1291-1296.   | 0.4 | 85        |
| 8305 | Methodologic Aspects of Attenuation Distributions From Static and Dynamic Thoracic CT Techniques in Experimental Acute Lung Injury. <i>Chest</i> , 2005, 128, 2963-2970.   | 0.4 | 17        |
| 8306 | Fade of Pulmonary Function During Residual Neuromuscular Blockade. <i>Chest</i> , 2005, 127, 1703-1709.  | 0.4 | 47        |
| 8307 | Peak Expiratory Flow With or Without a Brief Postinspiratory Pause. <i>Chest</i> , 2005, 128, 442-445.   | 0.4 | 2         |
| 8308 | Actigraphy Scoring Reliability in the Study of Osteoporotic Fractures. <i>Sleep</i> , 2005, 28, 1599-1605.   | 0.6 | 89        |
| 8309 | Comparison of multifrequency bioelectrical impedance analysis with dual-energy X-ray absorptiometry for assessment of percentage body fat in a large, healthy population. <i>American Journal of Clinical Nutrition</i> , 2005, 81, 74-78. | 2.2 | 291       |
| 8310 | Cardiac Output by Thermodilution and Arterial Pulse Contour Techniques. <i>Update in Intensive Care and Emergency Medicine</i> , 2005, , 135-152.  | 0.6 | 6         |
| 8311 | High Resolution Inductively Coupled Plasma Mass Spectrometry Allows Rapid Assessment of Iron Absorption in Infants and Children. <i>Journal of Nutrition</i> , 2005, 135, 1790-1795.   | 1.3 | 29        |
| 8312 | The assessment of cervical spine kinematics: A comparison of iMR and conventional radiographic techniques. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2005, 18, 29-35.  | 0.4 | 1         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8313 | Quantification of Left Ventricular Volumes from Cardiac Cine MRI Using Active Contour Model Combined with Gradient Vector Flow. <i>Magnetic Resonance in Medical Sciences</i> , 2005, 4, 191-196.  | 1.1 | 7         |
| 8314 | Comparison of isotope dilution with bioimpedance spectroscopy and anthropometry for assessment of body composition in asymptomatic HIV-infected and HIV-uninfected breastfeeding mothers. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 538-546. | 2.2 | 23        |
| 8315 | Poor Agreement Between Prospective and Retrospective Assessment of Hallux Surgery Using the AOFAS Hallux Scale. <i>Foot and Ankle International</i> , 2005, 26, 1062-1066.   | 1.1 | 23        |
| 8316 | Reliability and Consistency of Visual Acuity and Contrast Sensitivity Measures in Advanced Eye Disease. <i>Optometry and Vision Science</i> , 2005, 82, 946-954.   | 0.6 | 76        |
| 8317 | Skinfold Prediction Equation for Athletes Developed Using a Four-Component Model. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, 2006-2011.  | 0.2 | 78        |
| 8318 | An Evaluation of Bilateral Monitoring of Cerebral Oxygen Saturation During Pediatric Cardiac Surgery. <i>Anesthesia and Analgesia</i> , 2005, 101, 1294-1300.  | 1.1 | 38        |
| 8319 | Reliability and Accuracy of MRI Scanogram in the Evaluation of Limb Length Discrepancy. <i>Journal of Pediatric Orthopaedics</i> , 2005, 25, 747-749.  | 0.6 | 34        |
| 8320 | Influence of Cataract Surgery on Corneal Endothelial Cell Density Estimation. <i>Cornea</i> , 2005, 24, 135-140.   | 0.9 | 24        |
| 8321 | Predictive Value of Frequency Doubling Technology Perimetry for Detecting Glaucoma in a Developing Country. <i>Journal of Glaucoma</i> , 2005, 14, 128-134.  | 0.8 | 36        |
| 8322 | Accuracy of oscillometric blood pressure monitoring with concurrent auscultatory blood pressure in hemodialysis patients. <i>Blood Pressure Monitoring</i> , 2005, 10, 249-255.  | 0.4 | 31        |
| 8323 | Reliability of Quantitative Computed Tomography to Predict Postoperative Lung Function in Patients With Chronic Obstructive Pulmonary Disease Having a Lobectomy. <i>Journal of Computer Assisted Tomography</i> , 2005, 29, 819-824.                        | 0.5 | 22        |
| 8324 | Placental Compared With Umbilical Cord Blood to Assess Fetal Blood Gas and Acid-Base Status. <i>Obstetrics and Gynecology</i> , 2005, 105, 129-138.  | 1.2 | 26        |
| 8325 | Retrospective Clinicopathologic Correlation of Gross Tumor Size of Hepatocellular Carcinoma. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2005, 28, 576-580.   | 0.6 | 20        |
| 8326 | Carotid wall composition in hypertensive patients after 4-year treatment with lacidipine or atenolol: an echoreflectivity study. <i>Journal of Hypertension</i> , 2005, 23, 1203-1209.   | 0.3 | 15        |
| 8327 | Morphometry of Cells and Guttatae in Subjects With Normal or Guttate Endothelium With a Contour Detection Algorithm. <i>Eye and Contact Lens</i> , 2005, 31, 158-165.  | 0.8 | 10        |
| 8328 | Limits of Agreement Between the Optical Pachymeter and a Noncontact Specular Microscope. <i>Cornea</i> , 2005, 24, 545-549.  | 0.9 | 7         |
| 8329 | The Effect of Age on the Corneal Subbasal Nerve Plexus. <i>Cornea</i> , 2005, 24, 705-709.   | 0.9 | 91        |
| 8330 | Reproducibility of cerebral oxygenation measurement in neonates and infants in the clinical setting using the NIRO 300 oximeter*. <i>Pediatric Critical Care Medicine</i> , 2005, 6, 344-347.  | 0.2 | 66        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8331 | Dynamic Cine Mode Imaging of the Normal Aortic Valve Using 16-Channel Multidetector Row Computed Tomography. <i>Investigative Radiology</i> , 2005, 40, 637-647.                                       | 3.5 | 25        |
| 8332 | Predicting Walking METs and Energy Expenditure from Speed or Accelerometry. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, 1216-1223.  | 0.2 | 71        |
| 8333 | Comparison of PAEE from Combined and Separate Heart Rate and Movement Models in Children. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, 1761-1767.                                    | 0.2 | 132       |
| 8334 | The Concentration-Dependent Effects of General Anesthesia on Spontaneous Baroreflex Indices and Their Correlations with Pharmacological Gains. <i>Anesthesia and Analgesia</i> , 2005, 100, 1325-1332. | 1.1 | 22        |
| 8335 | Validation of the PDPAR as an Adolescent Diary: Effect of Accelerometer Cut Points. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, 1224-1230.  | 0.2 | 85        |
| 8336 | Continuous cardiac output monitoring with pulse contour analysis: A comparison with lithium indicator dilution cardiac output measurement. <i>Critical Care Medicine</i> , 2005, 33, 2015-2021.        | 0.4 | 134       |
| 8337 | Comparison of Corneal Endothelial Cell Images From a Noncontact Specular Microscope and a Scanning Confocal Microscope. <i>Cornea</i> , 2005, 24, 980-984.   | 0.9 | 61        |
| 8338 | Precision and Accuracy of Proview Tonometer: Clinical Implications for Self-Tonometry. <i>Journal of Glaucoma</i> , 2005, 14, 515.   | 0.8 | 2         |
| 8339 | Clinical Evaluation of the New TGDc-01 PRA Palpebral Tonometer: Comparison with Contact and non-Contact Tonometry. <i>Optometry and Vision Science</i> , 2005, 82, 143-150.                            | 0.6 | 17        |
| 8340 | Comparison of temporal artery thermometer to standard temperature measurements in pediatric intensive care unit patients. <i>Pediatric Critical Care Medicine</i> , 2005, 6, 557-561.                  | 0.2 | 72        |
| 8341 | Validation of Direct Intraabdominal Pressure Measurement Using a Continuous Indwelling Compartment Pressure Monitor. <i>Journal of Trauma</i> , 2005, 58, 830-832.                                     | 2.3 | 17        |
| 8342 | A Comparison of the Vasotrac with Invasive Arterial Blood Pressure Monitoring in Children After Pediatric Cardiac Surgery. <i>Anesthesia and Analgesia</i> , 2005, 100, 1289-1294.                     | 1.1 | 28        |
| 8343 | Spring-Levered versus Piezo-Electric Pedometer Accuracy in Overweight and Obese Adults. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, 1673-1679.                                      | 0.2 | 248       |
| 8344 | An Assessment of Grading Scales for Meibography Images. <i>Cornea</i> , 2005, 24, 382-388.   | 0.9 | 122       |
| 8345 | The Surgical Treatment of Established Congenital Dislocation of the Hip. <i>Journal of Pediatric Orthopaedics</i> , 2005, 25, 434-439.   | 0.6 | 72        |
| 8346 | Reliability of point-of-care testing for glucose measurement in critically ill adults*. <i>Critical Care Medicine</i> , 2005, 33, 2778-2785.   | 0.4 | 430       |
| 8347 | Computerized measurement of retinal blood vessel calibre: description, validation and use to determine the influence of ageing and hypertension. <i>Journal of Hypertension</i> , 2005, 23, 843-850.   | 0.3 | 42        |
| 8348 | Evaluation of tissue saturation as a noninvasive measure of mixed venous saturation in children. <i>Pediatric Critical Care Medicine</i> , 2005, 6, 671-675.   | 0.2 | 15        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8349 | Effect of Body Temperature on Peripheral Venous Pressure Measurements and Its Agreement with Central Venous Pressure in Neurosurgical Patients. <i>Journal of Neurosurgical Anesthesiology</i> , 2005, 17, 91-96.   | 0.6 | 12        |
| 8350 | Measurement Variance in Limb Length Discrepancy. <i>Journal of Pediatric Orthopaedics</i> , 2005, 25, 197-201.  | 0.6 | 76        |
| 8351 | Variation in the Cervical Range of Motion Over Time Measured by the "Flock of Birds" Electromagnetic Tracking System. <i>Spine</i> , 2005, 30, 650-654.   | 1.0 | 17        |
| 8352 | Intra-abdominal hypertension in the critically ill: it is time to pay attention. <i>Current Opinion in Critical Care</i> , 2005, 11, 156-171.   | 1.6 | 215       |
| 8353 | Menopause-related blood pressure increase and its relationship to age and body mass index: the SIMONA epidemiological study. <i>Journal of Hypertension</i> , 2005, 23, 2269-2276.  | 0.3 | 122       |
| 8354 | The Diagnosis and Characteristics of Moderate Dry Eye in Non-Contact Lens Wearers. <i>Eye and Contact Lens</i> , 2005, 31, 96-104.  | 0.8 | 38        |
| 8355 | Differences in oscillometric non-invasive blood pressure measurements recorded by different revisions of the Philips Component Monitoring System. <i>Blood Pressure Monitoring</i> , 2005, 10, 215-222.   | 0.4 | 9         |
| 8356 | The reproducibility of dipping status: beyond the cutoff points. <i>Blood Pressure Monitoring</i> , 2005, 10, 201-205.  | 0.4 | 27        |
| 8357 | Assessment of test repeatability of arterial stiffness index. <i>Blood Pressure Monitoring</i> , 2005, 10, 271-274.   | 0.4 | 4         |
| 8358 | Assessment of left ventricular function and volumes for patients with dilated cardiomyopathy using gated myocardial perfusion SPECT and comparison with echocardiography. <i>Nuclear Medicine Communications</i> , 2005, 26, 701-710.                       | 0.5 | 27        |
| 8359 | The feasibility of repeated left ventricular ejection fraction analysis with sequential single-dose radionuclide ventriculography. <i>Nuclear Medicine Communications</i> , 2005, 26, 711-715.  | 0.5 | 10        |
| 8360 | Assessment of Objective and Subjective Eccentric Refraction. <i>Optometry and Vision Science</i> , 2005, 82, 298-306.   | 0.6 | 27        |
| 8361 | A Comparative Study of the Performance of Different Corneal Topographers on Children with Respect to Orthokeratology Practice. <i>Optometry and Vision Science</i> , 2005, 82, 420-427.   | 0.6 | 30        |
| 8362 | An Evaluation of the Mars Letter Contrast Sensitivity Test. <i>Optometry and Vision Science</i> , 2005, 82, 970-975.  | 0.6 | 105       |
| 8363 | A Pilot Study of Continuous Transtracheal Mixed Venous Oxygen Saturation Monitoring. <i>Anesthesia and Analgesia</i> , 2005, 101, 440-443.  | 1.1 | 13        |
| 8364 | Estimation of Functional Residual Capacity at the Bedside Using Standard Monitoring Equipment: A Modified Nitrogen Washout/Washin Technique Requiring a Small Change of the Inspired Oxygen Fraction. <i>Anesthesia and Analgesia</i> , 2005, 101, 206-212. | 1.1 | 142       |
| 8365 | Assessment of Neuromuscular Blockade Using Acceleromyography Should Be Performed Before Emergence from Anesthesia. <i>Anesthesia and Analgesia</i> , 2005, 101, 1246-1247.  | 1.1 | 5         |
| 8366 | Validity of Accelerometry for Measurement of Activity in People with Brain Injury. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, 1474-1480.  | 0.2 | 39        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8367 | Longitudinal Study of Normal Hip Development by Ultrasound. <i>Journal of Pediatric Orthopaedics</i> , 2005, 25, 5-9.   | 0.6 | 9         |
| 8368 | Comparison of cardiac output measurements by arterial trans-cardiopulmonary and pulmonary arterial thermodilution with direct Fick in septic shock. <i>European Journal of Anaesthesiology</i> , 2005, 22, 129-134. | 0.7 | 19        |
| 8369 | Low-dose ketamine with clonidine and midazolam for adult day care surgery. <i>European Journal of Anaesthesiology</i> , 2005, 22, 67-68.  | 0.7 | 3         |
| 8370 | A clinical comparison between bispectral index (BIS) and high frequency EEG signal detection (SNAP). <i>European Journal of Anaesthesiology</i> , 2005, 22, 75-77.  | 0.7 | 1         |
| 8371 | Comparison of thermal dilution and electrical impedance dilution methods for measurement of cardiac output in standing and exercising horses. <i>American Journal of Veterinary Research</i> , 2005, 66, 878-884.   | 0.3 | 5         |
| 8372 | Ultrasound-Guided Epidural Catheter Insertion in Children. <i>Anesthesia and Analgesia</i> , 2005, 101, 333-339.  | 1.1 | 131       |
| 8373 | Need for Population Specific Validation of a Portable Metabolic Testing System: A Case of Sedentary Pregnant Women. <i>Journal of Nursing Measurement</i> , 2005, 13, 207-218.                                      | 0.2 | 7         |
| 8374 | Measurement of Fracture Kyphosis with the Oxford Cobbometer. <i>Spine</i> , 2005, 30, 964-968.  | 1.0 | 15        |
| 8375 | Variability in Cobb Angle Measurements Using Reformatted Computerized Tomography Scans. <i>Spine</i> , 2005, 30, 1664-1669.   | 1.0 | 56        |
| 8376 | Quantitative assessment of pleural effusion in critically ill patients by means of ultrasonography*. <i>Critical Care Medicine</i> , 2005, 33, 1757-1763.   | 0.4 | 246       |
| 8377 | Body Composition and Water Compartment Measurements in Boys with Duchenne Muscular Dystrophy. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2005, 84, 483-491.                                  | 0.7 | 51        |
| 8378 | Assessment of Global Left Ventricular Function. <i>Journal of Computer Assisted Tomography</i> , 2005, 29, 373-381.   | 0.5 | 27        |
| 8379 | Transcutaneous Pco2 monitoring in critically ill adults: Clinical evaluation of a new sensor*. <i>Critical Care Medicine</i> , 2005, 33, 2203-2206.   | 0.4 | 105       |
| 8380 | Intraocular Pressure Measurement Over Amniotic Membrane Patch in Human Subjects. <i>Cornea</i> , 2005, 24, 925-927.   | 0.9 | 2         |
| 8381 | The Agreement and Repeatability of Tear Meniscus Height Measurement Methods. <i>Optometry and Vision Science</i> , 2005, 82, 1030-1037.   | 0.6 | 86        |
| 8382 | Repeatability of Peak Oxygen Uptake in Children Who Are Healthy. <i>Pediatric Physical Therapy</i> , 2005, 17, 11-17.   | 0.3 | 15        |
| 8383 | Cardiac Output Measurement Using the Transesophageal Doppler Method Is Less Accurate Than the Thermodilution Method When Changing Paco2. <i>Anesthesia and Analgesia</i> , 2005, 101, 1597-1601.                    | 1.1 | 4         |
| 8384 | Estimation of Total-Body Skeletal Muscle Mass in Children and Adolescents. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, 316-322.  | 0.2 | 93        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8385 | A Mathematical Method to Estimate Body Composition in Tall Individuals Using DXA. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, 1211-1215.  | 0.2 | 12        |
| 8386 | RELIABILITY AND VALIDITY OF THE MODIFIED CONCONI TEST ON CONCEPT II ROWING ERGOMETERS. <i>Journal of Strength and Conditioning Research</i> , 2005, 19, 871-877.   | 1.0 | 1         |
| 8388 | A Modified Method for Measuring Uniocular Fields of Fixation. <i>JAMA Ophthalmology</i> , 2005, 123, 356.  | 2.6 | 46        |
| 8389 | Feasibility and Variability of Neonatal and Infant Lung Function Measurement Using the Single Occlusion Technique. <i>Chest</i> , 2005, 128, 1822-1829.  | 0.4 | 39        |
| 8390 | Accuracy and Limits of Transpulmonary Dilution Methods in Estimating Extravascular Lung Water After Pneumonectomy. <i>Chest</i> , 2005, 128, 927-933.  | 0.4 | 39        |
| 8391 | Echocardiographic parameters discriminating myocardial infarction with pulmonary congestion from myocardial infarction without congestion in the mouse. <i>Journal of Applied Physiology</i> , 2005, 98, 680-689.          | 1.2 | 82        |
| 8392 | Development of a Clinical Static and Dynamic Standing Balance Measurement Tool Appropriate for Use in Adolescents. <i>Physical Therapy</i> , 2005, 85, 502-514.  | 1.1 | 88        |
| 8393 | Annular Geometry in Patients With Chronic Ischemic Mitral Regurgitation. <i>Circulation</i> , 2005, 112, 1409-14.  | 1.6 | 93        |
| 8394 | The Kappa Statistic in Reliability Studies: Use, Interpretation, and Sample Size Requirements. <i>Physical Therapy</i> , 2005, 85, 257-268.  | 1.1 | 2,932     |
| 8395 | The L Test of Functional Mobility: Measurement Properties of a Modified Version of the Timed Up & Go Test Designed for People With Lower-Limb Amputations. <i>Physical Therapy</i> , 2005, 85, 626-635.                    | 1.1 | 171       |
| 8396 | Body composition predicted from skinfolds in African women: a cross-validation study using air-displacement plethysmography and a black-specific equation. <i>British Journal of Nutrition</i> , 2005, 93, 973-979.        | 1.2 | 16        |
| 8397 | Estimating FVC From FEV. <i>Chest</i> , 2005, 128, 1274-1281.  | 0.4 | 15        |
| 8398 | Pulmonary Function Electronic Monitoring Devices. <i>Chest</i> , 2005, 128, 1258-1265.   | 0.4 | 54        |
| 8399 | The Effects of Intraabdominally Insufflated Carbon Dioxide on Hepatic Blood Flow During Laparoscopic Surgery Assessed by Transesophageal Echocardiography. <i>Anesthesia and Analgesia</i> , 2005, 100, 340-347.           | 1.1 | 43        |
| 8400 | Monitoring of Ventilation During Exercise by a Portable Respiratory Inductive Plethysmograph. <i>Chest</i> , 2005, 128, 1282-1290.   | 0.4 | 117       |
| 8401 | Dilution system identification methods for contrast ultrasound ejection fraction assessment. , 0, , .  |     | 0         |
| 8402 | Steady-State Serum Concentrations of Progesterone Following Continuous Intravenous Infusion in Patients With Acute Moderate to Severe Traumatic Brain Injury. <i>Journal of Clinical Pharmacology</i> , 2005, 45, 640-648. | 1.0 | 40        |
| 8403 | Increased Pulmonary Venous Resistance Contributes to Increased Pulmonary Artery Diastolic Pulmonary Wedge Pressure Gradient in Acute Respiratory Distress Syndrome. <i>Anesthesiology</i> , 2005, 102, 574-580.            | 1.3 | 15        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8404 | Longitudinal Study of Normal Hip Development by Ultrasound. <i>Journal of Pediatric Orthopaedics</i> , 2005, 25, 5-9.  | 0.6 | 12        |
| 8405 | Assessment of left ventricular ejection fraction by four different methods using <sup>99m</sup> Tc tetrofosmin gated SPECT in patients with small hearts: correlation with gated blood pool. <i>Nuclear Medicine Communications</i> , 2005, 26, 885-893. | 0.5 | 22        |
| 8406 | Evaluation of the Immunatech Cyclosporine Direct Radioimmunoassay for the Determination of Whole-Blood Cyclosporine in Renal Transplant Patients. <i>Therapeutic Drug Monitoring</i> , 2005, 27, 90-93.  | 1.0 | 0         |
| 8407 | Preinfarction Angina Limits Myocardial Infarction Size in Nondiabetic Patients Treated With Primary Coronary Angioplasty. <i>Chest</i> , 2005, 127, 1116-1121.   | 0.4 | 1         |
| 8408 | Central venous versus mixed venous oxygen saturation in patients undergoing cardiac surgery. <i>European Journal of Anaesthesiology</i> , 2005, 22, 26-27.   | 0.7 | 0         |
| 8409 | Effects of Fetal Hemoglobin on Accurate Measurements of Oxygen Saturation in Neonates. <i>Journal of Perinatal and Neonatal Nursing</i> , 2005, 19, 348-361.   | 0.5 | 14        |
| 8410 | Validation of Food Frequency Questionnaire for Assessing Dietary Macronutrients and Calcium Intake in Italian Children and Adolescents. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2005, 40, 555-560.                                  | 0.9 | 47        |
| 8411 | Comparison of methods to estimate non-milk extrinsic sugars and their application to sugars in the diet of young adolescents. <i>British Journal of Nutrition</i> , 2005, 94, 114-124.   | 1.2 | 26        |
| 8412 | Validation of a pre-coded food diary with energy expenditure, comparison of under-reporters v. acceptable reporters. <i>British Journal of Nutrition</i> , 2005, 94, 998-1003.   | 1.2 | 56        |
| 8413 | Development and simulated validation of a food-frequency questionnaire for the Colombian population. <i>Public Health Nutrition</i> , 2005, 8, 181-188.  | 1.1 | 41        |
| 8414 | Validation of a pre-coded food diary used among 13-year-olds: comparison of energy intake with energy expenditure. <i>Public Health Nutrition</i> , 2005, 8, 1315-1321.  | 1.1 | 45        |
| 8415 | Trends but Not Individual Values of Central Venous Oxygen Saturation Agree with Mixed Venous Oxygen Saturation during Varying Hemodynamic Conditions. <i>Anesthesiology</i> , 2005, 103, 249-257.  | 1.3 | 192       |
| 8416 | Test-Retest Reliability of the Short-Form McGill Pain Questionnaire. <i>Clinical Journal of Pain</i> , 2005, 21, 73-82.  | 0.8 | 178       |
| 8417 | Activity in the Chronically Critically Ill. <i>Dimensions of Critical Care Nursing</i> , 2005, 24, 281-290.  | 0.4 | 61        |
| 8418 | A clinical comparison between bispectral index (BIS) and high frequency EEG signal detection (SNAP). <i>European Journal of Anaesthesiology</i> , 2005, 22, 75-77.   | 0.7 | 4         |
| 8419 | Does Thoracic Bioimpedance Accurately Determine Cardiac Output in COPD Patients During Maximal or Intermittent Exercise?. <i>Chest</i> , 2005, 127, 1122-1131.   | 0.4 | 12        |
| 8420 | Using a 0-10 Scale for Assessment of Anxiety in Patients With Acute Myocardial Infarction. <i>Dimensions of Critical Care Nursing</i> , 2005, 24, 139-146.   | 0.4 | 21        |
| 8421 | Limitations of central venous pressure and peripheral venous pressure agreement in intensive care unit patients. <i>European Journal of Anaesthesiology</i> , 2005, 22, 172.   | 0.7 | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8422 | Meal-based intake assessment tool: relative validity when determining dietary intake of Fe and Zn and selected absorption modifiers in UK men. <i>British Journal of Nutrition</i> , 2005, 93, 403-416.                       | 1.2 | 16        |
| 8423 | Glycaemic index values for commercially available potatoes in Great Britain. <i>British Journal of Nutrition</i> , 2005, 94, 917-921.   | 1.2 | 77        |
| 8424 | Resting energy expenditure measured longitudinally following hip fracture compared to predictive equations: is an injury adjustment required?. <i>British Journal of Nutrition</i> , 2005, 94, 976-982.                       | 1.2 | 15        |
| 8425 | Glycaemic index and glycaemic load values of commercially available products in the UK. <i>British Journal of Nutrition</i> , 2005, 94, 922-930.  | 1.2 | 78        |
| 8426 | Repeatability and Reproducibility of Fast Macular Thickness Mapping With Stratus Optical Coherence Tomography. <i>JAMA Ophthalmology</i> , 2005, 123, 1330.   | 2.6 | 152       |
| 8428 | Cross-Validation of Field-Based Assessments of Body Composition for Individuals with Down Syndrome. <i>Adapted Physical Activity Quarterly</i> , 2005, 22, 198-206.   | 0.6 | 13        |
| 8429 | International Differences in Management of Physical Activity Data: Can They Explain Some of the Difference in Prevalence Estimates?. <i>Journal of Physical Activity and Health</i> , 2005, 2, 460-469.                       | 1.0 | 4         |
| 8430 | Relationship between Critical Speed and Endurance Capacity in Young Swimmers: Effect of Gender and Age. <i>Pediatric Exercise Science</i> , 2005, 17, 353-363.  | 0.5 | 21        |
| 8431 | Persistent endothelial dysfunction is related to elevated C-reactive protein (CRP) levels in Type II diabetic patients after acute myocardial infarction. <i>Clinical Science</i> , 2005, 108, 121-128.                       | 1.8 | 26        |
| 8432 | Repeatability of non-invasive measurement of intracerebral pulse wave velocity using transcranial Doppler. <i>Clinical Science</i> , 2005, 108, 433-439.  | 1.8 | 21        |
| 8433 | Variation in non-invasive measurements of vascular function in healthy volunteers during daytime. <i>Clinical Science</i> , 2005, 108, 425-431.   | 1.8 | 46        |
| 8434 | Reliability and repeatability of the shuttle walk test in patients with chronic low back pain. <i>International Journal of Therapy and Rehabilitation</i> , 2005, 12, 438-443.  | 0.1 | 2         |
| 8435 | Two-hour post-dose cyclosporine monitoring does not fit all in kidney transplantation. <i>Therapy: Open Access in Clinical Medicine</i> , 2005, 2, 95-105.  | 0.2 | 4         |
| 8436 | Assessment of Global and Regional Left Ventricular Function by Electrocardiographic Gated N-13 Ammonia Positron Emission Tomography in Patients With Coronary Artery Disease. <i>Circulation Journal</i> , 2005, 69, 177-182. | 0.7 | 9         |
| 8437 | Assessment of Coronary Intima - Media Thickness by Optical Coherence Tomography Comparison With Intravascular Ultrasound. <i>Circulation Journal</i> , 2005, 69, 903-907.   | 0.7 | 188       |
| 8438 | Bone marrow fat-cell enlargement in early steroid-induced osteonecrosis—a histomorphometric study of autopsy cases. <i>Pathology Research and Practice</i> , 2005, 200, 807-811.  | 1.0 | 68        |
| 8439 | Mapping tropical forest structure in southeastern Madagascar using remote sensing and artificial neural networks. <i>Remote Sensing of Environment</i> , 2005, 94, 491-507.   | 4.6 | 138       |
| 8440 | Validation of a digital video tracking system for recording pig locomotor behaviour. <i>Journal of Neuroscience Methods</i> , 2005, 143, 123-132.   | 1.3 | 88        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8441 | New hybrid count- and geometry-based method for quantification of left ventricular volumes and ejection fraction from ECG-gated SPECT: Methodology and validation. <i>Journal of Nuclear Cardiology</i> , 2005, 12, 55-65.   | 1.4 | 35        |
| 8442 | Tibio-femoral movement in the living knee. A study of weight bearing and non-weight bearing knee kinematics using <sup>19</sup> F-interventional MRI. <i>Journal of Biomechanics</i> , 2005, 38, 269-276.  | 0.9 | 313       |
| 8443 | The intra-push velocity profile of the over-ground racing wheelchair sprint start. <i>Journal of Biomechanics</i> , 2005, 38, 15-22.   | 0.9 | 31        |
| 8444 | Quantifying deficits in the 3D force capabilities of a digit caused by selective paralysis: application to the thumb with simulated low ulnar nerve palsy. <i>Journal of Biomechanics</i> , 2005, 38, 725-736.   | 0.9 | 13        |
| 8445 | Agreement between two experimental measures or between experiment and theory. <i>Journal of Biomechanics</i> , 2005, 38, 2136-2137.  | 0.9 | 10        |
| 8446 | Estimating propulsive forces in sink or swim?. <i>Journal of Biomechanics</i> , 2005, 38, 1984-1990.   | 0.9 | 34        |
| 8447 | Recent methodological advances in the mass spectrometric analysis of free and protein-associated 3-nitrotyrosine in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005, 814, 1-9.                        | 1.2 | 82        |
| 8448 | Measurement of serum pralidoxime methylsulfate (Contrathion <sup>®</sup> ) by high-performance liquid chromatography with electrochemical detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005, 814, 149-154. | 1.2 | 31        |
| 8449 | Measurement of left ventricular volumes and function with O-15 labeled carbon monoxide gated positron emission tomography: Comparison with magnetic resonance imaging. <i>Journal of Nuclear Cardiology</i> , 2005, 12, 639-644.   | 1.4 | 19        |
| 8450 | Cerebral blood flow volume measurements with ultrasound: Interobserver reproducibility in preterm and term neonates. <i>Ultrasound in Medicine and Biology</i> , 2005, 31, 191-196.  | 0.7 | 18        |
| 8451 | Three-dimensional ultrasound biomicroscopy for xenograft growth analysis. <i>Ultrasound in Medicine and Biology</i> , 2005, 31, 865-870.   | 0.7 | 57        |
| 8452 | Segmentation of real-time three-dimensional ultrasound for quantification of ventricular function: A clinical study on right and left ventricles. <i>Ultrasound in Medicine and Biology</i> , 2005, 31, 1143-1158.   | 0.7 | 96        |
| 8453 | Doppler echocardiography flow-velocity image analysis for patients with atrial fibrillation. <i>Ultrasound in Medicine and Biology</i> , 2005, 31, 1031-1040.  | 0.7 | 22        |
| 8454 | Bone microstructure and elastic tissue properties are reflected in QUS axial transmission measurements. <i>Ultrasound in Medicine and Biology</i> , 2005, 31, 1225-1235.   | 0.7 | 121       |
| 8455 | Prediction of birth weight by ultrasound in Turkish population. Which formula should be used in Turkey to estimate fetal weight?. <i>Ultrasound in Medicine and Biology</i> , 2005, 31, 1577-1581.   | 0.7 | 11        |
| 8456 | Evaluation of the stability of <i>Ostertagia ostertagi</i> ELISA microtitre plates over time using cow milk samples. <i>Veterinary Parasitology</i> , 2005, 133, 329-337.  | 0.7 | 3         |
| 8457 | Comparative study of two automated high-sensitivity C-reactive protein methods in a large population. <i>Clinical Biochemistry</i> , 2005, 38, 31-35.  | 0.8 | 22        |
| 8458 | Cystatin C as a marker of GFR history, indications, and future research. <i>Clinical Biochemistry</i> , 2005, 38, 1-8.   | 0.8 | 606       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8459 | Carotenoids, retinol and tocopherols in blood: Comparability between serum and plasma (Li-heparin) values. <i>Clinical Biochemistry</i> , 2005, 38, 444-449.  | 0.8 | 19        |
| 8460 | A rapid HPLC-mass spectrometry cyclosporin method suitable for current monitoring practices. <i>Clinical Biochemistry</i> , 2005, 38, 667-673.  | 0.8 | 31        |
| 8461 | Design of a portable urine glucose monitoring system for health care. <i>Computers in Biology and Medicine</i> , 2005, 35, 275-286.   | 3.9 | 41        |
| 8462 | Repeated measurement of the gas exchange threshold: relative size of measurement and biological variabilities. <i>Computers in Biology and Medicine</i> , 2005, 35, 703-716.  | 3.9 | 1         |
| 8463 | The vexatious vital: Neither clinical measurements by nurses nor an electronic monitor provides accurate measurements of respiratory rate in triage. <i>Annals of Emergency Medicine</i> , 2005, 45, 68-76.   | 0.3 | 198       |
| 8464 | Concordance Between Capnography and Arterial Blood Gas Measurements of Carbon Dioxide in Acute Asthma. <i>Annals of Emergency Medicine</i> , 2005, 46, 323-327.   | 0.3 | 67        |
| 8465 | Fluorescein-labeled sinistrin as marker of glomerular filtration rate. <i>European Journal of Medicinal Chemistry</i> , 2005, 40, 1056-1061.  | 2.6 | 34        |
| 8466 | Comparison Insight Bone Measurements by Histomorphometry and $\hat{1}/4$ CT. <i>Journal of Bone and Mineral Research</i> , 2005, 20, 1177-1184.   | 3.1 | 166       |
| 8467 | Comparison of Diaphragmatic EMG and Oesophageal Pressure in Obstructed and Unobstructed Breathing during Sleep. Korrelation von diaphragmalem EMG und Osophagusdruckmessung bei obstruierter und unobstruierter Atmung im Schlaf. <i>Somnologie</i> , 2005, 9, 159-165. | 0.9 | 6         |
| 8468 | Measuring the Agreement between Two Tests for Determining Blood Alcohol Concentrations. <i>Academic Emergency Medicine</i> , 2005, 12, 271-271.   | 0.8 | 0         |
| 8469 | The Bariatric Quality of Life (BQL) Index: A Measure of Well-being in Obesity Surgery Patients. <i>Obesity Surgery</i> , 2005, 15, 538-545.   | 1.1 | 79        |
| 8470 | Comparison of CT and Dual-Energy DEXA Using a Modified Trunk Compartment in the Measurement of Abdominal Fat. <i>Endocrine</i> , 2005, 27, 295-300.   | 2.2 | 21        |
| 8471 | Renal MRI findings and their clinical associations in nephropathia epidemica: analysis of quantitative findings. <i>European Radiology</i> , 2005, 15, 968-974.   | 2.3 | 6         |
| 8472 | Multi-detector row computed tomography of the heart: does a multi-segment reconstruction algorithm improve left ventricular volume measurements?. <i>European Radiology</i> , 2005, 15, 111-117.  | 2.3 | 40        |
| 8473 | Displaced aortic arch sign on chest radiographs: a new sign for the detection of a left paratracheal esophageal mass. <i>European Radiology</i> , 2005, 15, 936-940.  | 2.3 | 2         |
| 8474 | Assessment of right ventricular function by 16-detector-row CT: comparison with magnetic resonance imaging. <i>European Radiology</i> , 2005, 15, 312-318.  | 2.3 | 97        |
| 8475 | In vitro characterization of atherosclerotic carotid plaque with multidetector computed tomography and histopathological correlation. <i>European Radiology</i> , 2005, 15, 1906-1914.  | 2.3 | 71        |
| 8476 | Evaluation of right ventricular volume and mass using retrospective ECG-gated cardiac multidetector computed tomography: comparison with first-pass radionuclide angiography. <i>European Radiology</i> , 2005, 15, 1987-1993.  | 2.3 | 49        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8477 | Quantification of pancreatic exocrine function with secretin-enhanced magnetic resonance cholangiopancreatography: normal values and short-term effects of pancreatic duct drainage procedures in chronic pancreatitis. Initial results. <i>European Radiology</i> , 2005, 15, 2110-2121. | 2.3 | 74        |
| 8478 | Magnetic resonance imaging of shoulders with idiopathic adhesive capsulitis: reliability of measures. <i>European Radiology</i> , 2005, 15, 2415-2422.  | 2.3 | 78        |
| 8479 | Quantification of aortic elasticity: development and experimental validation of a method using computed tomography. <i>European Radiology</i> , 2005, 15, 2506-2512.  | 2.3 | 24        |
| 8483 | Uterine tissue development in healthy women during the normal menstrual cycle and investigations with magnetic resonance imaging. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 192, 648-654.  | 0.7 | 42        |
| 8484 | Appearance of the levator ani muscle in pregnancy as assessed by 3-D MRI. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 193, 2159-2164.  | 0.7 | 9         |
| 8485 | Accuracy of magnetic resonance imaging for measuring fetal sheep lungs and other organs. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 25, 270-276.  | 0.9 | 30        |
| 8486 | Repeatability of the sonographic assessment of fetal sucking and swallowing movements. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 26, 745-749.  | 0.9 | 7         |
| 8487 | Intraobserver and interobserver reproducibility of three-dimensional gray-scale and power Doppler ultrasound examinations of the cervix in pregnant women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 26, 132-137.  | 0.9 | 40        |
| 8488 | Doppler assessment of fetal aortic isthmus blood flow in two different sonographic planes during the second half of gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 26, 170-174.  | 0.9 | 41        |
| 8489 | Fetal cardiac contractility before and after intrauterine transfusion. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 26, 611-617.  | 0.9 | 22        |
| 8491 | Growth patterns of fresh human crystalline lenses measured by in vitro photographic biometry. <i>Journal of Anatomy</i> , 2005, 206, 575-580.   | 0.9 | 39        |
| 8492 | Laser scanning as a tool for assessment of HIV-related facial lipoatrophy: evaluation of accuracy and reproducibility. <i>HIV Medicine</i> , 2005, 6, 321-325.  | 1.0 | 11        |
| 8493 | Cervical Spine ROM Measurements: Optimizing the Testing Protocol by Using a 3D Ultrasound-Based Motion Analysis System. <i>Cephalgia</i> , 2005, 25, 1133-1145.   | 1.8 | 56        |
| 8494 | Statistical methods for assessing agreement for ordinal data. <i>Scandinavian Journal of Caring Sciences</i> , 2005, 19, 427-431.   | 1.0 | 151       |
| 8495 | Hyperoxia-induced arterial compliance decrease in healthy man. <i>Clinical Physiology and Functional Imaging</i> , 2005, 25, 10-15.   | 0.5 | 19        |
| 8496 | Assessment of lung volumes in children and adolescents: comparison of two plethysmographic techniques. <i>Clinical Physiology and Functional Imaging</i> , 2005, 25, 62-68.   | 0.5 | 8         |
| 8497 | Learning effect of isokinetic measurements in healthy subjects, and reliability and comparability of Biodex and Lido dynamometers. <i>Clinical Physiology and Functional Imaging</i> , 2005, 25, 75-82.   | 0.5 | 117       |
| 8498 | Evaluation of left ventricular volumes and ejection fraction by automated gated myocardial SPECT versus cardiovascular magnetic resonance. <i>Clinical Physiology and Functional Imaging</i> , 2005, 25, 135-141.   | 0.5 | 49        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8499 | Comparison between maximal early diastolic velocity in long-axis direction obtained by M-mode echocardiography and by tissue Doppler in the assessment of right ventricular diastolic function. <i>Clinical Physiology and Functional Imaging</i> , 2005, 25, 178-182. | 0.5 | 1         |
| 8500 | Comparison between fundamental and second-harmonic imaging echocardiography for calculation of left ventricular mass in children. <i>Clinical Physiology and Functional Imaging</i> , 2005, 25, 223-225.   | 0.5 | 3         |
| 8501 | Volumetric capnography: reliability and reproducibility in spontaneously breathing patients. <i>Clinical Physiology and Functional Imaging</i> , 2005, 25, 275-280.  | 0.5 | 10        |
| 8502 | Determination of left ventricular long-axis orientation using MRI: changes during the respiratory and cardiac cycles in normal and diseased subjects. <i>Clinical Physiology and Functional Imaging</i> , 2005, 25, 286-292.   | 0.5 | 15        |
| 8503 | Right-sided cardiac function in healthy volunteers measured by first-pass radionuclide ventriculography and gated blood-pool SPECT: comparison with cine MRI. <i>Clinical Physiology and Functional Imaging</i> , 2005, 25, 344-349.                                   | 0.5 | 37        |
| 8504 | Use of a high molecular weight fluorescein (fluorexon) ophthalmic strip in assessments of tear film break-up time in contact lens wearers and non-contact lens wearers. <i>Ophthalmic and Physiological Optics</i> , 2005, 25, 119-127.                                | 1.0 | 8         |
| 8505 | Intra- and interrater agreement and reliability of the Functional Field Score. <i>Ophthalmic and Physiological Optics</i> , 2005, 25, 136-142.   | 1.0 | 10        |
| 8506 | Comparison of near heterophoria tests under varying conditions on an adult sample. <i>Ophthalmic and Physiological Optics</i> , 2005, 25, 162-167.   | 1.0 | 9         |
| 8507 | The influence of cycloplegia in objective refraction. <i>Ophthalmic and Physiological Optics</i> , 2005, 25, 340-345.  | 1.0 | 45        |
| 8508 | Evaluation of Melbourne Edge Test contrast sensitivity measures in the visually impaired. <i>Ophthalmic and Physiological Optics</i> , 2005, 25, 371-374.  | 1.0 | 7         |
| 8509 | Characteristics of pupil responses during far-to-near and near-to-far accommodation. <i>Ophthalmic and Physiological Optics</i> , 2005, 25, 328-339.   | 1.0 | 63        |
| 8510 | Corneal mechanical sensitivity measurement using a staircase technique. <i>Ophthalmic and Physiological Optics</i> , 2005, 25, 246-253.  | 1.0 | 18        |
| 8511 | The validity of a digital eyelid tonometer (TGDC-01) and its comparison with Goldmann applanation tonometry - a pilot study. <i>Ophthalmic and Physiological Optics</i> , 2005, 25, 205-210.   | 1.0 | 22        |
| 8512 | The Proview Eye Pressure Monitor: influence of clinical factors on accuracy and agreement with the Goldmann tonometer. <i>Ophthalmic and Physiological Optics</i> , 2005, 25, 416-420.   | 1.0 | 21        |
| 8513 | An enhancement to the Maddox Wing test for the reliable measurement of horizontal heterophoria. <i>Ophthalmic and Physiological Optics</i> , 2005, 25, 446-451.  | 1.0 | 6         |
| 8514 | Evaluation of the pressure phosphene tonometer as a self-tonometer. <i>Ophthalmic and Physiological Optics</i> , 2005, 25, 421-428.  | 1.0 | 12        |
| 8515 | Three portable tonometers, the TGDC-01, the ICARE and the Tonopen XL, compared with each other and with Goldmann applanation tonometry*. <i>Ophthalmic and Physiological Optics</i> , 2005, 25, 429-435.   | 1.0 | 94        |
| 8516 | In focus: the use of bifocal spectacles with children with Down's syndrome. <i>Ophthalmic and Physiological Optics</i> , 2005, 25, 514-522.  | 1.0 | 38        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8517 | Comparison of the ICareR rebound tonometer with the Goldmann tonometer in a normal population. <i>Ophthalmic and Physiological Optics</i> , 2005, 25, 436-440.   | 1.0 | 151       |
| 8518 | The effect of birth weight on clottable and intact fibrinogen levels: a twin study. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 1143-1148.   | 1.9 | 8         |
| 8519 | The Effects of Maintenance Recombinant Human Erythropoietin Therapy on Ambulatory Blood Pressure Recordings: Conventional, Doppler, and Tissue Doppler Echocardiographic Parameters. <i>Artificial Organs</i> , 2005, 29, 965-972. | 1.0 | 6         |
| 8520 | Canine Sacroiliac Luxation: Anatomic Study of Dorsoventral Articular Surface Angulation and Safe Corridor for Placement of Screws Used for Lag Fixation. <i>Veterinary Surgery</i> , 2005, 34, 324-331.                            | 0.5 | 24        |
| 8521 | Agreement studies in obstetrics and gynaecology: inappropriateness, controversies and consequences. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005, 112, 667-669.                                      | 1.1 | 37        |
| 8522 | An accurate automated blood pressure device for use in pregnancy and pre-eclampsia: the Microlife 3BTO-A. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005, 112, 915-920.                                | 1.1 | 97        |
| 8523 | Equivalence of information from single versus multiple frequency bioimpedance vector analysis in hemodialysis. <i>Kidney International</i> , 2005, 67, 301-313.  | 2.6 | 67        |
| 8524 | Simultaneous determination of anions in nanoliter volumes. <i>Kidney International</i> , 2005, 67, 357-363.  | 2.6 | 9         |
| 8525 | Evolving connectionist system versus algebraic formulas for prediction of renal function from serum creatinine. <i>Kidney International</i> , 2005, 67, 1944-1954.   | 2.6 | 29        |
| 8526 | Validation of estimates of total body water in pediatric dialysis patients by deuterium dilution. <i>Kidney International</i> , 2005, 67, 2056-2062.   | 2.6 | 27        |
| 8527 | The Cockcroft-Gault formula should not be used in children. <i>Kidney International</i> , 2005, 67, 2321-2324.   | 2.6 | 69        |
| 8528 | Prognostic value of 24-hour ambulatory blood pressure monitoring and of night/day ratio in nondiabetic, cardiovascular events-free hemodialysis patients. <i>Kidney International</i> , 2005, 68, 1294-1302.                       | 2.6 | 114       |
| 8529 | Double target comparison of blood-side methods for measuring the hemodialysis dose. <i>Kidney International</i> , 2005, 68, 2863-2876.   | 2.6 | 10        |
| 8530 | Obtaining cancer risk factor prevalence estimates in small areas: combining data from two surveys. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 2005, 54, 595-609.                               | 0.5 | 22        |
| 8531 | Estimation of circulating blood volume in infants using the pulse dye densitometry method. <i>Paediatric Anaesthesia</i> , 2005, 15, 125-130.  | 0.6 | 13        |
| 8532 | A noninvasive estimation of mixed venous oxygen saturation using near-infrared spectroscopy by cerebral oximetry in pediatric cardiac surgery patients. <i>Paediatric Anaesthesia</i> , 2005, 15, 495-503.                         | 0.6 | 259       |
| 8533 | Are conventional pressure-flow measurements dependent upon filled volume?. <i>BJU International</i> , 2005, 96, 345-349.   | 1.3 | 2         |
| 8534 | How to ensure your paper is rejected by the statistical reviewer. <i>Diabetic Medicine</i> , 2005, 22, 371-373.  | 1.2 | 4         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8535 | Use of refractive direct ophthalmoscopy for estimation of refractive error. <i>International Journal of Clinical Practice</i> , 2005, 59, 419-421.  | 0.8 | 2         |
| 8536 | Repeatability of peak nasal inspiratory flow measurements and utility for assessing the severity of rhinitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2005, 60, 795-800.        | 2.7 | 101       |
| 8537 | Asthma in medium altitude - exercise-induced bronchoconstriction in hypobaric environment in subjects with asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2005, 60, 1308-1311. | 2.7 | 17        |
| 8538 | Nitrogen washout slope in poorly controlled asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006, 61, 85-89.  | 2.7 | 100       |
| 8539 | The need of mycophenolic acid monitoring in long-term renal transplants. <i>Clinical Transplantation</i> , 2005, 19, 19-25.   | 0.8 | 16        |
| 8540 | Hand-held turbine spirometer: Agreement with the conventional spirometer at baseline and after exercise. <i>Pediatric Allergy and Immunology</i> , 2005, 16, 254-257.   | 1.1 | 13        |
| 8541 | Self-monitoring of blood glucose in children and teens with diabetes. <i>Pediatric Diabetes</i> , 2005, 6, 50-62.   | 1.2 | 27        |
| 8542 | Dose-response relationship of rocuronium: A comparison of electromyographic vs. acceleromyographic-derived values. <i>Acta Anaesthesiologica Scandinavica</i> , 2005, 49, 323-327.                            | 0.7 | 16        |
| 8543 | Relationship between arterial and end-tidal carbon dioxide pressures during anesthesia using a laryngeal tube. <i>Acta Anaesthesiologica Scandinavica</i> , 2005, 49, 759-762.                                | 0.7 | 11        |
| 8544 | Effective systolic orifice area of the aortic valve: implications for Doppler echocardiographic cardiac output determinations. <i>Acta Anaesthesiologica Scandinavica</i> , 2005, 49, 1135-1141.              | 0.7 | 5         |
| 8545 | The cuff method: a pilot study of a new method of monitoring neuromuscular function. <i>Acta Anaesthesiologica Scandinavica</i> , 2005, 49, 1552-1558.  | 0.7 | 17        |
| 8546 | Inter-observer agreement of tests used for prediction of difficult laryngoscopy/tracheal intubation. <i>Acta Anaesthesiologica Scandinavica</i> , 2005, 49, 1057-1062.  | 0.7 | 44        |
| 8547 | Monitoring urinary bladder volume and detecting post-operative urinary retention in children with an ultrasound scanner. <i>Acta Anaesthesiologica Scandinavica</i> , 2005, 49, 1456-1459.                    | 0.7 | 21        |
| 8548 | Use of lithium dilution and pulse contour analysis cardiac output determination in anaesthetized horses: a clinical evaluation. <i>Veterinary Anaesthesia and Analgesia</i> , 2005, 32, 201-211.              | 0.3 | 44        |
| 8549 | Impact of ethnicity upon body composition assessment in Sri Lankan Australian children. <i>Journal of Paediatrics and Child Health</i> , 2005, 41, 101-106.   | 0.4 | 19        |
| 8550 | Pubertal development and its influences on bone mineral density in Australian children and adolescents with cystic fibrosis. <i>Journal of Paediatrics and Child Health</i> , 2005, 41, 317-322.              | 0.4 | 33        |
| 8551 | Comparison of sputum induction using inhaled methacholine or hypertonic saline. <i>Respirology</i> , 2005, 10, 57-62.   | 1.3 | 5         |
| 8552 | Predictive equations and the reliability of the impulse oscillatory system in Japanese adult subjects. <i>Respirology</i> , 2005, 10, 310-315.  | 1.3 | 56        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8553 | The effect of relative distance enlargement on visual acuity in the visually impaired. <i>Australasian journal of optometry, The</i> , 2005, 88, 97-102.   | 0.6 | 7         |
| 8554 | Validation of the Australian/English version of the Diabetes Management Self-Efficacy Scale. <i>International Journal of Nursing Practice</i> , 2005, 11, 177-184.   | 0.8 | 75        |
| 8555 | Feasibility of a breath test with a substrate of natural <sup>13</sup> C-abundance and isotope-selective non-dispersive infrared spectrometry: A preliminary study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2005, 20, 1228-1234.           | 1.4 | 16        |
| 8556 | Do health care professionals underestimate severe pain more often than mild pain? Statistical pitfalls using a data simulation model. <i>Journal of Evaluation in Clinical Practice</i> , 2005, 11, 438-443.   | 0.9 | 8         |
| 8557 | Differences between nurse and patient assessments on postoperative pain management in two hospitals. <i>Journal of Evaluation in Clinical Practice</i> , 2005, 11, 444-451.  | 0.9 | 29        |
| 8558 | Estimation of the repeatability and reproducibility of three diagnostic tests for infectious salmon anaemia virus. <i>Journal of Fish Diseases</i> , 2005, 28, 101-110.  | 0.9 | 16        |
| 8559 | Introduction and comparison of two methods of assessment of coronary lesions in Atlantic salmon, <i>Salmo salar</i> L.. <i>Journal of Fish Diseases</i> , 2005, 28, 189-197.   | 0.9 | 9         |
| 8560 | Can we use mid upper arm anthropometry to detect malnutrition in medical inpatients? A validation study. <i>Journal of Human Nutrition and Dietetics</i> , 2005, 18, 287-294.  | 1.3 | 37        |
| 8561 | Estimation of total body water from foot-to-foot bioelectrical impedance analysis in patients with cancer cachexia - agreement between three prediction methods and deuterium oxide dilution. <i>Journal of Human Nutrition and Dietetics</i> , 2005, 18, 295-300. | 1.3 | 10        |
| 8562 | In vitro quantification of changes in human dentine tubule parameters using SEM and digital analysis. <i>Journal of Oral Rehabilitation</i> , 2005, 32, 589-597.   | 1.3 | 30        |
| 8563 | Interferon-alpha suppresses liver cell proliferation in patients with chronic hepatitis C virus infection. <i>Journal of Viral Hepatitis</i> , 2005, 12, 499-506.  | 1.0 | 9         |
| 8564 | Flow cytometry of fine-needle-aspiration biopsies: a new method to monitor the intrahepatic immunological environment in chronic viral hepatitis. <i>Journal of Viral Hepatitis</i> , 2005, 12, 507-512.   | 1.0 | 32        |
| 8565 | Putting double marking to the test: a framework to assess if it is worth the trouble. <i>Medical Education</i> , 2005, 39, 299-308.  | 1.1 | 14        |
| 8566 | The desaturation response time of finger pulse oximeters during mild hypothermia. <i>Anaesthesia</i> , 2005, 60, 65-71.  | 1.8 | 82        |
| 8567 | Evaluation of a non-invasive method of assessing opioid induced respiratory depression. <i>Anaesthesia</i> , 2005, 60, 426-432.  | 1.8 | 4         |
| 8568 | Performance of automated air tonometry under hypothermia. <i>Anaesthesia</i> , 2005, 60, 705-707.  | 1.8 | 1         |
| 8569 | Radial to femoral arterial blood pressure differences during liver transplantation. <i>Anaesthesia</i> , 2005, 60, 766-771.  | 1.8 | 55        |
| 8570 | Application of MVBC equation to predict mixed venous blood concentrations of sevoflurane in cardiac anaesthesia. <i>Anaesthesia</i> , 2005, 60, 882-886.   | 1.8 | 5         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8571 | Cardiac output measurement by pulse dye densitometry in cardiac surgery. <i>Anaesthesia</i> , 2005, 60, 968-973.   | 1.8 | 35        |
| 8572 | Xenon measurement in breathing systems: a comparison of ultrasonic and thermal conductivity methods. <i>Anaesthesia</i> , 2005, 60, 1226-1230.   | 1.8 | 13        |
| 8574 | Laser Doppler imager (LDI) scanner and intradermal injection for in vivo pharmacology in human skin microcirculation: responses to acetylcholine, endothelin-1 and their repeatability. <i>British Journal of Clinical Pharmacology</i> , 2005, 59, 511-519. | 1.1 | 33        |
| 8575 | Reproducibility of forearm vasodilator response to intra-arterial infusion of calcitonin gene-related peptide assessed by venous occlusion plethysmography. <i>British Journal of Clinical Pharmacology</i> , 2005, 59, 387-397.                             | 1.1 | 10        |
| 8576 | Investigation of the effects of physiological and vasodilation-induced autonomic activation on the QTc Interval in healthy male subjects. <i>British Journal of Clinical Pharmacology</i> , 2005, 60, 17-23.   | 1.1 | 12        |
| 8577 | Temperature measurement: comparison of non-invasive methods used in adult critical care. <i>Journal of Clinical Nursing</i> , 2005, 14, 632-639.   | 1.4 | 68        |
| 8578 | Assessing the accuracy of a computerized decision support system for digoxin dosing in primary care: an observational study. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2005, 30, 279-283.   | 0.7 | 4         |
| 8579 | Quantification of Tissue Inhibitor of Metalloproteinases 2 in Plasma from Healthy Donors and Cancer Patients. <i>Scandinavian Journal of Immunology</i> , 2005, 61, 449-460.   | 1.3 | 22        |
| 8580 | The imaging of root canal obturation using micro-CT. <i>International Endodontic Journal</i> , 2005, 38, 617-626.  | 2.3 | 150       |
| 8581 | Determining the apical terminus of root-end resected teeth using three modern apex locators: a comparative ex vivo study. <i>International Endodontic Journal</i> , 2005, 38, 827-833.   | 2.3 | 65        |
| 8582 | Increased carotid intima-media thickness in patients with inflammatory bowel disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2005, 22, 839-846.   | 1.9 | 97        |
| 8583 | Normal values and day-to-day variability of 24-h ambulatory oesophageal impedance-pH monitoring in a Belgian-French cohort of healthy subjects. <i>Alimentary Pharmacology and Therapeutics</i> , 2005, 22, 1011-1021.                                       | 1.9 | 285       |
| 8584 | Accuracy of platelet counting haematology analysers in severe thrombocytopenia and potential impact on platelet transfusion. <i>British Journal of Haematology</i> , 2005, 128, 520-525.   | 1.2 | 132       |
| 8585 | Concurrent detection of minimal residual disease (MRD) in childhood acute lymphoblastic leukaemia by flow cytometry and real-time PCR. <i>British Journal of Haematology</i> , 2005, 128, 774-782.   | 1.2 | 116       |
| 8586 | Evaluation of the monocyte counting by two automated haematology analysers compared with flow cytometry. <i>International Journal of Laboratory Hematology</i> , 2005, 27, 91-97.  | 0.2 | 30        |
| 8587 | Platelets in the paediatric population: the influence of age and the limitations of automation. <i>International Journal of Laboratory Hematology</i> , 2005, 27, 250-257.   | 0.2 | 4         |
| 8588 | Analysis and enumeration of T cells, B cells and NK cells using the monoclonal antibody fluorescence capability of a routine haematology analyser (Cell-Dyn CD4000). <i>International Journal of Laboratory Hematology</i> , 2005, 27, 224-234.              | 0.2 | 9         |
| 8589 | Is dermolipectomy effective in improving insulin action and lowering inflammatory markers in obese women?. <i>Clinical Endocrinology</i> , 2005, 63, 253-258.  | 1.2 | 48        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8590 | Percentage Fat in Overweight and Obese Children: Comparison of DXA and Air Displacement Plethysmography<sup>*</sup>. Obesity, 2005, 13, 75-85.  | 4.0 | 25        |
| 8591 | Air Displacement Plethysmography: Validation in Overweight and Obese Subjects. Obesity, 2005, 13, 1232-1237.  | 4.0 | 122       |
| 8592 | Simplified Resting Metabolic Rateâ€”Predicting Formulas for Normalâ€”Sized and Obese Individuals. Obesity, 2005, 13, 1255-1262.   | 4.0 | 88        |
| 8593 | Fourâ€”Compartment Cellular Level Body Composition Model: Comparison of Two Approaches<sup>*</sup>. Obesity, 2005, 13, 58-65.   | 4.0 | 13        |
| 8594 | Prediction of Percentage Body Fat in Rural Thai Population Using Simple Anthropometric Measurements. Obesity, 2005, 13, 729-738.  | 4.0 | 28        |
| 8595 | Nutritional status and energy expenditure in children pre-bone-marrow-transplant. Bone Marrow Transplantation, 2005, 35, 775-779.   | 1.3 | 35        |
| 8596 | Estimation of iron absorption in humans using compartmental modelling. European Journal of Clinical Nutrition, 2005, 59, 142-144.   | 1.3 | 16        |
| 8597 | 2H2O turnover method as a means to detect bias in estimations of intake of nonbreast milk liquids in breast-fed infants. European Journal of Clinical Nutrition, 2005, 59, 93-100.  | 1.3 | 41        |
| 8598 | Central and total adiposity are lower in overweight and obese children with high cardiorespiratory fitness. European Journal of Clinical Nutrition, 2005, 59, 137-141.  | 1.3 | 63        |
| 8599 | Validity of reported energy expenditure and reported intake of energy, protein, sodium and potassium in rheumatoid arthritis patients in a dietary intervention study. European Journal of Clinical Nutrition, 2005, 59, 238-245.       | 1.3 | 31        |
| 8600 | Physical activity questionnaire for adolescents validated against doubly labelled water. European Journal of Clinical Nutrition, 2005, 59, 376-383.   | 1.3 | 53        |
| 8601 | Clinical accuracy of the MedGemâ„¢ indirect calorimeter for measuring resting energy expenditure in cancer patients. European Journal of Clinical Nutrition, 2005, 59, 603-610.   | 1.3 | 46        |
| 8602 | Reliability and validity of the combined heart rate and movement sensor Actiheart. European Journal of Clinical Nutrition, 2005, 59, 561-570.   | 1.3 | 561       |
| 8603 | Validity and reproducibility of resting metabolic rate measurements in rural Bangladeshi women: comparison of measurements obtained by Medgemâ„¢ and by Deltatracâ„¢ device. European Journal of Clinical Nutrition, 2005, 59, 651-657. | 1.3 | 38        |
| 8604 | Young adolescents' nutrition assessment on computer (YANA-C). European Journal of Clinical Nutrition, 2005, 59, 658-667.  | 1.3 | 163       |
| 8605 | An evaluation of a colour food photography atlas as a tool for quantifying food portion size in epidemiological dietary surveys. European Journal of Clinical Nutrition, 2005, 59, 923-931.   | 1.3 | 103       |
| 8606 | FAO/WHO/UNU equations overestimate resting metabolic rate in Vietnamese adults. European Journal of Clinical Nutrition, 2005, 59, 1099-1104.  | 1.3 | 21        |
| 8607 | A shift in the epidemiology of low body mass index in Brazilian adults. European Journal of Clinical Nutrition, 2005, 59, 1002-1006.  | 1.3 | 7         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8608 | Comparison between Medgem and Deltatrac resting metabolic rate measurements. <i>European Journal of Clinical Nutrition</i> , 2005, 59, 1136-1141.  | 1.3 | 52        |
| 8609 | Body fat measurement in adolescents: comparison of skinfold thickness equations with dual-energy X-ray absorptiometry. <i>European Journal of Clinical Nutrition</i> , 2005, 59, 1158-1166.  | 1.3 | 175       |
| 8611 | Statistical analysis of agreement in measurement comparison studies. <i>Eye</i> , 2005, 19, 363-363.   | 1.1 | 8         |
| 8612 | The pressure phosphene tonometer—a clinical evaluation. <i>Eye</i> , 2005, 19, 683-685.  | 1.1 | 21        |
| 8613 | Use of disposable prism tonometry in routine clinical practice. <i>Eye</i> , 2005, 19, 743-746.  | 1.1 | 21        |
| 8614 | Disposable devices for measuring intraocular pressure: a clinical study to assess their accuracy. <i>Eye</i> , 2005, 19, 752-754.  | 1.1 | 14        |
| 8615 | Differences between recumbent length and stature measurement in groups of 2- and 3-y-old children and its relevance for the use of European body mass index references. <i>International Journal of Obesity</i> , 2005, 29, 24-28. | 1.6 | 14        |
| 8616 | Body fat measurement in Indian men: comparison of three methods based on a two-compartment model. <i>International Journal of Obesity</i> , 2005, 29, 842-848.   | 1.6 | 47        |
| 8617 | Percent body fat measured by BIA and DEXA in obese, African-American adolescent girls. <i>International Journal of Obesity</i> , 2005, 29, 594-602.  | 1.6 | 35        |
| 8618 | Validity of self-reported height and weight in a Japanese workplace population. <i>International Journal of Obesity</i> , 2005, 29, 1093-1099.   | 1.6 | 145       |
| 8619 | Fetal, infant and childhood growth: relationships with body composition in Brazilian boys aged 9 years. <i>International Journal of Obesity</i> , 2005, 29, 1192-1198.   | 1.6 | 144       |
| 8620 | Formaldehyde levels in Sweden: personal exposure, indoor, and outdoor concentrations. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2005, 15, 252-260.   | 1.8 | 36        |
| 8621 | Relationship between QT interval and cardiovascular risk factors in healthy young subjects. <i>Journal of Human Hypertension</i> , 2005, 19, 623-627.  | 1.0 | 23        |
| 8622 | Agreement of Carbon Dioxide Levels Measured by Arterial, Transcutaneous and End Tidal Methods in Preterm Infants at 28 Weeks Gestation. <i>Journal of Perinatology</i> , 2005, 25, 26-29.  | 0.9 | 49        |
| 8623 | Evaluation of a Transcutaneous Jaundice Meter Following Hospital Discharge in Term and Near-Term Neonates. <i>Journal of Perinatology</i> , 2005, 25, 486-490.   | 0.9 | 65        |
| 8624 | How reproducible is cutaneous electrogastrography? An in-depth evidence-based study <sup>1</sup> . <i>Neurogastroenterology and Motility</i> , 2005, 17, 800-809.  | 1.6 | 18        |
| 8625 | ASSESSMENT OF CARDIAC CHAMBER SIZE USING ANATOMIC M-MODE. <i>Veterinary Radiology and Ultrasound</i> , 2005, 46, 331-336.  | 0.4 | 17        |
| 8626 | Emergency weight estimation in Pacific Island and Maori children who are large-for-age. <i>EMA - Emergency Medicine Australasia</i> , 2005, 17, 238-243.   | 0.5 | 70        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8627 | Transthoracic electrical bioimpedance: A means of filling the void?. EMA - Emergency Medicine Australasia, 2005, 17, 249-262.  | 0.5 | 3         |
| 8628 | Comparison of Proximal Isovelocity Surface Area Method and Pressure Half Time Method for Evaluation of Mitral Valve Area in Patients Undergoing Balloon Mitral Valvotomy. Echocardiography, 2005, 22, 707-712.                           | 0.3 | 8         |
| 8629 | Left Ventricular Tei Index: Comparison between Flow and Tissue Doppler Analyses. Echocardiography, 2005, 22, 730-735.  | 0.3 | 22        |
| 8630 | Regional Response of Myocardial Acceleration During Isovolumic Contraction During Dobutamine Stress Echocardiography: A Color Tissue Doppler Study and Comparison with Angiocardiographic Findings. Echocardiography, 2005, 22, 797-809. | 0.3 | 27        |
| 8631 | Assessment of nutritional status in rhesus monkeys: comparison of dual-energy X-ray absorptiometry and stable isotope dilution. Journal of Medical Primatology, 2005, 34, 130-138.   | 0.3 | 17        |
| 8632 | The problem of analysing the relationship between change and initial value in oral health research. European Journal of Oral Sciences, 2005, 113, 271-278.   | 0.7 | 28        |
| 8633 | Evaluation of a profilometrical method for monitoring erosive tooth wear. European Journal of Oral Sciences, 2005, 113, 505-511.   | 0.7 | 32        |
| 8634 | Physical activity and self-perception in school children assessed with the Children and Youth - Physical Self-Perception Profile. Scandinavian Journal of Medicine and Science in Sports, 2005, 15, 126-134.                             | 1.3 | 61        |
| 8635 | Random measurement error in visual acuity measurement in clinical settings. Acta Ophthalmologica, 2005, 83, 328-332.   | 0.4 | 16        |
| 8636 | Assessment of Atrial Septal Defect Size with 3D-Transesophageal Echocardiography: Comparison with Balloon Method. Echocardiography, 2005, 22, 121-127.   | 0.3 | 49        |
| 8637 | Freehand Three-Dimensional Echocardiography with Rotational Scanning for Measurements of Left Ventricular Volume and Ejection Fraction in Patients with Coronary Artery Disease. Echocardiography, 2005, 22, 111-119.                    | 0.3 | 8         |
| 8638 | The acute hypoxic ventilatory response: Testing the adaptive significance in human populations. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2005, 140, 349-362.                                  | 0.8 | 8         |
| 8639 | Effect of triploidy on turbot haematology. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2005, 141, 35-41.   | 0.8 | 22        |
| 8640 | Scotopic measurement of normal pupil size with the Colvard pupillometer and the Nidek auto-refractor. Contact Lens and Anterior Eye, 2005, 28, 53-56.  | 0.8 | 9         |
| 8641 | Aneurysm Sac Pressure Monitoring: Effect of Technique on Interpretation of Measurements. European Journal of Vascular and Endovascular Surgery, 2005, 29, 233-238.   | 0.8 | 10        |
| 8642 | Automatic Ankle Pressure Measurements Using PPG in Ankle-brachial Pressure Index Determination. European Journal of Vascular and Endovascular Surgery, 2005, 30, 395-401.  | 0.8 | 24        |
| 8643 | Plant sterol/stanol prescription is an effective treatment strategy for managing hypercholesterolemia in outpatient clinical practice. Journal of the American Dietetic Association, 2005, 105, 46-52.                                   | 1.3 | 27        |
| 8644 | Resting energy expenditure is lower than predicted in people taking atypical antipsychotic medication. Journal of the American Dietetic Association, 2005, 105, 612-615.   | 1.3 | 41        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8645 | Structured Dietary Advice Incorporating Walnuts Achieves Optimal Fat and Energy Balance in Patients with Type 2 Diabetes Mellitus. <i>Journal of the American Dietetic Association</i> , 2005, 105, 1087-1096.                                    | 1.3 | 40        |
| 8646 | A rapid self-administered food frequency questionnaire for the evaluation of dietary protein intake. <i>Clinical Nutrition</i> , 2005, 24, 768-774.   | 2.3 | 50        |
| 8647 | Antiretroviral therapy affects the composition of weight loss in HIV infection: Implications for clinical nutrition. <i>Clinical Nutrition</i> , 2005, 24, 971-978.   | 2.3 | 17        |
| 8648 | Measured versus predicted energy expenditure in children with inactive Crohn's disease. <i>Clinical Nutrition</i> , 2005, 24, 1047-1055.  | 2.3 | 26        |
| 8649 | Trunk anthropometry of Hong Kong Chinese infants. <i>Early Human Development</i> , 2005, 81, 781-790.   | 0.8 | 20        |
| 8650 | Evidence of genetic regulation of fetal longitudinal growth. <i>Early Human Development</i> , 2005, 81, 823-831.  | 0.8 | 75        |
| 8651 | Cardiac multidetector-row computed tomography in patients with unstable angina. <i>American Journal of Cardiology</i> , 2005, 95, 457-461.  | 0.7 | 67        |
| 8652 | Noninvasive coronary imaging and assessment of left ventricular function using 16-slice computed tomography. <i>American Journal of Cardiology</i> , 2005, 95, 571-574.   | 0.7 | 123       |
| 8653 | Usefulness of multidetector row computed tomography to quantify right ventricular size and function in adults with either tetralogy of Fallot or transposition of the great arteries. <i>American Journal of Cardiology</i> , 2005, 95, 683-686.  | 0.7 | 90        |
| 8654 | Effect of light-to-moderate alcohol consumption on age-associated arterial stiffening. <i>American Journal of Cardiology</i> , 2005, 95, 1006-1010.   | 0.7 | 18        |
| 8655 | Comparison of Accurate Measurement of Left Ventricular Mass in Patients With Hypertrophied Hearts by Real-Time Three-Dimensional Echocardiography Versus Magnetic Resonance Imaging. <i>American Journal of Cardiology</i> , 2005, 95, 1263-1267. | 0.7 | 54        |
| 8656 | Usefulness of Exercise-Induced Changes in Plasma Levels of Brain Natriuretic Peptide in Predicting Right Ventricular Contractile Reserve After Repair of Tetralogy of Fallot. <i>American Journal of Cardiology</i> , 2005, 95, 1338-1343.        | 0.7 | 46        |
| 8657 | Usefulness of Tissue Doppler Imaging for Demonstrating Altered Septal Contraction Sequence During Dual-Chamber Pacing in Obstructive Hypertrophic Cardiomyopathy. <i>American Journal of Cardiology</i> , 2005, 96, 1558-1562.                    | 0.7 | 17        |
| 8658 | Comparative Accuracy of Manual Versus Computerized Electrocardiographic Measurement of J-, ST- and T-Wave Deviations in Patients With Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2005, 96, 1584-1588.                       | 0.7 | 27        |
| 8659 | Tooth size in patients with supernumerary teeth and a control group measured by image analysis system. <i>Archives of Oral Biology</i> , 2005, 50, 243-248.   | 0.8 | 38        |
| 8660 | Decision support of inspired oxygen selection based on Bayesian learning of pulmonary gas exchange parameters. <i>Artificial Intelligence in Medicine</i> , 2005, 34, 53-63.  | 3.8 | 7         |
| 8661 | Angle of gait: a comparative reliability study using footprints and the EMED-SFÂ®. <i>Foot</i> , 2005, 15, 7-13.  | 0.4 | 16        |
| 8662 | Arch indexes from ink footprints and pressure platforms are different. <i>Foot</i> , 2005, 15, 68-73.   | 0.4 | 33        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8663 | Comparación entre las normativas de la SEPAR de 1993 y 2002 en la lectura de los eventos respiratorios de las mismas polisomnografías. Archivos De Bronconeumología, 2005, 41, 649-653.   | 0.4 | 8         |
| 8664 | Measurement of Whole Blood Tacrolimus Level by High Performance Liquid Chromatography Tandem Mass Spectrometry in Renal Transplant Recipients – A Single Center Perspective. Hong Kong Journal of Nephrology, 2005, 7, 65-69.                   | 0.0 | 2         |
| 8665 | Home Blood Pressure Monitoring in CKD. American Journal of Kidney Diseases, 2005, 45, 994-1001.   | 2.1 | 109       |
| 8666 | Access Flow in Arteriovenous Accesses by Optodilutional and Ultrasound Dilution Methods. American Journal of Kidney Diseases, 2005, 46, 933-937.  | 2.1 | 21        |
| 8667 | Sonographic Assessment of the Severity and Progression of Autosomal Dominant Polycystic Kidney Disease: The Consortium of Renal Imaging Studies in Polycystic Kidney Disease (CRISP). American Journal of Kidney Diseases, 2005, 46, 1058-1064. | 2.1 | 104       |
| 8668 | Accurate Measurements of Oxygen Saturation in Neonates: Paired Arterial and Venous Blood Analyses. Newborn and Infant Nursing Reviews, 2005, 5, 170-178.  | 0.4 | 3         |
| 8669 | Hemoglobin oxygen saturation discrepancy using various methods in patients with sickle cell vaso-occlusive painful crisis. European Journal of Haematology, 2005, 74, 309-314.  | 1.1 | 14        |
| 8670 | Early detection of cardiac dysfunction in thalassemic patients by radionuclide angiography and heart rate variability analysis. European Journal of Haematology, 2005, 74, 517-522.   | 1.1 | 23        |
| 8671 | Clinical performance of the LCx <sup>®</sup> HCV RNA quantitative assay. Journal of Virological Methods, 2005, 123, 171-178.  | 1.0 | 6         |
| 8672 | Evaluation of the NucliSens EasyQ assay in HIV-1-infected individuals in South Africa. Journal of Virological Methods, 2005, 124, 105-110.  | 1.0 | 40        |
| 8673 | Multicenter evaluation of the NucliSens EasyQ HIV-1 v1.1 assay for the quantitative detection of HIV-1 RNA in plasma. Journal of Virological Methods, 2005, 127, 54-59.   | 1.0 | 42        |
| 8674 | Comparison of 3 automated assays for C-reactive protein in end-stage renal disease: Clinical and epidemiological implications. Translational Research, 2005, 145, 305-308.  | 2.4 | 11        |
| 8675 | Shoulder impingement: the effect of sitting posture on shoulder pain and range of motion. Manual Therapy, 2005, 10, 28-37.  | 1.6 | 93        |
| 8676 | Ultrasound imaging of lumbar multifidus muscle: normal reference ranges for measurements and practical guidance on the technique. Manual Therapy, 2005, 10, 116-126.  | 1.6 | 179       |
| 8677 | Activation recovery time measurements in evaluation of global sequence and dispersion of ventricular repolarization. Journal of Electrocardiology, 2005, 38, 28-35.   | 0.4 | 19        |
| 8678 | QT dispersion failed to estimate the global dispersion of ventricular repolarization measured using monophasic action potential mapping technique in swine and patients. Journal of Electrocardiology, 2005, 38, 19-27.                         | 0.4 | 5         |
| 8679 | Discrimination of live and early apoptotic mononuclear cells by the fluorescent SYTO 16 vital dye. Journal of Immunological Methods, 2005, 305, 173-187.  | 0.6 | 31        |
| 8680 | One-step immunostrip test for the simultaneous detection of free and total prostate specific antigen in serum. Journal of Immunological Methods, 2005, 307, 1-12.   | 0.6 | 81        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8681 | Reproducibility and reliability of the <sup>13</sup> C-acetate breath test to measure gastric emptying of liquid meal in infants. <i>Nutrition</i> , 2005, 21, 289-294.   | 1.1 | 23        |
| 8682 | Evaluation of an iron specific checklist for the assessment of dietary iron intake in pregnant and postpartum women. <i>Nutrition</i> , 2005, 21, 908-913.  | 1.1 | 18        |
| 8683 | Body composition assessment in adults with cystic fibrosis: comparison of dual-energy X-ray absorptiometry with skinfolds and bioelectrical impedance analysis. <i>Nutrition</i> , 2005, 21, 1087-1094.   | 1.1 | 46        |
| 8684 | Early development of the Standing-start 180° Turn Test. <i>Physiotherapy</i> , 2005, 91, 6-13.  | 0.2 | 16        |
| 8685 | Reproducibility and validity of the incremental shuttle walking test in patients following coronary artery bypass surgery. <i>Physiotherapy</i> , 2005, 91, 22-27.  | 0.2 | 49        |
| 8686 | Mobility rating scale for elderly people with dementia: preparation of a Japanese-language version of the Southampton Mobility Assessment. <i>Physiotherapy</i> , 2005, 91, 223-228.  | 0.2 | 1         |
| 8687 | A study to determine the reliability of an ankle dorsiflexion weight-bearing device. <i>Physiotherapy</i> , 2005, 91, 242-249.  | 0.2 | 24        |
| 8688 | Assessment of the repeatability of a milk <i>Ostertagia ostertagi</i> ELISA and effects of sample preparation. <i>Preventive Veterinary Medicine</i> , 2005, 68, 277-288.   | 0.7 | 26        |
| 8689 | The effects of minor hip flexion, abduction or adduction and x-ray beam angle on the radiographic joint space width of the hip. <i>Osteoarthritis and Cartilage</i> , 2005, 13, 379-386.  | 0.6 | 17        |
| 8690 | Assumed oxygen consumption frequently results in large errors in the determination of cardiac output. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005, 130, 272-276.   | 0.4 | 71        |
| 8692 | Intraocular pressure measurement in patients with previous LASIK surgery using pressure phosphene tonometer. <i>Clinical and Experimental Ophthalmology</i> , 2005, 33, 153-157.  | 1.3 | 8         |
| 8693 | Agreement between stereoscopic photographs, clinical assessment, Heidelberg retina tomograph and digital stereoscopic optic disc camera in estimating verticalcup:disc ratio. <i>Clinical and Experimental Ophthalmology</i> , 2005, 33, 259-263. | 1.3 | 30        |
| 8694 | Methacholine bronchial provocation measured by spirometry versus wheeze detection in preschool children. <i>BMC Pediatrics</i> , 2005, 5, 19.   | 0.7 | 19        |
| 8695 | Comparison of air displacement plethysmography to hydrostatic weighing for estimating total body density in children. <i>BMC Pediatrics</i> , 2005, 5, 37.  | 0.7 | 19        |
| 8696 | Optimal sampling of MRI slices for the assessment of knee cartilage volume for cross-sectional and longitudinal studies. <i>BMC Musculoskeletal Disorders</i> , 2005, 6, 10.  | 0.8 | 7         |
| 8697 | Quadriceps force generation in patients with osteoarthritis of the knee and asymptomatic participants during patellar tendon reflex reactions: an exploratory cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2005, 6, 46.          | 0.8 | 18        |
| 8698 | Reproducibility of cervical range of motion in patients with neck pain. <i>BMC Musculoskeletal Disorders</i> , 2005, 6, 59.   | 0.8 | 49        |
| 8699 | Selecting an Equation to Estimate Glomerular Filtration Rate for Use in Renal Dosage Adjustment of Drugs in Electronic Patient Record Systems. <i>Pharmacotherapy</i> , 2005, 25, 823-830.  | 1.2 | 15        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8700 | Cardiac Image Segmentation for Contrast Agent Videodensitometry. IEEE Transactions on Biomedical Engineering, 2005, 52, 277-286.  | 2.5 | 12        |
| 8702 | Current perception thresholds in the lower urinary tract: Sine- and square-wave currents studied in young healthy volunteers. Neurourology and Urodynamics, 2005, 24, 261-266.  | 0.8 | 42        |
| 8703 | The vaginal pressure profile. Neurourology and Urodynamics, 2005, 24, 243-247.  | 0.8 | 72        |
| 8704 | Use of the first rib for adult age estimation: a test of one method. International Journal of Osteoarchaeology, 2005, 15, 342-350.  | 0.6 | 19        |
| 8705 | Comparison of manual and automated ELISA methods for serum ferritin analysis. Journal of Clinical Laboratory Analysis, 2005, 19, 196-198.   | 0.9 | 15        |
| 8706 | An investigation into the empirical validity of the EQ-5D and SF-6D based on hypothetical preferences in a general population. Health Economics (United Kingdom), 2005, 14, 1169-1189.  | 0.8 | 162       |
| 8707 | Whole blood fixation and permeabilization protocol with red blood cell lysis for flow cytometry of intracellular phosphorylated epitopes in leukocyte subpopulations. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2005, 67A, 4-17.  | 1.1 | 111       |
| 8708 | A multicenter evaluation of the PanLeucogating method and the use of generic monoclonal antibody reagents for CD4 enumeration in HIV-infected patients in Thailand. Cytometry Part B - Clinical Cytometry, 2005, 65B, 29-36.  | 0.7 | 25        |
| 8709 | Assessment of Agreement Using Intersection-Union Principle. Biometrical Journal, 2005, 47, 674-681.   | 0.6 | 12        |
| 8710 | Simple formula for the surface area of the body and a simple model for anthropometry. Clinical Anatomy, 2005, 18, 126-130.  | 1.5 | 23        |
| 8711 | The health assessment questionnaire disability index and scleroderma health assessment questionnaire in scleroderma trials: An evaluation of their measurement properties. Arthritis and Rheumatism, 2005, 53, 256-262.   | 6.7 | 67        |
| 8712 | Reproducibility and validity of the DynaPort KneeTest. Arthritis and Rheumatism, 2005, 53, 357-363.   | 6.7 | 14        |
| 8713 | The smallest detectable difference and sensitivity to change of magnetic resonance imaging and radiographic scoring of structural joint damage in rheumatoid arthritis finger, wrist, and toe joints: A comparison of the omeract rheumatoid arthritis magnetic resonance imaging score applied to different joint combinations and the sharp/van der heijde radiographic score. Arthritis and Rheumatism, 2005, 52, 2300-2306. | 6.7 | 115       |
| 8714 | Maternal antibody responses to the 52-kd SSA/RO p200 peptide and the development of fetal conduction defects. Arthritis and Rheumatism, 2005, 52, 3079-3086.  | 6.7 | 64        |
| 8715 | The lateral view radiograph for assessment of the tibiofemoral joint space in knee osteoarthritis: Its reliability, sensitivity to change, and longitudinal validity. Arthritis and Rheumatism, 2005, 52, 3542-3547.  | 6.7 | 46        |
| 8716 | Clinical and radiographic outcomes of four different treatment strategies in patients with early rheumatoid arthritis (the BeSt study): A randomized, controlled trial. Arthritis and Rheumatism, 2005, 52, 3381-3390.  | 6.7 | 1,247     |
| 8717 | Reliability and sensitivity to change of the OMERACT rheumatoid arthritis magnetic resonance imaging score in a multireader, longitudinal setting. Arthritis and Rheumatism, 2005, 52, 3860-3867.   | 6.7 | 167       |
| 8718 | Clinical responsiveness of self-report functional assessment measures for children with juvenile idiopathic arthritis undergoing intraarticular corticosteroid injections. Arthritis and Rheumatism, 2005, 53, 897-904.   | 6.7 | 22        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8719 | Temperature gradient between the rectum and the anal canal: Evidence against the role of temperature sensation as a sensory modality in the anal canal of normal subjects. <i>British Journal of Surgery</i> , 2005, 75, 1083-1085. | 0.1 | 13        |
| 8720 | Air-filled microballoon manometr for use in anorectal physiology. <i>British Journal of Surgery</i> , 2005, 76, 72-75.  | 0.1 | 16        |
| 8721 | Anorectal physiology validated: A repeatability study of the motor and sensory tests of anorectal function. <i>British Journal of Surgery</i> , 2005, 76, 607-609.  | 0.1 | 91        |
| 8722 | Statistical comparison of two methods of clinical measurement. <i>British Journal of Surgery</i> , 2005, 77, 384-385.   | 0.1 | 7         |
| 8723 | Statistical comparison of two methods of clinical measurement. <i>British Journal of Surgery</i> , 2005, 77, 385-387.   | 0.1 | 14        |
| 8724 | Non-invasive estimation of peripheral resistance using Pulse Generated Runoff before femorodistal bypass. <i>British Journal of Surgery</i> , 2005, 77, 391-395.  | 0.1 | 23        |
| 8725 | Limitations of ultrasonography in surveillance of small abdominal aortic aneurysms. <i>British Journal of Surgery</i> , 2005, 78, 614-616.  | 0.1 | 128       |
| 8726 | Prevention of cardiovascular effects of endotoxaemia by monoclonal antibodies specific for core endotoxin. <i>British Journal of Surgery</i> , 2005, 79, 1087-1090.   | 0.1 | 3         |
| 8727 | Physiological variation in rectal compliance. <i>British Journal of Surgery</i> , 2005, 79, 1106-1108.  | 0.1 | 39        |
| 8728 | Ventilatory and blood gas changes during laparoscopic and open cholecystectomy. <i>British Journal of Surgery</i> , 2005, 80, 1252-1254.  | 0.1 | 62        |
| 8729 | Accuracy of ultrasonographic measurement of infrarenal abdominal aortic aneurysm. <i>British Journal of Surgery</i> , 2005, 81, 376-376.  | 0.1 | 40        |
| 8730 | Pulse-generated run-off versus dependent Doppler ultrasonography for assessment of calf vessel patency. <i>British Journal of Surgery</i> , 2005, 81, 1448-1450.  | 0.1 | 15        |
| 8731 | Gastrointestinal Quality of Life Index: Development, validation and application of a new instrument. <i>British Journal of Surgery</i> , 2005, 82, 216-222.   | 0.1 | 1,042     |
| 8732 | Cell kinetics in vivo of human breast cancer. <i>British Journal of Surgery</i> , 2005, 83, 98-102.   | 0.1 | 25        |
| 8733 | Alternative dental measurements: Proposals and relationships with other measurements. <i>American Journal of Physical Anthropology</i> , 2005, 126, 413-426.  | 2.1 | 134       |
| 8734 | Sodium glycyglycine as effective electrolyte run buffer for ascorbic and uric acid separation by CZE: A comparison with two other CE assays. <i>Journal of Separation Science</i> , 2005, 28, 2193-2199.                            | 1.3 | 12        |
| 8735 | Feasibility of aortic pulse pressure and pressure wave velocity MRI measurement in young adults. <i>Journal of Magnetic Resonance Imaging</i> , 2005, 21, 53-58.  | 1.9 | 49        |
| 8736 | Assessment of left ventricular function by breath-hold cine MR imaging: Comparison of different steady-state free precession sequences. <i>Journal of Magnetic Resonance Imaging</i> , 2005, 21, 140-148.                           | 1.9 | 44        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8737 | Balloon sizing and transcatheter closure of acute atrial septal defects guided by magnetic resonance fluoroscopy: Assessment and validation in a large animal model. <i>Journal of Magnetic Resonance Imaging</i> , 2005, 21, 204-211.                           | 1.9 | 39        |
| 8738 | In vitro validation of phase-contrast flow measurements at 3 T in comparison to 1.5 T: Precision, accuracy, and signal-to-noise ratios. <i>Journal of Magnetic Resonance Imaging</i> , 2005, 21, 604-610.  | 1.9 | 77        |
| 8739 | Effect of inversion time on delayed-enhancement magnetic resonance imaging with and without phase-sensitive reconstruction. <i>Journal of Magnetic Resonance Imaging</i> , 2005, 21, 650-655.  | 1.9 | 23        |
| 8740 | A comparison of noninvasive MRI-based methods of estimating pulmonary artery pressure in pulmonary hypertension. <i>Journal of Magnetic Resonance Imaging</i> , 2005, 22, 67-72.   | 1.9 | 110       |
| 8741 | Single-breathhold, four-dimensional, quantitative assessment of LV and RV function using triggered, real-time, steady-state free precession MRI in heart failure patients. <i>Journal of Magnetic Resonance Imaging</i> , 2005, 22, 59-66.                       | 1.9 | 32        |
| 8742 | Tractography-based quantitation of diffusion tensor imaging parameters in white matter tracts of preterm newborns. <i>Journal of Magnetic Resonance Imaging</i> , 2005, 22, 467-474.   | 1.9 | 129       |
| 8743 | Influence of positional and angular variation of automatically planned short-axis stacks on quantification of left ventricular dimensions and function with cardiovascular magnetic resonance. <i>Journal of Magnetic Resonance Imaging</i> , 2005, 22, 754-764. | 1.9 | 3         |
| 8744 | Unified Parkinson's disease rating scale motor examination: Are ratings of nurses, residents in neurology, and movement disorders specialists interchangeable?. <i>Movement Disorders</i> , 2005, 20, 1577-1584.   | 2.2 | 202       |
| 8745 | ADHD rating scale IV: psychometric properties from a multinational study as clinician-administered instrument. <i>International Journal of Methods in Psychiatric Research</i> , 2005, 14, 186-201.  | 1.1 | 204       |
| 8746 | Diffusion tensor imaging of in vivo and excised rat spinal cord at 7 T with an icosahedral encoding scheme. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 118-125.   | 1.9 | 88        |
| 8747 | Mechanical transient-based magnetic resonance elastography. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 628-639.   | 1.9 | 153       |
| 8748 | An introduction to medical statistics for health care professionals: basic statistical tests. <i>Musculoskeletal Care</i> , 2005, 3, 201-212.  | 0.6 | 5         |
| 8749 | Within-day reliability of temporal-spatial gait parameters associated with rheumatoid arthritic feet. <i>Musculoskeletal Care</i> , 2005, 3, 17-23.  | 0.6 | 14        |
| 8750 | Reproducibility and variability of activated clotting time measurements in the cardiac catheterization laboratory. <i>Catheterization and Cardiovascular Interventions</i> , 2005, 65, 330-337.  | 0.7 | 40        |
| 8751 | Geometrical validation of intravascular ultrasound radiofrequency data analysis (Virtual Histology) acquired with a 30 MHz boston scientific corporation imaging catheter. <i>Catheterization and Cardiovascular Interventions</i> , 2005, 66, 514-518.          | 0.7 | 21        |
| 8752 | Wall Motion Velocities of Abdominal Aorta Measured by Tissue Doppler Imaging in Normal Children. <i>Pediatric Cardiology</i> , 2005, 26, 323-327.  | 0.6 | 3         |
| 8753 | Comparison of the Tissue Doppler-Derived Left Ventricular Tei Index to that Obtained by Pulse Doppler in Patients with Congenital and Acquired Heart Disease. <i>Pediatric Cardiology</i> , 2005, 26, 391-395.   | 0.6 | 14        |
| 8754 | Semi-automated digital image analysis of joint space width in knee radiographs. <i>Skeletal Radiology</i> , 2005, 34, 639-643.   | 1.2 | 28        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8755 | Semi-automated digital image analysis of patellofemoral joint space width from lateral knee radiographs. <i>Skeletal Radiology</i> , 2005, 34, 644-648.  | 1.2 | 3         |
| 8756 | Can body volume be determined by PET?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005, 32, 564-568.  | 3.3 | 7         |
| 8757 | Comparison of 99mTc-sestamibi/18FDG DISA SPECT with PET for the detection of viability in patients with coronary artery disease and left ventricular dysfunction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005, 32, 972-979. | 3.3 | 27        |
| 8758 | Macroscopic and radiological grading of osteoarthritis correlates inadequately with cartilage height and histologically demonstrable damage to cartilage structure. <i>Rheumatology International</i> , 2005, 25, 161-168.                               | 1.5 | 13        |
| 8763 | Right ventricular myocardial performance index and exercise capacity in athletes. <i>Heart and Vessels</i> , 2005, 20, 147-152.  | 0.5 | 30        |
| 8764 | Aortic elastic properties and left ventricular diastolic dysfunction in patients with obstructive sleep apnea. <i>Heart and Vessels</i> , 2005, 20, 239-244.   | 0.5 | 39        |
| 8767 | Direct fluorometric analysis of a newly synthesised fluorescein-labelled marker for glomerular filtration rate. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 382, 59-64.  | 1.9 | 15        |
| 8768 | Towards Standardization of Dual X-ray Absorptiometry (DXA) at the Forearm. <i>Calcified Tissue International</i> , 2005, 76, 348-354.  | 1.5 | 9         |
| 8769 | Recommendations for Thresholds for Cortical Bone Geometry and Density Measurement by Peripheral Quantitative Computed Tomography. <i>Calcified Tissue International</i> , 2005, 77, 275-280.   | 1.5 | 69        |
| 8770 | Comparative measurement of thromboxane A2 metabolites in exhaled breath condensate by different immunoassays. <i>Inflammation Research</i> , 2005, 54, 350-355.  | 1.6 | 31        |
| 8771 | Plasma volume measurement in septic patients using an albumin dilution technique: comparison with the standard radio-labelled albumin method. <i>Intensive Care Medicine</i> , 2005, 31, 289-295.  | 3.9 | 35        |
| 8772 | Analysis of blood glucose measurements using capillary and arterial blood samples in intensive care patients. <i>Intensive Care Medicine</i> , 2005, 31, 142-145.  | 3.9 | 87        |
| 8773 | Comparison of indirect methods of measuring intra-abdominal pressure in children. <i>Intensive Care Medicine</i> , 2005, 31, 471-475.  | 3.9 | 88        |
| 8774 | Intra- and interobserver variability during in vitro validation of two novel methods for intra-abdominal pressure monitoring. <i>Intensive Care Medicine</i> , 2005, 31, 747-751.  | 3.9 | 103       |
| 8775 | Comparison between cerebral tissue oxygenation index measured by near-infrared spectroscopy and venous jugular bulb saturation in children. <i>Intensive Care Medicine</i> , 2005, 31, 846-850.  | 3.9 | 138       |
| 8776 | Reliability of measured tidal volume in mechanically ventilated young pigs with normal lungs. <i>Intensive Care Medicine</i> , 2005, 31, 1255-1261.  | 3.9 | 15        |
| 8777 | Lung recruitment maneuver depresses central hemodynamics in patients following cardiac surgery. <i>Intensive Care Medicine</i> , 2005, 31, 1189-1194.  | 3.9 | 109       |
| 8778 | The reliability of isokinetic testing of the ankle joint and a heel-raise test for endurance. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2005, 13, 60-71.   | 2.3 | 116       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8779 | Inter-rater reliability of Rolimeter measurements between anterior cruciate ligament injured and normal contra lateral knees. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2005, 13, 592-597.                         | 2.3 | 19        |
| 8780 | Significance of intima-media thickness in femoral artery in the determination of calcaneus osteo-sono index but not of lumbar spine bone mass in healthy Japanese people. <i>Osteoporosis International</i> , 2005, 16, 64-70.   | 1.3 | 12        |
| 8781 | Reproducibility of bone mineral density measurements using dual X-ray absorptiometry in daily clinical practice. <i>Osteoporosis International</i> , 2005, 16, 1742-1748.  | 1.3 | 82        |
| 8782 | Effect of sampling interval on the use of $\delta^{13}C$ -doubly labeled water for measuring CO <sub>2</sub> production. <i>Analytical Biochemistry</i> , 2005, 337, 343-346.  | 1.1 | 4         |
| 8783 | Influence sur la note attribuée de la grille de correction d'un dossier de rhumatologie pour l'internat. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2005, 72, 269-272.   | 0.0 | 0         |
| 8784 | Development and validation of an in vivo analysis tool to identify changes in carotid plaque tissue types in serial 3-D ultrasound scans. <i>Ultrasound in Medicine and Biology</i> , 2005, 31, 329-335.                         | 0.7 | 5         |
| 8785 | A novel noncontact ultrasound indentation system for measurement of tissue material properties using water jet compression. <i>Ultrasound in Medicine and Biology</i> , 2005, 31, 817-826.                                       | 0.7 | 42        |
| 8786 | The Effect of Fixation and Histological Preparation on Coronary Artery Dimensions. <i>Annals of Biomedical Engineering</i> , 2005, 33, 1027-1033.  | 1.3 | 29        |
| 8787 | Use of Digital Photography for Analysis of Canopy Closure. <i>Agroforestry Systems</i> , 2005, 65, 175-185.  | 0.9 | 26        |
| 8788 | Brain tissue oxygenation index measured by near infrared spatially resolved spectroscopy agreed with jugular bulb oxygen saturation in normal pediatric brain: a pilot study. <i>Child's Nervous System</i> , 2005, 21, 181-184. | 0.6 | 16        |
| 8791 | Inter- and intraobserver assessment of periacetabular osteodensitometry after cemented and uncemented total hip arthroplasty using computed tomography. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2005, 125, 291-297.  | 1.3 | 29        |
| 8792 | Measuring carotid artery stenosis. <i>Journal of Neurology</i> , 2005, 252, 575-582.   | 1.8 | 15        |
| 8793 | Transpalpebral measurement of intraocular pressure using the TGDc-01 tonometer versus standard Goldmann applanation tonometry. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2005, 243, 313-316.         | 1.0 | 29        |
| 8794 | Magnification-corrected indirect biomicroscopy of the optic nerve head. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2005, 243, 257-262.  | 1.0 | 3         |
| 8795 | Bayes' theorem applied to perimetric progression detection in glaucoma: from specificity to positive predictive value. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2005, 243, 433-437.                 | 1.0 | 16        |
| 8796 | Dynamic contour tonometry versus Goldmann applanation tonometry: a comparative study. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2005, 243, 763-767.  | 1.0 | 87        |
| 8797 | Deviations between transpalpebral tonometry using TGDc-01 and Goldmann applanation tonometry depending on the IOP level. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2005, 243, 853-858.               | 1.0 | 23        |
| 8798 | Repeatability of central corneal thickness measurements measured with the Topcon SP2000P specular microscope. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2005, 243, 798-802.                          | 1.0 | 17        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8799 | The Relationship Between Observations and Measures of Oral and Pharyngeal Residue from Videofluorography and Scintigraphy. <i>Dysphagia</i> , 2005, 20, 226-231.  | 1.0 | 33        |
| 8800 | Urine collection pads: are samples reliable for urine biochemistry and microscopy?. <i>Pediatric Nephrology</i> , 2005, 20, 170-179.  | 0.9 | 13        |
| 8801 | Determination of inulin clearance by single injection or infusion in children. <i>Pediatric Nephrology</i> , 2005, 20, 777-781.   | 0.9 | 25        |
| 8802 | Estimation of the glomerular filtration rate in children: which algorithm should be used?. <i>Pediatric Nephrology</i> , 2005, 20, 1769-1775.   | 0.9 | 30        |
| 8803 | Drug sensitivity of <i>Plasmodium falciparum</i> along the Thai-Myanmar border using the new field-deployable HRP2 in vitro assay. <i>Wiener Klinische Wochenschrift</i> , 2005, 117, 35-38.  | 1.0 | 4         |
| 8804 | Comparison between a general and a disease-specific health-related quality-of-life questionnaire in patients after pancreatic surgery. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 2005, 12, 290-297.   | 2.0 | 13        |
| 8805 | Increased internal carotid artery peak systolic velocity is associated with presence of significant atherosclerotic plaque instability independent of degree of ICA stenosis. <i>International Journal of Angiology</i> , 2005, 14, 74-80.                    | 0.2 | 11        |
| 8806 | Effects of waterproof covering on hand immersion tests using water at 10°C, 12°C and 15°C for diagnosis of hand-arm vibration syndrome. <i>International Archives of Occupational and Environmental Health</i> , 2005, 78, 311-318.                           | 1.1 | 11        |
| 8807 | Estimating relative physical workload using heart rate monitoring: a validation by whole-body indirect calorimetry. <i>European Journal of Applied Physiology</i> , 2005, 94, 46-53.  | 1.2 | 50        |
| 8808 | Characterisation, asymmetry and reproducibility of on- and off-transient pulmonary oxygen uptake kinetics in endurance-trained runners. <i>European Journal of Applied Physiology</i> , 2005, 93, 588-597.  | 1.2 | 23        |
| 8809 | A comparison of three bioelectrical impedance analyses for predicting lean body mass in a population with a large difference in muscularity. <i>European Journal of Applied Physiology</i> , 2005, 94, 25-35.   | 1.2 | 35        |
| 8810 | Reliability of peak $\dot{V}_{O_2}$ and maximal cardiac output assessed using thoracic bioimpedance in children. <i>European Journal of Applied Physiology</i> , 2005, 94, 228-234.   | 1.2 | 96        |
| 8811 | The energy cost of household and garden activities in 55- to 65-year-old males. <i>European Journal of Applied Physiology</i> , 2005, 94, 476-486.  | 1.2 | 36        |
| 8812 | Comparison of two waist-mounted and two ankle-mounted electronic pedometers. <i>European Journal of Applied Physiology</i> , 2005, 95, 335-343.   | 1.2 | 119       |
| 8813 | Skinfold thickness versus isotope dilution for body fat assessment during simulated microgravity: results from three bed-rest campaigns in men and women with and without countermeasures. <i>European Journal of Applied Physiology</i> , 2005, 95, 344-350. | 1.2 | 9         |
| 8814 | The optimised CO-rebreathing method: a new tool to determine total haemoglobin mass routinely. <i>European Journal of Applied Physiology</i> , 2005, 95, 486-495.   | 1.2 | 338       |
| 8815 | The validity of predicting maximal oxygen uptake from a perceptually-regulated graded exercise test. <i>European Journal of Applied Physiology</i> , 2005, 94, 221-227.   | 1.2 | 92        |
| 8816 | Comparison and reliability of two non-invasive acetylene uptake techniques for the measurement of cardiac output. <i>European Journal of Applied Physiology</i> , 2005, 94, 670-680.  | 1.2 | 21        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8817 | Evaluation of cardiac output from a tidally ventilated homogeneous lung model. <i>European Journal of Applied Physiology</i> , 2005, 95, 153-162.   | 1.2 | 8         |
| 8818 | Comparison of general practitioner records and patient self-report questionnaires for estimation of costs. <i>European Journal of Health Economics</i> , 2005, 6, 261-266.  | 1.4 | 22        |
| 8819 | Reproducibility of methods for assessing baroreflex sensitivity and temporal QT variability in end-stage renal disease and healthy subjects. <i>Clinical Autonomic Research</i> , 2005, 15, 21-28.  | 1.4 | 28        |
| 8820 | Reproducibility of heart rate variability and blood pressure variability in individuals with spinal cord injury. <i>Clinical Autonomic Research</i> , 2005, 15, 387-393.  | 1.4 | 43        |
| 8821 | Accuracy of short-axis cardiac MRI automatically derived from scout acquisitions in free-breathing and breath-holding modes. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2005, 18, 7-18.                          | 1.1 | 12        |
| 8822 | Does choice of estimators influence conclusions from true metabolizable energy feeding trials?. <i>Journal of Ornithology</i> , 2005, 146, 383-389.   | 0.5 | 2         |
| 8823 | Volume Measurements of the Anal Sphincter Complex in Healthy Controls and Fecal-Incontinent Patients With a Three-Dimensional Reconstruction of Endoanal Ultrasonography Images. <i>Diseases of the Colon and Rectum</i> , 2005, 48, 540-548. | 0.7 | 57        |
| 8824 | Accuracy of a portable electroneurometer for measuring distal motor latency. <i>Journal of Orthopaedic Science</i> , 2005, 10, 445-450.   | 0.5 | 1         |
| 8825 | Methods for measuring agreement: glucose levels in gingival crevice blood. <i>Clinical Oral Investigations</i> , 2005, 9, 65-69.  | 1.4 | 13        |
| 8826 | The Children's Depression Inventory and classification of major depressive disorder. <i>European Child and Adolescent Psychiatry</i> , 2005, 14, 328-334.   | 2.8 | 19        |
| 8827 | Diameter of the Infrarenal Abdominal Aorta in Children with Cerebral Palsy. <i>Annals of Vascular Surgery</i> , 2005, 19, 343-346.  | 0.4 | 0         |
| 8828 | Prediction of the Exact Degree of Internal Carotid Artery Stenosis Using an Artificial Neural Network Based on Duplex Velocity Measurements. <i>Annals of Vascular Surgery</i> , 2005, 19, 829-837.   | 0.4 | 7         |
| 8829 | Validation of the Tunisian version of the Roland-Morris questionnaire. <i>European Spine Journal</i> , 2005, 14, 171-174.   | 1.0 | 17        |
| 8830 | Stroke volume equation for impedance cardiography. <i>Medical and Biological Engineering and Computing</i> , 2005, 43, 443-450.   | 1.6 | 145       |
| 8831 | Design and evaluation of a handheld impedance plethysmograph for measuring heart rate variability. <i>Medical and Biological Engineering and Computing</i> , 2005, 43, 516-521.   | 1.6 | 20        |
| 8832 | Usefulness of noise adaptive non-linear Gaussian filter in FDG-PET study. <i>Annals of Nuclear Medicine</i> , 2005, 19, 469-477.  | 1.2 | 7         |
| 8833 | Cardiothoracic Anesthesia, Respiration and Airway Cardiac output by PulseCO <sub>2</sub> is not interchangeable with thermodilution in patients undergoing OPCAB. <i>Canadian Journal of Anaesthesia</i> , 2005, 52, 530-534.                 | 0.7 | 42        |
| 8834 | The accuracy of a new infrared ear thermometer in patients undergoing cardiac surgery. <i>Canadian Journal of Anaesthesia</i> , 2005, 52, 1083-1087.  | 0.7 | 30        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8835 | Esophageal Doppler and thermodilution are not interchangeable for determination of cardiac output. <i>Canadian Journal of Anaesthesia</i> , 2005, 52, 978-985.   | 0.7 | 16        |
| 8836 | Accuracy of cardiac PET imaging using post-injection transmission scan. <i>Annals of Nuclear Medicine</i> , 2005, 19, 83-89.   | 1.2 | 1         |
| 8837 | Prediction of two-sample <sup>99m</sup> Tc-diethylene triamine pentaacetic acid plasma clearance from single-sample method. <i>Annals of Nuclear Medicine</i> , 2005, 19, 399-405.   | 1.2 | 8         |
| 8839 | Accuracy of an electromagnetic tracking device for measuring hip joint kinematics during gait: effects of metallic total hip replacement prosthesis, source-sensor distance and sensor orientation. <i>Australasian Physical and Engineering Sciences in Medicine</i> , 2005, 28, 184-189. | 1.4 | 6         |
| 8840 | Can the nitrogen and carbon stable isotopes of the pygmy mussel, <i>Xenostrobus securis</i> , indicate catchment disturbance for estuaries in northern New South Wales, Australia?. <i>Estuaries and Coasts</i> , 2005, 28, 714-725.   | 1.7 | 17        |
| 8841 | Management of diuretic-refractory, volume-overloaded patients with acutely decompensated heart failure. <i>Current Cardiology Reports</i> , 2005, 7, 204-210.  | 1.3 | 12        |
| 8842 | Brief report: How well do clinic-based blood pressure measurements agree with the mercury standard?. <i>Journal of General Internal Medicine</i> , 2005, 20, 647-649.  | 1.3 | 33        |
| 8843 | Comparison of Neutron Activated and Radiolabeled Microsphere Methods for Measurement of Transmural Myocardial Blood Flow in Dogs. <i>Journal of Thrombosis and Thrombolysis</i> , 2005, 19, 201-208.   | 1.0 | 10        |
| 8844 | Cardiac Output Measurement by Pulse Dye Densitometry: Comparison with Pulmonary Artery Thermodilution in Post-Cardiac Surgery Patients. <i>Journal of Clinical Monitoring and Computing</i> , 2005, 19, 395-399.   | 0.7 | 16        |
| 8845 | Non-Invasive Cardiac Evaluation in Heart Failure Patients Using Magnetic Resonance Imaging: A Feasibility Study. <i>Heart Failure Reviews</i> , 2005, 10, 265-273.   | 1.7 | 5         |
| 8846 | Role of dynamic contrast enhanced MRI in monitoring early response of locally advanced breast cancer to neoadjuvant chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2005, 91, 1-10.  | 1.1 | 201       |
| 8847 | Contrast-enhanced magnetic resonance angiography of the great arteries in patients with congenital heart disease: an accurate tool for planning catheter-guided interventions. <i>International Journal of Cardiovascular Imaging</i> , 2005, 21, 313-322.                                 | 0.7 | 51        |
| 8848 | Segmentation of non-viable myocardium in delayed enhancement magnetic resonance images. <i>International Journal of Cardiovascular Imaging</i> , 2005, 21, 303-311.  | 0.7 | 83        |
| 8849 | Comparison of Impedance Cardiography and Thermodilution-Derived Measurements of Stroke Volume and Cardiac Output at Rest and During Exercise Testing. <i>Cardiovascular Drugs and Therapy</i> , 2005, 19, 141-147.   | 1.3 | 70        |
| 8850 | A comparison of visual analogue and numerical rating scale formats for the Lung Cancer Symptom Scale (LCSS): Does format affect patient ratings of symptoms and quality of life?. <i>Quality of Life Research</i> , 2005, 14, 837-847.   | 1.5 | 71        |
| 8851 | Accuracy of parents in measuring body temperature with a tympanic thermometer. <i>BMC Family Practice</i> , 2005, 6, 3.  | 2.9 | 18        |
| 8852 | The macular mapping test: a reliability study. <i>BMC Ophthalmology</i> , 2005, 5, 18.   | 0.6 | 8         |
| 8853 | Validation and test-retest reliability of the Royal Free Interview for Spiritual and Religious Beliefs when adapted to a Greek population. <i>Annals of General Psychiatry</i> , 2005, 4, 6.   | 1.2 | 12        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8854 | Comparison of laboratory and immediate diagnosis of coagulation for patients under oral anticoagulation therapy before dental surgery. <i>Head &amp; Face Medicine</i> , 2005, 1, 12.                                 | 0.8 | 3         |
| 8855 | Agreement between child self-report and parent proxy-report to evaluate Quality of Life in Children with Cancer. <i>Psycho-Oncology</i> , 2005, 14, 125-134.  | 1.0 | 162       |
| 8856 | Emotional and behavioural functioning of children of a parent diagnosed with cancer: a cross-informant perspective. <i>Psycho-Oncology</i> , 2005, 14, 746-758.   | 1.0 | 127       |
| 8857 | Relevance of a portable spirometer for detection of small airways obstruction. <i>Pediatric Pulmonology</i> , 2005, 39, 178-184.  | 1.0 | 7         |
| 8858 | Exercise-induced respiratory symptoms are poor predictors of bronchoconstriction. <i>Pediatric Pulmonology</i> , 2005, 39, 301-305.   | 1.0 | 81        |
| 8859 | Methodological issues related to exhaled nitric oxide measurement in children aged four to six years. <i>Pediatric Pulmonology</i> , 2005, 40, 97-104.  | 1.0 | 28        |
| 8860 | Changes in respiratory muscle endurance during puberty. <i>Pediatric Pulmonology</i> , 2005, 40, 197-204.   | 1.0 | 8         |
| 8861 | Cardiovascular responses to short-term head-down positioning in healthy young and older adults. <i>Physiotherapy Research International</i> , 2005, 10, 32-47.  | 0.7 | 21        |
| 8862 | Validity of three calliper-based transrectal ultrasound methods and digital rectal examination in the estimation of prostate volume and its changes with age: The Krimpen study. <i>Prostate</i> , 2005, 62, 353-363. | 1.2 | 24        |
| 8863 | Assessment of intra-individual variation in prostate-specific antigen levels in a biennial randomized prostate cancer screening program in Sweden. <i>Prostate</i> , 2005, 65, 216-221.                               | 1.2 | 25        |
| 8864 | Bayesian implementation of a genetic model-free approach to the meta-analysis of genetic association studies. <i>Statistics in Medicine</i> , 2005, 24, 3845-3861.  | 0.8 | 48        |
| 8865 | Concordance correlation coefficient applied to discrete data. <i>Statistics in Medicine</i> , 2005, 24, 4021-4034.  | 0.8 | 25        |
| 8866 | The first year clinical placement for undergraduate medical radiation science students: tool or toil?. <i>Radiographer</i> , 2005, 52, 18-22.   | 0.1 | 4         |
| 8867 | Real In Vivo Kinematic Differences between Mobile-Bearing and Fixed-Bearing Total Knee Arthroplasties. <i>Clinical Orthopaedics and Related Research</i> , 2005, 432, 204-209.  | 0.7 | 59        |
| 8868 | Categorical and Continuous Variables: Tests of Agreement. , 0, , 267-277.   |     | 0         |
| 8869 | High thyroid volume in children with excess dietary iodine intakes <sup>1</sup> â€“3. <i>American Journal of Clinical Nutrition</i> , 2005, 81, 840-844.  | 2.2 | 150       |
| 8870 | A Randomized Crossover Study of the Additive Effect of Lercanidipine and Indapamide in Patients with the Mild to Moderate Hypertension. <i>Korean Circulation Journal</i> , 2005, 35, 854.                            | 0.7 | 0         |
| 8871 | Shape of the Retinal Surface in Emmetropia and Myopia. , 2005, 46, 2698.  |     | 203       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8872 | Cervical spine mobilizations in subjects with chronic neck problems: An interventional MRI study. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2005, 18, 21-28.   | 0.4 | 6         |
| 8873 | A cellular-level approach to predicting resting energy expenditure across the adult years. <i>American Journal of Clinical Nutrition</i> , 2005, 81, 799-806.  | 2.2 | 56        |
| 8874 | Development of Anthropometry-Based Equations for the Estimation of the Total Body Water in Koreans. <i>Journal of Korean Medical Science</i> , 2005, 20, 445.  | 1.1 | 3         |
| 8875 | Comparison of Keratometric and Topographic Cylinder and Axis Measurements on Normal Corneas with Low Astigmatism. <i>European Journal of Ophthalmology</i> , 2005, 15, 8-16.   | 0.7 | 13        |
| 8876 | The Relationship between Oxygenator Exhaust Pco <sub>2</sub> and Arterial Pco <sub>2</sub> During Hypothermic Cardiopulmonary Bypass. <i>Anaesthesia and Intensive Care</i> , 2005, 33, 457-461.   | 0.2 | 2         |
| 8877 | Comparison of isotope dilution with bioimpedance spectroscopy and anthropometry for assessment of body composition in asymptomatic HIV-infected and HIV-uninfected breastfeeding mothers. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 538-546.           | 2.2 | 25        |
| 8878 | Accuracy of Portable Blood Glucose Monitors. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2005, 45, 514-516.  | 0.7 | 6         |
| 8879 | VALIDITY OF METHODS TO MEASURE TOTAL ENERGY EXPENDITURE OF BASEBALL PLAYERS IN JAPANESE HIGH SCHOOL. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2005, 54, 363-372.  | 0.0 | 11        |
| 8880 | Point-of-care testing of HbA <sub>1c</sub> and blood glucose in a remote Aboriginal Australian community. <i>Medical Journal of Australia</i> , 2005, 182, 524-527.  | 0.8 | 34        |
| 8881 | Assessment of Diaphragmatic Function with Cervical Magnetic Stimulation in Critically Ill Patients. <i>Anaesthesia and Intensive Care</i> , 2005, 33, 483-491.   | 0.2 | 10        |
| 8882 | Preoperative Assessment of Small Tumours in Women with Breast Cancer. <i>Scandinavian Journal of Surgery</i> , 2005, 94, 15-20.  | 1.3 | 13        |
| 8883 | Automated software supported versus manual aorto-iliac diameter measurements in CT angiography of patients with abdominal aortic aneurysms: Assessment of inter- and intraobserver variation. <i>Vasa - European Journal of Vascular Medicine</i> , 2005, 34, 255-261. | 0.6 | 21        |
| 8884 | Isokinetic dynamometry in assessment of external and internal axial rotation strength of the shoulder: Comparison of two positions. <i>Isokinetics and Exercise Science</i> , 2005, 13, 187-195.   | 0.2 | 13        |
| 8885 | The Relationship between FEV <sub>1</sub> and PEFR in the Classification of the Severity in COPD Patients. <i>Tuberculosis and Respiratory Diseases</i> , 2005, 58, 507.   | 0.7 | 0         |
| 8887 | Dysprosium as a nonabsorbable fecal marker in studies of zinc homeostasis. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 1017-1023.  | 2.2 | 14        |
| 8888 | Validity of impedance-based equations for the prediction of total body water as measured by deuterium dilution in African women. <i>American Journal of Clinical Nutrition</i> , 2005, 81, 597-604.  | 2.2 | 25        |
| 8889 | Point-of-care testing of the international normalized ratio in patients with antiphospholipid antibodies. <i>Thrombosis and Haemostasis</i> , 2005, 94, 1196-1202.   | 1.8 | 35        |
| 8890 | The importance of accurate anatomic assessment for the volumetric analysis of the amygdala. <i>Brazilian Journal of Medical and Biological Research</i> , 2005, 38, 409-418.   | 0.7 | 11        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 8891 | Mean aortic pressure is the geometric mean of systolic and diastolic aortic pressure in resting humans. <i>Journal of Applied Physiology</i> , 2005, 99, 2278-2284.   | 1.2 | 30        |
| 8892 | The Response to Visual Form Deprivation Differs with Age in Marmosets. , 2005, 46, 1873.  |     | 51        |
| 8893 | Comparability of Retinal Nerve Fiber Layer Thickness Measurements of Optical Coherence Tomography Instruments. , 2005, 46, 1280.  |     | 83        |
| 8894 | Self-Reported and Technician-Measured Waist Circumferences Differ in Middle-Aged Men and Women. <i>Journal of Nutrition</i> , 2005, 135, 2263-2270.   | 1.3 | 90        |
| 8895 | Reproducibility analysis of isokinetic strength measurements of shoulder and elbow muscles in subjects with spinal cord injury. <i>Isokinetics and Exercise Science</i> , 2005, 13, 279-284.  | 0.2 | 5         |
| 8896 | Ferritin concentrations in dried serum spots prepared by standard compared with simplified approaches: a validation study in Guatemala City. <i>American Journal of Clinical Nutrition</i> , 2005, 81, 1366-1371.                                 | 2.2 | 5         |
| 8897 | Transcriptional profiling of tissue plasticity: role of shifts in gene expression and technical limitations. <i>Journal of Applied Physiology</i> , 2005, 99, 397-413.  | 1.2 | 35        |
| 8898 | Lingual, splanchnic, and systemic hemodynamic and carbon dioxide tension changes during endotoxic shock and resuscitation. <i>Journal of Applied Physiology</i> , 2005, 98, 108-113.  | 1.2 | 25        |
| 8899 | The reproducibility of peak isokinetic torque and EMG activity in unfamiliarised subjects on repeated days. <i>Isokinetics and Exercise Science</i> , 2005, 13, 179-186.  | 0.2 | 4         |
| 8900 | Reliability of an inclinometric method for assessment of body sway. <i>Technology and Health Care</i> , 2005, 13, 115-124.  | 0.5 | 5         |
| 8901 | Forearm muscle profiles in tennis players. <i>Isokinetics and Exercise Science</i> , 2005, 13, 147-151.   | 0.2 | 3         |
| 8905 | Converting to SITA-Standard from Full-Threshold Visual Field Testing in the Follow-up Phase of a Clinical Trial. , 2005, 46, 2755.  |     | 14        |
| 8906 | Clinical Laboratory Safety Data in Drug Studies. , 2005, , 243-300.   |     | 0         |
| 8907 | The Effect of Preload Reduction on a New Parameter to Evaluate Left Ventricular Diastolic Function. <i>Korean Circulation Journal</i> , 2005, 35, 827.  | 0.7 | 1         |
| 8908 | Acute and Chronic Effects of Smoking on the Arterial Wall Properties and the Hemodynamics in Smokers with Hypertension. <i>Korean Circulation Journal</i> , 2005, 35, 493.  | 0.7 | 8         |
| 8909 | Fidedignidade entre peso e estatura reportados e medidos e a influência do histórico de atividade física em indivíduos que procuram a prática supervisionada de exercícios. <i>Revista Brasileira De Medicina Do Esporte</i> , 2005, 11, 141-145. | 0.1 | 11        |
| 8910 | Isokinetic assessment of hip muscle concentric strength in normal subjects: A reproducibility study. <i>Isokinetics and Exercise Science</i> , 2005, 13, 129-137.   | 0.2 | 14        |
| 8911 | Ultrasound: a reproducible method to measure conduit vein compliance. <i>Journal of Applied Physiology</i> , 2005, 98, 1878-1883.   | 1.2 | 28        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8912 | Effect of Using the Flow or the Volume Signals on the Measurement of Nonapneic Respiratory Events. Sleep, 2005, 28, 990-992.   | 0.6 | 3         |
| 8913 | Quantifying Effects of Retinal Illuminance on Frequency Doubling Perimetry. , 2005, 46, 235.   |     | 15        |
| 8914 | Comparative Survival Analysis of Urea Kinetic Based Indices. International Journal of Artificial Organs, 2005, 28, 566-575.  | 0.7 | 7         |
| 8915 | Glycoconjugate Expression in Normal Human Inferior Turbinate Mucosa: A Lectin Histochemical Study. American Journal of Rhinology & Allergy, 2005, 19, 97-103.  | 2.3 | 12        |
| 8916 | Noncontact Optical Measurement of Lens Capsule Thickness in Human, Monkey, and Rabbit Postmortem Eyes. , 2005, 46, 1690.   |     | 29        |
| 8917 | Ocular Rigidity in Living Human Eyes. , 2005, 46, 409.   |     | 267       |
| 8918 | Quantification of Brain Aneurysm Dimensions from CTA for Surgical Planning of Coiling Interventions. , 2005, , 185-217.  |     | 0         |
| 8919 | Tissue Doppler Image-Derived Myocardial Performance(Tei Index) as a Simple Assessment of Global Cardiac Function in Adults. Korean Circulation Journal, 2005, 35, 315.                                     | 0.7 | 5         |
| 8920 | Improvement of Spatial Contrast Sensitivity Threshold after Surgical Reduction of Intraocular Pressure in Unilateral High-Tension Glaucoma. , 2005, 46, 197.   |     | 41        |
| 8921 | The reproducibility of peak isometric torque and electromyography activity in unfamiliarised subjects using isokinetic dynamometry on repeated days. Isokinetics and Exercise Science, 2005, 13, 103-109.  | 0.2 | 6         |
| 8923 | Reprodutibilidade e validade do Questionário Internacional de Atividade Física em adolescentes. Revista Brasileira De Medicina Do Esporte, 2005, 11, 151-158.  | 0.1 | 193       |
| 8924 | Doppler multigate measurements of ultrasonic scattering, attenuation and hematocrit of blood in the human artery. , 0, , .   |     | 2         |
| 8925 | Novel method for measurement of medium size arterial lumen area with an impedance catheter: in vivo validation. American Journal of Physiology - Heart and Circulatory Physiology, 2005, 288, H2014-H2020. | 1.5 | 26        |
| 8926 | Doppler tissue imaging in assessment of pulmonary hypertension-induced right ventricle dysfunction. American Journal of Physiology - Heart and Circulatory Physiology, 2005, 289, H2450-H2455.             | 1.5 | 50        |
| 8927 | Birth Weight and Creatinine Clearance in Young Adult Twins: Influence of Genetic, Prenatal, and Maternal Factors. Journal of the American Society of Nephrology: JASN, 2005, 16, 2471-2476.                | 3.0 | 34        |
| 8928 | A pilot study of the effect of aerobic exercise on people with moderate disability multiple sclerosis. Clinical Rehabilitation, 2005, 19, 165-169.   | 1.0 | 85        |
| 8929 | Evaluating telemedicine systems and services. Journal of Telemedicine and Telecare, 2005, 11, 167-177.   | 1.4 | 53        |
| 8930 | Intraoperative assessment of right ventricular volume and function. European Journal of Cardio-thoracic Surgery, 2005, 27, 988-993.  | 0.6 | 72        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8931 | Clinical evaluation of a novel ultrasound-based bladder volume monitor. <i>Scandinavian Journal of Urology and Nephrology</i> , 2005, 39, 321-328.   | 1.4 | 14        |
| 8932 | On the nature of proteinuria with acute renal injury in patients with chronic kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 288, F265-F271.   | 1.3 | 23        |
| 8933 | A retrospective method for pulse-wave velocity measurement in the mouse. , 0, , .  |     | 3         |
| 8934 | A method of drusen measurement based on reconstruction of fundus background reflectance. <i>British Journal of Ophthalmology</i> , 2005, 89, 87-91.  | 2.1 | 38        |
| 8935 | The relative effects of corneal thickness and age on Goldmann applanation tonometry and dynamic contour tonometry. <i>British Journal of Ophthalmology</i> , 2005, 89, 1572-1575.  | 2.1 | 153       |
| 8936 | â€œPureâ€•diastolic dysfunction is associated with long-axis systolic dysfunction. Implications for the diagnosis and classification of heart failure. <i>European Journal of Heart Failure</i> , 2005, 7, 820-828.  | 2.9 | 167       |
| 8937 | The measurement properties and performance characteristics among older people of TURN180, a test of dynamic postural stability. <i>Clinical Rehabilitation</i> , 2005, 19, 412-418.  | 1.0 | 10        |
| 8938 | Comparative biochemical analyses of venous blood and peritoneal fluid from horses with colic using a portable analyser and an in-house analyser. <i>Veterinary Record</i> , 2005, 157, 217-223.  | 0.2 | 22        |
| 8939 | Translation and validation of the Dutch version of the Oxford 12-item knee questionnaire for knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2005, 76, 347-352.   | 1.2 | 114       |
| 8940 | Indoor nitrous acid and respiratory symptoms and lung function in adults. <i>Thorax</i> , 2005, 60, 474-479.   | 2.7 | 59        |
| 8941 | Measurement of exogenous carbohydrate oxidation: a comparison of [U-14C]glucose and [U-13C]glucose tracers. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005, 289, E206-E211.   | 1.8 | 5         |
| 8942 | A Hybrid Approach for Quantification of Aortic Valve Stenosis Using Cardiac Magnetic Resonance Imaging and Echocardiography. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2005, 7, 581-586.   | 1.6 | 11        |
| 8943 | Assessment of systolic left ventricular function: a multi-centre comparison of cineventriculography, cardiac magnetic resonance imaging, unenhanced and contrast-enhanced echocardiography. <i>European Heart Journal</i> , 2005, 26, 607-616.               | 1.0 | 259       |
| 8944 | Underrecognition of the Severity of Asthma and Undertreatment of Asthma in a Rural Area of Japan. <i>Journal of Asthma</i> , 2005, 42, 689-696.  | 0.9 | 9         |
| 8945 | Evaluation of Relationship Between Arterial and Venous Blood Gas Values in the Patients with Tricyclic Antidepressant Poisoning. <i>Clinical Toxicology</i> , 2005, 43, 357-360.   | 0.8 | 27        |
| 8946 | Validation and Application of Single Breath-Hold Cine Cardiac MR for Ventricular Function Assessment in Children with Congenital Heart Disease at Rest and During Adenosine Stress#. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2005, 7, 743-751. | 1.6 | 17        |
| 8947 | Autofluorescence Imaging of Choroidal Neovascularization Due to Age-Related Macular Degeneration. <i>JAMA Ophthalmology</i> , 2005, 123, 1507.   | 2.6 | 46        |
| 8948 | Accurate quantitation of regurgitant volume with MRI in patients selected for mitral valve repair. <i>European Journal of Cardio-thoracic Surgery</i> , 2005, 27, 462-467.   | 0.6 | 31        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8949 | Usefulness of myocardial parametric imaging to evaluate myocardial viability in experimental and in clinical studies. <i>Heart</i> , 2005, 92, 350-356.  | 1.2 | 5         |
| 8950 | Method for the determination of the arteriovenous muscle protein balance during non-steady-state blood and muscle amino acid concentrations. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005, 289, E1064-E1070.  | 1.8 | 28        |
| 8951 | Measurement of total pulmonary arterial compliance using invasive pressure monitoring and MR flow quantification during MR-guided cardiac catheterization. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 289, H1301-H1306.                          | 1.5 | 77        |
| 8952 | Operator Induced Variability in Cardiovascular MR: Left Ventricular Measurements and Their Reproducibility. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2005, 7, 447-457.  | 1.6 | 68        |
| 8953 | How Much are Atrial Volumes and Ejection Fractions Assessed by Cardiac Magnetic Resonance Imaging Influenced by the ECG Gating Method?. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2005, 7, 587-593.  | 1.6 | 10        |
| 8954 | Blood Flow Quantification in Adults by Phase-Contrast MRI Combined with Sense - A Validation Study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2005, 7, 361-369.  | 1.6 | 38        |
| 8955 | Developing functional outcome measures for unilateral neglect: A pilot study. <i>Neuropsychological Rehabilitation</i> , 2005, 15, 97-113.   | 1.0 | 13        |
| 8956 | Poor Agreement among Prothrombin Time International Normalized Ratio Methods: Comparison of Seven Commercial Reagents. <i>Clinical Chemistry</i> , 2005, 51, 553-560.  | 1.5 | 65        |
| 8957 | Normal Human Left and Right Ventricular and Left Atrial Dimensions Using Steady State Free Precession Magnetic Resonance Imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2005, 7, 775-782.  | 1.6 | 527       |
| 8958 | Standardizing the Definition of Hyperenhancement in the Quantitative Assessment of Infarct Size and Myocardial Viability Using Delayed Contrast-Enhanced CMR. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2005, 7, 481-485.  | 1.6 | 332       |
| 8959 | Digital imaging of the optic nerve head: monoscopic and stereoscopic analysis. <i>British Journal of Ophthalmology</i> , 2005, 89, 879-884.  | 2.1 | 58        |
| 8960 | Reliability of surface electromyographic measurements from subjects with spinal cord injury during voluntary motor tasks. <i>Journal of Rehabilitation Research and Development</i> , 2005, 42, 413.   | 1.6 | 26        |
| 8961 | Measurement of urinary free cortisol using liquid chromatography-tandem mass spectrometry: comparison with the urine adapted ACS:180 serum cortisol chemiluminescent immunoassay and development of a new reference range. <i>Annals of Clinical Biochemistry</i> , 2005, 42, 112-118. | 0.8 | 42        |
| 8962 | Tri-Axial Accelerometry and Heart Rate Telemetry: Relation and Agreement With Behavioral Observation in Elementary Physical Education. <i>Measurement in Physical Education and Exercise Science</i> , 2005, 9, 203-218.   | 1.3 | 10        |
| 8963 | Assessment of Regional Left Ventricular Function: Accuracy and Reproducibility of Positioning Standard Short-Axis Sections in Cardiac MR Imaging. <i>Radiology</i> , 2005, 235, 229-236.   | 3.6 | 60        |
| 8964 | Evaluation of a New Single-Parameter Volumetric Flow Cytometer (CyFlow green ) for Enumeration of Absolute CD4 + T Lymphocytes in Human Immunodeficiency Virus Type 1-Infected Thai Patients. <i>Vaccine Journal</i> , 2005, 12, 1416-1424.  | 3.2 | 27        |
| 8965 | Evaluation of five commercially available assays and measurement of serum total protein concentration via refractometry for the diagnosis of failure of passive transfer of immunity in foals. <i>Journal of the American Veterinary Medical Association</i> , 2005, 227, 1640-1645.   | 0.2 | 57        |
| 8966 | Comparison of Selenium Determination in Liver Samples by Atomic Absorption Spectroscopy and Inductively Coupled Plasma-Mass Spectrometry. <i>Journal of Veterinary Diagnostic Investigation</i> , 2005, 17, 331-340.   | 0.5 | 17        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8967 | Reliability of a Single-Session Isokinetic and Isometric Strength Measurement Protocol in Older Men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005, 60, 114-119. | 1.7 | 62        |
| 8968 | Enhancing the efficacy of the 20 m multistage shuttle run test. <i>British Journal of Sports Medicine</i> , 2005, 39, 166-170.   | 3.1 | 56        |
| 8969 | Glycaemic index methodology. <i>Nutrition Research Reviews</i> , 2005, 18, 145-171.  | 2.1 | 761       |
| 8970 | Pressure recording analytical method (PRAM) for measurement of cardiac output during various haemodynamic states. <i>British Journal of Anaesthesia</i> , 2005, 95, 159-165.                                 | 1.5 | 97        |
| 8971 | Evaluation and cultural adaptation of a German version of the AIMS2-SF questionnaire (German) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5   | 0.9 | 38        |
| 8972 | Comparison of Dynamic Sonography to Stress Radiography for Assessing Glenohumeral Laxity in Asymptomatic Shoulders. <i>American Journal of Sports Medicine</i> , 2005, 33, 734-741.                          | 1.9 | 50        |
| 8973 | Reproducibility and Clinical Evaluation of Rebound Tonometry. , 2005, 46, 4578.  |     | 178       |
| 8974 | Analytic Performance of the PENTRA 80 Automated Blood Cell Analyzer for the Evaluation of Normal and Pathologic WBCs. <i>American Journal of Clinical Pathology</i> , 2005, 123, 206-214.                    | 0.4 | 13        |
| 8975 | Joint space width in dysplasia of the hip. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 471-477.   | 3.4 | 41        |
| 8976 | Endothelial function in highly endurance-trained and sedentary, healthy young women. <i>Vascular Medicine</i> , 2005, 10, 97-102.  | 0.8 | 33        |
| 8977 | An interinstitutional comparative study and validation of computer aided drusen quantification. <i>British Journal of Ophthalmology</i> , 2005, 89, 554-557.   | 2.1 | 13        |
| 8978 | Differences in radiological/HRCT findings in eosinophilic bronchitis and asthma: implication for bronchial responsiveness. <i>Thorax</i> , 2005, 61, 41-47.  | 2.7 | 30        |
| 8979 | Adenosine level in exhaled breath increases during exercise-induced bronchoconstriction. <i>European Respiratory Journal</i> , 2005, 25, 873-878.  | 3.1 | 75        |
| 8980 | Noninvasive Assessment of Local Pulse Pressure. <i>Hypertension</i> , 2005, 46, 244-248.   | 1.3 | 163       |
| 8981 | Use of reactance to estimate transpulmonary resistance. <i>European Respiratory Journal</i> , 2005, 25, 1061-1069.   | 3.1 | 33        |
| 8982 | Video microscopy as an alternative method for somatic cell count in milk. <i>Journal of Dairy Research</i> , 2005, 72, 93-100.   | 0.7 | 3         |
| 8983 | Strain rate imaging after dynamic stress provides objective evidence of persistent regional myocardial dysfunction in ischaemic myocardium: regional stunning identified?. <i>Heart</i> , 2005, 91, 152-160. | 1.2 | 30        |
| 8984 | Ferriman Gallwey Self-Scoring I: Performance Assessment in Women with Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 4112-4114.                              | 1.8 | 92        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 8985 | QT-interval parameters are increased in systemic lupus erythematosus patients. <i>Lupus</i> , 2005, 14, 846-852.   | 0.8 | 36        |
| 8986 | Volumetric preload measurement by thermodilution: a comparison with transoesophageal echocardiography. <i>British Journal of Anaesthesia</i> , 2005, 94, 748-755.  | 1.5 | 134       |
| 8987 | The repeatability and criterion related validity of the 20 m multistage fitness test as a predictor of maximal oxygen uptake in active young men. <i>British Journal of Sports Medicine</i> , 2005, 39, e19-e19.   | 3.1 | 56        |
| 8988 | Personal Use of Hair Dyes and Risk of Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 2516.   | 3.8 | 134       |
| 8989 | Automated Detection of Macular Drusen Using Geometric Background Leveling and Threshold Selection. <i>JAMA Ophthalmology</i> , 2005, 123, 200.   | 2.6 | 77        |
| 8990 | Endocrine Control of Body Composition in Infancy, Childhood, and Puberty. <i>Endocrine Reviews</i> , 2005, 26, 114-146.  | 8.9 | 367       |
| 8991 | Integration between point-of-care cardiac markers in an emergency/cardiology department and the central laboratory: methodological and preliminary clinical evaluation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005, 43, 202-9.   | 1.4 | 19        |
| 8992 | Comparison of histometric data obtained by optical coherence tomography and routine histology. <i>Journal of Biomedical Optics</i> , 2005, 10, 044008.   | 1.4 | 35        |
| 8993 | Performance of health status measures with a pen based personal digital assistant. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 1480-1484.  | 0.5 | 84        |
| 8994 | Prediction of total body water in infants and children. <i>Archives of Disease in Childhood</i> , 2005, 90, 965-971.   | 1.0 | 71        |
| 8995 | Office Spirometry in Primary Care Pediatrics: A Pilot Study. <i>Pediatrics</i> , 2005, 116, e792-e797.   | 1.0 | 33        |
| 8996 | Adverse Mental Health Effects of Cannabis Use in Two Indigenous Communities in Arnhem Land, Northern Territory, Australia: Exploratory Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 612-620.   | 1.3 | 16        |
| 8997 | Comparison of electrical velocimetry and transoesophageal Doppler echocardiography for measuring stroke volume and cardiac output – Declaration of interest. This study was supported by Osypka Medical GmbH, Berlin, Germany.. <i>British Journal of Anaesthesia</i> , 2005, 95, 603-610. | 1.5 | 105       |
| 8998 | Quantitative analysis of contraction patterns in electrical activity signal of pregnant uterus as an alternative to mechanical approach. <i>Physiological Measurement</i> , 2005, 26, 753-767.   | 1.2 | 81        |
| 8999 | Effect of Blood Collection Tubes on Total Triiodothyronine and Other Laboratory Assays. <i>Clinical Chemistry</i> , 2005, 51, 424-433.   | 1.5 | 86        |
| 9000 | Aniseikonia associated with epiretinal membranes. <i>British Journal of Ophthalmology</i> , 2005, 89, 1576-1580.   | 2.1 | 40        |
| 9001 | Post-infarct rupture of the membranous ventricular septum complicated by left atrial dissection. <i>Heart</i> , 2005, 92, 356-356.   | 1.2 | 3         |
| 9002 | The "Lasso-o" tape: stretchability and observer variability in head circumference measurement. <i>Archives of Disease in Childhood</i> , 2005, 90, 820-821.  | 1.0 | 22        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9003 | A functional CD8+ cell assay reveals individual variation in CD8+ cell antiviral efficacy and explains differences in human T-lymphotropic virus type 1 proviral load. <i>Journal of General Virology</i> , 2005, 86, 1515-1523.     | 1.3 | 76        |
| 9004 | Frequency of seeing characteristics of the short wavelength sensitive visual pathway in clinically normal subjects and diabetic patients with focal sensitivity loss. <i>British Journal of Ophthalmology</i> , 2005, 89, 1462-1467. | 2.1 | 1         |
| 9005 | Imaging of the brain in acute ischaemic stroke: comparison of computed tomography and magnetic resonance diffusion-weighted imaging. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 76, 1528-1533.                 | 0.9 | 314       |
| 9006 | New Tools for Computer Assistance in Thoracic CT Part 2. Therapy Monitoring of Pulmonary Metastases. <i>Radiographics</i> , 2005, 25, 841-848.   | 1.4 | 35        |
| 9007 | 12-Hour versus 24-Hour Creatinine Clearance in Critically Ill Pediatric Patients. <i>Pediatric Research</i> , 2005, 58, 83-88.   | 1.1 | 40        |
| 9008 | Leg Ischemia: Assessment with MR Angiography and Spectroscopy. <i>Radiology</i> , 2005, 234, 833-841.  | 3.6 | 29        |
| 9009 | Cerebral Vasoreactivity: A Comparison of Color Velocity Imaging Quantification and Stable Xenon-Enhanced CT. <i>American Journal of Roentgenology</i> , 2005, 184, 948-952.  | 1.0 | 4         |
| 9010 | Software for automated application of a reference-based method for a posterioridetermination of the effective radiographic imaging geometry. <i>Dentomaxillofacial Radiology</i> , 2005, 34, 205-211.                                | 1.3 | 5         |
| 9011 | Power Doppler Sonography of Invasive Breast Carcinoma: Does Tumor Vascularization Contribute to Prediction of Axillary Status?. <i>Radiology</i> , 2005, 234, 374-380.   | 3.6 | 34        |
| 9012 | Effect of Endocardial Trabeculae on Left Ventricular Measurements and Measurement Reproducibility at Cardiovascular MR Imaging. <i>Radiology</i> , 2005, 236, 57-64.   | 3.6 | 189       |
| 9013 | Hyperventilation with Cold versus Dry Air in 2- to 5-Year-Old Children with Asthma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005, 171, 238-241.  | 2.5 | 33        |
| 9014 | Airway Wall Thickness in Cigarette Smokers: Quantitative Thin-Section CT Assessment. <i>Radiology</i> , 2005, 235, 1055-1064.  | 3.6 | 138       |
| 9015 | Effect of carbon dioxide on background cerebral electrical activity and fractional oxygen extraction in very low birth weight infants just after birth. <i>Pediatric Research</i> , 2005, 58, 579-585.                               | 1.1 | 60        |
| 9016 | Correlation and Regression. <i>American Journal of Roentgenology</i> , 2005, 185, 3-18.  | 1.0 | 8         |
| 9017 | Serial Electron Beam CT Measurements of Coronary Artery Calcium: Has Your Patient's Calcium Score Actually Changed?. <i>American Journal of Roentgenology</i> , 2005, 185, 1546-1553.  | 1.0 | 40        |
| 9018 | Automatic Segmentation of Abdominal Fat from CT Data. , 2005, , .  |     | 22        |
| 9019 | Oxygen-enhanced MR Imaging: Correlation with Postsurgical Lung Function in Patients with Lung Cancer. <i>Radiology</i> , 2005, 236, 704-711.   | 3.6 | 71        |
| 9020 | Remodelling of the right ventricle after early pulmonary valve replacement in children with repaired tetralogy of Fallot: assessment by cardiovascular magnetic resonance. <i>European Heart Journal</i> , 2005, 26, 2721-2727.      | 1.0 | 291       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9021 | Point-of-care (POC) versus central laboratory instrumentation for monitoring oral anticoagulation. <i>Vascular Medicine</i> , 2005, 10, 23-27.  | 0.8 | 40        |
| 9022 | Can mechanical myotonometry or electromyography be used for the prediction of intramuscular pressure?. <i>Physiological Measurement</i> , 2005, 26, 951-963.  | 1.2 | 62        |
| 9023 | Interventricular Septal Configuration at MR Imaging and Pulmonary Arterial Pressure in Pulmonary Hypertension. <i>Radiology</i> , 2005, 234, 710-717.   | 3.6 | 180       |
| 9024 | Non-invasive measurement of intrapulmonary shunt during inert gas rebreathing. <i>Physiological Measurement</i> , 2005, 26, 309-316.  | 1.2 | 10        |
| 9025 | Measurement of glomerular filtration rate via urinary clearance of inulin and plasma clearance of technetium Tc 99m pentetate and exogenous creatinine in dogs. <i>American Journal of Veterinary Research</i> , 2005, 66, 1046-1055. | 0.3 | 26        |
| 9026 | Thawing of frozen calcaneus bone specimens has no effect on the bone mineral density using dual energy x-ray absorptiometry: a study in rabbits and humans. <i>Physiological Measurement</i> , 2005, 26, 769-777.                     | 1.2 | 3         |
| 9027 | Age-related intramyocardial patterns in healthy subjects evaluated with Doppler tissue imaging. <i>European Journal of Echocardiography</i> , 2005, 6, 175-185.   | 2.3 | 10        |
| 9028 | The reproducibility and sensitivity of the 6-min walk test in elderly patients with chronic heart failure. <i>European Heart Journal</i> , 2005, 26, 1742-1751.   | 1.0 | 115       |
| 9029 | In vivo validation of a novel semi-automated method for border detection in intravascular ultrasound images. <i>British Journal of Radiology</i> , 2005, 78, 122-129.   | 1.0 | 17        |
| 9030 | Ethnic Differences in Insulin Resistance and Body Composition in United Kingdom Adolescents. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 3963-3969.   | 1.8 | 136       |
| 9031 | Quantitative Assessment of Colorectal Cancer Perfusion Using MDCT: Inter- and Intraobserver Agreement. <i>American Journal of Roentgenology</i> , 2005, 185, 225-231.   | 1.0 | 68        |
| 9032 | Optical coherence tomography imaging of thrombus protrusion through stent struts after stenting in acute coronary syndrome. <i>Heart</i> , 2005, 92, 409-409.   | 1.2 | 3         |
| 9033 | Cardiac Functional Analysis with Multi-â€œDetector Row CT and Segmental Reconstruction Algorithm: Comparison with Echocardiography, SPECT, and MR Imaging. <i>Radiology</i> , 2005, 234, 381-390.                                     | 3.6 | 214       |
| 9034 | Use of accelerometers for detecting foot-ground contact time during running. , 2005, , .  |     | 15        |
| 9035 | Effects of viscoelasticity on volume distribution in a two-compartmental model of normal and sick lungs. <i>Physiological Measurement</i> , 2005, 26, 13-28.  | 1.2 | 9         |
| 9036 | Validity and Stability of a Computerized Metabolic System with Mixing Chamber. <i>International Journal of Sports Medicine</i> , 2005, 26, 569-575.   | 0.8 | 103       |
| 9037 | Non-invasive, side-selective nasal airflow monitoring. <i>Physiological Measurement</i> , 2005, 26, 69-82.  | 1.2 | 12        |
| 9038 | Application of the â€œpull-offâ€™ force method for measurement of surface tension of upper airway mucosal lining liquid. <i>Physiological Measurement</i> , 2005, 26, 677-688.  | 1.2 | 22        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9039 | Validity and Reliability of the PowerTap Mobile Cycling Powermeter when Compared with the SRM Device. <i>International Journal of Sports Medicine</i> , 2005, 26, 868-873.   | 0.8 | 87        |
| 9040 | Airway Remodeling and Inflammation in Symptomatic Infants with Reversible Airflow Obstruction. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005, 171, 722-727.   | 2.5 | 360       |
| 9041 | High-Spatial-Resolution MR Angiography of Renal Arteries with Integrated Parallel Acquisitions: Comparison with Digital Subtraction Angiography and US. <i>Radiology</i> , 2005, 235, 687-698.                                     | 3.6 | 115       |
| 9042 | Functional Renal Volume: Quantitative Analysis at Gadolinium-enhanced MR Angiography—Feasibility Study in Healthy Potential Kidney Donors. <i>Radiology</i> , 2005, 236, 189-195.  | 3.6 | 58        |
| 9043 | Topographic Basis of Bimodal Ventilation—Perfusion Distributions during Bronchoconstriction in Sheep. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005, 171, 714-721.                                      | 2.5 | 49        |
| 9044 | Non-invasive measurements of wool and meat properties. <i>Insight: Non-Destructive Testing and Condition Monitoring</i> , 2005, 47, 25-28.   | 0.3 | 6         |
| 9045 | Serial Change in Airway Lumen and Wall Thickness at Thin-Section CT in Asymptomatic Subjects. <i>Radiology</i> , 2005, 234, 595-603.   | 3.6 | 51        |
| 9046 | Quantitative Assessment of Left Ventricular Function: Steady-State Free Precession MR Imaging with or without Sensitivity Encoding. <i>Radiology</i> , 2005, 235, 1031-1035.   | 3.6 | 25        |
| 9047 | Sonographically Guided Biopsy of Focal Lesions: A Comparison of Freehand and Probe-Guided Techniques Using a Phantom. <i>American Journal of Roentgenology</i> , 2005, 184, 1652-1656.   | 1.0 | 60        |
| 9048 | Change in cranio-cervical angulation following orthognathic surgery. <i>European Journal of Orthodontics</i> , 2005, 27, 268-273.  | 1.1 | 25        |
| 9049 | Use of [13C]Bicarbonate for Metabolic Studies in Preterm Infants: Intra-gastric versus Intravenous Administration. <i>Pediatric Research</i> , 2005, 58, 861-864.  | 1.1 | 22        |
| 9050 | Validation of echocardiographic and Doppler indexes of left ventricular relaxation in adult hypertensive and normotensive rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 289, H1131-H1136. | 1.5 | 46        |
| 9051 | Capillary versus venous bedside blood glucose estimations. <i>Emergency Medicine Journal</i> , 2005, 22, 177-179.  | 0.4 | 86        |
| 9052 | Effects of viscoelastic properties of tendon structures on stretch—shortening cycle exercise in vivo. <i>Journal of Sports Sciences</i> , 2005, 23, 851-860.   | 1.0 | 50        |
| 9053 | Measurement of Transcutaneous Hemoglobin Concentration by Noninvasive White-Light Spectroscopy in Infants. <i>Pediatrics</i> , 2005, 116, 841-843.   | 1.0 | 33        |
| 9054 | Monitoring of end tidal carbon dioxide and transcutaneous carbon dioxide during neonatal transport. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2005, 90, F523-F526.                                     | 1.4 | 90        |
| 9055 | Liver Segmentation in Living Liver Transplant Donors: Comparison of Semiautomatic and Manual Methods. <i>Radiology</i> , 2005, 234, 171-178.   | 3.6 | 107       |
| 9056 | Pentobarbital Fails to Reduce Cerebral Oxygen Consumption Early after Non-Hemorrhagic Closed Head Injury in Rats. <i>Journal of Neurotrauma</i> , 2005, 22, 793-806.   | 1.7 | 6         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9057 | A Segmentation and Reconstruction Technique for 3D Vascular Structures. Lecture Notes in Computer Science, 2005, 8, 43-50.   | 1.0 | 21        |
| 9058 | Glycated Hemoglobin Assessment in Clinical Practice: Comparison of the A1cNow <sup>®</sup> , <sup>†</sup> Point-of-Care Device with Central Laboratory Testing (GOAL A1C Study). Diabetes Technology and Therapeutics, 2005, 7, 907-912. | 2.4 | 34        |
| 9059 | Radiographic validation of the Manchester scale for the classification of hallux valgus deformity. Rheumatology, 2005, 44, 1061-1066.  | 0.9 | 144       |
| 9060 | Tricuspid Valve Tethering Predicts Residual Tricuspid Regurgitation After Tricuspid Annuloplasty. Circulation, 2005, 111, 975-979.   | 1.6 | 289       |
| 9061 | AGREEMENT FOR CURVED DATA. Journal of Biopharmaceutical Statistics, 2005, 15, 195-203.   | 0.4 | 9         |
| 9062 | Evaluation of the Traveling Vision Examiner Program in the Submacular Surgery Trials Pilot Study. Ophthalmic Epidemiology, 2005, 12, 47-57.  | 0.8 | 1         |
| 9063 | The Effect of Statin Therapy on Endothelial Function in Type 2 Diabetes Without Manifest Cardiovascular Disease. Diabetes Care, 2005, 28, 1668-1674.   | 4.3 | 51        |
| 9064 | Measurement of stray light and glare: comparison of Nyktotest, Mesotest, stray light meter, and computer implemented stray light meter. British Journal of Ophthalmology, 2005, 89, 345-351.   | 2.1 | 47        |
| 9065 | Measuring Agreement in Method Comparison Studies – A Review. , 2005, , 215-244.  |     | 16        |
| 9067 | Comparing Participants' Rating and Compendium Coding to Estimate Physical Activity Intensities. Measurement in Physical Education and Exercise Science, 2005, 9, 1-20.   | 1.3 | 2         |
| 9068 | What Is Accuracy and How Close Must the Agreement Be?. Diabetes Technology and Therapeutics, 2005, 7, 558-562.   | 2.4 | 22        |
| 9069 | Silicosis: Expiratory Thin-Section CT Assessment of Airway Obstruction. Radiology, 2005, 236, 1059-1066.   | 3.6 | 34        |
| 9070 | Enamel loss at bond-up, debond and clean-up following the use of a conventional light-cured composite and a resin-modified glass polyalkenoate cement. European Journal of Orthodontics, 2005, 27, 413-419.                              | 1.1 | 59        |
| 9071 | The influence of self-deception and impression management upon self-assessment in oral surgery. British Dental Journal, 2005, 198, 765-769.  | 0.3 | 24        |
| 9072 | A cultural comparison of treatment need. European Journal of Orthodontics, 2005, 27, 597-600.  | 1.1 | 24        |
| 9073 | Reliability and validity of arm function assessment with standardized guidelines for the Fugl-Meyer Test, Action Research Arm Test and Box and Block Test: a multicentre study. Clinical Rehabilitation, 2005, 19, 404-411.              | 1.0 | 679       |
| 9074 | Children With Idiopathic Short Stature Are Poor Eaters and Have Decreased Body Mass Index. Pediatrics, 2005, 116, e52-e57.   | 1.0 | 69        |
| 9075 | Quantifying athlete self-talk. Journal of Sports Sciences, 2005, 23, 905-917.  | 1.0 | 86        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9076 | Estimation of Glomerular Filtration Rate in Diabetic Subjects: Cockcroft formula or Modification of Diet in Renal Disease study equation?. <i>Diabetes Care</i> , 2005, 28, 838-843.            | 4.3 | 172       |
| 9077 | Comparison of Paraoxonase 1 Measurements in Serum and in Lithium-Heparin-Anticoagulated Plasma Samples. <i>Clinical Chemistry</i> , 2005, 51, 922-923.  | 1.5 | 14        |
| 9078 | Tympanic measurement of body temperature in stroke patients "turned on its ear". <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 76, 1041-1042.                                | 0.9 | 5         |
| 9079 | Left ventricular myocardial mass determination by contrast enhanced colour Doppler compared with magnetic resonance imaging. <i>Heart</i> , 2005, 91, 38-43.                                    | 1.2 | 6         |
| 9080 | Transpalpebral tonometry: reliability and comparison with Goldmann applanation tonometry and palpation in healthy volunteers. <i>British Journal of Ophthalmology</i> , 2005, 89, 280-283.      | 2.1 | 37        |
| 9081 | Hand-Held Dynamometry in Persons with Tetraplegia. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2005, 84, 22-29.   | 0.7 | 35        |
| 9082 | Evaluation of 3 Internal Standards for the Measurement of Cyclosporin by HPLC-Mass Spectrometry. <i>Clinical Chemistry</i> , 2005, 51, 1890-1893.   | 1.5 | 37        |
| 9083 | Comparison of Commercial Real-Time PCR Assays for Quantification of Epstein-Barr Virus DNA. <i>Journal of Clinical Microbiology</i> , 2005, 43, 2053-2057.                                      | 1.8 | 32        |
| 9084 | Myocardial Interstitial Matrix Metalloproteinase Activity Is Altered by Mechanical Changes in LV Load. <i>Circulation Research</i> , 2005, 96, 1110-1118.                                       | 2.0 | 17        |
| 9085 | Comparison of a Needle-Type and a Microdialysis Continuous Glucose Monitor in Type 1 Diabetic Patients. <i>Diabetes Care</i> , 2005, 28, 2871-2876.   | 4.3 | 105       |
| 9086 | Progression of lung disease on computed tomography and pulmonary function tests in children and adults with cystic fibrosis. <i>Thorax</i> , 2005, 61, 80-85.                                   | 2.7 | 188       |
| 9087 | Hypoxaemia enhances peripheral muscle oxidative stress in chronic obstructive pulmonary disease. <i>Thorax</i> , 2005, 60, 834-841.   | 2.7 | 113       |
| 9088 | Determination of Asymmetric Dimethylarginine: Liquid Chromatography-Mass Spectrometry or ELISA?. <i>Clinical Chemistry</i> , 2005, 51, 2188-2189.   | 1.5 | 33        |
| 9089 | Does increasing the grades of the knee osteoarthritis line drawing atlas alter its clinimetric properties?. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 1467-1473.                      | 0.5 | 14        |
| 9090 | Reproducibility of non-specific bronchial challenge in adults: implications for design, analysis and interpretation of clinical and epidemiological studies. <i>Thorax</i> , 2005, 60, 395-400. | 2.7 | 18        |
| 9091 | Comparison of Cardiac Troponin I Immunoassays Variably Affected by Circulating Autoantibodies. <i>Clinical Chemistry</i> , 2005, 51, 848-855.   | 1.5 | 54        |
| 9092 | Bone density at the os calcis: reference values, reproducibility, and effects of fracture history and physical activity. <i>Archives of Disease in Childhood</i> , 2005, 90, 30-35.             | 1.0 | 20        |
| 9093 | Computed tomographic pulmonary angiography and prognostic significance in patients with acute pulmonary embolism. <i>Thorax</i> , 2005, 60, 956-961.  | 2.7 | 167       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9094 | Knowing More by Fewer Measurements: About the (In)ability of Bioelectric Impedance to Enhance Obesity Research in Children. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2005, 18, 265-73. | 0.4 | 9         |
| 9095 | Influence of data resolution and interpolation method on assessment of secondary brain insults in neurocritical care. <i>Physiological Measurement</i> , 2005, 26, 373-386.                              | 1.2 | 33        |
| 9096 | Comparing generic preference-based health-related quality-of-life measures: advancing the research agenda. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2005, 5, 567-581.           | 0.7 | 6         |
| 9097 | Comparing two clinical measurements: a linear mixed model approach. <i>Journal of Applied Statistics</i> , 2005, 32, 855-860.  | 0.6 | 10        |
| 9099 | Reliability and Validity of a Twelve-Minute Walking Test for Coronary Heart Disease Patients. <i>Perceptual and Motor Skills</i> , 2005, 100, 567-575.   | 0.6 | 5         |
| 9100 | Objective assessment of technical skills in cardiac surgery. <i>European Journal of Cardio-thoracic Surgery</i> , 2005, 28, 157-162.   | 0.6 | 60        |
| 9101 | Does sustained lung inflation at resuscitation reduce lung injury in the preterm infant?. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2005, 90, F406-F410.                     | 1.4 | 83        |
| 9102 | Clinical Comparison of the Proview Eye Pressure Monitor With the Goldmann Applanation Tonometer and the TonoPen® Reply. <i>JAMA Ophthalmology</i> , 2005, 123, 579.                                      | 2.6 | 0         |
| 9103 | Prospective validation of phased array intracardiac echocardiography for the assessment of atrial mechanical function during catheter ablation of atrial fibrillation. <i>Heart</i> , 2005, 92, 407-409. | 1.2 | 6         |
| 9104 | Multiplexed Analysis of Biomarkers Related to Obesity and the Metabolic Syndrome in Human Plasma, Using the Luminex-100 System. <i>Clinical Chemistry</i> , 2005, 51, 1102-1109.                         | 1.5 | 163       |
| 9105 | Intra-rater reliability in measuring range of motion in infants with congenital muscular torticollis. <i>Advances in Physiotherapy</i> , 2005, 7, 84-91.   | 0.2 | 36        |
| 9106 | Amputation Level Viability in Critical Limb Ischaemia. , 2005, 566, 325-331.   |     | 15        |
| 9107 | Characterization of a 7% carbon dioxide (CO2) inhalation paradigm to evoke anxiety symptoms in healthy subjects. <i>Journal of Psychopharmacology</i> , 2005, 19, 494-503.                               | 2.0 | 39        |
| 9108 | Adopting a Practical Statistical Approach for Evaluating Assay Agreement in Drug Discovery. <i>Journal of Biomolecular Screening</i> , 2005, 10, 508-516.  | 2.6 | 16        |
| 9109 | Efficacy of Multilayered Hosiery in Reducing In-Shoe Plantar Foot Pressure in High-Risk Patients With Diabetes. <i>Diabetes Care</i> , 2005, 28, 2001-2006.  | 4.3 | 40        |
| 9110 | Accuracy of Noninvasive Ejection Fraction Measurement in a Large Community-Based Clinic. <i>Clinical Medicine and Research</i> , 2005, 3, 75-82.   | 0.4 | 33        |
| 9111 | Skeletal muscle microbiopsy: a validation study of a minimally invasive technique. <i>European Respiratory Journal</i> , 2005, 25, 431-440.  | 3.1 | 143       |
| 9112 | A multilevel modelling solution to mathematical coupling. <i>Statistical Methods in Medical Research</i> , 2005, 14, 553-565.  | 0.7 | 32        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9113 | Improving the sampling technique of arterialized capillary samples to obtain more accurate PaO <sub>2</sub> measurements. <i>Chronic Respiratory Disease</i> , 2005, 2, 47-50.                  | 1.0 | 6         |
| 9114 | Reproductive Hormone Reference Intervals for Healthy Fertile Young Men: Evaluation of Automated Platform Assays. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 5928-5936. | 1.8 | 235       |
| 9115 | Calibration Curves for Real-Time PCR. <i>Clinical Chemistry</i> , 2005, 51, 1132-1136.  | 1.5 | 19        |
| 9116 | Cystatin C Can Be Measured Reliably in Capillary Blood Samples. <i>Clinical Chemistry</i> , 2005, 51, 903-904.  | 1.5 | 4         |
| 9117 | Differences and Similarities between Two Frequently Used Assays for Amyloid $\beta$ 42 in Cerebrospinal Fluid. <i>Clinical Chemistry</i> , 2005, 51, 1057-1060.                                 | 1.5 | 9         |
| 9118 | A New Three-Dimensional Ultrasound Microimaging Technology for Preclinical Studies Using a Transgenic Prostate Cancer Mouse Model. <i>Cancer Research</i> , 2005, 65, 6337-6345.                | 0.4 | 86        |
| 9119 | Bedside Estimation of the Glomerular Filtration Rate in Hospitalized Elderly Patients. <i>Nephron Clinical Practice</i> , 2005, 101, c1-c8.   | 2.3 | 23        |
| 9120 | Reproducibility of Electrical Caries Measurements: A Technical Problem?. <i>Caries Research</i> , 2005, 39, 403-410.  | 0.9 | 11        |
| 9121 | Quantitative Assessment and Repeatability of Chlorine in Exhaled Breath Condensate. <i>Respiration</i> , 2005, 72, 529-536.   | 1.2 | 18        |
| 9122 | Quantitative Evaluation of Carotid Plaque Composition by In Vivo MRI. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 234-239.  | 1.1 | 549       |
| 9123 | Organization of Myocardial Activation During Ventricular Fibrillation After Myocardial Infarction. <i>Circulation</i> , 2005, 112, 157-163.   | 1.6 | 104       |
| 9124 | Myocardial Strain Analysis in Acute Coronary Occlusion. <i>Circulation</i> , 2005, 112, 3901-3910.  | 1.6 | 84        |
| 9125 | Respiratory function of very prematurely born infants at follow up: influence of sex. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2005, 91, F197-F201.                | 1.4 | 41        |
| 9126 | Deciding on progression of joint damage in paired films of individual patients: smallest detectable difference or change. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 179-182.          | 0.5 | 246       |
| 9127 | Factors affecting the test-retest variability of Heidelberg retina tomograph and Heidelberg retina tomograph II measurements. <i>British Journal of Ophthalmology</i> , 2005, 89, 1427-1432.    | 2.1 | 101       |
| 9128 | Improving the repeatability of Heidelberg retina tomograph and Heidelberg retina tomograph II rim area measurements. <i>British Journal of Ophthalmology</i> , 2005, 89, 1433-1437.             | 2.1 | 36        |
| 9129 | Factors affecting a mother's recall of her baby's birth weight. <i>International Journal of Epidemiology</i> , 2005, 34, 688-695.   | 0.9 | 106       |
| 9130 | Clinical evaluation of USCOM ultrasonic cardiac output monitor in cardiac surgical patients in intensive care unit. <i>British Journal of Anaesthesia</i> , 2005, 94, 287-291.                  | 1.5 | 124       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9131 | Evaluation and costs of different haemoglobin methods for use in district hospitals in Malawi. <i>Journal of Clinical Pathology</i> , 2005, 58, 56-60.  | 1.0 | 52        |
| 9132 | The reproducibility of the Canadian Occupational Performance Measure. <i>Clinical Rehabilitation</i> , 2005, 19, 888-894.   | 1.0 | 95        |
| 9133 | The Chrispin-Norman score in cystic fibrosis: doing away with the lateral view. <i>European Respiratory Journal</i> , 2005, 26, 894-897.  | 3.1 | 35        |
| 9134 | Reproducibility of exhaled breath condensate pH in chronic obstructive pulmonary disease. <i>European Respiratory Journal</i> , 2005, 25, 269-274.  | 3.1 | 81        |
| 9135 | Body Mass Index and Agreement Between Bioimpedance and Anthropometry Estimates of Body Compartments in Anorexia Nervosa. <i>Journal of Parenteral and Enteral Nutrition</i> , 2005, 29, 148-156.                              | 1.3 | 45        |
| 9136 | Effect of short schemes on body composition measurements using air-displacement plethysmography. <i>Dynamic Medicine: DM</i> , 2005, 4, 8.  | 2.7 | 7         |
| 9137 | Clinically Relevant Differences in Prothrombin Time and INR Values Related to Blood Sample Collection in Plastic vs Glass Tubes. <i>American Journal of Clinical Pathology</i> , 2005, 124, 902-909.                          | 0.4 | 22        |
| 9138 | A New Approach for Rapid Assessment of the Cardiac Rest Period for Coronary MRA. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2005, 7, 395-399.  | 1.6 | 39        |
| 9139 | Impact of the ECG Gating Method on Ventricular Volumes and Ejection Fractions Assessed By Cardiovascular Magnetic Resonance Imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2005, 7, 441-446.                  | 1.6 | 21        |
| 9140 | Effect of Haemodialysis on Regional and Transmural Inhomogeneities of the Ventricular Repolarisation Phase. <i>Nephron Clinical Practice</i> , 2005, 99, c24-c30.   | 2.3 | 13        |
| 9141 | Evaluation of a Portable Recording Device (Reggie) with Actimeter and Nasopharyngeal/Esophagus Catheter Incorporated. <i>Respiration</i> , 2005, 72, 600-605.   | 1.2 | 18        |
| 9142 | Relative validity and reproducibility of a 14-item semi-quantitative food frequency questionnaire for cardiovascular prevention. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005, 12, 587-595. | 3.1 | 29        |
| 9143 | Does the use of 50% oxygen at birth in preterm infants reduce lung injury?. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2005, 90, F401-F405.  | 1.4 | 44        |
| 9144 | The development of the Indian vision function questionnaire: field testing and psychometric evaluation. <i>British Journal of Ophthalmology</i> , 2005, 89, 621-627.  | 2.1 | 59        |
| 9145 | How to Assess the Reliability of Measurements in Rehabilitation. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2005, 84, 719-723.   | 0.7 | 473       |
| 9146 | Correlation of Central Venous and Arterial Blood Gas Measurements in Mechanically Ventilated Trauma Patients. <i>Archives of Surgery</i> , 2005, 140, 1122.   | 2.3 | 77        |
| 9147 | A new system for the automatic estimation of endothelial cell density in donor corneas. <i>British Journal of Ophthalmology</i> , 2005, 89, 306-311.  | 2.1 | 39        |
| 9148 | Fluctuating Inflammatory Markers in Patients With Stable Ischemic Heart Disease. <i>Archives of Internal Medicine</i> , 2005, 165, 221.   | 4.3 | 69        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9149 | Oscillometric blood pressure devices and simulators: measurements of repeatability and differences between models. <i>Journal of Medical Engineering and Technology</i> , 2005, 29, 112-118.   | 0.8 | 20        |
| 9150 | Application of Spatial Modulation of Magnetization (SPAMM) to Children: The Effect of Image Resolution on Tagging Pattern. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2005, 7, 433-440.   | 1.6 | 1         |
| 9151 | Atrial and Ventricular Volume and Function in Persistent and Permanent Atrial Fibrillation: A Magnetic Resonance Imaging Study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2005, 7, 465-473.                                      | 1.6 | 49        |
| 9152 | Less invasive determination of cardiac output from the arterial pressure by aortic diameter-calibrated pulse contour. <i>British Journal of Anaesthesia</i> , 2005, 95, 326-331.   | 1.5 | 63        |
| 9153 | Evaluation of the COBAS TaqMan 48 Real-Time PCR System for Quantitation of Hepatitis B Virus DNA. <i>Journal of Clinical Microbiology</i> , 2005, 43, 3504-3507.   | 1.8 | 26        |
| 9154 | Screening for duct-dependent congenital heart disease with pulse oximetry: A critical evaluation of strategies to maximize sensitivity. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005, 94, 1590-1596.                 | 0.7 | 14        |
| 9155 | Analytical evaluation of the Dade Behring Dimension RxL automated N-Terminal proBNP (NT-proBNP) method and comparison with the Roche Elecsys 2100. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005, 43, 1263-73.                    | 1.4 | 41        |
| 9156 | Noise analysis in magnetic resonance electrical impedance tomography at 3 and 11 T field strengths. <i>Physiological Measurement</i> , 2005, 26, 875-884.  | 1.2 | 92        |
| 9157 | Clinical Comparison of the Proview Eye Pressure Monitor With the Goldmann Applanation Tonometer and the TonoPen. <i>JAMA Ophthalmology</i> , 2005, 123, 578.   | 2.6 | 0         |
| 9158 | Detection of coronary microembolisation by Doppler ultrasound during percutaneous coronary interventions. <i>Heart</i> , 2005, 91, 1186-1192.  | 1.2 | 33        |
| 9159 | Evaluation of the COBAS TaqMan HCV Test with Automated Sample Processing Using the MagNA Pure LC Instrument. <i>Journal of Clinical Microbiology</i> , 2005, 43, 293-298.  | 1.8 | 31        |
| 9160 | A comparison of the semiflexed (MTP) view with the standing extended view (SEV) in the radiographic assessment of knee osteoarthritis in a busy routine X-ray department. <i>Rheumatology</i> , 2005, 44, 349-351.                           | 0.9 | 30        |
| 9161 | Reliability of radiological and cosmetic measurements in hallux valgus. <i>Acta Radiologica</i> , 2005, 46, 843-851.   | 0.5 | 25        |
| 9162 | Plethysmograph and interrupter resistance measurements in prematurely born young children. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2005, 91, F193-F196.  | 1.4 | 7         |
| 9163 | Evaluation of a high-sensitivity turbidimetric immunoassay for serum C-reactive protein: application to the study of longitudinal changes throughout normal pregnancy. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005, 43, 308-13. | 1.4 | 10        |
| 9164 | Validity and Repeatability of Anterior Chamber Depth Measurements With Pentacam and Orbscan. <i>Optometry and Vision Science</i> , 2005, 82, 858-861.  | 0.6 | 130       |
| 9165 | Recommendations for Blood Pressure Measurement in Humans and Experimental Animals. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, e22-33.   | 1.1 | 79        |
| 9166 | EuroSCORE reliability: is the ejection fraction as objective as presumed?. <i>European Journal of Anaesthesiology</i> , 2005, 22, 5.   | 0.7 | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9167 | Repeatability and Reproducibility of Central Corneal Thickness Measurement With Pentacam, Orbscan, and Ultrasound. <i>Optometry and Vision Science</i> , 2005, 82, 892-899.  | 0.6 | 260       |
| 9168 | Does Methemoglobin from Oxidized Hemoglobin-Based Oxygen Carrier (Hemoglobin Glutamer-200) Interfere with Lactate Measurement (YSI 2700 SELECT??? Biochemistry Analyzer)?. <i>Anesthesia and Analgesia</i> , 2005, 100, 437-439.           | 1.1 | 7         |
| 9169 | Lactate Measurement Interference by Hemoglobin-Based Oxygen Carriers (Oxyglobin??, Hemopure??, and Tj ETQq000 rgBT/Overlock  | 1.1 | 16        |
| 9170 | Leukotriene B <sub>4</sub> in Exhaled Breath Condensate and Sputum Supernatant in Patients With COPD and Asthma. <i>Chest</i> , 2005, 127, 1553-1559.  | 0.4 | 120       |
| 9171 | Agreement Between Bedside Blood and Plasma Glucose Measurement in the ICU Setting. <i>Chest</i> , 2005, 127, 1749-1751.  | 0.4 | 104       |
| 9172 | Estimation of Pa <sub>co</sub> 2 During Exercise in Children and Postoperative Pediatric Patients With Congenital Heart Disease. <i>Chest</i> , 2005, 128, 3576-3584.  | 0.4 | 3         |
| 9173 | Prediction of Pulmonary Artery Pressure. <i>Chest</i> , 2005, 128, 466-467.  | 0.4 | 4         |
| 9174 | Improved Blood Pressure Control With a Physician-Nurse Team and Home Blood Pressure Measurement. <i>Mayo Clinic Proceedings</i> , 2005, 80, 31-36.   | 1.4 | 33        |
| 9175 | Increased Oxidative Stress in Exudative Pleural Effusions. <i>Chest</i> , 2005, 128, 3291-3297.  | 0.4 | 33        |
| 9176 | Power Doppler Ultrasonography as a Screening Test in Asymptomatic Carotid Artery Stenosis. <i>The Neuroradiology Journal</i> , 2005, 18, 42-49.  | 0.1 | 1         |
| 9177 | Validation of pressure measurements and electromyographic results for the uterus of cattle during the early postpartum period. <i>American Journal of Veterinary Research</i> , 2005, 66, 1605-1615.                                       | 0.3 | 3         |
| 9178 | Encouraged 6-min Walking Test Indicates Maximum Sustainable Exercise in COPD Patients. <i>Chest</i> , 2005, 128, 55-61.  | 0.4 | 123       |
| 9179 | Comparison of Erythrocyte Sedimentation Rate Measurement by the Automated SEDI <sup>TM</sup> and Conventional Westergren Method Using the Bland and Altman Statistical Method. <i>Medical Principles and Practice</i> , 2005, 14, 241-244. | 1.1 | 18        |
| 9180 | Three-Dimensional Echocardiography: Rational Mode of Component Images for Left Ventricular Volume Quantitation. <i>Cardiology</i> , 2005, 104, 76-82.  | 0.6 | 8         |
| 9181 | Measurement of Strain in the Left Ventricle during Diastole with cine-MRI and Deformable Image Registration. <i>Journal of Biomechanical Engineering</i> , 2005, 127, 1195.  | 0.6 | 86        |
| 9182 | Design, Baseline Characteristics and Carotid Intima-Media Thickness Reproducibility in the PARC Study. <i>Cerebrovascular Diseases</i> , 2005, 19, 57-63.  | 0.8 | 57        |
| 9183 | Estimation of Glomerular Filtration Rate Based on the Modification of Diet in Renal Disease Equation in Patients with Chronic Renal Failure. <i>Kidney and Blood Pressure Research</i> , 2005, 28, 63-67.                                  | 0.9 | 6         |
| 9184 | Automated Impedance Cardiography for Detecting Ischemic Left Ventricular Dysfunction during Exercise Testing. <i>Kidney and Blood Pressure Research</i> , 2005, 28, 77-84.   | 0.9 | 5         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9185 | Non-Invasive (Transcutaneous) Monitoring of PCO <sub>2</sub> (TcPCO <sub>2</sub> ) in Older Adults. <i>Gerontology</i> , 2005, 51, 174-178.  | 1.4 | 34        |
| 9186 | “Ultrasound Comet-Tail Images” A Marker Of Pulmonary Edema. <i>Chest</i> , 2005, 127, 1690-1695.   | 0.4 | 536       |
| 9187 | Evaluation of intra-operative ultrasound imaging in brain tumor resection: a prospective study. <i>Neurological Research</i> , 2005, 27, 351-357.  | 0.6 | 45        |
| 9188 | Hippocampal damage in newly diagnosed focal epilepsy. <i>Neurology</i> , 2005, 64, 62-68.  | 1.5 | 66        |
| 9189 | Comparison of Microcapillary Cytometry Technology and Flow Cytometry for CD4 + and CD8 + T-Cell Estimation. <i>Vaccine Journal</i> , 2005, 12, 1006-1009.  | 3.2 | 23        |
| 9190 | Pleural Disease in Silicosis: Pleural Thickening, Effusion, and Invagination. <i>Radiology</i> , 2005, 236, 685-693.   | 3.6 | 56        |
| 9191 | Magnetic Resonance Perfusion Tracks 133 Xe Cerebral Blood Flow Changes After Carotid Stenting. <i>Stroke</i> , 2005, 36, 676-678.  | 1.0 | 16        |
| 9192 | Pulmonary venous flow reversal and its relationship to atrial mechanical function in normal subjects ? Umei½ General Population Heart Study. <i>European Journal of Echocardiography</i> , 2005, 6, 107-116.               | 2.3 | 13        |
| 9193 | Evaluation of Tissue Doppler Tei index for global left ventricular function in mice after myocardial infarction: Comparison with Pulsed Doppler Tei index. <i>European Journal of Echocardiography</i> , 2005, 6, 367-375. | 2.3 | 41        |
| 9194 | An update on the analysis of agreement for orthodontic indices. <i>European Journal of Orthodontics</i> , 2005, 27, 286-291.   | 1.1 | 25        |
| 9195 | The craniofacial complex in 47, XXX females. <i>European Journal of Orthodontics</i> , 2005, 27, 396-401.  | 1.1 | 15        |
| 9196 | Left atrial myopathy in cardiac amyloidosis: implications of novel echocardiographic techniques. <i>European Heart Journal</i> , 2005, 26, 173-179.  | 1.0 | 90        |
| 9197 | Assessment of renal function in recently admitted critically ill patients with normal serum creatinine. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 747-753.  | 0.4 | 210       |
| 9198 | Albumin-corrected or ionized calcium in renal failure? What to measure?. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 2126-2129.   | 0.4 | 44        |
| 9199 | Assessing the utility of the stop dialysate flow method in patients receiving haemodiafiltration. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 2479-2484.  | 0.4 | 2         |
| 9200 | Estimating total urea removal and protein catabolic rate by monitoring UV absorbance in spent dialysate. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 2458-2464.   | 0.4 | 32        |
| 9201 | Spectral Analysis of Electroencephalography in Premature Newborn Infants: Normal Ranges. <i>Pediatric Research</i> , 2005, 57, 336-341.  | 1.1 | 74        |
| 9202 | Perioperative monitoring of flow and patency in native and grafted internal mammary arteries using a combined MR protocol. <i>British Journal of Radiology</i> , 2005, 78, 292-298.  | 1.0 | 3         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9203 | Comparison of the accuracy of the hemocue glucose analyzer with the Yellow Springs Instrument glucose oxidase analyzer, particularly in hypoglycemia. <i>European Journal of Endocrinology</i> , 2005, 153, 275-281.              | 1.9 | 82        |
| 9204 | Absolute CD4 T-Cell Counting in Resource-Poor Settings. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2005, 39, 32-37.  | 0.9 | 61        |
| 9205 | Digital blood flow and plasma endothelin concentration in clinically endotoxemic horses. <i>American Journal of Veterinary Research</i> , 2005, 66, 630-636.  | 0.3 | 14        |
| 9206 | Validation of a Single Concentration Methacholine Inhalation Provocation Test (SCIPT) in Children. <i>Journal of Asthma</i> , 2005, 42, 419-423.  | 0.9 | 18        |
| 9207 | A new strategy for CD4 T-cell monitoring of HIV-positive patients at remote facilities in Cambodia. <i>Aids</i> , 2005, 19, 2184-2185.  | 1.0 | 4         |
| 9208 | Peripheral Light-Focusing: Measurement Reliability and Correlations with Ocular Dimensions. <i>Optometry and Vision Science</i> , 2005, 82, 94-100.   | 0.6 | 1         |
| 9209 | A novel dynamic programming based semi-automatic endocardial border detection method for 4D cardiac ultrasound. , 0, , .  |     | 0         |
| 9210 | Plasma virion reverse transcriptase activity and heat dissociation-boosted p24 assay for HIV load in Burkina Faso, West Africa. <i>Aids</i> , 2005, 19, 1273-1277.  | 1.0 | 13        |
| 9211 | Is Noninvasive Hemodynamic Monitoring Appropriate for the Elderly Critically Injured Patient?. <i>Journal of Trauma</i> , 2005, 58, 102-107.  | 2.3 | 28        |
| 9212 | An Abbreviated Reading Speed Test. <i>Optometry and Vision Science</i> , 2005, 82, 128-133.   | 0.6 | 4         |
| 9213 | Review Methods of quantitative analysis of the nitric oxide metabolites nitrite and nitrate in human biological fluids. <i>Free Radical Research</i> , 2005, 39, 797-815.   | 1.5 | 300       |
| 9214 | Evaluation of an ultrasonic echo-tracking method for measurements of arterial wall movements in two dimensions. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2005, 52, 1300-1311.             | 1.7 | 118       |
| 9215 | Mathematical Analysis of Urea Rebound in Long-term Hemodialysis Patients. <i>Therapeutic Apheresis and Dialysis</i> , 2005, 9, 167-172.   | 0.4 | 2         |
| 9216 | Creatinine concentration in plasma from dog, rat, and mouse: a comparison of 3 different methods. <i>Veterinary Clinical Pathology</i> , 2005, 34, 232-236.   | 0.3 | 49        |
| 9217 | Cardiac Output Measurement by Partial Carbon Dioxide Rebreathing, 2-Dimensional Echocardiography, and Lithium-Dilution Method in Anesthetized Neonatal Foals. <i>Journal of Veterinary Internal Medicine</i> , 2005, 19, 737-743. | 0.6 | 44        |
| 9218 | Repeatability of 2 Methods for Assessment of Insulin Sensitivity and Glucose Dynamics in Horses. <i>Journal of Veterinary Internal Medicine</i> , 2005, 19, 883-888.  | 0.6 | 62        |
| 9220 | Determination of HbA1c concentrations in patients with acute myocardial infarction: comparison of the DCA 2000 device with the HPLC method. <i>Diabetes and Metabolism</i> , 2005, 31, 290-294.                                   | 1.4 | 6         |
| 9221 | Reference Values for 6-Minute Walk Test and Hand-Grip Strength in Healthy Hong Kong Chinese Adults. <i>Hong Kong Physiotherapy Journal</i> , 2005, 23, 6-12.  | 0.3 | 34        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9222 | Inclinación pélvica en el plano sagital. Descripción y validación de un nuevo sistema de medida. Valores normales en 75 sujetos. <i>Rehabilitacion</i> , 2005, 39, 121-127.   | 0.2 | 1         |
| 9223 | Measurement of total testosterone in women: comparison of a direct radioimmunoassay versus radioimmunoassay after organic solvent extraction and celite column partition chromatography. <i>Fertility and Sterility</i> , 2005, 84, 1698-1704.                                      | 0.5 | 26        |
| 9224 | Assessment of arterial medial characteristics in human carotid arteries using integrated backscatter ultrasound and its histological implications. <i>Atherosclerosis</i> , 2005, 180, 145-154.   | 0.4 | 44        |
| 9225 | Interstudy reproducibility of 3D volume selective fast spin echo sequence for quantifying carotid artery wall volume in asymptomatic subjects. <i>Atherosclerosis</i> , 2005, 183, 361-366.   | 0.4 | 27        |
| 9226 | Lateralization of pupillary light reflex parameters. Comment on the paper: Bär KJ, Boettger MK, Till S, Dolicek J, Sauer H. <i>Clin Neurophysiol</i> 2005;116:790-798. <i>Clinical Neurophysiology</i> , 2005, 116, 2505.   | 0.7 | 0         |
| 9227 | Automated brain tissue assessment in the elderly and demented population: Construction and validation of a sub-volume probabilistic brain atlas. <i>NeuroImage</i> , 2005, 26, 1009-1018.   | 2.1 | 50        |
| 9228 | Surface EMG measurements during fMRI at 3T: Accurate EMG recordings after artifact correction. <i>NeuroImage</i> , 2005, 27, 240-246.   | 2.1 | 55        |
| 9229 | A comparison of two portable dynamometers in the assessment of shoulder and elbow strength. <i>Physiotherapy</i> , 2005, 91, 101-112.   | 0.2 | 26        |
| 9230 | Direct measurement of glomerular filtration rate. <i>Nephrology</i> , 2005, 10, S168-S171.  | 0.7 | 0         |
| 9231 | Hemodynamic Measurements After Cardiac Surgery: Transesophageal Doppler Versus Pulmonary Artery Catheter. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2005, 19, 746-750.   | 0.6 | 36        |
| 9232 | The Comparison and Validity of Troponin I Assay Systems in Diagnosing Myocardial Ischemic Injury After Surgical Coronary Revascularization. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2005, 19, 288-293.   | 0.6 | 7         |
| 9233 | Evaluation of a point-of-care blood analyzer and determination of reference ranges for blood parameters in rockfish. <i>Journal of the American Veterinary Medical Association</i> , 2005, 226, 255-265.  | 0.2 | 63        |
| 9234 | Rapid full volume data acquisition by real-time 3-dimensional echocardiography for assessment of left ventricular indexes in children: A validation study compared with magnetic resonance imaging. <i>Journal of the American Society of Echocardiography</i> , 2005, 18, 299-305. | 1.2 | 79        |
| 9235 | Optimizing sequential biventricular pacing using radionuclide ventriculography. <i>Heart Rhythm</i> , 2005, 2, 960-965.   | 0.3 | 51        |
| 9236 | A comparison of spirometry in general practice and a pulmonary function laboratory. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2005, 14, 215-220.   | 2.5 | 20        |
| 9237 | Évaluation des apports alimentaires des adolescents obèses et post-obèses : comparaison de la méthode iconographique SU.VI.MAX à la méthode de pesée des aliments. <i>Cahiers De Nutrition Et De Dietetique</i> , 2005, 40, 45-51.  | 0.2 | 2         |
| 9238 | Patellar height and the inclination of the tibial plateau after high tibial osteotomy. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 1227-1232.  | 3.4 | 187       |
| 9239 | A semiautomated ultrasound border detection program that facilitates clinical measurement of ultrasound carotid intima-media thickness. <i>Journal of the American Society of Echocardiography</i> , 2005, 18, 244-251.   | 1.2 | 99        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9240 | Estimate of Body Water Compartments and of Body Composition in Maintenance Hemodialysis Patients: Comparison of Single and Multifrequency Bioimpedance Analysis. , 2005, 15, 332-344.   |     | 55        |
| 9241 | Question 3-6. Les questionnaires d'activité physique - application aux BPCO. Revue Des Maladies Respiratoires, 2005, 22, 47-53.   | 1.7 | 0         |
| 9242 | Reproducibility of Doppler echocardiographic assessment of left ventricular diastolic function in multicenter setting. Journal of the American Society of Echocardiography, 2005, 18, 99-106.   | 1.2 | 23        |
| 9243 | Color Doppler Tissue Imaging for Evaluation of Right Ventricular Systolic Function in Patients with Congenital Heart Disease. Journal of the American Society of Echocardiography, 2005, 18, 1099-1104.   | 1.2 | 48        |
| 9244 | Improved Blood Pressure Control With a Physician-Nurse Team and Home Blood Pressure Measurement. Mayo Clinic Proceedings, 2005, 80, 31-36.  | 1.4 | 36        |
| 9245 | Left Ventricular Volume Estimation in Cardiac Three-dimensional Ultrasound. Academic Radiology, 2005, 12, 1241-1249.  | 1.3 | 24        |
| 9246 | Echocardiographic Assessment of Isolated Pulmonary Valve Stenosis: Which Outpatient Doppler Gradient Has the Most Clinical Validity?. Journal of the American Society of Echocardiography, 2005, 18, 1137-1142.   | 1.2 | 45        |
| 9247 | Measurement of Cardiac Time Intervals by Doppler Tissue M-Mode Imaging of the Anterior Mitral Leaflet. Journal of the American Society of Echocardiography, 2005, 18, 1058-1065.  | 1.2 | 60        |
| 9249 | A Modified Pulmonary Index Score with predictive value for pediatric asthma exacerbations. Annals of Allergy, Asthma and Immunology, 2005, 94, 355-359.   | 0.5 | 79        |
| 9250 | Accuracy of Computed Tomography Attenuation Values in the Characterization of Pleural Fluid. Academic Radiology, 2005, 12, 987-991.   | 1.3 | 39        |
| 9251 | Outpatient Echocardiographic Assessment of Complex Pulmonary Outflow Stenosis: Doppler Mean Gradient Is Superior to the Maximum Instantaneous Gradient. Journal of the American Society of Echocardiography, 2005, 18, 1143-1148.   | 1.2 | 27        |
| 9252 | La mesure du métabolisme de base reste fondamentale pour établir les apports énergétiques conseillés aux patients obèses. Cahiers De Nutrition Et De Dietetique, 2005, 40, 109-114.   | 0.2 | 1         |
| 9253 | Real-time 3-Dimensional Doppler Echocardiography for the Assessment of Stroke Volume: An In Vivo Human Study Compared with Standard 2-Dimensional Echocardiography. Journal of the American Society of Echocardiography, 2005, 18, 1030-1036.   | 1.2 | 54        |
| 9254 | Value of Dual-Energy X-Ray Absorptiometry as a Diagnostic and Assessment Tool in Early Rheumatoid Arthritis. Rheumatic Disease Clinics of North America, 2005, 31, 715-728.   | 0.8 | 13        |
| 9255 | Smoothing Lung Segmentation Surfaces in Three-dimensional X-ray CT Images Using Anatomic Guidance. Academic Radiology, 2005, 12, 1502-1511.   | 1.3 | 28        |
| 9256 | Choosing Apical Long-axis Instead of Two-chamber View Gives More Accurate Biplane Echocardiographic Measurements of Left Ventricular Ejection Fraction: A Comparison with Magnetic Resonance Imaging. Journal of the American Society of Echocardiography, 2005, 18, 1044-1050.   | 1.2 | 17        |
| 9257 | Improved Accuracy of Low-Power Contrast Echocardiography for the Assessment of Left Ventricular Remodeling Compared With Unenhanced Harmonic Echocardiography After Acute Myocardial Infarction: Comparison With Cardiovascular Magnetic Resonance Imaging. Journal of the American Society of Echocardiography, 2005, 18, 1203-1207. | 1.2 | 30        |
| 9258 | Renal Blood Flow Measurements with Use of Phase-Contrast Magnetic Resonance Imaging: Normal Values and Reproducibility. Journal of Vascular and Interventional Radiology, 2005, 16, 807-814.  | 0.2 | 47        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9259 | The Evaluation of Pulmonary Hypertension Using Right Ventricular Myocardial Isovolumic Relaxation Time. <i>Journal of the American Society of Echocardiography</i> , 2005, 18, 1113-1120.   | 1.2 | 42        |
| 9260 | Right ventricular pre-ejection myocardial velocity and myocardial acceleration in normal fetuses assessed by Doppler tissue imaging. <i>Journal of the American Society of Echocardiography</i> , 2005, 18, 370-374.  | 1.2 | 17        |
| 9261 | In Vivo Performance Evaluation of the Achilles Insight QUS Device. <i>Journal of Clinical Densitometry</i> , 2005, 8, 341-346.  | 0.5 | 16        |
| 9262 | What imaging studies are necessary for abdominal aortic endograft sizing? A prospective blinded study using conventional computed tomography, aortography, and three-dimensional computed tomography. <i>Journal of Vascular Surgery</i> , 2005, 41, 199-205. | 0.6 | 64        |
| 9263 | Comparison of semi-automated and manual measurements of left ventricular volume from 3D echocardiographic studies of patients with cardiomyopathy. , 2005, , .  |     | 0         |
| 9264 | Chronic Obstructive Pulmonary Disease: Thin-Section CT Measurement of Airway Wall Thickness and Lung Attenuation. <i>Radiology</i> , 2005, 234, 604-610.  | 3.6 | 166       |
| 9265 | Limitations of Statistical Measures of Error in Assessing the Accuracy of Continuous Glucose Sensors. <i>Diabetes Technology and Therapeutics</i> , 2005, 7, 665-672.   | 2.4 | 26        |
| 9266 | Establishing the background level of base oxidation in human lymphocyte DNA: results of an interlaboratory validation study. <i>FASEB Journal</i> , 2005, 19, 82-84.  | 0.2 | 404       |
| 9267 | Prediction equation for head volume of Japanese young adults. <i>Journal of Sports Sciences</i> , 2005, 23, 541-548.  | 1.0 | 4         |
| 9268 | Reliability of the seated postural control measure for adult wheelchair users. <i>Disability and Rehabilitation</i> , 2005, 27, 1479-1491.  | 0.9 | 13        |
| 9269 | EFFECT OF ACUTE AIRWAY INFLAMMATION ON THE PULMONARY ANTIOXIDANT STATUS. <i>Experimental Lung Research</i> , 2005, 31, 653-670.   | 0.5 | 28        |
| 9270 | The OPTAMA programme: utilizing MYSTIC (2002) to predict critical pharmacodynamic target attainment against nosocomial pathogens in Europe. <i>Journal of Antimicrobial Chemotherapy</i> , 2005, 55, 71-77.   | 1.3 | 57        |
| 9271 | Measurement Validity in Ophthalmology. <i>Ophthalmic Epidemiology</i> , 2005, 12, 155-161.  | 0.8 | 7         |
| 9272 | The Bristol Foot Score. <i>Journal of the American Podiatric Medical Association</i> , 2005, 95, 264-272.   | 0.2 | 33        |
| 9273 | Novel approaches to the measurement of arterial blood flow from dynamic digital X-ray images. <i>IEEE Transactions on Medical Imaging</i> , 2005, 24, 500-513.  | 5.4 | 33        |
| 9274 | Deliberate Imagery Practice. <i>Research Quarterly for Exercise and Sport</i> , 2005, 76, 433-439.  | 0.8 | 2         |
| 9275 | Test-Retest Stability of the Task and Ego Orientation Questionnaire. <i>Research Quarterly for Exercise and Sport</i> , 2005, 76, 339-346.  | 0.8 | 11        |
| 9276 | Automatic classification of activity and apneas using whole body plethysmography in newborn mice. <i>Journal of Applied Physiology</i> , 2005, 98, 365-370.   | 1.2 | 29        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9277 | Methodological considerations and approach to cross-technique comparisons using in vivo coronary plaque characterization based on intravascular ultrasound radiofrequency data analysis: insights from the Integrated Biomarker and Imaging Study (IBIS). <i>International Journal of Cardiovascular Interventions</i> , 2005, 7, 52-58. | 0.5 | 15        |
| 9278 | Environmental Exposure Characterization of Fish Processing Workers. <i>Annals of Occupational Hygiene</i> , 2005, 49, 423-37.  | 1.9 | 35        |
| 9279 | New Noninvasive Method for Assessment of Left Ventricular Rotation. <i>Circulation</i> , 2005, 112, 3149-3156.   | 1.6 | 645       |
| 9280 | Reproducibility of 3D free-breathing magnetic resonance coronary vessel wall imaging. <i>European Heart Journal</i> , 2005, 26, 2320-2324.   | 1.0 | 44        |
| 9281 | Spirometer dependence of vital capacity in ALS: Validation of a portable device in 52 patients. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2005, 6, 239-245.  | 2.3 | 2         |
| 9282 | Measurement of bone mineral density is possible with standard radiographs: A study involving total knee replacement. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2005, 76, 791-795.  | 1.2 | 25        |
| 9283 | Comparing self-report, clinical examination and functional testing in the assessment of work-related limitations in patients with chronic low back pain. <i>Disability and Rehabilitation</i> , 2005, 27, 999-1005.  | 0.9 | 67        |
| 9284 | Response to intestinal provocation monitored by transabdominal ultrasound in patients with food hypersensitivity. <i>Scandinavian Journal of Gastroenterology</i> , 2005, 40, 386-394.   | 0.6 | 26        |
| 9285 | Anomaly detection for network servers using digital signature of network segment. , 2005, , .  |     | 12        |
| 9286 | Reliability of the Barthel Index when used with older people. <i>Age and Ageing</i> , 2005, 34, 228-232.   | 0.7 | 275       |
| 9287 | A simple prediction of total body water to aid quality control in isotope dilution studies in subjects 3-87 years of age. <i>Isotopes in Environmental and Health Studies</i> , 2005, 41, 99-107.  | 0.5 | 8         |
| 9288 | Influence of Familiarization on a Backward, Overhead Medicine Ball Explosive Power Test. <i>Research in Sports Medicine</i> , 2005, 13, 345-352.   | 0.7 | 17        |
| 9289 | Predictive Performance of the Modification of Diet in Renal Disease and Cockcroft-Gault Equations for Estimating Renal Function. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 763-773.   | 3.0 | 759       |
| 9290 | Issues for selection of outcome measures in stroke rehabilitation: ICF Participation. <i>Disability and Rehabilitation</i> , 2005, 27, 507-528.  | 0.9 | 195       |
| 9291 | Exhaled breath condensate: methodological recommendations and unresolved questions. <i>European Respiratory Journal</i> , 2005, 26, 523-548.   | 3.1 | 1,146     |
| 9292 | Uneven distribution of ventilation in acute respiratory distress syndrome. <i>Critical Care</i> , 2005, 9, R165.   | 2.5 | 28        |
| 9293 | Lactate concentration gradient from right atrium to pulmonary artery. <i>Critical Care</i> , 2005, 9, R450.  | 2.5 | 8         |
| 9294 | Relation between respiratory variations in pulse oximetry plethysmographic waveform amplitude and arterial pulse pressure in ventilated patients. <i>Critical Care</i> , 2005, 9, R562.  | 2.5 | 175       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9295 | Effects of reduced rebreathing time, in spontaneously breathing patients, on respiratory effort and accuracy in cardiac output measurement when using a partial carbon dioxide rebreathing technique: a prospective observational study. <i>Critical Care</i> , 2005, 9, R569. | 2.5 | 13        |
| 9296 | Pulse contour analysis after normothermic cardiopulmonary bypass in cardiac surgery patients. <i>Critical Care</i> , 2005, 9, R729.  | 2.5 | 65        |
| 9297 | Consensual Validity Parameters of the Zuckermanâ€“Kuhlman Personality Questionnaire: Evidence From Self-Reports and Spouse Reports. <i>Journal of Personality Assessment</i> , 2005, 84, 279-286.  | 1.3 | 35        |
| 9298 | Detection of Renal Function Decline in Patients with Diabetes and Normal or Elevated GFR by Serial Measurements of Serum Cystatin C Concentration: Results of a 4-Year Follow-Up Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 1404-1412.      | 3.0 | 307       |
| 9299 | A comparison of Framingham and SCORE-based cardiovascular risk estimates in participants of the German National Health Interview and Examination Survey 1998. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005, 12, 442-450.                     | 3.1 | 61        |
| 9300 | The most-cited statistical papers. <i>Journal of Applied Statistics</i> , 2005, 32, 461-474.   | 0.6 | 74        |
| 9301 | Intercycle variabilities of basal antral follicle count and ovarian volume in subfertile women and their relationship to reproductive aging: A prospective study. <i>Gynecological Endocrinology</i> , 2005, 20, 137-143.  | 0.7 | 26        |
| 9302 | A novel method for the performance of isometric exercise in the home. <i>Journal of Sports Sciences</i> , 2005, 23, 795-803.   | 1.0 | 3         |
| 9303 | Recommendations for Blood Pressure Measurement in Humans and Experimental Animals. <i>Hypertension</i> , 2005, 45, 299-310.  | 1.3 | 254       |
| 9304 | Ultrasonographic measurement of aortic diameter by emergency physicians approximates results obtained by computed tomography. <i>Journal of Emergency Medicine</i> , 2005, 28, 119-126.  | 0.3 | 34        |
| 9305 | Interobserver Reliability of Neck-Mobility Measurement by Means of the Flock-of-Birds Electromagnetic Tracking System. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2005, 28, 408-413.  | 0.4 | 26        |
| 9306 | Translation and Validation of the Danish Version of the Bournemouth Questionnaire. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2005, 28, 402-407.  | 0.4 | 23        |
| 9307 | Concurrent Validity of Flexicurve Instrument Measurements: Sagittal Skin Contour of the Cervical Spine Compared With Lateral Cervical Radiographic Measurements. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2005, 28, 597-603.                            | 0.4 | 36        |
| 9308 | Inter-tester reliability of a self-monitored active knee extension test. <i>Journal of Bodywork and Movement Therapies</i> , 2005, 9, 256-259.   | 0.5 | 44        |
| 9309 | Cardiac index measurements during rapid preload changes: a comparison of pulmonary artery thermodilution with arterial pulse contour analysis. <i>Journal of Clinical Anesthesia</i> , 2005, 17, 241-248.  | 0.7 | 77        |
| 9310 | Effect of catheter site on the agreement of peripheral and central venous pressure measurements in neurosurgical patients. <i>Journal of Clinical Anesthesia</i> , 2005, 17, 348-352.  | 0.7 | 17        |
| 9311 | OAKHQOL: A new instrument to measure quality of life in knee and hip osteoarthritis. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 47-55.  | 2.4 | 109       |
| 9312 | Best reproducibility of the ankleâ€“arm index was calculated using Doppler and dividing highest ankle pressure by highest arm pressure. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 1282-1288.   | 2.4 | 21        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9313 | Changes to the subscales of two vision-related quality of life questionnaires are proposed. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 1260-1268.  | 2.4 | 65        |
| 9314 | Optical coherence tomography assessment of capsule closure after cataract surgery. <i>Journal of Cataract and Refractive Surgery</i> , 2005, 31, 330-336.   | 0.7 | 31        |
| 9315 | Correlation between the measurement of posterior capsule opacification severity and visual function testing. <i>Journal of Cataract and Refractive Surgery</i> , 2005, 31, 534-542.   | 0.7 | 26        |
| 9316 | Comparison of dynamic digital pupillometry and static measurements of pupil size in determining scotopic pupil size before refractive surgery. <i>Journal of Cataract and Refractive Surgery</i> , 2005, 31, 1171-1176.         | 0.7 | 28        |
| 9317 | Repeatability of autorefractometry and axial length measurements after laser in situ keratomileusis. <i>Journal of Cataract and Refractive Surgery</i> , 2005, 31, 1025-1034.   | 0.7 | 28        |
| 9318 | Proper statistical methods required to compare clinical measurements. <i>Journal of Cataract and Refractive Surgery</i> , 2005, 31, 865-866.  | 0.7 | 0         |
| 9319 | Proper statistical methods required to compare clinical measurements. <i>Journal of Cataract and Refractive Surgery</i> , 2005, 31, 866-867.  | 0.7 | 0         |
| 9320 | Central corneal thickness measurement with the Pentacam Scheimpflug system, optical low-coherence reflectometry pachymeter, and ultrasound pachymetry. <i>Journal of Cataract and Refractive Surgery</i> , 2005, 31, 1729-1735. | 0.7 | 269       |
| 9321 | Contact lens overrefraction variability in corneal power estimation after refractive surgery. <i>Journal of Cataract and Refractive Surgery</i> , 2005, 31, 2287-2292.  | 0.7 | 8         |
| 9322 | Should the pupil be used as a fixed reference for instrument alignment?. <i>Journal of Cataract and Refractive Surgery</i> , 2005, 31, 2040-2041.   | 0.7 | 0         |
| 9323 | TaqMan RT-PCR and VERSANT <sup>®</sup> HIV-1 RNA 3.0 (bDNA) assay. <i>Journal of Clinical Virology</i> , 2005, 34, 253-256.   | 1.6 | 20        |
| 9324 | The effect of ovariectomy on mandibular cortical thickness in the rat. <i>Journal of Dentistry</i> , 2005, 33, 123-129.   | 1.7 | 32        |
| 9325 | Assessment of the distraction regenerate using three-dimensional quantitative computer tomography. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2005, 34, 64-73.  | 0.7 | 14        |
| 9326 | Dolphin Imaging Software: An analysis of the accuracy of cephalometric digitization and orthognathic prediction. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2005, 34, 619-626.                            | 0.7 | 68        |
| 9328 | Measurement of stereoacuity outcomes at ages 1 to 24 months: Randot <sup>®</sup> Stereocards. <i>Journal of AAPOS</i> , 2005, 9, 31-36.   | 0.2 | 30        |
| 9329 | Accuracy of Intraocular Lens Calculations in Infants and Children Undergoing Cataract Surgery. <i>Journal of AAPOS</i> , 2005, 9, 160-165.  | 0.2 | 98        |
| 9330 | Is the Tono-Pen Accurate for Measuring Intraocular Pressure in Young Children With Congenital Glaucoma?. <i>Journal of AAPOS</i> , 2005, 9, 321-325.  | 0.2 | 29        |
| 9331 | Validity of self-reported height and weight and predictors of bias in adolescents. <i>Journal of Adolescent Health</i> , 2005, 37, 371-375.   | 1.2 | 310       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9332 | Evolution of Individual Renal Function in Children with Unilateral Complex Renal Duplication. <i>Journal of Pediatrics</i> , 2005, 147, 208-212.  | 0.9 | 13        |
| 9333 | Prediction of adult height using maturity-based cumulative height velocity curves. <i>Journal of Pediatrics</i> , 2005, 147, 508-514.   | 0.9 | 138       |
| 9334 | Growth-Reductive Therapy in Children with Marfan Syndrome. <i>Journal of Pediatrics</i> , 2005, 147, 674-679.   | 0.9 | 16        |
| 9335 | A comparison of functional, patient-based scores in subacromial impingement. <i>Journal of Shoulder and Elbow Surgery</i> , 2005, 14, 380-384.  | 1.2 | 54        |
| 9336 | OncoTREAT™ a software assistant for oncological therapy monitoring. <i>International Congress Series</i> , 2005, 1281, 429-434.   | 0.2 | 3         |
| 9337 | Prognostic value of C-reactive protein in patients with stress induced myocardial ischemia. <i>International Journal of Cardiology</i> , 2005, 98, 313-317.   | 0.8 | 8         |
| 9338 | Importance of measurements at or after the J-point for evaluation of ST-segment deviation and resolution during treatment for acute myocardial infarction. <i>International Journal of Cardiology</i> , 2005, 98, 431-437.                          | 0.8 | 7         |
| 9339 | Echocardiographic automated cardiac output measurement of pulmonary output and quantification of intracardiac shunt. <i>International Journal of Cardiology</i> , 2005, 104, 25-31.   | 0.8 | 8         |
| 9340 | The reliability of short-term measurements of heart rate variability. <i>International Journal of Cardiology</i> , 2005, 103, 238-247.  | 0.8 | 237       |
| 9341 | Validity of a Retrospective National Institutes of Health Stroke Scale Scoring Methodology in Patients With Severe Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2005, 14, 281-283.   | 0.7 | 36        |
| 9342 | Effects of Topical Anesthetic and Flexible Fiberoptic Laryngoscopy on Professional Sopranos. <i>Journal of Voice</i> , 2005, 19, 645-664.   | 0.6 | 5         |
| 9343 | Does body mass index reflect adequately the body fat content in perimenopausal women?. <i>Maturitas</i> , 2005, 51, 307-313.  | 1.0 | 26        |
| 9344 | Evaluation and Automation of Hematopoietic Chimerism Analysis Based on Real-Time Quantitative Polymerase Chain Reaction. <i>Biology of Blood and Marrow Transplantation</i> , 2005, 11, 558-566.  | 2.0 | 20        |
| 9345 | Validity of the GAITRite® walkway system for the measurement of averaged and individual step parameters of gait. <i>Gait and Posture</i> , 2005, 22, 317-321.   | 0.6 | 453       |
| 9346 | Hypopituitary patients prefer a touch-screen to paper quality of life questionnaire. <i>Growth Hormone and IGF Research</i> , 2005, 15, 384-387.  | 0.5 | 12        |
| 9347 | Altered Ventricular Mechanics in Cardiac Allografts: A Tissue Doppler Study in 30 Children Without Prior Rejection Events. <i>Journal of Heart and Lung Transplantation</i> , 2005, 24, 1804-1813.  | 0.3 | 40        |
| 9348 | Non-Invasive Detection of Acute Allograft Rejection in Children by Tissue Doppler Imaging: Myocardial Velocities and Myocardial Acceleration During Isovolumic Contraction. <i>Journal of Heart and Lung Transplantation</i> , 2005, 24, S239-S248. | 0.3 | 55        |
| 9349 | Comparison of different cyclosporine immunoassays to monitor C0 and C2 blood levels from kidney transplant recipients: Not simply overestimation. <i>Clinica Chimica Acta</i> , 2005, 355, 153-164.   | 0.5 | 15        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9350 | Evaluation of a glucose meter for determining the glycemic responses of foods. <i>Clinica Chimica Acta</i> , 2005, 356, 191-198.   | 0.5 | 22        |
| 9351 | Assessing glomerular filtration rate in renal transplant recipients by estimates derived from serum measurements of creatinine and cystatin C. <i>Clinica Chimica Acta</i> , 2005, 356, 204-211.           | 0.5 | 42        |
| 9352 | Sensitive non-isotopic assays for autoantibodies to IA-2 and to a combination of both IA-2 and GAD65. <i>Clinica Chimica Acta</i> , 2005, 357, 74-83.  | 0.5 | 32        |
| 9353 | Urine sediment examination: A comparison between the manual method and the iQ200 automated urine microscopy analyzer. <i>Clinica Chimica Acta</i> , 2005, 358, 167-174.                                    | 0.5 | 72        |
| 9354 | Proteomic approach to the diagnosis of acute coronary syndrome: Preliminary results. <i>Clinica Chimica Acta</i> , 2005, 357, 226-235.   | 0.5 | 26        |
| 9355 | Adaptation of alpha-fetoprotein and intact human chorionic gonadotropin fluoroimmunoassays to dried blood spots. <i>Clinica Chimica Acta</i> , 2005, 360, 151-159.   | 0.5 | 7         |
| 9356 | Evaluation of quantitative CT indexes in idiopathic interstitial pneumonitis using a low-dose technique. <i>European Journal of Radiology</i> , 2005, 56, 370-375.   | 1.2 | 32        |
| 9357 | Correlation between a patient-centred outcome score and surgical skill in oral surgery. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2005, 43, 505-510.                                      | 0.4 | 10        |
| 9358 | Evaluation of oesophageal reflectance pulse oximetry in major burns patients. <i>Burns</i> , 2005, 31, 337-341.  | 1.1 | 27        |
| 9359 | Predictors of elevated blood lead levels among 3-year-old Ukrainian children: A nested case-control study. <i>Environmental Research</i> , 2005, 99, 235-242.  | 3.7 | 13        |
| 9360 | Acute exposure to 50ppm toluene does not increase sleepiness. <i>Environmental Toxicology and Pharmacology</i> , 2005, 19, 665-669.  | 2.0 | 5         |
| 9361 | Quantifying rod photoreceptor-mediated vision in retinal degenerations: dark-adapted thresholds as outcome measures. <i>Experimental Eye Research</i> , 2005, 80, 259-272.                                 | 1.2 | 145       |
| 9362 | Reduction of pain-related fear in complex regional pain syndrome type I: The application of graded exposure in vivo. <i>Pain</i> , 2005, 116, 264-275.   | 2.0 | 223       |
| 9363 | Psychometric properties of the TSK-11: A shortened version of the Tampa Scale for Kinesiophobia. <i>Pain</i> , 2005, 117, 137-144.   | 2.0 | 597       |
| 9364 | Measuring gait and gait-related activities in Parkinson's patients own home environment: a reliability, responsiveness and feasibility study. <i>Parkinsonism and Related Disorders</i> , 2005, 11, 19-24. | 1.1 | 123       |
| 9365 | Test-retest repeatability of self-reported environmental exposures in Parkinson's disease cases and healthy controls. <i>Parkinsonism and Related Disorders</i> , 2005, 11, 287-295.                       | 1.1 | 19        |
| 9366 | Recording of ECG signals on a portable MiniDisc recorder for time and frequency domain heart rate variability analysis. <i>Physiology and Behavior</i> , 2005, 83, 729-738.                                | 1.0 | 14        |
| 9367 | Evaluation of the automated coagulation analyzer Sysmex® CA-7000. <i>Thrombosis Research</i> , 2005, 116, 171-179.   | 0.8 | 24        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9368 | Hemoglobin screening in prospective blood donors: Comparison of different blood samples and different quantitative methods. <i>Transfusion and Apheresis Science</i> , 2005, 33, 31-35.             | 0.5 | 61        |
| 9369 | Model selection methodology for inter-laboratory standardisation of antibody titres. <i>Vaccine</i> , 2005, 23, 5022-5027.  | 1.7 | 25        |
| 9370 | An evaluation of image quality and accuracy of eye bank measurement of donor cornea endothelial cell density in the Specular Microscopy Ancillary Study. <i>Ophthalmology</i> , 2005, 112, 431-440. | 2.5 | 70        |
| 9371 | Pre-Excimer Laser and Post-Excimer Laser Refractive Surgery Measurements of Scotopic Pupil Diameter Using 2 Pupillometers. <i>Ophthalmology</i> , 2005, 112, 1003-1008.                             | 2.5 | 16        |
| 9372 | Comparison between Semiautomated Kinetic Perimetry and Conventional Goldmann Manual Kinetic Perimetry in Advanced Visual Field Loss. <i>Ophthalmology</i> , 2005, 112, 1343-1354.                   | 2.5 | 58        |
| 9373 | Agreement among 3 Optical Imaging Methods for the Assessment of Optic Disc Topography. <i>Ophthalmology</i> , 2005, 112, 2149-2156.   | 2.5 | 48        |
| 9374 | Reproducibility and validity of a Yan-style portable citric acid cough challenge. <i>Pulmonary Pharmacology and Therapeutics</i> , 2005, 18, 177-180.   | 1.1 | 11        |
| 9375 | Measurement of neural respiratory drive in patients with COPD. <i>Respiratory Physiology and Neurobiology</i> , 2005, 146, 165-174.   | 0.7 | 51        |
| 9376 | Revisiting the accuracy of peak flow meters: a double-blind study using formal methods of agreement. <i>Respiratory Medicine</i> , 2005, 99, 592-595.   | 1.3 | 24        |
| 9377 | The validation of a new actigraphy system for the measurement of periodic leg movements in sleep. <i>Sleep Medicine</i> , 2005, 6, 507-513.   | 0.8 | 68        |
| 9378 | The PAM-RL ambulatory device for detection of periodic leg movements: a validation study. <i>Sleep Medicine</i> , 2005, 6, 407-413.   | 0.8 | 104       |
| 9379 | Actigraphic recordings in quantification of periodic leg movements during sleep in children. <i>Sleep Medicine</i> , 2005, 6, 325-332.  | 0.8 | 32        |
| 9380 | Assessing walking ability in subjects with spinal cord injury: Validity and reliability of 3 walking tests. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 190-196.            | 0.5 | 390       |
| 9381 | Measuring standing hindfoot alignment: Reliability of goniometric and visual measurements. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 571-575.                             | 0.5 | 63        |
| 9382 | Borg's Rating of Perceived Exertion Scales: Do the Verbal Anchors Mean the Same for Different Clinical Groups?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 912-916.        | 0.5 | 65        |
| 9383 | Interexaminer Repeatability of Antidromic Ulnar Sensory Nerve Conduction Velocity Measurements. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 2047-2050.                      | 0.5 | 6         |
| 9384 | Interobserver Reproducibility of the Visual Estimation of Range of Motion of the Shoulder. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 1356-1361.                           | 0.5 | 77        |
| 9385 | Break-Technique Handheld Dynamometry: Relation Between Angular Velocity and Strength Measurements. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 1420-1426.                   | 0.5 | 37        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9386 | Reliability and Validity of Static Knee Strength Measurements Obtained With a Chair-Fixed Dynamometer in Subjects With Hip or Knee Arthroplasty. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 1998-2008. | 0.5 | 49        |
| 9387 | Activity Monitoring for Assessment of Physical Activities in Daily Life in Patients With Chronic Obstructive Pulmonary Disease. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 1979-1985.                  | 0.5 | 205       |
| 9388 | A Comparison of Hydrostatic Weighing and Air Displacement Plethysmography in Adults With Spinal Cord Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 2106-2113.                                     | 0.5 | 35        |
| 9389 | Repeatability of Temporospacial Gait Measures in Children Using the GAITRite Electronic Walkway. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 2342-2346.   | 0.5 | 102       |
| 9391 | Multislice Computed Tomography for Preoperative Evaluation of Right Ventricular Volumes and Function: Comparison With Magnetic Resonance Imaging. <i>Annals of Thoracic Surgery</i> , 2005, 79, 1344-1351.                      | 0.7 | 63        |
| 9392 | Left ventricular systolic asynchrony after acute myocardial infarction in patients with narrow QRS complexes. <i>American Heart Journal</i> , 2005, 149, 497-503.   | 1.2 | 72        |
| 9393 | Long-term benefits of an early invasive management in acute coronary syndromes depend on intracoronary stenting and aggressive antiplatelet treatment: A metaregression. <i>American Heart Journal</i> , 2005, 149, 504-511.    | 1.2 | 90        |
| 9394 | Size and transmural extent of first-time reperfused myocardial infarction assessed by cardiac magnetic resonance can be estimated by 12-lead electrocardiogram. <i>American Heart Journal</i> , 2005, 150, 920.e1-920.e9.       | 1.2 | 49        |
| 9395 | A brief report on the normal range of forehead temperature as determined by noncontact, handheld, infrared thermometer. <i>American Journal of Infection Control</i> , 2005, 33, 227-229.                                       | 1.1 | 45        |
| 9396 | Evaluation of retinal nerve fiber layer, optic nerve head, and macular thickness measurements for glaucoma detection using optical coherence tomography. <i>American Journal of Ophthalmology</i> , 2005, 139, 44-55.           | 1.7 | 589       |
| 9397 | Optic disk ovality as an index of tilt and its relationship to myopia and perimetry. <i>American Journal of Ophthalmology</i> , 2005, 139, 247-252.   | 1.7 | 230       |
| 9398 | Test-Retest Reliability of Adult Surveillance Measures for Physical Activity and Inactivity. <i>American Journal of Preventive Medicine</i> , 2005, 28, 470-478.  | 1.6 | 64        |
| 9399 | Lack of agreement between office and ambulatory blood pressure responses to hydrochlorothiazide. <i>American Journal of Hypertension</i> , 2005, 18, 398-402.   | 1.0 | 20        |
| 9400 | Carotid Tonometry Versus Synthesized Aorta Pressure Waves for the Estimation of Central Systolic Blood Pressure and Augmentation Index. <i>American Journal of Hypertension</i> , 2005, 18, 1168-1173.                          | 1.0 | 78        |
| 9401 | Long-Term Reproducibility of Routine Ambulatory Blood Pressure Monitoring in Stable Pediatric Renal Transplant Recipients. <i>American Journal of Hypertension</i> , 2005, 18, 1408-1414.                                       | 1.0 | 39        |
| 9402 | The effect of obesity on bioimpedance cardiac index. <i>American Journal of Surgery</i> , 2005, 189, 547-551.   | 0.9 | 23        |
| 9403 | A preliminary study on application of portable monitoring for diagnosis of obstructive sleep apnea. <i>Auris Nasus Larynx</i> , 2005, 32, 151-156.  | 0.5 | 18        |
| 9405 | Provider Support of Spontaneous Pushing During the Second Stage of Labor. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 2005, 34, 695-702.   | 0.2 | 25        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9406 | Invasive versus noninvasive measurement of allergic and cholinergic airway responsiveness in mice. <i>Respiratory Research</i> , 2005, 6, 139.  | 1.4 | 43        |
| 9407 | Correlation of exhaled breath temperature with bronchial blood flow in asthma. <i>Respiratory Research</i> , 2005, 6, 15.   | 1.4 | 80        |
| 9408 | Validity and reproducibility of arterial pulse wave velocity measurement using new device with oscillometric technique: A pilot study. <i>BioMedical Engineering OnLine</i> , 2005, 4, 49.  | 1.3 | 65        |
| 9409 | Assessment of pulse rate variability by the method of pulse frequency demodulation. <i>BioMedical Engineering OnLine</i> , 2005, 4, 62.   | 1.3 | 67        |
| 9411 | Planimetric Assessment of Anatomic Valve Area Overestimates Effective Orifice Area in Bicuspid Aortic Stenosis. <i>Journal of the American Society of Echocardiography</i> , 2005, 18, 1392-1398.                                       | 1.2 | 48        |
| 9412 | PMC14 EQUIVALENCE OF PAPER AND TOUCH SCREEN VERSIONS OF THE EQ-5D VISUAL ANALOG SCALE (EQ-VAS). <i>Value in Health</i> , 2005, 8, 379.  | 0.1 | 0         |
| 9415 | Pressure-derived measurement of coronary flow reserve. <i>Journal of the American College of Cardiology</i> , 2005, 45, 216-220.  | 1.2 | 30        |
| 9416 | The use of live three-dimensional Doppler echocardiography in the measurement of cardiac output. <i>Journal of the American College of Cardiology</i> , 2005, 45, 433-438.  | 1.2 | 53        |
| 9417 | Broad-beam spectral Doppler sonification of the vena contracta using matrix-array technology. <i>Journal of the American College of Cardiology</i> , 2005, 45, 770-779.   | 1.2 | 26        |
| 9418 | Feasibility of tissue magnetic resonance imaging. <i>Journal of the American College of Cardiology</i> , 2005, 45, 1109-1116.   | 1.2 | 136       |
| 9419 | Comparison of treadmill exercise versus dipyridamole stress with myocardial perfusion imaging using rubidium-82 positron emission tomography. <i>Journal of the American College of Cardiology</i> , 2005, 45, 1227-1234.               | 1.2 | 50        |
| 9420 | Strain Rate Imaging Differentiates Transmural From Non-Transmural Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2005, 46, 864-871.  | 1.2 | 127       |
| 9421 | Septal to Posterior Wall Motion Delay Fails to Predict Reverse Remodeling or Clinical Improvement in Patients Undergoing Cardiac Resynchronization Therapy. <i>Journal of the American College of Cardiology</i> , 2005, 46, 2208-2214. | 1.2 | 121       |
| 9422 | Electrical Conduction Disturbance Effects on Dynamic Changes of Functional Mitral Regurgitation. <i>Journal of the American College of Cardiology</i> , 2005, 46, 2270-2276.  | 1.2 | 28        |
| 9423 | Thoracic excursion measurement in children with cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2005, 4, 129-133.  | 0.3 | 7         |
| 9424 | The early effect of proton pump inhibitor therapy on the accuracy of the <sup>13</sup> C-urea breath test. <i>Digestive and Liver Disease</i> , 2005, 37, 28-32.  | 0.4 | 9         |
| 9425 | Assessment of the agreement between wedge hepatic vein pressure and portal vein pressure in cirrhotic patients. <i>Digestive and Liver Disease</i> , 2005, 37, 601-608.   | 0.4 | 82        |
| 9426 | Transthoracic electrical bioimpedance: A non-invasive technique for the evaluation of the haemodynamic alterations in patients with liver cirrhosis. <i>Digestive and Liver Disease</i> , 2005, 37, 786-792.                            | 0.4 | 12        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 9427 | Developmental Eye Movement Test: reliability and symptomatology. <i>Optometry - Journal of the American Optometric Association</i> , 2005, 76, 387-399.   | 0.6  | 29        |
| 9428 | Evaluation of a clinical aberrometer for lower-order accuracy and repeatability, higher-order repeatability, and instrument myopia. <i>Optometry - Journal of the American Optometric Association</i> , 2005, 76, 461-472.  | 0.6  | 55        |
| 9429 | The multiple sclerosis functional composite: different practice effects in the three test components. <i>Journal of the Neurological Sciences</i> , 2005, 228, 71-74.   | 0.3  | 100       |
| 9430 | Application of a scaling model to establish and validate an interval level pain scale for assessment of acute pain in dogs. <i>American Journal of Veterinary Research</i> , 2005, 66, 2154-2166.                           | 0.3  | 157       |
| 9431 | Norming clinical questionnaires with multiple regression: The Pain Cognition List.. <i>Psychological Assessment</i> , 2005, 17, 336-344.  | 1.2  | 91        |
| 9432 | Effect of 1-year smoking cessation on airway inflammation in COPD and asymptomatic smokers. <i>European Respiratory Journal</i> , 2005, 26, 835-845.  | 3.1  | 270       |
| 9433 | CAN A BASELINE PROSTATE SPECIFIC ANTIGEN LEVEL IDENTIFY MEN WHO WILL HAVE LOWER URINARY TRACT SYMPTOMS LATER IN LIFE?. <i>Journal of Urology</i> , 2005, 173, 2040-2043.  | 0.2  | 6         |
| 9434 | Refinement on Single-beat Determination of Left Ventricular Systolic Function in Patients with Atrial Fibrillation. <i>Journal of the American Society of Echocardiography</i> , 2005, 18, 913-918.                         | 1.2  | 13        |
| 9435 | Cross-Calibration of Lunar DPX-IQ and DPX Dual-Energy X-Ray Densitometers for Bone Mineral Measurements in Women. <i>Journal of Clinical Densitometry</i> , 2005, 8, 320-329.   | 0.5  | 13        |
| 9436 | Comparison of Dual-Energy X-Ray Absorptiometry and Conventional Radiography for the Detection of Vertebral Fractures. <i>Journal of Clinical Densitometry</i> , 2005, 8, 379-385.   | 0.5  | 21        |
| 9437 | Electrodiagnostic Automation: Principles and Practice. <i>Physical Medicine and Rehabilitation Clinics of North America</i> , 2005, 16, 1015-1032.  | 0.7  | 21        |
| 9438 | Differences in Estimates of Change of Bone Accrual and Body Composition in Children Because of Scan Mode Selection With the Prodigy Densitometer. <i>Journal of Clinical Densitometry</i> , 2005, 8, 65-73.                 | 0.5  | 9         |
| 9439 | A Randomized Trial of Intensive Lipid-Lowering Therapy in Calcific Aortic Stenosis. <i>New England Journal of Medicine</i> , 2005, 352, 2389-2397.  | 13.9 | 951       |
| 9440 | Contrast Ultrasound Methods for Left-Ventricle Ejection Fraction Measurements. , 2005, 2005, 4306-9.  |      | 1         |
| 9441 | Identification of ultrasound contrast agent dilution systems for ejection fraction measurements. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2005, 52, 410-420.                        | 1.7  | 17        |
| 9442 | Archimedes revisited: a faster, better, cheaper method of accurately measuring the volume of small objects. <i>Physics Education</i> , 2005, 40, 468-474.   | 0.3  | 197       |
| 9443 | Aerobic and anaerobic profiles, heart rate and match analysis in older soccer players. <i>Ergonomics</i> , 2005, 48, 1365-1377.   | 1.1  | 33        |
| 9444 | Two-Dimensional Strain—A Doppler-Independent Ultrasound Method for Quantitation of Regional Deformation: Validation In Vitro and In Vivo. <i>Journal of the American Society of Echocardiography</i> , 2005, 18, 1247-1253. | 1.2  | 332       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9445 | Development of an improved microneutralization assay for respiratory syncytial virus by automated plaque counting using imaging analysis. <i>Virology Journal</i> , 2005, 2, 84.   | 1.4 | 57        |
| 9446 | Reproducibility and sensitivity to change of various methods to measure joint space width in osteoarthritis of the hip: a double reading of three different radiographic views taken with a three-year interval. <i>Arthritis Research and Therapy</i> , 2005, 7, R1375. | 1.6 | 37        |
| 9447 | Reliability of computerized image analysis for the evaluation of serial synovial biopsies in randomized controlled trials in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2005, 7, R862.  | 1.6 | 71        |
| 9448 | Comparison of synchrotron radiation and conventional x-ray microcomputed tomography for assessing trabecular bone microarchitecture of human femoral heads. <i>Medical Physics</i> , 2006, 33, 3568-3577.  | 1.6 | 65        |
| 9449 | Determination of Cole parameters in multiple frequency bioelectrical impedance analysis using only the measurement of impedances. <i>Physiological Measurement</i> , 2006, 27, 839-850.  | 1.2 | 54        |
| 9450 | Viability and acrosome staining of stallion spermatozoa by Chicago sky blue and Giemsa. <i>Biotechnic and Histochemistry</i> , 2006, 81, 109-117.  | 0.7 | 21        |
| 9451 | Accuracy, Reproducibility, and Comparability of Doppler Tissue Imaging by Two High-end Ultrasound Systems. <i>Journal of the American Society of Echocardiography</i> , 2006, 19, 322-328.   | 1.2 | 45        |
| 9452 | Comparison of Proview phosphene tonometry with Goldmann applanation tonometry. <i>Canadian Journal of Ophthalmology</i> , 2006, 41, 722-726.   | 0.4 | 9         |
| 9453 | Simulated Change in Body Fatness Affects Hologic QDR 4500A Whole Body and Central DXA Bone Measures. <i>Journal of Clinical Densitometry</i> , 2006, 9, 315-322.   | 0.5 | 37        |
| 9454 | Monitoring of Dual-Energy X-ray Absorptiometry Measurement in Clinical Practice. <i>Journal of Clinical Densitometry</i> , 2006, 9, 281-286.   | 0.5 | 59        |
| 9455 | Morphological segmentation and partial volume analysis for volumetry of solid pulmonary lesions in thoracic CT scans. <i>IEEE Transactions on Medical Imaging</i> , 2006, 25, 417-434.   | 5.4 | 257       |
| 9456 | Validating Volume Flow Measurements From a Novel Semiautomated Four-Dimensional Doppler Ultrasound Scanner. <i>Academic Radiology</i> , 2006, 13, 1204-1210.   | 1.3 | 11        |
| 9457 | Is Hand-Held Dynamometry Useful for the Measurement of Quadriceps Strength in Older People? A Comparison with the Gold Standard Biodex Dynamometry. <i>Gerontology</i> , 2006, 52, 154-159.  | 1.4 | 242       |
| 9458 | Monte Carlo characterization of target doses in stereotactic body radiation therapy (SBRT). <i>Acta Oncologica</i> , 2006, 45, 989-994.  | 0.8 | 23        |
| 9459 | Use of Hand-held Ultrasound by a Nonsonographer Clinician to Measure Carotid Intima-Media Thickness. <i>Journal of the American Society of Echocardiography</i> , 2006, 19, 1286-1292.   | 1.2 | 9         |
| 9460 | Feasibility and Accuracy of Real-time 3-Dimensional Echocardiographic Assessment of Ventricular Septal Defects. <i>Journal of the American Society of Echocardiography</i> , 2006, 19, 7-13.   | 1.2 | 47        |
| 9461 | Analysis of Gene Expression Using cDNA Microarrays. , 2006, 346, 75-94.  |     | 4         |
| 9462 | Diffuse reflectance spectra of the palpebral conjunctiva and its utility as a noninvasive indicator of total hemoglobin. <i>Journal of Biomedical Optics</i> , 2006, 11, 014019.   | 1.4 | 30        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9463 | Reliability of point-of-care hematocrit, blood gas, electrolyte, lactate and glucose measurement during cardiopulmonary bypass. <i>Perfusion (United Kingdom)</i> , 2006, 21, 33-37.   | 0.5 | 37        |
| 9464 | Body composition analysis by dual X-ray absorptiometry: in vivo and in vitro comparison of three different fan-beam instruments. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2006, 66, 659-666.             | 0.6 | 39        |
| 9465 | The test-retest reliability of motor performance measures after traumatic brain injury. <i>Advances in Physiotherapy</i> , 2006, 8, 50-59.   | 0.2 | 7         |
| 9466 | Incorrect calculation of power outputs masks the ergogenic capacity of creatine supplementation. <i>Applied Physiology, Nutrition and Metabolism</i> , 2006, 31, 635-642.  | 0.9 | 4         |
| 9467 | Reliability and validity of the Assessment of Daily Activity Performance (ADAP) in community-dwelling older women. <i>Aging Clinical and Experimental Research</i> , 2006, 18, 325-333.  | 1.4 | 10        |
| 9468 | Clinical utility and applicability of smoothness index, normalized smoothness index and individualized RDH index during treatment of essential hypertension. <i>Blood Pressure</i> , 2006, 15, 281-290.                                | 0.7 | 1         |
| 9469 | Residual volume on land and when immersed in water: Effect on percent body fat. <i>Journal of Sports Sciences</i> , 2006, 24, 825-833.   | 1.0 | 6         |
| 9470 | A New Method for Hot-Spot Quantification of Hybrid SPECT/CT Cardiac Images: Methodology and Preliminary Phantom Validation. <i>IEEE Transactions on Nuclear Science</i> , 2006, 53, 2814-2821.   | 1.2 | 5         |
| 9471 | Use of low-glycaemic index bread to reduce 24-h blood glucose: implications for dietary advice to non-diabetic and diabetic subjects. <i>International Journal of Food Sciences and Nutrition</i> , 2006, 57, 273-278.                 | 1.3 | 25        |
| 9472 | Accurate Measurements of Fetal Hemoglobin for Neonates with Different Gestational Ages. <i>Hemoglobin</i> , 2006, 30, 419-435.   | 0.4 | 8         |
| 9473 | Statistical validation of air-displacement plethysmography for body composition assessment in children. <i>Annals of Human Biology</i> , 2006, 33, 187-201.  | 0.4 | 25        |
| 9474 | Reliability of bladder volume measurement with BladderScan® in paediatric patients. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006, 40, 370-375.   | 1.4 | 18        |
| 9475 | Reliability of the prospective data collection protocol of the Swedish Spine Register: Test-retest analysis of 119 patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2006, 77, 662-669.                    | 1.2 | 26        |
| 9476 | Can simple anthropometric and physical performance tests track training-induced changes in maximal box-lifting ability?. <i>Ergonomics</i> , 2006, 49, 661-670.  | 1.1 | 5         |
| 9477 | The Stroke Activity Scale: Results of a validity study. <i>Disability and Rehabilitation</i> , 2006, 28, 937-941.  | 0.9 | 7         |
| 9478 | Assessing the loneliness of older people with cerebral palsy. <i>Disability and Rehabilitation</i> , 2006, 28, 469-479.  | 0.9 | 77        |
| 9479 | Reliability of bioelectrical impedance methods in detecting body fluids in elderly patients with congestive heart failure. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2006, 66, 19-30.                     | 0.6 | 13        |
| 9480 | Assessment of symptom severity and functional status in patients with carpal tunnel syndrome: Reliability and validity of the Turkish version of the Boston questionnaire. <i>Disability and Rehabilitation</i> , 2006, 28, 1281-1286. | 0.9 | 107       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9481 | Prediction of height from knee height in children with cerebral palsy and non-disabled children. <i>Annals of Human Biology</i> , 2006, 33, 493-499.   | 0.4 | 22        |
| 9482 | Diagnosis of aortic valvular stenosis by multislice cardiac computed tomography. <i>European Heart Journal</i> , 2006, 27, 3033-3038.  | 1.0 | 75        |
| 9483 | Reproducibility and validity of an interviewer-administered semi-quantitative food frequency questionnaire to assess dietary intake of urban adults in southern India. <i>International Journal of Food Sciences and Nutrition</i> , 2006, 57, 481-493.                  | 1.3 | 67        |
| 9484 | The Reliability of Central Corneal Thickness Measurements by Ultrasound and by Orbscan System in Schoolchildren. <i>Current Eye Research</i> , 2006, 31, 569-575.  | 0.7 | 18        |
| 9485 | Evaluation of nonlinear regression approaches to estimation of insulin sensitivity by the minimal model with reference to Bayesian hierarchical analysis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 291, E167-E174.                   | 1.8 | 25        |
| 9486 | Lumbar cerebrospinal fluid pressure waves versus intracranial pressure waves in idiopathic normal pressure hydrocephalus. <i>British Journal of Neurosurgery</i> , 2006, 20, 407-414.  | 0.4 | 32        |
| 9487 | Pedometer reliability, validity and daily activity targets among 10- to 15-year-old boys. <i>Journal of Sports Sciences</i> , 2006, 24, 241-251.   | 1.0 | 72        |
| 9488 | Qualitative and quantitative analysis of antibody response against IFN $\gamma$ in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2006, 12, 738-746.  | 1.4 | 18        |
| 9489 | Correlation Between Cerebral and Mixed Venous Oxygen Saturation During Moderate Versus Tepid Hypothermic Hemodiluted Cardiopulmonary Bypass. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2006, 20, 819-825.   | 0.6 | 21        |
| 9490 | Cardiac Output Estimation With a New Doppler Device After Off-Pump Coronary Artery Bypass Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2006, 20, 315-319.   | 0.6 | 69        |
| 9491 | Cardiac Output Monitoring With Brachial Arterial Catheter. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2006, 20, 465-466.   | 0.6 | 0         |
| 9492 | Cardiac Output Measurement During Infrarenal Aortic Surgery: Echo-Esophageal Doppler Versus Thermodilution Catheter. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2006, 20, 26-30.   | 0.6 | 31        |
| 9494 | The Impact of Intra-aortic Balloon Pumping on Cardiac Output Determination by Pulmonary Arterial and Transpulmonary Thermodilution in Pigs. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2006, 20, 320-324.  | 0.6 | 15        |
| 9495 | Time-Varying Elastance Concept Applied to the Relation of Carotid Arterial Flow Velocity and Ventricular Area. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2006, 20, 340-346.   | 0.6 | 9         |
| 9496 | Short Communication: Comparison of Protocols to Estimate Twenty-Four-Hour Fat and Protein Percentages for Herds with a Robotic Milking System. <i>Journal of Dairy Science</i> , 2006, 89, 1723-1726.  | 1.4 | 5         |
| 9497 | A simplified Cockcroft-Gault formula to improve the prediction of the glomerular filtration rate in diabetic patients. <i>Diabetes and Metabolism</i> , 2006, 32, 56-62.   | 1.4 | 19        |
| 9498 | Accuracy of continuous subcutaneous glucose monitoring with the GlucoDay $\text{\textcircled{R}}$ in type 1 diabetic patients treated by subcutaneous insulin infusion during exercise of low versus high intensity. <i>Diabetes and Metabolism</i> , 2006, 32, 313-320. | 1.4 | 36        |
| 9499 | Second reading of coronary angiograms by radiologists. <i>Canadian Journal of Cardiology</i> , 2006, 22, 1217-1221.  | 0.8 | 1         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9500 | Worldwide time trends in the prevalence of symptoms of asthma, allergic rhinoconjunctivitis, and eczema in childhood: ISAAC Phases One and Three repeat multicountry cross-sectional surveys. <i>Lancet, The</i> , 2006, 368, 733-743. | 6.3 | 3,493     |
| 9501 | Magnetic resonance imaging is the diagnostic tool of choice in the preoperative evaluation of patients with partial anomalous pulmonary venous return. <i>International Journal of Cardiovascular Imaging</i> , 2006, 22, 685-693.     | 0.7 | 67        |
| 9502 | Hand bone loss in early undifferentiated arthritis: evaluating bone mineral density loss before the development of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2006, 65, 736-740.                                  | 0.5 | 69        |
| 9503 | Flow cytometric patterns in blood from dogs with non-neoplastic and neoplastic hematologic diseases using double labeling for CD18 and CD45. <i>Veterinary Clinical Pathology</i> , 2006, 35, 47-54.                                   | 0.3 | 24        |
| 9504 | Method comparison in the clinical laboratory. <i>Veterinary Clinical Pathology</i> , 2006, 35, 276-286.  | 0.3 | 282       |
| 9505 | Comparison of white blood cell differential percentages determined by the in-house LaserCyte hematology analyzer and a manual method. <i>Veterinary Clinical Pathology</i> , 2006, 35, 295-302.  | 0.3 | 43        |
| 9506 | Validation of 2 Techniques for Electrocardiographic Recording in Dogs and Cats. <i>Journal of Veterinary Internal Medicine</i> , 2006, 20, 873-876.  | 0.6 | 10        |
| 9507 | Pulsed Tissue Doppler Imaging in Normal Cats and Cats with Hypertrophic Cardiomyopathy. <i>Journal of Veterinary Internal Medicine</i> , 2006, 20, 65-77.  | 0.6 | 70        |
| 9508 | Comparison of Four Staining Methods for Detection of Mast Cells in Equine Bronchoalveolar Lavage Fluid. <i>Journal of Veterinary Internal Medicine</i> , 2006, 20, 377-381.  | 0.6 | 39        |
| 9509 | Validation of a portable equine metabolic measurement system. <i>Equine Veterinary Journal</i> , 2006, 38, 557-561.  | 0.9 | 23        |
| 9510 | The Reliability of One vs. Three Grip Trials in Symptomatic and Asymptomatic Subjects. <i>Journal of Hand Therapy</i> , 2006, 19, 318-327.   | 0.7 | 128       |
| 9511 | Abnormal deep grey matter development following preterm birth detected using deformation-based morphometry. <i>NeuroImage</i> , 2006, 32, 70-78.   | 2.1 | 220       |
| 9512 | Effects of hyperoxygenation on FDG-uptake in head-and-neck cancer. <i>Radiotherapy and Oncology</i> , 2006, 80, 51-56.   | 0.3 | 7         |
| 9513 | In Vivo Quantitation of Intratumoral Radioisotope Uptake Using Micro-Single Photon Emission Computed Tomography/Computed Tomography. <i>Molecular Imaging and Biology</i> , 2006, 8, 324-332.  | 1.3 | 55        |
| 9514 | Sustained progression and loss of the gender-related difference in atherosclerosis in the very old: A pathological study of 1074 consecutive autopsy cases. <i>Atherosclerosis</i> , 2006, 186, 374-379.                               | 0.4 | 39        |
| 9515 | Associations between physical activity, peripheral atherosclerosis and bone status in healthy Japanese women. <i>Atherosclerosis</i> , 2006, 188, 196-202.   | 0.4 | 31        |
| 9516 | NC-stat sensory nerve conduction studies in the median and ulnar nerves of symptomatic patients. <i>Clinical Neurophysiology</i> , 2006, 117, 405-413.   | 0.7 | 35        |
| 9517 | Dynamic magnetic resonance angiography of the aneurysm neck: Conformational changes during the cardiac cycle with possible consequences for endograft sizing and future design. <i>Journal of Vascular Surgery</i> , 2006, 44, 22-28.  | 0.6 | 75        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9518 | Derivation of Whole Body Bone Measures Through Summation of Individual DXA Scans. <i>Journal of Clinical Densitometry</i> , 2006, 9, 184-190.   | 0.5 | 2         |
| 9519 | Apports alimentaires et dépenses énergétiques d'adolescents footballeurs de haut niveau: comparaison de deux méthodes d'évaluation des apports. <i>Cahiers De Nutrition Et De Dietetique</i> , 2006, 41, 23-31.   | 0.2 | 1         |
| 9521 | Comparison of Body Composition Measurements Obtained by Two Fan-Beam DXA Instruments. <i>Journal of Clinical Densitometry</i> , 2006, 9, 191-197.   | 0.5 | 15        |
| 9522 | Atrial activation during atrioventricular nodal reentrant tachycardia: Studies on retrograde fast pathway conduction. <i>Heart Rhythm</i> , 2006, 3, 993-1000.  | 0.3 | 51        |
| 9523 | What Is the Optimal Clinical Technique for Measurement of Left Ventricular Volume After Myocardial Infarction? A Comparative Study of 3-Dimensional Echocardiography, Single Photon Emission Computed Tomography, and Cardiac Magnetic Resonance Imaging. <i>Journal of the American Society of Echocardiography</i> , 2006, 19, 192-201. | 1.2 | 63        |
| 9524 | Real-Time Transthoracic Three-Dimensional Echocardiographic Assessment of Left Ventricular Volume and Ejection Fraction in Congenital Heart Disease. <i>Journal of the American Society of Echocardiography</i> , 2006, 19, 1-6.  | 1.2 | 92        |
| 9525 | Analysis of Mitral Annulus Motion Measurements Derived from M-Mode, Anatomic M-Mode, Tissue Doppler Displacement, and 2-Dimensional Strain Imaging. <i>Journal of the American Society of Echocardiography</i> , 2006, 19, 1092-1101.   | 1.2 | 29        |
| 9526 | Effects of Ultrasound Contrast During Tissue Velocity Imaging on Regional Left Ventricular Velocity, Strain, and Strain Rate Measurements. <i>Journal of the American Society of Echocardiography</i> , 2006, 19, 40-47.  | 1.2 | 11        |
| 9527 | Detection of Significant Stenotic Lesions in the Left Anterior Descending Coronary Artery Using Adenosine Triphosphate Stress Strain Imaging: Comparison with Coronary Flow Velocity Reserve Measurement Using Transthoracic Doppler Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2006, 19, 1001-1011.  | 1.2 | 10        |
| 9528 | Validity and Reliability of Parental Report of Frequency, Severity and Risk Factors of Urinary Tract Infection and Urinary Incontinence in Children. <i>Journal of Urology</i> , 2006, 175, 2254-2262.  | 0.2 | 14        |
| 9529 | Comparison of interstudy reproducibility of equilibrium electrocardiography-gated SPECT radionuclide angiography versus planar radionuclide angiography for the quantification of global left ventricular function. <i>Journal of Nuclear Cardiology</i> , 2006, 13, 233-243.   | 1.4 | 4         |
| 9530 | CT Colonography: Effect of Colonic Distension on Polyp Measurement Accuracy and Agreement <sup>in Vitro</sup> Study. <i>Academic Radiology</i> , 2006, 13, 850-859.   | 1.3 | 13        |
| 9531 | Impedance cardiography revisited. <i>Physiological Measurement</i> , 2006, 27, 817-827.   | 1.2 | 45        |
| 9532 | Validation of a New Endoscopic Technique to Assess Acid Output in Zollinger-Ellison Syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2006, 4, 1467-1473.   | 2.4 | 23        |
| 9533 | Comparing Cardiac Ejection Fraction Estimation Algorithms Without a Gold Standard. <i>Academic Radiology</i> , 2006, 13, 329-337.   | 1.3 | 28        |
| 9534 | Validation of a Carotid Intima-Media Thickness Border Detection Program for Use in an Office Setting. <i>Journal of the American Society of Echocardiography</i> , 2006, 19, 223-228.   | 1.2 | 55        |
| 9535 | Reproducibility of CT Measurements of Aortic Valve Calcification, Mitral Annulus Calcification, and Aortic Wall Calcification in the Multi-Ethnic Study of Atherosclerosis. <i>Academic Radiology</i> , 2006, 13, 166-172.  | 1.3 | 113       |
| 9536 | Characterization of Atrial Septal Defect Assessed by Real-time 3-Dimensional Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2006, 19, 815-821.  | 1.2 | 63        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9537 | Re: A Nomogram to Classify Men With Lower Urinary Tract Symptoms Using Urine Flow and Noninvasive Measurement of Bladder Pressure. <i>Journal of Urology</i> , 2006, 176, 411-411.  | 0.2 | 0         |
| 9538 | Real-time Simultaneous Triplane Contrast Echocardiography Gives Rapid, Accurate, and Reproducible Assessment of Left Ventricular Volumes and Ejection Fraction: A Comparison with Magnetic Resonance Imaging. <i>Journal of the American Society of Echocardiography</i> , 2006, 19, 1494-1501. | 1.2 | 40        |
| 9539 | Effect of challenge method on sensitivity, reactivity, and maximal response to methacholine. <i>Annals of Allergy, Asthma and Immunology</i> , 2006, 97, 175-181.   | 0.5 | 32        |
| 9540 | First postpacing interval after tachycardia entrainment with correction for atrioventricular node delay: A simple maneuver for differential diagnosis of atrioventricular nodal reentrant tachycardias versus orthodromic reciprocating tachycardias. <i>Heart Rhythm</i> , 2006, 3, 674-679.   | 0.3 | 133       |
| 9541 | Contrast Echocardiography Versus Gated Single Photon Emission Computed Tomography for the Assessment of Parameters of Left Ventricular Remodeling After Acute Myocardial Infarction. <i>Journal of the American Society of Echocardiography</i> , 2006, 19, 280-284.                            | 1.2 | 11        |
| 9542 | DXA Estimates of Vertebral Volumetric Bone Mineral Density in Children: Potential Advantages of Paired Posteroanterior and Lateral Scans. <i>Journal of Clinical Densitometry</i> , 2006, 9, 265-273.   | 0.5 | 22        |
| 9543 | A Computer-Based Method for Determination of the Cell-Free Layer Width in Microcirculation. <i>Microcirculation</i> , 2006, 13, 199-207.  | 1.0 | 66        |
| 9544 | Agreement between skinfold-predicted percent fat and percent fat from whole-body bioelectrical impedance analysis in children and adolescents. <i>Pediatric Obesity</i> , 2006, 1, 168-175.   | 3.2 | 7         |
| 9545 | Experimental comparison of PMD-induced system penalty models. <i>IEEE Photonics Technology Letters</i> , 2006, 18, 1149-1151.   | 1.3 | 11        |
| 9546 | P.078 REFERENCE VALUES IN WHITE EUROPEANS FOR THE ARTERIAL PULSE WAVE RECORDED BY MEANS OF THE SPHYGMOCOR DEVICE. <i>Artery Research</i> , 2006, 1, S45.  | 0.3 | 0         |
| 9549 | Optimizing Exercise Performance With a Continuously Paced Shuttle Walk Test for Patients With Chronic Obstructive Pulmonary Disease. <i>Archivos De Bronconeumologia</i> , 2006, 42, 338-343.   | 0.4 | 2         |
| 9551 | Validation of Sperm Counting Methods Using Limits of Agreement. <i>Journal of Andrology</i> , 2006, 28, 364-373.  | 2.0 | 38        |
| 9555 | Test-retest reproducibility of a food frequency questionnaire (FFQ) and estimated effects on disease risk in the Norwegian Women and Cancer Study (NOWAC). <i>Nutrition Journal</i> , 2006, 5, 4.   | 1.5 | 83        |
| 9556 | Comparison of the SF-6D and the EQ-5D in patients with coronary heart disease. <i>Health and Quality of Life Outcomes</i> , 2006, 4, 20.  | 1.0 | 102       |
| 9557 | Reproducibility and responsiveness of the Symptom Severity Scale and the hand and finger function subscale of the Dutch arthritis impact measurement scales (Dutch-AIMS2-HFF) in primary care patients with wrist or hand problems. <i>Health and Quality of Life Outcomes</i> , 2006, 4, 87.   | 1.0 | 19        |
| 9558 | The Multimedia Activity Recall for Children and Adolescents (MARCA): development and evaluation. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2006, 3, 10.  | 2.0 | 158       |
| 9559 | Comparative validation of the IPAQ and the 7-Day PAR among women diagnosed with breast cancer. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2006, 3, 7.   | 2.0 | 128       |
| 9560 | Affordable flow cytometry for enumeration of absolute CD4+ T-lymphocytes to identify subtype C HIV-1 infected adults requiring antiretroviral therapy (ART) and monitoring response to ART in a resource-limited setting. <i>Journal of Translational Medicine</i> , 2006, 4, 33.               | 1.8 | 34        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9561 | Validity of air-displacement plethysmography in the assessment of body composition changes in a 16-month weight loss program. <i>Nutrition and Metabolism</i> , 2006, 3, 32.   | 1.3 | 26        |
| 9562 | Equivalent glycemic load (EGL): a method for quantifying the glycemic responses elicited by low carbohydrate foods. <i>Nutrition and Metabolism</i> , 2006, 3, 33.   | 1.3 | 20        |
| 9563 | The three-dimensional easy morphological (3-DEMO) classification of scoliosis, part II: repeatability. <i>Scoliosis</i> , 2006, 1, 23.   | 0.4 | 9         |
| 9564 | Dissociative anaesthesia during field and hospital conditions for castration of colts. <i>Acta Veterinaria Scandinavica</i> , 2006, 47, 1.   | 0.5 | 22        |
| 9565 | Renal and Neurologic Effects of Cadmium, Lead, Mercury, and Arsenic in Children: Evidence of Early Effects and Multiple Interactions at Environmental Exposure Levels. <i>Environmental Health Perspectives</i> , 2006, 114, 584-590.                        | 2.8 | 280       |
| 9566 | Reference Values in White Europeans for the Arterial Pulse Wave Recorded by Means of the SphygmoCor Device. <i>Hypertension Research</i> , 2006, 29, 475-483.  | 1.5 | 65        |
| 9567 | Comparison of measurements obtained by use of an electrogoniometer and a universal plastic goniometer for the assessment of joint motion in dogs. <i>American Journal of Veterinary Research</i> , 2006, 67, 1974-1979.                                      | 0.3 | 50        |
| 9568 | Detection of Approximal Caries with a New Laser Fluorescence Device. <i>Caries Research</i> , 2006, 40, 97-103.  | 0.9 | 114       |
| 9569 | Patients With Hibernating Myocardium Show Altered Left Ventricular Volumes and Shape, Which Revert After Revascularization. <i>Journal of the American College of Cardiology</i> , 2006, 47, 969-977.  | 1.2 | 116       |
| 9570 | Noninvasive Myocardial Strain Measurement by Speckle Tracking Echocardiography. <i>Journal of the American College of Cardiology</i> , 2006, 47, 789-793.  | 1.2 | 1,117     |
| 9571 | Reproducibility of Chronic and Acute Infarct Size Measurement by Delayed Enhancement-Magnetic Resonance Imaging. <i>Journal of the American College of Cardiology</i> , 2006, 47, 1641-1645.   | 1.2 | 573       |
| 9572 | Delayed Calf Muscle Phosphocreatine Recovery After Exercise Identifies Peripheral Arterial Disease. <i>Journal of the American College of Cardiology</i> , 2006, 47, 2289-2295.  | 1.2 | 68        |
| 9573 | Assessment of Left Ventricular Dyssynchrony in Patients With Conduction Delay and Idiopathic Dilated Cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2006, 47, 2042-2048.   | 1.2 | 128       |
| 9574 | Detection of Transplant Coronary Artery Disease Using Multidetector Computed Tomography With Adaptative Multisegment Reconstruction. <i>Journal of the American College of Cardiology</i> , 2006, 48, 772-778.   | 1.2 | 68        |
| 9575 | Evaluation of Global and Regional Left Ventricular Function With 16-Slice Computed Tomography, Biplane Cineventriculography, and Two-Dimensional Transthoracic Echocardiography. <i>Journal of the American College of Cardiology</i> , 2006, 48, 2034-2044. | 1.2 | 136       |
| 9576 | Effects of a leukotriene receptor antagonist on exhaled leukotriene E4 and prostanoids in children with asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 118, 347-353.  | 1.5 | 94        |
| 9577 | Airway cytokine expression measured by means of protein array in exhaled breath condensate: Correlation with physiologic properties in asthmatic patients. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 118, 84-90.                             | 1.5 | 107       |
| 9578 | Influence of digital clubbing on oxygen saturation measurements by pulse-oximetry in cystic fibrosis patients. <i>Journal of Cystic Fibrosis</i> , 2006, 5, 125-128.   | 0.3 | 17        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9579 | A Magnetization Transfer Imaging Study in Patients with Temporal Lobe Epilepsy and Interictal Psychosis. <i>Biological Psychiatry</i> , 2006, 59, 560-567.   | 0.7 | 30        |
| 9580 | Three-dimensional recording of the human face with a 3D laser scanner. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2006, 59, 1193-1202.  | 0.5 | 89        |
| 9581 | The Effect of Xanthine Oxidase Inhibition Upon Ejection Fraction in Heart Failure Patients: La Plata Study. <i>Journal of Cardiac Failure</i> , 2006, 12, 491-498.   | 0.7 | 102       |
| 9582 | Normal anatomy of the developing fetal brain. Ex vivo anatomical magnetic resonance imaging correlation. <i>Journal of the Neurological Sciences</i> , 2006, 250, 20-26.   | 0.3 | 32        |
| 9583 | MMP-2 and MMP-9 levels in peripheral blood after subarachnoid hemorrhage. <i>Journal of the Neurological Sciences</i> , 2006, 251, 82-86.  | 0.3 | 50        |
| 9584 | Cockcroft-Gault formula is biased by body weight in diabetic patients with renal impairment. <i>Metabolism: Clinical and Experimental</i> , 2006, 55, 108-112.   | 1.5 | 69        |
| 9585 | Body surface area in normal-weight, overweight, and obese adults. A comparison study. <i>Metabolism: Clinical and Experimental</i> , 2006, 55, 515-524.  | 1.5 | 358       |
| 9586 | Evaluation of insulin sensitivity and glucose effectiveness during a standardized breakfast test: comparison with the minimal model analysis of an intravenous glucose tolerance test. <i>Metabolism: Clinical and Experimental</i> , 2006, 55, 676-690. | 1.5 | 37        |
| 9587 | Mercapturic acids of styrene in man: Comparability of the results obtained by LC/MS/MS and by HPLC-fluorimeter, and stability of samples under different storage conditions. <i>Toxicology Letters</i> , 2006, 162, 225-233.                             | 0.4 | 8         |
| 9588 | Effect of heterophoria measurement technique on the clinical accommodative convergence to accommodation ratio. <i>Optometry - Journal of the American Optometric Association</i> , 2006, 77, 229-234.  | 0.6 | 16        |
| 9589 | Peripheral arterial blood pressure monitoring adequately tracks central arterial blood pressure in critically ill patients: an observational study. <i>Critical Care</i> , 2006, 10, R43.  | 2.5 | 78        |
| 9590 | Arterial blood pressure monitoring in overweight critically ill patients: invasive or noninvasive?. <i>Critical Care</i> , 2006, 10, R64.  | 2.5 | 91        |
| 9591 | Measurement of alveolar derecruitment in patients with acute lung injury: computerized tomography versus pressure-volume curve. <i>Critical Care</i> , 2006, 10, R95.  | 2.5 | 57        |
| 9592 | Accuracy and feasibility of point-of-care and continuous blood glucose analysis in critically ill ICU patients. <i>Critical Care</i> , 2006, 10, R135.   | 2.5 | 144       |
| 9593 | Comparison of uncalibrated arterial waveform analysis in cardiac surgery patients with thermodilution cardiac output measurements. <i>Critical Care</i> , 2006, 10, R164.  | 2.5 | 110       |
| 9594 | Prediction of fluid responsiveness using respiratory variations in left ventricular stroke area by tranoesophageal echocardiographic automated border detection in mechanically ventilated patients. <i>Critical Care</i> , 2006, 10, R171.              | 2.5 | 42        |
| 9595 | Predicting Activity Energy Expenditure Using the Actical <sup>®</sup> Activity Monitor. <i>Research Quarterly for Exercise and Sport</i> , 2006, 77, 64-80.  | 0.8 | 279       |
| 9596 | Comparison of ICare Tonometer with Goldmann Applanation Tonometer in Glaucoma Patients. <i>Journal of Glaucoma</i> , 2006, 15, 213-217.  | 0.8 | 163       |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9597 | A Novel Thyroid Phantom for Ultrasound Volumetry: Determination of Intraobserver and Interobserver Variability. <i>Thyroid</i> , 2006, 16, 41-46.   | 2.4 | 21        |
| 9598 | Adaptation of Underwater Video for Near-Substratum Current Measurement. <i>Biological Bulletin</i> , 2006, 211, 101-105.  | 0.7 | 7         |
| 9599 | Cross Calibration of DXA as Part of an Equipment Replacement Program. <i>Journal of Clinical Densitometry</i> , 2006, 9, 287-294.   | 0.5 | 20        |
| 9600 | Repeatability of a computerized muscle tonometer and the effect of tissue thickness on the estimation of muscle tone. <i>Physiological Measurement</i> , 2006, 27, 787-796.   | 1.2 | 23        |
| 9601 | Intraobserver and interobserver repeatability of ocular biometric measurements obtained by means of B-mode ultrasonography in dogs. <i>American Journal of Veterinary Research</i> , 2006, 67, 1743-1749.   | 0.3 | 23        |
| 9602 | Malaria Mapping Using Transmission Models: Application to Survey Data from Mali. <i>American Journal of Epidemiology</i> , 2006, 163, 289-297.  | 1.6 | 84        |
| 9603 | The newly developed three-dimensional (3D) and two-dimensional (2D) thyroid ultrasound are strongly correlated, but 2D overestimates thyroid volume in the presence of nodules. <i>Journal of Endocrinological Investigation</i> , 2006, 29, 423-426. | 1.8 | 31        |
| 9604 | A comparison of immunometric and radioimmunoassay measurement of ACTH for the differential diagnosis of Cushing's syndrome. <i>Journal of Endocrinological Investigation</i> , 2006, 29, 983-988.   | 1.8 | 31        |
| 9605 | Aortic Stenosis: Comparative Evaluation of 16-Row CT and Echocardiography. <i>Radiology</i> , 2006, 240, 47-55.   | 3.6 | 108       |
| 9606 | Progressive coronary calcification despite intensive lipid-lowering treatment: a randomised controlled trial. <i>Heart</i> , 2006, 92, 1207-1212.   | 1.2 | 161       |
| 9607 | How to use difference plots in quantitative method comparison studies. <i>Annals of Clinical Biochemistry</i> , 2006, 43, 124-129.  | 0.8 | 49        |
| 9608 | Measurement of the thickness of the fibrous cap by optical coherence tomography. <i>American Heart Journal</i> , 2006, 152, 755.e1-755.e4.  | 1.2 | 224       |
| 9609 | Echocardiographic insights into atrial and ventricular mechanisms of functional tricuspid regurgitation. <i>American Heart Journal</i> , 2006, 152, 1208-1214.  | 1.2 | 114       |
| 9610 | Comparison of Three Methods of Measuring Corneal Thickness and Anterior Chamber Depth. <i>American Journal of Ophthalmology</i> , 2006, 141, 7-12.e1.   | 1.7 | 209       |
| 9611 | Retinal Nerve Fiber Layer Thickness in Amblyopic Eyes. <i>American Journal of Ophthalmology</i> , 2006, 142, 247-251.e2.  | 1.7 | 77        |
| 9612 | Agreement of Rebound Tonometer in Measuring Intraocular Pressure With Three Types of Applanation Tonometers. <i>American Journal of Ophthalmology</i> , 2006, 142, 332-334.   | 1.7 | 135       |
| 9613 | Measurements of Optic Disk Size With HRT II, Stratus OCT, and Funduscopy Are Not Interchangeable. <i>American Journal of Ophthalmology</i> , 2006, 142, 375-380.  | 1.7 | 39        |
| 9614 | Comparison of Dynamic Contour Tonometry and Goldmann Applanation Tonometry in Glaucoma Patients and Healthy Subjects. <i>American Journal of Ophthalmology</i> , 2006, 142, 583-590.  | 1.7 | 69        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9615 | Increased Arterial Stiffness in Europeans and African Caribbeans With Type 2 Diabetes Cannot be Accounted for by Conventional Cardiovascular Risk Factors. <i>American Journal of Hypertension</i> , 2006, 19, 889-896.                | 1.0 | 34        |
| 9616 | Suppressed Anger Is Associated With Increased Carotid Arterial Stiffness in Older Adults. <i>American Journal of Hypertension</i> , 2006, 19, 1129-1134.   | 1.0 | 24        |
| 9617 | Evaluation of a New Carotid Intima-Media Thickness Measurement by B-Mode Ultrasonography Using an Innovative Measurement Software, Intimascope. <i>American Journal of Hypertension</i> , 2006, 19, 1206-1212.                         | 1.0 | 94        |
| 9618 | Estimation of Bias in Nongenetic Observational Studies Using "Mendelian Triangulation". <i>Annals of Epidemiology</i> , 2006, 16, 675-680.   | 0.9 | 44        |
| 9620 | Role of Creatinine Clearance as a Screening Test in Persons With Spinal Cord Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006, 87, 524-528.  | 0.5 | 24        |
| 9621 | Reliability and Agreement of 5 Ergo-Kit Functional Capacity Evaluation Lifting Tests in Subjects With Low Back Pain. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006, 87, 1365-1370.                                    | 0.5 | 32        |
| 9622 | Agreement Between the GAITRite Walkway System and a Stopwatch"Footfall Count Method for Measurement of Temporal and Spatial Gait Parameters. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006, 87, 1648-1652.            | 0.5 | 48        |
| 9623 | High correlation but inadequate point-to-point agreement, between conventional mechanical and electronic visual analogue scale for assessment of acute postoperative pain after general surgery. <i>Acute Pain</i> , 2006, 8, 175-180. | 0.1 | 3         |
| 9624 | Multi-detector row cardiac computed tomography accurately quantifies right and left ventricular size and function compared with cardiac magnetic resonance. <i>American Heart Journal</i> , 2006, 151, 736-744.                        | 1.2 | 216       |
| 9625 | Comparison of two enzyme immunometric assays to measure tumor necrosis factor-alpha in human serum. <i>Clinica Chimica Acta</i> , 2006, 364, 349-353.  | 0.5 | 7         |
| 9626 | Simultaneous determination of everolimus and cyclosporine concentrations by HPLC with ultraviolet detection. <i>Clinica Chimica Acta</i> , 2006, 364, 354-358.   | 0.5 | 35        |
| 9627 | An assay for separating and quantifying four bilirubin fractions in untreated human serum using isocratic high-performance liquid chromatography. <i>Clinica Chimica Acta</i> , 2006, 366, 146-155.                                    | 0.5 | 23        |
| 9628 | Urinary galactitol and galactonate quantified by isotope-dilution gas chromatography-mass spectrometry. <i>Clinica Chimica Acta</i> , 2006, 366, 216-224.  | 0.5 | 14        |
| 9629 | Agreement between laboratory results and on-site pathology testing using Bayer DCA2000+ and Cholestech LDX point-of-care methods in remote Australian Aboriginal communities. <i>Clinica Chimica Acta</i> , 2006, 367, 69-76.          | 0.5 | 56        |
| 9630 | Determination of adiponectin in serum using a latex particle-enhanced turbidimetric immunoassay with an automated analyzer. <i>Clinica Chimica Acta</i> , 2006, 371, 163-168.  | 0.5 | 75        |
| 9631 | Serum insulin-like growth factor-I measurement in the follow-up of treated acromegaly: Comparison of four immunoassays. <i>Clinica Chimica Acta</i> , 2006, 373, 176-179.  | 0.5 | 49        |
| 9632 | Comparison of two or more measurement techniques to a standard. <i>Contemporary Clinical Trials</i> , 2006, 27, 472-482.   | 0.8 | 6         |
| 9633 | Muscle activity onset in the lumbar multifidus muscle recorded simultaneously by ultrasound imaging and intramuscular electromyography. <i>Clinical Biomechanics</i> , 2006, 21, 905-913.  | 0.5 | 68        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9634 | Low-dose computed tomography: A solution for in vivo medical imaging and accurate patient-specific 3D bone modeling?. <i>Clinical Biomechanics</i> , 2006, 21, 992-998.   | 0.5 | 24        |
| 9635 | Cervical joint position sense: an intra- and inter-examiner reliability study. <i>Gait and Posture</i> , 2006, 23, 22-31.   | 0.6 | 63        |
| 9636 | A step in the right direction. <i>Gait and Posture</i> , 2006, 23, 131-132.   | 0.6 | 1         |
| 9637 | Response to Letter to the Editor: Reliability of the GAITRite® walkway system for the quantification of temporo-spatial parameters of gait in young and older people. <i>Gait and Posture</i> , 2006, 23, 524-525.  | 0.6 | 8         |
| 9638 | A 3D active shape model for the evaluation of the alignment of the spine during sleeping. <i>Gait and Posture</i> , 2006, 24, 54-61.  | 0.6 | 34        |
| 9639 | Reliability and validity of an activity monitor (IDEAA®) in a paediatric population. <i>Gait and Posture</i> , 2006, 24, S34-S35.   | 0.6 | 1         |
| 9640 | Assessing agreement of measurements and predictions in geomorphology. <i>Geomorphology</i> , 2006, 76, 332-346.   | 1.1 | 24        |
| 9641 | Validation of the Japanese version of the Quality of Life-Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA). <i>Growth Hormone and IGF Research</i> , 2006, 16, 340-347.  | 0.5 | 9         |
| 9642 | Time course and mechanisms of hemoconcentration in response to mental stress. <i>Biological Psychology</i> , 2006, 72, 318-324.   | 1.1 | 16        |
| 9643 | Botox induced muscle paralysis rapidly degrades bone. <i>Bone</i> , 2006, 38, 257-264.  | 1.4 | 170       |
| 9644 | The importance of spectrum bias on bone density monitoring in clinical practice. <i>Bone</i> , 2006, 39, 361-368.   | 1.4 | 52        |
| 9645 | Specimen-specific beam models for fast and accurate prediction of human trabecular bone mechanical properties. <i>Bone</i> , 2006, 39, 1182-1189.   | 1.4 | 71        |
| 9646 | Resting energy expenditure in severely burned children: Analysis of agreement between indirect calorimetry and prediction equations using the Bland-Altman method. <i>Burns</i> , 2006, 32, 335-342.  | 1.1 | 82        |
| 9647 | MRI accuracy in residual disease evaluation in breast cancer patients treated with neoadjuvant chemotherapy. <i>Clinical Radiology</i> , 2006, 61, 946-953.   | 0.5 | 90        |
| 9648 | Multi-slice computer tomography of left ventricular function with automated analysis software in comparison with conventional ventriculography. <i>European Journal of Radiology</i> , 2006, 59, 270-275.   | 1.2 | 11        |
| 9649 | Absolute assessment of aortic valve stenosis by planimetry using cardiovascular magnetic resonance imaging: Comparison with transoesophageal echocardiography, transthoracic echocardiography, and cardiac catheterisation. <i>European Journal of Radiology</i> , 2006, 59, 276-283. | 1.2 | 62        |
| 9650 | Thymic epithelial tumors: Comparison of CT and MR imaging findings of low-risk thymomas, high-risk thymomas, and thymic carcinomas. <i>European Journal of Radiology</i> , 2006, 60, 70-79.   | 1.2 | 188       |
| 9651 | Blood volume measurement: The comparison of pulse dye densitometry and Dill and Costill's methods. <i>Life Sciences</i> , 2006, 78, 1564-1569.  | 2.0 | 14        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9652 | A pilot study investigating the use of the Orthosense Posture Monitor during a real-world moving and handling task. <i>Journal of Bodywork and Movement Therapies</i> , 2006, 10, 220-226.  | 0.5 | 6         |
| 9653 | Peripheral venous pressure as a predictor of central venous pressure during orthotopic liver transplantation. <i>Journal of Clinical Anesthesia</i> , 2006, 18, 251-255.  | 0.7 | 38        |
| 9654 | Transcutaneous monitoring of partial pressure of carbon dioxide in the elderly patient: a prospective, clinical comparison with end-tidal monitoring. <i>Journal of Clinical Anesthesia</i> , 2006, 18, 436-440.                                | 0.7 | 36        |
| 9655 | Proxy respondents reliably assessed the quality of life of elective cardiac surgery patients. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 153-159.  | 2.4 | 25        |
| 9656 | When to use agreement versus reliability measures. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 1033-1039.   | 2.4 | 1,356     |
| 9657 | Clinimetric review of motion sensors in children and adolescents. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 670-680.  | 2.4 | 203       |
| 9658 | Comparative higher-order aberration measurement of the LADARWave and Visx WaveScan aberrometers at varying pupil sizes and after pharmacologic dilation and cycloplegia. <i>Journal of Cataract and Refractive Surgery</i> , 2006, 32, 203-214. | 0.7 | 23        |
| 9659 | Pupil measurement using the Colvard pupillometer and a standard pupil card with a cobalt blue filter penlight. <i>Journal of Cataract and Refractive Surgery</i> , 2006, 32, 255-260.   | 0.7 | 13        |
| 9660 | Influence of severity of nuclear cataract on optical biometry. <i>Journal of Cataract and Refractive Surgery</i> , 2006, 32, 1161-1165.   | 0.7 | 37        |
| 9661 | Burst-shot infrared digital photography to determine scotopic pupil diameter. <i>Journal of Cataract and Refractive Surgery</i> , 2006, 32, 2113-2117.  | 0.7 | 8         |
| 9662 | Anterior chamber angle measurement with optical coherence tomography: Intraobserver and interobserver variability. <i>Journal of Cataract and Refractive Surgery</i> , 2006, 32, 1803-1808.   | 0.7 | 90        |
| 9663 | Comparison of 2 multiple-measurement infrared pupillometers to determine scotopic pupil diameter. <i>Journal of Cataract and Refractive Surgery</i> , 2006, 32, 1926-1931.  | 0.7 | 17        |
| 9664 | Internal anterior chamber diameter using optical coherence tomography compared with white-to-white distances using automated measurements. <i>Journal of Cataract and Refractive Surgery</i> , 2006, 32, 1809-1813.                             | 0.7 | 77        |
| 9665 | Intraocular lens power in bilateral cataract surgery: Whether adjusting for error of predicted refraction in the first eye improves prediction in the second eye. <i>Journal of Cataract and Refractive Surgery</i> , 2006, 32, 2091-2097.      | 0.7 | 57        |
| 9666 | Performance of a new laser fluorescence device for the detection of occlusal caries in vitro. <i>Journal of Dentistry</i> , 2006, 34, 467-471.  | 1.7 | 127       |
| 9667 | Reproducibility of eight lower limb muscles activity level in the course of an incremental pedaling exercise. <i>Journal of Electromyography and Kinesiology</i> , 2006, 16, 158-166.   | 0.7 | 49        |
| 9668 | Intraexaminer Reliability of Identifying a Dysfunctional Segment in the Thoracic and Lumbar Spine. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2006, 29, 203-207.   | 0.4 | 23        |
| 9669 | Measuring temperature of NICU patients – A comparison of three devices. <i>Journal of Neonatal Nursing</i> , 2006, 12, 125-129.   | 0.3 | 11        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9670 | Multidisciplinary and multisetting team management programme in heart failure patients affects hospitalisation and costing. <i>International Journal of Cardiology</i> , 2006, 111, 377-385.   | 0.8 | 15        |
| 9671 | Biplane assessment of left ventricular function during atrial fibrillation at beats with equal subsequent cycles. <i>International Journal of Cardiology</i> , 2006, 113, 54-60.   | 0.8 | 11        |
| 9672 | Myocardial tissue Doppler and long axis function in the fetal heart. <i>International Journal of Cardiology</i> , 2006, 113, 39-47.  | 0.8 | 112       |
| 9673 | Arm and ankle blood pressure during caesarean section. <i>International Journal of Obstetric Anesthesia</i> , 2006, 15, 24-27.   | 0.2 | 13        |
| 9674 | Effect of blood pressure instrument and cuff side on blood pressure reading in pregnant women in the lateral recumbent position. <i>International Journal of Obstetric Anesthesia</i> , 2006, 15, 290-293.                               | 0.2 | 18        |
| 9675 | Validation of the thoracic impedance derived respiratory signal using multilevel analysis. <i>International Journal of Psychophysiology</i> , 2006, 59, 97-106.  | 0.5 | 73        |
| 9676 | Serum amyloid A (SAA) in induced sputum of asthmatics: A new look to an old marker. <i>International Immunopharmacology</i> , 2006, 6, 1569-1576.  | 1.7 | 34        |
| 9677 | Validity of <sup>13</sup> C octanoic acid breath test for measurement of solid meal gastric emptying time in children. <i>Journal of Pediatric Surgery</i> , 2006, 41, 2062-2065.  | 0.8 | 19        |
| 9678 | Does reaching the back reflect the actual internal rotation of the shoulder?. <i>Journal of Shoulder and Elbow Surgery</i> , 2006, 15, 306-310.  | 1.2 | 28        |
| 9679 | An Easy-to-Use Microwave Hyperthermia System Combined with Spatially Resolved MR Temperature Maps: Phantom and Animal Studies. <i>Journal of Surgical Research</i> , 2006, 135, 179-186.   | 0.8 | 25        |
| 9680 | Inhalation method determines outcome of capsaicin inhalation in patients with chronic cough due to sensory hyperreactivity. <i>Pulmonary Pharmacology and Therapeutics</i> , 2006, 19, 172-178.  | 1.1 | 40        |
| 9681 | Reproducibility of measurements of inspiratory work capacity in cystic fibrosis patients. <i>Respiratory Physiology and Neurobiology</i> , 2006, 150, 35-43.   | 0.7 | 12        |
| 9682 | Validation of a two-compartment model of ventilation/perfusion distribution. <i>Respiratory Physiology and Neurobiology</i> , 2006, 151, 74-92.  | 0.7 | 13        |
| 9683 | Measurement of exercise ventilation by a portable respiratory inductive plethysmograph. <i>Respiratory Physiology and Neurobiology</i> , 2006, 154, 389-395.   | 0.7 | 63        |
| 9684 | Variability of nitric oxide metabolites in exhaled breath condensate. <i>Respiratory Medicine</i> , 2006, 100, 123-129.  | 1.3 | 26        |
| 9685 | Capillary blood gases in acute exacerbations of COPD. <i>Respiratory Medicine</i> , 2006, 100, 682-686.  | 1.3 | 27        |
| 9686 | Exhaled breath condensate levels of 8-isoprostane, growth related oncogene $\hat{1}\pm$ and monocyte chemoattractant protein-1 in patients with chronic obstructive pulmonary disease. <i>Respiratory Medicine</i> , 2006, 100, 630-638. | 1.3 | 54        |
| 9687 | Acute exacerbation of interstitial pneumonia following surgical lung biopsy. <i>Respiratory Medicine</i> , 2006, 100, 1753-1759.   | 1.3 | 167       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9688 | Understanding the error of our ways: Mapping the concepts of validity and reliability. <i>Nursing Outlook</i> , 2006, 54, 23-29.   | 1.5 | 69        |
| 9689 | Patient-perceived satisfactory improvement (PPSI): Interpreting meaningful change in pain from the patient's perspective. <i>Pain</i> , 2006, 121, 151-157.  | 2.0 | 109       |
| 9690 | Contact heat-evoked temporal summation: Tonic versus repetitive-phasic stimulation. <i>Pain</i> , 2006, 122, 295-305.  | 2.0 | 160       |
| 9691 | Strategies used by people with Parkinson's disease who report difficulty turning. <i>Parkinsonism and Related Disorders</i> , 2006, 12, 87-92.   | 1.1 | 99        |
| 9692 | Comparison of transcript profiles between near-isogenic maize lines in association with SCMV resistance based on unigene-microarrays. <i>Plant Science</i> , 2006, 170, 159-169.   | 1.7 | 22        |
| 9693 | Measurement of participation in myotonic dystrophy: Reliability of the LIFE-H. <i>Neuromuscular Disorders</i> , 2006, 16, 262-268.   | 0.3 | 20        |
| 9694 | Comparison of Two Clinical Bleb Grading Systems. <i>Ophthalmology</i> , 2006, 113, 77-83.  | 2.5 | 94        |
| 9695 | Accuracy, Repeatability, and Clinical Application of Spherocylindrical Automated Refraction Using Time-Based Wavefront Aberrometry Measurements. <i>Ophthalmology</i> , 2006, 113, 570-577.e2.   | 2.5 | 30        |
| 9696 | Comparison of Central Corneal Thickness Measurements by Rotating Scheimpflug Camera, Ultrasonic Pachymetry, and Scanning-Slit Corneal Topography. <i>Ophthalmology</i> , 2006, 113, 937-941.   | 2.5 | 165       |
| 9697 | Anterior Chamber Depth Measurement before and after Photorefractive Keratectomy. <i>Ophthalmology</i> , 2006, 113, 962-969.  | 2.5 | 31        |
| 9698 | Repeatability and Reproducibility of Posterior Corneal Curvature Measurements by Combined Scanning-Slit and Placido-Disc Topography after LASIK. <i>Ophthalmology</i> , 2006, 113, 1918-1926.  | 2.5 | 48        |
| 9699 | Effect of Corneal Thickness on Dynamic Contour, Rebound, and Goldmann Tonometry. <i>Ophthalmology</i> , 2006, 113, 2156-2162.  | 2.5 | 147       |
| 9700 | Noninvasive Measurement of Ablation Crater Size and Thermal Injury after CO2 Laser in the Vocal Cord with Optical Coherence Tomography. <i>Otolaryngology - Head and Neck Surgery</i> , 2006, 134, 86-91.  | 1.1 | 28        |
| 9701 | Automated, fast and sensitive quantification of 17 $\beta$ -hydroxy-progesterone, androstenedione and testosterone by tandem mass spectrometry with on-line extraction. <i>Steroids</i> , 2006, 71, 450-458.   | 0.8 | 160       |
| 9702 | Evaluation of the automated coagulation analyzer Sysmex <sup>®</sup> CA-7000. <i>Thrombosis Research</i> , 2006, 117, 721-729.   | 0.8 | 22        |
| 9703 | Can general anaesthesia be used for the Paralytic Shellfish Poison bioassay?. <i>Toxicon</i> , 2006, 47, 336-347.  | 0.8 | 11        |
| 9705 | High-Performance Liquid Chromatography Versus Immunoassay for the Measurement of Sirolimus: Comparison of Two Methods. <i>Transplantation Proceedings</i> , 2006, 38, 78-80.   | 0.3 | 26        |
| 9706 | Therapeutic Monitoring of Tacrolimus Concentrations in Blood of Renal and Liver Transplant Recipients: Comparison of Microparticle Enzyme Immunoassay and Enzyme Multiplied Immunoassay Methods. <i>Transplantation Proceedings</i> , 2006, 38, 94-96. | 0.3 | 11        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9707 | Correlation of Peripheral Venous Pressure and Central Venous Pressure in Kidney Recipients. Transplantation Proceedings, 2006, 38, 440-442.   | 0.3 | 564       |
| 9708 | Use of a Blood Gas Analyzer to Measure Blood Hemoglobin During Liver Transplantation: A Study of 935 Paired Samples. Transplantation Proceedings, 2006, 38, 810-811.  | 0.3 | 7         |
| 9709 | Transorbital Sonographic Monitoring of Optic Nerve Diameter in Patients With Severe Brain Injury. Transplantation Proceedings, 2006, 38, 3700-3706.   | 0.3 | 54        |
| 9710 | Comparison of 20-minute pad test versus 1-hour pad test in women with stress urinary incontinence. Urology, 2006, 68, 764-768.  | 0.5 | 36        |
| 9711 | Measurement of pharyngeal cross-sectional area by finite element analysis. Journal of Applied Physiology, 2006, 100, 294-303.   | 1.2 | 14        |
| 9712 | Objective Accommodative Amplitude and Dynamics with the 1CU Accommodative Intraocular Lens. , 2006, 47, 1230.   |     | 38        |
| 9713 | The Letter Contrast Sensitivity Test: Clinical Evaluation of a New Design. , 2006, 47, 2739.  |     | 73        |
| 9714 | Estimating body composition in children with Duchenne muscular dystrophy: comparison of bioelectrical impedance analysis and skinfold-thickness measurement. American Journal of Clinical Nutrition, 2006, 83, 65-69.   | 2.2 | 48        |
| 9715 | Versão em português, adaptaçãoe transcultural e validaçãoe de questionário para avaliaçãoe da qualidade de vida para pacientes portadores de marcapasso: AQUAREL. Arquivos Brasileiros De Cardiologia, 2006, 87, 75.  | 0.3 | 8         |
| 9716 | Desenvolvimento de equaçãoe para estimativa da gordura corporal de mulheres idosas com osteoporose e osteopenia atravÃs da espessura de dobras cutÃneas tendo como referÃncia absorciometria por dupla emissãoe de raios X. Revista Brasileira De Medicina Do Esporte, 2006, 12, 366-370. | 0.1 | 7         |
| 9718 | Validity of the Community Periodontal Index of Treatment Needs' (CPITN) for population periodontitis screening. Cadernos De Saude Publica, 2006, 22, 277-283.   | 0.4 | 41        |
| 9719 | The Prediction of High Echogenicity of Intimal Area in Carotid Artery for the Plaque Burden of Culprit Lesion in Coronary Artery Disease. Korean Circulation Journal, 2006, 36, 458.  | 0.7 | 1         |
| 9720 | The Agreement between the Heidelberg Retina Tomograph and a Digital Nonmydriatic Retinal Camera in Assessing Area Cup-to-Disc Ratio. , 2006, 47, 93.  |     | 16        |
| 9721 | Adaptaçãoe transcultural para o português do Social Phobia Inventory (SPIN) para utilizaçãoe entre estudantes adolescentes. Revista De Psiquiatria Do Rio Grande Do Sul, 2006, 28, 40-48.   | 0.3 | 10        |
| 9722 | Applicability of segmental bioelectrical impedance analysis for predicting trunk skeletal muscle volume. Journal of Applied Physiology, 2006, 100, 572-578.   | 1.2 | 32        |
| 9723 | Estudo da confiabilidade da forÃsa aplicada durante a mobilizaçãoe articular Ãntero-posterior do tornozelo. Brazilian Journal of Physical Therapy, 2006, 10, 199-204.   | 1.1 | 7         |
| 9724 | A Debriefing Session with a Nutritionist Can Improve Dietary Assessment Using Food Diaries. Journal of Nutrition, 2006, 136, 440-445.   | 1.3 | 21        |
| 9725 | Reliability of Urinary 6-sulfatoxymelatonin as a Biomarker in Breast Cancer. International Journal of Biological Markers, 2006, 21, 242-245.  | 0.7 | 3         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9726 | Can Simple Anthropometric and Physical Performance Tests Track Training-Induced Changes in Load-Carriage Ability?. <i>Military Medicine</i> , 2006, 171, 742-748.                                     | 0.4 | 18        |
| 9730 | A Comparison of Patient Self-administered and Investigator-administered Measurement of Quality of Recovery Using the QoR-40. <i>Anaesthesia and Intensive Care</i> , 2006, 34, 634-638.               | 0.2 | 27        |
| 9731 | Side-selective, unobtrusive monitoring of nasal airflow and conductance. <i>Journal of Applied Physiology</i> , 2006, 101, 1760-1765.   | 1.2 | 19        |
| 9732 | Two-component models are of limited value for the assessment of body composition in patients with cirrhosis. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 1151-1162.                     | 2.2 | 43        |
| 9733 | New Percentage Body Fat Prediction Equations for Japanese Males. <i>Journal of Physiological Anthropology</i> , 2006, 25, 275-279.  | 1.0 | 6         |
| 9734 | Detection and quantification of mature circulating endothelial cells using flow cytometry and immunomagnetic beads: A methodological comparison. <i>Thrombosis and Haemostasis</i> , 2006, 96, 45-52. | 1.8 | 100       |
| 9735 | Corneal Thickness- and Age-Related Biomechanical Properties of the Cornea Measured with the Ocular Response Analyzer. , 2006, 47, 5337.   |     | 396       |
| 9736 | Total-body skeletal muscle mass: estimation by dual-energy X-ray absorptiometry in children and adolescents. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 1014-1020.                     | 2.2 | 122       |
| 9737 | Mild-to-Moderate Chronic Cholestatic Liver Disease Increases Leucine Oxidation in Children. <i>Journal of Nutrition</i> , 2006, 136, 965-970.   | 1.3 | 16        |
| 9738 | Branched-Chain Amino Acid Needs in Children with Mild-to-Moderate Chronic Cholestatic Liver Disease. , <i>Journal of Nutrition</i> , 2006, 136, 133-139.  | 1.3 | 43        |
| 9741 | Predictive Value of Fundus Autofluorescence for Development of Geographic Atrophy in Age-Related Macular Degeneration. , 2006, 47, 2655.  |     | 105       |
| 9742 | Clinical Reliability of the 6 Minute Corridor Walk Test Performed Within a Week of a Myocardial Infarction. <i>International Heart Journal</i> , 2006, 47, 533-540.                                   | 0.5 | 38        |
| 9743 | Portable Monitoring Systems. , 2006, 35, 47-50.   |     | 1         |
| 9744 | Review of Multilevel and Longitudinal Modeling Using Stata by Rabe-Hesketh and Skrondal. <i>The Stata Journal</i> , 2006, 6, 138-143.   | 0.9 | 1         |
| 9745 | Correcting for Guessing Increases Validity in Multiple-Choice Examinations in an Oral and Maxillofacial Pathology Course. <i>Journal of Dental Education</i> , 2006, 70, 378-386.                     | 0.7 | 23        |
| 9747 | Precision and Limitation of Measuring Two-dimensional Wear on Clinical Radiographs. <i>Clinical Orthopaedics and Related Research</i> , 2006, 449, 267-274.   | 0.7 | 32        |
| 9748 | Impedance Cardiography for Cardiac Output Estimation Reliability of Wrist-to-Ankle Electrode Configuration. <i>Circulation Journal</i> , 2006, 70, 1164-1168.   | 0.7 | 46        |
| 9749 | Utility of Second Derivative of the Finger Photoplethysmogram for the Estimation of the Risk of Coronary Heart Disease in the General Population. <i>Circulation Journal</i> , 2006, 70, 304-310.     | 0.7 | 78        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9750 | Effects of Dual-Chamber Pacing on Regional Myocardial Deformation in Patients With Hypertrophic Obstructive Cardiomyopathy. <i>Circulation Journal</i> , 2006, 70, 63-68.  | 0.7 | 10        |
| 9751 | Nuclear Hypertrophy Reflects Increased Biosynthetic Activities in Myocytes of Human Hypertrophic Hearts. <i>Circulation Journal</i> , 2006, 70, 710-718.   | 0.7 | 35        |
| 9752 | The Work Rate Corresponding to Ventilatory Threshold During Steady-State and Ramp Exercise. <i>International Journal of Sports Physiology and Performance</i> , 2006, 1, 222-232.  | 1.1 | 6         |
| 9753 | Criterion-Referenced Reliability and Equivalency Between the PACER and 1-Mile Run/Walk for High School Students. <i>Journal of Physical Activity and Health</i> , 2006, 3, S21-S33.  | 1.0 | 26        |
| 9754 | The Reliability and Convergent Validity of Field Tests of Body Composition in Young Adolescents. <i>Journal of Physical Activity and Health</i> , 2006, 3, S67-S77.  | 1.0 | 13        |
| 9755 | Chapter 23 Reference value determination. <i>Handbook of Clinical Neurophysiology</i> , 2006, 7, 511-525.  | 0.0 | 0         |
| 9756 | Comparison of Two Methods of Measuring Physical Activity in South African Older Adults. <i>Journal of Aging and Physical Activity</i> , 2006, 14, 98-114.  | 0.5 | 74        |
| 9757 | Reliability of Assessing Indices of Isokinetic Leg Strength in Pubertal Soccer Players. <i>Pediatric Exercise Science</i> , 2006, 18, 436-445.   | 0.5 | 23        |
| 9758 | Maximal Accumulated Oxygen Deficit in Patients with Chronic Heart Failure. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 424-432.   | 0.2 | 10        |
| 9759 | Differences in Initial Symptom Scores Between Myogenous TMD Patients with High and Low Temporomandibular Opening Index. <i>Cranio - Journal of Craniomandibular Practice</i> , 2006, 24, 25-28.                                      | 0.6 | 3         |
| 9760 | Equivalence of Autoadjusted and Constant Continuous Positive Airway Pressure in Home Treatment of Sleep Apnea. <i>Chest</i> , 2006, 129, 638-643.  | 0.4 | 54        |
| 9761 | Side-effects of L-dopa on venous tone in Parkinson's disease: a leg-weighting assessment. <i>Clinical Science</i> , 2006, 110, 369-377.  | 1.8 | 17        |
| 9762 | Alveolar recruitment during prone position: time matters. <i>Clinical Science</i> , 2006, 110, 655-663.  | 1.8 | 39        |
| 9763 | Preoperative weight loss with a very-low-energy diet: quantitation of changes in liver and abdominal fat by serial imaging <sup>1&amp;#x3</sup> . <i>American Journal of Clinical Nutrition</i> , 2006, 84, 304-311.                 | 2.2 | 150       |
| 9764 | Differences in finger length ratio between males with autism, pervasive developmental disorder <sup>2</sup> not otherwise specified, ADHD, and anxiety disorders. <i>Developmental Medicine and Child Neurology</i> , 2006, 48, 962. | 1.1 | 134       |
| 9765 | Impedance Cardiography Derived Cardiac Output in Hemodialysis Patients: A Study of Reproducibility and Comparison with Echocardiography. <i>International Journal of Artificial Organs</i> , 2006, 29, 564-572.                      | 0.7 | 7         |
| 9766 | Preoperative weight loss with a very-low-energy diet: quantitation of changes in liver and abdominal fat by serial imaging. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 304-311.                                       | 2.2 | 287       |
| 9767 | Total Body Protein Mass: Validation of Total Body Potassium Prediction Model in Children and Adolescents. <i>Journal of Nutrition</i> , 2006, 136, 1032-1036.  | 1.3 | 3         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9768 | Evaluation of Lunar Prodigy dual-energy X-ray absorptiometry for assessing body composition in healthy persons and patients by comparison with the criterion 4-component model. <i>American Journal of Clinical Nutrition</i> , 2006, 83, 1047-1054.                   | 2.2 | 158       |
| 9769 | Transcutaneous Carbon Dioxide Monitoring and Capnography During Pediatric Polysomnography. <i>Sleep</i> , 2006, 29, 1601-1608.   | 0.6 | 48        |
| 9770 | The USDA Automated Multiple-Pass Method Accurately Estimates Group Total Energy and Nutrient Intake. <i>Journal of Nutrition</i> , 2006, 136, 2594-2599.   | 1.3 | 522       |
| 9771 | Reduced body protein in children with spastic quadriplegic cerebral palsy. <i>American Journal of Clinical Nutrition</i> , 2006, 83, 613-618.  | 2.2 | 35        |
| 9772 | The Effect of Challenge Method on Sensitivity and Reactivity to Adenosine 5â€²-Monophosphate in Subjects With Suspected Asthma. <i>Chest</i> , 2006, 130, 1448-1453.   | 0.4 | 13        |
| 9773 | Pulmonary Abnormalities on High-Resolution CT Demonstrate More Rapid Decline Than FEV 1 in Adults With Cystic Fibrosis. <i>Chest</i> , 2006, 130, 1424-1432.   | 0.4 | 78        |
| 9774 | Sub-syndromal and syndromal symptoms in the longitudinal course of bipolar disorder. <i>British Journal of Psychiatry</i> , 2006, 189, 118-123.  | 1.7 | 146       |
| 9775 | Ischemic and nephrotoxic acute renal failure are distinguished by their broad transcriptomic responses. <i>Physiological Genomics</i> , 2006, 25, 375-386.   | 1.0 | 73        |
| 9776 | Continuous cardiac output monitoring in humans by invasive and noninvasive peripheral blood pressure waveform analysis. <i>Journal of Applied Physiology</i> , 2006, 101, 598-608.   | 1.2 | 59        |
| 9779 | Concordance of Quality-of-Life Assessments Between Terminally Ill Cancer Patients and Their Primary Family Caregivers in Taiwan. <i>Cancer Nursing</i> , 2006, 29, 49-57.  | 0.7 | 33        |
| 9780 | Response to One-Legged Cycling in Patients With COPD. <i>Chest</i> , 2006, 129, 325-332.   | 0.4 | 56        |
| 9781 | Validity of Self-Reported Training Duration. <i>International Journal of Sports Science and Coaching</i> , 2006, 1, 353-359.   | 0.7 | 17        |
| 9782 | Myocardial stiffness and the timing difference between tissue Doppler imaging Ea and peak mitral valve opening can distinguish physiological hypertrophy in athletes from hypertrophic cardiomyopathy. <i>European Journal of Echocardiography</i> , 2006, 7, 423-429. | 2.3 | 13        |
| 9783 | Orbital Morphology in Exophthalmos and Exorbitism. <i>Plastic and Reconstructive Surgery</i> , 2006, 117, 542-550.   | 0.7 | 38        |
| 9784 | Thick Maximum Intensity Projections for the Assessment of Left Ventricular Function With 64-Slice Computed Tomography. <i>Investigative Radiology</i> , 2006, 41, 746-752.   | 3.5 | 1         |
| 9785 | Wireless Continuous Arterial Blood Pressure Monitoring During Surgery: A Pilot Study. <i>Anesthesia and Analgesia</i> , 2006, 102, 478-483.  | 1.1 | 11        |
| 9786 | A new simple tool for tonometric determination of the PCO <sub>2</sub> in the gastrointestinal tract. <i>European Journal of Anaesthesiology</i> , 2006, 23, 680-685.  | 0.7 | 13        |
| 9787 | Blood volume measurements using an integrated fiberoptic monitoring system in a porcine septic shock model. <i>Critical Care Medicine</i> , 2006, 34, 1483-1488.   | 0.4 | 5         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9788 | QT interval in patients with primary aldosteronism and low-renin essential hypertension. <i>Journal of Hypertension</i> , 2006, 24, 2459-2464.   | 0.3 | 25        |
| 9789 | The Accuracy of the Central Landmark Used for Central Venous Catheterization of the Internal Jugular Vein. <i>Anesthesia and Analgesia</i> , 2006, 102, 1327-1332.   | 1.1 | 27        |
| 9790 | Time and Sample Site Dependency of the Optimized CO-Rebreathing Method. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 1187-1193.  | 0.2 | 67        |
| 9791 | A Comparison of Methods for Measuring Spinal Motion in Female Patients With Adolescent Idiopathic Scoliosis. <i>Journal of Pediatric Orthopaedics</i> , 2006, 26, 758-763.   | 0.6 | 12        |
| 9792 | Validation of the A&D UA-705 device for self-measurement of blood pressure according to the British Hypertension Society protocol. <i>Blood Pressure Monitoring</i> , 2006, 11, 223-227.   | 0.4 | 4         |
| 9793 | Evaluation of the Influence of Probe Pressure on the B-mode Ultrasound Measurement of Arterial Diameter. , 2006, 2006, 3831-5.   |     | 3         |
| 9794 | Automatic Measurement of Vertebral Rotation in Idiopathic Scoliosis. <i>Spine</i> , 2006, 31, E80-E83.   | 1.0 | 28        |
| 9795 | Evaluation of a modified piezoresistive technique and a water-capsule technique for direct and continuous measurement of intra-abdominal pressure in a porcine model*. <i>Critical Care Medicine</i> , 2006, 34, 745-750.                                | 0.4 | 61        |
| 9796 | An Evaluation of Keratometry in 6-Year-Old Children. <i>Cornea</i> , 2006, 25, 383-387.  | 0.9 | 31        |
| 9797 | Ambulatory arterial stiffness index: determinants and outcome. <i>Blood Pressure Monitoring</i> , 2006, 11, 107-110.   | 0.4 | 31        |
| 9798 | Variability of the <sup>13</sup> C-Acetate Breath Test for Gastric Emptying of Liquids in Healthy Children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006, 42, 392-397.  | 0.9 | 24        |
| 9799 | Proliferation (MIB-1 Expression) in Oligodendrogliomas. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2006, 14, 109-114.  | 0.6 | 19        |
| 9800 | Differences in the relationship between BMI and percentage body fat between Japanese and Australian-Caucasian young men. <i>British Journal of Nutrition</i> , 2006, 95, 1002-1007.  | 1.2 | 68        |
| 9801 | Criterion-related validity of the last 7-day, short form of the International Physical Activity Questionnaire in Swedish adults. <i>Public Health Nutrition</i> , 2006, 9, 258-265.  | 1.1 | 355       |
| 9802 | Developmental dyspraxia is not limited to imitation in children with autism spectrum disorders. <i>Journal of the International Neuropsychological Society</i> , 2006, 12, 314-26.   | 1.2 | 253       |
| 9803 | Noninvasive, Automated and Continuous Cardiac Output Monitoring by Pulmonary Capnodynamics. <i>Anesthesiology</i> , 2006, 105, 72-80.  | 1.3 | 30        |
| 9804 | Agreement of Multislice CT Angiography and MR Angiography in Assessing the Degree of Carotid Artery Stenosis in Consideration of Different Methods of Postprocessing. <i>Journal of Computer Assisted Tomography</i> , 2006, 30, 433-442.                | 0.5 | 16        |
| 9805 | Comparison of gastric emptying scintigraphy based on the geometric mean of the gastric proportion of the abdominal radioactivity or on the geometric mean of the intragastric radioactivity. <i>Nuclear Medicine Communications</i> , 2006, 27, 431-437. | 0.5 | 8         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9806 | The Relationship Between FEV 1 and Peak Expiratory Flow in Patients With Airways Obstruction Is Poor. <i>Chest</i> , 2006, 130, 1454-1461.  | 0.4 | 48        |
| 9807 | Estimation of Mean Body Temperature from Mean Skin and Core Temperature. <i>Anesthesiology</i> , 2006, 105, 1117-1121.  | 1.3 | 67        |
| 9808 | Volumetric Analysis of Liver Metastases in Computed Tomography With the Fuzzy C-Means Algorithm. <i>Journal of Computer Assisted Tomography</i> , 2006, 30, 212-220.  | 0.5 | 17        |
| 9809 | Standardizing and Predicting Results From Cardiopulmonary Exercise Testing in Patients With Heart Failure. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2006, 26, 384-390.   | 0.5 | 0         |
| 9810 | Rapid online quantification of left ventricular volume from real-time three-dimensional echocardiographic data. <i>European Heart Journal</i> , 2006, 27, 460-468.  | 1.0 | 304       |
| 9811 | Are Infrared and Thermistor Thermometers Interchangeable for Measuring Localized Skin Temperature?. <i>Journal of Nursing Measurement</i> , 2006, 14, 19-30.  | 0.2 | 24        |
| 9812 | A Clinical Evaluation of Proview Pressure Phosphene Tonometry in Children. <i>Optometry and Vision Science</i> , 2006, 83, 817-822.   | 0.6 | 5         |
| 9813 | Validation of foot-to-foot bioelectrical impedance analysis with dual-energy X-ray absorptiometry in the assessment of body composition in young children: the EarlyBird cohort. <i>British Journal of Nutrition</i> , 2006, 96, 1163-1168. | 1.2 | 50        |
| 9814 | Validity and reproducibility of a semi-quantitative food-frequency questionnaire for estimating calcium intake in Belgian preschool children. <i>British Journal of Nutrition</i> , 2006, 95, 802-816.                                      | 1.2 | 57        |
| 9815 | Validity and reproducibility of two semi-quantitative alcohol frequency questionnaires for the Colombian population. <i>Public Health Nutrition</i> , 2006, 9, 763-770.   | 1.1 | 12        |
| 9816 | Influence of bread volume on glycaemic response and satiety. <i>British Journal of Nutrition</i> , 2006, 96, 877-882.   | 1.2 | 72        |
| 9817 | Development and cross-validation of prediction equations for estimating resting energy expenditure in severely obese Caucasian children and adolescents. <i>British Journal of Nutrition</i> , 2006, 96, 973-979.                           | 1.2 | 39        |
| 9818 | The Role of Notational Analysis in Soccer Coaching. <i>International Journal of Sports Science and Coaching</i> , 2006, 1, 185-198.   | 0.7 | 22        |
| 9820 | Inpatient Reproducibility of the BISxp <sup>®</sup> Monitor. <i>Anesthesiology</i> , 2006, 104, 242-248.  | 1.3 | 56        |
| 9821 | A New Method of 3-D Cephalometry Part I. <i>Journal of Craniofacial Surgery</i> , 2006, 17, 314-325.  | 0.3 | 168       |
| 9822 | Quantifying Positional Plagiocephaly. <i>Journal of Craniofacial Surgery</i> , 2006, 17, 413-419.   | 0.3 | 84        |
| 9823 | Measurement of sodium and potassium by a blood gas analyser in intensive care of liver transplantation - evaluation of accuracy of 228 samples. <i>European Journal of Anaesthesiology</i> , 2006, 23, 202.                                 | 0.7 | 0         |
| 9824 | In-vivo validation of spatially correct three-dimensional reconstruction of human coronary arteries by integrating intravascular ultrasound and biplane angiography. <i>Coronary Artery Disease</i> , 2006, 17, 533-543.                    | 0.3 | 34        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9825 | Quantitative Analysis for Computed Tomography Findings of Various Diffuse Lung Diseases Using Volume Histogram Analysis. <i>Journal of Computer Assisted Tomography</i> , 2006, 30, 244-249.  | 0.5 | 16        |
| 9826 | Pression artérielle. Régulation et Épidémiologie. Mesures et valeurs normales. <i>EMC - Cardiologie</i> , 2006, 1, 1-15.  | 0.0 | 0         |
| 9827 | An Evaluation of Transcutaneous Carbon Dioxide Partial Pressure Monitoring during Apnea Testing in Brain-dead Patients. <i>Anesthesiology</i> , 2006, 104, 701-707.   | 1.3 | 29        |
| 9828 | Calibrated vs. uncalibrated acceleromyography to assess neuromuscular recovery: a Bland-Altman-analysis. <i>European Journal of Anaesthesiology</i> , 2006, 23, 42-43.  | 0.7 | 0         |
| 9829 | Predictors of long-term outcome following percutaneous coronary intervention in patients with type 2 diabetes mellitus. <i>Coronary Artery Disease</i> , 2006, 17, 131-138.   | 0.3 | 5         |
| 9830 | Reliability of a Measure of Prediagnosis Physical Activity for Cancer Survivors. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 715-719.  | 0.2 | 10        |
| 9831 | Corneal Endothelium Evaluation With 2 Noncontact Specular Microscopes and Their Semiautomated Methods of Analysis. <i>Cornea</i> , 2006, 25, 501-506.   | 0.9 | 38        |
| 9832 | Intraocular Pressure Measurement-Comparison of Dynamic Contour Tonometry and Goldmann Applanation Tonometry. <i>Journal of Glaucoma</i> , 2006, 15, 2-6.  | 0.8 | 135       |
| 9833 | Efficacy of the Lancaster Red-Green Test for the Diagnosis of Superior Oblique Palsy. <i>Optometry and Vision Science</i> , 2006, 83, 830-835.  | 0.6 | 6         |
| 9834 | Cardiac output measurements in off-pump coronary surgery. <i>European Journal of Anaesthesiology</i> , 2006, 23, 848-854.   | 0.7 | 30        |
| 9835 | Predictive Validity of Three ActiGraph Energy Expenditure Equations for Children. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 380-387.   | 0.2 | 146       |
| 9836 | Accelerometry and Heart Rate as a Measure of Physical Fitness. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 1510-1514.  | 0.2 | 36        |
| 9837 | Power of breathing determined noninvasively with use of an artificial neural network in patients with respiratory failure*. <i>Critical Care Medicine</i> , 2006, 34, 1052-1059.  | 0.4 | 26        |
| 9838 | High prevalence of newly detected hypertension in hospitalized patients: the value of in-hospital 24-h blood pressure measurement. <i>Journal of Hypertension</i> , 2006, 24, 301-306.  | 0.3 | 24        |
| 9839 | Multicenter evaluation of a bilayer polymer blood collection tube for coagulation testing: effect on routine hemostasis test results and on plasma levels of coagulation activation markers. <i>Blood Coagulation and Fibrinolysis</i> , 2006, 17, 625-631. | 0.5 | 8         |
| 9840 | Reliability of a noninvasive device to measure systemic hemodynamics in hemodialysis patients. <i>Blood Pressure Monitoring</i> , 2006, 11, 33-36.  | 0.4 | 6         |
| 9841 | Validation of the Omron 637IT wrist blood pressure measuring device with a position sensor according to the International Protocol in the elderly. <i>Blood Pressure Monitoring</i> , 2006, 11, 97-102.   | 0.4 | 19        |
| 9842 | Accuracy of the New ICare Rebound Tonometer vs. Other Portable Tonometers in Healthy Eyes. <i>Optometry and Vision Science</i> , 2006, 83, 102-107.   | 0.6 | 96        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9843 | The Validity and Repeatability of the New Aniseikonia Test. <i>Optometry and Vision Science</i> , 2006, 83, 903-909.  | 0.6 | 11        |
| 9844 | Calculation of Energy Expenditure in Women Using the MET System. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 1520-1525.  | 0.2 | 7         |
| 9845 | The Validity and Reliability of Intestinal Temperature during Intermittent Running. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 1926-1931.   | 0.2 | 105       |
| 9846 | Evaluation of Lumbar Spine Motion With Dynamic X-ray—A Reliability Analysis. <i>Spine</i> , 2006, 31, 1258-1264.  | 1.0 | 32        |
| 9847 | A Reliable and Inexpensive EasyCD4 Assay for Monitoring HIV-Infected Individuals in Resource-Limited Settings. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2006, 43, 23-26.   | 0.9 | 118       |
| 9848 | Serum Cystatin C for the Prediction of Glomerular Filtration Rate With Regard to the Dose Adjustment of Amikacin, Gentamicin, Tobramycin, and Vancomycin. <i>Therapeutic Drug Monitoring</i> , 2006, 28, 326-331.   | 1.0 | 40        |
| 9849 | Estimates of Body Fat in Children by Hologic QDR-2000 and QDR-4500A Dual-Energy X-ray Absorptiometers Compared With Deuterium Dilution. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006, 42, 331-335.   | 0.9 | 19        |
| 9850 | Infrared tympanic thermometry in comparison with other temperature measurement techniques in febrile children. <i>Pediatric Critical Care Medicine</i> , 2006, 7, 48-55.  | 0.2 | 55        |
| 9851 | Agreement in Functional Assessment. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2006, 85, 747-755.  | 0.7 | 15        |
| 9852 | Multisegment and Halfscan Reconstruction of 16-Slice Computed Tomography for Assessment of Regional and Global Left Ventricular Myocardial Function. <i>Investigative Radiology</i> , 2006, 41, 400-409.  | 3.5 | 37        |
| 9853 | 3 T Contrast-Enhanced Magnetic Resonance Angiography for Evaluation of the Intracranial Arteries. <i>Investigative Radiology</i> , 2006, 41, 799-805.   | 3.5 | 62        |
| 9854 | Limited Sampling Models for Oral Midazolam: Midazolam Plasma Concentrations, Not the Ratio of 1-Hydroxymidazolam to Midazolam Plasma Concentrations, Accurately Predicts AUC as a Biomarker of CYP3A Activity. <i>Journal of Clinical Pharmacology</i> , 2006, 46, 229-234. | 1.0 | 37        |
| 9855 | Man Versus Machine: Is There an Optimal Method for QT Measurements in Thorough QT Studies?. <i>Journal of Clinical Pharmacology</i> , 2006, 46, 598-612.  | 1.0 | 65        |
| 9856 | Variations in Arterial Blood Pressure and Photoplethysmography During Mechanical Ventilation. <i>Anesthesia and Analgesia</i> , 2006, 103, 1182-1188.   | 1.1 | 78        |
| 9857 | Effects of ramipril on renal function during progressive overpacing-induced heart failure in dogs. <i>American Journal of Veterinary Research</i> , 2006, 67, 1236-1243.  | 0.3 | 3         |
| 9858 | The Assessment of Acetabular Index. <i>Journal of Pediatric Orthopaedics</i> , 2006, 26, 310-315.   | 0.6 | 20        |
| 9859 | Four methods of measuring tidal volume during high-frequency oscillatory ventilation. <i>Critical Care Medicine</i> , 2006, 34, 751-757.  | 0.4 | 30        |
| 9860 | Assessment of Stromal Keratocytes and Tear Film Inflammatory Mediators During Extended Wear of Contact Lenses. <i>Cornea</i> , 2006, 25, 1-10.  | 0.9 | 71        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9861 | Evaluation of a Low-Cost Method, the Guava EasyCD4 Assay, to Enumerate CD4-Positive Lymphocyte Counts in HIV-Infected Patients in the United States and Uganda. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2006, 41, 607-610. | 0.9 | 32        |
| 9862 | The Validity and Reliability of the Graphic Rating Scale and Verbal Rating Scale for Measuring Pain Across Cultures: A Study in Egyptian and Dutch Women With Rheumatoid Arthritis. <i>Clinical Journal of Pain</i> , 2006, 22, 827-830.          | 0.8 | 17        |
| 9863 | Psychometric Characteristics of the Spanish Version of the FAB Questionnaire. <i>Spine</i> , 2006, 31, 104-110.   | 1.0 | 105       |
| 9864 | Comparison of the Reintroduced MEIA <sup>®</sup> Assay With HPLC-MS/MS for the Determination of Whole-Blood Sirolimus From Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2006, 28, 164-168.   | 1.0 | 33        |
| 9865 | Manometric Calibration and Comparison of TonoLab and TonoPen Tonometers in Rats With Experimental Glaucoma and in Normal Mice. <i>Journal of Glaucoma</i> , 2006, 15, 512-519.  | 0.8 | 64        |
| 9866 | Validation of the Omron 705IT (HEM-759-E) oscillometric blood pressure monitoring device according to the British Hypertension Society protocol. <i>Blood Pressure Monitoring</i> , 2006, 11, 27-32.  | 0.4 | 171       |
| 9867 | Reproducibility of technetium-99m mercaptoacetyl triglycine clearance in patients with impaired renal function. <i>Nuclear Medicine Communications</i> , 2006, 27, 191-196.   | 0.5 | 3         |
| 9868 | Measuring Contrast Sensitivity Under Different Lighting Conditions: Comparison of Three Tests. <i>Optometry and Vision Science</i> , 2006, 83, 290-298.   | 0.6 | 106       |
| 9869 | Comparing different methods of cardiac output determination. <i>European Journal of Anaesthesiology</i> , 2006, 23, 710.  | 0.7 | 13        |
| 9870 | Pharmacokinetic-Pharmacodynamic Modeling the Hypnotic Effect of Sevoflurane Using the Spectral Entropy of the Electroencephalogram. <i>Anesthesia and Analgesia</i> , 2006, 102, 91-97.   | 1.1 | 67        |
| 9871 | Transcutaneous Blood Gas CO <sub>2</sub> Monitoring of Induced Ventilatory Depression in Mice. <i>Anesthesia and Analgesia</i> , 2006, 103, 620-625.  | 1.1 | 15        |
| 9872 | Concurrent Validation of the Bouchard Diary with an Accelerometry-Based Monitor. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 373-379.  | 0.2 | 39        |
| 9873 | Use of Facemask and Mouthpiece to Assess Constant-Workrate Exercise Capacity in COPD. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 223-230.   | 0.2 | 5         |
| 9874 | Validity of the Polar S810 Heart Rate Monitor to Measure R-R Intervals at Rest. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 887-893.   | 0.2 | 371       |
| 9875 | Femoral and Axillary Ultrasound Blood Flow during Exercise. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 1353-1361.   | 0.2 | 18        |
| 9876 | Hypercapnic acidosis and mortality in acute lung injury*. <i>Critical Care Medicine</i> , 2006, 34, 1-7.  | 0.4 | 270       |
| 9877 | Measurement Error of Lumbar Total Disc Replacement Range of Motion. <i>Spine</i> , 2006, 31, E291-E297.   | 1.0 | 55        |
| 9878 | Endocan, a new endothelial marker in human sepsis*. <i>Critical Care Medicine</i> , 2006, 34, 532-537.  | 0.4 | 236       |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9879 | CEDIAA® Mycophenolic Acid Assay Compared With HPLC-UV in Specimens From Transplant Recipients. Therapeutic Drug Monitoring, 2006, 28, 632-636.   | 1.0 | 25        |
| 9880 | Validation of an Abbreviated Pharmacokinetic Profile for the Estimation of Mycophenolic Acid Exposure in Pediatric Renal Transplant Recipients*. Therapeutic Drug Monitoring, 2006, 28, 623-631.   | 1.0 | 49        |
| 9881 | Comparison of agreement between clinic and home-measured blood pressure in the Finnish population: the Finn-HOME Study. Journal of Hypertension, 2006, 24, 1549-1555.  | 0.3 | 47        |
| 9882 | Inappropriate left ventricular mass: reliability and limitations of echocardiographic measurement for risk stratification and follow-up in single patients. Journal of Hypertension, 2006, 24, 2293-2298.                                | 0.3 | 23        |
| 9883 | Agreement in Assessing Cup-to-Disc Ratio Measurement Among Stereoscopic Optic Nerve Head Photographs, HRT II, and Stratus OCT. Journal of Glaucoma, 2006, 15, 183-189.   | 0.8 | 35        |
| 9884 | High glucose contributes to aspirin insensitivity in streptozotocin-diabetic rats: a multiparametric aggregation study. Blood Coagulation and Fibrinolysis, 2006, 17, 113-124.   | 0.5 | 23        |
| 9885 | Reproducibility of postural changes of blood pressure in hypertensive elderly patients in primary care. Blood Pressure Monitoring, 2006, 11, 17-20.  | 0.4 | 13        |
| 9886 | Can a simulator that regenerates physiological waveforms evaluate oscillometric non-invasive blood pressure devices?. Blood Pressure Monitoring, 2006, 11, 63-67.  | 0.4 | 24        |
| 9887 | Validation of the Omron 637IT wrist blood pressure measuring device with a position sensor according to the International Protocol in adults and obese adults. Blood Pressure Monitoring, 2006, 11, 79-85.                               | 0.4 | 35        |
| 9888 | Clinical evaluation of the Braun BP 3000 Easy Click according to the ANSI/AAMI SP 10:2002. Blood Pressure Monitoring, 2006, 11, 91-95.   | 0.4 | 0         |
| 9889 | Office blood pressure measurements overestimate blood pressure control in renal transplant patients. Blood Pressure Monitoring, 2006, 11, 125-133.   | 0.4 | 34        |
| 9890 | Validation of three oscillometric blood pressure devices against auscultatory mercury sphygmomanometer in children. Blood Pressure Monitoring, 2006, 11, 281-291.  | 0.4 | 161       |
| 9891 | Validation of the A&D wrist-cuff UB-511 (UB-512) device for self-measurement of blood pressure. Blood Pressure Monitoring, 2006, 11, 349-354.  | 0.4 | 7         |
| 9892 | Validation of the DINAMAP ProCare blood pressure device according to the international protocol in an adult population. Blood Pressure Monitoring, 2006, 11, 293-296.  | 0.4 | 65        |
| 9893 | Evaluation of left ventricular ejection fraction by the quantitative algorithms QGS, ECTb, LMC and LVGTF using gated myocardial perfusion SPECT: investigation of relative accuracy. Nuclear Medicine Communications, 2006, 27, 321-332. | 0.5 | 14        |
| 9894 | Anterior Segment Measurements Using Digital Photography: A Simple Technique. Optometry and Vision Science, 2006, 83, 391-395.  | 0.6 | 10        |
| 9895 | Is the Cardiff Acuity Test Effective in Detecting Refractive Errors in Children?. Optometry and Vision Science, 2006, 83, E577-E582.   | 0.6 | 13        |
| 9896 | Quantification of Refractive Error: Comparison of Autorefractor and Focometer. Optometry and Vision Science, 2006, 83, 582-588.  | 0.6 | 8         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9897 | Blood Flow Changes in Hepatocellular Carcinoma After the Administration of Thalidomide Assessed by Reperfusion Kinetics During Microbubble Infusion. <i>Investigative Radiology</i> , 2006, 41, 15-21.  | 3.5 | 41        |
| 9898 | Operator-Dependent Reproducibility of Size Measurements of Small Phantoms and Lung Nodules Examined With Low-Dose Thin-Section Computed Tomography. <i>Investigative Radiology</i> , 2006, 41, 831-839. | 3.5 | 11        |
| 9899 | Axillary and tympanic membrane temperature measurements are unreliable early after cardiopulmonary bypass. <i>European Journal of Anaesthesiology</i> , 2006, 23, 551-554.                              | 0.7 | 11        |
| 9900 | Modified nasal cannula for simultaneous oxygen delivery and end-tidal CO <sub>2</sub> monitoring during spontaneous breathing. <i>European Journal of Anaesthesiology</i> , 2006, 23, 257-260.          | 0.7 | 19        |
| 9901 | Comparison of the transcutaneous oxygen and carbon dioxide tension in different electrode locations during general anaesthesia. <i>European Journal of Anaesthesiology</i> , 2006, 23, 1049-1054.       | 0.7 | 27        |
| 9902 | Continuous cardiac output monitoring during haemodynamic changes in off-pump coronary artery bypass grafting surgery. <i>European Journal of Anaesthesiology</i> , 2006, 23, 890-892.                   | 0.7 | 0         |
| 9903 | Vasotrac?? Arterial Blood Pressure and Direct Arterial Blood Pressure Monitoring During Liver Transplantation. <i>Anesthesia and Analgesia</i> , 2006, 102, 690-693.                                    | 1.1 | 20        |
| 9904 | Modeling Sprint Cycling Using Field-Derived Parameters and Forward Integration. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 592-597.   | 0.2 | 82        |
| 9905 | Comparison of invasive and less-invasive techniques of cardiac output measurement under different haemodynamic conditions in a pig model. <i>European Journal of Anaesthesiology</i> , 2006, 23, 23-30. | 0.7 | 87        |
| 9906 | The Value of Anteroposterior Pelvic Radiographs for Evaluating Pelvic Osteolysis. <i>Clinical Orthopaedics and Related Research</i> , 2006, 453, 239-245.   | 0.7 | 48        |
| 9907 | Reliability and Validity of Data for 2 Newly Developed Shuttle Run Tests in Children With Cerebral Palsy. <i>Physical Therapy</i> , 2006, 86, 1107-1117.  | 1.1 | 103       |
| 9908 | Developing a Short Form of the Berg Balance Scale for People With Stroke. <i>Physical Therapy</i> , 2006, 86, 195-204.  | 1.1 | 149       |
| 9909 | Reliability and Validity of Arm Volume Measurements for Assessment of Lymphedema. <i>Physical Therapy</i> , 2006, 86, 205-214.  | 1.1 | 257       |
| 9910 | Clinimetric Properties of the Performance-Oriented Mobility Assessment. <i>Physical Therapy</i> , 2006, 86, 944-954.  | 1.1 | 216       |
| 9911 | Use of the i-STAT portable clinical analyzer in mice. <i>Lab Animal</i> , 2006, 35, 45-50.  | 0.2 | 24        |
| 9912 | Assessment of diet in young children with an emphasis on fruit and vegetable intake: using CADET â€œ Child and Diet Evaluation Tool. <i>Public Health Nutrition</i> , 2006, 9, 501-508.                 | 1.1 | 65        |
| 9913 | Validation of a food-frequency questionnaire for use in pregnancy. <i>Public Health Nutrition</i> , 2006, 9, 515-522.   | 1.1 | 66        |
| 9914 | Reliability and Validity of Trunk Assessment for People With Multiple Sclerosis. <i>Physical Therapy</i> , 2006, 86, 66-76.   | 1.1 | 55        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9916 | Comparison between semi-automated segmentation and manual point-counting methods for quantitative analysis of histological sections. <i>Journal of Oral Science</i> , 2006, 48, 139-143.                                  | 0.7 | 17        |
| 9917 | Would artificial neural networks implemented in clinical wards help nephrologists in predicting epoetin responsiveness?. <i>BMC Nephrology</i> , 2006, 7, 13.   | 0.8 | 20        |
| 9918 | "Echocardiography in Nigeria: use, problems, reproducibility and potentials". <i>Cardiovascular Ultrasound</i> , 2006, 4, 13.   | 0.5 | 24        |
| 9919 | The impact of carotid plaque presence and morphology on mortality outcome in cardiological patients. <i>Cardiovascular Ultrasound</i> , 2006, 4, 16.  | 0.5 | 27        |
| 9920 | Three-dimensional kinematic motion analysis of a daily activity drinking from a glass: a pilot study. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2006, 3, 18.  | 2.4 | 84        |
| 9921 | Reliability and psychometric properties of the Greek translation of the State-Trait Anxiety Inventory form Y: preliminary data. <i>Annals of General Psychiatry</i> , 2006, 5, 2.   | 1.2 | 179       |
| 9922 | Administering the MADRS by telephone or face-to-face: a validity study. <i>Annals of General Psychiatry</i> , 2006, 5, 3.   | 1.2 | 39        |
| 9923 | Mid-facial anthropometry in second-trimester fetuses with trisomy 21: a three-dimensional ultrasound study. <i>Prenatal Diagnosis</i> , 2006, 26, 158-162.  | 1.1 | 14        |
| 9924 | First-trimester examination of fetal nasal bone in the Chinese population. <i>Prenatal Diagnosis</i> , 2006, 26, 703-706.   | 1.1 | 18        |
| 9925 | Clinical and Technical Factors Affecting pH and Other Biomarkers in Exhaled Breath Condensate. <i>Pediatric Pulmonology</i> , 2006, 41, 87-94.  | 1.0 | 65        |
| 9926 | Six-minute walk test in children and adolescents with cystic fibrosis. <i>Pediatric Pulmonology</i> , 2006, 41, 618-622.  | 1.0 | 92        |
| 9927 | Impulse Oscillometry vs. Body Plethysmography in Assessing Respiratory Resistance in Children. <i>Pediatric Pulmonology</i> , 2006, 41, 50-54.  | 1.0 | 24        |
| 9928 | Lung Function Tests in Neonates and Infants with Chronic Lung Disease of Infancy: Functional Residual Capacity. <i>Pediatric Pulmonology</i> , 2006, 41, 1-22.  | 1.0 | 69        |
| 9929 | Applicability of interrupter resistance measurements for evaluation of exercise-induced bronchoconstriction in children. <i>Pediatric Pulmonology</i> , 2006, 41, 228-233.  | 1.0 | 8         |
| 9930 | Clinical scoring systems in cystic fibrosis. <i>Pediatric Pulmonology</i> , 2006, 41, 602-617.  | 1.0 | 35        |
| 9931 | Validation of a hand-held exhaled nitric oxide analyzer for use in children. <i>Pediatric Pulmonology</i> , 2006, 41, 1053-1057.  | 1.0 | 60        |
| 9932 | Comparison of carbon monoxide (CO) single breath pulmonary diffusing capacity with non-rebreathing, open-circuit CO pulmonary diffusing capacity in healthy children. <i>Pediatric Pulmonology</i> , 2006, 41, 1095-1102. | 1.0 | 5         |
| 9933 | Multiple breath washout with a sidestream ultrasonic flow sensor and mass spectrometry: A comparative study. <i>Pediatric Pulmonology</i> , 2006, 41, 1218-1225.  | 1.0 | 50        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 9934 | Molecular-microscopic characterization of 10 binary solvent mixtures based on solvatochromic reference solutes: a comparison of multiparametric empirical solvent scales. <i>Journal of Physical Organic Chemistry</i> , 2006, 19, 34-42. | 0.9 | 13        |
| 9935 | Rank information: A structure-independent measure of evolutionary trace quality that improves identification of protein functional sites. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006, 65, 111-123.                    | 1.5 | 17        |
| 9936 | Validity and reproducibility of a new diagnostic motor performance test in children with suspected myopathy. <i>Developmental Medicine and Child Neurology</i> , 2006, 48, 20.  | 1.1 | 10        |
| 9937 | Passive and dynamic rotation of the lower limbs in children with diplegic cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2006, 48, 176-180.  | 1.1 | 8         |
| 9938 | Bivariate line-fitting methods for allometry. <i>Biological Reviews</i> , 2006, 81, 259.  | 4.7 | 1,870     |
| 9939 | Ultrasound for Accurate Measurement of Invasive Breast Cancer Tumor Size. <i>Breast Journal</i> , 2006, 12, 252-256.  | 0.4 | 60        |
| 9940 | Improvement of heart function after balloon dilation of congenital valvar aortic stenosis: A pilot study with ultrasound tissue Doppler and strain rate imaging. <i>Ultrasound in Medicine and Biology</i> , 2006, 32, 1123-1128.         | 0.7 | 17        |
| 9941 | Magnetic resonance imaging in the quantitative assessment of gouty tophi. <i>International Journal of Clinical Practice</i> , 2006, 60, 408-414.  | 0.8 | 60        |
| 9942 | Creatinine-based formulae for the estimation of glomerular filtration rate in heart transplant recipients. <i>Clinical Transplantation</i> , 2006, 20, 596-603.   | 0.8 | 39        |
| 9943 | Continuous non-invasive end-tidal CO <sub>2</sub> monitoring in pediatric inpatients with diabetic ketoacidosis. <i>Pediatric Diabetes</i> , 2006, 7, 196-200.  | 1.2 | 34        |
| 9944 | Oscillometric brachial mean artery pressures are higher than intra-radial mean artery pressures in intensive care unit patients receiving norepinephrine. <i>Acta Anaesthesiologica Scandinavica</i> , 2006, 50, 718-721.                 | 0.7 | 33        |
| 9945 | Cardiac output ? pulse contour analysis vs. pulmonary artery thermodilution. <i>Acta Anaesthesiologica Scandinavica</i> , 2006, 50, 1044-1049.  | 0.7 | 40        |
| 9946 | Agreement between PiCCO pulse-contour analysis, pulmonal artery thermodilution and transthoracic thermodilution during off-pump coronary artery by-pass surgery. <i>Acta Anaesthesiologica Scandinavica</i> , 2006, 50, 1050-1057.        | 0.7 | 59        |
| 9947 | Continuous monitoring of central venous oxygen saturation in neonates and small infants: in vitro evaluation of two different oximetry catheters. <i>Paediatric Anaesthesia</i> , 2006, 16, 1257-1261.                                    | 0.6 | 14        |
| 9948 | A predictive tool for the self-management of diabetes (Librae): evaluation using a continuous glucose monitoring system. <i>Diabetic Medicine</i> , 2006, 23, 21-25.  | 1.2 | 7         |
| 9949 | Comparison of new generation motion-resistant pulse oximeters. <i>Journal of Paediatrics and Child Health</i> , 2006, 42, 359-365.  | 0.4 | 13        |
| 9950 | Lean body mass-adjusted Cockcroft and Gault formula improves the estimation of glomerular filtration rate in subjects with normal-range serum creatinine. <i>Nephrology</i> , 2006, 11, 250-256.  | 0.7 | 38        |
| 9951 | Can spot urine protein/creatinine ratio replace 24 h urine protein in usual clinical nephrology?. <i>Nephrology</i> , 2006, 11, 245-249.  | 0.7 | 66        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9952 | Stability of the EasyOne ultrasonic spirometer for use in general practice. <i>Respirology</i> , 2006, 11, 306-310.  | 1.3 | 60        |
| 9953 | Development and validation of the Human Activity Profile into Chinese language: Lessons in determining equivalence. <i>Australian Journal of Cancer Nursing</i> , 2006, 8, 36-43.  | 0.8 | 3         |
| 9954 | Repeatability and agreement of two A-scan ultrasonic biometers and IOLMaster in non-orthokeratology subjects and post-orthokeratology children. <i>Australasian journal of optometry</i> , The, 2006, 89, 160-168.                             | 0.6 | 28        |
| 9955 | Assessment of the accuracy and reliability of the Topcon CT80 non-contact tonometer. <i>Australasian journal of optometry</i> , The, 2006, 89, 310-314.  | 0.6 | 67        |
| 9956 | INDOCYANINE GREEN ELIMINATION: A COMPARISON OF THE LIMON AND SERIAL BLOOD SAMPLING METHODS. <i>ANZ Journal of Surgery</i> , 2006, 76, 75-77.   | 0.3 | 34        |
| 9957 | Mid-second trimester measurement of fetal nasal bone length in the Japanese population. <i>Journal of Obstetrics and Gynaecology Research</i> , 2006, 32, 403-407.   | 0.6 | 26        |
| 9958 | Accuracy of a third (Dolphin Voyager) versus first generation pulse oximeter (Nellcor N-180) in predicting arterial oxygen saturation and pulse rate in the anesthetized dog. <i>Veterinary Anaesthesia and Analgesia</i> , 2006, 33, 281-295. | 0.3 | 11        |
| 9959 | Multiple pressure-volume loops recorded with sinusoidal low flow in a porcine acute respiratory distress syndrome model. <i>Clinical Physiology and Functional Imaging</i> , 2006, 26, 113-119.  | 0.5 | 9         |
| 9960 | Test-retest reliability for two indices of ventilatory efficiency measured during cardiopulmonary exercise testing in healthy men and women. <i>Clinical Physiology and Functional Imaging</i> , 2006, 26, 191-196.                            | 0.5 | 14        |
| 9961 | Comparison of optical coherence tomography and fundus photography for measuring the optic disc size. <i>Ophthalmic and Physiological Optics</i> , 2006, 26, 13-18.   | 1.0 | 21        |
| 9962 | Validity and limitations of the Nidek NT-4000 non-contact tonometer: a clinical study. <i>Ophthalmic and Physiological Optics</i> , 2006, 26, 33-39.   | 1.0 | 28        |
| 9963 | Non-contact tonometry synchronized with cardiac rhythm and its relationship with blood pressure. <i>Ophthalmic and Physiological Optics</i> , 2006, 26, 384-391.   | 1.0 | 17        |
| 9964 | The Mallett Fixation Disparity Test: influence of test instructions and relationship with symptoms. <i>Ophthalmic and Physiological Optics</i> , 2006, 26, 507-522.  | 1.0 | 56        |
| 9965 | Comparison of logMAR ETDRS chart and a new computerised staircased procedure for assessment of the visual acuity of children. <i>Ophthalmic and Physiological Optics</i> , 2006, 26, 597-601.  | 1.0 | 12        |
| 9966 | The reactivity of paired plasma and serum samples are comparable in the anticardiolipin and anti-beta2-glycoprotein-1 ELISAs: a rebuttal. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 1434-1435.                                   | 1.9 | 6         |
| 9967 | The reactivity of paired plasma and serum samples are comparable in the anticardiolipin and anti-beta2-glycoprotein-1 ELISAs. Reply to a rebuttal. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 1435-1437.                          | 1.9 | 5         |
| 9968 | Validity of Transdermal Alcohol Monitoring: Fixed and Self-Regulated Dosing. <i>Alcoholism: Clinical and Experimental Research</i> , 2006, 30, 26-33.  | 1.4 | 97        |
| 9969 | Clinical evaluation of rebound tonometer. <i>Acta Ophthalmologica</i> , 2006, 84, 206-209.   | 0.4 | 94        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 9970 | Visual field testing with the new Humphrey Matrix: a comparison between the FDT N-30 and Matrix N-30-F tests. <i>Acta Ophthalmologica</i> , 2006, 84, 351-356.   | 0.4 | 7         |
| 9971 | Repeatability (test-retest variability) of refractive error measurement in clinical settings. <i>Acta Ophthalmologica</i> , 2006, 84, 532-536.   | 0.4 | 47        |
| 9972 | The relationships between risk factors and the distribution of retinopathy lesions in type 2 diabetes. <i>Acta Ophthalmologica</i> , 2006, 84, 619-623.  | 0.4 | 38        |
| 9973 | Comparison of two pupillometers in determining pupil size for refractive surgery. <i>Acta Ophthalmologica</i> , 2006, 85, 324-330.   | 0.4 | 30        |
| 9974 | Comparisons between Pascal dynamic contour tonometry, the TonoPen, and Goldmann applanation tonometry in patients with glaucoma. <i>Acta Ophthalmologica</i> , 2006, 85, 272-279.                          | 0.4 | 64        |
| 9975 | German short forms of the Oral Health Impact Profile. <i>Community Dentistry and Oral Epidemiology</i> , 2006, 34, 277-288.  | 0.9 | 191       |
| 9976 | Automated measurement of skin prick tests: an advance towards exact calculation of wheal size. <i>Experimental Dermatology</i> , 2006, 15, 119-124.  | 1.4 | 19        |
| 9977 | ACCURACY OF INCREASED THYROID ACTIVITY DURING PERTECHNETATE SCINTIGRAPHY BY SUBCUTANEOUS INJECTION FOR DIAGNOSING HYPERTHYROIDISM IN CATS. <i>Veterinary Radiology and Ultrasound</i> , 2006, 47, 206-211. | 0.4 | 13        |
| 9978 | EFFECT OF OBSERVER VARIABILITY ON GLOMERULAR FILTRATION RATE MEASUREMENT BY RENAL SCINTIGRAPHY IN DOGS. <i>Veterinary Radiology and Ultrasound</i> , 2006, 47, 212-221.                                    | 0.4 | 12        |
| 9979 | Neural network technology to predict intracellular water volume. <i>International Journal of Clinical Practice</i> , 2006, 60, 1231-1238.  | 0.8 | 1         |
| 9980 | NexTemp thermometer can be used interchangeably with tympanic or mercury thermometers for emergency department use. <i>EMA - Emergency Medicine Australasia</i> , 2006, 18, 245-251.                       | 0.5 | 10        |
| 9981 | Sources of Variability in the Detection of Cerebral Emboli with Transcranial Doppler During Cardiac Surgery. <i>Journal of Neuroimaging</i> , 2006, 16, 126-132.   | 1.0 | 18        |
| 9982 | Comparison of non-invasive measures of cholinergic and allergic airway responsiveness in rats. <i>Acta Physiologica</i> , 2006, 186, 301-308.  | 1.8 | 6         |
| 9983 | Use of reconstructed computed tomography for the assessment of joint spaces in the canine elbow. <i>Journal of Small Animal Practice</i> , 2006, 47, 66-74.  | 0.5 | 52        |
| 9984 | Analysis of canine and feline blood samples using the Kuadro in-house wet-reagent chemistry analyser. <i>Journal of Small Animal Practice</i> , 2006, 47, 190-195.   | 0.5 | 7         |
| 9985 | Reproducibility of volume measurements of vestibular schwannomas - a preliminary study. <i>Clinical Otolaryngology</i> , 2006, 31, 123-129.  | 0.0 | 31        |
| 9986 | Validation of a voice prosthesis questionnaire to assess valved speech and its related issues in patients following total laryngectomy. <i>Clinical Otolaryngology</i> , 2006, 31, 404-410.                | 0.0 | 21        |
| 9987 | Fibreoptic endoscopic evaluation of swallowing and videofluoroscopy: does examination type influence perception of pharyngeal residue severity?. <i>Clinical Otolaryngology</i> , 2006, 31, 425-432.       | 0.0 | 160       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 9988  | Total Body Dual X-ray Absorptiometry Is a Good Measure of Both Fat Mass and Fat-free Mass in Liver Cirrhosis Compared to $^{67}\text{Ga}$ -Gold Standard Techniques. <i>Annals of the New York Academy of Sciences</i> , 2000, 904, 55-62.    | 1.8 | 47        |
| 9989  | Assessment of Body Volume Using Three-Dimensional Photonic Scanning. <i>Annals of the New York Academy of Sciences</i> , 2000, 904, 247-254.  | 1.8 | 53        |
| 9990  | Epidemiological Applications of Body Composition: The Effects and Adjustment of Measurement Errors. <i>Annals of the New York Academy of Sciences</i> , 2000, 904, 312-316.   | 1.8 | 9         |
| 9991  | Total Body Potassium in Healthy Italians and Americans: A Cross-Calibration Study. <i>Annals of the New York Academy of Sciences</i> , 2000, 904, 366-368.  | 1.8 | 0         |
| 9992  | Body Composition Measurements during Infancy. <i>Annals of the New York Academy of Sciences</i> , 2000, 904, 383-392.   | 1.8 | 48        |
| 9993  | Automatic Ventricular Threshold Measurement in Children with Epicardial Pacing Leads. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2006, 29, 41-47.  | 0.5 | 1         |
| 9994  | A Pilot Study Examining the Performance of Polynomial-Modeled Ventricular Shock Electrograms for Rhythm Discrimination in Implantable Devices. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2006, 29, 930-939.                       | 0.5 | 7         |
| 9995  | Precision of QT Interval Measurement by Advanced Electrocardiographic Equipment. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2006, 29, 1277-1284.   | 0.5 | 73        |
| 9996  | The Reliability of Echocardiographic Left Ventricular Wall Motion Index to Identify High-Risk Patients for Multicenter Studies. <i>Echocardiography</i> , 2006, 23, 1-6.  | 0.3 | 7         |
| 9997  | Tissue Doppler Evaluation of Intraventricular Asynchrony in Isolated Left Bundle Branch Block. <i>Echocardiography</i> , 2006, 23, 120-126.   | 0.3 | 16        |
| 9998  | Assessment of the Tilting Properties of the Human Mitral Valve during Three Main Phases of the Heart Cycle: An Echocardiographic Study. <i>Echocardiography</i> , 2006, 23, 265-270.  | 0.3 | 0         |
| 9999  | Usefulness of Live/Real Time Three-Dimensional Transthoracic Echocardiography in the Characterization of Ventricular Septal Defects in Adults. <i>Echocardiography</i> , 2006, 23, 421-427.   | 0.3 | 28        |
| 10000 | Rapid and Accurate Measurement of Left Ventricular Function with a New Second-Harmonic Fast-Rotating Transducer and Semi-Automated Border Detection. <i>Echocardiography</i> , 2006, 23, 447-454.   | 0.3 | 13        |
| 10001 | Real Time Three-Dimensional Echocardiography in Assessing Ventricular Septal Defects: An Echocardiographic-Surgical Correlative Study. <i>Echocardiography</i> , 2006, 23, 562-568.   | 0.3 | 75        |
| 10002 | Quantitation of Right Ventricular Volumes and Ejection Fraction by Three-Dimensional Echocardiography in Patients: Comparison with Magnetic Resonance Imaging and Radionuclide Ventriculography. <i>Echocardiography</i> , 2006, 23, 666-680. | 0.3 | 118       |
| 10003 | Real Time Three-Dimensional Transthoracic Echocardiography for Guiding Amplatzer Septal Occluder Device Deployment in Patients with Atrial Septal Defect. <i>Echocardiography</i> , 2006, 23, 763-770.  | 0.3 | 48        |
| 10004 | Quantification of Right Ventricular Volumes and Function by Real Time Three-Dimensional Echocardiographic Longitudinal Axial Plane Method: Validation in the Clinical Setting. <i>Echocardiography</i> , 2006, 23, 853-859.                   | 0.3 | 22        |
| 10005 | Assessment of Agreement under Nonstandard Conditions Using Regression Models for Mean and Variance. <i>Biometrics</i> , 2006, 62, 288-296.  | 0.8 | 11        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10006 | A Segmental Polynomial Model of Ventricular Electrograms as a Simple and Efficient Morphology Discriminator for Implantable Devices. <i>Annals of Noninvasive Electrocardiology</i> , 2006, 11, 271-280.   | 0.5 | 3         |
| 10007 | Correlation Between Beat-to-Beat QT Interval Variability and Impaired Left Ventricular Function in Patients with Previous Myocardial Infarction. <i>Annals of Noninvasive Electrocardiology</i> , 2006, 11, 299-305.   | 0.5 | 21        |
| 10008 | A comparison of non-contact, subcutaneous, and rectal temperatures in captive owl monkeys ( <i>Aotus</i> ). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf</i>   | 0.5 | 20        |
| 10009 | The Hungarian version of the Oral Health Impact Profile. <i>European Journal of Oral Sciences</i> , 2006, 114, 197-203.  | 0.7 | 58        |
| 10010 | Assessment of the effect of endurance training on left ventricular relaxation with magnetic resonance imaging. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2006, 16, 321-328.  | 1.3 | 12        |
| 10011 | Reproducibility and relationship of single-joint strength vs multi-joint strength and power in aging individuals. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2006, 17, 061120070736031-???  | 1.3 | 52        |
| 10012 | Validation of a semiautomated method of minimal erythema dose testing for narrowband ultraviolet B phototherapy. <i>British Journal of Dermatology</i> , 2006, 155, 416-421.   | 1.4 | 21        |
| 10013 | Discrepancy between impedance and immunofluorescence platelet counting has implications for clinical decision making in patients with idiopathic thrombocytopenia purpura. <i>British Journal of Haematology</i> , 2006, 134, 320-322.   | 1.2 | 13        |
| 10014 | The diagnosis of Brazil nut allergy using history, skin prick tests, serum-specific immunoglobulin E and food challenges. <i>Clinical and Experimental Allergy</i> , 2006, 36, 226-232.  | 1.4 | 19        |
| 10015 | An amplified sandwich EIA for the measurement of soy aeroallergens. <i>Clinical and Experimental Allergy</i> , 2006, 36, 1176-1183.  | 1.4 | 17        |
| 10016 | Agreement of anti-neutrophil cytoplasmic antibody measurements obtained from serum and plasma. <i>Clinical and Experimental Immunology</i> , 2006, 146, 15-20.   | 1.1 | 17        |
| 10017 | The laboratory diagnosis of lupus anticoagulant in patients on oral anticoagulation. <i>International Journal of Laboratory Hematology</i> , 2006, 28, 105-110.  | 0.2 | 4         |
| 10018 | Point-of-care testing of neonatal coagulation. <i>International Journal of Laboratory Hematology</i> , 2006, 28, 117-121.  | 0.2 | 8         |
| 10019 | Exhaled markers of oxidative stress in idiopathic pulmonary fibrosis. <i>European Journal of Clinical Investigation</i> , 2006, 36, 362-367.   | 1.7 | 112       |
| 10020 | Commentary on Khorshid L, E?er ?, Zaybak A and Yapucu i;½ (2005) Comparing mercury-in-glass, tympanic and disposable thermometers in measuring body temperature in healthy young people. <i>Journal of Clinical Nursing</i> 14, 496?500. <i>Journal of Clinical Nursing</i> , 2006, 15, 1343-1345. | 1.4 | 2         |
| 10021 | Parent and child reports of fruit and vegetable intakes and related family environmental factors show low levels of agreement. <i>Journal of Human Nutrition and Dietetics</i> , 2006, 19, 275-285.  | 1.3 | 41        |
| 10022 | Validation and reproducibility of a semi-quantitative Food Frequency Questionnaire for use in elderly Swiss women. <i>Journal of Human Nutrition and Dietetics</i> , 2006, 19, 321-330.  | 1.3 | 35        |
| 10023 | The effectiveness and reliability of peer-marking in first-year medical students. <i>Medical Education</i> , 2006, 40, 965-972.  | 1.1 | 39        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10024 | Monitoring cardiac output using the femoral and radial arterial pressure waveform. <i>Anaesthesia</i> , 2006, 61, 743-746.  | 1.8 | 28        |
| 10025 | A randomised controlled trial of the effect of continuous electronic physiological monitoring on the adverse event rate in high risk medical and surgical patients. <i>Anaesthesia</i> , 2006, 61, 1031-1039.                     | 1.8 | 103       |
| 10026 | Comparative effects of ivabradine, a selective heart rate-lowering agent, and propranolol on systemic and cardiac haemodynamics at rest and during exercise. <i>British Journal of Clinical Pharmacology</i> , 2006, 61, 127-137. | 1.1 | 88        |
| 10027 | The effect of ketanserin on healing of fresh surgical wounds. <i>British Journal of Dermatology</i> , 1995, 132, 580-586.   | 1.4 | 15        |
| 10028 | Ambulatory 24-h oesophageal impedance?pH recordings: reliability of automatic analysis for gastro-oesophageal reflux assessment. <i>Neurogastroenterology and Motility</i> , 2006, 18, 978-986.                                   | 1.6 | 91        |
| 10029 | Measurements of gastric emptying of low- and high-nutrient liquids using 3D ultrasonography and scintigraphy in healthy subjects. <i>Neurogastroenterology and Motility</i> , 2006, 18, 1062-1068.                                | 1.6 | 81        |
| 10030 | Methodological aspects of 3D and automated 2D analyses of white matter neuronal density in temporal lobe epilepsy. <i>Neuropathology and Applied Neurobiology</i> , 2006, 32, 260-270.  | 1.8 | 9         |
| 10031 | The Exeter Family Study of Childhood Health (EFSOCH): study protocol and methodology. <i>Paediatric and Perinatal Epidemiology</i> , 2006, 20, 172-179.   | 0.8 | 65        |
| 10032 | Last menstrual period provides the best estimate of gestation length for women in rural Guatemala. <i>Paediatric and Perinatal Epidemiology</i> , 2006, 20, 290-298.  | 0.8 | 35        |
| 10033 | Comparative evaluation of freeze-dried and liquid antigens in the direct agglutination test for serodiagnosis of visceral leishmaniasis (ITMA-DAT/VL). <i>Tropical Medicine and International Health</i> , 2006, 11, 1777-1784.   | 1.0 | 42        |
| 10034 | A simple mounting model for consistent determination of the accuracy and repeatability of apex locators. <i>International Endodontic Journal</i> , 2006, 39, 108-112.   | 2.3 | 31        |
| 10035 | Protein biomarker discovery and validation: the long and uncertain path to clinical utility. <i>Nature Biotechnology</i> , 2006, 24, 971-983.   | 9.4 | 1,577     |
| 10036 | Two-dimensional Predictive Equation to Classify Visceral Obesity in Clinical Practice*. <i>Obesity</i> , 2006, 14, 1181-1191.   | 1.5 | 26        |
| 10037 | Fasting-based Estimates of Insulin Sensitivity in Overweight and Obesity: A Critical Appraisal. <i>Obesity</i> , 2006, 14, 1250-1256.   | 1.5 | 29        |
| 10038 | Racial Differences in Correlates of Misreporting of Energy Intake in Adolescent Females. <i>Obesity</i> , 2006, 14, 156-164.  | 1.5 | 24        |
| 10039 | MedGem Hand-Held Indirect Calorimeter Is Valid for Resting Energy Expenditure Measurement in Healthy Children*. <i>Obesity</i> , 2006, 14, 1755-1761.   | 1.5 | 20        |
| 10040 | Comparison of Three Bioelectrical Impedance Methods with DXA in Overweight and Obese Men. <i>Obesity</i> , 2006, 14, 2064-2070.   | 1.5 | 160       |
| 10041 | Evaluation of a Multisensor Armband in Estimating Energy Expenditure in Obese Individuals. <i>Obesity</i> , 2006, 14, 2217-2223.  | 1.5 | 96        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10042 | Smoking during Pregnancy and Offspring Fat and Lean Mass in Childhood. <i>Obesity</i> , 2006, 14, 2284-2293.   | 1.5 | 127       |
| 10043 | Validity of Hand-held Foot Measurement of Bioimpedance: Standing Compared with Lying Position. <i>Obesity</i> , 2006, 14, 252-257.   | 1.5 | 38        |
| 10044 | Comparison of Body Composition Methods in Obese African-American Women. <i>Obesity</i> , 2006, 14, 415-422.  | 1.5 | 23        |
| 10045 | Moderate-to-Vigorous Physical Activity among Children: Discrepancies in Accelerometry-Based Cut-off Points. <i>Obesity</i> , 2006, 14, 774-777.  | 1.5 | 108       |
| 10046 | Neoadjuvant chemotherapy in breast cancer: early response prediction with quantitative MR imaging and spectroscopy. <i>British Journal of Cancer</i> , 2006, 94, 427-435.  | 2.9 | 174       |
| 10047 | The evaluation of an electronic visual analogue scale system for appetite and mood. <i>European Journal of Clinical Nutrition</i> , 2006, 60, 558-560.   | 1.3 | 32        |
| 10048 | The impact of the addition of toppings/fillings on the glycaemic response to commonly consumed carbohydrate foods. <i>European Journal of Clinical Nutrition</i> , 2006, 60, 763-769.  | 1.3 | 69        |
| 10049 | Body fat measurement in adolescent athletes: multicompartiment molecular model comparison. <i>European Journal of Clinical Nutrition</i> , 2006, 60, 955-964.  | 1.3 | 53        |
| 10050 | Factorial estimation of daily energy expenditure using a simplified method was improved by adjustment for excess post-exercise oxygen consumption and thermic effect of food. <i>European Journal of Clinical Nutrition</i> , 2006, 60, 1337-1340. | 1.3 | 8         |
| 10051 | Comparison of resting energy expenditure in bronchopulmonary dysplasia to predicted equation. <i>European Journal of Clinical Nutrition</i> , 2006, 60, 1323-1329.   | 1.3 | 14        |
| 10052 | Lower eyelid tensometry in younger and older normal subjects. <i>Eye</i> , 2006, 20, 166-172.  | 1.1 | 9         |
| 10053 | Comparison of intraocular pressure measured by Pascal dynamic contour tonometry and Goldmann applanation tonometry. <i>Eye</i> , 2006, 20, 191-198.  | 1.1 | 74        |
| 10054 | Estimating the clinical usefulness of optic disc biometry for detecting glaucomatous change over time. <i>Eye</i> , 2006, 20, 755-763.   | 1.1 | 15        |
| 10055 | Statistical strategies to assess reliability in ophthalmology. <i>Eye</i> , 2006, 20, 749-754.   | 1.1 | 34        |
| 10056 | Morphometric assessment of normal, suspect and glaucomatous optic discs with Stratus OCT and HRT II. <i>Eye</i> , 2006, 20, 1288-1299.   | 1.1 | 42        |
| 10057 | Measurement of Cerebral Oxidative Metabolism with Near-Infrared Spectroscopy: A Validation Study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2006, 26, 722-730.  | 2.4 | 44        |
| 10058 | Byproducts of oxidative protein damage and antioxidant enzyme activities in plasma of patients with different degrees of essential hypertension. <i>Journal of Human Hypertension</i> , 2006, 20, 149-155.   | 1.0 | 92        |
| 10059 | Substantial intraindividual variability of BNP concentrations in patients with hypertension. <i>Journal of Human Hypertension</i> , 2006, 20, 387-391.   | 1.0 | 21        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10060 | Can aneroid sphygmomanometers be used at altitude?. <i>Journal of Human Hypertension</i> , 2006, 20, 517-522.  | 1.0 | 7         |
| 10061 | Evaluation of a point-of-care direct spectrophotometric method for measurement of total serum bilirubin in term and near-term neonates. <i>Journal of Perinatology</i> , 2006, 26, 100-105.  | 0.9 | 17        |
| 10062 | Global approach to cardiovascular risk in chronic kidney disease: Reality and opportunities for intervention. <i>Kidney International</i> , 2006, 69, 538-545.   | 2.6 | 112       |
| 10063 | Home blood pressure monitoring improves the diagnosis of hypertension in hemodialysis patients. <i>Kidney International</i> , 2006, 69, 900-906.   | 2.6 | 145       |
| 10064 | The relationship between albuminuria, MCP-1/CCL2, and interstitial macrophages in chronic kidney disease. <i>Kidney International</i> , 2006, 69, 1189-1197.   | 2.6 | 166       |
| 10065 | Glomerular filtration rate via plasma iohexol disappearance: Pilot study for chronic kidney disease in children. <i>Kidney International</i> , 2006, 69, 2070-2077.  | 2.6 | 215       |
| 10066 | Measurement properties of the short version of the Van Lieshout test for arm/hand function of persons with tetraplegia after spinal cord injury. <i>Spinal Cord</i> , 2006, 44, 763-771.   | 0.9 | 51        |
| 10067 | Predicting the Crohn's disease activity index from the harvey-bradshaw index. <i>Inflammatory Bowel Diseases</i> , 2006, 12, 304-310.  | 0.9 | 223       |
| 10068 | Differences in the quantitative and qualitative performance of a calcium-specific food frequency questionnaire across age and sex. <i>Journal of Human Nutrition and Dietetics</i> , 2006, 19, 331-342.  | 1.3 | 13        |
| 10069 | Effects of Right, Left, and Biventricular Pacing on Myocardial Perfusion in Ischemic Conditions. <i>Journal of Cardiovascular Electrophysiology</i> , 2006, 17, 1121-1128.   | 0.8 | 6         |
| 10070 | Does height modify the risk of angina associated with economic adversity?. <i>Economics and Human Biology</i> , 2006, 4, 398-411.  | 0.7 | 10        |
| 10071 | Relative localizing value of amygdalo-hippocampal MR biometry in temporal lobe epilepsy. <i>Epilepsy Research</i> , 2006, 69, 147-164.   | 0.8 | 20        |
| 10072 | Use of hand-held laser scanning in the assessment of craniometry. <i>Forensic Science International</i> , 2006, 160, 200-206.  | 1.3 | 53        |
| 10073 | A rapid algorithm for processing digital physiologic signals: Application to skeletal muscle contractions. <i>Biomedical Signal Processing and Control</i> , 2006, 1, 307-313.   | 3.5 | 4         |
| 10074 | Reproducibility of gas chromatography-mass spectrometry measurements of 2H labeling of water: Application for measuring body composition in mice. <i>Analytical Biochemistry</i> , 2006, 350, 171-176.   | 1.1 | 46        |
| 10075 | Semiautomated computer-assisted image analysis to quantify 3,3'-diaminobenzidine tetrahydrochloride-immunostained small tissues. <i>Analytical Biochemistry</i> , 2006, 357, 137-143.  | 1.1 | 27        |
| 10076 | Determination of hexavalent chromium in exhaled breath condensate and environmental air among chrome plating workers. <i>Analytica Chimica Acta</i> , 2006, 562, 229-235.  | 2.6 | 65        |
| 10077 | Nonaqueous capillary electrophoresis method for the enantiomeric purity determination of S-timolol using heptakis(2,3-di-O-methyl-6-O-sulfo)- $\beta$ -cyclodextrin: Validation using the accuracy profile strategy and estimation of uncertainty. <i>Journal of Chromatography A</i> , 2006, 1120, 102-111. | 1.8 | 47        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10078 | Quantitation of artemisinin and its biosynthetic precursors in <i>Artemisia annua</i> L. by high performance liquid chromatography–electrospray quadrupole time-of-flight tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1118, 180-187.                    | 1.8 | 69        |
| 10079 | Capillary zone electrophoresis determination of carbohydrate-deficient transferrin using the new CEofix reagents under high-resolution conditions. <i>Journal of Chromatography A</i> , 2006, 1130, 272-280.   | 1.8 | 30        |
| 10080 | Evaluation of a new capillary zone electrophoresis system for the identification and typing of Bence Jones Protein. <i>Clinical Biochemistry</i> , 2006, 39, 152-159.  | 0.8 | 12        |
| 10081 | Rapid measurement of S-100B serum protein levels by Elecsys S100 immunoassay in patients undergoing carotid artery stenting or endarterectomy. <i>Clinical Biochemistry</i> , 2006, 39, 349-356.   | 0.8 | 19        |
| 10082 | Evaluation of a fluorescent polarization immunoassay for whole blood everolimus determination using samples from renal transplant recipients. <i>Clinical Biochemistry</i> , 2006, 39, 732-738.  | 0.8 | 39        |
| 10083 | Comparison of the Innofluor® certican assay with HPLC-UV for the determination of everolimus concentrations in heart transplantation. <i>Clinical Biochemistry</i> , 2006, 39, 1152-1159.  | 0.8 | 19        |
| 10084 | Calcitonin gene-related peptide-induced vasodilation in the human forearm is antagonized by CGRP8-37: Evaluation of a human in vivo pharmacodynamic model. <i>Clinical Pharmacology and Therapeutics</i> , 2006, 79, 263-273.  | 2.3 | 9         |
| 10085 | Automatic segmentation of the left ventricle cavity and myocardium in MRI data. <i>Computers in Biology and Medicine</i> , 2006, 36, 389-407.  | 3.9 | 130       |
| 10086 | Quantitative analysis of pulmonary airway tree structures. <i>Computers in Biology and Medicine</i> , 2006, 36, 974-996.   | 3.9 | 134       |
| 10087 | Left-ventricle myocardium segmentation using a coupled level-set with a priori knowledge. <i>Computerized Medical Imaging and Graphics</i> , 2006, 30, 255-262.  | 3.5 | 94        |
| 10088 | Emitted dose estimates from Seretide® Diskus® and Symbicort® Turbuhaler® following inhalation by severe asthmatics. <i>International Journal of Pharmaceutics</i> , 2006, 316, 131-137.  | 2.6 | 79        |
| 10089 | Ultrasound-based image guided radiotherapy for prostate cancer—comparison of cross-modality and intramodality methods for daily localization during external beam radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 66, 1562-1567.        | 0.4 | 54        |
| 10090 | A simple correction for B1 field errors in magnetization transfer ratio measurements. <i>Magnetic Resonance Imaging</i> , 2006, 24, 255-263.   | 1.0 | 55        |
| 10091 | Quantitative MRI: a reliable protocol for measurement of cerebral gyration using stereology. <i>Magnetic Resonance Imaging</i> , 2006, 24, 265-272.  | 1.0 | 28        |
| 10092 | Comparison of FT-NIR transmission and UV–vis spectrophotometry to follow the mixing kinetics and to assay low-dose tablets containing riboflavin. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006, 41, 783-790.  | 1.4 | 45        |
| 10093 | A new noninvasive method to determine central venous pressure. <i>Resuscitation</i> , 2006, 70, 238-246.   | 1.3 | 19        |
| 10094 | Développement et validité d'un questionnaire de qualité de vie spécifique de l'arthrose de hanche et de genou: l'AMIQUAL (Arthrose des Membres Inférieurs et Qualité de Vie). <i>Revue Du Rhumatisme (Edition Française)</i> , 2006, 73, 1364-1372.                              | 0.0 | 1         |
| 10095 | Determination of lead, cadmium and mercury in blood for assessment of environmental exposure: A comparison between inductively coupled plasma–mass spectrometry and atomic absorption spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2006, 61, 980-990. | 1.5 | 187       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10096 | An amperometric bienzyme biosensor for rapid measurement of alanine aminotransferase in whole blood. <i>Sensors and Actuators B: Chemical</i> , 2006, 119, 419-424.   | 4.0 | 21        |
| 10097 | Microdamage: A cell transducing mechanism based on ruptured osteocyte processes. <i>Journal of Biomechanics</i> , 2006, 39, 2096-2103.  | 0.9 | 102       |
| 10098 | Analytical modeling of the instantaneous maximal transvalvular pressure gradient in aortic stenosis. <i>Journal of Biomechanics</i> , 2006, 39, 3036-3044.  | 0.9 | 22        |
| 10099 | Performances of a multidimensional on-line SPE-LC-ECD method for the determination of three major catecholamines in native human urine: Validation, risk and uncertainty assessments. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006, 844, 251-260. | 1.2 | 65        |
| 10100 | Level set based cerebral vasculature segmentation and diameter quantification in CT angiography. <i>Medical Image Analysis</i> , 2006, 10, 200-214.   | 7.0 | 108       |
| 10101 | Vessel enhancing diffusionA scale space representation of vessel structures. <i>Medical Image Analysis</i> , 2006, 10, 815-825.   | 7.0 | 197       |
| 10102 | Operator-interactive method for simultaneous measurement of left and right ventricular volumes and ejection fraction by tomographic electrocardiography-gated blood pool radionuclide ventriculography. <i>Journal of Nuclear Cardiology</i> , 2006, 13, 50-63.   | 1.4 | 9         |
| 10103 | Assessment of global and regional left ventricular function and volumes with 64-slice MSCT: A comparison with 2D echocardiography. <i>Journal of Nuclear Cardiology</i> , 2006, 13, 480-487.  | 1.4 | 76        |
| 10104 | Repeated visual and computer-assisted carotid plaque characterization in a longitudinal population-based ultrasound study: The TromsÅ, study. <i>Ultrasound in Medicine and Biology</i> , 2006, 32, 3-11.   | 0.7 | 61        |
| 10105 | High-frequency ultrasound detection and follow-up of Wilmsâ€™ tumor in the mouse. <i>Ultrasound in Medicine and Biology</i> , 2006, 32, 183-190.  | 0.7 | 21        |
| 10106 | In vitro strain measurement in the porcine antrum using ultrasound doppler strain rate imaging. <i>Ultrasound in Medicine and Biology</i> , 2006, 32, 513-522.  | 0.7 | 16        |
| 10107 | Characterization of in vitro healthy and pathological human liver tissue periodicity using backscattered ultrasound signals. <i>Ultrasound in Medicine and Biology</i> , 2006, 32, 649-657.   | 0.7 | 41        |
| 10108 | A comparison of three-dimensional ultrasound, two-dimensional ultrasound and dissections for determination of lesion volume in tendons. <i>Ultrasound in Medicine and Biology</i> , 2006, 32, 797-804.  | 0.7 | 11        |
| 10109 | Reliable CFD-based estimation of flow rate in haemodynamics measures. <i>Ultrasound in Medicine and Biology</i> , 2006, 32, 1545-1555.  | 0.7 | 29        |
| 10110 | Counting coccidial oocysts in chicken faeces: A comparative study of a standard McMaster technique and a new rapid method. <i>Veterinary Parasitology</i> , 2006, 136, 233-242.   | 0.7 | 75        |
| 10111 | Validation of molecular-diagnostic techniques in the parasitological laboratory. <i>Veterinary Parasitology</i> , 2006, 136, 91-98.   | 0.7 | 46        |
| 10112 | <i>Neospora caninum</i> IgG avidity tests: An interlaboratory comparison. <i>Veterinary Parasitology</i> , 2006, 140, 273-280.  | 0.7 | 17        |
| 10113 | The Partec CyFlow CounterÂ® could provide an option for CD4+ T-cell monitoring in the context of scaling-up antiretroviral treatment at the district level in Malawi. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2006, 100, 980-985.                                       | 0.7 | 29        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10114 | PLASMA SAMPLING AND FREEZING PROCEDURES INFLUENCE VITELLOGENIN MEASUREMENTS BY ENZYME-LINKED IMMUNOASSAY IN THE FATHEAD MINNOW ( <i>PIMEPHALES PROMELAS</i> ). <i>Environmental Toxicology and Chemistry</i> , 2006, 25, 337. | 2.2 | 19        |
| 10115 | Reliability of conformational measurements in the horse using a three-dimensional motion analysis system. <i>Equine Veterinary Journal</i> , 2006, 38, 610-615.   | 0.9 | 40        |
| 10116 | Multislice Computed Tomography for Detection of Patients With Aortic Valve Stenosis and Quantification of Severity. <i>Journal of the American College of Cardiology</i> , 2006, 47, 1410-1417.                               | 1.2 | 166       |
| 10117 | Assessment of left ventricular myocardial function using 16-slice multidetector-row computed tomography: comparison with magnetic resonance imaging and echocardiography. <i>European Radiology</i> , 2006, 16, 551-559.      | 2.3 | 80        |
| 10118 | Inadequacy of manual measurements compared to automated CT volumetry in assessment of treatment response of pulmonary metastases using RECIST criteria. <i>European Radiology</i> , 2006, 16, 781-790.                        | 2.3 | 151       |
| 10119 | Global left ventricular function in cardiac CT. Evaluation of an automated 3D region-growing segmentation algorithm. <i>European Radiology</i> , 2006, 16, 1117-1123.   | 2.3 | 79        |
| 10120 | Evaluation of a semiautomatic software tool for left ventricular function analysis with 16-slice computed tomography. <i>European Radiology</i> , 2006, 16, 25-31.  | 2.3 | 38        |
| 10121 | Polyp measurement and size categorisation by CT colonography: effect of observer experience in a multi-centre setting. <i>European Radiology</i> , 2006, 16, 1737-1744.   | 2.3 | 22        |
| 10122 | Quantitative magnetic resonance temperature mapping for real-time monitoring of radiofrequency ablation of the liver: an ex vivo study. <i>European Radiology</i> , 2006, 16, 2265-2274.                                      | 2.3 | 28        |
| 10123 | Measurement of cardiac ventricular volumes using multidetector row computed tomography: comparison of two- and three-dimensional methods. <i>European Radiology</i> , 2006, 16, 2341-2349.                                    | 2.3 | 13        |
| 10124 | Preoperative volume calculation of the hepatic venous draining areas with multi-detector row CT in adult living donor liver transplantation: impact on surgical procedure. <i>European Radiology</i> , 2006, 16, 2803-2810.   | 2.3 | 16        |
| 10127 | Contact-free measurement of heart rate, respiration rate, and body movements during sleep. <i>Behavior Research Methods</i> , 2006, 38, 511-521.  | 2.3 | 111       |
| 10128 | Three-Point Bending of Rat Femur in the Mediolateral Direction: Introduction and Validation of a Novel Biomechanical Testing Protocol. <i>Journal of Bone and Mineral Research</i> , 2006, 21, 1231-1237.                     | 3.1 | 57        |
| 10129 | Reliability of an automatic ultrasound system in the post partum period in measuring urinary retention. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006, 85, 604-607.  | 1.3 | 19        |
| 10130 | Regarding "Reliability of an automatic ultrasound system in the postpartum period in measuring urinary retention". <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006, 85, 1406-1406.                                 | 1.3 | 0         |
| 10132 | Estimation of blood loss after cesarean section and vaginal delivery has low validity with a tendency to exaggeration. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006, 85, 1448-1452.                             | 1.3 | 178       |
| 10133 | The Validity of Using Multiple Imputation for Missing Out-of-hospital Data in a State Trauma Registry. <i>Academic Emergency Medicine</i> , 2006, 13, 314-324.  | 0.8 | 73        |
| 10134 | End-tidal Carbon Dioxide Monitoring in the Emergency Department. <i>Academic Emergency Medicine</i> , 2006, 13, 1086-1086.  | 0.8 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10135 | Use of the Broselow Tape May Result in the Underresuscitation of Children. <i>Academic Emergency Medicine</i> , 2006, 13, 1011-1019.  | 0.8 | 83        |
| 10136 | Age-Related Reduction of Systemic Arterial Compliance Induces Excessive Myocardial Oxygen Consumption during Sub-Maximal Exercise. <i>Hypertension Research</i> , 2006, 29, 65-73.  | 1.5 | 15        |
| 10137 | The Beck Depression Inventory in patients undergoing opiate agonist maintenance treatment. <i>British Journal of Clinical Psychology</i> , 2006, 45, 417-425.   | 1.7 | 28        |
| 10138 | Monitoring of Mycophenolic Acid in the Plasma of Transplant Patients by Capillary Electrophoresis. <i>Chromatographia</i> , 2006, 64, 419-421.  | 0.7 | 2         |
| 10139 | Pulse glucometry: a new approach for noninvasive blood glucose measurement using instantaneous differential near-infrared spectrophotometry. <i>Journal of Biomedical Optics</i> , 2006, 11, 054028.  | 1.4 | 75        |
| 10140 | Reference data representative of normal findings at two-dimensional and three-dimensional gray-scale ultrasound examination of the cervix from 17 to 41 weeks' gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 27, 392-402.                     | 0.9 | 21        |
| 10141 | Doppler echocardiographic and electrocardiographic atrioventricular time intervals in newborn infants: evaluation of techniques for surveillance of fetuses at risk for congenital heart block. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 57-62. | 0.9 | 34        |
| 10142 | Inter- and intraobserver variability in sonographic measurement of the lower uterine segment after a previous Cesarean section. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 27, 420-424.   | 0.9 | 49        |
| 10143 | Prenatal ultrasonographic prediction of the umbilical coiling index at birth and adverse pregnancy outcome. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 704-709.   | 0.9 | 40        |
| 10144 | Three-dimensional ultrasound volume calculations of human embryos and young fetuses: a study on the volumetry of compound structures and its reproducibility. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 27, 640-646.                                 | 0.9 | 66        |
| 10145 | Assessment of the intraobserver variability in the measurement of fetal cardiothoracic ratio using ellipse and diameter methods. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 53-56.  | 0.9 | 44        |
| 10146 | Determining chorionicity in twin gestations: three-dimensional (3D) multiplanar sonographic measurement of intra-amniotic membrane thickness. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 665-669.   | 0.9 | 16        |
| 10147 | Quantitative and morphological assessment of early gestational sacs using three-dimensional ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 255-260.  | 0.9 | 25        |
| 10148 | Three-dimensional evaluation of mid-facial hypoplasia in fetuses with trisomy 21 at 11 + 0 to 13 + 6 weeks of gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 261-265.  | 0.9 | 30        |
| 10149 | Effect of umbilical ring constriction on Wharton's jelly. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 692-698.   | 0.9 | 13        |
| 10150 | Reproducibility of the measurement of submucous fibroid protrusion into the uterine cavity using three-dimensional saline contrast sonohysterography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 837-841.   | 0.9 | 36        |
| 10151 | Longitudinal reference ranges for ductus venosus flow velocities and waveform indices. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 890-898.  | 0.9 | 88        |
| 10152 | Brachycephaly and frontal lobe hypoplasia in fetuses with trisomy 21 at 11 + 0 to 13 + 6 weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 870-875.   | 0.9 | 9         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10153 | A low vaginal amniotic fluid glucose measurement is a predictive but not a sensitive marker for infection in women with preterm premature rupture of membranes. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 194, 309-316.                       | 0.7 | 14        |
| 10154 | External anal sphincter volume measurements using 3-dimensional endoanal ultrasound. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 194, 1243-1248.  | 0.7 | 16        |
| 10155 | Repeatability of a Rasch Model of the AQ20 over Five Assessments. <i>Quality of Life Research</i> , 2006, 15, 801-809.   | 1.5 | 13        |
| 10156 | Feasibility and validity of a computer administered version of SEIQoL-DW. <i>Quality of Life Research</i> , 2006, 15, 1173-1177.   | 1.5 | 20        |
| 10157 | Validity and Reliability of Self-Reported Total Energy Expenditure Using a Novel Instrument. <i>European Journal of Epidemiology</i> , 2006, 21, 227-236.  | 2.5 | 57        |
| 10158 | Difference in Blood Pressure Readings with Mercury and Automated Devices: Impact on Hypertension Prevalence Estimates in Dar es Salaam, Tanzania. <i>European Journal of Epidemiology</i> , 2006, 21, 427-433.   | 2.5 | 9         |
| 10159 | Evaluation of a short retrospective questionnaire for physical activity in women. <i>European Journal of Epidemiology</i> , 2006, 21, 575-585.   | 2.5 | 19        |
| 10160 | Difference in estimated GFR with two different formulas in elderly individuals. <i>International Urology and Nephrology</i> , 2006, 38, 381-385.   | 0.6 | 36        |
| 10161 | Comparative Evaluation of the Accuracy of Oscillometric and Direct Methods for Arterial Blood Pressure Monitoring During Anaesthesia in Dogs. <i>Veterinary Research Communications</i> , 2006, 30, 321-323.   | 0.6 | 5         |
| 10162 | Determination of Bovine Serum Low-density Lipoprotein Cholesterol using the N-geneous Method. <i>Veterinary Research Communications</i> , 2006, 30, 467-474.   | 0.6 | 10        |
| 10163 | Nasal pressure recordings to detect obstructive sleep apnea. <i>Sleep and Breathing</i> , 2006, 10, 62-69.   | 0.9 | 51        |
| 10164 | Follow-up assessment of CPAP efficacy in patients with obstructive sleep apnea using an ambulatory device based on peripheral arterial tonometry. <i>Sleep and Breathing</i> , 2006, 10, 123-131.  | 0.9 | 51        |
| 10165 | Assessment of a three-dimensional measurement technique for the porosity evaluation of PMMA bone cement. <i>Journal of Materials Science: Materials in Medicine</i> , 2006, 17, 553-557.   | 1.7 | 14        |
| 10166 | Correlation between Cardiac Output Measured by the Femoral Arterial Thermodilution Technique Pulmonary Arterial and that Measured by Contour Pulse Analysis in a paediatric animal model. <i>Journal of Clinical Monitoring and Computing</i> , 2006, 20, 19-23. | 0.7 | 14        |
| 10167 | Rapid Measurement of Blood Propofol Levels: a Proof of Concept Study. <i>Journal of Clinical Monitoring and Computing</i> , 2006, 20, 109-115.   | 0.7 | 6         |
| 10168 | Analysis of the Ear Pulse Oximeter Waveform. <i>Journal of Clinical Monitoring and Computing</i> , 2006, 20, 175-184.  | 0.7 | 38        |
| 10169 | Pulse Transit Time Based on Piezoelectric Technique at the Radial Artery. <i>Journal of Clinical Monitoring and Computing</i> , 2006, 20, 185-192.   | 0.7 | 16        |
| 10170 | Central Venous Pulse Pressure Analysis Using an R-Synchronized Pressure Measurement System. <i>Journal of Clinical Monitoring and Computing</i> , 2006, 20, 385-389.   | 0.7 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10171 | In vivo Variability in Quantitative Coronary Ultrasound and Tissue Characterization Measurements with Mechanical and Phased-array Catheters. <i>International Journal of Cardiovascular Imaging</i> , 2006, 22, 47-53.  | 0.7 | 20        |
| 10172 | Evaluation of immediate post-stress wall motion on adenosine stress/rest Thallium-201 Gated Myocardial SPECT. <i>International Journal of Cardiovascular Imaging</i> , 2006, 22, 213-222.   | 0.7 | 2         |
| 10173 | Reproducibility of intravascular ultrasound radiofrequency data analysis: implications for the design of longitudinal studies. <i>International Journal of Cardiovascular Imaging</i> , 2006, 22, 621-631.  | 0.7 | 59        |
| 10174 | Dedicated calibration formulas permit correction of differences between measurements by different IVUS devices as demonstrated in atherosclerotic human coronary arteries in vitro. <i>International Journal of Cardiovascular Imaging</i> , 2006, 22, 605-613. | 0.7 | 8         |
| 10175 | Assessment of Left Ventricular Viscoelastic Components Based on Ventricular Harmonic Behavior. <i>Cardiovascular Engineering (Dordrecht, Netherlands)</i> , 2006, 6, 30-39.   | 1.0 | 10        |
| 10176 | A Right Ventricular Pressure Waveform Based Pulse Contour Cardiac Output Algorithm in Canines. <i>Cardiovascular Engineering (Dordrecht, Netherlands)</i> , 2006, 6, 83-92.   | 1.0 | 14        |
| 10177 | Reliability of motion measurements after total disc replacement: the spike and the fin method. <i>European Spine Journal</i> , 2006, 15, 165-173.   | 1.0 | 31        |
| 10178 | Back related outcome assessment instruments. <i>European Spine Journal</i> , 2006, 15, S25-S31.   | 1.0 | 35        |
| 10179 | Danish version of the Oswestry Disability Index for patients with low back pain. Part 1: Cross-cultural adaptation, reliability and validity in two different populations. <i>European Spine Journal</i> , 2006, 15, 1705-1716.                                 | 1.0 | 99        |
| 10180 | Can we obtain an accurate sagittal plane bony entry point in the assessment of tibial intramedullary nailing radiographs?. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2006, 16, 24-29.   | 0.6 | 0         |
| 10181 | Facial motor function monitored by hand held calipers versus computer-assisted photography. <i>Acta Neurochirurgica</i> , 2006, 148, 1281-1287.   | 0.9 | 2         |
| 10182 | Conventional true values compared. <i>Accreditation and Quality Assurance</i> , 2006, 10, 686-689.  | 0.4 | 1         |
| 10183 | On the calculation of decision limits in doping control. <i>Accreditation and Quality Assurance</i> , 2006, 11, 536-538.  | 0.4 | 9         |
| 10184 | Timed-urine collections for renal clearance studies. <i>Pediatric Nephrology</i> , 2006, 21, 96-101.  | 0.9 | 12        |
| 10185 | Effects of the electrode temperature of a new monitor, TCM4, on the measurement of transcutaneous oxygen and carbon dioxide tension. <i>Journal of Anesthesia</i> , 2006, 20, 331-334.  | 0.7 | 30        |
| 10186 | Measurement of renal blood flow in human subjects using the ultrasound velocity profiling technique. <i>Journal of Medical Ultrasonics (2001)</i> , 2006, 33, 91-97.  | 0.6 | 1         |
| 10187 | Volume measurement of a pediatric ventricular phantom model using three-dimensional echocardiography. <i>Journal of Medical Ultrasonics (2001)</i> , 2006, 33, 197-201.   | 0.6 | 1         |
| 10188 | Measurement and Characterization of Whole-Cell Mechanical Behavior. <i>Annals of Biomedical Engineering</i> , 2006, 34, 748-758.  | 1.3 | 32        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10189 | Multiresolution Analysis of Heart Rate Variability as Investigational Tool in Experimental Fetal Cardiac Surgery. <i>Annals of Biomedical Engineering</i> , 2006, 34, 799-809.  | 1.3 | 5         |
| 10190 | A hybrid approach for quantification of aortic valve stenosis using cardiac magnetic resonance imaging and echocardiography. <i>Clinical Research in Cardiology</i> , 2006, 95, 162-167.  | 1.5 | 19        |
| 10191 | Nasal NO measurement by direct sampling from the nose during breathhold: aspiration flow, nasal resistance and reproducibility. <i>European Archives of Oto-Rhino-Laryngology</i> , 2006, 263, 723-728.                                 | 0.8 | 24        |
| 10192 | Tissue Doppler Evaluation of Tricuspid Annulus for Estimation of Pulmonary Artery Pressure in Patients with COPD. <i>Lung</i> , 2006, 184, 121-131.   | 1.4 | 21        |
| 10193 | Evaluation of biometric methods for measuring the anterior chamber depth in the non-contact mode. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2006, 244, 559-564.   | 1.0 | 54        |
| 10194 | Determination of retinal blood vessel diameters and arteriovenous ratios in systemic hypertension: comparison of different calculation formulae. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2006, 245, 8-17. | 1.0 | 13        |
| 10196 | Increase in exhaled nitric oxide (eNO) after work-related isocyanate exposure. <i>International Archives of Occupational and Environmental Health</i> , 2006, 79, 387-395.  | 1.1 | 46        |
| 10197 | Vibrotactile sense in patients with different upper limb disorders compared with a control group. <i>International Archives of Occupational and Environmental Health</i> , 2006, 79, 593-601.   | 1.1 | 17        |
| 10198 | Estimation of maximal oxygen uptake by bioelectrical impedance analysis. <i>European Journal of Applied Physiology</i> , 2006, 96, 265-273.   | 1.2 | 11        |
| 10199 | Prediction and validation of total and regional skeletal muscle mass by ultrasound in Japanese adults. <i>European Journal of Applied Physiology</i> , 2006, 96, 24-31.   | 1.2 | 201       |
| 10200 | Validity of the two-parameter model in estimating the anaerobic work capacity. <i>European Journal of Applied Physiology</i> , 2006, 96, 257-264.   | 1.2 | 39        |
| 10201 | Maximal lactate steady state determination with a single incremental test exercise. <i>European Journal of Applied Physiology</i> , 2006, 96, 446-452.  | 1.2 | 29        |
| 10202 | Reproducibility of relationships between human ventilation, its components and oesophageal temperature during incremental exercise. <i>European Journal of Applied Physiology</i> , 2006, 96, 495-504.                                  | 1.2 | 15        |
| 10203 | V max estimate from three-parameter critical velocity models: validity and impact on 800m running performance prediction. <i>European Journal of Applied Physiology</i> , 2006, 97, 34-42.  | 1.2 | 25        |
| 10204 | Self-selected exercise intensity during household/garden activities and walking in 55 to 65-year-old females. <i>European Journal of Applied Physiology</i> , 2006, 97, 494-504.  | 1.2 | 31        |
| 10205 | The validity of predicting maximal oxygen uptake from perceptually regulated graded exercise tests of different durations. <i>European Journal of Applied Physiology</i> , 2006, 97, 535-541.   | 1.2 | 78        |
| 10206 | Accuracy and reliability of the ParvoMedics TrueOne 2400 and MedGraphics VO2000 metabolic systems. <i>European Journal of Applied Physiology</i> , 2006, 98, 139-151.   | 1.2 | 188       |
| 10207 | The influence of sampling site and assay method on lactate concentration in response to rock climbing. <i>European Journal of Applied Physiology</i> , 2006, 98, 363-372.   | 1.2 | 17        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10208 | Reliability of a cycling time trial in a glycogen-depleted state. <i>European Journal of Applied Physiology</i> , 2006, 98, 583-589.  | 1.2 | 13        |
| 10209 | Estimating energy expenditure using accelerometers. <i>European Journal of Applied Physiology</i> , 2006, 98, 601-612.  | 1.2 | 316       |
| 10210 | Eye blink frequency during different computer tasks quantified by electrooculography. <i>European Journal of Applied Physiology</i> , 2006, 99, 113-119.  | 1.2 | 62        |
| 10211 | Development of nonexercise prediction models of maximal oxygen uptake in healthy Japanese young men. <i>European Journal of Applied Physiology</i> , 2006, 99, 143-148.   | 1.2 | 20        |
| 10212 | Plagiocephalometry: a non-invasive method to quantify asymmetry of the skull; a reliability study. <i>European Journal of Pediatrics</i> , 2006, 165, 149-157.  | 1.3 | 73        |
| 10213 | A novel model used to compare water-perfused and solid-state anorectal manometry. <i>Techniques in Coloproctology</i> , 2006, 10, 17-20.  | 0.8 | 15        |
| 10214 | Reliability of pain threshold measurement in young adults. <i>Journal of Headache and Pain</i> , 2006, 7, 21-26.  | 2.5 | 93        |
| 10215 | Baroreflex sensitivity measured by spectral and sequence analysis in cerebrovascular disease. <i>Clinical Autonomic Research</i> , 2006, 16, 270-275.   | 1.4 | 20        |
| 10216 | Semiautomatic Analysis of Phase Contrast Magnetic Resonance Imaging of Cerebrospinal Fluid Flow through the Aqueduct of Sylvius. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2006, 19, 78-87.                                     | 1.1 | 28        |
| 10217 | Transcutaneous arterial carbon dioxide pressure monitoring in critically ill adult patients. <i>Intensive Care Medicine</i> , 2006, 32, 309-312.  | 3.9 | 91        |
| 10218 | Respiratory load compensation during mechanical ventilation-proportional assist ventilation with load-adjustable gain factors versus pressure support. <i>Intensive Care Medicine</i> , 2006, 32, 692-699.  | 3.9 | 85        |
| 10219 | Assessment of airway closure from deflation lung volume-pressure curve: sigmoidal equation revisited. <i>Intensive Care Medicine</i> , 2006, 32, 894-898.   | 3.9 | 10        |
| 10220 | Pressure-volume curves with and without muscle paralysis in acute respiratory distress syndrome. <i>Intensive Care Medicine</i> , 2006, 32, 1322-1328.  | 3.9 | 30        |
| 10221 | Mixed venous oxygen saturation cannot be estimated by central venous oxygen saturation in septic shock. <i>Intensive Care Medicine</i> , 2006, 32, 1336-1343.   | 3.9 | 184       |
| 10222 | Alveolar recruitment assessed by positron emission tomography during experimental acute lung injury. <i>Intensive Care Medicine</i> , 2006, 32, 1889-1894.  | 3.9 | 23        |
| 10223 | Measurement of compartment pressure of the rectus sheath during intra-abdominal hypertension in rats. <i>Intensive Care Medicine</i> , 2006, 32, 1644-1648.   | 3.9 | 15        |
| 10225 | Reliability of a criterion-based test of athletes with knee injuries; where the physiotherapist and the patient independently and simultaneously assess the patient's performance. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2006, 14, 165-175. | 2.3 | 28        |
| 10226 | Development and validation of a food frequency questionnaire for assessing dietary calcium intake in the general population. <i>Osteoporosis International</i> , 2006, 17, 304-312.   | 1.3 | 59        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10229 | Circulating and excretory nitrite and nitrate as indicators of nitric oxide synthesis in humans: methods of analysis. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 51-59.   | 0.8 | 63        |
| 10230 | Estimation of cardiac output in a pharmacological trial using a simple method based on arterial blood pressure signal waveform: a comparison with pulmonary thermodilution and echocardiographic methods. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 401-407. | 0.8 | 19        |
| 10231 | Total and free mycophenolic acid and its 7-O-glucuronide metabolite in Chinese adult renal transplant patients: pharmacokinetics and application of limited sampling strategies. <i>European Journal of Clinical Pharmacology</i> , 2006, 63, 27-37.                            | 0.8 | 35        |
| 10232 | In vivo basal ganglia volumetry through application of NURBS models to MR images. <i>Neuroradiology</i> , 2006, 48, 338-345.  | 1.1 | 19        |
| 10233 | Cerebral blood volume, genotype and chemosensitivity in oligodendroglial tumours. <i>Neuroradiology</i> , 2006, 48, 703-713.  | 1.1 | 99        |
| 10234 | Noninvasive Visualization and Measurement of Middle Cardiac Vein Flow by Transthoracic Doppler Echocardiography. <i>Pediatric Cardiology</i> , 2006, 27, 679-684.   | 0.6 | 2         |
| 10235 | The Leech method for diagnosing constipation: intra- and interobserver variability and accuracy. <i>Pediatric Radiology</i> , 2006, 36, 43-49.  | 1.1 | 38        |
| 10236 | Imaging of aortopulmonary collateral arteries with high-resolution multidetector CT. <i>Pediatric Radiology</i> , 2006, 36, 502-509.  | 1.1 | 58        |
| 10237 | Computed tomography dose and variability of airway dimension measurements: how low can we go?. <i>Pediatric Radiology</i> , 2006, 36, 1043-1047.  | 1.1 | 19        |
| 10238 | IBZM tool: a fully automated expert system for the evaluation of IBZM SPECT studies. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 1073-1083.   | 3.3 | 42        |
| 10239 | Quantification of [123I]FP-CIT SPECT brain images: an accurate technique for measurement of the specific binding ratio. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 1491-1499.  | 3.3 | 225       |
| 10240 | Global and regional left ventricular function: a comparison between gated SPECT, 2D echocardiography and multi-slice computed tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 1452-1460.  | 3.3 | 31        |
| 10241 | Pharmacological profile and toxicity of fluorescein-labelled sinistrin, a novel marker for GFR measurements. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2006, 373, 204-211.  | 1.4 | 37        |
| 10242 | Colour doppler ultrasound of the lumbar arteries: A novel application and reproducibility study in healthy subjects. <i>Ultrasound in Medicine and Biology</i> , 2006, 32, 171-182.   | 0.7 | 4         |
| 10243 | Numerical simulation of the plantar pressure distribution in the diabetic foot during the push-off stance. <i>Medical and Biological Engineering and Computing</i> , 2006, 44, 653-663.   | 1.6 | 44        |
| 10244 | Total body water measurement by a modification of the bioimpedance spectroscopy method. <i>Medical and Biological Engineering and Computing</i> , 2006, 44, 873-882.  | 1.6 | 37        |
| 10245 | Evaluation of semi-automatic arterial stenosis quantification. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2006, 1, 167-175.  | 1.7 | 8         |
| 10246 | Noninvasive method using multidetector CT for calculating the relative blood supply ratio of duplicated renal arteries in renal donors. <i>Radiation Medicine</i> , 2006, 24, 195-201.  | 0.8 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10247 | Direct comparison between 2-dimensional and 3-dimensional PET acquisition modes for myocardial blood flow absolute quantification with O-15 water and N-13 ammonia. <i>Journal of Nuclear Cardiology</i> , 2006, 13, 220-224.   | 1.4 | 7         |
| 10248 | Comparison of interstudy reproducibility of equilibrium electrocardiography-gated SPECT radionuclide angiography versus planar radionuclide angiography for the quantification of global left ventricular function. <i>Journal of Nuclear Cardiology</i> , 2006, 13, 233-243. | 1.4 | 18        |
| 10249 | Correction factors after having neglected the first exponential in the estimation of chromium-51 EDTA clearance: a reappraisal. <i>Annals of Nuclear Medicine</i> , 2006, 20, 95-98.  | 1.2 | 3         |
| 10250 | Peripheral venous pressure predicts central venous pressure poorly in pediatric patients. <i>Canadian Journal of Anaesthesia</i> , 2006, 53, 1207-1212.   | 0.7 | 5         |
| 10251 | Comparison of phonomyography, kinemyography and mechanomyography for neuromuscular monitoring. <i>Canadian Journal of Anaesthesia</i> , 2006, 53, 130-135.  | 0.7 | 47        |
| 10252 | Evaluation of right and left ventricular function by quantitative blood-pool SPECT (QBS): Comparison with conventional methods and quantitative gated SPECT (QGS). <i>Annals of Nuclear Medicine</i> , 2006, 20, 519-526.   | 1.2 | 8         |
| 10254 | Evaluation of total plasma homocysteine in Indian newborns using heel-prick samples. <i>Indian Journal of Pediatrics</i> , 2006, 73, 503-508.   | 0.3 | 12        |
| 10255 | The Refractive Status and Vision Profile: Evaluation of psychometric properties and comparison of Rasch and summated Likert-scaling. <i>Vision Research</i> , 2006, 46, 1375-1383.  | 0.7 | 107       |
| 10256 | Development and evaluation of a linear staircase strategy for the measurement of perimetric sensitivity. <i>Vision Research</i> , 2006, 46, 2956-2967.  | 0.7 | 11        |
| 10257 | Endometrial volume and vascularity measurements by transvaginal three-dimensional ultrasonography and power Doppler angiography in stimulated and tumoral endometria: Intraobserver reproducibility. <i>Gynecologic Oncology</i> , 2006, 100, 544-550.                        | 0.6 | 49        |
| 10258 | Evaluation of predictive formulae for glomerular filtration rate for carboplatin dosing in gynecological malignancies. <i>Gynecologic Oncology</i> , 2006, 103, 1063-1069.  | 0.6 | 47        |
| 10259 | Improving the Accuracy of Impedance Cardiac Output in the Intensive Care Unit: Comparison With Thermodilution Cardiac Output. <i>Congestive Heart Failure</i> , 2006, 12, 271-276.  | 2.0 | 3         |
| 10260 | Variability and Resource Utilization of Bedside Three-dimensional Echocardiographic Quantitative Measurements of Left Ventricular Volume in Congenital Heart Disease. <i>Congenital Heart Disease</i> , 2006, 1, 309-314.   | 0.0 | 17        |
| 10261 | A footprint-based approach for the rational classification of foot types in young schoolchildren. <i>Foot</i> , 2006, 16, 82-90.  | 0.4 | 58        |
| 10262 | Enzyme immunoassay for a urinary metabolite of 4-hydroxynonenal as a marker of lipid peroxidation. <i>Free Radical Biology and Medicine</i> , 2006, 40, 54-62.  | 1.3 | 46        |
| 10263 | Validation of the Punjabi version of the Edinburgh postnatal depression scale (EPDS). <i>International Journal of Nursing Studies</i> , 2006, 43, 227-236.  | 2.5 | 30        |
| 10264 | Redisplacement of paediatric forearm fractures: Role of plaster moulding and padding. <i>Injury</i> , 2006, 37, 259-268.  | 0.7 | 66        |
| 10265 | Pre-analytical factors affecting ascorbic and uric acid quantification in human plasma. <i>Journal of Proteomics</i> , 2006, 67, 95-105.  | 2.4 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10266 | Development and testing of a specific quality-of-life questionnaire for knee and hip osteoarthritis: OAKHQOL (OsteoArthritis of Knee Hip Quality Of Life). <i>Joint Bone Spine</i> , 2006, 73, 697-704.  | 0.8 | 50        |
| 10267 | Comparison between graticule and image capture assessment of lower tear film meniscus height. <i>Contact Lens and Anterior Eye</i> , 2006, 29, 169-173.  | 0.8 | 38        |
| 10268 | Comparison of Real-Time Three-Dimensional Echocardiography to Magnetic Resonance Imaging for Assessment of Left Ventricular Mass. <i>American Journal of Cardiology</i> , 2006, 97, 113-117.   | 0.7 | 84        |
| 10269 | Comparison of Two-Dimensional Speckle and Tissue Velocity Based Strain and Validation With Harmonic Phase Magnetic Resonance Imaging. <i>American Journal of Cardiology</i> , 2006, 97, 1661-1666.   | 0.7 | 230       |
| 10270 | Comparison of Orifice Area by Transthoracic Three-Dimensional Doppler Echocardiography Versus Proximal Isovelocity Surface Area (PISA) Method for Assessment of Mitral Regurgitation. <i>American Journal of Cardiology</i> , 2006, 97, 1630-1637. | 0.7 | 99        |
| 10271 | Right Ventricular Function Assessed by Two-Dimensional Strain and Tissue Doppler Echocardiography in Patients With Pulmonary Arterial Hypertension and Effect of Vasodilator Therapy. <i>American Journal of Cardiology</i> , 2006, 98, 530-534.   | 0.7 | 120       |
| 10272 | Usefulness of Automated Quantitation of Regional Left Ventricular Wall Motion by a Novel Method of Two-Dimensional Echocardiographic Tracking. <i>American Journal of Cardiology</i> , 2006, 98, 1531-1537.  | 0.7 | 33        |
| 10273 | Training in behaviour-based post-operative pain scoring in rats – An evaluation based on improved recognition of analgesic requirements. <i>Applied Animal Behaviour Science</i> , 2006, 96, 327-342.  | 0.8 | 43        |
| 10274 | The assessment of the gingival capillary density with orthogonal spectral polarization (OPS) imaging. <i>Archives of Oral Biology</i> , 2006, 51, 697-702.   | 0.8 | 17        |
| 10275 | A new technique for symmetry determination in tooth morphology using image analysis: Application in the diagnosis of solitary maxillary median central incisor. <i>Archives of Oral Biology</i> , 2006, 51, 870-875.                               | 0.8 | 8         |
| 10276 | Validity of the ActiReg system in assessing energy requirement in chronic obstructive pulmonary disease patients. <i>Clinical Nutrition</i> , 2006, 25, 68-74.   | 2.3 | 27        |
| 10277 | Comparison of body weight and composition measured by two different dual energy X-ray absorptiometry devices and three acquisition modes in obese women. <i>Clinical Nutrition</i> , 2006, 25, 428-437.  | 2.3 | 26        |
| 10278 | Validation of the VO2000 calorimeter for measuring resting metabolic rate. <i>Clinical Nutrition</i> , 2006, 25, 687-692.  | 2.3 | 43        |
| 10279 | Body composition in children with bronchopulmonary dysplasia predicted from bioelectric impedance and anthropometric variables: Comparison with a reference dual X-ray absorptiometry. <i>Clinical Nutrition</i> , 2006, 25, 810-815.              | 2.3 | 9         |
| 10280 | A comparison of three different methods for the quantification of the in vitro wear of dental materials. <i>Dental Materials</i> , 2006, 22, 1051-1062.  | 1.6 | 67        |
| 10281 | Characterization and evaluation of smoke tracers in PM: Results from the 2003 Montana wildfire season. <i>Atmospheric Environment</i> , 2006, 40, 7005-7017.   | 1.9 | 87        |
| 10283 | Derivation and Validation of Cystatin C-Based Prediction Equations for GFR in Children. <i>American Journal of Kidney Diseases</i> , 2006, 48, 221-230.  | 2.1 | 249       |
| 10284 | Effect of a six-month training programme on the physical capacities of Romanian schoolchildren. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2006, 95, 1258-1265.   | 0.7 | 13        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10285 | Normative data for triceps and subscapular skinfold thicknesses of Chinese infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2006, 95, 1614-1619.  | 0.7 | 10        |
| 10286 | Validation of Actigraph accelerometer estimates of total energy expenditure in young children. <i>Pediatric Obesity</i> , 2006, 1, 161-167.   | 3.2 | 57        |
| 10287 | Fat mass by air-displacement plethysmography and impedance in obese/non-obese children and adolescents. <i>Pediatric Obesity</i> , 2006, 1, 176-182.  | 3.2 | 21        |
| 10288 | Automated Left Ventricular Segmentation in Cardiac MRI. <i>IEEE Transactions on Biomedical Engineering</i> , 2006, 53, 1425-1428.   | 2.5 | 132       |
| 10289 | Image Registration Based on Lifting Process: An Application to Digital Subtraction Radiography. <i>IEEE Transactions on Information Technology in Biomedicine</i> , 2006, 10, 763-774.  | 3.6 | 3         |
| 10290 | The effects of loaded, unloaded, dynamic, and static activities on foot volumetrics. <i>Physical Therapy in Sport</i> , 2006, 7, 81-86.   | 0.8 | 8         |
| 10291 | Measurements of endotoxin on ambient loaded PM filters after long-term storage. <i>Science of the Total Environment</i> , 2006, 370, 574-579.   | 3.9 | 7         |
| 10292 | Comparisons between electromagnetic and X-beam transit-time flow measurements for evaluating drug actions on cardiac output in the conscious dog. <i>Journal of Pharmacological and Toxicological Methods</i> , 2006, 54, 296-306.  | 0.3 | 1         |
| 10293 | Real-time multiplex PCR assay to quantify hepatitis C virus RNA in peripheral blood mononuclear cells. <i>Journal of Virological Methods</i> , 2006, 133, 195-204.  | 1.0 | 15        |
| 10294 | Performance of the automated Abbott RealTime <sup>®</sup> , <sup>®</sup> HIV-1 assay on a genetically diverse panel of specimens from Brazil. <i>Journal of Virological Methods</i> , 2006, 134, 237-243.   | 1.0 | 44        |
| 10295 | Comparison of the COBAS TAQMAN <sup>®</sup> , <sup>®</sup> HIV-1 HPS with VERSANT HIV-1 RNA 3.0 Assay (bDNA) for plasma RNA quantitation in different HIV-1 subtypes. <i>Journal of Virological Methods</i> , 2006, 135, 223-228.   | 1.0 | 14        |
| 10296 | Performance of the automated Abbott RealTime <sup>®</sup> , <sup>®</sup> HIV-1 assay on a genetically diverse panel of specimens from London: Comparison to VERSANT HIV-1 RNA 3.0, AMPLICOR HIV-1 MONITOR v1.5, and LCx <sup>®</sup> HIV RNA Quantitative assays. <i>Journal of Virological Methods</i> , 2006, 137, 184-192. | 1.0 | 58        |
| 10297 | Detection of $\beta$ -herpesviruses in allogenic stem cell recipients by quantitative real-time PCR. <i>Journal of Virological Methods</i> , 2006, 138, 40-48.  | 1.0 | 38        |
| 10298 | The tibial tuberosity-trochlear groove distance; a comparative study between CT and MRI scanning. <i>Knee</i> , 2006, 13, 26-31.  | 0.8 | 453       |
| 10299 | Reliability and validity of shoulder tightness measurement in patients with stiff shoulders. <i>Manual Therapy</i> , 2006, 11, 146-152.   | 1.6 | 37        |
| 10300 | Lumbar spine reposition sense: The effect of a "slouched" posture. <i>Manual Therapy</i> , 2006, 11, 202-207.   | 1.6 | 86        |
| 10301 | Blood glucose on day of intensive care unit admission as a surrogate of subsequent glucose control in intensive care. <i>Journal of Critical Care</i> , 2006, 21, 197-202.  | 1.0 | 15        |
| 10302 | Spectral analysis of heart rate variability: interchangeability between autoregressive analysis and fast Fourier transform. <i>Journal of Electrocardiology</i> , 2006, 39, 31-37.  | 0.4 | 90        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10303 | Comparison of three multiplex cytokine analysis systems: Luminex, SearchLight <sup>®</sup> and FAST Quant <sup>®</sup> . <i>Journal of Immunological Methods</i> , 2006, 309, 205-208.        | 0.6 | 76        |
| 10304 | Sequential analysis of multiple analytes using a surface plasmon resonance (SPR) biosensor. <i>Journal of Immunological Methods</i> , 2006, 311, 178-188.                                     | 0.6 | 29        |
| 10305 | Effective evaluation of novel low-cost CD4 monitoring assays. <i>Journal of Immunological Methods</i> , 2006, 316, 158-162.   | 0.6 | 9         |
| 10306 | A users guide to measurement in medicine. <i>Osteoarthritis and Cartilage</i> , 2006, 14, 10-13.  | 0.6 | 24        |
| 10307 | T2 relaxation time mapping reveals age- and species-related diversity of collagen network architecture in articular cartilage. <i>Osteoarthritis and Cartilage</i> , 2006, 14, 1265-1271.     | 0.6 | 100       |
| 10308 | Detecting axon damage in spinal cord from a mouse model of multiple sclerosis. <i>Neurobiology of Disease</i> , 2006, 21, 626-632.  | 2.1 | 220       |
| 10309 | Breath acetone predicts plasma ketone bodies in children with epilepsy on a ketogenic diet. <i>Nutrition</i> , 2006, 22, 1-8.   | 1.1 | 107       |
| 10310 | Resting energy expenditure in patients with solid tumors undergoing anticancer therapy. <i>Nutrition</i> , 2006, 22, 609-615.   | 1.1 | 39        |
| 10311 | Comparison of metabolic monitors in critically ill, ventilated patients. <i>Nutrition</i> , 2006, 22, 1077-1086.  | 1.1 | 35        |
| 10312 | Agreement between an electrogoniometer and motion analysis system measuring angular velocity of the knee during walking after stroke. <i>Physiotherapy</i> , 2006, 92, 159-165.               | 0.2 | 14        |
| 10313 | Cold pack/skin interface temperature during ice treatment with various levels of compression. <i>Physiotherapy</i> , 2006, 92, 254-259.   | 0.2 | 14        |
| 10314 | Herd-level risk factors for <i>Salmonella enterica</i> subsp. <i>enterica</i> in U.S. market pigs. <i>Preventive Veterinary Medicine</i> , 2006, 76, 249-262.                                 | 0.7 | 51        |
| 10315 | A new efficient trial design for assessing reliability of ankle-brachial index measures by three different observer groups. <i>BMC Cardiovascular Disorders</i> , 2006, 6, 33.                | 0.7 | 22        |
| 10316 | The reliability of the ankle-brachial index in the Atherosclerosis Risk in Communities (ARIC) study and the NHLBI Family Heart Study (FHS). <i>BMC Cardiovascular Disorders</i> , 2006, 6, 7. | 0.7 | 44        |
| 10317 | Reproducibility of the STARD checklist: an instrument to assess the quality of reporting of diagnostic accuracy studies. <i>BMC Medical Research Methodology</i> , 2006, 6, 12.               | 1.4 | 55        |
| 10318 | Amygdala size in amyotrophic lateral sclerosis without dementia: an in vivo study using MRI volumetry. <i>BMC Neurology</i> , 2006, 6, 48.  | 0.8 | 34        |
| 10319 | Diagnostic accuracy of the neurological upper limb examination I: Inter-rater reproducibility of selected findings and patterns. <i>BMC Neurology</i> , 2006, 6, 8.                           | 0.8 | 42        |
| 10320 | Evaluation of pulse-oximetry oxygen saturation taken through skin protective covering. <i>BMC Pediatrics</i> , 2006, 6, 14.   | 0.7 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10321 | An objective spinal motion imaging assessment (OSMIA): reliability, accuracy and exposure data. BMC Musculoskeletal Disorders, 2006, 7, 1.   | 0.8 | 154       |
| 10322 | Lumbar segmental mobility disorders: comparison of two methods of defining abnormal displacement kinematics in a cohort of patients with non-specific mechanical low back pain. BMC Musculoskeletal Disorders, 2006, 7, 45.  | 0.8 | 43        |
| 10323 | A systematic review of the psychometric properties of the Boston Carpal Tunnel Questionnaire. BMC Musculoskeletal Disorders, 2006, 7, 78.  | 0.8 | 248       |
| 10324 | Estimation of Glomerular Filtration Rate in the Elderly: Cockcroft-Gault Formula versus Modification of Diet in Renal Disease Formula. Pharmacotherapy, 2006, 26, 1041-1046.   | 1.2 | 23        |
| 10327 | Evaluation of absolute quantitation by nonlinear regression in probe-based real-time PCR. BMC Bioinformatics, 2006, 7, 107.  | 1.2 | 46        |
| 10328 | Telemedicine-friendly, portable tonometers: an evaluation for intraocular pressure screening. Clinical and Experimental Ophthalmology, 2006, 34, 666-670.  | 1.3 | 20        |
| 10329 | Comparison between central corneal thickness measurements by ultrasound pachymetry and optical coherence tomography. Clinical and Experimental Ophthalmology, 2006, 34, 751-754.   | 1.3 | 57        |
| 10330 | Revisiting late loss and neointimal volumetric measurements in a drug-eluting stent trial: Analysis from the SPIRIT FIRST trial. Catheterization and Cardiovascular Interventions, 2006, 67, 188-197.  | 0.7 | 26        |
| 10331 | Growing up and moving on in rheumatology: Parents as proxies of adolescents with juvenile idiopathic arthritis. Arthritis and Rheumatism, 2006, 55, 189-198.   | 6.7 | 56        |
| 10332 | Level of agreement between children, parents, and physicians in rating pain intensity in juvenile idiopathic arthritis. Arthritis and Rheumatism, 2006, 55, 177-183.   | 6.7 | 70        |
| 10333 | Diurnal variation of serum and urine biomarkers in patients with radiographic knee osteoarthritis. Arthritis and Rheumatism, 2006, 54, 2496-2504.  | 6.7 | 139       |
| 10334 | Psychometric evaluation of osteoarthritis questionnaires: A systematic review of the literature. Arthritis and Rheumatism, 2006, 55, 480-492.  | 6.7 | 121       |
| 10335 | Use of the sharp and larsen scoring methods in the assessment of radiographic progression in juvenile idiopathic arthritis. Arthritis and Rheumatism, 2006, 55, 717-723.   | 6.7 | 61        |
| 10336 | Statistical methods in Arthritis & Rheumatism: Current trends. Arthritis and Rheumatism, 2006, 54, 3741-3749.  | 6.7 | 7         |
| 10337 | Revisiting reliability of quantified perineal ultrasound: Bland and Altman analysis of a new protocol for the rectangular coordinate method. Neurourology and Urodynamics, 2006, 25, 731-738.  | 0.8 | 11        |
| 10338 | <sup>1</sup> H-MRS internal thermometry in test-objects (phantoms) to within 0.1%K for quality assurance in long-term quantitative MR studies. NMR in Biomedicine, 2006, 19, 560-565.  | 1.6 | 8         |
| 10339 | Comparison of two alternative methods for CD4+ T-cell determination (Coulter manual CD4 count) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Cytometry, 2006, 70B, 163-169.   | 0.7 | 22        |
| 10340 | A combined HIV-1 protein bead array for serology assay and T-cell subset immunophenotyping with a hybrid flow cytometer: A step in the direction of a comprehensive multitasking instrument platform for infectious disease diagnosis and monitoring. Cytometry Part B - Clinical Cytometry, 2006, 70B, 179-188. | 0.7 | 6         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10341 | Low cost CD4 enumeration using generic monoclonal antibody reagents and a two-color user-defined MultiSET <sup>®</sup> protocol. <i>Cytometry Part B - Clinical Cytometry</i> , 2006, 70B, 355-360.   | 0.7 | 11        |
| 10342 | Derivation and validation of a new global method for assessing nutritional status in patients with cirrhosis. <i>Hepatology</i> , 2006, 44, 823-835.  | 3.6 | 140       |
| 10343 | The Computerized MacArthur Story Stem Battery <sup>®</sup> a pilot study of a novel medium for assessing children's representations of relationships. <i>International Journal of Methods in Psychiatric Research</i> , 2006, 15, 207-214.          | 1.1 | 15        |
| 10344 | Automatic selection of arterial input function using cluster analysis. <i>Magnetic Resonance in Medicine</i> , 2006, 55, 524-531.   | 1.9 | 195       |
| 10345 | Quantification of atherosclerotic plaque components using in vivo MRI and supervised classifiers. <i>Magnetic Resonance in Medicine</i> , 2006, 55, 790-799.  | 1.9 | 47        |
| 10346 | Phase-contrast velocimetry with hyperpolarized <sup>3</sup> He for in vitro and in vivo characterization of airflow. <i>Magnetic Resonance in Medicine</i> , 2006, 55, 1318-1325.   | 1.9 | 27        |
| 10347 | Rapid cardiac-output measurement with ungated spiral phase contrast. <i>Magnetic Resonance in Medicine</i> , 2006, 56, 432-438.   | 1.9 | 10        |
| 10348 | Optimization of self-reference thermometry using complex field estimation. <i>Magnetic Resonance in Medicine</i> , 2006, 56, 835-843.   | 1.9 | 57        |
| 10349 | An alternative test of electromyographic normalization in patients. <i>Muscle and Nerve</i> , 2006, 33, 232-241.  | 1.0 | 38        |
| 10350 | Abdominal muscle size and symmetry in normal subjects. <i>Muscle and Nerve</i> , 2006, 34, 320-326.   | 1.0 | 195       |
| 10351 | Validity of the Spanish version of the Chronic Liver Disease Questionnaire (CLDQ) as a standard outcome for quality of life assessment. <i>Liver Transplantation</i> , 2006, 12, 95-104.  | 1.3 | 89        |
| 10352 | Accuracy of sonographic volume measurements of kidney transplant. <i>Journal of Clinical Ultrasound</i> , 2006, 34, 184-189.  | 0.4 | 25        |
| 10353 | Three-dimensional sonographic evaluation of gallbladder contractility: Comparison with cholescintigraphy. <i>Journal of Clinical Ultrasound</i> , 2006, 34, 123-127.  | 0.4 | 13        |
| 10354 | Doppler ultrasound assessment of posterior tibial artery size in humans. <i>Journal of Clinical Ultrasound</i> , 2006, 34, 223-230.   | 0.4 | 32        |
| 10355 | Quantitative myocardial infarction on delayed enhancement MRI. Part II: Clinical application of an automated feature analysis and combined thresholding infarct sizing algorithm. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 23, 309-314. | 1.9 | 77        |
| 10356 | Quantitative myocardial infarction on delayed enhancement MRI. Part I: Animal validation of an automated feature analysis and combined thresholding infarct sizing algorithm. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 23, 298-308.     | 1.9 | 154       |
| 10357 | Multicontrast black-blood MRI of carotid arteries: Comparison between 1.5 and 3 tesla magnetic field strengths. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 23, 691-698.   | 1.9 | 122       |
| 10358 | Reproducibility of foot structure measurements in neuropathic diabetic patients using magnetic resonance imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 25-32.   | 1.9 | 20        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10359 | Free-breathing delayed hyperenhanced imaging of the myocardium: A clinical application of real-time navigator echo imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 66-71.  | 1.9 | 21        |
| 10360 | Determination of cardiac volumes and mass with FLASH and SSFP cine sequences at 1.5 vs. 3 Tesla: A validation study. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 312-318.   | 1.9 | 81        |
| 10361 | Comparison of myocardial velocities obtained with magnetic resonance phase velocity mapping and tissue doppler imaging in normal subjects and patients with left ventricular dyssynchrony. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 304-311. | 1.9 | 48        |
| 10362 | Faster flow quantification using sensitivity encoding for velocity-encoded cine magnetic resonance imaging: In vitro and in vivo validation. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 676-682.   | 1.9 | 16        |
| 10363 | Automatic vessel wall contour detection and quantification of wall thickness in in-vivo MR images of the human aorta. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 595-602.  | 1.9 | 36        |
| 10364 | Cine flow measurements using phase contrast with undersampled projections: In vitro validation and preliminary results in vivo. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 945-951.  | 1.9 | 10        |
| 10365 | Estimation of pulse wave velocity in main pulmonary artery with phase contrast MRI: Preliminary investigation. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 1303-1310.   | 1.9 | 32        |
| 10366 | Evaluation of carotid artery wall volume measurement using novel semiautomated analysis software. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 1401-1408.  | 1.9 | 14        |
| 10367 | Nucleus pulposus glycosaminoglycan content is correlated with axial mechanics in rat lumbar motion segments. <i>Journal of Orthopaedic Research</i> , 2006, 24, 1906-1915.   | 1.2 | 59        |
| 10368 | Smoking during pregnancy and components of stature in offspring. <i>American Journal of Human Biology</i> , 2006, 18, 502-512.   | 0.8 | 50        |
| 10369 | Intercusp relationships of the permanent maxillary first and second molars in American whites. <i>American Journal of Physical Anthropology</i> , 2006, 130, 514-528.  | 2.1 | 30        |
| 10370 | Validation of Primary CD4 Gating as an Affordable Strategy for Absolute CD4 Counting in Cambodia. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2006, 43, 179-185.   | 0.9 | 19        |
| 10371 | Assessment of changes in volume and vascularity of the ovaries during the normal menstrual cycle using three-dimensional power Doppler ultrasound. <i>Human Reproduction</i> , 2006, 21, 2661-2668.  | 0.4 | 63        |
| 10372 | Transpulmonary dilution system identification for pulmonary blood volume measurements by contrast echocardiography. , 2006, 2006, 1818-21.   |     | 4         |
| 10373 | Glucose infusion test (GIT) compared with the saline dilution technology in recirculation measurements. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 3180-3184.  | 0.4 | 5         |
| 10374 | Effect of Lung Resection on Exercise Capacity and on Carbon Monoxide Diffusing Capacity During Exercise. <i>Chest</i> , 2006, 129, 863-872.  | 0.4 | 50        |
| 10375 | Technical and Functional Assessment of 10 Office Spirometers. <i>Chest</i> , 2006, 130, 657-665.   | 0.4 | 71        |
| 10376 | Tactile Fade Detection with Hand or Wrist Stimulation Using Train-of-Four, Double-Burst Stimulation, 50-Hertz Tetanus, 100-Hertz Tetanus, and Acceleromyography. <i>Anesthesia and Analgesia</i> , 2006, 102, 1578-1584.                                     | 1.1 | 86        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10377 | The Repeatability of Corneal and Corneal Epithelial Thickness Measurements Using Optical Coherence Tomography. <i>Optometry and Vision Science</i> , 2006, 83, 360-365.  | 0.6 | 92        |
| 10378 | Comparison of Aberrometer and Autorefractor Measures of Refractive Error in Children. <i>Optometry and Vision Science</i> , 2006, 83, E811-E817.   | 0.6 | 20        |
| 10379 | Development and Reproducibility of the Bone Loading History Questionnaire. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 1121-1131.   | 0.2 | 79        |
| 10380 | Linearity Can Account for the Similarity Among Conventional, Frequency-Doubling, and Gabor-Based Perimetric Tests in the Glaucomatous Macula. <i>Optometry and Vision Science</i> , 2006, 83, E455-E465.               | 0.6 | 36        |
| 10381 | Evaluation of a Two-Stage Neural Model of Glaucomatous Defect: An Approach to Reduce Test-Retest Variability. <i>Optometry and Vision Science</i> , 2006, 83, 499-511.   | 0.6 | 26        |
| 10382 | The Repeatability of MNREAD Acuity Charts and Variability at Different Test Distances. <i>Optometry and Vision Science</i> , 2006, 83, 572-576.  | 0.6 | 53        |
| 10383 | Detection of the Anaerobic Threshold by Surface Electromyography. , 2006, 2006, 6189-92.   |     | 4         |
| 10384 | A reliability study of fractal analysis of the skeletonised vascular network using the "box-counting" technique. , 2006, 2006, 4445-8.   |     | 13        |
| 10385 | Augmented vessels for quantitative analysis of vascular abnormalities and endovascular treatment planning. <i>IEEE Transactions on Medical Imaging</i> , 2006, 25, 665-684.  | 5.4 | 32        |
| 10386 | Simultaneous Measurements of Refraction and A-Scan Biometry During Accommodation in Humans. <i>Optometry and Vision Science</i> , 2006, 83, 657-665.   | 0.6 | 56        |
| 10387 | New generation 3-dimensional echocardiography for left ventricular volumetric and functional measurements: Comparison with cardiac magnetic resonance. <i>European Journal of Echocardiography</i> , 2006, 7, 365-372. | 2.3 | 78        |
| 10388 | Accuracy of the Contrast Sensitivity Card Test for Infants: Retest Variability and Prediction of Spatial Resolution. <i>Optometry and Vision Science</i> , 2006, 83, 228-232.  | 0.6 | 5         |
| 10389 | Limbs Anthropometry of Singleton Chinese Newborns of 28-42 Weeks' Gestation. <i>Neonatology</i> , 2006, 89, 25-34.   | 0.9 | 6         |
| 10390 | Reproducibility of the Dutch Version of the Voice Handicap Index. <i>Folia Phoniatica Et Logopaedica</i> , 2006, 58, 132-138.  | 0.5 | 76        |
| 10391 | QT Interval Dispersion as a New Marker of Restenosis after Percutaneous Transluminal Coronary Angioplasty of Isolated Single-Vessel Coronary Artery Stenosis. <i>Cardiology</i> , 2006, 106, 89-97.                    | 0.6 | 4         |
| 10392 | Aerobic-Anaerobic Profiles, Heart Rate and Match Analysis in Old Basketball Players. <i>Gerontology</i> , 2006, 52, 214-222.   | 1.4 | 25        |
| 10393 | Reliability, Validity, and Responsiveness of a 2-Min Walk Test To Assess Exercise Capacity of COPD Patients. <i>Chest</i> , 2006, 130, 119-125.  | 0.4 | 89        |
| 10394 | Myocardial Viability: Assessment with Three-dimensional MR Imaging in Pigs and Patients. <i>Radiology</i> , 2006, 239, 703-709.  | 3.6 | 38        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10395 | Comparison of ABC/2 Estimation Technique to Computer-Assisted Planimetric Analysis in Warfarin-Related Intracerebral Parenchymal Hemorrhage. <i>Stroke</i> , 2006, 37, 404-408.  | 1.0 | 217       |
| 10396 | Intra- and Interrater Reliability of Ischemic Lesion Volume Measurements on Diffusion-Weighted, Mean Transit Time and Fluid-Attenuated Inversion Recovery MRI. <i>Stroke</i> , 2006, 37, 2951-2956.  | 1.0 | 76        |
| 10397 | Effect of Orthotopic Liver Transplantation (OLT) on Branched-Chain Amino Acid Requirement. <i>Pediatric Research</i> , 2006, 59, 829-834.  | 1.1 | 18        |
| 10398 | Characteristics of Arterial Stiffness in Very Low Birth Weight Premature Infants. <i>Pediatric Research</i> , 2006, 60, 592-596.   | 1.1 | 70        |
| 10399 | The effect of ventricular pacing on measurements of left ventricular function: A comparison between echocardiographic methods and with radionuclide ventriculography. <i>European Journal of Echocardiography</i> , 2006, 7, 284-292.                  | 2.3 | 6         |
| 10400 | Global and regional left ventricular function assessment with 16-detector row CT: Comparison with echocardiography and cardiovascular magnetic resonance. <i>European Journal of Echocardiography</i> , 2006, 7, 308-314.                              | 2.3 | 72        |
| 10401 | Two-dimensional acoustic pattern derived strain parameters closely correlate with one-dimensional tissue Doppler derived strain measurements. <i>European Journal of Echocardiography</i> , 2006, 7, 315-321.  | 2.3 | 50        |
| 10402 | Changes in natural head position observed immediately and one year after rapid maxillary expansion. <i>European Journal of Orthodontics</i> , 2006, 28, 126-134.   | 1.1 | 30        |
| 10403 | A computerized photographic assessment of the relationship between skeletal discrepancy and mandibular outline asymmetry. <i>European Journal of Orthodontics</i> , 2006, 28, 97-102.  | 1.1 | 42        |
| 10404 | Prognostic value of intra-left ventricular electromechanical asynchrony in patients with hypertrophic cardiomyopathy. <i>European Heart Journal</i> , 2006, 27, 1311-1318.   | 1.0 | 59        |
| 10405 | Volume measurement by CARTO compared with cardiac magnetic resonance. <i>Europace</i> , 2006, 8, 37-41.  | 0.7 | 6         |
| 10406 | The influence of fluid and diuretic administration on the index of atrial contribution in sequentially paced patients. <i>Europace</i> , 2006, 8, 273-278.   | 0.7 | 1         |
| 10407 | Short-term predictors of abdominal obesity in children. <i>European Journal of Public Health</i> , 2006, 16, 520-525.  | 0.1 | 32        |
| 10408 | One plunge or two? Hand disinfection with alcohol gel. <i>International Journal for Quality in Health Care</i> , 2006, 18, 120-122.  | 0.9 | 12        |
| 10409 | Diameter measurements of the forearm cephalic vein prior to vascular access creation in end-stage renal disease patients: graduated pressure cuff versus tourniquet vessel dilatation. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 802-806. | 0.4 | 43        |
| 10410 | Renal extraction of cystatin C vs 125I-iothalamate in hypertensive patients. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 1253-1256.   | 0.4 | 19        |
| 10411 | Utility of cystatin C measurement—precision or secretion?. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 3614-3614.   | 0.4 | 3         |
| 10412 | Kidney growth in small-for-gestational-age infants: evidence of early accelerated renal growth. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 3422-3427.  | 0.4 | 22        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10413 | Peripheral Administration of a Melanocortin 4-Receptor Inverse Agonist Prevents Loss of Lean Body Mass in Tumor-Bearing Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 317, 771-777.                     | 1.3 | 68        |
| 10414 | Potential of Surface-Coil MRI for Staging of Esophageal Cancer. <i>American Journal of Roentgenology</i> , 2006, 187, 1280-1287.   | 1.0 | 46        |
| 10415 | MDCT of Right Ventricular Function: Comparison of Right Ventricular Ejection Fraction Estimation and Equilibrium Radionuclide Ventriculography, Part 1. <i>American Journal of Roentgenology</i> , 2006, 187, 1597-1604.             | 1.0 | 45        |
| 10416 | Fast 3D Cine Steady-State Free Precession Imaging with Sensitivity Encoding for Assessment of Left Ventricular Function in a Single Breath-Hold. <i>American Journal of Roentgenology</i> , 2006, 187, 1235-1239.                    | 1.0 | 39        |
| 10417 | Development and psychometric testing of a symptom index for pelvic organ prolapse. <i>Journal of Obstetrics and Gynaecology</i> , 2006, 26, 241-252.   | 0.4 | 27        |
| 10418 | Comparison of Body Composition Assessment Methods in Patients with Human Immunodeficiency Virus-Associated Wasting Receiving Growth Hormone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 2952-2959.          | 1.8 | 8         |
| 10419 | Polyps: Linear and Volumetric Measurement at CT Colonography. <i>Radiology</i> , 2006, 241, 802-811.   | 3.6 | 38        |
| 10420 | Quantitative Assessment of Tissue Perfusion Using MDCT: Comparison of Colorectal Cancer and Skeletal Muscle Measurement Reproducibility. <i>American Journal of Roentgenology</i> , 2006, 187, 164-169.                              | 1.0 | 70        |
| 10421 | Initial experiences of using an automated volumetric measure of breast density: the standard mammogram form. <i>British Journal of Radiology</i> , 2006, 79, 378-382.  | 1.0 | 53        |
| 10422 | The precision of the panoramic mandibular index. <i>Dentomaxillofacial Radiology</i> , 2006, 35, 442-446.  | 1.3 | 18        |
| 10423 | MDCT Determination of Volume and Function of the Left Ventricle: Are Short-Axis Image Reformations Necessary?. <i>American Journal of Roentgenology</i> , 2006, 186, S371-S378.  | 1.0 | 31        |
| 10424 | Accelerated 4D Dobutamine Stress MR Imaging with k-t BLAST: Feasibility and Diagnostic Performance. <i>Radiology</i> , 2006, 241, 718-728.   | 3.6 | 52        |
| 10425 | Measurement of maximal muscle cross-sectional area of the elbow extensors and flexors in children, teenagers and adults. <i>Journal of Sports Sciences</i> , 2006, 24, 543-546.  | 1.0 | 19        |
| 10426 | Agreement in Body Fat Estimates Between a Hand-Held Bioelectrical Impedance Analyzer and Skinfold Thicknesses in African American and Caucasian Adolescents. <i>Research Quarterly for Exercise and Sport</i> , 2006, 77, 519-526.   | 0.8 | 5         |
| 10427 | A comparison of lung function equipment with emphasis on interchangeability and methods. <i>Physiological Measurement</i> , 2006, 27, 445-455.   | 1.2 | 12        |
| 10428 | Effect of body surface area calculations on body fat estimates in non-obese and obese subjects. <i>Physiological Measurement</i> , 2006, 27, 1197-1209.  | 1.2 | 16        |
| 10429 | Disagreement between tissue Doppler imaging and conventional pulsed wave Doppler in the measurement of myocardial performance index. <i>European Journal of Echocardiography</i> , 2006, 7, 356-364.                                 | 2.3 | 44        |
| 10430 | Baseline echocardiographic characteristics of heart failure patients enrolled in a large European multicentre trial (CARDiac RESynchronisation Heart Failure study). <i>European Journal of Echocardiography</i> , 2006, 7, 373-378. | 2.3 | 33        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10431 | Temperature Curve Complexity Predicts Survival in Critically Ill Patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006, 174, 290-298.   | 2.5 | 56        |
| 10432 | Carotid Artery Calcification on CT May Independently Predict Stroke Risk. <i>American Journal of Roentgenology</i> , 2006, 186, 547-552.   | 1.0 | 117       |
| 10433 | A Noninvasive, Sensitive, Specific, and Reliable Approach to Assess Whole-Body Nitric Oxide Synthesis in Children. <i>Pediatric Research</i> , 2006, 59, 736-741.  | 1.1 | 4         |
| 10434 | MDCT of Right Ventricular Function: Impact of Methodologic Approach in Estimation of Right Ventricular Ejection Fraction, Part 2. <i>American Journal of Roentgenology</i> , 2006, 187, 1605-1609.                         | 1.0 | 41        |
| 10435 | Mammographic Density Measured with Quantitative Computer-aided Method: Comparison with Radiologists' Estimates and BI-RADS Categories. <i>Radiology</i> , 2006, 240, 656-665.  | 3.6 | 128       |
| 10436 | Microvascular Obstruction and Myocardial Function after Acute Myocardial Infarction: Assessment by Using Contrast-enhanced Cine MR Imaging. <i>Radiology</i> , 2006, 240, 529-536.   | 3.6 | 19        |
| 10437 | Myocardial Tissue Phase Mapping with Cine Phase-Contrast MR Imaging: Regional Wall Motion Analysis in Healthy Volunteers. <i>Radiology</i> , 2006, 238, 816-826.   | 3.6 | 94        |
| 10438 | Transcutaneous Bilirubinometry: A Noninvasive Tool for Studying Newborn Jaundiced Rats Before and After Exposure to Light. <i>Pediatric Research</i> , 2006, 59, 203-209.  | 1.1 | 2         |
| 10439 | Macrovesicular Hepatic Steatosis in Living Liver Donors: Use of CT for Quantitative and Qualitative Assessment. <i>Radiology</i> , 2006, 239, 105-112.   | 3.6 | 468       |
| 10440 | Uterine Leiomyomas: MR Imaging-based Thermometry and Thermal Dosimetry during Focused Ultrasound Thermal Ablation. <i>Radiology</i> , 2006, 240, 263-272.  | 3.6 | 207       |
| 10441 | Quantitative Upper Airway Imaging with Anatomic Optical Coherence Tomography. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006, 173, 226-233.  | 2.5 | 143       |
| 10442 | Assessing the Reproducibility of an Analytical Method. <i>Journal of Chromatographic Science</i> , 2006, 44, 119-122.  | 0.7 | 8         |
| 10443 | A Comparison of Assay Performance Measures in Screening Assays: Signal Window, Z' Factor, and Assay Variability Ratio. <i>Journal of Biomolecular Screening</i> , 2006, 11, 247-252.                                       | 2.6 | 204       |
| 10444 | Measurement of gastric emptying by the $^{13}\text{C}$ -octanoate breath test—rationalization with scintigraphy. <i>Physiological Measurement</i> , 2006, 27, 279-289.   | 1.2 | 24        |
| 10445 | Inherent Variability of CT Lung Nodule Measurements In Vivo Using Semiautomated Volumetric Measurements. <i>American Journal of Roentgenology</i> , 2006, 186, 989-994.  | 1.0 | 132       |
| 10446 | Rapid dual-injection single-scan $^{13}\text{N}$ -ammonia PET for quantification of rest and stress myocardial blood flows. <i>Physics in Medicine and Biology</i> , 2006, 51, 5347-5362.                                  | 1.6 | 42        |
| 10447 | Measurement of the absolute optical properties and cerebral blood volume of the adult human head with hybrid differential and spatially resolved spectroscopy. <i>Physics in Medicine and Biology</i> , 2006, 51, 703-717. | 1.6 | 18        |
| 10448 | Detection of lactate threshold by including haemodynamic and oxygen extraction data. <i>Physiological Measurement</i> , 2006, 27, 85-97.   | 1.2 | 17        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10449 | Effect of specimen conditioning on the microarchitectural parameters of trabecular bone assessed by micro-computed tomography. <i>Physics in Medicine and Biology</i> , 2006, 51, 4621-4634.  | 1.6 | 12        |
| 10450 | Site-matched assessment of structural and tissue properties of cortical bone using scanning acoustic microscopy and synchrotron radiation $\mu$ CT. <i>Physics in Medicine and Biology</i> , 2006, 51, 733-746.                       | 1.6 | 75        |
| 10451 | Intraobserver and interobserver agreement, reproducibility, and accuracy of computed tomographic measurements of pituitary gland dimensions in healthy dogs. <i>American Journal of Veterinary Research</i> , 2006, 67, 1750-1755.    | 0.3 | 20        |
| 10452 | Cerebral critical closing pressure estimation from Finapres and arterial blood pressure measurements in the aorta. <i>Physiological Measurement</i> , 2006, 27, 1387-1402.  | 1.2 | 19        |
| 10453 | Quantitative Assessment of Lung Cancer Perfusion Using MDCT: Does Measurement Reproducibility Improve with Greater Tumor Volume Coverage?. <i>American Journal of Roentgenology</i> , 2006, 187, 1079-1084.                           | 1.0 | 72        |
| 10454 | Quantitative colorectal cancer perfusion measurement by multidetector-row CT: does greater tumour coverage improve measurement reproducibility?. <i>British Journal of Radiology</i> , 2006, 79, 578-583.                             | 1.0 | 28        |
| 10455 | The reliability of measuring physical characteristics of spiculated masses on mammography. <i>British Journal of Radiology</i> , 2006, 79, S134-S140.   | 1.0 | 58        |
| 10456 | Use of end-tidal partial pressure of carbon dioxide to predict arterial partial pressure of carbon dioxide in harp seals during isoflurane-induced anesthesia. <i>American Journal of Veterinary Research</i> , 2006, 67, 1131-1135.  | 0.3 | 8         |
| 10457 | Comparison of Radiographs and CT Scans in the Prospective Evaluation of the Fusion of Hindfoot Arthrodesis. <i>Foot and Ankle International</i> , 2006, 27, 780-787.  | 1.1 | 131       |
| 10458 | Polyp Measurement Using CT Colonography: Agreement with Colonoscopy and Effect of Viewing Conditions on Interobserver and Intraobserver Agreement. <i>American Journal of Roentgenology</i> , 2006, 186, 1597-1604.                   | 1.0 | 25        |
| 10459 | Impaired Performance in Commercial Drivers. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006, 174, 446-454.   | 2.5 | 159       |
| 10460 | Pulmonary Nodules Detected at Lung Cancer Screening: Interobserver Variability of Semiautomated Volume Measurements. <i>Radiology</i> , 2006, 241, 251-257.   | 3.6 | 99        |
| 10461 | Automated Hepatic Volumetry for Living Related Liver Transplantation At Multisection CT. <i>Radiology</i> , 2006, 240, 743-748.   | 3.6 | 145       |
| 10462 | Real-time measurement of particulate matter deposition in the lung. <i>Biomarkers</i> , 2006, 11, 221-232.  | 0.9 | 13        |
| 10463 | Lung Cancer Perfusion at Multi-detector Row CT: Reproducibility of Whole Tumor Quantitative Measurements. <i>Radiology</i> , 2006, 239, 547-553.  | 3.6 | 132       |
| 10464 | Assessment of Ventilatory Thresholds from Heart Rate Variability in Well-Trained Subjects during Cycling. <i>International Journal of Sports Medicine</i> , 2006, 27, 959-967.  | 0.8 | 78        |
| 10465 | 2D-Spatially-Selective Real-Time Magnetic Resonance Imaging for the Assessment of Microvascular Function and Its Relation to the Cardiovascular Risk Profile. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2006, 8, 759-769. | 1.6 | 20        |
| 10466 | Accuracy and precision of test weighing to assess milk intake in newborn infants. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2006, 91, F330-F332.  | 1.4 | 33        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10467 | Alteration of proximal aorta biophysical properties in patients with end stage renal disease. <i>Heart</i> , 2006, 92, 228-232.   | 1.2 | 16        |
| 10468 | Validity of age at menarche self-reported in adulthood. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 993-997.  | 2.0 | 159       |
| 10469 | The Modification of Diet in Renal Disease (MDRD) equations provide valid estimations of glomerular filtration rates in patients with advanced heart failure. <i>European Journal of Heart Failure</i> , 2006, 8, 63-67.   | 2.9 | 113       |
| 10470 | Proteomic Profiling of Rat Thyroarytenoid Muscle. <i>Journal of Speech, Language, and Hearing Research</i> , 2006, 49, 671-685.   | 0.7 | 8         |
| 10471 | Quantification of global left ventricular function: comparison of multidetector computed tomography and magnetic resonance imaging. a meta-analysis and review of the current literature. <i>Acta Radiologica</i> , 2006, 47, 1049-1057.                          | 0.5 | 85        |
| 10472 | Respiratory inductive plethysmography accuracy at varying PEEP levels and degrees of acute lung injury. <i>Journal of Medical Engineering and Technology</i> , 2006, 30, 166-175.   | 0.8 | 18        |
| 10473 | Spouse Resemblance in Body Mass Index: Effects on Adult Obesity Prevalence in the Offspring Generation. <i>American Journal of Epidemiology</i> , 2006, 165, 101-108.   | 1.6 | 54        |
| 10474 | Performance-based methods for measuring the physical function of patients with osteoarthritis of the hip or knee: a systematic review of measurement properties. <i>Rheumatology</i> , 2006, 45, 890-902.   | 0.9 | 128       |
| 10475 | Computed Radiographic Measurement of Limb-Length Discrepancy<sbt aid="1049352">Full-Length Standing Anteroposterior Radiograph Compared with Scanogram</sbt>. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 2243.                               | 1.4 | 48        |
| 10476 | Postprandial response of salivary ghrelin and leptin to carbohydrate uptake. <i>Gut</i> , 2006, 55, 433-434.  | 6.1 | 15        |
| 10477 | Radiographic Angles in Hallux Valgus: Differences Between Measurements Made Manually and With a Computerized Program. <i>Foot and Ankle International</i> , 2006, 27, 175-180.  | 1.1 | 54        |
| 10478 | Body composition during GH replacement in adults â€“ methodological variations with respect to gender. <i>European Journal of Endocrinology</i> , 2006, 154, 545-553.   | 1.9 | 11        |
| 10479 | Relationship between androgenic hormones and arterial stiffness, based on longitudinal hormone measurements. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 290, E234-E242.   | 1.8 | 110       |
| 10480 | Prediction of fat-free mass by bioimpedance analysis in migrant Asian Indian men and women: a cross validation study. <i>International Journal of Obesity</i> , 2006, 30, 1125-1131.  | 1.6 | 33        |
| 10481 | Accuracy of Noninvasive Core Temperature Measurement in Acutely Ill Adults: The State of the Science. <i>Biological Research for Nursing</i> , 2006, 8, 24-34.  | 1.0 | 122       |
| 10482 | Non-invasive measurement of cardiac output by whole-body bio-impedance during dobutamine stress echocardiography: Clinical implications in patients with left ventricular dysfunction and ischaemia. <i>European Journal of Heart Failure</i> , 2006, 8, 136-140. | 2.9 | 19        |
| 10483 | A novel technique using echocardiography to evaluate venous cannula performance perioperatively in CPB cardiac surgery. <i>European Journal of Cardio-thoracic Surgery</i> , 2006, 29, 525-529.   | 0.6 | 15        |
| 10484 | Endothelial Colony Forming Capacity is Related to C-Reactive Protein Levels in Healthy Subjects. <i>Current Neurovascular Research</i> , 2006, 3, 99-106.   | 0.4 | 23        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10485 | Use of questionnaire-based outcomes for the measurement of activities and participation in the physiotherapy management of hip osteoarthritis: a review. <i>Physical Therapy Reviews</i> , 2006, 11, 273-288.   | 0.3 | 2         |
| 10486 | Estimation of glomerular filtration rate in patients with systemic lupus erythematosus. <i>Lupus</i> , 2006, 15, 276-281.   | 0.8 | 14        |
| 10487 | Electron Paramagnetic Resonance Oxygen Images Correlate Spatially and Quantitatively with Oxylite Oxygen Measurements. <i>Clinical Cancer Research</i> , 2006, 12, 4209-4217.   | 3.2 | 117       |
| 10488 | VALIDITY AND REPRODUCIBILITY OF HAND-HELD DYNAMOMETRY IN CHILDREN AGED 4â€“11 YEARS. <i>Journal of Rehabilitation Medicine</i> , 2006, 38, 57-64.   | 0.8 | 52        |
| 10489 | Effects of modulation of left ventricular contractile state and loading conditions on tissue Doppler myocardial performance index. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 290, H1952-H1959.                   | 1.5 | 48        |
| 10490 | Measuring body composition in chronic heart failure: A comparison of methods. <i>European Journal of Heart Failure</i> , 2006, 8, 208-214.  | 2.9 | 51        |
| 10491 | Abnormal Pressure Passive Dilatation of Cerebral Arterioles in the Elderly With Isolated Systolic Hypertension. <i>Hypertension</i> , 2006, 48, 1143-1150.  | 1.3 | 13        |
| 10492 | Neurophysiological evaluation of healthy human anorectal sensation. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 291, G950-G958.  | 1.6 | 35        |
| 10493 | Longitudinal but not circumferential deformation reflects global contractile function in the right ventricle with open pericardium. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 290, H2369-H2375.                  | 1.5 | 73        |
| 10494 | Extravascular lung water measurements and hemodynamic monitoring in the critically ill: bedside alternatives to the pulmonary artery catheter. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2006, 291, L1118-L1131. | 1.3 | 123       |
| 10495 | EMG Threshold Determination in Eight Lower Limb Muscles During Cycling Exercise: A Pilot Study. <i>International Journal of Sports Medicine</i> , 2006, 27, 456-462.  | 0.8 | 36        |
| 10496 | Rapid Assessment of Left Ventricular Segmental Wall Motion, Ejection Fraction, and Volumes with Single Breath-Hold, Multi-Slice TrueFISP MR Imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2006, 8, 435-444.                            | 1.6 | 8         |
| 10497 | Validity of Parentally Reported Weight and Height for Preschool-Aged Children in Belgium and Its Impact on Classification Into Body Mass Index Categories. <i>Pediatrics</i> , 2006, 118, 2109-2118.  | 1.0 | 71        |
| 10498 | Pitfalls in blood pressure measurement in daily practice. <i>Family Practice</i> , 2006, 23, 20-27.   | 0.8 | 22        |
| 10499 | Validation of a New Portable Ergospirometric Device (Oxycon MobileÂ®) During Exercise. <i>International Journal of Sports Medicine</i> , 2006, 27, 363-367.   | 0.8 | 59        |
| 10500 | INTRA- AND INTER-RATER RELIABILITY OF THE ASSESSMENT OF CAPACITY FOR MYOELECTRIC CONTROL. <i>Journal of Rehabilitation Medicine</i> , 2006, 38, 118-123.  | 0.8 | 37        |
| 10501 | Lack of Agreement Between Thermodilution and Fick Methods in the Measurement of Cardiac Output. <i>Journal of Intensive Care Medicine</i> , 2006, 21, 93-98.  | 1.3 | 14        |
| 10502 | New aspects of airway mechanics in pre-term infants. <i>European Respiratory Journal</i> , 2006, 27, 913-920.   | 3.1 | 30        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10503 | Multilaboratory Comparison of Hepatitis C Virus Viral Load Assays. <i>Journal of Clinical Microbiology</i> , 2006, 44, 1726-1732.  | 1.8 | 53        |
| 10504 | Creatinine for Evaluation of Glomerular Filtration Rate in Children. <i>Clinical Pediatrics</i> , 2006, 45, 525-530.   | 0.4 | 3         |
| 10505 | Energy Expenditure in Children With Severe Head Injury: Lack of Agreement Between Measured and Estimated Energy Expenditure. <i>Nutrition in Clinical Practice</i> , 2006, 21, 175-181.                              | 1.1 | 31        |
| 10506 | Comparing ultrasound measurements of neonatal hips using the methods of Graf and Terjesen. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2006, 88-B, 104-106.   | 3.4 | 32        |
| 10507 | Reproducibility of instrumented knee joint laxity measurement in healthy subjects. <i>Rheumatology</i> , 2006, 45, 595-599.  | 0.9 | 25        |
| 10508 | Translation and Validation of the Dutch Version of the International Knee Documentation Committee Subjective Knee Form. <i>American Journal of Sports Medicine</i> , 2006, 34, 1680-1684.                            | 1.9 | 84        |
| 10509 | Graded associations between cardiorespiratory fitness, fatness, and blood pressure in children and adolescents * Commentary. <i>British Journal of Sports Medicine</i> , 2006, 40, 25-29.                            | 3.1 | 71        |
| 10510 | Aneurysm Sac Pressure Monitoring: Effect of Pulsatile Motion of the Pressure Sensor on the Interpretation of Measurements. <i>Journal of Endovascular Therapy</i> , 2006, 13, 145-151.                               | 0.8 | 11        |
| 10511 | Measuring Continuity of Care in Diabetes Mellitus: An Experience-Based Measure. <i>Annals of Family Medicine</i> , 2006, 4, 548-555.   | 0.9 | 48        |
| 10512 | Cognition in the days following concussion: comparison of symptomatic versus asymptomatic athletes. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006, 77, 241-245.                                    | 0.9 | 155       |
| 10513 | Medical Record Versus Researcher Measures of Height and Weight. <i>Biological Research for Nursing</i> , 2006, 8, 15-23.   | 1.0 | 25        |
| 10514 | The Use of a Handheld Calorimetry Unit to Estimate Energy Expenditure During Different Physiological Conditions. <i>Journal of Parenteral and Enteral Nutrition</i> , 2006, 30, 246-250.                             | 1.3 | 17        |
| 10515 | Ventricular systolic discordance in pericardial tamponade: acute reversal by pericardiocentesis. <i>Heart</i> , 2006, 92, 968-968.   | 1.2 | 1         |
| 10516 | Correlation and agreement between bispectral index and state entropy of the electroencephalogram during propofol anaesthesia. <i>British Journal of Anaesthesia</i> , 2006, 97, 340-346.                             | 1.5 | 31        |
| 10517 | The relationship between acetabular retroversion and osteoarthritis of the hip. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2006, 88-B, 727-729.  | 3.4 | 95        |
| 10518 | Quantitative Assessment of Left Ventricular Size and Function. <i>Circulation</i> , 2006, 114, 654-661.  | 1.6 | 434       |
| 10519 | Multislice Computed Tomographic Angiography Versus Digital Subtraction Angiography in the Follow-up of Nitinol Stents in the Superficial Femoral Artery. <i>Journal of Endovascular Therapy</i> , 2006, 13, 609-615. | 0.8 | 2         |
| 10520 | Bispectral index is a topographically dependent variable in patients receiving propofol anaesthesia. <i>British Journal of Anaesthesia</i> , 2006, 97, 676-680.  | 1.5 | 14        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10522 | Insulin-like growth factor-I, its binding proteins (IGFBP-1 and IGFBP-3), and growth hormone and breast cancer risk in The Nurses Health Study II. <i>Endocrine-Related Cancer</i> , 2006, 13, 583-592.                 | 1.6 | 120       |
| 10523 | Assessment of differential branch pulmonary blood flow: a comparative study of phase contrast magnetic resonance imaging and radionuclide lung perfusion imaging. <i>Heart</i> , 2006, 92, 963-968.                     | 1.2 | 61        |
| 10524 | Differences between Recognition and Resolution Acuity in Patients Undergoing Macular Hole Surgery. , 2006, 47, 3690.  |     | 23        |
| 10525 | Drawbacks and Prognostic Value of Formulas Estimating Renal Function in Patients With Chronic Heart Failure and Systolic Dysfunction. <i>Circulation</i> , 2006, 114, 1572-1580.  | 1.6 | 277       |
| 10526 | Three-Dimensional Geometry of the Tricuspid Annulus in Healthy Subjects and in Patients With Functional Tricuspid Regurgitation. <i>Circulation</i> , 2006, 114, 1492-8.  | 1.6 | 278       |
| 10527 | An enhancement module to improve the atypical birefringence pattern using scanning laser polarimetry with variable corneal compensation. <i>British Journal of Ophthalmology</i> , 2006, 90, 749-753.                   | 2.1 | 51        |
| 10528 | Evaluation of a quick test for C-reactive protein in a pediatric emergency department. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2006, 66, 717-722.  | 0.6 | 19        |
| 10529 | Reproducibility of ultrasound and magnetic resonance imaging measurements of tendon size. <i>Acta Radiologica</i> , 2006, 47, 954-959.  | 0.5 | 50        |
| 10530 | Assessment of fetal atrioventricular time intervals by tissue Doppler and pulse Doppler echocardiography: normal values and correlation with fetal electrocardiography. <i>Heart</i> , 2006, 92, 1831-1837.             | 1.2 | 110       |
| 10531 | The Face-Symbol Test and the Symbol-Digit Test are not reliable surrogates for the Paced Auditory Serial Addition Test in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2006, 12, 599-604.                    | 1.4 | 18        |
| 10532 | Computed tomography of the human pineal gland for study of the sleep-wake rhythm: reproducibility of a semi-quantitative approach. <i>Acta Radiologica</i> , 2006, 47, 865-871.   | 0.5 | 9         |
| 10533 | Prognostic Value of Aortic Pulse Wave Velocity as Index of Arterial Stiffness in the General Population. <i>Circulation</i> , 2006, 113, 664-670.   | 1.6 | 1,308     |
| 10534 | Systemic arterial waveform analysis and assessment of blood flow during extracorporeal circulation. <i>Perfusion (United Kingdom)</i> , 2006, 21, 109-116.  | 0.5 | 18        |
| 10535 | Accelerometry combined with heart rate telemetry in the assessment of total energy expenditure. <i>British Journal of Nutrition</i> , 2006, 95, 631-639.  | 1.2 | 30        |
| 10536 | Novel Speckle-Tracking Radial Strain From Routine Black-and-White Echocardiographic Images to Quantify Dyssynchrony and Predict Response to Cardiac Resynchronization Therapy. <i>Circulation</i> , 2006, 113, 960-968. | 1.6 | 761       |
| 10537 | Characterization of Acute and Chronic Myocardial Infarcts by Multidetector Computed Tomography. <i>Circulation</i> , 2006, 113, 823-833.  | 1.6 | 396       |
| 10538 | Non-invasive monitoring of CO2 levels in patients using NIV for AECOPD. <i>Thorax</i> , 2006, 61, 363-364.  | 2.7 | 33        |
| 10539 | Comparison of renal function markers in Kuwaiti patients with sickle cell disease. <i>Journal of Clinical Pathology</i> , 2006, 59, 345-351.  | 1.0 | 22        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10540 | Discrepancy between Predicted and Measured GFR in Hospitalized Nigerian Children. <i>Journal of Tropical Pediatrics</i> , 2006, 52, 335-340.   | 0.7 | 5         |
| 10541 | The reproducibility and validity of the Canadian Occupational Performance Measure in parents of children with disabilities. <i>Clinical Rehabilitation</i> , 2006, 20, 980-988.  | 1.0 | 126       |
| 10542 | Proxy measurements in multiple sclerosis: agreement between patients and their partners on the impact of multiple sclerosis in daily life. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006, 77, 1157-1162.   | 0.9 | 19        |
| 10543 | Urine protein-to-creatinine ratio in an untimed urine collection is a reliable measure of proteinuria in lupus nephritis. <i>Rheumatology</i> , 2006, 46, 649-652.   | 0.9 | 49        |
| 10544 | Objective measurement of cough during pulmonary exacerbations in adults with cystic fibrosis. <i>Thorax</i> , 2006, 61, 425-429.   | 2.7 | 72        |
| 10545 | Reproducibility and sensitivity to change of four scoring methods for the radiological assessment of osteoarthritis of the hand. <i>Annals of the Rheumatic Diseases</i> , 2006, 66, 464-469.                                | 0.5 | 40        |
| 10546 | Differences in Infant and Parent Behaviors During Routine Bed Sharing Compared With Cot Sleeping in the Home Setting. <i>Pediatrics</i> , 2006, 117, 1599-1607.  | 1.0 | 76        |
| 10547 | Real-Time PCR Quantification of Genital Shedding of Herpes Simplex Virus (HSV) and Human Immunodeficiency Virus (HIV) in Women Coinfected with HSV and HIV. <i>Journal of Clinical Microbiology</i> , 2006, 44, 423-432.     | 1.8 | 52        |
| 10548 | Comparison of the Health Assessment Questionnaire (HAQ) and the modified HAQ (MHAQ) in patients with rheumatoid arthritis. <i>Rheumatology</i> , 2006, 45, 454-458.  | 0.9 | 83        |
| 10549 | The Contact Lens Impact on Quality of Life (CLIQ) Questionnaire: Development and Validation. , 2006, 47, 2789.   |     | 63        |
| 10550 | Serum cystatin C as an endogenous marker of renal function in patients with mild to moderate impairment of kidney function. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 1855-1862.                                | 0.4 | 143       |
| 10551 | Split renal function in patients with suspected renal artery stenosis: a comparison between gamma camera renography and two methods of measurement with computed tomography. <i>Acta Radiologica</i> , 2006, 47, 107-113.    | 0.5 | 16        |
| 10552 | Microbubble Contrast Agent with Focused Ultrasound to Create Brain Lesions at Low Power Levels: MR Imaging and Histologic Study in Rabbits. <i>Radiology</i> , 2006, 241, 95-106.  | 3.6 | 154       |
| 10553 | Ocular Response Analyzer versus Goldmann Applanation Tonometry for Intraocular Pressure Measurements. , 2006, 47, 4410.  |     | 123       |
| 10554 | Reproducibility of Plasma Steroid Hormones, Prolactin, and Insulin-like Growth Factor Levels among Premenopausal Women over a 2- to 3-Year Period. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 972-978. | 1.1 | 118       |
| 10555 | Quantitative analysis of vascular dimension and plaque composition in coronary multidetector computed tomography images. , 2006, 6143, 58.   |     | 0         |
| 10556 | Evaluation of the Interlaboratory Concordance in Quantification of Human Immunodeficiency Virus-Specific T Cells with a Gamma Interferon Enzyme-Linked Immunospot Assay. <i>Vaccine Journal</i> , 2006, 13, 684-697.         | 3.2 | 29        |
| 10557 | From Sample to Population: Using and Reporting Inferential Statistics. <i>British Journal of Occupational Therapy</i> , 2006, 69, 15-21.   | 0.5 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10558 | Multislice Spiral Computed Tomography for the Evaluation of Stent Patency After Left Main Coronary Artery Stenting. <i>Circulation</i> , 2006, 114, 645-653.  | 1.6 | 155       |
| 10559 | Mehr Qualität " oder mehr Kontrolle? Beyond analytical quality control. <i>Das Medizinische Laboratorium</i> , 2006, 30, 51-57.   | 0.0 | 0         |
| 10560 | Lack of validity of a French adaptation of a scale measuring attitudes towards clinical practice guidelines. <i>International Journal for Quality in Health Care</i> , 2006, 18, 195-202.   | 0.9 | 7         |
| 10561 | Clinical outcome estimates based on treatment target limits of laboratory tests: proposal for a plot visualizing effects and differences of medical target setting exemplified by glycemic control in diabetes. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 327-32. | 1.4 | 2         |
| 10562 | Method comparison of ultrasound and kilovoltage x-ray fiducial marker imaging for prostate radiotherapy targeting. <i>Physics in Medicine and Biology</i> , 2006, 51, 4981-4993.  | 1.6 | 31        |
| 10563 | Electro-Optical Techniques for the Investigation of Oesophageal Photoplethysmographic Signals and Blood Oxygen Saturation in Burns. <i>Measurement and Control</i> , 2006, 39, 77-79.   | 0.9 | 1         |
| 10564 | Intrapartum cardiotocography " the dilemma of interpretational variation. <i>Journal of Perinatal Medicine</i> , 2006, 34, 298-302.   | 0.6 | 86        |
| 10565 | Determination of total bilirubin in whole blood from neonates: results from a French multicenter study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 1103-10.  | 1.4 | 17        |
| 10566 | Bilirubin Measurement for Neonates: Comparison of 9 Frequently Used Methods. <i>Pediatrics</i> , 2006, 117, 1174-1183.  | 1.0 | 104       |
| 10567 | Analytical performance and clinical efficacy for cardiovascular risk estimation of an Olympus immunoturbidimetric high-sensitivity C-reactive protein assay. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 228-31.  | 1.4 | 4         |
| 10568 | Point-of-care C-reactive protein testing in febrile children in general practice. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 1428-32.  | 1.4 | 22        |
| 10569 | Analytical performance of a new two-step ADVIA Centaur® estradiol immunoassay during ovarian stimulation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 105-9.  | 1.4 | 4         |
| 10570 | Telomere length is associated with left ventricular function in the oldest old: the Newcastle 85+ study. <i>European Heart Journal</i> , 2006, 28, 172-176.   | 1.0 | 77        |
| 10571 | A modified method of prothrombin time/International Normalised Ratio determination in capillary blood and monitoring oral anticoagulant therapy. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 1214-7.  | 1.4 | 3         |
| 10572 | The usability of six physical performance tasks in a rehabilitation population with chronic low back pain. <i>Clinical Rehabilitation</i> , 2006, 20, 989-997.  | 1.0 | 81        |
| 10573 | Contrast-Enhanced Multidetector Computed Tomography Viability Imaging After Myocardial Infarction. <i>Circulation</i> , 2006, 113, 394-404.   | 1.6 | 379       |
| 10574 | Feasibility of strain and strain rate imaging for the assessment of regional left atrial deformation: A study in normal subjects. <i>European Journal of Echocardiography</i> , 2006, 7, 199-208.   | 2.3 | 173       |
| 10575 | Validity of Criteria Used to Evaluate Fingerstick Devices That Assess International Normalized Ratio. <i>Medical Decision Making</i> , 2006, 26, 239-246.   | 1.2 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10576 | Improvement in glycemic control over 11 years in patients monitored for diabetes in one county. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 92-8.  | 1.4 | 2         |
| 10577 | Comparison of the Modification of Diet in Renal Disease and Cockcroft-Gault Equations for Antimicrobial Dosage Adjustments. <i>Annals of Pharmacotherapy</i> , 2006, 40, 1248-1253.  | 0.9 | 75        |
| 10578 | Comparison of TEST 1 with SRS 100 and ICSH reference method for the measurement of the length of sedimentation reaction in blood. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 407-12.  | 1.4 | 18        |
| 10579 | Estimation of Trabecular Thickness Using Ultrasonic Backscatter. <i>Ultrasonic Imaging</i> , 2006, 28, 3-22.   | 1.4 | 36        |
| 10580 | Effect of aging on the stride pattern of veteran marathon runners * Commentary 1 * Commentary 2. <i>British Journal of Sports Medicine</i> , 2006, 40, 601-604.  | 3.1 | 19        |
| 10581 | Assessment of left ventricular ejection fraction may invalidate the reliability of EuroSCORE. <i>European Journal of Cardio-thoracic Surgery</i> , 2006, 29, 978-982.  | 0.6 | 10        |
| 10582 | Fully automated large-scale assessment of visceral and subcutaneous abdominal adipose tissue by magnetic resonance imaging. <i>International Journal of Obesity</i> , 2006, 30, 844-852.   | 1.6 | 51        |
| 10583 | Fetal Sheep Development on Ultrasound and Magnetic Resonance Imaging: A Standard for the in utero Assessment of Models of Congenital Abnormalities. <i>Fetal Diagnosis and Therapy</i> , 2006, 21, 444-457.  | 0.6 | 11        |
| 10584 | Diagnostic and prognostic value of serum antibodies against <i>Pseudomonas aeruginosa</i> in cystic fibrosis. <i>Thorax</i> , 2006, 61, 684-688.   | 2.7 | 41        |
| 10585 | Extent of Agreement in Gentamicin Concentration Between Serum That Is Drawn Peripherally and From Central Venous Catheters. <i>Pediatrics</i> , 2006, 118, e1650-e1656.  | 1.0 | 19        |
| 10586 | Comparison of ACT point-of-care measurements: repeatability and agreement. <i>Perfusion (United Kingdom)</i> , 2006, 21, 45-50.  | 0.5 | 45        |
| 10587 | Current assays overestimate 25-hydroxyvitamin D3 and underestimate 25-hydroxyvitamin D2 compared with HPLC: need for assay-specific decision limits and metabolite-specific assays. <i>Annals of Clinical Biochemistry</i> , 2006, 43, 23-30.                    | 0.8 | 119       |
| 10588 | Assessment of tricuspid valve annulus size, shape and function using real-time three-dimensional echocardiography. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2006, 5, 683-687.  | 0.5 | 70        |
| 10589 | The Minimum Significant Ratio: A Statistical Parameter to Characterize the Reproducibility of Potency Estimates from Concentration-Response Assays and Estimation by Replicate-Experiment Studies. <i>Journal of Biomolecular Screening</i> , 2006, 11, 253-261. | 2.6 | 110       |
| 10590 | The Childhood Asperger Syndrome Test (CAST). <i>Autism</i> , 2006, 10, 415-427.  | 2.4 | 51        |
| 10591 | Frequency and Temporal Profile of Poststroke Hyperglycemia Using Continuous Glucose Monitoring. <i>Diabetes Care</i> , 2006, 29, 1839-1844.  | 4.3 | 107       |
| 10592 | Alveolar Volume Determined by Single-Breath Helium Dilution Correlates with the High-Resolution Computed Tomography-Derived Nonemphysematous Lung Volume. <i>Respiration</i> , 2006, 73, 468-473.  | 1.2 | 11        |
| 10593 | Plasma Homocysteine Measurement with Ion Exchange Chromatography (Jeol Aminotac 500): A Comparison with the Abbott IMx Assay. <i>Medical Principles and Practice</i> , 2006, 15, 149-152.  | 1.1 | 4         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10594 | Monitoring of Lung Edema by Microwave Reflectometry during Lung Ischemia-Reperfusion Injury in vivo. <i>European Surgical Research</i> , 2006, 38, 18-26.  | 0.6 | 2         |
| 10595 | Accuracy of Proximal Caries Depth Measurements: Comparison between Limited Cone Beam Computed Tomography, Storage Phosphor and Film Radiography. <i>Caries Research</i> , 2006, 40, 202-207.   | 0.9 | 72        |
| 10596 | Comparison of Methods for Counting Cells in the Mouse Glomerulus. <i>Nephron Experimental Nephrology</i> , 2006, 103, e139-e148.   | 2.4 | 31        |
| 10597 | A Comparison of Prediction Equations for Estimating Glomerular Filtration Rate in Adult Patients with Chronic Kidney Disease Stages 4&#x2013;5. <i>Nephron Clinical Practice</i> , 2006, 104, c160-c168.   | 2.3 | 25        |
| 10598 | Phosphenes Electrically Evoked with DTL Electrodes: A Study in Patients with Retinitis Pigmentosa, Glaucoma, and Homonymous Visual Field Loss and Normal Subjects. , 2006, 47, 4966.   |     | 81        |
| 10599 | Comprehensive cardiac assessment with multislice computed tomography: evaluation of left ventricular function and perfusion in addition to coronary anatomy in patients with previous myocardial infarction. <i>Heart</i> , 2006, 92, 1779-1783.       | 1.2 | 47        |
| 10600 | Performance of mechanical ventilators at the patient's home: a multicentre quality control study. <i>Thorax</i> , 2006, 61, 400-404.   | 2.7 | 46        |
| 10601 | Body composition in patients with chronic obstructive pulmonary disease: which method to use in clinical practice?. <i>British Journal of Nutrition</i> , 2006, 96, 86.  | 1.2 | 45        |
| 10602 | Measurement of Plasma-Derived Substance P: Biological, Methodological, and Statistical Considerations. <i>Vaccine Journal</i> , 2006, 13, 1197-1203.   | 3.2 | 28        |
| 10603 | A Simple Manual Rosetting Method for Absolute CD4 + Lymphocyte Counting in Resource-Limited Countries. <i>Vaccine Journal</i> , 2006, 13, 598-601.   | 3.2 | 7         |
| 10604 | Quantification of Hepatitis B Virus (HBV) DNA with a TaqMan HBV Analyte-Specific Reagent following Sample Processing with the MagNA Pure LC Instrument. <i>Journal of Clinical Microbiology</i> , 2006, 44, 1490-1494.                                 | 1.8 | 11        |
| 10605 | Assessment of total body fat using the skinfold technique in full-term and preterm infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2006, 95, 21-28.   | 0.7 | 27        |
| 10606 | Evidence for involvement of the vitamin D receptor gene in idiopathic short stature via a genome-wide linkage study and subsequent association studies. <i>Human Molecular Genetics</i> , 2006, 15, 2772-2783.   | 1.4 | 40        |
| 10607 | Bronchoscopy in Ventilator-associated Pneumonia. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006, 173, 1229-1232.   | 2.5 | 24        |
| 10608 | An Internet-Based Telerehabilitation System for the Assessment of Motor Speech Disorders: A Pilot Study. <i>American Journal of Speech-Language Pathology</i> , 2006, 15, 45-56.   | 0.9 | 96        |
| 10609 | Overground and walkway ambulation with unilateral hip osteoarthritis: comparison of step length asymmetries and reproducibility of treadmill mounted force plate readings. <i>Physiotherapy Theory and Practice</i> , 2006, 22, 73-82.                 | 0.6 | 15        |
| 10610 | Importance of the functional sensitivity determination of a serum hyaluronic acid assay for the prediction of liver fibrosis in patients with features of the metabolic syndrome. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 505-7. | 1.4 | 2         |
| 10611 | Measurement of serum monoclonal components: comparison between densitometry and capillary zone electrophoresis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 609-11.  | 1.4 | 23        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10612 | Validity of Parent-Reported Height and Weight for Defining Obesity among Asthmatic and Nonasthmatic Schoolchildren. <i>International Archives of Allergy and Immunology</i> , 2006, 139, 139-145.                                    | 0.9 | 56        |
| 10613 | An in vitro Comparison between Two Methods of Electrical Resistance Measurement for Occlusal Caries Detection. <i>Caries Research</i> , 2006, 40, 104-111.   | 0.9 | 15        |
| 10614 | Noninvasive Measurement of the Maximum Relaxation Rate of Inspiratory Muscles in Patients with Neuromuscular Disorders. <i>Respiration</i> , 2006, 73, 474-480.  | 1.2 | 9         |
| 10615 | Comparison of Women's Diet Assessed by FFQs and 24-Hour Recalls with and without Underreporters: Associations with Biomarkers. <i>Annals of Nutrition and Metabolism</i> , 2006, 50, 450-460.  | 1.0 | 69        |
| 10616 | Time Poor: Rushing Decreases the Accuracy and Reliability of Blood Pressure Measurement Technique in Pregnancy. <i>Hypertension in Pregnancy</i> , 2006, 25, 81-91.  | 0.5 | 13        |
| 10617 | Bedside red cell volumetry by low-dose carboxyhaemoglobin dilution using expiratory gas analysis. <i>British Journal of Anaesthesia</i> , 2006, 96, 186-194.   | 1.5 | 10        |
| 10618 | Evaluation of a new transcutaneous bilirubinometer in Chinese newborns. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2006, 91, F434-F438.   | 1.4 | 28        |
| 10619 | Lumen Loss in the First Year in Saphenous Vein Grafts Is Predominantly a Result of Negative Remodeling of the Whole Vessel Rather Than a Result of Changes in Wall Thickness. <i>Circulation</i> , 2006, 114, 1435-1440.             | 1.6 | 45        |
| 10620 | Pre- and Postdialysis Blood Pressures Are Imprecise Estimates of Interdialytic Ambulatory Blood Pressure. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2006, 1, 389-398.                                   | 2.2 | 200       |
| 10621 | Evaluation of the Accuracy of a Microdialysis-Based Glucose Sensor During Insulin-Induced Hypoglycemia, Its Recovery, and Post-Hypoglycemic Hyperglycemia in Humans. <i>Diabetes Technology and Therapeutics</i> , 2006, 8, 326-337. | 2.4 | 19        |
| 10622 | Agreement between Polar and SRM mobile ergometer systems during laboratory-based high-intensity, intermittent cycling activity. <i>Journal of Sports Sciences</i> , 2006, 24, 863-868.   | 1.0 | 10        |
| 10623 | Bedside Monitoring of Blood $\beta$ -Hydroxybutyrate Levels in the Management of Diabetic Ketoacidosis in Children. <i>Diabetes Technology and Therapeutics</i> , 2006, 8, 671-676.  | 2.4 | 59        |
| 10624 | Microdialysis-Based 48-Hour Continuous Glucose Monitoring with GlucoDay <sup>®</sup> : Clinical Performance and Patients' Acceptance. <i>Diabetes Technology and Therapeutics</i> , 2006, 8, 570-575.                                | 2.4 | 32        |
| 10625 | Estimation of body density based on hydrostatic weighing without head submersion in young Japanese adults. <i>Journal of Sports Sciences</i> , 2006, 24, 589-596.  | 1.0 | 2         |
| 10626 | Data required for testicular dose calculation during radiotherapy of seminoma. <i>Medical Physics</i> , 2006, 33, 2391-2395.   | 1.6 | 8         |
| 10627 | Evaluation of a new Sebia kit for analysis of hemoglobin fractions and variants on the Capillarys <sup>®</sup> system. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 340-5.  | 1.4 | 26        |
| 10628 | Validity and reproducibility of the Jamar dynamometer in children aged 4 to 11 years. <i>Disability and Rehabilitation</i> , 2006, 28, 1303-1309.  | 0.9 | 44        |
| 10629 | 2I-2 Quantification and MRI Validation of Regional Cardiac Contractile Dysfunction in Mice Post Myocardial Infarction Using High Resolution Ultrasound. , 2006, , .  |     | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10630 | Pulse-wave morphology and pulse-wave velocity in healthy human volunteers: Examination conditions. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2006, 66, 385-394. | 0.6 | 32        |
| 10631 | Lower-limb and whole-body tissue composition assessment in healthy active older women. <i>Annals of Human Biology</i> , 2006, 33, 89-99.   | 0.4 | 4         |
| 10632 | Reproducibility and Accuracy of Measurements of Free and Total Prostate-Specific Antigen in Serum vs Plasma after Long-Term Storage at 20 °C. <i>Clinical Chemistry</i> , 2006, 52, 235-239. | 1.5 | 62        |
| 10633 | Body fluid volume determination via body composition spectroscopy in health and disease. <i>Physiological Measurement</i> , 2006, 27, 921-933.   | 1.2 | 500       |
| 10634 | Statistics in orthopaedic papers. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2006, 88-B, 1121-1136.  | 3.4 | 138       |
| 10635 | Comparison of rebound tonometry with Goldmann applanation tonometry and correlation with central corneal thickness. <i>British Journal of Ophthalmology</i> , 2006, 90, 833-835.             | 2.1 | 110       |
| 10636 | Estimation of Height and Body Mass Index from Demi-Span in Elderly Individuals. <i>Gerontology</i> , 2006, 52, 275-281.  | 1.4 | 30        |
| 10637 | Human Myocardium: Single-Breath-hold MR T1 Mapping with High Spatial Resolution—Reproducibility Study. <i>Radiology</i> , 2006, 238, 1004-1012.  | 3.6 | 209       |
| 10638 | Inflammatory Response After Influenza Vaccination in Men With and Without Carotid Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 2738-2744.           | 1.1 | 36        |
| 10639 | Accuracy of an oscillometric blood pressure monitor during phenylephrine-induced hypertension in dogs. <i>American Journal of Veterinary Research</i> , 2006, 67, 1541-1545.                 | 0.3 | 42        |
| 10641 | Pulse oximetry in the oesophagus. <i>Physiological Measurement</i> , 2006, 27, R1-R35.   | 1.2 | 80        |
| 10642 | Measurement of total thyroxine concentration in serum from dogs and cats by use of various methods. <i>American Journal of Veterinary Research</i> , 2006, 67, 259-265.                      | 0.3 | 28        |
| 10643 | Use of ulcer size and initial responses to treatment to predict the healing time of leg ulcers. <i>Journal of Wound Care</i> , 2006, 15, 299-303.  | 0.5 | 11        |
| 10644 | Validation of a Novel Point-of-Care Nerve Conduction Device for the Detection of Diabetic Sensorimotor Polyneuropathy. <i>Diabetes Care</i> , 2006, 29, 2023-2027.                           | 4.3 | 53        |
| 10645 | Age differences in central and peripheral intraocular pressure using a rebound tonometer. <i>British Journal of Ophthalmology</i> , 2006, 90, 1495-1500.                                     | 2.1 | 33        |
| 10646 | Renal Tract Calculi: Comparison of Stone Size on Plain Radiography and Noncontrast Spiral CT Scan. <i>Journal of Endourology</i> , 2006, 20, 1005-1009.                                      | 1.1 | 38        |
| 10647 | A novel method for using accelerometer data to predict energy expenditure. <i>Journal of Applied Physiology</i> , 2006, 100, 1324-1331.  | 1.2 | 372       |
| 10648 | Development and Validation of a Multiplex Add-On Assay for Sepsis Biomarkers Using xMAP Technology. <i>Clinical Chemistry</i> , 2006, 52, 1284-1293.   | 1.5 | 121       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10649 | The VF-14 and Psychological Impact of Amblyopia and Strabismus. , 2006, 47, 4386.   |     | 59        |
| 10650 | Reliability and Consistency of Dark-Adapted Psychophysical Measures in Advanced Eye Disease. , 2006, 47, 444.   |     | 25        |
| 10651 | Airway dimensions measured from micro-computed tomography and high-resolution computed tomography. European Respiratory Journal, 2006, 28, 712-720.   | 3.1 | 41        |
| 10652 | Impact of Unrecognized Myocardial Scar Detected by Cardiac Magnetic Resonance Imaging on Event-Free Survival in Patients Presenting With Signs or Symptoms of Coronary Artery Disease. Circulation, 2006, 113, 2733-2743. | 1.6 | 663       |
| 10653 | Development and Validation of the Self-Administration of Medication Tool. Annals of Pharmacotherapy, 2006, 40, 1064-1073.   | 0.9 | 24        |
| 10654 | Agreement between arterial and central venous values for pH, bicarbonate, base excess, and lactate. Emergency Medicine Journal, 2006, 23, 622-624.  | 0.4 | 168       |
| 10655 | Evaluation of right ventricular volume and function by 2D and 3D echocardiography compared to MRI. European Journal of Echocardiography, 2006, 7, 430-438.  | 2.3 | 249       |
| 10656 | Comparison of maximal anaerobic running tests on a treadmill and track. Journal of Sports Sciences, 2007, 25, 87-96.  | 1.0 | 19        |
| 10657 | Rehabilitative Ultrasound Imaging: Understanding the Technology and Its Applications. Journal of Orthopaedic and Sports Physical Therapy, 2007, 37, 434-449.  | 1.7 | 190       |
| 10658 | Repeatability of Inflammatory Parameters in Induced Sputum of COPD Patients. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2007, 4, 321-329.  | 0.7 | 28        |
| 10659 | The effect of crank rate strategy on peak aerobic power and peak physiological responses during arm crank ergometry. Journal of Sports Sciences, 2007, 25, 711-718.   | 1.0 | 21        |
| 10660 | Muscle strength testing with one repetition maximum in the arm/shoulder for people aged 75 + - test-retest reliability. Clinical Rehabilitation, 2007, 21, 258-265.   | 1.0 | 42        |
| 10661 | Bioimpedance Spectroscopy for Clinical Assessment of Fluid Distribution and Body Cell Mass. Nutrition in Clinical Practice, 2007, 22, 389-405.  | 1.1 | 155       |
| 10662 | Time series calculation of heart rate using multi rate FIR filters. , 2007, , .   |     | 1         |
| 10663 | Newborn Screening for Congenital Adrenal Hyperplasia: Additional Steroid Profile using Liquid Chromatography-Tandem Mass Spectrometry. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 2581-2589.             | 1.8 | 178       |
| 10664 | An Automatic Calibration Approach For Left Ventricular Volume Assessment. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 4460-3.                                    | 0.5 | 0         |
| 10665 | Introduction of a novel magnetic resonance imaging tenosynovitis score for rheumatoid arthritis: reliability in a multireader longitudinal study. Annals of the Rheumatic Diseases, 2007, 66, 1216-1220.                  | 0.5 | 133       |
| 10666 | Predictive value of automated oxygen saturation analysis for the diagnosis and treatment of obstructive sleep apnoea in a home-based setting. Thorax, 2007, 62, 422-427.  | 2.7 | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10667 | Evaluation of a Simplified Dual-Platform Flow Cytometric Method for Measurement of Lymphocyte Subsets and T-Cell Maturation Phenotypes in the Population of Nouna, Burkina Faso. <i>Vaccine Journal</i> , 2007, 14, 775-781.  | 3.2 | 9         |
| 10668 | Respiratory function in healthy young children using forced oscillations. <i>Thorax</i> , 2007, 62, 521-526.  | 2.7 | 68        |
| 10669 | Salivary cortisol reflects serum cortisol: analysis of circadian profiles. <i>Annals of Clinical Biochemistry</i> , 2007, 44, 281-284.  | 0.8 | 157       |
| 10670 | Radioimmunoassay and Tandem Mass Spectrometry Measurement of Bedtime Salivary Cortisol Levels: A Comparison of Assays to Establish Hypercortisolism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 3102-3107.                                     | 1.8 | 120       |
| 10671 | Evaluation of Left Ventricular Filling Pressures by Doppler Echocardiography in Patients With Hypertrophic Cardiomyopathy. <i>Circulation</i> , 2007, 116, 2702-2708.   | 1.6 | 282       |
| 10672 | Respiratory impedance in children with cystic fibrosis using forced oscillations in clinic. <i>European Respiratory Journal</i> , 2007, 30, 892-897.  | 3.1 | 61        |
| 10673 | Impact of Hepatitis C Virus (HCV) Genotypes on Quantification of HCV RNA in Serum by COBAS AmpliPrep/COBAS TaqMan HCV Test, Abbott Antiretroviral Therapy HCV RealTime Assay, and VERSANT HCV RNA Assay. <i>Journal of Clinical Microbiology</i> , 2007, 45, 3077-3081. | 1.8 | 35        |
| 10674 | Reliability of MR Perfusion-Weighted and Diffusion-Weighted Imaging Mismatch Measurement Methods. <i>American Journal of Neuroradiology</i> , 2007, 28, 1674-1678.  | 1.2 | 12        |
| 10675 | Measurement of laxity in the anterior cruciate ligament-deficient knee: A comparison of three different methods in vitro. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2007, 221, 653-663.               | 1.0 | 8         |
| 10676 | Reproducibility of Endothelial Assessment during Corneal Organ Culture: Comparison of a Computer-Assisted Analyzer with Manual Methods. , 2007, 48, 2062.   |     | 31        |
| 10678 | A clinical evaluation of the individual repeatability of three commercially available colour measuring devices. <i>British Dental Journal</i> , 2007, 203, 675-680.   | 0.3 | 82        |
| 10679 | Comparison of three methods of temperature measurement in hypothermic, euthermic, and hyperthermic dogs. <i>Journal of the American Veterinary Medical Association</i> , 2007, 230, 1841-1848.  | 0.2 | 79        |
| 10680 | Overview of Agreement Statistics for Medical Devices. <i>Journal of Biopharmaceutical Statistics</i> , 2007, 18, 126-144.   | 0.4 | 33        |
| 10681 | A Digital Approach to Photographing and Measuring Cleft Lip and Palate Dental Study Casts. <i>Journal of Visual Communication in Medicine</i> , 2007, 30, 60-71.  | 0.4 | 2         |
| 10682 | MICROSATELLITE ANALYSIS OF INDUCED SPUTUM DNA IN PATIENTS WITH LUNG CANCER IN HEAVY SMOKERS AND IN HEALTHY SUBJECTS. <i>Experimental Lung Research</i> , 2007, 33, 289-301.   | 0.5 | 20        |
| 10683 | Comparison of B-type natriuretic peptide assays for identifying heart failure in stable elderly patients with a clinical diagnosis of chronic obstructive pulmonary disease. <i>European Journal of Heart Failure</i> , 2007, 9, 651-659.                               | 2.9 | 77        |
| 10684 | Three-dimensional imaging of orthodontic models: a pilot study. <i>European Journal of Orthodontics</i> , 2007, 29, 517-522.  | 1.1 | 84        |
| 10685 | Glycoconjugate expression in perennial allergic rhinitis: a lectin histopathological study. <i>Acta Oto-Laryngologica</i> , 2007, 127, 1068-1073.   | 0.3 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10686 | Commentary on "" . British Journal of Sports Medicine, 2007, 41, 727-727.   | 3.1 | 0         |
| 10687 | Blind identification of the aortic pressure waveform from multiple peripheral artery pressure waveforms. American Journal of Physiology - Heart and Circulatory Physiology, 2007, 292, H2257-H2264.                 | 1.5 | 33        |
| 10688 | A Comparison of Transcutaneous and Total Serum Bilirubin in Newborn Hispanic Infants at 35 or More Weeks of Gestation. Journal of the American Board of Family Medicine, 2007, 20, 266-271.                         | 0.8 | 29        |
| 10689 | Noninferiority Tests Based on Concordance Correlation Coefficient for Assessment of the Agreement for Gene Expression Data from Microarray Experiments. Journal of Biopharmaceutical Statistics, 2007, 17, 309-327. | 0.4 | 10        |
| 10690 | Feasibility and Diagnostic Accuracy of a Gated SPECT Early-Imaging Protocol: A Multicenter Study of the Myoview Imaging Optimization Group. Journal of Nuclear Medicine, 2007, 48, 1670-1675.                       | 2.8 | 45        |
| 10691 | Assessment of dynamic walking balance in children with acquired brain injury. Physical Therapy Reviews, 2007, 12, 3-20.   | 0.3 | 3         |
| 10692 | Estimating pulmonary artery pressures by echocardiography in patients with emphysema. European Respiratory Journal, 2007, 30, 914-921.  | 3.1 | 189       |
| 10693 | Evaluation of the Modification of Diet in Renal Disease Study Equation in a Large Diverse Population. Journal of the American Society of Nephrology: JASN, 2007, 18, 2749-2757.                                     | 3.0 | 498       |
| 10694 | Comparison of Pentacam Scheimpflug Camera with Ultrasound Pachymetry and Noncontact Specular Microscopy in Measuring Central Corneal Thickness. Current Eye Research, 2007, 32, 89-94.                              | 0.7 | 68        |
| 10695 | Using modelling to assess the risk of malarial infection during the dry season, on a local scale in an endemic area of rural Burkina Faso. Annals of Tropical Medicine and Parasitology, 2007, 101, 375-389.        | 1.6 | 4         |
| 10696 | Non-invasive radial pulse wave assessment for the evaluation of left ventricular systolic performance in heart failure. European Journal of Heart Failure, 2007, 9, 477-483.  | 2.9 | 37        |
| 10697 | Assessment of cardiac asynchrony by radionuclide phase analysis: Correlation with ventricular function in patients with narrow or prolonged QRS interval. European Journal of Heart Failure, 2007, 9, 484-490.      | 2.9 | 25        |
| 10698 | Gastric emptying: a comparison of three methods. Scandinavian Journal of Gastroenterology, 2007, 42, 1182-1186.   | 0.6 | 34        |
| 10699 | Operator Induced Variability in Left Ventricular Measurements with Cardiovascular Magnetic Resonance is Improved After Training. Journal of Cardiovascular Magnetic Resonance, 2007, 9, 777-783.                    | 1.6 | 101       |
| 10700 | Reproducibility and reliability of the ankle-brachial index as assessed by vascular experts, family physicians and nurses. Vascular Medicine, 2007, 12, 105-112.  | 0.8 | 89        |
| 10701 | Outcome measurement in paediatric physiotherapy. , 2007, , 23-36.   |     | 0         |
| 10702 | Variability of NT-proBNP plasma and urine levels in patients with stable heart failure: a 2-year follow-up study. Heart, 2007, 93, 957-962.   | 1.2 | 28        |
| 10703 | Comparison of the Validity of Direct Pediatric Developmental Evaluation Versus Developmental Screening by Parent Report. Clinical Pediatrics, 2007, 46, 523-529.  | 0.4 | 24        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10704 | Development and Evaluation of a New Bicycle Instrument for Measurements of Pedal Forces and Power Output in Cycling. <i>International Journal of Sports Medicine</i> , 2007, 28, 326-332.  | 0.8 | 50        |
| 10705 | Reproducibility and Reliability of Atherosclerotic Plaque Volume Measurements in Peripheral Arterial Disease with Cardiovascular Magnetic Resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2007, 9, 71-76.                           | 1.6 | 56        |
| 10706 | Assessment of Left Atrial Volumes at 1.5 Tesla and 3 Tesla Using FLASH and SSFP Cine Imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2007, 9, 673-679.  | 1.6 | 54        |
| 10707 | Correlation of Aortic Valve Area Obtained by the Velocity-Encoded Phase Contrast Continuity Method to Direct Planimetry using Cardiovascular Magnetic Resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2007, 9, 799-805.             | 1.6 | 49        |
| 10708 | Validity of simplified protocols to estimate glomerular filtration rate using iohexol clearance. <i>Annals of Clinical Biochemistry</i> , 2007, 44, 369-376.   | 0.8 | 17        |
| 10709 | High-precision measurements of cementless acetabular components using model-based RSA: An experimental study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2007, 78, 463-469.   | 1.2 | 18        |
| 10710 | Plasma creatinine determination in mice and rats: An enzymatic method compares favorably with a high-performance liquid chromatography assay. <i>Kidney International</i> , 2007, 71, 74-78.   | 2.6 | 106       |
| 10711 | Assessing a dual-frequency identification sonarsâ€™ fish-counting accuracy, precision, and turbid river range capability. <i>Journal of the Acoustical Society of America</i> , 2007, 122, 3364-3377.  | 0.5 | 45        |
| 10712 | Monitoring left ventricular function in adults receiving anthracycline-containing chemotherapy. <i>European Journal of Heart Failure</i> , 2007, 9, 409-414.   | 2.9 | 49        |
| 10713 | Validity of the SS-QOL in Germany and in Survivors of Hemorrhagic or Ischemic Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2007, 21, 161-168.  | 1.4 | 52        |
| 10714 | Efficacy of Instability Resistance Training. <i>International Journal of Sports Medicine</i> , 2007, 28, 829-835.  | 0.8 | 37        |
| 10715 | Decision boundaries and receiver operating characteristic curves: New methods for determining accelerometer cutpoints. <i>Journal of Sports Sciences</i> , 2007, 25, 937-944.  | 1.0 | 59        |
| 10716 | Technical optimization of four-channel multidetector-row helical computed tomography for depicting arterial stenosis: a phantom study. <i>Acta Radiologica</i> , 2007, 48, 173-179.  | 0.5 | 2         |
| 10717 | Assessment of 3D-TOF-MRA at 3.0 tesla in the characterization of the angioarchitecture of cerebral arteriovenous malformations: a preliminary study. <i>Acta Radiologica</i> , 2007, 48, 678-686.  | 0.5 | 44        |
| 10718 | Repeatability of central aortic blood pressures measured noninvasively using radial artery applanation tonometry and peripheral pulse wave analysis. <i>Blood Pressure</i> , 2007, 16, 262-269.  | 0.7 | 23        |
| 10719 | Assessment of fatigue in patients with fibromyalgia and chronic widespread pain. Reliability and validity of the Swedish version of the MFI-20. <i>Disability and Rehabilitation</i> , 2007, 29, 1665-1670.  | 0.9 | 71        |
| 10720 | Accuracy of maternal reports of pre-schoolersâ€™ weights and heights as estimates of BMI values. <i>International Journal of Epidemiology</i> , 2007, 36, 132-138.   | 0.9 | 83        |
| 10721 | Assessment of a point-of-care biochemical analyzer and comparison with a commercial laboratory for the measurement of total protein and albumin concentrations in psittacines. <i>American Journal of Veterinary Research</i> , 2007, 68, 1348-1353. | 0.3 | 12        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10722 | Measurement of EMG activity with textile electrodes embedded into clothing. <i>Physiological Measurement</i> , 2007, 28, 1405-1419.  | 1.2 | 114       |
| 10723 | Comparison of SSFP and IR GRE Techniques for Measurement of Total Myocardial Mass-Influence of Applied Contrast Dosage and Implication for Relative Infarct Size Assessment. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2007, 9, 607-614. | 1.6 | 3         |
| 10724 | Serum free light chains; the need to establish local reference intervals. <i>Annals of Clinical Biochemistry</i> , 2007, 44, 512-515.  | 0.8 | 29        |
| 10725 | Ventilatory Thresholds Assessment from Heart Rate Variability during an Incremental Exhaustive Running Test. <i>International Journal of Sports Medicine</i> , 2007, 28, 287-294.  | 0.8 | 81        |
| 10726 | Improved Quantitative Assessment of Left Ventricular Volumes Using TGrE Approach After Application of Extracellular Contrast Agent at 3 Tesla. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2007, 9, 845-853.                               | 1.6 | 17        |
| 10727 | Examination of peripheral blood films using automated microscopy; evaluation of Diffmaster Octavia and Cellavision DM96. <i>Journal of Clinical Pathology</i> , 2007, 60, 72-79.   | 1.0 | 101       |
| 10728 | Use of conventional ECG electrodes for depth of anaesthesia monitoring using the cerebral state index: a clinical study in day surgery. <i>British Journal of Anaesthesia</i> , 2007, 98, 645-648.   | 1.5 | 13        |
| 10729 | The craniofacial characteristics of osteogenesis imperfecta patients. <i>European Journal of Orthodontics</i> , 2007, 29, 232-237.   | 1.1 | 37        |
| 10730 | QT variability strongly predicts sudden cardiac death in asymptomatic subjects with mild or moderate left ventricular systolic dysfunction: a prospective study. <i>European Heart Journal</i> , 2007, 28, 1344-1350.                                | 1.0 | 148       |
| 10731 | Mitral regurgitation in myocardial infarction complicated by heart failure, left ventricular dysfunction, or both: prognostic significance and relation to ventricular size and function. <i>European Heart Journal</i> , 2007, 28, 326-333.         | 1.0 | 88        |
| 10732 | Relationship between circulating endothelial cells and the predicted risk of cardiovascular events in acute coronary syndromes. <i>European Heart Journal</i> , 2007, 28, 1092-1101.   | 1.0 | 39        |
| 10733 | A simple thermodilution technique to assess coronary endothelium-dependent microvascular function in humans: validation and comparison with coronary flow reserve. <i>European Heart Journal</i> , 2007, 28, 2188-2194.                              | 1.0 | 42        |
| 10734 | Five-year echocardiographic results of combined undersized mitral ring annuloplasty and coronary artery bypass grafting for chronic ischaemic mitral regurgitation. <i>European Heart Journal</i> , 2007, 29, 231-240.                               | 1.0 | 114       |
| 10735 | Comparison of different methods of measurement of aspirin resistance: using the appropriate statistic. <i>European Heart Journal</i> , 2007, 29, 138-138.  | 1.0 | 2         |
| 10736 | Insulin resistance and muscle wasting in non-diabetic end-stage renal disease patients. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 2554-2562.  | 0.4 | 37        |
| 10737 | Comparison between creatinine and cystatin C-based GFR equations in renal transplantation. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 2659-2668.   | 0.4 | 60        |
| 10738 | Excellent agreement between C-reactive protein measurement methods in end-stage renal disease patients no additional power for mortality prediction with high-sensitivity CRP. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 3277-3284.     | 0.4 | 30        |
| 10739 | GFR determination in adults with a single-sample iohexol plasma clearance method based on the mean sojourn time. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 3166-3173.   | 0.4 | 8         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10740 | Reproducibility of pulse-wave analysis and pulse-wave velocity determination in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 594-600.   | 0.4 | 79        |
| 10741 | Decline in <sup>51</sup> Cr-labelled EDTA measured glomerular filtration rate following lung transplantation. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 3616-3622.   | 0.4 | 19        |
| 10742 | Estimated glomerular filtration rate as an end point in kidney transplant trial: where do we stand?. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 33-38.  | 0.4 | 29        |
| 10743 | Very prematurely born infants wheezing at follow-up: lung function and risk factors. <i>Archives of Disease in Childhood</i> , 2007, 92, 776-780.   | 1.0 | 41        |
| 10744 | Assessment of Airways with Three-dimensional Quantitative Thin-Section CT: In Vitro and in Vivo Validation. <i>Radiology</i> , 2007, 242, 563-572.  | 3.6 | 72        |
| 10745 | CT Perfusion for Determination of Pharmacologically Mediated Blood Flow Changes in an Animal Tumor Model. <i>Radiology</i> , 2007, 243, 712-719.  | 3.6 | 34        |
| 10746 | Composition of the Stable Carotid Plaque. <i>Stroke</i> , 2007, 38, 935-940.  | 1.0 | 121       |
| 10747 | Ambulatory Arterial Stiffness Index and 24-Hour Ambulatory Pulse Pressure as Predictors of Mortality in Ohasama, Japan. <i>Stroke</i> , 2007, 38, 1161-1166.  | 1.0 | 128       |
| 10748 | Evaluation of Fatigue Scales in Stroke Patients. <i>Stroke</i> , 2007, 38, 2090-2095.   | 1.0 | 144       |
| 10749 | Reproducibility of High-Resolution MRI for the Identification and the Quantification of Carotid Atherosclerotic Plaque Components. <i>Stroke</i> , 2007, 38, 1812-1819.   | 1.0 | 114       |
| 10750 | Airway Distensibility in Adults with Asthma and Healthy Adults, Measured by Forced Oscillation Technique. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007, 176, 129-137.   | 2.5 | 96        |
| 10751 | Color tissue Doppler underestimates myocardial velocity as compared to spectral tissue Doppler: Poor reliability between both methods. <i>European Journal of Echocardiography</i> , 2007, 9, 268-72.   | 2.3 | 8         |
| 10752 | Rapid and accurate measurement of LV mass by biplane real-time 3D echocardiography in patients with concentric LV hypertrophy: Comparison to CMR. <i>European Journal of Echocardiography</i> , 2007, 9, 255-60.  | 2.3 | 25        |
| 10753 | A Vertical Jump Force Test for Assessing Bilateral Strength Asymmetry in Athletes. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 2044-2050.  | 0.2 | 255       |
| 10754 | Temporal Artery Versus Bladder Thermometry During Perioperative and Intensive Care Unit Monitoring. <i>Anesthesia and Analgesia</i> , 2007, 105, 1042-1047.   | 1.1 | 61        |
| 10755 | Is Modification of Diet in Renal Disease Formula Similar to Cockcroft-Gault Formula to Assess Renal Function in Elderly Hospitalized Patients Treated With Low-Molecular-Weight Heparin?. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007, 62, 1300-1305. | 1.7 | 28        |
| 10756 | The Development of Validated Bulbar Redness Grading Scales. <i>Optometry and Vision Science</i> , 2007, 84, 976-983.  | 0.6 | 67        |
| 10757 | In vitro and in vivo evaluation of an oscillometric device for monitoring blood pressure in dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 2950-2961.  | 0.4 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10758 | Reliability and Measurement error of Active Knee extension Range of Motion in a Modified slump Test Position: A Pilot study. <i>Journal of Manual and Manipulative Therapy</i> , 2007, 15, 85E-91E. | 0.7 | 9         |
| 10759 | Development and Validation of an Improved, COPD-Specific Version of the St. George Respiratory Questionnaire. <i>Chest</i> , 2007, 132, 456-463.  | 0.4 | 287       |
| 10760 | Right Ventricular Pressure Waveform and Wave Reflection Analysis in Patients With Pulmonary Arterial Hypertension. <i>Chest</i> , 2007, 132, 37-43.   | 0.4 | 40        |
| 10761 | Reproducibility of Nasal Potential Difference Measurements in Cystic Fibrosis. <i>Chest</i> , 2007, 132, 1219-1226.   | 0.4 | 40        |
| 10762 | Transcutaneous P co 2 Monitoring During Initiation of Noninvasive Ventilation. <i>Chest</i> , 2007, 132, 1810-1816.   | 0.4 | 113       |
| 10763 | CONTINUOUS INTRA-ABDOMINAL PRESSURE MONITORING. <i>Acta Clinica Belgica</i> , 2007, 62, 26-32.  | 0.5 | 53        |
| 10764 | Evaluation of an accelerometer for at-home monitoring of spontaneous activity in dogs. <i>American Journal of Veterinary Research</i> , 2007, 68, 468-475.  | 0.3 | 138       |
| 10765 | Maturational Changes in Skin Color of Japanese Newborn Infants. <i>Neonatology</i> , 2007, 91, 275-280.   | 0.9 | 4         |
| 10766 | Development and Psychometric Properties of the Ambulatory Self-Confidence Questionnaire. <i>Gerontology</i> , 2007, 53, 373-381.  | 1.4 | 53        |
| 10767 | Evaluation of the Roche Cobas TaqMan and Abbott RealTime Extraction-Quantification Systems for HIV-1 Subtypes. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2007, 44, 500-505.   | 0.9 | 130       |
| 10768 | Objective Accommodation Measurement with the Grand Seiko and Hartinger Coincidence Refractometer. <i>Optometry and Vision Science</i> , 2007, 84, 879-887.  | 0.6 | 58        |
| 10769 | The Effect of Albumin Concentration on Plasma Sodium and Chloride Measurements in Critically Ill Patients. <i>Anesthesia and Analgesia</i> , 2007, 104, 893-897.                                    | 1.1 | 59        |
| 10770 | Oxygen-Uptake Efficiency Slope as a Determinant of Fitness in Overweight Adolescents. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 1811-1816.                                     | 0.2 | 41        |
| 10771 | Problems with Kendall's tau. , 2007, , .  |     | 21        |
| 10772 | Ionic dialysance and the assessment of Kt/V: the influence of different estimates of V on method agreement. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 2276-2282.                       | 0.4 | 24        |
| 10773 | Validity and Reliability of Perceptually-Based Scales during Exhausting Runs in Trained Male Runners. <i>Perceptual and Motor Skills</i> , 2007, 104, 254-266.                                      | 0.6 | 18        |
| 10774 | Postoperative Lung Function in Lung Cancer Patients: Comparative Analysis of Predictive Capability of MRI, CT, and SPECT. <i>American Journal of Roentgenology</i> , 2007, 189, 400-408.            | 1.0 | 82        |
| 10775 | The labor induction: integrated clinical and sonographic variables that predict the outcome. <i>Journal of Perinatology</i> , 2007, 27, 4-8.  | 0.9 | 76        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10776 | Volumetric Quantitative CT of the Spine and Hip Derived from Contrast-Enhanced MDCT: Conversion Factors. <i>American Journal of Roentgenology</i> , 2007, 188, 1294-1301.                                      | 1.0 | 95        |
| 10777 | Hyaline Cartilage Thickness in Radiographically Normal Cadaveric Hips: Comparison of Spiral CT Arthrographic and Macroscopic Measurements. <i>Radiology</i> , 2007, 242, 441-449.                              | 3.6 | 61        |
| 10778 | Aortic Valve Area Assessment: Multidetector CT Compared with Cine MR Imaging and Transthoracic and Transesophageal Echocardiography. <i>Radiology</i> , 2007, 244, 745-754.                                    | 3.6 | 152       |
| 10779 | Fetal kidney volume and its association with growth and blood flow in fetal life: The Generation R Study. <i>Kidney International</i> , 2007, 72, 754-761.   | 2.6 | 45        |
| 10780 | Assessment of Renal Hemodynamics and Function in Pigs with 64-Section Multidetector CT: Comparison with Electron-Beam CT. <i>Radiology</i> , 2007, 243, 405-412.   | 3.6 | 109       |
| 10781 | Monitoring of Smoking-induced Emphysema with CT in a Lung Cancer Screening Setting: Detection of Real Increase in Extent of Emphysema. <i>Radiology</i> , 2007, 244, 890-897.                                  | 3.6 | 60        |
| 10782 | Dark-Blood MRI of the Thoracic Aorta with 3D Diffusion-Prepared Steady-State Free Precession: Initial Clinical Evaluation. <i>American Journal of Roentgenology</i> , 2007, 189, 966-972.                      | 1.0 | 34        |
| 10783 | Irreversible Myocardial Injury: Assessment with Cardiovascular Delayed-Enhancement MR Imaging and Comparison of 1.5 and 3.0 Tâ€”Initial Experience. <i>Radiology</i> , 2007, 242, 735-742.                     | 3.6 | 27        |
| 10784 | Impact of the Metalloproteinase-9/Tissue Inhibitor of Metalloproteinase-1 System on Large Arterial Stiffness in Patients with Essential Hypertension. <i>Hypertension Research</i> , 2007, 30, 959-963.        | 1.5 | 73        |
| 10785 | Hind Limb Ischemia in Rabbit Model: T2-prepared versus Time-of-Flight MR Angiography at 3 T. <i>Radiology</i> , 2007, 245, 761-769.  | 3.6 | 5         |
| 10786 | Comparison of Three Measures of the Ankle-Brachial Blood Pressure Index in a General Population. <i>Hypertension Research</i> , 2007, 30, 555-561.   | 1.5 | 47        |
| 10787 | Reliability and Normative Values of the Foot Line Test: A Technique to Assess Foot Posture. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2007, 37, 703-707.                                     | 1.7 | 5         |
| 10788 | Evaluation of Aortocoronary Bypass Stents with Cardiac MDCT Compared with Conventional Catheter Angiography. <i>American Journal of Roentgenology</i> , 2007, 188, 361-369.                                    | 1.0 | 10        |
| 10789 | Single-slice dynamic computed tomographic determination of glomerular filtration rate by use of Patlak plot analysis in anesthetized pigs. <i>American Journal of Veterinary Research</i> , 2007, 68, 297-304. | 0.3 | 18        |
| 10790 | Reproducibility of Nocturnal Blood Pressure Assessed by Self-Measurement of Blood Pressure at Home. <i>Hypertension Research</i> , 2007, 30, 707-712.  | 1.5 | 49        |
| 10791 | Internal Carotid Artery Stenosis: Accuracy of Subjective Visual Impression for Evaluation with Digital Subtraction Angiography and Contrast-enhanced MR Angiography. <i>Radiology</i> , 2007, 244, 213-222.    | 3.6 | 16        |
| 10792 | Evaluation of agreement between two instruments in measurements of radiation dose rates in cats that underwent iodine I 131 treatment. <i>American Journal of Veterinary Research</i> , 2007, 68, 354-357.     | 0.3 | 0         |
| 10793 | Rectal Carcinoma: MRI with Histologic Correlation Before and After Chemoradiation Therapy. <i>American Journal of Roentgenology</i> , 2007, 188, 442-451.  | 1.0 | 123       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10794 | Cardiac Output Measurement Using a Modified Carbon Dioxide Fick Method: A Validation Study in Ventilated Lambs. <i>Pediatric Research</i> , 2007, 61, 279-283.   | 1.1 | 15        |
| 10795 | CT Colonography: Automated Measurement of Colonic Polyps Compared with Manual Techniques—Human in Vitro Study. <i>Radiology</i> , 2007, 242, 120-128.  | 3.6 | 16        |
| 10796 | Can High-Attenuation Renal Cysts Be Differentiated from Renal Cell Carcinoma at Unenhanced CT?. <i>Radiology</i> , 2007, 243, 445-450.   | 3.6 | 113       |
| 10797 | Blood Flow Quantification with Permeable Contrast Agents: A Valid Technique?. <i>Radiology</i> , 2007, 243, 909-910.   | 3.6 | 3         |
| 10798 | An inexpensive, MRI compatible device to measure tidal volume from chest-wall circumference. <i>Physiological Measurement</i> , 2007, 28, 149-159.   | 1.2 | 39        |
| 10799 | Analysis of the quality of wrist movement during a simple tracking task. <i>Physiological Measurement</i> , 2007, 28, 881-895.   | 1.2 | 5         |
| 10800 | Assessment of cerebrospinal fluid outflow conductance using an adaptive observer—experimental and clinical evaluation. <i>Physiological Measurement</i> , 2007, 28, 1355-1368.                             | 1.2 | 10        |
| 10801 | Stroke volume response during exercise measured by acetylene uptake and MRI. <i>Physiological Measurement</i> , 2007, 28, 1-11.  | 1.2 | 470       |
| 10802 | Is intracranial pressure monitoring in the epidural space reliable? Fact and fiction. <i>Journal of Neurosurgery</i> , 2007, 106, 548-556.   | 0.9 | 36        |
| 10803 | Reduced right ventricular ejection fraction in endurance athletes presenting with ventricular arrhythmias: a quantitative angiographic assessment. <i>European Heart Journal</i> , 2007, 28, 345-353.      | 1.0 | 132       |
| 10804 | Evaluation of a combined transcutaneous carbon dioxide pressure and pulse oximetry sensor in adult sheep and dogs. <i>American Journal of Veterinary Research</i> , 2007, 68, 265-270.                     | 0.3 | 7         |
| 10805 | Factors Influencing the Detection of Early CT Signs of Cerebral Ischemia. <i>Stroke</i> , 2007, 38, 1250-1256.   | 1.0 | 59        |
| 10806 | Validity and Reliability of Self-Assessed Physical Fitness Using Visual Analogue Scales. <i>Perceptual and Motor Skills</i> , 2007, 104, 519-533.  | 0.6 | 49        |
| 10807 | Validation of a Standardized Normalization Template for Statistical Parametric Mapping Analysis of 123I-FP-CIT Images. <i>Journal of Nuclear Medicine</i> , 2007, 48, 1459-1467.                           | 2.8 | 57        |
| 10808 | Transstenotic Pressure Gradients: Measurement in Swine—Retrospectively ECG-gated 3D Phase-Contrast MR Angiography versus Endovascular Pressure-sensing Guidewires. <i>Radiology</i> , 2007, 245, 751-760.  | 3.6 | 469       |
| 10809 | Pulmonary Nodules: 3D Volumetric Measurement with Multidetector CT—Effect of Intravenous Contrast Medium. <i>Radiology</i> , 2007, 245, 881-887.   | 3.6 | 33        |
| 10810 | Assessing observer agreement when describing and classifying functioning with the International Classification of Functioning, Disability and Health. <i>Acta Dermato-Venereologica</i> , 2007, 39, 71-76. | 0.6 | 43        |
| 10811 | 3D thoroscopic ultrasound volume measurement validation in an ex vivo and in vivo porcine model of lung tumours. <i>Physics in Medicine and Biology</i> , 2007, 52, 91-106.                                | 1.6 | 10        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10812 | Non-invasive quantification of small bowel water content by MRI: a validation study. <i>Physics in Medicine and Biology</i> , 2007, 52, 6909-6922.   | 1.6 | 82        |
| 10814 | Comparison of Mathematic Models for Assessment of Glomerular Filtration Rate with Electron-Beam CT in Pigs. <i>Radiology</i> , 2007, 242, 417-424.   | 3.6 | 46        |
| 10815 | Pulmonary Nodules: Interscan Variability of Semiautomated Volume Measurements with Multisection CT—Influence of Inspiration Level, Nodule Size, and Segmentation Performance. <i>Radiology</i> , 2007, 245, 888-894.                           | 3.6 | 119       |
| 10816 | End-tidal Carbon Monoxide Levels in Prematurely Born Infants Developing Bronchopulmonary Dysplasia. <i>Pediatric Research</i> , 2007, 61, 474-478.   | 1.1 | 27        |
| 10817 | Estimating stroke volume from oxygen pulse during exercise. <i>Physiological Measurement</i> , 2007, 28, 1201-1212.  | 1.2 | 58        |
| 10818 | Tracer Kinetics of Forearm Endothelial Function: Comparison of an Empirical Method and a Quantitative Modeling Technique. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007, 2007, 628-31. | 0.5 | 0         |
| 10819 | An Ultrawideband Radar Based Pulse Sensor for Arterial Stiffness Measurement. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007, 2007, 1679-82.  | 0.5 | 9         |
| 10820 | Noncontact simultaneous dual wavelength photoplethysmography: A further step toward noncontact pulse oximetry. <i>Review of Scientific Instruments</i> , 2007, 78, 044304.   | 0.6 | 171       |
| 10821 | Media Thickness Measurement of the Common Carotid Artery. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007, 2007, 2171-4.   | 0.5 | 3         |
| 10822 | Heart Rate Detection from an Electronic Weighing Scale. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007, 2007, 6283-6.   | 0.5 | 9         |
| 10823 | An intercomparison between film dosimetry and diode matrix for IMRT quality assurance. <i>Medical Physics</i> , 2007, 34, 1372-1379.   | 1.6 | 73        |
| 10824 | VESSEL DIAMETER TRACKING IN INTRAVITAL MICROSCOPY IMAGE SEQUENCES. , 2007, , .   |     | 0         |
| 10825 | Resampling Dependent Concordance Correlation Coefficients. <i>Journal of Biopharmaceutical Statistics</i> , 2007, 17, 685-696.   | 0.4 | 17        |
| 10826 | A Tolerance Interval Approach for Assessment of Agreement with Left Censored Data. <i>Journal of Biopharmaceutical Statistics</i> , 2007, 17, 583-594.   | 0.4 | 10        |
| 10827 | Effect of shoulder angle on physiological responses during incremental peak arm crank ergometry. <i>Journal of Sports Sciences</i> , 2007, 25, 443-452.  | 1.0 | 8         |
| 10828 | Computerized assessment of motion-contaminated calcified plaques in cardiac multidetector CT. <i>Medical Physics</i> , 2007, 34, 4876-4889.  | 1.6 | 8         |
| 10829 | Quantitative Assessment of Pulmonary Shunt and Ventilation-Perfusion Mismatch without a Blood Sample. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007, 2007, 4255-8.                     | 0.5 | 1         |
| 10830 | Reliability and validity of two tests of soccer skill. <i>Journal of Sports Sciences</i> , 2007, 25, 1461-1470.  | 1.0 | 158       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10831 | Manual planimetric measurement of carotid plaque volume using three-dimensional ultrasound imaging. <i>Medical Physics</i> , 2007, 34, 1496-1505.  | 1.6 | 19        |
| 10832 | Impact of the components of metabolic syndrome on oxidative stress and enzymatic antioxidant activity in essential hypertension. <i>Journal of Human Hypertension</i> , 2007, 21, 68-75.   | 1.0 | 62        |
| 10833 | Validity of a French version of the fatigue impact scale in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2007, 13, 1026-1032.   | 1.4 | 87        |
| 10834 | Rehabilitative Ultrasound Imaging of the Lower Trapezius Muscle: Technical Description and Reliability. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2007, 37, 620-626.   | 1.7 | 74        |
| 10835 | Agreement between Caregiver Reported Healthcare Utilization and Administrative Data for Children with Asthma. <i>Journal of Asthma</i> , 2007, 44, 189-194.  | 0.9 | 15        |
| 10836 | Regression Models for Method Comparison Data. <i>Journal of Biopharmaceutical Statistics</i> , 2007, 17, 739-756.  | 0.4 | 23        |
| 10837 | Assessment of ventricular mechanical dyssynchrony by short-axis MRI. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007, 2007, 6012-5.  | 0.5 | 0         |
| 10838 | A System for Real-Time Measurement of the Brachial Artery Diameter in B-Mode Ultrasound Images. <i>IEEE Transactions on Medical Imaging</i> , 2007, 26, 393-404.   | 5.4 | 133       |
| 10839 | The measurement of upper body alignment during the golf drive. <i>Journal of Sports Sciences</i> , 2007, 25, 749-755.  | 1.0 | 29        |
| 10840 | Comparison of two Actigraph models for assessing free-living physical activity in Indian adolescents. <i>Journal of Sports Sciences</i> , 2007, 25, 1607-1611.   | 1.0 | 107       |
| 10841 | An Italian program of External Quality Control for chromogranin A (CgA) assay: performance evaluation of CgA determination. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, 1244-50.                                   | 1.4 | 23        |
| 10842 | Measurement of calcitonin by immunoassay analyzers. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, 662-6.   | 1.4 | 35        |
| 10843 | Evaluation of repeatability for the automatic estimation of endothelial cell density in donor corneas. <i>British Journal of Ophthalmology</i> , 2007, 91, 1213-1215.  | 2.1 | 9         |
| 10844 | A Pilot Home Study of Temporal Variations of Symptoms in Chronic Obstructive Lung Disease. <i>Biological Research for Nursing</i> , 2007, 9, 8-20.   | 1.0 | 18        |
| 10845 | Mammalian mRNA Splice-Isoform Selection Is Tightly Controlled. <i>Genetics</i> , 2007, 175, 1079-1087.   | 1.2 | 17        |
| 10846 | Diagnostic Accuracy of ELISA and xMAP Technology for Analysis of Amyloid $\beta$ 242 and Tau Proteins. <i>Clinical Chemistry</i> , 2007, 53, 859-865.  | 1.5 | 62        |
| 10847 | Assessment of left ventricular function and mass in patients undergoing computed tomography (CT) coronary angiography using 64-detector-row CT: comparison to magnetic resonance imaging. <i>Acta Radiologica</i> , 2007, 48, 30-35. | 0.5 | 91        |
| 10848 | Quantitative Tumor Perfusion Assessment with Multidetector CT: Are Measurements from Two Commercial Software Packages Interchangeable?. <i>Radiology</i> , 2007, 242, 777-782.   | 3.6 | 120       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10849 | Determination of exposure due to mobile phone base stations in an epidemiological study. <i>Radiation Protection Dosimetry</i> , 2007, 124, 35-39.  | 0.4 | 32        |
| 10850 | Clinical assessment of two new contrast sensitivity charts. <i>British Journal of Ophthalmology</i> , 2007, 91, 749-752.  | 2.1 | 80        |
| 10851 | Comparison of Noncontact and Electroanatomic Mapping to Identify Scar and Arrhythmia Late After the Fontan Procedure. <i>Circulation</i> , 2007, 115, 1738-1746.  | 1.6 | 64        |
| 10852 | Non-invasive metabolic monitoring of patients under anaesthesia by continuous indirect calorimetry—an in vivo trial of a new method. <i>British Journal of Anaesthesia</i> , 2007, 98, 45-52.   | 1.5 | 12        |
| 10853 | Ultrasonically determined thickness of long cortical bones: Three-dimensional simulations of in vitro experiments. <i>Journal of the Acoustical Society of America</i> , 2007, 122, 2439-2445.  | 0.5 | 44        |
| 10854 | Tissue synchronisation imaging accurately measures left ventricular dyssynchrony and predicts response to cardiac resynchronisation therapy. <i>Heart</i> , 2007, 93, 1034-1039.  | 1.2 | 47        |
| 10855 | Congenital cytomegalovirus: association between dried blood spot viral load and hearing loss. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2007, 93, F280-F285.  | 1.4 | 109       |
| 10856 | Magnetic resonance-compatible-spirometry: principle, technical evaluation and application. <i>European Respiratory Journal</i> , 2007, 30, 972-979.   | 3.1 | 24        |
| 10857 | Three-Tesla Cardiac Magnetic Resonance Imaging for Preterm Infants. <i>Pediatrics</i> , 2007, 120, 78-83.   | 1.0 | 55        |
| 10858 | Disease Activity Score 28 (DAS28) using C-reactive protein underestimates disease activity and overestimates EULAR response criteria compared with DAS28 using erythrocyte sedimentation rate in a large observational cohort of rheumatoid arthritis patients in Japan. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 1221-1226. | 0.5 | 182       |
| 10859 | Reproducibility of the Caregiver Strain Index and the Caregiver Reaction Assessment in partners of stroke patients living in the Dutch community. <i>Clinical Rehabilitation</i> , 2007, 21, 1050-1055.   | 1.0 | 48        |
| 10860 | Evaluation of the repeatability of rhinomanometry and its use in assessing transnasal resistance and pressure in dogs. <i>American Journal of Veterinary Research</i> , 2007, 68, 178-184.  | 0.3 | 8         |
| 10861 | The validity of serum levels as a surrogate measure of systemic exposure to metal ions in hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2007, 89-B, 736-741.  | 3.4 | 68        |
| 10862 | Development and evaluation of a new questionnaire for rating perceived participation <sup>1</sup> . <i>Clinical Rehabilitation</i> , 2007, 21, 833-845.   | 1.0 | 26        |
| 10863 | Development and Validation of the Conduct Disorder Rating Scale. <i>Assessment</i> , 2007, 14, 65-74.   | 1.9 | 25        |
| 10864 | Reliability of the ICF Core Set for rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 1078-1084.  | 0.5 | 71        |
| 10865 | Topographical changes of biconvex objects during equatorial traction: an analogy for accommodation of the human lens. <i>British Journal of Ophthalmology</i> , 2007, 91, 1698-1703.  | 2.1 | 9         |
| 10866 | Reproducibility and validity of the Dutch Life Habits Questionnaire (LIFE-H 3.0) in older adults. <i>Clinical Rehabilitation</i> , 2007, 21, 853-862.   | 1.0 | 24        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10867 | Neural network material model enhancement: Optimization through selective data removal. Artificial Intelligence for Engineering Design, Analysis and Manufacturing: AIEDAM, 2007, 21, 61-72.   | 0.7 | 1         |
| 10868 | Use of an HIV-1 reverse-transcriptase enzyme-activity assay to measure HIV-1 viral load as a potential alternative to nucleic acid-based assay for monitoring antiretroviral therapy in resource-limited settings. Journal of Medical Microbiology, 2007, 56, 1611-1614. | 0.7 | 19        |
| 10869 | Ultrasonically determined thickness of long cortical bones: Two-dimensional simulations of in vitro experiments. Journal of the Acoustical Society of America, 2007, 122, 1818-1826.   | 0.5 | 45        |
| 10870 | Evaluation of the Performance of the Automated NucliSENS easyMAG and EasyQ Systems versus the Roche AmpliPrep-AMPLICOR Combination for High-Throughput Monitoring of Human Immunodeficiency Virus Load. Journal of Clinical Microbiology, 2007, 45, 1244-1249.           | 1.8 | 27        |
| 10871 | Lung clearance index is a sensitive, repeatable and practical measure of airways disease in adults with cystic fibrosis. Thorax, 2007, 63, 135-140.  | 2.7 | 193       |
| 10872 | Comparison of 11 Human Insulin Assays: Implications for Clinical Investigation and Research. Clinical Chemistry, 2007, 53, 922-932.  | 1.5 | 145       |
| 10873 | Transoesophageal echocardiography for the detection and quantification of pleural fluid in cardiac surgical patients. British Journal of Anaesthesia, 2007, 98, 442-446.   | 1.5 | 11        |
| 10874 | Worldwide trends in the prevalence of asthma symptoms: phase III of the International Study of Asthma and Allergies in Childhood (ISAAC). Thorax, 2007, 62, 758-766.   | 2.7 | 988       |
| 10875 | The Childhood Asperger Syndrome Test (CAST). Autism, 2007, 11, 173-185.  | 2.4 | 40        |
| 10876 | Evaluation of Real-Time PCR Laboratory-Developed Tests Using Analyte-Specific Reagents for Cytomegalovirus Quantification. Journal of Clinical Microbiology, 2007, 45, 1723-1727.  | 1.8 | 49        |
| 10877 | Comparison of Calcitonin Determinations by Polyclonal and Monoclonal IRMAs. Clinical Chemistry, 2007, 53, 798-799.   | 1.5 | 8         |
| 10878 | Corneal Innervation and Cellular Changes after Corneal Transplantation: An In Vivo Confocal Microscopy Study. , 2007, 48, 621.   |     | 115       |
| 10879 | Left atrial Frank Starling law assessed by real-time, three-dimensional echocardiographic left atrial volume changes. Heart, 2007, 93, 1393-1397.  | 1.2 | 94        |
| 10880 | Hand bone densitometry: a more sensitive standard for the assessment of early bone damage in rheumatoid arthritis. Annals of the Rheumatic Diseases, 2007, 66, 1513-1517.  | 0.5 | 41        |
| 10881 | Validation of pulse contour derived stroke volume variation. British Journal of Anaesthesia, 2007, 99, 745-746.  | 1.5 | 3         |
| 10882 | Comparison of Performance Characteristics of Three Real-Time Reverse Transcription-PCR Test Systems for Detection and Quantification of Hepatitis C Virus. Journal of Clinical Microbiology, 2007, 45, 2529-2536.  | 1.8 | 27        |
| 10883 | Validation of Ultrasound Techniques Applied to Body Fat Measurement. Annals of Nutrition and Metabolism, 2007, 51, 421-427.  | 1.0 | 59        |
| 10884 | Validation of the short-form WOMAC function scale for the evaluation of osteoarthritis of the knee. Journal of Bone and Joint Surgery: British Volume, 2007, 89-B, 50-56.  | 3.4 | 49        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10885 | Assessment of intravascular and extravascular mechanisms of myocardial perfusion abnormalities in obstructive hypertrophic cardiomyopathy by myocardial contrast echocardiography. <i>Heart</i> , 2007, 93, 1204-1212.  | 1.2 | 39        |
| 10886 | Quantitative Detection of Plasma Human Immunodeficiency Virus Type 2 Subtype A RNA by the Nuclisens EasyQ Assay (Version 1.1). <i>Journal of Clinical Microbiology</i> , 2007, 45, 88-92.   | 1.8 | 24        |
| 10888 | Point of care estimation of haemoglobin in neonates. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2007, 92, F378-F380.   | 1.4 | 27        |
| 10889 | Performance of an exhaled nitric oxide and carbon dioxide sensor using quantum cascade laser-based integrated cavity output spectroscopy. <i>Journal of Biomedical Optics</i> , 2007, 12, 034034.   | 1.4 | 63        |
| 10890 | Anthropometric approximation of body weight in unresponsive stroke patients. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2007, 78, 1331-1336.  | 0.9 | 42        |
| 10891 | Automatic detection of sleep-disordered breathing from a single-channel airflow record. <i>European Respiratory Journal</i> , 2007, 29, 728-736.  | 3.1 | 79        |
| 10892 | Agreement between two non-contact specular microscopes: Topcon SP2000P versus Rhine-Tec. <i>British Journal of Ophthalmology</i> , 2007, 91, 979-980.   | 2.1 | 5         |
| 10893 | The Impact of Expansive Arterial Remodeling on Clinical Presentation in Carotid Artery Disease: A Multidetector CT Angiography Study. <i>American Journal of Neuroradiology</i> , 2007, 28, 1067-1070.  | 1.2 | 46        |
| 10894 | Study of Human Outdoor Walking with a Low-Cost GPS and Simple Spreadsheet Analysis. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 1570-1578.   | 0.2 | 46        |
| 10895 | Estimation of Body Fat Mass Using Dual-Energy X-Ray Absorptiometry, Bioelectric Impedance Analysis, and Anthropometry in HIV-Positive Male Subjects Receiving Highly Active Antiretroviral Therapy. <i>Journal of Parenteral and Enteral Nutrition</i> , 2007, 31, 135-141.                   | 1.3 | 20        |
| 10896 | T2 Relaxometry of the Hippocampus at 3T. <i>American Journal of Neuroradiology</i> , 2007, 28, 1095-1098.   | 1.2 | 39        |
| 10897 | Comparison of the Abbott 7000 and Bayer 340 Systems for Measurement of Hepatitis C Virus Load. <i>Journal of Clinical Microbiology</i> , 2007, 45, 2808-2812.   | 1.8 | 6         |
| 10898 | Developing a Short Form of the Postural Assessment Scale for People With Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2007, 21, 81-90.  | 1.4 | 41        |
| 10899 | Maternal and Neonatal Influences on, and Reproducibility of, Neonatal Aortic Pulse Wave Velocity. <i>Hypertension</i> , 2007, 49, 225-231.  | 1.3 | 22        |
| 10900 | Hierarchy of individual calibration levels for heart rate and accelerometry to measure physical activity. <i>Journal of Applied Physiology</i> , 2007, 103, 682-692.  | 1.2 | 263       |
| 10901 | Home Blood Pressure Levels in Pregnant Women with Chronic Hypertension. <i>Hypertension in Pregnancy</i> , 2007, 26, 403-414.   | 0.5 | 19        |
| 10902 | Oral Administration of 17 $\beta$ -Estradiol Over 3 Months Without Progestin Co-Administration Does Not Improve Coronary Flow Reserve in Post-Menopausal Women: A Randomized Placebo-Controlled Cross-Over CMR Study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2007, 9, 665-672. | 1.6 | 9         |
| 10903 | Reference Right Atrial Function Determined by Steady-State Free Precession Cardiovascular Magnetic Resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2007, 9, 807-814.   | 1.6 | 35        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10904 | A simple diagnostic test using GH-releasing peptide-2 in adult GH deficiency. <i>European Journal of Endocrinology</i> , 2007, 157, 19-27.   | 1.9 | 75        |
| 10905 | Resting Metabolic Rate of Elderly Vietnamese. <i>Annals of Nutrition and Metabolism</i> , 2007, 51, 7-13.  | 1.0 | 5         |
| 10906 | Arterial Stiffness Alterations during Hemodialysis: The Role of Dialysate Calcium. <i>Nephron Clinical Practice</i> , 2007, 106, c34-c42.  | 2.3 | 22        |
| 10907 | Reliability assessment of glucose measurement by HemoCue analyser in a neonatal intensive care unit. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, 1549-54.  | 1.4 | 23        |
| 10908 | The clinical utility of alternative, less invasive sampling techniques in the assessment of oral hydrocortisone therapy in children and adolescents with hypopituitarism. <i>European Journal of Endocrinology</i> , 2007, 156, 471-476. | 1.9 | 18        |
| 10909 | Comparison of two- and three-dimensional ultrasonography in lung volume measurement of normal fetuses. <i>Journal of Perinatal Medicine</i> , 2007, 35, 415-21.  | 0.6 | 17        |
| 10910 | Reproducibility of reference tissue quantification of dynamic contrast-enhanced data: comparison with a fixed vascular input function. <i>Physics in Medicine and Biology</i> , 2007, 52, 75-89.   | 1.6 | 52        |
| 10911 | Point-of-care creatinine testing in children at risk for sudden deterioration of renal function. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, 1536-41.  | 1.4 | 20        |
| 10912 | An improved formula for the surface resistance of normal metals at millimetre wavelengths. <i>Chinese Physics B</i> , 2007, 16, 236-239.   | 1.3 | 1         |
| 10913 | Berg Balance Scale: Intrarater Test-Retest Reliability Among Older People Dependent in Activities of Daily Living and Living in Residential Care Facilities. <i>Physical Therapy</i> , 2007, 87, 1155-1163.                              | 1.1 | 164       |
| 10914 | Effect of long-term adaptation on indirect measurements of systolic blood pressure in conscious untrained beagles. <i>Veterinary Record</i> , 2007, 161, 418-421.  | 0.2 | 22        |
| 10915 | Abnormalities of left atrial function after cardioversion: an atrial strain rate study. <i>Heart</i> , 2007, 93, 89-95.  | 1.2 | 119       |
| 10916 | Quantification of relative changes in specific mRNAs from frozen whole blood – methodological considerations and clinical implications. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, 171-6.                             | 1.4 | 16        |
| 10917 | Continuous cardiac output during off-pump coronary artery bypass surgery: pulse-contour analyses vs pulmonary artery thermodilution. <i>British Journal of Anaesthesia</i> , 2007, 99, 484-492.  | 1.5 | 26        |
| 10918 | Use of Dynamic Computed Tomography to Evaluate Pre- and Postoperative Aortic Changes in AAA Patients Undergoing Endovascular Aneurysm Repair. <i>Journal of Endovascular Therapy</i> , 2007, 14, 44-49.                                  | 0.8 | 55        |
| 10919 | Redefining overweight and obesity in rheumatoid arthritis patients. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 1316-1321.   | 0.5 | 141       |
| 10920 | Syncope and QT prolongation among patients treated with methadone for heroin dependence in the city of Copenhagen. <i>Heart</i> , 2007, 93, 1051-1055.   | 1.2 | 125       |
| 10921 | Classifying radiographic progression status in early rheumatoid arthritis patients using propensity scores to adjust for baseline differences. <i>Statistical Methods in Medical Research</i> , 2007, 16, 13-29.                         | 0.7 | 11        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10922 | Validation of the rotation ratios method. <i>Acta Radiologica</i> , 2007, 48, 658-664.  | 0.5 | 3         |
| 10923 | Metabolic equivalents during the 10-m shuttle walking test for post-myocardial infarction patients. <i>British Journal of Sports Medicine</i> , 2007, 42, 36-41.  | 3.1 | 22        |
| 10924 | Toward Endografting of the Ascending Aorta: Insight into Dynamics Using Dynamic Cine-CTA. <i>Journal of Endovascular Therapy</i> , 2007, 14, 551-560.   | 0.8 | 71        |
| 10925 | Validation of Neutron Activation as a Novel Method to Determine Glomerular Filtration Rate. <i>Nephron Clinical Practice</i> , 2007, 107, c117-c122.  | 2.3 | 1         |
| 10926 | Feasibility of Cardiovascular Magnetic Resonance of Angiographically Diagnosed Congenital Solitary Coronary Artery Fistulas in Adults. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2007, 9, 575-583.                                | 1.6 | 13        |
| 10927 | Impact of catheter sizes and intracoronary glyceryl trinitrate on the TIMI frame count when digital angiograms are acquired at lower frame rates during elective angiography and PCI. <i>Acute Cardiac Care</i> , 2007, 9, 231-238.           | 0.2 | 9         |
| 10928 | The Reliability of High Resolution MRI in the Measurement of Early Stage Carotid Wall Thickening. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2007, 9, 771-776.   | 1.6 | 28        |
| 10929 | A Simplified Continuity Equation Approach to the Quantification of Stenotic Bicuspid Aortic Valves using Velocity-Encoded Cardiovascular Magnetic Resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2007, 9, 899-906.          | 1.6 | 38        |
| 10930 | Validation of a patient activity monitor to quantify ambulatory activity in an amputee population. <i>Prosthetics and Orthotics International</i> , 2007, 31, 157-166.  | 0.5 | 24        |
| 10931 | On detecting interference from endogenous antibodies in immunoassays by doubling dilutions test. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, 851-4.   | 1.4 | 36        |
| 10932 | Calculated low-density lipoprotein cholesterol remains a viable and important test for screening and targeting therapy. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, 1319-25.  | 1.4 | 10        |
| 10933 | Comparing morphometric X-ray absorptiometry and radiography in defining vertebral wedge fractures in patients with ankylosing spondylitis. <i>Rheumatology</i> , 2007, 46, 1667-1671.   | 0.9 | 26        |
| 10934 | A "throttle" mechanism in the central retinal vein in the region of the lamina cribrosa. <i>British Journal of Ophthalmology</i> , 2007, 91, 1190-1193.   | 2.1 | 29        |
| 10935 | Radiological damage in patients with rheumatoid arthritis on sustained remission. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 358-363.  | 0.5 | 106       |
| 10936 | Comparison of anterior chamber depth measurements using the IOLMaster, scanning peripheral anterior chamber depth analyser, and anterior segment optical coherence tomography. <i>British Journal of Ophthalmology</i> , 2007, 91, 1023-1026. | 2.1 | 64        |
| 10937 | Limits of longitudinal decline for the interpretation of annual changes in FEV1 in individuals. <i>Occupational and Environmental Medicine</i> , 2007, 64, 701-707.   | 1.3 | 35        |
| 10938 | Rapid Cortisol Assay during Adrenal Vein Sampling in Patients with Primary Aldosteronism. <i>Clinical Chemistry</i> , 2007, 53, 1968-1971.  | 1.5 | 95        |
| 10939 | Predictive Accuracy of Tissue Doppler Imaging for Assessment of Noninfarct Myocardial Region in Patients with Acute Myocardial Infarction. <i>Medical Principles and Practice</i> , 2007, 16, 40-46.  | 1.1 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10940 | A New Equation for Estimating Renal Function Using Age, Body Weight and Serum Creatinine. <i>Nephron Clinical Practice</i> , 2007, 105, c43-c53.   | 2.3 | 10        |
| 10941 | Assessment of Airway Caliber in Quantitative Videobronchoscopy. <i>Respiration</i> , 2007, 74, 432-438.  | 1.2 | 26        |
| 10942 | Study of Homocysteine Concentration in Coronary Heart Disease Patients and Comparison of Two Determination Methods. <i>Annals of Nutrition and Metabolism</i> , 2007, 51, 82-87.                 | 1.0 | 3         |
| 10943 | A Practical Method of Measuring Glomerular Filtration Rate by Iohexol Clearance Using Dried Capillary Blood Spots. <i>Nephron Clinical Practice</i> , 2007, 106, c104-c112.                      | 2.3 | 24        |
| 10944 | Three-Dimensional Echocardiographic Analysis of Left Ventricular Function during Hemodialysis. <i>Nephron Clinical Practice</i> , 2007, 107, c43-c49.  | 2.3 | 14        |
| 10945 | Evaluating Peritoneal Fluid Transport in Continuous Peritoneal Dialysis Patients: A Practical Approach. <i>Nephron Clinical Practice</i> , 2008, 107, c123-c127.                                 | 2.3 | 1         |
| 10946 | Rapid Detection of Myocardial Infarction by Subsecond, Free-Breathing Delayed Contrast-Enhancement Cardiovascular Magnetic Resonance. <i>Circulation</i> , 2007, 115, 236-244.                   | 1.6 | 101       |
| 10947 | Dipping Deeper Into the Ambulatory Arterial Stiffness Index. <i>Hypertension</i> , 2007, 50, e59-60; author reply e61-2.   | 1.3 | 14        |
| 10948 | Metabolomics Applied to Exhaled Breath Condensate in Childhood Asthma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007, 175, 986-990.                                   | 2.5 | 224       |
| 10949 | Accommodative Response in Pre-presbyopes with Visual Impairment and Its Clinical Implications. , 2007, 48, 3888.   |     | 14        |
| 10950 | Optical Coherence Tomography and Histologic Measurements of Nerve Fiber Layer Thickness in Normal and Glaucomatous Monkey Eyes. , 2007, 48, 3645.  |     | 69        |
| 10951 | Optic Disc Measurements in Myopia with Optical Coherence Tomography and Confocal Scanning Laser Ophthalmoscopy. , 2007, 48, 3178.  |     | 136       |
| 10952 | Atrophy of Foot Muscles in Diabetic Patients Can Be Detected With Ultrasonography. <i>Diabetes Care</i> , 2007, 30, 3053-3057.   | 4.3 | 45        |
| 10953 | Resolution of Asymptomatic Myocardial Ischemia in Patients With Type 2 Diabetes in the Detection of Ischemia in Asymptomatic Diabetics (DIAD) Study. <i>Diabetes Care</i> , 2007, 30, 2892-2898. | 4.3 | 120       |
| 10954 | Reply: Comparison of 64-Slice CT with Gated SPECT for Evaluation of Left Ventricular Function. <i>Journal of Nuclear Medicine</i> , 2007, 48, 1038a-1038a.                                       | 2.8 | 23        |
| 10955 | Absolute Quantification of Myocardial Blood Flow with <sup>13</sup> N-Ammonia and 3-Dimensional PET. <i>Journal of Nuclear Medicine</i> , 2007, 48, 1783-1789.                                   | 2.8 | 46        |
| 10956 | Multidetector computed tomography in acute knee injuries: assessment of cruciate ligaments with magnetic resonance imaging correlation. <i>Acta Radiologica</i> , 2007, 48, 104-111.             | 0.5 | 12        |
| 10957 | Validation of a Shortened Electronic Version of the Environmental Symptoms Questionnaire. <i>High Altitude Medicine and Biology</i> , 2007, 8, 192-199.  | 0.5 | 52        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 10958 | Clinical evaluation of the FloTrac/Vigileo™ system and two established continuous cardiac output monitoring devices in patients undergoing cardiac surgery. <i>British Journal of Anaesthesia</i> , 2007, 99, 329-336.                             | 1.5 | 145       |
| 10959 | Similarity between the suprasystolic wideband external pulse wave and the first derivative of the intra-arterial pulse wave. <i>British Journal of Anaesthesia</i> , 2007, 99, 653-661.  | 1.5 | 12        |
| 10960 | An Immunomagnetic Single-Platform Image Cytometer for Cell Enumeration Based on Antibody Specificity. <i>Vaccine Journal</i> , 2007, 14, 412-419.  | 3.2 | 13        |
| 10961 | Comparison of diet measures from a food-frequency questionnaire with measures from repeated 24-hour dietary recalls. The Norwegian Women and Cancer Study. <i>Public Health Nutrition</i> , 2007, 10, 1094-1103.                                   | 1.1 | 118       |
| 10962 | Reproducibility of a hemi mandible positioning device and a method for measuring alveolar bone loss area in mice. <i>Journal of Oral Science</i> , 2007, 49, 13-17.  | 0.7 | 2         |
| 10963 | Daytime Cheyne-Stokes Respiration in Ambulatory Patients With Severe Congestive Heart Failure Is Associated With Increased Mortality. <i>Chest</i> , 2007, 132, 1463-1471.   | 0.4 | 143       |
| 10964 | Minimally Invasive Determination of Cardiac Output by Transthoracic Bioimpedance, Partial Carbon Dioxide Rebreathing, and Transesophageal Doppler Echocardiography in Beagle Dogs. <i>Journal of Veterinary Medical Science</i> , 2007, 69, 43-47. | 0.3 | 20        |
| 10965 | A simple statistical method for assessing the reliability of data entered into sport performance analysis systems. <i>International Journal of Performance Analysis in Sport</i> , 2007, 7, 87-109.  | 0.5 | 32        |
| 10966 | Chapter 28 Analysis of meat, wool and milk for glucose, lactate and organo-phosphates at industrial point-of-need using electrochemical biosensors. <i>Comprehensive Analytical Chemistry</i> , 2007, , 667-686.                                   | 0.7 | 0         |
| 10967 | In vitro validation of computational fluid dynamic simulation in human proximal airways with hyperpolarized 3He magnetic resonance phase-contrast velocimetry. <i>Journal of Applied Physiology</i> , 2007, 102, 2012-2023.                        | 1.2 | 85        |
| 10968 | Changes in regional blood volume and blood flow during static handgrip. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 292, H215-H223.   | 1.5 | 48        |
| 10969 | Serum and Biliary Insulin-like Growth Factor I and Vascular Endothelial Growth Factor in Determining the Cause of Obstructive Cholestasis. <i>Annals of Internal Medicine</i> , 2007, 147, 451.  | 2.0 | 52        |
| 10970 | Testing Anaerobic Performance. , 0, , 453-468.   |     | 3         |
| 10971 | Applicability of a segmental bioelectrical impedance analysis for predicting the whole body skeletal muscle volume. <i>Journal of Applied Physiology</i> , 2007, 103, 1688-1695.   | 1.2 | 53        |
| 10972 | Comparative Study of the Test-Re-Test Reliability of Four Instruments to Measure Grip Strength in a Healthy Population. <i>Hand Therapy</i> , 2007, 12, 48-54.   | 0.2 | 9         |
| 10973 | Validation of a continuous, arterial pressure-based cardiac output measurement: a multicenter, prospective clinical trial. <i>Critical Care</i> , 2007, 11, R105.  | 2.5 | 81        |
| 10974 | Continuous noninvasive monitoring of barbiturate coma in critically ill children using the Bispectralâ„¢ index monitor. <i>Critical Care</i> , 2007, 11, R108.   | 2.5 | 18        |
| 10975 | Comparative study of diverse model building strategies for 3D-ASM segmentation of dynamic gated SPECT data. , 2007, , .  |     | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10976 | Reproducibility of the Negative Expiratory Pressure Technique in COPD. <i>Chest</i> , 2007, 132, 471-476.   | 0.4 | 10        |
| 10977 | The Simultaneous Assessment of Aortic Valve Area and Coronary Artery Stenosis Using 16-Slice Multidetector-Row Computed Tomography in Patients With Aortic Stenosis Comparison With Echocardiography. <i>Circulation Journal</i> , 2007, 71, 1593-1598. | 0.7 | 26        |
| 10978 | Using Transthoracic Doppler Echocardiography to Diagnose Reduced Coronary Flow Velocity Reserve in the Posterior Descending Coronary Artery in Children With Elevated Right Ventricular Pressure. <i>Circulation Journal</i> , 2007, 71, 1912-1917.     | 0.7 | 6         |
| 10979 | The Gallon-Jug Shelf-Transfer Test: An Instrument to Evaluate Deteriorating Function in Older Adults. <i>Journal of Aging and Physical Activity</i> , 2007, 15, 56-74.  | 0.5 | 28        |
| 10980 | Heart-Rate Deflection Point and the Second Heart-Rate Variability Threshold during Running Exercise in Trained Boys. <i>Pediatric Exercise Science</i> , 2007, 19, 192-204.   | 0.5 | 48        |
| 10981 | Validity and Reproducibility of the Ergomo <sup>®</sup> Pro Power Meter Compared With the SRM and Powertap Power Meters. <i>International Journal of Sports Physiology and Performance</i> , 2007, 2, 270-281.  | 1.1 | 24        |
| 10982 | Comparison of Two Sets of Accelerometer Cut-Off Points for Calculating Moderate-to-Vigorous Physical Activity in Young Children.. <i>Journal of Physical Activity and Health</i> , 2007, 4, 510-514.  | 1.0 | 32        |
| 10983 | Analysis of Swimming Performance from Physical, Physiological, and Biomechanical Parameters in Young Swimmers. <i>Pediatric Exercise Science</i> , 2007, 19, 70-81.   | 0.5 | 121       |
| 10984 | The Validity of Ultrasound Estimation of Muscle Volumes. <i>Journal of Applied Biomechanics</i> , 2007, 23, 213-217.  | 0.3 | 21        |
| 10985 | Inspiratory muscle strength in chronic obstructive pulmonary disease depending on disease severity. <i>Clinical Science</i> , 2007, 113, 243-249.   | 1.8 | 38        |
| 10986 | Assessment of orthostatic fluid shifts with strain gauge plethysmography. <i>Clinical Science</i> , 2007, 113, 369-374.   | 1.8 | 4         |
| 10988 | Effect of Central Corneal Thickness on Dynamic Contour Tonometry and Goldmann Applanation Tonometry in Primary Open-angle Glaucoma. <i>JAMA Ophthalmology</i> , 2007, 125, 740.   | 2.6 | 51        |
| 10989 | An ECG-based Algorithm for the Automatic Identification of Autonomic Activations Associated with Cortical Arousal. <i>Sleep</i> , 2007, 30, 1349-1361.  | 0.6 | 45        |
| 10990 | Evaluation of a portable device to measure daily energy expenditure in free-living adults. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 742-749.   | 2.2 | 339       |
| 10991 | Dual-Energy X-Ray Absorptiometry Is a Valid Tool for Assessing Skeletal Muscle Mass in Older Women ., <i>Journal of Nutrition</i> , 2007, 137, 2775-2780.   | 1.3 | 147       |
| 10992 | Management of Sleep Apnea. <i>Chest</i> , 2007, 132, 1853-1857.   | 0.4 | 14        |
| 10993 | Wake Detection Capacity of Actigraphy During Sleep. <i>Sleep</i> , 2007, 30, 1362-1369.   | 0.6 | 284       |
| 10994 | Automatic Analysis of Single-Channel Sleep EEG: Validation in Healthy Individuals. <i>Sleep</i> , 2007, 30, 1587-1595.  | 0.6 | 228       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 10995 | Reduced Intrathoracic Blood Volume and Left and Right Ventricular Dimensions in Patients With Severe Emphysema. <i>Chest</i> , 2007, 131, 1050-1057.  | 0.4 | 134       |
| 10996 | Reproducibility of Pressure Pain Threshold and Visual Analog Scale Findings in Chronic Whiplash Patients. <i>Clinical Journal of Pain</i> , 2007, 23, 339-345.  | 0.8 | 36        |
| 10997 | Angular Measurement Error Due to Different Measuring Devices. <i>Journal of Pediatric Orthopaedics</i> , 2007, 27, 338-346.   | 0.6 | 8         |
| 10998 | Rebound Tonometer Compared With Goldmann Tonometer in Normal and Pathologic Corneas. <i>Cornea</i> , 2007, 26, 427-430.   | 0.9 | 32        |
| 10999 | Response to â€”Multicenter evaluation of a bilayer polymer blood coagulation tube for coagulation testing: effect on routine hemostasis test results and on plasma levels of coagulation activation markersâ€”™. <i>Blood Coagulation and Fibrinolysis</i> , 2007, 18, 709. | 0.5 | 1         |
| 11000 | Validation of the Samsung SBM-100A and Microlife BP 3BU1-5 wrist blood pressure measuring devices in adults according to the International Protocol. <i>Blood Pressure Monitoring</i> , 2007, 12, 119-125.  | 0.4 | 8         |
| 11001 | Comparison of noninvasive oscillometric and intra-arterial blood pressure measurements in hyperacute stroke. <i>Blood Pressure Monitoring</i> , 2007, 12, 149-156.  | 0.4 | 64        |
| 11002 | Evaluation and effects of the Omron 725 CIC device for measuring blood pressure in a hypertension clinic. <i>Blood Pressure Monitoring</i> , 2007, 12, 321-327.   | 0.4 | 0         |
| 11003 | The use of perfusion scintigraphy to differentiate proximal right coronary artery stenosis from distal right coronary artery stenosis in patients with inferior left ventricular ischaemia. <i>Nuclear Medicine Communications</i> , 2007, 28, 35-40.                       | 0.5 | 3         |
| 11004 | Urinary Iron Excretion in Young Thalassaemic Patients Receiving Combined Chelation Treatment With Deferoxamine and Deferiprone. <i>Journal of Pediatric Hematology/Oncology</i> , 2007, 29, 598-601.  | 0.3 | 9         |
| 11005 | Measurement Accuracy of Fever by Tympanic and Axillary Thermometry. <i>Pediatric Emergency Care</i> , 2007, 23, 16-19.  | 0.5 | 35        |
| 11006 | Ultrasound Using the Transverse Approach to the Lumbar Spine Provides Reliable Landmarks for Labor Epidurals. <i>Anesthesia and Analgesia</i> , 2007, 104, 1188-1192.   | 1.1 | 196       |
| 11007 | The Validity of Bispectral Index Values from a Dislocated Sensor: A Comparison with Values from a Sensor Located in the Commercially Recommended Position. <i>Anesthesia and Analgesia</i> , 2007, 104, 857-859.  | 1.1 | 12        |
| 11008 | A Comparative Analysis of Pedometry in Measuring Physical Activity of Children. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 1837-1846.   | 0.2 | 14        |
| 11009 | Validation of a new arterial pulse contour-based cardiac output device. <i>Critical Care Medicine</i> , 2007, 35, 1904-1909.  | 0.4 | 107       |
| 11010 | Energy expenditure in critically ill children. <i>Pediatric Critical Care Medicine</i> , 2007, 8, 264-267.  | 0.2 | 105       |
| 11011 | A Quantitative and Reproducible Method to Assess Cord Compression and Canal Stenosis After Cervical Spine Trauma. <i>Spine</i> , 2007, 32, 2083-2091.   | 1.0 | 49        |
| 11012 | Tympanic temperature measurements: Are they reliable in the critically ill? A clinical study of measures of agreement*. <i>Critical Care Medicine</i> , 2007, 35, 155-164.  | 0.4 | 145       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11013 | Validation of the Omron M6 (HEM-7001-E) upper-arm blood pressure measuring device according to the International Protocol in adults and obese adults. <i>Blood Pressure Monitoring</i> , 2007, 12, 219-225.   | 0.4 | 45        |
| 11014 | Understanding estimated glomerular filtration rate: implications for identifying chronic kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2007, 16, 242-249.   | 1.0 | 50        |
| 11015 | The Evaluation of Two New Computer-Based Tests for Measurement of Aniseikonia. <i>Optometry and Vision Science</i> , 2007, 84, 1093-1100.   | 0.6 | 10        |
| 11016 | Prepuncture Ultrasound-Measured Distance. <i>Regional Anesthesia and Pain Medicine</i> , 2007, 32, 102-106.   | 1.1 | 1         |
| 11017 | Renal arterial resistive index response to intraabdominal hypertension in a porcine model*. <i>Critical Care Medicine</i> , 2007, 35, 207-213.  | 0.4 | 130       |
| 11018 | Nomogram, Corneal Topography, and Final Prescription Relations for Corneal Refractive Therapy. <i>Optometry and Vision Science</i> , 2007, 84, 59-64.   | 0.6 | 27        |
| 11019 | Reproducibility of Quantitative Cerebral T2 Relaxometry, Diffusion Tensor Imaging, and 1H Magnetic Resonance Spectroscopy at 3.0 Tesla. <i>Investigative Radiology</i> , 2007, 42, 327-337.   | 3.5 | 51        |
| 11020 | Improvement of semi-quantitative small-animal PET data with recovery coefficients: A phantom and rat study. <i>Nuclear Medicine Communications</i> , 2007, 28, 813-822.   | 0.5 | 9         |
| 11021 | The Accuracy of the Oxygen Washout Technique for Functional Residual Capacity Assessment During Spontaneous Breathing. <i>Anesthesia and Analgesia</i> , 2007, 104, 598-604.  | 1.1 | 24        |
| 11022 | Objective Assessment of Activity in Older Adults at Risk for Mobility Disability. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 1020-1026.   | 0.2 | 51        |
| 11023 | Vastus Lateralis O2 Desaturation in Response to Fast and Short Maximal Contraction. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 1949-1959.   | 0.2 | 31        |
| 11024 | An Outcome Measure for Japanese People With Chronic Low Back Pain. <i>Spine</i> , 2007, 32, 3052-3059.  | 1.0 | 25        |
| 11025 | Validation of the SAA-102 home blood pressure monitor according to the protocols of the European Society of Hypertension, the Association for the Advancement of Medical Instrumentation and the British Society of Hypertension. <i>Blood Pressure Monitoring</i> , 2007, 12, 363-368. | 0.4 | 7         |
| 11026 | Evaluation of a Reduced Dose Protocol for Respiratory Gated Lung Computed Tomography in an Animal Model. <i>Investigative Radiology</i> , 2007, 42, 230-234.  | 3.5 | 6         |
| 11027 | Comparison of Three Methods for the Estimation of Total Intracranial Volume. <i>Annals of Plastic Surgery</i> , 2007, 58, 48-53.  | 0.5 | 51        |
| 11028 | Which measurement of home blood pressure should be used for clinical evaluation when multiple measurements are made?. <i>Journal of Hypertension</i> , 2007, 25, 1369-1374.   | 0.3 | 23        |
| 11029 | Comparison of the Extent of Delayed-Enhancement Cardiac Magnetic Resonance Imaging With and Without Phase-Sensitive Reconstruction at 3.0 T. <i>Investigative Radiology</i> , 2007, 42, 372-376.  | 3.5 | 11        |
| 11030 | Cystatin C Is Not Superior to Creatinine-Based Models in Estimating Glomerular Filtration Rate in Former Kidney Donors. <i>Transplantation</i> , 2007, 84, 1112-1117.   | 0.5 | 12        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11031 | Bioelectrical Impedance: A New Method for Measuring Post-Traumatic Swelling. <i>Journal of Orthopaedic Trauma</i> , 2007, 21, 462-468.  | 0.7 | 17        |
| 11032 | Nevirapine Concentration in Nonstimulated Saliva: An Alternative to Plasma Sampling in Children with Human Immunodeficiency Virus Infection. <i>Therapeutic Drug Monitoring</i> , 2007, 29, 110-117.  | 1.0 | 21        |
| 11033 | Variability in Teicoplanin Protein Binding and Its Prediction Using Serum Albumin Concentrations. <i>Therapeutic Drug Monitoring</i> , 2007, 29, 399-403.   | 1.0 | 34        |
| 11034 | Cloned Enzyme Donor Immunoassay Tacrolimus Assay Compared With High-Performance Liquid Chromatography-Tandem Mass Spectrometry and Microparticle Enzyme Immunoassay in Liver and Renal Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2007, 29, 584-591. | 1.0 | 33        |
| 11035 | Evaluation of the Practicability of Limited Sampling Strategies for the Estimation of Mycophenolic Acid Exposure in Chinese Adult Renal Recipients. <i>Therapeutic Drug Monitoring</i> , 2007, 29, 600-606.   | 1.0 | 9         |
| 11036 | An Improved Application for the Enzyme Multiplied Immunoassay Technique for Caffeine, Amikacin, and Methotrexate Assays on the Dade-Behring Dimension RxL Max Clinical Chemistry System. <i>Therapeutic Drug Monitoring</i> , 2007, 29, 632-637.                      | 1.0 | 22        |
| 11037 | â€˜Generalizabilityâ€™ of a radial-aortic transfer function for the derivation of central aortic waveform parameters. <i>Journal of Hypertension</i> , 2007, 25, 1812-1820.   | 0.3 | 59        |
| 11038 | Measuring Corneal Thickness With the ConfoScan 4 and Z-Ring Adapter. <i>Eye and Contact Lens</i> , 2007, 33, 185-190.   | 0.8 | 39        |
| 11039 | Reliability of a Video-Based Noncontact Specular Microscope for Assessing the Corneal Endothelium. <i>Cornea</i> , 2007, 26, 924-929.   | 0.9 | 18        |
| 11040 | Long-term Reproducibility of Screening for Glaucoma With FDT-Perimetry. <i>Journal of Glaucoma</i> , 2007, 16, 448-455.   | 0.8 | 6         |
| 11041 | Hemoximetry as the â€œGold Standardâ€ Error Assessment Based on Differences Among Identical Blood Gas Analyzer Devices of Five Manufacturers. <i>Anesthesia and Analgesia</i> , 2007, 105, S24-S30.  | 1.1 | 38        |
| 11042 | The Narcotrendâ„¢ Monitor and the Electroencephalogram in Propofol-Induced Sedation. <i>Anesthesia and Analgesia</i> , 2007, 105, 982-992.  | 1.1 | 6         |
| 11043 | The Comparability of Bispectral Index and State Entropy Index During Maintenance of Sufentanil-Sevoflurane-Nitrous Oxide Anesthesia. <i>Anesthesia and Analgesia</i> , 2007, 105, 1319-1325.  | 1.1 | 18        |
| 11044 | Validation and Feasibility of Intraoperative Three-Dimensional Transesophageal Echocardiographic Cardiac Output. <i>Anesthesia and Analgesia</i> , 2007, 105, 1219-1223.  | 1.1 | 15        |
| 11045 | Validation of Bioimpedance Spectroscopy to Assess Acute Changes in Hydration Status. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 984-990.  | 0.2 | 12        |
| 11046 | Energy Cost of Physical Activities in Children. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 2076-2084.   | 0.2 | 98        |
| 11047 | Comparison of Pure-Tone Audiometry Analysis in Sudden Hearing Loss Studies. <i>Otology and Neurotology</i> , 2007, 28, 753-763.   | 0.7 | 52        |
| 11048 | Effect of Direct Cardiac Compression on Left Ventricular Axial Dynamics in Sheep. <i>ASAIO Journal</i> , 2007, 53, 292-297.   | 0.9 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11049 | Clinical assessment of the DINAMAP ProCare monitor in an adult population according to the British Hypertension Society Protocol. <i>Blood Pressure Monitoring</i> , 2007, 12, 51-55.   | 0.4 | 37        |
| 11050 | The Health and Life device (HL888HA): accuracy assessment in an adult population according to the British Hypertension Society protocol. <i>Blood Pressure Monitoring</i> , 2007, 12, 107-111.  | 0.4 | 2         |
| 11051 | Reproducibility of transthoracic echocardiography in small animals using clinical equipment. <i>Coronary Artery Disease</i> , 2007, 18, 283-291.  | 0.3 | 15        |
| 11052 | Electrocardiograph-gated single photon emission computed tomography radionuclide angiography presents good interstudy reproducibility for the quantification of global systolic right ventricular function. <i>Nuclear Medicine Communications</i> , 2007, 28, 391-399. | 0.5 | 11        |
| 11053 | An Evaluation of the Confoscan3 for Corneal Endothelial Morphology Analysis. <i>Optometry and Vision Science</i> , 2007, 84, 888-895.   | 0.6 | 14        |
| 11054 | Assessment of Morphological MRI for Pulmonary Changes in Cystic Fibrosis (CF) Patients. <i>Investigative Radiology</i> , 2007, 42, 715-724.   | 3.5 | 132       |
| 11055 | Assessment of Global Left and Right Ventricular Function Using Dual-Source Computed Tomography (DSCT) in Comparison to MRI. <i>Investigative Radiology</i> , 2007, 42, 756-764.   | 3.5 | 20        |
| 11056 | Reliability Analysis for Radiographic Measurement of Limb Length Discrepancy. <i>Journal of Pediatric Orthopaedics</i> , 2007, 27, 46-50.   | 0.6 | 67        |
| 11057 | Comparison of three different methods of evaluation of metabolic acid-base disorders*. <i>Critical Care Medicine</i> , 2007, 35, 1264-1270.   | 0.4 | 182       |
| 11058 | Comparison of Optical Low-Coherence Reflectometry and Ultrasound Pachymetry in Measuring Corneal Graft Thickness. <i>Cornea</i> , 2007, 26, 185-189.  | 0.9 | 7         |
| 11059 | Validation of the Braun BP 3550 wrist blood pressure measuring device with a position sensor and an EasyClick cuff according to the International Protocol in adults. <i>Blood Pressure Monitoring</i> , 2007, 12, 45-49.   | 0.4 | 10        |
| 11060 | Does Three-Dimensional Power Doppler Ultrasound Help in Discrimination Between Benign and Malignant Ovarian Masses?. <i>Obstetrical and Gynecological Survey</i> , 2007, 62, 308-309.   | 0.2 | 2         |
| 11061 | Physiological Cost Index in Cerebral Palsy. <i>Journal of Pediatric Orthopaedics</i> , 2007, 27, 130-136.   | 0.6 | 50        |
| 11062 | Coronary Artery Stenosis Quantification Using Multislice Computed Tomography. <i>Investigative Radiology</i> , 2007, 42, 78-84.   | 3.5 | 44        |
| 11063 | Dried Blood Spot Measurement of Tacrolimus Is Promising for Patient Monitoring. <i>Transplantation</i> , 2007, 83, 237-238.   | 0.5 | 55        |
| 11064 | Measurement of pulse wave velocity: site matters. <i>Journal of Hypertension</i> , 2007, 25, 383-389.   | 0.3 | 71        |
| 11065 | Estimation of central pressure augmentation using automated radial artery tonometry. <i>Journal of Hypertension</i> , 2007, 25, 1403-1409.  | 0.3 | 44        |
| 11066 | A Case Series Describing the Use of Argatroban in Patients on Extracorporeal Circulation. <i>ASAIO Journal</i> , 2007, 53, 460-463.   | 0.9 | 29        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 11067 | Methodologies for assessing agreement between two methods of clinical measurement: are we as good as we think we are?. <i>Current Opinion in Critical Care</i> , 2007, 13, 294-296.  | 1.6 | 19        |
| 11068 | A Modified ETDRS Visual Acuity Chart for European-Wide Use. <i>Optometry and Vision Science</i> , 2007, 84, 647-653.   | 0.6 | 43        |
| 11069 | Temporal Thermometry Fails to Track Body Core Temperature during Heat Stress. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 1029-1035.  | 0.2 | 30        |
| 11070 | Comparison of noninvasive cardiac output measured by use of partial carbon dioxide rebreathing or the lithium dilution method in anesthetized foals. <i>American Journal of Veterinary Research</i> , 2007, 68, 141-147.                 | 0.3 | 30        |
| 11071 | A comparison of two sphygmomanometers that may replace the traditional mercury column in the healthcare workplace. <i>Blood Pressure Monitoring</i> , 2007, 12, 23-28.   | 0.4 | 24        |
| 11072 | Volume Histogram Analysis for Lung Thin-Section Computed Tomography. <i>Journal of Computer Assisted Tomography</i> , 2007, 31, 936-942.   | 0.5 | 6         |
| 11073 | Quantification of Myocardial Perfusion Using Dynamic 64-Detector Computed Tomography. <i>Investigative Radiology</i> , 2007, 42, 815-822.  | 3.5 | 237       |
| 11074 | Global End-Diastolic Volume During Different Loading Conditions in a Pediatric Animal Model. <i>Anesthesia and Analgesia</i> , 2007, 105, 1243-1249.   | 1.1 | 22        |
| 11075 | Comparison of Two Methods to Assess PAEE during Six Activities in Children. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 2180-2188.  | 0.2 | 79        |
| 11076 | Three-Dimensional Computerized Anthropometry of the Nose: Landmark Representation Compared to Surface Analysis. <i>Cleft Palate-Craniofacial Journal</i> , 2007, 44, 278-285.  | 0.5 | 15        |
| 11077 | The ecological validity of laboratory cycling: Does body size explain the difference between laboratory- and field-based cycling performance?. <i>Journal of Sports Sciences</i> , 2007, 25, 3-9.  | 1.0 | 26        |
| 11078 | Reproducibility of Acoustic Rhinometry in the Investigation of Occupational Rhinitis. <i>American Journal of Rhinology &amp; Allergy</i> , 2007, 21, 474-477.  | 2.3 | 16        |
| 11079 | Assessment of left ventricular ejection fraction after myocardial infarction using contrast echocardiography. <i>European Journal of Echocardiography</i> , 2007, 9, 250-4.  | 2.3 | 20        |
| 11080 | Depressed Myocardial Contractile Reserve in Patients With Obstructive Sleep Apnea Assessed by Tissue Doppler Imaging With Dobutamine Stress Echocardiography. <i>Chest</i> , 2007, 131, 1082-1089.                                       | 0.4 | 19        |
| 11081 | Retrograde slow pathway conduction in patients with atrioventricular nodal re-entrant tachycardia. <i>Europace</i> , 2007, 9, 458-465.   | 0.7 | 25        |
| 11082 | Assessment of variable obstruction by forced expiratory volume in 1 second, forced oscillometry, and interrupter technique. <i>Allergy and Asthma Proceedings</i> , 2007, 28, 331-335.   | 1.0 | 8         |
| 11083 | Comparison of coagulant activity of factor VII and activated factor VII activity assays when used for determination of recombinant activated factor VII levels in plasma. <i>Blood Coagulation and Fibrinolysis</i> , 2007, 18, 677-684. | 0.5 | 9         |
| 11084 | Respiratory variations in pulse oximeter waveform amplitude are influenced by venous return in mechanically ventilated patients under general anaesthesia. <i>European Journal of Anaesthesiology</i> , 2007, 24, 245-251.               | 0.7 | 38        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 11085 | Comparison of Handheld to Metabolic Cart Indirect Calorimetry for Resting Energy Expenditure Assessment in Extremely Obese Women. <i>Topics in Clinical Nutrition</i> , 2007, 22, 115-129.   | 0.2 | 3         |
| 11086 | Translation, Adaptation, and Validation of the Moroccan Version of the Roland Morris Disability Questionnaire. <i>Spine</i> , 2007, 32, 1461-1465.   | 1.0 | 27        |
| 11087 | Limited Sampling Strategy for the Estimation of Mycophenolic Acid Area Under the Plasma Concentration-Time Curve in Adult Patients Undergoing Liver Transplant. <i>Therapeutic Drug Monitoring</i> , 2007, 29, 207-214.                    | 1.0 | 13        |
| 11088 | Reproducibility of the circadian blood pressure pattern in 24-h versus 48-h recordings: the Spanish Ambulatory Blood Pressure Monitoring Registry. <i>Journal of Hypertension</i> , 2007, 25, 2406-2412.                                   | 0.3 | 56        |
| 11089 | Use of dynamic compliance for open lung positive end-expiratory pressure titration in an experimental study. <i>Critical Care Medicine</i> , 2007, 35, 214-221.  | 0.4 | 240       |
| 11090 | Calculation of intratracheal airway pressure in ventilated neonatal piglets with endotracheal tube leaks. <i>Critical Care Medicine</i> , 2007, 35, 1383-1389.   | 0.4 | 5         |
| 11091 | Point-of-Care Measurements on a Neonatal Intensive Care Unit Using the OMNI-S Blood Gas Analyzer. <i>Point of Care</i> , 2007, 6, 112-117.   | 0.5 | 5         |
| 11092 | Hour-to-hour and week-to-week variability and reproducibility of wave reflection indices derived by aortic pulse wave analysis: implications for studies with repeated measurements. <i>Journal of Hypertension</i> , 2007, 25, 1678-1686. | 0.3 | 40        |
| 11093 | The effects of anatomical structures on adult forearm and upper arm noninvasive blood pressures. <i>Blood Pressure Monitoring</i> , 2007, 12, 17-22.   | 0.4 | 10        |
| 11094 | Peripheral Arterial Disease Assessment. <i>Topics in Magnetic Resonance Imaging</i> , 2007, 18, 357-369.   | 0.7 | 16        |
| 11095 | A Standardized Digital Photography System with Computerized Eyelid Measurement Analysis. <i>Plastic and Reconstructive Surgery</i> , 2007, 120, 647-656.   | 0.7 | 49        |
| 11096 | Interrater Reliability of Algometry in Measuring Pressure Pain Thresholds in Healthy Humans, Using Multiple Raters. <i>Clinical Journal of Pain</i> , 2007, 23, 760-766.   | 0.8 | 529       |
| 11097 | Comparison of Direct and Indirect Measurement of LDL-C in HIV-Infected Individuals: ACTG 5087. <i>HIV Clinical Trials</i> , 2007, 8, 45-52.  | 2.0 | 23        |
| 11098 | Short-term Variability in Measures of Glycemia and Implications for the Classification of Diabetes. <i>Archives of Internal Medicine</i> , 2007, 167, 1545.  | 4.3 | 319       |
| 11099 | The Feasibility of Ultrasound to Assess Subglottic Diameter. <i>Anesthesia and Analgesia</i> , 2007, 104, 611-614.   | 1.1 | 158       |
| 11100 | Aortic dimensions in Turner's syndrome: two-dimensional echocardiography versus magnetic resonance imaging. <i>Journal of Cardiovascular Medicine</i> , 2007, 8, 428-437.  | 0.6 | 28        |
| 11101 | The Ramp Power Test: A Power Assessment During a Functional Task for Older Individuals. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007, 62, 1266-1273.  | 1.7 | 12        |
| 11102 | Reproducibility and Repeatability of Peripheral Microvascular Assessment Using Iontophoresis in Conjunction With Laser Doppler Imaging. <i>Journal of Cardiovascular Pharmacology</i> , 2007, 50, 343-349.                                 | 0.8 | 13        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11103 | Finger-prick blood samples can be used interchangeably with venous samples for CD4 cell counting indicating their potential for use in CD4 rapid tests. <i>Aids</i> , 2007, 21, 1643-1645.  | 1.0 | 18        |
| 11104 | Comparison of children's diets as reported by the child via the Youth/Adolescent Questionnaire and the parent via the Willett food-frequency questionnaire. <i>Public Health Nutrition</i> , 2007, 10, 663-670.                                       | 1.1 | 19        |
| 11105 | Are Ankle and Toe Brachial Indices (ABI-TBI) Obtained by a Pocket Doppler Interchangeable With Those Obtained by Standard Laboratory Equipment?. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2007, 34, 35-44.                            | 0.6 | 23        |
| 11106 | Diagnostic potential of serum N-terminal pro-B-type brain natriuretic peptide level in detection of cardiac wall stress in women with polycystic ovary syndrome: a cross-sectional comparison study. <i>Human Reproduction</i> , 2007, 22, 2992-2998. | 0.4 | 22        |
| 11107 | RATIONAL INTRAABDOMINAL PRESSURE MONITORING: HOW TO DO IT?. <i>Acta Clinica Belgica</i> , 2007, 62, 16-25.  | 0.5 | 75        |
| 11108 | Cornea Measurement Comparison with Orbscan II and EyeSys Videokeratoscope. <i>Optometry and Vision Science</i> , 2007, 84, 598-604.   | 0.6 | 12        |
| 11109 | Glycaemic index and glycaemic load values of cereal products and weight-management meals available in the UK. <i>British Journal of Nutrition</i> , 2007, 98, 147-153.  | 1.2 | 18        |
| 11110 | Methods to Improve the Reliability of the Functional Reach Test in Children and Adolescents With Typical Development. <i>Pediatric Physical Therapy</i> , 2007, 19, 20-27.  | 0.3 | 23        |
| 11111 | Comparison of IOP Measurements Between ORA and GAT in Normal Chinese. <i>Optometry and Vision Science</i> , 2007, 84, 909-914.  | 0.6 | 77        |
| 11112 | Reliability for Running Tests for Measuring Agility and Anaerobic Muscle Power in Children and Adolescents with Cerebral Palsy. <i>Pediatric Physical Therapy</i> , 2007, 19, 108-115.  | 0.3 | 99        |
| 11113 | Radial Artery Pulse Pressure Variation Correlates With Brachial Artery Peak Velocity Variation in Ventilated Subjects When Measured by Internal Medicine Residents Using Hand-Carried Ultrasound Devices. <i>Chest</i> , 2007, 131, 1301-1307.        | 0.4 | 32        |
| 11114 | The Effect of Temperature Correction of Blood Gas Values on the Accuracy of End-Tidal Carbon Dioxide Monitoring in Children after Cardiac Surgery. <i>ASAIO Journal</i> , 2007, 53, 670-674.  | 0.9 | 6         |
| 11115 | The Development, Assessment, and Selection of Questionnaires. <i>Optometry and Vision Science</i> , 2007, 84, 663-674.  | 0.6 | 300       |
| 11116 | Respiratory Polygraphy With Actigraphy in the Diagnosis of Sleep Apnea-Hypopnea Syndrome. <i>Chest</i> , 2007, 131, 725-732.  | 0.4 | 61        |
| 11117 | Equivalence of information from single frequency v. bioimpedance spectroscopy in bodybuilders. <i>British Journal of Nutrition</i> , 2007, 97, 182-192.   | 1.2 | 45        |
| 11118 | Validity and reproducibility of the food-frequency questionnaire used in the Shanghai Men's Health Study. <i>British Journal of Nutrition</i> , 2007, 97, 993-1000.   | 1.2 | 148       |
| 11119 | Evaluation of four rapid methods for hemoglobin screening of whole blood donors in mobile collection settings. <i>Transfusion and Apheresis Science</i> , 2007, 36, 235-242.  | 0.5 | 46        |
| 11120 | Monitoring Renal Function: A Prospective Study Comparing Camera-Based Technetium-99m Mercaptoacetyltriglycine Clearance and Creatinine Clearance. <i>Urology</i> , 2007, 69, 426-430.   | 0.5 | 15        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11121 | Pelvic Floor Muscle Activity During Coughing: Altered Pattern in Women with Stress Urinary Incontinence. <i>Urology</i> , 2007, 70, 443-447.  | 0.5 | 32        |
| 11122 | A composite index to explain variations in poverty, health, nutritional status and standard of living: Use of multivariate statistical methods. <i>Public Health</i> , 2007, 121, 578-587.                        | 1.4 | 95        |
| 11123 | Doppler echocardiographic assessment of the effects of inhaled long-acting $\beta_2$ -agonists on pulmonary artery pressure in COPD patients. <i>Pulmonary Pharmacology and Therapeutics</i> , 2007, 20, 258-264. | 1.1 | 19        |
| 11124 | Cerebral oxygenation declines at exercise intensities above the respiratory compensation threshold. <i>Respiratory Physiology and Neurobiology</i> , 2007, 156, 196-202.  | 0.7 | 159       |
| 11125 | Controlled twitch mouth pressure reliably predicts twitch esophageal pressure. <i>Respiratory Physiology and Neurobiology</i> , 2007, 156, 276-282.   | 0.7 | 35        |
| 11126 | Estimation of arterial from a lung model during ramp exercise in healthy young subjects. <i>Respiratory Physiology and Neurobiology</i> , 2007, 156, 259-265.   | 0.7 | 6         |
| 11127 | Respiratory inductive plethysmography to assess respiratory variability and complexity in humans. <i>Respiratory Physiology and Neurobiology</i> , 2007, 156, 234-239.  | 0.7 | 55        |
| 11128 | Short-term and seasonal variations of exhaled and nasal NO in healthy subjects. <i>Respiratory Medicine</i> , 2007, 101, 265-271.   | 1.3 | 36        |
| 11129 | Evaluation of a transcutaneous carbon dioxide monitor (â€œTOSCAâ€) in adult patients in routine respiratory practice. <i>Respiratory Medicine</i> , 2007, 101, 261-264.   | 1.3 | 48        |
| 11130 | Breath-holding test in subjects with near-fatal asthma. A new index for dyspnea perception. <i>Respiratory Medicine</i> , 2007, 101, 246-253.   | 1.3 | 18        |
| 11131 | Leukotriene E4 in urine in patients with asthma and COPDâ€”The effect of smoking habit. <i>Respiratory Medicine</i> , 2007, 101, 826-832.   | 1.3 | 45        |
| 11132 | Reference equations for spirometry from a general population sample in central Italy. <i>Respiratory Medicine</i> , 2007, 101, 814-825.   | 1.3 | 31        |
| 11133 | Inter-session reproducibility of peak expiratory flow with standardized expiratory maneuvers. <i>Respiratory Medicine</i> , 2007, 101, 933-937.   | 1.3 | 1         |
| 11134 | Acute phase markers for the differentiation of infectious and malignant pleural effusions. <i>Respiratory Medicine</i> , 2007, 101, 910-918.  | 1.3 | 49        |
| 11135 | Determinants of variability of protein content, volume and pH of exhaled breath condensate. <i>Respiratory Medicine</i> , 2007, 101, 1331-1337.   | 1.3 | 49        |
| 11136 | Airway nitric oxide output is reduced in bronchiectasis. <i>Respiratory Medicine</i> , 2007, 101, 1549-1555.  | 1.3 | 17        |
| 11137 | Differences in exhaled breath condensate pH measurements between samples obtained with two commercial devices. <i>Respiratory Medicine</i> , 2007, 101, 1715-1720.  | 1.3 | 58        |
| 11138 | Neutrophils in induced sputum from healthy children: Role of interleukin-8 and oxidative stress. <i>Respiratory Medicine</i> , 2007, 101, 2108-2112.  | 1.3 | 15        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 11139 | Respirable dust concentrations in equine stables. Part 1: Validation of equipment and effect of various management systems. <i>Research in Veterinary Science</i> , 2007, 83, 256-262.   | 0.9 | 45        |
| 11140 | Random sample estimates of tree mean for fruit size and colour in apple. <i>Scientia Horticulturae</i> , 2007, 112, 33-41.   | 1.7 | 12        |
| 11141 | Non-destructive leaf area estimation model for faba bean ( <i>Vicia faba</i> L.). <i>Scientia Horticulturae</i> , 2007, 113, 322-328.  | 1.7 | 109       |
| 11142 | Predicting effective continuous positive airway pressure in sleep apnea using an artificial neural network. <i>Sleep Medicine</i> , 2007, 8, 471-477.  | 0.8 | 19        |
| 11143 | Quantification of Peyer's patches in Cheviot sheep for future scrapie pathogenesis studies. <i>Veterinary Immunology and Immunopathology</i> , 2007, 116, 163-171.   | 0.5 | 11        |
| 11144 | Validation of a reference ELISA for estrone glucuronide using urine samples normalized by dilution to a constant rate of urine production. <i>Steroids</i> , 2007, 72, 580-591.  | 0.8 | 21        |
| 11145 | A new plastic collection tube made of polyethylene terephthalate is suitable for monitoring traditional anticoagulant therapy (oral anticoagulant, unfractionated heparin, and low molecular weight) <i>TJ ETQq0 0 0 rgBT /Ovablock 10 Tf 50 497</i> |     |           |
| 11146 | Evaluation of blood collection tubes. <i>Thrombosis Research</i> , 2007, 119, 133-134.   | 0.8 | 1         |
| 11147 | Monitoring Unfractionated Heparin (UFH) therapy: Which Anti Factor Xa assay is appropriate?. <i>Thrombosis Research</i> , 2007, 120, 347-351.  | 0.8 | 108       |
| 11148 | Evaluation and performance characteristics of the automated coagulation analyzer ACL TOP. <i>Thrombosis Research</i> , 2007, 120, 733-743.   | 0.8 | 31        |
| 11149 | Choice of external criteria in back pain research: Does it matter? Recommendations based on analysis of responsiveness. <i>Pain</i> , 2007, 131, 112-120.  | 2.0 | 43        |
| 11150 | Initial validation of the Behavioral Indicators of Infant Pain (BIIP). <i>Pain</i> , 2007, 132, 264-272.   | 2.0 | 133       |
| 11151 | Calf Muscle Volume Estimates: Implications for Botulinum Toxin Treatment?. <i>Pediatric Neurology</i> , 2007, 37, 263-269.   | 1.0 | 16        |
| 11152 | A new device for measuring resting energy expenditure (REE) in healthy subjects. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007, 17, 338-343.   | 1.1 | 114       |
| 11153 | Short food frequency questionnaire can discriminate inadequate and adequate calcium intake in Croatian postmenopausal women. <i>Nutrition Research</i> , 2007, 27, 542-547.  | 1.3 | 9         |
| 11154 | A New Pattern Electroretinogram Paradigm Evaluated in Terms of User Friendliness and Agreement with Perimetry. <i>Ophthalmology</i> , 2007, 114, 671-679.  | 2.5 | 41        |
| 11155 | Comparison of the Scanning Peripheral Anterior Chamber Depth Analyzer and the Modified van Herick Grading System in the Assessment of Angle Closure. <i>Ophthalmology</i> , 2007, 114, 501-506.  | 2.5 | 40        |
| 11156 | Long-term Study of Artisan Phakic Intraocular Lens Implantation for the Correction of Moderate to High Myopia. <i>Ophthalmology</i> , 2007, 114, 1133-1142.  | 2.5 | 165       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11157 | Axial Length Measurement in Eyes with Diabetic Macular Edema. <i>Ophthalmology</i> , 2007, 114, 1499-1504.  | 2.5 | 24        |
| 11158 | Reproducibility of Macular Thickness and Volume Using Zeiss Optical Coherence Tomography in Patients with Diabetic Macular Edema. <i>Ophthalmology</i> , 2007, 114, 1520-1525.  | 2.5 | 153       |
| 11159 | Graft Central Thickness Measurement by Rotating Scheimpflug Camera and Ultrasound Pachymetry after Penetrating Keratoplasty. <i>Ophthalmology</i> , 2007, 114, 1461-1468.   | 2.5 | 16        |
| 11160 | Venous or Arterial Endothelium Evaluation for Early Cardiovascular Dysfunction in Hypertensive Patients?. <i>Journal of Clinical Hypertension</i> , 2007, 9, 859-865.   | 1.0 | 19        |
| 11161 | Dialysis Adequacy and Nutritional Status in Continuous Ambulatory Peritoneal Dialysis: Is There a Link?. <i>Seminars in Dialysis</i> , 1995, 8, 62-67.  | 0.7 | 8         |
| 11162 | The relation of arterial stiffness to endothelial function in healthy subjects. <i>Physiological Measurement</i> , 2007, 28, 573-582.   | 1.2 | 11        |
| 11163 | Performance of the holographic multivergence target in the subjective measurement of spherical refractive error and amplitude of accommodation of the human eye. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2007, 24, 3037. | 0.8 | 5         |
| 11164 | Sidestream Dark Field (SDF) imaging: a novel stroboscopic LED ring-based imaging modality for clinical assessment of the microcirculation. <i>Optics Express</i> , 2007, 15, 15101.   | 1.7 | 459       |
| 11165 | Convergent validity of the Timeline Followback for persons with comorbid psychiatric disorders engaged in residential substance use treatment. <i>Addictive Behaviors</i> , 2007, 32, 1582-1592.  | 1.7 | 27        |
| 11166 | Aortic valve replacement for aortic stenosis is associated with improved aortic distensibility at long-term follow-up. <i>American Heart Journal</i> , 2007, 153, 147-151.  | 1.2 | 38        |
| 11167 | Left atrial appendage filling defects identified by multidetector computed tomography in patients undergoing radiofrequency pulmonary vein antral isolation: A comparison with transesophageal echocardiography. <i>American Heart Journal</i> , 2007, 154, 1199-1205.      | 1.2 | 152       |
| 11168 | Comparison of Different Techniques of Anterior Chamber Depth and Keratometric Measurements. <i>American Journal of Ophthalmology</i> , 2007, 143, 48-53.  | 1.7 | 113       |
| 11169 | A Method of Measuring Anterior Chamber Volume Using the Anterior Segment Optical Coherence Tomographer and Specialized Software. <i>American Journal of Ophthalmology</i> , 2007, 143, 879-881.   | 1.7 | 28        |
| 11170 | Alterations in Endothelial Cell Density After Photorefractive Keratectomy With Adjuvant Mitomycin. <i>American Journal of Ophthalmology</i> , 2007, 144, 99-103.e1.   | 1.7 | 50        |
| 11171 | Reproducibility and Repeatability of Central Corneal Thickness Measurement in Keratoconus Using the Rotating Scheimpflug Camera and Ultrasound Pachymetry. <i>American Journal of Ophthalmology</i> , 2007, 144, 712-718.e1.  | 1.7 | 150       |
| 11172 | Epicardial Coronary Artery Size in Hypertensive and Physiologic Left Ventricular Hypertrophy. <i>American Journal of Hypertension</i> , 2007, 20, 279-284.  | 1.0 | 15        |
| 11173 | Intrafamilial Correlations of Carotid Intima-Media Thickness and Flow-Mediated Dilation in a Siberian Population. <i>American Journal of Hypertension</i> , 2007, 20, 248-254.  | 1.0 | 11        |
| 11174 | Acute Effects of Cigarette Smoking on Arterial Stiffness and Blood Pressure in Male Smokers With Hypertension. <i>American Journal of Hypertension</i> , 2007, 20, 637-641.   | 1.0 | 93        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11175 | Can Ambulatory Blood-Pressure Monitoring Provide Reliable Indices of Arterial Stiffness?. American Journal of Hypertension, 2007, 20, 831-838.  | 1.0 | 36        |
| 11177 | Reliability and Validity of the Six-Minute Arm Test for the Evaluation of Cardiovascular Fitness in People With Spinal Cord Injury. Archives of Physical Medicine and Rehabilitation, 2007, 88, 489-495.                            | 0.5 | 48        |
| 11178 | Test-Retest Reliability of Isokinetic Knee Extension and Flexion. Archives of Physical Medicine and Rehabilitation, 2007, 88, 626-631.  | 0.5 | 215       |
| 11179 | The Lower-Limb Tasks Questionnaire: An Assessment of Validity, Reliability, Responsiveness, and Minimal Important Differences. Archives of Physical Medicine and Rehabilitation, 2007, 88, 993-1001.                                | 0.5 | 33        |
| 11180 | Assessing Hip Abduction and Adduction Strength: Can Greater Segmental Fixation Enhance the Reproducibility?. Archives of Physical Medicine and Rehabilitation, 2007, 88, 1147-1153.   | 0.5 | 13        |
| 11181 | Reliability of a New Instrument for Measuring Plantarflexor Muscle Strength. Archives of Physical Medicine and Rehabilitation, 2007, 88, 1164-1170.   | 0.5 | 20        |
| 11182 | Criterion Validity of the StepWatch Activity Monitor as a Measure of Walking Activity in Patients After Stroke. Archives of Physical Medicine and Rehabilitation, 2007, 88, 1710-1715.  | 0.5 | 89        |
| 11183 | Reliability and Validity of the Dynamic Gait Index in Persons With Chronic Stroke. Archives of Physical Medicine and Rehabilitation, 2007, 88, 1410-1415.   | 0.5 | 206       |
| 11184 | Analysis of refractometry for determining total plasma protein in hybrid striped bass (Morone) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 422   | 1.7 | 52        |
| 11186 | Comparison of Immediate Postoperative Walking Ability in Patients Receiving Minimally Invasive and Standard-Incision Hip Arthroplasty. Journal of Arthroplasty, 2007, 22, 490-495.  | 1.5 | 60        |
| 11187 | Epicardial Ultrasonography: A Potential Method for Intraoperative Quality Assessment of Coronary Bypass Anastomoses?. Annals of Thoracic Surgery, 2007, 84, 801-807.  | 0.7 | 13        |
| 11188 | Comparison of dynamic measurements of pulse contour with pulsed heat continuous cardiac output in postoperative cardiac surgical patients. Australian Critical Care, 2007, 20, 27-32.   | 0.6 | 10        |
| 11189 | Assessment of the accuracy of continuous cardiac output and pulse contour cardiac output in tracking cardiac index changes induced by volume load. Australian Critical Care, 2007, 20, 106-112.                                     | 0.6 | 2         |
| 11190 | Estimation of height from knee-heel length in middle age Caucasian adults. European E-journal of Clinical Nutrition and Metabolism, 2007, 2, 17-20.   | 0.4 | 1         |
| 11191 | Split renal function measured by triphasic helical CT. European Journal of Radiology, 2007, 61, 303-309.  | 1.2 | 30        |
| 11192 | Influences of prolonged apnea and oxygen inhalation on pulmonary hemodynamics during breath holding: Quantitative assessment by velocity-encoded MR imaging with SENSE technique. European Journal of Radiology, 2007, 64, 375-380. | 1.2 | 6         |
| 11193 | Lens fluorescence and accommodative amplitude in pre-presbyopic and presbyopic subjects. Experimental Eye Research, 2007, 84, 1013-1017.  | 1.2 | 6         |
| 11194 | Measurement of intraocular pressure (IOP) in chickens using a rebound tonometer: Quantitative evaluation of variance due to position inaccuracies. Experimental Eye Research, 2007, 85, 563-571.                                    | 1.2 | 47        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11195 | Volumetric magnetic resonance imaging of dorsal root ganglia for the objective quantitative assessment of neuron death after peripheral nerve injury. <i>Experimental Neurology</i> , 2007, 203, 22-33.   | 2.0 | 34        |
| 11196 | Automation is the key to standardized semen analysis using the automated SQA-V sperm quality analyzer. <i>Fertility and Sterility</i> , 2007, 87, 156-162.  | 0.5 | 39        |
| 11197 | Intraobserver and interobserver reliability of videotaped laparoscopy evaluations for endometriosis and adhesions. <i>Fertility and Sterility</i> , 2007, 87, 373-380.  | 0.5 | 17        |
| 11198 | The position of transferred air bubbles after embryo transfer is related to pregnancy rate. <i>Fertility and Sterility</i> , 2007, 88, 68-73.   | 0.5 | 44        |
| 11199 | Neutralizing antibodies to interferon beta in multiple sclerosis: Analytical evaluation for validation of a cytopathic effect assay. <i>Clinica Chimica Acta</i> , 2007, 377, 185-191.  | 0.5 | 13        |
| 11200 | Prevalence of decreased glomerular filtration rate in patients seeking non-nephrological medical care – An evaluation using IDMS-traceable creatinine based MDRD as well as Mayo Clinic quadratic equation estimates. <i>Clinica Chimica Acta</i> , 2007, 378, 71-77. | 0.5 | 20        |
| 11201 | Comparison of fluorescent polarization immunoassay (FPIA) versus HPLC to measure everolimus blood concentrations in clinical transplantation. <i>Clinica Chimica Acta</i> , 2007, 380, 217-221.   | 0.5 | 27        |
| 11202 | Urine sediment examination: A comparison of automated urinalysis systems and manual microscopy. <i>Clinica Chimica Acta</i> , 2007, 384, 28-34.   | 0.5 | 83        |
| 11203 | Low serum testosterone assayed by liquid chromatography-tandem mass spectrometry. Comparison with five immunoassay techniques. <i>Clinica Chimica Acta</i> , 2007, 386, 12-19.  | 0.5 | 137       |
| 11204 | Agreement between breast milk dioxin levels by CALUX bioassay and chemical analysis in a population survey in Hong Kong. <i>Chemosphere</i> , 2007, 69, 1287-1294.  | 4.2 | 14        |
| 11205 | CT colonography: automatic measurement of polyp diameter compared with manual assessment – an in-vivo study. <i>Clinical Radiology</i> , 2007, 62, 145-151.   | 0.5 | 10        |
| 11206 | Exercise calorimetry in sedentary patients: procedures based on short 3 min steps underestimate carbohydrate oxidation and overestimate lipid oxidation. <i>Diabetes and Metabolism</i> , 2007, 33, 379-384.  | 1.4 | 60        |
| 11207 | Reevaluation of current susceptibility breakpoints for Gram-negative rods based on pharmacodynamic assessment. <i>Diagnostic Microbiology and Infectious Disease</i> , 2007, 58, 337-344.   | 0.8 | 54        |
| 11208 | Increasing the number of gait trial recordings maximises intra-rater reliability of the CODA motion analysis system. <i>Gait and Posture</i> , 2007, 25, 303-315.   | 0.6 | 120       |
| 11209 | The Pedar® in-shoe system: Repeatability and normal pressure values. <i>Gait and Posture</i> , 2007, 25, 401-405.   | 0.6 | 208       |
| 11210 | The Footprint method to assess transmalleolar axis. <i>Gait and Posture</i> , 2007, 25, 597-603.  | 0.6 | 14        |
| 11211 | A new model for the determination of limb segment mass in children. <i>Gait and Posture</i> , 2007, 25, 615-619.  | 0.6 | 3         |
| 11212 | A kinematic and kinetic comparison of overground and treadmill walking in healthy subjects. <i>Gait and Posture</i> , 2007, 26, 17-24.  | 0.6 | 556       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11213 | Discordance of longitudinal changes in bone density between densitometers. <i>Bone</i> , 2007, 41, 690-697.   | 1.4 | 2         |
| 11214 | Stereology: a simplified and more time-efficient method than planimetry for the quantitative analysis of vascular structures in different models of intimal thickening. <i>Cardiovascular Pathology</i> , 2007, 16, 43-50.                        | 0.7 | 18        |
| 11215 | A study of the micromovement of pegged and keeled glenoid components compared using radiostereometric analysis. <i>Journal of Shoulder and Elbow Surgery</i> , 2007, 16, S65-S70.   | 1.2 | 78        |
| 11216 | A comparison of methods for shoulder strength assessment and analysis of Constant score change in patients aged over fifty years in the United Kingdom. <i>Journal of Shoulder and Elbow Surgery</i> , 2007, 16, 285-289.                         | 1.2 | 33        |
| 11217 | Reliability of techniques to assess human neuromuscular function in vivo. <i>Journal of Electromyography and Kinesiology</i> , 2007, 17, 90-101.  | 0.7 | 81        |
| 11218 | Repeatability of electromyography and force measurements of the neck muscles in adolescents with and without headache. <i>Journal of Electromyography and Kinesiology</i> , 2007, 17, 493-503.  | 0.7 | 10        |
| 11219 | Spatio-temporal decomposition of the electroencephalogram in patients with cirrhosis. <i>Journal of Hepatology</i> , 2007, 46, 447-458.   | 1.8 | 69        |
| 11220 | Fluoroscopic and Magnetic Resonance Cross-Sectional Imaging Assessments of Radial and Ulnar Torsion Profiles in Volunteers. <i>Journal of Hand Surgery</i> , 2007, 32, 501-509.   | 0.7 | 22        |
| 11221 | Reproduction of the Lumbar Lordosis: A Comparison of Standing Radiographs Versus Supine Magnetic Resonance Imaging Obtained with Straightened Lower Extremities. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2007, 30, 26-30. | 0.4 | 49        |
| 11222 | Acute Ischemic Stroke Lesion Measurement on Diffusion-weighted Imaging—Important Considerations in Designing Acute Stroke Trials With Magnetic Resonance Imaging. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2007, 16, 64-70.        | 0.7 | 36        |
| 11223 | Evaluating bone collagen extraction methods for stable isotope analysis in dietary studies. <i>Journal of Archaeological Science</i> , 2007, 34, 1824-1829.   | 1.2 | 130       |
| 11224 | Aprotinin does not prolong the Sonoclot aprotinin-insensitive activated clotting time. <i>Journal of Clinical Anesthesia</i> , 2007, 19, 424-428.   | 0.7 | 2         |
| 11225 | Quality criteria were proposed for measurement properties of health status questionnaires. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 34-42.   | 2.4 | 7,331     |
| 11226 | Cox regression was used to compare the measurement error of two tests vs. a gold standard. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 345-349.   | 2.4 | 2         |
| 11227 | Children proxies' quality-of-life agreement depended on the country using the European KIDSCREEN-52 questionnaire. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 469.e1-469.e13.  | 2.4 | 53        |
| 11228 | Intrasession and intersession repeatability of the Pentacam system on posterior corneal assessment in the normal human eye. <i>Journal of Cataract and Refractive Surgery</i> , 2007, 33, 448-454.  | 0.7 | 135       |
| 11229 | Corneal changes after laser refractive surgery for myopia: Comparison of Orbscan II and Pentacam findings. <i>Journal of Cataract and Refractive Surgery</i> , 2007, 33, 841-847.   | 0.7 | 80        |
| 11230 | Effect of corneal thickness on the agreement between ultrasound and Orbscan II pachymetry. <i>Journal of Cataract and Refractive Surgery</i> , 2007, 33, 1694-1700.   | 0.7 | 29        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11231 | Central corneal thickness measurement with Pentacam, Orbscan II, and ultrasound devices before and after laser refractive surgery for myopia. <i>Journal of Cataract and Refractive Surgery</i> , 2007, 33, 1701-1707.                                    | 0.7 | 80        |
| 11232 | Endothelial cell density after photorefractive keratectomy for moderate myopia using a 213 nm solid-state laser system. <i>Journal of Cataract and Refractive Surgery</i> , 2007, 33, 1866-1870.  | 0.7 | 14        |
| 11233 | The intra/inter-examiner reproducibility of the new DIAGNOdent Pen on occlusal sites. <i>Journal of Dentistry</i> , 2007, 35, 509-512.  | 1.7 | 25        |
| 11234 | A randomised comparison of a hand-held Neurotip and the Neuropen for assessing loss of touch sensation during spinal anaesthesia for caesarean section. <i>International Journal of Obstetric Anesthesia</i> , 2007, 16, 202-207.                         | 0.2 | 5         |
| 11235 | Comparison of three methods of facial measurement. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2007, 36, 250-258.  | 0.7 | 153       |
| 11236 | The reliability of frontal facial photographs to assess changes in nasolabial soft tissues. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2007, 36, 728-734.   | 0.7 | 10        |
| 11238 | Validity and reliability of the Children's Visual Function Questionnaire (CVFQ). <i>Journal of AAPOS</i> , 2007, 11, 473-479.   | 0.2 | 79        |
| 11239 | Changes in Sedentary Behavior among Adolescent Girls: A 2.5-Year Prospective Cohort Study. <i>Journal of Adolescent Health</i> , 2007, 40, 158-165.   | 1.2 | 98        |
| 11240 | Assessment of Pulmonary Vascular Resistance by Doppler Echocardiography in Patients With Pulmonary Arterial Hypertension. <i>Journal of Heart and Lung Transplantation</i> , 2007, 26, 927-934.   | 0.3 | 66        |
| 11241 | Cardiac Reserve in the Transplanted Heart: Effect of a Graft Polymorphism in the $\beta$ <sup>21</sup> -adrenoceptor. <i>Journal of Heart and Lung Transplantation</i> , 2007, 26, 915-920.   | 0.3 | 3         |
| 11242 | Comparison of forehead and digit oximetry in surgical/trauma patients at risk for decreased peripheral perfusion. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2007, 36, 188-194.  | 0.8 | 59        |
| 11243 | Atrial strain rate echocardiography can predict success or failure of cardioversion for atrial fibrillation: A combined transthoracic tissue Doppler and transoesophageal imaging study. <i>International Journal of Cardiology</i> , 2007, 114, 202-209. | 0.8 | 101       |
| 11244 | Characteristics of Doppler myocardial echocardiography in patients with tricuspid atresia after total cavopulmonary connection with preserved systolic ventricular function. <i>International Journal of Cardiology</i> , 2007, 116, 212-218.             | 0.8 | 18        |
| 11245 | Assessment of left ventricular volumes and ejection fraction with 16-slice multi-slice computed tomography; comparison with 2D-echocardiography. <i>International Journal of Cardiology</i> , 2007, 116, 201-205.   | 0.8 | 32        |
| 11246 | Utility of the surface ECG before VDD pacemaker implantation. <i>International Journal of Cardiology</i> , 2007, 117, 211-213.  | 0.8 | 2         |
| 11247 | Efficacy of lifestyle intervention on peak exercise cardiac power output and reserve in premenopausal obese females: A randomised pilot study. <i>International Journal of Cardiology</i> , 2007, 119, 147-155.   | 0.8 | 9         |
| 11248 | Increased aortic stiffness in glycogenosis type 2 (Pompe's disease). <i>International Journal of Cardiology</i> , 2007, 120, 138-141.   | 0.8 | 26        |
| 11249 | The function of left ventricular basal segments is most important for long-term recovery. <i>International Journal of Cardiology</i> , 2007, 121, 284-290.  | 0.8 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11250 | Indian Asian men have less peripheral arterial disease than European men for equivalent levels of coronary disease. <i>Atherosclerosis</i> , 2007, 193, 204-212.  | 0.4 | 42        |
| 11251 | Optical coherence tomography accurately identifies intermediate atherosclerotic lesions—An in vivo evaluation in the rabbit carotid artery. <i>Atherosclerosis</i> , 2007, 193, 94-101.   | 0.4 | 37        |
| 11252 | Impaired coronary microvascular function in familial Mediterranean fever. <i>Atherosclerosis</i> , 2007, 195, e161-e167.  | 0.4 | 58        |
| 11253 | Medial plantar nerve conduction studies in healthy controls and diabetics. <i>Clinical Neurophysiology</i> , 2007, 118, 1155-1161.  | 0.7 | 49        |
| 11254 | Regional Breath Sound Distribution Analysis in Single-lung Transplant Recipients. <i>Journal of Heart and Lung Transplantation</i> , 2007, 26, 1149-1154.   | 0.3 | 18        |
| 11256 | Improved reliability of hippocampal atrophy rate measurement in mild cognitive impairment using fluid registration. <i>NeuroImage</i> , 2007, 34, 1036-1041.  | 2.1 | 39        |
| 11257 | High definition three-dimensional ultrasound to localise the tumour bed: A breast radiotherapy planning study. <i>Radiotherapy and Oncology</i> , 2007, 84, 233-241.  | 0.3 | 47        |
| 11258 | The Level of Cardiac Output Affects the Relationship and Agreement Between Pulmonary Artery and Transpulmonary Aortic Thermodilution Measurements in an Animal Model. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2007, 21, 659-663. | 0.6 | 9         |
| 11259 | Uncalibrated Arterial Pulse Contour Analysis Versus Continuous Thermodilution Technique: Effects of Alterations in Arterial Waveform. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2007, 21, 636-643.                                 | 0.6 | 97        |
| 11260 | Novel method for high-throughput phenotyping of sleep in mice. <i>Physiological Genomics</i> , 2007, 28, 232-238.   | 1.0 | 211       |
| 11261 | Psychometric Properties of the 20-Item Toronto Alexithymia Scale and Prevalence of Alexithymia in a Finnish Adolescent Population. <i>Psychosomatics</i> , 2007, 48, 154-161.   | 2.5 | 100       |
| 11262 | Effect of a Transition Diet on Production Performance and Metabolism in Periparturient Dairy Cows. <i>Journal of Dairy Science</i> , 2007, 90, 5247-5258.   | 1.4 | 40        |
| 11263 | Scheimpflug imaging to determine intraocular lens power in vivo. <i>Journal of Cataract and Refractive Surgery</i> , 2007, 33, 1041-1044.   | 0.7 | 13        |
| 11265 | Intravascular volume dependency of left ventricular mass calculation by two-dimensional guided M-mode echocardiography. <i>Canadian Journal of Cardiology</i> , 2007, 23, 219-222.  | 0.8 | 7         |
| 11266 | Goniometry via the internet. <i>Australian Journal of Physiotherapy</i> , 2007, 53, 136.  | 0.9 | 22        |
| 11268 | Assessment of repeatability and reproducibility of mental and panoramic mandibular indices on digital panoramic images. <i>International Dental Journal</i> , 2007, 57, 433-438.  | 1.0 | 7         |
| 11269 | An Arabic version of the Oral Health Impact Profile: translation and psychometric properties. <i>International Dental Journal</i> , 2007, 57, 84-92.  | 1.0 | 49        |
| 11270 | Rosuvastatin Affecting Aortic Valve Endothelium to Slow the Progression of Aortic Stenosis. <i>Journal of the American College of Cardiology</i> , 2007, 49, 554-561.   | 1.2 | 362       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 11271 | Evaluation of a portable lactate analyzer (Lactate Scout) in dogs. <i>Veterinary Clinical Pathology</i> , 2007, 36, 36-39.   | 0.3 | 26        |
| 11272 | Clinical evaluation of the CA530-VET hematology analyzer for use in veterinary practice. <i>Veterinary Clinical Pathology</i> , 2007, 36, 155-166.   | 0.3 | 20        |
| 11273 | Platelet Concentrations and Platelet-associated IgG in Greyhounds. <i>Journal of Veterinary Internal Medicine</i> , 2007, 21, 107-112.   | 0.6 | 17        |
| 11274 | Transthoracic Echocardiographic Measurement of Patent Ductus Arteriosus in Dogs. <i>Journal of Veterinary Internal Medicine</i> , 2007, 21, 251-257.   | 0.6 | 24        |
| 11275 | Determination of Lactate Concentrations in Blood Plasma and Peritoneal Fluid in Horses with Colic by an Accusport Analyzer. <i>Journal of Veterinary Internal Medicine</i> , 2007, 21, 293-301.  | 0.6 | 65        |
| 11276 | Comparison and Reproducibility of Plasma Clearance of Exogenous Creatinine, Exo-hexol, Endo-hexol, and <sup>51</sup> Cr-EDTA in Young Adult and Aged Healthy Cats. <i>Journal of Veterinary Internal Medicine</i> , 2007, 21, 950-958. | 0.6 | 40        |
| 11277 | Assessment of a Point-of-Care Lactate Monitor in Emergency Admissions of Adult Horses to a Referral Hospital. <i>Journal of Veterinary Internal Medicine</i> , 2007, 21, 1090-1098.  | 0.6 | 41        |
| 11278 | Validation of optical coherence tomography in vivousing cryostat histology. <i>Physics in Medicine and Biology</i> , 2007, 52, N75-N85.  | 1.6 | 33        |
| 11279 | Pilot Study of an Instrument to Measure Attitudes to Palliative Care Practice in Neonatal Intensive Care Nursing. <i>Collegian</i> , 2007, 14, 16-20.  | 0.6 | 23        |
| 11280 | Development and Validation of a Short Global Dry Eye Symptom Index. <i>Ocular Surface</i> , 2007, 5, 50-57.  | 2.2 | 164       |
| 11282 | Does Implantation of Sonomicrometry Crystals Alter Regional Cardiac Muscle Function?. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 1407-1412.  | 1.2 | 5         |
| 11283 | Echocardiographic Follow-up of Tricuspid Annuloplasty with a New Three-Dimensional Ring in Patients with Functional Tricuspid Regurgitation. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 1236-1242.         | 1.2 | 59        |
| 11284 | Regarding "Initial results of wireless pressure sensing for endovascular aneurysm repair: The APEX trial" Acute Pressure Measurement to Confirm Aneurysm Sac EXclusion. <i>Journal of Vascular Surgery</i> , 2007, 46, 403.            | 0.6 | 29        |
| 11286 | Haemoglobin and haematocrit: the threefold conversion is also non valid for assessing anaemia in Plasmodium vivax malaria-endemic settings. <i>Malaria Journal</i> , 2007, 6, 166.   | 0.8 | 19        |
| 11287 | Haemoglobin and haematocrit: is the threefold conversion valid for assessing anaemia in malaria-endemic settings?. <i>Malaria Journal</i> , 2007, 6, 67.   | 0.8 | 46        |
| 11288 | An Overview on Assessing Agreement with Continuous Measurements. <i>Journal of Biopharmaceutical Statistics</i> , 2007, 17, 529-569.   | 0.4 | 274       |
| 11289 | Blood phenylalanine monitoring for dietary compliance among patients with phenylketonuria: comparison of methods. <i>Genetics in Medicine</i> , 2007, 9, 761-765.  | 1.1 | 45        |
| 11290 | Attempt to improve transcutaneous bilirubinometry: a double-blind study of Medick BiliMed versus Respironics BiliCheck. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2007, 93, F135-F139.                     | 1.4 | 24        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11291 | Comparison of Disease Activity Score (DAS)28- erythrocyte sedimentation rate and DAS28- C-reactive protein threshold values. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 407-409.   | 0.5 | 340       |
| 11292 | Evaluation of the Partec Flow Cytometer against the BD FACSCalibur System for Monitoring Immune Responses of Human Immunodeficiency Virus-Infected Patients in Zimbabwe. <i>Vaccine Journal</i> , 2007, 14, 293-298.                          | 3.2 | 32        |
| 11293 | Left ventricular resynchronization predicted by individual performance of right and left univentricular pacing: A study on the impact of sequential biventricular pacing on ventricular dyssynchrony. <i>Heart Rhythm</i> , 2007, 4, 147-153. | 0.3 | 12        |
| 11294 | Reliability of four scales on balance disorders in persons with multiple sclerosis. <i>Disability and Rehabilitation</i> , 2007, 29, 1920-1925.   | 0.9 | 193       |
| 11295 | Soil Behavior and Excavation Instrumentation Layout. , 2007, , .  |     | 5         |
| 11296 | Three methods for evaluation of left atrial volume. <i>European Journal of Echocardiography</i> , 2007, 9, 351-5.   | 2.3 | 101       |
| 11297 | New resting energy expenditure prediction equations for patients with rheumatoid arthritis. <i>Rheumatology</i> , 2007, 47, 500-506.  | 0.9 | 42        |
| 11298 | Assessment of factors affecting accuracy and repeatability in semi-automated echocardiographic measurement of chamber volume using a physical phantom. , 2007, , .  |     | 0         |
| 11299 | No increase in walking distance on repeated tests in COPD patients with exercise-induced hypoxaemia. <i>Advances in Physiotherapy</i> , 2007, 9, 161-168.   | 0.2 | 0         |
| 11300 | Reliability of Three Different Visual Acuity Testing Procedures in School Children. <i>Strabismus</i> , 2007, 15, 39-43.  | 0.4 | 1         |
| 11301 | Autonomous Monitoring of Adverse Responses to MedicationProlegomena to GAMUT-ARM Trial. , 2007, , .   |     | 0         |
| 11302 | Assessment of the Regional Myocardial Displacement by a New Method Using Spectral Tissue Doppler in Compare with the Tissue Tracking. <i>Proc Int Symp Image Signal Process Anal</i> , 2007, , .  | 0.0 | 0         |
| 11303 | Evidence for Increased Intracranial Pressure in High Altitude Pulmonary Edema. <i>High Altitude Medicine and Biology</i> , 2007, 8, 331-336.  | 0.5 | 16        |
| 11304 | Simultaneous Quantification of Ghrelin and Desacyl-Ghrelin by Liquid Chromatographyâ€“Tandem Mass Spectrometry in Plasma, Serum, and Cell Supernatants. <i>Clinical Chemistry</i> , 2007, 53, 902-910.  | 1.5 | 53        |
| 11305 | Activity profile of top-class association football referees in relation to performance in selected physical tests. <i>Journal of Sports Sciences</i> , 2007, 25, 805-813.   | 1.0 | 56        |
| 11306 | Technical Performance and Clinical Relevance: Lessons from the GAMUT Study. , 2007, , .   |     | 0         |
| 11307 | Off-Line Fractional Exhaled Nitric Oxide Measurement Is Useful to Screen Allergic Airway Inflammation in an Adult Population. <i>Journal of Asthma</i> , 2007, 44, 805-810.   | 0.9 | 15        |
| 11308 | Endotracheal Intubation Increases Out-of-Hospital Time in Trauma Patients. <i>Prehospital Emergency Care</i> , 2007, 11, 224-229.   | 1.0 | 37        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11309 | The reproducibility of transcranial Doppler middle cerebral artery velocity measurements: Implications for clinical practice. <i>British Journal of Neurosurgery</i> , 2007, 21, 21-27.                                   | 0.4 | 45        |
| 11310 | Spirometric reference values for children and adolescents from Kazakhstan. <i>Annals of Human Biology</i> , 2007, 34, 519-534.  | 0.4 | 9         |
| 11311 | Reproducibility of Visual Acuity Assessment in Normal and Low Visual Acuity. <i>Strabismus</i> , 2007, 15, 3-6.   | 0.4 | 5         |
| 11312 | Estimation of Uncertainty in Complex Biomeasurements. , 2007, , .   |     | 0         |
| 11313 | Reproducibility of Morning Blood Pressure Surge and Its Relation to Blood Pressure Reactivity. <i>Clinical and Experimental Hypertension</i> , 2007, 29, 357-368.   | 0.5 | 12        |
| 11314 | Effect of stage duration on physiological variables commonly used to determine maximum aerobic performance during cycle ergometry. <i>Journal of Sports Sciences</i> , 2007, 25, 1325-1335.                               | 1.0 | 40        |
| 11315 | Sixty-Four Slice CT Evaluation of Aortic Stenosis Using Planimetry of the Aortic Valve Area. <i>American Journal of Roentgenology</i> , 2007, 189, 197-203.   | 1.0 | 102       |
| 11316 | Automatic detection of left ventricular ejection time from a finger photoplethysmographic pulse oximetry waveform: comparison with Doppler aortic measurement. <i>Physiological Measurement</i> , 2007, 28, 439-452.      | 1.2 | 40        |
| 11317 | The Effect of Phase Cancellation on Estimates of Calcaneal Broadband Ultrasound Attenuation in Vivo. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2007, 54, 1352-1359.                | 1.7 | 29        |
| 11318 | MONITORING OF THE VENTILATORY STATUS OF ANESTHETIZED BIRDS OF PREY BY USING END-TIDAL CARBON DIOXIDE MEASURED WITH A MICROSTREAM CAPNOMETER. <i>Journal of Zoo and Wildlife Medicine</i> , 2007, 38, 1-6.                 | 0.3 | 29        |
| 11319 | The prediction of maximal oxygen uptake from submaximal ratings of perceived exertion elicited during the multistage fitness test. <i>British Journal of Sports Medicine</i> , 2007, 42, 1006-1010.                       | 3.1 | 22        |
| 11320 | An Official American Thoracic Society/European Respiratory Society Statement: Pulmonary Function Testing in Preschool Children. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007, 175, 1304-1345. | 2.5 | 1,033     |
| 11321 | The Benefits and Limitations of the Sperm Quality Analyzer IIB in Assessing Porcine Sperm Motility. <i>Archives of Andrology</i> , 2007, 53, 359-365.   | 1.0 | 4         |
| 11322 | The left atrial function index: A rhythm independent marker of atrial function. <i>European Journal of Echocardiography</i> , 2007, 9, 356-62.  | 2.3 | 50        |
| 11323 | A MICROâ€‘COMPUTED TOMOGRAPHYâ€‘BASED METHOD FOR THE MEASUREMENT OF PULMONARY COMPLIANCE IN HEALTHY AND BLEOMYCINâ€‘EXPOSED MICE. <i>Experimental Lung Research</i> , 2007, 33, 169-183.                                  | 0.5 | 29        |
| 11324 | An analysis of peer, self, and tutor assessment in problem-based learning tutorials. <i>Medical Teacher</i> , 2007, 29, e122-e132.  | 1.0 | 118       |
| 11325 | The Evaluation of Wearable Cuff-less Blood Pressure Measuring Devices. , 2007, , .  |     | 1         |
| 11326 | Incorporating Domain Knowledge Into the Fuzzy Connectedness Framework: Application to Brain Lesion Volume Estimation in Multiple Sclerosis. <i>IEEE Transactions on Medical Imaging</i> , 2007, 26, 1670-1680.            | 5.4 | 20        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11327 | Subgingival Debridement Efficacy of Glycine Powder Air Polishing. <i>Journal of Periodontology</i> , 2007, 78, 1002-1010.   | 1.7 | 60        |
| 11328 | Relationship between hip strength and frontal plane posture of the knee during a forward lunge. <i>British Journal of Sports Medicine</i> , 2007, 41, 723-727.  | 3.1 | 56        |
| 11329 | Carotid intima-media thickness by B-mode ultrasound as surrogate of coronary atherosclerosis: correlation with quantitative coronary angiography and coronary intravascular ultrasound findings. <i>European Heart Journal</i> , 2007, 28, 2094-2101. | 1.0 | 162       |
| 11330 | Validation of a field test to determine the maximal aerobic power in triathletes and endurance cyclists. <i>British Journal of Sports Medicine</i> , 2007, 41, 174-179.   | 3.1 | 14        |
| 11331 | Skeletal muscle oxygen saturation does not estimate mixed venous oxygen saturation in patients with severe left heart failure and additional severe sepsis or septic shock. <i>Critical Care</i> , 2007, 11, R6.                                      | 2.5 | 62        |
| 11332 | Intracranial pressure monitoring in intensive care: clinical advantages of a computerized system over manual recording. <i>Critical Care</i> , 2007, 11, R7.  | 2.5 | 38        |
| 11333 | Clinical review: Sleep measurement in critical care patients: research and clinical implications. <i>Critical Care</i> , 2007, 11, 226.   | 2.5 | 141       |
| 11334 | Year in review 2006: Critical Care " cardiology. <i>Critical Care</i> , 2007, 11, 225.  | 2.5 | 1         |
| 11335 | The effect of different volumes and temperatures of saline on the bladder pressure measurement in critically ill patients. <i>Critical Care</i> , 2007, 11, R82.  | 2.5 | 42        |
| 11336 | Design of the PEDS-C trial: pegylated interferon +/- ribavirin for children with chronic hepatitis C viral infection. <i>Clinical Trials</i> , 2007, 4, 661-673.  | 0.7 | 30        |
| 11337 | A comparison of two scoring systems for endoscopic grading of gastric ulceration in horses. <i>New Zealand Veterinary Journal</i> , 2007, 55, 19-22.  | 0.4 | 18        |
| 11338 | Comparison of predictive equations for resting energy expenditure in severely obese Caucasian children and adolescents. <i>Journal of Endocrinological Investigation</i> , 2007, 30, 313-317.   | 1.8 | 12        |
| 11339 | Prediction of resting energy expenditure in severely obese Italian women. <i>Journal of Endocrinological Investigation</i> , 2007, 30, 20-27.   | 1.8 | 49        |
| 11340 | Prediction of resting energy expenditure in severely obese Italian males. <i>Journal of Endocrinological Investigation</i> , 2007, 30, 754-761.   | 1.8 | 43        |
| 11341 | Quantitative Diffusion Tensor Tractography of Association and Projection Fibers in Normally Developing Children and Adolescents. <i>Cerebral Cortex</i> , 2007, 17, 2760-2768.  | 1.6 | 268       |
| 11342 | Reproducibility of transient elastography in the evaluation of liver fibrosis in patients with chronic liver disease. <i>Gut</i> , 2007, 56, 968-973.   | 6.1 | 731       |
| 11343 | Apparatus for measuring rat body volume: a methodological proposition. <i>Journal of Applied Physiology</i> , 2007, 102, 1229-1234.   | 1.2 | 8         |
| 11344 | Prognostic Value of Very Low Plasma Concentrations of Troponin T in Patients With Stable Chronic Heart Failure. <i>Circulation</i> , 2007, 116, 1242-1249.  | 1.6 | 635       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 11345 | Determinants of Child-Parent Agreement in Quality-of-Life Reports: A European Study of Children With Cerebral Palsy. <i>Pediatrics</i> , 2007, 120, e804-e814.   | 1.0 | 192       |
| 11346 | Coregistered Ventilation and Perfusion SPECT Using Krypton-81m and Tc-99m <sup>99m</sup> -Labeled Macroaggregated Albumin With Multislice CT. <i>Academic Radiology</i> , 2007, 14, 830-838.   | 1.3 | 49        |
| 11347 | Extent of Right and Left Ventricular Focal Wall-motion Abnormalities in Differentiating Transient Apical Ballooning Syndrome from Apical Dysfunction as a Result of Coronary Artery Disease. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 144-150. | 1.2 | 24        |
| 11348 | Intraobserver and interobserver variability of 64-row computed tomography abdominal aortic aneurysm neck measurements. <i>Journal of Vascular Surgery</i> , 2007, 45, 263-268.   | 0.6 | 29        |
| 11349 | 3D and 2D Delayed-Enhancement Magnetic Resonance Imaging for Detection of Myocardial Infarction: Preclinical and Clinical Results. <i>Academic Radiology</i> , 2007, 14, 788-794.  | 1.3 | 34        |
| 11350 | Comparison of a new device for blood sampling in cats with a vacuum tube collection system <sup>99m</sup> Plasma biochemistry, haematology and practical usage assessment. <i>Journal of Feline Medicine and Surgery</i> , 2007, 9, 382-386.                                 | 0.6 | 17        |
| 11351 | Reproducibility of Metacarpophalangeal Bone Mass Measurements Obtained by Dual-Energy X-Ray Absorptiometry in Healthy Volunteers and Patients With Early Arthritis. <i>Journal of Clinical Densitometry</i> , 2007, 10, 298-305.   | 0.5 | 15        |
| 11352 | DXA-Generated Z-Scores and T-Scores May Differ Substantially and Significantly in Young Adults. <i>Journal of Clinical Densitometry</i> , 2007, 10, 351-358.   | 0.5 | 30        |
| 11353 | Electrodiagnosis of Carpal Tunnel Syndrome. <i>Physical Medicine and Rehabilitation Clinics of North America</i> , 2007, 18, 733-746.  | 0.7 | 35        |
| 11354 | Reliability of MDCT in Characterizing Pulmonary Venous Drainage, Diameter and Distance to First Bifurcation: An Interobserver Study. <i>Academic Radiology</i> , 2007, 14, 437-444.  | 1.3 | 14        |
| 11355 | Measurement of Volumetric Flow by Real-time 3-Dimensional Doppler Echocardiography in Children. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 915-920.  | 1.2 | 17        |
| 11356 | Cross Calibration of Hologic QDR2000 and GE Lunar Prodigy for Forearm Bone Mineral Density Measurements. <i>Journal of Clinical Densitometry</i> , 2007, 10, 306-311.  | 0.5 | 7         |
| 11357 | Influence of Age, Hypertension, and Diabetes on Cardiac Reserve in a Rat Model. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 731-737.  | 1.2 | 3         |
| 11358 | Roles for the Advanced Practice Nurse in Nursing Research. <i>Perioperative Nursing Clinics</i> , 2007, 2, 37-45.  | 0.1 | 0         |
| 11359 | Prepuncture Ultrasound-Measured Distance: An Accurate Reflection of Epidural Depth in Infants and Small Children. <i>Regional Anesthesia and Pain Medicine</i> , 2007, 32, 102-106.  | 1.1 | 41        |
| 11360 | More than Just Quality Control. <i>Clinics in Laboratory Medicine</i> , 2007, 27, 687-707.   | 0.7 | 4         |
| 11361 | Precision of Health-Related Quality-of-Life Data Compared With Other Clinical Measures. <i>Mayo Clinic Proceedings</i> , 2007, 82, 1244-1254.  | 1.4 | 131       |
| 11362 | Three-dimensional Echocardiographic Evaluation of Right Ventricular Volume and Function in Pediatric Patients: Validation of the Technique. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 921-929.  | 1.2 | 48        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11363 | Assessment of Left Atrial Ejection Force in Hypertrophic Cardiomyopathy Using Real-time Three-dimensional Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 744-748.   | 1.2 | 33        |
| 11364 | Hemodinámica cerebral en pacientes con traumatismo craneoencefálico evaluada por doppler transcraneal y duplex transcraneal con codificación en color. Estudio comparativo. <i>Neurocirugía</i> , 2007, 18, 221-226.  | 0.2 | 7         |
| 11366 | Quantification of Left Ventricular Volumes and Function in Patients with Cardiomyopathies by Real-time Three-dimensional Echocardiography: A Head-to-Head Comparison Between Two Different Semiautomated Endocardial Border Detection Algorithms. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 1042-1049. | 1.2 | 61        |
| 11367 | High Spatial Resolution Speckle Tracking Improves Accuracy of 2-Dimensional Strain Measurements: An Update on a New Method in Functional Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 165-170.  | 1.2 | 84        |
| 11368 | Efficient Quantification of the Left Ventricular Volume Using 3-Dimensional Echocardiography: The Minimal Number of Equiangular Long-axis Images for Accurate Quantification of the Left Ventricular Volume. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 373-380.  | 1.2 | 7         |
| 11369 | Relationship Between the Hamilton Depression Rating Scale and the Montgomery-Åsberg Depression Rating Scale in Depressed Elderly: A Meta-analysis. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 899-905.   | 0.6 | 74        |
| 11370 | The ingestible telemetric body core temperature sensor: a review of validity and exercise applications. <i>British Journal of Sports Medicine</i> , 2007, 41, 126-133.  | 3.1 | 339       |
| 11371 | Disposition of plasma creatinine in non-azotaemic and moderately azotaemic cats. <i>Journal of Feline Medicine and Surgery</i> , 2007, 9, 89-96.  | 0.6 | 31        |
| 11373 | Assessment of Mitral Annulus Size and Function by Real-time 3-Dimensional Echocardiography in Cardiomyopathy: Comparison with Magnetic Resonance Imaging. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 941-948.   | 1.2 | 41        |
| 11374 | Peak Velocity and Flow Quantification Validation for Sensitivity-Encoded Phase-Contrast MR Imaging. <i>Academic Radiology</i> , 2007, 14, 258-269.  | 1.3 | 16        |
| 11375 | Measuring Perceived Harmfulness of Physical Activities in Patients With Chronic Low Back Pain: The Photograph Series of Daily Activities—Short Electronic Version. <i>Journal of Pain</i> , 2007, 8, 840-849.   | 0.7 | 145       |
| 11376 | In vivo quantification of fat content in mice using the Hologic QDR 4500A densitometer. <i>Obesity Research and Clinical Practice</i> , 2007, 1, 69-77.   | 0.8 | 3         |
| 11377 | Screening for type 2 diabetes in primary care using a stepwise protocol: The Diabscreen study. <i>Primary Care Diabetes</i> , 2007, 1, 199-202.   | 0.9 | 2         |
| 11378 | Non-invasive measurement of total respiratory compliance and resistance in cats. <i>Respiratory Physiology and Neurobiology</i> , 2007, 156, 179-186.   | 0.7 | 4         |
| 11379 | The Psychotic Symptom Rating Scales (PSYRATS): Their usefulness and properties in first episode psychosis. <i>Schizophrenia Research</i> , 2007, 89, 119-122.   | 1.1 | 136       |
| 11384 | Body fat measurement by bioelectrical impedance and air displacement plethysmography: a cross-validation study to design bioelectrical impedance equations in Mexican adults. <i>Nutrition Journal</i> , 2007, 6, 18.   | 1.5 | 27        |
| 11385 | International Physical Activity Questionnaire (IPAQ) and New Zealand Physical Activity Questionnaire (NZPAQ): A doubly labelled water validation. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2007, 4, 62.   | 2.0 | 159       |
| 11386 | Evaluation of a commercial Erns-capture ELISA for detection of BVDV in routine diagnostic cattle serum samples. <i>Acta Veterinaria Scandinavica</i> , 2007, 49, 7.   | 0.5 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 11387 | Pharmacokinetics of Mycophenolic Acid and Estimation of Exposure Using Multiple Linear Regression Equations in Chinese Renal Allograft Recipients. <i>Clinical Pharmacokinetics</i> , 2007, 46, 389-401.   | 1.6 | 22        |
| 11388 | I. Using the Bland-Altman method to measure agreement with repeated measures. <i>British Journal of Anaesthesia</i> , 2007, 99, 309-311.   | 1.5 | 481       |
| 11389 | Methylmercury Measurement in Whole Blood by Isotope-Dilution GC-ICPMS with 2 Sample Preparation Methods. <i>Clinical Chemistry</i> , 2007, 53, 111-116.  | 1.5 | 35        |
| 11390 | Validity of thoracic gas volume equations in children of varying body mass index classifications. <i>Pediatric Obesity</i> , 2007, 2, 180-187.   | 3.2 | 4         |
| 11391 | TSPY gene copy number as a potential new risk factor for male infertility. <i>Reproductive BioMedicine Online</i> , 2007, 14, 579-587.   | 1.1 | 57        |
| 11392 | Influence of Measurement Duration and Frequency on Ambulatory Blood Pressure Monitoring. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2007, 60, 131-138.   | 0.4 | 3         |
| 11393 | Conventional Audiometry Versus Cochlear Microphone Audiometry. <i>Acta Otorrinolaringologica (English Edition)</i> , 2007, 58, 143-150.  | 0.1 | 0         |
| 11394 | Spatial and temporal trends of gas and particle phase atmospheric DDT and metabolites in Michigan: Evidence of long-term persistence and atmospheric emission in a high-DDT-use fruit orchard. <i>Journal of Geophysical Research</i> , 2007, 112, . | 3.3 | 5         |
| 11395 | Left Ventricular Isovolumic Flow Sequence During Sinus and Paced Rhythms. <i>Journal of the American College of Cardiology</i> , 2007, 49, 899-908.  | 1.2 | 158       |
| 11396 | A Novel Two-Dimensional Echocardiographic Image Analysis System Using Artificial Intelligence-Learned Pattern Recognition for Rapid Automated Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2007, 49, 217-226.           | 1.2 | 81        |
| 11397 | Wireless Acoustic Communication With a Miniature Pressure Sensor in the Pulmonary Artery for Disease Surveillance and Therapy of Patients With Congestive Heart Failure. <i>Journal of the American College of Cardiology</i> , 2007, 49, 784-789.   | 1.2 | 31        |
| 11398 | Influence of Pulmonary Regurgitation Inequality on Differential Perfusion of the Lungs in Tetralogy of Fallot After Repair. <i>Journal of the American College of Cardiology</i> , 2007, 49, 1880-1886.  | 1.2 | 28        |
| 11399 | Noninvasive Central Venous Pressure Measurement by Controlled Compression Sonography at the Forearm. <i>Journal of the American College of Cardiology</i> , 2007, 50, 1584-1589.   | 1.2 | 45        |
| 11400 | Direct Volumetric Blood Flow Measurement in Coronary Arteries by Thermodilution. <i>Journal of the American College of Cardiology</i> , 2007, 50, 2294-2304.   | 1.2 | 132       |
| 11401 | Air trapping in mild and moderate asthma: Effect of inhaled corticosteroids. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 119, 583-590.   | 1.5 | 84        |
| 11402 | Specificity of basement membrane thickening in severe asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 119, 1367-1374.  | 1.5 | 119       |
| 11403 | Comparison of methods of assessment of renal function in cystic fibrosis (CF) patients. <i>Journal of Cystic Fibrosis</i> , 2007, 6, 41-47.  | 0.3 | 33        |
| 11404 | The validation of the Depth Measurement Videomicroscope (DMV) as a noninvasive tool for the assessment of capillary vascular malformations. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2007, 60, 79-86.                       | 0.5 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11405 | Agreement Between Methods of Measurement with Multiple Observations Per Individual. Journal of Biopharmaceutical Statistics, 2007, 17, 571-582.   | 0.4 | 1,476     |
| 11406 | Regional Right Ventricular Dysfunction in Chronic Pulmonary Hypertension. Journal of the American Society of Echocardiography, 2007, 20, 1172-1180.   | 1.2 | 117       |
| 11407 | A Comparison Framework for Breathing Motion Estimation Methods From 4-D Imaging. IEEE Transactions on Medical Imaging, 2007, 26, 1636-1648.   | 5.4 | 49        |
| 11408 | Basic and Clinical Science Course: complete set. British Journal of Ophthalmology, 2007, 91, 266-266.   | 2.1 | 0         |
| 11409 | Smoking exposure in pregnancy: use of salivary cotinine in monitoring. British Journal of Midwifery, 2007, 15, 216-220.   | 0.1 | 11        |
| 11410 | Correcting for Guessing on Multiple-Choice Exams. Journal of Dental Education, 2007, 71, 193-196.   | 0.7 | 1         |
| 11411 | Validation of the wall motion score and myocardial performance indexes as novel techniques to assess cardiac function in mice after myocardial infarction. American Journal of Physiology - Heart and Circulatory Physiology, 2007, 292, H1187-H1192. | 1.5 | 79        |
| 11412 | Objective Evaluation of Sylvian Fissure Development by Multiplanar 3-Dimensional Ultrasonography. Journal of Ultrasound in Medicine, 2007, 26, 347-353.   | 0.8 | 28        |
| 11413 | Comparação entre dois testes clínicos para avaliar a flexibilidade dos mÃsculos posteriores da coxa. Brazilian Journal of Physical Therapy, 2007, 11, .  | 1.1 | 19        |
| 11414 | The Reliability of Pulse Contour-Derived Cardiac Output During Hemorrhage and After Vasopressor Administration. Anesthesia and Analgesia, 2007, 105, 107-113.   | 1.1 | 86        |
| 11415 | Controle do tempo de protrombina em sangue capilar e venoso em pacientes com anticoagulaÃ§Ã£o oral: correlaÃ§Ã£o e concordância. Arquivos Brasileiros De Cardiologia, 2007, 89, 1-5.  | 0.3 | 11        |
| 11416 | Enhancing the examiner's resisting force improves the reliability of manual muscle strength measurements: Comparison of a new device with hand-held dynamometry. Acta Dermato-Venereologica, 2007, 39, 679-684.                                       | 0.6 | 47        |
| 11417 | Objective Measurement of Backscattered Light from the Anterior and Posterior Cornea In Vivo. , 2007, 48, 166.   |     | 43        |
| 11418 | Validity and Repeatability of a New Test for Aniseikonia. , 2007, 48, 58.   |     | 23        |
| 11419 | Validity of maternal report on birth weight 11 years after delivery: the 1993 Pelotas Birth Cohort Study, Rio Grande do Sul State, Brazil. Cadernos De Saude Publica, 2007, 23, 2421-2427.  | 0.4 | 14        |
| 11420 | Alteration of the Hip Joint Centre during Acetabular Reaming. HIP International, 2007, 17, 15-20.   | 0.9 | 1         |
| 11421 | Computer-Based Test to Measure Optimal Visual Acuity in Age-Related Macular Degeneration. , 2007, 48, 4838.   |     | 27        |
| 11422 | Reprodutibilidade e validade do Questionário Internacional de Atividade Física (IPAQ) em homens idosos. Revista Brasileira De Medicina Do Esporte, 2007, 13, 11-16.   | 0.1 | 192       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 11423 | Confiabilidade da medida da dilataç o do fluxo-mediada da art ria braquial pela ultra-sonografia. Arquivos Brasileiros De Cardiologia, 2007, 89, 160-7, 176-83.  | 0.3 | 22        |
| 11424 | Determination of Serum 25-hydroxy Cholecalciferol Using High-Performance Liquid Chromatography: A Reliable Tool for Assessment of Vitamin D Status. International Journal for Vitamin and Nutrition Research, 2007, 77, 341-346. | 0.6 | 46        |
| 11425 | Repeatability and Reproducibility of Pachymetric Mapping with Visante Anterior Segment  Optical Coherence Tomography. , 2007, 48, 5499.  |     | 110       |
| 11426 | Identificaç o do limiar anaer bio em indiv duos com diabetes tipo-2 sedent rios e fisicamente ativos. Brazilian Journal of Physical Therapy, 2007, 11, 289-296.  | 1.1 | 11        |
| 11427 | Isokinetic findings in scoliosis: Their relationship to clinical measurements and reliability studies. Isokinetics and Exercise Science, 2007, 15, 23-28.  | 0.2 | 7         |
| 11428 | A New Total Body Potassium Method to Estimate Total Body Skeletal Muscle Mass in Children. , Journal of Nutrition, 2007, 137, 1988-1991.   | 1.3 | 13        |
| 11429 | Quality of Life and Capsaicin Sensitivity in Patients with Airway Symptoms Induced by Chemicals and Scents: A Longitudinal Study. Environmental Health Perspectives, 2007, 115, 425-429.   | 2.8 | 63        |
| 11430 | Performance evaluation of the new CoaguChek XS system compared with the established CoaguChek system by patients experienced in INR-self management. Thrombosis and Haemostasis, 2007, 97, 310-314.                              | 1.8 | 47        |
| 11431 | Espessura central da c rnea e a medida da press o intra-ocular com diferentes ton metros. Revista Brasileira De Oftalmologia, 2007, 66, 389-393.   | 0.1 | 0         |
| 11432 | Avaliaç o de diferentes m todos imunoturbidim tricos para determinaç o de albumina urin ria: impacto na classificaç o dos est gios da nefropatia diab tica. Jornal Brasileiro De Patologia E Medicina Laboratorial, 2007, 43, .  | 0.3 | 0         |
| 11433 | Modelo de prediç o de uma repetiç o m xima (1RM) baseado nas caracter sticas antropom tricas de homens e mulheres. Revista Brasileira De Medicina Do Esporte, 2007, 13, 27-32.   | 0.1 | 5         |
| 11434 | Clinical Value of a Desktop Spirometer (HI-801) for Spirometry Screening. Tuberculosis and Respiratory Diseases, 2007, 62, 276.  | 0.7 | 1         |
| 11435 | Accuracy of bone assessments for verifying age in adolescents - application in sport. South African Journal of Radiology, 2007, 11, 4.   | 0.1 | 8         |
| 11436 | Estimativa n o-invasiva do d bito card aco durante o exerc cio a partir de imped ncia cardiogr fica e consumo de oxig nio em idosos. Arquivos Brasileiros De Cardiologia, 2007, 88, 79-84.                                       | 0.3 | 3         |
| 11437 | Test-retest reliability of psychophysical lift capacity in patients with non-specific chronic low back pain and healthy subjects. Acta Dermato-Venereologica, 2007, 39, 133-137.   | 0.6 | 9         |
| 11438 | Comparison of Two Semiautomated Methods for Evaluating Endothelial Cells of Eye Bank Corneas. , 2007, 48, 3077.  |     | 23        |
| 11439 | Adaptaç o da m scara do analisador de gases VO2000 para mensuraç o de par metros cardiorrespirat rios em nataç o. Revista Brasileira De Medicina Do Esporte, 2007, 13, 190-194.  | 0.1 | 3         |
| 11440 | Intersession Repeatability of Humphrey Perimetry Measurements in Patients with Retinitis Pigmentosa. , 2007, 48, 4720.   |     | 29        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11441 | Point-of-care testing of capillary glucose in the exclusion and diagnosis of diabetes in remote Australia. <i>Medical Journal of Australia</i> , 2007, 186, 500-503.  | 0.8 | 19        |
| 11442 | Validation of energy intake during calorie restriction with the doubly labeled water method and changes in body composition. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 1251-1252.   | 2.2 | 0         |
| 11443 | Agreement and correlation of pH, bicarbonate, base excess and lactate measurements in venous and arterial blood of premature and term infants. <i>Revista Brasileira De Terapia Intensiva</i> , 2007, 19, 322-326.  | 0.1 | 2         |
| 11444 | Confiabilidade intra e interobservador da análise cinemática angular do quadril durante o teste sentar e alcançar para mensurar o comprimento dos isquiotibiais em estudantes universitários. <i>Brazilian Journal of Physical Therapy</i> , 2007, 11, 133-138. | 1.1 | 19        |
| 11445 | Reproducibility of isokinetic single- and multi-joint strength measurements in healthy and injured athletes. <i>Isokinetics and Exercise Science</i> , 2007, 15, 295-302.   | 0.2 | 23        |
| 11446 | Association between proinsulin, insulin, proinsulin/insulin ratio, and insulin resistance status with the metabolic syndrome. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2007, 51, 1128-1133.  | 1.3 | 10        |
| 11447 | Measurement of Corneal Swelling Variations without Removal of the Contact Lens during Extended Wear. , 2007, 48, 3043.  |     | 46        |
| 11448 | Multicentre ISI assignment and calibration of the INR measuring range of a new point-of-care system designed for home monitoring of oral anticoagulation therapy. <i>Thrombosis and Haemostasis</i> , 2007, 97, 586-861.  | 1.8 | 28        |
| 11449 | Error Correction and Quantitative Subanalysis of Optical Coherence Tomography Data Using Computer-Assisted Grading. , 2007, 48, 839.  |     | 114       |
| 11450 | The Validity of Self-Reported Physical Fitness Test Scores. <i>Military Medicine</i> , 2007, 172, 115-120.  | 0.4 | 29        |
| 11451 | Total body protein in healthy adolescent girls: validation of estimates derived from simpler measures with neutron activation analysis. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 66-72.  | 2.2 | 15        |
| 11452 | Heterogeneity of responses to orthostatic stress in homozygous twins. <i>Journal of Applied Physiology</i> , 2007, 102, 249-254.  | 1.2 | 15        |
| 11453 | A Comparison of Central Venous-Arterial and Mixed Venous-Arterial Carbon Dioxide Tension Gradient in Circulatory Failure. <i>Anaesthesia and Intensive Care</i> , 2007, 35, 695-701.  | 0.2 | 21        |
| 11454 | Freqüência cardíaca máxima em idosas brasileiras: uma comparação entre valores medidos e previstos. <i>Arquivos Brasileiros De Cardiologia</i> , 2007, 88, .  | 0.3 | 10        |
| 11455 | What not to do in medical statistics. <i>Revista Brasileira De Saude Materno Infantil</i> , 2007, 7, 327-338.   | 0.2 | 3         |
| 11456 | Comparison between the Portable Prothrombin Time Self Monitor CoaguChek XS and a Standard Laboratory Method, Sysmex CA-1500 for Monitoring Anticoagulant Therapy of Outpatients. <i>Korean Circulation Journal</i> , 2007, 37, 216.                             | 0.7 | 2         |
| 11457 | Comparação de dois programas computacionais utilizados na estimativa do consumo alimentar de crianças. <i>Revista Brasileira De Epidemiologia</i> , 2007, 10, 267-275.  | 0.3 | 5         |
| 11458 | USCOM (Ultrasonic Cardiac Output Monitors) Lacks Agreement with Thermodilution Cardiac Output and Transoesophageal Echocardiography Valve Measurements. <i>Anaesthesia and Intensive Care</i> , 2007, 35, 903-910.  | 0.2 | 33        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11459 | In Vivo Validation of the M-COVX <sup>®</sup> Metabolic Monitor in Patients under Anaesthesia. <i>Anaesthesia and Intensive Care</i> , 2007, 35, 398-405.   | 0.2 | 20        |
| 11460 | Improved Precision in Quantifying Knee Alignment Angle. <i>Clinical Orthopaedics and Related Research</i> , 2007, 458, 145-149.   | 0.7 | 26        |
| 11461 | Assessment of the human corneal endothelium: in vivo Topcon SP2000P specular microscope versus ex vivo sambacornea eye bank analyser. <i>British Journal of Ophthalmology</i> , 2007, 91, 265-266.  | 2.1 | 11        |
| 11462 | Sleep Estimation Using Wrist Actigraphy in Adolescents With and Without Sleep Disordered Breathing: A Comparison of Three Data Modes. <i>Sleep</i> , 2007, 30, 899-905.   | 0.6 | 108       |
| 11463 | Body Composition in an Adult Population in Southern Spain: Influence of lifestyle Factors. <i>International Journal for Vitamin and Nutrition Research</i> , 2007, 77, 406-414.   | 0.6 | 16        |
| 11464 | Five-Year Stability Study of Free and Total Prostate-Specific Antigen Concentrations in Serum Specimens Collected and Stored at $\leq 70^{\circ}\text{C}$ or Less. <i>International Journal of Biological Markers</i> , 2007, 22, 206-213.  | 0.7 | 5         |
| 11465 | Re: Griffiths C, Drinnan M, Harding C, et al. 2005. Comparison of invasive and non-invasive bladder pressure measurements by calculation of the bladder outlet obstruction index. <i>Neurourol Urodynam</i> 24:529-531. <i>Neurourology and Urodynamics</i> , 2007, 26, 454-454.      | 0.8 | 0         |
| 11466 | Flow measurements: Can several "Wrongs" make a "Right"? <i>Neurourology and Urodynamics</i> , 2007, 26, 474-480.  | 0.8 | 13        |
| 11467 | Test-retest reliability of an instrumented speculum for measuring vaginal closure force. <i>Neurourology and Urodynamics</i> , 2007, 26, 858-863.   | 0.8 | 45        |
| 11468 | Prediction of chemotherapeutic response of colorectal liver metastases with dynamic gadolinium-DTPA-enhanced MRI and localized <sup>19</sup> F MRS pharmacokinetic studies of 5-fluorouracil. <i>NMR in Biomedicine</i> , 2007, 20, 128-140.  | 1.6 | 49        |
| 11469 | A new quantitative analysis system for the evaluation of coronary bifurcation lesions: Comparison with current conventional methods. <i>Catheterization and Cardiovascular Interventions</i> , 2007, 69, 172-180.   | 0.7 | 45        |
| 11470 | The impact of chronically diseased coronary arteries and stenting on the corrected TIMI frame count in elective coronary angiography and percutaneous coronary intervention procedures. <i>Catheterization and Cardiovascular Interventions</i> , 2007, 70, 691-700.                  | 0.7 | 5         |
| 11471 | Measurement of the Vertebral Canal Dimensions of the Neck of the Rat with a Comparison to the Human. <i>Anatomical Record</i> , 2007, 290, 893-899.   | 0.8 | 19        |
| 11472 | Three-dimensional CT angiography: A new technique for imaging microvascular anatomy. <i>Clinical Anatomy</i> , 2007, 20, 116-123.   | 1.5 | 33        |
| 11473 | The conjoint junction of the triceps surae: Implications for gastrocnemius tendon lengthening. <i>Clinical Anatomy</i> , 2007, 20, 924-928.   | 1.5 | 15        |
| 11474 | Computed tomography measurement of tophus volume: Comparison with physical measurement. <i>Arthritis and Rheumatism</i> , 2007, 57, 461-465.  | 6.7 | 63        |
| 11475 | Sjögren's syndrome disease damage index and disease activity index: Scoring systems for the assessment of disease damage and disease activity in Sjögren's syndrome, derived from an analysis of a cohort of Italian patients. <i>Arthritis and Rheumatism</i> , 2007, 56, 2223-2231. | 6.7 | 167       |
| 11476 | Validation of a short form of the Western Ontario and McMaster Universities Osteoarthritis Index function subscale in hip and knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2007, 57, 633-638.   | 6.7 | 62        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11477 | Adapted versions of the Sharp/van der Heijde score are reliable and valid for assessment of radiographic progression in juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2007, 56, 3087-3095.   | 6.7 | 80        |
| 11478 | Comparison of the EuroQol and short form 6D in Singapore multiethnic asian knee osteoarthritis patients scheduled for total knee replacement. <i>Arthritis and Rheumatism</i> , 2007, 57, 1043-1049.  | 6.7 | 43        |
| 11479 | Validity and reliability of the Siconolfi Step Test for assessment of physical fitness in patients with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2007, 57, 1007-1011.  | 6.7 | 16        |
| 11480 | Validation of a radiographic damage index in chronic gout. <i>Arthritis and Rheumatism</i> , 2007, 57, 1067-1073.   | 6.7 | 88        |
| 11481 | Test-retest reliability of the peak knee adduction moment during walking in patients with medial compartment knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2007, 57, 1012-1017.  | 6.7 | 135       |
| 11482 | Adalimumab significantly reduces both spinal and sacroiliac joint inflammation in patients with ankylosing spondylitis: A multicenter, randomized, double-blind, placebo-controlled study. <i>Arthritis and Rheumatism</i> , 2007, 56, 4005-4014.           | 6.7 | 242       |
| 11483 | Reproducibility of the measurement of knee joint proprioception in patients with osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , 2007, 57, 1398-1403.   | 6.7 | 36        |
| 11484 | Reliability of exercise testing and functional activity questionnaires in children with juvenile arthritis. <i>Arthritis and Rheumatism</i> , 2007, 57, 1446-1452.  | 6.7 | 33        |
| 11485 | Validation of hand-held bioelectrical impedance analysis with magnetic resonance imaging for the assessment of body composition in overweight women. <i>American Journal of Human Biology</i> , 2007, 19, 429-433.  | 0.8 | 16        |
| 11486 | Evaluation of a second-generation portable blood lead analyzer in an occupational setting. <i>American Journal of Industrial Medicine</i> , 2007, 50, 1018-1024.  | 1.0 | 4         |
| 11487 | Early growth in brain volume is preserved in the majority of preterm infants. <i>Annals of Neurology</i> , 2007, 62, 185-192.   | 2.8 | 89        |
| 11488 | A new automated delineation method for SPECT lung scans using adaptive dual-exponential thresholding. <i>International Journal of Imaging Systems and Technology</i> , 2007, 17, 22-27.   | 2.7 | 5         |
| 11489 | Development of a three-dimensional finite element model of a human mandible containing endosseous dental implants. I. Mathematical validation and experimental verification. <i>Journal of Biomedical Materials Research - Part A</i> , 2007, 80A, 234-246. | 2.1 | 44        |
| 11490 | A single platform image cytometer for resource-poor settings to monitor disease progression in HIV infection. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2007, 71A, 132-142.                               | 1.1 | 27        |
| 11491 | CD4+ T lymphocytes enumeration by an easy-to-use single platform image cytometer for HIV monitoring in resource-constrained settings. <i>Cytometry Part B - Clinical Cytometry</i> , 2007, 72B, 397-407.  | 0.7 | 14        |
| 11492 | Evaluation of a single-platform microcapillary flow cytometer for enumeration of absolute CD4+ T-lymphocyte counts in HIV-1 infected Thai patients. <i>Cytometry Part B - Clinical Cytometry</i> , 2007, 72B, 387-396.                                      | 0.7 | 25        |
| 11493 | On-Off PVC Membrane Based Potentiometric Immunosensor for Label-Free Detection of Alpha-Fetoprotein. <i>Electroanalysis</i> , 2007, 19, 1131-1138.  | 1.5 | 13        |
| 11494 | What does it need to be a biomarker? Relationships between resolution, differential quantification and statistical validation of protein surrogate biomarkers. <i>Electrophoresis</i> , 2007, 28, 1970-1979.  | 1.3 | 26        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 11495 | Development of a CE method for the determination of mycophenolic acid in human plasma: A comparison with HPLC. <i>Electrophoresis</i> , 2007, 28, 3908-3914.   | 1.3 | 8         |
| 11496 | Comparison of alternative methods of collection of service use data for the economic evaluation of health care interventions. <i>Health Economics (United Kingdom)</i> , 2007, 16, 531-536.  | 0.8 | 64        |
| 11497 | A modified international normalized ratio as an effective way of prothrombin time standardization in hepatology. <i>Hepatology</i> , 2007, 46, 528-534.  | 3.6 | 123       |
| 11498 | Haemopoietic growth factors significantly improve the mitotic index and chromosome quality in cytogenetic cultures of myeloid neoplasia. <i>Genes Chromosomes and Cancer</i> , 2007, 46, 670-674.  | 1.5 | 3         |
| 11499 | A pooled analysis of quality of life measures and adverse events data in north central cancer treatment group lung cancer clinical trials. <i>Cancer</i> , 2007, 109, 787-795.   | 2.0 | 57        |
| 11500 | New measure of health-related quality of life for patients with oropharyngeal mucositis. <i>Cancer</i> , 2007, 109, 2590-2599.   | 2.0 | 24        |
| 11501 | Reproducibility of 3-dimensional sonographic measurements of fetal and placental volume at gestational ages of 11-18 weeks. <i>Journal of Clinical Ultrasound</i> , 2007, 35, 125-132.   | 0.4 | 32        |
| 11502 | Validation of a biotelemetric technique, using ambulatory miniature black globe thermometers, to quantify thermoregulatory behaviour in ungulates. <i>Journal of Experimental Zoology</i> , 2007, 307A, 342-356.   | 1.2 | 37        |
| 11503 | <sup>31</sup> P NMR spectroscopy in the quality control and authentication of extra-virgin olive oil: A review of recent progress. <i>Magnetic Resonance in Chemistry</i> , 2007, 45, 367-377.   | 1.1 | 72        |
| 11504 | Assessment of the reliability of central and peripheral fatigue after sustained maximal voluntary contraction of the quadriceps muscle. <i>Muscle and Nerve</i> , 2007, 35, 486-495.   | 1.0 | 173       |
| 11505 | Different methods of creatinine measurement significantly affect MELD scores. <i>Liver Transplantation</i> , 2007, 13, 523-529.  | 1.3 | 142       |
| 11506 | Measurement of limb volume: Laser scanning versus volume displacement. <i>Journal of Surgical Oncology</i> , 2007, 96, 381-388.  | 0.8 | 25        |
| 11507 | Does MRI predict pathologic tumor response in women with breast cancer undergoing preoperative chemotherapy?. <i>Journal of Surgical Oncology</i> , 2007, 96, 474-480.   | 0.8 | 90        |
| 11508 | Assessment of bolus injection protocol with appropriate concentration for quantitative assessment of pulmonary perfusion by dynamic contrast-enhanced MR imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 25, 55-65.                                    | 1.9 | 45        |
| 11509 | Submillimeter isotropic resolution carotid wall MRI with swallowing compensation: Imaging results and semiautomated wall morphometry. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 25, 815-823.  | 1.9 | 31        |
| 11510 | Four-dimensional single breathhold magnetic resonance imaging using kt-BLAST enables reliable assessment of left- and right-ventricular volumes and mass. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 25, 737-742.  | 1.9 | 50        |
| 11511 | Assessing normal pulse wave velocity in the proximal pulmonary arteries using transit time: A feasibility, repeatability, and observer reproducibility study by cardiovascular magnetic resonance. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 25, 974-981. | 1.9 | 34        |
| 11512 | Calf muscle perfusion at peak exercise in peripheral arterial disease: Measurement by first-pass contrast-enhanced magnetic resonance imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 25, 1013-1020.   | 1.9 | 79        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11513 | Assessment of the carotid artery by MRI at 3T: A study on reproducibility. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 25, 1035-1043.  | 1.9 | 53        |
| 11514 | Quantitative assessment of ventricular function using three-dimensional SSFP magnetic resonance angiography. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 288-295.  | 1.9 | 17        |
| 11515 | Measurement of signal-to-noise ratios in MR images: Influence of multichannel coils, parallel imaging, and reconstruction filters. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 375-385.                                | 1.9 | 809       |
| 11516 | Quantification of superparamagnetic iron oxide (SPIO)-labeled cells using MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 366-374.  | 1.9 | 85        |
| 11517 | Balanced steady-state free precession vs. segmented fast low-angle shot for the evaluation of ventricular volumes, mass, and function at 3 Tesla. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 392-400.                 | 1.9 | 12        |
| 11518 | Physiological changes of the human uterine myometrium during menstrual cycle: Preliminary evaluation using BOLD MR imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 695-700.                                       | 1.9 | 23        |
| 11519 | Apparent diffusion coefficients in oligodendroglial tumors characterized by genotype. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 1405-1412.   | 1.9 | 69        |
| 11520 | Reproducibility of wall shear stress assessment with the paraboloid method in the internal carotid artery with velocity encoded MRI in healthy young individuals. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 598-605. | 1.9 | 22        |
| 11521 | Parallel imaging of knee cartilage at 3 Tesla. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 1001-1009.  | 1.9 | 49        |
| 11522 | Planimetric and continuity equation assessment of aortic valve area: Head to head comparison between cardiac magnetic resonance and echocardiography. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 1436-1443.           | 1.9 | 63        |
| 11523 | Magnetic resonance imaging assessment of a convective therapy delivery paradigm in a canine prostate model. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 1672-1677.   | 1.9 | 1         |
| 11524 | Quantifying the contributions of structure to annulus fibrosus mechanical function using a nonlinear, anisotropic, hyperelastic model. <i>Journal of Orthopaedic Research</i> , 2007, 25, 508-516.                                  | 1.2 | 111       |
| 11525 | Vasodilation of Epicardial Coronary Artery can be Measured with Transthoracic Echocardiography. <i>Ultrasound in Medicine and Biology</i> , 2007, 33, 362-370.  | 0.7 | 32        |
| 11526 | The Onset of Ventricular Isovolumic Contraction as Reflected in the Carotid Artery Distension Waveform. <i>Ultrasound in Medicine and Biology</i> , 2007, 33, 371-378.  | 0.7 | 9         |
| 11527 | Identification of Cardiovascular Dilution Systems by Contrast Ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2007, 33, 439-451.  | 0.7 | 24        |
| 11528 | Finite Amplitude Measurements of the Nonlinear Parameter B/A for Liquid Mixtures Spanning a Range Relevant to Tissue Harmonic Mode. <i>Ultrasound in Medicine and Biology</i> , 2007, 33, 620-629.                                  | 0.7 | 29        |
| 11529 | Quantification and MRI Validation of Regional Contractile Dysfunction in Mice Post Myocardial Infarction Using High Resolution Ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2007, 33, 894-904.                           | 0.7 | 90        |
| 11530 | Measurements of Aneurysm Morphology Determined by 3-D Micro-Ultrasound Imaging as Potential Quantitative Biomarkers in a Mouse Aneurysm Model. <i>Ultrasound in Medicine and Biology</i> , 2007, 33, 1552-1560.                     | 0.7 | 14        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 11531 | How Many Planes Are Required to Get an Accurate and Timesaving Measurement of Left Ventricular Volume and Function by Real-Time Three-Dimensional Echocardiography in Acute Myocardial Infarction?. <i>Ultrasound in Medicine and Biology</i> , 2007, 33, 1572-1578. | 0.7 | 5         |
| 11532 | Contrast Enhanced Echocardiographic Follow-up of Cardiac Remodeling and Function after Myocardial Infarction in Rats. <i>Ultrasound in Medicine and Biology</i> , 2007, 33, 1561-1571.   | 0.7 | 2         |
| 11533 | Three-Dimensional Ultrasonography can Detect the Modulation of Kidney Volume in Two-Kidney, One-Clip Hypertensive Rats. <i>Ultrasound in Medicine and Biology</i> , 2007, 33, 1882-1888.   | 0.7 | 7         |
| 11534 | Density-dependent host choice by disease vectors: epidemiological implications of the ideal free distribution. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2007, 101, 256-269.   | 0.7 | 23        |
| 11535 | Psychometric Properties of the 7-Day Physical Activity Recall Questionnaire in Individuals with Severe Mental Illness. <i>Archives of Psychiatric Nursing</i> , 2007, 21, 309-316.   | 0.7 | 41        |
| 11536 | A novel active contour model for fully automated segmentation of intravascular ultrasound images: In vivo validation in human coronary arteries. <i>Computers in Biology and Medicine</i> , 2007, 37, 1292-1302.   | 3.9 | 67        |
| 11537 | Discovery of non-covalent dipeptidyl peptidase IV inhibitors which induce a conformational change in the active site. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 1765-1768.   | 1.0 | 17        |
| 11538 | d-Phenylglycinol-derived non-covalent factor Xa inhibitors: Effect of non-peptidic S4 linkage elements on affinity and anticoagulant activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 5801-5805.  | 1.0 | 7         |
| 11539 | Comparative evaluation of UV-HPLC methods and reducing agents to determine vitamin C in fruits. <i>Food Chemistry</i> , 2007, 105, 1151-1158.  | 4.2 | 167       |
| 11540 | A sensitive and reliable quantification method for mouse interleukin-12 p70 based on fluorometric sandwich ELISA (FS-ELISA). <i>Cell Biology International</i> , 2007, 31, 173-179.  | 1.4 | 2         |
| 11541 | An ImmunoChip prototype for simultaneous detection of antiepileptic drugs using an enhanced one-step homogeneous immunoassay. <i>Analytical Biochemistry</i> , 2007, 365, 222-229.   | 1.1 | 9         |
| 11542 | High-throughput and simultaneous measurement of homocysteine and cysteine in human plasma and urine by liquid chromatography-electrospray tandem mass spectrometry. <i>Analytical Biochemistry</i> , 2007, 371, 71-81.   | 1.1 | 131       |
| 11543 | Continuous glucose monitoring in interstitial fluid using glucose oxidase-based sensor compared to established blood glucose measurement in rats. <i>Analytica Chimica Acta</i> , 2007, 581, 7-12.   | 2.6 | 29        |
| 11544 | Development of a competitive immunoassay for efavirenz: Hapten design and validation studies. <i>Analytica Chimica Acta</i> , 2007, 589, 142-149.  | 2.6 | 20        |
| 11546 | Comparison of Four Pain Scales in Children With Acute Abdominal Pain in a Pediatric Emergency Department. <i>Annals of Emergency Medicine</i> , 2007, 50, 379-383.e2.  | 0.3 | 64        |
| 11547 | Wavelet filter for noise reduction and signal compression in an artificial nose. <i>Applied Soft Computing Journal</i> , 2007, 7, 246-256.   | 4.1 | 24        |
| 11548 | Quantitation of infarct size in patients with chronic coronary artery disease using rest-redistribution Tl-201 myocardial perfusion SPECT: Correlation with contrast-enhanced cardiac magnetic resonance. <i>Journal of Nuclear Cardiology</i> , 2007, 14, 59-67.    | 1.4 | 8         |
| 11549 | Role of PET in the evaluation and understanding of coronary physiology. <i>Journal of Nuclear Cardiology</i> , 2007, 14, 589-603.  | 1.4 | 65        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11550 | Comparison of gated N-13 ammonia PET and gated Tc-99m sestamibi SPECT for quantitative analysis of global and regional left ventricular function. <i>Journal of Nuclear Cardiology</i> , 2007, 14, 680-687.   | 1.4 | 14        |
| 11551 | Assessment of myocardial perfusion by dynamic O-15 labeled water PET imaging: Validation of a new fast factor analysis. <i>Journal of Nuclear Cardiology</i> , 2007, 14, 698-705.   | 1.4 | 13        |
| 11552 | Validating the Medical Data Interpretation Test in a Dutch population. <i>Patient Education and Counseling</i> , 2007, 68, 287-290.   | 1.0 | 6         |
| 11553 | The effect of sodium valproate on proton MRS visible neurochemical concentrations. <i>Epilepsy Research</i> , 2007, 74, 215-219.  | 0.8 | 19        |
| 11554 | The flavone, flavonol and flavan-3-ol content of the Greek traditional diet. <i>Food Chemistry</i> , 2007, 105, 812-821.  | 4.2 | 19        |
| 11555 | Acute tumor vascular effects following fractionated radiotherapy in human lung cancer: In vivo whole tumor assessment using volumetric perfusion computed tomography. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 67, 417-424.             | 0.4 | 78        |
| 11556 | Tumor Antivascular Effects of Radiotherapy Combined with Combretastatin A4 Phosphate in Human Non-Small-Cell Lung Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 67, 1375-1380.   | 0.4 | 73        |
| 11557 | Role of Dynamic Magnetic Resonance Imaging in the Evaluation of Tumor Response to Preoperative Concurrent Radiochemotherapy for Large Breast Cancers: A Prospective Phase II Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 69, 13-18. | 0.4 | 26        |
| 11558 | Segmentation of blood vessels from red-free and fluorescein retinal images. <i>Medical Image Analysis</i> , 2007, 11, 47-61.  | 7.0 | 367       |
| 11559 | Validation of V-SS-PARSE for single-shot flow measurement. <i>Magnetic Resonance Imaging</i> , 2007, 25, 335-340.   | 1.0 | 6         |
| 11560 | Tests for assessment of agreement using probability criteria. <i>Journal of Statistical Planning and Inference</i> , 2007, 137, 279-290.  | 0.4 | 28        |
| 11561 | Rectal, telemetry pill and tympanic membrane thermometry during exercise heat stress. <i>Journal of Thermal Biology</i> , 2007, 32, 78-86.  | 1.1 | 53        |
| 11562 | Quantification of mixed chimerism by real time PCR on whole blood-impregnated FTA cards. <i>Leukemia Research</i> , 2007, 31, 1175-1183.  | 0.4 | 10        |
| 11563 | Use of refractometry and colorimetry as field methods to rapidly assess antimalarial drug quality. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007, 43, 105-110.  | 1.4 | 56        |
| 11564 | Simultaneous determination of monodesethylchloroquine, chloroquine, cycloguanil and proguanil on dried blood spots by reverse-phase liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007, 43, 1106-1115.                                | 1.4 | 66        |
| 11565 | THE INTERNAL CONSISTENCY AND VALIDITY OF THE PATIENT EVALUATION MEASURE FOR OUTCOMES ASSESSMENT IN DISTAL RADIUS FRACTURES. <i>Journal of Hand Surgery: European Volume</i> , 2007, 32, 262-267.  | 0.5 | 20        |
| 11566 | Effect of nail polish on oxygen saturation determined by pulse oximetry in critically ill patients. <i>Resuscitation</i> , 2007, 72, 82-91.   | 1.3 | 62        |
| 11567 | Artificial acrylic finger nails may alter pulse oximetry measurement. <i>Resuscitation</i> , 2007, 74, 75-82.   | 1.3 | 49        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11568 | Specimen size effect in the volumetric shrinkage of cancellous bone measured at two levels of dehydration. <i>Journal of Biomechanics</i> , 2007, 40, 1903-1909.  | 0.9 | 20        |
| 11569 | Analysis of nitrite and nitrate in biological fluids by assays based on the Griess reaction: Appraisal of the Griess reaction in the L-arginine/nitric oxide area of research. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 851, 51-70.  | 1.2 | 586       |
| 11570 | An overview of plasma concentrations of asymmetric dimethylarginine (ADMA) in health and disease and in clinical studies: Methodological considerations. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 851, 42-50.  | 1.2 | 91        |
| 11571 | Comparison of nitrite/nitrate concentration in human plasma and serum samples measured by the enzymatic batch Griess assay, ion-pairing HPLC and ion-trap GC-MS: The importance of a correct removal of proteins in the Griess assay. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 851, 257-267. | 1.2 | 101       |
| 11572 | Confirmation of cannabinoids in meconium using two-dimensional gas chromatography with mass spectrometry detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 858, 59-64.   | 1.2 | 27        |
| 11573 | Comparison of manual and semi-automated delineation of regions of interest for radioligand PET imaging analysis. <i>BMC Nuclear Medicine</i> , 2007, 7, 2.  | 1.4 | 10        |
| 11574 | Cross-cultural adaptation into Punjabi of the English version of the Hospital Anxiety and Depression Scale. <i>BMC Psychiatry</i> , 2007, 7, 5.   | 1.1 | 13        |
| 11575 | Assessment of the alveolar volume when sampling exhaled gas at different expired volumes in the single breath diffusion test. <i>BMC Pulmonary Medicine</i> , 2007, 7, 18.  | 0.8 | 7         |
| 11576 | A method for modelling GP practice level deprivation scores using GIS. <i>International Journal of Health Geographics</i> , 2007, 6, 38.  | 1.2 | 6         |
| 11577 | Ultrasound measurement of joint cartilage thickness in large and small joints in healthy children: a clinical pilot study assessing observer variability. <i>Pediatric Rheumatology</i> , 2007, 5, 3.   | 0.9 | 29        |
| 11578 | Percent body fat estimations in college women using field and laboratory methods: a three-compartment model approach. <i>Journal of the International Society of Sports Nutrition</i> , 2007, 4, 16.  | 1.7 | 25        |
| 11579 | A kinematic analysis of a haptic handheld stylus in a virtual environment: a study in healthy subjects. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2007, 4, 13.  | 2.4 | 23        |
| 11580 | Revisiting the relation between change and initial value: a review and evaluation. <i>Statistics in Medicine</i> , 2007, 26, 443-457.   | 0.8 | 169       |
| 11581 | Repeatability of paired counts. <i>Statistics in Medicine</i> , 2007, 26, 3566-3577.  | 0.8 | 6         |
| 11582 | First-trimester fetal limb biometry in Chinese population. <i>Prenatal Diagnosis</i> , 2007, 27, 133-138.   | 1.1 | 7         |
| 11583 | Reliability analysis on ductus venosus assessment at 11-14 weeks' gestation in a high-risk population. <i>Prenatal Diagnosis</i> , 2007, 27, 442-446.   | 1.1 | 18        |
| 11584 | Adherence to multiple drug therapies: refill adherence to concomitant use of diabetes and asthma/COPD medication. <i>Pharmacoepidemiology and Drug Safety</i> , 2007, 16, 1120-1128.  | 0.9 | 44        |
| 11585 | Standardizing lung function laboratories for multicenter trials. <i>Pediatric Pulmonology</i> , 2007, 42, 51-59.  | 1.0 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11586 | The repeatability of submaximal endurance exercise testing in cystic fibrosis. <i>Pediatric Pulmonology</i> , 2007, 42, 75-82.  | 1.0 | 12        |
| 11587 | Incidence and outcome of scoliosis in children with pleural infection. <i>Pediatric Pulmonology</i> , 2007, 42, 221-224.  | 1.0 | 9         |
| 11588 | How should we estimate driving pressure to measure interrupter resistance in children?. <i>Pediatric Pulmonology</i> , 2007, 42, 757-763.   | 1.0 | 10        |
| 11589 | Comparison between peak expiratory flow and FEV1 measurements on a home spirometer and on a pneumotachograph in children with asthma. <i>Pediatric Pulmonology</i> , 2007, 42, 813-818.   | 1.0 | 27        |
| 11590 | Effect of electronic compensation on plethysmographic airway resistance measurements. <i>Pediatric Pulmonology</i> , 2007, 42, 764-772.   | 1.0 | 3         |
| 11591 | Optimized temperature and deadspace correction improve analysis of multiple breath washout measurements by ultrasonic flowmeter in infants. <i>Pediatric Pulmonology</i> , 2007, 42, 888-897.   | 1.0 | 61        |
| 11592 | Investigation of anterior knee pain after total hip replacement: a pilot study. <i>Physiotherapy Research International</i> , 2007, 12, 25-28.  | 0.7 | 3         |
| 11593 | Inter-rater reliability of motor and sensory examinations performed according to American Spinal Injury Association standards. <i>Spinal Cord</i> , 2007, 45, 444-451.  | 0.9 | 103       |
| 11594 | Time course of the renal functional response to partial nephrectomy: measurements in conscious rats. <i>Experimental Physiology</i> , 2007, 92, 251-262.  | 0.9 | 31        |
| 11595 | Human cerebrovascular and ventilatory CO <sub>2</sub> reactivity to end-tidal, arterial and internal jugular vein <i>P<sub>i</sub>CO<sub>2</sub></i> . <i>Journal of Physiology</i> , 2007, 584, 347-357.                             | 1.3 | 128       |
| 11596 | Unilateral suppression of pharyngeal motor cortex to repetitive transcranial magnetic stimulation reveals functional asymmetry in the hemispheric projections to human swallowing. <i>Journal of Physiology</i> , 2007, 585, 525-538. | 1.3 | 124       |
| 11597 | Air displacement plethysmography can detect moderate changes in body composition. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 25-29.  | 1.3 | 7         |
| 11598 | Relative validation of a pre-coded food diary among children, under-reporting varies with reporting day and time of the day. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 61-68.   | 1.3 | 34        |
| 11599 | Basal metabolic rate of Brazilians living in the Southwestern United States. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 290-294.   | 1.3 | 18        |
| 11600 | The Dietary Quality Score: validation and association with cardiovascular risk factors: the Inter99 study. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 270-278.   | 1.3 | 159       |
| 11601 | Body composition by the four-compartment model: validity of the BOD POD for assessing body fat in mexican elderly. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 830-836.   | 1.3 | 34        |
| 11602 | Resting metabolic rate of Vietnamese adolescents. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 1075-1080.  | 1.3 | 2         |
| 11603 | Comparison of retinal nerve fibre layer measurements using optical coherence tomography versions 1 and 3 in eyes with band atrophy of the optic nerve and normal controls. <i>Eye</i> , 2007, 21, 16-22.                              | 1.1 | 28        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 11604 | Accuracy of GDx variable corneal compensation polarization measurements in normal human eyes: effect of accommodation, cycloplegia, focus, pupil size, and eye selection on reproducibility. <i>Eye</i> , 2007, 21, 333-340.     | 1.1 | 5         |
| 11605 | How red is a white eye? Clinical grading of normal conjunctival hyperaemia. <i>Eye</i> , 2007, 21, 633-638.  | 1.1 | 77        |
| 11606 | Comparison of Luneau SA disposable and Goldmann applanation tonometer readings. <i>Eye</i> , 2007, 21, 789-792.  | 1.1 | 7         |
| 11607 | Cup-to-disc ratio: agreement between slit-lamp indirect ophthalmoscopic estimation and stratus optical coherence tomography measurement. <i>Eye</i> , 2007, 21, 1041-1049.   | 1.1 | 34        |
| 11608 | Intraocular pressure measurement in mice: a comparison between Goldmann and rebound tonometry. <i>Eye</i> , 2007, 21, 1202-1209.   | 1.1 | 43        |
| 11609 | Dual energy X-ray absorptiometry body composition and aging in a population-based older cohort. <i>International Journal of Obesity</i> , 2007, 31, 279-284.   | 1.6 | 51        |
| 11610 | Capillary-Oxygenation-Level-Dependent Near-Infrared Spectrometry in Frontal Lobe of Humans. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007, 27, 1082-1093.  | 2.4 | 176       |
| 11611 | Evaluation of the Stability of Blood Flow over Time in the Dominant Hemisphere: A Functional Transcranial Doppler Study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007, 27, 1870-1877.                             | 2.4 | 8         |
| 11612 | Agreement of pesticide biomarkers between morning void and 24-h urine samples from farmers and their children. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2007, 17, 350-357.                            | 1.8 | 60        |
| 11613 | Critical Review of Generic and Dermatology-Specific Health-Related Quality of Life Instruments. <i>Journal of Investigative Dermatology</i> , 2007, 127, 2726-2739.  | 0.3 | 252       |
| 11614 | Evaluation of Low-Intensity Physical Activity by Triaxial Accelerometry. <i>Obesity</i> , 2007, 15, 3031-3038.   | 1.5 | 49        |
| 11615 | Bioelectrical Impedance vs. Four-compartment Model to Assess Body Fat Change in Overweight Adults. <i>Obesity</i> , 2007, 15, 85-92.   | 1.5 | 22        |
| 11616 | Volumetric Assessment of Epicardial Adipose Tissue With Cardiovascular Magnetic Resonance Imaging. <i>Obesity</i> , 2007, 15, 870-878.   | 1.5 | 163       |
| 11617 | Physical Activity-Related Energy Expenditure With the RT3 and TriTrac Accelerometers in Overweight Adults. <i>Obesity</i> , 2007, 15, 950-956.   | 1.5 | 48        |
| 11618 | Field Validation of the MTI Actigraph and BodyMedia Armband Monitor Using the IDEEA Monitor. <i>Obesity</i> , 2007, 15, 918-928.   | 1.5 | 219       |
| 11619 | Photodynamic Therapy of Vertebral Metastases: Evaluating Tumor-Neural Tissue Uptake of BPD-MA and ALA-PpIX in a Murine Model of Metastatic Human Breast Carcinoma. <i>Photochemistry and Photobiology</i> , 2007, 83, 1034-1039. | 1.3 | 28        |
| 11620 | Physical training and testing in patients with chronic obstructive pulmonary disease. <i>Clinical Respiratory Journal</i> , 2007, 1, 57-58.  | 0.6 | 1         |
| 11621 | Relative validation of a short food frequency questionnaire to assess calcium intake in older adults. <i>Australian and New Zealand Journal of Public Health</i> , 2007, 31, 450-458.  | 0.8 | 10        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 11623 | The Determination of Muscle Volume with A Freehand 3D Ultrasonography System. <i>Ultrasound in Medicine and Biology</i> , 2007, 33, 402-407.   | 0.7 | 32        |
| 11624 | Automated Tracking of the Mitral Valve Annulus Motion in Apical Echocardiographic Images Using Multidimensional Dynamic Programming. <i>Ultrasound in Medicine and Biology</i> , 2007, 33, 1389-1399.            | 0.7 | 28        |
| 11625 | Dried blood spot measurement: application in tacrolimus monitoring using limited sampling strategy and abbreviated AUC estimation. <i>Transplant International</i> , 2007, 21, 071017161014001-???               | 0.8 | 59        |
| 11626 | Methodological aspects of exhaled nitric oxide measurements in infants. <i>Pediatric Allergy and Immunology</i> , 2007, 18, 36-41.   | 1.1 | 12        |
| 11627 | Measured and expected resting energy expenditure in patients with bipolar disorder on maintenance treatment. <i>Bipolar Disorders</i> , 2007, 9, 784-788.  | 1.1 | 14        |
| 11628 | Good clinical research practice in pharmacodynamic studies of neuromuscular blocking agents II: the Stockholm revision. <i>Acta Anaesthesiologica Scandinavica</i> , 2007, 51, 789-808.                          | 0.7 | 556       |
| 11629 | Comparison of electrical velocimetry and thermodilution techniques for the measurement of cardiac output. <i>Acta Anaesthesiologica Scandinavica</i> , 2007, 51, 1314-1319.                                      | 0.7 | 87        |
| 11630 | Effects of sex and age on regional prefrontal brain volume in two human cohorts. <i>European Journal of Neuroscience</i> , 2007, 25, 307-318.  | 1.2 | 48        |
| 11631 | Development and preliminary psychometric testing of the Multidimensional Assessment of Pain Scale: MAPS. <i>Paediatric Anaesthesia</i> , 2007, 17, 333-340.  | 0.6 | 32        |
| 11632 | Endtidal carbon dioxide monitoring in children with congenital heart disease during sedation for cardiac catheterization by nonanesthesiologists. <i>Paediatric Anaesthesia</i> , 2007, 17, 661-666.             | 0.6 | 15        |
| 11633 | Comparison of electrical velocimetry and transpulmonary thermodilution for measuring cardiac output in piglets. <i>Paediatric Anaesthesia</i> , 2007, 17, 749-755.   | 0.6 | 69        |
| 11634 | Clinical validation of the Multidimensional Assessment of Pain Scale. <i>Paediatric Anaesthesia</i> , 2007, 17, 1156-1165.   | 0.6 | 36        |
| 11635 | Comparison of different near-infrared spectroscopic cerebral oxygenation indices with central venous and jugular venous oxygenation saturation in children. <i>Paediatric Anaesthesia</i> , 2008, 18, 160-166.   | 0.6 | 92        |
| 11636 | Set-up and statistical validation of a new scoring system for obstructed defaecation syndrome. <i>Colorectal Disease</i> , 2007, 10, 070621084454021-???   | 0.7 | 214       |
| 11637 | Prediction of fat-free body mass from bioelectrical impedance among 9- to 11-year-old Swedish children. <i>Diabetes, Obesity and Metabolism</i> , 2007, 9, 521-539.  | 2.2 | 44        |
| 11638 | Targeting hyperglycaemia with either metformin or repaglinide in non-obese patients with type 2 diabetes: results from a randomized crossover trial. <i>Diabetes, Obesity and Metabolism</i> , 2007, 9, 394-407. | 2.2 | 40        |
| 11639 | A systematic review of the reliability of frequency-volume charts in urological research and its implications for the optimum chart duration. <i>BJU International</i> , 2007, 99, 9-16.                         | 1.3 | 59        |
| 11640 | The reliability of the frequency-volume chart in assessing lower urinary tract symptoms. <i>BJU International</i> , 2007, 100, 111-115.  | 1.3 | 17        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 11641 | Urethral pressure reflectometry vs urethral pressure profilometry in women: a comparative study of reproducibility and accuracy. <i>BJU International</i> , 2007, 100, 351-356.  | 1.3 | 30        |
| 11642 | Magnetic resonance imaging: a reliable method for measuring pancreatic volume in Type 1 diabetes. <i>Diabetic Medicine</i> , 2007, 24, 35-40.  | 1.2 | 59        |
| 11643 | Over-the-counter medication use for childhood fever: A cross-sectional study of Australian parents. <i>Journal of Paediatrics and Child Health</i> , 2007, 43, 601-606.  | 0.4 | 79        |
| 11644 | Total lung capacity: Single breath methane dilution versus plethysmography in normals. <i>Respirology</i> , 2007, 12, 291-294.   | 1.3 | 7         |
| 11645 | Decrease in urethral pressure following repeated cough efforts: A new concept for pathophysiology of stress urinary incontinence. <i>International Journal of Urology</i> , 2007, 14, 1019-1024.                         | 0.5 | 9         |
| 11646 | Pentacam pachometry: comparison with non-contact specular microscopy on the central cornea and inter-session repeatability on the peripheral cornea. <i>Australasian journal of optometry</i> , The, 2007, 90, 108-114.  | 0.6 | 34        |
| 11647 | Evaluation of some factors affecting the agreement between the Proview Eye Pressure Monitor and the Goldmann applanation tonometer measurements. <i>Australasian journal of optometry</i> , The, 2007, 90, 290-295.      | 0.6 | 7         |
| 11648 | Supra-threshold contrast matching and the effects of contrast threshold and age. <i>Australasian journal of optometry</i> , The, 2007, 90, 272-281.  | 0.6 | 6         |
| 11649 | STATISTICAL RIGOUR IS ESSENTIAL TO CLINICAL PREDICTION. <i>ANZ Journal of Surgery</i> , 2007, 77, 597-598.   | 0.3 | 1         |
| 11650 | Kampo therapy for premenstrual syndrome: Efficacy of Kamishoyosan quantified using the second derivative of the fingertip photoplethysmogram. <i>Journal of Obstetrics and Gynaecology Research</i> , 2007, 33, 325-332. | 0.6 | 17        |
| 11651 | An evaluation of 2D-image analysis techniques for measuring soil microporosity. <i>European Journal of Soil Science</i> , 2007, 58, 133-140.   | 1.8 | 31        |
| 11653 | Relative validity and utility of a short food frequency questionnaire assessing the intake of legumes in Scottish women. <i>Journal of Human Nutrition and Dietetics</i> , 2007, 20, 467-475.                            | 1.3 | 5         |
| 11654 | Japanese version of the Oral Health Impact Profile (OHIP-J). <i>Journal of Oral Rehabilitation</i> , 2007, 34, 159-168.  | 1.3 | 160       |
| 11655 | Association between food mixing ability and mandibular movements during chewing of a wax cube. <i>Journal of Oral Rehabilitation</i> , 2007, 34, 791-799.  | 1.3 | 41        |
| 11656 | Diagnosis of sleep-disordered breathing in patients with chronic heart failure: evaluation of a portable limited sleep study system. <i>Journal of Sleep Research</i> , 2007, 16, 428-435.                               | 1.7 | 31        |
| 11657 | Comparison of two instruments for assessing communication skills in a general practice objective structured clinical examination. <i>Medical Education</i> , 2007, 41, 676-683.  | 1.1 | 18        |
| 11658 | Validation of MSAT: an instrument to measure medical students' self-assessed confidence in musculoskeletal examination skills. <i>Medical Education</i> , 2007, 41, 402-410.   | 1.1 | 38        |
| 11659 | Pictorial and verbal category-ratio scales for effort estimation in children. <i>Child: Care, Health and Development</i> , 2007, 34, 070619082405004-???   | 0.8 | 19        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11660 | A proof-of-concept study to assess the putative dose response to topical corticosteroid in persistent allergic rhinitis using adenosine monophosphate challenge. <i>Clinical and Experimental Allergy</i> , 2007, 37, 696-703.                            | 1.4 | 12        |
| 11661 | Can hypertonic saline inhalation influence preformed chemokine and mediator release in induced sputum of chronic obstructive pulmonary disease patients? Comparison with isotonic saline. <i>Clinical and Experimental Allergy</i> , 2007, 37, 1819-1826. | 1.4 | 12        |
| 11662 | Determination of glutamic acid decarboxylase antibodies (GADA) IgG subclassesâ€”â€”â€”comparison of three immunoprecipitation assays (IPAs). <i>Clinical and Experimental Immunology</i> , 2007, 150, 68-74.  | 1.1 | 2         |
| 11663 | Reduced maternal corticosteroid-binding globulin and cortisol levels in pre-eclampsia and gamete recipient pregnancies. <i>Clinical Endocrinology</i> , 2007, 66, 869-877.  | 1.2 | 71        |
| 11664 | Increasing vigilance on the medical/surgical floor to improve patient safety. <i>Journal of Advanced Nursing</i> , 2007, 57, 472-481.   | 1.5 | 9         |
| 11665 | Evaluation of the European Heart Failure Self-care Behaviour Scale in a United Kingdom population. <i>Journal of Advanced Nursing</i> , 2007, 60, 87-95.  | 1.5 | 42        |
| 11666 | Intersubject and intrasubject variability of gastric volumes in response to isocaloric liquid meals in functional dyspepsia and health. <i>Neurogastroenterology and Motility</i> , 2007, 19, 553-561.  | 1.6 | 51        |
| 11667 | Scintigraphic validation of AC Biosusceptometry to study the gastric motor activity and the intragastric distribution of food in humans. <i>Neurogastroenterology and Motility</i> , 2007, 19, 804-811.   | 1.6 | 26        |
| 11668 | Measurement of FEV <sub>1</sub> and FVC. <i>Anaesthesia</i> , 1988, 43, 233-238.  | 1.8 | 13        |
| 11669 | Plasma volume estimation using indocyanine green. <i>Anaesthesia</i> , 1993, 48, 41-43.   | 1.8 | 22        |
| 11670 | A modified sensor for pulse oximetry in children. <i>Anaesthesia</i> , 2007, 48, 1083-1085.   | 1.8 | 1         |
| 11671 | Conjunctival oxygen tension monitoring during liver transplantation. <i>Anaesthesia</i> , 1994, 49, 394-397.  | 1.8 | 1         |
| 11672 | Modified sensor for pulse oximetry in children. <i>Anaesthesia</i> , 1994, 49, 831-831.   | 1.8 | 0         |
| 11673 | Evaluation of echocardiography indices of systolic function: a comparative study using pressure-volume loops in patients undergoing coronary artery bypass surgery. <i>Anaesthesia</i> , 2007, 62, 109-116.   | 1.8 | 17        |
| 11674 | Psychological assessment of ICU survivors: a comparison between the Hospital Anxiety and Depression scale and the Depression, Anxiety and Stress scale. <i>Anaesthesia</i> , 2007, 62, 239-243.   | 1.8 | 79        |
| 11676 | The accuracy of non-invasive carbon dioxide monitoring: A clinical evaluation of two transcutaneous systems. <i>Anaesthesia</i> , 2007, 62, 394-399.  | 1.8 | 54        |
| 11677 | Estimation of pulmonary oxygen consumption in the early postoperative period after thoracic surgery. <i>Anaesthesia</i> , 2007, 62, 648-653.  | 1.8 | 9         |
| 11678 | An evaluation of cardiac output by five arterial pulse contour techniques during cardiac surgery. <i>Anaesthesia</i> , 2007, 62, 760-768.   | 1.8 | 134       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 11679 | Continuous cardiac output measurement: arterial pressure analysis versus thermodilution technique during cardiac surgery with cardiopulmonary bypass. <i>Anaesthesia</i> , 2007, 62, 979-983.  | 1.8 | 14        |
| 11681 | Assessment of renal function in clinical practice at the bedside of burn patients. <i>British Journal of Clinical Pharmacology</i> , 2007, 63, 583-594.  | 1.1 | 65        |
| 11682 | Reproducibility of the capsaicin-induced dermal blood flow response as assessed by laser Doppler perfusion imaging. <i>British Journal of Clinical Pharmacology</i> , 2007, 64, 580-590.   | 1.1 | 50        |
| 11683 | Relationship between 5-fluorouracil exposure and outcome in patients receiving continuous venous infusion with or without concomitant radiotherapy. <i>British Journal of Clinical Pharmacology</i> , 2007, 64, 613-621.   | 1.1 | 8         |
| 11684 | Idiopathic slowâ€transit constipation: whole gut transit times, measured by a new simplified method, are not shortened by opioid antagonists. <i>Alimentary Pharmacology and Therapeutics</i> , 1987, 1, 331-338.  | 1.9 | 25        |
| 11685 | <sup>13</sup> Câ€methacetin breath test as a quantitative liver function test in patients with chronic hepatitis C infection: continuous automatic molecular correlation spectroscopy compared to isotopic ratio mass spectrometry. <i>Alimentary Pharmacology and Therapeutics</i> , 2007, 26, 305-311. | 1.9 | 36        |
| 11686 | Measurement of venous leg ulcers with a laserâ€based threeâ€dimensional method: Comparison to computer planimetry with photography. <i>Wound Repair and Regeneration</i> , 2007, 15, 767-771.  | 1.5 | 29        |
| 11687 | Adequacy, Nutrition and Outcome in Peritoneal Dialysis; Is There a Link?. <i>Seminars in Dialysis</i> , 1997, 10, 94-99.   | 0.7 | 4         |
| 11688 | Twoâ€dimensional digital video ankle motion analysis for assessment of function in the rat sciatic nerve model. <i>Journal of the Peripheral Nervous System</i> , 2007, 12, 216-222.   | 1.4 | 51        |
| 11689 | Computational mouse atlases and their application to automatic assessment of craniofacial dysmorphology caused by the Crouzon mutation Fgfr2C342Y. <i>Journal of Anatomy</i> , 2007, 211, 37-52.   | 0.9 | 29        |
| 11690 | Radiographic assessment of the index to ring finger ratio (2D:4D) in adults. <i>Journal of Anatomy</i> , 2007, 212, 071115125032002-???  | 0.9 | 57        |
| 11691 | Lack of agreement between thermodilution and echocardiographic determination of cardiac output during normovolemia and acute hemorrhage in clinically healthy, anesthetized dogs. <i>Journal of Veterinary Emergency and Critical Care</i> , 2007, 17, 22-31.  | 0.4 | 4         |
| 11692 | Partial pressure of end-tidal CO <sub>2</sub> sampled via an intranasal catheter as a substitute for partial pressure of arterial CO <sub>2</sub> in dogs. <i>Journal of Veterinary Emergency and Critical Care</i> , 2007, 17, 143-148.   | 0.4 | 8         |
| 11693 | Agreement between point-of-care glucometry, blood gas and laboratory-based measurement of glucose in an equine neonatal intensive care unit. <i>Journal of Veterinary Emergency and Critical Care</i> , 2007, 17, 236-242.   | 0.4 | 20        |
| 11694 | Malnutrition and diabetes mellitus are related to hepatic encephalopathy in patients with liver cirrhosis. <i>Liver International</i> , 2007, 27, 1194-1201.   | 1.9 | 90        |
| 11695 | Assessing Differences in Utility Scores: A Comparison of Four Widely Used Preference-Based Instruments. <i>Value in Health</i> , 2007, 10, 256-265.  | 0.1 | 49        |
| 11696 | Reliability and validity of the lung volume measurement made by the BOD POD body composition system. <i>Clinical Physiology and Functional Imaging</i> , 2007, 27, 42-46.  | 0.5 | 21        |
| 11697 | Comparison of methods for editing of ectopic beats in measurements of short-term non-linear heart rate dynamics. <i>Clinical Physiology and Functional Imaging</i> , 2007, 27, 126-133.  | 0.5 | 27        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11698 | Comparison of three methods for detection of the lactate threshold. <i>Clinical Physiology and Functional Imaging</i> , 2007, 27, 381-384.  | 0.5 | 31        |
| 11699 | Technical Note: Accuracy and repeatability of a new portable ultrasound pachymeter. <i>Ophthalmic and Physiological Optics</i> , 2007, 27, 190-193.   | 1.0 | 5         |
| 11700 | Acuity measurements in adult subjects using a preferential looking test. <i>Ophthalmic and Physiological Optics</i> , 2007, 27, 54-59.  | 1.0 | 11        |
| 11701 | Technical Note: How many readings are required for an acceptable accuracy in pulsatile ocular blood flow assessment?. <i>Ophthalmic and Physiological Optics</i> , 2007, 27, 213-219.                                       | 1.0 | 5         |
| 11702 | Technical Note: Measurement of retinal contour and supine axial length using the Zeiss IOLMaster. <i>Ophthalmic and Physiological Optics</i> , 2007, 27, 404-411.   | 1.0 | 31        |
| 11703 | The phenol red thread test for lacrimal volume ? does it matter if the eyes are open or closed?. <i>Ophthalmic and Physiological Optics</i> , 2007, 27, 482-489.  | 1.0 | 11        |
| 11704 | Technical Note: A comparison of central and peripheral intraocular pressure using rebound tonometry. <i>Ophthalmic and Physiological Optics</i> , 2007, 27, 506-511.  | 1.0 | 27        |
| 11705 | Mapping the platelet profile for functional genomic studies and demonstration of the effect size of the GP6 locus. <i>Journal of Thrombosis and Haemostasis</i> , 2007, 5, 1756-1765.                                       | 1.9 | 70        |
| 11706 | Magnetic Resonance Angiography Shows Dilatation of the Middle Cerebral Artery after Infusion of Glyceryl Trinitrate in Healthy Volunteers. <i>Cephalalgia</i> , 2007, 27, 118-127.  | 1.8 | 42        |
| 11707 | High- or low-technology measurements of energy expenditure in clinical gait analysis?. <i>Developmental Medicine and Child Neurology</i> , 1999, 41, 676-682.   | 1.1 | 1         |
| 11708 | Reliability of the Melbourne Assessment of Unilateral Upper Limb Function. <i>Developmental Medicine and Child Neurology</i> , 2001, 43, 761-767.   | 1.1 | 14        |
| 11709 | Hip dysplasia in bilateral cerebral palsy: incidence and natural history in children aged 18 months to 5 years. <i>Developmental Medicine and Child Neurology</i> , 2001, 43, 586-600.                                      | 1.1 | 7         |
| 11710 | Electrical stimulation of gluteus maximus in children with cerebral palsy: effects on gait characteristics and muscle strength. <i>Developmental Medicine and Child Neurology</i> , 2003, 45, 385-390.                      | 1.1 | 33        |
| 11711 | Reliability and validity of the Observational Gait Scale in children with spastic diplegia. <i>Developmental Medicine and Child Neurology</i> , 2003, 45, 4-11.   | 1.1 | 98        |
| 11712 | Differences in finger length ratio between males with autism, pervasive developmental disorder not otherwise specified, ADHD, and anxiety disorders. <i>Developmental Medicine and Child Neurology</i> , 2006, 48, 962-965. | 1.1 | 6         |
| 11713 | Measuring participation in children with disabilities using the Assessment of Life Habits. <i>Developmental Medicine and Child Neurology</i> , 2007, 49, 666-671.   | 1.1 | 139       |
| 11714 | Reproducibility of DIAGNOdent 2095 and DIAGNOdent Pen measurements: results from an in vitro study on occlusal sites. <i>European Journal of Oral Sciences</i> , 2007, 115, 206-211.  | 0.7 | 37        |
| 11715 | Evaluation of simple methods to estimate total body fat in healthy women. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 1992, 2, 207-211.   | 1.3 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11716 | Reliability of functional knee tests in normal athletes. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 1995, 5, 24-28.  | 1.3 | 69        |
| 11717 | Can a regular leg extension bench be used in testing deficits of the quadriceps muscle during rehabilitation?. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 1995, 5, 29-35.  | 1.3 | 16        |
| 11718 | Salivary and blood lactate after supramaximal exercise in sprinters and long-distance runners. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 1995, 5, 285-290.  | 1.3 | 29        |
| 11719 | Passive knee extension test to measure hamstring muscle tightness. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 1997, 7, 279-282.  | 1.3 | 55        |
| 11720 | Total daily energy expenditure and patterns of physical activity in adolescents assessed by two different methods. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 1999, 9, 257-264.                                    | 1.3 | 24        |
| 11721 | Reliability of findings around healthy implants in association with oral hygiene measures: a clinical, microbiological, and immunological follow-up in edentulous patients. <i>Clinical Oral Implants Research</i> , 2007, 18, 686-698. | 1.9 | 16        |
| 11722 | Periodontal disease and perinatal outcomes: a case-control study. <i>Journal of Clinical Periodontology</i> , 2007, 34, 31-39.  | 2.3 | 81        |
| 11723 | Root coverage assessment: validity and reproducibility of an image analysis system. <i>Journal of Clinical Periodontology</i> , 2007, 34, 969-976.  | 2.3 | 48        |
| 11724 | REPEATABILITY OF DOPPLER ULTRASONOGRAPHIC MEASUREMENT OF EQUINE DIGITAL BLOOD FLOW. <i>Veterinary Radiology and Ultrasound</i> , 2007, 48, 281-285.   | 0.4 | 9         |
| 11725 | INVESTIGATION OF TWO METHODS FOR ASSESSING THYROID-LOBE ASYMMETRY DURING PERTECHNETATE SCINTIGRAPHY IN SUSPECTED HYPERTHYROID CATS. <i>Veterinary Radiology and Ultrasound</i> , 2007, 48, 383-387.                                     | 0.4 | 5         |
| 11726 | ULTRASONOGRAPHIC MEASUREMENT OF KIDNEY TO AORTA RATIO AS A METHOD OF ESTIMATING RENAL SIZE IN DOGS. <i>Veterinary Radiology and Ultrasound</i> , 2007, 48, 434-438.   | 0.4 | 59        |
| 11727 | EFFECTS OF MEASUREMENT OF PLASMA ACTIVITY INPUT ON NORMALIZATION OF GLOMERULAR FILTRATION RATE TO PLASMA VOLUME IN DOGS. <i>Veterinary Radiology and Ultrasound</i> , 2007, 48, 585-593.  | 0.4 | 8         |
| 11728 | Validity of a new food frequency questionnaire for pregnant women in the Norwegian Mother and Child Cohort Study (MoBa). <i>Maternal and Child Nutrition</i> , 2008, 4, 28-43.  | 1.4 | 218       |
| 11729 | Measuring quality of life in older people: Reliability and validity of WHOQOL-OLD. <i>Australasian Journal on Ageing</i> , 2007, 26, 162-167.   | 0.4 | 27        |
| 11730 | Predicting coronary heart disease risk using the Framingham and PROCAM equations in dyslipidaemic patients without overt vascular disease. <i>International Journal of Clinical Practice</i> , 2007, 61, 1643-1653.                     | 0.8 | 14        |
| 11731 | Differentiating Atrioventricular Nodal Reentrant Tachycardia from Junctional Tachycardia: Novel Application of the Delta H-A Interval. <i>Journal of Cardiovascular Electrophysiology</i> , 2007, 19, 071004055652013-???               | 0.8 | 40        |
| 11732 | Triggered Replenishment Imaging Reduces Variability of Quantitative Myocardial Contrast Echocardiography and Allows Assessment of Myocardial Blood Flow Reserve. <i>Echocardiography</i> , 2007, 24, 149-158.                           | 0.3 | 8         |
| 11733 | Myocardial Strain Imaging for Early Detection of Cardiac Involvement in Patients with Duchenne's Progressive Muscular Dystrophy. <i>Echocardiography</i> , 2007, 24, 598-608.   | 0.3 | 66        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11734 | Demonstration of Left Ventricular Outflow Tract Eccentricity by Real Time 3D Echocardiography: Implications for the Determination of Aortic Valve Area. <i>Echocardiography</i> , 2007, 24, 860-866.  | 0.3 | 133       |
| 11735 | Evaluation of Left Atrial Size in Patients with Atrial Arrhythmias: Comparison of Standard 2D Versus Real Time 3D Echocardiography. <i>Echocardiography</i> , 2007, 24, 960-966.  | 0.3 | 21        |
| 11736 | Apical Myocardial Stunning in a Large Size Porcine Model Assessed by Strain and Strain Rate Echocardiography. <i>Echocardiography</i> , 2007, 24, 923-932.  | 0.3 | 2         |
| 11737 | Can Transesophageal Pulse-Wave Tissue Doppler Imaging Be Used to Evaluate Left Ventricular Function?. <i>Echocardiography</i> , 2007, 24, 946-954.  | 0.3 | 7         |
| 11738 | A Comparison between QLAB and TomTec Full Volume Reconstruction for Real Time Three-Dimensional Echocardiographic Quantification of Left Ventricular Volumes. <i>Echocardiography</i> , 2007, 24, 967-974.  | 0.3 | 87        |
| 11739 | Right Ventricular Function Assessment: Comparison of Geometric and Visual Method to Short-Axis Slice Summation Method. <i>Echocardiography</i> , 2007, 24, 1013-1019.   | 0.3 | 10        |
| 11740 | Influence of Image Quality on the Accuracy of Real Time Three-Dimensional Echocardiography to Measure Left Ventricular Volumes in Unselected Patients: A Comparison with Gated-SPECT Imaging. <i>Echocardiography</i> , 2007, 24, 1073-1080.                        | 0.3 | 47        |
| 11741 | Comparison of Accuracy of Aortic Valve Area Assessment in Aortic Stenosis by Real Time Three-Dimensional Echocardiography in Biplane Mode versus Two-Dimensional Transthoracic and Transesophageal Echocardiography. <i>Echocardiography</i> , 2007, 24, 1065-1072. | 0.3 | 31        |
| 11742 | A Simple Doppler Echocardiography Method to Evaluate Pulmonary Capillary Wedge Pressure in Patients with Atrial Fibrillation. <i>Echocardiography</i> , 2007, 25, 070822040948003-???   | 0.3 | 16        |
| 11743 | Changes in the QT Intervals, QT Dispersion, and Amplitude of T Waves after Hemodialysis. <i>Annals of Noninvasive Electrocardiology</i> , 2007, 12, 137-144.  | 0.5 | 14        |
| 11744 | Relationship between Beat-to-Beat Variability of RT-peak and RT-end Intervals in Normal Controls, Patients with Anxiety, and Patients with Cardiovascular Disease. <i>Annals of Noninvasive Electrocardiology</i> , 2007, 12, 203-209.                              | 0.5 | 7         |
| 11745 | Influence of Paper Electrocardiogram Digitizing on T Wave and QRS Complex Morphology Parameters. <i>Annals of Noninvasive Electrocardiology</i> , 2007, 12, 282-290.  | 0.5 | 6         |
| 11746 | Noninvasive Assessment of Atrial Substrate Change after Wide Area Circumferential Ablation: A Comparison with Segmental Pulmonary Vein Isolation. <i>Annals of Noninvasive Electrocardiology</i> , 2007, 12, 329-337.   | 0.5 | 22        |
| 11747 | Comparison of calcium phosphate product values using measurement of plasma total calcium and serum ionized calcium. <i>Hemodialysis International</i> , 2007, 11, 411-416.  | 0.4 | 16        |
| 11748 | Relative blood volume measurements during hemodialysis: Comparisons between three noninvasive devices. <i>Hemodialysis International</i> , 2007, 11, 448-455.   | 0.4 | 39        |
| 11749 | Back to basics: Estimating energy requirements for adult hospital patients. <i>Nutrition and Dietetics</i> , 2007, 64, 192-199.   | 0.9 | 19        |
| 11750 | Human cardiovascular dose-response to supplemental oxygen. <i>Acta Physiologica</i> , 2007, 191, 15-24.   | 1.8 | 69        |
| 11751 | Non-invasive measurement of the mean alveolar O <sub>2</sub> tension from the oxygen uptake versus tidal volume curve. <i>Acta Physiologica</i> , 2007, 191, 161-168.   | 1.8 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11752 | Comparison of the rebound tonometer with the Goldmann applanation tonometer in glaucoma patients. <i>Clinical and Experimental Ophthalmology</i> , 2007, 35, 335-339.   | 1.3 | 39        |
| 11753 | Glaucoma screening: analysis of conventional and telemedicine-friendly devices. <i>Clinical and Experimental Ophthalmology</i> , 2007, 35, 237-243.   | 1.3 | 43        |
| 11754 | Comparison of central corneal thickness as measured by non-contact specular microscopy and ultrasound pachymetry before and post LASIK. <i>Clinical and Experimental Ophthalmology</i> , 2007, 35, 818-823.                   | 1.3 | 28        |
| 11755 | Flow mediated dilation of the brachial artery: an investigation of methods requiring further standardization. <i>BMC Cardiovascular Disorders</i> , 2007, 7, 11.  | 0.7 | 92        |
| 11756 | Signal-averaged P wave analysis for delineation of interatrial conduction – Further validation of the method. <i>BMC Cardiovascular Disorders</i> , 2007, 7, 29.  | 0.7 | 35        |
| 11757 | Comparison of two different physical activity monitors. <i>BMC Medical Research Methodology</i> , 2007, 7, 26.  | 1.4 | 40        |
| 11758 | A diagnostic support tool for lumbar spinal stenosis: a self-administered, self-reported history questionnaire. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 102.  | 0.8 | 74        |
| 11759 | Test-retest reliability of knee kinesthesia in healthy adults. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 57.  | 0.8 | 49        |
| 11760 | Reliability and validity of the Baecke physical activity questionnaire in adult women with hip disorders. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 61.   | 0.8 | 71        |
| 11761 | Reproducibility of goniometric measurement of the knee in the in-hospital phase following total knee arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 83.  | 0.8 | 96        |
| 11762 | Exercise on Prescription: trial protocol and evaluation of outcomes. <i>BMC Health Services Research</i> , 2007, 7, 36.   | 0.9 | 22        |
| 11763 | Haematology, Blood Chemistry and Urine Parameters of Free-Ranging Plains Viscachas ( <i>Lagostomus</i> ) Tj ETQq1 1 0.784314 rgBT /Overdo Laboratory Methods. <i>Transboundary and Emerging Diseases</i> , 2007, 54, 260-264. | 0.6 | 13        |
| 11764 | Microarray amplification bias: loss of 30% differentially expressed genes due to long probe – poly(A)-tail distances. <i>BMC Genomics</i> , 2007, 8, 277.   | 1.2 | 17        |
| 11765 | Comparison of an objective method of measuring bulbar redness to the use of traditional grading scales. <i>Contact Lens and Anterior Eye</i> , 2007, 30, 53-59.   | 0.8 | 41        |
| 11766 | Applanation tonometry in silicone hydrogel contact lens wearers. <i>Contact Lens and Anterior Eye</i> , 2007, 30, 267-269.  | 0.8 | 20        |
| 11767 | Reliability of measuring first and second metatarsal and toe length. <i>Foot</i> , 2007, 17, 32-37.   | 0.4 | 6         |
| 11768 | Velocity discrimination: Reliability and construct validity in older adults. <i>Human Movement Science</i> , 2007, 26, 443-456.   | 0.6 | 12        |
| 11769 | Validity and Reproducibility of an Adolescent Web-Based Food Frequency Questionnaire. <i>Journal of the American Dietetic Association</i> , 2007, 107, 605-610.   | 1.3 | 92        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11770 | Validation of a Food Frequency Questionnaire for Assessment of Calcium and Bone-Related Nutrient Intake in Rural Populations. <i>Journal of the American Dietetic Association</i> , 2007, 107, 1349-1355.                                 | 1.3 | 28        |
| 11771 | How accurate are predictive formulas calculating energy expenditure in adolescent patients with anorexia nervosa?. <i>Clinical Nutrition</i> , 2007, 26, 100-106.   | 2.3 | 44        |
| 11772 | Poor agreement between continuous measurements of energy expenditure and routinely used prediction equations in intensive care unit patients. <i>Clinical Nutrition</i> , 2007, 26, 649-657.  | 2.3 | 73        |
| 11773 | Comparison of equations for estimating resting metabolic rate in healthy subjects over 70 years of age. <i>Clinical Nutrition</i> , 2007, 26, 498-505.  | 2.3 | 38        |
| 11774 | Classification of transcranial Doppler signals using their chaotic invariant measures. <i>Computer Methods and Programs in Biomedicine</i> , 2007, 86, 171-180.   | 2.6 | 12        |
| 11775 | PR interval: A comparison of electrical and mechanical methods in the fetus. <i>Early Human Development</i> , 2007, 83, 231-237.  | 0.8 | 30        |
| 11776 | Using Bilirubin for preterm neonates in a sub-intensive unit: Diagnostic usefulness and suitability. <i>Early Human Development</i> , 2007, 83, 313-317.  | 0.8 | 51        |
| 11777 | Editorial Comment on: The Immediate and 6-mo Reproducibility of Pressure-Flow Studies in Men with Benign Prostatic Enlargement. <i>European Urology</i> , 2007, 52, 1194.   | 0.9 | 0         |
| 11778 | Two-Year Serial Coronary Angiographic and Intravascular Ultrasound Analysis of In-Stent Angiographic Late Lumen Loss and Ultrasonic Neointimal Volume from the TAXUS II Trial. <i>American Journal of Cardiology</i> , 2007, 99, 607-615. | 0.7 | 36        |
| 11779 | Usefulness of Ultrasonic Strain Measurements to Predict Regional Wall Motion Recovery in Patients With Acute Myocardial Infarction After Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2007, 99, 754-759.   | 0.7 | 11        |
| 11780 | Assessment of Fetal Myocardial Performance Using Myocardial Deformation Analysis. <i>American Journal of Cardiology</i> , 2007, 99, 993-996.  | 0.7 | 56        |
| 11781 | Relation Between Number of Component Views and Accuracy of Left Ventricular Mass Determined by Three-Dimensional Echocardiography. <i>American Journal of Cardiology</i> , 2007, 99, 1321-1324.   | 0.7 | 8         |
| 11782 | In Vitro Validation of Real-Time Three-Dimensional Color Doppler Echocardiography for Direct Measurement of Proximal Isovelocity Surface Area in Mitral Regurgitation. <i>American Journal of Cardiology</i> , 2007, 99, 1440-1447.       | 0.7 | 95        |
| 11783 | Usefulness of Ventricular Dyssynchrony Measured Using M-Mode Echocardiography to Predict Response to Resynchronization Therapy. <i>American Journal of Cardiology</i> , 2007, 100, 84-89.   | 0.7 | 29        |
| 11784 | Comparison of Contrast Agent-Enhanced Versus Non-Contrast Agent-Enhanced Real-Time Three-Dimensional Echocardiography for Analysis of Left Ventricular Systolic Function. <i>American Journal of Cardiology</i> , 2007, 100, 1485-1489.   | 0.7 | 45        |
| 11785 | Role of Multislice Computed Tomography for Preprocedural Evaluation Before Revision of a Chronically Implanted Transvenous Left Ventricular Lead. <i>American Journal of Cardiology</i> , 2007, 100, 1566-1570.                           | 0.7 | 17        |
| 11786 | Ventricular Long-Axis Contraction as an Earlier Predictor of Outcome in Asymptomatic Aortic Regurgitation. <i>American Journal of Cardiology</i> , 2007, 100, 1677-1682.  | 0.7 | 21        |
| 11787 | Comparison With Computed Tomography of Two Ultrasound Devices for Diagnosis of Abdominal Aortic Aneurysm. <i>American Journal of Cardiology</i> , 2007, 100, 1786-1791.   | 0.7 | 44        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 11788 | Test-Retest Reliability of Heart Rate Variability and Respiration Rate at Rest and during Light Physical Activity in Normal Subjects. <i>Archives of Medical Research</i> , 2007, 38, 113-120.   | 1.5 | 64        |
| 11790 | Estimation of macular pigment optical density in the elderly: Test-retest variability and effect of optical blur in pseudophakic subjects. <i>Vision Research</i> , 2007, 47, 1253-1259.   | 0.7 | 21        |
| 11791 | Accommodation and induced myopia in marmosets. <i>Vision Research</i> , 2007, 47, 1228-1244.   | 0.7 | 34        |
| 11792 | Macular pigment, photopigments, and melanin: Distributions in young subjects determined by four-wavelength reflectometry. <i>Vision Research</i> , 2007, 47, 3259-3268.  | 0.7 | 39        |
| 11793 | Audiometr a convencional comparada con la audiometr a microfonicococlear. <i>Acta Otorrinolaringol gica Espa ola</i> , 2007, 58, 143-150.  | 0.2 | 3         |
| 11794 | Doppler echocardiographic assessment of pulmonary blood flow in healthy newborns. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1998, 87, 419-423.   | 0.7 | 19        |
| 11795 | Non-invasive oscillometric blood pressure measurement in very low birthweight infants: a comparison of two different monitor systems. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1999, 88, 1044-1045.   | 0.7 | 8         |
| 11796 | Altering the NICU and measuring infants' responses. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2000, 89, 577-581.   | 0.7 | 86        |
| 11797 | Gastric emptying of solids is delayed in celiac disease and normalizes after gluten withdrawal. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2000, 89, 921-925.   | 0.7 | 30        |
| 11798 | Reliability of sweat-testing by the Macroduct  collection method combined with conductivity analysis in comparison with the classic Gibson and Cooke technique. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2000, 89, 933-937.                   | 0.7 | 4         |
| 11799 | Comparison of EML 105 and Advantage analysers measuring capillary versus venous whole blood glucose in neonates. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007, 90, 1033-1041.  | 0.7 | 13        |
| 11800 | Comparison of two strip test methods of whole blood glucose measurement in the neonatal period. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2001, 90, 1042-1046.   | 0.7 | 10        |
| 11801 | Early oral behaviour in preterm infants during breastfeeding: an electromyographic study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2001, 90, 658-663.   | 0.7 | 42        |
| 11802 | Faecal calprotectin levels in infants with infantile colic, healthy infants, children with inflammatory bowel disease, children with recurrent abdominal pain and healthy children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2002, 91, 45-50. | 0.7 | 143       |
| 11803 | Agreement between capillary and arterial lactate in the newborn. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2002, 91, 78-81.  | 0.7 | 30        |
| 11804 | Reliability of the SNAP (score of neonatal acute physiology) data collection in mechanically ventilated term babies in New South Wales, Australia. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2002, 91, 424-429.                                | 0.7 | 1         |
| 11805 | Cardiovascular responses to submaximal treadmill running in 11 to 13 year olds. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2002, 91, 125-131.   | 0.7 | 21        |
| 11806 | Measurement error associated with spinal mobility measures in children with and without low back pain. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2002, 91, 1339-1343.  | 0.7 | 17        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11807 | Body composition, as assessed by bioelectrical impedance spectroscopy and dual-energy X-ray absorptiometry, in a healthy paediatric population. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2002, 91, 755-760.  | 0.7 | 45        |
| 11808 | How reliable is axillary temperature measurement?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2003, 92, 309-313.   | 0.7 | 38        |
| 11809 | Genital anatomy in non-abused preschool girls. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2003, 92, 1453-1462.   | 0.7 | 54        |
| 11810 | The value of Bilicheck as a screening tool for neonatal jaundice in term and near-term babies. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2004, 93, 1486-1490.   | 0.7 | 35        |
| 11811 | Concentrations of IL-10 in preterm human milk and in milk from mothers of infants with necrotizing enterocolitis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2004, 93, 1496-1500.  | 0.7 | 49        |
| 11812 | Screening for duct-dependent congenital heart disease with pulse oximetry: A critical evaluation of strategies to maximize sensitivity. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005, 94, 1590-1596.  | 0.7 | 73        |
| 11813 | Ages and Stages Questionnaire used to measure cognitive deficit in children born extremely preterm. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005, 94, 1327-1329.  | 0.7 | 62        |
| 11814 | Assessment of total body fat using the skinfold technique in full-term and preterm infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2006, 95, 21-28.  | 0.7 | 2         |
| 11815 | The effects of swaddling on oxygen saturation and respiratory rate of healthy infants in Mongolia. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007, 96, 261-265.   | 0.7 | 16        |
| 11816 | Hydration abnormalities in Nigerian patients on chronic hemodialysis. <i>Hemodialysis International</i> , 2007, 11, S22-S28.  | 0.4 | 4         |
| 11817 | Increased QT variability in young asymptomatic patients with $\beta$ -thalassemia major. <i>European Journal of Haematology</i> , 2007, 79, 322-329.  | 1.1 | 29        |
| 11818 | Measurement of range of movement in the lumbar spine—what methods are valid? A systematic review. <i>Physiotherapy</i> , 2007, 93, 201-211.   | 0.2 | 28        |
| 11819 | Ambulatory oxygen therapy assessment: a comparative study of incremental shuttle and 6-minute walking tests. <i>Physiotherapy</i> , 2007, 93, 261-266.  | 0.2 | 2         |
| 11820 | Examination of real-time PCR for HIV-1 RNA and DNA quantitation in patients infected with HIV-1 BF intersubtype recombinant variants. <i>Journal of Virological Methods</i> , 2007, 140, 222-227.   | 1.0 | 24        |
| 11821 | Evaluation of performance across the dynamic range of the Abbott RealTime <sup>®</sup> HIV-1 assay as compared to VERSANT HIV-1 RNA 3.0 and AMPLICOR HIV-1 MONITOR v1.5 using serial dilutions of 39 group M and O viruses. <i>Journal of Virological Methods</i> , 2007, 141, 49-57. | 1.0 | 49        |
| 11822 | Clinical performance of an in-house real-time RT-PCR assay using a fluorogenic LUX <sup>®</sup> primer for quantitation of human immunodeficiency virus type-1 (HIV-1). <i>Journal of Virological Methods</i> , 2007, 146, 14-21.   | 1.0 | 8         |
| 11823 | Comparison of Versant HBV DNA 3.0 and COBAS AmpliPrep <sup>®</sup> COBAS TaqMan assays for hepatitis B DNA quantitation: Possible clinical implications. <i>Journal of Virological Methods</i> , 2007, 146, 274-280.  | 1.0 | 17        |
| 11824 | Conventional radiography cannot replace CT scanning in detecting tibial tubercle lateralisation. <i>Knee</i> , 2007, 14, 51-54.   | 0.8 | 45        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 11825 | A new CT scan method for measuring the tibial tubercle trochlear groove distance in patellar instability. <i>Knee</i> , 2007, 14, 128-132.   | 0.8 | 55        |
| 11826 | Reliability of a simple fluoroscopic method to study sagittal plane femorotibial contact changes in total knee arthroplasties during flexion. <i>Knee</i> , 2007, 14, 289-294.   | 0.8 | 3         |
| 11827 | A comparison of reproducibility of measurement techniques for patella position on axial radiographs after total knee arthroplasty. <i>Knee</i> , 2007, 14, 411-416.  | 0.8 | 32        |
| 11828 | Repeatability of skin displacement and pressure during "inhibitory" vastus lateralis muscle taping. <i>Manual Therapy</i> , 2007, 12, 17-21.   | 1.6 | 7         |
| 11829 | Direct, quantitative clinical assessment of hand function: Usefulness and reproducibility. <i>Manual Therapy</i> , 2007, 12, 144-152.  | 1.6 | 35        |
| 11830 | Evaluation of repeatability of pressure algometry on the neck muscles for clinical use. <i>Manual Therapy</i> , 2007, 12, 192-197.   | 1.6 | 178       |
| 11831 | Reliability of the Thomas test for assessing range of motion about the hip. <i>Physical Therapy in Sport</i> , 2007, 8, 14-21.   | 0.8 | 50        |
| 11832 | An improved automated method to quantitate infarct volume in triphenyltetrazolium stained rat brain sections. <i>Journal of Pharmacological and Toxicological Methods</i> , 2007, 56, 339-343.   | 0.3 | 17        |
| 11833 | Impaired sadness recognition is linked to social interaction deficit in autism. <i>Neuropsychologia</i> , 2007, 45, 1501-1510.   | 0.7 | 142       |
| 11834 | Validation of a three-frequency bioimpedance spectroscopic method for body composition analysis. <i>Nutrition</i> , 2007, 23, 657-664.   | 1.1 | 31        |
| 11835 | Height reduction, determined using knee height measurement as a risk factor or predictive sign for osteoporosis in elderly women. <i>Nutrition</i> , 2007, 23, 794-797.  | 1.1 | 12        |
| 11836 | The Accuracy and Precision of an Equine In-Shoe Pressure Measurement System as a Tool for Gait Analysis. <i>Journal of Equine Veterinary Science</i> , 2007, 27, 161-166.  | 0.4 | 13        |
| 11837 | Development and validation of a real time PCR-based bioassay for quantification of neutralizing antibodies against human interferon-beta. <i>Journal of Immunological Methods</i> , 2007, 321, 19-31.  | 0.6 | 63        |
| 11838 | Quantifying tumour-infiltrating lymphocyte subsets: A practical immuno-histochemical method. <i>Journal of Immunological Methods</i> , 2007, 321, 32-40.   | 0.6 | 29        |
| 11839 | Loss of T cell responses following long-term cryopreservation. <i>Journal of Immunological Methods</i> , 2007, 326, 93-115.  | 0.6 | 88        |
| 11840 | Arthroscopic estimation of the extent of chondropathy. <i>Osteoarthritis and Cartilage</i> , 2007, 15, 506-515.  | 0.6 | 6         |
| 11841 | Reliability, reproducibility and variability of the traditional Histologic/Histochemical Grading System vs the new OARSI Osteoarthritis Cartilage Histopathology Assessment System. <i>Osteoarthritis and Cartilage</i> , 2007, 15, 1241-1248. | 0.6 | 101       |
| 11842 | Accuracy of the Computer-Aided Surgical Simulation (CASS) System in the Treatment of Patients With Complex Craniomaxillofacial Deformity: A Pilot Study. <i>Journal of Oral and Maxillofacial Surgery</i> , 2007, 65, 248-254.                 | 0.5 | 202       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11843 | Beta-Blocker Therapy Does Not Alter the Rate of Aortic Root Dilatation in Pediatric Patients with Marfan Syndrome. <i>Journal of Pediatrics</i> , 2007, 150, 77-82.   | 0.9 | 88        |
| 11844 | Pedometer accuracy in physical activity assessment of preschool children. <i>Journal of Science and Medicine in Sport</i> , 2007, 10, 303-310.  | 0.6 | 38        |
| 11845 | Cardiac index monitoring by pulse contour analysis and thermodilution after pediatric cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2007, 133, 224-228.  | 0.4 | 59        |
| 11846 | Impact of left atrial appendage exclusion on left atrial function. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2007, 133, 174-181.  | 0.4 | 21        |
| 11847 | Modification of the Modification of Diet in Renal Disease (MDRD) Study Equation for Japan. <i>American Journal of Kidney Diseases</i> , 2007, 50, 927-937.  | 2.1 | 316       |
| 11848 | Selection of Appropriate Glomerular Filtration Rate Estimating Equation. <i>Hong Kong Journal of Nephrology</i> , 2007, 9, 15-22.   | 0.0 | 0         |
| 11849 | What is the best way to measure waist circumference?. <i>Pediatric Obesity</i> , 2007, 2, 58-61.  | 3.2 | 60        |
| 11850 | Determination of central body fat by measuring natural waist and umbilical abdominal circumference in Guatemalan schoolchildren. <i>Pediatric Obesity</i> , 2007, 2, 114-121.   | 3.2 | 16        |
| 11851 | Calibration of an accelerometer during free-living activities in children. <i>Pediatric Obesity</i> , 2007, 2, 218-226.   | 3.2 | 218       |
| 11852 | Combined effect of body position, apparatus and distraction on children's resting metabolic rate. <i>Pediatric Obesity</i> , 2007, 2, 249-256.  | 3.2 | 8         |
| 11853 | Detecting Reduced Bone Mineral Density From Dental Radiographs Using Statistical Shape Models. <i>IEEE Transactions on Information Technology in Biomedicine</i> , 2007, 11, 601-610.                                       | 3.6 | 43        |
| 11854 | Accuracy Assessment of a Noninvasive Device for Monitoring Beat-by-Beat Blood Pressure in the Radial Artery Using the Volume-Compensation Method. <i>IEEE Transactions on Biomedical Engineering</i> , 2007, 54, 1892-1895. | 2.5 | 26        |
| 11855 | An Automated System for 24-h Monitoring of Cough Frequency: The Leicester Cough Monitor. <i>IEEE Transactions on Biomedical Engineering</i> , 2007, 54, 1472-1479.  | 2.5 | 75        |
| 11856 | Comparing dynamic contour tonometry to Goldmann and hand-held tonometry in normal, ocular hypertension, and glaucoma populations. <i>Annals of Ophthalmology</i> , 2007, 39, 41-49.   | 0.0 | 3         |
| 11857 | Frontomaxillary facial angle at 11 + 0 to 13 + 6 weeks' gestation—reproducibility of measurements. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 18-21.  | 0.9 | 37        |
| 11858 | Reliability and validity of tissue volume measurement by three-dimensional ultrasound: an experimental model. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 210-214.   | 0.9 | 41        |
| 11859 | Does three-dimensional power Doppler ultrasound help in discrimination between benign and malignant ovarian masses?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 215-225.                                    | 0.9 | 91        |
| 11860 | Development and internal validation of a nomogram to predict macrosomia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 544-549.  | 0.9 | 24        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11861 | Z-scores of the fetal aortic isthmus and duct: an aid to assessing arch hypoplasia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 628-633.   | 0.9 | 127       |
| 11862 | Sonographic estimation of fetal weight: comparison of bias, precision and consistency using 12 different formulae. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 173-179.  | 0.9 | 76        |
| 11863 | Impact of nuchal cord on measurement of fetal nuchal translucency thickness. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 197-200.  | 0.9 | 9         |
| 11864 | Frontomaxillary facial angle in chromosomally normal fetuses at 11 + 0 to 13 + 6 weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 737-741.   | 0.9 | 39        |
| 11865 | The left portal vein as an indicator of watershed in the fetal circulation: development during the second half of pregnancy and a suggested method of evaluation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 757-764.       | 0.9 | 34        |
| 11866 | Frontomaxillary and mandibulomaxillary facial angles at 11 + 0 to 13 + 6 weeks in fetuses with trisomy 18. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 928-933.  | 0.9 | 36        |
| 11867 | Benchmarking a computerized test of immediate verbal memory. <i>Behavior Research Methods</i> , 2007, 39, 863-869.  | 2.3 | 6         |
| 11868 | Confirmatory reanalysis of incurred bioanalytical samples. <i>AAPS Journal</i> , 2007, 9, E336-E343.  | 2.2 | 133       |
| 11869 | Development and Validation of a Noninvasive Method to Estimate Cardiac Output Using Cuff Sphygmomanometry. <i>Clinical Cardiology</i> , 2007, 30, 615-620.  | 0.7 | 20        |
| 11870 | The accuracy of 1- and 3-mm slices in coronary calcium scoring using multi-slice CT in vitro and in vivo. <i>European Radiology</i> , 2007, 17, 321-329.  | 2.3 | 28        |
| 11871 | Assessment of regional left ventricular function with multidetector-row computed tomography versus magnetic resonance imaging. <i>European Radiology</i> , 2007, 17, 1009-1017.   | 2.3 | 62        |
| 11872 | Coronary artery stent geometry and in-stent contrast attenuation with 64-slice computed tomography. <i>European Radiology</i> , 2007, 17, 1464-1473.  | 2.3 | 31        |
| 11873 | Multislice computed tomography: angiographic emulation versus standard assessment for detection of coronary stenoses. <i>European Radiology</i> , 2007, 17, 1858-1864.  | 2.3 | 8         |
| 11874 | Measurement by multidetector CT scan of the volume of hypopharyngeal and laryngeal tumours: accuracy and reproducibility. <i>European Radiology</i> , 2007, 17, 2096-2102.  | 2.3 | 21        |
| 11875 | Feasibility of a RARE-based sequence for quantitative diffusion-weighted MRI of the spine. <i>European Radiology</i> , 2007, 17, 2872-2879.   | 2.3 | 21        |
| 11876 | Automated CT volumetry of pulmonary metastases: the effect of a reduced growth threshold and target lesion number on the reliability of therapy response assessment using RECIST criteria. <i>European Radiology</i> , 2007, 17, 2561-2571. | 2.3 | 28        |
| 11877 | The intraindividual agreement of the bone density of the human proximal tibia. <i>Annals of Anatomy</i> , 2007, 189, 515-519.   | 1.0 | 4         |
| 11878 | A new craniofacial diagnostic technique: The Sydney diagnostic system. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2007, 131, 334-342.  | 0.8 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 11879 | Validating a clinical measure of levator hiatus size. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 196, 174.e1-174.e4.   | 0.7 | 9         |
| 11880 | Frontomaxillary facial angle in fetuses with trisomy 21 at 11-136 weeks. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 196, 271.e1-271.e4.  | 0.7 | 68        |
| 11881 | Frontomaxillary facial angles in screening for trisomy 21 at 14-23 weeksâ€™ gestation. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 160.e1-160.e5.  | 0.7 | 42        |
| 11882 | Cervical cytology reading times: A comparison between thinprep imager and conventional methods. <i>Diagnostic Cytopathology</i> , 2007, 35, 550-554.   | 0.5 | 18        |
| 11883 | Light measurement in the hospital: A comparison of two methods. <i>Research in Nursing and Health</i> , 2007, 30, 120-128.   | 0.8 | 16        |
| 11884 | Comparison of Laboratory Values Obtained by Phlebotomy versus Saline Lock Devices. <i>Academic Emergency Medicine</i> , 2007, 14, 23-27.   | 0.8 | 24        |
| 11885 | What a drop can do: Dried blood spots as a minimally invasive method for integrating biomarkers into population-based research. <i>Demography</i> , 2007, 44, 899-925.   | 1.2 | 568       |
| 11886 | Good accuracy of ultrasound estimations of fetal weight performed by midwives. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 688-692.  | 1.3 | 5         |
| 11887 | Precision, consistency, and reproducibility of blood pressure in diabetic and non-diabetic pregnancy: the appraisal of repeated measurements. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 1063-1070. | 1.3 | 10        |
| 11888 | Longitudinal study of Doppler flow resistance indices of the uterine arteries after normal vaginal delivery. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 1207-1214.                                  | 1.3 | 26        |
| 11889 | Bymixer system can measure O2 uptake and CO2 elimination in the anesthesia circle circuit. <i>Canadian Journal of Anaesthesia</i> , 2007, 54, 430-440.   | 0.7 | 4         |
| 11890 | The effect of MK-0524, a prostaglandin D2 receptor antagonist, on prostaglandin D2-induced nasal airway obstruction in healthy volunteers. <i>European Journal of Clinical Pharmacology</i> , 2007, 63, 135-141.         | 0.8 | 35        |
| 11891 | Comparison of manual tracing versus a semiautomatic radial measurement method in temporal lobe MRI volumetry for pharmaco-resistant epilepsy. <i>Neuroradiology</i> , 2007, 49, 189-201.                                 | 1.1 | 11        |
| 11892 | Variability of clinical CT perfusion measurements in patients with carotid stenosis. <i>Neuroradiology</i> , 2007, 49, 955-961.  | 1.1 | 19        |
| 11893 | Evaluation of aortic regurgitation in congenital heart disease: value of MR imaging in comparison to echocardiography. <i>Pediatric Radiology</i> , 2007, 37, 426-436.   | 1.1 | 51        |
| 11894 | Coronary magnetic resonance angiography and vessel wall imaging in children with Kawasaki disease. <i>Pediatric Radiology</i> , 2007, 37, 666-673.   | 1.1 | 68        |
| 11895 | Reproducibility of measurements of hepatic artery and portal vein diameter and flow velocity in paediatric liver transplant recipients. <i>Pediatric Radiology</i> , 2007, 37, 813-817.                                  | 1.1 | 4         |
| 11896 | Childhood acute pyelonephritis: comparison of power Doppler sonography and Tc-DMSA scintigraphy. <i>Pediatric Radiology</i> , 2007, 37, 685-690.   | 1.1 | 26        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 11897 | Bone age estimation and prediction of final height in patients with $\beta^2$ -thalassaemia major: a comparison between the two most common methods. <i>Pediatric Radiology</i> , 2007, 37, 1241-1246.   | 1.1 | 19        |
| 11898 | Semiautomated digital analysis of knee joint space width using MR images. <i>Skeletal Radiology</i> , 2007, 36, 437-444.   | 1.2 | 3         |
| 11899 | Validation of phalanx bone three-dimensional surface segmentation from computed tomography images using laser scanning. <i>Skeletal Radiology</i> , 2007, 37, 35-42.   | 1.2 | 31        |
| 11900 | Reliability of HemoCue in patients with gastrointestinal bleeding. <i>Intensive Care Medicine</i> , 2007, 33, 355-358.   | 3.9 | 44        |
| 11901 | Determination of functional residual capacity by oxygen washin-washout: a validation study. <i>Intensive Care Medicine</i> , 2007, 33, 912-916.  | 3.9 | 27        |
| 11902 | Reproducibility of bladder pressure measurements in critically ill patients. <i>Intensive Care Medicine</i> , 2007, 33, 1195-1198.   | 3.9 | 26        |
| 11903 | Semicontinuous intra-abdominal pressure measurement using an intragastric Compliance catheter. <i>Intensive Care Medicine</i> , 2007, 33, 1297-1300.   | 3.9 | 29        |
| 11904 | Agreement of central venous saturation and mixed venous saturation in cardiac surgery patients. <i>Intensive Care Medicine</i> , 2007, 33, 1719-1725.  | 3.9 | 58        |
| 11905 | Reliability of mini-bronchoalveolar lavage for the measurement of epithelial lining fluid concentrations of tobramycin in critically ill patients. <i>Intensive Care Medicine</i> , 2007, 33, 1519-1523.   | 3.9 | 72        |
| 11906 | Pediatric Index of Mortality 2 score in Italy: a multicenter, prospective, observational study. <i>Intensive Care Medicine</i> , 2007, 33, 1407-1413.  | 3.9 | 49        |
| 11907 | Continuous monitoring of ScvO <sub>2</sub> by a new fibre-optic technology compared with blood gas oximetry in critically ill patients: a multicentre study. <i>Intensive Care Medicine</i> , 2007, 33, 1767-1770.   | 3.9 | 31        |
| 11908 | Measurement of functional residual capacity by helium dilution during partial support ventilation: in vitro accuracy and in vivo precision of the method. <i>Intensive Care Medicine</i> , 2007, 33, 2109-15.  | 3.9 | 22        |
| 11909 | Accuracy of bedside capillary blood glucose measurements in critically ill patients. <i>Intensive Care Medicine</i> , 2007, 33, 2079-2084.   | 3.9 | 138       |
| 11910 | A comparative study of water perfusion catheters and microtip transducer catheters for urethral pressure measurements. <i>International Urogynecology Journal</i> , 2007, 18, 931-935.   | 0.7 | 14        |
| 11911 | Relationship between blood pressure obtained from the upper arm with a cuff-type sphygmomanometer and central blood pressure measured with a catheter-tipped micromanometer. <i>Heart and Vessels</i> , 2007, 22, 410-415.                                       | 0.5 | 41        |
| 11913 | Use of coronary calcium score scans from stand-alone multislice computed tomography for attenuation correction of myocardial perfusion SPECT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 11-19.                               | 3.3 | 106       |
| 11914 | Evaluation of iterative reconstruction (OSEM) versus filtered back-projection for the assessment of myocardial glucose uptake and myocardial perfusion using dynamic PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 320-329. | 3.3 | 26        |
| 11915 | Simultaneous evaluation of myocardial blood flow, cardiac function and lung water content using [ <sup>15</sup> O]H <sub>2</sub> O and positron emission tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 563-572.      | 3.3 | 7         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 11916 | Quantification of left ventricular volumes and ejection fraction from gated 99mTc-MIBI SPECT: validation of an elastic surface model approach in comparison to cardiac magnetic resonance imaging, 4D-MSPECT and QGS. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 900-909. | 3.3 | 31        |
| 11917 | Is it possible to predict renal function in small animals using a multi-pinhole SPECT system?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 606-606.  | 3.3 | 1         |
| 11918 | Validation of a new cardiac image fusion software for three-dimensional integration of myocardial perfusion SPECT and stand-alone 64-slice CT angiography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1097-1106.  | 3.3 | 140       |
| 11919 | Accuracy of 3D acquisition mode for myocardial FDG PET studies using a BGO-based scanner. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1439-1446.   | 3.3 | 1         |
| 11920 | Assessment of intra- and interobserver reproducibility of rest and cold pressor test-stimulated myocardial blood flow with <sup>13</sup> N-ammonia and PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1178-1188.   | 3.3 | 56        |
| 11921 | Reply. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1127-1128.  | 3.3 | 1         |
| 11922 | Staging rectal cancer: MRI compared to MDCT. <i>Abdominal Imaging</i> , 2007, 32, 323-327.   | 2.0 | 35        |
| 11923 | Daytime polysomnography for early diagnosis and treatment of patients with suspected sleep-disordered breathing. <i>Sleep and Breathing</i> , 2007, 11, 109-115.   | 0.9 | 11        |
| 11924 | Estimation of Daily Human Intake of Food Flavonoids. <i>Plant Foods for Human Nutrition</i> , 2007, 62, 93-98.   | 1.4 | 43        |
| 11925 | Twelve years' experience with the Patient Generated Index (PGI) of quality of life: a graded structured review. <i>Quality of Life Research</i> , 2007, 16, 705-715.   | 1.5 | 74        |
| 11926 | Reproducibility of 24-Hour Combined Multiple Intraluminal Impedance (MII) and pH Measurements in Infants and Children. Evaluation of a Diagnostic Procedure for Gastroesophageal Reflux Disease. <i>Digestive Diseases and Sciences</i> , 2007, 52, 2159-2165.   | 1.1 | 41        |
| 11927 | <sup>13</sup> C-1- <sup>14</sup> C-Ketoisocaproic Acid Breath Test Revisited: An In-Depth Reproducibility Study Advocates an Extended Breath Sampling Period. <i>Digestive Diseases and Sciences</i> , 2007, 52, 3481-3487.  | 1.1 | 13        |
| 11928 | Comparison of optic nerve head topography in healthy adults using a Heidelberg retina tomograph and retinal thickness analyzer. <i>International Ophthalmology</i> , 2007, 27, 1-9.  | 0.6 | 1         |
| 11929 | New Metabolic Lung Simulator: Development, Description, and Validation. <i>Journal of Clinical Monitoring and Computing</i> , 2007, 21, 71-82.   | 0.7 | 7         |
| 11930 | Accuracy of a Novel Approach to Measuring Arterial Thermodilution Cardiac Output During Intra-Aortic Counterpulsation. <i>Journal of Clinical Monitoring and Computing</i> , 2007, 21, 147-153.  | 0.7 | 3         |
| 11931 | Cardiac Output Derived From Left Ventricular Pressure During Conductance Catheter Evaluations: An Extended Modelflow Method. <i>Journal of Clinical Monitoring and Computing</i> , 2007, 21, 227-235.  | 0.7 | 0         |
| 11932 | Blood gas measurements using the Bayer Rapid Point 405: are we basing our decisions on accurate data?. <i>Journal of Clinical Monitoring and Computing</i> , 2007, 21, 253-256.  | 0.7 | 7         |
| 11933 | Clinical Validation of a Digital Transcutaneous PCO <sub>2</sub> /SpO <sub>2</sub> Ear Sensor in Adult Patients after Cardiac Surgery. <i>Journal of Clinical Monitoring and Computing</i> , 2007, 21, 303-309.  | 0.7 | 10        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11934 | Using Bland-Altman to Assess Agreement between Two Medical Devices – Don't Forget the Confidence Intervals!. <i>Journal of Clinical Monitoring and Computing</i> , 2007, 21, 331-333.   | 0.7 | 62        |
| 11935 | Effects of vasodilation on cardiac output measured by PulseCO <sub>2</sub> . <i>Journal of Clinical Monitoring and Computing</i> , 2007, 21, 335-339.   | 0.7 | 24        |
| 11936 | Multi-Channel Electrical Bioimpedance: A New Noninvasive Method To Simultaneously Measure Cardiac And Peripheral Blood Flow. <i>Journal of Clinical Monitoring and Computing</i> , 2007, 21, 345-351.   | 0.7 | 2         |
| 11937 | The relationship between the photoplethysmographic waveform and systemic vascular resistance. <i>Journal of Clinical Monitoring and Computing</i> , 2007, 21, 365-372.  | 0.7 | 110       |
| 11938 | Quantitative contrast enhanced magnetic resonance imaging for the evaluation of peripheral arterial disease: a comparative study versus standard digital angiography. <i>International Journal of Cardiovascular Imaging</i> , 2007, 23, 225-232.           | 0.7 | 10        |
| 11939 | Assessment of pulmonary valve and right ventricular outflow tract with real-time three-dimensional echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2007, 23, 167-175.  | 0.7 | 51        |
| 11940 | True mitral annulus diameter is underestimated by two-dimensional echocardiography as evidenced by real-time three-dimensional echocardiography and magnetic resonance imaging. <i>International Journal of Cardiovascular Imaging</i> , 2007, 23, 541-547. | 0.7 | 37        |
| 11941 | Effects of steady state free precession parameters on cardiac mass, function, and volumes. <i>International Journal of Cardiovascular Imaging</i> , 2007, 23, 583-589.  | 0.7 | 9         |
| 11942 | Value of assessment of tricuspid annulus: real-time three-dimensional echocardiography and magnetic resonance imaging. <i>International Journal of Cardiovascular Imaging</i> , 2007, 23, 701-705.  | 0.7 | 82        |
| 11943 | Assessment of normal tricuspid valve anatomy in adults by real-time three-dimensional echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2007, 23, 717-724.   | 0.7 | 124       |
| 11944 | New quantitative three-dimensional echocardiographic indices of mitral valve stenosis. <i>International Journal of Cardiovascular Imaging</i> , 2007, 23, 707-716.  | 0.7 | 18        |
| 11945 | Alterations in aortic elasticity in noncompaction cardiomyopathy. <i>International Journal of Cardiovascular Imaging</i> , 2007, 24, 7-13.  | 0.7 | 4         |
| 11946 | Characterization of the Upper Limb Arterial Properties during Reactive Hyperemia. <i>Cardiovascular Engineering (Dordrecht, Netherlands)</i> , 2007, 7, 127-134.  | 1.0 | 6         |
| 11947 | Subject-specific Model Estimation of Cardiac Output and Blood Volume During Hemorrhage. <i>Cardiovascular Engineering (Dordrecht, Netherlands)</i> , 2007, 7, 97-120.   | 1.0 | 40        |
| 11948 | Leg blood flow measurements using venous occlusion plethysmography during head-up tilt. <i>Clinical Autonomic Research</i> , 2007, 17, 106-111.   | 1.4 | 14        |
| 11949 | Comparative evaluation of active contour model extensions for automated cardiac MR image segmentation by regional error assessment. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2007, 20, 69-82.                                | 1.1 | 15        |
| 11950 | A Novel Technique to Identify Patients with Megarectum. <i>Diseases of the Colon and Rectum</i> , 2007, 50, 621-629.  | 0.7 | 21        |
| 11951 | Cycloplegic Effect of 0.5%Tropicamide and 0.5%Phenylephrine Mixed Eye Drops: Objective Assessment in Japanese Schoolchildren with Myopia. <i>Japanese Journal of Ophthalmology</i> , 2007, 51, 111-115.   | 0.9 | 25        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11952 | Axial Length Measurement Using Partial Coherence Interferometry in Myopic Children: Repeatability of the Measurement and Comparison with Refractive Components. <i>Japanese Journal of Ophthalmology</i> , 2007, 51, 105-110.                                 | 0.9 | 34        |
| 11953 | Development of an automatic Doppler flow signal detection system: variability of pulmonary and aortic peak flow velocity. <i>Journal of Medical Ultrasonics (2001)</i> , 2007, 34, 37-42.   | 0.6 | 0         |
| 11954 | Optical Vibrocardiography: A Novel Tool for the Optical Monitoring of Cardiac Activity. <i>Annals of Biomedical Engineering</i> , 2007, 35, 45-58.  | 1.3 | 95        |
| 11955 | Validation of esophageal Doppler for noninvasive hemodynamic monitoring under pneumoperitoneum. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2007, 21, 1349-1353.  | 1.3 | 11        |
| 11956 | Validation of child serum creatinine-based prediction equations for glomerular filtration rate. <i>Pediatric Nephrology</i> , 2007, 22, 272-281.  | 0.9 | 48        |
| 11957 | Bias and precision of estimated glomerular filtration rate in children. <i>Pediatric Nephrology</i> , 2007, 22, 167-169.  | 0.9 | 17        |
| 11958 | The Freiburg Visual Acuity Test-Variability unchanged by post-hoc re-analysis. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2007, 245, 965-971.  | 1.0 | 282       |
| 11959 | Environmental monitoring of occupational exposure to N,N-dimethylformamide: comparison between active and diffusive sampling. <i>International Archives of Occupational and Environmental Health</i> , 2007, 80, 228-233.                                     | 1.1 | 3         |
| 11960 | Correction of compliance and resistance altered by endotracheal tube leaks and non-linear pressure/volume-relationships. <i>European Journal of Applied Physiology</i> , 2007, 99, 301-311.   | 1.2 | 5         |
| 11961 | The influence of inspiratory and expiratory muscle training upon rowing performance. <i>European Journal of Applied Physiology</i> , 2007, 99, 457-466.   | 1.2 | 96        |
| 11962 | Reproducibility of onset and recovery oxygen uptake kinetics in moderately impaired patients with chronic heart failure. <i>European Journal of Applied Physiology</i> , 2007, 100, 45-52.  | 1.2 | 48        |
| 11963 | A re-appraisal of the reliability of the 20m multi-stage shuttle run test. <i>European Journal of Applied Physiology</i> , 2007, 100, 287-292.  | 1.2 | 26        |
| 11964 | Loss of CO from the intravascular bed and its impact on the optimised CO-rebreathing method. <i>European Journal of Applied Physiology</i> , 2007, 100, 383-391.  | 1.2 | 111       |
| 11965 | Cross-validation of the 20- versus 30-s Wingate anaerobic test. <i>European Journal of Applied Physiology</i> , 2007, 100, 645-651.   | 1.2 | 40        |
| 11966 | Influence of the sample collection method on salivary interleukin-6 levels in resting and post-exercise conditions. <i>European Journal of Applied Physiology</i> , 2007, 101, 249-256.   | 1.2 | 42        |
| 11967 | Prediction of maximal oxygen uptake from the ratings of perceived exertion and heart rate during a perceptually-regulated sub-maximal exercise test in active and sedentary participants. <i>European Journal of Applied Physiology</i> , 2007, 101, 397-407. | 1.2 | 102       |
| 11968 | Aerobic-anaerobic transition intensity measured via EMG signals in athletes with different physical activity patterns. <i>European Journal of Applied Physiology</i> , 2007, 101, 341-346.  | 1.2 | 21        |
| 11969 | Low agreement of ventilatory threshold between training modes in cardiac patients. <i>European Journal of Applied Physiology</i> , 2007, 101, 547-554.  | 1.2 | 25        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 11970 | Predictive validity of an age-specific MET equation among youth of varying body size. <i>European Journal of Applied Physiology</i> , 2007, 101, 555-563.  | 1.2 | 8         |
| 11971 | Overall and peripheral ratings of perceived exertion during a graded exercise test to volitional exhaustion in individuals of high and low fitness. <i>European Journal of Applied Physiology</i> , 2007, 101, 613-620.                          | 1.2 | 65        |
| 11972 | LPS inhalation challenge: a new tool to characterize the inflammatory response in humans. <i>Medical Microbiology and Immunology</i> , 2007, 197, 13-19.   | 2.6 | 20        |
| 11973 | Body composition of preterm infants measured during the first months of life: bioelectrical impedance provides insignificant additional information compared to anthropometry alone. <i>European Journal of Pediatrics</i> , 2007, 166, 215-222. | 1.3 | 36        |
| 11974 | Inter-observer validation study of quantitative CT-osteodensitometry in total knee arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2007, 127, 729-731.   | 1.3 | 8         |
| 11975 | A bivariate multi-level model, which avoids mathematical coupling in the study of change and initial periodontal attachment level after therapy. <i>Clinical Oral Investigations</i> , 2007, 11, 307-310.  | 1.4 | 7         |
| 11976 | Determination of Glycerol in Wines Using <sup>31</sup> P-NMR Spectroscopy. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2007, 84, 615-619.  | 0.8 | 16        |
| 11977 | Single Frequency Bioelectrical Impedance is a Poor Method for Determining Fat Mass in Moderately Obese Women. <i>Obesity Surgery</i> , 2007, 17, 211-221.  | 1.1 | 21        |
| 11978 | Snakes based segmentation of the common carotid artery intima media. <i>Medical and Biological Engineering and Computing</i> , 2007, 45, 35-49.  | 1.6 | 259       |
| 11979 | Radial strain assessment of the interventricular septum wall by a new technique in healthy subjects. <i>Medical and Biological Engineering and Computing</i> , 2007, 45, 855-862.  | 1.6 | 0         |
| 11980 | Continuous monitoring of upper-limb activity in a free-living environment: a validation study. <i>Medical and Biological Engineering and Computing</i> , 2007, 45, 947-956.  | 1.6 | 17        |
| 11981 | Simultaneous determination of wave speed and arrival time of reflected waves using the pressure-velocity loop. <i>Medical and Biological Engineering and Computing</i> , 2007, 45, 1201-1210.  | 1.6 | 30        |
| 11982 | Contrast-enhanced ultrasonography in the follow-up of patients with hepatic metastases from breast carcinoma. <i>Radiologia Medica</i> , 2007, 112, 47-55.   | 4.7 | 7         |
| 11983 | OncoTREAT: a software assistant for cancer therapy monitoring. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2007, 1, 231-242.   | 1.7 | 35        |
| 11984 | Quantitative assessment of regional left ventricular wall thickness and thickening using 16 multidetector-row computed tomography: comparison with cine magnetic resonance imaging. <i>Radiation Medicine</i> , 2007, 25, 119-126.               | 0.8 | 15        |
| 11985 | Direct comparison of kinematic data collected using an electromagnetic tracking system versus a digital optical system. <i>Journal of Biomechanics</i> , 2007, 40, 930-935.  | 0.9 | 31        |
| 11986 | Simultaneous quantification of free triiodothyronine and free thyroxine by isotope dilution tandem mass spectrometry. <i>Clinical Biochemistry</i> , 2007, 40, 1386-1391.  | 0.8 | 85        |
| 11987 | Therapeutic drug monitoring of tacrolimus with the dried blood spot method. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007, 44, 658-664.  | 1.4 | 165       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 11988 | Validation of manufacturing process of Diltiazem HCl tablets by NIR spectrophotometry (NIRS). <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007, 45, 356-361.   | 1.4 | 37        |
| 11989 | Is the "instant flow" option on the NIOX <sup>®</sup> analyser needed?. <i>Medical Engineering and Physics</i> , 2007, 29, 72-75.   | 0.8 | 2         |
| 11990 | A Bland-Altman Analysis of the Bias Between Computed Tomography and Ultrasound Prostate Volume Measurements. <i>Medical Dosimetry</i> , 2008, 33, 234-238.  | 0.4 | 3         |
| 11991 | Rapid assessment of regional and global left ventricular function using three-dimensional k-t BLAST imaging. <i>Magnetic Resonance Imaging</i> , 2008, 26, 727-738.   | 1.0 | 7         |
| 11992 | Beta-trace protein is not superior to cystatin C for the estimation of GFR in patients receiving corticosteroids. <i>Clinical Biochemistry</i> , 2008, 41, 299-305.   | 0.8 | 47        |
| 11993 | Evaluation of global cardiac functional parameters using single-breath-hold three-dimensional cine steady-state free precession MR imaging with two types of speed-up techniques: Comparison with two-dimensional cine imaging. <i>Computerized Medical Imaging and Graphics</i> , 2008, 32, 61-66. | 3.5 | 14        |
| 11994 | Accuracy and precision of a method to study kinematics of the temporomandibular joint: Combination of motion data and CT imaging. <i>Journal of Biomechanics</i> , 2008, 41, 2581-2584.   | 0.9 | 11        |
| 11995 | A simple method for measuring force, velocity and power output during squat jump. <i>Journal of Biomechanics</i> , 2008, 41, 2940-2945.   | 0.9 | 194       |
| 11996 | Determination of urinary phytoestrogens by HPLC-MS/MS: A comparison of atmospheric pressure chemical ionization (APCI) and electrospray ionization (ESI). <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008, 861, 145-150.                     | 1.2 | 45        |
| 11997 | A PDMS-based disposable microfluidic sensor for CD4+ lymphocyte counting. <i>Biomedical Microdevices</i> , 2008, 10, 851-857.   | 1.4 | 34        |
| 11998 | Assessment of global left ventricular functional parameters: analysis of every second short-axis Magnetic Resonance Imaging slices is as accurate as analysis of consecutive slices. <i>International Journal of Cardiovascular Imaging</i> , 2008, 24, 185-191.                                    | 0.7 | 5         |
| 11999 | Assessment of left ventricular function: comparison of cardiac multidetector-row computed tomography with two-dimension standard echocardiography for assessment of left ventricular function. <i>International Journal of Cardiovascular Imaging</i> , 2008, 24, 317-325.                          | 0.7 | 29        |
| 12000 | Quantification of atherosclerotic coronary plaque components by submillimeter computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2008, 24, 301-310.  | 0.7 | 24        |
| 12001 | Nonlinear Assessment of Cerebral Autoregulation from Spontaneous Blood Pressure and Cerebral Blood Flow Fluctuations. <i>Cardiovascular Engineering (Dordrecht, Netherlands)</i> , 2008, 8, 60-71.  | 1.0 | 73        |
| 12002 | Measuring health-related quality of life in Greek children: psychometric properties of the Greek version of the Pediatric Quality of Life Inventory <sup>TM</sup> 4.0 Generic Core Scales. <i>Quality of Life Research</i> , 2008, 17, 299-305.   | 1.5 | 57        |
| 12003 | Salivary Cotinine, Doctor-diagnosed Asthma and Respiratory Symptoms in Primary Schoolchildren. <i>Maternal and Child Health Journal</i> , 2008, 12, 188-193.  | 0.7 | 15        |
| 12004 | A randomized trial comparing INR monitoring devices in patients with anticoagulation self-management: evaluation of a novel error-grid approach. <i>Journal of Thrombosis and Thrombolysis</i> , 2008, 26, 22-30.   | 1.0 | 15        |
| 12005 | Evaluation of hemodialysis adequacy using online Kt/V and single-pool variable-volume urea Kt/V. <i>International Urology and Nephrology</i> , 2008, 40, 771-778.   | 0.6 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12006 | Sleep apnea syndrome: improved detection of respiratory events and cortical arousals using oxymetry pulse wave amplitude during polysomnography. <i>Sleep and Breathing</i> , 2008, 12, 33-38.   | 0.9 | 20        |
| 12007 | Automated detection of sleep disordered breathing using a nasal pressure monitoring device. <i>Sleep and Breathing</i> , 2008, 12, 339-345.  | 0.9 | 50        |
| 12008 | Multicenter Evaluation of Noninvasive Cardiac Output Measurement by Bioreactance Technique. <i>Journal of Clinical Monitoring and Computing</i> , 2008, 22, 113-119.   | 0.7 | 188       |
| 12009 | Influence of ECG Sampling Frequency on Spectral Analysis of RR Intervals and Baroreflex Sensitivity Using the EUROBAVAR Data set. <i>Journal of Clinical Monitoring and Computing</i> , 2008, 22, 159-168.   | 0.7 | 57        |
| 12010 | Accuracy of Continuous Central Venous Oxygen Saturation Monitoring in Patients Undergoing Cardiac Surgery. <i>Journal of Clinical Monitoring and Computing</i> , 2008, 22, 183-188.  | 0.7 | 20        |
| 12011 | A Measure of Confidence in Bland-Altman Analysis for the Interchangeability of Two Methods of Measurement. <i>Journal of Clinical Monitoring and Computing</i> , 2008, 22, 257-259.  | 0.7 | 27        |
| 12012 | Non-invasive automated measurement of cardiac output during stable cardiac surgery using a fully integrated differential CO <sub>2</sub> Fick method. <i>Journal of Clinical Monitoring and Computing</i> , 2008, 22, 285-92.  | 0.7 | 19        |
| 12013 | Exercise Capacity in Non-Specific Chronic Low Back Pain Patients: A Lean Body Mass-Based Çstrand Bicycle Test; Reliability, Validity and Feasibility. <i>Journal of Occupational Rehabilitation</i> , 2008, 18, 282-289.   | 1.2 | 11        |
| 12014 | The Bile Acid Turnover Rate Assessed with the <sup>75</sup> SeHCAT Test Is Stable in Chronic Diarrhoea but Slightly Decreased in Healthy Subjects After a Long Period of Time. <i>Digestive Diseases and Sciences</i> , 2008, 53, 2935-2940.   | 1.1 | 21        |
| 12015 | Comparison of the Danish Physical Activity Questionnaire with a validated position and motion instrument. <i>European Journal of Epidemiology</i> , 2008, 23, 311-322.   | 2.5 | 29        |
| 12016 | Perinatal factors reported by mothers: do they agree with medical records?. <i>European Journal of Epidemiology</i> , 2008, 23, 557-564.   | 2.5 | 58        |
| 12017 | Detecting systematic discrepancies in nursing home assessments of residents. <i>Health Services and Outcomes Research Methodology</i> , 2008, 8, 19-30.  | 0.8 | 1         |
| 12018 | Analysis of in vivo left atrial appendage morphology in patients with atrial fibrillation: a direct comparison of transesophageal echocardiography, planar cardiac CT, and segmented three-dimensional cardiac CT. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2008, 23, 87-93. | 0.6 | 110       |
| 12019 | Cardiac output determination by thermodilution and arterial pulse waveform analysis in patients undergoing aortic valve replacement. <i>Canadian Journal of Anaesthesia</i> , 2008, 55, 22-28.   | 0.7 | 20        |
| 12020 | A practical approach to estimate resting energy expenditure in frail elderly people. <i>Journal of Nutrition, Health and Aging</i> , 2008, 12, 277-280.  | 1.5 | 18        |
| 12021 | Adenosine triphosphate in exhaled breath condensate of healthy subjects and patients with chronic obstructive pulmonary disease. <i>Inflammation Research</i> , 2008, 57, 367-373.   | 1.6 | 32        |
| 12022 | Dental Side Effects of Mandibular Advancement Appliances – A 2-year Follow-up. <i>Journal of Orofacial Orthopedics</i> , 2008, 69, 437-447.  | 0.5 | 23        |
| 12023 | Measuring common mental disorders in women in Ethiopia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 653-9.   | 1.6 | 26        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12024 | Continuous and intermittent cardiac output measurement in hyperdynamic conditions: pulmonary artery catheter vs. lithium dilution technique. <i>Intensive Care Medicine</i> , 2008, 34, 257-263.   | 3.9 | 89        |
| 12025 | Assessment of stroke volume index with three different bioimpedance algorithms: lack of agreement compared to thermodilution. <i>Intensive Care Medicine</i> , 2008, 34, 735-739.  | 3.9 | 41        |
| 12026 | In vitro validation of a novel method for continuous intra-abdominal pressure monitoring. <i>Intensive Care Medicine</i> , 2008, 34, 740-745.  | 3.9 | 100       |
| 12027 | Cardiac output measurement in children: comparison of the Ultrasound Cardiac Output Monitor with thermodilution cardiac output measurement. <i>Intensive Care Medicine</i> , 2008, 34, 1060-1064.  | 3.9 | 78        |
| 12028 | Evaluation of a transcutaneous carbon dioxide monitor in severe obesity. <i>Intensive Care Medicine</i> , 2008, 34, 1340-1344.   | 3.9 | 50        |
| 12029 | The effect of different reference transducer positions on intra-abdominal pressure measurement: a multicenter analysis. <i>Intensive Care Medicine</i> , 2008, 34, 1299-1303.  | 3.9 | 39        |
| 12030 | NICEM consensus on neurological monitoring in acute neurological disease. <i>Intensive Care Medicine</i> , 2008, 34, 1362-1370.  | 3.9 | 115       |
| 12031 | Image reconstruction affects computer tomographic assessment of lung hyperinflation. <i>Intensive Care Medicine</i> , 2008, 34, 2044-2053.   | 3.9 | 39        |
| 12032 | Prevalence and associated risk factors of retention of urine after caesarean section. <i>International Urogynecology Journal</i> , 2008, 19, 537-542.  | 0.7 | 23        |
| 12033 | Clarification and confirmation of the Knack maneuver: the effect of volitional pelvic floor muscle contraction to preempt expected stress incontinence. <i>International Urogynecology Journal</i> , 2008, 19, 773-782.                  | 0.7 | 107       |
| 12034 | Validation of hippocampal volumes measured using a manual method and two automated methods (FreeSurfer and IBASPM) in chronic major depressive disorder. <i>Neuroradiology</i> , 2008, 50, 569-581.                                      | 1.1 | 216       |
| 12035 | Assessment of intima-media thickness of carotid arteries: evaluation of an automated computer software. <i>Neuroradiology</i> , 2008, 50, 849-853.   | 1.1 | 13        |
| 12036 | Measuring Stress Velocity Index Using Mean Blood Pressure: Simple yet Accurate?. <i>Pediatric Cardiology</i> , 2008, 29, 108-112.  | 0.6 | 7         |
| 12037 | Correlation Between Right Ventricular Tei Index by Tissue Doppler Imaging and Pulsed Doppler Imaging in Fetuses. <i>Pediatric Cardiology</i> , 2008, 29, 739-743.  | 0.6 | 13        |
| 12038 | Comparison of Calculated with Measured Oxygen Consumption in Children Undergoing Cardiac Catheterization. <i>Pediatric Cardiology</i> , 2008, 29, 1054-1058.   | 0.6 | 28        |
| 12039 | Comparison of differential renal function using technetium-99m mercaptoacetyl triglycine (MAG3) and technetium-99m dimercaptosuccinic acid (DMSA) renography in a paediatric population. <i>Pediatric Radiology</i> , 2008, 38, 857-862. | 1.1 | 39        |
| 12040 | Atypical atrial septal defects in children: noninvasive evaluation by cardiac MRI. <i>Pediatric Radiology</i> , 2008, 38, 1188-1194.   | 1.1 | 21        |
| 12041 | Comparison of dynamic ultrasound and stress radiology for assessment of inferior glenohumeral laxity in asymptomatic shoulders. <i>Skeletal Radiology</i> , 2008, 37, 161-168.   | 1.2 | 19        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12042 | Statistics and methodology. <i>Skeletal Radiology</i> , 2008, 37, 393-396.   | 1.2 | 14        |
| 12043 | Comparison of SSS and SRS calculated from normal databases provided by QPS and 4D-MSPECT manufacturers and from identical institutional normals. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 311-318.  | 3.3 | 25        |
| 12044 | Non-invasive estimation of hepatic blood perfusion from H2 15O PET images using tissue-derived arterial and portal input functions. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 1899-1911.   | 3.3 | 29        |
| 12045 | Is 16-frame really superior to 8-frame gated SPECT for the assessment of left ventricular volumes and ejection fraction? Comparison of two simultaneously acquired gated SPECT studies. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 2059-2065. | 3.3 | 18        |
| 12046 | Dynamic 18F-fluoride small animal PET to noninvasively assess renal function in rats. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 2267-2274.   | 3.3 | 34        |
| 12047 | Outcome evaluation measures for wrist and hand " which one to choose?. <i>International Orthopaedics</i> , 2008, 32, 1-6.  | 0.9 | 213       |
| 12048 | Translation and validation of Moroccan Western Ontario and Mc Master Universities (WOMAC) osteoarthritis index in knee osteoarthritis. <i>Rheumatology International</i> , 2008, 28, 677-683.  | 1.5 | 43        |
| 12049 | Validity of accelerometry in assessing the duration of the sit-to-stand movement. <i>Medical and Biological Engineering and Computing</i> , 2008, 46, 879-887.   | 1.6 | 54        |
| 12050 | Comparison of 16-multidetector-row computed tomography and angiocardiology for evaluating the central pulmonary artery diameter and pulmonary artery index in children with congenital heart disease. <i>Radiation Medicine</i> , 2008, 26, 337-342.                             | 0.8 | 4         |
| 12051 | Doppler myocardial performance index in assessment of ventricular function in children with single ventricles. <i>World Journal of Pediatrics</i> , 2008, 4, 109-113.  | 0.8 | 19        |
| 12052 | Reliable Angle Assessment During Periacetabular Osteotomy with a Novel Device. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 1169-1176.   | 0.7 | 15        |
| 12053 | Accuracy of Model-based RSA Contour Reduction in a Typical Clinical Application. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 1978-1986.   | 0.7 | 31        |
| 12054 | Radiographic Joint Space Width in Patients with Crowe Type-I Dysplastic Hips. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 2209-2216.  | 0.7 | 5         |
| 12055 | Use of skin-fold thickness in Sri Lankan children: Comparison of several prediction equations. <i>Indian Journal of Pediatrics</i> , 2008, 75, 1237-1242.  | 0.3 | 11        |
| 12056 | Assessment of diastolic function using 16-frame 201Tl gated myocardial perfusion SPECT: a comparative study of QGS2 and pFAST2. <i>Annals of Nuclear Medicine</i> , 2008, 22, 115-122.   | 1.2 | 10        |
| 12057 | Attenuation corrected gated SPECT for the assessment of left ventricular ejection fraction and volumes. <i>Annals of Nuclear Medicine</i> , 2008, 22, 171-176.   | 1.2 | 5         |
| 12058 | The effect of filtering and reconstruction method on the left ventricular ejection fraction derived from GSPET: a statistical comparison of angiography and echocardiography. <i>Annals of Nuclear Medicine</i> , 2008, 22, 707-713.   | 1.2 | 4         |
| 12059 | Validity of the sonographic longitudinal sagittal image for assessment of the cartilage thickness in the knee osteoarthritis. <i>Clinical Rheumatology</i> , 2008, 27, 1507-1516.  | 1.0 | 78        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12060 | Validation of the Hemavet HV950FS multispecies haematology analyser for analysis of canine blood. <i>Comparative Clinical Pathology</i> , 2008, 17, 1-8.   | 0.3 | 0         |
| 12061 | Presymptomatic spondylotic cervical myelopathy: an updated predictive model. <i>European Spine Journal</i> , 2008, 17, 421-431.  | 1.0 | 124       |
| 12062 | Comparison of digital and plain radiography preoperative templating in total knee arthroplasty. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2008, 18, 357-360.   | 0.6 | 7         |
| 12063 | Comparison of two different measurement techniques of hippocampal resection length in temporal lobe epilepsy: results of a prospective study. <i>Acta Neurochirurgica</i> , 2008, 150, 785-795.                                | 0.9 | 1         |
| 12064 | Application of the Phenomenex EZ:faastâ„¢ amino acid analysis kit for rapid gas-chromatographic determination of concentrations of plasma tryptophan and its brain uptake competitors. <i>Amino Acids</i> , 2008, 34, 587-596. | 1.2 | 94        |
| 12065 | Comparison of measuring devices. <i>AStA Advances in Statistical Analysis</i> , 2008, 92, 217-227.   | 0.4 | 0         |
| 12066 | Design and Validation of a Comprehensive Fecal Incontinence Questionnaire. <i>Diseases of the Colon and Rectum</i> , 2008, 51, 1502-1522.  | 0.7 | 16        |
| 12067 | New algorithm to analyze optical coherence tomographic images quantitatively. <i>Japanese Journal of Ophthalmology</i> , 2008, 52, 182-189.  | 0.9 | 4         |
| 12068 | Contrast-enhanced ultrasonography with Sonazoid for evaluation of renal microcirculation. <i>Journal of Medical Ultrasonics (2001)</i> , 2008, 35, 183-189.  | 0.6 | 6         |
| 12069 | Development and validation of a brief food frequency questionnaire for dietary lutein and zeaxanthin intake assessment in Italian women. <i>European Journal of Nutrition</i> , 2008, 47, 1-9.                                 | 1.8 | 14        |
| 12070 | Body composition obtained from the body mass index. <i>European Journal of Nutrition</i> , 2008, 47, 409-416.  | 1.8 | 23        |
| 12071 | Cortical $\alpha$ -synuclein load is associated with amyloid- $\beta$ plaque burden in a subset of Parkinson's disease patients. <i>Acta Neuropathologica</i> , 2008, 115, 417-425.  | 3.9 | 146       |
| 12072 | Surgeon satisfaction agreement after total knee arthroplasty using a visual analogue scale: a single surgeon series. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2008, 128, 255-259.                                   | 1.3 | 4         |
| 12073 | Sagittal alignment of the lower extremity while standing in Japanese male. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2008, 128, 435-442.   | 1.3 | 29        |
| 12074 | Ethnic variation and variability of fetal nasal bone length at 11-15 weeks of gestation in a Brazilian population: preliminary results. <i>Archives of Gynecology and Obstetrics</i> , 2008, 278, 431-435.                     | 0.8 | 12        |
| 12075 | Reliable Lip Force Measurement in Healthy Controls and in Patients with Stroke: A Methodologic Study. <i>Dysphagia</i> , 2008, 23, 291-296.  | 1.0 | 52        |
| 12076 | Comparison of glomerular function tests in children with cancer. <i>Pediatric Nephrology</i> , 2008, 23, 797-803.  | 0.9 | 23        |
| 12077 | Comparison of high-performance liquid chromatography and enzyme-multiplied immunoassay technique to monitor mycophenolic acid in paediatric renal recipients. <i>Pediatric Nephrology</i> , 2008, 23, 1859-1865.               | 0.9 | 23        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12078 | Comparison of oxygen consumption calculated by Fick's principle (using a central venous catheter) and measured by indirect calorimetry. <i>Journal of Anesthesia</i> , 2008, 22, 163-166.                  | 0.7 | 8         |
| 12079 | Nonmydriatic screening for diabetic retinopathy by ultra-widefield scanning laser ophthalmoscopy (Optomap). <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2008, 246, 229-235.      | 1.0 | 76        |
| 12080 | Comparison of the iCare rebound tonometer and the Goldmann applanation tonometer over a wide IOP range. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2008, 246, 875-879.          | 1.0 | 95        |
| 12081 | The reliability of continuous measurement of mixed venous oxygen saturation during exercise in patients with chronic heart failure. <i>European Journal of Applied Physiology</i> , 2008, 102, 493-496.    | 1.2 | 6         |
| 12082 | Evaluation of a cycling pre-load time trial protocol in recreationally active humans. <i>European Journal of Applied Physiology</i> , 2008, 102, 615-621.  | 1.2 | 8         |
| 12083 | Comparison of cardiac output determined by different rebreathing methods at rest and at peak exercise. <i>European Journal of Applied Physiology</i> , 2008, 102, 593-599.                                 | 1.2 | 45        |
| 12084 | Changes of elastic properties of central arteries during acute static exercise and lower body negative pressure. <i>European Journal of Applied Physiology</i> , 2008, 102, 633-641.                       | 1.2 | 39        |
| 12085 | Levels of agreement for RR intervals and short-term heart rate variability obtained from the Polar S810 and an alternative system. <i>European Journal of Applied Physiology</i> , 2008, 103, 529-537.     | 1.2 | 101       |
| 12086 | Estimation of the exercise ventilatory compensation point by the analysis of the relationship between minute ventilation and heart rate. <i>European Journal of Applied Physiology</i> , 2008, 104, 87-94. | 1.2 | 7         |
| 12087 | Assessment of voluntary muscle activation using magnetic stimulation. <i>European Journal of Applied Physiology</i> , 2008, 104, 49-55.  | 1.2 | 28        |
| 12088 | Assessment of torque-steadiness reliability at the ankle level in healthy young subjects: implications for cerebral palsy. <i>European Journal of Applied Physiology</i> , 2008, 104, 609-615.             | 1.2 | 9         |
| 12089 | Ventilator assessment of respiratory mechanics in paediatric intensive care. <i>European Journal of Pediatrics</i> , 2008, 167, 287-291.   | 1.3 | 5         |
| 12090 | Evaluation of lean body mass in obese children. <i>European Journal of Pediatrics</i> , 2008, 167, 533-540.  | 1.3 | 19        |
| 12091 | Reliability of urine collection pads for routine and metabolic biochemistry in infants and young children. <i>European Journal of Pediatrics</i> , 2008, 167, 1313-1319.                                   | 1.3 | 7         |
| 12092 | The accuracy of the MMSE in detecting cognitive impairment when administered by general practitioners: A prospective observational study. <i>BMC Family Practice</i> , 2008, 9, 29.                        | 2.9 | 103       |
| 12093 | Tumor volume in subcutaneous mouse xenografts measured by microCT is more accurate and reproducible than determined by 18F-FDG-microPET or external caliper. <i>BMC Medical Imaging</i> , 2008, 8, 16.     | 1.4 | 315       |
| 12094 | Ultrasound evaluation in combination with finger extension force measurements of the forearm musculus extensor digitorum communis in healthy subjects. <i>BMC Medical Imaging</i> , 2008, 8, 6.            | 1.4 | 12        |
| 12095 | Reproducibility of exhaled nitric oxide in smokers and non-smokers: relevance for longitudinal studies. <i>BMC Pulmonary Medicine</i> , 2008, 8, 4.  | 0.8 | 17        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12096 | Clinical evaluation of an air-capsule technique for the direct measurement of intra-abdominal pressure after elective abdominal surgery. <i>BMC Surgery</i> , 2008, 8, 18.                                   | 0.6 | 9         |
| 12097 | Prediction of peak pressure from clinical and radiological measurements in patients with diabetes. <i>BMC Endocrine Disorders</i> , 2008, 8, 16.   | 0.9 | 27        |
| 12098 | The Dutch version of the Oral Health Impact Profile (OHIP-NL): Translation, reliability and construct validity. <i>BMC Oral Health</i> , 2008, 8, 11.  | 0.8 | 90        |
| 12099 | Serum S100B levels after meningioma surgery: A comparison of two laboratory assays. <i>BMC Clinical Pathology</i> , 2008, 8, 9.  | 1.8 | 13        |
| 12100 | Effect of streptozotocin-induced diabetes on myocardial blood flow reserve assessed by myocardial contrast echocardiography in rats.. <i>Cardiovascular Diabetology</i> , 2008, 7, 26.                       | 2.7 | 23        |
| 12101 | Intraventricular dyssynchrony in light chain amyloidosis: a new mechanism of systolic dysfunction assessed by 3-dimensional echocardiography. <i>Cardiovascular Ultrasound</i> , 2008, 6, 40.                | 0.5 | 23        |
| 12102 | Reproducibility of 3-dimensional ultrasound readings of volume of carotid atherosclerotic plaque. <i>Cardiovascular Ultrasound</i> , 2008, 6, 42.  | 0.5 | 20        |
| 12103 | Computer-assisted determination of left ventricular endocardial borders reduces variability in the echocardiographic assessment of ejection fraction. <i>Cardiovascular Ultrasound</i> , 2008, 6, 55.        | 0.5 | 16        |
| 12104 | Body composition in male elite athletes, comparison of bioelectrical impedance spectroscopy with dual energy X-ray absorptiometry. <i>Journal of Negative Results in BioMedicine</i> , 2008, 7, 1.           | 1.4 | 31        |
| 12105 | Measurement of left ventricular dimensions with contrast-enhanced three-dimensional cine imaging facilitated by k-t SENSE. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2008, 10, 27.               | 1.6 | 17        |
| 12106 | Strain-encoding cardiovascular magnetic resonance for assessment of right-ventricular regional function. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2008, 10, 33.                                 | 1.6 | 47        |
| 12107 | Evaluating the systemic right ventricle by CMR: the importance of consistent and reproducible delineation of the cavity. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2008, 10, 40.                 | 1.6 | 156       |
| 12108 | Non-invasive stroke volume assessment in patients with pulmonary arterial hypertension: left-sided data mandatory. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2008, 10, 51.                       | 1.6 | 58        |
| 12109 | Percutaneous closure of atrial septal defects leads to normalisation of atrial and ventricular volumes. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2008, 10, 55.                                  | 1.6 | 46        |
| 12110 | Normal values for aortic diameters in children and adolescents – assessment in vivo by contrast-enhanced CMR-angiography. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2008, 10, 56.                | 1.6 | 100       |
| 12111 | Inter- and intra-observer variability in Sonographic measurements of the cross-sectional diameters and area of the umbilical cord and its vessels during pregnancy. <i>Reproductive Health</i> , 2008, 5, 5. | 1.2 | 6         |
| 12112 | Accelerometer-based wireless body area network to estimate intensity of therapy in post-acute rehabilitation. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2008, 5, 20.                           | 2.4 | 33        |
| 12113 | Simultaneous versus video counting of coughs in hypertonic cough challenges. <i>Cough</i> , 2008, 4, 8.  | 2.7 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12114 | Multiple window spatial registration error of a gamma camera: 133Ba point source as a replacement of the NEMA procedure. <i>BMC Medical Physics</i> , 2008, 8, 6.  | 2.4 | 3         |
| 12115 | Proteomic changes in rat thyroarytenoid muscle induced by botulinum neurotoxin injection. <i>Proteomics</i> , 2008, 8, 1933-1944.  | 1.3 | 15        |
| 12116 | Detection and quantification of sucrose as dietary biomarker using gas chromatography and liquid chromatography with mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 279-282.  | 0.7 | 21        |
| 12117 | Why Bland-Altman plots should use $\langle X \rangle$ , not $(\langle Y \rangle + \langle X \rangle)/2$ when $\langle X \rangle$ is a reference method. <i>Statistics in Medicine</i> , 2008, 27, 778-780.   | 0.8 | 315       |
| 12118 | Reliability analysis for continuous measurements: Equivalence test for agreement. <i>Statistics in Medicine</i> , 2008, 27, 2816-2825.   | 0.8 | 29        |
| 12119 | A Bayesian approach for sample size determination in method comparison studies. <i>Statistics in Medicine</i> , 2008, 27, 2273-2289.   | 0.8 | 13        |
| 12120 | A nonparametric likelihood test for detecting discordance between two measurements with application to censored viral load determinations. <i>Statistics in Medicine</i> , 2008, 27, 4489-4501.  | 0.8 | 3         |
| 12121 | Patient awareness of prognosis, patient-family caregiver congruence on the preferred place of death, and caregiving burden of families contribute to the quality of life for terminally ill cancer patients in Taiwan. <i>Psycho-Oncology</i> , 2008, 17, 1202-1209. | 1.0 | 74        |
| 12122 | Nasal versus face mask for multiple-breath washout technique in preterm infants. <i>Pediatric Pulmonology</i> , 2008, 43, 858-865.   | 1.0 | 10        |
| 12123 | Relative impact of respiratory muscle activity on tidal flow and end expiratory volume in healthy neonates. <i>Pediatric Pulmonology</i> , 2008, 43, 882-891.  | 1.0 | 35        |
| 12124 | Measurement of maximal inspiratory pressure in ventilated children. <i>Pediatric Pulmonology</i> , 2008, 43, 1085-1091.  | 1.0 | 27        |
| 12125 | Calibration of respiratory inductance plethysmograph in preterm infants with different respiratory conditions. <i>Pediatric Pulmonology</i> , 2008, 43, 1135-1141.   | 1.0 | 19        |
| 12126 | Airway dimensions in bronchopulmonary dysplasia: Implications for airflow obstruction. <i>Pediatric Pulmonology</i> , 2008, 43, 1206-1213.   | 1.0 | 39        |
| 12127 | The EPICure study: Comparison of pediatric spirometry in community and laboratory settings. <i>Pediatric Pulmonology</i> , 2008, 43, 1233-1241.  | 1.0 | 53        |
| 12128 | The six-minute walk test in outpatients with obesity: reproducibility and known group validity. <i>Physiotherapy Research International</i> , 2008, 13, 84-93.   | 0.7 | 116       |
| 12129 | Intra- and interobserver reproducibility study of early fetal growth parameters. <i>Prenatal Diagnosis</i> , 2008, 28, 323-331.  | 1.1 | 69        |
| 12130 | A score-based method for quality control of fetal images at routine second-trimester ultrasound examination. <i>Prenatal Diagnosis</i> , 2008, 28, 822-827.  | 1.1 | 67        |
| 12131 | Modified electrocardiograph-triggered black-blood turbo spin-echo technique to improve T1-weighting in contrast-enhanced MRI of atherosclerotic carotid arteries. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 28, 533-537.                                  | 1.9 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12132 | Assessment of left ventricular volumes and mass with fast 3D cine steady-state free precession space broad-use linear acquisition speed-up technique (k&#x2013;BLAST). Journal of Magnetic Resonance Imaging, 2008, 27, 510-515.   | 1.9 | 29        |
| 12133 | Evaluation of manual and automatic segmentation of the mouse heart from CINE MR images. Journal of Magnetic Resonance Imaging, 2008, 27, 86-93.  | 1.9 | 35        |
| 12134 | Comparison between 2D and 3D high-resolution black-blood techniques for carotid artery wall imaging in clinically significant atherosclerosis. Journal of Magnetic Resonance Imaging, 2008, 27, 918-924.   | 1.9 | 83        |
| 12135 | Segmentation of cardiac cine MR images of left and right ventricles: Interactive semiautomated methods and manual contouring by two readers with different education and experience. Journal of Magnetic Resonance Imaging, 2008, 27, 785-792.   | 1.9 | 45        |
| 12136 | Quantification of MRI measured myocardial perfusion reserve in healthy humans: A comparison with positron emission tomography. Journal of Magnetic Resonance Imaging, 2008, 27, 818-824.   | 1.9 | 80        |
| 12137 | Real-time fast strain-encoded magnetic resonance imaging to evaluate regional myocardial function at 3.0 Tesla: Comparison to conventional tagging. Journal of Magnetic Resonance Imaging, 2008, 27, 1012-1018.  | 1.9 | 68        |
| 12138 | Diffusion-weighted PROPELLER MRI for quantitative assessment of liver tumor necrotic fraction and viable tumor volume in VX2 rabbits. Journal of Magnetic Resonance Imaging, 2008, 27, 1069-1076.  | 1.9 | 30        |
| 12139 | Single-breathhold four-dimensional assessment of left ventricular volumes and function using k&#x2013;BLAST after application of extracellular contrast agent at 3 Tesla. Journal of Magnetic Resonance Imaging, 2008, 27, 1028-1036.  | 1.9 | 14        |
| 12140 | Interstudy reproducibility of SSFP cine magnetic resonance: Impact of magnetic field strength and parallel imaging. Journal of Magnetic Resonance Imaging, 2008, 27, 1139-1145.  | 1.9 | 17        |
| 12141 | Dynamic MRI, dynamic multidetector-row computed tomography (MDCT), and coregistered <sup>2</sup> [fluorine-18]fluoro- <sup>2</sup> -deoxy- <sup>3</sup> -glucose positron emission tomography (FDG-PET)/CT: Comparative study of capability for management of pulmonary nodules. Journal of Magnetic Resonance Imaging, 2008, 27, 1284-1295. | 1.9 | 58        |
| 12142 | Comparison of single-sequence T1w TFE MRI with multisequence MRI for the quantification of lipid-rich necrotic core in atherosclerotic plaque. Journal of Magnetic Resonance Imaging, 2008, 27, 1347-1355.   | 1.9 | 29        |
| 12143 | Automatic computation of left ventricular ejection fraction from spatiotemporal information in cine-SSFP cardiac MR images. Journal of Magnetic Resonance Imaging, 2008, 28, 39-50.  | 1.9 | 13        |
| 12144 | A new method for the determination of aortic pulse wave velocity using cross-correlation on 2D PCMR velocity data. Journal of Magnetic Resonance Imaging, 2008, 27, 1382-1387.   | 1.9 | 73        |
| 12145 | Cardiac cine MRI: Quantification of the relationship between fast gradient echo and steady-state free precession for determination of myocardial mass and volumes. Journal of Magnetic Resonance Imaging, 2008, 28, 60-66.   | 1.9 | 66        |
| 12146 | Dynamic changes in murine vessel geometry assessed by high-resolution magnetic resonance angiography: A 9.4T study. Journal of Magnetic Resonance Imaging, 2008, 28, 637-645.  | 1.9 | 29        |
| 12147 | Evaluation of cardiac biventricular segmentation from multiaxis MRI data: A multicenter study. Journal of Magnetic Resonance Imaging, 2008, 28, 626-636.   | 1.9 | 26        |
| 12148 | Regional right ventricular function and timing of contraction in healthy volunteers evaluated by strain-encoded MRI. Journal of Magnetic Resonance Imaging, 2008, 28, 1379-1385.   | 1.9 | 29        |
| 12149 | Comparison and reproducibility of ADC measurements in breathhold, respiratory triggered, and free-breathing diffusion-weighted MR imaging of the liver. Journal of Magnetic Resonance Imaging, 2008, 28, 1141-1148.  | 1.9 | 201       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12150 | Agreement of rubella IgG antibody measured in serum and dried blood spots using two commercial enzyme-linked immunosorbent assays. <i>Journal of Medical Virology</i> , 2008, 80, 360-364.  | 2.5 | 25        |
| 12151 | Reliability of the Ely's test for assessing rectus femoris muscle flexibility and joint range of motion. <i>Journal of Orthopaedic Research</i> , 2008, 26, 793-799.  | 1.2 | 50        |
| 12152 | Measurement of bone blood flow using the hydrogen washout technique—part II: Validation by comparison to microsphere entrapment. <i>Journal of Orthopaedic Research</i> , 2008, 26, 746-752.  | 1.2 | 13        |
| 12153 | Radiographic analysis of femoroacetabular impingement with Hip <sup>2</sup> norm—reliable and validated. <i>Journal of Orthopaedic Research</i> , 2008, 26, 1199-1205.  | 1.2 | 136       |
| 12154 | The reliability and validity of the forensic Camberwell Assessment of Need (CANFOR): a needs assessment for forensic mental health service users. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, 111-120.                        | 1.1 | 69        |
| 12155 | Single- or dual-bolus approach for the assessment of myocardial perfusion reserve in quantitative MR perfusion imaging. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 1373-1377.  | 1.9 | 31        |
| 12156 | Comparison of delayed gadolinium enhanced MRI of cartilage (dGEMRIC) using inversion recovery and fast T1 mapping sequences. <i>Magnetic Resonance in Medicine</i> , 2008, 60, 768-773.   | 1.9 | 75        |
| 12157 | Repeatability of joint proprioception and muscle torque assessment in healthy children and in children diagnosed with hypermobility syndrome. <i>Musculoskeletal Care</i> , 2008, 6, 108-123.   | 0.6 | 13        |
| 12158 | Diagnostic validity of epidermal nerve fiber densities in painful sensory neuropathies. <i>Muscle and Nerve</i> , 2008, 37, 50-60.  | 1.0 | 147       |
| 12159 | Abdominal aortic wall motion of healthy and hypertensive subjects: Evaluation of tissue Doppler velocity imaging. <i>Journal of Clinical Ultrasound</i> , 2008, 36, 218-225.  | 0.4 | 3         |
| 12160 | Sonographic assessment of uterine and ovarian development in normal girls aged 1 to 12 years. <i>Journal of Clinical Ultrasound</i> , 2008, 36, 539-544.  | 0.4 | 39        |
| 12161 | Quantification of microvessels in canine lymph nodes. <i>Microscopy Research and Technique</i> , 2008, 71, 760-772.   | 1.2 | 19        |
| 12162 | Determination of carbohydrate-deficient transferrin in human serum by two capillary zone electrophoresis methods and a direct immunoassay: Comparison of patient data. <i>Journal of Separation Science</i> , 2008, 31, 3079-3087.                            | 1.3 | 17        |
| 12163 | Reliability of a new ultrasonic cardiac output monitor in recipients of living donor liver transplantation. <i>Liver Transplantation</i> , 2008, 14, 1029-1037.   | 1.3 | 36        |
| 12164 | Comparison of the USCOM ultrasound cardiac output monitor with pulmonary artery catheter thermodilution in patients undergoing liver transplantation. <i>Liver Transplantation</i> , 2008, 14, 1038-1043.   | 1.3 | 38        |
| 12165 | Comparison of a new enzymatic assay with a high-performance liquid chromatography/ultraviolet detection method for therapeutic drug monitoring of mycophenolic acid in adult liver transplant recipients. <i>Liver Transplantation</i> , 2008, 14, 1745-1751. | 1.3 | 17        |
| 12166 | Determinants of coronary arterial flow-mediated dilatation following percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2008, 71, 327-332.   | 0.7 | 3         |
| 12167 | First direct in vivo comparison of two commercially available three-dimensional quantitative coronary angiography systems. <i>Catheterization and Cardiovascular Interventions</i> , 2008, 71, 44-50.   | 0.7 | 43        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12168 | A novel approach for quantitative analysis of intracoronary optical coherence tomography: High interobserver agreement with computer-assisted contour detection. <i>Catheterization and Cardiovascular Interventions</i> , 2008, 72, 228-235.  | 0.7 | 63        |
| 12169 | Usefulness of multidetector CT imaging to assess vascular stents in children with congenital heart disease: An in vivo and in vitro study. <i>Catheterization and Cardiovascular Interventions</i> , 2008, 72, 544-551.  | 0.7 | 12        |
| 12170 | Dynamic magnetic resonance imaging for grading pelvic organ prolapse according to the international continence society classification: Which line should be used?. <i>Neurourology and Urodynamics</i> , 2008, 27, 191-197.  | 0.8 | 52        |
| 12171 | Measurement of knee cartilage thickness using MRI: a reproducibility study in a meniscectomized guinea pig model of osteoarthritis. <i>NMR in Biomedicine</i> , 2008, 21, 366-375.   | 1.6 | 19        |
| 12172 | Validation of fast MR thermometry at 1.5 T with gradient-echo echo planar imaging sequences: phantom and clinical feasibility studies. <i>NMR in Biomedicine</i> , 2008, 21, 849-858.  | 1.6 | 46        |
| 12173 | Cine-MRI versus two-dimensional echocardiography to measure <i>in vivo</i> left ventricular function in rat heart. <i>NMR in Biomedicine</i> , 2008, 21, 765-772.  | 1.6 | 56        |
| 12174 | Short-scan time multi-slice diffusion MRI of the mouse cervical spinal cord using echo planar imaging. <i>NMR in Biomedicine</i> , 2008, 21, 868-877.  | 1.6 | 14        |
| 12175 | Large-scale affordable Panleucogated CD4+testing with proactive internal and external quality assessment: In support of the South African national comprehensive care, treatment and management programme for HIV and AIDS. <i>Cytometry Part B - Clinical Cytometry</i> , 2008, 74B, S40-S51. | 0.7 | 55        |
| 12176 | Performance of the Panleucogating protocol for CD4+T cell enumeration in an HIV dedicated laboratory facility in Barbados. <i>Cytometry Part B - Clinical Cytometry</i> , 2008, 74B, S65-S68.  | 0.7 | 8         |
| 12177 | Affordable pediatric CD4 counting by flow cytometry in Malawi. <i>Cytometry Part B - Clinical Cytometry</i> , 2008, 74B, S90-S97.  | 0.7 | 5         |
| 12178 | New BD FACSCount <sup>™</sup> CD4 reagent system for simultaneous enumeration of percent and absolute CD4 T-lymphocytes in HIV-1-infected pediatric patients. <i>Cytometry Part B - Clinical Cytometry</i> , 2008, 74B, S98-S106.  | 0.7 | 28        |
| 12179 | CD4 <sup>+</sup> T lymphocyte enumeration with a flow-rate based method in three flow cytometers with different years in service. <i>Cytometry Part B - Clinical Cytometry</i> , 2008, 74B, 310-318.   | 0.7 | 8         |
| 12180 | A comparison of the performance of the EQ-5D and SF-6D for individuals aged $\geq$ 45 years. <i>Health Economics (United Kingdom)</i> , 2008, 17, 815-832.   | 0.8 | 93        |
| 12181 | Reliability of the Roussel Uclaf Causality Assessment Method for assessing causality in drug-induced liver injury. <i>Hepatology</i> , 2008, 48, 1175-1183.  | 3.6 | 158       |
| 12182 | Difference in disease features between childhood-onset and adult-onset systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2008, 58, 556-562.  | 6.7 | 447       |
| 12183 | Validity, reproducibility, and responsiveness of a twelve-joint simplified power doppler ultrasonographic assessment of joint inflammation in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008, 59, 515-522.   | 6.7 | 265       |
| 12184 | Power doppler ultrasonographic monitoring of response to anti-tumor necrosis factor therapy in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008, 58, 2248-2256.  | 6.7 | 245       |
| 12185 | An explanation for the apparent dissociation between clinical remission and continued structural deterioration in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008, 58, 2958-2967.   | 6.7 | 712       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12186 | A systematic review of instruments measuring foot function, foot pain, and foot-related disability in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008, 59, 1257-1269.                      | 6.7 | 63        |
| 12187 | Rasch analysis of the Dutch health assessment questionnaire disability index and the health assessment questionnaire II in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008, 59, 1721-1728. | 6.7 | 47        |
| 12188 | An Automated Self-Similarity Analysis of the Pulmonary Tree of the Sprague-Dawley Rat. <i>Anatomical Record</i> , 2008, 291, 1628-1648.   | 0.8 | 19        |
| 12189 | Advanced dental maturation in New Zealand Maori and Pacific Island children. <i>American Journal of Human Biology</i> , 2008, 20, 43-50.  | 0.8 | 23        |
| 12190 | The rate of urinary cortisol excretion at work is persistently elevated in women at familial risk for breast cancer. <i>American Journal of Human Biology</i> , 2008, 20, 478-480.                                    | 0.8 | 8         |
| 12191 | Non-consecutive versus consecutive footstrikes as an equivalent method of assessing gait asymmetry. <i>Journal of Biomechanics</i> , 2008, 41, 226-230.   | 0.9 | 9         |
| 12192 | Ambulatory measurement of 3D knee joint angle. <i>Journal of Biomechanics</i> , 2008, 41, 1029-1035.  | 0.9 | 251       |
| 12193 | The effect of axial load on the sagittal plane curvature of the upright human spine in vivo. <i>Journal of Biomechanics</i> , 2008, 41, 2850-2854.  | 0.9 | 51        |
| 12194 | Non-contact cardiac monitoring from carotid artery using optical vibrocardiography. <i>Medical Engineering and Physics</i> , 2008, 30, 490-497.   | 0.8 | 82        |
| 12195 | Smart Vest: Wearable multi-parameter remote physiological monitoring system. <i>Medical Engineering and Physics</i> , 2008, 30, 466-477.  | 0.8 | 340       |
| 12196 | Accuracy of Biodex system 3 pro computerized dynamometer in passive mode. <i>Medical Engineering and Physics</i> , 2008, 30, 880-887.   | 0.8 | 26        |
| 12197 | Validation study of a pulsed arterial spin labeling technique by comparison to perfusion computed tomography. <i>Magnetic Resonance Imaging</i> , 2008, 26, 543-553.  | 1.0 | 31        |
| 12198 | A tolerance interval approach for assessment of agreement in method comparison studies with repeated measurements. <i>Journal of Statistical Planning and Inference</i> , 2008, 138, 1102-1115.                       | 0.4 | 31        |
| 12199 | Determination of urinary iodine by inductively coupled plasma mass spectrometry. <i>Journal of Trace Elements in Medicine and Biology</i> , 2008, 22, 162-165.  | 1.5 | 46        |
| 12200 | Validation de la version française du questionnaire Disability of the Arm, Shoulder and Hand (DASH). <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2008, 75, 274-279.  | 0.0 | 3         |
| 12201 | Modeling arterial and left ventricular coupling for non-invasive measurements. <i>Simulation Modelling Practice and Theory</i> , 2008, 16, 988-997.   | 2.2 | 73        |
| 12202 | Reliability of quantitative EMG analysis of the extensor carpi radialis muscle. <i>Journal of Neuroscience Methods</i> , 2008, 168, 483-493.  | 1.3 | 19        |
| 12203 | Quantification of the corticospinal silent period evoked via transcranial magnetic stimulation. <i>Journal of Neuroscience Methods</i> , 2008, 173, 121-128.  | 1.3 | 74        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12204 | Navigated transcranial magnetic stimulation and computed electric field strength reduce stimulator-dependent differences in the motor threshold. <i>Journal of Neuroscience Methods</i> , 2008, 174, 116-122.   | 1.3 | 64        |
| 12205 | Rapid assay of topiramate in dried blood spots by a new liquid chromatography-tandem mass spectrometric method. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008, 48, 1392-1396.   | 1.4 | 87        |
| 12206 | Forecasting Emergency Department Crowding: A Discrete Event Simulation. <i>Annals of Emergency Medicine</i> , 2008, 52, 116-125.  | 0.3 | 187       |
| 12207 | Comparison of ICC and CCC for assessing agreement for data without and with replications. <i>Computational Statistics and Data Analysis</i> , 2008, 53, 554-564.  | 0.7 | 65        |
| 12208 | The Short-Form McGill Pain Questionnaire as an outcome measure: Test-retest reliability and responsiveness to change. <i>European Journal of Pain</i> , 2008, 12, 917-925.  | 1.4 | 107       |
| 12209 | Chasing the silver bullet: Measuring driver fatigue using simple and complex tasks. <i>Accident Analysis and Prevention</i> , 2008, 40, 396-402.  | 3.0 | 65        |
| 12210 | A critical review and discussion of analytical methods in the l-arginine/nitric oxide area of basic and clinical research. <i>Analytical Biochemistry</i> , 2008, 379, 139-163.   | 1.1 | 121       |
| 12211 | Liquid chromatography-tandem mass spectrometry determination of plasma 24S-hydroxycholesterol with chromatographic separation of 25-hydroxycholesterol. <i>Analytical Biochemistry</i> , 2008, 381, 151-153.  | 1.1 | 44        |
| 12212 | Volume determination of amygdala and hippocampus at 1.5 and 3.0 T MRI in temporal lobe epilepsy. <i>Epilepsy Research</i> , 2008, 82, 29-37.  | 0.8 | 41        |
| 12213 | Intra- and interobserver error of the Greulich-Pyle method as used on a Danish forensic sample. <i>Forensic Science International</i> , 2008, 179, 242.e1-242.e6.   | 1.3 | 43        |
| 12214 | Quantification of cyclosporine and tacrolimus in whole blood. Comparison of liquid chromatography-electrospray mass spectrometry with the enzyme multiplied immunoassay technique. <i>Clinical Biochemistry</i> , 2008, 41, 910-913.                              | 0.8 | 39        |
| 12215 | Impact of The Number of Image Planes of Real-Time Three-Dimensional Echocardiography on the Accuracy of Left Atrial and Ventricular Volume Measurements. <i>Ultrasound in Medicine and Biology</i> , 2008, 34, 40-46.   | 0.7 | 18        |
| 12216 | Adenosine Induces Dilation of Epicardial Coronary Arteries in Mice - Relationship between Coronary Flow Velocity Reserve and Coronary Flow Reserve In Vivo using Transthoracic Echocardiography. <i>Ultrasound in Medicine and Biology</i> , 2008, 34, 1053-1062. | 0.7 | 33        |
| 12217 | Reliability of Measuring Sciatic and Tibial Nerve Movement with Diagnostic Ultrasound During a Neural Mobilisation Technique. <i>Ultrasound in Medicine and Biology</i> , 2008, 34, 1209-1216.  | 0.7 | 50        |
| 12218 | Automated Edge Detection Versus Manual Edge Measurement in Analysis of Brachial Artery Reactivity: A Comparison Study. <i>Ultrasound in Medicine and Biology</i> , 2008, 34, 1499-1503.   | 0.7 | 13        |
| 12219 | Freehand Real-Time Elastography: Impact of Scanning Parameters on Image Quality and In Vitro Intra- and Interobserver Validations. <i>Ultrasound in Medicine and Biology</i> , 2008, 34, 1638-1650.   | 0.7 | 114       |
| 12220 | Evaluating Inter-fractional Changes in Volume and Position during Bladder Radiotherapy and the Effect of Volume Limitation as a Method of Reducing the Internal Margin of the Planning Target Volume. <i>Clinical Oncology</i> , 2008, 20, 698-704.               | 0.6 | 24        |
| 12221 | Optimisation of the determination of thiamin, 2-(1-hydroxyethyl)thiamin, and riboflavin in food samples by use of HPLC. <i>Food Chemistry</i> , 2008, 106, 1209-1217.   | 4.2 | 56        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12222 | Stroke volume measurements with first-pass dynamic positron emission tomography: Comparison with cardiovascular magnetic resonance. <i>Journal of Nuclear Cardiology</i> , 2008, 15, 218-224.   | 1.4 | 5         |
| 12223 | Correlations between cascade impactor analysis and laser diffraction techniques for the determination of the particle size of aerosolised powder formulations. <i>International Journal of Pharmaceutics</i> , 2008, 358, 75-81.  | 2.6 | 46        |
| 12224 | Planning Target Margin Calculations for Prostate Radiotherapy Based on Intrafraction and Interfraction Motion Using Four Localization Methods. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 70, 289-295.  | 0.4 | 148       |
| 12225 | Comparison of Combined X-Ray Radiography and Magnetic Resonance (XMR) Imagingâ€“Versus Computed Tomographyâ€“Based Dosimetry for the Evaluation of Permanent Prostate Brachytherapy Implants. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 71, 1518-1525. | 0.4 | 20        |
| 12226 | Lesion T2 relaxation times and volumes predict the response of malignant breast lesions to neoadjuvant chemotherapy. <i>Magnetic Resonance Imaging</i> , 2008, 26, 26-34.   | 1.0 | 30        |
| 12227 | The zonal architecture of human articular cartilage described by T2 relaxation time in the presence of Gd-DTPA <sup>2+</sup> . <i>Magnetic Resonance Imaging</i> , 2008, 26, 602-607.   | 1.0 | 30        |
| 12228 | A comparison of lactate indices during ramp exercise using modelling techniques and conventional methods. <i>Journal of Sports Sciences</i> , 2008, 26, 1387-1395.  | 1.0 | 18        |
| 12229 | Twenty-five years of sport performance research in the <i>Journal of Sports Sciences</i> . <i>Journal of Sports Sciences</i> , 2008, 26, 413-426.   | 1.0 | 78        |
| 12230 | Racing performance following the laryngeal tieâ€“forward procedure: A caseâ€“controlled study. <i>Equine Veterinary Journal</i> , 2008, 40, 501-507.  | 0.9 | 60        |
| 12231 | Diagnostic accuracy of digital photography and image analysis for the measurement of foot conformation in the horse. <i>Equine Veterinary Journal</i> , 2008, 40, 623-628.  | 0.9 | 25        |
| 12232 | Transperineal versus transvaginal sonographic cervical length measurement in secondâ€“and thirdâ€“trimester pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 657-662.  | 0.9 | 18        |
| 12233 | Reproducibility of fetal renal pelvis volume measurement using threeâ€“dimensional ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 657-661.  | 0.9 | 22        |
| 12234 | New charts for ultrasound dating of pregnancy and assessment of fetal growth: longitudinal data from a populationâ€“based cohort study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 388-396.   | 0.9 | 384       |
| 12235 | The use of inversion mode and 3D manual segmentation in volume measurement of fetal fluidâ€“filled structures: comparison with Virtual Organ Computerâ€“aided AnaLysis (VOCAL <sup>â„¢</sup> ). <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 177-186.                     | 0.9 | 54        |
| 12236 | Estimation of fetal weight by measurement of fetal thigh softâ€“tissue thickness in the late third trimester. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 314-320.   | 0.9 | 50        |
| 12237 | Reliability, repeatability and reproducibility: analysis of measurement errors in continuous variables. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 466-475.   | 0.9 | 712       |
| 12238 | Frontomaxillary facial angle in trisomy 21 fetuses at 16â€“24 weeks of gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 384-387.   | 0.9 | 39        |
| 12239 | Specific weight formula for fetuses with abdominal wall defects. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 397-400.  | 0.9 | 31        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12240 | SonoAVC: a novel method of automatic volume calculation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 691-696.   | 0.9 | 111       |
| 12241 | Reliability of three-dimensional sonographic measurements in early pregnancy using virtual reality. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 910-916.  | 0.9 | 61        |
| 12242 | Prenasal thickness in trisomy 21 fetuses at 16-24 weeks of gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 751-754.  | 0.9 | 54        |
| 12243 | How to improve on the analysis and presentation of research data submitted to our Journal. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 721-728.   | 0.9 | 4         |
| 12244 | Diagnostic test evaluation of a nasal flow monitor for obstructive sleep apnea detection in sleep apnea research. <i>Behavior Research Methods</i> , 2008, 40, 360-366.  | 2.3 | 32        |
| 12245 | Unbiased estimation of the calcaneus volume using the Cavalieri principle on computed tomography images. <i>Annals of Anatomy</i> , 2008, 190, 452-460.  | 1.0 | 8         |
| 12246 | Can a non-contact infrared thermometer be used interchangeably with other thermometers in an adult Emergency Department?. <i>Australasian Emergency Nursing Journal</i> , 2008, 11, 130-134.   | 1.9 | 12        |
| 12247 | Prediction of soft-tissue changes after mandibular advancement surgery with an equation developed with multivariable regression. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2008, 134, 657-664.   | 0.8 | 11        |
| 12248 | Alignment efficiency of Damon3 self-ligating and conventional orthodontic bracket systems: A randomized clinical trial. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2008, 134, 470.e1-470.e8.  | 0.8 | 154       |
| 12249 | Magnetic resonance angiographic assessment of upper extremity vessels prior to vascular access surgery: feasibility and accuracy. <i>European Radiology</i> , 2008, 18, 158-167.   | 2.3 | 14        |
| 12250 | Real time monitoring of radiofrequency ablation based on MR thermometry and thermal dose in the pig liver in vivo. <i>European Radiology</i> , 2008, 18, 408-416.  | 2.3 | 51        |
| 12251 | Reliability of MDCT measurements of pulmonary vein ostial diameter and distance to first bifurcation: an interobserver study comparing radiologists with a semiautomated software. <i>European Radiology</i> , 2008, 18, 584-591.  | 2.3 | 4         |
| 12252 | Measurement of colonic polyps by radiologists and endoscopists: Who is most accurate?. <i>European Radiology</i> , 2008, 18, 874-881.  | 2.3 | 16        |
| 12253 | Quantification of left ventricular function and mass in cardiac Dual-Source CT (DSCT) exams: comparison of manual and semiautomatic segmentation algorithms. <i>European Radiology</i> , 2008, 18, 939-946.  | 2.3 | 27        |
| 12254 | Semi-automated volumetric analysis of lymph node metastases in patients with malignant melanoma stage III/IV-A feasibility study. <i>European Radiology</i> , 2008, 18, 1114-1122.   | 2.3 | 65        |
| 12255 | Comparative evaluation of chest radiography, low-field MRI, the Shwachman-Kulczycki score and pulmonary function tests in patients with cystic fibrosis. <i>European Radiology</i> , 2008, 18, 1153-1161.  | 2.3 | 19        |
| 12256 | An MRI-based technique for assessment of lower extremity deformities: reproducibility, accuracy, and clinical application. <i>European Radiology</i> , 2008, 18, 1497-1505.  | 2.3 | 28        |
| 12257 | Quantitative mapping of hepatic perfusion index using MR imaging: a potential reproducible tool for assessing tumour response to treatment with the antiangiogenic compound BIBF 1120, a potent triple angiokinase inhibitor. <i>European Radiology</i> , 2008, 18, 1414-1421. | 2.3 | 39        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12258 | Stereological estimation of left-ventricular volumetric and functional parameters from multidetector-row computed tomography data. <i>European Radiology</i> , 2008, 18, 1338-1349.   | 2.3 | 8         |
| 12259 | Quantification of left ventricular function and mass in heart transplant recipients using dual-source CT and MRI: initial clinical experience. <i>European Radiology</i> , 2008, 18, 1784-1790.   | 2.3 | 38        |
| 12260 | Perfusion CT measurements in healthy cervical spinal cord: feasibility and repeatability of the study as well as interchangeability of the perfusion estimates using two commercially available software packages. <i>European Radiology</i> , 2008, 18, 2321-2328. | 2.3 | 7         |
| 12261 | Global left-ventricular function assessment using dual-source multidetector CT: effect of improved temporal resolution on ventricular volume measurement. <i>European Radiology</i> , 2008, 18, 2087-2094.  | 2.3 | 35        |
| 12262 | Functional CT of squamous cell carcinoma in the head and neck: repeatability of tumor and muscle quantitative measurements, inter- and intra-observer agreement. <i>European Radiology</i> , 2008, 18, 2241-2250.   | 2.3 | 23        |
| 12263 | Semi-quantitative assessment of right ventricular function in comparison to a 3D volumetric approach: A cardiovascular magnetic resonance study. <i>European Radiology</i> , 2008, 18, 2399-2405.   | 2.3 | 39        |
| 12264 | Ultrasound assessment of the spring ligament complex. <i>European Radiology</i> , 2008, 18, 2670-2675.  | 2.3 | 45        |
| 12265 | Semi-automated measurement of hyperdense, hypodense and heterogeneous hepatic metastasis on standard MDCT slices. Comparison of semi-automated and manual measurement of RECIST and WHO criteria. <i>European Radiology</i> , 2008, 18, 2456-2465.                  | 2.3 | 58        |
| 12266 | Automated lobar quantification of emphysema in patients with severe COPD. <i>European Radiology</i> , 2008, 18, 2723-2730.  | 2.3 | 36        |
| 12267 | Evaluating the effect of the new alignment algorithm for longitudinal series of Heidelberg retina tomography images. <i>Acta Ophthalmologica</i> , 2008, 86, 207-214.   | 0.6 | 6         |
| 12268 | Effect of partial recording protocols on severity estimates of periodontal disease. <i>Journal of Clinical Periodontology</i> , 2008, 35, 659-667.  | 2.3 | 132       |
| 12269 | Comparison of equations for predicting energy expenditure from accelerometer counts in children. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2008, 18, 643-650.   | 1.3 | 34        |
| 12270 | The Reliability of Fat <sub>max</sub> . <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2009, 19, 213-221.  | 1.3 | 21        |
| 12271 | Characterization of febrile seizures and febrile seizure susceptibility in mouse inbred strains. <i>Genes, Brain and Behavior</i> , 2008, 7, 578-586.   | 1.1 | 47        |
| 12272 | Diffusion Tensor Tractography-based Analysis of the Pyramidal Tract in Patients with Amyotrophic Lateral Sclerosis. <i>Journal of Neuroimaging</i> , 2008, 18, 282-287.   | 1.0 | 21        |
| 12273 | Internationalizing the Broselow Tape: How Reliable Is Weight Estimation in Indian Children. <i>Academic Emergency Medicine</i> , 2008, 15, 431-436.   | 0.8 | 60        |
| 12274 | Point-of-care Glucose and Hemoglobin A1c in Emergency Department Patients without Known Diabetes: Implications for Opportunistic Screening. <i>Academic Emergency Medicine</i> , 2008, 15, 1241-1247.   | 0.8 | 37        |
| 12275 | Variability of Bodily Measures of Normally Dressed People Using PhotoModeler <sup>®</sup> Pro 5*. <i>Journal of Forensic Sciences</i> , 2008, 53, 1393-1399.  | 0.9 | 20        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12276 | Comparison of measurements of 18 analytes in canine and feline blood samples using the inâ€¢practice Falcor 350 and the reference KoneLab 30i analysers. <i>Journal of Small Animal Practice</i> , 2008, 49, 494-501.                              | 0.5 | 11        |
| 12277 | Arabic version of the geriatric oral health assessment Index. <i>Gerodontology</i> , 2008, 25, 34-41.  | 0.8 | 57        |
| 12278 | Different DCCT-aligned HbA1c methods and the GMS contract. <i>International Journal of Clinical Practice</i> , 2008, 62, 202-205.  | 0.8 | 6         |
| 12279 | Comparison of intermittent and continuous intra-abdominal pressure monitoring using an in vitro model. <i>International Journal of Clinical Practice</i> , 2008, 62, 400-405.  | 0.8 | 9         |
| 12280 | How to use linear regression and correlation in quantitative method comparison studies. <i>International Journal of Clinical Practice</i> , 2008, 62, 529-538.   | 0.8 | 39        |
| 12281 | Diagnosis of peripheral arterial disease in general practice: can the ankle-brachial index be measured either by pulse palpation or an automatic blood pressure device?*. <i>International Journal of Clinical Practice</i> , 2008, 62, 1001-1007. | 0.8 | 47        |
| 12282 | Effect of Ischemia on Implantable Defibrillator Intracardiac Shock Electrograms. <i>Journal of Cardiovascular Electrophysiology</i> , 2008, 19, 275-281.   | 0.8 | 8         |
| 12283 | Impact of Changes in Myocardial Velocity Assessed by Tissue Doppler Imaging during Exercise on Dynamic Mitral Regurgitation in Patients with Nonischemic Cardiomyopathy. <i>Echocardiography</i> , 2008, 25, 394-400.                              | 0.3 | 3         |
| 12284 | Evaluation of Right Atrial Size in Patients with Atrial Arrhythmias: Comparison of 2D versus Real Time 3D Echocardiography. <i>Echocardiography</i> , 2008, 25, 617-623.   | 0.3 | 27        |
| 12285 | Preoperative and Postoperative Mitral Valve Prolapse and Regurgitation in Adult Patients with Secundum Atrial Septal Defects. <i>Echocardiography</i> , 2008, 25, 1086-1093.   | 0.3 | 16        |
| 12286 | An Intravascular Ultrasound Study of Cypher, Taxus, and Endeavor Stents on Relation between Neointimal Proliferation and Residual Plaque Burden. <i>Journal of Interventional Cardiology</i> , 2008, 21, 519-527.                                  | 0.5 | 2         |
| 12287 | Beatâ€¢toâ€¢Beat QT Interval Variability Is Primarily Affected by the Autonomic Nervous System. <i>Annals of Noninvasive Electrocardiology</i> , 2008, 13, 228-233.  | 0.5 | 20        |
| 12288 | First Trimester Fetal Volume and Crown-Rump Length: Comparison Between Singletons and Twins Conceived by In Vitro Fertilization. <i>Ultrasound in Medicine and Biology</i> , 2008, 34, 1360-1364.  | 0.7 | 26        |
| 12289 | Estimation of Muscle Fiber Orientation in Ultrasound Images Using Rotating Hough Transform (RVHT). <i>Ultrasound in Medicine and Biology</i> , 2008, 34, 1474-1481.  | 0.7 | 93        |
| 12290 | Development and evaluation of a self-administered computerized 24-h dietary recall method for adolescents in Europe. <i>International Journal of Obesity</i> , 2008, 32, S26-S34.  | 1.6 | 210       |
| 12291 | Reliability of health-related physical fitness tests in European adolescents. The HELENA Study. <i>International Journal of Obesity</i> , 2008, 32, S49-S57.   | 1.6 | 262       |
| 12292 | Tracking and determinants of subcutaneous fat mass in early childhood: the Generation R Study. <i>International Journal of Obesity</i> , 2008, 32, 1050-1059.  | 1.6 | 39        |
| 12293 | Global Assessment of Psoriasis Severity and Change from Photographs: A Valid and Consistent Method. <i>Journal of Investigative Dermatology</i> , 2008, 128, 2198-2203.  | 0.3 | 20        |

| #     | ARTICLE   | IF   | CITATIONS |
|-------|---|------|-----------|
| 12294 | Measurement properties of the CESD scale among individuals with spinal cord injury. <i>Spinal Cord</i> , 2008, 46, 287-292.   | 0.9  | 173       |
| 12295 | Does Nasal Obstruction Mean That the Nose Is Obstructed?. <i>Laryngoscope</i> , 2008, 118, 1476-1481.   | 1.1  | 67        |
| 12296 | The reproducibility of methods of assessment for cervical dentine hypersensitivity. <i>Journal of Clinical Periodontology</i> , 2001, 28, 16-22.  | 2.3  | 2         |
| 12297 | Comparison of an immuno-turbidometric method (STAlia®d-DI) with an established enzyme linked fluorescent assay (VIDAS®) d-dimer for the exclusion of venous thromboembolism. <i>International Journal of Laboratory Hematology</i> , 2008, 30, 200-204. | 0.7  | 8         |
| 12298 | Noninvasive prospective targeting of arterial $P_{iO_2}$ in subjects at rest. <i>Journal of Physiology</i> , 2008, 586, 3675-3682.  | 1.3  | 131       |
| 12299 | Validation of a Quantitative Magnetic Resonance Method for Measuring Human Body Composition. <i>Obesity</i> , 2008, 16, 191-198.  | 1.5  | 72        |
| 12300 | Assessing Body Composition With DXA and Bioimpedance: Effects of Obesity, Physical Activity, and Age. <i>Obesity</i> , 2008, 16, 700-705.   | 1.5  | 212       |
| 12301 | Bioimpedance for Severe Obesity: Comparing Research Methods for Total Body Water and Resting Energy Expenditure. <i>Obesity</i> , 2008, 16, 1953-1956.  | 1.5  | 67        |
| 12302 | A structured review of outcome measures used for the assessment of rehabilitation interventions for spinal cord injury. <i>Spinal Cord</i> , 2008, 46, 768-780.   | 0.9  | 41        |
| 12303 | Implementing a system of quality-of-life diagnosis and therapy for breast cancer patients: results of an exploratory trial as a prerequisite for a subsequent RCT. <i>British Journal of Cancer</i> , 2008, 99, 415-422.                                | 2.9  | 29        |
| 12304 | A highly sensitive single-enzyme homocysteine assay. <i>Nature Protocols</i> , 2008, 3, 1388-1394.  | 5.5  | 16        |
| 12305 | Enzymatic assay for total plasma Cys. <i>Nature Protocols</i> , 2008, 3, 1778-1781.   | 5.5  | 2         |
| 12306 | Evaluating new CD4 enumeration technologies for resource-constrained countries. <i>Nature Reviews Microbiology</i> , 2008, 6, S29-S38.  | 13.6 | 24        |
| 12307 | Use of ANOVA to Estimate Inter- and Intra-reader Variability for a Group of Readers in Thorough QT/QTc Studies. <i>Clinical Pharmacology and Therapeutics</i> , 2008, 83, 489-491.  | 2.3  | 8         |
| 12308 | Evaluation of a 2-day food record to determine iron, calcium and vitamin C intake in young Belgian women. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 104-110.  | 1.3  | 6         |
| 12309 | Stability of dietary patterns in young women over a 2-year period. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 119-126.   | 1.3  | 70        |
| 12310 | Comparing different measures of energy expenditure in human subjects resident in a metabolic facility. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 560-569.   | 1.3  | 16        |
| 12311 | The impact of freezing and toasting on the glycaemic response of white bread. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 594-599.  | 1.3  | 35        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12312 | Accuracy of the Actiheart for the assessment of energy expenditure in adults. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 704-711.   | 1.3 | 174       |
| 12313 | Location of body fat and body size impacts DXA soft tissue measures: a simulation study. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 553-559.  | 1.3 | 14        |
| 12314 | Relative validity of a food frequency questionnaire used in the Inter99 study. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 1038-1046.  | 1.3 | 80        |
| 12315 | Low-energy reporting and duration of recording period. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 1148-1150.  | 1.3 | 14        |
| 12316 | Assessment of body composition in Sri Lankan children: validation of a bioelectrical impedance prediction equation. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 1170-1177.   | 1.3 | 39        |
| 12317 | Can dual energy X-ray absorptiometry provide a valid assessment of changes in thigh muscle mass with strength training in older adults?. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 1372-1378.                          | 1.3 | 66        |
| 12318 | Comparison of the ICare® rebound tonometer with the Goldmann applanation tonometer by experienced and inexperienced tonometrists. <i>Eye</i> , 2008, 22, 503-506.  | 1.1 | 83        |
| 12319 | Comparison of macular hole size measured by optical coherence tomography, digital photography, and clinical examination. <i>Eye</i> , 2008, 22, 87-90.   | 1.1 | 13        |
| 12320 | Variability in adherence to an unsupervised exercise prescription in obese women. <i>International Journal of Obesity</i> , 2008, 32, 837-844.   | 1.6 | 38        |
| 12321 | Validation of Cerebral Venous Oxygenation Measured Using Near-Infrared Spectroscopy and Partial Jugular Venous Occlusion in the Newborn Lamb. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008, 28, 74-80.                  | 2.4 | 16        |
| 12322 | Can one single test protocol for provoking exercise-induced bronchoconstriction also be used for assessing aerobic capacity?*. <i>Clinical Respiratory Journal</i> , 2008, 2, 47-53.   | 0.6 | 8         |
| 12323 | Designing studies for diagnostic tests. <i>Clinical Respiratory Journal</i> , 2008, 2, 72-75.  | 0.6 | 2         |
| 12324 | Test-retest reliability of the 10-metre fast walk test and 6-minute walk test in ambulatory school-aged children with cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2008, 50, 370-376.                           | 1.1 | 209       |
| 12325 | Comparison of the Melbourne Assessment of Unilateral Upper Limb Function and the Quality of Upper Extremity Skills Test in hemiplegic CP. <i>Developmental Medicine and Child Neurology</i> , 2008, 50, 904-909.                       | 1.1 | 69        |
| 12326 | Liverpool Ultrasound Pictorial Chart: the development of a new method of documenting anal sphincter injury diagnosed by endoanal ultrasound. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008, 115, 767-772. | 1.1 | 7         |
| 12327 | Accuracy and correlates of maternal recall of birthweight and gestational age. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008, 115, 886-893.   | 1.1 | 112       |
| 12328 | Effects of fluid therapy on total protein and its influence on calculated unmeasured anions in the anesthetized dog. <i>Journal of Veterinary Emergency and Critical Care</i> , 2008, 18, 480-487.                                     | 0.4 | 11        |
| 12329 | Validity, Feasibility and Acceptability of Time Trade-Off and Standard Gamble Assessments in Health Valuation Studies: A Study in a Multiethnic Asian Population in Singapore. <i>Value in Health</i> , 2008, 11, S3-S10.              | 0.1 | 24        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12330 | Sleep staging and respiratory events in refractory epilepsy patients: Is there a first night effect?. <i>Epilepsia</i> , 2008, 49, 2063-2068.  | 2.6 | 35        |
| 12331 | Prevalence of Sarcopenia Estimated Using a Bioelectrical Impedance Analysis Prediction Equation in Community-Dwelling Elderly People in Taiwan. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 1710-1715. | 1.3 | 354       |
| 12332 | Image processing techniques to quantify microprojections on outer corneal epithelial cells. <i>Journal of Anatomy</i> , 2008, 212, 879-886.  | 0.9 | 18        |
| 12333 | Comparison of different methodologies for CD4 estimation in a clinical setting. <i>HIV Medicine</i> , 2008, 9, 192-195.  | 1.0 | 3         |
| 12334 | Proxy ratings from multiple sources: disagreement on the impact of multiple sclerosis on daily life. <i>European Journal of Neurology</i> , 2008, 15, 933-939.   | 1.7 | 8         |
| 12335 | Intra-session repeatability of FET and FEV6 in the general population. <i>Clinical Physiology and Functional Imaging</i> , 2008, 28, 196-201.  | 0.5 | 13        |
| 12336 | Separating the left cardiac ventricle from the atrium in short axis MR images using the equation of the atrioventricular plane. <i>Clinical Physiology and Functional Imaging</i> , 2008, 28, 222-228.                   | 0.5 | 11        |
| 12337 | Arterial stiffness, endothelial function and microcirculatory reactivity in healthy young males. <i>Clinical Physiology and Functional Imaging</i> , 2008, 28, 299-306.  | 0.5 | 13        |
| 12338 | Assessment of exercise capacity in women with type 2 diabetes. <i>Clinical Physiology and Functional Imaging</i> , 2008, 28, 294-298.  | 0.5 | 8         |
| 12339 | Accuracy of the ICare rebound tonometer in glaucomatous eyes with topical ocular hypotensive medication. <i>Ophthalmic and Physiological Optics</i> , 2008, 28, 29-34.   | 1.0 | 18        |
| 12340 | A comparison of two methods for estimating polymegethism in cell areas of the human corneal endothelium. <i>Ophthalmic and Physiological Optics</i> , 2008, 28, 47-56.   | 1.0 | 12        |
| 12341 | Limbal and Bulbar Hyperaemia in Normal Eyes. <i>Ophthalmic and Physiological Optics</i> , 2008, 28, 13-20.   | 1.0 | 21        |
| 12342 | Validation of aberrometry-based relative peripheral refraction measurements. <i>Ophthalmic and Physiological Optics</i> , 2008, 28, 83-90.   | 1.0 | 32        |
| 12343 | Gender differences in early accommodation and vergence development. <i>Ophthalmic and Physiological Optics</i> , 2008, 28, 115-126.  | 1.0 | 15        |
| 12344 | Reproducibility of spherocylindrical prescriptions*. <i>Ophthalmic and Physiological Optics</i> , 2008, 28, 143-150.   | 1.0 | 52        |
| 12345 | Comparison of rebound and applanation tonometry in the management of patients treated for glaucoma or ocular hypertension. <i>Ophthalmic and Physiological Optics</i> , 2008, 28, 382-386.                               | 1.0 | 38        |
| 12346 | Influence of fogging lenses and cycloplegia on open-field automatic refraction. <i>Ophthalmic and Physiological Optics</i> , 2008, 28, 387-392.  | 1.0 | 51        |
| 12347 | Repeatability and agreement in the measurement of horizontal fusional vergences. <i>Ophthalmic and Physiological Optics</i> , 2008, 28, 475-491.   | 1.0 | 59        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12348 | Habitual vs optimal distance visual acuity. <i>Ophthalmic and Physiological Optics</i> , 2008, 28, 457-466.   | 1.0 | 11        |
| 12349 | The technique, validity and clinical use of the sweep VEP. <i>Ophthalmic and Physiological Optics</i> , 2008, 28, 393-403.  | 1.0 | 55        |
| 12350 | Quantitative detection of circulating endothelial cells in vasculitis: comparison of flow cytometry and immunomagnetic bead extraction. <i>Journal of Thrombosis and Haemostasis</i> , 2008, 6, 1025-1032.                                      | 1.9 | 36        |
| 12351 | The relationship of circulating endothelial cells to plasma indices of endothelial damage/dysfunction and apoptosis in acute coronary syndromes: implications for prognosis. <i>Journal of Thrombosis and Haemostasis</i> , 2008, 6, 1841-1850. | 1.9 | 49        |
| 12352 | Accuracy of pulse oximetry in assessing heart rate of infants in the neonatal intensive care unit. <i>Journal of Paediatrics and Child Health</i> , 2008, 44, 273-275.  | 0.4 | 23        |
| 12353 | Bibbulung Gnarneep (â€solid kidâ€™): Causal pathways to poor birth outcomes in an urban Aboriginal birth cohort. <i>Journal of Paediatrics and Child Health</i> , 2008, 44, 342-346.  | 0.4 | 22        |
| 12354 | Reproducibility, validity, and responsiveness of a disease-specific symptom questionnaire for gastroesophageal reflux disease. <i>Ecological Management and Restoration</i> , 2008, 13, 265-270.  | 0.2 | 4         |
| 12355 | Comparing methods of determining addition in presbyopes. <i>Australasian journal of optometry, The</i> , 2008, 91, 313-318.   | 0.6 | 18        |
| 12356 | Could the coefficient of variation (COV) of the corneal endothelium be overestimated when a centreâ€dot method is used?. <i>Australasian journal of optometry, The</i> , 2008, 91, 103-110.  | 0.6 | 16        |
| 12357 | Repeatability of near visual acuity measurement at high and low contrast. <i>Australasian journal of optometry, The</i> , 2008, 91, 447-452.  | 0.6 | 11        |
| 12358 | Automated determination of distance visual acuity: towards teleophthalmology services. <i>Australasian journal of optometry, The</i> , 2008, 91, 545-550.   | 0.6 | 9         |
| 12359 | Further analysis of assessments of the coefficient of variation of corneal endothelial cell areas from specular microscopic images. <i>Australasian journal of optometry, The</i> , 2008, 91, 438-446.  | 0.6 | 36        |
| 12360 | The effect of repeated applanation on subsequent IOP measurements. <i>Australasian journal of optometry, The</i> , 2008, 91, 524-529.   | 0.6 | 37        |
| 12361 | INFLUENCE OF BLOOD SAMPLING PROCEDURE ON PLASMA CONCENTRATIONS OF MATRIX METALLOPROTEINASES AND THEIR TISSUE INHIBITORS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008, 35, 464-469.                                      | 0.9 | 14        |
| 12362 | Automated versus manual blood pressure measurement: A randomized crossover trial. <i>International Journal of Nursing Practice</i> , 2008, 14, 296-302.   | 0.8 | 32        |
| 12363 | Clinical evaluation of the Surgivet V60046, a non invasive blood pressure monitor in anaesthetized dogs. <i>Veterinary Anaesthesia and Analgesia</i> , 2008, 35, 13-21.   | 0.3 | 44        |
| 12364 | Comparison of peripheral and core temperatures in anaesthetized hypovolaemic sheep. <i>Veterinary Anaesthesia and Analgesia</i> , 2008, 35, 45-51.  | 0.3 | 9         |
| 12365 | Evaluation of a digitally integrated accelerometer-based activity monitor for the measurement of activity in cats. <i>Veterinary Anaesthesia and Analgesia</i> , 2008, 35, 173-183.   | 0.3 | 79        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12366 | Upper airway dimensions in children using rigid video-bronchoscopy and a computer software: description of a measurement technique. <i>Paediatric Anaesthesia</i> , 2008, 18, 645-653.   | 0.6 | 22        |
| 12367 | Effect of elevated PEEP on dynamic variables of fluid responsiveness in a pediatric animal model. <i>Paediatric Anaesthesia</i> , 2008, 18, 1170-1177.   | 0.6 | 22        |
| 12368 | Body composition analysis by leg bioelectrical impedance and dual energy X-ray absorptiometry in non-obese and obese individuals. <i>Diabetes, Obesity and Metabolism</i> , 2008, 10, 1012-1018.   | 2.2 | 90        |
| 12369 | Variance inflation in sequential calculations of body surface area, plasma volume, and prostate-specific antigen mass. <i>BJU International</i> , 2008, 102, 1573-1580.  | 1.3 | 13        |
| 12370 | Implications of different DCCT-aligned HbA1c methods on GMS clinical indicators. <i>Diabetic Medicine</i> , 2008, 25, 97-100.  | 1.2 | 6         |
| 12371 | Point-of-care testing as a tool for screening for diabetes and pre-diabetes. <i>Diabetic Medicine</i> , 2008, 25, 1070-1075.   | 1.2 | 23        |
| 12372 | Methacholine vs adenosine on intra and extrathoracic airway hyperresponsiveness in patients with cough variant asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2008, 63, 527-532.  | 2.7 | 10        |
| 12373 | Efficacy of mometasone furoate nasal spray in the treatment of allergic rhinitis. Meta-analysis of randomized, double-blind, placebo-controlled, clinical trials. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2008, 63, 1280-1291. | 2.7 | 72        |
| 12374 | Worldwide time trends for symptoms of rhinitis and conjunctivitis: Phase III of the International Study of Asthma and Allergies in Childhood. <i>Pediatric Allergy and Immunology</i> , 2008, 19, 110-124.   | 1.1 | 321       |
| 12375 | Cytokine levels in supernatants of whole blood and mononuclear cell cultures in adults and neonates reveal significant differences with respect to interleukin-13 and interferon-gamma. <i>Pediatric Allergy and Immunology</i> , 2008, 19, 140-147.         | 1.1 | 16        |
| 12376 | Cysteinyl-leukotrienes in nasal lavage fluid in children with asthma. <i>Pediatric Allergy and Immunology</i> , 2008, 19, 227-232.   | 1.1 | 2         |
| 12377 | A methodology for measurements of nasal nitric oxide in children under 5 years. <i>Pediatric Allergy and Immunology</i> , 2008, 19, 233-238.   | 1.1 | 13        |
| 12378 | Fractional exhaled nitric oxide in infants during cow's milk food challenge. <i>Pediatric Allergy and Immunology</i> , 2008, 19, 420-425.  | 1.1 | 6         |
| 12379 | Usefulness of a central venous catheter during hepatic surgery. <i>Acta Anaesthesiologica Scandinavica</i> , 2008, 52, 388-396.  | 0.7 | 11        |
| 12380 | Laparoscopic colon surgery: unreliability of end-tidal CO <sub>2</sub> monitoring. <i>Acta Anaesthesiologica Scandinavica</i> , 2008, 52, 700-707.   | 0.7 | 19        |
| 12381 | Properties of the Cigarette Dependence Scale and the Fagerström Test of Nicotine Dependence in a representative sample of smokers in Norway. <i>Addiction</i> , 2008, 103, 1441-1449.  | 1.7 | 25        |
| 12382 | Method of assessing involved facial areas: rule of fours. <i>British Journal of Dermatology</i> , 2008, 158, 1022-1028.  | 1.4 | 18        |
| 12383 | Evaluation of adrenal function using the human corticotrophin-releasing hormone test, low dose Synacthen test and 9am cortisol level in children and adolescents with central adrenal insufficiency. <i>Clinical Endocrinology</i> , 2008, 68, 683-691.      | 1.2 | 34        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12384 | Serum IGFâ€ measured by four different immunoassays in patients with adult GH deficiency or acromegaly and in a control population. <i>Clinical Endocrinology</i> , 2008, 68, 942-950.   | 1.2 | 39        |
| 12385 | Classification of chronic kidney disease by estimated glomerular filtration rate. <i>European Journal of Clinical Investigation</i> , 2008, 38, 253-259.  | 1.7 | 16        |
| 12386 | Digital scoring of haemophilic arthropathy using radiographs is feasible. <i>Haemophilia</i> , 2008, 14, 999-1006.  | 1.0 | 3         |
| 12387 | Automated assessment of keratocyte density in clinical confocal microscopy of the corneal stroma. <i>Journal of Microscopy</i> , 2008, 229, 21-31.  | 0.8 | 21        |
| 12388 | Contribution of medical students to admission interviews. <i>Medical Education</i> , 2008, 42, 315-321.   | 1.1 | 9         |
| 12390 | In vitro evaluation of the CeVOX™ continuous central venous oxygenation monitoring system. <i>Anaesthesia</i> , 2008, 63, 412-417.  | 1.8 | 9         |
| 12391 | Use of the HemoCue® near patient testing device to measure the concentration of haemoglobin in suction fluid at elective Caesarean section. <i>Anaesthesia</i> , 2008, 63, 531-534.   | 1.8 | 22        |
| 12392 | The anaesthetic management of children with anterior mediastinal masses. <i>Anaesthesia</i> , 2008, 63, 837-846.  | 1.8 | 80        |
| 12393 | Comparison of blood pressure measured at the arm, ankle and calf. <i>Anaesthesia</i> , 2008, 63, 1327-1331.   | 1.8 | 39        |
| 12394 | Assessment of endothelial function: comparison of the pulse wave response to Î²2-adrenoceptor stimulation with flow mediated dilatation. <i>British Journal of Clinical Pharmacology</i> , 2008, 65, 238-243.   | 1.1 | 27        |
| 12395 | Sucking habits in childhood and the effects on the primary dentition: findings of the Avon Longitudinal Study of Pregnancy and Childhood. <i>International Journal of Paediatric Dentistry</i> , 2008, 18, 178-188.   | 1.0 | 60        |
| 12396 | Parentsâ€™ childhood fever management: community survey and instrument development. <i>Journal of Advanced Nursing</i> , 2008, 63, 376-388.   | 1.5 | 86        |
| 12397 | Commentary on Vermeulen H, Ubbink DT, Schreuder SM and Lubbers MJ (2007) Inter- and intra-observer (dis)agreement among nurses and doctors to classify colour and exudation of open surgical wounds according to the Redâ€“Yellowâ€“Black scheme. <i>Journal of Clinical Nursing</i> 16, 1270â€“1277 and Sugama J, Matsui Y, Sanada H, Konya C, Okuwa M and Kitagawa A (2007) A study of the efficiency and convenience of an advanced portable wound measurement system (VISITRAK™). <i>Journal of Clinical Nursing</i> 16, 1265â€“1269. <i>Journal of Clinical Nursing</i> , 2008, 17, 1677-1679. | 1.4 | 1         |
| 12398 | Estimation of the area under the curve for mycophenolic acid in adult renal transplant patients with concomitant tacrolimus using a limited sampling strategy. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2008, 33, 159-163.  | 0.7 | 17        |
| 12399 | Analysis using fluorescence polarization immunoassay for unbound teicoplanin concentration in serum. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2008, 33, 357-363.  | 0.7 | 6         |
| 12400 | Characterization of autonomic dysfunction in patients with irritable bowel syndrome using fingertip blood flow. <i>Neurogastroenterology and Motility</i> , 2008, 20, 498-504.  | 1.6 | 26        |
| 12401 | Multichannel electrogastrography under a magnifying glass â€“ an in-depth study on reproducibility of fed state electrogastrograms. <i>Neurogastroenterology and Motility</i> , 2008, 20, 625-634.  | 1.6 | 17        |
| 12402 | External anal sphincter fatigue is not improved by N-acetylcysteine in an animal model. <i>Neurogastroenterology and Motility</i> , 2008, 20, 719-724.  | 1.6 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12403 | Heart Rate Detection From Plantar Bioimpedance Measurements. IEEE Transactions on Biomedical Engineering, 2008, 55, 1163-1167.   | 2.5 | 53        |
| 12404 | Quantification of Regional Left Ventricular Dyssynchrony by Magnetic Resonance Imaging. IEEE Transactions on Biomedical Engineering, 2008, 55, 985-995.                                      | 2.5 | 8         |
| 12405 | An Adaptive Algorithm for Eye-Gaze-Tracking-Device Calibration. IEEE Transactions on Instrumentation and Measurement, 2008, 57, 716-723.   | 2.4 | 26        |
| 12406 | 3-D Segmentation Algorithm of Small Lung Nodules in Spiral CT Images. IEEE Transactions on Information Technology in Biomedicine, 2008, 12, 7-19.  | 3.6 | 109       |
| 12407 | Shape-Driven Segmentation of the Arterial Wall in Intravascular Ultrasound Images. IEEE Transactions on Information Technology in Biomedicine, 2008, 12, 335-347.                            | 3.6 | 115       |
| 12408 | Detections of Arterial Wall in Sonographic Artery Images Using Dual Dynamic Programming. IEEE Transactions on Information Technology in Biomedicine, 2008, 12, 792-799.                      | 3.6 | 59        |
| 12409 | Segmentation of the Left Ventricle of the Heart in 3-D+t MRI Data Using an Optimized Nonrigid Temporal Model. IEEE Transactions on Medical Imaging, 2008, 27, 195-203.                       | 5.4 | 148       |
| 12410 | Automatic Construction of 3D-ASM Intensity Models by Simulating Image Acquisition: Application to Myocardial Gated SPECT Studies. IEEE Transactions on Medical Imaging, 2008, 27, 1655-1667. | 5.4 | 30        |
| 12411 | Dynamic Positron Emission Tomography Data-Driven Analysis Using Sparse Bayesian Learning. IEEE Transactions on Medical Imaging, 2008, 27, 1356-1369.   | 5.4 | 24        |
| 12412 | <i>In-Vitro</i> and <i>In-Vivo</i> Trans-Scalp Evaluation of an Intracranial Pressure Implant at 2.4 GHz. IEEE Transactions on Microwave Theory and Techniques, 2008, 56, 2356-2365.         | 2.9 | 71        |
| 12413 | Binocular adaptation to near addition lenses in emmetropic adults. Vision Research, 2008, 48, 1262-1269.   | 0.7 | 30        |
| 12414 | The use of cues to convergence and accommodation in naïve, uninstructed participants. Vision Research, 2008, 48, 1613-1624.  | 0.7 | 55        |
| 12415 | Assessing RNA quality in postmortem human brain tissue. Experimental and Molecular Pathology, 2008, 84, 71-77.   | 0.9 | 46        |
| 12416 | Diffusion-weighted magnetic resonance imaging in the early detection of response to chemoradiation in cervical cancer. Gynecologic Oncology, 2008, 111, 213-220.                             | 0.6 | 217       |
| 12418 | Pocket Doppler and vascular laboratory equipment yield comparable results for ankle brachial index measurement. BMC Cardiovascular Disorders, 2008, 8, 26.                                   | 0.7 | 9         |
| 12419 | Reliability and validity of the international physical activity questionnaire in the Nord-Trøndelag health study (HUNT) population of men. BMC Medical Research Methodology, 2008, 8, 63.    | 1.4 | 173       |
| 12420 | Accuracy of self-reported body weight, height and waist circumference in a Dutch overweight working population. BMC Medical Research Methodology, 2008, 8, 69.                               | 1.4 | 193       |
| 12421 | Inter-rater reliability of data elements from a prototype of the Paul Coverdell National Acute Stroke Registry. BMC Neurology, 2008, 8, 19.  | 0.8 | 32        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12422 | Translation of the Neck Disability Index and validation of the Greek version in a sample of neck pain patients. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 106.   | 0.8 | 66        |
| 12423 | The reliability of postural balance measures in single and dual tasking in elderly fallers and non-fallers. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 162.   | 0.8 | 91        |
| 12424 | An initial application of computerized adaptive testing (CAT) for measuring disability in patients with low back pain. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 166.  | 0.8 | 45        |
| 12425 | Psychometric characteristics of the Spanish version of instruments to measure neck pain disability. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 42.  | 0.8 | 57        |
| 12426 | Development and first assessment of a questionnaire for health care utilization and costs for cardiac patients. <i>BMC Health Services Research</i> , 2008, 8, 187.  | 0.9 | 14        |
| 12427 | Biometric calculation of intraocular lens power for cataract surgery following pupil dilatation. <i>Clinical and Experimental Ophthalmology</i> , 2008, 36, 156-158.   | 1.3 | 4         |
| 12428 | Fourier analysis of digital retinal images in estimation of cataract severity. <i>Clinical and Experimental Ophthalmology</i> , 2008, 36, 637-645.   | 1.3 | 17        |
| 12429 | Development and validation of microcomputer analysis of gastric and smallâ€bowel manometry. <i>Neurogastroenterology and Motility</i> , 1992, 4, 301-315.  | 1.6 | 6         |
| 12430 | Comparison of Multislice Computed Tomography to Gated Single-Photon Emission Computed Tomography for Imaging of Healed Myocardial Infarcts. <i>American Journal of Cardiology</i> , 2008, 101, 144-148.  | 0.7 | 30        |
| 12431 | Test-Retest Reliability of Assessment for Intraventricular Dyssynchrony by Tissue Doppler Imaging Echocardiographyâ€Conflicts of interest: Dr. Shorofsky is a consultant for Medtronic and Boston Scientific. Dr. Mehra is a consultant for Medtronic, Boston Scientific, and St. Jude Medical.. <i>American Journal of Cardiology</i> , 2008, 101, 645-650. | 0.7 | 19        |
| 12432 | Usefulness of 64-Detector Row Computed Tomography for Evaluation of Intracoronary Stents in Symptomatic Patients With Suspected In-Stent Restenosis. <i>American Journal of Cardiology</i> , 2008, 101, 1567-1573.   | 0.7 | 38        |
| 12433 | Usefulness of Cardiac Magnetic Resonance Imaging Combined With Low-Dose Dobutamine Stress to Detect an Abnormal Ventricular Stress Response in Children and Young Adults After Fontan Operation at Young Age. <i>American Journal of Cardiology</i> , 2008, 101, 1657-1662.  | 0.7 | 52        |
| 12434 | Comparison of Assessment of Native Coronary Arteries by Standard Versus Three-Dimensional Coronary Angiography. <i>American Journal of Cardiology</i> , 2008, 102, 272-279.  | 0.7 | 41        |
| 12435 | Reproducibility of Peak Oxygen Uptake and Other Cardiopulmonary Exercise Testing Parameters in Patients With Heart Failure (from the Heart Failure and A Controlled Trial Investigating Outcomes of Tj ETQq1 1 0.084314 rgs /Overlo  | 0.7 | 35        |
| 12436 | Stage-Related Effect of Statin Treatment on the Progression of Aortic Valve Sclerosis and Stenosis. <i>American Journal of Cardiology</i> , 2008, 102, 738-742.  | 0.7 | 82        |
| 12437 | Accuracy and Reproducibility of Quantitation of Left Ventricular Function by Real-Time Three-Dimensional Echocardiography Versus Cardiac Magnetic Resonance. <i>American Journal of Cardiology</i> , 2008, 102, 778-783.   | 0.7 | 101       |
| 12438 | Usefulness of P-Wave Dispersion in Standard Twelve-Lead Electrocardiography to Predict Transition from Paroxysmal to Persistent Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2008, 102, 573-577.   | 0.7 | 47        |
| 12439 | Comparison of Left Ventricular Dyssynchrony by Two-Dimensional Speckle Tracking Versus Tissue Doppler Imaging in Patients With Nonâ€ST-Elevation Myocardial Infarction and Preserved Left Ventricular Systolic Function. <i>American Journal of Cardiology</i> , 2008, 102, 1146-1150.   | 0.7 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12440 | A comparison of micro-CT, microradiography and histomorphometry in bone research. Archives of Oral Biology, 2008, 53, 558-566.   | 0.8 | 64        |
| 12441 | An improved method to analyse tooth and restoration contour using image analysis: Application in the maxillary anterior teeth in Chinese population. Archives of Oral Biology, 2008, 53, 503-508.                                    | 0.8 | 6         |
| 12442 | The Agreement and Repeatability of Computer-Based Wear Measurement of Total Hip Arthroplasties. Journal of Arthroplasty, 2008, 23, 123-127.  | 1.5 | 1         |
| 12443 | The Assessment of Intraoperative Prosthetic Knee Range of Motion Using Two Methods. Journal of Arthroplasty, 2008, 23, 515-521.  | 1.5 | 18        |
| 12444 | Artificial neural network-based equation for estimating VO2max from the 20m shuttle run test in adolescents. Artificial Intelligence in Medicine, 2008, 44, 233-245.   | 3.8 | 74        |
| 12445 | Detection of norovirus genotype I.3b and II.4 in bioaccumulated blue mussels using different virus recovery methods. International Journal of Food Microbiology, 2008, 127, 53-59.   | 2.1 | 52        |
| 12446 | Evaluation of nitrate influence on thyroid volume of adults in a previously iodine-deficient area. International Journal of Hygiene and Environmental Health, 2008, 211, 186-191.  | 2.1 | 18        |
| 12447 | Clinical measurement and assessing agreement. Current Anaesthesia and Critical Care, 2008, 19, 328-329.  | 0.3 | 31        |
| 12448 | Reproducibility of intravascular ultrasound virtual histology analysis. Cardiovascular Revascularization Medicine, 2008, 9, 71-77.   | 0.3 | 24        |
| 12449 | Do Abdominal Aortic Aneurysm Necks Increase in Size Faster after Endovascular than Open Repair?. European Journal of Vascular and Endovascular Surgery, 2008, 35, 685-693.   | 0.8 | 37        |
| 12450 | Multidimensional Characterization of Carotid Artery Stenosis Using CT Imaging: A Comparison with Ultrasound Grading and Peak Flow Measurement. European Journal of Vascular and Endovascular Surgery, 2008, 36, 267-272.             | 0.8 | 21        |
| 12451 | An interrater reliability study of the Braden scale in two nursing homes. International Journal of Nursing Studies, 2008, 45, 1501-1511.   | 2.5 | 49        |
| 12452 | Predictive Validity of Four Bioelectrical Impedance Equations in Determining Percent Fat Mass in Overweight and Obese Children. Journal of the American Dietetic Association, 2008, 108, 136-139.                                    | 1.3 | 42        |
| 12453 | A Validation Study of Body Composition by Bioelectrical Impedance Analysis in Human Immunodeficiency Virus (HIV)-Positive and HIV-Negative Hispanic Men and Women. Journal of the American Dietetic Association, 2008, 108, 534-538. | 1.3 | 17        |
| 12454 | Measuring Energy Expenditure in Community-Dwelling Older Adults: Are Portable Methods Valid and Acceptable?. Journal of the American Dietetic Association, 2008, 108, 544-548.   | 1.3 | 18        |
| 12455 | Relative Reliability and Validity of the Block Kids Questionnaire among Youth Aged 10 to 17 Years. Journal of the American Dietetic Association, 2008, 108, 862-866.   | 1.3 | 182       |
| 12456 | Validation of a Food Choice Map with a 3-Day Food Record and Serum Values to Assess Folate and Vitamin B-12 Intake in College-Aged Women. Journal of the American Dietetic Association, 2008, 108, 2041-2050.                        | 1.3 | 24        |
| 12457 | Assessment of Transcutaneous Bilirubinometry in Hospitalized Adults. Journal of the American College of Surgeons, 2008, 206, 1129-1136.  | 0.2 | 8         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12458 | Validation of the French version of the Disability of the Arm, Shoulder and Hand questionnaire (F-DASH). <i>Joint Bone Spine</i> , 2008, 75, 195-200.   | 0.8 | 66        |
| 12459 | New body fat prediction equations for severely obese patients. <i>Clinical Nutrition</i> , 2008, 27, 350-356.   | 2.3 | 34        |
| 12460 | Multifrequency bioelectrical impedance analysis and bioimpedance spectroscopy for monitoring fluid and body cell mass changes after gastric bypass surgery. <i>Clinical Nutrition</i> , 2008, 27, 832-841.                                | 2.3 | 41        |
| 12461 | Validity of impedance-based equations for the prediction of total body water as measured by deuterium dilution in Cameroonian HIV-infected patients treated with antiretroviral treatment. <i>Clinical Nutrition</i> , 2008, 27, 881-888. | 2.3 | 4         |
| 12462 | Validity of the ActiReg <sup>®</sup> system and a physical activity interview in assessing total energy expenditure in long-term survivors after total gastrectomy. <i>Clinical Nutrition</i> , 2008, 27, 842-848.                        | 2.3 | 4         |
| 12463 | Detection of apneic events from single channel nasal airflow using 2nd derivative method. <i>Computer Methods and Programs in Biomedicine</i> , 2008, 91, 199-207.  | 2.6 | 38        |
| 12464 | Computer aided analysis of digitized dental stone replicas by dental CAD/CAM technology. <i>Dental Materials</i> , 2008, 24, 1123-1130.   | 1.6 | 80        |
| 12465 | Fiabilidad de la poligrafía respiratoria para el diagnóstico del síndrome de apneas-hipopneas durante el sueño en niños. <i>Archivos De Bronconeumología</i> , 2008, 44, 318-323.   | 0.4 | 19        |
| 12466 | Effects of Home-based Training at Dyspnea Threshold in Children Surgically Repaired for Congenital Heart Disease. <i>Congenital Heart Disease</i> , 2008, 3, 191-199.   | 0.0 | 23        |
| 12467 | Estimations of body surface area in newborns. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008, 97, 366-370.  | 0.7 | 30        |
| 12468 | How Well Does a Shortened Time Interval Characterize Results of a Full Ambulatory Blood Pressure Monitoring Session?. <i>Journal of Clinical Hypertension</i> , 2008, 10, 431-435.  | 1.0 | 9         |
| 12469 | Knee Images Digital Analysis (KIDA): a novel method to quantify individual radiographic features of knee osteoarthritis in detail. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 234-243.   | 0.6 | 90        |
| 12470 | Cross-cultural adaptation and validation of the French version of the Knee injury and Osteoarthritis Outcome Score (KOOS) in knee osteoarthritis patients. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 423-428.                       | 0.6 | 156       |
| 12471 | Anisotropy of collagen fibre alignment in bovine cartilage: comparison of polarised light microscopy and spatially resolved diffusion-tensor measurements. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 689-697.                       | 0.6 | 103       |
| 12472 | PIIANP and HELIXII diurnal variation. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 1192-1195.  | 0.6 | 19        |
| 12473 | A Method for Quantifying Condylar Motion in Patients With Osteoarthritis Using an Electromagnetic Tracking Device and Computed Tomography Imaging. <i>Journal of Oral and Maxillofacial Surgery</i> , 2008, 66, 848-857.                  | 0.5 | 17        |
| 12474 | Poster 070: Accuracy of a New Technique for Recording Natural Head Position in 3 Dimensions. <i>Journal of Oral and Maxillofacial Surgery</i> , 2008, 66, 108-109.  | 0.5 | 0         |
| 12475 | Is it Necessary to Measure Resting Energy Expenditure in Clinical Practice in Children?. <i>Journal of Pediatrics</i> , 2008, 152, 437-439.   | 0.9 | 16        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12476 | Accuracy of Pulse Oximetry Measurement of Heart Rate of Newborn Infants in the Delivery Room. <i>Journal of Pediatrics</i> , 2008, 152, 756-760.  | 0.9 | 151       |
| 12477 | Criterion-related validity and test-retest reliability of the 20m Square Shuttle Test. <i>Journal of Science and Medicine in Sport</i> , 2008, 11, 214-217.   | 0.6 | 32        |
| 12478 | The reliability of physiological and performance measures during simulated team-sport running on a non-motorised treadmill. <i>Journal of Science and Medicine in Sport</i> , 2008, 11, 500-509.  | 0.6 | 58        |
| 12479 | The modified D-max is a valid lactate threshold measurement in veteran cyclists. <i>Journal of Science and Medicine in Sport</i> , 2008, 11, 460-463.   | 0.6 | 13        |
| 12480 | Insights on left ventricular and valvular mechanisms of recurrent ischemic mitral regurgitation after restrictive annuloplasty and coronary artery bypass grafting. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008, 136, 507-518. | 0.4 | 69        |
| 12481 | Feasibility of a three-axis epicardial accelerometer in detecting myocardial ischemia in cardiac surgical patients. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008, 136, 1496-1502.   | 0.4 | 28        |
| 12482 | Observer variation in vascular CT measurements of the abdominal aorta. <i>Radiography</i> , 2008, 14, 282-287.  | 1.1 | 3         |
| 12483 | Expression of cell cycle associated proteins influences radiocurability of T2N0 squamous cell carcinoma of the larynx. <i>Oral Oncology</i> , 2008, 44, 975-981.  | 0.8 | 6         |
| 12484 | Translation, transcultural adaptation, reliability and validity of the Patient Satisfaction Questionnaire in German. <i>Physiotherapy</i> , 2008, 94, 43-55.  | 0.2 | 10        |
| 12485 | Nasal inspiratory pressure as an indirect measurement of respiratory muscle strength measured during SNIP and Psn methods in healthy subjects and subjects with motor neurone disease. <i>Physiotherapy</i> , 2008, 94, 158-162.                | 0.2 | 3         |
| 12486 | Assessment of undergraduate physiotherapist clinical performance: investigation of educator inter-rater reliability. <i>Physiotherapy</i> , 2008, 94, 212-219.  | 0.2 | 11        |
| 12487 | Comparison of Placental Volume in Early Pregnancy Using Multiplanar and VOCAL Methods. <i>Placenta</i> , 2008, 29, 241-245.   | 0.7 | 35        |
| 12488 | Farmer estimation of live bodyweight of cattle: Implications for veterinary drug dosing in East Africa. <i>Preventive Veterinary Medicine</i> , 2008, 87, 394-403.  | 0.7 | 35        |
| 12489 | Quantitation of HIV-1 RNA in dried blood spots by the real-time NucliSENS EasyQ HIV-1 assay in Senegal. <i>Journal of Virological Methods</i> , 2008, 148, 291-295.   | 1.0 | 62        |
| 12490 | Pre-operative mental wellbeing and the outcome of knee replacement. <i>Knee</i> , 2008, 15, 277-280.  | 0.8 | 20        |
| 12491 | The validity of clinical measures of patella position. <i>Manual Therapy</i> , 2008, 13, e3.  | 1.6 | 0         |
| 12492 | Differences between QT and RR intervals in digital and digitized paper electrocardiograms: contribution of the printer, scanner, and digitization process. <i>Journal of Electrocardiology</i> , 2008, 41, 370-375.                             | 0.4 | 8         |
| 12493 | Effects of Diet and Weight Gain on Body Condition Scoring in Thoroughbred Geldings. <i>Journal of Equine Veterinary Science</i> , 2008, 28, 156-166.  | 0.4 | 21        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12494 | High-reproducible flow cytometric endothelial progenitor cell determination in human peripheral blood as CD34+/CD144+/CD34 <sup>+</sup> lymphocyte sub-population. <i>Journal of Immunological Methods</i> , 2008, 335, 21-27.                    | 0.6 | 28        |
| 12495 | Radiographic evaluation of tooth drift after cheek tooth extraction and insertion of an intra-alveolar prosthesis in ponies. <i>Veterinary Journal</i> , 2008, 175, 249-258.  | 0.6 | 11        |
| 12496 | Validation of a food frequency questionnaire for assessing dietary nutrients in Brazilian children 5 to 10 years of age. <i>Nutrition</i> , 2008, 24, 427-432.  | 1.1 | 59        |
| 12497 | Cancer cachexia: Measured and predicted resting energy expenditures for nutritional needs evaluation. <i>Nutrition</i> , 2008, 24, 443-450.   | 1.1 | 40        |
| 12498 | Prediction of maximal oxygen uptake in sedentary males from a perceptually regulated, sub-maximal graded exercise test. <i>Journal of Sports Sciences</i> , 2008, 26, 131-139.  | 1.0 | 63        |
| 12499 | Basal Metabolic Rate and Body Composition in Patients with Post-Polio Syndrome. <i>Annals of Nutrition and Metabolism</i> , 2008, 53, 199-204.  | 1.0 | 7         |
| 12500 | Metaanalysis of the Efficacy of Sublingual Immunotherapy in the Treatment of Allergic Asthma in Pediatric Patients, 3 to 18 Years of Age. <i>Chest</i> , 2008, 133, 599-609.  | 0.4 | 263       |
| 12501 | A Mathematical Formula to Estimate <i>In Vivo</i> Thyroid Volume from Two-Dimensional Ultrasonography. <i>Thyroid</i> , 2008, 18, 879-882.  | 2.4 | 16        |
| 12502 | Left Ventricular Functional Analysis Using 64-Slice Multidetector Row Computed Tomography: Comparison with Left Ventriculography and Cardiovascular Magnetic Resonance. <i>Cardiology</i> , 2008, 109, 135-142.                                   | 0.6 | 30        |
| 12503 | Creatinine Measurements in 24 h Urine by Liquid Chromatography <sup>+</sup> Tandem Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 333-336.  | 2.4 | 47        |
| 12504 | Cardiopulmonary responses to treadmill and cycle ergometry exercise in patients with peripheral vascular disease. <i>Journal of Vascular Surgery</i> , 2008, 47, 123-130.   | 0.6 | 31        |
| 12505 | Reference value of transcutaneous oxygen measurement in diabetic patients compared with nondiabetic patients. <i>Journal of Vascular Surgery</i> , 2008, 48, 382-388.   | 0.6 | 43        |
| 12506 | Peripheral lung carcinoma: Correlation of angiogenesis and first-pass perfusion parameters of 64-detector row CT. <i>Lung Cancer</i> , 2008, 61, 44-53.   | 0.9 | 85        |
| 12507 | Psychometric comparison of computerized and standard administration of the neurocognitive assessment instruments selected by the CATIE and MATRICS consortia among patients with schizophrenia. <i>Schizophrenia Research</i> , 2008, 106, 33-41. | 1.1 | 27        |
| 12508 | The Cycle of the Seminiferous Epithelium in Humans: A Need to Revisit?. <i>Journal of Andrology</i> , 2008, 29, 469-487.  | 2.0 | 253       |
| 12509 | A new 2-regression model for the Actical accelerometer. <i>British Journal of Sports Medicine</i> , 2008, 42, 217-224.  | 3.1 | 63        |
| 12510 | Recognition versus Resolution: a Comparison of Visual Acuity Results Using Two Alternative Test Chart Optotype. <i>Journal of Optometry</i> , 2008, 1, 65-70.   | 0.7 | 10        |
| 12513 | Detection of emphysema progression in alpha 1-antitrypsin deficiency using CT densitometry; Methodological advances. <i>Respiratory Research</i> , 2008, 9, 21.   | 1.4 | 61        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12514 | A systematic review of mobility instruments and their measurement properties for older acute medical patients. <i>Health and Quality of Life Outcomes</i> , 2008, 6, 44.  | 1.0 | 68        |
| 12515 | A comparison of EQ-5D index scores using the UK, US, and Japan preference weights in a Thai sample with type 2 diabetes. <i>Health and Quality of Life Outcomes</i> , 2008, 6, 71.  | 1.0 | 59        |
| 12516 | In vivo quantification of embryonic and placental growth during gestation in mice using micro-ultrasound. <i>Reproductive Biology and Endocrinology</i> , 2008, 6, 34.  | 1.4 | 87        |
| 12517 | A comparison of direct versus self-report measures for assessing physical activity in adults: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008, 5, 56.                | 2.0 | 2,122     |
| 12518 | Total body water estimations in healthy men and women using bioimpedance spectroscopy: a deuterium oxide comparison. <i>Nutrition and Metabolism</i> , 2008, 5, 7.  | 1.3 | 92        |
| 12519 | The development of an automated sentence generator for the assessment of reading speed. <i>Behavioral and Brain Functions</i> , 2008, 4, 14.  | 1.4 | 13        |
| 12520 | Arch height change during sit-to-stand: an alternative for the navicular drop test. <i>Journal of Foot and Ankle Research</i> , 2008, 1, 3.   | 0.7 | 65        |
| 12521 | Maximal oxygen uptake versus maximal power output in children. <i>Journal of Sports Sciences</i> , 2008, 26, 1397-1402.   | 1.0 | 23        |
| 12522 | Atherosclerosis Inflammation Imaging with <sup>18</sup> F-FDG PET: Carotid, Iliac, and Femoral Uptake Reproducibility, Quantification Methods, and Recommendations. <i>Journal of Nuclear Medicine</i> , 2008, 49, 871-878. | 2.8 | 410       |
| 12523 | The use of ambulatory tonometric radial arterial wave capture to measure ambulatory blood pressure: the validation of a novel wrist-bound device in adults. <i>Journal of Human Hypertension</i> , 2008, 22, 220-222.       | 1.0 | 90        |
| 12524 | A Comparative Evaluation of Various Methods for Microalbuminuria Screening. <i>American Journal of Nephrology</i> , 2008, 28, 324-329.  | 1.4 | 36        |
| 12525 | Simulating pasture growth rates in Australian and New Zealand grazing systems. <i>Australian Journal of Agricultural Research</i> , 2008, 59, 761.  | 1.5 | 94        |
| 12526 | High-intensity aerobic exercise improves diastolic function in coronary artery disease. <i>Scandinavian Cardiovascular Journal</i> , 2008, 42, 110-117.   | 0.4 | 68        |
| 12527 | Feasibility of detection and quantification of gas-phase carbonyls in indoor environments using PFBHA derivatization and solid-phase microextraction (SPME). <i>Journal of Environmental Monitoring</i> , 2008, 10, 853.    | 2.1 | 14        |
| 12528 | Ultrasonic Cardiac Output Monitor Provides Accurate Measurement of Cardiac Output in Recipients After Liver Transplantation. <i>Acta Anaesthesiologica Taiwanica</i> , 2008, 46, 171-177.                                   | 1.0 | 12        |
| 12529 | Calculation of the left ventricular ejection fraction. Comparison between 4 different instruments. <i>Revista Española De Medicina Nuclear</i> , 2008, 27, 418-423.   | 0.3 | 0         |
| 12530 | Reliability of Respiratory Polygraphy for the Diagnosis of Sleep Apnea-Hypopnea Syndrome in Children. <i>Archivos De Bronconeumologia</i> , 2008, 44, 318-323.  | 0.4 | 34        |
| 12531 | Linear and nonlinear changes in the auditory brainstem response of aging humans. <i>Clinical Neurophysiology</i> , 2008, 119, 772-785.  | 0.7 | 9         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12532 | Short-term sympathetic baroreflex sensitivity increases at lower blood pressures. <i>Clinical Neurophysiology</i> , 2008, 119, 869-879.   | 0.7 | 4         |
| 12533 | Experimental Validation of Circumferential, Longitudinal, and Radial 2-Dimensional Strain During Dobutamine Stress Echocardiography in Ischemic Conditions. <i>Journal of the American College of Cardiology</i> , 2008, 51, 149-157.     | 1.2 | 206       |
| 12534 | Morphologic and Functional Predictors of Eventual Circulation in the Fetus With Pulmonary Atresia or Critical Pulmonary Stenosis With Intact Septum. <i>Journal of the American College of Cardiology</i> , 2008, 51, 1299-1308.          | 1.2 | 110       |
| 12535 | Conduit Artery Constriction Mediated by Low Flow. <i>Journal of the American College of Cardiology</i> , 2008, 51, 1953-1958.   | 1.2 | 143       |
| 12536 | Endothelial Function in Human Immunodeficiency Virus-Infected Antiretroviral-Naive Subjects Before and After Starting Potent Antiretroviral Therapy. <i>Journal of the American College of Cardiology</i> , 2008, 52, 569-576.            | 1.2 | 278       |
| 12537 | Comprehensive Assessment of Coronary Artery Stenoses. <i>Journal of the American College of Cardiology</i> , 2008, 52, 636-643.   | 1.2 | 584       |
| 12538 | Effect of Dynamic Flow Rate and Orifice Area on Mitral Regurgitant Stroke Volume Quantification Using the Proximal Isovelocity Surface Area Method. <i>Journal of the American College of Cardiology</i> , 2008, 52, 767-778.             | 1.2 | 103       |
| 12539 | High-Speed Myocardial Perfusion Imaging. <i>JACC: Cardiovascular Imaging</i> , 2008, 1, 156-163.  | 2.3 | 213       |
| 12540 | Moving Beyond Binary Grading of Coronary Arterial Stenoses on Coronary Computed Tomographic Angiography. <i>JACC: Cardiovascular Imaging</i> , 2008, 1, 460-471.  | 2.3 | 83        |
| 12541 | Surface pattern classification by enhanced-magnification endoscopy for identifying early gastric cancers. <i>Gastrointestinal Endoscopy</i> , 2008, 67, 430-437.  | 0.5 | 42        |
| 12542 | Evaluation of Left Atrial Size on Transoesophageal Echocardiography: What is the Best Measure?. <i>Heart Lung and Circulation</i> , 2008, 17, 100-106.  | 0.2 | 8         |
| 12543 | Cardiac MRI Assessment of Left and Right Ventricular Parameters in Healthy Australian Normal Volunteers. <i>Heart Lung and Circulation</i> , 2008, 17, 313-317.   | 0.2 | 23        |
| 12544 | Right ventricular pump function after cardiac resynchronization therapy: A strain imaging study. <i>Archives of Cardiovascular Diseases</i> , 2008, 101, 475-484.   | 0.7 | 28        |
| 12545 | Single- and multi-frequency bioelectrical impedance analyses to analyse body composition in maintenance haemodialysis patients: comparison with dual-energy x-ray absorptiometry. <i>Physiological Measurement</i> , 2008, 29, S517-S524. | 1.2 | 48        |
| 12546 | Calculation of organ doses in x-ray examinations of premature babies. <i>Medical Physics</i> , 2008, 35, 556-568.   | 1.6 | 23        |
| 12547 | Statistics in Biomedical Laboratory and Clinical Science: Applications, Issues and Pitfalls. <i>Medical Principles and Practice</i> , 2008, 17, 1-13.   | 1.1 | 31        |
| 12548 | The relationship between the haemoglobin concentration and the haematocrit in <i>Plasmodium falciparum</i> malaria. <i>Malaria Journal</i> , 2008, 7, 149.  | 0.8 | 42        |
| 12549 | A practical and precise approach to quantification of body composition in cancer patients using computed tomography images acquired during routine care. <i>Applied Physiology, Nutrition and Metabolism</i> , 2008, 33, 997-1006.        | 0.9 | 1,588     |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12550 | Assessment of Longitudinal and Radial Ventricular Dyssynchrony in Ischemic and Nonischemic Chronic Systolic Heart Failure: A Two-Dimensional Echocardiographic Speckle-Tracking Strain Study. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 58-65. | 1.2 | 62        |
| 12551 | Measuring statistical agreement between four point of care (POC) lactate meters and a laboratory blood analyzer in cats. <i>Journal of Feline Medicine and Surgery</i> , 2008, 10, 110-114.   | 0.6 | 24        |
| 12552 | The Impact of Exercise-Induced Changes in Intraventricular Dyssynchrony on Functional Improvement in Patients with Nonischemic Cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 948-953.  | 1.2 | 13        |
| 12553 | Subclinical Abnormalities of Left Ventricular Myocardial Deformation in Early-Stage Chronic Kidney Disease: The Precursor of Uremic Cardiomyopathy?. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 1293-1298.                                      | 1.2 | 84        |
| 12554 | Analysis of Segmental and Global Function of the Fetal Heart Using Novel Automatic Functional Imaging. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 146-150.  | 1.2 | 68        |
| 12555 | Apical Rotation by Speckle Tracking Echocardiography: A Simplified Bedside Index of Left Ventricular Twist. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 1121-1128.   | 1.2 | 68        |
| 12556 | Echocardiographic Speckle Tracking Radial Strain Imaging to Assess Ventricular Dyssynchrony in a Pacing Model of Resynchronization Therapy. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 1382-1388.   | 1.2 | 46        |
| 12557 | ECG Quantification of Myocardial Scar in Cardiomyopathy Patients With or Without Conduction Defects. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2008, 1, 327-336.   | 2.1 | 134       |
| 12558 | Manual and Automated Polyp Measurement. <i>Academic Radiology</i> , 2008, 15, 231-239.  | 1.3 | 16        |
| 12559 | Assessing Mitral Valve Area and Orifice Geometry in Calcific Mitral Stenosis: A New Solution by Real-Time Three-Dimensional Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 1006-1009.   | 1.2 | 79        |
| 12560 | Performance Prediction of a Percutaneous Ventricular Assist System Using Nonlinear Circuit Analysis Techniques. <i>IEEE Transactions on Biomedical Engineering</i> , 2008, 55, 419-429.   | 2.5 | 16        |
| 12561 | The Effect of Sport Concussion on Neurocognitive Function, Self-Report Symptoms and Postural Control. <i>Sports Medicine</i> , 2008, 38, 53-67.   | 3.1 | 252       |
| 12562 | Urinary Metabolite Quantification Employing 2D NMR Spectroscopy. <i>Analytical Chemistry</i> , 2008, 80, 9288-9297.   | 3.2 | 123       |
| 12563 | Assessment of left atrial volume and function by real-time three-dimensional echocardiography. <i>International Journal of Cardiology</i> , 2008, 123, 155-161.   | 0.8 | 113       |
| 12564 | Reproducibility and safety of the incremental shuttle walking test for cardiac rehabilitation. <i>International Journal of Cardiology</i> , 2008, 125, 144-145.   | 0.8 | 35        |
| 12565 | Right ventricular restrictive physiology in repaired tetralogy of Fallot is associated with smaller respiratory variability. <i>International Journal of Cardiology</i> , 2008, 125, 28-35.   | 0.8 | 10        |
| 12566 | Non-invasive ultrasonic cardiac output monitoring in exercise testing. <i>International Journal of Cardiology</i> , 2008, 126, 445-447.   | 0.8 | 17        |
| 12567 | Combined NTâ€“pro-BNP and CW-Doppler ultrasound cardiac output monitoring (USCOM) in epirubicin and liposomal doxorubicin therapy. <i>International Journal of Cardiology</i> , 2008, 128, 316-325.   | 0.8 | 21        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12568 | Quantitative 4-dimensional volumetric analysis of left ventricle in ischemic heart disease by 64-slice computed tomography: a comparative study with invasive left ventriculogram. <i>International Journal of Cardiology</i> , 2008, 129, 42-52.  | 0.8 | 13        |
| 12569 | South Asian men have different patterns of coronary artery disease when compared with European men. <i>International Journal of Cardiology</i> , 2008, 129, 406-413.   | 0.8 | 45        |
| 12571 | Comparison of Temperature Measurement Devices in Post Anesthesia Patients. <i>Journal of Perianesthesia Nursing</i> , 2008, 23, 36-48.   | 0.3 | 9         |
| 12572 | Capillary blood sampling as an alternative to venipuncture in the assessment of serum 25 hydroxyvitamin D levels. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2008, 112, 164-168.   | 1.2 | 25        |
| 12573 | A comparison of the Constant and Oxford shoulder scores in patients with conservatively treated proximal humeral fractures. <i>Journal of Shoulder and Elbow Surgery</i> , 2008, 17, 37-41.  | 1.2 | 60        |
| 12574 | Comparison of self-administered University of California, Los Angeles, shoulder score with traditional University of California, Los Angeles, shoulder score completed by clinicians in assessing the outcome of rotator cuff surgery. <i>Journal of Shoulder and Elbow Surgery</i> , 2008, 17, 564-569. | 1.2 | 19        |
| 12575 | Clinical performance of a new laser fluorescence device for detection of occlusal caries lesions in permanent molars. <i>Journal of Dentistry</i> , 2008, 36, 1033-1040.   | 1.7 | 76        |
| 12576 | A new, transportable ergometer for the measurement of musculotendinous stiffness during wrist flexion. <i>Journal of Electromyography and Kinesiology</i> , 2008, 18, 160-168.   | 0.7 | 5         |
| 12577 | Inter-operator agreement in decomposition of motor unit firings from high-density surface EMG. <i>Journal of Electromyography and Kinesiology</i> , 2008, 18, 652-661.   | 0.7 | 26        |
| 12578 | EMG normalization to study muscle activation in cycling. <i>Journal of Electromyography and Kinesiology</i> , 2008, 18, 866-878.   | 0.7 | 108       |
| 12579 | Reliability of the Primary Triage Process after the Volendam Fire Disaster. <i>Journal of Emergency Medicine</i> , 2008, 35, 181-187.  | 0.3 | 13        |
| 12580 | Quantification of liver perfusion with [15O]H <sub>2</sub> O-PET and its relationship with glucose metabolism and substrate levels. <i>Journal of Hepatology</i> , 2008, 48, 974-982.  | 1.8 | 16        |
| 12581 | Detection of minimal hepatic encephalopathy: Normalization and optimization of the Psychometric Hepatic Encephalopathy Score. A neuropsychological and quantified EEG study. <i>Journal of Hepatology</i> , 2008, 49, 346-353.   | 1.8 | 175       |
| 12582 | Reliability of Hand Strength Measurements Using the Rotterdam Intrinsic Hand Myometer in Children. <i>Journal of Hand Surgery</i> , 2008, 33, 1796-1801.   | 0.7 | 34        |
| 12583 | Real-time PCR for detection and quantification of the biocontrol agent <i>Trichoderma atroviride</i> strain SC1 in soil. <i>Journal of Microbiological Methods</i> , 2008, 73, 185-194.  | 0.7 | 67        |
| 12584 | Validation of an automatic comet assay analysis system integrating the curve fitting of combined comet intensity profiles. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2008, 650, 87-95.   | 0.9 | 19        |
| 12585 | Normal sublingual microcirculation during painful crisis in sickle cell disease. <i>Microvascular Research</i> , 2008, 76, 57-60.  | 1.1 | 11        |
| 12586 | Multichannel recording of median nerve somatosensory evoked potentials. <i>Neurophysiologie Clinique</i> , 2008, 38, 9-21.   | 1.0 | 20        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12587 | Multichannel recording of tibial-nerve somatosensory evoked potentials. <i>Neurophysiologie Clinique</i> , 2008, 38, 277-288.  | 1.0 | 6         |
| 12588 | Criterion validity of a computer-based tutorial for teaching waist circumference self-measurement. <i>Journal of Bodywork and Movement Therapies</i> , 2008, 12, 133-145.  | 0.5 | 9         |
| 12589 | Self-reported information on the diagnosis of colorectal cancer was reliable but not necessarily valid. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 498-504.   | 2.4 | 22        |
| 12590 | Self-selected walking speed was consistent when recorded while using a cane. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 622-627.  | 2.4 | 6         |
| 12591 | Recruitment bias resulted in poorer overall health status in a community-based control group. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 890-895.   | 2.4 | 13        |
| 12592 | A practical approach to Bland-Altman plots and variation coefficients for log transformed variables. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 978-982.  | 2.4 | 130       |
| 12593 | Anterior segment biometry with 2 imaging technologies: Very-high-frequency ultrasound scanning versus optical coherence tomography. <i>Journal of Cataract and Refractive Surgery</i> , 2008, 34, 95-102.              | 0.7 | 55        |
| 12594 | Corneal diameter measurements by corneal topography and angle-to-angle measurements by optical coherence tomography: Evaluation of equivalence. <i>Journal of Cataract and Refractive Surgery</i> , 2008, 34, 126-131. | 0.7 | 62        |
| 12595 | Importance of grating orientation when monitoring contrast sensitivity before and after refractive surgery. <i>Journal of Cataract and Refractive Surgery</i> , 2008, 34, 551-556.                                     | 0.7 | 6         |
| 12596 | Objective accommodation measurements in presbyopic eyes using an autorefractor and an aberrometer. <i>Journal of Cataract and Refractive Surgery</i> , 2008, 34, 774-784.  | 0.7 | 51        |
| 12597 | Corneal power measurements with the Pentacam Scheimpflug camera after myopic excimer laser surgery. <i>Journal of Cataract and Refractive Surgery</i> , 2008, 34, 809-813.   | 0.7 | 51        |
| 12598 | Efficacy of brimonidine tartrate 0.2% ophthalmic solution in reducing halos after laser in situ keratomileusis. <i>Journal of Cataract and Refractive Surgery</i> , 2008, 34, 963-967.                                 | 0.7 | 19        |
| 12599 | Optimizing measurement of subjective amplitude of accommodation with defocus curves. <i>Journal of Cataract and Refractive Surgery</i> , 2008, 34, 1329-1338.  | 0.7 | 57        |
| 12600 | Performance of the Abbott RealTime <sup>®</sup> HIV-1 assay for quantification of HIV-1 clades prevalent in China. <i>Journal of Clinical Virology</i> , 2008, 41, 305-309.  | 1.6 | 11        |
| 12601 | The repeatability of human dentine permeability measurement in vitro. <i>Journal of Dentistry</i> , 2008, 36, 42-48.   | 1.7 | 7         |
| 12602 | Test-retest reliability of P50, N100 and P200 auditory sensory gating in healthy subjects. <i>International Journal of Psychophysiology</i> , 2008, 67, 81-90.   | 0.5 | 122       |
| 12604 | Evaluation of vertical rectus muscles using ultrasound biomicroscopy. <i>Journal of AAPOS</i> , 2008, 12, 128-131.   | 0.2 | 26        |
| 12605 | Intrarater Test-Retest Reliability of Hip Range of Motion and Hip Muscle Strength Measurements in Persons With Hip Osteoarthritis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008, 89, 1146-1154.      | 0.5 | 175       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12606 | Measuring Fatigue in Persons With Spinal Cord Injury. Archives of Physical Medicine and Rehabilitation, 2008, 89, 538-542.  | 0.5 | 65        |
| 12607 | Measuring Free-Living Physical Activity in Adults With and Without Neurologic Dysfunction With a Triaxial Accelerometer. Archives of Physical Medicine and Rehabilitation, 2008, 89, 1765-1771.   | 0.5 | 98        |
| 12608 | The Reliability of Spatiotemporal Gait Data for Young and Older Women During Continuous Overground Walking. Archives of Physical Medicine and Rehabilitation, 2008, 89, 2360-2365.  | 0.5 | 32        |
| 12609 | Left Ventricular Reverse Remodeling After Undersized Mitral Ring Annuloplasty in Patients With Ischemic Regurgitation. Annals of Thoracic Surgery, 2008, 85, 1319-1330.   | 0.7 | 55        |
| 12610 | In-Patient International Normalized Ratio Self-Testing Instruction After Mechanical Heart Valve Implantation. Annals of Thoracic Surgery, 2008, 85, 2046-2050.  | 0.7 | 12        |
| 12611 | How patients and physicians rate patients'™ pain in a French emergency department using a verbally administered numerical rating scale and a visual analog scale. Acute Pain, 2008, 10, 31-37.  | 0.1 | 24        |
| 12612 | Development and evaluation of a pastoral simulation model that predicts dairy cattle performance based on animal genotype and environmental sensitivity information. Agricultural Systems, 2008, 97, 13-25.   | 3.2 | 19        |
| 12613 | Geometry of the proximal isovelocity surface area in mitral regurgitation by 3-dimensional color Doppler echocardiography: Difference between functional mitral regurgitation and prolapse regurgitation. American Heart Journal, 2008, 155, 231-238. | 1.2 | 128       |
| 12614 | Clinical utility of automated assessment of left ventricular ejection fraction using artificial intelligence'™-assisted border detection. American Heart Journal, 2008, 155, 562-570.   | 1.2 | 36        |
| 12615 | How accurately, reproducibly, and efficiently can we measure left ventricular indices using M-mode, 2-dimensional, and 3-dimensional echocardiography in children?. American Heart Journal, 2008, 155, 946-953.                                       | 1.2 | 72        |
| 12616 | Comparing clinical and administrative data for profiling hospitals on postdischarge medication use by patients with acute myocardial infarction. American Heart Journal, 2008, 156, 595-605.  | 1.2 | 2         |
| 12617 | Left ventricular systolic dyssynchrony is a predictor of cardiac remodeling after myocardial infarction. American Heart Journal, 2008, 156, 1124-1132.  | 1.2 | 25        |
| 12618 | Hyperventilation and finger exercise increase venous-arterial Pco2 and pH differences. American Journal of Emergency Medicine, 2008, 26, 975-980.   | 0.7 | 10        |
| 12619 | Defining Real Change in Prism-Cover Test Measurements. American Journal of Ophthalmology, 2008, 145, 381-385.   | 1.7 | 55        |
| 12620 | Comparison of Central Corneal Thickness using Anterior Segment Optical Coherence Tomography vs Ultrasound Pachymetry. American Journal of Ophthalmology, 2008, 145, 228-232.e1.   | 1.7 | 118       |
| 12621 | Intraocular Pressure Measurements Following Descemet Stripping Endothelial Keratoplasty. American Journal of Ophthalmology, 2008, 145, 780-786.e1.  | 1.7 | 59        |
| 12622 | Time Course of Accommodation After Implantable Collamer Lens Implantation. American Journal of Ophthalmology, 2008, 146, 674-678.e1.  | 1.7 | 15        |
| 12623 | Validation of a commercially available fluorescence-based instrument to evaluate stallion spermatozoal concentration. Animal Reproduction Science, 2008, 107, 316-317.  | 0.5 | 22        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12625 | Reliability of clinical outcome measures in Charcot-Marie-Tooth disease. <i>Neuromuscular Disorders</i> , 2008, 18, 19-26.   | 0.3 | 55        |
| 12626 | The Influence of Corneal Properties on Rebound Tonometry. <i>Ophthalmology</i> , 2008, 115, 80-84.   | 2.5 | 141       |
| 12627 | Comparison of Visual Acuity in Macular Degeneration Patients Measured with Snellen and Early Treatment Diabetic Retinopathy Study Charts. <i>Ophthalmology</i> , 2008, 115, 319-323.           | 2.5 | 111       |
| 12628 | Comparison of Parameters from Heidelberg Retina Tomographs 2 and 3. <i>Ophthalmology</i> , 2008, 115, 673-677.   | 2.5 | 15        |
| 12629 | Comparative Study of Central Corneal Thickness Measurement with Slit-Lamp Optical Coherence Tomography and Visante Optical Coherence Tomography. <i>Ophthalmology</i> , 2008, 115, 796-801.e2. | 2.5 | 121       |
| 12630 | Low Luminance Visual Dysfunction as a Predictor of Subsequent Visual Acuity Loss from Geographic Atrophy in Age-Related Macular Degeneration. <i>Ophthalmology</i> , 2008, 115, 1480-1488.e2.  | 2.5 | 149       |
| 12631 | The Retinal Vasculature as a Fractal: Methodology, Reliability, and Relationship to Blood Pressure. <i>Ophthalmology</i> , 2008, 115, 1951-1956.e1.  | 2.5 | 180       |
| 12632 | Teesside Schools Health Study: Body mass index surveillance in special needs and mainstream school children. <i>Public Health</i> , 2008, 122, 251-254.  | 1.4 | 12        |
| 12633 | Serum levels of oxidative stress as a marker of disease severity in idiopathic pulmonary fibrosis. <i>Pulmonary Pharmacology and Therapeutics</i> , 2008, 21, 26-31.                           | 1.1 | 76        |
| 12634 | Agreement between two methods for assessing bioequivalence of inhaled salbutamol. <i>Pulmonary Pharmacology and Therapeutics</i> , 2008, 21, 380-384.  | 1.1 | 9         |
| 12635 | Shuttle walking versus maximal cycle testing: Clinical correlates in patients with kyphoscoliosis. <i>Respiratory Physiology and Neurobiology</i> , 2008, 160, 334-340.                        | 0.7 | 6         |
| 12637 | Methacholine-induced asthma symptoms correlate with impulse oscillometry but not spirometry. <i>Respiratory Medicine</i> , 2008, 102, 42-49.   | 1.3 | 55        |
| 12638 | Long-term repeatability of exhaled breath condensate pH in asthma. <i>Respiratory Medicine</i> , 2008, 102, 377-381.   | 1.3 | 48        |
| 12639 | Spirometric values in Gypsy (Roma) children. <i>Respiratory Medicine</i> , 2008, 102, 1321-1328.   | 1.3 | 13        |
| 12640 | Use of 6-min and 12-min walking test for assessing the efficacy of formoterol in COPD. <i>Respiratory Medicine</i> , 2008, 102, 1425-1430.   | 1.3 | 19        |
| 12641 | Repeatability of health economic data in COPD. <i>Respiratory Medicine</i> , 2008, 102, 1556-1562.   | 1.3 | 5         |
| 12642 | Capsaicin provocation using two different inhalation devices. <i>Respiratory Medicine</i> , 2008, 102, 1784-1790.  | 1.3 | 5         |
| 12643 | Sniff and Muller manoeuvres to measure diaphragmatic muscle strength. <i>Respiratory Medicine</i> , 2008, 102, 1737-1743.  | 1.3 | 19        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12644 | Comparison of Fick and thermodilution cardiac output determinations in standing horses. <i>Research in Veterinary Science</i> , 2008, 85, 307-314.  | 0.9 | 6         |
| 12646 | Sonography of periimplant buccal bone defects in periodontitis patients: A pilot study. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2008, 105, 99-103.  | 1.6 | 17        |
| 12647 | Assessments of trabecular bone density at implant sites on CT images. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2008, 105, 231-238.   | 1.6 | 117       |
| 12648 | 3-D volume rendering maxillofacial analysis of angular measurements by multislice CT. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2008, 105, 224-230.   | 1.6 | 53        |
| 12649 | Portable Ultrasonography and Bladder Volume Accuracy—A Comparative Study Using Three-Dimensional Ultrasonography. <i>Urology</i> , 2008, 72, 24-28.   | 0.5 | 34        |
| 12650 | MRI analysis of the size and shape of the oropharynx in chronic whiplash. <i>Otolaryngology - Head and Neck Surgery</i> , 2008, 138, 747-751.   | 1.1 | 11        |
| 12651 | Neurophysiological characterization of postherniotomy pain. <i>Pain</i> , 2008, 137, 173-181.   | 2.0 | 129       |
| 12652 | Estimation of pain intensity in emergency medicine: A validation study. <i>Pain</i> , 2008, 138, 565-570.   | 2.0 | 43        |
| 12653 | Safety and immunogenicity of a prototype adjuvanted inactivated split-virus influenza A (H5N1) vaccine in infants and children. <i>Vaccine</i> , 2008, 26, 6383-6391.   | 1.7 | 81        |
| 12654 | Histamine bronchoprovocation does not affect bronchoalveolar lavage fluid cytology, gene expression and protein concentrations of IL-4, IL-8 and IFN- $\gamma$ . <i>Veterinary Immunology and Immunopathology</i> , 2008, 126, 230-235. | 0.5 | 14        |
| 12655 | Self-reported proxy agreement and correlates of health-related quality of life in young adults with epilepsy and mild intellectual disabilities. <i>Epilepsy and Behavior</i> , 2008, 13, 202-211.                                      | 0.9 | 29        |
| 12656 | Validation of a testosterone and dihydrotestosterone liquid chromatography tandem mass spectrometry assay: Interference and comparison with established methods. <i>Steroids</i> , 2008, 73, 1345-1352.                                 | 0.8 | 73        |
| 12657 | Results of the performance verification of the CoaguChek XS system. <i>Thrombosis Research</i> , 2008, 123, 381-389.  | 0.8 | 65        |
| 12658 | Urea Kinetic Modeling: Comparing the Options. <i>Artificial Organs</i> , 2008, 17, 813-816.   | 1.0 | 2         |
| 12659 | A Simple and Rapid Fluorimetric Method for Simultaneous Determination of Protoporphyrin IX and Zinc Protoporphyrin IX in Whole Blood. <i>Applied Spectroscopy</i> , 2008, 62, 1268-1273.  | 1.2 | 13        |
| 12660 | THE USE OF THERAPEUTIC ELECTRICAL STIMULATION IN THE TREATMENT OF HEMIPLEGIC CEREBRAL PALSY. <i>Developmental Medicine and Child Neurology</i> , 2008, 36, 661-673.   | 1.1 | 88        |
| 12661 | MEASUREMENT OF OXYGEN CONSUMPTION IN DISABLED CHILDREN BY THE COSMED K2 PORTABLE TELEMETRY SYSTEM. <i>Developmental Medicine and Child Neurology</i> , 1996, 38, 585-593.   | 1.1 | 55        |
| 12662 | A RANDOMISED CONTROLLED TRIAL OF DIFFERENT INTENSITIES OF PHYSIOTHERAPY AND DIFFERENT GOAL SETTING PROCEDURES IN 44 CHILDREN WITH CEREBRAL PALSY. <i>Developmental Medicine and Child Neurology</i> , 1996, 38, 226-237.                | 1.1 | 129       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12663 | A comparison between two exercise tests on cycle; a computerized test versus the Å...strand test. <i>Clinical Physiology</i> , 1995, 15, 91-102.  | 0.7 | 3         |
| 12664 | Retinal arteriolar and capillary vascular reactivity in response to isoxic hypercapnia. <i>Experimental Eye Research</i> , 2008, 87, 535-542.   | 1.2 | 32        |
| 12665 | Comparison of three staining methods for the morphological evaluation of human spermatozoa. <i>Fertility and Sterility</i> , 2008, 89, 449-455.   | 0.5 | 42        |
| 12666 | Reproducibility of indirect calorimetry in underweight patients with chronic obstructive pulmonary disease. <i>European E-journal of Clinical Nutrition and Metabolism</i> , 2008, 3, e40-e45.  | 0.4 | 2         |
| 12667 | Stature estimation using the knee height determination in critically ill patients. <i>European E-journal of Clinical Nutrition and Metabolism</i> , 2008, 3, e84-e88.   | 0.4 | 14        |
| 12668 | Twenty-minute pad test: Comparison of infusion of 250ml of water with strong-desire amount in the bladder in women with stress urinary incontinence. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 136, 121-125. | 0.5 | 20        |
| 12669 | Pulmonary adenocarcinomas with ground-glass attenuation on thin-section CT: Quantification by three-dimensional image analyzing method. <i>European Journal of Radiology</i> , 2008, 65, 104-111.   | 1.2 | 31        |
| 12670 | Comparison of left and right ventricular volume measurement using the Simpson's method and the area length method. <i>European Journal of Radiology</i> , 2008, 65, 270-278.  | 1.2 | 31        |
| 12671 | Comparison of manual and automated size measurements of lung metastases on MDCT images: Potential influence on therapeutic decisions. <i>European Journal of Radiology</i> , 2008, 66, 19-26.   | 1.2 | 15        |
| 12672 | Assessment of left ventricular function with 16- and 64-slice multi-detector computed tomography. <i>European Journal of Radiology</i> , 2008, 67, 481-486.   | 1.2 | 32        |
| 12673 | The 24Åh blood pressure-RÅR interval relation in ambulatory monitoring. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2008, 139, 68-77.   | 1.4 | 4         |
| 12674 | IV Busulfan Dose Individualization in Children undergoing Hematopoietic Stem Cell Transplant: Limited Sampling Strategies. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 576-582.  | 2.0 | 22        |
| 12675 | Repeatability of lower limb three-dimensional kinematics in patients with stroke. <i>Gait and Posture</i> , 2008, 27, 31-35.  | 0.6 | 88        |
| 12676 | Concurrent validity of SMTECÅ® footswitches system for the measurement of temporal gait parameters. <i>Gait and Posture</i> , 2008, 27, 156-159.  | 0.6 | 60        |
| 12677 | Prediction of mechanical efficiency from heart rate during stair-climbing in children with cerebral palsy. <i>Gait and Posture</i> , 2008, 27, 512-517.   | 0.6 | 10        |
| 12678 | Normal pressure values and repeatability of the EmedÅ® ST4 system. <i>Gait and Posture</i> , 2008, 27, 501-505.   | 0.6 | 116       |
| 12679 | Reliability and validity of the Visual Gait Assessment Scale for children with hemiplegic cerebral palsy when used by experienced and inexperienced observers. <i>Gait and Posture</i> , 2008, 27, 648-652.   | 0.6 | 44        |
| 12680 | Reliability and validity of the Edinburgh Visual Gait Score for cerebral palsy when used by inexperienced observers. <i>Gait and Posture</i> , 2008, 28, 323-326.   | 0.6 | 61        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12681 | Between-day repeatability of knee kinematics during functional tasks recorded using flexible electrogoniometry. <i>Gait and Posture</i> , 2008, 28, 292-296.  | 0.6 | 17        |
| 12682 | Reproducibility of sagittal pelvic tilt measurements in normal subjects using digital inclinometry. <i>Gait and Posture</i> , 2008, 28, 513-516.  | 0.6 | 13        |
| 12683 | Reliability and validity of an activity monitor (IDEAA) in the determination of temporal and spatial gait parameters in individuals with cerebral palsy. <i>Gait and Posture</i> , 2008, 28, 634-639.                             | 0.6 | 33        |
| 12684 | Reliability of diabetic patients' gait parameters in a challenging environment. <i>Gait and Posture</i> , 2008, 28, 680-686.  | 0.6 | 22        |
| 12685 | Evaluation of point-of-care glucose testing accuracy using locally-smoothed median absolute difference curves. <i>Clinica Chimica Acta</i> , 2008, 389, 31-39.  | 0.5 | 56        |
| 12686 | Evaluation of an HPLC method for LDL-cholesterol determination in patients with various lipoprotein abnormalities in comparison with beta-quantification. <i>Clinica Chimica Acta</i> , 2008, 395, 62-67.                         | 0.5 | 18        |
| 12687 | Variation in osteoarthritis biomarkers from activity not food consumption. <i>Clinica Chimica Acta</i> , 2008, 398, 21-26.  | 0.5 | 35        |
| 12688 | Whole tumour perfusion of peripheral lung carcinoma: evaluation with first-pass CT perfusion imaging at 64-detector row CT. <i>Clinical Radiology</i> , 2008, 63, 629-635.  | 0.5 | 33        |
| 12689 | Methodological aspects of crossover and maximum fat-oxidation rate point determination. <i>Diabetes and Metabolism</i> , 2008, 34, 514-523.   | 1.4 | 31        |
| 12690 | High total-to-HDL cholesterol ratio predicting deterioration of ankle brachial index in Asian type 2 diabetic subjects. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, 419-426.                                       | 1.1 | 10        |
| 12691 | Short-term reproducibility of impaired fasting glycaemia, impaired glucose tolerance and diabetes. <i>Diabetes Research and Clinical Practice</i> , 2008, 80, 146-152.  | 1.1 | 10        |
| 12692 | Variability in creatinine excretion in adult diabetic, overweight men and women: Consequences on creatinine-based classification of renal disease. <i>Diabetes Research and Clinical Practice</i> , 2008, 80, 102-107.            | 1.1 | 14        |
| 12693 | Hypotensive effects of exercise performed around anaerobic threshold in type 2 diabetic patients. <i>Diabetes Research and Clinical Practice</i> , 2008, 81, 216-222.   | 1.1 | 43        |
| 12694 | Construction of internal control for the quantitative assay of <i>Aspergillus fumigatus</i> using real-time nucleic acid sequence-based amplification. <i>Diagnostic Microbiology and Infectious Disease</i> , 2008, 60, 121-124. | 0.8 | 15        |
| 12695 | The influence of ketoacids on plasma creatinine assays in diabetic ketoacidosis. <i>Journal of Internal Medicine</i> , 2000, 248, 511-517.  | 2.7 | 2         |
| 12696 | Lack of agreement between two methods of measuring haemoglobin. <i>Journal of Paediatrics and Child Health</i> , 2008, 29, 459-460.   | 0.4 | 0         |
| 12697 | Reliability and validity of the short questionnaire to assess health-enhancing physical activity (SQUASH) in patients after total hip arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 141.                          | 0.8 | 113       |
| 12698 | The Accuracy of the Vigileo/FloTrac Continuous Cardiac Output Monitor. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2008, 22, 388-393.  | 0.6 | 63        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12699 | The Relationship Between Carotid Blood-Flow Velocity and the Left Ventricular Area During Acute Regional Ischemia. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2008, 22, 823-831.  | 0.6 | 1         |
| 12700 | Arterial Pulse Cardiac Output Agreement With Thermodilution in Patients in Hyperdynamic Conditions. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2008, 22, 681-687.   | 0.6 | 52        |
| 12701 | Continuous Monitoring of Central Venous Oxygen Saturation (PediOx) in Pediatric Patients Undergoing Cardiac Surgery: A Validation Study of a New Technology. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2008, 22, 847-852.                  | 0.6 | 26        |
| 12702 | Central Venous Oxygen Saturation Cannot Replace Mixed Venous Saturation in Patients Undergoing Cardiac Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2008, 22, 853-857.   | 0.6 | 43        |
| 12703 | The Effects of Vasodilation on Cardiac Output Measured by PiCCO. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2008, 22, 688-692.  | 0.6 | 33        |
| 12704 | Effect of postural changes on lower limb blood volume, detected with non-invasive photoplethysmography. <i>Journal of Medical Engineering and Technology</i> , 2008, 32, 358-364.   | 0.8 | 2         |
| 12705 | External validation of a classification for methylene blue magnification chromoendoscopy in premalignant gastric lesions. <i>Gastrointestinal Endoscopy</i> , 2008, 67, 1011-1018.  | 0.5 | 59        |
| 12706 | A method for semiautomatic tracing and morphological measuring of neurite outgrowth from DIC sequences. , 2008, 2008, 1196-9.   |     | 8         |
| 12708 | Measuring Concentrations of Insulin-Like Growth Factor-I with an Enzyme-Linked Immunosorbent Antibody Assay in Plasma Samples from Holstein Cows. <i>Journal of Dairy Science</i> , 2008, 91, 160-168.  | 1.4 | 8         |
| 12709 | Enhanced brain extraction improves the accuracy of brain atrophy estimation. <i>NeuroImage</i> , 2008, 40, 583-589.   | 2.1 | 58        |
| 12710 | Within-subject variation in BOLD-fMRI signal changes across repeated measurements: Quantification and implications for sample size. <i>NeuroImage</i> , 2008, 42, 196-206.  | 2.1 | 92        |
| 12711 | Spinal cord functional MRI at 3T: Gradient echo echo-planar imaging versus turbo spin echo. <i>NeuroImage</i> , 2008, 43, 288-296.  | 2.1 | 41        |
| 12712 | Quantification of epicardial and peri-coronary fat using cardiac computed tomography; reproducibility and relation with obesity and metabolic syndrome in patients suspected of coronary artery disease. <i>Atherosclerosis</i> , 2008, 197, 896-903.       | 0.4 | 229       |
| 12713 | An international matched cohort study of the contribution of metabolic impairments to subclinical atherosclerosis in United Kingdom and Jamaican African-Caribbeans. <i>Atherosclerosis</i> , 2008, 199, 95-101.  | 0.4 | 8         |
| 12714 | Automated multidetector computed tomography evaluation of subacutely infarcted myocardium. <i>Journal of Cardiovascular Computed Tomography</i> , 2008, 2, 26-32.   | 0.7 | 8         |
| 12715 | Comparison of left ventricular size by computed tomography with magnetic resonance imaging measures of left ventricle mass and volumes: The multi-ethnic study of atherosclerosis. <i>Journal of Cardiovascular Computed Tomography</i> , 2008, 2, 141-148. | 0.7 | 27        |
| 12716 | Determinación de la fracción de eyección del ventrículo izquierdo realizada con 4 programas de cálculo distintos. <i>Revista Española De Medicina Nuclear</i> , 2008, 27, 418-423.  | 0.3 | 3         |
| 12717 | Measurement of ionized calcium in canine blood samples collected in prefilled and self-filled heparinized syringes using the iSTAT point-of-care analyzer. <i>Veterinary Clinical Pathology</i> , 2008, 37, 66-72.  | 0.3 | 17        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12718 | Clinical investigation of a point-of-care blood ammonia analyzer. <i>Veterinary Clinical Pathology</i> , 2008, 37, 198-206.  | 0.3 | 33        |
| 12719 | Comparative clinical study of canine and feline total blood cell count results with seven in-clinic and two commercial laboratory hematology analyzers. <i>Veterinary Clinical Pathology</i> , 2008, 37, 373-384.  | 0.3 | 49        |
| 12720 | Enzyme-Linked Immunosorbent Assay, Single Radial Immunodiffusion, and Indirect Methods for the Detection of Failure of Transfer of Passive Immunity in Dairy Calves. <i>Journal of Veterinary Internal Medicine</i> , 2008, 22, 212-218.                     | 0.6 | 34        |
| 12721 | Plasma Clearance of Exogenous Creatinine, Exo-hexol, and Endo-hexol in Hyperthyroid Cats before and after Treatment with Radioiodine. <i>Journal of Veterinary Internal Medicine</i> , 2008, 22, 879-885.  | 0.6 | 35        |
| 12722 | Comparison of the AccuChek Aviva Point-of-Care Glucometer with Blood Gas and Laboratory Methods of Analysis of Glucose Measurement in Equine Emergency Patients. <i>Journal of Veterinary Internal Medicine</i> , 2008, 22, 1189-1195.                       | 0.6 | 41        |
| 12723 | Discordant Results from "Real-World" Patient Samples Assayed for Digoxin. <i>Annals of Pharmacotherapy</i> , 2008, 42, 1797-1803.  | 0.9 | 17        |
| 12724 | Guidelines for Prehospital Management of Traumatic Brain Injury 2nd Edition. <i>Prehospital Emergency Care</i> , 2008, 12, S1-S52.   | 1.0 | 304       |
| 12725 | Accuracy of the long-axis area-length method for the measurement of left ventricular volumes and ejection fraction using multidetector computed tomography. <i>Canadian Journal of Cardiology</i> , 2008, 24, 685-689.                                       | 0.8 | 9         |
| 12726 | The Competence of Fieldwork Students in Administering the Barthel Index. <i>Hong Kong Journal of Occupational Therapy</i> , 2008, 18, 28-33.   | 0.2 | 0         |
| 12727 | Introduction of Tissue Doppler Imaging Echocardiography-Based on Pulsed-wave Mode. <i>Journal of Medical Ultrasound</i> , 2008, 16, 202-209.   | 0.2 | 3         |
| 12728 | Psychometric Properties of the Chinese Version of the Perceived Therapeutic Efficacy Scale for Type 2 Diabetes. <i>Journal of the Formosan Medical Association</i> , 2008, 107, 232-238.   | 0.8 | 10        |
| 12730 | Direct Assessment of Size and Shape of Noncircular Vena Contracta Area in Functional Versus Organic Mitral Regurgitation Using Real-Time Three-Dimensional Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 912-921. | 1.2 | 176       |
| 12731 | Abnormal Segmental Relaxation Patterns in Hypertensive Disease and Symptomatic Diastolic Dysfunction Detected by Strain Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 899-906.                                    | 1.2 | 20        |
| 12732 | Coronary Sinus Visualization by 3-dimensional Real-time Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 371-376.  | 1.2 | 6         |
| 12734 | Variation of Agreement in Polyp Size Measurement Between Computed Tomographic Colonography and Pathology Assessment: Clinical Implications. <i>Clinical Gastroenterology and Hepatology</i> , 2008, 6, 220-227.  | 2.4 | 21        |
| 12735 | Accuracy and Reproducibility of Real-Time Three-Dimensional Echocardiography for Assessment of Right Ventricular Volumes and Ejection Fraction in Children. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 84-89.                    | 1.2 | 122       |
| 12736 | Real-Time Three-Dimensional Transesophageal Echocardiography of the Left Atrial Appendage: Initial Experience in the Clinical Setting. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 1362-1368.                                     | 1.2 | 106       |
| 12737 | Feasibility and Accuracy of Different Techniques of Two-Dimensional Speckle Based Strain and Validation With Harmonic Phase Magnetic Resonance Imaging. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 1318-1325.                    | 1.2 | 161       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12738 | Measurement Consistency from Magnetic Resonance Images. <i>Academic Radiology</i> , 2008, 15, 1322-1330.   | 1.3 | 9         |
| 12739 | Intraobserver and Interobserver Variability of Transesophageal Echocardiography in Aortic Arch Atheroma Measurement. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 129-133.   | 1.2 | 14        |
| 12740 | Air Charged and Microtip Catheters Cannot be Used Interchangeably for Urethral Pressure Measurement: A Prospective, Single-Blind, Randomized Trial. <i>Journal of Urology</i> , 2008, 180, 1013-1017.  | 0.2 | 30        |
| 12741 | Single-Plane Balloon Sizing of Atrial Septal Defects with Intracardiac Echocardiography: An Advantageous Alternative to Fluoroscopy. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 737-740.   | 1.2 | 14        |
| 12742 | Carotid Intima-Media Thickness Testing by Non-Sonographer Clinicians: The Office Practice Assessment of Carotid Atherosclerosis Study. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 117-122.   | 1.2 | 25        |
| 12744 | Myocardial Radial Strain in Early Diastole is Useful for Assessing Left Ventricular Early Diastolic Function: Comparison with Invasive Parameters. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 446-451.   | 1.2 | 19        |
| 12745 | Normal Value of Carotid Intima-Media Thickness—A Surrogate Marker of Atherosclerosis: Quantitative Assessment by B-Mode Carotid Ultrasound. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 112-116.  | 1.2 | 81        |
| 12746 | Repeatability of the multifocal visual evoked potentials in a clinical glaucoma setting. <i>Canadian Journal of Ophthalmology</i> , 2008, 43, 435-440.   | 0.4 | 5         |
| 12747 | Assessment of Spine Bone Mineral Density in Juvenile Idiopathic Arthritis: Impact of Scan Projection. <i>Journal of Clinical Densitometry</i> , 2008, 11, 302-308.   | 0.5 | 13        |
| 12748 | A Simple Validated Scale to Measure Urgency. <i>Journal of Urology</i> , 2008, 179, 1000-1005.   | 0.2 | 19        |
| 12749 | In Vivo and In Vitro Comparison of Densitometers in the NOREPOS Study. <i>Journal of Clinical Densitometry</i> , 2008, 11, 276-282.  | 0.5 | 25        |
| 12750 | Accurate Automatic Papillary Muscle Identification for Quantitative Left Ventricle Mass Measurements in Cardiac Magnetic Resonance Imaging. <i>Academic Radiology</i> , 2008, 15, 1227-1233.   | 1.3 | 18        |
| 12751 | Real-Time Three-Dimensional Echocardiographic Acquisition and Quantification of Left Ventricular Indices in Children and Young Adults with Congenital Heart Disease: Comparison with Magnetic Resonance Imaging. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 78-83. | 1.2 | 71        |
| 12752 | Automatic Recognition of Corneal Nerve Structures in Images from Confocal Microscopy. , 2008, 49, 4801.  |     | 87        |
| 12753 | Assessment of Intraventricular Systolic Asynchrony in Patients with Atrial Fibrillation Using Triplane Tissue Doppler Imaging. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 219-223.   | 1.2 | 3         |
| 12754 | Direct Quantification of Mitral Regurgitant Flow Volume by Real-Time Three-Dimensional Echocardiography Using Dealiasing of Color Doppler Flow at the Vena Contracta. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 1337-1346.  | 1.2 | 43        |
| 12755 | Accuracy of Bedside Glucometry in Critically Ill Patients: Influence of Clinical Characteristics and Perfusion Index. <i>Mayo Clinic Proceedings</i> , 2008, 83, 400-405.  | 1.4 | 142       |
| 12756 | Sixty-fourâ€ detector CT Angiography of Infrarenal Aortic Neck Length and Angulation: Prospective Analysis of Interobserver Variability. <i>Journal of Vascular and Interventional Radiology</i> , 2008, 19, 1283-1288.  | 0.2 | 23        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12757 | Agreement Between Anthropometry and Bioelectrical Impedance for Measuring Body Fat in Nonobese and Obese Nondialyzed Chronic Kidney Disease Patients. , 2008, 18, 355-362.  |     | 12        |
| 12758 | Time-resolved three-dimensional imaging of the left atrium and pulmonary veins in the interventional suiteâ€”A comparison between multisweep gated rotational three-dimensional reconstructed fluoroscopy and multislice computed tomography. <i>Heart Rhythm</i> , 2008, 5, 513-519. | 0.3 | 17        |
| 12760 | Precision of the XCT 3000 and Comparison of Densitometric Measurements in Distal Radius Scans Between XCT 3000 and XCT 2000 Peripheral Quantitative Computed Tomography Scanners. <i>Journal of Clinical Densitometry</i> , 2008, 11, 575-580.  | 0.5 | 8         |
| 12761 | Relationships and learning: a review and investigation of narrative coherence in lookedâ€”after children in primary school. <i>Educational Psychology in Practice</i> , 2008, 24, 13-27.  | 0.5 | 8         |
| 12762 | The relative and absolute reliability of two balance performance measures in chronic stroke patients. <i>Disability and Rehabilitation</i> , 2008, 30, 656-661.   | 0.9 | 98        |
| 12763 | Laboratory and field evaluation of a diffusive sampler for measuring halogenated anesthetic compounds. <i>Journal of Environmental Monitoring</i> , 2008, 10, 1172.   | 2.1 | 10        |
| 12764 | Comparison of Two Different Actigraphs with Polysomnography in Healthy Young Subjects. <i>Chronobiology International</i> , 2008, 25, 145-153.  | 0.9 | 86        |
| 12765 | Repeatability of Frequency Doubling Technology Perimetry (20-1 Screening Program) and the Effect of Pupillary Dilatation on Interpretation. <i>Ophthalmic Epidemiology</i> , 2008, 15, 42-46.   | 0.8 | 1         |
| 12766 | Depression and cognitions after stroke: Validation of the Stroke Cognitions Questionnaire Revised (SCQR). <i>Disability and Rehabilitation</i> , 2008, 30, 1779-1785.   | 0.9 | 8         |
| 12767 | Monitoring aspirin therapy with the Platelet Function Analyzerâ€”100. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2008, 68, 786-792.   | 0.6 | 8         |
| 12768 | Evaluating influencing factors in estimation of renal function by extending the Blandâ€”Altman approach. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2008, 68, 171-176.  | 0.6 | 1         |
| 12769 | Exposure assessment by physiologic sampling pumpâ€”prediction of minute ventilation using a portable respiratory inductive plethysmograph system. <i>Journal of Environmental Monitoring</i> , 2008, 10, 1179.  | 2.1 | 8         |
| 12770 | Chamber Evaluation of a Personal, Bioaerosol Cyclone Sampler. <i>Journal of Occupational and Environmental Hygiene</i> , 2008, 5, 702-712.  | 0.4 | 15        |
| 12771 | Liver Fat Content and T2*: Simultaneous Measurement by Using Breath-hold Multiecho MR Imaging at 3.0 Tâ€”Feasibility. <i>Radiology</i> , 2008, 247, 550-557.  | 3.6 | 114       |
| 12772 | Variations in Exhaled Nitric Oxide in Children with Asthma During a 1-Week Stay in a Mountain Village Sanatorium. <i>Journal of Asthma</i> , 2008, 45, 453-458.   | 0.9 | 8         |
| 12773 | Reproducibility of short-term food intake and subjective appetite scores after a glucose preload, ventilation threshold, and body composition in boys. <i>Applied Physiology, Nutrition and Metabolism</i> , 2008, 33, 326-337.   | 0.9 | 35        |
| 12774 | A Randomized Study of Electronic Diary versus Paper and Pencil Collection of Patient-Reported Outcomes in Patients with Non-Small Cell Lung Cancer. <i>Patient</i> , 2008, 1, 105-113.  | 1.1 | 15        |
| 12775 | Sustained postprandial decrease in plasma levels of LDL cholesterol in patients with typeâ€”2 diabetes mellitus. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2008, 68, 628-640.  | 0.6 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12776 | Automatic Assessment of Cardiac Artery Disease by Using DCAD Module. , 2008, , .   |     | 2         |
| 12777 | Reliability of hand-held dynamometry and functional strength tests for the lower extremity in children with Cerebral Palsy. Disability and Rehabilitation, 2008, 30, 1358-1366.  | 0.9 | 112       |
| 12778 | Unmanned Assessment of Respirator Carbon Dioxide Levels: Comparison of Methods of Measurement. Journal of Occupational and Environmental Hygiene, 2008, 5, 305-312.  | 0.4 | 7         |
| 12779 | Validation of a 7-day physical activity diary against doubly-labelled water. Annals of Human Biology, 2008, 35, 416-421.   | 0.4 | 22        |
| 12780 | Comparing the lactate and EMG thresholds of recreational cyclists during incremental pedaling exercise. Canadian Journal of Physiology and Pharmacology, 2008, 86, 272-278.  | 0.7 | 42        |
| 12781 | Precision and reliability of strength (Jamar vs. Biodex handgrip) and body composition (dual-energy) Tj ETQq1 1 0.784314 rgBT /Overload Physiology, Nutrition and Metabolism, 2008, 33, 1232-1239.   | 0.9 | 91        |
| 12782 | The Effect of an Acute After-School Exercise Bout on Percentage of Body Fat Using Leg-to-Leg Bioelectrical Impedance Analysis in Children. Research Quarterly for Exercise and Sport, 2008, 79, 535-539.                                     | 0.8 | 3         |
| 12783 | Adjustment for gas exchange threshold enhances precision of heart rate-derived $\dot{V}O_2$ estimates during heavy exercise. Applied Physiology, Nutrition and Metabolism, 2008, 33, 68-74.  | 0.9 | 7         |
| 12784 | Assessing the Performance of Handheld Glucose Testing for Critical Care. Diabetes Technology and Therapeutics, 2008, 10, 445-451.  | 2.4 | 24        |
| 12785 | Relationship between blood pressure and blood flow in newborn preterm infants. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2008, 93, F29-F32.  | 1.4 | 79        |
| 12786 | An intraoperative brain-shift monitor using shear-mode transcranial ultrasound: Preliminary results. , 2008, , .   |     | 0         |
| 12787 | Accuracy of Bioelectrical Impedance Consumer Devices for Measurement of Body Composition in Comparison to Whole Body Magnetic Resonance Imaging and Dual X-Ray Absorptiometry. Obesity Facts, 2008, 1, 319-324.                              | 1.6 | 197       |
| 12788 | How Long Is Long Enough? Evaluating Sampling Durations for Low Back EMG Assessment. Journal of Occupational and Environmental Hygiene, 2008, 5, 664-670.   | 0.4 | 18        |
| 12789 | Evaluation of a non-invasive bladder volume measurement in children. Scandinavian Journal of Urology and Nephrology, 2008, 42, 444-448.  | 1.4 | 11        |
| 12790 | Severe mitral regurgitation--relations between magnetic resonance imaging, echocardiography and natriuretic peptides. Scandinavian Cardiovascular Journal, 2008, 42, 48-55.  | 0.4 | 8         |
| 12791 | Comparison of field methods to estimate fat mass in children. Annals of Human Biology, 2008, 35, 185-197.  | 0.4 | 25        |
| 12792 | Transepicondylar axis accuracy in computer assisted knee surgery: A comparison of the CT-based measured axis versus the CAS-determined axis. Computer Aided Surgery, 2008, 13, 200-206.  | 1.8 | 34        |
| 12793 | Analysis of Single-breath Profiles of Exhaled Nitric Oxide in Children with Allergy and Asthma: Guideline-derived Plateau Concentrations Compared to Results of Automatic Evaluation by Two Analyzers. Journal of Asthma, 2008, 45, 820-826. | 0.9 | 10        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12794 | Reproducibility and standardized reporting of the vasodilator-stimulated phosphoprotein phosphorylation assay. <i>Platelets</i> , 2008, 19, 551-554.  | 1.1 | 27        |
| 12795 | Comparison of Hematologic Values in Blood Samples with Lithium Heparin or Dipotassium Ethylenediaminetetraacetic Acid Anticoagulants in Hispaniolan Amazon Parrots ( <i>Amazona Ventralis</i> ). , 2008, 22, 108-113.   |     | 27        |
| 12796 | N95 and P100 Respirator Filter Efficiency Under High Constant and Cyclic Flow. <i>Journal of Occupational and Environmental Hygiene</i> , 2008, 6, 52-61.   | 0.4 | 64        |
| 12797 | Field Evaluation of a Personal, Bioaerosol Cyclone Sampler. <i>Journal of Occupational and Environmental Hygiene</i> , 2008, 5, 724-734.  | 0.4 | 16        |
| 12798 | Do regression-based computer algorithms for determining the ventilatory threshold agree?. <i>Journal of Sports Sciences</i> , 2008, 26, 967-976.  | 1.0 | 35        |
| 12799 | Gas Chromatographic <sup>1</sup> Mass Spectrometric Analysis of Biomarkers Related to Folate and Cobalamin Status in Human Serum after Dimercaptopropanesulfonate Reduction and Heptafluorobutyl Chloroformate Derivatization. <i>Analytical Chemistry</i> , 2008, 80, 5776-5782. | 3.2 | 26        |
| 12800 | Performance of Fluorescence Methods, Radiographic Examination and ICDAS II on Occlusal Surfaces in vitro. <i>Caries Research</i> , 2008, 42, 297-304.   | 0.9 | 176       |
| 12801 | A comparison of methods to determine maximal accumulated oxygen deficit in running. <i>Journal of Sports Sciences</i> , 2008, 26, 663-670.  | 1.0 | 10        |
| 12802 | Anterior Chamber Angle Measurement with Anterior Segment Optical Coherence Tomography: A Comparison between Slit Lamp OCT and Visante OCT. , 2008, 49, 3469.  |     | 113       |
| 12803 | Determination of Water Content in Olive Oil by <sup>31</sup> P NMR Spectroscopy. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 1866-1872.   | 2.4 | 39        |
| 12804 | Initial Vertical and Horizontal Position of Palatally Impacted Maxillary Canine and Effect on Periodontal Status Following Surgical-Orthodontic Treatment. <i>Angle Orthodontist</i> , 2008, 78, 275-280.   | 1.1 | 30        |
| 12805 | Validation of a single-stage submaximal treadmill walking test. <i>Journal of Sports Sciences</i> , 2008, 26, 491-497.  | 1.0 | 17        |
| 12806 | Association of preoperative magnetic resonance imaging findings with surgical features in Dachshunds with thoracolumbar intervertebral disk extrusion. <i>Journal of the American Veterinary Medical Association</i> , 2008, 232, 702-708.  | 0.2 | 35        |
| 12807 | New two-dimensional global longitudinal strain and strain rate imaging for assessment of systemic right ventricular function. <i>Heart</i> , 2008, 94, 855-859.   | 1.2 | 118       |
| 12808 | Echocardiographic assessment of blood flow volume in the superior vena cava and descending aorta in the newborn infant. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2008, 93, F24-F28.  | 1.4 | 78        |
| 12809 | Interlaboratory Performance of a Microarray-Based Gene Expression Test to Determine Tissue of Origin in Poorly Differentiated and Undifferentiated Cancers. <i>Journal of Molecular Diagnostics</i> , 2008, 10, 67-77.  | 1.2 | 88        |
| 12810 | Orthotic control of rear foot and lower limb motion during running in participants with chronic Achilles tendon injury. <i>Sports Biomechanics</i> , 2008, 7, 194-205.  | 0.8 | 29        |
| 12811 | Use of T2-weighted magnetic resonance imaging of the optic nerve sheath to detect raised intracranial pressure. <i>Critical Care</i> , 2008, 12, R114.  | 2.5 | 232       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12812 | Reliability of continuous cardiac output measurement during intra-abdominal hypertension relies on repeated calibrations: an experimental animal study. <i>Critical Care</i> , 2008, 12, R132.  | 2.5 | 35        |
| 12813 | Nitrogen washout/washin, helium dilution and computed tomography in the assessment of end expiratory lung volume. <i>Critical Care</i> , 2008, 12, R150.  | 2.5 | 104       |
| 12814 | Determining carotid artery pressure from scaled diameter waveforms: comparison and validation of calibration techniques in 2026 subjects. <i>Physiological Measurement</i> , 2008, 29, 1267-1280.   | 1.2 | 67        |
| 12815 | The reliability of rating conversation as a measure of functional communication following stroke. <i>Aphasiology</i> , 2008, 22, 970-984.   | 1.4 | 17        |
| 12816 | Normal age-dependent values of serum insulin growth factor-I: Results from a healthy Italian population. <i>Journal of Endocrinological Investigation</i> , 2008, 31, 445-449.  | 1.8 | 42        |
| 12817 | Automated Sphygmomanometers Should Not Replace Manual Ones, Based on Current Evidence. <i>American Journal of Hypertension</i> , 2008, 21, 845-845.   | 1.0 | 4         |
| 12818 | Validation of an Enzyme-Linked Immunosorbent Assay for Diagnosis of Human Trichinellosis. <i>Vaccine Journal</i> , 2008, 15, 1723-1729.   | 3.2 | 84        |
| 12819 | Performance of a multi-profile critical care testing analyzer. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 9-14.  | 1.4 | 15        |
| 12820 | Incidence and prognosis of $\geq 50\%$ symptomatic vertebral or basilar artery stenosis: prospective population-based study. <i>Brain</i> , 2008, 132, 982-988.   | 3.7 | 166       |
| 12821 | A comparison of two different assays for determining S-100B in serum and urine. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 1025-9.   | 1.4 | 17        |
| 12822 | Reliability of M protein quantification: comparison of two peak integration methods on Capillarys 2. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 876-7.   | 1.4 | 30        |
| 12823 | Quantification of vascular endothelial growth factor, interleukin-8, and basic fibroblast growth factor in plasma of cancer patients and healthy volunteers â€” comparison of ELISA and microsphere-based multiplexed immunoassay. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 1256-64. | 1.4 | 8         |
| 12824 | A new general regression-based approach for method comparison studies. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 1046-9.  | 1.4 | 12        |
| 12825 | Inverse Relaxation of Photoinduced Birefringence in a Liquid-Crystalline Azobenzene Side-Chain Polymer. <i>Chinese Physics Letters</i> , 2008, 25, 3227-3230.   | 1.3 | 4         |
| 12826 | Scanâ€™rescan and intra-observer variability of magnetic resonance imaging of carotid atherosclerosis at 1.5 T and 3.0 T. <i>Physics in Medicine and Biology</i> , 2008, 53, 6821-6835.   | 1.6 | 30        |
| 12827 | Diffusion-weighted brain imaging study of patients with clinical diagnosis of corticobasal degeneration, progressive supranuclear palsy and Parkinson's disease. <i>Brain</i> , 2008, 131, 2690-2700.   | 3.7 | 131       |
| 12828 | Quantification of Cerebral Blood Flow and Oxygen Metabolism with 3-Dimensional PET and $^{15}\text{O}$ : Validation by Comparison with 2-Dimensional PET. <i>Journal of Nuclear Medicine</i> , 2008, 49, 50-59.   | 2.8 | 107       |
| 12830 | Cardiac Output Measurement by Arterial Waveform Analysis in Cardiac Surgery â€” a Comparison of Measurements Derived from Waveforms of the Radial Artery versus the Ascending Aorta. <i>Journal of International Medical Research</i> , 2008, 36, 414-419.  | 0.4 | 15        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12831 | How Accurate Are Resting Energy Expenditure Prediction Equations in Obese Trauma and Burn Patients?. <i>Journal of Parenteral and Enteral Nutrition</i> , 2008, 32, 420-426.   | 1.3 | 23        |
| 12832 | Association between consumption of black tea and iron status in adult Africans in the North West Province: the THUSA study. <i>British Journal of Nutrition</i> , 2008, 100, 430-437.  | 1.2 | 16        |
| 12833 | Intra- and Interobserver Variability of Aortic Aneurysm Volume Measurement With Fast CTA Postprocessing Software. <i>Journal of Endovascular Therapy</i> , 2008, 15, 504-510.  | 0.8 | 67        |
| 12834 | Influence of body position when considering the ecological validity of laboratory time-trial cycling performance. <i>Journal of Sports Sciences</i> , 2008, 26, 1269-1278.   | 1.0 | 33        |
| 12835 | Doppler Ultrasound Compared With Strain Gauge for Measurement of Systolic Ankle Blood Pressure. <i>Angiology</i> , 2008, 59, 296-300.  | 0.8 | 14        |
| 12836 | A Novel Method of Distal End-Tidal CO <sub>2</sub> Capnography in Intubated Infants: Comparison With Arterial CO <sub>2</sub> and With Proximal Mainstream End-Tidal CO <sub>2</sub> . <i>Pediatrics</i> , 2008, 122, e1219-e1224. | 1.0 | 57        |
| 12837 | Ventricular long-axis function is of major importance for long-term survival in patients with heart failure. <i>Heart</i> , 2008, 94, 284-289.   | 1.2 | 57        |
| 12838 | Statistical Models for Assessing Agreement in Method Comparison Studies with Replicate Measurements. <i>International Journal of Biostatistics</i> , 2008, 4, Article 16.  | 0.4 | 138       |
| 12839 | Is the New Mayo Clinic Quadratic Equation Useful for the Estimation of Glomerular Filtration Rate in Type 2 Diabetic Patients?. <i>Diabetes Care</i> , 2008, 31, 2265-2267.  | 4.3 | 18        |
| 12840 | The Timed Up and Go Test for Use on an Inpatient Orthopaedic Rehabilitation Ward. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2008, 38, 410-417.   | 1.7 | 95        |
| 12841 | Quantitative Measurements of Bone Remodeling Using <sup>99m</sup> Tc-Methylene Diphosphonate Bone Scans and Blood Sampling. <i>Journal of Nuclear Medicine</i> , 2008, 49, 375-382.  | 2.8 | 24        |
| 12842 | Neural respiratory drive in healthy subjects and in COPD. <i>European Respiratory Journal</i> , 2008, 33, 289-297.   | 3.1 | 165       |
| 12843 | Accuracy and reliability of pulse oximetry at different arterial carbon dioxide pressure levels. <i>European Respiratory Journal</i> , 2008, 32, 1053-1059.  | 3.1 | 30        |
| 12844 | Correlation among 25-Hydroxy-Vitamin D Assays. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 1804-1808.  | 1.8 | 97        |
| 12845 | Experimental set-up and sensory glove interface for microsurgery. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2008, 222, 89-99.                                    | 1.0 | 3         |
| 12846 | Teleneurology in patients with multiple sclerosis: EDSS ratings derived remotely and from hands-on examination. <i>Journal of Telemedicine and Telecare</i> , 2008, 14, 190-194.   | 1.4 | 57        |
| 12847 | Transcutaneous Bilirubin Measurement: Evaluation of Bilitestâ„¢. <i>Neonatology</i> , 2008, 93, 101-105.   | 0.9 | 18        |
| 12848 | Recommendations for the Measurement of FIV<sub>1</sub> Values in Chronic Obstructive Pulmonary Disease. <i>Respiration</i> , 2008, 76, 46-52.  | 1.2 | 6         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12849 | Comparative Analysis of the Reproducibility and Applicability of the Condom Catheter Method for Noninvasive Urodynamics in Two Dutch Centers. <i>Urologia Internationalis</i> , 2008, 81, 139-148.  | 0.6 | 6         |
| 12850 | Validation of the Virga GFR Equation in a Renal Transplant Population. <i>Nephron Clinical Practice</i> , 2008, 109, c140-c147.   | 2.3 | 5         |
| 12851 | Controlled Toothbrush Abrasion of Softened Human Enamel. <i>Caries Research</i> , 2008, 42, 286-290.  | 0.9 | 47        |
| 12852 | Comparison of Midlatency Auditory Sensory Gating at Short and Long Interstimulus Intervals. <i>Neuropsychobiology</i> , 2008, 58, 11-18.  | 0.9 | 19        |
| 12853 | Urinary Iodine in 24 h Is Associated with Natriuresis and Is Better Reflected by an Afternoon Sample. <i>Annals of Nutrition and Metabolism</i> , 2008, 53, 43-49.  | 1.0 | 16        |
| 12854 | Increased Accuracy of Fetal Weight Estimation with a Gender-Specific Weight Formula. <i>Fetal Diagnosis and Therapy</i> , 2008, 24, 321-326.  | 0.6 | 18        |
| 12855 | How to Best Define Patients with Moderate Chronic Kidney Disease. <i>Nephron Clinical Practice</i> , 2008, 110, c195-c206.  | 2.3 | 4         |
| 12856 | Ciliary Body Thickness and Refractive Error in Children. , 2008, 49, 4353.  |     | 113       |
| 12857 | Estimation of ejection fraction and stroke volume using single- and biplane magnetic resonance imaging of the left cardiac ventricle. <i>Acta Radiologica</i> , 2008, 49, 1016-1023.  | 0.5 | 8         |
| 12858 | Simultaneous Measurement of Beat-to-Beat Carotid Diameter and Pressure Changes to Assess Arterial Mechanical Properties. <i>Hypertension</i> , 2008, 52, 896-902.   | 1.3 | 54        |
| 12859 | A simple algorithm for quantifying DNA methylation levels on multiple independent CpG sites in bisulfite genomic sequencing electropherograms. <i>Nucleic Acids Research</i> , 2008, 36, e64-e64.   | 6.5 | 37        |
| 12860 | Comparative study of calculated and measured total carbon dioxide. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 15-7.  | 1.4 | 25        |
| 12861 | Statistical Approach of Assessing the Reliability of Glucose Sensors: The GLYCENSIT Procedure. <i>Journal of Diabetes Science and Technology</i> , 2008, 2, 939-947.  | 1.3 | 5         |
| 12862 | Estimation of serum M-protein concentration from polyclonal immunoglobulins: an alternative to serum protein electrophoresis and standard immunochemical procedures. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 1156-62. | 1.4 | 7         |
| 12863 | A dried serum spot assay for vitamin B12. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 354-8.  | 1.4 | 6         |
| 12864 | Accuracy of medical and ambulance record restraint and crash data information for child occupants. <i>Injury Prevention</i> , 2008, 14, 46-50.  | 1.2 | 5         |
| 12865 | Variation in Growth Hormone Immunoassays in Clinical Practice in Canada. <i>Hormone Research</i> , 2008, 69, 290-294.   | 1.8 | 16        |
| 12866 | Gender-Specific Weight Estimation of Fetuses between 2,501 and 3,999 g &ndash; New Regression Formulae. <i>Fetal Diagnosis and Therapy</i> , 2008, 24, 304-309.   | 0.6 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12867 | Carotid atherosclerotic alterations in systemic lupus erythematosus patients treated at a Brazilian university setting. <i>Lupus</i> , 2008, 17, 105-113.  | 0.8 | 22        |
| 12868 | Measures of Association: How to Choose?. <i>Journal of Diagnostic Medical Sonography</i> , 2008, 24, 155-162.  | 0.1 | 165       |
| 12869 | Percent body fat estimations in college men using field and laboratory methods: A three-compartment model approach. <i>Dynamic Medicine: DM</i> , 2008, 7, 7.  | 2.7 | 33        |
| 12870 | Test-retest reliability of cervicocephalic relocation test to neutral head position. <i>Physiotherapy Theory and Practice</i> , 2008, 24, 380-391.   | 0.6 | 59        |
| 12871 | Validation of a Portable Hand-Held Lactate Analyzer for Determination of Blood Lactate in Patients on Antiretroviral Therapy in Uganda. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008, 49, 564-566. | 0.9 | 10        |
| 12872 | Novel Low-Cost Assay for the Monitoring of CD4 Counts in HIV-Infected Individuals. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008, 47, 135-139.  | 0.9 | 9         |
| 12873 | Pelvic Floor Function in Nulliparous Women Using Three-Dimensional Ultrasound and Magnetic Resonance Imaging. <i>Obstetrics and Gynecology</i> , 2008, 111, 631-638.   | 1.2 | 104       |
| 12874 | Imaging pulsatile retinal blood flow in human eye. <i>Journal of Biomedical Optics</i> , 2008, 13, 040505.   | 1.4 | 37        |
| 12875 | Polyp height and width measurement using topographic height map. , 2008, , .   |     | 3         |
| 12876 | Retinal Vessel Analysis Reproducibility in Assessing Cardiovascular Disease. <i>Optometry and Vision Science</i> , 2008, 85, E247-E254.  | 0.6 | 21        |
| 12877 | Functional Data Analysis of Running Kinematics in Chronic Achilles Tendon Injury. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 1323-1335.  | 0.2 | 91        |
| 12878 | Anterior Chamber Depth Measurement in Phakic and Pseudophakic Eyes. <i>Optometry and Vision Science</i> , 2008, 85, 1193-1200.   | 0.6 | 42        |
| 12879 | Validity of a Multisensor Armband in Estimating 24-h Energy Expenditure in Children. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 699-706.   | 0.2 | 57        |
| 12880 | Agreement and Repeatability of the Sonogage Ultrasound Pachometer Compared with a Mitutoyo Micrometer. <i>Optometry and Vision Science</i> , 2008, 85, 359-363.  | 0.6 | 4         |
| 12881 | Reliability Testing of the Dutch Version of the Radner Reading Charts. <i>Optometry and Vision Science</i> , 2008, 85, 353-358.  | 0.6 | 49        |
| 12882 | Design and Validation of an Infrared Badal Optometer for Laser Speckle. <i>Optometry and Vision Science</i> , 2008, 85, 834-842.   | 0.6 | 1         |
| 12883 | Performance Evaluation of a New Small-Volume Coagulation Monitor. <i>American Journal of Clinical Pathology</i> , 2008, 129, 500-504.  | 0.4 | 6         |
| 12884 | Relation of Common Carotid Artery Lumen Diameter to General Arterial Dilating Diathesis and Abdominal Aortic Aneurysms: The Tromso Study. <i>American Journal of Epidemiology</i> , 2008, 169, 330-338.                    | 1.6 | 30        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12885 | Cardiac output measurement in children: comparison of Aesculon Â® cardiac output monitor and thermodilution. <i>British Journal of Anaesthesia</i> , 2008, 100, 517-520.  | 1.5 | 59        |
| 12886 | Usefulness of right ventricular isovolumic relaxation time in predicting systolic pulmonary artery pressure. <i>European Journal of Echocardiography</i> , 2008, 9, 547-554.  | 2.3 | 27        |
| 12887 | Accuracy and reproducibility of left ventricular outflow tract diameter measurement using transthoracic when compared with transesophageal echocardiography in systole and diastole. <i>European Journal of Echocardiography</i> , 2008, 10, 319-324. | 2.3 | 52        |
| 12888 | Peri-coronary epicardial adipose tissue is related to cardiovascular risk factors and coronary artery calcification in post-menopausal women. <i>European Heart Journal</i> , 2008, 29, 777-783.  | 1.0 | 202       |
| 12889 | Systemic pressure does not directly affect pressure gradient and valve area estimates in aortic stenosis in vitro. <i>European Heart Journal</i> , 2008, 29, 2049-2057.   | 1.0 | 26        |
| 12890 | Exercise stress echocardiography is superior to rest echocardiography in predicting left ventricular reverse remodelling and functional improvement after cardiac resynchronization therapy. <i>European Heart Journal</i> , 2008, 30, 89-97.         | 1.0 | 51        |
| 12891 | Improvement in cardiac sympathetic nerve activity in responders to resynchronization therapy. <i>Europace</i> , 2008, 10, 374-378.  | 0.7 | 53        |
| 12892 | Evaluation of Ki-67 antigen expression in the zona reticularis of the adrenal cortex of female rats in persistent estrus. <i>Human Reproduction</i> , 2008, 24, 705-709.  | 0.4 | 8         |
| 12893 | Rapid Assessment of Perfusionâ€“Diffusion Mismatch. <i>Stroke</i> , 2008, 39, 75-81.  | 1.0 | 81        |
| 12894 | Agreement between methods. <i>Kidney International</i> , 2008, 74, 1116-1120.   | 2.6 | 83        |
| 12895 | Accuracy and Reliability of the Keeler Pulsair EasyEye Non-Contact Tonometer. <i>Optometry and Vision Science</i> , 2008, 85, 61-66.  | 0.6 | 34        |
| 12896 | Hotspot quantification of myocardial focal tracer uptake from molecular targeted SPECT/CT images: experimental validation. , 2008, , .  |     | 0         |
| 12897 | The Ability of a Novel Algorithm for Automatic Estimation of the Respiratory Variations in Arterial Pulse Pressure to Monitor Fluid Responsiveness in the Operating Room. <i>Anesthesia and Analgesia</i> , 2008, 106, 1195-1200.                     | 1.1 | 621       |
| 12898 | Maxillary Anterior Tooth Size and Arch Dimensions in Unilateral Cleft Lip and Palate. <i>Cleft Palate-Craniofacial Journal</i> , 2008, 45, 639-646.   | 0.5 | 26        |
| 12899 | Using pedometers as motivational tools: Are goals set in steps more effective than goals set in minutes for increasing walking?. <i>International Journal of Health Promotion and Education</i> , 2008, 46, 21-26.                                    | 0.4 | 25        |
| 12900 | The Effect of Cool Water Ingestion on Gastrointestinal Pill Temperature. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 523-528.  | 0.2 | 138       |
| 12901 | An evaluation of automated broncho-arterial ratios for reliable assessment of bronchiectasis. <i>Proceedings of SPIE</i> , 2008, , .  | 0.8 | 8         |
| 12902 | Airway Wall Thickness Assessed Using Computed Tomography and Optical Coherence Tomography. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2008, 177, 1201-1206.  | 2.5 | 185       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12903 | Development and validation of IMPACT-S, an ICF-based questionnaire to measure activities and participation.. Journal of Rehabilitation Medicine, 2008, 40, 620-627.  | 0.8 | 93        |
| 12904 | Differences in the Response to Methacholine Between the Tidal Breathing and Dosimeter Methods. Chest, 2008, 134, 699-703.  | 0.4 | 17        |
| 12905 | An <i>ex vivo</i> laboratory study to determine the static frictional resistance of a variable ligation orthodontic bracket system. Journal of Orthodontics, 2008, 35, 112-118.  | 0.4 | 2         |
| 12906 | Construct Validity and Reliability of the Disability of Arm, Shoulder and Hand Questionnaire for Upper Extremity Complaints in Rheumatoid Arthritis. Journal of Rheumatology, 2008, 35, 2334-2338.   | 1.0 | 68        |
| 12907 | Validation of a Numerical Model of Skeletal Muscle Compression With MR Tagging: A Contribution to Pressure Ulcer Research. Journal of Biomechanical Engineering, 2008, 130, 061015.  | 0.6 | 38        |
| 12908 | Measurement of Waist Circumference at Four Different Sites in Children, Adolescents, and Young Adults: Concordance and Correlation with Nutritional Status as well as Cardiometabolic Risk Factors. Obesity Facts, 2008, 1, 243-249.                       | 1.6 | 24        |
| 12909 | Validity of the VmaxST portable metabolic measurement system. Journal of Sports Sciences, 2008, 26, 709-716.   | 1.0 | 11        |
| 12910 | Preclinical In Vivo Study of a Fluorescence Affinity Sensor for Short-Term Continuous Glucose Monitoring in a Small and Large Animal Model. Diabetes Technology and Therapeutics, 2008, 10, 453-460.   | 2.4 | 6         |
| 12911 | On the propagation analysis of electrohysterographic signals. , 2008, 2008, 3868-71.   |     | 4         |
| 12912 | Comparative Evaluation of the COBAS AmpliPrep/COBAS TaqMan HIV Type 1 Test (CAP/CTM) and VERSANT HIV Type 1 RNA 3.0 Assay (bDNA) for Quantifying HIV Type 1 Viral Loads in China. AIDS Research and Human Retroviruses, 2008, 24, 1365-1373.               | 0.5 | 11        |
| 12913 | Kinematic measures and stroke rate variability in elite female 200-m swimmers in the four swimming techniques: Athens 2004 Olympic semi-finalists and French National 2004 Championship semi-finalists. Journal of Sports Sciences, 2008, 26, 35-46.       | 1.0 | 61        |
| 12914 | Assessment of Global Right Ventricular Function on 64-MDCT Compared with MRI. American Journal of Roentgenology, 2008, 190, 1358-1361.   | 1.0 | 83        |
| 12915 | Minus-Lens "Stimulated Accommodative Amplitude Decreases Sigmoidally with Age: A Study of Objectively Measured Accommodative Amplitudes from Age 3. , 2008, 49, 2919.  |     | 94        |
| 12916 | Near-patient testing of potassium levels using arterial blood gas analysers: can we trust these results?. Emergency Medicine Journal, 2008, 25, 510-513.   | 0.4 | 28        |
| 12917 | Comparison of prothrombin time, activated partial thromboplastin time, and fibrinogen concentration in blood samples collected via an intravenous catheter versus direct venipuncture in dogs. American Journal of Veterinary Research, 2008, 69, 868-873. | 0.3 | 23        |
| 12918 | Therapeutic drug monitoring and measurement of drug concentrations using mass spectrometry. , 2008, , 263-289.   |     | 1         |
| 12919 | Comparison of canine capillary and jugular venous blood lactate concentrations determined by use of an enzymatic-amperometric bedside system. American Journal of Veterinary Research, 2008, 69, 208-211.  | 0.3 | 9         |
| 12920 | Does optical coherence tomography identify arterial healing after stenting? An in vivo comparison with histology, in a rabbit carotid model. Heart, 2008, 94, 217-221.   | 1.2 | 84        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12921 | Disagreement between Heidelberg Retina Tomograph and optical coherence tomography in assessing optic nerve head configuration of eyes with band atrophy and normal eyes. <i>British Journal of Ophthalmology</i> , 2008, 92, 1382-1386. | 2.1 | 12        |
| 12922 | Dental age assessment (DAA): a simple method for children and emerging adults. <i>British Dental Journal</i> , 2008, 204, E7-E7.  | 0.3 | 81        |
| 12923 | A Noncontact Approach for the Evaluation of Large Artery Stiffness: A Preliminary Study. <i>American Journal of Hypertension</i> , 2008, 21, 1280-1283.   | 1.0 | 47        |
| 12924 | Reproducibility of Symptom Association Analysis in Ambulatory Reflux Monitoring. <i>American Journal of Gastroenterology</i> , 2008, 103, 2200-2208.  | 0.2 | 43        |
| 12925 | Toxic Megacolon in Children With Inflammatory Bowel Disease: Clinical and Radiographic Characteristics. <i>American Journal of Gastroenterology</i> , 2008, 103, 1524-1531.   | 0.2 | 44        |
| 12926 | Reliability of a Holter-based methodology for evaluation of sleep apnoea syndrome. <i>Europace</i> , 2008, 11, 94-99.   | 0.7 | 8         |
| 12927 | A New and Validated CT-Based Method for the Calculation of Orbital Soft Tissue Volumes. , 2008, 49, 1758.   |     | 122       |
| 12928 | Enzyme-Linked Immunosorbent Assay for Detection of <i>Plasmodium falciparum</i> Histidine-Rich Protein 2 in Blood, Plasma, and Serum. <i>Vaccine Journal</i> , 2008, 15, 1012-1018.   | 3.2 | 76        |
| 12929 | Multi-Site Testing With a Point-of-Care Nerve Conduction Device Can Be Used in an Algorithm to Diagnose Diabetic Sensorimotor Polyneuropathy. <i>Diabetes Care</i> , 2008, 31, 522-524.   | 4.3 | 23        |
| 12930 | Comparison of central venous and external jugular venous pressures during repair of proximal femoral fracture â€. <i>British Journal of Anaesthesia</i> , 2008, 101, 166-170.   | 1.5 | 12        |
| 12931 | Fiducial approach for assessing agreement between two instruments. <i>Metrologia</i> , 2008, 45, 415-421.   | 0.6 | 14        |
| 12932 | Dynamic measures of regional lung air volume using phase contrast x-ray imaging. <i>Physics in Medicine and Biology</i> , 2008, 53, 6065-6077.  | 1.6 | 83        |
| 12933 | Identification and reproducibility of dietary patterns in a Danish cohort: the Inter99 study. <i>British Journal of Nutrition</i> , 2008, 99, 1089-1098.  | 1.2 | 24        |
| 12934 | Keitel Functional Test for Patients With Rheumatoid Arthritis: Translation, Reliability, Validity, and Responsiveness. <i>Physical Therapy</i> , 2008, 88, 664-678.   | 1.1 | 10        |
| 12935 | Near-infrared reflectance analysis to evaluate the nitrogen and fat content of human milk in neonatal intensive care units. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2008, 93, F372-F375.                  | 1.4 | 41        |
| 12936 | Blood Glucose Measurements in Arterial Blood of Intensive Care Unit Patients Submitted to Tight Glycemic Control: Agreement between Bedside Tests. <i>Journal of Diabetes Science and Technology</i> , 2008, 2, 932-938.                | 1.3 | 34        |
| 12937 | Using Support Vector Machines to Detect Therapeutically Incorrect Measurements by the MiniMed CGMSA®. <i>Journal of Diabetes Science and Technology</i> , 2008, 2, 622-629.   | 1.3 | 24        |
| 12938 | Performance of oscillometric blood pressure devices in children in resource-poor settings. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 362-364.   | 3.1 | 10        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12939 | Electrical velocimetry for measuring cardiac output in children with congenital heart disease. <i>British Journal of Anaesthesia</i> , 2008, 100, 88-94.  | 1.5 | 112       |
| 12940 | Gated Myocardial Perfusion SPECT: Algorithm-Specific Influence of Reorientation on Calculation of Left Ventricular Volumes and Ejection Fraction. <i>Journal of Nuclear Medicine</i> , 2008, 49, 1636-1642.                                       | 2.8 | 12        |
| 12941 | Comparison of Macular Thickness Measurements between Time Domain and Spectral Domain Optical Coherence Tomography. , 2008, 49, 4893.  |     | 206       |
| 12942 | Measurement of macular pigment optical density and distribution using the steady-state visual evoked potential. <i>Visual Neuroscience</i> , 2008, 25, 575-583.   | 0.5 | 15        |
| 12943 | Reliability of aortic MRI at 3 Tesla in patients with acute cryptogenic stroke. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2008, 79, 540-546.   | 0.9 | 34        |
| 12944 | Effects of Off-Pump Versus On-Pump Coronary Artery Bypass Grafting on Early and Late Right Ventricular Function. <i>Circulation</i> , 2008, 117, 2202-2210.   | 1.6 | 49        |
| 12945 | Automated Threshold-Based 3D Segmentation Versus Short-Axis Planimetry for Assessment of Global Left Ventricular Function with Dual-Source MDCT. <i>American Journal of Roentgenology</i> , 2008, 190, 308-314.                                   | 1.0 | 56        |
| 12946 | Changes of central haemodynamic parameters during mental stress and acute bouts of static and dynamic exercise. <i>Journal of Human Hypertension</i> , 2008, 22, 320-328.   | 1.0 | 51        |
| 12947 | Comparability and reproducibility of the carotid-femoral pulse wave velocity measurements using a multi-element carotid tonometry sensor. <i>Journal of Human Hypertension</i> , 2008, 22, 699-703.   | 1.0 | 6         |
| 12948 | Functional immunoassay technology (FIT), a new approach for measuring physiological functions: application of FIT to measure glomerular filtration rate (GFR). <i>American Journal of Physiology - Renal Physiology</i> , 2008, 295, F1583-F1588. | 1.3 | 11        |
| 12949 | Anti-Xa Stability of Diluted Dalteparin for Pediatric Use. <i>Annals of Pharmacotherapy</i> , 2008, 42, 511-515.  | 0.9 | 4         |
| 12950 | <i>In vivo</i> quantification of contrast agent concentration using the induced magnetic field for time-resolved arterial input function measurement with MRI. <i>Medical Physics</i> , 2008, 35, 5328-5339.                                      | 1.6 | 66        |
| 12951 | Validation of a computerised logMAR visual acuity measurement system (COMPlog): comparison with ETDRS and the electronic ETDRS testing algorithm in adults and amblyopic children. <i>British Journal of Ophthalmology</i> , 2008, 92, 241-244.   | 2.1 | 61        |
| 12952 | Validation of a Personal Fluid Loss Monitor. <i>International Journal of Sports Medicine</i> , 2008, 29, 139-144.   | 0.8 | 2         |
| 12953 | Strain rate imaging for functional quantification of the left atrium: atrial deformation predicts the maintenance of sinus rhythm after catheter ablation of atrial fibrillation. <i>European Heart Journal</i> , 2008, 29, 1397-1409.            | 1.0 | 171       |
| 12954 | Comparative study of methodologies for pulse wave velocity estimation. <i>Journal of Human Hypertension</i> , 2008, 22, 669-677.  | 1.0 | 108       |
| 12955 | Analysis of Macular Thickness in British Population Using Optical Coherence Tomography (OCT): An Emphasis on Interocular Symmetry. <i>Current Eye Research</i> , 2008, 33, 693-699.   | 0.7 | 60        |
| 12956 | Evaluation of accordance of magnetic resonance volumetric and flow measurements in determining ventricular stroke volume in cardiac patients. <i>Acta Radiologica</i> , 2008, 49, 530-539.  | 0.5 | 12        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 12957 | Dynamic time-varying analysis of heart rate and blood pressure variability in cats exposed to short-term chronic intermittent hypoxia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008, 295, R28-R37. | 0.9 | 33        |
| 12958 | The commutability of external quality assurance serum and reference serum materials between the VITROSÁ® Albumin Slide and four other routine albumin methods. <i>Annals of Clinical Biochemistry</i> , 2008, 45, 76-82.                               | 0.8 | 0         |
| 12959 | Airway Dimensions at Inspiratory and Expiratory Multisection CT in Chronic Obstructive Pulmonary Disease: Correlation with Airflow Limitation. <i>Radiology</i> , 2008, 248, 1042-1049.  | 3.6 | 103       |
| 12960 | Assessment of Aortic Valve Area in Aortic Stenosis Using Cardiac Magnetic Resonance Tomography: Comparison with Echocardiography. <i>Cardiology</i> , 2008, 109, 126-134.  | 0.6 | 26        |
| 12961 | Matrix-Array 3-Dimensional Echocardiographic Assessment of Volumes, Mass, and Ejection Fraction in Young Pediatric Patients With a Functional Single Ventricle. <i>Circulation</i> , 2008, 117, 1842-1848.   | 1.6 | 99        |
| 12962 | Dual-Energy X-Ray Absorptiometry (DXA) Can Accurately and Nondestructively Measure the Body Composition of Small, Free-Living Rodents. <i>Physiological and Biochemical Zoology</i> , 2008, 81, 373-382.   | 0.6 | 22        |
| 12963 | A new approach for assessment of wear in metal-backed acetabular cups using computed tomography: A phantom study with retrievals. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 79, 218-224.                               | 1.2 | 17        |
| 12964 | Comparison of curvilinear and linear ultrasound imaging probes for measuring cross-sectional area and linear dimensions. <i>Journal of Medical Engineering and Technology</i> , 2008, 32, 498-504.   | 0.8 | 9         |
| 12965 | A clinician's experience of using the Cardiac Reader NT-proBNP point-of-care assay in a clinical setting. <i>European Journal of Heart Failure</i> , 2008, 10, 260-266.  | 2.9 | 18        |
| 12966 | Validation of a Soccer Skill Test for Use with Females. <i>International Journal of Sports Medicine</i> , 2008, 29, 917-921.   | 0.8 | 42        |
| 12967 | Reproducibility and Suitability of Clinical Assessments of Trunk Flexor and Extensor Muscles. <i>Journal of Musculoskeletal Pain</i> , 2008, 16, 298-308.  | 0.3 | 5         |
| 12968 | Sympathetic activation in congestive heart failure: Reproducibility of neuroadrenergic markers. <i>European Journal of Heart Failure</i> , 2008, 10, 1186-1191.  | 2.9 | 39        |
| 12969 | Measurement of blood glucose: comparison between different types of specimens. <i>Annals of Clinical Biochemistry</i> , 2008, 45, 140-148.   | 0.8 | 65        |
| 12970 | Validity of Values for Metabolic Equivalents of Task During Submaximal All-Extremity Exercise and Reliability of Exercise Responses in Frail Older Adults. <i>Physical Therapy</i> , 2008, 88, 747-756.  | 1.1 | 17        |
| 12971 | A standardization study of the Czech version of the Mississippi Aphasia Screening Test (MASTcz) in stroke patients and control subjects. <i>Brain Injury</i> , 2008, 22, 793-801.  | 0.6 | 26        |
| 12972 | A comparison of measured height and demi-span equivalent height in the assessment of body mass index among people aged 65 years and over in England. <i>Age and Ageing</i> , 2008, 37, 311-317.  | 0.7 | 41        |
| 12973 | Validation of a Scale for Rating the Delivery of Psycho-Social Treatments for Alcohol Dependence and Misuse: The UKATT Process Rating Scale (PRS). <i>Alcohol and Alcoholism</i> , 2008, 43, 675-682.  | 0.9 | 28        |
| 12974 | Measurement of urinary free cortisol by tandem mass spectrometry and comparison with results obtained by gas chromatography-mass spectrometry and two commercial immunoassays. <i>Annals of Clinical Biochemistry</i> , 2008, 45, 380-388.             | 0.8 | 96        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12975 | Accurate tissue area measurements with considerably reduced radiation dose achieved by patient-specific CT scan parameters. <i>British Journal of Radiology</i> , 2008, 81, 801-808.  | 1.0 | 6         |
| 12976 | Analysis of cover of the femoral head in normal and dysplastic hips. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 1428-1434.  | 3.4 | 110       |
| 12977 | Validation of a single-channel airflow monitor for screening of sleep-disordered breathing. <i>European Respiratory Journal</i> , 2008, 32, 1060-1067.  | 3.1 | 40        |
| 12978 | The effects of formalin fixation and tissue embedding of bovine liver on copper, iron, and zinc analysis. <i>Journal of Veterinary Diagnostic Investigation</i> , 2008, 20, 220-224.  | 0.5 | 25        |
| 12979 | Predictive Value of the Western Ontario and McMaster Universities Osteoarthritis Index for the Amount of Physical Activity After Total Hip Arthroplasty. <i>Physical Therapy</i> , 2008, 88, 211-218.                       | 1.1 | 8         |
| 12980 | On the physical and stochastic representation of an indicator dilution curve as a gamma variate. <i>Physiological Measurement</i> , 2008, 29, 281-294.  | 1.2 | 51        |
| 12981 | Testâ€™ retest reliability of the StepWatch Activity Monitor outputs in individuals with chronic stroke. <i>Clinical Rehabilitation</i> , 2008, 22, 871-877.  | 1.0 | 68        |
| 12982 | Comparison between rectal and infrared skin temperature in the newborn. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2008, 93, F55-F57.  | 1.4 | 41        |
| 12983 | External fixation devices in the treatment of fractures of the tibial plafond. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 1-6.  | 3.4 | 62        |
| 12984 | Validation of an Epstein-Barr Viral Load Assay Using the QIAGEN Artus EBV TM PCR Analyte-Specific Reagent. <i>American Journal of Clinical Pathology</i> , 2008, 130, 865-869.  | 0.4 | 7         |
| 12985 | Forced oscillations in the clinical setting in young children with neonatal lung disease. <i>European Respiratory Journal</i> , 2008, 31, 1292-1299.  | 3.1 | 54        |
| 12986 | Uncalibrated pulse contour-derived stroke volume variation predicts fluid responsiveness in mechanically ventilated patients undergoing liver transplantation. <i>British Journal of Anaesthesia</i> , 2008, 101, 761-768.  | 1.5 | 151       |
| 12987 | Agreement Rates Between Actigraphy, Diary, and Questionnaire for Children's Sleep Patterns. <i>JAMA Pediatrics</i> , 2008, 162, 350.  | 3.6 | 312       |
| 12988 | Introduction of non-linearity by data transformation in method comparison and commutability studies. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 1784-5.  | 1.4 | 0         |
| 12989 | Comparison of two-dimensional and three-dimensional systems for kinematic analysis of the sagittal motion of canine hind limbs during walking. <i>American Journal of Veterinary Research</i> , 2008, 69, 1116-1122.        | 0.3 | 39        |
| 12990 | A general approach to evaluating agreement between two observers or methods of measurement from quantitative data with replicated measurements. <i>Statistical Methods in Medical Research</i> , 2008, 17, 151-169.         | 0.7 | 31        |
| 12991 | Accuracy of a Provincial Prescription Database for Assessing Medication Adherence in Heart Failure Patients. <i>Annals of Pharmacotherapy</i> , 2008, 42, 361-367.  | 0.9 | 15        |
| 12992 | Reproducibility, Interrater Agreement, and Age-Related Changes of Fractional Anisotropy Measures at 3T in Healthy Subjects: Effect of the Applied b-Value. <i>American Journal of Neuroradiology</i> , 2008, 29, 1128-1133. | 1.2 | 74        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 12993 | A Pocket-Size Device to Detect Autonomic Neuropathy. <i>Journal of Diabetes Science and Technology</i> , 2008, 2, 692-696.  | 1.3 | 22        |
| 12994 | Reproducibility of Tumor Perfusion Measurements Using <sup>15</sup> O-Labeled Water and PET. <i>Journal of Nuclear Medicine</i> , 2008, 49, 1763-1768.  | 2.8 | 44        |
| 12995 | Estimation of Thigh Muscle Mass With Magnetic Resonance Imaging in Older Adults and People With Chronic Obstructive Pulmonary Disease. <i>Physical Therapy</i> , 2008, 88, 219-230.   | 1.1 | 65        |
| 12996 | Astigmatism Associated with Experimentally Induced Myopia or Hyperopia in Chickens. , 2008, 49, 858.  |     | 32        |
| 12997 | Relationship of the absolute difference between direct and indirect ion selective electrode measurement of serum sodium and the total protein concentration. <i>Journal of Clinical Pathology</i> , 2008, 61, 645-647.  | 1.0 | 11        |
| 12998 | Effects of Levosimendan on Left Ventricular Relaxation and Early Filling at Maintained Preload and Afterload Conditions After Aortic Valve Replacement for Aortic Stenosis. <i>Circulation</i> , 2008, 117, 1075-1081.  | 1.6 | 75        |
| 12999 | Peripheral Refraction in Normal Infant Rhesus Monkeys. , 2008, 49, 3747.  |     | 44        |
| 13000 | Reference Values for the Arterial Pulse Wave in Chinese. <i>American Journal of Hypertension</i> , 2008, 21, 668-673.   | 1.0 | 28        |
| 13001 | Cerebral Arteries: Fully Automated Segmentation from CT Angiography—A Feasibility Study. <i>Radiology</i> , 2008, 247, 841-846.   | 3.6 | 18        |
| 13002 | A Preliminary Evaluation of the Mean Arterial Pressure as Measured by Cuff Oscillometry. <i>American Journal of Hypertension</i> , 2008, 21, 166-171.   | 1.0 | 38        |
| 13003 | Design and testing of a miniature broadband frequency domain photon migration instrument. <i>Journal of Biomedical Optics</i> , 2008, 13, 050509.   | 1.4 | 32        |
| 13004 | Measuring inspiratory muscle strength in neuromuscular disease: one test or two?. <i>European Respiratory Journal</i> , 2008, 31, 93-98.  | 3.1 | 35        |
| 13005 | Treatment Monitoring by <sup>18</sup> F-FDG PET/CT in Patients with Sarcomas: Interobserver Variability of Quantitative Parameters in Treatment-Induced Changes in Histopathologically Responding and Nonresponding Tumors. <i>Journal of Nuclear Medicine</i> , 2008, 49, 1038-1046. | 2.8 | 100       |
| 13006 | Exhaled breath condensate biomarkers in COPD. <i>European Respiratory Journal</i> , 2008, 32, 472-486.  | 3.1 | 113       |
| 13007 | Early management of proximal humeral fractures with hemiarthroplasty. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 1407-1413.   | 3.4 | 203       |
| 13008 | Feasibility and Impact of the Measurement of Extracellular Fluid Volume Simultaneous with GFR by <sup>125</sup> I-iothalamate. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 1308-1315.   | 2.2 | 49        |
| 13009 | Increased Aortic Pulse Wave Velocity Is Associated With Silent Cerebral Small-Vessel Disease in Hypertensive Patients. <i>Hypertension</i> , 2008, 52, 1120-1126.   | 1.3 | 251       |
| 13010 | Fetal Hemodynamic Adaptive Changes Related to Intrauterine Growth. <i>Circulation</i> , 2008, 117, 649-659.   | 1.6 | 132       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13011 | Differences between intracranial vascular malformation types in the characteristics of their presenting haemorrhages: prospective, population-based study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2008, 79, 47-51. | 0.9 | 63        |
| 13012 | Validation of FEV6 in the elderly: correlates of performance and repeatability. <i>Thorax</i> , 2008, 63, 60-66.   | 2.7 | 49        |
| 13013 | Differences between Two Real-Time PCR-Based Hepatitis C Virus (HCV) Assays (RealTime HCV and Cobas) Tj ETQq0 0 0 rgBT /Overlock 1 and Quantification. <i>Journal of Clinical Microbiology</i> , 2008, 46, 3880-3891.                   | 1.8 | 115       |
| 13014 | Novel Algorithm for More Accurate Calculation of Renal Function in Adults with Cancer. <i>Annals of Pharmacotherapy</i> , 2008, 42, 1749-1757.   | 0.9 | 26        |
| 13015 | Point-of-Care Lactate Testing Predicts Mortality of Severe Sepsis in a Predominantly HIV Type 1- Infected Patient Population in Uganda. <i>Clinical Infectious Diseases</i> , 2008, 46, 215-222.                                       | 2.9 | 54        |
| 13016 | Diagnostic Accuracy of Urinary Creatinine Concentration in the Estimation of Differential Renal Function in Patients with Obstructive Uropathy. <i>Urologia Internationalis</i> , 2008, 80, 300-305.                                   | 0.6 | 2         |
| 13017 | Evaluation of Time Domain and Spectral Domain Optical Coherence Tomography in the Measurement of Diabetic Macular Edema. , 2008, 49, 4290.   |     | 176       |
| 13018 | Hypercapnia as the influencing factor of pulse oximetry. <i>European Respiratory Journal</i> , 2008, 32, 1670-1670.  | 3.1 | 0         |
| 13019 | Development and Evaluation of a Contrast Sensitivity Perimetry Test for Patients with Glaucoma. , 2008, 49, 3049.  |     | 51        |
| 13020 | Impact of Patent Ductus Arteriosus and Subsequent Therapy With Indomethacin on Cerebral Oxygenation in Preterm Infants. <i>Pediatrics</i> , 2008, 121, 142-147.  | 1.0 | 216       |
| 13021 | Health State Valuation in Mild to Moderate Cognitive Impairment: Feasibility of Computer-Based, Direct Patient Utility Assessment. <i>Medical Decision Making</i> , 2008, 28, 220-232.   | 1.2 | 4         |
| 13022 | Classical latent variable models for medical research. <i>Statistical Methods in Medical Research</i> , 2008, 17, 5-32.  | 0.7 | 116       |
| 13023 | Comparison of a new neuromuscular transmission monitor compressomyograph with mechanomyograph. <i>British Journal of Anaesthesia</i> , 2008, 100, 344-350.   | 1.5 | 9         |
| 13024 | Age dependency in the timing of mitral annular motion in relation to ventricular filling in healthy subjects: Umea General Population Heart Study. <i>European Journal of Echocardiography</i> , 2008, 9, 522-529.                     | 2.3 | 8         |
| 13025 | Analysis of Metagene Portraits Reveals Distinct Transitions During Kidney Organogenesis. <i>Science Signaling</i> , 2008, 1, ra16.   | 1.6 | 28        |
| 13026 | Linear Polyp Measurement at CT Colonography: 3D Endoluminal Measurement with Optimized Surface-rendering Threshold Value and Automated Measurement. <i>Radiology</i> , 2008, 246, 157-167.   | 3.6 | 22        |
| 13027 | Volumetric Cardiac Quantification by Using 3D Dual-Phase Whole-Heart MR Imaging. <i>Radiology</i> , 2008, 248, 606-614.  | 3.6 | 39        |
| 13028 | Colorectal Liver Metastases: Contrast Agent Diffusion Coefficient for Quantification of Contrast Enhancement Heterogeneity at MR Imaging. <i>Radiology</i> , 2008, 248, 901-909.   | 3.6 | 19        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13029 | Real-time Assessment of Right and Left Ventricular Volumes and Function in Patients with Congenital Heart Disease by Using High Spatiotemporal Resolution Radial k-t SENSE. <i>Radiology</i> , 2008, 248, 782-791.  | 3.6 | 81        |
| 13030 | Adaptive Postprocessing Techniques for Myocardial Tissue Tracking with Displacement-encoded MR Imaging. <i>Radiology</i> , 2008, 246, 229-240.  | 3.6 | 29        |
| 13031 | Mitral Valve and Tricuspid Valve Blood Flow: Accurate Quantification with 3D Velocity-encoded MR Imaging with Retrospective Valve Tracking. <i>Radiology</i> , 2008, 249, 792-800.  | 3.6 | 160       |
| 13032 | Cardiac output determination by use of lithium dilution during exercise in horses. <i>American Journal of Veterinary Research</i> , 2008, 69, 1054-1060.  | 0.3 | 11        |
| 13033 | Assessment of Acute Myocardial Infarction Using MDCT After Percutaneous Coronary Intervention: Comparison with MRI. <i>American Journal of Roentgenology</i> , 2008, 191, 441-447.  | 1.0 | 23        |
| 13034 | Reduced mandibular growth in experimental arthritis in the temporomandibular joint treated with intra-articular corticosteroid. <i>European Journal of Orthodontics</i> , 2008, 30, 111-119.  | 1.1 | 41        |
| 13035 | Manual dexterity in hereditary motor and sensory neuropathy type 1a: Severity of limitations and feasibility and reliability of 2 assessment instruments. <i>Acta Dermato-Venereologica</i> , 2008, 40, 132-136.  | 0.6 | 27        |
| 13036 | Can the Extent of Low-Attenuation Areas on CT Scans Really Demonstrate Changes in the Severity of Emphysema?. <i>Radiology</i> , 2008, 247, 293-294.  | 3.6 | 7         |
| 13037 | Physicians' Ability to Predict Patients' Adherence to Antihypertensive Medication in Primary Care. <i>Hypertension Research</i> , 2008, 31, 1765-1771.  | 1.5 | 63        |
| 13038 | In Vitro Assessment of a 3D Segmentation Algorithm Based on the Belief Functions Theory in Calculating Renal Volumes by MRI. <i>American Journal of Roentgenology</i> , 2008, 191, W127-W134.   | 1.0 | 15        |
| 13039 | Determination of Peak Velocity in Stenotic Areas: Echocardiography versus k-t SENSE Accelerated MR Fourier Velocity Encoding. <i>Radiology</i> , 2008, 246, 249-257.  | 3.6 | 22        |
| 13040 | Comparison of Fetal Biometric Values with Sonographic and 3D Reconstruction MRI in Term Gestations. <i>American Journal of Roentgenology</i> , 2008, 191, 340-345.  | 1.0 | 19        |
| 13041 | Concurrent Validity in Taiwan of the Comprehensive Developmental Inventory for Infants and Toddlers Who Were Full-Term Infants. <i>Perceptual and Motor Skills</i> , 2008, 107, 29-44.  | 0.6 | 21        |
| 13042 | WHICH QUESTIONNAIRE IS BEST? THE RELIABILITY, VALIDITY AND EASE OF USE OF THE PATIENT EVALUATION MEASURE, THE DISABILITIES OF THE ARM, SHOULDER AND HAND AND THE MICHIGAN HAND OUTCOME MEASURE. <i>Journal of Hand Surgery: European Volume</i> , 2008, 33, 9-17. | 0.5 | 97        |
| 13043 | Screening and monitoring for albuminuria: the performance of the HemoCue point-of-care system. <i>Kidney International</i> , 2008, 74, 377-383.   | 2.6 | 11        |
| 13044 | 3-T Contrast-Enhanced MR Angiography in Evaluation of Suspected Intracranial Aneurysm: Comparison with MDCT Angiography. <i>American Journal of Roentgenology</i> , 2008, 190, 389-395.   | 1.0 | 32        |
| 13045 | Repeatability Limits for Measurement of Coronary Artery Calcified Plaque with Cardiac CT in the Multi-Ethnic Study of Atherosclerosis. <i>American Journal of Roentgenology</i> , 2008, 190, W87-W92.   | 1.0 | 29        |
| 13046 | Degree of Error of Thin-Section MR in Measuring Extramural Depth of Tumor Invasion in Patients with Rectal Cancer. <i>Radiology</i> , 2008, 246, 647-648.   | 3.6 | 11        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13047 | A simple method to estimate the optimum iodine concentration of contrast material through microcatheters: hydrodynamic calculation with spreadsheet software. <i>Physics in Medicine and Biology</i> , 2008, 53, 1385-1395.                              | 1.6 | 2         |
| 13048 | Aneurysm Growth Occurs at Region of Low Wall Shear Stress. <i>Stroke</i> , 2008, 39, 2997-3002.  | 1.0 | 446       |
| 13049 | Hepatic perfusion in a tumor model using DCE-CT: an accuracy and precision study. <i>Physics in Medicine and Biology</i> , 2008, 53, 4249-4267.  | 1.6 | 40        |
| 13050 | Unconstrained parameter estimation for assessment of dynamic cerebral autoregulation. <i>Physiological Measurement</i> , 2008, 29, 1179-1193.  | 1.2 | 12        |
| 13051 | Finger photoplethysmogram pulse amplitude changes induced by flow-mediated dilation. <i>Physiological Measurement</i> , 2008, 29, 625-637.   | 1.2 | 42        |
| 13052 | Diagnostic accuracy of the protein/creatinine ratio in urine samples to estimate 24-h proteinuria in patients with primary glomerulopathies: a longitudinal study. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2242-2246.                     | 0.4 | 40        |
| 13053 | Long-term changes in pharyngeal airway dimensions following activator-headgear and fixed appliance treatment. <i>European Journal of Orthodontics</i> , 2008, 30, 598-605.   | 1.1 | 64        |
| 13054 | Evaluation of rapid dual-tracer <sup>62</sup> Cu-PTSM + <sup>62</sup> Cu-ATSM PET in dogs with spontaneously occurring tumors. <i>Physics in Medicine and Biology</i> , 2008, 53, 217-232.   | 1.6 | 33        |
| 13055 | Assessment of volume and leak measurements during CPAP using a neonatal lung model. <i>Physiological Measurement</i> , 2008, 29, 95-107.   | 1.2 | 18        |
| 13056 | Heart rate detection from an electronic weighing scale. <i>Physiological Measurement</i> , 2008, 29, 979-988.  | 1.2 | 88        |
| 13057 | Bone mineral density assessment using the EOS <sup>®</sup> low-dose X-ray device: A feasibility study. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2008, 222, 1263-1271.                 | 1.0 | 14        |
| 13058 | Evaluation of a point-of-care hematology analyzer for use in dogs and cats receiving chemotherapeutic treatment. <i>Journal of the American Veterinary Medical Association</i> , 2008, 232, 1488-1495.   | 0.2 | 4         |
| 13059 | Agreement between direct and indirect blood pressure measurements obtained from anesthetized Hispaniolan Amazon parrots. <i>Journal of the American Veterinary Medical Association</i> , 2008, 233, 1587-1590.   | 0.2 | 51        |
| 13060 | Axillary and Rectal Temperature Measurements Poorly Agree in Newborn Infants. <i>Neonatology</i> , 2008, 94, 31-34.  | 0.9 | 35        |
| 13061 | DDD(R)-pacing, but not AAI(R)-pacing induces left ventricular desynchronization in patients with sick sinus syndrome: tissue-Doppler and 3D echocardiographic evaluation in a randomized controlled comparison. <i>Europace</i> , 2008, 10, 127-133.     | 0.7 | 33        |
| 13062 | Reliability of two methods for measurement of alveolar bone level in children. <i>Dentomaxillofacial Radiology</i> , 2008, 37, 34-39.  | 1.3 | 8         |
| 13063 | Venous tonus enhancement after a short cycle of intermittent pneumatic compression. <i>Phlebology</i> , 2008, 23, 58-63.   | 0.6 | 6         |
| 13064 | Lower Visceral and Subcutaneous but Higher Intermuscular Adipose Tissue Depots in Patients with Growth Hormone and Insulin-Like Growth Factor I Excess Due to Acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 2334-2343. | 1.8 | 99        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13065 | Reproducibility of the Oral Glucose Tolerance Test in Overweight Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 4231-4237.  | 1.8 | 150       |
| 13066 | Determination of body composition based on hydrostatic weighing without head submersion for Japanese young adults. <i>European Journal of Sport Science</i> , 2008, 8, 153-161.                    | 1.4 | 0         |
| 13067 | Validation of the Index of Consciousness (IoC) during sedation/analgesia for ultrasonographic endoscopy. , 2008, 2008, 5552-5.   |     | 12        |
| 13068 | A physical demands analysis of the 24-week British Army Parachute Regiment recruit training syllabus. <i>Ergonomics</i> , 2008, 51, 649-662.   | 1.1 | 56        |
| 13069 | Statistical Assessment of Analytical Method Transfer. <i>Journal of Biopharmaceutical Statistics</i> , 2008, 18, 1005-1012.  | 0.4 | 7         |
| 13070 | Cystatin C Does Not Detect Acute Changes in Glomerular Filtration Rate in Early Diabetic Nephropathy. <i>Renal Failure</i> , 2008, 30, 21-29.  | 0.8 | 10        |
| 13071 | Reproducibility and Minimal Detectable Change of Three-Dimensional Kinematic Analysis of Reaching Tasks in People With Hemiparesis After Stroke. <i>Physical Therapy</i> , 2008, 88, 652-663.      | 1.1 | 230       |
| 13072 | Surveillance of physical activity in the UK is flawed: validation of the Health Survey for England Physical Activity Questionnaire. <i>Archives of Disease in Childhood</i> , 2008, 93, 1054-1058. | 1.0 | 86        |
| 13073 | How to Assess and Compare the Accuracy of Continuous Glucose Monitors?. <i>Diabetes Technology and Therapeutics</i> , 2008, 10, 57-68.   | 2.4 | 45        |
| 13074 | Lower Limb Kinematics of Subjects with Chronic Achilles Tendon Injury During Running. <i>Research in Sports Medicine</i> , 2008, 16, 23-38.  | 0.7 | 52        |
| 13075 | Detection of ventilatory threshold by an automatic parabolic model. , 2008, 2008, 1064-7.  |     | 0         |
| 13076 | Reliability and validity of a new double poling ergometer for cross-country skiers. <i>Journal of Sports Sciences</i> , 2008, 26, 171-179.   | 1.0 | 26        |
| 13077 | Novel method of automatic auscultation for blood pressure measurement using pulses in cuff pressure and korotkoff sound. , 2008, , .   |     | 8         |
| 13078 | Cross-Cultural Adaptation and Validation of the Foot Function Index for Use in German-Speaking Patients with Foot Complaints. <i>Foot and Ankle International</i> , 2008, 29, 1222-1231.           | 1.1 | 90        |
| 13079 | Evaluation of the DCA Vantage analyzer for HbA1c assay. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 1195-8.  | 1.4 | 38        |
| 13080 | Angiotensin-Converting Enzyme Genotype and Arterial Oxygen Saturation at High Altitude in Peruvian Quechua. <i>High Altitude Medicine and Biology</i> , 2008, 9, 167-178.                          | 0.5 | 62        |
| 13081 | Validation of Volume-Pressure Recording Tail-Cuff Blood Pressure Measurements. <i>American Journal of Hypertension</i> , 2008, 21, 1288-1291.  | 1.0 | 276       |
| 13082 | Comparison of physiological responses to graded exercise test performance in outrigger canoeing. <i>Journal of Sports Sciences</i> , 2008, 26, 743-749.  | 1.0 | 8         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13083 | Ultrasonic assessment of cortical bone thickness in vitro and in vivo. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2008, 55, 2191-2197.   | 1.7 | 39        |
| 13084 | Noninvasive respiratory monitoring system based on the piezoceramic transducer's pyroelectric effect. Review of Scientific Instruments, 2008, 79, 035103.  | 0.6 | 18        |
| 13085 | A probabilistic segmentation method for the identification of luminal borders in intravascular ultrasound images. , 2008, , .  |     | 17        |
| 13086 | Repeatability of scores on a novel test of endurance running performance. Journal of Sports Sciences, 2008, 26, 1379-1386.   | 1.0 | 19        |
| 13087 | Acute Normobaric Hypoxia Stimulates Erythropoietin Release. High Altitude Medicine and Biology, 2008, 9, 28-37.  | 0.5 | 27        |
| 13088 | Repeatability of successive measurements with a portable nitric oxide analyser in patients with suggested or diagnosed asthma. Scandinavian Journal of Clinical and Laboratory Investigation, 2008, 68, 830-832. | 0.6 | 10        |
| 13089 | Dietary validation of a new Australian food-frequency questionnaire that estimates long-chain n-3 polyunsaturated fatty acids. British Journal of Nutrition, 2008, 99, 660-666.                                  | 1.2 | 39        |
| 13090 | Clinical value of anthropometric estimates of leg lean volume in nutritionally depleted and non-depleted patients with chronic obstructive pulmonary disease. British Journal of Nutrition, 2008, 100, 380-386.  | 1.2 | 23        |
| 13091 | Nutritional screening in clinical practice: comparison of the trust nutrition screening tool with the malnutrition universal screening tool. Proceedings of the Nutrition Society, 2008, 67, .                   | 0.4 | 1         |
| 13092 | A comparison of methods to assess changes in dietary patterns from pregnancy to 4 years post-partum obtained using principal components analysis. British Journal of Nutrition, 2008, 99, 1099-1106.             | 1.2 | 45        |
| 13093 | Validation of ActiReg <sup>®</sup> to measure physical activity and energy expenditure against doubly labelled water in obese persons. British Journal of Nutrition, 2008, 100, 219-226.                         | 1.2 | 19        |
| 13094 | Validity and reliability of body composition analysers in children and adults. British Journal of Nutrition, 2008, 100, 859-865.   | 1.2 | 140       |
| 13095 | Validity of carbohydrate, glycaemic index and glycaemic load data obtained using a semi-quantitative food-frequency questionnaire. Public Health Nutrition, 2008, 11, 573-580.                                   | 1.1 | 74        |
| 13096 | What do babies eat? Evaluation of a food frequency questionnaire to assess the diets of infants aged 6 months. Public Health Nutrition, 2008, 11, 751-756.   | 1.1 | 56        |
| 13097 | Concurrent comparison of energy intake and expenditure among adults in Butajira District, Ethiopia. Public Health Nutrition, 2008, 11, 675-683.  | 1.1 | 10        |
| 13098 | Dietary patterns in pregnant women: a comparison of food-frequency questionnaires and 4 <sup>th</sup> prospective diaries. British Journal of Nutrition, 2008, 99, 869-875.                                      | 1.2 | 69        |
| 13099 | Usefulness of different techniques for measuring body composition changes during weight loss in overweight and obese women. British Journal of Nutrition, 2008, 99, 432-441.                                     | 1.2 | 60        |
| 13100 | Estimation of typical food portion sizes for children of different ages in Great Britain. British Journal of Nutrition, 2008, 99, 1344-1353.   | 1.2 | 66        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13101 | Comparison of dual-energy X-ray absorptiometry, air displacement plethysmography and bioelectrical impedance analysis for the assessment of body composition in severely obese Caucasian children and adolescents. <i>British Journal of Nutrition</i> , 2008, 100, 918-924. | 1.2 | 81        |
| 13102 | Are dietary patterns stable throughout early and mid-childhood? A birth cohort study. <i>British Journal of Nutrition</i> , 2008, 100, 1069-1076.  | 1.2 | 205       |
| 13103 | Reliability of the MMSE Administered In-Person and by Telehealth. <i>Canadian Journal of Neurological Sciences</i> , 2008, 35, 643-646.  | 0.3 | 49        |
| 13104 | Minimum Detectable Change in Gait Velocity during Acute Rehabilitation following Hip Fracture. <i>Journal of Geriatric Physical Therapy</i> , 2008, 31, 53-56.   | 0.6 | 76        |
| 13105 | What instruments have been used to assess the mobility of community-dwelling older adults?. <i>Physical Therapy Reviews</i> , 2008, 13, 345-354.   | 0.3 | 15        |
| 13106 | Evaluation of EDTA hematology tubes for collection of blood samples for tests of secondary hemostasis in dogs. <i>American Journal of Veterinary Research</i> , 2008, 69, 1141-1147.   | 0.3 | 8         |
| 13107 | Influence of Selected Variables on Monocular, Interocular, and Binocular Visual Acuity. <i>Optometry and Vision Science</i> , 2008, 85, 135-142.   | 0.6 | 11        |
| 13108 | Continuous non-invasive finger blood pressure monitoring in children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008, 83, 646-652.   | 0.7 | 42        |
| 13109 | Skeletal maturation during thyroxine treatment in children with congenital hypothyroidism. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1994, 83, 618-622.  | 0.7 | 20        |
| 13110 | Evaluation of two methods for continuous cardiac output assessment during exercise in chronic heart failure patients. <i>Journal of Applied Physiology</i> , 2008, 105, 1822-1829.   | 1.2 | 649       |
| 13112 | Development of a New Method for Estimating Visceral Fat Area with Multi-Frequency Bioelectrical Impedance. <i>Tohoku Journal of Experimental Medicine</i> , 2008, 214, 105-112.  | 0.5 | 57        |
| 13113 | Higher Efficacy of Urinary Bone Resorption Marker Measurements in Assessing Response to Treatment for Osteoporosis in Postmenopausal Women. <i>Tohoku Journal of Experimental Medicine</i> , 2008, 214, 51-59.   | 0.5 | 10        |
| 13114 | Noninvasive Monitoring of Glucose Concentration with Optical Coherence Tomography. <i>Series in Medical Physics and Biomedical Engineering</i> , 2008, , 563-586.  | 0.1 | 0         |
| 13115 | Characteristics of the Perception of Different Severity Measures of Citrus Canker and the Relationships Between the Various Symptom Types. <i>Plant Disease</i> , 2008, 92, 927-939.   | 0.7 | 42        |
| 13117 | Clinical Implication of Energy Loss Coefficient in Patients With Severe Aortic Stenosis Diagnosed by Doppler Echocardiography. <i>Circulation Journal</i> , 2008, 72, 1265-1269.   | 0.7 | 19        |
| 13118 | Prognostic Importance of Chronic Kidney Disease in Japanese Patients With Chronic Heart Failure Implications of the CHART Study. <i>Circulation Journal</i> , 2008, 72, 173-178.   | 0.7 | 31        |
| 13120 | The New Zealand Physical Activity Questionnaires: Validation by Heart-Rate Monitoring in a Multiethnic Population. <i>Journal of Physical Activity and Health</i> , 2008, 5, S45-S61.  | 1.0 | 31        |
| 13121 | Detection of artery interfaces: a real-time system and its clinical applications. , 2008, , .  |     | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13122 | REPEATABILITY OF SOIL APPARENT ELECTRICAL CONDUCTIVITY MEASURED BY A COULTER SENSOR. <i>Soil Science</i> , 2008, 173, 35-45.   | 0.9 | 1         |
| 13123 | Three-directional Myocardial Phase-Contrast Tissue Velocity MR Imaging with Navigator-Echo Gating: In Vivo and in Vitro Study. <i>Radiology</i> , 2008, 246, 917-925.  | 3.6 | 39        |
| 13124 | The Effect of Participation in Gaelic Football on the Development of Irish Professional Soccer Players. <i>Journal of Sport and Exercise Psychology</i> , 2008, 30, 709-722.   | 0.7 | 18        |
| 13125 | Validation of the RT3 Accelerometer for Measuring Physical Activity of Children in Simulated Free-Living Conditions. <i>Pediatric Exercise Science</i> , 2008, 20, 181-197.  | 0.5 | 22        |
| 13126 | The Relationship Between the Components of Pulmonary Artery Pressure Remains Constant Under All Conditions in Both Health and Disease. <i>Chest</i> , 2008, 133, 633-639.  | 0.4 | 108       |
| 13127 | Activity-Monitor Accuracy in Measuring Step Number and Cadence in Community-Dwelling Older Adults. <i>Journal of Aging and Physical Activity</i> , 2008, 16, 201-214.  | 0.5 | 222       |
| 13128 | Comparability of the 6-min Walk Test Using Different Test Configurations. <i>Journal of Aging and Physical Activity</i> , 2008, 16, 355-361.   | 0.5 | 2         |
| 13129 | Validity of 2 Devices for Measuring Steps Taken by Older Adults in Assisted-Living Facilities. <i>Journal of Physical Activity and Health</i> , 2008, 5, S166-S175.  | 1.0 | 55        |
| 13130 | Effects of High-Frequency Chest Wall Oscillation on Pleural Pressure and Oscillated Flow. <i>Biomedical Instrumentation and Technology</i> , 2008, 42, 485-491.  | 0.2 | 7         |
| 13131 | Desirable performance characteristics for BCR-ABL measurement on an international reporting scale to allow consistent interpretation of individual patient response and comparison of response rates between clinical trials. <i>Blood</i> , 2008, 112, 3330-3338. | 0.6 | 350       |
| 13132 | Agreement of Blood Pressure Measurements Between Random-Zero and Standard Mercury Sphygmomanometers. <i>American Journal of the Medical Sciences</i> , 2008, 336, 373-378.   | 0.4 | 9         |
| 13134 | Automated selection of trabecular bone regions in knee radiographs. <i>Medical Physics</i> , 2008, 35, 1870-1883.  | 1.6 | 23        |
| 13135 | The Intra-rater and the Inter-rater Reliability of Tandem Gait Test with the Bland-Altman Analysis. <i>Rigakuryoho Kagaku</i> , 2008, 23, 625-631.   | 0.0 | 14        |
| 13136 | Reliability Limits Of The Modified Thomas Test For Assessing Rectus Femoris Muscle Flexibility About The Knee Joint. <i>Journal of Athletic Training</i> , 2008, 43, 470-476.  | 0.9 | 40        |
| 13137 | No evidence that skewing of X chromosome inactivation patterns is transmitted to offspring in humans. <i>Journal of Clinical Investigation</i> , 2008, 118, 333-341.   | 3.9 | 96        |
| 13138 | A new method for the noninvasive determination of abdominal muscle feedforward activity based on tissue velocity information from tissue Doppler imaging. <i>Journal of Applied Physiology</i> , 2008, 104, 1192-1201.   | 1.2 | 38        |
| 13139 | Results and Repeatability of Retinal Thickness Measurements From Certification Submissions. <i>JAMA Ophthalmology</i> , 2008, 126, 45.   | 2.6 | 17        |
| 13140 | Assessment of left ventricular mass and volumes by three-dimensional echocardiography in patients with or without wall motion abnormalities: comparison against cine magnetic resonance imaging. <i>Heart</i> , 2008, 94, 1050-1057.                               | 1.2 | 102       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13141 | 3D ultrasound for prostate localization in radiation therapy: A comparison with implanted fiducial markers. <i>Medical Physics</i> , 2008, 35, 2403-2413.   | 1.6 | 38        |
| 13142 | Accuracy of Spring-levered and Piezo-electric Pedometers in Primary School Japanese Children. <i>Journal of Physiological Anthropology</i> , 2008, 27, 233-239.   | 1.0 | 37        |
| 13143 | Design, Analysis, and Interpretation of Method-Comparison Studies. <i>AACN Advanced Critical Care</i> , 2008, 19, 223-234.  | 0.6 | 194       |
| 13144 | Continuous Measurement of Endotracheal Tube Cuff Pressure. <i>AACN Advanced Critical Care</i> , 2008, 19, 235-243.  | 0.6 | 23        |
| 13145 | Echocardiographic Improvements with Pacemaker Optimization in the Chronic Post Cardiac Resynchronization Therapy Setting. <i>Clinical Medicine Cardiology</i> , 2008, 2, CMC.S515.  | 0.1 | 6         |
| 13146 | Application of cross-sectional time series modeling for the prediction of energy expenditure from heart rate and accelerometry. <i>Journal of Applied Physiology</i> , 2008, 104, 1665-1673.                                  | 1.2 | 60        |
| 13147 | The Validity of Compliance Monitors to Assess Wearing Time of Thoracic-Lumbar-Sacral Orthoses in Children With Spinal Cord Injury. <i>Spine</i> , 2008, 33, 1554-1561.  | 1.0 | 19        |
| 13148 | Determination of asymmetric dimethylarginine in biological fluids: a paradigm for a successful analytical story. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2008, 11, 592-600.                         | 1.3 | 16        |
| 13149 | Addition of the Long-Axis Information to Short-Axis Contours Reduces Interstudy Variability of Left-Ventricular Analysis in Cardiac Magnetic Resonance Studies. <i>Investigative Radiology</i> , 2008, 43, 1-6.               | 3.5 | 42        |
| 13150 | Sonographic Estimation of Needle Depth for Cervical Epidural Blocks. <i>Anesthesia and Analgesia</i> , 2008, 106, 1542-1547.  | 1.1 | 29        |
| 13151 | ISSLS Prize Winner: Integrating Theoretical and Experimental Methods for Functional Tissue Engineering of the Annulus Fibrosus. <i>Spine</i> , 2008, 33, 2691-2701.   | 1.0 | 64        |
| 13152 | Accuracy of cardiac output measurements with pulse contour analysis (PulseCOTM) and Doppler echocardiography during off-pump coronary artery bypass grafting. <i>European Journal of Anaesthesiology</i> , 2008, 25, 243-248. | 0.7 | 37        |
| 13153 | Portable Exhaled Nitric Oxide as a Screening Tool for Asthma in Young Adults During Pollen Season. <i>Chest</i> , 2008, 133, 906-913.   | 0.4 | 52        |
| 13154 | Modifying Track Layout From Straight to Circular Has a Modest Effect on the 6-min Walk Distance. <i>Chest</i> , 2008, 133, 1155-1160.   | 0.4 | 41        |
| 13155 | Decision support of inspired oxygen fraction using a model of oxygen transport. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2008, 41, 8080-8084.   | 0.4 | 2         |
| 13156 | CT-measured regional specific volume change reflects regional ventilation in supine sheep. <i>Journal of Applied Physiology</i> , 2008, 104, 1177-1184.   | 1.2 | 97        |
| 13157 | The Influence of Central Corneal Thickness and Corneal Curvature on Intraocular Pressure Measured by Tono-Pen and Rebound Tonometer in Children. <i>Journal of Glaucoma</i> , 2008, 17, 57-61.                                | 0.8 | 42        |
| 13158 | Quantification of Coronary Plaque by 64-slice Computed Tomography: A Comparison with Quantitative Intracoronary Ultrasound. <i>Investigative Radiology</i> , 2008, 43, 314-321.   | 3.5 | 83        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13159 | Gestational Weight Gain as Predicted by Pregestational Body Mass Index and Gestational Age in Mexican Women. <i>Food and Nutrition Bulletin</i> , 2008, 29, 334-339.   | 0.5 | 7         |
| 13160 | Estimation of Birth Weight by Two-Dimensional Ultrasonography. <i>Obstetrics and Gynecology</i> , 2008, 111, 57-65.  | 1.2 | 97        |
| 13161 | Self-measurement of blood pressure: validation of the Braun BP VitalScan Plus 1650 monitor according to the European Society of Hypertension International Protocol. <i>Blood Pressure Monitoring</i> , 2008, 13, 101-106.         | 0.4 | 4         |
| 13162 | Laparoscopic Surgery: Does It Increase the Probability of Atrial and Ventricular Arrhythmias in Children?. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2008, 18, 173-177.                                 | 0.4 | 3         |
| 13163 | Airway Luminal Diameter and Shape Measurement by Means of an Intraluminal Fiberoptic Probe. <i>JAMA Otolaryngology</i> , 2008, 134, 637.   | 1.5 | 6         |
| 13164 | Measuring the glycemic index of foods: interlaboratory study. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 247S-257S.   | 2.2 | 166       |
| 13165 | Association of age at menarche with cardiovascular risk factors, vascular structure, and function in adulthood: the Cardiovascular Risk in Young Finns study. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1876-1882. | 2.2 | 133       |
| 13166 | The reliability of Turkish translation of quick exposure check (QEC) for risk assessment of work related musculoskeletal disorders. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2008, 21, 51-56.                   | 0.4 | 9         |
| 13167 | Estimating activity energy expenditure: how valid are physical activity questionnaires?. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 279-291.  | 2.2 | 175       |
| 13168 | Current and emerging tests for the laboratory monitoring of chronic myeloid leukaemia and related disorders. <i>Pathology</i> , 2008, 40, 231-246.   | 0.3 | 16        |
| 13169 | Ability of new octapolar bioimpedance spectroscopy analyzers to predict 4-component model percentage body fat in Hispanic, black, and white adults. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 332-338.             | 2.2 | 155       |
| 13170 | Combined Oximetry-Cutaneous Capnography in Patients Assessed for Long-term Oxygen Therapy. <i>Chest</i> , 2008, 133, 1421-1425.  | 0.4 | 16        |
| 13171 | Acceleromyography for Use in Scientific and Clinical Practice. <i>Anesthesiology</i> , 2008, 108, 1117-1140.   | 1.3 | 125       |
| 13172 | Hepatitis C Virus Infection and Post-Transplant Diabetes Mellitus among Renal Transplant Patients: A Meta-Analysis. <i>International Journal of Artificial Organs</i> , 2008, 31, 675-682.   | 0.7 | 54        |
| 13173 | Comparison of Sleep Parameters from Actigraphy and Polysomnography in Older Women: The SOF Study. <i>Sleep</i> , 2008, 31, 283-291.  | 0.6 | 233       |
| 13174 | Seradyn Quantitative Microsphere System Lamotrigine Immunoassay on a Hitachi 911 Analyzer Compared With HPLC-UV. <i>Therapeutic Drug Monitoring</i> , 2008, 30, 634-637.   | 1.0 | 20        |
| 13175 | Determination of Morphine and 6-Acetylmorphine in Blood With Use of Dried Blood Spots. <i>Therapeutic Drug Monitoring</i> , 2008, 30, 733-739.   | 1.0 | 106       |
| 13176 | Ambulatory arterial stiffness index, pulse wave velocity and augmentation index – interchangeable or mutually exclusive measures?. <i>Journal of Hypertension</i> , 2008, 26, 529-534.   | 0.3 | 71        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13177 | Ambulatory blood pressure as an independent determinant of brain atrophy and cognitive function in elderly hypertension. <i>Journal of Hypertension</i> , 2008, 26, 1636-1641.  | 0.3 | 129       |
| 13178 | Effects of papillary muscles and trabeculae on left ventricular quantification: increased impact of methodological variability in patients with left ventricular hypertrophy. <i>Journal of Hypertension</i> , 2008, 26, 1677-1685.               | 0.3 | 69        |
| 13179 | Clinical Comparison of the Icare Tonometer and Goldmann Applanation Tonometry. <i>Journal of Glaucoma</i> , 2008, 17, 43-47.  | 0.8 | 152       |
| 13180 | A comparison of kaolin-activated versus nonkaolin-activated thromboelastography in native and citrated blood. <i>Blood Coagulation and Fibrinolysis</i> , 2008, 19, 495-501.  | 0.5 | 28        |
| 13181 | Functional Electrical Stimulation to the Dorsiflexors and Quadriceps in Children with Cerebral Palsy. <i>Pediatric Physical Therapy</i> , 2008, 20, 23-29.  | 0.3 | 58        |
| 13182 | Reproducibility of Nasal Lavage in the Context of the Inhalation Challenge Investigation of Occupational Rhinitis. <i>American Journal of Rhinology &amp; Allergy</i> , 2008, 22, 271-275.  | 2.3 | 21        |
| 13183 | Magnetic resonance imaging versus histological assessment for estimation of lesion volume after experimental spinal cord injury. <i>Journal of Neurosurgery: Spine</i> , 2008, 9, 301-306.  | 0.9 | 20        |
| 13184 | Effect of Intense Military Training on Body Composition. <i>Journal of Strength and Conditioning Research</i> , 2008, 22, 503-508.  | 1.0 | 24        |
| 13185 | The Accuracy of a Continuous Blood Glucose Monitor During Surgery. <i>Anesthesia and Analgesia</i> , 2008, 106, 160-163.  | 1.1 | 60        |
| 13186 | Two Perspectives of Proxy Reporting of Health-Related Quality of Life Using the Euroqol-5D, An Investigation of Agreement. <i>Medical Care</i> , 2008, 46, 1140-1148.   | 1.1 | 75        |
| 13187 | Correlation Between Micro-Computed Tomography and Histomorphometry for Assessment of New Bone Formation in a Calvarial Experimental Model. <i>Journal of Craniofacial Surgery</i> , 2008, 19, 446-452.  | 0.3 | 32        |
| 13188 | Clinical validation of the non-invasive cardiac output monitor USCOM-1A in critically ill patients. <i>European Journal of Anaesthesiology</i> , 2008, 25, 917-924.   | 0.7 | 40        |
| 13189 | Comparison of Noninvasive Blood Pressure Measurements in Patients With Atrial Fibrillation. <i>Journal of Cardiovascular Nursing</i> , 2008, 23, 519-524.   | 0.6 | 31        |
| 13190 | The Natural History of Age-Related Disc Degeneration. <i>Spine</i> , 2008, 33, 2767-2773.   | 1.0 | 34        |
| 13191 | Reproducibility of the ambulatory arterial stiffness index in hypertensive patients. <i>Journal of Hypertension</i> , 2008, 26, 1993-2000.  | 0.3 | 20        |
| 13192 | How many patients would be misclassified using M-mode and two-dimensional estimates of left atrial size instead of left atrial volume? A three-dimensional echocardiographic study. <i>Journal of Cardiovascular Medicine</i> , 2008, 9, 476-484. | 0.6 | 52        |
| 13193 | The Effect of Circular External Fixation on Limb Alignment. <i>Journal of Pediatric Orthopaedics</i> , 2008, 28, 314-319.   | 0.6 | 17        |
| 13194 | Posterior Component Impingement After Lumbar Total Disc Replacement. <i>Spine</i> , 2008, 33, 2444-2449.  | 1.0 | 28        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13195 | Influence of non-invasive measurements of arterial blood pressure in frequency and time-domain estimates of cardiac baroreflex sensitivity. <i>Journal of Hypertension</i> , 2008, 26, 76-82.   | 0.3 | 3         |
| 13196 | Comparing Optic Nerve-head-size Measurements by the Heidelberg Retina Tomograph With Fundus Photography Performed With a Novel Focusing Technique. <i>Journal of Glaucoma</i> , 2008, 17, 480-483.  | 0.8 | 3         |
| 13197 | Validation of the Omron M6 (HEM-7001-E) upper arm blood pressure measuring device according to the International Protocol in elderly patients. <i>Blood Pressure Monitoring</i> , 2008, 13, 117-122.  | 0.4 | 45        |
| 13198 | Validation of an Off-Eye Contact Lens Shack-Hartmann Wavefront Aberrometer. <i>Optometry and Vision Science</i> , 2008, 85, E817-E828.  | 0.6 | 46        |
| 13199 | In Vivo Vibroacoustography of Large Peripheral Arteries. <i>Investigative Radiology</i> , 2008, 43, 243-252.  | 3.5 | 41        |
| 13200 | Accuracy and Precision of Three Different Methods to Determine Pco <sub>2</sub> (Paco <sub>2</sub> vs. Petco <sub>2</sub> vs. Ptcco <sub>2</sub> ) During Interhospital Ground Transport of Critically Ill and Ventilated Adults. <i>Journal of Trauma</i> , 2008, 65, 10-18. | 2.3 | 44        |
| 13201 | Noninvasive Cardiac Output Determination Using Applanation Tonometry-Derived Radial Artery Pulse Contour Analysis in Critically Ill Patients. <i>Anesthesia and Analgesia</i> , 2008, 106, 171-174.   | 1.1 | 19        |
| 13202 | Determinants of 800-m and 1500-m Running Performance Using Allometric Models. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 345-350.   | 0.2 | 81        |
| 13203 | Transoesophageal echo-Doppler vs. thermodilution cardiac output measurement during hepatic vascular exclusion in liver transplantation. <i>European Journal of Anaesthesiology</i> , 2008, 25, 485-489.   | 0.7 | 18        |
| 13204 | Ambulatory Gas Usage in Patients With Chronic Obstructive Pulmonary Disease and Exertional Hypoxemia. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2008, 28, 323-329.  | 1.2 | 5         |
| 13205 | The latest in resting energy expenditure prediction: New! Improved! Better?*. <i>Critical Care Medicine</i> , 2008, 36, 1375-1376.  | 0.4 | 0         |
| 13206 | Median and Ulnar Nerve Conduction Studies at the Wrist: Criterion Validity of the NC-Stat Automated Device. <i>Journal of Occupational and Environmental Medicine</i> , 2008, 50, 758-764.  | 0.9 | 23        |
| 13207 | Evaluation of post-stress left ventricular dysfunction and its relationship with perfusion abnormalities using gated SPECT in patients with cardiac syndrome X. <i>Nuclear Medicine Communications</i> , 2008, 29, 208-214.   | 0.5 | 20        |
| 13208 | Validation of Magnetic Resonance Phase-Contrast Flow Measurements in the Main Pulmonary Artery and Aorta Using Perivascular Ultrasound in a Large Animal Model. <i>Investigative Radiology</i> , 2008, 43, 421-426.   | 3.5 | 28        |
| 13209 | Validation and Experience With a Simple Continuous Intra-abdominal Pressure Measurement Technique in a Multidisciplinary Medical/Surgical Critical Care Unit. <i>Journal of Trauma</i> , 2008, 64, 1159-1164.   | 2.3 | 11        |
| 13210 | An Assessment of Dynamic Autoregulation from Spontaneous Fluctuations of Cerebral Blood Flow Velocity: A Comparison of Two Models, Index of Autoregulation and Mean Flow Index. <i>Anesthesia and Analgesia</i> , 2008, 106, 234-239.   | 1.1 | 74        |
| 13211 | A Pilot Study of Neonatal and Pediatric Esophageal Pulse Oximetry. <i>Anesthesia and Analgesia</i> , 2008, 107, 905-908.  | 1.1 | 10        |
| 13212 | Measuring endothelial glycocalyx dimensions in humans: a potential novel tool to monitor vascular vulnerability. <i>Journal of Applied Physiology</i> , 2008, 104, 845-852.   | 1.2 | 170       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13213 | A High-Performance Liquid Chromatography-Mass Spectrometry Method Using a Novel Atmospheric Pressure Chemical Ionization Approach for the Rapid Simultaneous Measurement of Tacrolimus and Cyclosporin in Whole Blood. <i>Therapeutic Drug Monitoring</i> , 2008, 30, 292-300. | 1.0 | 27        |
| 13214 | Cardiac output measurements with electrical velocimetry in patients undergoing CABG surgery. <i>European Journal of Anaesthesiology</i> , 2008, 25, 237-242.   | 0.7 | 15        |
| 13215 | Quantitative Anatomy of Subaxial Cervical Lateral Mass. <i>Spine</i> , 2008, 33, 893-897.  | 1.0 | 56        |
| 13216 | Assessment of cardiac output in children: A comparison between the pressure recording analytical method and Doppler echocardiography*. <i>Pediatric Critical Care Medicine</i> , 2008, 9, 310-312.   | 0.2 | 67        |
| 13217 | Transthoracic Doppler echocardiography for the assessment of left atrial appendage size and blood flow velocity. A multicentre study. <i>Journal of Cardiovascular Medicine</i> , 2008, 9, 147-152.  | 0.6 | 6         |
| 13218 | Clinical Assessment of a Nasal Decongestion Test by Visual Analog Scale in Allergic Rhinitis. <i>American Journal of Rhinology &amp; Allergy</i> , 2008, 22, 502-505.  | 2.3 | 13        |
| 13219 | Cardiac Output Derived from Arterial Pressure Waveform Analysis in Patients Undergoing Cardiac Surgery: Validity of a Second Generation Device. <i>Anesthesia and Analgesia</i> , 2008, 106, 867-872.  | 1.1 | 686       |
| 13220 | An Evaluation of a New Combined Spo2/PtcCO2 Sensor in Very Low Birth Weight Infants. <i>Anesthesia and Analgesia</i> , 2008, 107, 125-129.   | 1.1 | 15        |
| 13221 | Anatomical Gender Differences in Cervical Vertebrae of Size-Matched Volunteers. <i>Spine</i> , 2008, 33, E44-E49.  | 1.0 | 69        |
| 13222 | Correlation Between Centrally Versus Peripherally Transduced Venous Pressure in Prone Patients Undergoing Posterior Spine Surgery. <i>Spine</i> , 2008, 33, E643-E647.   | 1.0 | 18        |
| 13223 | Electrical impedance tomography compared with thoracic computed tomography during a slow inflation maneuver in experimental models of lung injury*. <i>Critical Care Medicine</i> , 2008, 36, 903-909.   | 0.4 | 205       |
| 13224 | Measurement of Functional Activity in Chronic Obstructive Pulmonary Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2008, 28, 402-409.  | 1.2 | 33        |
| 13225 | Reliability Study of Measurements for Lymphedema in Breast Cancer Patients. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2008, 87, 33-38.   | 0.7 | 85        |
| 13226 | Comparison of 5 Flow Cytometric Immunophenotyping Systems for Absolute CD4+ T-Lymphocyte Counts in HIV-1-Infected Patients Living in Resource-Limited Settings. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008, 49, 339-347.                             | 0.9 | 22        |
| 13227 | Assessment and Reproducibility of Aortic Atherosclerosis Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2008, 43, 656-662.   | 3.5 | 20        |
| 13228 | Length Determination in Midshaft Clavicle Fractures: Validation of Measurement. <i>Journal of Orthopaedic Trauma</i> , 2008, 22, 458-462.  | 0.7 | 93        |
| 13229 | Corneal Parameters and Difference Between Goldmann Applanation Tonometry and Dynamic Contour Tonometry in Normal Eyes. <i>Journal of Glaucoma</i> , 2008, 17, 460-464.   | 0.8 | 36        |
| 13230 | Computed Tomography Perfusion Using First Pass Methods for Lung Nodule Characterization. <i>Investigative Radiology</i> , 2008, 43, 349-358.   | 3.5 | 50        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13231 | Effects of changes in vascular tone on the agreement between pulse contour and transpulmonary thermodilution cardiac output measurements within an up to 6-hour calibration-free period*. Critical Care Medicine, 2008, 36, 434-440. | 0.4 | 157       |
| 13232 | Novel Portable Device Measures Preoperative Patient Metabolic Gas Exchange. Anesthesia and Analgesia, 2008, 106, 509-516.  | 1.1 | 4         |
| 13233 | Cardiac Output Measurement in Patients Undergoing Liver Transplantation: Pulmonary Artery Catheter Versus Uncalibrated Arterial Pressure Waveform Analysis. Anesthesia and Analgesia, 2008, 106, 1480-1486.                          | 1.1 | 176       |
| 13234 | Peripheral Blood Hematocrit in Critically Ill Surgical Patients: An Imprecise Surrogate of True Red Blood Cell Volume. Anesthesia and Analgesia, 2008, 106, 1808-1812.   | 1.1 | 17        |
| 13235 | FIDUCIAL VERSUS NONFIDUCIAL NEURONAVIGATION REGISTRATION ASSESSMENT AND CONSIDERATIONS OF ACCURACY. Operative Neurosurgery, 2008, 62, 201-208.   | 0.4 | 37        |
| 13236 | Energy Expenditure of the Physical Activity across the Curriculum Intervention. Medicine and Science in Sports and Exercise, 2008, 40, 1501-1505.  | 0.2 | 31        |
| 13237 | The Effect of Body Position and Axial Load on Spinal Canal Morphology. Spine, 2008, 33, 61-67.   | 1.0 | 93        |
| 13238 | The Reproducibility of Quantitative Measurements in Lumbar Magnetic Resonance Imaging of Children From the General Population. Spine, 2008, 33, 2094-2100.   | 1.0 | 21        |
| 13239 | Pulse contour cardiac output analysis in a piglet model of severe hemorrhagic shock*. Critical Care Medicine, 2008, 36, 1189-1195.   | 0.4 | 50        |
| 13240 | Validation of a predictive method for an accurate assessment of resting energy expenditure in medical mechanically ventilated patients*. Critical Care Medicine, 2008, 36, 1175-1183.  | 0.4 | 65        |
| 13241 | Effect of the chest wall on pressure-volume curve analysis of acute respiratory distress syndrome lungs*. Critical Care Medicine, 2008, 36, 2980-2985.   | 0.4 | 19        |
| 13242 | Different classifications of nocturnal blood pressure dipping affect the prevalence of dippers and nondippers and the relation with target-organ damage. Journal of Hypertension, 2008, 26, 691-698.                                 | 0.3 | 61        |
| 13243 | Validation of brachial artery pressure reconstruction from finger arterial pressure. Journal of Hypertension, 2008, 26, 1321-1327.   | 0.3 | 131       |
| 13244 | Short-term and long-term repeatability of the morning blood pressure in older patients with isolated systolic hypertension. Journal of Hypertension, 2008, 26, 1328-1335.  | 0.3 | 57        |
| 13245 | Multiple sampling improves norepinephrine reproducibility in essential hypertension: a comparison with the microneurographic technique. Journal of Hypertension, 2008, 26, 2185-2190.  | 0.3 | 6         |
| 13246 | Corneal Subbasal Nerve Density: A Comparison of Two Confocal Microscopes. Eye and Contact Lens, 2008, 34, 322-325.   | 0.8 | 42        |
| 13247 | Dynamic Contour Tonometry in Keratoconus and Postkeratoplasty Eyes. Cornea, 2008, 27, 305-310.   | 0.9 | 24        |
| 13248 | Retinal Nerve Fiber Layer Measurement Repeatability in Scanning Laser Polarimetry With Enhanced Corneal Compensation. Journal of Glaucoma, 2008, 17, 269-274.  | 0.8 | 19        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13249 | patients' Self-report of Diseases in the Medicare Health Outcomes Survey Based on Comparisons With Linked Survey and Medical Data From the Veterans Health Administration. <i>Journal of Ambulatory Care Management</i> , 2008, 31, 161-177.  | 0.5 | 44        |
| 13250 | The Rossmax (ME 701 series) upper arm device: accuracy assessment in an adult population according to the International and the British Hypertension Society protocols. <i>Blood Pressure Monitoring</i> , 2008, 13, 43-48.   | 0.4 | 5         |
| 13251 | Validation of the Omron M7 (HEM-780-E) oscillometric blood pressure monitoring device according to the British Hypertension Society protocol. <i>Blood Pressure Monitoring</i> , 2008, 13, 49-54.   | 0.4 | 126       |
| 13252 | Accuracy assessment of the Tensoval duo control according to the British and European Hypertension Societies' standards. <i>Blood Pressure Monitoring</i> , 2008, 13, 111-116.  | 0.4 | 20        |
| 13253 | A self-measurement device suitable for hospital use: validation of the Spengler Pro M according to the International Protocol of the European Society of Hypertension. <i>Blood Pressure Monitoring</i> , 2008, 13, 183-186.  | 0.4 | 3         |
| 13254 | Development of an accurate oscillometric blood pressure device for low resource settings. <i>Blood Pressure Monitoring</i> , 2008, 13, 342-348.   | 0.4 | 37        |
| 13255 | Comparison of glomerular filtration rate measurements with the two plasma sample and single plasma sample, gamma camera Gates, creatinine clearance, and prediction equation methods in potential kidney donors with normal renal function. <i>Nuclear Medicine Communications</i> , 2008, 29, 157-165. | 0.5 | 18        |
| 13256 | Glaucoma Affects Steady State VEP Contrast Thresholds Before Psychophysics. <i>Optometry and Vision Science</i> , 2008, 85, 547-558.  | 0.6 | 8         |
| 13257 | Pulse oximeter accuracy and precision affected by sensor location in cyanotic children. <i>Pediatric Critical Care Medicine</i> , 2008, 9, 393-397.   | 0.2 | 18        |
| 13258 | Computed Tomographic Angiography in Acute Pulmonary Embolism. <i>Journal of Computer Assisted Tomography</i> , 2008, 32, 438-443.   | 0.5 | 26        |
| 13259 | High-Resolution Computed Tomographic Imaging of Airways in Sarcoidosis Patients With Airflow Obstruction. <i>Journal of Computer Assisted Tomography</i> , 2008, 32, 905-912.   | 0.5 | 40        |
| 13260 | Left Ventricular and Left Atrial Dimensions and Volumes. <i>Investigative Radiology</i> , 2008, 43, 284-289.  | 3.5 | 80        |
| 13261 | Using a Contrast-Enhanced Imaging Sequence at 3-Minute Delay in 3-T Magnetic Resonance Imaging for Acute Infarct Evaluation. <i>Investigative Radiology</i> , 2008, 43, 669-675.  | 3.5 | 13        |
| 13262 | Precision of Forty Slice Spiral Computed Tomography for Quantifying Aortic Valve Stenosis. <i>Investigative Radiology</i> , 2008, 43, 719-728.  | 3.5 | 16        |
| 13263 | Error Rates Resulting From Anemia can be Corrected in Multiple Commonly Used Point-of-Care Glucometers. <i>Journal of Trauma</i> , 2008, 64, 15-21.   | 2.3 | 43        |
| 13264 | Development of a Standardized Scoring Method for the Graphic Sequence Test Suitable for Use in Psychiatric Populations. <i>Cognitive and Behavioral Neurology</i> , 2008, 21, 18-27.  | 0.5 | 8         |
| 13265 | Non-Invasive Cardiac Output Measurement using a Fast Mixing Box to Measure Carbon Dioxide Elimination. <i>Anaesthesia and Intensive Care</i> , 2008, 36, 665-673.   | 0.2 | 7         |
| 13267 | Reproducibility and Clinical Relevance of the Ocular Response Analyzer in Nonoperated Eyes: Corneal Biomechanical and Tonometric Implications. , 2008, 49, 968.   |     | 131       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13268 | Monitoring Therapeutical Intervention with Ezetimibe Using Targeted Near-Infrared Fluorescence Imaging in Experimental Atherosclerosis. <i>Molecular Imaging</i> , 2008, 7, 7290.2008.0009.   | 0.7 | 14        |
| 13269 | Proyección de Rosenberg en la evaluación radiológica de la osteoartrosis de rodilla. <i>Revista Medica De Chile</i> , 2008, 136, .  | 0.1 | 6         |
| 13270 | Non-invasive biomarkers and pulmonary function in smokers. <i>International Journal of COPD</i> , 2008, Volume 3, 171-183.  | 0.9 | 30        |
| 13271 | Validation of bioelectrical impedance for the prediction of fat-free mass in brazilian elderly subjects. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2008, 52, 1163-1171.   | 1.3 | 25        |
| 13273 | Real-Time Rapid Acuity Assessment Using VEPs: Development and Validation of the Step VEP Technique. , 2008, 49, 438.  |     | 32        |
| 13274 | Agreement between Slit Lamp Examination and Optical Coherence Tomography in Estimating Cup-Disc Ratios. <i>European Journal of Ophthalmology</i> , 2008, 18, 423-428.   | 0.7 | 5         |
| 13275 | Bicarbonate kinetics and predicted energy expenditure in critically ill children. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 340-347.  | 2.2 | 21        |
| 13276 | Medidas de inteligibilidade nos distúrbios da fala: revisão crítica da literatura. Prófono: Revista De Atualização Científica, 2008, 20, 201-206.   | 0.5 | 21        |
| 13277 | Agreements between Indirect Calorimetry and Prediction Equations of Resting Energy Expenditure in End-Stage Renal Disease Patients on Continuous Ambulatory Peritoneal Dialysis. <i>Yonsei Medical Journal</i> , 2008, 49, 255.                   | 0.9 | 14        |
| 13279 | Anterior Chamber Measurements by Pentacam and AS-OCT in Eyes With Normal Open Angles. <i>Korean Journal of Ophthalmology: KJO</i> , 2008, 22, 242.  | 0.5 | 34        |
| 13280 | Comparação da gordura corporal predita por métodos antropométricos: Índice de massa corporal e espessuras de dobras cutâneas. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2008, 10, 1.                                   | 0.5 | 6         |
| 13281 | SF36 physical functioning scale and 2-minute walk test advocated as core qualifiers to evaluate physical functioning in patients with late-onset sequelae of poliomyelitis. <i>Journal of Rehabilitation Medicine</i> , 2008, 40, 387-394.        | 0.8 | 28        |
| 13282 | High inter-tester reliability of the new mobility score in patients with hip fracture. <i>Journal of Rehabilitation Medicine</i> , 2008, 40, 589-591.   | 0.8 | 86        |
| 13283 | The minimal detectable change of the simplified stroke rehabilitation assessment of movement measure. <i>Journal of Rehabilitation Medicine</i> , 2008, 40, 615-619.  | 0.8 | 56        |
| 13284 | Reproducibilidad y validez convergente de la Escala Abreviada del Desarrollo y una traducción al español del instrumento Neurosensory Motor Development Assessment. <i>Biomedica</i> , 2008, 28, 327.   | 0.3 | 3         |
| 13286 | Versão brasileira da escala London Chest Activity of Daily Living para uso em pacientes com doença pulmonar obstrutiva crônica. <i>Jornal Brasileiro De Pneumologia</i> , 2008, 34, 143-151.  | 0.4 | 56        |
| 13287 | Bronchial hyperresponsiveness in a population of north Finland with no previous diagnosis of asthma or chronic bronchitis assessed with histamine and methacholine tests. <i>International Journal of Circumpolar Health</i> , 2008, 67, 308-317. | 0.5 | 10        |
| 13289 | Comparability of Weighed Dietary Records and a Self-Administered Diet History Questionnaire for Estimating Monetary Cost of Dietary Energy. <i>Environmental Health Insights</i> , 2008, 1, EH1.S1036.  | 0.6 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13290 | Assessing exercise intensity in cardiac rehabilitation: the use of a Polar heart rate monitor. <i>British Journal of Cardiac Nursing</i> , 2008, 3, 534-538.   | 0.0 | 1         |
| 13291 | Prospective Implementation of Correction for Guessing in Oral and Maxillofacial Pathology Multiple-Choice Examinations: Did Student Performance Improve?. <i>Journal of Dental Education</i> , 2008, 72, 1149-1159.                                | 0.7 | 7         |
| 13292 | Sensitivity of IFN- $\gamma$ Release Assay to Detect Latent Tuberculosis Infection Is Retained in HIV-Infected Patients but Dependent on HIV/AIDS Progression. <i>PLoS ONE</i> , 2008, 3, e1441.   | 1.1 | 69        |
| 13293 | T-Cell Assays for Tuberculosis Infection: Deriving Cut-Offs for Conversions Using Reproducibility Data. <i>PLoS ONE</i> , 2008, 3, e1850.  | 1.1 | 89        |
| 13294 | The Ergogenic Effect of Recombinant Human Erythropoietin on $\dot{V}O_2$ max Depends on the Severity of Arterial Hypoxemia. <i>PLoS ONE</i> , 2008, 3, e2996.  | 1.1 | 52        |
| 13295 | Solitary Pulmonary Nodule on Helical Dynamic CT Scans: Analysis of the Enhancement Patterns Using a Computer-Aided Diagnosis (CAD) System. <i>Korean Journal of Radiology</i> , 2008, 9, 401.  | 1.5 | 11        |
| 13296 | Cutaneous Infrared Thermometry for Detecting Febrile Patients. <i>Emerging Infectious Diseases</i> , 2008, 14, 1255-1258.  | 2.0 | 59        |
| 13297 | Reproducibility and power of ad libitum energy intake assessed by repeated single meals. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1277-1281.  | 2.2 | 104       |
| 13298 | Accuracy of the CoaguChek XS for point-of-care international normalized ratio (INR) measurement in children requiring warfarin. <i>Thrombosis and Haemostasis</i> , 2008, 99, 1097-1103.   | 1.8 | 63        |
| 13299 | Validation of a Food Frequency Questionnaire for Assessing Dietary Soy Isoflavone Intake among Midlife Chinese Women in Hong Kong. <i>Journal of Nutrition</i> , 2008, 138, 567-573.   | 1.3 | 20        |
| 13300 | Use of the Airway Questionnaire 20 to Detect Changes in Quality of Life in Asthmatic Patients and its Association with the St George's Respiratory Questionnaire and Clinical Parameters. <i>Canadian Respiratory Journal</i> , 2008, 15, 133-137. | 0.8 | 6         |
| 13301 | Model-Based Analysis of Flow-Mediated Dilation and Intima-Media Thickness. <i>International Journal of Biomedical Imaging</i> , 2008, 2008, 1-10.  | 3.0 | 14        |
| 13302 | Validity of Self-report Screening for Overweight and Obesity. <i>Canadian Journal of Public Health</i> , 2008, 99, 423-427.  | 1.1 | 170       |
| 13303 | Validación por hidrodensitometría de ecuaciones de pliegues cutáneos utilizadas para estimar la composición corporal en mujeres. <i>Biomedica</i> , 2008, 28, 404.   | 0.3 | 4         |
| 13304 | Developments in Estimating Visceral Fat Area from Medical Examination Data. <i>Journal of Atherosclerosis and Thrombosis</i> , 2008, 15, 193-198.  | 0.9 | 10        |
| 13305 | Avaliação da reprodutibilidade e validade de questionário de atividade física para gestantes. <i>Revista Brasileira De Medicina Do Esporte</i> , 2008, 14, 132-138.  | 0.1 | 17        |
| 13306 | Comparison of dual-energy X-ray absorptiometry and magnetic resonance imaging-measured adipose tissue depots in HIV-infected and control subjects. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1088-1096.                            | 2.2 | 30        |
| 13307 | Longitudinal Measurement Variability of Corneal Birefringence and Retinal Nerve Fiber Layer Thickness in Scanning Laser Polarimetry With Variable Corneal Compensation. <i>JAMA Ophthalmology</i> , 2008, 126, 1359-1364.                          | 2.6 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13308 | Pressão venosa central em cateter femoral: correlação com acesso superior após cirurgia cardíaca. Brazilian Journal of Cardiovascular Surgery, 2008, 23, 488-493.  | 0.2 | 7         |
| 13309 | Repeatability of Stratus Optical Coherence Tomography Measures in Neovascular Age-Related Macular Degeneration. , 2008, 49, 1084.  |     | 57        |
| 13310 | Test-retest reproducibility of isokinetic lifting strength measurements. Isokinetics and Exercise Science, 2008, 16, 113-118.  | 0.2 | 0         |
| 13311 | Is the PASCAL®-Tonometer Suitable for Measuring Intraocular Pressure in Clinical Routine? Long- and Short-Term Reproducibility of Dynamic Contour Tonometry. European Journal of Ophthalmology, 2008, 18, 39-43. | 0.7 | 18        |
| 13312 | Cuff inflation during ambulatory blood pressure monitoring and heart rate. Integrated Blood Pressure Control, 2008, Volume 1, 15-19.   | 0.4 | 3         |
| 13313 | Bangla translation, adaptation and piloting of Edinburgh Postnatal Depression Scale. Bangladesh Medical Research Council Bulletin, 2008, 33, 81-87.  | 0.1 | 21        |
| 13314 | Defining Algorithms for Efficient Therapeutic Drug Monitoring of Mycophenolate Mofetil in Heart Transplant Recipients. Therapeutic Drug Monitoring, 2008, 30, 419-427.   | 1.0 | 26        |
| 13315 | The Comparison of Macular Thickness Measurements and Repeatabilities Between Time Domain and Spectral Domain OCT. Journal of Korean Ophthalmological Society, 2009, 50, 1050.                                    | 0.0 | 11        |
| 13316 | Waveguides and Cavities. , 2009, , .   |     | 2         |
| 13317 | Appendix E: Excitation Control System Definitions. , 2009, , .   |     | 0         |
| 13318 | Comparison of Aberrations in Korean Normal Eyes Measured With Two Different Aberrometers. Journal of Korean Ophthalmological Society, 2009, 50, 1789.  | 0.0 | 4         |
| 13319 | Repeatability and Agreement of Macular Thickness Measurement Using Time Domain OCT and Spectral Domain OCT in Normal Subjects. Journal of Korean Ophthalmological Society, 2009, 50, 710.                        | 0.0 | 6         |
| 13320 | Familiarização ao teste de 1-RM em mulheres com experiência prévia em treinamento com pesos. Revista Da Educação Física, 2009, 20, .   | 0.0 | 1         |
| 13321 | Analysis and Design of an Optimally Coupled 5GHz Quadrature LC Oscillator. , 2009, , .   |     | 1         |
| 13322 | Comparative study of accuracy and clinical agreement of the CoaguChek XS portable device versus standard laboratory practice in unexperienced patients. Thrombosis and Haemostasis, 2009, 101, 969-974.          | 1.8 | 24        |
| 13323 | Interocular Difference and Duration for Doubling of the Minimal Angle of Visual Resolution in Patients with Stargardt Disease. , 2009, 50, 3374.   |     | 1         |
| 13324 | Metric Data in Archaeology: A Study of Intra-Analyst and Inter-Analyst Variation. American Antiquity, 2009, 74, 485-504.   | 0.6 | 76        |
| 13325 | Determining Gestational Age in a Low-resource Setting: Validity of Last Menstrual Period. Journal of Health, Population and Nutrition, 2009, 27, 332-8.  | 0.7 | 82        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13326 | Validity and Reproducibility of a Self-Administered Semi-Quantitative Food-Frequency Questionnaire for Estimating Usual Daily Fat, Fibre, Alcohol, Caffeine and Theobromine Intakes among Belgian Post-Menopausal Women. <i>International Journal of Environmental Research and Public Health</i> , 2009, 6, 121-150. | 1.2 | 18        |
| 13327 | Accommodative and vergence responses to conflicting blur and disparity stimuli during development. <i>Journal of Vision</i> , 2009, 9, 4-4.   | 0.1 | 46        |
| 13328 | Repetibilidade dos parâmetros espaço-temporais da marcha: comparação entre crianças normais e com paralisia cerebral do tipo hemiplegia espástica. <i>Brazilian Journal of Physical Therapy</i> , 2009, 13, 215-222.  | 1.1 | 14        |
| 13329 | Radiographic Assessment of Biomechanical Parameters following hip Resurfacing and Cemented Total Hip Arthroplasty. <i>HIP International</i> , 2009, 19, 251-256.  | 0.9 | 18        |
| 13330 | Confiabilidade teste-reteste do Índice de Capacidade para o Trabalho em trabalhadores metalúrgicos do Sul do Brasil. <i>Revista Brasileira De Epidemiologia</i> , 2009, 12, 217-225.  | 0.3 | 18        |
| 13331 | A study of the validity and reliability of the Brazilian version of the Body Shape Questionnaire (BSQ) among adolescents. <i>Revista Brasileira De Saude Materno Infantil</i> , 2009, 9, 331-338.   | 0.2 | 105       |
| 13332 | Accuracy of different methods for blood glucose measurement in critically ill patients. <i>Sao Paulo Medical Journal</i> , 2009, 127, 259-265.  | 0.4 | 19        |
| 13333 | Estudo da validade e confiabilidade intra e interobservador da versão modificada do teste de Schöber modificado em indivíduos com lombalgia. <i>Fisioterapia E Pesquisa</i> , 2009, 16, 233-238.  | 0.3 | 8         |
| 13334 | Dobras cutâneas e bioimpedância elétrica perna-perna na avaliação da composição corporal de crianças. <i>Revista De Nutricao</i> , 2009, 22, 527-536.   | 0.4 | 7         |
| 13335 | Standardization of method for determining glycosylated hemoglobin (Hb A1c) by cation exchange high performance liquid chromatography. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2009, 45, 650-657.  | 1.2 | 4         |
| 13336 | Reliability of Noncontact Pachymetry after Laser In Situ Keratomileusis. , 2009, 50, 4135.  |     | 17        |
| 13337 | Prevalence of Obesity and Its Association with Socioeconomic Factors in Elderly Iranians from Razavi-Khorasan Province. <i>Scientific World Journal</i> , The, 2009, 9, 1286-1293.  | 0.8 | 20        |
| 13338 | Point-of-care versus central laboratory coagulation testing during haemorrhagic surgery. <i>Thrombosis and Haemostasis</i> , 2009, 101, 394-401.  | 1.8 | 178       |
| 13339 | Large Ball Metal on Metal Hips Obscure Cup Angle Measurement on Plain Radiographs. <i>HIP International</i> , 2009, 19, 323-329.  | 0.9 | 17        |
| 13340 | Epi-aortic Doppler measurement of cardiac output in univentricular connection. <i>Medical Devices: Evidence and Research</i> , 2009, 2, 27.   | 0.4 | 0         |
| 13341 | Utilização da relação potência-tempo até a exaustão em testes de caminhada para avaliação da aptidão aeróbia. <i>Revista Brasileira De Medicina Do Esporte</i> , 2009, 15, 209-213.   | 0.1 | 0         |
| 13342 | The repeatability of interleukin-6, tumor necrosis factor- $\alpha$ , and C-reactive protein in COPD patients over one year. <i>International Journal of COPD</i> , 2009, 4, 149.   | 0.9 | 42        |
| 13343 | The contribution of human cone photoreceptors to the photopic flicker electroretinogram. <i>Journal of Vision</i> , 2009, 9, 9-9.   | 0.1 | 10        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13344 | Analysis of Grip and Pinch Strength in Korean People. The Journal of the Korean Orthopaedic Association, 2009, 44, 219.   | 0.0 | 23        |
| 13345 | A Quantitative Ultrasonic Spectroscopy Method for Noninvasive Determination of Corneal Biomechanical Properties. , 2009, 50, 5148.  |     | 39        |
| 13346 | Avaliaç o da reprodutibilidade ultrassonogr fica como m todo para medida da gordura abdominal e visceral. Radiologia Brasileira, 2009, 42, 353-357.   | 0.3 | 16        |
| 13347 | Comparison of WaveScan Aberrometer Refraction to Subjective Manifest Refraction and Autorefractor. Journal of Korean Ophthalmological Society, 2009, 50, 684.   | 0.0 | 6         |
| 13348 | Reproducibility of Toe Pressure Measurements. Journal for Vascular Ultrasound, 2009, 33, 129-132.   | 0.2 | 4         |
| 13349 | Radiography. , 2009, , 260-266.   |     | 1         |
| 13351 | Avaliaç o do estado nutricional de escolares segundo tr s refer ncias. Revista Paulista De Pediatria, 2009, 27, 243-250.  | 0.4 | 10        |
| 13352 | Central Corneal Thickness Measurements with Optical Coherence Tomography and Ultrasound Pachymetry in Healthy Subjects and in Patients after Photorefractive Keratectomy. European Journal of Ophthalmology, 2009, 19, 180-187. | 0.7 | 6         |
| 13353 | Correlaç o e concord ncia entre indicadores de obesidade central e  ndice de massa corporal em adolescentes. Revista Brasileira De Epidemiologia, 2009, 12, 368-377.  | 0.3 | 5         |
| 13354 | Measurement of the tibial plateau angle in cats with and without cranial cruciate ligament rupture. Veterinary and Comparative Orthopaedics and Traumatology, 2009, 22, 83-86.  | 0.2 | 21        |
| 13355 | Gasto energ tico em ventilaç o mec nica: existe concord ncia entre a equaç o de Ireton-Jones e a calorimetria indireta?. Revista Brasileira De Terapia Intensiva, 2009, 21, 129-134.  | 0.1 | 2         |
| 13356 | Signal/Noise Analysis to Compare Tests for Measuring Visual Field Loss and Its Progression. , 2009, 50, 4700.   |     | 21        |
| 13357 | Impact of JPEG 2000 compression on lesion detection in MR imaging. Medical Physics, 2009, 36, 4967-4976.  | 1.6 | 4         |
| 13358 | Assessing new methods of clinical measurement. British Journal of General Practice, 2009, 59, 399-400.  | 0.7 | 15        |
| 13359 | Comparison between automated and manual measurements of carotid intima-media thickness in clinical practice. Vascular Health and Risk Management, 0, , 811.   | 1.0 | 16        |
| 13360 | The Role of Bowman s Layer in Corneal Regeneration after Phototherapeutic Keratectomy: A Prospective Study Using In Vivo Confocal Microscopy. , 2009, 50, 4192.   |     | 51        |
| 13361 | Segmentation Error in Stratus Optical Coherence Tomography for Neovascular Age-Related Macular Degeneration. , 2009, 50, 399.   |     | 54        |
| 13362 | Comparison of multiplex ligation-dependent probe amplification and real-time PCR accuracy for gene copy number quantification using the  2-defensin locus. BioTechniques, 2009, 47, 1023-1028.                                  | 0.8 | 23        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13363 | Assessment of Acetabular Retroversion following Long Term Review of Salter's Osteotomy. <i>HIP International</i> , 2009, 19, 8-12.   | 0.9 | 23        |
| 13364 | Validation of Two Portable Instruments to Measure Iron Concentration in Groundwater in Rural Bangladesh. <i>Journal of Health, Population and Nutrition</i> , 2009, 27, 414-8.   | 0.7 | 10        |
| 13365 | Relative Validity and Reproducibility of a Food-Frequency Questionnaire for Estimating Food Intakes among Flemish Preschoolers. <i>International Journal of Environmental Research and Public Health</i> , 2009, 6, 382-399.                             | 1.2 | 84        |
| 13366 | Validity of Self-Reported Weight and Height of Adolescents, Its Impact on Classification into BMI-Categories and the Association with Weighing Behaviour. <i>International Journal of Environmental Research and Public Health</i> , 2009, 6, 2696-2711. | 1.2 | 46        |
| 13367 | Hemodynamic Effects of Ephedrine, Phenylephrine, and the Coadministration of Phenylephrine with Oxytocin during Spinal Anesthesia for Elective Cesarean Delivery. <i>Anesthesiology</i> , 2009, 111, 753-765.  | 1.3 | 252       |
| 13368 | A Method to Quantify Mouse Coat-Color Proportions. <i>PLoS ONE</i> , 2009, 4, e5414.   | 1.1 | 9         |
| 13369 | Monitoring Virologic Responses to Antiretroviral Therapy in HIV-Infected Adults in Kenya: Evaluation of a Low-Cost Viral Load Assay. <i>PLoS ONE</i> , 2009, 4, e6828.   | 1.1 | 16        |
| 13370 | Monocyte Chemotactic Protein-1 (MCP-1) and Growth Factors Called into Question as Markers of Prolonged Psychosocial Stress. <i>PLoS ONE</i> , 2009, 4, e7659.  | 1.1 | 44        |
| 13371 | Comparison of activated clotting times obtained using Hemochron and Medtronic analysers in patients receiving anti-thrombin therapy during cardiac catheterisation. <i>Thrombosis and Haemostasis</i> , 2009, 101, 535-540.                              | 1.8 | 30        |
| 13372 | Evaluation of new data processing algorithms for planar gated ventriculography (MUGA). <i>Journal of Applied Clinical Medical Physics</i> , 2009, 10, 173-179.   | 0.8 | 2         |
| 13373 | Advantages and Limits of Real-Time Epidemiological Surveillance During Military Deployments: The Experience of the French Armed Forces. <i>Military Medicine</i> , 2009, 174, 1068-1074.   | 0.4 | 8         |
| 13374 | Validez y confiabilidad de la escala del Center for Epidemiologic Studies-Depression en estudiantes adolescentes de Colombia. <i>Biomedica</i> , 2009, 29, 260.  | 0.3 | 17        |
| 13376 | Waist Circumference, Pedometer Placement, and Step-Counting Accuracy in Youth. <i>Research Quarterly for Exercise and Sport</i> , 2009, 80, 434-444.   | 0.8 | 12        |
| 13377 | Comparison of Semiautomated and Fully Automated Methods for QT Measurement During a Thorough QT/QTc Study: Variability and Sample Size Considerations. <i>Journal of Clinical Pharmacology</i> , 2009, 49, 905-915.                                      | 1.0 | 15        |
| 13378 | The eye-complaint questionnaire in a visual display unit work environment: Internal consistency and test-retest reliability. <i>Ergonomics</i> , 2009, 52, 334-344.  | 1.1 | 13        |
| 13379 | Diagnoses of coaxial probes in shock compression. <i>Review of Scientific Instruments</i> , 2009, 80, 063902.  | 0.6 | 0         |
| 13380 | Comparison of Total Protein Concentration in Skeletal Muscle as Measured by the Bradford and Lowry Assays. <i>Journal of Biochemistry</i> , 2009, 145, 791-797.  | 0.9 | 46        |
| 13381 | Prediction of one repetition maximum strength (1RM) based on a submaximal strength in adult males. <i>Isokinetics and Exercise Science</i> , 2009, 17, 189-195.  | 0.2 | 3         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13382 | Chronic monitoring of pulmonary artery pressure in patients with severe heart failure: multicentre experience of the monitoring Pulmonary Artery Pressure by Implantable device Responding to Ultrasonic Signal (PAPIRUS) II study. <i>Heart</i> , 2009, 95, 1091-1097.                             | 1.2 | 53        |
| 13383 | A new optical low coherence reflectometry device for ocular biometry in cataract patients. <i>British Journal of Ophthalmology</i> , 2009, 93, 949-953.   | 2.1 | 234       |
| 13384 | Photoplethysmography, an Easy and Accurate Method for Measuring Ankle Brachial Pressure Index: Can Photoplethysmography Replace Doppler?. <i>Vascular and Endovascular Surgery</i> , 2009, 43, 578-582.   | 0.3 | 19        |
| 13385 | Noninvasive Estimation of Pulmonary Vascular Resistance by ColorM-Mode Chocardiography Assisted with Computer. , 2009, , .  |     | 0         |
| 13386 | Criterion-related validity of the one-mile run/walk test in children aged 8â€“17 years. <i>Journal of Sports Sciences</i> , 2009, 27, 405-413.  | 1.0 | 23        |
| 13387 | Development of FCM based algorithm for the delineation of QRS-complexes in Electrocardiogram. , 2009, , .   |     | 2         |
| 13388 | Reliability and agreement in gait measurements among patients with brain injury. <i>Advances in Physiotherapy</i> , 2009, 11, 22-29.  | 0.2 | 5         |
| 13389 | Assessment of Individual Agreements with Repeated Measurements Based on Generalized Confidence Intervals. <i>Journal of Biopharmaceutical Statistics</i> , 2009, 19, 345-359.   | 0.4 | 4         |
| 13390 | Auditory and Visual Processing in Children With Dyslexia. <i>Developmental Neuropsychology</i> , 2009, 34, 330-355.   | 1.0 | 44        |
| 13391 | Limited Sampling Strategies for the Estimation of Sirolimus Daily Exposure in Kidney Transplant Recipients on a Calcineurin Inhibitorâ€”Free Regimen. <i>Journal of Clinical Pharmacology</i> , 2009, 49, 773-781.  | 1.0 | 7         |
| 13392 | The Development of an Accurate Test Weighing Technique for Preterm and High-Risk Hospitalized Infants. <i>Breastfeeding Medicine</i> , 2009, 4, 151-156.  | 0.8 | 43        |
| 13393 | Reproducibility of the Retinal Vascular Response to Flicker Light in Asians. <i>Current Eye Research</i> , 2009, 34, 1082-1088.   | 0.7 | 20        |
| 13394 | The relationship between heart rate intensity and pedometer step counts in adolescents. <i>Journal of Sports Sciences</i> , 2009, 27, 591-597.  | 1.0 | 23        |
| 13395 | Estimating Energy Expenditure With the RT3 Triaxial Accelerometer. <i>Research Quarterly for Exercise and Sport</i> , 2009, 80, 249-256.  | 0.8 | 35        |
| 13396 | Temporal compounding of cardiac ultrasound data: Improving image quality and clinical measurement repeatability. , 2009, 2009, 3661-4.  |     | 3         |
| 13397 | Analysis of furan in coffee of different provenance by head-space solid phase microextraction gas chromatographyâ€”mass spectrometry: effect of brewing procedures. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2009, 26, 786-792. | 1.1 | 32        |
| 13398 | Study on Noninvasive Auto-Estimation of Pulmonary Arterial Pressures by Doppler Echocardiography Audio Signal Processing System. , 2009, , .  |     | 1         |
| 13399 | Operational Equivalence of Bioimpedance Indices and Perometry for the Assessment of Unilateral Arm Lymphedema. <i>Lymphatic Research and Biology</i> , 2009, 7, 81-85.  | 0.5 | 52        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13400 | Self-masking: Listening during vocalization. Normal hearing. <i>Journal of the Acoustical Society of America</i> , 2009, 125, 3871-3881.   | 0.5 | 6         |
| 13401 | Single x-ray absorptiometry method for the quantitative mammographic measure of fibroglandular tissue volume. <i>Medical Physics</i> , 2009, 36, 5525-5536.  | 1.6 | 68        |
| 13402 | Multifrequency frequency-domain spectrometer for tissue analysis. <i>Review of Scientific Instruments</i> , 2009, 80, 024301.  | 0.6 | 11        |
| 13403 | Test-Retest Variability of Microperimetry Using the Nidek MP1 in Patients with Macular Disease. , 2009, 50, 3464.  |     | 136       |
| 13404 | Acquisition Time and Reproducibility of Continuous Arterial Spin-Labeling Perfusion Imaging at 3T. <i>American Journal of Neuroradiology</i> , 2009, 30, 968-971.  | 1.2 | 31        |
| 13405 | Estimating Glomerular Filtration Rate. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, 899-906.  | 2.2 | 138       |
| 13406 | Evaluation of Point-of-care Activated Partial Thromboplastin Time Testing by Comparison to Laboratory-based Assay for Control of Intravenous Heparin. <i>Angiology</i> , 2009, 60, 358-361.  | 0.8 | 8         |
| 13407 | An Improved Method for Automatic Segmentation of the Left Ventricle in Myocardial Perfusion SPECT. <i>Journal of Nuclear Medicine</i> , 2009, 50, 205-213.   | 2.8 | 31        |
| 13408 | <i>Plasmodium falciparum</i> pfmdr1 Amplification, Mefloquine Resistance, and Parasite Fitness. <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 1509-1515.  | 1.4 | 88        |
| 13409 | Use of Short-Term Real-Time Continuous Glucose Monitoring in Type 1 Diabetes Patients on Continuous Intraperitoneal Insulin Infusion: A Feasibility Study. <i>Diabetes Technology and Therapeutics</i> , 2009, 11, 293-299.  | 2.4 | 5         |
| 13410 | <sup>18</sup> F-FDG PET/CT Identifies Patients at Risk for Future Vascular Events in an Otherwise Asymptomatic Cohort with Neoplastic Disease. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1611-1620.   | 2.8 | 326       |
| 13411 | Relation between stable isotope ratios in human red blood cells and hair: implications for using the nitrogen isotope ratio of hair as a biomarker of eicosapentaenoic acid and docosahexaenoic acid. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 1642-1647. | 2.2 | 42        |
| 13412 | Dose response of whole-grain biomarkers: alkylresorcinols in human plasma and their metabolites in urine in relation to intake. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 290-296.   | 2.2 | 97        |
| 13413 | Arterial Wave Reflections During the Menstrual Cycle of Healthy Women. <i>Hypertension</i> , 2009, 54, 1021-1027.  | 1.3 | 33        |
| 13414 | Interobserver variability of ankle-brachial index measurements at rest and post exercise in patients with intermittent claudication. <i>Vascular Medicine</i> , 2009, 14, 221-226.   | 0.8 | 28        |
| 13415 | Glycaemic control in type 2 diabetic patients on chronic haemodialysis: use of a continuous glucose monitoring system. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2866-2871.   | 0.4 | 108       |
| 13416 | Agreement between echocardiographic techniques in assessment of the left ventricular myocardial performance index in rabbits. <i>American Journal of Veterinary Research</i> , 2009, 70, 464-471.  | 0.3 | 7         |
| 13417 | Abdominal Fat Assessment in Adolescents Using Dual-energy X-ray Absorptiometry. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2009, 22, 781-94.   | 0.4 | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13418 | Prediction of Appendicular Skeletal and Fat Mass in Children: Excellent Concordance of Dual-energy X-ray Absorptiometry and Magnetic Resonance Imaging. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2009, 22, 795-804.   | 0.4 | 18        |
| 13419 | A Novel, Non-Invasive <sup>13</sup> C-Glucose Breath Test to Estimate Insulin Resistance in Obese Prepubertal Children. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2009, 22, 1051-9.  | 0.4 | 17        |
| 13420 | Validation of the 28-joint Disease Activity Score (DAS28) and European League Against Rheumatism response criteria based on C-reactive protein against disease progression in patients with rheumatoid arthritis, and comparison with the DAS28 based on erythrocyte sedimentation rate. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 954-960. | 0.5 | 604       |
| 13421 | Systematic Review of Screening for Bilirubin Encephalopathy in Neonates. <i>Pediatrics</i> , 2009, 124, 1162-1171.  | 1.0 | 63        |
| 13422 | Lung Volume Reference Values for Women and Men 65 to 85 Years of Age. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2009, 180, 1083-1091.   | 2.5 | 37        |
| 13423 | The Influence of PVC Wrapping on the Performance of Two Laser Fluorescence Devices on Occlusal Surfaces <i>in Vitro</i> . <i>Photomedicine and Laser Surgery</i> , 2009, 27, 435-439.   | 2.1 | 4         |
| 13424 | Acoustic obstructive sleep apnea detection. , 2009, 2009, 7110-3.   |     | 49        |
| 13425 | Validity and Reliability of the Group Leadership Effectiveness Scale Assessing Group Leader Skills. <i>Journal of Teaching in the Addictions</i> , 2009, 8, 3-9.  | 0.3 | 0         |
| 13426 | A simple automated solid-phase extraction procedure for measurement of 25-hydroxyvitamin D <sub>3</sub> and D <sub>2</sub> by liquid chromatography-tandem mass spectrometry. <i>Annals of Clinical Biochemistry</i> , 2009, 46, 226-230.   | 0.8 | 88        |
| 13427 | Validation of home telehealth for pressure ulcer assessment: a study in patients with spinal cord injury. <i>Journal of Telemedicine and Telecare</i> , 2009, 15, 196-202.  | 1.4 | 75        |
| 13428 | Test-retest reliability of disease activity core set measures and indices in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 972-975.   | 0.5 | 71        |
| 13429 | Intracavernosal pressure characteristics analyzed by power spectral density for identifying the phase of penile erection. <i>International Journal of Impotence Research</i> , 2009, 21, 336-342.   | 1.0 | 4         |
| 13430 | Assessment of subendocardial vs. subepicardial left ventricular rotation and twist using two-dimensional speckle tracking echocardiography: comparison with tagged cardiac magnetic resonance. <i>European Heart Journal</i> , 2009, 30, 608-617.   | 1.0 | 105       |
| 13431 | Clinical assessment of left ventricular rotation and strain: a novel approach for quantification of function in infarcted myocardium and its border zones. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 297, H257-H267.   | 1.5 | 31        |
| 13432 | Motion control shoe affects temporal activity of quadriceps in runners. <i>British Journal of Sports Medicine</i> , 2009, 43, 943-947.  | 3.1 | 16        |
| 13433 | Development and Characterization of Clinical-Grade <sup>89</sup> Zr-Trastuzumab for HER2/Neu ImmunopET Imaging. <i>Journal of Nuclear Medicine</i> , 2009, 50, 974-981.   | 2.8 | 305       |
| 13434 | The Cranial Rhythmic Impulse and Excessive Crying of Infancy. <i>Journal of Alternative and Complementary Medicine</i> , 2009, 15, 341-345.   | 2.1 | 8         |
| 13436 | Clinical Application of Exhaled Breath Condensate Analysis in Asthma: Prediction of FEV <sub>1</sub> Improvement by Steroid Therapy. <i>Respiration</i> , 2009, 78, 393-398.  | 1.2 | 18        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13437 | Validation and Compliance of a Home Monitoring Device in Pregnancy: Microlife WatchBP Home. Hypertension in Pregnancy, 2009, 28, 348-359.  | 0.5 | 55        |
| 13438 | A method comparison study of timeline followback and ecological momentary assessment of daily cigarette consumption. Nicotine and Tobacco Research, 2009, 11, 1368-1373.                     | 1.4 | 31        |
| 13439 | Blood pressure measurement in pregnancy: the effect of arm circumference and sphygmomanometer cuff size. Obstetric Medicine, 2009, 2, 116-120.   | 0.5 | 6         |
| 13440 | Evaluation of the Performance of the Sysmex XT-2000i Hematology Analyzer With Whole Blood Specimens Stored at Room Temperature. Laboratory Medicine, 2009, 40, 709-718.                      | 0.8 | 30        |
| 13441 | What do babies eat? Evaluation of a food frequency questionnaire to assess the diets of infants aged 12 months. Public Health Nutrition, 2009, 12, 967-972.                                  | 1.1 | 49        |
| 13442 | Reliability of echocardiographic measurements of left cardiac structures in healthy children. Cardiology in the Young, 2009, 19, 494-500.  | 0.4 | 31        |
| 13443 | A comparison of weighed and recalled intakes for schoolchildren and mothers in rural Kenya. Public Health Nutrition, 2009, 12, 1197-1204.  | 1.1 | 17        |
| 13444 | Community-specific modifications are essential for objective assessment of maternal dietary intake â€œ Pune Maternal Nutrition Study. Public Health Nutrition, 2009, 12, 1470-1476.          | 1.1 | 7         |
| 13445 | Coronary artery calcium distribution and interscan measurement variability in end-stage renal and coronary heart disease patients. Acta Radiologica, 2009, 50, 288-295.                      | 0.5 | 1         |
| 13446 | A Comparison of Prediction Equations for Estimating Glomerular Filtration Rate in Pregnancy. Hypertension in Pregnancy, 2009, 28, 243-255.   | 0.5 | 36        |
| 13447 | Continuous Non-Invasive Blood Pressure Monitoring, a Validation Study of Nexfin in a Pregnant Population. Hypertension in Pregnancy, 2009, 28, 230-242.                                      | 0.5 | 49        |
| 13448 | Cognitive reserve moderates the negative effect of brain atrophy on cognitive efficiency in multiple sclerosis. Journal of the International Neuropsychological Society, 2009, 15, 606-612.  | 1.2 | 105       |
| 13449 | Validation of a HOME Injury Survey. Injury Prevention, 2009, 15, 300-306.  | 1.2 | 20        |
| 13450 | Validation of energy requirement equations for estimation of breast milk consumption in infants. Public Health Nutrition, 2009, 12, 2309-2316.   | 1.1 | 15        |
| 13451 | Internal calibration of gel dosimeters: A feasibility study. Journal of Physics: Conference Series, 2009, 164, 012014.   | 0.3 | 5         |
| 13452 | Primary Aldosteronism: Diagnostic Accuracy of the Losartan and Captopril Tests. American Journal of Hypertension, 2009, 22, 821-827.   | 1.0 | 74        |
| 13453 | Strain analysis in patients with severe aortic stenosis and preserved left ventricular ejection fraction undergoing surgical valve replacement. European Heart Journal, 2009, 30, 3037-3047. | 1.0 | 230       |
| 13454 | An intrinsic source of radial electric field and edge flows in tokamaks. Nuclear Fusion, 2009, 49, 065001.   | 1.6 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13455 | The enclosure method for the heat equation. <i>Inverse Problems</i> , 2009, 25, 075005.  | 1.0 | 25        |
| 13456 | Clinical evaluation of the new BMU 40 in-line blood analysis monitor. <i>Perfusion (United Kingdom)</i> , 2009, 24, 277-286.   | 0.5 | 1         |
| 13457 | Specific diving training-induced arterial circulation changes. <i>British Journal of Sports Medicine</i> , 2009, 43, 526-530.  | 3.1 | 3         |
| 13458 | Precision-to-Tolerance Capability: An Important Consideration in Tight Glucose Control. <i>American Journal of Critical Care</i> , 2009, 18, 232-239.  | 0.8 | 3         |
| 13459 | Pulse Wave Velocity Assessment by External Noninvasive Devices and Phase-Contrast Magnetic Resonance Imaging in the Obese. <i>Hypertension</i> , 2009, 54, 421-426.  | 1.3 | 97        |
| 13460 | Validation of the Leicester Cough Questionnaire in non-cystic fibrosis bronchiectasis. <i>European Respiratory Journal</i> , 2009, 34, 125-131.  | 3.1 | 146       |
| 13461 | A Comparison of Field Methods to Assess Body Composition in a Diverse Group of Sedentary Women. <i>Biological Research for Nursing</i> , 2009, 10, 274-283.  | 1.0 | 4         |
| 13462 | Tissue Microarray Validation: A Methodologic Study with Special Reference to Lung Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2014-2021.  | 1.1 | 25        |
| 13463 | Disability and survival in Duchenne muscular dystrophy. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009, 80, 320-325.  | 0.9 | 148       |
| 13464 | Dried Blood Spots Perform Well in Viral Load Monitoring of Patients Who Receive Antiretroviral Treatment in Rural Tanzania. <i>Clinical Infectious Diseases</i> , 2009, 49, 976-981.   | 2.9 | 87        |
| 13465 | Evaluation of the Accuracy of Different Methods Used to Estimate Weights in the Pediatric Population. <i>Pediatrics</i> , 2009, 123, e1045-e1051.  | 1.0 | 58        |
| 13466 | Evaluation of the Innovance D-DIMER analytical performance. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 945-51.  | 1.4 | 26        |
| 13467 | Invasive arterial blood pressure monitoring in an out-of-hospital setting: an observational study. <i>Emergency Medicine Journal</i> , 2009, 26, 210-212.  | 0.4 | 13        |
| 13468 | A note on the comparison of particle number counters. <i>Measurement Science and Technology</i> , 2009, 20, 077003.  | 1.4 | 9         |
| 13469 | Verification of the analytical range of a new reagent for full-range C-reactive protein determination. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 109-11.   | 1.4 | 3         |
| 13470 | Matrix-Assisted Autologous Chondrocyte Transplantation for the Repair of Cartilage Defects of the Knee. <i>American Journal of Sports Medicine</i> , 2009, 37, 156-166.  | 1.9 | 164       |
| 13471 | High intertester reliability of the Cumulated Ambulation Score for the evaluation of basic mobility in patients with hip fracture. <i>Clinical Rehabilitation</i> , 2009, 23, 1116-1123.   | 1.0 | 56        |
| 13472 | Evaluation of the VITROS 5,1 FS analyzer in a large clinical laboratory: comparison of methods using different specimens and chemistry systems / Evaluation des Systems VITROS 5,1 FS in einem groÄYen klinischen Laboratorium: Methodenvergleiche mit verschiedenen Probenmaterialien und Systemen. <i>Laboratoriums Medizin</i> , 2009, 33, 22-32. | 0.1 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13473 | Area at Risk and Viability after Myocardial Ischemia and Reperfusion Can Be Determined by Contrast-Enhanced Cardiac Magnetic Resonance Imaging. <i>European Surgical Research</i> , 2009, 43, 13-23.   | 0.6 | 5         |
| 13474 | Reproducibility and relative validity of dietary glycaemic index and glycaemic load assessed by the food-frequency questionnaire used in the Dutch cohorts of the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2009, 102, 601.  | 1.2 | 21        |
| 13475 | Agreement in Cognitive and Clinical Assessments in Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 27, 344-352.   | 0.7 | 10        |
| 13476 | Validation of Arteriograph – A New Oscillometric Device to Measure Arterial Stiffness in Patients on Maintenance Hemodialysis. <i>Kidney and Blood Pressure Research</i> , 2009, 32, 223-229.  | 0.9 | 27        |
| 13477 | Validation of 3-Dimensional Speckle Tracking Imaging to Quantify Regional Myocardial Deformation. <i>Circulation: Cardiovascular Imaging</i> , 2009, 2, 451-459.   | 1.3 | 182       |
| 13478 | Reliability of high-resolution ultrasonography in the assessment of Achilles tendon enthesopathy in seronegative spondyloarthropathies. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 1850-1855.   | 0.5 | 73        |
| 13479 | Validation study of a transcutaneous carbon dioxide monitor in patients in the emergency department. <i>Emergency Medicine Journal</i> , 2009, 26, 344-346.  | 0.4 | 28        |
| 13480 | Strain rate evaluation of phasic atrial function in hypertension. <i>Heart</i> , 2009, 95, 1184-1191.  | 1.2 | 60        |
| 13481 | Freeze-thaw and matrix effects in direct high-density lipoprotein cholesterol methods. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 172-6.  | 1.4 | 2         |
| 13482 | Analytical precision of the Urolizer® for the determination of the BONN-Risk-Index (BRI) for calcium oxalate urolithiasis and evaluation of the influence of 24-h urine storage at moderate temperatures on BRI. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 478-82. | 1.4 | 5         |
| 13483 | A high-performance liquid chromatography method for the determination of carbamazepine and carbamazepine-10,11-epoxide and its comparison with chemiluminescent immunoassay. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 458-63.                                     | 1.4 | 18        |
| 13484 | Physiological responses to linear treadmill and cycle ergometer exercise in COPD. <i>European Respiratory Journal</i> , 2009, 34, 605-615.   | 3.1 | 67        |
| 13485 | Evaluation of an Abbreviated Protocol for Cytomegalovirus pp65 Antigenemia Testing. <i>American Journal of Clinical Pathology</i> , 2009, 131, 526-531.  | 0.4 | 0         |
| 13486 | Effect of median sternotomy on respiratory system compliance in humans: evaluation without sophisticated instrumentation. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2009, 8, 22-26.   | 0.5 | 1         |
| 13487 | How Isometric Are the Medial Patellofemoral, Superficial Medial Collateral, and Lateral Collateral Ligaments of the Knee?. <i>American Journal of Sports Medicine</i> , 2009, 37, 2028-2036.   | 1.9 | 111       |
| 13488 | Quantification of Left Ventricular Volumes and Ejection Fraction in Mice Using PET, Compared with MRI. <i>Journal of Nuclear Medicine</i> , 2009, 50, 132-138.   | 2.8 | 48        |
| 13489 | Body composition changes in female adolescents with anorexia nervosa. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1005-1010.   | 2.2 | 35        |
| 13490 | Women's Dietary Patterns Change Little from Before to During Pregnancy , ,. <i>Journal of Nutrition</i> , 2009, 139, 1956-1963.  | 1.3 | 277       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13491 | Cosupplementation of Isoflavones, Prenylflavonoids, and Lignans Alters Human Exposure to Phytoestrogen-Derived 17 $\beta$ -Estradiol Equivalents <sup>1&amp;#x2013;3</sup> . <i>Journal of Nutrition</i> , 2009, 139, 2293-2300.                                | 1.3 | 35        |
| 13492 | Comparing Measures of Cystatin C in Human Sera by Three Methods. <i>American Journal of Nephrology</i> , 2009, 29, 381-391.   | 1.4 | 24        |
| 13493 | Periventricular Echodensity Measured with the Integrated Backscatter System: From a Qualitative Assessment to a Quantitative Approach. <i>Neonatology</i> , 2009, 96, 219-225.  | 0.9 | 4         |
| 13494 | Noninvasive Determination of Cardiac Output by the Inert-Gas-Rebreathing Method &#x2013; Comparison with Cardiovascular Magnetic Resonance Imaging. <i>Cardiology</i> , 2009, 114, 247-254.   | 0.6 | 44        |
| 13495 | A Three-Dimensional Comparison of the Modifying Effects of Familial Genetic Contribution in Turner Syndrome. <i>Frontiers of Oral Biology</i> , 2009, 13, 148-152.  | 1.5 | 3         |
| 13496 | Experimental Analysis of Model-Based Roentgen Stereophotogrammetric Analysis (MBRSA) on Four Typical Prosthesis Components. <i>Journal of Biomechanical Engineering</i> , 2009, 131, 041004.  | 0.6 | 26        |
| 13497 | Test-retest and alternate forms reliability of the assisting hand assessment. <i>Journal of Rehabilitation Medicine</i> , 2009, 41, 886-891.  | 0.8 | 114       |
| 13498 | Assessment of regional rotation patterns improves the understanding of the systolic and diastolic left ventricular function: an echocardiographic speckle-tracking study in healthy individuals. <i>European Journal of Echocardiography</i> , 2009, 10, 56-61. | 2.3 | 29        |
| 13499 | Feasibility and reproducibility of left ventricular rotation parameters measured by speckle tracking echocardiography. <i>European Journal of Echocardiography</i> , 2009, 10, 669-676.   | 2.3 | 68        |
| 13500 | Right ventricle three-dimensional echography in corrected tetralogy of fallot: accuracy and variability. <i>European Journal of Echocardiography</i> , 2009, 10, 784-792.   | 2.3 | 43        |
| 13501 | Influence of afterload on left ventricular radial and longitudinal systolic functions: a two-dimensional strain imaging study. <i>European Journal of Echocardiography</i> , 2009, 10, 914-921.   | 2.3 | 154       |
| 13502 | Haavikko's method to assess dental age in Italian children. <i>European Journal of Orthodontics</i> , 2009, 31, 150-155.  | 1.1 | 33        |
| 13503 | Disappearing left atrial mass with drainage of pericardial effusion. <i>European Heart Journal</i> , 2009, 30, 97-97.   | 1.0 | 2         |
| 13504 | Impact of left ventricular volume/mass ratio on diastolic function. <i>European Heart Journal</i> , 2009, 30, 1213-1221.  | 1.0 | 31        |
| 13505 | Detection, location, and severity assessment of left anterior descending coronary artery stenoses by means of contrast-enhanced transthoracic harmonic echo Doppler. <i>European Heart Journal</i> , 2009, 30, 1797-1806.                                       | 1.0 | 21        |
| 13506 | Grading Astrocytic Tumors by Using Apparent Diffusion Coefficient Parameters: Superiority of a One-versus Two-Parameter Pilot Method. <i>Radiology</i> , 2009, 251, 838-845.  | 3.6 | 170       |
| 13507 | Atherosclerotic Plaque Progression in Carotid Arteries: Monitoring with High-Spatial-Resolution MR Imaging&#x2013;Multicenter Trial. <i>Radiology</i> , 2009, 252, 789-796.   | 3.6 | 59        |
| 13508 | Performance of Bedside Transpulmonary Thermodilution Monitoring for Goal-Directed Hemodynamic Management After Subarachnoid Hemorrhage. <i>Stroke</i> , 2009, 40, 2368-2374.  | 1.0 | 1,156     |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13509 | Multimodality Imaging of Carotid Artery Plaques. <i>Stroke</i> , 2009, 40, 3718-3724.   | 1.0 | 60        |
| 13510 | Air Pollution and Risk of Stroke. <i>Epidemiology</i> , 2009, 20, 137-142.  | 1.2 | 72        |
| 13511 | Increased Reporting of Detectable Plasma HIV-1 RNA Levels at the Critical Threshold of 50 Copies per Milliliter With the Taqman Assay in Comparison to the Amplicor Assay. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009, 51, 3-6. | 0.9 | 114       |
| 13512 | VENOUS OXYGEN SATURATION AND LACTATE GRADIENT FROM SUPERIOR VENA CAVA TO PULMONARY ARTERY IN PATIENTS WITH SEPTIC SHOCK. <i>Shock</i> , 2009, 31, 562-568.  | 1.0 | 44        |
| 13513 | Repeatability of Net Mechanical Efficiency During Stair Climbing in Children with Cerebral Palsy. <i>Pediatric Physical Therapy</i> , 2009, 21, 320-324.  | 0.3 | 5         |
| 13514 | Influence of Tear Film and Contact Lens Osmolality on Ocular Comfort in Contact Lens Wear. <i>Optometry and Vision Science</i> , 2009, 86, 857-867.   | 0.6 | 56        |
| 13515 | Quality Control of the Ambulatory Polygraphy Using Automatic Analysis. <i>Chest</i> , 2009, 135, 194-200.   | 0.4 | 6         |
| 13516 | Diaphragmatic Motion Studied by M-Mode Ultrasonography. <i>Chest</i> , 2009, 135, 391-400.  | 0.4 | 550       |
| 13517 | The Use of Endobronchial Ultrasonography in Assessment of Bronchial Wall Remodeling in Patients With Asthma. <i>Chest</i> , 2009, 136, 797-804.   | 0.4 | 47        |
| 13518 | RECOMMENDATIONS FOR RESEARCH FROM THE INTERNATIONAL CONFERENCE OF EXPERTS ON INTRA-ABDOMINAL HYPERTENSION AND ABDOMINAL COMPARTMENT SYNDROME. <i>Acta Clinica Belgica</i> , 2009, 64, 203-209.  | 0.5 | 52        |
| 13519 | Cardiac Output Measurement by Arterial Pressure Waveform Analysis During Optimization of Biventricular Pacing After Cardiac Surgery. <i>ASAIO Journal</i> , 2009, 55, 587-591.  | 0.9 | 3         |
| 13520 | Standardized Patient Methodology to Assess Refractive Error Reproducibility. <i>Optometry and Vision Science</i> , 2009, 86, 517-528.   | 0.6 | 28        |
| 13521 | Tear Meniscus Height Determination Using the OCT2 and the RTVue-100. <i>Optometry and Vision Science</i> , 2009, 86, 1154-1159.   | 0.6 | 20        |
| 13522 | Validation of the SenseWear Pro Armband Algorithms in Children. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 1714-1720.   | 0.2 | 75        |
| 13523 | Reliability and reproducibility of macular segmentation using a custom-built optical coherence tomography retinal image analysis software. <i>Journal of Biomedical Optics</i> , 2009, 14, 064023.  | 1.4 | 57        |
| 13524 | Validation of Optical Coherence Tomography-Based Crystalline Lens Thickness Measurements in Children. <i>Optometry and Vision Science</i> , 2009, 86, 181-187.  | 0.6 | 21        |
| 13525 | The Perceived Bulbar Redness of Clinical Grading Scales. <i>Optometry and Vision Science</i> , 2009, 86, E1250-E1258.   | 0.6 | 28        |
| 13526 | Automated Responsiveness Monitor to Titrate Propofol Sedation. <i>Anesthesia and Analgesia</i> , 2009, 109, 778-786.  | 1.1 | 19        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13527 | Development of a remote photoplethysmographic technique for human biometrics. Proceedings of SPIE, 2009, , .   | 0.8 | 4         |
| 13528 | Free-Breathing MRI for the Assessment of Myocardial Infarction: Clinical Validation. American Journal of Roentgenology, 2009, 192, W277-W281.  | 1.0 | 14        |
| 13529 | Tensionâ€Time Index as a Predictor of Extubation Outcome in Ventilated Children. American Journal of Respiratory and Critical Care Medicine, 2009, 180, 982-988.   | 2.5 | 51        |
| 13530 | Estimation of glomerular filtration rate in dogs by plasma clearance of gadolinium diethylenetriamine pentaacetic acid as measured by use of an ELISA. American Journal of Veterinary Research, 2009, 70, 547-552.   | 0.3 | 10        |
| 13531 | Validated Scales to Assess Adult Self-Efficacy to Eat Fruits and Vegetables. American Journal of Health Promotion, 2009, 23, 210-217.  | 0.9 | 19        |
| 13532 | Evaluation of a commercial ultrasonographic hemodynamic recording system for the measurement of cardiac output in dogs. American Journal of Veterinary Research, 2009, 70, 862-868.  | 0.3 | 5         |
| 13533 | Prediction of pulmonary function after lung lobectomy by subsegments counting, computed tomography, single photon emission computed tomography and computed tomography: a comparative study. European Journal of Cardio-thoracic Surgery, 2009, 35, 408-413.             | 0.6 | 42        |
| 13534 | Reliability Concerns in the Repeated Computerized Assessment of Attention in Children. Clinical Neuropsychologist, 2009, 23, 1213-1231.  | 1.5 | 19        |
| 13535 | Method comparison of automated matching software-assisted cone-beam CT and stereoscopic kilovoltage x-ray positional verification image-guided radiation therapy for head and neck cancer: a prospective analysis. Physics in Medicine and Biology, 2009, 54, 7401-7415. | 1.6 | 9         |
| 13536 | In Vivo Repeatability of Automated Volume Calculations of Small Pulmonary Nodules With CT. American Journal of Roentgenology, 2009, 192, 1657-1661.  | 1.0 | 26        |
| 13537 | Methods for validating the performance of wearable motion-sensing devices under controlled conditions. Measurement Science and Technology, 2009, 20, 045802.   | 1.4 | 3         |
| 13538 | Intra- and inter-tester reproducibility of venous occlusion plethysmography: comparison between a manual and a semi-automatic method of blood flow analysis. Physiological Measurement, 2009, 30, 1267-1279.   | 1.2 | 14        |
| 13539 | Validity and repeatability of the Vicorder apparatus: a comparison with the SphygmoCor device. Hypertension Research, 2009, 32, 1079-1085.   | 1.5 | 155       |
| 13540 | Medication errors: how reliable are the severity ratings reported to the national reporting and learning system?. International Journal for Quality in Health Care, 2009, 21, 316-320.   | 0.9 | 38        |
| 13541 | Normalized Distance Along the Colon Centerline: A Method for Correlating Polyp Location on CT Colonography and Optical Colonoscopy. American Journal of Roentgenology, 2009, 193, 1296-1304.   | 1.0 | 26        |
| 13542 | Variability of ferritin measurements in chronic kidney disease; implications for iron management. Kidney International, 2009, 75, 104-110.   | 2.6 | 51        |
| 13543 | One-dimensional quantitative evaluation of peripheral lung adenocarcinoma with or without ground-glass opacity on thin-section CT images using profile curves. British Journal of Radiology, 2009, 82, 532-540.  | 1.0 | 23        |
| 13544 | Inter-observer variation of the Bandim TB-score. Scandinavian Journal of Infectious Diseases, 2009, 41, 220-223.   | 1.5 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13545 | Assessing Myometrial Infiltration by Endometrial Cancer: Uterine Virtual Navigation with Three-dimensional US. <i>Radiology</i> , 2009, 250, 776-783.   | 3.6 | 48        |
| 13546 | Comparison of 1.0-T Extremity MR and 1.5-T Conventional High-Field-Strength MR in Patients with Rheumatoid Arthritis. <i>Radiology</i> , 2009, 251, 829-837.  | 3.6 | 14        |
| 13547 | Determination of Regional Ejection Fraction in Patients with Myocardial Infarction by Using Merged Late Gadolinium Enhancement and Cine MR: Feasibility Study. <i>Radiology</i> , 2009, 250, 50-60.   | 3.6 | 27        |
| 13548 | Evaluating Variability in Tumor Measurements from Same-day Repeat CT Scans of Patients with Nonâ€“Small Cell Lung Cancer. <i>Radiology</i> , 2009, 252, 263-272.  | 3.6 | 284       |
| 13549 | Left ventricular structure in relation to the human SAH gene in the European Project on Genes in Hypertension. <i>Hypertension Research</i> , 2009, 32, 145-151.  | 1.5 | 4         |
| 13550 | Automated Measurement of Colorectal Polyp Height at CT Colonography: Hyperplastic Polyps Are Flatter Than Adenomatous Polyps. <i>American Journal of Roentgenology</i> , 2009, 193, 1305-1310.  | 1.0 | 18        |
| 13551 | Skeletal Muscle Mass in Acromegaly Assessed by Magnetic Resonance Imaging and Dual-Photon X-Ray Absorptiometry. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 2880-2886.  | 1.8 | 58        |
| 13552 | Left-to-Right Differences of Regional Cerebral Oxygen Saturation and Oxygen Extraction in Preterm Infants During the First Days of Life. <i>Pediatric Research</i> , 2009, 65, 226-230.   | 1.1 | 39        |
| 13553 | Renal Perfusion and Hemodynamics: Accurate in Vivo Determination at CT with a 10-Fold Decrease in Radiation Dose and HYPR Noise Reduction. <i>Radiology</i> , 2009, 253, 98-105.  | 3.6 | 36        |
| 13554 | Quantitative Assessment of Lung Using Hyperpolarized Magnetic Resonance Imaging. <i>Proceedings of the American Thoracic Society</i> , 2009, 6, 431-438.  | 3.5 | 16        |
| 13555 | The relationship between the saphenopopliteal junction and the common peroneal nerve: a cada-veric study. <i>Phlebology</i> , 2009, 24, 67-73.  | 0.6 | 8         |
| 13556 | Tracheomalacia in Adults with Cystic Fibrosis: Determination of Prevalence and Severity with Dynamic Cine CT. <i>Radiology</i> , 2009, 252, 577-586.  | 3.6 | 36        |
| 13557 | Prostate Tumor Volume Measurement with Combined T2-weighted Imaging and Diffusion-weighted MR: Correlation with Pathologic Tumor Volume. <i>Radiology</i> , 2009, 252, 449-457.   | 3.6 | 194       |
| 13558 | Testing of IQâ„¢,¢ 200 Automated Urine Analyzer Analytical Performances in Comparison with Manual Techniques. <i>Journal of Medical Biochemistry</i> , 2009, 28, 122-128.   | 0.7 | 0         |
| 13559 | Interchangeability between heart rate and photoplethysmography variabilities during sympathetic stimulations. <i>Physiological Measurement</i> , 2009, 30, 1357-1369.   | 1.2 | 74        |
| 13560 | Fatigue is a reliable, sensitive and unique outcome measure in rheumatoid arthritis. <i>Rheumatology</i> , 2009, 48, 1533-1536.   | 0.9 | 73        |
| 13561 | Repeatability of heart rate variability in congenital hypothyroidism as analysed by detrended fluctuation analysis. <i>Physiological Measurement</i> , 2009, 30, 1017-1025.   | 1.2 | 2         |
| 13562 | Characterization of the time course of the superior mesenteric, abdominal aorta, internal carotid and vertebral arteries blood flow response to the oral glucose challenge test using magnetic resonance imaging. <i>Physiological Measurement</i> , 2009, 30, 1117-1136. | 1.2 | 7         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13563 | How to interpret the eGFR in patients with small body surface area. <i>Kidney International</i> , 2009, 76, 1207-1208.   | 2.6 | 1         |
| 13564 | Left ventricular dyssynchrony in patients with left bundle branch block and patients after myocardial infarction: integration of mechanics and viability by cardiac magnetic resonance. <i>European Heart Journal</i> , 2009, 30, 2117-2127. | 1.0 | 36        |
| 13565 | Assessment of Myocardial Viability with 3D MRI at 3 T. <i>American Journal of Roentgenology</i> , 2009, 192, 1645-1650.  | 1.0 | 20        |
| 13566 | Periapical radiography and cone beam computed tomography for assessment of the periapical bone defect 1â€¦week and 12â€¦months after root-end resection. <i>Dentomaxillofacial Radiology</i> , 2009, 38, 531-536.                            | 1.3 | 75        |
| 13567 | Comparison of Polyp Size and Volume at CT Colonography: Implications for Follow-Up CT Colonography. <i>American Journal of Roentgenology</i> , 2009, 193, 1561-1567.   | 1.0 | 7         |
| 13568 | Mitochondrial Function and Insulin Resistance in Overweight and Normal-Weight Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 4923-4930.   | 1.8 | 54        |
| 13569 | Modeling, validation and application of a mathematical tissue-equivalent breast phantom for linear slot-scanning digital mammography. <i>Physics in Medicine and Biology</i> , 2009, 54, 1533-1553.  | 1.6 | 6         |
| 13570 | Construct and Concurrent Validation of OMNIâ€“Kayak Rating of Perceived Exertion Scale. <i>Perceptual and Motor Skills</i> , 2009, 108, 744-758.   | 0.6 | 13        |
| 13571 | Polyethylene wear analysis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009, 80, 1-74.  | 1.2 | 4         |
| 13572 | First Morning Voids Are More Reliable Than Spot Urine Samples to Assess Microalbuminuria. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 436-443.  | 3.0 | 225       |
| 13573 | Automatic polyp detection and measurement with computed tomographic colonography: A phantom study. <i>Biomedical Imaging and Intervention Journal</i> , 2009, 5, e15.  | 0.5 | 2         |
| 13574 | Computerized back postural assessment in physiotherapy practice: Intra-rater and inter-rater reliability of the MIDAS system. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2009, 22, 173-178.                                 | 0.4 | 4         |
| 13575 | Transcutaneous measurement of glomerular filtration rate using FITC-sinistrin in rats. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2997-3001.   | 0.4 | 112       |
| 13576 | A novel system for the reconstruction of a coronary artery lumen profile in real time: a preclinical validation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 297, H485-H492.                            | 1.5 | 27        |
| 13577 | A model for left ventricular hypertrophy enabling non-invasive assessment of cardiac function. <i>Scandinavian Cardiovascular Journal</i> , 2009, 43, 267-272.   | 0.4 | 7         |
| 13578 | Reliability of the VmaxST Portable Metabolic Measurement System. <i>International Journal of Sports Medicine</i> , 2009, 30, 22-26.  | 0.8 | 14        |
| 13579 | A novel echocardiographic marker of end systole in the ischemic left ventricle: â€œtug of warâ€“sign. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 296, H645-H654.                                       | 1.5 | 10        |
| 13580 | How to interpret the protein/creatinine ratio in patients with low GFR. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 3892-3893.  | 0.4 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13581 | Does the Hip Reflect the Centre of Mass Swimming Kinematics?. International Journal of Sports Medicine, 2009, 30, 779-781.   | 0.8 | 27        |
| 13582 | Repeatability and Reproducibility of A-Scan Biometry Quantitative Findings. Current Eye Research, 2009, 34, 447-453.   | 0.7 | 3         |
| 13583 | Thoracoabdominal motion in ankylosing spondylitis: association with standardised clinical measures and response to therapy. Annals of the Rheumatic Diseases, 2009, 68, 966-971.   | 0.5 | 11        |
| 13584 | Reproducibility of performance measures of physical function based on the BASFI, in ankylosing spondylitis. Rheumatology, 2009, 48, 1254-1260.   | 0.9 | 28        |
| 13585 | Relationship of ultrasonographically determined kidney volume with measured GFR, calculated creatinine clearance and other parameters in chronic kidney disease (CKD). Nephrology Dialysis Transplantation, 2009, 24, 1690-1694. | 0.4 | 70        |
| 13586 | Predictive accuracy and sources of variability in calculated free testosterone estimates. Annals of Clinical Biochemistry, 2009, 46, 137-143.  | 0.8 | 151       |
| 13587 | Dorsiflexor muscle-group thickness in children with cerebral palsy: Relation to cross-sectional area. NeuroRehabilitation, 2009, 24, 299-306.  | 0.5 | 28        |
| 13588 | Investigations of the Lactate Minimum Test. International Journal of Sports Medicine, 2009, 30, 448-454.   | 0.8 | 18        |
| 13589 | Validation of urinary trichloroacetic acid as a biomarker of exposure to drinking water disinfection by-products. Journal of Water and Health, 2009, 7, 359-371.   | 1.1 | 24        |
| 13590 | Accuracy of automatic analysis of ambulatory recordings of nocturnal breathing disorders is significantly instrumentation dependent. Journal of Medical Engineering and Technology, 2009, 33, 386-393.                           | 0.8 | 4         |
| 13591 | Fetal biometry: a comparison between experienced sonographers and automated measurements. Journal of Maternal-Fetal and Neonatal Medicine, 2009, 22, 43-50.  | 0.7 | 18        |
| 13592 | Functional Lecithin: Cholesterol Acyltransferase Is Not Required for Efficient Atheroprotection in Humans. Circulation, 2009, 120, 628-635.  | 1.6 | 94        |
| 13593 | Fat-free mass of healthy North African children aged 8-16 years. Fitness & Performance Journal, 2009, 8, 237-246.  | 0.0 | 0         |
| 13594 | Accuracy of height and weight data from child health records. Archives of Disease in Childhood, 2009, 94, 950-954.   | 1.0 | 63        |
| 13595 | Mammographic Density and Breast Cancer Risk: Evaluation of a Novel Method of Measuring Breast Tissue Volumes. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 1754-1762.  | 1.1 | 110       |
| 13596 | Women who remember, women who do not: A methodological study of maternal recall of smoking in pregnancy. Nicotine and Tobacco Research, 2009, 11, 1166-1174.   | 1.4 | 79        |
| 13597 | Cross-sectional, prospective study of MRI reproducibility in the assessment of plaque burden of the carotid arteries and aorta. Nature Reviews Cardiology, 2009, 6, 219-228.   | 6.1 | 31        |
| 13598 | Development, dimensions, reliability and validity of the novel Manchester COPD fatigue scale. Thorax, 2009, 64, 950-955.   | 2.7 | 40        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13599 | Discrepancies between creatinine-based and cystatin C-based equations in estimating prevalence of stage 3 chronic kidney disease in an elderly population. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009, 69, 344-349.                               | 0.6 | 17        |
| 13600 | Cochlear microphonic audiometry: a new hearing test for objective diagnosis of deafness. <i>Acta Oto-Laryngologica</i> , 2009, 129, 749-754.   | 0.3 | 12        |
| 13601 | Can parents of children with cancer accurately report their child's passive smoking exposure?. <i>Nicotine and Tobacco Research</i> , 2009, 11, 1289-1295.   | 1.4 | 11        |
| 13602 | Evaluation of the Randox colorimetric serum copper and zinc assays against atomic absorption spectroscopy. <i>Annals of Clinical Biochemistry</i> , 2009, 46, 322-326.   | 0.8 | 9         |
| 13603 | Accuracy and precision of a novel non-invasive core thermometer. <i>British Journal of Anaesthesia</i> , 2009, 103, 226-231.   | 1.5 | 92        |
| 13604 | Correlation between Human Immunodeficiency Virus Type 1 (HIV-1) RNA Measurements Obtained with Dried Blood Spots and Those Obtained with Plasma by Use of Nuclisens EasyQ HIV-1 and Abbott RealTime HIV Load Tests. <i>Journal of Clinical Microbiology</i> , 2009, 47, 1031-1036. | 1.8 | 66        |
| 13605 | Sweat gland bioelectrics differ in cystic fibrosis: a new concept for potential diagnosis and assessment of CFTR function in cystic fibrosis. <i>Thorax</i> , 2009, 64, 932-938.   | 2.7 | 25        |
| 13606 | Reproducibility and Accuracy of Quantitative Myocardial Blood Flow Assessment with <sup>82</sup> Rb PET: Comparison with <sup>13</sup> N-Ammonia PET. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1062-1071.  | 2.8 | 242       |
| 13607 | Tumor Burden in Patients with Neurofibromatosis Types 1 and 2 and Schwannomatosis: Determination on Whole-Body MR Images. <i>Radiology</i> , 2009, 250, 665-673.   | 3.6 | 102       |
| 13608 | Do physiotherapy staff record treatment time accurately? An observational study. <i>Clinical Rehabilitation</i> , 2009, 23, 841-845.   | 1.0 | 19        |
| 13609 | Intra-observer and interobserver reliability of One Leg Stand Test as a measure of postural balance in low back pain patients. <i>International Musculoskeletal Medicine</i> , 2009, 31, 172-177.  | 0.1 | 11        |
| 13610 | Three-dimensional ultrasound measurement of cervical lymph node volume. <i>British Journal of Radiology</i> , 2009, 82, 617-625.   | 1.0 | 20        |
| 13611 | Real-life step and activity measurement: reliability and validity. <i>Journal of Medical Engineering and Technology</i> , 2009, 33, 33-41.   | 0.8 | 58        |
| 13612 | Comparison of flat-panel-detector-based CT and multidetector-row CT in automated volumetry of pulmonary nodules using an anthropomorphic chest phantom. <i>British Journal of Radiology</i> , 2009, 82, 716-723.   | 1.0 | 5         |
| 13613 | A Method to Calculate Arterial and Venous Saturation from Near Infrared Spectroscopy (Nirs). <i>Advances in Experimental Medicine and Biology</i> , 2009, 645, 135-140.  | 0.8 | 17        |
| 13614 | Test-re-test reliability of two sustained attention tests in persons with chronic stroke. <i>Brain Injury</i> , 2009, 23, 715-722.   | 0.6 | 14        |
| 13615 | A critical comparison of echocardiographic measurements used for optimizing cardiac resynchronization therapy: stroke distance is best. <i>European Journal of Heart Failure</i> , 2009, 11, 779-788.  | 2.9 | 45        |
| 13616 | Accuracy and Repeatability of the Polar <sup>®</sup> RS800sd to Evaluate Stride Rate and Running Speed. <i>International Journal of Sports Medicine</i> , 2009, 30, 354-359.   | 0.8 | 26        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13617 | New Method to Estimate the Cycling Frontal Area. <i>International Journal of Sports Medicine</i> , 2009, 30, 266-272.  | 0.8 | 15        |
| 13618 | An easy to calculate equation to estimate GFR based on inulin clearance. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 3055-3061.   | 0.4 | 15        |
| 13619 | Poor trunk flexibility is associated with arterial stiffening. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 297, H1314-H1318.  | 1.5 | 116       |
| 13621 | Analysis of semi-automated method for femur length measurement from foetal ultrasound. <i>Journal of Medical Engineering and Technology</i> , 2009, 33, 417-425.   | 0.8 | 19        |
| 13622 | Quantitative Airway Assessment on Computed Tomography in Patients with $\alpha_1$ -antitrypsin Deficiency. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2009, 6, 468-477.                           | 0.7 | 16        |
| 13623 | Occupational therapy for people with psychotic conditions in community settings: a pilot randomized controlled trial. <i>Clinical Rehabilitation</i> , 2009, 23, 40-52.  | 1.0 | 45        |
| 13624 | Evaluating noninvasive ventilation using a monitoring system coupled to a ventilator: a bench-to-bedside study. <i>European Respiratory Journal</i> , 2009, 34, 902-913.   | 3.1 | 91        |
| 13625 | Intratest reliability and test-retest reproducibility of the oxygen uptake efficiency slope in healthy participants. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009, 16, 493-498.      | 3.1 | 32        |
| 13626 | Assessment of post-traumatic stress disorder in veterans by videoconferencing and by face-to-face methods. <i>Journal of Telemedicine and Telecare</i> , 2009, 15, 89-94.  | 1.4 | 25        |
| 13627 | Accuracy of Transcutaneous Carbon Dioxide Tension Measurements during Cardiopulmonary Exercise Testing. <i>Respiration</i> , 2009, 78, 147-153.  | 1.2 | 29        |
| 13628 | Serum surfactant protein D is steroid sensitive and associated with exacerbations of COPD. <i>European Respiratory Journal</i> , 2009, 34, 95-102.   | 3.1 | 206       |
| 13629 | Adenosine Stress 64- and 256-Row Detector Computed Tomography Angiography and Perfusion Imaging. <i>Circulation: Cardiovascular Imaging</i> , 2009, 2, 174-182.  | 1.3 | 305       |
| 13630 | Measuring Retinal Vessel Tortuosity in 10-Year-Old Children: Validation of the Computer-Assisted Image Analysis of the Retina (CAIAR) Program. , 2009, 50, 2004.   |     | 305       |
| 13631 | <sup>99m</sup> Tc-MIBI Imaging in the Presurgical Characterization of Thyroid Follicular Neoplasms: Relationship to Multidrug Resistance Protein Expression. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1785-1793. | 2.8 | 59        |
| 13632 | Three-dimensional surface imaging system for assessing human obesity. <i>Optical Engineering</i> , 2009, 48, 107204.   | 0.5 | 15        |
| 13633 | Lipid concentrations in human coronary artery determined with high wavenumber Raman shifted light. <i>Journal of Biomedical Optics</i> , 2009, 14, 034009.   | 1.4 | 17        |
| 13634 | Relation of Nasal Air Flow to Nasal Cavity Dimensions. <i>JAMA Otolaryngology</i> , 2009, 135, 565.  | 1.5 | 31        |
| 13635 | Quantification of Liver Fat Content: Comparison of Triple-Echo Chemical Shift Gradient-Echo Imaging and in Vivo Proton MR Spectroscopy. <i>Radiology</i> , 2009, 250, 95-102.  | 3.6 | 170       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13636 | Evaluation of analytical performance of the Pathfast <sup>®</sup> cardiac troponin I. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 829-33.                                       | 1.4 | 12        |
| 13637 | Vitamin D receptor genotype BB is associated with higher serum osteocalcin in first pregnancy. <i>Journal of Perinatal Medicine</i> , 2009, 37, 491-5.  | 0.6 | 0         |
| 13638 | Impact of Dynamic Computed Tomographic Angiography on Endograft Sizing for Endovascular Aneurysm Repair. <i>Journal of Endovascular Therapy</i> , 2009, 16, 546-551.                              | 0.8 | 14        |
| 13639 | Automated Ankle-Brachial Pressure Index Measurement by Clinical Staff for Peripheral Arterial Disease Diagnosis in Nondiabetic and Diabetic Patients. <i>Diabetes Care</i> , 2009, 32, 1231-1236. | 4.3 | 97        |
| 13640 | Ultrasound measurement of rectus femoris cross-sectional area and the relationship with quadriceps strength in COPD. <i>Thorax</i> , 2009, 64, 418-423.   | 2.7 | 275       |
| 13641 | Comparison of analyses of respiratory gases made with the K4b2 portable and Quark laboratory analysers in horses. <i>Veterinary Record</i> , 2009, 165, 22-25.                                    | 0.2 | 5         |
| 13642 | The Clinical Outcome of Scaphoid Fracture Malunion at 1 Year. <i>Journal of Hand Surgery: European Volume</i> , 2009, 34, 40-46.  | 0.5 | 44        |
| 13643 | Agreement between Task-Based Estimates of the Full-Shift Noise Exposure and the Full-Shift Noise Dosimetry. <i>Annals of Occupational Hygiene</i> , 2009, 53, 201-14.                             | 1.9 | 18        |
| 13644 | Quantitative Detection of <i>Plasmodium falciparum</i> DNA in Saliva, Blood, and Urine. <i>Journal of Infectious Diseases</i> , 2009, 199, 1567-1574.   | 1.9 | 90        |
| 13645 | Humphrey matrix frequency doubling perimetry for detection of visual-field defects in open-angle glaucoma. <i>British Journal of Ophthalmology</i> , 2009, 93, 582-588.                           | 2.1 | 27        |
| 13646 | Use of Anthropometric Indices to Reveal Nutritional Status: Normative Data from 10,226 Chinese Neonates. <i>Neonatology</i> , 2009, 95, 23-32.  | 0.9 | 22        |
| 13647 | An Automated Discontinuous Venous Blood Sampling System for Ex Vivo Glucose Determination in Humans. <i>Journal of Diabetes Science and Technology</i> , 2009, 3, 110-116.                        | 1.3 | 1         |
| 13648 | Evaluation of an uncalibrated arterial pulse contour cardiac output monitoring system in cirrhotic patients undergoing liver surgery. <i>British Journal of Anaesthesia</i> , 2009, 102, 47-54.   | 1.5 | 156       |
| 13649 | Validation of Continuous Glucose Monitoring in Children and Adolescents With Cystic Fibrosis. <i>Diabetes Care</i> , 2009, 32, 1020-1022.   | 4.3 | 92        |
| 13650 | Intrahospital Correlation of the International Normalized Ratio. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2009, 15, 220-224.   | 0.7 | 1         |
| 13651 | A common reference frame for describing rotation of the distal femur. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 683-690.   | 3.4 | 98        |
| 13652 | Is it possible to assess free-living physical activity and energy expenditure in young people by self-report?. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 862-870.                 | 2.2 | 196       |
| 13653 | Apnoeic and obstructive nonapnoeic sleep respiratory events. <i>European Respiratory Journal</i> , 2009, 34, 156-161.   | 3.1 | 15        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13654 | Evaluation of the Abbott Investigational Use Only RealTime HCV Assay and Comparison to the Roche TaqMan HCV Analyte-Specific Reagent Assay. <i>Journal of Clinical Microbiology</i> , 2009, 47, 2872-2878.  | 1.8 | 27        |
| 13655 | Plasma Progesterone Analysis by a Time-Resolved Fluorescent Antibody Test to Monitor Estrous Cycles in Goats. <i>Journal of Veterinary Diagnostic Investigation</i> , 2009, 21, 80-87.  | 0.5 | 8         |
| 13656 | Modified Prostate Volume Algorithm Improves Transrectal US Volume Estimation in Men Presenting for Prostate Brachytherapy. <i>Radiology</i> , 2009, 250, 273-280.   | 3.6 | 40        |
| 13657 | Noninvasive Coronary Angiography by 320-Row Computed Tomography With Lower Radiation Exposure and Maintained Diagnostic Accuracy. <i>Circulation</i> , 2009, 120, 867-875.  | 1.6 | 306       |
| 13658 | Energy Intake of Swedish Overweight and Obese Children Is Underestimated Using a Diet History Interview. <i>Journal of Nutrition</i> , 2009, 139, 522-527.  | 1.3 | 41        |
| 13659 | Hemodynamic Monitoring. <i>Refresher Courses in Anesthesiology</i> , 2009, 37, 119-128.   | 0.1 | 1         |
| 13660 | Aggregate predictions improve accuracy when calculating metabolic variables used to guide treatment. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 491-499.   | 2.2 | 34        |
| 13661 | Detection of myocardial ischaemia by epicardial accelerometers in the pig. <i>British Journal of Anaesthesia</i> , 2009, 102, 29-37.  | 1.5 | 30        |
| 13662 | Repeatability of <sup>18</sup> F-FDG PET in a Multicenter Phase I Study of Patients with Advanced Gastrointestinal Malignancies. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1646-1654.  | 2.8 | 129       |
| 13663 | Whole-Brain Perfusion CT Performed with a Prototype 256-Row CT System: Initial Experience. <i>Radiology</i> , 2009, 250, 202-211.   | 3.6 | 68        |
| 13664 | High-Resolution 3T MR Angiography of the Carotid Arteries: Comparison of Manual and Semiautomated Quantification of Stenosis. <i>American Journal of Neuroradiology</i> , 2009, 30, 46-52.  | 1.2 | 8         |
| 13665 | Sniff nasal inspiratory pressure in children with muscular, chest wall or lung disease. <i>European Respiratory Journal</i> , 2009, 33, 113-117.  | 3.1 | 49        |
| 13666 | Corneal Biomechanical Changes in Diabetes Mellitus and Their Influence on Intraocular Pressure Measurements. <i>Investigative Ophthalmology and Visual Science</i> , 2009, 50, 4597-4604.   | 3.3 | 84        |
| 13667 | Intra- and Interobserver Agreement and Impact of Arterial Input Selection in Perfusion CT Measurements Performed in Squamous Cell Carcinoma of the Upper Aerodigestive Tract. <i>American Journal of Neuroradiology</i> , 2009, 30, 1107-1115.              | 1.2 | 20        |
| 13668 | Correlation of Point-of-Care International Normalized Ratio to Laboratory International Normalized Ratio in Hemodialysis Patients Taking Warfarin. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, 99-104.                  | 2.2 | 18        |
| 13669 | Aortic Pulse Wave Analysis Is Not a Surrogate for Central Arterial Pulse Wave Velocity. <i>Experimental Biology and Medicine</i> , 2009, 234, 1339-1344.  | 1.1 | 19        |
| 13670 | Hepatitis C Virus RNA Quantitation in Venous and Capillary Small-Volume Whole-Blood Samples. <i>Journal of Clinical Microbiology</i> , 2009, 47, 3231-3240.   | 1.8 | 6         |
| 13671 | Erythrocyte Sedimentation Rate Measurements by TEST 1 Better Reflect Inflammation Than Do Those by the Westergren Method in Patients With Malignancy, Autoimmune Disease, or Infection. <i>American Journal of Clinical Pathology</i> , 2009, 131, 189-194. | 0.4 | 31        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13672 | Accuracy of venous blood oxygen pressure depends on arterial blood oxygen pressure. <i>European Respiratory Journal</i> , 2009, 34, 1207-1208.  | 3.1 | 1         |
| 13673 | Performance of the A-line Autoregressive Index (AAI) and of the Bispectral Index (BIS) at Assessing Depth of Short-term Sedation following Cardiac Surgery. <i>Journal of International Medical Research</i> , 2009, 37, 611-620.   | 0.4 | 6         |
| 13674 | Impact on Diabetes Mellitus on the Epicardial Coronary Flow Velocity Assessed by the Thrombolysis in Myocardial Infarction Frame Count. <i>Angiology</i> , 2009, 60, 431-440.   | 0.8 | 1         |
| 13675 | Intraocular architecture of secondary implanted anterior chamber iris-claw lenses in aphakic eyes evaluated with anterior segment optical coherence tomography. <i>British Journal of Ophthalmology</i> , 2009, 93, 1301-1306.  | 2.1 | 30        |
| 13676 | Evaluation of medial acetabular wall bone stock in patients with developmental dysplasia of the hip using a helical computed tomography multiplanar reconstruction technique. <i>Acta Radiologica</i> , 2009, 50, 791-797.  | 0.5 | 30        |
| 13677 | COMPARISON OF BLOOD VALUES IN FORAGING, NESTING, AND STRANDED LOGGERHEAD TURTLES (CARETTA) Tj ETQq1 1 0.784314 0.3 149  | 0.3 | 149       |
| 13678 | Evaluation of Different RNA Extraction Methods and Storage Conditions of Dried Plasma or Blood Spots for Human Immunodeficiency Virus Type 1 RNA Quantification and PCR Amplification for Drug Resistance Testing. <i>Journal of Clinical Microbiology</i> , 2009, 47, 1107-1118. | 1.8 | 98        |
| 13679 | Clinically Significant Disagreement between Mean Blood Glucose and Estimated Average Glucose in Two Populations: Implications for Diabetes Management. <i>Journal of Diabetes Science and Technology</i> , 2009, 3, 1128-1135.  | 1.3 | 16        |
| 13680 | Repeatability and reproducibility of the hyperinsulinemic-euglycemic clamp and the tracer dilution technique in a controlled inpatient setting. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 304-310.   | 1.5 | 16        |
| 13681 | Comparison of predictive equations for resting metabolic rate in obese psychiatric patients taking olanzapine. <i>Nutrition</i> , 2009, 25, 188-193.  | 1.1 | 20        |
| 13682 | Four-compartment model and validation of deuterium dilution technique to estimate fat-free mass in Mexican youth. <i>Nutrition</i> , 2009, 25, 194-199.   | 1.1 | 22        |
| 13683 | Influence of different ventilator modes on Vo2 and Vco2 measurements using a compact metabolic monitor. <i>Nutrition</i> , 2009, 25, 1106-1114.   | 1.1 | 32        |
| 13684 | Reliability and validity of observer ratings of pain using the visual analog scale (VAS) in infants undergoing immunization injections. <i>Pain</i> , 2009, 147, 141-146.   | 2.0 | 42        |
| 13685 | Repeatability of physiotherapy chest wall vibrations applied to spontaneously breathing adults. <i>Physiotherapy</i> , 2009, 95, 36-42.   | 0.2 | 15        |
| 13686 | Reliability of a test measuring transversus abdominis muscle recruitment with a pressure biofeedback unit. <i>Physiotherapy</i> , 2009, 95, 8-14.   | 0.2 | 62        |
| 13687 | The effect of quantity of ice and size of contact area on ice pack/skin interface temperature. <i>Physiotherapy</i> , 2009, 95, 120-125.  | 0.2 | 30        |
| 13688 | Within-day repeatability of the endurance shuttle walk test. <i>Physiotherapy</i> , 2009, 95, 140-143.  | 0.2 | 18        |
| 13689 | Validity and inter-rater reliability of the Lindop Parkinson's Disease Mobility Assessment: a preliminary study. <i>Physiotherapy</i> , 2009, 95, 126-133.  | 0.2 | 19        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13690 | Placental Vascular Sonobiopsy Using Three-dimensional Power Doppler Ultrasound in Normal and Growth Restricted Fetuses. <i>Placenta</i> , 2009, 30, 391-397.   | 0.7 | 90        |
| 13691 | Evaluation of Placental Volume at 7â€“10+6 Weeks of Pregnancy by 3D-Sonography. <i>Placenta</i> , 2009, 30, 585-589.   | 0.7 | 27        |
| 13692 | The 12-item Oxford Knee Score: cross-cultural adaptation into German and assessment of its psychometric properties in patients with osteoarthritis of the knee. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 49-52. | 0.6 | 100       |
| 13693 | Evaluation of a Photographic Chondropathy Score (PCS) for pathological samples in a study of inflammation in tibiofemoral osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 304-312.                     | 0.6 | 31        |
| 13694 | Reproducibility of computer-assisted joint alignment measurement in OA knee radiographs. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 579-585.  | 0.6 | 11        |
| 13695 | Cross-cultural adaptation of the Dutch version of the Functional Index for Hand Osteoarthritis (FIHOA) and a study on its construct validity. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 607-612.                 | 0.6 | 26        |
| 13696 | Magnetic resonance imaging in osteoarthritis: which method best reflects synovial membrane inflammation?. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 1186-1192.   | 0.6 | 76        |
| 13697 | Validation of the Knee Injury and Osteoarthritis Outcome Score (KOOS) for the treatment of focal cartilage lesions. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 1434-1439.   | 0.6 | 184       |
| 13698 | Can anatomic alignment measured from a knee radiograph substitute for mechanical alignment from full limb films?. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 1448-1452.   | 0.6 | 36        |
| 13699 | Measuring the Symptom Experience of Chinese Cancer Patients: A Validation of the Chinese Version of the Memorial Symptom Assessment Scale. <i>Journal of Pain and Symptom Management</i> , 2009, 37, 44-57.            | 0.6 | 67        |
| 13700 | The Brief Fatigue Inventory: Comparison of Data Collection Using a Novel Audio Device with Conventional Paper Questionnaire. <i>Journal of Pain and Symptom Management</i> , 2009, 38, 390-400.                        | 0.6 | 3         |
| 13701 | Application of Ultrasound for Bone Age Estimation in Clinical Practice. <i>Journal of Pediatrics</i> , 2009, 154, 243-247.   | 0.9 | 43        |
| 13702 | Submaximal Treadmill Test Predicts $\dot{V}\ddot{O}_2\text{max}$ in Overweight Children. <i>Journal of Pediatrics</i> , 2009, 154, 677-681.e1.   | 0.9 | 36        |
| 13703 | A single exercise test for assessing physiological and performance parameters in elite rowers: The 2-in-1 test. <i>Journal of Science and Medicine in Sport</i> , 2009, 12, 205-211.                                   | 0.6 | 11        |
| 13704 | Validation of the RT3 in the measurement of physical activity in children. <i>Journal of Science and Medicine in Sport</i> , 2009, 12, 130-133.  | 0.6 | 24        |
| 13705 | The reliability of the 1RM strength test for untrained middle-aged individuals. <i>Journal of Science and Medicine in Sport</i> , 2009, 12, 310-316.   | 0.6 | 221       |
| 13706 | Methodological considerations in using accelerometers to assess habitual physical activity in children aged 0â€“5 years. <i>Journal of Science and Medicine in Sport</i> , 2009, 12, 557-567.                          | 0.6 | 349       |
| 13707 | Validity and reliability of instruments to assess potential mediators of children's physical activity: A systematic review. <i>Journal of Science and Medicine in Sport</i> , 2009, 12, 539-548.                       | 0.6 | 48        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13708 | Dynamic computed tomography to determine cardiac output in patients with left ventricular assist devices. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2009, 137, 1213-1217.   | 0.4 | 20        |
| 13709 | Use of dual-energy X-ray absorptiometry in obese individuals: The possibility to estimate whole body composition from DXA half-body scans. <i>Radiography</i> , 2009, 15, 12-19.  | 1.1 | 4         |
| 13710 | Quantification of single-breath underestimation of lung volume in emphysema. <i>Respiratory Physiology and Neurobiology</i> , 2009, 165, 215-220.   | 0.7 | 18        |
| 13711 | Adaptation of heart rate and blood pressure to short and long duration space missions. <i>Respiratory Physiology and Neurobiology</i> , 2009, 169, S13-S16.   | 0.7 | 49        |
| 13714 | Disease prevalence in the English population: A comparison of primary care registers and prevalence models. <i>Social Science and Medicine</i> , 2009, 68, 266-274.   | 1.8 | 18        |
| 13715 | Calculation of QT shift in non clinical safety pharmacology studies. <i>Journal of Pharmacological and Toxicological Methods</i> , 2009, 59, 73-85.   | 0.3 | 19        |
| 13716 | Dried blood spots for the diagnosis and quantitation of HIV-1: Stability studies and evaluation of sensitivity and specificity for the diagnosis of infant HIV-1 infection in Thailand. <i>Journal of Virological Methods</i> , 2009, 155, 109-117.   | 1.0 | 61        |
| 13717 | Potency evaluation of rabies vaccine for human use: The impact of the reduction in the number of animals per dilution. <i>Journal of Virological Methods</i> , 2009, 158, 84-92.  | 1.0 | 13        |
| 13718 | Evaluation of the Abbott m2000rt RealTime <sup>®</sup> , <sup>®</sup> HIV-1 assay with manual sample preparation compared with the ROCHE COBAS <sup>®</sup> AmpliPrep <sup>®</sup> , <sup>®</sup> /AMPLICOR <sup>®</sup> , <sup>®</sup> HIV-1 MONITOR <sup>®</sup> v1.5 using specimens from East Africa. <i>Journal of Virological Methods</i> , 2009, 162, 218-222. | 1.0 | 36        |
| 13719 | Preliminary experience with electromagnetic navigation system in TKA. <i>Knee</i> , 2009, 16, 33-38.  | 0.8 | 14        |
| 13720 | Interobserver reliability of physical examination of shoulder girdle. <i>Manual Therapy</i> , 2009, 14, 152-159.  | 1.6 | 35        |
| 13721 | Reliability, validity and responsiveness of the French version of the questionnaire Quick Disability of the Arm, Shoulder and Hand in shoulder disorders. <i>Manual Therapy</i> , 2009, 14, 206-212.  | 1.6 | 84        |
| 13722 | The test-retest reliability and concurrent validity of the Subjective Complaints Questionnaire for low back pain. <i>Manual Therapy</i> , 2009, 14, 283-291.  | 1.6 | 12        |
| 13723 | Comparison of visual and ultrasound based techniques to measure head repositioning in healthy and neck-pain subjects. <i>Manual Therapy</i> , 2009, 14, 270-277.  | 1.6 | 69        |
| 13724 | The validity and intra-tester reliability of a clinical measure of humeral head position. <i>Manual Therapy</i> , 2009, 14, 397-403.  | 1.6 | 8         |
| 13725 | Stability and intra-tester reliability of an in vivo measurement of thoracic axial rotation using an innovative methodology. <i>Manual Therapy</i> , 2009, 14, 452-455.   | 1.6 | 22        |
| 13726 | Hand-carried echocardiography for assessment of left ventricular filling and ejection fraction in the surgical intensive care unit. <i>Journal of Critical Care</i> , 2009, 24, 470.e1-470.e7.  | 1.0 | 28        |
| 13727 | Harris-Benedict equation for critically ill patients: Are there differences with indirect calorimetry?. <i>Journal of Critical Care</i> , 2009, 24, 628.e1-628.e5.  | 1.0 | 23        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13728 | Accuracy and ease of use of a novel electronic urine output monitoring device compared with standard manual urinometer in the intensive care unit. <i>Journal of Critical Care</i> , 2009, 24, 629.e13-629.e17.   | 1.0 | 36        |
| 13729 | Effect of Paco2 variation on standard base excess value in critically ill patients. <i>Journal of Critical Care</i> , 2009, 24, 484-491.  | 1.0 | 14        |
| 13730 | EASI-Derived vs standard 12-lead electrocardiogram for Selvester QRS score estimations of chronic myocardial infarct size, using cardiac magnetic resonance imaging as gold standard. <i>Journal of Electrocardiology</i> , 2009, 42, 145-151.                                  | 0.4 | 11        |
| 13731 | Simulation of the QRS complex using papillary muscle positions as the site of early activation in human subjects. <i>Journal of Electrocardiology</i> , 2009, 42, 158-164.  | 0.4 | 6         |
| 13732 | Cardiac Power Output during Dobutamine Stress Test in Horses. <i>Journal of Equine Veterinary Science</i> , 2009, 29, 219-222.  | 0.4 | 3         |
| 13733 | Whole-blood culture is a valid low-cost method to measure monocytic cytokines "A comparison of cytokine production in cultures of human whole-blood, mononuclear cells and monocytes. <i>Journal of Immunological Methods</i> , 2009, 340, 95-101.                              | 0.6 | 131       |
| 13734 | Anti-fixed <i>Leishmania chagasi</i> promastigotes IgG antibodies detected by flow cytometry (FC-AFPA-IgG) as a tool for serodiagnosis and for post-therapeutic cure assessment in American visceral leishmaniasis. <i>Journal of Immunological Methods</i> , 2009, 350, 36-45. | 0.6 | 11        |
| 13735 | Validity of multiplex-based assays for cytokine measurements in serum and plasma from "non-diseased" subjects: Comparison with ELISA. <i>Journal of Immunological Methods</i> , 2009, 350, 125-132.   | 0.6 | 84        |
| 13736 | Dyssynchrony during acute phase determined by real-time three-dimensional echocardiography predicts reverse cardiac remodeling and improved cardiac function after reperfusion therapy. <i>Journal of Cardiology</i> , 2009, 54, 432-440.                                       | 0.8 | 6         |
| 13737 | The iCare rebound tonometer: comparisons with Goldmann tonometry, and influence of central corneal thickness. <i>Clinical and Experimental Ophthalmology</i> , 2009, 37, 687-691.   | 1.3 | 69        |
| 13738 | Anterior chamber volume measurements with Visante optical coherence tomography and Pentacam: repeatability and level of agreement. <i>Clinical and Experimental Ophthalmology</i> , 2009, 37, 772-774.  | 1.3 | 27        |
| 13739 | BayesPI - a new model to study protein-DNA interactions: a case study of condition-specific protein binding parameters for Yeast transcription factors. <i>BMC Bioinformatics</i> , 2009, 10, 345.  | 1.2 | 18        |
| 13740 | Functional claudication distance: a reliable and valid measurement to assess functional limitation in patients with intermittent claudication. <i>BMC Cardiovascular Disorders</i> , 2009, 9, 9.  | 0.7 | 45        |
| 13741 | Visualising disease progression on multiple variables with vector plots and path plots. <i>BMC Medical Research Methodology</i> , 2009, 9, 32.  | 1.4 | 4         |
| 13742 | A multivariate hierarchical Bayesian approach to measuring agreement in repeated measurement method comparison studies. <i>BMC Medical Research Methodology</i> , 2009, 9, 6.   | 1.4 | 14        |
| 13743 | Stratification of the severity of critically ill patients with classification trees. <i>BMC Medical Research Methodology</i> , 2009, 9, 83.   | 1.4 | 32        |
| 13744 | The size of the treatment effect: do patients and proxies agree?. <i>BMC Neurology</i> , 2009, 9, 12.   | 0.8 | 7         |
| 13745 | Significant difference between three observers in the assessment of intraepidermal nerve fiber density in skin biopsy. <i>BMC Neurology</i> , 2009, 9, 13.  | 0.8 | 15        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13746 | The correlation and level of agreement between end-tidal and blood gas pCO <sub>2</sub> in children with respiratory distress: a retrospective analysis. BMC Pediatrics, 2009, 9, 20.                 | 0.7 | 27        |
| 13747 | Evaluation of a portable hemoglobin photometer in pregnant women in a high altitude area: a pilot study. BMC Public Health, 2009, 9, 228.   | 1.2 | 29        |
| 13748 | Low bone mineral density is related to atherosclerosis in postmenopausal Moroccan women. BMC Public Health, 2009, 9, 388.   | 1.2 | 51        |
| 13749 | Hand-held dynamometry in patients with haematological malignancies: Measurement error in the clinical assessment of knee extension strength. BMC Musculoskeletal Disorders, 2009, 10, 31.             | 0.8 | 54        |
| 13750 | The effect of warm-up, static stretching and dynamic stretching on hamstring flexibility in previously injured subjects. BMC Musculoskeletal Disorders, 2009, 10, 37.                                 | 0.8 | 124       |
| 13751 | Electric toothbrush application is a reliable and valid test for differentiating temporomandibular disorders pain patients from controls. BMC Musculoskeletal Disorders, 2009, 10, 94.                | 0.8 | 7         |
| 13752 | Evaluation of the hypo-osmotic swelling test in relation with advanced methods of semen analysis. Andrologia, 2009, 24, 213-217.  | 1.0 | 22        |
| 13753 | Comparison between cell motion analyser, autosperm, and conventional semen analysis. Andrologia, 1993, 25, 345-350.   | 1.0 | 3         |
| 13754 | Development of an objective, semiautomated method for assessment of sperm motility. Andrologia, 2009, 27, 115-119.  | 1.0 | 5         |
| 13755 | Measurement of body composition in 8-10-year-old African-American girls: A comparison of dual-energy X-ray absorptiometry and foot-to-foot bioimpedance methods. Pediatric Obesity, 2009, 4, 389-396. | 3.2 | 22        |
| 13756 | A Hand-Held Indentation System for the Assessment of Mechanical Properties of Soft Tissues <i>In Vivo</i> . IEEE Transactions on Instrumentation and Measurement, 2009, 58, 3079-3085.                | 2.4 | 36        |
| 13757 | Support Vector Machines for Automated Recognition of Obstructive Sleep Apnea Syndrome From ECG Recordings. IEEE Transactions on Information Technology in Biomedicine, 2009, 13, 37-48.               | 3.6 | 299       |
| 13758 | Computer-Assisted Venous Thrombosis Volume Quantification. IEEE Transactions on Information Technology in Biomedicine, 2009, 13, 174-183.   | 3.6 | 1         |
| 13759 | Cardiac Motion Recovery via Active Trajectory Field Models. IEEE Transactions on Information Technology in Biomedicine, 2009, 13, 226-235.  | 3.6 | 11        |
| 13760 | Using the Model-Based Residual Bootstrap to Quantify Uncertainty in Fiber Orientations From $\mu$ -Ball Analysis. IEEE Transactions on Medical Imaging, 2009, 28, 535-550.                            | 5.4 | 42        |
| 13761 | An Image Based Auto-Focusing Algorithm for Digital Fundus Photography. IEEE Transactions on Medical Imaging, 2009, 28, 1703-1707.   | 5.4 | 31        |
| 13762 | Low-Oxygen-Saturation Quantification in Human Arterial and Venous Circulation. IEEE Transactions on Biomedical Engineering, 2009, 56, 846-854.  | 2.5 | 8         |
| 13763 | Accuracy of Ultrasound Measurements for Skull Bone Thickness Using Coded Signals. IEEE Transactions on Biomedical Engineering, 2009, 56, 733-740.   | 2.5 | 23        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13764 | Segmentation of Lung Lobes in High-Resolution Isotropic CT Images. <i>IEEE Transactions on Biomedical Engineering</i> , 2009, 56, 1383-1393.   | 2.5 | 56        |
| 13765 | Inter-laboratory and inter-assay comparison on two real-time PCR techniques for quantification of PCV2 nucleic acid extracted from field samples. <i>Veterinary Microbiology</i> , 2009, 133, 172-178.   | 0.8 | 39        |
| 13766 | Effect of burn-out temperature on magnetic keepers in cast noble metal alloy posts. <i>Journal of Prosthetic Dentistry</i> , 2009, 101, 66-72.   | 1.1 | 1         |
| 13767 | A simple method to transfer the selected path of insertion of a removable partial denture intraorally. <i>Journal of Prosthetic Dentistry</i> , 2009, 101, 73-74.  | 1.1 | 1         |
| 13769 | Repeatability, reproducibility and intersession variability of the Allergan Humphrey ultrasonic biometer. <i>Acta Ophthalmologica</i> , 1992, 70, 327-334.   | 0.6 | 18        |
| 13770 | Tonometry in the general practice setting (I). <i>Acta Ophthalmologica</i> , 1993, 71, 103-108.  | 0.6 | 19        |
| 13771 | A study of the axis of orientation of residual astigmatism. <i>Acta Ophthalmologica</i> , 1994, 72, 483-489.   | 0.6 | 35        |
| 13772 | Clinical comparison of the XPERT <sup>TM</sup> non-contact tonometer and the conventional Goldmann applanation tonometer. <i>Acta Ophthalmologica</i> , 1995, 73, 176-180.   | 0.4 | 30        |
| 13773 | Variations in serum ferritin, serum iron, total iron binding capacity and saturation index in elderly hospitalized patients with iron deficiency anaemia after blood transfusion. <i>European Journal of Haematology</i> , 1998, 60, 70-72.                    | 1.1 | 1         |
| 13774 | Poor correlations between measurements of bone quality by quantitative ultrasound sonography and dual energy X-ray absorptiometry in patients with $\beta^2$ -thalassaemia major. <i>European Journal of Haematology</i> , 2009, 82, 15-21.                    | 1.1 | 10        |
| 13775 | Feasibility and reliability of body composition measurements in adults with severe intellectual and sensory disabilities. <i>Journal of Intellectual Disability Research</i> , 2009, 53, 377-388.  | 1.2 | 20        |
| 13776 | Bhutan-based nomograms for the prediction of significant hyperbilirubinaemia using transcutaneous measurements of bilirubin. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2009, 98, 1902-1908.  | 0.7 | 26        |
| 13777 | Transcutaneous bilirubinometry reduces the need for blood sampling in neonates with visible jaundice. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2009, 98, 1916-1919.   | 0.7 | 36        |
| 13778 | Validity of BMI based on self-reported weight and height in adolescents. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2010, 99, 83-88.  | 0.7 | 73        |
| 13779 | Validity and reliability of a Swedish version of the Non-Communicating Children's Pain Checklist – Postoperative Version. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2010, 99, 929-933.   | 0.7 | 13        |
| 13780 | NON-IMMUNE F <sub>2</sub> -AND Fc-MEDIATED INTERACTIONS OF MAMMALIAN IMMUNOGLOBULINS WITH <i>S. AUREUS</i> AND GROUP C AND G STREPTOCOCCI. <i>Acta Pathologica, Microbiologica, Et Immunologica Scandinavica Section B, Microbiology</i> , 1986, 94B, 377-385. | 0.1 | 9         |
| 13781 | Body composition in the elderly: Reference values and bioelectrical impedance spectroscopy to predict total body skeletal muscle mass. <i>Clinical Nutrition</i> , 2009, 28, 52-58.  | 2.3 | 75        |
| 13782 | Assesment of resting energy expenditure of obese patients: Comparison of indirect calorimetry with formulae. <i>Clinical Nutrition</i> , 2009, 28, 299-304.  | 2.3 | 59        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13783 | Resting energy expenditure in non-ventilated, non-sedated patients recovering from serious traumatic brain injury: Comparison of prediction equations with indirect calorimetry values. <i>Clinical Nutrition</i> , 2009, 28, 526-532.  | 2.3 | 27        |
| 13784 | Total body water changes after an exercise intervention tracked using bioimpedance spectroscopy: A deuterium oxide comparison. <i>Clinical Nutrition</i> , 2009, 28, 516-525.   | 2.3 | 43        |
| 13785 | Impact of disease activity on resting energy expenditure in children with inflammatory bowel disease. <i>Clinical Nutrition</i> , 2009, 28, 652-656.  | 2.3 | 28        |
| 13786 | Semi-automated evaluation tool for retinal vasculopathy. <i>Computer Methods and Programs in Biomedicine</i> , 2009, 95, 288-299.   | 2.6 | 9         |
| 13787 | Skin bilirubin measurement during phototherapy in preterm and term newborn infants. <i>Early Human Development</i> , 2009, 85, 537-540.   | 0.8 | 44        |
| 13788 | Weighted road density: A simple way of assigning traffic-related air pollution exposure. <i>Atmospheric Environment</i> , 2009, 43, 5009-5014.  | 1.9 | 60        |
| 13789 | Introduction of a continual RIII reflex threshold tracking algorithm. <i>Brain Research</i> , 2009, 1260, 24-29.  | 1.1 | 35        |
| 13790 | Ischemic lesion volume determination on diffusion weighted images vs. apparent diffusion coefficient maps. <i>Brain Research</i> , 2009, 1279, 182-188.   | 1.1 | 22        |
| 13791 | Mammographic density estimation: Comparison among BI-RADS categories, a semi-automated software and a fully automated one. <i>Breast</i> , 2009, 18, 35-40.   | 0.9 | 83        |
| 13792 | Intervillous and uteroplacental circulation in normal early pregnancy and early pregnancy loss assessed by 3-dimensional power Doppler angiography. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 200, 315.e1-315.e8.  | 0.7 | 58        |
| 13793 | First-trimester maternal plasma cell-free fetal DNA and preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 201, 472.e1-472.e7.  | 0.7 | 68        |
| 13794 | A novel method for collecting vaginal pool for fetal lung maturity studies. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 201, 408.e1-408.e4.  | 0.7 | 5         |
| 13795 | Differential Recovery of Regional Atrial Contraction After Restoration of Sinus Rhythm After Intraoperative Linear Radiofrequency Ablation for Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2009, 103, 528-534.   | 0.7 | 32        |
| 13796 | Noninvasive Estimation of Pulmonary Vascular Resistance by Doppler Echocardiography in Patients With Pulmonary Arterial Hypertension. <i>American Journal of Cardiology</i> , 2009, 103, 872-876.   | 0.7 | 59        |
| 13797 | Role of Multislice Computed Tomography in Transcatheter Aortic Valve Replacement. <i>American Journal of Cardiology</i> , 2009, 103, 1295-1301.   | 0.7 | 172       |
| 13798 | Comparison of Feasibility and Diagnostic Accuracy of 64-Slice Multidetector Computed Tomographic Coronary Angiography Versus Invasive Coronary Angiography Versus Intravascular Ultrasound for Evaluation of In-Stent Restenosis. <i>American Journal of Cardiology</i> , 2009, 103, 1349-1358. | 0.7 | 45        |
| 13799 | Comparison of Accuracy of Axial Slices Versus Short-Axis Slices for Measuring Ventricular Volumes by Cardiac Magnetic Resonance in Patients With Corrected Tetralogy of Fallot. <i>American Journal of Cardiology</i> , 2009, 103, 1764-1769.   | 0.7 | 94        |
| 13800 | Persistent Tricuspid Regurgitation and Its Predictor in Adults After Percutaneous and Isolated Surgical Closure of Secundum Atrial Septal Defect. <i>American Journal of Cardiology</i> , 2009, 104, 856-861.   | 0.7 | 29        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13801 | Findings from Left Ventricular Strain and Strain Rate Imaging in Asymptomatic Patients With Type 2 Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2009, 104, 1398-1401.   | 0.7 | 261       |
| 13802 | Comparison of Dual-Source Computed Tomography for the Quantification of the Aortic Valve Area in Patients With Aortic Stenosis Versus Transthoracic Echocardiography and Invasive Hemodynamic Assessment. <i>American Journal of Cardiology</i> , 2009, 104, 1561-1567. | 0.7 | 23        |
| 13803 | Magnetic Resonance Imaging Versus Computed Tomography for Characterization of Pulmonary Vein Morphology Before Radiofrequency Catheter Ablation of Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2009, 104, 1540-1546.                                   | 0.7 | 50        |
| 13804 | Accounting for measurement error: A critical but often overlooked process. <i>Archives of Oral Biology</i> , 2009, 54, S107-S117.   | 0.8 | 151       |
| 13805 | Multiple crown size variables of the upper incisors in patients with supernumerary teeth compared with controls. <i>Archives of Oral Biology</i> , 2009, 54, S71-S78.   | 0.8 | 14        |
| 13806 | Comparison of the Model-Based and Marker-Based Roentgen Stereophotogrammetry Methods in a Typical Clinical Setting. <i>Journal of Arthroplasty</i> , 2009, 24, 594-606.   | 1.5 | 43        |
| 13807 | Inter- and intrarater reliability of the Waterlow pressure sore risk scale: A systematic review. <i>International Journal of Nursing Studies</i> , 2009, 46, 369-379.   | 2.5 | 34        |
| 13808 | The magnification of digital radiographs in the trauma patient: Implications for templating. <i>Injury</i> , 2009, 40, 173-176.   | 0.7 | 13        |
| 13809 | Assessing Validity and Reliability of Resting Metabolic Rate in Six Gas Analysis Systems. <i>Journal of the American Dietetic Association</i> , 2009, 109, 128-132.   | 1.3 | 185       |
| 13810 | Validity and Calibration of Food Frequency Questionnaires Used with African-American Adults in the Jackson Heart Study. <i>Journal of the American Dietetic Association</i> , 2009, 109, 1184-1193.e2.  | 1.3 | 108       |
| 13811 | N-Nitroso Compounds: Assessing Agreement between Food Frequency Questionnaires and 7-Day Food Records. <i>Journal of the American Dietetic Association</i> , 2009, 109, 1179-1183.  | 1.3 | 12        |
| 13812 | Development of a Hand-Held Personal Digital Assistant-Based Food Diary with Food Photographs for Japanese Subjects. <i>Journal of the American Dietetic Association</i> , 2009, 109, 1232-1236.   | 1.3 | 36        |
| 13813 | Monitoring Energy Intake: A Hand-Held Personal Digital Assistant Provides Accuracy Comparable to Written Records. <i>Journal of the American Dietetic Association</i> , 2009, 109, 1241-1245.   | 1.3 | 29        |
| 13814 | Validation of a Semi-Quantitative Food Frequency Questionnaire Measuring Dietary Vitamin K Intake in Elderly People. <i>Journal of the American Dietetic Association</i> , 2009, 109, 1251-1255.  | 1.3 | 24        |
| 13815 | Evidence-Based Guidelines for Prevention of Perioperative Hypothermia. <i>Journal of the American College of Surgeons</i> , 2009, 209, 492-503.e1.  | 0.2 | 138       |
| 13816 | Preliminary observations using optical coherence tomography to assess neointimal coverage of a metal stent in a porcine model. <i>Cardiovascular Revascularization Medicine</i> , 2009, 10, 229-235.  | 0.3 | 4         |
| 13817 | Investigation of posterior corneal curvature in CL-induced corneal swelling. <i>Contact Lens and Anterior Eye</i> , 2009, 32, 288-293.  | 0.8 | 13        |
| 13818 | The characterization of small hypoattenuating renal masses on contrast-enhanced CT. <i>Clinical Imaging</i> , 2009, 33, 295-300.  | 0.8 | 20        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13819 | Aortic Pulsatile Distention in Young Healthy Volunteers is Asymmetric: Analysis with ECG-gated MRI. <i>European Journal of Vascular and Endovascular Surgery</i> , 2009, 37, 168-174.  | 0.8 | 36        |
| 13820 | Oversizing of Aortic Stent Grafts for Abdominal Aneurysm Repair: A Systematic Review of the Benefits and Risks. <i>European Journal of Vascular and Endovascular Surgery</i> , 2009, 38, 42-53.  | 0.8 | 113       |
| 13821 | Distensibility of Forearm Veins in Haemodialysis Patients on Duplex Ultrasound Testing Using Three Provocation Methods. <i>European Journal of Vascular and Endovascular Surgery</i> , 2009, 38, 375-380.                                  | 0.8 | 19        |
| 13822 | Comparison of Ankleâ€“Brachial Index Measured by an Automated Oscillometric Apparatus with that by Standard Doppler Technique in Vascular Patients. <i>European Journal of Vascular and Endovascular Surgery</i> , 2009, 38, 610-615.      | 0.8 | 42        |
| 13823 | Three-Dimensional Imaging Core Laboratory of the Endovascular Aneurysm Repair Trials: Validation of Methodology. <i>European Journal of Vascular and Endovascular Surgery</i> , 2009, 38, 724-731.   | 0.8 | 23        |
| 13824 | Effect of chorioamnionitis on brain development and injury in premature newborns. <i>Annals of Neurology</i> , 2009, 66, 155-164.  | 2.8 | 156       |
| 13825 | Pulmonary venous wedge pressure provides a safe and accurate estimate of pulmonary arterial pressure in children with shuntâ€“dependent pulmonary blood flow. <i>Catheterization and Cardiovascular Interventions</i> , 2009, 74, 747-752. | 0.7 | 3         |
| 13826 | Fully automatic threeâ€“dimensional quantitative analysis of intracoronary optical coherence tomography. <i>Catheterization and Cardiovascular Interventions</i> , 2009, 74, 1058-1065.  | 0.7 | 47        |
| 13827 | Cortical and subcortical correlates of functional electrical stimulation of wrist extensor and flexor muscles revealed by fMRI. <i>Human Brain Mapping</i> , 2009, 30, 963-975.  | 1.9 | 74        |
| 13828 | Assessing and minimizing the effects of noise and motion in clinical DTI at 3 T. <i>Human Brain Mapping</i> , 2009, 30, 2641-2655.   | 1.9 | 44        |
| 13829 | Equivalence of two healthcare costing methods: bottomâ€“up and topâ€“down. <i>Health Economics (United Kingdom)</i> , 2010, 24, 191-200.   | 0.8 | 191       |
| 13830 | Shedding new light onto the ceiling and floor? A quantile regression approach to compare EQâ€“5D and SFâ€“6D responses. <i>Health Economics (United Kingdom)</i> , 2010, 19, 683-696.  | 0.8 | 31        |
| 13831 | Visual rating of the hippocampus in nonâ€“demented elders: Does it measure hippocampal atrophy or other indices of brain atrophy? The SMARTâ€“MR study. <i>Hippocampus</i> , 2009, 19, 1115-1122.  | 0.9 | 15        |
| 13832 | MR determination of glomerular filtration rate in subjects with solitary kidneys in comparison to clinical standards of renal function: feasibility and preliminary report. <i>Contrast Media and Molecular Imaging</i> , 2009, 4, 51-65.  | 0.4 | 10        |
| 13833 | CD4 and CD8 enumeration for HIV monitoring in resourceâ€“constrained settings. <i>Cytometry Part B - Clinical Cytometry</i> , 2009, 76B, 118-126.  | 0.7 | 10        |
| 13834 | Absolute CD4<sup>+</sup> cell count using a plastic microchip and a microscopic cell counter. <i>Cytometry Part B - Clinical Cytometry</i> , 2009, 76B, 345-353.   | 0.7 | 9         |
| 13835 | Clinical evaluation of a simple image cytometer for CD4 enumeration on HIVâ€“infected patients. <i>Cytometry Part B - Clinical Cytometry</i> , 2010, 78B, 31-36.   | 0.7 | 7         |
| 13836 | Evaluation of a dry format reagent alternative for CD4 Tâ€“cell enumeration for the FACSCount system: A report on a Moroccanâ€“Canadian study. <i>Cytometry Part B - Clinical Cytometry</i> , 2010, 78B, 188-193.                          | 0.7 | 7         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13837 | Measurement errors related to contact angle analysis of hydrogel and silicone hydrogel contact lenses. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2009, 91B, 662-668.                             | 1.6 | 39        |
| 13838 | A multicenter comparison of dual-energy X-ray absorptiometers: In vivo and in vitro measurements of bone mineral content and density. <i>Journal of Bone and Mineral Research</i> , 1996, 11, 275-285.                                 | 3.1 | 17        |
| 13839 | Total body calcium and bone mineral content: Comparison of dual-energy X-ray absorptiometry with neutron activation analysis. <i>Journal of Bone and Mineral Research</i> , 1996, 11, 843-848.   | 3.1 | 57        |
| 13840 | Strain-encoded (SENC) magnetic resonance imaging to evaluate regional heterogeneity of myocardial strain in healthy volunteers: Comparison with conventional tagging. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 99-105. | 1.9 | 71        |
| 13841 | Contrast agent dose effects in cerebral dynamic susceptibility contrast magnetic resonance perfusion imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 52-64.  | 1.9 | 20        |
| 13842 | Sodium mapping in focal cerebral ischemia in the rat by quantitative <sup>23</sup> Na MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 962-966.   | 1.9 | 19        |
| 13843 | Interleaved T <sub>1</sub> and T <sub>2</sub> relaxation time mapping for cardiac applications. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 480-487.  | 1.9 | 71        |
| 13844 | Coronary anomalies assessed by whole-heart isotropic 3D magnetic resonance imaging for cardiac morphology in congenital heart disease. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 320-327.                               | 1.9 | 50        |
| 13845 | Normal biventricular function, volumes, and mass in children aged 8 to 17 years. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 552-559.   | 1.9 | 103       |
| 13846 | Strain-encoded MRI to evaluate normal left ventricular function and timing of contraction at 3.0 Tesla. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 799-808.  | 1.9 | 19        |
| 13847 | MRI-based thermal dosimetry and diffusion-weighted imaging of MRI-guided focused ultrasound thermal ablation of uterine fibroids. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 404-411.                                    | 1.9 | 39        |
| 13848 | Agreement between methods of measurement of mean aortic wall thickness by MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 576-582.   | 1.9 | 24        |
| 13849 | Accelerated phase-contrast MR imaging: Comparison of k <sub>1</sub> BLAST with SENSE and doppler ultrasound for velocity and flow measurements in the aorta. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 817-824.         | 1.9 | 19        |
| 13850 | Magnetic resonance imaging and three-dimensional ultrasound of carotid atherosclerosis: Mapping regional differences. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 901-908.  | 1.9 | 18        |
| 13851 | Quantitative contrast-enhanced perfusion measurements of the human lung using the prebolus approach. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 104-111.   | 1.9 | 20        |
| 13852 | Reproducibility of 3.0 Tesla magnetic resonance spectroscopy for measuring hepatic fat content. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 444-448.  | 1.9 | 66        |
| 13853 | Comparison of methods to assess quadriceps muscle volume using magnetic resonance imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 1116-1123.   | 1.9 | 57        |
| 13854 | High resolution fast T1 mapping technique for dGEMRIC. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 896-900.   | 1.9 | 31        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13855 | Validation and reproducibility of aortic pulse wave velocity as assessed with velocity-encoded MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 521-526.  | 1.9 | 181       |
| 13856 | Multicontrast late gadolinium enhancement imaging enables viability and wall motion assessment in a single acquisition with reduced scan times. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 771-777.  | 1.9 | 24        |
| 13857 | Cross-validation of magnetic resonance elastography and ultrasound-based transient elastography: A preliminary phantom study. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 1145-1150.  | 1.9 | 67        |
| 13858 | Utility of phase contrast MR imaging for assessment of pulmonary flow and pressure estimation in patients with pulmonary hypertension: Comparison with right heart catheterization and echocardiography. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 973-980. | 1.9 | 58        |
| 13859 | Impact of papillary and trabecular muscles on quantitative analyses of cardiac function in hypertrophic cardiomyopathy. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 1197-1202.  | 1.9 | 20        |
| 13860 | A strategy for the prior processing of high-resolution mass spectral data obtained from high-dimensional combined fractional diagonal chromatography. <i>Journal of Mass Spectrometry</i> , 2009, 44, 516-529.   | 0.7 | 10        |
| 13861 | Validation of a new method for determination of cup orientation in THA. <i>Journal of Orthopaedic Research</i> , 2009, 27, 1583-1588.  | 1.2 | 26        |
| 13862 | Daily energy expenditure, physical activity, and weight loss in Parkinson's disease patients. <i>Movement Disorders</i> , 2009, 24, 667-671.   | 2.2 | 56        |
| 13863 | Evaluation of a computer-adaptive test for the assessment of depression (D-CAT) in clinical application. <i>International Journal of Methods in Psychiatric Research</i> , 2009, 18, 23-36.  | 1.1 | 43        |
| 13864 | 3D blood flow characteristics in the carotid artery bifurcation assessed by flow-sensitive 4D MRI at 3T. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 65-74.  | 1.9 | 123       |
| 13865 | Intra-thoracic blood volume measurement by contrast magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 344-353.   | 1.9 | 15        |
| 13866 | Perfusion precision in bolus-tracking MRI: Estimation using the wild-bootstrap method. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 696-704.  | 1.9 | 12        |
| 13867 | Interaction of gadolinium-based MR contrast agents with choline: Implications for MR spectroscopy (MRS) of the breast. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 1286-1292.  | 1.9 | 42        |
| 13868 | Reproducibility assessment of metabolic variables characterizing muscle energetics in Vivo: A <sup>31</sup> P-MRS study. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 840-854.  | 1.9 | 63        |
| 13869 | Assessment of intervertebral disc degeneration with magnetic resonance single-voxel spectroscopy. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 1140-1146.   | 1.9 | 34        |
| 13870 | Robust quantification of contrast agent (CA) concentration with magnetic field correlation (MFC) imaging. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 1002-1006.   | 1.9 | 4         |
| 13871 | Aerobic capacity in patients with rheumatoid arthritis: A comparison of two submaximal test methods. <i>Musculoskeletal Care</i> , 2009, 7, 288-299.   | 0.6 | 1         |
| 13872 | The deep breathing test: Median-based expiration-inspiration difference is the measure of choice. <i>Muscle and Nerve</i> , 2009, 39, 536-544.   | 1.0 | 17        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13873 | Influence of intrinsic noise generated by a thermotesting device on thermal sensory detection and thermal pain detection thresholds. <i>Muscle and Nerve</i> , 2009, 40, 257-263.   | 1.0 | 2         |
| 13874 | Nasal congestion index: A measure for nasal obstruction. <i>Laryngoscope</i> , 2009, 119, 1628-1632.  | 1.1 | 22        |
| 13875 | Techniques of cardiac output measurement during liver transplantation: Arterial pulse wave versus thermodilution. <i>Liver Transplantation</i> , 2009, 15, 287-291.   | 1.3 | 37        |
| 13876 | Quantification of liver perfusion by dynamic magnetic resonance imaging: Experimental evaluation and clinical pilot study. <i>Liver Transplantation</i> , 2009, 15, 693-700.  | 1.3 | 10        |
| 13877 | Evaluation of the accuracy and reliability of two 3-dimensional sonography methods in volume measurement of small structures: An in vitro phantom study. <i>Journal of Clinical Ultrasound</i> , 2009, 37, 82-88.   | 0.4 | 15        |
| 13878 | Association of atherosclerotic risk factors with carotid adventitial thickness assessed by ultrasonography. <i>Journal of Clinical Ultrasound</i> , 2009, 37, 333-341.  | 0.4 | 10        |
| 13879 | Diagnostic accuracy of a simple ultrasound measurement to estimate central venous pressure in spontaneously breathing, critically ill patients. <i>Journal of Hospital Medicine</i> , 2009, 4, 350-355.   | 0.7 | 39        |
| 13880 | Validation of whole-body against conventional magnetic resonance imaging for scoring acute inflammatory lesions in the sacroiliac joints of patients with spondylarthritis. <i>Arthritis and Rheumatism</i> , 2009, 61, 893-899.                            | 6.7 | 50        |
| 13881 | Noninvasive imaging techniques in the assessment of scleroderma spectrum disorders. <i>Arthritis and Rheumatism</i> , 2009, 61, 1103-1111.  | 6.7 | 106       |
| 13882 | Do mothers and fathers hold similar views about their child's arthritis?. <i>Arthritis and Rheumatism</i> , 2009, 61, 1712-1718.  | 6.7 | 16        |
| 13883 | The external quality assurance of phylloquinone (vitamin K <sub>1</sub> ) analysis in human serum. <i>Biomedical Chromatography</i> , 2009, 23, 1276-1282.  | 0.8 | 38        |
| 13884 | Anatomic consideration of caudal epidural space: A cadaver study. <i>Clinical Anatomy</i> , 2009, 22, 730-737.  | 1.5 | 50        |
| 13885 | Arabic validation of the Urogenital Distress Inventory and Adapted Incontinence Impact Questionnaires' short forms. <i>Neurourology and Urodynamics</i> , 2009, 28, 33-39.  | 0.8 | 33        |
| 13886 | Reproducibility of <sup>31</sup> P cardiac magnetic resonance spectroscopy at 3%T. <i>NMR in Biomedicine</i> , 2009, 22, 405-413.   | 1.6 | 49        |
| 13887 | Repeatability of a dual gradient-recalled echo MRI method for monitoring post-isometric contraction blood volume and oxygenation changes. <i>NMR in Biomedicine</i> , 2009, 22, 753-761.  | 1.6 | 10        |
| 13888 | Repeatability intraexaminer and agreement in amplitude of accommodation measurements. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2009, 247, 121-127.   | 1.0 | 44        |
| 13889 | Improved reproducibility of retinal nerve fiber layer thickness measurements with the repeat-scan protocol using the Stratus OCT in normal and glaucomatous eyes. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2009, 247, 245-252. | 1.0 | 20        |
| 13890 | Agreement between optical coherence tomography and digital stereophotography in vertical cup-to-disc ratio measurement. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2009, 247, 377-383.   | 1.0 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13891 | Comparison of central corneal thickness and anterior chamber depth measurements using three imaging technologies in normal eyes and after phakic intraocular lens implantation. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2009, 247, 1139-1146. | 1.0 | 50        |
| 13892 | Reliability of the nociceptive flexor reflex (RfII) threshold and association with Pain threshold. <i>European Journal of Applied Physiology</i> , 2009, 105, 55-62.  | 1.2 | 38        |
| 13893 | Estimating body fat in NCAA Division I female athletes: a five-compartment model validation of laboratory methods. <i>European Journal of Applied Physiology</i> , 2009, 105, 119-130.  | 1.2 | 83        |
| 13894 | Determination of the maximal fat oxidation point in obese children and adolescents: validity of methods to assess maximal aerobic power. <i>European Journal of Applied Physiology</i> , 2009, 105, 325-331.  | 1.2 | 28        |
| 13895 | Regulating intensity using perceived exertion: effect of exercise duration. <i>European Journal of Applied Physiology</i> , 2009, 105, 445-451.   | 1.2 | 21        |
| 13896 | Accuracy, reliability, linearity of Accutrend and Lactate Pro versus EBIO plus analyzer. <i>European Journal of Applied Physiology</i> , 2009, 107, 105-111.  | 1.2 | 124       |
| 13897 | Sumatriptan does not change calcitonin gene-related peptide in the cephalic and extracephalic circulation in healthy volunteers. <i>Journal of Headache and Pain</i> , 2009, 10, 85-91.   | 2.5 | 12        |
| 13898 | Importance of sociodemographic and morbidity aspects in measuring health-related quality of life: performances of three tools. <i>European Journal of Health Economics</i> , 2009, 10, 389-397.   | 1.4 | 45        |
| 13899 | Computer Vision Approach for Ultrasound Doppler Angle Estimation. <i>Journal of Digital Imaging</i> , 2009, 22, 681-688.  | 1.6 | 14        |
| 13900 | 3D T1-mapping for the characterization of deep vein thrombosis. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2009, 22, 375-383.  | 1.1 | 24        |
| 13901 | Agreement between youth-reported and parent-reported psychopathology in a referred sample. <i>European Child and Adolescent Psychiatry</i> , 2009, 18, 136-143.   | 2.8 | 130       |
| 13902 | Is the Alifax Test-1TH useful to determine the Disease Activity Score (DAS28) in rheumatoid arthritis patients?. <i>Clinical Rheumatology</i> , 2009, 28, 469-474.  | 1.0 | 2         |
| 13903 | Interobserver reliability and intraobserver reproducibility of powers ratio for assessment of atlanto-occipital junction: comparison of plain radiography and computed tomography. <i>European Spine Journal</i> , 2009, 18, 577-582.                                       | 1.0 | 12        |
| 13904 | What is an acceptable outcome of treatment before it begins? Methodological considerations and implications for patients with chronic low back pain. <i>European Spine Journal</i> , 2009, 18, 1858-1866.   | 1.0 | 22        |
| 13906 | Predicting Aspiration After Hemispheric Stroke from Timing Measures of Oropharyngeal Bolus Flow and Laryngeal Closure. <i>Dysphagia</i> , 2009, 24, 257-264.  | 1.0 | 74        |
| 13907 | Validation of creatinine assays utilizing HPLC and IDMS traceable standards in sera of children. <i>Pediatric Nephrology</i> , 2009, 24, 113-119.   | 0.9 | 41        |
| 13908 | Measuring glomerular filtration rate in children; can cystatin C replace established methods? A review. <i>Pediatric Nephrology</i> , 2009, 24, 929-941.  | 0.9 | 96        |
| 13909 | Reliability of renal ultrasound measurements in children. <i>Pediatric Nephrology</i> , 2009, 24, 1345-1353.  | 0.9 | 31        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13910 | Simulating inadequate dialysis and its correction using an individualized patient-derived nomogram. <i>Pediatric Nephrology</i> , 2009, 24, 2429-2438.   | 0.9 | 2         |
| 13911 | Transcutaneous oxygen saturation monitoring in patients with peripheral vascular disease. <i>Journal of Biomedical Engineering</i> , 2009, 37, 164-175.  | 0.7 | 29        |
| 13912 | Effects of corneal thickness on intraocular pressure measured with three different tonometers. <i>Japanese Journal of Ophthalmology</i> , 2009, 53, 1-6.   | 0.9 | 16        |
| 13913 | The Relation Between Oxygen Consumption and the Equilibrated Inspired Oxygen Fraction in an Anesthetic Circle Breathing System: A Mathematic Formulation & Laboratory Simulations. <i>Annals of Biomedical Engineering</i> , 2009, 37, 246-254.                      | 1.3 | 0         |
| 13914 | Noncontact Evaluation of Articular Cartilage Degeneration Using a Novel Ultrasound Water Jet Indentation System. <i>Annals of Biomedical Engineering</i> , 2009, 37, 164-175.  | 1.3 | 26        |
| 13915 | Real-Time Finite Element Monitoring of Sub-Dermal Tissue Stresses in Individuals with Spinal Cord Injury: Toward Prevention of Pressure Ulcers. <i>Annals of Biomedical Engineering</i> , 2009, 37, 387-400.   | 1.3 | 68        |
| 13916 | Continuous Left Ventricular Ejection Fraction Monitoring by Aortic Pressure Waveform Analysis. <i>Annals of Biomedical Engineering</i> , 2009, 37, 1055-1068.  | 1.3 | 13        |
| 13917 | Multicentric investigation of ionising radiation-induced cell death as a predictive parameter of individual radiosensitivity. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2009, 14, 226-235.   | 2.2 | 19        |
| 13918 | Rheumatoid cachexia, central obesity and malnutrition in patients with low-active rheumatoid arthritis: feasibility of anthropometry, Mini Nutritional Assessment and body composition techniques. <i>European Journal of Nutrition</i> , 2009, 48, 315-322.         | 1.8 | 111       |
| 13919 | Acetabular component orientation in intra- and postoperative positions in total hip arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2009, 129, 1151-1156.  | 1.3 | 33        |
| 13920 | Gestational sac volume by 3D-sonography at 7-10 weeks of pregnancy using the VOCAL method. <i>Archives of Gynecology and Obstetrics</i> , 2009, 279, 821-827.  | 0.8 | 10        |
| 13921 | The value of skin biopsy with recording of intraepidermal nerve fiber density and quantitative sensory testing in the assessment of small fiber involvement in patients with different causes of polyneuropathy. <i>Journal of Neurology</i> , 2009, 256, 1067-1075. | 1.8 | 81        |
| 13922 | Employing topographical height map in colonic polyp measurement and false positive reduction. <i>Pattern Recognition</i> , 2009, 42, 1029-1040.  | 5.1 | 38        |
| 13923 | Comparison of different techniques to measure air leaks during CPAP treatment in neonates. <i>Medical Engineering and Physics</i> , 2009, 31, 124-130.   | 0.8 | 26        |
| 13924 | Continuous infusion thermodilution for assessment of coronary flow: Theoretical background and in vitro validation. <i>Medical Engineering and Physics</i> , 2009, 31, 688-694.  | 0.8 | 42        |
| 13925 | Extrinsic multiecho phase-contrast SSFP: evaluation on cardiac output measurements. <i>Magnetic Resonance Imaging</i> , 2009, 27, 385-392.   | 1.0 | 2         |
| 13926 | Reproducibility of myelin water fraction analysis: a comparison of region of interest and voxel-based analysis methods. <i>Magnetic Resonance Imaging</i> , 2009, 27, 1096-1103.   | 1.0 | 63        |
| 13927 | Dental age assessment (DAA): Reference data for British caucasians at the 16 year threshold. <i>Forensic Science International</i> , 2009, 189, 19-23.   | 1.3 | 44        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13928 | Implementation and validation of an implant-based coordinate system for RSA migration calculation. <i>Journal of Biomechanics</i> , 2009, 42, 2387-2393.  | 0.9 | 12        |
| 13929 | Validation and performance comparison of two carbon isotope ratio methods to control the misuse of androgens in humans. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 2321-2329. | 1.2 | 35        |
| 13930 | Review of statistical methodologies used to compare (bio)assays. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 2208-2213.  | 1.2 | 12        |
| 13931 | Single frequency versus bioimpedance spectroscopy for the assessment of lymphedema. <i>Breast Cancer Research and Treatment</i> , 2009, 117, 177-182.   | 1.1 | 59        |
| 13932 | Three-dimensional scapulothoracic motion following treatment for breast cancer. <i>Breast Cancer Research and Treatment</i> , 2009, 118, 315-322.   | 1.1 | 86        |
| 13933 | Reproducibility of volumetric intravascular ultrasound radiofrequency-based analysis of coronary plaque composition in vivo. <i>International Journal of Cardiovascular Imaging</i> , 2009, 25, 13-23.  | 0.7 | 34        |
| 13934 | Left ventricular long-axis function in treated haemochromatosis. <i>International Journal of Cardiovascular Imaging</i> , 2009, 25, 237-247.  | 0.7 | 7         |
| 13935 | A minimally invasive method for induction of myocardial infarction in an animal model using tungsten spirals. <i>International Journal of Cardiovascular Imaging</i> , 2009, 25, 529-535.   | 0.7 | 9         |
| 13936 | Evaluation and simplified measurement of infarct size by myocardial contrast echocardiography in a rat model of myocardial infarction. <i>International Journal of Cardiovascular Imaging</i> , 2009, 25, 713-716.                              | 0.7 | 9         |
| 13937 | High resolution magnetic resonance imaging in atherosclerotic mice treated with ezetimibe. <i>International Journal of Cardiovascular Imaging</i> , 2009, 25, 827-836.  | 0.7 | 17        |
| 13938 | Converting simulated total dry matter to fresh marketable yield for field vegetables at a range of nitrogen supply levels. <i>Plant and Soil</i> , 2009, 325, 319-334.  | 1.8 | 10        |
| 13939 | Test-retest reliability of the Food Allergy Quality of Life Questionnaires (FAQLQ) for children, adolescents and adults. <i>Quality of Life Research</i> , 2009, 18, 245-251.   | 1.5 | 50        |
| 13940 | Predicting EuroQol (EQ-5D) scores from the patient-reported outcomes measurement information system (PROMIS) global items and domain item banks in a United States sample. <i>Quality of Life Research</i> , 2009, 18, 783-791.                 | 1.5 | 129       |
| 13941 | Agreement of patient and physician ratings on mobility and self-care in neurological diseases. <i>Quality of Life Research</i> , 2009, 18, 999-1010.  | 1.5 | 15        |
| 13942 | The Maastricht social participation profile: development and clinimetric properties in older adults with a chronic physical illness. <i>Quality of Life Research</i> , 2009, 18, 1207-1218.   | 1.5 | 36        |
| 13943 | Same question, different answers: a comparison of global health assessments using visual analogue scales. <i>Quality of Life Research</i> , 2009, 18, 1285-1292.  | 1.5 | 13        |
| 13944 | Wireless Capsule Motility: Comparison of the SmartPill® GI Monitoring System with Scintigraphy for Measuring Whole Gut Transit. <i>Digestive Diseases and Sciences</i> , 2009, 54, 2167-2174.   | 1.1 | 202       |
| 13945 | A method to detect progression of glaucoma using the multifocal visual evoked potential technique. <i>Documenta Ophthalmologica</i> , 2009, 118, 139-150.   | 1.0 | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13946 | Reproducibility of the mfERG between instruments. Documenta Ophthalmologica, 2009, 119, 67-78.  | 1.0 | 19        |
| 13947 | Threshold determination in sweep VEP and the effects of criterion. Documenta Ophthalmologica, 2009, 119, 109-121.   | 1.0 | 20        |
| 13948 | Psychophysical assessment of low visual function in patients with retinal degenerative diseases (RDDs) with the Diagnosys full-field stimulus threshold (D-FST). Documenta Ophthalmologica, 2009, 119, 217-224.   | 1.0 | 67        |
| 13949 | Can the Web-Form WHOQOL-BREF be an Alternative to the Paper-Form?. Social Indicators Research, 2009, 94, 97-114.  | 1.4 | 21        |
| 13950 | Semiquantitative and semi-automated morphometric evaluation of chronic lesions in renal biopsies. International Urology and Nephrology, 2009, 41, 643-651.  | 0.6 | 3         |
| 13951 | Performance of the Cockcroft-Gault and MDRD equations in adult Nigerians with chronic kidney disease. International Urology and Nephrology, 2009, 41, 635-642.  | 0.6 | 13        |
| 13952 | TRUS versus transabdominal ultrasound as a predictor of enucleated adenoma weight in patients with BPH. International Urology and Nephrology, 2009, 41, 767-771.  | 0.6 | 40        |
| 13953 | Reproducibility of Laplacian Wall Thickness Measurements of the Gallbladder with Varying CT Slice Thickness. Journal of Signal Processing Systems, 2009, 55, 67-75.   | 1.4 | 3         |
| 13954 | Diffuse Optical Tomography of the Breast: Initial Validation in Benign Cysts. Molecular Imaging and Biology, 2009, 11, 64-70.   | 1.3 | 33        |
| 13955 | Accuracy of autotitrating CPAP to estimate the residual Apnea-Hypopnea Index in patients with obstructive sleep apnea on treatment with autotitrating CPAP. Sleep and Breathing, 2009, 13, 383-390.   | 0.9 | 57        |
| 13956 | Continuous Measurement of Multiple Inert and Respiratory Gas Exchange in an Anaesthetic Breathing System by Continuous Indirect Calorimetry. Journal of Clinical Monitoring and Computing, 2009, 23, 41-49.   | 0.7 | 7         |
| 13957 | Cardiac index value measurement by invasive, semi-invasive and non invasive techniques: a prospective study in postoperative off pump coronary artery bypass surgery patients. Journal of Clinical Monitoring and Computing, 2009, 23, 175-180.                                       | 0.7 | 16        |
| 13958 | Multi-channel electrical bioimpedance: a non-invasive method to simultaneously measure cardiac output and individual arterial limb flow in patients with cardiovascular disease. Journal of Clinical Monitoring and Computing, 2009, 23, 243-251.                                     | 0.7 | 12        |
| 13959 | The Mean Machine; Accurate Non-invasive Blood Pressure Measurement in the Critically Ill Patient. Journal of Clinical Monitoring and Computing, 2009, 23, 283-297.  | 0.7 | 13        |
| 13960 | Using a prediction approach to assess agreement between two continuous measurements. Journal of Clinical Monitoring and Computing, 2009, 23, 311-314.   | 0.7 | 5         |
| 13961 | Improvement in accuracy of transcutaneous measurement of oxygen with resumption of spontaneous ventilation in mechanically ventilated patients after off pump coronary artery bypass procedure: a prospective study. Journal of Clinical Monitoring and Computing, 2009, 23, 363-368. | 0.7 | 0         |
| 13962 | Non-constrained Blood Pressure Monitoring Using ECG and PPG for Personal Healthcare. Journal of Medical Systems, 2009, 33, 261-266.   | 2.2 | 126       |
| 13963 | Functional Capacity Evaluation in Subjects with Early Osteoarthritis of Hip and/or Knee; is Two-Day Testing Needed?. Journal of Occupational Rehabilitation, 2009, 19, 238-244.   | 1.2 | 11        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 13964 | Can the Acetabular Position be Derived from a Pelvic Frame of Reference?. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 886-893.   | 0.7 | 15        |
| 13965 | Reliability and Validity of the Cross-Culturally Adapted German Oxford Hip Score. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 952-957.   | 0.7 | 65        |
| 13966 | Can the Volume of Pelvic Osteolysis be Calculated without Using Computed Tomography?. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 181-187.   | 0.7 | 18        |
| 13967 | Quantification of the Radiographic Joint Space Width of the Ankle. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 2083-2089.  | 0.7 | 14        |
| 13968 | A Multi-feature Reproducibility Assessment of Mass Spectral Data in Clinical Proteomic Studies. <i>Clinical Proteomics</i> , 2009, 5, 170-177.  | 1.1 | 1         |
| 13969 | Facial recognition and laser surface scan: a pilot study. <i>Forensic Science, Medicine, and Pathology</i> , 2009, 5, 167-173.  | 0.6 | 16        |
| 13970 | Routine axillary temperature monitoring in neonates cared under radiant warmer "is it necessary?". <i>Indian Journal of Pediatrics</i> , 2009, 76, 1281-1282.   | 0.3 | 4         |
| 13971 | Evaluation of dynamic row-action maximum likelihood algorithm reconstruction for quantitative 15O brain PET. <i>Annals of Nuclear Medicine</i> , 2009, 23, 627-638.   | 1.2 | 13        |
| 13972 | Improving the self-report of HIV antiretroviral medication adherence: Is the glass half full or half empty?. <i>Current HIV/AIDS Reports</i> , 2009, 6, 177-186.  | 1.1 | 72        |
| 13973 | Applying fractal analysis to short sets of heart rate variability data. <i>Medical and Biological Engineering and Computing</i> , 2009, 47, 709-717.  | 1.6 | 38        |
| 13974 | Time domain algorithm for accelerated determination of the first order moment of photo current fluctuations in high speed laser Doppler perfusion imaging. <i>Medical and Biological Engineering and Computing</i> , 2009, 47, 1103-9.                | 1.6 | 6         |
| 13975 | Differential diagnosis between splenic nodules and peritoneal metastases with contrast-enhanced ultrasound based on signal-intensity characteristics during the late phase. <i>Radiologia Medica</i> , 2009, 114, 42-51.                              | 4.7 | 14        |
| 13976 | Three-dimensional pelvimetry by computed tomography. <i>Radiologia Medica</i> , 2009, 114, 827-834.   | 4.7 | 26        |
| 13977 | Myocardium tracking via matching distributions. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2009, 4, 37-44.   | 1.7 | 4         |
| 13978 | Spatial factors for quantifying constant flow velocity in a small tube phantom: comparison of phase-contrast cine-magnetic resonance imaging and the intraluminal Doppler guidewire method. <i>Japanese Journal of Radiology</i> , 2009, 27, 335-341. | 1.0 | 9         |
| 13979 | A Comparison of Noninvasive Blood Pressure Measurement on the Wrist with Invasive Arterial Blood Pressure Monitoring in Patients Undergoing Bariatric Surgery. <i>Obesity Surgery</i> , 2009, 19, 717-724.  | 1.1 | 27        |
| 13980 | Pulmonary arterial hypertension. <i>Internal and Emergency Medicine</i> , 2009, 4, 453-454.   | 1.0 | 0         |
| 13981 | Quantitative assessment of myocardial perfusion abnormality on SPECT myocardial perfusion imaging is more reproducible than expert visual analysis. <i>Journal of Nuclear Cardiology</i> , 2009, 16, 45-53.   | 1.4 | 139       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 13982 | Validation of attenuation correction using transmission truncation compensation with a small field of view dedicated cardiac SPECT camera system. <i>Journal of Nuclear Cardiology</i> , 2009, 16, 222-232.  | 1.4 | 6         |
| 13983 | Comparison of dobutamine stress echocardiography, dobutamine SPECT, and adenosine SPECT myocardial perfusion imaging in patients with end-stage renal disease. <i>Journal of Nuclear Cardiology</i> , 2009, 16, 507-515.   | 1.4 | 17        |
| 13984 | A multicenter evaluation of a new post-processing method with depth-dependent collimator resolution applied to full-time and half-time acquisitions without and with simultaneously acquired attenuation correction. <i>Journal of Nuclear Cardiology</i> , 2009, 16, 714-725. | 1.4 | 97        |
| 13985 | Left ventricular mass from gated SPECT myocardial perfusion imaging: Comparison with cardiac computed tomography. <i>Journal of Nuclear Cardiology</i> , 2009, 16, 775-783.  | 1.4 | 13        |
| 13986 | Accuracy of three-dimensional echocardiography in patients with prior anteroseptal myocardial infarction. <i>Journal of Echocardiography</i> , 2009, 7, 9-15.  | 0.4 | 0         |
| 13987 | Comparison of hand dynamometers in elderly people. <i>Journal of Nutrition, Health and Aging</i> , 2009, 13, 907-912.  | 1.5 | 58        |
| 13988 | Estimation of stature by measuring fibula and ulna bone length in 2443 older adults. <i>Journal of Nutrition, Health and Aging</i> , 2009, 13, 931-936.  | 1.5 | 36        |
| 13989 | A Single-Lumen Central Venous Catheter for Continuous and Direct Intra-abdominal Pressure Measurement. <i>European Journal of Trauma and Emergency Surgery</i> , 2009, 35, 532-537.  | 0.8 | 5         |
| 13991 | Improved rapid assay of plasma uric acid by short-end injection capillary zone electrophoresis. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 395, 2577-2582.  | 1.9 | 5         |
| 13992 | Accuracy of Different Reduced Versions of a Validated Food-Frequency Questionnaire in Italian Men and Women. <i>Calcified Tissue International</i> , 2009, 85, 221-227.  | 1.5 | 10        |
| 13993 | The reliability of the Minimum European Health Module. <i>International Journal of Public Health</i> , 2009, 54, 55-60.  | 1.0 | 130       |
| 13994 | Regional and overall ventilation inhomogeneities in preterm and term-born infants. <i>Intensive Care Medicine</i> , 2009, 35, 144-151.   | 3.9 | 51        |
| 13995 | A new automated method versus continuous positive airway pressure method for measuring pressure-volume curves in patients with acute lung injury. <i>Intensive Care Medicine</i> , 2009, 35, 565-570.  | 3.9 | 18        |
| 13996 | Carbon dioxide monitoring during long-term noninvasive respiratory support in children. <i>Intensive Care Medicine</i> , 2009, 35, 1068-1074.  | 3.9 | 110       |
| 13997 | Point-of-care assessment of microvascular blood flow in critically ill patients. <i>Intensive Care Medicine</i> , 2009, 35, 1761-1766.   | 3.9 | 61        |
| 13998 | Tracking changes in cardiac output: methodological considerations for the validation of monitoring devices. <i>Intensive Care Medicine</i> , 2009, 35, 1801-1808.  | 3.9 | 107       |
| 13999 | Measurement of end-expiratory lung volume in intubated children without interruption of mechanical ventilation. <i>Intensive Care Medicine</i> , 2009, 35, 1749-1753.  | 3.9 | 17        |
| 14000 | Evaluation of the catheter positioning for neurally adjusted ventilatory assist. <i>Intensive Care Medicine</i> , 2009, 35, 1809-1814.   | 3.9 | 96        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14001 | Evaluation of an electrical impedance tomography-based global inhomogeneity index for pulmonary ventilation distribution. <i>Intensive Care Medicine</i> , 2009, 35, 1900-6.  | 3.9 | 223       |
| 14002 | Detection of carbon dioxide thresholds using low-flow sidestream capnography in ventilated preterm infants. <i>Intensive Care Medicine</i> , 2009, 35, 1942-1949.   | 3.9 | 31        |
| 14003 | Australian pelvic floor questionnaire: a validated interviewer-administered pelvic floor questionnaire for routine clinic and research. <i>International Urogynecology Journal</i> , 2009, 20, 149-158.   | 0.7 | 90        |
| 14004 | POP-Q, dynamic MR imaging, and perineal ultrasonography: do they agree in the quantification of female pelvic organ prolapse?. <i>International Urogynecology Journal</i> , 2009, 20, 541-549.  | 0.7 | 52        |
| 14005 | Manual versus automatic bladder wall thickness measurements: a method comparison study. <i>World Journal of Urology</i> , 2009, 27, 747-53.   | 1.2 | 17        |
| 14011 | Comparison of myocardial performance index obtained either by conventional echocardiography or tissue Doppler echocardiography in healthy subjects and patients with heart failure. <i>Heart and Vessels</i> , 2009, 24, 8-15.                                      | 0.5 | 34        |
| 14012 | Automated versus manual post-processing of perfusion-CT data in patients with acute cerebral ischemia: influence on interobserver variability. <i>Neuroradiology</i> , 2009, 51, 445-451.   | 1.1 | 54        |
| 14013 | Follow-up assessment of vestibular schwannomas: volume quantification versus two-dimensional measurements. <i>Neuroradiology</i> , 2009, 51, 517-524.   | 1.1 | 114       |
| 14014 | Automatic determination of Greulich and Pyle bone age in healthy Dutch children. <i>Pediatric Radiology</i> , 2009, 39, 591-597.  | 1.1 | 79        |
| 14015 | Three-dimensional cine MRI in free-breathing infants and children with congenital heart disease. <i>Pediatric Radiology</i> , 2009, 39, 1333-1342.  | 1.1 | 15        |
| 14016 | Reproducibility of trabecular structure analysis using flat-panel volume computed tomography. <i>Skeletal Radiology</i> , 2009, 38, 1003-1008.  | 1.2 | 14        |
| 14017 | Reproducibility of quantitative $^{18}\text{F}$ -deoxy- $^{3}\text{H}$ -fluorothymidine measurements using positron emission tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 389-395.                                     | 3.3 | 71        |
| 14018 | Myocardial perfusion quantitation with $^{15}\text{O}$ -labelled water PET: high reproducibility of the new cardiac analysis software (Carimas $\text{\textcircled{C}}$ ). <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 1594-1602. | 3.3 | 131       |
| 14019 | Assessment of the arterial input function for estimation of coronary flow reserve by single photon emission computed tomography: comparison of two different approaches. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 2034-2041.   | 3.3 | 15        |
| 14020 | Factors Related to Preoperative Assessment of the Circumferential Resection Margin and the Extent of Mesorectal Invasion by Magnetic Resonance Imaging in Rectal Cancer: A Prospective Comparison Study. <i>World Journal of Surgery</i> , 2009, 33, 1952-1960.     | 0.8 | 45        |
| 14021 | Validation of deuterium and oxygen $^{18}$ in urine and saliva samples from children using online continuous-flow isotope ratio mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 3549-3554.  | 0.7 | 18        |
| 14022 | Measuring leg length and offset with an imageless navigation system during total hip arthroplasty: is it really accurate?. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2009, 5, 192-197.                                       | 1.2 | 33        |
| 14023 | Measures of agreement for vectorcardiography data. <i>Statistics in Medicine</i> , 2009, 28, 1093-1107.   | 0.8 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14024 | Does the combination of fronto-maxillary facial angle and nasal bone evaluation improve the detection of Down syndrome in the second trimester?. <i>Prenatal Diagnosis</i> , 2009, 29, 947-951.                                   | 1.1 | 9         |
| 14025 | Evaluation of regional left ventricular longitudinal function in 151 normal fetuses using velocity vector imaging. <i>Prenatal Diagnosis</i> , 2009, 29, 1149-1155.   | 1.1 | 68        |
| 14026 | Early onset preeclampsia and second trimester serum markers. <i>Prenatal Diagnosis</i> , 2009, 29, 1109-1117.   | 1.1 | 14        |
| 14027 | Sample size calculation for an agreement study. <i>Pharmaceutical Statistics</i> , 2010, 9, 125-132.  | 0.7 | 49        |
| 14028 | Development and validation of a questionnaire to assess asthma control in pediatrics. <i>Pediatric Pulmonology</i> , 2009, 44, 54-63.   | 1.0 | 39        |
| 14029 | Reference equation for 6-min walk distance in healthy North African children 6-16 years old. <i>Pediatric Pulmonology</i> , 2009, 44, 316-324.  | 1.0 | 56        |
| 14030 | Comparing 6 and 10 sec exhalation time in exhaled nitric oxide measurements in children. <i>Pediatric Pulmonology</i> , 2009, 44, 340-344.  | 1.0 | 12        |
| 14031 | Measurement and repeatability of interrupter resistance in unsedated newborn infants. <i>Pediatric Pulmonology</i> , 2009, 44, 1168-1173.   | 1.0 | 10        |
| 14032 | A novel physiological investigation of the functional residual capacity by the bias flow nitrogen washout technique in infants. <i>Pediatric Pulmonology</i> , 2009, 44, 683-692.   | 1.0 | 3         |
| 14033 | Six-minute walk test in obese children and adolescents: Reproducibility and validity. <i>Physiotherapy Research International</i> , 2009, 14, 91-104.   | 0.7 | 87        |
| 14034 | Noninvasive cardiac output and blood pressure monitoring cannot replace an invasive monitoring system in critically ill patients. <i>BMC Anesthesiology</i> , 2009, 9, 6.   | 0.7 | 91        |
| 14035 | Activity Increase Despite Arthritis (AIDA): design of a Phase II randomised controlled trial evaluating an active management booklet for hip and knee osteoarthritis [ISRCTN24554946]. <i>BMC Family Practice</i> , 2009, 10, 62. | 2.9 | 6         |
| 14036 | Accuracy and limitations of equations for predicting the glomerular filtration rate during follow-up of patients with non-diabetic nephropathies. <i>BMC Nephrology</i> , 2009, 10, 16.   | 0.8 | 14        |
| 14037 | Comparative analysis of selected exhaled breath biomarkers obtained with two different temperature-controlled devices. <i>BMC Pulmonary Medicine</i> , 2009, 9, 48.   | 0.8 | 24        |
| 14038 | Direct intra-abdominal pressure monitoring via piezoresistive pressure measurement: a technical note. <i>BMC Surgery</i> , 2009, 9, 5.  | 0.6 | 4         |
| 14039 | Semi-automated quantification of left ventricular volumes and ejection fraction by real-time three-dimensional echocardiography. <i>Cardiovascular Ultrasound</i> , 2009, 7, 18.  | 0.5 | 54        |
| 14040 | Comparison of contrast enhanced three dimensional echocardiography with MIBI gated SPECT for the evaluation of left ventricular function. <i>Cardiovascular Ultrasound</i> , 2009, 7, 27.   | 0.5 | 16        |
| 14041 | Are measurements of systolic myocardial velocities and displacement with colour and spectral Tissue Doppler compatible?. <i>Cardiovascular Ultrasound</i> , 2009, 7, 29.  | 0.5 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14042 | Normal right- and left ventricular volumes and myocardial mass in children measured by steady state free precession cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, 19. | 1.6 | 171       |
| 14043 | Improved accuracy in flow mapping of congenital heart disease using stationary phantom technique. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, 52.  | 1.6 | 29        |
| 14044 | A longitudinal study of gene expression in healthy individuals. <i>BMC Medical Genomics</i> , 2009, 2, 33.   | 0.7 | 30        |
| 14045 | Evaluation of a new high-dimensional miRNA profiling platform. <i>BMC Medical Genomics</i> , 2009, 2, 57.  | 0.7 | 24        |
| 14046 | Repeatability of regional myocardial blood flow calculation in <sup>82</sup> Rb PET imaging. <i>BMC Medical Physics</i> , 2009, 9, 2.  | 2.4 | 17        |
| 14047 | Average arterial input function for quantitative dynamic contrast enhanced magnetic resonance imaging of neck nodal metastases. <i>BMC Medical Physics</i> , 2009, 9, 4.   | 2.4 | 40        |
| 14048 | Blood profile holds clues to role of infection in a premonitory state for idiopathic parkinsonism and of gastrointestinal infection in established disease. <i>Gut Pathogens</i> , 2009, 1, 20.                            | 1.6 | 25        |
| 14049 | Strain measurement during antral contractions by ultrasound strain rate imaging: influence of erythromycin. <i>Neurogastroenterology and Motility</i> , 2009, 21, 170-179.   | 1.6 | 20        |
| 14050 | Influence of source of phospholipids for APTT-based factor IX assays and potential consequences for the diagnosis of mild haemophilia B. <i>Haemophilia</i> , 2009, 15, 365-368.   | 1.0 | 40        |
| 14051 | A tactile method for canal length determination in teeth with open apices. <i>International Endodontic Journal</i> , 2009, 42, 1090-1095.  | 2.3 | 8         |
| 14052 | Fluorescence microscopy and flow cytometry in measuring activated caspases in human spermatozoa. <i>Journal of Developmental and Physical Disabilities</i> , 2009, 32, 265-273.  | 3.6 | 16        |
| 14053 | A new rapid home test for faecal calprotectin in ulcerative colitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2010, 31, 323-330.  | 1.9 | 40        |
| 14054 | Validity and responsiveness of the Osnabrück Hand Eczema Severity Index (OHSI): a methodological study. <i>British Journal of Dermatology</i> , 2009, 160, 137-142.  | 1.4 | 57        |
| 14055 | Ethnic differences in F cell levels in Jamaica: a potential tool for identifying new genetic loci controlling fetal haemoglobin. <i>British Journal of Haematology</i> , 2009, 144, 954-960.                               | 1.2 | 8         |
| 14056 | A mouse model of lupin allergy. <i>Clinical and Experimental Allergy</i> , 2009, 39, 1255-1266.  | 1.4 | 24        |
| 14057 | Monitoring disease activity using GH and IGF-1 in the follow-up of 501 patients with acromegaly. <i>Clinical Endocrinology</i> , 2009, 71, 74-81.  | 1.2 | 29        |
| 14058 | Measurement of nasal nitric oxide: evaluation of six different sampling methods. <i>European Journal of Clinical Investigation</i> , 2009, 39, 72-77.  | 1.7 | 22        |
| 14059 | Pulpal status of human primary teeth with physiological root resorption. <i>International Journal of Paediatric Dentistry</i> , 2009, 19, 16-25.   | 1.0 | 34        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14060 | Reliability of infrared ear thermometry in the prediction of rectal temperature in older inpatients. <i>Journal of Clinical Nursing</i> , 2009, 18, 451-456.  | 1.4 | 24        |
| 14061 | A systematic review of interrater reliability of pressure ulcer classification systems. <i>Journal of Clinical Nursing</i> , 2009, 18, 315-336.   | 1.4 | 47        |
| 14062 | Assessment of pain: can caregivers or relatives rate pain in nursing home residents?. <i>Journal of Clinical Nursing</i> , 2009, 18, 2478-2485.   | 1.4 | 22        |
| 14063 | The prevalence of pressure ulcers in four paediatric institutions. <i>Journal of Clinical Nursing</i> , 2009, 18, 3244-3252.  | 1.4 | 51        |
| 14064 | Estimation of total body water from bioelectrical impedance spectroscopy in oncology outpatients receiving radiotherapy and agreement with three prediction equations. <i>Journal of Human Nutrition and Dietetics</i> , 2009, 22, 50-54.                       | 1.3 | 2         |
| 14065 | Estimating food intakes in Australia: validation of the Commonwealth Scientific and Industrial Research Organisation (CSIRO) food frequency questionnaire against weighed dietary intakes. <i>Journal of Human Nutrition and Dietetics</i> , 2009, 22, 559-566. | 1.3 | 61        |
| 14066 | Comparisons between a mixing ability test and masticatory performance tests using a brittle or an elastic test food. <i>Journal of Oral Rehabilitation</i> , 2009, 36, 159-167.   | 1.3 | 50        |
| 14067 | Coronal tooth structure in root-treated teeth prepared for complete and partial coverage restorations. <i>Journal of Oral Rehabilitation</i> , 2009, 36, 451-461.   | 1.3 | 34        |
| 14068 | Evaluation of a new method of assessing depth of sedation using two-choice visual reaction time testing on a mobile phone*. <i>Anaesthesia</i> , 2009, 64, 32-38.   | 1.8 | 19        |
| 14069 | Comparison of central venous oxygen saturation and mixed venous oxygen saturation during liver transplantation. <i>Anaesthesia</i> , 2009, 64, 378-382.   | 1.8 | 30        |
| 14070 | A new instrument for pain assessment in the immediate postoperative period*. <i>Anaesthesia</i> , 2009, 64, 392-398.  | 1.8 | 10        |
| 14071 | Performance of three minimally invasive cardiac output monitoring systems. <i>Anaesthesia</i> , 2009, 64, 762-769.  | 1.8 | 45        |
| 14072 | A new, minimally invasive technique for measuring cardiac index: clinical comparison of continuous cardiac dynamic monitoring and pulmonary artery catheter methods. <i>Anaesthesia</i> , 2009, 64, 961-967.  | 1.8 | 9         |
| 14073 | A comparison of stroke volume variation measured by the LiDCOplus and FloTrac Vigileo system. <i>Anaesthesia</i> , 2009, 64, 1004-1009.   | 1.8 | 22        |
| 14074 | Oxycodone is associated with dose-dependent QTc prolongation in patients and low-affinity inhibiting of hERG activity <i>in vitro</i> . <i>British Journal of Clinical Pharmacology</i> , 2009, 67, 172-179.  | 1.1 | 73        |
| 14075 | Acute autonomic effects of vitamins and fats in male smokers. <i>European Journal of Clinical Nutrition</i> , 2009, 63, 246-252.  | 1.3 | 9         |
| 14076 | Changes in resting energy expenditure in children with congenital heart disease. <i>European Journal of Clinical Nutrition</i> , 2009, 63, 392-397.   | 1.3 | 46        |
| 14077 | Resting energy expenditure can be assessed by dual-energy X-ray absorptiometry in women regardless of age and fitness. <i>European Journal of Clinical Nutrition</i> , 2009, 63, 529-535.   | 1.3 | 15        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14078 | Evaluation of the platelet counting by Abbott CELLâ€DYN <sup>â„</sup> SAPHIREâ„ haematology analyser compared with flow cytometry. <i>International Journal of Laboratory Hematology</i> , 2009, 31, 151-160.        | 0.7 | 21        |
| 14079 | Measurement of cardiac output and pulmonary transit time for assessment of pulmonary vascular resistance in domestic piglets. <i>Experimental Physiology</i> , 2009, 94, 659-664.                                    | 0.9 | 9         |
| 14080 | Voluntary activation of human knee extensors measured using transcranial magnetic stimulation. <i>Experimental Physiology</i> , 2009, 94, 995-1004.  | 0.9 | 102       |
| 14081 | Distinct effects of subcellular glycogen localization on tetanic relaxation time and endurance in mechanically skinned rat skeletal muscle fibres. <i>Journal of Physiology</i> , 2009, 587, 3679-3690.              | 1.3 | 78        |
| 14082 | The effect of acute fluid consumption on measures of impedance and percent body fat estimated using segmental bioelectrical impedance analysis. <i>European Journal of Clinical Nutrition</i> , 2009, 63, 1115-1122. | 1.3 | 33        |
| 14083 | The reliability of a food frequency questionnaire for use among adolescents. <i>European Journal of Clinical Nutrition</i> , 2009, 63, 1251-1259.  | 1.3 | 83        |
| 14084 | Interexaminer and intraexaminer reliability of the microperimeter MP-1. <i>Eye</i> , 2009, 23, 1052-1058.  | 1.1 | 43        |
| 14085 | Influence of age, central corneal thickness, and quality score on dynamic contour tonometry. <i>Eye</i> , 2009, 23, 1364-1369.   | 1.1 | 17        |
| 14086 | The changes in corneal biomechanical parameters after phototherapeutic keratectomy in eyes with granular corneal dystrophy. <i>Eye</i> , 2009, 23, 1790-1795.  | 1.1 | 15        |
| 14087 | Poor agreement between Goldmann and Pascal tonometry in eyes with extreme pachymetry. <i>Eye</i> , 2009, 23, 536-542.  | 1.1 | 23        |
| 14088 | Central field perimetry of discriminated targets: I. Results for normal individuals using high-contrast targets. <i>Eye</i> , 2009, 23, 2082-2089.   | 1.1 | 4         |
| 14089 | Total Cerebral Blood Flow and Hippocampal Volume in Patients with Arterial Disease. the SMART-MR Study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009, 29, 1727-1733.                                  | 2.4 | 8         |
| 14090 | How to Validate Outcome Instruments for Pemphigus. <i>Journal of Investigative Dermatology</i> , 2009, 129, 2328-2330.   | 0.3 | 12        |
| 14091 | Harmonization of molecular monitoring of CML therapy in Europe. <i>Leukemia</i> , 2009, 23, 1957-1963.   | 3.3 | 196       |
| 14092 | Heterogeneity of tumor prognostic markers: a reproducibility study applied to liver metastases of pancreatic endocrine tumors. <i>Modern Pathology</i> , 2009, 22, 273-281.  | 2.9 | 82        |
| 14093 | A rapid HPLC-MS/MS method for the simultaneous quantification of cyclosporine A, tacrolimus, sirolimus and everolimus in human blood samples. <i>Nature Protocols</i> , 2009, 4, 526-534.                            | 5.5 | 105       |
| 14094 | Validation of DXA Body Composition Estimates in Obese Men and Women. <i>Obesity</i> , 2009, 17, 821-826.   | 1.5 | 84        |
| 14095 | Waist Circumference Measurement by Site, Posture, Respiratory Phase, and Meal Time: Implications for Methodology. <i>Obesity</i> , 2009, 17, 1056-1061.  | 1.5 | 50        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14096 | Ultrasonography to Quantify Hepatic Fat Content: Validation by <sup>1</sup> H Magnetic Resonance Spectroscopy. <i>Obesity</i> , 2009, 17, 2239-2244.   | 1.5 | 40        |
| 14097 | Validation of BIA in Obese Children and Adolescents and Reevaluation in a Longitudinal Study. <i>Obesity</i> , 2009, 17, 2245-2250.  | 1.5 | 69        |
| 14098 | Body composition assessment in athletes with spinal cord injury: comparison of field methods with dual-energy X-ray absorptiometry. <i>Spinal Cord</i> , 2009, 47, 698-704.  | 0.9 | 49        |
| 14099 | Acute Evaluation of Transthoracic Impedance Vectors Using ICD Leads. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009, 32, 762-771.  | 0.5 | 1         |
| 14100 | Clinical Validation and Comparison of Alternative Methods for Evaluation of Entrainment Mapping. <i>Journal of Cardiovascular Electrophysiology</i> , 2009, 20, 741-748.   | 0.8 | 13        |
| 14101 | Quantification of Left Ventricular Asynchrony Throughout the Whole Cardiac Cycle with a Computed Algorithm: Application for Optimizing Resynchronization Therapy. <i>Journal of Cardiovascular Electrophysiology</i> , 2009, 20, 1130-1136.                        | 0.8 | 10        |
| 14102 | Fast Data Acquisition and Analysis with Real Time Triplane Echocardiography for the Assessment of Left Ventricular Size and Function: A Validation Study. <i>Echocardiography</i> , 2009, 26, 66-75.   | 0.3 | 21        |
| 14103 | Assessment of Carotid Compliance Using Real Time Vascular Ultrasound Image Analysis in Marfan Syndrome. <i>Echocardiography</i> , 2009, 26, 441-451.   | 0.3 | 7         |
| 14104 | Estimation of LV End-Diastolic Pressure Using Color TDI and Its Application to Noninvasive Quantification of Myocardial Wall Stress. <i>Echocardiography</i> , 2009, 26, 403-411.  | 0.3 | 4         |
| 14105 | Noninvasive Estimation of Pulmonary Vascular Resistance in Pulmonary Hypertension. <i>Echocardiography</i> , 2009, 26, 489-494.  | 0.3 | 94        |
| 14106 | Pulsed-Wave Tissue Doppler and Color Tissue Doppler Echocardiography: Calibration with Mode, Agreement, and Reproducibility in a Clinical Setting. <i>Echocardiography</i> , 2009, 26, 638-644.  | 0.3 | 15        |
| 14107 | Mitral Regurgitation Associated with Mitral Annular Dilation in Patients with Lone Atrial Fibrillation: An Echocardiographic Study. <i>Echocardiography</i> , 2009, 26, 885-889.   | 0.3 | 101       |
| 14108 | Altered Early Left Ventricular Diastolic Wall Velocities in Pulmonary Hypertension: A Tissue Doppler Study. <i>Echocardiography</i> , 2009, 26, 1159-1166.   | 0.3 | 8         |
| 14109 | Comparison between Three-Dimensional Angiographic Reconstruction and Intravascular Ultrasound Imaging for the Measurement of Cross-Sectional Luminal Dimensions in Intermediate Coronary Lesions. <i>Journal of Interventional Cardiology</i> , 2009, 22, 277-281. | 0.5 | 6         |
| 14110 | Methodology of QT Interval Measurement in the Modular ECG Analysis System (MEANS). <i>Annals of Noninvasive Electrocardiology</i> , 2009, 14, S48-53.  | 0.5 | 15        |
| 14111 | Diagnosing dental caries in populations with different levels of dental fluorosis. <i>European Journal of Oral Sciences</i> , 2009, 117, 161-168.  | 0.7 | 9         |
| 14112 | Validation of a dental image analyzer tool to measure alveolar bone loss in periodontitis patients. <i>Journal of Periodontal Research</i> , 2009, 44, 94-102.   | 1.4 | 21        |
| 14113 | Reproducibility of facial soft tissue landmarks on 3D laser-scanned facial images. <i>Orthodontics and Craniofacial Research</i> , 2009, 12, 33-42.  | 1.2 | 146       |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14114 | Interlaboratory evaluation of two Reverse Transcriptase Polymerase Chain Reaction-based methods for detection of four fruit tree viruses. <i>Annals of Applied Biology</i> , 2009, 154, 133-141.  | 1.3 | 13        |
| 14115 | Interproximal tissue dimensions in relation to adjacent implants in the anterior maxilla: clinical observations and patient aesthetic evaluation. <i>Clinical Oral Implants Research</i> , 2009, 20, 1375-1385.                                       | 1.9 | 61        |
| 14116 | Validity and reproducibility of a semi-quantitative food frequency questionnaire for use among Portuguese pregnant women. <i>Maternal and Child Nutrition</i> , 2009, 6, 105-19.  | 1.4 | 37        |
| 14117 | Home or away? Differences between home- and clinic-based dental examinations for older people. <i>Gerodontology</i> , 2009, 26, 179-186.  | 0.8 | 9         |
| 14118 | Comparative Reliability of Total Intracranial Volume Estimation Methods and the Influence of Atrophy in a Longitudinal Semantic Dementia Cohort. <i>Journal of Neuroimaging</i> , 2009, 19, 37-46.  | 1.0 | 82        |
| 14119 | Accuracy of Different Temperature Devices in the Postpartum Population. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 2009, 38, 42-49.   | 0.2 | 12        |
| 14120 | Intermethod Reliability of Real-time Versus Delayed Videotaped Evaluation of a High-fidelity Medical Simulation Septic Shock Scenario. <i>Academic Emergency Medicine</i> , 2009, 16, 887-893.  | 0.8 | 20        |
| 14121 | Region-Based Endocardium Tracking on Real-Time Three-Dimensional Ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2009, 35, 256-265.   | 0.7 | 47        |
| 14122 | Quantitative Tissue Echogenicity of the Neonatal Brain Assessed by Ultrasound Imaging. <i>Ultrasound in Medicine and Biology</i> , 2009, 35, 1421-1426.   | 0.7 | 15        |
| 14123 | Abdominal Fat in Children Measured by Ultrasound and Computed Tomography. <i>Ultrasound in Medicine and Biology</i> , 2009, 35, 1938-1946.  | 0.7 | 59        |
| 14124 | The use of lingual venous blood to determine the acid-base and blood-gas status of dogs under anesthesia. <i>Veterinary Anaesthesia and Analgesia</i> , 2009, 36, 124-132.  | 0.3 | 21        |
| 14125 | Comparison between lithium dilution and pulse contour analysis techniques for cardiac output measurement in isoflurane anaesthetized ponies: influence of different inotropic drugs. <i>Veterinary Anaesthesia and Analgesia</i> , 2009, 36, 197-208. | 0.3 | 13        |
| 14126 | In vitro validation of a Pitot-based flow meter for the measurement of respiratory volume and flow in large animal anaesthesia. <i>Veterinary Anaesthesia and Analgesia</i> , 2009, 36, 209-219.  | 0.3 | 23        |
| 14127 | Evaluation of indirect blood pressure monitoring in awake and anesthetized red-tailed hawks ( <i>Buteo</i> ) <i>Tj ETQq1 1 0.784314 rgBT /Overlo</i> and <i>Analgesia</i> , 2009, 36, 464-479.  | 0.3 | 47        |
| 14128 | The development and evaluation of a simple method of gestational age estimation. <i>Journal of Paediatrics and Child Health</i> , 2009, 45, 15-19.  | 0.4 | 4         |
| 14129 | Blood pressure assessment in haemodialysis patients: Comparison between pre-dialysis blood pressure and ambulatory blood pressure measurement. <i>Nephrology</i> , 2009, 14, 283-290.   | 0.7 | 13        |
| 14130 | New method of predicting dry weight using bioelectrical impedance analysis in haemodialysis patients. <i>Nephrology</i> , 2009, 14, 705-711.  | 0.7 | 4         |
| 14131 | Validation study of a portable monitoring device for identifying OSA in a symptomatic patient population. <i>Respirology</i> , 2009, 14, 270-275.   | 1.3 | 29        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14132 | Evaluation of transcutaneous CO <sub>2</sub> responses following acute changes in PaCO <sub>2</sub> in healthy subjects. <i>Respirology</i> , 2009, 14, 436-442.  | 1.3 | 17        |
| 14133 | Dual-energy X-ray absorptiometry is the method of choice to assess body composition in COPD. <i>Respirology</i> , 2009, 14, 411-418.  | 1.3 | 22        |
| 14134 | Cross-calibration of multi-frequency bioelectrical impedance analysis with eight-point tactile electrodes and dual-energy X-ray absorptiometry for assessment of body composition in healthy children aged 6-18 years. <i>Pediatrics International</i> , 2009, 51, 263-268. | 0.2 | 119       |
| 14135 | Reliability and repeatability of the Pentacam on corneal curvatures. <i>Australasian journal of optometry, The</i> , 2009, 92, 110-118.   | 0.6 | 92        |
| 14136 | An evaluation of the Bausch & Lomb Zywave aberrometer. <i>Australasian journal of optometry, The</i> , 2009, 92, 238-245.   | 0.6 | 22        |
| 14137 | Repeatability of corneal and ocular aberration measurements and changes in aberrations over one week. <i>Australasian journal of optometry, The</i> , 2009, 92, 253-266.  | 0.6 | 33        |
| 14138 | Comparison of horizontal corneal diameter measurements using Galilei, EyeSys and Orbscan II systems. <i>Australasian journal of optometry, The</i> , 2009, 92, 429-433.   | 0.6 | 53        |
| 14139 | Effect of cycloplegia on axial length and anterior chamber depth measurements in children. <i>Australasian journal of optometry, The</i> , 2009, 92, 476-481.   | 0.6 | 36        |
| 14140 | Validation of a portable recording device (ApneaLink) for identifying patients with suspected obstructive sleep apnoea syndrome. <i>Internal Medicine Journal</i> , 2009, 39, 757-762.  | 0.5 | 121       |
| 14141 | Validation of plasma clearance of <sup>51</sup> Cr-EDTA in adult renal transplant recipients: comparison with inulin renal clearance. <i>Transplant International</i> , 2009, 22, 323-331.  | 0.8 | 48        |
| 14142 | Comparison of two staining and evaluation methods used for computerized human sperm morphology evaluations. <i>Andrologia</i> , 1997, 29, 133-135.  | 1.0 | 10        |
| 14143 | DNA Status on Thawed Semen from Fighting Bull: A Comparison Between the SCD and the SCSA Tests. <i>Reproduction in Domestic Animals</i> , 2009, 44, 424-431.  | 0.6 | 42        |
| 14144 | Comparison of Post-Thaw DNA Integrity of Boar Spermatozoa Assessed with the Neutral Comet Assay and Sperm-Sus Halomax Test Kit. <i>Reproduction in Domestic Animals</i> , 2009, 45, e155-60.  | 0.6 | 16        |
| 14145 | Reliability of the Perceive, Recall, Plan and Perform System of Task Analysis: A criterion-referenced assessment. <i>Australian Occupational Therapy Journal</i> , 2009, 56, 307-314.   | 0.6 | 39        |
| 14146 | ANALYSIS OF SHORT-TERM REPRODUCIBILITY OF ARTERIAL VASOREACTIVITY BY PULSE-WAVE ANALYSIS AFTER PHARMACOLOGICAL CHALLENGE. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2009, 36, 49-54.   | 0.9 | 9         |
| 14147 | Clinical assessment of nasal decongestion test by VAS in adolescents. <i>Pediatric Allergy and Immunology</i> , 2009, 20, 187-191.  | 1.1 | 5         |
| 14148 | Determination of multiple allergen-specific IgE by microfluidic immunoassay cartridge in clinical settings. <i>Pediatric Allergy and Immunology</i> , 2010, 21, 623-633.  | 1.1 | 27        |
| 14149 | Renal function evaluated by measured GFR during follow-up in pediatric liver transplant recipients. <i>Pediatric Transplantation</i> , 2009, 13, 96-103.  | 0.5 | 21        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14150 | Limited sampling strategies for sirolimus after pediatric renal transplantation. <i>Pediatric Transplantation</i> , 2009, 13, 1020-1026.  | 0.5 | 6         |
| 14151 | Cerebral blood flow and oxygen metabolism measured with the Kety-Schmidt method using nitrous oxide. <i>Acta Anaesthesiologica Scandinavica</i> , 2009, 53, 159-167.  | 0.7 | 20        |
| 14152 | Accuracy and reliability of continuous blood glucose monitor in post-surgical patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2009, 53, 66-71.   | 0.7 | 53        |
| 14153 | Acceleromyography and mechanomyography for establishing potency of neuromuscular blocking agents: a randomized-controlled trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2009, 53, 449-454.  | 0.7 | 21        |
| 14154 | Characterization and comparison of bone marrow and peripheral blood mononuclear cells used for cellular therapy in critical leg ischaemia: towards a new cellular product. <i>Vox Sanguinis</i> , 2009, 96, 256-265.  | 0.7 | 35        |
| 14155 | Evaluation of the Perkins handheld applanation tonometer in the measurement of intraocular pressure in dogs and cats. <i>Veterinary Ophthalmology</i> , 2009, 12, 277-284.  | 0.6 | 14        |
| 14156 | Glucose sensors: a review of current and emerging technology. <i>Diabetic Medicine</i> , 2009, 26, 197-210.   | 1.2 | 484       |
| 14157 | Validation of the international normalized ratio (INR) in a new point-of-care system designed for home monitoring of oral anticoagulation therapy. <i>International Journal of Laboratory Hematology</i> , 2009, 31, 20-25.   | 0.7 | 45        |
| 14158 | Evaluation and performance characteristics of the coagulation system: ACL TOP analyzer HemosIL reagents. <i>International Journal of Laboratory Hematology</i> , 2009, 31, 26-35.   | 0.7 | 38        |
| 14159 | Relationships between platelet counts, platelet volumes and reticulated platelets in patients with ITP: evidence for significant platelet count inaccuracies with conventional instrument methods. <i>International Journal of Laboratory Hematology</i> , 2009, 31, 199-206. | 0.7 | 19        |
| 14160 | Cardiorespiratory fitness of asthmatic children and validation of predicted aerobic capacity. <i>Clinical Respiratory Journal</i> , 2009, 3, 42-50.   | 0.6 | 12        |
| 14161 | Assessing Levels of Agreement between Two Commonly Used Oral Health-Related Quality of Life Measures. <i>Journal of Public Health Dentistry</i> , 2009, 69, 143-148.  | 0.5 | 5         |
| 14162 | Monitoring local trends in Indigenous tobacco consumption. <i>Australian and New Zealand Journal of Public Health</i> , 2009, 33, 64-66.  | 0.8 | 8         |
| 14163 | Effect of Limb Position on Elbow Congruity with CT Evaluation. <i>Veterinary Surgery</i> , 2009, 38, 154-160.   | 0.5 | 41        |
| 14164 | Counting platelets in platelet concentrates on hematology analyzers: a multicenter comparative study. <i>Transfusion</i> , 2009, 49, 81-90.   | 0.8 | 10        |
| 14165 | Consistency of the initial cell acquisition procedure is critical to the standardization of CD34+ cell enumeration by flow cytometry: results of a pairwise analysis of umbilical cord blood units and cryopreserved aliquots. <i>Transfusion</i> , 2009, 49, 636-647.        | 0.8 | 23        |
| 14166 | Microarray kit analysis of cytokines in blood product units and segments. <i>Transfusion</i> , 2009, 49, 2269-2275.   | 0.8 | 8         |
| 14167 | BLOOD COMPONENTS: A new one-platform flow cytometric method for residual cell counting in platelet concentrates. <i>Transfusion</i> , 2009, 49, 2604-2611.  | 0.8 | 8         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14168 | Clinical decision-making as the basis for assessing agreement between measures of the International Normalized Ratio. <i>Journal of Thrombosis and Haemostasis</i> , 2009, 7, 87-93.  | 1.9 | 19        |
| 14169 | Platelet size distinguishes between inherited macrothrombocytopenias and immune thrombocytopenia. <i>Journal of Thrombosis and Haemostasis</i> , 2009, 7, 2131-2136.  | 1.9 | 86        |
| 14170 | Model-Based Analysis of Potassium Removal During Hemodialysis. <i>Artificial Organs</i> , 2009, 33, 835-843.  | 1.0 | 17        |
| 14171 | A new rapid micromethod for the assay of phenobarbital from dried blood spots by LC-tandem mass spectrometry. <i>Epilepsia</i> , 2009, 50, 2658-2662.   | 2.6 | 50        |
| 14172 | Field and Laboratory Alcohol Detection With 2 Types of Transdermal Devices. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 703-711.  | 1.4 | 93        |
| 14173 | Prediction of peak oxygen uptake from sub-maximal ratings of perceived exertion elicited during a graded exercise test in obese women. <i>Psychophysiology</i> , 2009, 46, 1150-1153.   | 1.2 | 29        |
| 14174 | Early pregnancy volume measurements: validation of ultrasound techniques and new perspectives. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 278-285.  | 1.1 | 52        |
| 14175 | Inter-observer agreement in clinical decision-making for abnormal cardiotocogram (CTG) during labour: a comparison between CTG and CTG plus STAN. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 1081-1088.       | 1.1 | 44        |
| 14176 | Determination of cardiac output in neonatal foals by ultrasound velocity dilution and its comparison to the lithium dilution method. <i>Journal of Veterinary Emergency and Critical Care</i> , 2009, 19, 438-443.                                  | 0.4 | 22        |
| 14177 | Testing the stereoscopic precision of a large-format digital camera. <i>Photogrammetric Record</i> , 2009, 24, 157-170.   | 0.4 | 1         |
| 14178 | Interchangeability of the EQ-5D and the SF-6D in Long-Lasting Low Back Pain. <i>Value in Health</i> , 2009, 12, 606-612.  | 0.1 | 39        |
| 14179 | Assessing Utility Where Short Measures Are Required: Development of the Short Assessment of Quality of Life-8 (AQoL-8) Instrument. <i>Value in Health</i> , 2009, 12, 948-957.  | 0.1 | 39        |
| 14180 | Quantification of left ventricular volumes and ejection fraction from gated <sup>99m</sup> Tc-MIBI SPECT: MRI validation of the <sup>99m</sup> Tc-MIBI heart software package. <i>Clinical Physiology and Functional Imaging</i> , 2009, 29, 89-94. | 0.5 | 11        |
| 14181 | Determination of the mitral papillary muscle positions by the septal-free wall arc ratio method. <i>Clinical Physiology and Functional Imaging</i> , 2009, 29, 181-186.   | 0.5 | 9         |
| 14182 | Inert gas rebreathing: the effect of haemoglobin based pulmonary shunt flow correction on the accuracy of cardiac output measurements in clinical practice. <i>Clinical Physiology and Functional Imaging</i> , 2009, 29, 255-262.                  | 0.5 | 7         |
| 14183 | Long-term changes in dynamic cerebral autoregulation: a 10-year follow up study. <i>Clinical Physiology and Functional Imaging</i> , 2009, 29, 366-371.   | 0.5 | 22        |
| 14184 | Intra-observer and inter-observer variation of Hertel exophthalmometry. <i>Ophthalmic and Physiological Optics</i> , 2009, 29, 472-476.   | 1.0 | 33        |
| 14185 | A comparison of the Goldmann applanation and non-contact (Keeler Pulsair EasyEye) tonometers and the effect of central corneal thickness in indigenous African eyes. <i>Ophthalmic and Physiological Optics</i> , 2009, 29, 182-188.                | 1.0 | 37        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14186 | Diagnostic accuracy and variability of autorefractometry by the Tracey Visual Function Analyzer and the Shin-Nippon NVision K 5001 in relation to subjective refraction. <i>Ophthalmic and Physiological Optics</i> , 2009, 29, 173-181. | 1.0 | 47        |
| 14187 | Clinical assessment of the lower tear meniscus height. <i>Ophthalmic and Physiological Optics</i> , 2009, 29, 526-534.   | 1.0 | 32        |
| 14188 | Axial length measurements before and after removal of silicone oil: a new method to correct the axial length of silicone-filled eyes for optical biometry. <i>Ophthalmic and Physiological Optics</i> , 2009, 29, 449-457.               | 1.0 | 11        |
| 14189 | Contrast sensitivity based orientation changes in refractive surgery patients. <i>Ophthalmic and Physiological Optics</i> , 2009, 29, 363-369.   | 1.0 | 4         |
| 14190 | Intra-examiner repeatability and agreement in accommodative response measurements. <i>Ophthalmic and Physiological Optics</i> , 2009, 29, 606-614.   | 1.0 | 29        |
| 14191 | Goldmann tonometry versus the Tono-Pen XL for intraocular pressure measurement: an evaluation of the potential impact on clinical decision making in glaucoma. <i>Ophthalmic and Physiological Optics</i> , 2009, 29, 648-651.           | 1.0 | 13        |
| 14192 | The intrinsic shape of the human lumbar spine in the supine, standing and sitting postures: characterization using an active shape model. <i>Journal of Anatomy</i> , 2009, 215, 206-211.  | 0.9 | 47        |
| 14193 | Diagnostic accuracy of cardiac metaiodobenzylguanidine scintigraphy in Parkinson disease. <i>European Journal of Neurology</i> , 2009, 16, 174-182.  | 1.7 | 77        |
| 14194 | A Vertical VAS is a Valid Instrument for Monitoring Headache Pain Intensity. <i>Cephalalgia</i> , 2009, 29, 1034-1041.   | 1.8 | 38        |
| 14195 | Examiner repeatability of patellar cartilage T2 values. <i>Magnetic Resonance Imaging</i> , 2009, 27, 131-136.   | 1.0 | 18        |
| 14196 | Automated measurement and classification of pulmonary blood-flow velocity patterns using phase-contrast MRI and correlation analysis. <i>Magnetic Resonance Imaging</i> , 2009, 27, 38-47.   | 1.0 | 7         |
| 14197 | pH front tracking in the electrochemical treatment (EChT) of tumors: Experiments and simulations. <i>Electrochimica Acta</i> , 2009, 54, 6199-6206.  | 2.6 | 41        |
| 14198 | Comparison of GC and colorimetry for the determination of alkylresorcinol homologues in cereal grains and products. <i>Food Chemistry</i> , 2009, 113, 1363-1369.  | 4.2 | 43        |
| 14199 | In vivo comparison of three ultrasound vector velocity techniques to MR phase contrast angiography. <i>Ultrasonics</i> , 2009, 49, 659-667.  | 2.1 | 43        |
| 14200 | Multigate Doppler Measurements of Ultrasonic Attenuation and Blood Hematocrit in Human Arteries. <i>Ultrasound in Medicine and Biology</i> , 2009, 35, 230-236.  | 0.7 | 6         |
| 14201 | Accuracy and Reproducibility of a Novel Dual-Beam Vector Doppler Method. <i>Ultrasound in Medicine and Biology</i> , 2009, 35, 829-838.  | 0.7 | 37        |
| 14202 | 3D Freehand Ultrasound for in vivo Determination of Human Skeletal Muscle Volume. <i>Ultrasound in Medicine and Biology</i> , 2009, 35, 928-935.   | 0.7 | 54        |
| 14203 | Reliability of 2D Ultrasound Measurements of Testis Size in Dolphins Taken Under Voluntary Behavior. <i>Ultrasound in Medicine and Biology</i> , 2009, 35, 1005-1009.  | 0.7 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14204 | Segmentation of White Matter Flaring Areas in Ultrasound Images of Very-Low-Birth-Weight Preterm Infants. <i>Ultrasound in Medicine and Biology</i> , 2009, 35, 991-1004.   | 0.7 | 9         |
| 14205 | Preoperative Measurement of Thickness of Cutaneous Melanoma Using High-Resolution 20 MHz Ultrasound Imaging: A Monocenter Prospective Study and Systematic Review of the Literature. <i>Ultrasound in Medicine and Biology</i> , 2009, 35, 1411-1420.   | 0.7 | 86        |
| 14206 | International ring trial to detect anti-Trichinella IgG by ELISA on pig sera. <i>Veterinary Parasitology</i> , 2009, 166, 241-248.  | 0.7 | 24        |
| 14207 | New FTIR methodology for the evaluation of <sup>13</sup> C/ <sup>12</sup> C isotope ratio in Helicobacter pylori infection diagnosis. <i>Journal of Infection</i> , 2009, 59, 90-94.  | 1.7 | 17        |
| 14208 | Testâ€“retest reliability of centre of foot pressure measures to assess postural control during unperturbed stance. <i>Medical Engineering and Physics</i> , 2009, 31, 276-286.   | 0.8 | 172       |
| 14209 | In vitro, in vivo and numerical assessment of the working principle of the truCCOMsâ„¢ continuous cardiac output catheter system. <i>Medical Engineering and Physics</i> , 2009, 31, 1299-1306.   | 0.8 | 1         |
| 14210 | Validation of a freehand 3D ultrasound system for morphological measures of the medial gastrocnemius muscle. <i>Journal of Biomechanics</i> , 2009, 42, 1313-1319.  | 0.9 | 131       |
| 14211 | Comparative accuracy of radiostereometric and optical tracking systems. <i>Journal of Biomechanics</i> , 2009, 42, 1350-1354.   | 0.9 | 17        |
| 14212 | Reduced nucleus pulposus glycosaminoglycan content alters intervertebral disc dynamic viscoelastic mechanics. <i>Journal of Biomechanics</i> , 2009, 42, 1941-1946.   | 0.9 | 43        |
| 14213 | Non-invasive model-based estimation of aortic pulse pressure using suprasystolic brachial pressure waveforms. <i>Journal of Biomechanics</i> , 2009, 42, 2111-2115.   | 0.9 | 61        |
| 14214 | Effect of muscle model parameter scaling for isometric plantar flexion torque prediction. <i>Journal of Biomechanics</i> , 2009, 42, 2597-2601.   | 0.9 | 29        |
| 14215 | Method validation across the disciplinesâ€“Critical investigation of major validation criteria and associated experimental protocols. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 2180-2190.   | 1.2 | 57        |
| 14216 | Development and validation of an LCâ€“MS/MS method for quantification of cyclic guanosine 3â€²,5â€²-monophosphate (cGMP) in clinical applications: A comparison with a EIA method. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 513-520.  | 1.2 | 24        |
| 14217 | Urinary amino acid analysis: A comparison of iTRAQâ„¢â€“LCâ€“MS/MS, GCâ€“MS, and amino acid analyzer. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 1838-1846.   | 1.2 | 150       |
| 14218 | Rapid and sensitive ultra-high-pressure liquid chromatographyâ€“tandem mass spectrometry analysis of the novel anticancer agent PR-104 and its major metabolites in human plasma: Application to a pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 3181-3186. | 1.2 | 20        |
| 14219 | MRI dynamic range and its compatibility with signal transmission media. <i>Journal of Magnetic Resonance</i> , 2009, 198, 137-145.  | 1.2 | 12        |
| 14220 | Approximate entropy based on attempted steady isometric contractions with the ankle dorsal- and plantarflexors: Reliability and optimal sampling frequency. <i>Journal of Neuroscience Methods</i> , 2009, 177, 212-216.  | 1.3 | 9         |
| 14221 | Automated scoring of fear-related behavior using EthoVision software. <i>Journal of Neuroscience Methods</i> , 2009, 178, 323-326.  | 1.3 | 75        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14222 | Data mining techniques for detection of sleep arousals. <i>Journal of Neuroscience Methods</i> , 2009, 179, 331-337.   | 1.3 | 24        |
| 14223 | Experimental and statistical approaches in method cross-validation to support pharmacokinetic decisions. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009, 49, 613-618.                                       | 1.4 | 13        |
| 14224 | Continuous cardiac index monitoring: A prospective observational study of agreement between a pulmonary artery catheter and a calibrated minimally invasive technique. <i>Resuscitation</i> , 2009, 80, 893-897.             | 1.3 | 14        |
| 14225 | Non-invasive central venous pressure measurement by compression ultrasound – A step into real life. <i>Resuscitation</i> , 2009, 80, 1130-1136.  | 1.3 | 23        |
| 14226 | Multimarker panel in patients admitted to emergency department: A comparison with reference methods. <i>Clinical Biochemistry</i> , 2009, 42, 185-188.   | 0.8 | 8         |
| 14227 | Clinical implication of the difference between transcutaneous bilirubinometry and total serum bilirubin for the classification of newborns at risk of hyperbilirubinemia. <i>Clinical Biochemistry</i> , 2009, 42, 176-179.  | 0.8 | 39        |
| 14228 | On the importance of the use of proper approaches for comparison of analytical methods for serum nitrate and for evaluation of reference concentrations. <i>Clinical Biochemistry</i> , 2009, 42, 1200-1201.                 | 0.8 | 3         |
| 14229 | Performance evaluation of a particle-enhanced turbidimetric cystatin C assay on the Abbott ci8200 analyzer. <i>Clinical Biochemistry</i> , 2009, 42, 873-876.  | 0.8 | 14        |
| 14230 | Folate and homocysteine phenotypes: Comparative findings using research and clinical laboratory data. <i>Clinical Biochemistry</i> , 2009, 42, 1275-1281.  | 0.8 | 7         |
| 14231 | Does the Macroduct® collection system reliably define sweat chloride concentration in subjects with intermediate results?. <i>Clinical Biochemistry</i> , 2009, 42, 1260-1264.   | 0.8 | 13        |
| 14232 | Influence of reduction in the elution times on HPLC glycohaemoglobin results. <i>Clinical Biochemistry</i> , 2009, 42, 1582-1584.  | 0.8 | 1         |
| 14233 | An evaluation of automated methods for measurement of serum 25-hydroxyvitamin D. <i>Clinical Biochemistry</i> , 2009, 42, 1549-1556.   | 0.8 | 168       |
| 14234 | Regression of Rectal Cancer with Radiotherapy with or without Concurrent Capecitabine – Optimising the Timing of Surgical Resection. <i>Clinical Oncology</i> , 2009, 21, 23-31.   | 0.6 | 43        |
| 14235 | Forecasting Emergency Department Crowding: An External, Multicenter Evaluation. <i>Annals of Emergency Medicine</i> , 2009, 54, 514-522.e19.   | 0.3 | 29        |
| 14236 | A Consideration of the Measurement and Reporting of Interrater Reliability. <i>Annals of Emergency Medicine</i> , 2009, 54, 843-853.   | 0.3 | 6         |
| 14237 | Exploration of distributional models for a novel intensity-dependent normalization procedure in censored gene expression data. <i>Computational Statistics and Data Analysis</i> , 2009, 53, 1906-1922.                      | 0.7 | 5         |
| 14238 | A comparison of the relationship between depression, perceived disability, and physical performance in persons with chronic pain: a comment on Alschuler et al. (2008). <i>European Journal of Pain</i> , 2009, 13, 109-110. | 1.4 | 5         |
| 14239 | Proton MR spectroscopy of metabolite concentrations in temporal lobe epilepsy and effect of temporal lobe resection. <i>Epilepsy Research</i> , 2009, 83, 168-176.   | 0.8 | 27        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14240 | Concordance of survey and billing data in a study of outpatient healthcare cost and utilization among epilepsy patients. <i>Epilepsy Research</i> , 2009, 87, 59-69.   | 0.8 | 16        |
| 14241 | Comparison of CT on Rails With Electronic Portal Imaging for Positioning of Prostate Cancer Patients With Implanted Fiducial Markers. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 74, 906-912.                | 0.4 | 21        |
| 14242 | A novel automated discontinuous venous blood monitoring system for ex vivo glucose determination in humans. <i>Biosensors and Bioelectronics</i> , 2009, 24, 2239-2245.  | 5.3 | 8         |
| 14243 | A rapid gas chromatography-mass spectrometry method for quantification of alkylresorcinols in human plasma. <i>Analytical Biochemistry</i> , 2009, 385, 7-12.  | 1.1 | 68        |
| 14244 | A simplified protein precipitation and filtration procedure for determining serum vitamin B6 by high-performance liquid chromatography. <i>Analytical Biochemistry</i> , 2009, 388, 175-177.   | 1.1 | 11        |
| 14245 | TaqMan-based, real-time quantitative polymerase chain reaction method for RNA editing analysis. <i>Analytical Biochemistry</i> , 2009, 390, 173-180.   | 1.1 | 9         |
| 14246 | On-line monitoring of nine haloacetic acid species at the $10^{-14}$ g L $^{-1}$ level using post-column reaction-ion chromatography with nicotinamide fluorescence. <i>Analytica Chimica Acta</i> , 2009, 654, 133-140.                     | 2.6 | 15        |
| 14247 | A single automated instrument for monitoring total trihalomethane and total haloacetic acid concentrations in near real-time. <i>Analytica Chimica Acta</i> , 2009, 656, 1-7.  | 2.6 | 14        |
| 14248 | Evaluation of global left ventricular function assessment by dual-source computed tomography compared with MRI. <i>European Radiology</i> , 2009, 19, 271-277.   | 2.3 | 37        |
| 14249 | Evaluation of right ventricular function with multidetector computed tomography: comparison with magnetic resonance imaging and analysis of inter- and intraobserver variability. <i>European Radiology</i> , 2009, 19, 278-289.             | 2.3 | 22        |
| 14250 | Interstitial lung disease associated with collagen vascular disorders: disease quantification using a computer-aided diagnosis tool. <i>European Radiology</i> , 2009, 19, 324-332.  | 2.3 | 23        |
| 14251 | Intra-arterial haemodynamic changes during cerebral three-dimensional rotational angiography. <i>European Radiology</i> , 2009, 19, 503-508.   | 2.3 | 5         |
| 14252 | Comparison of MRI, 64-slice MDCT and DSCT in assessing functional cardiac parameters of a moving heart phantom. <i>European Radiology</i> , 2009, 19, 577-583.   | 2.3 | 20        |
| 14253 | A comparison of six software packages for evaluation of solid lung nodules using semi-automated volumetry: What is the minimum increase in size to detect growth in repeated CT examinations. <i>European Radiology</i> , 2009, 19, 800-808. | 2.3 | 144       |
| 14254 | Variability of bronchial measurements obtained by sequential CT using two computer-based methods. <i>European Radiology</i> , 2009, 19, 1139-1147.   | 2.3 | 25        |
| 14255 | Carotid intima-media thickness and distensibility measured by MRI at 3T versus high-resolution ultrasound. <i>European Radiology</i> , 2009, 19, 1470-1479.  | 2.3 | 27        |
| 14256 | Mapping of liver fat with triple-echo gradient echo imaging: validation against 3.0-T proton MR spectroscopy. <i>European Radiology</i> , 2009, 19, 1786-1793.   | 2.3 | 49        |
| 14257 | MRI of small bowel Crohn's disease: determining the reproducibility of bowel wall gadolinium enhancement measurements. <i>European Radiology</i> , 2009, 19, 1960-1967.  | 2.3 | 35        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14258 | Sixty-four-slice multidetector computed tomography for preoperative evaluation of left ventricular function and mass in patients with mitral regurgitation: comparison with magnetic resonance imaging and echocardiography. <i>European Radiology</i> , 2009, 19, 2107-2116.                         | 2.3 | 23        |
| 14259 | The reliability of automatic measurement of left ventricular function with dual-source computed tomography datasets. <i>European Radiology</i> , 2009, 19, 2919-2930.   | 2.3 | 5         |
| 14260 | Grading of carotid artery stenosis with multidetector-row CT angiography: visual estimation or caliper measurements?. <i>European Radiology</i> , 2009, 19, 2809-2818.  | 2.3 | 17        |
| 14261 | Lower uterine segment thickness measurement in pregnant women with previous Cesarean section: reliability analysis using two- and three-dimensional transabdominal and transvaginal ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 301-306.                                   | 0.9 | 54        |
| 14262 | Comparison of inter- and intraobserver agreement between three types of fetal volume measurement technique (XI VOCAL <sup>3D</sup> , VOCAL <sup>2D</sup> and multiplanar). <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 287-294.  | 0.9 | 34        |
| 14263 | Fetal cardiac function assessed with four-dimensional ultrasound imaging using spatiotemporal image correlation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 272-281.  | 0.9 | 57        |
| 14264 | Intraobserver and interobserver reliability of automated antral follicle counts made using three-dimensional ultrasound and SonoAVC. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 477-483.  | 0.9 | 94        |
| 14265 | Interobserver repeatability of three- and four-dimensional transperineal ultrasound assessment of pelvic floor muscle anatomy and function. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 567-573.   | 0.9 | 109       |
| 14266 | Measurement error for ultrasound fetal biometry performed by paramedics in rural Bangladesh. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 387-394.  | 0.9 | 27        |
| 14267 | Transvaginal ultrasonography and magnetic resonance imaging for assessment of presence, size and extent of invasive cervical cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 335-344.  | 0.9 | 76        |
| 14268 | Anti-Ro52/SSA antibody-exposed fetuses with prolonged atrioventricular time intervals show signs of decreased cardiac performance. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 543-549.  | 0.9 | 29        |
| 14269 | Obstetric ultrasound scanning by local health workers in a refugee camp on the Thai-Burmese border. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 395-403.   | 0.9 | 95        |
| 14270 | Intravenous contrast ultrasound examination using contrast-tuned imaging (CnTI <sub>2D</sub> ) and the contrast medium SonoVue <sup>®</sup> for discrimination between benign and malignant adnexal masses with solid components. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 699-710. | 0.9 | 50        |
| 14271 | Measurement of fetal urine production to differentiate causes of increased amniotic fluid volume. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 191-195.   | 0.9 | 15        |
| 14272 | Prediction of VO <sub>2</sub> max with daily step counts for Japanese adult women. <i>European Journal of Applied Physiology</i> , 2009, 105, 289-296.  | 1.2 | 41        |
| 14273 | Uterine artery Doppler ultrasound in postpartum women with retained placental tissue. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009, 88, 724-728.  | 1.3 | 18        |
| 14274 | Does fetal weight estimated by ultrasound really affect the success rate of external cephalic version?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009, 88, 1101-1106.  | 1.3 | 14        |
| 14275 | Assessing cognitive impairment in Indigenous Australians: Re-evaluation of the Kimberley Indigenous Cognitive Assessment in Western Australia and the Northern Territory. <i>Australian Psychologist</i> , 2009, 44, 54-61.   | 0.9 | 25        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14276 | A limited sampling strategy for estimating mycophenolic acid area under the curve in adult heart transplant patients treated with concomitant cyclosporine. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2009, 34, 89-101.           | 0.7 | 18        |
| 14277 | A Step-wise Approach for Transfer of Immunogenicity Assays during Clinical Drug Development. <i>AAPS Journal</i> , 2009, 11, 526-34.   | 2.2 | 6         |
| 14278 | Evidence of the development of "domain-restricted" expertise in the recognition of asymmetric motion characteristics of hindlimb lameness in the horse. <i>Equine Veterinary Journal</i> , 2009, 41, 112-117.                                  | 0.9 | 72        |
| 14279 | Stability of common biochemistry analytes in equine blood stored at room temperature. <i>Equine Veterinary Journal</i> , 2009, 41, 428-432.  | 0.9 | 21        |
| 14280 | Evaluating the Accuracy, Reliability, and Clinical Applicability of Continuous Glucose Monitoring (CGM): Is CGM Ready for Real Time?. <i>Diabetes Technology and Therapeutics</i> , 2009, 11, 11-18.   | 2.4 | 120       |
| 14281 | Left Ventricular Outflow Tract Gradient Variability in Hypertrophic Cardiomyopathy. <i>Clinical Cardiology</i> , 2009, 32, 397-402.  | 0.7 | 67        |
| 14282 | Skewing of X-inactivation ratios in blood cells of aging women is confirmed by independent methodologies. <i>Blood</i> , 2009, 113, 3472-3474.   | 0.6 | 90        |
| 14283 | Comparison of rates of bone loss from the spine measured using two manufacturers' densitometers. <i>Journal of Bone and Mineral Research</i> , 1995, 10, 1796-1801.  | 3.1 | 39        |
| 14284 | Variación y evolución de la distensibilidad de los aneurismas aórticos abdominales tras la colocación de endoprótesis: valoración con eco-Doppler tisular. <i>Annals of Vascular Surgery</i> , 2009, 23, 53-65.                                | 0.0 | 0         |
| 14286 | Comparison of airway space with conventional lateral headfilms and 3-dimensional reconstruction from cone-beam computed tomography. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009, 135, 468-479.                  | 0.8 | 295       |
| 14287 | Efficiency of mandibular arch alignment with 2 preadjusted edgewise appliances. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009, 135, 597-602.  | 0.8 | 64        |
| 14288 | Comparison of mandibular arch changes during alignment and leveling with 2 preadjusted edgewise appliances. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009, 136, 340-347.  | 0.8 | 64        |
| 14289 | Prospective randomized clinical trial to compare pain levels associated with 2 orthodontic fixed bracket systems. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009, 136, 160-167.                                    | 0.8 | 60        |
| 14291 | Postmenopausal women with osteopenia have higher cortical porosity and thinner cortices at the distal radius and tibia than women with normal aBMD: An in vivo HR-pQCT study. <i>Journal of Bone and Mineral Research</i> , 2010, 25, 882-890. | 3.1 | 264       |
| 14292 | Bone Mineral and Body Composition Measurements: Cross-Calibration of Pencil-Beam and Fan-Beam Dual-Energy X-Ray Absorptiometers. <i>Journal of Bone and Mineral Research</i> , 2009, 13, 1613-1618.  | 3.1 | 100       |
| 14293 | An evaluation of induction machine stray load loss from collated test results. , 2009, , .   |     | 4         |
| 14294 | A Comparison of direct and indirect measurement of induction motor efficiency. , 2009, , .   |     | 19        |
| 14295 | In Vivo Validation of a Three-Dimensional Optical Method to Document Volumetric Soft Tissue Changes of the Interdental Papilla. <i>Journal of Periodontology</i> , 2009, 80, 56-61.  | 1.7 | 28        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14296 | Comparison of aortic valve area measured by magnetic resonance imaging and dual-source computed tomography. <i>Acta Radiologica</i> , 2009, 50, 645-651.   | 0.5 | 8         |
| 14297 | Determination of serum propofol concentrations by breath analysis using ion mobility spectrometry. <i>British Journal of Anaesthesia</i> , 2009, 103, 822-827.   | 1.5 | 115       |
| 14298 | An Application of Linear Mixed Effects Model to Assess the Agreement Between Two Methods With Replicated Observations. <i>Journal of Biopharmaceutical Statistics</i> , 2009, 19, 150-173.   | 0.4 | 26        |
| 14299 | Comparison of the Use of Liquid Crystal Thermometers with Glass Mercury Thermometers in Febrile Children in a Children's Ward at Port Moresby General Hospital, Papua New Guinea. <i>Journal of Tropical Pediatrics</i> , 2009, 55, 368-373. | 0.7 | 2         |
| 14300 | The management of septic arthritis in children. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 1127-1133.  | 3.4 | 124       |
| 14301 | Isolated Mitral Regurgitation: Quantitative Assessment with 64-Section Multidetector CT—Comparison with MR Imaging and Echocardiography. <i>Radiology</i> , 2009, 252, 369-376.  | 3.6 | 37        |
| 14302 | Arterial Blood Collection for Gas and Other Analyses. Comparison of Results Obtained With Three Types of Syringes. <i>Biotechnology and Biotechnological Equipment</i> , 2009, 23, 1259-1265.  | 0.5 | 2         |
| 14303 | Reproducibility of ratings of perceived exertion soon after myocardial infarction: responses in the stress-testing clinic and the rehabilitation gymnasium. <i>Ergonomics</i> , 2009, 52, 421-427.   | 1.1 | 17        |
| 14304 | Noninvasive Cardiac Output Determination: Broadening the Applicability of Hemodynamic Monitoring. <i>Seminars in Cardiothoracic and Vascular Anesthesia</i> , 2009, 13, 44-55.   | 0.4 | 18        |
| 14305 | Within- and Between-Day Repeatability and Variability in Children's Physiological Responses During Submaximal Treadmill Exercise. <i>Research Quarterly for Exercise and Sport</i> , 2009, 80, 575-582.                                      | 0.8 | 5         |
| 14306 | Body fat measurement in elite sport climbers: Comparison of skinfold thickness equations with dual energy X-ray absorptiometry. <i>Journal of Sports Sciences</i> , 2009, 27, 469-477.   | 1.0 | 34        |
| 14307 | Tumor Response in Patients With Advanced Non-Small Cell Lung Cancer: Perfusion CT Evaluation of Chemotherapy and Radiation Therapy. <i>American Journal of Roentgenology</i> , 2009, 193, 1090-1096.   | 1.0 | 142       |
| 14308 | The Reading the Mind in the Eyes Test: Test-retest reliability of a Swedish version. <i>Cognitive Neuropsychiatry</i> , 2009, 14, 127-143.   | 0.7 | 72        |
| 14309 | The validity of a non-differential global positioning system for assessing player movement patterns in field hockey. <i>Journal of Sports Sciences</i> , 2009, 27, 121-128.  | 1.0 | 128       |
| 14310 | Bench-to-bedside review: The importance of the precision of the reference technique in method comparison studies— with specific reference to the measurement of cardiac output. <i>Critical Care</i> , 2009, 13, 201.                        | 2.5 | 287       |
| 14311 | Comparison of a new brain tissue oxygenation measuring probe with the established standard. <i>Critical Care</i> , 2009, 13, P90.  | 2.5 | 0         |
| 14312 | Comparison between Flotrac-Vigileo and Bioreactance, a totally noninvasive method for cardiac output monitoring. <i>Critical Care</i> , 2009, 13, R73.   | 2.5 | 118       |
| 14313 | Infra-red thermometry: the reliability of tympanic and temporal artery readings for predicting brain temperature after severe traumatic brain injury. <i>Critical Care</i> , 2009, 13, R81.  | 2.5 | 32        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14314 | Electrical impedance tomography compared to positron emission tomography for the measurement of regional lung ventilation: an experimental study. <i>Critical Care</i> , 2009, 13, R82.   | 2.5 | 88        |
| 14315 | Non-invasive stroke volume measurement and passive leg raising predict volume responsiveness in medical ICU patients: an observational cohort study. <i>Critical Care</i> , 2009, 13, R111.   | 2.5 | 126       |
| 14316 | Comparison of monitoring performance of Bioreactance vs. pulse contour during lung recruitment maneuvers. <i>Critical Care</i> , 2009, 13, R125.  | 2.5 | 80        |
| 14317 | Transpulmonary thermodilution-derived cardiac function index identifies cardiac dysfunction in acute heart failure and septic patients: an observational study. <i>Critical Care</i> , 2009, 13, R133.  | 2.5 | 63        |
| 14318 | Comparison of two non-bronchoscopic methods for evaluating inflammation in patients with acute hypoxaemic respiratory failure. <i>Critical Care</i> , 2009, 13, R134.   | 2.5 | 13        |
| 14319 | Sepsis-associated microvascular dysfunction measured by peripheral arterial tonometry: an observational study. <i>Critical Care</i> , 2009, 13, R155.   | 2.5 | 49        |
| 14320 | Changes in stroke volume induced by passive leg raising in spontaneously breathing patients: comparison between echocardiography and Vigileo <sup>®</sup> /FloTrac <sup>®</sup> device. <i>Critical Care</i> , 2009, 13, R195.  | 2.5 | 126       |
| 14321 | Optic nerve sheath diameter correlates with the presence and severity of acute mountain sickness: evidence for increased intracranial pressure. <i>Journal of Applied Physiology</i> , 2009, 106, 1207-1211.  | 1.2 | 73        |
| 14322 | Treadmill Adaptation and Verification of Self-Selected Walking Speed. <i>Research Quarterly for Exercise and Sport</i> , 2009, 80, 380-385.   | 0.8 | 6         |
| 14323 | A physiological, time-motion, and technical comparison of youth water polo and Acquagoal. <i>Journal of Sports Sciences</i> , 2009, 27, 823-831.  | 1.0 | 36        |
| 14324 | Repeatability of Reading Ability Indices in Subjects with Impaired Vision. , 2009, 50, 3643.  |     | 36        |
| 14325 | Quantitative Analysis of Tetramethylenedisulfotetramine (Tetramine) Spiked into Beverages by Liquid Chromatography-Tandem Mass Spectrometry with Validation by Gas Chromatography-Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 4058-4067. | 2.4 | 16        |
| 14326 | Intrarater and Interrater Reliability of Myotonometer Measurements of Muscle Tone in Children. <i>Journal of Child Neurology</i> , 2009, 24, 267-274.   | 0.7 | 20        |
| 14327 | Reproducibility and Validity of Lung Density Measures from Cardiac CT Scans-The Multi-Ethnic Study of Atherosclerosis (MESA) Lung Study1. <i>Academic Radiology</i> , 2009, 16, 689-699.  | 1.3 | 92        |
| 14328 | Cerebrovascular reactivity and dynamic autoregulation in ischaemic subcortical white matter disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009, 80, 1093-1098.  | 0.9 | 64        |
| 14329 | Rapid-Clearance Iron Nanoparticles for Inflammation Imaging of Atherosclerotic Plaque: Initial Experience in Animal Model. <i>Radiology</i> , 2009, 252, 401-409.   | 3.6 | 102       |
| 14330 | Performance of the New Roche Cobas AmpliPrep-Cobas TaqMan Version 2.0 Human Immunodeficiency Virus Type 1 Assay. <i>Journal of Clinical Microbiology</i> , 2009, 47, 3400-3402.   | 1.8 | 33        |
| 14331 | Single Nucleotide Polymorphism-Based System Improves the Applicability of Quantitative PCR for Chimerism Monitoring. <i>Journal of Molecular Diagnostics</i> , 2009, 11, 66-74.   | 1.2 | 34        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14332 | Corrosion rate prediction of 3C steel under different seawater environment by using support vector regression. <i>Corrosion Science</i> , 2009, 51, 349-355.  | 3.0 | 126       |
| 14333 | The bi-pedal ape: Plasticity and asymmetry in footedness. <i>Cortex</i> , 2009, 45, 650-661.  | 1.1 | 52        |
| 14334 | Quantitative assessment of first-pass perfusion of oesophageal squamous cell carcinoma using 64-section MDCT: initial observation. <i>Clinical Radiology</i> , 2009, 64, 38-45.   | 0.5 | 19        |
| 14335 | A simple method to approximate liver size on cross-sectional images using living liver models. <i>Clinical Radiology</i> , 2009, 64, 682-689.   | 0.5 | 21        |
| 14336 | Validation of a simple index (SlisOGTT) of insulin sensitivity in a population of sedentary men. <i>Diabetes and Metabolism</i> , 2009, 35, 398-403.  | 1.4 | 14        |
| 14337 | Blood glucose monitoring: Milking the finger and using the first drop of blood give correct glucose values. <i>Diabetes Research and Clinical Practice</i> , 2009, 85, e14-e15.   | 1.1 | 13        |
| 14338 | Early insulin response and insulin sensitivity are equally important as predictors of glucose tolerance after correction for measurement errors. <i>Diabetes Research and Clinical Practice</i> , 2009, 86, 219-224.              | 1.1 | 3         |
| 14339 | Performance evaluation of the automated NucliSens easyMAG nucleic acid extraction platform in comparison with QIAamp Mini kit from clinical specimens. <i>Diagnostic Microbiology and Infectious Disease</i> , 2009, 64, 158-165. | 0.8 | 20        |
| 14340 | A score-based method to improve the quality of emergency gynaecological ultrasound examination. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2009, 143, 116-120.                                  | 0.5 | 25        |
| 14341 | Effects of the individual uterine contraction on fetal head descent and cervical dilatation during the active stage of labor. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2009, 144, S101-S107.  | 0.5 | 11        |
| 14342 | Fetal volume and crown-rump length from 7 to 10 weeks of gestational age in singletons and twins. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2009, 145, 32-35.                                  | 0.5 | 36        |
| 14343 | Pulmonary malignancy in silicosis: Factors associated with radiographic detection. <i>European Journal of Radiology</i> , 2009, 69, 80-86.  | 1.2 | 8         |
| 14344 | Reproducibility of a semi-automatic method for 6-point vertebral morphometry in a multi-centre trial. <i>European Journal of Radiology</i> , 2009, 69, 173-178.   | 1.2 | 30        |
| 14345 | The evaluation of breast tissues removed during reductive mammoplasty with dual energy X-ray absorptiometry. <i>European Journal of Radiology</i> , 2009, 70, 549-554.  | 1.2 | 1         |
| 14346 | Measurements of pulmonary vein ostial diameter and distance to first bifurcation: A comparison of different measurement methods. <i>European Journal of Radiology</i> , 2009, 71, 61-68.  | 1.2 | 10        |
| 14347 | Computer-assisted quantification of interstitial lung disease associated with rheumatoid arthritis: Preliminary technical validation. <i>European Journal of Radiology</i> , 2009, 72, 278-283.                                   | 1.2 | 18        |
| 14349 | The evaluation of a clinical scar scale for porcine burn scars. <i>Burns</i> , 2009, 35, 538-546.   | 1.1 | 19        |
| 14350 | A Multicenter Study of Noninvasive Cardiac Output by Bioreactance During Symptom-limited Exercise. <i>Journal of Cardiac Failure</i> , 2009, 15, 689-699.   | 0.7 | 50        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14351 | Evidence of Left Ventricular Systolic Dysfunction Detected by Automated Function Imaging in Patients With Heart Failure and Preserved Left Ventricular Ejection Fraction. <i>Journal of Cardiac Failure</i> , 2009, 15, 782-789. | 0.7 | 93        |
| 14352 | Validity of a traffic air pollutant dispersion model to assess exposure to fine particles. <i>Environmental Research</i> , 2009, 109, 651-656.   | 3.7 | 4         |
| 14353 | Foot Build Registration System (FBRS) to evaluate foot posture: a reliability study with healthy subjects and patients with Charcot-Marie-Tooth disease. <i>Foot and Ankle Surgery</i> , 2009, 15, 127-132.                      | 0.8 | 7         |
| 14354 | Automated measurements of follicle diameter: a chance to standardize?. <i>Fertility and Sterility</i> , 2009, 91, 1469-1472.   | 0.5 | 44        |
| 14355 | Estimating N-acetyltransferase metabolic activity and pharmacokinetic parameters of isoniazid from genotypes in Chinese subjects. <i>Clinica Chimica Acta</i> , 2009, 405, 23-29.  | 0.5 | 8         |
| 14356 | Determination of myeloperoxidase in EDTA plasma: Comparison of an enzyme-linked immunosorbent assay with a chemiluminescent automated immunoassay. <i>Clinica Chimica Acta</i> , 2009, 406, 62-65.                               | 0.5 | 15        |
| 14357 | Quantitative UPLC-MS/MS analysis of underivatized amino acids in body fluids is a reliable tool for the diagnosis and follow-up of patients with inborn errors of metabolism. <i>Clinica Chimica Acta</i> , 2009, 407, 36-42.    | 0.5 | 146       |
| 14358 | Heparin interference in the cerebrospinal fluid protein assay measured with a pyrogallol red-molybdate complex. <i>Clinica Chimica Acta</i> , 2009, 408, 75-78.  | 0.5 | 5         |
| 14359 | Wearing the F-Scan mobile in-shoe pressure measurement system alters gait characteristics during running. <i>Gait and Posture</i> , 2009, 29, 143-145.   | 0.6 | 30        |
| 14360 | Does walking strategy in older people change as a function of walking distance?. <i>Gait and Posture</i> , 2009, 29, 261-266.  | 0.6 | 136       |
| 14361 | Measuring distance walked and step count in children with cerebral palsy: An evaluation of two portable activity monitors. <i>Gait and Posture</i> , 2009, 29, 304-310.  | 0.6 | 40        |
| 14362 | Gait analysis in children and uncertainty assessment for Davis protocol and Gillette Gait Index. <i>Gait and Posture</i> , 2009, 30, 22-26.  | 0.6 | 37        |
| 14363 | A six degrees-of-freedom marker set for gait analysis: Repeatability and comparison with a modified Helen Hayes set. <i>Gait and Posture</i> , 2009, 30, 173-180.  | 0.6 | 260       |
| 14365 | Reliability of the new freezing of gait questionnaire: Agreement between patients with Parkinson's disease and their carers. <i>Gait and Posture</i> , 2009, 30, 459-463.  | 0.6 | 478       |
| 14366 | Developing an estimate of daily cumulative loading for the knee: Examining test-retest reliability. <i>Gait and Posture</i> , 2009, 30, 497-501.   | 0.6 | 27        |
| 14367 | Real-time gait event detection using wearable sensors. <i>Gait and Posture</i> , 2009, 30, 523-527.  | 0.6 | 169       |
| 14368 | Point-of-care (POCT) prothrombin time monitors: is a periodical control of their performance useful?. <i>Thrombosis Research</i> , 2009, 123, 775-779.   | 0.8 | 22        |
| 14369 | Use of an Esophageal Echo-Doppler Device During Liver Transplantation: Preliminary Report. <i>Transplantation Proceedings</i> , 2009, 41, 198-200.   | 0.3 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14370 | Living Kidney Transplantation: Evaluation of Renal Function and Morphology of Potential Donors. Transplantation Proceedings, 2009, 41, 1121-1124.  | 0.3 | 9         |
| 14371 | Monitoring of C0 and C2 Blood Concentrations of Cyclosporine on the Roche Hitachi 902 Analyzer. Transplantation Proceedings, 2009, 41, 3713-3719.  | 0.3 | 2         |
| 14372 | Validation of Limited Sampling Strategy for Estimation of Mycophenolic Acid Exposure During the First Year After Heart Transplantation. Transplantation Proceedings, 2009, 41, 4277-4284.  | 0.3 | 11        |
| 14373 | First molar radicular bone near the maxillary sinus: a comparison of CBCT analysis and gross anatomic dissection for small bony measurement. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2009, 108, 264-269. | 1.6 | 31        |
| 14374 | Alveolar bone measurement precision for phosphor-plate images. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2009, 108, e96-e107.  | 1.6 | 6         |
| 14375 | Quantitative MR imaging of individual muscle involvement in facioscapulohumeral muscular dystrophy. Neuromuscular Disorders, 2009, 19, 357-362.  | 0.3 | 120       |
| 14376 | <sup>3</sup> Deoxy- <sup>3</sup> [18F]fluorothymidine (FLT) uptake in breast cancer cells as a measure of proliferation after doxorubicin and docetaxel treatment. Nuclear Medicine and Biology, 2009, 36, 163-169.                        | 0.3 | 21        |
| 14377 | Reproducibility patterns of plasma norepinephrine and muscle sympathetic nerve traffic in human obesity. Nutrition, Metabolism and Cardiovascular Diseases, 2009, 19, 469-475.   | 1.1 | 19        |
| 14378 | Validation of the BIOPAC indirect calorimeter for determining resting energy expenditure in healthy free-living older people. Nutrition Research, 2009, 29, 531-541.   | 1.3 | 9         |
| 14379 | Variability in results from predicted resting energy needs as compared to measured resting energy expenditure in Korean children. Nutrition Research, 2009, 29, 777-783.   | 1.3 | 11        |
| 14380 | Measurement of Goldmann Applanation Tonometer Calibration Error. Ophthalmology, 2009, 116, 3-8.  | 2.5 | 34        |
| 14381 | Defining Real Change in Measures of Stereoacuity. Ophthalmology, 2009, 116, 281-285.   | 2.5 | 111       |
| 14382 | Dynamic Contour Tonometry: Handheld versus Slit-lamp-mounted. Ophthalmology, 2009, 116, 1450-1454.   | 2.5 | 6         |
| 14383 | Retinal Nerve Fiber Layer Imaging with Spectral-Domain Optical Coherence Tomography. Ophthalmology, 2009, 116, 1257-1263.e2.   | 2.5 | 448       |
| 14384 | Comparison and Evaluation of Ocular Biometry Using a New Noncontact Optical Low-Coherence Reflectometer. Ophthalmology, 2009, 116, 2087-2092.  | 2.5 | 127       |
| 14385 | Average 3-Dimensional Models for the Comparison of Orbscan II and Pentacam Pachymetry Maps in Normal Corneas. Ophthalmology, 2009, 116, 2064-2071.   | 2.5 | 54        |
| 14386 | 6-Minute walk distance in healthy North Africans older than 40 years: Influence of parity. Respiratory Medicine, 2009, 103, 74-84.   | 1.3 | 96        |
| 14387 | A quick and easy method of measuring the hypercapnic ventilatory response in patients with COPD. Respiratory Medicine, 2009, 103, 258-267.   | 1.3 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14388 | Development of a 1-concentration-4-step dosimeter protocol for methacholine testing. <i>Respiratory Medicine</i> , 2009, 103, 607-613.   | 1.3 | 38        |
| 14389 | Modeling individual leaf area of ginger ( <i>Zingiber officinale</i> Roscoe) using leaf length and width. <i>Scientia Horticulturae</i> , 2009, 120, 532-537.  | 1.7 | 41        |
| 14390 | Perceived exertion threshold: Comparison with ventilatory thresholds and critical power. <i>Science and Sports</i> , 2009, 24, 196-201.  | 0.2 | 10        |
| 14391 | Non-exhaustive tests for critical power estimation. <i>Science and Sports</i> , 2009, 24, 315-319.   | 0.2 | 0         |
| 14392 | An investigation of the validity of the Lifeshirt in comparison to standard polysomnography in the detection of obstructive sleep apnea. <i>Sleep Medicine</i> , 2009, 10, 118-122.  | 0.8 | 22        |
| 14393 | Sleep apnea diagnosis using an ECG Holter device including a nasal pressure (NP) recording: Validation of visual and automatic analysis of nasal pressure versus full polysomnography. <i>Sleep Medicine</i> , 2009, 10, 651-656.  | 0.8 | 20        |
| 14394 | Detection of sleep onset by analysis of slow eye movements: A preliminary study of MSLT recordings. <i>Sleep Medicine</i> , 2009, 10, 637-640.   | 0.8 | 10        |
| 14395 | Simultaneous detection of porcine cytokines by multiplex analysis: Development of magnetic bioplex assay. <i>Veterinary Immunology and Immunopathology</i> , 2009, 130, 53-58.   | 0.5 | 23        |
| 14396 | Measurement error and ethnic comparisons of measures of abdominal obesity. <i>Preventive Medicine</i> , 2009, 49, 148-152.   | 1.6 | 40        |
| 14397 | Change in the number of musculoskeletal pain sites: A 14-year prospective study. <i>Pain</i> , 2009, 141, 25-30.   | 2.0 | 131       |
| 14398 | Can extremely low or high morphine formation from codeine be predicted prior to therapy initiation?. <i>Pain</i> , 2009, 144, 119-124.   | 2.0 | 68        |
| 14399 | End-tidal versus transcutaneous measurement of PCO <sub>2</sub> during voluntary hypo- and hyperventilation. <i>International Journal of Psychophysiology</i> , 2009, 71, 103-108.   | 0.5 | 8         |
| 14402 | Accuracy and interobserver reliability of three-dimensional rotational angiography versus mathematical models for volumetric measurement of intracranial aneurysms. <i>Journal of Clinical Neuroscience</i> , 2009, 16, 1195-1198. | 0.8 | 3         |
| 14403 | Is retrospective application of the Oxford Shoulder Score valid?. <i>Journal of Shoulder and Elbow Surgery</i> , 2009, 18, 577-580.  | 1.2 | 25        |
| 14404 | Determinants of left ventricular mass and presence of metabolic risk factors in normotensive individuals. <i>International Journal of Cardiology</i> , 2009, 135, 323-330.   | 0.8 | 18        |
| 14405 | Early detection of coronary artery disease by 64-slice multidetector computed tomography in asymptomatic hypertensive high-risk patients. <i>International Journal of Cardiology</i> , 2009, 135, 280-286.                         | 0.8 | 19        |
| 14406 | A novel index combining diastolic and systolic Tissue Doppler parameters for the non-invasive assessment of left ventricular end-diastolic pressure. <i>International Journal of Cardiology</i> , 2009, 136, 120-129.              | 0.8 | 31        |
| 14407 | Improved aortic distensibility after aortic homograft root replacement at long-term follow-up. <i>International Journal of Cardiology</i> , 2009, 136, 216-219.  | 0.8 | 10        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14408 | Non-invasive determination of cardiac output: Comparison of a novel CW Doppler ultrasonic technique and inert gas rebreathing. <i>International Journal of Cardiology</i> , 2009, 136, 248-250.  | 0.8 | 12        |
| 14409 | Evaluation of the Rice pelvimeter for measuring pelvic area in double muscled Belgian Blue cows. <i>Livestock Science</i> , 2009, 121, 259-266.  | 0.6 | 12        |
| 14410 | Mathematical weighting of a clinimetric index (Pediatric Ulcerative Colitis Activity Index) was superior to the judgmental approach. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 738-744.  | 2.4 | 16        |
| 14411 | Office blood pressure and 24-hour ambulatory blood pressure measurements: high proportion of disagreement in resistant hypertension. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 745-751.  | 2.4 | 9         |
| 14412 | Nonrandomized quality improvement intervention trials might overstate the strength of causal inference of their findings. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 959-966.   | 2.4 | 15        |
| 14413 | AMSTAR is a reliable and valid measurement tool to assess the methodological quality of systematic reviews. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 1013-1020.   | 2.4 | 1,427     |
| 14414 | Intraobserver and interobserver repeatability of curvature and aberrometric measurements of the posterior corneal surface in normal eyes using Scheimpflug photography. <i>Journal of Cataract and Refractive Surgery</i> , 2009, 35, 113-120. | 0.7 | 72        |
| 14415 | Repeatability, reproducibility, and agreement characteristics of rotating Scheimpflug photography and scanning-slit corneal topography for corneal power measurement. <i>Journal of Cataract and Refractive Surgery</i> , 2009, 35, 127-133.   | 0.7 | 94        |
| 14416 | Objective accommodation measurements in pseudophakic subjects using an autorefractor and an aberrometer. <i>Journal of Cataract and Refractive Surgery</i> , 2009, 35, 282-290.  | 0.7 | 36        |
| 14417 | Comparison of partial coherence interferometry and ultrasound for anterior segment biometry. <i>Journal of Cataract and Refractive Surgery</i> , 2009, 35, 324-329.  | 0.7 | 10        |
| 14418 | Value of preoperative phakic intraocular lens simulation using optical coherence tomography. <i>Journal of Cataract and Refractive Surgery</i> , 2009, 35, 438-443.  | 0.7 | 11        |
| 14419 | Comparison of anterior and posterior elevation map measurements between 2 Scheimpflug imaging systems. <i>Journal of Cataract and Refractive Surgery</i> , 2009, 35, 856-862.  | 0.7 | 45        |
| 14420 | Accuracy of Scheimpflug corneal power measurements for intraocular lens power calculation. <i>Journal of Cataract and Refractive Surgery</i> , 2009, 35, 1193-1197.  | 0.7 | 50        |
| 14421 | Comparison of near visual acuity and reading metrics in presbyopia correction. <i>Journal of Cataract and Refractive Surgery</i> , 2009, 35, 1401-1409.  | 0.7 | 25        |
| 14422 | Repeated pupil size measurements in refractive surgery candidates. <i>Journal of Cataract and Refractive Surgery</i> , 2009, 35, 2099-2102.  | 0.7 | 10        |
| 14423 | Comparative evaluation of the VERSANT <sup>®</sup> HIV-1 RNA 1.0 kinetic PCR molecular system (kPCR) for the quantification of HIV-1 plasma viral load. <i>Journal of Clinical Virology</i> , 2009, 44, 297-301.                               | 1.6 | 26        |
| 14424 | Comment on "The application of Ozone in dentistry: A systematic review of the literature". <i>Journal of Dentistry</i> , 2009, 37, 406-410.  | 1.7 | 22        |
| 14425 | Onset in abdominal muscles recorded simultaneously by ultrasound imaging and intramuscular electromyography. <i>Journal of Electromyography and Kinesiology</i> , 2009, 19, e23-e31.   | 0.7 | 45        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14426 | Reliability of posturographic measurements in the assessment of impaired sensorimotor function in chronic low back pain. <i>Journal of Electromyography and Kinesiology</i> , 2009, 19, 380-390.  | 0.7 | 80        |
| 14427 | Muscle activation during a reach-to-grasp movement in sitting position: Influence of the distance. <i>Journal of Electromyography and Kinesiology</i> , 2009, 19, 269-275.  | 0.7 | 18        |
| 14428 | Reliability of a new virtual reality test to measure cervicocephalic kinaesthesia. <i>Journal of Electromyography and Kinesiology</i> , 2009, 19, e353-e361.  | 0.7 | 9         |
| 14429 | Bland-Altman Analysis for Determining Agreement Between Two Methods. <i>Journal of Emergency Medicine</i> , 2009, 36, 307.  | 0.3 | 6         |
| 14430 | Point-of-care coagulation monitors calibrated for the international normalized ratio for cirrhosis (INRliver) can help to implement the INRliver for the calculation of the MELD score. <i>Journal of Hepatology</i> , 2009, 51, 288-295. | 1.8 | 26        |
| 14431 | Sleep-wake patterns in patients with cirrhosis: All you need to know on a single sheet. <i>Journal of Hepatology</i> , 2009, 51, 690-695.   | 1.8 | 30        |
| 14432 | Palmar Abduction: Reliability of 6 Measurement Methods in Healthy Adults. <i>Journal of Hand Surgery</i> , 2009, 34, 523-530.   | 0.7 | 24        |
| 14433 | Palmar Abduction Measurements: Reliability and Introduction of Normative Data in Healthy Children. <i>Journal of Hand Surgery</i> , 2009, 34, 1704-1708.  | 0.7 | 22        |
| 14434 | Electroencephalographic analysis for the assessment of hepatic encephalopathy: Comparison of non-parametric and parametric spectral estimation techniques. <i>Neurophysiologie Clinique</i> , 2009, 39, 107-115.                          | 1.0 | 22        |
| 14435 | Insulin resistance independently predicts the progression of coronary artery calcification. <i>American Heart Journal</i> , 2009, 157, 939-945.   | 1.2 | 62        |
| 14436 | Doppler-derived preoperative mitral regurgitation volume predicts postoperative left ventricular dysfunction after mitral valve repair. <i>American Heart Journal</i> , 2009, 157, 875-882.   | 1.2 | 7         |
| 14437 | Are ejection fraction measurements by echocardiography and left ventriculography equivalent?. <i>American Heart Journal</i> , 2009, 158, 496-502.   | 1.2 | 8         |
| 14438 | Capnography monitoring in nonintubated patients with respiratory distress. <i>American Journal of Emergency Medicine</i> , 2009, 27, 1056-1059.   | 0.7 | 32        |
| 14439 | Visual Impairment and Its Impact on Health-related Quality of Life in Adolescents. <i>American Journal of Ophthalmology</i> , 2009, 147, 505-511.e1.  | 1.7 | 78        |
| 14440 | Correlation, Agreement, and Bland-Altman Analysis: Statistical Analysis of Method Comparison Studies. <i>American Journal of Ophthalmology</i> , 2009, 148, 4-6.  | 1.7 | 179       |
| 14441 | Development and Validation of a Digital Head Posture Measuring System. <i>American Journal of Ophthalmology</i> , 2009, 147, 1092-1100.e3.  | 1.7 | 10        |
| 14442 | Comparison of Retinal Thickness Measurements Between Three-dimensional and Radial Scans on Spectral-Domain Optical Coherence Tomography. <i>American Journal of Ophthalmology</i> , 2009, 148, 431-438.                                   | 1.7 | 23        |
| 14443 | Comparison of Corneal Powers Obtained from 4 Different Devices. <i>American Journal of Ophthalmology</i> , 2009, 148, 528-535.e1.   | 1.7 | 140       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14444 | Use of Anterior Segment Optical Coherence Tomography to Study Corneal Changes After Collagen Cross-linking. <i>American Journal of Ophthalmology</i> , 2009, 148, 844-851.e2.   | 1.7 | 167       |
| 14445 | Concordance between the Piko 1® portable device and pneumotachography in measuring PEF and FEV1 in asthmatic children. <i>Allergologia Et Immunopathologia</i> , 2009, 37, 244-248.   | 1.0 | 7         |
| 14447 | Usefulness of pulse oximetry using the SET technology in critically ill adult patients. <i>Annales Francaises D'Anesthesie Et De Reanimation</i> , 2009, 28, 640-644.   | 1.4 | 12        |
| 14448 | Reliability of Rehabilitative Ultrasound Imaging of the Transversus Abdominis and Lumbar Multifidus Muscles. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 87-94.   | 0.5 | 250       |
| 14449 | Clinimetric Properties of Instruments to Assess Activities in Patients With Hand Injury: A Systematic Review of the Literature. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 151-169.  | 0.5 | 102       |
| 14450 | Validity and Interobserver Reliability of Visual Observation to Assess Partial Weight-Bearing. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 309-313.   | 0.5 | 21        |
| 14451 | Exploring Actical Accelerometers as an Objective Measure of Physical Activity in People With Multiple Sclerosis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 594-601.   | 0.5 | 37        |
| 14452 | Six-Minute Walk Test in Patients With Down Syndrome: Validity and Reproducibility. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 1423-1427.   | 0.5 | 61        |
| 14453 | Intratester Reliability and Validity of Concentric Measurements Using a New Hand-Held Dynamometer. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 1541-1547.   | 0.5 | 22        |
| 14454 | Timed Up & Go Test Score in Patients With Hip Fracture Is Related to the Type of Walking Aid. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 1760-1765.  | 0.5 | 36        |
| 14455 | Assessment of subjective appetite sensations in hemodialysis patients. Agreement and feasibility between traditional paper and pen and a novel electronic appetite rating system. <i>Appetite</i> , 2009, 52, 525-527.  | 1.8 | 10        |
| 14456 | Effects of lower jaw deformity on swimming performance and recovery from exhaustive exercise in triploid and diploid Atlantic salmon <i>Salmo salar</i> L.. <i>Aquaculture</i> , 2009, 290, 145-154.  | 1.7 | 71        |
| 14457 | Test-retest reliability of an online measure of past week alcohol consumption (the TOT-AL), and comparison with face-to-face interview. <i>Addictive Behaviors</i> , 2009, 34, 337-342.   | 1.7 | 34        |
| 14458 | A 100K well screen for a muscarinic receptor using the Epic <sup>®</sup> label-free system – a reflection on the benefits of the label-free approach to screening seven-transmembrane receptors. <i>Journal of Receptor and Signal Transduction Research</i> , 2009, 29, 163-172. | 1.3 | 52        |
| 14459 | In-vivo demonstration of a high resolution optical fiber manometry catheter for diagnosis of gastrointestinal motility disorders. <i>Optics Express</i> , 2009, 17, 4500.   | 1.7 | 97        |
| 14460 | Dual wavefront sensing channel monocular adaptive optics system for accommodation studies. <i>Optics Express</i> , 2009, 17, 18229.   | 1.7 | 9         |
| 14461 | Hydroxymethylglutaryl Coenzyme-A Reductase Inhibitors Delay the Progression of Rheumatic Aortic Valve Stenosis. <i>Journal of the American College of Cardiology</i> , 2009, 53, 1874-1879.   | 1.2 | 36        |
| 14462 | Aortic Stiffness Is Increased in Hypertrophic Cardiomyopathy With Myocardial Fibrosis. <i>Journal of the American College of Cardiology</i> , 2009, 54, 255-262.  | 1.2 | 67        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14463 | GFR estimates using cystatin C are superior to serum creatinine in adult patients with cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2009, 8, 19-25.   | 0.3 | 41        |
| 14464 | Prospective Electrocardiogram-Gated Delayed Enhanced Multidetector Computed Tomography Accurately Quantifies Infarct Size and Reduces Radiation Exposure. <i>JACC: Cardiovascular Imaging</i> , 2009, 2, 412-420.                       | 2.3 | 36        |
| 14465 | Electroanatomic Relationships in Patients With Primum Atrioventricular Septal Defect. <i>JACC: Cardiovascular Imaging</i> , 2009, 2, 1357-1365.   | 2.3 | 13        |
| 14467 | Validation of a questionnaire assessing patient's aesthetic and functional outcome after nasal reconstruction: the patient NAFEQ-score. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2009, 62, 656-662.            | 0.5 | 33        |
| 14468 | Early auditory middle latency evoked potentials correlates with recovery from aphasia after stroke. <i>Clinical Neurophysiology</i> , 2009, 120, 136-139.   | 0.7 | 8         |
| 14469 | An initial transient-state and reliable measures of corticospinal excitability in TMS studies. <i>Clinical Neurophysiology</i> , 2009, 120, 987-993.  | 0.7 | 85        |
| 14470 | Stimulated skin wrinkling for predicting intraepidermal nerve fibre density. <i>Clinical Neurophysiology</i> , 2009, 120, 953-958.  | 0.7 | 25        |
| 14471 | High test-retest reliability of checkerboard reversal visual evoked potentials (VEP) over 8 months. <i>Clinical Neurophysiology</i> , 2009, 120, 1835-1840.   | 0.7 | 42        |
| 14472 | Does the dynamic cross cylinder test measure the accommodative response accurately?. <i>Optometry - Journal of the American Optometric Association</i> , 2009, 80, 630-634.   | 0.6 | 9         |
| 14474 | Reduced fractional anisotropy of corpus callosum in first-contact, antipsychotic drug-naive patients with schizophrenia. <i>Schizophrenia Research</i> , 2009, 108, 41-48.  | 1.1 | 96        |
| 14475 | Asymmetric aortic expansion of the aneurysm neck: Analysis and visualization of shape changes with electrocardiogram-gated magnetic resonance imaging. <i>Journal of Vascular Surgery</i> , 2009, 49, 1395-1402.                        | 0.6 | 14        |
| 14476 | Abdominal aortic aneurysm diameter: A comparison of ultrasound measurements with those from standard and three-dimensional computed tomography reconstruction. <i>Journal of Vascular Surgery</i> , 2009, 50, 263-268.                  | 0.6 | 77        |
| 14478 | VEGF, TNF- $\alpha$ and 8-isoprostane levels in exhaled breath condensate and serum of patients with lung cancer. <i>Lung Cancer</i> , 2009, 64, 219-225.   | 0.9 | 86        |
| 14479 | Validity of the reduced-sample insulin modified frequently-sampled intravenous glucose tolerance test using the nonlinear regression approach. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 220-225.                        | 1.5 | 14        |
| 14480 | Predicting abdominal adipose tissue among women with familial partial lipodystrophy. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 828-834.  | 1.5 | 15        |
| 14481 | Reproducibility of dual-energy x-ray absorptiometry total and regional body composition measurements using different scanning positions and definitions of regions. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 1663-1668. | 1.5 | 91        |
| 14482 | Development, validity, and reliability of The Assessment of Pain and Occupational Performance (POP): a new instrument using two dimensions in the investigation of disability in back pain. <i>Spine Journal</i> , 2009, 9, 486-498.    | 0.6 | 7         |
| 14483 | Point-of-care testing of cholesterol and triglycerides for epidemiologic studies: evaluation of the multicare-in system. <i>Translational Research</i> , 2009, 153, 71-76.  | 2.2 | 47        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14484 | Prediction of Body Composition From Spine and Hip Bone Densitometry. <i>Journal of Clinical Densitometry</i> , 2009, 12, 428-433.   | 0.5 | 14        |
| 14485 | Lactate Threshold Concepts. <i>Sports Medicine</i> , 2009, 39, 469-490.   | 3.1 | 558       |
| 14486 | A comparative study of a flow-cytometry-based assessment of in vitro <i>Plasmodium falciparum</i> drug sensitivity. <i>Malaria Journal</i> , 2009, 8, 294.  | 0.8 | 30        |
| 14487 | Estimation of VLDL, IDL, LDL, HDL<sub>2</sub>, apoA-I, and apoB from the Friedewald inputsâ€”apoB and IDL, but not LDL, are associated with mortality in type 1 diabetes. <i>Annals of Medicine</i> , 2009, 41, 451-461.                    | 1.5 | 36        |
| 14488 | Analysis of cardiovascular responses to passive headâ€”up tilt using continuous pulse wave analysis and impedance cardiography. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009, 69, 128-137.                   | 0.6 | 67        |
| 14489 | Automated follicle tracking improves measurement reliability in patients undergoing ovarian stimulation. <i>Reproductive BioMedicine Online</i> , 2009, 18, 658-663.  | 1.1 | 36        |
| 14490 | Individual ovarian volumes obtained from 2-dimensional and 3-dimensional ultrasound lack precision. <i>Reproductive BioMedicine Online</i> , 2009, 18, 348-351.   | 1.1 | 15        |
| 14491 | MetodologÃ­a de presentaciÃ³n de los resultados de progresiÃ³n radiolÃ³gica en estudios clÃ­nicos. <i>Seminarios De La FundaciÃ³n EspaÃ±ola De ReumatologÃ­a</i> , 2009, 10, 2-7.   | 0.1 | 0         |
| 14492 | Global patterns of dissolved silica export to the coastal zone: Results from a spatially explicit global model. <i>Global Biogeochemical Cycles</i> , 2009, 23, .   | 1.9 | 103       |
| 14493 | Accuracy of the Central Landmark for Catheterization of the Right Internal Jugular Vein After Placement of the ProSealâ„¢ Laryngeal Mask Airway. <i>Acta Anaesthesiologica Taiwanica</i> , 2009, 47, 118-122.                               | 1.0 | 4         |
| 14494 | Atheromatous Plaques: Quantitative Analysis of the Echogenicity of Different Layers. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2009, 62, 984-991.  | 0.4 | 3         |
| 14495 | Â¿Son fiables las medidas ambulatorias de presiÃ³n arterial en pacientes con enfermedad renal crÃ³nica en tratamiento con diÃ¡lisis peritoneal?. <i>Hipertension Y Riesgo Vascular</i> , 2009, 26, 126-127.                                 | 0.3 | 1         |
| 14496 | Validation of questionnaires. <i>ReumatologÃ­a ClÃ­nica (English Edition)</i> , 2009, 5, 171-177.   | 0.2 | 38        |
| 14497 | Selecting outcome measures in sports medicine: a guide for practitioners using the example of anterior cruciate ligament rehabilitation. <i>British Journal of Sports Medicine</i> , 2009, 43, 1006-1012.                                   | 3.1 | 37        |
| 14498 | Disability Glare in the Aging Eye. Assessment and Impact on Drivingâ†. <i>Journal of Optometry</i> , 2009, 2, 112-118.  | 0.7 | 47        |
| 14499 | Calculating Angle Lambda ( $\lambda$ ) Using Zernike Tilt Measurements in Specular Reflection Corneal Topography. <i>Journal of Optometry</i> , 2009, 2, 207-214.   | 0.7 | 7         |
| 14500 | Limited Sampling Models and Bayesian Estimation for Mycophenolic Acid Area under the Curve Prediction in Stable Renal Transplant Patients Co-Medicated with Ciclosporin or Sirolimus. <i>Clinical Pharmacokinetics</i> , 2009, 48, 745-758. | 1.6 | 52        |
| 14501 | Reliability and validity of the Children's Dietary Questionnaire; A new tool to measure children's dietary patterns. <i>Pediatric Obesity</i> , 2009, 4, 257-265.   | 3.2 | 123       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14502 | Responses of FEV6, FVC, and FET to inhaled bronchodilator in the adult general population. <i>Respiratory Research</i> , 2009, 10, 71.  | 1.4 | 6         |
| 14503 | A novel online Food Recall Checklist for use in an undergraduate student population: a comparison with diet diaries. <i>Nutrition Journal</i> , 2009, 8, 13.  | 1.5 | 17        |
| 14504 | Reproducibility and repeatability of measuring the electrical impedance of the pregnant human cervix-the effect of probe size and applied pressure. <i>BioMedical Engineering OnLine</i> , 2009, 8, 10.                   | 1.3 | 15        |
| 14505 | Telephone reliability of the Frenchay Activity Index and EQ-5D amongst older adults. <i>Health and Quality of Life Outcomes</i> , 2009, 7, 48.  | 1.0 | 60        |
| 14506 | Do neurooncological patients and their significant others agree on quality of life ratings?. <i>Health and Quality of Life Outcomes</i> , 2009, 7, 87.  | 1.0 | 49        |
| 14507 | Reproducibility and comparative validity of a food frequency questionnaire for Australian children and adolescents. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 62.             | 2.0 | 168       |
| 14508 | The chemiluminescence based Ziplex <sup>®</sup> automated workstation focus array reproduces ovarian cancer Affymetrix GeneChip <sup>®</sup> expression profiles. <i>Journal of Translational Medicine</i> , 2009, 7, 55. | 1.8 | 8         |
| 14509 | Paced-Walk and Step Tests to Assess Exertional Dyspnea in COPD. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2009, 6, 330-339.   | 0.7 | 33        |
| 14510 | Misclassification of Pulmonary Hypertension Due to Reliance on Pulmonary Capillary Wedge Pressure Rather Than Left Ventricular End-Diastolic Pressure. <i>Chest</i> , 2009, 136, 37-43.                                   | 0.4 | 227       |
| 14511 | Criterion-related validity of the 20-m shuttle run test in youths aged 13-19 years. <i>Journal of Sports Sciences</i> , 2009, 27, 899-906.  | 1.0 | 67        |
| 14512 | Impact of Mild Hypertension on Left Atrial Size and Function. <i>Circulation: Cardiovascular Imaging</i> , 2009, 2, 93-99.  | 1.3 | 86        |
| 14513 | Reproducibility of aortic pulse wave velocity measurements obtained with Phase Contrast Magnetic Resonance (PCMR) and applanation tonometry. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .            | 1.6 | 0         |
| 14514 | Prediction of Response to Cardiac Resynchronization Therapy by Speckle Tracking Echocardiography Using Different Software Approaches. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 677-684.     | 1.2 | 43        |
| 14515 | Using simple anthropometric measures to predict body fat in South Asians. <i>Applied Physiology, Nutrition and Metabolism</i> , 2009, 34, 40-48.  | 0.9 | 5         |
| 14516 | One-repetition maximum strength test represents a valid means to assess leg strength in vivo in humans. <i>Journal of Sports Sciences</i> , 2009, 27, 59-68.  | 1.0 | 158       |
| 14517 | Sensory impairments in quiet standing in subjects with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2009, 15, 59-67.   | 1.4 | 168       |
| 14518 | Validity and reliability of the Newtest Powertimer 300-series <sup>®</sup> testing system. <i>Journal of Sports Sciences</i> , 2009, 27, 77-84.   | 1.0 | 42        |
| 14519 | Inter-rater reliability of malaria parasite counts and comparison of methods. <i>Malaria Journal</i> , 2009, 8, 267.  | 0.8 | 32        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14520 | Validation for quantification of immunoglobulins by Fourier transform infrared spectrometry. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 83-90.  | 1.4 | 16        |
| 14521 | Rapid automated cell quantification on HIV microfluidic devices. <i>Lab on A Chip</i> , 2009, 9, 3364.   | 3.1 | 71        |
| 14522 | Vitamin D status assessed by a validated HPLC method: within and between variation in subjects supplemented with vitamin D <sup>3</sup> . <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009, 69, 190-197.  | 0.6 | 20        |
| 14524 | A comparison of two methods of measuring static coefficient of friction at low normal forces: a pilot study. <i>Ergonomics</i> , 2009, 52, 121-135.  | 1.1 | 30        |
| 14525 | Non-invasive cardiac output trending during exercise recovery on a bathroom-scale-based ballistocardiograph. <i>Physiological Measurement</i> , 2009, 30, 261-274.   | 1.2 | 76        |
| 14526 | Segmental Atrial Function Following Percutaneous Closure of Atrial Septum Using Occluder Device. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 508-516.   | 1.2 | 16        |
| 14527 | Predicting Response to Cardiac Resynchronization Therapy with Cross-Correlation Analysis of Myocardial Systolic Acceleration: A New Approach to Echocardiographic Dyssynchrony Evaluation. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 657-664. | 1.2 | 26        |
| 14528 | Applications of the Repeatability of Quantitative Imaging Biomarkers: A Review of Statistical Analysis of Repeat Data Sets. <i>Translational Oncology</i> , 2009, 2, 231-235.  | 1.7 | 127       |
| 14529 | Correlation of Automated Function Imaging (AFI) to Conventional Strain Analyses of Regional and Global Right Ventricular Function. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 1031-1039.   | 1.2 | 14        |
| 14530 | Magnetic Resonance Assessment of Response to Therapy: Tumor Change Measurement, Truth Data and Error Sources. <i>Translational Oncology</i> , 2009, 2, 211-215.  | 1.7 | 24        |
| 14532 | Doppler Echocardiography Can Provide a Comprehensive Assessment of Right Ventricular Afterload. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 1360-1367.  | 1.2 | 16        |
| 14533 | Cardiac Dyssynchrony Quantitated by Time-to-Peak or Temporal Uniformity of Strain at Longitudinal, Circumferential, and Radial Level: Implications for Resynchronization Therapy. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 665-671.          | 1.2 | 28        |
| 14534 | Experimental Bone Biopsies Using Two Bone Biopsy Needles. <i>Academic Radiology</i> , 2009, 16, 332-340.   | 1.3 | 6         |
| 14535 | Quantitative Imaging to Assess Tumor Response to Therapy: Common Themes of Measurement, Truth Data, and Error Sources. <i>Translational Oncology</i> , 2009, 2, 198-210.   | 1.7 | 49        |
| 14536 | Agreement Between Measurements of Shrub Cover Using Ground-Based Methods and Very Large Scale Aerial Imagery. <i>Rangeland Ecology and Management</i> , 2009, 62, 268-277.   | 1.1 | 12        |
| 14537 | FITC-ALBUMIN AS A MARKER FOR ASSESSMENT OF ENDOTHELIAL PERMEABILITY IN MICE: COMPARISON WITH <sup>125</sup> I-ALBUMIN. <i>Experimental Lung Research</i> , 2009, 35, 263-271.  | 0.5 | 22        |
| 14538 | Reproducible Measurement of Macular Light Flash Recovery Time Using a Novel Device Can Indicate the Presence and Worsening of Macular Diseases. <i>Current Eye Research</i> , 2009, 34, 162-170.   | 0.7 | 22        |
| 14539 | Signal-to-Noise Ratio in Doppler Radar System for Heart and Respiratory Rate Measurements. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2009, 57, 2498-2507.  | 2.9 | 124       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14540 | Does the Estimation of Light Attenuation in Tissue Increase the Accuracy of Reflectance Pulse Oximetry at Low Oxygen Saturations<i>In Vivo</i>?. IEEE Transactions on Biomedical Engineering, 2009, 56, 2271-2279.                           | 2.5 | 3         |
| 14541 | Analysis of polyethylene wear in plain radiographs. Monthly Notices of the Royal Astronomical Society: Letters, 2009, 80, 675-682.   | 1.2 | 8         |
| 14542 | Accurate ALSFRS-R scores can be generated from retrospective review of clinic notes. Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders, 2009, 10, 244-247.  | 2.3 | 5         |
| 14543 | Estimation of parasite load using Rapid diagnostic test ICT Â®Now Malaria P.f/P.v in Plasmodium falciparum malaria. Scandinavian Journal of Infectious Diseases, 2009, 41, 597-601.  | 1.5 | 8         |
| 14544 | Significant and meaningful effects in sports biomechanics research. Sports Biomechanics, 2009, 8, 96-104.  | 0.8 | 90        |
| 14545 | Development of the Asthma Treatment Satisfaction Measure. Current Medical Research and Opinion, 2009, 25, 2495-2506.   | 0.9 | 12        |
| 14546 | Clinical evaluation of a fully automated model-based algorithm to calculate left ventricular volumes and ejection fraction using multidetector computed tomography. Acute Cardiac Care, 2009, 11, 43-51.                                     | 0.2 | 7         |
| 14547 | The usability of a modified Å..strand bicycle test to assess the aerobic capacity in patients with musculoskeletal pain and healthy controls. Disability and Rehabilitation, 2009, 31, 1988-1995.  | 0.9 | 5         |
| 14548 | Surgical advances in periacetabular osteotomy for treatment of hip dysplasia in adults. Monthly Notices of the Royal Astronomical Society: Letters, 2009, 80, 1-33.  | 1.2 | 41        |
| 14549 | The development of a scale to aid caseload weighting in a community mental health team for older people. Journal of Mental Health, 2009, 18, 253-261.  | 1.0 | 4         |
| 14550 | Voice handicap index in Swedish. Logopedics Phoniatrics Vocology, 2009, 34, 60-66.   | 0.5 | 83        |
| 14551 | Sustainability of a Multimodal Intervention to Promote Lifestyle Factors Associated With the Prevention of Cardiovascular Disease in Midlife Australian Women: A 5-year Follow-Up. Health Care for Women International, 2009, 30, 1111-1130. | 0.6 | 10        |
| 14552 | Reproducibility of an isokinetic eccentric muscle endurance task. European Journal of Sport Science, 2009, 9, 311-319.   | 1.4 | 5         |
| 14553 | Pre-analytical effects of pneumatic tube transport on impedance platelet aggregometry. Platelets, 2009, 20, 458-465.   | 1.1 | 56        |
| 14554 | Estimating leisure-time physical activity energy expenditure in the Canadian population: a comparison of 2 methods. Applied Physiology, Nutrition and Metabolism, 2009, 34, 666-672.   | 0.9 | 4         |
| 14555 | Accuracy of Doppler Echocardiography in the Hemodynamic Assessment of Pulmonary Hypertension. American Journal of Respiratory and Critical Care Medicine, 2009, 179, 615-621.  | 2.5 | 863       |
| 14556 | Comparison of wireless 48-h (Bravo) versus traditional ambulatory 24-h esophageal pH monitoring. Scandinavian Journal of Gastroenterology, 2009, 44, 276-283.  | 0.6 | 26        |
| 14557 | Comparison of estimates of central systolic blood pressure and peripheral augmentation index obtained from the Omron HEM-9000AI and SphygmoCor systems. Artery Research, 2009, 3, 24.  | 0.3 | 40        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14558 | P1.05 ASSESSMENT OF ARTERIAL STIFFNESS IN HYPERTENSION: COMPARISON OF OSCILLOMETRIC (ARTERIOGRAPH), PIEZO-ELECTRONIC (COMPLIOR), AND TONOMETRIC (SPHYGMOCOR) TECHNIQUES. <i>Artery Research</i> , 2009, 3, 162.   | 0.3 | 0         |
| 14559 | A novel 3-dimensional micro-ultrasound approach to automated measurement of carotid arterial plaque volume as a biomarker for experimental atherosclerosis. <i>Atherosclerosis</i> , 2009, 204, 55-65.  | 0.4 | 7         |
| 14560 | Comparability of methods for LDL subfraction determination: A systematic review. <i>Atherosclerosis</i> , 2009, 205, 342-348.   | 0.4 | 55        |
| 14561 | Interinstitutional Comparison of Risk-Adjusted Mortality and Length of Stay in Congenital Heart Surgery. <i>Annals of Thoracic Surgery</i> , 2009, 88, 151-156.   | 0.7 | 14        |
| 14562 | Patterns of agreement among parent, teacher and youth ratings in a referred sample. <i>European Psychiatry</i> , 2009, 24, 345-351.   | 0.1 | 120       |
| 14563 | Measuring fMRI reliability with the intra-class correlation coefficient. <i>NeuroImage</i> , 2009, 45, 758-768.   | 2.1 | 219       |
| 14564 | Reproducibility of BOLD signal change induced by breath holding. <i>NeuroImage</i> , 2009, 45, 702-712.   | 2.1 | 67        |
| 14565 | MRI-derived measurements of human subcortical, ventricular and intracranial brain volumes: Reliability effects of scan sessions, acquisition sequences, data analyses, scanner upgrade, scanner vendors and field strengths. <i>NeuroImage</i> , 2009, 46, 177-192. | 2.1 | 482       |
| 14566 | Performance measure characterization for evaluating neuroimage segmentation algorithms. <i>NeuroImage</i> , 2009, 47, 122-135.  | 2.1 | 218       |
| 14567 | Automated quantification of caudate atrophy by local registration of serial MRI: Evaluation and application in Huntington's disease. <i>NeuroImage</i> , 2009, 47, 1659-1665.   | 2.1 | 46        |
| 14568 | A beta-scintillator for surface measurements of radiotracer kinetics in the intact rodent cortex. <i>NeuroImage</i> , 2009, 48, 339-347.  | 2.1 | 6         |
| 14569 | Evaluation of the SenseWear activity monitor during exercise in cystic fibrosis and in health. <i>Respiratory Medicine</i> , 2009, 103, 1511-1517.  | 1.3 | 88        |
| 14570 | Coronary artery calcium scoring using a reduced tube voltage and radiation dose protocol with dual-source computed tomography. <i>Journal of Cardiovascular Computed Tomography</i> , 2009, 3, 394-400.   | 0.7 | 92        |
| 14571 | Predicting Maximal Oxygen Uptake Via a Perceptually Regulated Exercise Test (PRET). <i>Journal of Exercise Science and Fitness</i> , 2009, 7, 122-128.  | 0.8 | 25        |
| 14572 | The Association Between symptoms of Discomfort and signs in Dry Eye. <i>Ocular Surface</i> , 2009, 7, 199-211.  | 2.2 | 86        |
| 14573 | Towards quantifying the aesthetic outcomes of breast cancer treatment: comparison of clinical photography and colorimetry. <i>Journal of Evaluation in Clinical Practice</i> , 2009, 15, 20-31.   | 0.9 | 15        |
| 14574 | Forecasting Emergency Department Crowding: A Prospective, Real-time Evaluation. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2009, 16, 338-345.  | 2.2 | 54        |
| 14575 | Reliability of environmental sampling to quantify <i>Mycobacterium avium</i> subspecies <i>paratuberculosis</i> on California free-stall dairies. <i>Journal of Dairy Science</i> , 2009, 92, 3634-3642.  | 1.4 | 22        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14576 | Evaluation of an electronic cowside test to detect subclinical ketosis in dairy cows. <i>Journal of Dairy Science</i> , 2009, 92, 2618-2624.   | 1.4 | 238       |
| 14577 | Technical note: Validation of a system for monitoring rumination in dairy cows. <i>Journal of Dairy Science</i> , 2009, 92, 6052-6055.   | 1.4 | 234       |
| 14578 | Variability and Reproducibility in Software Engineering: A Study of Four Companies that Developed the Same System. <i>IEEE Transactions on Software Engineering</i> , 2009, 35, 407-429.   | 4.3 | 65        |
| 14579 | In vivo validation of a blood vector velocity estimator with MR angiography. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2009, 56, 91-100.  | 1.7 | 43        |
| 14580 | The Feasibility of Speckle Tracking for Intraoperative Assessment of Regional Myocardial Function by Transesophageal Echocardiography. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2009, 23, 462-467.                     | 0.6 | 21        |
| 14581 | The Accuracy of the Vigileo/FloTrac System Has Been Improved—Follow-up After a Software Update: A Blinded Comparative Study of 30 Cardiosurgical Patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2009, 23, 929-931. | 0.6 | 12        |
| 14582 | The Role of Epicardial Echocardiography in the Measurement of Transvalvular Flow Velocities During Aortic Valve Replacement. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2009, 23, 292-297.                               | 0.6 | 4         |
| 14583 | Continuous Arterial Pressure Waveform—Based Cardiac Output Using the FloTrac/Vigileo: A Review and Meta-analysis. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2009, 23, 401-406.  | 0.6 | 132       |
| 14584 | Comparison of a New Cardiac Output Ultrasound Dilution Method With Thermodilution Technique in Adult Patients Under General Anesthesia. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2009, 23, 835-840.                    | 0.6 | 30        |
| 14585 | Soft-Tissue Changes Related to Mandibular Advancement Surgery. <i>Seminars in Orthodontics</i> , 2009, 15, 161-171.  | 0.8 | 6         |
| 14586 | Sagittal Soft-Tissue Changes Related to the Surgical Correction of Maxillary-Deficient Class III Malocclusions. <i>Seminars in Orthodontics</i> , 2009, 15, 172-184.   | 0.8 | 24        |
| 14587 | Sagittal Soft-Tissue Changes of the Lower Lip and Chin Associated with Surgical Maxillary Impaction and Consequent Mandibular Autorotation. <i>Seminars in Orthodontics</i> , 2009, 15, 185-195.   | 0.8 | 10        |
| 14588 | Body Composition Measured by Dual—Energy X—ray Absorptiometry Half—body Scans in Obese Adults. <i>Obesity</i> , 2009, 17, 1281-1286.   | 1.5 | 146       |
| 14589 | Agreement Between the WHOQOL-BREF Chinese and Taiwanese Versions in the Elderly. <i>Journal of the Formosan Medical Association</i> , 2009, 108, 164-169.  | 0.8 | 11        |
| 14590 | Placas de ateroma: descripci3n cuantitativa de la ecogenicidad por capas. <i>Revista Espanola De Cardiologia</i> , 2009, 62, 984-991.  | 0.6 | 7         |
| 14591 | Equivalence of accelerometer data for walking and running: Treadmill versus on land. <i>Journal of Sports Sciences</i> , 2009, 27, 669-675.  | 1.0 | 26        |
| 14592 | Do radiologists agree on the quality of computed tomography enterography?. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2009, 53, 353-360.   | 0.9 | 0         |
| 14593 | Comparison of dynamic contour tonometry with Goldmann applanation tonometry in glaucoma practice. <i>Acta Ophthalmologica</i> , 2009, 87, 323-328.   | 0.6 | 22        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14594 | Comparison of anterior chamber depth measurements taken with the Pentacam, Orbscan IIz and IOLMaster in myopic and emmetropic eyes. <i>Acta Ophthalmologica</i> , 2009, 87, 386-391.  | 0.6 | 44        |
| 14595 | Repeatability in and interchangeability between the macular and the fast macular thickness map protocols: a study on normal eyes with Stratus optical coherence tomography. <i>Acta Ophthalmologica</i> , 2009, 87, 725-730.  | 0.6 | 18        |
| 14596 | Retinal arterioles have impaired reactivity to hyperoxia in type 1 diabetes. <i>Acta Ophthalmologica</i> , 2010, 88, 453-457.   | 0.6 | 17        |
| 14597 | Correlation of fundus autofluorescence with photoreceptor morphology and functional changes in eyes with retinitis pigmentosa. <i>Acta Ophthalmologica</i> , 2010, 88, e177-83.   | 0.6 | 71        |
| 14598 | Canine complete blood counts: a comparison of four in-office instruments with the ADVIA 120 and manual differential counts. <i>Veterinary Clinical Pathology</i> , 2009, 38, 20-29.   | 0.3 | 41        |
| 14599 | Evaluation of different methods to determine total serum lipids for normalization of circulating organochlorine compounds. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 1241-1247.  | 1.1 | 20        |
| 14600 | SleepMinder: An innovative contact-free device for the estimation of the apnoea-hypopnoea index. , 2009, 2009, 7091-4.  |     | 37        |
| 14601 | The reliability of lung crackle characteristics in cystic fibrosis and bronchiectasis patients in a clinical setting. <i>Physiological Measurement</i> , 2009, 30, 903-912.   | 1.2 | 18        |
| 14602 | Quantification of Regional Left and Right Ventricular Deformation Indices in Healthy Neonates by Using Strain Rate and Strain Imaging. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 369-375.  | 1.2 | 54        |
| 14603 | Automated Assessment of Left Atrial Function From Time-Left Atrial Volume Curves Using a Novel Speckle Tracking Imaging Method. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 63-69.   | 1.2 | 37        |
| 14604 | Impact of Cardiac Rhythm on Mitral Valve Area Calculated by the Pressure Half Time Method in Patients With Moderate or Severe Mitral Stenosis. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 42-47.  | 1.2 | 18        |
| 14605 | Real-Time Transthoracic Three Dimensional Echocardiography: Normal Reference Data for Left Ventricular Dyssynchrony in Adolescents. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 933-938.   | 1.2 | 18        |
| 14606 | Advances in Near-Infrared Spectroscopy to Study the Brain of the Preterm and Term Neonate. <i>Clinics in Perinatology</i> , 2009, 36, 807-834.  | 0.8 | 113       |
| 14607 | CT Perfusion in the Treatment of a Swine Model of Unilateral Renal Artery Stenosis: Validation with Microspheres. <i>Journal of Vascular and Interventional Radiology</i> , 2009, 20, 513-523.  | 0.2 | 4         |
| 14608 | Evaluation par angioscanner synchronisé de l'électrocardiogramme des modifications dynamiques aortiques chez les patients présentant un anévrysme de l'aorte thoracique, avant et après leur traitement endovasculaire : résultats préliminaires. <i>Annales De Chirurgie Vasculaire</i> , 2009, 23, 311-318. | 0.0 | 0         |
| 14609 | Interobserver Agreement for Noninvasive Bladder Pressure Flow Recording With Penile Cuff. <i>Journal of Urology</i> , 2009, 182, 2397-2403.   | 0.2 | 4         |
| 14610 | Comparison of retinal nerve fibre layer measurements from time domain and spectral domain optical coherence tomography systems. <i>Canadian Journal of Ophthalmology</i> , 2009, 44, 562-566.   | 0.4 | 20        |
| 14611 | Bone and Muscle Parameters of the Tibia: Agreement Between the XCT 2000 and XCT 3000 Instruments. <i>Journal of Clinical Densitometry</i> , 2009, 12, 186-194.  | 0.5 | 15        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14612 | Different Determinants of Residual Tricuspid Regurgitation after Tricuspid Annuloplasty: Comparison of Atrial Septal Defect and Mitral Valve Prolapse. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 899-903.  | 1.2 | 10        |
| 14613 | Dynamic Aortic Changes in Patients with Thoracic Aortic Aneurysms Evaluated with Electrocardiography-Triggered Computed Tomographic Angiography before and after Thoracic Endovascular Aneurysm Repair: Preliminary Results. <i>Annals of Vascular Surgery</i> , 2009, 23, 291-297.             | 0.4 | 32        |
| 14614 | A comparison of Scheimpflug imaging simulated and Holladay equivalent keratometry values with partial coherence interferometry keratometry measurements in phakic eyes. <i>Canadian Journal of Ophthalmology</i> , 2009, 44, 700-704.   | 0.4 | 19        |
| 14615 | Semi-automatic Volumetric Measurement of Lung Cancer Using Multi-detector CT. <i>Academic Radiology</i> , 2009, 16, 1179-1186.  | 1.3 | 22        |
| 14616 | Compliance des anévrismes de l'aorte abdominale avant et après traitement par endoprothèse en doppler tissulaire: Évolution au cours du suivi et corrélation avec le diamètre anévrysmal. <i>Annales De Chirurgie Vasculaire</i> , 2009, 23, 53-64.   | 0.0 | 0         |
| 14617 | Compliance of Abdominal Aortic Aneurysms before and after Stenting with Tissue Doppler Imaging: Evolution during Follow-Up and Correlation with Aneurysm Diameter. <i>Annals of Vascular Surgery</i> , 2009, 23, 49-59.   | 0.4 | 25        |
| 14618 | Short-Time In Vitro and In Vivo Precision of Direct Digital X-ray Radiogrammetry. <i>Journal of Clinical Densitometry</i> , 2009, 12, 17-21.  | 0.5 | 25        |
| 14619 | Cross-Calibration of iDXA and Prodigy on Spine and Femur Scans in Korean Adults. <i>Journal of Clinical Densitometry</i> , 2009, 12, 450-455.   | 0.5 | 13        |
| 14620 | Intrinsic Myoarchitectural Differences Between the Left and Right Ventricles of Fetal Human Hearts: An Ultrasonic Backscatter Feasibility Study. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 170-176.  | 1.2 | 11        |
| 14621 | An Alternative Echocardiographic Method to Estimate Mean Pulmonary Artery Pressure: Diagnostic and Clinical Implications. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 814-819.   | 1.2 | 90        |
| 14622 | Assessments of Right Ventricular Volume and Function Using Three-Dimensional Echocardiography in Older Children and Adults With Congenital Heart Disease: Comparison With Cardiac Magnetic Resonance Imaging. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 1279-1288. | 1.2 | 127       |
| 14623 | Left Ventricular Systolic and Diastolic Function in Patients With Apical Ballooning Syndrome Compared With Patients With Acute Anterior ST-Segment Elevation Myocardial Infarction: A Functional Paradox. <i>Mayo Clinic Proceedings</i> , 2009, 84, 514-521.                                   | 1.4 | 45        |
| 14624 | Flat Panel Volume Computed Tomography of the Coronary Arteries. <i>Academic Radiology</i> , 2009, 16, 1251-1262.  | 1.3 | 3         |
| 14625 | Left Ventricle Longitudinal Deformation Assessment by Mitral Annulus Displacement or Global Longitudinal Strain in Chronic Ischemic Heart Disease: Are They Interchangeable?. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 823-830.                                   | 1.2 | 47        |
| 14626 | Speckle Tracking Ultrasound Is Independent of Insonation Angle and Gain: An In Vitro Investigation of Agreement with Sonomicrometry. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 852-858.  | 1.2 | 36        |
| 14627 | Stabilité de l'échelle visuelle analogique dans l'évaluation du stress. <i>Archives Des Maladies Professionnelles Et De L'Environnement</i> , 2009, 70, 619-622.  | 0.1 | 13        |
| 14628 | Comparison of Body Composition by Bioelectrical Impedance and Dual-Energy X-Ray Absorptiometry in Overweight/Obese Postmenopausal Women. <i>Journal of Clinical Densitometry</i> , 2009, 12, 238-244.   | 0.5 | 34        |
| 14629 | Bravo Catheter-Free pH Monitoring: Normal Values, Concordance, Optimal Diagnostic Thresholds, and Accuracy. <i>Clinical Gastroenterology and Hepatology</i> , 2009, 7, 60-67.   | 2.4 | 93        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14630 | Distal Radius Strength: A Comparison of DXA-Derived vs pQCT-Measured Parameters in Adolescent Females. <i>Journal of Clinical Densitometry</i> , 2009, 12, 42-53.  | 0.5 | 16        |
| 14631 | Navel Jewelry Artifacts and Intravertebral Variation in Spine Bone Densitometry in Adolescents and Young Women. <i>Journal of Clinical Densitometry</i> , 2009, 12, 84-88.   | 0.5 | 11        |
| 14632 | The Morscher Press Fit acetabular component. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 859-864.   | 3.4 | 19        |
| 14633 | Clinical Evaluation of a New Multiparameter Neuromonitoring Device: Measurement of Brain Tissue Oxygen, Brain Temperature, and Intracranial Pressure. <i>Journal of Neurosurgical Anesthesiology</i> , 2009, 21, 155-160.  | 0.6 | 28        |
| 14634 | Intraobserver reliability of static measures in the normally developing infant foot and clubfoot. <i>Journal of Pediatric Orthopaedics Part B</i> , 2009, 18, 214-219.   | 0.3 | 6         |
| 14635 | Interobserver and Intraobserver Reliability of Cobb Angle Measurement: Endplate Versus Pedicle as Bony Landmarks for Measurement: A Statistical Analysis. <i>Journal of Pediatric Orthopaedics</i> , 2009, 29, 749-754.  | 0.6 | 29        |
| 14636 | Reliability Analysis for Manual Radiographic Measures of Rotatory Subluxation or Lateral Listhesis in Adult Scoliosis. <i>Spine</i> , 2009, 34, 603-608.   | 1.0 | 22        |
| 14637 | Interobserver and Intraobserver Variability in the Identification of the Lenke Classification Lumbar Modifier in Adolescent Idiopathic Scoliosis. <i>Journal of Spinal Disorders and Techniques</i> , 2009, 22, 448-455.   | 1.8 | 17        |
| 14638 | Feasibility and safety of antegrade radial artery cannulation. <i>European Journal of Anaesthesiology</i> , 2009, 26, 207-212.   | 0.7 | 0         |
| 14639 | Evaluation of the Aesculon cardiac output monitor by subxiphoidal Doppler flow measurement in children with congenital heart defects. <i>European Journal of Anaesthesiology</i> , 2009, 26, 412-415.  | 0.7 | 25        |
| 14640 | Comparison of electrical velocimetry and transthoracic thermodilution technique for cardiac output assessment in critically ill patients. <i>European Journal of Anaesthesiology</i> , 2009, 26, 1067-1071.  | 0.7 | 32        |
| 14641 | Minimally invasive haemodynamic monitoring. <i>European Journal of Anaesthesiology</i> , 2009, 26, 996-1002.   | 0.7 | 44        |
| 14642 | Comparison of 3 Estimation Methods of Mycophenolic Acid AUC based on a Limited Sampling Strategy in Renal Transplant Patients. <i>Therapeutic Drug Monitoring</i> , 2009, 31, 224-232.   | 1.0 | 11        |
| 14643 | Effects of antihypertensive treatment on ultrasound measures of myocardial fibrosis in hypertensive patients with left ventricular hypertrophy: results of a randomized trial comparing the angiotensin receptor antagonist, candesartan and the angiotensin-converting enzyme inhibitor, enalapril. <i>Journal of Hypertension</i> , 2009, 27, 626-632. | 0.3 | 13        |
| 14644 | A comparison of pharmacologic and spontaneous baroreflex methods in aging and hypertension. <i>Journal of Hypertension</i> , 2009, 27, 1243-1251.  | 0.3 | 32        |
| 14645 | The Impact of Test Medium on Use of Visual Analogue Scales. <i>Eye and Contact Lens</i> , 2009, 35, 6-10.  | 0.8 | 14        |
| 14646 | Utility of Short-Term Evaluation of Presbyopic Contact Lens Performance. <i>Eye and Contact Lens</i> , 2009, 35, 144-148.  | 0.8 | 61        |
| 14647 | Agreement Between Stratus and Visante Optical Coherence Tomography Systems in Tear Meniscus Measurements. <i>Cornea</i> , 2009, 28, 148-151.   | 0.9 | 19        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14648 | Influence of Corneal Curvature on Central and Paracentral Pachymetry With Optical Coherence Tomography. <i>Cornea</i> , 2009, 28, 254-260.  | 0.9 | 10        |
| 14649 | Potential of the Pentacam in Screening for Primary Angle Closure and Primary Angle Closure Suspect. <i>Journal of Glaucoma</i> , 2009, 18, 506-512.   | 0.8 | 69        |
| 14650 | Comparison of Retinal Nerve Fiber Layer Thickness Values Using Stratus Optical Coherence Tomography and Heidelberg Retina Tomograph-III. <i>Journal of Glaucoma</i> , 2009, 18, 528-534.  | 0.8 | 33        |
| 14651 | The safety of oxygen-driven nebulisers. <i>Emergency Medicine (Fremantle, W A)</i> , 1993, 5, 64-65.  | 0.0 | 0         |
| 14652 | Tracking Hypotension and Dynamic Changes in Arterial Blood Pressure with Brachial Cuff Measurements. <i>Anesthesia and Analgesia</i> , 2009, 109, 494-501.  | 1.1 | 36        |
| 14653 | A Comparison of Stroke Volume Variation Measured by Vigileo, FloTrac System and Aortic Doppler Echocardiography. <i>Anesthesia and Analgesia</i> , 2009, 109, 466-469.  | 1.1 | 63        |
| 14654 | A Comparison of Transmittance and Reflectance Pulse Oximetry During Vascular Surgery. <i>Anesthesia and Analgesia</i> , 2009, 109, 1847-1849.   | 1.1 | 27        |
| 14655 | Self-Reported Physical Activity Improves Prediction of Body Fatness in Young Adults. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 328-335.  | 0.2 | 10        |
| 14656 | Comparison of Hemodialysis Access Flow Measurements Using Flow Dilution and In-Line Dialysance. <i>ASAIO Journal</i> , 2009, 55, 369-372.   | 0.9 | 16        |
| 14657 | Differences and effects of medium and large adult cuffs on blood pressure readings in individuals with muscular arms. <i>Blood Pressure Monitoring</i> , 2009, 14, 166-171.   | 0.4 | 12        |
| 14658 | Echocardiographic validation of the layer of maximum count method in the estimation of the left ventricular EF using gated myocardial perfusion SPECT: correlation with QGS, ECTb, and LVGTF. <i>Nuclear Medicine Communications</i> , 2009, 30, 622-628. | 0.5 | 7         |
| 14659 | Exocrine Pancreatic Function Testing in Patients With Cystic Fibrosis and Pancreatic Sufficiency: A Correlation Study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2009, 48, 306-310.  | 0.9 | 43        |
| 14660 | Performance in Specular Reflection and Slit-Imaging Corneal Topography. <i>Optometry and Vision Science</i> , 2009, 86, 467-475.  | 0.6 | 12        |
| 14661 | Reliability and Validity of Measurements of Knee Extension Strength Obtained from Nursing Home Residents with Dementia. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2009, 88, 924-933.  | 0.7 | 28        |
| 14662 | Quantification of Aortic Valve Stenosis. <i>Investigative Radiology</i> , 2009, 44, 7-14.   | 3.5 | 26        |
| 14663 | A Biological Phantom for Contrast-Media-Based Perfusion Studies With CT. <i>Investigative Radiology</i> , 2009, 44, 676-682.  | 3.5 | 19        |
| 14664 | Comprehensive Assessment of Renal Function and Vessel Morphology in Potential Living Kidney Donors. <i>Investigative Radiology</i> , 2009, 44, 705-711.   | 3.5 | 17        |
| 14665 | Dual-source CT in Heart Transplant Recipients. <i>Journal of Thoracic Imaging</i> , 2009, 24, 103-109.  | 0.8 | 9         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14666 | INVERSE THERMODILUTION WITH CONVENTIONAL PULMONARY ARTERY CATHETERS FOR THE ASSESSMENT OF CEREBRAL, HEPATIC, RENAL, AND FEMORAL BLOOD FLOW. <i>Shock</i> , 2009, 32, 194-200.   | 1.0 | 3         |
| 14667 | Concordance of End-Tidal Carbon Dioxide and Arterial Carbon Dioxide in Severe Traumatic Brain injury. <i>Journal of Trauma</i> , 2009, 67, 526-530.   | 2.3 | 41        |
| 14668 | The Measure of Treatment Agreement Between Portable and Laboratory Blood Gas Measurements in Guiding Protocol-Driven Ventilator Management. <i>Journal of Trauma</i> , 2009, 67, 303-314.   | 2.3 | 13        |
| 14669 | A Resting Metabolic Rate Equation Including Bioelectrical Impedanceâ€™ Derived Lean Body Mass Provides a Better Prediction in Premenopausal African American Women Across a Spectrum of Body Mass Indices. <i>Topics in Clinical Nutrition</i> , 2009, 24, 145-151. | 0.2 | 2         |
| 14671 | Evaluation of the FloTrac Uncalibrated Continuous Cardiac Output System for Perioperative Hemodynamic Monitoring After Subarachnoid Hemorrhage. <i>Journal of Neurosurgical Anesthesiology</i> , 2009, 21, 218-225.   | 0.6 | 38        |
| 14672 | Adjacent Segment Mobility After Rigid and Semirigid Instrumentation of the Lumbar Spine. <i>Spine</i> , 2009, 34, 1287-1291.  | 1.0 | 79        |
| 14673 | Is transpulmonary thermodilution cardiac output measurement an advance, or just another technique in search of an application?*. <i>Critical Care Medicine</i> , 2009, 37, 343-344.   | 0.4 | 2         |
| 14674 | Blood lactate monitoring in critically ill patients: A systematic health technology assessment*. <i>Critical Care Medicine</i> , 2009, 37, 2827-2839.   | 0.4 | 149       |
| 14675 | Multi-site Analytical Evaluation of the Abbott ARCHITECT Tacrolimus Assay. <i>Therapeutic Drug Monitoring</i> , 2009, 31, 198-204.  | 1.0 | 83        |
| 14676 | Comparison of ambulatory blood pressure reference standards in children evaluated for hypertension. <i>Blood Pressure Monitoring</i> , 2009, 14, 103-107.   | 0.4 | 16        |
| 14677 | Serial lactate measurements using microdialysis of interstitial fluid do not correlate with plasma lactate in children after cardiac surgery. <i>Pediatric Critical Care Medicine</i> , 2009, 10, 66-70.  | 0.2 | 7         |
| 14678 | Reliability of displayed tidal volume in infants and children during dual-controlled ventilation. <i>Pediatric Critical Care Medicine</i> , 2009, 10, 661-667.  | 0.2 | 39        |
| 14679 | The Feasibility of Epicardial Echocardiography for Measuring Aortic Valve Area by the Continuity Equation. <i>Anesthesia and Analgesia</i> , 2009, 108, 17-22.  | 1.1 | 11        |
| 14680 | Automatic Algorithm for Monitoring Systolic Pressure Variation and Difference in Pulse Pressure. <i>Anesthesia and Analgesia</i> , 2009, 108, 1823-1829.  | 1.1 | 10        |
| 14681 | The Reproducibility of Stewart Parameters for Acid-Base Diagnosis Using Two Central Laboratory Analyzers. <i>Anesthesia and Analgesia</i> , 2009, 109, 1517-1523.   | 1.1 | 27        |
| 14682 | Influence of Sensor Ingestion Timing on Consistency of Temperature Measures. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 597-602.  | 0.2 | 31        |
| 14683 | Anthropometric Estimations of Percent Body Fat in NCAA Division I Female Athletes: A 4-Compartment Model Validation. <i>Journal of Strength and Conditioning Research</i> , 2009, 23, 1068-1076.  | 1.0 | 26        |
| 14684 | Ovarian imaging in the mouse using ultrasound biomicroscopy (UBM): a validation study. <i>Reproduction, Fertility and Development</i> , 2009, 21, 579.  | 0.1 | 26        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14685 | Temporal Artery Scanning Falls Short as a Secondary, Noninvasive Thermometry Method for Trauma Patients. <i>Journal of Trauma Nursing: the Official Journal of the Society of Trauma Nurses</i> , 2009, 16, 41-47.                 | 0.3 | 12        |
| 14686 | Minimally Invasive Cardiac Output Monitoring in the Perioperative Setting. <i>Anesthesia and Analgesia</i> , 2009, 108, 887-897.   | 1.1 | 188       |
| 14687 | The Ability of Stroke Volume Variations Obtained with Vigileo/FloTrac System to Monitor Fluid Responsiveness in Mechanically Ventilated Patients. <i>Anesthesia and Analgesia</i> , 2009, 108, 513-517.                            | 1.1 | 197       |
| 14688 | A Mathematical Model to Describe Fat Oxidation Kinetics during Graded Exercise. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 1615-1625.  | 0.2 | 43        |
| 14689 | Detection of Type, Duration, and Intensity of Physical Activity Using an Accelerometer. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 1770-1777.  | 0.2 | 190       |
| 14690 | A New Device to Estimate $\dot{V}\dot{E}^{TM}O_2$ during Incline Walking by Accelerometry and Barometry. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 2213-2219.   | 0.2 | 54        |
| 14691 | Reliability of Superficial Peroneal, Sural, and Medial Plantar Nerve Conduction Studies. <i>Journal of Clinical Neurophysiology</i> , 2009, 26, 372-379.   | 0.9 | 7         |
| 14692 | The Neck Bournemouth Questionnaire Cross-Cultural Adaptation Into Dutch and Evaluation of Its Psychometric Properties in a Population With Subacute and Chronic Whiplash Associated Disorders. <i>Spine</i> , 2009, 34, 2551-2561. | 1.0 | 25        |
| 14693 | Can the abdominal perimeter be used as an accurate estimation of intra-abdominal pressure?*. <i>Critical Care Medicine</i> , 2009, 37, 316-319.  | 0.4 | 101       |
| 14694 | Assessment of arterial stiffness in hypertension: comparison of oscillometric (Arteriograph), piezoelectronic (Complior) and tonometric (SphygmoCor) techniques*. <i>Journal of Hypertension</i> , 2009, 27, 2186-2191.            | 0.3 | 132       |
| 14695 | Use of the Concordance Correlation Coefficient When Examining Agreement in Dyadic Research. <i>Nursing Research</i> , 2009, 58, 368-373.   | 0.8 | 27        |
| 14696 | Development of a Battery of Functional Tests for Low Vision. <i>Optometry and Vision Science</i> , 2009, 86, 955-963.  | 0.6 | 22        |
| 14697 | Locally Smoothed Median Absolute Difference Curves and the First Global Performance Cooperative. <i>Point of Care</i> , 2009, 8, 45-52.  | 0.5 | 8         |
| 14698 | Accuracy of Noninvasive Coronary Stenosis Quantification of Different Commercially Available Dedicated Software Packages. <i>Journal of Computer Assisted Tomography</i> , 2009, 33, 505-512.                                      | 0.5 | 8         |
| 14699 | Hippocampal MRI Volumetry at 3 Tesla. <i>Investigative Radiology</i> , 2009, 44, 509-517.  | 3.5 | 25        |
| 14700 | A Comparison of Micropore Membrane Inlet Mass Spectrometryâ€“Derived Pulmonary Shunt Measurement with Riley Shunt in a Porcine Model. <i>Anesthesia and Analgesia</i> , 2009, 109, 1831-1835.                                      | 1.1 | 15        |
| 14701 | Comparison of the Changes in Corneal Biomechanical Properties After Photorefractive Keratectomy and Laser In Situ Keratomileusis. <i>Cornea</i> , 2009, 28, 765-769.   | 0.9 | 91        |
| 14702 | Repeatability of Oculus Pentacam Metrics Derived From Corneal Topography. <i>Cornea</i> , 2009, 28, 657-666.   | 0.9 | 31        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14703 | Lipid Profile in Ambulatory Patients Using 3 Point-of-Care Devices and Comparison With Reference Methods. <i>Point of Care</i> , 2009, 8, 110-116.   | 0.5 | 5         |
| 14704 | Grading of Aortic Valve Stenosis at 64-Slice Spiral Computed Tomography. <i>Investigative Radiology</i> , 2009, 44, 360-368.   | 3.5 | 11        |
| 14705 | Cervical Motion Assessment Using Virtual Reality. <i>Spine</i> , 2009, 34, 1018-1024.  | 1.0 | 42        |
| 14706 | Unbiased Estimation of the Eyeball Volume Using the Cavalieri Principle on Computed Tomography Images. <i>Journal of Craniofacial Surgery</i> , 2009, 20, 233-237.   | 0.3 | 18        |
| 14707 | Point-of-Care International Normalized Ratio Testing Accelerates Thrombolysis in Patients With Acute Ischemic Stroke Using Oral Anticoagulants. <i>Stroke</i> , 2009, 40, 3547-3551.   | 1.0 | 80        |
| 14708 | Precision of transpulmonary thermodilution: how many measurements are necessary?. <i>European Journal of Anaesthesiology</i> , 2009, 26, 508-512.  | 0.7 | 13        |
| 14709 | Emerging trends in minimally invasive haemodynamic monitoring and optimization of fluid therapy. <i>European Journal of Anaesthesiology</i> , 2009, 26, 893-905.   | 0.7 | 46        |
| 14710 | Comparison of Rebound Tonometer and Goldmann Handheld Applanation Tonometer in Congenital Glaucoma. <i>Journal of Glaucoma</i> , 2009, 18, 49-52.  | 0.8 | 60        |
| 14711 | Interobserver Repeatability of Heidelberg Retinal Flowmetry Using Pixel-by-Pixel Analysis. <i>Journal of Glaucoma</i> , 2009, 18, 280-283.   | 0.8 | 8         |
| 14712 | Validation of A&D UA-778 blood pressure monitor in children. <i>Blood Pressure Monitoring</i> , 2009, 14, 228-231.   | 0.4 | 20        |
| 14713 | Assessment of left ventricular function at rest using rubidium-82 myocardial perfusion PET: comparison of four software algorithms with simultaneous 64-slice coronary CT angiography. <i>Nuclear Medicine Communications</i> , 2009, 30, 918-925.         | 0.5 | 7         |
| 14714 | Stereological Estimation of the Orbital Volume. <i>Journal of Craniofacial Surgery</i> , 2009, 20, 921-925.  | 0.3 | 28        |
| 14715 | The Utility of Early End-Tidal Capnography in Monitoring Ventilation Status After Severe Injury. <i>Journal of Trauma</i> , 2009, 66, 26-31.   | 2.3 | 43        |
| 14716 | Pulse contour cardiac output: an evaluation of the FloTrac method. <i>European Journal of Anaesthesiology</i> , 2009, 26, 484-489.   | 0.7 | 13        |
| 14717 | Chronic Spinal Cord Injury in the Pediatric Population. <i>Spine</i> , 2009, 34, 74-81.  | 1.0 | 7         |
| 14718 | Performance of the New Mycophenolate Assay Based on IMPDH Enzymatic Activity for Pharmacokinetic Investigations and Setup of Bayesian Estimators in Different Populations of Allograft Recipients. <i>Therapeutic Drug Monitoring</i> , 2009, 31, 443-450. | 1.0 | 11        |
| 14719 | Repeatability and Reproducibility for Intraocular Pressure Measurement by Dynamic Contour, Ocular Response Analyzer, and Goldmann Applanation Tonometry. <i>Journal of Glaucoma</i> , 2009, 18, 666-673.   | 0.8 | 45        |
| 14720 | Single-sample <sup>99m</sup> Tc-diethylenetriamine penta-acetate plasma clearance in advanced renal failure by the mean sojourn time approach. <i>Nuclear Medicine Communications</i> , 2009, 30, 202-205.   | 0.5 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14721 | Repeatability of Corneal Thickness Measured Using an Oculus Pentacam. <i>Optometry and Vision Science</i> , 2009, 86, 266-272.   | 0.6 | 51        |
| 14722 | Adequate agreement between venous oxygen saturation in right atrium and pulmonary artery in critically ill children*. <i>Pediatric Critical Care Medicine</i> , 2009, 10, 76-79.   | 0.2 | 34        |
| 14723 | Reliability and Validity of the Manual Function Test in Patients with Stroke. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2009, 88, 247-255.   | 0.7 | 107       |
| 14724 | Consistency of Leg Extension Power Assessments in Older Men. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2009, 88, 934-940.  | 0.7 | 16        |
| 14725 | Cardiac Image Modeling Tool for Quantitative Analysis of Global and Regional Cardiac Wall Motion. <i>Investigative Radiology</i> , 2009, 44, 271-278.  | 3.5 | 10        |
| 14726 | Anthropometric Models to Predict Appendicular Lean Soft Tissue in Adolescent Athletes. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 828-836.   | 0.2 | 22        |
| 14727 | Reproducibility of endurance capacity and $\dot{V}O_2$ peak in male Sprague-Dawley rats. <i>Journal of Applied Physiology</i> , 2009, 106, 1072-1078.  | 1.2 | 53        |
| 14728 | Resolving Problems in Expiratory Gas Analysis. <i>Rigakuryoho Kagaku</i> , 2009, 24, 941-948.  | 0.0 | 0         |
| 14730 | Assessment of trabecular bone microarchitecture by two different x-ray microcomputed tomographs: A comparative study of the rat distal tibia using Skyscan and Scanco devices. <i>Medical Physics</i> , 2009, 36, 1286-1297. | 1.6 | 37        |
| 14731 | Interobserver Reliability of the Prism and Alternate Cover Test in Children With Esotropia. <i>JAMA Ophthalmology</i> , 2009, 127, 59.   | 2.6 | 53        |
| 14732 | Validity and Reliability of Devices That Assess Body Temperature During Indoor Exercise in the Heat. <i>Journal of Athletic Training</i> , 2009, 44, 124-135.  | 0.9 | 145       |
| 14733 | Ultrasound Techniques Applied to Body Fat Measurement in Male and Female Athletes. <i>Journal of Athletic Training</i> , 2009, 44, 142-147.  | 0.9 | 36        |
| 14734 | Point-of-care monitoring of oral anticoagulation therapy in children. <i>Thrombosis and Haemostasis</i> , 2009, 102, 159-165.  | 1.8 | 41        |
| 14735 | Concordance Correlation for Model Performance Assessment: An Example with Reference Evapotranspiration Observations. <i>Agronomy Journal</i> , 2009, 101, 1012-1018.   | 0.9 | 19        |
| 14736 | Accuracy of real time noninvasive temperature measurements using magnetic resonance thermal imaging in patients treated for high grade extremity soft tissue sarcomas. <i>Medical Physics</i> , 2009, 36, 4848-4858.         | 1.6 | 59        |
| 14737 | Ankle brachial index measurement in primary care: are we doing it right?. <i>British Journal of General Practice</i> , 2009, 59, 422-427.  | 0.7 | 49        |
| 14739 | Continuous cardiac output and left atrial pressure monitoring by long time interval analysis of the pulmonary artery pressure waveform: proof of concept in dogs. <i>Journal of Applied Physiology</i> , 2009, 106, 651-661. | 1.2 | 18        |
| 14740 | INTRA-ABDOMINAL PRESSURE MEASUREMENTS IN LATERAL DECUBITUS VERSUS SUPINE POSITION. <i>Acta Clinica Belgica</i> , 2009, 64, 210-215.  | 0.5 | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14741 | Evaluation of equations for fat-free mass based on anthropometry in infants and young children in South Asia. <i>British Journal of Nutrition</i> , 2009, 101, 551-557.                                       | 1.2 | 11        |
| 14742 | A novel method to remotely measure food intake of free-living individuals in real time: the remote food photography method. <i>British Journal of Nutrition</i> , 2009, 101, 446-456.                         | 1.2 | 235       |
| 14743 | Validity of resting energy expenditure estimated by an activity monitor compared to indirect calorimetry. <i>British Journal of Nutrition</i> , 2009, 102, 155-159.   | 1.2 | 7         |
| 14744 | Body composition by <sup>2</sup> H dilution in Gambian infants: comparison with UK infants and evaluation of simple prediction methods. <i>British Journal of Nutrition</i> , 2009, 102, 1776-1782.           | 1.2 | 20        |
| 14745 | Validity of impedance-based predictions of total body water as measured by 2H dilution in African HIV/AIDS outpatients. <i>British Journal of Nutrition</i> , 2009, 101, 1369.                                | 1.2 | 10        |
| 14746 | Evaluating the quality of dietary intake validation studies. <i>British Journal of Nutrition</i> , 2009, 102, S3-S9.  | 1.2 | 121       |
| 14747 | Effects of methodological variation on assessment of riboflavin status using the erythrocyte glutathione reductase activation coefficient assay. <i>British Journal of Nutrition</i> , 2009, 102, 273-278.    | 1.2 | 24        |
| 14748 | Is the use of ultrasound-derived prediction equations for adults useful for estimating total and regional skeletal muscle mass in Japanese children?. <i>British Journal of Nutrition</i> , 2009, 101, 72-78. | 1.2 | 18        |
| 14749 | Validation of a FFQ for estimating whole-grain cereal food intake. <i>British Journal of Nutrition</i> , 2009, 102, 1547.   | 1.2 | 50        |
| 14750 | Validation of the Danish 7-day pre-coded food diary among adults: energy intake <i>v.</i> energy expenditure and recording length. <i>British Journal of Nutrition</i> , 2009, 102, 1838-1846.                | 1.2 | 65        |
| 14751 | A Rat Excised Larynx Model of Vocal Fold Scar. <i>Journal of Speech, Language, and Hearing Research</i> , 2009, 52, 1008-1020.  | 0.7 | 57        |
| 14752 | Teller II and Cardiff Acuity Testing in a School-Age Deafblind Population. <i>Optometry and Vision Science</i> , 2009, 86, 188-195.   | 0.6 | 8         |
| 14753 | Contact Lens-Induced Corneal Peripheral Swelling: Orbscan Repeatability. <i>Optometry and Vision Science</i> , 2009, 86, 340-349.   | 0.6 | 19        |
| 14754 | Acute hypoxia impairs dynamic cerebral autoregulation: results from two independent techniques. <i>Journal of Applied Physiology</i> , 2009, 107, 1165-1171.  | 1.2 | 41        |
| 14755 | R2* magnetic resonance imaging of the liver in patients with iron overload. <i>Blood</i> , 2009, 113, 4853-4855.  | 0.6 | 311       |
| 14756 | The Effect of Sampling Time on Blood Lactate Concentration ([Bla]) in Trained Rowers. <i>International Journal of Sports Physiology and Performance</i> , 2009, 4, 218-228.                                   | 1.1 | 3         |
| 14757 | Combined Uphill and Downhill Sprint Running Training Is More Efficacious Than Horizontal. <i>International Journal of Sports Physiology and Performance</i> , 2009, 4, 229-243.                               | 1.1 | 25        |
| 14758 | Diagnosis of Obstructive Sleep Apnea Syndrome and Its Outcomes With Home Portable Monitoring. <i>Chest</i> , 2009, 135, 330-336.  | 0.4 | 112       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14759 | Improving assessment of daily energy expenditure by identifying types of physical activity with a single accelerometer. <i>Journal of Applied Physiology</i> , 2009, 107, 655-661.   | 1.2 | 164       |
| 14760 | Estimating the Level of Susceptibility to <i>Phytophthora infestans</i> in Potato Genotypes. <i>Phytopathology</i> , 2009, 99, 782-786.  | 1.1 | 45        |
| 14761 | Validity of a Squash-Specific Test of Change-of-Direction Speed. <i>International Journal of Sports Physiology and Performance</i> , 2009, 4, 176-185.   | 1.1 | 34        |
| 14762 | Reproducibility of Physiological and Performance Measures from a Squash-Specific Fitness Test. <i>International Journal of Sports Physiology and Performance</i> , 2009, 4, 41-53.   | 1.1 | 11        |
| 14763 | Day-to-Day Consistency of Lower Extremity Kinematics during Walking and Running. <i>Journal of Applied Biomechanics</i> , 2009, 25, 369-376.   | 0.3 | 20        |
| 14764 | Validity of Fat-Free Weight Equations for Estimating Mean and Peak Power in High School Wrestlers. <i>Pediatric Exercise Science</i> , 2009, 21, 100-112.  | 0.5 | 2         |
| 14765 | In-Use Comparison of Blood Pressure Measurements from an Automated Blood Pressure Instrument with Those from a Mercury Sphygmomanometer. <i>Biomedical Instrumentation and Technology</i> , 2009, 43, 158-163.                                   | 0.2 | 8         |
| 14766 | Test-Retest Repeatability and Relative Validity of the Global Physical Activity Questionnaire in a Developing Country Context. <i>Journal of Physical Activity and Health</i> , 2009, 6, S46-S53.  | 1.0 | 91        |
| 14767 | Reliability and Validity of the Modified Chinese Version of the Children's Leisure Activities Study Survey (CLASS) Questionnaire in Assessing Physical Activity among Hong Kong Children. <i>Pediatric Exercise Science</i> , 2009, 21, 339-353. | 0.5 | 67        |
| 14768 | Knowledge acquisition and its determinants: Malaysian international alliance experience. <i>Journal for Global Business Advancement</i> , 2009, 2, 264.  | 0.3 | 1         |
| 14769 | Submissions to <i>Radiology</i> : Our Top 10 List of Statistical Errors. <i>Radiology</i> , 2009, 253, 288-290.  | 3.6 | 29        |
| 14770 | Outcomes Measurement in Voice Disorders: Application of an Acoustic Index of Dysphonia Severity. <i>Journal of Speech, Language, and Hearing Research</i> , 2009, 52, 482-499.   | 0.7 | 108       |
| 14771 | Transversus Abdominis Function: A Reliability Study Using Ultrasound Imaging to Measure Changes in Muscle Thickness. <i>Physiotherapy Practice and Research</i> , 2009, 30, 34-36.   | 0.1 | 0         |
| 14772 | Reliability and measurement error. , 2009, , 10-38.  |     | 2         |
| 14773 | Heart Instantaneous Frequency Based Estimation of HRV from Blood Pressure Waveforms. <i>IEICE Transactions on Information and Systems</i> , 2009, E92-D, 529-537.  | 0.4 | 3         |
| 14774 | Lower-Limb Lymphedema and Vulval Cancer: Feasibility of Prophylactic Compression Garments and Validation of Leg Volume Measurement. <i>International Journal of Gynecological Cancer</i> , 2009, 19, 1649-1654.                                  | 1.2 | 45        |
| 14775 | Time of Drug Administration, CYP3A5 and ABCB1 Genotypes, and Analytical Method Influence Tacrolimus Pharmacokinetics: A Population Pharmacokinetic Study. <i>Therapeutic Drug Monitoring</i> , 2009, 31, 734-742.                                | 1.0 | 29        |
| 14776 | Bedside Prediction of Airway Length in Adults and Children. <i>Anesthesiology</i> , 2009, 111, 556-560.  | 1.3 | 16        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14777 | The Medial Rotation total knee replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 750-756.   | 3.4 | 39        |
| 14778 | Is Sonographic Assessment of Fetal Weight Influenced by Formula Selection?. <i>Journal of Ultrasound in Medicine</i> , 2009, 28, 1019-1024.   | 0.8 | 33        |
| 14779 | Blood lactate monitoring in critically ill patients: A systematic health technology assessment *. <i>Critical Care Medicine</i> , 2009, 37, 2827-2839.  | 0.4 | 148       |
| 14780 | Recent advances in the interpretation of the 13 C octanoate breath test for gastric emptying. <i>Journal of Breath Research</i> , 2009, 3, 034002.  | 1.5 | 6         |
| 14781 | Repeatability of Pattern Electroretinogram Measurements Using a New Paradigm Optimized for Glaucoma Detection. <i>Journal of Glaucoma</i> , 2009, 18, 437-442.  | 0.8 | 28        |
| 14782 | Left Ventricular Infarct Size Assessed With 0.1 mmol/kg of Gadobenate Dimeglumine Correlates With That Assessed With 0.2 mmol/kg of Gadopentetate Dimeglumine. <i>Journal of Computer Assisted Tomography</i> , 2009, 33, 328-333.                                    | 0.5 | 14        |
| 14783 | Pulse Contour Analysis and Transesophageal Echocardiography: A Comparison of Measurements of Cardiac Output During Laparoscopic Colon Surgery. <i>Anesthesia and Analgesia</i> , 2009, 109, 114-118.  | 1.1 | 33        |
| 14784 | Cardiovascular Monitoring by Pulse Dye Densitometry or Arterial Indocyanine Green Dilution. <i>Anesthesia and Analgesia</i> , 2009, 109, 441-446.   | 1.1 | 16        |
| 14785 | Assessment of right ventricular function by real-time three-dimensional echocardiography improves accuracy and decreases interobserver variability compared with conventional two-dimensional views. <i>European Journal of Echocardiography</i> , 2009, 10, 619-624. | 2.3 | 32        |
| 14786 | Same-Patient Reproducibility of State Entropy: A Comparison of Simultaneous Bilateral Measurements During General Anesthesia. <i>Anesthesia and Analgesia</i> , 2009, 108, 1830-1835.   | 1.1 | 8         |
| 14787 | Reliability and reproducibility of clinic and home blood pressure measurements in hypertensive women according to age and ethnicity. <i>Blood Pressure Monitoring</i> , 2009, 14, 49-57.  | 0.4 | 7         |
| 14788 | Left ventricular volume assessment by planar radionuclide ventriculography evaluated by MRI. <i>Nuclear Medicine Communications</i> , 2009, 30, 727-735.  | 0.5 | 2         |
| 14789 | Comparison of pulmonary artery and aortic transpulmonary thermodilution for monitoring of cardiac output in patients with severe heart failure: Validation of a novel method*. <i>Critical Care Medicine</i> , 2009, 37, 119-123.                                     | 0.4 | 49        |
| 14790 | Semi-Automated Quantification of Hepatic Lesions in a Phantom. <i>Investigative Radiology</i> , 2009, 44, 82-88.  | 3.5 | 32        |
| 14791 | Clinical Utility of the 2-Minute Walk Test for Older Adults Living in Long-Term Care. <i>Physiotherapy Canada</i> <i>Physiotherapie Canada</i> , 2009, 61, 78-87.   | 0.3 | 83        |
| 14792 | Accuracy of Bladder Scanning in the Assessment of Postvoid Residual Volume. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2009, 31, 526-532.  | 0.3 | 28        |
| 14793 | The Reliability of Continuous Noninvasive Finger Blood Pressure Measurement in Critically Ill Children. <i>Anesthesia and Analgesia</i> , 2009, 108, 814-821.   | 1.1 | 29        |
| 14794 | Comparison of electrical and magnetic stimulations to assess quadriceps muscle function. <i>Journal of Applied Physiology</i> , 2009, 106, 701-710.   | 1.2 | 123       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14795 | A Modification of Klein's Line to Improve Sensitivity of the Anterior-Posterior Radiograph in Slipped Capital Femoral Epiphysis. <i>Journal of Pediatric Orthopaedics</i> , 2009, 29, 449-453.                                   | 0.6 | 47        |
| 14796 | Limited Sampling Strategies Drawn Within 3 Hours Postdose Poorly Predict Mycophenolic Acid Area-Under-the-Curve After Enteric-Coated Mycophenolate Sodium. <i>Therapeutic Drug Monitoring</i> , 2009, 31, 585-591.               | 1.0 | 27        |
| 14797 | Comments on the reproducibility of Ambulatory Arterial Stiffness Index and QKD. <i>Journal of Hypertension</i> , 2009, 27, 435-436.  | 0.3 | 5         |
| 14798 | Nocturnal dipping is reproducible in the long term. <i>Blood Pressure Monitoring</i> , 2009, 14, 185-189.  | 0.4 | 18        |
| 14799 | Validity and Reproducibility of Self-report Measures of Walking Capacity in Lumbar Spinal Stenosis. <i>Spine</i> , 2010, 35, 2097-2102.  | 1.0 | 63        |
| 14800 | Investigation of the Crossreactivity of Mycophenolic Acid Glucuronide Metabolites and of Mycophenolate Mofetil in the Cedia MPA Assay. <i>Therapeutic Drug Monitoring</i> , 2010, 32, 79-85.                                     | 1.0 | 27        |
| 14801 | Invasive validation of a new oscillometric device (Arteriograph) for measuring augmentation index, central blood pressure and aortic pulse wave velocity. <i>Journal of Hypertension</i> , 2010, 28, 2068-2075.                  | 0.3 | 304       |
| 14802 | Measurement Characteristics of a Force-Displacement Curve for Chronic Patellar Instability. <i>Clinical Journal of Sport Medicine</i> , 2010, 20, 458-463.   | 0.9 | 9         |
| 14803 | A meta-analysis on the utility of peripheral venous blood gas analyses in exacerbations of chronic obstructive pulmonary disease in the emergency department. <i>European Journal of Emergency Medicine</i> , 2010, 17, 246-248. | 0.5 | 67        |
| 14804 | Evaluation of a Novel Brain Tissue Oxygenation Probe in an Experimental Swine Model. <i>Neurosurgery</i> , 2010, 67, 1716-1723.  | 0.6 | 23        |
| 14805 | Quantitative Proteomics: Comparison of the Macular Bruch Membrane/Choroid Complex from Age-related Macular Degeneration and Normal Eyes. <i>Molecular and Cellular Proteomics</i> , 2010, 9, 1031-1046.                          | 2.5 | 135       |
| 14806 | Isokinetic versus One-Repetition Maximum Strength Assessment in Chronic Heart Failure. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 2156-2163.   | 0.2 | 14        |
| 14807 | The Effect of Preexisting Conditions on Hospital Quality Measurement for Injured Patients. <i>Annals of Surgery</i> , 2010, 251, 728-734.  | 2.1 | 12        |
| 14808 | Hypertension and lower walking speed in the elderly: the Three-City study. <i>Journal of Hypertension</i> , 2010, 28, 1506-1514.   | 0.3 | 73        |
| 14809 | Cardiac Output Monitoring Using Indicator-Dilution Techniques: Basics, Limits, and Perspectives. <i>Anesthesia and Analgesia</i> , 2010, 110, 799-811.   | 1.1 | 232       |
| 14810 | Transesophageal Echocardiography Cardiac Output in FlowTrak/ Vigileo Study. <i>Anesthesia and Analgesia</i> , 2010, 110, 1512-1513.  | 1.1 | 3         |
| 14811 | Comparison of Scanning Laser Polarimetry and Optical Coherence Tomography in Quantitative Retinal Nerve Fiber Assessment. <i>Journal of Glaucoma</i> , 2010, 19, 83-94.  | 0.8 | 20        |
| 14812 | Variation in Measurements of Transtibial Stump Model Volume. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2010, 89, 376-384.  | 0.7 | 22        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14813 | Statistical Methods Used for the Evaluation of Reliability and Validity of Nutrition Assessment Tools Used in Medical Research. <i>Current Pharmaceutical Design</i> , 2010, 16, 3770-3775.   | 0.9 | 18        |
| 14814 | Obesity and Myelomeningocele: Anthropometric Measures. <i>Journal of Spinal Cord Medicine</i> , 2010, 33, 410-419.  | 0.7 | 18        |
| 14815 | Femoral-Based Central Venous Oxygen Saturation Is Not a Reliable Substitute for Subclavian/Internal Jugular-Based Central Venous Oxygen Saturation in Patients Who Are Critically Ill. <i>Chest</i> , 2010, 138, 76-83.   | 0.4 | 32        |
| 14816 | Flow-Regulated Extracorporeal Arteriovenous Tubing Loop for Cardiac Output Measurements by Ultrasound Velocity Dilution: Validation in Post-Cardiac Surgery Intensive Care Unit Patients. <i>ASAIO Journal</i> , 2010, 56, 522-526.   | 0.9 | 14        |
| 14817 | Comparison of body fatness measurements by near-infrared reactance and dual-energy X-ray absorptiometry in normal-weight and obese black and white women. <i>British Journal of Nutrition</i> , 2010, 103, 1065-1069.   | 1.2 | 5         |
| 14818 | Reproducibility and validity of a diet quality index for children assessed using a FFQ. <i>British Journal of Nutrition</i> , 2010, 104, 135-144.   | 1.2 | 101       |
| 14819 | Total body water and fat-free mass: evaluation of equations based on bioelectrical impedance analysis in infants and young children in India. <i>British Journal of Nutrition</i> , 2010, 104, 256-264.   | 1.2 | 9         |
| 14820 | Development and validation of an interactive portion size assessment system (IPSAS). <i>Proceedings of the Nutrition Society</i> , 2010, 69, .  | 0.4 | 4         |
| 14821 | Validation of a semi-quantitative food frequency questionnaire administered to pregnant women in Belfast. <i>Proceedings of the Nutrition Society</i> , 2010, 69, .   | 0.4 | 0         |
| 14822 | Relative validity of a semi-quantitative food-frequency questionnaire in an elderly Mediterranean population of Spain. <i>British Journal of Nutrition</i> , 2010, 103, 1808-1816.  | 1.2 | 666       |
| 14823 | Reproducibility and validity of bioimpedance spectroscopy for tracking changes in total body water: implications for repeated measurements. <i>British Journal of Nutrition</i> , 2010, 104, 1384-1394.   | 1.2 | 33        |
| 14824 | Assessed facial normality after Twin Block therapy. <i>European Journal of Orthodontics</i> , 2010, 32, 363-370.  | 1.1 | 7         |
| 14825 | Assessment of Pulmonary Arterial Pressure During Exercise in Collagen Vascular Disease. <i>Chest</i> , 2010, 138, 270-278.  | 0.4 | 83        |
| 14826 | Assessment of left ventricular function with magnetic resonance imaging vs. echocardiography, contrast echocardiography, and single-photon emission computed tomography in patients with recent ST-elevation myocardial infarction. <i>European Heart Journal Cardiovascular Imaging</i> , 2010, 11, 793-800. | 0.5 | 30        |
| 14827 | Assessing agreement between point of care and pathology laboratory results for INR: experiences from the Point of Care Testing in General Practice Trial. <i>Pathology</i> , 2010, 42, 155-159.   | 0.3 | 7         |
| 14828 | Right ventricular function in patients with pulmonary hypertension; the value of myocardial performance index measured by tissue Doppler imaging. <i>European Journal of Echocardiography</i> , 2010, 11, 719-724.  | 2.3 | 29        |
| 14829 | A Critical Review of the Ability of Continuous Cardiac Output Monitors to Measure Trends in Cardiac Output. <i>Anesthesia and Analgesia</i> , 2010, 111, 1180-1192.   | 1.1 | 951       |
| 14830 | Preferential reduction of bone mineral density at the femur reflects impairment of physical activity in patients with low-activity rheumatoid arthritis. <i>Modern Rheumatology</i> , 2010, 20, 69-73.  | 0.9 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14831 | PREDICTIVE PERFORMANCES OF DIFFERENT THERAPEUTIC DRUG MONITORING APPROACHES TO ASSESS TACROLIMUS AND MYCOPHENOLIC ACID EXPOSURE. <i>Acta Clinica Belgica</i> , 2010, 65, 31-37.  | 0.5 | 0         |
| 14832 | Accuracy of Photographic Assessment Compared with Standard Anthropometric Measurements in Nonsynostotic Cranial Deformities. <i>Cleft Palate-Craniofacial Journal</i> , 2010, 47, 447-453.   | 0.5 | 45        |
| 14833 | Measures of Reliability in the Kinematics of Maximal Undulatory Underwater Swimming. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 762-770.   | 0.2 | 38        |
| 14834 | Heart-Rate Variability and Blood-Lactate Threshold Interaction During Progressive Resistance Exercise in Healthy Older Men. <i>Journal of Strength and Conditioning Research</i> , 2010, 24, 1313-1320.  | 1.0 | 51        |
| 14835 | Establishment of High-Performance Liquid Chromatography and Enzyme Multiplied Immunoassay Technology Methods for Determination of Free Mycophenolic Acid and Its Application in Chinese Liver Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2010, 32, 653-660. | 1.0 | 31        |
| 14836 | COMPARING RETINAL THICKNESS MEASUREMENTS FROM CIRRUS SPECTRAL DOMAIN- AND STRATUS TIME DOMAIN-OPTICAL COHERENCE TOMOGRAPHY. <i>Retina</i> , 2010, 30, 596-606.   | 1.0 | 28        |
| 14837 | Intra-Abdominal Pressure Measurement Method via the Urinary-Tube. <i>Annals of Surgery</i> , 2010, 251, 127-132.   | 2.1 | 13        |
| 14838 | Evaluation of a Point-of-Care Blood Analyzer for Use in Determination of Select Hematological Indices in the Seminole Killifish. <i>North American Journal of Aquaculture</i> , 2010, 72, 261-268.   | 0.7 | 15        |
| 14839 | Pulse Dye Densitometry and Indocyanine Green Plasma Disappearance in ASA Physical Status I-II Patients. <i>Anesthesia and Analgesia</i> , 2010, 110, 466-472.  | 1.1 | 20        |
| 14840 | Liquid Chromatography-Tandem Mass Spectrometry Outperforms Fluorescence Polarization Immunoassay in Monitoring Everolimus Therapy in Renal Transplantation. <i>Therapeutic Drug Monitoring</i> , 2010, 32, 413-419.  | 1.0 | 29        |
| 14841 | Intra- and Intersession Repeatability of a Double-Pass Instrument. <i>Optometry and Vision Science</i> , 2010, 87, 675-681.  | 0.6 | 57        |
| 14842 | Breath-Hold 1H-Magnetic Resonance Spectroscopy for Intrahepatic Lipid Quantification at 3 Tesla. <i>Journal of Computer Assisted Tomography</i> , 2010, 34, 372-376.   | 0.5 | 33        |
| 14843 | Repeated Low-Dose Computed Tomography in Current and Former Smokers for Quantification of Emphysema. <i>Journal of Computer Assisted Tomography</i> , 2010, 34, 933-938.   | 0.5 | 10        |
| 14844 | A NOVEL NONINVASIVE IMPEDANCE-BASED TECHNIQUE FOR CENTRAL VENOUS PRESSURE MEASUREMENT. <i>Shock</i> , 2010, 33, 269-273.   | 1.0 | 9         |
| 14845 | Test-Retest Reliability of the Pain Attitudes and Beliefs Scale and Sensitivity to Change in a General Practitioner Population. <i>Clinical Journal of Pain</i> , 2010, 26, 144-152.   | 0.8 | 19        |
| 14846 | Validation of the Spanish Version of the Neck Disability Index. <i>Spine</i> , 2010, 35, E114-E118.  | 1.0 | 126       |
| 14847 | Repeatability, Reliability, and Concurrent Validity of the Scoliosis Research Society-22 Questionnaire and EuroQol in Patients With Adolescent Idiopathic Scoliosis. <i>Spine</i> , 2010, 35, 206-209.   | 1.0 | 44        |
| 14848 | Microvascular hemodynamics in human hypothermic circulatory arrest and selective antegrade cerebral perfusion. <i>Critical Care Medicine</i> , 2010, 38, 1548-1553.  | 0.4 | 41        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14849 | Assessment of mammographic density before and after first full-term pregnancy. <i>European Journal of Cancer Prevention</i> , 2010, 19, 405-412.   | 0.6 | 21        |
| 14850 | Continuous mixed venous and central venous oxygen saturation in cardiac surgery with cardiopulmonary bypass. <i>European Journal of Anaesthesiology</i> , 2010, 27, 295-299.                                       | 0.7 | 21        |
| 14851 | Repeatability of Measuring Corneal Subbasal Nerve Fiber Length in Individuals With Type 2 Diabetes. <i>Eye and Contact Lens</i> , 2010, 36, 245-248.   | 0.8 | 84        |
| 14852 | Comparison of Flex-Center, Center, and Corner Methods of Corneal Endothelial Cell Analysis. <i>Cornea</i> , 2010, 29, 1042-1047.   | 0.9 | 21        |
| 14853 | Comparison of Corneal Thickness Measurements Using Galilei, HR Pentacam, and Ultrasound. <i>Cornea</i> , 2010, 29, 1091-1095.  | 0.9 | 53        |
| 14854 | Effect of Operator and Optical Defocus on the Variability of Pattern Electroretinogram Optimized for Glaucoma Detection (PERGLA). <i>Journal of Glaucoma</i> , 2010, 19, 77-82.                                    | 0.8 | 9         |
| 14855 | Intraocular Pressure Values Obtained by Ocular Response Analyzer, Dynamic Contour Tonometry, and Goldmann Tonometry in Keratokonic Corneas. <i>Journal of Glaucoma</i> , 2010, 19, 540-545.                        | 0.8 | 23        |
| 14856 | IOP Variations in the Sitting and Supine Positions. <i>Journal of Glaucoma</i> , 2010, 19, 609-612.  | 0.8 | 25        |
| 14857 | Left atrial asynchrony is a major predictor of 1-year recurrence of atrial fibrillation after electrical cardioversion. <i>Journal of Cardiovascular Medicine</i> , 2010, 11, 499-506.                             | 0.6 | 27        |
| 14858 | In Normal Controls, Both Age and Gender Affect Coagulability as Measured by Thrombelastography. <i>Anesthesia and Analgesia</i> , 2010, 110, 987-994.  | 1.1 | 86        |
| 14859 | Transcutaneous Carbon Dioxide Monitoring Accurately Predicts Arterial Carbon Dioxide Partial Pressure in Patients Undergoing Prolonged Laparoscopic Surgery. <i>Anesthesia and Analgesia</i> , 2010, 111, 417-420. | 1.1 | 21        |
| 14860 | The Use of Point-of-Care Bedside Lung Ultrasound Significantly Reduces the Number of Radiographs and Computed Tomography Scans in Critically Ill Patients. <i>Anesthesia and Analgesia</i> , 2010, 111, 687-692.   | 1.1 | 144       |
| 14861 | Extending the Range of Treadmill Testing for Patients with Intermittent Claudication. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 640-645.  | 0.2 | 7         |
| 14862 | Epoch Length and Its Effect on Physical Activity Intensity. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 928-934.  | 0.2 | 148       |
| 14863 | Refined Two-Regression Model for the ActiGraph Accelerometer. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 1029-1037.  | 0.2 | 138       |
| 14864 | Risk Taking in Avalanche Terrain: A Study of the Human Factor Contribution. <i>Clinical Journal of Sport Medicine</i> , 2010, 20, 445-451.   | 0.9 | 3         |
| 14865 | Measurement of Skull Bone Thickness for Bone-Anchored Hearing Aids. <i>Otology and Neurotology</i> , 2010, 31, 440-446.  | 0.7 | 12        |
| 14866 | Reproducibility of the ambulatory arterial stiffness index in patients with type 1 diabetes mellitus. <i>Blood Pressure Monitoring</i> , 2010, 15, 18-22.  | 0.4 | 13        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14867 | European Society of Hypertension International Protocol revision 2010 for the validation of blood pressure measuring devices in adults. <i>Blood Pressure Monitoring</i> , 2010, 15, 23-38.   | 0.4 | 575       |
| 14868 | Validation of the central blood pressure estimation by the SphygmoCor system in Chinese. <i>Blood Pressure Monitoring</i> , 2010, 15, 268-274.  | 0.4 | 36        |
| 14869 | Family satisfaction with critical care: measurements and messages. <i>Current Opinion in Critical Care</i> , 2010, 16, 623-631.   | 1.6 | 56        |
| 14870 | Can serum cystatin C reflect the glomerular filtration rate accurately in pediatric patients under chemotherapeutic treatment? A comparative study with Tc-99m DTPA two-plasma sample method. <i>Nuclear Medicine Communications</i> , 2010, 31, 301-306. | 0.5 | 10        |
| 14871 | The Conversion of Bulbar Redness Grades Using Psychophysical Scaling. <i>Optometry and Vision Science</i> , 2010, 87, 159-167.  | 0.6 | 12        |
| 14872 | The Usefulness of Waveform Score from the Ocular Response Analyzer. <i>Optometry and Vision Science</i> , 2010, 87, 195-199.  | 0.6 | 52        |
| 14873 | Evaluation of Computer-Based Testing for Aniseikonia in Children. <i>Optometry and Vision Science</i> , 2010, 87, 883-889.  | 0.6 | 4         |
| 14874 | Cardiac output measurement using an ultrasound dilution method: A validation study in ventilated piglets. <i>Pediatric Critical Care Medicine</i> , 2010, 11, 103-108.  | 0.2 | 36        |
| 14875 | Use of activated recombinant factor VII in pediatric extracorporeal membrane oxygenation. <i>Pediatric Critical Care Medicine</i> , 2010, 11, 537-538.  | 0.2 | 7         |
| 14876 | Bland-Altman $\frac{1}{4}$ s analysis, measurement of mixed venous oxygen saturation, and controversial approval of a new catheter. <i>Pediatric Critical Care Medicine</i> , 2010, 11, 539-540.  | 0.2 | 5         |
| 14877 | Quantification of Vasa Vasorum Density in Multi-Slice Computed Tomographic Coronary Angiograms. <i>Journal of Computer Assisted Tomography</i> , 2010, 34, 273-278.   | 0.5 | 12        |
| 14878 | Intra- and Interobserver Variability of Linear and Volumetric Measurements of Brain Metastases Using Contrast-Enhanced Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2010, 45, 49-56.  | 3.5 | 60        |
| 14879 | Quantification of Calcifications in Endarterectomy Samples by Means of High-Resolution Ultra-Short Echo Time Imaging. <i>Investigative Radiology</i> , 2010, 45, 109-113.   | 3.5 | 18        |
| 14880 | Development of a Technique for Recording and Transferring Natural Head Position in 3 Dimensions. <i>Journal of Craniofacial Surgery</i> , 2010, 21, 1452-1455.  | 0.3 | 44        |
| 14881 | Standardized ultrasound protocol, trained sonographers and digital system for carotid atherosclerosis screening. <i>Journal of Cardiovascular Medicine</i> , 2010, 11, 683-688.   | 0.6 | 7         |
| 14882 | The FloTrac <sup>®</sup> System <sup>®</sup> Measurement of Stroke Volume and the Assessment of Dynamic Fluid Loading. <i>International Anesthesiology Clinics</i> , 2010, 48, 45-56.   | 0.3 | 10        |
| 14883 | Reproducibility of a simplified Q-angle measurement technique. <i>Current Orthopaedic Practice</i> , 2010, 21, 158-164.   | 0.1 | 2         |
| 14884 | Baseline quality of life before intensive care: A comparison of patient versus proxy responses. <i>Critical Care Medicine</i> , 2010, 38, 855-860.  | 0.4 | 70        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14885 | Correlation of central venousâ€“arterial and mixed venousâ€“arterial carbon dioxide tension gradient with cardiac output during neurosurgical procedures in the sitting position. <i>European Journal of Anaesthesiology</i> , 2010, 27, 882-889. | 0.7 | 18        |
| 14886 | A proposed algorithm for diagnosing hypertension using automated office blood pressure measurement. <i>Journal of Hypertension</i> , 2010, 28, 703-708.   | 0.3 | 65        |
| 14887 | Experimental Validation of Cardiac Index Measurement Using Transpulmonary Thermodilution Technique in Neonatal Total Liquid Ventilation. <i>ASAIO Journal</i> , 2010, 56, 557-562.  | 0.9 | 4         |
| 14888 | Preliminary clinical applications of a device-dedicated whole-body positron emission tomography reconstruction method: impact on standardized uptake values. <i>Nuclear Medicine Communications</i> , 2010, 31, 793-799.                          | 0.5 | 0         |
| 14891 | Diffusion Tensor Imaging (DTI) of the Kidney at 3 Teslaâ€“Feasibility, Protocol Evaluation and Comparison to 1.5 Tesla. <i>Investigative Radiology</i> , 2010, 45, 245-254.   | 3.5 | 94        |
| 14892 | Comparison of Two Pain Scales for the Assessment of Pain in the Ventilated Adult Patient. <i>Dimensions of Critical Care Nursing</i> , 2010, 29, 307-315.   | 0.4 | 26        |
| 14893 | In-vitro evaluation of the PediaSat continuous central venous oxygenation monitoring system. <i>European Journal of Anaesthesiology</i> , 2010, 27, 289-294.  | 0.7 | 6         |
| 14894 | Characterization of Urinary Stones With Dual-Energy CT. <i>Investigative Radiology</i> , 2010, 45, 1-6.   | 3.5 | 90        |
| 14895 | Semiautomatic Lymph Node Segmentation in Multislice Computed Tomography. <i>Investigative Radiology</i> , 2010, 45, 82-88.  | 3.5 | 13        |
| 14896 | Correlation of intraocular pressure with intracranial pressure in children with severe head injuries*. <i>Pediatric Critical Care Medicine</i> , 2010, 11, 593-598.   | 0.2 | 36        |
| 14897 | Systematic Review on Mentoring and Simulation in Laparoscopic Colorectal Surgery. <i>Annals of Surgery</i> , 2010, 252, 943-951.  | 2.1 | 106       |
| 14898 | Agreement Between Parent and Child Report of Health-Related Quality of Life: Impact of Time Postinjury. <i>Journal of Trauma</i> , 2010, 69, 1578-1582.   | 2.3 | 17        |
| 14899 | Are Toe Pressures Measured by a Portable Photoplethysmograph Equivalent to Standard Laboratory Tests?. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2010, 37, 475-486.  | 0.6 | 5         |
| 14900 | Cerebral Arterial and Venous Contributions to Tissue Oxygenation Index Measured Using Spatially Resolved Spectroscopy in Newborn Lambs. <i>Anesthesiology</i> , 2010, 113, 1385-1391.   | 1.3 | 45        |
| 14901 | Goldmann Applanation Tonometry Versus Ocular Response Analyzer for Intraocular Pressure Measurements in Keratoconic Eyes. <i>Cornea</i> , 2010, 29, 1011-1015.  | 0.9 | 20        |
| 14902 | Whole-Brain Perfusion Measurement Using 320-Detector Row Computed Tomography in Patients With Cerebrovascular Steno-Occlusive Disease. <i>Journal of Computer Assisted Tomography</i> , 2010, 34, 830-835.  | 0.5 | 14        |
| 14903 | Evaluation of Sample Bias for Measuring Plasma Iohexol Clearance in Kidney Transplantation. <i>Transplantation</i> , 2010, 89, 440-445.   | 0.5 | 32        |
| 14904 | Um novo escore para opacificaÃ§Ã£o tomogrÃ¡fica dos seios paranasais em crianÃ§as. <i>Brazilian Journal of Otorhinolaryngology</i> , 2010, 76, 491-498.   | 0.4 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14905 | Segmentation and quantification of pulmonary artery for noninvasive CT assessment of sickle cell secondary pulmonary hypertension. <i>Medical Physics</i> , 2010, 37, 1522-1532.  | 1.6 | 30        |
| 14906 | Comparison between diffusion-weighted imaging, T2-weighted, and postcontrast T2-weighted imaging after MR-guided, high intensity, focused ultrasound treatment of uterine leiomyomata: Preliminary results. <i>Medical Physics</i> , 2010, 37, 4768-4776. | 1.6 | 17        |
| 14907 | Repeatability in computer-aided diagnosis: Application to breast cancer diagnosis on sonography. <i>Medical Physics</i> , 2010, 37, 2659-2669.  | 1.6 | 17        |
| 14908 | Near-infrared spectroscopy and indocyanine green derived blood flow index for noninvasive measurement of muscle perfusion during exercise. <i>Journal of Applied Physiology</i> , 2010, 108, 962-967.   | 1.2 | 52        |
| 14909 | Does knee joint alignment with the axis of the isokinetic dynamometer affect peak torque?. <i>Isokinetics and Exercise Science</i> , 2010, 18, 217-221.   | 0.2 | 9         |
| 14910 | Quantitative comparison of thermal dose models in normal canine brain. <i>Medical Physics</i> , 2010, 37, 5313-5321.  | 1.6 | 46        |
| 14911 | A Unified Approach for Nonparametric Evaluation of Agreement in Method Comparison Studies. <i>International Journal of Biostatistics</i> , 2010, 6, Article 19.   | 0.4 | 11        |
| 14912 | Plasma Gelsolin is Decreased and Correlates with Rate of Decline in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2010, 21, 585-596.   | 1.2 | 69        |
| 14913 | A Simplified Coupled Soil-Pore Water Pressure Generation for Use in Site Response Analysis. , 2010, , .   |     | 4         |
| 14914 | Commentaries on Viewpoint: Gold standards for scientists who are conducting animal-based exercise studies. <i>Journal of Applied Physiology</i> , 2010, 108, 222-225.   | 1.2 | 19        |
| 14915 | Using near-infrared spectroscopy to measure cerebral metabolic rate of oxygen under multiple levels of arterial oxygenation in piglets. <i>Journal of Applied Physiology</i> , 2010, 109, 878-885.  | 1.2 | 23        |
| 14916 | Computerized method for evaluating diagnostic image quality of calcified plaque images in cardiac CT: Validation on a physical dynamic cardiac phantom. <i>Medical Physics</i> , 2010, 37, 5777-5786.   | 1.6 | 3         |
| 14917 | Performance of Simplified Modification of Diet in Renal Disease and Cockcroft-Gault Equations in Patients With Chronic Spinal Cord Injury and Chronic Kidney Disease. <i>American Journal of the Medical Sciences</i> , 2010, 339, 108-116.               | 0.4 | 20        |
| 14918 | A Clinical Alternative to Fluorophotometry for Measuring Tear Production in the Diagnosis of Dry Eye. <i>Cornea</i> , 2010, 29, 745-750.  | 0.9 | 7         |
| 14919 | Comparison of Plethysmographic and Helium Dilution Lung Volumes. <i>Chest</i> , 2010, 137, 1108-1115.   | 0.4 | 83        |
| 14920 | The short of it: Abbreviating the temporal discounting procedure.. <i>Experimental and Clinical Psychopharmacology</i> , 2010, 18, 366-374.   | 1.3 | 13        |
| 14921 | An Attempt to Quantify the Placebo Effect From a Three-Week Simulated Altitude Training Camp in Elite Race Walkers. <i>International Journal of Sports Physiology and Performance</i> , 2010, 5, 521-534.   | 1.1 | 31        |
| 14922 | The Use of Glutaraldehyde-Fixed Chicken Red Blood Cells as Counting Beads for Performing Affordable Single-Platform CD4+ T-Lymphocyte Count in HIV-1-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010, 53, 47-54.  | 0.9 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14923 | Assessment of Left Atrial Volumes and Function in Orthotopic Heart Transplant Recipients by Dual-Source CT. <i>Investigative Radiology</i> , 2010, 45, 72-76.   | 3.5 | 58        |
| 14924 | Diffusion-Weighted Magnetic Resonance Imaging of the Liver Using TRacking Only Navigator Echo. <i>Investigative Radiology</i> , 2010, 45, 57-63.  | 3.5 | 22        |
| 14925 | The reliability of computed tomography scanograms in the measurement of limb length discrepancy. <i>Journal of Pediatric Orthopaedics Part B</i> , 2010, 19, 42-46.   | 0.3 | 11        |
| 14926 | Kinetic Analysis of the Lactate-dehydrogenase-coupled Reaction Process and Measurement of Alanine Transaminase by an Integration Strategy. <i>Analytical Sciences</i> , 2010, 26, 1193-1198.                                | 0.8 | 12        |
| 14927 | The Absolute Reliability of Two Different Tandem Gait Tests with Minimal Detectable Change. <i>Rigakuryoho Kagaku</i> , 2010, 25, 49-53.  | 0.0 | 10        |
| 14928 | Difference Between Self-Reported and Accelerometer Measured Moderate-to-Vigorous Physical Activity in Youth. <i>Pediatric Exercise Science</i> , 2010, 22, 523-534.   | 0.5 | 66        |
| 14929 | Test-Retest Reliability of the StepWatch Activity Monitor Outputs in Healthy Adults. <i>Journal of Physical Activity and Health</i> , 2010, 7, 671-676.   | 1.0 | 43        |
| 14930 | Validity and Reliability of the Telephone-Administered International Physical Activity Questionnaire in Brazil. <i>Journal of Physical Activity and Health</i> , 2010, 7, 402-409.  | 1.0 | 60        |
| 14931 | Reliability and Validity of a School Recess Physical Activity Recall in Spanish Youth. <i>Pediatric Exercise Science</i> , 2010, 22, 218-230.   | 0.5 | 12        |
| 14932 | Actigraphy as a Measure of Activity and Sleep for Infants: A Methodologic Study. <i>JAMA Pediatrics</i> , 2010, 164, 1071-2.  | 3.6 | 11        |
| 14933 | Evaluation of a Recently Developed Noncontact Specular Microscope in Comparison with Conventional Pachymetry Devices. <i>European Journal of Ophthalmology</i> , 2010, 20, 831-838.   | 0.7 | 12        |
| 14934 | BIS-Vista, ç Occipital Montage in Patients Undergoing Neurosurgical Procedures during Propofol and Remifentanyl Anesthesia. <i>Anesthesiology</i> , 2010, 112, 645-651.   | 1.3 | 29        |
| 14935 | Comparison of Conventional ELISA with Electrochemiluminescence Technology for Detection of Amyloid-β in Plasma. <i>Journal of Alzheimer's Disease</i> , 2010, 21, 769-773.  | 1.2 | 43        |
| 14936 | Measuring Refraction in Adults in Epidemiological Studies. <i>JAMA Ophthalmology</i> , 2010, 128, 88.   | 2.6 | 45        |
| 14937 | Determination of Plasma Osmolality and Agreement Between Measured and Calculated Values in Healthy Adult Bearded Dragons ( <i>Pogona vitticeps</i> ). <i>Journal of Herpetological Medicine and Surgery</i> , 2010, 20, 69. | 0.2 | 14        |
| 14938 | Morphometric X-Ray Absorptiometry and Morphometric Radiography of the Spine: A Comparison of Prevalent Vertebral Deformity Identification. <i>Journal of Bone and Mineral Research</i> , 2010, 15, 564-574.                 | 3.1 | 84        |
| 14939 | Effect of a Low Calcium Dialysate on Parathyroid Hormone Secretion in Diabetic Patients on Maintenance Hemodialysis. <i>Journal of Bone and Mineral Research</i> , 2010, 15, 927-935.                                       | 3.1 | 24        |
| 14940 | Comparison of IFCC and NGSP methods for determination of glycated haemoglobin using advanced regression techniques. <i>Open Chemistry</i> , 2010, 8, 1216-1222.   | 1.0 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14941 | Assessing Elbow Assessment, past, Present and Future. <i>Shoulder and Elbow</i> , 2010, 2, 43-54.   | 0.7 | 4         |
| 14942 | Smoking cessation advice provided in 53 Norwegian pharmacies. <i>International Journal of Pharmacy Practice</i> , 2010, 12, 179-184.  | 0.3 | 10        |
| 14943 | High-speed digital imaging method for ciliary beat frequency measurement. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 57, 521-526.  | 1.2 | 44        |
| 14944 | The Safe Functional Motion test is reliable for assessment of functional movements in individuals at risk for osteoporotic fracture. <i>Clinical Rheumatology</i> , 2010, 29, 143-150.  | 1.0 | 10        |
| 14945 | Evaluation of nebulised hay dust suspensions (HDS) for the diagnosis and investigation of heaves. 2: Effects of inhaled HDS on control and heaves horses. <i>Equine Veterinary Journal</i> , 2010, 34, 337-342.   | 0.9 | 48        |
| 14946 | Plant Disease Severity Estimated Visually, by Digital Photography and Image Analysis, and by Hyperspectral Imaging. <i>Critical Reviews in Plant Sciences</i> , 2010, 29, 59-107.   | 2.7 | 636       |
| 14947 | Pediatric reference data for lean tissue properties: density and hydration from age 5 to 20 y. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 610-618.   | 2.2 | 118       |
| 14948 | Airway remodeling in a mouse asthma model assessed by in-vivo respiratory-gated micro-computed tomography. <i>European Radiology</i> , 2010, 20, 128-137.   | 2.3 | 27        |
| 14949 | Contrast-enhanced computed tomography for the diagnosis of fatty liver: prospective study with same-day biopsy used as the reference standard. <i>European Radiology</i> , 2010, 20, 359-366.   | 2.3 | 54        |
| 14950 | Rotator cuff tears: should abduction and external rotation (ABER) positioning be performed before image acquisition? A CT arthrography study. <i>European Radiology</i> , 2010, 20, 1234-1241.  | 2.3 | 18        |
| 14951 | Comparison of left ventricular function assessment using phonocardiogram- and electrocardiogram-triggered 2D SSFP CINE MR imaging at 1.5ÅT and 3.0ÅT. <i>European Radiology</i> , 2010, 20, 1344-1355.  | 2.3 | 49        |
| 14952 | Polyp measurement based on CT colonography and colonoscopy: variability and systematic differences. <i>European Radiology</i> , 2010, 20, 1404-1413.  | 2.3 | 26        |
| 14953 | Automatic postprocessing for the assessment of quantitative human myocardial perfusion using MRI. <i>European Radiology</i> , 2010, 20, 1356-1365.  | 2.3 | 19        |
| 14954 | New multispectral MRI data fusion technique for white matter lesion segmentation: method and comparison with thresholding in FLAIR images. <i>European Radiology</i> , 2010, 20, 1684-1691.   | 2.3 | 146       |
| 14955 | Single breath-hold magnetic resonance cine imaging for fast assessment of global and regional left ventricular function in clinical routine. <i>European Radiology</i> , 2010, 20, 2341-2347.   | 2.3 | 14        |
| 14956 | Multidetector computed tomography with triple-bolus contrast medium administration protocol for preoperative anatomical and functional assessment of potential living renal donors. <i>European Radiology</i> , 2010, 20, 2590-2599.                                | 2.3 | 10        |
| 14957 | Three-dimensional ultrasound imaging for discrimination between benign and malignant endometrium in women with postmenopausal bleeding and sonographic endometrial thickness of at least 4.5 mm. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 94-102. | 0.9 | 35        |
| 14958 | Three-dimensional multiplanar ultrasound is a valuable tool in the study of the fetal profile in the second trimester of pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 195-200.   | 0.9 | 41        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 14959 | Cesarean section scar defects: agreement between transvaginal sonographic findings with and without saline contrast enhancement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 75-83.  | 0.9 | 159       |
| 14960 | Quantitative analysis of antral follicle number and size: a comparison of two-dimensional and automated three-dimensional ultrasound techniques. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 354-360.                              | 0.9 | 73        |
| 14961 | Measurement of fetal head descent using the "angle of progression"™ on transperineal ultrasound imaging is reliable regardless of fetal head station or ultrasound expertise. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 216-222. | 0.9 | 143       |
| 14962 | Validation of volume measurements for fetal echocardiography using four-dimensional ultrasound imaging and spatiotemporal image correlation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 324-331.                                  | 0.9 | 22        |
| 14963 | Validation of three-dimensional perineal ultrasound and magnetic resonance imaging measurements of the pubovisceral muscle at rest. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 715-722.   | 0.9 | 52        |
| 14964 | Fetal biometry by an inexperienced operator using two- and three-dimensional ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 566-571.  | 0.9 | 27        |
| 14965 | Comparison of inter- and intraobserver agreement and reliability between three different types of placental volume measurement technique (3D, 2D, and 2D) <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 210-217.                     | 0.9 | 39        |
| 14966 | Impact of tissue harmonic imaging on measurement of nuchal translucency thickness. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 423-426.  | 0.9 | 9         |
| 14967 | New crown-rump length curve based on over 3500 pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 650-655.   | 0.9 | 42        |
| 14968 | Value of transvaginal ultrasound in assessing severity of pelvic endometriosis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 241-248.   | 0.9 | 90        |
| 14969 | What is the most reliable ultrasound parameter for assessment of fetal head descent?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 493-499.   | 0.9 | 117       |
| 14970 | Nasal bone length in euploid fetuses at 16-24 weeks' gestation by three-dimensional ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 285-290.   | 0.9 | 15        |
| 14971 | Analysis and acquisition reproducibility of 3D power Doppler. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 392-393.   | 0.9 | 23        |
| 14972 | Distances between facial landmarks can be measured accurately with a new digital 3-dimensional video system. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2010, 137, 580.e1-580.e10.                                     | 0.8 | 15        |
| 14973 | Multi-Plane Mechanical Dyssynchrony in Cardiac Resynchronization Therapy. <i>Clinical Cardiology</i> , 2010, 33, E31-8.   | 0.7 | 7         |
| 14974 | Left Ventricular Ejection Fraction Assessment by Tl-201 Gated SPECT: A Comparison With Echocardiography. <i>Clinical Cardiology</i> , 2010, 33, E56-62.   | 0.7 | 6         |
| 14975 | A Novel Noninvasive Ultrasonic Cardiac Output Monitor: Comparison With Cardiac Magnetic Resonance. <i>Clinical Cardiology</i> , 2010, 33, E8-14.  | 0.7 | 18        |
| 14976 | Repeatability of Doppler ultrasound measurements of hindlimb blood flow in halothane anaesthetised horses. <i>Equine Veterinary Journal</i> , 2010, 32, 239-246.  | 0.9 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14977 | Pulmonary and systemic effects of inhaled endotoxin in control and heaves horses. <i>Equine Veterinary Journal</i> , 2010, 33, 311-318.  | 0.9 | 73        |
| 14978 | Comparison of lithium dilution and thermodilution cardiac output measurements in anaesthetised neonatal foals. <i>Equine Veterinary Journal</i> , 2010, 34, 598-601.   | 0.9 | 69        |
| 14979 | Cytological analysis of equine bronchoalveolar lavage fluid. Part 2: comparison of smear and cytocentrifuged preparations. <i>Equine Veterinary Journal</i> , 2010, 34, 292-296.   | 0.9 | 23        |
| 14980 | Evaluation of nebulised hay dust suspensions (HDS) for the diagnosis and investigation of heaves. 3: Effect of fractionation of HDS. <i>Equine Veterinary Journal</i> , 2010, 34, 343-347.   | 0.9 | 30        |
| 14981 | Evaluation of a combined laser Doppler flowmetry and iontophoresis technique for the assessment of equine cutaneous microvascular function. <i>Equine Veterinary Journal</i> , 2010, 34, 732-736.                                      | 0.9 | 3         |
| 14982 | Demonstration of regional differences in equine ventricular myocardial velocity in normal 2-year-old Thoroughbreds with Doppler tissue imaging. <i>Equine Veterinary Journal</i> , 2010, 37, 222-226.                                  | 0.9 | 20        |
| 14983 | Repeatability of subjective evaluation of lameness in horses. <i>Equine Veterinary Journal</i> , 2010, 42, 92-97.  | 0.9 | 207       |
| 14984 | Validity of self-reported birthweight among middle-aged and elderly women in the Danish Nurse Cohort Study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 1134-1139.   | 1.3 | 24        |
| 14985 | National perinatal audit, a feasible initiative for the Netherlands!? A validation study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 1168-1173.   | 1.3 | 11        |
| 14986 | Assessing disordered speech and voice in Parkinson's disease: a telerehabilitation application. <i>International Journal of Language and Communication Disorders</i> , 2010, 45, 630-644.  | 0.7 | 124       |
| 14987 | A Qualitative and Quantitative Comparison of Two Rubella Virus-Specific IgG Antibody Immunoassays. <i>Viral Immunology</i> , 2010, 23, 353-357.  | 0.6 | 10        |
| 14988 | Reticulocytes in athletes: Longitudinal aspects and the influence of long- and short-term exercise. <i>Drug Testing and Analysis</i> , 2010, 2, 469-474.   | 1.6 | 16        |
| 14989 | Coronary calcium score scans for attenuation correction of quantitative PET/CT 13N-ammonia myocardial perfusion imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 517-521.                        | 3.3 | 27        |
| 14990 | New reconstruction algorithm allows shortened acquisition time for myocardial perfusion SPECT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 750-757.  | 3.3 | 48        |
| 14991 | Assessment of poststress left ventricular ejection fraction by gated SPECT: comparison with equilibrium radionuclide angiocardiology. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 349-356.           | 3.3 | 9         |
| 14992 | Optimization of flow reserve measurement using SPECT technology to evaluate the determinants of coronary microvascular dysfunction in diabetes. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 357-367. | 3.3 | 17        |
| 14993 | High throughput static and dynamic small animal imaging using clinical PET/CT: potential preclinical applications. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 991-1001.                             | 3.3 | 34        |
| 14994 | PET-guided delineation of radiation therapy treatment volumes: a survey of image segmentation techniques. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 2165-2187.                                     | 3.3 | 316       |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 14995 | Association of inflammation of the left anterior descending coronary artery with cardiovascular risk factors, plaque burden and pericardial fat volume: a PET/CT study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 1203-1212. | 3.3 | 68        |
| 14996 | Quantitative analysis of coronary endothelial function with generator-produced <sup>82</sup> Rb PET: comparison with <sup>15</sup> O-labelled water PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 2233-2241.                | 3.3 | 35        |
| 14997 | Hemodynamic alterations in anterior segment of liver graft after right-lobe living-donor liver transplantation: computed tomography perfusion imaging findings. <i>Abdominal Imaging</i> , 2010, 35, 522-527.  | 2.0 | 14        |
| 14998 | Sensitive headspace gas chromatography analysis of free and conjugated 1-methoxy-2-propanol in urine. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 396, 2709-2714.  | 1.9 | 5         |
| 14999 | A hydrophilic interaction ultraperformance liquid chromatography (HILIC-UPLC) method for genomic DNA methylation assessment by UV detection. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 396, 2937-2941.   | 1.9 | 17        |
| 15000 | Case definitions of knee osteoarthritis in 4,151 unselected subjects: relevance for epidemiological studies. <i>Skeletal Radiology</i> , 2010, 39, 859-866.  | 1.2 | 41        |
| 15001 | Bone bruise in acute traumatic patellar dislocation: volumetric magnetic resonance imaging analysis with follow-up mean of 12 months. <i>Skeletal Radiology</i> , 2010, 39, 675-682.   | 1.2 | 29        |
| 15002 | Simple overlay device for determining radial head and neck height. <i>Skeletal Radiology</i> , 2010, 39, 915-920.  | 1.2 | 8         |
| 15003 | Multiphase ultrasound approach to quantify pleural effusion at the bedside. <i>Intensive Care Medicine</i> , 2010, 36, 656-664.  | 3.9 | 112       |
| 15004 | Comparison of cardiac output and blood volumes in intrathoracic compartments measured by ultrasound dilution and transpulmonary thermodilution methods. <i>Intensive Care Medicine</i> , 2010, 36, 2140-2144.  | 3.9 | 23        |
| 15005 | Extrapolation from ten sections can make CT-based quantification of lung aeration more practicable. <i>Intensive Care Medicine</i> , 2010, 36, 1836-1844.  | 3.9 | 53        |
| 15006 | The risk of notching the anterior femoral cortex with the use of navigation systems in total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2010, 18, 718-722.   | 2.3 | 34        |
| 15007 | A new measurement technique for the tibiofemoral contact point in normal knees and knees with TKR. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2010, 18, 388-393.  | 2.3 | 26        |
| 15008 | Comparison between two computer-assisted total knee arthroplasty: gap-balancing versus measured resection technique. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2010, 18, 1304-1310.  | 2.3 | 56        |
| 15009 | A validated self-administered female pelvic floor questionnaire. <i>International Urogynecology Journal</i> , 2010, 21, 163-172.   | 0.7 | 108       |
| 15010 | Urethral sleeve sensor: a non-withdrawal method to measure maximum urethral pressure. <i>International Urogynecology Journal</i> , 2010, 21, 685-691.  | 0.7 | 3         |
| 15011 | Ultrasound measurement of vaginal wall thickness: a novel and reliable technique. <i>International Urogynecology Journal</i> , 2010, 21, 1265-1270.  | 0.7 | 44        |
| 15012 | Adjustment for body mass index and calcitropic hormone levels improves the diagnostic accuracy of the spot urine calcium-to-creatinine ratio. <i>Osteoporosis International</i> , 2010, 21, 1417-1425.   | 1.3 | 9         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15013 | Synovial tissue rank ligand expression and radiographic progression in rheumatoid arthritis: observations from a proof-of-concept randomized clinical trial of cytokine blockade. <i>Rheumatology International</i> , 2010, 30, 1571-1580.  | 1.5 | 8         |
| 15015 | Semi-automatic assessment of global left ventricular function and left ventricular parameters with dual-source computed tomography: comparison with invasive angiography. <i>Heart and Vessels</i> , 2010, 25, 57-62.   | 0.5 | 2         |
| 15016 | The effects of normoxia, hypoxia, and hyperoxia on cerebral haemoglobin saturation using near infrared spectroscopy during maximal exercise. <i>International Journal of Industrial Ergonomics</i> , 2010, 40, 190-196.   | 1.5 | 14        |
| 15017 | High-Frequency Jet Ventilation for Complete Target Immobilization and Reduction of Planning Target Volume in Stereotactic High Single-Dose Irradiation of Stage I Non-Small Cell Lung Cancer and Lung Metastases. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 78, 136-142. | 0.4 | 31        |
| 15018 | Segmentation of the carotid intima-media region in B-mode ultrasound images. <i>Image and Vision Computing</i> , 2010, 28, 614-625.   | 2.7 | 80        |
| 15019 | Screening and determination of melamine residues in tissue and body fluid samples. <i>Analytica Chimica Acta</i> , 2010, 662, 69-75.  | 2.6 | 51        |
| 15020 | A novel, selective, and rapid fluorimetric method for the simultaneous analysis of coproporphyrin and uroporphyrin in urine. <i>Analytica Chimica Acta</i> , 2010, 664, 89-94.  | 2.6 | 10        |
| 15021 | Comparison of expert and algorithm agreement in measurement of nerve conduction study parameters. <i>Biomedical Signal Processing and Control</i> , 2010, 5, 158-163.   | 3.5 | 2         |
| 15022 | The Bland-Altman analysis: Does it have a role in assessing radiation dosimeter performance relative to an established standard?. <i>Radiation Measurements</i> , 2010, 45, 810-815.  | 0.7 | 9         |
| 15023 | Assessment of left ventricular size and function in horses using anatomical M-mode echocardiography. <i>Journal of Veterinary Cardiology</i> , 2010, 12, 111-121.   | 0.3 | 20        |
| 15024 | A coupled deformable model for tracking myocardial borders from real-time echocardiography using an incompressibility constraint. <i>Medical Image Analysis</i> , 2010, 14, 429-448.  | 7.0 | 52        |
| 15025 | Endocytoscopic classification of preneoplastic lesions in the colorectum. <i>International Journal of Colorectal Disease</i> , 2010, 25, 1111-1116.   | 1.0 | 25        |
| 15026 | Strain and strain rate echocardiography for evaluation of right ventricular dysfunction in patients with idiopathic pulmonary arterial hypertension. <i>Clinical Research in Cardiology</i> , 2010, 99, 491-498.  | 1.5 | 27        |
| 15027 | The influence of talonavicular versus double arthrodesis on load dependent motion of the midtarsal joint. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2010, 130, 47-53.   | 1.3 | 25        |
| 15028 | Two-dimensional fluoroscopic navigation in posterior cruciate ligament reconstruction: a preclinical cadaver study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2010, 130, 971-976.   | 1.3 | 4         |
| 15029 | Observer accuracy and reproducibility of visual estimation of blood loss in obstetrics: how accurate and consistent are health-care professionals?. <i>Archives of Gynecology and Obstetrics</i> , 2010, 281, 207-213.  | 0.8 | 98        |
| 15030 | The Impact of Pulmonary Disease on Noninvasive Measurement of Cardiac Output by the Inert Gas Rebreathing Method. <i>Lung</i> , 2010, 188, 433-440.   | 1.4 | 25        |
| 15031 | Thickness of softened human enamel removed by toothbrush abrasion: an in vitro study. <i>Clinical Oral Investigations</i> , 2010, 14, 251-256.  | 1.4 | 68        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15032 | Harrahill's technique: a simple screening test for intra-abdominal pressure measurement. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2010, 14, 415-419.   | 0.9 | 8         |
| 15033 | Effect of corneal astigmatism on intraocular pressure measurement using ocular response analyzer and Goldmann applanation tonometer. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2010, 248, 257-262.               | 1.0 | 20        |
| 15034 | Transpalpebral measurement of intraocular pressure using the Diaton tonometer versus standard Goldmann applanation tonometry. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2010, 248, 1765-1770.                    | 1.0 | 36        |
| 15035 | Intra-examiner repeatability and agreement of corneal pachymetry map measurement by time-domain and Fourier-domain optical coherence tomography. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2010, 248, 1647-1656. | 1.0 | 36        |
| 15036 | Feasibility of the Radner Reading Charts in low-vision patients. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2010, 248, 1631-1637.   | 1.0 | 30        |
| 15037 | Do bifocals reduce accommodative amplitude in convergence excess esotropia?. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2010, 248, 1501-1505.   | 1.0 | 10        |
| 15038 | Exponential protocols for cardiopulmonary exercise testing on treadmill and cycle ergometer. <i>European Journal of Applied Physiology</i> , 2010, 108, 167-175.   | 1.2 | 8         |
| 15039 | Panoramic ultrasonography is a valid method to measure changes in skeletal muscle cross-sectional area. <i>European Journal of Applied Physiology</i> , 2010, 108, 273-279.  | 1.2 | 139       |
| 15040 | Development of an equation to predict muscle volume of elbow flexors for men and women with a wide range of age. <i>European Journal of Applied Physiology</i> , 2010, 108, 689-694.   | 1.2 | 21        |
| 15041 | Thermometry and calorimetry assessment of sweat response during exercise in the heat. <i>European Journal of Applied Physiology</i> , 2010, 108, 905-911.  | 1.2 | 26        |
| 15042 | Comparison of gas exchange data using the Aquatrainer® system and the facemask with Cosmed K4b2 during exercise in healthy subjects. <i>European Journal of Applied Physiology</i> , 2010, 109, 191-199.                                     | 1.2 | 26        |
| 15043 | Thermoregulation, pacing and fluid balance during mass participation distance running in a warm and humid environment. <i>European Journal of Applied Physiology</i> , 2010, 109, 887-898.   | 1.2 | 78        |
| 15044 | Active regulation of cerebral venous tone: simultaneous arterial and venous transcranial Doppler sonography during a Valsalva manoeuvre. <i>European Journal of Applied Physiology</i> , 2010, 109, 691-697.                                 | 1.2 | 10        |
| 15045 | The validity and reliability of predicting maximal oxygen uptake from a treadmill-based sub-maximal perceptually regulated exercise test. <i>European Journal of Applied Physiology</i> , 2010, 109, 983-988.                                | 1.2 | 27        |
| 15046 | Application of bioreactance for cardiac output assessment during exercise in healthy individuals. <i>European Journal of Applied Physiology</i> , 2010, 109, 945-951.  | 1.2 | 10        |
| 15048 | Comparison of a simple and a standard method for inulin renal clearance. <i>Clinical and Experimental Nephrology</i> , 2010, 14, 427-430.  | 0.7 | 8         |
| 15049 | New method to measure and improve consistency of baroreflex sensitivity values. <i>Clinical Autonomic Research</i> , 2010, 20, 353-361.  | 1.4 | 50        |
| 15050 | Evaluation of the agreement between pentacam and ultrasound biomicroscopy measurements of anterior chamber depth in chinese patients with primary angle-closure glaucoma. <i>Japanese Journal of Ophthalmology</i> , 2010, 54, 361-362.      | 0.9 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15051 | Establishment of reference ranges for ductus venosus waveform indices in the Japanese population. <i>Journal of Medical Ultrasonics</i> (2001), 2010, 37, 201-207.   | 0.6 | 2         |
| 15052 | Influence of Different Presentations of Oscillometric Data on Automatic Determination of Systolic and Diastolic Pressures. <i>Annals of Biomedical Engineering</i> , 2010, 38, 774-787.  | 1.3 | 13        |
| 15053 | Low Numeracy Predicts Reduced Accuracy of Retrospective Reports of Frequency of Sexual Behavior. <i>AIDS and Behavior</i> , 2010, 14, 1320-1329.   | 1.4 | 16        |
| 15054 | Determination of axial vertebral rotation in MR images: comparison of four manual and a computerized method. <i>European Spine Journal</i> , 2010, 19, 774-781.  | 1.0 | 12        |
| 15055 | Neck Pain and Disability Scale and the Neck Disability Index: reproducibility of the Dutch Language Versions. <i>European Spine Journal</i> , 2010, 19, 1695-1701.   | 1.0 | 35        |
| 15056 | Neuropathological heterogeneity in frontotemporal lobar degeneration with TDP-43 proteinopathy: a quantitative study of 94 cases using principal components analysis. <i>Journal of Neural Transmission</i> , 2010, 117, 227-239.              | 1.4 | 48        |
| 15057 | Joint parameter confidence regions improve the power of parametric regression in method-comparison studies. <i>Accreditation and Quality Assurance</i> , 2010, 15, 547-554.  | 0.4 | 4         |
| 15058 | Validation of the revised Schwartz estimating equation in a predominantly non-CKD population. <i>Pediatric Nephrology</i> , 2010, 25, 2321-2326.   | 0.9 | 165       |
| 15059 | Main bronchial diameters in patients with very severe COPD. <i>Journal of Anesthesia</i> , 2010, 24, 359-365.  | 0.7 | 2         |
| 15060 | Myocardial imaging with <sup>99m</sup> Tc-Tetrofosmin: Influence of post-stress acquisition time, regional radiotracer uptake, and wall motion abnormalities on the clinical result. <i>Journal of Nuclear Cardiology</i> , 2010, 17, 276-285. | 1.4 | 9         |
| 15061 | Gated blood-pool SPECT versus cardiac magnetic resonance imaging for the assessment of left ventricular volumes and ejection fraction. <i>Journal of Nuclear Cardiology</i> , 2010, 17, 427-434.   | 1.4 | 27        |
| 15062 | End-systolic and end-diastolic left atrial volume assessment by two-dimensional echocardiography: a comparison study with magnetic resonance imaging. <i>Journal of Echocardiography</i> , 2010, 8, 52-58.                                     | 0.4 | 4         |
| 15063 | Estimated height from knee-height in caucasian elderly: Implications on nutritional status by Mini Nutritional Assessment. <i>Journal of Nutrition, Health and Aging</i> , 2010, 14, 16-22.  | 1.5 | 19        |
| 15064 | Prediction of fat-free mass by bioelectrical impedance analysis in older adults from developing countries: A cross-validation study using the deuterium dilution method. <i>Journal of Nutrition, Health and Aging</i> , 2010, 14, 418-426.    | 1.5 | 28        |
| 15065 | Accuracy of Siri and Brozek equations in the percent body fat estimation in older adults. <i>Journal of Nutrition, Health and Aging</i> , 2010, 14, 744-748.   | 1.5 | 21        |
| 15066 | An observational study of a wireless temporal artery bandage thermometer. <i>Canadian Journal of Anaesthesia</i> , 2010, 57, 870-871.  | 0.7 | 2         |
| 15067 | Reliability and Validity of the Thai "Global Person Generated Index", an Individualised Measure of Quality of Life. <i>Applied Research in Quality of Life</i> , 2010, 5, 219-232.   | 1.4 | 14        |
| 15068 | Evaluation of an algorithm for arterial lumen diameter measurements by means of ultrasound. <i>Medical and Biological Engineering and Computing</i> , 2010, 48, 1133-1140.   | 1.6 | 17        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15069 | Sleep apnea monitoring and diagnosis based on pulse oximetry and tracheal sound signals. <i>Medical and Biological Engineering and Computing</i> , 2010, 48, 1087-1097.  | 1.6 | 111       |
| 15070 | Computation of brain metabolite ratios in single-voxel proton MR spectroscopy: comparison between semiautomatic and automatic software. <i>Radiologia Medica</i> , 2010, 115, 125-132.   | 4.7 | 6         |
| 15071 | Density-based MDCT quantification of lobar lung volumes: a study of inter- and intraobserver reproducibility. <i>Radiologia Medica</i> , 2010, 115, 516-525.   | 4.7 | 9         |
| 15072 | Measurement of Ulnar Variance on Uncalibrated Digital Radiographic Images. <i>Hand</i> , 2010, 5, 267-272.   | 0.7 | 10        |
| 15073 | Accurate measurement of pulsatile flow velocity in a small tube phantom: comparison of phase-contrast cine magnetic resonance imaging and intraluminal Doppler guidewire. <i>Japanese Journal of Radiology</i> , 2010, 28, 571-577.  | 1.0 | 6         |
| 15074 | Cartilage Thickness in the Hip Measured by MRI and Stereology Before and After Periacetabular Osteotomy. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 1884-1890.   | 0.7 | 19        |
| 15075 | Development and Validation of a Short Questionnaire for Estimating the Intake of Zinc. <i>Biological Trace Element Research</i> , 2010, 134, 226-234.  | 1.9 | 8         |
| 15076 | 11 $\beta$ -hydroxysteroid dehydrogenase type-2 and type-1 (11 $\beta$ -HSD2 and 11 $\beta$ -HSD1) and 5 $\beta$ -reductase activities in the pathogenesis of essential hypertension. <i>Endocrine</i> , 2010, 37, 106-114.  | 1.1 | 39        |
| 15077 | Fast Point-of-Care Coagulometer Guided Reversal of Oral Anticoagulation at the Bedside Hastens Management of Acute Subdural Hemorrhage. <i>Neurocritical Care</i> , 2010, 13, 321-325.   | 1.2 | 19        |
| 15078 | Comparative evaluation of Point Of Care coagulation monitoring by coaguchek XS-comparison with standard laboratory method. <i>Indian Journal of Thoracic and Cardiovascular Surgery</i> , 2010, 26, 125-128.   | 0.2 | 6         |
| 15079 | Development of height-weight based equation for assessment of body composition in Sri Lankan children. <i>Indian Journal of Pediatrics</i> , 2010, 77, 155-160.  | 0.3 | 9         |
| 15080 | Validity of Bioelectrical Impedance Analysis to Estimate Body Composition Changes After Bariatric Surgery in Premenopausal Morbidly Women. <i>Obesity Surgery</i> , 2010, 20, 332-339.   | 1.1 | 80        |
| 15081 | Index of consciousness and bispectral index values are interchangeable during normotension and hypotension but not during non pulsatile flow state during cardiac surgical procedures: a prospective study. <i>Journal of Clinical Monitoring and Computing</i> , 2010, 24, 83-91. | 0.7 | 10        |
| 15082 | Validation of arterial blood pressures observed from the patient monitor; a tool for prehospital research. <i>Journal of Clinical Monitoring and Computing</i> , 2010, 24, 93-100.   | 0.7 | 3         |
| 15083 | A comparison of response time to desaturation between tracheal oximetry and peripheral oximetry. <i>Journal of Clinical Monitoring and Computing</i> , 2010, 24, 149-153.  | 0.7 | 4         |
| 15084 | The importance of using the correct bounds on the Bland-Altman limits of agreement when multiple measurements are recorded per patient. <i>Journal of Clinical Monitoring and Computing</i> , 2010, 24, 173-175.   | 0.7 | 20        |
| 15085 | Relations Between Respiratory Changes in R-Wave Amplitude and Arterial Pulse Pressure in Mechanically Ventilated Patients. <i>Journal of Clinical Monitoring and Computing</i> , 2010, 24, 203-207.  | 0.7 | 16        |
| 15086 | The Mean Prehospital Machine; accurate prehospital non-invasive blood pressure measurement in the critically ill patient. <i>Journal of Clinical Monitoring and Computing</i> , 2010, 24, 191-202.   | 0.7 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15087 | SNAP II versus BIS VISTA monitor comparison during general anesthesia. <i>Journal of Clinical Monitoring and Computing</i> , 2010, 24, 283-288.   | 0.7 | 10        |
| 15088 | Towards Improved Healthcare Performance: Examining Technological Possibilities and Patient Satisfaction with Wireless Body Area Networks. <i>Journal of Medical Systems</i> , 2010, 34, 767-775.  | 2.2 | 23        |
| 15089 | Intra-observer and interobserver variability of biventricular function, volumes and mass in patients with congenital heart disease measured by CMR imaging. <i>International Journal of Cardiovascular Imaging</i> , 2010, 26, 57-64.                 | 0.7 | 100       |
| 15090 | A new method to measure necrotic core and calcium content in coronary plaques using intravascular ultrasound radiofrequency-based analysis. <i>International Journal of Cardiovascular Imaging</i> , 2010, 26, 387-396.                               | 0.7 | 18        |
| 15091 | Assessing the left atrial phasic volume and function with dual-source CT: comparison with 3T MRI. <i>International Journal of Cardiovascular Imaging</i> , 2010, 26, 83-92.   | 0.7 | 43        |
| 15092 | Central role of real-time three-dimensional echocardiography in the assessment of intracardiac thrombi. <i>International Journal of Cardiovascular Imaging</i> , 2010, 26, 519-526.   | 0.7 | 32        |
| 15093 | A comparison of echocardiography to invasive measurement in the evaluation of pulmonary arterial hypertension in a rat model. <i>International Journal of Cardiovascular Imaging</i> , 2010, 26, 509-518.   | 0.7 | 56        |
| 15094 | Impact of analyzing less image frames per segment for radiofrequency-based volumetric intravascular ultrasound measurements in mild-to-moderate coronary atherosclerosis. <i>International Journal of Cardiovascular Imaging</i> , 2010, 26, 487-497. | 0.7 | 6         |
| 15095 | Velocity vector imaging to quantify left atrial function. <i>International Journal of Cardiovascular Imaging</i> , 2010, 26, 641-649.   | 0.7 | 20        |
| 15096 | Oligonucleotide Microarray and QRT-PCR Study of Adhesion Protein Gene Expression in Acute Coronary Syndrome Patients. <i>Inflammation</i> , 2010, 33, 398-407.  | 1.7 | 8         |
| 15097 | Comparison of ocular response analyzer, dynamic contour tonometer and Goldmann applanation tonometer. <i>International Ophthalmology</i> , 2010, 30, 651-659.   | 0.6 | 16        |
| 15098 | Assessment of validity of INR system for patients with liver disease associated with viral hepatitis. <i>Journal of Thrombosis and Thrombolysis</i> , 2010, 30, 84-89.  | 1.0 | 5         |
| 15099 | Glomerular filtration rate (GFR) estimated from serum creatinine predicts total (urine and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 267 Td Nephrology, 2010, 42, 1085-1092.  | 0.6 | 5         |
| 15100 | Comparison of invasive and non-invasive blood pressure monitoring during clinical anaesthesia in dogs. <i>Veterinary Research Communications</i> , 2010, 34, 217-227.   | 0.6 | 23        |
| 15101 | Predicting Early Chemotherapy Response with Technetium-99m Methoxyisobutylisonitrile SPECT/CT in Advanced Non-Small Cell Lung Cancer. <i>Molecular Imaging and Biology</i> , 2010, 12, 174-180.   | 1.3 | 4         |
| 15102 | Myocardial Perfusion Imaging is Feasible for Infarct Size Quantification in Mice Using a Clinical Single-photon Emission Computed Tomography System Equipped with Pinhole Collimators. <i>Molecular Imaging and Biology</i> , 2010, 12, 427-434.      | 1.3 | 23        |
| 15103 | Validation of ECG-derived sleep architecture and ventilation in sleep apnea and chronic fatigue syndrome. <i>Sleep and Breathing</i> , 2010, 14, 233-239.   | 0.9 | 18        |
| 15104 | Clinical value of blood pressure measurement in the community pharmacy. <i>International Journal of Clinical Pharmacy</i> , 2010, 32, 552-558.  | 1.4 | 10        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15105 | Modeling individual leaf area of rose ( <i>Rosa hybrida</i> L.) based on leaf length and width measurement. <i>Photosynthetica</i> , 2010, 48, 9-15.   | 0.9 | 74        |
| 15106 | The COSMIN checklist for assessing the methodological quality of studies on measurement properties of health status measurement instruments: an international Delphi study. <i>Quality of Life Research</i> , 2010, 19, 539-549.   | 1.5 | 2,751     |
| 15107 | Health-related Quality of Life of Thai children with HIV infection: a comparison of the Thai Quality of Life in Children (ThQLC) with the Pediatric Quality of Life Inventory <sup>®</sup> , <sup>®</sup> version 4.0 (PedsQL <sup>®</sup> , <sup>®</sup> 4.0) Generic Core Scales. <i>Quality of Life Research</i> , 2010, 19, 1509-1516. | 1.5 | 9         |
| 15108 | Inter-subject, inter-ocular and inter-session repeatability of the photopic negative response of the electroretinogram recorded using DTL and skin electrodes. <i>Documenta Ophthalmologica</i> , 2010, 121, 123-134.  | 1.0 | 48        |
| 15109 | A primer on common statistical errors in clinical ophthalmology. <i>Documenta Ophthalmologica</i> , 2010, 121, 215-222.  | 1.0 | 30        |
| 15110 | Comparing Body Composition Assessment Tests in Long-term Hemodialysis Patients. <i>American Journal of Kidney Diseases</i> , 2010, 55, 885-896.  | 2.1 | 79        |
| 15111 | Womersley Number-Based Estimates of Blood Flow Rate in Doppler Analysis: In Vivo Validation by Means of Phase-Contrast MRI. <i>IEEE Transactions on Biomedical Engineering</i> , 2010, 57, 1807-1815.  | 2.5 | 41        |
| 15112 | Reversible Projection Technique for Colon Unfolding. <i>IEEE Transactions on Biomedical Engineering</i> , 2010, 57, 2861-2869.   | 2.5 | 19        |
| 15113 | Total Iron-Overload Measurement in the Human Liver Region by the Magnetic Iron Detector. <i>IEEE Transactions on Biomedical Engineering</i> , 2010, 57, 2295-2303.   | 2.5 | 9         |
| 15114 | Nonconstrained Sleep Monitoring System and Algorithms Using Air-Mattress With Balancing Tube Method. <i>IEEE Transactions on Information Technology in Biomedicine</i> , 2010, 14, 147-156.  | 3.6 | 83        |
| 15115 | Comparative Evaluation of Susceptibility to Motion Artifact in Different Wearable Systems for Monitoring Respiratory Rate. <i>IEEE Transactions on Information Technology in Biomedicine</i> , 2010, 14, 378-386.  | 3.6 | 85        |
| 15116 | Motion-tolerant magnetic earring sensor and wireless earpiece for wearable photoplethysmography. <i>IEEE Transactions on Information Technology in Biomedicine</i> , 2010, 14, 786-794.  | 3.6 | 144       |
| 15117 | A Mobile Monitoring System of Blood Pressure for Underserved in China by Information and Communication Technology Service. <i>IEEE Transactions on Information Technology in Biomedicine</i> , 2010, 14, 748-757.  | 3.6 | 12        |
| 15118 | Segmentation of the Left Ventricle From Cardiac MR Images Using a Subject-Specific Dynamical Model. <i>IEEE Transactions on Medical Imaging</i> , 2010, 29, 669-687.   | 5.4 | 87        |
| 15119 | The $\{LoG\}$ Characteristic Scale: A Consistent Measurement of Lung Nodule Size in CT Imaging. <i>IEEE Transactions on Medical Imaging</i> , 2010, 29, 397-409.   | 5.4 | 24        |
| 15120 | Patient-Specific Modeling and Quantification of the Aortic and Mitral Valves From 4-D Cardiac CT and TEE. <i>IEEE Transactions on Medical Imaging</i> , 2010, 29, 1636-1651.   | 5.4 | 176       |
| 15121 | The use of sodium-chloride difference and chloride-sodium ratio as strong ion difference surrogates in the evaluation of metabolic acidosis in critically ill patients. <i>Journal of Critical Care</i> , 2010, 25, 525-531.   | 1.0 | 44        |
| 15122 | When deriving the spatial QRS-T angle from the 12-lead electrocardiogram, which transform is more Frank: regression or inverse Dower?. <i>Journal of Electrocardiology</i> , 2010, 43, 302-309.  | 0.4 | 55        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15123 | Visual Feedback and Weight Reduction of a Grip Strength Dynamometer Do Not Increase Reliability in Healthy Children. <i>Journal of Hand Therapy</i> , 2010, 23, 272-280.  | 0.7 | 4         |
| 15124 | The American Shoulder and Elbow Surgeons Elbow Questionnaire: Cross-cultural Adaptation into German and Evaluation of Its Psychometric Properties. <i>Journal of Hand Therapy</i> , 2010, 23, 301-314.                | 0.7 | 22        |
| 15125 | ELISA for antiphosphatidylethanolamine antibody detection: High impact of assay buffer on results. <i>Journal of Immunological Methods</i> , 2010, 358, 9-16.   | 0.6 | 19        |
| 15126 | Test-re-test reproducibility of Doppler echocardiography for assessment of electromechanical dyssynchrony: Implications for heart failure clinic. <i>Journal of Cardiology</i> , 2010, 56, 271-279.                   | 0.8 | 3         |
| 15127 | An examination chair to measure internal rotation of the hip in routine settings: a validation study. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 365-371.  | 0.6 | 26        |
| 15128 | A comparison of five approaches to measurement of anatomic knee alignment from radiographs. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 273-277.  | 0.6 | 44        |
| 15129 | Cross-cultural adaptation and validation of the French version of the Hip disability and Osteoarthritis Outcome Score (HOOS) in hip osteoarthritis patients. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 522-529. | 0.6 | 73        |
| 15130 | Can cartilage loss be detected in knee osteoarthritis (OA) patients with 3-6 months' observation using advanced image analysis of 3T MRI?. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 677-683.                   | 0.6 | 40        |
| 15131 | Doyle Index is a valuable additional pain measure in osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 1046-1050.   | 0.6 | 21        |
| 15132 | Determinants of Patient-Family Caregiver Congruence on Preferred Place of Death in Taiwan. <i>Journal of Pain and Symptom Management</i> , 2010, 40, 235-245.   | 0.6 | 19        |
| 15133 | Colostrum Ingested during the First Day of Life by Exclusively Breastfed Healthy Newborn Infants. <i>Journal of Pediatrics</i> , 2010, 156, 29-32.  | 0.9 | 58        |
| 15134 | Tractography-Based Quantitation of Corticospinal Tract Development in Premature Newborns. <i>Journal of Pediatrics</i> , 2010, 156, 882-888.e1.   | 0.9 | 66        |
| 15135 | Effects of Fish Oil Supplementation on Markers of the Metabolic Syndrome. <i>Journal of Pediatrics</i> , 2010, 157, 395-400.e1.   | 0.9 | 56        |
| 15136 | Reliability of handheld dynamometry in assessment of hip strength in adult male football players. <i>Journal of Science and Medicine in Sport</i> , 2010, 13, 80-84.  | 0.6 | 56        |
| 15137 | Identification and reliability of pacing strategies in outrigger canoeing ergometry. <i>Journal of Science and Medicine in Sport</i> , 2010, 13, 241-246.   | 0.6 | 9         |
| 15138 | Prediction of from a new field test based on portable indirect calorimetry. <i>Journal of Science and Medicine in Sport</i> , 2010, 13, 70-73.  | 0.6 | 14        |
| 15139 | Poor prediction of resting energy expenditure in obese women by established equations. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 1181-1189.  | 1.5 | 25        |
| 15140 | Height prediction formula for middle-aged (30-55 y) Caucasians. <i>Nutrition</i> , 2010, 26, 1075-1081.   | 1.1 | 21        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15141 | Validation and properties of the verbal numeric scale in children with acute pain. <i>Pain</i> , 2010, 149, 216-221.  | 2.0 | 137       |
| 15142 | Reliability of scapular positioning measurement procedure using the Palpation Meter (PALM). <i>Physiotherapy</i> , 2010, 96, 59-67.   | 0.2 | 33        |
| 15143 | Effect of the abdominal draw-in manoeuvre in combination with ankle dorsiflexion in strengthening the transverse abdominal muscle in healthy young adults: A preliminary, randomised, controlled study. <i>Physiotherapy</i> , 2010, 96, 130-136. | 0.2 | 43        |
| 15144 | Long-term reliability of the incremental shuttle walking test in clinically stable cardiovascular disease patients. <i>Physiotherapy</i> , 2010, 96, 222-227.   | 0.2 | 31        |
| 15145 | Comparison of the 6-minute walk distance test performed on a non-motorised treadmill and in a corridor in healthy elderly subjects. <i>Physiotherapy</i> , 2010, 96, 234-239.   | 0.2 | 19        |
| 15146 | Validation of Placental Vascular Sonobiopsy for Obtaining Representative Placental Vascular Indices by Three-Dimensional Power Doppler Ultrasonography. <i>Placenta</i> , 2010, 31, 192-196.  | 0.7 | 50        |
| 15147 | Development and evaluation of an antibody ELISA for sarcoptic mange in sheep and a comparison with the skin-scraping method. <i>Preventive Veterinary Medicine</i> , 2010, 96, 82-92.   | 0.7 | 12        |
| 15148 | Manual validation of FreeSurfer's automated hippocampal segmentation in normal aging, mild cognitive impairment, and Alzheimer Disease subjects. <i>Psychiatry Research - Neuroimaging</i> , 2010, 181, 219-225.                                  | 0.9 | 92        |
| 15149 | Feasibility of using inertial sensors to assess human movement. <i>Manual Therapy</i> , 2010, 15, 122-125.  | 1.6 | 104       |
| 15150 | Neutral lumbar spine sitting posture in pain-free subjects. <i>Manual Therapy</i> , 2010, 15, 557-561.  | 1.6 | 66        |
| 15151 | Variability of vascular CT measurement techniques used in the assessment abdominal aortic aneurysms. <i>Radiography</i> , 2010, 16, 173-181.  | 1.1 | 9         |
| 15152 | A comparison of radiographers and radiologists in CT based measurements of abdominal aortic aneurysms. <i>Radiography</i> , 2010, 16, 321-326.  | 1.1 | 6         |
| 15153 | Reproducibility and accuracy of ABC/2 and 3D techniques in ICH volume measurement. <i>Radiography</i> , 2010, 16, 209-216.  | 1.1 | 4         |
| 15154 | Comprehensive integrated spirometry using raised volume passive and forced expirations and multiple-breath nitrogen washout in infants. <i>Respiratory Physiology and Neurobiology</i> , 2010, 170, 123-140.                                      | 0.7 | 5         |
| 15155 | Validity of arterialized earlobe blood gases at rest and exercise in normoxia and hypoxia. <i>Respiratory Physiology and Neurobiology</i> , 2010, 172, 179-183.   | 0.7 | 29        |
| 15156 | Determining corneal power using Pentacam after myopic photorefractive keratectomy. <i>Clinical and Experimental Ophthalmology</i> , 2010, 38, 341-345.  | 1.3 | 23        |
| 15157 | Doubly labelled water: Multi-point and two-point methods in pre-school children. <i>Pediatric Obesity</i> , 2010, 5, 102-110.   | 3.2 | 7         |
| 15158 | The Total Deviation Index estimated by Tolerance Intervals to evaluate the concordance of measurement devices. <i>BMC Medical Research Methodology</i> , 2010, 10, 31.  | 1.4 | 18        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15159 | Ophthalmodynamometry for ICP prediction and pilot test on Mt. Everest. BMC Neurology, 2010, 10, 106.   | 0.8 | 29        |
| 15160 | Reproducibility of different screening classifications in ultrasonography of the newborn hip. BMC Pediatrics, 2010, 10, 98.  | 0.7 | 28        |
| 15161 | Validity of self-reported weight, height and resultant body mass index in Chinese adolescents and factors associated with errors in self-reports. BMC Public Health, 2010, 10, 190.  | 1.2 | 48        |
| 15162 | Construct validation of a non-exercise measure of cardiorespiratory fitness in older adults. BMC Public Health, 2010, 10, 59.  | 1.2 | 73        |
| 15163 | Study Protocol - Accurate assessment of kidney function in Indigenous Australians: aims and methods of the eGFR Study. BMC Public Health, 2010, 10, 80.  | 1.2 | 31        |
| 15164 | A within-subjects trial to test the equivalence of online and paper outcome measures: the Roland Morris Disability Questionnaire. BMC Musculoskeletal Disorders, 2010, 11, 113.  | 0.8 | 32        |
| 15165 | Co-occurrence of outlet impingement syndrome of the shoulder and restricted range of motion in the thoracic spine - a prospective study with ultrasound-based motion analysis. BMC Musculoskeletal Disorders, 2010, 11, 135. | 0.8 | 38        |
| 15166 | The reliability of side to side measurements of upper extremity activity levels in healthy subjects. BMC Musculoskeletal Disorders, 2010, 11, 168.   | 0.8 | 20        |
| 15167 | Validity and test-retest reliability of manual goniometers for measuring passive hip range of motion in femoroacetabular impingement patients.. BMC Musculoskeletal Disorders, 2010, 11, 194.                                | 0.8 | 172       |
| 15168 | Reliability and concurrent validity of the Dutch hip and knee replacement expectations surveys. BMC Musculoskeletal Disorders, 2010, 11, 242.  | 0.8 | 33        |
| 15169 | Attentional and visual demands for sprint performance in non-fatigued and fatigued conditions: reliability of a repeated sprint test. BMC Musculoskeletal Disorders, 2010, 11, 84.   | 0.8 | 0         |
| 15170 | Clinimetric quality of the fire fighting simulation test as part of the Dutch fire fighters Workers' Health Surveillance. BMC Health Services Research, 2010, 10, 32.  | 0.9 | 13        |
| 15171 | Assessing agreement between malaria slide density readings. Malaria Journal, 2010, 9, 4.   | 0.8 | 21        |
| 15172 | Health care providers underestimate symptom intensities of cancer patients: A multicenter European study. Health and Quality of Life Outcomes, 2010, 8, 104.   | 1.0 | 258       |
| 15173 | Validation of the "World Health Organization Disability Assessment Schedule, WHODAS-2" in patients with chronic diseases. Health and Quality of Life Outcomes, 2010, 8, 51.  | 1.0 | 318       |
| 15174 | Response shift, recall bias and their effect on measuring change in health-related quality of life amongst older hospital patients. Health and Quality of Life Outcomes, 2010, 8, 65.  | 1.0 | 107       |
| 15175 | A study on the applicability of implantable microchip transponders for body temperature measurements in pigs. Acta Veterinaria Scandinavica, 2010, 52, 29.   | 0.5 | 24        |
| 15176 | From line to dots: an improved computerised rod and frame system for testing subjective visual vertical and horizontal. BMC Research Notes, 2010, 3, 9.  | 0.6 | 20        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15177 | The Influence of Different Types of Stent Grafts on Aneurysm Neck Dynamics after Endovascular Aneurysm Repair. <i>European Journal of Vascular and Endovascular Surgery</i> , 2010, 39, 193-199.   | 0.8 | 21        |
| 15178 | Pulsatile Distension of the Proximal Aneurysm Neck is Larger in Patients with Stent Graft Migration. <i>European Journal of Vascular and Endovascular Surgery</i> , 2010, 40, 326-331.   | 0.8 | 27        |
| 15179 | Accuracy of Noninvasively Determined Pulmonary Artery Systolic Pressure. <i>American Journal of Cardiology</i> , 2010, 105, 1192-1197.   | 0.7 | 60        |
| 15180 | Predictive Value of Total Atrial Conduction Time Estimated With Tissue Doppler Imaging for the Development of New-Onset Atrial Fibrillation After Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2010, 106, 198-203.           | 0.7 | 52        |
| 15181 | Hakki's Formula for Measurement of Aortic Valve Area by Magnetic Resonance Imaging. <i>American Journal of Cardiology</i> , 2010, 106, 249-254.  | 0.7 | 16        |
| 15182 | Usefulness of the Right Ventricular Systolic to Diastolic Duration Ratio to Predict Functional Capacity and Survival in Children With Pulmonary Arterial Hypertension. <i>American Journal of Cardiology</i> , 2010, 106, 430-436.                   | 0.7 | 113       |
| 15183 | Are Acetabular Component Alignment Guides for Total Hip Arthroplasty Accurate?. <i>Journal of Arthroplasty</i> , 2010, 25, 986-989.  | 1.5 | 20        |
| 15184 | Cup Anteversion in Hip Resurfacing: Validation of EBRA and the Presentation of a Simple Clinical Grading System. <i>Journal of Arthroplasty</i> , 2010, 25, 607-613.   | 1.5 | 88        |
| 15185 | Mitral Valve Morphology Assessment: Three-Dimensional Transesophageal Echocardiography Versus Computed Tomography. <i>Annals of Thoracic Surgery</i> , 2010, 90, 1922-1929.  | 0.7 | 49        |
| 15186 | Validation of skinfold measurements and bioelectrical impedance analysis in children with severe cerebral palsy: A review. <i>Clinical Nutrition</i> , 2010, 29, 217-221.  | 2.3 | 22        |
| 15187 | Resting VO <sub>2</sub> , maximal VO <sub>2</sub> and metabolic equivalents in free-living healthy elderly women. <i>Clinical Nutrition</i> , 2010, 29, 84-88.   | 2.3 | 28        |
| 15188 | Assessing change in body composition in children with Duchenne muscular dystrophy: Anthropometry and bioelectrical impedance analysis versus dual-energy X-ray absorptiometry. <i>Clinical Nutrition</i> , 2010, 29, 633-638.                        | 2.3 | 44        |
| 15189 | Preoperative and postoperative agreement in fat free mass (FFM) between bioelectrical impedance spectroscopy (BIS) and dual-energy X-ray absorptiometry (DXA) in patients undergoing cardiac surgery. <i>Clinical Nutrition</i> , 2010, 29, 789-794. | 2.3 | 20        |
| 15190 | Automatic computer-aided sacroiliac joint index analysis for bone scintigraphy. <i>Computer Methods and Programs in Biomedicine</i> , 2010, 98, 15-26.   | 2.6 | 7         |
| 15191 | Measurement of glucose levels in the newborn. <i>Early Human Development</i> , 2010, 86, 263-267.  | 0.8 | 129       |
| 15192 | AO-38. Point of care measurement of hemoglobin and hematocrit in newborn infants using a blood gas analyzer. <i>Early Human Development</i> , 2010, 86, S15-S16.   | 0.8 | 0         |
| 15193 | Estimating natural resource harvests: Conjectures?. <i>Ecological Economics</i> , 2010, 69, 1330-1335.   | 2.9 | 13        |
| 15194 | Back-extrapolation of estimates of exposure from current land-use regression models. <i>Atmospheric Environment</i> , 2010, 44, 4346-4354.   | 1.9 | 37        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15195 | Evaluation of the SimPlate method for enumeration of Escherichia coli in swab samples from beef and lamb carcasses. International Journal of Food Microbiology, 2010, 142, 229-233.   | 2.1 | 6         |
| 15196 | Factors influencing the accuracy of the plating method used to enumerate low numbers of viable micro-organisms in food. International Journal of Food Microbiology, 2010, 143, 32-40.   | 2.1 | 30        |
| 15197 | Reliability of spot urine samples in assessing arsenic exposure. International Journal of Hygiene and Environmental Health, 2010, 213, 259-264.   | 2.1 | 31        |
| 15198 | Classic papers in nursing and midwifery research. International Journal of Nursing Studies, 2010, 47, 929-930.  | 2.5 | 3         |
| 15199 | Validation and Calibration of a Semiquantitative Food Frequency Questionnaire Designed for Adolescents. Journal of the American Dietetic Association, 2010, 110, 1170-1177.   | 1.3 | 86        |
| 15200 | Predicting Resting Energy Expenditure in Healthy Puerto Rican Adults. Journal of the American Dietetic Association, 2010, 110, 1523-1526.   | 1.3 | 12        |
| 15201 | Development and Validation of a Comprehensive Semi-Quantitative Food Frequency Questionnaire that Includes FODMAP Intake and Glycemic Index. Journal of the American Dietetic Association, 2010, 110, 1469-1476.  | 1.3 | 99        |
| 15202 | An analytical approach to characterize morbidity profile dissimilarity between distinct cohorts using electronic medical records. Journal of Biomedical Informatics, 2010, 43, 914-923.   | 2.5 | 25        |
| 15203 | Shape and individual variability of the blur adaptation curve. Vision Research, 2010, 50, 1452-1461.  | 0.7 | 28        |
| 15204 | Measuring blood cholesterol outside the pathology laboratory: issues of accuracy and reliability. Australian Journal of Public Health, 1991, 15, 142-146.   | 0.2 | 5         |
| 15205 | Perioperative optimization of oxygen delivery. Transfusion Alternatives in Transfusion Medicine, 2010, 11, 22-29.   | 0.2 | 10        |
| 15206 | Discrepancies between APTT results determined with different evaluation modes on automated coagulation analyzers. International Journal of Laboratory Hematology, 2010, 32, 33-39.  | 0.7 | 15        |
| 15207 | Repeatability of DTI-based skeletal muscle fiber tracking. NMR in Biomedicine, 2010, 23, 294-303.   | 1.6 | 81        |
| 15208 | A comparison between simulated and experimental basis sets for assessing short <sup>1</sup> H MRS data at 1.5 T. NMR in Biomedicine, 2010, 23, 1117-1126.   | 1.6 | 14        |
| 15209 | Evaluation of BD vacutainer SST <sup>2</sup> II plus tubes for common tumor marker tests by Roche Diagnostics Modular E 170 analyzer. Journal of Clinical Laboratory Analysis, 2010, 24, 418-421.   | 0.9 | 3         |
| 15210 | Comparison of platelet counts by CellDyn Sapphire (Abbot Diagnostics), LH750 (Beckman Coulter), ReaPanThrombo immunoplatelet method (ReaMetrix), and the international flow reference method, in thrombocytopenic blood samples. Cytometry Part B - Clinical Cytometry, 2010, 78B, 279-285. | 0.7 | 6         |
| 15211 | Comparison of serum versus plasma collection in gas chromatography – Mass spectrometry-based metabolomics. Electrophoresis, 2010, 31, 2365-2373.  | 1.3 | 43        |
| 15213 | Therapeutic effects of hyaluronate injections in patients with chronic painful shoulder: A meta-analysis of randomized controlled trials. Arthritis Care and Research, 2010, 62, 1009-1018.   | 1.5 | 30        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15214 | Measuring fatigue in rheumatoid arthritis: A cross-sectional study to evaluate the Bristol Rheumatoid Arthritis Fatigue Multi-Dimensional questionnaire, visual analog scales, and numerical rating scales. <i>Arthritis Care and Research</i> , 2010, 62, 1559-1568.                | 1.5 | 140       |
| 15215 | Influence of blinding sequence of radiographs on the reproducibility and sensitivity to change of joint space width measurement in knee osteoarthritis. <i>Arthritis Care and Research</i> , 2010, 62, 1699-1705.  | 1.5 | 25        |
| 15216 | Comparison of body fat estimates using 3D digital laser scans, direct manual anthropometry, and DXA in men. <i>American Journal of Human Biology</i> , 2010, 22, 695-701.  | 0.8 | 19        |
| 15217 | Technical note: The effect of midshaft location on the error ranges of femoral and tibial cross-sectional parameters. <i>American Journal of Physical Anthropology</i> , 2010, 141, 325-332.   | 2.1 | 36        |
| 15218 | Point-of-care reversal treatment in phenprocoumon-related intracerebral hemorrhage. <i>Annals of Neurology</i> , 2010, 67, 788-793.  | 2.8 | 33        |
| 15219 | Reproducibility of near-infrared spectroscopy for the detection of lipid core coronary plaques and observed changes after coronary stent implantation. <i>Catheterization and Cardiovascular Interventions</i> , 2010, 76, 359-365.  | 0.7 | 24        |
| 15220 | Bifurcation lesions: Functional assessment by fractional flow reserve vs. anatomical assessment using conventional and dedicated bifurcation quantitative coronary angiogram. <i>Catheterization and Cardiovascular Interventions</i> , 2010, 76, 817-823.                           | 0.7 | 17        |
| 15221 | Ligament and bone pathologic abnormalities more frequent in neuropathic joint disease in comparison with degenerative arthritis of the foot and ankle: Implications for understanding rapidly progressive joint degeneration. <i>Arthritis and Rheumatism</i> , 2010, 62, 2353-2358. | 6.7 | 13        |
| 15222 | How Reproducibly Can Human Ear Ossicles Be Measured? A Study of Inter-Observer Error. <i>Anatomical Record</i> , 2010, 293, 2094-2106.   | 0.8 | 15        |
| 15223 | Optimal assessment of residual disease after neo-adjuvant therapy for locally advanced and inflammatory breast cancer—clinical examination, mammography, or magnetic resonance imaging?. <i>Journal of Surgical Oncology</i> , 2010, 101, 604-610.                                   | 0.8 | 31        |
| 15224 | Cotinine as a biomarker of tobacco exposure: Development of a HPLC method and comparison of matrices. <i>Journal of Separation Science</i> , 2010, 33, 516-521.  | 1.3 | 41        |
| 15225 | Short echo time $<sup>1</sup>$ H MRSI of the human brain at 3T with adiabatic slice-selective refocusing pulses; reproducibility and variance in a dual center setting. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 31, 61-70.  | 1.9 | 45        |
| 15226 | Accuracy of phase contrast, black-blood, and bright-blood pulse sequences for measuring compliance and distensibility coefficients in a human tissue mimicking phantom. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 31, 160-167.  | 1.9 | 11        |
| 15227 | Carotid arterial wall MRI at 3T using 3D variable-flip-angle turbo spin-echo (TSE) with flow-sensitive dephasing (FSD). <i>Journal of Magnetic Resonance Imaging</i> , 2010, 31, 645-654.  | 1.9 | 111       |
| 15228 | Single breath-hold assessment of ventricular volumes using 32-channel coil technology and an extracellular contrast agent. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 31, 838-844.   | 1.9 | 15        |
| 15229 | Comparison of apparent diffusion coefficients and distributed diffusion coefficients in high-grade gliomas. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 31, 531-537.  | 1.9 | 63        |
| 15230 | Rapid and accurate left ventricular chamber quantification using a novel CMR segmentation algorithm: A clinical validation study. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 31, 845-853.  | 1.9 | 30        |
| 15231 | Clinical evaluation of aortic coarctation with 4D flow MR imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 31, 711-718.   | 1.9 | 137       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15232 | Breathheld autocalibrated phase-contrast imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 31, 1004-1014.   | 1.9 | 2         |
| 15233 | Right coronary artery flow velocity and volume assessment with spiral k-space sampled breathhold velocity-encoded MRI at 3 tesla: Accuracy and reproducibility. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 31, 1215-1223.   | 1.9 | 15        |
| 15234 | Dynamic MR perfusion imaging: Capability for quantitative assessment of disease extent and prediction of outcome for patients with acute pulmonary thromboembolism. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 31, 1081-1090.   | 1.9 | 41        |
| 15235 | Interobserver and intraobserver variability of the apparent diffusion coefficient in treated malignant hepatic lesions on a 3.0T machine: Measurements in the whole lesion versus in the area with the most restricted diffusion. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 32, 647-653. | 1.9 | 16        |
| 15236 | Quantitative cerebral MR perfusion imaging: Preliminary results in stroke. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 32, 796-802.  | 1.9 | 22        |
| 15237 | Comparison of segmentation methods for MRI measurement of cardiac function in rats. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 32, 869-877.   | 1.9 | 28        |
| 15238 | Semi-automatic deformable registration of prostate MR images to pathological slices. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 32, 1149-1157.  | 1.9 | 40        |
| 15239 | Improved aortic pulse wave velocity assessment from multislice two-directional in-plane velocity-encoded magnetic resonance imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 32, 1086-1094.  | 1.9 | 44        |
| 15240 | Performance of two Real-Time RT-PCR assays for quantitation of hepatitis C virus RNA: Evaluation on HCV genotypes 1-4. <i>Journal of Medical Virology</i> , 2010, 82, 1878-1888.  | 2.5 | 20        |
| 15241 | Effects of individual control of pH and hypoxia in chondrocyte culture. <i>Journal of Orthopaedic Research</i> , 2010, 28, 537-545.   | 1.2 | 50        |
| 15242 | Reliability study of the sonographic measurement of the acromiohumeral distance in symptomatic patients. <i>Journal of Clinical Ultrasound</i> , 2010, 38, 128-134.   | 0.4 | 37        |
| 15243 | 4D phase contrast MRI at 3 T: Effect of standard and blood-pool contrast agents on SNR, PC-MRA, and blood flow visualization. <i>Magnetic Resonance in Medicine</i> , 2010, 63, 330-338.  | 1.9 | 146       |
| 15244 | Echo planar diffusion tensor imaging of the mouse spinal cord at thoracic and lumbar levels: A feasibility study. <i>Magnetic Resonance in Medicine</i> , 2010, 63, 1125-1134.  | 1.9 | 6         |
| 15245 | Noncompartmental kinetic analysis of DCE-MRI data from malignant tumors: Application to glioblastoma treated with bevacizumab. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 408-417.   | 1.9 | 30        |
| 15246 | Automated segmentation of myocardial scar in late enhancement MRI using combined intensity and spatial information. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 586-594.  | 1.9 | 71        |
| 15247 | Optimized parallel imaging for dynamic PC-MRI with multidirectional velocity encoding. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 472-480.   | 1.9 | 15        |
| 15248 | Free-breathing myocardial perfusion MRI using SW-CG-HYPR and motion correction. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 1148-1154.  | 1.9 | 13        |
| 15249 | Quantitative assessment of left ventricular function in humans at 7 T. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 1471-1477.   | 1.9 | 33        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15250 | Rapid <sup>1</sup> mapping of mouse myocardium with saturation recovery lookâ€locker method. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 1296-1303.  | 1.9 | 53        |
| 15251 | Splitâ€acquisition realâ€time CINE phaseâ€contrast MR flow measurements. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 1664-1670.  | 1.9 | 10        |
| 15252 | Evaluation of the Personal Impact Health Assessment Questionnaire (PI HAQ) to capture the impact of disability in osteoarthritis. <i>Musculoskeletal Care</i> , 2010, 8, 87-98.   | 0.6 | 1         |
| 15253 | Selfâ€efficacy in rheumatoid arthritis: translation and test of validity, reliability and sensitivity of the Danish version of the Rheumatoid Arthritis Selfâ€Efficacy Questionnaire (RASE). <i>Musculoskeletal Care</i> , 2010, 8, 123-135.  | 0.6 | 19        |
| 15254 | Does display sensitivity influence motor latency determination?. <i>Muscle and Nerve</i> , 2010, 41, 309-312.   | 1.0 | 3         |
| 15255 | Utility of the RT3 triaxial accelerometer in free living: An investigation of adherence and data loss. <i>Applied Ergonomics</i> , 2010, 41, 469-476.   | 1.7 | 36        |
| 15256 | Tracheal temperature for monitoring body temperature during mild hypothermia in pigs. <i>Resuscitation</i> , 2010, 81, 87-92.   | 1.3 | 10        |
| 15257 | Monitoring in resuscitation: Comparison of cardiac output measurement between pulmonary artery catheter and NICO. <i>Resuscitation</i> , 2010, 81, 404-409.   | 1.3 | 12        |
| 15258 | Comparison of different methods (paCO <sub>2</sub> , petCO <sub>2</sub> , ptcCO <sub>2</sub> ) to determine carbon dioxide partial pressure (pCO <sub>2</sub> ) in mechanically ventilated patients from an intensive care unit. <i>Resuscitation</i> , 2010, 81, S56.                          | 1.3 | 0         |
| 15259 | Reliability of a two-dimensional footprint measurement approach. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2010, 50, 113-118.  | 1.3 | 53        |
| 15260 | Detecting femurâ€insert collisions to improve precision of fluoroscopic knee arthroplasty analysis. <i>Journal of Biomechanics</i> , 2010, 43, 694-700.  | 0.9 | 27        |
| 15261 | Valid 1/4 finite element models of vertebral trabecular bone can be obtained using tissue properties measured with nanoindentation under wet conditions. <i>Journal of Biomechanics</i> , 2010, 43, 1731-1737.  | 0.9 | 83        |
| 15262 | Wire tension versus wire frequency: An experimental Ilizarov frame study. <i>Journal of Biomechanics</i> , 2010, 43, 2327-2331.   | 0.9 | 5         |
| 15263 | 3D gait assessment in young and elderly subjects using foot-worn inertial sensors. <i>Journal of Biomechanics</i> , 2010, 43, 2999-3006.  | 0.9 | 307       |
| 15264 | Ambulatory estimation of foot placement during walking using inertial sensors. <i>Journal of Biomechanics</i> , 2010, 43, 3138-3143.  | 0.9 | 74        |
| 15265 | Comparison of hydrolysis and HPLC/MS/MS procedure with ELISA assay for the determination of S-phenylmercapturic acid as a biomarker of benzene exposure in human urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 2529-2533. | 1.2 | 5         |
| 15266 | Quantification of key folate forms in serum using stable-isotope dilution ultra performance liquid chromatographyâ€tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 68-75.                               | 1.2 | 50        |
| 15267 | Quantification of fipronil and its metabolite fipronil sulfone in rat plasma over a wide range of concentrations by LC/UV/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 1934-1938.   | 1.2 | 42        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15268 | Comparison between kinematic and ground reaction force techniques for determining gait events during treadmill walking at different walking speeds. <i>Medical Engineering and Physics</i> , 2010, 32, 662-667.              | 0.8 | 32        |
| 15269 | A new computer method for assessing drawing impairment in Parkinson's disease. <i>Journal of Neuroscience Methods</i> , 2010, 190, 143-148.  | 1.3 | 68        |
| 15270 | Modeling upper eyelid kinematics during spontaneous and reflex blinks. <i>Journal of Neuroscience Methods</i> , 2010, 191, 119-125.  | 1.3 | 11        |
| 15271 | Ranking of library and information science researchers: Comparison of data sources for correlating citation data, and expert judgments. <i>Journal of Informetrics</i> , 2010, 4, 554-563.                                   | 1.4 | 58        |
| 15272 | Reliable low-cost capillary electrophoresis device for drug quality control and counterfeit medicines. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010, 53, 1278-1287.                                       | 1.4 | 64        |
| 15273 | Évaluation radiographique dans la polyarthrite rhumatoïde: indices et critères. <i>Revue Du Rhumatisme Monographies</i> , 2010, 77, 32-35.   | 0.0 | 0         |
| 15274 | Influence of age and sex on aortic distensibility assessed by MRI in healthy subjects. <i>Magnetic Resonance Imaging</i> , 2010, 28, 255-263.  | 1.0 | 42        |
| 15275 | Visual estimation of the extent of myocardial hyperenhancement on late gadolinium-enhanced CMR in patients with hypertrophic cardiomyopathy. <i>Magnetic Resonance Imaging</i> , 2010, 28, 812-819.                          | 1.0 | 14        |
| 15276 | What factors influence the measurement properties of the Roland-Morris disability questionnaire?. <i>European Journal of Pain</i> , 2010, 14, 200-206.   | 1.4 | 31        |
| 15277 | Intra-Observer Variability of Longitudinal Displacement and Intramural Shear Strain Measurements of the Arterial Wall Using Ultrasound Noninvasively in vivo. <i>Ultrasound in Medicine and Biology</i> , 2010, 36, 697-704. | 0.7 | 31        |
| 15278 | Optimization of Doppler Echocardiographic Velocity Measurements Using an Automatic Contour Detection Method. <i>Ultrasound in Medicine and Biology</i> , 2010, 36, 1513-1524.  | 0.7 | 12        |
| 15279 | A Method for Arterial Diameter Change Measurements Using Ultrasonic B-Mode Data. <i>Ultrasound in Medicine and Biology</i> , 2010, 36, 1504-1512.  | 0.7 | 23        |
| 15280 | Evaluation of correlation between chemical dosimetry and subharmonic spectrum analysis to examine the acoustic cavitation. <i>Ultrasonics Sonochemistry</i> , 2010, 17, 863-869.   | 3.8 | 21        |
| 15281 | Correspondence between self-reported and objective measures of driving exposure and patterns in older drivers. <i>Accident Analysis and Prevention</i> , 2010, 42, 523-529.  | 3.0 | 131       |
| 15282 | Development of a sensitive and selective assay for the determination of procarboxypeptidase U (thrombin-activatable fibrinolysis inhibitor) in plasma. <i>Analytical Biochemistry</i> , 2010, 396, 152-154.                  | 1.1 | 21        |
| 15283 | Headspace analyses of acetone: A rapid method for measuring the <sup>2</sup> H-labeling of water. <i>Analytical Biochemistry</i> , 2010, 404, 235-237.   | 1.1 | 53        |
| 15284 | Performance of the RAD-57 Pulse Co-Oximeter Compared With Standard Laboratory Carboxyhemoglobin Measurement. <i>Annals of Emergency Medicine</i> , 2010, 56, 382-388.  | 0.3 | 74        |
| 15285 | Assessing glomerular filtration rate (GFR) in elderly Chinese patients with chronic kidney disease (CKD): A comparison of various predictive equations. <i>Archives of Gerontology and Geriatrics</i> , 2010, 51, 13-20.     | 1.4 | 41        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15286 | Measurement of cystatin C in capillary blood samples in pediatric patients. <i>Clinical Biochemistry</i> , 2010, 43, 335-337.  | 0.8 | 2         |
| 15287 | Simultaneous determination of Levetiracetam and its acid metabolite (ucb L057) in serum/plasma by liquid chromatography tandem mass spectrometry. <i>Clinical Biochemistry</i> , 2010, 43, 485-489.  | 0.8 | 23        |
| 15288 | Comparison of salivary cortisol and calculated free plasma cortisol during low-dose ACTH test in healthy subjects. <i>Clinical Biochemistry</i> , 2010, 43, 764-767.   | 0.8 | 15        |
| 15289 | Analytical performance evaluation of a particle-enhanced turbidimetric cystatin C assay on the Roche COBAS 6000 analyzer. <i>Clinical Biochemistry</i> , 2010, 43, 921-925.  | 0.8 | 7         |
| 15290 | Comparison of Electronic Portal Imaging and Cone Beam Computed Tomography for Position Verification in Children. <i>Clinical Oncology</i> , 2010, 22, 850-861.   | 0.6 | 11        |
| 15291 | A multi-rater nonparametric test of agreement and corresponding agreement plot. <i>Computational Statistics and Data Analysis</i> , 2010, 54, 109-119.   | 0.7 | 2         |
| 15292 | Hot and cold contrasts in high-resolution Tc-99m planar scintigraphy: A survey of fifty-two camera heads using the PICKER thyroid phantom. <i>Physica Medica</i> , 2010, 26, 166-172.  | 0.4 | 3         |
| 15293 | Cardiorespiratory and vastus lateralis oxygenation-blood volume responses during incremental and modified Wingate tests. <i>International Journal of Industrial Ergonomics</i> , 2010, 40, 197-205.  | 1.5 | 3         |
| 15294 | A facile NMR method for the quantification of total, free and esterified sterols in virgin olive oil. <i>Food Chemistry</i> , 2010, 122, 346-352.  | 4.2 | 55        |
| 15295 | A Comparison of In-Room Computerized Tomography Options for Detection of Fiducial Markers in Prostate Cancer Radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 77, 1248-1256.   | 0.4 | 10        |
| 15296 | Basement membrane and vascular remodelling in smokers and chronic obstructive pulmonary disease: a cross-sectional study. <i>Respiratory Research</i> , 2010, 11, 105.   | 1.4 | 65        |
| 15297 | Reproducibility of the airway response to an exercise protocol standardized for intensity, duration, and inspired air conditions, in subjects with symptoms suggestive of asthma. <i>Respiratory Research</i> , 2010, 11, 120.   | 1.4 | 63        |
| 15298 | Temporal Artery versus Bladder Thermometry during Adult Medical-Surgical Intensive Care Monitoring: An Observational Study. <i>BMC Anesthesiology</i> , 2010, 10, 13.  | 0.7 | 17        |
| 15299 | The accuracy of pulse oximetry in emergency department patients with severe sepsis and septic shock: a retrospective cohort study. <i>BMC Emergency Medicine</i> , 2010, 10, 9.  | 0.7 | 104       |
| 15300 | Gated myocardial perfusion SPECT underestimates left ventricular volumes and shows high variability compared to cardiac magnetic resonance imaging – a comparison of four different commercial automated software packages. <i>BMC Medical Imaging</i> , 2010, 10, 10. | 1.4 | 31        |
| 15301 | Reliability of computed tomography measurements in assessment of thigh muscle cross-sectional area and attenuation. <i>BMC Medical Imaging</i> , 2010, 10, 18.   | 1.4 | 82        |
| 15302 | Diffusion tensor imaging correlates with lesion volume in cerebral hemisphere infarctions. <i>BMC Medical Imaging</i> , 2010, 10, 21.  | 1.4 | 8         |
| 15303 | Vibration Response Imaging: evaluation of rater agreement in healthy subjects and subjects with pneumonia. <i>BMC Medical Imaging</i> , 2010, 10, 6.   | 1.4 | 11        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15304 | Association between routine and standardized blood pressure measurements and left ventricular hypertrophy among patients on hemodialysis. <i>BMC Nephrology</i> , 2010, 11, 13.  | 0.8 | 10        |
| 15305 | MDRD or CKD-EPI study equations for estimating prevalence of stage 3 CKD in epidemiological studies: which difference? Is this difference relevant?. <i>BMC Nephrology</i> , 2010, 11, 8.  | 0.8 | 46        |
| 15306 | Random variation of inspiratory lung function parameters in patients with COPD: a diagnostic accuracy study. <i>BMC Pulmonary Medicine</i> , 2010, 10, 28.   | 0.8 | 8         |
| 15307 | Accurate non-invasive image-based cytotoxicity assays for cultured cells. <i>BMC Biotechnology</i> , 2010, 10, 43.   | 1.7 | 19        |
| 15308 | Evaluation of energy and dietary intake estimates from a food frequency questionnaire using independent energy expenditure measurement and weighed food records. <i>Nutrition Journal</i> , 2010, 9, 37.   | 1.5 | 89        |
| 15309 | Left atrial longitudinal strain by speckle tracking echocardiography correlates well with left ventricular filling pressures in patients with heart failure. <i>Cardiovascular Ultrasound</i> , 2010, 8, 14.   | 0.5 | 208       |
| 15310 | Reproducibility of fetal heart volume by 3D-sonography using the XI VOCAL method. <i>Cardiovascular Ultrasound</i> , 2010, 8, 17.  | 0.5 | 8         |
| 15311 | An automated in vitro model for the evaluation of ultrasound modalities measuring myocardial deformation. <i>Cardiovascular Ultrasound</i> , 2010, 8, 40.  | 0.5 | 2         |
| 15312 | Three-dimensional echocardiography using single-heartbeat modality decreases variability in measuring left ventricular volumes and function in comparison to four-beat technique in atrial fibrillation. <i>Cardiovascular Ultrasound</i> , 2010, 8, 45.   | 0.5 | 17        |
| 15313 | Measuring health-related quality of life in Hungarian children with heart disease: psychometric properties of the Hungarian version of the Pediatric Quality of Life Inventory <sup>®</sup> , <sup>®</sup> 4.0 Generic Core Scales and the Cardiac Module. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 14. | 1.0 | 48        |
| 15314 | How do hypertrophic cardiomyopathy mutations affect myocardial function in carriers with normal wall thickness? Assessment with cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, 13.   | 1.6 | 57        |
| 15315 | Measuring aortic pulse wave velocity using high-field cardiovascular magnetic resonance: comparison of techniques. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, 26.   | 1.6 | 89        |
| 15316 | Right ventricular ejection fraction is better reflected by transverse rather than longitudinal wall motion in pulmonary hypertension. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, 35.  | 1.6 | 176       |
| 15317 | Hemodynamic predictors of aortic dilatation in bicuspid aortic valve by velocity-encoded cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, 4.   | 1.6 | 118       |
| 15318 | Epicardial adipose tissue in patients with heart failure. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, 40.  | 1.6 | 93        |
| 15319 | Assessment of atrial septal defects in adults comparing cardiovascular magnetic resonance with transoesophageal echocardiography. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, 44.  | 1.6 | 39        |
| 15320 | Accuracy of DXA in estimating body composition changes in elite athletes using a four compartment model as the reference method. <i>Nutrition and Metabolism</i> , 2010, 7, 22.  | 1.3 | 64        |
| 15321 | Objective cough frequency in Idiopathic Pulmonary Fibrosis. <i>Cough</i> , 2010, 6, 4.   | 2.7 | 115       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15322 | Statistical considerations in a systematic review of proxy measures of clinical behaviour. <i>Implementation Science</i> , 2010, 5, 20.  | 2.5 | 10        |
| 15323 | Measurement of vertebral rotation in adolescent idiopathic scoliosis with low-dose CT in prone position - method description and reliability analysis. <i>Scoliosis</i> , 2010, 5, 4.  | 0.4 | 14        |
| 15324 | ISS mapped from ICD-9-CM by a novel freeware versus traditional coding: a comparative study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2010, 18, 17.   | 1.1 | 29        |
| 15325 | Relationship between in utero sonographic evaluation and subcutaneous plicometry after birth in infants with intrauterine growth restriction: an exploratory study. <i>Italian Journal of Pediatrics</i> , 2010, 36, 70.   | 1.0 | 1         |
| 15326 | Verification of conicoidal concave surfaces by keratometry. <i>Journal of Optometry</i> , 2010, 3, 115-121.  | 0.7 | 2         |
| 15327 | Is home spirometry useful in diagnosing asthma in children with nonspecific respiratory symptoms?. <i>Pediatric Pulmonology</i> , 2010, 45, 326-332.   | 1.0 | 18        |
| 15328 | Accuracy of three transcutaneous carbon dioxide monitors in critically ill children. <i>Pediatric Pulmonology</i> , 2010, 45, 481-486.   | 1.0 | 17        |
| 15329 | Measuring tidal breathing parameters using a volumetric vest in neonates with and without lung disease. <i>Pediatric Pulmonology</i> , 2010, 45, 1070-1075.  | 1.0 | 23        |
| 15330 | Comparison of exhalation time methods (6â€‰%sec vs. 10â€‰%sec) of a handâ€‰held exhaled nitric oxide analyzer. <i>Pediatric Pulmonology</i> , 2010, 45, 1005-1008.   | 1.0 | 14        |
| 15331 | Reproducibility and validity of digital inclinometry for measuring cervical range of motion in normal subjects. <i>Physiotherapy Research International</i> , 2010, 15, 42-48.   | 0.7 | 34        |
| 15332 | The craniocervical flexion test: intraâ€‰tester reliability in asymptomatic subjects. <i>Physiotherapy Research International</i> , 2010, 15, 144-149.   | 0.7 | 30        |
| 15333 | Comparison of the silver nitrate and bacterial denitrification methods for the determination of nitrogen and oxygen isotope ratios of nitrate in surface water. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 833-840.                                      | 0.7 | 32        |
| 15334 | Reconstructing bulk isotope ratios from compound-specific isotope ratios. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 1799-1804.  | 0.7 | 12        |
| 15335 | Assessing agreement in the timing of treatment initiation determined by repeated measurements of novel versus gold standard technologies with application to the monitoring of CD4 counts in HIVâ€‰infected patients. <i>Statistics in Medicine</i> , 2010, 29, 1932-1946. | 0.8 | 10        |
| 15336 | Detection of cellâ€‰free RNA in children with neuroblastoma and comparison with that of whole blood cell RNA. <i>Pediatric Blood and Cancer</i> , 2010, 54, 897-903.   | 0.8 | 5         |
| 15337 | Is the updated Schwartz formula appropriate for assessing renal function prior to hematopoietic stem cell transplantation?. <i>Pediatric Blood and Cancer</i> , 2010, 55, 199-201.   | 0.8 | 11        |
| 15338 | Assessment of regional right ventricular longitudinal functions in fetus using velocity vector imaging technology. <i>Prenatal Diagnosis</i> , 2010, 30, 1057-1063.  | 1.1 | 50        |
| 15339 | Pitfalls in measuring highâ€‰density lipoprotein cholesterol concentrations in HIVâ€‰infected patients. <i>HIV Medicine</i> , 2010, 11, 260-265.   | 1.0 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15340 | Italian validation of INQoL, a quality of life questionnaire for adults with muscle diseases. <i>European Journal of Neurology</i> , 2010, 17, 1178-1187.  | 1.7 | 48        |
| 15341 | Clinical and neuroimaging evidence of interictal cerebellar dysfunction in FHM2. <i>Cephalalgia</i> , 2010, 30, 552-559.   | 1.8 | 20        |
| 15342 | Measuring mobility limitations in children with cerebral palsy: interrater and intrarater reliability of a mobility questionnaire (MobQues). <i>Developmental Medicine and Child Neurology</i> , 2010, 52, 194-199.        | 1.1 | 18        |
| 15343 | Assessment and correction of skinfold thickness equations in estimating body fat in children with cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2010, 52, e35-41.                                    | 1.1 | 62        |
| 15344 | The Drooling Impact Scale: a measure of the impact of drooling in children with developmental disabilities. <i>Developmental Medicine and Child Neurology</i> , 2010, 52, e23-8.   | 1.1 | 93        |
| 15345 | Narrative skills following early confirmation of permanent childhood hearing impairment. <i>Developmental Medicine and Child Neurology</i> , 2010, 52, 922-928.  | 1.1 | 35        |
| 15346 | Comparison of a three-quarter electrode band configuration with a full electrode band configuration for impedance cardiography. <i>Psychophysiology</i> , 2010, 47, 1087-93.   | 1.2 | 4         |
| 15347 | Comparison of baroreceptor cardiac reflex sensitivity estimates from inter-systolic and ECG R-R intervals. <i>Psychophysiology</i> , 2010, 47, 1102-8.   | 1.2 | 9         |
| 15348 | Evaluation of low platelet counts by optical, impedance, and CD61 immunoplatelet methods: estimation of possible inappropriate platelet transfusion. <i>Transfusion</i> , 2010, 50, 795-800.                               | 0.8 | 16        |
| 15349 | Preoperative ultrasound with a 12-15 MHz linear probe reliably differentiates between melanoma thicker and thinner than 1 mm. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2010, 24, 1105-1108. | 1.3 | 28        |
| 15350 | Comparison of ultrasonic Doppler flow monitor, oscillometric, and direct arterial blood pressure measurements in ill dogs. <i>Journal of Veterinary Emergency and Critical Care</i> , 2010, 20, 207-215.                   | 0.4 | 81        |
| 15351 | Evaluation of an indirect oscillometric blood pressure monitor in normotensive and hypotensive anesthetized dogs. <i>Journal of Veterinary Emergency and Critical Care</i> , 2010, 20, 313-318.                            | 0.4 | 59        |
| 15352 | Self-reported long sleep in older adults is closely related to objective time in bed. <i>Sleep and Biological Rhythms</i> , 2010, 8, 42-51.  | 0.5 | 26        |
| 15353 | Measuring sleep habits using the Sleep Timing Questionnaire: A validation study for school-age children. <i>Sleep and Biological Rhythms</i> , 2010, 8, 194-202.   | 0.5 | 16        |
| 15354 | Subjective and objective sleep in children and adolescents: Measurement, age, and gender differences. <i>Sleep and Biological Rhythms</i> , 2010, 8, 229-238.  | 0.5 | 87        |
| 15355 | Labeled versus Unlabeled Discrete Choice Experiments in Health Economics: An Application to Colorectal Cancer Screening. <i>Value in Health</i> , 2010, 13, 315-323.   | 0.1 | 156       |
| 15356 | Validation and Comparison of EuroQol and Short Form 6D in Chronic Prostatitis Patients. <i>Value in Health</i> , 2010, 13, 649-656.  | 0.1 | 47        |
| 15357 | Estimating GFR in children with <sup>99m</sup> Tc-DTPA renography: a comparison with single-sample <sup>51</sup> Cr-EDTA clearance. <i>Clinical Physiology and Functional Imaging</i> , 2010, 30, 169-174.                 | 0.5 | 17        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15358 | Validity of Oxycon Mobile in measuring inspiratory capacity in healthy subjects. <i>Clinical Physiology and Functional Imaging</i> , 2010, 30, 206-209.   | 0.5 | 11        |
| 15359 | Thickness of the middle trapezius muscle measured by rehabilitative ultrasound imaging: description of the technique and reliability study. <i>Clinical Physiology and Functional Imaging</i> , 2010, 30, 426-431.                            | 0.5 | 27        |
| 15360 | Comparison of the IOPen <sup>®</sup> and iCare <sup>®</sup> rebound tonometers with the Goldmann tonometer in a normal population. <i>Ophthalmic and Physiological Optics</i> , 2010, 30, 108-112.  | 1.0 | 31        |
| 15361 | Effect of letter separation on computerised visual acuity measurements: comparison with the gold standard Early Treatment Diabetic Retinopathy Study (ETDRS) chart. <i>Ophthalmic and Physiological Optics</i> , 2010, 30, 200-203.           | 1.0 | 15        |
| 15362 | Clinical evaluation of the Grand Seiko Auto Ref/Keratometer WAM-5500. <i>Ophthalmic and Physiological Optics</i> , 2010, 30, 143-151.   | 1.0 | 148       |
| 15363 | Comparison of presbyopic additions determined by the fused cross-cylinder method using alternative target background colours. <i>Ophthalmic and Physiological Optics</i> , 2010, 30, 758-765.   | 1.0 | 3         |
| 15364 | Clinical evaluation of the IOPen <sup>®</sup> in a glaucomatous population. <i>Ophthalmic and Physiological Optics</i> , 2010, 30, 860-864.   | 1.0 | 3         |
| 15365 | Retinal thickness in myopic and non-myopic eyes*. <i>Ophthalmic and Physiological Optics</i> , 2010, 30, 776-784.   | 1.0 | 37        |
| 15366 | Body composition in older orthopaedic rehabilitation inpatients: Are field methods valid?. <i>Nutrition and Dietetics</i> , 2010, 67, 160-165.  | 0.9 | 2         |
| 15367 | Evaluation of the composition of omega-3 fatty acids in dietary oil supplements. <i>Nutrition and Dietetics</i> , 2010, 67, 182-189.  | 0.9 | 18        |
| 15368 | Single-beat estimation of the left ventricular end-systolic pressure-volume relationship in patients with heart failure. <i>Acta Physiologica</i> , 2010, 198, 37-46.   | 1.8 | 37        |
| 15369 | Evaluation of high-definition and conventional oscillometric blood pressure measurement in anaesthetised dogs using ACVIM guidelines. <i>Journal of Small Animal Practice</i> , 2010, 51, 318-324.  | 0.5 | 28        |
| 15370 | Ventricular Pauses during Atrial Fibrillation Predict Relapse after Electrical Cardioversion: A Prospective Study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010, 33, no-no.   | 0.5 | 2         |
| 15371 | Three-Dimensional Echocardiography for Quantitative Analysis of Left Ventricular Aneurysm. <i>Echocardiography</i> , 2010, 27, 64-68.   | 0.3 | 6         |
| 15372 | Measurement of Left Ventricular Ejection Fraction by Real Time 3D Echocardiography in Patients with Severe Systolic Dysfunction: Comparison with Radionuclide Angiography. <i>Echocardiography</i> , 2010, 27, 58-63.                         | 0.3 | 8         |
| 15373 | Comparison of Tissue Doppler Velocities Obtained by Different Types of Echocardiography Systems: Are They Compatible?. <i>Echocardiography</i> , 2010, 27, 230-235.   | 0.3 | 20        |
| 15374 | Diagnostic Accuracy of Handheld Echocardiography for Evaluation of Aortic Stenosis. <i>Echocardiography</i> , 2010, 27, 481-486.  | 0.3 | 2         |
| 15375 | Regional Diastolic and Systolic Function by Strain Rate Imaging for the Detection of Intramural Viability during Dobutamine Stress Echocardiography in a Porcine Model of Myocardial Infarction. <i>Echocardiography</i> , 2010, 27, 552-562. | 0.3 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15376 | Real Time Triplane Echocardiography in Aortic Valve Stenosis: Validation, Reliability, and Feasibility of a New Method for Valve Area Quantification. <i>Echocardiography</i> , 2010, 27, 644-650.  | 0.3 | 6         |
| 15377 | The Accuracy of Echocardiographic Assessment of Left Ventricular Size in Children by the 5/6 Area $\bar{A}$ -Length (Bullet) Method. <i>Echocardiography</i> , 2010, 27, 691-695.   | 0.3 | 14        |
| 15378 | Relationship between Strain Rate Imaging and Coronary Flow Reserve in Assessing Myocardial Viability after Acute Myocardial Infarction. <i>Echocardiography</i> , 2010, 27, 977-984.  | 0.3 | 9         |
| 15379 | Direct Measurement of Left Ventricular Outflow Tract Area Using Three-dimensional Echocardiography in Biplane Mode Improves Accuracy of Stroke Volume Assessment. <i>Echocardiography</i> , 2010, 27, 1078-1085.                                | 0.3 | 30        |
| 15380 | Assessment of Left Ventricular Volumes and Function by Real Time Three-dimensional Echocardiography in a Pediatric Population: A TomTec versus QLAB Comparison. <i>Echocardiography</i> , 2010, 27, 1263-1273.                                  | 0.3 | 34        |
| 15381 | Three-dimensional Vessel Analyses Provide More Accurate Length Estimations than the Gold Standard QCA. <i>Journal of Interventional Cardiology</i> , 2010, 23, 152-159.   | 0.5 | 15        |
| 15382 | Reproducibility of regional pulse-wave velocity in uremic subjects. <i>Hemodialysis International</i> , 2010, 14, 441-446.  | 0.4 | 14        |
| 15383 | Latent variable approach to correct errors in radiographic measurements. <i>European Journal of Oral Sciences</i> , 2010, 118, 642-648.   | 0.7 | 4         |
| 15384 | Systemic endotoxin levels in chronic indolent periodontal infections. <i>Journal of Periodontal Research</i> , 2010, 45, 1-7.   | 1.4 | 23        |
| 15385 | Scaling concept II rowing ergometer performance for differences in body mass to better reflect rowing in water. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2010, 20, 122-127.  | 1.3 | 69        |
| 15386 | A new device for assessing changes in skin viscoelasticity using indentation and optical measurement. <i>Skin Research and Technology</i> , 2010, 16, 210-228.  | 0.8 | 34        |
| 15387 | Diameter Assessment of the Third Ventricle with Transcranial Sonography in Patients with Multiple Sclerosis. <i>Journal of Neuroimaging</i> , 2010, 20, 53-57.  | 1.0 | 19        |
| 15388 | External Validation of the Clinical Dehydration Scale for Children With Acute Gastroenteritis. <i>Academic Emergency Medicine</i> , 2010, 17, 583-588.  | 0.8 | 55        |
| 15389 | Psychometric properties of a Norwegian version of Multiple Sclerosis Impact Scale (MSIS-29). <i>Acta Neurologica Scandinavica</i> , 2010, 122, 244-251.   | 1.0 | 14        |
| 15390 | Child dental fear as measured with the Dental Subscale of the Children's Fear Survey Schedule: the impact of referral status and type of informant (child versus parent). <i>Community Dentistry and Oral Epidemiology</i> , 2010, 38, 256-266. | 0.9 | 54        |
| 15391 | Assessing the level of agreement between the self-administered Child-OIDP. <i>Community Dentistry and Oral Epidemiology</i> , 2010, 38, 340-347.  | 0.9 | 12        |
| 15392 | Comparative analysis of two methods for wound bed area measurement. <i>International Wound Journal</i> , 2010, 7, 366-377.  | 1.3 | 13        |
| 15393 | Comparison of mechanomyography and acceleromyography for the assessment of rocuronium induced neuromuscular block in myotonic dystrophy type 1. <i>Anaesthesia</i> , 2010, 65, 601-607.   | 1.8 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15394 | Prediction and theory in cardiac output estimates. <i>Anaesthesia</i> , 2010, 65, 751-752.   | 1.8 | 4         |
| 15395 | Evaluation of a transportable capnometer for monitoring end-tidal carbon dioxide. <i>Anaesthesia</i> , 2010, 65, 1017-1021.  | 1.8 | 15        |
| 15396 | Estimation of lean body weight in older community-dwelling men. <i>British Journal of Clinical Pharmacology</i> , 2010, 69, 118-127.   | 1.1 | 18        |
| 15397 | The Children's Dermatology Life Quality Index (CDLQI): initial validation and practical use. <i>British Journal of Dermatology</i> , 1995, 132, 942-949.   | 1.4 | 760       |
| 15398 | Methods for measuring abdominal obesity in the prediction of severe acute pancreatitis, and their correlation with abdominal fat areas assessed by computed tomography. <i>Alimentary Pharmacology and Therapeutics</i> , 2010, 32, 244-253.               | 1.9 | 35        |
| 15399 | Discrepancy between recalled and recorded bowel habits in irritable bowel syndrome. <i>Alimentary Pharmacology and Therapeutics</i> , 2010, 32, 282-288.   | 1.9 | 23        |
| 15400 | Performance characteristics of scintigraphic colon transit measurement in health and irritable bowel syndrome and relationship to bowel functions. <i>Neurogastroenterology and Motility</i> , 2010, 22, 415-e95.  | 1.6 | 93        |
| 15401 | <i>In vitro</i> sensitivity of <i>Plasmodium falciparum</i> to conventional and novel antimalarial drugs in Papua New Guinea. <i>Tropical Medicine and International Health</i> , 2010, 15, 342-349.   | 1.0 | 22        |
| 15402 | The development of predictive tools for pre-emptive dengue vector control: a study of <i>Aedes aegypti</i> abundance and meteorological variables in North Queensland, Australia. <i>Tropical Medicine and International Health</i> , 2010, 15, 1190-1197. | 1.0 | 66        |
| 15403 | An assessment of the accuracy and consistency of human perception of weed cover. <i>Weed Research</i> , 2010, 50, 638-647.   | 0.8 | 30        |
| 15404 | Histological assessment of pre-transplant kidney biopsies is reproducible and representative. <i>Histopathology</i> , 2010, 56, 198-202.   | 1.6 | 28        |
| 15405 | Histological grading of breast cancer on needle core biopsy: the role of immunohistochemical assessment of proliferation. <i>Histopathology</i> , 2010, 57, 212-219.   | 1.6 | 44        |
| 15406 | <i>Ex vivo</i> performance of five methods for root canal length determination in primary anterior teeth. <i>International Endodontic Journal</i> , 2010, 43, 142-147.   | 2.3 | 36        |
| 15407 | <i>Ex vivo</i> evaluation of the accuracy and coefficient of repeatability of three electronic apex locators using a simple mounting model: a preliminary report. <i>International Endodontic Journal</i> , 2010, 43, 269-274.                             | 2.3 | 24        |
| 15408 | Comparison of a food frequency questionnaire with an online dietary assessment tool for assessing preschool children's dietary intake. <i>Journal of Human Nutrition and Dietetics</i> , 2010, 23, 502-510.  | 1.3 | 30        |
| 15409 | Validation of a quantitative food frequency questionnaire for Inuit population in Nunavut, Canada. <i>Journal of Human Nutrition and Dietetics</i> , 2010, 23, 67-74.  | 1.3 | 37        |
| 15410 | Validation of a culturally appropriate quantitative food frequency questionnaire for Inuvialuit population in the Northwest Territories, Canada. <i>Journal of Human Nutrition and Dietetics</i> , 2010, 23, 75-82.  | 1.3 | 33        |
| 15411 | Testing the retention of attachments for implant overdentures – validation of an original force measurement system. <i>Journal of Oral Rehabilitation</i> , 2010, 37, 54-62.   | 1.3 | 39        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15412 | Assessment and further development of RDC/TMD Axis II biobehavioural instruments: a research programme progress report. <i>Journal of Oral Rehabilitation</i> , 2010, 37, 784-798.                      | 1.3 | 29        |
| 15413 | Sleep classification according to AASM and Rechtschaffen and Kales: effects on sleep scoring parameters of children and adolescents. <i>Journal of Sleep Research</i> , 2010, 19, 238-247.              | 1.7 | 55        |
| 15414 | Measuring the error in sleep estimation in normal subjects and in patients with insomnia. <i>Journal of Sleep Research</i> , 2010, 19, 478-486.   | 1.7 | 118       |
| 15415 | Reproducibility of nasal allergen challenge in evaluating the efficacy of intranasal corticosteroid treatment. <i>Clinical and Experimental Allergy</i> , 2010, 40, 738-744.                            | 1.4 | 11        |
| 15416 | Diagnostic value of outcome measures following allergen exposure in an environmental challenge chamber compared with natural conditions. <i>Clinical and Experimental Allergy</i> , 2010, 40, 998-1006. | 1.4 | 58        |
| 15417 | Comparing Point of Care International Normalised Ratio testing with laboratory testing methods in a cardiac inpatient population. <i>Journal of Clinical Nursing</i> , 2010, 19, 3085-3091.             | 1.4 | 5         |
| 15418 | Prediction of Fatness by Standing 8â€¢Electrode Bioimpedance: A Multiethnic Adolescent Population. <i>Obesity</i> , 2010, 18, 183-189.  | 1.5 | 68        |
| 15419 | Quantitative Magnetic Resonance (QMR) for Longitudinal Evaluation of Body Composition Changes With Two Dietary Regimens. <i>Obesity</i> , 2010, 18, 391-396.  | 1.5 | 20        |
| 15420 | Dualâ€¢energy Xâ€¢ray Absorptiometry and Anthropometric Estimates of Visceral Fat in Black and White South African Women. <i>Obesity</i> , 2010, 18, 619-624.   | 1.5 | 25        |
| 15421 | Ultrasound Measurements of Visceral and Subcutaneous Abdominal Thickness to Predict Abdominal Adiposity Among Older Men and Women. <i>Obesity</i> , 2010, 18, 625-631.                                  | 1.5 | 103       |
| 15422 | Validation of Bioelectrical Impedance Analysis in Adolescents Across Different Ethnic Groups. <i>Obesity</i> , 2010, 18, 1252-1259.   | 1.5 | 86        |
| 15423 | The Relationship of Ectopic Lipid Accumulation to Cardiac and Vascular Function in Obesity and Metabolic Syndrome. <i>Obesity</i> , 2010, 18, 1116-1121.  | 1.5 | 35        |
| 15424 | Relationship Between Selfâ€¢report and an Objective Measure of Televisionâ€¢viewing Time in Adults. <i>Obesity</i> , 2010, 18, 1273-1275.   | 1.5 | 48        |
| 15425 | Regional Body Composition: Crossâ€¢calibration of DXA Scannersâ€¢”QDR4500W and Discovery Wi. <i>Obesity</i> , 2010, 18, 632-637.  | 1.5 | 23        |
| 15426 | A Macroâ€¢quality Evaluation of DXA Variables Using Whole Dissection, Ashing, and Computer Tomography in Pigs. <i>Obesity</i> , 2010, 18, 1477-1485.  | 1.5 | 32        |
| 15427 | Physical Activity Energy Expenditure of Adolescents in India. <i>Obesity</i> , 2010, 18, 2212-2219.   | 1.5 | 21        |
| 15428 | Quantification of Intermuscular Adipose Tissue in the Erector Spinae Muscle by MRI: Agreement With Histological Evaluation. <i>Obesity</i> , 2010, 18, 2379-2384.                                       | 1.5 | 46        |
| 15429 | Comparison of DXA and CT in the Assessment of Body Composition in Premenopausal Women With Obesity and Anorexia Nervosa. <i>Obesity</i> , 2010, 18, 2227-2233.  | 1.5 | 156       |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15430 | Bioimpedance Analysis Parameters and Epicardial Adipose Tissue Assessed by Cardiac Magnetic Resonance Imaging in Patients With Heart Failure. <i>Obesity</i> , 2010, 18, 2326-2332.  | 1.5 | 38        |
| 15431 | Validity of a New Abdominal Bioelectrical Impedance Device to Measure Abdominal and Visceral Fat: Comparison With MRI. <i>Obesity</i> , 2010, 18, 2385-2391.   | 1.5 | 75        |
| 15432 | Radiological and pathological size estimations of pure ductal carcinoma in situ of the breast, specimen handling and the influence on the success of breast conservation surgery: a review of 2564 cases from the Sloane Project. <i>British Journal of Cancer</i> , 2010, 102, 285-293. | 2.9 | 54        |
| 15433 | Accelerator Mass Spectrometry Measurement of Intracellular Concentrations of Active Drug Metabolites in Human Target Cells In Vivo. <i>Clinical Pharmacology and Therapeutics</i> , 2010, 88, 796-800.   | 2.3 | 8         |
| 15434 | Development of a 20-item food frequency questionnaire to assess a "prudent"™ dietary pattern among young women in Southampton. <i>European Journal of Clinical Nutrition</i> , 2010, 64, 99-104.   | 1.3 | 48        |
| 15435 | A technique to assess body composition and sarcopenia using DXA: application for an obese population. <i>European Journal of Clinical Nutrition</i> , 2010, 64, 218-220.   | 1.3 | 6         |
| 15436 | Estimation of abdominal fat compartments by bioelectrical impedance: the validity of the ViScan measurement system in comparison with MRI. <i>European Journal of Clinical Nutrition</i> , 2010, 64, 525-533.  | 1.3 | 58        |
| 15437 | Validation of the Actiheart activity monitor for measurement of activity energy expenditure in children and adolescents with chronic disease. <i>European Journal of Clinical Nutrition</i> , 2010, 64, 1494-1500.   | 1.3 | 41        |
| 15438 | The HELENA online food frequency questionnaire: reproducibility and comparison with four 24-h recalls in Belgian "Flemish adolescents. <i>European Journal of Clinical Nutrition</i> , 2010, 64, 541-548.  | 1.3 | 37        |
| 15439 | Prospective comparison of ultrasound biomicroscopy and anterior segment optical coherence tomography for evaluation of anterior chamber dimensions in European eyes with primary angle closure. <i>Eye</i> , 2010, 24, 233-239.  | 1.1 | 40        |
| 15440 | Optic nerve head changes in early glaucoma: a comparison between stereophotography and Heidelberg retina tomography. <i>Eye</i> , 2010, 24, 123-130.   | 1.1 | 26        |
| 15441 | Comparison of Visante and slit-lamp anterior segment optical coherence tomography in imaging the anterior chamber angle. <i>Eye</i> , 2010, 24, 578-587.   | 1.1 | 41        |
| 15442 | Agreement of non-contact pachymetry after LASIK: comparison of combined scanning-slit/Placido disc topography and specular microscopy. <i>Eye</i> , 2010, 24, 1064-1070.   | 1.1 | 12        |
| 15443 | Correlation in foveal thickness measurements between spectral-domain and time-domain optical coherence tomography in normal individuals. <i>Eye</i> , 2010, 24, 251-258.   | 1.1 | 24        |
| 15444 | Comparison of three methods of intraocular pressure measurement and their relation to central corneal thickness. <i>Eye</i> , 2010, 24, 1165-1170.   | 1.1 | 38        |
| 15445 | Evaluation of DXA against the four-component model of body composition in obese children and adolescents aged 5-21 years. <i>International Journal of Obesity</i> , 2010, 34, 649-655.   | 1.6 | 51        |
| 15446 | Use of the cellular model of body composition to describe changes in body water compartments after total fasting, very low calorie diet and low calorie diet in obese men. <i>International Journal of Obesity</i> , 2010, 34, 908-918.  | 1.6 | 40        |
| 15447 | Label-free, normalized quantification of complex mass spectrometry data for proteomic analysis. <i>Nature Biotechnology</i> , 2010, 28, 83-89.   | 9.4 | 403       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15448 | Psychometric properties of the modified Symptom Severity Index (SSI). <i>Journal of Oral Rehabilitation</i> , 2010, 37, 11-20.  | 1.3 | 20        |
| 15449 | A comparison of stereological and computer-assisted histomorphometric analysis as tools for histological quantification in regenerative studies. <i>Journal of Periodontal Research</i> , 1998, 33, 99-104.                                     | 1.4 | 5         |
| 15450 | Modelflow estimates of cardiac output compared with Doppler ultrasound during acute changes in vascular resistance in women. <i>Experimental Physiology</i> , 2010, 95, 561-568.  | 0.9 | 53        |
| 15451 | Carbon monoxide uptake kinetics of arterial, venous and capillary blood during CO rebreathing. <i>Experimental Physiology</i> , 2010, 95, 1156-1166.  | 0.9 | 38        |
| 15452 | WISE-2005: prolongation of left ventricular pre-ejection period with 56 days head-down bed rest in women. <i>Experimental Physiology</i> , 2010, 95, 1081-1088.   | 0.9 | 10        |
| 15453 | The relationship between visual resolution and cone spacing in the human fovea. <i>Nature Neuroscience</i> , 2010, 13, 156-157.   | 7.1 | 206       |
| 15454 | Accuracy of body mass index estimated from self-reported height and weight in mid-aged Australian women. <i>Australian and New Zealand Journal of Public Health</i> , 2010, 34, 620-623.  | 0.8 | 158       |
| 15455 | Repeatability of Dietary Patterns Derived Using $\hat{\mu}$ -Priori and $\hat{\mu}$ -Posterior Methods. <i>Journal of Applied Biobehavioral Research</i> , 2010, 15, 31-60.   | 2.0 | 3         |
| 15456 | A Novel Technique for the Semi-Automated Measurement of Embryo Volume: An Intraobserver Reliability Study. <i>Ultrasound in Medicine and Biology</i> , 2010, 36, 719-725.   | 0.7 | 18        |
| 15457 | Evaluation of the Intraobserver and Interobserver Reliability of Data Acquisition for Three-Dimensional Power Doppler Angiography of the Whole Placenta at 12 Weeks Gestation. <i>Ultrasound in Medicine and Biology</i> , 2010, 36, 1405-1411. | 0.7 | 16        |
| 15458 | Perfusion CT and US of Colorectal Cancer Liver Metastases: A Correlative Study of Two Dynamic Imaging Modalities. <i>Ultrasound in Medicine and Biology</i> , 2010, 36, 1626-1636.  | 0.7 | 18        |
| 15459 | Accuracy and reproducibility of the TonoVet <sup>®</sup> rebound tonometer in birds of prey. <i>Veterinary Ophthalmology</i> , 2010, 13, 80-85.   | 0.6 | 50        |
| 15460 | Transvaginal ultrasound measurement of bladder wall thickness: a more reliable approach than transperineal and transabdominal approaches. <i>BJU International</i> , 2010, 106, 1519-1522.  | 1.3 | 23        |
| 15461 | Friedewald equation underestimates low-density lipoprotein cholesterol at low concentrations in young people with and without Type 1 diabetes. <i>Diabetic Medicine</i> , 2010, 27, 37-45.  | 1.2 | 34        |
| 15462 | Assessment of different techniques for subcutaneous glucose monitoring in Type 1 diabetic patients during $\hat{\mu}$ -real-time <sup>™</sup> glucose excursions. <i>Diabetic Medicine</i> , 2010, 27, 332-338.                                 | 1.2 | 10        |
| 15463 | Ability of cystatin C to detect acute changes in glomerular filtration rate provoked by hyperglycaemia in uncomplicated Type 1 diabetes. <i>Diabetic Medicine</i> , 2010, 27, 1358-1365.  | 1.2 | 37        |
| 15464 | Clinical usefulness of serum cystatin C and the pertinent estimation of glomerular filtration rate based on cystatin C. <i>Nephrology</i> , 2010, 15, 768-776.  | 0.7 | 6         |
| 15465 | Fluorescence optical fibre sensor provides accurate continuous oxygen detection in rabbit model with acute lung injury. <i>Respirology</i> , 2010, 15, 99-106.  | 1.3 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15466 | New acoustic method for detecting upper airway obstruction in patients with sleep apnoea. <i>Respirology</i> , 2010, 15, 326-335.   | 1.3 | 5         |
| 15467 | Validation of Embletta portable diagnostic system for identifying patients with suspected obstructive sleep apnoea syndrome (OSAS). <i>Respirology</i> , 2010, 15, 336-342.   | 1.3 | 111       |
| 15468 | Diagnostic accuracy of a questionnaire and simple home monitoring device in detecting obstructive sleep apnoea in a Chinese population at high cardiovascular risk. <i>Respirology</i> , 2010, 15, 952-960.   | 1.3 | 57        |
| 15469 | Detection and prevalence of chronic obstructive pulmonary disease in a cardiovascular clinic: Evaluation using a hand held FEV <sub>1</sub> /FEV <sub>6</sub> meter and questionnaire. <i>Respirology</i> , 2010, 15, 1252-1258.                              | 1.3 | 15        |
| 15470 | The role of macular pigment assessment in clinical practice: a review. <i>Australasian journal of optometry</i> , The, 2010, 93, 300-308.   | 0.6 | 35        |
| 15471 | Ultrasound estimation of fetal weight: A formula for a Pakistani population. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010, 36, 479-483.   | 0.6 | 4         |
| 15472 | Analgesic efficacy of intra-articular morphine in experimentally induced radiocarpal synovitis in horses. <i>Veterinary Anaesthesia and Analgesia</i> , 2010, 37, 171-185.  | 0.3 | 83        |
| 15473 | Comparison of two different methods for physiologic dead space measurements in ventilated dogs in a clinical setting. <i>Veterinary Anaesthesia and Analgesia</i> , 2010, 37, 393-400.  | 0.3 | 10        |
| 15474 | Comparison between two methods for cardiac output measurement in propofol-anesthetized dogs: thermodilution and Doppler. <i>Veterinary Anaesthesia and Analgesia</i> , 2010, 37, 401-408.   | 0.3 | 22        |
| 15475 | TUNEL assay and SCSA determine different aspects of sperm DNA damage. <i>Andrologia</i> , 2010, 42, 305-313.  | 1.0 | 86        |
| 15476 | The Acidic Probe LysoSensor <sup>®</sup> is not Useful for Acrosome Evaluation of Cryopreserved Ram Spermatozoa. <i>Reproduction in Domestic Animals</i> , 2010, 45, 363-367.   | 0.6 | 5         |
| 15477 | Comparison of the TBARS Assay and BODIPY <sup>11</sup> Probes for Assessing Lipid Peroxidation in Red Deer Spermatozoa. <i>Reproduction in Domestic Animals</i> , 2010, 45, e360-8.   | 0.6 | 36        |
| 15478 | Confidence in Altman's Bland plots: A critical review of the method of differences. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010, 37, 143-149.   | 0.9 | 263       |
| 15479 | Bland's Altman beyond the basics: Creating confidence with badly behaved data. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010, 37, 141-142.  | 0.9 | 12        |
| 15480 | Linear regression analysis for comparing two measurers or methods of measurement: But which regression?. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010, 37, 692-699.  | 0.9 | 158       |
| 15481 | Developmental changes in the geometry, function and responsiveness of the mouse heart to $\beta^2$ -adrenergic stimulation as determined by high-resolution echocardiography. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010, 37, no-no. | 0.9 | 3         |
| 15482 | Correlation and agreement between the bispectral index vs. state entropy during hypothermic cardio-pulmonary bypass. <i>Acta Anaesthesiologica Scandinavica</i> , 2010, 54, 169-175.  | 0.7 | 22        |
| 15483 | New pocket echocardiography device is interchangeable with high-end portable system when performed by experienced examiners. <i>Acta Anaesthesiologica Scandinavica</i> , 2010, 54, 1217-1223.  | 0.7 | 62        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15484 | Nomogramas de ecuaciones de referencia espirométrica SER 2009. Revista Chilena De Enfermedades Respiratorias, 2010, 26, .  | 0.1 | 1         |
| 15485 | Métodos de quantificação de carga de treinamento em exercício realizado no máximo estado estável de lactato. Motriz Revista De Educacao Fisica, 2010, 16, .  | 0.3 | 0         |
| 15486 | <sup>18</sup> F-fluoroethylcholine uptake in arterial vessel walls and cardio vascular risk factors. Nuklearmedizin - NuclearMedicine, 2010, 49, 148-153.  | 0.3 | 12        |
| 15487 | EKG Gating is Not Required for Brachial Artery Flow-Mediated Dilation Measurement. Journal for Vascular Ultrasound, 2010, 34, 113-117.   | 0.2 | 1         |
| 15488 | Sonographic Measurement of the Epiglottis in Normal Chinese Adults. Hong Kong Journal of Emergency Medicine, 2010, 17, 429-434.  | 0.4 | 4         |
| 15489 | Research methods, statistics and evidence-based practice. , 2010, , 157-198.   |     | 13        |
| 15490 | Comparison of central and mixed venous saturation during liver transplantation in cirrhotic patients: a pilot study. European Journal of Anaesthesiology, 2010, 27, 714-719.   | 0.7 | 13        |
| 15491 | The PediaSat continuous central SvO <sub>2</sub> monitoring system does not reliably indicate state or course of central venous oxygenation. European Journal of Anaesthesiology, 2010, 27, 720-725.                   | 0.7 | 9         |
| 15492 | The diagnostic value of endothelial function as a potential sensor of fatigue in health. Vascular Health and Risk Management, 2010, 6, 135.  | 1.0 | 20        |
| 15493 | Repeatability and Agreement of Macular Thickness Measurement Using Time and Spectral Domain OCT in Diabetic Macular Edema. Journal of Korean Ophthalmological Society, 2010, 51, 372.                                  | 0.0 | 0         |
| 15494 | Repeatability of Spectral Domain OCT (3D-OCT 1000) in Normal Subjects and Various Macular Diseases. Journal of Korean Ophthalmological Society, 2010, 51, 524.   | 0.0 | 0         |
| 15495 | Automated assessment of Pavlovian conditioned freezing and shock reactivity in mice using the VideoFreeze system. Frontiers in Behavioral Neuroscience, 2010, 4, .   | 1.0 | 152       |
| 15496 | Alcohol Fixation of Induced Sputum Samples for Applications in Rural Communities. Canadian Respiratory Journal, 2010, 17, 115-121.   | 0.8 | 4         |
| 15497 | Concordance of Disease Progression in Bilateral Geographic Atrophy Due to AMD. , 2010, 51, 637.  |     | 51        |
| 15498 | Comparison of Internal Anterior Chamber Diameter Measured with Ultrabiomicroscopy with White-to-White Distance Measured Using Digital Photography in Aphakic Eyes. European Journal of Ophthalmology, 2010, 20, 76-82. | 0.7 | 4         |
| 15499 | Valores glicêmicos oferecidos pelo glicosímetro portátil, utilizando sangue de diferentes vias de coleta: estudo de validade. Revista Brasileira De Terapia Intensiva, 2010, 22, 351-357.                              | 0.1 | 4         |
| 15500 | Myocardial Blood Flow Measurement. , 2010, , 506-527.  |     | 2         |
| 15501 | A comparison of platelet function tests and thromboxane metabolites to evaluate aspirin response in healthy individuals and patients with coronary artery disease. Thrombosis and Haemostasis, 2010, 103, 1245-1253.   | 1.8 | 125       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15502 | Determining Vitamin D Status: A Comparison between Commercially Available Assays. PLoS ONE, 2010, 5, e11555.  | 1.1 | 184       |
| 15503 | The Impact of a Change in Tacrolimus Monitoring Immunoassay Techniques on Clinical Decision Making. Progress in Transplantation, 2010, 20, 350-356.   | 0.4 | 1         |
| 15504 | A nocturnal decline of salivary pH associated with airway hyperresponsiveness in asthma. Journal of Medical Investigation, 2010, 57, 260-269.   | 0.2 | 19        |
| 15505 | Skin Conductance Fluctuations Correlate Poorly with Postoperative Self-report Pain Measures in School-aged Children. Anesthesiology, 2010, 113, 175-182.  | 1.3 | 52        |
| 15506 | Composio corporal de idosas diabticas tipo 2: antropometria vs absorcimetria de raios-X de dupla energia. Revista De Nutricao, 2010, 23, 695-702.   | 0.4 | 0         |
| 15507 | A specific bioelectrical impedance equation to predict body composition in Turner's syndrome. Arquivos Brasileiros De Endocrinologia E Metabologia, 2010, 54, 24-29.  | 1.3 | 2         |
| 15512 | Reprodutibilidade do volume de membros fetais pela ultrassonografia tridimensional utilizando o mtodo XI VOCAL. Radiologia Brasileira, 2010, 43, 219-223.   | 0.3 | 2         |
| 15513 | Automated Assessment of Keratocyte Density in Stromal Images from the ConfoScan 4 Confocal Microscope. , 2010, 51, 1918.  |     | 36        |
| 15514 | Neck Motion Analysis Using a Virtual Environment. , 0, , .  |     | 2         |
| 15515 | Confiabilidade da medida de espessuras musculares pela ultrassonografia. Revista Brasileira De Medicina Do Esporte, 2010, 16, 41-45.  | 0.1 | 7         |
| 15516 | Preciso da medida do limiar anaerbio por meio do calormetro porttil. Arquivos Brasileiros De Cardiologia, 2010, 95, 354-363.  | 0.3 | 1         |
| 15517 | Reprodutibilidade interobservador dos ndices vasculares do Doppler de amplitude tridimensional do embrio entre 7 e 10 semanas e 6 dias de gestao. Radiologia Brasileira, 2010, 43, 143-148.                                       | 0.3 | 1         |
| 15518 | Inteligibilidade: efeitos da anlise de transcrio e do estmulo de fala. Prfono: Revista De Atualizao Cientfica, 2010, 22, 125-130.   | 0.5 | 9         |
| 15519 | Comparison of five portable peak flow meters. Clinics, 2010, 65, 469-474.   | 0.6 | 17        |
| 15520 | Feasibility of a new concept for measuring actual functional performance in daily life of transfemoral amputees. Journal of Rehabilitation Medicine, 2010, 42, 744-751.   | 0.8 | 20        |
| 15521 | Evaluation of Reperfused Myocardial Infarction by Low-Dose Multidetector Computed Tomography Using Prospective Electrocardiography (ECG)-Triggering: Comparison with Magnetic Resonance Imaging. Yonsei Medical Journal, 2010, 51, 683. | 0.9 | 7         |
| 15522 | Ethnic Coefficients for Glomerular Filtration Rate Estimation by the Modification of Diet in Renal Disease Study Equations in the Korean Population. Journal of Korean Medical Science, 2010, 25, 1616.                                 | 1.1 | 96        |
| 15523 | Dietary assessment in the 1993 Pelotas (Brazil) birth cohort study: comparing energy intake with energy expenditure. Cadernos De Saude Publica, 2010, 26, 2080-2089.  | 0.4 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15524 | Reliability of Alcohol Recall After 15 Years and 23 Years of Follow-Up in the Johns Hopkins Precursors Study. <i>Journal of Studies on Alcohol and Drugs</i> , 2010, 71, 143-149.   | 0.6 | 11        |
| 15525 | Self-reporting versus parental reporting of physical activity in adolescents: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. <i>Cadernos De Saude Publica</i> , 2010, 26, 1921-1927.                | 0.4 | 11        |
| 15526 | Assessing the validity of a food frequency questionnaire among low-income women in São Paulo, southeastern Brazil. <i>Cadernos De Saude Publica</i> , 2010, 26, 2059-2067.  | 0.4 | 18        |
| 15528 | Taxa metabólica basal em universitários: comparação entre valores medidos e preditos. <i>Revista De Nutricao</i> , 2010, 23, 369-377.   | 0.4 | 2         |
| 15529 | Within-day and between-days reproducibility of isokinetic parameters of knee, trunk and shoulder movements. <i>Isokinetics and Exercise Science</i> , 2010, 18, 45-55.  | 0.2 | 14        |
| 15530 | Usefulness of Mitral Annular Systolic Velocity in the Detection of Left Ventricular Systolic Dysfunction: Comparison with Three Dimensional Echocardiographic Data. <i>Journal of Cardiovascular Imaging</i> , 2010, 18, 1. | 0.8 | 25        |
| 15531 | Versão Brasileira da Avaliação Sensorial de Nottingham: validade, concordância e confiabilidade. <i>Brazilian Journal of Physical Therapy</i> , 2010, 14, 166-174.  | 1.1 | 13        |
| 15532 | Cirrus High-Definition Optical Coherence Tomography Compared with Stratus Optical Coherence Tomography in Glaucoma Diagnosis. , 2010, 51, 335.  |     | 89        |
| 15533 | Utilização da espessura de dobras cutâneas para a estimativa da gordura corporal em idosos. <i>Revista De Nutricao</i> , 2010, 23, 17-26.   | 0.4 | 8         |
| 15534 | Evaluation of Left Atrial Volumes Using Multidetector Computed Tomography: Comparison with Echocardiography. <i>Korean Journal of Radiology</i> , 2010, 11, 286.  | 1.5 | 21        |
| 15535 | Glaucoma anterior chamber morphometry based on optical Scheimpflug images. <i>Arquivos Brasileiros De Oftalmologia</i> , 2010, 73, 497-500.   | 0.2 | 21        |
| 15536 | Quality management and accreditation. , 2010, , 227-248.  |     | 2         |
| 15538 | Distributed lag and spline modeling for predicting energy expenditure from accelerometry in youth. <i>Journal of Applied Physiology</i> , 2010, 108, 314-327.   | 1.2 | 17        |
| 15539 | Bayesian adaptive estimation of the contrast sensitivity function: The quick CSF method. <i>Journal of Vision</i> , 2010, 10, 1-21.   | 0.1 | 243       |
| 15540 | Equações para a previsão da potência aeróbica (VO <sub>2</sub> ) de jovens adultos brasileiros. <i>Arquivos Brasileiros De Cardiologia</i> , 2010, 94, 763-770.   | 0.3 | 16        |
| 15541 | A Relationship between Tolerance of Blur and Personality. , 2010, 51, 6077.   |     | 34        |
| 15542 | Estimativa da composição corporal e análise de concordância entre analisadores de impedância bioelétrica bipolar e tetrapolar. <i>Revista Brasileira De Medicina Do Esporte</i> , 2010, 16, 13-17.                          | 0.1 | 4         |
| 15543 | In vivo measurement of proximal pulmonary artery elastic modulus in the neonatal calf model of pulmonary hypertension: development and ex vivo validation. <i>Journal of Applied Physiology</i> , 2010, 108, 968-975.       | 1.2 | 42        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15544 | In Vivo Analysis of Ciliary Muscle Morphologic Changes with Accommodation and Axial Ametropia. , 2010, 51, 6882.  |     | 85        |
| 15545 | Correlations Between Activated Clotting Time Values and Heparin Concentration Measurements in Young Infants Undergoing Cardiopulmonary Bypass. Anesthesia and Analgesia, 2010, 111, 173-179.  | 1.1 | 58        |
| 15546 | Accuracy of Weight and Height Estimation in an Intensive Care Unit. Anaesthesia and Intensive Care, 2010, 38, 930-934.  | 0.2 | 49        |
| 15547 | Análise da reprodutibilidade do Doppler de amplitude tridimensional na avaliação da circulação do cã@rebro fetal. Radiologia Brasileira, 2010, 43, 369-374.   | 0.3 | 9         |
| 15548 | How Useful is Transcutaneous Carbon Dioxide Monitoring in the Adult Emergency Department?. Hong Kong Journal of Emergency Medicine, 2010, 17, 82-84.  | 0.4 | 0         |
| 15549 | Estimativa da massa muscular esquelã©tica em mulheres idosas: validade da impedã©ncia bioelã©trica. Revista Brasileira De Medicina Do Esporte, 2010, 16, 95-98.   | 0.1 | 6         |
| 15550 | Viabilidade da estimativa de QI a partir dos subtestes Vocabulã©rio e Cubos da WAIS-III. Psico-USF, 2010, 15, 215-224.  | 0.1 | 4         |
| 15551 | Modified BODE indexes: Agreement between multidimensional prognostic systems based on oxygen uptake. International Journal of COPD, 2010, 5, 133.   | 0.9 | 6         |
| 15553 | Predicting Myocardial Functional Recovery After Acute Myocardial Infarction: Relationship Between Myocardial Strain and Coronary Flow Reserve. Korean Circulation Journal, 2010, 40, 639.   | 0.7 | 15        |
| 15554 | Choosing Statistical Tests. Deutsches A&#x0308;rztblatt International, 2010, 107, 343-8.  | 0.6 | 101       |
| 15555 | Assessment of a Cardiac Output Device using Arterial Pulse Waveform Analysis, Vigileo<sup>TM</sup>, in Cardiac Surgery Compared to Pulmonary Arterial Thermodilution. Anaesthesia and Intensive Care, 2010, 38, 295-301.                  | 0.2 | 27        |
| 15556 | Impact of Mandatory IFRS Adoption on the Financial Sector. SSRN Electronic Journal, 0, , .  | 0.4 | 4         |
| 15557 | Prediction Equations for Body-fat Percentage in Indian Infants and Young Children Using Skinfold Thickness and Mid-arm Circumference. Journal of Health, Population and Nutrition, 2010, 28, 221-9.                                       | 0.7 | 15        |
| 15558 | Clinical evaluation of the Canon TX-10 noncontact tonometer in healthy eyes. European Journal of Ophthalmology, 2010, 20, 523-530.  | 0.7 | 18        |
| 15559 | Comparison of body composition methods in overweight and obese Brazilian women. Arquivos Brasileiros De Endocrinologia E Metabologia, 2010, 54, 398-405.  | 1.3 | 19        |
| 15560 | A computed tomography scoring system to assess pulmonary disease among premature infants. Sao Paulo Medical Journal, 2010, 128, 328-335.  | 0.4 | 9         |
| 15561 | Correlã©o entre a depuraã©o plasmã©tica de creatinina utilizando urina coletada durante 24 horas e 12 horas. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2010, 32, 165-172. | 0.4 | 10        |
| 15562 | An<i> In Silico</i> Model of Scanning Laser Tomography Image Series: An Alternative Benchmark for the Specificity of Progression Algorithms. , 2010, 51, 6472.  |     | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15563 | Estimating Visceral Fat Area by Multifrequency Bioelectrical Impedance. <i>Diabetes Care</i> , 2010, 33, 1077-1079.  | 4.3 | 54        |
| 15564 | Assessing the Accuracy of Applying Photogrammetry to Take Geometric Measurements on Building Products. <i>Journal of Construction Engineering and Management - ASCE</i> , 2010, 136, 242-250.  | 2.0 | 92        |
| 15565 | Reliability of near-infrared spectroscopy for measuring biceps brachii oxygenation during sustained and repeated isometric contractions. <i>Journal of Biomedical Optics</i> , 2010, 15, 017008.   | 1.4 | 51        |
| 15566 | Assessment of active spinal inflammatory changes in patients with axial spondyloarthritis: validation of whole body MRI against conventional MRI. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 648-653.   | 0.5 | 41        |
| 15567 | Semiautomatic vessel wall detection and quantification of wall thickness in computed tomography images of human abdominal aortic aneurysms. <i>Medical Physics</i> , 2010, 37, 638-648.  | 1.6 | 73        |
| 15568 | Quantitative Assessment of Mitral Regurgitation. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 694-700.  | 1.3 | 123       |
| 15569 | Arm-to-arm variation when evaluating neuromuscular block: an analysis of the precision and the bias and agreement between arms when using mechanomyography or acceleromyography. <i>British Journal of Anaesthesia</i> , 2010, 105, 310-317.           | 1.5 | 41        |
| 15570 | Induction of Chronic Kidney Failure in a Long-Term Peritoneal Exposure Model in the Rat: Effects on Functional and Structural Peritoneal Alterations. <i>Peritoneal Dialysis International</i> , 2010, 30, 558-569.                                    | 1.1 | 15        |
| 15571 | Assessment of Sulcation of the Fetal Brain in Cases of Isolated Agenesis of the Corpus Callosum Using In Utero MR Imaging. <i>American Journal of Neuroradiology</i> , 2010, 31, 1085-1090.  | 1.2 | 14        |
| 15572 | Inter- and Intra-Observer Reproducibility and Validity of an Indirect Volume Measurement in Transtibial Amputees. <i>Prosthetics and Orthotics International</i> , 2010, 34, 20-30.  | 0.5 | 9         |
| 15573 | Ultrasound Measurement of Total Body Fat in Obese Adolescents. <i>Annals of Nutrition and Metabolism</i> , 2010, 56, 36-44.  | 1.0 | 17        |
| 15574 | The Effect of Aging on Venous Valves. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 2075-2080.   | 1.1 | 24        |
| 15575 | Manufacturing and placing a bespoke support for the Marfan aortic root: description of the method and technical results and status at one year for the first ten patients. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2010, 10, 360-365. | 0.5 | 53        |
| 15576 | Creatinine-based GFR predicting equations in renal transplantation: reassessing the tubular secretion effect. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3076-3082.  | 0.4 | 12        |
| 15577 | Evaluation of the Chronic Kidney Disease Epidemiology Collaboration Equation for Dosing Antimicrobials. <i>Annals of Pharmacotherapy</i> , 2010, 44, 439-446.  | 0.9 | 27        |
| 15578 | Performance Characteristics of the MultiCode-RTx Hepatitis C Virus Load Test Targeting the 3' UTR Untranslated Region. <i>Journal of Clinical Microbiology</i> , 2010, 48, 1771-1774.  | 1.8 | 1         |
| 15579 | Changes in Mitral Annular Geometry and Dynamics With $\beta$ -Blockade in Patients With Degenerative Mitral Valve Disease. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 687-693.  | 1.3 | 19        |
| 15580 | Comparison of Two Methods for Blood Lead Analysis in Cattle: Graphite-Furnace Atomic Absorption Spectrometry and Leadcare <sup>®</sup> II System. <i>Journal of Veterinary Diagnostic Investigation</i> , 2010, 22, 729-733.                           | 0.5 | 15        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15581 | Ambulatory Arterial Stiffness Index: Reproducibility of Different Definitions. <i>American Journal of Hypertension</i> , 2010, 23, 129-134.   | 1.0 | 32        |
| 15582 | Assaying for circulating osteopontin in practice: a technical note. <i>European Respiratory Journal</i> , 2010, 35, 1187-1188.  | 3.1 | 7         |
| 15583 | The validity of wireless iButtons® and thermistors for human skin temperature measurement. <i>Physiological Measurement</i> , 2010, 31, 95-114.   | 1.2 | 115       |
| 15584 | Bioelectrical impedance spectroscopy in growth hormone-deficient adults. <i>Physiological Measurement</i> , 2010, 31, 59-75.  | 1.2 | 6         |
| 15585 | Comparison of time-resolved and continuous-wave near-infrared techniques for measuring cerebral blood flow in piglets. <i>Journal of Biomedical Optics</i> , 2010, 15, 057004.  | 1.4 | 56        |
| 15586 | Evaluation of the Lenstar LS 900 non-contact biometer. <i>British Journal of Ophthalmology</i> , 2010, 94, 106-110.   | 2.1 | 140       |
| 15587 | Development and validity testing of an IPF-specific version of the St George's Respiratory Questionnaire. <i>Thorax</i> , 2010, 65, 921-926.  | 2.7 | 128       |
| 15588 | Phase I Clinical and Magnetic Resonance Imaging Study of the Vascular Agent NGR-hTNF in Patients with Advanced Cancers (European Organization for Research and Treatment of Cancer Study 16041). <i>Clinical Cancer Research</i> , 2010, 16, 1315-1323. | 3.2 | 39        |
| 15589 | Evaluation of an Upgraded Version of the Roche Cobas AmpliPrep/Cobas TaqMan HIV-1 Test for HIV-1 Load Quantification. <i>Journal of Clinical Microbiology</i> , 2010, 48, 1413-1416.  | 1.8 | 47        |
| 15590 | Response to Is the Aldosterone:Renin Ratio Truly Reproducible?. <i>Hypertension</i> , 2010, 55, .   | 1.3 | 0         |
| 15591 | Comparison of QIAGEN Automated Nucleic Acid Extraction Methods for CMV Quantitative PCR Testing. <i>American Journal of Clinical Pathology</i> , 2010, 133, 558-563.  | 0.4 | 28        |
| 15592 | Long-term fatty acid stability in human serum cholesteryl ester, triglyceride, and phospholipid fractions. <i>Journal of Lipid Research</i> , 2010, 51, 2826-2832.  | 2.0 | 94        |
| 15593 | Median Intradialytic Blood Pressure Can Track Changes Evoked by Probing Dry-Weight. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 897-904.  | 2.2 | 17        |
| 15594 | Is visual resolution after adaptive optics correction susceptible to perceptual learning?. <i>Journal of Vision</i> , 2010, 10, 11-11.  | 0.1 | 24        |
| 15595 | Estimating physical activity energy expenditure, sedentary time, and physical activity intensity by self-report in adults. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 106-114.   | 2.2 | 207       |
| 15596 | Influence of Age and Nature of Primary Infection on Varicella-Zoster Virus-Specific Cell-Mediated Immune Responses. <i>Journal of Infectious Diseases</i> , 2010, 201, 1024-1030.   | 1.9 | 110       |
| 15597 | Discrepancies in International Normalized Ratio Results between Instruments: A Model to Split the Variation into Subcomponents. <i>Clinical Chemistry</i> , 2010, 56, 1618-1626.  | 1.5 | 20        |
| 15598 | Validity, responsiveness and reliability of the Patient-Rated Tennis Elbow Evaluation. <i>Hand Therapy</i> , 2010, 15, 62-68.   | 0.5 | 7         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15599 | Role of Three-Dimensional Echocardiography in Breast Cancer: Comparison With Two-Dimensional Echocardiography, Multiple-Gated Acquisition Scans, and Cardiac Magnetic Resonance Imaging. <i>Journal of Clinical Oncology</i> , 2010, 28, 3429-3436.      | 0.8 | 174       |
| 15600 | Use of the Site of Subcutaneous Insulin Administration for the Measurement of Glucose in Patients With Type 1 Diabetes. <i>Diabetes Care</i> , 2010, 33, 595-601.  | 4.3 | 26        |
| 15601 | High proportion of type I fibres in the gluteus medius muscle of young Norwegian "Swedish coldblooded trotters". <i>Comparative Exercise Physiology</i> , 2010, 7, 97-101.   | 0.3 | 1         |
| 15602 | Methods of assessing body fatness among children: Implications for the National Child Measurement Programme. <i>European Physical Education Review</i> , 2010, 16, 81-93.  | 1.2 | 1         |
| 15603 | Synovial tissue and serum biomarkers of disease activity, therapeutic response and radiographic progression: analysis of a proof-of-concept randomised clinical trial of cytokine blockade. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 706-714. | 0.5 | 39        |
| 15604 | The endurance shuttle walk test: An alternative to the six-minute walk test for the assessment of ambulatory oxygen. <i>Chronic Respiratory Disease</i> , 2010, 7, 239-245.  | 1.0 | 14        |
| 15605 | Effect of Hydroxymethylglutaryl Coenzyme-A Reductase Inhibitors on the Long-Term Progression of Rheumatic Mitral Valve Disease. <i>Circulation</i> , 2010, 121, 2130-2136.   | 1.6 | 24        |
| 15606 | A DXA-Based Mathematical Model Predicts Midhigh Muscle Mass from Magnetic Resonance Imaging in Typically Developing Children but Not in Those with Quadriplegic Cerebral Palsy. <i>Journal of Nutrition</i> , 2010, 140, 2260-2265.                      | 1.3 | 20        |
| 15607 | Comparison of distinctive gait variables using two different biomechanical models for ankle joint kinematics. <i>Footwear Science</i> , 2010, 2, 77-84.  | 0.8 | 2         |
| 15608 | Is the Aldosterone:Renin Ratio Truly Reproducible?. <i>Hypertension</i> , 2010, 55, e18; author reply e19.   | 1.3 | 0         |
| 15609 | Reliability of Intrabladder Pressure Measurement in Intensive Care. <i>American Journal of Critical Care</i> , 2010, 19, e29-e39.  | 0.8 | 14        |
| 15610 | Pressure Inside the Neuroendoscope: Correlation With Epidural Intracranial Pressure During Neuroendoscopic Procedures. <i>Journal of Neurosurgical Anesthesiology</i> , 2010, 22, 240-246.   | 0.6 | 10        |
| 15611 | Resting Energy Expenditure in Overweight and Obese Adults. <i>Topics in Clinical Nutrition</i> , 2010, 25, 180-187.  | 0.2 | 5         |
| 15612 | Factors Affecting Agreement Between Participant and Collateral Reports of Participant Drug Use Among College Students. <i>Addictive Disorders and Their Treatment</i> , 2010, 9, 123-134.  | 0.5 | 6         |
| 15613 | Scanning Laser Polarimetry Quantification of Retinal Nerve Fiber Layer Thinning Following Optic Neuritis. <i>Journal of Neuro-Ophthalmology</i> , 2010, 30, 235-242.   | 0.4 | 9         |
| 15614 | Feasibility of Applying Real-time Optical Imaging During Bronchoscopic Interventions for Central Airway Obstruction. <i>Journal of Bronchology and Interventional Pulmonology</i> , 2010, 17, 307-316.   | 0.8 | 11        |
| 15615 | Reference Values and Distribution of Conventional Echocardiographic Doppler Measures and Longitudinal Tissue Doppler Velocities in a Population Free From Cardiovascular Disease. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 614-622.         | 1.3 | 149       |
| 15616 | Iced vs Room-Temperature Injectates for Cardiac Index Measurement During Hypothermia and Normothermia. <i>American Journal of Critical Care</i> , 2010, 19, 365-372.   | 0.8 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15617 | Validation of the Chinese Version of the Problem Areas in Diabetes (PAID-C) Scale. <i>Diabetes Care</i> , 2010, 33, 38-40.  | 4.3 | 47        |
| 15618 | Clinical evaluation of the MacuScope macular pigment densitometer. <i>British Journal of Ophthalmology</i> , 2010, 94, 328-331.   | 2.1 | 14        |
| 15619 | Do the 15D scores and time trade-off (TTO) values of hospital patients' own health agree?. <i>International Journal of Technology Assessment in Health Care</i> , 2010, 26, 117-123.  | 0.2 | 5         |
| 15620 | A Modified Rheumatoid Arthritis Disease Activity Score Without Acute-phase Reactants (mDAS28) for Epidemiological Research. <i>Journal of Rheumatology</i> , 2010, 37, 1607-1614.   | 1.0 | 12        |
| 15621 | Reproducibility of Macular Thickness Measurements Using Cirrus SD-OCT in Neovascular Age-Related Macular Degeneration. , 2010, 51, 4788.  |     | 33        |
| 15622 | Use of ultrasonic pachymetry for measurement of changes in corneal thickness in mouse corneal transplant rejection. <i>British Journal of Ophthalmology</i> , 2010, 94, 368-371.  | 2.1 | 13        |
| 15623 | Performance of a New Leadless Implantable Cardiac Monitor in Detecting and Quantifying Atrial Fibrillation Results of the XPECT Trial. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2010, 3, 141-147.                   | 2.1 | 372       |
| 15624 | Fixation-Free Assessment of the Hirschberg Ratio. , 2010, 51, 4035.   |     | 17        |
| 15625 | Lipid Profile in Ambulatory Subjects Using 3 Point-of-Care Devices and Comparison With Reference Methods. <i>Point of Care</i> , 2010, 9, 102-107.  | 0.5 | 6         |
| 15626 | Molecular Quantification of Respiratory Syncytial Virus in Respiratory Samples: Reliable Detection during the Initial Phase of Infection. <i>Journal of Clinical Microbiology</i> , 2010, 48, 3569-3574.                          | 1.8 | 24        |
| 15627 | Quantitative Parametric Perfusion Images Using <sup>15</sup> O-Labeled Water and a Clinical PET/CT Scanner: Test-Retest Variability in Lung Cancer. <i>Journal of Nuclear Medicine</i> , 2010, 51, 1684-1690.                     | 2.8 | 42        |
| 15628 | Assessment of hip dysplasia and osteoarthritis: Variability of different methods. <i>Acta Radiologica</i> , 2010, 51, 187-193.  | 0.5 | 34        |
| 15629 | The Effects of a Dialysis Solution with a Combination of Glycerol/Amino Acids/Dextrose on the Peritoneal Membrane in Chronic Renal Failure. <i>Peritoneal Dialysis International</i> , 2010, 30, 192-200.                         | 1.1 | 20        |
| 15630 | Comparison of the Automated Oscillometric Method With the Gold Standard Doppler Ultrasound Method to Access the Ankle-Brachial Pressure Index. <i>Angiology</i> , 2010, 61, 487-491.  | 0.8 | 17        |
| 15631 | Suitability of the IDMS-Traceable MDRD Equation Method to Estimate GFR in Early Postoperative Renal Transplant Recipients. <i>Nephron Clinical Practice</i> , 2010, 114, c108-c117.   | 2.3 | 13        |
| 15632 | Serum Cystatin C-Based Formulas for Prediction of Glomerular Filtration Rate in Patients with Chronic Kidney Disease. <i>Nephron Clinical Practice</i> , 2010, 114, c118-c126.  | 2.3 | 28        |
| 15633 | Spectroscopic Noninvasive Measurement of Hemoglobin Compared with Capillary and Venous Values in Neonates. <i>Neonatology</i> , 2010, 98, 1-5.  | 0.9 | 44        |
| 15634 | Performance of the Automated COBAS AmpliPrep/COBAS TaqMan HIV-1 Test on a Genetically Diverse Panel of Specimens from China: Comparison to the COBAS Amplicor HIV-1 Monitor Test, v1.5. <i>Intervirology</i> , 2010, 53, 221-228. | 1.2 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15635 | North-African Reference Values of Alveolar Membrane Diffusion Capacity and Pulmonary Capillary Blood Volume. <i>Respiration</i> , 2010, 80, 301-312.   | 1.2 | 12        |
| 15636 | Measuring the Glomerular Filtration Rate in Obese Individuals without Overt Kidney Disease. <i>Nephron Clinical Practice</i> , 2010, 116, c224-c234.   | 2.3 | 38        |
| 15637 | The Development and Validation of an Outcome Measure for Spiritual Healing: A Mixed Methods Study. <i>Psychotherapy and Psychosomatics</i> , 2010, 79, 350-362.  | 4.0 | 7         |
| 15638 | Remote Ischemic Conditioning in Patients With Myocardial Infarction Treated With Primary Angioplasty. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 656-662.   | 1.3 | 109       |
| 15639 | Response to Comparing Blood Pressure Measurement Methods: Differences Depend on Blood Pressure Height. <i>Hypertension</i> , 2010, 56, .   | 1.3 | 1         |
| 15640 | Superior vena cava flow: feasibility and reliability of the off-line analyses. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2010, 95, F121-F125.  | 1.4 | 42        |
| 15641 | Rapid reduction in tenosynovitis of the wrist and fingers evaluated by MRI in patients with rheumatoid arthritis after treatment with etanercept. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1117-1122.         | 0.5 | 25        |
| 15642 | Deformation imaging describes right ventricular function better than longitudinal displacement of the tricuspid ring. <i>Heart</i> , 2010, 96, 281-288.  | 1.2 | 186       |
| 15643 | Justice at work and metabolic syndrome: the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2010, 67, 256-262.  | 1.3 | 50        |
| 15644 | Development and validation of prognostic models designed to predict wheelchair skills at discharge from spinal cord injury rehabilitation. <i>Clinical Rehabilitation</i> , 2010, 24, 168-180.                           | 1.0 | 4         |
| 15645 | Evidence of disagreement between patient-perceived change and conventional longitudinal evaluation of change in health-related quality of life among older adults. <i>Clinical Rehabilitation</i> , 2010, 24, 1036-1044. | 1.0 | 27        |
| 15646 | Can the Northwick Park Dependency Scale be translated to a Barthel Index?. <i>Clinical Rehabilitation</i> , 2010, 24, 1112-1120.   | 1.0 | 4         |
| 15647 | Deriving a Barthel Index from the Northwick Park Dependency Scale and the Functional Independence Measure: are they equivalent?. <i>Clinical Rehabilitation</i> , 2010, 24, 1121-1126.                                   | 1.0 | 14        |
| 15648 | Repeatability of cold pain and heat pain thresholds: The application of sensory testing in migraine research. <i>Cephalalgia</i> , 2010, 30, 904-909.  | 1.8 | 13        |
| 15649 | Analytical validation of serum bone alkaline phosphatase (BAP OSTASE) on Liaison. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 67-72.   | 1.4 | 12        |
| 15650 | Performance analysis of the ARCHITECT anti-cyclic citrullinated peptide antibody in the diagnosis of rheumatoid arthritis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 225-230.                        | 1.4 | 9         |
| 15651 | Point-of-care determination of neonatal bilirubin with the blood gas analyzer RapidLab 1265. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 1455-1461.  | 1.4 | 16        |
| 15652 | Nutritional Profiles in a Public Health Perspective: A Critical Review. <i>Journal of International Medical Research</i> , 2010, 38, 318-385.  | 0.4 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15653 | Non-invasive Indices for the Estimation of the Anaerobic Threshold of Oarsmen. <i>Journal of International Medical Research</i> , 2010, 38, 901-915.   | 0.4 | 13        |
| 15654 | A Review of Standards and Statistics Used to Describe Blood Glucose Monitor Performance. <i>Journal of Diabetes Science and Technology</i> , 2010, 4, 75-83.   | 1.3 | 84        |
| 15655 | Bayesian and Frequentist Methodologies for Analyzing Method Comparison Studies With Multiple Methods. <i>Statistics in Biopharmaceutical Research</i> , 2010, 2, 122-132.  | 0.6 | 12        |
| 15656 | Simplified Method for International Normalized Ratio (INR) Derivation Based on the Prothrombin Time/INR Line: An International Study. <i>Clinical Chemistry</i> , 2010, 56, 1608-1617.                           | 1.5 | 19        |
| 15657 | Assessing Medication Adherence Simultaneously by Electronic Monitoring and Pill Count in Patients With Mild-to-Moderate Hypertension. <i>American Journal of Hypertension</i> , 2010, 23, 149-154.               | 1.0 | 59        |
| 15658 | Evaluation of the Roche Cobas AmpliPrep/Cobas TaqMan HIV-1 Test and Identification of Rare Polymorphisms Potentially Affecting Assay Performance. <i>Journal of Clinical Microbiology</i> , 2010, 48, 2852-2858. | 1.8 | 19        |
| 15659 | Technologies for Continuous Glucose Monitoring: Current Problems and Future Promises. <i>Journal of Diabetes Science and Technology</i> , 2010, 4, 1540-1562.  | 1.3 | 219       |
| 15660 | Comparison of non-invasive fetal electrocardiogram to Doppler cardiocogram during the 1st stage of labor. <i>Journal of Perinatal Medicine</i> , 2010, 38, 179-85.   | 0.6 | 43        |
| 15661 | Ventilation and Haemodynamic Indicators in Spontaneously Breathing Pigs under General Anaesthesia. <i>Acta Veterinaria Brno</i> , 2010, 79, 61-65.   | 0.2 | 0         |
| 15662 | Respiratory Monitoring by Inductive Plethysmography in Unrestrained Subjects Using Position Sensor-Adjusted Calibration. <i>Respiration</i> , 2010, 79, 112-120.   | 1.2 | 40        |
| 15663 | Insulin VNTR and IGF-1 Promoter Region Polymorphisms Are Not Associated with Body Composition in Early Childhood: The Generation R Study. <i>Hormone Research in Paediatrics</i> , 2010, 73, 120-127.            | 0.8 | 10        |
| 15664 | Comparison of Different Sonographic Methods to Determine Fetal Abdominal Circumference. <i>Fetal Diagnosis and Therapy</i> , 2010, 28, 201-206.  | 0.6 | 10        |
| 15665 | A New Tool for Automatic Assessment of Segmental Wall Motion Based on Longitudinal 2D Strain. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 47-53.   | 1.3 | 37        |
| 15666 | Diagnosing Obesity by Body Mass Index in Chronic Kidney Disease. <i>Hypertension</i> , 2010, 56, 893-900.  | 1.3 | 98        |
| 15667 | Development of New Demi-Span Equations from a Nationally Representative Sample of Adults to Estimate Maximal Adult Height. <i>Journal of Nutrition</i> , 2010, 140, 1475-1480.                                   | 1.3 | 11        |
| 15668 | A real-time quantitative assay for hepatitis B DNA virus (HBV) developed to detect all HBV genotypes. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2010, 52, 119-124.                         | 0.5 | 35        |
| 15669 | Estimation of patent ductus arteriosus diameters by colour Doppler echocardiography in children. <i>Cardiology in the Young</i> , 2010, 20, 648-653.   | 0.4 | 2         |
| 15670 | Reproducibility of Doppler measures of ventricular function during maximal upright cycling. <i>Cardiology in the Young</i> , 2010, 20, 676-679.  | 0.4 | 10        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15671 | Relative validity of a self-completion 24 h recall questionnaire to assess beverage consumption among schoolchildren aged 7 to 9 years. <i>Public Health Nutrition</i> , 2010, 13, 187-195.  | 1.1 | 9         |
| 15672 | Evaluating energy intake measurement in free-living subjects: when to record and for how long?. <i>Public Health Nutrition</i> , 2010, 13, 172-180.  | 1.1 | 14        |
| 15673 | Validation of protein intake assessed from weighed dietary records against protein estimated from 24 h urine samples in children, adolescents and young adults participating in the Dortmund Nutritional and Longitudinally Designed (DONALD) Study. <i>Public Health Nutrition</i> , 2010, 13, 826-834. | 1.1 | 27        |
| 15674 | Relationship of arterial stiffness and early mild diastolic heart failure in general middle and aged population. <i>European Heart Journal</i> , 2010, 31, 2799-2807.  | 1.0 | 64        |
| 15675 | Comparison of two instruments measuring carotid-femoral pulse wave velocity: Vicorder versus SphygmoCor. <i>Journal of Hypertension</i> , 2010, 28, 1687-1691.   | 0.3 | 44        |
| 15676 | Comparative analysis of two FFQ. <i>Public Health Nutrition</i> , 2010, 13, 1553-1558.   | 1.1 | 22        |
| 15677 | Assessing portable blood glucose meters for clinical use in cats in the United Kingdom. <i>Veterinary Record</i> , 2010, 167, 438-442.   | 0.2 | 21        |
| 15678 | Relative validity of dietary patterns derived from a self-administered diet history questionnaire using factor analysis among Japanese adults. <i>Public Health Nutrition</i> , 2010, 13, 1080-1089.   | 1.1 | 52        |
| 15679 | Validation of a neonatal pain scale adapted to the new practices in caring for preterm newborns. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2010, 95, F263-F266.  | 1.4 | 37        |
| 15680 | Specific metabolic rates of major organs and tissues across adulthood: evaluation by mechanistic model of resting energy expenditure. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 1369-1377.   | 2.2 | 369       |
| 15681 | A new FFQ designed to measure the intake of fatty acids and antioxidants in children. <i>Public Health Nutrition</i> , 2010, 13, 38-46.  | 1.1 | 33        |
| 15682 | Back-Calculating Baseline Creatinine with MDRD Misclassifies Acute Kidney Injury in the Intensive Care Unit. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 1165-1173.  | 2.2 | 136       |
| 15683 | Assessment of physical activity using accelerometry, an activity diary, the heart rate method and the Indian Migration Study questionnaire in South Indian adults. <i>Public Health Nutrition</i> , 2010, 13, 47-53.   | 1.1 | 25        |
| 15684 | Assessment of Left Ventricular Pre-Ejection Period in the Fetus Using Simultaneous Magnetocardiography and Echocardiography. <i>Fetal Diagnosis and Therapy</i> , 2010, 28, 167-174.   | 0.6 | 21        |
| 15685 | Correspondence of continuous interstitial glucose measurement against arterialed and capillary glucose following an oral glucose tolerance test in healthy volunteers. <i>British Journal of Nutrition</i> , 2010, 103, 134-140.   | 1.2 | 25        |
| 15686 | Should We Continue to Use the Cockcroft-Gault Formula?. <i>Nephron Clinical Practice</i> , 2010, 116, c172-c186.   | 2.3 | 39        |
| 15687 | Differences in Pulmonary Function Based on Height Prediction Obtained by Using Alternative Measures. <i>Respiration</i> , 2010, 79, 461-468.   | 1.2 | 8         |
| 15688 | Validity of the Bouchard activity diary in Spanish adolescents. <i>Public Health Nutrition</i> , 2010, 13, 261-268.  | 1.1 | 13        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15690 | Method of Mean Value Calculation as an Additional Source of Variability in Ambulatory Blood Pressure Measurement. <i>American Journal of Hypertension</i> , 2010, 23, 725-731.  | 1.0 | 11        |
| 15691 | Reproducibility of CT Signs of Right Ventricular Dysfunction in Acute Pulmonary Embolism. <i>American Journal of Roentgenology</i> , 2010, 194, 1500-1506.  | 1.0 | 59        |
| 15692 | Non-invasive baroreflex sensitivity assessment using wavelet transfer function-based time-frequency analysis. <i>Physiological Measurement</i> , 2010, 31, 1021-1036.   | 1.2 | 15        |
| 15693 | AASM standards of practice compliant validation of actigraphic sleep analysis from SOMNOWatch <sup>®</sup> versus polysomnographic sleep diagnostics shows high conformity also among subjects with sleep disordered breathing. <i>Physiological Measurement</i> , 2010, 31, 1623-1633. | 1.2 | 46        |
| 15694 | A phantom study of nodule size evaluation with chest tomosynthesis and computed tomography. <i>Radiation Protection Dosimetry</i> , 2010, 139, 140-143.   | 0.4 | 14        |
| 15695 | Protease-activated receptor 2: a novel pathogenic pathway in a murine model of osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 2051-2054.   | 0.5 | 44        |
| 15696 | Body composition assessed by the 4-component model and association with lung function in 6-12-y-old children with cystic fibrosis. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 1332-1343.   | 2.2 | 23        |
| 15697 | Distinguishing Buried Objects in Extremely Shallow Underground by Frequency Response Using Scanning Laser Doppler Vibrometer. <i>Japanese Journal of Applied Physics</i> , 2010, 49, 07HC15.  | 0.8 | 10        |
| 15698 | Evaluation of the cerebrovascular pressure reactivity index using non-invasive finapres arterial blood pressure. <i>Physiological Measurement</i> , 2010, 31, 1217-1228.  | 1.2 | 20        |
| 15699 | A new approach to detecting weak signal in strong noise based on chaos system control. <i>Chinese Physics B</i> , 2010, 19, 030516.   | 0.7 | 9         |
| 15700 | Lin's method for heteroclinic chains involving periodic orbits. <i>Nonlinearity</i> , 2010, 23, 23-54.  | 0.6 | 13        |
| 15701 | A comparison of technologies used for estimation of body temperature. <i>Physiological Measurement</i> , 2010, 31, 1105-1118.   | 1.2 | 30        |
| 15702 | A methodological reappraisal of total and high molecular weight adiponectin determination in human peripheral circulation: comparison of four immunometric assays. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 561-568.   | 1.4 | 13        |
| 15703 | Validation of Cross-Sectional Time Series and Multivariate Adaptive Regression Splines Models for the Prediction of Energy Expenditure in Children and Adolescents Using Doubly Labeled Water. <i>Journal of Nutrition</i> , 2010, 140, 1516-1523.                                      | 1.3 | 56        |
| 15704 | Food Group Diversity Indicators Derived from Qualitative List-Based Questionnaire Misreported Some Foods Compared to Same Indicators Derived from Quantitative 24-Hour Recall in Urban Burkina Faso. <i>Journal of Nutrition</i> , 2010, 140, 2086S-2093S.                              | 1.3 | 27        |
| 15705 | Published Predictive Equations Overestimate Measured Resting Metabolic Rate in Young, Healthy Females. <i>Journal of the American College of Nutrition</i> , 2010, 29, 222-227.   | 1.1 | 14        |
| 15706 | Measurement of Blood Pressure in the Office. <i>Hypertension</i> , 2010, 55, 195-200.   | 1.3 | 241       |
| 15707 | Polar Activity Watch 200: a new device to accurately assess energy expenditure. <i>British Journal of Sports Medicine</i> , 2010, 44, 245-249.  | 3.1 | 42        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15708 | Use of a mobile phone diary for observing weight management and related behaviours. <i>Journal of Telemedicine and Telecare</i> , 2010, 16, 260-264.  | 1.4 | 47        |
| 15709 | The Accuracy of the Central Venous Blood Gas for Acid-Base Monitoring. <i>Journal of Intensive Care Medicine</i> , 2010, 25, 104-110.   | 1.3 | 52        |
| 15710 | The Factors that have a Role in Variability for Temperature. <i>Journal of Tropical Pediatrics</i> , 2010, 56, 53-59.   | 0.7 | 7         |
| 15711 | Flat Detector CT in the Evaluation of Brain Parenchyma, Intracranial Vasculature, and Cerebral Blood Volume: A Pilot Study in Patients with Acute Symptoms of Cerebral Ischemia. <i>American Journal of Neuroradiology</i> , 2010, 31, 1462-1469.   | 1.2 | 121       |
| 15712 | Assessment of the Nova StatSensor whole blood point-of-care creatinine analyzer for the measurement of kidney function in screening for chronic kidney disease. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 1113-9.   | 1.4 | 38        |
| 15713 | Variability of ascending aorta diameter measurements as assessed with electrocardiography-gated multidetector computerized tomography and computer assisted diagnosis software†. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2010, 10, 217-221.  | 0.5 | 38        |
| 15714 | Comparison of a computer system evaluation of intrapartum cardiotocographic events and a consensus of clinicians. <i>Journal of Perinatal Medicine</i> , 2010, 38, 191-5.   | 0.6 | 28        |
| 15715 | Evaluation of a multiplex assay for adipokine concentrations in obese children. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 1439-46.  | 1.4 | 17        |
| 15716 | Interrater Agreement Between Telerehabilitation and Face-to-Face Clinical Outcome Measurements for Total Knee Arthroplasty. <i>Telemedicine Journal and E-Health</i> , 2010, 16, 293-298.   | 1.6 | 58        |
| 15717 | Reproducibility of heart rate turbulence indexes in heart failure patients. , 2010, 2010, 2573-6.   |     | 5         |
| 15718 | International Physical Activity Questionnaire: Reliability and Validity of the Turkish Version. <i>Perceptual and Motor Skills</i> , 2010, 111, 278-284.  | 0.6 | 379       |
| 15719 | Assessment of Children's Literacy via an Internet-Based Telehealth System. <i>Telemedicine Journal and E-Health</i> , 2010, 16, 564-575.  | 1.6 | 37        |
| 15720 | Phase I study of dose-escalated busulfan with fludarabine and alemtuzumab as conditioning for allogeneic hematopoietic stem cell transplant: reduced clearance at high doses and occurrence of late sinusoidal obstruction syndrome/veno-occlusive disease. <i>Leukemia and Lymphoma</i> , 2010, 51, 2240-2249. | 0.6 | 40        |
| 15721 | Estimating changes in cardiac output using an implanted hemodynamic monitor in heart failure patients*. <i>Scandinavian Cardiovascular Journal</i> , 2010, 44, 201-208.   | 0.4 | 4         |
| 15722 | Motion Control Shoe Delays Fatigue of Shank Muscles in Runners with Overpronating Feet. <i>American Journal of Sports Medicine</i> , 2010, 38, 486-491.   | 1.9 | 15        |
| 15723 | Assessment of Breast Cancer-Related Arm Lymphedema—Comparison of Physical Measurement Methods and Self-Report. <i>Cancer Investigation</i> , 2010, 28, 54-62.   | 0.6 | 188       |
| 15724 | Automated segmentation and quantification of liver and spleen from CT images using normalized probabilistic atlases and enhancement estimation. <i>Medical Physics</i> , 2010, 37, 771-783.   | 1.6 | 113       |
| 15725 | Noninvasive transthoracic and transesophageal Doppler echocardiographic measurements of human coronary blood flow velocity: In vitro flow phantom validation. , 2010, 2010, 3784-7.   |     | 1         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15726 | Placental weight, digitally derived placental dimensions at term and their relationship to birth weight. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1176-1182.                         | 0.7 | 14        |
| 15727 | Does Cueing Training Improve Physical Activity in Patients With Parkinson's Disease?. <i>Neurorehabilitation and Neural Repair</i> , 2010, 24, 469-477.  | 1.4 | 59        |
| 15728 | Comparison of the ATS Versus EU Mini Wright Peak Flow Meter in Normal Volunteers. <i>Journal of Asthma</i> , 2010, 47, 1067-1071.  | 0.9 | 6         |
| 15729 | Is TRAP-6 suitable as a positive control for platelet reactivity when assessing response to clopidogrel?. <i>Platelets</i> , 2010, 21, 515-521.  | 1.1 | 31        |
| 15730 | Effects of Compounding on Pharmacokinetics of Itraconazole in Black-Footed Penguins ( <i>Spheniscus</i> ). <i>Journal of Pharmaceutical Sciences</i> , 2010, 99, 1000-1008.                                    | 0.3 | 33        |
| 15731 | Elite golfers' kinematic sequence in full-swing and partial-swing shots. <i>Sports Biomechanics</i> , 2010, 9, 236-244.  | 0.8 | 56        |
| 15732 | Match activities of top-class female soccer assistant referees in relation to the offside line. <i>European Journal of Sport Science</i> , 2010, 10, 371-376.  | 1.4 | 4         |
| 15733 | Prediction of birth weight using fetal thigh and upper-arm volumes by three-dimensional ultrasonography in a Brazilian population. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 393-398. | 0.7 | 11        |
| 15734 | Comparison of methods for determination of glomerular filtration rate in hypertensive subjects with normal serum creatinine. <i>Blood Pressure</i> , 2010, 19, 278-286.  | 0.7 | 2         |
| 15735 | Walking speed and distance in different environments of subjects in the later stage post-stroke. <i>Physiotherapy Theory and Practice</i> , 2010, 26, 519-527.   | 0.6 | 42        |
| 15736 | Cardiometabolic Risk Factors in Experimental Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2010, 27, 275-285.  | 1.7 | 37        |
| 15737 | Accuracy of 3D Reconstructions Based on Cone Beam Computed Tomography. <i>Journal of Dental Research</i> , 2010, 89, 1465-1469.  | 2.5 | 58        |
| 15738 | Productivity Loss Due to Presenteeism Among Patients with Arthritis: Estimates from 4 Instruments. <i>Journal of Rheumatology</i> , 2010, 37, 1805-1814.   | 1.0 | 102       |
| 15739 | Concordance Between Road Mortality Indicators in High-Income and Low- and Middle-Income Countries. <i>Traffic Injury Prevention</i> , 2010, 11, 173-177.   | 0.6 | 6         |
| 15740 | Measurement of Total and Compartmental Lung Volume Changes in Newborns by Optoelectronic Plethysmography. <i>Pediatric Research</i> , 2010, 67, 11-16.   | 1.1 | 51        |
| 15741 | Evaluation of creatinine-based formulas in dosing adjustment of cancer drugs other than carboplatin. <i>Journal of Oncology Pharmacy Practice</i> , 2010, 16, 113-119.   | 0.5 | 20        |
| 15742 | Evaluating the Clinical Accuracy of GlucoMen <sup>®</sup> Day: A Novel Microdialysis-Based Continuous Glucose Monitor. <i>Journal of Diabetes Science and Technology</i> , 2010, 4, 1182-1192.                 | 1.3 | 55        |
| 15743 | The International Physical Activity Questionnaire modified for the elderly: aspects of validity and feasibility. <i>Public Health Nutrition</i> , 2010, 13, 1847-1854.   | 1.1 | 169       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15744 | Hip flexibility is the main determinant of the back-saver sit-and-reach test in adolescents. <i>Journal of Sports Sciences</i> , 2010, 28, 641-648.   | 1.0 | 34        |
| 15745 | Validity of patient-derived disability and clinical data in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2010, 16, 472-479.  | 1.4 | 34        |
| 15746 | Fixation Stability: A Comparison between the Nidek MP-1 and the Rodenstock Scanning Laser Ophthalmoscope in Persons with and without Diabetic Maculopathy. , 2010, 51, 4346.  |     | 33        |
| 15747 | Measuring airway dimensions during bronchoscopy using anatomical optical coherence tomography. <i>European Respiratory Journal</i> , 2010, 35, 34-41.   | 3.1 | 67        |
| 15748 | Clinical evaluation of the MPS 9000 Macular Pigment Screener. <i>British Journal of Ophthalmology</i> , 2010, 94, 753-756.  | 2.1 | 23        |
| 15749 | Team Training in the Neonatal Resuscitation Program for Interns: Teamwork and Quality of Resuscitations. <i>Pediatrics</i> , 2010, 125, 539-546.  | 1.0 | 137       |
| 15750 | Echocardiography Can Identify Patients With Increased Pulmonary Vascular Resistance by Assessing Pressure Reflection in the Pulmonary Circulation. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 424-432.   | 1.3 | 25        |
| 15751 | Comparison of Aortic Root Dimensions and Geometries Before and After Transcatheter Aortic Valve Implantation by 2- and 3-Dimensional Transesophageal Echocardiography and Multislice Computed Tomography. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 94-102. | 1.3 | 339       |
| 15752 | Multivariate adaptive regression splines models for the prediction of energy expenditure in children and adolescents. <i>Journal of Applied Physiology</i> , 2010, 108, 128-136.  | 1.2 | 42        |
| 15753 | The end of the line? The Visual Analogue Scale and Verbal Numerical Rating Scale as pain assessment tools in the emergency department. <i>Emergency Medicine Journal</i> , 2010, 27, 372-375.   | 0.4 | 60        |
| 15754 | The resolution integral: visual and computational approaches to characterizing ultrasound images. <i>Physics in Medicine and Biology</i> , 2010, 55, 5067-5088.   | 1.6 | 22        |
| 15755 | Diffusion tensor imaging of the brain in a healthy adult population: Normative values and measurement reproducibility at 3 T and 1.5 T. <i>Acta Radiologica</i> , 2010, 51, 800-807.  | 0.5 | 51        |
| 15756 | Growth Hormone Response to GH-Releasing Peptide-2 in Children. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2010, 23, 473-80.   | 0.4 | 6         |
| 15757 | Continuous non-invasive finger arterial pressure monitoring reflects intra-arterial pressure changes in children undergoing cardiac surgery. <i>British Journal of Anaesthesia</i> , 2010, 105, 493-500.  | 1.5 | 39        |
| 15758 | Monitoring Renal Function in Hypertensive Pregnancy. <i>Hypertension in Pregnancy</i> , 2010, 29, 318-329.  | 0.5 | 14        |
| 15759 | The non-invasive and continuous estimation of cardiac output using a photoplethysmogram and electrocardiogram during incremental exercise. <i>Physiological Measurement</i> , 2010, 31, 715-726.  | 1.2 | 24        |
| 15760 | Validity and reliability of intra-stroke kayak velocity and acceleration using a GPS-based accelerometer. <i>Sports Biomechanics</i> , 2010, 9, 47-56.  | 0.8 | 34        |
| 15761 | Combined use of iteration, quadratic interpolation and an extra kernel for high-resolution 2D particle tracking: A first evaluation. , 2010, , .  |     | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15762 | Repeatability and Validation of a Short, Semi-Quantitative Food Frequency Questionnaire Designed for Older Adults Living in Mediterranean Areas: The MEDIS-FFQ. <i>Journal of Nutrition in Gerontology and Geriatrics</i> , 2010, 29, 311-324.                                       | 1.0 | 71        |
| 15763 | An original field evaluation test for chronic obstructive pulmonary disease population: the six-minute stepper test. <i>Clinical Rehabilitation</i> , 2010, 24, 82-93.   | 1.0 | 58        |
| 15764 | Comparison of utility measures and their relationship with other health status measures in 1041 patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1762-1767.   | 0.5 | 35        |
| 15765 | Low Frequency of Intermittent HIV-1 Semen Excretion in Patients Treated with Darunavir-Ritonavir at 600/100 Milligrams Twice a Day plus Two Nucleoside Reverse Transcriptase Inhibitors or Monotherapy. <i>Antimicrobial Agents and Chemotherapy</i> , 2010, 54, 4910-4913.          | 1.4 | 23        |
| 15766 | Agreement, Precision, and Accuracy of Epifluorescence Microscopy Methods for Enumeration of Total Bacterial Numbers. <i>Applied and Environmental Microbiology</i> , 2010, 76, 1981-1991.  | 1.4 | 38        |
| 15767 | An explanation for conflicting records of Triassic-Jurassic plant diversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 15351-15356.  | 3.3 | 86        |
| 15768 | Doppler Echocardiography in Advanced Systolic Heart Failure. <i>Circulation: Heart Failure</i> , 2010, 3, 387-394.   | 1.6 | 88        |
| 15769 | Motor and Sensory Nerve Conduction Are Affected Differently by Ice Pack, Ice Massage, and Cold Water Immersion. <i>Physical Therapy</i> , 2010, 90, 581-591.   | 1.1 | 142       |
| 15770 | The external Ballard examination does not accurately assess the gestational age of infants born at home in a rural community of The Gambia. <i>Annals of Tropical Paediatrics</i> , 2010, 30, 197-204.   | 1.0 | 21        |
| 15771 | Respiratory muscle pressures in non-CF bronchiectasis: Repeatability and reliability. <i>Chronic Respiratory Disease</i> , 2010, 7, 165-171.   | 1.0 | 24        |
| 15772 | Assessing Health-Related Fitness Tests in the School Setting: Reliability, Feasibility and Safety; The ALPHA Study. <i>International Journal of Sports Medicine</i> , 2010, 31, 490-497.   | 0.8 | 86        |
| 15773 | Association of Serum Cystatin C With Pulse Wave Velocity, But Not Pressure Wave Reflection, in Subjects With Normal Renal Function or Mild Chronic Kidney Disease. <i>American Journal of Hypertension</i> , 2010, 23, 967-973.  | 1.0 | 15        |
| 15774 | First-pass perfusion imaging of solitary pulmonary nodules with 64-detector row CT: comparison of perfusion parameters of malignant and benign lesions. <i>British Journal of Radiology</i> , 2010, 83, 785-790.   | 1.0 | 49        |
| 15775 | Statistical Evaluations of the Reproducibility and Reliability of 3-Tesla High Resolution Magnetization Transfer Brain Images: A Pilot Study on Healthy Subjects. <i>International Journal of Biomedical Imaging</i> , 2010, 2010, 1-11.   | 3.0 | 3         |
| 15776 | A system for the automatic estimation of morphometric parameters of corneal endothelium in alizarine red-stained images. <i>British Journal of Ophthalmology</i> , 2010, 94, 643-647.  | 2.1 | 45        |
| 15777 | Effects of Statins on the Epicardial Fat Thickness in Patients with Coronary Artery Stenosis Underwent Percutaneous Coronary Intervention: Comparison of Atorvastatin with Simvastatin/Ezetimibe. <i>Journal of Cardiovascular Imaging</i> , 2010, 18, 121.                          | 0.8 | 82        |
| 15778 | Validity and reliability of a new method for measuring putting stroke kinematics using the TOMIA® system. <i>Journal of Sports Sciences</i> , 2010, 28, 891-899.   | 1.0 | 19        |
| 15779 | Comparison of Urinary Albumin-Creatinine Ratio and Albumin Excretion Rate in the Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications Study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 1235-1242. | 2.2 | 46        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15780 | Reproducibility of <sup>18</sup> F-FDG and <sup>3</sup> Deoxy- <sup>3</sup> - <sup>18</sup> F-Fluorothymidine PET Tumor Volume Measurements. <i>Journal of Nuclear Medicine</i> , 2010, 51, 1368-1376.   | 2.8 | 118       |
| 15781 | Optimal Clinical Time for Reliable Measurement of Transcutaneous CO <sub>2</sub> with Ear Probes: Counterbalancing Overshoot and the Vasodilatation Effect. <i>Sensors</i> , 2010, 10, 491-500.  | 2.1 | 5         |
| 15782 | Construct validity of RT3 accelerometer: A comparison of level-ground and treadmill walking at self-selected speeds. <i>Journal of Rehabilitation Research and Development</i> , 2010, 47, 157.  | 1.6 | 17        |
| 15783 | Accuracy of simple predictive equations for visceral fat area after 8 weeks of training. <i>Journal of Sports Sciences</i> , 2010, 28, 881-889.  | 1.0 | 1         |
| 15784 | Anaerobic Work Capacity Derived from Isokinetic and Isoinertial Cycling. <i>International Journal of Sports Medicine</i> , 2010, 31, 89-94.  | 0.8 | 0         |
| 15785 | Validity of estimating non-sex hormone-binding globulin bound testosterone and oestradiol from total hormone measurements in boys and girls. <i>Annals of Clinical Biochemistry</i> , 2010, 47, 233-241.   | 0.8 | 15        |
| 15786 | Assessment of reproducibility of creatinine measurement and MELD scoring in four liver transplant units in the UK. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 960-966.   | 0.4 | 17        |
| 15787 | Layer-specific strain analysis by speckle tracking echocardiography reveals differences in left ventricular function between rats and humans. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 299, H664-H672.   | 1.5 | 33        |
| 15788 | The reliability of the Communication Disability Profile: A patient-reported outcome measure for aphasia. <i>Aphasiology</i> , 2010, 24, 940-956.   | 1.4 | 17        |
| 15789 | A Simple Approach to Assess VT During a Field Walk Test. <i>International Journal of Sports Medicine</i> , 2010, 31, 698-703.  | 0.8 | 29        |
| 15790 | Simple modeling allows prediction of steady-state glucose disposal rate from early data in hyperinsulinemic glucose clamps. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010, 298, E229-E236.   | 1.8 | 10        |
| 15791 | Detection of myocardial perfusion abnormalities: standard dual-source coronary computed tomography angiography versus rest/stress technetium-99m single-photo emission CT. <i>British Journal of Radiology</i> , 2010, 83, 652-660.  | 1.0 | 11        |
| 15792 | Maternal Exposure to Nitrogen Dioxide during Pregnancy and Offspring Birth Weight: Comparison of Two Exposure Models. <i>Environmental Health Perspectives</i> , 2010, 118, 1483-1489.   | 2.8 | 25        |
| 15793 | Relationship Between Ventilatory Thresholds and Systolic Blood Pressure Variability. <i>International Journal of Sports Medicine</i> , 2010, 31, 604-609.  | 0.8 | 1         |
| 15794 | Performance evaluation of a particle-enhanced turbidimetric cystatin C assay using the Abbott Aeroset analyser and assessment of cystatin C-based equations for estimating glomerular filtration rate in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 1489-1496. | 0.4 | 4         |
| 15795 | Relationship Between Coronary Microvascular Dysfunction and Cardiac Energetics Impairment in Type 1 Diabetes Mellitus. <i>Circulation</i> , 2010, 121, 1209-1215.  | 1.6 | 69        |
| 15796 | Avascular necrosis associated with fracture of the femoral neck after hip resurfacing. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 787-793.   | 3.4 | 60        |
| 15797 | The final follow-up plain radiograph is sufficient for clinical evaluation of polyethylene wear in total hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010, 81, 570-578.  | 1.2 | 27        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15798 | Parallel assessment of nutrition and activity in athletes: Validation against doubly labelled water, 24-h urea excretion, and indirect calorimetry. <i>Journal of Sports Sciences</i> , 2010, 28, 1435-1449.  | 1.0 | 19        |
| 15799 | Evaluation of the Monitor Cursor-Line Method for Measuring Pulmonary Artery and Central Venous Pressures. <i>American Journal of Critical Care</i> , 2010, 19, 511-521.   | 0.8 | 3         |
| 15800 | Development and validation of a blinded hybrid device according to the European Hypertension Society protocol: Nissei DM-3000. <i>Journal of Human Hypertension</i> , 2010, 24, 609-616.  | 1.0 | 13        |
| 15801 | Assessment of GFR by four methods in adults in Ashanti, Ghana: the need for an eGFR equation for lean African populations. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 2178-2187.  | 0.4 | 119       |
| 15802 | Comparison between transcutaneous bilirubinometry and total serum bilirubin measurements in preterm infants <35 weeks gestation. <i>Annals of Clinical Biochemistry</i> , 2010, 47, 72-77.  | 0.8 | 24        |
| 15803 | Altered movement patterns but not muscle recruitment in moderately trained triathletes during running after cycling. <i>Journal of Sports Sciences</i> , 2010, 28, 1477-1487.   | 1.0 | 14        |
| 15804 | Subcellular localization-dependent decrements in skeletal muscle glycogen and mitochondria content following short-term disuse in young and old men. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010, 299, E1053-E1060. | 1.8 | 46        |
| 15805 | Clinical Evaluation of a Dried Blood Spot Assay for Atazanavir. <i>Antimicrobial Agents and Chemotherapy</i> , 2010, 54, 4124-4128.   | 1.4 | 10        |
| 15806 | Reliability of Soleus H-Reflexes in Standing and Walking Post-Incomplete Spinal Cord Injury. <i>International Journal of Neuroscience</i> , 2010, 120, 128-136.   | 0.8 | 6         |
| 15807 | The Modified Rivermead Mobility Index: Reliability and convergent validity in a mixed neurological population. <i>Disability and Rehabilitation</i> , 2010, 32, 1133-1139.  | 0.9 | 13        |
| 15808 | Forearm and Upper-Arm Oscillometric Blood Pressure Comparison in Acutely Ill Adults. <i>Western Journal of Nursing Research</i> , 2010, 32, 322-340.  | 0.6 | 12        |
| 15809 | Assessment of Fever in African Children: Implication for Malaria Trials. <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 82, 215-218.  | 0.6 | 19        |
| 15810 | Comparison between Personal and Individual Exposure to Urban Air Pollutants. <i>Aerosol Science and Technology</i> , 2010, 44, 370-379.   | 1.5 | 34        |
| 15811 | Detecting myocardial ischaemia using miniature ultrasonic transducers – a feasibility study in a porcine model†. <i>European Journal of Cardio-thoracic Surgery</i> , 2010, 37, 119-126.  | 0.6 | 16        |
| 15812 | Baroreflex control of muscle sympathetic nerve activity: a nonpharmacological measure of baroreflex sensitivity. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 298, H816-H822.                                   | 1.5 | 80        |
| 15813 | Validity and Reliability of the Wattbike Cycle Ergometer. <i>International Journal of Sports Medicine</i> , 2010, 31, 731-736.  | 0.8 | 69        |
| 15814 | Doppler Ultrasonography for the Noninvasive Measurement of Uterine Artery Volume Blood Flow Through Gestation in the Pregnant Sheep. <i>Reproductive Sciences</i> , 2010, 17, 13-19.  | 1.1 | 9         |
| 15815 | Echocardiographic methods for quantification of left ventricular ejection fraction: are they interchangeable?. <i>Ultrasound</i> , 2010, 18, 73-81.   | 0.3 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15816 | Pulse oximeter accuracy and precision at five different sensor locations in infants and children with cyanotic heart disease. <i>Indian Journal of Anaesthesia</i> , 2010, 54, 531.   | 0.3 | 20        |
| 15817 | The value of estimated GFR in comparison to measured GFR for the assessment of renal function in adult patients with Fabry disease. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 2549-2556.   | 0.4 | 41        |
| 15818 | Test-retest variability of intraocular pressure and ocular pulse amplitude for dynamic contour tonometry: a multicentre study. <i>British Journal of Ophthalmology</i> , 2010, 94, 419-423.   | 2.1 | 19        |
| 15819 | Invasive Non-typhoid Salmonellae Establish Systemic Intracellular Infection in HIV-infected Adults: An Emerging Disease Pathogenesis. <i>Clinical Infectious Diseases</i> , 2010, 50, 953-962.  | 2.9 | 90        |
| 15820 | A simple approach for assessing equilibrated Kt/V <sub>2</sub> -M on a routine basis. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3038-3044.   | 0.4 | 10        |
| 15821 | A simplified method for deriving shunt and reduced VA/Q in infants. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2010, 95, F47-F52.  | 1.4 | 20        |
| 15822 | Comparison of International Normalized Ratios provided by two point-of-care devices and laboratory-based venipuncture in a pharmacist-managed anticoagulation clinic. <i>American Journal of Health-System Pharmacy</i> , 2010, 67, 1616-1622.                | 0.5 | 32        |
| 15823 | Comparison of a bioimpedance monitor with dual-energy x-ray absorptiometry for noninvasive estimation of percentage body fat in dogs. <i>American Journal of Veterinary Research</i> , 2010, 71, 393-398.   | 0.3 | 21        |
| 15824 | Assessment of aortic annulus dimensions for Edwards SAPIEN Transapical Heart Valve implantation by computed tomography: calculating average diameter using a virtual ring method. <i>European Journal of Cardio-thoracic Surgery</i> , 2010, 38, 750-758.     | 0.6 | 80        |
| 15825 | Self blood pressure monitoring: a worthy substitute for ambulatory blood pressure?. <i>Journal of Human Hypertension</i> , 2010, 24, 801-806.   | 1.0 | 30        |
| 15826 | Superior-capsular elongation and its significance in atraumatic posteroinferior multidirectional shoulder instability in magnetic resonance arthrography. <i>Acta Radiologica</i> , 2010, 51, 302-308.  | 0.5 | 18        |
| 15827 | Blood Sampling Through Peripheral Venous Catheters Is Reliable for Selected Basic Analytes in Children. <i>Pediatrics</i> , 2010, 126, e179-e186.   | 1.0 | 25        |
| 15828 | Validity, responsiveness, intra- and inter-rater reliability of the weighted tape measure when measuring digital circumference. <i>Hand Therapy</i> , 2010, 15, 31-38.  | 0.5 | 3         |
| 15829 | Polyethylene wear in Oxford unicompartmental knee replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 367-373.  | 3.4 | 79        |
| 15830 | Comparison of Pathvysion and Poseidon HER2 FISH assays in measuring HER2 amplification in breast cancer: a validation study. <i>Journal of Clinical Pathology</i> , 2010, 63, 341-346.  | 1.0 | 6         |
| 15831 | Evaluation of a commercially available pedometer used to promote physical activity as part of a national programme. <i>British Journal of Sports Medicine</i> , 2010, 44, 1178-1183.  | 3.1 | 32        |
| 15832 | Observations of time-based measures of flow-mediated dilation of forearm conduit arteries: implications for the accurate assessment of endothelial function. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 299, H939-H945. | 1.5 | 29        |
| 15833 | Validation of the New Zealand Physical Activity Questionnaire (NZPAQ-LF) and the International Physical Activity Questionnaire (IPAQ-LF) with accelerometry. <i>British Journal of Sports Medicine</i> , 2010, 44, 741-746.                                   | 3.1 | 119       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15835 | Use of spent dialysate analysis to estimate blood levels of uraemic solutes without blood sampling: urea. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 873-879.   | 0.4 | 7         |
| 15836 | Monitoring Achilles enthesitis in ankylosing spondylitis during TNF- $\alpha$ antagonist therapy: an ultrasound study. <i>Rheumatology</i> , 2010, 49, 578-582.   | 0.9 | 85        |
| 15837 | Effect of Examiner Experience and Technique on the Alternate Cover Test. <i>Optometry and Vision Science</i> , 2010, 87, 168-175.   | 0.6 | 25        |
| 15838 | Comparison of non-invasive continuous bloodpressure measured by Nexfin $\text{\textcircled{R}}$ and invasive radial artery readings. <i>European Journal of Anaesthesiology</i> , 2010, 27, 65.   | 0.7 | 0         |
| 15839 | Feasibility of In Vivo Pressure Measurement Using a Pressure-Tip Catheter via Transventricular Puncture. <i>ASAIO Journal</i> , 2010, 56, 194-199.  | 0.9 | 1         |
| 15840 | A Nasal Catheter for the Measurement of End-Tidal Carbon Dioxide in Spontaneously Breathing Patients. <i>Anesthesia and Analgesia</i> , 2010, 110, 1039-1042.   | 1.1 | 6         |
| 15841 | Alternative Methods of Refraction: A Comparison of Three Techniques. <i>Optometry and Vision Science</i> , 2010, 87, E176-E182.   | 0.6 | 20        |
| 15842 | Measurement of left atrial volume in patients undergoing ablation for atrial fibrillation: comparison of angiography and electro-anatomic (CARTO) mapping with real-time three-dimensional echocardiography. <i>Europace</i> , 2010, 12, 792-797. | 0.7 | 25        |
| 15843 | A novel operator-independent algorithm for cardiac output measurements based on three-dimensional transoesophageal colour Doppler echocardiography. <i>European Journal of Echocardiography</i> , 2010, 11, 432-437.                              | 2.3 | 10        |
| 15844 | Cardiac Output Measurement in Ventilated Lambs with a Significant Left-to-Right Shunt Using the Modified Carbon Dioxide Fick Method. <i>Neonatology</i> , 2010, 97, 124-131.  | 0.9 | 8         |
| 15845 | Initial Development and Reliability of a Motivation for Weight Loss Scale. <i>Obesity Facts</i> , 2010, 3, 7-7.   | 1.6 | 33        |
| 15846 | Psychometric Properties of the PAT: An Assessment Tool for ADL Performance of Older People Living in Residential Homes. <i>Gerontology</i> , 2011, 57, 405-413.   | 1.4 | 5         |
| 15847 | Accuracy of a Portable Multisensor Body Monitor for Predicting Resting Energy Expenditure in Older People: A Comparison with Indirect Calorimetry. <i>Gerontology</i> , 2011, 57, 473-479.  | 1.4 | 19        |
| 15848 | Air Displacement Plethysmography for Estimating Body Composition Changes with Weight Loss in Middle-Aged Japanese Men. <i>Obesity Facts</i> , 2010, 3, 357-362.   | 1.6 | 10        |
| 15849 | Development of the Performance Measure for Activities of Daily Living-8 for Patients with Congestive Heart Failure: A Preliminary Study. <i>Gerontology</i> , 2010, 56, 459-466.  | 1.4 | 19        |
| 15850 | A Review of Nerve Conduction Studies in Cases of Suspected Compression Neuropathies of the Upper Limb. <i>European Neurology</i> , 2010, 63, 11-16.   | 0.6 | 6         |
| 15851 | Standardized Tape Stripping: A Practical and Reproducible Protocol to Uniformly Reduce the Stratum Corneum. <i>Skin Pharmacology and Physiology</i> , 2010, 23, 259-265.  | 1.1 | 42        |
| 15852 | Limitations in Surrogate Measures of Insulin Resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 4874-4876.   | 1.8 | 38        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15853 | Ophthalmic Examination Findings in A Captive Colony of Western Gray Kangaroos ( <i>Macropus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 742  | 0.3 | 11        |
| 15854 | Persistent Pure Ground-Class Nodules in the Lung: Interscan Variability of Semiautomated Volume and Attenuation Measurements. <i>American Journal of Roentgenology</i> , 2010, 195, W408-W414.  | 1.0 | 43        |
| 15855 | Real-time three-dimensional transoesophageal echocardiography in the assessment of aortic valve stenosis. <i>European Journal of Echocardiography</i> , 2010, 11, 9-13.   | 2.3 | 28        |
| 15856 | Reproducibility of myocardial velocity and deformation imaging in term and preterm infants. <i>European Journal of Echocardiography</i> , 2010, 11, 44-50.  | 2.3 | 41        |
| 15857 | Left ventricular volumetry in healthy children and adolescents: comparison of two different real-time three-dimensional matrix transducers with cardiovascular magnetic resonance. <i>European Journal of Echocardiography</i> , 2010, 11, 138-148. | 2.3 | 37        |
| 15858 | Reproducibility in echocardiographic assessment of the left ventricular global and regional function, the HUNT study. <i>European Journal of Echocardiography</i> , 2010, 11, 149-156.  | 2.3 | 109       |
| 15859 | Validation of a novel automated border-detection algorithm for rapid and accurate quantitation of left ventricular volumes based on three-dimensional echocardiography. <i>European Heart Journal Cardiovascular Imaging</i> , 2010, 11, 359-368.   | 0.5 | 89        |
| 15860 | Usefulness of trans-oesophageal echocardiography using intracardiac echography probe in guiding patent foramen ovale percutaneous closure. <i>European Journal of Echocardiography</i> , 2010, 11, 394-400.   | 2.3 | 12        |
| 15861 | Tissue Doppler E/E' ratio is a powerful predictor of primary cardiac events in a hypertensive population: an ASCOT substudy. <i>European Heart Journal</i> , 2010, 31, 747-752.   | 1.0 | 176       |
| 15862 | The fate of incomplete stent apposition with drug-eluting stents: an optical coherence tomography-based natural history study. <i>European Heart Journal</i> , 2010, 31, 1470-1476.   | 1.0 | 174       |
| 15863 | Coronary optical frequency domain imaging (OFDI) for in vivo evaluation of stent healing: comparison with light and electron microscopy. <i>European Heart Journal</i> , 2010, 31, 1792-1801.   | 1.0 | 109       |
| 15864 | A prospective comparison of echocardiography and device algorithms for atrioventricular and interventricular interval optimization in cardiac resynchronization therapy. <i>Europace</i> , 2010, 12, 84-91.   | 0.7 | 58        |
| 15865 | Right ventricular systolic function and cardiac resynchronization therapy. <i>Europace</i> , 2010, 12, 389-394.   | 0.7 | 51        |
| 15866 | What is the best alternative to inulin clearance to estimate GFR in patients with decompensated alcoholic cirrhosis?. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3569-3575.   | 0.4 | 24        |
| 15867 | A real-time device for converting Doppler ultrasound audio signals into fluid flow velocity. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 298, H1626-H1632.   | 1.5 | 61        |
| 15868 | Evaluation of Image Quality Metrics for the Prediction of Subjective Best Focus. <i>Optometry and Vision Science</i> , 2010, 87, 183-189.   | 0.6 | 13        |
| 15869 | Hemodialysis Access Flow Measurements Using Flow Dilution and In-Line Dialysance Are Not Interchangeable for Hemodialysis Access Flow Surveillance. <i>ASAIO Journal</i> , 2010, 56, 80.  | 0.9 | 1         |
| 15870 | Airway Count and Emphysema Assessed by Chest CT Imaging Predicts Clinical Outcome in Smokers. <i>Chest</i> , 2010, 138, 880-887.  | 0.4 | 68        |



| #     | ARTICLE  | IF   | CITATIONS |
|-------|--|------|-----------|
| 15871 | Exhaled Nitric Oxide Measurements From Different Analyzers. <i>Chest</i> , 2010, 138, 1275-1277.   | 0.4  | 4         |
| 15872 | Malignant Hepatic Tumors: Short-term Reproducibility of Apparent Diffusion Coefficients with Breath-hold and Respiratory-triggered Diffusion-weighted MR Imaging. <i>Radiology</i> , 2010, 255, 815-823.                     | 3.6  | 134       |
| 15873 | Application of radial basis function neural network to estimate glomerular filtration rate in Chinese patients with chronic kidney disease. , 2010, , .  |      | 11        |
| 15874 | Reproducibility of Controlled Force Exertion Measurements Computed by a Quasi-Random Target-Pursuit System. <i>Perceptual and Motor Skills</i> , 2010, 110, 366-378.   | 0.6  | 2         |
| 15875 | Development and evaluation of a semiautomatic segmentation method for the estimation of LV parameters on cine MR images. <i>Physics in Medicine and Biology</i> , 2010, 55, 1127-1140.                                       | 1.6  | 14        |
| 15876 | Estimation of percentage body fat by dual-energy x-ray absorptiometry: evaluation by <i>in vivo</i> human elemental composition. <i>Physics in Medicine and Biology</i> , 2010, 55, 2619-2635.                               | 1.6  | 44        |
| 15877 | Do Specific Weight Formulas for Fetuses $\geq$ 1500 g Really Improve Weight Estimation?. <i>Ultraschall in Der Medizin</i> , 2010, 31, 48-52.  | 0.8  | 13        |
| 15878 | Predicting MAOD Using Only a Supramaximal Exhaustive Test. <i>International Journal of Sports Medicine</i> , 2010, 31, 477-481.  | 0.8  | 61        |
| 15879 | Bland-Altman Plots and Receiver Operating Characteristic Curves Are Preferred. <i>Radiology</i> , 2010, 257, 896-896.  | 3.6  | 1         |
| 15880 | Quantitative Assessment of Bronchial Wall Attenuation With Thin-Section CT: An Indicator of Airflow Limitation in Chronic Obstructive Pulmonary Disease. <i>American Journal of Roentgenology</i> , 2010, 195, 363-369.      | 1.0  | 40        |
| 15881 | Treatment Response Assessment of Head and Neck Cancers on CT Using Computerized Volume Analysis. <i>American Journal of Neuroradiology</i> , 2010, 31, 1744-1751.  | 1.2  | 16        |
| 15882 | Use of DBS sample collection to determine circulating drug concentrations in clinical trials: practicalities and considerations. <i>Bioanalysis</i> , 2010, 2, 1515-1522.  | 0.6  | 46        |
| 15883 | Long-term reproducibility of ambulatory blood pressure is superior to office blood pressure in the very elderly. <i>Journal of Human Hypertension</i> , 2010, 24, 749-754.   | 1.0  | 38        |
| 15884 | Management of Lung Nodules Detected by Volume CT Scanning. <i>New England Journal of Medicine</i> , 2010, 362, 757-759.  | 13.9 | 9         |
| 15885 | Improving image segmentation performance and quantitative analysis via a computer-aided grading methodology for optical coherence tomography retinal image analysis. <i>Journal of Biomedical Optics</i> , 2010, 15, 046015. | 1.4  | 19        |
| 15886 | Evaluation of two portable meters for determination of blood triglyceride concentration in dogs. <i>American Journal of Veterinary Research</i> , 2010, 71, 203-210.   | 0.3  | 7         |
| 15887 | Anthropometric measures of increased central and overall adiposity in association with echocardiographic left ventricular hypertrophy. <i>Hypertension Research</i> , 2010, 33, 83-87.                                       | 1.5  | 19        |
| 15888 | Optimizing iohexol plasma disappearance curves to measure the glomerular filtration rate in children with chronic kidney disease. <i>Kidney International</i> , 2010, 77, 65-71.   | 2.6  | 57        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15889 | Z-Score Comparability of Bone Mineral Density Reference Databases for Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 4652-4659.   | 1.8 | 35        |
| 15890 | Dynamic Contrast-enhanced CT for Prostate Cancer: Relationship between Image Noise, Voxel Size, and Repeatability. <i>Radiology</i> , 2010, 256, 976-984.  | 3.6 | 27        |
| 15891 | Tetralogy of Fallot: 3D Velocity-encoded MR Imaging for Evaluation of Right Ventricular Valve Flow and Diastolic Function in Patients after Correction. <i>Radiology</i> , 2010, 256, 724-734.   | 3.6 | 48        |
| 15892 | Influence of Supplemental Written Information on Adolescent Anxiety, Motivation and Compliance in Early Orthodontic Treatment. <i>Angle Orthodontist</i> , 2010, 80, 329-335.  | 1.1 | 31        |
| 15893 | New Response Evaluation Criteria in Solid Tumors (RECIST) Guidelines for Advanced Non-Small Cell Lung Cancer: Comparison With Original RECIST and Impact on Assessment of Tumor Response to Targeted Therapy. <i>American Journal of Roentgenology</i> , 2010, 195, W221-W228. | 1.0 | 182       |
| 15894 | Diffusion-Weighted MRI for the Healthy Cervical Multifidus: A Potential Method for Studying Neck Muscle Physiology Following Spinal Trauma. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2010, 40, 722-728.   | 1.7 | 16        |
| 15895 | Computer-Aided Volumetry of Pulmonary Nodules Exhibiting Ground-Glass Opacity at MDCT. <i>American Journal of Roentgenology</i> , 2010, 194, 398-406.  | 1.0 | 83        |
| 15896 | Ceramide Is Increased in the Lower Airway Epithelium of People with Advanced Cystic Fibrosis Lung Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010, 182, 369-375.   | 2.5 | 90        |
| 15897 | Late Gadolinium-Enhanced Cardiovascular MRI at End-Systole: Feasibility Study. <i>American Journal of Roentgenology</i> , 2010, 195, 1088-1094.  | 1.0 | 7         |
| 15898 | Experimental validation of left ventricular transmural strain gradient with echocardiographic two-dimensional speckle tracking imaging. <i>European Journal of Echocardiography</i> , 2010, 11, 377-385.   | 2.3 | 61        |
| 15899 | Pulmonary Ground-Glass Nodules: Increase in Mass as an Early Indicator of Growth. <i>Radiology</i> , 2010, 255, 199-206.   | 3.6 | 198       |
| 15900 | Assessment of left ventricular function by different speckle-tracking software. <i>European Journal of Echocardiography</i> , 2010, 11, 417-421.   | 2.3 | 111       |
| 15901 | Accuracy of Emphysema Quantification Performed With Reduced Numbers of CT Sections. <i>American Journal of Roentgenology</i> , 2010, 194, 585-591.   | 1.0 | 4         |
| 15902 | A comparison of two validated tests for upper limb function after stroke: The Wolf Motor Function Test and the Action Research Arm Test. <i>Journal of Rehabilitation Medicine</i> , 2010, 42, 694-696.  | 0.8 | 87        |
| 15903 | Prediction of Arterial Oxygen Tension: Validation of a Novel Formula. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010, 182, 435-436.  | 2.5 | 9         |
| 15904 | Semiautomated Segmentation for Volumetric Analysis of Intratumoral Ethiodol Uptake and Subsequent Tumor Necrosis After Chemoembolization. <i>American Journal of Roentgenology</i> , 2010, 195, 1220-1230.   | 1.0 | 53        |
| 15905 | A framework for the design and development of physical employment tests and standards. <i>Ergonomics</i> , 2010, 53, 858-871.  | 1.1 | 96        |
| 15906 | Dietary Non-heme Iron Bioavailability Among Children (Ages 5-8) in a Rural, High-Anemia-Prevalent Area in North India: Comparison of Algorithms. <i>Ecology of Food and Nutrition</i> , 2010, 49, 262-278.   | 0.8 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15907 | Performance of Simultaneous Cardiac-Respiratory Self-gated Three-dimensional MR Imaging of the Heart: Initial Experience. <i>Radiology</i> , 2010, 255, 909-916.   | 3.6 | 14        |
| 15908 | Atrial asynchrony and function before and after electrical cardioversion for persistent atrial fibrillation. <i>European Journal of Echocardiography</i> , 2010, 11, 577-583.  | 2.3 | 74        |
| 15909 | Comparison of Anthropometry of U.S. Electric Utility Field-Workers With North American General Populations. <i>Human Factors</i> , 2010, 52, 643-662.  | 2.1 | 13        |
| 15910 | Low Agreement between the Modified Diet and Renal Disease Formula and the Cockcroft-Gault Formula for Assessing Chronic Kidney Disease in Cognitively Impaired Elderly Outpatients. <i>Postgraduate Medicine</i> , 2010, 122, 41-45.   | 0.9 | 3         |
| 15911 | Skeletal Muscle Phosphocreatine Recovery after Submaximal Exercise in Children and Young and Middle-Aged Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, E69-E74.  | 1.8 | 30        |
| 15912 | Short-Term Influence of Lingual Orthodontic Therapy on Microbial Parameters and Periodontal Status. <i>Angle Orthodontist</i> , 2010, 80, 480-484.   | 1.1 | 33        |
| 15913 | Assessment of Agatston Coronary Artery Calcium Score Using Contrast-Enhanced CT Coronary Angiography. <i>American Journal of Roentgenology</i> , 2010, 195, 1299-1305.   | 1.0 | 78        |
| 15914 | Pulmonary transit of agitated contrast is associated with enhanced pulmonary vascular reserve and right ventricular function during exercise. <i>Journal of Applied Physiology</i> , 2010, 109, 1307-1317.   | 1.2 | 147       |
| 15915 | Characterization of controlled bone defects using 2D and 3D ultrasound imaging techniques. <i>Physics in Medicine and Biology</i> , 2010, 55, 4839-4859.   | 1.6 | 22        |
| 15916 | Concordancia intra- e interevaluadores. <i>Revista Colombiana De Psiquiatr a</i> , 2010, 39, 424-432.  | 0.1 | 14        |
| 15917 | Validity and Between-Day Reliability of the Cervical Range of Motion (CROM) Device. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2010, 40, 318-323.   | 1.7 | 258       |
| 15918 | Which method to measure dentomaxillary discrepancy?. <i>International Orthodontics</i> , 2010, 8, 64-77.   | 0.6 | 3         |
| 15919 | Bonn Risk Index Based Micromethod for Assessing Risk of Urinary Calcium Oxalate Stone Formation. <i>Journal of Urology</i> , 2010, 183, 1157-1162.   | 0.2 | 8         |
| 15920 | Left Atrial Electromechanical Conduction Time Can Predict Six-Month Maintenance of Sinus Rhythm After Electrical Cardioversion in Persistent Atrial Fibrillation by Doppler Tissue Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 309-314. | 1.2 | 51        |
| 15921 | Left Atrial Phasic Volumes Are Modulated by the Type Rather Than the Extent of Left Ventricular Hypertrophy. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 538-544.   | 1.2 | 21        |
| 15922 | Left Ventricular Contraction-Relaxation Coupling in Normal, Hypertrophic, and Failing Myocardium Quantified by Speckle-Tracking Global Strain and Strain Rate Imaging. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 747-754.                               | 1.2 | 38        |
| 15923 | Clinical Value of Real-Time Three-Dimensional Echocardiography for Right Ventricular Quantification in Congenital Heart Disease: Validation With Cardiac Magnetic Resonance Imaging. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 134-140.                 | 1.2 | 130       |
| 15925 | Sequential Changes of Longitudinal and Radial Myocardial Deformation Indices in the Healthy Neonate Heart. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 294-300.   | 1.2 | 25        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 15926 | Quantification of Bone Density of the Proximal Femur After Hip Resurfacing Arthroplasty—Comparison of Different DXA Acquisition Modes. <i>Journal of Clinical Densitometry</i> , 2010, 13, 426-432.  | 0.5 | 6         |
| 15927 | The Evaluation of Consistency Between Body Composition Assessments in Pediatric Population Using Pencil Beam and Fan Beam Dual-Energy X-Ray Absorptiometers. <i>Journal of Clinical Densitometry</i> , 2010, 13, 84-95.                            | 0.5 | 9         |
| 15928 | An Evaluation of Transmitral and Pulmonary Venous Doppler Indices for Assessing Murine Left Ventricular Diastolic Function. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 887-897.  | 1.2 | 22        |
| 15929 | Comparison between Different Speckle Tracking and Color Tissue Doppler Techniques to Measure Global and Regional Myocardial Deformation in Children. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 919-928.               | 1.2 | 150       |
| 15930 | Morphological Analysis of Pancreatic Cystic Masses. <i>Academic Radiology</i> , 2010, 17, 348-351.   | 1.3 | 17        |
| 15931 | MRI of Right Atrial Function after Catheter Ablation of Atrial Flutter. <i>Academic Radiology</i> , 2010, 17, 856-861.   | 1.3 | 2         |
| 15932 | Quantification of Mitral Regurgitation Using High Pulse Repetition Frequency Three-Dimensional Color Doppler. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 1-8.  | 1.2 | 30        |
| 15933 | Assessing Body Composition in Healthy Newborn Infants: Reliability of Dual-Energy X-Ray Absorptiometry. <i>Journal of Clinical Densitometry</i> , 2010, 13, 151-160.   | 0.5 | 50        |
| 15935 | Effects of CT Section Thickness and Reconstruction Kernel on Emphysema Quantification. <i>Academic Radiology</i> , 2010, 17, 146-156.  | 1.3 | 115       |
| 15936 | High-Pitch 128-Slice Dual-Source CT for the Assessment of Coronary Stents in a Phantom Model. <i>Academic Radiology</i> , 2010, 17, 1366-1374.   | 1.3 | 13        |
| 15937 | Contrast-enhanced Ultrasound versus Computed Tomographic Angiography for Surveillance of Endovascular Abdominal Aortic Aneurysm Repair. <i>Journal of Vascular and Interventional Radiology</i> , 2010, 21, 638-643.                               | 0.2 | 67        |
| 15938 | Inter-rater reliability for measurement of passive physiological range of motion of upper extremity joints is better if instruments are used: a systematic review. <i>Journal of Physiotherapy</i> , 2010, 56, 7-17.                               | 0.7 | 97        |
| 15939 | Diagnostic Value of Segmental Longitudinal Strain by Automated Function Imaging in Coronary Artery Disease without Left Ventricular Dysfunction. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 1183-1189.                 | 1.2 | 78        |
| 15940 | Predicting Postoperative FEV1 Using Spiral Computed Tomography. <i>Academic Radiology</i> , 2010, 17, 607-613.   | 1.3 | 3         |
| 15941 | Quantifying Electrosurgery-Induced Thermal Effects and Damage to Human Tissue: An Exploratory Study with the Fallopian Tube as a Novel In-Vivo In-Situ Model. <i>Journal of Minimally Invasive Gynecology</i> , 2010, 17, 70-77.                   | 0.3 | 12        |
| 15942 | Reliability of the Semmes Weinstein Monofilaments to measure coetaneous sensibility in the feet of healthy subjects. <i>Disability and Rehabilitation</i> , 2010, 32, 2019-2027.   | 0.9 | 60        |
| 15943 | Echocardiography for Assessment of Right Ventricular Volumes Revisited: A Cardiac Magnetic Resonance Comparison Study in Adults with Repaired Tetralogy of Fallot. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 905-911. | 1.2 | 48        |
| 15944 | Use of gadolinium diethylene triamine penta-acetic acid, as measured by ELISA, in the determination of glomerular filtration rates in cats. <i>Journal of Feline Medicine and Surgery</i> , 2010, 12, 738-745.                                     | 0.6 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15945 | Ultrasound Estimation of Female Bladder Volume Based on Magnetic Resonance Modeling. <i>Journal of Urology</i> , 2010, 183, 216-220.  | 0.2 | 6         |
| 15946 | Cross-Calibration and Comparison of Variability in 2 Bone Densitometers in a Research Setting: The Framingham Experience. <i>Journal of Clinical Densitometry</i> , 2010, 13, 210-218.  | 0.5 | 8         |
| 15948 | Preoperative Longitudinal Left Ventricular Function by Tissue Doppler Echocardiography at Rest and During Exercise Is Valuable in Timing of Aortic Valve Surgery in Male Aortic Regurgitation Patients. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 387-395. | 1.2 | 13        |
| 15950 | Can Isovolumic Acceleration Be Used in Clinical Practice to Estimate Ventricular Contractile Function? Reproducibility and Regional Variation of a New Noninvasive Index. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 423-431.e6.                            | 1.2 | 21        |
| 15953 | Sources of Variation in Estimates of Lean Body Mass by Creatinine Kinetics and by Methods Based on Body Water or Body Mass Index in Patients on Continuous Peritoneal Dialysis. , 2010, 20, 91-100.   |     | 5         |
| 15954 | Myocardial Tissue Doppler Velocity Imaging in Children: Comparative Study between Two Ultrasound Systems. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 929-937.   | 1.2 | 29        |
| 15955 | Accuracy of Doppler-Echocardiographic Mean Pulmonary Artery Pressure for Diagnosis of Pulmonary Hypertension. <i>PLoS ONE</i> , 2010, 5, e15670.  | 1.1 | 18        |
| 15956 | Lactate Threshold Prediction by Blood Glucose and Rating of Perceived Exertion in People with Type 2 Diabetes. <i>Perceptual and Motor Skills</i> , 2010, 111, 365-378.   | 0.6 | 31        |
| 15957 | Comparison of high definition oscillometric and Doppler ultrasonic devices for measuring blood pressure in anaesthetised cats. <i>Journal of Feline Medicine and Surgery</i> , 2010, 12, 731-737.   | 0.6 | 31        |
| 15958 | Computed tomography-based validation of abdominal adiposity measurements from ultrasonography, dual-energy X-ray absorptiometry and anthropometry. <i>British Journal of Nutrition</i> , 2010, 104, 582-588.  | 1.2 | 87        |
| 15960 | Emotional functioning in eating disorders: attentional bias, emotion recognition and emotion regulation. <i>Psychological Medicine</i> , 2010, 40, 1887-1897.   | 2.7 | 382       |
| 15961 | Left Atrial Strain Measured by Two-Dimensional Speckle Tracking Represents a New Tool to Evaluate Left Atrial Function. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 172-180.   | 1.2 | 293       |
| 15962 | Exercise-Induced Changes in Degenerative Mitral Regurgitation. <i>Journal of the American College of Cardiology</i> , 2010, 56, 300-309.  | 1.2 | 170       |
| 15963 | Multicenter Trial of High-Speed Versus Conventional Single-Photon Emission Computed Tomography Imaging. <i>Journal of the American College of Cardiology</i> , 2010, 55, 1965-1974.   | 1.2 | 136       |
| 15964 | Clinical utility of the oxygen uptake efficiency slope in cystic fibrosis patients. <i>Journal of Cystic Fibrosis</i> , 2010, 9, 307-313.   | 0.3 | 21        |
| 15965 | Defining Left Ventricular Apex-to-Base Twist Mechanics Computed From High-Resolution 3D Echocardiography. <i>JACC: Cardiovascular Imaging</i> , 2010, 3, 227-234.   | 2.3 | 40        |
| 15966 | Comparison of Magnetic Resonance Feature Tracking for Strain Calculation With Harmonic Phase Imaging Analysis. <i>JACC: Cardiovascular Imaging</i> , 2010, 3, 144-151.  | 2.3 | 348       |
| 15967 | Clinical Feasibility of Accelerated, High Spatial Resolution Myocardial Perfusion Imaging. <i>JACC: Cardiovascular Imaging</i> , 2010, 3, 710-717.  | 2.3 | 35        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15968 | Real-Time 3D Fusion Echocardiography. <i>JACC: Cardiovascular Imaging</i> , 2010, 3, 682-690.   | 2.3 | 31        |
| 15969 | Accuracy of OCT in Evaluating Neointimal Thickness After Stent Implantation. <i>JACC: Cardiovascular Imaging</i> , 2010, 3, 669.  | 2.3 | 0         |
| 15970 | Cardiac PET Imaging for the Detection and Monitoring of Coronary Artery Disease and Microvascular Health. <i>JACC: Cardiovascular Imaging</i> , 2010, 3, 623-640.   | 2.3 | 338       |
| 15971 | Comparison of the Extent and Severity of Myocardial Perfusion Defects Measured by CT Coronary Angiography and SPECT Myocardial Perfusion Imaging. <i>JACC: Cardiovascular Imaging</i> , 2010, 3, 1010-1019.               | 2.3 | 68        |
| 15972 | Extent of Thoracic Aortic Atheroma Burden and Long-Term Mortality After Cardiothoracic Surgery. <i>JACC: Cardiovascular Imaging</i> , 2010, 3, 1020-1029.   | 2.3 | 56        |
| 15973 | Impact of valvuloarterial impedance on left ventricular longitudinal deformation in patients with aortic valve stenosis and preserved ejection fraction. <i>Archives of Cardiovascular Diseases</i> , 2010, 103, 227-235. | 0.7 | 36        |
| 15975 | Basal Hypothalamic Pituitary Adrenal Axis Activity and Hippocampal Volumes: The SMART-Medea Study. <i>Biological Psychiatry</i> , 2010, 67, 1191-1198.  | 0.7 | 74        |
| 15976 | Attentional Bias, Emotion Recognition, and Emotion Regulation in Anorexia: State or Trait?. <i>Biological Psychiatry</i> , 2010, 68, 755-761.   | 0.7 | 186       |
| 15977 | Reproducibility and influence of test modality order on thermal perception and thermal pain thresholds in quantitative sensory testing. <i>Clinical Neurophysiology</i> , 2010, 121, 1878-1885.                           | 0.7 | 77        |
| 15978 | How should sensory function in the oropharynx be tested? Cold thermal testing; a comparison of the methods of levels and limits. <i>Clinical Neurophysiology</i> , 2010, 121, 1886-1889.                                  | 0.7 | 6         |
| 15979 | Comparison of anterior chamber depth measurements using Galilei, HR Pentacam, and Orbscan II. <i>Optometry - Journal of the American Optometric Association</i> , 2010, 81, 35-39.  | 0.6 | 33        |
| 15980 | Estimation of whole-body skeletal muscle mass by bioelectrical impedance analysis in the standing position. <i>Obesity Research and Clinical Practice</i> , 2010, 4, e1-e7.   | 0.8 | 36        |
| 15981 | The challenges of accurate waist and hip measurement over clothing: Pilot data. <i>Obesity Research and Clinical Practice</i> , 2010, 4, e239-e244.   | 0.8 | 14        |
| 15982 | Dual mobility hip arthroplasty wear measurement: Experimental accuracy assessment using radiostereometric analysis (RSA). <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2010, 96, 609-615.                 | 0.9 | 27        |
| 15984 | Validation of a new standardized method to measure proximal aneurysm neck angulation. <i>Journal of Vascular Surgery</i> , 2010, 51, 821-828.   | 0.6 | 81        |
| 15985 | Ultrasound-determined diameter measurements are more accurate than axial computed tomography after endovascular aortic aneurysm repair. <i>Journal of Vascular Surgery</i> , 2010, 51, 1381-1389.                         | 0.6 | 28        |
| 15986 | Aspectos analíticos del analizador de gases Cobas® b 221 (Roche Diagnostics). <i>Revista Del Laboratorio Clínico</i> , 2010, 3, 118-128.  | 0.1 | 2         |
| 15987 | Assessment of mean EGFR gene copy number is a highly reproducible method for evaluating FISH in histological and cytological cancer specimens. <i>Lung Cancer</i> , 2010, 68, 192-197.                                    | 0.9 | 13        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 15988 | Quantitative helical dynamic contrast enhanced computed tomography assessment of the spatial variation in whole tumour blood volume with radiotherapy in lung cancer. <i>Lung Cancer</i> , 2010, 69, 71-76.   | 0.9 | 16        |
| 15989 | Automated assessment of malignant degree of small peripheral adenocarcinomas using volumetric CT data: Correlation with pathologic prognostic factors. <i>Lung Cancer</i> , 2010, 70, 286-294.  | 0.9 | 49        |
| 15990 | The effect and reproducibility of different clinical DTI gradient sets on small world brain connectivity measures. <i>NeuroImage</i> , 2010, 51, 1106-1116.   | 2.1 | 114       |
| 15991 | Disease modeling in multiple sclerosis: Assessment and quantification of sources of variability in brain parenchymal fraction measurements. <i>NeuroImage</i> , 2010, 52, 1367-1373.  | 2.1 | 25        |
| 15992 | Testing an adaptation of the EPIC Physical Activity Questionnaire in Portuguese adults: A validation study that assesses the seasonal bias of self-report. <i>Annals of Human Biology</i> , 2010, 37, 186-198.  | 0.4 | 25        |
| 15993 | Novel Method to Process Cystic Fibrosis Sputum for Determination of Oxidative State. <i>Respiration</i> , 2010, 80, 393-400.  | 1.2 | 28        |
| 15994 | Association between perceived chewing ability and oral health-related quality of life in partially dentate patients. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 118.   | 1.0 | 62        |
| 15995 | Inter-laboratory validation of the measurement of follicle stimulating hormone (FSH) after various lengths of frozen storage. <i>Reproductive Biology and Endocrinology</i> , 2010, 8, 145.   | 1.4 | 9         |
| 15996 | Measuring physical activity among pregnant women using a structured one-week recall questionnaire: evidence for validity and reliability. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010, 7, 21.   | 2.0 | 64        |
| 15997 | Validation of the historical adulthood physical activity questionnaire (HAPAQ) against objective measurements of physical activity. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010, 7, 54.   | 2.0 | 23        |
| 15998 | Using quantitative breath sound measurements to predict lung function following resection. <i>Journal of Cardiothoracic Surgery</i> , 2010, 5, 81.  | 0.4 | 7         |
| 15999 | Reliability of the TekScan MatScan <sup>®</sup> system for the measurement of plantar forces and pressures during barefoot level walking in healthy adults. <i>Journal of Foot and Ankle Research</i> , 2010, 3, 11.  | 0.7 | 136       |
| 16000 | Radiographic correlates of hallux valgus severity in older people. <i>Journal of Foot and Ankle Research</i> , 2010, 3, 20.   | 0.7 | 74        |
| 16001 | Use of Misleading Statistics in Method Comparison Analyses. <i>Journal of Andrology</i> , 2010, 31, 323-323.  | 2.0 | 1         |
| 16002 | Comparison of gestational sac volume by 3D-sonography using planimetric, virtual organ computer-aided analysis and extended imaging virtual organ computer-aided analysis methods between 7 and 11 weeks of pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 328-334. | 1.3 | 13        |
| 16003 | Dynamic magnetic resonance imaging of the behavior of the mid-urethra in healthy and stress incontinent women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 373-379.   | 1.3 | 6         |
| 16004 | Noninvasive Capnometry for End-tidal Carbon Dioxide Monitoring via Nasal Cannula in Nonintubated Neonates. <i>Pediatrics and Neonatology</i> , 2010, 51, 330-335.   | 0.3 | 11        |
| 16005 | Coronary artery calcium quantification with non-ECG-gated low-dose CT of the chest. <i>Radiologia</i> , 2010, 52, 30-36.  | 0.3 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16006 | Reliability and reproducibility of a morpho-textural image analysis method over a patellar ligament ultrasonography. <i>ReumatologĀa ClĀnica (English Edition)</i> , 2010, 6, 278-284.  | 0.2 | 3         |
| 16007 | Total body carbon and oxygen masses: evaluation of dual-energy x-ray absorptiometry estimation by <i>in vivo</i> neutron activation analysis. <i>Physics in Medicine and Biology</i> , 2010, 55, 5953-5963.   | 1.6 | 5         |
| 16009 | Reduction of biofilm on orthodontic brackets with the use of a polytetrafluoroethylene coating. <i>European Journal of Orthodontics</i> , 2010, 32, 414-418.  | 1.1 | 37        |
| 16010 | Assessment of Volume Measurement of Breast Cancer-Related Lymphedema by Three Methods: Circumference Measurement, Water Displacement, and Dual Energy X-Ray Absorptiometry. <i>Lymphatic Research and Biology</i> , 2010, 8, 111-119.   | 0.5 | 81        |
| 16011 | Development of a Point of Care Lateral Flow Device for Measuring Human Plasma Fibrinogen. <i>Analytical Chemistry</i> , 2010, 82, 2029-2035.  | 3.2 | 31        |
| 16012 | Breast tomosynthesis: Accuracy of tumor measurement compared with digital mammography and ultrasonography. <i>Acta Radiologica</i> , 2010, 51, 240-247.   | 0.5 | 128       |
| 16013 | Performance of the Cockcroft-Gault, MDRD, and New CKD-EPI Formulas in Relation to GFR, Age, and Body Size. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 1003-1009.   | 2.2 | 461       |
| 16014 | Foot Function After Fusion of the First Metatarsophalangeal Joint. <i>Foot and Ankle International</i> , 2010, 31, 670-675.   | 1.1 | 53        |
| 16015 | Continuous blood pressure monitor with wireless interface. , 2010, , .  |     | 5         |
| 16016 | Maltose Interference-Free Test Strips for Blood Glucose Testing at Point-of-Care: A Laboratory Performance Evaluation. <i>Diabetes Technology and Therapeutics</i> , 2010, 12, 889-893.   | 2.4 | 12        |
| 16017 | In Vivo Wall Shear Stress Distribution in the Carotid Artery. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 647-655.  | 1.3 | 181       |
| 16018 | Reliability of two metabolic systems during sport-specific upper-body ergometry. <i>European Journal of Sport Science</i> , 2010, 10, 305-309.  | 1.4 | 3         |
| 16019 | Translation and Cross-Cultural Adaptation of the Brazilian Version of the International Knee Documentation Committee Subjective Knee Form. <i>American Journal of Sports Medicine</i> , 2010, 38, 1894-1899.  | 1.9 | 85        |
| 16020 | Is Inflammatory Bowel Disease a Risk Factor for Early Atherosclerosis?. <i>Angiology</i> , 2010, 61, 198-204.   | 0.8 | 73        |
| 16021 | Comparative Validation of the Growth Hormone-Releasing Hormone and Arginine Test for the Diagnosis of Adult Growth Hormone Deficiency Using a Growth Hormone Assay Conforming to Recent International Recommendations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 3684-3692. | 1.8 | 20        |
| 16022 | Choice of sprint start performance measure affects the performance-based ranking within a group of sprinters: which is the most appropriate measure?. <i>Sports Biomechanics</i> , 2010, 9, 258-269.  | 0.8 | 75        |
| 16023 | Validity and reliability of GPS for measuring distance travelled in field-based team sports. <i>Journal of Sports Sciences</i> , 2010, 28, 1319-1325.   | 1.0 | 140       |
| 16024 | PEEP titration guided by ventilation homogeneity: a feasibility study using electrical impedance tomography. <i>Critical Care</i> , 2010, 14, R8.   | 2.5 | 165       |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16025 | Near-infrared spectroscopy during stagnant ischemia estimates central venous oxygen saturation and mixed venous oxygen saturation discrepancy in patients with severe left heart failure and additional sepsis/septic shock. <i>Critical Care</i> , 2010, 14, R42. | 2.5 | 33        |
| 16026 | Cross-comparison of cardiac output trending accuracy of LiDCO, PiCCO, FloTrac and pulmonary artery catheters. <i>Critical Care</i> , 2010, 14, R212.   | 2.5 | 176       |
| 16027 | A lung area estimation method for analysis of ventilation inhomogeneity based on electrical impedance tomography. <i>Journal of X-Ray Science and Technology</i> , 2010, 18, 171-182.  | 0.7 | 20        |
| 16028 | Ultraviolet analysis of donated corneas: a portable prototype. <i>Applied Optics</i> , 2010, 49, 4890.   | 2.1 | 8         |
| 16029 | Investigation of spectral interferences on the accuracy of broadband CW-NIRS tissue SO <sub>2</sub> determination. <i>Biomedical Optics Express</i> , 2010, 1, 748.  | 1.5 | 12        |
| 16030 | Investigation of Prothrombin Time in Human Whole-Blood Samples with a Quartz Crystal Biosensor. <i>Analytical Chemistry</i> , 2010, 82, 658-663.   | 3.2 | 64        |
| 16031 | Non-contact, automated cardiac pulse measurements using video imaging and blind source separation. <i>Optics Express</i> , 2010, 18, 10762.  | 1.7 | 1,224     |
| 16032 | System Accuracy Evaluation of 27 Blood Glucose Monitoring Systems According to DIN EN ISO 15197. <i>Diabetes Technology and Therapeutics</i> , 2010, 12, 221-231.  | 2.4 | 160       |
| 16033 | Cerebrospinal fluid secretory Ca <sup>2+</sup> -dependent phospholipase A2 activity: A biomarker of blood-brain barrier permeability. <i>Neuroscience Letters</i> , 2010, 478, 179-183.  | 1.0 | 30        |
| 16034 | Comparison of the VCTS-6500 and the CSV-1000 tests for visual contrast sensitivity testing. <i>NeuroToxicology</i> , 2010, 31, 758-761.  | 1.4 | 18        |
| 16035 | Cardiac MRI is Superior to Gated Blood Pool Imaging in the Assessment of Left Ventricular Function in Patients Post-cardiac Transplantation. <i>Heart Lung and Circulation</i> , 2010, 19, 400-405.  | 0.2 | 1         |
| 16036 | Does Normal Ageing Alter Right Ventricular Relaxation Properties? A Tissue Doppler Study. <i>Heart Lung and Circulation</i> , 2010, 19, 406-412.   | 0.2 | 8         |
| 16037 | Accuracy and reproducibility of assessing right ventricular function with 64-section multi-detector row CT: Comparison with magnetic resonance imaging. <i>International Journal of Cardiology</i> , 2010, 139, 254-262.   | 0.8 | 62        |
| 16038 | Does preoperative tethering symmetry affect left ventricular reverse remodeling after restrictive annuloplasty?. <i>International Journal of Cardiology</i> , 2010, 141, 182-191.  | 0.8 | 8         |
| 16039 | Quantitative analysis of intracoronary optical coherence tomography measurements of stent strut apposition and tissue coverage. <i>International Journal of Cardiology</i> , 2010, 141, 151-156.   | 0.8 | 54        |
| 16040 | Cardiac calcification by transthoracic echocardiography in patients with known or suspected coronary artery disease. <i>International Journal of Cardiology</i> , 2010, 142, 288-295.  | 0.8 | 38        |
| 16041 | Free breathing cardiac real-time cine MR without ECG triggering. <i>International Journal of Cardiology</i> , 2010, 145, 380-382.  | 0.8 | 17        |
| 16042 | Estimation of blood haemoglobin concentration using the HemoCue® during caesarean section: the effect of sampling site. <i>International Journal of Obstetric Anesthesia</i> , 2010, 19, 67-70.  | 0.2 | 15        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16043 | Prospective observational study of serial cardiac output by transthoracic echocardiography in healthy pregnant women undergoing elective caesarean delivery. <i>International Journal of Obstetric Anesthesia</i> , 2010, 19, 142-148.            | 0.2 | 20        |
| 16044 | A comparison of a Neuropen monofilament and ethyl chloride for assessing loss of touch sensation during combined spinal-epidural anaesthesia for caesarean section. <i>International Journal of Obstetric Anesthesia</i> , 2010, 19, 365-372.     | 0.2 | 3         |
| 16045 | The discrepancy hypothesis in children with language disorders: Does it work?. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2010, 74, 183-187.   | 0.4 | 4         |
| 16046 | Behavioural problems in young children with language problems. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2010, 74, 637-641.   | 0.4 | 14        |
| 16047 | Corneal power measurements in fixating versus anesthetized nonfixating children using a handheld keratometer. <i>Journal of AAPOS</i> , 2010, 14, 11-14.  | 0.2 | 7         |
| 16048 | Screening for refractive errors in children: The plusoptiX S08 and the Retinomax K-plus2 performed by a lay screener compared to cycloplegic retinoscopy. <i>Journal of AAPOS</i> , 2010, 14, 478-483.  | 0.2 | 63        |
| 16049 | Overweight and Health-Related Factors Among Adolescents: The HBSC Portuguese Study. <i>Journal of Adolescent Health</i> , 2010, 46, S41.  | 1.2 | 0         |
| 16050 | Temperature Measurement in Patients Undergoing Colorectal Surgery and Gynecology Surgery: A Comparison of Esophageal Core, Temporal Artery, and Oral Methods. <i>Journal of Perianesthesia Nursing</i> , 2010, 25, 71-78.                         | 0.3 | 33        |
| 16051 | Alternative humeral tubercle fixation in shoulder hemiarthroplasty for fractures of the proximal humerus. <i>Journal of Shoulder and Elbow Surgery</i> , 2010, 19, 282-289.   | 1.2 | 13        |
| 16052 | Compartment Pressure of the Rectus Sheath Accurately Reflects Intra-Abdominal Pressure in a Porcine Model. <i>Journal of Surgical Research</i> , 2010, 161, 295-300.  | 0.8 | 4         |
| 16053 | Exact CT-Based Liver Volume Calculation Including Nonmetabolic Liver Tissue in Three-Dimensional Liver Reconstruction. <i>Journal of Surgical Research</i> , 2010, 160, 236-243.  | 0.8 | 15        |
| 16054 | In vitro ability of a laser fluorescence device in quantifying approximal caries lesions in primary molars. <i>Journal of Dentistry</i> , 2010, 38, 666-670.  | 1.7 | 24        |
| 16055 | In vivo performance of a laser fluorescence device for the approximal detection of caries in permanent molars. <i>Journal of Dentistry</i> , 2010, 38, 1019-1026.   | 1.7 | 48        |
| 16056 | Location and sequence of muscle onset in deep abdominal muscles measured by different modes of ultrasound imaging. <i>Journal of Electromyography and Kinesiology</i> , 2010, 20, 994-999.  | 0.7 | 16        |
| 16057 | A standardization method to compare isotonic vs. isokinetic eccentric exercises. <i>Journal of Electromyography and Kinesiology</i> , 2010, 20, 1000-1006.  | 0.7 | 11        |
| 16058 | How should we normalize electromyograms obtained from healthy participants? What we have learned from over 25years of research. <i>Journal of Electromyography and Kinesiology</i> , 2010, 20, 1023-1035.   | 0.7 | 462       |
| 16059 | Test-retest reliability of quadriceps muscle function outcomes in patients with knee osteoarthritis. <i>Journal of Electromyography and Kinesiology</i> , 2010, 20, 1058-1065.  | 0.7 | 39        |
| 16060 | Lumbar Spine and Pelvic Posture Between Standing and Sitting: A Radiologic Investigation Including Reliability and Repeatability of the Lumbar Lordosis Measure. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2010, 33, 48-55. | 0.4 | 98        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16061 | Reliability of Zygapophysal Joint Space Measurements Made from Magnetic Resonance Imaging Scans of Acute Low Back Pain Subjects: Comparison of 2 Statistical Methods. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2010, 33, 220-225. | 0.4 | 6         |
| 16062 | Validity of Weekly Recall Ratings of Average Pain Intensity in Neck Pain Patients. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2010, 33, 612-617.  | 0.4 | 26        |
| 16063 | The International Physical Activity Questionnaire Overestimates Moderate and Vigorous Physical Activity in HIV-Infected Individuals Compared With Accelerometry. <i>Journal of the Association of Nurses in AIDS Care</i> , 2010, 21, 173-181.           | 0.4 | 39        |
| 16064 | How much time is required to modify a fascial fibrosis?. <i>Journal of Bodywork and Movement Therapies</i> , 2010, 14, 318-325.  | 0.5 | 40        |
| 16065 | The minimal detectable change cannot reliably replace the minimal important difference. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 28-36.   | 2.4 | 279       |
| 16066 | Bar charts enhance Bland-Altman plots when value ranges are limited. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 180-184.  | 2.4 | 21        |
| 16067 | Quantifying the magnitude of risk for balance impairment on falls in community-dwelling older adults: a systematic review and meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 389-406.  | 2.4 | 197       |
| 16068 | A prospective global measure, the Punum Ladder, provides more valid assessments of quality of life than a retrospective transition measure. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 1123-1131.   | 2.4 | 49        |
| 16069 | The relationship between pelvic torsion and anatomical leg length inequality: a review of the literature. <i>Journal of Chiropractic Medicine</i> , 2010, 9, 96-97.  | 0.3 | 5         |
| 16070 | Optimization and evaluation of an influenza A (H5) pseudotyped lentiviral particle-based serological assay. <i>Journal of Clinical Virology</i> , 2010, 47, 29-33.   | 1.6 | 38        |
| 16071 | Correlation between HIV-1 viral load quantification in plasma, dried blood spots, and dried plasma spots using the Roche COBAS Taqman assay. <i>Journal of Clinical Virology</i> , 2010, 47, 4-7.  | 1.6 | 45        |
| 16072 | Comparative effectiveness of dried plasma HIV-1 viral load testing in Brazil using ViveST for sample collection. <i>Journal of Clinical Virology</i> , 2010, 49, 245-248.  | 1.6 | 13        |
| 16073 | Video based analysis of dynamic midfoot function and its relationship with Foot Posture Index scores. <i>Gait and Posture</i> , 2010, 31, 126-130.   | 0.6 | 41        |
| 16074 | Validity and reliability of the Nintendo Wii Balance Board for assessment of standing balance. <i>Gait and Posture</i> , 2010, 31, 307-310.  | 0.6 | 811       |
| 16075 | Reproducibility and validity of video screen measurements of gait in children with spastic cerebral palsy. <i>Gait and Posture</i> , 2010, 31, 489-494.  | 0.6 | 38        |
| 16076 | Repeatability of a new observational gait score for unilateral lower limb amputees. <i>Gait and Posture</i> , 2010, 32, 39-45.   | 0.6 | 23        |
| 16077 | Normal pressure values and repeatability of the Emed <sup>®</sup> ST2 system. <i>Gait and Posture</i> , 2010, 32, 391-394.   | 0.6 | 39        |
| 16078 | Reliability of three-dimensional gait analysis in cervical spondylotic myelopathy. <i>Gait and Posture</i> , 2010, 32, 552-558.  | 0.6 | 44        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16080 | Can an appropriateness evaluation tool be used to prioritize patients on a waiting list for cataract extraction?. <i>Health Policy</i> , 2010, 95, 194-203.   | 1.4 | 11        |
| 16081 | Accuracy of ventilatory measurement employing ambulatory inductive plethysmography during tasks of everyday life. <i>Biological Psychology</i> , 2010, 84, 121-128.   | 1.1 | 37        |
| 16082 | Reproducibility of heart rate variability and baroreflex sensitivity measurements in children. <i>Biological Psychology</i> , 2010, 85, 71-78.  | 1.1 | 39        |
| 16083 | International longitudinal pediatric reference standards for bone mineral content. <i>Bone</i> , 2010, 46, 208-216.   | 1.4 | 44        |
| 16084 | The use of a point of care device for monitoring the bone resorption biomarker urinary N-telopeptide in cancer patients with bone metastases. <i>Bone</i> , 2010, 46, 801-805.  | 1.4 | 3         |
| 16085 | Comparison of Direct Body Composition Assessment Methods in Patients With Chronic Heart Failure. <i>Journal of Cardiac Failure</i> , 2010, 16, 867-872.   | 0.7 | 26        |
| 16086 | Does computer-assisted detection of pulmonary emboli enhance severity assessment and risk stratification in acute pulmonary embolism?. <i>Clinical Radiology</i> , 2010, 65, 137-144.   | 0.5 | 15        |
| 16087 | Evaluation of the In2it <sup>®</sup> analyzer for HbA1c determination. <i>Diabetes and Metabolism</i> , 2010, 36, 158-164.  | 1.4 | 10        |
| 16088 | Bedside capillary blood glucose measurements in critically ill patients: Influence of catecholamine therapy. <i>Diabetes Research and Clinical Practice</i> , 2010, 87, 87-91.  | 1.1 | 25        |
| 16089 | Measuring energy expenditure and body composition in children with neurological impairment and intellectual disability using the doubly labeled water method: Comparing urine and saliva sampling. <i>European E-journal of Clinical Nutrition and Metabolism</i> , 2010, 5, e225-e229. | 0.4 | 3         |
| 16090 | The preconception nutritional status of women undergoing fertility treatment: Use of a one-year post-delivery assessment. <i>European E-journal of Clinical Nutrition and Metabolism</i> , 2010, 5, e284-e291.  | 0.4 | 6         |
| 16091 | On the use of prostate-specific antigen for screening of prostate cancer in European Randomised Study for Screening of Prostate Cancer. <i>European Journal of Cancer</i> , 2010, 46, 3109-3119.  | 1.3 | 20        |
| 16092 | Accuracy of carotid plaque detection and intima-media thickness measurement with ultrasonography in routine clinical practice. <i>European Journal of Internal Medicine</i> , 2010, 21, 35-39.  | 1.0 | 12        |
| 16093 | A new handheld indirect calorimeter is acceptable to evaluate resting energy expenditure in Japanese adults with metabolic syndrome. <i>European Journal of Internal Medicine</i> , 2010, 21, e17.  | 1.0 | 1         |
| 16094 | Left ventricular remodelling and systolic function measurement with 64 multi-slice computed tomography versus second harmonic echocardiography in patients with coronary artery disease: A double blind study. <i>European Journal of Radiology</i> , 2010, 73, 82-88.                  | 1.2 | 22        |
| 16095 | MR image analysis: Longitudinal cardiac motion influences left ventricular measurements. <i>European Journal of Radiology</i> , 2010, 73, 260-265.  | 1.2 | 4         |
| 16096 | Automatic assessment of the knee alignment angle on full-limb radiographs. <i>European Journal of Radiology</i> , 2010, 74, 236-240.  | 1.2 | 9         |
| 16097 | Quantitatively assessed CT imaging measures of pulmonary interstitial pneumonia: Effects of reconstruction algorithms on histogram parameters. <i>European Journal of Radiology</i> , 2010, 74, 142-146.  | 1.2 | 21        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16098 | Quantitative assessment of early experimental diabetes in rats using dynamic contrast-enhanced computed tomography. <i>European Journal of Radiology</i> , 2010, 74, 280-286.  | 1.2 | 6         |
| 16099 | Co-registered perfusion SPECT/CT: Utility for prediction of improved postoperative outcome in lung volume reduction surgery candidates. <i>European Journal of Radiology</i> , 2010, 74, 465-472.                      | 1.2 | 13        |
| 16100 | Sonography-guided positioning of intravenous long lines in neonates. <i>European Journal of Radiology</i> , 2010, 74, e18-e21.   | 1.2 | 11        |
| 16101 | ADC measurements of lymph nodes: Inter- and intra-observer reproducibility study and an overview of the literature. <i>European Journal of Radiology</i> , 2010, 75, 215-220.  | 1.2 | 104       |
| 16102 | Assessment of left ventricular function with single breath-hold highly accelerated cine MRI combined with guide-point modeling. <i>European Journal of Radiology</i> , 2010, 74, 492-499.                              | 1.2 | 5         |
| 16103 | Pelvmetry revisited: Analyzing cephalopelvic disproportion. <i>European Journal of Radiology</i> , 2010, 74, e107-e111.  | 1.2 | 45        |
| 16104 | A comparison between NASCET and ECST methods in the study of carotids. <i>European Journal of Radiology</i> , 2010, 76, 42-47.   | 1.2 | 65        |
| 16105 | Accelerated time-resolved three-dimensional MR velocity mapping of blood flow patterns in the aorta using SENSE and k-t BLAST. <i>European Journal of Radiology</i> , 2010, 75, e15-e21.                               | 1.2 | 46        |
| 16106 | CT- and MRI-based volumetry of resected liver specimen: Comparison to intraoperative volume and weight measurements and calculation of conversion factors. <i>European Journal of Radiology</i> , 2010, 75, e107-e111. | 1.2 | 79        |
| 16107 | MR pelvmetry measurements, analysis of inter- and intra-observer variation. <i>European Journal of Radiology</i> , 2010, 75, e56-e61.  | 1.2 | 25        |
| 16108 | Comparison of a gel versus solution-based vehicle for the delivery of acetylcholine in QSART. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2010, 158, 123-126.  | 1.4 | 10        |
| 16109 | Autonomic drugs and the accommodative system in rhesus monkeys. <i>Experimental Eye Research</i> , 2010, 90, 104-112.  | 1.2 | 18        |
| 16110 | Repeatability of the Pedar-X <sup>®</sup> in-shoe pressure measuring system. <i>Foot and Ankle Surgery</i> , 2010, 16, 70-73.  | 0.8 | 134       |
| 16111 | Validation of a novel computer-assisted sperm analysis (CASA) system using multitarget-tracking algorithms. <i>Fertility and Sterility</i> , 2010, 93, 1911-1920.  | 0.5 | 68        |
| 16112 | Reproducibility and reliability of automated volumetric measurement of single preovulatory follicles using SonoAVC. <i>Fertility and Sterility</i> , 2010, 93, 2069-2073.  | 0.5 | 41        |
| 16113 | Measuring outcomes in fertility trials: can we rely on clinical pregnancy rates?. <i>Fertility and Sterility</i> , 2010, 94, 1647-1651.  | 0.5 | 54        |
| 16114 | Reliability of automated volumetric measurement of multiple growing follicles in controlled ovarian hyperstimulation. <i>Fertility and Sterility</i> , 2010, 94, 2172-2176.  | 0.5 | 20        |
| 16115 | Metrological traceability of values for Î±-amylase catalytic concentration assigned to a commutable calibrator materials. <i>Clinica Chimica Acta</i> , 2010, 411, 7-12.   | 0.5 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16116 | Imatinib assay by HPLC with photodiode-array UV detection in plasma from patients with chronic myeloid leukemia: Comparison with LC-MS/MS. <i>Clinica Chimica Acta</i> , 2010, 411, 140-146. | 0.5 | 61        |
| 16117 | Serum steroid profiling for Congenital Adrenal Hyperplasia using liquid chromatography-tandem mass spectrometry. <i>Clinica Chimica Acta</i> , 2010, 411, 222-228.                           | 0.5 | 67        |
| 16119 | Diagnosis of primary aldosteronism: Comparison of post-captopril active renin concentration and plasma renin activity. <i>Clinica Chimica Acta</i> , 2010, 411, 657-663.                     | 0.5 | 36        |
| 16120 | Selected performance characteristics of the Roche Elecsys® testosterone II assay on the Modular analytics E 170 analyzer. <i>Clinica Chimica Acta</i> , 2010, 411, 1073-1079.                | 0.5 | 25        |
| 16121 | Effect of preanalytical variables on myeloperoxidase levels. <i>Clinica Chimica Acta</i> , 2010, 411, 1650-1655.   | 0.5 | 10        |
| 16122 | A method to calculate the centre of the ankle joint: A comparison with the Vicon® Plug-in-Gait model. <i>Clinical Biomechanics</i> , 2010, 25, 582-587.                                      | 0.5 | 37        |
| 16123 | Evaluation of the Cadi ThermoSENSOR Wireless Skin-Contact Thermometer Against Ear and Axillary Temperatures in Children. <i>Journal of Pediatric Nursing</i> , 2010, 25, 176-186.            | 0.7 | 18        |
| 16124 | The Stayhealthy bioelectrical impedance analyzer predicts body fat in children and adults. <i>Nutrition Research</i> , 2010, 30, 297-304.  | 1.3 | 30        |
| 16125 | Clinical Evaluation of the Intraoperative Refraction Technique for Intraocular Lens Power Calculation. <i>Ophthalmology</i> , 2010, 117, 711-716.  | 2.5 | 15        |
| 16126 | Intraocular Pressure Measurement Precision with the Goldmann Applanation, Dynamic Contour, and Ocular Response Analyzer Tonometers. <i>Ophthalmology</i> , 2010, 117, 730-737.               | 2.5 | 116       |
| 16127 | The Heidelberg Retina Tomograph Glaucoma Probability Score. <i>Ophthalmology</i> , 2010, 117, 724-729.   | 2.5 | 23        |
| 16128 | Application of Visante Optical Coherence Tomography Tear Meniscus Height Measurement in the Diagnosis of Dry Eye Disease. <i>Ophthalmology</i> , 2010, 117, 1923-1929.                       | 2.5 | 164       |
| 16129 | Evaluation of the Age-Related Eye Disease Study Clinical Lens Grading System. <i>Ophthalmology</i> , 2010, 117, 2112-2119.e3.  | 2.5 | 28        |
| 16130 | Accuracy of RTVue Optical Coherence Tomography, Pentacam, and Ultrasonic Pachymetry for the Measurement of Central Corneal Thickness. <i>Ophthalmology</i> , 2010, 117, 2096-2103.           | 2.5 | 96        |
| 16131 | Reversal of Retinal Ganglion Cell Dysfunction after Surgical Reduction of Intraocular Pressure. <i>Ophthalmology</i> , 2010, 117, 2329-2336.   | 2.5 | 75        |
| 16132 | Performance-based Measures of Visual Function. <i>Survey of Ophthalmology</i> , 2010, 55, 146-161.   | 1.7 | 33        |
| 16133 | Venous blood lactate evaluation in equine neonatal intensive care. <i>Theriogenology</i> , 2010, 73, 343-357.  | 0.9 | 94        |
| 16134 | Method agreement analysis: A review of correct methodology. <i>Theriogenology</i> , 2010, 73, 1167-1179.   | 0.9 | 644       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16135 | Relationships between reproductive characteristics in male <i>Vimba vimba</i> L. and the effects of osmolality on sperm motility. <i>Theriogenology</i> , 2010, 74, 317-325.  | 0.9 | 19        |
| 16136 | Long-term stability of fibrinolytic factors stored at -80°C. <i>Thrombosis Research</i> , 2010, 125, 451-456.   | 0.8 | 10        |
| 16137 | Sources of variation in factor VIII, von Willebrand factor and fibrinogen measurements: Implications for detecting deficiencies and increased plasma levels. <i>Thrombosis Research</i> , 2010, 126, e188-e195.                                       | 0.8 | 9         |
| 16138 | Characterisation and reproducibility of a human ex vivo model of thrombosis. <i>Thrombosis Research</i> , 2010, 126, 431-435.   | 0.8 | 19        |
| 16139 | Monitoring treatments with unfractionated heparin: CTAD must be used instead of citrate as the anticoagulant solution when using partial-draw collection tubes. Results of a multicenter evaluation. <i>Thrombosis Research</i> , 2010, 126, 536-542. | 0.8 | 8         |
| 16140 | Training courses for pediatric apheresis on site; how apheresis technology transfer can be performed. <i>Transfusion and Apheresis Science</i> , 2010, 43, 223-225.   | 0.5 | 2         |
| 16141 | Echographic Renal Dimensions Can Predict Glomerular Filtration Rate of Potential Living Kidney Donors. <i>Transplantation Proceedings</i> , 2010, 42, 1035-1039.  | 0.3 | 10        |
| 16142 | Evaluation of a Fully Automated Method for the Determination of Sirolimus. <i>Transplantation Proceedings</i> , 2010, 42, 3044-3046.  | 0.3 | 2         |
| 16143 | Standard Formula for Liver Volume in Middle Eastern Arabic Adults. <i>Transplantation Proceedings</i> , 2010, 42, 3600-3605.  | 0.3 | 34        |
| 16144 | Analytical Performance of the Abbott Architect i2000 Tacrolimus Assay in Chinese Patients After Renal Transplantation. <i>Transplantation Proceedings</i> , 2010, 42, 4534-4537.  | 0.3 | 3         |
| 16145 | Imaging of facial soft tissues in multislice computerized tomography: a new geometric method of analysis and its statistical validation. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2010, 110, 101-109.        | 1.6 | 6         |
| 16146 | Twenty-four Hour and Spot Urine Metabolic Evaluations: Correlations Versus Agreements. <i>Urology</i> , 2010, 75, 1294-1298.  | 0.5 | 45        |
| 16147 | Predictors of Unilateral Renal Function After Open and Laparoscopic Partial Nephrectomy. <i>Urology</i> , 2010, 75, 295-302.  | 0.5 | 33        |
| 16148 | A 7% Decrease in the Differential Renal Uptake of MAG3 Implies a Loss in Renal Function. <i>Urology</i> , 2010, 76, 1512-1516.  | 0.5 | 22        |
| 16149 | Reproducibility of isokinetic peak torque assessments of the hip flexor and extensor muscles. <i>Annals of Physical and Rehabilitation Medicine</i> , 2010, 53, 293-305.  | 1.1 | 23        |
| 16150 | Measuring waist circumference in disabled adults. <i>Research in Developmental Disabilities</i> , 2010, 31, 839-847.  | 1.2 | 20        |
| 16151 | Critical view on diagnosing muscle wasting by single-frequency bio-electrical impedance in COPD. <i>Respiratory Medicine</i> , 2010, 104, 91-98.  | 1.3 | 55        |
| 16152 | Validation of an electronic version of the Mini Asthma Quality of Life Questionnaire. <i>Respiratory Medicine</i> , 2010, 104, 658-667.   | 1.3 | 19        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16153 | Correlation between airflow limitation and airway dimensions assessed by multidetector CT in asthma. <i>Respiratory Medicine</i> , 2010, 104, 794-800.   | 1.3 | 44        |
| 16154 | Use of a hand-held meter for detecting subclinical ketosis in dairy cows. <i>Research in Veterinary Science</i> , 2010, 89, 344-351.   | 0.9 | 56        |
| 16155 | Results from an inter-laboratory comparison of pneumococcal serotype-specific IgG measurement and critical parameters that affect assay performance. <i>Vaccine</i> , 2010, 28, 1333-1340.                     | 1.7 | 32        |
| 16156 | Utilization of serologic assays to support efficacy of vaccines in nonclinical and clinical trials: Meeting at the Crossroads. <i>Vaccine</i> , 2010, 28, 4539-4547.   | 1.7 | 36        |
| 16157 | Parents report more ADHD symptoms than do teachers in children with epilepsy. <i>Epilepsy and Behavior</i> , 2010, 19, 428-435.  | 0.9 | 31        |
| 16158 | A Biosynthetic Alternative to Human Donor Tissue for Inducing Corneal Regeneration: 24-Month Follow-Up of a Phase 1 Clinical Study. <i>Science Translational Medicine</i> , 2010, 2, 46ra61.                   | 5.8 | 311       |
| 16159 | Assessing the method-specific differences in quantification of CO <sub>2</sub> advection at three forest sites during the ADVEX campaign. <i>Agricultural and Forest Meteorology</i> , 2010, 150, 702-711.     | 1.9 | 9         |
| 16160 | Validity of the LaFarge equation for estimation of oxygen consumption in ventilated children with congenital heart disease younger than 3 years—A revisit. <i>American Heart Journal</i> , 2010, 160, 109-114. | 1.2 | 43        |
| 16161 | Concordance between capnography and capnia in adults admitted for acute dyspnea in an ED. <i>American Journal of Emergency Medicine</i> , 2010, 28, 711-714.   | 0.7 | 21        |
| 16162 | Test-Retest Reliability of Health-Related Quality-of-Life Questionnaires in Adults with Strabismus. <i>American Journal of Ophthalmology</i> , 2010, 149, 672-676.   | 1.7 | 48        |
| 16163 | Macular Thickness Interoperator and Intraoperator Reproducibility in Healthy Eyes Using 7 Optical Coherence Tomography Instruments. <i>American Journal of Ophthalmology</i> , 2010, 150, 199-204.e1.          | 1.7 | 93        |
| 16164 | Host and Graft Thickness after Descemet Stripping Endothelial Keratoplasty for Fuchs Endothelial Dystrophy. <i>American Journal of Ophthalmology</i> , 2010, 150, 490-497.e2.                                  | 1.7 | 84        |
| 16165 | Comparison of Central Corneal Thickness Measurement Using Ultrasonic Pachymetry, Rotating Scheimpflug Camera, and Scanning-Slit Topography. <i>American Journal of Ophthalmology</i> , 2010, 150, 780-789.     | 1.7 | 42        |
| 16166 | Comparison of Retinal Nerve Fiber Layer Thickness in Normal Eyes Using Time-Domain and Spectral-Domain Optical Coherence Tomography. <i>American Journal of Ophthalmology</i> , 2010, 150, 807-814.e1.         | 1.7 | 96        |
| 16167 | Reproducibility of Retinal Thickness Measurements on Normal and Pathologic Eyes by Different Optical Coherence Tomography Instruments. <i>American Journal of Ophthalmology</i> , 2010, 150, 815-824.e1.       | 1.7 | 160       |
| 16168 | Assessment of Disagreement: A New Information-Based Approach. <i>Annals of Epidemiology</i> , 2010, 20, 555-561.   | 0.9 | 29        |
| 16169 | Variability of the Date of HIV Diagnosis: A Comparison of Self-Report, Medical Record, and HIV/AIDS Surveillance Data. <i>Annals of Epidemiology</i> , 2010, 20, 734-742.                                      | 0.9 | 10        |
| 16171 | Continuous non-invasive arterial pressure measurement: Evaluation of CNAP <sup>®</sup> device during vascular surgery. <i>Annales Francaises D'Anesthesie Et De Reanimation</i> , 2010, 29, 530-535.           | 1.4 | 35        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16172 | Use of the Peak Heart Rate Reached During Six-Minute Walk Test to Predict Individualized Training Intensity in Patients With Cystic Fibrosis: Validity and Reliability. Archives of Physical Medicine and Rehabilitation, 2010, 91, 602-607. | 0.5 | 21        |
| 16173 | Test-Retest Reliability of Discrete Gait Parameters in Children With Cerebral Palsy. Archives of Physical Medicine and Rehabilitation, 2010, 91, 781-787.  | 0.5 | 35        |
| 16174 | Interrater Reliability of Functional Status Scores for Patients Transferred From One Rehabilitation Setting to Another. Archives of Physical Medicine and Rehabilitation, 2010, 91, 1031-1037.   | 0.5 | 4         |
| 16175 | Minimal Detectable Change in Quadriceps Strength and Voluntary Muscle Activation in Patients With Knee Osteoarthritis. Archives of Physical Medicine and Rehabilitation, 2010, 91, 1447-1451.  | 0.5 | 84        |
| 16176 | Construct Validity and Test-Retest Reliability of the Climbing Stairs Questionnaire in Lower-Limb Amputees. Archives of Physical Medicine and Rehabilitation, 2010, 91, 1396-1401.   | 0.5 | 10        |
| 16177 | How Reproducible Is Home-Based 24-Hour Ambulatory Monitoring of Motor Activity in Patients With Multiple Sclerosis?. Archives of Physical Medicine and Rehabilitation, 2010, 91, 1537-1541.  | 0.5 | 15        |
| 16178 | Comparison of 150-mm versus 100-mm visual analogue scales in free living adult subjects. Appetite, 2010, 54, 583-586.  | 1.8 | 24        |
| 16179 | Radiographic Results of Femoral Tunnel Drilling Through the Anteromedial Portal in Anterior Cruciate Ligament Reconstruction. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2010, 26, 1586-1592.                                | 1.3 | 12        |
| 16180 | The use of pooled vs serial urine samples to measure urine protein:creatinine ratios. Veterinary Clinical Pathology, 2010, 39, 53-56.  | 0.3 | 27        |
| 16181 | Determination of plasma albumin concentration in healthy and diseased turtles: a comparison of protein electrophoresis and the bromocresol green dye-binding method. Veterinary Clinical Pathology, 2010, 39, 79-82.                         | 0.3 | 58        |
| 16182 | Automated counting of nucleated cells in equine synovial fluid without and with hyaluronidase pretreatment. Veterinary Clinical Pathology, 2010, 39, 83-89.  | 0.3 | 18        |
| 16183 | ORIGINAL RESEARCH: Analytical validation of an ELISA for measurement of canine pancreas-specific lipase. Veterinary Clinical Pathology, 2010, 39, 346-353.   | 0.3 | 74        |
| 16184 | ASVCP quality assurance guidelines: control of general analytical factors in veterinary laboratories. Veterinary Clinical Pathology, 2010, 39, 264-277.  | 0.3 | 87        |
| 16185 | Evaluation of a Novel Real-Time Continuous Glucose Monitoring System for Use in Cats. Journal of Veterinary Internal Medicine, 2010, 24, 120-126.  | 0.6 | 35        |
| 16186 | Comparison of Pulsed Wave and Color Doppler Myocardial Velocity Imaging in Healthy Dogs. Journal of Veterinary Internal Medicine, 2010, 24, 360-366.   | 0.6 | 18        |
| 16187 | Use of Simpson's Method of Disc to Detect Early Echocardiographic Changes in Doberman Pinschers with Dilated Cardiomyopathy. Journal of Veterinary Internal Medicine, 2010, 24, 1069-1076.   | 0.6 | 107       |
| 16188 | Equine serum biochemical analyte comparisons on the Boehringer Mannheim/Hitachi 911 and Abaxis VetScan clinical chemistry analysers. Equine Veterinary Education, 2010, 12, 333-336.   | 0.3 | 0         |
| 16189 | Evaluation of the iSTAT handheld chemical analyser during treadmill and endurance exercise. Equine Veterinary Journal, 2002, 34, 551-554.  | 0.9 | 39        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16190 | Inertial sensors for assessment of back movement in horses during locomotion over ground. <i>Equine Veterinary Journal</i> , 2010, 42, 417-424.   | 0.9 | 81        |
| 16191 | Validation and comparison of two methods of measuring lactate in equine plasma. <i>Equine Veterinary Journal</i> , 2010, 42, 155-160.   | 0.9 | 7         |
| 16192 | Comparison of net anaerobic energy utilisation estimated by plasma lactate accumulation rate and accumulated oxygen deficit in Thoroughbred horses. <i>Equine Veterinary Journal</i> , 2010, 42, 62-69.                       | 0.9 | 14        |
| 16194 | ARTERY Society guidelines for validation of non-invasive haemodynamic measurement devices: Part 1, arterial pulse wave velocity. <i>Artery Research</i> , 2010, 4, 34.  | 0.3 | 149       |
| 16195 | RESEARCH: Effects of Longâ€Term Diseaseâ€Modifying Antirheumatic Drugs on Endothelial Function in Patients with Early Rheumatoid Arthritis. <i>Cardiovascular Therapeutics</i> , 2010, 28, e53-64.                            | 1.1 | 79        |
| 16196 | The Reliability of the Constantâ€Murley Shoulder Scoring System. <i>Shoulder and Elbow</i> , 2010, 2, 259-262.  | 0.7 | 2         |
| 16197 | Reliability and validity of splenic volume measurement by 3â€D ultrasound. <i>Hepatology Research</i> , 2010, 40, 979-988.  | 1.8 | 14        |
| 16198 | Comparative study of anterior segment measurement with Pentacam and anterior segment optical coherence tomography. <i>Canadian Journal of Ophthalmology</i> , 2010, 45, 627-631.  | 0.4 | 21        |
| 16199 | Measuring efficiency in Australian and New Zealand paediatric intensive care units. <i>Intensive Care Medicine</i> , 2010, 36, 1410-1416.   | 3.9 | 10        |
| 16200 | Repeatability and Reproducibility in Proteomic Identifications by Liquid Chromatographyâ€Tandem Mass Spectrometry. <i>Journal of Proteome Research</i> , 2010, 9, 761-776.  | 1.8 | 505       |
| 16201 | Realâ€time PCR quantification of haematopoietic chimerism after transplantation: a comparison between TaqMan and hybridization probes technologies. <i>International Journal of Laboratory Hematology</i> , 2010, 32, e17-25. | 0.7 | 6         |
| 16202 | Pulse contour analysis: Is it able to reliably detect changes in cardiac output in the haemodynamically unstable patient?. <i>Critical Care</i> , 2010, 15, 106.  | 2.5 | 18        |
| 16203 | Supra-maximal verification of peak oxygen uptake in adolescents with cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2010, 9, S68.   | 0.3 | 0         |
| 16204 | Validation of 3D Echocardiographic Assessment of Left Ventricular Volumes, Mass, and Ejection Fraction in Neonates and Infants With Congenital Heart Disease. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 735-742.  | 1.3 | 82        |
| 16205 | Coronary distensibility index measured by computed tomography is associated with the severity of coronary artery disease. <i>Journal of Cardiovascular Computed Tomography</i> , 2010, 4, 119-126.                            | 0.7 | 11        |
| 16206 | Limited validity of parental recall on pregnancy, birth, and early childhood at child age 10 years. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 185-191.  | 2.4 | 59        |
| 16207 | Potential of [11C]acetate for measuring myocardial blood flow: Studies in normal subjects and patients with hypertrophic cardiomyopathy. <i>Journal of Nuclear Cardiology</i> , 2010, 17, 264-275.                            | 1.4 | 25        |
| 16208 | Transcutaneous very-high-resolution ultrasound to quantify arterial wall layers of muscular and elastic arteries: Validation of a method. <i>Atherosclerosis</i> , 2010, 212, 516-523.  | 0.4 | 44        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16209 | The QUASAR reproducibility study, Part II: Results from a multi-center Arterial Spin Labeling testâ€“retest study. <i>NeuroImage</i> , 2010, 49, 104-113.  | 2.1 | 223       |
| 16210 | An analysis of intraoperative versus post-operative dosimetry with CT, CTâ€“MRI fusion and XMR for the evaluation of permanent prostate brachytherapy implants. <i>Radiotherapy and Oncology</i> , 2010, 96, 166-171.  | 0.3 | 18        |
| 16211 | Signal Analysis and Classification for Surface Plasmon Assisted Microscopy of Nanoobjects. <i>Sensors and Actuators B: Chemical</i> , 2010, 151, 281-290.  | 4.0 | 26        |
| 16212 | EIA and GC/MS analysis of 8-isoprostane in EBC of children with problematic asthma. <i>European Respiratory Journal</i> , 2010, 35, 1364-1369.   | 3.1 | 39        |
| 16213 | Simplified parametric methods for [18F]FDDNP studies. <i>NeuroImage</i> , 2010, 49, 433-441.   | 2.1 | 7         |
| 16214 | High-Resolution Ultrasound Imaging. <i>American Journal of Pathology</i> , 2010, 176, 585-593.   | 1.9 | 45        |
| 16215 | Association between uterine disease and indicators of neutrophil and systemic energy status in lactating Holstein cows. <i>Journal of Dairy Science</i> , 2010, 93, 2926-2937.   | 1.4 | 179       |
| 16216 | Nuclear magnetic resonance and mass spectrometry-based milk metabolomics in dairy cows during early and late lactation. <i>Journal of Dairy Science</i> , 2010, 93, 1539-1550.   | 1.4 | 133       |
| 16217 | Evaluation of a rapid protein analyzer for determination of protein in milk and cream. <i>Journal of Dairy Science</i> , 2010, 93, 3846-3857.  | 1.4 | 12        |
| 16218 | Development and validation of a tool to recall alcoholic beverage and wine consumption over consumersâ€™ lifetimes. <i>Food Quality and Preference</i> , 2010, 21, 697-704.  | 2.3 | 6         |
| 16219 | Weaning Mechanical Ventilation After Off-Pump Coronary Artery Bypass Graft Procedures Directed by Noninvasive Gas Measurements. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2010, 24, 451-455.  | 0.6 | 4         |
| 16220 | Comparison of Spectral Entropy and Bispectral Index Electroencephalography in Coronary Artery Bypass Graft Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2010, 24, 544-549.  | 0.6 | 20        |
| 16221 | Arterial Pressure Variation and Goal-Directed Fluid Therapy. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2010, 24, 487-497.   | 0.6 | 106       |
| 16222 | Comparison of Uncalibrated Arterial Pressure Waveform Analysis with Continuous Thermodilution Cardiac Output Measurements in Patients Undergoing Elective Off-Pump Coronary Artery Bypass Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2010, 24, 767-771. | 0.6 | 16        |
| 16223 | An Evaluation of Induction Machine Stray Load Loss From Collated Test Results. <i>IEEE Transactions on Industry Applications</i> , 2010, 46, 2311-2318.  | 3.3 | 36        |
| 16224 | Quantification of Left Ventricular Volumes Using Three-dimensional Echocardiography: Comparison With 64-slice Multidetector Computed Tomography. <i>Journal of Medical Ultrasound</i> , 2010, 18, 71-78.   | 0.2 | 5         |
| 16225 | Bioelectrical Impedance Analysis Can Be a Useful Screen for Excess Adiposity in Spinal Muscular Atrophy. <i>Journal of Child Neurology</i> , 2010, 25, 1348-1354.  | 0.7 | 11        |
| 16226 | Intercontinental hearing assessment â€“ a study in tele-audiology. <i>Journal of Telemedicine and Telecare</i> , 2010, 16, 248-252.  | 1.4 | 59        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16227 | Comparison of dynamic contour tonometry and Goldmann applanation tonometry following penetrating keratoplasty. <i>Canadian Journal of Ophthalmology</i> , 2010, 45, 489-493.  | 0.4 | 6         |
| 16228 | Assessment of the Accutrend GCT and PTS CardioChek meters to measure blood triglyceride concentrations in cats. <i>Journal of Feline Medicine and Surgery</i> , 2010, 12, 458-465.  | 0.6 | 5         |
| 16229 | Reliability and construct validity of soccer skills tests that measure passing, shooting, and dribbling. <i>Journal of Sports Sciences</i> , 2010, 28, 1399-1408.   | 1.0 | 100       |
| 16230 | Cardiac Output Monitoring: Is There a Gold Standard and How Do the Newer Technologies Compare?. <i>Seminars in Cardiothoracic and Vascular Anesthesia</i> , 2010, 14, 274-282.  | 0.4 | 71        |
| 16231 | Measurement of Body Composition in Burned Children: Is There a Gold Standard?. <i>Journal of Parenteral and Enteral Nutrition</i> , 2010, 34, 55-63.  | 1.3 | 23        |
| 16232 | In Vitro and In Vivo Bioluminescent Quantification of Viable Stem Cells in Engineered Constructs. <i>Tissue Engineering - Part C: Methods</i> , 2010, 16, 447-458.  | 1.1 | 34        |
| 16233 | Quantitative and Qualitative Assessments of Lung Destruction and Pulmonary Functional Loss from Reduced-Dose Thin-Section CT in Pulmonary Emphysema Patients. <i>Academic Radiology</i> , 2010, 17, 163-168.                    | 1.3 | 20        |
| 16234 | The density of human semen and the validation of weight as an indicator of volume: a multicentre study. <i>Reproductive Biology</i> , 2010, 10, 141-153.  | 0.9 | 12        |
| 16235 | Estimation of Total-Body and Regional Soft Tissue Composition From DXA Bone Densitometry of the Lumbar Spine and Hip. <i>Journal of Clinical Densitometry</i> , 2010, 13, 263-266.  | 0.5 | 8         |
| 16236 | Semiautomated versus Manual Evaluation of Liver Metastases Treated by Radiofrequency Ablation. <i>Journal of Vascular and Interventional Radiology</i> , 2010, 21, 245-251.   | 0.2 | 12        |
| 16237 | Analysis of temporal delay in myocardial deformation throughout the cardiac cycle: Utility for selecting candidates for cardiac resynchronization therapy. <i>Heart Rhythm</i> , 2010, 7, 1580-1586.                            | 0.3 | 6         |
| 16238 | Mesure de l'usage des prothèses totales de hanche à double mobilité: Étude expérimentale de la précision de l'analyse radiostéréométrique (RSA). <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2010, 96, 679-686. | 0.0 | 0         |
| 16239 | Non-invasive Intracranial Pressure estimation using Support Vector Machine. , 2010, 2010, 996-9.  |     | 8         |
| 16240 | Validity and reliability of the Cortex MetaMax3B portable metabolic system. <i>Journal of Sports Sciences</i> , 2010, 28, 733-742.  | 1.0 | 85        |
| 16241 | Investigating portable fluorescent microscopy (CyScope®) as an alternative rapid diagnostic test for malaria in children and women of child-bearing age. <i>Malaria Journal</i> , 2010, 9, 245.                                 | 0.8 | 28        |
| 16242 | Maximal Lactate Steady-State Prediction. <i>Sports Medicine</i> , 2010, 40, 179-180.  | 3.1 | 1         |
| 16243 | A modified formula for calculating low-density lipoprotein cholesterol values. <i>Lipids in Health and Disease</i> , 2010, 9, 52.   | 1.2 | 149       |
| 16244 | Comparison of 3T MR scanners in regional cartilage-thickness analysis in osteoarthritis: a cross-sectional multicenter, multivendor study. <i>Arthritis Research and Therapy</i> , 2010, 12, R202.                              | 1.6 | 35        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16245 | A Structural Mass Spectrometry Strategy for the Relative Quantitation of Ligands on Mixed Monolayer-Protected Gold Nanoparticles. <i>Analytical Chemistry</i> , 2010, 82, 9268-9274.   | 3.2 | 37        |
| 16246 | Qualitative Attributes and Measurement Properties of Physical Activity Questionnaires. <i>Sports Medicine</i> , 2010, 40, 525-537.   | 3.1 | 206       |
| 16247 | Preliminary assessment of abdominal organ perfusion utilizing a fiber optic photoplethysmographic sensor. , 2010, 2010, 1020-3.  |     | 1         |
| 16248 | Collecting kinematic data on a ski/snowboard track with panning, tilting, and zooming cameras: Is there sufficient accuracy for a biomechanical analysis?. <i>Journal of Sports Sciences</i> , 2010, 28, 1345-1353.                      | 1.0 | 37        |
| 16250 | Interplay between Field Measurements and Soil Behavior for Capturing Supported Excavation Response. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2010, 136, 69-84.   | 1.5 | 14        |
| 16251 | Do psychological factors predict symptom severity in patients with subjective food hypersensitivity?. <i>Scandinavian Journal of Gastroenterology</i> , 2010, 45, 835-843.   | 0.6 | 15        |
| 16252 | Assessment of human instantaneous arterial diameter using B-mode ultrasound imaging and artificial neural networks: Determination of wall mechanical properties. , 2010, 2010, 1409-12.  |     | 1         |
| 16253 | Noncontact Respiration Rate Measurement System Using an Ultrasonic Proximity Sensor. <i>IEEE Sensors Journal</i> , 2010, 10, 1732-1739.  | 2.4 | 139       |
| 16254 | Evaluation of the Intraocular Pressure Measured with the Ocular Response Analyzer. <i>Current Eye Research</i> , 2010, 35, 587-596.  | 0.7 | 8         |
| 16255 | A new oscillometric method for pulse wave analysis: comparison with a common tonometric method. <i>Journal of Human Hypertension</i> , 2010, 24, 498-504.  | 1.0 | 313       |
| 16256 | Measurement of Fractional Exhaled Nitric Oxide by a New Portable Device: Comparison with the Standard Technique. <i>Journal of Asthma</i> , 2010, 47, 805-809.   | 0.9 | 45        |
| 16257 | C-peptide in dried blood spots. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2010, 70, 404-409.  | 0.6 | 13        |
| 16258 | Validity of physical activity monitors in adults participating in free-living activities. <i>British Journal of Sports Medicine</i> , 2010, 44, 657-664.   | 3.1 | 160       |
| 16259 | Signal processing methods for non-contact cardiac detection using Doppler radar. , 2010, , .   |     | 8         |
| 16260 | Usefulness of perceived level of exertion in patients with chronic low back pain attending a physical training programme. <i>Disability and Rehabilitation</i> , 2010, 32, 216-222.  | 0.9 | 14        |
| 16261 | A power balance model for handcycling. <i>Disability and Rehabilitation</i> , 2010, 32, 2165-2171.   | 0.9 | 19        |
| 16262 | Knee flexion influences periprosthetic BMD measurement in the tibia. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010, 81, 463-470.  | 1.2 | 22        |
| 16263 | Late Gadolinium-Enhancement Cardiac Magnetic Resonance Identifies Postinfarction Myocardial Fibrosis and the Border Zone at the Near Cellular Level in Ex Vivo Rat Heart. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 743-752. | 1.3 | 156       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16264 | Development of robotic system with artificial vision for the evaluation of rehabilitation in underwater gait therapy. , 2010, , .  |     | 1         |
| 16265 | Artificial Neural Network for accurate prediction of post-dialysis urea rebound. , 2010, , .   |     | 10        |
| 16266 | Reliability of the Community Balance and Mobility Scale (CB&M) in high-functioning school-aged children and adolescents who have an acquired brain injury. Brain Injury, 2010, 24, 1585-1594.                  | 0.6 | 30        |
| 16267 | Procedures in the <sup>13</sup> C octanoic acid breath test for measurement of gastric emptying: analysis using Bland-Altman methods. Scandinavian Journal of Gastroenterology, 2010, 45, 852-861.             | 0.6 | 11        |
| 16268 | A preliminary study of a quantitative analysis method for high speed laryngoscopic images. International Journal of Speech-Language Pathology, 2010, 12, 520-528.  | 0.6 | 11        |
| 16269 | Explorations in statistics: correlation. American Journal of Physiology - Advances in Physiology Education, 2010, 34, 186-191.   | 0.8 | 20        |
| 16270 | Validation of Laboratory-Developed Molecular Assays for Infectious Diseases. Clinical Microbiology Reviews, 2010, 23, 550-576.   | 5.7 | 424       |
| 16271 | Cardiac output monitoring in pediatric patients. Expert Review of Medical Devices, 2010, 7, 503-517.   | 1.4 | 36        |
| 16272 | Systematically increasing contextual interference is beneficial for learning sport skills. Journal of Sports Sciences, 2010, 28, 1277-1285.  | 1.0 | 100       |
| 16273 | Comparison of two different microbiological test kits for detection of periodontal pathogens. Acta Odontologica Scandinavica, 2010, 68, 115-121.   | 0.9 | 13        |
| 16274 | Smart wearable device for real time gait event detection during running. , 2010, , .   |     | 11        |
| 16275 | Non-Invasive Measurement of Cardiac Output during Atrial Fibrillation: Comparison between Cardiac Magnetic Resonance Imaging and Inert Gas Rebreathing. Cardiology, 2010, 115, 212-216.                        | 0.6 | 10        |
| 16276 | The validity of tympanic and exhaled breath temperatures for core temperature measurement. Physiological Measurement, 2010, 31, N35-N42.   | 1.2 | 13        |
| 16277 | PREVALENCE OF ANTIBODIES TO TYPE A INFLUENZA VIRUS IN WILD AVIAN SPECIES USING TWO SEROLOGIC ASSAYS. Journal of Wildlife Diseases, 2010, 46, 896-911.  | 0.3 | 66        |
| 16278 | A Systematic Review of Faces Scales for the Self-report of Pain Intensity in Children. Pediatrics, 2010, 126, e1168-e1198.   | 1.0 | 421       |
| 16279 | Pharmacokinetics of voriconazole in adult mallard ducks ( <i>Anas platyrhynchos</i> ). Medical Mycology, 2011, 49, 1-13.   | 0.3 | 15        |
| 16280 | Validity of self-reported body weight and height among women including patients with eating disorders. Eating and Weight Disorders, 2010, 15, e74-e80.   | 1.2 | 22        |
| 16281 | Point-of-care diagnostic tests for childhood urinary-tract infection: phase-contrast microscopy for bacteria, stick testing, and counting white blood cells. Journal of Clinical Pathology, 2010, 63, 823-829. | 1.0 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16282 | Medical equipment (DXA) reliability and the management of its quality control by the clinical user. , 2010, , .  |     | 0         |
| 16283 | Performance of NucliSens HIV-1 EasyQ Version 2.0 Compared with Six Commercially Available Quantitative Nucleic Acid Assays for Detection of HIV-1 in China. <i>Molecular Diagnosis and Therapy</i> , 2010, 14, 305-316.  | 1.6 | 10        |
| 16284 | Accuracy of oscillometric devices in children and adults. <i>Blood Pressure</i> , 2010, 19, 254-259.   | 0.7 | 32        |
| 16285 | Effect of countermovement on elbow joint extension power load characteristics. <i>Journal of Sports Sciences</i> , 2010, 28, 1535-1542.  | 1.0 | 4         |
| 16286 | Blood concentrations are better predictors of chloroquine poisoning severity than plasma concentrations: a prospective study with modeling of the concentration/effect relationships. <i>Clinical Toxicology</i> , 2010, 48, 904-915.                                  | 0.8 | 29        |
| 16287 | Prognostic immunophenotypic biomarker studies in diffuse large B cell lymphoma with special emphasis on rational determination of cut-off scores. <i>Leukemia and Lymphoma</i> , 2010, 51, 199-212.  | 0.6 | 88        |
| 16288 | Measuring fatigue in patients with multiple sclerosis: reproducibility, responsiveness and concurrent validity of three Dutch self-report questionnaires. <i>Disability and Rehabilitation</i> , 2010, 32, 1870-1876.  | 0.9 | 131       |
| 16289 | Personal Exposure of Traffic Police Officers to Particulate Matter, Carbon Monoxide, and Benzene in the City of Milan, Italy. <i>Journal of Occupational and Environmental Hygiene</i> , 2010, 7, 342-351.   | 0.4 | 29        |
| 16290 | An application of computerised adaptive testing for measuring health status in patients with knee osteoarthritis. <i>Disability and Rehabilitation</i> , 2010, 32, 1928-1938.  | 0.9 | 10        |
| 16291 | Statistical agreement and cost benefit: Comparison of methods for constructing growth reference charts. <i>Annals of Human Biology</i> , 2010, 37, 57-69.  | 0.4 | 21        |
| 16292 | Statistical comparison between a real-time model and a FEM counterpart for visualization of breast phantom deformation during palpation. , 2010, , .   |     | 2         |
| 16293 | Comparison of combined oximetry and cutaneous capnography using a digital sensor with arterial blood gas analysis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2010, 70, 60-64.   | 0.6 | 17        |
| 16294 | Insulin sensitivity (Si) assessment in lean and overweight subjects using two different protocols and updated software. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2010, 70, 98-103.   | 0.6 | 6         |
| 16295 | Psychometric evaluation of the functional walking test for children with cerebral palsy. <i>Disability and Rehabilitation</i> , 2011, 33, 2397-2403.   | 0.9 | 6         |
| 16296 | Validity of dietary patterns derived in nutrition surveys using a priori and a posteriori multivariate statistical methods. <i>International Journal of Food Sciences and Nutrition</i> , 2011, 62, 617-627.   | 1.3 | 23        |
| 16297 | Heidelberg Retina Tomograph (HRT3) in Population-based Epidemiology: Normative Values and Criteria for Glaucomatous Optic Neuropathy. <i>Ophthalmic Epidemiology</i> , 2011, 18, 198-210.  | 0.8 | 15        |
| 16298 | Evaluation of the relationship between capillary and venous plasma glucose concentrations obtained by the HemoCue Glucose 201+ system during an oral glucose tolerance test. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 670-675. | 0.6 | 24        |
| 16299 | Could the Level of Serum Albumin Be a Method for Assessing Malnutrition in Hemodialysis Patients?. <i>Nutrition in Clinical Practice</i> , 2011, 26, 607-613.  | 1.1 | 12        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16300 | Clinical and Physiologic Effects of Sodium Chloride Baths in Goldfish ( <i>Carassius auratus</i> ). <i>Journal of Zoo and Wildlife Medicine</i> , 2011, 42, 586-592.   | 0.3 | 6         |
| 16301 | Modeling and prediction of the preparation of hydroxyapatite with sol-gel method by using support vector regression. , 2011, , .   |     | 0         |
| 16302 | Apparent motion photometry: evaluation and reliability of a novel method for the measurement of macular pigment. <i>British Journal of Ophthalmology</i> , 2011, 95, 662-665.  | 2.1 | 6         |
| 16303 | Comparative analysis of long-term biofilm formation on metal and ceramic brackets. <i>Angle Orthodontist</i> , 2011, 81, 907-914.  | 1.1 | 37        |
| 16304 | Intraosseous blood aspirates analysed by a portable cartridge-based device. <i>Critical Care</i> , 2011, 15, .   | 2.5 | 1         |
| 16306 | Alignment efficiency and discomfort of three orthodontic archwire sequences: a randomized clinical trial. <i>Journal of Orthodontics</i> , 2011, 38, 32-39.  | 0.4 | 47        |
| 16307 | The use of accelerometry in adolescents and its implementation with non-wear time activity diaries in free-living conditions. <i>Journal of Sports Sciences</i> , 2011, 29, 103-113.   | 1.0 | 32        |
| 16308 | Comparison of Peripapillary Retinal Nerve Fiber Layer Thickness Measured by Spectral vs. Time Domain Optical Coherence Tomography. <i>Current Eye Research</i> , 2011, 36, 125-134.  | 0.7 | 14        |
| 16309 | Diagnosis of sleep apnea by the analysis of heart rate variation: A mini review. , 2011, 2011, 7731-4.   |     | 8         |
| 16310 | Evaluating forest biometrics obtained from ground lidar in complex riparian forests. <i>Remote Sensing Letters</i> , 2011, 2, 61-70.   | 0.6 | 17        |
| 16311 | Fetal cerebral ventricle volumetry: comparison between 3D ultrasound and magnetic resonance imaging in fetuses with ventriculomegaly. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 1384-1391.            | 0.7 | 16        |
| 16312 | Concurrent validity and reliability of clinical evaluation of the single leg squat. <i>Physiotherapy Theory and Practice</i> , 2011, 27, 586-594.  | 0.6 | 25        |
| 16313 | Implication of CKD-EPI Equation to Estimate Glomerular Filtration Rate in Chinese Patients with Chronic Kidney Disease. <i>Renal Failure</i> , 2011, 33, 859-865.  | 0.8 | 19        |
| 16314 | Non-Exercise Estimation of VO <sub>2</sub> max Using the International Physical Activity Questionnaire. Measurement in Physical Education and Exercise Science, 2011, 15, 168-181.   | 1.3 | 30        |
| 16315 | Quantification of increased cellularity during inflammatory demyelination. <i>Brain</i> , 2011, 134, 3590-3601.  | 3.7 | 317       |
| 16316 | Comparison of venous and arterial blood sampling for the assessment of platelet aggregation with whole blood impedance aggregometry. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 637-640. | 0.6 | 13        |
| 16317 | An evaluation method for real-time soft-tissue model used for multi-vertex palpation. , 2011, , .  |     | 1         |
| 16318 | The Validity of Temperature-Sensitive Ingestible Capsules for Measuring Core Body Temperature in Laboratory Protocols. <i>Chronobiology International</i> , 2011, 28, 719-726.   | 0.9 | 23        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16319 | Influence of temperature on Mean Scattering Spacing estimation of in vitro bovine muscle. , 2011, , .   |     | 2         |
| 16320 | A differential capacitive electrical field sensor array for contactless measurement of respiratory rate. <i>Physiological Measurement</i> , 2011, 32, 1575-1590.  | 1.2 | 13        |
| 16321 | The Academic Medical Center Linear Disability Score for evaluation of physical reserve on admission to the ICU: can we query the relatives?. <i>Critical Care</i> , 2011, 15, R212.   | 2.5 | 11        |
| 16322 | Assessing Body Composition of Children and Adolescents Using Dual-Energy X-Ray Absorptiometry, Skinfolds, and Electrical Impedance. <i>Measurement in Physical Education and Exercise Science</i> , 2011, 15, 2-17.                                     | 1.3 | 11        |
| 16323 | Determination of aerobic and anaerobic performance: a methodological consideration. <i>Physiological Measurement</i> , 2011, 32, 423-431.   | 1.2 | 7         |
| 16325 | The Hit & Turn Tennis Test: An acoustically controlled endurance test for tennis players. <i>Journal of Sports Sciences</i> , 2011, 29, 485-494.  | 1.0 | 60        |
| 16326 | Validation of the Flush Method as an Alternative to Basal or Reflex Tear Collection. <i>Current Eye Research</i> , 2011, 36, 198-207.   | 0.7 | 68        |
| 16327 | Defining the Minimal Detectable Change in Scores on the Eight-Item Morisky Medication Adherence Scale. <i>Annals of Pharmacotherapy</i> , 2011, 45, 569-575.  | 0.9 | 38        |
| 16328 | Maternal methadone therapy increases QTc interval in newborn infants. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2011, 96, F141-F143.  | 1.4 | 36        |
| 16329 | Performance of the Iris iQ <sup>200</sup> Elite analyser in the cell counting of serous effusion fluids and cerebrospinal drainage fluids. <i>Journal of Clinical Pathology</i> , 2011, 64, 1123-1127.  | 1.0 | 8         |
| 16330 | The influence of scoring method on variability in results obtained with the comet assay. <i>Mutagenesis</i> , 2011, 26, 393-399.  | 1.0 | 95        |
| 16331 | Fatmax in children and adolescents: A review. <i>European Journal of Sport Science</i> , 2011, 11, 1-18.  | 1.4 | 11        |
| 16332 | Evaluation of the iChem <sup>Velocity</sup> Urine Chemistry Analyzer in a hospital routine laboratory. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011, 49, 509-13.  | 1.4 | 4         |
| 16333 | Validity of auscultatory and Penaz blood pressure measurements during profound heat stress alone and with an orthostatic challenge. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2011, 301, R1510-R1516. | 0.9 | 18        |
| 16334 | A novel photoplethysmography technique to derive normalized arterial stiffness as a blood pressure independent measure in the finger vascular bed. <i>Physiological Measurement</i> , 2011, 32, 1869-1883.  | 1.2 | 25        |
| 16335 | The between-day and inter-rater reliability of a novel wireless system to analyse lumbar spine posture. <i>Ergonomics</i> , 2011, 54, 82-90.  | 1.1 | 30        |
| 16336 | Efficacy and Safety of Adjunctive Local Moxifloxacin Delivery in the Treatment of Periodontitis. <i>Journal of Periodontology</i> , 2011, 82, 96-105.   | 1.7 | 34        |
| 16337 | Kinematic characteristics of elite men's and women's 20km race walking and their variation during the race. <i>Sports Biomechanics</i> , 2011, 10, 110-124.   | 0.8 | 28        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16338 | 2-D inner-shelf current observations from a single VHF WELLEN Radar (WERA) station. , 2011, , .  |     | 5         |
| 16339 | Validation of Echocardiographic Left Atrial Parameters in Atrial Fibrillation Using the Index Beat of Preceding Cardiac Cycles of Equal Duration. Journal of the American Society of Echocardiography, 2011, 24, 1141-1147.          | 1.2 | 29        |
| 16340 | Right Atrial Scar Detection after Catheter Ablation. Academic Radiology, 2011, 18, 488-494.  | 1.3 | 7         |
| 16341 | Robust, Standardized Quantification of Pulmonary Emphysema in Low Dose CT Exams. Academic Radiology, 2011, 18, 1382-1390.  | 1.3 | 14        |
| 16342 | Validation des mesures par EVAÂ: considÃ©rations mÃ©thodologiques. Archives Des Maladies Professionnelles Et De L'Environnement, 2011, 72, 246-251.  | 0.1 | 3         |
| 16343 | Quantification of Epicardial Adipose Tissue. Academic Radiology, 2011, 18, 977-983.  | 1.3 | 13        |
| 16344 | Intrathoracic Tracheal Volume and Collapsibility on Inspiratory and End-expiratory CT Scans. Academic Radiology, 2011, 18, 299-305.  | 1.3 | 28        |
| 16345 | Different Patterns of Adaptation of the Right Ventricle to Pressure Overload: A Comparison between Pulmonary Hypertension and Pulmonary Stenosis. Journal of the American Society of Echocardiography, 2011, 24, 1109-1117.          | 1.2 | 43        |
| 16346 | Novel Area Strain Based on Three-Dimensional Wall Motion Analysis for Assessment of Global Left Ventricular Performance after Repair of Tetralogy of Fallot. Journal of the American Society of Echocardiography, 2011, 24, 819-825. | 1.2 | 27        |
| 16347 | Effects of Mild Ischemic Mitral Regurgitation on Ventricular Remodeling and Its Contribution to Congestive Heart Failure. Journal of the American Society of Echocardiography, 2011, 24, 1376-1382.                                  | 1.2 | 9         |
| 16348 | MDCT for Computerized Volumetry of Pneumothoraces in Pediatric Patients. Academic Radiology, 2011, 18, 315-323.  | 1.3 | 14        |
| 16349 | Status of Hemoglobin A1c Measurement and Goals for Improvement: From Chaos to Order for Improving Diabetes Care. Clinical Chemistry, 2011, 57, 205-214.  | 1.5 | 268       |
| 16350 | In Vitro Comparison of Water Displacement Method and 3 Tesla MRI for MR-Volumetry of the Olfactory Bulb. Academic Radiology, 2011, 18, 1233-1240.  | 1.3 | 6         |
| 16351 | Quantitative Measurement of Bleomycin-induced Lung Fibrosis in Rabbits Using Sequential in vivo Regional Analysis and High-Resolution Computed Tomography:. Academic Radiology, 2011, 18, 672-681.                                   | 1.3 | 6         |
| 16352 | Comparisons of Body-Composition Prediction Accuracy: A Study of 2 Bioelectric Impedance Consumer Devices in Healthy Chinese Persons Using DXA and MRI as Criteria Methods. Journal of Clinical Densitometry, 2011, 14, 458-464.      | 0.5 | 50        |
| 16353 | Test-Retest Variability of Volumetric Right Ventricular Measurements Using Real-Time Three-Dimensional Echocardiography. Journal of the American Society of Echocardiography, 2011, 24, 671-679.                                     | 1.2 | 34        |
| 16354 | Intracardiac Echocardiography: A New Guiding Tool for Transcatheter Aortic Valve Replacement. Journal of the American Society of Echocardiography, 2011, 24, 966-975.  | 1.2 | 63        |
| 16355 | Cross Calibration of Hologic QDR2000 and GE Lunar Prodigy for Whole Body Bone Mineral Density and Body Composition Measurements. Journal of Clinical Densitometry, 2011, 14, 294-301.  | 0.5 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16356 | Left Atrial Volume by Real-Time Three-Dimensional Echocardiography: Validation by 64-Slice Multidetector Computed Tomography. <i>Journal of the American Society of Echocardiography</i> , 2011, 24, 680-686.                                      | 1.2 | 103       |
| 16357 | Defining the Intra-subject Variability of Whole-lung CT Densitometry in Two Lung Cancer Screening Trials. <i>Academic Radiology</i> , 2011, 18, 1403-1411.   | 1.3 | 14        |
| 16358 | Assessment of Myocardial Deformation in Children Using Digital Imaging and Communications in Medicine (DICOM) Data and Vendor Independent Speckle Tracking Software. <i>Journal of the American Society of Echocardiography</i> , 2011, 24, 37-44. | 1.2 | 121       |
| 16359 | Quantitative Evaluation of Hyperpolarized Helium-3 Magnetic Resonance Imaging of Lung Function Variability in Cystic Fibrosis. <i>Academic Radiology</i> , 2011, 18, 1006-1013.  | 1.3 | 53        |
| 16360 | Ultrasound-based markers of carotid atherosclerosis correlate well with the number of classical atherosclerotic risk factors. <i>Neurologia i Neurochirurgia Polska</i> , 2011, 45, 317-327.   | 0.6 | 6         |
| 16361 | Effects of an Office-Based Carotid Ultrasound Screening Intervention. <i>Journal of the American Society of Echocardiography</i> , 2011, 24, 738-747.  | 1.2 | 16        |
| 16362 | Reproducibility and Repeatability of Volumetric Measurements for Olfactory Bulb Volumetry. <i>Academic Radiology</i> , 2011, 18, 842-849.  | 1.3 | 9         |
| 16363 | Quantitative and Qualitative Characterization of the Acute Changes in Myocardial Structure and Function after Distal Coronary Microembolization Using MDCT. <i>Academic Radiology</i> , 2011, 18, 479-487.   | 1.3 | 6         |
| 16364 | Reproducibility of BMD Measurements in the Prosthetic Knee Comparing Knee-Specific Software to Traditional DXA Software: A Clinical Validation. <i>Journal of Clinical Densitometry</i> , 2011, 14, 138-148.                                       | 0.5 | 11        |
| 16365 | Screening for Obstructive Sleep Apnea by Cyclic Variation of Heart Rate. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2011, 4, 64-72.  | 2.1 | 77        |
| 16366 | Assessment of the Stratos, a New Pencil-Beam Bone Densitometer: Dosimetry, Precision, and Cross Calibration. <i>Journal of Clinical Densitometry</i> , 2011, 14, 395-406.  | 0.5 | 11        |
| 16367 | Nasal Inspiratory Pressure: an Alternative for the Assessment of Inspiratory Muscle Strength?. <i>Archivos De Bronconeumologia</i> , 2011, 47, 169-175.  | 0.4 | 11        |
| 16368 | Inter-examiner agreement of the AS-OCT Visante corneal thickness. <i>Journal of Optometry</i> , 2011, 4, 95-102.   | 0.7 | 0         |
| 16369 | Accuracy of Visante and Zeiss-Humphrey Optical Coherence Tomographers and their cross calibration with optical pachymetry and physical references. <i>Journal of Optometry</i> , 2011, 4, 147-155.   | 0.7 | 3         |
| 16370 | Semiautomatic quantification of left and right ventricular function in cardiac magnetic resonance imaging: A preliminary study. <i>Radiologia</i> , 2011, 53, 39-46.   | 0.3 | 3         |
| 16371 | Analysis of the body composition of Spanish women with fibromyalgia. <i>Reumatología Clínica (English)</i> Tj ETQq1 1,0,784314 rgBT /Ove<br>0,2 1  | 1.0 | 14        |
| 16372 | Depression, Hypothalamic Pituitary Adrenal Axis, and Hippocampal and Entorhinal Cortex Volumes in The SMART Medea Study. <i>Biological Psychiatry</i> , 2011, 70, 373-380.   | 0.7 | 115       |
| 16373 | Investigation into accuracy and reproducibility of a 3D breast imaging system using multiple stereo cameras. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2011, 64, 577-582.  | 0.5 | 39        |

| #     | ARTICLE  | IF   | CITATIONS |
|-------|--|------|-----------|
| 16374 | Interscan reproducibility of computer-aided epicardial and thoracic fat measurement from noncontrast cardiac CT. <i>Journal of Cardiovascular Computed Tomography</i> , 2011, 5, 172-179.                          | 0.7  | 51        |
| 16375 | Reproducibility of left and right ventricular mass measurements with cardiac CT. <i>Journal of Cardiovascular Computed Tomography</i> , 2011, 5, 317-324.  | 0.7  | 9         |
| 16376 | Abnormal electrochemical skin conductance in cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2011, 10, 15-20.   | 0.3  | 30        |
| 16377 | Evaluation of Techniques for the Quantification of Myocardial Scar of Differing Etiology Using Cardiac Magnetic Resonance. <i>JACC: Cardiovascular Imaging</i> , 2011, 4, 150-156.                                 | 2.3  | 514       |
| 16378 | Atrial Dilatation and Altered Function Are Mediated by Age and Diastolic Function But Not Before the Eighth Decade. <i>JACC: Cardiovascular Imaging</i> , 2011, 4, 234-242.  | 2.3  | 77        |
| 16379 | Left Atrial Passive Emptying Function During Dobutamine Stress MR Imaging Is a Predictor of Cardiac Events in Patients With Suspected Myocardial Ischemia. <i>JACC: Cardiovascular Imaging</i> , 2011, 4, 378-388. | 2.3  | 34        |
| 16380 | Validation and Characterization of Transcatheter Aortic Valve Effective Orifice Area Measured by Doppler Echocardiography. <i>JACC: Cardiovascular Imaging</i> , 2011, 4, 1053-1062.                               | 2.3  | 88        |
| 16381 | Magnetic resonance imaging of rectal volume in patients with irritable bowel syndrome. <i>Digestive and Liver Disease</i> , 2011, 43, 529-534.   | 0.4  | 2         |
| 16382 | Validation of total body water analysis by bioelectrical impedance analysis with deuterium dilution in (pre)school children. <i>European E-journal of Clinical Nutrition and Metabolism</i> , 2011, 6, e223-e226.  | 0.4  | 23        |
| 16383 | Semiconductor Detectors Allow Low-Dose "Low-Dose 1-Day SPECT Myocardial Perfusion Imaging. <i>Journal of Nuclear Medicine</i> , 2011, 52, 1204-1209.   | 2.8  | 56        |
| 16384 | Reliable Patient-Specific Simulations of the Femur. <i>Studies in Mechanobiology, Tissue Engineering and Biomaterials</i> , 2011, , 3-26.  | 0.7  | 3         |
| 16385 | Results of the recalibration of creatinine measurement with the modular Beckman Coulter <sup>®</sup> Jaffe creatinine method. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011, 49, 1987-99.               | 1.4  | 10        |
| 16386 | A Geometrical Interpretation of an Alternative Formula for the Sample Covariance. <i>American Statistician</i> , 2011, 65, 110-112.  | 0.9  | 3         |
| 16387 | Different Effects of Bromodeoxyuridine and [ <sup>3</sup> H]Thymidine Incorporation into DNA on Cell Proliferation, Position, and Fate. <i>Journal of Neuroscience</i> , 2011, 31, 15205-15217.                    | 1.7  | 122       |
| 16389 | Validation of a Spatiotemporal Land Use Regression Model Incorporating Fixed Site Monitors. <i>Environmental Science &amp; Technology</i> , 2011, 45, 294-299.   | 4.6  | 38        |
| 16390 | Multi-Wavelength Pulse Oximeter Is Not Suitable for Adjusting D <sub>LCO</sub> Measurements. <i>Respiratory Care</i> , 2011, 56, 1115-1121.  | 0.8  | 11        |
| 16391 | Development and Validation of a New Method to Measure Walking Speed in Free-Living Environments Using the ActiBelt <sup>®</sup> Platform. <i>PLoS ONE</i> , 2011, 6, e23080.                                       | 1.1  | 51        |
| 16392 | Opportunities and pitfalls of cancer imaging in clinical trials. <i>Nature Reviews Clinical Oncology</i> , 2011, 8, 517-527.   | 12.5 | 31        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16393 | Factors independently related to a negative birth experience in first-time mothers. <i>Sexual and Reproductive Healthcare</i> , 2011, 2, 83-89.   | 0.5 | 64        |
| 16394 | Brain MAPS: An automated, accurate and robust brain extraction technique using a template library. <i>NeuroImage</i> , 2011, 55, 1091-1108.   | 2.1 | 152       |
| 16395 | White matter characterization with diffusional kurtosis imaging. <i>NeuroImage</i> , 2011, 58, 177-188.   | 2.1 | 479       |
| 16396 | Comparison of the ultrasonographic method with 2 partial coherence interferometry methods for intraocular lens power calculation. <i>Optometry - Journal of the American Optometric Association</i> , 2011, 82, 140-147.                | 0.6 | 48        |
| 16397 | Comparison of near fusional vergence ranges with rotary prisms and with prism bars. <i>Optometry - Journal of the American Optometric Association</i> , 2011, 82, 104-107.  | 0.6 | 28        |
| 16398 | Accommodation and convergence during sustained computer work. <i>Optometry - Journal of the American Optometric Association</i> , 2011, 82, 434-440.  | 0.6 | 51        |
| 16399 | Total knee arthroplasty three-dimensional kinematic estimation prevision. From a two-dimensional fluoroscopy acquired dynamic model. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2011, 97, 111-120.                    | 0.9 | 10        |
| 16400 | Comparison of DEXA and QMR for assessing fat and lean body mass in adult rats. <i>Physiology and Behavior</i> , 2011, 103, 117-121.   | 1.0 | 11        |
| 16402 | Localization of the subthalamic nucleus in Parkinson disease using multiunit activity. <i>Journal of the Neurological Sciences</i> , 2011, 310, 44-49.  | 0.3 | 53        |
| 16403 | Another Study Showing that Two Preference-Based Measures of Health-Related Quality of Life (EQ-5D) Tj ETQq1 1 0.784314 rgBT /Over<br>531-538.   | 0.1 | 48        |
| 16404 | Measurement of cardiac troponin I utilizing a point of care analyzer in healthy alpacas. <i>Journal of Veterinary Cardiology</i> , 2011, 13, 261-266.   | 0.3 | 10        |
| 16405 | Quantitative Perfusion Scintigraphy or Anatomic Segment Method in lung cancer resection. <i>Lung Cancer</i> , 2011, 74, 212-218.  | 0.9 | 9         |
| 16406 | Myelin water and T2 relaxation measurements in the healthy cervical spinal cord at 3.0T: Repeatability and changes with age. <i>NeuroImage</i> , 2011, 54, 1083-1090.   | 2.1 | 30        |
| 16407 | A comparison of MR based segmentation methods for measuring brain atrophy progression. <i>NeuroImage</i> , 2011, 54, 760-768.   | 2.1 | 50        |
| 16408 | High-resolution ultrasound displacement measurement using coded excitations. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2011, 58, 122-133.  | 1.7 | 14        |
| 16409 | Initial phantom validation of minute roughness measurement using phase tracking for arterial wall diagnosis non-invasively in vivo. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2011, 58, 853-857. | 1.7 | 15        |
| 16410 | Incurred sample reanalysis: different evaluation approaches on data obtained for spironolactone and its active metabolite canrenone. <i>Bioanalysis</i> , 2011, 3, 1343-1356.   | 0.6 | 7         |
| 16411 | Evaluation and Comparison of Three Exposure Assessment Techniques. <i>Journal of Occupational and Environmental Hygiene</i> , 2011, 8, 310-323.   | 0.4 | 31        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16412 | Parental reported compared with measured waist circumference in 8-year-old children. <i>Pediatric Obesity</i> , 2011, 6, e78-e86.  | 3.2 | 10        |
| 16413 | Algometry with a clothes peg compared to an electronic pressure algometer: a randomized cross-sectional study in pain patients. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 174.                                | 0.8 | 30        |
| 16414 | Repeatability and validity of a standardised maximal step-up test for leg function-a diagnostic accuracy study. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 191.  | 0.8 | 12        |
| 16415 | Viral load testing in a resource-limited setting: quality control is critical. <i>Journal of the International AIDS Society</i> , 2011, 14, 23-23.   | 1.2 | 9         |
| 16416 | A comparison of capillary and venous blood sampling methods for the use in haemorheology studies. <i>Clinical Hemorheology and Microcirculation</i> , 2011, 47, 111-119.   | 0.9 | 18        |
| 16417 | Development of DRC-ICP-MS methodology for the rapid determination of <sup>58</sup> Fe erythrocyte incorporation in human iron absorption studies. <i>Journal of Analytical Atomic Spectrometry</i> , 2011, 26, 1648. | 1.6 | 8         |
| 16418 | Accuracy of Different Equations for Estimating Fetal Weight. <i>Gynecologic and Obstetric Investigation</i> , 2011, 72, 264-268.   | 0.7 | 10        |
| 16419 | Measurement error and minimum detectable change in 4-meter gait speed in older adults. <i>Aging Clinical and Experimental Research</i> , 2011, 23, 406-412.  | 1.4 | 85        |
| 16420 | Neural respiratory drive as a physiological biomarker to monitor change during acute exacerbations of COPD. <i>Thorax</i> , 2011, 66, 602-608.   | 2.7 | 91        |
| 16421 | Comparison of oral versus parenteral iron supplementation on the health and productivity of piglets. <i>Veterinary Record</i> , 2011, 168, 188-188.  | 0.2 | 20        |
| 16422 | A Low Tube Voltage Technique Reduces the Radiation Dose at Retrospective ECG-gated Cardiac Computed Tomography for Anatomical and Functional Analyses. <i>Academic Radiology</i> , 2011, 18, 991-999.                | 1.3 | 49        |
| 16423 | Agreement analysis of LENSTAR with other techniques of biometry. <i>Eye</i> , 2011, 25, 717-724.   | 1.1 | 65        |
| 16424 | A rapid and robust tri-color flow cytometry assay for monitoring malaria parasite development. <i>Scientific Reports</i> , 2011, 1, 118.   | 1.6 | 175       |
| 16425 | The use of latex beads in external quality assurance and internal quality control for routine semen analysis. <i>Reproductive Biology</i> , 2011, 11, 264-275.   | 0.9 | 8         |
| 16426 | Validation of bioelectrical impedance analysis for total body water assessment against the deuterium dilution technique in Asian children. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 1321-1327.      | 1.3 | 36        |
| 16427 | â€œCriteriaâ€™ aPL tests: Report of a Task Force and preconference workshop at the 13th International Congress on Antiphospholipid Antibodies, Galveston, Texas, April 2010. <i>Lupus</i> , 2011, 20, 182-190.       | 0.8 | 122       |
| 16428 | Comparison of UHPLC and HPLC methods for the assay of prostanoids: â€œare the methods equivalent in terms of accuracy and precision?â€• <i>Bioanalysis</i> , 2011, 3, 853-862.                                       | 0.6 | 3         |
| 16429 | Comparison of the Vineland Adaptive Behavior Scales, Second Edition, and the Bayley Scales of Infant and Toddler Development, Third Edition. <i>Psychological Reports</i> , 2011, 109, 626-634.                      | 0.9 | 47        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16430 | Testâ€“retest reliability of a battery of field-based health-related fitness measures for adolescents. <i>Journal of Sports Sciences</i> , 2011, 29, 685-693.  | 1.0 | 78        |
| 16431 | Splenic Volume Model Constructed From Standardized One-Dimensional MDCT Measurements. <i>American Journal of Roentgenology</i> , 2011, 196, 367-372.   | 1.0 | 31        |
| 16432 | Comparison of Point Intercept and Image Analysis for Monitoring Rangeland Transects. <i>Rangeland Ecology and Management</i> , 2011, 64, 309-315.  | 1.1 | 37        |
| 16433 | Repeatability of SUV measurements in serial PET. <i>Medical Physics</i> , 2011, 38, 2629-2638.   | 1.6 | 26        |
| 16434 | Clinical Validation of a Novel Speckle-Trackingâ€“Based Ejection Fraction Assessment Method. <i>Journal of the American Society of Echocardiography</i> , 2011, 24, 1092-1100.   | 1.2 | 38        |
| 16435 | CT Tumor Volume Measurement in Advanced Non-small-cell Lung Cancer. <i>Academic Radiology</i> , 2011, 18, 54-62.   | 1.3 | 83        |
| 16436 | The Dyssynchrony in Predicting Response to Cardiac Resynchronization Therapy: A Call for Change. <i>Journal of the American Society of Echocardiography</i> , 2011, 24, 180-184.   | 1.2 | 19        |
| 16437 | Validation and Reproducibility of a Microarray-Based Gene Expression Test for Tumor Identification in Formalin-Fixed, Paraffin-Embedded Specimens. <i>Journal of Molecular Diagnostics</i> , 2011, 13, 48-56.  | 1.2 | 117       |
| 16438 | Stenosis of reverse great saphenous vein graft in infrainguinal arterial revascularization. <i>Revista Da AssociaÃ§Ã£o MÃ©dica Brasileira (English Edition)</i> , 2011, 57, 182-187.   | 0.1 | 0         |
| 16439 | Estenose do enxerto de veia safena magna reversa em revascularizaÃ§Ã£o arterial infrainguinal. <i>Revista Da AssociaÃ§Ã£o MÃ©dica Brasileira</i> , 2011, 57, 187-193.  | 0.3 | 1         |
| 16440 | Clinimetric Properties of the de Morton Mobility Index in Healthy, Community-Dwelling Older Adults. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 51-58.   | 0.5 | 42        |
| 16441 | Prediction of Peak Oxygen Consumption From the Ratings of Perceived Exertion During a Graded Exercise Test and Ramp Exercise Test in Able-Bodied Participants and Paraplegic Persons. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 277-283. | 0.5 | 37        |
| 16442 | Transcultural Adaptation and Psychometric Properties of a Spanish-Language Version of Physical Activity Instruments for Patients With Fibromyalgia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 284-294.                                   | 0.5 | 22        |
| 16443 | Validation of the Physical Activity Scale for Individuals With Physical Disabilities. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 923-928.   | 0.5 | 71        |
| 16444 | A Novel Video Gameâ€“Based Device for Measuring Stepping Performance and Fall Risk in Older People. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 947-953.   | 0.5 | 62        |
| 16445 | Reproducibility and Validity of Patient-Rated Assessment of Speech, Swallowing, and Saliva Control in Parkinson's Disease. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1152-1158.  | 0.5 | 62        |
| 16446 | Construct Validity and Test-Retest Reliability of the Questionnaire Rising and Sitting Down in Lower-Limb Amputees. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1305-1310.   | 0.5 | 14        |
| 16447 | Test-Retest Reliability of Isometric and Isokinetic Knee Extension and Flexion in Patients With Fibromyalgia: Evaluation of the Smallest Real Difference. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1646-1651.                           | 0.5 | 27        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16448 | Intra- and Interrater Reliability and Agreement of the Danish Version of the Dynamic Gait Index in Older People With Balance Impairments. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1630-1635.                                 | 0.5 | 18        |
| 16449 | Reproducibility and Validity of the Dutch Translation of the de Morton Mobility Index (DEMMI) Used by Physiotherapists in Older Patients With Knee or Hip Osteoarthritis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1892-1899. | 0.5 | 32        |
| 16450 | Evidence of an Early Physical Activity Reduction in Chronic Obstructive Pulmonary Disease Patients. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1611-1617.e2.  | 0.5 | 44        |
| 16451 | Objective Physical Activity Assessment in Patients With Chronic Organ Failure: A Validation Study of a New Single-Unit Activity Monitor. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1852-1857.e1.                               | 0.5 | 45        |
| 16452 | The Barthel Index: comparing inter-rater reliability between Nurses and Doctors in an older adult rehabilitation unit. <i>Applied Nursing Research</i> , 2011, 24, e1-e7.  | 1.0 | 20        |
| 16453 | Validation of brief instruments to measure adult fruit and vegetable consumption. <i>Appetite</i> , 2011, 56, 111-117.   | 1.8 | 24        |
| 16454 | Agreement between two methods of dietary data collection in female adolescent netball players. <i>Appetite</i> , 2011, 57, 443-447.  | 1.8 | 16        |
| 16455 | Agreement Among Spectral-Domain Optical Coherence Tomography Instruments for Assessing Retinal Nerve Fiber Layer Thickness. <i>American Journal of Ophthalmology</i> , 2011, 151, 85-92.e1.  | 1.7 | 111       |
| 16456 | Application of a Digital Head-Posture Measuring System in Children. <i>American Journal of Ophthalmology</i> , 2011, 151, 66-70.e2.  | 1.7 | 10        |
| 16457 | Distance Stereotest Using a 3-Dimensional Monitor for Adult Subjects. <i>American Journal of Ophthalmology</i> , 2011, 151, 1081-1086.e1.  | 1.7 | 26        |
| 16458 | Retinal and Choroidal Thickness in Early Age-Related Macular Degeneration. <i>American Journal of Ophthalmology</i> , 2011, 152, 1030-1038.e2.   | 1.7 | 129       |
| 16459 | Assessment of Corneal Thickness and Keratocyte Density in a Rabbit Model of Laser In Situ Keratomileusis Using Scanning Laser Confocal Microscopy. <i>American Journal of Ophthalmology</i> , 2011, 152, 941-953.e1.                                     | 1.7 | 18        |
| 16460 | Measurement of Adults' Sedentary Time in Population-Based Studies. <i>American Journal of Preventive Medicine</i> , 2011, 41, 216-227.   | 1.6 | 506       |
| 16461 | Do methane measurements from a laser detector and an indirect open-circuit respiration calorimetric chamber agree sufficiently closely?. <i>Animal Feed Science and Technology</i> , 2011, 165, 8-14.  | 1.1 | 37        |
| 16462 | Fiber analysis: Evaluation of screen printing fabric filters bags by three statistical approaches. <i>Animal Feed Science and Technology</i> , 2011, 169, 79-85.   | 1.1 | 5         |
| 16465 | Determination of serum insulin-like growth factor-I reference values for the automated chemiluminescent Liaison® assay. Clinical utility in the follow-up of patients with treated acromegaly. <i>Clinica Chimica Acta</i> , 2011, 412, 398-399.         | 0.5 | 5         |
| 16466 | Assessment of new hyaluronic acid assays and their impact on FibroMeter scores. <i>Clinica Chimica Acta</i> , 2011, 412, 347-352.  | 0.5 | 11        |
| 16467 | Comparison of Two Assays for Serum 1,5-Anhydroglucitol. <i>Clinica Chimica Acta</i> , 2011, 412, 793-795.  | 0.5 | 25        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16468 | Combining body mass index and serum potassium to urine potassium clearance ratio is an alternative method to predict primary aldosteronism. <i>Clinica Chimica Acta</i> , 2011, 412, 1637-1642.                        | 0.5 | 4         |
| 16469 | Short questionnaire for Parkinson's disease as a screening instrument. <i>Clinical Neurology and Neurosurgery</i> , 2011, 113, 885-888.  | 0.6 | 3         |
| 16470 | Sensitivity to mental effort and test-retest reliability of heart rate variability measures in healthy seniors. <i>Clinical Neurophysiology</i> , 2011, 122, 2059-66.  | 0.7 | 83        |
| 16471 | Velocity recovery cycles of human muscle action potentials: Repeatability and variability. <i>Clinical Neurophysiology</i> , 2011, 122, 2294-2299.   | 0.7 | 25        |
| 16472 | Transcranial magnetic stimulation reveals high test-retest reliability for phosphenes but not for suppression of visual perception. <i>Clinical Neurophysiology</i> , 2011, 122, 2475-2481.                            | 0.7 | 12        |
| 16473 | A Simple Contact Heat Experimental Pain Model for Evaluation of Analgesic Agents in Healthy Volunteers. <i>Current Therapeutic Research</i> , 2011, 72, 233-242.   | 0.5 | 3         |
| 16474 | Changes in body composition during weight loss in obese subjects in the NUGENOB study: Comparison of bioelectrical impedance vs. dual-energy X-ray absorptiometry. <i>Diabetes and Metabolism</i> , 2011, 37, 222-229. | 1.4 | 62        |
| 16475 | Non-invasive and quantitative assessment of sudomotor function for peripheral diabetic neuropathy evaluation. <i>Diabetes and Metabolism</i> , 2011, 37, 527-532.  | 1.4 | 78        |
| 16476 | Accuracy of ankle-brachial index obtained by automated blood pressure measuring devices in patients with diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2011, 92, 329-336.                        | 1.1 | 15        |
| 16478 | Excellent test-retest and inter-rater reliability for Tardieu Scale measurements with inertial sensors in elbow flexors of stroke patients. <i>Gait and Posture</i> , 2011, 33, 185-189.                               | 0.6 | 46        |
| 16479 | Day-to-day consistency of lower extremity kinematics during stair ambulation in 24-45 years old athletes. <i>Gait and Posture</i> , 2011, 33, 635-639.   | 0.6 | 4         |
| 16480 | Minimum detectable change for single-leg-stance-time in older adults. <i>Gait and Posture</i> , 2011, 33, 737-739.   | 0.6 | 66        |
| 16481 | Tibio-femoral joint constraints for bone pose estimation during movement using multi-body optimization. <i>Gait and Posture</i> , 2011, 33, 706-711.   | 0.6 | 31        |
| 16482 | Postural balance in low back pain patients: Intra-session reliability of center of pressure on a portable force platform and of the one leg stand test. <i>Gait and Posture</i> , 2011, 34, 213-217.                   | 0.6 | 20        |
| 16483 | Quantification of inertial sensor-based 3D joint angle measurement accuracy using an instrumented gimbal. <i>Gait and Posture</i> , 2011, 34, 320-323.   | 0.6 | 53        |
| 16484 | In-shoe plantar pressure measurements for patients with knee osteoarthritis: Reliability and effects of lateral heel wedges. <i>Gait and Posture</i> , 2011, 34, 391-396.  | 0.6 | 31        |
| 16485 | Vulnerability of healthy vertebrae in patients with and without previous vertebral fracture. <i>Bone</i> , 2011, 48, 820-827.  | 1.4 | 7         |
| 16486 | Telemetry system for recording neural activities in pigs-Comparison with cable system. <i>Brain Research Bulletin</i> , 2011, 84, 103-109.   | 1.4 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16487 | Short-Term Variability of Heart Rate Turbulence in Chronic Heart Failure. <i>Journal of Cardiac Failure</i> , 2011, 17, 735-741.  | 0.7 | 6         |
| 16488 | Assessing the sensory function of the ocular surface: Implications of use of a non-contact air jet aesthesiometer versus the Cochetâ€“Bonnet aesthesiometer. <i>Experimental Eye Research</i> , 2011, 92, 408-413.  | 1.2 | 96        |
| 16489 | Heritability of ocular component dimensions in mice phenotyped using depth-enhanced swept source optical coherence tomography. <i>Experimental Eye Research</i> , 2011, 93, 482-490.  | 1.2 | 15        |
| 16490 | Does it matter how we measure metatarsal length?. <i>Foot and Ankle Surgery</i> , 2011, 17, 124-127.  | 0.8 | 21        |
| 16491 | Validation of a rapid alkaline hematin technique toÂmeasure menstrual blood loss on feminine towels containing superabsorbent polymers. <i>Fertility and Sterility</i> , 2011, 96, 394-398.   | 0.5 | 20        |
| 16492 | Self-reported vs. actual energy intake in youth with and without loss of control eating. <i>Eating Behaviors</i> , 2011, 12, 15-20.   | 1.1 | 20        |
| 16493 | Regional versus total body bone mass and body composition during infancy. <i>European E-journal of Clinical Nutrition and Metabolism</i> , 2011, 6, e16-e20.  | 0.4 | 0         |
| 16494 | A new indirect calorimeter is accurate and reliable for measuring basal energy expenditure, thermic effect of food and substrate oxidation in obese and healthy subjects. <i>European E-journal of Clinical Nutrition and Metabolism</i> , 2011, 6, e7-e15. | 0.4 | 48        |
| 16495 | Comparison between arterial and capillary blood glucose monitoring in patients with shock. <i>European Journal of Internal Medicine</i> , 2011, 22, 241-244.  | 1.0 | 31        |
| 16496 | Potential risk factors associated with risk for dropâ€“out and relapse during and following withdrawal of opioid prescription medication. <i>European Journal of Pain</i> , 2011, 15, 966-970.  | 1.4 | 40        |
| 16497 | Oxygen-enhanced MRI vs. quantitatively assessed thin-section CT: Pulmonary functional loss assessment and clinical stage classification of asthmatics. <i>European Journal of Radiology</i> , 2011, 77, 85-91.  | 1.2 | 43        |
| 16498 | State-of-the-art radiological techniques improve the assessment of postoperative lung function in patients with non-small cell lung cancer. <i>European Journal of Radiology</i> , 2011, 77, 97-104.  | 1.2 | 45        |
| 16499 | Clinical validation of a software for quantitative follow-up of abdominal aortic aneurysm maximal diameter and growth by CT angiography. <i>European Journal of Radiology</i> , 2011, 77, 502-508.  | 1.2 | 41        |
| 16500 | Accuracy and reliability of thyroid volumetry using spiral CT and thyroid volume in a healthy, non-iodine-deficient Chinese adult population. <i>European Journal of Radiology</i> , 2011, 77, 274-280.   | 1.2 | 15        |
| 16501 | Planimetry of the aortic valve orifice area: Comparison of multislice spiral computed tomography and magnetic resonance imaging. <i>European Journal of Radiology</i> , 2011, 77, 426-435.  | 1.2 | 17        |
| 16502 | Renal cortical volume measured using automatic contouring software for computed tomography and its relationship with BMI, age and renal function. <i>European Journal of Radiology</i> , 2011, 78, 151-156.   | 1.2 | 46        |
| 16503 | Rapid estimation of split renal function in kidney donors using software developed for computed tomographic renal volumetry. <i>European Journal of Radiology</i> , 2011, 79, 15-20.  | 1.2 | 44        |
| 16504 | Comparison of volume and diameter measurement in assessing small abdominal aortic aneurysm expansion examined using computed tomographic angiography. <i>European Journal of Radiology</i> , 2011, 79, 42-47.   | 1.2 | 101       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16505 | Phantom-less QCT BMD system as screening tool for osteoporosis without additional radiation. <i>European Journal of Radiology</i> , 2011, 79, 375-381.   | 1.2 | 95        |
| 16506 | Whole tumour quantitative measurement of first-pass perfusion of oesophageal squamous cell carcinoma using 64-row multidetector computed tomography: Correlation with microvessel density. <i>European Journal of Radiology</i> , 2011, 79, 218-223. | 1.2 | 19        |
| 16507 | Whole tumour first-pass perfusion using a low-dose method with 64-section multidetector row computed tomography in oesophageal squamous cell carcinoma. <i>European Journal of Radiology</i> , 2011, 80, 284-291.                                    | 1.2 | 18        |
| 16508 | BMD measurements of the spine derived from sagittal reformations of contrast-enhanced MDCT without dedicated software. <i>European Journal of Radiology</i> , 2011, 80, e140-e145.   | 1.2 | 55        |
| 16509 | In vitro validation of flow measurements in an aortic nitinol stent graft by velocity-encoded MRI. <i>European Journal of Radiology</i> , 2011, 80, 163-167.   | 1.2 | 8         |
| 16510 | Factors affecting the unexpected failure of DCE-MRI to determine the optimal biological dose of the vascular targeting agent NGR-hTNF in solid cancer patients. <i>European Journal of Radiology</i> , 2011, 80, 655-661.                            | 1.2 | 6         |
| 16511 | Measurement of renal volume using respiratory-gated MRI in subjects without known kidney disease: Intraobserver, interobserver, and interstudy reproducibility. <i>European Journal of Radiology</i> , 2011, 80, e212-e216.                          | 1.2 | 20        |
| 16512 | Semi-automatic measurement of left ventricular function on dual source computed tomography using five different software tools in comparison with magnetic resonance imaging. <i>European Journal of Radiology</i> , 2011, 80, 755-766.              | 1.2 | 13        |
| 16513 | How accurate is CT morphometry of airway? Phantom and clinical validation study. <i>European Journal of Radiology</i> , 2011, 80, e524-e530.   | 1.2 | 11        |
| 16514 | Corneal topography from spectral optical coherence tomography (sOCT). <i>Biomedical Optics Express</i> , 2011, 2, 3232.  | 1.5 | 67        |
| 16515 | Optofluidic Fluorescent Imaging Cytometry on a Cell Phone. <i>Analytical Chemistry</i> , 2011, 83, 6641-6647.  | 3.2 | 365       |
| 16516 | Contractile and non-contractile tissue volume and distribution in ankle muscles of young and older adults. <i>Journal of Biomechanics</i> , 2011, 44, 2299-2306.   | 0.9 | 33        |
| 16517 | Ultrasonography of longus colli muscle: A reliability study on healthy subjects and patients with chronic neck pain. <i>Journal of Bodywork and Movement Therapies</i> , 2011, 15, 50-56.  | 0.5 | 63        |
| 16518 | Application of perineometer in the assessment of pelvic floor muscle strength and endurance: A reliability study. <i>Journal of Bodywork and Movement Therapies</i> , 2011, 15, 209-214.   | 0.5 | 63        |
| 16519 | Performance of the COBAS® AmpliPrep/COBAS TaqMan® automated system for hepatitis C virus (HCV) quantification in a multi-center comparison. <i>Journal of Clinical Virology</i> , 2011, 50, 100-103.   | 1.6 | 12        |
| 16520 | Clinical evaluation of a fully automated CMV PCR assay. <i>Journal of Clinical Virology</i> , 2011, 50, 281-286.   | 1.6 | 10        |
| 16521 | Minimally- and non-invasive assessment of maternal cardiac output: go with the flow!. <i>International Journal of Obstetric Anesthesia</i> , 2011, 20, 330-340.  | 0.2 | 203       |
| 16522 | Reproducibility of volumetric measurements on maxillary sinuses. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2011, 40, 195-199.   | 0.7 | 22        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16523 | Visual estimation of the percentage of DNA in the tail in the comet assay: Evaluation of different approaches in an intercomparison exercise. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2011, 720, 14-21. | 0.9 | 20        |
| 16524 | Reproducibility of cutaneous thermal hyperaemia assessed by laser Doppler flowmetry in young and older adults. <i>Microvascular Research</i> , 2011, 81, 177-182.   | 1.1 | 58        |
| 16525 | Angioarchitectural heterogeneity in human glioblastoma multiforme: A fractal-based histopathological assessment. <i>Microvascular Research</i> , 2011, 81, 222-230.   | 1.1 | 53        |
| 16526 | Accuracy evaluation of RBC velocity measurement in nail-fold capillaries. <i>Microvascular Research</i> , 2011, 81, 252-260.  | 1.1 | 14        |
| 16527 | Retinal microvasculature measurements in full-term newborn infants. <i>Microvascular Research</i> , 2011, 82, 381-384.  | 1.1 | 19        |
| 16528 | Evaluation of right ventricular function and post-operative findings using cardiac computed tomography in patients with left ventricular assist devices. <i>Journal of Heart and Lung Transplantation</i> , 2011, 30, 896-903.                | 0.3 | 24        |
| 16529 | Accuracy and precision of buccal pulse oximetry. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2011, 40, 31-40.   | 0.8 | 2         |
| 16530 | Novel software package for quantifying local circumferential myocardial stress. <i>International Journal of Cardiology</i> , 2011, 147, 134-136.  | 0.8 | 7         |
| 16531 | Safety and observer variability of cardiac magnetic resonance imaging combined with low-dose dobutamine stress-testing in patients with complex congenital heart disease. <i>International Journal of Cardiology</i> , 2011, 147, 214-218.    | 0.8 | 13        |
| 16532 | Detection and prognostic impact of renal dysfunction in patients with chronic heart failure and normal serum creatinine. <i>International Journal of Cardiology</i> , 2011, 147, 228-233.   | 0.8 | 10        |
| 16533 | Robotic treadmill training improves cardiovascular function in spinal cord injury patients. <i>International Journal of Cardiology</i> , 2011, 149, 323-329.  | 0.8 | 38        |
| 16534 | Voice Analysis of Postlingually Deaf Adults Pre- and Postcochlear Implantation. <i>Journal of Voice</i> , 2011, 25, 692-699.  | 0.6 | 39        |
| 16535 | Short-term stability of dietary patterns defined a priori or a posterior. <i>Maturitas</i> , 2011, 68, 272-278.   | 1.0 | 7         |
| 16536 | Validation of a calcium assessment tool in postmenopausal Canadian women. <i>Maturitas</i> , 2011, 69, 168-172.   | 1.0 | 20        |
| 16537 | Comparison of the Reliability of $\alpha 0.5$ and $\alpha$ APEX Mark Measurements in Two Frequency-based Electronic Apex Locators. <i>Journal of Endodontics</i> , 2011, 37, 49-52.   | 1.4 | 39        |
| 16538 | Postanesthesia Patients With Large Upper Arm Circumference: Is Use of an "Extra-long" Adult Cuff or Forearm Cuff Placement Accurate?. <i>Journal of Perianesthesia Nursing</i> , 2011, 26, 135-142.   | 0.3 | 14        |
| 16539 | Agreement Between Temporal Artery, Oral, and Axillary Temperature Measurements in the Perioperative Period. <i>Journal of Perianesthesia Nursing</i> , 2011, 26, 143-150.   | 0.3 | 28        |
| 16540 | Outcome measures in the management of proximal humeral fractures: a systematic review of their use and psychometric properties. <i>Journal of Shoulder and Elbow Surgery</i> , 2011, 20, 333-343.   | 1.2 | 16        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16541 | The electromyographic fatigue threshold is not a valid tool to assess muscle function. <i>Journal of Electromyography and Kinesiology</i> , 2011, 21, 229-235.  | 0.7 | 7         |
| 16542 | Reproducibility of the CMAP scan. <i>Journal of Electromyography and Kinesiology</i> , 2011, 21, 433-437.   | 0.7 | 32        |
| 16543 | Reliability of surface electromyography timing parameters in gait in cervical spondylotic myelopathy. <i>Journal of Electromyography and Kinesiology</i> , 2011, 21, 1004-1010.   | 0.7 | 25        |
| 16544 | Point-of-Care Bedside Gas Analyzer: Limited Use of Venous pCO <sub>2</sub> in Emergency Patients. <i>Journal of Emergency Medicine</i> , 2011, 41, 117-123.   | 0.3 | 27        |
| 16545 | Ultrasonographic Determination of Pubic Symphyseal Widening in Trauma: The FAST-PS Study. <i>Journal of Emergency Medicine</i> , 2011, 40, 528-533.   | 0.3 | 16        |
| 16546 | Interexaminer Reliability of Supine Leg Checks for Discriminating Leg-Length Inequality. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2011, 34, 239-246.   | 0.4 | 13        |
| 16547 | Three-dimensional quantification of regional left-ventricular dyssynchrony by magnetic resonance imaging. , 2011, 2011, 2646-9.   |     | 0         |
| 16548 | Simultaneous quantification of bisphenol A and its glucuronide metabolite (BPA-C) in plasma and urine: Applicability to toxicokinetic investigations. <i>Talanta</i> , 2011, 85, 2053-2059.   | 2.9 | 53        |
| 16549 | Validation and usefulness of the Sperm Quality Analyzer V equine for equine semen analysis. <i>Theriogenology</i> , 2011, 75, 189-194.  | 0.9 | 10        |
| 16550 | Is photometry an accurate and reliable method to assess boar semen concentration?. <i>Theriogenology</i> , 2011, 75, 577-583.   | 0.9 | 15        |
| 16551 | Effectiveness of the sperm quality analyzer (SQA-Vp) for porcine semen analysis. <i>Theriogenology</i> , 2011, 75, 972-977.   | 0.9 | 10        |
| 16552 | Agreement between measures of total motility and membrane integrity in stallion sperm. <i>Theriogenology</i> , 2011, 75, 1499-1505.   | 0.9 | 29        |
| 16553 | Automated mixing studies and pattern recognition for the laboratory diagnosis of a prolonged activated partial thromboplastin time using an automated coagulation analyzer. <i>Thrombosis Research</i> , 2011, 128, 86-91.            | 0.8 | 2         |
| 16554 | Comparison of Arm and Calf Automatic Noninvasive Blood Pressures in Pediatric Intensive Care Patients. <i>Journal of Pediatric Nursing</i> , 2011, 26, 3-12.  | 0.7 | 13        |
| 16555 | Comparison of Two Pain Assessment Tools in Nonverbal Critical Care Patients. <i>Pain Management Nursing</i> , 2011, 12, 218-224.  | 0.4 | 45        |
| 16556 | Diffusion tensor imaging and Tract-Based Spatial Statistics in Alzheimer's disease and mild cognitive impairment. <i>Neurobiology of Aging</i> , 2011, 32, 1558-1571.   | 1.5 | 207       |
| 16557 | A rapid solid-phase extraction method for measurement of non-metabolised peripheral benzodiazepine receptor ligands, [18F]PBR102 and [18F]PBR111, in rat and primate plasma. <i>Nuclear Medicine and Biology</i> , 2011, 38, 137-148. | 0.3 | 15        |
| 16558 | Relative and biomarker-based validity of a food frequency questionnaire that measures the intakes of vitamin B12, folate, iron, and zinc in young women. <i>Nutrition Research</i> , 2011, 31, 14-20.                                 | 1.3 | 35        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16559 | A proposed method for the evaluation of body fat in Japanese adults that predicts obesity. <i>Nutrition Research</i> , 2011, 31, 113-121.   | 1.3 | 13        |
| 16560 | Progression of Geographic Atrophy in Age-Related Macular Degeneration Imaged with Spectral Domain Optical Coherence Tomography. <i>Ophthalmology</i> , 2011, 118, 679-686.  | 2.5 | 223       |
| 16561 | Straylight Values after Refractive Surgery: Screening for Ocular Fitness in Demanding Professions. <i>Ophthalmology</i> , 2011, 118, 945-953.   | 2.5 | 12        |
| 16562 | The Child Self-Refraction Study. <i>Ophthalmology</i> , 2011, 118, 1162-1169.   | 2.5 | 29        |
| 16563 | Comparison of Automated Analysis of Cirrus HD OCT Spectral-Domain Optical Coherence Tomography with Stereo Photographs of the Optic Disc. <i>Ophthalmology</i> , 2011, 118, 1348-1357.  | 2.5 | 41        |
| 16564 | Monocular Trial of Intraocular Pressure-Lowering Medication. <i>Ophthalmology</i> , 2011, 118, 2190-2195.   | 2.5 | 9         |
| 16565 | Accuracy of self-reports of mental health care utilization and calculated costs compared to hospital records. <i>Psychiatry Research</i> , 2011, 185, 261-268.  | 1.7 | 28        |
| 16567 | Translation into Arabic and validation of the ASES index in assessment of shoulder disabilities. <i>Annals of Physical and Rehabilitation Medicine</i> , 2011, 54, 59-72.   | 1.1 | 25        |
| 16568 | Comparison of the heart and breathing rate of acutely ill medical patients recorded by nursing staff with those measured over 5min by a piezoelectric belt and ECG monitor at the time of admission to hospital. <i>Resuscitation</i> , 2011, 82, 1381-1386.        | 1.3 | 32        |
| 16569 | Validación de herramienta informática para el cálculo de linfedema en pacientes con afectación unilateral de extremidad superior. <i>Rehabilitacion</i> , 2011, 45, 127-133.  | 0.2 | 7         |
| 16570 | How much change is true change? The smallest detectable difference of the Preschool Imitation and Praxis Scale (PIPS) in preschoolers with intellectual disabilities of heterogeneous aetiology. <i>Research in Developmental Disabilities</i> , 2011, 32, 180-187. | 1.2 | 8         |
| 16571 | Intra- and inter-observer reliability of the Trunk Impairment Scale for children with cerebral palsy. <i>Research in Developmental Disabilities</i> , 2011, 32, 727-739.  | 1.2 | 42        |
| 16572 | Feasibility, test-retest reliability, and interrater reliability of the Modified Ashworth Scale and Modified Tardieu Scale in persons with profound intellectual and multiple disabilities. <i>Research in Developmental Disabilities</i> , 2011, 32, 613-620.      | 1.2 | 36        |
| 16573 | Discrimination between attention deficit hyperactivity disorder and reactive attachment disorder in school aged children. <i>Research in Developmental Disabilities</i> , 2011, 32, 520-526.  | 1.2 | 26        |
| 16574 | Fat and lean masses in youths with Down syndrome: Gender differences. <i>Research in Developmental Disabilities</i> , 2011, 32, 1685-1693.  | 1.2 | 80        |
| 16575 | Accuracy of prediction equations to assess percentage of body fat in children and adolescents with Down syndrome compared to air displacement plethysmography. <i>Research in Developmental Disabilities</i> , 2011, 32, 1764-1769.                                 | 1.2 | 29        |
| 16576 | A clinical tool to measure trunk control in children with cerebral palsy: The Trunk Control Measurement Scale. <i>Research in Developmental Disabilities</i> , 2011, 32, 2624-2635.   | 1.2 | 126       |
| 16577 | The effect of challenge method on methacholine-induced changes in sensitivity and air trapping. <i>Respiratory Medicine</i> , 2011, 105, 37-43.   | 1.3 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16578 | Transcutaneous monitoring as a replacement for arterial PCO <sub>2</sub> monitoring during nocturnal non-invasive ventilation. <i>Respiratory Medicine</i> , 2011, 105, 143-150.   | 1.3 | 110       |
| 16579 | Cut-points for response to mannitol challenges using the forced oscillation technique. <i>Respiratory Medicine</i> , 2011, 105, 533-540.   | 1.3 | 9         |
| 16580 | Energy expenditure during daily activities as measured by two motion sensors in patients with COPD. <i>Respiratory Medicine</i> , 2011, 105, 922-929.  | 1.3 | 70        |
| 16581 | Control maintenance can be predicted by exhaled NO monitoring in asthmatic patients. <i>Respiratory Medicine</i> , 2011, 105, 989-996.   | 1.3 | 17        |
| 16582 | Respiratory system impedance with impulse oscillometry in healthy and COPD subjects: ECLIPSE baseline results. <i>Respiratory Medicine</i> , 2011, 105, 1069-1078.   | 1.3 | 131       |
| 16583 | Serum pepsinogen levels to monitor gastrointestinal nematode infections in cattle revisited. <i>Research in Veterinary Science</i> , 2011, 90, 451-456.  | 0.9 | 30        |
| 16584 | Contrôle de qualité global de 157 formules de prédiction de l'adiposité chez l'homme Une étude originale. <i>Science and Sports</i> , 2011, 26, 131-142.   | 0.2 | 1         |
| 16585 | Telemetric CPAP titration at home in patients with sleep apnea/hypopnea syndrome. <i>Sleep Medicine</i> , 2011, 12, 153-157.   | 0.8 | 32        |
| 16586 | A New BIA Equation Estimating the Body Composition of Young Children. <i>Obesity</i> , 2011, 19, 1813-1817.  | 1.5 | 52        |
| 16587 | Validation of Ultrasound Estimates of Visceral Fat in Black South African Adolescents. <i>Obesity</i> , 2011, 19, 1892-1897.   | 1.5 | 29        |
| 16588 | Quantifying respiratory variation with force sensor measurements. , 2011, 2011, 3812-5.  |     | 19        |
| 16589 | Management of congenital talipes equinovarus using the Ponseti method. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 1160-1164.   | 3.4 | 120       |
| 16590 | Validation of a species-optimized enzyme-linked immunosorbent assay for determination of serum concentrations of insulin in dogs. <i>Veterinary Clinical Pathology</i> , 2011, 40, 66-73.  | 0.3 | 9         |
| 16591 | Canine differential leukocyte counting with the CellaVision DM96Vision, Sysmex XT2000iV, and Advia 2120 hematology analyzers and a manual method. <i>Veterinary Clinical Pathology</i> , 2011, 40, 324-339.                              | 0.3 | 24        |
| 16592 | Performance evaluation of the Sysmex pocH-100iV D iff hematology analyzer for analysis of canine, feline, equine, and bovine blood. <i>Veterinary Clinical Pathology</i> , 2011, 40, 484-495.  | 0.3 | 24        |
| 16593 | Computed Tomographic Findings in the Pituitary Gland and Brain of Horses with Pituitary Pars Intermedia Dysfunction. <i>Journal of Veterinary Internal Medicine</i> , 2011, 25, 1144-1151.   | 0.6 | 29        |
| 16594 | Radiographic Heart Size and Its Rate of Increase as Tests for Onset of Congestive Heart Failure in Cavalier King Charles Spaniels with Mitral Valve Regurgitation. <i>Journal of Veterinary Internal Medicine</i> , 2011, 25, 1312-1319. | 0.6 | 51        |
| 16595 | Comparisons of 2- and 3-Dimensional Echocardiographic Methods for Estimation of Left Atrial Size in Dogs with and without Myxomatous Mitral Valve Disease. <i>Journal of Veterinary Internal Medicine</i> , 2011, 25, 1320-1327.         | 0.6 | 33        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16596 | High speed field kinematics of foot contact in elite galloping horses in training. <i>Equine Veterinary Journal</i> , 2011, 43, 216-222.  | 0.9 | 19        |
| 16597 | Observer agreement study of cervical-vertebral ratios in horses. <i>Equine Veterinary Journal</i> , 2011, 43, 399-403.  | 0.9 | 24        |
| 16598 | Assessment of body fat in the pony: Part II. Validation of the deuterium oxide dilution technique for the measurement of body fat. <i>Equine Veterinary Journal</i> , 2011, 43, 562-570.  | 0.9 | 47        |
| 16599 | Clinical studies utilising ordinal data: Pitfalls in the analysis and interpretation of clinical grading systems. <i>Equine Veterinary Journal</i> , 2011, 43, 383-387.   | 0.9 | 8         |
| 16600 | Automated Segmentation Refinement of Small Lung Nodules in CT Scans by Local Shape Analysis. <i>IEEE Transactions on Biomedical Engineering</i> , 2011, 58, 3418-3428.  | 2.5 | 96        |
| 16601 | Hepatic artery Doppler in trisomy 21 and euploid fetuses at 11-13 weeks. <i>Prenatal Diagnosis</i> , 2011, 31, 22-27.   | 1.1 | 21        |
| 16602 | Hand-held dynamic contour tonometry. <i>Acta Ophthalmologica</i> , 2011, 89, 132-137.   | 0.6 | 7         |
| 16603 | Retinal nerve fibre layer thickness in full-term children assessed with Heidelberg retinal tomography and optical coherence tomography: normal values and interocular asymmetry. <i>Acta Ophthalmologica</i> , 2011, 89, 151-158. | 0.6 | 30        |
| 16604 | Performance of the rebound, noncontact and Goldmann applanation tonometers in routine clinical practice. <i>Acta Ophthalmologica</i> , 2011, 89, 676-680.   | 0.6 | 38        |
| 16605 | Drusen detection in retro-mode imaging by a scanning laser ophthalmoscope. <i>Acta Ophthalmologica</i> , 2011, 89, e404-e411.   | 0.6 | 41        |
| 16606 | Computed tomographic assessment of lung weights in trauma patients with early posttraumatic lung dysfunction. <i>Critical Care</i> , 2011, 15, R71.   | 2.5 | 15        |
| 16607 | Lung sonography and recruitment in patients with early acute respiratory distress syndrome: A pilot study. <i>Critical Care</i> , 2011, 15, R185.   | 2.5 | 56        |
| 16608 | Extrapolation in the analysis of lung aeration by computed tomography: a validation study. <i>Critical Care</i> , 2011, 15, R279.   | 2.5 | 19        |
| 16609 | Accuracy and precision of end-expiratory lung-volume measurements by automated nitrogen washout/washin technique in patients with acute respiratory distress syndrome. <i>Critical Care</i> , 2011, 15, R294.                     | 2.5 | 35        |
| 16610 | Mercury speciation in whole blood by gas chromatography coupled to ICP-MS with a fast microwave-assisted sample preparation procedure. <i>Journal of Analytical Atomic Spectrometry</i> , 2011, 26, 436-442.                      | 1.6 | 39        |
| 16612 | Agreement between body mass index, waist circumference and skin-fold thickness in the United Kingdom Army. <i>Annals of Human Biology</i> , 2011, 38, 257-264.  | 0.4 | 22        |
| 16613 | Reduction in Radiation Dose in Mercurioacetyltriglycerine Renography with Enhanced Planar Processing. <i>Radiology</i> , 2011, 261, 907-915.  | 3.6 | 27        |
| 16614 | Direct Observation of the Human Microcirculation During Cardiopulmonary Bypass: Effects of Pulsatile Perfusion. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2011, 25, 250-255.                                     | 0.6 | 35        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16615 | The Revised Digital Transcutaneous PCO <sub>2</sub> /SpO <sub>2</sub> Ear Sensor Is a Reliable Noninvasive Monitoring Tool in Patients After Cardiac Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2011, 25, 243-249.             | 0.6 | 23        |
| 16616 | Uncalibrated Arterial Pulse Cardiac Output Measurements in Patients With Moderately Abnormal Left Ventricular Function. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2011, 25, 53-58.   | 0.6 | 26        |
| 16617 | Effects of Extravascular Lung Water on the Measurement of Transpulmonary Thermodilution Cardiac Output in Acute Respiratory Distress Syndrome Patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2011, 25, 481-485.                   | 0.6 | 2         |
| 16618 | Comparison of MAX-ACT and K-ACT Values When Using Bivalirudin Anticoagulation During Minimally Invasive Hybrid Off-Pump Coronary Artery Bypass Graft Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2011, 25, 415-418.             | 0.6 | 7         |
| 16619 | Measurement of Activated Coagulation Time in Children: Evaluation of the Blood-Saving Kaolin i-STAT Activated Coagulation Time Technique in Pediatric Cardiac Anesthesia. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2011, 25, 395-401. | 0.6 | 6         |
| 16620 | Assessment of Trending Ability of Cardiac Output Monitors by Polar Plot Methodology. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2011, 25, 536-546.  | 0.6 | 201       |
| 16621 | It Is a Tough "ACT" to Follow. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2011, 25, 393-394.  | 0.6 | 1         |
| 16622 | A Comparison of the Accuracy of Linear Measurements Obtained from Cone Beam Computerized Tomography Images and Digital Models. <i>Seminars in Orthodontics</i> , 2011, 17, 49-56.   | 0.8 | 41        |
| 16623 | Methods of Developing UWIN, the Modified American Urological Association Symptom Score. <i>Journal of Urology</i> , 2011, 186, 940-944.   | 0.2 | 12        |
| 16624 | Validation of the Modified American Urological Association Symptom Score. <i>Journal of Urology</i> , 2011, 186, 945-948.   | 0.2 | 10        |
| 16625 | Urological Disorders in Chronic Kidney Disease in Children Cohort: Clinical Characteristics and Estimation of Glomerular Filtration Rate. <i>Journal of Urology</i> , 2011, 186, 1460-1466.   | 0.2 | 17        |
| 16626 | Comparison of Retinal Nerve Fiber Layer Imaging by Spectral Domain Optical Coherence Tomography and Scanning Laser Ophthalmoscopy. <i>Ophthalmology</i> , 2011, 118, 2196-2202.   | 2.5 | 27        |
| 16627 | Target alternative vaccine safety testing strategies for pertussis toxin. <i>Procedia in Vaccinology</i> , 2011, 5, 248-260.  | 0.4 | 12        |
| 16628 | FDG-PET provides the best correlation with the tumor specimen compared to MRI and CT in rectal cancer. <i>Radiotherapy and Oncology</i> , 2011, 98, 270-276.  | 0.3 | 51        |
| 16629 | Cardiovascular Risk Factors in Spain in the First Decade of the 21st Century, a Pooled Analysis With Individual Data From 11 Population-Based Studies: the DARIOS Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011, 64, 295-304.       | 0.4 | 109       |
| 16630 | Transforming cerebrospinal fluid A $\beta$ <sup>242</sup> measures into calculated Pittsburgh compound B units of brain A $\beta$ <sup>2</sup> amyloid. <i>Alzheimer's &amp; Dementia</i> , 2011, 7, 133-141.   |     | 85        |
| 16631 | Korotkoff sound versus oscillometric cuff sphygmomanometers: comparison between auscultatory and DynaPulse blood pressure measurements. <i>Journal of the American Society of Hypertension</i> , 2011, 5, 12-20.  | 2.3 | 28        |
| 16632 | Pain-Related Fear, Perceived Harmfulness of Activities, and Functional Limitations in Complex Regional Pain Syndrome Type I. <i>Journal of Pain</i> , 2011, 12, 1209-1218.  | 0.7 | 70        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16633 | Cross-cultural adaptation and validation with reliability, validity, and responsiveness of the Italian version of the Oxford Hip Score in patients with hip osteoarthritis. <i>Quality of Life Research</i> , 2011, 20, 923-929. | 1.5 | 40        |
| 16634 | Retinal arteriolar and venular phenotypes in a Flemish population: Reproducibility and correlates. <i>Artery Research</i> , 2011, 5, 72.   | 0.3 | 16        |
| 16635 | Combined atherogenic effects of celiac disease and type 1 diabetes mellitus. <i>Atherosclerosis</i> , 2011, 217, 531-535.  | 0.4 | 48        |
| 16636 | The relationship between self-monitoring of blood glucose results and glycated haemoglobin in type 2 diabetes: The Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2011, 94, 371-376.                 | 1.1 | 7         |
| 16638 | Valida  o do teste de flexibilidade da AAHPERD para idosos brasileiros. 10.5007/1980-0037.2011v13n6p455. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2011, 13, .  | 0.5 | 2         |
| 16639 | Validade de constructo e confiabilidade da vers  o em l ngua portuguesa do Question rio de Qualidade de Vida em Adultos que apresentam TDAH (AAQoL). <i>Revista De Psiquiatria Clinica</i> , 2011, 38, 91-96.                    | 0.6 | 7         |
| 16640 | Imped ncia bioel trica bipolar: falta acuracidade para estimar a gordura relativa em homens. DOI: 10.5007/1980-0037.2011v13n2p100. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2011, 13, .              | 0.5 | 1         |
| 16641 | Compara  o de duas estrat gias de desempenho para avalia  o da velocidade cr tica de caminhada. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2011, 11, .   | 0.5 | 0         |
| 16642 | Statistical methods for assessing agreement between double readings of clinical measurements. <i>Journal of Applied Oral Science</i> , 2011, 19, 488-492.  | 0.7 | 15        |
| 16643 | Pregas cut neas vs imped ncia bioel trica na avalia  o da composi o corporal de atletas: uma revis o cr tica. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2011, 11, .                                   | 0.5 | 4         |
| 16644 | Comparison of the precision of the Topcon SP-3000P specular microscope and an ultrasound pachymeter. <i>Clinical Ophthalmology</i> , 2011, 5, 871.   | 0.9 | 32        |
| 16645 | Yo-Yo IR2 test e teste de margaria: validade, confiabilidade e obten o da frequ ncia card aca m xima em jogadores jovens de futebol. <i>Revista Brasileira De Medicina Do Esporte</i> , 2011, 17, 344-349.                       | 0.1 | 11        |
| 16646 | The Correlations of the Radiological Parameters of Hip Dysplasia and Proximal Femoral Deformity in Clinically Normal Hips of a Korean Population. <i>Clinics in Orthopedic Surgery</i> , 2011, 3, 121.                           | 0.8 | 15        |
| 16647 | Feasibility, Acceptability, and Usability of Web-Based Data Collection in Parents of Children With Cancer. <i>Oncology Nursing Forum</i> , 2011, 38, 428-435.  | 0.5 | 6         |
| 16648 | Validation of Three-Dimensional Echocardiography for Quantification of Aortic Root Geometry: Comparison with Multi-Detector Computed Tomography. <i>Journal of Cardiovascular Imaging</i> , 2011, 19, 128.                       | 0.8 | 14        |
| 16649 | Comparison of Cardiac Output Measurements in Critically Ill Patients: Flotrac/Vigileo Vs Transthoracic Doppler Echocardiography. <i>Anaesthesia and Intensive Care</i> , 2011, 39, 590-598.                                      | 0.2 | 31        |
| 16650 | Air Displacement Plethysmography: For Fat-mass Measurement in Healthy Young Women. <i>Canadian Journal of Dietetic Practice and Research</i> , 2011, 72, 85-87.  | 0.5 | 3         |
| 16651 | Significance of Predicted Tumor Volume as a Predictor of Pathologic Stage in Patients Undergoing Radical Prostatectomy. <i>Korean Journal of Urology</i> , 2011, 52, 24.   | 1.2 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16652 | Endothelial Dysfunction in the Smokers Can Be Improved with Oral Cilostazol Treatment. <i>Journal of Cardiovascular Imaging</i> , 2011, 19, 21.   | 0.8 | 8         |
| 16653 | Curva de referência da Área do septo interventricular fetal pelo método STIC: estudo preliminar. <i>Arquivos Brasileiros De Cardiologia</i> , 2011, 96, 386-392.  | 0.3 | 11        |
| 16655 | Correlation of Kupffer cell function and hepatocyte function in chronic viral hepatitis evaluated with superparamagnetic iron oxide-enhanced magnetic resonance imaging and scintigraphy using technetium-99m-labelled galactosyl human serum albumin. <i>Experimental and Therapeutic Medicine</i> , 2011, 2, 607-613. | 0.8 | 6         |
| 16656 | The influence of clinicopathological features on the predictive accuracy of conventional breast imaging in determining the extent of screen-detected high-grade pure ductal carcinoma in situ. <i>Annals of the Royal College of Surgeons of England</i> , 2011, 93, 385-390.   | 0.3 | 4         |
| 16657 | Whole Body Composition by Hologic QDR 4500/A DXA: System Reliability versus User Accuracy and Precision. , 0, , .   |     | 6         |
| 16658 | Age effects on the differences between Omron HEM 907 blood pressure monitor and manual mercury sphygmomanometer blood pressure readings. <i>Journal of the Korean Society of Hypertension</i> , 2011, 17, 114.  | 0.2 | 3         |
| 16659 | Performance of the PT100 noncontact tonometer in healthy eyes. <i>Clinical Ophthalmology</i> , 2011, 5, 661.  | 0.9 | 4         |
| 16660 | Comparing the Use of Three Dendrometers for Measuring Diameters at Breast Height. <i>Southern Journal of Applied Forestry</i> , 2011, 35, 136-141.  | 0.4 | 6         |
| 16661 | Comparison of Daily Prostate Positions during Conformal Radiation Therapy of Prostate Cancer Using an Integrated CT-linear Accelerator System: In-room CT Image versus Digitally Reconstructed Radiograph. <i>Journal of Radiation Research</i> , 2011, 52, 220-228.  | 0.8 | 4         |
| 16662 | Utility of a Point-of-Care Device in Recruiting Ethnic Minorities for Diabetes Research with Community Partners. <i>Journal of Health Care for the Poor and Underserved</i> , 2011, 22, 1253-1263.  | 0.4 | 8         |
| 16663 | The Accuracy of Talking Pedometers when used during Free-Living: A Comparison of Four Devices. <i>Journal of Visual Impairment and Blindness</i> , 2011, 105, 299-304.  | 0.4 | 5         |
| 16664 | Evaluation of the reliability of blood pressure data transmission through an IEEE 802.11 link in the presence of IEEE 802.15.4 interference. , 2011, , .  |     | 0         |
| 16665 | Intraocular Pressure and Corneal Biomechanics in an Adult British Population: The EPIC-Norfolk Eye Study. , 2011, 52, 8179.   |     | 52        |
| 16666 | Habitual Sleep/Wake Patterns in the Old Order Amish: Heritability and Association with Non-Genetic Factors. <i>Sleep</i> , 2011, 34, 661-669.   | 0.6 | 51        |
| 16667 | The Health-Related Quality of Life of Children with Hereditary Retinal Disorders and the Psychosocial Impact on Their Families. , 2011, 52, 7981.   |     | 25        |
| 16668 | Precisão do aparelho Omron HEM-705 CP na medida de pressão arterial em grandes estudos epidemiológicos. <i>Arquivos Brasileiros De Cardiologia</i> , 2011, 96, 393-398.   | 0.3 | 51        |
| 16669 | Desempenho funcional de pacientes com fibrose cística e indivíduos saudáveis no teste de caminhada de seis minutos. <i>Jornal Brasileiro De Pneumologia</i> , 2011, 37, 735-744.  | 0.4 | 22        |
| 16670 | Performance of Automated Drusen Detection by Polarization-Sensitive Optical Coherence Tomography. , 2011, 52, 4571.   |     | 62        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16671 | The validity and accuracy in foot-to-foot bioelectrical impedance analysis measuring models referenced by dual-energy X-ray absorptiometry in body composition in standing position. African Journal of Biotechnology, 2011, 10, 3222-3231. | 0.3 | 6         |
| 16672 | Quantitative Measurements of Autofluorescence with the Scanning Laser Ophthalmoscope. , 2011, 52, 9379.   |     | 202       |
| 16673 | Participa  o e necessidade de assist  ncia na realiza  o de tarefas escolares em crian  as com paralisia cerebral. Fisioterapia Em Movimento, 2011, 24, 409-417.  | 0.4 | 2         |
| 16674 | Uma nova abordagem na determina  o da resist  ncia das vias a  reas: t  cnica do interruptor vs. pletismografia. Jornal Brasileiro De Pneumologia, 2011, 37, 61-68.   | 0.4 | 2         |
| 16675 | Non-Invasive Determination of Breslow Index. , 0, , .   |     | 0         |
| 16676 | Fat-free weight prediction in morbidly obese females. International Journal of Nephrology and Renovascular Disease, 2011, 4, 149.   | 0.8 | 5         |
| 16677 | Two-position measurement of intraocular pressure by PT100 noncontact tonometry in comparison with Goldmann tonometry. Clinical Ophthalmology, 2011, 5, 1227.  | 0.9 | 1         |
| 16678 | Quality of Life (QoL) in Glaucoma Patients. , 2011, , .   |     | 6         |
| 16679 | Comparison and Repeatability of Anterior Segment Parameters Obtained by Galilei and Slit-lamp Optical Coherence Tomography. Journal of Korean Ophthalmological Society, 2011, 52, 53.   | 0.0 | 1         |
| 16680 | Predictive performance of 12 equations for estimating glomerular filtration rate in severely obese patients. Einstein (Sao Paulo, Brazil), 2011, 9, 294-301.  | 0.3 | 3         |
| 16681 | Oral and Tympanic Membrane Temperatures are Inaccurate to Identify Fever in Emergency Department Adults. Western Journal of Emergency Medicine, 2011, 12, 505-511.  | 0.6 | 20        |
| 16682 | Human Choroidretinal Layer Thicknesses Measured in Macula-wide, High-Resolution Histologic Sections. , 2011, 52, 3943.  |     | 206       |
| 16683 | Psychometric Characteristics of the Korean Version of the Roland-Morris Disability Questionnaire. Journal of Korean Medical Science, 2011, 26, 1364.  | 1.1 | 8         |
| 16684 | Validation, repeatability and reproducibility of a noninvasive instrument for measuring thoracic and lumbar curvature of the spine in the sagittal plane. Brazilian Journal of Physical Therapy, 2011, 15, 511-517.                         | 1.1 | 33        |
| 16685 | Estimaci  n de masa grasa en ni  os chilenos: ecuaciones de pliegues subcut  neos vs densitometr  a de doble fot  n. Revista Chilena De Pediatr  a, 2011, 82, 502-511.  | 0.4 | 8         |
| 16686 | Blood-Cerebrospinal Fluid Barrier Permeability in Alzheimer's Disease. Journal of Alzheimer's Disease, 2011, 25, 505-515.   | 1.2 | 70        |
| 16687 | Normative Data on Hand Grip Strength. Journal of Novel Physiotherapies, 2011, 01, , .   | 0.1 | 4         |
| 16688 | Comparing Applanation Tonometry and Rebound Tonometry in Glaucomatous and Ocular Hypertensive Eyes. European Journal of Ophthalmology, 2011, 21, 258-263.   | 0.7 | 16        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16689 | Assessment of Reliability in Isokinetic Testing Among Adolescent Basketball Players. <i>Medicina (Lithuania)</i> , 2011, 47, 446.   | 0.8 | 24        |
| 16690 | Comparing the accuracy of ES-BC, EIS-GS, and ES Oxi on body composition, autonomic nervous system activity, and cardiac output to standardized assessments. <i>Medical Devices: Evidence and Research</i> , 2011, 4, 169. | 0.4 | 9         |
| 16691 | In Vitro Models of the Fetal Lung. <i>Journal of Ultrasound in Medicine</i> , 2011, 30, 1085-1091.  | 0.8 | 6         |
| 16692 | Effects of acute cold exposure on carotid and femoral wave intensity indexes: evidence for reflection coefficient as a measure of distal vascular resistance. <i>Journal of Applied Physiology</i> , 2011, 110, 738-745.  | 1.2 | 9         |
| 16694 | Optical Coherence Tomography and Autofluorescence Findings in Areas with Geographic Atrophy Due to Age-Related Macular Degeneration. , 2011, 52, 1.   |     | 86        |
| 16695 | Relative validity of a food-frequency questionnaire developed to assess food intake of schoolchildren living in the Brazilian Western Amazon. <i>Cadernos De Saude Publica</i> , 2011, 27, 2197-2206.                     | 0.4 | 20        |
| 16696 | Assessment of Central Corneal Thickness Using OCT, Ultrasound, Optical Low Coherence Reflectometry and Scheimpflug Pachymetry. <i>European Journal of Ophthalmology</i> , 2011, 21, 132-137.                              | 0.7 | 40        |
| 16697 | Validity of a New Computer-Aided Diagnosis Imaging Program to Quantify Nuclear Cataract from Slit-lamp Photographs. , 2011, 52, 1314.   |     | 19        |
| 16698 | Evaluation of a Rotary Laser Body Scanner for Body Volume and Fat Assessment. <i>Journal of Testing and Evaluation</i> , 2011, 39, 82-87.   | 0.4 | 75        |
| 16699 | Agreement between Two Different Scoring Procedures for Goal Attainment Scaling is Low. <i>Journal of Rehabilitation Medicine</i> , 2011, 43, 46-49.   | 0.8 | 23        |
| 16700 | Comparison of 1H MR Spectroscopy, 3-point DIXON, and Multi-echo Gradient Echo for Measuring Hepatic Fat Fraction. <i>Magnetic Resonance in Medical Sciences</i> , 2011, 10, 41-48.  | 1.1 | 20        |
| 16701 | Validade da equaÃ§Ã£o de Henry e Rees que estima a taxa metabÃ³lica de repouso em adolescentes masculinos. <i>Revista Paulista De Pediatria</i> , 2011, 29, 202-207.  | 0.4 | 1         |
| 16702 | Cross-sectional Sample of Peripheral Refraction in Four Meridians in Myopes and Emmetropes. , 2011, 52, 7574.   |     | 43        |
| 16703 | A comparative study of the accuracy and reliability of multidetector CT and cone beam CT in the assessment of dental implant site dimensions: Author response. <i>Dentomaxillofacial Radiology</i> , 2011, 40, 468-469.   | 1.3 | 0         |
| 16704 | The Ability of Pulse Pressure Variations Obtained with CNAPâ„¢ Device to Predict Fluid Responsiveness in the Operating Room. <i>Anesthesia and Analgesia</i> , 2011, 113, 523-528.  | 1.1 | 42        |
| 16705 | RapidArc quality assurance through MapCHECK. <i>Journal of Applied Clinical Medical Physics</i> , 2011, 12, 39-47.  | 0.8 | 30        |
| 16706 | Metal Ion Interpretation in Resurfacing versus Conventional Hip Arthroplasty and in Whole Blood versus Serum. How should we Interpret Metal Ion Data?. <i>HIP International</i> , 2011, 21, 587-595.                      | 0.9 | 42        |
| 16707 | Concordance Analysis. <i>Deutsches A&amp;#x0308;rztblatt International</i> , 2011, 108, 515-21.   | 0.6 | 117       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16708 | Higher velocities in isokinetic dynamometry: A pilot study of new test mode with active compensation of inertia. <i>Isokinetics and Exercise Science</i> , 2011, 19, 63-70.   | 0.2 | 12        |
| 16709 | Determination of midsagittal plane for evaluation of facial asymmetry using three-dimensional computed tomography. <i>Imaging Science in Dentistry</i> , 2011, 41, 79.  | 0.6 | 25        |
| 16710 | Validity and Limits of the Rebound Tonometer (ICare®): Clinical Study. <i>European Journal of Ophthalmology</i> , 2011, 21, 251-257.  | 0.7 | 56        |
| 16711 | Development and Evaluation of a Simulation Procedure to Take Into Account Various Assays for the Bayesian Dose Adjustment of Tacrolimus. <i>Therapeutic Drug Monitoring</i> , 2011, 33, 171-177.  | 1.0 | 18        |
| 16712 | Thirty-minute compared to standardised office blood pressure measurement in general practice. <i>British Journal of General Practice</i> , 2011, 61, e590-e597.   | 0.7 | 19        |
| 16713 | Validade das equações preditivas da frequência cardíaca máxima para crianças e adolescentes. <i>Arquivos Brasileiros De Cardiologia</i> , 2011, 97, 136-140.  | 0.3 | 87        |
| 16714 | Do patient-reported outcome measures in hip and knee arthroplasty rehabilitation have robust measurement attributes? A systematic review. <i>Journal of Rehabilitation Medicine</i> , 2011, 43, 572-583.                                | 0.8 | 75        |
| 16715 | Capacidade de trabalho físico e máximo estado estável da frequência cardíaca<br>DOI:10.5007/1980-0037.2010v12n3p171. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2011, 12, .                                   | 0.5 | 0         |
| 16716 | Sensibilidade e especificidade no diagnóstico de hipertensão por diferentes métodos. <i>Revista De Saude Publica</i> , 2011, 45, 837-844.   | 0.7 | 5         |
| 16718 | Is outdoor use of the six-minute walk test with a global positioning system in stroke patients' own neighbourhoods reproducible and valid?. <i>Journal of Rehabilitation Medicine</i> , 2011, 43, 1027-1031.                            | 0.8 | 47        |
| 16719 | Quantitative Estimates of the Variability of In Vivo Sonographic Measurements of the Mouse Aorta for Studies of Abdominal Aortic Aneurysms and Related Arterial Diseases. <i>Journal of Ultrasound in Medicine</i> , 2011, 30, 773-784. | 0.8 | 10        |
| 16720 | Comparison of methods to assess severity of common rust caused by <i>Puccinia sorghi</i> in maize. <i>Tropical Plant Pathology</i> , 2011, 36, 264-266.   | 0.8 | 17        |
| 16721 | A Comparison of Functional and Structural Measures for Identifying Progression of Glaucoma. , 2011, 52, 519.  |     | 46        |
| 16722 | Aortic Hemodynamics in Patients With and Without Repair of Aortic Coarctation. <i>Investigative Radiology</i> , 2011, 46, 317-325.  | 3.5 | 95        |
| 16723 | Computer-Aided Evaluation of Breast MRI for the Residual Tumor Extent and Response Monitoring in Breast Cancer Patients Receiving Neoadjuvant Chemotherapy. <i>Korean Journal of Radiology</i> , 2011, 12, 34.                          | 1.5 | 21        |
| 16724 | Continuous Measurement of Blood Glucose. <i>Anesthesiology</i> , 2011, 114, 120-125.  | 1.3 | 31        |
| 16725 | Noise Reduction and Image Quality Improvement of Low Dose and Ultra Low Dose Brain Perfusion CT by HYPR-LR Processing. <i>PLoS ONE</i> , 2011, 6, e17098.   | 1.1 | 18        |
| 16726 | Tidal Volume Single Breath Washout of Two Tracer Gases - A Practical and Promising Lung Function Test. <i>PLoS ONE</i> , 2011, 6, e17588.   | 1.1 | 21        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16727 | Determination of Baroreflex Sensitivity during the Modified Oxford Maneuver by Trigonometric Regressive Spectral Analysis. PLoS ONE, 2011, 6, e18061.   | 1.1 | 20        |
| 16728 | Leukocyte DNA Methylation Signature Differentiates Pancreatic Cancer Patients from Healthy Controls. PLoS ONE, 2011, 6, e18223.   | 1.1 | 73        |
| 16729 | The Impact of Utilizing Different Optical Coherence Tomography Devices for Clinical Purposes and in Multiple Sclerosis Trials. PLoS ONE, 2011, 6, e22947.   | 1.1 | 72        |
| 16730 | Energy Expenditure at Rest and during Walking in Patients with Chronic Respiratory Failure: A Prospective Two-Phase Case-Control Study. PLoS ONE, 2011, 6, e23770.  | 1.1 | 10        |
| 16731 | Psychometric Properties of the Nurses Work Functioning Questionnaire (NWFQ). PLoS ONE, 2011, 6, e26565.   | 1.1 | 25        |
| 16732 | Determination of Plasma Osmolality and Agreement between Measured and Calculated Values in Captive Male Corn Snakes ( <i>Pantherophis [Elaphe] guttatus guttatus</i> ). Journal of Herpetological Medicine and Surgery, 2011, 21, 16. | 0.2 | 7         |
| 16733 | Influence of Visual Field Testing Frequency on Detection of Glaucoma Progression With Trend Analyses. JAMA Ophthalmology, 2011, 129, 1521.  | 2.6 | 40        |
| 16734 | Pulse Transit Time in Screening Sleep Disordered Breathing In An Elderly Population: The PROOF-SYNAPSE Study. Sleep, 2011, 34, 1051-1059.   | 0.6 | 14        |
| 16735 | Predicting 30 m timing gate speed from a 5 Hz Global Positioning System (GPS) device. International Journal of Performance Analysis in Sport, 2011, 11, 575-582.  | 0.5 | 5         |
| 16736 | Conventional versus automated measurement of blood pressure in primary care patients with systolic hypertension: randomised parallel design controlled trial. BMJ: British Medical Journal, 2011, 342, d286-d286.                     | 2.4 | 240       |
| 16737 | Vibrotactile Perception at Glabrous and Nonglabrous Skin of Fingers: Repeatability of Measurements and Changes Induced by Acute Vibration Exposure. Journal of Occupational Health, 2011, 53, 10-15.                                  | 1.0 | 2         |
| 16738 | Psychometric Comparison of Standard and Computerized Administration of the Alzheimers Disease Assessment Scale "Cognitive Subscale (ADASCog). Current Alzheimer Research, 2011, 8, 323-328.   | 0.7 | 12        |
| 16739 | Evaluation of arterial propagation velocity based on the automated analysis of the Pulse Wave Shape. Journal of Physics: Conference Series, 2011, 332, 012014.  | 0.3 | 0         |
| 16740 | Agreement between the Heidelberg Retina Tomograph (HRT) Stereometric Parameters Estimated Using HRT-I and HRT-II. Optometry and Vision Science, 2011, 88, 140-149.  | 0.6 | 4         |
| 16741 | Real-time free cortisol quantification among critically ill children. Pediatric Critical Care Medicine, 2011, 12, 525-531.  | 0.2 | 25        |
| 16742 | Sex-specific normal limits of left ventricular ejection fraction and volumes estimated by gated myocardial perfusion imaging in adult patients in Taiwan. Nuclear Medicine Communications, 2011, 32, 113-120.                         | 0.5 | 15        |
| 16743 | Comparison of Fixation Disparity Measured by Saladin Card and Disparometer. Optometry and Vision Science, 2011, 88, E733-E741.  | 0.6 | 7         |
| 16744 | Repeatability of Measurements Obtained with a Ray Tracing Aberrometer. Optometry and Vision Science, 2011, 88, 1099-1105.   | 0.6 | 24        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16745 | Grating Acuity and Contrast Tests for Clinical Trials of Severe Vision Loss. <i>Optometry and Vision Science</i> , 2011, 88, 1153-1163.  | 0.6 | 33        |
| 16746 | Hemodynamic monitoring by transpulmonary thermodilution and pulse contour analysis in critically ill children. <i>Pediatric Critical Care Medicine</i> , 2011, 12, 459-466.  | 0.2 | 60        |
| 16747 | Emerging technologies. <i>Pediatric Critical Care Medicine</i> , 2011, 12, S55-S61.  | 0.2 | 14        |
| 16748 | Determination of the Precision Error of the Pulmonary Artery Thermodilution Catheter Using an In Vitro Continuous Flow Test Rig. <i>Anesthesia and Analgesia</i> , 2011, 112, 70-77.                                 | 1.1 | 50        |
| 16749 | The Impact of Phenylephrine, Ephedrine, and Increased Preload on Third-Generation Vigileo-FloTrac and Esophageal Doppler Cardiac Output Measurements. <i>Anesthesia and Analgesia</i> , 2011, 113, 751-757.          | 1.1 | 114       |
| 16750 | What Rules of Thumb Do Clinicians Use to Decide Whether to Antagonize Nondepolarizing Neuromuscular Blocking Drugs?. <i>Anesthesia and Analgesia</i> , 2011, 113, 1192-1196.   | 1.1 | 34        |
| 16751 | Is There a Standard Trochanteric Entry Site for Nailing of Subtrochanteric Femur Fractures?. <i>Journal of Orthopaedic Trauma</i> , 2011, 25, 202-207.   | 0.7 | 50        |
| 16752 | Quantitative Measures of Modic Changes in Lumbar Spine Magnetic Resonance Imaging. <i>Spine</i> , 2011, 36, 1236-1243.   | 1.0 | 45        |
| 16753 | Psychometric Evaluation of a New Patient-Completed Questionnaire for Evaluating Anal Incontinence Symptoms and Impact on Quality of Life: The ICIQ-B. <i>Diseases of the Colon and Rectum</i> , 2011, 54, 1235-1250. | 0.7 | 110       |
| 16754 | Comparison Between Laser Scanning In Vivo Confocal Microscopy and Noncontact Specular Microscopy in Assessing Corneal Endothelial Cell Density and Central Corneal Thickness. <i>Cornea</i> , 2011, 30, 754-759.     | 0.9 | 42        |
| 16755 | Comparison of Oculus Pentacam and Stratus Optical Coherence Tomography for Measurement of Central Corneal Thickness. <i>Cornea</i> , 2011, 30, 670-674.  | 0.9 | 16        |
| 16756 | The Influence of Age on the Refractive Index of the Human Corneal Stroma Resected Using a Mechanical Microkeratome. <i>Cornea</i> , 2011, 30, 1353-1357.   | 0.9 | 15        |
| 16757 | Evaluation of the ICare Rebound Tonometer as a Home Intraocular Pressure Monitoring Device. <i>Journal of Glaucoma</i> , 2011, 20, 74-79.  | 0.8 | 49        |
| 16758 | Ptosis Assessment Spectacles: A New Method of Measuring Lid Position and Movement in Children. <i>Ophthalmic Plastic and Reconstructive Surgery</i> , 2011, 27, 111-113.   | 0.4 | 4         |
| 16759 | Mechanical Scale and Load Cell Underwater Weighing: A Comparison of Simultaneous Measurements and the Reliability of Methods. <i>Journal of Strength and Conditioning Research</i> , 2011, 25, 652-661.              | 1.0 | 3         |
| 16760 | An Automated Analyzer Provides Clinically Concordant Results to Manual Back Titration for Quantitation of Bicarbonate in Pancreatic Juice. <i>Pancreas</i> , 2011, 40, 422-425.                                      | 0.5 | 8         |
| 16761 | Exercise and Glycemic Imbalances. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 2-11.   | 0.2 | 21        |
| 16762 | Validation of Thai Versions of the Neck Disability Index and Neck Pain and Disability Scale in Patients With Neck Pain. <i>Spine</i> , 2011, 36, E1415-E1421.  | 1.0 | 72        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16763 | Comparative values of gated blood-pool SPECT and CMR for ejection fraction and volume estimation. Nuclear Medicine Communications, 2011, 32, 121-128.   | 0.5 | 29        |
| 16764 | Magnetic Resonance Imaging in Peripheral Arterial Disease. Investigative Radiology, 2011, 46, 11-24.  | 3.5 | 61        |
| 16765 | Comparative Analysis of Tranexamic Acid Use in Minimally Invasive Versus Open Craniostomosis Procedures. Journal of Craniofacial Surgery, 2011, 22, 1772-1778.  | 0.3 | 37        |
| 16766 | COMPARISON OF MACULAR THICKNESS MEASUREMENTS BETWEEN TIME-DOMAIN AND SPECTRAL-DOMAIN OPTICAL COHERENCE TOMOGRAPHIES IN EYES WITH AND WITHOUT MACULAR ABNORMALITIES. Retina, 2011, 31, 707-716.  | 1.0 | 22        |
| 16767 | Can blood pressure measurements taken in the physician's office avoid the "white coat" bias?. Blood Pressure Monitoring, 2011, 16, 231-237.   | 0.4 | 7         |
| 16768 | An Uncalibrated Pulse Contour Method to Measure Cardiac Output During Aortic Counterpulsation. Anesthesia and Analgesia, 2011, 113, 1389-1395.  | 1.1 | 24        |
| 16769 | Disproportionate Exercise Load and Remodeling of the Athlete's Right Ventricle. Medicine and Science in Sports and Exercise, 2011, 43, 974-981.   | 0.2 | 299       |
| 16770 | New Prognostic Markers for Outcome of Acute Pancreatitis. Pancreas, 2011, 40, 522-532.  | 0.5 | 37        |
| 16771 | Comparison of invasive and non-invasive measurements of haemodynamic parameters in patients with advanced heart failure. Journal of Cardiovascular Medicine, 2011, 12, 773-778.   | 0.6 | 39        |
| 16772 | Anal Acoustic Reflectometry: A New Reproducible Technique Providing Physiological Assessment of Anal Sphincter Function. Diseases of the Colon and Rectum, 2011, 54, 1122-1128.   | 0.7 | 13        |
| 16773 | Disagreement between pulse contour analysis and transpulmonary thermodilution for cardiac output monitoring after routine therapeutic interventions in ICU patients with acute circulatory failure. European Journal of Anaesthesiology, 2011, 28, 664-669. | 0.7 | 24        |
| 16774 | RETINAL THICKNESS AND VOLUME MEASUREMENTS IN DIABETIC MACULAR EDEMA. Retina, 2011, 31, 48-55.   | 1.0 | 65        |
| 16775 | Central Corneal Thickness Measured With Three Optical Devices and Ultrasound Pachometry. Eye and Contact Lens, 2011, 37, 66-70.   | 0.8 | 42        |
| 16776 | Association of Self-Rated Physical Health and Incident Hypertension With O*NET Factors. Journal of Occupational and Environmental Medicine, 2011, 53, 139-145.  | 0.9 | 22        |
| 16777 | Semiautomatic Extraction Algorithm for Images of the Ciliary Muscle. Optometry and Vision Science, 2011, 88, 275-289.   | 0.6 | 35        |
| 16778 | Effect of Oxybuprocaine Eye Drops on Corneal Volume and Thickness Measurements. Optometry and Vision Science, 2011, 88, 640-644.  | 0.6 | 39        |
| 16779 | Lenstar Versus Ultrasound for Ocular Biometry in a Pediatric Population. Optometry and Vision Science, 2011, 88, 912-919.   | 0.6 | 42        |
| 16780 | Comparing the Nidek MP-1 and Humphrey Field Analyzer in Normal Subjects. Optometry and Vision Science, 2011, 88, 1288-1297.   | 0.6 | 44        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16781 | Comparative RNA Quantification of HIV-1 Group M and Non-M With the Roche Cobas AmpliPrep/Cobas TaqMan HIV-1 v2.0 and Abbott Real-Time HIV-1 PCR Assays. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2011, 56, 239-243. | 0.9 | 56        |
| 16782 | Predicting Lumbar Plexus Depth in Children and Adolescents. <i>Anesthesia and Analgesia</i> , 2011, 112, 661-665.   | 1.1 | 19        |
| 16783 | Analysis of Deposit Depth and Morphology in Granular Corneal Dystrophy Type 2 Using Fourier Domain Optical Coherence Tomography. <i>Cornea</i> , 2011, 30, 729-738.   | 0.9 | 22        |
| 16784 | Accuracy of Temporal Artery Thermometry in Neonatal Intensive Care Infants. <i>Advances in Neonatal Care</i> , 2011, 11, 62-70.   | 0.5 | 29        |
| 16785 | Using the Auditory Steady State Response to Record Response Amplitude Curves. A Possible Fast Objective Method for Diagnosing Dead Regions. <i>Ear and Hearing</i> , 2011, 32, 485-497.   | 1.0 | 2         |
| 16786 | Induction and maintenance of therapeutic hypothermia after pediatric cardiac arrest: Efficacy of a surface cooling protocol*. <i>Pediatric Critical Care Medicine</i> , 2011, 12, e127-e135.  | 0.2 | 41        |
| 16787 | Pre-Ejection Period to Estimate Cardiac Preload Dependency in Mechanically Ventilated Pigs Submitted to Severe Hemorrhagic Shock. <i>Journal of Trauma</i> , 2011, 71, 702-707.   | 2.3 | 3         |
| 16788 | Assessment of coronary stenosis, plaque burden and remodeling by multidetector computed tomography in patients referred for suspected coronary artery disease. <i>Journal of Cardiovascular Medicine</i> , 2011, 12, 122-130.             | 0.6 | 11        |
| 16789 | Professional Practice and Innovation: Level of Agreement between Coding Sources of Percentage Total Body Surface Area Burnt (%TBSA). <i>Health Information Management Journal</i> , 2011, 40, 21-24.                                      | 0.9 | 3         |
| 16790 | Effects of dipyridamole on cardiac and systemic haemodynamics: real-time three-dimensional stress echo beyond regional wall motion. <i>Journal of Cardiovascular Medicine</i> , 2011, 12, 455-459.  | 0.6 | 7         |
| 16791 | Bench Study of a New Device to Display and Maintain Stable Artificial Airway Cuff Pressure. <i>Respiratory Care</i> , 2011, 56, 1506-1513.  | 0.8 | 6         |
| 16792 | Ultrasound Imaging of the Thoracic Spine in Paramedian Sagittal Oblique Plane. <i>Regional Anesthesia and Pain Medicine</i> , 2011, 36, 542-547.  | 1.1 | 33        |
| 16793 | Level Discrimination of Speech Sounds by Hearing-Impaired Individuals With and Without Hearing Amplification. <i>Ear and Hearing</i> , 2011, 32, 391-398.   | 1.0 | 12        |
| 16794 | Compensatory Trunk Movements in Patients with Hip Osteoarthritis. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2011, 90, 681-687.  | 0.7 | 17        |
| 16795 | A Comparison of Three Methods of Hemoglobin Monitoring in Patients Undergoing Spine Surgery. <i>Anesthesia and Analgesia</i> , 2011, 112, 858-863.  | 1.1 | 146       |
| 16796 | Evaluation of the Omron HJ-720ITC Pedometer under Free-Living Conditions. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 1791-1797.   | 0.2 | 65        |
| 16797 | Level of agreement between heart rate variability and pulse rate variability in healthy individuals. <i>European Journal of Anaesthesiology</i> , 2011, 28, 34-38.  | 0.7 | 27        |
| 16798 | Central Corneal Thickness Measurements With Fourier-Domain Optical Coherence Tomography Versus Ultrasonic Pachymetry and Rotating Scheimpflug Camera. <i>Cornea</i> , 2011, 30, 615-619.  | 0.9 | 90        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16799 | Comparison of Dynamic Contour Tonometry and Goldmann Applanation Tonometry in Keratoconus. <i>Cornea</i> , 2011, 30, 1078-1082.  | 0.9 | 13        |
| 16800 | Interrater Reliability of the Assessment of DSM-IV Axis IV Psychosocial Stressors and Environmental Problems. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 794-796.                               | 0.5 | 4         |
| 16801 | Structure and Function in Patients with Glaucomatous Defects Near Fixation. <i>Optometry and Vision Science</i> , 2011, 88, 130-139.   | 0.6 | 17        |
| 16802 | Performance Evaluation of the Alere PIMA CD4 Test for Monitoring HIV-Infected Individuals in Resource-Constrained Settings. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 58, 141-147. | 0.9 | 61        |
| 16803 | Comparison of Proteinuria Determination by Urine Dipstick, Spot Urine Protein Creatinine Index, and Urine Protein 24 Hours in Lupus Patients. <i>Journal of Clinical Rheumatology</i> , 2011, 17, 124-129.     | 0.5 | 16        |
| 16804 | Base Deficit From the First Peripheral Venous Sample: A Surrogate for Arterial Base Deficit in the Trauma Bay. <i>Journal of Trauma</i> , 2011, 71, 793-797.   | 2.3 | 25        |
| 16806 | Comparison of Magnetic Resonance Imaging and Computed Tomogram-Myelography for Evaluation of Cross Sections of Cervical Spinal Morphology. <i>Spine</i> , 2011, 36, 50-56.                                     | 1.0 | 23        |
| 16807 | Comparison of ICare Rebound Tonometer With Noncontact Tonometer in Healthy Children. <i>Journal of Glaucoma</i> , 2011, 20, 63-66.   | 0.8 | 35        |
| 16808 | WHAT IS THE BEST QUESTIONNAIRE FOR MONITORING THE PHYSICAL CHARACTERISTICS OF PATIENTS WITH KNEE OSTEOARTHRITIS IN THE BRAZILIAN POPULATION?. <i>Revista Brasileira De Ortopedia</i> , 2011, 46, 256-261.      | 0.6 | 10        |
| 16809 | Development and validation of a reverse transcription quantitative PCR for universal detection of viral hemorrhagic septicemia virus. <i>Diseases of Aquatic Organisms</i> , 2011, 95, 97-112.                 | 0.5 | 65        |
| 16810 | Quantitation of Sudomotor Innervation in Skin Biopsies of Patients With Diabetic Neuropathy. <i>Journal of Neuropathology and Experimental Neurology</i> , 2011, 70, 930-938.                                  | 0.9 | 40        |
| 16811 | Measuring physical activity using accelerometry in 13-15-year-old adolescents: the importance of including non-wear activities. <i>Public Health Nutrition</i> , 2011, 14, 2124-2133.                          | 1.1 | 26        |
| 16812 | Prediction and validation of total and regional fat mass by B-mode ultrasound in Japanese pre-pubertal children. <i>British Journal of Nutrition</i> , 2011, 106, 944-950.                                     | 1.2 | 10        |
| 16813 | Intrasession Repeatability of Fixation Stability Assessment with the Nidek MP-1. <i>Optometry and Vision Science</i> , 2011, 88, 742-750.  | 0.6 | 27        |
| 16814 | Comparison of Autoanalyzer and Back Titration for Measurement of Bicarbonate Concentration in Endoscopically Collected Pancreatic Fluid. <i>Pancreas</i> , 2011, 40, 237-241.                                  | 0.5 | 9         |
| 16815 | Body-Density Measurement in Children: The BOD POD Versus Hydrodensitometry. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2011, 21, 240-247.                                       | 1.0 | 9         |
| 16816 | Assessment of Physical Activity in Older People With and Without Cognitive Impairment. <i>Journal of Aging and Physical Activity</i> , 2011, 19, 347-372.  | 0.5 | 35        |
| 16817 | Self-Report vs. Objectively Assessed Physical Activity: Which Is Right for Public Health?. <i>Journal of Physical Activity and Health</i> , 2011, 8, 62-70.  | 1.0 | 69        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16818 | Comparisons of Accelerometer and Pedometer Determined Steps in Free Living Samples. <i>Journal of Physical Activity and Health</i> , 2011, 8, 390-397.   | 1.0 | 10        |
| 16819 | New Insights Into Compliance With a Mobile Phone Diary and Pedometer Use in Sedentary Women. <i>Journal of Physical Activity and Health</i> , 2011, 8, 398-403.  | 1.0 | 28        |
| 16820 | Exercise Protocols to Estimate Fatmax and Maximal Fat Oxidation in Children. <i>Pediatric Exercise Science</i> , 2011, 23, 122-135.  | 0.5 | 12        |
| 16821 | Smartphone-Based Applications for Investigating Falls and Mobility. , 2011, , .  |     | 45        |
| 16822 | The replication rate of human hematopoietic stem cells in vivo. <i>Blood</i> , 2011, 117, 4460-4466.   | 0.6 | 188       |
| 16823 | Influence of different breathing patterns on heart rate variability indices and reproducibility during experimental endotoxaemia in human subjects. <i>Clinical Science</i> , 2011, 121, 215-222.      | 1.8 | 18        |
| 16824 | Respiratory rate measurement: a comparison of methods. <i>British Journal of Healthcare Assistants</i> , 2011, 5, 18-23.   | 0.1 | 49        |
| 16825 | Models for duration and event history data. , 2011, , 159-180.   |     | 0         |
| 16826 | A comparison of methodologies for measuring glucose concentrations in the horse <sup>1</sup> . <i>The Professional Animal Scientist</i> , 2011, 27, 204-214.   | 0.7 | 7         |
| 16827 | Limited Sampling Strategies for Monitoring Tacrolimus in Pediatric Liver Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2011, 33, 380-386.  | 1.0 | 14        |
| 16828 | An Alternative Ultrasonographic Approach to Assess Basilar Artery Flow. <i>Operative Neurosurgery</i> , 2011, 68, ons276-ons281.   | 0.4 | 5         |
| 16830 | Morphometric Study for Estimation and Validation of Trunk Transverse Surface Area To Assess Human Drag Force on Water. <i>Journal of Human Kinetics</i> , 2011, 28, 5-13.                              | 0.7 | 28        |
| 16831 | Rejection of Erroneous Saturation Data in Optical Pulse Oximetry in Newborn Patients. , 2011, , .  |     | 0         |
| 16832 | Validity of Infrared Tympanic Temperature for the Evaluation of Heat Strain While Wearing Impermeable Protective Clothing in Hot Environments. <i>Industrial Health</i> , 2011, 49, 714-725.           | 0.4 | 20        |
| 16833 | Assessment of Lung Volume by 3-Dimensional Sonography and Magnetic Resonance Imaging in Fetuses With Congenital Diaphragmatic Hernias. <i>Journal of Ultrasound in Medicine</i> , 2011, 30, 1539-1545. | 0.8 | 13        |
| 16834 | How the Cervix Shortens. <i>Journal of Ultrasound in Medicine</i> , 2011, 30, 1197-1204.   | 0.8 | 9         |
| 16835 | Three-dimensional morphological analysis of intracranial aneurysms: A fully automated method for aneurysm sac isolation and quantification. <i>Medical Physics</i> , 2011, 38, 2439-2449.              | 1.6 | 30        |
| 16836 | Comparison of four commercial devices for RapidArc and sliding window IMRT QA. <i>Journal of Applied Clinical Medical Physics</i> , 2011, 12, 338-349.   | 0.8 | 60        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16837 | Validity, accuracy, and repeatability of monitoring variables. , 0, , 16-26.  |     | 0         |
| 16838 | The Absolute Reliability of Evaluation. <i>Rigakuryoho Kagaku</i> , 2011, 26, 451-461.  | 0.0 | 26        |
| 16839 | Stability of Measurement Outcomes for Voluntary Task Performance in Participants With Chronic Ankle Instability and Healthy Participants. <i>Journal of Athletic Training</i> , 2011, 46, 366-375.                                  | 0.9 | 9         |
| 16840 | Central Corneal Thickness Measurements: Using an Ultrasonic Instrument and 4 Optical Instruments. <i>Cornea</i> , 2011, 30, 1238-1243.  | 0.9 | 35        |
| 16841 | Evaluation of a New Software Version of the FloTrac/Vigileo (Version 3.02) and a Comparison with Previous Data in Cirrhotic Patients Undergoing Liver Transplant Surgery. <i>Anesthesia and Analgesia</i> , 2011, 113, 515-522.     | 1.1 | 85        |
| 16842 | Subcutaneous Thigh Fat Assessment: A Comparison of Skinfold Calipers and Ultrasound Imaging. <i>Journal of Athletic Training</i> , 2011, 46, 50-54.   | 0.9 | 40        |
| 16843 | Analysis of Breath CO and Application to Hemodynamic Monitoring. , 2011, , 24-34.   |     | 0         |
| 16844 | Is Oral Temperature an Accurate Measurement of Deep Body Temperature? A Systematic Review. <i>Journal of Athletic Training</i> , 2011, 46, 566-573.   | 0.9 | 56        |
| 16845 | Comparison of the Accuracy of Noninvasive Hemoglobin Monitoring by Spectrophotometry (SpHb) and HemoCue® with Automated Laboratory Hemoglobin Measurement. <i>Anesthesiology</i> , 2011, 115, 548-554.                              | 1.3 | 142       |
| 16846 | Bias and Precision Statistics: Should We Still Adhere to the 30% Benchmark for Cardiac Output Monitor Validation Studies?. <i>Anesthesiology</i> , 2011, 114, 1245-1245.  | 1.3 | 36        |
| 16847 | The importance of clinical management problems in older people with COPD and asthma: do patients and physicians agree?. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2011, 20, 389-395. | 2.5 | 33        |
| 16848 | A High Significance Level after Analysis of Covariance in a Small-group Study?. <i>Anesthesiology</i> , 2011, 114, 1243-1244.   | 1.3 | 0         |
| 16849 | Evaluation of the Corneal Endothelium Using Noncontact and Contact Specular Microscopy. <i>Cornea</i> , 2011, 30, 567-570.  | 0.9 | 17        |
| 16850 | Reliability of the Corneal Thickness Measurements With the Pentacam HR Imaging System and Ultrasound Pachymetry. <i>Cornea</i> , 2011, 30, 561-566.   | 0.9 | 20        |
| 16851 | Patient satisfaction with care in the intensive care unit: can we rely on proxies?. <i>Acta Anaesthesiologica Scandinavica</i> , 2011, 55, 149-156.   | 0.7 | 36        |
| 16852 | Acceleromyography to assess neuromuscular recovery: is calibration before measurement mandatory?. <i>Acta Anaesthesiologica Scandinavica</i> , 2011, 55, 328-331.   | 0.7 | 25        |
| 16853 | Pulse oximetry during intraaortic balloon pump application. <i>Acta Anaesthesiologica Scandinavica</i> , 2011, 55, 322-327.   | 0.7 | 1         |
| 16854 | Blood transfusion after cardiac surgery: is it the patient or the transfusion that carries the risk?. <i>Acta Anaesthesiologica Scandinavica</i> , 2011, 55, 952-961.   | 0.7 | 24        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16855 | Positive end-expiratory pressure-induced changes in end-expiratory lung volume measured by spirometry and electric impedance tomography. <i>Acta Anaesthesiologica Scandinavica</i> , 2011, 55, 1068-1077. | 0.7 | 60        |
| 16856 | Neurally adjusted ventilatory assist vs. pressure support ventilation in critically ill patients: an observational study. <i>Acta Anaesthesiologica Scandinavica</i> , 2011, 55, 1261-1271.                | 0.7 | 17        |
| 16857 | Photoplethysmographic and pulse pressure variations during abdominal surgery. <i>Acta Anaesthesiologica Scandinavica</i> , 2011, 55, 1221-1230.  | 0.7 | 21        |
| 16858 | A maturation model for midazolam clearance. <i>Paediatric Anaesthesia</i> , 2011, 21, 302-308.   | 0.6 | 66        |
| 16859 | Intra- and inter-observer reliability using a noninvasive ultrasound cardiac output monitor in healthy anesthetized children. <i>Paediatric Anaesthesia</i> , 2011, 21, 858-864.                           | 0.6 | 28        |
| 16860 | Accuracy of measurement of puborectal contraction by perineal ultrasound in patients with faecal incontinence. <i>Colorectal Disease</i> , 2011, 13, e234-e237.  | 0.7 | 6         |
| 16861 | Effect of central corneal thickness on intraocular pressure with the rebound tonometer and the applanation tonometer in normal dogs. <i>Veterinary Ophthalmology</i> , 2011, 14, 169-173.                  | 0.6 | 42        |
| 16862 | Double balloon enteroscopy and capsule endoscopy for obscure gastrointestinal bleeding: An updated meta-analysis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 796-801.       | 1.4 | 237       |
| 16863 | Comparison of two ventilator circuits for Dräger Babylog high-frequency ventilation. <i>Journal of Paediatrics and Child Health</i> , 2011, 47, 211-216.   | 0.4 | 1         |
| 16864 | A comparison of oxygen saturation measurements obtained from a "blue sensor"™ with a standard sensor. <i>Journal of Paediatrics and Child Health</i> , 2011, 47, 693-697.                                  | 0.4 | 0         |
| 16865 | Inaccuracies in estimated glomerular filtration rate in one Australian renal centre. <i>Nephrology</i> , 2011, 16, 486-494.  | 0.7 | 4         |
| 16866 | Regional ventilation distribution determined by electrical impedance tomography: Reproducibility and effects of posture and chest plane. <i>Respirology</i> , 2011, 16, 523-531.                           | 1.3 | 57        |
| 16867 | Clinical performance of the new glucometer in the nursery and neonatal intensive care unit. <i>Pediatrics International</i> , 2011, 53, 218-223.   | 0.2 | 16        |
| 16868 | Validity and reliability of physical activity questionnaire for Japanese students. <i>Pediatrics International</i> , 2011, 53, 956-963.  | 0.2 | 12        |
| 16869 | Validity of first postoperative day automated refraction following dense cataract extraction. <i>Australasian journal of optometry</i> , The, 2011, 94, 187-192.   | 0.6 | 5         |
| 16870 | Comparison of corneal thickness measurement with the Pentacam, the PARK1 and an ultrasonic pachymeter. <i>Australasian journal of optometry</i> , The, 2011, 94, 433-437.                                  | 0.6 | 6         |
| 16871 | Constancy of the Orbscan acoustic factor to detect contact lens-induced corneal swelling. <i>Australasian journal of optometry</i> , The, 2011, 94, 352-360.   | 0.6 | 8         |
| 16872 | Grading of tarsal conjunctiva of young adults in Malaysia. <i>Australasian journal of optometry</i> , The, 2011, 94, 458-463.  | 0.6 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16873 | Pitfalls of using estimations of glomerular filtration rate in an intensive care population. <i>Internal Medicine Journal</i> , 2011, 41, 537-543.   | 0.5 | 69        |
| 16874 | Assessing PaCO <sub>2</sub> in acute respiratory disease: accuracy of a transcutaneous carbon dioxide device. <i>Internal Medicine Journal</i> , 2011, 41, 630-633.  | 0.5 | 21        |
| 16875 | Assessment of renal allograft fibrosis by acoustic radiation force impulse quantification - a pilot study. <i>Transplant International</i> , 2011, 24, 100-105.  | 0.8 | 105       |
| 16876 | Determination of cardiac output by ultrasound velocity dilution in normovolemia and hypovolemia in dogs. <i>Veterinary Anaesthesia and Analgesia</i> , 2011, 38, 279-285.  | 0.3 | 17        |
| 16877 | Continuous versus intermittent thermodilution for cardiac output measurement during alveolar recruitment manoeuvres in sheep. <i>Veterinary Anaesthesia and Analgesia</i> , 2011, 38, 423-430.   | 0.3 | 7         |
| 16878 | Assessment of comatose patients: a Portuguese instrument based on the Coma Recovery Scale - Revised and using nursing standard terminology. <i>Journal of Advanced Nursing</i> , 2011, 67, 1129-1141.  | 1.5 | 10        |
| 16879 | Performance of non-contact infrared thermometer for detecting febrile children in hospital and ambulatory settings. <i>Journal of Clinical Nursing</i> , 2011, 20, 1311-1318.  | 1.4 | 60        |
| 16880 | Is the temporal artery thermometer a reliable instrument for detecting fever in children?. <i>Journal of Clinical Nursing</i> , 2011, 20, 1632-1639.   | 1.4 | 16        |
| 16881 | Managing blood glucose during and after exercise in Type 1 diabetes: reproducibility of glucose response and a trial of a structured algorithm adjusting insulin and carbohydrate intake. <i>Journal of Clinical Nursing</i> , 2011, 20, 3423-3429.                | 1.4 | 15        |
| 16882 | Inter-observer reproducibility and analysis of gastric volume measurements and gastric emptying assessed with magnetic resonance imaging. <i>Neurogastroenterology and Motility</i> , 2011, 23, 854-861.   | 1.6 | 46        |
| 16883 | Ability of radial arterial palpation and observation of the pulse oximetry trace to estimate non-invasive systolic pressure in healthy volunteers and in women undergoing spinal anaesthesia for elective caesarean section. <i>Anaesthesia</i> , 2011, 66, 20-24. | 1.8 | 3         |
| 16884 | Assay performance during validation of freezing channel catfish <i>Ictalurus punctatus</i> (Rafinesque) infected with a Gram-negative bacterium. <i>Aquaculture Research</i> , 2011, 42, 169-176.  | 0.9 | 2         |
| 16885 | Gentamicin pharmacokinetics in old age and frailty. <i>British Journal of Clinical Pharmacology</i> , 2011, 71, 224-231.   | 1.1 | 43        |
| 16886 | Validation of the cantharidin-induced skin blister as an <i>in vivo</i> model of inflammation. <i>British Journal of Clinical Pharmacology</i> , 2011, 72, 912-920.  | 1.1 | 16        |
| 16887 | Foetal and postnatal growth and bone mass at 6 months: the Generation R Study. <i>Clinical Endocrinology</i> , 2011, 74, 181-190.  | 1.2 | 26        |
| 16888 | Serum TSH related to measures of body mass: longitudinal data from the HUNT Study, Norway. <i>Clinical Endocrinology</i> , 2011, 74, 769-775.  | 1.2 | 89        |
| 16889 | Body mass index is associated with leukotriene inflammation in asthmatics. <i>European Journal of Clinical Investigation</i> , 2011, 41, 30-38.  | 1.7 | 59        |
| 16890 | Measurement of factor VIII activity using one-stage clotting assay: a calibration curve has not to be systematically included in each run. <i>Haemophilia</i> , 2011, 17, 139-142.   | 1.0 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16891 | Automated digital volume measurement of melanoma metastases in sentinel nodes predicts disease recurrence and survival. <i>Histopathology</i> , 2011, 59, 433-440.   | 1.6 | 11        |
| 16892 | The influence of a bisphosphonate on bone generation determined using a chick-femur model. <i>International Endodontic Journal</i> , 2011, 44, 550-559.  | 2.3 | 2         |
| 16893 | Parental report of infant sleep behavior by electronic versus paper-and-pencil diaries, and their relationship to actigraphic sleep measurement. <i>Journal of Sleep Research</i> , 2011, 20, 598-605.     | 1.7 | 26        |
| 16894 | Reproducibility of liver stiffness measurements in hepatitis C virus (HCV) infected patients in Egypt. <i>Journal of Viral Hepatitis</i> , 2011, 18, e358-65.  | 1.0 | 15        |
| 16895 | Repeatability of exhaled nitric oxide measurements in patients with COPD. <i>Clinical Physiology and Functional Imaging</i> , 2011, 31, 26-31.   | 0.5 | 16        |
| 16896 | Measurement of cardiac output with non-invasive Aesculon® impedance versus thermodilution. <i>Clinical Physiology and Functional Imaging</i> , 2011, 31, 39-47.  | 0.5 | 38        |
| 16897 | A comparison of differential oscillometric device with invasive mean arterial blood pressure monitoring in intensive care patients. <i>Clinical Physiology and Functional Imaging</i> , 2011, 31, 188-192. | 0.5 | 5         |
| 16898 | Non-invasive stroke volume measurement by cardiac magnetic resonance imaging and inert gas rebreathing in pulmonary hypertension. <i>Clinical Physiology and Functional Imaging</i> , 2011, 31, 221-226.   | 0.5 | 18        |
| 16899 | Estimating oxygen consumption from heart rate and heart rate variability without individual calibration. <i>Clinical Physiology and Functional Imaging</i> , 2011, 31, 266-271.                            | 0.5 | 23        |
| 16900 | Diameter and compliance of the greater saphenous vein - effect of age and nitroglycerine. <i>Clinical Physiology and Functional Imaging</i> , 2011, 31, 300-306.   | 0.5 | 27        |
| 16901 | The measurement of lactate threshold in resistance exercise: a comparison of methods. <i>Clinical Physiology and Functional Imaging</i> , 2011, 31, 376-381.   | 0.5 | 29        |
| 16902 | Evaluation of aortic geometries created by magnetic resonance imaging data in healthy volunteers. <i>Clinical Physiology and Functional Imaging</i> , 2011, 31, 485-491.                                   | 0.5 | 0         |
| 16903 | Reproducibility and variability of digital thermal monitoring of vascular reactivity. <i>Clinical Physiology and Functional Imaging</i> , 2011, 31, 422-428.   | 0.5 | 27        |
| 16904 | Arterial tension time reflects subclinical atherosclerosis, arterial stiffness and stroke volume. <i>Clinical Physiology and Functional Imaging</i> , 2011, 31, 464-471.                                   | 0.5 | 7         |
| 16905 | Simultaneous measurement of objective refraction, accommodation response and axial length of the human eye. <i>Ophthalmic and Physiological Optics</i> , 2011, 31, 100-108.                                | 1.0 | 4         |
| 16906 | Randomised controlled trial of intermittent photic stimulation for treating amblyopia in older children and adults. <i>Ophthalmic and Physiological Optics</i> , 2011, 31, 56-68.                          | 1.0 | 14        |
| 16907 | A comparison of symptoms after viewing text on a computer screen and hardcopy. <i>Ophthalmic and Physiological Optics</i> , 2011, 31, 29-32.   | 1.0 | 82        |
| 16908 | Statistical guidelines for clinical studies of human vision. <i>Ophthalmic and Physiological Optics</i> , 2011, 31, 123-136.   | 1.0 | 73        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16909 | A comparison of the NCT Reichert R7 with Goldmann applanation tonometry and the Reichert ocular response analyzer. <i>Ophthalmic and Physiological Optics</i> , 2011, 31, 174-179.   | 1.0 | 13        |
| 16910 | <i>In vivo</i> measurement of regional variation in anterior scleral resistance to Schiotz indentation. <i>Ophthalmic and Physiological Optics</i> , 2011, 31, 437-443.  | 1.0 | 26        |
| 16911 | Comparison of pH, Lactate, and Glucose Analysis of Equine Synovial Fluid using a Portable Clinical Analyzer with a Benchtop Blood Gas Analyzer. <i>Veterinary Surgery</i> , 2011, 40, 811-816.   | 0.5 | 25        |
| 16912 | Real-time polymerase chain reaction detection of parvovirus B19 DNA in blood donations using a commercial and an in-house assay. <i>Transfusion</i> , 2011, 51, 1346-1354.   | 0.8 | 25        |
| 16913 | Reducing costs in flow cytometric counting of residual white blood cells in blood products: utilization of a single-platform bead-free flow rate calibration method. <i>Transfusion</i> , 2011, 51, 1431-1438.                                   | 0.8 | 5         |
| 16914 | A comparison of self-reported and record-linked blood donation history in an Australian cohort. <i>Transfusion</i> , 2011, 51, 2189-2198.  | 0.8 | 13        |
| 16915 | The prothrombin time/international normalized ratio (PT/INR) Line: derivation of local INR with commercial thromboplastins and coagulometers – two independent studies. <i>Journal of Thrombosis and Haemostasis</i> , 2011, 9, 140-148.         | 1.9 | 21        |
| 16916 | Novel analysis of clinically relevant diagnostic errors in point-of-care devices. <i>Journal of Thrombosis and Haemostasis</i> , 2011, 9, 1769-1775.   | 1.9 | 12        |
| 16917 | Cardiovascular risk assessment in persons with HIV infection in the developing world: comparing three risk equations in a cohort of HIV-infected Thais. <i>HIV Medicine</i> , 2011, 12, 510-515.   | 1.0 | 37        |
| 16918 | Reliability of a shuttle run test for children with cerebral palsy who are classified at Gross Motor Function Classification System level III. <i>Developmental Medicine and Child Neurology</i> , 2011, 53, 470-472.                            | 1.1 | 30        |
| 16919 | A novel method for extracting respiration rate and relative tidal volume from infrared thermography. <i>Psychophysiology</i> , 2011, 48, 877-887.  | 1.2 | 95        |
| 16920 | Left ventricular function many years after recovery from pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011, 118, 76-83.  | 1.1 | 41        |
| 16921 | Evaluation of gastric pressures as an indirect method for measurement of intraabdominal pressures in the horse. <i>Journal of Veterinary Emergency and Critical Care</i> , 2011, 21, 29-35.  | 0.4 | 10        |
| 16922 | Comparison of cardiac output determined by arterial pulse pressure waveform analysis method (FloTrac/Vigileo) versus lithium dilution method in anesthetized dogs. <i>Journal of Veterinary Emergency and Critical Care</i> , 2011, 21, 328-334. | 0.4 | 17        |
| 16923 | Liposuction May Reduce Pain in Dercum's Disease (Adiposis Dolorosa). <i>Pain Medicine</i> , 2011, 12, 942-952.   | 0.9 | 31        |
| 16924 | Cellular Telephones Measure Activity and Lifespace in Community-Dwelling Adults: Proof of Principle. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 345-352.  | 1.3 | 49        |
| 16925 | RELATIVE AND ABSOLUTE INTERTESTER RELIABILITY OF THE TIMED UP AND GO TEST TO QUANTIFY FUNCTIONAL MOBILITY IN PATIENTS WITH HIP FRACTURE. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 565-567.                                  | 1.3 | 29        |
| 16926 | Feasibility and Reliability of Two Different Walking Tests in People With Severe Intellectual and Sensory Disabilities. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2011, 24, 518-527.                                     | 1.3 | 20        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16927 | Age-related changes in iliac crest cortical width and porosity: a histomorphometric study. <i>Journal of Anatomy</i> , 2011, 218, 510-516.  | 0.9 | 12        |
| 16928 | Validity and reliability of a simple ultrasound approach to measure medial gastrocnemius muscle length. <i>Journal of Anatomy</i> , 2011, 218, 637-642.   | 0.9 | 49        |
| 16929 | MEASUREMENT OF BODY COMPOSITION IN CATS USING COMPUTED TOMOGRAPHY AND DUAL ENERGY X-RAY ABSORPTIOMETRY. <i>Veterinary Radiology and Ultrasound</i> , 2011, 52, 179-184.   | 0.4 | 15        |
| 16930 | Reproducibility and validity of a food frequency questionnaire in assessing dietary intakes of low-income Caucasian postpartum women living in Sheffield, United Kingdom. <i>Maternal and Child Nutrition</i> , 2011, 7, 128-139.                                       | 1.4 | 14        |
| 16931 | Kidney function estimating equations in patients with chronic kidney disease. <i>International Journal of Clinical Practice</i> , 2011, 65, 458-464.  | 0.8 | 24        |
| 16932 | Correlation between scanning laser polarimetry with and without enhanced corneal compensation and high-definition optical coherence tomography in normal and glaucomatous eyes. <i>International Journal of Clinical Practice</i> , 2011, 65, 807-816.                  | 0.8 | 2         |
| 16933 | Relationship between P-Wave Duration and Atrial Electromechanical Delay Assessed by Tissue Doppler Echocardiography. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2011, 34, 23-31.   | 0.5 | 16        |
| 16934 | Differences in Ventriculoatrial Intervals During Entrainment and Tachycardia: A Simpler Method for Distinguishing Paroxysmal Supraventricular Tachycardia with Long Ventriculoatrial Intervals. <i>Journal of Cardiovascular Electrophysiology</i> , 2011, 22, 915-921. | 0.8 | 20        |
| 16935 | Differentiation of the Left- from Right-Side Ventricular Septum in Acute Anterior Myocardial Infarction by Tissue Doppler Imaging. <i>Echocardiography</i> , 2011, 28, 38-43.   | 0.3 | 6         |
| 16936 | Assessment of the Left Ventricular Chamber Stiffness in Athletes. <i>Echocardiography</i> , 2011, 28, 276-287.  | 0.3 | 8         |
| 16937 | Measurement of Aortic Valve Annulus Using Different Cardiac Imaging Techniques in Transcatheter Aortic Valve Implantation: Agreement with Finally Implanted Prosthesis Size. <i>Echocardiography</i> , 2011, 28, 388-396.   | 0.3 | 15        |
| 16938 | Contrast Echocardiography Improves Interobserver Agreement for Wall Motion Score Index and Correlation with Ejection Fraction. <i>Echocardiography</i> , 2011, 28, 575-581.   | 0.3 | 11        |
| 16939 | A Quantitative Analysis of Left Ventricular Filling Pressures in Patients with a Reduced Ejection Fraction, with or without Concomitant Left Bundle Branch Block. <i>Echocardiography</i> , 2011, 28, 520-529.  | 0.3 | 3         |
| 16940 | Comparison of Two Different Speckle Tracking Software Systems: Does the Method Matter?. <i>Echocardiography</i> , 2011, 28, 539-547.  | 0.3 | 68        |
| 16941 | Correlation between Light Transmission Aggregometry, VerifyNow P2Y12, and VASP-P Platelet Reactivity Assays Following Percutaneous Coronary Intervention. <i>Journal of Interventional Cardiology</i> , 2011, 24, 529-534.  | 0.5 | 45        |
| 16942 | Anthropometric Estimation of Femoral Venous Cannula Length for Cardiovascular Surgery. <i>Journal of Cardiac Surgery</i> , 2011, 26, 16-21.   | 0.3 | 0         |
| 16943 | The Reproducibility of Heart Rate Recovery after Treadmill Exercise Test. , 2011, 16, 365-372.  |     | 20        |
| 16944 | A simple method to estimate phosphorus mobilization in hemodialysis using only predialytic and postdialytic blood samples. <i>Hemodialysis International</i> , 2011, 15, S9-S14.  | 0.4 | 16        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16945 | Statistical requirements for reporting nutrition research. <i>Nutrition and Dietetics</i> , 2011, 68, 174-176.   | 0.9 | 2         |
| 16946 | Canine hip dyslasia: the significance of the Norberg angle for healthy breeding. <i>Journal of Small Animal Practice</i> , 2011, 52, 536-542.  | 0.5 | 24        |
| 16947 | Simple Cystatin C Formula Compared to Sophisticated CKD-EPI Formulas for Estimation of Glomerular Filtration Rate in the Elderly. <i>Therapeutic Apheresis and Dialysis</i> , 2011, 15, 261-268.   | 0.4 | 33        |
| 16948 | Dynamic MRI confirms support of the mid-urethra by TVT and TVT-O surgery for stress incontinence. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 629-635.   | 1.3 | 13        |
| 16949 | Physical activity monitor for recording energy expenditure in pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 903-907.  | 1.3 | 31        |
| 16950 | Learning curve and pitfalls of a laparoscopic score to describe peritoneal carcinosis in advanced ovarian cancer. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 1126-1131.   | 1.3 | 18        |
| 16951 | Randomized controlled trial of toothbrushing to reduce ventilator-associated pneumonia pathogens and dental plaque in a critical care unit. <i>Journal of Clinical Periodontology</i> , 2011, 38, 246-252.   | 2.3 | 42        |
| 16952 | Airborne particulate matter and gaseous air pollutants in residential structures in Lodi province, Italy. <i>Indoor Air</i> , 2011, 21, 489-500.   | 2.0 | 39        |
| 16953 | Influence of administration method on oral health-related quality of life assessment using the Oral Health Impact Profile. <i>European Journal of Oral Sciences</i> , 2011, 119, 73-78.  | 0.7 | 35        |
| 16954 | Reliability of the Nyvad criteria for caries assessment in primary teeth. <i>European Journal of Oral Sciences</i> , 2011, 119, 225-231.   | 0.7 | 18        |
| 16955 | Side-by-side comparison of an open-chamber (TM 300) and a closed-chamber (Vapometer <sup>®</sup> ) transepidermal water loss meter. <i>Skin Research and Technology</i> , 2011, 17, 366-372.   | 0.8 | 22        |
| 16956 | Early alveolar bone grafting has a negative effect on maxillary dental arch dimensions of pre-school children with complete unilateral cleft lip and palate. <i>Orthodontics and Craniofacial Research</i> , 2011, 14, 51-57.                              | 1.2 | 15        |
| 16957 | Accuracy of Temporal Artery Thermometry in Neonatal Intensive Care Unit Infants. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 2011, 40, S112.  | 0.2 | 0         |
| 16958 | Discriminative Accuracy of Novel and Traditional Biomarkers in Children With Suspected Appendicitis Adjusted for Duration of Abdominal Pain. <i>Academic Emergency Medicine</i> , 2011, 18, 567-574.   | 0.8 | 49        |
| 16959 | Serial Ultrasound Evaluation of Intramyocardial Strain After Reperfused Myocardial Infarction Reveals That Remote Zone Dyssynchrony Develops in Concert With Left Ventricular Remodeling. <i>Ultrasound in Medicine and Biology</i> , 2011, 37, 1073-1086. | 0.7 | 10        |
| 16960 | Measurement of Two-Dimensional Movement Parameters of the Carotid Artery Wall for Early Detection of Arteriosclerosis: A Preliminary Clinical Study. <i>Ultrasound in Medicine and Biology</i> , 2011, 37, 1421-1429.                                      | 0.7 | 148       |
| 16961 | Human skeletal muscle glycogen utilization in exhaustive exercise: role of subcellular localization and fibre type. <i>Journal of Physiology</i> , 2011, 589, 2871-2885.   | 1.3 | 91        |
| 16962 | <i>In vivo</i> passive mechanical behaviour of muscle fascicles and tendons in human gastrocnemius muscle-tendon units. <i>Journal of Physiology</i> , 2011, 589, 5257-5267.   | 1.3 | 89        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16963 | Developing a bio-mechanotronic probing system for estimating soft tissue Young's modulus in vivo. <i>Instruments and Experimental Techniques</i> , 2011, 54, 131-135.  | 0.1 | 1         |
| 16964 | New Specific Equation to Estimate Resting Energy Expenditure in Severely Obese Patients. <i>Obesity</i> , 2011, 19, 1090-1094.   | 1.5 | 46        |
| 16965 | A Better Index of Body Adiposity. <i>Obesity</i> , 2011, 19, 1083-1089.  | 1.5 | 743       |
| 16966 | Body Fat Content Determination in Premenopausal, Overweight, and Obese Young Women Using DXA and FT-NIR. <i>Obesity</i> , 2011, 19, 1497-1502.   | 1.5 | 10        |
| 16967 | Impact of Intra- and Extra- Osseous Soft Tissue Composition on Changes in Bone Mineral Density With Weight Loss and Regain. <i>Obesity</i> , 2011, 19, 1503-1510.  | 1.5 | 43        |
| 16968 | Development and validation of a physical activity monitor for use on a wheelchair. <i>Spinal Cord</i> , 2011, 49, 445-450.   | 0.9 | 54        |
| 16969 | The validity of predicting peak oxygen uptake from a perceptually guided graded exercise test during arm exercise in paraplegic individuals. <i>Spinal Cord</i> , 2011, 49, 430-434.   | 0.9 | 26        |
| 16970 | Prediction of peak oxygen uptake from ratings of perceived exertion during arm exercise in able-bodied and persons with poliomyelitis. <i>Spinal Cord</i> , 2011, 49, 131-135.   | 0.9 | 13        |
| 16971 | Reliability of the International Spinal Cord Injury Bowel Function Basic and Extended Data Sets. <i>Spinal Cord</i> , 2011, 49, 886-891.   | 0.9 | 25        |
| 16972 | Validation of a food frequency questionnaire to measure intakes of inulin and oligofructose. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 402-408.  | 1.3 | 41        |
| 16973 | Dietary intakes assessed by 24-h recalls in peri-urban African adolescents: validity of energy intake compared with estimated energy expenditure. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 910-919.             | 1.3 | 6         |
| 16974 | Regional and total body bioelectrical impedance analysis compared with DXA in Icelandic elderly. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 978-983.  | 1.3 | 19        |
| 16975 | Evaluation of lean tissue density for use in air displacement plethysmography in obese children and adolescents. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 1094-1101.  | 1.3 | 11        |
| 16976 | Agreement between Heidelberg Retina Tomograph-I and -II in detecting glaucomatous changes using topographic change analysis. <i>Eye</i> , 2011, 25, 31-42.   | 1.1 | 7         |
| 16977 | Comparison of the new rebound tonometer IOPen and the Goldmann tonometer, and their relationship to corneal properties. <i>Eye</i> , 2011, 25, 50-56.  | 1.1 | 18        |
| 16978 | Clinical value, normative retinal sensitivity values, and intrasession repeatability using a combined spectral domain optical coherence tomography/scanning laser ophthalmoscope microperimeter. <i>Eye</i> , 2011, 25, 245-251. | 1.1 | 47        |
| 16979 | Reproducibility and agreement in evaluating retinal nerve fibre layer thickness between Stratus and Spectralis OCT. <i>Eye</i> , 2011, 25, 192-200.  | 1.1 | 38        |
| 16980 | Assessment of EchoMRI-AH versus dual-energy X-ray absorptiometry to measure human body composition. <i>International Journal of Obesity</i> , 2011, 35, 1241-1246.   | 1.6 | 16        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 16981 | The IDEFICS validation study on field methods for assessing physical activity and body composition in children: design and data collection. <i>International Journal of Obesity</i> , 2011, 35, S79-S87.                        | 1.6 | 39        |
| 16982 | Intra- and Multicenter Reproducibility of Pulsed, Continuous and Pseudo-Continuous Arterial Spin Labeling Methods for Measuring Cerebral Perfusion. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 1706-1715. | 2.4 | 127       |
| 16983 | Crossed cerebellar diaschisis after stroke: Can perfusion-weighted MRI show functional inactivation?. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 1493-1500.   | 2.4 | 26        |
| 16984 | Comparison of different exposure settings in a case-“crossover study on air pollution and daily mortality: counterintuitive results. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2011, 21, 385-394.     | 1.8 | 18        |
| 16985 | Reliability of novel multidirectional lip-closing force measurement system. <i>Journal of Oral Rehabilitation</i> , 2011, 38, 18-26.  | 1.3 | 39        |
| 16986 | Measurement of gastric emptying of a high-nutrient liquid by 3D ultrasonography in diabetic gastroparesis. <i>Neurogastroenterology and Motility</i> , 2011, 23, 220-e114.  | 1.6 | 39        |
| 16987 | ICSH review of the measurement of the erythrocyte sedimentation rate. <i>International Journal of Laboratory Hematology</i> , 2011, 33, 125-132.  | 0.7 | 95        |
| 16988 | Unique spatial distribution of <i>in vivo</i> human muscle activation. <i>Experimental Physiology</i> , 2011, 96, 938-948.  | 0.9 | 25        |
| 16989 | Vitamin D Status of Adults from Tropical Australia Determined Using Two Different Laboratory Assays: Implications for Public Health Messages. <i>Photochemistry and Photobiology</i> , 2011, 87, 935-943.                       | 1.3 | 15        |
| 16990 | Stability and robustness of blood variables in an antidoping context. <i>International Journal of Laboratory Hematology</i> , 2011, 33, 146-153.  | 0.7 | 32        |
| 16991 | Validity of self-reported height and weight and derived body mass index in middle-aged and elderly individuals in Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2011, 35, 557-563.                    | 0.8 | 142       |
| 16992 | Accuracy of Blood Pressure Measurements Reported in an Electronic Medical Record During Routine Primary Care Visits. <i>Journal of Clinical Hypertension</i> , 2011, 13, 821-828.   | 1.0 | 16        |
| 16993 | Transcutaneous blood gas monitoring during neonatal intensive care. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011, 100, 676-679.   | 0.7 | 30        |
| 16994 | Body composition measured by dual-energy X-ray absorptiometry half-body scans in obese children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011, 100, e260-6.   | 0.7 | 12        |
| 16995 | Changes in yearly birth prevalence rates of children with Down syndrome in the period 1986-2007 in the Netherlands. <i>Journal of Intellectual Disability Research</i> , 2011, 55, 462-473.                                     | 1.2 | 36        |
| 16996 | A new parameter for characterizing balancing ability on an unstable oscillatory platform. <i>Medical Engineering and Physics</i> , 2011, 33, 1160-1166.   | 0.8 | 25        |
| 16997 | Assessment of pulmonary artery stiffness using velocity-encoding magnetic resonance imaging: evaluation of techniques. <i>Magnetic Resonance Imaging</i> , 2011, 29, 966-974.   | 1.0 | 28        |
| 16998 | Body composition of Cameroonian lactating women determined by anthropometry, bioelectrical impedance, and deuterium dilution. <i>Nutrition</i> , 2011, 27, 414-419.   | 1.1 | 16        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 16999 | Determination of capillary hemoglobin levels using the HemoCue system in intensive care patients. <i>Journal of Critical Care</i> , 2011, 26, 423-427.   | 1.0 | 34        |
| 17000 | The effects of vasoactive drugs on pulse pressure and stroke volume variation in postoperative ventilated patients. <i>Journal of Critical Care</i> , 2011, 26, 328.e1-328.e8.   | 1.0 | 52        |
| 17001 | Prediction of stroke volume by global left ventricular longitudinal strain in patients undergoing assessment for cardiac transplantation. <i>Journal of Critical Care</i> , 2011, 26, 433.e13-433.e20.   | 1.0 | 17        |
| 17002 | Improvement and limitation of the reliability of automated QT measurement by recent algorithms. <i>Journal of Electrocardiology</i> , 2011, 44, 320-325.   | 0.4 | 21        |
| 17003 | Similarity of ST and T waveforms of 12-lead electrocardiogram acquired from different monitoring electrode positions. <i>Journal of Electrocardiology</i> , 2011, 44, 109-114.   | 0.4 | 7         |
| 17004 | Changes in the amplitude of electrocardiogram QRS complexes during follow-up of heart failure patients. <i>Journal of Electrocardiology</i> , 2011, 44, 394.e1-394.e9.   | 0.4 | 22        |
| 17005 | Standardization of Equine Specific Enzyme-Linked Immunosorbent Assay for measuring Serum Insulin Concentrations. <i>Journal of Equine Veterinary Science</i> , 2011, 31, 247.  | 0.4 | 1         |
| 17006 | A Comparison of Weight Estimation Methods in Adult Horses. <i>Journal of Equine Veterinary Science</i> , 2011, 31, 706-710.  | 0.4 | 57        |
| 17007 | Influence of saliva, gastric and intestinal phases on the prediction of As relative bioavailability using the Unified Bioaccessibility Research Group of Europe Method (UBM). <i>Journal of Hazardous Materials</i> , 2011, 197, 161-168.  | 6.5 | 40        |
| 17008 | New species of <i>Cercopithecoides</i> from Haasgat, North West Province, South Africa. <i>Journal of Human Evolution</i> , 2011, 60, 83-93.   | 1.3 | 48        |
| 17009 | Stability of immunophenotypic markers in fixed peripheral blood for extended analysis using flow cytometry. <i>Journal of Immunological Methods</i> , 2011, 363, 158-165.  | 0.6 | 29        |
| 17010 | Optimizing high dimensional gene expression studies for immune response following smallpox vaccination using Taqman <sup>®</sup> Low density immune arrays. <i>Journal of Immunological Methods</i> , 2011, 366, 69-78.  | 0.6 | 8         |
| 17011 | Applicability of an optimized non-conventional flow cytometry method to detect anti-Trypanosoma cruzi immunoglobulin G for the serological diagnosis and cure assessment following chemotherapeutic treatment of Chagas disease. <i>Journal of Immunological Methods</i> , 2011, 369, 22-32. | 0.6 | 14        |
| 17012 | Absolute and percent CD4+ T-cell enumeration by flow cytometry using capillary blood. <i>Journal of Immunological Methods</i> , 2011, 372, 1-6.  | 0.6 | 25        |
| 17013 | Evaluation of a flow cytometry method for CD4 T cell enumeration based on volumetric primary CD4 gating using thermoresistant reagents. <i>Journal of Immunological Methods</i> , 2011, 372, 7-13.   | 0.6 | 20        |
| 17014 | Histopathology grading systems for characterisation of human knee osteoarthritis "reproducibility, variability, reliability, correlation, and validity. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 324-331.   | 0.6 | 71        |
| 17015 | Effects of an intensive weight loss program on knee joint loading in obese adults with knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 822-828.   | 0.6 | 133       |
| 17016 | A New Method to Orient 3-Dimensional Computed Tomography Models to the Natural Head Position: A Clinical Feasibility Study. <i>Journal of Oral and Maxillofacial Surgery</i> , 2011, 69, 584-591.  | 0.5 | 70        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17017 | Studies Comparing Numerical Rating Scales, Verbal Rating Scales, and Visual Analogue Scales for Assessment of Pain Intensity in Adults: A Systematic Literature Review. <i>Journal of Pain and Symptom Management</i> , 2011, 41, 1073-1093.  | 0.6 | 1,812     |
| 17018 | Assessing Agreement Between Terminally Ill Cancer Patients's Reports of Their Quality of Life and Family Caregiver and Palliative Care Physician Proxy Ratings. <i>Journal of Pain and Symptom Management</i> , 2011, 42, 354-365.  | 0.6 | 80        |
| 17019 | Development and validation of an analytical method based on high performance thin layer chromatography for the simultaneous determination of lamotrigine, zonisamide and levetiracetam in human plasma. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011, 56, 763-770. | 1.4 | 33        |
| 17020 | Barcode lateral flow immunochromatographic strip for prostate acid phosphatase determination. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011, 56, 1035-1040.   | 1.4 | 50        |
| 17021 | Agreement between Proxy and Adolescent Assessment of Disability, Pain, and Well-Being in Juvenile Idiopathic Arthritis. <i>Journal of Pediatrics</i> , 2011, 158, 307-312.  | 0.9 | 33        |
| 17022 | Psychomotor Development of Children from an Iodine-Deficient Region. <i>Journal of Pediatrics</i> , 2011, 159, 447-453.   | 0.9 | 61        |
| 17023 | Comparison of body composition with bioelectric impedance (BIA) and dual energy X-ray absorptiometry (DEXA) among Singapore Chinese. <i>Journal of Science and Medicine in Sport</i> , 2011, 14, 33-35.   | 0.6 | 38        |
| 17024 | Development and evaluation of an adult use-of-time instrument with an energy expenditure focus. <i>Journal of Science and Medicine in Sport</i> , 2011, 14, 143-148.  | 0.6 | 63        |
| 17025 | Comparison of the IPAQ-A and Actigraph in relation to VO <sub>2</sub> max among European adolescents: The HELENA study. <i>Journal of Science and Medicine in Sport</i> , 2011, 14, 317-324.  | 0.6 | 98        |
| 17026 | The effects of eccentrically biased versus conventional resistance training in older adults. <i>Journal of Science and Medicine in Sport</i> , 2011, 14, e22-e23.   | 0.6 | 0         |
| 17027 | Multi detector computed tomography (MDCT) of the aortic root; ECG-gated verses non-ECG-gated examinations. <i>Radiography</i> , 2011, 17, 218-222.  | 1.1 | 1         |
| 17028 | Continuous intra-arterial blood pH monitoring in rabbits with acid-base disorders. <i>Respiratory Physiology and Neurobiology</i> , 2011, 177, 183-188.   | 0.7 | 35        |
| 17029 | Coupling of dyspnea perception and tachypneic breathing during hypercapnia. <i>Respiratory Physiology and Neurobiology</i> , 2011, 179, 276-286.  | 0.7 | 12        |
| 17031 | Three questions that patients can ask to improve the quality of information physicians give about treatment options: A cross-over trial. <i>Patient Education and Counseling</i> , 2011, 84, 379-385.   | 1.0 | 189       |
| 17032 | Inter-rater reliability study of the modified Oxford Grading Scale and the Peritron manometer. <i>Physiotherapy</i> , 2011, 97, 132-138.  | 0.2 | 118       |
| 17033 | A new sulcus-corrected approach for assessing cerebellar volume in spinocerebellar ataxia. <i>Psychiatry Research - Neuroimaging</i> , 2011, 193, 123-130.  | 0.9 | 10        |
| 17034 | Pulmonary hypertension predicts adverse cardiac events after restrictive mitral annuloplasty for severe functional mitral regurgitation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2011, 142, 783-792.  | 0.4 | 36        |
| 17035 | Development and evaluation of an automatable focus reduction neutralisation test for the detection of measles virus antibodies using imaging analysis. <i>Journal of Virological Methods</i> , 2011, 178, 124-128.  | 1.0 | 12        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17036 | Quantification of the difference between 3D CT and plain radiograph for measurement of the position of medial unicompartmental knee replacements. <i>Knee</i> , 2011, 18, 300-305.   | 0.8 | 20        |
| 17037 | Reliability of a new hand-held dynamometer in measuring shoulder range of motion and strength. <i>Manual Therapy</i> , 2011, 16, 97-101.   | 1.6 | 75        |
| 17038 | A preliminary investigation into the magnitude of effect of lumbar extension exercises and a segmental rotatory manipulation on sympathetic nervous system activity. <i>Manual Therapy</i> , 2011, 16, 190-195.  | 1.6 | 26        |
| 17039 | The assessment of vibration sense in the musculoskeletal examination: Moving towards a valid and reliable quantitative approach to vibration testing in clinical practice. <i>Manual Therapy</i> , 2011, 16, 296-300.  | 1.6 | 8         |
| 17040 | Comparison of Multifrequency Bioelectrical Impedance Analysis and Dual-Energy X-ray Absorptiometry Assessments in Outpatient Hemodialysis Patients. <i>American Journal of Kidney Diseases</i> , 2011, 57, 123-129.  | 2.1 | 149       |
| 17041 | Novel Equations to Estimate Lean Body Mass in Maintenance Hemodialysis Patients. <i>American Journal of Kidney Diseases</i> , 2011, 57, 130-139.   | 2.1 | 67        |
| 17042 | Noninvasive and Direct Measures of Kidney Size in Kidney Donors. <i>American Journal of Kidney Diseases</i> , 2011, 58, 266-271.   | 2.1 | 35        |
| 17043 | Induction Motor Efficiency. <i>IEEE Industry Applications Magazine</i> , 2011, 17, 20-28.  | 0.3 | 28        |
| 17044 | An Automated Hirschberg Test for Infants. <i>IEEE Transactions on Biomedical Engineering</i> , 2011, 58, 103-109.  | 2.5 | 26        |
| 17045 | Continuous Intra-Arterial Blood pH Monitoring by a Fiber-Optic Fluorosensor. <i>IEEE Transactions on Biomedical Engineering</i> , 2011, 58, 1232-1238.   | 2.5 | 32        |
| 17046 | Automatic Aneurysm Neck Detection Using Surface Voronoi Diagrams. <i>IEEE Transactions on Medical Imaging</i> , 2011, 30, 1863-1876.   | 5.4 | 25        |
| 17047 | Robust Shape Regression for Supervised Vessel Segmentation and its Application to Coronary Segmentation in CTA. <i>IEEE Transactions on Medical Imaging</i> , 2011, 30, 1974-1986.   | 5.4 | 51        |
| 17048 | Noninvasive cardiac output monitoring with bioactance as an alternative to invasive instrumentation for preclinical drug evaluation in beagles. <i>Journal of Pharmacological and Toxicological Methods</i> , 2011, 64, 111-118.   | 0.3 | 27        |
| 17049 | Evaluation of an algorithm for highly automated measurements of QT interval. <i>Journal of Pharmacological and Toxicological Methods</i> , 2011, 64, 16-24.  | 0.3 | 7         |
| 17050 | Sequential FDG-PET and induction chemotherapy in locally advanced adenocarcinoma of the Oesophago-gastric junction (AEG): The Heidelberg Imaging program in Cancer of the oesophago-gastric junction during Neoadjuvant treatment: HICON trial. <i>BMC Cancer</i> , 2011, 11, 266. | 1.1 | 21        |
| 17051 | Validity and reliability of using photography for measuring knee range of motion: a methodological study. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 77.   | 0.8 | 59        |
| 17052 | Development of a patient reported outcome measure for fatigue in motor neurone disease: the Neurological Fatigue Index (NFI-MND). <i>Health and Quality of Life Outcomes</i> , 2011, 9, 101.   | 1.0 | 31        |
| 17053 | 3D Echo systematically underestimates right ventricular volumes compared to cardiovascular magnetic resonance in adult congenital heart disease patients with moderate or severe RV dilatation. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011, 13, 78.                | 1.6 | 106       |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17054 | Cardiovascular magnetic resonance tagging of the right ventricular free wall for the assessment of long axis myocardial function in congenital heart disease. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011, 13, 80.                                       | 1.6 | 19        |
| 17055 | Comparative evaluation of the performance of the Abbott RealTime HIV-1 assay for measurement of HIV-1 plasma viral load on genetically diverse samples from Greece. <i>Virology Journal</i> , 2011, 8, 10.  | 1.4 | 8         |
| 17056 | Brain perfusion CT compared with <sup>15</sup> O-H <sub>2</sub> O-PET in healthy subjects. <i>EJNMMI Research</i> , 2011, 1, 28.  | 1.1 | 23        |
| 17057 | A Reliable and Safe Method of Collecting Blood Samples from Implantable Central Venous Catheters for Determination of Plasma Gentamicin Concentrations. <i>Pharmacotherapy</i> , 2011, 31, 776-784.   | 1.2 | 5         |
| 17058 | Do CASA Systems Satisfy Consumers Demands? A Critical Analysis. <i>Reproduction in Domestic Animals</i> , 2011, 46, 49-51.  | 0.6 | 8         |
| 17059 | Small but important errors in cardiovascular risk calculation by practice nurses: A cross-sectional study in randomised trial setting. <i>International Journal of Nursing Studies</i> , 2011, 48, 285-291.   | 2.5 | 4         |
| 17060 | Parents' self-efficacy, outcome expectations, and self-reported task performance when managing atopic dermatitis in children: Instrument reliability and validity. <i>International Journal of Nursing Studies</i> , 2011, 48, 215-226.                                 | 2.5 | 19        |
| 17061 | Agreement, reliability, and bias in measurement: Commentary on. <i>International Journal of Nursing Studies</i> , 2011, 48, 134-135.  | 2.5 | 5         |
| 17062 | Performance of the Quantitative Food Frequency Questionnaire Used in the Brazilian Center of the Prospective Study Natural History of Human Papillomavirus Infection in Men: The HIM Study. <i>Journal of the American Dietetic Association</i> , 2011, 111, 1045-1051. | 1.3 | 12        |
| 17063 | Energy Prediction Equations Are Inadequate for Obese Hispanic Youth. <i>Journal of the American Dietetic Association</i> , 2011, 111, 1204-1210.  | 1.3 | 7         |
| 17064 | A comparison of evaluation metrics for biomedical journals, articles, and websites in terms of sensitivity to topic. <i>Journal of Biomedical Informatics</i> , 2011, 44, 587-594.  | 2.5 | 7         |
| 17065 | Influence of the experience of the reader on reliability of joint space width measurement. A cross-sectional multiple reading study in hip osteoarthritis. <i>Joint Bone Spine</i> , 2011, 78, 499-505.   | 0.8 | 6         |
| 17066 | Underweight patients with anorexia nervosa: Comparison of bioelectrical impedance analysis using five equations to dual X-ray absorptiometry. <i>Clinical Nutrition</i> , 2011, 30, 746-752.  | 2.3 | 29        |
| 17067 | Segmentation of ultrasound images of the carotid using RANSAC and cubic splines. <i>Computer Methods and Programs in Biomedicine</i> , 2011, 101, 94-106.   | 2.6 | 41        |
| 17068 | Infant head circumference growth is saltatory and coupled to length growth. <i>Early Human Development</i> , 2011, 87, 361-368.   | 0.8 | 46        |
| 17069 | Non-contrast Computed Tomography is Comparable to Contrast-enhanced Computed Tomography for Aortic Volume Analysis after Endovascular Abdominal Aortic Aneurysm Repair. <i>European Journal of Vascular and Endovascular Surgery</i> , 2011, 41, 460-466.               | 0.8 | 9         |
| 17070 | Reliability of Semiautomatic Centerline Analysis versus Manual Aortic Measurement Techniques for TEVAR among Non-experts. <i>European Journal of Vascular and Endovascular Surgery</i> , 2011, 42, 324-331.   | 0.8 | 31        |
| 17071 | Agreement between Computed Tomography and Ultrasound on Abdominal Aortic Aneurysms and Implications on Clinical Decisions. <i>European Journal of Vascular and Endovascular Surgery</i> , 2011, 42, 608-614.  | 0.8 | 31        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17072 | Single-centre Prospective Comparison Between Contrast-Enhanced Ultrasound and Computed Tomography Angiography after EVAR. <i>European Journal of Vascular and Endovascular Surgery</i> , 2011, 42, 797-802.   | 0.8 | 75        |
| 17073 | Defining a Patient-Reported Outcome Measure for Urethral Stricture Surgery. <i>European Urology</i> , 2011, 60, 60-68.  | 0.9 | 170       |
| 17074 | Noninvasive uterine electromyography for prediction of preterm delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 228.e1-228.e10.  | 0.7 | 149       |
| 17075 | Sonography-based Automated Volume Count to estimate fetal urine production in twin-to-twin transfusion syndrome: comparison with Virtual Organ Computer-aided Analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 574.e1-574.e5.                          | 0.7 | 6         |
| 17076 | Quantification of Pericardial Effusions by Echocardiography and Computed Tomography. <i>American Journal of Cardiology</i> , 2011, 107, 331-335.  | 0.7 | 16        |
| 17077 | Cardiac Magnetic Resonance Imaging and the Assessment of Ebstein Anomaly in Adults. <i>American Journal of Cardiology</i> , 2011, 107, 767-773.   | 0.7 | 60        |
| 17078 | Comparison of Intravascular Ultrasound, Quantitative Coronary Angiography, and Dual-Source 64-Slice Computed Tomography in the Preprocedural Assessment of Significant Saphenous Vein Graft Lesions. <i>American Journal of Cardiology</i> , 2011, 107, 1453-1459.                | 0.7 | 9         |
| 17079 | Comparison of Magnetic Resonance Imaging of Aortic Valve Stenosis and Aortic Root to Multimodality Imaging for Selection of Transcatheter Aortic Valve Implantation Candidates. <i>American Journal of Cardiology</i> , 2011, 108, 92-98.   | 0.7 | 48        |
| 17080 | A comparison of a manual and an automated behavioural analysis method for assessing post-operative pain in mice. <i>Applied Animal Behaviour Science</i> , 2011, 131, 138-144.  | 0.8 | 20        |
| 17081 | PresiÃ³n inspiratoria nasal: Â¿una alternativa para la evaluaciÃ³n de la fuerza muscular inspiratoria?. <i>Archivos De Bronconeumologia</i> , 2011, 47, 169-175.  | 0.4 | 15        |
| 17082 | Preoperative Assessment of Aortic Annulus Dimensions: Comparison of Noninvasive and Intraoperative Measurement. <i>Annals of Thoracic Surgery</i> , 2011, 91, 709-714.  | 0.7 | 62        |
| 17083 | Quantitative Mitral Valve Modeling Using Real-Time Three-Dimensional Echocardiography: Technique and Repeatability. <i>Annals of Thoracic Surgery</i> , 2011, 91, 165-171.  | 0.7 | 60        |
| 17086 | A novel strategy to obtain quantitative data for modelling: Combined enrichment and real-time PCR for enumeration of salmonellae from pig carcasses. <i>International Journal of Food Microbiology</i> , 2011, 145, S86-S95.  | 2.1 | 45        |
| 17087 | Development and validation of a ultra-high-performance liquid chromatography-UV method for the detection and quantification of erectile dysfunction drugs and some of their analogues found in counterfeit medicines. <i>Journal of Chromatography A</i> , 2011, 1218, 6439-6447. | 1.8 | 47        |
| 17088 | Measuring adrenal autoantibody response: Interlaboratory concordance in the first international serum exchange for the determination of 21-hydroxylase autoantibodies. <i>Clinical Immunology</i> , 2011, 140, 291-299.   | 1.4 | 27        |
| 17089 | Right Ventricular Systolic Pressure Assessed by Echocardiography: A Predictive Factor of Mortality in Patients With Scleroderma. <i>Clinical Cardiology</i> , 2011, 34, 488-493.  | 0.7 | 14        |
| 17090 | Regional right ventricular deformation in patients with open and closed atrial septal defect. <i>European Journal of Echocardiography</i> , 2011, 12, 206-213.  | 2.3 | 39        |
| 17091 | MRI study of the changes in crystalline lens shape with accommodation and aging in humans. <i>Journal of Vision</i> , 2011, 11, 19-19.  | 0.1 | 91        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17092 | Value of ADC measurements for nodal staging after chemoradiation in locally advanced rectal cancer—a per lesion validation study. <i>European Radiology</i> , 2011, 21, 265-273.   | 2.3 | 117       |
| 17093 | Cerebral blood volume imaging by flat detector computed tomography in comparison to conventional multislice perfusion CT. <i>European Radiology</i> , 2011, 21, 882-889.   | 2.3 | 57        |
| 17094 | Functional cardiac MR imaging with true fast imaging with steady-state free precession before and after intravenous injection of contrast medium: comparison of image quality and accuracy. <i>European Radiology</i> , 2011, 21, 702-711. | 2.3 | 9         |
| 17095 | Diagnostic accuracy and variability of three semi-quantitative methods for assessing right ventricular systolic function from cardiac MRI in patients with acquired heart disease. <i>European Radiology</i> , 2011, 21, 2111-2120.        | 2.3 | 63        |
| 17096 | Significant differences when using MDRD for GFR estimation compared to radionuclide measured clearance. <i>European Radiology</i> , 2011, 21, 2211-2217.   | 2.3 | 6         |
| 17097 | Making renal stones change size—impact of CT image post processing and reader variability. <i>European Radiology</i> , 2011, 21, 2218-2225.  | 2.3 | 20        |
| 17098 | A method of adjusting SUV for injection-acquisition time differences in $^{18}\text{F}$ -FDG PET Imaging. <i>European Radiology</i> , 2011, 21, 2417-2424.   | 2.3 | 11        |
| 17099 | Quantitative texture-based assessment of one-year changes in fibrotic reticular patterns on HRCT in scleroderma lung disease treated with oral cyclophosphamide. <i>European Radiology</i> , 2011, 21, 2455-2465.                          | 2.3 | 99        |
| 17100 | Red blood cell aggregation parameters measured by capillary tube aggregometer using venous and capillary blood samples. <i>Korea Australia Rheology Journal</i> , 2011, 23, 205-210.   | 0.7 | 2         |
| 17102 | Comparison of Motionlogger Watch and Actiwatch actigraphs to polysomnography for sleep/wake estimation in healthy young adults. <i>Behavior Research Methods</i> , 2011, 43, 1152-1160.  | 2.3 | 76        |
| 17103 | Assessment of Incurred Sample Reanalysis for Macromolecules to Evaluate Bioanalytical Method Robustness: Effects from Imprecision. <i>AAPS Journal</i> , 2011, 13, 291-298.  | 2.2 | 11        |
| 17104 | Noninvasive measurement of plasma glucose from exhaled breath in healthy and type 1 diabetic subjects. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011, 300, E1166-E1175.                                      | 1.8 | 76        |
| 17105 | Automated sparse 3D point cloud generation of infrastructure using its distinctive visual features. <i>Advanced Engineering Informatics</i> , 2011, 25, 760-770.   | 4.0 | 74        |
| 17106 | Accuracy and reliability of cone-beam computed tomography measurements: Influence of head orientation. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2011, 140, 157-165.   | 0.8 | 51        |
| 17107 | Transverse maxillary arch form and mandibular asymmetry in patients with posterior unilateral crossbite. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2011, 140, 828-838.   | 0.8 | 24        |
| 17108 | Embryo volume measurement: an intraobserver, intermethod comparative study of semiautomated and manual three-dimensional ultrasound techniques. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 516-523.                        | 0.9 | 14        |
| 17109 | Maxilla–mandible angle: a new method to assess profile anomalies in pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 562-569.   | 0.9 | 32        |
| 17110 | Semiautomated adjusted measurement of nuchal translucency: feasibility and reproducibility. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 335-340.  | 0.9 | 11        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17111 | Role of three-dimensional ultrasound measurement of the optic tract in fetuses with agenesis of the septum pellucidum. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 570-575.  | 0.9 | 35        |
| 17112 | Prediction of endometrial malignancy in women with postmenopausal bleeding and sonographic endometrial thickness $\geq 4.5$ mm. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 232-240.   | 0.9 | 43        |
| 17113 | Simultaneous real-time imaging of four-chamber and left ventricular outflow tract views using xPlane imaging capability of a matrix array probe. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 302-309.                            | 0.9 | 10        |
| 17114 | Clinical implications of intra- and interobserver reproducibility of transvaginal sonographic measurement of gestational sac and crown-rump length at 6-9 weeks' gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 510-515. | 0.9 | 75        |
| 17115 | Birthweight prediction using three-dimensional sonographic fractional thigh volume at term in a Chinese population. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 425-433.   | 0.9 | 30        |
| 17116 | Appearance of the fetal posterior fossa at 11 + 3 to 13 + 6 gestational weeks on transabdominal ultrasound examination. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 620-624.   | 0.9 | 58        |
| 17117 | Sonographic cervical length measurement in pregnant women with a cervical pessary. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 205-209.  | 0.9 | 30        |
| 17118 | Surface area measurement using rendered three-dimensional ultrasound imaging: an <i>in vitro</i> phantom study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 445-449.   | 0.9 | 6         |
| 17119 | Prediction of preterm birth using the cervical consistency index. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 44-51.   | 0.9 | 74        |
| 17120 | A standardized measurement technique may improve the reliability of measurements of endometrial thickness and volume. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 107-115.   | 0.9 | 27        |
| 17121 | Decreased fetal cardiac performance in the first trimester correlates with hyperglycemia in pregestational maternal diabetes. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 325-331.   | 0.9 | 55        |
| 17122 | Early-stage cervical cancer: agreement between ultrasound and histopathological findings with regard to tumor size and extent of local disease. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 707-715.                             | 0.9 | 29        |
| 17123 | A review of fetal volumetry: the need for standardization and definitions in measurement methodology. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 613-619.   | 0.9 | 36        |
| 17124 | The relationship between stimulus intensity and response amplitude for the photopic negative response of the flash electroretinogram. <i>Documenta Ophthalmologica</i> , 2011, 122, 39-52.  | 1.0 | 19        |
| 17125 | The repeatability of the Goldmann-Weekers adaptometer for measuring cone adaptation. <i>Documenta Ophthalmologica</i> , 2011, 122, 71-75.   | 1.0 | 2         |
| 17126 | Improving reproducibility of VEP recording in rats: electrodes, stimulus source and peak analysis. <i>Documenta Ophthalmologica</i> , 2011, 123, 109-119.   | 1.0 | 27        |
| 17127 | Bone fluoride concentrations of eastern grey kangaroos ( <i>Macropus giganteus</i> ) resident near an aluminium smelter in south-eastern Australia. <i>Ecotoxicology</i> , 2011, 20, 1378-1387.   | 1.1 | 15        |
| 17128 | Maternal smoking during pregnancy and subcutaneous fat mass in early childhood. The Generation R Study. <i>European Journal of Epidemiology</i> , 2011, 26, 295-304.  | 2.5 | 23        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17129 | Impact of time since last caloric intake on blood glucose levels. <i>European Journal of Epidemiology</i> , 2011, 26, 719-728.  | 2.5 | 73        |
| 17130 | Viability assessment of fresh and frozen/thawed isolated human follicles: reliability of two methods (Trypan blue and Calcein AM/ethidium homodimer-1). <i>Journal of Assisted Reproduction and Genetics</i> , 2011, 28, 1151-1156.                 | 1.2 | 36        |
| 17131 | Analysis of the left atrial appendage morphology by intracardiac echocardiography in patients with atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2011, 31, 191-196.   | 0.6 | 25        |
| 17132 | Left atrial reservoir function predicts atrial fibrillation recurrence after catheter ablation: a two-dimensional speckle strain study. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2011, 31, 197-206.                             | 0.6 | 88        |
| 17133 | Challenges in comparison of Doppler CO measurement methods and the importance of understanding ultrasound theory and practice. <i>Journal of Clinical Monitoring and Computing</i> , 2011, 25, 91-93.   | 0.7 | 1         |
| 17134 | Evaluation of a Pulse Oximeter Sensor Tester. <i>Journal of Clinical Monitoring and Computing</i> , 2011, 25, 163-170.  | 0.7 | 7         |
| 17135 | Investigation of photoplethysmographic signals and blood oxygen saturation values obtained from human splanchnic organs using a fiber optic sensor. <i>Journal of Clinical Monitoring and Computing</i> , 2011, 25, 245-255.                        | 0.7 | 10        |
| 17136 | Noninvasive cardiac output monitoring during exercise testing: Nexfin pulse contour analysis compared to an inert gas rebreathing method and respired gas analysis. <i>Journal of Clinical Monitoring and Computing</i> , 2011, 25, 315-321.        | 0.7 | 39        |
| 17137 | Comparison of ear and chest probes in transcutaneous carbon dioxide pressure measurements during general anesthesia in adults. <i>Journal of Clinical Monitoring and Computing</i> , 2011, 25, 323-328.   | 0.7 | 9         |
| 17138 | Comparison of SNAPä,,ç II and BIS Vista indices during normothermic cardiopulmonary bypass under isoflurane anesthesia. <i>Journal of Clinical Monitoring and Computing</i> , 2011, 25, 365-370.  | 0.7 | 0         |
| 17139 | Implementation and Statistical Evaluation of a Web-Based Software for Bone Age Assessment. <i>Journal of Medical Systems</i> , 2011, 35, 1485-1489.   | 2.2 | 7         |
| 17140 | Geometry and dimensions of the pulmonary artery bifurcation in children and adolescents: assessment in vivo by contrast-enhanced MR-angiography. <i>International Journal of Cardiovascular Imaging</i> , 2011, 27, 385-396.                        | 0.7 | 41        |
| 17141 | Impaired aortic distensibility measured by computed tomography is associated with the severity of coronary artery disease. <i>International Journal of Cardiovascular Imaging</i> , 2011, 27, 459-469.  | 0.7 | 24        |
| 17142 | Midregional pro-atrial natriuretic peptide: a novel marker of myocardial fibrosis in patients with hypertrophic cardiomyopathy. <i>International Journal of Cardiovascular Imaging</i> , 2011, 27, 547-556.   | 0.7 | 9         |
| 17143 | A comparison of visual and quantitative assessment of left ventricular ejection fraction by cardiac magnetic resonance. <i>International Journal of Cardiovascular Imaging</i> , 2011, 27, 563-569.   | 0.7 | 7         |
| 17144 | Evaluation of longitudinal and radial left ventricular function by two-dimensional speckle-tracking echocardiography in a large cohort of normal probands. <i>International Journal of Cardiovascular Imaging</i> , 2011, 27, 515-526.              | 0.7 | 46        |
| 17145 | Comparison of (semi-)automatic and manually adjusted measurements of left ventricular function in dual source computed tomography using three different software tools. <i>International Journal of Cardiovascular Imaging</i> , 2011, 27, 787-794. | 0.7 | 10        |
| 17146 | Head-to-head comparison of first-pass MR perfusion imaging during adenosine and high-dose dobutamine/atropine stress. <i>International Journal of Cardiovascular Imaging</i> , 2011, 27, 995-1002.  | 0.7 | 19        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17147 | Optimal recall period in assessing the adherence to antihypertensive therapy: a pilot study. <i>International Journal of Clinical Pharmacy</i> , 2011, 33, 690-695.  | 1.0 | 20        |
| 17148 | A simple model for nondestructive leaf area estimation in bedding plants. <i>Photosynthetica</i> , 2011, 49, .   | 0.9 | 25        |
| 17149 | Application of linear models for estimation of leaf area in soybean [ <i>Glycine max</i> (L.) Merr]. <i>Photosynthetica</i> , 2011, 49, .  | 0.9 | 18        |
| 17150 | Does the subjective quality of life of children with specific learning disabilities (SpLD) agree with their parents' proxy reports?. <i>Quality of Life Research</i> , 2011, 20, 1271-1278.  | 1.5 | 43        |
| 17151 | Parental assessment of adolescent quality of life: can it replace self-assessment?. <i>Quality of Life Research</i> , 2011, 20, 1715-1720.   | 1.5 | 15        |
| 17152 | Validation of supra-pubic ultrasonography for preoperative prostate volume measurement in sub-Saharan Africa. <i>International Urology and Nephrology</i> , 2011, 43, 283-288.   | 0.6 | 7         |
| 17153 | Development, validation and implementation of a monitoring tool for training in laparoscopic colorectal surgery in the English National Training Program. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011, 25, 1136-1142.     | 1.3 | 80        |
| 17154 | Segmental measurement of breast cancer-related arm lymphoedema using perometry and bioimpedance spectroscopy. <i>Supportive Care in Cancer</i> , 2011, 19, 703-710.  | 1.0 | 65        |
| 17155 | Accuracy of arterial pressure waveform analysis for cardiac output measurement in comparison with thermodilution methods in patients undergoing living donor liver transplantation. <i>Journal of Anesthesia</i> , 2011, 25, 178-183.              | 0.7 | 14        |
| 17156 | Comparison of sequential organ failure assessment (SOFA) scoring between nurses and residents. <i>Journal of Anesthesia</i> , 2011, 25, 839-844.   | 0.7 | 6         |
| 17157 | Comparison of techniques for measuring anterior chamber depth: Orbscan imaging, Smith's technique, and van Herick's method. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2011, 249, 449-454.                              | 1.0 | 5         |
| 17158 | Comparison of optical low-coherence reflectometry and applanation ultrasound biometry on intraocular lens power calculation. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2011, 249, 69-75.                               | 1.0 | 34        |
| 17159 | OCT for optic disc evaluation in idiopathic intracranial hypertension. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2011, 249, 723-730.   | 1.0 | 40        |
| 17160 | Intraobserver and interobserver repeatability of ocular components measurement in cataract eyes using a new optical low coherence reflectometer. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2011, 249, 83-87.           | 1.0 | 32        |
| 17161 | Repeatability of intra-ocular pressure and central corneal thickness measurements provided by a non-contact method of tonometry and pachymetry. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2011, 249, 429-434.          | 1.0 | 35        |
| 17162 | The effect of bleach duration and age on the ERG photostress test. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2011, 249, 1359-1365.   | 1.0 | 9         |
| 17163 | Interchangeability of macular thickness measurements between different volumetric protocols of Spectralis optical coherence tomography in normal eyes. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2011, 249, 1137-1145. | 1.0 | 8         |
| 17164 | Learning effect of dark adaptation among normal subjects. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2011, 249, 1345-1352.  | 1.0 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17165 | A new rebound tonometer for home monitoring of intraocular pressure. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2011, 249, 1713-1719.   | 1.0 | 47        |
| 17166 | Testâ€retest reliability of the nociceptive withdrawal reflex and electrical pain thresholds after single and repeated stimulation in patients with chronic low back pain. <i>European Journal of Applied Physiology</i> , 2011, 111, 83-92.           | 1.2 | 55        |
| 17167 | A comparison of energy expenditure estimates from the Actiheart and Actical physical activity monitors during low intensity activities, walking, and jogging. <i>European Journal of Applied Physiology</i> , 2011, 111, 659-667.                      | 1.2 | 66        |
| 17168 | Proprioceptive acuity in the frontal and sagittal planes of the knee: a preliminary study. <i>European Journal of Applied Physiology</i> , 2011, 111, 1313-1320.   | 1.2 | 14        |
| 17169 | Validity of the Actical for estimating free-living physical activity. <i>European Journal of Applied Physiology</i> , 2011, 111, 1381-1389.  | 1.2 | 47        |
| 17170 | Reliability and accuracy of segmental bioelectrical impedance analysis for assessing muscle and fat mass in older Europeans: a comparison with dual-energy X-ray absorptiometry. <i>European Journal of Applied Physiology</i> , 2011, 111, 1879-1887. | 1.2 | 43        |
| 17171 | Oxygen uptake and ratings of perceived exertion at the lactate threshold and maximal fat oxidation rate in untrained adults. <i>European Journal of Applied Physiology</i> , 2011, 111, 2063-2068.   | 1.2 | 26        |
| 17172 | Accuracy of a novel multi-sensor board for measuring physical activity and energy expenditure. <i>European Journal of Applied Physiology</i> , 2011, 111, 2025-2032.   | 1.2 | 13        |
| 17173 | Muscle architecture and EMG activity changes during isotonic and isokinetic eccentric exercises. <i>European Journal of Applied Physiology</i> , 2011, 111, 2723-2733.   | 1.2 | 42        |
| 17174 | Assessing pain in ventilated newborns and infants: validation of the Hartwig score. <i>European Journal of Pediatrics</i> , 2011, 170, 837-843.  | 1.3 | 18        |
| 17175 | Predictability of Mediterranean climate variables from oceanic variability. Part I: Sea surface temperature regimes. <i>Climate Dynamics</i> , 2011, 36, 811-823.  | 1.7 | 4         |
| 17176 | Biological variation of high sensitive Troponin T in stable heart failure patients with ischemic or dilated cardiomyopathy. <i>Clinical Research in Cardiology</i> , 2011, 100, 633-640.   | 1.5 | 24        |
| 17177 | A comparative evaluation of electrical velocimetry and inert gas rebreathing for the non-invasive assessment of cardiac output. <i>Clinical Research in Cardiology</i> , 2011, 100, 935-943.   | 1.5 | 13        |
| 17178 | Direction of the oblique medial malleolar osteotomy for exposure of the talus. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2011, 131, 893-901.   | 1.3 | 59        |
| 17179 | Reproducibility of three-dimensional power Doppler placental vascular indices in pregnancies between 26 and 35 weeks. <i>Archives of Gynecology and Obstetrics</i> , 2011, 283, 213-217.   | 0.8 | 19        |
| 17180 | Dental age assessment (DAA): reference data for British children at the 10-year-old threshold. <i>International Journal of Legal Medicine</i> , 2011, 125, 651-657.  | 1.2 | 23        |
| 17181 | Performance of laser fluorescence devices, visual and radiographic examination for the detection of occlusal caries in primary molars. <i>Clinical Oral Investigations</i> , 2011, 15, 635-641.  | 1.4 | 55        |
| 17182 | Is DAS28-CRP with three and four variables interchangeable in individual patients selected for biological treatment in daily clinical practice?. <i>Clinical Rheumatology</i> , 2011, 30, 1577-1582.   | 1.0 | 20        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17183 | Prospective evaluation of physical activity in patients with idiopathic scoliosis or kyphosis receiving brace treatment. <i>European Spine Journal</i> , 2011, 20, 1127-1136.   | 1.0 | 28        |
| 17184 | Comparing the reliability of a new fluorescence camera with conventional laser fluorescence devices in detecting caries lesions in occlusal and smooth surfaces of primary teeth. <i>Lasers in Medical Science</i> , 2011, 26, 157-162.                               | 1.0 | 54        |
| 17185 | Comparing top-down and bottom-up costing approaches for economic evaluation within social welfare. <i>European Journal of Health Economics</i> , 2011, 12, 445-453.   | 1.4 | 26        |
| 17186 | Assessment of the 3-D shape and mechanics of the proximal femur using a shape template and a bone mineral density image. <i>Biomechanics and Modeling in Mechanobiology</i> , 2011, 10, 529-538.  | 1.4 | 15        |
| 17187 | Modeling interlamellar interactions in angle-ply biologic laminates for annulus fibrosus tissue engineering. <i>Biomechanics and Modeling in Mechanobiology</i> , 2011, 10, 973-984.  | 1.4 | 50        |
| 17188 | Performance of a fluorescence camera for detection of occlusal caries in vitro. <i>Odontology / the Society of the Nippon Dental University</i> , 2011, 99, 55-61.  | 0.9 | 42        |
| 17189 | Efficacy of denture adhesives in maxillary dentures using gnathodynamometry: a comparative study. <i>Odontology / the Society of the Nippon Dental University</i> , 2011, 99, 155-161.  | 0.9 | 19        |
| 17190 | Ultra-high field diffusion tensor imaging of articular cartilage correlated with histology and scanning electron microscopy. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2011, 24, 247-258.   | 1.1 | 35        |
| 17191 | Automatic evaluation of the Valsalva sinuses from cine-MRI. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2011, 24, 359-370.  | 1.1 | 4         |
| 17192 | Intraocular pressure after Descemet's stripping and non-Descemet's stripping automated endothelial keratoplasty. <i>Japanese Journal of Ophthalmology</i> , 2011, 55, 98-102.   | 0.9 | 11        |
| 17193 | Extraction of instantaneous changes in arterial walls with sequential ultrasound images. <i>Journal of Medical Ultrasonics (2001)</i> , 2011, 38, 81-87.  | 0.6 | 7         |
| 17197 | Effects of cold pressor-induced sympathetic stimulation on the mechanical properties of common carotid and femoral arteries in healthy males. <i>Heart and Vessels</i> , 2011, 26, 214-221.   | 0.5 | 28        |
| 17198 | Wide beam reconstruction for half-dose or half-time cardiac gated SPECT acquisitions: optimization of resources and reduction in radiation exposure. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 499-508.                           | 3.3 | 36        |
| 17199 | Does pre-operative estimation of oesophageal tumour metabolic length using 18F-fluorodeoxyglucose PET/CT images compare with surgical pathology length?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 656-662.                       | 3.3 | 18        |
| 17200 | Automatic generation of absolute myocardial blood flow images using [15O]H <sub>2</sub> O and a clinical PET/CT scanner. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 930-939.   | 3.3 | 134       |
| 17201 | Iterative reconstruction or filtered backprojection for semi-quantitative assessment of dopamine D <sub>2</sub> receptor SPECT studies?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1095-1103.                                     | 3.3 | 6         |
| 17202 | Prognostic value of 18F-FDG PET image-based parameters in oesophageal cancer and impact of tumour delineation methodology. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1191-1202.   | 3.3 | 130       |
| 17203 | Impact of attenuation correction and gated acquisition in SPECT myocardial perfusion imaging: results of the multicentre SPAG (SPECT Attenuation Correction vs Gated) study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1890-1898. | 3.3 | 47        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17204 | Perinephric hematoma: semi-automated quantification of volume on MDCT: a feasibility study. <i>Abdominal Imaging</i> , 2011, 36, 222-227.   | 2.0 | 8         |
| 17205 | Accuracy of acetabular cup placement in computer-assisted, minimally-invasive THR in a lateral decubitus position. <i>International Orthopaedics</i> , 2011, 35, 809-815.   | 0.9 | 62        |
| 17206 | A computed tomography based study on rotational alignment accuracy of the femoral component in total knee arthroplasty using computer-assisted orthopaedic surgery. <i>International Orthopaedics</i> , 2011, 35, 845-850.  | 0.9 | 41        |
| 17207 | Breast Volumetry Using a Three-Dimensional Surface Assessment Technique. <i>Aesthetic Plastic Surgery</i> , 2011, 35, 847-855.  | 0.5 | 50        |
| 17208 | Treatment Planning and Volumetric Response Assessment for Yttrium-90 Radioembolization: Semiautomated Determination of Liver Volume and Volume of Tumor Necrosis in Patients with Hepatic Malignancy. <i>CardioVascular and Interventional Radiology</i> , 2011, 34, 306-318. | 0.9 | 27        |
| 17209 | Evaluation of a non cystatin-C-based novel algorithm to calculate individual glomerular filtration rate in cancer patients receiving carboplatin. <i>Cancer Chemotherapy and Pharmacology</i> , 2011, 68, 693-701.  | 1.1 | 5         |
| 17210 | HDAC2 and TXNL1 distinguish aneuploid from diploid colorectal cancers. <i>Cellular and Molecular Life Sciences</i> , 2011, 68, 3261-3274.   | 2.4 | 17        |
| 17211 | Accuracy of waste blood measurement in critically ill patients. <i>Intensive Care Medicine</i> , 2011, 37, 721-722.   | 3.9 | 3         |
| 17212 | Pulse pressure: more than 100 years of changes in stroke volume. <i>Intensive Care Medicine</i> , 2011, 37, 898-900.  | 3.9 | 4         |
| 17213 | In vivo accuracy of two intraparenchymal intracranial pressure monitors. <i>Intensive Care Medicine</i> , 2011, 37, 875-879.  | 3.9 | 42        |
| 17214 | Continuous arterial pressure waveform monitoring in pediatric cardiac transplant, cardiomyopathy and pulmonary hypertension patients. <i>Intensive Care Medicine</i> , 2011, 37, 1297-1301.   | 3.9 | 24        |
| 17215 | End-inspiratory rebreathing reduces the end-tidal to arterial PCO <sub>2</sub> gradient in mechanically ventilated pigs. <i>Intensive Care Medicine</i> , 2011, 37, 1543-1550.  | 3.9 | 28        |
| 17216 | Does femoral venous pressure measurement correlate well with intrabladder pressure measurement? A multicenter observational trial. <i>Intensive Care Medicine</i> , 2011, 37, 1620-1627.  | 3.9 | 34        |
| 17217 | Cerebral tissue oxygenation measured by two different probes: challenges and interpretation. <i>Intensive Care Medicine</i> , 2011, 37, 1809-1815.  | 3.9 | 35        |
| 17218 | PEEP-induced changes in lung volume in acute respiratory distress syndrome. Two methods to estimate alveolar recruitment. <i>Intensive Care Medicine</i> , 2011, 37, 1595-604.  | 3.9 | 127       |
| 17219 | Sagittal alignment of the lower extremity while standing in female. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 74-79.  | 2.3 | 10        |
| 17220 | A mechanized and standardized pivot shifter: technical description and first evaluation. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 707-711.   | 2.3 | 35        |
| 17221 | Patellofemoral evaluation with magnetic resonance imaging in 51 knees of asymptomatic subjects. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 1735-1739.  | 2.3 | 20        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17222 | Reliability and reference values of two clinical measurements of dynamic and static knee position in healthy children. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 2060-2066.   | 2.3 | 28        |
| 17223 | Structural parameters of normal and osteoporotic human trabecular bone are affected differently by microCT image resolution. <i>Osteoporosis International</i> , 2011, 22, 167-177.   | 1.3 | 46        |
| 17224 | Low-frequency axial ultrasound velocity correlates with bone mineral density and cortical thickness in the radius and tibia in pre- and postmenopausal women. <i>Osteoporosis International</i> , 2011, 22, 1103-1113.  | 1.3 | 39        |
| 17225 | The reliability and validity of three non-radiological measures of thoracic kyphosis and their relations to the standing radiological Cobb angle. <i>Osteoporosis International</i> , 2011, 22, 1897-1905.  | 1.3 | 89        |
| 17226 | Variation in saliva cotinine as a function of self-reported attempts to reduce cigarette consumption. <i>Psychopharmacology</i> , 2011, 217, 587-593.   | 1.5 | 10        |
| 17227 | A new method for the determination of free l-carnitine in serum samples based on high field single quantum coherence filtering 1H-NMR spectroscopy. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 399, 2285-2294.   | 1.9 | 14        |
| 17228 | Recent developments in the use of isotope ratio mass spectrometry in sports drug testing. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 401, 433-447.   | 1.9 | 66        |
| 17229 | Measuring silver nanoparticle dissolution in complex biological and environmental matrices using UV-visible absorbance. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 401, 1993-2002.   | 1.9 | 186       |
| 17230 | Validation of Cardiac Output Measurement by Ultrasound Dilution Technique With Pulmonary Artery Thermodilution in a Pediatric Animal Model. <i>Pediatric Cardiology</i> , 2011, 32, 585-589.  | 0.6 | 16        |
| 17231 | Gadolinium-Enhanced Three-Dimensional Magnetic Resonance Angiographic Assessment of the Pulmonary Artery Anatomy in Cyanotic Congenital Heart Disease With Pulmonary Stenosis or Atresia: Comparison With Cineangiography. <i>Pediatric Cardiology</i> , 2011, 32, 737-742. | 0.6 | 9         |
| 17232 | Repeatability of cardiac-MRI-measured right ventricular size and function in congenital heart disease. <i>Pediatric Radiology</i> , 2011, 41, 1000-1007.  | 1.1 | 11        |
| 17233 | Simplified approach to MR image quantification of the rheumatoid wrist: a pilot study. <i>Skeletal Radiology</i> , 2011, 40, 65-74.   | 1.2 | 6         |
| 17234 | Sample size for prospective studies of hip joint space width narrowing in osteoarthritis by the use of radiographs. <i>Skeletal Radiology</i> , 2011, 40, 431-438.  | 1.2 | 4         |
| 17235 | Long-term in-vitro precision of direct digital X-ray radiogrammetry. <i>Skeletal Radiology</i> , 2011, 40, 1575-1579.   | 1.2 | 17        |
| 17236 | A pilot study on potency determination of human follicle-stimulating hormone: A comparison between reversed-phase high-performance liquid chromatography method and the in vivo bioassay. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011, 54, 681-686.     | 1.4 | 18        |
| 17237 | Determination of binary polymorphic mixtures of fluconazole using near infrared spectroscopy and X-ray powder diffraction: A comparative study based on the pre-validation stage results. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011, 55, 1208-1212.   | 1.4 | 17        |
| 17238 | Estimating the volume of the First Dorsal Interosseous using ultrasound. <i>Medical Engineering and Physics</i> , 2011, 33, 391-394.  | 0.8 | 9         |
| 17239 | Segmentation of pulmonary nodules of various densities with morphological approaches and convexity models. <i>Medical Image Analysis</i> , 2011, 15, 133-154.   | 7.0 | 149       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17240 | Assessment of chest rise during mask ventilation of preterm infants in the delivery room. Resuscitation, 2011, 82, 175-179.   | 1.3 | 128       |
| 17241 | A micro-fabricated optical scanner for rapid non-contact thickness measurement of transparent films. Sensors and Actuators A: Physical, 2011, 167, 91-96.   | 2.0 | 4         |
| 17243 | Automated striatal uptake analysis of 18F-FDOPA PET images applied to Parkinson's disease patients. Annals of Nuclear Medicine, 2011, 25, 796-803.  | 1.2 | 16        |
| 17244 | Immunostick assay for medical diagnosis of rheumatoid arthritis. Biotechnology and Bioprocess Engineering, 2011, 16, 1248-1253.   | 1.4 | 4         |
| 17245 | Original characteristics of a new cycle ergometer. Sports Engineering, 2011, 13, 171-179.   | 0.5 | 8         |
| 17246 | Gap balancing versus measured resection technique using a mobile-bearing prosthesis in computer-assisted surgery. Musculoskeletal Surgery, 2011, 95, 25-30.   | 0.7 | 24        |
| 17247 | Superior Cerebellar Peduncle Atrophy in Friedreich's Ataxia Correlates with Disease Symptoms. Cerebellum, 2011, 10, 81-87.  | 1.4 | 69        |
| 17248 | Semi-automated algorithm for calculating heart-to-mediastinum ratio in cardiac Iodine-123 MIBG imaging. Journal of Nuclear Cardiology, 2011, 18, 82-89.   | 1.4 | 88        |
| 17249 | Influence of CT-based attenuation correction in assessment of left and right ventricular functions with count-based gated blood-pool SPECT. Journal of Nuclear Cardiology, 2011, 18, 642-649.                         | 1.4 | 7         |
| 17250 | Deoxynivalenol loads in matched pair wheat samples in Belgium: comparison of ELISA VERATOX kit against liquid chromatography. Mycotoxin Research, 2011, 27, 105-113.  | 1.3 | 16        |
| 17251 | Global longitudinal strain by two-dimensional speckle tracking imaging predicts exercise capacity in patients with chronic heart failure. Journal of Echocardiography, 2011, 9, 64-72.                                | 0.4 | 5         |
| 17252 | Evaluation of left ventricular rotation by two-dimensional speckle tracking method and real-time three-dimensional echocardiography: comparison with MRI tagging method. Journal of Echocardiography, 2011, 9, 83-89. | 0.4 | 2         |
| 17253 | Quantification of mitral valve apparatus by three-dimensional transesophageal echocardiography: in vitro validation study comparing two different analysis systems. Journal of Echocardiography, 2011, 9, 130-136.    | 0.4 | 3         |
| 17254 | Validation of questionnaires to estimate adherence to the Mediterranean Diet and life habits in older individuals in Southern Spain. Journal of Nutrition, Health and Aging, 2011, 15, 739-743.                       | 1.5 | 17        |
| 17255 | A Bland-Altman Comparison of the Lead Care® System and Inductively Coupled Plasma Mass Spectrometry for Detecting Low-Level Lead in Child Whole Blood Samples. Journal of Medical Toxicology, 2011, 7, 24-32.         | 0.8 | 34        |
| 17256 | Layer-specific assessment of left ventricular function by utilizing wavelet de-noising: a validation study. Medical and Biological Engineering and Computing, 2011, 49, 3-13.   | 1.6 | 20        |
| 17257 | Aortic pressure wave reconstruction during exercise is improved by adaptive filtering: a pilot study. Medical and Biological Engineering and Computing, 2011, 49, 909-916.  | 1.6 | 10        |
| 17258 | Cardiac oxygen supply is compromised during the night in hypertensive patients. Medical and Biological Engineering and Computing, 2011, 49, 1073-81.  | 1.6 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17259 | Rapid automatic assessment of microvascular density in sidestream dark field images. <i>Medical and Biological Engineering and Computing</i> , 2011, 49, 1269-1278.  | 1.6 | 50        |
| 17260 | Lower-lobe shrinkage relative to total lung volume in collagen vascular diseases. <i>Radiologia Medica</i> , 2011, 116, 211-218.   | 4.7 | 0         |
| 17261 | Intraobserver and interobserver variability in the calculation of apparent diffusion coefficient (ADC) from diffusion-weighted magnetic resonance imaging (DW-MRI) of breast tumours. <i>Radiologia Medica</i> , 2011, 116, 466-476.   | 4.7 | 20        |
| 17262 | Diffusion-weighted MR imaging in assessing cervical tumour response to nonsurgical therapy. <i>Radiologia Medica</i> , 2011, 116, 766-780.   | 4.7 | 34        |
| 17263 | Interobserver variability of dynamic MR imaging of the temporomandibular joint. <i>Radiologia Medica</i> , 2011, 116, 1303-1312.   | 4.7 | 6         |
| 17264 | Estimation of energy expenditure using accelerometers and activity-based energy models—validation of a new device. <i>European Review of Aging and Physical Activity</i> , 2011, 8, 109-114.   | 1.3 | 30        |
| 17266 | Validity of Leg-to-Leg Bioelectrical Impedance Analysis to Estimate Body Fat in Obesity. <i>Obesity Surgery</i> , 2011, 21, 917-923.   | 1.1 | 63        |
| 17267 | Rapid Quantitative Analysis of Lipids Using a Colorimetric Method in a Microplate Format. <i>Lipids</i> , 2011, 46, 95-103.  | 0.7 | 189       |
| 17268 | Lipoprint Adequately Estimates LDL Size Distribution, but not Absolute Size, Versus Polyacrylamide Gradient Gel Electrophoresis. <i>Lipids</i> , 2011, 46, 1163-1167.  | 0.7 | 15        |
| 17269 | Intra- and interrater agreement of pressure pain thresholds in children with orthopedic disorders. <i>Journal of Children's Orthopaedics</i> , 2011, 5, 173-178.   | 0.4 | 13        |
| 17270 | Lateral growth arrest of the proximal femoral physis: A new technique for serial radiological observation. <i>Journal of Children's Orthopaedics</i> , 2011, 5, 201-207.   | 0.4 | 15        |
| 17271 | Good agreement between questionnaire and administrative databases for health care use and costs in patients with osteoarthritis. <i>BMC Medical Research Methodology</i> , 2011, 11, 45.   | 1.4 | 52        |
| 17272 | Lifetime body size and reproductive factors: comparisons of data recorded prospectively with self reports in middle age. <i>BMC Medical Research Methodology</i> , 2011, 11, 7.  | 1.4 | 65        |
| 17273 | Pitfalls in the statistical examination and interpretation of the correspondence between physician and patient satisfaction ratings and their relevance for shared decision making research. <i>BMC Medical Research Methodology</i> , 2011, 11, 71.   | 1.4 | 19        |
| 17274 | Measurement properties of translated versions of neck-specific questionnaires: a systematic review. <i>BMC Medical Research Methodology</i> , 2011, 11, 87.  | 1.4 | 91        |
| 17275 | Validity and reliability of the Swaymeter device for measuring postural sway. <i>BMC Geriatrics</i> , 2011, 11, 63.  | 1.1 | 47        |
| 17276 | The efficacy of hypotonic and near-isotonic saline for parenteral fluid therapy given at low maintenance rate in preventing significant change in plasma sodium in post-operative pediatric patients: protocol for a prospective randomized non-blinded study. <i>BMC Pediatrics</i> , 2011, 11, 61. | 0.7 | 6         |
| 17277 | Validation of obesity based on self-reported data in Spanish women participants in breast cancer screening programmes. <i>BMC Public Health</i> , 2011, 11, 960.   | 1.2 | 10        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17278 | Creating scenarios of the impact of copd and their relationship to copd assessment test (CATâ„ƒ) scores. BMC Pulmonary Medicine, 2011, 11, 42.  | 0.8 | 192       |
| 17279 | Development and validation of a questionnaire assessing volitional competencies to enhance the performance of physical activities in chronic low back pain patients. BMC Musculoskeletal Disorders, 2011, 12, 111.  | 0.8 | 7         |
| 17280 | Inter-examiner reproducibility of tests for lumbar motor control. BMC Musculoskeletal Disorders, 2011, 12, 114.   | 0.8 | 42        |
| 17281 | Relationship between time-integrated disease activity estimated by DAS28-CRP and radiographic progression of anatomical damage in patients with early rheumatoid arthritis. BMC Musculoskeletal Disorders, 2011, 12, 120.   | 0.8 | 32        |
| 17282 | Profile and course of early rheumatoid arthritis in Morocco: a two-year follow-up study. BMC Musculoskeletal Disorders, 2011, 12, 266.  | 0.8 | 8         |
| 17283 | Systematic cross-validation of 454 sequencing and pyrosequencing for the exact quantification of DNA methylation patterns with single CpG resolution. BMC Biotechnology, 2011, 11, 6.   | 1.7 | 39        |
| 17284 | Hemoglobin estimation by the HemoCue® portable hemoglobin photometer in a resource poor setting. BMC Clinical Pathology, 2011, 11, 5.   | 1.8 | 127       |
| 17285 | Does the inclusion of 'professional development' teaching improve medical students' communication skills?. BMC Medical Education, 2011, 11, 41.   | 1.0 | 23        |
| 17286 | Optimizing the two-step floating catchment area method for measuring spatial accessibility to medical clinics in Montreal. BMC Health Services Research, 2011, 11, 166.   | 0.9 | 95        |
| 17287 | Comparison of commercial kits to measure cytokine responses to Plasmodium falciparum by multiplex microsphere suspension array technology. Malaria Journal, 2011, 10, 115.  | 0.8 | 33        |
| 17288 | Automated counting for Plasmodium falciparum cytoadherence experiments. Malaria Journal, 2011, 10, 91.  | 0.8 | 11        |
| 17289 | Twenty-four hour metabolic rate measurements utilized as a reference to evaluate several prediction equations for calculating energy requirements in healthy infants. Nutrition Journal, 2011, 10, 14.  | 1.5 | 2         |
| 17290 | Reproducibility and validity of the food frequency questionnaire for estimating habitual dietary intake in children and adolescents. Nutrition Journal, 2011, 10, 27.   | 1.5 | 51        |
| 17291 | Use of a food frequency questionnaire to assess diets of Jamaican adults: validation and correlation with biomarkers. Nutrition Journal, 2011, 10, 28.  | 1.5 | 49        |
| 17292 | Estimation of cardiac output in patients with congestive heart failure by analysis of right ventricular pressure waveforms. BioMedical Engineering OnLine, 2011, 10, 36.  | 1.3 | 10        |
| 17293 | Kriged and modeled ambient air levels of benzene in an urban environment: an exposure assessment study. Environmental Health, 2011, 10, 21.   | 1.7 | 44        |
| 17294 | Methodological approach for the assessment of ultrasound reproducibility of cardiac structure and function: a proposal of the study group of Echocardiography of the Italian Society of Cardiology (Ultra Cardia SIC) Part I. Cardiovascular Ultrasound, 2011, 9, 26. | 0.5 | 28        |
| 17295 | Validity of self-reported leisure-time sedentary behavior in adolescents. Journal of Negative Results in BioMedicine, 2011, 10, 2.  | 1.4 | 33        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17296 | Validation of a proposed WOMAC short form for patients with hip osteoarthritis. <i>Health and Quality of Life Outcomes</i> , 2011, 9, 75.  | 1.0 | 37        |
| 17297 | Measurement properties of physical function scales validated for use in patients with rheumatoid arthritis: A systematic review of the literature. <i>Health and Quality of Life Outcomes</i> , 2011, 9, 99.                   | 1.0 | 57        |
| 17298 | Measuring physical activity during pregnancy. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 19.  | 2.0 | 104       |
| 17299 | Can we use digital life-log images to investigate active and sedentary travel behaviour? Results from a pilot study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 44.                 | 2.0 | 110       |
| 17300 | Validation of a new hand-held electronic data capture method for continuous monitoring of subjective appetite sensations. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 57.            | 2.0 | 46        |
| 17301 | The validity and reliability of a home environment preschool-age physical activity questionnaire (Pre-PAQ). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 86.                          | 2.0 | 78        |
| 17302 | Validity of estimating minute-by-minute energy expenditure of continuous walking bouts by accelerometry. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 92.                             | 2.0 | 19        |
| 17303 | Myocardial extravascular extracellular volume fraction measurement by gadolinium cardiovascular magnetic resonance in humans: slow infusion versus bolus. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011, 13, 16.  | 1.6 | 198       |
| 17304 | Cardiovascular magnetic resonance myocardial feature tracking detects quantitative wall motion during dobutamine stress. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011, 13, 58.                                   | 1.6 | 121       |
| 17305 | Cardiac T2* measurements in patients with iron overload: a comparison of imaging parameters and analysis techniques. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011, 13, .   | 1.6 | 0         |
| 17306 | Immobilized pH gradient-driven paper-based IEF: a new method for fractionating complex peptide mixtures before MS analysis. <i>Clinical Proteomics</i> , 2011, 8, 10.  | 1.1 | 6         |
| 17307 | Multi-finger coordination in healthy subjects and stroke patients: a mathematical modelling approach. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2011, 8, 19.   | 2.4 | 54        |
| 17308 | Predictive equations not always overestimate the resting energy expenditure in amyotrophic lateral sclerosis patients. <i>Nutrition and Metabolism</i> , 2011, 8, 47.  | 1.3 | 1         |
| 17309 | The standardised copy of pentagons test. <i>Annals of General Psychiatry</i> , 2011, 10, 13.   | 1.2 | 10        |
| 17310 | A standardized scoring method for the copy of cube test, developed to be suitable for use in psychiatric populations. <i>Annals of General Psychiatry</i> , 2011, 10, 19.  | 1.2 | 9         |
| 17311 | Advantages of cone beam computed tomography (CBCT) in the orthodontic treatment planning of cleidocranial dysplasia patients: a case report. <i>Head &amp; Face Medicine</i> , 2011, 7, 6.                                     | 0.8 | 30        |
| 17312 | Computed tomography to estimate cardiac preload and extravascular lung water. A retrospective analysis in critically ill patients. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2011, 19, 31. | 1.1 | 13        |
| 17313 | Shoulder muscle endurance: the development of a standardized and reliable protocol. <i>The Sports Medicine, Arthroscopy, Rehabilitation and Technology</i> , 2011, 3, 1.   | 1.0 | 32        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17314 | Noninvasive method to estimate anaerobic threshold in individuals with type 2 diabetes. <i>Diabetology and Metabolic Syndrome</i> , 2011, 3, 1.  | 1.2 | 75        |
| 17315 | Cystatin C more accurately detects mildly impaired renal function than creatinine in children receiving treatment for malignancy. <i>Pediatric Blood and Cancer</i> , 2011, 57, 262-267.   | 0.8 | 41        |
| 17316 | Posterior brain in fetuses with open spina bifida at 11 to 13 weeks. <i>Prenatal Diagnosis</i> , 2011, 31, 103-106.  | 1.1 | 144       |
| 17317 | Fetal intracranial translucency and cisterna magna at 11 to 14 weeks: reference ranges and correlation with chromosomal abnormalities. <i>Prenatal Diagnosis</i> , 2011, 31, 1189-1192.  | 1.1 | 29        |
| 17318 | Fetal thigh volume by 3D sonography using XI VOCAL: reproducibility and reference range for Brazilian healthy fetuses between 20 and 40 weeks. <i>Prenatal Diagnosis</i> , 2011, 31, 1234-1240.  | 1.1 | 11        |
| 17319 | Nasal potential measurements on the nasal floor and under the inferior turbinate: Does it matter?. <i>Pediatric Pulmonology</i> , 2011, 46, 145-152.   | 1.0 | 15        |
| 17320 | Cardiorespiratory measurements during field tests in CF: Use of an ambulatory monitoring system. <i>Pediatric Pulmonology</i> , 2011, 46, 253-260.   | 1.0 | 14        |
| 17321 | Higher Tobramycin concentration and vibrating mesh technology can shorten antibiotic treatment time in cystic fibrosis. <i>Pediatric Pulmonology</i> , 2011, 46, 401-408.  | 1.0 | 40        |
| 17322 | Can we use portable nitric oxide analyzer in young children?. <i>Pediatric Pulmonology</i> , 2011, 46, 627-631.  | 1.0 | 18        |
| 17323 | Relation between partial and raised volume forced expiratory flows in sick infants. <i>Pediatric Pulmonology</i> , 2011, 46, 458-463.  | 1.0 | 1         |
| 17324 | Reproducibility of the Physiological Cost Index among Individuals with a Lower Limb Amputation and Healthy Adults. <i>Physiotherapy Research International</i> , 2011, 16, 92-100.   | 0.7 | 21        |
| 17325 | High-throughput measurement, correlation analysis, and machine learning predictions for pH and thermal stabilities of Pfizer-generated antibodies. <i>Protein Science</i> , 2011, 20, 1546-1557.   | 3.1 | 60        |
| 17326 | Evaluation of absolute peptide quantitation strategies using selected reaction monitoring. <i>Proteomics</i> , 2011, 11, 1148-1152.  | 1.3 | 34        |
| 17327 | Strong anion exchange liquid chromatographic separation of protein amino acids for natural <sup>13</sup> C-abundance determination by isotope ratio mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2011, 25, 429-435.                               | 0.7 | 26        |
| 17328 | Single-step transesterification with simultaneous concentration and stable isotope analysis of fatty acid methyl esters by gas chromatography-combustion-isotope ratio mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2011, 25, 1373-1381.          | 0.7 | 7         |
| 17329 | Quantitation of plasma <sup>13</sup> C-galactose and <sup>13</sup> C-glucose during exercise by liquid chromatography/isotope ratio mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2011, 25, 2484-2488.   | 0.7 | 15        |
| 17330 | Comparison of high-temperature conversion and equilibration methods for the determination of <sup>31</sup> P-palmitic acid oxidation in man using continuous-flow isotope ratio mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2011, 25, 2749-2759. | 0.7 | 2         |
| 17331 | Estimating lean mass over a wide range of body composition: a calibration of deuterium dilution in the arctic ground squirrel. <i>Rapid Communications in Mass Spectrometry</i> , 2011, 25, 3491-3496.   | 0.7 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17332 | Computed tomography liver volumetry using 3-dimensional image data in living donor liver transplantation: Effects of the slice thickness on the volume calculation. <i>Liver Transplantation</i> , 2011, 17, 1427-1436.  | 1.3 | 34        |
| 17333 | Reliability of two techniques for assessing cerebral iron deposits with structural magnetic resonance imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 54-61.   | 1.9 | 12        |
| 17334 | High-resolution 3D coronary vessel wall imaging with near 100% respiratory efficiency using epicardial fat tracking: Reproducibility and comparison with standard methods. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 77-86.                           | 1.9 | 12        |
| 17335 | Left ventricular diastolic function assessment from three-dimensional three-directional velocity-encoded MRI with retrospective valve tracking. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 312-319.  | 1.9 | 48        |
| 17336 | Scan-rescan reproducibility of carotid bifurcation geometry from routine contrast-enhanced MR angiography. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 482-489.   | 1.9 | 12        |
| 17337 | Reproducibility of flow and wall shear stress analysis using flow-sensitive four-dimensional MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 988-994.  | 1.9 | 144       |
| 17338 | On the use of a spin-echo based double inversion recovery acquisition for the measurement of cortical brain thickness. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 1218-1223.   | 1.9 | 2         |
| 17339 | Comparison of measurements of the transverse diameter and perimeter of the fetal thymus obtained by magnetic resonance and ultrasound imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 1100-1105.   | 1.9 | 16        |
| 17340 | Diagnostic value of the flow profile in the distal descending aorta by phase-contrast magnetic resonance for predicting severe coarctation of the aorta. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 1440-1446.   | 1.9 | 11        |
| 17341 | Quantitative assessment of cardiac output and left ventricular function by noninvasive phase-contrast and cine MRI: Validation study with invasive pressure-volume loop analysis in a swine model. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 34, 203-210. | 1.9 | 13        |
| 17342 | Intracranial arterial wall imaging using three-dimensional high isotropic resolution black blood MRI at 3.0 Tesla. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 34, 22-30.   | 1.9 | 235       |
| 17343 | Reproducibility analysis of diffusion tensor indices and fiber architecture of human calf muscles in vivo at 1.5 Tesla in neutral and plantarflexed ankle positions at rest. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 34, 107-119.                       | 1.9 | 41        |
| 17344 | Comparison of a UL111a real-time PCR and pp65 antigenemia for the detection of cytomegalovirus. <i>Journal of Medical Virology</i> , 2011, 83, 2143-2150.  | 2.5 | 13        |
| 17345 | Gender differences in 3D morphology and bony impingement of human hips. <i>Journal of Orthopaedic Research</i> , 2011, 29, 333-339.  | 1.2 | 129       |
| 17346 | Effects of lateral ligament sectioning on the stability of the ankle and subtalar joint. <i>Journal of Orthopaedic Research</i> , 2011, 29, 1459-1464.   | 1.2 | 61        |
| 17347 | The impact of decreased bead count to determine concentrations of amyloid beta1-42, total-tau, and phosphorylated-tau181 in human cerebrospinal fluid using xMAP technology. <i>Journal of Pharmaceutical Sciences</i> , 2011, 100, 4655-4663.                       | 1.6 | 4         |
| 17348 | Brain diffusion-weighted imaging in Friedreich's ataxia. <i>Movement Disorders</i> , 2011, 26, 705-712.  | 2.2 | 52        |
| 17349 | Improving apparent diffusion coefficient estimates and elucidating tumor heterogeneity using Bayesian adaptive smoothing. <i>Magnetic Resonance in Medicine</i> , 2011, 65, 438-447.   | 1.9 | 24        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17350 | A constrained least-squares approach to the automated quantitation of in vivo <sup>1</sup> H magnetic resonance spectroscopy data. <i>Magnetic Resonance in Medicine</i> , 2011, 65, 1-12.   | 1.9 | 273       |
| 17351 | 3D GRASE PROPELLER: Improved image acquisition technique for arterial spin labeling perfusion imaging. <i>Magnetic Resonance in Medicine</i> , 2011, 66, 168-173.  | 1.9 | 26        |
| 17352 | Combining two-dimensional spatially selective RF excitation, parallel imaging, and UNFOLD for accelerated MR thermometry imaging. <i>Magnetic Resonance in Medicine</i> , 2011, 66, 112-122.   | 1.9 | 40        |
| 17353 | Assessment of tissue edema in patients with acute myocardial infarction by computer-assisted quantification of triple inversion recovery prepared MRI of the myocardium. <i>Magnetic Resonance in Medicine</i> , 2011, 66, 565-574.  | 1.9 | 11        |
| 17354 | Development of chemical exchange saturation transfer at 7T. <i>Magnetic Resonance in Medicine</i> , 2011, 66, 831-838.   | 1.9 | 88        |
| 17355 | Single scan PC-MRI by alternating the velocity encoding gradient polarity between phase encoding steps. <i>Magnetic Resonance in Medicine</i> , 2011, 66, 998-1007.  | 1.9 | 0         |
| 17356 | A <i>B</i> <sub>1</sub> -insensitive high resolution 2D <i>T</i> <sub>1</sub> mapping pulse sequence for dGEMRIC of the HIP at 3 Tesla. <i>Magnetic Resonance in Medicine</i> , 2011, 66, 348-355.   | 1.9 | 13        |
| 17357 | Reproducibility of sensory nerve conduction studies of the sural nerve using ultrasound-guided needle positioning. <i>Muscle and Nerve</i> , 2011, 44, 873-876.  | 1.0 | 8         |
| 17358 | Sonographic measurement of cervical volume in nonpregnant women using the geometric formula for a cylinder versus the three-dimensional automated virtual organ computer-aided analysis (vocal). <i>Journal of Clinical Ultrasound</i> , 2011, 39, 322-328.                | 0.4 | 9         |
| 17359 | Performance of an online translation tool when applied to patient educational material. <i>Journal of Hospital Medicine</i> , 2011, 6, 519-525.  | 0.7 | 20        |
| 17360 | Evaluation of specific metabolic rates of major organs and tissues: Comparison between men and women. <i>American Journal of Human Biology</i> , 2011, 23, 333-338.  | 0.8 | 46        |
| 17361 | Harris lines revisited: Prevalence, comorbidities, and possible etiologies. <i>American Journal of Human Biology</i> , 2011, 23, 381-391.  | 0.8 | 69        |
| 17362 | Reproducibility of asbestos body counts in digestions of autopsy and surgical lung tissue. <i>American Journal of Industrial Medicine</i> , 2011, 54, 597-602.   | 1.0 | 6         |
| 17363 | Point-of-care laboratory halves door-to-therapy decision time in acute stroke. <i>Annals of Neurology</i> , 2011, 69, 581-586.   | 2.8 | 77        |
| 17364 | Preferential macrovasculopathy in systemic sclerosis detected by regional pulse wave velocity from wave intensity analysis: Comparisons of local and regional arterial stiffness parameters in cases and controls. <i>Arthritis Care and Research</i> , 2011, 63, 579-587. | 1.5 | 29        |
| 17365 | Predicting maximal strength of quadriceps from submaximal performance in individuals with knee joint osteoarthritis. <i>Arthritis Care and Research</i> , 2011, 63, 216-222.   | 1.5 | 34        |
| 17366 | Very early improvements in the wrist and hand assessed by power doppler sonography predicting later favorable responses in tocilizumab-treated patients with rheumatoid arthritis. <i>Arthritis Care and Research</i> , 2011, 63, 1477-1481.                               | 1.5 | 14        |
| 17367 | Accuracy of post-void residual urine volume measurement using a portable ultrasound bladder scanner with real-time pre-scan imaging. <i>Neurourology and Urodynamics</i> , 2011, 30, 335-338.  | 0.8 | 35        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17368 | Short-term test-retest reproducibility of urethral pressure profilometry in women with urodynamic stress incontinence with and without detrusor overactivity. <i>Neurourology and Urodynamics</i> , 2011, 30, 1356-1360.   | 0.8 | 3         |
| 17369 | Evaluation of infarcted murine heart function: comparison of prospectively triggered with self-gated MRI. <i>NMR in Biomedicine</i> , 2011, 24, 307-315.   | 1.6 | 36        |
| 17370 | Comparative analysis of CE-SSCP to standard RFLP-CE-FLA method in quantification of known viral variants within an RNA virus quasispecies. <i>Electrophoresis</i> , 2011, 32, 1852-1859.   | 1.3 | 4         |
| 17371 | Estimation of renal function in patients with eating disorders. <i>International Journal of Eating Disorders</i> , 2011, 44, 233-237.  | 2.1 | 13        |
| 17372 | Allele-specific methylated multiplex real-time quantitative PCR (ASMM RTQ-PCR), a powerful method for diagnosing loss of imprinting of the 11p15 region in Russell Silver and Beckwith Wiedemann syndromes. <i>Human Mutation</i> , 2011, 32, 249-258.                       | 1.1 | 43        |
| 17373 | Ability of commonly used prediction equations to predict resting energy expenditure in children with inflammatory bowel disease. <i>Inflammatory Bowel Diseases</i> , 2011, 17, 1587-1593.   | 0.9 | 17        |
| 17374 | Development and validation of the Crohn's disease perceived work disability questionnaire. <i>Inflammatory Bowel Diseases</i> , 2011, 17, 2350-2357.   | 0.9 | 22        |
| 17375 | Agreement between pQCT- and DXA-derived indices of bone geometry, density, and theoretical strength in females of varying age, maturity, and physical activity. <i>Journal of Bone and Mineral Research</i> , 2011, 26, 1349-1357.   | 3.1 | 20        |
| 17376 | Allowable Total Error and Limits for Erroneous Results (ATE/LER) zones for agreement measurement. <i>Journal of Clinical Laboratory Analysis</i> , 2011, 25, 83-89.  | 0.9 | 6         |
| 17377 | Erythrocyte Sedimentation Rate measurement by VES Matic Cube 80 in relation to inflammation plasma proteins. <i>Journal of Clinical Laboratory Analysis</i> , 2011, 25, 198-202.   | 0.9 | 10        |
| 17378 | Evaluation of BD Vacutainer SST <sub>2</sub> II plus tubes for special proteins testing. <i>Journal of Clinical Laboratory Analysis</i> , 2011, 25, 203-206.   | 0.9 | 5         |
| 17379 | Right ventricular volumes and ejection fraction by MR imaging and stereology: Comparison with standard image analysis method. <i>Clinical Anatomy</i> , 2011, 24, 868-873.   | 1.5 | 5         |
| 17380 | Contributions of angiogenesis to inflammation, joint damage, and pain in a rat model of osteoarthritis. <i>Arthritis and Rheumatism</i> , 2011, 63, 2700-2710.   | 6.7 | 151       |
| 17381 | Reproducibility of ultrasound measurement of the abdominal aorta. <i>British Journal of Surgery</i> , 2011, 98, 1517-1525.   | 0.1 | 123       |
| 17382 | Use of pretransformation to cope with extreme values in important candidate features. <i>Biometrical Journal</i> , 2011, 53, 673-688.  | 0.6 | 3         |
| 17383 | Planning of catheter interventions for pulmonary artery stenosis: Improved measurement agreement with magnetic resonance angiography using identical angulations. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 77, 400-408.                               | 0.7 | 20        |
| 17384 | Assessment of the aortic annulus by multislice computed tomography, contrast aortography, and trans-thoracic echocardiography in patients referred for transcatheter aortic valve implantation. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 77, 868-875. | 0.7 | 82        |
| 17385 | Intercatheter reproducibility of near-infrared spectroscopy for the in vivo detection of coronary lipid core plaques. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 77, 657-661.   | 0.7 | 15        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17386 | A nonimaging catheter for measurement of coronary artery lumen area. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 78, 202-210.  | 0.7 | 14        |
| 17387 | Two-dimensional quantitative coronary angiographic models for bifurcation segmental analysis. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 77, 830-839.   | 0.7 | 21        |
| 17388 | Interventional cardiology fellowship training in canada. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 78, 179-186.  | 0.7 | 5         |
| 17389 | Assessment of aerobic capacity during swimming exercise in ob/ob mice. <i>Cell Biochemistry and Function</i> , 2011, 29, 666-672.  | 1.4 | 16        |
| 17390 | Effect of Image-Guidance Frequency on Geometric Accuracy and Setup Margins in Radiotherapy for Locally Advanced Lung Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 80, 1330-1337.                       | 0.4 | 61        |
| 17391 | Rapid assays of clozapine and its metabolites in dried blood spots by liquid chromatography and microextraction by packed sorbent procedure. <i>Journal of Chromatography A</i> , 2011, 1218, 2153-2159.                                     | 1.8 | 62        |
| 17392 | Improved enantiomer resolution and quantification of free d-amino acids in serum and urine by comprehensive two-dimensional gas chromatography-time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2011, 1218, 4537-4544. | 1.8 | 53        |
| 17393 | Determination of cortisol production rates with contemporary liquid chromatography-mass spectrometry to measure cortisol-d3 dilution after infusion of deuterated tracer. <i>Clinical Biochemistry</i> , 2011, 44, 430-434.                  | 0.8 | 18        |
| 17394 | Suitability of chemiluminescent enzyme immunoassay for the measurement of blood tacrolimus concentrations in rheumatoid arthritis. <i>Clinical Biochemistry</i> , 2011, 44, 397-402.   | 0.8 | 12        |
| 17395 | Comparison of surface plasmon resonance transferrin quantification with a common immunoturbidimetric method. <i>Clinical Biochemistry</i> , 2011, 44, 731-735.   | 0.8 | 8         |
| 17396 | Preliminary application of a novel algorithm to monitor changes in pre-flight total peripheral resistance for prediction of post-flight orthostatic intolerance in astronauts. <i>Acta Astronautica</i> , 2011, 68, 770-777.                 | 1.7 | 2         |
| 17397 | Performance Evaluation of a Noninvasive Hemoglobin Monitoring Device. <i>Annals of Emergency Medicine</i> , 2011, 57, 330-333.   | 0.3 | 111       |
| 17398 | Accuracy of Noninvasive Multiwave Pulse Oximetry Compared With Carboxyhemoglobin From Blood Gas Analysis in Unselected Emergency Department Patients. <i>Annals of Emergency Medicine</i> , 2011, 58, 74-79.                                 | 0.3 | 80        |
| 17399 | Fixed-effects modeling of Cohen's weighted kappa for bivariate multinomial data. <i>Computational Statistics and Data Analysis</i> , 2011, 55, 1061-1070.  | 0.7 | 9         |
| 17400 | A review of segmentation methods in short axis cardiac MR images. <i>Medical Image Analysis</i> , 2011, 15, 169-184.   | 7.0 | 602       |
| 17401 | Reliability of 4-m and 6-m walking speed tests in elderly people with cognitive impairment. <i>Archives of Gerontology and Geriatrics</i> , 2011, 52, e67-e70.   | 1.4 | 41        |
| 17402 | A new DTL-electrode holder for recording of electroretinograms in animals. <i>Journal of Neuroscience Methods</i> , 2011, 195, 128-134.  | 1.3 | 4         |
| 17403 | Vertical ground reaction force measurements and video measurements provide comparable estimates of distance moved by mice during artificial light and dark periods. <i>Journal of Neuroscience Methods</i> , 2011, 197, 104-108.             | 1.3 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17404 | Validation of a new tool for automatic assessment of tremor frequency from video recordings. <i>Journal of Neuroscience Methods</i> , 2011, 198, 110-113.   | 1.3 | 26        |
| 17405 | Toward accurate volumetry of brain aneurysms: Combination of an algorithm for automatic thresholding with a 3D eraser tool. <i>Journal of Neuroscience Methods</i> , 2011, 198, 294-300.  | 1.3 | 5         |
| 17406 | Comparison of longitudinal myocardial tissue velocity, strain, and strain rate measured by two-dimensional speckle tracking and by color tissue Doppler imaging in healthy dogs. <i>Journal of Veterinary Cardiology</i> , 2011, 13, 31-43.   | 0.3 | 36        |
| 17407 | Factors Affecting Prostate Volume Estimation in Computed Tomography Images. <i>Medical Dosimetry</i> , 2011, 36, 85-90.   | 0.4 | 3         |
| 17408 | Minimal model quantification of pulmonary gas exchange in intensive care patients. <i>Medical Engineering and Physics</i> , 2011, 33, 240-248.  | 0.8 | 66        |
| 17409 | Thermal anemometric assessment of coronary flow reserve with a pressure-sensing guide wire: An in vitro evaluation. <i>Medical Engineering and Physics</i> , 2011, 33, 684-691.   | 0.8 | 7         |
| 17410 | Segmentation and reconstruction of vascular structures for 3D real-time simulation. <i>Medical Image Analysis</i> , 2011, 15, 22-34.  | 7.0 | 49        |
| 17411 | Evaluation of a flexible force sensor for measurement of helmet foam impact performance. <i>Journal of Biomechanics</i> , 2011, 44, 904-909.  | 0.9 | 25        |
| 17412 | Experimental validation of non-invasive and fluid density independent methods for the determination of local wave speed and arrival time of reflected wave. <i>Journal of Biomechanics</i> , 2011, 44, 1393-1399.   | 0.9 | 22        |
| 17413 | Fast and accurate specimen-specific simulation of trabecular bone elastic modulus using novel beam-shell finite element models. <i>Journal of Biomechanics</i> , 2011, 44, 1566-1572.   | 0.9 | 17        |
| 17414 | A method to perform spinal motion analysis from functional X-ray images. <i>Journal of Biomechanics</i> , 2011, 44, 1740-1746.  | 0.9 | 22        |
| 17415 | Accuracy of generic musculoskeletal models in predicting the functional roles of muscles in human gait. <i>Journal of Biomechanics</i> , 2011, 44, 2096-2105.   | 0.9 | 92        |
| 17416 | Comparison of gas chromatography-mass spectrometry and high-performance liquid chromatography with coulometric electrode array detection for determination of alkylresorcinol metabolites in human urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011, 879, 647-651. | 1.2 | 20        |
| 17417 | HPLC-fluorimetric assay of phospholipase A2. Application to biological samples with high protein content and various reaction conditions. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011, 879, 1557-1564.   | 1.2 | 5         |
| 17418 | Quantification of acetaminophen (paracetamol) in human plasma and urine by stable isotope-dilution GC-MS and GC-MS/MS as pentafluorobenzyl ether derivative. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011, 879, 2274-2280.  | 1.2 | 46        |
| 17420 | Evaluation of Prostate Volume by Transabdominal Ultrasonography With Modified Ellipsoid Formula at Different Stages of Benign Prostatic Hyperplasia. <i>Ultrasound in Medicine and Biology</i> , 2011, 37, 331-337.   | 0.7 | 7         |
| 17421 | In Vitro and Preliminary In Vivo Validation of Echo Particle Image Velocimetry in Carotid Vascular Imaging. <i>Ultrasound in Medicine and Biology</i> , 2011, 37, 450-464.  | 0.7 | 84        |
| 17422 | Evaluating the Intra- and Interobserver Reliability of Three-Dimensional Ultrasound and Power Doppler Angiography (3D-PDA) for Assessment of Placental Volume and Vascularity in the Second Trimester of Pregnancy. <i>Ultrasound in Medicine and Biology</i> , 2011, 37, 376-385.  | 0.7 | 26        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17423 | Longitudinal Enhancement of the Hyperechoic Regions in Ultrasonography of Muscles Using a Gabor Filter Bank Approach: A Preparation for Semi-Automatic Muscle Fiber Orientation Estimation. <i>Ultrasound in Medicine and Biology</i> , 2011, 37, 665-673. | 0.7 | 28        |
| 17424 | Assessment of Postoperative Postvoid Residual Bladder Volume Using Three-Dimensional Ultrasound Volumetry. <i>Ultrasound in Medicine and Biology</i> , 2011, 37, 522-529.  | 0.7 | 11        |
| 17425 | Left Ventricular Border Tracking Using Cardiac Motion Models and Optical Flow. <i>Ultrasound in Medicine and Biology</i> , 2011, 37, 605-616.  | 0.7 | 30        |
| 17426 | Validation of the Smallest Pocket Echoscopic Device's Diagnostic Capabilities in Heart Investigation. <i>Ultrasound in Medicine and Biology</i> , 2011, 37, 798-804.   | 0.7 | 35        |
| 17427 | Usefulness of Cervical Volume by Three-Dimensional Ultrasound in Identifying the Risk for Preterm Birth. <i>Ultrasound in Medicine and Biology</i> , 2011, 37, 1039-1045.  | 0.7 | 14        |
| 17428 | The -folded cumulative distribution function and the mean absolute deviation from the -quantile. <i>Statistics and Probability Letters</i> , 2011, 81, 1179-1182.  | 0.4 | 11        |
| 17429 | Automated quantification of three-dimensional subject motion to monitor image quality in high-resolution peripheral quantitative computed tomography. <i>Physics in Medicine and Biology</i> , 2011, 56, 6523-6543.  | 1.6 | 25        |
| 17430 | Tumor-infiltrating macrophages correlate with adverse prognosis and Epstein-Barr virus status in classical Hodgkin's lymphoma. <i>Haematologica</i> , 2011, 96, 269-276.   | 1.7 | 173       |
| 17431 | High prevalence of renal dysfunction in children after liver transplantation: non-invasive diagnosis using a cystatin C-based equation. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 1407-1412.  | 0.4 | 20        |
| 17432 | Renal Perfusion: Noninvasive Measurement with Multidetector CT versus Fluorescent Microspheres in a Pig Model. <i>Radiology</i> , 2011, 260, 414-420.  | 3.6 | 26        |
| 17433 | Automated 3D Structure Inference of Civil Infrastructure Using a Stereo Camera Set. , 2011, , .  |     | 3         |
| 17434 | CT Color Mapping of the Arterial Enhancement Fraction of VX2 Carcinoma Implanted in Rabbit Liver: Comparison With Perfusion CT. <i>American Journal of Roentgenology</i> , 2011, 196, 102-108.   | 1.0 | 26        |
| 17435 | Reference Normal Absolute and Indexed Values From ECG-Gated MDCT: Left Atrial Volume, Function, and Diameter. <i>American Journal of Roentgenology</i> , 2011, 197, 631-637.   | 1.0 | 37        |
| 17436 | Quantitative Radiology: Automated CT Liver Volumetry Compared With Interactive Volumetry and Manual Volumetry. <i>American Journal of Roentgenology</i> , 2011, 197, W706-W712.  | 1.0 | 103       |
| 17437 | Agreement and Repeatability of an Infrared Thermometer. <i>Journal of Nursing Measurement</i> , 2011, 19, 55-64.   | 0.2 | 10        |
| 17438 | Comparison of a non-invasive arterial pulse contour technique and echo Doppler aorta velocity-time integral on stroke volume changes in optimization of cardiac resynchronization therapy. <i>Europace</i> , 2011, 13, 87-95.                              | 0.7 | 42        |
| 17439 | Hyperfiltration Affects Accuracy of Creatinine eGFR Measurement. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 274-280.  | 2.2 | 61        |
| 17440 | Evaluation of the CT scanogram for assessment of craniofacial morphology. <i>Angle Orthodontist</i> , 2011, 81, 17-25.   | 1.1 | 8         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17441 | Glomerular filtration rate estimation by use of a correction formula for slope-intercept plasma iohexol clearance in cats. <i>American Journal of Veterinary Research</i> , 2011, 72, 1652-1659.  | 0.3 | 23        |
| 17442 | Evaluation of oscillometric and vascular access port arterial blood pressure measurement techniques versus implanted telemetry in anesthetized cats. <i>American Journal of Veterinary Research</i> , 2011, 72, 1015-1021.  | 0.3 | 15        |
| 17443 | Comparison of three point-of-care blood glucose meters for use in adult and juvenile alpacas. <i>Journal of the American Veterinary Medical Association</i> , 2011, 239, 380-386.   | 0.2 | 10        |
| 17444 | Evaluation of the Mean and Entropy of Apparent Diffusion Coefficient Values in Chronic Hepatitis C: Correlation with Pathologic Fibrosis Stage and Inflammatory Activity Grade. <i>Radiology</i> , 2011, 258, 739-748.  | 3.6 | 108       |
| 17445 | Measuring signal-to-noise ratio in partially parallel imaging MRI. <i>Medical Physics</i> , 2011, 38, 5049-5057.  | 1.6 | 100       |
| 17446 | Agreement between arterial partial pressure of carbon dioxide and saturation of hemoglobin with oxygen values obtained by direct arterial blood measurements versus noninvasive methods in conscious healthy and ill foals. <i>Journal of the American Veterinary Medical Association</i> , 2011, 239, 1341-1347. | 0.2 | 11        |
| 17447 | Comparison of blood velocity measurements between ultrasound Doppler and accelerated phase-contrast MR angiography in small arteries with disturbed flow. <i>Physics in Medicine and Biology</i> , 2011, 56, 1755-1773.   | 1.6 | 31        |
| 17448 | T2 <sup>*</sup> Measurements of 3-T MRI With Ultrashort TEs: Capabilities of Pulmonary Function Assessment and Clinical Stage Classification in Smokers. <i>American Journal of Roentgenology</i> , 2011, 197, W279-W285.   | 1.0 | 60        |
| 17449 | Comparison of use of an infrared anesthetic gas monitor and refractometry for measurement of anesthetic agent concentrations. <i>American Journal of Veterinary Research</i> , 2011, 72, 1299-1304.   | 0.3 | 2         |
| 17450 | Interobserver variability in the interpretation of computed tomography following aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2011, 115, 1191-1196.   | 0.9 | 29        |
| 17451 | Accuracy of a digital skinfold system for measuring skinfold thickness and estimating body fat. <i>British Journal of Nutrition</i> , 2011, 105, 478-484.   | 1.2 | 16        |
| 17452 | Validation of the Talarâ€œSecond Metatarsal Angle as a Standard Measurement for Radiographic Evaluation. <i>Journal of the American Podiatric Medical Association</i> , 2011, 101, 475-483.   | 0.2 | 10        |
| 17453 | Muscle Fat Fraction in Neuromuscular Disorders: Dual-Echo Dual-Flip-Angle Spoiled Gradient-Recalled MR Imaging Technique for Quantificationâ€œA Feasibility Study. <i>Radiology</i> , 2011, 259, 487-494.   | 3.6 | 77        |
| 17454 | Relative validity of adolescent dietary patterns: a comparison of a FFQ and 3Âd food record. <i>British Journal of Nutrition</i> , 2011, 105, 625-633.  | 1.2 | 52        |
| 17455 | A New Time Measurement Method Using a High-End Global Navigation Satellite System to Analyze Alpine Skiing. <i>Research Quarterly for Exercise and Sport</i> , 2011, 82, 400-411.   | 0.8 | 40        |
| 17456 | Standard Error of Measurement of 5 Health Utility Indexes across the Range of Health for Use in Estimating Reliability and Responsiveness. <i>Medical Decision Making</i> , 2011, 31, 260-269.  | 1.2 | 33        |
| 17457 | Functional cardiac MRI in preterm and term newborns. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2011, 96, F86-F91.   | 1.4 | 64        |
| 17458 | Detection of physiological changes after exercise via a remote optophysiological imaging system. , 2011, , .  |     | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17459 | Differentiation of Malignant and Benign Pulmonary Nodules with Quantitative First-Pass 320â€“Detector Row Perfusion CT versus FDG PET/CT. <i>Radiology</i> , 2011, 258, 599-609.  | 3.6 | 112       |
| 17460 | Rapid Flow Assessment of Congenital Heart Disease with High-Spatiotemporal-Resolution Gated Spiral Phase-Contrast MR Imaging. <i>Radiology</i> , 2011, 260, 79-87.  | 3.6 | 49        |
| 17461 | Evaluation of Saliva as an Alternative Matrix for Monitoring Plasma Zidovudine, Lamivudine and Nevirapine Concentrations in Rwanda. <i>Current HIV Research</i> , 2011, 9, 223-228.   | 0.2 | 10        |
| 17462 | Proximal Aneurysmal Neck: Dynamic ECG-gated CT Angiographyâ€”Conformational Pulsatile Changes with Possible Consequences for Endograft Sizing. <i>Radiology</i> , 2011, 260, 591-598.   | 3.6 | 15        |
| 17463 | Has My Patient Responded?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011, 184, 642-646.  | 2.5 | 56        |
| 17464 | Noninvasive Assessment of Transstenotic Pressure Gradients in Porcine Renal Artery Stenoses by Using Vastly Undersampled Phase-Contrast MR Angiography. <i>Radiology</i> , 2011, 261, 266-273.  | 3.6 | 56        |
| 17465 | Multivariate Compensation of Quantitative Pulmonary Emphysema Metric Variation From Low-Dose, Whole-Lung CT Scans. <i>American Journal of Roentgenology</i> , 2011, 197, W495-W502.   | 1.0 | 13        |
| 17466 | Validation of Quantitative Magnetic Resonance Body Composition Analysis for Infants Using Piglet Model. <i>Pediatric Research</i> , 2011, 69, 330-335.  | 1.1 | 14        |
| 17467 | Nonâ€“Small Cell Lung Carcinoma: Accuracy of PET/CT in Determining the Size of T1 and T2 Primary Tumors. <i>American Journal of Roentgenology</i> , 2011, 196, 1176-1181.   | 1.0 | 22        |
| 17468 | CT Screening and Follow-Up of Lung Nodules: Effects of Tube Currentâ€“Time Setting and Nodule Size and Density on Detectability and of Tube Currentâ€“Time Setting on Apparent Size. <i>American Journal of Roentgenology</i> , 2011, 197, 623-630. | 1.0 | 40        |
| 17469 | Skeletal Muscle Mitochondrial Function Is Associated with Longitudinal Growth Velocity in Children and Adolescents. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1612-E1618.  | 1.8 | 14        |
| 17470 | Validation of Insulin Sensitivity and Secretion Indices Derived from the Liquid Meal Tolerance Test. <i>Diabetes Technology and Therapeutics</i> , 2011, 13, 661-666.   | 2.4 | 27        |
| 17471 | The Effect of Racial Origin on Total Body Water Volume in Peritoneal Dialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 2492-2498.  | 2.2 | 33        |
| 17472 | Evaluation of Sensewear Armband to estimate energy expenditure during wheelchair propulsion. <i>Advances in Physiotherapy</i> , 2011, 13, 42-49.  | 0.2 | 2         |
| 17473 | Evaluation of Single-Point Sampling Strategies for the Estimation of Moclobemide Exposure in Depressive Patients. <i>Journal of Clinical Pharmacology</i> , 2011, 51, 661-671.  | 1.0 | 8         |
| 17474 | A nanomonitor compared to ELISA for C-reactive protein detection in patient blood. , 2011, , .  |     | 1         |
| 17475 | Arm span as a proxy measure for height and estimation of nutritional status: A study among Dhimals of Darjeeling in West Bengal India. <i>Annals of Human Biology</i> , 2011, 38, 728-735.  | 0.4 | 39        |
| 17476 | Noninvasive method for measuring respiratory system compliance during pressure support ventilation. , 2011, 2011, 3808-11.  |     | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17477 | Measurement of the aortic annulus size by real-time three-dimensional transesophageal echocardiography. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2011, 20, 85-94.  | 0.6 | 43        |
| 17478 | A Short Screener Is Valid for Assessing Mediterranean Diet Adherence among Older Spanish Men and Women. <i>Journal of Nutrition</i> , 2011, 141, 1140-1145.   | 1.3 | 973       |
| 17479 | On-body antenna for vital signs and heart rate variability monitoring. , 2011, , .  |     | 2         |
| 17480 | 2D luminescence imaging of pH in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 2432-2437.   | 3.3 | 183       |
| 17481 | Transcutaneous assessment of renal function in conscious rats with a device for measuring FITC-sinistrin disappearance curves. <i>Kidney International</i> , 2011, 79, 1254-1258.   | 2.6 | 116       |
| 17482 | A Comparison of Amount and Speed of Deposition Between the PARI LC STAR <sup>®</sup> Jet Nebulizer and an Investigational eFlow <sup>®</sup> Nebulizer. <i>Journal of Aerosol Medicine and Pulmonary Drug Delivery</i> , 2011, 24, 157-163. | 0.7 | 33        |
| 17483 | Infrasonic cardiac signals: Complementary windows to cardiovascular dynamics. , 2011, 2011, 4275-8.   |     | 16        |
| 17484 | Effect of different swim caps on the assessment of body volume and percentage body fat by air displacement plethysmography. <i>Journal of Sports Sciences</i> , 2011, 29, 191-196.  | 1.0 | 12        |
| 17485 | High Altitude Sleep Disturbances Monitored by Actigraphy and Polysomnography. <i>High Altitude Medicine and Biology</i> , 2011, 12, 229-236.  | 0.5 | 31        |
| 17486 | Automatic Quantification of Myocardial Infarction from Delayed Enhancement MRI. , 2011, , .   |     | 8         |
| 17487 | Repeatability of the accelerometric-based method to detect step events for hemiparetic stroke patients. , 2011, 2011, 5195-8.   |     | 1         |
| 17488 | Integration of 3D Imaging Data in the Assessment of Aortic Stenosis. <i>Circulation: Cardiovascular Imaging</i> , 2011, 4, 566-573.   | 1.3 | 56        |
| 17489 | Proximity loggers: data handling and classification for quality Control. <i>IEEE Sensors Journal</i> , 2011, , .  | 2.4 | 2         |
| 17490 | Application of missing data approaches in software testing research. , 2011, , .  |     | 3         |
| 17491 | Adaptive filtering for suppression of respiratory artifact in impedance cardiography. , 2011, 2011, 7932-6.   |     | 12        |
| 17492 | Atrial strain rate is a sensitive measure of alterations in atrial phasic function in healthy ageing. <i>Heart</i> , 2011, 97, 1513-1519.   | 1.2 | 85        |
| 17493 | Principle component analysis on photoplethysmograms: Blood oxygen saturation estimation and signal segmentation. , 2011, 2011, 7171-4.  |     | 0         |
| 17494 | Agreement on outcome: Speaker, carer, and therapist perspectives on functional communication after stroke. <i>Aphasiology</i> , 2011, 25, 291-308.  | 1.4 | 19        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17495 | Computer-assisted image analysis for measuring body segmental angles during a static strength element on parallel bars: validity and reliability. <i>Sports Biomechanics</i> , 2011, 10, 135-145.   | 0.8 | 0         |
| 17496 | In Vivo Evaluation of Quantitative MR Angiography in a Canine Carotid Artery Stenosis Model. <i>American Journal of Neuroradiology</i> , 2011, 32, 1552-1559.   | 1.2 | 51        |
| 17497 | The Development of a Self-Reported Version of the Chronic Heart Questionnaire. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2011, 31, 365-372.   | 1.2 | 10        |
| 17498 | Agreement comparison between home and clinic blood pressure measurements in 200 Chinese participants. <i>Blood Pressure Monitoring</i> , 2011, 16, 277-281.   | 0.4 | 9         |
| 17499 | Supramaximal Verification of Peak Oxygen Uptake in Adolescents With Cystic Fibrosis. <i>Pediatric Physical Therapy</i> , 2011, 23, 15-21.   | 0.3 | 15        |
| 17500 | The Sleep Log and Actigraphy. <i>The Journal of Nursing Research: JNR</i> , 2011, 19, 173-180.  | 0.7 | 14        |
| 17501 | Semiautomated Image Processing Method for Identification and Quantification of Geographic Atrophy in Age-Related Macular Degeneration. , 2011, 52, 7640.  |     | 162       |
| 17502 | Feasibility of Flow Cytometry for Measurements of Plasmodium falciparum Parasite Burden in Studies in Areas of Malaria Endemicity by Use of Bidimensional Assessment of YOYO-1 and Autofluorescence. <i>Journal of Clinical Microbiology</i> , 2011, 49, 968-974. | 1.8 | 20        |
| 17503 | Comparison of Affirm VP11 and Papanicolaou Tests in the Detection of Infectious Vaginitis. <i>American Journal of Clinical Pathology</i> , 2011, 135, 442-447.  | 0.4 | 16        |
| 17504 | Innovative Use of Point-of-Care Testing for Chronic Kidney Disease Screening. <i>Point of Care</i> , 2011, 10, 98-101.  | 0.5 | 5         |
| 17505 | An Enzymatic Method to Determine $\hat{1}^3$ -Hydroxybutyric Acid in Serum and Urine. <i>Therapeutic Drug Monitoring</i> , 2011, 33, 757-765.   | 1.0 | 19        |
| 17506 | Rapid Quantification of Color Vision: The Cone Contrast Test. , 2011, 52, 816.  |     | 79        |
| 17507 | Development and analytical validation of a radioimmunoassay for the measurement of alpha<sub>1</sub>-proteinase inhibitor concentrations in feces from healthy puppies and adult dogs. <i>Journal of Veterinary Diagnostic Investigation</i> , 2011, 23, 476-485. | 0.5 | 28        |
| 17508 | Test/Retest Reliability of Maximum Mouth Pressure Measurements With the MicroRPM in Healthy Volunteers. <i>Respiratory Care</i> , 2011, 56, 776-782.  | 0.8 | 90        |
| 17509 | Validation of Finger-Prick Testing of Fasting Blood Glucose, Total Cholesterol, and HbA1c in Adolescents. <i>Point of Care</i> , 2011, 10, 51-58.   | 0.5 | 8         |
| 17510 | Time-Lapse In Vivo Imaging of Corneal Angiogenesis: The Role of Inflammatory Cells in Capillary Sprouting. , 2011, 52, 3060.  |     | 29        |
| 17511 | Is relative leg length a biomarker of childhood nutrition? Long-term follow-up of the Hyderabad Nutrition Trial. <i>International Journal of Epidemiology</i> , 2011, 40, 1022-1029.  | 0.9 | 27        |
| 17512 | Transcutaneous Measurement of Carbon Dioxide Tension During Extended Monitoring: Evaluation of Accuracy and Stability, and an Algorithm for Correcting Calibration Drift. <i>Respiratory Care</i> , 2011, 56, 442-448.  | 0.8 | 25        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17513 | Reevaluating and Optimizing Polyomavirus BK and JC Real-Time PCR Assays To Detect Rare Sequence Polymorphisms. <i>Journal of Clinical Microbiology</i> , 2011, 49, 1382-1388.  | 1.8 | 66        |
| 17514 | Computer-Assisted Methods to Evaluate Retinal Vascular Caliber: What Are They Measuring?. <i>Investigative Ophthalmology and Visual Science</i> , 2011, 52, 810-815.   | 3.3 | 26        |
| 17515 | Comparison of relative validity of food group intakes estimated by comprehensive and brief-type self-administered diet history questionnaires against 16 d dietary records in Japanese adults. <i>Public Health Nutrition</i> , 2011, 14, 1200-1211. | 1.1 | 650       |
| 17516 | Grading Bulbar Redness Using Cross-Calibrated Clinical Grading Scales. , 2011, 52, 5812.   |     | 32        |
| 17517 | In vivo D2O labeling to quantify static and dynamic changes in cholesterol and cholesterol esters by high resolution LC/MS. <i>Journal of Lipid Research</i> , 2011, 52, 159-169.  | 2.0 | 42        |
| 17518 | Comparison between pulse waveform analysis and thermodilution cardiac output determination in patients with severe pre-eclampsia. <i>British Journal of Anaesthesia</i> , 2011, 106, 77-81.  | 1.5 | 30        |
| 17519 | Longitudinal Change Detected by Spectral Domain Optical Coherence Tomography in the Optic Nerve Head and Peripapillary Retina in Experimental Glaucoma. , 2011, 52, 1206.  |     | 201       |
| 17520 | Performance of cardiac output measurement derived from arterial pressure waveform analysis in patients requiring high-dose vasopressor therapy. <i>British Journal of Anaesthesia</i> , 2011, 106, 776-784.  | 1.5 | 59        |
| 17521 | Reproducibility of Deriving Parameters of AAA Rupture Risk From Patient-Specific 3D Finite Element Models. <i>Journal of Endovascular Therapy</i> , 2011, 18, 289-298.   | 0.8 | 41        |
| 17522 | Hand osteoarthritis and MRI: development and first validation step of the proposed Oslo Hand Osteoarthritis MRI score. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1033-1038.  | 0.5 | 87        |
| 17523 | Hypertrophic Cardiomyopathy: Quantification of Late Gadolinium Enhancement with Contrast-enhanced Cardiovascular MR Imaging. <i>Radiology</i> , 2011, 258, 128-133.  | 3.6 | 137       |
| 17524 | Gastric aspirate culture using the microscopic observation drug susceptibility (MODS) technique is superior to other methods for bacteriological confirmation of tuberculosis in children. <i>Thorax</i> , 2011, 66, 608-608.                        | 2.7 | 0         |
| 17525 | Motion-compensated noncontact imaging photoplethysmography to monitor cardiorespiratory status during exercise. <i>Journal of Biomedical Optics</i> , 2011, 16, 077010.  | 1.4 | 176       |
| 17526 | Prevalence and Predictors of Carotid Wall Triple Line Pattern in a General Population Sample. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1682-1688.   | 1.1 | 6         |
| 17527 | Patient-Doctor Depth-of-Relationship Scale: Development and Validation. <i>Annals of Family Medicine</i> , 2011, 9, 538-545.   | 0.9 | 48        |
| 17528 | Accuracy and validity of a combined heart rate and motion sensor for the measurement of free-living physical activity energy expenditure in adults in Cameroon. <i>International Journal of Epidemiology</i> , 2011, 40, 112-120.                    | 0.9 | 114       |
| 17529 | Measurement of leg-length discrepancy using laser-based ultrasound method. <i>Acta Radiologica</i> , 2011, 52, 1143-1146.  | 0.5 | 14        |
| 17530 | Use of non-invasive haemodynamic measurements to detect treatment response in precapillary pulmonary hypertension. <i>Thorax</i> , 2011, 66, 810-814.  | 2.7 | 15        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17531 | Quantitative Blood Flow Measurements in Gliomas Using Arterial Spin-Labeling at 3T: Intermodality Agreement and Inter- and Intraobserver Reproducibility Study. <i>American Journal of Neuroradiology</i> , 2011, 32, 2073-2079.                              | 1.2 | 59        |
| 17532 | Mechanisms of Acute Mitral Regurgitation in Patients With Takotsubo Cardiomyopathy. <i>Circulation: Cardiovascular Imaging</i> , 2011, 4, 392-398.  | 1.3 | 63        |
| 17533 | Concurrent validity and test-retest reliability of a global positioning system (GPS) and timing gates to assess sprint performance variables. <i>Journal of Sports Sciences</i> , 2011, 29, 1613-1619.  | 1.0 | 130       |
| 17534 | Minimal Detectable Change of the Timed Up & Go Test and the Dynamic Gait Index in People With Parkinson Disease. <i>Physical Therapy</i> , 2011, 91, 114-121.   | 1.1 | 275       |
| 17535 | Comparison of two methods for cardiac output measurement in critically ill patients. <i>British Journal of Anaesthesia</i> , 2011, 106, 690-694.  | 1.5 | 23        |
| 17536 | Pulsatility in the Iliac Artery Is Significant at Several Levels: Implications for EVAR. <i>Journal of Endovascular Therapy</i> , 2011, 18, 199-204.  | 0.8 | 3         |
| 17537 | Comparison between an uncalibrated pulse contour method and thermodilution technique for cardiac output estimation in septic patients. <i>British Journal of Anaesthesia</i> , 2011, 107, 202-208.  | 1.5 | 38        |
| 17538 | Quantitative Assessment of Brain Stem and Cerebellar Atrophy in Spinocerebellar Ataxia Types 3 and 6: Impact on Clinical Status. <i>American Journal of Neuroradiology</i> , 2011, 32, 890-897.   | 1.2 | 56        |
| 17539 | Independent component analysis of normal and abnormal rhythm in twin pregnancies. <i>Physiological Measurement</i> , 2011, 32, 51-64.   | 1.2 | 4         |
| 17540 | Interchangeability of blood gas, electrolyte and metabolite results measured with point-of-care, blood gas and core laboratory analyzers. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011, 49, 1187-1191.  | 1.4 | 53        |
| 17541 | Confirmation of congenital adrenal hyperplasia by adrenal steroid profiling of filter paper dried blood samples using ultra-performance liquid chromatography-tandem mass spectrometry. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011, 49, 677-84. | 1.4 | 21        |
| 17542 | Laboratory Measurements of Hormones and Related Biomarkers: Technologies, Quality Management and Validation. , 2011, , 1-31.  |     | 3         |
| 17543 | Which is the most accurate formula to estimate fetal weight in women with severe preterm preeclampsia?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 271-279.   | 0.7 | 9         |
| 17544 | Effects of DNA extraction method on Porcine circovirus-2 real-time polymerase chain reaction quantification in swine lymph node samples. <i>Journal of Veterinary Diagnostic Investigation</i> , 2011, 23, 1189-1196.   | 0.5 | 2         |
| 17545 | <sup>68</sup> Ga-DOTATOC Versus <sup>68</sup> Ga-DOTATATE PET/CT in Functional Imaging of Neuroendocrine Tumors. <i>Journal of Nuclear Medicine</i> , 2011, 52, 1864-1870.  | 2.8 | 270       |
| 17546 | Motion analysis of total cervical disc replacements using computed tomography: Preliminary experience with nine patients and a model. <i>Acta Radiologica</i> , 2011, 52, 1128-1137.  | 0.5 | 13        |
| 17547 | Evaluation of the Comparability and Repeatability of Four Wavefront Aberrometers. , 2011, 52, 1302.   |     | 91        |
| 17548 | Measurement of the Limbus-Insertion Distance in Adult Strabismus Patients with Anterior Segment Optical Coherence Tomography. , 2011, 52, 8370.   |     | 53        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17549 | A Phase II Study of Pazopanib in Asian Patients with Recurrent/Metastatic Nasopharyngeal Carcinoma. <i>Clinical Cancer Research</i> , 2011, 17, 5481-5489.   | 3.2 | 96        |
| 17550 | Computerized Repeating and Averaging Improve the Test-Retest Variability of ETDRS Visual Acuity Measurements: Implications for Sensitivity and Specificity. , 2011, 52, 9397.                                |     | 20        |
| 17551 | Absolute Quantification of [11C]docetaxel Kinetics in Lung Cancer Patients Using Positron Emission Tomography. <i>Clinical Cancer Research</i> , 2011, 17, 4814-4824.  | 3.2 | 19        |
| 17552 | Equations to Estimate Creatinine Excretion Rate. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 184-191.  | 2.2 | 166       |
| 17553 | Lysine requirement of the enterally fed term infant in the first month of life. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1496-1503.   | 2.2 | 29        |
| 17554 | Systematic Review and Empirical Comparison of Contemporaneous EQ-5D and SF-6D Group Mean Scores. <i>Medical Decision Making</i> , 2011, 31, E34-E44.   | 1.2 | 57        |
| 17555 | Validation of weight estimation by age and length based methods in the Western Cape, South Africa population. <i>Emergency Medicine Journal</i> , 2011, 28, 856-860.   | 0.4 | 46        |
| 17556 | Inter- and intra-observer variation of fetal volume measurements with three-dimensional ultrasound in the first trimester of pregnancy. <i>Journal of Perinatal Medicine</i> , 2011, 39, 539-43.             | 0.6 | 14        |
| 17557 | Real-time three-dimensional speckle tracking echocardiography: a novel technique to quantify global left ventricular mechanical dyssynchrony. <i>European Journal of Echocardiography</i> , 2011, 12, 26-32. | 2.3 | 86        |
| 17558 | Lung Clearance Index and HRCT are complementary markers of lung abnormalities in young children with CF. <i>Thorax</i> , 2011, 66, 481-488.  | 2.7 | 173       |
| 17559 | Obsessive-Compulsive Spectrum Disorders: a Comorbidity and Family History Perspective. <i>Australasian Psychiatry</i> , 2011, 19, 151-155.   | 0.4 | 25        |
| 17560 | Clinically needed sensitivity for very low levels of Factor XIII: not yet proven for a new functional assay. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011, 49, 1753-4.                           | 1.4 | 5         |
| 17561 | Single prediction equation for bioelectrical impedance analysis in adults aged 22â€“59 years. <i>Journal of Medical Engineering and Technology</i> , 2011, 35, 109-114.                                      | 0.8 | 6         |
| 17562 | Corrective supramalleolar osteotomy for malunited pronation-external rotation fractures of the ankle. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 1367-1372.                      | 3.4 | 57        |
| 17563 | Comparison of Cyclodeviation and Duction Measurement in Gravesâ€™ Orbitopathy Patients Using Different Devices. <i>Strabismus</i> , 2011, 19, 43-51.   | 0.4 | 13        |
| 17564 | Assessment of Lower Limb Microcirculation: Exploring the Reproducibility and Clinical Application of Laser Doppler Techniques. <i>Skin Pharmacology and Physiology</i> , 2011, 24, 136-143.                  | 1.1 | 27        |
| 17565 | Validation of the Measurement of Haemodialysis Access Flow Using a Haemoglobin Dilution Test. <i>Blood Purification</i> , 2011, 32, 48-52.   | 0.9 | 1         |
| 17566 | Percentiles of Inspiratory Capacity in Healthy Nonsmokers: A Pilot Study. <i>Respiration</i> , 2011, 82, 254-262.  | 1.2 | 10        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17567 | Determination of Dialysis Dose: A Clinical Comparison of Methods. <i>Blood Purification</i> , 2011, 32, 271-277.  | 0.9 | 14        |
| 17568 | Implications of Turbulence Slope Variations in Different Approaches. <i>Heart International</i> , 2011, 6, hi.2011.e7.  | 0.4 | 0         |
| 17569 | The Practical Implications of Using Estimated GFR as the Presumed Reference Variable to Estimate Transplant Chronic Kidney Disease. <i>Nephrology Research &amp; Reviews</i> , 2011, 3, 5-12.   | 0.2 | 1         |
| 17570 | Validation of Stereophotogrammetry of the Human Torso. <i>Breast Cancer: Basic and Clinical Research</i> , 2011, 5, BCBCR.S6352.  | 0.6 | 20        |
| 17571 | Automatic vessel lumen segmentation and stent strut detection in intravascular optical coherence tomography. <i>Medical Physics</i> , 2011, 39, 503-513.  | 1.6 | 96        |
| 17572 | Assessment of the CKD-EPI Equation to Estimate Glomerular Filtration Rate in Adults from a Chinese CKD Population. <i>Journal of International Medical Research</i> , 2011, 39, 2273-2280.  | 0.4 | 26        |
| 17573 | Arthroscopic Measurement of Cartilage Lesions of the Knee Condyle. <i>Cartilage</i> , 2011, 2, 237-245.   | 1.4 | 6         |
| 17574 | Influence of adenosine on ventricular function measurements as part of a comprehensive stress perfusion magnetic resonance imaging study. <i>Acta Radiologica</i> , 2011, 52, 624-631.  | 0.5 | 3         |
| 17575 | Preliminary study of whole-body diffusion-weighted imaging in detecting pulmonary metastatic lesions from clear cell renal cell carcinoma: comparison with CT. <i>Acta Radiologica</i> , 2011, 52, 954-963.   | 0.5 | 18        |
| 17576 | Development and validation of a timed urinary collection system for use in the cat. <i>Laboratory Animals</i> , 2011, 45, 196-203.  | 0.5 | 9         |
| 17577 | Estimating Peak Work Rate during Incremental Cycle Ergometry from the 6-Minute Walk Distance: Differences between Reference Equations. <i>Respiration</i> , 2011, 81, 124-128.  | 1.2 | 19        |
| 17578 | The Sask Formula to Estimate Glomerular Filtration Rate in Renal Transplant Patients. <i>Nephron Clinical Practice</i> , 2011, 117, c135-c150.  | 2.3 | 1         |
| 17579 | Validation of a Transcutaneous CO <sub>2</sub> Monitor in Adult Patients with Chronic Respiratory Failure. <i>Respiration</i> , 2011, 81, 242-246.  | 1.2 | 21        |
| 17580 | Concerns for the Reliability and Validity of the National Stroke Project Stroke Severity Scale. <i>Cerebrovascular Diseases</i> , 2011, 32, 426-430.  | 0.8 | 4         |
| 17581 | Repeatability of Manual Subfoveal Choroidal Thickness Measurements in Healthy Subjects Using the Technique of Enhanced Depth Imaging Optical Coherence Tomography. , 2011, 52, 2267.  |     | 257       |
| 17582 | Comparison of Cystatin C and Creatinine-based Glomerular Filtration Rate Formulas with <sup>51</sup> Cr-EDTA Clearance in Patients with Cirrhosis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 84-92.                                 | 2.2 | 59        |
| 17583 | Central Benzodiazepine Receptor Binding Potential and CBF Images on SPECT Correlate with Oxygen Extraction Fraction Images on PET in the Cerebral Cortex with Unilateral Major Cerebral Artery Occlusive Disease. <i>Journal of Nuclear Medicine</i> , 2011, 52, 511-518. | 2.8 | 27        |
| 17584 | Corpus Callosum Length by Gestational Age as Evaluated by Fetal MR Imaging. <i>American Journal of Neuroradiology</i> , 2011, 32, 490-494.  | 1.2 | 40        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17585 | Electrolyte-balanced heparin in blood gas syringes can introduce a significant bias in the measurement of positively charged electrolytes. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011, 49, 249-252.                                 | 1.4 | 22        |
| 17586 | Intima-Media Thickness and Flow-Mediated Dilatation in the Helsinki Study of Very Low Birth Weight Adults. <i>Pediatrics</i> , 2011, 127, e304-e311.  | 1.0 | 52        |
| 17587 | Novel Approach to Parental Permission and Child Assent for Research: Improving Comprehension. <i>Pediatrics</i> , 2011, 127, 917-924.   | 1.0 | 59        |
| 17588 | Evaluation of an open-field autorefractor's ability to measure refraction and hence potential to assess objective accommodation in pseudophakes. <i>British Journal of Ophthalmology</i> , 2011, 95, 498-501.                                     | 2.1 | 20        |
| 17589 | Evaluation of a new fiber-grating vision sensor for assessing pulmonary functions in healthy and COPD subjects. <i>Physiological Measurement</i> , 2011, 32, 1701-1713.   | 1.2 | 7         |
| 17590 | Comparison between RapidTEG <sup>®</sup> and conventional thromboelastography in cardiac surgery patients. <i>British Journal of Anaesthesia</i> , 2011, 106, 605-606.  | 1.5 | 12        |
| 17591 | Cardiac output can be measured with the transpulmonary thermodilution method in a paediatric animal model with a left-to-right shunt. <i>British Journal of Anaesthesia</i> , 2011, 107, 336-343.   | 1.5 | 12        |
| 17592 | Prediction of arterial oxygen partial pressure after changes in FiO <sub>2</sub> : validation and clinical application of a novel formula. <i>British Journal of Anaesthesia</i> , 2011, 107, 806-812.  | 1.5 | 5         |
| 17593 | A graphical method for assessing agreement with the mean between multiple observers using continuous measures. <i>International Journal of Epidemiology</i> , 2011, 40, 1308-1313.  | 0.9 | 81        |
| 17594 | Diagnostic Accuracy Assessment of Sensititre and Agar Disk Diffusion for Determining Antimicrobial Resistance Profiles of Bovine Clinical Mastitis Pathogens. <i>Journal of Clinical Microbiology</i> , 2011, 49, 1568-1577.                      | 1.8 | 20        |
| 17595 | Quantification of Vitamin A in Palm Oil Using a Fast and Simple Portable Device: Method Validation and Comparison to High-Performance Liquid Chromatography. <i>International Journal for Vitamin and Nutrition Research</i> , 2011, 81, 335-342. | 0.6 | 21        |
| 17596 | Automated spatial alignment of 3D torso images. , 2011, 2011, 8455-8.   |     | 2         |
| 17597 | Topographic Paracentral Corneal Thickness With Pentacam and Orbscan: Effect of Acoustic Factor. <i>Eye and Contact Lens</i> , 2011, 37, 348-353.  | 0.8 | 8         |
| 17598 | Non-invasive continuous core temperature measurement by zero heat flux. <i>Physiological Measurement</i> , 2011, 32, 559-570.   | 1.2 | 89        |
| 17599 | The influence of calculation method on estimates of cerebral critical closing pressure. <i>Physiological Measurement</i> , 2011, 32, 467-482.   | 1.2 | 36        |
| 17600 | The use of meat juice or blood serum for the diagnosis of <i>Salmonella</i> infection in pigs and its possible implications on <i>Salmonella</i> control programs. <i>Journal of Veterinary Diagnostic Investigation</i> , 2011, 23, 528-531.     | 0.5 | 14        |
| 17601 | Permissible performance limits of regression analyses in method comparisons. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011, 49, 1805-16.   | 1.4 | 2         |
| 17602 | Evaluation of 2 methods for sodium intake assessment in cardiac patients with and without heart failure: the confounding effect of loop diuretics. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 535-541.                             | 2.2 | 45        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17603 | Comparison of the cortisol responses to testing with two doses of ACTH in patients with suspected adrenal insufficiency. <i>European Journal of Endocrinology</i> , 2011, 164, 83-87.   | 1.9 | 16        |
| 17604 | Test-Retest Reliability and Practice Effect of the Oral-format Symbol Digit Modalities Test in Patients with Stroke. <i>Archives of Clinical Neuropsychology</i> , 2011, 26, 356-363.   | 0.3 | 32        |
| 17605 | Mapping point-of-care performance using locally-smoothed median and maximum absolute difference curves. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011, 49, 1637-46.  | 1.4 | 9         |
| 17606 | Nomogram of fetal upper arm volume by three-dimensional ultrasound using extended imaging virtual organ computer-aided analysis (XI VOCAL). <i>Journal of Perinatal Medicine</i> , 2011, 39, 717-24.  | 0.6 | 5         |
| 17607 | Assessing cerebrospinal fluid flow connectivity using 3D gradient echo phase contrast velocity encoded MRI. <i>Physiological Measurement</i> , 2011, 32, 407-421.   | 1.2 | 7         |
| 17608 | Self-Monitoring of Blood Glucose: The Use of the First or the Second Drop of Blood. <i>Diabetes Care</i> , 2011, 34, 556-560.   | 4.3 | 55        |
| 17609 | Quantification of HIV-RNA from dried blood spots using the Siemens VERSANT(R) HIV-1 RNA (kPCR) assay. <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 2823-2826.   | 1.3 | 15        |
| 17610 | Use of Multispectral MRI to Monitor Aneurysm Sac Contents After Endovascular Abdominal Aortic Aneurysm Repair. <i>Journal of Endovascular Therapy</i> , 2011, 18, 274-279.  | 0.8 | 11        |
| 17611 | Two-dimensional versus three-dimensional CT angiography in analysis of anatomical suitability for stentgraft repair of abdominal aortic aneurysms. <i>Acta Radiologica</i> , 2011, 52, 317-323.   | 0.5 | 34        |
| 17612 | Paediatric sickle cell disease: pulmonary hypertension but normal vascular resistance. <i>Archives of Disease in Childhood</i> , 2011, 96, 131-136.   | 1.0 | 34        |
| 17613 | Fugl-Meyer Assessment of Sensorimotor Function After Stroke. <i>Stroke</i> , 2011, 42, 427-432.   | 1.0 | 325       |
| 17614 | Anorexia nervosa and nutritional assessment: contribution of body composition measurements. <i>Nutrition Research Reviews</i> , 2011, 24, 39-45.  | 2.1 | 22        |
| 17615 | Video instructions improve accuracy of self-measures of waist circumference compared with written instructions. <i>Public Health Nutrition</i> , 2011, 14, 1192-1199.   | 1.1 | 12        |
| 17616 | Testing Equivalence with Repeated Measures: Tests of the Difference Model of Two-Alternative Forced-Choice Performance. <i>Spanish Journal of Psychology</i> , 2011, 14, 1023-1049.   | 1.1 | 3         |
| 17617 | Concurrent and construct validity of Mediterranean diet scores as assessed by an FFQ. <i>Public Health Nutrition</i> , 2011, 14, 2015-2021.   | 1.1 | 51        |
| 17618 | Validation of a quantitative FFQ for the Barbados National Cancer Study. <i>Public Health Nutrition</i> , 2011, 14, 426-434.  | 1.1 | 12        |
| 17619 | Validation of an FFQ and options for data processing using the doubly labelled water method in children. <i>Public Health Nutrition</i> , 2011, 14, 410-417.  | 1.1 | 60        |
| 17620 | Assessing factorial and convergent validity and reliability of a food behaviour checklist for Spanish-speaking participants in US Department of Agriculture nutrition education programmes. <i>Public Health Nutrition</i> , 2011, 14, 1165-1176. | 1.1 | 25        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17621 | Incorporating management history into forest growth modelling. <i>IForest</i> , 2011, 4, 212-217.  | 0.5 | 7         |
| 17622 | Monitoring Sleep-Wake Rhythm with Actigraphy in Patients on Continuous Positive Airway Pressure Therapy. <i>Respiration</i> , 2011, 82, 136-141.   | 1.2 | 9         |
| 17623 | Test-Retest Reliability of Two Attention Tests in Schizophrenia. <i>Archives of Clinical Neuropsychology</i> , 2011, 26, 405-411.  | 0.3 | 11        |
| 17624 | Cartridge-based automated BCR-ABL1 mRNA quantification: solving the issues of standardization, at what cost?. <i>Haematologica</i> , 2011, 96, 664-671.  | 1.7 | 25        |
| 17625 | Accuracy and Reproducibility of Absolute Quantification of Myocardial Focal Tracer Uptake from Molecularly Targeted SPECT/CT: A Canine Validation. <i>Journal of Nuclear Medicine</i> , 2011, 52, 453-460.               | 2.8 | 10        |
| 17626 | Reliability of Doppler and Stethoscope Methods of Determining Systolic Blood Pressures: Considerations for Calculating an Ankle-Brachial Index. <i>Journal of the National Medical Association</i> , 2011, 103, 863-869. | 0.6 | 10        |
| 17627 | Critical evaluation of the ultrasonic pachymetry for "in vitro" corneas. <i>Proceedings of SPIE</i> , 2011, , .  | 0.8 | 0         |
| 17628 | Multicentre imaging measurements for oncology and in the brain. <i>British Journal of Radiology</i> , 2011, 84, S213-S226.   | 1.0 | 34        |
| 17629 | Evaluation of activity monitors in manual wheelchair users with paraplegia. <i>Journal of Spinal Cord Medicine</i> , 2011, 34, 110-117.  | 0.7 | 44        |
| 17630 | Accurate Assessment of Adherence. <i>Chest</i> , 2011, 140, 425-432.   | 0.4 | 179       |
| 17631 | Accuracy and Precision of Three Echocardiographic Methods for Estimating Mean Pulmonary Artery Pressure. <i>Chest</i> , 2011, 139, 347-352.  | 0.4 | 55        |
| 17632 | Inaccuracy of Doppler Echocardiographic Estimates of Pulmonary Artery Pressures in Patients With Pulmonary Hypertension. <i>Chest</i> , 2011, 139, 988-993.  | 0.4 | 328       |
| 17633 | The Role of Doppler Echocardiography in Pulmonary Artery Hypertension. <i>Chest</i> , 2011, 139, 973-975.  | 0.4 | 7         |
| 17634 | Properties of Self-Paced Walking in Chronic Respiratory Disease. <i>Chest</i> , 2011, 140, 737-743.  | 0.4 | 13        |
| 17635 | Human Lens Transmission of Blue Light: A Comparison of Autofluorescence-Based and Direct Spectral Transmission Determination. <i>Ophthalmic Research</i> , 2011, 46, 118-124.  | 1.0 | 26        |
| 17636 | Assessment of Body Composition in Peritoneal Dialysis Patients Using Bioelectrical Impedance and Dual-Energy X-Ray Absorptiometry. <i>American Journal of Nephrology</i> , 2011, 33, 150-156.                            | 1.4 | 125       |
| 17637 | Measurement of Glomerular Filtration Rate in Obese Patients: Pitfalls and Potential Consequences on Drug Therapy. <i>Obesity Facts</i> , 2011, 4, 238-243.   | 1.6 | 33        |
| 17638 | Comparison of Estimated Protein Output and Urine Protein:Creatinine Ratio in First and Second Voids with 24-Hour Urine Protein. <i>Nephron Extra</i> , 2011, 1, 235-241.   | 1.1 | 3         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17639 | Partitioning Transcript Variation in <i>Drosophila</i> : Abundance, Isoforms, and Alleles. <i>G3: Genes, Genomes, Genetics</i> , 2011, 1, 427-436.  | 0.8 | 7         |
| 17640 | CD4 Intragenic SNPs Associate With HIV-2 Plasma Viral Load and CD4 Count in a Community-Based Study From Guinea-Bissau, West Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 56, 1-8.                                 | 0.9 | 29        |
| 17641 | Validation of the MostCare Pulse Contour Cardiac Output Monitor. <i>Anesthesia and Analgesia</i> , 2011, 113, 1292-1294.  | 1.1 | 21        |
| 17642 | Glycemic Control in the ICU. <i>Chest</i> , 2011, 140, 212-220.   | 0.4 | 75        |
| 17643 | An In Vivo Investigation of Photoplethysmographic Signals and Preliminary Pulse Oximetry Estimation from the Bowel Using a New Fiberoptic Sensor. <i>Anesthesia and Analgesia</i> , 2011, 112, 1104-1109.   | 1.1 | 5         |
| 17644 | A Comprehensive Comparison of Central Corneal Thickness Measurement. <i>Optometry and Vision Science</i> , 2011, 88, 940-949.   | 0.6 | 40        |
| 17645 | The need for robust validation for MDRD-based glomerular filtration rate estimation in various CKD populations. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 2780-2785.   | 0.4 | 87        |
| 17646 | Impact of temporary right ventricular pacing from different sites on echocardiographic indices of cardiac function. <i>Europace</i> , 2011, 13, 1738-1746.  | 0.7 | 34        |
| 17647 | Validation of a fornix depth measurer: a putative tool for the assessment of progressive cicatrising conjunctivitis. <i>British Journal of Ophthalmology</i> , 2011, 95, 842-847.   | 2.1 | 28        |
| 17648 | Irreversible Electroporation in the Liver: Contrast-enhanced Inversion-Recovery MR Imaging Approaches to Differentiate Reversibly Electroporated Penumbra from Irreversibly Electroporated Ablation Zones. <i>Radiology</i> , 2011, 258, 461-468.   | 3.6 | 66        |
| 17649 | Letter by Iosa et al Regarding Article, "Reliability and Validity of Bilateral Ankle Accelerometer Algorithms for Activity Recognition and Walking Speed After Stroke" • <i>Stroke</i> , 2011, 42, e576; author reply e577.                         | 1.0 | 3         |
| 17650 | Reliability of tonosafe disposable tonometer prisms: clinical implications from the Veterans Affairs Boston Healthcare System Quality Assurance Study. <i>Eye</i> , 2011, 25, 651-656.  | 1.1 | 4         |
| 17651 | ESTIMATING THE MEAN BLOOD FLOW OF ARM BASED ON WINDKESSEL MODEL. <i>Biomedical Engineering - Applications, Basis and Communications</i> , 2011, 23, 349-356.  | 0.3 | 2         |
| 17652 | A comparative study of the accuracy and reliability of multidetector CT and cone beam CT in the assessment of dental implant site dimensions. <i>Dentomaxillofacial Radiology</i> , 2011, 40, 466-467.  | 1.3 | 3         |
| 17653 | Reliability of computational measurement of the condyles on digital panoramic radiographs. <i>Dentomaxillofacial Radiology</i> , 2011, 40, 444-450.   | 1.3 | 9         |
| 17654 | Right ventricular quantification in clinical practice: two-dimensional vs. three-dimensional echocardiography compared with cardiac magnetic resonance imaging. <i>European Journal of Echocardiography</i> , 2011, 12, 656-664.                    | 2.3 | 137       |
| 17655 | Relationship between ultrasonic tissue characterization and myocardial deformation for prediction of left ventricular reverse remodelling in non-ischaemic dilated cardiomyopathy. <i>European Journal of Echocardiography</i> , 2011, 12, 887-894. | 2.3 | 23        |
| 17656 | Robustness of a new three-dimensional echocardiographic algorithm for left ventricular volume and ejection fraction quantification: experts vs. novices. <i>European Journal of Echocardiography</i> , 2011, 12, 895-903.                           | 2.3 | 9         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17657 | The use of videofluoroscopy in the assessment of the pharyngeal airway in obstructive sleep apnoea. <i>European Journal of Orthodontics</i> , 2011, 33, 212-219.  | 1.1 | 11        |
| 17658 | Inter-scan variability of coronary artery calcium scoring assessed on 64-multidetector computed tomography vs. dual-source computed tomography: a head-to-head comparison. <i>European Heart Journal</i> , 2011, 32, 1865-1874.   | 1.0 | 71        |
| 17659 | Comparison of automated and manual follicle monitoring in an unrestricted population of 100 women undergoing controlled ovarian stimulation for IVF. <i>Human Reproduction</i> , 2011, 26, 127-133.   | 0.4 | 48        |
| 17660 | The MDRD formula does not reflect GFR in ESRD patients. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 1932-1937.   | 0.4 | 86        |
| 17661 | Higher body mass index is associated with higher fractional creatinine excretion in healthy subjects. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3181-3188.   | 0.4 | 33        |
| 17662 | Variability in urinary oxalate measurements between six international laboratories. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3954-3959.   | 0.4 | 12        |
| 17663 | The Embryonic Stem Cell Test as Tool to Assess Structure-Dependent Teratogenicity: The Case of Valproic Acid. <i>Toxicological Sciences</i> , 2011, 120, 360-370.   | 1.4 | 30        |
| 17664 | Wearable Physiological Status Monitors for Measuring and Evaluating Workers' Physical Strain: Preliminary Validation. , 2011, , .   |     | 18        |
| 17665 | Accurate CD4 T-cell enumeration and antiretroviral drug toxicity monitoring in primary healthcare clinics using point-of-care testing. <i>Aids</i> , 2011, 25, 807-812.   | 1.0 | 82        |
| 17666 | Using a web-based system to explore peer, self, and tutor assessment in problem-based learning tutorials. , 2011, , .   |     | 0         |
| 17667 | Corneal Sublayer Thickness Measurements with The Nidek ConfoScan 4 (Z Ring). <i>Optometry and Vision Science</i> , 2011, 88, E1240-E1244.   | 0.6 | 9         |
| 17668 | Point-of-Care Assays for Hemoglobin A1c: Is Performance Adequate?. <i>Clinical Chemistry</i> , 2011, 57, 1333-1334.   | 1.5 | 21        |
| 17669 | A comparison of retrospectively self-gated magnetic resonance imaging and high-frequency echocardiography for characterization of left ventricular function in mice. <i>Laboratory Animals</i> , 2011, 45, 31-37.   | 0.5 | 19        |
| 17670 | Comparative Evaluation of Three Automated Systems for DNA Extraction in Conjunction with Three Commercially Available Real-Time PCR Assays for Quantitation of Plasma Cytomegalovirus DNAemia in Allogeneic Stem Cell Transplant Recipients. <i>Journal of Clinical Microbiology</i> , 2011, 49, 2899-2904. | 1.8 | 46        |
| 17671 | Performance of the Chronic Kidney Disease Epidemiology Collaboration Equation to Estimate Glomerular Filtration Rate in Diabetic Patients. <i>Diabetes Care</i> , 2011, 34, 1320-1322.  | 4.3 | 82        |
| 17672 | North African reference equation for peak nasal inspiratory flow. <i>Journal of Laryngology and Otology</i> , 2011, 125, 595-602.   | 0.4 | 12        |
| 17673 | Patients Have Two Eyes!: Binocular versus Better Eye Visual Field Indices. , 2011, 52, 7007.  |     | 88        |
| 17674 | Medicine dosing by weight in the home: can parents accurately weigh preschool children? A method comparison study. <i>Archives of Disease in Childhood</i> , 2011, 96, 1187-1190.   | 1.0 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17675 | Quantifying Nystagmus in Infants and Young Children: Relation between Foveation and Visual Acuity Deficit. , 2011, 52, 8724.  |     | 34        |
| 17676 | Letter to the Editor Response. Sports Health, 2011, 3, 498-498.   | 1.3 | 0         |
| 17677 | Fully Automated Atlas-Based MR Imaging Volumetry in Huntington Disease, Compared with Manual Volumetry. American Journal of Neuroradiology, 2011, 32, 1328-1332.  | 1.2 | 20        |
| 17678 | Sources of Variability in Measurements of Cardiac Troponin T in a Community-Based Sample: The Atherosclerosis Risk in Communities Study. Clinical Chemistry, 2011, 57, 891-897.   | 1.5 | 74        |
| 17679 | Single Insulin-Specific CD8+ T Cells Show Characteristic Gene Expression Profiles in Human Type 1 Diabetes. Diabetes, 2011, 60, 3289-3299.  | 0.3 | 33        |
| 17680 | Comparative evaluation of a competitive polymerase chain reaction (PCR) and a SYBR Greenâ€‘based real-time PCR to quantify Porcine circovirus-2 DNA in swine tissue samples. Journal of Veterinary Diagnostic Investigation, 2011, 23, 1160-1167. | 0.5 | 5         |
| 17681 | Validation of Human Whole Blood Oximetry, Using a Hyperspectral Fundus Camera with a Model Eye. , 2011, 52, 2851.   |     | 41        |
| 17682 | Estimation of remaining dentine thickness below deep lesions of caries. British Dental Journal, 2011, 211, E20-E20.   | 0.3 | 12        |
| 17683 | How many measurements are needed to provide reliable information in terms of the ambulatory arterial stiffness index? the Ohasama study. Hypertension Research, 2011, 34, 314-318.  | 1.5 | 6         |
| 17684 | Effects of a Motor and Multisensory-Based Approach on Residents with Moderate-to-Severe Dementia. American Journal of Alzheimer's Disease and Other Dementias, 2011, 26, 282-289.   | 0.9 | 24        |
| 17685 | Automated temporal tracking and segmentation of lymphoma on serial CT examinations. Medical Physics, 2011, 38, 5879-5886.   | 1.6 | 15        |
| 17686 | Energy expenditure in chronic obstructive pulmonary diseaseâ€‘evaluation of simple measures. European Journal of Clinical Nutrition, 2011, 65, 1309-1313.   | 1.3 | 11        |
| 17687 | Comparison of three different immunoassay methods for the evaluation of intact parathyroid hormone levels in hemodialysis patients. Scandinavian Journal of Clinical and Laboratory Investigation, 2011, 71, 227-231.                             | 0.6 | 2         |
| 17688 | Universal GFR determination based on two time points during plasma iohexol disappearance. Kidney International, 2011, 80, 423-430.  | 2.6 | 48        |
| 17689 | Prediction of body-fat percentage from skinfold and bio-impedance measurements in Indian school children. European Journal of Clinical Nutrition, 2011, 65, 1263-1270.  | 1.3 | 34        |
| 17690 | Defining anthropometric cut-off levels related to metabolic risk in a group of Sri Lankan children. Annals of Human Biology, 2011, 38, 537-543.   | 0.4 | 13        |
| 17691 | Finalisation and validation of the rheumatoid arthritis impact of disease score, a patient-derived composite measure of impact of rheumatoid arthritis: a EULAR initiative. Annals of the Rheumatic Diseases, 2011, 70, 935-942.                  | 0.5 | 238       |
| 17692 | Relationship Between Interstitial and Blood Glucose During Hypoglycemia in Subjects with Type 2 Diabetes. Diabetes Technology and Therapeutics, 2011, 13, 1121-1127.  | 2.4 | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17693 | neuroCornea â€” Diabetic peripheral neuropathy early diagnosis and follow-up through in vivo automatic analysis of corneal nerves morphology. , 2011, , .   |     | 1         |
| 17694 | Measures of Agreement and Concordance With Clinical Research Applications. Statistics in Biopharmaceutical Research, 2011, 3, 185-209.  | 0.6 | 11        |
| 17695 | Comparability of haemoglobin mass measured with different carbon monoxide-based rebreathing procedures and calculations. Scandinavian Journal of Clinical and Laboratory Investigation, 2011, 71, 19-29.  | 0.6 | 22        |
| 17696 | Quantification of beading intensity in cultured neurons. , 2011, , .  |     | 0         |
| 17697 | A viscoelastic model of a breast phantom for real-time palpation. , 2011, 2011, 4546-9.   |     | 3         |
| 17698 | Test-retest reliability of the GAITRite system in people with stroke undergoing rehabilitation. Disability and Rehabilitation, 2011, 33, 1848-1853.   | 0.9 | 70        |
| 17699 | Reproducibility of CT Perfusion Parameters in Liver Tumors and Normal Liver. Radiology, 2011, 260, 762-770.   | 3.6 | 54        |
| 17700 | ACCURATE RADIOGRAPHIC MEASUREMENT OF THE DISTAL RADIAL TILT. Hand Surgery, 2011, 16, 259-262.   | 0.6 | 6         |
| 17701 | Evaluation of multiplex immunoassays, used for determination of adiponectin, resistin, leptin, and ghrelin from human blood samples, in comparison to ELISA assays. Scandinavian Journal of Clinical and Laboratory Investigation, 2011, 71, 221-226.                               | 0.6 | 19        |
| 17702 | The role of the transverse acetabular ligament for acetabular component orientation in total hip replacement. Journal of Bone and Joint Surgery: British Volume, 2011, 93-B, 1021-1026.   | 3.4 | 34        |
| 17703 | The Bland-Altman Method Should Not Be Used in Regression Cross-Validation Studies. Research Quarterly for Exercise and Sport, 2011, 82, 610-616.  | 0.8 | 16        |
| 17704 | Comparison of iCare tonometer and Goldmann applanation tonometry in normal corneas and in eyes with automated lamellar and penetrating keratoplasty. Eye, 2011, 25, 642-650.  | 1.1 | 59        |
| 17705 | Cardiac output measurement in newborn infants using the ultrasonic cardiac output monitor: an assessment of agreement with conventional echocardiography, repeatability and new user experience. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2011, 96, F206-F211. | 1.4 | 34        |
| 17706 | h-indices in a university department of anaesthesia: an evaluation of their feasibility, reliability, and validity as an assessment of academic performance. British Journal of Anaesthesia, 2011, 106, 325-330.  | 1.5 | 48        |
| 17707 | Influence of the trigger technique on ventricular function measurements using 3-Tesla magnetic resonance imaging: comparison of ECG versus pulse wave triggering. Acta Radiologica, 2011, 52, 385-392.  | 0.5 | 17        |
| 17708 | AccuO2 Oximetry-Driven Oxygen-Conserving Device Versus Fixed-Dose Oxygen Devices in Stable COPD Patients. Respiratory Care, 2011, 56, 1901-1905.  | 0.8 | 40        |
| 17709 | A Novel Approach to Office Blood Pressure Measurement: 30-Minute Office Blood Pressure vs Daytime Ambulatory Blood Pressure. Annals of Family Medicine, 2011, 9, 128-135.   | 0.9 | 57        |
| 17710 | Point of care testing is appropriate for National Health Service health check. Annals of Clinical Biochemistry, 2011, 48, 159-165.  | 0.8 | 21        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17711 | A Classification-System Improves the Intra- and Interobserver Reliability of Radiographic Diagnosis of "Pistol-Grip-Deformity". HIP International, 2011, 21, 732-739.  | 0.9 | 3         |
| 17712 | Comparison of Near-Patient Capillary Glucose Measurement and a Risk Assessment Questionnaire in Screening for Type 2 Diabetes in a High-Risk Population in Rural India. Diabetes Care, 2011, 34, 44-49.                        | 4.3 | 24        |
| 17713 | Non-invasive assessment of renal allograft fibrosis by dynamic sonographic tissue perfusion measurement. Acta Radiologica, 2011, 52, 920-926.  | 0.5 | 20        |
| 17714 | Validation of a New Cycle Ergometer. International Journal of Sports Medicine, 2011, 32, 117-121.  | 0.8 | 3         |
| 17715 | High rate of complications and radiographic loosening of the biaxial total wrist arthroplasty in rheumatoid arthritis. Monthly Notices of the Royal Astronomical Society: Letters, 2011, 82, 721-726.                          | 1.2 | 62        |
| 17716 | MR defecography in patients with dyssynergic defecation: spectrum of imaging findings and diagnostic value. British Journal of Radiology, 2011, 84, 136-144.   | 1.0 | 71        |
| 17717 | Associations between the atrial electromechanical interval, atrial remodelling and outcome of catheter ablation in paroxysmal atrial fibrillation. Heart, 2011, 97, 225-230.   | 1.2 | 58        |
| 17718 | Development and validation of a short version of the Stroke Specific Quality of Life Scale. Journal of Neurology, Neurosurgery and Psychiatry, 2011, 82, 283-286.  | 0.9 | 80        |
| 17719 | New method to measure coronary velocity and coronary flow reserve. American Journal of Physiology - Heart and Circulatory Physiology, 2011, 301, H21-H28.  | 1.5 | 6         |
| 17720 | DURNIN AND WOMERSLEY REVISITED. Medicine and Science in Sports and Exercise, 2011, 43, 1598.   | 0.2 | 1         |
| 17721 | Repeatability of Aerobic Capacity Measurements in Parkinson Disease. Medicine and Science in Sports and Exercise, 2011, 43, 2381-2387.   | 0.2 | 35        |
| 17722 | Visual and quantitative assessment of lateral lumbar spinal canal stenosis with magnetic resonance imaging. Acta Radiologica, 2011, 52, 1024-1031.   | 0.5 | 15        |
| 17723 | Debridement alone without decortication can achieve lung re-expansion in patients with empyema: an observational study. Interactive Cardiovascular and Thoracic Surgery, 2011, 12, 724-727.                                    | 0.5 | 26        |
| 17724 | Pre-treatment Evaluation of Basal Cell Carcinoma for Photodynamic Therapy: Comparative Measurement of Tumour Thickness in Punch Biopsy and Excision Specimens. Acta Dermato-Venereologica, 2011, 91, 651-654.                  | 0.6 | 9         |
| 17725 | Reliability and Sensitivity of the Self-report of Physician-diagnosed Gout in the Campaign Against Cancer and Heart Disease and the Atherosclerosis Risk in the Community Cohorts. Journal of Rheumatology, 2011, 38, 135-141. | 1.0 | 79        |
| 17726 | The OMERACT Psoriatic Arthritis Magnetic Resonance Imaging Score (PsAMRIS) Is Reliable and Sensitive to Change: Results from an OMERACT Workshop. Journal of Rheumatology, 2011, 38, 2034-2038.                                | 1.0 | 66        |
| 17727 | Tidal Airway Closure During Bronchoconstriction in Asthma: Usefulness of Lung Volume Measurements. Journal of Asthma, 2011, 48, 33-40.   | 0.9 | 10        |
| 17728 | An Exercise Protocol that Replicates Soccer Match-Play. International Journal of Sports Medicine, 2011, 32, 511-518.   | 0.8 | 62        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17729 | Assessment of the use of temperature-sensitive microchips to determine core body temperature in goats. <i>Veterinary Record</i> , 2011, 168, 328-328.   | 0.2 | 29        |
| 17730 | Validity of Self-Reported Measures of Workplace Sitting Time and Breaks in Sitting Time. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 1907-1912.  | 0.2 | 98        |
| 17731 | Agreement Between Fasting and Postprandial LDL Cholesterol Measured with 3 Methods in Patients with Type 2 Diabetes Mellitus. <i>Clinical Chemistry</i> , 2011, 57, 298-308.  | 1.5 | 20        |
| 17732 | Energetics of Best Performances in Elite Kayakers and Canoeists. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 877-884.  | 0.2 | 21        |
| 17733 | Accurate Prediction of Energy Expenditure Using a Shoe-Based Activity Monitor. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 1312-1321.  | 0.2 | 44        |
| 17734 | Transcutaneous bilirubin – comparing the accuracy of BiliChek <sup>®</sup> and JM 103 <sup>®</sup> in a regional postnatal unit. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 267-270.  | 0.7 | 16        |
| 17735 | Linked opening angle and histological and mechanical aspects of the proximal pulmonary arteries of healthy and pulmonary hypertensive rats and calves. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011, 301, H1810-H1818.     | 1.5 | 14        |
| 17736 | End-tidal carbon dioxide tension reflects arterial carbon dioxide tension in the heat-stressed human with and without simulated hemorrhage. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2011, 300, R978-R983. | 0.9 | 25        |
| 17737 | Cardiac Index Based on Measurements Obtained in a Bedside Chair and in Bed. <i>American Journal of Critical Care</i> , 2011, 20, 210-216.   | 0.8 | 7         |
| 17738 | Measurement of End-Tidal Carbon Dioxide in Spontaneously Breathing Children After Cardiac Surgery. <i>American Journal of Critical Care</i> , 2011, 20, 388-394.  | 0.8 | 1         |
| 17739 | Is cystatin C a better marker than creatinine for evaluating residual renal function in patients on continuous ambulatory peritoneal dialysis?. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3358-3365.   | 0.4 | 25        |
| 17740 | Continuous cardiac output monitoring with an uncalibrated pulse contour method in patients supported with mechanical pulsatile assist device. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2011, 13, 52-57.                                       | 0.5 | 14        |
| 17741 | Multi-examiner reliability of automated radio frequency-based ultrasound measurements of common carotid intima-media thickness in rheumatoid arthritis. <i>Rheumatology</i> , 2011, 50, 1860-1864.  | 0.9 | 32        |
| 17742 | Assessment of Mitral Valve Stenosis by Helical MDCT: Comparison With Transthoracic Doppler Echocardiography and Cardiac Catheterization. <i>American Journal of Roentgenology</i> , 2011, 197, 614-622.   | 1.0 | 23        |
| 17743 | Agreement in activity energy expenditure assessed by accelerometer and self-report in adolescents: Variation by sex, age, and weight status. <i>Journal of Sports Sciences</i> , 2011, 29, 1503-1514.   | 1.0 | 20        |
| 17744 | The feasibility of videoconferencing for neuropsychological assessments of rural youth experiencing early psychosis. <i>Journal of Telemedicine and Telecare</i> , 2011, 17, 328-331.   | 1.4 | 43        |
| 17745 | Reliability and validity of the Danish version of the disabilities of arm, shoulder, and hand questionnaire in patients with fractured wrists. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2011, 45, 35-39.  | 0.4 | 22        |
| 17746 | The repeatability of the MPS 9000 macular pigment screener. <i>British Journal of Ophthalmology</i> , 2011, 95, 431-432.  | 2.1 | 6         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17747 | Periacetabular Osteotomy: Validation of Intraoperative Fluoroscopic Monitoring of Acetabular Orientation. <i>HIP International</i> , 2011, 21, 303-310.   | 0.9 | 13        |
| 17748 | Infrared thermal imaging of the inner canthus of the eye as an estimator of body core temperature. <i>Journal of Medical Engineering and Technology</i> , 2011, 35, 134-138.  | 0.8 | 45        |
| 17749 | Gastric emptying of a liquid nutrient meal in the critically ill: relationship between scintigraphic and carbon breath test measurement. <i>Gut</i> , 2011, 60, 1336-1343.  | 6.1 | 72        |
| 17750 | Testing and Estimating Shape-Constrained Nonparametric Density and Regression in the Presence of Measurement Error. <i>Journal of the American Statistical Association</i> , 2011, 106, 191-202.                        | 1.8 | 31        |
| 17751 | Real-time estimation of daily physical activity intensity by a triaxial accelerometer and a gravity-removal classification algorithm. <i>British Journal of Nutrition</i> , 2011, 105, 1681-1691.                       | 1.2 | 326       |
| 17752 | Statistical Methods for Assessing Biomarkers and Analyzing Biomarker Data. , 2011, , 27-65.   |     | 6         |
| 17753 | Level of Parentâ€™s Asthmatic Child Agreement on Health-Related Quality of Life. <i>Journal of Asthma</i> , 2011, 48, 286-297.  | 0.9 | 39        |
| 17754 | Evaluation of a dry format reagent for CD4+ and CD8+ T-cell enumeration with FACSCount and Guava polymerase chain reaction. <i>Indian Journal of Medical Microbiology</i> , 2011, 29, 401-405.                          | 0.3 | 2         |
| 17755 | Comparison of an antibody capture and a cell capture ligand-binding assay to quantify a monoclonal therapeutic in serum. <i>Bioanalysis</i> , 2011, 3, 605-611.   | 0.6 | 4         |
| 17756 | Measuring Older Adults' Sedentary Time. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 2127-2133.   | 0.2 | 143       |
| 17757 | Can point doses predict volumetric dose to rectum and bladder: a CT-based planning study in high dose rate intracavitary brachytherapy of cervical carcinoma?. <i>British Journal of Radiology</i> , 2011, 84, 441-448. | 1.0 | 11        |
| 17758 | Diagnostic Accuracy of Cystatin Câ€™-Based eGFR Equations at Different GFR Levels in Children. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1599-1608.                               | 2.2 | 70        |
| 17759 | Myocardial Oxygen Extraction Fraction Measured Using Bolus Inhalation of <sup>15</sup> O-Oxygen Gas and Dynamic PET. <i>Journal of Nuclear Medicine</i> , 2011, 52, 60-66.  | 2.8 | 15        |
| 17760 | Accuracy of an infrared LED device to measure heart rate and energy expenditure during rest and exercise. <i>Journal of Sports Sciences</i> , 2011, 29, 1645-1653.  | 1.0 | 15        |
| 17761 | Comparison of retrospective interviews and prospective diaries to facilitate fall reports among people with stroke. <i>Age and Ageing</i> , 2011, 40, 277-280.  | 0.7 | 17        |
| 17762 | Are stroke patients' reports of home blood pressure readings reliable? Cross-sectional study. <i>Family Practice</i> , 2011, 28, 118-122.   | 0.8 | 4         |
| 17763 | Non-invasive assessment of cardiac output during mechanical ventilation â€™ a novel approach using an inert gas rebreathing method. <i>Biomedizinische Technik</i> , 2011, 56, 147-151.                                 | 0.9 | 0         |
| 17764 | Identifying and treating persistent tinnitus in CI users. <i>Cochlear Implants International</i> , 2011, 12, S33-S35.   | 0.5 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17765 | Trial of a mobile phone method for recording dietary intake in adults with type 2 diabetes: evaluation and implications for future applications. <i>Journal of Telemedicine and Telecare</i> , 2011, 17, 318-323.                               | 1.4 | 84        |
| 17766 | To what degree is digital imaging reliable? Validation of femoral neck shaft angle measurement in the era of picture archiving and communication systems. <i>British Journal of Radiology</i> , 2011, 84, 375-379.                              | 1.0 | 31        |
| 17767 | Development of a method for optical monitoring of creatinine in the spent dialysate. <i>Estonian Journal of Engineering</i> , 2011, 17, 140.  | 0.3 | 3         |
| 17768 | Towards harmonization of forest deposition collectors - case study of comparing collector designs. <i>IForest</i> , 2011, 4, 218-225.   | 0.5 | 10        |
| 17769 | Assessment of endothelial function of large, medium, and small vessels: a unified myograph. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011, 300, H94-H100.   | 1.5 | 29        |
| 17770 | Radiological Predictive Factors in the Healing of Displaced Intracapsular Hip Fractures. A Clinical Study of 404 Cases. <i>HIP International</i> , 2011, 21, 393-398.   | 0.9 | 7         |
| 17771 | Pulmonary Artery and Intestinal Temperatures during Heat Stress and Cooling. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 857-862.  | 0.2 | 25        |
| 17772 | Estimation of glomerular filtration rate in rabbits by a single-sample method using iodixanol. <i>Laboratory Animals</i> , 2012, 46, 341-344.   | 0.5 | 10        |
| 17773 | Assessing the consistency of bladder filling using an ultrasonic Bladderscan® device. <i>British Journal of Radiology</i> , 2012, 85, 1427-1427.  | 1.0 | 1         |
| 17774 | Growth Chamber Evaluation of a Tobacco <i>Beinhart 1000</i> ™ – <i>Hicks</i> ™ Mapping Population for Quantitative Trait Loci Affecting Resistance to Multiple Races of <i>Phytophthora nicotianae</i> . <i>Crop Science</i> , 2012, 52, 91-98. | 0.8 | 13        |
| 17775 | Reliability of the Danish version of the McGill Ingestive Skills Assessment for observation-based measures during meals. <i>Scandinavian Journal of Occupational Therapy</i> , 2012, 19, 488-496.   | 1.1 | 9         |
| 17776 | Acceptable noise level (ANL) with Danish and non-semantic speech materials in adult hearing-aid users. <i>International Journal of Audiology</i> , 2012, 51, 678-688.   | 0.9 | 30        |
| 17777 | Standardising the clinical assessment of coronal knee laxity. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2012, 226, 699-708.   | 1.0 | 18        |
| 17778 | Detection and size of pulmonary lesions: how accurate is MRI? A prospective comparison of CT and MRI. <i>Acta Radiologica</i> , 2012, 53, 153-160.  | 0.5 | 44        |
| 17779 | Accuracy of cardiac output measurements during off-pump coronary artery bypass grafting: according to the vessel anastomosis sites. <i>Korean Journal of Anesthesiology</i> , 2012, 62, 423.  | 0.9 | 0         |
| 17780 | Is Greulich's Pyle age estimation applicable for determining maturation in male Africans?. <i>South African Journal of Science</i> , 2012, 108, .   | 0.3 | 10        |
| 17781 | <sup>99m</sup> Tc-albumin can replace <sup>125</sup> I-albumin to determine plasma volume repeatedly. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012, 72, 447-451.   | 0.6 | 12        |
| 17782 | Use of a Two-Regression Model for Estimating Energy Expenditure in Children. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 1177-1185.  | 0.2 | 64        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17783 | Femoral offset is underestimated on anteroposterior radiographs of the pelvis but accurately assessed on anteroposterior radiographs of the hip. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 477-482.                             | 3.4 | 66        |
| 17784 | Aerodynamic Drag Modeling of Alpine Skiers Performing Giant Slalom Turns. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 1109-1115.  | 0.2 | 28        |
| 17785 | Within-Person Variability in High-Sensitivity C-Reactive Protein. <i>Archives of Internal Medicine</i> , 2012, 172, 1519.  | 4.3 | 48        |
| 17786 | The influence of measurement location on reliability of quantitative nailfold videocapillaroscopy in patients with SSc. <i>Rheumatology</i> , 2012, 51, 1323-1330.   | 0.9 | 31        |
| 17787 | Computer-Aided Surgical Simulation for Orthognathic Surgery. , 2012, , 604-616.  |     | 2         |
| 17788 | Left atrial and ventricular function during dobutamine and glycopyrrolate stress in healthy young and elderly as evaluated by cardiac magnetic resonance. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 303, H1469-H1473. | 1.5 | 27        |
| 17789 | Serum Prostate-Specific Antigen Concentration and Hemodilution among Chinese Middle-Aged Obese Men: A Hematocrit-Based Equation for Plasma Volume Estimation Is Induced. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1731-1734.         | 1.1 | 5         |
| 17790 | Thrombus load and acute right ventricular failure in pulmonary embolism: correlation and demonstration of a "tipping point" on CT pulmonary angiography. <i>British Journal of Radiology</i> , 2012, 85, 1471-1476.  | 1.0 | 19        |
| 17791 | Dental age table for a sample of Pakistani children. <i>European Journal of Orthodontics</i> , 2012, 34, 77-82.  | 1.1 | 25        |
| 17792 | Cross cultural equivalence testing of the Prosthetic Evaluation Questionnaire (PEQ) for an Arabic speaking population. <i>Prosthetics and Orthotics International</i> , 2012, 36, 173-180.   | 0.5 | 14        |
| 17793 | The Accu-Chek Mobile blood glucose monitoring system used under controlled conditions meets ISO 15197 standards in the hands of diabetes patients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012, 72, 374-379.                 | 0.6 | 9         |
| 17794 | Capillary Cortisol Sampling during High-Intensity Exercise. <i>International Journal of Sports Medicine</i> , 2012, 33, 842-845.   | 0.8 | 9         |
| 17795 | Cyst Volume in the Acetabulum and Femoral Head Decreases after Periacetabular Osteotomy. <i>HIP International</i> , 2012, 22, 313-318.   | 0.9 | 7         |
| 17796 | Validating predictive factors for resting energy expenditure of adolescents in Indonesia. <i>International Journal of Food Sciences and Nutrition</i> , 2012, 63, 145-152.   | 1.3 | 6         |
| 17797 | The usefulness of Real Time Morphology software in semen assessment of teratozoospermic boars. <i>Systems Biology in Reproductive Medicine</i> , 2012, 58, 362-368.  | 1.0 | 0         |
| 17798 | Kinematic analysis of three water polo front crawl styles. <i>Journal of Sports Sciences</i> , 2012, 30, 715-723.  | 1.0 | 13        |
| 17799 | A Pilot Study of Shoulder Placement for Actigraphy in Children. <i>Behavioral Sleep Medicine</i> , 2012, 10, 138-147.  | 1.1 | 40        |
| 17800 | An analysis of measured and estimated creatinine clearance rates in normal weight, overweight, and obese patients with gynecologic cancers. <i>Journal of Oncology Pharmacy Practice</i> , 2012, 18, 323-332.  | 0.5 | 14        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17801 | Reliability of Cycling Gross Efficiency Using the Douglas Bag Method. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 290-296.  | 0.2 | 23        |
| 17802 | Low agreement of visual rating for detailed quantification of pulmonary emphysema in whole-lung CT. <i>Acta Radiologica</i> , 2012, 53, 53-60.   | 0.5 | 23        |
| 17803 | Bone age assessment by dual-energy X-ray absorptiometry in children: an alternative for X-ray?. <i>British Journal of Radiology</i> , 2012, 85, 114-120.   | 1.0 | 16        |
| 17804 | Ambulatory arterial stiffness index in chronic kidney disease stage 2-5. Reproducibility and relationship with pulse wave parameters and kidney function. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012, 72, 304-312.                                    | 0.6 | 11        |
| 17805 | Evaluation of serum creatinine- and cystatin C-based equations for the estimation of glomerular filtration rate in a Chinese population. <i>Scandinavian Journal of Urology and Nephrology</i> , 2012, 46, 223-231.  | 1.4 | 15        |
| 17806 | Three-Dimensional Expansion of a Dynamic Programming Method for Boundary Detection and Its Application to Sequential Magnetic Resonance Imaging (MRI). <i>Sensors</i> , 2012, 12, 5195-5211.   | 2.1 | 11        |
| 17807 | Front-Crawl Instantaneous Velocity Estimation Using a Wearable Inertial Measurement Unit. <i>Sensors</i> , 2012, 12, 12927-12939.  | 2.1 | 71        |
| 17808 | Validation of the Stanmore percentage of normal shoulder assessment. <i>International Journal of Shoulder Surgery</i> , 2012, 6, 9.  | 1.5 | 30        |
| 17809 | Assessment of agreement between transthoracic and transesophageal echocardiography techniques for left ventricular longitudinal deformation imaging and conventional Doppler parameters estimation: a cross-sectional study. <i>Anatolian Journal of Cardiology</i> , 2012, 12, 472-9. | 0.4 | 4         |
| 17810 | Reduction in growth threshold for pulmonary metastases: an opportunity for volumetry and its impact on treatment decisions. <i>British Journal of Radiology</i> , 2012, 85, 959-964.   | 1.0 | 6         |
| 17811 | Comparison of dual-source and electron-beam CT for the assessment of coronary artery calcium scoring. <i>British Journal of Radiology</i> , 2012, 85, e300-e306.   | 1.0 | 9         |
| 17812 | Intermonitor Variability of GT3X Accelerometer. <i>International Journal of Sports Medicine</i> , 2012, 33, 994-999.   | 0.8 | 53        |
| 17813 | Oxygen Uptake Efficiency Slope, Aerobic Fitness, and $\dot{V}E/\dot{V}E_{CO2}$ Slope in Heart Failure. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 428-434.   | 0.2 | 14        |
| 17814 | Reproducibility of cardiac power output and other cardiopulmonary exercise indices in patients with chronic heart failure. <i>Clinical Science</i> , 2012, 122, 175-181.   | 1.8 | 15        |
| 17815 | Automatic vs semi-automatic global cardiac function assessment using 64-row CT. <i>British Journal of Radiology</i> , 2012, 85, e243-e253.   | 1.0 | 4         |
| 17816 | Temporal artery thermometer use in the prehospital setting. <i>Canadian Journal of Emergency Medicine</i> , 2012, 14, 7-13.  | 0.5 | 9         |
| 17817 | Localising rectus muscle insertions using high frequency wide-field ultrasound biomicroscopy. <i>British Journal of Ophthalmology</i> , 2012, 96, 683-687.   | 2.1 | 24        |
| 17818 | Use of a Combined SpO <sub>2</sub> /PtcCO <sub>2</sub> Sensor in the Delivery Room. <i>Sensors</i> , 2012, 12, 10980-10989.  | 2.1 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17819 | Validity of method to quantify transtibial amputees free-living prosthetic wearing times and physical activity levels when using suction suspension sockets. <i>Journal of Rehabilitation Research and Development</i> , 2012, 49, 427.   | 1.6 | 3         |
| 17820 | A Wireless Interface for Replacing the Cables in Bridge-Sensor Applications. <i>Sensors</i> , 2012, 12, 10014-10033.  | 2.1 | 0         |
| 17821 | Analysis of the agreement between the Fortius cycling ergometer and the PowerTap powermeter PO during time trials of 6 and 30 min. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2012, 15, 212-214.  | 0.9 | 3         |
| 17822 | Quantifying the Erlenmeyer flask deformity. <i>British Journal of Radiology</i> , 2012, 85, 905-909.  | 1.0 | 9         |
| 17823 | Noncontact imaging photoplethysmography to effectively access pulse rate variability. <i>Journal of Biomedical Optics</i> , 2012, 18, 061205.   | 1.4 | 124       |
| 17824 | Method for Studying Gas Composition in the Human Mastoid Cavity by Use of Laser Spectroscopy. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2012, 121, 217-223.  | 0.6 | 17        |
| 17825 | Ir-truefisp: A New Dce-mri Approach in Comparison with 3d-flash Multi Flip Angle Method. <i>Magnetic Resonance Insights</i> , 2012, 5, MRI.S9832.   | 2.5 | 1         |
| 17826 | Reproducibility of Cerebral Blood Flow Assessment using a Quantitative SPECT Reconstruction Program and Split-Dose <sup>123</sup> I-Iodoamphetamine in Institutions with Different <sup>13</sup> C-Cameras and Collimators. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 1757-1764. | 2.4 | 20        |
| 17827 | Ago HITS-CLIP Expands Understanding of Kaposi's Sarcoma-associated Herpesvirus miRNA Function in Primary Effusion Lymphomas. <i>PLoS Pathogens</i> , 2012, 8, e1002884.   | 2.1 | 167       |
| 17828 | Bicaval versus standard technique in orthotopic heart transplant: assessment of atrial performance at magnetic resonance and transthoracic echocardiography. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2012, 14, 457-462.  | 0.5 | 23        |
| 17829 | Reliability of plasma fibroblast growth factor 23 as risk biomarker in epidemiological studies measured over a four-month period. <i>Annals of Clinical Biochemistry</i> , 2012, 49, 542-545.   | 0.8 | 6         |
| 17831 | The Effects of Alcohol on Safety Behaviors in Socially Anxious Individuals. <i>Journal of Social and Clinical Psychology</i> , 2012, 31, 1074-1094.   | 0.2 | 17        |
| 17832 | Novel Quantitative Method to Evaluate Globotriaosylceramide Inclusions in Renal Peritubular Capillaries by Virtual Microscopy in Patients With Fabry Disease. <i>Archives of Pathology and Laboratory Medicine</i> , 2012, 136, 816-824.  | 1.2 | 23        |
| 17833 | Evaluation of Activity Monitors in Controlled and Free-Living Environments. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 733-741.   | 0.2 | 122       |
| 17834 | Infraclavicular sensor site: A new promising site for transcutaneous capnography. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012, 72, 340-342.   | 0.6 | 10        |
| 17835 | A probabilistic approach for the estimation of angle kappa in infants. , 2012, , .  |     | 7         |
| 17836 | Can self-reported height and weight be used among people living with HIV/AIDS?. <i>International Journal of STD and AIDS</i> , 2012, 23, e1-e6.   | 0.5 | 4         |
| 17837 | Radiographic Measurement of the First Metatarsal. <i>Journal of the American Podiatric Medical Association</i> , 2012, 102, 105-113.  | 0.2 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17838 | Tapering of the Cervical Spinal Canal in Patients with Scoliosis with and without the Chiari I Malformation. <i>American Journal of Neuroradiology</i> , 2012, 33, 1752-1755.   | 1.2 | 12        |
| 17839 | Minimizing the Impact of Time Lag Variability on Accuracy Evaluation of Continuous Glucose Monitoring Systems. <i>Journal of Diabetes Science and Technology</i> , 2012, 6, 1383-1391.  | 1.3 | 15        |
| 17840 | Assessment of left ventricular function by GPs using pocket-sized ultrasound. <i>Family Practice</i> , 2012, 29, 534-540.   | 0.8 | 37        |
| 17841 | Lot-to-Lot Variability of Test Strips and Accuracy Assessment of Systems for Self-Monitoring of Blood Glucose according to ISO 15197. <i>Journal of Diabetes Science and Technology</i> , 2012, 6, 1076-1086.                         | 1.3 | 82        |
| 17842 | Concordance, Variance, and Outliers in 4 Contemporary Cardiac Troponin Assays: Implications for Harmonization. <i>Clinical Chemistry</i> , 2012, 58, 274-283.   | 1.5 | 42        |
| 17843 | Image Inversion Spectral-Domain Optical Coherence Tomography Optimizes Choroidal Thickness and Detail through Improved Contrast. , 2012, 53, 1874.  |     | 28        |
| 17844 | Reply to Lee and Newton. <i>Clinical Infectious Diseases</i> , 2012, 55, 1745-1746.   | 2.9 | 0         |
| 17845 | Dynamic Changes in the Dural Sac Cross-Sectional Area on Axial Loaded MR Imaging: Is There a Difference between Degenerative Spondylolisthesis and Spinal Stenosis?. <i>American Journal of Neuroradiology</i> , 2012, 33, 1191-1197. | 1.2 | 23        |
| 17846 | Ultrasmall Superparamagnetic Particles of Iron Oxide in Patients With Acute Myocardial Infarction. <i>Circulation: Cardiovascular Imaging</i> , 2012, 5, 559-565.   | 1.3 | 148       |
| 17847 | Interlaboratory Agreement and Handling Variability for Consistency of Results in Paired Serum Bile Acid Assays. <i>Journal of the American Animal Hospital Association</i> , 2012, 48, 25-30.   | 0.5 | 2         |
| 17848 | Morphological and Functional Adaptation of the Maternal Heart During Pregnancy. <i>Circulation: Cardiovascular Imaging</i> , 2012, 5, 289-297.  | 1.3 | 219       |
| 17849 | Carotid Atherosclerotic Plaque Matrix Metalloproteinase-12-Positive Macrophage Subpopulation Predicts Adverse Outcome After Endarterectomy. <i>Journal of the American Heart Association</i> , 2012, 1, e001040.                      | 1.6 | 49        |
| 17850 | AlphaLISA versus ELISA-based detection of interleukin 18 in healthy subjects and patients with end-stage renal disease. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012, 72, 583-592.                     | 0.6 | 9         |
| 17851 | Surgical Options for Patellar Stabilization in the Skeletally Immature Patient. <i>Sports Medicine and Arthroscopy Review</i> , 2012, 20, 194-202.  | 1.0 | 33        |
| 17852 | A Comparison of 2 Techniques for Measuring Rectus Femoris Muscle Thickness in Cerebral Palsy. <i>Pediatric Physical Therapy</i> , 2012, 24, 218-222.  | 0.3 | 5         |
| 17853 | Reference Values for the Muscle Power Sprint Test in 6- to 12-Year-Old Children. <i>Pediatric Physical Therapy</i> , 2012, 24, 327-332.   | 0.3 | 30        |
| 17854 | Femoroacetabular impingement after slipped upper femoral epiphysis. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 1487-1493.   | 3.4 | 48        |
| 17855 | Oscillometric estimation of central blood pressure. <i>Blood Pressure Monitoring</i> , 2012, 17, 128-131.   | 0.4 | 169       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17856 | Accuracy and Repeatability of a New Tono-Pachymeter for Measuring Central Corneal Thickness. <i>Eye and Contact Lens</i> , 2012, 38, 158-163.  | 0.8 | 11        |
| 17857 | Validation and verification of measurement methods in clinical chemistry. <i>Bioanalysis</i> , 2012, 4, 305-320.   | 0.6 | 49        |
| 17858 | Comparison of Hyperemic Efficacy Between Central and Peripheral Venous Adenosine Infusion for Fractional Flow Reserve Measurement. <i>Circulation: Cardiovascular Interventions</i> , 2012, 5, 401-405.  | 1.4 | 59        |
| 17859 | Repeated Measurements of the Anterior Segment During Accommodation Using Long Scan Depth Optical Coherence Tomography. <i>Eye and Contact Lens</i> , 2012, 38, 102-108.  | 0.8 | 33        |
| 17860 | Quantification of Ghosting Produced With Presbyopic Contact Lens Correction. <i>Eye and Contact Lens</i> , 2012, 38, 252-259.  | 0.8 | 27        |
| 17861 | Content validity and inter-rater reliability of the Halliwick-concept-based instrument "Swimming with Independent Measure"™. <i>International Journal of Rehabilitation Research</i> , 2012, 35, 116-123.  | 0.7 | 5         |
| 17862 | Test-Retest Reliability of Contact Heat-Evoked Potentials From Cervical Dermatomes. <i>Journal of Clinical Neurophysiology</i> , 2012, 29, 70-75.  | 0.9 | 38        |
| 17863 | Keratometry Evaluations With the Pentacam High Resolution in Comparison With the Automated Keratometry and Conventional Corneal Topography. <i>Cornea</i> , 2012, 31, 36-41.   | 0.9 | 28        |
| 17864 | Auditory Steady State Responses in Normal-Hearing and Hearing-Impaired Adults. <i>Ear and Hearing</i> , 2012, 33, 267-278.   | 1.0 | 22        |
| 17865 | Changes in Volume-corrected Whole-lung Density in Smokers and Former Smokers During the ITALUNG Screening Trial. <i>Journal of Thoracic Imaging</i> , 2012, 27, 255-262.   | 0.8 | 5         |
| 17866 | St George's Vascular Institute Protocol: An Accurate and Reproducible Methodology to Enable Comprehensive Characterization of Infrarenal Abdominal Aortic Aneurysm Morphology in Clinical and Research Applications. <i>Journal of Endovascular Therapy</i> , 2012, 19, 400-414. | 0.8 | 49        |
| 17867 | Maximal Oxygen Uptake Cannot Be Estimated From Resting Lung Function and Submaximal Exercise in Patients With Chronic Obstructive Pulmonary Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2012, 32, 219-225.  | 1.2 | 4         |
| 17868 | Feasibility of Using Plasma Rather Than Serum in First and Second Trimester Multiple Marker Down's Syndrome Screening. <i>Journal of Medical Screening</i> , 2012, 19, 164-170.  | 1.1 | 1         |
| 17869 | Prediction of fat-free mass and percentage of body fat in neonates using bioelectrical impedance analysis and anthropometric measures: validation against the PEA POD. <i>British Journal of Nutrition</i> , 2012, 107, 1545-1552.   | 1.2 | 74        |
| 17870 | Effects of one-lung ventilation on thermodilution-derived assessment of cardiac output. <i>British Journal of Anaesthesia</i> , 2012, 108, 922-928.  | 1.5 | 11        |
| 17871 | Feasibility, Reliability, and Agreement of the WeeFIM Instrument in Dutch Children With Burns. <i>Physical Therapy</i> , 2012, 92, 958-966.  | 1.1 | 7         |
| 17872 | Dried Blood Spot Specimens Are a Suitable Alternative Sample Type for HIV-1 Viral Load Measurement and Drug Resistance Genotyping in Patients Receiving First-Line Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2012, 54, 1187-1195.                            | 2.9 | 53        |
| 17873 | Reliability and Reproducibility of Assessment of Corneal Epithelial Thickness by Fourier Domain Optical Coherence Tomography. , 2012, 53, 2580.  |     | 55        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17874 | Appropriate Time Interval to Repeat Ambulatory Blood Pressure Monitoring in Patients With White-Coat Resistant Hypertension. <i>Hypertension</i> , 2012, 59, 384-389.   | 1.3 | 47        |
| 17875 | Clinical Validation of a Type-Specific Real-Time Quantitative Human Papillomavirus PCR against the Performance of Hybrid Capture 2 for the Purpose of Cervical Cancer Screening. <i>Journal of Clinical Microbiology</i> , 2012, 50, 4073-4077. | 1.8 | 41        |
| 17876 | Non-Circular Shape of Right Ventricular Outflow Tract. <i>Circulation: Cardiovascular Imaging</i> , 2012, 5, 621-627.   | 1.3 | 15        |
| 17877 | A comparison of radiological and computer navigation measurements of lower limb coronal alignment before and after total knee replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 1234-1240.                    | 3.4 | 51        |
| 17878 | Modified Test Administration Using Assistive Technology. <i>Assessment</i> , 2012, 19, 472-479.   | 1.9 | 22        |
| 17879 | Age-Related Changes in Thyroid Function: A Longitudinal Study of a Community-Based Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1554-1562.   | 1.8 | 264       |
| 17880 | Patient-Nurse Interrater Reliability and Agreement of the Richards-Campbell Sleep Questionnaire. <i>American Journal of Critical Care</i> , 2012, 21, 261-269.  | 0.8 | 582       |
| 17881 | A comparison of the Actigraph GT1M and GT3X accelerometers under standardized and free-living conditions. <i>Physiological Measurement</i> , 2012, 33, 1869-1876.   | 1.2 | 63        |
| 17882 | Quantitative analysis of 3D mitral complex geometry using support vector machines. <i>Physiological Measurement</i> , 2012, 33, 1213-1224.  | 1.2 | 0         |
| 17883 | Thoracic low-dose CT image processing using an artifact suppressed large-scale nonlocal means. <i>Physics in Medicine and Biology</i> , 2012, 57, 2667-2688.  | 1.6 | 121       |
| 17884 | Use of ambient light in remote photoplethysmographic systems: comparison between a high-performance camera and a low-cost webcam. <i>Journal of Biomedical Optics</i> , 2012, 17, 037005.   | 1.4 | 106       |
| 17885 | Non-invasive computer-assisted measurement of knee alignment. <i>Computer Aided Surgery</i> , 2012, 17, 29-39.  | 1.8 | 22        |
| 17886 | The New Zealand PUFA Semiquantitative Food Frequency Questionnaire Is a Valid and Reliable Tool to Assess PUFA Intakes in Healthy New Zealand Adults. <i>Journal of Nutrition</i> , 2012, 142, 1968-1974.                                       | 1.3 | 13        |
| 17887 | Exhaled nitric oxide monitoring by quantum cascade laser: comparison with chemiluminescent and electrochemical sensors. <i>Journal of Biomedical Optics</i> , 2012, 17, 017003.   | 1.4 | 51        |
| 17888 | Readout-segmented Echo-planar Imaging Improves the Diagnostic Performance of Diffusion-weighted MR Breast Examinations at 3.0 T. <i>Radiology</i> , 2012, 263, 64-76.   | 3.6 | 180       |
| 17889 | Comparative analysis of serotonin in equine plasma with liquid chromatography-tandem mass spectrometry and enzyme-linked immunosorbent assay. <i>Journal of Veterinary Diagnostic Investigation</i> , 2012, 24, 1035-1042.                      | 0.5 | 14        |
| 17890 | Application of wavelets to the evaluation of phantom images for mammography quality control. <i>Physics in Medicine and Biology</i> , 2012, 57, 7177-7190.  | 1.6 | 11        |
| 17891 | Monitoring of tobramycin levels in patients with cystic fibrosis by finger-prick sampling: Figure 1. <i>European Respiratory Journal</i> , 2012, 39, 1537-1538.   | 3.1 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17892 | Validation of a Single-Platform, Volumetric, CD45-Assisted PanLeucogating Auto40 Flow Cytometer To Determine the Absolute Number and Percentages of CD4 T Cells in Resource-Constrained Settings Using Cameroonian Patients' Samples. <i>Vaccine Journal</i> , 2012, 19, 609-615. | 3.2 | 10        |
| 17893 | Early micromovement of the Articular Surface Replacement (ASR) femoral component. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 1344-1350.   | 3.4 | 10        |
| 17894 | Validation of the Omron M7 and Microlife 3BTO-A Blood Pressure Measuring Devices in Preeclampsia. Hypertension in Pregnancy, 2012, 31, 131-139.   | 0.5 | 19        |
| 17895 | Assessing and quantifying inter-rater variation for dichotomous ratings using a Rasch model. <i>Statistical Methods in Medical Research</i> , 2012, 21, 635-652.  | 0.7 | 7         |
| 17896 | Intraoperative Accuracy of a Point-of-Care Glucose Meter Compared with Simultaneous Central Laboratory Measurements. <i>Journal of Diabetes Science and Technology</i> , 2012, 6, 541-546.  | 1.3 | 15        |
| 17897 | Body Mass Index Is Not Independently Associated With Increased Aortic Stiffness in a Brazilian Population. <i>American Journal of Hypertension</i> , 2012, 25, 1064-1069.   | 1.0 | 59        |
| 17898 | Construction and pilot assessment of the Upper Limb Assessment in Daily Living Scale. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2012, 83, 594-600.   | 0.9 | 10        |
| 17899 | Proxy measurements in multiple sclerosis: agreement on different patient-reported outcome scales. <i>Multiple Sclerosis Journal</i> , 2012, 18, 196-201.  | 1.4 | 13        |
| 17900 | Paper Electrocardiograph Strips May Contain Overlooked Clinical Information in Screen-Detected Type 2 Diabetes Patients. <i>Journal of Diabetes Science and Technology</i> , 2012, 6, 74-80.  | 1.3 | 5         |
| 17901 | Comparison of serum testosterone and estradiol measurements in 3174 European men using platform immunoassay and mass spectrometry; relevance for the diagnostics in aging men. <i>European Journal of Endocrinology</i> , 2012, 166, 983-991.                                     | 1.9 | 169       |
| 17902 | Day-to-day variability in intraocular pressure in glaucoma and ocular hypertension. <i>British Journal of Ophthalmology</i> , 2012, 96, 967-970.  | 2.1 | 17        |
| 17903 | Visual acuity testability and comparability in Australian preschool children: The Sydney Paediatric Eye Disease Study. <i>Eye</i> , 2012, 26, 925-932.  | 1.1 | 19        |
| 17904 | Air-displacement plethysmography for the measurement of body composition in children aged 6-48 months. <i>Pediatric Research</i> , 2012, 71, 299-304.   | 1.1 | 13        |
| 17905 | Comparison of online single-breath vs. online multiple-breath exhaled nitric oxide in school-age children. <i>Pediatric Research</i> , 2012, 71, 605-611.   | 1.1 | 4         |
| 17906 | Grouping patients for masseter muscle genotype-phenotype studies. <i>Angle Orthodontist</i> , 2012, 82, 261-266.  | 1.1 | 4         |
| 17907 | How Much Dose Can Be Saved in Three-Phase CT Urography? A Combination of Normal-Dose Corticomedullary Phase With Low-Dose Unenhanced and Excretory Phases. <i>American Journal of Roentgenology</i> , 2012, 199, 852-860.   | 1.0 | 29        |
| 17908 | Relationship and Prognostic Value of Modified Coronary Artery Calcium Score, FEV <sub>1</sub> , and Emphysema in Lung Cancer Screening Population: The MILD Trial. <i>Radiology</i> , 2012, 262, 460-467.   | 3.6 | 78        |
| 17909 | Multiple Sclerosis: Cerebral Circulation Time. <i>Radiology</i> , 2012, 262, 947-955.   | 3.6 | 42        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17910 | Integrated 18F-FDG PET/CT and Perfusion CT of Primary Colorectal Cancer: Effect of Inter- and Intraobserver Agreement on Metabolic-Vascular Parameters. <i>American Journal of Roentgenology</i> , 2012, 199, 1003-1009.        | 1.0 | 15        |
| 17911 | Can Low-Dose Unenhanced Chest CT Be Used for Follow-Up of Lung Nodules?. <i>American Journal of Roentgenology</i> , 2012, 199, 777-780.   | 1.0 | 13        |
| 17912 | Cerebrospinal fluid volume measurements in hydrocephalic rats. <i>Journal of Neurosurgery: Pediatrics</i> , 2012, 10, 347-354.  | 0.8 | 11        |
| 17913 | Systolic Myocardial Dysfunction in Patients with Type 2 Diabetes Mellitus: Identification at MR Imaging with Cine Displacement Encoding with Stimulated Echoes. <i>Radiology</i> , 2012, 265, 402-409.                          | 3.6 | 42        |
| 17914 | Hyperpolarized <sup>3</sup> He and <sup>129</sup> Xe MR Imaging in Healthy Volunteers and Patients with Chronic Obstructive Pulmonary Disease. <i>Radiology</i> , 2012, 265, 600-610.   | 3.6 | 198       |
| 17915 | A comparison of two different techniques for early correction of Class III malocclusion. <i>Angle Orthodontist</i> , 2012, 82, 96-101.  | 1.1 | 39        |
| 17916 | MRI Findings in Painful Metal-on-Metal Hip Arthroplasty. <i>American Journal of Roentgenology</i> , 2012, 199, 884-893.   | 1.0 | 63        |
| 17917 | Predictive value of circulating endothelial microparticles for cardiovascular mortality in end-stage renal failure: a pilot study. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1873-1880.                            | 0.4 | 121       |
| 17918 | Phosphorylated fetuin-A-containing calciprotein particles are associated with aortic stiffness and a procalcific milieu in patients with pre-dialysis CKD. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1957-1966.    | 0.4 | 156       |
| 17919 | Comparison of glomerular filtration rate determined by use of single-slice dynamic computed tomography and scintigraphy in cats. <i>American Journal of Veterinary Research</i> , 2012, 73, 463-469.                            | 0.3 | 8         |
| 17920 | Emphysema Quantification by Low-Dose CT: Potential Impact of Adaptive Iterative Dose Reduction Using 3D Processing. <i>American Journal of Roentgenology</i> , 2012, 199, 595-601.  | 1.0 | 47        |
| 17921 | Design and Analytic Validation of BCR-ABL1 Quantitative Reverse Transcription Polymerase Chain Reaction Assay for Monitoring Minimal Residual Disease. <i>Archives of Pathology and Laboratory Medicine</i> , 2012, 136, 33-40. | 1.2 | 24        |
| 17922 | Relative validity of a FFQ in measuring carbohydrate fractions, dietary glycaemic index and load: exploring the effects of subject characteristics. <i>British Journal of Nutrition</i> , 2012, 107, 1367-1375.                 | 1.2 | 35        |
| 17923 | Reliability, comparative validity and stability of dietary patterns derived from an FFQ in the Tehran Lipid and Glucose Study. <i>British Journal of Nutrition</i> , 2012, 108, 1109-1117.                                      | 1.2 | 246       |
| 17924 | Accuracy of Six Anthropometric Skinfold Formulas Versus Air Displacement Plethysmography for Estimating Percent Body Fat in Female Adolescents with Phenylketonuria. <i>JIMD Reports</i> , 2012, 10, 23-31.                     | 0.7 | 8         |
| 17925 | Myocardial Perfusion: Near-automated Evaluation from Contrast-enhanced MR Images Obtained at Rest and during Vasodilator Stress. <i>Radiology</i> , 2012, 265, 576-583.   | 3.6 | 35        |
| 17926 | Validation of a simple computerized tool for measuring spinal and pelvic parameters. <i>Journal of Neurosurgery: Spine</i> , 2012, 16, 154-162.   | 0.9 | 30        |
| 17927 | Asynchronous Thoraco-abdominal Motion Contributes to Decreased 6-Minute Walk Test in Patients With COPD. <i>Respiratory Care</i> , 2013, 58, 320-326.   | 0.8 | 19        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 17928 | The Pediatric Stroke Recurrence and Recovery Questionnaire. <i>Neurology</i> , 2012, 79, 864-870.   | 1.5 | 38        |
| 17929 | Comparison of pharmacokinetic variables for creatinine and iohexol in dogs with various degrees of renal function. <i>American Journal of Veterinary Research</i> , 2012, 73, 1841-1847.  | 0.3 | 2         |
| 17930 | Effect of trotting speed and circle radius on movement symmetry in horses during lunging on a soft surface. <i>American Journal of Veterinary Research</i> , 2012, 73, 1890-1899.   | 0.3 | 61        |
| 17931 | Evaluation of two point-of-care meters and a portable chemistry analyzer for measurement of blood glucose concentrations in juvenile white-tailed deer ( <i>Odocoileus virginianus</i> ). <i>Journal of the American Veterinary Medical Association</i> , 2012, 240, 596-599. | 0.2 | 17        |
| 17932 | Validity and Reliability of Hallux Valgus Angle Measured on Digital Photographs. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012, 42, 642-648.   | 1.7 | 44        |
| 17933 | Temperature-induced changes in soft tissues analyzed by spectral methods and transient elastography: A comparative study. , 2012, , .   |     | 1         |
| 17934 | A Comparison Between Performance on Selected Directions of the Star Excursion Balance Test and the Y Balance Test. <i>Journal of Athletic Training</i> , 2012, 47, 366-371.   | 0.9 | 181       |
| 17935 | Cocontraction of Ankle Dorsiflexors and Transversus Abdominis Function in Patients With Low Back Pain. <i>Journal of Athletic Training</i> , 2012, 47, 379-389.   | 0.9 | 9         |
| 17936 | Good Short-Term but not Long-Term Reproducibility of the Antiplatelet Efficacy Laboratory Assessment. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2012, 18, 174-180.  | 0.7 | 4         |
| 17937 | Validity of child anthropometric measurements in the Special Supplemental Nutrition Program for Women, Infants, and Children. <i>Pediatric Research</i> , 2012, 71, 286-292.  | 1.1 | 50        |
| 17938 | Corneal biometry from volumetric SDOCT and comparison with existing clinical modalities. <i>Biomedical Optics Express</i> , 2012, 3, 1279.  | 1.5 | 15        |
| 17939 | Automated segmentation of retinal blood vessels in spectral domain optical coherence tomography scans. <i>Biomedical Optics Express</i> , 2012, 3, 1478.  | 1.5 | 32        |
| 17940 | Multispectral image alignment using a three channel endoscope in vivo during minimally invasive surgery. <i>Biomedical Optics Express</i> , 2012, 3, 2567.  | 1.5 | 34        |
| 17941 | Fully automatic three-dimensional visualization of intravascular optical coherence tomography images: methods and feasibility in vivo. <i>Biomedical Optics Express</i> , 2012, 3, 3291.  | 1.5 | 31        |
| 17942 | Validation of a Novel Smartphone Accelerometer-Based Knee Goniometer. <i>Journal of Knee Surgery</i> , 2012, 25, 341-346.   | 0.9 | 88        |
| 17943 | Ankle-Brachial Index determination and peripheral arterial disease diagnosis by an oscillometric blood pressure device in primary care: validation and diagnostic accuracy study. <i>BMJ Open</i> , 2012, 2, e001689.   | 0.8 | 23        |
| 17944 | Comparison of 3 T MRI and CT for the measurement of visceral and subcutaneous adipose tissue in humans. <i>British Journal of Radiology</i> , 2012, 85, e826-e830.  | 1.0 | 117       |
| 17945 | Comparison of CKD-EPI and MDRD to estimate baseline renal function in HIV-positive patients. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2291-2297.  | 0.4 | 60        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17946 | Acute Ischemic Stroke: Infarct Core Estimation on CT Angiography Source Images Depends on CT Angiography Protocol. <i>Radiology</i> , 2012, 262, 593-604.  | 3.6 | 74        |
| 17947 | Advanced Solid Tumors Treated with Cediranib: Comparison of Dynamic Contrast-enhanced MR Imaging and CT as Markers of Vascular Activity. <i>Radiology</i> , 2012, 265, 426-436.  | 3.6 | 51        |
| 17948 | Systolic versus Diastolic Acquisition in Myocardial Perfusion MR Imaging. <i>Radiology</i> , 2012, 262, 816-823.   | 3.6 | 30        |
| 17949 | Accuracy of Noninvasive and Invasive Point-of-Care Total Blood Hemoglobin Measurement in an Outpatient Setting. <i>Postgraduate Medicine</i> , 2012, 124, 250-255.   | 0.9 | 39        |
| 17950 | Pulmonary Nodule Size Evaluation with Chest Tomosynthesis. <i>Radiology</i> , 2012, 265, 273-282.  | 3.6 | 33        |
| 17951 | Comparative study between conventional and cone beam CT-synthesized half and total skull cephalograms. <i>Dentomaxillofacial Radiology</i> , 2012, 41, 136-142.  | 1.3 | 17        |
| 17952 | Inline Directionally Independent Peak Velocity Evaluation Reduces Error in Peak Antegrade Velocity Estimation in Patients Referred for Cardiac Valvular Assessment. <i>American Journal of Roentgenology</i> , 2012, 198, 344-350. | 1.0 | 4         |
| 17953 | Oxygen-Enhanced MRI, Thin-Section MDCT, and Perfusion SPECT/CT: Comparison of Clinical Implications to Patient Care for Lung Volume Reduction Surgery. <i>American Journal of Roentgenology</i> , 2012, 199, 794-802.              | 1.0 | 16        |
| 17954 | Femoral and Tibial Torsion Measurements With 3D Models Based on Low-Dose Biplanar Radiographs in Comparison With Standard CT Measurements. <i>American Journal of Roentgenology</i> , 2012, 199, W607-W612.                        | 1.0 | 85        |
| 17955 | Long-term impact of infantile short bowel syndrome on nutritional status and growth. <i>British Journal of Nutrition</i> , 2012, 107, 1489-1497.   | 1.2 | 42        |
| 17956 | A re-analysis of the iron content of plant-based foods in the United Kingdom. <i>British Journal of Nutrition</i> , 2012, 108, 2221-2228.  | 1.2 | 11        |
| 17957 | Air-displacement plethysmography for determining body composition in neonates: validation using live piglets. <i>Pediatric Research</i> , 2012, 72, 26-31.   | 1.1 | 25        |
| 17958 | Quantitative analysis of the intraretinal layers and optic nerve head using ultra-high resolution optical coherence tomography. <i>Journal of Biomedical Optics</i> , 2012, 17, 066013.  | 1.4 | 17        |
| 17959 | Interplatform Reproducibility of CT Coronary Calcium Scoring Software. <i>Radiology</i> , 2012, 265, 70-77.  | 3.6 | 34        |
| 17960 | Repeating tests: different roles in research studies and clinical medicine. <i>Biomarkers in Medicine</i> , 2012, 6, 691-703.  | 0.6 | 14        |
| 17961 | Î <sup>2</sup> -Adrenergic Sweat Secretion as a Diagnostic Test for Cystic Fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012, 186, 732-739.   | 2.5 | 83        |
| 17962 | Symptom Distress in Advanced Chronic Organ Failure: Disagreement among Patients and Family Caregivers. <i>Journal of Palliative Medicine</i> , 2012, 15, 447-456.  | 0.6 | 28        |
| 17963 | Comparing adaptive algorithms to measure temporal gait parameters using lower body mounted inertial sensors. , 2012, 2012, 4509-12.  |     | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17964 | Reproducibility of kinematics indexes of upper arm reaching movement in robot assisted therapy. , 2012, , .  |     | 3         |
| 17965 | Seismocardiographic adjustment of diastolic timed vibrations. , 2012, 2012, 3797-800.  |     | 9         |
| 17966 | Resting energy expenditure assessment in anorexia nervosa: comparison of indirect calorimetry, a multisensor monitor and the MÅ¼ller equation. International Journal of Food Sciences and Nutrition, 2012, 63, 796-801.                      | 1.3 | 11        |
| 17967 | Monitoring Caffeine in Human Saliva Using a Newly Developed ELISA. Analytical Letters, 2012, 45, 2549-2561.  | 1.0 | 5         |
| 17968 | Using transcutaneous carbon dioxide monitor (TOSCA 500) to detect respiratory failure in patients with amyotrophic lateral sclerosis: A validation study. Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders, 2012, 13, 528-532. | 2.3 | 19        |
| 17969 | Phenotype-Genotype Correlations in Mouse Models of&lt;b> &lt;/b>Amelogenesis Imperfecta&lt;b> &lt;/b>Caused by&lt;b> &lt;/b>Amelx &lt;b> &lt;/b>and&lt;b> &lt;/b>Enam &lt;b> &lt;/b>Mutations. Cells Tissues Organs, 2012, 196, 420-430.     | 1.3 | 12        |
| 17970 | Measurement of Hand Volume by Bioelectrical Impedance Spectroscopy. Lymphatic Research and Biology, 2012, 10, 81-86.   | 0.5 | 22        |
| 17971 | Clinical and Radiological Investigation of Thoracic Spine Extension Motion During Bilateral Arm Elevation. Journal of Orthopaedic and Sports Physical Therapy, 2012, 42, 861-869.  | 1.7 | 32        |
| 17972 | Characterization of the Human QT Interval: Novel Distributionâ€Based Assessment of the Repolarization Effects of Moxifloxacin. Journal of Clinical Pharmacology, 2012, 52, 1222-1239.  | 1.0 | 10        |
| 17973 | Computerized Extraction of Electrocardiograms From Continuous 12â€Lead Holter Recordings Reduces Measurement Variability in a Thorough QT Study. Journal of Clinical Pharmacology, 2012, 52, 1891-1900.                                      | 1.0 | 11        |
| 17974 | Accuracy of positioning three types of self-ligating brackets compared with a conventionally ligating bracket. Journal of Orthodontics, 2012, 39, 34-42.   | 0.4 | 10        |
| 17975 | Validating Phenotyping Cocktails: More Work Needs to Be Done. Journal of Clinical Pharmacology, 2012, 52, 1772-1773.   | 1.0 | 1         |
| 17976 | The Disagreement Among Methods to Evaluate Glomerular Filtration Rate in HIV-Infected Patients Naive to Antiretroviral Therapy. AIDS Research and Human Retroviruses, 2012, 28, 637-640.   | 0.5 | 0         |
| 17977 | Validation of a portable ultrasound machine for estimating sole thickness in dairy cattle in New Zealand. New Zealand Veterinary Journal, 2012, 60, 123-128.   | 0.4 | 17        |
| 17978 | Is a computerâ€based measurement method superior to a recommended manual method by the ROHO<sup>Â®</sup> Group to assess pressure in the sitting position?. Australian Occupational Therapy Journal, 2013, 60, 350-355.                      | 0.6 | 0         |
| 17979 | A novel method for tracking of muscle thickness changes in ultrasound image sequences. , 2012, , .   |     | 0         |
| 17980 | Non-invasive cerebrospinal fluid pressure estimation using multi-layer perceptron neural networks. , 2012, 2012, 5278-81.  |     | 5         |
| 17981 | Development of a ubiquitous clinical monitoring solution to improve patient safety and outcomes. , 2012, 2012, 6068-73.  |     | 7         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 17982 | Influence of the scale function on wavelet transformation of the surface electromyographic signal. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2012, 15, 111-120.   | 0.9 | 8         |
| 17983 | Sleep-quality assessment from full night audio recordings of sleep apnea patients. , 2012, 2012, 3660-3.   |     | 18        |
| 17984 | Comparison of Two Diverse Measurement Methods by Graphical Agreement. <i>Renal Failure</i> , 2012, 34, 1091-1094.  | 0.8 | 0         |
| 17985 | System Accuracy Evaluation of 43 Blood Glucose Monitoring Systems for Self-Monitoring of Blood Glucose according to DIN EN ISO 15197. <i>Journal of Diabetes Science and Technology</i> , 2012, 6, 1060-1075.  | 1.3 | 209       |
| 17986 | Measuring coronary artery calcification using positron emission tomography-computed tomography attenuation correction images. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 786-792.  | 0.5 | 43        |
| 17987 | Comparing four technologies for measuring postural micromovements during monitor engagement. , 2012, , .   |     | 6         |
| 17988 | Different impacts of acute myocardial infarction on left ventricular apical and basal rotation. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 483-489.  | 0.5 | 13        |
| 17989 | Reliability of the Dynamic Gait Index (Finnish version) in individuals with neurological disorders. <i>Disability and Rehabilitation</i> , 2012, 34, 1657-1664.  | 0.9 | 6         |
| 17990 | Asymmetry assessment using cone beam CT. <i>Angle Orthodontist</i> , 2012, 82, 410-417.  | 1.1 | 26        |
| 17991 | Repeatability and Reproducibility of Subfoveal Choroidal Thickness in Normal Eyes of Japanese Using Different SD-OCT Devices. , 2012, 53, 1102.  |     | 140       |
| 17992 | In de Quervain's with a separate EPB compartment, ultrasound-guided steroid injection is more effective than a clinical injection technique: a prospective open-label study. <i>Journal of Hand Surgery: European Volume</i> , 2012, 37, 523-527.                          | 0.5 | 52        |
| 17993 | Use of dried blood spots for the determination of plasma concentrations of nevirapine and efavirenz. <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 1211-1216.   | 1.3 | 50        |
| 17994 | Estimating dual-energy X-ray absorptiometry-derived total body skeletal muscle mass using single-slice abdominal magnetic resonance imaging in obese subjects with and without diabetes: a pilot study. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 628-632. | 1.3 | 17        |
| 17995 | Comparing single-frequency bioelectrical impedance analysis against deuterium dilution to assess total body water. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 994-997.  | 1.3 | 8         |
| 17996 | Overestimation of carboplatin doses is avoided by radionuclide GFR measurement. <i>British Journal of Cancer</i> , 2012, 107, 1310-1316.   | 2.9 | 33        |
| 17997 | Accuracy of pulse oximeter readings from probe placement on newborn wrist and ankle. <i>Journal of Perinatology</i> , 2012, 32, 276-280.   | 0.9 | 12        |
| 17998 | Validation of a pre-coded food record for infants and young children. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 91-96.   | 1.3 | 30        |
| 17999 | Stability of the Framingham Nutritional Risk Score and its component nutrients over 8 years: the Framingham Nutrition Studies. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 336-344.  | 1.3 | 20        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18000 | Improved equations estimating GFR in children with chronic kidney disease using an immunonephelometric determination of cystatin C. <i>Kidney International</i> , 2012, 82, 445-453.   | 2.6 | 430       |
| 18001 | Validity and reproducibility of a web-based, self-administered food frequency questionnaire. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 166-173.  | 1.3 | 135       |
| 18002 | Variations in truncal body circumferences affect fat mass quantification with bioimpedance analysis. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 196-200.  | 1.3 | 4         |
| 18003 | Infant diet and subcutaneous fat mass in early childhood: The Generation R Study. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 253-260.   | 1.3 | 27        |
| 18004 | Microalterations of Esophagus in Patients With Non-Erosive Reflux Disease: In-Vivo Diagnosis by Confocal Laser Endomicroscopy and Its Relationship With Gastroesophageal Reflux. <i>American Journal of Gastroenterology</i> , 2012, 107, 864-874. | 0.2 | 31        |
| 18005 | Body composition prediction equations based on deuterium oxide dilution method in Mexican children: a national study. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 1099-1103.   | 1.3 | 47        |
| 18006 | Ulna length to predict height in English and Portuguese patient populations. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 209-215.  | 1.3 | 24        |
| 18007 | Quantification of Variability in Breath-hold Perfusion CT of Hepatocellular Carcinoma: A Step toward Clinical Use. <i>Radiology</i> , 2012, 265, 448-456.  | 3.6 | 23        |
| 18008 | Incurred sample reanalysis comparison of dried blood spots and plasma samples on the measurement of lopinavir in clinical samples. <i>Bioanalysis</i> , 2012, 4, 237-240.  | 0.6 | 18        |
| 18009 | Age dependency of peripheral and central systolic blood pressures: cross-sectional and longitudinal observations in a Chinese population. <i>Hypertension Research</i> , 2012, 35, 115-122.  | 1.5 | 29        |
| 18010 | Simultaneous PET/MR imaging of the brain: feasibility of cerebral blood flow measurements with FAIR-TrueFISP arterial spin labeling MRI. <i>Acta Radiologica</i> , 2012, 53, 1066-1072.  | 0.5 | 16        |
| 18011 | Highly sensitive MRD tests for ALL based on the IKZF1 $\hat{1}$ 3 $\hat{6}$ microdeletion. <i>Leukemia</i> , 2012, 26, 1414-1416.  | 3.3 | 30        |
| 18012 | Reliability of Shoulder Symptom Recall after 1 Year in a Retrospective Application of the Oxford Shoulder Score. <i>Shoulder and Elbow</i> , 2012, 4, 255-258.   | 0.7 | 0         |
| 18013 | Comparison of Midregional Pro $\hat{A}$ -Type Natriuretic Peptide and the N-Terminal Pro $\hat{B}$ -Type Natriuretic Peptide for Predicting Mortality and Cardiovascular Events. <i>Clinical Chemistry</i> , 2012, 58, 293-297.                    | 1.5 | 24        |
| 18014 | A Novel Method to Estimate Iliac Tortuosity in Evaluating EVAR Access. <i>Journal of Endovascular Therapy</i> , 2012, 19, 157-164.   | 0.8 | 28        |
| 18015 | Repeatability of measurements of effectiveness of glaucoma medication. <i>British Journal of Ophthalmology</i> , 2012, 96, 1494-1497.  | 2.1 | 6         |
| 18016 | Sodium, Blood Pressure, and Cardiovascular Disease. <i>Circulation</i> , 2012, 126, 2880-2889.   | 1.6 | 383       |
| 18017 | Non-invasive haemoglobin measurement in patients undergoing elective Caesarean section. <i>British Journal of Anaesthesia</i> , 2012, 108, 271-277.  | 1.5 | 74        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18018 | Blood Glucose Measurements in Critically Ill Patients. <i>Journal of Diabetes Science and Technology</i> , 2012, 6, 22-28.  | 1.3 | 11        |
| 18019 | Comparison of HIV-1 RNA Measurements Obtained by Using Plasma and Dried Blood Spots in the Automated Abbott Real-Time Viral Load Assay. <i>Journal of Clinical Microbiology</i> , 2012, 50, 569-572.  | 1.8 | 41        |
| 18020 | Assessment of left ventricular systolic function in fetuses without myocardial hypertrophy of gestational diabetes mellitus mothers using velocity vector imaging. <i>Journal of Obstetrics and Gynaecology</i> , 2012, 32, 252-256.                            | 0.4 | 15        |
| 18021 | Stable Nitrogen and Carbon Isotope Ratios Indicate Traditional and Market Food Intake in an Indigenous Circumpolar Population. <i>Journal of Nutrition</i> , 2012, 142, 84-90.  | 1.3 | 63        |
| 18022 | Nintendo Wii Remote Controllers for Head Posture Measurement: Accuracy, Validity, and Reliability of the Infrared Optical Head Tracker. , 2012, 53, 1388.   |     | 15        |
| 18023 | Interobserver Reliability of Baseline Noncontrast CT Alberta Stroke Program Early CT Score for Intra-Arterial Stroke Treatment Selection. <i>American Journal of Neuroradiology</i> , 2012, 33, 1046-1049.  | 1.2 | 106       |
| 18024 | Noninvasive Measurement of Skin Autofluorescence Is Increased in Patients with Systemic Sclerosis: An Indicator of Increased Advanced Glycation Endproducts?. <i>Journal of Rheumatology</i> , 2012, 39, 1654-1658.   | 1.0 | 17        |
| 18025 | Statistical Methods for Test and Biomarker Evaluation Studies: A Clinical Chemistry Series. <i>Clinical Chemistry</i> , 2012, 58, 1273-1274.  | 1.5 | 5         |
| 18026 | Clinical Significance of Low Cytomegalovirus DNA Levels in Human Plasma. <i>Journal of Clinical Microbiology</i> , 2012, 50, 2378-2383.   | 1.8 | 30        |
| 18027 | Effect of Repeated Dietary Counseling on Serum Lipoproteins From Infancy to Adulthood. <i>Pediatrics</i> , 2012, 129, e704-e713.  | 1.0 | 56        |
| 18028 | Organ volume measurements: comparison between MRI and autopsy findings in infants following sudden unexpected death. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2012, 97, F434-F438.   | 1.4 | 36        |
| 18029 | Translation and Cross-cultural Adaptation of the Lower Extremity Functional Scale Into a Brazilian Portuguese Version and Validation on Patients With Knee Injuries. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012, 42, 932-939.             | 1.7 | 54        |
| 18030 | Reproducibility of the Nicotine Metabolite Ratio in Cigarette Smokers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1105-1114.  | 1.1 | 96        |
| 18031 | Diffusion-Weighted MRI Versus 18F-FDG PET/CT: Performance as Predictors of Tumor Treatment Response and Patient Survival in Patients With Non-“Small Cell Lung Cancer Receiving Chemoradiotherapy. <i>American Journal of Roentgenology</i> , 2012, 198, 75-82. | 1.0 | 119       |
| 18032 | Validity and predictive ability of the juvenile arthritis disease activity score based on CRP versus ESR in a Nordic population-based setting. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1122-1127.   | 0.5 | 59        |
| 18033 | Real-Time Continuous Glucose Monitoring in an Intensive Care Unit: Better Accuracy in Patients with Septic Shock. <i>Diabetes Technology and Therapeutics</i> , 2012, 14, 568-575.  | 2.4 | 42        |
| 18034 | Normative Volume Difference Between the Dominant and Nondominant Upper Limbs in Healthy Older Women. <i>Lymphatic Research and Biology</i> , 2012, 10, 182-188.   | 0.5 | 42        |
| 18035 | Age dependency of central and peripheral systolic blood pressures: Cross-sectional and longitudinal observations in European populations. <i>Blood Pressure</i> , 2012, 21, 58-68.  | 0.7 | 25        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18036 | The Telephone Interview for Cognitive Status (Modified): Relation with a comprehensive neuropsychological assessment. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2012, 34, 598-605.                       | 0.8 | 43        |
| 18037 | Assessment of a new Goldmann applanation tonometer. <i>British Journal of Ophthalmology</i> , 2012, 96, 42-46.   | 2.1 | 2         |
| 18038 | Reliability of Handgrip Strength Test in Basketball Players. <i>Journal of Human Kinetics</i> , 2012, 31, 25-36.   | 0.7 | 67        |
| 18039 | Estimation of central aortic pressure waveform features derived from the brachial cuff volume displacement waveform. , 2012, 2012, 2591-4.   |     | 38        |
| 18040 | Visual impairment in children with spastic cerebral palsy measured by psychophysical and electrophysiological grating acuity tests. <i>Developmental Neurorehabilitation</i> , 2012, 15, 414-424.                            | 0.5 | 11        |
| 18041 | Reproducibility of Tumor Uptake Heterogeneity Characterization Through Textural Feature Analysis in <sup>18</sup> F-FDG PET. <i>Journal of Nuclear Medicine</i> , 2012, 53, 693-700.   | 2.8 | 289       |
| 18042 | Measuring Agreement, More Complicated Than It Seems. <i>Nephron Clinical Practice</i> , 2012, 120, c162-c167.  | 2.3 | 47        |
| 18043 | The Role of Signs or Symptoms. , 2012, , 121-158.  |     | 0         |
| 18044 | Quantitative Paraspinal Muscle Measurements: Inter-Software Reliability and Agreement Using OsiriX and ImageJ. <i>Physical Therapy</i> , 2012, 92, 853-864.  | 1.1 | 130       |
| 18045 | Diffusion-Weighted MR Imaging in Head and Neck Cancer: Comparison between Half-Fourier Acquired Single-Shot Turbo Spin-Echo and EPI Techniques. <i>American Journal of Neuroradiology</i> , 2012, 33, 1239-1246.             | 1.2 | 52        |
| 18046 | Automated Versus Manual In Vivo Segmentation of Carotid Plaque MRI. <i>American Journal of Neuroradiology</i> , 2012, 33, 1621-1627.   | 1.2 | 30        |
| 18047 | Evaluation of two devices for point-of-care testing of haemoglobin in neonatal pigs. <i>Laboratory Animals</i> , 2012, 46, 65-70.  | 0.5 | 16        |
| 18048 | Reference Measurement Procedure for Total Glycerides by Isotope Dilution GC-MS. <i>Clinical Chemistry</i> , 2012, 58, 768-776.   | 1.5 | 20        |
| 18049 | The â€œsystolic volume balanceâ€ method for the noninvasive estimation of cardiac output based on pressure wave analysis. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 302, H2064-H2073. | 1.5 | 21        |
| 18050 | Comparison of PR Intervals Determined by Fetal Magnetocardiography and Pulsed Doppler Echocardiography. <i>Fetal Diagnosis and Therapy</i> , 2012, 32, 109-115.  | 0.6 | 11        |
| 18051 | Factors Associated with Caregiversâ€™ Underestimation of Quality of Life in Patients with Alzheimerâ€™s Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 33, 11-17.  | 0.7 | 31        |
| 18052 | Multifocal Intraocular Lens Differentiation Using Defocus Curves. , 2012, 53, 3920.  |     | 62        |
| 18053 | Retinal Nerve Fiber Layer Thickness Measurements in Rats with Spectral Domainâ€“Optical Coherence Tomography. , 2012, 53, 749.   |     | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18054 | The Coefficient of Determination: What Determines a Useful $R^2$ Statistic?. , 2012, 53, 6830.  |     | 53        |
| 18055 | Repeatability of Spectralis OCT Measurements of Macular Thickness and Volume in Diabetic Macular Edema. , 2012, 53, 7754.   |     | 59        |
| 18056 | Divalent Cations in Tears, and Their Influence on Tear Film Stability in Humans and Rabbits. , 2012, 53, 3280.  |     | 22        |
| 18057 | Evaluation of Novel Acute Urinary Rat Kidney Toxicity Biomarker for Subacute Toxicity Studies in Preclinical Trials. Toxicologic Pathology, 2012, 40, 1031-1048.  | 0.9 | 65        |
| 18058 | Dual-energy X-ray absorptiometry-based body volume measurement for 4-compartment body composition. American Journal of Clinical Nutrition, 2012, 95, 25-31.   | 2.2 | 44        |
| 18059 | Attenuation of Wave Reflection by Wave Entrapment Creates a "Horizon Effect" in the Human Aorta. Hypertension, 2012, 60, 778-785.   | 1.3 | 79        |
| 18060 | Routine Chest X-ray: Still Valuable for the Assessment of Left Ventricular Size and Function in the Era of Super Machines?. Journal of Clinical Imaging Science, 2012, 2, 25.   | 0.4 | 10        |
| 18061 | Surface Adjustment of Reverse Phase Protein Arrays using Positive Control Spots. Cancer Informatics, 2012, 11, CIN.S9055.   | 0.9 | 40        |
| 18062 | Central venous saturation is not an alternative to mixed venous saturation during cardiopulmonary bypass in coronary artery surgery patients. Perfusion (United Kingdom), 2012, 27, 300-306.  | 0.5 | 9         |
| 18063 | A critique on measuring reliability in exercise tests and outcome measures. European Journal of Preventive Cardiology, 2012, 19, 41-42.   | 0.8 | 0         |
| 18064 | Measuring illness and exercise beliefs in osteoarthritis of the hip or knee: psychometric properties of the "Hip and Knee Beliefs Questionnaire"™ and the "Exercise Attitude Questionnaire"™. International Musculoskeletal Medicine, 2012, 34, 13-20.  | 0.1 | 0         |
| 18065 | Evaluating the QuikRead® C-reactive protein test as a point-of-care test. Paediatrics and International Child Health, 2012, 32, 35-42.  | 0.3 | 9         |
| 18066 | Identifying sedentary time using automated estimates of accelerometer wear time. British Journal of Sports Medicine, 2012, 46, 436-442.   | 3.1 | 77        |
| 18067 | Comparison of three different methods for 25(OH)-vitamin D determination and vitamin D status in general population " Serbian experience / Poređenje tri različite metode za određivanje 25(OH)-vitamina D i statusa vitamina D u općitoj populaciji " srpsko iskustvo. Journal of Medical Biochemistry, 2012, 31, 347-357. | 0.7 | 6         |
| 18068 | Inter-device reliability of DSI measurement. Logopedics Phoniatrics Vocology, 2012, 37, 167-173.  | 0.5 | 19        |
| 18069 | C-Arm CT Measurement of Cerebral Blood Volume Using Intra-Arterial Injection of Contrast Medium: An Experimental Study in Canines. American Journal of Neuroradiology, 2012, 33, 1696-1701.   | 1.2 | 12        |
| 18070 | Assessment of Cardiorespiratory Fitness without Exercise in Elderly Men with Chronic Cardiovascular and Metabolic Diseases. Journal of Aging Research, 2012, 2012, 1-6.   | 0.4 | 10        |
| 18071 | The Impact of 10% $\pm$ -Hydroxy Acid Emulsion on Skin pH. Skin Pharmacology and Physiology, 2012, 25, 34-38.   | 1.1 | 14        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18072 | Accuracy and Precision of Desktop Spirometers in General Practices. <i>Respiration</i> , 2012, 83, 344-352.   | 1.2 | 21        |
| 18073 | Reproducibility and Repeatability of Cirrus <sup>®</sup> , <sup>®</sup> HD-OCT Peripapillary Retinal Nerve Fibre Layer Thickness Measurements in Young Normal Subjects. <i>Ophthalmologica</i> , 2012, 227, 139-145.  | 1.0 | 34        |
| 18074 | Influence of Temperature during Transportation on Cell-Free DNA Analysis. <i>Fetal Diagnosis and Therapy</i> , 2012, 31, 122-128.   | 0.6 | 65        |
| 18075 | Comparative Evaluation of Diaton and Goldmann Applanation Tonometers. <i>Ophthalmologica</i> , 2012, 228, 42-46.  | 1.0 | 14        |
| 18076 | Estradiol and Pubertal Growth in Girls. <i>Hormone Research in Paediatrics</i> , 2012, 78, 218-225.   | 0.8 | 26        |
| 18077 | Identification of Coronary Plaque Sub-Types Using Virtual Histology Intravascular Ultrasound Is Affected by Inter-Observer Variability and Differences in Plaque Definitions. <i>Circulation: Cardiovascular Imaging</i> , 2012, 5, 86-93.                                  | 1.3 | 27        |
| 18078 | Analysis of Procedural Effects of Percutaneous Edge-to-Edge Mitral Valve Repair by 2D and 3D Echocardiography. <i>Circulation: Cardiovascular Imaging</i> , 2012, 5, 748-755.   | 1.3 | 91        |
| 18079 | MMP-2 and sTNF-R1 Variability in Patients with Essential Hypertension: 1-Year Follow-Up Study. <i>ISRN Cardiology</i> , 2012, 2012, 1-7.  | 1.6 | 4         |
| 18080 | Validation of the 3-lead tele-ECG versus the 12-lead tele-ECG and the conventional 12-lead ECG method in older people. <i>Journal of Telemedicine and Telecare</i> , 2012, 18, 104-108.   | 1.4 | 16        |
| 18081 | Reliability and validity of conjunctival ultraviolet autofluorescence measurement. <i>British Journal of Ophthalmology</i> , 2012, 96, 801-805.   | 2.1 | 43        |
| 18082 | Validity of two short screeners for diet quality in time-limited settings. <i>Public Health Nutrition</i> , 2012, 15, 618-626.  | 1.1 | 64        |
| 18083 | Prolonged breast-feeding protects mothers from later-life obesity and related cardio-metabolic disorders. <i>Public Health Nutrition</i> , 2012, 15, 67-74.   | 1.1 | 44        |
| 18084 | Validation of protein and potassium intakes assessed from 24 h recalls against levels estimated from 24 h urine samples in children and adolescents of Turkish descent living in Germany: results from the EVET! Study. <i>Public Health Nutrition</i> , 2012, 15, 640-647. | 1.1 | 9         |
| 18085 | Validation of a semi-quantitative FFQ using food records as a reference in older women in the Kuopio Fracture Prevention Study (OSTPRE-FPS). <i>Public Health Nutrition</i> , 2012, 15, 635-639.  | 1.1 | 18        |
| 18086 | Estimated portion sizes in a school-aged population. <i>Public Health Nutrition</i> , 2012, 15, 2193-2201.  | 1.1 | 3         |
| 18087 | Quantitative assessment of regional cerebral blood flow by dynamic susceptibility contrast-enhanced MRI, without the need for arterial blood signals. <i>Physics in Medicine and Biology</i> , 2012, 57, 7873-7892.   | 1.6 | 7         |
| 18088 | Improved regression models for ventilation estimation based on chest and abdomen movements. <i>Physiological Measurement</i> , 2012, 33, 79-93.   | 1.2 | 11        |
| 18089 | Stroke volume obtained by electrical interrogation of the brachial artery: transbrachial electrical bioimpedance velocimetry. <i>Physiological Measurement</i> , 2012, 33, 629-649.   | 1.2 | 11        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18090 | Remote measurement of the leak around the uncuffed tracheal tube: objective measurement and physical characteristics. <i>British Journal of Anaesthesia</i> , 2012, 108, 152-158.   | 1.5 | 2         |
| 18091 | Non-invasive continuous arterial pressure and cardiac index monitoring with Nexfin after cardiac surgery. <i>British Journal of Anaesthesia</i> , 2012, 109, 514-521.   | 1.5 | 123       |
| 18092 | Lithium dilution, pulse power analysis, and continuous thermodilution cardiac output measurements compared with bolus thermodilution in anaesthetized ponies. <i>British Journal of Anaesthesia</i> , 2012, 109, 864-869. | 1.5 | 18        |
| 18093 | Measurement of blood pressure, ankle blood pressure and calculation of ankle brachial index in general practice. <i>Family Practice</i> , 2012, 29, 345-351.  | 0.8 | 12        |
| 18094 | Clinical Validation of Multiplex Real-Time PCR Assays for Detection of Bacterial Meningitis Pathogens. <i>Journal of Clinical Microbiology</i> , 2012, 50, 702-708.   | 1.8 | 116       |
| 18095 | Limited-Sampling Strategy for Mycophenolic Acid in Renal Transplant Recipients Receiving Enteric-Coated Mycophenolate Sodium and Tacrolimus. <i>Therapeutic Drug Monitoring</i> , 2012, 34, 298-305.                      | 1.0 | 16        |
| 18096 | Nidek ConfoScan 4 (Z-Ring) Measurements Over Soft Contact Lenses. <i>Eye and Contact Lens</i> , 2012, 38, 80-85.  | 0.8 | 3         |
| 18097 | A Comparison of Coagulation Study Results Between Heparinized Peripherally Inserted Central Catheters and Venipunctures. <i>Clinical Nurse Specialist</i> , 2012, 26, 310-316.  | 0.3 | 10        |
| 18098 | The Eigenfactor <sup>®</sup> Score in Highly Specific Medical Fields. <i>Journal of Dental Research</i> , 2012, 91, 329-333.  | 2.5 | 16        |
| 18099 | Model-Based Noninvasive Estimation of Intracranial Pressure from Cerebral Blood Flow Velocity and Arterial Pressure. <i>Science Translational Medicine</i> , 2012, 4, 129ra44.  | 5.8 | 92        |
| 18100 | DMA Clinical Pilates Directional-Bias Assessment: Reliability and Predictive Validity. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012, 42, 676-A10.   | 1.7 | 11        |
| 18101 | Spatially regularized region-based perfusion estimation in peripherals using angiographic C-arm systems. <i>Physics in Medicine and Biology</i> , 2012, 57, 7239-7259.  | 1.6 | 3         |
| 18102 | Clinical Evaluation of Optical Quality and Intraocular Scattering after Posterior Chamber Phakic Intraocular Lens Implantation. , 2012, 53, 3161.   |     | 37        |
| 18103 | Changes in Electrical Perception Threshold Within the First 6 Months After Traumatic Spinal Cord Injury. <i>Neurorehabilitation and Neural Repair</i> , 2012, 26, 497-506.  | 1.4 | 12        |
| 18104 | Reliability and Validity of the Kinematic Dystonia Measure for Children With Upper Extremity Dystonia. <i>Journal of Child Neurology</i> , 2012, 27, 907-913.   | 0.7 | 11        |
| 18105 | Agreement among three types of spectral-domain optical coherent tomography instruments in measuring parapapillary retinal nerve fibre layer thickness. <i>British Journal of Ophthalmology</i> , 2012, 96, 832-837.       | 2.1 | 29        |
| 18106 | Measurement of transplanted pancreatic volume using computed tomography: reliability by intra- and inter-observer variability. <i>Acta Radiologica</i> , 2012, 53, 966-972.   | 0.5 | 5         |
| 18107 | Highlights from the previous volumes. <i>Europhysics Letters</i> , 2012, 100, 00000.  | 0.7 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18108 | Validity and Reproducibility of the Sargent Jump Test in the Assessment of Explosive Strength in Soccer Players. <i>Journal of Human Kinetics</i> , 2012, 33, 115-121.  | 0.7 | 49        |
| 18109 | OCT for Assessing Artificial Tears Effectiveness in Contact Lens Wearers. <i>Optometry and Vision Science</i> , 2012, 89, E62-E69.  | 0.6 | 14        |
| 18110 | Precise Determination of Time to Reach Viral Load Set Point After Acute HIV-1 Infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 61, 448-454.   | 0.9 | 28        |
| 18111 | Effectiveness of Suspension Seats in Maintaining Performance Following Military High-Speed Boat Transits. <i>Human Factors</i> , 2012, 54, 264-276.   | 2.1 | 8         |
| 18112 | Time point-dependent concordance of flow cytometry and real-time quantitative polymerase chain reaction for minimal residual disease detection in childhood acute lymphoblastic leukemia. <i>Haematologica</i> , 2012, 97, 1582-1593.             | 1.7 | 95        |
| 18113 | Effect of Astigmatism on Apparent Accommodation in Pseudophakic Eyes. <i>Optometry and Vision Science</i> , 2012, 89, 148-154.  | 0.6 | 12        |
| 18114 | Intra-rater reliability of an experienced physiotherapist in locating myofascial trigger points in upper trapezius muscle. <i>Journal of Manual and Manipulative Therapy</i> , 2012, 20, 171-177.   | 0.7 | 57        |
| 18115 | A comparison of the Canon TX-20Pâ„¢ non-contact tonometer and pachymeter in healthy eyes. <i>International Journal of Ophthalmic Practice</i> , 2012, 3, 96-102.  | 0.0 | 6         |
| 18116 | Respiratory mechanics during high-frequency oscillatory ventilation: a physical model and preterm infant study. <i>Journal of Applied Physiology</i> , 2012, 112, 1105-1113.  | 1.2 | 12        |
| 18117 | Pulmonary Arterial Dilatation in Pulmonary Hypertension: Prevalence and Prognostic Relevance. <i>Cardiology</i> , 2012, 121, 76-82.   | 0.6 | 36        |
| 18118 | Simple Cystatin C Formula Compared to Serum Creatinine-Based Formulas for Estimation of Glomerular Filtration Rate in Patients with Mildly to Moderately Impaired Kidney Function. <i>Kidney and Blood Pressure Research</i> , 2012, 35, 649-654. | 0.9 | 8         |
| 18119 | Feasibility and Reliability of Interactive Voice Response Assessment of HIV Medication Adherence: Research and Clinical Implications. <i>HIV Clinical Trials</i> , 2012, 13, 271-277.   | 2.0 | 18        |
| 18120 | A systematic review of the ASEPSIS scoring system used in non-cardiac-related surgery. <i>Journal of Wound Care</i> , 2012, 21, 124-130.  | 0.5 | 12        |
| 18121 | The foot in multistage ultra-marathon runners: experience in a cohort study of 22 participants of the Trans Europe Footrace Project with mobile MRI. <i>BMJ Open</i> , 2012, 2, e001118.  | 0.8 | 28        |
| 18122 | Accuracy of Unenhanced MR Imaging in the Detection of Axillary Lymph Node Metastasis: Study of Reproducibility and Reliability. <i>Radiology</i> , 2012, 262, 425-434.  | 3.6 | 88        |
| 18123 | Comparison of 2 Extended Activities of Daily Living Scales With the Barthel Index and Predictors of Their Outcomes. <i>Stroke</i> , 2012, 43, 1362-1369.  | 1.0 | 44        |
| 18124 | Early Cystic Fibrosis Lung Disease Detected by Bronchoalveolar Lavage and Lung Clearance Index. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012, 185, 862-873.   | 2.5 | 125       |
| 18125 | Validation of printed and computerised crowded Kay picture logMAR tests against gold standard ETDRS acuity test chart measurements in adult and amblyopic paediatric subjects. <i>Eye</i> , 2012, 26, 593-600.                                    | 1.1 | 36        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18126 | Magnetic resonance imaging of the neonatal piglet brain. <i>Pediatric Research</i> , 2012, 71, 179-184.   | 1.1 | 25        |
| 18127 | Use of the Correlation Coefficient to Compare a Point-of-Care Antigen Test Against a Quantitative Sandwich Enzyme-Linked Immunosorbent Assay for the Detection of Cryptococcal Meningitis. <i>Clinical Infectious Diseases</i> , 2012, 55, 1744-1745.   | 2.9 | 1         |
| 18128 | Persistent dysfunction of viable myocardium after revascularization in chronic ischaemic heart disease: implications for dobutamine stress echocardiography with longitudinal systolic strain and strain rate measurements. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 745-755. | 0.5 | 19        |
| 18129 | Dynamics of the tricuspid valve annulus in normal and dilated right hearts: a three-dimensional transoesophageal echocardiography study. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 756-762.  | 0.5 | 53        |
| 18130 | Right ventricular outflow tract systolic excursion: a novel echocardiographic parameter of right ventricular function. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 871-877.  | 0.5 | 30        |
| 18131 | Diffuse myocardial fibrosis in severe aortic stenosis: an equilibrium contrast cardiovascular magnetic resonance study. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 819-826.   | 0.5 | 161       |
| 18132 | Torsion analysis in the early detection of anthracycline-mediated cardiomyopathy. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 95-103.  | 0.5 | 56        |
| 18133 | Comparison of real-time three-dimensional echocardiography with cardiovascular magnetic resonance for left ventricular volumetric assessment in unselected patients. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 187-195.  | 0.5 | 21        |
| 18134 | Echocardiographic right ventricle longitudinal contraction indices cannot predict ejection fraction in post-operative Fallot children. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 235-242.  | 0.5 | 37        |
| 18135 | Development of a prediction equation for the estimation of mandibular canine and premolar widths from mandibular first permanent molar and incisor widths. <i>European Journal of Orthodontics</i> , 2012, 34, 340-344.   | 1.1 | 14        |
| 18136 | Calibration of the modified Huddart and Bodenham scoring system against the GOSLON/5-year-olds' index for unilateral cleft lip and palate. <i>European Journal of Orthodontics</i> , 2012, 34, 762-767.   | 1.1 | 30        |
| 18137 | Imaging intraplaque inflammation in carotid atherosclerosis with <sup>11</sup> C-PK11195 positron emission tomography/computed tomography. <i>European Heart Journal</i> , 2012, 33, 1902-1910.   | 1.0 | 225       |
| 18138 | Quantification of anti-Mullerian hormone (AMH) in dried blood spots: validation of a minimally invasive method for assessing ovarian reserve. <i>Human Reproduction</i> , 2012, 27, 2503-2508.  | 0.4 | 26        |
| 18139 | An adverse event screening tool based on routinely collected hospital-acquired diagnoses. <i>International Journal for Quality in Health Care</i> , 2012, 24, 266-278.  | 0.9 | 1         |
| 18140 | Determination of brachial artery stiffness prior to vascular access creation: reproducibility of pulse wave velocity assessment. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2370-2376.  | 0.4 | 5         |
| 18141 | Prediction of glomerular filtration rate from serum concentration of cystatin C: comparison of two analytical methods. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2826-2838.  | 0.4 | 9         |
| 18142 | Mean Bronchial Wall Attenuation Value in Chronic Obstructive Pulmonary Disease: Comparison With Standard Bronchial Parameters and Correlation With Function. <i>American Journal of Roentgenology</i> , 2012, 198, 800-808.   | 1.0 | 9         |
| 18143 | Comparing LEA Numbers Low Vision Book and Feinbloom Visual Acuity Charts. <i>Optometry and Vision Science</i> , 2012, 89, 1611-1618.  | 0.6 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18144 | Validation of two-dimensional and three-dimensional measurements of subpleural alveolar size parameters by optical coherence tomography. <i>Journal of Biomedical Optics</i> , 2012, 17, 126015.                                  | 1.4 | 8         |
| 18145 | Natural history of a coronary plaque followed by computed tomography. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 242-242.   | 0.5 | 0         |
| 18146 | A Validated HPLC Method for the Monitoring of Thiopurine Metabolites in Whole Blood in Paediatric Patients with Inflammatory Bowel Disease. <i>International Journal of Immunopathology and Pharmacology</i> , 2012, 25, 435-444. | 1.0 | 21        |
| 18147 | Reference Values for the Length and Area of the Fetal Corpus Callosum on 3â€­Dimensional Sonography Using the Transfrontal View. <i>Journal of Ultrasound in Medicine</i> , 2012, 31, 205-212.                                    | 0.8 | 17        |
| 18148 | Simultaneous measurement of respiration and cardiac period in preterm infants by laser Doppler vibrometry. <i>AIP Conference Proceedings</i> , 2012, , .  | 0.3 | 10        |
| 18149 | Obstructive Apnea Hypopnea Index Estimation by Analysis of Nocturnal Snoring Signals in Adults. <i>Sleep</i> , 2012, 35, 1299-1305.   | 0.6 | 88        |
| 18150 | Model-based Monitoring of Septic Shock Treated with Large-pore Hemofiltration Therapy. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2012, 45, 432-437.                                    | 0.4 | 0         |
| 18151 | Pulmonary Hypertension in Idiopathic Pulmonary Fibrosis: Prevalence and Clinical Progress. <i>International Journal of Immunopathology and Pharmacology</i> , 2012, 25, 681-689.  | 1.0 | 28        |
| 18152 | Long-Term Surveillance of Ground-Glass Nodules: Evidence from the MILD Trial. <i>Journal of Thoracic Oncology</i> , 2012, 7, 1541-1546.   | 0.5 | 71        |
| 18153 | Establishment of a conversion factor for the Cepheid GeneXpert BCR-ABL Assay. <i>Pathology</i> , 2012, 44, 55-57.   | 0.3 | 8         |
| 18154 | Accuracy and Reliability of Uterine Contraction Identification Using Abdominal Surface Electrodes. <i>Clinical Medicine Insights Women's Health</i> , 2012, 5, CMWH.S10444.   | 0.6 | 20        |
| 18155 | QUANTITATIVE ANALYSIS OF CYSTOID MACULAR EDEMA USING SCANNING LASER OPHTHALMOSCOPE IN MODIFIED DARK-FIELD IMAGING. <i>Retina</i> , 2012, 32, 1892-1899.   | 1.0 | 9         |
| 18156 | Comparison of Central Corneal Thickness and Anterior Chamber Depth Measured Using LenStar LS900, Pentacam, and Visante AS-OCT. <i>Cornea</i> , 2012, 31, 983-988.   | 0.9 | 51        |
| 18157 | Lenstar vs. Ultrasound for Ocular Biometry in a Pediatric Population. <i>Optometry and Vision Science</i> , 2012, 89, e30.  | 0.6 | 1         |
| 18158 | Comparisons between validated estimated glomerular filtration rate equations and isotopic glomerular filtration rate in HIV patients. <i>Aids</i> , 2012, 26, 1781-1788.  | 1.0 | 35        |
| 18159 | Level of agreement between patient and proxy responses to the EQ-5D health questionnaire 12 months after injury. <i>Journal of Trauma</i> , 2012, 72, 1102-1105.  | 2.3 | 26        |
| 18160 | Repeatability of Food Frequency Assessment Tools in Relation to the Number of Items and Response Categories Included. <i>Food and Nutrition Bulletin</i> , 2012, 33, 288-295.   | 0.5 | 2         |
| 18161 | Validation of a User-Friendly and Rapid Method for Quantifying Iodine Content of Salt. <i>Food and Nutrition Bulletin</i> , 2012, 33, S330-S335.  | 0.5 | 14        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18162 | Simplified procedure for the estimation of glomerular filtration rate following intravenous administration of iodixanol in cats. <i>American Journal of Veterinary Research</i> , 2012, 73, 1344-1349.  | 0.3 | 9         |
| 18163 | Correlation, accuracy, precision and practicability of perioperative measurement of sublingual temperature in comparison with tympanic membrane temperature in awake and anaesthetised patients. <i>European Journal of Anaesthesiology</i> , 2012, 29, 70-74.                              | 0.7 | 24        |
| 18164 | Computerized Adaptive Testing—Ready for Ambulatory Monitoring?. <i>Psychosomatic Medicine</i> , 2012, 74, 338-348.  | 1.3 | 25        |
| 18166 | Effects of cardiac output levels on the measurement of transpulmonary thermodilution cardiac output in patients with acute respiratory distress syndrome. <i>Journal of Trauma and Acute Care Surgery</i> , 2012, 73, 1236-1241.  | 1.1 | 3         |
| 18167 | Residual compromised myocardial contractile reserve after valve replacement for aortic stenosis. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 353-360.  | 0.5 | 12        |
| 18168 | Reliability of a New Supination Resistance Measurement Device and Validation of the Manual Supination Resistance Test. <i>Journal of the American Podiatric Medical Association</i> , 2012, 102, 278-289.   | 0.2 | 10        |
| 18169 | Application of Cigarette Smoke Characterisation Based on Optical Aerosol Spectrometry. Dynamics and Comparisons with Tar Values. <i>Current Analytical Chemistry</i> , 2012, 8, 344-350.  | 0.6 | 3         |
| 18170 | Magnetic Resonance Diffusion Tensor Imaging in Patients With Cervical Spondylotic Spinal Cord Compression. <i>Spine</i> , 2012, 37, 48-56.  | 1.0 | 94        |
| 18171 | The Physics and Psychophysics of Microperimetry. <i>Optometry and Vision Science</i> , 2012, 89, 1182-1191.   | 0.6 | 15        |
| 18172 | Pancreas Size and Volume on Computed Tomography in Normal Adults. <i>Pancreas</i> , 2012, 41, 589-595.  | 0.5 | 31        |
| 18173 | Association between risk factors and left ventricular remodeling in middle-aged and aged population. <i>Journal of Hypertension</i> , 2012, 30, 1862-1873.  | 0.3 | 6         |
| 18174 | High Correlation Between Salivary Cortisol and Free Serum Cortisol Measurements Does Not Mean Good Agreement. <i>Chest</i> , 2012, 141, 273.  | 0.4 | 1         |
| 18175 | Monitoring of Noninvasive Ventilation by Built-in Software of Home Bilevel Ventilators. <i>Chest</i> , 2012, 141, 469-476.  | 0.4 | 96        |
| 18176 | Reference Ranges for Vertebral Body Areas of the Fetal Lumbosacral Spine on 3-Dimensional Sonography Using Volume Contrast Imaging With OmniView. <i>Journal of Ultrasound in Medicine</i> , 2012, 31, 1743-1752.   | 0.8 | 6         |
| 18177 | Agreed Statistics. <i>Anesthesiology</i> , 2012, 116, 182-185.  | 1.3 | 229       |
| 18178 | Number of Antral Follicles, Ovarian Volume, and Vascular Indices in Asymptomatic Women 20 to 39 Years Old as Assessed by 3-Dimensional Sonography. <i>Journal of Ultrasound in Medicine</i> , 2012, 31, 1635-1649.  | 0.8 | 31        |
| 18179 | Respiratory Event Detection by a Positive Airway Pressure Device. <i>Sleep</i> , 2012, 35, 361-367.   | 0.6 | 69        |
| 18180 | Cerebral Oxygen Saturation Measured by Near-infrared Spectroscopy and Jugular Venous Bulb Oxygen Saturation during Arthroscopic Shoulder Surgery in Beach Chair Position under Sevoflurane-Nitrous Oxide or Propofol-Remifentanyl Anesthesia. <i>Anesthesiology</i> , 2012, 116, 1047-1056. | 1.3 | 86        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18181 | REPEATABILITY AND REPRODUCIBILITY OF RETINAL THICKNESS MEASUREMENTS WITH SPECTRAL-DOMAIN OPTICAL COHERENCE TOMOGRAPHY USING DIFFERENT SCAN PARAMETERS. <i>Retina</i> , 2012, 32, 1007-1012.  | 1.0 | 13        |
| 18182 | Factors associated with carotid intima-media thickness and carotid plaques in type 2 diabetic patients. <i>Journal of Hypertension</i> , 2012, 30, 940-947.  | 0.3 | 28        |
| 18183 | Parametric [ <sup>11</sup> C]flumazenil images. <i>Nuclear Medicine Communications</i> , 2012, 33, 422-430.  | 0.5 | 9         |
| 18184 | Amoebicidal Effects of Contact Lens Disinfecting Solutions. <i>Optometry and Vision Science</i> , 2012, 89, 44-51.   | 0.6 | 33        |
| 18185 | Corneal Refractive Index's Hydration Relationship by Objective Refractometry. <i>Optometry and Vision Science</i> , 2012, 89, 1641-1646.   | 0.6 | 1         |
| 18186 | Ultrahigh-Field 7-T Magnetic Resonance Carotid Vessel Wall Imaging. <i>Investigative Radiology</i> , 2012, 47, 697-704.  | 3.5 | 17        |
| 18187 | The Relationship Between Quantitative Perfusion and Functional Results and Acquisition Time With Reduced Administered Activity for <sup>99m</sup> Tc Tetrofosmin Myocardial Gated-SPECT. <i>Clinical Nuclear Medicine</i> , 2012, 37, e162-e169. | 0.7 | 6         |
| 18188 | Test-Retest Reliability, Criterion-Related Validity, and Minimal Detectable Change of Score on an Abbreviated Wingate Test for Field Sport Participants. <i>Journal of Strength and Conditioning Research</i> , 2012, 26, 1324-1330.             | 1.0 | 23        |
| 18189 | Interrater and Intrarater Reliability in the Diagnosis and Staging of Endometriosis. <i>Obstetrics and Gynecology</i> , 2012, 120, 104-112.  | 1.2 | 29        |
| 18190 | Postoperative Validation of Bone-Anchored Implants in the Single-Sided Deafness Population. <i>Otology and Neurotology</i> , 2012, 33, 291-296.  | 0.7 | 14        |
| 18191 | Accommodative Response/Stimulus by Dynamic Retinoscopy. <i>Optometry and Vision Science</i> , 2012, 89, 1497-1506.   | 0.6 | 4         |
| 18192 | Reproducibility of Trabecular Bone Structure Measurements of the Distal Radius at 1.5 and 3.0 T Magnetic Resonance Imaging. <i>Journal of Computer Assisted Tomography</i> , 2012, 36, 623-626.  | 0.5 | 15        |
| 18193 | Focused rapid echocardiographic evaluation versus vascular catheter-based assessment of cardiac output and function in critically ill trauma patients. <i>Journal of Trauma</i> , 2012, 72, 1158-1164.   | 2.3 | 33        |
| 18194 | Comparison of Performance of Serum and Plasma in Panbio Dengue and Japanese Encephalitis Virus Enzyme-Linked Immunosorbent Assays. <i>American Journal of Tropical Medicine and Hygiene</i> , 2012, 87, 573-575.                                 | 0.6 | 13        |
| 18195 | Validity, Practical Utility, and Reliability of the activPAL <sup>®</sup> in Preschool Children. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 761-768.   | 0.2 | 87        |
| 18196 | Evaluation of stroke volume variations obtained with the pressure recording analytic method*. <i>Critical Care Medicine</i> , 2012, 40, 1186-1191.   | 0.4 | 36        |
| 18197 | Impact of Cross-Calibration Methods on the Interpretation of a Treatment Comparison Study Using 2 Depression Scales. <i>Medical Care</i> , 2012, 50, 320-326.  | 1.1 | 8         |
| 18198 | The Influence of Blood Lactate Sample Site on Exercise Prescription. <i>Journal of Strength and Conditioning Research</i> , 2012, 26, 563-567.   | 1.0 | 19        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18199 | Knee Joint Strength Ratios and Effects of Hip Position in Rugby Players. <i>Journal of Strength and Conditioning Research</i> , 2012, 26, 1959-1966.   | 1.0 | 24        |
| 18200 | Enhancing the Examiner's Resisting Force Improves the Validity of Manual Muscle Strength Measurements. <i>Journal of Strength and Conditioning Research</i> , 2012, 26, 2364-2371.   | 1.0 | 8         |
| 18201 | Reliability and Construct Validity of the Karate-Specific Aerobic Test. <i>Journal of Strength and Conditioning Research</i> , 2012, 26, 3454-3460.  | 1.0 | 27        |
| 18202 | Appropriate parameters of the ordered-subset expectation maximization algorithm on measurement of myocardial blood flow and oxygen consumption with <sup>11</sup> C-acetate PET. <i>Nuclear Medicine Communications</i> , 2012, 33, 130-138. | 0.5 | 1         |
| 18203 | Simplified methods for assessment of renal function as the ratio of glomerular filtration rate to extracellular fluid volume. <i>Nuclear Medicine Communications</i> , 2012, 33, 1243-1253.  | 0.5 | 7         |
| 18204 | Design and Validation of a Method for Evaluation of Interocular Interaction. <i>Optometry and Vision Science</i> , 2012, 89, 183-196.  | 0.6 | 0         |
| 18205 | Measuring Changes in Ciliary Muscle Thickness with Accommodation in Young Adults. <i>Optometry and Vision Science</i> , 2012, 89, 719-726.   | 0.6 | 52        |
| 18206 | Accuracy and Repeatability of Self-Measurement of Interpupillary Distance. <i>Optometry and Vision Science</i> , 2012, 89, 901-907.  | 0.6 | 16        |
| 18207 | Ultrasound dilution. <i>Pediatric Critical Care Medicine</i> , 2012, 13, 42-46.  | 0.2 | 40        |
| 18208 | Activated partial thromboplastin time is a better trending tool in pediatric extracorporeal membrane oxygenation. <i>Pediatric Critical Care Medicine</i> , 2012, 13, e363-e371.   | 0.2 | 68        |
| 18209 | Dynamic Contrast-Enhanced Computed Tomography in Metastatic Nasopharyngeal Carcinoma. <i>Investigative Radiology</i> , 2012, 47, 5-10.   | 3.5 | 7         |
| 18210 | Physiological Responses to Maximal Exercise Testing and the Modified Incremental Shuttle Walk Test in Adults After Thermal Injury. <i>Journal of Burn Care and Research</i> , 2012, 33, 252-258.   | 0.2 | 12        |
| 18211 | Noninvasive monitoring of blood pressure in the critically ill. <i>Critical Care Medicine</i> , 2012, 40, 1207-1213.   | 0.4 | 68        |
| 18212 | Chronic conditions among children admitted to U.S. pediatric intensive care units. <i>Critical Care Medicine</i> , 2012, 40, 2196-2203.  | 0.4 | 255       |
| 18213 | Determination of central blood pressure by a noninvasive method (brachial BP and QKD interval). <i>Journal of Hypertension</i> , 2012, 30, 1533-1539.  | 0.3 | 18        |
| 18214 | Evaluation of a novel sphygmomanometer, which estimates central aortic blood pressure from analysis of brachial artery suprasystolic pressure waves. <i>Journal of Hypertension</i> , 2012, 30, 1743-1750.                                   | 0.3 | 59        |
| 18215 | Measurements of Microkeratome Cuts in Donor Corneas With Ultrasound and Optical Coherence Tomography. <i>Cornea</i> , 2012, 31, 145-149.   | 0.9 | 13        |
| 18216 | Optic Disc Parameters From Optovue Optical Coherence Tomography. <i>Journal of Glaucoma</i> , 2012, 21, 367-371.   | 0.8 | 7         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18217 | The Effects of MDCO-2010, a Serine Protease Inhibitor, on Activated Clotting Time in Blood Obtained from Volunteers and Cardiac Surgical Patients. <i>Anesthesia and Analgesia</i> , 2012, 115, 244-252.               | 1.1 | 8         |
| 18218 | Pulmonary artery vs. transpulmonary thermodilution for the assessment of cardiac output in mitral regurgitation. <i>European Journal of Anaesthesiology</i> , 2012, 29, 431-437.                                       | 0.7 | 13        |
| 18219 | Validation of body adiposity index as a measure of obesity in overweight and obese postmenopausal white women and its comparison with body mass index. <i>Menopause</i> , 2012, 19, 1277-1279.                         | 0.8 | 18        |
| 18220 | Measurement Area and Repeatability of Semiautomated Assessment of Corneal Endothelium in the Topcon Specular Microscope SP-2000P and IMAGEnet System. <i>Cornea</i> , 2012, 31, 1111-1118.                             | 0.9 | 12        |
| 18221 | Comparison of Central Corneal Thickness Measurements With Optical Low-Coherence Reflectometry and Ultrasound Pachymetry and Reproducibility of Both Devices. <i>Cornea</i> , 2012, 31, 1278-1281.                      | 0.9 | 21        |
| 18222 | Comparison of Retinal Nerve Fiber Layer Measurement Between 2 Spectral Domain OCT Instruments. <i>Journal of Glaucoma</i> , 2012, 21, 266-273.   | 0.8 | 80        |
| 18223 | Comparison of Optic Disc Parameters Measured by RTVue-100 FDOCT Versus HRT-II. <i>Journal of Glaucoma</i> , 2012, 21, 516-522.   | 0.8 | 7         |
| 18224 | Optimized robust plasma sampling for glomerular filtration rate studies. <i>Nuclear Medicine Communications</i> , 2012, 33, 995-1001.  | 0.5 | 2         |
| 18225 | Utility of Impedance Cardiography for the Detection of Hemodynamic Changes in Stable Patients With Sickle Cell Disease. <i>Journal of Pediatric Hematology/Oncology</i> , 2012, 34, 336-339.                           | 0.3 | 3         |
| 18226 | Agreement and Reliability of Functional Performance and Muscle Power in Patients with Advanced Osteoarthritis of the Hip or Knee. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2012, 91, 401-410. | 0.7 | 34        |
| 18227 | Objective Quantification of Subjective Parameters in Scars by Use of a Portable Stereophotographic System. <i>Annals of Plastic Surgery</i> , 2012, 69, 588-589.   | 0.5 | 1         |
| 18228 | Utility of a point-of-care device for rapid determination of prothrombin time in trauma patients. <i>Journal of Trauma</i> , 2012, 72, 703-707.  | 2.3 | 28        |
| 18229 | A comparison of fluid instillation volumes to assess intra-abdominal pressure using Kronâ€™s methods. <i>Journal of Trauma and Acute Care Surgery</i> , 2012, 73, 152-155.   | 1.1 | 6         |
| 18230 | Bland-Altman plot agreement. <i>Journal of Trauma</i> , 2012, 72, 1452.  | 2.3 | 0         |
| 18231 | Intravenous Fluids Cause Systemic Bias in a Conductivity-Based Point-of-Care Hematocrit Meter. <i>Anesthesia and Analgesia</i> , 2012, 114, 314-321.   | 1.1 | 16        |
| 18232 | Transesophageal Doppler Measurement of Renal Arterial Blood Flow Velocities and Indices in Children. <i>Anesthesia and Analgesia</i> , 2012, 114, 1277-1284.   | 1.1 | 7         |
| 18233 | Estimation of the Anaerobic Threshold from Heart Rate Variability in an Incremental Swimming Test. <i>Journal of Strength and Conditioning Research</i> , 2012, 26, 3059-3066.   | 1.0 | 25        |
| 18234 | Analysis of Heart Rate Deflection Points to Predict the Anaerobic Threshold by a Computerized Method. <i>Journal of Strength and Conditioning Research</i> , 2012, 26, 1967-1974.                                      | 1.0 | 16        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18235 | Reproducibility and Concurrent Validity of Hip Joint Angle Test for Estimating Hamstring Flexibility in Recreationally Active Young Men. <i>Journal of Strength and Conditioning Research</i> , 2012, 26, 2372-2382. | 1.0 | 27        |
| 18236 | Validation of a Nonexercise Prediction Equation of Anaerobic Power. <i>Journal of Strength and Conditioning Research</i> , 2012, 26, 3067-3074.  | 1.0 | 2         |
| 18237 | Uniformity and repeatability of normal resting myocardial blood flow in rats using [13N]-ammonia and small animal PET. <i>Nuclear Medicine Communications</i> , 2012, 33, 917-925.                                   | 0.5 | 11        |
| 18238 | Rapid Test for Fecal Calprotectin Levels in Children With Crohn Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012, 55, 436-439.   | 0.9 | 35        |
| 18239 | Estimating Energy Expenditure from Raw Accelerometry in Three Types of Locomotion. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 2235-2242.   | 0.2 | 21        |
| 18240 | Peak Vertical Jump Power Estimations in Youths and Young Adults. <i>Journal of Strength and Conditioning Research</i> , 2012, 26, 1749-1755.   | 1.0 | 26        |
| 18241 | Finger tapping movements of Parkinson's disease patients automatically rated using nonlinear delay differential equations. <i>Chaos</i> , 2012, 22, 013119.  | 1.0 | 28        |
| 18242 | Magnetic Resonance Arthrography for Assessing Severity of Glenohumeral Labroligamentous Lesions. <i>Journal of Orthopaedic Surgery</i> , 2012, 20, 230-235.  | 0.4 | 15        |
| 18243 | Age-related differences in the neck strength of adolescent rugby players. <i>Bone and Joint Research</i> , 2012, 1, 152-157.   | 1.3 | 29        |
| 18244 | Confiabilidade da mensuração do alinhamento pélvico no plano transverso durante o teste da ponte com extensão unilateral do joelho. <i>Brazilian Journal of Physical Therapy</i> , 2012, 16, 268-274.                | 1.1 | 12        |
| 18245 | Bone density: comparative evaluation of Hounsfield units in multislice and cone-beam computed tomography. <i>Brazilian Oral Research</i> , 2012, 26, 550-556.  | 0.6 | 75        |
| 18246 | Quantifying the margin sharpness of lesions on radiological images for content-based image retrieval. <i>Medical Physics</i> , 2012, 39, 5405-5418.  | 1.6 | 28        |
| 18247 | Comparison of 3 Pupillometers for Determining Scotopic Pupil Diameter. <i>European Journal of Ophthalmology</i> , 2012, 22, 904-910.   | 0.7 | 3         |
| 18248 | Probe Vehicles Used to Measure Road Ride Quality: Pilot Demonstration. <i>Transportation Research Record</i> , 2012, 2304, 158-165.  | 1.0 | 15        |
| 18249 | Impedance pneumography: Is it possible?., 2012, , .  |     | 8         |
| 18250 | A novel energy mapping approach for CT-based attenuation correction in PET. <i>Medical Physics</i> , 2012, 39, 2078-2089.  | 1.6 | 10        |
| 18251 | Accuracy, Agreement, and Reliability of Fetal Cardiac Measurements Using 4-Dimensional Spatiotemporal Image Correlation. <i>Journal of Ultrasound in Medicine</i> , 2012, 31, 1719-1726.                             | 0.8 | 17        |
| 18252 | Intrarater and Interrater Reliabilities for a Toe Grip Dynamometer. <i>Journal of Physical Therapy Science</i> , 2012, 24, 639-643.  | 0.2 | 52        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18253 | A Methodologic Approach for Normalizing Angular Work and Velocity During Isotonic and Isokinetic Eccentric Training. <i>Journal of Athletic Training</i> , 2012, 47, 125-129.  | 0.9 | 2         |
| 18254 | Comparison of estimated energy intake from 24-hour recalls and a seven-day food record with objective measurements of energy expenditure in children. <i>Food and Nutrition Research</i> , 2012, 56, 12221.  | 1.2 | 18        |
| 18255 | Estimating the Trunk Transverse Surface Area to Assess Swimmer's Drag Force Based on their Competitive Level. <i>Journal of Human Kinetics</i> , 2012, 32, 9-19.   | 0.7 | 4         |
| 18256 | Use of electrocardiogram (ECG) electrodes for Bioelectrical Impedance Analysis (BIA). <i>Journal of Physics: Conference Series</i> , 2012, 407, 012008.  | 0.3 | 6         |
| 18257 | Agreement between Retinal Nerve Fiber Layer Measures from Spectralis and Cirrus Spectral Domain OCT. <i>Optometry and Vision Science</i> , 2012, 89, E652-E666.  | 0.6 | 59        |
| 18258 | Development and validation of the Young Person's Food Atlas. <i>Proceedings of the Nutrition Society</i> , 2012, 71, .   | 0.4 | 4         |
| 18259 | Reliability of the CSV-1000 in Adults and Children. <i>Optometry and Vision Science</i> , 2012, 89, 1172-1181.   | 0.6 | 30        |
| 18260 | Prosthesis Oversizing in Balloon-Expandable Transcatheter Aortic Valve Implantation Is Associated With Contained Rupture of the Aortic Root. <i>Circulation: Cardiovascular Interventions</i> , 2012, 5, 540-548.                                    | 1.4 | 140       |
| 18261 | A portable device to assess underwater changes of cardio dynamic variables by impedance cardiography. <i>Journal of Physics: Conference Series</i> , 2012, 407, 012026.  | 0.3 | 4         |
| 18262 | Semi-automated image analysis for the identification of bivalve larvae from a Cape Cod estuary. <i>Limnology and Oceanography: Methods</i> , 2012, 10, 538-554.  | 1.0 | 17        |
| 18263 | The Effect of Cycloplegia on the Lenstar and the IOLMaster Biometry. <i>Optometry and Vision Science</i> , 2012, 89, 1691-1696.  | 0.6 | 67        |
| 18264 | Comparison between ISO 2631-1 Comfort Prediction Equations and Self-Reported Comfort Values during Occupational Exposure to Whole-Body Vehicular Vibration. <i>Journal of Low Frequency Noise Vibration and Active Control</i> , 2012, 31, 43-53.    | 1.3 | 10        |
| 18265 | Development and evaluation of a photographic atlas as a tool for dietary assessment studies in Middle East cultures. <i>Public Health Nutrition</i> , 2012, 15, 1023-1028.   | 1.1 | 21        |
| 18266 | Estimation of bone mineral content from bioelectrical impedance analysis in Indian adults aged 23-81 years: a comparison with dual energy X-ray absorptiometry. <i>International Journal of Biomedical Engineering and Technology</i> , 2012, 8, 99. | 0.2 | 11        |
| 18267 | Linear multivariate equations for tourniquetless monitoring of systolic and mean arterial blood pressure. <i>International Journal of Biomedical Engineering and Technology</i> , 2012, 10, 118.   | 0.2 | 3         |
| 18268 | Comparing the Validity of 2 Physical Activity Questionnaire Formats in African-American and Hispanic Women. <i>Journal of Physical Activity and Health</i> , 2012, 9, 237-248.   | 1.0 | 8         |
| 18269 | Programs and Datasets. , 2012, , 229-266.  |     | 0         |
| 18270 | A Test to Assess Aerobic and Anaerobic Parameters During Maximal Exercise in Young Girls. <i>Pediatric Exercise Science</i> , 2012, 24, 262-274.   | 0.5 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18271 | Modeling Developmental Changes in Functional Capacities and Soccer-Specific Skills in Male Players Aged 11-17 Years. <i>Pediatric Exercise Science</i> , 2012, 24, 603-621.   | 0.5 | 44        |
| 18272 | Toe and Earlobe Capillary Blood Sampling for Lactate Threshold Determination in Rowing. <i>International Journal of Sports Physiology and Performance</i> , 2012, 7, 19-25.   | 1.1 | 3         |
| 18273 | The Effect of Boundary Shape and Minima Selection on Single Limb Stance Postural Stability. <i>Journal of Applied Biomechanics</i> , 2012, 28, 608-615.   | 0.3 | 2         |
| 18274 | Reliability Testing of the Pedestrian and Bicycling Survey (PABS) Method. <i>Journal of Physical Activity and Health</i> , 2012, 9, 677-688.  | 1.0 | 17        |
| 18275 | Comparison of Epoch and Uniaxial Versus Triaxial Accelerometers in the Measurement of Physical Activity in Preschool Children: A Validation Study. <i>Pediatric Exercise Science</i> , 2012, 24, 450-460.               | 0.5 | 19        |
| 18276 | Comparison of Accelerometry Cut Points for Physical Activity and Sedentary Behavior in Preschool Children: A Validation Study. <i>Pediatric Exercise Science</i> , 2012, 24, 563-576.                                   | 0.5 | 24        |
| 18277 | Reliability and Validity of CHAMPS Self-Reported Sedentary-to-Vigorous Intensity Physical Activity in Older Adults. <i>Journal of Physical Activity and Health</i> , 2012, 9, 225-236.                                  | 1.0 | 131       |
| 18278 | A Checklist for Evaluating the Methodological Quality of Validation Studies on Self-Report Instruments for Physical Activity and Sedentary Behavior. <i>Journal of Physical Activity and Health</i> , 2012, 9, S29-S36. | 1.0 | 30        |
| 18279 | Is There a Valid App for That? Validity of a Free Pedometer iPhone Application. <i>Journal of Physical Activity and Health</i> , 2012, 9, 670-676.  | 1.0 | 36        |
| 18280 | Assessing knee hyperextension in patients after stroke: comparing clinical observation and Siliconcoach software. <i>International Journal of Therapy and Rehabilitation</i> , 2012, 19, 163-168.                       | 0.1 | 4         |
| 18281 | Assessing motivational interviewing integrity for group interventions with adolescents.. <i>Psychology of Addictive Behaviors</i> , 2012, 26, 994-1000.   | 1.4 | 24        |
| 18282 | Measurement of Physical Activity by Self-Report in Low- and Middle-Income Countries: More of the Same Is not Enough. <i>Journal of Physical Activity and Health</i> , 2012, 9, S88-S90.                                 | 1.0 | 24        |
| 18283 | The Actiheart in Adolescents: A Doubly Labelled Water Validation. <i>Pediatric Exercise Science</i> , 2012, 24, 589-602.  | 0.5 | 17        |
| 18284 | Validity of Two Self-Report Measures of Sitting Time. <i>Journal of Physical Activity and Health</i> , 2012, 9, 533-539.  | 1.0 | 80        |
| 18285 | Sources of Validity Evidence Needed With Self-Report Measures of Physical Activity. <i>Journal of Physical Activity and Health</i> , 2012, 9, S44-S55.  | 1.0 | 40        |
| 18286 | Limits of Agreement Method for Comparison of Pavement Friction Measurement. <i>Transportation Research Record</i> , 2012, 2306, 188-195.  | 1.0 | 3         |
| 18287 | Structural and Molecular Imaging in Cancer Therapy Clinical Trials. , 2012, , 387-412.  |     | 0         |
| 18288 | Impact of Stent Platform of Paclitaxel-Eluting Stents. <i>Circulation Journal</i> , 2012, 76, 1880-1888.  | 0.7 | 21        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18289 | Impact of Functional, Morphological and Clinical Parameters on Epicardial Adipose Tissue in Patients With Coronary Artery Disease. <i>Circulation Journal</i> , 2012, 76, 2426-2434.   | 0.7 | 20        |
| 18290 | Quantitative Optical Frequency Domain Imaging Assessment of In-Stent Structures in Patients With ST-Segment Elevation Myocardial Infarction. <i>Circulation Journal</i> , 2012, 76, 2822-2831.   | 0.7 | 9         |
| 18291 | Reliability of a Sleep Quality Questionnaire for Use in Epidemiologic Studies. <i>Journal of Epidemiology</i> , 2012, 22, 244-250.   | 1.1 | 18        |
| 18292 | Validation of Self-Reported Sleep Against Actigraphy. <i>Journal of Epidemiology</i> , 2012, 22, 462-468.  | 1.1 | 258       |
| 18293 | A Histological and Clinical Comparison of New and Conventional Integrated Backscatter Intravascular Ultrasound (IB-IVUS). <i>Circulation Journal</i> , 2012, 76, 1678-1686.  | 0.7 | 33        |
| 18294 | Validation of the Triaxial Accelerometer for the Evaluation of Physical Activity in Japanese Patients with COPD. <i>Internal Medicine</i> , 2012, 51, 369-375.   | 0.3 | 12        |
| 18295 | Serum Immunoglobulin G is a Marker for the Risk of Opportunistic Infection in Steroid-dependent Severe Asthmatic Patients. <i>Internal Medicine</i> , 2012, 51, 2715-2719.   | 0.3 | 3         |
| 18296 | Comparison between the Apnea-Hypopnea Indices Determined by the REMstar Auto M Series and Those Determined by Standard In-Laboratory Polysomnography in Patients with Obstructive Sleep Apnea. <i>Internal Medicine</i> , 2012, 51, 2877-2885. | 0.3 | 33        |
| 18297 | Simple Measurement of Temporal and Spatial Gait Variables Using a Video Browser: Concurrent Validity and Intra-rater and Inter-rater Reliability. <i>Rigakuryoho Kagaku</i> , 2012, 27, 439-443.   | 0.0 | 1         |
| 18298 | Maternal deaths averted by contraceptive use: an analysis of 172 countries. <i>Lancet, The</i> , 2012, 380, 111-125.   | 6.3 | 576       |
| 18299 | Comparison of Transthoracic and Transesophageal 2-Dimensional Speckle Tracking Echocardiography. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2012, 26, 26-31.   | 0.6 | 23        |
| 18300 | Clinical Comparison of an Echocardiograph-Derived Versus Pulse Counterâ€œDerived Cardiac Output Measurement in Abdominal Aortic Aneurysm Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2012, 26, 223-226.                | 0.6 | 29        |
| 18301 | Echocardiographic Evaluation of Systolic and Diastolic Function: A Preoperative Study of Correlation with Serum NT-proBNP. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2012, 26, 197-203.                                       | 0.6 | 7         |
| 18302 | Three-Dimensional Segmentation of Fluid-Associated Abnormalities in Retinal OCT: Probability Constrained Graph-Search-Graph-Cut. <i>IEEE Transactions on Medical Imaging</i> , 2012, 31, 1521-1531.  | 5.4 | 169       |
| 18303 | Nonsupervised Ranking of Different Segmentation Approaches: Application to the Estimation of the Left Ventricular Ejection Fraction From Cardiac Cine MRI Sequences. <i>IEEE Transactions on Medical Imaging</i> , 2012, 31, 1651-1660.        | 5.4 | 27        |
| 18304 | Precision and accuracy of noninvasive hemoglobin measurements during pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 2503-2506.  | 0.7 | 19        |
| 18305 | Circulating tumor cells in small-cell lung cancer: a predictive and prognostic factor. <i>Annals of Oncology</i> , 2012, 23, 2937-2942.  | 0.6 | 191       |
| 18306 | Statistical Tools for Measuring Agreement. , 2012, , .   |     | 79        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18307 | Reproducibility, validity and predictors of six-minute walk test in overweight and obese adolescents with intellectual disability. <i>Disability and Rehabilitation</i> , 2012, 34, 846-851.  | 0.9 | 29        |
| 18308 | The effect of time between venipuncture, processing and freezing on the measurement of coagulation factor levels. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 1691-1693.   | 1.9 | 2         |
| 18309 | Interobserver reliability of compression ultrasound for residual thrombosis after first unprovoked deep vein thrombosis. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 1775-1782.  | 1.9 | 17        |
| 18310 | Twoâ€Dimensional Color Doppler Echocardiography for Left Ventricular Stroke Volume Assessment: A Comparison Study with Threeâ€Dimensional Echocardiography. <i>Echocardiography</i> , 2012, 29, 766-772.                                    | 0.3 | 10        |
| 18311 | Intraobserver Reliability of Twoâ€Dimensional Ultrasound Derived Strain Imaging in the Assessment of the Left Ventricle, Right Ventricle, and Left Atrium of Healthy Human Hearts. <i>Echocardiography</i> , 2012, 29, 793-802.              | 0.3 | 66        |
| 18312 | Velocity Vector Imaging Fails to Quantify Regional Myocardial Dysfunction in a Mouse Model of Isoprenalineâ€Induced Cardiotoxicity. <i>Echocardiography</i> , 2012, 29, 818-826.   | 0.3 | 5         |
| 18313 | Incremental Utility of Real Time Threeâ€Dimensional Transthoracic Echocardiography in the Assessment of Congenitally Malformed Aortic Valve. <i>Echocardiography</i> , 2012, 29, 978-983.  | 0.3 | 1         |
| 18314 | Left Ventricular Dyssynchrony and Its Effects on Cardiac Function in Patients with Newly Diagnosed Hypertension. <i>Echocardiography</i> , 2012, 29, 914-922.   | 0.3 | 9         |
| 18315 | Feasibility of Bidimensional Speckleâ€Tracking Echocardiography for Strain Analysis in Consecutive Patients in Daily Clinical Practice. <i>Echocardiography</i> , 2012, 29, 923-926.   | 0.3 | 13        |
| 18316 | Modified anthropometry in prepubertal Israeli children while excluding the headâ€™s weight and height. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012, 101, e496-9.   | 0.7 | 0         |
| 18317 | Comparison of the transcutaneous bilirubinometers BiliCheck and Minolta JMâ€103 in preterm neonates. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012, 101, 1128-1133.   | 0.7 | 18        |
| 18318 | Bioelectrical impedance for measuring percentage body fat in young persons with Down syndrome: validation with dualâ€energy absorptiometry. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012, 101, e491-5.               | 0.7 | 35        |
| 18319 | Prospective comparison of pointâ€ofâ€care international normalised ratio measurement <i>versus</i> plasma international normalised ratio for acute traumatic coagulopathy. <i>EMA - Emergency Medicine Australasia</i> , 2012, 24, 363-368. | 0.5 | 25        |
| 18320 | Comparison of the bronchodilating effects of albuterol delivered by valved vs. nonâ€valved spacers in pediatric asthma. <i>Pediatric Allergy and Immunology</i> , 2012, 23, 629-635.   | 1.1 | 5         |
| 18321 | New technologies in pediatric anesthesia. <i>Paediatric Anaesthesia</i> , 2012, 22, 952-961.  | 0.6 | 31        |
| 18322 | Effect of endocervical inflammation on days to conception in dairy cows. <i>Journal of Dairy Science</i> , 2012, 95, 1776-1783.   | 1.4 | 28        |
| 18323 | Technical note: Data loggers are a valid method for assessing the feeding behavior of dairy cows using the Calan Broadbent Feeding System. <i>Journal of Dairy Science</i> , 2012, 95, 4452-4456.   | 1.4 | 10        |
| 18324 | Comparison between capillary, venous and arterial levels of protein S100B in patients with severe brain pathology. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012, 50, 1055-61.   | 1.4 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18325 | Extrinsic and intrinsic risk factors associated with injuries in young dancers aged 8â€“16 years. <i>Journal of Sports Sciences</i> , 2012, 30, 485-495.  | 1.0 | 35        |
| 18326 | <scp>R</scp>hin<scp>A</scp>sthma Patient Perspective: a short daily asthma and rhinitis <scp>Q</scp>o<scp>L</scp> assessment. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2012, 67, 1443-1450.                  | 2.7 | 31        |
| 18327 | Detection of infliximab levels and antiâ€infliximab antibodies: a comparison of three different assays. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 36, 765-771.  | 1.9 | 182       |
| 18328 | A metaâ€analysis of the accuracy and precision of the ultrasonic cardiac output monitor (USCOM). <i>Anaesthesia</i> , 2012, 67, 1266-1271.  | 1.8 | 79        |
| 18329 | Is the Blood Loss Score universally acceptable?. <i>Anaesthesia</i> , 2012, 67, 1179-1180.  | 1.8 | 0         |
| 18330 | Periâ€diaphragmatic lung volume assessed by computed tomography correlates with quality of life in patients with chronic obstructive pulmonary disease. <i>Respirology</i> , 2012, 17, 1137-1143.   | 1.3 | 3         |
| 18331 | Testâ€retest variation in macular thickness measurements with the Heidelberg Retina Tomograph. <i>Australasian journal of optometry, The</i> , 2012, 95, 515-521.   | 0.6 | 0         |
| 18332 | Subjectâ€specific aortic wall shear stress estimations using semiâ€automatic segmentation. <i>Clinical Physiology and Functional Imaging</i> , 2012, 32, 481-491.   | 0.5 | 9         |
| 18333 | Agreement analysis: further statistical insights. <i>Ophthalmic and Physiological Optics</i> , 2012, 32, 436-439.   | 1.0 | 4         |
| 18334 | Agreement studies: clarification. <i>Ophthalmic and Physiological Optics</i> , 2012, 32, 439-440.   | 1.0 | 2         |
| 18335 | Clinical Usefulness of a New Equation for Estimating Body Fat. <i>Diabetes Care</i> , 2012, 35, 383-388.  | 4.3 | 177       |
| 18336 | Altered Central Aortic Elastic Properties in Kawasaki Disease are Related to Changes in Left Ventricular Geometry and Coronary Artery Aneurysm Formation. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 690-696. | 1.2 | 20        |
| 18337 | Non-invasive Estimation of Cerebrospinal Fluid Pressure Waveforms by Means of Retinal Venous Pulsatility and Central Aortic Blood Pressure. <i>Annals of Biomedical Engineering</i> , 2012, 40, 1940-1948.                                | 1.3 | 15        |
| 18338 | Can echocardiographic particle image velocimetry correctly detect motion patterns as they occur in blood inside heart chambers? A validation study using moving phantoms. <i>Cardiovascular Ultrasound</i> , 2012, 10, 24.                | 0.5 | 29        |
| 18339 | Current equations estimating glomerular filtration rate in primary care: Comparison and determinants. <i>Scandinavian Journal of Urology and Nephrology</i> , 2012, 46, 448-453.  | 1.4 | 3         |
| 18340 | Translation in Arabic, adaptation and validation of the SF-36 Health Survey for use in Tunisia. <i>Annals of Physical and Rehabilitation Medicine</i> , 2012, 55, 388-403.  | 1.1 | 64        |
| 18341 | Visualisation of liver tumours using hand-held real-time strain imaging: results of animal experiments. <i>British Journal of Radiology</i> , 2012, 85, e556-e565.  | 1.0 | 7         |
| 18342 | Reproducibility of different methods to measure the endothelial function. <i>Vascular Medicine</i> , 2012, 17, 79-84.   | 0.8 | 102       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18343 | Comparison of three generations of ActiGraph <sup>®</sup> activity monitors in children and adolescents. <i>Journal of Sports Sciences</i> , 2012, 30, 1429-1435.   | 1.0 | 194       |
| 18344 | Bedrock detection beneath river terrace deposits using three-dimensional electrical resistivity tomography. <i>Geomorphology</i> , 2012, 177-178, 17-25.  | 1.1 | 72        |
| 18345 | Influence of counting chamber type on CASA outcomes of equine semen analysis. <i>Equine Veterinary Journal</i> , 2012, 44, 542-549.   | 0.9 | 49        |
| 18346 | Repeat Routine Differential Pulmonary Blood Flow Measurements in Congenital Heart Disease by MR. <i>JACC: Cardiovascular Imaging</i> , 2012, 5, 1289-1291.  | 2.3 | 2         |
| 18347 | In vivo assessment of retinal neuronal layers in multiple sclerosis with manual and automated optical coherence tomography segmentation techniques. <i>Journal of Neurology</i> , 2012, 259, 2119-2130.                 | 1.8 | 83        |
| 18348 | Development and validation of prediction models for blood concentrations of dioxins and PCBs using dietary intakes. <i>Environment International</i> , 2012, 50, 15-21.   | 4.8 | 19        |
| 18349 | Dual-Energy X-Ray Performs as Well as Clinical Computed Tomography for the Measurement of Visceral Fat. <i>Obesity</i> , 2012, 20, 1109-1114.   | 1.5 | 279       |
| 18350 | Evaluation of a new pocket echoscopic device for focused cardiac ultrasonography in an emergency setting. <i>Critical Care</i> , 2012, 16, R82.   | 2.5 | 76        |
| 18351 | Clinical validation of a new thermodilution system for the assessment of cardiac output and volumetric parameters. <i>Critical Care</i> , 2012, 16, R98.  | 2.5 | 75        |
| 18352 | A highly sensitive immunoassay for interleukin-6 in dried blood spots. <i>American Journal of Human Biology</i> , 2012, 24, 863-865.  | 0.8 | 34        |
| 18353 | Alterations in resting-state regional cerebral blood flow demonstrate ongoing pain in osteoarthritis: An arterial spin-labeled magnetic resonance imaging study. <i>Arthritis and Rheumatism</i> , 2012, 64, 3936-3946. | 6.7 | 64        |
| 18354 | Bone attenuation on routine chest CT correlates with bone mineral density on DXA in patients with COPD. <i>Journal of Bone and Mineral Research</i> , 2012, 27, 2338-2343.  | 3.1 | 102       |
| 18355 | Reproducibility study of crown-rump length and biparietal diameter measurements in the first trimester. <i>Prenatal Diagnosis</i> , 2012, 32, 1158-1165.  | 1.1 | 14        |
| 18356 | Nasal and bronchial airway epithelial cell mediator release in children. <i>Pediatric Pulmonology</i> , 2012, 47, 1215-1225.  | 1.0 | 26        |
| 18357 | Prefrontal space ratio: comparison between trisomy 21 and euploid fetuses in the second trimester. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 293-296.  | 0.9 | 27        |
| 18358 | Does three-dimensional power Doppler ultrasound predict histopathological findings of uterine fibroids? A preliminary study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 714-720.                        | 0.9 | 20        |
| 18359 | Impact of ovulation and implantation timing on first-trimester crown-rump length and gestational age. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 630-635.   | 0.9 | 30        |
| 18361 | Comparison of volumetric capnography and mixed expired gas methods to calculate physiological dead space in mechanically ventilated ICU patients. <i>Intensive Care Medicine</i> , 2012, 38, 1712-1717.                 | 3.9 | 19        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18362 | The repeatability of Stewart's parameters and anion gap in a cohort of critically ill adult patients. <i>Intensive Care Medicine</i> , 2012, 38, 2026-2031.   | 3.9 | 2         |
| 18363 | Volumetric analysis of corticocancellous bones using CT data. <i>Skeletal Radiology</i> , 2012, 41, 503-508.  | 1.2 | 1         |
| 18364 | Predicting response to neoadjuvant chemotherapy in primary breast cancer using volumetric helical perfusion computed tomography: a preliminary study. <i>European Radiology</i> , 2012, 22, 1871-1880.  | 2.3 | 10        |
| 18365 | Variability and accuracy of coronary CT angiography including use of iterative reconstruction algorithms for plaque burden assessment as compared with intravascular ultrasound: an ex vivo study. <i>European Radiology</i> , 2012, 22, 2067-2075. | 2.3 | 25        |
| 18366 | Quantitative assessment of bone marrow attenuation values at MDCT: An objective tool for the detection of bone bruise related to occult sacral insufficiency fractures. <i>European Radiology</i> , 2012, 22, 2229-2236.                            | 2.3 | 22        |
| 18367 | Thrombus imaging in acute ischaemic stroke using thin-slice unenhanced CT: comparison of conventional sequential CT and helical CT. <i>European Radiology</i> , 2012, 22, 2392-2396.  | 2.3 | 8         |
| 18368 | Variation in quantitative CT air trapping in heavy smokers on repeat CT examinations. <i>European Radiology</i> , 2012, 22, 2710-2717.  | 2.3 | 13        |
| 18369 | Cardiac magnetic resonance: is phonocardiogram gating reliable in velocity-encoded phase contrast imaging?. <i>European Radiology</i> , 2012, 22, 2679-2687.  | 2.3 | 4         |
| 18371 | Can we measure mesopic pupil size with the cobalt blue light slit-lamp biomicroscopy method?. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2012, 250, 1637-1647.   | 1.0 | 3         |
| 18372 | Better performance of RTVue than Cirrus spectral-domain optical coherence tomography in detecting band atrophy of the optic nerve. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2012, 250, 1499-1507.                      | 1.0 | 9         |
| 18373 | A perceptually regulated, graded exercise test predicts peak oxygen uptake during treadmill exercise in active and sedentary participants. <i>European Journal of Applied Physiology</i> , 2012, 112, 3459-3468.                                    | 1.2 | 46        |
| 18374 | The influence of rowing-related postures upon respiratory muscle pressure and flow generating capacity. <i>European Journal of Applied Physiology</i> , 2012, 112, 4143-4150.   | 1.2 | 7         |
| 18375 | Evaluation of an equine-optimized enzyme-linked immunosorbent assay for serum insulin measurement and stability study of equine serum insulin. <i>Comparative Clinical Pathology</i> , 2012, 21, 1291-1300.   | 0.3 | 26        |
| 18376 | An exploration of the inter- and intra-rater reliability of the Bath Ankylosing Spondylitis Metrology Index. <i>Clinical Rheumatology</i> , 2012, 31, 1627-1631.  | 1.0 | 18        |
| 18377 | Harmonization of molecular monitoring of chronic myeloid leukemia therapy in Japan. <i>International Journal of Clinical Oncology</i> , 2012, 17, 584-589.  | 1.0 | 30        |
| 18378 | Updated height- and creatinine-based equation and its validation for estimation of glomerular filtration rate in children from developing countries. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 697-705.                               | 0.7 | 9         |
| 18379 | Estimation of stem attributes using a combination of terrestrial and airborne laser scanning. <i>European Journal of Forest Research</i> , 2012, 131, 1917-1931.  | 1.1 | 87        |
| 18380 | Automated quantification of carotid artery stenosis on contrast-enhanced MRA data using a deformable vascular tube model. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1513-1524.   | 0.7 | 15        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18381 | New automated Markovâ€“Gibbs random field based framework for myocardial wall viability quantification on agent enhanced cardiac magnetic resonance images. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1683-1698.                               | 0.7 | 13        |
| 18382 | Evaluation of Brugada syndrome by cardiac magnetic resonance. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1961-1970.   | 0.7 | 21        |
| 18383 | Multicenter assessment of the reproducibility of volumetric radiofrequency-based intravascular ultrasound measurements in coronary lesions that were consecutively stented. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1867-1878.               | 0.7 | 4         |
| 18384 | In vivo and in vitro validation of aortic flow quantification by time-resolved three-dimensional velocity-encoded MRI. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1999-2008.  | 0.7 | 4         |
| 18385 | Cross-Cultural Adaptation, Reliability, Internal Consistency and Validation of the Spinal Function Sort (SFS) for French- and German-Speaking Patients with Back Complaints. <i>Journal of Occupational Rehabilitation</i> , 2012, 22, 387-393.                         | 1.2 | 16        |
| 18386 | Relation between clopidogrel active metabolite levels and different platelet aggregation methods in patients receiving clopidogrel and aspirin. <i>Journal of Thrombosis and Thrombolysis</i> , 2012, 34, 429-436.  | 1.0 | 13        |
| 18387 | Are cystatin C-based equations superior to creatinine-based equations for estimating GFR in Chinese elderly population?. <i>International Urology and Nephrology</i> , 2012, 44, 1877-1884.   | 0.6 | 13        |
| 18388 | Current practice for determining pulmonary capillary wedge pressure predisposes to serious errors in the classification of patients with pulmonary hypertension. <i>American Heart Journal</i> , 2012, 163, 589-594.  | 1.2 | 130       |
| 18389 | A comparison of SphygmoCor and Vicorder devices for measuring aortic pulse wave velocity in pregnancy. <i>Artery Research</i> , 2012, 6, 92.  | 0.3 | 4         |
| 18390 | P4.57 STIFFNESS OF THE LARGE ARTERIES IN INDIVIDUALS WITH AND WITHOUT DOWN SYNDROME. <i>Artery Research</i> , 2012, 6, 199.   | 0.3 | 0         |
| 18391 | Low plasma testosterone and elevated carotid intima-media thickness: Importance of low-grade inflammation in elderly men. <i>Atherosclerosis</i> , 2012, 223, 244-249.  | 0.4 | 45        |
| 18392 | Transcutaneous very-high resolution ultrasound for the quantification of carotid arterial intima-media thickness in children â€“ Feasibility and comparison with conventional high resolution vascular ultrasound imaging. <i>Atherosclerosis</i> , 2012, 224, 102-107. | 0.4 | 20        |
| 18393 | A multicenter study on the precision and accuracy of homogeneous assays for LDL-cholesterol: Comparison with a beta-quantification method using fresh serum obtained from non-diseased and diseased subjects. <i>Atherosclerosis</i> , 2012, 225, 208-215.              | 0.4 | 58        |
| 18394 | Evaluation of Pediatric Near-Infrared Cerebral Oximeter for Cardiac Disease. <i>Annals of Thoracic Surgery</i> , 2012, 94, 1527-1533.   | 0.7 | 43        |
| 18395 | Pain assessment in critical care: Instrument selection for nonverbal patients. <i>Australian Critical Care</i> , 2012, 25, 275-277.   | 0.6 | 1         |
| 18396 | Impact of CYP3A5 genetic polymorphism on cross-reactivity in tacrolimus chemiluminescent immunoassay in kidney transplant recipients. <i>Clinica Chimica Acta</i> , 2012, 414, 120-124.   | 0.5 | 8         |
| 18397 | Transcutaneous bilirubin measurement: Comparison of Respironics BiliCheck and JM-103 in a normal newborn population. <i>Clinical Biochemistry</i> , 2012, 45, 659-662.  | 0.8 | 28        |
| 18398 | Clinical evaluation of two novel biointact PTH(1â€“84) assays in hemodialysis patients. <i>Clinical Biochemistry</i> , 2012, 45, 1645-1651.   | 0.8 | 20        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18399 | Diminished ciliary muscle movement on accommodation in myopia. <i>Experimental Eye Research</i> , 2012, 105, 9-14.   | 1.2 | 42        |
| 18400 | Repeatability of oral fluid collection methods for THC measurement. <i>Forensic Science International</i> , 2012, 223, 266-272.  | 1.3 | 12        |
| 18401 | Measurement fidelity of heart rate variability signal processing: The devil is in the details. <i>International Journal of Psychophysiology</i> , 2012, 86, 88-97.   | 0.5 | 28        |
| 18402 | Agreement between Different Methods and Predictive Equations for Resting Energy Expenditure in Overweight and Obese Brazilian Men. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2012, 112, 1415-1420.  | 0.4 | 13        |
| 18403 | Air Displacement Plethysmography, Dual-Energy X-ray Absorptiometry, and Total Body Water to Evaluate Body Composition in Preschool-Age Children. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2012, 112, 1993-1998.  | 0.4 | 12        |
| 18404 | Markerless Roentgen Stereophotogrammetric Analysis for in vivo implant migration measurement using three dimensional surface models to represent bone. <i>Journal of Biomechanics</i> , 2012, 45, 1540-1545.   | 0.9 | 15        |
| 18405 | Direct glutathione quantification in human blood by LC-MS/MS: comparison with HPLC with electrochemical detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012, 71, 111-118.   | 1.4 | 79        |
| 18406 | Comparison of femoral and carotid blood pressure during laparoscopy in piglets. <i>Journal of Pediatric Surgery</i> , 2012, 47, 1688-1693.   | 0.8 | 5         |
| 18407 | Western Ontario Osteoarthritis Shoulder (WOOS) index: a cross-cultural adaptation into Swedish, including evaluation of reliability, validity, and responsiveness in patients with subacromial pain. <i>Journal of Shoulder and Elbow Surgery</i> , 2012, 21, 1698-1705. | 1.2 | 15        |
| 18408 | Discrepancies between capillary glucose measurements and traditional laboratory assessments in both shock and non-shock states after trauma. <i>Journal of Surgical Research</i> , 2012, 178, 820-826.   | 0.8 | 8         |
| 18409 | Neurogenic Lower Urinary Tract Dysfunction—Do We Need Same Session Repeat Urodynamic Investigations?. <i>Journal of Urology</i> , 2012, 187, 1318-1323.  | 0.2 | 26        |
| 18410 | Automatic identification and quantitative morphometry of unstained spinal nerve using molecular hyperspectral imaging technology. <i>Neurochemistry International</i> , 2012, 61, 1375-1384.   | 1.9 | 12        |
| 18411 | Loss of entorhinal cortex and hippocampal volumes compared to whole brain volume in normal aging: The SMART-Medea study. <i>Psychiatry Research - Neuroimaging</i> , 2012, 203, 31-37.   | 0.9 | 24        |
| 18412 | The influence of the administration method on scores of the 15-item Geriatric Depression Scale in old age. <i>Psychiatry Research</i> , 2012, 197, 280-284.  | 1.7 | 10        |
| 18413 | Reproducibility and criterion-related validity of the sit and reach test and toe touch test for estimating hamstring flexibility in recreationally active young adults. <i>Physical Therapy in Sport</i> , 2012, 13, 219-226.  | 0.8 | 109       |
| 18414 | Ultrasound Measurement of Subcutaneous Adipose Tissue Thickness Accurately Predicts Total and Segmental Body Fat of Young Adults. <i>Ultrasound in Medicine and Biology</i> , 2012, 38, 28-34.   | 0.7 | 70        |
| 18415 | Transvaginal 3-D Power Doppler Ultrasound Evaluation of the Fetal Brain at 10–13 Weeks Gestation. <i>Ultrasound in Medicine and Biology</i> , 2012, 38, 396-401.   | 0.7 | 4         |
| 18416 | Would Gestational Age and Presence of Brain Anomalies Affect Interobserver Reliability of Fetal Head Biometry? Using Off-Line Analysis of 3-D Dataset. <i>Ultrasound in Medicine and Biology</i> , 2012, 38, 69-74.  | 0.7 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18417 | Velocity Acceleration as a Determinant of Flow-Mediated Dilation. <i>Ultrasound in Medicine and Biology</i> , 2012, 38, 580-592.  | 0.7 | 28        |
| 18418 | Ultrasonographic Analysis Versus Histopathologic Evaluation of Carotid Advanced Atherosclerotic Stenosis in an Experimental Rabbit Model. <i>Ultrasound in Medicine and Biology</i> , 2012, 38, 1391-1403.  | 0.7 | 4         |
| 18419 | Noninvasive Estimation of the Blood Pressure Waveform in the Carotid Artery Using Continuous Finger Blood Pressure Monitoring. <i>Ultrasound in Medicine and Biology</i> , 2012, 38, 1998-2006.   | 0.7 | 4         |
| 18420 | Measuring bovine viral diarrhea virus vaccine response: Using a commercially available ELISA as a surrogate for serum neutralization assays. <i>Vaccine</i> , 2012, 30, 6559-6563.  | 1.7 | 9         |
| 18421 | Characteristics and comparative performance of direct culture, direct PCR and enumeration methods for detection and quantification of <i>Campylobacter</i> spp. in broiler caeca. <i>Veterinary Microbiology</i> , 2012, 159, 390-396.              | 0.8 | 12        |
| 18422 | A PROMIS fatigue short form for use by individuals who have multiple sclerosis. <i>Quality of Life Research</i> , 2012, 21, 1021-1030.  | 1.5 | 50        |
| 18423 | Necessity and Risks of Arterial Blood Sampling in Healthy Volunteer Studies. <i>Clinical Pharmacokinetics</i> , 2012, 51, 629-638.  | 1.6 | 6         |
| 18424 | Views of the Therapeutic Environment (VOTE): Stakeholder involvement in measuring staff perceptions of acute in-patient care. <i>International Journal of Nursing Studies</i> , 2012, 49, 1403-1410.  | 2.5 | 24        |
| 18425 | Estimation of peak oxygen uptake from peak power output in able-bodied and paraplegic individuals. <i>Journal of Exercise Science and Fitness</i> , 2012, 10, 78-82.  | 0.8 | 1         |
| 18426 | Acute Changes in Myocardial Systolic Function in Preterm Infants Undergoing Patent Ductus Arteriosus Ligation: A Tissue Doppler and Myocardial Deformation Study. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 1058-1067. | 1.2 | 95        |
| 18427 | Rapid Assessment of Sleep-Wake Behavior in Mice. <i>Journal of Biological Rhythms</i> , 2012, 27, 48-58.  | 1.4 | 129       |
| 18428 | Accuracy of linear intraoral measurements using cone beam CT and multidetector CT: a tale of two CTs. <i>Dentomaxillofacial Radiology</i> , 2012, 41, 637-644.  | 1.3 | 39        |
| 18429 | Right Ventricular Longitudinal Peak Systolic Strain Measurements from the Subcostal View in Patients with Suspected Pulmonary Hypertension: A Feasibility Study. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 674-681.    | 1.2 | 21        |
| 18430 | Prediction of maximal lactate steady state in runners with an incremental test on the field. <i>Journal of Sports Sciences</i> , 2012, 30, 609-616.   | 1.0 | 14        |
| 18431 | Evaluation of Rotator Cuff Tendon Tears: Comparison of Multidetector CT Arthrography and 1.5-T MR Arthrography. <i>Radiology</i> , 2012, 264, 812-822.  | 3.6 | 60        |
| 18432 | Noninvasive Imaging of the Foveal Avascular Zone with High-Speed, Phase-Variance Optical Coherence Tomography. , 2012, 53, 85.  |     | 97        |
| 18433 | Comparison between dual-energy X-ray absorptiometry and skinfolds thickness in assessing body fat in anorexia nervosa before and after weight restoration. <i>Clinical Nutrition</i> , 2012, 31, 911-916.   | 2.3 | 25        |
| 18434 | Bioelectrical Impedance Analysis and Skinfold Thickness Sum in Assessing Body Fat Mass of Renal Dialysis Patients. , 2012, 22, 409-415.e2.  |     | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18435 | Comparison of Keeler Pulsair EasyEye tonometer and Ocular Response Analyzer for measuring intraocular pressure in healthy eyes. <i>Journal of Optometry</i> , 2012, 5, 139-146.   | 0.7 | 1         |
| 18436 | Apex to Base Left Ventricular Twist Mechanics Computed from High Frame Rate Two-Dimensional and Three-Dimensional Echocardiography: A Comparison Study. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 121-128.                       | 1.2 | 19        |
| 18437 | Comparison of heart rate monitoring with indirect calorimetry for energy expenditure evaluation. <i>Journal of Sport and Health Science</i> , 2012, 1, 178-183.   | 3.3 | 13        |
| 18438 | Quantitative Echocardiography in Pediatrics—Are We There Yet?. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 855-858.  | 1.2 | 1         |
| 18439 | Exercise Strain Rate Imaging Demonstrates Normal Right Ventricular Contractile Reserve and Clarifies Ambiguous Resting Measures in Endurance Athletes. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 253-262.e1.                     | 1.2 | 127       |
| 18440 | Reliability and Repeatability of Toe Pressures Measured With Laser Doppler and Portable and Stationary Photoplethysmography Devices. <i>Annals of Vascular Surgery</i> , 2012, 26, 404-410.   | 0.4 | 29        |
| 18442 | Fases de reconstrucción y exactitud de la tomografía computarizada para cuantificar la función y masa ventricular izquierda. <i>Radiología</i> , 2012, 54, 432-441.   | 0.3 | 2         |
| 18443 | Reproducibility of the measurement of sweet taste preferences. <i>Appetite</i> , 2012, 59, 927-932.   | 1.8 | 10        |
| 18444 | Changes in knowledge and practices related to taeniasis/cysticercosis after health education in a south Indian community. <i>International Health</i> , 2012, 4, 164-169.   | 0.8 | 26        |
| 18445 | Measurement of Focal Ground-glass Opacity Diameters on CT Images. <i>Academic Radiology</i> , 2012, 19, 389-394.  | 1.3 | 48        |
| 18446 | Comparación de los métodos de cuantificación de carga viral de VIH: COBAS® AmpliPrep/ COBAS® TaqMan HIV-1 test, v 2.0, y VERSANT HIV-1 RNA 1.0 Assay (kPCR). <i>Infectio</i> , 2012, 16, 8-14.  | 0.4 | 0         |
| 18448 | Test-Retest Reliability of 3D Ultrasound Measurements of the Thoracic Spine. <i>PM and R</i> , 2012, 4, 335-341.  | 0.9 | 18        |
| 18449 | Human semen can be air-dried prior to testing for sperm DNA fragmentation with the Halosperm® G2 kit. <i>Asian Pacific Journal of Reproduction</i> , 2012, 1, 102-104.  | 0.2 | 2         |
| 18450 | A Semi-Automatic Algorithm for Determining the Demyelination Load in Metachromatic Leukodystrophy. <i>Academic Radiology</i> , 2012, 19, 26-34.   | 1.3 | 61        |
| 18451 | Intracardiac J-point elevation before the onset of polymorphic ventricular tachycardia and ventricular fibrillation in patients with an implantable cardioverter-defibrillator. <i>Heart Rhythm</i> , 2012, 9, 1594-1602.                                     | 0.3 | 19        |
| 18452 | Evaluation of Global Left Ventricular Systolic Function Using Three-Dimensional Echocardiography Speckle-Tracking Strain Parameters. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 68-79.  | 1.2 | 110       |
| 18453 | Accuracy of Matrix-Array Three-Dimensional Echocardiographic Measurements of Aortic Root Dilation and Comparison with Two-Dimensional Echocardiography in Pediatric Patients. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 287-293. | 1.2 | 11        |
| 18454 | High-resolution Diffusion-weighted Magnetic Resonance Imaging in Patients with Locally Advanced Breast Cancer. <i>Academic Radiology</i> , 2012, 19, 526-534.   | 1.3 | 70        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18455 | Variability of Global Left Ventricular Deformation Analysis Using Vendor Dependent and Independent Two-Dimensional Speckle-Tracking Software in Adults. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 1195-1203.                                       | 1.2 | 186       |
| 18456 | Proxy documents as a source of measurement error in the Comparative Manifestos Project. <i>Electoral Studies</i> , 2012, 31, 594-604.   | 1.0 | 29        |
| 18457 | A New Formula for Rapid Assessment of Pericardial Effusion Volume by Computed Tomography. <i>Academic Radiology</i> , 2012, 19, 718-722.  | 1.3 | 1         |
| 18458 | Quantitative Real-Time Three-Dimensional Echocardiography Provides New Insight into the Mechanisms of Mitral Valve Regurgitation Post-Repair of Atrioventricular Septal Defect. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 1231-1244.               | 1.2 | 39        |
| 18459 | Impact of a Dedicated Training Program on the Reproducibility of Systolic Dyssynchrony Measures Using Tissue Doppler Imaging. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 210-217.   | 1.2 | 11        |
| 18460 | True volumetric method for flow cytometric enumeration of CD34 + stem cells and its agreement with a standard bead-based single-platform protocol. <i>Cytotherapy</i> , 2012, 14, 621-629.  | 0.3 | 3         |
| 18461 | Evaluation of wound healing process based on texture analysis. , 2012, , .  |     | 19        |
| 18462 | Evaluation of Fixation Disparity Curve with the Modified Near Mallett Unit and the Wesson Fixation Disparity Card in Symptomatic and Asymptomatic Subjects. <i>Strabismus</i> , 2012, 20, 166-174.  | 0.4 | 0         |
| 18463 | AmIRTEM: A Functional Model for Training of Aerobic Endurance for Health Improvement. <i>IEEE Transactions on Biomedical Engineering</i> , 2012, 59, 3155-3161.   | 2.5 | 3         |
| 18464 | Impact of arterial catheter location on the accuracy of cardiac output provided by an endotracheal bioimpedance device. <i>Critical Care</i> , 2012, 16, .  | 2.5 | 0         |
| 18465 | Validation of a waveform delineator device for cardiac studies: Repeatability and data mining analysis. , 2012, , .   |     | 1         |
| 18466 | Variability and concordance of Cornell and Sokolow-Lyon electrocardiographic criteria in hypertensive patients. <i>Blood Pressure</i> , 2012, 21, 352-359.  | 0.7 | 6         |
| 18467 | Evaluation of critical care blood analytes assessed with a point-of-care portable blood analyzer in wild and aquarium-housed elasmobranchs and the influence of phlebotomy site on results. <i>Journal of the American Veterinary Medical Association</i> , 2012, 241, 117-125. | 0.2 | 22        |
| 18468 | Measuring the Level of Agreement Between a Veterinary and a Human Point-of-Care Glucometer and a Laboratory Blood Analyzer in Hispaniolan Amazon Parrots ( <i>Amazona ventralis</i> ). , 2012, 26, 221-224.   |     | 16        |
| 18469 | Automatic detection of the end of the Emptying Maneuvers in venous muscle pump test. , 2012, , .  |     | 0         |
| 18470 | Acceptable noise level: Repeatability with Danish and non-semantic speech materials for adults with normal hearing. <i>International Journal of Audiology</i> , 2012, 51, 557-563.  | 0.9 | 19        |
| 18471 | Intensity measurement of spontaneous facial actions: Evaluation of different image representations. , 2012, , .   |     | 8         |
| 18472 | Validity, reliability, and responsiveness of a self-reported foot and ankle score (SEFAS). <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012, 83, 197-203.   | 1.2 | 72        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18473 | The Effect of Coil Type and Navigation on the Reliability of Transcranial Magnetic Stimulation. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2012, 20, 617-625.                                    | 2.7 | 64        |
| 18474 | Quantitative classification based on CT histogram analysis of non-small cell lung cancer: Correlation with histopathological characteristics and recurrence-free survival. Medical Physics, 2012, 39, 988-1000.           | 1.6 | 36        |
| 18475 | An alternative method of endotracheal intubation of common marmosets ( <i>Callithrix jacchus</i> ). Laboratory Animals, 2012, 46, 71-76.  | 0.5 | 17        |
| 18476 | A pilot study for clinical feasibility of the near-harmonic 2D referenceless PRFS thermometry in liver under free breathing using MR-guided LITT ablation data. International Journal of Hyperthermia, 2012, 28, 250-266. | 1.1 | 20        |
| 18477 | Evaluation of corneal nerves morphology for diabetic peripheral neuropathy assessment. , 2012, , .  |     | 1         |
| 18478 | Ultrasonic measurement of bone thickness for spinal surgery. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2012, 59, 2077-2088.  | 1.7 | 1         |
| 18479 | Ant Colony Optimization for Creating Digital Signature of Network Segments Using Flow Analysis. , 2012, , .   |     | 1         |
| 18480 | Speech and Language Disorders in Kenyan Children: Adapting Tools for Regions with Few Assessment Resources. Journal of Psychology in Africa, 2012, 22, 155-169.   | 0.3 | 6         |
| 18481 | Relative and absolute reliability of the new "Step-Ex" step-execution test in elderly people with and without balance problems. Disability and Rehabilitation, 2012, 34, 1986-1992.                                       | 0.9 | 7         |
| 18482 | Body Awareness Rating Questionnaire: Measurement properties. Physiotherapy Theory and Practice, 2012, 28, 515-528.  | 0.6 | 7         |
| 18483 | Total and regional relationship between lean and fat mass with increasing adiposity" impact for the diagnosis of sarcopenic obesity. European Journal of Clinical Nutrition, 2012, 66, 1356-1361.                         | 1.3 | 59        |
| 18484 | Association between glomerular filtration rate and 1,25-dihydroxyvitamin D in cardiac surgery. Scandinavian Cardiovascular Journal, 2012, 46, 359-365.  | 0.4 | 6         |
| 18485 | Reliability of the Fox-walk test in patients with rheumatoid arthritis. Disability and Rehabilitation, 2012, 34, 2001-2006.   | 0.9 | 6         |
| 18486 | Discrepancies in accelerometer-measured physical activity in children due to cut-point non-equivalence and placement site. Journal of Sports Sciences, 2012, 30, 1303-1310.   | 1.0 | 29        |
| 18487 | Psychometric characteristics of integrated multi-specialty examinations: Ebel ratings and unidimensionality. Assessment and Evaluation in Higher Education, 2012, 37, 787-804.  | 3.9 | 6         |
| 18488 | Relaxofon: A neuromuscular blockade monitor for patients under general anesthesia. , 2012, 2012, 150-3.   |     | 3         |
| 18489 | Point-of-Care Measurement of Serum Creatinine in the Intensive Care Unit. Renal Failure, 2012, 34, 13-18.   | 0.8 | 16        |
| 18490 | The five-times-sit-to-stand test: validity, reliability and detectable change in older females. Aging Clinical and Experimental Research, 2012, 24, 339-344.  | 1.4 | 204       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18491 | Test-retest reliability and circadian performance variability of a 15-s Wingate Anaerobic Test. <i>Biological Rhythm Research</i> , 2012, 43, 413-421.   | 0.4 | 7         |
| 18492 | Impact of exercise testing mode on exercise parameters in patients with chronic heart failure. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 389-395.   | 0.8 | 14        |
| 18493 | Cut-off values of distal forearm bone density for the diagnosis of central osteoporosis in black postmenopausal South African women. <i>Journal of Endocrinology Metabolism and Diabetes of South Africa</i> , 2012, 17, 78-83.                  | 0.4 | 6         |
| 18494 | Patient-reported Outcomes in Polymyalgia Rheumatica. <i>Journal of Rheumatology</i> , 2012, 39, 795-803.   | 1.0 | 64        |
| 18495 | Heart rate measurement in neonatal patients using a webcam. , 2012, , .  |     | 51        |
| 18496 | Closed-form confidence intervals for functions of the normal mean and standard deviation. <i>Statistical Methods in Medical Research</i> , 2012, 21, 347-359.  | 0.7 | 100       |
| 18497 | ANTIBODY ARRAY-BASED IMMUNOSENSOR FOR DETECTING CARDIOVASCULAR DISEASE RISK MARKERS. <i>Journal of Immunoassay and Immunochemistry</i> , 2012, 33, 275-290.  | 0.5 | 8         |
| 18498 | NMR spectroscopy metabolomic profiling of exhaled breath condensate in patients with stable and unstable cystic fibrosis. <i>Thorax</i> , 2012, 67, 222-228.   | 2.7 | 157       |
| 18499 | The water balance questionnaire: design, reliability and validity of a questionnaire to evaluate water balance in the general population. <i>International Journal of Food Sciences and Nutrition</i> , 2012, 63, 138-144.                       | 1.3 | 36        |
| 18500 | Measurement of head relocation accuracy in the sagittal plane using static photogrammetry and inertial measurement unit. , 2012, , .   |     | 1         |
| 18501 | Anatomically guided voxel-based partial volume effect correction in brain PET: Impact of MRI segmentation. <i>Computerized Medical Imaging and Graphics</i> , 2012, 36, 610-619.   | 3.5 | 34        |
| 18502 | Repeatability of measuring sciatic nerve excursion during a modified passive straight leg raise test with ultrasound imaging. <i>Manual Therapy</i> , 2012, 17, 572-576.   | 1.6 | 20        |
| 18503 | Assessing Hepatomegaly. <i>Academic Radiology</i> , 2012, 19, 588-598.   | 1.3 | 26        |
| 18506 | The use of individual cut points from treadmill walking to assess free-living moderate to vigorous physical activity in obese subjects by accelerometry: is it useful?. <i>BMC Medical Research Methodology</i> , 2012, 12, 172.                 | 1.4 | 11        |
| 18507 | Everything all right in method comparison studies?. <i>Statistical Methods in Medical Research</i> , 2012, 21, 297-309.  | 0.7 | 13        |
| 18508 | Velocity and acceleration before contact in the tackle during rugby union matches. <i>Journal of Sports Sciences</i> , 2012, 30, 1215-1224.  | 1.0 | 57        |
| 18509 | Fast 3D reconstruction of the lower limb using a parametric model and statistical inferences and clinical measurements calculation from biplanar X-rays. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2012, 15, 457-466. | 0.9 | 194       |
| 18510 | Segmentation of the Common Carotid Intima-Media Complex in Ultrasound Images Using Active Contours. <i>IEEE Transactions on Biomedical Engineering</i> , 2012, 59, 3060-3069.  | 2.5 | 54        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18511 | Body-composition reference data for simple and reference techniques and a 4-component model: a new UK reference child. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 1316-1326.   | 2.2 | 157       |
| 18512 | The Assessment of Premorbid Intellectual Ability Following Right-Hemisphere Stroke: Reliability of a Lexical Decision Task. <i>Applied Neuropsychology Adult</i> , 2012, 19, 32-37.   | 0.7 | 3         |
| 18513 | Verification of accuracy and validity of gait phase detection system using motion sensors for applying walking assistive FES. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2012, 15, 1129-1135.   | 0.9 | 7         |
| 18514 | Ventilatory threshold during incremental running can be estimated using EMG shorts. <i>Physiological Measurement</i> , 2012, 33, 603-614.   | 1.2 | 26        |
| 18515 | Pre- and Postshift Levels of Inflammatory Biomarkers and Dna Damage in Non-Bitumen-Exposed Construction Workersâ€™ Subpopulation of the German Human Bitumen Study. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2012, 75, 533-543. | 1.1 | 7         |
| 18516 | Inter-limb differences in quadriceps strength and volitional activation. <i>Journal of Sports Sciences</i> , 2012, 30, 471-477.   | 1.0 | 19        |
| 18517 | Evaluation of long-term glucose homeostasis in lean and obese cats by use of continuous glucose monitoring. <i>American Journal of Veterinary Research</i> , 2012, 73, 1100-1106.   | 0.3 | 19        |
| 18518 | Defining the Minimally Important Change for the SpondyloArthritis Research Consortium of Canada Spine and Sacroiliac Joint Magnetic Resonance Imaging Indices for Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2012, 39, 1666-1674.                         | 1.0 | 30        |
| 18519 | Lung irradiation induces pulmonary vascular remodelling resembling pulmonary arterial hypertension. <i>Thorax</i> , 2012, 67, 334-341.  | 2.7 | 61        |
| 18520 | Maximal lactate steadyâ€™state and anaerobic thresholds from different methods in cyclists. <i>European Journal of Sport Science</i> , 2012, 12, 161-167.   | 1.4 | 13        |
| 18521 | Methods of verifying the output of the treatment planning system used for high dose rate (HDR) prostate brachytherapy. <i>Radiotherapy and Oncology</i> , 2012, 103, 261-265.   | 0.3 | 3         |
| 18522 | Pulmonary arterial thermodilution, femoral arterial thermodilution and bioreactance cardiac output monitoring in a pediatric hemorrhagic hypovolemic shock model. <i>Resuscitation</i> , 2012, 83, 125-129.   | 1.3 | 19        |
| 18523 | Air trapping is a major determinant of persistent airway obstruction in asthmatics. <i>Respiratory Medicine</i> , 2012, 106, 786-793.   | 1.3 | 14        |
| 18524 | Daily step counts in a US cohort with COPD. <i>Respiratory Medicine</i> , 2012, 106, 962-969.   | 1.3 | 64        |
| 18525 | Brief Suicide Questionnaire. Inter-rater reliability. <i>Revista De PsiquiatrÃa Y Salud Mental (English)</i> Tj ETQq0 0 0 rgBT/Qverlock,10 Tf 50 1  | 0.2 | 7         |
| 18526 | Parasympathetic alteration during sub-clinical seizures. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2012, 21, 391-398.   | 0.9 | 23        |
| 18527 | Algorithms for using an activity-based accelerometer for identification of infant sleepâ€™wake states during nap studies. <i>Sleep Medicine</i> , 2012, 13, 743-751.  | 0.8 | 57        |
| 18528 | Exercise might bias skeletal-muscle fat fraction calculation from Dixon images. <i>Neuromuscular Disorders</i> , 2012, 22, S107-S110.   | 0.3 | 18        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18529 | Use of gated <sup>13</sup> N-NH <sub>3</sub> micro-PET to examine left ventricular function in rats. <i>Nuclear Medicine and Biology</i> , 2012, 39, 724-729.   | 0.3 | 7         |
| 18530 | Validity of self-reported abdominal obesity in Thai adults: A comparison of waist circumference, waist-to-hip ratio and waist-to-stature ratio. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012, 22, 42-49.         | 1.1 | 24        |
| 18531 | Stereoacuity Thresholds before and after Visual Acuity Testing. <i>Ophthalmology</i> , 2012, 119, 164-169.  | 2.5 | 3         |
| 18532 | Reliability of Estimating Ductions in Thyroid Eye Disease. <i>Ophthalmology</i> , 2012, 119, 382-389.   | 2.5 | 45        |
| 18533 | Enhanced Depth Imaging Detects Lamina Cribrosa Thickness Differences in Normal Tension Glaucoma and Primary Open-Angle Glaucoma. <i>Ophthalmology</i> , 2012, 119, 10-20.   | 2.5 | 259       |
| 18534 | The Effect of Thin, Thick, and Normal Corneas on Goldmann Intraocular Pressure Measurements and Correction Formulae in Individual Eyes. <i>Ophthalmology</i> , 2012, 119, 443-449.  | 2.5 | 42        |
| 18535 | Choroidal Thickness Measurements. <i>Ophthalmology</i> , 2012, 119, 1286.   | 2.5 | 0         |
| 18536 | A comparison of four self-report scales of pain intensity in 6- to 8-year-old children. <i>Pain</i> , 2012, 153, 1715-1719.   | 2.0 | 48        |
| 18537 | Reliability and structural validity of the Multidimensional Fatigue Inventory (MFI) in patients with idiopathic Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2012, 18, 532-536.                                 | 1.1 | 58        |
| 18538 | Platelet activation in patients with peripheral vascular disease: Reproducibility and comparability of platelet markers. <i>Thrombosis Research</i> , 2012, 129, 50-55.   | 0.8 | 56        |
| 18539 | Clinical usefulness of a high-concentration calcium chloride solution method to correct the activated partial thromboplastin time in a high hematocrit model with heparin therapy. <i>Thrombosis Research</i> , 2012, 129, 215-217. | 0.8 | 2         |
| 18540 | The clinical significance of differences between point-of-care and laboratory INR methods in over-anticoagulated patients. <i>Thrombosis Research</i> , 2012, 130, 110-114.   | 0.8 | 25        |
| 18541 | Antiphospholipid syndrome patients: The performance of Coagucheck XS in the monitoring of Vitamin K-Antagonists. <i>Thrombosis Research</i> , 2012, 129, e168-e170.   | 0.8 | 11        |
| 18542 | Antibody levels against <i>B. pertussis</i> in neonates measured in dried blood spots. <i>Vaccine</i> , 2012, 30, 2697-2700.  | 1.7 | 5         |
| 18543 | Homemade Thermometry Instruments in the Field. <i>Wilderness and Environmental Medicine</i> , 2012, 23, 70-74.  | 0.4 | 4         |
| 18544 | An indirect method to compare the reference centres for corneal measurements. <i>Ophthalmic and Physiological Optics</i> , 2012, 32, 125-132.   | 1.0 | 5         |
| 18545 | Repeatability of corneal biomechanical measurements in children wearing spectacles and orthokeratology lenses. <i>Ophthalmic and Physiological Optics</i> , 2012, 32, 349-354.  | 1.0 | 7         |
| 18546 | Evaluation of transvesical intra-abdominal pressure measurement in hospitalized dogs. <i>Journal of Veterinary Emergency and Critical Care</i> , 2012, 22, 230-238.   | 0.4 | 21        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18547 | Monitoring sleep with a smartphone accelerometer. <i>Sleep and Biological Rhythms</i> , 2012, 10, 287-292.   | 0.5 | 54        |
| 18548 | Evaluation of Cohen's Cross-Section Trichometer for Measuring Hair Quantity. <i>Dermatologic Surgery</i> , 2012, 38, 631-634.  | 0.4 | 12        |
| 18549 | An Experimental, Simplified Method for Intradialytic Cardiac Output Measurement. <i>Artificial Organs</i> , 2012, 36, E71-7.   | 1.0 | 1         |
| 18550 | Upper airway symptoms in primary snoring and in sleep apnea. <i>Acta Oto-Laryngologica</i> , 2012, 132, 510-518.   | 0.3 | 14        |
| 18551 | Influence of Time Point of Calibration on Accuracy of Continuous Glucose Monitoring in Individuals with Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2012, 14, 583-588.  | 2.4 | 12        |
| 18552 | Assessment of differences between repeated pulse wave velocity measurements in terms of $\hat{\sigma}^2_{bias}$ ™ in the extrapolated cardiovascular risk and the classification of aortic stiffness: Is a single PWV measurement enough?. <i>Journal of Human Hypertension</i> , 2012, 26, 594-602. | 1.0 | 35        |
| 18553 | Mechanical and propelling efficiency in swimming derived from exercise using a laboratory-based whole-body swimming ergometer. <i>Journal of Applied Physiology</i> , 2012, 113, 584-594.  | 1.2 | 19        |
| 18554 | Hemodynamic Monitoring in Critical Illness. , 2012, , 445-453.   |     | 0         |
| 18555 | Intercorrelations between serum, salivary, and hair cortisol and child-reported estimates of stress in elementary school girls. <i>Psychophysiology</i> , 2012, 49, 1072-1081.   | 1.2 | 61        |
| 18556 | A suggestion of reference data for flow distribution at ankle and foot level using quantitative $^{99}Tc^{HDP}$ three-phase bone scintigraphy. <i>Clinical Physiology and Functional Imaging</i> , 2012, 32, 192-196.  | 0.5 | 2         |
| 18557 | Reproducibility of assessing rib cage mobility from computed tomography images. <i>Clinical Physiology and Functional Imaging</i> , 2012, 32, 282-287.   | 0.5 | 3         |
| 18558 | Usefulness of the VerifyNow P2Y12 assay to evaluate the antiplatelet effects of ticagrelor and clopidogrel therapies. <i>American Heart Journal</i> , 2012, 164, 35-42.  | 1.2 | 77        |
| 18559 | Defining metabolic acidosis in patients with septic shock using Stewart approach. <i>American Journal of Emergency Medicine</i> , 2012, 30, 391-398.   | 0.7 | 39        |
| 18560 | Repeatability and Reproducibility of Biometry and Keratometry Measurements Using a Noncontact Optical Low-Coherence Reflectometer and Keratometer. <i>American Journal of Ophthalmology</i> , 2012, 153, 55-61.e2.   | 1.7 | 68        |
| 18561 | Comparison of Intraocular Pressure Measurement Using 4 Different Instruments Following Penetrating Keratoplasty. <i>American Journal of Ophthalmology</i> , 2012, 153, 580.  | 1.7 | 1         |
| 18562 | Optical Coherence Tomography and Highly Sensitivity Troponin T for Evaluating Cardiac Allograft Vasculopathy. <i>American Journal of Cardiology</i> , 2012, 110, 655-661.  | 0.7 | 47        |
| 18563 | Self-reporting of height and weight: valid and reliable identification of malnutrition in preoperative patients. <i>American Journal of Surgery</i> , 2012, 203, 700-707.  | 0.9 | 32        |
| 18565 | Flow cytometric enumeration of Plasmodium berghei-infected red blood cells stained with SYBR Green I. <i>Acta Tropica</i> , 2012, 122, 113-118.  | 0.9 | 26        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18566 | Reliability and Validity of Scores of a Chinese Version of the Frenchay Activities Index. Archives of Physical Medicine and Rehabilitation, 2012, 93, 520-526.  | 0.5 | 20        |
| 18567 | Evaluation of a Wearable Body Monitoring Device During Treadmill Walking and Jogging in Patients With Fibromyalgia Syndrome. Archives of Physical Medicine and Rehabilitation, 2012, 93, 115-122.   | 0.5 | 8         |
| 18568 | The Use of Pedometers in Stroke Survivors: Are They Feasible and How Well Do They Detect Steps?. Archives of Physical Medicine and Rehabilitation, 2012, 93, 466-470.   | 0.5 | 57        |
| 18569 | Poor Agreement on Health-Related Quality of Life Between Children With Congenital Hand Differences and Their Parents. Archives of Physical Medicine and Rehabilitation, 2012, 93, 641-646.  | 0.5 | 18        |
| 18570 | Construct Validity and Test-Retest Reliability of the Walking Questionnaire in People With a Lower Limb Amputation. Archives of Physical Medicine and Rehabilitation, 2012, 93, 983-989.  | 0.5 | 8         |
| 18571 | Smallest Real Difference of 2 Instrumental Activities of Daily Living Measures in Patients With Chronic Stroke. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1097-1100.  | 0.5 | 13        |
| 18572 | A Model of Prediction and Cross-Validation of Fat-Free Mass in Men With Motor Complete Spinal Cord Injury. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1240-1245.   | 0.5 | 20        |
| 18573 | The validity of self-report weight and height as a surrogate method for direct measurement. Applied Nursing Research, 2012, 25, 25-30.  | 1.0 | 21        |
| 18574 | Validation of a buffet meal design in an experimental restaurant. Appetite, 2012, 58, 889-897.  | 1.8 | 23        |
| 18575 | Quadriceps muscle tone, elasticity and stiffness in older males: Reliability and symmetry using the MyotonPRO. Archives of Gerontology and Geriatrics, 2012, 55, e31-e39.   | 1.4 | 157       |
| 18576 | Femoral Anteversion in the Hip: Comparison of Measurement by Computed Tomography, Magnetic Resonance Imaging, and Physical Examination. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2012, 28, 619-627.   | 1.3 | 156       |
| 18577 | Computed Tomography of the Ankle in Full Plantar Flexion: A Reliable Method for Preoperative Planning of Arthroscopic Access to Osteochondral Defects of the Talus. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2012, 28, 985-992.                             | 1.3 | 48        |
| 18578 | Validity of MicroCT for in vitro detection of proximal carious lesions in primary molars. Journal of Dentistry, 2012, 40, 35-40.  | 1.7 | 60        |
| 18579 | Evaluation of electromyography normalisation methods for the back squat. Journal of Electromyography and Kinesiology, 2012, 22, 308-319.  | 0.7 | 23        |
| 18580 | Agreement between Emergency Medical Services and Expert Blood Pressure Measurements. Journal of Emergency Medicine, 2012, 43, 64-68.  | 0.3 | 4         |
| 18581 | Atmospheric discharge and dispersion of radionuclides during the Fukushima Dai-ichi Nuclear Power Plant accident. Part II: verification of the source term and analysis of regional-scale atmospheric dispersion. Journal of Environmental Radioactivity, 2012, 112, 141-154. | 0.9 | 287       |
| 18582 | A novel, non-invasive method of respiratory monitoring for use with stereotactic procedures. Journal of Neuroscience Methods, 2012, 209, 337-343.   | 1.3 | 8         |
| 18583 | Measurement error in heat tolerance assays. Journal of Thermal Biology, 2012, 37, 432-437.  | 1.1 | 18        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18584 | Preliminary intraobserver and interobserver variability in wall stress and rupture risk assessment of abdominal aortic aneurysms using a semiautomatic finite element model. <i>Journal of Vascular Surgery</i> , 2012, 55, 326-330.   | 0.6 | 33        |
| 18585 | Prospective intraindividual comparison of unenhanced magnetic resonance imaging vs contrast-enhanced computed tomography for the planning of endovascular abdominal aortic aneurysm repair. <i>Journal of Vascular Surgery</i> , 2012, 55, 679-687.                                    | 0.6 | 13        |
| 18586 | The accuracy of computed tomography central luminal line measurements in quantifying stent graft migration. <i>Journal of Vascular Surgery</i> , 2012, 55, 895-905.  | 0.6 | 8         |
| 18587 | Reproducibility of IVUS border detection for carotid atherosclerotic plaque assessment. <i>Medical Engineering and Physics</i> , 2012, 34, 702-708.  | 0.8 | 12        |
| 18588 | Automated frequency domain analysis of oxygen saturation as a screening tool for SAHS. <i>Medical Engineering and Physics</i> , 2012, 34, 946-953.   | 0.8 | 18        |
| 18589 | Comparison of infrared thermography and laser speckle contrast imaging for the dynamic assessment of digital microvascular function. <i>Microvascular Research</i> , 2012, 83, 162-167.  | 1.1 | 53        |
| 18590 | Increased cutaneous NGF and CGRP-labelled trkA-positive intra-epidermal nerve fibres in rat diabetic skin. <i>Neuroscience Letters</i> , 2012, 506, 59-63.   | 1.0 | 24        |
| 18591 | Echocardiography for assessment of regional and global right ventricular systolic function in adults with repaired tetralogy of Fallot. <i>International Journal of Cardiology</i> , 2012, 157, 53-58.   | 0.8 | 23        |
| 18592 | Intra-individual variability of high-sensitivity C-reactive protein in Chinese general population. <i>International Journal of Cardiology</i> , 2012, 157, 75-79.  | 0.8 | 58        |
| 18593 | Epicardial adipose tissue is an independent predictor of coronary atherosclerotic burden. <i>International Journal of Cardiology</i> , 2012, 158, 26-32.   | 0.8 | 149       |
| 18594 | Detection of preclinical impairment of myocardial function in rheumatoid arthritis patients with short disease duration by speckle tracking echocardiography. <i>International Journal of Cardiology</i> , 2012, 160, 8-14.  | 0.8 | 41        |
| 18595 | The use of fetal foot length to determine stillborn gestational age in Vietnam. <i>International Journal of Gynecology and Obstetrics</i> , 2012, 116, 22-25.  | 1.0 | 7         |
| 18596 | Evaluation of an improved orthognathic articulator system: 1. Accuracy of cast orientation. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2012, 41, 150-154.  | 0.7 | 11        |
| 18597 | Evaluation of an improved orthognathic articulator system. 2. Accuracy of occlusal wafers. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2012, 41, 155-159.   | 0.7 | 11        |
| 18598 | Can a single pain rating replace a multiple pain rating in third molar surgery studies? Analysis of 220 patients. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2012, 41, 1010-1013.  | 0.7 | 2         |
| 18599 | Reliability of pediatric reach test in children with hearing impairment. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2012, 76, 901-905.  | 0.4 | 6         |
| 18600 | ESR or CRP, which inflammatory measure can accurately replace clinical measures in rheumatoid arthritis?. <i>Indian Journal of Rheumatology</i> , 2012, 7, 69-73.  | 0.2 | 5         |
| 18601 | Biomarker and Dietary Validation of a Canadian Food Frequency Questionnaire to Measure Eicosapentaenoic and Docosahexaenoic Acid Intakes from Whole Food, Functional Food, and Nutraceutical Sources. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2012, 112, 1005-1014. | 0.4 | 32        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18602 | The Relative Validity and Reproducibility of an Iron Food Frequency Questionnaire for Identifying Iron-Related Dietary Patterns in Young Women. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2012, 112, 1177-1187.  | 0.4 | 33        |
| 18603 | Evaluation of a robot-assisted testing system for multisegmental spine specimens. <i>Journal of Biomechanics</i> , 2012, 45, 1457-1462.   | 0.9 | 20        |
| 18604 | Accuracy and precision of hind limb foot contact timings of horses determined using a pelvis-mounted inertial measurement unit. <i>Journal of Biomechanics</i> , 2012, 45, 1522-1528.   | 0.9 | 66        |
| 18605 | A shoe sole-based apparatus and method for randomly perturbing the stance phase of gait: Test-retest reliability in young adults. <i>Journal of Biomechanics</i> , 2012, 45, 1850-1853.   | 0.9 | 13        |
| 18606 | Effects of window size on ankle joint stiffness calculation during quiet standing: How the rule changes the result. <i>Journal of Biomechanics</i> , 2012, 45, 2301-2305.   | 0.9 | 4         |
| 18607 | Reliability testing of the patellofemoral joint reaction force (PFJRF) measurement during double-legged squatting in healthy subjects: A pilot study. <i>Journal of Bodywork and Movement Therapies</i> , 2012, 16, 217-223.  | 0.5 | 8         |
| 18608 | Reproducibility of the pressure biofeedback unit in measuring transversus abdominis muscle activity in patients with chronic nonspecific low back pain. <i>Journal of Bodywork and Movement Therapies</i> , 2012, 16, 251-257.  | 0.5 | 29        |
| 18609 | Therapeutic drug monitoring of tacrolimus by liquid chromatography-tandem mass spectrometry: Is it truly a routine test?. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012, 883-884, 108-112.                     | 1.2 | 21        |
| 18610 | Comparison of noninvasive cardiac output measurements using the Nexfin monitoring device and the esophageal Doppler. <i>Journal of Clinical Anesthesia</i> , 2012, 24, 275-283.   | 0.7 | 68        |
| 18611 | Measurement properties of patient-specific instruments measuring physical function. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 590-601.  | 2.4 | 47        |
| 18612 | Comparison between the automated Roche Cobas AmpliPrep/Cobas TaqMan HIV-1 test version 2.0 assay and its version 1 and Nuclisens HIV-1 EasyQ version 2.0 assays when measuring diverse HIV-1 genotypes in China. <i>Journal of Clinical Virology</i> , 2012, 53, 33-37. | 1.6 | 13        |
| 18613 | Unplanned Perioperative Hypothermia and Agreement Between Oral, Temporal Artery, and Bladder Temperatures in Adult Major Surgery Patients. <i>Journal of Perianesthesia Nursing</i> , 2012, 27, 165-180.  | 0.3 | 18        |
| 18614 | Critical review of near-infrared spectroscopic methods validations in pharmaceutical applications. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012, 69, 125-132.  | 1.4 | 101       |
| 18615 | Validation of a photography-based goniometry method for measuring joint range of motion. <i>Journal of Shoulder and Elbow Surgery</i> , 2012, 21, 29-35.  | 1.2 | 74        |
| 18616 | Assessment of glenoid inclination on routine clinical radiographs and computed tomography examinations of the shoulder. <i>Journal of Shoulder and Elbow Surgery</i> , 2012, 21, 1096-1103.   | 1.2 | 179       |
| 18617 | Can we improve the reliability of the Constant-Murley score?. <i>Journal of Shoulder and Elbow Surgery</i> , 2012, 21, 4-12.  | 1.2 | 45        |
| 18618 | Ultrasound imaging velocimetry of the human vitreous. <i>Experimental Eye Research</i> , 2012, 99, 98-104.  | 1.2 | 28        |
| 18619 | Ground Reaction Force Calcaneal Offset: A new measurement of hindfoot alignment. <i>Foot and Ankle Surgery</i> , 2012, 18, 9-14.  | 0.8 | 36        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18620 | Statistical strategies to quantify respiratory sinus arrhythmia: Are commonly used metrics equivalent?. <i>Biological Psychology</i> , 2012, 89, 349-364.   | 1.1 | 203       |
| 18621 | Right Ventricular Longitudinal Strain Correlates Well With Right Ventricular Stroke Work Index in Patients With Advanced Heart Failure Referred for Heart Transplantation. <i>Journal of Cardiac Failure</i> , 2012, 18, 208-215.   | 0.7 | 71        |
| 18622 | Quantitative assessment of pure aortic valve regurgitation with dual-source CT. <i>Clinical Radiology</i> , 2012, 67, 643-648.  | 0.5 | 2         |
| 18623 | Quantitative assessment of first-pass perfusion using a low-dose method at multidetector CT in oesophageal squamous cell carcinoma: Correlation with VEGF expression. <i>Clinical Radiology</i> , 2012, 67, 746-753.  | 0.5 | 6         |
| 18624 | Crossover and maximal fat-oxidation points in sedentary healthy subjects: Methodological issues. <i>Diabetes and Metabolism</i> , 2012, 38, 40-45.  | 1.4 | 19        |
| 18625 | Microdialysis—A versatile technology to perform metabolic monitoring in diabetes and critically ill patients. <i>Diabetes Research and Clinical Practice</i> , 2012, 97, 112-118.   | 1.1 | 17        |
| 18626 | Higher magnification lenses versus conventional lenses for evaluation of diabetic neuropathy by corneal in vivo confocal microscopy. <i>Diabetes Research and Clinical Practice</i> , 2012, 97, e37-e40.  | 1.1 | 12        |
| 18627 | Calibrators for measuring aldosterone by liquid chromatography-tandem mass spectrometry. <i>Clinica Chimica Acta</i> , 2012, 413, 346-347.  | 0.5 | 5         |
| 18628 | Comparability of two different polyacrylamide gel electrophoresis methods for the classification of LDL pattern type. <i>Clinica Chimica Acta</i> , 2012, 413, 251-257.   | 0.5 | 25        |
| 18629 | Standards and reference materials for the anticardiolipin and anti- $\beta_2$ glycoprotein I assays: A report of recommendations from the APL Task Force at the 13th International Congress on Antiphospholipid Antibodies. <i>Clinica Chimica Acta</i> , 2012, 413, 358-360. | 0.5 | 58        |
| 18630 | Accuracy of a portable glucose meter and of a Continuous Glucose Monitoring device used at home by patients with type 1 diabetes. <i>Clinica Chimica Acta</i> , 2012, 413, 312-318.   | 0.5 | 25        |
| 18631 | Method comparison of dipeptidyl peptidase IV activity assays and their application in biological samples containing reversible inhibitors. <i>Clinica Chimica Acta</i> , 2012, 413, 456-462.  | 0.5 | 71        |
| 18632 | Comparison of acid and enzymatic methods for inulin dosage: Analytical performances and impact on glomerular filtration rate evaluation. <i>Clinica Chimica Acta</i> , 2012, 413, 556-560.  | 0.5 | 10        |
| 18633 | Evaluation of commutability of several materials for harmonization alkaline phosphatase catalytic concentration measurements. <i>Clinica Chimica Acta</i> , 2012, 413, 1249-1254.   | 0.5 | 5         |
| 18634 | An analysis of the bias in red blood cell hemolysis measurement using several analytical approaches. <i>Clinica Chimica Acta</i> , 2012, 413, 1746-1752.  | 0.5 | 22        |
| 18635 | Serial cardiac troponin differences measured on four contemporary analyzers: Relative differences, actual differences and reference change values compared. <i>Clinica Chimica Acta</i> , 2012, 413, 1786-1791.   | 0.5 | 24        |
| 18636 | Comparison of distinctive gait variables using two different biomechanical models for knee joint kinematics in subjects with knee osteoarthritis and healthy controls. <i>Clinical Biomechanics</i> , 2012, 27, 281-286.  | 0.5 | 11        |
| 18637 | An integrated video-analysis software system designed for movement detection and sleep analysis. Validation of a tool for the behavioural study of sleep. <i>Clinical Neurophysiology</i> , 2012, 123, 318-323.   | 0.7 | 16        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18638 | Repeatability of vibration thresholds measured with the Neurothesiometer: Is it a valid and reliable research tool?. <i>Clinical Neurophysiology</i> , 2012, 123, 1053-1054.   | 0.7 | 6         |
| 18639 | Quantitative studies of lower motor neuron degeneration in amyotrophic lateral sclerosis: Evidence for exponential decay of motor unit numbers and greatest rate of loss at the site of onset. <i>Clinical Neurophysiology</i> , 2012, 123, 2092-2098. | 0.7 | 24        |
| 18640 | Validity of the finger tapping test in Parkinson's disease, elderly and young healthy subjects: Is there a role for central fatigue?. <i>Clinical Neurophysiology</i> , 2012, 123, 2034-2041.  | 0.7 | 53        |
| 18641 | Medical marijuana laws in 50 states: Investigating the relationship between state legalization of medical marijuana and marijuana use, abuse and dependence. <i>Drug and Alcohol Dependence</i> , 2012, 120, 22-27.                                    | 1.6 | 409       |
| 18642 | First trimester ultrasound estimation of gestational age in pregnancies conceived after in vitro fertilization. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 160, 151-155.                                       | 0.5 | 16        |
| 18643 | Evaluation of right ventricular function by 64-row CT in patients with chronic obstructive pulmonary disease and cor pulmonale. <i>European Journal of Radiology</i> , 2012, 81, 345-353.  | 1.2 | 21        |
| 18644 | Can left ventricular end-diastolic volumes be estimated with prospective ECG-gated CT coronary angiography?. <i>European Journal of Radiology</i> , 2012, 81, 226-229.   | 1.2 | 15        |
| 18645 | Evaluation of contrast medium enhancement and [18F]-FDG uptake of liver metastasis in PET/CT prior to therapy. <i>European Journal of Radiology</i> , 2012, 81, 652-657.   | 1.2 | 1         |
| 18646 | Aortic volume as an indicator of disease progression in patients with untreated infrarenal abdominal aneurysm. <i>European Journal of Radiology</i> , 2012, 81, e87-e93.   | 1.2 | 45        |
| 18647 | Intra- and interobserver variability of magnetic resonance imaging for quantitative assessment of abductor and external rotator muscle changes after total hip arthroplasty. <i>European Journal of Radiology</i> , 2012, 81, 928-933.                 | 1.2 | 26        |
| 18648 | Comparison of capability of dynamic O2-enhanced MRI and quantitative thin-section MDCT to assess COPD in smokers. <i>European Journal of Radiology</i> , 2012, 81, 1068-1075.  | 1.2 | 27        |
| 18649 | Reduced-dose chest CT with 3D automatic exposure control vs. standard chest CT: Quantitative assessment of emphysematous changes in smokers' lung parenchyma. <i>European Journal of Radiology</i> , 2012, 81, 1330-1334.                              | 1.2 | 4         |
| 18650 | Acute and chronic myocardial infarction in a pig model: Utility of multi-slice cardiac computed tomography in assessing myocardial viability and infarct parameters. <i>European Journal of Radiology</i> , 2012, 81, e431-e437.                       | 1.2 | 5         |
| 18651 | Automated volumetric assessment of the Achilles tendon (AVAT) using a 3D T2 weighted SPACE sequence at 3T in healthy and pathologic cases. <i>European Journal of Radiology</i> , 2012, 81, 1612-1617.   | 1.2 | 12        |
| 18652 | Measurements and detection of abdominal aortic aneurysm growth: Accuracy and reproducibility of a segmentation software. <i>European Journal of Radiology</i> , 2012, 81, 1688-1694.   | 1.2 | 68        |
| 18653 | Computational area measurement of orbital floor fractures: Reliability, accuracy and rapidity. <i>European Journal of Radiology</i> , 2012, 81, 2251-2254.   | 1.2 | 18        |
| 18654 | Variation in the peritoneal cancer index scores between surgeons and according to when they are determined (before or after cytoreductive surgery). <i>European Journal of Surgical Oncology</i> , 2012, 38, 503-508.                                  | 0.5 | 31        |
| 18656 | Evaluation of the use of CALUX results for dioxins and dioxin-like PCBs analysis for quantitative human exposure assessments. <i>Food Control</i> , 2012, 27, 314-321.   | 2.8 | 7         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18657 | Measuring human remains in the field: Grid technique, total station, or MicroScribe?. <i>Forensic Science International</i> , 2012, 221, 16-22.  | 1.3 | 9         |
| 18658 | Protein thiolation index (PTI) as a biomarker of oxidative stress. <i>Free Radical Biology and Medicine</i> , 2012, 53, 907-915.   | 1.3 | 40        |
| 18659 | Concurrent validation of a magnetometer-based step counter in various walking surfaces. <i>Gait and Posture</i> , 2012, 35, 18-22.   | 0.6 | 7         |
| 18660 | Ambulant adults with spastic cerebral palsy: The validity of lower limb joint angle measurements from sagittal video recordings. <i>Gait and Posture</i> , 2012, 35, 186-191.  | 0.6 | 5         |
| 18663 | Validity of a Smartphone-based instrumented Timed Up and Go. <i>Gait and Posture</i> , 2012, 36, 163-165.  | 0.6 | 137       |
| 18664 | An enhanced estimate of initial contact and final contact instants of time using lower trunk inertial sensor data. <i>Gait and Posture</i> , 2012, 36, 316-318.  | 0.6 | 198       |
| 18665 | Reproducibility of Blood Pressure Response to the Cold Pressor Test: The GenSalt Study. <i>American Journal of Epidemiology</i> , 2012, 176, S91-S98.  | 1.6 | 26        |
| 18666 | How well does the body adiposity index capture adiposity change in midlife women?: The SWAN fat patterning study. <i>American Journal of Human Biology</i> , 2012, 24, 866-869.  | 0.8 | 16        |
| 18667 | Usefulness of transesophageal echocardiography during implantation of the CoreValve percutaneous aortic prosthesis: Influence of the learning curve. <i>Catheterization and Cardiovascular Interventions</i> , 2012, 80, 964-971.  | 0.7 | 1         |
| 18668 | The impact of acute illness on HbA <sub>1c</sub> determination of undiagnosed diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2012, 28, 603-607.   | 1.7 | 19        |
| 18669 | Automatic quantification of subcutaneous and visceral adipose tissue from whole-body magnetic resonance images suitable for large cohort studies. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 36, 1421-1434.  | 1.9 | 73        |
| 18670 | Variability of standard liver volume estimation versus software-assisted total liver volume measurement. <i>Liver Transplantation</i> , 2012, 18, 1083-1092.   | 1.3 | 42        |
| 18671 | Calibration of unified Parkinson's disease rating scale scores to Movement Disorder Society-unified Parkinson's disease rating scale scores. <i>Movement Disorders</i> , 2012, 27, 1239-1242.  | 2.2 | 148       |
| 18672 | The assisted 6-minute cycling test to assess endurance in children with a neuromuscular disorder. <i>Muscle and Nerve</i> , 2012, 46, 520-530.   | 1.0 | 20        |
| 18673 | A statistical approach to selecting and confirming validation targets in -omics experiments. <i>BMC Bioinformatics</i> , 2012, 13, 150.  | 1.2 | 13        |
| 18674 | Quantitative RNA-Seq analysis in non-model species: assessing transcriptome assemblies as a scaffold and the utility of evolutionary divergent genomic reference species. <i>BMC Genomics</i> , 2012, 13, 361.   | 1.2 | 79        |
| 18675 | Use of a blood gas analyzer and a laboratory autoanalyzer in routine practice to measure electrolytes in intensive care unit patients. <i>BMC Anesthesiology</i> , 2012, 12, 17.   | 0.7 | 49        |
| 18676 | Design of a prospective clinical study on the agreement between the Continuous Glucose Monitor, a novel device for CONTinuous ASSessment of blood GLUcose levels, and the RAPIDLab® 1265 blood gas analyser: The CONTASSGLU study. <i>BMC Anesthesiology</i> , 2012, 12, 24. | 0.7 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18677 | Is the Scale for Measuring Motivational Interviewing Skills a valid and reliable instrument for measuring the primary care professionals motivational skills?: EVEM study protocol. BMC Family Practice, 2012, 13, 112.                          | 2.9 | 10        |
| 18678 | Luminal lactate in acute pancreatitis - validation and relation to disease severity. BMC Gastroenterology, 2012, 12, 40.   | 0.8 | 1         |
| 18679 | Prevalence of diminished kidney function in a representative sample of middle and older age adults in the Irish population. BMC Nephrology, 2012, 13, 144.   | 0.8 | 13        |
| 18680 | Determination of the best method to estimate glomerular filtration rate from serum creatinine in adult patients with sickle cell disease: a prospective observational cohort study. BMC Nephrology, 2012, 13, 83.                                | 0.8 | 70        |
| 18681 | Signal alterations of the basal ganglia in the differential diagnosis of Parkinson's disease: a retrospective case-controlled MRI data bank analysis. BMC Neurology, 2012, 12, 163.  | 0.8 | 9         |
| 18682 | Decentral gene expression analysis: analytical validation of the Endopredict genomic multianalyte breast cancer prognosis test. BMC Cancer, 2012, 12, 456.   | 1.1 | 66        |
| 18683 | Intraocular pressure in a cohort of healthy eastern European schoolchildren: variations in method and corneal thickness. BMC Ophthalmology, 2012, 12, 61.  | 0.6 | 14        |
| 18684 | Validation of the Vivago Wrist-Worn accelerometer in the assessment of physical activity. BMC Public Health, 2012, 12, 690.  | 1.2 | 18        |
| 18685 | Cross-cultural adaptation and validation of the Norwegian pain catastrophizing scale in patients with low back pain. BMC Musculoskeletal Disorders, 2012, 13, 111.   | 0.8 | 87        |
| 18686 | The Dutch Lower Extremity Functional Scale was highly reliable, valid and responsive in individuals with hip/knee osteoarthritis: a validation study. BMC Musculoskeletal Disorders, 2012, 13, 117.  | 0.8 | 75        |
| 18687 | Comparison of vertical ground reaction forces during overground and treadmill running. A validation study. BMC Musculoskeletal Disorders, 2012, 13, 235.   | 0.8 | 91        |
| 18688 | Estimation of menstrual blood loss volume based on menstrual diary and laboratory data. BMC Women's Health, 2012, 12, 24.  | 0.8 | 20        |
| 18689 | Dynamic measurement of pennation angle of gastrocnemius muscles during contractions based on ultrasound imaging. BioMedical Engineering OnLine, 2012, 11, 63.  | 1.3 | 48        |
| 18690 | Physiological aspects of the determination of comprehensive arterial inflows in the lower abdomen assessed by Doppler ultrasound. Cardiovascular Ultrasound, 2012, 10, 13.   | 0.5 | 8         |
| 18691 | Real-time three-dimensional transthoracic echocardiography in daily practice: initial experience. Cardiovascular Ultrasound, 2012, 10, 14.   | 0.5 | 15        |
| 18692 | Enhancing rigour in the validation of patient reported outcome measures (PROMs): bridging linguistic and psychometric testing. Health and Quality of Life Outcomes, 2012, 10, 64.  | 1.0 | 7         |
| 18693 | An observational study of patient versus parental perceptions of health-related quality of life in children and adolescents with a chronic pain condition: who should the clinician believe?. Health and Quality of Life Outcomes, 2012, 10, 85. | 1.0 | 81        |
| 18694 | Patients undergoing subacute rehabilitation have accurate expectations of their health-related quality of life at discharge. Health and Quality of Life Outcomes, 2012, 10, 94.  | 1.0 | 10        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18695 | Direct and indirect measurement of physical activity in older adults: a systematic review of the literature. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 148.   | 2.0 | 154       |
| 18696 | Development and evaluation of social cognitive measures related to adolescent dietary behaviors. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 36.  | 2.0 | 53        |
| 18697 | Bramwell-Hill modeling for local aortic pulse wave velocity estimation: a validation study with velocity-encoded cardiovascular magnetic resonance and invasive pressure assessment. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, 15.  | 1.6 | 55        |
| 18698 | Non-contrast T1-mapping detects acute myocardial edema with high diagnostic accuracy: a comparison to T2-weighted cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, 53.                                  | 1.6 | 368       |
| 18699 | Single breath-hold assessment of cardiac function using an accelerated 3D single breath-hold acquisition technique - comparison of an intravascular and extravascular contrast agent. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, 58. | 1.6 | 26        |
| 18700 | Assessment of intramyocardial hemorrhage by T1-weighted cardiovascular magnetic resonance in reperfused acute myocardial infarction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, 64.  | 1.6 | 69        |
| 18701 | Effects of combined deferiprone with deferoxamine on right ventricular function in thalassaemia major. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, 3.   | 1.6 | 30        |
| 18702 | Utility of the point of care CD4 analyzer, PIMA, to enumerate CD4 counts in the field settings in India. <i>AIDS Research and Therapy</i> , 2012, 9, 26.  | 0.7 | 30        |
| 18703 | Sit-stand and stand-sit transitions in older adults and patients with Parkinson's disease: event detection based on motion sensors versus force plates. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2012, 9, 75.                              | 2.4 | 68        |
| 18704 | Health-related quality of life in cancer patients at the end of life, translation, validation, and longitudinal analysis of specific tools: study protocol for a randomized controlled trial. <i>Trials</i> , 2012, 13, 39.                               | 0.7 | 4         |
| 18705 | Comparison of HemoCue's hemoglobin-meter and automated hematology analyzer in measurement of hemoglobin levels in pregnant women at Khartoum hospital, Sudan. <i>Diagnostic Pathology</i> , 2012, 7, 30.  | 0.9 | 39        |
| 18706 | Quantitative comparison of immunohistochemical staining measured by digital image analysis versus pathologist visual scoring. <i>Diagnostic Pathology</i> , 2012, 7, 42.  | 0.9 | 333       |
| 18707 | Reproducibility and age-related changes of ocular parametric measurements in rabbits. <i>BMC Veterinary Research</i> , 2012, 8, 138.  | 0.7 | 21        |
| 18708 | Summary of current knowledge of the size and spatial distribution of the horse population within Great Britain. <i>BMC Veterinary Research</i> , 2012, 8, 43.   | 0.7 | 23        |
| 18709 | Evaluation of the iPhone with an acrylic sleeve versus the Scoliometer for rib hump measurement in scoliosis. <i>Scoliosis</i> , 2012, 7, 14.   | 0.4 | 42        |
| 18710 | CT and radiographic analysis of sagittal profile changes following thoracoscopic anterior scoliosis surgery. <i>Scoliosis</i> , 2012, 7, 15.  | 0.4 | 17        |
| 18711 | Comparison of two ActiGraph accelerometer generations in the assessment of physical activity in free living conditions. <i>BMC Research Notes</i> , 2012, 5, 187.   | 0.6 | 92        |
| 18712 | Quantitative cross-validation and content analysis of the 450k DNA methylation array from Illumina, Inc.. <i>BMC Research Notes</i> , 2012, 5, 210.   | 0.6 | 98        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18713 | Comparability of tympanic and oral mercury thermometers at high ambient temperatures. <i>BMC Research Notes</i> , 2012, 5, 356.   | 0.6 | 25        |
| 18714 | The reliability of a portable clinical force plate used for the assessment of static postural control: repeated measures reliability study. <i>Chiropractic &amp; Manual Therapies</i> , 2012, 20, 14.                                    | 0.6 | 25        |
| 18715 | The validity of a portable clinical force plate in assessment of static postural control: concurrent validity study. <i>Chiropractic &amp; Manual Therapies</i> , 2012, 20, 15.   | 0.6 | 17        |
| 18716 | Analysis of ependymal ciliary beat pattern and beat frequency using high speed imaging: comparison with the photomultiplier and photodiode methods. <i>Cilia</i> , 2012, 1, 8.  | 1.8 | 32        |
| 18717 | Comparison of five equations for estimating resting energy expenditure in Chinese young, normal weight healthy adults. <i>European Journal of Medical Research</i> , 2012, 17, 26.  | 0.9 | 21        |
| 18718 | Can skin temperature replace rectal temperature monitoring in babies undergoing therapeutic hypothermia in low-resource settings?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012, 101, e564-7.                     | 0.7 | 3         |
| 18719 | Anthropometric estimates of total and regional body fat in children aged 6-17 years. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012, 101, 1253-1259.  | 0.7 | 10        |
| 18720 | Evaluating sleep in bipolar disorder: comparison between actigraphy, polysomnography, and sleep diary. <i>Bipolar Disorders</i> , 2012, 14, 870-879.  | 1.1 | 125       |
| 18721 | Clinical and preclinical validation of the serum free light chain assay: identification of the critical difference for optimized clinical use. <i>European Journal of Haematology</i> , 2012, 89, 458-468.                                | 1.1 | 13        |
| 18722 | Comparison of non-invasive and invasive blood pressure in aeromedical care. <i>Anaesthesia</i> , 2012, 67, 1343-1347.   | 1.8 | 27        |
| 18723 | Bioactivity of enoxaparin in critically ill patients with normal renal function. <i>British Journal of Clinical Pharmacology</i> , 2012, 74, 806-814.   | 1.1 | 11        |
| 18724 | Phase dependencies between longitudinal corneal apex displacement and cardiovascular signals: is the ocular pulse influenced by the electrical activity of the heart?. <i>Australasian journal of optometry, The</i> , 2012, 95, 631-637. | 0.6 | 15        |
| 18725 | A comparison of near-dissociated heterophoria tests in free space. <i>Australasian journal of optometry, The</i> , 2012, 95, 638-642.   | 0.6 | 18        |
| 18726 | 3D surface imaging for monitoring intrafraction motion in frameless stereotactic body radiotherapy of lung cancer. <i>Radiotherapy and Oncology</i> , 2012, 105, 155-160.   | 0.3 | 29        |
| 18727 | Comparison of Manual and Automated Methods to Measure Position-Induced Ocular Cyclotorsion. <i>Journal of Clinical &amp; Experimental Ophthalmology</i> , 2012, 03, .   | 0.1 | 0         |
| 18728 | Accurate assessment of drooling severity with the 5-minute drooling quotient in children with developmental disabilities. <i>Developmental Medicine and Child Neurology</i> , 2012, 54, 1121-1126.  | 1.1 | 46        |
| 18729 | A comparison of in-air and in-saline focimeter measurement of the back vertex power of spherical soft contact lenses. <i>Ophthalmic and Physiological Optics</i> , 2012, 32, 508-517.   | 1.0 | 7         |
| 18730 | Comparison of keratometry measurements using the Pentacam HR, the Orbscan IIz, and the TMS-4 topographer. <i>Ophthalmic and Physiological Optics</i> , 2012, 32, 539-546.   | 1.0 | 26        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18731 | Influence of central corneal thickness on measured intraocular pressure differentials: Nidek $\text{CR7700}$ , Topcon $\text{CT80}$ $\text{NCTs}$ and Goldmann Tonometer. <i>Ophthalmic and Physiological Optics</i> , 2012, 32, 547-555.                               | 1.0 | 6         |
| 18732 | The use and accuracy of manual and electronic gestational age calculators. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2012, 52, 440-444.   | 0.4 | 4         |
| 18733 | The Impairment of Endocardial Radial Strain Is Related to Aortic Stenosis Severity in Patients with Aortic Stenosis and Preserved $\text{LV}$ Ejection Fraction Using Two-Dimensional Speckle Tracking Echocardiography. <i>Echocardiography</i> , 2012, 29, 1172-1180. | 0.3 | 12        |
| 18734 | Assessment of a point-of-care test for measurement of blood triglyceride levels for rapid detection of equid hypertriglyceridaemia. <i>Equine Veterinary Education</i> , 2012, 24, 520-528.   | 0.3 | 6         |
| 18735 | Effect of assay specificity on the association of urine 11-dehydro thromboxane B2 determination with cardiovascular risk. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 2462-2469.   | 1.9 | 21        |
| 18736 | Full-field optical coherence microscopy is a novel technique for imaging enteric ganglia in the gastrointestinal tract. <i>Neurogastroenterology and Motility</i> , 2012, 24, e611-21.  | 1.6 | 16        |
| 18737 | Calculation of Normalized Drug Concentrations in the Presence of Altered Plasma Protein Binding. <i>Clinical Pharmacokinetics</i> , 2012, 51, 55-68.  | 1.6 | 28        |
| 18738 | Validation of handheld meters to measure blood l-lactate concentration in dairy cows and calves. <i>Journal of Dairy Science</i> , 2012, 95, 6449-6456.   | 1.4 | 18        |
| 18739 | Technical note: Validating a dynamometer for noninvasive measuring of udder firmness in dairy cows. <i>Journal of Dairy Science</i> , 2012, 95, 6550-6556.  | 1.4 | 17        |
| 18740 | Visual Acuity, Crowding, and Stereo-Vision Are Linked in Children with and without Amblyopia. , 2012, 53, 7655.   |     | 43        |
| 18741 | Radiographic landmarks for measurement of cranial tibial subluxation in the canine cruciate ligament deficient stifle. <i>Veterinary and Comparative Orthopaedics and Traumatology</i> , 2012, 25, 478-487.   | 0.2 | 9         |
| 18742 | The effect of estimation and production procedures on running economy in recreational athletes. <i>Journal of Science and Medicine in Sport</i> , 2012, 15, 568-573.  | 0.6 | 4         |
| 18743 | Agreement between anthropometric and dual-energy X-ray absorptiometry assessments of lower-limb volumes and composition estimates in youth-club rugby athletes. <i>Applied Physiology, Nutrition and Metabolism</i> , 2012, 37, 463-471.                                | 0.9 | 8         |
| 18744 | Three-Dimensional Imaging of the Left Ventricular Outflow Tract: Impact on Aortic Valve Area Estimation by the Continuity Equation. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 749-757.   | 1.2 | 105       |
| 18745 | Validity and reliability of tests determining performance-related components of wheelchair basketball. <i>Journal of Sports Sciences</i> , 2012, 30, 879-887.   | 1.0 | 55        |
| 18746 | Validity of the Remote Food Photography Method (RFPM) for Estimating Energy and Nutrient Intake in Near Real-Time. <i>Obesity</i> , 2012, 20, 891-899.  | 1.5 | 215       |
| 18747 | Body Composition at 6 months of Life: Comparison Of Air Displacement Plethysmography and Dual-Energy X-Ray Absorptiometry. <i>Obesity</i> , 2012, 20, 2302-2306.  | 1.5 | 67        |
| 18748 | Air Displacement Plethysmography Pediatric Option in 6 Years Old Using the Four-Compartment Model as a Criterion Method. <i>Obesity</i> , 2012, 20, 1732-1737.  | 1.5 | 77        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18749 | Targeting Unlesioned Pharyngeal Motor Cortex Improves Swallowing in Healthy Individuals and After Dysphagic Stroke. <i>Gastroenterology</i> , 2012, 142, 29-38.   | 0.6 | 71        |
| 18750 | Bioelectrical Impedance Analysis in a Mathematical Model for Estimating Fat-free Mass in Multiple Segments in Elderly Taiwanese Males. <i>International Journal of Gerontology</i> , 2012, 6, 273-277.  | 0.7 | 9         |
| 18751 | Direct Comparison of Different Stem Cell Types and Subpopulations Reveals Superior Paracrine Potency and Myocardial Repair Efficacy With Cardiosphere-Derived Cells. <i>Journal of the American College of Cardiology</i> , 2012, 59, 942-953.                                | 1.2 | 427       |
| 18752 | Estimated Glomerular Filtration Rate and Prognosis in Heart Failure. <i>Journal of the American College of Cardiology</i> , 2012, 59, 1709-1715.  | 1.2 | 121       |
| 18753 | Long-Term Outcome Following Catheter Valvotomy for Pulmonary Atresia With Intact Ventricular Septum. <i>Journal of the American College of Cardiology</i> , 2012, 59, 1468-1476.  | 1.2 | 50        |
| 18754 | Performance of 3-Dimensional Echocardiography in Measuring Left Ventricular Volumes and Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2012, 59, 1799-1808.  | 1.2 | 346       |
| 18755 | Head-to-Head Comparison of Left Ventricular Function Assessment with 64-Row Computed Tomography, Biplane Left Cineventriculography, and Both 2- and 3-Dimensional Transthoracic Echocardiography. <i>Journal of the American College of Cardiology</i> , 2012, 59, 1897-1907. | 1.2 | 169       |
| 18756 | Acute and Chronic Effects of Dysfunction of Right Ventricular Outflow Tract Components on Right Ventricular Performance in a Porcine Model. <i>Journal of the American College of Cardiology</i> , 2012, 60, 64-71.   | 1.2 | 32        |
| 18757 | Automated assessment of heart chamber volumes and function in patients with previous myocardial infarction using multidetector computed tomography. <i>Journal of Cardiovascular Computed Tomography</i> , 2012, 6, 325-334.  | 0.7 | 39        |
| 18758 | Fast liquid chromatography/tandem mass spectrometry determination of cannabinoids in micro volume blood samples after dabsyl derivatization. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012, 905, 85-95.              | 1.2 | 47        |
| 18759 | Comparison of temporal artery, nasopharyngeal, and axillary temperature measurement during anesthesia in children. <i>Journal of Clinical Anesthesia</i> , 2012, 24, 647-651.   | 0.7 | 16        |
| 18760 | A valid cross-culturally adapted simplified Chinese version of the Quebec Back Pain Disability Scale. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 1321-1328.  | 2.4 | 13        |
| 18761 | Assessment of the Accuracy and Reproducibility of RV Volume Measurements by CMR in Congenital Heart Disease. <i>JACC: Cardiovascular Imaging</i> , 2012, 5, 28-37.  | 2.3 | 72        |
| 18762 | Ex Vivo Assessment of Vascular Response to Coronary Stents by Optical Frequency Domain Imaging. <i>JACC: Cardiovascular Imaging</i> , 2012, 5, 71-82.   | 2.3 | 113       |
| 18763 | Free-Breathing 3 T Magnetic Resonance T2-Mapping of the Heart. <i>JACC: Cardiovascular Imaging</i> , 2012, 5, 1231-1239.  | 2.3 | 75        |
| 18764 | Three dimensional comparative measurement of polyurethane milled skull models based on CT and MRI data sets. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2012, 40, e419-e425.   | 0.7 | 7         |
| 18765 | Method and strain rate dependence of Achilles tendon stiffness. <i>Journal of Electromyography and Kinesiology</i> , 2012, 22, 947-953.   | 0.7 | 30        |
| 18766 | Breath Analyzer Screening of Emergency Department Patients Suspected of Alcohol Intoxication. <i>Journal of Emergency Medicine</i> , 2012, 43, 747-753.   | 0.3 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18767 | Measurement of Concentration and Viability in Stallion Sperm. <i>Journal of Equine Veterinary Science</i> , 2012, 32, 464-466.   | 0.4 | 9         |
| 18768 | Prospective correlation of arterial vs venous blood gas measurements in trauma patients. <i>American Journal of Emergency Medicine</i> , 2012, 30, 1371-1377.  | 0.7 | 20        |
| 18769 | Concordance between transcutaneous and arterial measurements of carbon dioxide in an ED. <i>American Journal of Emergency Medicine</i> , 2012, 30, 1872-1876.  | 0.7 | 26        |
| 18770 | Precision of a Commercial Hartmann-Shack Aberrometer: Limits of Total Wavefront Laser Vision Correction. <i>American Journal of Ophthalmology</i> , 2012, 154, 799-807.e5.   | 1.7 | 25        |
| 18771 | Subfoveal Choroidal Thickness Change Following Segmental Scleral Buckling for Rhegmatogenous Retinal Detachment. <i>American Journal of Ophthalmology</i> , 2012, 154, 893-900.  | 1.7 | 32        |
| 18772 | Differential Effects of Exercise on Cancer-Related Fatigue During and Following Treatment. <i>American Journal of Preventive Medicine</i> , 2012, 43, e1-e24.  | 1.6 | 179       |
| 18773 | Reliability of Peak Exercise Testing in Patients With Heart Failure With Preserved Ejection Fraction. <i>American Journal of Cardiology</i> , 2012, 110, 1809-1813.  | 0.7 | 32        |
| 18774 | Are residents accurate in their assessments of their own surgical skills?. <i>American Journal of Surgery</i> , 2012, 204, 724-731.  | 0.9 | 37        |
| 18775 | Test-Retest Reliability of the 6-Minute Walk Test in Individuals With Down Syndrome. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 2068-2074.  | 0.5 | 43        |
| 18776 | Predicting Energy Expenditure of Manual Wheelchair Users With Spinal Cord Injury Using a Multisensor-Based Activity Monitor. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 1937-1943.                                      | 0.5 | 33        |
| 18777 | Truth Be Told: Evidence of Wheelchair Users' Accuracy in Reporting Their Height and Weight. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 2055-2061.   | 0.5 | 11        |
| 18778 | Comparative Validity of Accelerometer-Based Measures of Physical Activity for People With Multiple Sclerosis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 2022-2028.   | 0.5 | 24        |
| 18779 | Six-Minute Walk Test in Children With Cerebral Palsy Gross Motor Function Classification System Levels I and II: Reproducibility, Validity, and Training Effects. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 2333-2339. | 0.5 | 80        |
| 18780 | Validity of the Intelligent Device for Energy Expenditure and Activity Accelerometry System for Quantitative Gait Analysis in Patients With Hip Osteoarthritis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 2090-2093.   | 0.5 | 18        |
| 18781 | Test-Retest Reliability and Minimal Detectable Change of the SmartWheel Clinical Protocol. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 2367-2372.  | 0.5 | 10        |
| 18782 | System modeling and identification in indicator dilution method for assessment of Ejection Fraction and Pulmonary Blood Volume. <i>Biomedical Signal Processing and Control</i> , 2012, 7, 640-648.  | 3.5 | 1         |
| 18783 | Modeling maternal emotion-related socialization behaviors in a low-income sample: Relations with toddlers' self-regulation. <i>Early Childhood Research Quarterly</i> , 2012, 27, 352-364.   | 1.6 | 59        |
| 18784 | Pacing of the interventricular septum versus the right ventricular apex: A prospective, randomized study. <i>European Journal of Internal Medicine</i> , 2012, 23, 621-627.  | 1.0 | 62        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18785 | Reliability of examining the external iliac artery with Doppler ultrasound in the first trimester and its relationship with maternal blood pressure and uterine artery blood flow. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 165, 42-46.        | 0.5 | 7         |
| 18786 | CT perfusion measurements of head and neck carcinoma from single section with largest tumor dimensions or average of multiple sections: Agreement between the two methods and effect on intra- and inter-observer agreement. <i>European Journal of Radiology</i> , 2012, 81, 2692-2696. | 1.2 | 13        |
| 18787 | Assessment of left ventricular parameters in orthotopic heart transplant recipients using dual-source CT and contrast-enhanced echocardiography: Comparison with MRI. <i>European Journal of Radiology</i> , 2012, 81, 3282-3288.  | 1.2 | 10        |
| 18788 | Hepatic CT perfusion measurements: A feasibility study for radiation dose reduction using new image reconstruction method. <i>European Journal of Radiology</i> , 2012, 81, 3048-3054.   | 1.2 | 33        |
| 18789 | Reproducibility of real-time shear wave elastography in the evaluation of liver elasticity. <i>European Journal of Radiology</i> , 2012, 81, 3102-3106.  | 1.2 | 215       |
| 18790 | Assessment of anemia during CT pulmonary angiography. <i>European Journal of Radiology</i> , 2012, 81, 4196-4202.  | 1.2 | 14        |
| 18791 | Liver perfusion CT during hepatic arteriography for the hepatocellular carcinoma: Dose reduction and quantitative evaluation for normal- and ultralow-dose protocol. <i>European Journal of Radiology</i> , 2012, 81, 3993-3997.   | 1.2 | 7         |
| 18792 | InÂVivo Assessment of Murine Elastase-induced Abdominal Aortic Aneurysm with High Resolution Magnetic Resonance Imaging. <i>European Journal of Vascular and Endovascular Surgery</i> , 2012, 44, 475-481.   | 0.8 | 9         |
| 18793 | Functional limits of agreement: A method for assessing agreement between measurements of gait curves. <i>Gait and Posture</i> , 2012, 36, 495-499.   | 0.6 | 9         |
| 18794 | Importance of circulating IGF-1 for normal cardiac morphology, function and post infarction remodeling. <i>Growth Hormone and IGF Research</i> , 2012, 22, 206-211.  | 0.5 | 19        |
| 18795 | Assessment of Pulmonary Artery Morphology by Optical Coherence Tomography. <i>Heart Lung and Circulation</i> , 2012, 21, 778-781.  | 0.2 | 27        |
| 18796 | Monitoring hypercoagulability and hypofibrinolysis following acute venous Thromboembolism in Children: Application of the CloFAL assay in a prospective inception cohort study. <i>Thrombosis Research</i> , 2012, 130, 343-349.   | 0.8 | 17        |
| 18797 | Use of INR calibrator plasmas in the routine coagulation laboratory: A study of two thrombolastin reagents. <i>Thrombosis Research</i> , 2012, 130, e158-e162.   | 0.8 | 2         |
| 18798 | Analytical Validation of a Homogeneous Immunoassay for Determination of Mycophenolic Acid in Human Plasma. <i>Transplantation Proceedings</i> , 2012, 44, 2669-2672.   | 0.3 | 9         |
| 18799 | Automatic hippocampal segmentation in temporal lobe epilepsy: Impact of developmental abnormalities. <i>NeuroImage</i> , 2012, 59, 3178-3186.  | 2.1 | 52        |
| 18800 | Brain source connectivity reveals the visceral pain network. <i>NeuroImage</i> , 2012, 60, 37-46.  | 2.1 | 23        |
| 18801 | A comprehensive reliability assessment of quantitative diffusion tensor tractography. <i>NeuroImage</i> , 2012, 60, 1127-1138.   | 2.1 | 121       |
| 18802 | Testâ€“retest reliability of evoked BOLD signals from a cognitiveâ€“emotive fMRI test battery. <i>NeuroImage</i> , 2012, 60, 1746-1758.  | 2.1 | 268       |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18803 | Development, repeatability and validity regarding energy and macronutrient intake of a semi-quantitative food frequency questionnaire: Methodological considerations. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012, 22, 659-667. | 1.1 | 121       |
| 18804 | Validation of a food frequency questionnaire in Spanish patients with familial hypercholesterolaemia. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012, 22, 836-842.   | 1.1 | 10        |
| 18805 | Description and prediction of resting metabolic rate after stroke and traumatic brain injury. <i>Nutrition</i> , 2012, 28, 906-911.   | 1.1 | 29        |
| 18806 | Accuracy of anthropometric measurements in estimating fat mass in individuals with 21-hydroxylase deficiency. <i>Nutrition</i> , 2012, 28, 984-990.   | 1.1 | 7         |
| 18807 | Utility of multifrequency bioelectrical impedance compared with dual-energy x-ray absorptiometry for assessment of total and regional body composition varies between men and women. <i>Nutrition Research</i> , 2012, 32, 479-485.                 | 1.3 | 132       |
| 18808 | Validation of keratometric measurements obtained with a new integrated aberrometry-topography system. <i>Journal of Optometry</i> , 2012, 5, 80-86.   | 0.7 | 10        |
| 18809 | Anterior shoulder instability arthroscopic treatment outcomes measures: The WOSI correlates with the Walch-Duplay score. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2012, 98, 48-53.  | 0.9 | 26        |
| 18810 | Response to letter from C.L. von Baeyer. <i>Pain</i> , 2012, 153, 2153-2154.  | 2.0 | 0         |
| 18811 | Reported lack of agreement between self-report pain scores in children may be due to a too strict criterion for agreement. <i>Pain</i> , 2012, 153, 2152-2153.  | 2.0 | 10        |
| 18812 | Test-retest reliability, smallest real difference and concurrent validity of six different balance tests on young people with mild to moderate intellectual disability. <i>Physiotherapy</i> , 2012, 98, 313-319.                                   | 0.2 | 38        |
| 18813 | Comparison between an accelerometer and a three-dimensional motion analysis system for the detection of movement. <i>Physiotherapy</i> , 2012, 98, 256-259.   | 0.2 | 24        |
| 18814 | The Reproducibility of Berg Balance Scale and the Single-Leg Stance in Chronic Stroke and the Relationship Between the Two Tests. <i>PM and R</i> , 2012, 4, 165-170.   | 0.9 | 115       |
| 18816 | Fiabilidad relativa y absoluta del test de elevación progresiva de carga isoinercial en pacientes afectados por dolor de espalda bajo crónico no específico: un estudio test-retest de 12 semanas. <i>Rehabilitacion</i> , 2012, 46, 271-276.       | 0.2 | 0         |
| 18817 | Reproductibilité de la mesure des principaux angles de coxométrie chez l'adulte. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2012, 79, 535-540.  | 0.0 | 0         |
| 18819 | Accuracy of different reconstruction intervals to quantify left ventricular function and mass in cardiac computed tomography examinations. <i>Radiologia</i> , 2012, 54, 432-441.   | 0.3 | 2         |
| 18820 | Differences in the Patient's and the Physician's Perspective of Disease in Psoriatic Arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2012, 42, 32-41.  | 1.6 | 40        |
| 18821 | Use of actigraphy for assessment in pediatric sleep research. <i>Sleep Medicine Reviews</i> , 2012, 16, 463-475.  | 3.8 | 498       |
| 18822 | Dental age assessment (DAA): A study of a Caucasian population at the 13 year threshold. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2012, 19, 22-28.  | 0.5 | 20        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18823 | Validity and Feasibility of a Digital Diet Estimation Method for Use with Preschool Children: A Pilot Study. <i>Journal of Nutrition Education and Behavior</i> , 2012, 44, 618-623.   | 0.3 | 46        |
| 18824 | Validation and interpretation of the Dutch version of the Multiple Sclerosis Neuropsychological Screening Questionnaire. <i>Journal of the Neurological Sciences</i> , 2012, 320, 91-96.   | 0.3 | 21        |
| 18825 | The effect of formal training on the clinical utility of transcranial Doppler ultrasound monitoring in patients with aneurysmal subarachnoid haemorrhage. <i>Journal of Clinical Neuroscience</i> , 2012, 19, 1255-1260.   | 0.8 | 9         |
| 18826 | A New Voice Rating Tool for Clinical Practice. <i>Journal of Voice</i> , 2012, 26, e163-e170.  | 0.6 | 7         |
| 18827 | Nonlinear Dynamic-Based Analysis of Severe Dysphonia in Patients With Vocal Fold Scar and Sulcus Vocalis. <i>Journal of Voice</i> , 2012, 26, 566-576.   | 0.6 | 32        |
| 18828 | An Examination of Intrasubject Variability on the Dysphonia Severity Index. <i>Journal of Voice</i> , 2012, 26, 814.e21-814.e25.   | 0.6 | 15        |
| 18829 | The position of the centre of the femoral head relative to the midline of the pelvis: A consistent landmark in total knee replacement surgery. <i>Knee</i> , 2012, 19, 827-831.  | 0.8 | 6         |
| 18830 | Linearity dependence on oxygen fraction and gas temperature of a novel Fleisch pneumotachograph for neonatal ventilation at low flow rates. <i>Measurement: Journal of the International Measurement Confederation</i> , 2012, 45, 2064-2071.  | 2.5 | 15        |
| 18832 | Surface-based multi-template automated hippocampal segmentation: Application to temporal lobe epilepsy. <i>Medical Image Analysis</i> , 2012, 16, 1445-1455.   | 7.0 | 25        |
| 18833 | 24-h ambulatory recording of aortic pulse wave velocity and central systolic augmentation: a feasibility study. <i>Hypertension Research</i> , 2012, 35, 980-987.  | 1.5 | 120       |
| 18834 | MEASURING THE LEVEL OF AGREEMENT IN HEMATOLOGIC AND BIOCHEMICAL VALUES BETWEEN BLOOD SAMPLING SITES IN LEATHERBACK SEA TURTLES ( <i>DERMOCHELYS CORIACEA</i> ). <i>Journal of Zoo and Wildlife Medicine</i> , 2012, 43, 719-725.   | 0.3 | 19        |
| 18838 | Correlation of heart rate at lactate minimum and maximal lactate steady state in wheelchair-racing athletes. <i>Spinal Cord</i> , 2012, 50, 33-36.   | 0.9 | 17        |
| 18839 | Consistency of metabolic responses and appetite sensations under postabsorptive and postprandial conditions. <i>Appetite</i> , 2012, 59, 228-233.  | 1.8 | 10        |
| 18840 | Extracting respiratory information from seismocardiogram signals acquired on the chest using a miniature accelerometer. <i>Physiological Measurement</i> , 2012, 33, 1643-1660.  | 1.2 | 87        |
| 18841 | Digital versus plaster study models: How accurate and reproducible are they?. <i>Journal of Orthodontics</i> , 2012, 39, 151-159.  | 0.4 | 62        |
| 18842 | Electrochemical Basis for EZSCAN/SUDOSCAN: A Quick, Simple, and Non-Invasive Method to Evaluate Sudomotor Dysfunctions. , 0, , .   |     | 4         |
| 18843 | Novel non-invasive method of measurement of endothelial function: enclosed-zone flow-mediated dilatation (ezFMD). <i>Medical and Biological Engineering and Computing</i> , 2012, 50, 1239-1247.   | 1.6 | 9         |
| 18844 | Evaluating the Transferability of FT-NIR Calibration Models for Fatty Acid Determination of Edible Fats and Oils Among Five Same-make Spectrometers Using Transmission or Transflection Modes with Different Pathlengths. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2012, 89, 2143-2154. | 0.8 | 21        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18845 | Intra-reader reliability of FDG PET volumetric tumor parameters: effects of primary tumor size and segmentation methods. <i>Annals of Nuclear Medicine</i> , 2012, 26, 707-714.  | 1.2 | 32        |
| 18848 | Agreement in Regard to Total Sleep Time During a Nap Obtained Via a Sleep Polygraph and Accelerometer: A Comparison of Different Sensitivity Thresholds of the Accelerometer. <i>International Journal of Behavioral Medicine</i> , 2012, 19, 398-401. | 0.8 | 23        |
| 18849 | Single-beat determination of global longitudinal speckle strain in patients with atrial fibrillation. <i>Journal of Echocardiography</i> , 2012, 10, 90-94.  | 0.4 | 1         |
| 18850 | P-wave parameters and cardiac repolarization indices: Does menopausal status matter?. <i>Journal of Cardiology</i> , 2012, 60, 333-337.  | 0.8 | 9         |
| 18851 | Comparison of patient-reported visual outcome methods to quantify the perceptual effects of defocus. <i>Contact Lens and Anterior Eye</i> , 2012, 35, 213-221.   | 0.8 | 10        |
| 18852 | Comparative in vivo and in vitro postmortem ultrasound assessment of intima-media thickness with additional histological analysis in human carotid arteries. <i>Perspectives in Medicine</i> , 2012, 1, 170-176.                                       | 0.4 | 7         |
| 18853 | Assessment of Left Atrial Mechanics in Patients with Atrial Fibrillation: Comparison between Two-Dimensional Speckle-Based Strain and Velocity Vector Imaging. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 428-435.         | 1.2 | 53        |
| 18854 | An Automatic Method for Renal Cortex Segmentation on CT Images. <i>Academic Radiology</i> , 2012, 19, 562-570.   | 1.3 | 29        |
| 18855 | Aortic Stiffness and Distensibility in Top-Level Athletes. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 561-567.   | 1.2 | 34        |
| 18856 | Is patient self-assessment of flexion after TKR able to identify risk of manipulation under anaesthesia?. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2012, 98, 672-676.  | 0.9 | 1         |
| 18857 | Intrarater Reliability of Dual-Energy X-Ray Absorptiometry-Based Measures of Vertebral Height in Postmenopausal Women. <i>Journal of Clinical Densitometry</i> , 2012, 15, 405-412.  | 0.5 | 19        |
| 18858 | Direct Measurement of Proximal Isovelocity Surface Area by Single-Beat Three-Dimensional Color Doppler Echocardiography in Mitral Regurgitation: A Validation Study. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 815-823.   | 1.2 | 76        |
| 18859 | Development and Validation of an Expedited 10 g Protein Counter (EP-10) for Dietary Protein Intake Quantification. , 2012, 22, 558-566.e4.   |     | 3         |
| 18860 | Stroke volume obtained from the brachial artery using transbrachial electrical bioimpedance velocimetry. , 2012, 2012, 142-5.  |     | 6         |
| 18861 | Evaluaci3n de la medici3n de bilirrubina total en el analizador GEM4 Premier4, c 4000. <i>Revista Del Laboratorio Cl4nico</i> , 2012, 5, 75-80.  | 0.1 | 0         |
| 18862 | Successful surgical repair of a giant coronary-pulmonary artery fistula: role of magnetic resonance imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 826-826.   | 0.5 | 3         |
| 18864 | Development of a Food Frequency Questionnaire: For Toddlers of Low-German-Speaking Mennonites from Mexico. <i>Canadian Journal of Dietetic Practice and Research</i> , 2012, 73, 40-44.  | 0.5 | 13        |
| 18865 | Comparison of 2D video and electrogoniometry measurements of knee flexion angle during a countermovement jump and landing task. <i>Sports Engineering</i> , 2012, 15, 159-166.   | 0.5 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18866 | Relationship Between Physical Measures of Anthropometry and Bioimpedance Measures. , 2012, , 459-473.  |     | 2         |
| 18867 | Comparison between the Three Most Popular Formulae to Estimate Renal Function, in Subjects 75 Years of Age or Older. <i>Drugs and Aging</i> , 2012, 29, 885-890.   | 1.3 | 6         |
| 18868 | Estimated Time Limit. <i>Sports Medicine</i> , 2012, 42, 845-855.  | 3.1 | 9         |
| 18869 | Scoring the knee. , 2012, , 95-105.  |     | 1         |
| 18870 | Validating a postural evaluation method developed using a Digital Image-based Postural Assessment (DIPA) software. <i>Computer Methods and Programs in Biomedicine</i> , 2012, 108, 203-212.   | 2.6 | 44        |
| 18871 | Index of glucose effectiveness derived from oral glucose tolerance test. <i>Acta Diabetologica</i> , 2012, 49, 195-204.  | 1.2 | 16        |
| 18872 | Pulse wave velocity and the non-invasive methods used to assess it: Complior, SphygmoCor, Arteriograph and Vicorder. <i>Vascular</i> , 2012, 20, 342-349.  | 0.4 | 42        |
| 18873 | Media and Intima Thickness and Texture Analysis of the Common Carotid Artery. , 2012, , 99-128.  |     | 0         |
| 18874 | Esophageal pulse oximetry is more accurate and detects hypoxemia earlier than conventional pulse oximetry during general anesthesia. <i>Frontiers of Medicine</i> , 2012, 6, 406-410.  | 1.5 | 4         |
| 18875 | Comparison of positions of the trochlear groove line and the vertical midline of the pericondylar rectangle on axial computed tomography: a retrospective pilot study. <i>Skeletal Radiology</i> , 2012, 41, 1099-1104.                      | 1.2 | 6         |
| 18876 | Reproducibility of functional volume and activity concentration in 18F-FDG PET/CT of liver metastases in colorectal cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 1858-1867.                         | 3.3 | 24        |
| 18877 | Measuring Volumetric Change After Augmentation Mammoplasty Using a Three-Dimensional Scanning Technique: An Innovative Method. <i>Aesthetic Plastic Surgery</i> , 2012, 36, 1134-1139.   | 0.5 | 28        |
| 18878 | Quality of life in patients with fibromyalgia: validation and psychometric properties of the German Quality of Life Scale (QOLS-G). <i>Rheumatology International</i> , 2012, 32, 3243-3252.   | 1.5 | 12        |
| 18879 | Precision of novel radiological methods in relation to resurfacing humeral head implants: assessment by radiostereometric analysis, DXA, and geometrical analysis. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2012, 132, 1521-1530. | 1.3 | 17        |
| 18880 | A comparative study between arterial spin labeling and CT perfusion methods on hepatic portal venous flow. <i>Japanese Journal of Radiology</i> , 2012, 30, 863-869.   | 1.0 | 18        |
| 18881 | Urine temperature as an index for the core temperature of industrial workers in hot or cold environments. <i>International Journal of Biometeorology</i> , 2012, 56, 1025-1031.  | 1.3 | 5         |
| 18882 | Reliability of the method of levels for determining cutaneous temperature sensitivity. <i>International Journal of Biometeorology</i> , 2012, 56, 811-821.   | 1.3 | 5         |
| 18883 | Melanin determination using optimised inverse Monte Carlo for skin &#x2014; Light interaction. , 2012, , .   |     | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18884 | Evaluation of normalization strategies for qPCR quantitation of intracellular viral DNA: The example of Vaccinia virus. <i>Journal of Virological Methods</i> , 2012, 186, 176-183.   | 1.0 | 2         |
| 18885 | Correlation between corneal biomechanical properties, applanation tonometry and direct intracameral tonometry. <i>British Journal of Ophthalmology</i> , 2012, 96, 640-644.   | 2.1 | 23        |
| 18886 | Diagnosis and Therapy. , 2012, , 3-38.  |     | 0         |
| 18887 | Heart rate variability to assess ventilatory thresholds: reliable in cardiac disease?. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 1272-1280.  | 0.8 | 17        |
| 18888 | Validity of vertical jump measurement devices. <i>Journal of Sports Sciences</i> , 2012, 30, 63-69.   | 1.0 | 107       |
| 18889 | Evaluating cognitive outcome measures for MS clinical trials: what is a clinically meaningful change?. <i>Multiple Sclerosis Journal</i> , 2012, 18, 1673-1679.   | 1.4 | 27        |
| 18890 | Development and Validation of a Predictive Equation for Lean Body Mass in Children and Adolescents. <i>Annals of Human Biology</i> , 2012, 39, 171-182.   | 0.4 | 59        |
| 18891 | Similar Clinical Features Among Patients with Severe Adult Growth Hormone Deficiency Diagnosed with Insulin Tolerance Test or Arginine or Glucagon Stimulation Tests. <i>Endocrine Practice</i> , 2012, 18, 325-334.                        | 1.1 | 13        |
| 18892 | Is bioelectrical impedance spectroscopy accurate in estimating changes in fat-free mass in judo athletes?. <i>Journal of Sports Sciences</i> , 2012, 30, 1225-1233.   | 1.0 | 14        |
| 18893 | Technical note: Patient-specific quality assurance methods for TomoDirect <sup>TM</sup> whole breast treatment delivery. <i>Medical Physics</i> , 2012, 39, 4073-4078.  | 1.6 | 14        |
| 18894 | International Reporting Scale of <i>BCR-ABL1</i> Fusion Transcript in Chronic Myeloid Leukemia: First Report from India. <i>Acta Haematologica</i> , 2012, 127, 135-142.  | 0.7 | 8         |
| 18895 | A novel method to quantify IRDye800CW fluorescent antibody probes ex vivo in tissue distribution studies. <i>EJNMMI Research</i> , 2012, 2, 50.   | 1.1 | 49        |
| 18896 | Can endotracheal bioimpedance cardiography assess hemodynamic response to passive leg raising following cardiac surgery?. <i>Annals of Intensive Care</i> , 2012, 2, 26.  | 2.2 | 18        |
| 18897 | Validation of a Novel Method for Retrospectively Estimating Nutrient Intake During Pregnancy Using a Semi-Quantitative Food Frequency Questionnaire. <i>Maternal and Child Health Journal</i> , 2012, 16, 1468-1483.                        | 0.7 | 11        |
| 18898 | MRI of the wrist in juvenile idiopathic arthritis: proposal of a paediatric synovitis score by a consensus of an international working group. Results of a multicentre reliability study. <i>Pediatric Radiology</i> , 2012, 42, 1047-1055. | 1.1 | 32        |
| 18899 | Relative validity of the geisinger rural aging study food frequency questionnaire. <i>Journal of Nutrition, Health and Aging</i> , 2012, 16, 667-672.   | 1.5 | 11        |
| 18900 | Determination of inflammatory biomarkers in patients with COPD: a comparison of different assays. <i>BMC Medical Research Methodology</i> , 2012, 12, 40.   | 1.4 | 11        |
| 18901 | Comparison of uniaxial and triaxial accelerometry in the assessment of physical activity among adolescents under free-living conditions: the HELENA study. <i>BMC Medical Research Methodology</i> , 2012, 12, 26.                          | 1.4 | 44        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18902 | Repeatability and variation of region-of-interest methods using quantitative diffusion tensor MR imaging of the brain. <i>BMC Medical Imaging</i> , 2012, 12, 30.  | 1.4 | 54        |
| 18903 | Assessment of measurement properties of peak VO <sub>2</sub> in children with pulmonary arterial hypertension. <i>BMC Pulmonary Medicine</i> , 2012, 12, 54.   | 0.8 | 8         |
| 18904 | Comparison of human lung tissue mass measurements from Ex Vivo lungs and high resolution CT software analysis. <i>BMC Pulmonary Medicine</i> , 2012, 12, 18.   | 0.8 | 9         |
| 18905 | Reproducibility of range of motion and muscle strength measurements in patients with hip osteoarthritis – an inter-rater study. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 242.  | 0.8 | 27        |
| 18906 | Substantial and reversible brain gray matter reduction but no acute brain lesions in ultramarathon runners: experience from the TransEurope-FootRace Project. <i>BMC Medicine</i> , 2012, 10, 170.   | 2.3 | 27        |
| 18907 | A flow cytometry-based workflow for detection and quantification of anti-plasmodial antibodies in vaccinated and naturally exposed individuals. <i>Malaria Journal</i> , 2012, 11, 367.  | 0.8 | 5         |
| 18908 | Analysis of Alkylresorcinols in Cereal Grains and Products Using Ultrahigh-Pressure Liquid Chromatography with Fluorescence, Ultraviolet, and CoulArray Electrochemical Detection. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 8954-8962.                | 2.4 | 41        |
| 18909 | Video Rating in Neurodegenerative Disease Clinical Trials: The Experience of PRION-1. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2012, 2, 286-297.  | 0.6 | 7         |
| 18910 | Quantification of Mitral Valve Anatomy by Three-Dimensional Transesophageal Echocardiography in Mitral Valve Prolapse Predicts Surgical Anatomy and the Complexity of Mitral Valve Repair. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 758-765. | 1.2 | 77        |
| 18911 | Wrist-worn accelerometers in assessment of energy expenditure during intensive training. <i>Physiological Measurement</i> , 2012, 33, 1841-1854.   | 1.2 | 43        |
| 18912 | Validation of a Compact Motion Sensor for the Measurement of Physical Activity in Patients with Chronic Obstructive Pulmonary Disease. <i>Respiration</i> , 2012, 83, 300-307.   | 1.2 | 46        |
| 18913 | Mitral annular systolic velocity as a marker of preclinical systolic dysfunction among patients with arterial hypertension. <i>Cardiovascular Ultrasound</i> , 2012, 10, 46.   | 0.5 | 8         |
| 18914 | Functional protease profiling with reporter peptides in serum specimens of colorectal cancer patients: demonstration of its routine diagnostic applicability. <i>Journal of Experimental and Clinical Cancer Research</i> , 2012, 31, 56.                                  | 3.5 | 13        |
| 18915 | Defining cut-off values for disease activity states and improvement scores for patient-reported outcomes: the example of the Rheumatoid Arthritis Impact of Disease (RAID). <i>Arthritis Research and Therapy</i> , 2012, 14, R129.  | 1.6 | 61        |
| 18916 | Ultrasound Biomicroscopy for Longitudinal Studies of Carotid Plaque Development in Mice: Validation with Histological Endpoints. <i>PLoS ONE</i> , 2012, 7, e29944.  | 1.1 | 11        |
| 18917 | Non-Invasive Measurement of Hemoglobin: Assessment of Two Different Point-of-Care Technologies. <i>PLoS ONE</i> , 2012, 7, e30065.   | 1.1 | 97        |
| 18918 | Variability of NT-proBNP and Its Relationship with Inflammatory Status in Patients with Stable Essential Hypertension: A 2-Year Follow-Up Study. <i>PLoS ONE</i> , 2012, 7, e31189.  | 1.1 | 10        |
| 18919 | A Comparison of Administrative and Physiologic Predictive Models in Determining Risk Adjusted Mortality Rates in Critically Ill Patients. <i>PLoS ONE</i> , 2012, 7, e32286.   | 1.1 | 7         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18920 | Quantification of Hepatic Iron Concentration in Chronic Viral Hepatitis: Usefulness of T2-weighted Single-Shot Spin-Echo Echo-Planar MR Imaging. PLoS ONE, 2012, 7, e33868.    | 1.1 | 6         |
| 18921 | Evaluation of Portable Point-of-Care CD4 Counter with High Sensitivity for Detecting Patients Eligible for Antiretroviral Therapy. PLoS ONE, 2012, 7, e34319.                  | 1.1 | 50        |
| 18922 | Hearing Ability with Age in Northern European Women: A New Web-Based Approach to Genetic Studies. PLoS ONE, 2012, 7, e35500.   | 1.1 | 24        |
| 18923 | Magnetic Resonance Thermometry at 7T for Real-Time Monitoring and Correction of Ultrasound Induced Mild Hyperthermia. PLoS ONE, 2012, 7, e35509.                               | 1.1 | 41        |
| 18924 | The Reproducibility of 31-Phosphorus MRS Measures of Muscle Energetics at 3 Tesla in Trained Men. PLoS ONE, 2012, 7, e37237.   | 1.1 | 27        |
| 18925 | A Cost-Effective Transparency-Based Digital Imaging for Efficient and Accurate Wound Area Measurement. PLoS ONE, 2012, 7, e38069.  | 1.1 | 18        |
| 18926 | Arterial Structure and Function in Mild Primary Hyperparathyroidism Is Not Directly Related to Parathyroid Hormone, Calcium, or Vitamin D. PLoS ONE, 2012, 7, e39519.          | 1.1 | 26        |
| 18927 | Comparison of Venous and Capillary Differential Leukocyte Counts Using a Standard Hematology Analyzer and a Novel Microfluidic Impedance Cytometer. PLoS ONE, 2012, 7, e43702. | 1.1 | 32        |
| 18928 | Within-Subject Interlaboratory Variability of QuantiFERON-TB Gold In-Tube Tests. PLoS ONE, 2012, 7, e43790.  | 1.1 | 38        |
| 18929 | A Technique for Performing Electrical Impedance Myography in the Mouse Hind Limb: Data in Normal and ALS SOD1 G93A Animals. PLoS ONE, 2012, 7, e45004.                         | 1.1 | 39        |
| 18930 | A Comprehensive Assessment of the Precision and Agreement of Anterior Corneal Power Measurements Obtained Using 8 Different Devices. PLoS ONE, 2012, 7, e45607.                | 1.1 | 84        |
| 18931 | Improved Detection of Bifidobacteria with Optimised 16S rRNA-Gene Based Pyrosequencing. PLoS ONE, 2012, 7, e32543.   | 1.1 | 170       |
| 18932 | Reliability of Military-Relevant Tests Designed to Assess Soldier Readiness for Occupational and Combat-Related Duties. Military Medicine, 2012, 177, 663-668.                 | 0.4 | 19        |
| 18933 | The Relationship between the Severity of Coronary Artery Disease and Epicardial Adipose Tissue Depends on The Left Ventricular Function. PLoS ONE, 2012, 7, e48330.            | 1.1 | 9         |
| 18934 | Reproducibility and Relative Validity of a Food Frequency Questionnaire Developed for Adults in Taizhou, China. PLoS ONE, 2012, 7, e48341.                                     | 1.1 | 46        |
| 18935 | Clinical Utility of the Cryptococcal Antigen Lateral Flow Assay in a Diagnostic Mycology Laboratory. PLoS ONE, 2012, 7, e49541.  | 1.1 | 102       |
| 18936 | Validation of Dual Energy X-Ray Absorptiometry Measures of Abdominal Fat by Comparison with Magnetic Resonance Imaging in an Indian Population. PLoS ONE, 2012, 7, e51042.     | 1.1 | 29        |
| 18937 | Measurement and Reliability of Response Inhibition. Frontiers in Psychology, 2012, 3, 37.  | 1.1 | 194       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18938 | Automated method for tracking vasomotion of intravital microvascular and microlymphatic vessels. <i>Clinical Hemorheology and Microcirculation</i> , 2012, 52, 37-48.  | 0.9 | 3         |
| 18939 | Application of bioelectrical impedance to sports science. <i>The Journal of Physical Fitness and Sports Medicine</i> , 2012, 1, 553-562.   | 0.2 | 0         |
| 18940 | Pilot Study for OCT Guided Design and Fit of a Prosthetic Device for Treatment of Corneal Disease. <i>Journal of Ophthalmology</i> , 2012, 2012, 1-7.  | 0.6 | 11        |
| 18941 | Determination of Best Criteria to Determine Final and Initial Speeds within Ramp Exercise Testing Protocols. <i>Pulmonary Medicine</i> , 2012, 2012, 1-10.   | 0.5 | 37        |
| 18942 | Thermodilution and Fick Cardiac Outputs Differ: Impact on Pulmonary Hypertension Evaluation. <i>Canadian Respiratory Journal</i> , 2012, 19, 261-266.  | 0.8 | 41        |
| 18943 | Comparison of Time Domain and Spectral Domain Optical Coherence Tomography in Measurement of Macular Thickness in Macular Edema Secondary to Diabetic Retinopathy and Retinal Vein Occlusion. <i>Journal of Ophthalmology</i> , 2012, 2012, 1-9. | 0.6 | 23        |
| 18944 | Influence of Stimulation Location and Posture on the Reliability and Comfort of the Nociceptive Flexion Reflex. <i>Pain Research and Management</i> , 2012, 17, 110-114.   | 0.7 | 13        |
| 18945 | Dynamic Contour Tonometry and Goldmann Applanation Tonometry: Correlation with Intracameral Assessment of Intraocular Pressure. <i>European Journal of Ophthalmology</i> , 2012, 22, 55-62.  | 0.7 | 12        |
| 18946 | Study of the intra-arterial distribution of Fe3O4 nanoparticles in a model of colorectal neoplasm induced in rat liver by MRI and spectrometry. <i>International Journal of Nanomedicine</i> , 2012, 7, 2399.                                    | 3.3 | 8         |
| 18947 | Validity, Reliability, and Repeatability of the Useful Field of View Test in Persons with Normal Vision and Patients with Glaucoma. , 2012, 53, 6763.  |     | 17        |
| 18948 | Validity and reliability of a hand-held dynamometer for dynamic muscle strength assessment. , 0, , .   |     | 4         |
| 18949 | Comparison of Glucose Monitoring Methods during Steady-State Exercise in Women. <i>Nutrients</i> , 2012, 4, 1282-1292.   | 1.7 | 16        |
| 18950 | Reproducibility of Quantitative Assessment of Altered Hepatic Hemodynamics With Dynamic Contrast-Enhanced Ultrasound. <i>Journal of Ultrasound in Medicine</i> , 2012, 31, 1413-1420.  | 0.8 | 8         |
| 18951 | Use of the FRAX calculator with and without bone mineral density in Greek women. <i>Hormones</i> , 2012, 11, 222-223.  | 0.9 | 12        |
| 18952 | Oral Session 1: Cell Therapy. <i>Transfusion Medicine and Hemotherapy</i> , 2012, 39, 1-66.  | 0.7 | 1         |
| 18953 | Comparison of Evoked Electromyography in Three Muscles of the Hand during Recovery from Non-Depolarising Neuromuscular Blockade. <i>Anaesthesia and Intensive Care</i> , 2012, 40, 690-696.  | 0.2 | 13        |
| 18954 | A Comparison of Pulse Contour Wave Analysis and Ultrasonic Cardiac Output Monitoring in the Critically Ill. <i>Anaesthesia and Intensive Care</i> , 2012, 40, 631-637.   | 0.2 | 9         |
| 18955 | ComparaÃ§Ã£o entre parÃ¢metros de pressÃµes respiratÃ³rias mÃ¡ximas em indivÃduos saudÃveis. <i>Jornal Brasileiro De Pneumologia</i> , 2012, 38, 605-613.  | 0.4 | 4         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18956 | AdaptaçãŁo cultural e avaliaçãŁo da reprodutibilidade do Duke Activity Status Index para pacientes com DPOC no Brasil. <i>Jornal Brasileiro De Pneumologia</i> , 2012, 38, 684-691.            | 0.4 | 15        |
| 18957 | Accuracy of Recorded Body Temperature of Critically Ill Patients Related to Measurement Site: A Prospective Observational Study. <i>Anaesthesia and Intensive Care</i> , 2012, 40, 820-824.    | 0.2 | 16        |
| 18958 | Escore tomogrÁfico em pacientes com fibrose cÁstica colonizados por <i>Pseudomonas aeruginosa</i> ou <i>Staphylococcus aureus</i> . <i>Jornal Brasileiro De Pneumologia</i> , 2012, 38, 41-49. | 0.4 | 18        |
| 18959 | Computational Fluid Dynamics Simulation of a-v Fistulas: From MRI and Ultrasound Scans to Numeric Evaluation of Hemodynamics. <i>Journal of Vascular Access</i> , 2012, 13, 36-44.             | 0.5 | 12        |
| 18960 | Assessing Agreement Between Salivary Alpha Amylase Levels Collected by Passive Drool and Eluted Filter Paper in Adolescents With Cancer. <i>Oncology Nursing Forum</i> , 2012, 39, E317-E323.  | 0.5 | 3         |
| 18961 | AnÁlise de equaçŁes preditivas da gordura corporal em jovens atletas de "taekwondo". <i>Revista Brasileira De EducaçãŁo FÁsica E Esporte: RBEFE</i> , 2012, 26, 391-399.                       | 0.1 | 1         |
| 18962 | Automated detection of the phase III slope during inert gas washout testing. <i>Journal of Applied Physiology</i> , 2012, 112, 1073-1081.  | 1.2 | 35        |
| 18963 | Modified iodine-paper technique for the standardized determination of sweat gland activation. <i>Journal of Applied Physiology</i> , 2012, 112, 1419-1425.                                     | 1.2 | 43        |
| 18964 | Agreement of Retinal Nerve Fiber Layer Color Codes between Stratus and Cirrus OCT according to Glaucoma Severity. , 2012, 53, 3193.  |     | 8         |
| 18965 | Reliability of a Multisensor Armband in Estimating Energy Expenditure According to Degree of Obesity. <i>Journal of Obesity &amp; Weight Loss Therapy</i> , 2012, 02, .                        | 0.1 | 2         |
| 18966 | A Sequence Based Validation of Gene Expression Microarray Data. <i>Current Research in Bioinformatics</i> , 2012, 1, 1-9.  | 0.1 | 3         |
| 18967 | Sources of Variability in Epidemiological Studies of Sleep Using Repeated Nights of In-Home Polysomnography: SWAN Sleep Study. <i>Journal of Clinical Sleep Medicine</i> , 2012, 08, 87-96.    | 1.4 | 35        |
| 18968 | ComparaçãŁo entre diferentes mĂtodos para estimativa de gordura corporal de ciclistas Brasileiros de elite. <i>Revista Da EducaçãŁo FÁsica</i> , 2012, 23, .                                   | 0.0 | 0         |
| 18969 | Strategies for Protein Separation. , 2012, , .   |     | 0         |
| 18970 | Regional differences in hepatic fat fractions in over-weight children and adolescents observed by 3T 1H-MR spectroscopy. <i>Journal of Biomedical Graphics and Computing</i> , 2012, 3, .      | 0.2 | 0         |
| 18971 | Noninvasive Continuous Arterial Blood Pressure Monitoring with NexfinÂ®. <i>Anesthesiology</i> , 2012, 116, 1092-1103.   | 1.3 | 258       |
| 18972 | Gadobutrol for Magnetic Resonance Imaging of Chronic Myocardial Infarction. <i>Investigative Radiology</i> , 2012, 47, 183-188.  | 3.5 | 21        |
| 18973 | Compartmental Analysis of Renal BOLD MRI Data. <i>Investigative Radiology</i> , 2012, 47, 175-182.   | 3.5 | 73        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 18974 | Accuracy of predictive equations for resting energy expenditure (REE) in non-obese and obese Korean children and adolescents. <i>Nutrition Research and Practice</i> , 2012, 6, 51.                                     | 0.7 | 15        |
| 18975 | Efeitos do treinamento resistido sobre a força muscular de idosas: uma comparação entre mães e filhas. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2012, 14, .                                 | 0.5 | 1         |
| 18976 | Is a sequence of tests during urethral pressure profilometry correlated with symptoms assessment in women?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2012, 38, 809-817. | 0.7 | 3         |
| 18977 | Body Composition of Bangladeshi Children: Comparison and Development of Leg-to-Leg Bioelectrical Impedance Equation. <i>Journal of Health, Population and Nutrition</i> , 2012, 30, 281-90.                             | 0.7 | 15        |
| 18979 | Can an Accelerometer-Based Monitor be used to Accurately Assess Physical Activity in a Population of Survivors of Critical Illness?. <i>Global Journal of Health Science</i> , 2012, 4, 98-107.                         | 0.1 | 12        |
| 18980 | Factor structure, internal consistency and reliability of the Posttraumatic Stress Disorder Checklist (PCL): an exploratory study. <i>Trends in Psychiatry and Psychotherapy</i> , 2012, 34, 215-222.                   | 0.4 | 28        |
| 18981 | Accuracy of Predictive Equations for Resting Metabolic Rates and Daily Energy Expenditures of Police Officials Doing Shift Work by Type of Work. <i>Clinical Nutrition Research</i> , 2012, 1, 66.                      | 0.5 | 11        |
| 18982 | Measurements of transmural strain variations by two dimensional ultrasound speckle tracking. <i>Journal of Biomedical Graphics and Computing</i> , 2012, 2, .   | 0.2 | 1         |
| 18983 | Comparison between 1-compartmental and 2-compartmental model in calculation of myocardium blood flow in <sup>82</sup> Rb PET imaging. <i>Journal of Biomedical Graphics and Computing</i> , 2012, 2, .                  | 0.2 | 0         |
| 18984 | Assessment of statistical errors of articles published in the Journal of the Korean Academy of Prosthodontics: 2006 - 2010. <i>The Journal of Korean Academy of Prosthodontics</i> , 2012, 50, 258.                     | 0.0 | 1         |
| 18985 | An Accurate Method to Determine Bowman's Layer Thickness In Vivo in the Human Cornea. , 2012, 53, 2354.   |     | 10        |
| 18986 | Normalization of Visual Evoked Potentials Using Underlying Electroencephalogram Levels Improves Amplitude Reproducibility in Rats. , 2012, 53, 1473.  |     | 24        |
| 18987 | The Diurnal Variation of Matrix Metalloproteinase-9 and Its Associated Factors in Human Tears. , 2012, 53, 1479.  |     | 58        |
| 18988 | Reprodutibilidade intra-avaliador do teste de discriminação de dois pontos na sola dos pés em idosos e jovens assintomáticos. <i>Brazilian Journal of Physical Therapy</i> , 2012, 16, 523-527.                         | 1.1 | 16        |
| 18989 | Topographic Variation and Interocular Symmetry of Macular Choroidal Thickness Using Enhanced Depth Imaging Optical Coherence Tomography. , 2012, 53, 975.   |     | 96        |
| 18990 | Home point-of-care international normalised ratio monitoring sustained by a non-selective educational program in children. <i>Thrombosis and Haemostasis</i> , 2012, 108, 710-718.                                      | 1.8 | 13        |
| 18991 | Metabolic and clinical comparative analysis of treadmill six-minute walking test and cardiopulmonary exercise testing in obese and eutrophic women. <i>Brazilian Journal of Physical Therapy</i> , 2012, 16, 469-478.   | 1.1 | 20        |
| 18993 | Retinal oximetry using ultrahigh-resolution optical coherence tomography. <i>Clinical Ophthalmology</i> , 2012, 6, 2085.  | 0.9 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 18994 | Influence of Blood Collection Systems on Coagulation Tests. Turkish Journal of Haematology, 2012, 29, 367-375.   | 0.2 | 11        |
| 18995 | Determining the Minimum Discard Volume for Central Venous Catheter Blood Draws. Clinical Journal of Oncology Nursing, 2012, 16, 454-458.   | 0.3 | 15        |
| 18996 | Managing HIV-infected children in a low-resource, public clinic: a comparison of nurse vs. clinical officer practices in ART refill, calculation of adherence and subsequent appointments. Journal of the International AIDS Society, 2012, 15, 17432. | 1.2 | 4         |
| 18997 | Spectral-Domain Optical Coherence Tomography as a Noninvasive Method to Assess Damaged and Regenerating Adult Zebrafish Retinas. , 2012, 53, 3126.   |     | 40        |
| 18998 | Confiabilidade dos dados de uma populaĂŁo de muito baixo peso ao nascer no Sistema de InformaĂŁes sobre Nascidos Vivos 2005-2006. Revista Brasileira De Epidemiologia, 2012, 15, 694-704.  | 0.3 | 8         |
| 18999 | Comparison of three hand dynamometers in relation to the accuracy and precision of the measurements. Brazilian Journal of Physical Therapy, 2012, 16, 216-224.   | 1.1 | 68        |
| 19000 | Superior accuracy of model-based radiostereometric analysis for measurement of polyethylene wear. Bone and Joint Research, 2012, 1, 180-191.   | 1.3 | 30        |
| 19001 | Vasodilator-stimulated phosphoprotein-phosphorylation assay in patients on clopidogrel: Does standardisation matter?. Thrombosis and Haemostasis, 2012, 107, 538-544.  | 1.8 | 17        |
| 19002 | Reliability of RTVue, Visante, and Slit-Lamp Adapted Ultrasonic Pachymetry for Central Corneal Thickness Measurement. Yonsei Medical Journal, 2012, 53, 634.   | 0.9 | 16        |
| 19003 | Radioecology studies in the vicinity of a closed uranium mine. EPJ Web of Conferences, 2012, 24, 06008.  | 0.1 | 4         |
| 19004 | Validity of a Multi-Sensor Armband for Estimating Energy Expenditure during Eighteen Different Activities. Journal of Obesity & Weight Loss Therapy, 2012, 02, .   | 0.1 | 5         |
| 19005 | Physical activity level, total daily energy expenditure, and estimated energy expenditure in normal weight and overweight or obese children and adolescents. The Korean Journal of Nutrition, 2012, 45, 511.   | 1.0 | 8         |
| 19006 | P-wave Dispersion for Predicting Paroxysmal Atrial Fibrillation in Acute Ischemic Stroke. International Journal of Medical Sciences, 2012, 9, 108-114.   | 1.1 | 48        |
| 19007 | AvaliaĂŁo da coluna lombar e torĂĄcica nas situaĂŁes com salto alto e com os pĂ©s descalĂŁs com o instrumento arcĂ©metro. Fisioterapia E Pesquisa, 2012, 19, 196-203.  | 0.3 | 1         |
| 19008 | Motor Activity Log-Brazil: reliability and relationships with motor impairments in individuals with chronic stroke. Arquivos De Neuro-Psiquiatria, 2012, 70, 196-201.  | 0.3 | 34        |
| 19009 | Different equations for determining height among the elderly: the BambuĂ-cohort study of aging. Cadernos De Saude Publica, 2012, 28, 125-134.  | 0.4 | 8         |
| 19010 | A Formula to Predict Spectral Domain Optical Coherence Tomography (OCT) Retinal Nerve Fiber Layer Measurements Based on Time Domain OCT Measurements. Korean Journal of Ophthalmology: KJO, 2012, 26, 369.   | 0.5 | 5         |
| 19012 | Repeatability and reproducibility of Orbscan II. Optometry Reports, 2012, 2, 1.  | 0.2 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19013 | Repeatability and Reproducibility of Manual Choroidal Volume Measurements Using Enhanced Depth Imaging Optical Coherence Tomography. , 2012, 53, 2274.   |     | 106       |
| 19014 | Repeatability and comparative study of corneal thickness using the Visante, OCT, OCT II and Orbscan II, Optometry Reports, 2012, 2, 4.   | 0.2 | 0         |
| 19015 | Phosphene Thresholds Elicited by Transcorneal Electrical Stimulation in Healthy Subjects and Patients with Retinal Diseases. , 2012, 53, 7440.   |     | 41        |
| 19016 | Precision of High Definition Spectral-Domain Optical Coherence Tomography for Measuring Central Corneal Thickness. , 2012, 53, 1752.   |     | 36        |
| 19017 | Measuring continuity of care: psychometric properties of the Nijmegen Continuity Questionnaire. British Journal of General Practice, 2012, 62, e949-e957.  | 0.7 | 39        |
| 19018 | How Measuring Glomerular Filtration Rate? Comparison of Reference Methods. , 0, , .  |     | 7         |
| 19019 | The Impact of Intraocular Pressure Reduction on Retrobulbar Hemodynamic Parameters in Patients with Open-Angle Glaucoma. European Journal of Ophthalmology, 2012, 22, 77-82.                                     | 0.7 | 9         |
| 19020 | Thawed autologous peripheral blood stem cells require modified quantification methods for hematopoietic progenitor cell evaluation. Bio-Medical Materials and Engineering, 2012, 22, 57-67.                      | 0.4 | 1         |
| 19021 | Prediction of Left Atrial Fibrosis With Speckle Tracking Echocardiography in Mitral Valve Disease: A Comparative Study With Histopathology. Korean Circulation Journal, 2012, 42, 311.                           | 0.7 | 86        |
| 19022 | Validade preditiva de equÃ¡mos de referÃªncia para forÃ§a de preensÃ£o manual em homens brasileiros de meia idade e idosos. Fisioterapia E Pesquisa, 2012, 19, 351-356.  | 0.3 | 11        |
| 19023 | Validity and reproducibility of a physical activity questionnaire for older adults: questionnaire versus accelerometer for assessing physical activity in older adults. Clinical Epidemiology, 2012, 4, 171.     | 1.5 | 30        |
| 19024 | Manual correction of semi-automatic three-dimensional echocardiography is needed for right ventricular assessment in adults; validation with cardiac magnetic resonance. Cardiovascular Ultrasound, 2012, 10, 1. | 0.5 | 43        |
| 19025 | Clinimetric properties of breathâ€stapling technique for assessment of inspiratory capacity. Physiotherapy Research International, 2012, 17, 48-54.   | 0.7 | 6         |
| 19026 | Intraâ€and interobserver variability in fetal ultrasound measurements. Ultrasound in Obstetrics and Gynecology, 2012, 39, 266-273.  | 0.9 | 137       |
| 19027 | What are the limits of accuracy in fetal weight estimation with conventional biometry in twoâ€dimensional ultrasound? A novel postpartum study. Ultrasound in Obstetrics and Gynecology, 2012, 39, 543-548.     | 0.9 | 29        |
| 19028 | Agreement and reliability of pelvic floor measurements during contraction using threeâ€dimensional pelvic floor ultrasound and virtual reality. Ultrasound in Obstetrics and Gynecology, 2012, 40, 87-92.       | 0.9 | 5         |
| 19029 | Intraâ€and interoperator reliability of manual and semiâ€automated measurements of intracranial translucency. Ultrasound in Obstetrics and Gynecology, 2012, 39, 164-168.                                      | 0.9 | 12        |
| 19030 | Quantification of cervical elastography: a reproducibility study. Ultrasound in Obstetrics and Gynecology, 2012, 39, 685-689.  | 0.9 | 129       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19031 | Fetal organ weight estimation by postmortem high-field magnetic resonance imaging before 20 weeks' gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 39, 673-678.   | 0.9 | 22        |
| 19032 | Sonographic predictors of surgery in fetal coarctation of the aorta. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 47-54.  | 0.9 | 66        |
| 19033 | Longitudinal study of aortic isthmus Doppler in appropriately grown and small-for-gestational-age fetuses with normal and abnormal umbilical artery Doppler. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 39, 414-420.                                | 0.9 | 12        |
| 19034 | End-tidal carbon dioxide monitoring in very low birth weight infants: Correlation and agreement with arterial carbon dioxide. <i>Pediatric Pulmonology</i> , 2012, 47, 367-372.   | 1.0 | 38        |
| 19035 | Discrepancies between pediatric laboratories in pulmonary function results from healthy children. <i>Pediatric Pulmonology</i> , 2012, 47, 588-596.   | 1.0 | 11        |
| 19036 | Noninvasive measurements of carboxyhemoglobin and methemoglobin in children with sickle cell disease. <i>Pediatric Pulmonology</i> , 2012, 47, 808-815.   | 1.0 | 30        |
| 19037 | Nasal versus oronasal raised volume forced expirations in infants: A real physiologic challenge. <i>Pediatric Pulmonology</i> , 2012, 47, 780-794.  | 1.0 | 1         |
| 19038 | Reproducibility of 2D and 3D Fractal Analysis Techniques for the Assessment of Spatial Heterogeneity of Regional Blood Flow in Rectal Cancer. <i>Radiology</i> , 2012, 263, 865-873.  | 3.6 | 36        |
| 19039 | Arterial pressure waveform derived cardiac output FloTrac/Vigileo system (third generation) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 427 T Clinical Monitoring and Computing, 2012, 26, 115-120.  | 0.7 | 25        |
| 19040 | A rapid diagnostic test for human regulatory T-cell function to enable regulatory T-cell therapy. <i>Blood</i> , 2012, 119, e57-e66.  | 0.6 | 74        |
| 19041 | Body Adiposity Index Assess Body Fat With High Accuracy in Nondialyzed Chronic Kidney Disease Patients. <i>Obesity</i> , 2012, , .  | 1.5 | 4         |
| 19042 | Analysis of pulse wave velocity in the thoracic aorta by flow-sensitive four-dimensional MRI: Reproducibility and correlation with characteristics in patients with aortic atherosclerosis. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 1162-1168. | 1.9 | 59        |
| 19043 | Fourier analysis of STimulated echoes (FAST) for the quantitative analysis of left ventricular twist. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 587-593.   | 1.9 | 15        |
| 19044 | Arterial spin labeling measurement of cerebral perfusion in children with sickle cell disease. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 779-787.  | 1.9 | 58        |
| 19045 | T2* measurement of the knee articular cartilage in osteoarthritis at 3T. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 1422-1429.  | 1.9 | 53        |
| 19046 | Reproducibility of total choline/water ratios in mouse U87MG xenograft tumors by <sup>1</sup> H-MRS. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 36, 459-467.  | 1.9 | 4         |
| 19047 | 3D MRI provides improved visualization and detection of aortic arch plaques compared to transesophageal echocardiography. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 36, 604-611.   | 1.9 | 18        |
| 19048 | Magnetic resonance imaging based determination of body compartments with the versatile, interactive sparse sampling ( <i>VISS</i> ) method. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 36, 951-960.   | 1.9 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19049 | Flow-sensitive 4D MRI of the thoracic aorta: Comparison of image quality, quantitative flow, and wall parameters at 1.5 T and 3 T. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 36, 1097-1103.                        | 1.9 | 52        |
| 19050 | Quantification of hepatic macrosteatosis in living, related liver donors using T1-independent, T2*-corrected chemical shift MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 36, 1124-1130.                          | 1.9 | 25        |
| 19051 | Reproducibility of measurement of apparent diffusion coefficients of malignant hepatic tumors: Effect of DWI techniques and calculation methods. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 36, 1131-1138.          | 1.9 | 62        |
| 19052 | Impact of total hip arthroplasty on pain, walking ability, and cardiovascular fitness. <i>Journal of Orthopaedic Research</i> , 2012, 30, 2025-2030.  | 1.2 | 11        |
| 19053 | Comparison of a colorimetric and a high-performance liquid chromatography method for the determination of fructan in pasture grasses for horses. <i>Journal of the Science of Food and Agriculture</i> , 2012, 92, 1878-1885. | 1.7 | 9         |
| 19054 | Volume measurement of bone erosions in magnetic resonance images of patients with rheumatoid arthritis. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 814-823.  | 1.9 | 12        |
| 19055 | Interobserver reproducibility of quantitative meniscus analysis using coronal multiplanar DESS and IWTSE MR imaging. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 1419-1426.   | 1.9 | 29        |
| 19056 | Accurate computer-aided quantification of left ventricular parameters: Experience in 1555 cardiac magnetic resonance studies from the Framingham Heart Study. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 1478-1486.    | 1.9 | 17        |
| 19057 | Factors controlling $T_2$ mapping from partially spoiled SSFP sequence: Optimization for skeletal muscle characterization. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 1379-1390.                                       | 1.9 | 14        |
| 19058 | Assessment of right ventricle volumes and function by cardiac MRI: Quantification of the regional and global interobserver variability. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 1740-1746.                          | 1.9 | 41        |
| 19059 | Measurement of liver iron overload: Noninvasive calibration of $R_2^*$ by magnetic iron detector susceptometer. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 1782-1786.  | 1.9 | 19        |
| 19060 | Shared velocity encoding: A method to improve the temporal resolution of phase-contrast velocity measurements. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 703-710.   | 1.9 | 39        |
| 19061 | Investigating the magnetic susceptibility properties of fresh human blood for noninvasive oxygen saturation quantification. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 863-867.  | 1.9 | 99        |
| 19062 | ARFI-prepared MRgHIFU in liver: Simultaneous mapping of ARFI displacement and temperature elevation, using a fast GRE-EPI sequence. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 932-946.                                | 1.9 | 44        |
| 19063 | Fast cardiac $T_1$ mapping in mice using a model-based compressed sensing method. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 1127-1134.  | 1.9 | 42        |
| 19064 | $B_1$ mapping with selective pulses. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 1472-1480.   | 1.9 | 22        |
| 19065 | High-resolution slice-selective Fourier velocity encoding in congenital heart disease using spiral SENSE with velocity unwrap. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 1538-1546.                                   | 1.9 | 6         |
| 19066 | Quantitative ultrasound of the tongue and submental muscles in children and young adults. <i>Muscle and Nerve</i> , 2012, 46, 31-37.  | 1.0 | 40        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19067 | Nasal bone assessment in fetuses with trisomy 21 at 16â€“24â€“weeks of gestation by threeâ€“dimensional ultrasound. <i>Prenatal Diagnosis</i> , 2012, 32, 240-244.   | 1.1 | 14        |
| 19068 | Intracranial translucency at 11â€“13â€“weeks of gestation: prospective evaluation and reproducibility of measurements. <i>Prenatal Diagnosis</i> , 2012, 32, 259-263.  | 1.1 | 22        |
| 19069 | Sphenoidal fontanelle area measurement on rendered threeâ€“dimensional ultrasound. <i>Prenatal Diagnosis</i> , 2012, 32, 592-595.  | 1.1 | 1         |
| 19070 | Interlaboratory assessment of mitotic index by flow cytometry confirms superior reproducibility relative to microscopic scoring. <i>Environmental and Molecular Mutagenesis</i> , 2012, 53, 297-303.   | 0.9 | 3         |
| 19071 | Can endoscopy be avoided in the assessment of ulcerative colitis in clinical trials?. <i>Inflammatory Bowel Diseases</i> , 2012, 18, 2056-2062.  | 0.9 | 34        |
| 19072 | Cardiac output measurement with transpulmonary ultrasound dilution is feasible in the presence of a left-to-right shunt: a validation study in lambs. <i>British Journal of Anaesthesia</i> , 2012, 108, 409-416.  | 1.5 | 24        |
| 19073 | Investigation of the agreement of a continuous non-invasive arterial pressure device in comparison with invasive radial artery measurement. <i>British Journal of Anaesthesia</i> , 2012, 108, 202-210.  | 1.5 | 115       |
| 19074 | Omeprazole limited sampling strategies to predict area under the concentrationâ€“time curve ratios: implications for cytochrome P450 2C19 and 3A phenotyping. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 407-413.                                      | 0.8 | 7         |
| 19075 | Technical note: Criterion validity of whole body surface area equations: A comparison using 3D laser scanning. <i>American Journal of Physical Anthropology</i> , 2012, 148, 148-155.  | 2.1 | 20        |
| 19076 | Validity of extracellular water assessment with saliva samples using plasma as the reference biological fluid. <i>Biomedical Chromatography</i> , 2012, 26, 1348-1352.   | 0.8 | 10        |
| 19077 | Detection of 22 antiepileptic drugs by ultraâ€“performance liquid chromatography coupled with tandem mass spectrometry applicable to routine therapeutic drug monitoring. <i>Biomedical Chromatography</i> , 2012, 26, 1519-1528.  | 0.8 | 77        |
| 19078 | Strategic assay deployment as a method for countering analytical bottlenecks in high throughput process development: Case studies in ion exchange chromatography. <i>Biotechnology Progress</i> , 2012, 28, 1292-1302.   | 1.3 | 7         |
| 19079 | Agreement and reproducibility of grayâ€“scale intravascular ultrasound and optical coherence tomography for the analysis of the bioresorbable vascular scaffold. <i>Catheterization and Cardiovascular Interventions</i> , 2012, 79, 890-902.                            | 0.7 | 29        |
| 19080 | Validity and variability in visual assessment of stenosis severity in phantom bifurcation lesions: A survey in experts during the fifth meeting of the european bifurcation club. <i>Catheterization and Cardiovascular Interventions</i> , 2012, 79, 361-368.           | 0.7 | 32        |
| 19081 | Impact of threeâ€“dimensional transesophageal echocardiography on prosthesis sizing for transcatheter aortic valve implantation. <i>Catheterization and Cardiovascular Interventions</i> , 2012, 80, 956-963.  | 0.7 | 37        |
| 19082 | Congruence of primary brain tumor patient and caregiver symptom report. <i>Cancer</i> , 2012, 118, 5026-5037.  | 2.0 | 27        |
| 19083 | Automatic segmentation of cell nuclei in Feulgenâ€“stained histological sections of prostate cancer and quantitative evaluation of segmentation results. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2012, 81A, 588-601. | 1.1 | 26        |
| 19084 | Functional pathway analysis in acute myeloid leukemia using single cell network profiling assay: Effect of specimen source (bone marrow or peripheral blood) on assay readouts. <i>Cytometry Part B - Clinical Cytometry</i> , 2012, 82B, 158-172.                       | 0.7 | 27        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19085 | Effect of voxel size on the accuracy of 3D reconstructions with cone beam CT. <i>Dentomaxillofacial Radiology</i> , 2012, 41, 649-655.   | 1.3 | 87        |
| 19086 | Cone Photoreceptor Packing Density and the Outer Nuclear Layer Thickness in Healthy Subjects. , 2012, 53, 3545.  |     | 57        |
| 19087 | The accuracy of active shape modelling and end-plate measurements for characterising the shape of the lumbar spine in the sagittal plane. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2012, 15, 167-172.  | 0.9 | 18        |
| 19090 | Integration of a maxillary model into facial surface stereophotogrammetry. <i>Journal of Orofacial Orthopedics</i> , 2012, 73, 126-137.  | 0.5 | 12        |
| 19091 | Body adiposity index, body fat content and incidence of type 2 diabetes. <i>Diabetologia</i> , 2012, 55, 1660-1667.  | 2.9 | 73        |
| 19092 | Reliability of myocardial salvage assessment by cardiac magnetic resonance imaging in acute reperfused myocardial infarction. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 263-272.  | 0.7 | 49        |
| 19093 | Impact of analyzing fewer image frames per segment during offline volumetric radiofrequency-based intravascular ultrasound measurements of target lesions prior to percutaneous coronary interventions. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 479-489.    | 0.7 | 3         |
| 19094 | End-systolic versus end-diastolic late gadolinium enhanced imaging for the assessment of scar transmural. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 773-781.  | 0.7 | 6         |
| 19095 | Fat in left ventricular myocardium assessed by steady-state free precession pulse sequences. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 813-821.   | 0.7 | 23        |
| 19096 | Assessment of left ventricular volumes, ejection fraction and regional wall motion with retrospective electrocardiogram triggered 320-detector computed tomography: a comparison with 2D-echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 955-963. | 0.7 | 8         |
| 19097 | Comparison of left ventricular volumes and ejection fraction by monoplane cineventriculography, unenhanced echocardiography and cardiac magnetic resonance imaging. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1003-1010.                                      | 0.7 | 9         |
| 19098 | Reliability of acuities determined with the sweep visual evoked potential (sVEP). <i>Documenta Ophthalmologica</i> , 2012, 124, 99-107.  | 1.0 | 13        |
| 19099 | Comparison of cardiac output determined by bioimpedance and bioactance methods at rest and during exercise. <i>Journal of Clinical Monitoring and Computing</i> , 2012, 26, 63-68.   | 0.7 | 31        |
| 19100 | Non-invasive estimation of jugular venous oxygen saturation: a comparison between near infrared spectroscopy and transcutaneous venous oximetry. <i>Journal of Clinical Monitoring and Computing</i> , 2012, 26, 91-98.  | 0.7 | 19        |
| 19101 | A comparative study of pulse rate variability and heart rate variability in healthy subjects. <i>Journal of Clinical Monitoring and Computing</i> , 2012, 26, 107-114.   | 0.7 | 60        |
| 19102 | Continuous minimally invasive peri-operative monitoring of cardiac output by pulmonary capnotracking: comparison with thermodilution and transesophageal echocardiography. <i>Journal of Clinical Monitoring and Computing</i> , 2012, 26, 121-132.                                    | 0.7 | 19        |
| 19103 | Impact of non invasive and beat-to-beat arterial pressure monitoring on intraoperative hemodynamic management. <i>Journal of Clinical Monitoring and Computing</i> , 2012, 26, 133-140.  | 0.7 | 40        |
| 19104 | A Novel Handheld Device for Use in Remote Patient Monitoring of Heart Failure Patientsâ€™ Design and Preliminary Validation on Healthy Subjects. <i>Journal of Medical Systems</i> , 2012, 36, 653-659.  | 2.2 | 48        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19105 | Biochemical diagnosis and assessment of disease activity in acromegaly: a two-decade experience. <i>Pituitary</i> , 2012, 15, 215-221.   | 1.6 | 8         |
| 19106 | Measurement properties of disease-specific questionnaires in patients with neck pain: a systematic review. <i>Quality of Life Research</i> , 2012, 21, 659-670.  | 1.5 | 189       |
| 19107 | Use of the PedsQL in childhood intermittent exotropia: estimates of feasibility, internal consistency reliability and parent-child agreement. <i>Quality of Life Research</i> , 2012, 21, 727-736.   | 1.5 | 20        |
| 19108 | Prognostic significance of multidetector computed tomography in normotensive patients with pulmonary embolism: rationale, methodology and reproducibility for the PROTECT study. <i>Journal of Thrombosis and Thrombolysis</i> , 2012, 34, 187-192.    | 1.0 | 31        |
| 19109 | Predictive performance of eGFR equations in South Africans of African and Indian ancestry compared with 99mTc-DTPA imaging. <i>International Urology and Nephrology</i> , 2012, 44, 847-855.   | 0.6 | 35        |
| 19110 | Automated Bone Volume and Thickness Measurements in Small Animal Whole-Body MicroCT Data. <i>Molecular Imaging and Biology</i> , 2012, 14, 420-430.  | 1.3 | 13        |
| 19111 | Evaluation of critical swimming velocity in young amateur swimmers. <i>Sport Sciences for Health</i> , 2012, 7, 87-91.   | 0.4 | 5         |
| 19112 | Automatic segmentation of carotid B-mode images using fuzzy classification. <i>Medical and Biological Engineering and Computing</i> , 2012, 50, 533-545.   | 1.6 | 21        |
| 19113 | Validation of a statistical shape model-based 2D/3D reconstruction method for determination of cup orientation after THA. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2012, 7, 225-231.                                  | 1.7 | 22        |
| 19114 | Hattori Chart Based Evaluation of Body Composition and its Relation to Body Mass Index in a Group of Sri Lankan Children. <i>Indian Journal of Pediatrics</i> , 2012, 79, 632-639.   | 0.3 | 7         |
| 19115 | The agreement of left ventricular function parameters between 99mTc-tetrofosmin gated myocardial SPECT and gated myocardial MRI. <i>Annals of Nuclear Medicine</i> , 2012, 26, 147-163.  | 1.2 | 8         |
| 19116 | The interpolated projection data estimation method improves the image quality of myocardial perfusion SPECT with a short acquisition time. <i>Annals of Nuclear Medicine</i> , 2012, 26, 123-130.  | 1.2 | 4         |
| 19117 | Reproducibility and accuracy of non-invasive measurement of infarct size in mice with high-resolution PET/CT. <i>Journal of Nuclear Cardiology</i> , 2012, 19, 492-499.  | 1.4 | 15        |
| 19118 | Optimal reproducibility of gated sestamibi and thallium myocardial perfusion study left ventricular ejection fractions obtained on a solid-state CZT cardiac camera requires operator input. <i>Journal of Nuclear Cardiology</i> , 2012, 19, 713-718. | 1.4 | 6         |
| 19119 | Assessing the utility of smart mobile phones in gait pattern analysis. <i>Health and Technology</i> , 2012, 2, 81-88.  | 2.1 | 27        |
| 19120 | Usefulness of real-time three-dimensional echocardiography in evaluating aortic root diameters during a cardiac cycle. <i>Journal of Echocardiography</i> , 2012, 10, 8-14.  | 0.4 | 7         |
| 19121 | Estimation of lean body weight in older women with hip fracture. <i>Journal of Nutrition, Health and Aging</i> , 2012, 16, 188-192.  | 1.5 | 7         |
| 19122 | Electrical velocimetry as a tool for measuring cardiac output in small infants after heart surgery. <i>Intensive Care Medicine</i> , 2012, 38, 1032-1039.  | 3.9 | 51        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19123 | Diaphragm ultrasonography to estimate the work of breathing during non-invasive ventilation. <i>Intensive Care Medicine</i> , 2012, 38, 796-803.  | 3.9 | 284       |
| 19124 | Measuring the anterior cruciate ligament's footprints by three-dimensional magnetic resonance imaging. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 986-995.                                     | 2.3 | 39        |
| 19125 | Accuracy and inter-observer reliability of visual estimation compared to clinical goniometry of the elbow. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 1378-1385.                               | 2.3 | 38        |
| 19126 | Intraobserver and interobserver reliability of the three-dimensional ultrasound imaging of female urethral sphincter using a translabial technique. <i>International Urogynecology Journal</i> , 2012, 23, 1063-1068. | 0.7 | 18        |
| 19127 | Assessment of technical and biological parameters of volumetric quantitative computed tomography of the foot: a phantom study. <i>Osteoporosis International</i> , 2012, 23, 1977-1985.                               | 1.3 | 14        |
| 19128 | Comparison of Transpulmonary Thermodilution and Ultrasound Dilution Technique: Novel Insights into Volumetric Parameters from an Animal Model. <i>Pediatric Cardiology</i> , 2012, 33, 625-632.                       | 0.6 | 13        |
| 19129 | Magnetic resonance imaging in children with sickle cell disease—detecting alterations in the apparent diffusion coefficient in hips with avascular necrosis. <i>Pediatric Radiology</i> , 2012, 42, 706-713.          | 1.1 | 16        |
| 19130 | MRI assessment of bone marrow in children with juvenile idiopathic arthritis: intra- and inter-observer variability. <i>Pediatric Radiology</i> , 2012, 42, 714-720.  | 1.1 | 27        |
| 19131 | Radiological findings for hip dysplasia at skeletal maturity. Validation of digital and manual measurement techniques. <i>Skeletal Radiology</i> , 2012, 41, 775-785.   | 1.2 | 38        |
| 19132 | MRI of double-bundle ACL reconstruction: evaluation of graft findings. <i>Skeletal Radiology</i> , 2012, 41, 835-842.   | 1.2 | 26        |
| 19133 | Reliability of radiographic parameters in adults with hip dysplasia. <i>Skeletal Radiology</i> , 2012, 41, 811-816.   | 1.2 | 21        |
| 19134 | Diffusion tensor imaging of the median nerve: intra-, inter-reader agreement, and agreement between two software packages. <i>Skeletal Radiology</i> , 2012, 41, 971-980.   | 1.2 | 25        |
| 19135 | Estimating the whole bone-marrow asset in humans by a computational approach to integrated PET/CT imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 1326-1338.                   | 3.3 | 51        |
| 19136 | Renal function assessment in patients with systemic lupus erythematosus. <i>Rheumatology International</i> , 2012, 32, 2293-2299.   | 1.5 | 9         |
| 19137 | Acute exacerbation of idiopathic pulmonary fibrosis: high-resolution CT scores predict mortality. <i>European Radiology</i> , 2012, 22, 83-92.  | 2.3 | 103       |
| 19138 | Reproducibility of volume and densitometric measures of emphysema on repeat computed tomography with an interval of 1 week. <i>European Radiology</i> , 2012, 22, 287-294.  | 2.3 | 25        |
| 19139 | Cardiac MRI: evaluation of phonocardiogram-gated cine imaging for the assessment of global and regional left ventricular function in clinical routine. <i>European Radiology</i> , 2012, 22, 559-568.                 | 2.3 | 21        |
| 19140 | A grid overlay framework for analysis of medical images and its application to the measurement of stroke lesions. <i>European Radiology</i> , 2012, 22, 625-632.  | 2.3 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19141 | Urinary stone size estimation: a new segmentation algorithm-based CT method. <i>European Radiology</i> , 2012, 22, 731-737.   | 2.3 | 17        |
| 19142 | Left and right ventricle assessment with Cardiac CT: validation study vs. Cardiac MR. <i>European Radiology</i> , 2012, 22, 1041-1049.  | 2.3 | 127       |
| 19143 | Precise measurement of renal filtration and vascular parameters using a two-compartment model for dynamic contrast-enhanced MRI of the kidney gives realistic normal values. <i>European Radiology</i> , 2012, 22, 1320-1330. | 2.3 | 41        |
| 19144 | Imaging vascular function for early stage clinical trials using dynamic contrast-enhanced magnetic resonance imaging. <i>European Radiology</i> , 2012, 22, 1451-1464.  | 2.3 | 138       |
| 19145 | Computational measurement of joint space width and structural parameters in normal hips. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2012, 132, 591-598.  | 1.3 | 11        |
| 19146 | Reproducibility and repeatability of the OcuSense TearLab <sup>®</sup> osmometer. <i>Graefes' Archive for Clinical and Experimental Ophthalmology</i> , 2012, 250, 1201-1205.   | 1.0 | 41        |
| 19147 | Validity, reliability and stability of the portable Cortex Metamax 3B gas analysis system. <i>European Journal of Applied Physiology</i> , 2012, 112, 2539-2547.  | 1.2 | 113       |
| 19148 | Does exercise duration affect Fatmax in overweight boys?. <i>European Journal of Applied Physiology</i> , 2012, 112, 2557-2564.   | 1.2 | 14        |
| 19149 | Validation of the SenseWear armband in circuit resistance training with different loads. <i>European Journal of Applied Physiology</i> , 2012, 112, 3155-3159.  | 1.2 | 18        |
| 19150 | Estimate or calculate? How surgeons rate volumes and surfaces. <i>Langenbeck's Archives of Surgery</i> , 2012, 397, 763-769.  | 0.8 | 5         |
| 19151 | The role of prosthesis design on segmental biomechanics. <i>European Spine Journal</i> , 2012, 21, 577-584.   | 1.0 | 35        |
| 19152 | Primary and coupled motions after cervical total disc replacement using a compressible six-degree-of-freedom prosthesis. <i>European Spine Journal</i> , 2012, 21, 618-629.   | 1.0 | 49        |
| 19153 | Postural balance in low back pain patients: criterion-related validity of centre of pressure assessed on a portable force platform. <i>European Spine Journal</i> , 2012, 21, 425-431.  | 1.0 | 27        |
| 19154 | Use of the iPhone for Cobb angle measurement in scoliosis. <i>European Spine Journal</i> , 2012, 21, 1062-1068.   | 1.0 | 74        |
| 19155 | Reproducibility of the cervical range of motion (CROM) device for individuals with sub-acute whiplash associated disorders. <i>European Spine Journal</i> , 2012, 21, 872-878.  | 1.0 | 41        |
| 19156 | Translation, adaptation and validation of the Moroccan version of the Quebec Back Pain Disability Scale. <i>Clinical Rheumatology</i> , 2012, 31, 943-949.  | 1.0 | 7         |
| 19157 | Repeatability of renal arterial spin labelling MRI in healthy subjects. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2012, 25, 145-153.  | 1.1 | 45        |
| 19158 | Kinematic Modeling-based Left Ventricular Diastatic (Passive) Chamber Stiffness Determination with In-Vivo Validation. <i>Annals of Biomedical Engineering</i> , 2012, 40, 987-995.   | 1.3 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19159 | Non-invasive Estimation of Cardiac Output in Mechanically Ventilated Patients: A Prolonged Expiration Method. <i>Annals of Biomedical Engineering</i> , 2012, 40, 1777-1789.   | 1.3 | 4         |
| 19160 | Predicting pilot's sleep during layovers using their own behaviour or data from colleagues: Implications for biomathematical models. <i>Accident Analysis and Prevention</i> , 2012, 45, 17-21.  | 3.0 | 16        |
| 19161 | Accuracy of cone-beam computed tomography at different resolutions assessed on the bony covering of the mandibular anterior teeth. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2012, 141, 41-50.                 | 0.8 | 147       |
| 19162 | Orthodontists' perceptions of the need for orthognathic surgery in patients with Class II Division 1 malocclusion based on extraoral examinations. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2012, 142, 52-59. | 0.8 | 12        |
| 19163 | Is there an underestimation of intima-media thickness based on M-mode ultrasound technique in the abdominal aorta?. <i>Clinical Physiology and Functional Imaging</i> , 2012, 32, 1-4.   | 0.5 | 3         |
| 19164 | Calculation of right ventricular stroke volume in short-axis MR images using the equation of the tricuspid plane. <i>Clinical Physiology and Functional Imaging</i> , 2012, 32, 5-11.  | 0.5 | 4         |
| 19165 | Reliability of ultrasonographic measurement of the architecture of the vastus lateralis and gastrocnemius medialis muscles in older adults. <i>Clinical Physiology and Functional Imaging</i> , 2012, 32, 65-70.                           | 0.5 | 53        |
| 19166 | Cup-to-disc and arteriole-to-venule ratios in children aged 6-7 and 12-13 years. <i>Ophthalmic and Physiological Optics</i> , 2012, 32, 31-38.   | 1.0 | 13        |
| 19167 | The $S$ -Measurement in the Diagnosis of Canine Hip Dysplasia. <i>Veterinary Surgery</i> , 2012, 41, 78-85.  | 0.5 | 2         |
| 19168 | A flow cytometric method for platelet counting in platelet concentrates. <i>Transfusion</i> , 2012, 52, 173-180.   | 0.8 | 8         |
| 19169 | Text-MESSAGE-Based Drinking Assessments and Brief Interventions for Young Adults Discharged from the Emergency Department. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 552-560.                                      | 1.4 | 167       |
| 19170 | The importance of addressing heteroscedasticity in the reliability analysis of ratio-scaled variables: an example based on walking energy-cost measurements. <i>Developmental Medicine and Child Neurology</i> , 2012, 54, 267-273.        | 1.1 | 42        |
| 19171 | Episiotomy characteristics and risks for obstetric anal sphincter injuries: a case-control study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012, 119, 724-730.  | 1.1 | 116       |
| 19172 | Precision and accuracy of blood glucose measurements using three different instruments. <i>Diabetic Medicine</i> , 2012, 29, 260-265.  | 1.2 | 38        |
| 19173 | The estimation of glomerular filtration rate in an Australian and New Zealand cohort. <i>Nephrology</i> , 2012, 17, 285-293.   | 0.7 | 6         |
| 19174 | Detecting change in an Australian flowering record: Comparisons of linear regression and cumulative sum analysis change point analysis. <i>Austral Ecology</i> , 2012, 37, 825-835.  | 0.7 | 8         |
| 19175 | Clinical evaluation of the L80 autorefractometer. <i>Australasian journal of optometry, The</i> , 2012, 95, 66-71.   | 0.6 | 24        |
| 19176 | Intra-observer repeatability of optical quality measures provided by a double-pass system. <i>Australasian journal of optometry, The</i> , 2012, 95, 60-65.  | 0.6 | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19177 | Variability in vitamin D assays impairs clinical assessment of vitamin D status. <i>Internal Medicine Journal</i> , 2012, 42, 43-50.  | 0.5 | 131       |
| 19178 | Assessment of endothelial function in atrial fibrillation: utility of peripheral arterial tonometry. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2012, 39, 141-144.  | 0.9 | 13        |
| 19179 | Comparison of ambulatory and polysomnographic recording of jaw muscle activity during sleep in normal subjects. <i>Journal of Oral Rehabilitation</i> , 2012, 39, 2-10.   | 1.3 | 55        |
| 19180 | Developing abbreviated OHIP versions for use with TMD patients. <i>Journal of Oral Rehabilitation</i> , 2012, 39, 18-27.  | 1.3 | 47        |
| 19181 | Comparison of particle size distributions determined by optical scanning and by sieving in the assessment of masticatory performance. <i>Journal of Oral Rehabilitation</i> , 2012, 39, 338-348.                                | 1.3 | 44        |
| 19182 | A pilot study of scoliosis assessment using radiation free surface topography in children with GMFCS IV and V cerebral palsy. <i>Child: Care, Health and Development</i> , 2012, 38, 854-862.                                   | 0.8 | 4         |
| 19183 | Atrium electromechanical interval in left ventricular diastolic dysfunction. <i>European Journal of Clinical Investigation</i> , 2012, 42, 117-122.   | 1.7 | 7         |
| 19184 | Development and validation of a novel tool to estimate perioperative blood loss*. <i>Anaesthesia</i> , 2012, 67, 479-486.   | 1.8 | 29        |
| 19185 | The accuracy of transoesophageal echocardiography in estimating pulmonary capillary wedge pressure in anaesthetised patients. <i>Anaesthesia</i> , 2012, 67, 122-131.   | 1.8 | 12        |
| 19186 | Clinical evaluation of a new tracheal impedance cardiography method. <i>Anaesthesia</i> , 2012, 67, 729-733.  | 1.8 | 12        |
| 19187 | Screening for von Willebrand disease: contribution of an automated assay for von Willebrand factor activity. <i>Haemophilia</i> , 2012, 18, e158-63.  | 1.0 | 10        |
| 19188 | Fibrosis distribution in explanted cirrhotic livers. <i>Histopathology</i> , 2012, 60, 270-277.   | 1.6 | 41        |
| 19189 | Measurement of buccal bone volume of dental implants by means of cone beam computed tomography. <i>Clinical Oral Implants Research</i> , 2012, 23, 797-804.   | 1.9 | 38        |
| 19190 | Volumetric changes of the graft after maxillary sinus floor augmentation with Bio-Oss and autogenous bone in different ratios: a radiographic study in minipigs. <i>Clinical Oral Implants Research</i> , 2012, 23, 902-910.    | 1.9 | 88        |
| 19191 | ESTIMATION OF GLOMERULAR FILTRATION RATE IN HEALTHY CATS USING SINGLE SLICE DYNAMIC CT AND P-ATLAK PLOT ANALYSIS. <i>Veterinary Radiology and Ultrasound</i> , 2012, 53, 181-188.   | 0.4 | 8         |
| 19192 | A Computerised Sampling Strategy for Therapeutic Drug Monitoring of Lithium Provides Precise Estimates and Significantly Reduces Dose Finding Time. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2012, 110, 259-263. | 1.2 | 4         |
| 19193 | Concurrent validation of estimated activity energy expenditure using a 3 day diary and accelerometry in adolescents. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2012, 22, 259-264.                         | 1.3 | 16        |
| 19194 | A nine test screening battery for athletes: a reliability study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2012, 22, 306-315.   | 1.3 | 97        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19195 | Videokymographic image processing: Objective parameters and user-friendly interface. <i>Biomedical Signal Processing and Control</i> , 2012, 7, 192-201.   | 3.5 | 22        |
| 19196 | Signal-to-noise ratio of diffusion weighted magnetic resonance imaging: Estimation methods and in vivo application to spinal cord. <i>Biomedical Signal Processing and Control</i> , 2012, 7, 285-294.   | 3.5 | 10        |
| 19197 | Correlation of central and peripheral corneal thickness in healthy corneas. <i>Contact Lens and Anterior Eye</i> , 2012, 35, 39-45.  | 0.8 | 33        |
| 19198 | The influence of lens power and center thickness on the intraocular pressure measured through soft lenses: A comparison of two noncontact tonometers. <i>Contact Lens and Anterior Eye</i> , 2012, 35, 118-128.  | 0.8 | 6         |
| 19199 | Clinical evaluation of the Oculus Keratograph. <i>Contact Lens and Anterior Eye</i> , 2012, 35, 171-174.   | 0.8 | 110       |
| 19200 | Measuring scapular kinematics during arm lowering using the acromion marker cluster. <i>Human Movement Science</i> , 2012, 31, 386-396.  | 0.6 | 47        |
| 19201 | Is ovarian volume estimation reliable when compared with true volume?. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, 44.e1-44.e4.  | 0.7 | 6         |
| 19202 | Angle of progression measurements of fetal head at term: a systematic comparison between open magnetic resonance imaging and transperineal ultrasound. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, 161.e1-161.e5.                | 0.7 | 28        |
| 19203 | Usefulness of Cardiac Computed Tomographic Delayed Contrast Enhancement of the Left Atrial Appendage Before Pulmonary Vein Ablation. <i>American Journal of Cardiology</i> , 2012, 109, 677-684.   | 0.7 | 56        |
| 19204 | Relation of Systemic-to-Pulmonary Artery Collateral Flow in Single Ventricle Physiology to Palliative Stage and Clinical Status. <i>American Journal of Cardiology</i> , 2012, 109, 1038-1045.   | 0.7 | 56        |
| 19205 | Interchangeability of Activated Clotting Time Values Across Different Point-of-Care Systems. <i>American Journal of Cardiology</i> , 2012, 109, 1379-1382.   | 0.7 | 18        |
| 19206 | Cardiac Adaptation in Acute Hypertensive Pulmonary Edema. <i>American Journal of Cardiology</i> , 2012, 109, 1472-1481.  | 0.7 | 12        |
| 19207 | Comparison of Left Ventricular Outflow Geometry and Aortic Valve Area in Patients With Aortic Stenosis by 2-Dimensional Versus 3-Dimensional Echocardiography. <i>American Journal of Cardiology</i> , 2012, 109, 1626-1631.                           | 0.7 | 94        |
| 19208 | S100-B Protein as a Screening Tool for the Early Assessment of Minor Head Injury. <i>Annals of Emergency Medicine</i> , 2012, 59, 209-218.   | 0.3 | 140       |
| 19210 | Accuracy and Precision of Two Computer-Assisted Methods of Radiographic Wear Measurement in Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2012, 27, 37-40.  | 1.5 | 33        |
| 19211 | Characterizing the major sonographic textural difference between metastatic and common benign lymph nodes using support vector machine with histopathologic correlation. <i>Clinical Imaging</i> , 2012, 36, 353-359.e2.                               | 0.8 | 13        |
| 19212 | External Validation of Aminoglycoside Models Used in Web Calculators and Clinical Decision Support Systems After Laboratory Conversion to Serum Creatinine Isotope Dilution Mass Spectrometry Assay. <i>Clinical Therapeutics</i> , 2012, 34, 803-810. | 1.1 | 2         |
| 19213 | Validity of predictive equations developed to estimate body fat from anthropometry and bioelectrical impedance analysis in 8-10 year-old children. <i>Clinical Nutrition</i> , 2012, 31, 364-371.  | 2.3 | 15        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19214 | Ultrasound intima-media segmentation using Hough transform and dual snake model. <i>Computerized Medical Imaging and Graphics</i> , 2012, 36, 248-258.  | 3.5 | 45        |
| 19215 | 3D segmentation of abdominal aorta from CT-scan and MR images. <i>Computerized Medical Imaging and Graphics</i> , 2012, 36, 294-303.  | 3.5 | 45        |
| 19216 | Thermal detection thresholds in 5-year-old preterm born children;. <i>Early Human Development</i> , 2012, 88, 487-491.  | 0.8 | 9         |
| 19217 | Validation of the Actiheart for estimating physical activity related energy expenditure in pregnancy. <i>E-SPEN Journal</i> , 2012, 7, e5-e10.  | 0.5 | 6         |
| 19218 | A prospective randomised study comparing oral <sup>13</sup> C-bicarbonate tracer technique versus indirect calorimetry for measurement of energy expenditure in adults. <i>E-SPEN Journal</i> , 2012, 7, e1-e4.                   | 0.5 | 0         |
| 19219 | Cross-cultural adaptation of the Dutch Short Musculoskeletal Function Assessment questionnaire (SMFA-NL): Internal consistency, validity, repeatability and responsiveness. <i>Injury</i> , 2012, 43, 726-733.                    | 0.7 | 34        |
| 19220 | Reliability of thermal readings of the skin surface over the anterior deltoid during intermittent, overhead tapping tasks. <i>International Journal of Industrial Ergonomics</i> , 2012, 42, 136-142.                             | 1.5 | 13        |
| 19221 | Pulsatile Distention of the Nondiseased and Stenotic Aortic Valve Annulus: Analysis With Electrocardiogram-Gated Computed Tomography. <i>Annals of Thoracic Surgery</i> , 2012, 93, 516-522.                                      | 0.7 | 22        |
| 19222 | Allometric models for non-destructive leaf area estimation of <i>Jatropha curcas</i> . <i>Biomass and Bioenergy</i> , 2012, 36, 77-85.  | 2.9 | 76        |
| 19223 | The Assessment of Physiotherapy Practice (APP) is a reliable measure of professional competence of physiotherapy students: a reliability study. <i>Journal of Physiotherapy</i> , 2012, 58, 49-56.                                | 0.7 | 52        |
| 19224 | Reducing the variability between constant-depth film fermenter experiments when modelling oral biofilm. <i>Journal of Applied Microbiology</i> , 2012, 113, 601-608.  | 1.4 | 18        |
| 19225 | Can we trust the new generation of infrared tympanic thermometers in clinical practice?. <i>Journal of Clinical Nursing</i> , 2013, 22, 698-709.  | 1.4 | 17        |
| 19226 | Methods to assess the reliability of the interRAI Acute Care: a framework to guide clinimetric testing. Part II. <i>Journal of Evaluation in Clinical Practice</i> , 2012, 18, 822-827.   | 0.9 | 11        |
| 19227 | Sodium intake and excretion in individuals with type 2 diabetes mellitus: a cross-sectional analysis of overweight and obese males and females in Australia. <i>Journal of Human Nutrition and Dietetics</i> , 2012, 25, 129-139. | 1.3 | 21        |
| 19228 | A new quantitative automatic method for the measurement of non-rapid eye movement sleep electroencephalographic amplitude variability. <i>Journal of Sleep Research</i> , 2012, 21, 212-220.                                      | 1.7 | 18        |
| 19229 | Development of New Demispan Equations From a Nationally Representative Sample of Older People to Estimate Adult Height. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 550-554.                                    | 1.3 | 11        |
| 19230 | The Quadriceps Angle: Reliability and Accuracy in a Fox ( <i>Vulpes vulpes</i> ) Pelvic Limb Model. <i>Veterinary Surgery</i> , 2012, 41, 422-429.  | 0.5 | 5         |
| 19231 | Recovery, survival, and function of transfused platelets and detection of platelet engraftment after allogeneic stem cell transplantation. <i>Transfusion</i> , 2012, 52, 1321-1332.  | 0.8 | 10        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19232 | Precision and accuracy of point-of-care testing coagulometers used for self-testing and self-management of oral anticoagulation therapy. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 251-260.  | 1.9 | 82        |
| 19233 | Diastolic Cardiac Function Is Synonymous with Long-Axis Systolic Function: A Novel Concept in Cardiac Function. <i>Echocardiography</i> , 2012, 29, 397-402.  | 0.3 | 3         |
| 19234 | Tissue Doppler, Triplane Echocardiography, and Speckle Tracking Echocardiography: Different Ways of Measuring Longitudinal Myocardial Velocity and Deformation Parameters. A Comparative Clinical Study. <i>Echocardiography</i> , 2012, 29, 428-437. | 0.3 | 23        |
| 19235 | Multimodality Imaging of Aortic Dimensions: Comparison of Transthoracic Echocardiography with Multidetector Row Computed Tomography. <i>Echocardiography</i> , 2012, 29, 735-741.   | 0.3 | 21        |
| 19236 | Incremental Value of Live/Real Time Three-Dimensional Transesophageal Echocardiography over the Two-Dimensional Technique in the Assessment of Aortic Aneurysm and Dissection. <i>Echocardiography</i> , 2012, 29, 620-630.                           | 0.3 | 11        |
| 19237 | Examiner alignment and assessment in clinical periodontal research. <i>Periodontology 2000</i> , 2012, 59, 41-60.   | 6.3 | 69        |
| 19238 | Accurate Estimation of Living Donor Right Hemi-Liver Volume From Portal Vein Diameter Measurement and Standard Liver Volume Calculation. <i>American Journal of Transplantation</i> , 2012, 12, 1229-1239.  | 2.6 | 41        |
| 19239 | Dental arch relationship in 5-year-olds with complete unilateral cleft lip and palate after early alveolar bone grafting. <i>Orthodontics and Craniofacial Research</i> , 2012, 15, 117-123.  | 1.2 | 5         |
| 19240 | The influence of malocclusion on the diagnostic value of the orthopantomogram in the maxillary labial segment. <i>Orthodontics and Craniofacial Research</i> , 2012, 15, 169-177.   | 1.2 | 1         |
| 19241 | The reliability of the disabled children's quality-of-life questionnaire in Swedish children with diabetes. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012, 101, 501-506.   | 0.7 | 6         |
| 19242 | Reliability of the fluid balance in neonates. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012, 101, 479-483.   | 0.7 | 29        |
| 19243 | Renal cortical and medullary blood flow during modest saline loading in humans. <i>Acta Physiologica</i> , 2012, 205, 472-483.  | 1.8 | 13        |
| 19244 | Biochemical assessment of canine body cavity effusions using three bench-top analysers. <i>Journal of Small Animal Practice</i> , 2012, 53, 459-464.  | 0.5 | 5         |
| 19245 | Counting of leukocytes in samples from G-CSF mobilized donors, leukapheresis products, and cord blood: the performances of an analyzer with dedicated profiles. <i>International Journal of Laboratory Hematology</i> , 2012, 34, 154-163.            | 0.7 | 3         |
| 19246 | Mean platelet volume: comparison of three analysers towards standardization of platelet morphological phenotype. <i>International Journal of Laboratory Hematology</i> , 2012, 34, 300-310.   | 0.7 | 102       |
| 19247 | Agreement Between Community Pharmacy and Ambulatory and Home Blood Pressure Measurement Methods to Assess the Effectiveness of Antihypertensive Treatment: The MEPAFAR Study. <i>Journal of Clinical Hypertension</i> , 2012, 14, 236-244.            | 1.0 | 7         |
| 19248 | Evaluation of Blood Pressure Measurement and Agreement in an Academic Health Sciences Center. <i>Journal of Clinical Hypertension</i> , 2012, 14, 222-227.  | 1.0 | 27        |
| 19249 | Comparison of Two Noninvasive Devices for Measurement of Central Systolic Blood Pressure With Invasive Measurement During Cardiac Catheterization. <i>Journal of Clinical Hypertension</i> , 2012, 14, 575-579.                                       | 1.0 | 45        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19250 | Ultrasound biomicroscopic study of the stability of intraocular lens implants after phacoemulsification cataract surgery. <i>Acta Ophthalmologica</i> , 2012, 90, 168-172.  | 0.6 | 18        |
| 19251 | Measurement of central corneal thickness by high-resolution Scheimpflug imaging, Fourier-domain optical coherence tomography and ultrasound pachymetry. <i>Acta Ophthalmologica</i> , 2012, 90, 449-455.                                      | 0.6 | 98        |
| 19252 | Is quantitative spectral-domain superior to time-domain optical coherence tomography (OCT) in eyes with age-related macular degeneration?. <i>Acta Ophthalmologica</i> , 2012, 90, 620-627.   | 0.6 | 18        |
| 19253 | An evaluation of a novel instrument for measuring macular pigment optical density: the MPS 9000. <i>Acta Ophthalmologica</i> , 2012, 90, e90-7.   | 0.6 | 19        |
| 19254 | Comparison of optic disc parameters using spectral domain cirrus high-definition optical coherence tomography and confocal scanning laser ophthalmoscopy in normal eyes. <i>Acta Ophthalmologica</i> , 2012, 90, e225-9.                      | 0.6 | 11        |
| 19255 | Corneal thickness mapping by 3D swept-source anterior segment optical coherence tomography. <i>Acta Ophthalmologica</i> , 2012, 90, e452-7.   | 0.6 | 17        |
| 19256 | How well are we validating food frequency questionnaires that measure dietary iron intakes of Australian and New Zealand adults?. <i>Nutrition and Dietetics</i> , 2012, 69, 159-166.   | 0.9 | 1         |
| 19257 | Agreement of anthropometric equations with the 4-component model in the prediction of body fat in obese schoolchildren. <i>Nutrition and Dietetics</i> , 2012, 69, 145-151.   | 0.9 | 2         |
| 19258 | CT Angiography Source Images Acquired with a Fast Acquisition Protocol Overestimate Infarct Core on Diffusion Weighted Images in Acute Ischemic Stroke. <i>Journal of Neuroimaging</i> , 2012, 22, 329-335.                                   | 1.0 | 32        |
| 19259 | The Fornix Sign: A Potential Sign for Alzheimer's Disease Based on Diffusion Tensor Imaging. <i>Journal of Neuroimaging</i> , 2012, 22, 365-374.  | 1.0 | 77        |
| 19260 | Atlas-Based Versus Individual-Based Fiber Tracking of the Corpus Callosum in Patients with Multiple Sclerosis: Reliability and Clinical Correlations. <i>Journal of Neuroimaging</i> , 2012, 22, 355-364.                                     | 1.0 | 6         |
| 19261 | Electronic Versus Manual Data Processing: Evaluating the Use of Electronic Health Records in Out-of-hospital Clinical Research. <i>Academic Emergency Medicine</i> , 2012, 19, 217-227.   | 0.8 | 63        |
| 19262 | Point-of-care Focused Cardiac Ultrasound for the Assessment of Thoracic Aortic Dimensions, Dilation, and Aneurysmal Disease. <i>Academic Emergency Medicine</i> , 2012, 19, 244-247.  | 0.8 | 38        |
| 19263 | Validation of a new point-of-care assay for determination of Î²-carotene concentration in bovine whole blood and plasma. <i>Veterinary Clinical Pathology</i> , 2012, 41, 119-122.  | 0.3 | 14        |
| 19265 | Validation of a PolarÂ® human heart rate monitor for measuring heart rate and heart rate variability in adult dogs under stationary conditions. <i>Journal of Veterinary Behavior: Clinical Applications and Research</i> , 2012, 7, 205-212. | 0.5 | 61        |
| 19266 | Dried blood spots versus plasma for the quantitation of HIV-1 RNA using a real-Time PCR, m2000rt assay. <i>Journal of Virological Methods</i> , 2012, 181, 177-181.   | 1.0 | 30        |
| 19267 | Towards monitoring lumbo-pelvic posture in real-life situations: Concurrent validity of a novel posture monitor and a traditional laboratory-based motion analysis system. <i>Manual Therapy</i> , 2012, 17, 77-83.                           | 1.6 | 46        |
| 19268 | Vibration testing: A pilot study investigating the intra-tester reliability of the Vibrameter for the Median and Ulnar nerves. <i>Manual Therapy</i> , 2012, 17, 369-372.   | 1.6 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19269 | Within-day reliability of shoulder range of motion measurement with a smartphone. <i>Manual Therapy</i> , 2012, 17, 298-304.  | 1.6 | 110       |
| 19270 | Real-time monitoring of blood carbon dioxide tension by fluorosensor. <i>Respiratory Physiology and Neurobiology</i> , 2012, 180, 141-146.  | 0.7 | 11        |
| 19271 | Gas exchange measurements within a magnetic environment: Validation of a new system. <i>Respiratory Physiology and Neurobiology</i> , 2012, 182, 37-46.   | 0.7 | 5         |
| 19272 | Mapping the human connectome at multiple scales with diffusion spectrum MRI. <i>Journal of Neuroscience Methods</i> , 2012, 203, 386-397.   | 1.3 | 413       |
| 19273 | Reproducibility of sodium MRI measures of articular cartilage of the knee in osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 29-35.   | 0.6 | 31        |
| 19274 | Three-dimensional patterns of early acetabular cartilage damage in hip dysplasia; a high-resolution CT arthrography study. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 646-652.   | 0.6 | 33        |
| 19275 | In Vitro Evaluation of New Approach to Digital Dental Model Articulation. <i>Journal of Oral and Maxillofacial Surgery</i> , 2012, 70, 952-962.   | 0.5 | 16        |
| 19276 | Simultaneous determination of antidementia drugs in human plasma: Procedure transfer from HPLC-MS to UPLC-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012, 64-65, 16-25.                               | 1.4 | 38        |
| 19277 | Relationship between Test Scores Using the Second and Third Editions of the Bayley Scales in Extremely Preterm Children. <i>Journal of Pediatrics</i> , 2012, 160, 553-558.   | 0.9 | 197       |
| 19278 | Blood Pressure in Pediatric Chronic Kidney Disease—It's in the Ears of the Beholder. <i>Journal of Pediatrics</i> , 2012, 160, 363-365.   | 0.9 | 2         |
| 19279 | Reliability of the 8-repetition maximum test in men and women. <i>Journal of Science and Medicine in Sport</i> , 2012, 15, 69-73.   | 0.6 | 38        |
| 19280 | Automated landmarking and geometric characterization of the carotid siphon. <i>Medical Image Analysis</i> , 2012, 16, 889-903.  | 7.0 | 32        |
| 19281 | Uric acid excretion in healthy subjects: a nomogram to assess the mechanisms underlying purine metabolic disorders. <i>Metabolism: Clinical and Experimental</i> , 2012, 61, 512-518.   | 1.5 | 46        |
| 19282 | Automatic segmentation of brain white matter and white matter lesions in normal aging: comparison of five multispectral techniques. <i>Magnetic Resonance Imaging</i> , 2012, 30, 222-229.                                    | 1.0 | 24        |
| 19283 | Cardiac T2* measurements in patients with iron overload: a comparison of imaging parameters and analysis techniques. <i>Magnetic Resonance Imaging</i> , 2012, 30, 641-648.   | 1.0 | 9         |
| 19284 | Polynomial fitting of DT-MRI fiber tracts allows accurate estimation of muscle architectural parameters. <i>Magnetic Resonance Imaging</i> , 2012, 30, 589-600.   | 1.0 | 27        |
| 19285 | Cardiac Output Derived From Arterial Pressure Waveform Analysis: Validation of the Third-Generation Software in Patients Undergoing Orthotopic Liver Transplantation. <i>Transplantation Proceedings</i> , 2012, 44, 433-437. | 0.3 | 30        |
| 19286 | Three-dimensional assessment of impacted canines and root resorption using cone beam computed tomography. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2012, 113, 260-267.                         | 0.2 | 72        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19287 | Estimation of glomerular filtration rate in calves using the contrast medium iodixanol. <i>Veterinary Journal</i> , 2012, 193, 174-179.   | 0.6 | 6         |
| 19288 | Reliability of indicators of sheep welfare assessed by a group observation method. <i>Veterinary Journal</i> , 2012, 193, 257-263.  | 0.6 | 33        |
| 19289 | Reliability of the visual analog scale in children with acute pain in the emergency department. <i>Pain</i> , 2012, 153, 839-842.   | 2.0 | 66        |
| 19290 | Further validation of the 5-item Perceived Efficacy in Patient-Physician Interactions (PEPPI-5) scale in patients with osteoarthritis. <i>Patient Education and Counseling</i> , 2012, 87, 125-130.   | 1.0 | 92        |
| 19291 | Reliability of a quantitative clinical posture assessment tool among persons with idiopathic scoliosis. <i>Physiotherapy</i> , 2012, 98, 64-75.   | 0.2 | 60        |
| 19292 | A modelling approach to predict the variation of repeatability and reproducibility of a RT-PCR assay for infectious salmon anaemia virus across infection prevalences and infection stages. <i>Preventive Veterinary Medicine</i> , 2012, 103, 63-73. | 0.7 | 5         |
| 19293 | Assessment Battery for Communication: Development of two equivalent forms. <i>Journal of Communication Disorders</i> , 2012, 45, 290-303.   | 0.8 | 45        |
| 19294 | Manual compression of the abdomen to assess expiratory flow limitation during mechanical ventilation. <i>Journal of Critical Care</i> , 2012, 27, 37-44.  | 1.0 | 12        |
| 19295 | A comparison of predictive equations of energy expenditure and measured energy expenditure in critically ill patients. <i>Journal of Critical Care</i> , 2012, 27, 321.e5-321.e12.  | 1.0 | 69        |
| 19296 | Practical quantitative and kinetic applications of bio-layer interferometry for toxicokinetic analysis of a monoclonal antibody therapeutic. <i>Journal of Immunological Methods</i> , 2012, 379, 30-41.  | 0.6 | 17        |
| 19297 | Measuring the accommodative response with a double-pass system: Comparison with the Hartmann-Shack technique. <i>Vision Research</i> , 2012, 62, 26-34.   | 0.7 | 10        |
| 19298 | Acetabular polyethylene wear volume after hip replacement: Reliability of volume calculations from plain radiographs. <i>Wear</i> , 2012, 282-283, 69-75.   | 1.5 | 7         |
| 19299 | Accurate Automatic Analysis of Cardiac Cine Images. <i>IEEE Transactions on Biomedical Engineering</i> , 2012, 59, 445-455.   | 2.5 | 72        |
| 19300 | Noninvasive Measurement of Physiological Signals on a Modified Home Bathroom Scale. <i>IEEE Transactions on Biomedical Engineering</i> , 2012, 59, 2137-2143.   | 2.5 | 55        |
| 19301 | Automatic Detection and Quantification of Tree-in-Bud (TIB) Opacities From CT Scans. <i>IEEE Transactions on Biomedical Engineering</i> , 2012, 59, 1620-1632.  | 2.5 | 29        |
| 19302 | The Segmentation of the Left Ventricle of the Heart From Ultrasound Data Using Deep Learning Architectures and Derivative-Based Search Methods. <i>IEEE Transactions on Image Processing</i> , 2012, 21, 968-982.                                     | 6.0 | 164       |
| 19303 | Assessment of Sensing Fire Fighters Uniforms for Physiological Parameter Measurement in Harsh Environment. <i>IEEE Transactions on Information Technology in Biomedicine</i> , 2012, 16, 501-511.   | 3.6 | 18        |
| 19304 | Automated Recognition of Obstructive Sleep Apnea Syndrome Using Support Vector Machine Classifier. <i>IEEE Transactions on Information Technology in Biomedicine</i> , 2012, 16, 463-468.   | 3.6 | 109       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19305 | Reference-Free PRFS MR-Thermometry Using Near-Harmonic 2-D Reconstruction of the Background Phase. <i>IEEE Transactions on Medical Imaging</i> , 2012, 31, 287-301.   | 5.4 | 64        |
| 19306 | Solid-state water-perfused catheters to measure colonic high-amplitude propagating contractions. <i>Neurogastroenterology and Motility</i> , 2012, 24, 345.   | 1.6 | 34        |
| 19307 | Performance characteristics of scintigraphic measurement of gastric emptying of solids in healthy participants. <i>Neurogastroenterology and Motility</i> , 2012, 24, 1076.   | 1.6 | 133       |
| 19308 | Direct volumetric flow cytometric quantitation of CD34+ stem and progenitor cells. <i>Transfusion Medicine</i> , 2012, 22, 205-210.   | 0.5 | 6         |
| 19309 | Agreement between direct, oscillometric and Doppler ultrasound blood pressures using three different cuff positions in anesthetized dogs. <i>Veterinary Anaesthesia and Analgesia</i> , 2012, 39, 324-334.  | 0.3 | 50        |
| 19310 | Evaluation of a minimally invasive non-calibrated pulse contour cardiac output monitor (FloTrac/Vigileo) in anaesthetized dogs. <i>Veterinary Anaesthesia and Analgesia</i> , 2012, 39, 464-471.  | 0.3 | 11        |
| 19311 | Self-report use of time tools for the assessment of physical activity and sedentary behaviour in young people: systematic review. <i>Obesity Reviews</i> , 2012, 13, 711-722.   | 3.1 | 28        |
| 19312 | Why do individuals not lose more weight from an exercise intervention at a defined dose? An energy balance analysis. <i>Obesity Reviews</i> , 2012, 13, 835-847.  | 3.1 | 201       |
| 19313 | Lack of agreement and trending ability of the endotracheal cardiac output monitor compared with thermodilution. <i>Acta Anaesthesiologica Scandinavica</i> , 2012, 56, 433-440.   | 0.7 | 25        |
| 19314 | Agreement between cardiac outputs by four-dimensional echocardiography and thermodilution method is poor. <i>Acta Anaesthesiologica Scandinavica</i> , 2012, 56, 730-737.   | 0.7 | 5         |
| 19315 | Application of the ADVIA cerebrospinal fluid assay to count residual red blood cells in blood components. <i>Vox Sanguinis</i> , 2012, 103, 186-193.  | 0.7 | 9         |
| 19316 | CD14 expression and Kupffer cell dysfunction in non-alcoholic steatohepatitis: Superparamagnetic iron oxide-magnetic resonance image and pathologic correlation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012, 27, 789-796. | 1.4 | 24        |
| 19317 | Point-of-care glucose monitoring on the neonatal unit. <i>Journal of Paediatrics and Child Health</i> , 2012, 48, 342-346.  | 0.4 | 14        |
| 19318 | Is the Chronic Kidney Disease Epidemiology Collaboration four-level race equation better than the cystatin C equation?. <i>Nephrology</i> , 2012, 17, 407-414.  | 0.7 | 19        |
| 19319 | Validity of self-reported body mass index of Japanese children and adolescents. <i>Pediatrics International</i> , 2012, 54, 397-401.  | 0.2 | 32        |
| 19320 | Diaton tonometry: an assessment of validity and preference against Goldmann tonometry. <i>Clinical and Experimental Ophthalmology</i> , 2012, 40, e171-e175.  | 1.3 | 26        |
| 19321 | Repeatability and agreement of ARK-30 autorefractometry after cataract surgery. <i>Clinical and Experimental Ophthalmology</i> , 2012, 40, 134-140.   | 1.3 | 10        |
| 19322 | Comparison of intraocular pressure measurement between rebound, non-contact and Goldmann applanation tonometry in treated glaucoma patients. <i>Clinical and Experimental Ophthalmology</i> , 2012, 40, e163-70.                                    | 1.3 | 44        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19323 | Novel grading system for pupillary ruff changes and associated features. <i>Clinical and Experimental Ophthalmology</i> , 2012, 40, 440-447.  | 1.3 | 3         |
| 19324 | “Structure”function relationship™ in glaucoma: past thinking and current concepts. <i>Clinical and Experimental Ophthalmology</i> , 2012, 40, 369-380.  | 1.3 | 189       |
| 19325 | Comparison of refractive outcomes using five devices for the assessment of preoperative corneal power. <i>Clinical and Experimental Ophthalmology</i> , 2012, 40, 425-432.  | 1.3 | 27        |
| 19326 | Comparison of optic nerve head parameters using Heidelberg Retina Tomograph 3 and spectral-domain optical coherence tomography. <i>Clinical and Experimental Ophthalmology</i> , 2012, 40, 721-726.                                   | 1.3 | 14        |
| 19327 | Assessment of accuracy and repeatability of anterior segment optical coherence tomography and reproducibility of measurements using a customised software program. <i>Australasian journal of optometry, The</i> , 2012, 95, 432-441. | 0.6 | 12        |
| 19328 | A novel apparatus for interocular interaction evaluation in children with and without anisometropic amblyopia. <i>Australasian journal of optometry, The</i> , 2012, 95, 410-420.   | 0.6 | 2         |
| 19329 | Comparison of prediction equations to estimate glomerular filtration rate in Chinese patients with chronic kidney disease. <i>Internal Medicine Journal</i> , 2012, 42, e59-67.   | 0.5 | 14        |
| 19330 | Association of T polymorphism in the transforming growth factor <sup>21</sup> gene with lean body mass in community-dwelling Japanese population. <i>Geriatrics and Gerontology International</i> , 2012, 12, 292-297.                | 0.7 | 8         |
| 19331 | Role of ultrasound compared to age-related formulas for uncuffed endotracheal intubation in a pediatric population. <i>Paediatric Anaesthesia</i> , 2012, 22, 781-786.  | 0.6 | 90        |
| 19332 | Automatic evaluation of ultrasonography-estimated bladder weight and bladder wall thickness in community-dwelling men with presumably normal bladder function. <i>BJU International</i> , 2012, 109, 1044-1049.                       | 1.3 | 7         |
| 19333 | Prostate weight is the preferred measure of prostate size in radical prostatectomy cohorts. <i>BJU International</i> , 2012, 109, 57-63.  | 1.3 | 15        |
| 19334 | Validity of self-assessed waist circumference in a multi-ethnic UK population. <i>Diabetic Medicine</i> , 2012, 29, 404-409.  | 1.2 | 21        |
| 19335 | Effect of malaria on placental volume measured using three-dimensional ultrasound: a pilot study. <i>Malaria Journal</i> , 2012, 11, 5.   | 0.8 | 14        |
| 19336 | Single beat 3D echocardiography for the assessment of right ventricular dimension and function after endurance exercise: Intraindividual comparison with magnetic resonance imaging. <i>Cardiovascular Ultrasound</i> , 2012, 10, 6.  | 0.5 | 22        |
| 19337 | The proxy problem anatomized: child-parent disagreement in health related quality of life reports of chronically ill adolescents. <i>Health and Quality of Life Outcomes</i> , 2012, 10, 10.  | 1.0 | 89        |
| 19338 | The validity and precision of the leicester cough questionnaire in COPD patients with chronic cough. <i>Health and Quality of Life Outcomes</i> , 2012, 10, 4.  | 1.0 | 59        |
| 19339 | Evaluation of the Indian Migration Study Physical Activity Questionnaire (IMS-PAQ): a cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 13.                                | 2.0 | 27        |
| 19340 | Validation of a single-platform, volumetric, flow cytometry for CD4 T cell count monitoring in therapeutic mobile unit. <i>Journal of Translational Medicine</i> , 2012, 10, 22.  | 1.8 | 13        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19341 | Performance evaluation of the Pima <sup>2</sup> point-of-care CD4 analyser using capillary blood sampling in field tests in South Africa. <i>Journal of the International AIDS Society</i> , 2012, 15, 3-3.             | 1.2 | 71        |
| 19342 | Comparing intra-abdominal pressures in different body positions via a urinary catheter and nasogastric tube: a pilot study. <i>Annals of Intensive Care</i> , 2012, 2, S11.   | 2.2 | 8         |
| 19343 | The effect of body position on compartmental intra-abdominal pressure following liver transplantation. <i>Annals of Intensive Care</i> , 2012, 2, S12.  | 2.2 | 19        |
| 19344 | Reproducibility of quantitative (R)-[11C]verapamil studies. <i>EJNMMI Research</i> , 2012, 2, 1.  | 1.1 | 45        |
| 19345 | Brachial artery reactivity in patients with severe sepsis: an observational study. <i>Critical Care</i> , 2012, 16, R38.  | 2.5 | 19        |
| 19346 | Accuracy of self-reported energy intake in weight-restored patients with anorexia nervosa compared with obese and normal weight individuals. <i>International Journal of Eating Disorders</i> , 2012, 45, 570-574.      | 2.1 | 36        |
| 19347 | 7 Tesla (T) human cardiovascular magnetic resonance imaging using FLASH and SSFP to assess cardiac function: validation against 1.5T and 3T. <i>NMR in Biomedicine</i> , 2012, 25, 27-34.                               | 1.6 | 57        |
| 19348 | Vessel size index measurements in a rat model of glioma: comparison of the dynamic (Gd) and steady-state (iron-oxide) susceptibility contrast MRI approaches. <i>NMR in Biomedicine</i> , 2012, 25, 218-226.            | 1.6 | 26        |
| 19349 | Real-time motion and $B_0$ correction for localized adiabatic selective refocusing (LASER) MRSI using echo planar imaging volumetric navigators. <i>NMR in Biomedicine</i> , 2012, 25, 347-358.                         | 1.6 | 32        |
| 19350 | Thalamic volume measurement in normal fetuses using three-dimensional sonography. <i>Journal of Clinical Ultrasound</i> , 2012, 40, 207-213.  | 0.4 | 13        |
| 19351 | Evaluation of MRI resolution affecting trabecular bone parameters: Determination of acceptable resolution. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 218-225.   | 1.9 | 15        |
| 19352 | Interrater reliability of endoscopic parameters following sinus surgery. <i>Laryngoscope</i> , 2012, 122, 230-236.  | 1.1 | 7         |
| 19353 | Liver diffusivity in healthy volunteers and patients with chronic liver disease: Comparison of breathhold and free-breathing techniques. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 103-109.              | 1.9 | 9         |
| 19354 | Automatic lumen and outer wall segmentation of the carotid artery using deformable three-dimensional models in MR angiography and vessel wall images. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 156-165. | 1.9 | 44        |
| 19355 | Comprehensive brain analysis with automated high-resolution magnetization transfer measurements. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 309-317.  | 1.9 | 6         |
| 19356 | Comparison of a 28-channel receive array coil and quadrature volume coil for morphologic imaging and T2 mapping of knee cartilage at 7T. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 441-448.              | 1.9 | 35        |
| 19357 | Linearization of the MS response function: case study for metformin assay in plasma samples for bioequivalence purposes. <i>Biomedical Chromatography</i> , 2012, 26, 208-213.  | 0.8 | 4         |
| 19358 | Comparison between 2D and 3D computed tomography evaluation of glenoid bone defect in unilateral anterior gleno-humeral instability. <i>Radiologia Medica</i> , 2012, 117, 102-111.                                     | 4.7 | 40        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19359 | Automatic recognition of major fissures in human lungs. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2012, 7, 111-123.  | 1.7 | 11        |
| 19360 | Comparison of Lipoprotein Separation and Lipid Analysis Methodologies for Human and Cynomolgus Monkey Plasma Samples. <i>Journal of Cardiovascular Translational Research</i> , 2012, 5, 75-83.  | 1.1 | 13        |
| 19361 | Comparing measures of fat-free mass in overweight older adults using three different bioelectrical impedance devices and three prediction equations. <i>Journal of Nutrition, Health and Aging</i> , 2012, 16, 26-30.  | 1.5 | 7         |
| 19362 | Use of a novel technique, solid phase microextraction, to measure tranexamic acid in patients undergoing cardiac surgery. <i>Canadian Journal of Anaesthesia</i> , 2012, 59, 14-20.  | 0.7 | 19        |
| 19363 | Fractional anisotropy and mean diffusivity parameters of the brain white matter tracts in preterm infants: reproducibility of region-of-interest measurements. <i>Pediatric Radiology</i> , 2012, 42, 175-182.   | 1.1 | 9         |
| 19364 | Validity and reliability of the SPORTS score. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 356-360.   | 2.3 | 30        |
| 19365 | Fasting and postprandial spot urine calcium-to-creatinine ratios do not detect hypercalciuria. <i>Osteoporosis International</i> , 2012, 23, 553-562.  | 1.3 | 22        |
| 19366 | Estimation of regional bone metabolism from whole-body 18F-fluoride PET static images. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 337-343.  | 3.3 | 40        |
| 19367 | The effects of 3-month atorvastatin therapy on arterial inflammation, calcification, abdominal adipose tissue and circulating biomarkers. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 399-407.   | 3.3 | 92        |
| 19368 | Reliability and predictability of the centre-edge angle in the assessment of pincer femoroacetabular impingement. <i>International Orthopaedics</i> , 2012, 36, 505-510.   | 0.9 | 94        |
| 19369 | Assessment of inter- and intra-observer reliability in the determination of radiographic version and inclination of the cup in metal-on-metal hip resurfacing. <i>International Orthopaedics</i> , 2012, 36, 519-525.  | 0.9 | 13        |
| 19370 | A radio transmission pH measurement system for continuous evaluation of fluid pH in the rumen of cows. <i>Veterinary Research Communications</i> , 2012, 36, 85-89.  | 0.6 | 36        |
| 19371 | Reproducibility of Shinâ€™s method for necrotic core and calcium content in atherosclerotic coronary lesions treated with bioresorbable everolimus-eluting vascular scaffolds using volumetric intravascular ultrasound radiofrequency-based analysis. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 43-49. | 0.7 | 3         |
| 19372 | Time Course of Endotoxin-Induced Airwaysâ€™ Inflammation in Healthy Subjects. <i>Inflammation</i> , 2012, 35, 33-38.   | 1.7 | 15        |
| 19373 | Respiratory and non-respiratory sinus arrhythmia: implications for heart rate variability. <i>Journal of Clinical Monitoring and Computing</i> , 2012, 26, 21-28.  | 0.7 | 8         |
| 19374 | The German version of the Child Perceptions Questionnaire (CPQ-G11-14): translation process, reliability, and validity in the general population. <i>Clinical Oral Investigations</i> , 2012, 16, 165-171.   | 1.4 | 40        |
| 19375 | Repeatability of nerve fiber layer thickness measurements in patients with glaucoma and without glaucoma using spectral-domain and time-domain OCT. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2012, 250, 279-287.  | 1.0 | 41        |
| 19376 | Continuous blood pressure measurement by using the pulse transit time: comparison to a cuff-based method. <i>European Journal of Applied Physiology</i> , 2012, 112, 309-315.  | 1.2 | 369       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19377 | A comparison of dual energy X-ray absorptiometry and bioelectrical impedance analysis to measure total and segmental body composition in healthy young adults. <i>European Journal of Applied Physiology</i> , 2012, 112, 589-595.                  | 1.2 | 98        |
| 19378 | Aerobic fitness testing in 6- to 9-year-old children: reliability and validity of a modified Yoâ€œYo IR1 test and the Andersen test. <i>European Journal of Applied Physiology</i> , 2012, 112, 871-876.  | 1.2 | 76        |
| 19379 | Possibilities and limitations of the polar RS800 in measuring heart rate variability at rest. <i>European Journal of Applied Physiology</i> , 2012, 112, 1153-1165.   | 1.2 | 109       |
| 19380 | Evaluation of affine fiber kinematics in human supraspinatus tendon using quantitative projection plot analysis. <i>Biomechanics and Modeling in Mechanobiology</i> , 2012, 11, 197-205.  | 1.4 | 22        |
| 19381 | Squatting test: a dynamic postural manoeuvre to study baroreflex sensitivity. <i>Clinical Autonomic Research</i> , 2012, 22, 35-41.   | 1.4 | 15        |
| 19382 | Reliability of the measurement of thoracolumbar burst fracture kyphosis with Cobb angle, Gardner angle, and sagittal index. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2012, 132, 221-225.   | 1.3 | 24        |
| 19383 | Development and validity of the DyNaChron questionnaire for chronic nasal dysfunction. <i>European Archives of Oto-Rhino-Laryngology</i> , 2012, 269, 143-153.  | 0.8 | 46        |
| 19384 | A comparative study to evaluate the effect of two different abutment designs on soft tissue healing and stability of mucosal margins. <i>Clinical Oral Implants Research</i> , 2013, 24, 336-341.   | 1.9 | 10        |
| 19385 | Immediate placement and provisionalization of singleâ€œtooth implants involving a definitive individual abutment: a clinical and radiographic retrospective study. <i>Clinical Oral Implants Research</i> , 2013, 24, 652-658.                      | 1.9 | 18        |
| 19386 | Cardiac arterial spin labeling using segmented ECGâ€œgated Lookâ€œLocker FAIR: Variability and repeatability in preclinical studies. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 238-247.   | 1.9 | 35        |
| 19387 | Chemical shiftâ€œinduced phase errors in phaseâ€œcontrast MRI. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 391-401.   | 1.9 | 11        |
| 19388 | Segmentation propagation using a 3D embryo atlas for highâ€œthroughput MRI phenotyping: Comparison and validation with manual segmentation. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 877-883.  | 1.9 | 14        |
| 19389 | Automated prescription of oblique brain 3D magnetic resonance spectroscopic imaging. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 920-930.   | 1.9 | 14        |
| 19390 | Perâ€œsubject characterization of bolus width in pulsed arterial spin labeling using bolus turbo sampling. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 1677-1682.   | 1.9 | 6         |
| 19391 | Do dynamicâ€œbased MR knee kinematics methods produce the same results as static methods?. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 1634-1644.   | 1.9 | 40        |
| 19392 | Use of a green (bio) solvent â€œ limonene â€œ as extractant and immiscible diluent for large volume injection in the RPLCâ€œtandem MS assay of statins and related metabolites in human plasma. <i>Biomedical Chromatography</i> , 2013, 27, 48-57. | 0.8 | 24        |
| 19393 | Improved automated lumen contour detection by novel multifrequency processing algorithm with current intravascular ultrasound system. <i>Catheterization and Cardiovascular Interventions</i> , 2013, 81, E173-E177.                                | 0.7 | 0         |
| 19394 | Enhanced stent imaging improves the diagnosis of stent underexpansion and optimizes stent deployment. <i>Catheterization and Cardiovascular Interventions</i> , 2013, 81, 438-445.  | 0.7 | 12        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19395 | Interpretation of pediatric lung function: Impact of ethnicity. <i>Pediatric Pulmonology</i> , 2013, 48, 20-26.  | 1.0 | 29        |
| 19396 | Characteristics of recent biostatistical methods adopted by researchers publishing in general/internal medicine journals. <i>Statistics in Medicine</i> , 2013, 32, 1-10.  | 0.8 | 14        |
| 19397 | Flexible recalibration of binary clinical prediction models. <i>Statistics in Medicine</i> , 2013, 32, 282-289.  | 0.8 | 18        |
| 19398 | Real time monitoring of propofol blood concentration in ponies anaesthetized with propofol and ketamine. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2013, 36, 258-266.   | 0.6 | 13        |
| 19399 | Measurement of tidal volume using Respiratory Ultrasonic Plethysmography in anaesthetized, mechanically ventilated horses. <i>Veterinary Anaesthesia and Analgesia</i> , 2013, 40, 48-54.  | 0.3 | 16        |
| 19400 | The proximal aspect of the suspensory ligament in the horse: How precise are ultrasonographic measurements?. <i>Equine Veterinary Journal</i> , 2013, 45, 164-169.   | 0.9 | 12        |
| 19401 | Evaluation of psychometric properties of the Chinese Mandarin version State-Trait Anxiety Inventory Y form in Taiwanese outpatients with anxiety disorders. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2013, 20, 499-507. | 1.2 | 37        |
| 19402 | Hippocampal Magnetization Transfer Ratio at 3T: Validation of Automated Postprocessing and Comparison of Quantification Metrics. <i>Journal of Neuroimaging</i> , 2013, 23, 484-490.   | 1.0 | 0         |
| 19403 | Odontological Approach to Sexual Dimorphism in Southeastern France. <i>Journal of Forensic Sciences</i> , 2013, 58, 163-169.   | 0.9 | 2         |
| 19404 | Bone-implant contact after maxillary sinus floor augmentation with $\beta$ -TCP and autogenous bone in different ratios in mini pigs. <i>Clinical Oral Implants Research</i> , 2013, 24, 635-644.  | 1.9 | 42        |
| 19405 | Transesophageal echocardiography measurements of aortic annulus diameter using biplane mode in patients undergoing transcatheter aortic valve implantation. <i>Cardiovascular Ultrasound</i> , 2013, 11, 5.                              | 0.5 | 17        |
| 19406 | Validity and responsiveness of EuroQol-5 dimension (EQ-5D) versus Short Form-6 dimension (SF-6D) questionnaire in chronic pain. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 110.  | 1.0 | 177       |
| 19407 | Parent-child agreement on health-related quality of life (HRQOL): a longitudinal study. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 101.  | 1.0 | 103       |
| 19408 | A comparison of four different approaches to measuring health utility in depressed patients. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 81.  | 1.0 | 28        |
| 19409 | Development of new measurement system of thoracic excursion with biofeedback: reliability and validity. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2013, 10, 45.  | 2.4 | 8         |
| 19410 | Variability in bimanual wheelchair propulsion: consistency of two instrumented wheels during handrim wheelchair propulsion on a motor driven treadmill. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2013, 10, 9.             | 2.4 | 45        |
| 19411 | The relationship between the area of peripherally-derived pressure volume loops and systemic vascular resistance. <i>Journal of Clinical Monitoring and Computing</i> , 2013, 27, 689-696.   | 0.7 | 3         |
| 19412 | Cardiac index assessment using bioreactance in patients undergoing cytoreductive surgery in ovarian carcinoma. <i>Journal of Clinical Monitoring and Computing</i> , 2013, 27, 621-627.  | 0.7 | 14        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19413 | Determination of breath isoprene allows the identification of the expiratory fraction of the propofol breath signal during real-time propofol breath monitoring. <i>Journal of Clinical Monitoring and Computing</i> , 2013, 27, 509-516.                                | 0.7 | 9         |
| 19414 | Non-invasive accurate measurement of arterial PCO <sub>2</sub> in a pediatric animal model. <i>Journal of Clinical Monitoring and Computing</i> , 2013, 27, 147-155.   | 0.7 | 13        |
| 19415 | Non-invasive measurement of cardiac output in obese children and adolescents: comparison of electrical cardiometry and transthoracic Doppler echocardiography. <i>Journal of Clinical Monitoring and Computing</i> , 2013, 27, 187-193.                                  | 0.7 | 38        |
| 19416 | Accuracy of the Masimo Pronto-7 <sup>®</sup> system in patients with left ventricular assist device. <i>Journal of Cardiothoracic Surgery</i> , 2013, 8, 159.  | 0.4 | 22        |
| 19417 | Determination of mitral valve area with echocardiography, using intra-operative 3-dimensional versus intra- & post-operative pressure half-time technique in mitral valve repair surgery. <i>Journal of Cardiothoracic Surgery</i> , 2013, 8, 98.                        | 0.4 | 8         |
| 19418 | Validation of an analytical method based on the high-resolution continuum source flame atomic absorption spectrometry for the fast-sequential determination of several hazardous/priority hazardous metals in soil. <i>Chemistry Central Journal</i> , 2013, 7, 43.      | 2.6 | 11        |
| 19419 | Scoring radiographic progression in ankylosing spondylitis: should we use the modified Stoke Ankylosing Spondylitis Spine Score (mSASSS) or the Radiographic Ankylosing Spondylitis Spinal Score (RASSS)?. <i>Arthritis Research and Therapy</i> , 2013, 15, R14.        | 1.6 | 48        |
| 19420 | Evaluation of Oxford instability shoulder score, Western Ontario shoulder instability Index and Euroqol in patients with slap (superior labral anterior posterior) lesions or recurrent anterior dislocations of the shoulder. <i>BMC Research Notes</i> , 2013, 6, 273. | 0.6 | 26        |
| 19421 | Accuracy of tympanic temperature measurement using an infrared tympanic membrane thermometer. <i>BMC Research Notes</i> , 2013, 6, 194.  | 0.6 | 71        |
| 19422 | Single-platform, volumetric, CD45-assisted pan-leucogating flow cytometry for CD4 T lymphocytes monitoring of HIV infection according to the WHO recommendations for resource-constrained settings. <i>BMC Research Notes</i> , 2013, 6, 169.                            | 0.6 | 2         |
| 19423 | Determination of thoracic and lumbar spinal processes by their percentage position between C7 and the PSIS level. <i>BMC Research Notes</i> , 2013, 6, 58.   | 0.6 | 29        |
| 19424 | Is it Feasible to Use the Commercially Available Autoquantitation Software for the Evaluation of Myocardial Viability on Small-Animal Cardiac F-18 FDG PET Scan?. <i>Nuclear Medicine and Molecular Imaging</i> , 2013, 47, 104-114.                                     | 0.6 | 1         |
| 19425 | Effects of Period of Gestation and Position of Fetal Neck on Nuchal Translucency Measurement. <i>Journal of Obstetrics and Gynecology of India</i> , 2013, 63, 244-248.  | 0.3 | 4         |
| 19426 | The role of magnetic resonance imaging in assessing residual disease and pathologic complete response in breast cancer patients receiving neoadjuvant chemotherapy: a systematic review. <i>Insights Into Imaging</i> , 2013, 4, 163-175.                                | 1.6 | 173       |
| 19427 | Early Echocardiographic Deformation Analysis for the Prediction of Sudden Cardiac Death and Life-Threatening Arrhythmias After Myocardial Infarction. <i>JACC: Cardiovascular Imaging</i> , 2013, 6, 851-860.  | 2.3 | 90        |
| 19428 | Reliability and Safety of Functional Capacity Evaluation in Patients with Whiplash Associated Disorders. <i>Journal of Occupational Rehabilitation</i> , 2013, 23, 381-390.  | 1.2 | 22        |
| 19429 | iPhysioMeter: A new approach for measuring heart rate and normalized pulse volume using only a smartphone. <i>Behavior Research Methods</i> , 2013, 45, 1272-1278.   | 2.3 | 76        |
| 19430 | Dynamic visuomotor synchronization: Quantification of predictive timing. <i>Behavior Research Methods</i> , 2013, 45, 289-300.   | 2.3 | 33        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19431 | Contrast-enhanced small-animal PET/CT in cancer research: strong improvement of diagnostic accuracy without significant alteration of quantitative accuracy and NEMA NU 4â€™2008 image quality parameters. <i>EJNMMI Research</i> , 2013, 3, 5.  | 1.1 | 9         |
| 19433 | Short communication: A note on the correction for the effect of freezing on the outcome of pregnancy-associated glycoprotein measurement in blood and serum of cows. <i>Journal of Dairy Science</i> , 2013, 96, 6520-6524.  | 1.4 | 3         |
| 19434 | Minute ventilation and heart rate relationship for estimation of the ventilatory compensation point at high altitude: a pilot study. <i>Extreme Physiology and Medicine</i> , 2013, 2, 7.  | 2.5 | 7         |
| 19435 | Joint line reconstruction in medial unicompartmental knee arthroplasty: development and validation of a measurement method. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 2468-2473.   | 2.3 | 20        |
| 19436 | Flexion and extension laxity after medial, mobile-bearing unicompartmental knee arthroplasty: a comparison between a spacer- and a tension-guided technique. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 2447-2452.  | 2.3 | 12        |
| 19437 | Does age affect visualization of the levator ani in nulliparous women?. <i>International Urogynecology Journal</i> , 2013, 24, 1507-1513.  | 0.7 | 18        |
| 19438 | Reliability and validity of the Japanese version of the pelvic floor distress inventory-short form 20. <i>International Urogynecology Journal</i> , 2013, 24, 1039-1046.   | 0.7 | 24        |
| 19439 | Quantification of Imatinib Plasma Levels in Patients with Chronic Myeloid Leukemia: Comparison Between HPLCâ€™UV and LCâ€™MS/MS. <i>International Journal of Peptide Research and Therapeutics</i> , 2013, 19, 109-116.  | 0.9 | 5         |
| 19440 | Acute response to oral calcium loading in pregnant and lactating women with a low calcium intake: a pilot study. <i>Osteoporosis International</i> , 2013, 24, 2301-2308.  | 1.3 | 16        |
| 19441 | Assessing the relative and absolute reliability of the Falls Efficacy Scale-International questionnaire in elderly individuals with increased fall risk and the questionnaireâ€™s convergent validity in elderly women with osteoporosis. <i>Osteoporosis International</i> , 2013, 24, 1853-1858. | 1.3 | 38        |
| 19442 | Screening for major depressive disorder in adults with glioma using the PHQ-9: a comparison of patient versus proxy reports. <i>Journal of Neuro-Oncology</i> , 2013, 113, 49-55.  | 1.4 | 24        |
| 19443 | Correlation properties of spontaneous motor activity in healthy infants: a new computer-assisted method to evaluate neurological maturation. <i>Experimental Brain Research</i> , 2013, 227, 433-446.  | 0.7 | 44        |
| 19444 | Whole-brain CT perfusion: reliability and reproducibility of volumetric perfusion deficit assessment in patients with acute ischemic stroke. <i>Neuroradiology</i> , 2013, 55, 827-835.  | 1.1 | 65        |
| 19445 | Validation of a Dutch version of the Neurological Fatigue Index (NFI-MS) for patients with multiple sclerosis in the Netherlands. <i>Quality of Life Research</i> , 2013, 22, 2435-2441.   | 1.5 | 6         |
| 19446 | Self- and surrogate-reported communication functioning in aphasia. <i>Quality of Life Research</i> , 2013, 22, 957-967.  | 1.5 | 18        |
| 19447 | Visual analogue scales: scale recalibration by patients with dementia and their proxies. <i>Quality of Life Research</i> , 2013, 22, 979-986.  | 1.5 | 10        |
| 19448 | Validation of the Innocor Device for Noninvasive Measurement of Oxygen Consumption in Children and Adults. <i>Pediatric Cardiology</i> , 2013, 34, 847-852.  | 0.6 | 7         |
| 19449 | Comparison Between Proximal Thoracic Vascular Measurements Obtained by Contrast-Enhanced Magnetic Resonance Angiography and by Transthoracic Echocardiography in Infants and Children With Congenital Heart Disease. <i>Pediatric Cardiology</i> , 2013, 34, 492-497.                              | 0.6 | 6         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19450 | 5/6 Area Length Method for Left-Ventricular Ejection-Fraction Measurement in Adults with Repaired Tetralogy of Fallot: Comparison with Cardiovascular Magnetic Resonance. <i>Pediatric Cardiology</i> , 2013, 34, 231-239.    | 0.6 | 17        |
| 19451 | Aortopulmonary collateral flow in cystic fibrosis assessed with phase-contrast MRI. <i>Pediatric Radiology</i> , 2013, 43, 1279-1286.   | 1.1 | 10        |
| 19452 | MRI assessment of tenosynovitis in children with juvenile idiopathic arthritis: inter- and intra-observer variability. <i>Pediatric Radiology</i> , 2013, 43, 796-802.  | 1.1 | 20        |
| 19453 | Diffusion tensor imaging metrics in neonates—a comparison of manual region-of-interest analysis vs. tract-based spatial statistics. <i>Pediatric Radiology</i> , 2013, 43, 69-79.   | 1.1 | 10        |
| 19454 | An implantable optical blood pressure sensor based on pulse transit time. <i>Biomedical Microdevices</i> , 2013, 15, 73-81.   | 1.4 | 36        |
| 19455 | Comparison of performance of land use regression models derived for Catalunya, Spain. <i>Atmospheric Environment</i> , 2013, 77, 598-606.   | 1.9 | 9         |
| 19456 | Natural Enamel Caries: A Comparative Histological Study on Biochemical Volumes. <i>Caries Research</i> , 2013, 47, 183-192.   | 0.9 | 20        |
| 19457 | Comparison of real beat-to-beat signals with commercially available 4ÂHz sampling on the evaluation of foetal heart rate variability. <i>Medical and Biological Engineering and Computing</i> , 2013, 51, 665-676.            | 1.6 | 42        |
| 19458 | Dynamic programming in parallel boundary detection with application to ultrasound intima-media segmentation. <i>Medical Image Analysis</i> , 2013, 17, 892-906.   | 7.0 | 12        |
| 19459 | Normal electrocardiographic QT interval in race-fit Standardbred horses at rest and its rate dependence during exercise. <i>Journal of Veterinary Cardiology</i> , 2013, 15, 23-31.   | 0.3 | 25        |
| 19460 | Determination of thigh volume in youth with anthropometry and DXA: Agreement between estimates. <i>European Journal of Sport Science</i> , 2013, 13, 527-533.   | 1.4 | 5         |
| 19461 | Factors affecting the accuracy of buccal alveolar bone height measurements from cone-beam computed tomography images. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013, 143, 353-363.               | 0.8 | 57        |
| 19462 | An evaluation of the external validity and reliability of a rugby league match simulation protocol. <i>Journal of Sports Sciences</i> , 2013, 31, 48-57.  | 1.0 | 15        |
| 19463 | Calculating lactate anaerobic thresholds in sports involving different endurance preparation. <i>Journal of Exercise Science and Fitness</i> , 2013, 11, 12-18.   | 0.8 | 18        |
| 19464 | What makes a BIA equation unique? Validity of eight-electrode multifrequency BIA to estimate body composition in a healthy adult population. <i>European Journal of Clinical Nutrition</i> , 2013, 67, S14-S21.               | 1.3 | 179       |
| 19465 | Real-time duplex PCR for simultaneous HPV 16 and HPV 18 DNA quantitation. <i>Journal of Virological Methods</i> , 2013, 193, 498-502.   | 1.0 | 11        |
| 19466 | The Reliability of Measuring Pain Distribution and Location Using Body Pain Diagrams in Patients With Acute Whiplash-Associated Disorders. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2013, 36, 395-402. | 0.4 | 24        |
| 19467 | Human amygdala volume is predicted by common DNA variation in the stathmin and serotonin transporter genes. <i>Translational Psychiatry</i> , 2013, 3, e283-e283.   | 2.4 | 10        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19468 | InÂvivo three-dimensional kinematics of the cervical spine during maximal axial rotation. <i>Manual Therapy</i> , 2013, 18, 339-344.  | 1.6 | 44        |
| 19469 | Automatic detection of sleep apnea and hypopnea events from single channel measurement of respiration signal employing ensemble binary SVM classifiers. <i>Measurement: Journal of the International Measurement Confederation</i> , 2013, 46, 2082-2092.   | 2.5 | 42        |
| 19470 | Concurrent Validity of Calipers and Ultrasound Imaging to Measure Interrecti Distance. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013, 43, 495-503.   | 1.7 | 47        |
| 19471 | Immunoassay Performance Measures 1 This chapter is from the first edition of <i>The Immunoassay Handbook</i> , with few changes, because of the high regard in which Chris Davies's original material is held. The theory still applies but some of the examples given are dated.. , 2013, , 11-26. |     | 12        |
| 19472 | Fat Deposition in Dilated Cardiomyopathy Assessed by CMR. <i>JACC: Cardiovascular Imaging</i> , 2013, 6, 889-898.   | 2.3 | 41        |
| 19473 | A behaviour-based pain scale for horses with acute colic: Scale construction. <i>Veterinary Journal</i> , 2013, 196, 394-401.   | 0.6 | 60        |
| 19474 | A Sensitive Assay Using a Native Protein Substrate for Screening HIV-1 Maturation Inhibitors Targeting the Protease Cleavage Site between the Matrix and Capsid. <i>Biochemistry</i> , 2013, 52, 4929-4940.   | 1.2 | 8         |
| 19475 | Evaluation of a novel feather scoring system for monitoring feather damaging behaviour in parrots. <i>Veterinary Journal</i> , 2013, 196, 247-252.  | 0.6 | 11        |
| 19476 | Comparison of maxillary arch dimensional changes with passive and active self-ligation and conventional brackets in the permanent dentition: A multicenter, randomized controlled trial. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013, 144, 185-193.                  | 0.8 | 37        |
| 19477 | Validation of Physical Activity Monitors in Individuals with Diabetes: Energy Expenditure Estimation by the Multisensor SenseWear Armband Pro3 and the Step Counter Omron HJ-720 Against Indirect Calorimetry During Walking. <i>Diabetes Technology and Therapeutics</i> , 2013, 15, 413-418.      | 2.4 | 28        |
| 19478 | Daily polyphenol intake from fresh fruits in Portugal: contribution from berry fruits. <i>International Journal of Food Sciences and Nutrition</i> , 2013, 64, 1022-1029.   | 1.3 | 10        |
| 19479 | Oxford Grading Scale vs manometer for assessment of pelvic floor strength in nulliparous sports students. <i>Physiotherapy</i> , 2013, 99, 207-211.   | 0.2 | 40        |
| 19480 | Measurement of lower limb volume: Agreement between the vertically oriented perometer and a tape measure method. <i>Physiotherapy</i> , 2013, 99, 247-251.  | 0.2 | 42        |
| 19481 | Simple kcal/kg formula is comparable to prediction equations for estimating resting energy expenditure in older cognitively impaired long term care residents. <i>Journal of Nutrition, Health and Aging</i> , 2013, 17, 39-44.   | 1.5 | 7         |
| 19482 | The reliability, validity, and applicability of an English language version of the Mini-ICF-APP. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1347-1354.   | 1.6 | 73        |
| 19483 | Clinical evaluation of a new technique to monitor return electrode skin temperature during radiofrequency ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2013, 36, 307-314.   | 0.6 | 2         |
| 19484 | Agreement between self-reported and measured weight and height collected in general practice patients: a prospective study. <i>BMC Medical Research Methodology</i> , 2013, 13, 38.   | 1.4 | 71        |
| 19485 | External validation of a Cox prognostic model: principles and methods. <i>BMC Medical Research Methodology</i> , 2013, 13, 33.  | 1.4 | 645       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19486 | Creatinine-or cystatin C-based equations to estimate glomerular filtration in the general population: impact on the epidemiology of chronic kidney disease. <i>BMC Nephrology</i> , 2013, 14, 57.   | 0.8 | 26        |
| 19487 | Retinal nerve fiber layer thickness and cognitive ability in older people: the Lothian Birth Cohort 1936 study. <i>BMC Ophthalmology</i> , 2013, 13, 28.  | 0.6 | 15        |
| 19488 | Study protocol: the relation of birth weight and infant growth trajectories with physical fitness, physical activity and sedentary behavior at 8-9 years of age - the ABCD study. <i>BMC Pediatrics</i> , 2013, 13, 102.                                    | 0.7 | 17        |
| 19489 | Effect of changes in a food frequency questionnaire: comparing data from two national dietary survey instruments among 12-month-old infants. <i>BMC Public Health</i> , 2013, 13, 680.  | 1.2 | 7         |
| 19490 | Comparison of the SF6D, the EQ5D, and the oswestry disability index in patients with chronic low back pain and degenerative disc disease. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 148.   | 0.8 | 118       |
| 19491 | Ankle dorsi- and plantar-flexion torques measured by dynamometry in healthy subjects from 5 to 80 years. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 104.  | 0.8 | 51        |
| 19492 | A new web-based method for automated analysis of muscle histology. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 26.   | 0.8 | 25        |
| 19493 | Evaluating maternity care using national administrative health datasets: How are statistics affected by the quality of data on method of delivery?. <i>BMC Health Services Research</i> , 2013, 13, 200.  | 0.9 | 28        |
| 19494 | Evaluation of a rapid colorimetric field test to assess the effective life of long-lasting insecticide-treated mosquito nets in the Lao PDR. <i>Malaria Journal</i> , 2013, 12, 57.   | 0.8 | 9         |
| 19495 | Development and validation of anthropometric equations to estimate appendicular muscle mass in elderly women. <i>Nutrition Journal</i> , 2013, 12, 92.  | 1.5 | 26        |
| 19496 | Relative validity of the food frequency questionnaire used to assess dietary intake in the Leiden Longevity Study. <i>Nutrition Journal</i> , 2013, 12, 75.   | 1.5 | 153       |
| 19497 | Assessing the validity of a self-administered food-frequency questionnaire (FFQ) in the adult population of Newfoundland and Labrador, Canada. <i>Nutrition Journal</i> , 2013, 12, 49.   | 1.5 | 74        |
| 19498 | Estimation of cardiac output and systemic vascular resistance using a multivariate regression model with features selected from the finger photoplethysmogram and routine cardiovascular measurements. <i>BioMedical Engineering OnLine</i> , 2013, 12, 19. | 1.3 | 21        |
| 19499 | An intracranial pressure-derived index monitored simultaneously from two separate sensors in patients with cerebral bleeds: comparison of findings. <i>BioMedical Engineering OnLine</i> , 2013, 12, 14.  | 1.3 | 8         |
| 19500 | Automatic thickness estimation for skeletal muscle in ultrasonography: evaluation of two enhancement methods. <i>BioMedical Engineering OnLine</i> , 2013, 12, 6.   | 1.3 | 22        |
| 19501 | Somatic symptoms, peer and school stress, and family and community violence exposure among urban elementary school children. <i>Journal of Behavioral Medicine</i> , 2013, 36, 454-465.   | 1.1 | 38        |
| 19502 | Intra-day and inter-day reliability of heart rate variability measurement. <i>Journal of Sports Sciences</i> , 2013, 31, 150-158.   | 1.0 | 42        |
| 19504 | Coronary Artery Wall Thickness of the Left Anterior Descending Artery Using High Resolution Transthoracic Echocardiography – Normal Range of Values. <i>Echocardiography</i> , 2013, 30, 759-764.   | 0.3 | 19        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19505 | Kinematic characteristics of elite men's 50km race walking. <i>European Journal of Sport Science</i> , 2013, 13, 272-279.   | 1.4 | 29        |
| 19506 | Harmonizing SUVs in multicentre trials when using different generation PET systems: prospective validation in non-small cell lung cancer patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 985-996.                 | 3.3 | 107       |
| 19507 | La risonanza magnetica pu <sup>2</sup> quantificare il danno osseo glenoideo in seguito a lussazione della spalla: valutazione comparativa inter-e intra-individuale con la TC. <i>Radiologia Medica</i> , 2013, 118, 1335-1343.                          | 4.7 | 35        |
| 19508 | 3-Tesla MR spectroscopy in patients subjected to bone marrow transplantation: clinical correlations. <i>Radiologia Medica</i> , 2013, 118, 101-111.   | 4.7 | 2         |
| 19509 | Mesh-based method for measuring intracranial volume in patients with craniosynostosis. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2013, 8, 703-709.  | 1.7 | 7         |
| 19510 | Three-dimensional skeletonization and symbolic description in vascular imaging: preliminary results. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2013, 8, 233-246.  | 1.7 | 6         |
| 19511 | Reliability of Widefield Nailfold Capillaroscopy and Videocapillaroscopy in the Assessment of Patients With Raynaud's Phenomenon. <i>Arthritis Care and Research</i> , 2013, 65, 1853-1861.   | 1.5 | 46        |
| 19512 | Predictors of quality of life among multiple sclerosis patients: a comprehensive analysis. <i>European Journal of Neurology</i> , 2013, 20, 756-764.  | 1.7 | 94        |
| 19513 | Influence of Bag Volume on Reproducibility of Inert Gas Rebreathing Pulmonary Blood Flow Measurements in Patients with Pulmonary Diseases. <i>Lung</i> , 2013, 191, 467-473.  | 1.4 | 2         |
| 19514 | Left ventricular synchronicity is impaired in patients with active acromegaly. <i>Endocrine</i> , 2013, 44, 200-206.  | 1.1 | 11        |
| 19515 | Serum Neuron-Specific Enolase Levels from the Same Patients Differ Between Laboratories: Assessment of a Prospective Post-cardiac Arrest Cohort. <i>Neurocritical Care</i> , 2013, 19, 161-166.   | 1.2 | 38        |
| 19516 | Comparison of stroke volume and fluid responsiveness measurements in commonly used technologies for goal-directed therapy. <i>Journal of Clinical Anesthesia</i> , 2013, 25, 466-474.   | 0.7 | 27        |
| 19517 | The Oxygen Reactivity Index and Its Relation to Sensor Technology in Patients with Severe Brain Lesions. <i>Neurocritical Care</i> , 2013, 19, 74-78.   | 1.2 | 16        |
| 19518 | First Clinical Experience with Intranasal Cooling for Hyperthermia in Brain-Injured Patients. <i>Neurocritical Care</i> , 2013, 18, 400-405.  | 1.2 | 15        |
| 19519 | A comparison of measured and estimated glomerular filtration rate for carboplatin dose calculation in stage I testicular seminoma. <i>Medical Oncology</i> , 2013, 30, 661.   | 1.2 | 10        |
| 19520 | Assessment of age changes and repeatability for computer-based rod dark adaptation. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2013, 251, 1821-1827.   | 1.0 | 18        |
| 19521 | Enhanced depth imaging of the choroid in patients with neovascular age-related macular degeneration treated with anti-VEGF therapy versus untreated patients. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2013, 251, 1483-1488. | 1.0 | 24        |
| 19522 | Influence of scanning density on macular choroidal volume measurement using spectral-domain optical coherence tomography. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2013, 251, 1303-1309.                                     | 1.0 | 18        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19523 | Comparison of Spectralis-OCT, GDxVCC and GDxECC in assessing retinal nerve fiber layer (RNFL) in glaucomatous patients. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2013, 251, 1343-1353.   | 1.0 | 8         |
| 19524 | Agreement of IOL power and axial length obtained by IOLMaster 500 vs IOLMaster 500 with Sonolink connection. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2013, 251, 1145-1149.  | 1.0 | 1         |
| 19525 | Improving the repeatability of heterochromatic flicker photometry for measurement of macular pigment optical density. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2013, 251, 871-880.   | 1.0 | 18        |
| 19526 | Changes in arm coordination and stroke parameters on transition through the lactate threshold. <i>European Journal of Applied Physiology</i> , 2013, 113, 1957-1964.  | 1.2 | 19        |
| 19527 | Inter-unit variability in two ParvoMedics TrueOne 2400 automated metabolic gas analysis systems. <i>European Journal of Applied Physiology</i> , 2013, 113, 753-762.  | 1.2 | 26        |
| 19528 | Optimizing working space in porcine laparoscopy: CT measurement of the effects of intra-abdominal pressure. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013, 27, 1668-1673.  | 1.3 | 33        |
| 19529 | Performance of cystatin C-based equations in a pediatric cohort at high risk of kidney injury. <i>Pediatric Nephrology</i> , 2013, 28, 453-461.   | 0.9 | 36        |
| 19530 | Unmeasured anions are associated with short-term mortality in patients with hypoxic hepatitis. <i>Wiener Klinische Wochenschrift</i> , 2013, 125, 474-480.  | 1.0 | 6         |
| 19531 | Fast neural network learning algorithms for medical applications. <i>Neural Computing and Applications</i> , 2013, 23, 1019-1034.   | 3.2 | 78        |
| 19532 | Quantitative CBF measurement using an integrated SPECT/CT system: validation of three-dimensional ordered-subset expectation maximization and CT-based attenuation correction by comparing with O-15 water PET. <i>Annals of Nuclear Medicine</i> , 2013, 27, 822-833.  | 1.2 | 15        |
| 19533 | A new method for apparent diffusion coefficient measurement using sequential 18F-FDG PET and MRI: correlation with histological grade of invasive ductal carcinoma of the breast. <i>Annals of Nuclear Medicine</i> , 2013, 27, 720-728.  | 1.2 | 17        |
| 19534 | Phase analysis by gated F-18 FDG PET/CT for left ventricular dyssynchrony assessment: a comparison with gated Tc-99m sestamibi SPECT. <i>Annals of Nuclear Medicine</i> , 2013, 27, 325-334.  | 1.2 | 15        |
| 19535 | A New Ki-67 / E-Cadherin Cocktail Reduces Inter-observer Variation of the Calculated Proliferative Index. <i>Pathology and Oncology Research</i> , 2013, 19, 875-879.   | 0.9 | 1         |
| 19536 | Quantifying competitive swim training using accelerometer-based activity monitors. <i>Sports Engineering</i> , 2013, 16, 155-164.   | 0.5 | 9         |
| 19537 | Automatic fovea location in retinal images using anatomical priors and vessel density. <i>Pattern Recognition Letters</i> , 2013, 34, 1152-1158.  | 2.6 | 31        |
| 19538 | Incremental diagnostic benefit of resolution recovery software in patients with equivocal myocardial perfusion single-photon emission computed tomography (SPECT). <i>Journal of Nuclear Cardiology</i> , 2013, 20, 545-552.  | 1.4 | 8         |
| 19539 | Test-retest reliability of the Disease Activity Score 28 CRP (DAS28-CRP), the Simplified Disease Activity Index (SDAI) and the Clinical Disease Activity Index (CDAI) in rheumatoid arthritis when based on patient self-assessment of tender and swollen joints. <i>Clinical Rheumatology</i> , 2013, 32, 1493-1500. | 1.0 | 22        |
| 19540 | Quantification of left ventricular longitudinal strain by two-dimensional speckle tracking: a comparison between expert and non-expert readers. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1451-1458.   | 0.7 | 7         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19541 | Reproducibility of computed tomography angiography data analysis using semiautomated plaque quantification software: implications for the design of longitudinal studies. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1095-1104.              | 0.7 | 53        |
| 19542 | Comparison of two different spectral domain optical coherence tomography devices in the detection of localized retinal nerve fiber layer defects. <i>Japanese Journal of Ophthalmology</i> , 2013, 57, 347-358.  | 0.9 | 14        |
| 19543 | Quantitative In Vivo HR-pQCT Imaging of 3D Wrist and Metacarpophalangeal Joint Space Width in Rheumatoid Arthritis. <i>Annals of Biomedical Engineering</i> , 2013, 41, 2553-2564.   | 1.3 | 60        |
| 19544 | Evaluation in an emergency department of rapid separator tubes containing thrombin for serum preparation prior to hs-cTnT and CK-MB analyses. <i>BMC Clinical Pathology</i> , 2013, 13, 20.  | 1.8 | 3         |
| 19545 | Bioelectrical impedance analysis to estimate body composition in children and adolescents: a systematic review and evidence appraisal of validity, responsiveness, reliability and measurement error. <i>Obesity Reviews</i> , 2013, 14, 895-905.                    | 3.1 | 149       |
| 19546 | Assessing body composition in taller or broader individuals using dual-energy X-ray absorptiometry: a systematic review. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 1012-1021.  | 1.3 | 26        |
| 19547 | Agreement between paper and pen visual analogue scales and a wristwatch-based electronic appetite rating system (PRO-Diary), for continuous monitoring of free-living subjective appetite sensations in 7-10 year old children. <i>Appetite</i> , 2013, 69, 180-185. | 1.8 | 11        |
| 19548 | Treatment response of airway clearance assessed by single-breath washout in children with cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2013, 12, 567-574.  | 0.3 | 22        |
| 19549 | Determination of ethyl glucuronide and ethyl sulfate from dried blood spots. <i>International Journal of Legal Medicine</i> , 2013, 127, 769-775.  | 1.2 | 23        |
| 19550 | Image cytometer method for automated assessment of human spermatozoa concentration. <i>Andrology</i> , 2013, 1, 615-623.   | 1.9 | 12        |
| 19551 | IOP variations from sitting to supine postures determined by rebound tonometer. <i>Journal of Optometry</i> , 2013, 6, 95-100.   | 0.7 | 10        |
| 19552 | Bioactive polymeric-ceramic hybrid 3D scaffold for application in bone tissue regeneration. <i>Materials Science and Engineering C</i> , 2013, 33, 4460-4469.  | 3.8 | 64        |
| 19553 | Magnetic resonance transverse relaxation time T2 of knee cartilage in osteoarthritis at 3-T: a cross-sectional multicentre, multivendor reproducibility study. <i>Skeletal Radiology</i> , 2013, 42, 511-520.  | 1.2 | 43        |
| 19554 | Gated SPECT evaluation of left ventricular function using a CZT camera and a fast low-dose clinical protocol: comparison to cardiac magnetic resonance imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 1869-1875.             | 3.3 | 41        |
| 19555 | Comparison of PET metabolic indices for the early assessment of tumour response in metastatic colorectal cancer patients treated by polychemotherapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 166-174.                         | 3.3 | 28        |
| 19556 | Evaluation of Cam-type femoroacetabular impingement by ultrasound. <i>International Orthopaedics</i> , 2013, 37, 783-788.  | 0.9 | 32        |
| 19557 | AS30D Model of Hepatocellular Carcinoma: Tumorigenicity and Preliminary Characterization by Imaging, Histopathology, and Immunohistochemistry. <i>CardioVascular and Interventional Radiology</i> , 2013, 36, 198-203.   | 0.9 | 14        |
| 19558 | Cone-beam computed tomography and microtomography for alveolar bone measurements. <i>Surgical and Radiologic Anatomy</i> , 2013, 35, 495-502.  | 0.6 | 17        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19559 | Anatomical and CT angiographic study of superior gluteal neurovascular pedicle: implications for hip surgery. <i>Surgical and Radiologic Anatomy</i> , 2013, 35, 107-113.  | 0.6 | 11        |
| 19560 | Does venous blood gas analysis provide accurate estimates of hemoglobin oxygen affinity?. <i>Annals of Hematology</i> , 2013, 92, 517-521.   | 0.8 | 13        |
| 19561 | Dynamic contrast-enhanced MR imaging for differentiation between enchondroma and chondrosarcoma. <i>European Radiology</i> , 2013, 23, 3140-3152.  | 2.3 | 68        |
| 19562 | Surface area-length index: a novel index for rapid detection of right ventricles with abnormal ejection fraction using cardiac MRI. <i>European Radiology</i> , 2013, 23, 2383-2391.   | 2.3 | 3         |
| 19563 | Combined contrast-enhanced magnetic resonance and diffusion-weighted imaging reading adapted to the "Breast Imaging Reporting and Data System" for multiparametric 3-T imaging of breast lesions. <i>European Radiology</i> , 2013, 23, 1791-1802. | 2.3 | 106       |
| 19564 | Precision of pulmonary vein diameter measurements assessed by CE-MRA and steady-state-free precession imaging. <i>European Radiology</i> , 2013, 23, 1546-1552.  | 2.3 | 3         |
| 19565 | Diffusion-weighted MR imaging in liver metastases of colorectal cancer: reproducibility and biological validation. <i>European Radiology</i> , 2013, 23, 748-756.  | 2.3 | 65        |
| 19566 | Comparative reproducibility of the noninvasive ultrasound methods for the assessment of vascular function. <i>Heart and Vessels</i> , 2013, 28, 143-150.   | 0.5 | 61        |
| 19567 | Assessment of vascular remodeling after the Fontan procedure using a novel very high resolution ultrasound method: arterial wall thinning and venous thickening in late follow-up. <i>Heart and Vessels</i> , 2013, 28, 66-75.                     | 0.5 | 22        |
| 19568 | Validation of cephalic index measurements in scaphocephaly. <i>Child's Nervous System</i> , 2013, 29, 1007-1014.   | 0.6 | 35        |
| 19569 | Improved Derivation of Input Function in Dynamic Mouse [18F]FDG PET Using Bladder Radioactivity Kinetics. <i>Molecular Imaging and Biology</i> , 2013, 15, 486-496.  | 1.3 | 15        |
| 19570 | The use of combined thermal/pressure polyvinylidene fluoride film airflow sensor in polysomnography. <i>Sleep and Breathing</i> , 2013, 17, 1267-1273.   | 0.9 | 10        |
| 19571 | Sleep scoring: man vs. machine?. <i>Sleep and Breathing</i> , 2013, 17, 461-462.   | 0.9 | 4         |
| 19572 | Manual vs. automated analysis of polysomnographic recordings in patients with chronic obstructive pulmonary disease. <i>Sleep and Breathing</i> , 2013, 17, 533-539.   | 0.9 | 5         |
| 19573 | Validity of sheet-type portable monitoring device for screening obstructive sleep apnea syndrome. <i>Sleep and Breathing</i> , 2013, 17, 589-595.  | 0.9 | 21        |
| 19574 | Parent versus teacher report of daytime behavior in snoring children. <i>Sleep and Breathing</i> , 2013, 17, 637-645.  | 0.9 | 9         |
| 19575 | Screening of snoring with an MP3 recorder. <i>Sleep and Breathing</i> , 2013, 17, 77-84.   | 0.9 | 9         |
| 19576 | Accuracy of ECG-based screening for sleep-disordered breathing: a survey of all male workers in a transport company. <i>Sleep and Breathing</i> , 2013, 17, 243-251.   | 0.9 | 26        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19577 | Limits of the Epworth Sleepiness Scale in older adults. <i>Sleep and Breathing</i> , 2013, 17, 343-350.  | 0.9 | 83        |
| 19578 | Accuracy of computer algorithms and the human eye in scoring actigraphy. <i>Sleep and Breathing</i> , 2013, 17, 411-417.   | 0.9 | 58        |
| 19579 | The influence of value choices in life cycle impact assessment of stressors causing human health damage. <i>International Journal of Life Cycle Assessment</i> , 2013, 18, 698-706.  | 2.2 | 29        |
| 19580 | Validation of DM-Scan, a computer-assisted tool to assess mammographic density in full-field digital mammograms. <i>SpringerPlus</i> , 2013, 2, 242.   | 1.2 | 15        |
| 19581 | The Copeland resurfacing humeral head implant does not restore humeral head anatomy. A retrospective study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2013, 133, 615-619.  | 1.3 | 45        |
| 19582 | Baseline Correction in Parallel Thorough QT Studies. <i>Drug Safety</i> , 2013, 36, 441-453.   | 1.4 | 7         |
| 19583 | The effect of a meal on measures of impedance and percent body fat estimated using contact-electrode bioelectrical impedance technology. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 950-955.                                  | 1.3 | 15        |
| 19584 | Evaluation of the Joypex 5 and Root <i>&lt;sc&gt;ZX II&lt;/sc&gt;</i> : an <i>&lt;i&gt;in vivo&lt;/i&gt;</i> and <i>&lt;i&gt;ex vivo&lt;/i&gt;</i> study. <i>International Endodontic Journal</i> , 2013, 46, 904-909.                       | 2.3 | 14        |
| 19585 | Assessing Agreement between microRNA Microarray Platforms via Linear Measurement Error Models. <i>Lecture Notes in Computer Science</i> , 2013, , 117-131.   | 1.0 | 0         |
| 19586 | Comparative assessment of left ventricular function variables determined via cardiac computed tomography and cardiac magnetic resonance imaging in dogs. <i>American Journal of Veterinary Research</i> , 2013, 74, 990-998.                 | 0.3 | 17        |
| 19587 | Utility and Uncorrected Refractive Error. <i>Ophthalmology</i> , 2013, 120, 1736-1744.   | 2.5 | 61        |
| 19588 | The highly abundant urinary metabolite urobilin interferes with the bicinchoninic acid assay. <i>Analytical Biochemistry</i> , 2013, 442, 110-117.   | 1.1 | 5         |
| 19589 | Assessment of insulin sensitivity (S I) and glucose effectiveness (S G) from a standardized hyperglucidic breakfast test in type 2 diabetics exhibiting various levels of insulin resistance. <i>Acta Diabetologica</i> , 2013, 50, 143-153. | 1.2 | 15        |
| 19590 | A comparison between radiometric and fluorimetric methods for measuring SSAO activity. <i>Journal of Neural Transmission</i> , 2013, 120, 1015-1018.   | 1.4 | 5         |
| 19591 | Development of a liquid-phase blocking ELISA based on foot-and-mouth disease virus empty capsid antigen for seromonitoring vaccinated animals. <i>Archives of Virology</i> , 2013, 158, 993-1001.  | 0.9 | 12        |
| 19592 | Reproducibility and validity of the Japanese version of the Western Ontario Rotator Cuff Index. <i>Journal of Orthopaedic Science</i> , 2013, 18, 705-711.   | 0.5 | 17        |
| 19593 | Three-dimensional analysis of tooth dimensions in the MSX1-missense mutation. <i>Clinical Oral Investigations</i> , 2013, 17, 1437-1445.   | 1.4 | 5         |
| 19594 | Quality assessment of cardiovascular magnetic resonance in the setting of the European CMR registry: description and validation of standardized criteria. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 55.                | 1.6 | 76        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19595 | Inter-study reproducibility of cardiovascular magnetic resonance tagging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 37.   | 1.6 | 41        |
| 19596 | Quantification of left ventricular trabeculae using fractal analysis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 36.   | 1.6 | 167       |
| 19597 | Efficient and reproducible high resolution spiral myocardial phase velocity mapping of the entire cardiac cycle. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 34.  | 1.6 | 26        |
| 19598 | Reference right atrial dimensions and volume estimation by steady state free precession cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 29.  | 1.6 | 77        |
| 19599 | Normal variation of magnetic resonance T1 relaxation times in the human population at 1.5 T using ShMOLLI. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 13.  | 1.6 | 216       |
| 19600 | Global and regional left ventricular myocardial deformation measures by magnetic resonance feature tracking in healthy volunteers: comparison with tagging and relevance of gender. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 8.  | 1.6 | 244       |
| 19601 | Two rapid ultra performance liquid chromatography/tandem mass spectrometry (UPLC/MS/MS) methods with common sample pretreatment for therapeutic drug monitoring of immunosuppressants compared to immunoassay. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013, 928, 9-15. | 1.2 | 75        |
| 19602 | High throughput method for Sr extraction from variable matrix waters and <sup>87</sup> Sr/ <sup>86</sup> Sr isotope analysis by MC-ICP-MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2013, 28, 1338.   | 1.6 | 24        |
| 19603 | Comparison of median frequency between traditional and functional sensor placements during activity monitoring. <i>Measurement: Journal of the International Measurement Confederation</i> , 2013, 46, 2193-2200.   | 2.5 | 4         |
| 19604 | Validation of a Weight History Questionnaire to Identify Adolescent Obesity. <i>Obesity Surgery</i> , 2013, 23, 1404-1412.  | 1.1 | 12        |
| 19605 | Estimating Renal Function in Morbidly Obese Patients. <i>Obesity Surgery</i> , 2013, 23, 1427-1430.   | 1.1 | 7         |
| 19606 | Dumping Syndrome Following Gastric Bypass: Validation of the Dumping Symptom Rating Scale. <i>Obesity Surgery</i> , 2013, 23, 740-755.  | 1.1 | 58        |
| 19607 | Ultra-fast cyclosporin A quantitation in whole blood by Laser Diode Thermal Desorption " Tandem Mass Spectrometry; comparison with High Performance Liquid Chromatography" Tandem Mass Spectrometry. <i>Analytica Chimica Acta</i> , 2013, 805, 80-86.  | 2.6 | 29        |
| 19608 | Variability and reproducibility of carotid structural and functional parameters assessed with transcutaneous ultrasound " Results from the SAPALDIA Cohort Study. <i>Atherosclerosis</i> , 2013, 231, 448-455.  | 0.4 | 22        |
| 19609 | Accuracy of Real-Time Single- and Multi-Beat 3-D Speckle Tracking Echocardiography In Vitro. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 1006-1014.   | 0.7 | 16        |
| 19610 | The prediction of in-flight hypoxaemia using non-linear equations. <i>Respiratory Medicine</i> , 2013, 107, 841-847.  | 1.3 | 17        |
| 19611 | Volume Estimation of the Aortic Sac after EVAR Using 3-D Ultrasound " A Novel, Accurate and Promising Technique. <i>European Journal of Vascular and Endovascular Surgery</i> , 2013, 45, 450-455.  | 0.8 | 31        |
| 19612 | Long-Term Reproducibility of Cirrus HD Optical Coherence Tomography Deviation Map in Clinically Stable Glaucomatous Eyes. <i>Ophthalmology</i> , 2013, 120, 969-977.  | 2.5 | 21        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19613 | Coronary artery calcium scoring: Influence of adaptive statistical iterative reconstruction using 64-MDCT. <i>International Journal of Cardiology</i> , 2013, 167, 2932-2937.  | 0.8 | 63        |
| 19614 | The intra- and inter-rater reliability of X-ray radiological measurements for patellar instability. <i>Knee</i> , 2013, 20, 133-138.   | 0.8 | 41        |
| 19615 | Measurement of uterine fibroid volume: a comparative accuracy and validation of methods study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 171, 161-165.                                  | 0.5 | 16        |
| 19616 | The Carotid Artery as an Alternative Site to the Middle Cerebral Artery for Reproducible Estimates of Autoregulation Index. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 735-741.                                       | 0.7 | 5         |
| 19618 | Imputation of response rates from means and standard deviations in schizophrenia. <i>Schizophrenia Research</i> , 2013, 151, 209-214.  | 1.1 | 22        |
| 19619 | Discrepancies between mothers and clinicians in assessing functional capabilities and performance of children with cerebral palsy. <i>Research in Developmental Disabilities</i> , 2013, 34, 3746-3753.                          | 1.2 | 12        |
| 19620 | Severe Aortic Valve Stenosis With Low-gradient and Preserved Ejection Fraction: A Misclassification Issue?. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2013, 66, 255-260.  | 0.4 | 0         |
| 19621 | Validation of the 12-Item Stroke-Specific Quality of Life Scale in a Biethnic Stroke Population. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013, 22, 1270-1272.  | 0.7 | 18        |
| 19622 | Within-Person Variability in Kidney Measures. <i>American Journal of Kidney Diseases</i> , 2013, 61, 716-722.  | 2.1 | 55        |
| 19623 | Evaluation of spot urine as an alternative to 24h urine collection for determination of biomarkers of exposure to cigarette smoke in adult smokers. <i>Environmental Toxicology and Pharmacology</i> , 2013, 36, 108-114.        | 2.0 | 19        |
| 19624 | Assessing Splenomegaly. <i>Academic Radiology</i> , 2013, 20, 675-684.   | 1.3 | 47        |
| 19625 | Scoring human sperm morphology using Testsimplets and Diff-Quik slides. <i>Fertility and Sterility</i> , 2013, 99, 1227-1232.e2.   | 0.5 | 12        |
| 19626 | Short communication: Comparison of ambient temperature, relative humidity, and temperature-humidity index between on-farm measurements and official meteorological data. <i>Journal of Dairy Science</i> , 2013, 96, 7731-7738.  | 1.4 | 41        |
| 19627 | Abdominal Aortic Aneurysm Imaging with 3-D Ultrasound: 3-D-Based Maximum Diameter Measurement and Volume Quantification. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 1325-1336.  | 0.7 | 31        |
| 19628 | Validade dos métodos para avaliação da gordura corporal em crianças e adolescentes por meio de modelos multicompartimentais: uma revisão sistemática. <i>Revista Da Associação Médica Brasileira</i> , 2013, 59, 475-486.        | 0.3 | 38        |
| 19629 | Validation of the GT3X ActiGraph in children and comparison with the GT1M ActiGraph. <i>Journal of Science and Medicine in Sport</i> , 2013, 16, 40-44.  | 0.6 | 155       |
| 19630 | Reproducibility of arterial stiffness and wave reflections in chronic obstructive pulmonary disease: The contribution of lung hyperinflation and a comparison of techniques. <i>Respiratory Medicine</i> , 2013, 107, 1700-1708. | 1.3 | 11        |
| 19631 | Clinical significance of sleep-disordered breathing induced by sedatives during ablation of atrial fibrillation. <i>Sleep Medicine</i> , 2013, 14, 622-627.  | 0.8 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19632 | Short communication: Validation of a point-of-care glucometer for use in dairy cows. <i>Journal of Dairy Science</i> , 2013, 96, 4514-4518.  | 1.4 | 29        |
| 19633 | Noninvasive Assessment of LV Contraction Patterns Using CMR to Identify Responders to CRT. <i>JACC: Cardiovascular Imaging</i> , 2013, 6, 864-873.   | 2.3 | 41        |
| 19634 | Feasibility of automated analysis and inter-examiner variability of cortical silent period induced by transcranial magnetic stimulation. <i>Journal of Neuroscience Methods</i> , 2013, 217, 75-81.  | 1.3 | 8         |
| 19635 | Distribution and determinants of circulating complement factor H concentration determined by a high-throughput immunonephelometric assay. <i>Journal of Immunological Methods</i> , 2013, 390, 63-73.  | 0.6 | 33        |
| 19636 | Differential Effect of Ticagrelor Versus Prasugrel on Coronary Blood Flow Velocity in Patients With Non-ST-Elevation Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2013, 6, 277-283. | 1.4 | 59        |
| 19637 | Evaluation of cardiac output in intensive care using a noninvasive arterial pulse contour technique (Nexfin) compared with echocardiography. <i>Anaesthesia</i> , 2013, 68, 917-923.   | 1.8 | 34        |
| 19638 | Crosscultural Measurement Equivalence of the Health Assessment Questionnaire II. <i>Arthritis Care and Research</i> , 2013, 65, 1000-1004.   | 1.5 | 10        |
| 19639 | Reliability and sensitivity to change of the Bristol Rheumatoid Arthritis Fatigue scales. <i>Rheumatology</i> , 2013, 52, 1832-1839.   | 0.9 | 39        |
| 19640 | A Novel Noninvasive Method to Assess Left Ventricular $\dot{d}P/dt$ Using Diastolic Blood Pressure and Isovolumic Relaxation Time. <i>Echocardiography</i> , 2013, 30, 267-270.  | 0.3 | 5         |
| 19641 | A comparison of the analytical performance of five commercially available assays for neutrophil gelatinase-associated lipocalin using urine. <i>Annals of Clinical Biochemistry</i> , 2013, 50, 236-244.   | 0.8 | 32        |
| 19642 | High field carotid vessel wall imaging: A study on reproducibility. <i>European Journal of Radiology</i> , 2013, 82, 680-685.  | 1.2 | 15        |
| 19643 | Semiautomatic Volumetric Tumor Segmentation for Hepatocellular Carcinoma. <i>Academic Radiology</i> , 2013, 20, 446-452.   | 1.3 | 51        |
| 19644 | Within-laboratory and between-laboratory variability in the measurement of anti-müllerian hormone determined within an external quality assurance scheme. <i>Reproductive Biology</i> , 2013, 13, 255-257.   | 0.9 | 31        |
| 19645 | Reliability and Validity of an Automated Computerized Visual Acuity and Stereoacuity Test in Children Using an Interactive Video Game. <i>American Journal of Ophthalmology</i> , 2013, 156, 195-201.e1.   | 1.7 | 16        |
| 19646 | Semi-automatic assessment of skin capillary density: Proof of principle and validation. <i>Microvascular Research</i> , 2013, 90, 192-198.   | 1.1 | 22        |
| 19647 | Assessing the reliability of bioglogger techniques to measure activity in a free-ranging primate. <i>Animal Behaviour</i> , 2013, 85, 861-866.   | 0.8 | 41        |
| 19648 | Development of a new computer-based physical activity questionnaire to estimate habitual physical activity level in Malaysian adolescents. <i>Journal of Science and Medicine in Sport</i> , 2013, 16, 327-331.  | 0.6 | 8         |
| 19649 | Comparison of three indirect calorimetry devices and three methods of gas collection: A prospective observational study. <i>Clinical Nutrition</i> , 2013, 32, 1067-1072.  | 2.3 | 36        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19650 | Validity of the Optogait photoelectric system for the assessment of spatiotemporal gait parameters. <i>Medical Engineering and Physics</i> , 2013, 35, 500-504.  | 0.8 | 133       |
| 19651 | Impact of Bent Distortion on Accuracy of Measurement During Transrectal Ultrasonography for Prostatic Imaging: A Preliminary Study. <i>Urology</i> , 2013, 81, 915-919.  | 0.5 | 4         |
| 19652 | Apparent diffusion coefficient for discriminating metastatic from non-metastatic lymph nodes in primary rectal cancer. <i>European Journal of Radiology</i> , 2013, 82, e662-e668.   | 1.2 | 81        |
| 19653 | Adaptive network based on fuzzy inference system for equilibrated urea concentration prediction. <i>Computer Methods and Programs in Biomedicine</i> , 2013, 111, 578-591.   | 2.6 | 10        |
| 19654 | Renal function assessment in older adults. <i>British Journal of Clinical Pharmacology</i> , 2013, 76, n/a-n/a.  | 1.1 | 39        |
| 19655 | Testing agreement between a new method and the gold standardâ€”How do we test?. <i>Journal of Biomechanics</i> , 2013, 46, 2757-2760.  | 0.9 | 25        |
| 19657 | Systematic Error of Cardiac Output Measured by Bolus Thermodilution With a Pulmonary Artery Catheter Compared With That Measured by an Aortic Flow Probe in a Pig Model. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2013, 27, 1133-1139. | 0.6 | 32        |
| 19658 | Automatic segmentation of cardiac MRI cines validated for long axis views. <i>Computerized Medical Imaging and Graphics</i> , 2013, 37, 500-511.   | 3.5 | 18        |
| 19659 | Equine hoof slip distance during trot at training speed: Comparison between kinematic and accelerometric measurement techniques. <i>Veterinary Journal</i> , 2013, 197, 198-204.   | 0.6 | 14        |
| 19660 | Testâ€™retest reliability and developmental evolution of the 6-min walk test in Caucasian boys aged 5â€™12years. <i>Neuromuscular Disorders</i> , 2013, 23, 19-24.   | 0.3 | 22        |
| 19661 | Anterior chamber depth measurement in teenagers. Comparison of two techniques. <i>Journal of Optometry</i> , 2013, 6, 161-166.   | 0.7 | 6         |
| 19662 | Reproducibility of corticospinal diffusion tensor tractography in normal subjects and hemiparetic stroke patients. <i>European Journal of Radiology</i> , 2013, 82, e610-e616.   | 1.2 | 19        |
| 19663 | Indirect measurement of the vascular endothelial glycocalyx layer thickness in human submucosal capillaries with a plug-in for ImageJ. <i>Computer Methods and Programs in Biomedicine</i> , 2013, 110, 38-47.   | 2.6 | 13        |
| 19664 | Noninvasive Cardiac Output Monitors: A State-of-the-Art Review. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2013, 27, 121-134.  | 0.6 | 260       |
| 19665 | Contribution of PETâ€™CT in radiotherapy planning of oesophageal carcinoma: A review. <i>Radiography</i> , 2013, 19, 259-269.  | 1.1 | 5         |
| 19666 | Comparaci3n del espesor corneal central medido con tomograf3a de coherencia 3ptica de segmento anterior y paquimetr3a ultras3nica. <i>Archivos De La Sociedad Espanola De Oftalmolog3a</i> , 2013, 88, 45-49.  | 0.1 | 4         |
| 19667 | Ability of the Third-Generation FloTrac/Vigileo Software to Track Changes in Cardiac Output in Cardiac Surgery Patients: A Polar Plot Approach. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2013, 27, 1122-1127.                          | 0.6 | 27        |
| 19668 | Relative and Absolute Reliabilities of the Myotonometric Measurements of Hemiparetic Arms in Patients With Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 459-466.  | 0.5 | 58        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19669 | An investigation to determine if a single validated density-elasticity relationship can be used for subject specific finite element analyses of human long bones. <i>Medical Engineering and Physics</i> , 2013, 35, 875-883.                     | 0.8 | 46        |
| 19670 | Prospective Urban Rural Epidemiology (PURE) study: Baseline characteristics of the household sample and comparative analyses with national data in 17 countries. <i>American Heart Journal</i> , 2013, 166, 636-646.e4.                           | 1.2 | 113       |
| 19671 | Analysis of tacrolimus and creatinine from a single dried blood spot using liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013, 926, 54-61.    | 1.2 | 74        |
| 19672 | Changes in fat and skeletal muscle with exercise training in obese adolescents: Comparison of whole-body MRI and dual energy X-ray absorptiometry. <i>Obesity</i> , 2013, 21, 2063-2071.  | 1.5 | 34        |
| 19673 | Development and validation of a food frequency questionnaire to estimate the intake of genistein in Malaysia. <i>International Journal of Food Sciences and Nutrition</i> , 2013, 64, 794-800.  | 1.3 | 3         |
| 19674 | Quantitative histological assessment of hepatic ischemia-reperfusion injuries following ischemic pre- and post-conditioning in the rat liver. <i>Journal of Surgical Research</i> , 2013, 180, e11-e20.   | 0.8 | 18        |
| 19675 | Noninvasive assessment of hemodynamic response to a fluid challenge using femoral Doppler in critically ill ventilated patients. <i>Journal of Critical Care</i> , 2013, 28, 902-907.   | 1.0 | 8         |
| 19676 | Evaluation of a point-of-care glucose and $\hat{\text{I}}^2$ -hydroxybutyrate meter operated in various environmental conditions in prepartum and postpartum sheep. <i>American Journal of Veterinary Research</i> , 2013, 74, 1059-1065.         | 0.3 | 13        |
| 19677 | Using the cervical range of motion (CROM) device to assess head repositioning accuracy in individuals with cervical radiculopathy in comparison to neck-healthy individuals. <i>Manual Therapy</i> , 2013, 18, 403-409.                           | 1.6 | 39        |
| 19678 | Dynamic Contrast-Enhanced MRI-Based Early Detection of Acute Renal Transplant Rejection. <i>IEEE Transactions on Medical Imaging</i> , 2013, 32, 1910-1927.   | 5.4 | 59        |
| 19679 | The natural history of liver regeneration in rats: Description of an animal model for liver regeneration studies. <i>International Journal of Surgery</i> , 2013, 11, 903-908.  | 1.1 | 31        |
| 19680 | Precision of 3D scapular kinematic measurements for analytic arm movements and activities of daily living. <i>Manual Therapy</i> , 2013, 18, 473-480.   | 1.6 | 15        |
| 19681 | Comparison of Automated Differential Blood Cell Counts From Abbott Sapphire, Siemens Advia 120, Beckman Coulter DxH 800, and Sysmex XE-2100 in Normal and Pathologic Samples. <i>American Journal of Clinical Pathology</i> , 2013, 139, 641-650. | 0.4 | 103       |
| 19682 | Virtual Fractional Flow Reserve From Coronary Angiography: Modeling the Significance of Coronary Lesions. <i>JACC: Cardiovascular Interventions</i> , 2013, 6, 149-157.   | 1.1 | 219       |
| 19683 | Comparison of haemoglobin measurement methods in the operating theatre. <i>British Journal of Anaesthesia</i> , 2013, 111, 946-954.   | 1.5 | 61        |
| 19684 | Concordance of temperature measurements in the preterm and term neonate using three thermometers. <i>Journal of Neonatal Nursing</i> , 2013, 19, 309-316.   | 0.3 | 6         |
| 19685 | A cross-validation of near-infrared spectroscopy measurements of skeletal muscle oxidative capacity with phosphorus magnetic resonance spectroscopy. <i>Journal of Applied Physiology</i> , 2013, 115, 1757-1766.                                 | 1.2 | 133       |
| 19686 | Brain natriuretic peptide predicts forced vital capacity of the lungs, oxygen pulse and peak oxygen consumption in physiological condition. <i>Peptides</i> , 2013, 43, 32-39.  | 1.2 | 3         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19687 | Application of a new three-dimensional method for the measurement of coronary stent angulation and comparison with conventional methods. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 925-934.   | 0.7 | 0         |
| 19688 | Contrast echocardiography for assessing left ventricular vortex strength in heart failure: a prospective cohort study. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 1049-1060.   | 0.5 | 97        |
| 19689 | Interrater agreement and interrater reliability: Key concepts, approaches, and applications. <i>Research in Social and Administrative Pharmacy</i> , 2013, 9, 330-338.   | 1.5 | 475       |
| 19690 | Comparison of 2 electronic cowside tests to detect subclinical ketosis in dairy cows and the influence of the temperature and type of blood sample on the test results. <i>Journal of Dairy Science</i> , 2013, 96, 7719-7730.                                       | 1.4 | 66        |
| 19691 | Diffusion-weighted MRI of the normal adult pancreas: The effect of age on apparent diffusion coefficient values. <i>Clinical Radiology</i> , 2013, 68, e532-e537.  | 0.5 | 11        |
| 19692 | Comparison of Three-dimensional Speckle Tracking Echocardiography and Two-dimensional Echocardiography for Evaluation of Left Atrial Size and Function in Healthy Volunteers (Results from) Tj ETQq1 1 0.784314 rgb / Overlo   | 0.7 | 44        |
| 19693 | Validating Imaging Biomarkers of Cerebral Edema in Patients With Severe Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013, 22, 742-749.  | 0.7 | 44        |
| 19694 | An International Ki67 Reproducibility Study. <i>Journal of the National Cancer Institute</i> , 2013, 105, 1897-1906.   | 3.0 | 498       |
| 19695 | Development, validation and clinical evaluation of a dried urine spot method for determination of hippuric acid and creatinine. <i>Clinical Biochemistry</i> , 2013, 46, 1276-1280.  | 0.8 | 23        |
| 19696 | Dose Conversion Ratio in Hemodialysis Patients Switched from Darbepoetin Alfa to PEG-Epoetin Beta: AFFIRM Study. <i>Advances in Therapy</i> , 2013, 30, 1007-1017.   | 1.3 | 21        |
| 19697 | A validated new histological classification for intervertebral disc degeneration. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 2039-2047.   | 0.6 | 81        |
| 19698 | Combined Arterial Spin Labeling and Diffusion-Weighted Imaging for Noninvasive Estimation of Capillary Volume Fraction and Permeability-Surface Product in the Human Brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 67-75.                  | 2.4 | 33        |
| 19699 | Evaluating the agreement of skeletal age assessment based on hand-wrist and cervical vertebrae radiography. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013, 144, 838-847.  | 0.8 | 48        |
| 19700 | Development, relative validity, and reliability of a food frequency questionnaire for a case-control study on dietary advanced glycation end products and diabetes complications. <i>International Journal of Food Sciences and Nutrition</i> , 2013, 64, 1030-1035. | 1.3 | 20        |
| 19701 | Intrarater and Interrater Reliability of Select Clinical Tests in Patients Referred for Diagnostic Facet Joint Blocks in the Cervical Spine. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 1628-1634.  | 0.5 | 45        |
| 19702 | Application of the single blood sample method to estimate feline glomerular filtration rate in a clinically relevant situation. <i>Journal of Feline Medicine and Surgery</i> , 2013, 15, 1119-1122.   | 0.6 | 3         |
| 19703 | Detection and enumeration of <i>Staphylococcus aureus</i> from bovine milk samples by real-time polymerase chain reaction. <i>Journal of Dairy Science</i> , 2013, 96, 6955-6964.  | 1.4 | 25        |
| 19704 | Accuracy assessment of online glucose monitoring by a subcutaneous enzymatic glucose sensor during exercise in patients with type 1 diabetes treated by continuous subcutaneous insulin infusion. <i>Diabetes and Metabolism</i> , 2013, 39, 258-262.                | 1.4 | 20        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19705 | Correlation of optic nerve sheath diameter measurements by computed tomography and magnetic resonance imaging. <i>American Journal of Emergency Medicine</i> , 2013, 31, 1595-1597.   | 0.7 | 50        |
| 19706 | Assessing Performance of Closed-Loop Insulin Delivery Systems by Continuous Glucose Monitoring: Drawbacks and Way Forward. <i>Diabetes Technology and Therapeutics</i> , 2013, 15, 4-12.  | 2.4 | 48        |
| 19707 | Variability in human milk composition: benefit of individualized fortification in very-low-birth-weight infants. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 529S-535S.   | 2.2 | 114       |
| 19708 | Volumetric response classification in metastatic solid tumors on MSCT: Initial results in a whole-body setting. <i>European Journal of Radiology</i> , 2013, 82, e567-e573.   | 1.2 | 18        |
| 19709 | The Spanish version of the Fibromyalgia Rapid Screening Tool: translation, validity and reliability. <i>Rheumatology</i> , 2013, 52, 2283-2291.   | 0.9 | 7         |
| 19710 | Non-occlusive mesenteric ischemia (NOMI): utility of measuring the diameters of the superior mesenteric artery and superior mesenteric vein at multidetector CT. <i>Japanese Journal of Radiology</i> , 2013, 31, 737-743.            | 1.0 | 32        |
| 19711 | Reproducibility of radiographic hip measurements in adults. <i>Joint Bone Spine</i> , 2013, 80, 52-56.  | 0.8 | 35        |
| 19712 | Kinetics of maternally acquired anti-hepatitis A antibodies: Prediction of waning based on maternal or cord blood antibody levels. <i>Vaccine</i> , 2013, 31, 1490-1495.  | 1.7 | 22        |
| 19713 | Sensitive detection and quantification of gliadin contamination in gluten-free food with immunomagnetic beads based liposomal fluorescence immunoassay. <i>Analytica Chimica Acta</i> , 2013, 787, 246-253.                           | 2.6 | 44        |
| 19714 | PAT tools for the control of co-extrusion implants manufacturing process. <i>International Journal of Pharmaceutics</i> , 2013, 458, 15-24.   | 2.6 | 36        |
| 19715 | The reliability and validity of the Everyday Feelings Questionnaire in a clinical population. <i>Journal of Affective Disorders</i> , 2013, 148, 406-410.   | 2.0 | 14        |
| 19716 | Neural stem cell sparing by linac based intensity modulated stereotactic radiotherapy in intracranial tumors. <i>Radiation Oncology</i> , 2013, 8, 187.   | 1.2 | 10        |
| 19717 | Food and water intake, growth, and adiposity of Sprague-Dawley rats with diet board for 24 months. <i>Laboratory Animals</i> , 2013, 47, 245-256.   | 0.5 | 26        |
| 19718 | Concordance of macular pigment measurements obtained using customized heterochromatic flicker photometry, dual-wavelength autofluorescence, and single-wavelength reflectance. <i>Experimental Eye Research</i> , 2013, 116, 190-198. | 1.2 | 52        |
| 19719 | Evaluation of the Roche COBAS AmpliPrep/COBAS TaqMan HCV Test. <i>Diagnostic Microbiology and Infectious Disease</i> , 2013, 77, 25-30.   | 0.8 | 5         |
| 19720 | Validation of a modified three-day weighed food record for measuring energy intake in preschool-aged children with cerebral palsy. <i>Clinical Nutrition</i> , 2013, 32, 426-431.   | 2.3 | 16        |
| 19721 | Smartphone-enabled pulse rate variability: An alternative methodology for the collection of heart rate variability in psychophysiological research. <i>International Journal of Psychophysiology</i> , 2013, 89, 297-304.             | 0.5 | 98        |
| 19722 | Bimaxillary surgery in Class III malocclusion: Soft and hard tissue changes. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2013, 41, 254-257.   | 0.7 | 18        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19723 | Predictive formulas for food base excess and urine pH estimations of cats. <i>Animal Feed Science and Technology</i> , 2013, 182, 82-92.  | 1.1 | 10        |
| 19724 | The use of bioelectrical impedance analysis to estimate total body water in young children with cerebral palsy. <i>Clinical Nutrition</i> , 2013, 32, 579-584.  | 2.3 | 20        |
| 19725 | Greener bioanalytical approach for LC/MS-MS assay of enalapril and enalaprilat in human plasma with total replacement of acetonitrile throughout all analytical stages. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013, 927, 124-132. | 1.2 | 18        |
| 19726 | How accurate is pulse rate variability as an estimate of heart rate variability?. <i>International Journal of Cardiology</i> , 2013, 166, 15-29.  | 0.8 | 487       |
| 19727 | FloTrac/Vigileo™ (Third Generation) and MostCare®/PRAM Versus Echocardiography for Cardiac Output Estimation in Vascular Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2013, 27, 1114-1121.   | 0.6 | 15        |
| 19728 | Reliability of Goniometry-Based Q-Angle. <i>PM and R</i> , 2013, 5, 763-768.  | 0.9 | 16        |
| 19729 | Daily physical activity in ankylosing spondylitis: validity and reliability of the IPAQ and SQUASH and the relation with clinical assessments. <i>Arthritis Research and Therapy</i> , 2013, 15, R99.   | 1.6 | 49        |
| 19730 | Feature tracking measurement of dyssynchrony from cardiovascular magnetic resonance cine acquisitions: comparison with echocardiographic speckle tracking. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 95.  | 1.6 | 62        |
| 19731 | Volume quantification by contrast-enhanced ultrasound: an in-vitro comparison with true volumes and thermodilution. <i>Cardiovascular Ultrasound</i> , 2013, 11, 36.  | 0.5 | 14        |
| 19732 | A method for quantitative measurement of lumbar intervertebral disc structures: an intra- and inter-rater agreement and reliability study. <i>Chiropractic &amp; Manual Therapies</i> , 2013, 21, 26.   | 0.6 | 25        |
| 19733 | Validity of self-measured waist and hip circumferences: results from a community study in Malaysia. <i>Nutrition Journal</i> , 2013, 12, 135.   | 1.5 | 14        |
| 19734 | Contrast-enhanced ultrasound to evaluate changes in renal cortical perfusion around cardiac surgery: a pilot study. <i>Critical Care</i> , 2013, 17, R138.  | 2.5 | 66        |
| 19735 | Dorsal acoustic windows may ameliorate liver ultrasound in patients with chronic liver disease and meteorism/obesity/ascites. <i>Journal of Medical Ultrasonics (2001)</i> , 2013, 40, 399-408.   | 0.6 | 1         |
| 19736 | Total and viable residual splenic volume measurement after partial splenic embolization by three-dimensional ultrasound. <i>Journal of Medical Ultrasonics (2001)</i> , 2013, 40, 417-424.  | 0.6 | 1         |
| 19737 | The reliability of counting actinic keratosis. <i>Archives of Dermatological Research</i> , 2013, 305, 841-844.   | 1.1 | 21        |
| 19738 | An efficient framework for estimation of muscle fiber orientation using ultrasonography. <i>BioMedical Engineering OnLine</i> , 2013, 12, 98.   | 1.3 | 6         |
| 19739 | Validation of a transcutaneous bilirubin meter in Mongolian neonates: comparison with total serum bilirubin. <i>BMC Pediatrics</i> , 2013, 13, 151.   | 0.7 | 18        |
| 19740 | Repeatability of intraocular pressure measurements with Icare PRO rebound, Tono-Pen AVIA, and Goldmann tonometers in sitting and reclining positions. <i>BMC Ophthalmology</i> , 2013, 13, 44.  | 0.6 | 40        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19741 | Safety and treatment volumes achieved following new developments of the magnetic resonance-guided focused ultrasound system in the treatment of uterine fibroids: a cohort study. <i>Journal of Therapeutic Ultrasound</i> , 2013, 1, 20. | 2.2 | 8         |
| 19742 | Inter-observer agreement according to malaria parasite density. <i>Malaria Journal</i> , 2013, 12, 335.   | 0.8 | 15        |
| 19743 | Validity of self-reported lunch recalls in Swedish school children aged 6â€“8Âyears. <i>Nutrition Journal</i> , 2013, 12, 129.  | 1.5 | 25        |
| 19744 | Test-retest reliability of the â€œReading the Mind in the Eyesâ€™™ test: a one-year follow-up study. <i>Molecular Autism</i> , 2013, 4, 33.   | 2.6 | 130       |
| 19745 | Comparative analysis of two methods for measuring sales volumes during malaria medicine outlet surveys. <i>Malaria Journal</i> , 2013, 12, 311.   | 0.8 | 3         |
| 19746 | Validity of a computer-assisted manual segmentation software to quantify wrist erosion volume using computed tomography scans in rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 265.                              | 0.8 | 14        |
| 19747 | Validity and reliability of the EQ-5D-3Lâ„¢ among a paediatric injury population. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 157.   | 1.0 | 17        |
| 19748 | Estimation of glomerular filtration rate by a radial basis function neural network in patients with type-2 diabetes mellitus. <i>BMC Nephrology</i> , 2013, 14, 181.  | 0.8 | 5         |
| 19749 | Low agreement between cardiologists diagnosing left ventricular hypertrophy in children with end-stage renal disease. <i>BMC Nephrology</i> , 2013, 14, 170.  | 0.8 | 10        |
| 19750 | Noninvasive intracranial pressure estimation by orbital subarachnoid space measurement: the Beijing Intracranial and Intraocular Pressure (iCOP) study. <i>Critical Care</i> , 2013, 17, R162.  | 2.5 | 102       |
| 19751 | Glomerular Filtration Rate (GFR) determination via individual kinetics of the inulin-like polyfructosan sinistrin versus creatinine-based population-derived regression formulae. <i>BMC Nephrology</i> , 2013, 14, 159.                  | 0.8 | 24        |
| 19752 | A fast and effective method of quantifying myocardial perfusion by magnetic resonance imaging. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1313-1324.  | 0.7 | 5         |
| 19753 | Development of a questionnaire to assess sedentary time in older persons â€œ a comparative study using accelerometry. <i>BMC Geriatrics</i> , 2013, 13, 80.   | 1.1 | 63        |
| 19754 | Endoscopic Estimation of Tumor Size in Early Gastric Cancer. <i>Digestive Diseases and Sciences</i> , 2013, 58, 2329-2336.  | 1.1 | 16        |
| 19755 | Comparing the Tonojet disposable tonometer with the traditional Goldmann tonometer in glaucomatous and non-glaucomatous eyes. <i>International Ophthalmology</i> , 2013, 33, 367-374.   | 0.6 | 4         |
| 19756 | Validation of a Food-Frequency Questionnaire for the Assessment of Calcium Intake in Schoolchildren Aged 9â€“10Âyears. <i>Calcified Tissue International</i> , 2013, 93, 23-38.   | 1.5 | 16        |
| 19757 | Comparison of Goldmann applanation and dynamic contour tonometry in a population of Mexican open-angle glaucoma patients. <i>International Ophthalmology</i> , 2013, 33, 221-225.   | 0.6 | 1         |
| 19758 | Maximal mouth opening capacity: percentiles for healthy children 4â€“17Âyears of age. <i>Pediatric Rheumatology</i> , 2013, 11, 17.   | 0.9 | 68        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19759 | Carotid stenosis assessment with multi-detector CT angiography: comparison between manual and automatic segmentation methods. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 899-905.  | 0.7 | 5         |
| 19760 | Intracranial artery velocity measurement using 4D PC MRI at 3T: comparison with transcranial ultrasound techniques and 2D PC MRI. <i>Neuroradiology</i> , 2013, 55, 389-398.   | 1.1 | 62        |
| 19761 | HURT (Headache Under-Response to Treatment) questionnaire in the management of primary headache disorders: reliability, validity and clinical utility of the Arabic version. <i>Journal of Headache and Pain</i> , 2013, 14, 16.                         | 2.5 | 12        |
| 19762 | Influence of rigid coregistration of PET and CT data on metabolic volumetry: a user's perspective. <i>EJNMMI Research</i> , 2013, 3, 85.   | 1.1 | 0         |
| 19763 | Comparison of forehead infrared thermometry with axillary digital thermometry in neonates. <i>Indian Pediatrics</i> , 2013, 50, 1153-1154.   | 0.2 | 19        |
| 19764 | Reproducibility of small animal cine and scar cardiac magnetic resonance imaging using a clinical 3.0 tesla system. <i>BMC Medical Imaging</i> , 2013, 13, 44.   | 1.4 | 2         |
| 19765 | Development and psychometric properties of a questionnaire to assess barriers to feeding critically ill patients. <i>Implementation Science</i> , 2013, 8, 140.  | 2.5 | 14        |
| 19766 | The intra- and inter-rater reliability of five clinical muscle performance tests in patients with and without neck pain. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 339.   | 0.8 | 65        |
| 19767 | Validity of actigraphs uniaxial and triaxial accelerometers for assessment of physical activity in adults in laboratory conditions. <i>BMC Medical Physics</i> , 2013, 13, 5.  | 2.4 | 166       |
| 19768 | Comparison of LogMAR Eye charts with angular vision for visually impaired: the Berkeley rudimentary vision test vs LogMAR One target Landolt ring Eye chart. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2013, 251, 2761-2767. | 1.0 | 2         |
| 19769 | Uric acid is the major determinant of absorbance in spent dialysate allowing spectrophotometric evaluation of dialysis dose. <i>Journal of Nephrology</i> , 2013, 27, 331-7.   | 0.9 | 8         |
| 19770 | Low-dose CT for quantitative analysis in acute respiratory distress syndrome. <i>Critical Care</i> , 2013, 17, R183.   | 2.5 | 19        |
| 19771 | Asynchronous dentofacial development and dental crowding: a cross-sectional study in a contemporary sample of children in France. <i>Journal of Physiological Anthropology</i> , 2013, 32, 22.   | 1.0 | 6         |
| 19772 | Determination and comparison of the smallest detectable change (SDC) and the minimal important change (MIC) of four-shoulder patient-reported outcome measures (PROMs). <i>Journal of Orthopaedic Surgery and Research</i> , 2013, 8, 40.                | 0.9 | 203       |
| 19773 | The accuracy of a disposable noninvasive core thermometer. <i>Canadian Journal of Anaesthesia</i> , 2013, 60, 1190-1196.   | 0.7 | 25        |
| 19774 | Development and evaluation of a crosswalk between the SF-36 physical functioning scale and Health Assessment Questionnaire disability index in rheumatoid arthritis. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 199.                         | 1.0 | 26        |
| 19775 | Inflow-weighted pulmonary perfusion: comparison between dynamic contrast-enhanced MRI versus perfusion scintigraphy in complex pulmonary circulation. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 21.                                | 1.6 | 9         |
| 19776 | The pediatric rheumatology quality of life scale: validation of the English version in a US cohort of juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2013, 11, 43.   | 0.9 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19777 | Ultrasound mapping of pelvic endometriosis: does the location and number of lesions affect the diagnostic accuracy? a multicentre diagnostic accuracy study. <i>BMC Women's Health</i> , 2013, 13, 43.                         | 0.8 | 84        |
| 19778 | Validity of ultrasound muscle thickness measurements for predicting leg skeletal muscle mass in healthy Japanese middle-aged and older individuals. <i>Journal of Physiological Anthropology</i> , 2013, 32, 12.               | 1.0 | 43        |
| 19779 | A novel, non-invasive and in vivo approach to determine morphometric data in starfish. <i>Journal of Experimental Marine Biology and Ecology</i> , 2013, 449, 1-9.   | 0.7 | 11        |
| 19780 | Evaluation of transrectal examination of cervical diameter by palpation in dairy cows. <i>Journal of Dairy Science</i> , 2013, 96, 1063-1070.  | 1.4 | 8         |
| 19781 | Fish Heart Rate Monitoring by Body-Contact Doppler Radar. <i>IEEE Sensors Journal</i> , 2013, 13, 408-414.   | 2.4 | 21        |
| 19782 | Midbrain and Falx in Fetuses with Absent Corpus Callosum at 11-13 Weeks. <i>Fetal Diagnosis and Therapy</i> , 2013, 33, 41-46.   | 0.6 | 17        |
| 19783 | Agreement between different methods of measuring height in elderly patients. <i>Journal of Human Nutrition and Dietetics</i> , 2013, 26, 504-511.  | 1.3 | 20        |
| 19784 | Measurement of steroids in rats after exposure to an endocrine disruptor: Mass spectrometry and radioimmunoassay demonstrate similar results. <i>Journal of Pharmacological and Toxicological Methods</i> , 2013, 68, 314-322. | 0.3 | 12        |
| 19785 | Comparing Two Ground-Cover Measurement Methodologies for Semiarid Rangelands. <i>Rangeland Ecology and Management</i> , 2013, 66, 82-87.   | 1.1 | 5         |
| 19786 | Noninvasive methods for haemoglobin screening in prospective blood donors. <i>Vox Sanguinis</i> , 2013, 105, 116-120.  | 0.7 | 45        |
| 19787 | Comparison between three-dimensional angiographic reconstruction and intravascular ultrasound: Imaging of the left main coronary artery. <i>Catheterization and Cardiovascular Interventions</i> , 2013, 81, 1156-1161.        | 0.7 | 5         |
| 19788 | Combining Multiple Dynamic Models and Deep Learning Architectures for Tracking the Left Ventricle Endocardium in Ultrasound Data. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , 2013, 35, 2592-2607. | 9.7 | 104       |
| 19789 | Comparison and Repeatability of Keratometric and Corneal Power Measurements Obtained by Orbscan II, Pentacam, and Galilei Corneal Tomography Systems. <i>American Journal of Ophthalmology</i> , 2013, 156, 53-60.             | 1.7 | 122       |
| 19790 | The effect of unsteady flow due to acceleration on hydrodynamic forces acting on the hand in swimming. <i>Journal of Biomechanics</i> , 2013, 46, 1697-1704.   | 0.9 | 30        |
| 19791 | A general variance model in methods comparison. <i>Journal of Chemometrics</i> , 2013, 27, 414-419.  | 0.7 | 5         |
| 19792 | Proximal femur bone strength estimated by a computationally fast finite element analysis in a sideways fall configuration. <i>Journal of Biomechanics</i> , 2013, 46, 1231-1236.   | 0.9 | 92        |
| 19793 | Backstroke start kinematic and kinetic changes due to different feet positioning. <i>Journal of Sports Sciences</i> , 2013, 31, 1665-1675.   | 1.0 | 20        |
| 19794 | Virtual skin biopsy by optical coherence tomography: the first quantitative imaging biomarker for scleroderma. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1845-1851.  | 0.5 | 77        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19795 | Urinary NT-proBNP and ductal closure in preterm infants. <i>Journal of Perinatology</i> , 2013, 33, 212-217.  | 0.9 | 22        |
| 19796 | Myocardial Fibrosis as a Key Determinant of Left Ventricular Remodeling in Idiopathic Dilated Cardiomyopathy. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 790-799.  | 1.3 | 132       |
| 19797 | Comprehensive Validation of Cardiovascular Magnetic Resonance Techniques for the Assessment of Myocardial Extracellular Volume. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 373-383.                              | 1.3 | 324       |
| 19798 | Automated prostate segmentation in whole-body MRI scans for epidemiological studies. <i>Physics in Medicine and Biology</i> , 2013, 58, 5899-5915.  | 1.6 | 8         |
| 19799 | Body composition in sport: interobserver reliability of a novel ultrasound measure of subcutaneous fat tissue. <i>British Journal of Sports Medicine</i> , 2013, 47, 1036-1043.   | 3.1 | 42        |
| 19800 | Body composition in sport: a comparison of a novel ultrasound imaging technique to measure subcutaneous fat tissue compared with skinfold measurement. <i>British Journal of Sports Medicine</i> , 2013, 47, 1028-1035.     | 3.1 | 67        |
| 19801 | Perometry limb volume measurement: protocol development and reliability. <i>European Journal of Physiotherapy</i> , 2013, 15, 193-200.  | 0.7 | 7         |
| 19802 | Using digital photography to document rectus femoris flexibility: A reliability study of the modified Thomas test. <i>Physiotherapy Theory and Practice</i> , 2013, 29, 319-327.  | 0.6 | 10        |
| 19803 | The Bandim tuberculosis score: Reliability and comparison with the Karnofsky performance score. <i>Scandinavian Journal of Infectious Diseases</i> , 2013, 45, 256-264.   | 1.5 | 33        |
| 19804 | Reliability of the 1 RM bench press and squat in young women. <i>European Journal of Physiotherapy</i> , 2013, 15, 118-126.   | 0.7 | 7         |
| 19805 | Reliability and validity of the Performance Recorder 1 for measuring isometric knee flexor and extensor strength. <i>Physiotherapy Theory and Practice</i> , 2013, 29, 639-647.   | 0.6 | 13        |
| 19806 | Is bioelectrical impedance spectroscopy accurate in estimating total body water and its compartments in elite athletes?. <i>Annals of Human Biology</i> , 2013, 40, 152-156.  | 0.4 | 39        |
| 19807 | Reliability of direct and indirect clinical attachment level measurements. <i>Journal of Clinical Periodontology</i> , 2013, 40, 896-905.   | 2.3 | 23        |
| 19808 | Limited Sampling Strategy of Mycophenolic Acid in Adult Kidney Transplant Recipients: Influence of the Post-transplant Period and the Pharmacokinetic Profile. <i>Journal of Clinical Pharmacology</i> , 2013, 53, 925-933. | 1.0 | 13        |
| 19809 | Performance of infrared ear and forehead thermometers: a comparative study in 205 febrile and afebrile children. <i>Journal of Clinical Nursing</i> , 2013, 22, 2509-2518.  | 1.4 | 25        |
| 19810 | Food models for portion size estimation of Asian foods. <i>Journal of Human Nutrition and Dietetics</i> , 2013, 26, 380-386.  | 1.3 | 11        |
| 19811 | Assessment of Abdominal Fat Compartments Using DXA in Premenopausal Women From Anorexia Nervosa to Morbid Obesity. <i>Obesity</i> , 2013, 21, 2458-2464.  | 1.5 | 62        |
| 19812 | A comparison of dynamic contrast-enhanced CT and MR imaging-derived measurements in patients with cervical cancer. <i>Clinical Physiology and Functional Imaging</i> , 2013, 33, 150-161.                                   | 0.5 | 9         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19813 | Expertâ€¢based drug lists to measure anticholinergic burden: similar names, different results. <i>Psychogeriatrics</i> , 2013, 13, 17-24.   | 0.6 | 72        |
| 19814 | Sixâ€¢minute walk test in healthy children: Is the leg length important?. <i>Pediatric Pulmonology</i> , 2013, 48, 921-926.   | 1.0 | 16        |
| 19815 | The Distribution of the Hâ€¢index Among Academic Emergency Physicians in the United States. <i>Academic Emergency Medicine</i> , 2013, 20, 997-1003.  | 0.8 | 49        |
| 19816 | Myocardial borders segmentation from cine MR images using bidirectional coupled parametric deformable models. <i>Medical Physics</i> , 2013, 40, 092302.  | 1.6 | 31        |
| 19817 | Comprehensive Assessment and Standardization of Solid Phase Multiplex-Bead Arrays for the Detection of Antibodies to HLA. <i>American Journal of Transplantation</i> , 2013, 13, 1859-1870.                               | 2.6 | 187       |
| 19818 | Pulmonary vein morphology by freeâ€¢breathing whole heart magnetic resonance imaging at 3 tesla versus breathhold multiâ€¢detector computed tomography. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 37, 846-852. | 1.9 | 3         |
| 19819 | Headâ€¢toâ€¢head comparison between Actigraph 7164 and <sc>GT</sc>1M accelerometers in adolescents. <i>Clinical Physiology and Functional Imaging</i> , 2013, 33, 162-165.  | 0.5 | 8         |
| 19820 | Ureteropyeloscopic anatomy of the renal pelvis of the horse. <i>Equine Veterinary Journal</i> , 2013, 45, 31-38.  | 0.9 | 11        |
| 19821 | Blood pressure assessment in severe obesity: Validation of a forearm approach. <i>Obesity</i> , 2013, 21, E533-41.  | 1.5 | 27        |
| 19822 | Validity of an accelerometric system for measuring forceâ€¢time-based data during jumping tasks. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2013, 16, 84-85.                                    | 0.9 | 3         |
| 19823 | Epicardial adipose tissue assessed by cardiac magnetic resonance imaging in patients with heart failure due to dilated cardiomyopathy. <i>Obesity</i> , 2013, 21, E253-61.  | 1.5 | 47        |
| 19824 | Validity of body adiposity index in predicting body fat in a sample of brazilian women. <i>Obesity</i> , 2013, 21, E696-9.  | 1.5 | 28        |
| 19825 | A Single Sample Method for Estimating Glomerular Filtration Rate in Cats. <i>Journal of Veterinary Internal Medicine</i> , 2013, 27, 782-790.   | 0.6 | 12        |
| 19826 | Clinical review: Brain-body temperature differences in adults with severe traumatic brain injury. <i>Critical Care</i> , 2013, 17, 222.   | 2.5 | 39        |
| 19827 | Lethal influenza virus A H1N1 infection in two relatives with autosomal dominant GATA-2 deficiency. <i>Critical Care</i> , 2013, 17, .  | 2.5 | 2         |
| 19828 | Mixed and central venous oxygen saturation are not interchangeable in patients with cardiogenic shock after cardiac surgery. <i>Critical Care</i> , 2013, 17, .   | 2.5 | 1         |
| 19829 | Comparing near-infrared spectroscopy devices and their sensors for monitoring regional cerebral oxygen saturation in the neonate. <i>Pediatric Research</i> , 2013, 74, 557-563.  | 1.1 | 123       |
| 19833 | PB.17: Inter-observer agreement in visual analogue scale assessment of percentage breast density. <i>Breast Cancer Research</i> , 2013, 15, .   | 2.2 | 3         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19834 | Clinical Application of a Novel Automatic Algorithm for Actigraphy-Based Activity and Rest Period Identification to Accurately Determine Awake and Asleep Ambulatory Blood Pressure Parameters and Cardiovascular Risk. <i>Chronobiology International</i> , 2013, 30, 43-54. | 0.9 | 26        |
| 19835 | A fast 2D tissue motion estimator based on the phase of the intensity enables visualization of the propagation of the longitudinal movement in the carotid artery wall. , 2013, , .   |     | 4         |
| 19836 | A New Method to Auto-estimation of Pulmonary Arterial Pressures. , 2013, , .  |     | 0         |
| 19837 | Exercise aortic stiffness: reproducibility and relation to end-organ damage in men. <i>Journal of Human Hypertension</i> , 2013, 27, 516-522.   | 1.0 | 15        |
| 19838 | Assessment of diffusion parameters by intravoxel incoherent motion MRI in head and neck squamous cell carcinoma. <i>NMR in Biomedicine</i> , 2013, 26, 1806-1814.   | 1.6 | 41        |
| 19839 | Comparison of a wireless dry headband technology for sleep monitoring with actigraphy in healthy adults. <i>Biological Rhythm Research</i> , 2013, 44, 333-338.   | 0.4 | 6         |
| 19840 | Comparison of <i>Escherichia coli</i> Levels Between Bivalve Mollusc Species across Harvesting Sites in England and Wales. <i>Journal of Shellfish Research</i> , 2013, 32, 527-532.  | 0.3 | 13        |
| 19841 | Trial Frame Refraction versus Autorefraction among New Patients in a Low-Vision Clinic. , 2013, 54, 19.   |     | 5         |
| 19842 | Interactive Decomposition and Mapping of Saccular Cerebral Aneurysms Using Harmonic Functions: Its First Application With "Patient-Specific" Computational Fluid Dynamics (CFD) Simulations. <i>IEEE Transactions on Medical Imaging</i> , 2013, 32, 153-164.                 | 5.4 | 11        |
| 19843 | Complete Blood Cell Count in Psittaciformes by Using High-Throughput Image Cytometry: A Pilot Study. <i>Journal of Avian Medicine and Surgery</i> , 2013, 27, 211-217.  | 0.6 | 22        |
| 19844 | FPGA-based remote pulse rate detection using photoplethysmographic imaging. , 2013, , .   |     | 4         |
| 19845 | Performance of the Elecsys Rubella IgG Assay in the Diagnostic Laboratory Setting for Assessment of Immune Status. <i>Vaccine Journal</i> , 2013, 20, 420-426.  | 3.2 | 22        |
| 19846 | Reliability of manual versus automated techniques for assessing passive stiffness of the posterior muscles of the hip and thigh. <i>Journal of Sports Sciences</i> , 2013, 31, 867-877.   | 1.0 | 18        |
| 19847 | Predicting fluid responsiveness with transthoracic echocardiography is not yet evidence based. <i>Acta Anaesthesiologica Scandinavica</i> , 2013, 57, 692-697.  | 0.7 | 26        |
| 19848 | Measurement of total and free malondialdehyde by gas "chromatography mass spectrometry " comparison with high-performance liquid chromatography methodology. <i>Free Radical Research</i> , 2013, 47, 651-656.  | 1.5 | 23        |
| 19849 | Reliability and responsiveness of dynamic contrast-enhanced magnetic resonance imaging in rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2013, 42, 115-122.  | 0.6 | 37        |
| 19850 | A method to detect cardiac arrhythmias with a webcam. , 2013, , .   |     | 6         |
| 19851 | Reliability of mercury-in-silastic strain gauge plethysmography curve reading: Influence of clinical clues and observer variation. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2013, 73, 380-386.  | 0.6 | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19852 | Analysis of plasma 3-methoxytyramine, normetanephrine and metanephrine by ultraperformance liquid chromatography tandem mass spectrometry: utility for diagnosis of dopamine-producing metastatic pheochromocytoma. <i>Annals of Clinical Biochemistry</i> , 2013, 50, 147-155. | 0.8 | 99        |
| 19853 | Investigating the Dutch Movement-Specific Reinvestment Scale in people with stroke. <i>Clinical Rehabilitation</i> , 2013, 27, 160-165.   | 1.0 | 22        |
| 19854 | An evaluation of energy expenditure estimation by three activity monitors. <i>European Journal of Sport Science</i> , 2013, 13, 681-688.  | 1.4 | 17        |
| 19855 | Psychometric validation of the authorized Polish version of the Neck Disability Index. <i>Disability and Rehabilitation</i> , 2013, 35, 2132-2137.  | 0.9 | 18        |
| 19856 | Analytical method transfer: Improving interpretability with ratio-based statistical approaches. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013, 74, 186-193.   | 1.4 | 4         |
| 19857 | Extraction of left-ventricular torsion angle from the long-axis view by block-matching algorithm: Comparison with the short-axis view. <i>Ultrasonics</i> , 2013, 53, 552-560.  | 2.1 | 8         |
| 19858 | Fast and Fully Automatic 3-D Echocardiographic Segmentation Using B-Spline Explicit Active Surfaces: Feasibility Study and Validation in a Clinical Setting. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 89-101.  | 0.7 | 58        |
| 19859 | Conducting shorter VEP tests to estimate visual acuity via assessment of SNR. <i>Documenta Ophthalmologica</i> , 2013, 126, 21-28.  | 1.0 | 12        |
| 19860 | A comparison of the performance of three visual evoked potential-based methods to estimate visual acuity. <i>Documenta Ophthalmologica</i> , 2013, 126, 45-56.  | 1.0 | 35        |
| 19861 | Analysis of partial AZFc deletions in Malaysian infertile male subjects. <i>Systems Biology in Reproductive Medicine</i> , 2013, 59, 99-107.  | 1.0 | 6         |
| 19862 | A tutorial on the application of ion-selective electrode potentiometry: An analytical method with unique qualities, unexplored opportunities and potential pitfalls; Tutorial. <i>Analytica Chimica Acta</i> , 2013, 762, 1-13.   | 2.6 | 97        |
| 19863 | Accuracy of recalled body weight-a study with 20-years of follow-up. <i>Obesity</i> , 2013, 21, 1293-1298.  | 1.5 | 45        |
| 19864 | Evaluation of TEG <sup>®</sup> and RoTEM <sup>®</sup> inter-changeability in trauma patients. <i>Injury</i> , 2013, 44, 600-605.  | 0.7 | 67        |
| 19865 | Making Sense(s) in Dementia. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2013, 28, 137-146.  | 0.9 | 30        |
| 19866 | Combined Depth Imaging Technique on Spectral-Domain Optical Coherence Tomography. <i>American Journal of Ophthalmology</i> , 2013, 155, 727-732.e1.   | 1.7 | 24        |
| 19867 | Two-dimensional speckle tracking for quantification of left ventricular circumferential and radial wall motion in horses. <i>Equine Veterinary Journal</i> , 2013, 45, 47-55.   | 0.9 | 16        |
| 19868 | Precision of the optimized carbon monoxide rebreathing method to determine total haemoglobin mass and blood volume. <i>European Journal of Sport Science</i> , 2013, 13, 68-77.   | 1.4 | 11        |
| 19869 | Fast interpretation of thromboelastometry in non-cardiac surgery: reliability in patients with hypo-, normo-, and hypercoagulability. <i>British Journal of Anaesthesia</i> , 2013, 110, 222-230.   | 1.5 | 131       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19870 | Assessment of circulatory adjustments during underwater apnoea in elite divers by means of a portable device. <i>Acta Physiologica</i> , 2013, 207, 290-298.   | 1.8 | 17        |
| 19871 | Continuous glucose monitoring: quality of hypoglycaemia detection. <i>Diabetes, Obesity and Metabolism</i> , 2013, 15, 130-135.  | 2.2 | 54        |
| 19872 | Comparison of high definition oscillometric and Doppler ultrasound devices with invasive blood pressure in anaesthetized dogs. <i>Veterinary Anaesthesia and Analgesia</i> , 2013, 40, 21-27.                                | 0.3 | 48        |
| 19873 | Validity and reproducibility of an iodine-specific food frequency questionnaire to estimate dietary iodine intake in older Australians. <i>Nutrition and Dietetics</i> , 2013, 70, 71-78.                                    | 0.9 | 20        |
| 19874 | Validation of Brief Questionnaire Measures of Sun Exposure and Skin Pigmentation Against Detailed and Objective Measures Including Vitamin D Status. <i>Photochemistry and Photobiology</i> , 2013, 89, 219-226.             | 1.3 | 50        |
| 19875 | Circulating branched-chain amino acid concentrations are associated with obesity and future insulin resistance in children and adolescents. <i>Pediatric Obesity</i> , 2013, 8, 52-61.                                       | 1.4 | 344       |
| 19876 | On the prediction of Gibbs free energy of mixing of binary liquid alloys. <i>Journal of Chemical Thermodynamics</i> , 2013, 57, 82-91.   | 1.0 | 19        |
| 19877 | Macrocyclic contrast agents for magnetic resonance imaging of chronic myocardial infarction: intraindividual comparison of gadobutrol and gadoterate meglumine. <i>European Radiology</i> , 2013, 23, 108-114.               | 2.3 | 17        |
| 19878 | Reproducibility of 3D delayed gadolinium enhanced MRI of cartilage (dGEMRIC) of the knee at 3.0 T in patients with early stage osteoarthritis. <i>European Radiology</i> , 2013, 23, 496-504.                                | 2.3 | 38        |
| 19879 | A Method for Determining Optimal Mean Airway Pressure in High-Frequency Oscillatory Ventilation. <i>Lung</i> , 2013, 191, 69-76.   | 1.4 | 4         |
| 19880 | Validity of self-reports of knee-straining activities at work: a field study with 6-month follow-up. <i>International Archives of Occupational and Environmental Health</i> , 2013, 86, 233-243.                             | 1.1 | 9         |
| 19881 | Can a computerized format replace a paper form in PRO and HRQL evaluation? Psychometric testing of the computer-assisted LCSS instrument (eLCSS-QL). <i>Supportive Care in Cancer</i> , 2013, 21, 165-172.                   | 1.0 | 31        |
| 19882 | Performance of a new fluorescence camera for detection of occlusal caries in vitro. <i>Lasers in Medical Science</i> , 2013, 28, 101-109.  | 1.0 | 41        |
| 19883 | Traditional and novel methods for occlusal caries detection: performance on primary teeth. <i>Lasers in Medical Science</i> , 2013, 28, 287-295.   | 1.0 | 51        |
| 19884 | Image Analysis for Cystic Fibrosis: Computer-Assisted Airway Wall and Vessel Measurements from Low-Dose, Limited Scan Lung CT Images. <i>Journal of Digital Imaging</i> , 2013, 26, 82-96.                                   | 1.6 | 11        |
| 19885 | Test-retest variability in structural parameters measured with glaucoma imaging devices. <i>Japanese Journal of Ophthalmology</i> , 2013, 57, 1-24.  | 0.9 | 24        |
| 19886 | A Proposal for Quality Standards for Measuring Medication Adherence in Research. <i>AIDS and Behavior</i> , 2013, 17, 284-297.   | 1.4 | 158       |
| 19887 | Effect of protocol choice on phase contrast cardiac magnetic resonance flow measurement in the ascending aorta: breath-hold and non-breath-hold. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 113-120. | 0.7 | 13        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19888 | Interstudy reproducibility of the second generation, Fourier domain optical coherence tomography in patients with coronary artery disease and comparison with intravascular ultrasound: a study applying automated contour detection. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 39-51. | 0.7 | 24        |
| 19890 | Index of biventricular interdependence calculated using cardiac MRI: a proof of concept study in patients with and without constrictive pericarditis. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 363-369.   | 0.7 | 18        |
| 19891 | Proximal thoracic aortic diameter measurements at CT: repeatability and reproducibility according to measurement method. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 479-488.  | 0.7 | 57        |
| 19892 | Quantification of left ventricular volume and global function using a fast automated segmentation tool: validation in a clinical setting. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 309-316.   | 0.7 | 19        |
| 19893 | Impacts of climate-induced changes on the distribution of pesticides residues in water and sediment of Lake Naivasha, Kenya. <i>Environmental Monitoring and Assessment</i> , 2013, 185, 2723-2733.   | 1.3 | 25        |
| 19894 | Comparison of two different generations of NIRS devices and transducers in healthy volunteers and ICU patients. <i>Journal of Clinical Monitoring and Computing</i> , 2013, 27, 71-79.  | 0.7 | 11        |
| 19895 | High-throughput determination of barbiturates in human plasma using on-line column-switching ultra-fast liquid chromatography-tandem mass spectrometry. <i>Forensic Toxicology</i> , 2013, 31, 9-20.  | 1.4 | 10        |
| 19896 | Accuracy of Small-Intestine Contrast Ultrasonography, Compared With Computed Tomography Enteroclysis, in Characterizing Lesions in Patients With Crohn's Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 950-955.  | 2.4 | 60        |
| 19897 | Forces applied with a hoof tester to cadaver feet vary widely between users. <i>Veterinary Record</i> , 2013, 172, 182-182.   | 0.2 | 1         |
| 19898 | Ambulatory Blood Pressure Monitoring: Importance of Sampling Rate and Duration—48 Versus 24 Hours—on the Accurate Assessment of Cardiovascular Risk. <i>Chronobiology International</i> , 2013, 30, 55-67.  | 0.9 | 80        |
| 19899 | Tear film break-up time in rabbits. <i>Australasian journal of optometry, The</i> , 2013, 96, 70-75.  | 0.6 | 31        |
| 19900 | Comparison of two commercial ELISA systems for evaluating anti-BNA1 IgG titers. <i>Journal of Medical Virology</i> , 2013, 85, 128-131.   | 2.5 | 7         |
| 19901 | Center index method—an alternative for wear measurements with radiostereometry (RSA). <i>Journal of Orthopaedic Research</i> , 2013, 31, 480-484.   | 1.2 | 7         |
| 19902 | The carbon dioxide production rate assumption biases gastric emptying parameters in healthy adults. <i>Rapid Communications in Mass Spectrometry</i> , 2013, 27, 539-545.   | 0.7 | 1         |
| 19903 | Reproducibility of assessment of severity of pelvic endometriosis using transvaginal ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 210-215.  | 0.9 | 32        |
| 19904 | Nonlinear model for estimating respiratory volume based on thoracoabdominal breathing movements. <i>Respirology</i> , 2013, 18, 108-116.  | 1.3 | 22        |
| 19905 | Reliability of Height and Weight Measurements Collected by Physical Education Teachers for a School-Based Body Mass Index Surveillance and Screening System. <i>Journal of School Health</i> , 2013, 83, 21-27.   | 0.8 | 27        |
| 19906 | Is menopause associated with an increased risk of tooth loss in patients with periodontitis?. <i>Revista Portuguesa De Estomatologia, Medicina Dentaria E Cirurgia Maxilofacial</i> , 2013, 54, 210-216.  | 0.1 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19907 | The measurement of oestradiol, progesterone, LH, FSH and hCG for assisted reproduction: A comparison of the Siemens Centaur CP and Roche e411 automated analysers. <i>Asian Pacific Journal of Reproduction</i> , 2013, 2, 321-325.      | 0.2 | 1         |
| 19908 | Diffusion-weighted MR imaging of the normal pancreas: Reproducibility and variations of apparent diffusion coefficient measurement at 1.5- and 3.0-Tesla. <i>Diagnostic and Interventional Imaging</i> , 2013, 94, 418-427.              | 1.8 | 32        |
| 19909 | Validity, reliability, and reproducibility of the iOC intraoral scanner: A comparison of tooth widths and Bolton ratios. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013, 144, 304-310.                       | 0.8 | 118       |
| 19910 | Test-retest reliabilities of hand-held dynamometer for lower-limb muscle strength in intellectual disabilities. <i>Research in Developmental Disabilities</i> , 2013, 34, 2281-2290.   | 1.2 | 28        |
| 19911 | Reader Variability in Breast Density Estimation from Full-Field Digital Mammograms. <i>Academic Radiology</i> , 2013, 20, 560-568.   | 1.3 | 25        |
| 19912 | Validation of Online Administration of the Sexual Health Inventory for Men. <i>Journal of Urology</i> , 2013, 189, 1456-1461.  | 0.2 | 16        |
| 19913 | Evaluation of an affordable HIV-1 virological failure assay and antiretroviral drug resistance genotyping protocol. <i>Journal of Virological Methods</i> , 2013, 194, 300-307.  | 1.0 | 6         |
| 19914 | CD4+CD28 <sup>+</sup> lymphocytes and cerebral ischaemic stroke. Part II: CD4+CD28 <sup>+</sup> lymphocytes and carotid artery atherosclerotic plaque characteristics. <i>Neurologia I Neurochirurgia Polska</i> , 2013, 47, 208-213.    | 0.6 | 0         |
| 19915 | Estimation of vertical tuber coxae movement in the horse from a single inertial measurement unit. <i>Veterinary Journal</i> , 2013, 198, 498-503.  | 0.6 | 16        |
| 19916 | Sensitivity and Specificity of Ultrasound in Detecting (Osteo)Chondral Defects: A Cadaveric Study. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 1368-1375.  | 0.7 | 9         |
| 19917 | Prosthesis sizing for transcatheter aortic valve implantation - Comparison of three dimensional transesophageal echocardiography with multislice computed tomography. <i>International Journal of Cardiology</i> , 2013, 168, 3431-3438. | 0.8 | 62        |
| 19918 | Estimated lung age in healthy North African adults cannot be predicted using reference equations derived from other populations. <i>The Egyptian Journal of Chest Diseases and Tuberculosis</i> , 2013, 62, 789-804.                     | 0.1 | 12        |
| 19919 | Total and Regional Body Volumes Derived From Dual-Energy X-Ray Absorptiometry Output. <i>Journal of Clinical Densitometry</i> , 2013, 16, 368-373.   | 0.5 | 34        |
| 19920 | A comparison and validation of child versus parent reporting of children's energy intake using food frequency questionnaires versus food records: Who's an accurate reporter?. <i>Clinical Nutrition</i> , 2013, 32, 613-618.            | 2.3 | 80        |
| 19921 | Disproportion of end plates and the lumbar intervertebral disc herniation. <i>Spine Journal</i> , 2013, 13, 402-407.   | 0.6 | 34        |
| 19922 | Estimation of spatio-temporal parameters for post-stroke hemiparetic gait using inertial sensors. <i>Gait and Posture</i> , 2013, 37, 354-358.   | 0.6 | 102       |
| 19923 | Relationship between ventilatory threshold and muscle fiber conduction velocity responses in trained cyclists. <i>Journal of Electromyography and Kinesiology</i> , 2013, 23, 448-454.   | 0.7 | 8         |
| 19924 | Gas exchange measurement during pediatric mechanical ventilation - Agreement between gas sampling at the airway and the ventilator exhaust. <i>Clinical Nutrition</i> , 2013, 32, 988-992.   | 2.3 | 9         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19925 | Technical note: A modified method to quantify prolamin proteins in dry and high-moisture corn. <i>Journal of Dairy Science</i> , 2013, 96, 4647-4652.   | 1.4 | 13        |
| 19926 | Development and validation of a micromethod for fast quantification of 5-n-alkylresorcinols in grains and whole grain products. <i>Food Chemistry</i> , 2013, 141, 3546-3551.   | 4.2 | 10        |
| 19927 | Longitudinal assessment of atrioventricular annulus excursion by grey-scale m-mode and colour tissue Doppler imaging in premature infants. <i>Early Human Development</i> , 2013, 89, 977-982.                        | 0.8 | 12        |
| 19928 | Prospective Study of Methods of Renal Function Evaluation in Patients With Neurogenic Bladder Dysfunction. <i>Urology</i> , 2013, 82, 1032-1037.  | 0.5 | 18        |
| 19929 | Validation Study of the Accuracy of Echocardiographic Measurements of Systemic Blood Flow Volume in Newborn Infants. <i>Journal of the American Society of Echocardiography</i> , 2013, 26, 1365-1371.                | 1.2 | 85        |
| 19930 | Training programme impact on thermoplastic immobilization for head and neck radiation therapy. <i>Radiography</i> , 2013, 19, 28-34.  | 1.1 | 2         |
| 19931 | Exhaled breath condensate pH in mechanically ventilated patients. <i>Medicina Intensiva (English)</i> Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 50   | 0.1 | 0         |
| 19932 | Role of the left atrial function on the pseudonormalization of the transmitral flow velocity pattern evaluated by two-dimensional tissue tracking technique. <i>Journal of Cardiology</i> , 2013, 61, 365-371.        | 0.8 | 4         |
| 19933 | A combination of thermal methods to assess coronary pressure and flow dynamics with a pressure-sensing guide wire. <i>Medical Engineering and Physics</i> , 2013, 35, 298-309.  | 0.8 | 3         |
| 19934 | Relative and absolute reliability of the clinical version of the Narrow Path Walking Test (NPWT) under single and dual task conditions. <i>Archives of Gerontology and Geriatrics</i> , 2013, 57, 92-99.              | 1.4 | 9         |
| 19935 | Analysis of the robustness of spectral indices during ventricular fibrillation. <i>Biomedical Signal Processing and Control</i> , 2013, 8, 733-739.   | 3.5 | 4         |
| 19936 | Good correlation does not automatically imply good agreement: The trouble with comparing tumour size by breast MRI versus histopathology. <i>European Journal of Radiology</i> , 2013, 82, e906-e907.                 | 1.2 | 15        |
| 19937 | Validation of two behaviour-based pain scales for horses with acute colic. <i>Veterinary Journal</i> , 2013, 197, 646-650.  | 0.6 | 38        |
| 19938 | Grip and pinch capability assessment system for children. <i>Medical Engineering and Physics</i> , 2013, 35, 626-635.   | 0.8 | 6         |
| 19939 | Height-Independent Estimation of Glomerular Filtration Rate in Children: An Alternative to the Schwartz Equation. <i>Journal of Pediatrics</i> , 2013, 163, 1722-1727.  | 0.9 | 34        |
| 19940 | Accuracy Evaluation of a 3-Dimensional Surface Imaging System for Guidance in Deep-Inspiration Breath-Hold Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 85, 536-542. | 0.4 | 75        |
| 19941 | Evaluation of inactive adultsâ€™ ability to maintain a moderate-intensity walking pace. <i>Journal of Science and Medicine in Sport</i> , 2013, 16, 217-221.  | 0.6 | 11        |
| 19942 | ECC-gated imaging of the left atrium and pulmonary veins: Intra-individual comparison of CTA and MRA. <i>Clinical Radiology</i> , 2013, 68, 1059-1064.  | 0.5 | 12        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19943 | The functional right ventricle and tricuspid regurgitation in Ebstein's anomaly. <i>International Journal of Cardiology</i> , 2013, 167, 258-261.  | 0.8 | 52        |
| 19945 | Ultrasound does not provide reliable results for the measurement of the patellar tendon cross sectional area. <i>Journal of Electromyography and Kinesiology</i> , 2013, 23, 1278-1282.  | 0.7 | 38        |
| 19946 | Right ventricular dysfunction and dilatation in patients with mitral regurgitation: Analysis using ECG-gated multidetector row computed tomography. <i>International Journal of Cardiology</i> , 2013, 167, 1585-1590.             | 0.8 | 18        |
| 19947 | Definition of DLPFC and M1 according to anatomical landmarks for navigated brain stimulation: Inter-rater reliability, accuracy, and influence of gender and age. <i>NeuroImage</i> , 2013, 78, 224-232.                           | 2.1 | 119       |
| 19948 | Quantitative Assessment of Bladder Neck Compliance by Using Transvaginal Real-Time Elastography of Women. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 1727-1734.   | 0.7 | 9         |
| 19949 | The Study of Deep Brain Structures by Transcranial Duplex Sonography and Imaging Resonance Correlation. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 226-232.   | 0.7 | 10        |
| 19950 | Subjective versus objective assessment of breast reconstruction. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2013, 66, 634-639.  | 0.5 | 33        |
| 19951 | Accentuated left ventricular lateral wall function compensates for septal dyssynchrony after valve replacement for aortic stenosis. <i>International Journal of Cardiology</i> , 2013, 164, 339-344.                               | 0.8 | 4         |
| 19952 | Fiabilidad de la prueba Fall Risk de la plataforma Biodex Balance System® en las personas mayores institucionalizadas con miedo a caerse mediante test-retest de 12 semanas. <i>Rehabilitacion</i> , 2013, 47, 64-70.              | 0.2 | 0         |
| 19953 | Incremental value of color coding in 3D volume rendered CT images for interpretation of complex cardiothoracic vascular malformations. <i>International Journal of Cardiology</i> , 2013, 168, 4692-4698.                          | 0.8 | 2         |
| 19954 | Re-assessment of the cut-off levels of Carbohydrate Deficient Transferrin (CDT) for automated immunoassay and multi-capillary electrophoresis for application in a forensic context. <i>Clinica Chimica Acta</i> , 2013, 416, 1-4. | 0.5 | 9         |
| 19955 | Can the Oxford Scores Be Used to Monitor Symptomatic Progression of Patients Awaiting Knee or Hip Arthroplasty?. <i>Journal of Arthroplasty</i> , 2013, 28, 1454-1458.   | 1.5 | 6         |
| 19956 | Noninvasive Estimation of PA Pressure, Flow, and Resistance With CMR Imaging. <i>JACC: Cardiovascular Imaging</i> , 2013, 6, 1036-1047.  | 2.3 | 129       |
| 19957 | Precordial acceleration signals improve the performance of diastolic timed vibrations. <i>Medical Engineering and Physics</i> , 2013, 35, 1133-1140.   | 0.8 | 23        |
| 19958 | Fiabilidad test-retest del umbral de sensibilidad a la vibración periférica en los pacientes con dolor crónico de espalda baja. <i>Rehabilitacion</i> , 2013, 47, 82-89.   | 0.2 | 5         |
| 19959 | Evaluation and fitting of models for determining peach phenological stages at a regional scale. <i>Agricultural and Forest Meteorology</i> , 2013, 178-179, 129-139.   | 1.9 | 34        |
| 19960 | Trunk-acceleration based assessment of gait parameters in older persons: A comparison of reliability and validity of four inverted pendulum based estimations. <i>Gait and Posture</i> , 2013, 38, 940-944.                        | 0.6 | 38        |
| 19961 | Cystatin C, kidney function, and cardiovascular risk factors in primary hypertension. <i>Revista Da Associação Médica Brasileira</i> , 2013, 59, 21-27.  | 0.3 | 16        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19962 | The long leg radiograph is a reliable method of assessing alignment when compared to computer-assisted navigation and computer tomography. <i>Knee</i> , 2013, 20, 242-249.   | 0.8 | 86        |
| 19963 | Validation of a modified ETDRS chart for European-wide use in populations that use the Cyrillic, Latin or Greek alphabet. <i>Journal of Optometry</i> , 2013, 6, 18-24.   | 0.7 | 4         |
| 19964 | Cardiovascular magnetic resonance myocardial feature tracking for quantitative viability assessment in ischemic cardiomyopathy. <i>International Journal of Cardiology</i> , 2013, 166, 413-420.  | 0.8 | 97        |
| 19965 | Polysomnographic validation of a wireless dry headband technology for sleep monitoring in healthy young adults. <i>Physiology and Behavior</i> , 2013, 118, 185-188.  | 1.0 | 22        |
| 19966 | A study of factors affecting the human cone photoreceptor density measured by adaptive optics scanning laser ophthalmoscope. <i>Experimental Eye Research</i> , 2013, 108, 1-9.   | 1.2 | 88        |
| 19967 | Comparison of Energy Intake in Toddlers Assessed by Food Frequency Questionnaire and Total Energy Expenditure Measured by the Doubly Labeled Water Method. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2013, 113, 459-463.                                   | 0.4 | 37        |
| 19968 | Three-Dimensional Ultrasonography Measurements After Endovascular Aneurysm Repair. <i>Annals of Vascular Surgery</i> , 2013, 27, 146-153.   | 0.4 | 20        |
| 19969 | Determination of ceftiofur derivatives in serum, endometrial tissue, and lochia in puerperal dairy cows with fever or acute puerperal metritis after subcutaneous administration of ceftiofur crystalline free acid. <i>Journal of Dairy Science</i> , 2013, 96, 1054-1062. | 1.4 | 13        |
| 19970 | Urine protein concentration estimation for biomarker discovery. <i>Pregnancy Hypertension</i> , 2013, 3, 211-214.   | 0.6 | 4         |
| 19971 | Comparative Assessment of 2-Dimensional Echocardiography vs Cardiac Magnetic Resonance Imaging in Measuring Left Ventricular Mass in Patients With and Without End-Stage Renal Disease. <i>Canadian Journal of Cardiology</i> , 2013, 29, 384-390.                          | 0.8 | 25        |
| 19972 | Development of a fully automatic shape model matching (FASMM) system to derive statistical shape models from radiographs: application to the accurate capture and global representation of proximal femur shape. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1537-1544. | 0.6 | 32        |
| 19973 | Technical note: Evaluation of data loggers for measuring lying behavior in dairy calves. <i>Journal of Dairy Science</i> , 2013, 96, 3265-3271.   | 1.4 | 81        |
| 19974 | The accuracy of prostate volume measurement from ultrasound images: A quasi-Monte Carlo simulation study using magnetic resonance imaging. <i>Computerized Medical Imaging and Graphics</i> , 2013, 37, 628-635.  | 3.5 | 2         |
| 19975 | The Mandarin Chinese version of the childhood autism spectrum test (CAST): Test retest reliability. <i>Research in Developmental Disabilities</i> , 2013, 34, 3267-3275.  | 1.2 | 6         |
| 19976 | Loads on the prosthesis socket interface of above-knee amputees during normal gait: Validation of a multi-body simulation. <i>Journal of Biomechanics</i> , 2013, 46, 1201-1206.  | 0.9 | 28        |
| 19977 | Analysis of the thoracic aorta using a semi-automated post processing tool. <i>European Journal of Radiology</i> , 2013, 82, 1558-1564.   | 1.2 | 15        |
| 19978 | Are digital photographs reliable to assess donor site scars? An inter-method analysis and validity testing. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2013, 66, 1632-1635.  | 0.5 | 5         |
| 19979 | Visualization of Blebs Using Anterior-Segment Optical Coherence Tomography after Glaucoma Drainage Implant Surgery. <i>Ophthalmology</i> , 2013, 120, 978-983.  | 2.5 | 40        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 19980 | The recent multi-ethnic global lung initiative 2012 (GLI2012) reference values don't reflect contemporary adult's North African spirometry. <i>Respiratory Medicine</i> , 2013, 107, 2000-2008.  | 1.3 | 82        |
| 19981 | Measuring Contrast Sensitivity Using the M&S Smart System II versus the Pelli-Robson Chart. <i>Ophthalmology</i> , 2013, 120, 2160-2161.e1.  | 2.5 | 11        |
| 19982 | How to report reliability in orthodontic research: Part 2. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013, 144, 315-318.   | 0.8 | 29        |
| 19983 | Vasoactive intestinal peptide (VIP) and pituitary adenylate cyclase-activating polypeptide (PACAP) in the circulation after sumatriptan. <i>Scandinavian Journal of Pain</i> , 2013, 4, 211-216.   | 0.5 | 6         |
| 19984 | Evaluation of the use of plasma preparation tubes for HIV viral load testing on the COBAS AmpliPrep/COBAS TaqMan HIV-1 version 2.0. <i>Journal of Virological Methods</i> , 2013, 187, 248-250.  | 1.0 | 3         |
| 19985 | Study of agreement of aortic, radial and femoral blood pressures during aortic endografting. <i>Annales Francaises D'Anesthesie Et De Reanimation</i> , 2013, 32, e97-e101.  | 1.4 | 4         |
| 19986 | Validity of a jump training apparatus using Wii Balance Board. <i>Gait and Posture</i> , 2013, 38, 132-135.  | 0.6 | 19        |
| 19987 | Vessel Specific Coronary Artery Calcium Scoring. <i>Academic Radiology</i> , 2013, 20, 1-9.  | 1.3 | 67        |
| 19988 | Development of a short form of Stroke-Specific Quality of Life Scale for patients after aneurysmal subarachnoid hemorrhage. <i>Journal of the Neurological Sciences</i> , 2013, 335, 204-209.  | 0.3 | 29        |
| 19989 | Tissue Doppler Is More Sensitive and Reproducible than Spectral Pulsed-Wave Doppler for Fetal Right Ventricle Myocardial Performance Index Determination in Normal and Diabetic Pregnancies. <i>Journal of the American Society of Echocardiography</i> , 2013, 26, 507-514. | 1.2 | 25        |
| 19990 | Manual and computerized measurement of coronal vertebral inclination on MRI images: A pilot study. <i>Clinical Radiology</i> , 2013, 68, 807-814.  | 0.5 | 5         |
| 19991 | Comparison of Semi-automatic Volumetric VX2 Hepatic Tumor Segmentation from Cone Beam CT and Multi-detector CT with Histology in Rabbit Models. <i>Academic Radiology</i> , 2013, 20, 115-121.   | 1.3 | 37        |
| 19992 | Use of Optical Flow to Estimate Continuous Changes in Muscle Thickness from Ultrasound Image Sequences. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 2194-2201.   | 0.7 | 10        |
| 19993 | Comparison of immunoassays for NTproBNP conducted on three analysis systems: Milliplex, Elecsys and RIA. <i>Clinical Biochemistry</i> , 2013, 46, 388-390.   | 0.8 | 10        |
| 19994 | Comparison of Right Versus Left Ventricular Strain Analysis as a Predictor of Outcome in Patients With Systolic Heart Failure Referred for Heart Transplantation. <i>American Journal of Cardiology</i> , 2013, 112, 1778-1784.  | 0.7 | 82        |
| 19995 | Validity of arterialised-venous pH and bicarbonate in obesity hypoventilation syndrome. <i>Respiratory Physiology and Neurobiology</i> , 2013, 188, 165-171.   | 0.7 | 9         |
| 19996 | Limitations of Expressing Left Ventricular Mass Relative to Height and to Body Surface Area in Children. <i>Journal of the American Society of Echocardiography</i> , 2013, 26, 410-418.   | 1.2 | 52        |
| 19997 | Reproducibility of ECG-gated Ultrasound Diameter Assessment of Small Abdominal Aortic Aneurysms. <i>European Journal of Vascular and Endovascular Surgery</i> , 2013, 45, 235-240.   | 0.8 | 39        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 19998 | Comparison of the new Abbott Real Time CMV assay and the Abbott CMV PCR Kit for the quantitation of plasma cytomegalovirus DNAemia. <i>Diagnostic Microbiology and Infectious Disease</i> , 2013, 75, 207-209.                | 0.8 | 43        |
| 19999 | An automated walk-over weighing system as a tool for measuring liveweight change in lactating dairy cows. <i>Journal of Dairy Science</i> , 2013, 96, 4477-4486.  | 1.4 | 36        |
| 20000 | Bayesian network as an aid for Food Chain Information use for meat inspection. <i>Preventive Veterinary Medicine</i> , 2013, 109, 25-36.  | 0.7 | 11        |
| 20001 | Pulmonary MR imaging with ultra-short TEs: Utility for disease severity assessment of connective tissue disease patients. <i>European Journal of Radiology</i> , 2013, 82, 1359-1365.   | 1.2 | 33        |
| 20002 | Foot CT perfusion in patients with peripheral arterial occlusive disease (PAOD): A feasibility study. <i>European Journal of Radiology</i> , 2013, 82, e455-e464.   | 1.2 | 16        |
| 20003 | The influence of excess body mass on adult gait. <i>Clinical Biomechanics</i> , 2013, 28, 337-343.  | 0.5 | 22        |
| 20005 | Convergent Validity of the Cognitive Performance Scale of the interRAI Acute Care and the Mini-Mental State Examination. <i>American Journal of Geriatric Psychiatry</i> , 2013, 21, 636-645.                                 | 0.6 | 28        |
| 20006 | A multicentric trial (Olympiaâ€“MITO 13) on the accuracy of laparoscopy to assess peritoneal spread in ovarian cancer. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 209, 462.e1-462.e11.                      | 0.7 | 106       |
| 20007 | Abbreviated Injury Scale: Not a reliable basis for summation of injury severity in trauma facilities?. <i>Injury</i> , 2013, 44, 691-699.   | 0.7 | 41        |
| 20009 | Evaluation of dried blood spot diagnosis using HIV1-DNA and HIV1-RNA Biocentric assays in infants in Abidjan, CÃ“te d’Ivoire. The Pedi-Test DBS ANRS 12183 Study. <i>Journal of Virological Methods</i> , 2013, 193, 439-445. | 1.0 | 11        |
| 20010 | MR Fat Fraction Mapping. <i>Academic Radiology</i> , 2013, 20, 957-961.   | 1.3 | 5         |
| 20011 | Simultaneous magnetic resonance angiography and perfusion (MRAP) measurement: Initial application in lower extremity skeletal muscle. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 1237-1244.                     | 1.9 | 18        |
| 20012 | Selecting Constant Work Rates for Endurance Testing in COPD: The Role of the Power-Duration Relationship. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2014, 11, 131101114106009.                          | 0.7 | 32        |
| 20013 | Fraction of exhaled nitric oxide (<math>F_{eNO}</math>) norms in healthy North African children 5â€“16 years old. <i>Pediatric Pulmonology</i> , 2013, 48, 981-995.   | 1.0 | 12        |
| 20014 | Simple Paper-Based Test for Measuring Blood Hemoglobin Concentration in Resource-Limited Settings. <i>Clinical Chemistry</i> , 2013, 59, 1506-1513.   | 1.5 | 74        |
| 20015 | Translation and validation of the Danish version of the Patient Rated Wrist Evaluation questionnaire. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2013, 47, 1-4.   | 0.4 | 15        |
| 20016 | Test-retest studies in quantitative sensory testing: a critical review. <i>Acta Anaesthesiologica Scandinavica</i> , 2013, 57, 957-963.   | 0.7 | 27        |
| 20017 | The testâ€“retest reliability and the minimal detectable change of the Purdue pegboard test in schizophrenia. <i>Journal of the Formosan Medical Association</i> , 2013, 112, 332-337.  | 0.8 | 45        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20018 | Comparison of newly developed immuno-MS method with existing DELFIA <sup>®</sup> immunoassay for human chorionic gonadotropin determination in doping analysis. <i>Bioanalysis</i> , 2013, 5, 623-630.                               | 0.6 | 16        |
| 20019 | Limitations of serum values to estimate glomerular filtration rate during exercise. <i>British Journal of Sports Medicine</i> , 2013, 47, 1166-1170.   | 3.1 | 22        |
| 20020 | Comparison of Echocardiographic Measurements of Left Ventricular Volumes to Full Volume Magnetic Resonance Imaging in Normal and Diseased Rats. <i>Journal of the American Society of Echocardiography</i> , 2013, 26, 910-918.      | 1.2 | 20        |
| 20021 | Quadriceps function assessment using an incremental test and magnetic neurostimulation: A reliability study. <i>Journal of Electromyography and Kinesiology</i> , 2013, 23, 649-658.   | 0.7 | 41        |
| 20022 | Corrections of Enghoff's dead space formula for shunt effects still overestimate Bohr's dead space. <i>Respiratory Physiology and Neurobiology</i> , 2013, 189, 99-105.  | 0.7 | 22        |
| 20023 | Exhaled breath condensate pH in mechanically ventilated patients. <i>Medicina Intensiva</i> , 2013, 37, 593-599.   | 0.4 | 1         |
| 20024 | Cystatin C, kidney function, and cardiovascular risk factors in primary hypertension. <i>Revista Da Associação Médica Brasileira (English Edition)</i> , 2013, 59, 21-27.  | 0.1 | 0         |
| 20025 | How to report reliability in orthodontic research: Part 1. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013, 144, 156-161.   | 0.8 | 51        |
| 20026 | Comparison of coronary plaque subtypes in male and female patients using 320-row MDCTA. <i>Atherosclerosis</i> , 2013, 226, 428-432.   | 0.4 | 12        |
| 20027 | Reproducibility of methods used for the assessment of autonomous nervous system's function. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2013, 177, 275-279.  | 1.4 | 13        |
| 20028 | Three-dimensional Ultrasound Improves the Accuracy of Diameter Measurement of the Residual Sac in EVAR Patients. <i>European Journal of Vascular and Endovascular Surgery</i> , 2013, 46, 525-532.                                   | 0.8 | 35        |
| 20029 | Comparison of central corneal thickness measured with anterior segment optical coherence tomography versus ultrasonic pachymetry. <i>Archivos De La Sociedad Espanola De Oftalmologia</i> , 2013, 88, 45-49.                         | 0.1 | 4         |
| 20030 | Comparison of methods used to measure the thickness of soft tissues and their influence on the evaluation of tensile stress. <i>Journal of Biomechanics</i> , 2013, 46, 1955-1960.   | 0.9 | 39        |
| 20031 | Thermal response test and numerical analysis based on two models for ground-source heat pump system. <i>Energy and Buildings</i> , 2013, 66, 657-666.  | 3.1 | 49        |
| 20032 | Accuracy of Noninvasive Estimated Continuous Cardiac Output (esCCO) Compared to Thermodilution Cardiac Output: A Pilot Study in Cardiac Patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2013, 27, 1128-1132.    | 0.6 | 29        |
| 20033 | Hematuria Grading Scale: A New Tool for Gross Hematuria. <i>Urology</i> , 2013, 82, 284-289.   | 0.5 | 16        |
| 20034 | Evaluación de un nuevo reactivo monoclonal, N-L <sub>1</sub> Free Light Chains, para la cuantificación nefelométrica de las cadenas ligeras Kappa y Lambda libres en suero. <i>Revista Del Laboratorio Clínico</i> , 2013, 6, 18-25. | 0.1 | 1         |
| 20035 | A flow injection analysis system for monitoring silver (I) ion and iodine residuals in recycled water from recovery systems used for spaceflight. <i>Analytica Chimica Acta</i> , 2013, 792, 72-78.                                  | 2.6 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20036 | Defining ELISpot cut-offs from unreplicated test and control wells. <i>Journal of Immunological Methods</i> , 2013, 392, 57-62.  | 0.6 | 7         |
| 20037 | The h-index outperforms other bibliometrics in the assessment of research performance in general surgery: A province-wide study. <i>Surgery</i> , 2013, 153, 493-501.  | 1.0 | 89        |
| 20038 | Assessment of the test-retest reliability of a foot placement accuracy protocol in assisted-living older adults. <i>Gait and Posture</i> , 2013, 38, 784-789.  | 0.6 | 1         |
| 20039 | Size determination and response assessment of liver metastases with computed tomography—Comparison of RECIST and volumetric algorithms. <i>European Journal of Radiology</i> , 2013, 82, 1831-1839.  | 1.2 | 39        |
| 20040 | Quantifying Diplopia with a Questionnaire. <i>Ophthalmology</i> , 2013, 120, 1492-1496.  | 2.5 | 46        |
| 20041 | BpTRUth: Do automated blood pressure monitors outperform mercury?. <i>Journal of the American Society of Hypertension</i> , 2013, 7, 448-453.  | 2.3 | 36        |
| 20042 | Comparison of two- and three-dimensional transthoracic echocardiography for measurement of aortic annulus diameter in children. <i>Archives of Cardiovascular Diseases</i> , 2013, 106, 492-500.   | 0.7 | 15        |
| 20043 | Comparison of Real-Time Three-Dimensional Transesophageal Echocardiography to Two-Dimensional Transesophageal Echocardiography for Quantification of Mitral Valve Prolapse in Patients With Severe Mitral Regurgitation. <i>American Journal of Cardiology</i> , 2013, 111, 588-594. | 0.7 | 30        |
| 20044 | The relationships between tracheal index and lung volume parameters in mild-to-moderate COPD. <i>European Journal of Radiology</i> , 2013, 82, e867-e872.  | 1.2 | 9         |
| 20045 | A reduction in total isovolumic time with cardiac resynchronisation therapy is a predictor of clinical outcomes. <i>International Journal of Cardiology</i> , 2013, 168, 382-387.  | 0.8 | 9         |
| 20046 | Diurnal variations in articular cartilage thickness and strain in the human knee. <i>Journal of Biomechanics</i> , 2013, 46, 541-547.  | 0.9 | 110       |
| 20047 | Web-based versus Paper Administration of Common Ophthalmic Questionnaires. <i>Ophthalmology</i> , 2013, 120, 2151-2159.  | 2.5 | 14        |
| 20048 | Reliability and validity of the Trunk Impairment Scale in children and adolescents with cerebral palsy. <i>Research in Developmental Disabilities</i> , 2013, 34, 2075-2084.   | 1.2 | 30        |
| 20049 | Agreement of cardiac output measurement between pulse contour analysis and thermodilution in various body positions: a porcine study. <i>Journal of Surgical Research</i> , 2013, 181, 315-322.  | 0.8 | 5         |
| 20050 | Glomerular filtration rate in Holstein dairy cows estimated from a single blood sample using iodixanol. <i>Journal of Dairy Science</i> , 2013, 96, 5120-5128.   | 1.4 | 8         |
| 20051 | Accuracy and precision of echocardiography versus right heart catheterization for the assessment of pulmonary hypertension. <i>International Journal of Cardiology</i> , 2013, 168, 4058-4062.   | 0.8 | 182       |
| 20052 | Choosing between velocity-time-integral ratio and peak velocity ratio for calculation of the dimensionless index (or aortic valve area) in serial follow-up of aortic stenosis. <i>International Journal of Cardiology</i> , 2013, 167, 1524-1531.                                   | 0.8 | 20        |
| 20053 | Intrarater and interrater reliability for measurements in videofluoroscopy of swallowing. <i>European Journal of Radiology</i> , 2013, 82, 1683-1695.  | 1.2 | 57        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20054 | Comparative evaluation of ELISA kit and HPLC DAD for the determination of chlorpyrifos ethyl residues in water and sediments. <i>Talanta</i> , 2013, 117, 250-257.   | 2.9 | 17        |
| 20055 | Reliability of maximum heart rate in match's and comparison with predicted in young soccer players. <i>Revista Andaluza De Medicina Del Deporte</i> , 2013, 6, 129-134.  | 0.1 | 5         |
| 20056 | Validity of cardiac implantable electronic devices in assessing daily physical activity. <i>International Journal of Cardiology</i> , 2013, 168, 1127-1130.  | 0.8 | 23        |
| 20057 | Fat Tissue Measurements by Dual-Energy X-Ray Absorptiometry: Cross-Calibration of 3 Different Fan-Beam Instruments. <i>Journal of Clinical Densitometry</i> , 2013, 16, 212-222.   | 0.5 | 21        |
| 20059 | AOBP Needs to Be Accurate. <i>Canadian Journal of Cardiology</i> , 2013, 29, 255.e5.   | 0.8 | 0         |
| 20060 | The Development and Evaluation of a New Shoulder Scoring System Based on the View of Patients and Physicians: The Fudan University Shoulder Score. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013, 29, 613-622. | 1.3 | 15        |
| 20061 | The maximal width of the base of support (BSW): Clinical applicability and reliability of a preferred-standing test for measuring the risk of falling. <i>Archives of Gerontology and Geriatrics</i> , 2013, 57, 204-210.                | 1.4 | 8         |
| 20062 | 2D-ultrasound and endocrinologic evaluation of placentation in early pregnancy and its relationship to fetal birthweight in normal pregnancies and pre-eclampsia. <i>Placenta</i> , 2013, 34, 745-750.                                   | 0.7 | 51        |
| 20063 | Surgically assisted rapid maxillary expansion: feasibility of not releasing the nasal septum. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2013, 42, 321-325.  | 0.7 | 12        |
| 20064 | Aortic root 3D parametric morphological model from 2D-echo images. <i>Computers in Biology and Medicine</i> , 2013, 43, 2196-2204.   | 3.9 | 20        |
| 20065 | IRM de diffusion du pancréas normal: reproductibilité et variations de la mesure du coefficient de diffusion apparent à 1,5 et 3 Tesla. <i>Diagnostic and Interventional Imaging</i> , 2013, 94, 433-443.                                | 0.0 | 0         |
| 20066 | Repeatability of Static Posturography on the Follow-up of Vestibular Rehabilitation. <i>Archives of Medical Research</i> , 2013, 44, 151-158.  | 1.5 | 2         |
| 20067 | Comparability of Z-Score Equations of Cardiac Structures in Hypoplastic Left Heart Complex. <i>Journal of the American Society of Echocardiography</i> , 2013, 26, 1314-1321.  | 1.2 | 22        |
| 20068 | Prospective ultrasonographic follow-up of synthetic mesh in cohort of patients after vaginal repair of cystocele. <i>Progres En Urologie</i> , 2013, 23, 530-537.  | 0.3 | 2         |
| 20069 | Objective sleep parameters of healthy subjects by actigraphy for the evaluation of sleep medication. <i>Sleep Medicine</i> , 2013, 14, 299-300.  | 0.8 | 0         |
| 20070 | Fully automated computer-aided volume estimation system for thyroid planar scintigraphy. <i>Computers in Biology and Medicine</i> , 2013, 43, 1341-1352.   | 3.9 | 9         |
| 20071 | Rapid and Accurate Assessment of Aortic Arch Atherosclerosis Using Simultaneous Multi-Plane Imaging by Transesophageal Echocardiography. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 1337-1342.                                | 0.7 | 8         |
| 20072 | Isocentric 3-Dimensional C-Arm Imaging of Component Alignments in Total Knee Arthroplasty With Potential Intraoperative and Postoperative Applications. <i>Journal of Arthroplasty</i> , 2013, 28, 248-254.                              | 1.5 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20073 | Three-dimensional soft-tissue and hard-tissue changes in the treatment of bimaxillary protrusion. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013, 144, 218-228.   | 0.8 | 52        |
| 20074 | Functional MRI using Fourier decomposition of lung signal: Reproducibility of ventilation- and perfusion-weighted imaging in healthy volunteers. <i>European Journal of Radiology</i> , 2013, 82, 1015-1022.                              | 1.2 | 57        |
| 20075 | Comparison of the NucliSENS EasyQ HIV-1 v2.0 with Abbott m2000rt RealTime HIV-1 assay for plasma RNA quantitation in different HIV-1 subtypes. <i>Journal of Virological Methods</i> , 2013, 193, 18-22.                                  | 1.0 | 12        |
| 20076 | Proximal Isovelocity Surface Area by Single-Beat Three-Dimensional Color Doppler Echocardiography Applied for Tricuspid Regurgitation Quantification. <i>Journal of the American Society of Echocardiography</i> , 2013, 26, 1063-1072.   | 1.2 | 74        |
| 20077 | Evaluating the Feasibility of Utilizing the Automated Self-administered 24-hour (ASA24) Dietary Recall in a Sample of Multiethnic Older Adults. <i>Procedia Food Science</i> , 2013, 2, 134-144.  | 0.6 | 19        |
| 20078 | The subpubic angle in sex determination: Anthropometric measurements and analyses on Anatolian Caucasians using multidetector computed tomography datasets. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2013, 20, 1004-1009. | 0.5 | 27        |
| 20079 | Construct and convergent validity and repeatability of the Questionnaire d'Activit  Physique pour les Personnes  g es (QAPPA), a physical activity questionnaire for the elderly. <i>Public Health</i> , 2013, 127, 844-853.              | 1.4 | 9         |
| 20080 | Measurement of insulin-mediated glucose uptake: Direct comparison of the modified insulin suppression test and the euglycemic, hyperinsulinemic clamp. <i>Metabolism: Clinical and Experimental</i> , 2013, 62, 548-553.                  | 1.5 | 48        |
| 20081 | Functional limits of agreement applied as a novel method comparison tool for accuracy and precision of inertial measurement unit derived displacement of the distal limb in horses. <i>Journal of Biomechanics</i> , 2013, 46, 2320-2325. | 0.9 | 16        |
| 20082 | Plantar pressure trigger for reliable nerve stimulus application during dynamic H-reflex measurements. <i>Gait and Posture</i> , 2013, 37, 637-639.   | 0.6 | 5         |
| 20083 | Design and validation of GCH System 1.0 which measures the weight-bearing exerted on forearm crutches during aided gait. <i>Gait and Posture</i> , 2013, 37, 564-569.   | 0.6 | 10        |
| 20084 | Comparaci n de un m todo de point of care para la medida de troponina I cardiaca en sangre total frente a dos inmunoensayos en plasma. <i>Revista Del Laboratorio Cl nico</i> , 2013, 6, 140-144.   | 0.1 | 0         |
| 20085 | Reproducibility of the Dutch version of the Western Ontario rotator cuff Index. <i>Journal of Shoulder and Elbow Surgery</i> , 2013, 22, 165-170.   | 1.2 | 16        |
| 20086 | Left Atrial Enlargement and Reduced Atrial Compliance Occurs Early in Fabry Cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2013, 26, 1415-1423.   | 1.2 | 41        |
| 20087 | Heterogeneity of Regional Function and Relation to Ventricular Morphology in Patients With Fontan Circulation. <i>American Journal of Cardiology</i> , 2013, 112, 1207-1213.  | 0.7 | 8         |
| 20088 | Quantitative estimation of foot-flat and stance phase of gait using foot-worn inertial sensors. <i>Gait and Posture</i> , 2013, 37, 229-234.  | 0.6 | 209       |
| 20089 | Accuracy and Feasibility of Simplified Doppler-Based Left Ventricular Ejection Fraction. <i>American Journal of Cardiology</i> , 2013, 112, 889-894.  | 0.7 | 4         |
| 20090 | Self-regulatory practices of drivers with Parkinson's disease: Accuracy of patient reports. <i>Parkinsonism and Related Disorders</i> , 2013, 19, 176-180.  | 1.1 | 23        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20091 | Three-dimensional Magnetic Resonance Imaging Using Single Breath-hold k-t BLAST for Assessment of Global Left Ventricular Functional Parameters. <i>Academic Radiology</i> , 2013, 20, 987-994.   | 1.3 | 11        |
| 20092 | Reproducibility of Speckle-Tracking-Based Strain Measures of Left Ventricular Function in a Community-Based Study. <i>Journal of the American Society of Echocardiography</i> , 2013, 26, 1258-1266.e2.   | 1.2 | 105       |
| 20093 | Intersite variability of CSF Alzheimer's disease biomarkers in clinical setting. <i>Alzheimer's and Dementia</i> , 2013, 9, 406-413.  | 0.4 | 63        |
| 20095 | Discriminatory and predictive capabilities of enzyme-linked immunosorbent assay and multiplex platforms in a longitudinal Alzheimer's disease study. <i>Alzheimer's and Dementia</i> , 2013, 9, 276-283.  | 0.4 | 25        |
| 20096 | Reliability of utilization measures for primary care physician profiling. <i>Healthcare</i> , 2013, 1, 22-29.   | 0.6 | 5         |
| 20097 | Doubly labeled water validation of a computerized use-of-time recall in active young people. <i>Metabolism: Clinical and Experimental</i> , 2013, 62, 163-169.  | 1.5 | 36        |
| 20098 | A New Method to Predict Postoperative Lung Function: Quantitative Breath Sound Measurements. <i>Annals of Thoracic Surgery</i> , 2013, 95, 968-975.   | 0.7 | 13        |
| 20099 | The "Test Your Memory" test performs better than the MMSE in a population without known cognitive dysfunction. <i>Journal of the Neurological Sciences</i> , 2013, 328, 92-97.  | 0.3 | 26        |
| 20100 | Score for Neonatal Acute Physiology II and Neonatal Pain Predict Corticospinal Tract Development in Premature Newborns. <i>Pediatric Neurology</i> , 2013, 48, 123-129.e1.  | 1.0 | 108       |
| 20101 | Concern about interpretation of the data. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013, 143, 446.   | 0.8 | 1         |
| 20102 | Correcting for potential <sup>222</sup> Rn loss in <sup>210</sup> Pb dating of sediments from the South Adriatic Pit. <i>Quaternary Geochronology</i> , 2013, 18, 93-98.  | 0.6 | 4         |
| 20103 | Functional Maturation of Left and Right Atrial Systolic and Diastolic Performance in Infants, Children, and Adolescents. <i>Journal of the American Society of Echocardiography</i> , 2013, 26, 398-409.e2.   | 1.2 | 56        |
| 20104 | Predictors of discordance between physicians' and patients' appraisals of health-related quality of life in atrial fibrillation patients: Findings from the Angiotensin II Antagonist in Paroxysmal Atrial Fibrillation Trial. <i>American Heart Journal</i> , 2013, 166, 589-596.e1. | 1.2 | 14        |
| 20105 | Left Atrial and Left Ventricular Diastolic Function in Chronic Chagas Disease. <i>Journal of the American Society of Echocardiography</i> , 2013, 26, 1424-1433.  | 1.2 | 46        |
| 20106 | Unenhanced steady state free precession versus traditional MR imaging for congenital heart disease. <i>European Journal of Radiology</i> , 2013, 82, 1743-1748.   | 1.2 | 6         |
| 20107 | Is Real Time 3D Transesophageal Echocardiography a Feasible Approach to Detect Coronary Ostium During Transapical Aortic Valve Implantation?. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2013, 27, 654-659.   | 0.6 | 16        |
| 20108 | CIE L*a*b* color space predictive models for colorimetry devices - Analysis of perfume quality. <i>Talanta</i> , 2013, 104, 58-66.  | 2.9 | 47        |
| 20109 | Intraluminal abdominal aortic aneurysm thrombus is associated with disruption of wall integrity. <i>Journal of Vascular Surgery</i> , 2013, 57, 77-83.  | 0.6 | 101       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20110 | Reliability of a high-intensity cycling capacity test. <i>Journal of Science and Medicine in Sport</i> , 2013, 16, 286-289.   | 0.6 | 16        |
| 20111 | Applicability and Test-Retest Reliability of Isokinetic Shoulder Abduction and Adduction in Women Fibromyalgia Patients. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 444-450.   | 0.5 | 15        |
| 20112 | Diffusion tensor imaging of the median nerve at 3.0T using different MR scanners: Agreement of FA and ADC measurements. <i>European Journal of Radiology</i> , 2013, 82, e590-e596.   | 1.2 | 30        |
| 20113 | Feasibility and Reproducibility of Systolic Right Ventricular Strain Measurement by Speckle-Tracking Echocardiography in Premature Infants. <i>Journal of the American Society of Echocardiography</i> , 2013, 26, 1201-1213.                   | 1.2 | 78        |
| 20114 | What is the Primary Source of Discordance in Strain Measurement Between Vendors: Imaging or Analysis?. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 714-720.   | 0.7 | 81        |
| 20115 | Within-Day Test-Retest Reliability of the Timed Up & Go Test in Patients With Advanced Chronic Organ Failure. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 2131-2138.  | 0.5 | 76        |
| 20116 | Sheehan Suicidality Tracking Scale (S-STSS): Reliability, convergent and discriminative validity in young Italian adults. <i>Comprehensive Psychiatry</i> , 2013, 54, 842-849.  | 1.5 | 15        |
| 20117 | Automated Registration, Segmentation, and Measurement of Metastatic Melanoma Tumors in Serial CT Scans. <i>Academic Radiology</i> , 2013, 20, 604-613.  | 1.3 | 16        |
| 20118 | Non-invasive 24hour ambulatory monitoring of aortic wave reflection and arterial stiffness by a novel oscillometric device: The first feasibility and reproducibility study. <i>International Journal of Cardiology</i> , 2013, 169, 57-61.     | 0.8 | 82        |
| 20119 | The Relationship between Better-Eye and Integrated Visual Field Mean Deviation and Visual Disability. <i>Ophthalmology</i> , 2013, 120, 2476-2484.  | 2.5 | 52        |
| 20120 | Reliability of a field based 2D:4D measurement technique in children. <i>Early Human Development</i> , 2013, 89, 589-592.   | 0.8 | 5         |
| 20122 | Estimation of percent body fat based on anthropometric measurements in children and adolescents with congenital adrenal hyperplasia due to 21-hydroxylase deficiency. <i>Clinical Nutrition</i> , 2013, 32, 45-50.                              | 2.3 | 0         |
| 20123 | Accurate nonfluoroscopic guidance and tip location of peripherally inserted central catheters using a conductance guidewire system. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2013, 1, 202-208.e1.                   | 0.9 | 3         |
| 20124 | Toward verified and validated FE simulations of a femur with a cemented hip prosthesis. <i>Medical Engineering and Physics</i> , 2013, 35, 978-987.   | 0.8 | 17        |
| 20125 | Accurate Detection of Copy Number Changes in DNA Extracted from Formalin-Fixed, Paraffin-Embedded Melanoma Tissue Using Duplex Ratio Tests. <i>Journal of Molecular Diagnostics</i> , 2013, 15, 687-694.  | 1.2 | 8         |
| 20126 | Exploring intra- and inter-reader variability in uni-dimensional, bi-dimensional, and volumetric measurements of solid tumors on CT scans reconstructed at different slice intervals. <i>European Journal of Radiology</i> , 2013, 82, 959-968. | 1.2 | 76        |
| 20127 | Comparison of TOF and SL techniques for in-line measurement of food item volume using animal and vegetable tissues. <i>Food Control</i> , 2013, 33, 221-226.  | 2.8 | 7         |
| 20128 | An HPLC-LIV method for the simultaneous quantification of vemurafenib and erlotinib in plasma from cancer patients. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013, 928, 93-97.         | 1.2 | 35        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20130 | Sex Differences of Hip Morphology in Young Adults With Hip Pain and Labral Tears. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013, 29, 54-63.   | 1.3 | 102       |
| 20131 | Imaging in pleural mesothelioma: A review of the 11th International Conference of the International Mesothelioma Interest Group. <i>Lung Cancer</i> , 2013, 82, 190-196.  | 0.9 | 37        |
| 20132 | Is gait variability reliable in older adults and Parkinson's disease? Towards an optimal testing protocol. <i>Gait and Posture</i> , 2013, 37, 580-585.   | 0.6 | 202       |
| 20133 | Apparent Diffusion Coefficient Thresholds and Diffusion Lesion Volume in Acute Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013, 22, 906-909.   | 0.7 | 13        |
| 20134 | Repeatability and Internal Consistency of Abdominal 2D and 4D Phase Contrast MR Flow Measurements. <i>Academic Radiology</i> , 2013, 20, 699-704.   | 1.3 | 70        |
| 20135 | Can Microcomputed Tomography Measure Retrieved Polyethylene Wear? Comparing Fixed-bearing and Rotating-platform Knees. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 86-93.  | 0.7 | 25        |
| 20136 | FocusDET, A New Toolbox for SISCOM Analysis. Evaluation of the Registration Accuracy Using Monte Carlo Simulation. <i>Neuroinformatics</i> , 2013, 11, 77-89.   | 1.5 | 22        |
| 20137 | A simple method for accurate liver volume estimation by use of curve-fitting: a pilot study. <i>Radiological Physics and Technology</i> , 2013, 6, 180-186.   | 1.0 | 5         |
| 20138 | Regadenoson pharmacologic rubidium-82 PET: A comparison of quantitative perfusion and function to dipyridamole. <i>Journal of Nuclear Cardiology</i> , 2013, 20, 76-83.   | 1.4 | 22        |
| 20139 | Clinical value of a high-fat and low-carbohydrate diet before FDG-PET/CT for evaluation of patients with suspected cardiac sarcoidosis. <i>Journal of Nuclear Cardiology</i> , 2013, 20, 120-127.                                   | 1.4 | 90        |
| 20140 | Aortic stenosis, atherosclerosis, and skeletal bone: is there a common link with calcification and inflammation?. <i>European Heart Journal</i> , 2013, 34, 1567-1574.  | 1.0 | 131       |
| 20141 | Evaluation of point-of-care haemoglobin measuring devices: a comparison of Radical-7, pulse co-oximetry, HemoCue <sup>®</sup> and laboratory haemoglobin measurements in obstetric patients*. <i>Anaesthesia</i> , 2013, 68, 40-45. | 1.8 | 56        |
| 20142 | Testing the Pediatric Cardiac Quality of Life Inventory in the United Kingdom. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013, 102, e68-73.   | 0.7 | 24        |
| 20143 | A Human Experimental Bone Pain Model. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2013, 112, 116-123.   | 1.2 | 19        |
| 20144 | Differential effects of depression and mania symptoms on social adjustment: prospective study in bipolar disorder. <i>Bipolar Disorders</i> , 2013, 15, 80-91.  | 1.1 | 15        |
| 20145 | Reproducibility of two functional field exercise tests for children with cerebral palsy who self-propel a manual wheelchair. <i>Developmental Medicine and Child Neurology</i> , 2013, 55, 185-190.                                 | 1.1 | 15        |
| 20146 | Keratometry obtained by corneal mapping versus the IOLMaster in the prediction of postoperative refraction in routine cataract surgery. <i>Clinical and Experimental Ophthalmology</i> , 2013, 41, 12-18.                           | 1.3 | 7         |
| 20147 | The development of measurement tools for prosthetic eye research. <i>Australasian journal of optometry, The</i> , 2013, 96, 32-38.  | 0.6 | 19        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20148 | Development and validation of the Greek version of the MNREAD acuity chart. <i>Australasian journal of optometry, The</i> , 2013, 96, 25-31.  | 0.6 | 27        |
| 20149 | Measuring the level of agreement between directly measured blood pressure and pressure readings obtained with a veterinary-specific oscillometric unit in anesthetized dogs. <i>Journal of Veterinary Emergency and Critical Care</i> , 2013, 23, 37-40.              | 0.4 | 27        |
| 20150 | Demonstration of value of optimizing ECG triggering for cardiovascular magnetic resonance in patients with congenital heart disease. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 3.   | 1.6 | 16        |
| 20151 | Objective quantification of aortic valvular structures by cardiac computed tomography angiography in patients considered for transcatheter aortic valve implantation. <i>Catheterization and Cardiovascular Interventions</i> , 2013, 81, 148-159.                    | 0.7 | 18        |
| 20152 | Uricase biosensor based on a screen-printed electrode modified with Prussian blue for detection of uric acid in human blood serum. <i>Sensors and Actuators B: Chemical</i> , 2013, 179, 170-174.   | 4.0 | 83        |
| 20153 | Diagnostic accuracy of metronome-paced tachypnea to detect dynamic hyperinflation. <i>Clinical Physiology and Functional Imaging</i> , 2013, 33, 62-69.   | 0.5 | 20        |
| 20154 | Does Two-Dimensional Image Reconstruction from Three-Dimensional Full Volume Echocardiography Improve the Assessment of Left Ventricular Morphology and Function?. <i>Echocardiography</i> , 2013, 30, 55-63.   | 0.3 | 9         |
| 20155 | Early Improvement of the Regional and Global Ventricle Function Estimated by Two-Dimensional Speckle Tracking Echocardiography after Percutaneous Aortic Valve Implantation Speckle Tracking after CoreValve Implantation. <i>Echocardiography</i> , 2013, 30, 37-44. | 0.3 | 31        |
| 20156 | Reproducibility of measurements of mid-upper arm circumference in older persons. <i>Journal of Human Nutrition and Dietetics</i> , 2013, 26, 24-31.   | 1.3 | 11        |
| 20157 | A Single-Blood-Sample Method Using Inulin for Estimating Feline Glomerular Filtration Rate. <i>Journal of Veterinary Internal Medicine</i> , 2013, 27, 17-21.   | 0.6 | 12        |
| 20158 | Statistical guidelines for the analysis of data obtained from one or both eyes. <i>Ophthalmic and Physiological Optics</i> , 2013, 33, 7-14.  | 1.0 | 341       |
| 20159 | Reference values for the 6-Min Walking Test in obese subjects. <i>Disability and Rehabilitation</i> , 2013, 35, 1199-1203.  | 0.9 | 43        |
| 20160 | Estimating energy expenditure in mice using an energy balance technique. <i>International Journal of Obesity</i> , 2013, 37, 399-403.   | 1.6 | 60        |
| 20161 | The "Reading the Mind in the Eyes" test: Systematic review of psychometric properties and a validation study in Italy. <i>Cognitive Neuropsychiatry</i> , 2013, 18, 326-354.  | 0.7 | 301       |
| 20162 | Consciousness and Depth of Anesthesia Assessment Based on Bayesian Analysis of EEG Signals. <i>IEEE Transactions on Biomedical Engineering</i> , 2013, 60, 1488-1498.   | 2.5 | 38        |
| 20163 | Early Diffusion-Weighted Imaging and Perfusion-Weighted Imaging Lesion Volumes Forecast Final Infarct Size in DEFUSE 2. <i>Stroke</i> , 2013, 44, 681-685.  | 1.0 | 106       |
| 20164 | Bioimpedance system for monitoring muscle and cardiovascular activity in the stump of lower-limb amputees. <i>Physiological Measurement</i> , 2013, 34, 189-201.  | 1.2 | 21        |
| 20165 | Quantifying the nature of anticipation in professional tennis. <i>Journal of Sports Sciences</i> , 2013, 31, 820-830.   | 1.0 | 88        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20166 | Subendocardial dysfunction in patients with chronic severe aortic regurgitation and preserved ejection fraction detected with speckle-tracking strain imaging and transmural myocardial strain profile. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 339-346. | 0.5 | 20        |
| 20167 | Doppler-Assessed Cerebral Blood Flow Velocity in the Neonate as Estimator of Global Cerebral Blood Volume Flow Measured Using Phase-Contrast Magnetic Resonance Angiography. <i>Neonatology</i> , 2013, 103, 21-26.   | 0.9 | 9         |
| 20168 | Exercise-induced Pulmonary Hypertension. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013, 187, 576-583.  | 2.5 | 253       |
| 20169 | Validity of the Montreal Cognitive Assessment in the Detection of Cognitive Dysfunction in Huntington's Disease. <i>Applied Neuropsychology Adult</i> , 2013, 20, 33-40.  | 0.7 | 27        |
| 20170 | Temperature threshold testing: a systematic review. <i>Journal of the Peripheral Nervous System</i> , 2013, 18, 7-18.   | 1.4 | 37        |
| 20171 | Invasive Assessment of Doubtful Aortic Stenosis by Measuring Simultaneous Transaortic Gradient With a Pressure Wire. <i>American Journal of Cardiology</i> , 2013, 111, 1772-1777.  | 0.7 | 7         |
| 20172 | Variation in foot conformation in lame horses with different foot lesions. <i>Veterinary Journal</i> , 2013, 195, 361-365.  | 0.6 | 23        |
| 20173 | Guidelines and considerations for conducting experiments using tissue microarrays. <i>Histopathology</i> , 2013, 62, 827-839.   | 1.6 | 57        |
| 20174 | A modified Vancouver Scar Scale linked with TBSA (mVSS-TBSA): Inter-rater reliability of an innovative burn scar assessment method. <i>Burns</i> , 2013, 39, 1142-1149.   | 1.1 | 41        |
| 20175 | Test Variability of the QuantiFERON-TB Gold In-Tube Assay in Clinical Practice. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013, 187, 206-211.   | 2.5 | 155       |
| 20176 | Patellofemoral pain: an update on diagnostic and treatment options. <i>Current Reviews in Musculoskeletal Medicine</i> , 2013, 6, 188-194.  | 1.3 | 49        |
| 20177 | Validation of a novel semi-automated method for three-dimensional surface rendering of condyles using cone beam computed tomography data. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2013, 42, 1023-1029.   | 0.7 | 37        |
| 20178 | Validation of anthropometry and foot-to-foot bioelectrical resistance against a three-component model to assess total body fat in children: the IDEFICS study. <i>International Journal of Obesity</i> , 2013, 37, 520-526.   | 1.6 | 14        |
| 20179 | Measurement of the distribution of non-structural carbohydrate composition in onion populations by a high-throughput microplate enzymatic assay. <i>Journal of the Science of Food and Agriculture</i> , 2013, 93, 2470-2477.   | 1.7 | 11        |
| 20180 | Reliability of ultrasound to measure morphology of the toe flexor muscles. <i>Journal of Foot and Ankle Research</i> , 2013, 6, 12.   | 0.7 | 66        |
| 20181 | Finite element modeling mesh quality, energy balance and validation methods: A review with recommendations associated with the modeling of bone tissue. <i>Journal of Biomechanics</i> , 2013, 46, 1477-1488.   | 0.9 | 137       |
| 20182 | The ideal moisturizer: a survey of parental expectations and practice in childhood-onset eczema. <i>Journal of Dermatological Treatment</i> , 2013, 24, 7-12.   | 1.1 | 24        |
| 20183 | Is Arterial Pulse Contour Analysis Using Nexfin a New Option in the Noninvasive Measurement of Cardiac Output? A Pilot Study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2013, 27, 283-287.   | 0.6 | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20184 | The GFR and GFR decline cannot be accurately estimated in type 2 diabetics. <i>Kidney International</i> , 2013, 84, 164-173.  | 2.6 | 131       |
| 20185 | Determination of carbohydrate-deficient transferrin in human serum by capillary zone electrophoresis: Evaluation of assay performance and quality assurance over a 10-year period in the routine arena. <i>Electrophoresis</i> , 2013, 34, 1563-1571. | 1.3 | 17        |
| 20186 | Assessment of energy expenditure in elite jockeys during simulated race riding and a working day: implications for making weight. <i>Applied Physiology, Nutrition and Metabolism</i> , 2013, 38, 415-420.  | 0.9 | 23        |
| 20187 | Comparison of the Pentacam equivalent keratometry reading and IOL Master keratometry measurement in intraocular lens power calculations. <i>Clinical and Experimental Ophthalmology</i> , 2013, 41, 825-834.  | 1.3 | 29        |
| 20188 | Repeatability, reliability and reproducibility of posterior curvature and wavefront aberrations in keratoconic and cross-linked corneas. <i>Australasian journal of optometry, The</i> , 2013, 96, 547-556.   | 0.6 | 29        |
| 20189 | Measuring procedures to determine the Cobb angle in idiopathic scoliosis: a systematic review. <i>European Spine Journal</i> , 2013, 22, 2360-2371.   | 1.0 | 115       |
| 20190 | General Study Designs. , 2013, , 101-135.   |     | 0         |
| 20192 | Assessment of left ventricular function by pulse wave analysis in critically ill patients. <i>Intensive Care Medicine</i> , 2013, 39, 1025-1033.  | 3.9 | 111       |
| 20193 | A methodology for dosimetry audit of rotational radiotherapy using a commercial detector array. <i>Radiotherapy and Oncology</i> , 2013, 108, 78-85.  | 0.3 | 34        |
| 20194 | Rapid FT-NIR Analysis of Edible Oils for Total SFA, MUFA, PUFA, and Trans FA with Comparison to GC. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2013, 90, 757-770.  | 0.8 | 20        |
| 20195 | Validation of conventional 2D lateral cephalometry using 3D cone beam CT. <i>Journal of Orthodontics</i> , 2013, 40, 22-28.   | 0.4 | 14        |
| 20196 | Reliability and validity of the Dutch version of the foot and ankle outcome score (FAOS). <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 183.   | 0.8 | 38        |
| 20197 | Fully automated segmentation and tracking of the intima media thickness in ultrasound video sequences of the common carotid artery. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2013, 60, 158-77.                | 1.7 | 47        |
| 20198 | Repair of erosions in patients with rheumatoid arthritis treated with etanercept: magnetic resonance imaging findings after 1 year of follow-up. <i>Scandinavian Journal of Rheumatology</i> , 2013, 42, 437-444.                                     | 0.6 | 8         |
| 20199 | Antegrade late diastolic arterial blood flow in the fetus: insight into fetal atrial function. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 208, 490.e1-490.e8.   | 0.7 | 5         |
| 20200 | Mapping the Pharyngeal and Intestinal pH of <i>Caenorhabditis elegans</i> and Real-Time Luminal pH Oscillations Using Extended Dynamic Range pH-Sensitive Nanosensors. <i>ACS Nano</i> , 2013, 7, 5577-5587.  | 7.3 | 97        |
| 20201 | Commercial Real-Time Reverse Transcriptase PCR Assays Can Underestimate or Fail to Quantify Hepatitis Delta Virus Viremia. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 734-740.   | 2.4 | 41        |
| 20202 | The perceptually regulated exercise test is sensitive to increases in maximal oxygen uptake. <i>European Journal of Applied Physiology</i> , 2013, 113, 1233-1239.  | 1.2 | 19        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20203 | A novel lophine-based fluorescence probe and its binding to human serum albumin. <i>Analytica Chimica Acta</i> , 2013, 780, 1-6.   | 2.6 | 22        |
| 20204 | Factors affecting hemoglobin measurement. <i>Journal of Clinical Monitoring and Computing</i> , 2013, 27, 499-508.   | 0.7 | 43        |
| 20205 | A whole blood assay as a simple, broad assessment of cytokines and chemokines to evaluate human immune responses to <i>Mycobacterium tuberculosis</i> antigens. <i>Acta Tropica</i> , 2013, 127, 75-81.  | 0.9 | 44        |
| 20206 | Relative and absolute reliability of the crossover and maximum fat oxidation points and their relationship to ventilatory threshold. <i>Science and Sports</i> , 2013, 28, e99-e105.   | 0.2 | 13        |
| 20207 | Left Atrial Strain Assessed by Speckle Tracking Imaging Is Related to New-Onset Atrial Fibrillation After Coronary Artery Bypass Grafting. <i>Canadian Journal of Cardiology</i> , 2013, 29, 377-383.  | 0.8 | 36        |
| 20208 | Improving the Vitamin D Status of Vitamin D Deficient Adults Is Associated With Improved Mitochondrial Oxidative Function in Skeletal Muscle. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E509-E513.                           | 1.8 | 174       |
| 20209 | Comparison of DEXA-derived body fat measurement to two race-specific bioelectrical impedance equations in healthy Indians. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2013, 7, 72-77.                                     | 1.8 | 26        |
| 20210 | Reliability and validity of the Microsoft Kinect for evaluating static foot posture. <i>Journal of Foot and Ankle Research</i> , 2013, 6, 14.  | 0.7 | 53        |
| 20211 | Comparison of automated versus manual neutrophil counts for the detection of cellular abnormalities in dogs receiving chemotherapy: 50 cases (May to June 2008). <i>Journal of the American Veterinary Medical Association</i> , 2013, 242, 1539-1543. | 0.2 | 0         |
| 20212 | Validity and reliability of Polar® RS800CX heart rate monitor, measuring heart rate in dogs during standing position and at trot on a treadmill. <i>Physiology and Behavior</i> , 2013, 114-115, 1-5.  | 1.0 | 58        |
| 20213 | Comparison of intra-arterial and manual auscultation of blood pressure during submaximal exercise in humans. <i>Applied Physiology, Nutrition and Metabolism</i> , 2013, 38, 537-544.  | 0.9 | 4         |
| 20214 | Agreement between weight bearing and non-weight bearing joint position replication tasks at the knee and hip. <i>Journal of Sports Sciences</i> , 2013, 31, 1553-1558.   | 1.0 | 6         |
| 20215 | Superiority of Preventive Antibiotic Treatment Compared with Standard Treatment of Poststroke Pneumonia in Experimental Stroke: A Bed to Bench Approach. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 846-854.                     | 2.4 | 41        |
| 20216 | Geospatial modelling of electromagnetic fields from mobile phone base stations. <i>Science of the Total Environment</i> , 2013, 445-446, 202-209.  | 3.9 | 55        |
| 20217 | Clinical Agreement in Quantitative Measurements. <i>Springer Series on Epidemiology and Public Health</i> , 2013, , 17-27.   | 0.5 | 21        |
| 20218 | Automatic tracking of labeled red blood cells in microchannels. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2013, 29, 977-987.  | 1.0 | 22        |
| 20219 | Disagreement Plots and the Intraclass Correlation in Agreement Studies. <i>Springer Series on Epidemiology and Public Health</i> , 2013, , 29-38.  | 0.5 | 0         |
| 20220 | Clinical evaluation of a wireless ECG sensor system for arrhythmia diagnostic purposes. <i>Medical Engineering and Physics</i> , 2013, 35, 697-703.  | 0.8 | 27        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20221 | Effect of fasting in <sc>R</sc> amadan on body composition and nutritional intake: a prospective study. <i>Journal of Human Nutrition and Dietetics</i> , 2013, 26, 97-104.  | 1.3 | 100       |
| 20222 | Segmentation of the luminal border in intravascular ultrasound B-mode images using a probabilistic approach. <i>Medical Image Analysis</i> , 2013, 17, 649-670.  | 7.0 | 49        |
| 20223 | SWISSPAQ: validation of a new physical activity questionnaire in cardiac rehabilitation patients. <i>Swiss Medical Weekly</i> , 2013, 143, w13752.   | 0.8 | 7         |
| 20224 | Polyvinylidene fluoride film based nasal sensor to monitor human respiration pattern: An initial clinical study. <i>Journal of Clinical Monitoring and Computing</i> , 2013, 27, 647-657.  | 0.7 | 29        |
| 20225 | Right Ventricular Outflow Tract Systolic Excursion: A Distinguishing Echocardiographic Finding in Acute Pulmonary Embolism. <i>Echocardiography</i> , 2013, 30, 649-657.   | 0.3 | 9         |
| 20226 | Tracking Red Blood Cells in Microchannels: A Comparative Study Between an Automatic and a Manual Method. <i>Lecture Notes in Computational Vision and Biomechanics</i> , 2013, , 165-180.  | 0.5 | 3         |
| 20227 | Dynamic Contrast-enhanced MR Imaging of Carotid Atherosclerotic Plaque: Model Selection, Reproducibility, and Validation. <i>Radiology</i> , 2013, 266, 271-279.   | 3.6 | 79        |
| 20228 | Cardiac Magnetic Resonance Imaging in the Evaluation of the Late Effects of Anthracyclines Among Long-Term Survivors of Childhood Cancer. <i>Journal of the American College of Cardiology</i> , 2013, 61, 1539-1547.  | 1.2 | 122       |
| 20229 | Progression of carotid atherosclerosis in patients with systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 2013, 32, 1293-1300.  | 1.0 | 20        |
| 20230 | Brain morphometry reproducibility in multi-center 3T MRI studies: A comparison of cross-sectional and longitudinal segmentations. <i>NeuroImage</i> , 2013, 83, 472-484.   | 2.1 | 157       |
| 20231 | The Berg Balance Scale has high intra- and inter-rater reliability but absolute reliability varies across the scale: a systematic review. <i>Journal of Physiotherapy</i> , 2013, 59, 93-99.   | 0.7 | 177       |
| 20232 | Quality assessment and authentication of virgin olive oil by NMR spectroscopy: A critical review. <i>Analytica Chimica Acta</i> , 2013, 765, 1-27.   | 2.6 | 191       |
| 20233 | 2013 Ambulatory Blood Pressure Monitoring Recommendations for the Diagnosis of Adult Hypertension, Assessment of Cardiovascular and other Hypertension-associated Risk, and Attainment of Therapeutic Goals. <i>Chronobiology International</i> , 2013, 30, 355-410. | 0.9 | 168       |
| 20234 | Effects of Pulmonary Regurgitation on Distensibility and Flow of the Branch Pulmonary Arteries in Tetralogy of Fallot. <i>Pediatric Cardiology</i> , 2013, 34, 1118-1124.  | 0.6 | 13        |
| 20235 | Repeatability and comparability of corneal thickness measurements obtained from Dual Scheimpflug Analyzer and from ultrasonic pachymetry. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2013, 251, 1855-1860.                                | 1.0 | 16        |
| 20236 | The six-minute walk test in obese youth: reproducibility, validity, and prediction equation to assess aerobic power. <i>Disability and Rehabilitation</i> , 2013, 35, 479-482.   | 0.9 | 37        |
| 20237 | Overall similarity and consistency assessment scores are not sufficiently accurate for predicting discrepancy between direct and indirect comparison estimates. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 184-191.   | 2.4 | 15        |
| 20238 | Estimation of central venous pressure using inferior vena caval pressure from a femoral endovascular cooling catheter. <i>American Journal of Emergency Medicine</i> , 2013, 31, 240-243.  | 0.7 | 9         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20239 | Quantification of external root resorption by low- vs high-resolution cone-beam computed tomography and periapical radiography: A volumetric and linear analysis. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013, 143, 77-91.           | 0.8 | 54        |
| 20240 | Revitalizing a Vital Sign: Improving Detection of Tachypnea at Primary Triage. <i>Annals of Emergency Medicine</i> , 2013, 61, 37-43.   | 0.3 | 61        |
| 20241 | Estimating the Weight of Children in Kenya: Do the Broselow Tape and Age-Based Formulas Measure Up?. <i>Annals of Emergency Medicine</i> , 2013, 61, 1-8.   | 0.3 | 39        |
| 20242 | On-line blood viscosity monitoring in vivo with a central venous catheter, using electrical impedance technique. <i>Biosensors and Bioelectronics</i> , 2013, 41, 595-601.  | 5.3 | 45        |
| 20243 | Accuracy of a Computer-Aided Surgical Simulation Protocol for Orthognathic Surgery: A Prospective Multicenter Study. <i>Journal of Oral and Maxillofacial Surgery</i> , 2013, 71, 128-142.  | 0.5 | 323       |
| 20244 | Critical Review of Existing Patient Reported Outcome Measures After Male Anterior Urethroplasty. <i>Journal of Urology</i> , 2013, 189, 182-188.  | 0.2 | 39        |
| 20245 | Assessment of test-retest reliability of animal-based measures on growing pig farms. <i>Livestock Science</i> , 2013, 151, 35-45.   | 0.6 | 50        |
| 20246 | Simultaneous and noninvasive imaging of cerebral oxygen metabolic rate, blood flow and oxygen extraction fraction in stroke mice. <i>NeuroImage</i> , 2013, 64, 437-447.  | 2.1 | 54        |
| 20247 | Carbonate as sputter target material for rapid <sup>14</sup> C AMS. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , 2013, 294, 328-334.  | 0.6 | 9         |
| 20248 | Optoelectronic plethysmography compared to spirometry during maximal exercise. <i>Respiratory Physiology and Neurobiology</i> , 2013, 185, 362-368.   | 0.7 | 21        |
| 20249 | Evaluation of a microsphere-based immunofluorescence assay for the determination of Immunoglobulin A concentrations in cerebrospinal fluid of dogs. <i>Research in Veterinary Science</i> , 2013, 94, 69-72.  | 0.9 | 1         |
| 20250 | Confidence interval estimation for the Bland-Altman limits of agreement with multiple observations per individual. <i>Statistical Methods in Medical Research</i> , 2013, 22, 630-642.  | 0.7 | 167       |
| 20251 | Cystatin C and Creatinine-Based Estimates of Renal Function and Their Value for Risk Prediction in Patients with Acute Coronary Syndrome: Results from the PLATelet Inhibition and Patient Outcomes (PLATO) Study. <i>Clinical Chemistry</i> , 2013, 59, 1369-1375. | 1.5 | 19        |
| 20252 | Reference Range for Fetal Interventricular Septum Area by Means of Four-Dimensional Ultrasonography Using Spatiotemporal Image Correlation. <i>Fetal Diagnosis and Therapy</i> , 2013, 33, 110-115.   | 0.6 | 23        |
| 20253 | Prostate bed motion may cause geographic miss in post-prostatectomy image-guided intensity-modulated radiotherapy. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2013, 57, 725-732.  | 0.9 | 27        |
| 20254 | An optical measurement method for the simultaneous assessment of respiration and heart rates in preterm infants. <i>Review of Scientific Instruments</i> , 2013, 84, 121705.  | 0.6 | 66        |
| 20255 | MR Elastography of the Liver: Defining Thresholds for Detecting Viscoelastic Changes. <i>Radiology</i> , 2013, 269, 768-776.  | 3.6 | 32        |
| 20256 | Comparison of physical activity estimates using International Physical Activity Questionnaire (IPAQ) and accelerometry in fibromyalgia patients: The Al-Andalus study. <i>Journal of Sports Sciences</i> , 2013, 31, 1741-1752.                                     | 1.0 | 22        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20257 | Repeatability and bronchodilator reversibility of lung function in young children. <i>European Respiratory Journal</i> , 2013, 42, 116-124.   | 3.1 | 27        |
| 20258 | Measurement Properties of a Park Use Questionnaire. <i>Environment and Behavior</i> , 2013, 45, 526-547.  | 2.1 | 44        |
| 20259 | Accuracy and precision of CPET equipment: A comparison of breath-by-breath and mixing chamber systems. <i>Journal of Medical Engineering and Technology</i> , 2013, 37, 35-42.                      | 0.8 | 25        |
| 20260 | A comparison of ultrasound intima media thickness measurements of the left and right common carotid artery. , 2013, , .   |     | 4         |
| 20261 | Ground Anthrax Bacillus Refined Isolation (GABRI) method for analyzing environmental samples with low levels of Bacillus anthracis contamination. <i>BMC Microbiology</i> , 2013, 13, 167.          | 1.3 | 27        |
| 20262 | Expression of calgranulin A/B heterodimer after acute inhalation of endotoxin: proteomic approach and validation. <i>BMC Pulmonary Medicine</i> , 2013, 13, 65.                                     | 0.8 | 6         |
| 20263 | FISH and tips: a large scale analysis of automated versus manual scoring for sperm aneuploidy detection. <i>Basic and Clinical Andrology</i> , 2013, 23, 13.  | 0.8 | 14        |
| 20264 | Expiratory time constant for determinations of plateau pressure, respiratory system compliance, and total resistance. <i>Critical Care</i> , 2013, 17, R23.   | 2.5 | 46        |
| 20265 | Nitrogen washout/washin, helium dilution, and computed tomography in the assessment of end-expiratory lung volume. <i>Critical Care</i> , 2013, 17, 453.  | 2.5 | 1         |
| 20267 | Phase-1 Evaluation of 13C-Liver Function Breath Tests. <i>Digestive Diseases and Sciences</i> , 2013, 58, 579-581.  | 1.1 | 4         |
| 20268 | Dichoptic multifocal visual evoked potentials identify local retinal dysfunction in age-related macular degeneration. <i>Documenta Ophthalmologica</i> , 2013, 126, 125-136.                        | 1.0 | 12        |
| 20269 | Transaction Scheduling Using Dynamic Conflict Avoidance. <i>International Journal of Parallel Programming</i> , 2013, 41, 89-110.   | 1.1 | 10        |
| 20270 | Measuring and validating social program replacement rates. <i>Journal of European Public Policy</i> , 2013, 20, 1267-1284.  | 2.4 | 22        |
| 20271 | Finding the peak velocity in a flow from its doppler spectrum. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2013, 60, 2079-2088.                                | 1.7 | 29        |
| 20272 | A Comprehensive 3-D Framework for Automatic Quantification of Late Gadolinium Enhanced Cardiac Magnetic Resonance Images. <i>IEEE Transactions on Biomedical Engineering</i> , 2013, 60, 1499-1508. | 2.5 | 12        |
| 20273 | Validity of a portable urine refractometer: The effects of sample freezing. <i>Journal of Sports Sciences</i> , 2013, 31, 745-749.  | 1.0 | 17        |
| 20274 | Impact of prandial status on the comparison of capillary glucose meter and venous plasma glucose measurements in healthy volunteers. <i>Annals of Clinical Biochemistry</i> , 2013, 50, 6-12.       | 0.8 | 9         |
| 20275 | Plasma-Serum Cholesterol Differences in Children and Use of Measurements from Different Specimens. <i>Annals of Nutrition and Metabolism</i> , 2013, 63, 305-310.                                   | 1.0 | 3         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20276 | <sup>99m</sup> Tc-Macroaggregated Albumin Poorly Predicts the Intrahepatic Distribution of <sup>90</sup> Y Resin Microspheres in Hepatic Radioembolization. <i>Journal of Nuclear Medicine</i> , 2013, 54, 1294-1301.          | 2.8 | 192       |
| 20277 | Dynamic postural stability for double-leg drop landing. <i>Journal of Sports Sciences</i> , 2013, 31, 1074-1081.   | 1.0 | 12        |
| 20278 | Crowdsourcing Multimedia QoE Evaluation: A Trusted Framework. <i>IEEE Transactions on Multimedia</i> , 2013, 15, 1121-1137.  | 5.2 | 69        |
| 20279 | Changes in gait patterns and muscle activity following total hip arthroplasty: A six-month follow-up. <i>Clinical Biomechanics</i> , 2013, 28, 762-769.  | 0.5 | 50        |
| 20280 | Development of a Public Open Space Desktop Auditing Tool (POSDAT): A remote sensing approach. <i>Applied Geography</i> , 2013, 38, 22-30.  | 1.7 | 92        |
| 20281 | Using geospatial technology to strengthen data systems in developing countries: The case of agricultural statistics in India. <i>Applied Geography</i> , 2013, 43, 99-112.   | 1.7 | 9         |
| 20282 | Validation of a scale to assess the severity of bronchiolitis in a population of hospitalized infants. <i>Journal of Asthma</i> , 2013, 50, 1056-1061.   | 0.9 | 61        |
| 20283 | Anthropometry-Corrected Exposure Modeling as a Method to Improve Trunk Posture Assessment with a Single Inclinometer. <i>Journal of Occupational and Environmental Hygiene</i> , 2013, 10, 143-154.                            | 0.4 | 11        |
| 20284 | Resting energy expenditure values assessed by a multi-sensor armband show a low accuracy in obese subjects. <i>E-SPEN Journal</i> , 2013, 8, e246-e250.  | 0.5 | 2         |
| 20285 | Pneumatic tube transport affects platelet function measured by multiplate electrode aggregometry. <i>Thrombosis Research</i> , 2013, 132, 77-80.   | 0.8 | 28        |
| 20286 | Response to letter by Werner et al.. <i>Pain</i> , 2013, 154, 176-178.   | 2.0 | 4         |
| 20287 | CD4+CD28 <sup>hi</sup> lymphocytes and ischaemic stroke. Part I: CD4+CD28 <sup>hi</sup> lymphocytes and common carotid artery intima-media thickness. <i>Neurologia i Neurochirurgia Polska</i> , 2013, 47, 201-207.           | 0.6 | 2         |
| 20288 | Validation of a multi-sensor activity monitor for assessing sleep in children and adolescents. <i>Sleep Medicine</i> , 2013, 14, 201-205.  | 0.8 | 55        |
| 20289 | Intra- and Interrater Reliability of the Modified Tardieu Scale for the Assessment of Lower Limb Spasticity in Adults With Neurologic Injuries. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 2494-2501. | 0.5 | 45        |
| 20290 | Myocardial assessment using tissue doppler imaging in preterm very low-birth weight infants before and after red blood cell transfusion. <i>Journal of Perinatology</i> , 2013, 33, 681-686.                                   | 0.9 | 23        |
| 20291 | Reliability of Transcutaneous Bilirubin Devices in Preterm Infants: A Systematic Review. <i>Pediatrics</i> , 2013, 132, 871-881.   | 1.0 | 100       |
| 20292 | Validity of Exchangeable Solute Balance as a Measure of Blood Volume in Neurologically Injured Adults. <i>Neurocritical Care</i> , 2013, 21, 102-7.  | 1.2 | 1         |
| 20293 | Carotid arterial intima-media thickness and arterial stiffness in pre-eclampsia: analysis with <b>a</b> radiofrequency ultrasound technique. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 644-652.               | 0.9 | 44        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20294 | Agreement between Time-Domain and Spectral-Domain Optical Coherence Tomography in the Assessment of Macular Thickness in Patients with Idiopathic Macular Telangiectasia Type 2. <i>Ophthalmologica</i> , 2013, 230, 144-150.   | 1.0 | 7         |
| 20295 | Limitations of cadence-based walking for assessing bouts of moderate-to vigorous-intensity physical activity under free-living conditions. <i>Journal of Sports Sciences</i> , 2013, 31, 1805-1814.   | 1.0 | 2         |
| 20296 | Con: Should we abandon the use of the MDRD equation in favour of the CKD-EPI equation?. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 1396-1403.   | 0.4 | 53        |
| 20297 | Automated bone segmentation from large field of view 3D MR images of the hip joint. <i>Physics in Medicine and Biology</i> , 2013, 58, 7375-7390.   | 1.6 | 57        |
| 20298 | The nature and discriminatory value of urinary neutrophil gelatinase-associated lipocalin in critically ill patients at risk of acute kidney injury. <i>Intensive Care Medicine</i> , 2013, 39, 1714-1724.  | 3.9 | 60        |
| 20299 | Quantitative liver ADC measurements using diffusion-weighted MRI at 3T: evaluation of reproducibility and perfusion dependence using different techniques for respiratory compensation. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2013, 26, 431-442.    | 1.1 | 25        |
| 20300 | Free testosterone by direct and calculated measurement versus equilibrium dialysis in a clinical population. <i>Aging Male</i> , 2013, 16, 164-168.   | 0.9 | 29        |
| 20301 | Regional venous oxygen saturation versus mixed venous saturation after paediatric cardiac surgery. <i>Acta Anaesthesiologica Scandinavica</i> , 2013, 57, 373-379.  | 0.7 | 18        |
| 20302 | Prediction of the Hematocrit of Dried Blood Spots via Potassium Measurement on a Routine Clinical Chemistry Analyzer. <i>Analytical Chemistry</i> , 2013, 85, 404-410.  | 3.2 | 137       |
| 20303 | Assessment of point-of-care measurement of international normalised ratio using the <i>scp&gt;C&lt;/scp&gt;oagu&lt;scp&gt;C&lt;/scp&gt;hek &lt;scp&gt;XS P&lt;/scp&gt;lus system in the setting of acute ischaemic stroke. <i>Internal Medicine Journal</i>, 2013, 43, 1205-1209.</i> | 0.5 | 12        |
| 20304 | Reproducibility of rapid short echo time CSI at 3 tesla for clinical applications. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 37, 445-456.  | 1.9 | 14        |
| 20305 | Quantitative first-pass perfusion MRI of the mouse myocardium. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 1735-1744.   | 1.9 | 23        |
| 20306 | In vivo diffusion tensor MRI of the human heart: Reproducibility of breath-hold and navigator-based approaches. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 454-465.  | 1.9 | 145       |
| 20307 | Practicability of nitrogen multiple-breath washout measurements in a pediatric cystic fibrosis outpatient setting. <i>Pediatric Pulmonology</i> , 2013, 48, 739-746.  | 1.0 | 99        |
| 20308 | Assessment of the specificity of cardiopulmonary response during tethered swimming using a new snorkel device. <i>Journal of Physiological Sciences</i> , 2013, 63, 7-16.   | 0.9 | 17        |
| 20309 | Mind the gap"reaching the European target of a 2-year increase in healthy life years in the next decade. <i>European Journal of Public Health</i> , 2013, 23, 829-833.  | 0.1 | 45        |
| 20310 | The Influence of Prone Positioning on the Accuracy of Calibrated and Uncalibrated Pulse Contour-Derived Cardiac Index Measurements. <i>Anesthesia and Analgesia</i> , 2013, 116, 820-826.   | 1.1 | 14        |
| 20311 | Development and evaluation of a gyroscope-based wheel rotation monitor for manual wheelchair users. <i>Journal of Spinal Cord Medicine</i> , 2013, 36, 347-356.   | 0.7 | 27        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20312 | Assessment of wheelchair driving performance in a virtual reality-based simulator. <i>Journal of Spinal Cord Medicine</i> , 2013, 36, 322-332.   | 0.7 | 25        |
| 20313 | A novel ANFIS application for prediction of post-dialysis blood urea concentration. <i>International Journal of Intelligent Systems Technologies and Applications</i> , 2013, 12, 87.                        | 0.2 | 6         |
| 20314 | Criterion validity and accuracy of global positioning satellite and data logging devices for wheelchair tennis court movement. <i>Journal of Spinal Cord Medicine</i> , 2013, 36, 383-393.                   | 0.7 | 27        |
| 20315 | Validity of real-time measures of stuttering frequency. <i>Speech, Language and Hearing</i> , 2013, 16, 107-116.   | 0.6 | 3         |
| 20316 | Clinical Evaluation of Accuracy of Horizontal Meridian Limbal Marking. <i>Optometry and Vision Science</i> , 2013, 90, 540-545.  | 0.6 | 8         |
| 20317 | Utility Values in the Visually Impaired. <i>Optometry and Vision Science</i> , 2013, 90, 843-854.  | 0.6 | 5         |
| 20318 | Refractive Stabilization and Corneal Swelling After Cataract Surgery. <i>Optometry and Vision Science</i> , 2013, 90, 31-36.   | 0.6 | 29        |
| 20319 | In Situ Osmometry. <i>Optometry and Vision Science</i> , 2013, 90, 359-365.  | 0.6 | 30        |
| 20320 | A comparison of skeletal maturation in patients with tooth agenesis and unaffected controls assessed by the cervical vertebral maturation (CVM) index. <i>Journal of Orthodontics</i> , 2013, 40, 286-298.   | 0.4 | 1         |
| 20321 | Multi-adaptive neural-fuzzy system as a novel predictor of in-vivo blood side dialyser urea clearance. <i>International Journal of Computer Applications in Technology</i> , 2013, 46, 77.                   | 0.3 | 8         |
| 20322 | Myocardial function in premature infants: a longitudinal observational study. <i>BMJ Open</i> , 2013, 3, e002441.  | 0.8 | 16        |
| 20323 | Patientsâ€™ subjective assessment of the duration of cataract surgery: a case series. <i>BMJ Open</i> , 2013, 3, e002497.  | 0.8 | 13        |
| 20324 | Assessing fracture risk in people with MS: a service development study comparing three fracture risk scoring systems. <i>BMJ Open</i> , 2013, 3, e002508.  | 0.8 | 10        |
| 20325 | Reproducibility of tender point examination in chronic low back pain patients as measured by intrarater and inter-rater reliability and agreement: a validation study. <i>BMJ Open</i> , 2013, 3, e002532.   | 0.8 | 19        |
| 20326 | Exercise referral for drug users aged 40 and over: results of a pilot study in the UK. <i>BMJ Open</i> , 2013, 3, e002619.   | 0.8 | 4         |
| 20327 | Exploring adaptations to the modified shuttle walking test. <i>BMJ Open</i> , 2013, 3, e002821.  | 0.8 | 11        |
| 20328 | Comparing two types of macrolide antibiotics for the purpose of assessing population-based drug interactions. <i>BMJ Open</i> , 2013, 3, e002857.  | 0.8 | 20        |
| 20329 | MRI of the cervical nerve roots in the diagnosis of chronic inflammatory demyelinating polyradiculoneuropathy: a single-institution, retrospective caseâ€“control study. <i>BMJ Open</i> , 2013, 3, e003443. | 0.8 | 38        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20330 | Life expectancy estimation in small administrative areas with non-uniform population sizes: application to Australian New South Wales local government areas. <i>BMJ Open</i> , 2013, 3, e003710.  | 0.8 | 13        |
| 20331 | Comparison of Echocardiographic and Cardiac Magnetic Resonance Imaging in Hypertrophic Cardiomyopathy Sarcomere Mutation Carriers Without Left Ventricular Hypertrophy. <i>Circulation: Cardiovascular Genetics</i> , 2013, 6, 230-237.  | 5.1 | 58        |
| 20332 | Improving the Efficiency of Stroke Trials. <i>Stroke</i> , 2013, 44, 3422-3428.  | 1.0 | 22        |
| 20333 | Magnetic resonance angiography vs. angiography in tetralogy of Fallot. <i>Asian Cardiovascular and Thoracic Annals</i> , 2013, 21, 418-425.  | 0.2 | 5         |
| 20334 | Clinical Accuracy and Reproducibility of Portrait 3D Surgical Simulation Platform in Breast Augmentation. <i>Aesthetic Surgery Journal</i> , 2013, 33, 84-92.  | 0.9 | 24        |
| 20335 | The 6-Minute Walk Test in Chronic Respiratory Failure: Does Observed or Predicted Walk Distance Better Reflect Patient Functional Status?. <i>Respiratory Care</i> , 2013, 58, 850-857.  | 0.8 | 9         |
| 20336 | Assessment of jugular endovascular malformations in chronic cerebrospinal venous insufficiency: colour-Doppler scanning and catheter venography compared with intravascular ultrasound. <i>Phlebology</i> , 2013, 28, 409-417.           | 0.6 | 22        |
| 20337 | Human Circadian Phase Estimation from Signals Collected in Ambulatory Conditions Using an Autoregressive Model. <i>Journal of Biological Rhythms</i> , 2013, 28, 152-163.  | 1.4 | 16        |
| 20338 | Speckle-tracking strain of the left atrium: a transoesophageal echocardiographic validation study. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 898-905.   | 0.5 | 21        |
| 20339 | Relative validity of a short qualitative food frequency questionnaire for use in food consumption surveys. <i>European Journal of Public Health</i> , 2013, 23, 737-742.   | 0.1 | 22        |
| 20340 | Limitations of using same-hospital readmission metrics. <i>International Journal for Quality in Health Care</i> , 2013, 25, 633-639.   | 0.9 | 17        |
| 20341 | Consistency and Efficiency of CT Analysis of Metastatic Disease: Semiautomated Lesion Management Application Within a PACS. <i>American Journal of Roentgenology</i> , 2013, 201, 618-625.   | 1.0 | 23        |
| 20342 | Diffusivity of Cerebellar Hemispheres Enables Discrimination of Cerebellar or Parkinsonian Multiple System Atrophy from Progressive Supranuclear Palsy—Richardson Syndrome and Parkinson Disease. <i>Radiology</i> , 2013, 267, 843-850. | 3.6 | 31        |
| 20343 | Human Renovascular Disease: Estimating Fractional Tissue Hypoxia to Analyze Blood Oxygen Level—dependent MR. <i>Radiology</i> , 2013, 268, 770-778.  | 3.6 | 59        |
| 20344 | Measurement of Myocardial Extracellular Volume Fraction by Using Equilibrium Contrast-enhanced CT: Validation against Histologic Findings. <i>Radiology</i> , 2013, 269, 396-403.  | 3.6 | 140       |
| 20345 | Accuracy of linear intraoral measurements using cone beam CT and multidetector CT: methodological mistake: Author response. <i>Dentomaxillofacial Radiology</i> , 2013, 42, 20130062.  | 1.3 | 0         |
| 20346 | Reproducibility of Dynamic Contrast-enhanced MR Imaging. Part I. Perfusion Characteristics in the Female Pelvis by Using Multiple Computer-aided Diagnosis Perfusion Analysis Solutions. <i>Radiology</i> , 2013, 266, 801-811.          | 3.6 | 108       |
| 20347 | Transrectal ultrasound and magnetic resonance imaging in the evaluation of tumor size following neoadjuvant chemotherapy for locally advanced cervical cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 705-712.       | 0.9 | 23        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20348 | An evaluation of the IDEEA <sup>®</sup> activity monitor for estimating energy expenditure. <i>British Journal of Nutrition</i> , 2013, 109, 173-183.   | 1.2 | 30        |
| 20349 | Assessment and prediction of thoracic gas volume in pregnant women: an evaluation in relation to body composition assessment using air displacement plethysmography. <i>British Journal of Nutrition</i> , 2013, 109, 111-117.          | 1.2 | 17        |
| 20350 | Body composition in older community-dwelling adults with hip fracture: portable field methods validated by dual-energy X-ray absorptiometry. <i>British Journal of Nutrition</i> , 2013, 109, 1219-1229.                                | 1.2 | 15        |
| 20351 | Evaluations of Actiheart, IDEEA <sup>®</sup> and RT3 monitors for estimating activity energy expenditure in free-living women. <i>Journal of Nutritional Science</i> , 2013, 2, e31.  | 0.7 | 7         |
| 20352 | Investigation into Low-Level Anti-Rubella Virus IgG Results Reported by Commercial Immunoassays. <i>Vaccine Journal</i> , 2013, 20, 255-261.  | 3.2 | 25        |
| 20353 | Current State of Acute Stroke Imaging. <i>Stroke</i> , 2013, 44, 3260-3264.   | 1.0 | 24        |
| 20354 | Validity of the ithlete <sup>TM</sup> Smart Phone Application for Determining Ultra-Short-Term Heart Rate Variability. <i>Journal of Human Kinetics</i> , 2013, 39, 85-92.  | 0.7 | 102       |
| 20355 | Evaluation of antenatal umbilical coiling index at 16-21 <sup>st</sup> weeks of gestation as a predictor of trisomy 21 and other chromosomal defects. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 545-552.               | 0.9 | 9         |
| 20356 | Left ventricular chamber dimensions and wall thickness by cardiovascular magnetic resonance: comparison with transthoracic echocardiography. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 240-246.                  | 0.5 | 56        |
| 20357 | Accurate biometry in silicone oil-filled eyes. <i>Eye</i> , 2013, 27, 778-779.  | 1.1 | 1         |
| 20358 | Reply to Richard Symes. <i>Eye</i> , 2013, 27, 779-779.   | 1.1 | 3         |
| 20359 | Variability of subfoveal choroidal thickness measurements in patients with age-related macular degeneration and central serous chorioretinopathy. <i>Eye</i> , 2013, 27, 809-815.   | 1.1 | 31        |
| 20360 | How to Demonstrate Similarity by Using Noninferiority and Equivalence Statistical Testing in Radiology Research. <i>Radiology</i> , 2013, 267, 328-338.   | 3.6 | 133       |
| 20361 | Intra- and Interobserver Variability in CT Measurements in Oncology. <i>Radiology</i> , 2013, 269, 451-459.   | 3.6 | 83        |
| 20362 | Evaluation of condylar morphology following orthognathic surgery on digital panoramic radiographs. Could methodology influence the range of "normality" in condylar changes?. <i>Dentomaxillofacial Radiology</i> , 2013, 42, 20120463. | 1.3 | 11        |
| 20363 | Accuracy of Clinicians and Models for Estimating the Probability That a Pulmonary Nodule Is Malignant. <i>Annals of the American Thoracic Society</i> , 2013, 10, 629-635.  | 1.5 | 34        |
| 20364 | Volumetric analysis of subarachnoid hemorrhage: assessment of the reliability of two computerized methods and their comparison with other radiographic scales. <i>Journal of Neurosurgery</i> , 2013, 118, 84-93.                       | 0.9 | 37        |
| 20365 | Comparison of Multiplanar Reformatted CT Lung Tumor Measurements to Axial Tumor Measurement Alone: Impact on Maximal Tumor Dimension and T Stage. <i>American Journal of Roentgenology</i> , 2013, 201, 959-963.                        | 1.0 | 22        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20366 | Acute Stroke: Automatic Perfusion Lesion Outlining Using Level Sets. <i>Radiology</i> , 2013, 269, 404-412.   | 3.6 | 9         |
| 20367 | Adaptive 4D Volume Perfusion CT of Lung Cancer: Effects of Computerized Motion Correction and the Range of Volume Coverage on Measurement Reproducibility. <i>American Journal of Roentgenology</i> , 2013, 200, W603-W609.   | 1.0 | 16        |
| 20368 | Methods of Neurodevelopmental Assessment in Children with Neurodegenerative Disease: Sanfilippo Syndrome. <i>JIMD Reports</i> , 2013, 13, 129-137.  | 0.7 | 47        |
| 20369 | Influence of sampling window size and orientation on parafoveal cone packing density. <i>Biomedical Optics Express</i> , 2013, 4, 1318.   | 1.5 | 23        |
| 20370 | Non-contact detection of oxygen saturation based on visible light imaging device using ambient light. <i>Optics Express</i> , 2013, 21, 17464.  | 1.7 | 195       |
| 20371 | Automated segmentation of retinal pigment epithelium cells in fluorescence adaptive optics images. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2013, 30, 2595.                 | 0.8 | 19        |
| 20372 | Comparison of Quantitatively Analyzed Dynamic Area-Detector CT Using Various Mathematic Methods With FDG PET/CT in Management of Solitary Pulmonary Nodules. <i>American Journal of Roentgenology</i> , 2013, 200, W593-W602. | 1.0 | 35        |
| 20373 | Influence of the Choice of Software Package on the Outcome of Semiquantitative MR Myocardial Perfusion Analysis. <i>Radiology</i> , 2013, 266, 759-765.   | 3.6 | 10        |
| 20374 | Comparison of Blood Flow Velocity Quantification by 4D Flow MR Imaging with Ultrasound at the Carotid Bifurcation. <i>American Journal of Neuroradiology</i> , 2013, 34, 1407-1413.   | 1.2 | 67        |
| 20375 | Various Methods for Assessing Static Lower Extremity Alignment: Implications for Prospective Risk-Factor Screenings. <i>Journal of Athletic Training</i> , 2013, 48, 248-257.   | 0.9 | 14        |
| 20376 | Unscheduled Telephone Calls to Measure Percent Syllables Stuttered During Clinical Trials. <i>Journal of Speech, Language, and Hearing Research</i> , 2013, 56, 1455-1461.  | 0.7 | 13        |
| 20377 | Measurement of energy expenditure by activity monitors. <i>Physical Therapy Reviews</i> , 2013, 18, 239-262.  | 0.3 | 5         |
| 20378 | Comparison of the Disease Activity Score Using Erythrocyte Sedimentation Rate and C-reactive Protein in African Americans with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2013, 40, 1812-1822.                    | 1.0 | 34        |
| 20379 | Actigraph GT3X: Validation and Determination of Physical Activity Intensity Cut Points. <i>International Journal of Sports Medicine</i> , 2013, 34, 975-982.  | 0.8 | 269       |
| 20380 | Dynamic contrast-enhanced CT in suspected lung cancer: quantitative results. <i>British Journal of Radiology</i> , 2013, 86, 20130257.  | 1.0 | 17        |
| 20381 | End tidal carbon dioxide is as reliable as transcutaneous monitoring in ventilated postsurgical neonates. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2013, 98, F161-F164.                          | 1.4 | 30        |
| 20382 | Aerobic and Anaerobic Performances in Tethered Swimming. <i>International Journal of Sports Medicine</i> , 2013, 34, 712-719.   | 0.8 | 20        |
| 20383 | Identification and agreement of first turn point by mathematical analysis applied to heart rate, carbon dioxide output and electromyography. <i>Brazilian Journal of Physical Therapy</i> , 2013, 17, 614-622.                | 1.1 | 7         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20384 | Validation of a digital photographic method for assessment of dietary quality of school lunch sandwiches brought from home. <i>Food and Nutrition Research</i> , 2013, 57, 20243.  | 1.2 | 16        |
| 20385 | Magnetic Resonance Imaging Volumetry for Noninvasive Measures of Phenotypic Flexibility during Digestion in Burmese Pythons. <i>Physiological and Biochemical Zoology</i> , 2013, 86, 149-158.   | 0.6 | 23        |
| 20386 | The performances of the Cockcroft-Gault, Modification of Diet in Renal Disease Study and Chronic Kidney Disease Epidemiology Collaboration equations in predicting gentamicin clearance. <i>Annals of Clinical Biochemistry</i> , 2013, 50, 546-557.     | 0.8 | 21        |
| 20387 | Examination of anticipated chemical shift and shape distortion effect on materials commonly used in prosthetic socket fabrication when measured using MRI: A validation study. <i>Journal of Rehabilitation Research and Development</i> , 2013, 50, 31. | 1.6 | 1         |
| 20388 | Comparison of central venous saturation by standard ABG machine versus co-oximeter: Is 18 carat as good as the 24 carat gold standard?. <i>Indian Journal of Critical Care Medicine</i> , 2013, 17, 82-86.   | 0.3 | 6         |
| 20389 | Intra- and inter-observer repeatability of radiographic measurements for previously slipped capital femoral epiphysis at skeletal maturity. <i>Acta Radiologica</i> , 2013, 54, 587-591.   | 0.5 | 7         |
| 20390 | Effects of the frame acquisition rate on the sensitivity of gastro-oesophageal reflux scintigraphy. <i>British Journal of Radiology</i> , 2013, 86, 20130084.  | 1.0 | 8         |
| 20391 | Computed tomographic evaluation of femoral component rotation in total knee arthroplasty. <i>Indian Journal of Orthopaedics</i> , 2013, 47, 40.  | 0.5 | 10        |
| 20392 | Validation of the Arabic Version of the Epworth Sleepiness Scale in Oman. <i>Oman Medical Journal</i> , 2013, 28, 454-456.   | 0.3 | 17        |
| 20393 | Comparison Between Direct and Predicted Maximal Oxygen Uptake Measurement During Cycling. <i>Military Medicine</i> , 2013, 178, 234-238.   | 0.4 | 27        |
| 20394 | Development and validation of anthropometric prediction equations for estimation of lean body mass and appendicular lean soft tissue in Indian men and women. <i>Journal of Applied Physiology</i> , 2013, 115, 1156-1162.                               | 1.2 | 46        |
| 20395 | The Functional, Social and Economic Impact of Acute Encephalitis Syndrome in Nepal – a Longitudinal Follow-Up Study. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2383.   | 1.3 | 33        |
| 20396 | Blood Pressure Measurement in Peritoneal Dialysis: Which Method is Best?. <i>Peritoneal Dialysis International</i> , 2013, 33, 544-551.  | 1.1 | 14        |
| 20397 | Measurement of Biomarkers of Oxidative Stress and Airway Inflammation in Exhaled Breath Condensate: Methodology and Potential Applications in Patients with COPD and Healthy Smokers. , 2013, , 360-381.   |     | 3         |
| 20398 | Pulse transit time as a measure of respiratory effort under noninvasive ventilation. <i>European Respiratory Journal</i> , 2013, 41, 346-353.  | 3.1 | 22        |
| 20399 | Comparison of cardiac output derived from FloTrac®, Vigileo®, and impedance cardiography during major abdominal surgery. <i>Journal of International Medical Research</i> , 2013, 41, 1342-1349.   | 0.4 | 15        |
| 20400 | Assessment of accuracy of Cockcroft-Gault and MDRD formulae in critically ill Indian patients. <i>Indian Journal of Critical Care Medicine</i> , 2013, 17, 71-75.  | 0.3 | 7         |
| 20401 | Defining the magnitude of measurement variability in the virtual histology analysis of acute coronary syndrome plaques. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 167-174.  | 0.5 | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20402 | Quantification of Right and Left Ventricular Function in Cardiac MR Imaging: Comparison of Semiautomatic and Manual Segmentation Algorithms. <i>Diagnostics</i> , 2013, 3, 271-282.   | 1.3 | 10        |
| 20403 | Validation of the Prague C&M classification of Barrett's esophagus in clinical practice. <i>Endoscopy</i> , 2013, 45, 876-882.  | 1.0 | 69        |
| 20404 | Validity and reproducibility of a lower limb isokinetic muscular endurance testing protocol. <i>Isokinetics and Exercise Science</i> , 2013, 21, 311-316.   | 0.2 | 1         |
| 20405 | Non-invasive, minute-to-minute estimates of systemic arterial pressure and pulse pressure variation using radial artery tonometry. <i>Journal of Medical Engineering and Technology</i> , 2013, 37, 197-202.  | 0.8 | 8         |
| 20406 | Segmentation of Individual Renal Cysts from MR Images in Patients with Autosomal Dominant Polycystic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 1089-1097.                                       | 2.2 | 43        |
| 20407 | Relationship Between Hip Dysplasia, Pain, and Osteoarthritis in a Cohort of Patients with Hip Symptoms. <i>Journal of Rheumatology</i> , 2013, 40, 1583-1589.   | 1.0 | 27        |
| 20408 | Non-enhanced MR angiography of renal arteries: comparison with contrast-enhanced MR angiography. <i>Acta Radiologica</i> , 2013, 54, 749-756.   | 0.5 | 25        |
| 20409 | Tele-ABR using a satellite connection in a mobile van for newborn hearing testing. <i>Journal of Telemedicine and Telecare</i> , 2013, 19, 233-237.   | 1.4 | 39        |
| 20410 | The Steep Ramp Test in Healthy Children and Adolescents. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 366-371.  | 0.2 | 28        |
| 20411 | The three-dimensional relationship between acetabular rim morphology and the severity of femoral cam lesions. <i>Bone and Joint Journal</i> , 2013, 95-B, 314-319.  | 1.9 | 15        |
| 20412 | Assessing tactile acuity in rheumatology and musculoskeletal medicine—how reliable are two-point discrimination tests at the neck, hand, back and foot?. <i>Rheumatology</i> , 2013, 52, 1454-1461.   | 0.9 | 128       |
| 20413 | Endoscopic improvement of mucosal lesions in patients with moderate to severe ileocolonic Crohn's disease following treatment with certolizumab pegol. <i>Gut</i> , 2013, 62, 201-208.  | 6.1 | 147       |
| 20414 | Duration of "Phase I" work: a comparison of methods used in its estimation and the effects of varying moderate-intensity work rate. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2013, 304, R238-R247. | 0.9 | 6         |
| 20415 | Femoroacetabular impingement: presence of FAI-like features on conventional radiography in young patients presenting to primary care with hip pain. <i>Acta Radiologica</i> , 2013, 54, 690-697.  | 0.5 | 8         |
| 20416 | Repeatability, Reproducibility and Standardisation of a Laser Doppler Imaging Technique for the Evaluation of Normal Mouse Hindlimb Perfusion. <i>Sensors</i> , 2013, 13, 500-515.  | 2.1 | 16        |
| 20417 | Validity and reliability of the Chinese translation of the Physical Activity Scale for the Elderly (PASE). <i>Disability and Rehabilitation</i> , 2013, 35, 191-197.  | 0.9 | 37        |
| 20418 | Tympanometric measures in ears with negative middle ear pressure, and tests of some common assumptions. <i>International Journal of Audiology</i> , 2013, 52, 333-341.  | 0.9 | 3         |
| 20419 | A comparison of digital morphometry and clinical measurements of ears. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2013, 47, 317-319.  | 0.4 | 2         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20420 | On Using Maximum a Posteriori Probability Based on a Bayesian Model for Oscillometric Blood Pressure Estimation. <i>Sensors</i> , 2013, 13, 13609-13623.   | 2.1 | 12        |
| 20421 | Intertester Reliability of the Acceptable Noise Level. <i>Journal of the American Academy of Audiology</i> , 2013, 24, 241-243.  | 0.4 | 5         |
| 20422 | Validation of One-Mile Walk Equations for the Estimation of Aerobic Fitness in British Military Personnel Under the Age of 40 Years. <i>Military Medicine</i> , 2013, 178, 753-759.  | 0.4 | 6         |
| 20423 | Thermal-Work Strain During Marine Rifle Squad Operations in Afghanistan. <i>Military Medicine</i> , 2013, 178, 1141-1148.  | 0.4 | 27        |
| 20424 | Development and Evaluation of an Improved Technique for Pulmonary Function Testing Using Electrical Impedance Pneumography Intended for the Diagnosis of Chronic Obstructive Pulmonary Disease Patients. <i>Sensors</i> , 2013, 13, 15846-15860. | 2.1 | 8         |
| 20425 | Native Acetabular Version: 3D CT Analysis of the Psoas Valley. <i>HIP International</i> , 2013, 23, 274-280.   | 0.9 | 1         |
| 20426 | Comparison of ActiGraph activity monitors in persons with multiple sclerosis and controls. <i>Disability and Rehabilitation</i> , 2013, 35, 725-731.   | 0.9 | 26        |
| 20427 | Endoscopic Functional Imaging of Partial Tendon Tears—Proof of Concept and Intraoperative Feasibility. <i>Journal of Biomechanical Engineering</i> , 2013, 135, 041007.  | 0.6 | 0         |
| 20428 | A study to compare two goniometric methods for measuring active pronation and supination range of motion. <i>Hand Therapy</i> , 2013, 18, 57-63.   | 0.5 | 6         |
| 20429 | Mechanical Ventilation Guided by Electrical Impedance Tomography in Experimental Acute Lung Injury*. <i>Critical Care Medicine</i> , 2013, 41, 1296-1304.  | 0.4 | 124       |
| 20430 | Concurrent Validity of the Modified International Physical Activity Questionnaire for French Obese Adolescents. <i>Perceptual and Motor Skills</i> , 2013, 116, 123-131.   | 0.6 | 9         |
| 20431 | Preclinical bridging studies: understanding dried blood spot and plasma exposure profiles. <i>Bioanalysis</i> , 2013, 5, 159-170.  | 0.6 | 25        |
| 20432 | Usability of an innovative and interactive electronic system for collection of patient-reported data in axial spondyloarthritis: comparison with the traditional paper-administered format. <i>Rheumatology</i> , 2013, 52, 2062-2070.           | 0.9 | 62        |
| 20433 | Specific food structures suppress appetite through reduced gastric emptying rate. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 304, G1038-G1043.   | 1.6 | 87        |
| 20434 | Endothelial barrier dysfunction in diabetic conduit arteries: a novel method to quantify filtration. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2013, 304, H398-H405.  | 1.5 | 7         |
| 20435 | Clinical validation of the AMTAS automated audiometer. <i>International Journal of Audiology</i> , 2013, 52, 342-349.  | 0.9 | 47        |
| 20436 | Reliability of Six Physical Performance Tests in Older People With Dementia. <i>Physical Therapy</i> , 2013, 93, 69-78.  | 1.1 | 109       |
| 20437 | An open-label study of lapatinib in women with HER-2-negative early breast cancer: the lapatinib pre-surgical study (LPS study). <i>Annals of Oncology</i> , 2013, 24, 924-930.  | 0.6 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20438 | Human Embryonic Growth and Development of the Cerebellum Using 3-Dimensional Ultrasound and Virtual Reality. <i>Reproductive Sciences</i> , 2013, 20, 899-908.   | 1.1 | 12        |
| 20439 | Quantitative Fundus Autofluorescence in Healthy Eyes. , 2013, 54, 5684.  |     | 138       |
| 20440 | Comparison of wrist-type and arm-type 24-h blood pressure monitoring devices for ambulatory use. <i>Blood Pressure Monitoring</i> , 2013, 18, 57-62.   | 0.4 | 42        |
| 20441 | Development of a modified sampling and calculation method for isotope plasma clearance assessment of the glomerular filtration rate in patients with cirrhosis and ascites. <i>Nuclear Medicine Communications</i> , 2013, 34, 1124-1132.              | 0.5 | 17        |
| 20442 | Clinical Use of a New Position-independent Rebound Tonometer. <i>Journal of Glaucoma</i> , 2013, 22, 763-767.  | 0.8 | 43        |
| 20443 | Clinical Validation of Dried Blood Spot Sampling in Therapeutic Drug Monitoring of Ciclosporin A in Allogeneic Stem Cell Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2013, 35, 92-95.  | 1.0 | 34        |
| 20444 | Reliability of a smartphone-based goniometer for knee joint goniometry. <i>International Journal of Rehabilitation Research</i> , 2013, 36, 146-151.   | 0.7 | 115       |
| 20445 | The Impact of Maximum Rectal Distention and Tandem Angle on Rectal Dose Delivered in 3D Planned Gynecologic High Dose-rate Brachytherapy. <i>International Journal of Gynecological Cancer</i> , 2013, 23, 1078-1083.                                  | 1.2 | 7         |
| 20446 | Comparing the Validity and Output of the GT1M and GT3X Accelerometer in 5- to 9-Year-Old Children. <i>Measurement in Physical Education and Exercise Science</i> , 2013, 17, 236-248.  | 1.3 | 4         |
| 20447 | Reliability and Validity of the Dutch Version of the International Physical Activity Questionnaire in Patients After Total Hip Arthroplasty or Total Knee Arthroplasty. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013, 43, 650-659. | 1.7 | 32        |
| 20448 | Is there an association between the individual anatomy of the scapula and the development of rotator cuff tears or osteoarthritis of the glenohumeral joint?. <i>Bone and Joint Journal</i> , 2013, 95-B, 935-941.                                     | 1.9 | 431       |
| 20449 | Comparison of Low-Abundance Biomarker Levels in Capillary-Collected Nonstimulated Tears and Washout Tears of Aqueous-Deficient and Normal Patients. , 2013, 54, 3729.  |     | 14        |
| 20450 | The Carbon Isotope Ratio of Alanine in Red Blood Cells Is a New Candidate Biomarker of Sugar-Sweetened Beverage Intake. <i>Journal of Nutrition</i> , 2013, 143, 878-884.  | 1.3 | 46        |
| 20451 | A Comparative Study of 2 Computer-assisted Methods of Quantifying Brightfield Microscopy Images. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2013, 21, 464-470.   | 0.6 | 6         |
| 20452 | Reproducibility of peripheral arterial tonometry for the assessment of endothelial function in adults. <i>Journal of Hypertension</i> , 2013, 31, 1984-1990.   | 0.3 | 48        |
| 20453 | Comparison of Optic Nerve Head Parameter Measurements Obtained by Time-domain and Spectral-domain Optical Coherence Tomography. <i>Journal of Glaucoma</i> , 2013, 22, 384-389.  | 0.8 | 17        |
| 20454 | A New Method to Predict Values for Postoperative Lung Function and Surgical Risk of Lung Resection by Quantitative Breath Sound Measurements. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2013, 36, 273-278.                | 0.6 | 4         |
| 20455 | Quantification of Thoracic Blood Flow Using Volumetric Magnetic Resonance Imaging With Radial Velocity Encoding. <i>Investigative Radiology</i> , 2013, 48, 819-825.   | 3.5 | 44        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20456 | Evaluating joint destruction in rheumatoid arthritis: is it necessary to radiograph both hands and feet?. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 345-349.  | 0.5 | 23        |
| 20457 | Repeatability of OCT Lens Thickness Measures With Age and Accommodation. <i>Optometry and Vision Science</i> , 2013, 90, 1396-1405.   | 0.6 | 13        |
| 20458 | Determination of central blood pressure by a noninvasive method (brachial blood pressure and QKD) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 0.3   | 0.3 | 9         |
| 20459 | REPRODUCIBILITY AND REPEATABILITY OF CIRRUS AND SPECTRALIS FOURIER-DOMAIN OPTICAL COHERENCE TOMOGRAPHY OF HEALTHY AND EPIRETINAL MEMBRANE EYES. <i>Retina</i> , 2013, 33, 1448-1455.  | 1.0 | 20        |
| 20460 | Comparison of Horizontal Corneal Diameter Measurements Using the Orbscan Ilz and Pentacam HR Systems. <i>Cornea</i> , 2013, 32, 1460-1464.  | 0.9 | 42        |
| 20461 | Common Prediction Equations Overestimate Measured Resting Metabolic Rate in Young Hispanic Women. <i>Topics in Clinical Nutrition</i> , 2013, 28, 120-135.  | 0.2 | 18        |
| 20462 | Factors Influencing Intermethod Agreement Between Goldmann Applanation, Pascal Dynamic Contour, and Ocular Response Analyzer Tonometry. <i>Journal of Glaucoma</i> , 2013, 22, 487-495.                                     | 0.8 | 12        |
| 20463 | Validity of Equations for Estimating V[Combining Dot Above]O2peak From the 20-m Shuttle Run Test in Adolescents Aged 11â€“13 Years. <i>Journal of Strength and Conditioning Research</i> , 2013, 27, 2774-2781.             | 1.0 | 23        |
| 20464 | Oscillometric estimation of aortic pulse wave velocity. <i>Blood Pressure Monitoring</i> , 2013, 18, 173-176.   | 0.4 | 235       |
| 20465 | Prevalence and factors related to urinary albumin excretion in obese youths. <i>Journal of Hypertension</i> , 2013, 31, 2230-2236.  | 0.3 | 30        |
| 20466 | Glaucoma Diagnostic Performance of GDxVCC and Spectralis OCT on Eyes With Atypical Retardation Pattern. <i>Journal of Glaucoma</i> , 2013, 22, 317-324.   | 0.8 | 11        |
| 20467 | Direct Pulse Oximetry Within the Esophagus, on the Surface of Abdominal Viscera, and on Free Flaps. <i>Anesthesia and Analgesia</i> , 2013, 117, 824-833.   | 1.1 | 29        |
| 20468 | Investigating Ocular Dimensions in African Americans With Long Anterior Zonules. <i>Journal of Glaucoma</i> , 2013, 22, 393-397.  | 0.8 | 15        |
| 20469 | An Alternative Position for the BIS-Vista Montage in Frontal Approach Neurosurgical Cases. <i>Journal of Neurosurgical Anesthesiology</i> , 2013, 25, 135-142.  | 0.6 | 25        |
| 20470 | Assessing the Reliability and Validity of a Shorter Walk Test Compared With the 10-Meter Walk Test for Measurements of Gait Speed in Healthy, Older Adults. <i>Journal of Geriatric Physical Therapy</i> , 2013, 36, 24-30. | 0.6 | 411       |
| 20471 | Evaluation of a bedside device to assess the activated partial thromboplastin time for heparin monitoring in infants. <i>Blood Coagulation and Fibrinolysis</i> , 2013, 24, 327-331.  | 0.5 | 3         |
| 20472 | Minimizing Preoperative and Postoperative Limping in Patients After Total Hip Arthroplasty. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2013, 92, 1060-1069.  | 0.7 | 23        |
| 20473 | Testâ€“Retest Reliability of Quantitative Sudomotor Axon Reflex Testing. <i>Journal of Clinical Neurophysiology</i> , 2013, 30, 308-312.  | 0.9 | 27        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20474 | Testâ€“retest reliability of grip strength measurement in full elbow extension to evaluate maximum grip strength. <i>Journal of Hand Surgery: European Volume</i> , 2013, 38, 183-186.   | 0.5 | 28        |
| 20475 | Blood Glucose Measurement in the Intensive Care Unit: What is the Best Method?. <i>Journal of Diabetes Science and Technology</i> , 2013, 7, 489-499.  | 1.3 | 32        |
| 20476 | In Vivo Morphology of the Limbal Palisades of Vogt Correlates With Progressive Stem Cell Deficiency in Aniridia-Related Keratopathy. , 2013, 54, 5333.   |     | 82        |
| 20477 | Slower Postnatal Growth Is Associated with Delayed Cerebral Cortical Maturation in Preterm Newborns. <i>Science Translational Medicine</i> , 2013, 5, 168ra8.  | 5.8 | 156       |
| 20478 | Conversion of grip strength scores between Jamar dynamometer and a modified sphygmomanometer in patients with rheumatoid arthritis. <i>Isokinetics and Exercise Science</i> , 2013, 21, 263-272.   | 0.2 | 1         |
| 20479 | Evaluation of Refrigerated Stability of 15 Analytes in Lithium Heparin Gel Primary Tubes. <i>Laboratory Medicine</i> , 2013, 44, e45-e51.  | 0.8 | 6         |
| 20480 | Validation of Self-Report Pain Scales in Children. <i>Pediatrics</i> , 2013, 132, e971-e979.   | 1.0 | 130       |
| 20481 | Dynamic Contour Tonometer and Goldmann Applanation Tonometer Performance in a Developing World Setting. <i>Journal of Glaucoma</i> , 2013, 22, 736-739.  | 0.8 | 10        |
| 20482 | Comparison of Patti Pics and Lea Symbols Optotypes in Children and Adults. <i>Optometry and Vision Science</i> , 2013, 90, 236-241.  | 0.6 | 15        |
| 20483 | Development and Validation of Limited Sampling Strategies for the Estimation of Mycophenolic Acid Area Under the Curve in Adult Kidney and Liver Transplant Recipients Receiving Concomitant Enteric-Coated Mycophenolate Sodium and Tacrolimus. <i>Therapeutic Drug Monitoring</i> , 2013, 35, 760-769. | 1.0 | 18        |
| 20484 | Accuracy of End-tidal CO <sub>2</sub> Measurement Through the Nose and Pharynx in Nonintubated Patients During Digital Subtraction Cerebral Angiography. <i>Journal of Neurosurgical Anesthesiology</i> , 2013, 25, 191-196.   | 0.6 | 6         |
| 20485 | Clinical Accuracy of Tympanic Thermometer and Noncontact Infrared Skin Thermometer in Pediatric Practice. <i>Pediatric Emergency Care</i> , 2013, 29, 992-997.   | 0.5 | 35        |
| 20486 | Validity of Automated Threshold Audiometry. <i>Ear and Hearing</i> , 2013, 34, 745-752.  | 1.0 | 100       |
| 20487 | Disrupted Prenatal Maternal Cortisol, Maternal Obesity, and Childhood Wheeze. Insights into Prenatal Programming. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013, 187, 1186-1193.  | 2.5 | 65        |
| 20488 | In Vivo Dosimetry Based on SPECT and MR Imaging of <sup>166</sup> Ho-Microspheres for Treatment of Liver Malignancies. <i>Journal of Nuclear Medicine</i> , 2013, 54, 2093-2100.   | 2.8 | 65        |
| 20489 | In Vitro Activity of Fosfomycin against a Collection of Clinical <i>Pseudomonas aeruginosa</i> Isolates from 16 Spanish Hospitals: Establishing the Validity of Standard Broth Microdilution as Susceptibility Testing Method. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 5701-5703.       | 1.4 | 33        |
| 20490 | Measuring the Effect of Pars Plana Vitrectomy on Vitreous Oxygenation Using Magnetic Resonance Imaging. , 2013, 54, 2028.  |     | 34        |
| 20491 | A Miniaturized Analyzer Capable of White-Blood-Cell and Differential Analyses During Spaceflight. <i>Laboratory Medicine</i> , 2013, 44, 304-312.  | 0.8 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20492 | A Clinical Device for Measuring Internal-External Rotational Laxity of the Knee. American Journal of Sports Medicine, 2013, 41, 87-94.  | 1.9 | 20        |
| 20493 | Age-Related Thinning of Bowman's Layer in the Human Cornea In Vivo. , 2013, 54, 6143.   |     | 34        |
| 20494 | Precision of Estimating Equations for GFR in Children with a Solitary Functioning Kidney. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 764-772.                              | 2.2 | 38        |
| 20495 | Bronchodilator responsiveness using spirometry in healthy and asthmatic preschool children. Archives of Disease in Childhood, 2013, 98, 112-117.  | 1.0 | 18        |
| 20496 | Carotid Artery Wall Thickness Measured Using CT: Inter- and Intraobserver Agreement Analysis. American Journal of Neuroradiology, 2013, 34, E13-E18.  | 1.2 | 7         |
| 20497 | Diagnostic accuracy of three different methods of temperature measurement in acutely ill geriatric patients. Age and Ageing, 2013, 42, 740-746.   | 0.7 | 27        |
| 20498 | Minimally invasive intraoperative estimation of left-ventricular end-systolic elastance with phenylephrine as loading intervention â€. British Journal of Anaesthesia, 2013, 111, 750-758.              | 1.5 | 3         |
| 20499 | Evaluation of Recruited Lung Volume at Inspiratory Plateau Pressure With PEEP Using Bedside Digital Chest X-ray in Patients With Acute Lung Injury/ARDS. Respiratory Care, 2013, 58, 416-423.           | 0.8 | 33        |
| 20500 | Fiber Bragg grating-based sensor for monitoring respiration and heart activity during magnetic resonance imaging examinations. Journal of Biomedical Optics, 2013, 18, 057006.                          | 1.4 | 96        |
| 20501 | Validity of the Talk Test for exercise prescription after myocardial revascularization. European Journal of Preventive Cardiology, 2013, 20, 376-382.   | 0.8 | 36        |
| 20502 | Repeatability and Reproducibility of Retinal Thickness Measurements in Diabetic Patients with Spectral Domain Optical Coherence Tomography. Current Eye Research, 2013, 38, 674-679.                    | 0.7 | 28        |
| 20503 | Response Classification Based on a Minimal Model of Glioblastoma Growth Is Prognostic for Clinical Outcomes and Distinguishes Progression from Pseudoprogression. Cancer Research, 2013, 73, 2976-2986. | 0.4 | 62        |
| 20504 | Response to Does Atrial Fibrillation Affect the Automated Oscillometric Blood Pressure Measurement?. Hypertension, 2013, 62, e38.   | 1.3 | 1         |
| 20505 | Optoelectronic Vital Capacity Measurement for Restrictive Diseases. Respiratory Care, 2013, 58, 633-638.  | 0.8 | 12        |
| 20506 | Impact of bronchiectasis and trapped air on quality of life and exacerbations in cystic fibrosis. European Respiratory Journal, 2013, 42, 371-379.  | 3.1 | 56        |
| 20507 | Bivariate Random-Effects Meta-analysis of Sensitivity and Specificity with the Bayesian SAS PROC MCMC. Medical Decision Making, 2013, 33, 692-701.  | 1.2 | 15        |
| 20508 | Reliability, agreement, and responsiveness of a 6-minute walk/run test in patients with heart disease. European Journal of Preventive Cardiology, 2013, 20, 135-141.                                    | 0.8 | 5         |
| 20509 | Agreement Between the DAS28-CRP Assessed with 3 and 4 Variables in Patients with Rheumatoid Arthritis Treated with Biological Agents in the Daily Clinic. Journal of Rheumatology, 2013, 40, 379-385.   | 1.0 | 23        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20510 | Effects of running on human Achilles tendon length-tension properties in the free and gastrocnemius components. <i>Journal of Experimental Biology</i> , 2013, 216, 4388-94.   | 0.8 | 45        |
| 20511 | Review of postoperative CT and ultrasound for endovascular aneurysm repair using Talent stent graft: Can we simplify the surveillance protocol and reduce the number of CT scans?. <i>Acta Radiologica</i> , 2013, 54, 54-58.                        | 0.5 | 14        |
| 20512 | A quick and robust method for measurement of signal-to-noise ratio in MRI. <i>Physics in Medicine and Biology</i> , 2013, 58, 3775-3790.   | 1.6 | 18        |
| 20513 | Fetal Dorsalis Pedis Artery Velocimetry in the Second and Third Trimesters. <i>Journal of Ultrasound in Medicine</i> , 2013, 32, 1227-1232.  | 0.8 | 1         |
| 20514 | Motor and Multisensory Care-Based Approach in Dementia. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2013, 28, 24-34.  | 0.9 | 17        |
| 20515 | Macular Choroidal Thickness and Volume in Healthy Pediatric Individuals Measured by Swept-Source Optical Coherence Tomography. , 2013, 54, 7068.   |     | 71        |
| 20516 | The Prevalence and Prognostic Significance of Right Ventricular Systolic Dysfunction in Nonischemic Dilated Cardiomyopathy. <i>Circulation</i> , 2013, 128, 1623-1633.   | 1.6 | 265       |
| 20517 | Accuracy of Stop-Cursor Method for Determining Systolic and Pulse Pressure Variation. <i>American Journal of Critical Care</i> , 2013, 22, 298-305.  | 0.8 | 3         |
| 20518 | Can a single question provide an accurate measure of physical activity?. <i>British Journal of Sports Medicine</i> , 2013, 47, 44-48.  | 3.1 | 117       |
| 20519 | The Microvascular Volume of the Achilles Tendon Is Increased in Patients With Tendinopathy at Rest and After a 1-Hour Treadmill Run. <i>American Journal of Sports Medicine</i> , 2013, 41, 2400-2408.   | 1.9 | 34        |
| 20520 | Comparison of Ahlstrom Grade 226, Munktell TFN, and Whatman 903 Filter Papers for Dried Blood Spot Specimen Collection and Subsequent HIV-1 Load and Drug Resistance Genotyping Analysis. <i>Journal of Clinical Microbiology</i> , 2013, 51, 55-60. | 1.8 | 20        |
| 20521 | Description and Validation of a Test to Evaluate Sustained Silent Reading. , 2013, 54, 673.  |     | 50        |
| 20522 | Measuring plasma fatty acid oxidation with intravenous bolus injection of 3H- and 14C-fatty acid. <i>Journal of Lipid Research</i> , 2013, 54, 254-264.  | 2.0 | 7         |
| 20523 | Automatic front-crawl temporal phase detection using adaptive filtering of inertial signals. <i>Journal of Sports Sciences</i> , 2013, 31, 1251-1260.  | 1.0 | 54        |
| 20524 | Evaluation of intraocular pressure in conscious ferrets ( <i>Mustela putorius furo</i> ) by means of rebound tonometry and comparison with applanation tonometry. <i>Veterinary Record</i> , 2013, 172, 396-396.                                     | 0.2 | 10        |
| 20525 | Critical assessment of intramodality 3D ultrasound imaging for prostate IGRT compared to fiducial markers. <i>Medical Physics</i> , 2013, 40, 071707.  | 1.6 | 41        |
| 20526 | Quantification of fibrosis in infarcted swine hearts by <i>ex vivo</i> late gadolinium-enhancement and diffusion-weighted MRI methods. <i>Physics in Medicine and Biology</i> , 2013, 58, 5009-5028.   | 1.6 | 86        |
| 20527 | A new noninvasive device for continuous arterial blood pressure monitoring in the superficial temporal artery. <i>Physiological Measurement</i> , 2013, 34, 407-421.   | 1.2 | 10        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20528 | Antenatal surveillance through estimates of the sources underlying the abdominal phonogram: a preliminary study. <i>Physiological Measurement</i> , 2013, 34, 1041-1061.  | 1.2 | 3         |
| 20529 | Estimation of human core temperature from sequential heart rate observations. <i>Physiological Measurement</i> , 2013, 34, 781-798.   | 1.2 | 171       |
| 20530 | Agreement in Arthroscopic and Arthrotomy Assessment of Full-Thickness Articular Cartilage Lesions of the Knee in a Clinical Setting in 33 Consecutive Patients. <i>Cartilage</i> , 2013, 4, 214-218.  | 1.4 | 10        |
| 20531 | Evaluation of enamel micro-cracks characteristics after removal of metal brackets in adult patients. <i>European Journal of Orthodontics</i> , 2013, 35, 317-322.   | 1.1 | 29        |
| 20532 | Comparison of cerebral tissue oxygenation values in full term and preterm newborns by the simultaneous use of two near-infrared spectroscopy devices: an absolute and a relative trending oximeter. <i>Journal of Biomedical Optics</i> , 2013, 18, 087006. | 1.4 | 14        |
| 20533 | Feasibility of direct digital sampling for diffuse optical frequency domain spectroscopy in tissue. <i>Measurement Science and Technology</i> , 2013, 24, 045501.   | 1.4 | 19        |
| 20534 | Non-neoclassical up/down asymmetry of impurity emission on Alcator C-Mod. <i>Nuclear Fusion</i> , 2013, 53, 043006.   | 1.6 | 17        |
| 20535 | Fully automatic measurements of axial vertebral rotation for assessment of spinal deformity in idiopathic scoliosis. <i>Physics in Medicine and Biology</i> , 2013, 58, 1775-1787.  | 1.6 | 29        |
| 20536 | Indirect calorimetry in humans: a postcalorimetric evaluation procedure for correction of metabolic monitor variability. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 763-773.   | 2.2 | 63        |
| 20537 | Validation of Different Instruments for Caffeine Measurement Among Premenopausal Women in the BioCycle Study. <i>American Journal of Epidemiology</i> , 2013, 177, 690-699.   | 1.6 | 28        |
| 20538 | Circumferential ascending aortic strain and aortic stenosis. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 631-641.  | 0.5 | 32        |
| 20539 | The dynamics of carbon dioxide equilibration after alterations in the respiratory rate. <i>Physiological Measurement</i> , 2013, 34, 1151-1161.   | 1.2 | 3         |
| 20540 | Comparison of rectal, tympanic membrane and axillary temperature measurement methods in dogs. <i>Veterinary Record</i> , 2013, 173, 524-524.  | 0.2 | 31        |
| 20541 | Estimating 24-Hour Urinary Sodium Excretion From Casual Urinary Sodium Concentrations in Western Populations. <i>American Journal of Epidemiology</i> , 2013, 177, 1180-1192.   | 1.6 | 233       |
| 20542 | Glomerular filtration rate-estimating equations for patients with advanced chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 2518-2526.  | 0.4 | 48        |
| 20543 | Transpulmonary thermodilution cardiac output measurement is not affected by severe pulmonary oedema: a newborn animal study. <i>British Journal of Anaesthesia</i> , 2013, 111, 286-292.  | 1.5 | 1         |
| 20544 | High Reproducibility of Tumor Hypoxia Evaluated by <sup>18</sup> F-Fluoromisonidazole PET for Head and Neck Cancer. <i>Journal of Nuclear Medicine</i> , 2013, 54, 201-207.   | 2.8 | 134       |
| 20545 | Validity and Reliability of a Novel Slow Cuff-Deflation System for Noninvasive Blood Pressure Monitoring in Patients With Continuous-Flow Left Ventricular Assist Device. <i>Circulation: Heart Failure</i> , 2013, 6, 1005-1012.                           | 1.6 | 111       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20546 | Expression of CREB in Primary Pterygium and Correlation with Cyclin D1, ki-67, MMP7, p53, p63, Survivin and Vimentin. <i>Ophthalmic Research</i> , 2013, 50, 99-107.   | 1.0 | 17        |
| 20547 | Second-Trimester Screening for Trisomy-21 Using Prefrontal Space Ratio. <i>Fetal Diagnosis and Therapy</i> , 2013, 34, 50-55.  | 0.6 | 9         |
| 20548 | Measurement of immature platelets with Abbott CD-Sapphire and Sysmex XE-5000 in haematology and oncology patients. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, 2125-2131.  | 1.4 | 47        |
| 20549 | Development of a food compositional database for the estimation of dietary intake of phyto-oestrogens in a group of postmenopausal women previously treated for breast cancer and validation with urinary excretion. <i>British Journal of Nutrition</i> , 2013, 109, 2261-2268. | 1.2 | 13        |
| 20550 | Agreement between rectal and vaginal temperature measured with temperature loggers in dairy cows. <i>Journal of Dairy Research</i> , 2013, 80, 240-245.  | 0.7 | 37        |
| 20551 | Effects of Creative Arts Therapies on Psychological Symptoms and Quality of Life in Patients With Cancer. <i>JAMA Internal Medicine</i> , 2013, 173, 960.  | 2.6 | 70        |
| 20552 | The diagnostic utility of brain natriuretic peptide in heart failure patients presenting with acute dyspnea: a meta-analysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, 1155-1165.   | 1.4 | 5         |
| 20553 | Nutritional and Pubertal Status Influences Accuracy of Self-Reported Weight and Height in Adolescents: The HELENA Study. <i>Annals of Nutrition and Metabolism</i> , 2013, 62, 189-200.  | 1.0 | 10        |
| 20554 | The Test-Retest Reliability of 10 Meters Maximal Walking Speed in Older People Living in a Residential Care Unit. <i>Journal of Geriatric Physical Therapy</i> , 2013, 36, 74-77.  | 0.6 | 38        |
| 20555 | Comparison of Ground Reaction Force Asymmetry in One- and Two-legged Countermovement Jumps. <i>Journal of Strength and Conditioning Research</i> , 2013, 27, 2700-2707.  | 1.0 | 46        |
| 20556 | Monitoring of a civil structure's state based on noncontact measurements. <i>Structural Health Monitoring</i> , 2013, 12, 411-429.   | 4.3 | 79        |
| 20557 | Noninvasive Hemoglobin Monitoring. <i>Anesthesia and Analgesia</i> , 2013, 117, 902-907.   | 1.1 | 63        |
| 20558 | Effects of Delayed Laboratory Processing on Platelet Serotonin Levels. <i>Biological Research for Nursing</i> , 2013, 15, 13-16.   | 1.0 | 5         |
| 20559 | Evaluation of a point-of-care portable analyzer for measurement of plasma immunoglobulin G, total protein, and albumin concentrations in ill neonatal foals. <i>Journal of the American Veterinary Medical Association</i> , 2013, 242, 812-819.                                 | 0.2 | 11        |
| 20560 | Quantification of Brain Glucose Metabolism by <sup>18</sup> F-FDG PET with Real-Time Arterial and Image-Derived Input Function in Mice. <i>Journal of Nuclear Medicine</i> , 2013, 54, 132-138.  | 2.8 | 54        |
| 20561 | Cross-Sectional Time Series and Multivariate Adaptive Regression Splines Models Using Accelerometry and Heart Rate Predict Energy Expenditure of Preschoolers. <i>Journal of Nutrition</i> , 2013, 143, 114-122.   | 1.3 | 19        |
| 20562 | Pressure Indices in Peripheral Arterial Disease Assessed by Infrared Photosensors. <i>Angiology</i> , 2013, 64, 93-97.   | 0.8 | 2         |
| 20563 | Pubertal Growth and Serum Testosterone and Estradiol Levels in Boys. <i>Hormone Research in Paediatrics</i> , 2013, 80, 100-110.   | 0.8 | 22        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20564 | Fusion of 3D Ultrasound Images of the Fetal Femur Improves Boundary Definition and Volume Measurement. <i>Fetal Diagnosis and Therapy</i> , 2013, 34, 158-165.  | 0.6 | 0         |
| 20565 | Evaluation of Cardiac Function by Magnetic Resonance Imaging During the Follow-Up of Patients With Kawasaki Disease. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 67-73.   | 1.3 | 37        |
| 20566 | Dependability of Pachymetry Measurements after Myopic Advanced Surface Ablation Using Scanning-Slit Topography and Specular Microscopy. , 2013, 54, 1054.   |     | 4         |
| 20567 | Assessment of the global trigger tool to measure, monitor and evaluate patient safety in cancer patients: reliability concerns are raised. <i>BMJ Quality and Safety</i> , 2013, 22, 571-579.   | 1.8 | 46        |
| 20568 | The Pavlik method. <i>Journal of Pediatric Orthopaedics Part B</i> , 2013, 22, 516-520.   | 0.3 | 41        |
| 20569 | Comparison of Techniques for Monitoring Infliximab and Antibodies Against Infliximab in Crohn's Disease. <i>Therapeutic Drug Monitoring</i> , 2013, 35, 530-538.  | 1.0 | 104       |
| 20570 | Algorithm for Correcting the Keratometric Error in the Estimation of the Corneal Power in Eyes With Previous Myopic Laser Refractive Surgery. <i>Cornea</i> , 2013, 32, 1454-1459.  | 0.9 | 11        |
| 20571 | Literature Review of Published Research Investigating Microprocessor-Controlled Prosthetic Knees. <i>Journal of Prosthetics and Orthotics</i> , 2013, 25, 41-46.  | 0.2 | 10        |
| 20572 | The Utility of Ultrasound in Detecting Anterior Compartment Thickness Changes in Chronic Exertional Compartment Syndrome. <i>Clinical Journal of Sport Medicine</i> , 2013, 23, 305-311.  | 0.9 | 25        |
| 20573 | Development and Validation of a Computerized Visual Analog Scale for the Measurement of Pain in Patients With Patellofemoral Pain Syndrome. <i>Clinical Journal of Sport Medicine</i> , 2013, 23, 392-396.  | 0.9 | 5         |
| 20574 | Detection of Myocardial Ischemia by Automated, Motion-Corrected, Color-Encoded Perfusion Maps Compared With Visual Analysis of Adenosine Stress Cardiovascular Magnetic Resonance Imaging at 3 T. <i>Investigative Radiology</i> , 2013, 48, 678-686. | 3.5 | 5         |
| 20575 | Radial to Femoral Arterial Blood Pressure Differences in Septic Shock Patients Receiving High-Dose Norepinephrine Therapy. <i>Shock</i> , 2013, 40, 527-531.  | 1.0 | 48        |
| 20576 | Performance of a new pulse contour method for continuous cardiac output monitoring: validation in critically ill patients. <i>British Journal of Anaesthesia</i> , 2013, 111, 573-579.  | 1.5 | 47        |
| 20577 | Pilot investigation of anterior fontanelle photoplethysmographic signals and their suitability in estimating arterial oxygen saturation. , 2013, 2013, 2656-9.  |     | 1         |
| 20578 | Validation of the Saadat NIBP module according to the ANSI/AAMI-SP10 protocol. , 2013, , .  |     | 1         |
| 20579 | Validation of self-reported cannabis dose and potency: an ecological study. <i>Addiction</i> , 2013, 108, 1801-1808.  | 1.7 | 69        |
| 20580 | Compound muscle action potential of the external anal sphincter. <i>Colorectal Disease</i> , 2013, 15, 1289-1294.   | 0.7 | 2         |
| 20581 | Stage determination in sleeping sickness: comparison of two cell counting and two parasite detection techniques. <i>Tropical Medicine and International Health</i> , 2013, 18, 778-782.   | 1.0 | 23        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20582 | Comparison of hamstring/quadriceps ratio between isoinertial and isokinetic measurements. <i>Isokinetics and Exercise Science</i> , 2013, 21, 107-112.   | 0.2 | 2         |
| 20583 | High reliability of measure of diaphragmatic mobility by radiographic method in healthy individuals. <i>Brazilian Journal of Physical Therapy</i> , 2013, 17, 128-136.   | 1.1 | 13        |
| 20584 | Sleep estimation using BodyMedia's SenseWear, a wristband in patients with obstructive sleep apnea. <i>Annals of Thoracic Medicine</i> , 2013, 8, 53.  | 0.7 | 76        |
| 20585 | Atherosclerotic Plaque Composition and Classification Identified by Coronary Computed Tomography. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 655-664.   | 1.3 | 103       |
| 20586 | Estimating dietary costs of low-income women in California: a comparison of 2 approaches. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 835-841.   | 2.2 | 12        |
| 20588 | Measuring wearing times of glasses and ocular patches using a thermosensor device from orthodontics. <i>Acta Ophthalmologica</i> , 2013, 91, e635-e640.  | 0.6 | 29        |
| 20589 | Elaboration and validation of a questionnaire assessing patient expectations about management of knee osteoarthritis by their physicians: the Knee Osteoarthritis Expectations Questionnaire. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 552-559. | 0.5 | 10        |
| 20590 | Spectral domain optical coherence tomography imaging of the aqueous outflow structures in normal participants of the EPIC-Norfolk Eye Study. <i>British Journal of Ophthalmology</i> , 2013, 97, 189-195.  | 2.1 | 20        |
| 20591 | Translation, cross-cultural adaptation and analysis of the psychometric properties of the lower extremity functional scale (LEFS): LEFS- BRAZIL. <i>Brazilian Journal of Physical Therapy</i> , 2013, 17, 272-280.   | 1.1 | 27        |
| 20592 | Spirometric Reference Values for Advanced Age from a South German Population. <i>Respiration</i> , 2013, 85, 210-219.  | 1.2 | 13        |
| 20593 | Estimating the Glomerular Filtration Rate in the General Population Using Different Equations: Effects on Classification and Association. <i>Nephron Clinical Practice</i> , 2013, 123, 102-111.   | 2.3 | 33        |
| 20594 | Reproducibility of Blood Pressure Responses to Dietary Sodium and Potassium Interventions. <i>Hypertension</i> , 2013, 62, 499-505.  | 1.3 | 43        |
| 20595 | Masseter Motor Unit Recruitment is Altered in Experimental Jaw Muscle Pain. <i>Journal of Dental Research</i> , 2013, 92, 143-148.   | 2.5 | 42        |
| 20596 | Emergency Department Management of Suspected Carbon Monoxide Poisoning: Role of Pulse CO-Oximetry. <i>Respiratory Care</i> , 2013, 58, 1614-1620.  | 0.8 | 35        |
| 20597 | Validation of the Actical and Actiheart monitor in ambulatory children with Spina Bifida. <i>Journal of Pediatric Rehabilitation Medicine</i> , 2013, 6, 103-111.  | 0.3 | 7         |
| 20598 | Relative validity of a 3 d estimated food record in German toddlers. <i>Public Health Nutrition</i> , 2013, 16, 645-652.   | 1.1 | 15        |
| 20599 | Relative validity of an FFQ to estimate daily food and nutrient intakes for Chilean adults. <i>Public Health Nutrition</i> , 2013, 16, 1782-1788.  | 1.1 | 33        |
| 20600 | Compliance charts to guide non-complex small artery stenting: validation by quantitative coronary angiography. <i>Heart Asia</i> , 2013, 5, 76-79.   | 1.1 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20601 | Assessment of the PROBIT approach for estimating the prevalence of global, moderate and severe acute malnutrition from population surveys. <i>Public Health Nutrition</i> , 2013, 16, 858-863.   | 1.1 | 9         |
| 20602 | Evaluation of Methods to Assess Reduced Body Fat in Patients with Anorexia Nervosa. <i>Journal of the American College of Nutrition</i> , 2013, 32, 2-10.  | 1.1 | 6         |
| 20603 | Multiple self-report measures of antiretroviral adherence correlated in Sierra Leone, but did they agree?. <i>International Journal of STD and AIDS</i> , 2013, 24, 931-937.   | 0.5 | 5         |
| 20604 | An innovative review of an undergraduate dissertation double marking policy. <i>Innovations in Education and Teaching International</i> , 2013, 50, 308-317.   | 1.5 | 4         |
| 20605 | Clinical utility of sequential venous blood gas measurement in the assessment of ventilatory status during physiological stress. <i>Internal Medicine Journal</i> , 2013, 43, 1075-1080.   | 0.5 | 15        |
| 20606 | Comparative statistical analysis between two methods for the measurement of visceral fat in humans. , 2013, , .  |     | 1         |
| 20607 | Different Wording of the Patient Global Visual Analogue Scale (PGVAS) Affects Rheumatoid Arthritis Patients' Scoring and the Overall Disease Activity Score (DAS28): A Cross-sectional Study. <i>Musculoskeletal Care</i> , 2013, 11, 229-237.                     | 0.6 | 31        |
| 20608 | Blood pressure estimation from pulse wave velocity measured on the chest. , 2013, 2013, 6107-10.   |     | 41        |
| 20609 | Prognostic relevance of a non-invasive evaluation of right ventricular function and pulmonary artery pressure in patients with chronic heart failure. <i>European Journal of Heart Failure</i> , 2013, 15, 408-414.  | 2.9 | 132       |
| 20610 | Assessment of a condition-specific quality-of-life measure for patients with developmentally absent teeth: validity and reliability testing. <i>Orthodontics and Craniofacial Research</i> , 2013, 16, 193-201.  | 1.2 | 6         |
| 20611 | Interstudy variability in cardiac magnetic resonance imaging measurements of ventricular volume, mass, and ejection fraction in repaired tetralogy of fallot: A prospective observational study. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 829-835. | 1.9 | 64        |
| 20612 | Real-Time Adaptive Apnea and Hypopnea Event Detection Methodology for Portable Sleep Apnea Monitoring Devices. <i>IEEE Transactions on Biomedical Engineering</i> , 2013, 60, 3354-3363.   | 2.5 | 60        |
| 20613 | Assessment of changes in cardiac index and fluid responsiveness: a comparison of $\text{N}_{\text{ex}}$ and transpulmonary thermodilution. <i>Acta Anaesthesiologica Scandinavica</i> , 2013, 57, 704-712.   | 0.7 | 52        |
| 20614 | The fetal frontomaxillary facial angle in normal and trisomy 21 ultrasounds at 11 <sup>+6</sup> weeks of gestation: findings among the ethnic Chinese compared with Caucasian. <i>Prenatal Diagnosis</i> , 2013, 33, 711-715.                                      | 1.1 | 6         |
| 20615 | Neonatal length inaccuracies in clinical practice and related percentile discrepancies detected by a simple length-board. <i>Journal of Paediatrics and Child Health</i> , 2013, 49, 199-203.  | 0.4 | 68        |
| 20616 | A new approach to reliability assessment of dental caries examinations. <i>Community Dentistry and Oral Epidemiology</i> , 2013, 41, 309-316.  | 0.9 | 20        |
| 20617 | Automatic detection of modal spacing (Yellott's ring) in adaptive optics scanning light ophthalmoscope images. <i>Ophthalmic and Physiological Optics</i> , 2013, 33, 540-549.   | 1.0 | 42        |
| 20618 | Correcting for rater bias in scores on a continuous scale, with application to breast density. <i>Statistics in Medicine</i> , 2013, 32, 4666-4678.  | 0.8 | 10        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20619 | Using the Haemophilia Joint Health Score for assessment of teenagers and young adults: exploring reliability and validity. <i>Haemophilia</i> , 2013, 19, 944-950.   | 1.0 | 72        |
| 20620 | Novel Simple Approach for Detection of Regional Perturbations of Cardiac Function in Mouse Models of Cardiovascular Disease. <i>Echocardiography</i> , 2013, 30, 843-849.  | 0.3 | 4         |
| 20621 | Absolute quantification of myocardial blood flow with constrained estimation of the arterial input function. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 603-609.   | 1.9 | 5         |
| 20622 | Chronic Kidney Disease Epidemiology Collaboration Equation Accuracy in Predicting Peritoneal Dialysis-Delivered Creatinine Clearance. <i>Renal Failure</i> , 2013, 35, 88-93.  | 0.8 | 3         |
| 20623 | Can ultrasound be used to estimate bone mineral density in children with growth problems?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013, 102, e407-12.   | 0.7 | 9         |
| 20624 | Comparison of three methods of cervical measurement in the first trimester: singleâ€line, twoâ€line, and tracing. <i>Prenatal Diagnosis</i> , 2013, 33, 262-268.   | 1.1 | 23        |
| 20625 | Ocular biometric correlates of ciliary muscle thickness in human myopia. <i>Ophthalmic and Physiological Optics</i> , 2013, 33, 294-304.   | 1.0 | 41        |
| 20626 | Ascending Aortic Diameters in Congenital Aortic Stenosis: Cardiac Magnetic Resonance versus Transthoracic Echocardiography. <i>Echocardiography</i> , 2013, 30, 497-504.   | 0.3 | 25        |
| 20627 | Incorporating endorectal MR elastography into multiâ€parametric MRI for prostate cancer imaging: Initial feasibility in volunteers. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 1251-1260.                                | 1.9 | 28        |
| 20628 | Development of a new chewing function questionnaire for assessment of a self-perceived chewing function. <i>Community Dentistry and Oral Epidemiology</i> , 2013, 41, 565-573.   | 0.9 | 26        |
| 20629 | Precision, Bias, and Clinical Utility of the Sheinerâ€Tozer Equation to Guide Phenytoin Dosing in Critically Ill Adults. <i>Journal of Clinical Pharmacology</i> , 2013, 53, 451-455.  | 1.0 | 9         |
| 20630 | Fetal liver T2* values: Defining a standardized scale. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 1342-1345.   | 1.9 | 7         |
| 20631 | Reproducibility of fetal renal pelvis volume assessed by threeâ€dimensional ultrasonography with two different measurement techniques. <i>Journal of Clinical Ultrasound</i> , 2013, 41, 230-234.                                      | 0.4 | 7         |
| 20632 | Reliability and validity of a MRâ€based volumetric analysis of the intrinsic foot muscles. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 1083-1093.   | 1.9 | 26        |
| 20633 | Ultrasound imaging of the serratus anterior muscle at rest and during contraction. <i>Clinical Physiology and Functional Imaging</i> , 2013, 33, 192-200.  | 0.5 | 24        |
| 20634 | Development of a Children's Version of the <sc>SCORE</sc> Index of Family Function and Change. <i>Family Process</i> , 2013, 52, 673-684.  | 1.4 | 34        |
| 20635 | A published pharmacogenetic algorithm was poorly predictive of tacrolimus clearance in an independent cohort of renal transplant recipients. <i>British Journal of Clinical Pharmacology</i> , 2013, 76, 425-431.                      | 1.1 | 32        |
| 20636 | Weighted registration of <sup>123</sup><sc>I</sc>â€<sc>FP</sc>â€CIT SPECT images improves accuracy of binding potential estimates in pathologically low striatal uptake. <i>Journal of Cellular Physiology</i> , 2013, 228, 2086-2094. | 2.0 | 7         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20637 | Accuracy and preference of measuring resting energy expenditure using a handheld calorimeter in healthy adults. <i>Journal of Human Nutrition and Dietetics</i> , 2013, 26, 587-595.   | 1.3 | 6         |
| 20638 | Measuring distortion of skeletal elements in <i>ct</i> <i>scans</i> generated images. <i>Clinical Anatomy</i> , 2013, 26, 780-786.   | 1.5 | 18        |
| 20639 | Aortic pulse wave velocity measurements with undersampled 4D flow sensitive MRI: comparison with 2D and algorithm determination. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 37, 853-859.                                       | 1.9 | 56        |
| 20640 | Using temporal-domain peak interval determination for video-based short-term heart rate measurement. , 2013, , .   |     | 2         |
| 20641 | The Vicorder device compared with SphygmoCor in the assessment of carotid femoral pulse wave velocity in patients with peripheral arterial disease. <i>Hypertension Research</i> , 2013, 36, 208-212.                                    | 1.5 | 25        |
| 20642 | Evaluation of the Body Adiposity Index in a Caucasian Population: The Hordaland Health Study. <i>American Journal of Epidemiology</i> , 2013, 177, 586-592.  | 1.6 | 35        |
| 20643 | Development of an optical probe to investigate the suitability of measuring photoplethysmographs and blood oxygen saturation from the human auditory canal. , 2013, 2013, 1736-9.  |     | 7         |
| 20644 | Validation of the Pediatric Automated Neuropsychological Assessment Metrics in childhood onset systemic lupus erythematosus. <i>Arthritis Care and Research</i> , 2013, 65, 372-381.   | 1.5 | 47        |
| 20645 | Accuracy of patient self-report as a measure of inhaled asthma medication use. <i>Respirology</i> , 2013, 18, 546-552.   | 1.3 | 60        |
| 20646 | Feasibility and Observer Reproducibility of Speckle Tracking Echocardiography in Congenital Heart Disease Patients. <i>Echocardiography</i> , 2013, 30, 961-966.   | 0.3 | 5         |
| 20647 | Comparison of two types of Actiwatch with polysomnography in older adults with intellectual disability: A pilot study. <i>Journal of Intellectual and Developmental Disability</i> , 2013, 38, 265-273.                                  | 1.1 | 17        |
| 20648 | Simultaneous measurement of tissue oxygen level dependent (TOLD) and blood oxygenation level dependent (BOLD) effects in abdominal tissue oxygenation level studies. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 1230-1236. | 1.9 | 30        |
| 20649 | Comparison between red, green and blue light reflection photoplethysmography for heart rate monitoring during motion. , 2013, 2013, 1724-7.  |     | 81        |
| 20650 | Fast microwave assisted extraction of rotenone for its quantification in seeds of yam bean ( <i>Pachyrhizus</i> sp.). <i>Journal of Separation Science</i> , 2013, 36, 758-763.  | 1.3 | 8         |
| 20651 | The quick and the dead. <i>Anaesthesia</i> , 2013, 68, 799-803.  | 1.8 | 3         |
| 20652 | Sensitivity and specificity of three-point compression ultrasonography performed by emergency physicians for proximal lower extremity deep venous thrombosis. <i>EMA - Emergency Medicine Australasia</i> , 2013, 25, 588-596.           | 0.5 | 23        |
| 20653 | Automated oscillometric measurement of the ankle brachial index in patients with coronary artery disease. <i>Hypertension Research</i> , 2013, 36, 25-28.  | 1.5 | 12        |
| 20654 | Variability of tumor area measurements for response assessment in malignant pleural mesothelioma. <i>Medical Physics</i> , 2013, 40, 081916.   | 1.6 | 17        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20655 | Acceleration patterns in the lower and upper trunk during running. <i>Journal of Sports Sciences</i> , 2013, 31, 1841-1853.  | 1.0 | 20        |
| 20656 | Body adiposity index assess body fat with high accuracy in nondialyzed chronic kidney disease patients. <i>Obesity</i> , 2013, 21, 546-552.  | 1.5 | 38        |
| 20657 | Statistical tools for dose individualization of mycophenolic acid and tacrolimus administered during the first month after renal transplantation. <i>British Journal of Clinical Pharmacology</i> , 2013, 75, 1277-1288.   | 1.1 | 25        |
| 20658 | The Amplitude of Fibrillatory Waves on Leads aVF and V <sub>1</sub> Predicting the Recurrence of Persistent Atrial Fibrillation Patients Who Underwent Catheter Ablation. <i>Annals of Noninvasive Electrocardiology</i> , 2013, 18, 352-358.                        | 0.5 | 28        |
| 20659 | Fully automated on-screen carotid intima-media thickness measurement: A screening tool for subclinical atherosclerosis. <i>Journal of Clinical Ultrasound</i> , 2013, 41, 333-339.   | 0.4 | 29        |
| 20660 | A longitudinal study of normal fetal femur volume. <i>Prenatal Diagnosis</i> , 2013, 33, 1088-1094.  | 1.1 | 6         |
| 20661 | Comparable flow cytometry data can be obtained with two types of instruments, Canto II, and Navios. A GEIL study. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2013, 83, 1066-1072.                                   | 1.1 | 36        |
| 20662 | Correlation of central corneal thickness measurements using Topcon TRK-1P, Zeiss Visante AS-OCT and DGH Pachmate 55 handheld ultrasonic pachymeter. <i>Australasian journal of optometry, The</i> , 2013, 96, 385-387.   | 0.6 | 9         |
| 20663 | Pulse oximetry of body cavities and organs. , 2013, 2013, 2664-7.  |     | 1         |
| 20664 | Periodic Extraction of Interstitial Fluid from the Site of Subcutaneous Insulin Infusion for the Measurement of Glucose: A Novel Single-Port Technique for the Treatment of Type 1 Diabetes Patients. <i>Diabetes Technology and Therapeutics</i> , 2013, 15, 50-59. | 2.4 | 15        |
| 20665 | Smallest detectable differences in clinical functional temporomandibular joint examination variables in juvenile idiopathic arthritis. <i>Orthodontics and Craniofacial Research</i> , 2013, 16, 137-145.  | 1.2 | 22        |
| 20666 | Quantification of Ergothioneine in whole blood by hydrophilic interaction ultra-performance liquid chromatography and UV-detection. <i>Journal of Separation Science</i> , 2013, 36, 1002-1006.  | 1.3 | 15        |
| 20667 | Quantifying image distortion of orthopedic materials in magnetic resonance imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 610-618.  | 1.9 | 47        |
| 20668 | Sea lice monitoring on Atlantic salmon farms in New Brunswick, Canada: comparing audit and farm staff counts. <i>Journal of Fish Diseases</i> , 2013, 36, 241-247.   | 0.9 | 20        |
| 20669 | Convergent Validity of Four Accelerometer Cutpoints With Direct Observation of Preschool Children's Outdoor Physical Activity. <i>Research Quarterly for Exercise and Sport</i> , 2013, 84, 59-67.   | 0.8 | 18        |
| 20670 | Correcting LCD luminance non-uniformity for threshold Saccadic Vector Optokinetic Perimetry (SVOP). , 2013, 2013, 1636-9.  |     | 7         |
| 20671 | A method comparison study to validate a novel parameter of obesity, the body adiposity index, in chinese subjects. <i>Obesity</i> , 2013, 21, E634-9.  | 1.5 | 24        |
| 20672 | Validity assessment of a portable bioimpedance scale to estimate body fat percentage in White and African-American children and adolescents. <i>Pediatric Obesity</i> , 2013, 8, e29-32.   | 1.4 | 76        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20673 | Poor sleep in organ transplant recipients: self-reports and actigraphy. <i>Clinical Transplantation</i> , 2013, 27, 901-913.   | 0.8 | 37        |
| 20674 | Determining the volume of toxic liquid ingestions in adults: accuracy of estimates by healthcare professionals and members of the public. <i>Clinical Toxicology</i> , 2013, 51, 77-82.  | 0.8 | 8         |
| 20675 | Relative validity of dietary patterns during pregnancy assessed with a food frequency questionnaire. <i>International Journal of Food Sciences and Nutrition</i> , 2013, 64, 668-673.  | 1.3 | 20        |
| 20676 | Differentiation of Atrioventricular Nodal Reentrant Tachycardia from Orthodromic Reciprocating Tachycardia by the Resetting Response to Ventricular Extrastimuli: Comparison to Response to Continuous Ventricular Pacing. <i>Journal of Cardiovascular Electrophysiology</i> , 2013, 24, 534-541. | 0.8 | 16        |
| 20677 | MR elastography of healthy liver parenchyma: Normal value and reliability of the liver stiffness value measurement. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 1215-1223.  | 1.9 | 80        |
| 20678 | Comparison of Methods to Measure Height in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 2244-2246.  | 1.3 | 4         |
| 20679 | Dietary intake and biological measurement of folate: A qualitative review of validation studies. <i>Molecular Nutrition and Food Research</i> , 2013, 57, 562-581.   | 1.5 | 37        |
| 20680 | Cardiac baroreflex gain is frequency dependent: insights from repeated sit-to-stand maneuvers and the modified Oxford method. <i>Applied Physiology, Nutrition and Metabolism</i> , 2013, 38, 753-759.   | 0.9 | 10        |
| 20681 | Reliability and validity of short-term performance tests for wheelchair-using children and adolescents with cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2013, 55, 1129-1135.   | 1.1 | 23        |
| 20682 | Saliva sampling method affects performance of a salivary $\alpha$ -amylase biosensor. <i>American Journal of Human Biology</i> , 2013, 25, 719-724.  | 0.8 | 12        |
| 20683 | Interobserver variability of radiation therapists aligning to fiducial markers for prostate radiation therapy. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2013, 57, 519-523.   | 0.9 | 14        |
| 20684 | Comparison of body adiposity index (BAI) and bmi with estimations of % body fat in clinically severe obese women. <i>Obesity</i> , 2013, 21, 493-498.  | 1.5 | 58        |
| 20685 | Quantification of left ventricular indices from SSFP cine imaging: Impact of real-world variability in analysis methodology and utility of geometric modeling. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 37, 1213-1222.   | 1.9 | 49        |
| 20686 | First-Year Radiographic Progression as a Predictor of Further Progression in Early Arthritis: Results of a Large National French Cohort. <i>Arthritis Care and Research</i> , 2013, 65, 1907-1915.   | 1.5 | 33        |
| 20687 | Comparison of Right Ventricular Systolic Function in Patients with Low Risk and Intermediate to High Risk Pulmonary Embolism: A Two-Dimensional Strain Imaging Study. <i>Echocardiography</i> , 2013, 30, 301-308.   | 0.3 | 13        |
| 20688 | INVITED REVIEW: STUDY DESIGN CONSIDERATIONS FOR CLINICAL RESEARCH IN VETERINARY RADIOLOGY AND RADIATION ONCOLOGY. <i>Veterinary Radiology and Ultrasound</i> , 2013, 54, 317-325.  | 0.4 | 0         |
| 20689 | Kennedy Axi V: Clinimetric properties assessed by mental health nurses. <i>International Journal of Mental Health Nursing</i> , 2013, 22, 453-464.   | 2.1 | 10        |
| 20690 | Validation of a Chinese version of the Quality of Well-Being Scale "Self-Administered (QWB-SA) in patients with epilepsy. <i>Epilepsia</i> , 2013, 54, 1647-1657.  | 2.6 | 10        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20691 | Assessment of cardiac stroke volume in patients with implanted cardiac pacemaker using parametric electrical impedance tomography: A theoretical 2D study. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2013, 29, 630-640.   | 1.0 | 7         |
| 20692 | Comparison of gross body fatâ€water magnetic resonance imaging at 3 Tesla to dualâ€energy Xâ€ray absorptiometry in obese women. <i>Obesity</i> , 2013, 21, 765-774.  | 1.5 | 35        |
| 20693 | Comparison of platelet activity measurements by use of arterial and venous blood sampling. <i>Journal of Thrombosis and Haemostasis</i> , 2013, 11, 1922-1924.   | 1.9 | 13        |
| 20694 | Tissueâ€and columnâ€specific measurements from multiâ€parameter mapping of the human cervical spinal cord at 3 T. <i>NMR in Biomedicine</i> , 2013, 26, 1823-1830.   | 1.6 | 19        |
| 20695 | Level of agreement between prehospital and emergency department vital signs in trauma patients. <i>EMA - Emergency Medicine Australasia</i> , 2013, 25, 457-463.   | 0.5 | 12        |
| 20696 | Use of dual X-ray absorptiometry to measure body mass during short- to medium-term trials of nutrition and exercise interventions. <i>Nutrition Reviews</i> , 2013, 71, 332-342.   | 2.6 | 22        |
| 20697 | Pulse rate variability compared with heart rate variability in children with and without sleep disordered breathing. , 2013, 2013, 6563-6.   |     | 38        |
| 20698 | Reliability of the nonâ€contact tonometer Tonopachy NTâ€530P in healthy eyes. <i>Australasian journal of optometry, The</i> , 2013, 96, 286-294.   | 0.6 | 18        |
| 20699 | Differences in Birthweight Curves Between Newborns of Immigrant Mothers vs. Infants Born in Their Corresponding Native Countries: Systematic Overview. <i>Paediatric and Perinatal Epidemiology</i> , 2013, 27, 118-130.                                       | 0.8 | 14        |
| 20700 | Different injection techniques in the assessment of central haemodynamics in patients with cirrhosis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2013, 73, 42-47.  | 0.6 | 1         |
| 20701 | Accuracy of segmental multi-frequency bioelectrical impedance analysis for assessing whole-body and appendicular fat mass and lean soft tissue mass in frail women aged 75 years and older. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 395-400. | 1.3 | 113       |
| 20702 | Early thromboelastometric variables reliably predict maximum clot firmness in patients undergoing cardiac surgery: a step towards earlier decision making. <i>Acta Anaesthesiologica Scandinavica</i> , 2013, 57, 594-603.                                     | 0.7 | 59        |
| 20703 | Demonstrating the accuracy of an in-hospital ambulatory patient monitoring solution in measuring respiratory rate. , 2013, 2013, 6711-5.   |     | 16        |
| 20704 | Reproducibility of pulse wave analysis and pulse wave velocity in patients with type 2 diabetes. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2013, 73, 428-435.   | 0.6 | 16        |
| 20705 | Automated liver stiffness measurements with magnetic resonance elastography. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 371-379.   | 1.9 | 52        |
| 20706 | Left Ventricular Stroke Volume Quantification by Contrast Echocardiography â€ Comparison of Linear and Flowâ€Based Methods to Cardiac Magnetic Resonance. <i>Echocardiography</i> , 2013, 30, 880-888.   | 0.3 | 12        |
| 20707 | Non contact measurement of body temperature for the identification of thermoregulation abilities in preterm patients. , 2013, , .  |     | 1         |
| 20708 | Changes of choroidal thickness, intraocular pressure and other optical coherence tomographic parameters after haemodialysis. <i>Australasian journal of optometry, The</i> , 2013, 96, 494-499.  | 0.6 | 51        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20709 | Qualitative echocardiography parameters for prediction of pulmonary hypertension. <i>International Journal of Clinical Practice</i> , 2013, 67, 5-12.  | 0.8 | 9         |
| 20710 | Applicability of a different estimation equation of glomerular filtration rate in Turkey. <i>Renal Failure</i> , 2013, 35, 1116-1123.  | 0.8 | 5         |
| 20711 | Validation of subsegmental visual scoring for the quantification of ischemic and nonischemic myocardial fibrosis using late gadolinium enhancement MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 1369-1376.                                  | 1.9 | 32        |
| 20712 | Validity of a new optic disc grading software for use in clinical and epidemiological research. <i>Clinical and Experimental Ophthalmology</i> , 2013, 41, 842-852.  | 1.3 | 9         |
| 20713 | Repeatability of Autofluorescence Lifetime Imaging at the Human Fundus in Healthy Volunteers. <i>Current Eye Research</i> , 2013, 38, 793-801.   | 0.7 | 37        |
| 20714 | Description of technique and lower reference limit for magnetic resonance imaging of hippocampal volumetry in dogs. <i>American Journal of Veterinary Research</i> , 2013, 74, 224-231.  | 0.3 | 31        |
| 20715 | Reproducibility and Validity of the 10-Meter Shuttle Ride Test in Wheelchair-Using Children and Adolescents With Cerebral Palsy. <i>Physical Therapy</i> , 2013, 93, 967-974.  | 1.1 | 36        |
| 20716 | Intra- and interobserver agreement when describing adnexal masses using the International Ovarian Tumor Analysis terms and definitions: a study on three-dimensional ultrasound volumes. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 318-327. | 0.9 | 21        |
| 20717 | Quantifying the Difference Between Self-Reported and Global Positioning Systems-Measured Journey Durations: A Systematic Review. <i>Transport Reviews</i> , 2013, 33, 443-459.   | 4.7 | 82        |
| 20718 | Non-invasive continuous arterial pressure monitoring with Nexfin® does not sufficiently replace invasive measurements in critically ill patients. <i>British Journal of Anaesthesia</i> , 2013, 111, 178-184.  | 1.5 | 64        |
| 20719 | Reliability of 2 Ultrasonic Imaging Analysis Methods in Quantifying Lumbar Multifidus Thickness. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013, 43, 251-262.  | 1.7 | 34        |
| 20720 | Agreement between auricular and rectal measurements of body temperature in healthy cats. <i>Journal of Feline Medicine and Surgery</i> , 2013, 15, 275-279.  | 0.6 | 28        |
| 20721 | Pulmonary gas transfer in children and adolescents born extremely preterm. <i>European Respiratory Journal</i> , 2013, 42, 1536-1544.  | 3.1 | 20        |
| 20722 | Respiratory impedance in healthy subjects: baseline values and bronchodilator response. <i>European Respiratory Journal</i> , 2013, 42, 1513-1523.   | 3.1 | 168       |
| 20723 | Comparisons of Choroidal Thickness of Normal Eyes Obtained by Two Different Spectral-Domain OCT Instruments and One Swept-Source OCT Instrument. , 2013, 54, 7630.   |     | 104       |
| 20724 | Point Accuracy of Interstitial Continuous Glucose Monitoring During Exercise in Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2013, 15, 46-49.  | 2.4 | 47        |
| 20725 | Comparison of EuroQol-5D and Short Form-6D Utility Scores in Multiethnic Asian Patients with Psoriatic Arthritis: A Cross-sectional Study. <i>Journal of Rheumatology</i> , 2013, 40, 859-865.   | 1.0 | 18        |
| 20726 | Body composition in athletes: A comparison of densitometric methods and tracking of individual differences. <i>European Journal of Sport Science</i> , 2013, 13, 78-85.  | 1.4 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20727 | Reproducibility of ultrasonography for assessing abdominal fat distribution in a population at high risk of diabetes. <i>Nutrition and Diabetes</i> , 2013, 3, e82-e82.   | 1.5 | 17        |
| 20728 | Bioelectrical impedance validation studies: alternative approaches to their interpretation. <i>European Journal of Clinical Nutrition</i> , 2013, 67, S10-S13.  | 1.3 | 13        |
| 20729 | Bioimpedance prediction of fat-free mass from dual-energy X-ray absorptiometry in a multi-ethnic group of 2-year-old children. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 214-217.   | 1.3 | 24        |
| 20730 | Impact of body-composition methodology on the composition of weight loss and weight gain. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 446-454.  | 1.3 | 35        |
| 20731 | Validation of the continuous glucose monitoring sensor in preterm infants. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2013, 98, F136-F140.   | 1.4 | 61        |
| 20732 | FloTrac/Vigileo system monitoring in acute-care surgery: current and future trends. <i>Expert Review of Medical Devices</i> , 2013, 10, 717-728.  | 1.4 | 13        |
| 20733 | Meta-analysis of agreement between MRI and pathologic breast tumour size after neoadjuvant chemotherapy. <i>British Journal of Cancer</i> , 2013, 109, 1528-1536.   | 2.9 | 83        |
| 20734 | Tracking fat-free mass changes in elderly men and women using single-frequency bioimpedance and dual-energy X-ray absorptiometry: a four-compartment model comparison. <i>European Journal of Clinical Nutrition</i> , 2013, 67, S40-S46. | 1.3 | 48        |
| 20735 | Simultaneous assessment of endothelial function and morphology in the brachial artery using a new semiautomatic ultrasound system. <i>Hypertension Research</i> , 2013, 36, 691-697.  | 1.5 | 6         |
| 20736 | An examination of calibration intervals required for accurately tracking blood pressure using pulse transit time algorithms. <i>Journal of Human Hypertension</i> , 2013, 27, 744-750.  | 1.0 | 63        |
| 20737 | Prediction of body water compartments in preterm infants by bioelectrical impedance spectroscopy. <i>European Journal of Clinical Nutrition</i> , 2013, 67, S47-S53.  | 1.3 | 37        |
| 20738 | Modeling Breath-Enhanced Jet Nebulizers to Estimate Pulmonary Drug Deposition. <i>Journal of Aerosol Medicine and Pulmonary Drug Delivery</i> , 2013, 26, 387-396.  | 0.7 | 7         |
| 20739 | Evaluation of image analysis methods used for quantification of particle angularity. <i>Sedimentology</i> , 2013, 60, 1100-1110.  | 1.6 | 46        |
| 20740 | Reliability and Concurrent Validity of the Palliative Outcome Scale, the Rotterdam Symptom Checklist, and the Brief Pain Inventory. <i>Journal of Palliative Medicine</i> , 2013, 16, 867-874.  | 0.6 | 39        |
| 20741 | Variability in quantitative and qualitative analysis of intravascular ultrasound and frequency domain optical coherence tomography. <i>Catheterization and Cardiovascular Interventions</i> , 2013, 82, E192-9.                           | 0.7 | 10        |
| 20742 | Validity of predictive equations for 24-h urinary sodium excretion in adults aged 18-39 y. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 1502-1513.   | 2.2 | 141       |
| 20743 | RECall for Automated Genotypic Tropism Testing. <i>Journal of Clinical Microbiology</i> , 2013, 51, 2754-2757.  | 1.8 | 4         |
| 20744 | Evaluation of sensor sites for continuous glucose monitoring in cats with diabetes mellitus. <i>Journal of Feline Medicine and Surgery</i> , 2013, 15, 117-123.   | 0.6 | 24        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20745 | Spectral-Cepstral Estimation of Dysphonia Severity: External Validation. <i>Annals of Otology, Rhinology and Laryngology</i> , 2013, 122, 40-48.  | 0.6 | 57        |
| 20746 | Temporal and spatial dispersion of human body temperature during deep hypothermia. <i>British Journal of Anaesthesia</i> , 2013, 111, 768-775.  | 1.5 | 21        |
| 20747 | Stroke volume optimization in elective bowel surgery: a comparison between pulse power wave analysis (LiDCOrapid) and oesophageal Doppler (CardioQ). <i>British Journal of Anaesthesia</i> , 2013, 110, 374-380.                              | 1.5 | 43        |
| 20748 | Perceived Size Change Induced by Nonvisual Signals in Darkness: The Relative Contribution of Vergence and Proprioception. <i>Journal of Neuroscience</i> , 2013, 33, 16915-16923.   | 1.7 | 33        |
| 20749 | Taxonomy of golf putting: Do different golf putting techniques exist?. <i>Journal of Sports Sciences</i> , 2013, 31, 1038-1044.   | 1.0 | 4         |
| 20750 | Simultaneous Detection, Genotyping, and Quantification of Human Papillomaviruses by Multicolor Real-Time PCR and Melting Curve Analysis. <i>Journal of Clinical Microbiology</i> , 2013, 51, 429-435.   | 1.8 | 21        |
| 20751 | Systemic vascular resistance has an impact on the reliability of the Vigileo-FloTrac system in measuring cardiac output and tracking cardiac output changes. <i>British Journal of Anaesthesia</i> , 2013, 111, 170-177.                      | 1.5 | 56        |
| 20752 | Real-Time Left Ventricular Pressure-Volume Loops During Percutaneous Mitral Valve Repair With the MitraClip System. <i>Circulation</i> , 2013, 127, 1018-1027.  | 1.6 | 100       |
| 20753 | Aortic Stiffness Determines Diastolic Blood Flow Reversal in the Descending Thoracic Aorta. <i>Hypertension</i> , 2013, 62, 542-549.  | 1.3 | 94        |
| 20754 | Endogenous 4 <i>β</i> -Hydroxycholesterol-to-Cholesterol Ratio Is Not a Validated Biomarker for the Assessment of CYP3A Activity. <i>Drug Metabolism and Disposition</i> , 2013, 41, 1972-1972.   | 1.7 | 7         |
| 20755 | Energy Expenditure in Acute Posttraumatic Amputation. <i>Nutrition in Clinical Practice</i> , 2013, 28, 758-765.  | 1.1 | 8         |
| 20756 | Electrocardiographic P-wave characteristics in patients with psoriasis vulgaris. <i>Upsala Journal of Medical Sciences</i> , 2013, 118, 35-41.  | 0.4 | 20        |
| 20757 | Evaluation of pulse rate variability obtained by the pulse onsets of the photoplethysmographic signal. <i>Physiological Measurement</i> , 2013, 34, 179-187.  | 1.2 | 30        |
| 20758 | Noninvasive and Simple Assessment of Cardiac Output and Pulmonary Vascular Resistance With Whole-Body Impedance Cardiography Is Useful for Monitoring Patients With Pulmonary Hypertension. <i>Circulation Journal</i> , 2013, 77, 2383-2389. | 0.7 | 23        |
| 20759 | Comparison of the Portable Metabolic System (METAMAX 3B) and the Stationary Metabolic System (AE-310S) Using the Multistep Exercise Test and a Half-sitting Ergometer. <i>Rigakuryoho Kagaku</i> , 2013, 28, 487-490.                         | 0.0 | 0         |
| 20760 | Assessment of Physical Activity and Energy Expenditure by GPS Combined With Accelerometry in Real-Life Conditions. <i>Journal of Physical Activity and Health</i> , 2013, 10, 880-888.  | 1.0 | 8         |
| 20761 | Time-on-Pitch or Full-Game GPS Analysis Procedures for Elite Field Hockey?. <i>International Journal of Sports Physiology and Performance</i> , 2013, 8, 549-555.   | 1.1 | 36        |
| 20762 | Development and Evaluation of Social Cognitive Measures Related to Adolescent Physical Activity. <i>Journal of Physical Activity and Health</i> , 2013, 10, 544-555.  | 1.0 | 28        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20763 | Development and Validation of Energy Expenditure Prediction Models Based on GT3X Accelerometer Data in 5- to 9-Year-Old Children. <i>Journal of Physical Activity and Health</i> , 2013, 10, 1057-1067.  | 1.0 | 16        |
| 20764 | Validity of ActiGraph 2-Regression Model, Matthews Cut-Points, and NHANES Cut-Points for Assessing Free-Living Physical Activity. <i>Journal of Physical Activity and Health</i> , 2013, 10, 504-514.  | 1.0 | 74        |
| 20765 | Comparison of Antibody-Conjugated Magnetic Immunoassay and Liquid Chromatography-Tandem Mass Spectrometry for the Measurement of Cyclosporine and Tacrolimus in Whole Blood. <i>International Journal of Immunopathology and Pharmacology</i> , 2013, 26, 419-426. | 1.0 | 18        |
| 20766 | Development and Validation of the Online Self-Reported Walking and Exercise Questionnaire (OSWEQ). <i>Journal of Physical Activity and Health</i> , 2013, 10, 1091-1101.   | 1.0 | 10        |
| 20767 | The Effects of a Single Dose of Concentrated Beetroot Juice on Performance in Trained Flatwater Kayakers. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2013, 23, 498-506.   | 1.0 | 80        |
| 20768 | Test-Retest Reliability of Transport-Related Physical Activity Performed During the Lifetime. <i>Journal of Physical Activity and Health</i> , 2013, 10, 626-631.  | 1.0 | 3         |
| 20769 | Comparison of Patient and Proxy Reporting of Health-Related Quality of Life in Adolescent Athletes Who Suffer a Sports-Related Injury and Require Orthopedic Consultation. <i>Journal of Sport Rehabilitation</i> , 2013, 22, 248-253.                             | 0.4 | 8         |
| 20770 | A comparison between the technical absorbent and ventilated capsule methods for measuring local sweat rate. <i>Journal of Applied Physiology</i> , 2013, 114, 816-823.   | 1.2 | 69        |
| 20771 | Same task, same observers, different values: the problem with visual assessment of breast density. , 2013, , .   |     | 4         |
| 20772 | The Accuracy of the Body Adiposity Index for Predicting Body Fat Percentage in Collegiate Female Athletes. <i>Journal of Strength and Conditioning Research</i> , 2013, 27, 1679-1683.   | 1.0 | 20        |
| 20773 | Validation of a new photogrammetric technique to monitor the treatment effect of Botulinum toxin in synkinesis. <i>Eye</i> , 2013, 27, 860-864.  | 1.1 | 4         |
| 20775 | The level of residual disease based on mutant NPM1 is an independent prognostic factor for relapse and survival in AML. <i>Blood</i> , 2013, 122, 83-92.   | 0.6 | 169       |
| 20776 | Comparison of Step-Wise and Ramp-Wise Incremental Rowing Exercise Tests and 2000-m Rowing Ergometer Performance. <i>International Journal of Sports Physiology and Performance</i> , 2013, 8, 123-129.   | 1.1 | 15        |
| 20777 | Validity of the Step Test for Exercise Prescription: No Extension to a Larger Age Range. <i>Journal of Aging and Physical Activity</i> , 2013, 21, 444-454.  | 0.5 | 3         |
| 20778 | A Novel Approach for Lactate Threshold Assessment Based on Rating of Perceived Exertion. <i>International Journal of Sports Physiology and Performance</i> , 2013, 8, 263-270.   | 1.1 | 20        |
| 20779 | A reliability study of colour-Doppler sonography for the diagnosis of chronic cerebrospinal venous insufficiency shows low inter-rater agreement. <i>BMJ Open</i> , 2013, 3, e003508.  | 0.8 | 4         |
| 20780 | Dependence of ventilation image derived from 4D CT on deformable image registration and ventilation algorithms. <i>Journal of Applied Clinical Medical Physics</i> , 2013, 14, 150-162.  | 0.8 | 13        |
| 20781 | Non Contrast-Enhanced MRA versus Ultrasound Blood Vessel Assessment to determine the Choice of Hemodialysis Vascular Access. <i>Journal of Vascular Access</i> , 2013, 14, 348-355.  | 0.5 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20782 | Sleep Estimates Using Microelectromechanical Systems (MEMS). <i>Sleep</i> , 2013, 36, 781-789.  | 0.6 | 120       |
| 20783 | Performance of an Automated Polysomnography Scoring System Versus Computer-Assisted Manual Scoring. <i>Sleep</i> , 2013, 36, 573-582.   | 0.6 | 153       |
| 20784 | Pilot study in the view of a Pan-European dietary survey "adolescents, adults and elderly. EFSA Supporting Publications, 2013, 10, 508E.  | 0.3 | 41        |
| 20785 | Can Bedside Ultrasonography of Internal Jugular Vein Replace Ultrasonography of Inferior Vena Cava for Volume Status Estimation?. <i>Hong Kong Journal of Emergency Medicine</i> , 2013, 20, 197-203.   | 0.4 | 0         |
| 20786 | Association between B-cell receptor responsiveness and disease progression in B-cell chronic lymphocytic leukemia: results from single cell network profiling studies. <i>Haematologica</i> , 2013, 98, 626-634.  | 1.7 | 32        |
| 20787 | Storage of bronchoalveolar lavage fluid and accuracy of microbiologic diagnostics in the ICU: a prospective observational study. <i>Critical Care</i> , 2013, 17, R135.   | 2.5 | 6         |
| 20788 | Reference Ranges for Fetal Brain Fissure Development on 3-Dimensional Sonography in the Multiplanar Mode. <i>Journal of Ultrasound in Medicine</i> , 2013, 32, 269-277.   | 0.8 | 27        |
| 20789 | Comparison between an online self-administered and an interviewer-administered version of the Asthma Control Questionnaire: a cross-sectional validation study. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2013, 22, 284-289. | 2.5 | 7         |
| 20790 | Flash Mob Research. <i>Chest</i> , 2013, 143, 1740-1744.  | 0.4 | 55        |
| 20791 | The Development and Validation of the Anxiety Inventory for Respiratory Disease. <i>Chest</i> , 2013, 144, 1587-1596.   | 0.4 | 42        |
| 20792 | Counterpoint: Can Doppler Echocardiography Estimates of Pulmonary Artery Systolic Pressures Be Relied Upon to Accurately Make the Diagnosis of Pulmonary Hypertension? No. <i>Chest</i> , 2013, 143, 1536-1539.   | 0.4 | 36        |
| 20793 | Mechanisms of Decrease in Fractional Exhaled Nitric Oxide During Acute Bronchoconstriction. <i>Chest</i> , 2013, 143, 1269-1276.  | 0.4 | 11        |
| 20794 | Rapid Quantification of Iron Content in Fish Sauce and Soy Sauce: A Promising Tool for Monitoring Fortification Programs. <i>Food and Nutrition Bulletin</i> , 2013, 34, S124-S132.   | 0.5 | 9         |
| 20795 | Observing lame sheep: evaluating test agreement between group-level and individual animal methods of assessment. <i>Animal Welfare</i> , 2013, 22, 417-422.   | 0.3 | 17        |
| 20796 | A prospective study of the accuracy and concordance between in-situ and postfixation measurements of colorectal polyp size and their potential impact upon surveillance. <i>European Journal of Gastroenterology and Hepatology</i> , 2013, 25, 562-567.                    | 0.8 | 18        |
| 20797 | The Ability of the PACER to Elicit Peak Exercise Response in the Youth. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 1139-1143.   | 0.2 | 30        |
| 20798 | Concurrent Validity of Vertical Jump Performance Assessment Systems. <i>Journal of Strength and Conditioning Research</i> , 2013, 27, 761-768.  | 1.0 | 107       |
| 20799 | MDRD Versus CKD-EPI Equation to Estimate Glomerular Filtration Rate in Kidney Transplant Recipients. <i>Transplantation</i> , 2013, 95, 1211-1217.  | 0.5 | 84        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20800 | Can GPS Be Used to Detect Deleterious Progression in Training Volume Among Runners?. Journal of Strength and Conditioning Research, 2013, 27, 1471-1478.   | 1.0 | 56        |
| 20801 | Measurement features of a long-term care quality of life (LTC-QoL) assessment scale. Journal of Care Services Management, 2013, 7, 76-86.  | 0.1 | 11        |
| 20802 | Total Energy Expenditure Assessment in Elite Junior Basketball Players. Journal of Strength and Conditioning Research, 2013, 27, 1920-1927.  | 1.0 | 41        |
| 20803 | The NIE Intermittent High-Intensity Running Test: A Reliable and Valid Test for Assessment of Soccer-Specific Fitness. International Journal of Sports Science and Coaching, 2013, 8, 77-88.   | 0.7 | 3         |
| 20804 | Aortic pulse wave velocity results depend on which carotid artery is used for the measurements. Journal of Hypertension, 2013, 31, 117-122.  | 0.3 | 12        |
| 20805 | Measurement repeatability of tibial tuberosity-trochlear groove offset distance in red fox (Vulpes) Tj ETQq1 1 0.784314 rgBT /Overloc  | 0.3 | 4         |
| 20806 | Accuracy and Reproducibility of the Peritoneal Cancer Index in Advanced Ovarian Cancer During Laparoscopy and Laparotomy. International Journal of Gynecological Cancer, 2013, 23, 1699-1703.  | 1.2 | 24        |
| 20807 | Comparison of Visual Acuity Charts in Young Adults and Patients with Diabetic Retinopathy. Optometry and Vision Science, 2013, 90, 174-178.  | 0.6 | 10        |
| 20808 | Repeatability of On- and Off-Axis Eye Length Measurements Using the Lenstar. Optometry and Vision Science, 2013, 90, 16-22.  | 0.6 | 20        |
| 20809 | Generalised equations for the prediction of percentage body fat by anthropometry in adult men and women aged 18-81 years. British Journal of Nutrition, 2013, 109, 678-685.  | 1.2 | 28        |
| 20810 | Agreement of bioelectrical impedance with dual-energy X-ray absorptiometry and MRI to estimate changes in body fat, skeletal muscle and visceral fat during a 12-month weight loss intervention. British Journal of Nutrition, 2013, 109, 1910-1916. | 1.2 | 70        |
| 20811 | Infrared thermography - a non-invasive tool to evaluate thermal status of neonatal pigs based on surface temperature. Animal, 2013, 7, 2026-2034.  | 1.3 | 41        |
| 20812 | My Meal Mate™ (MMM): validation of the diet measures captured on a smartphone application to facilitate weight loss. British Journal of Nutrition, 2013, 109, 539-546.   | 1.2 | 121       |
| 20813 | Effect of changes in an FFQ: comparing data from two national dietary survey instruments among 2-year-olds. British Journal of Nutrition, 2013, 109, 363-369.  | 1.2 | 5         |
| 20814 | Validation of energy requirement references for exclusively breast-fed infants. British Journal of Nutrition, 2013, 109, 2036-2043.  | 1.2 | 5         |
| 20815 | Relationship Between Clinical Signs and Symptoms of Convergence Insufficiency. Optometry and Vision Science, 2013, 90, 988-995.  | 0.6 | 40        |
| 20817 | Rebuttal From Dr Rudski. Chest, 2013, 143, 1539-1540.  | 0.4 | 5         |
| 20818 | Validity and Reliability of the St. George's Respiratory Questionnaire in Assessing Health Status in Patients With Chronic Pulmonary Aspergillosis. Chest, 2013, 144, 623-631.   | 0.4 | 42        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20819 | Case Cancellation Rates Measured by Surgical Service Differ Whether Based on the Number of Cases or the Number of Minutes Cancelled. <i>Anesthesia and Analgesia</i> , 2013, 117, 711-716.                        | 1.1 | 19        |
| 20820 | Validation of Pattern-Recognition Monitors in Children Using Doubly Labeled Water. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 1313-1322.  | 0.2 | 48        |
| 20821 | A comparison of noninvasive bioreactance with oesophageal Doppler estimation of stroke volume during open abdominal surgery. <i>European Journal of Anaesthesiology</i> , 2013, 30, 501-508.                      | 0.7 | 27        |
| 20822 | Reproducibility and biological basis of in vivo $^{23}\text{Na}$ magnetic resonance imaging of liver metastasis of colorectal cancer. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 1145-1152.                | 1.9 | 3         |
| 20823 | Intra- and interobserver reproducibility of assessment of Doppler ultrasound findings in adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 93-101.                                       | 0.9 | 14        |
| 20824 | Fetal biometry: how well can offline measurements from three-dimensional volumes substitute real-time two-dimensional measurements?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 560-570.          | 0.9 | 16        |
| 20825 | Inter- and intraobserver reliability for diagnosing levator ani changes on magnetic resonance imaging. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 347-352.  | 0.9 | 8         |
| 20826 | Comparing the Optical Properties of Soft Contact Lenses On and Off the Eye. <i>Optometry and Vision Science</i> , 2013, 90, 924-936.  | 0.6 | 26        |
| 20827 | Determination of kidney function with $^{99\text{mTc}}$ -DTPA renography using a dual-head camera. <i>Nuclear Medicine Communications</i> , 2013, 34, 322-327.  | 0.5 | 10        |
| 20828 | You Look All Right to Me. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013, 56, 385-389.   | 0.9 | 18        |
| 20829 | Comparison of Automated and Partial Coherence Keratometry and Resulting Choice of Toric IOL. <i>Optometry and Vision Science</i> , 2013, 90, 385-391.   | 0.6 | 9         |
| 20830 | The Development of a Soccer-Specific Training Drill for Elite-Level Players. <i>Journal of Strength and Conditioning Research</i> , 2013, 27, 938-943.  | 1.0 | 17        |
| 20831 | Validation of Two Novel Electronic Devices to Time-link Transcutaneous Electrical Nerve Stimulation and Pain Report in Patients With Chronic Back Pain. <i>Clinical Journal of Pain</i> , 2013, 29, 35-42.        | 0.8 | 3         |
| 20832 | Corneal Deformation Measurement Using Scheimpflug Noncontact Tonometry. <i>Optometry and Vision Science</i> , 2013, 90, e1-e8.  | 0.6 | 197       |
| 20833 | Learning process for performing and analyzing $3\text{D}$ / $4\text{D}$ transperineal ultrasound imaging and interobserver reliability study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 312-317. | 0.9 | 48        |
| 20834 | Ultrasound Estimates for Midline Epidural Punctures in the Obese Parturient. <i>Anesthesia and Analgesia</i> , 2013, 116, 829-835.  | 1.1 | 44        |
| 20835 | Validity of Automated Threshold Audiometry. <i>Ear and Hearing</i> , 2013, Publish Ahead of Print, .  | 1.0 | 4         |
| 20836 | Quality of Life After Osteosynthesis of Fractures of the Proximal Humerus. <i>Journal of Orthopaedic Trauma</i> , 2013, 27, e74-e80.  | 0.7 | 14        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20837 | Validation of a 10-item Care-related Regret Intensity Scale (RIS-10) for Health Care Professionals. <i>Medical Care</i> , 2013, 51, 285-291.  | 1.1 | 25        |
| 20838 | Detection Rate, Location, and Size of Pulmonary Nodules in Trimodality PET/CT-MR. <i>Investigative Radiology</i> , 2013, 48, 241-246.   | 3.5 | 102       |
| 20839 | Reliability of pelvic floor measurements on three- and four-dimensional ultrasound during and after first pregnancy: implications for training. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 590-595. | 0.9 | 31        |
| 20840 | Venous and arterial base deficits. <i>Journal of Trauma and Acute Care Surgery</i> , 2013, 74, 936-939.   | 1.1 | 8         |
| 20841 | Validity of the International Physical Activity Questionnaire in the Arctic. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 728-736.  | 0.2 | 25        |
| 20842 | Is Measurement Error Altered by Participation in a Physical Activity Intervention?. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 1004-1011.   | 0.2 | 10        |
| 20843 | Determination of Maximal Lactate Steady State in Healthy Adults. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 1208-1216.  | 0.2 | 53        |
| 20844 | Validation of a Previous-Day Recall Measure of Active and Sedentary Behaviors. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 1629-1638.  | 0.2 | 92        |
| 20845 | The impact of <sup>99m</sup> Tc-DTPA orbital SPECT in patient selection for external radiation therapy in Graves' ophthalmopathy. <i>Nuclear Medicine Communications</i> , 2013, 34, 108-112.                       | 0.5 | 13        |
| 20846 | SeHCAT retention values as measured with a collimated and an uncollimated gamma camera. <i>Nuclear Medicine Communications</i> , 2013, 34, 718-721.   | 0.5 | 8         |
| 20847 | Performance of creatinine and cystatin C-based glomerular filtration rate estimating equations in a European HIV-positive cohort. <i>Aids</i> , 2013, 27, 1573-1581.  | 1.0 | 48        |
| 20848 | Evaluation of Noninvasive Follow-up Methods for the Detection of Intracranial In-Stent Restenosis. <i>Investigative Radiology</i> , 2013, 48, 98-103.   | 3.5 | 11        |
| 20849 | On the Detection of Anti-HLA Antibodies Using Single Antigen Bead Luminex Assay. <i>Transplantation</i> , 2013, 96, e24-e26.  | 0.5 | 21        |
| 20850 | Familiarization and Reliability of One Repetition Maximum Strength Testing in Older Women. <i>Journal of Strength and Conditioning Research</i> , 2013, 27, 1636-1642.  | 1.0 | 93        |
| 20851 | Quality of Life Before Intensive Care Using EQ-5D. <i>Critical Care Medicine</i> , 2013, 41, 9-14.  | 0.4 | 46        |
| 20852 | Evaluation of the Vicorder, a novel cuff-based device for the noninvasive estimation of central blood pressure. <i>Journal of Hypertension</i> , 2013, 31, 77-85.   | 0.3 | 101       |
| 20853 | Comparative Study of Central Corneal Thickness Using Fourier-Domain Optical Coherence Tomography Versus Ultrasound Pachymetry in Primary Open-Angle Glaucoma. <i>Cornea</i> , 2013, 32, 9-13.                       | 0.9 | 15        |
| 20854 | Rebound, Applanation, and Dynamic Contour Tonometry in Pathologic Corneas. <i>Cornea</i> , 2013, 32, 313-318.   | 0.9 | 35        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20855 | Comparison of Manual and Automated Endothelial Cell Density Analysis in Normal Eyes and DSEK Eyes. <i>Cornea</i> , 2013, 32, 567-573.   | 0.9 | 43        |
| 20856 | Optical Coherence Tomography and Ultrasound Biomicroscopy Imaging of Opaque Corneas. <i>Cornea</i> , 2013, 32, e25-e30.   | 0.9 | 21        |
| 20857 | Repeatability of In Vivo Corneal Confocal Microscopy to Quantify Corneal Nerve Morphology. <i>Cornea</i> , 2013, 32, e83-e89.   | 0.9 | 148       |
| 20858 | Repeatability and Reproducibility of Goldmann Applanation, Dynamic Contour, and Ocular Response Analyzer Tonometry. <i>Journal of Glaucoma</i> , 2013, 22, 127-132.   | 0.8 | 48        |
| 20859 | Neonatal cardiac MRI using prolonged balanced SSFP imaging at 3T with active frequency stabilization. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 776-784.  | 1.9 | 13        |
| 20860 | Novel 3-Dimensional Motion Analysis Method for Measuring the Lumbar Spine Range of Motion. <i>Spine</i> , 2013, 38, E1327-E1333.  | 1.0 | 31        |
| 20861 | Automated blood pressure measurement in atrial fibrillation. <i>Journal of Hypertension</i> , 2013, 31, 214-215.  | 0.3 | 5         |
| 20862 | Influence of Examiner Experience on the Reproducibility of Retinal Nerve Fiber Thickness Values Using Cirrus and Stratus OCTs. <i>Journal of Glaucoma</i> , 2013, 22, 243-249.  | 0.8 | 6         |
| 20863 | Zinc to Treat Tinnitus in the Elderly. <i>Otology and Neurotology</i> , 2013, 34, 1146-1154.  | 0.7 | 32        |
| 20864 | Assessing the Performance of Atlas-Based Prefrontal Brain Parcellation in an Aging Cohort. <i>Journal of Computer Assisted Tomography</i> , 2013, 37, 257-264.  | 0.5 | 8         |
| 20865 | Molecular Bioluminescence Imaging as a Noninvasive Tool for Monitoring Tumor Growth and Therapeutic Response to MRI-Guided Laser Ablation in a Rat Model of Hepatocellular Carcinoma. <i>Investigative Radiology</i> , 2013, 48, 413-421.         | 3.5 | 21        |
| 20866 | Noninvasive Carbon Dioxide Monitoring in a Porcine Model of Acute Lung Injury Due to Smoke Inhalation and Burns. <i>Shock</i> , 2013, 39, 495-500.  | 1.0 | 30        |
| 20867 | Volume-Independent Elastance. <i>Anesthesia and Analgesia</i> , 2013, 116, 627-633.   | 1.1 | 12        |
| 20868 | Validation of a Stand-Alone Near-Infrared Spectroscopy System for Monitoring Cerebral Autoregulation During Cardiac Surgery. <i>Anesthesia and Analgesia</i> , 2013, 116, 198-204.  | 1.1 | 62        |
| 20869 | Evaluation of a Novel Noninvasive Respiration Monitor Providing Continuous Measurement of Minute Ventilation in Ambulatory Subjects in a Variety of Clinical Scenarios. <i>Anesthesia and Analgesia</i> , 2013, 117, 91-100.                      | 1.1 | 82        |
| 20870 | Carotid-femoral pulse wave velocity assessment using novel cuff-based techniques. <i>Journal of Hypertension</i> , 2013, 31, 2237-2243.   | 0.3 | 77        |
| 20871 | Renal function after trauma. <i>Journal of the Royal Army Medical Corps</i> , 2013, 159, 94-97.   | 0.8 | 1         |
| 20872 | Non-invasive monitoring of blood pressure using the Philips Intellivue MP50 monitor cannot replace invasive blood pressure techniques in surgery patients under general anesthesia. <i>Experimental and Therapeutic Medicine</i> , 2013, 6, 9-14. | 0.8 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20873 | Doxycycline for Stabilization of Abdominal Aortic Aneurysms. <i>Annals of Internal Medicine</i> , 2013, 159, 815.  | 2.0 | 178       |
| 20874 | Assessing glomerular filtration rate (GFR) in critically ill patients with acute kidney injury - true GFR versus urinary creatinine clearance and estimating equations. <i>Critical Care</i> , 2013, 17, R108.   | 2.5 | 136       |
| 20875 | Using the Transverse Acetabular Ligament as a Landmark for Acetabular Anteversion: An Intraoperative Measurement. <i>Journal of Orthopaedic Surgery</i> , 2013, 21, 189-194.   | 0.4 | 10        |
| 20876 | Reliability of Upper Quadrant Posture Analysis Using an Ultrasound-based Three-dimensional Motion Analyzer. <i>Journal of Physical Therapy Science</i> , 2013, 25, 1181-1184.  | 0.2 | 9         |
| 20877 | Interrater and Intrarater Reliability of the Active Knee Extension (AKE) Test among Healthy Adults. <i>Journal of Physical Therapy Science</i> , 2013, 25, 957-961.  | 0.2 | 49        |
| 20878 | Validity and Reliability of the Kinematic Analysis of Trunk and Pelvis Movements Measured by Smartphones during Walking. <i>Journal of Physical Therapy Science</i> , 2013, 25, 97-100.  | 0.2 | 3         |
| 20879 | Reproducibility of the METAMAX 3B Portable Metabolic System in the Multistep Exercise Test Using the Half-sitting Ergometer. <i>Rigakuryoho Kagaku</i> , 2013, 28, 627-630.  | 0.0 | 0         |
| 20880 | When should the 15 m Incremental Shuttle-Walking and Run Test be Performed after One Rehearsal ?. <i>Rigakuryoho Kagaku</i> , 2013, 28, 767-770.   | 0.0 | 0         |
| 20881 | Reading Center Characterization of Central Retinal Vein Occlusion Using Optical Coherence Tomography During the COPERNICUS Trial. <i>Translational Vision Science and Technology</i> , 2013, 2, 7.   | 1.1 | 6         |
| 20882 | Valida o Concorrente de Escores de Enfermagem (NEMS e TISS-28) em terapia intensiva pedi trica. <i>ACTA Paulista De Enfermagem</i> , 2013, 26, 123-129.  | 0.1 | 8         |
| 20883 | Intra- and interoperator variability of lobar pulmonary volumes and emphysema scores in patients with chronic obstructive pulmonary disease and emphysema: comparison of manual and semi-automated segmentation techniques. <i>Diagnostic and Interventional Radiology</i> , 2013, 19, 279-85. | 0.7 | 7         |
| 20884 | Validation of Octanoate Breath Test for Measuring Gastric Emptying in Rats. <i>Journal of Neurogastroenterology and Motility</i> , 2013, 19, 171-178.  | 0.8 | 1         |
| 20885 | Reproducibility of Diabetic Macular Edema Estimates From SD-OCT Is Affected by the Choice of Image Analysis Algorithm. , 2013, 54, 4184.   |     | 27        |
| 20886 | Validity of self-reported weight and stature in adolescents from Cuiab , Central-Western Brazil. <i>Revista De Nutricao</i> , 2013, 26, 283-290.   | 0.4 | 7         |
| 20887 | A new 3-D modelling method to extract subtransect dimensions from underwater videos. <i>Ocean Science</i> , 2013, 9, 461-476.  | 1.3 | 6         |
| 20888 | MetaboQuant: a tool combining individual peak calibration and outlier detection for accurate metabolite quantification in 1D <sup>1</sup> H and <sup>1</sup> H- <sup>13</sup> C HSQC NMR spectra. <i>BioTechniques</i> , 2013, 54, 251-256.  | 0.8 | 19        |
| 20889 | Technical note: Use of a simplified equation for estimating glomerular filtration rate in beef cattle1. <i>Journal of Animal Science</i> , 2013, 91, 5240-5246.  | 0.2 | 1         |
| 20890 | Using wireless technology to monitor lumbo-pelvic kinematics in rowing. <i>Physiotherapy Practice and Research</i> , 2013, 34, 113-121.  | 0.1 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20891 | Concordância e fidedignidade de um questionário eletrônico para crianças (WEBDAFA). Revista Brasileira De Cineantropometria E Desempenho Humano, 2013, 15, .  | 0.5 | 3         |
| 20892 | Predição da potência aeróbica (VO <sub>2</sub> máx) de crianças e adolescentes em teste incremental na esteira rolante. Motriz Revista De Educacao Fisica, 2013, 19, 126-132.                                   | 0.3 | 2         |
| 20893 | Standardized Baseline Human Corneal Subbasal Nerve Density for Clinical Investigations With Laser-Scanning in Vivo Confocal Microscopy. , 2013, 54, 7091.   |     | 79        |
| 20894 | Test-retest repeatability of strength capacity, aerobic power and pericranial tenderness of neck and shoulder muscles in children - relevant for tension-type headache. Journal of Pain Research, 2013, 6, 643. | 0.8 | 8         |
| 20895 | P Wave Indices to Predict Atrial Fibrillation Recurrences Post Pulmonary Vein Isolation. Arquivos Brasileiros De Cardiologia, 2013, 101, 519-27.  | 0.3 | 27        |
| 20896 | Influence of age on measured anatomical and physiological interpupillary distance (far and near), and near heterophoria, in Arab males. Clinical Ophthalmology, 2013, 7, 711.                                   | 0.9 | 4         |
| 20897 | Pulmonary Carbon Dioxide Elimination for Cardiac Output Monitoring in Peri-operative and Critical Care Patients: History and Current Status. Journal of Healthcare Engineering, 2013, 4, 203-222.               | 1.1 | 8         |
| 20898 | Predicted and Measured Resting Metabolic Rate: In Young, Non-obese Women. Canadian Journal of Dietetic Practice and Research, 2013, 74, 124-130.  | 0.5 | 3         |
| 20899 | Cerebral Oxygenation during Laparoscopic Surgery: Jugular Bulb versus Regional Cerebral Oxygen Saturation. Yonsei Medical Journal, 2013, 54, 225.   | 0.9 | 9         |
| 20900 | Measurements of tumor size using CT and PET compared to histopathological size in non-small cell lung cancer. Diagnostic and Interventional Radiology, 2013, 19, 271-8.   | 0.7 | 7         |
| 20901 | Can the single-breath helium dilution method predict lung volumes as measured by whole-body plethysmography?. Jornal Brasileiro De Pneumologia, 2013, 39, 675-685.  | 0.4 | 5         |
| 20902 | Comparação de diferentes testes funcionais de membros inferiores em pacientes com doença pulmonar obstrutiva crônica: há concordância entre eles?. Fisioterapia Em Movimento, 2013, 26, 491-502.                | 0.4 | 0         |
| 20903 | Estimativa do consumo máximo de oxigênio e análise de concordância entre medida direta e predita por diferentes testes de campo. Revista Brasileira De Medicina Do Esporte, 2013, 19, 404-409.                  | 0.1 | 3         |
| 20904 | Automatic quantitative analysis of in-stent restenosis using FD-OCT <i>in vivo</i> intracardiac imaging. Medical Physics, 2013, 40, 063101.   | 1.6 | 20        |
| 20905 | Consumo de oxigênio de pico em idosos: comparação entre valores medidos e previstos. Motriz Revista De Educacao Fisica, 2013, 19, 325-334.  | 0.3 | 0         |
| 20906 | Direct comparison of the FibroScan XL and M probes for assessment of liver fibrosis in obese and nonobese patients. Hepatic Medicine: Evidence and Research, 2013, 5, 43.                                       | 0.9 | 21        |
| 20907 | Automated Segmentation of Pathological Cavities in Optical Coherence Tomography Scans. , 2013, 54, 4385.  |     | 29        |
| 20908 | An evaluation of estimation methods for determining addition in presbyopes. Arquivos Brasileiros De Oftalmologia, 2013, 76, 218-220.  | 0.2 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20909 | Análise videofluoroscópica bidimensional perceptual da fase faríngea da deglutição em indivíduos acima de 50 anos. Arquivos Brasileiros De Cirurgia Digestiva: ABCD = Brazilian Archives of Digestive Surgery, 2013, 26, 274-279. | 0.5 | 5         |
| 20910 | Translation, cultural adaptation and evaluation of the psychometric properties of the Falls Risk Awareness Questionnaire (FRAQ): FRAQ-Brazil. Brazilian Journal of Physical Therapy, 2013, 17, 593-605.                           | 1.1 | 21        |
| 20911 | Measure for the assessment of confidence with manual wheelchair use (WheelCon-M) version 2.1: Reliability and validity. Journal of Rehabilitation Medicine, 2013, 45, 61-67.  | 0.8 | 58        |
| 20912 | Parameters Representing Muscle Tone, Elasticity and Stiffness of Biceps Brachii in Healthy Older Males: Symmetry and Within-Session Reliability Using the MyotonPRO. Journal of Neurological Disorders, 2013, 01, .               | 0.1 | 70        |
| 20913 | PINP en pacientes con insuficiencia hepática: Comparación de dos métodos de medida y asociación con diferentes parámetros bioquímicos. Revista De Osteoporosis Y Metabolismo Mineral, 2013, 5, 24-29.                             | 0.3 | 1         |
| 20914 | Static and Flicker Perimetry in Age-Related Macular Degeneration. , 2013, 54, 3560.   |     | 22        |
| 20915 | Adjustment of the Retinal Angle in SD-OCT of Glaucomatous Eyes Provides Better Intervisit Reproducibility of Peripapillary RNFL Thickness. , 2013, 54, 4808.  |     | 12        |
| 20916 | The Role of Axial Resolution of Optical Coherence Tomography on the Measurement of Corneal and Epithelial Thicknesses. , 2013, 54, 746.   |     | 47        |
| 20917 | Relating Retinal Nerve Fiber Layer Thickness and Functional Estimates of Ganglion Cell Sampling Density in Healthy Eyes and in Early Glaucoma. , 2013, 54, 2153.  |     | 17        |
| 20918 | Repeatability and Reproducibility of Choroidal Vessel Layer Measurements in Diabetic Retinopathy Using Enhanced Depth Optical Coherence Tomography. , 2013, 54, 2893.   |     | 54        |
| 20919 | Comparison between oscillometric- and Doppler-ABI in elderly individuals. Vascular Health and Risk Management, 2013, 9, 89.   | 1.0 | 26        |
| 20920 | Non-invasive, non-radiological quantification of anteroposterior knee joint ligamentous laxity. Bone and Joint Research, 2013, 2, 233-237.  | 1.3 | 6         |
| 20921 | Acute Effect of Whole-Body Periodic Acceleration on Brachial Flow-Mediated Vasodilatation Assessed by a Novel Semi-Automatic Vessel Chasing UNEXEF18G System. Journal of Cardiovascular Imaging, 2013, 21, 130.                   | 0.8 | 13        |
| 20922 | Influence of Cardiovascular Risk Factors on Aortic Wall Motion After Repair of Type A Aortic Dissection. Aorta, 2013, 1, 235-243.   | 0.1 | 2         |
| 20923 | Baroreflex physiology studied in healthy subjects with very infrequent muscle sympathetic bursts. Journal of Applied Physiology, 2013, 114, 203-210.  | 1.2 | 11        |
| 20924 | MEASUREMENT OF FIBRINOGEN CONCENTRATION IN THE PLASMA OF DOGS: A COMPARISON BETWEEN HEAT PRECIPITATION AND MODIFIED THROMBIN CLOTTING TIME METHOD. American Journal of Animal and Veterinary Sciences, 2013, 8, 73-78.            | 0.2 | 3         |
| 20925 | Clinical Analysis of Macular Edema with New Software for SD-OCT Imaging. European Journal of Ophthalmology, 2013, 23, 899-904.  | 0.7 | 7         |
| 20926 | CT-based weight assessment of lung lobes: comparison with ex vivo measurements. Diagnostic and Interventional Radiology, 2013, 19, 355-9.   | 0.7 | 6         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20927 | Conformity of pre-gestational weight measurement and agreement of anthropometric data reported by pregnant women and those recorded in prenatal cards, City of Rio de Janeiro, 2007-2008. <i>Revista Brasileira De Epidemiologia</i> , 2013, 16, 670-681. | 0.3 | 5         |
| 20928 | Translation, cross-cultural adaptation and validation of the Brazilian version of the Nonarthritic Hip Score. <i>Sao Paulo Medical Journal</i> , 2013, 131, 244-251.  | 0.4 | 15        |
| 20929 | Point of Care D-Dimer Testing in the Emergency Department: A Bioequivalence Study. <i>Annals of Laboratory Medicine</i> , 2013, 33, 34-38.  | 1.2 | 15        |
| 20930 | Morphometrical dimensions of the sheep thoracolumbar vertebrae as seen on digitised CT images. <i>Laboratory Animal Research</i> , 2013, 29, 138.   | 1.1 | 13        |
| 20931 | A COMPARATIVE STUDY OF THE OVINE HAEMOGRAM: CELL-DYN 3500 VERSUS MANUAL METHODS. <i>American Journal of Animal and Veterinary Sciences</i> , 2013, 8, 203-209.  | 0.2 | 2         |
| 20932 | A Comparative White Matter Study with Parkinson's disease, Parkinson's Disease with Dementia and Alzheimer's Disease. , 2013, 03, 123.  |     | 18        |
| 20933 | Determination of Serum Albumin Concentration in Healthy and Diseased Hermann's Tortoises (Testudo) Tj ETQq0 0 0 rgBT /Overlock 10<br><i>Journal of Herpetological Medicine and Surgery</i> , 2013, 23, 20.  | 0.2 | 24        |
| 20934 | Lung Volume Measurements as a Surrogate Marker for Patient Response in Malignant Pleural Mesothelioma. <i>Journal of Thoracic Oncology</i> , 2013, 8, 478-486.  | 0.5 | 22        |
| 20935 | Quantitative Muscle MRI as an Assessment Tool for Monitoring Disease Progression in LGMD2I: A Multicentre Longitudinal Study. <i>PLoS ONE</i> , 2013, 8, e70993.  | 1.1 | 148       |
| 20936 | Reproducibility of Regional DEXA Examinations of Abdominal Fat and Lean Tissue. <i>Obesity Facts</i> , 2013, 6, 203-210.  | 1.6 | 11        |
| 20937 | Statistical Properties of Parasite Density Estimators in Malaria. <i>PLoS ONE</i> , 2013, 8, e51987.  | 1.1 | 7         |
| 20938 | Quantitative Renal Perfusion Measurements in a Rat Model of Acute Kidney Injury at 3T: Testing Inter- and Intramethodical Significance of ASL and DCE-MRI. <i>PLoS ONE</i> , 2013, 8, e53849.   | 1.1 | 54        |
| 20939 | Development and Validation of a Questionnaire Assessing Fears and Beliefs of Patients with Knee Osteoarthritis: The Knee Osteoarthritis Fears and Beliefs Questionnaire (KOFBeQ). <i>PLoS ONE</i> , 2013, 8, e53886.                                      | 1.1 | 32        |
| 20940 | Multiple Breath Nitrogen Washout: A Feasible Alternative to Mass Spectrometry. <i>PLoS ONE</i> , 2013, 8, e56868.   | 1.1 | 87        |
| 20941 | Characterization of Nasal Potential Difference in cftr Knockout and F508del-CFTR Mice. <i>PLoS ONE</i> , 2013, 8, e57317.   | 1.1 | 13        |
| 20942 | Real-Time Continuous Glucose Monitoring Shows High Accuracy within 6 Hours after Sensor Calibration: A Prospective Study. <i>PLoS ONE</i> , 2013, 8, e60070.  | 1.1 | 15        |
| 20943 | Critical Transitions in Early Embryonic Aortic Arch Patterning and Hemodynamics. <i>PLoS ONE</i> , 2013, 8, e60271.   | 1.1 | 43        |
| 20944 | Multi Frequency Phase Fluorimetry (MFPF) for Oxygen Partial Pressure Measurement: Ex Vivo Validation by Polarographic Clark-Type Electrode. <i>PLoS ONE</i> , 2013, 8, e60591.  | 1.1 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20945 | Comparison of Invasive Blood Pressure Measurements from the Caudal Ventral Artery and the Femoral Artery in Male Adult SD and Wistar Rats. PLoS ONE, 2013, 8, e60625.   | 1.1 | 20        |
| 20946 | Use of Fat Mass and Fat Free Mass Standard Deviation Scores Obtained Using Simple Measurement Methods in Healthy Children and Patients: Comparison with the Reference 4-Component Model. PLoS ONE, 2013, 8, e62139.   | 1.1 | 14        |
| 20947 | Validation of an Excretory/Secretory Antigen Based-Elisa for the Diagnosis of Opisthorchis felineus Infection in Humans from Low Trematode Endemic Areas. PLoS ONE, 2013, 8, e62267.  | 1.1 | 22        |
| 20948 | Comparison of 24-h Urinary Aldosterone Level and Random Urinary Aldosterone-to-Creatinine Ratio in the Diagnosis of Primary Aldosteronism. PLoS ONE, 2013, 8, e67417.   | 1.1 | 22        |
| 20949 | Size-Based Isolation of Circulating Tumor Cells in Lung Cancer Patients Using a Microcavity Array System. PLoS ONE, 2013, 8, e67466.  | 1.1 | 151       |
| 20950 | Plasma L-Ergothioneine Measurement by High-Performance Liquid Chromatography and Capillary Electrophoresis after a Pre-Column Derivatization with 5-Iodoacetamidofluorescein (5-IAF) and Fluorescence Detection. PLoS ONE, 2013, 8, e70374.                                     | 1.1 | 22        |
| 20951 | Remote Measurements of Heart and Respiration Rates for Telemedicine. PLoS ONE, 2013, 8, e71384.   | 1.1 | 139       |
| 20952 | Reliability of Transcutaneous Measurement of Renal Function in Various Strains of Conscious Mice. PLoS ONE, 2013, 8, e71519.  | 1.1 | 54        |
| 20953 | Multicenter Intestinal Current Measurements in Rectal Biopsies from CF and Non-CF Subjects to Monitor CFTR Function. PLoS ONE, 2013, 8, e73905.   | 1.1 | 42        |
| 20954 | Epicardial Adipose Tissue Thickness and Ablation Outcome of Atrial Fibrillation. PLoS ONE, 2013, 8, e74926.   | 1.1 | 56        |
| 20955 | CD4 T-Cell Enumeration in a Field Setting: Evaluation of CyFlow Counter Using the CD4 Easy Count Kit-Dry and Pima CD4 Systems. PLoS ONE, 2013, 8, e75484.   | 1.1 | 20        |
| 20956 | Are Ethnic and Gender Specific Equations Needed to Derive Fat Free Mass from Bioelectrical Impedance in Children of South Asian, Black African-Caribbean and White European Origin? Results of the Assessment of Body Composition in Children Study. PLoS ONE, 2013, 8, e76426. | 1.1 | 40        |
| 20957 | T2* Susceptibility Vessel Sign Demonstrates Clot Location and Length in Acute Ischemic Stroke. PLoS ONE, 2013, 8, e76727.   | 1.1 | 55        |
| 20958 | Hip and Knee Strength Is Not Affected in 12-16 Year Old Adolescents with Patellofemoral Pain - A Cross-Sectional Population-Based Study. PLoS ONE, 2013, 8, e79153.   | 1.1 | 58        |
| 20959 | Semi-Automatic Quantification of Subsolid Pulmonary Nodules: Comparison with Manual Measurements. PLoS ONE, 2013, 8, e80249.  | 1.1 | 25        |
| 20960 | Phacoemulsification Induced Transient Swelling of Corneal Descemet's Endothelium Complex Imaged with Ultra-High Resolution Optical Coherence Tomography. PLoS ONE, 2013, 8, e80986.   | 1.1 | 26        |
| 20961 | Reliability and Validity of the Multimedia Activity Recall in Children and Adults (MARCA) in People with Chronic Obstructive Pulmonary Disease. PLoS ONE, 2013, 8, e81274.  | 1.1 | 14        |
| 20962 | Optic Nerve Diffusion Tensor Imaging after Acute Optic Neuritis Predicts Axonal and Visual Outcomes. PLoS ONE, 2013, 8, e83825.   | 1.1 | 40        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 20963 | Feasibility of Performing Multiple Point of Care Testing for HIV Anti-Retroviral Treatment Initiation and Monitoring from Multiple or Single Fingersticks. <i>PLoS ONE</i> , 2013, 8, e85265.                | 1.1 | 25        |
| 20964 | Comparison of Geographic Atrophy Measurements from the OCT Fundus Image and the Sub-RPE Slab Image. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2013, 44, 127-132.                                 | 0.4 | 63        |
| 20965 | The Ocular Redness Index: A Novel Automated Method for Measuring Ocular Injection. , 2013, 54, 4821.   |     | 43        |
| 20966 | Reliability of a method to conduct upper airway analysis in cone-beam computed tomography. <i>Brazilian Oral Research</i> , 2013, 27, 48-54.   | 0.6 | 30        |
| 20967 | Proximal pulmonary arterial obstruction decreases the time constant of the pulmonary circulation and increases right ventricular afterload. <i>Journal of Applied Physiology</i> , 2013, 114, 1586-1592.     | 1.2 | 47        |
| 20968 | Statistical notes for clinical researchers: Evaluation of measurement error 2: Dahlberg's error, Bland-Altman method, and Kappa coefficient. <i>Restorative Dentistry &amp; Endodontics</i> , 2013, 38, 182. | 0.6 | 59        |
| 20969 | Accuracy of Handheld Point-of-Care Fingertip Lactate Measurement in the Emergency Department. <i>Western Journal of Emergency Medicine</i> , 2013, 14, 58-62.  | 0.6 | 50        |
| 20970 | Assessing the Relationship between the Baseline Value of a Continuous Variable and Subsequent Change Over Time. <i>Frontiers in Public Health</i> , 2013, 1, 29.   | 1.3 | 46        |
| 20971 | Reliability and validity of the Mywellness Key physical activity monitor. <i>Clinical Epidemiology</i> , 2013, 5, 13.  | 1.5 | 18        |
| 20972 | Comparison of a Full Food-Frequency Questionnaire with the Three-Day Unweighted Food Records in Young Polish Adult Women: Implications for Dietary Assessment. <i>Nutrients</i> , 2013, 5, 2747-2776.        | 1.7 | 67        |
| 20973 | A Kit to Facilitate and Standardize the Processing of Sputum for Measurements of Airway Inflammation. <i>Canadian Respiratory Journal</i> , 2013, 20, 248-252.   | 0.8 | 7         |
| 20974 | The impact of speech disorders quality of life: a questionnaire proposal. <i>CoDAS</i> , 2013, 25, 610-613.  | 0.2 | 7         |
| 20975 | Central corneal thickness and anterior chamber depth measurement by Sirius&reg; Scheimpflug tomography and ultrasound. <i>Clinical Ophthalmology</i> , 2013, 7, 417.   | 0.9 | 22        |
| 20976 | Peripapillary Retinal Nerve Fiber Layer Thickness Measurement by 2 Different Spectral Domain Optical Coherence Tomography Machines. <i>European Journal of Ophthalmology</i> , 2013, 23, 289-295.            | 0.7 | 4         |
| 20977 | Confiabilidade teste-reteste do Índice de Capacidade para o Trabalho (ICT) em trabalhadores de enfermagem. <i>Revista Brasileira De Epidemiologia</i> , 2013, 16, 202-209.                                   | 0.3 | 12        |
| 20978 | Comparison of the corneal curvatures obtained from three different keratometers. <i>Nepalese Journal of Ophthalmology</i> , 2013, 5, 9-15.   | 0.1 | 1         |
| 20979 | A New Tonometer—The Corvis ST Tonometer: Clinical Comparison with Noncontact and Goldmann Applanation Tonometers. , 2013, 54, 659.   |     | 176       |
| 20981 | Concentric and Eccentric Time-Under-Tension during Strengthening Exercises: Validity and Reliability of Stretch-Sensor Recordings from an Elastic Exercise-Band. <i>PLoS ONE</i> , 2013, 8, e81172.          | 1.1 | 24        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 20982 | Minimally Invasive Cardiac Output Monitoring in the Year 2012. , 0, , .   |     | 2         |
| 20983 | Determination for the Comprehensive Arterial Inflows in the Lower Abdomen Assessed by Doppler Ultrasound: Methodology, Physiological Validity and Perspective. , 0, , .   |     | 0         |
| 20984 | Usefulness of continuous blood glucose monitoring and control for patients undergoing liver transplantation. Journal of Medical Investigation, 2013, 60, 205-212.   | 0.2 | 12        |
| 20985 | Quantitative Assessment of Peripheral Arteries in Ultrasound Images. , 0, , .   |     | 1         |
| 20986 | Reproducibility and variability in the assessment of color-coded tissue velocity imaging of the fetal myocardium. Journal of Biomedical Graphics and Computing, 2013, 3, .  | 0.2 | 0         |
| 20987 | The attitude of Greek student nurses toward euthanasia. Journal of Nursing Education and Practice, 2013, 4, .   | 0.1 | 3         |
| 20988 | A Wearable Technology Revisited for Cardio-Respiratory Functional Exploration. International Journal of E-Health and Medical Communications, 2013, 4, 12-22.  | 1.4 | 6         |
| 20989 | Choosing Instruments for Research: an Evaluation of Two Activity Monitors in Healthy Women. Journal of Novel Physiotherapies, 2013, 03, .   | 0.1 | 1         |
| 20990 | Reliability Indices, Limits of Agreement, and Construct Validity of the Current Perception Threshold Test in Mechanical Neck Disorder. Critical Reviews in Physical and Rehabilitation Medicine, 2013, 25, 173-185. | 0.1 | 6         |
| 20991 | Reliability of the Watch-PAT 200 in Detecting Sleep Apnea in Highway Bus Drivers. Journal of Clinical Sleep Medicine, 2013, 09, 339-344.  | 1.4 | 52        |
| 20992 | Triple Jump Examinations for Dental Student Assessment. Journal of Dental Education, 2013, 77, 1315-1320.   | 0.7 | 9         |
| 20993 | Neural Network in Developing Software for Identifying Arch Form. International Journal of Artificial Intelligence & Applications, 2013, 4, 1-11.  | 0.3 | 1         |
| 20994 | Comparison of Colvardpupillometer, ORBScan II and Sirius in Determining Pupil Size for Refractive Surgery. Journal of Korean Ophthalmological Society, 2013, 54, 1175.  | 0.0 | 4         |
| 20995 | Accuracy of Determining Hemoglobin Level Using Occlusion Spectroscopy in Patients with Severe Gastrointestinal Bleeding. Anesthesiology, 2013, 118, 640-648.  | 1.3 | 24        |
| 20996 | On the implementation of an adaptive extremum seeking algorithm for hydrogen minimization in PEM fuel cell based systems. , 2013, , .   |     | 0         |
| 20997 | Frontonasal Fold Thickness-to-Nasal Bone Length Ratio as a Prenatal Sonographic Marker for Trisomy 21 in a Low-Risk Population. Journal of Ultrasound in Medicine, 2013, 32, 795-800.                               | 0.8 | 3         |
| 20998 | Reliability analysis of two methods for measuring active enamel demineralization: An in vitro study. European Journal of Dentistry, 2013, 07, 159-164.  | 0.8 | 3         |
| 20999 | Coherence Between Power Production during Counter Movement Jump in a Smith Machine and Free Standing with External Loading. Journal of Novel Physiotherapies, 2014, 04, .   | 0.1 | 0         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21000 | A Systematic Review of the Reliability and Validity of the Visual Estimation Method to Measure Plate Waste in Food Service Facilities. <i>The Japanese Journal of Nutrition and Dietetics</i> , 2014, 72, 181-192.                      | 0.1 | 6         |
| 21001 | Neural Networks for Muscle Forces Prediction in Cycling. <i>Algorithms</i> , 2014, 7, 621-634.  | 1.2 | 7         |
| 21002 | Effect of lotrafilcon A silicone hydrogel contact lens on intraocular pressure measurement. <i>Optometry Reports</i> , 2014, 4, .   | 0.2 | 0         |
| 21003 | The Bandim TBscore "reliability, further development, and evaluation of potential uses. <i>Global Health Action</i> , 2014, 7, 24303.   | 0.7 | 18        |
| 21004 | Prediç o da massa corporal magra de adultos brasileiros atrav s da  rea muscular do braço. <i>Revista Brasileira De Medicina Do Esporte</i> , 2014, 20, 186-189.  | 0.1 | 1         |
| 21006 | Comparing the Performance of the SF-6D and the EQ-5D in Different Patient Groups. <i>Acta Medica Portuguesa</i> , 2014, 27, 236-245.  | 0.2 | 17        |
| 21007 | A comparison of manual neuronal reconstruction from biocytin histology or 2-photon imaging: morphometry and computer modeling. <i>Frontiers in Neuroanatomy</i> , 2014, 8, 65.  | 0.9 | 22        |
| 21008 | Accuracy and precision of polyurethane dental arch models fabricated using a three-dimensional subtractive rapid prototyping method with an intraoral scanning technique. <i>Korean Journal of Orthodontics</i> , 2014, 44, 69.         | 0.8 | 38        |
| 21009 | Comparaç o entre os m todos de extraç o de metacerc rias de <i>Ascocotyle</i> sp (Trematoda: Digenea) dos tecidos de <i>Mugil liza</i> Valenciennes, 1836 (Teleostei: Mugilidae). <i>Ciencia Animal Brasileira</i> , 2014, 15, 354-361. | 0.3 | 4         |
| 21010 | Histological Quantitation of Brain Injury Using Whole Slide Imaging: A Pilot Validation Study in Mice. <i>PLoS ONE</i> , 2014, 9, e92133.   | 1.1 | 19        |
| 21011 | Systematic Review of the Performance of HIV Viral Load Technologies on Plasma Samples. <i>PLoS ONE</i> , 2014, 9, e85869.   | 1.1 | 47        |
| 21012 | Reliability and Validity of a Point-of-Care Sural Nerve Conduction Device for Identification of Diabetic Neuropathy. <i>PLoS ONE</i> , 2014, 9, e86515.   | 1.1 | 72        |
| 21013 | A Novel In Vivo Vascular Imaging Approach for Hierarchical Quantification of Vasculature Using Contrast Enhanced Micro-Computed Tomography. <i>PLoS ONE</i> , 2014, 9, e86562.  | 1.1 | 34        |
| 21014 | Longitudinal Strain Is a Marker of Microvascular Obstruction and Infarct Size in Patients with Acute ST-Segment Elevation Myocardial Infarction. <i>PLoS ONE</i> , 2014, 9, e86959.   | 1.1 | 32        |
| 21015 | Comparison of the EPIC Physical Activity Questionnaire with Combined Heart Rate and Movement Sensing in a Nationally Representative Sample of Older British Adults. <i>PLoS ONE</i> , 2014, 9, e87085.                                  | 1.1 | 29        |
| 21016 | Abdominal Aortic Intimal Flap Motion Characterization in Acute Aortic Dissection: Assessed with Retrospective ECG-Gated Thoracoabdominal Aorta Dual-Source CT Angiography. <i>PLoS ONE</i> , 2014, 9, e87664.                           | 1.1 | 25        |
| 21017 | Field Evaluation of PIMA Point-of-Care CD4 Testing in Rakai, Uganda. <i>PLoS ONE</i> , 2014, 9, e88928.   | 1.1 | 15        |
| 21018 | Validation and Comparison of Two Methods to Assess Human Energy Expenditure during Free-Living Activities. <i>PLoS ONE</i> , 2014, 9, e90606.   | 1.1 | 63        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21019 | Interobserver Reproducibility of Diffusion-Weighted MRI in Monitoring Tumor Response to Neoadjuvant Therapy in Esophageal Cancer. PLoS ONE, 2014, 9, e92211.  | 1.1 | 29        |
| 21020 | Anatomic vs. Acquired Image Frame Discordance in Spectral Domain Optical Coherence Tomography Minimum Rim Measurements. PLoS ONE, 2014, 9, e92225.  | 1.1 | 56        |
| 21021 | Calibration of the PROMIS Physical Function Item Bank in Dutch Patients with Rheumatoid Arthritis. PLoS ONE, 2014, 9, e92367.   | 1.1 | 30        |
| 21022 | Relationship between Enhanced Intensity of Contrast Enhanced Ultrasound and Microvessel Density of Aortic Atherosclerotic Plaque in Rabbit Model. PLoS ONE, 2014, 9, e92445.                            | 1.1 | 15        |
| 21023 | Validity of Electronically Administered Recent Physical Activity Questionnaire (RPAQ) in Ten European Countries. PLoS ONE, 2014, 9, e92829.   | 1.1 | 84        |
| 21024 | Assumed White Blood Cell Count of 8,000 Cells/ $\mu$ L Overestimates Malaria Parasite Density in the Brazilian Amazon. PLoS ONE, 2014, 9, e94193.   | 1.1 | 17        |
| 21025 | Robust Data Driven Model Order Estimation for Independent Component Analysis of fMRI Data with Low Contrast to Noise. PLoS ONE, 2014, 9, e94943.  | 1.1 | 16        |
| 21026 | Evaluation of an Internet-Based Monitoring System for Influenza-Like Illness in Sweden. PLoS ONE, 2014, 9, e96740.  | 1.1 | 11        |
| 21027 | Costing Hospital Surgery Services: The Method Matters. PLoS ONE, 2014, 9, e97290.   | 1.1 | 48        |
| 21028 | Assessment of Proteinuria in Patients with Chronic Kidney Disease Stage 3: Albuminuria and Non-Albumin Proteinuria. PLoS ONE, 2014, 9, e98261.  | 1.1 | 9         |
| 21029 | Implications of Using Different Methods to Characterise Anticoagulant Control in Patients with Second Generation Mechanical Heart Valve Prostheses. PLoS ONE, 2014, 9, e98323.                          | 1.1 | 1         |
| 21030 | Airway Wall Area Derived from 3-Dimensional Computed Tomography Analysis Differs among Lung Lobes in Male Smokers. PLoS ONE, 2014, 9, e98335.   | 1.1 | 10        |
| 21031 | Concurrent Validity of Accelerations Measured Using a Tri-Axial Inertial Measurement Unit while Walking on Firm, Compliant and Uneven Surfaces. PLoS ONE, 2014, 9, e98395.                              | 1.1 | 22        |
| 21032 | Variability of CSF Alzheimer's Disease Biomarkers: Implications for Clinical Practice. PLoS ONE, 2014, 9, e100784.  | 1.1 | 72        |
| 21033 | Surgically Acquired Deficits and Diffusion Weighted MRI Changes after Glioma Resection - A Matched Case-Control Study with Blinded Neuroradiological Assessment. PLoS ONE, 2014, 9, e101805.            | 1.1 | 39        |
| 21034 | Effectiveness of Low Emission Zones: Large Scale Analysis of Changes in Environmental NO <sub>2</sub> , NO and NO <sub>x</sub> Concentrations in 17 German Cities. PLoS ONE, 2014, 9, e102999.          | 1.1 | 45        |
| 21035 | Liquid- and Air-Filled Catheters without Balloon as an Alternative to the Air-Filled Balloon Catheter for Measurement of Esophageal Pressure. PLoS ONE, 2014, 9, e103057.                               | 1.1 | 12        |
| 21036 | Evaluation of the NucliSens EasyQ v2.0 Assay in Comparison with the Roche Amplicor v1.5 and the Roche CAP/CTM HIV-1 Test v2.0 in Quantification of C-Clade HIV-1 in Plasma. PLoS ONE, 2014, 9, e103983. | 1.1 | 13        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21037 | Assessment of Prosthesis Alignment after Revision Total Knee Arthroplasty Using EOS 2D and 3D Imaging: A Reliability Study. PLoS ONE, 2014, 9, e104613.   | 1.1 | 17        |
| 21038 | Reliability and Validity of the Transport and Physical Activity Questionnaire (TPAQ) for Assessing Physical Activity Behaviour. PLoS ONE, 2014, 9, e107039.   | 1.1 | 36        |
| 21039 | Comparisons of Measured and Self-Reported Anthropometric Variables and Blood Pressure in a Sample of Hong Kong Female Nurses. PLoS ONE, 2014, 9, e107233.   | 1.1 | 18        |
| 21040 | Technical Factors Influencing Cone Packing Density Estimates in Adaptive Optics Flood Illuminated Retinal Images. PLoS ONE, 2014, 9, e107402.   | 1.1 | 29        |
| 21041 | CT-Based Attenuation Correction in I-123-Ioflupane SPECT. PLoS ONE, 2014, 9, e108328.   | 1.1 | 24        |
| 21042 | Quantification of Left Ventricular Torsion and Diastolic Recoil Using Cardiovascular Magnetic Resonance Myocardial Feature Tracking. PLoS ONE, 2014, 9, e109164.  | 1.1 | 40        |
| 21043 | SlideToolkit: An Assistive Toolset for the Histological Quantification of Whole Slide Images. PLoS ONE, 2014, 9, e110289.   | 1.1 | 23        |
| 21044 | Development of Two Barthel Index-Based Supplementary Scales for Patients with Stroke. PLoS ONE, 2014, 9, e110494.   | 1.1 | 15        |
| 21045 | A Level Set Based Framework for Quantitative Evaluation of Breast Tissue Density from MRI Data. PLoS ONE, 2014, 9, e112709.   | 1.1 | 19        |
| 21046 | Multicenter Epidemiological Study to Assess the Population of CKD Patients in Greece: Results from the PRESTAR Study. PLoS ONE, 2014, 9, e112767.   | 1.1 | 4         |
| 21047 | Variation of Densitometry on Computed Tomography in COPD – Influence of Different Software Tools. PLoS ONE, 2014, 9, e112898.   | 1.1 | 27        |
| 21048 | Direct Comparison of Flow-FISH and qPCR as Diagnostic Tests for Telomere Length Measurement in Humans. PLoS ONE, 2014, 9, e113747.  | 1.1 | 128       |
| 21049 | Reliability and Validity of a 20-s Alternative to the Wingate Anaerobic Test in Team Sport Male Athletes. PLoS ONE, 2014, 9, e114444.   | 1.1 | 19        |
| 21050 | Comparison of the Web-Based and Digital Questionnaires of the Spanish and Catalan Versions of the KIDSCREEN-52. PLoS ONE, 2014, 9, e114527.   | 1.1 | 5         |
| 21051 | Establishment of a General NAFLD Scoring System for Rodent Models and Comparison to Human Liver Pathology. PLoS ONE, 2014, 9, e115922.  | 1.1 | 394       |
| 21053 | 3D ultrasonography is as accurate as low-dose CT in thyroid volumetry. Nuklearmedizin - NuclearMedicine, 2014, 53, 99-104.  | 0.3 | 9         |
| 21054 | Assessing Pain Intensity in Children with Chronic Pain: Convergent and Discriminant Validity of The 0 To 10 Numerical Rating Scale in Clinical Practice. Pain Research and Management, 2014, 19, 141-148. | 0.7 | 61        |
| 21055 | The Feasibility of Using CT-Guided ROI for Semiquantifying Striatal Dopamine Transporter Availability in a Hybrid SPECT/CT System. Scientific World Journal, The, 2014, 2014, 1-9.                        | 0.8 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21056 | Effect of intravitreal bevacizumab on diabetic macular edema with hard exudates. <i>Clinical Ophthalmology</i> , 2014, 8, 1479.  | 0.9 | 15        |
| 21057 | Quantitative Fundus Autofluorescence and Optical Coherence Tomography in Best Vitelliform Macular Dystrophy. , 2014, 55, 1471.   |     | 89        |
| 21058 | Estimation of 24-Hour Urinary Sodium Excretion Using Spot Urine Samples. <i>Nutrients</i> , 2014, 6, 2360-2375.  | 1.7 | 55        |
| 21059 | Agreement between the spatio-temporal gait parameters from treadmill-based photoelectric cell and the instrumented treadmill system in healthy young adults and stroke patients. <i>Medical Science Monitor</i> , 2014, 20, 1210-1219. | 0.5 | 38        |
| 21060 | An analysis of blood pressure measurement in a primary care hospital in Swaziland. <i>African Journal of Primary Health Care and Family Medicine</i> , 2014, 6, E1-9.  | 0.3 | 4         |
| 21061 | AvaliaÃ§Ã£o e comparaÃ§Ã£o entre mÃ©todos de mensuraÃ§Ã£o de pressÃ£o arterial sistÃ³lica em gatos hÃ¡gidos anestesiados. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2014, 66, 1051-1059.                         | 0.1 | 3         |
| 21062 | The Immediate Post-Operative Radiograph is an Unreliable Measure of Coronal Plane Alignment in Total Knee Replacement. <i>Frontiers in Surgery</i> , 2014, 1, 35.  | 0.6 | 8         |
| 21063 | The Value of Automated Follicle Volume Measurements in IVF/ICSI. <i>Frontiers in Surgery</i> , 2014, 1, 18.  | 0.6 | 16        |
| 21064 | The Relation between Scores on Noise Annoyance and Noise Disturbed Sleep in a Public Health Survey. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 2314-2327.                                    | 1.2 | 25        |
| 21065 | Three counting methods agree on cell and neuron number in chimpanzee primary visual cortex. <i>Frontiers in Neuroanatomy</i> , 2014, 8, 36.  | 0.9 | 62        |
| 21066 | Non-Invasive Cardiac Output Measurement in Low and Very Low Birth Weight: A Method Comparison. <i>Frontiers in Pediatrics</i> , 2014, 2, 16.   | 0.9 | 45        |
| 21067 | Influence of Posture and Frequency Modes in Total Body Water Estimation Using Bioelectrical Impedance Spectroscopy in Boys and Adult Males. <i>Nutrients</i> , 2014, 6, 1886-1898.   | 1.7 | 8         |
| 21068 | Development and Pilot Testing of 24-Hour Multiple-Pass Recall to Assess Dietary Intake of Toddlers of Somali- and Iraqi-Born Mothers Living in Norway. <i>Nutrients</i> , 2014, 6, 2333-2347.  | 1.7 | 10        |
| 21069 | The Two-Component Model for Calculating Total Body Fat from Body Density: An Evaluation in Healthy Women before, during and after Pregnancy. <i>Nutrients</i> , 2014, 6, 5888-5899.  | 1.7 | 13        |
| 21070 | Objective Assessment of the Corneal Endothelium in Fuchs' Endothelial Dystrophy. , 2014, 55, 1184.   |     | 48        |
| 21071 | Validity of Cooper's 12-minute run test for estimation of maximum oxygen uptake in male university students. <i>Biology of Sport</i> , 2014, 32, 59-63.  | 1.7 | 58        |
| 21072 | Retinal Blood Flow and Vascular Reactivity in Chronic Smokers. , 2014, 55, 4266.   |     | 34        |
| 21073 | Quantitative Fundus Autofluorescence in Recessive Stargardt Disease. , 2014, 55, 2841.   |     | 160       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21074 | The Value of Assessing Myocardial Deformation at Recovery after Dobutamine Stress Echocardiography. <i>Journal of Cardiovascular Imaging</i> , 2014, 22, 127.  | 0.8 | 13        |
| 21075 | Characteristics of Fixational Eye Movements in People With Macular Disease. , 2014, 55, 5125.  |     | 59        |
| 21076 | Translation, cultural adaptation to Brazil and validation of the venous leg ulcer quality of life questionnaire (VLU-QoL-Br). <i>Revista Da Associação Médica Brasileira</i> , 2014, 60, 249-254.  | 0.3 | 12        |
| 21077 | Analysis of agreement between Visual Analogue Scales (VAS) and numerical questions to assess perception of teratogenic risks in treatment with drugs and radiotherapy in women. <i>Revista Brasileira De Saude Materno Infantil</i> , 2014, 14, 393-399. | 0.2 | 1         |
| 21078 | Is the MDS-UPDRS a Good Screening Tool for Detecting Sleep Problems and Daytime Sleepiness in Parkinson's Disease?. <i>Parkinson's Disease</i> , 2014, 2014, 1-8.  | 0.6 | 13        |
| 21079 | Differences in pain perception during open muscle biopsy and Bergstroem needle muscle biopsy. <i>Journal of Pain Research</i> , 2014, 7, 645.  | 0.8 | 5         |
| 21080 | Sudomotor Function as a Tool for Cardiorespiratory Fitness Level Evaluation: Comparison with Maximal Exercise Capacity. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 5839-5848.                                  | 1.2 | 20        |
| 21081 | Comparison of Ten Creatinine-based Equations for Estimation of Glomerular Filtration Rate in Chinese Postmenopausal Women with Normal or Mildly Reduced Renal Function. <i>Journal of Medical Diagnostic Methods</i> , 2014, 03, .                       | 0.0 | 0         |
| 21082 | Comparison of predictive equations for resting energy expenditure among patients with schizophrenia in Japan. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 427.   | 1.0 | 3         |
| 21083 | Practical recommendations for performing ultrasound scanning in the urological and andrological fields. <i>Archivio Italiano Di Urologia Andrologia</i> , 2014, 86, 56.  | 0.4 | 24        |
| 21084 | Rectal, Axillary or Skin Temperature in Newborns?. <i>Journal of Pregnancy and Child Health</i> , 2014, 01, .  | 0.2 | 0         |
| 21085 | The Test-Retest Reliability of the Photopic Negative Response (PhNR). <i>Translational Vision Science and Technology</i> , 2014, 3, 1.   | 1.1 | 31        |
| 21086 | Analysis of mean transcutaneous capnography in consecutive patients undergoing polysomnography. <i>Arquivos De Neuro-Psiquiatria</i> , 2014, 72, 841-844.  | 0.3 | 0         |
| 21088 | Validity of Bioelectrical Impedance Measurement in Predicting Fat-Free Mass of Chinese Children and Adolescents. <i>Medical Science Monitor</i> , 2014, 20, 2298-2310.   | 0.5 | 16        |
| 21089 | Evaluation of the Wisecheck Glucose Monitoring System. <i>Laboratory Medicine Online</i> , 2014, 4, 15.  | 0.0 | 0         |
| 21090 | Aspects of rating communicative interaction: Effects on reliability and agreement. <i>Journal of Interactional Research in Communication Disorders</i> , 2014, 5, .  | 0.1 | 13        |
| 21091 | Neuron J is a Rapid and Reliable Open Source Tool for Evaluating Corneal Nerve Density in Herpes Simplex Keratitis. , 2014, 55, 7312.  |     | 23        |
| 21092 | Approaches to describing inter-rater reliability of the overall clinical appearance of febrile infants and toddlers in the emergency department. <i>PeerJ</i> , 2014, 2, e651.   | 0.9 | 22        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21093 | The Yo-Yo intermittent recovery test level 1 is reliable in young high-level soccer players. <i>Biology of Sport</i> , 2014, 32, 65-70.   | 1.7 | 38        |
| 21094 | Blood pressure measurements in the ankle are not equivalent to blood pressure measurements in the arm. <i>South African Medical Journal</i> , 2014, 104, 869.   | 0.2 | 4         |
| 21095 | Relationship between sonographic umbilical cord size and gestational age among pregnant women in Enugu, Nigeria. <i>African Health Sciences</i> , 2014, 14, 334.  | 0.3 | 5         |
| 21096 | Paediatric Index of Mortality scores: An evaluation of function in the paediatric intensive care unit of the Red Cross War Memorial Children's Hospital. <i>Southern African Journal of Critical Care</i> , 2014, 30, 8.  | 0.2 | 7         |
| 21097 | Efeito temporal sobre a resposta da percepção subjetiva do esforço. <i>Revista Brasileira De Medicina Do Esporte</i> , 2014, 20, 350-353.   | 0.1 | 6         |
| 21098 | Intervalos de referência para o volume da cisterna magna fetal por meio do método bidimensional usando o modo multiplanar da ultrassonografia tridimensional. <i>Radiologia Brasileira</i> , 2014, 47, 201-205.           | 0.3 | 5         |
| 21100 | Reproducibility of Disc and Macula Optical Coherence Tomography using the Canon OCT-HS100 as Compared with the Zeiss Cirrus HD-OCT. <i>European Journal of Ophthalmology</i> , 2014, 24, 722-727.                         | 0.7 | 13        |
| 21101 | Comparison of Kang's and Littmann's Methods of Correction for Ocular Magnification in Circumpapillary Retinal Nerve Fiber Layer Measurement. <i>Investigative Ophthalmology and Visual Science</i> , 2014, 55, 8353-8358. | 3.3 | 17        |
| 21102 | A study on the prevalence of adequacy of Iron and Vitamin C in children's diets. <i>Revista Brasileira De Epidemiologia</i> , 2014, 17, 543-556.  | 0.3 | 0         |
| 21103 | Atividade física de mulheres no climatério: comparação entre auto-relato e pedômetro. <i>Revista De Saude Publica</i> , 2014, 48, 258-265.  | 0.7 | 16        |
| 21104 | Effect of Scoring and Termination Rules on Test-Retest Variability of a Novel High-Pass Letter Acuity Chart. , 2014, 55, 1386.  |     | 25        |
| 21105 | Evaluation of an immunoassay for determination of plasma efavirenz concentrations in resource-limited settings. <i>Journal of the International AIDS Society</i> , 2014, 17, 18979.                                       | 1.2 | 5         |
| 21106 | Validación de un algoritmo para el cálculo de las dimensiones dentarias basado en el método de Bloise. <i>Cuadernos De Medicina Forense</i> , 2014, 20, 180-190.  | 0.0 | 0         |
| 21107 | Patient Versus Parental Perceptions about Pain and Disability in Children and Adolescents with a Variety of Chronic Pain Conditions. <i>Pain Research and Management</i> , 2014, 19, 7-14.                                | 0.7 | 26        |
| 21108 | Renal Function and Ultrasound Imaging in Elderly Subjects. <i>Scientific World Journal, The</i> , 2014, 2014, 1-7.  | 0.8 | 5         |
| 21109 | Desenvolvimento de equações para estimativa do VO2PICO pelo teste de 9 minutos. <i>Revista Brasileira De Medicina Do Esporte</i> , 2014, 20, 176-180.   | 0.1 | 3         |
| 21110 | Influence of exercise modality on agreement between gas exchange and heart rate variability thresholds. <i>Brazilian Journal of Medical and Biological Research</i> , 2014, 47, 706-714.                                  | 0.7 | 12        |
| 21111 | Pathologically Reduced Subbasal Nerve Density in Epithelial Basement Membrane Dystrophy Is Unaltered by Phototherapeutic Keratectomy Treatment. , 2014, 55, 1835.   |     | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21112 | Comparison of Electromyography and Kinemyography during Recovery from Non-Depolarising Neuromuscular Blockade. <i>Anaesthesia and Intensive Care</i> , 2014, 42, 378-384.   | 0.2 | 17        |
| 21113 | Accuracy and Reliability of the i-STAT Point-of-Care Device for the Determination of Haemoglobin Concentration before and after Major Blood Loss. <i>Anaesthesia and Intensive Care</i> , 2014, 42, 495-499.  | 0.2 | 14        |
| 21114 | Reproducibility of peak power output during a 10-s cycling maximal effort using different sampling rates. <i>Acta Physiologica Hungarica</i> , 2014, 101, 496-504.  | 0.9 | 2         |
| 21115 | The agreement between 3D, standard 2D and triplane 2D speckle tracking: effects of image quality and 3D volume rate. <i>Journal of Animal Science and Technology</i> , 2014, 1, 71-83.  | 0.8 | 17        |
| 21116 | Accuracy of physical self-description among chronic exercisers and non-exercisers. <i>Health Psychology Research</i> , 2014, 2, 1746.   | 0.6 | 0         |
| 21117 | Telemedicine – is the cart being put before the horse?. <i>Medical Journal of Australia</i> , 2014, 200, 530-533.   | 0.8 | 77        |
| 21118 | Differences in urodynamic voiding variables recorded by conventional cystometry and ambulatory monitoring in symptomatic women. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014, 40, 666-675.           | 0.7 | 2         |
| 21119 | Validation of the integration of technology that measures additional &ldquo;vascular&rdquo; indices into an ambulatory blood pressure monitoring system. <i>Medical Devices: Evidence and Research</i> , 2014, 7, 91.                                 | 0.4 | 17        |
| 21120 | Test-retest variability of multifocal electroretinography in normal volunteers and short-term variability in hydroxychloroquine users. <i>Clinical Ophthalmology</i> , 2014, 8, 1467.   | 0.9 | 10        |
| 21121 | How well do Self-Monitored Capillary Glucose Measurements Predict the Mean Blood Glucose from 24-hour Continuous Monitoring in Endocrine Practice?. <i>Endocrine Practice</i> , 2014, 20, 650-656.  | 1.1 | 1         |
| 21122 | Concordance and Interchangeability of Biometric Measurements of Ocular Axial Length in Patients Awaiting Cataract Surgery. <i>European Journal of Ophthalmology</i> , 2014, 24, 29-34.  | 0.7 | 2         |
| 21123 | Application of Gas Chromatography and Infrared Spectroscopy for the Determination of the Total Trans Fatty Acid, Saturated Fatty Acid, Monounsaturated Fatty Acid, and Polyunsaturated Fatty Acid Contents in Edible Fats and Oils. , 2014, , 89-121. |     | 1         |
| 21124 | Efeito da aprendizagem no desempenho de repetidos testes de Wingate. <i>Revista Brasileira De Ciencias Do Esporte</i> , 2014, 36, 59-69.  | 0.4 | 2         |
| 21125 | The AASM Recommended and Acceptable EEG Montages are Comparable for the Staging of Sleep and Scoring of EEG Arousals. <i>Journal of Clinical Sleep Medicine</i> , 2014, 10, 803-809.  | 1.4 | 26        |
| 21126 | Monitoring Temperature in Children Undergoing Anaesthesia: A Comparison of Methods. <i>Anaesthesia and Intensive Care</i> , 2014, 42, 315-320.  | 0.2 | 9         |
| 21127 | The relationship between estimated GFR based on the CKD-EPI formula and renal inulin clearance in potential kidney donors. <i>Clinical Nephrology</i> , 2014, 82 (2014), 353-357.   | 0.4 | 3         |
| 21128 | RELIABILITY AND VALIDITY OF AN ACCELEROMETRIC SYSTEM FOR ASSESSING VERTICAL JUMPING PERFORMANCE. <i>Biology of Sport</i> , 2014, 31, 55-62.   | 1.7 | 60        |
| 21130 | Feasibility of 4D Flow MR Imaging of the Brain with Either Cartesian y-z Radial Sampling or k-t SENSE: Comparison with 4D Flow MR Imaging using SENSE. <i>Magnetic Resonance in Medical Sciences</i> , 2014, 13, 15-24.                               | 1.1 | 28        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21131 | Comparison of maximal lactate steady state with V2, V4, individual anaerobic threshold and lactate minimum speed in horses. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2014, 66, 39-46.  | 0.1 | 10        |
| 21132 | Longitudinal Changes in Size and Composition of Carotid Artery Plaques Using Ultrasound: Adaptation and Validation of Methods (Inter- and Intraobserver Variability). <i>Journal for Vascular Ultrasound</i> , 2014, 38, 198-208.                             | 0.2 | 5         |
| 21133 | Freehand 3D Ultrasound to Measure Thrombus Volume in Patients with Acute Deep-Vein Thrombosis. <i>Journal for Vascular Ultrasound</i> , 2014, 38, 23-28.  | 0.2 | 0         |
| 21134 | Hybrid Measurement to Achieve Satisfactory Precision in Perioperative Cardiac Output Monitoring. <i>Anaesthesia and Intensive Care</i> , 2014, 42, 340-349.   | 0.2 | 3         |
| 21143 | Post-trial anatomical frame alignment procedure for comparison of 3D joint angle measurement from magnetic/inertial measurement units and camera-based systems. <i>Physiological Measurement</i> , 2014, 35, 2255-2268.                                       | 1.2 | 12        |
| 21144 | Tonometry in Corneal Edema after Cataract Surgery: Rebound <i>versus</i> Goldmann Applanation Tonometry. <i>Current Eye Research</i> , 2014, 39, 902-907.   | 0.7 | 9         |
| 21145 | Repeatability, agreement, and feasibility of using the threshold equalizing noise test and fast psychophysical tuning curves in a clinical setting. <i>International Journal of Audiology</i> , 2014, 53, 745-752.  | 0.9 | 9         |
| 21146 | ISR: background, evolution and implementation, with specific consideration for ligand-binding assays. <i>Bioanalysis</i> , 2014, 6, 393-402.  | 0.6 | 9         |
| 21147 | Predicting energy expenditure through hand rim propulsion power output in individuals who use wheelchairs. <i>British Journal of Sports Medicine</i> , 2014, 48, 1048-1053.   | 3.1 | 11        |
| 21148 | Accuracy Assessment of an Advanced Blood Glucose Monitoring System for Self-Testing With Three Reagent System Lots Following ISO 15197:2013. <i>Journal of Diabetes Science and Technology</i> , 2014, 8, 1241-1242.  | 1.3 | 5         |
| 21149 | Early differentiation between good and poor response to growth hormone therapy in short children born small for gestational age (SGA) to improve the outcome of poor responders. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2014, 27, 229-35. | 0.4 | 2         |
| 21150 | Low-Activity 124I-PET/Low-Dose CT Versus 131I Probe Measurements in Pretherapy Assessment of Radioiodine Uptake in Benign Thyroid Diseases. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 2138-2145.                                    | 1.8 | 18        |
| 21151 | Intraobserver reliability of posturography in healthy subjects. <i>Somatosensory &amp; Motor Research</i> , 2014, 31, 16-22.  | 0.4 | 16        |
| 21152 | Time Course of Early Postadmission Hematoma Expansion in Spontaneous Intracerebral Hemorrhage. <i>Stroke</i> , 2014, 45, 994-999.   | 1.0 | 50        |
| 21153 | A Smartphone-Centric System for the Range of Motion Assessment in Stroke Patients. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2014, 18, 1839-1847.  | 3.9 | 34        |
| 21154 | Detection of the index tumour and tumour volume in prostate cancer using $T_2$ -weighted and diffusion-weighted magnetic resonance imaging ( $MRI$ ) alone. <i>BJU International</i> , 2014, 114, E32-E42.  | 1.3 | 101       |
| 21155 | Food Frequency Questionnaire Is a Valid Tool for the Assessment of Dietary Habits of South Indian Pregnant Women. <i>Asia-Pacific Journal of Public Health</i> , 2014, 26, 494-506.   | 0.4 | 17        |
| 21156 | Total body skeletal muscle mass: estimation by creatine ( $^3$ -methyl- $^3$ -D $^3$ ) dilution in humans. <i>Journal of Applied Physiology</i> , 2014, 116, 1605-1613.   | 1.2 | 136       |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21157 | Brainstem auditory and somatosensory evoked potentials: a methodological study to evaluate the reproducibility of two devices. <i>Physiological Measurement</i> , 2014, 35, N51-N63.  | 1.2 | 1         |
| 21158 | Correlation between epicardial fat and cigarette smoking: CT imaging in patients with metabolic syndrome. <i>Scandinavian Cardiovascular Journal</i> , 2014, 48, 317-322.   | 0.4 | 13        |
| 21159 | Comparison of D-dimer point of care test (POCT) against current laboratory test in patients with suspected venous thromboembolism (VTE) presenting to the emergency department (ED). <i>Journal of Clinical Pathology</i> , 2014, 67, 437-440.          | 1.0 | 14        |
| 21160 | EFFECTS OF PELVIC AND FEMORAL POSITIONING ON CANINE NORBERG ANGLE MEASUREMENTS AND TESTâ€™RETEST RELIABILITY: A COMPUTED TOMOGRAPHY-BASED SIMULATION STUDY. <i>Biomedical Engineering - Applications, Basis and Communications</i> , 2014, 26, 1450076. | 0.3 | 4         |
| 21161 | Effect of dietary adherence on the body weight plateau: a mathematical model incorporating intermittent compliance with energy intake prescription , ,. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 787-795.                             | 2.2 | 47        |
| 21162 | Limits of agreement between measures obtained from standard laboratory and the point-of-care device HemoChron Signature Elite Â® during acute haemorrhage. <i>British Journal of Anaesthesia</i> , 2014, 112, 514-520.                                  | 1.5 | 32        |
| 21163 | A Comparison of Two Anaerobic Test Measurement Systems using an Upper Body Wingate Test. <i>Research in Sports Medicine</i> , 2014, 22, 265-275.  | 0.7 | 1         |
| 21164 | Point-of-Care Blood Glucose Meter Accuracy in the Hospital Setting. <i>Diabetes Spectrum</i> , 2014, 27, 174-179.   | 0.4 | 58        |
| 21165 | Initial experience of correlating parameters of intravoxel incoherent motion and dynamic contrast-enhanced magnetic resonance imaging at 3.0ÂˆT in nasopharyngeal carcinoma. <i>European Radiology</i> , 2014, 24, 3076-3087.                           | 2.3 | 34        |
| 21166 | Rapid bedside coagulometry prior to urgent neurosurgical procedures in anticoagulated patients. <i>British Journal of Neurosurgery</i> , 2014, 28, 29-33.   | 0.4 | 16        |
| 21167 | Intra-rater and inter-rater reliabilities of real-time acceleration gait analysis system. <i>Disability and Rehabilitation: Assistive Technology</i> , 2014, 11, 1-6.   | 1.3 | 0         |
| 21168 | Detection of post-exercise stunning by early gated SPECT myocardial perfusion imaging: Results from the IAEA multi-center study. <i>Journal of Nuclear Cardiology</i> , 2014, 21, 1168-1176.  | 1.4 | 34        |
| 21169 | Ranking quality in higher education: guiding or misleading?. <i>Quality in Higher Education</i> , 2014, 20, 330-347.  | 0.6 | 17        |
| 21170 | Automatic lung tidal volumes estimation from tracheal sounds. , 2014, 2014, 1497-500.   |     | 9         |
| 21171 | Surgical Interventions and Medical Treatments in Treatment-NaÃˆve Patients With Acromegaly: Systematic Review and Meta-Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 4003-4014.   | 1.8 | 53        |
| 21172 | The Effect of Light Conditions on Photoplethysmographic Image Acquisition Using a Commercial Camera. <i>IEEE Journal of Translational Engineering in Health and Medicine</i> , 2014, 2, 1-11.   | 2.2 | 18        |
| 21173 | Validation of Cardiac Output Using Real-time Measurement of Oxygen Consumption during Cardiac Catheterization in Children Under 3 Years of Age. <i>Congenital Heart Disease</i> , 2014, 9, 307-315.   | 0.0 | 10        |
| 21174 | Is the 6-minute cycle test useful in a cardiac rehabilitation programme?. <i>European Journal of Physiotherapy</i> , 2014, 16, 17-24.   | 0.7 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21175 | The feasibility for dirotic augmentation index to replace tidal augmentation index. , 2014, , .   |     | 1         |
| 21176 | Motion artifacts suppression for remote imaging photoplethysmography. , 2014, , .   |     | 18        |
| 21177 | The acceptable noise level: The effect of repeated measurements. International Journal of Audiology, 2014, 53, 21-29.   | 0.9 | 16        |
| 21178 | Reference values and repeatability of buccal mucosal bleeding time in healthy sedated cats. Journal of Feline Medicine and Surgery, 2014, 16, 144-148.  | 0.6 | 16        |
| 21179 | Reproducibility of coronary artery calcium measurements using 0.8-mm-thickness 256-slice coronary CT. Japanese Journal of Radiology, 2014, 32, 677-684.   | 1.0 | 5         |
| 21180 | Coronary artery calcium quantification from contrast enhanced CT using gemstone spectral imaging and material decomposition. International Journal of Cardiovascular Imaging, 2014, 30, 1399-1405.    | 0.7 | 24        |
| 21181 | Backflow length predictions during flow-controlled infusions using a nonlinear biphasic finite element model. Medical and Biological Engineering and Computing, 2014, 52, 841-849.                    | 1.6 | 9         |
| 21182 | Reliability and criterion-related validity with a smartphone used in timed-up-and-go test. BioMedical Engineering OnLine, 2014, 13, 156.  | 1.3 | 56        |
| 21183 | Validity of the Global Physical Activity Questionnaire (GPAQ) in assessing levels and change in moderate-vigorous physical activity and sedentary behaviour. BMC Public Health, 2014, 14, 1255.       | 1.2 | 362       |
| 21184 | Response assessment in metastatic melanoma treated with ipilimumab and bevacizumab: CT tumor size and density as markers for response and outcome. , 2014, 2, 40.                                     |     | 50        |
| 21185 | A simple peak detection and label-free quantitation algorithm for chromatography-mass spectrometry. BMC Bioinformatics, 2014, 15, 376.  | 1.2 | 11        |
| 21186 | Anti-TNF inhibits the Airways neutrophilic inflammation induced by inhaled endotoxin in human. BMC Pharmacology & Toxicology, 2014, 15, 60.   | 1.0 | 17        |
| 21187 | CMR-derived TAPSE measurement: a semi-quantitative method of right ventricular function assessment in patients with hypertrophic cardiomyopathy. Netherlands Heart Journal, 2014, 22, 557-564.        | 0.3 | 11        |
| 21188 | Quality versus accuracy: result of a reanalysis of protein-binding microarrays from the DREAM5 challenge by using BayesPI2 including dinucleotide interdependence. BMC Bioinformatics, 2014, 15, 289. | 1.2 | 8         |
| 21189 | Validation and comparison of EuroQoL-5 dimension (EQ-5D) and Short Form-6 dimension (SF-6D) among stable angina patients. Health and Quality of Life Outcomes, 2014, 12, 156.                         | 1.0 | 57        |
| 21190 | Walking speed in elderly outpatients depends on the assessment method. Age, 2014, 36, 9736.   | 3.0 | 28        |
| 21191 | A radiographic and anthropometric study of the effect of a contoured sandal and foot orthosis on supporting the medial longitudinal arch. Journal of Foot and Ankle Research, 2014, 7, 38.            | 0.7 | 11        |
| 21192 | A Cross-Sectional Growth Reference and Chart of Stretched Penile Length for Japanese Boys Aged 0-7 Years. Hormone Research in Paediatrics, 2014, 82, 388-393.   | 0.8 | 14        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21193 | Comparison of total haemoglobin mass measured with the optimized carbon monoxide rebreathing method across different Radiometer <sup>®</sup> , <sup>®</sup> ABL-80 and OSM-3 hemoximeters. <i>Physiological Measurement</i> , 2014, 35, N41-N49.           | 1.2 | 9         |
| 21194 | A pilot study of a new spectrophotometry device to measure tissue oxygen saturation. <i>Physiological Measurement</i> , 2014, 35, 1769-1780.   | 1.2 | 10        |
| 21195 | Wireless vital signs from a life-supporting medical device exposed to electromagnetic disturbance. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2014, 23, 341-349.  | 0.6 | 1         |
| 21196 | Assessment of the influence of the patient's inflammatory state on the accuracy of a haptoglobin selected reaction monitoring assay. <i>Clinical Proteomics</i> , 2014, 11, 38.  | 1.1 | 0         |
| 21197 | Quantitative assessment of magnetic resonance derived myocardial perfusion measurements using advanced techniques: microsphere validation in an explanted pig heart system. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 82.            | 1.6 | 23        |
| 21198 | Validity of self-measured waist circumference in adults at risk of type 2 diabetes and cardiovascular disease. <i>BMC Medicine</i> , 2014, 12, 170.  | 2.3 | 13        |
| 21199 | Comparison of in vivo 3D cone-beam computed tomography tooth volume measurement protocols. <i>Progress in Orthodontics</i> , 2014, 15, 69.   | 1.3 | 26        |
| 21200 | Impedance cardiography (electrical velocimetry) and transthoracic echocardiography for non-invasive cardiac output monitoring in pediatric intensive care patients: a prospective single-center observational study. <i>Critical Care</i> , 2014, 18, 603. | 2.5 | 54        |
| 21201 | Automatic hip cartilage segmentation from 3D MR images using arc-weighted graph searching. <i>Physics in Medicine and Biology</i> , 2014, 59, 7245-7266.   | 1.6 | 33        |
| 21202 | Improving the experience of dementia and enhancing active life - living well with dementia: study protocol for the IDEAL study. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 164.  | 1.0 | 97        |
| 21203 | Bioimpedance in 7-Year-Old Children: Validation by Dual X-Ray Absorptiometry - Part 1: Assessment of Whole Body Composition. <i>Annals of Nutrition and Metabolism</i> , 2014, 64, 113-121.  | 1.0 | 25        |
| 21204 | Identifying and Reducing Potentially Wrong Immunoassay Results Even When Plausible and "Not-Unreasonable". <i>Advances in Clinical Chemistry</i> , 2014, 66, 241-294.  | 1.8 | 35        |
| 21205 | Bioimpedance in 7-Year-Old Children: Validation by Dual X-Ray Absorptiometry - Part 2: Assessment of Segmental Composition. <i>Annals of Nutrition and Metabolism</i> , 2014, 64, 144-155.   | 1.0 | 15        |
| 21206 | Quantification of Rifapentine, a Potent Antituberculosis Drug, from Dried Blood Spot Samples Using Liquid Chromatographic-Tandem Mass Spectrometric Analysis. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 6747-6757.                          | 1.4 | 17        |
| 21207 | Accuracy Evaluation of Blood Glucose Monitoring Systems in Children on Overnight Closed-Loop Control. <i>Journal of Diabetes Science and Technology</i> , 2014, 8, 969-973.  | 1.3 | 10        |
| 21208 | Development of methods to objectively identify time spent using active and motorised modes of travel to work: how do self-reported measures compare?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 116.          | 2.0 | 34        |
| 21209 | Objective Structured Practical Examination and Conventional Practical Examination: a Comparison of Scores. <i>Medical Science Educator</i> , 2014, 24, 395-399.  | 0.7 | 1         |
| 21210 | Evaluation of left ventricular ejection fraction using through-time radial GRAPPA. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 79.   | 1.6 | 29        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21211 | Evaluation of extracellular volume fraction thresholds corresponding to myocardial late-gadolinium enhancement using cardiac magnetic resonance. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 137-144. | 0.7 | 9         |
| 21212 | Comparison of inflammatory markers in induced and spontaneous sputum in a cohort of COPD patients. <i>Respiratory Research</i> , 2014, 15, 138.  | 1.4 | 28        |
| 21213 | Validation of computed tomography for measuring lung weight. <i>Intensive Care Medicine Experimental</i> , 2014, 2, 31.  | 0.9 | 15        |
| 21214 | Refining the latent structure of neuropsychological performance in schizophrenia. <i>Psychological Medicine</i> , 2014, 44, 3557-3570.   | 2.7 | 16        |
| 21215 | A short food-group-based dietary questionnaire is reliable and valid for assessing toddlers' dietary risk in relatively advantaged samples. <i>British Journal of Nutrition</i> , 2014, 112, 627-637.                        | 1.2 | 31        |
| 21216 | Comparing Optic Nerve Head Analysis Between Confocal Scanning Laser Ophthalmoscopy and Spectral Domain Optical Coherence Tomography. <i>Current Eye Research</i> , 2014, 39, 1026-1032.                                      | 0.7 | 6         |
| 21217 | How Many Measurements Are Needed to Estimate Blood Pressure Variability Without Loss of Prognostic Information?. <i>American Journal of Hypertension</i> , 2014, 27, 46-55.  | 1.0 | 49        |
| 21218 | Are you bleeding? Validation of a machine-learning algorithm for determination of blood volume status: application to remote triage. <i>Journal of Applied Physiology</i> , 2014, 116, 486-494.                              | 1.2 | 11        |
| 21219 | Measurement Properties of "Wii Fit Free Jogging" Virtual Distance. <i>Games for Health Journal</i> , 2014, 3, 92-97.   | 1.1 | 1         |
| 21220 | Absence of age-related optic disk changes in young children with optic nerve hypoplasia. <i>Eye</i> , 2014, 28, 562-566.   | 1.1 | 2         |
| 21221 | Validation of surrogate limb analysis for body composition in children by dual energy X-ray absorptiometry (DXA). <i>European Journal of Clinical Nutrition</i> , 2014, 68, 653-657.   | 1.3 | 4         |
| 21222 | Multi-frequency bioelectrical impedance analysis for assessing fat mass and fat-free mass in stroke or transient ischaemic attack patients. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 677-682.               | 1.3 | 21        |
| 21223 | Arterial stiffness estimation in healthy subjects: a validation of oscillometric (Arteriograph) and tonometric (SphygmoCor) techniques. <i>Hypertension Research</i> , 2014, 37, 999-1007.                                   | 1.5 | 62        |
| 21224 | High-Resolution 3-D T <sub>1</sub> -Mapping and Quantitative Image Analysis of GRAY ZONE in Chronic Fibrosis. <i>IEEE Transactions on Biomedical Engineering</i> , 2014, 61, 2930-2938.                                      | 2.5 | 20        |
| 21225 | A sensitive method for the analysis of glutathione in porcine hepatocytes. <i>Scandinavian Journal of Gastroenterology</i> , 2014, 49, 1359-1366.  | 0.6 | 10        |
| 21226 | Reproducibility of peripheral arterial tonometry measurements in male cardiovascular patients. <i>European Journal of Clinical Investigation</i> , 2014, 44, 1065-1071.  | 1.7 | 15        |
| 21227 | Six random specimens of daytime casual urine on different days are sufficient to estimate daily sodium/potassium ratio in comparison to 7-day 24-h urine collections. <i>Hypertension Research</i> , 2014, 37, 765-771.      | 1.5 | 56        |
| 21228 | Fetal right ventricular contraction and relaxation times at 11-13 weeks' gestation on speckle tracking imaging. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 284-290.  | 0.9 | 7         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21229 | Shear Wave Elastography for Liver Stiffness Measurement in Clinical Sonographic Examinations. <i>Journal of Ultrasound in Medicine</i> , 2014, 33, 437-447.  | 0.8 | 85        |
| 21230 | Accuracy of point-of-care serum creatinine devices for detecting patients at risk of contrast-induced nephropathy: A critical overview. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2014, 51, 332-343.   | 2.7 | 16        |
| 21231 | Concordance of patient and caregiver reports in evaluating quality of life in patients with malignant gliomas and an assessment of caregiver burden. <i>Neuro-Oncology Practice</i> , 2014, 1, 47-54.  | 1.0 | 23        |
| 21232 | Accuracy and precision of the ultrasound cardiac output monitor (USCOM 1A) in pregnancy: comparison with three-dimensional transthoracic echocardiography. <i>British Journal of Anaesthesia</i> , 2014, 113, 669-676.   | 1.5 | 41        |
| 21233 | Short-term exercise-induced changes in hydration state of healthy achilles tendons can be visualized by effects of off-resonant radiofrequency saturation in a three-dimensional ultrashort echo time MRI sequence applied at 3 tesla. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 1400-1407. | 1.9 | 21        |
| 21234 | Validity of the French version of the Core Outcome Measures Index for low back pain patients: a prospective cohort study. <i>European Spine Journal</i> , 2014, 23, 2097-2104.   | 1.0 | 11        |
| 21235 | Single-Cell Resolution Mapping of Neuronal Damage in Acute Focal Cerebral Ischemia Using Thallium Autometallography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014, 34, 144-152.   | 2.4 | 6         |
| 21236 | Variability and Repeatability of Quantitative, Fourier-Domain Optical Coherence Tomography Doppler Blood Flow in Young and Elderly Healthy Subjects. <i>Investigative Ophthalmology and Visual Science</i> , 2014, 55, 7716-7725.  | 3.3 | 19        |
| 21237 | Estimation of birthweight by measurement of fetal thigh soft-tissue thickness improves the detection of macrosomic fetuses. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 1325-1328.   | 1.3 | 5         |
| 21238 | Field stimulation of the carotid baroreceptor complex does not compromise baroreceptor function in spontaneously hypertensive rats. , 2014, 2014, 2944-7.  |     | 1         |
| 21239 | Assessment of Quality for Middle Level and High School Student-Generated Water Quality Data. <i>Journal of the American Water Resources Association</i> , 2014, 50, 1477-1487.   | 1.0 | 11        |
| 21240 | Comparison of Surface Soil Moisture from SMOS Satellite and Ground Measurements. <i>International Agrophysics</i> , 2014, 28, 359-369.   | 0.7 | 14        |
| 21241 | Agreement Between Dual Energy X-Ray Absorptiometry and Opto-Electronic Volumetry for Measurement of Forearm Volume. <i>Lymphatic Research and Biology</i> , 2014, 12, 164-168.   | 0.5 | 6         |
| 21242 | Cardiac index assessment: Validation of a new non-invasive very low current thoracic bioimpedance device by thermodilution. <i>Blood Pressure</i> , 2014, 23, 102-108.   | 0.7 | 16        |
| 21243 | Reliability and validity of shoulder function outcome measures in people with a proximal humeral fracture. <i>Disability and Rehabilitation</i> , 2014, 36, 1072-1079.   | 0.9 | 56        |
| 21244 | Monitoring population sodium intake using spot urine samples: validation in a New Zealand population. <i>Journal of Human Hypertension</i> , 2014, 28, 657-662.  | 1.0 | 52        |
| 21245 | The StatStrip Glucose Monitor Is Suitable for Use During Hyperinsulinemic Euglycemic Clamps in a Pediatric Population. <i>Diabetes Technology and Therapeutics</i> , 2014, 16, 298-302.  | 2.4 | 10        |
| 21246 | Double tracer gas single-breath washout: reproducibility in healthy subjects and COPD. <i>European Respiratory Journal</i> , 2014, 44, 1210-1222.  | 3.1 | 27        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21247 | An analysis of the learning curve to achieve competency at colonoscopy using the JETS database. <i>Gut</i> , 2014, 63, 1746-1754.   | 6.1 | 134       |
| 21248 | OpenCyto: An Open Source Infrastructure for Scalable, Robust, Reproducible, and Automated, End-to-End Flow Cytometry Data Analysis. <i>PLoS Computational Biology</i> , 2014, 10, e1003806.                             | 1.5 | 185       |
| 21249 | Estimation of Eye Closure Degree Using EEG Sensors and Its Application in Driver Drowsiness Detection. <i>Sensors</i> , 2014, 14, 17491-17515.  | 2.1 | 39        |
| 21250 | Age-predicted vs. measured maximal heart rate in young team sport athletes. <i>Nigerian Medical Journal</i> , 2014, 55, 314.  | 0.6 | 17        |
| 21251 | Comparison of Global Navigation Satellite System Devices on Speed Tracking in Road (Tran)SPORT Applications. <i>Sensors</i> , 2014, 14, 23490-23508.  | 2.1 | 11        |
| 21252 | The Validity of Commonly Used Adipose Tissue Body Composition Equations Relative to Dual Energy X-ray Absorptiometry (DXA) in Gaelic Games Players. <i>International Journal of Sports Medicine</i> , 2014, 35, 95-100. | 0.8 | 16        |
| 21253 | Automatic segmentation of the heart in radiotherapy for breast cancer. <i>Acta Oncologica</i> , 2014, 53, 1366-1372.  | 0.8 | 15        |
| 21254 | Assessment of Lower Limb Prosthesis through Wearable Sensors and Thermography. <i>Sensors</i> , 2014, 14, 5041-5055.  | 2.1 | 21        |
| 21255 | Crown heights in the permanent teeth of 45,X and 45,X/46,XX females. <i>Acta Odontologica Scandinavica</i> , 2014, 72, 908-916.   | 0.9 | 13        |
| 21256 | Continuous Glucose Monitoring Devices for Use in the ICU. , 2014, , 613-625.  |     | 0         |
| 21257 | The 3-min Test Does not Provide a Valid Measure of Critical Power Using the SRM Isokinetic Mode. <i>International Journal of Sports Medicine</i> , 2014, 35, 304-309.   | 0.8 | 13        |
| 21258 | The acetabulum in Perthes's™ disease: Inter-observer agreement and reliability of radiographic measurements. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 506-512.                     | 1.2 | 7         |
| 21259 | Effect of Deployment Time on Endotoxin and Allergen Exposure Assessment Using Electrostatic Dust Collectors. <i>Annals of Occupational Hygiene</i> , 2015, 59, 104-115.   | 1.9 | 18        |
| 21260 | Evaluation of calcium loss after transcatheter aortic valve implantation. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2014, 18, 67-72.   | 0.5 | 3         |
| 21261 | Day-to-day repeatability of the Pulse Time Index of Norm. <i>Medical Devices: Evidence and Research</i> , 2014, 7, 29.  | 0.4 | 9         |
| 21262 | RPE-Derived Work Rates Can Be Accurately Produced without External Feedback or Reference to the RPE Scale. <i>Perceptual and Motor Skills</i> , 2014, 118, 507-521.   | 0.6 | 3         |
| 21263 | Comparison of Two Non-mydratic Fundus Cameras to Obtain Retinal Arterio-venous Ratio. <i>Ophthalmic Epidemiology</i> , 2014, 21, 333-338.   | 0.8 | 6         |
| 21264 | Variability of respiration and sleep during polysomnography in individuals with TBI. <i>NeuroRehabilitation</i> , 2014, 35, 245-251.  | 0.5 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21265 | Late Onset of the Serological Response against the 18 kDa Small Heat Shock Protein of Mycobacterium ulcerans in Children. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2904.  | 1.3 | 31        |
| 21266 | Description of 3,180 Courses of Chelation with Dimercaptosuccinic Acid in Children $\leq 5$ y with Severe Lead Poisoning in Zamfara, Northern Nigeria: A Retrospective Analysis of Programme Data. <i>PLoS Medicine</i> , 2014, 11, e1001739.                        | 3.9 | 39        |
| 21267 | Detecting bullying in early elementary school with a computerized peer-nomination instrument.. <i>Psychological Assessment</i> , 2014, 26, 628-641.  | 1.2 | 45        |
| 21268 | Respiration rate estimation from channel state information in wireless body area networks. <i>Electronics Letters</i> , 2014, 50, 732-733.   | 0.5 | 3         |
| 21269 | A fully-automated analyzer for determining haloacetic acid concentrations in drinking water. <i>Chemosphere</i> , 2014, 117, 586-595.  | 4.2 | 29        |
| 21270 | Dietary intake measurement using 7 d diet diaries in British men and women in the European Prospective Investigation into Cancer-Norfolk study: a focus on methodological issues. <i>British Journal of Nutrition</i> , 2014, 111, 516-526.                          | 1.2 | 38        |
| 21271 | Validation of the NANA (Novel Assessment of Nutrition and Ageing) touch screen system for use at home by older adults. <i>Experimental Gerontology</i> , 2014, 60, 100-107.  | 1.2 | 27        |
| 21272 | Improving the accuracy of weight status assessment in infancy research. , 2014, 37, 428-434.   |     | 4         |
| 21273 | Ultrasonographic biometry of the eyes of healthy adult donkeys. <i>Veterinary Record</i> , 2014, 174, 326-326.   | 0.2 | 11        |
| 21274 | Pulse wave velocity with 4D flow MRI: Systematic differences and age-related regional vascular stiffness. <i>Magnetic Resonance Imaging</i> , 2014, 32, 1266-1271.   | 1.0 | 46        |
| 21275 | Reliability of plastic cups to measure breast volume. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2014, 48, 254-258.  | 0.4 | 15        |
| 21276 | Intra-Tester Reliability of Hand-Held Dynamometry and Strap-Mounted Dynamometry for Assessment of Ankle Strength. <i>International Journal of Athletic Therapy and Training</i> , 2014, 19, 14-19.   | 0.1 | 2         |
| 21277 | Reporting quality of diagnostic accuracy studies: a systematic review and meta-analysis of investigations on adherence to STARD. <i>Evidence-Based Medicine</i> , 2014, 19, 47-54.   | 0.6 | 93        |
| 21278 | Performance of emergency physicians in point-of-care echocardiography following limited training. <i>Emergency Medicine Journal</i> , 2014, 31, 369-373.   | 0.4 | 57        |
| 21279 | Use of plasma samples to assess passive transfer in calves using refractometry: comparison with serum and clinical cut-off point. <i>Veterinary Record</i> , 2014, 174, 303-303.   | 0.2 | 12        |
| 21280 | Accuracy of aggregate 2- and 3-component models of body composition relative to 4-component for the measurement of changes in fat mass during weight loss in overweight and obese subjects. <i>Applied Physiology, Nutrition and Metabolism</i> , 2014, 39, 871-879. | 0.9 | 4         |
| 21281 | Comparison of digoxin concentration in plastic serum tubes with clot activator and heparinized plasma tubes. <i>Biochimica Medica</i> , 2014, 24, 146-150.   | 1.2 | 0         |
| 21282 | A comparison of visual inspection time measures in children with cerebral palsy.. <i>Rehabilitation Psychology</i> , 2014, 59, 147-154.  | 0.7 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21283 | Allometric Multilevel Modelling of Agility and Dribbling Speed by Skeletal Age and Playing Position in Youth Soccer Players. <i>International Journal of Sports Medicine</i> , 2014, 35, 762-771.   | 0.8 | 17        |
| 21284 | Timed Response to Inhaled Nitric Oxide in Pulmonary Hypertension. <i>Pulmonary Circulation</i> , 2014, 4, 103-109.  | 0.8 | 3         |
| 21285 | Prediction of Thoracic Dimensions and Spine Length On the Basis of Individual Pelvic Dimensions. <i>Spine</i> , 2014, 39, 74-80.  | 1.0 | 11        |
| 21286 | Knee muscle strength – A challenge to measure. <i>European Journal of Physiotherapy</i> , 2014, 16, 33-40.  | 0.7 | 2         |
| 21287 | Evaluation of intrarater and interrater reliability of the Wisconsin Gait Scale with using the video taped stroke patients in a Turkish sample. <i>NeuroRehabilitation</i> , 2014, 34, 253-258.   | 0.5 | 25        |
| 21288 | The left atrial phasic functions and the relationship with plasma N-terminal pro-B-type natriuretic peptide levels and symptomatic states in patients with hypertrophic cardiomyopathy. <i>Anatolian Journal of Cardiology</i> , 2014, 14, 719-727. | 0.4 | 15        |
| 21289 | High Agreement between Laboratory and Field Estimates of Critical Power in Cycling. <i>International Journal of Sports Medicine</i> , 2014, 35, 298-303.  | 0.8 | 29        |
| 21290 | Evaluation of the SenseWear Mini Armband to Assess Energy Expenditure During Pole Walking. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2014, 24, 565-569.   | 1.0 | 9         |
| 21291 | The impact of different point-of-care testing lipid analysers on cardiovascular disease risk assessment. <i>Journal of Clinical Pathology</i> , 2014, 67, 535-539.  | 1.0 | 12        |
| 21292 | Prospective validation of the endurance shuttle walking test in the context of bronchodilation in COPD. <i>European Respiratory Journal</i> , 2014, 44, 1166-1176.  | 3.1 | 13        |
| 21293 | Reproducibility of gait cycle and plantar pressure distribution in children with spastic hemiplegic cerebral palsy. <i>NeuroRehabilitation</i> , 2014, 35, 597-606.   | 0.5 | 4         |
| 21294 | The Reliability and Predictive Ability of a Biomarker of Oxidative DNA Damage on Functional Outcomes after Stroke Rehabilitation. <i>International Journal of Molecular Sciences</i> , 2014, 15, 6504-6516.   | 1.8 | 28        |
| 21295 | Test-retest repeatability of cardiopulmonary exercise test variables in patients with cardiac or respiratory disease. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 445-453.   | 0.8 | 45        |
| 21296 | Development and validation of tele-health system for stroke rehabilitation. <i>International Journal on Disability and Human Development</i> , 2014, 13, .  | 0.2 | 10        |
| 21297 | Validity and reliability of rectus femoris ultrasound measurements: Comparison of curved-array and linear-array transducers. <i>Journal of Rehabilitation Research and Development</i> , 2014, 51, 1155-1164.                                       | 1.6 | 50        |
| 21298 | Peripheral Visual Fields in Children and Young Adults Using Semi-automated Kinetic Perimetry: Feasibility of Testing, Normative Data, and Repeatability. <i>Neuro-Ophthalmology</i> , 2014, 38, 189-198.  | 0.4 | 15        |
| 21299 | Comparison of visual assessments versus planimetry assessments in a large-scale clinical trial of onychomycosis. <i>Journal of Dermatological Treatment</i> , 2014, 25, 256-259.  | 1.1 | 4         |
| 21300 | Interval training does not modulate diastolic function in heart transplant recipients. <i>Scandinavian Cardiovascular Journal</i> , 2014, 48, 91-98.  | 0.4 | 16        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21301 | Arterial and end-tidal carbon dioxide difference in pediatric intensive care. <i>Indian Journal of Critical Care Medicine</i> , 2014, 18, 711-715.   | 0.3 | 17        |
| 21302 | A Learning Protocol Improves the Validity of the Borg 6â€“20 RPE Scale During Indoor Cycling. <i>International Journal of Sports Medicine</i> , 2014, 35, 379-384.   | 0.8 | 21        |
| 21303 | Upper-limb Power Test in Rock-climbing. <i>International Journal of Sports Medicine</i> , 2014, 35, 670-675.   | 0.8 | 50        |
| 21304 | Clear wood content in standing trees predicted from branch scar measurements with terrestrial LiDAR and verified with X-ray computed tomography. <i>Canadian Journal of Forest Research</i> , 2014, 44, 145-153.             | 0.8 | 29        |
| 21305 | LANA Binds to Multiple Active Viral and Cellular Promoters and Associates with the H3K4Methyltransferase hSET1 Complex. <i>PLoS Pathogens</i> , 2014, 10, e1004240.  | 2.1 | 68        |
| 21306 | Validity of a Novel Wristband Tonometer for Measuring Central Hemodynamics and Augmentation Index. <i>American Journal of Hypertension</i> , 2014, 27, 926-931.  | 1.0 | 14        |
| 21307 | Author Response. <i>Physical Therapy</i> , 2014, 94, 1356-1358.  | 1.1 | 0         |
| 21308 | iPhone 4s Photoplethysmography: Which Light Color Yields the Most Accurate Heart Rate and Normalized Pulse Volume Using the iPhysioMeter Application in the Presence of Motion Artifact?. <i>PLoS ONE</i> , 2014, 9, e91205. | 1.1 | 52        |
| 21309 | Combined exercise circuit session acutely attenuates stress-induced blood pressure reactivity in healthy adults. <i>Brazilian Journal of Physical Therapy</i> , 2014, 18, 38-46.   | 1.1 | 13        |
| 21310 | Assessment of noninvasive, percutaneous hemoglobin measurement in pregnant and early postpartum women. <i>Medical Devices: Evidence and Research</i> , 2014, 7, 11.  | 0.4 | 9         |
| 21311 | Does the acceptable noise level (ANL) predict hearing-aid use?. <i>International Journal of Audiology</i> , 2014, 53, 2-20.  | 0.9 | 28        |
| 21312 | Concordance between automated oscillometric measurement of ankleâ€“brachial index and traditional measurement by eco-Doppler in patients without peripheral artery disease. <i>Blood Pressure</i> , 2014, 23, 270-275.       | 0.7 | 9         |
| 21313 | Assessment of Physical Activity and Energy Expenditure: An Overview of Objective Measures. <i>Frontiers in Nutrition</i> , 2014, 1, 5.   | 1.6 | 361       |
| 21314 | Reference range of fetal cisterna magna volume by three-dimensional ultrasonography using the VOCAL method. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 1023-1028.                                    | 0.7 | 8         |
| 21315 | An Australian version of the acceptable noise level test and its predictive value for successful hearing aid use in an older population. <i>International Journal of Audiology</i> , 2014, 53, S52-S59.                      | 0.9 | 14        |
| 21316 | Absolute and Relative Reliability of Percentage of Syllables Stuttered and Severity Rating Scales. <i>Journal of Speech, Language, and Hearing Research</i> , 2014, 57, 1284-1295.   | 0.7 | 17        |
| 21317 | Reliability and validity of the extended timed-get-up-and-go test in patients with bilateral vestibular loss. <i>NeuroRehabilitation</i> , 2014, 34, 799-807.  | 0.5 | 13        |
| 21318 | A Maximal Cycle Test with Good Validity and High Repeatability in Adults of All Ages. <i>International Journal of Sports Medicine</i> , 2014, 35, 1184-1189.   | 0.8 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21319 | Electromagnetically braked versus mechanically braked cycle ergometers: Effects of aerobic power and total physical workloads. <i>Isokinetics and Exercise Science</i> , 2014, 22, 165-173.   | 0.2 | 1         |
| 21320 | The Dimensions of Mastery Questionnaire in School-Aged Children with Congenital Hemiplegia: Test-Retest Reproducibility and Parent-Child Concordance. <i>Physical and Occupational Therapy in Pediatrics</i> , 2014, 34, 168-184.                         | 0.8 | 9         |
| 21321 | Comparison of two different methods for the determination of erythrocyte sedimentation rate. <i>Journal of Clinical and Experimental Investigations</i> , 2014, 5, .  | 0.1 | 0         |
| 21322 | Measuring systolic ankle and toe pressure using the strain gauge technique – a comparison study between mercury and indium-gallium strain gauges. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2014, 74, 555-559.               | 0.6 | 2         |
| 21323 | A user-operated audiometry method based on the maximum likelihood principle and the two-alternative forced-choice paradigm. <i>International Journal of Audiology</i> , 2014, 53, 383-391.  | 0.9 | 9         |
| 21324 | Reliability of pulse oximetry in hypoxic newborn pigs. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 833-838.  | 0.7 | 10        |
| 21325 | How to assess and compare inter-rater reliability, agreement and correlation of ratings: an exemplary analysis of mother-father and parent-teacher expressive vocabulary rating pairs. <i>Frontiers in Psychology</i> , 2014, 5, 509.                     | 1.1 | 59        |
| 21326 | Quantifying coronary artery calcification from a contrast-enhanced cardiac computed tomography angiography study. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 210-215.   | 0.5 | 43        |
| 21327 | Assessment of right ventricular volumes in hypoplastic left heart syndrome by real-time three-dimensional echocardiography: comparison with cardiac magnetic resonance imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 257-266. | 0.5 | 34        |
| 21328 | Transthoracic echocardiography for non-invasive assessment of coronary vasodilator function after DES implantation. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 1029-1034.   | 0.5 | 5         |
| 21329 | Left and right ventricular lead positions are imprecisely determined by fluoroscopy in cardiac resynchronization therapy: a comparison with cardiac computed tomography. <i>Europace</i> , 2014, 16, 1334-1341.   | 0.7 | 43        |
| 21330 | Reproducibility of diabetes quality of care indicators as reported by patients and physicians. <i>European Journal of Public Health</i> , 2014, 24, 1004-1009.  | 0.1 | 11        |
| 21331 | Robustness of automated hippocampal volumetry across magnetic resonance field strengths and repeat images. <i>Alzheimer's and Dementia</i> , 2014, 10, 430.   | 0.4 | 33        |
| 21332 | A cross-sectional study to compare two blood collection methods: direct venous puncture and peripheral venous catheter. <i>BMJ Open</i> , 2014, 4, e004250.   | 0.8 | 20        |
| 21333 | Correlation of measured and calculated serum osmolality during mannitol or hypertonic saline infusion in patients after craniotomy: a study protocol and statistical analysis plan for a randomised controlled trial. <i>BMJ Open</i> , 2014, 4, e004921. | 0.8 | 6         |
| 21334 | Estimating smoking prevalence in general practice using data from the Quality and Outcomes Framework (QOF). <i>BMJ Open</i> , 2014, 4, e005217-e005217.   | 0.8 | 10        |
| 21335 | Examining the reliability and validity of a modified version of the International Physical Activity Questionnaire, long form (IPAQ-LF) in Nigeria: a cross-sectional study. <i>BMJ Open</i> , 2014, 4, e005820.   | 0.8 | 29        |
| 21336 | emPHasis-10: development of a health-related quality of life measure in pulmonary hypertension. <i>European Respiratory Journal</i> , 2014, 43, 1106-1113.  | 3.1 | 131       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21337 | Agreement between fingertip-capillary and antecubital-venous appetite-related peptides. <i>Endocrine Connections</i> , 2014, 3, 233-242.  | 0.8 | 6         |
| 21338 | Do Measurements of Uterine Septum Using Three-Dimensional Ultrasound and Magnetic Resonance Imaging Agree?. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2014, 36, 331-338.  | 0.3 | 8         |
| 21339 | The Role of Magnetic Resonance Imaging in Pretreatment Evaluation of Early-Stage Cervical Cancer. <i>International Journal of Gynecological Cancer</i> , 2014, 24, 1292-1298.   | 1.2 | 33        |
| 21340 | Wavelets based algorithm for the evaluation of enhanced liver areas. <i>Proceedings of SPIE</i> , 2014, , .   | 0.8 | 0         |
| 21341 | Lean body mass assessment based on UV-absorbance in spent dialysate. , 2014, , .  |     | 0         |
| 21342 | Ability of walking without a walking device in patients with spinal cord injury as determined using data from functional tests. <i>Journal of Spinal Cord Medicine</i> , 2014, 37, 389-396.   | 0.7 | 15        |
| 21343 | Comparison of cardiac output determined by an ultrasound velocity dilution cardiac output method and by the lithium dilution cardiac output method in juvenile horses with experimentally induced hypovolemia. <i>American Journal of Veterinary Research</i> , 2014, 75, 565-571.          | 0.3 | 8         |
| 21344 | Effect of antenatal multiple micronutrient supplementation on anthropometry and blood pressure in mid-childhood in Nepal: follow-up of a double-blind randomised controlled trial. <i>The Lancet Global Health</i> , 2014, 2, e654-e663.  | 2.9 | 35        |
| 21345 | Reliability of isometric trunk moment measurements in healthy persons over 50 years of age. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 241-249.  | 0.8 | 27        |
| 21346 | Precision of the iDXA for Visceral Adipose Tissue Measurement in Severely Obese Patients. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 1462-1465.   | 0.2 | 17        |
| 21347 | In Response. <i>Anesthesia and Analgesia</i> , 2014, 119, 1453.   | 1.1 | 0         |
| 21348 | Concordance and reproducibility between M-mode, tissue Doppler imaging, and two-dimensional strain imaging in the assessment of mitral annular displacement and velocity in patients with various heart conditions. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 62-69. | 0.5 | 42        |
| 21349 | Accuracy and reliability of 2D cephalometric analysis in orthodontics. <i>Revista Portuguesa De Estomatologia, Medicina Dentaria E Cirurgia Maxilofacial</i> , 2014, 55, 135-141.   | 0.1 | 7         |
| 21350 | Development and Use of an Administrative Claims Measure for Profiling Hospital-wide Performance on 30-Day Unplanned Readmission. <i>Annals of Internal Medicine</i> , 2014, 161, S66.   | 2.0 | 74        |
| 21351 | Investigating the quantitative fidelity of prospectively undersampled chemical shift imaging in muscular dystrophy with compressed sensing and parallel imaging reconstruction. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 1610-1619.  | 1.9 | 35        |
| 21352 | Wear resistance of four types of vacuum-formed retainer materials: A laboratory study. <i>Angle Orthodontist</i> , 2014, 84, 656-664.   | 1.1 | 37        |
| 21353 | Enhanced automatic lung segmentation using graph cut for Interstitial Lung Disease. , 2014, , .   |     | 4         |
| 21354 | Automatic detection of small bowel contraction frequencies in motility plots using lombâ€scargle periodogram and sinusâ€fitting methodâ€initial experience. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 628-634.  | 1.9 | 14        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21355 | Comparison of fluid volume estimates in chronic hemodialysis patients by bioimpedance, direct isotopic, and dilution methods. <i>Kidney International</i> , 2014, 85, 898-908.   | 2.6 | 93        |
| 21356 | The reliability of an adolescent dietary pattern identified using reduced-rank regression: comparison of a FFQ and 3Åd food record. <i>British Journal of Nutrition</i> , 2014, 112, 609-615.                                    | 1.2 | 25        |
| 21357 | Assessment of body composition in Indian adults: comparison between dual-energy X-ray absorptiometry and isotope dilution technique. <i>British Journal of Nutrition</i> , 2014, 112, 1147-1153.                                 | 1.2 | 0         |
| 21358 | Motor Vehicle Crash Severity Estimations by Physicians and Prehospital Personnel. <i>Prehospital Emergency Care</i> , 2014, 18, 402-407.   | 1.0 | 5         |
| 21359 | Non-invasive quantification of lower limb mechanical alignment in flexion. <i>Computer Aided Surgery</i> , 2014, 19, 64-70.  | 1.8 | 4         |
| 21360 | Night-to-Night Repeatability of Supine-related Obstructive Sleep Apnea. <i>Annals of the American Thoracic Society</i> , 2014, 11, 761-769.  | 1.5 | 35        |
| 21361 | Assessment of left ventricular systolic function by deformation imaging derived from speckle tracking: a comparison between 2D and 3D echo modalities. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 316-323. | 0.5 | 80        |
| 21362 | Underwater near-infrared spectroscopy measurements of muscle oxygenation: laboratory validation and preliminary observations in swimmers and triathletes. <i>Journal of Biomedical Optics</i> , 2014, 19, 127002.                | 1.4 | 30        |
| 21363 | Bone Mineral Density Values Derived from Routine Lumbar Spine Multidetector Row CT Predict Osteoporotic Vertebral Fractures and Screw Loosening. <i>American Journal of Neuroradiology</i> , 2014, 35, 1628-1633.                | 1.2 | 74        |
| 21364 | Cerebellar pathology in Friedreich's ataxia: Atrophied dentate nuclei with normal iron content. <i>NeuroImage: Clinical</i> , 2014, 6, 93-99.  | 1.4 | 56        |
| 21365 | Radiographic, ultrasonographic, and anatomic assessment of femoral trochlea morphology in red foxes ( <i>Vulpes vulpes</i> ). <i>American Journal of Veterinary Research</i> , 2014, 75, 1056-1063.                              | 0.3 | 5         |
| 21366 | Validating the wheelchair outcome measure for residents in long-term care. <i>Disability and Rehabilitation: Assistive Technology</i> , 2014, 9, 209-212.  | 1.3 | 4         |
| 21367 | Comparison of the GEM and the ECAL indirect calorimeters against the Deltatrac for measures of RMR and diet-induced thermogenesis. <i>Journal of Nutritional Science</i> , 2014, 3, e52.   | 0.7 | 7         |
| 21368 | Dystrophin quantification. <i>Neurology</i> , 2014, 83, 2062-2069.   | 1.5 | 73        |
| 21369 | Microenzymatic Evaluation of Oat ( <i>Avena sativa</i> L.) Î²â€Glucan for Highâ€Throughput Phenotyping. <i>Cereal Chemistry</i> , 2014, 91, 183-188.   | 1.1 | 3         |
| 21370 | Assessment of Risk in Chronic Airways Disease Evaluation (ARCADE). <i>Chronic Respiratory Disease</i> , 2014, 11, 199-207.   | 1.0 | 7         |
| 21371 | Strain Assessment in Surgically Resected Inflammatory and Neoplastic Bowel Lesions. <i>Ultraschall in Der Medizin</i> , 2014, 35, 149-158.   | 0.8 | 32        |
| 21372 | Robust efficient estimation of heart rate pulse from video. <i>Biomedical Optics Express</i> , 2014, 5, 1124.  | 1.5 | 71        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21373 | Repeatability of in vivo 3D lamina cribrosa microarchitecture using adaptive optics spectral domain optical coherence tomography. <i>Biomedical Optics Express</i> , 2014, 5, 1114.  | 1.5 | 39        |
| 21374 | A comparison between two NIRS oximeters (INVOS, OxyPrem) using measurement on the arm of adults and head of infants after caesarean section. <i>Biomedical Optics Express</i> , 2014, 5, 3671.   | 1.5 | 19        |
| 21375 | High level of soluble programmed cell death ligand 1 in blood impacts overall survival in aggressive diffuse large B-Cell lymphoma: results from a French multicenter clinical trial. <i>Leukemia</i> , 2014, 28, 2367-2375.                                   | 3.3 | 281       |
| 21376 | Measurement of Left and Right Atrial Volume in Patients Undergoing Ablation for Atrial Arrhythmias: Comparison of a Manual versus Semiautomatic Algorithm of Real Time 3D Echocardiography. <i>Echocardiography</i> , 2014, 31, 499-507.                       | 0.3 | 15        |
| 21377 | Computerized segmentation of pulmonary nodules depicted in CT examinations using freehand sketches. <i>Medical Physics</i> , 2014, 41, 041917.   | 1.6 | 5         |
| 21378 | Identifying the pollen of an extinct spruce species in the Late Quaternary sediments of the Tunica Hills region, southeastern United States. <i>Journal of Quaternary Science</i> , 2014, 29, 711-721.   | 1.1 | 7         |
| 21379 | Ultrasonographic Assessment of the Diaphragm in Chronic Obstructive Pulmonary Disease Patients: Relationships with Pulmonary Function and the Influence of Body Composition - A Pilot Study. <i>Respiration</i> , 2014, 87, 364-371.                           | 1.2 | 64        |
| 21380 | $^{18}F$ -FDG PET/CT quantization parameters as predictors of outcome in patients with diffuse large B-cell lymphoma. <i>European Journal of Haematology</i> , 2014, 92, 382-389.  | 1.1 | 67        |
| 21381 | Evaluation of an automated method for measuring von Willebrand factor activity in clinical samples without ristocetin. <i>International Journal of Laboratory Hematology</i> , 2014, 36, 341-351.  | 0.7 | 36        |
| 21382 | Feasibility and reproducibility of free fatty acid profiling in abdominal adipose tissue with $^1H$ -magnetic resonance spectroscopy at 3 T: Differences between lean and obese individuals. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 423-431. | 1.9 | 7         |
| 21383 | Test-Retest Reliability and Minimal Detectable Change Scores for Fitness Assessment in Older Adults with Type 2 Diabetes. <i>Rehabilitation Nursing</i> , 2014, 39, 260-268.   | 0.3 | 47        |
| 21384 | Liver Diffusion-weighted MR Imaging: Reproducibility Comparison of ADC Measurements Obtained with Multiple Breath-hold, Free-breathing, Respiratory-triggered, and Navigator-triggered Techniques. <i>Radiology</i> , 2014, 271, 113-125.                      | 3.6 | 81        |
| 21385 | Multi-parametric MRI characterization of healthy human thigh muscles at 3.0 T - relaxation, magnetization transfer, fat/water, and diffusion tensor imaging. <i>NMR in Biomedicine</i> , 2014, 27, 1070-1084.  | 1.6 | 71        |
| 21386 | Simultaneous Pharmacokinetic Modeling of Alkylresorcinols and Their Main Metabolites Indicates Dual Absorption Mechanisms and Enterohepatic Elimination in Humans. <i>Journal of Nutrition</i> , 2014, 144, 1674-1680.   | 1.3 | 15        |
| 21387 | Identifying IIR filter coefficients using particle swarm optimization with application to reconstruction of missing cardiovascular signals. <i>Engineering Applications of Artificial Intelligence</i> , 2014, 34, 193-198.                                    | 4.3 | 13        |
| 21388 | New Universal Strain Software Accurately Assesses Cardiac Systolic and Diastolic Function Using Speckle Tracking Echocardiography. <i>Echocardiography</i> , 2014, 31, 947-955.  | 0.3 | 6         |
| 21389 | Respiratory rate assessment from photoplethysmographic imaging. , 2014, 2014, 5397-400.  |     | 6         |
| 21390 | Estimation of force during vertical jumps using body fixed accelerometers. , 2014, , .   |     | 6         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21391 | Noninvasive blood pressure and the second heart sound analysis. , 2014, 2014, 5494-7.   |     | 5         |
| 21392 | Validity and Reliability of the Standardized Orthopedic Assessment Tool (SOAT): A Variation of the Traditional Objective Structured Clinical Examination. <i>Journal of Athletic Training</i> , 2014, 49, 373-380.  | 0.9 | 6         |
| 21393 | Uterine myomas treated with microwave ablation: The agreement between ablation volumes obtained from contrast-enhanced sonography and enhanced MRI. <i>International Journal of Hyperthermia</i> , 2014, 30, 11-18.   | 1.1 | 17        |
| 21394 | Estimating blood pressure using Windkessel model on photoplethysmogram. , 2014, 2014, 4567-70.  |     | 50        |
| 21395 | Monitoring changes in VO <sub>2</sub> max via the Polar FT40 in female collegiate soccer players. <i>Journal of Sports Sciences</i> , 2014, 32, 1084-1090.  | 1.0 | 6         |
| 21396 | It is time to abandon "Expected bladder capacity." Systematic review and new models for children's normal maximum voided volumes. <i>Neurourology and Urodynamics</i> , 2014, 33, 1092-1098.  | 0.8 | 13        |
| 21397 | Validation of Blood-Based Assays Using Dried Blood Spots for Use in Large Population Studies. <i>Biodemography and Social Biology</i> , 2014, 60, 38-48.  | 0.4 | 64        |
| 21398 | T1 bias in chemical shift-encoded liver fat fraction: Role of the flip angle. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 875-883.   | 1.9 | 38        |
| 21399 | Reproducibility of creatine kinase reaction kinetics in human heart: a <sup>31</sup> P time-dependent saturation transfer spectroscopy study. <i>NMR in Biomedicine</i> , 2014, 27, 663-671.  | 1.6 | 19        |
| 21400 | VALIDATION OF A NOVEL TRANSLUMBAR ULTRASOUND TECHNIQUE FOR MEASURING RENAL DIMENSIONS IN HORSES. <i>Veterinary Radiology and Ultrasound</i> , 2014, 55, 323-330.  | 0.4 | 11        |
| 21401 | Assessing assay agreement estimation for multiple left-censored data: a multiple imputation approach. <i>Statistics in Medicine</i> , 2014, 33, 5298-5309.  | 0.8 | 5         |
| 21402 | MRI evaluation of the four tunnels of double-bundle ACL reconstruction. <i>Acta Radiologica</i> , 2014, 55, 579-588.  | 0.5 | 13        |
| 21403 | Discordance of Global Estimates by Patients and Their Physicians in Usual Care of Many Rheumatic Diseases: Association With 5 Scores on a Multidimensional Health Assessment Questionnaire (MDHAQ) That Are Not Found on the Health Assessment Questionnaire (HAQ). <i>Arthritis Care and Research</i> , 2014, 66, 934-942. | 1.5 | 28        |
| 21404 | In vitro and in vivo evaluation of a new large animal spirometry device using mainstream CO <sub>2</sub> flow sensors. <i>Equine Veterinary Journal</i> , 2014, 46, 507-511.  | 0.9 | 8         |
| 21405 | Stability of the K4b <sup>2</sup> portable metabolic analyser during rest, walking and running. <i>Journal of Sports Sciences</i> , 2014, 32, 157-163.  | 1.0 | 22        |
| 21406 | Transonic, thermodilution, or ionic dialysance to manage vascular access: Which method is best?. <i>Hemodialysis International</i> , 2014, 18, 127-135.   | 0.4 | 22        |
| 21407 | Mother-reported sleep, accelerometer-estimated sleep and weight status in Mexican American children: sleep duration is associated with increased adiposity and risk for overweight/obese status. <i>Journal of Sleep Research</i> , 2014, 23, 328-336.  | 1.7 | 36        |
| 21408 | Test-Retest reliability of Oral Health Impact Profile (OHIP-49) in adults with systemic sclerosis. <i>Special Care in Dentistry</i> , 2014, 34, 27-33.  | 0.4 | 10        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21409 | A nonparametric permutation method for assessing agreement for distance matrix observations. <i>Statistics in Medicine</i> , 2014, 33, 319-329.  | 0.8 | 2         |
| 21410 | Method of comparison “making the right choice. <i>Journal of Small Animal Practice</i> , 2014, 55, 125-126.  | 0.5 | 1         |
| 21411 | Collecting women's reproductive histories. <i>American Journal of Human Biology</i> , 2014, 26, 577-589.   | 0.8 | 17        |
| 21412 | Cortical evoked potentials in response to rapid balloon distension of the rectum and anal canal. <i>Neurogastroenterology and Motility</i> , 2014, 26, 862-873.  | 1.6 | 16        |
| 21413 | Long-term Prognostic Value for Patients with Chronic Heart Failure of Estimated Glomerular Filtration Rate Calculated with the New CKD-EPI Equations Containing Cystatin C. <i>Clinical Chemistry</i> , 2014, 60, 481-489.   | 1.5 | 28        |
| 21414 | Widening of the femoral proximal diaphysis-metaphysis angle in fetuses with achondroplasia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 44, 69-75.  | 0.9 | 7         |
| 21415 | Right Ventricular Volumes Assessed by Echocardiographic Three-dimensional Knowledge-based Reconstruction Compared with Magnetic Resonance Imaging in a Clinical Setting. <i>Congenital Heart Disease</i> , 2014, 9, 333-342. | 0.0 | 6         |
| 21416 | Sensitivity to change of oral and general health-related quality of life during prosthodontic treatment. <i>European Journal of Oral Sciences</i> , 2014, 122, 70-77.  | 0.7 | 14        |
| 21417 | Fully automated framework for the analysis of myocardial first-pass perfusion MR images. <i>Medical Physics</i> , 2014, 41, 102305.  | 1.6 | 12        |
| 21418 | Lies, damned lies and     .. <i>Ophthalmic and Physiological Optics</i> , 2014, 34, 499-501.   | 1.0 | 2         |
| 21419 | Comparison of MRI Pulse Sequences for Prediction of Size of Hepatocellular Carcinoma at Explant Evaluation. <i>American Journal of Roentgenology</i> , 2014, 203, 300-305.   | 1.0 | 10        |
| 21420 | Estimation of aortic pulse pressure using fourier velocity encoded Mode MR. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 85-93.  | 1.9 | 2         |
| 21421 | Self-Reported Quality of Life of Young Children With Conditions From Early Infancy: A Systematic Review. <i>Pediatrics</i> , 2014, 134, e1129-e1148.   | 1.0 | 78        |
| 21422 | Use of a pocket-sized ultrasound machine (PUM) for routine examinations in the third trimester of pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 44, 64-68.   | 0.9 | 12        |
| 21423 | Aortic and carotid intima-media thickness in term small-for-gestational-age newborns and relationship with prenatal signs of severity. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 625-631.                   | 0.9 | 37        |
| 21424 | Quantification of left ventricular volumes, mass, and ejection fraction using cine displacement encoding with stimulated echoes (DENSE) MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 398-406.               | 1.9 | 10        |
| 21425 | Value of MRI sequences for prediction of invasive breast carcinoma size. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2014, 58, 565-568.   | 0.9 | 7         |
| 21426 | Spirometry may underestimate airway obstruction in professional Greek athletes. <i>Clinical Respiratory Journal</i> , 2014, 8, 240-247.  | 0.6 | 11        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21427 | The validity of the body adiposity index in predicting percentage body fat and cardiovascular risk factors among Chinese. <i>Clinical Endocrinology</i> , 2014, 81, 356-362.  | 1.2 | 19        |
| 21428 | Manufacturer changes lead to clinically important differences between two editions of the TNO stereotest. <i>Ophthalmic and Physiological Optics</i> , 2014, 34, 243-249.   | 1.0 | 23        |
| 21429 | Estimation of glomerular filtration rate in conscious mice using a simplified equation. <i>Physiological Reports</i> , 2014, 2, e12135.   | 0.7 | 9         |
| 21430 | Test-Retest Reliability of a Continuous Glucose Monitoring System in Individuals with Type 2 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2014, 16, 491-498.   | 2.4 | 17        |
| 21431 | Development and validation of an instrument to measure the burden experienced by community health volunteers. <i>Journal of Clinical Nursing</i> , 2014, 23, 2740-2747.   | 1.4 | 3         |
| 21432 | Influence of high ovarian hormones on QT interval duration in young African women. <i>Physiological Reports</i> , 2014, 2, e00263.  | 0.7 | 4         |
| 21433 | Asthma: Comparison of Dynamic Oxygen-enhanced MR Imaging and Quantitative Thin-Section CT for Evaluation of Clinical Treatment. <i>Radiology</i> , 2014, 273, 907-916.  | 3.6 | 29        |
| 21434 | Potential for Change in US Diagnosis of Hip Dysplasia Solely Caused by Changes in Probe Orientation: Patterns of Alpha-angle Variation Revealed by Using Three-dimensional US. <i>Radiology</i> , 2014, 273, 870-878.             | 3.6 | 59        |
| 21435 | Serum and Plasma Neutrophil Gelatinase Associated Lipocalin (NGAL) Levels are Not Equivalent in Patients Admitted to Intensive Care. <i>Journal of Clinical Laboratory Analysis</i> , 2014, 28, 163-167.                          | 0.9 | 12        |
| 21436 | A novel device for target controlled administration and reflection of desflurane – the Mirus <sup>®</sup> . <i>Anaesthesia</i> , 2014, 69, 1241-1250.   | 1.8 | 41        |
| 21437 | Does bony hip morphology affect the outcome of treatment for patients with adductor-related groin pain? Outcome 10 years after baseline assessment. <i>British Journal of Sports Medicine</i> , 2014, 48, 1240-1244.              | 3.1 | 22        |
| 21438 | Poor agreement between transcranial Doppler and near-infrared spectroscopy-based estimates of cerebral blood flow changes in sepsis. <i>Clinical Physiology and Functional Imaging</i> , 2014, 34, 405-409.                       | 0.5 | 14        |
| 21439 | A simplified D-shaped model of the mitral annulus to facilitate CT-based sizing before transcatheter mitral valve implantation. <i>Journal of Cardiovascular Computed Tomography</i> , 2014, 8, 459-467.                          | 0.7 | 113       |
| 21440 | Comparison of two methods of assessing total body water at sea level and increasing high altitude. <i>Clinical Physiology and Functional Imaging</i> , 2014, 34, 478-484.   | 0.5 | 5         |
| 21441 | Comparison of Plain X-Rays and Computed Tomography for Assessing Distal Radioulnar Joint Inclination. <i>Journal of Hand Surgery</i> , 2014, 39, 2417-2423.   | 0.7 | 6         |
| 21442 | Altered sputum granzyme B and granzyme B/proteinase inhibitor-9 in patients with non-eosinophilic asthma. <i>Respirology</i> , 2014, 19, 280-287.   | 1.3 | 9         |
| 21443 | Poor Agreement Between Dialysis Unit Blood Pressure and Interdialytic Ambulatory Blood Pressure. <i>Journal of Clinical Hypertension</i> , 2014, 16, 701-706.   | 1.0 | 6         |
| 21444 | Comparison of an infrared anaesthetic agent analyser (Datex-Ohmeda) with refractometry for measurement of isoflurane, sevoflurane and desflurane concentrations. <i>Veterinary Anaesthesia and Analgesia</i> , 2014, 41, 386-392. | 0.3 | 9         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21445 | Increased bloodâ€œoxygen binding affinity in Tibetan and Han Chinese residents at 4200 m. <i>Experimental Physiology</i> , 2014, 99, 1624-1635.  | 0.9 | 27        |
| 21446 | Double staining with crystal violet and methylene blue is appropriate for colonic endocytoscopy: <sc>A</sc>n <sc>i</sc>inâ€œvivo</i> prospective pilot study. <i>Digestive Endoscopy</i> , 2014, 26, 403-408.                    | 1.3 | 40        |
| 21447 | Predicting vascular complications during transfemoral transcatheter aortic valve replacement using computed tomography: A novel areaâ€œbased index. <i>Catheterization and Cardiovascular Interventions</i> , 2014, 84, 844-851. | 0.7 | 46        |
| 21448 | Impact of deep sedation on the accuracy of hepatic and portal venous pressure measurements in patients with cirrhosis. <i>Liver International</i> , 2014, 34, 16-25.   | 1.9 | 64        |
| 21449 | Direct comparison of intraâ€œarticular versus intravenous delayed gadoliniumâ€œenhanced MRI of hip joint cartilage. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 94-102.   | 1.9 | 24        |
| 21450 | Modeling of Effect of Glucose Sensor Errors on Insulin Dosage and Glucose Bolus Computed by LOGIC-Insulin. <i>Clinical Chemistry</i> , 2014, 60, 1510-1518.  | 1.5 | 22        |
| 21451 | Mammographic quantitative image analysis and biologic image composition for breast lesion characterization and classification. <i>Medical Physics</i> , 2014, 41, 031915.  | 1.6 | 15        |
| 21452 | Influence of maternal body mass index on accuracy and reliability of external fetal monitoring techniques. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 590-595.  | 1.3 | 61        |
| 21453 | Central corneal thickness measurement by Fourier domain optical coherence tomography, ocular response analyzer and ultrasound pachymetry. <i>Taiwan Journal of Ophthalmology</i> , 2014, 4, 163-169.                             | 0.3 | 5         |
| 21454 | Measurement accuracy of different active tracking sequences for interventional MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 490-495.  | 1.9 | 6         |
| 21455 | Functional capacity after pediatric liver transplantation: A pilot study. <i>Pediatric Transplantation</i> , 2014, 18, 586-593.  | 0.5 | 7         |
| 21456 | Accurate quantitation of <sc>D</sc>+ fetomaternal hemorrhage by flow cytometry using a novel reagent to eliminate granulocytes from analysis. <i>Transfusion</i> , 2014, 54, 1305-1316.  | 0.8 | 9         |
| 21457 | Reproducibility and validity of ultrasound for the measurement of visceral and subcutaneous adipose tissues. <i>Metabolism: Clinical and Experimental</i> , 2014, 63, 1512-1519.   | 1.5 | 33        |
| 21458 | Development of a shear measurement sensor for measuring forces at humanâ€œmachine interfaces. <i>Medical Engineering and Physics</i> , 2014, 36, 1721-1728.  | 0.8 | 5         |
| 21459 | Reliability and validity of findings in ergonomics research. <i>Theoretical Issues in Ergonomics Science</i> , 2014, 15, 1-46.   | 1.0 | 19        |
| 21460 | Evaluation of 2 electronic handheld devices for diagnosis of ketonemia and glycemia in dairy goats. <i>Journal of Dairy Science</i> , 2014, 97, 7538-7546.   | 1.4 | 23        |
| 21461 | Using Multiple Daily Pain Ratings to Improve Reliability and Assay Sensitivity: How Many Is Enough?. <i>Journal of Pain</i> , 2014, 15, 1360-1365.   | 0.7 | 25        |
| 21462 | New Methodological Approach to Improve Reproducibility of Brachial Artery Flowâ€œMediated Dilatation. <i>Echocardiography</i> , 2014, 31, 197-202.   | 0.3 | 10        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21463 | Monitoring oxidative stress during chronic obstructive pulmonary disease exacerbations using malondialdehyde. <i>Respirology</i> , 2014, 19, 74-79.   | 1.3 | 58        |
| 21464 | Development of an equation for estimating appendicular skeletal muscle mass in Japanese older adults using bioelectrical impedance analysis. <i>Geriatrics and Gerontology International</i> , 2014, 14, 851-857. | 0.7 | 55        |
| 21465 | Image Analysis and Recognition. <i>Lecture Notes in Computer Science</i> , 2014, , .  | 1.0 | 42        |
| 21466 | Slice accelerated gradient-echo spin-echo dynamic susceptibility contrast imaging with blipped CAIPI for increased slice coverage. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 770-778.                     | 1.9 | 35        |
| 21467 | Assessing Skeletal Muscle Variations in Microvascular Pressure and Unstressed Blood Volume at the Bedside. <i>Microcirculation</i> , 2014, 21, 606-614.   | 1.0 | 4         |
| 21468 | Handheld mechanical nociceptive threshold testing in dairy cows – intra-individual variation, inter-observer agreement and variation over time. <i>Veterinary Anaesthesia and Analgesia</i> , 2014, 41, 660-669.  | 0.3 | 25        |
| 21469 | A lumen sizing workhorse guidewire for peripheral vasculature: Two functions in one device. <i>Catheterization and Cardiovascular Interventions</i> , 2014, 83, E85-93.   | 0.7 | 5         |
| 21470 | Cardiovascular autonomic function testing under non-standardised and standardised conditions in cardiovascular patients with type-2 diabetes mellitus. <i>Anaesthesia</i> , 2014, 69, 476-483.                    | 1.8 | 6         |
| 21471 | Assessment of the reproducibility of the indirect ultrasound method of measuring diaphragm mobility. <i>Clinical Physiology and Functional Imaging</i> , 2014, 34, 18-25.   | 0.5 | 20        |
| 21472 | Accuracy of noninvasive hemoglobin and invasive point-of-care hemoglobin testing compared with a laboratory analyzer. <i>International Journal of Laboratory Hematology</i> , 2014, 36, 56-61.                    | 0.7 | 74        |
| 21473 | Paediatric estimated average glucose in children with Type 1 diabetes. <i>Diabetic Medicine</i> , 2014, 31, 36-39.  | 1.2 | 8         |
| 21474 | Quantitative lung perfusion evaluation using fourier decomposition perfusion MRI. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 558-562.  | 1.9 | 43        |
| 21475 | Measuring food intake with digital photography. <i>Journal of Human Nutrition and Dietetics</i> , 2014, 27, 72-81.  | 1.3 | 190       |
| 21476 | Agreement study of keratometric values measured by Biograph/LENSTAR, auto-keratometer and Pentacam: Decision for IOL calculation. <i>Australasian journal of optometry, The</i> , 2014, 97, 450-455.              | 0.6 | 12        |
| 21477 | Assessing communication skills in dietetic consultations: the development of the reliable and valid <sc>DIET</sc>-<sc>COMMS</sc> tool. <i>Journal of Human Nutrition and Dietetics</i> , 2014, 27, 321-332.       | 1.3 | 23        |
| 21478 | Comparison of a novel non-contact biomotion sensor with wrist actigraphy in estimating sleep quality in patients with obstructive sleep apnoea. <i>Journal of Sleep Research</i> , 2014, 23, 475-484.             | 1.7 | 29        |
| 21479 | Evaluation of a transcutaneous blood gas monitoring system in critically ill dogs. <i>Journal of Veterinary Emergency and Critical Care</i> , 2014, 24, 545-553.  | 0.4 | 4         |
| 21480 | A nomogram to calculate the Physiological and Operative Severity Score for the enUmeration of Mortality and morbidity (POSSUM). <i>British Journal of Surgery</i> , 2014, 101, 239-245.                           | 0.1 | 10        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21481 | Three-dimensional cephalometric superimposition of the nasomaxillary complex. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2014, 146, 758-764.  | 0.8 | 8         |
| 21482 | Variability of the inclination of anatomic horizontal reference planes of the craniofacial complex in relation to the true horizontal line in orthognathic patients. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2014, 146, 740-747. | 0.8 | 22        |
| 21483 | Availability of a simple self-report sleep questionnaire for 9- to 12-year-old children. <i>Sleep and Biological Rhythms</i> , 2014, 12, 279-288.  | 0.5 | 15        |
| 21484 | Measurement of thyroxine and cortisol in canine and feline blood samples using two immunoassay analysers. <i>Journal of Small Animal Practice</i> , 2014, 55, 153-159.   | 0.5 | 25        |
| 21485 | The alpha angle in cam-type femoroacetabular impingement. <i>Bone and Joint Journal</i> , 2014, 96-B, 449-454.   | 1.9 | 47        |
| 21486 | Comprehensive method comparisons: getting more from the data. <i>Accreditation and Quality Assurance</i> , 2014, 19, 451-457.  | 0.4 | 3         |
| 21487 | Feasibility, Reliability, and Sensitivity to Change of Four Radiographic Scoring Methods in Patients With Psoriatic Arthritis. <i>Arthritis Care and Research</i> , 2014, 66, 311-317.   | 1.5 | 21        |
| 21488 | Use of a biophysical simulation model (<sc>D</sc>airy<sc>M</sc>od) to represent tall fescue pasture growth in <sc>A</sc>rgentina. <i>Grass and Forage Science</i> , 2014, 69, 441-453.   | 1.2 | 11        |
| 21489 | Hepatic Fibrosis: Prospective Comparison of MR Elastography and US Shear-Wave Elastography for Evaluation. <i>Radiology</i> , 2014, 273, 772-782.  | 3.6 | 147       |
| 21490 | Reproducibility study of four-dimensional flow MRI of arterial and portal venous liver hemodynamics: Influence of spatio-temporal resolution. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 477-484.   | 1.9 | 35        |
| 21491 | Quantitative cerebral blood flow with bolus tracking perfusion MRI: Measurements in porcine model and comparison with PET. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 1723-1734.  | 1.9 | 5         |
| 21492 | Comparison between Clinical and Digital Soft Tissue Measurements. <i>Journal of Esthetic and Restorative Dentistry</i> , 2014, 26, 191-199.  | 1.8 | 34        |
| 21493 | Diagnostic and prognostic value of MRI T2 quantification in heart transplant patients. <i>Transplant International</i> , 2014, 27, 69-76.  | 0.8 | 21        |
| 21494 | Comparison of invasive and oscillometric blood pressure measurement techniques in anesthetized sheep, goats, and cattle. <i>Veterinary Anaesthesia and Analgesia</i> , 2014, 41, 174-185.  | 0.3 | 25        |
| 21495 | Clinician percent syllables stuttered, clinician severity ratings and speaker severity ratings: are they interchangeable?. <i>International Journal of Language and Communication Disorders</i> , 2014, 49, 364-368.   | 0.7 | 21        |
| 21496 | A methodological comparison of the <sc>P</sc>orges algorithm, fast <sc>F</sc>ourier transform, and autoregressive spectral analysis for the estimation of heart rate variability in 5-month-old infants. <i>Psychophysiology</i> , 2014, 51, 579-583.          | 1.2 | 11        |
| 21497 | Value of Speckle Tracking for the Assessment of Right Ventricular Function in Patients Operated on for Tetralogy of Fallot. Comparison with Magnetic Resonance Imaging. <i>Echocardiography</i> , 2014, 31, 474-482.   | 0.3 | 29        |
| 21498 | Body fat throughout childhood in 2647 healthy Danish children: agreement of BMI, waist circumference, skinfolds with dual X-ray absorptiometry. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 664-670.   | 1.3 | 124       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21499 | Measurements of cardiac output obtained with transesophageal echocardiography and pulmonary artery thermodilution are not interchangeable. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 80-88.   | 0.7 | 26        |
| 21500 | Development and validation of assay protocols for use with dried blood spot samples. <i>American Journal of Human Biology</i> , 2014, 26, 1-9.   | 0.8 | 118       |
| 21501 | Accuracy of Point-of-Care Blood Glucose Measurements in Critically Ill Patients in Shock. <i>Journal of Diabetes Science and Technology</i> , 2014, 8, 937-944.  | 1.3 | 17        |
| 21502 | Prospective Study of Intracranial Translucency and the Posterior Brain in Normal Fetuses at the 11 to 13 Week Scan. <i>Journal of Ultrasound in Medicine</i> , 2014, 33, 1373-1379.  | 0.8 | 10        |
| 21503 | Dynamic contrast enhanced-MRI in rectal cancer: Inter- and intraobserver reproducibility and the effect of slice selection on pharmacokinetic analysis. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 715-722.                          | 1.9 | 7         |
| 21504 | Validity of bioelectrical impedance analysis to assess fat-free mass in patients with head and neck cancer: An exploratory study. <i>Head and Neck</i> , 2014, 36, 585-591.  | 0.9 | 22        |
| 21505 | Content of Children's Loss of Control Eating Episodes Assessed by Self-Report and Laboratory Test Meal. <i>European Eating Disorders Review</i> , 2014, 22, 72-76.   | 2.3 | 2         |
| 21506 | Body composition assessment in overweight women: validation of air displacement plethysmography. <i>Clinical Physiology and Functional Imaging</i> , 2014, 34, 72-76.  | 0.5 | 25        |
| 21507 | Inaccuracy of the FloTrac/Vigileo System in Patients With Low Cardiac Index. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2014, 28, 1521-1526.   | 0.6 | 20        |
| 21508 | Letter to the Editor referring to the article "Testing agreement between a new method and the gold standard" "How do we test?" published in <i>Journal of Biomechanics</i> (volume 46, Issue 16, Pages 1074-1075) Tj ETQq1 1 0.784314 rgBT /Overlo | 0.7 | 1         |
| 21509 | Validation study of an interpolation method for calculating whole lung volumes and masses from reduced numbers of CT-images in ponies. <i>Veterinary Journal</i> , 2014, 202, 603-607.   | 0.6 | 7         |
| 21510 | Oesophageal Doppler cardiac output monitoring: A longstanding tool with evolving indications and applications. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2014, 28, 353-362.                                      | 1.7 | 16        |
| 21511 | Quantitative measurement of lower limb mechanical alignment and coronal knee laxity in early flexion. <i>Knee</i> , 2014, 21, 1063-1068.   | 0.8 | 4         |
| 21512 | Trochlear boss height measurement: A comparison of radiographs and MRI. <i>Knee</i> , 2014, 21, 1052-1057.   | 0.8 | 6         |
| 21513 | Smartphone instrument for portable enzyme-linked immunosorbent assays. <i>Biomedical Optics Express</i> , 2014, 5, 3792.   | 1.5 | 116       |
| 21514 | An evaluation of distance estimation accuracy and its relationship to transport mode for the home-to-school journey by adolescents. <i>Journal of Transport and Health</i> , 2014, 1, 274-278.   | 1.1 | 11        |
| 21515 | Measurement of serum immunoglobulin G in dairy cattle using Fourier-transform infrared spectroscopy: A reagent free approach. <i>Veterinary Journal</i> , 2014, 202, 510-515.  | 0.6 | 21        |
| 21516 | Biomonitoring of N-ethyl-2-pyrrolidone in automobile varnishers. <i>Toxicology Letters</i> , 2014, 231, 142-146.   | 0.4 | 7         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21517 | Reliability of a standardized test in Swedish for evaluation of reading performance in healthy eyes. Interchart and test-retest analyses. <i>Acta Ophthalmologica</i> , 2014, 92, 557-562.   | 0.6 | 3         |
| 21518 | Fetal biometry in the Korean population: reference charts and comparison with charts from other populations. <i>Prenatal Diagnosis</i> , 2014, 34, 927-934.  | 1.1 | 17        |
| 21519 | Semiautomated Thyroid Volumetry Using 3D CT: Prospective Comparison With Measurements Obtained Using 2D Ultrasound, 2D CT, and Water Displacement Method of Specimen. <i>American Journal of Roentgenology</i> , 2014, 203, W525-W532.                           | 1.0 | 18        |
| 21520 | Intraobserver and interobserver variability in computed tomography size and attenuation measurements in patients with renal cell carcinoma receiving antiangiogenic therapy: Implications for alternative response criteria. <i>Cancer</i> , 2014, 120, 711-721. | 2.0 | 40        |
| 21521 | Effect of target distance on accommodative amplitude measured using the minus lens technique. <i>Australasian journal of optometry</i> , The, 2014, 97, 62-65.   | 0.6 | 10        |
| 21522 | In vivo three-dimensional high resolution cardiac diffusion-weighted MRI: A motion compensated diffusion-prepared balanced steady-state free precession approach. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 1257-1267.                                   | 1.9 | 93        |
| 21523 | Optical coherence tomography: a reliable alternative to invasive histological assessment of acute wound healing in human skin?. <i>British Journal of Dermatology</i> , 2014, 170, 840-850.  | 1.4 | 41        |
| 21524 | Intestinal Fatty Acid-Binding Protein in Neonates with Imminent Necrotizing Enterocolitis. <i>Neonatology</i> , 2014, 106, 49-54.  | 0.9 | 27        |
| 21525 | Stability of language performance at 4 and 5 years: measurement and participant variability. <i>International Journal of Language and Communication Disorders</i> , 2014, 49, 215-227.   | 0.7 | 24        |
| 21526 | Improved anatomical reproducibility in quantitative lower-limb muscle MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 1033-1038.   | 1.9 | 24        |
| 21527 | Reproducibility of intravascular ultrasound iMAP for radiofrequency data analysis: Implications for design of longitudinal studies. <i>Catheterization and Cardiovascular Interventions</i> , 2014, 83, E233-42.   | 0.7 | 10        |
| 21528 | Dynamic susceptibility contrast MRI with a prebolus contrast agent administration design for improved absolute quantification of perfusion. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 996-1006.  | 1.9 | 26        |
| 21529 | Preliminary study of video imaging of blood vessels in tissues lining the gingival sulcus in periodontally healthy individuals. <i>Journal of Periodontal Research</i> , 2014, 49, 670-679.  | 1.4 | 3         |
| 21530 | Impaired quality of life in growth hormone-deficient adults is independent of the altered skeletal muscle oxidative metabolism found in conditions with peripheral fatigue. <i>Clinical Endocrinology</i> , 2014, 80, 107-114.                                   | 1.2 | 8         |
| 21531 | Gastrointestinal Ultrasonography of Normal Standardbred Neonates and Frequency of Asymptomatic Intussusceptions. <i>Journal of Veterinary Internal Medicine</i> , 2014, 28, 1580-1586.   | 0.6 | 19        |
| 21532 | The Accuracy of Transcutaneous PCO <sub>2</sub> in Subjects With Severe Brain Injury: A Comparison With End-Tidal PCO <sub>2</sub> . <i>Respiratory Care</i> , 2014, 59, 1242-1247.  | 0.8 | 7         |
| 21533 | Blood volume pulse (BVP) derived vagal tone (VT) between 5 and 7 years of age: A methodological investigation of measurement and longitudinal stability. <i>Developmental Psychobiology</i> , 2014, 56, 23-35.   | 0.9 | 7         |
| 21534 | Accuracy of Resting Energy Expenditure Calculations in Unselected Overweight and Obese Patients. <i>Annals of Nutrition and Metabolism</i> , 2014, 65, 299-309.  | 1.0 | 13        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21535 | Non-invasive temperature mapping using temperature-responsive water saturation shift referencing (T-WASSR) MRI. <i>NMR in Biomedicine</i> , 2014, 27, 320-331.  | 1.6 | 33        |
| 21536 | Signal-to-noise assessment for diffusion tensor imaging with single data set and validation using a difference image method with data from a multicenter study. <i>Medical Physics</i> , 2014, 41, 092302.        | 1.6 | 4         |
| 21538 | Evaluation of the iSTAT portable point-of-care analyzer for determination of blood gases and acid-base status in newborn calves. <i>Journal of Veterinary Emergency and Critical Care</i> , 2014, 24, 519-528.    | 0.4 | 17        |
| 21539 | Exhaled breath temperature in children: reproducibility and influencing factors. <i>Journal of Asthma</i> , 2014, 51, 743-750.  | 0.9 | 8         |
| 21540 | DEVELOPMENT AND PSYCHOMETRIC TESTING OF THE SELF-CARE AGENCY SCALE FOR PATIENTS UNDERGOING LONG-TERM DIALYSIS IN TURKEY. <i>Journal of Renal Care</i> , 2014, 40, 266-273.  | 0.6 | 13        |
| 21541 | Use of regadenoson for measurement of fractional flow reserve. <i>Catheterization and Cardiovascular Interventions</i> , 2014, 83, 369-374.   | 0.7 | 28        |
| 21542 | Analysis of intraosseous samples in endotoxemic shock – an experimental study in the anaesthetised pig. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 337-344.   | 0.7 | 6         |
| 21543 | Microradiography and microcomputed tomography comparative analysis in human bone cores harvested after maxillary sinus augmentation: a pilot study. <i>Clinical Oral Implants Research</i> , 2014, 25, 1161-1168. | 1.9 | 7         |
| 21544 | Topical high-concentration menthol: Reproducibility of a human surrogate pain model. <i>European Journal of Pain</i> , 2014, 18, 1248-1258.   | 1.4 | 17        |
| 21545 | The influence of four different anticoagulants on dynamic light scattering of platelets. <i>Vox Sanguinis</i> , 2014, 107, 196-199.   | 0.7 | 10        |
| 21546 | Accuracy of self-reported anthropometric measures in older Australian adults. <i>Australasian Journal on Ageing</i> , 2014, 33, E27-32.   | 0.4 | 17        |
| 21547 | Patterns of hand preference in Italian adolescent high-school students. <i>Laterality</i> , 2014, 19, 718-744.  | 0.5 | 5         |
| 21548 | Physical activity monitoring in stroke: SenseWear Pro2 Activity accelerometer versus Yamax Digi-Walker SW-200 Pedometer. <i>Disability and Rehabilitation</i> , 2014, 36, 1695-1703.                              | 0.9 | 39        |
| 21549 | Reference absolute and indexed values for left and right ventricular volume, function and mass from cardiac computed tomography. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2014, 58, 547-558.    | 0.9 | 19        |
| 21550 | Reliability and validity of the Yo-Yo intermittent recovery test level 1 in young soccer players. <i>Journal of Sports Sciences</i> , 2014, 32, 903-910.  | 1.0 | 61        |
| 21551 | How representative is the "Representative Value"™ of refraction provided by the <i>S/N</i> ippon <i>NV</i> 5001 autorefractor?. <i>Ophthalmic and Physiological Optics</i> , 2014, 34, 89-93.                     | 1.0 | 15        |
| 21552 | Determining Eye-Hand Coordination Using the Sport Vision Trainer: An Evaluation of Test-Retest Reliability. <i>Research in Sports Medicine</i> , 2014, 22, 36-48.   | 0.7 | 9         |
| 21553 | Breast tissue decomposition with spectral distortion correction: A postmortem study. <i>Medical Physics</i> , 2014, 41, 101901.   | 1.6 | 13        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21554 | Can Streamlined Multicriteria Decision Analysis Be Used to Implement Shared Decision Making for Colorectal Cancer Screening?. <i>Medical Decision Making</i> , 2014, 34, 746-755.   | 1.2 | 18        |
| 21555 | Evaluation of established and new reference lines for the standardization of transperineal ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 44, 610-616.  | 0.9 | 8         |
| 21556 | Chinese Hemophilia Joint Health Score 2.1 reliability study. <i>Haemophilia</i> , 2014, 20, 435-440.  | 1.0 | 43        |
| 21557 | Technical improvements applied to a double-pass setup for performance and cost optimization. <i>Optical Engineering</i> , 2014, 53, 061710.   | 0.5 | 3         |
| 21558 | Accuracy of 2 Activity Monitors in Detecting Steps in People With Stroke and Traumatic Brain Injury. <i>Physical Therapy</i> , 2014, 94, 222-229.   | 1.1 | 164       |
| 21559 | A description of malaria sentinel surveillance: a case study in Oromia Regional State, Ethiopia. <i>Malaria Journal</i> , 2014, 13, 88.   | 0.8 | 25        |
| 21560 | Algorithm for particle detection and parameterization in high-frame-rate thermal video. <i>Journal of Applied Remote Sensing</i> , 2014, 8, 083549.   | 0.6 | 10        |
| 21561 | New method for remote and repeatable monitoring of intraocular pressure variations. <i>Journal of Biomedical Optics</i> , 2014, 19, 027002.   | 1.4 | 13        |
| 21562 | The validity and reliability of a novel indoor player tracking system for use within wheelchair court sports. <i>Journal of Sports Sciences</i> , 2014, 32, 1639-1647.  | 1.0 | 50        |
| 21563 | A Food Frequency Questionnaire Validated for Estimating Dietary Flavonoid Intake in an Australian Population. <i>Nutrition and Cancer</i> , 2014, 66, 1200-1210.  | 0.9 | 16        |
| 21564 | A Nearest Neighbor Finite Element Method (NNFEM) for Validating Left-Ventricular Regional Strain from Displacement Encoding with Stimulated Echoes (DENSE) MRI, Compared to Tagged MRI. <i>Applied Mechanics and Materials</i> , 2014, 553, 350-355.      | 0.2 | 0         |
| 21565 | Revision of Dietary Reference Intakes for energy in preschool-age children. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 161-167.   | 2.2 | 23        |
| 21566 | Evaluation of Actiheart and a 7d activity diary for estimating free-living total and activity energy expenditure using criterion methods in 1.5- and 3-year-old children. <i>British Journal of Nutrition</i> , 2014, 111, 1830-1840.                     | 1.2 | 10        |
| 21567 | Early changes of left ventricular function in young adults with never-treated hypertension and no left ventricular hypertrophy: relationships to ambulatory blood pressure monitoring. <i>Clinical and Experimental Hypertension</i> , 2014, 36, 517-523. | 0.5 | 23        |
| 21568 | Validation of an FFQ to assess antioxidant intake in overweight postmenopausal women. <i>Public Health Nutrition</i> , 2014, 17, 1467-1475.   | 1.1 | 6         |
| 21569 | How Accurate Is the Eyeball Test?. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2014, 7, 151-156.  | 0.9 | 53        |
| 21570 | Detecting ultrasonographic hollowness in small choroidal melanocytic tumors using 10MHz and 20MHz ultrasonography: a comparative study. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2014, 252, 2005-2011.                       | 1.0 | 6         |
| 21573 | Relative and Absolute Reliability of a Vertical Numerical Pain Rating Scale Supplemented With a Faces Pain Scale After Stroke. <i>Physical Therapy</i> , 2014, 94, 129-138.   | 1.1 | 30        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21574 | Spot them in the spot: analysis of abused substances using dried blood spots. <i>Bioanalysis</i> , 2014, 6, 2211-2227.  | 0.6 | 80        |
| 21575 | Can transcutaneous bilirubinometry safely guide phototherapy treatment of neonatal jaundice in Malawi?. <i>Paediatrics and International Child Health</i> , 2014, 34, 101-107.  | 0.3 | 34        |
| 21576 | Impact of recall period on primary brain tumor patient's self-report of symptoms. <i>Neuro-Oncology Practice</i> , 2014, 1, 55-63.  | 1.0 | 10        |
| 21577 | Pulmonary vascular permeability index and global end-diastolic volume: are the data consistent in patients with femoral venous access for transpulmonary thermodilution: a prospective observational study. <i>BMC Anesthesiology</i> , 2014, 14, 81. | 0.7 | 11        |
| 21578 | Bioelectrical impedance analysis to estimate body composition, and change in adiposity, in overweight and obese adolescents: comparison with dual-energy x-ray absorptiometry. <i>BMC Pediatrics</i> , 2014, 14, 249.                                 | 0.7 | 64        |
| 21579 | Assessing environmental features related to mental health: a reliability study of visual streetscape images. <i>BMC Public Health</i> , 2014, 14, 1094.   | 1.2 | 29        |
| 21580 | Identifying associations between sedentary time and cardio-metabolic risk factors in working adults using objective and subjective measures: a cross-sectional analysis. <i>BMC Public Health</i> , 2014, 14, 1307.                                   | 1.2 | 49        |
| 21581 | Criterion validation of two submaximal aerobic fitness tests, the self-monitoring Fox-walk test and the Å...strand cycle test in people with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 305.                              | 0.8 | 18        |
| 21582 | Reliability, construct and discriminative validity of clinical testing in subjects with and without chronic neck pain. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 408.  | 0.8 | 74        |
| 21583 | High performance MRI simulations of motion on multi-GPU systems. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 48.  | 1.6 | 25        |
| 21584 | Reliability and validity of using the Lokomat to assess lower limb joint position sense in people with incomplete spinal cord injury. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2014, 11, 167.  | 2.4 | 45        |
| 21585 | Supine to standing Cobb angle change in idiopathic scoliosis: the effect of endplate pre-selection. <i>Scoliosis</i> , 2014, 9, 16.   | 0.4 | 18        |
| 21586 | Validation of a triglyceride meter for use in pregnancy. <i>BMC Research Notes</i> , 2014, 7, 679.  | 0.6 | 7         |
| 21587 | A validation study: assessing the reliability of the hand held StatStripXPress lactate meter to test lactate in amniotic fluid. <i>BMC Research Notes</i> , 2014, 7, 935.   | 0.6 | 1         |
| 21588 | A comparison of hallux valgus angles assessed with computerised plantar pressure measurements, clinical examination and radiography in patients with diabetes. <i>Journal of Foot and Ankle Research</i> , 2014, 7, 33.                               | 0.7 | 23        |
| 21589 | Severe experimental folate deficiency in a human subject - a longitudinal investigation of red-cell folate immunoassay errors as megaloblastic anaemia develops. <i>SpringerPlus</i> , 2014, 3, 441.  | 1.2 | 2         |
| 21590 | The Mini-BESTest - a clinically reproducible tool for balance evaluations in mild to moderate Parkinson's disease?. <i>BMC Neurology</i> , 2014, 14, 235.   | 0.8 | 62        |
| 21591 | Mass Spectrometric Immunoassay for the qualitative and quantitative analysis of the cytokine Macrophage Migration Inhibitory Factor (MIF). <i>Proteome Science</i> , 2014, 12, 52.  | 0.7 | 25        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21592 | Construct validity and impact of mode of administration of the PedsQL <sup>®</sup> among a pediatric injury population. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 168.                                | 1.0 | 27        |
| 21593 | In vivo contrast free chronic myocardial infarction characterization using diffusion-weighted cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 68.               | 1.6 | 53        |
| 21594 | Simplified post processing of cine DENSE cardiovascular magnetic resonance for quantification of cardiac mechanics. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 94.                            | 1.6 | 15        |
| 21595 | Test-retest reliability of neurophysiological tests of hand-arm vibration syndrome in vibration exposed workers and unexposed referents. <i>Journal of Occupational Medicine and Toxicology</i> , 2014, 9, 38.     | 0.9 | 17        |
| 21596 | Validity and interexaminer reliability of a new method to quantify skin neurofibromas of neurofibromatosis 1 using paper frames. <i>Orphanet Journal of Rare Diseases</i> , 2014, 9, 202.                          | 1.2 | 8         |
| 21597 | Assessment of brain midline shift using sonography in neurosurgical ICU patients. <i>Critical Care</i> , 2014, 18, 676.  | 2.5 | 51        |
| 21598 | The effect of volume of interest definition on quantification of lymph node immune response to a monkeypox virus infection assessed by 18F-FDG-PET. <i>EJNMMI Research</i> , 2014, 4, 49.                          | 1.1 | 2         |
| 21599 | Performance of two portable meters and a benchtop analyzer for blood glucose concentration measurement in rabbits. <i>Journal of the American Veterinary Medical Association</i> , 2014, 245, 87-98.               | 0.2 | 26        |
| 21600 | Limited Utility of Dried-Blood- and Plasma Spot-Based Screening for Antiretroviral Treatment Failure with Cobas Ampliprep/TaqMan HIV-1 Version 2.0. <i>Journal of Clinical Microbiology</i> , 2014, 52, 3878-3883. | 1.8 | 22        |
| 21601 | Validity of salt intake assessment system based on a 24-h dietary recall method using a touch panel computer. <i>Clinical and Experimental Hypertension</i> , 2014, 36, 471-477.                                   | 0.5 | 3         |
| 21602 | Reproducibility of manual and semi-automated late enhancement quantification in patients with Fabry disease. <i>Acta Radiologica</i> , 2014, 55, 155-160.  | 0.5 | 1         |
| 21603 | Correction of the slope-intercept method for the measurement of glomerular filtration rate. <i>Nuclear Medicine Communications</i> , 2014, 35, 1277-1283.  | 0.5 | 14        |
| 21604 | Efficient and Reliable Characterization of the Corticospinal System Using Transcranial Magnetic Stimulation. <i>Journal of Clinical Neurophysiology</i> , 2014, 31, 246-252.                                       | 0.9 | 55        |
| 21605 | Comparison of Peak Versus Onset Latency Measurements in Electrodiagnostic Tests for Carpal Tunnel Syndrome. <i>Journal of Clinical Neurophysiology</i> , 2014, 31, 382-386.  | 0.9 | 5         |
| 21606 | Novel Methodology to Evaluate Renal Cysts in Polycystic Kidney Disease. <i>American Journal of Nephrology</i> , 2014, 39, 210-217.   | 1.4 | 12        |
| 21607 | Repeatability of the Modified Thorington Card Used to Measure Far Heterophoria. <i>Optometry and Vision Science</i> , 2014, 91, 786-792.   | 0.6 | 16        |
| 21608 | Two-Dimensional Video Analysis of the Upper Eyelid Motion During Spontaneous Blinking. <i>Ophthalmic Plastic and Reconstructive Surgery</i> , 2014, 30, 146-151.   | 0.4 | 13        |
| 21609 | Repeatability of Placido-Based Corneal Topography in Keratoconus. <i>Optometry and Vision Science</i> , 2014, 91, 1467-1473.   | 0.6 | 23        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21610 | Comparison of Neonatal Skin Sensor Temperatures With Axillary Temperature. <i>Advances in Neonatal Care</i> , 2014, 14, 52-60.  | 0.5 | 15        |
| 21611 | Theoretical Repeatability Coefficient of a 100 mm Visual Analog Scale in Children. <i>Clinical Journal of Pain</i> , 2014, 30, 515-520.   | 0.8 | 2         |
| 21612 | Kinematic Evaluation of 4 Pediatric Collars and Distribution of Cervical Movement Between Primary and Coupled Angles. <i>Journal of Pediatric Orthopaedics</i> , 2014, 34, 496-502.                                   | 0.6 | 3         |
| 21613 | Feasibility of a Multiple-Choice Mini Mental State Examination for Chronically Critically Ill Patients. <i>Critical Care Medicine</i> , 2014, 42, 1874-1881.  | 0.4 | 5         |
| 21614 | A Novel Analytical Method Using OCT to Describe the Corneoscleral Junction. <i>Optometry and Vision Science</i> , 2014, 91, 650-657.  | 0.6 | 28        |
| 21615 | Repeatability of SphygmoCor pulse wave analysis in assessing arterial wave reflection in pregnancy using applanation tonometry. <i>Hypertension in Pregnancy</i> , 2014, 33, 322-332.                                 | 0.5 | 3         |
| 21616 | Agreement of Corneal Epithelial Profiles Produced by Automated Segmentation of SD-OCT Images Having Different Optical Resolutions. <i>Eye and Contact Lens</i> , 2014, 40, 99-105.                                    | 0.8 | 7         |
| 21617 | Guinea Pig Ciliary Muscle Development. <i>Optometry and Vision Science</i> , 2014, 91, 730-739.   | 0.6 | 4         |
| 21618 | A Simple, Reliable, and Validated Method for Measuring Brow Position. <i>Annals of Plastic Surgery</i> , 2014, 73, 81-85.   | 0.5 | 4         |
| 21619 | Assessment of breast volume changes during human pregnancy using a three-dimensional surface assessment technique in the prospective CGATE study. <i>European Journal of Cancer Prevention</i> , 2014, 23, 151-157.   | 0.6 | 12        |
| 21620 | Proposing a Framework for International Normalized Ratio Testing and Anticoagulation Management in Community Pharmacies. <i>Point of Care</i> , 2014, 13, 125-127.  | 0.5 | 2         |
| 21621 | Cross-Sectional Study on Respiratory Morbidity in Workers After Exposure to Synthetic Amorphous Silica at Five German Production Plants. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 72-78. | 0.9 | 10        |
| 21622 | Invasive validation of the Complior Analyse in the assessment of central artery pressure curves. <i>Blood Pressure Monitoring</i> , 2014, 19, 280-287.  | 0.4 | 21        |
| 21623 | Utility of Theoretical Hirschberg Ratio for Gaze Position Calibration. <i>Optometry and Vision Science</i> , 2014, 91, 778-785.   | 0.6 | 6         |
| 21624 | QUANTIFICATION OF RETINAL PIGMENT EPITHELIUM TEAR AREA IN AGE-RELATED MACULAR DEGENERATION. <i>Retina</i> , 2014, 34, 24-31.  | 1.0 | 16        |
| 21625 | Target Lesion Selection. <i>Investigative Radiology</i> , 2014, 49, 509-517.  | 3.5 | 27        |
| 21626 | Correlation of Tear Osmolarity and Dry Eye Symptoms in Convention Attendees. <i>Optometry and Vision Science</i> , 2014, 91, 142-149.   | 0.6 | 22        |
| 21627 | TEGÂ® Functional Fibrinogen Analysis May Overestimate Fibrinogen Levels. <i>Anesthesia and Analgesia</i> , 2014, 118, 933-935.  | 1.1 | 45        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21628 | Respiratory Inductance Plethysmography—A Rationale for Validity during Exercise. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 488-495.   | 0.2 | 20        |
| 21629 | Intraoperative Three-Dimensional Versus Two-Dimensional Echocardiography for Left Ventricular Assessment. <i>Anesthesia and Analgesia</i> , 2014, 118, 711-720.  | 1.1 | 20        |
| 21630 | Comparing Three Devices for Jump Height Measurement in a Heterogeneous Group of Subjects. <i>Journal of Strength and Conditioning Research</i> , 2014, 28, 2837-2844.  | 1.0 | 17        |
| 21631 | A Prospective Comparison of a Noninvasive Cardiac Output Monitor Versus Esophageal Doppler Monitor for Goal-Directed Fluid Therapy in Colorectal Surgery Patients. <i>Anesthesia and Analgesia</i> , 2014, 118, 966-975.                     | 1.1 | 70        |
| 21632 | Reliability of Muscle Blood Flow Measurements in Orbicularis Oculi. <i>Optometry and Vision Science</i> , 2014, 91, e215-e221.   | 0.6 | 3         |
| 21633 | Urea Rebound Assessment Based on UV Absorbance in Spent Dialysate. <i>ASAIO Journal</i> , 2014, 60, 459-465.   | 0.9 | 10        |
| 21634 | Utility Values among Myopic Patients in Mainland China. <i>Optometry and Vision Science</i> , 2014, 91, 723-729.   | 0.6 | 3         |
| 21635 | Measurement of Anterior Scleral Curvature Using Anterior Segment OCT. <i>Optometry and Vision Science</i> , 2014, 91, 793-802.   | 0.6 | 50        |
| 21636 | Incidental and Planned Exercise Questionnaire for Seniors. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 947-954.   | 0.2 | 29        |
| 21637 | The role of venous blood gas in the Emergency Department. <i>European Journal of Emergency Medicine</i> , 2014, 21, 81-88.   | 0.5 | 106       |
| 21638 | Reproducibility of aortic pulse wave velocity as assessed with the new Complior Analyse. <i>Blood Pressure Monitoring</i> , 2014, 19, 170-175.   | 0.4 | 6         |
| 21639 | Accuracy of Continuous Noninvasive Hemoglobin Monitoring. <i>Anesthesia and Analgesia</i> , 2014, 119, 332-346.  | 1.1 | 90        |
| 21640 | Factors Contributing to Discrepancy Between Visual Acuity Fractions Derived From a Snellen Chart and Letter Scores on the Early Treatment Diabetic Retinopathy Study Chart. <i>Asia-Pacific Journal of Ophthalmology</i> , 2014, 3, 277-285. | 1.3 | 9         |
| 21641 | Central and Peripheral Autorefractometry Repeatability in Normal Eyes. <i>Optometry and Vision Science</i> , 2014, 91, 1106-1112.  | 0.6 | 23        |
| 21642 | The Validity and Reliability of a Customized Rigid Supportive Harness During Smith Machine Back Squat Exercise. <i>Journal of Strength and Conditioning Research</i> , 2014, 28, 636-642.  | 1.0 | 13        |
| 21643 | Development of a Criterion Method to Determine Peak Mechanical Power Output in a Countermovement Jump. <i>Journal of Strength and Conditioning Research</i> , 2014, 28, 1552-1558.   | 1.0 | 167       |
| 21644 | New Approach for Correction of Error Associated With Keratometric Estimation of Corneal Power in Keratoconus. <i>Cornea</i> , 2014, 33, 960-967.   | 0.9 | 16        |
| 21645 | Contrast Sensitivity Perimetry and Clinical Measures of Glaucomatous Damage. <i>Optometry and Vision Science</i> , 2014, 91, 1302-1311.  | 0.6 | 32        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21646 | Postural Change in Intraocular Pressure. <i>Journal of Glaucoma</i> , 2014, 23, e23-e28.   | 0.8 | 26        |
| 21647 | Prediction of Energy Expenditure and Physical Activity in Preschoolers. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 1216-1226.  | 0.2 | 178       |
| 21648 | Spontaneous Temporal Changes and Variability of Peripheral Nerve Conduction Analyzed Using a Random Effects Model. <i>Journal of Clinical Neurophysiology</i> , 2014, 31, 387-391.                         | 0.9 | 2         |
| 21649 | Comparison of Refractive Error Measures by the IRX3 Aberrometer and Autorefraction. <i>Optometry and Vision Science</i> , 2014, 91, 1183-1190.   | 0.6 | 13        |
| 21650 | Comparison and Evaluation of Central Corneal Thickness Using 2 New Noncontact Specular Microscopes and Conventional Pachymetry Devices. <i>Cornea</i> , 2014, 33, 576-581.                                 | 0.9 | 33        |
| 21651 | Subjective versus Objective Accommodative Amplitude. <i>Optometry and Vision Science</i> , 2014, 91, 1290-1301.  | 0.6 | 63        |
| 21652 | Clinical Validity of Macular Ganglion Cell Complex by Spectral Domain-Optical Coherence Tomography in Advanced Glaucoma. <i>Journal of Glaucoma</i> , 2014, 23, 341-346.                                   | 0.8 | 22        |
| 21653 | EXTENT OF DIABETIC MACULAR EDEMA BY SCANNING LASER OPHTHALMOSCOPE IN THE RETROMODE AND ITS FUNCTIONAL CORRELATIONS. <i>Retina</i> , 2014, 34, 2416-2422.   | 1.0 | 8         |
| 21654 | Blood Alcohol Stability in Postmortem Blood Samples. <i>American Journal of Forensic Medicine and Pathology</i> , 2014, 35, 55-58.   | 0.4 | 9         |
| 21655 | Assessment of Neonatal Hyperbilirubinemia Using GEM Premier 4000 Total Bilirubin Assay. <i>Point of Care</i> , 2014, 13, 148-151.  | 0.5 | 0         |
| 21656 | Clinical value of cystatin C and beta-trace protein in glomerular filtration rate in renal transplant cases with stable renal graft functions. <i>Nuclear Medicine Communications</i> , 2014, 35, 733-744. | 0.5 | 4         |
| 21657 | Objective CT-Based Quantification of Lung Sequelae in Treated Patients With Paracoccidioidomycosis. <i>Medicine (United States)</i> , 2014, 93, e167.  | 0.4 | 9         |
| 21658 | Lights and Shadows of the Actual European Guidelines on Bioanalytical Method Validation. <i>Therapeutic Drug Monitoring</i> , 2014, 36, 739-745.   | 1.0 | 6         |
| 21659 | The Validity and Reliability of Noninvasive Methods for Measuring Kyphosis. <i>Journal of Spinal Disorders and Techniques</i> , 2014, 27, E212-E218.   | 1.8 | 31        |
| 21660 | An Evaluation of Two Candidate Functional Biomarkers for AMD. <i>Optometry and Vision Science</i> , 2014, 91, 916-924.   | 0.6 | 10        |
| 21661 | Development and Validation of the QUT Corneal Nerve Grading Scale. <i>Cornea</i> , 2014, 33, 376-381.  | 0.9 | 6         |
| 21662 | Fully Automated, Semiautomated, and Manual Morphometric Analysis of Corneal Subbasal Nerve Plexus in Individuals With and Without Diabetes. <i>Cornea</i> , 2014, 33, 696-702.                             | 0.9 | 84        |
| 21663 | Reliability and Internal Validity of the Michigan Hand Questionnaire. <i>Annals of Plastic Surgery</i> , 2014, 73, 385-389.  | 0.5 | 16        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21664 | Temporal Artery Thermometry in Children Younger Than 5 Years. <i>Pediatric Emergency Care</i> , 2014, 30, 867-870.  | 0.5 | 11        |
| 21665 | Electronic Monitoring of Medication Adherence in a 1-year Clinical Study of 2 Dosing Regimens of Mesalazine for Adults in Remission with Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2014, 20, 82-91.          | 0.9 | 18        |
| 21666 | Validation and comparison of three formulae to estimate sodium and potassium excretion from a single morning fasting urine compared to 24-h measures in 11 countries. <i>Journal of Hypertension</i> , 2014, 32, 1005-1015. | 0.3 | 174       |
| 21667 | Validation of the SenseWear Pro3 Armband Using an Incremental Exercise Test. <i>Journal of Strength and Conditioning Research</i> , 2014, 28, 2806-2814.  | 1.0 | 28        |
| 21668 | Validation of an Ultrasound Dilution Technology for Cardiac Output Measurement and Shunt Detection in Infants and Children. <i>Pediatric Critical Care Medicine</i> , 2014, 15, 139-147.                                    | 0.2 | 26        |
| 21669 | Digital Pathology for the Validation of Tissue Microarrays in Peripheral T-cell Lymphomas. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2014, 22, 577-584.  | 0.6 | 5         |
| 21670 | Clinical Evaluation of a Novel System for Monitoring Surgical Hemoglobin Loss. <i>Anesthesia and Analgesia</i> , 2014, 119, 588-594.  | 1.1 | 53        |
| 21671 | Short-Term Changes in Ocular Biometry and Refraction After Discontinuation of Long-Term Orthokeratology. <i>Eye and Contact Lens</i> , 2014, 40, 84-90.   | 0.8 | 21        |
| 21672 | Preloaded Time Trial to Assess Load Carriage Performance. <i>Journal of Strength and Conditioning Research</i> , 2014, 28, 3354-3362.   | 1.0 | 11        |
| 21673 | Are There Negative Responders to Exercise Training among Heart Failure Patients?. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 219-224.   | 0.2 | 16        |
| 21674 | Companion Confidence in the Balance of Community-Dwelling Older Adults. <i>Journal of Geriatric Physical Therapy</i> , 2014, 37, 121-126.   | 0.6 | 3         |
| 21675 | An objective estimate of energy intake during weight gain using the intake-balance method , ,. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 806-812.  | 2.2 | 26        |
| 21676 | The Computer-Vision Symptom Scale (CVSS17): Development and Initial Validation. , ,. 2014, 55, 4504.  |     | 61        |
| 21677 | The influence of the choice of closing wedge angle on leg length discrepancy after proximal femoral varus osteotomy. <i>Bone and Joint Journal</i> , 2014, 96-B, 1124-1129.   | 1.9 | 2         |
| 21678 | Accuracy Evaluation of Two Systems for Self-Monitoring of Blood Glucose Following ISO 15197. <i>Journal of Diabetes Science and Technology</i> , 2014, 8, 1243-1244.  | 1.3 | 2         |
| 21679 | Stable Isotope Models of Sugar Intake Using Hair, Red Blood Cells, and Plasma, but Not Fasting Plasma Glucose, Predict Sugar Intake in a Yup'ik Study Population. <i>Journal of Nutrition</i> , 2014, 144, 75-80.           | 1.3 | 30        |
| 21680 | Translation, Cultural Adaptation, and Rasch Analysis of the Visual Function (VF-14) Questionnaire. , ,. 2014, 55, 4413.   |     | 31        |
| 21681 | Accuracy of Gas Exchange Monitoring During Noninvasive Ventilation. <i>Journal of Parenteral and Enteral Nutrition</i> , 2014, 38, 86-91.   | 1.3 | 6         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21682 | Five-minute parameter of thromboelastometry is sufficient to detect thrombocytopenia and hypofibrinogenaemia in patients undergoing liver transplantation. <i>British Journal of Anaesthesia</i> , 2014, 112, 290-297.    | 1.5 | 86        |
| 21683 | On "Quality of life and self-reported lower extremity function"   Galantino ML, Kietrys DM, Parrott JS, et al. <i>Phys Ther.</i> doi: 10.2522/ptj.20130337.. <i>Physical Therapy</i> , 2014, 94, 1355-1356.               | 1.1 | 2         |
| 21684 | Characterization of the work-time relationship during cross-country ski ergometry. <i>Physiological Measurement</i> , 2014, 35, 31-43.  | 1.2 | 14        |
| 21685 | A review of the efficacy and effectiveness of using telehealth for paediatric speech and language assessment. <i>Journal of Telemedicine and Telecare</i> , 2014, 20, 405-412.  | 1.4 | 46        |
| 21686 | Assessment of aerobic capacity and walking economy of unilateral transfemoral amputees. <i>Prosthetics and Orthotics International</i> , 2014, 38, 140-147.   | 0.5 | 22        |
| 21687 | Performance of two new automated assays for measuring von Willebrand activity: HemosIL AcuStar and Innovance. <i>Thrombosis and Haemostasis</i> , 2014, 112, 825-830.   | 1.8 | 34        |
| 21688 | Rapid Measurement of Human Milk Macronutrients in the Neonatal Intensive Care Unit. <i>Journal of Human Lactation</i> , 2014, 30, 180-189.  | 0.8 | 45        |
| 21689 | Monitoring brain temperature by time-resolved near-infrared spectroscopy: pilot study. <i>Journal of Biomedical Optics</i> , 2014, 19, 057005.  | 1.4 | 15        |
| 21690 | A novel reporter gene assay for Recombinant Human Erythropoietin (rHuEPO) pharmaceutical products. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 100, 316-321.   | 1.4 | 13        |
| 21691 | Point-of-Care Blood Gases, Electrolytes, Chemistries, Hemoglobin, and Hematocrit Measurement in Venous Samples from Pet Rabbits. <i>Journal of the American Animal Hospital Association</i> , 2014, 50, 305-314.          | 0.5 | 7         |
| 21692 | Emotional and behavioural development in Glasgow primary schools. <i>Educational Psychology in Practice</i> , 2014, 30, 307-320.  | 0.5 | 3         |
| 21693 | Characterization of the Choroid-Scleral Junction and Suprachoroidal Layer in Healthy Individuals on Enhanced-Depth Imaging Optical Coherence Tomography. <i>JAMA Ophthalmology</i> , 2014, 132, 174.                      | 1.4 | 93        |
| 21694 | Foundation doctors'™ views on whether their medical school prepared them well for work: UK graduates of 2008 and 2009. <i>Postgraduate Medical Journal</i> , 2014, 90, 63-68.   | 0.9 | 53        |
| 21695 | Image Quality Influences the Assessment of Left Ventricular Function. <i>Journal of Ultrasound in Medicine</i> , 2014, 33, 297-306.   | 0.8 | 13        |
| 21696 | C-Reactive Protein Predicts Hematoma Growth in Intracerebral Hemorrhage. <i>Stroke</i> , 2014, 45, 59-65.   | 1.0 | 70        |
| 21697 | SNAP II Index. <i>Journal of Intensive Care Medicine</i> , 2014, 29, 225-228.   | 1.3 | 5         |
| 21698 | The effect of arm position on the ultrasonographic measurements of the acromion-greater tuberosity distance. <i>Physiotherapy Theory and Practice</i> , 2014, 30, 171-177.  | 0.6 | 6         |
| 21699 | <sc>ICSH</sc> guidelines for the evaluation of blood cell analysers including those used for differential leucocyte and reticulocyte counting. <i>International Journal of Laboratory Hematology</i> , 2014, 36, 613-627. | 0.7 | 125       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21700 | The Prevalence of Malocclusion and Oral Habits among 5-7-Year-Old Children. <i>Medical Science Monitor</i> , 2014, 20, 2036-2042.  | 0.5 | 49        |
| 21701 | Automated segmentation and analysis of normal and osteoarthritic knee menisci from magnetic resonance images – data from the Osteoarthritis Initiative. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1259-1270.                       | 0.6 | 37        |
| 21702 | Cross-cultural validation of a simple self-report instrument of physical activity in immigrants from the Middle East and native Swedes. <i>Scandinavian Journal of Public Health</i> , 2014, 42, 255-262.                                | 1.2 | 15        |
| 21703 | High intratumoral macrophage content is an adverse prognostic feature in anaplastic large cell lymphoma. <i>Histopathology</i> , 2014, 65, 490-500.  | 1.6 | 42        |
| 21704 | Validation and reproducibility of dietary assessment methods in adolescents: a systematic literature review. <i>Public Health Nutrition</i> , 2014, 17, 2700-2714.   | 1.1 | 49        |
| 21705 | Evaluation of tools used to measure calcium and/or dairy consumption in children and adolescents. <i>Public Health Nutrition</i> , 2014, 17, 1745-1756.  | 1.1 | 6         |
| 21706 | Relative validity of a semi-quantitative FFQ in 3-year-old Polish children. <i>Public Health Nutrition</i> , 2014, 17, 1738-1744.  | 1.1 | 11        |
| 21707 | Comparison of Usual and Alternative Methods to Measure Height in Mechanically Ventilated Patients: Potential Impact on Protective Ventilation. <i>Respiratory Care</i> , 2014, 59, 1025-1033.  | 0.8 | 20        |
| 21708 | Which method is the best for estimating platelet count?. <i>National Journal of Physiology, Pharmacy and Pharmacology</i> , 2014, 4, 177.  | 0.0 | 0         |
| 21709 | Relative validity of the Children's Eating Habits Questionnaire – food frequency section among young European children: the IDEFICS Study. <i>Public Health Nutrition</i> , 2014, 17, 266-276.   | 1.1 | 78        |
| 21710 | Performance of the Genomic Evaluators of Metastatic Prostate Cancer (GEMCaP) Tumor Biomarker for Identifying Recurrent Disease in African American Patients. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1677-1682. | 1.1 | 6         |
| 21711 | Microdialysis Monitoring of CSF Parameters in Severe Traumatic Brain Injury Patients: A Novel Approach. <i>Frontiers in Neurology</i> , 2014, 5, 159.  | 1.1 | 29        |
| 21712 | Validity of a Portable Glucose, Total Cholesterol, and Triglycerides Multi-Analyzer in Adults. <i>Biological Research for Nursing</i> , 2014, 16, 288-294.   | 1.0 | 29        |
| 21713 | Regional distribution of lung compliance by image analysis of computed tomograms. <i>Respiratory Physiology and Neurobiology</i> , 2014, 201, 60-70.   | 0.7 | 28        |
| 21714 | Validation of an FFQ to assess short-term antioxidant intake against 30 d food records and plasma biomarkers. <i>Public Health Nutrition</i> , 2014, 17, 297-306.  | 1.1 | 11        |
| 21715 | BMR in a Brazilian adult probability sample: the Nutrition, Physical Activity and Health Survey. <i>Public Health Nutrition</i> , 2014, 17, 853-860.   | 1.1 | 17        |
| 21716 | Reliability and validity of a short FFQ for assessing the dietary habits of 2-5-year-old children, Sydney, Australia. <i>Public Health Nutrition</i> , 2014, 17, 498-509.  | 1.1 | 54        |
| 21717 | Assessing diets of 3-year-old children: evaluation of an FFQ. <i>Public Health Nutrition</i> , 2014, 17, 1069-1077.  | 1.1 | 21        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21718 | Reliability of self-reported sun exposure in Canadian women and estimation of lifetime exposure to vitamin D from sun and diet. <i>Public Health Nutrition</i> , 2014, 17, 747-755.  | 1.1 | 4         |
| 21719 | Effect of Mild Pressure Applied by the Ultrasound Transducer on Fetal Cephalic Measurements at 20-24 Weeks' Gestation. <i>Fetal Diagnosis and Therapy</i> , 2014, 36, 69-73.   | 0.6 | 2         |
| 21721 | Comparing enfant and PowerDiva sweep visual evoked potential (sVEP) acuity estimates. <i>Documenta Ophthalmologica</i> , 2014, 129, 105-114.   | 1.0 | 9         |
| 21722 | Evaluation of the Performance of a Portable Mid-Infrared Analyzer for the Rapid Determination of Total Trans Fat in Fast Food. <i>JAOCs, Journal of the American Oil Chemists' Society</i> , 2014, 91, 1651-1663.                                  | 0.8 | 23        |
| 21723 | Validity Analysis of Wii Balance Board Versus Baropodometer Platform Using an Open Custom Integrated Application. <i>AASRI Procedia</i> , 2014, 8, 22-29.  | 0.6 | 15        |
| 21724 | Translation, Cultural Adaptation, and Psychometric Testing of the Environmental Distress Scale With Indonesian Survivors of a Volcanic Eruption. <i>Disaster Medicine and Public Health Preparedness</i> , 2014, 8, 229-238.                       | 0.7 | 9         |
| 21725 | Vitamin D status and predictors of serum 25-hydroxyvitamin D concentrations in Western Australian adolescents. <i>British Journal of Nutrition</i> , 2014, 112, 1154-1162.   | 1.2 | 25        |
| 21726 | Hydroxychloroquine and Chloroquine Retinopathy. , 2014, , .  |     | 47        |
| 21727 | Reproducibility and Repeatability of Ganglion Cell-Inner Plexiform Layer Thickness Measurements in Healthy Subjects. <i>Ophthalmologica</i> , 2014, 232, 163-169.  | 1.0 | 7         |
| 21728 | Dressed or undressed? How to measure children's body weight in overweight surveillance?. <i>Public Health Nutrition</i> , 2014, 17, 2715-2720.   | 1.1 | 12        |
| 21729 | Volumetric analysis of lung nodules in computed tomography (CT): comparison of two different segmentation algorithm softwares and two different reconstruction filters on automated volume calculation. <i>Acta Radiologica</i> , 2014, 55, 54-61. | 0.5 | 14        |
| 21730 | Estimation of normal computed tomography measurements for the upper cervical spine in the pediatric age group. <i>Journal of Neurosurgery: Pediatrics</i> , 2014, 14, 425-433.   | 0.8 | 26        |
| 21731 | The DASH and the QuickDASH instruments. Normative values in the general population in Norway. <i>Journal of Hand Surgery: European Volume</i> , 2014, 39, 140-144.   | 0.5 | 179       |
| 21732 | Body Composition in Heavy Smokers: Comparison of Segmental Bioelectrical Impedance Analysis and Dual-Energy X-Ray Absorptiometry. <i>Advances in Experimental Medicine and Biology</i> , 2014, 840, 1-11.  | 0.8 | 8         |
| 21733 | Improvement of energy expenditure prediction from heart rate during running. <i>Physiological Measurement</i> , 2014, 35, 253-266.   | 1.2 | 27        |
| 21734 | Estimating Drivers' Stress from GPS Traces. , 2014, 2014, .  |     | 37        |
| 21735 | RADIO VARIABILITY SURVEY OF VERY LOW LUMINOSITY PROTOSTARS. <i>Astrophysical Journal</i> , 2014, 789, 9.   | 1.6 | 5         |
| 21736 | Feasibility of water seepage monitoring in concrete with embedded smart aggregates by P-wave travel time measurement. <i>Smart Materials and Structures</i> , 2014, 23, 067003.  | 1.8 | 42        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21737 | The influence of carbon monoxide bolus on the measurement of total haemoglobin mass using the optimized CO-rebreathing method. <i>Physiological Measurement</i> , 2014, 35, N11-N19.  | 1.2 | 16        |
| 21738 | Speed of Blood Withdrawal and Accurate Measurement of Oxygen Content in Mixed Venous Blood. <i>American Journal of Critical Care</i> , 2014, 23, 486-493.   | 0.8 | 3         |
| 21739 | Test-retest reliability and validity of normative cut-offs of the two devices measuring touch threshold: Weinstein Enhanced Sensory Test and Pressure-Specified Sensory Device. <i>Hand Therapy</i> , 2014, 19, 3-10.         | 0.5 | 8         |
| 21740 | A novel low-cost method for <i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> DNA extraction from an automated broth culture system for real-time PCR analysis. <i>Journal of Veterinary Science</i> , 2014, 15, 233. | 0.5 | 14        |
| 21741 | Quality of Life and Self-Reported Lower Extremity Function in Adults With HIV-Related Distal Sensory Polyneuropathy. <i>Physical Therapy</i> , 2014, 94, 1455-1466.   | 1.1 | 14        |
| 21742 | Accuracy Assessment of Two Novel Systems for Self-Monitoring of Blood Glucose Following ISO 15197:2013. <i>Journal of Diabetes Science and Technology</i> , 2014, 8, 906-908.   | 1.3 | 11        |
| 21743 | The Doubly Labeled Water Method Produces Highly Reproducible Longitudinal Results in Nutrition Studies. <i>Journal of Nutrition</i> , 2014, 144, 777-783.   | 1.3 | 42        |
| 21744 | Body Composition and Basal Metabolic Rate in Women with Type 2 Diabetes Mellitus. <i>Journal of Nutrition and Metabolism</i> , 2014, 2014, 1-9.   | 0.7 | 8         |
| 21745 | Comparison of Colour Duplex Ultrasound with Computed Tomography to Measure the Maximum Abdominal Aortic Aneurysmal Diameter. <i>International Journal of Vascular Medicine</i> , 2014, 2014, 1-4.                             | 0.4 | 2         |
| 21746 | Validation of a Photoacoustic Gas Analyser for the Measurement of Functional Residual Capacity Using Multiple-Breath Inert Gas Washout. <i>Respiration</i> , 2014, 87, 462-468.   | 1.2 | 17        |
| 21747 | <sup>18</sup> F-Sodium Fluoride Uptake Is a Marker of Active Calcification and Disease Progression in Patients With Aortic Stenosis. <i>Circulation: Cardiovascular Imaging</i> , 2014, 7, 371-378.                           | 1.3 | 210       |
| 21748 | A combined laboratory and field evaluation of the Cholestech LDX and CardioChek PA point-of-care testing lipid and glucose analysers. <i>Annals of Clinical Biochemistry</i> , 2014, 51, 54-67.                               | 0.8 | 36        |
| 21749 | Assessing Agreement between miRNA Microarray Platforms. <i>Microarrays (Basel, Switzerland)</i> , 2014, 3, 302-321.   | 1.4 | 6         |
| 21750 | A spatial database of wildfires in the United States, 1992-2011. <i>Earth System Science Data</i> , 2014, 6, 1-27.  | 3.7 | 121       |
| 21751 | Test-retest relative and absolute reliability of knee extensor strength measures and minimal detectable change. <i>Isokinetics and Exercise Science</i> , 2014, 22, 17-26.  | 0.2 | 17        |
| 21752 | Concurrent validity of walking speed values calculated via the GAITRite electronic walkway and 3 meter walk test in the chronic stroke population. <i>Physiotherapy Theory and Practice</i> , 2014, 30, 183-188.              | 0.6 | 37        |
| 21753 | Computed Tomography Correlates with Cardiopulmonary Hemodynamics in Pulmonary Hypertension in Adults with Sickle Cell Disease. <i>Pulmonary Circulation</i> , 2014, 4, 319-329.   | 0.8 | 7         |
| 21754 | Do the Flags Related to Immature Granulocytes Reported by the Sysmex XE-5000 Warrant a Microscopic Slide Review?. <i>American Journal of Clinical Pathology</i> , 2014, 142, 553-560.   | 0.4 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21755 | Semi-automated retinal vessel analysis in nonmydriatic fundus photography. <i>Acta Ophthalmologica</i> , 2014, 92, e42-9.  | 0.6 | 14        |
| 21756 | Glomerular filtration rate in cows estimated by a prediction formula. <i>Animal Science Journal</i> , 2014, 85, 1001-1004.   | 0.6 | 1         |
| 21757 | The impact of chronic untreated hyperglycaemia on the long-term stability of paraoxonase 1 (PON1) and antioxidant status in human sera. <i>Journal of Clinical Pathology</i> , 2014, 67, 55-59.  | 1.0 | 2         |
| 21758 | The precision and accuracy of Nellcor and Masimo oximeters at low oxygen saturations (70%) in newborn lambs. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2014, 99, F278-F281.  | 1.4 | 18        |
| 21759 | Validity and Reliability of the Neuropsychiatric Inventory Questionnaire Version in Patients With Stroke or Transient Ischemic Attack Having Cognitive Impairment. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2014, 27, 247-252.                   | 1.2 | 36        |
| 21760 | Evaluation of the automated coagulation analyzer CS-5100 and its utility in high throughput laboratories. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014, 52, 1193-202.  | 1.4 | 9         |
| 21761 | Estimating endurance shuttle walk test speed using the six-minute walk test in people with chronic obstructive pulmonary disease. <i>Chronic Respiratory Disease</i> , 2014, 11, 89-94.  | 1.0 | 7         |
| 21762 | Clinical Evaluation of a Novel On-Strip Calibration Method for Blood Glucose Measurement. <i>Journal of Diabetes Science and Technology</i> , 2014, 8, 766-775.  | 1.3 | 5         |
| 21763 | The influence of study population and definition of improvement on the smallest detectable change and the minimal important change of the neck disability index. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 53.                                    | 1.0 | 25        |
| 21764 | Does technique matter; a pilot study exploring weighting techniques for a multi-criteria decision support framework. <i>Cost Effectiveness and Resource Allocation</i> , 2014, 12, 22.   | 0.6 | 43        |
| 21765 | Echocardiographic estimation of mean pulmonary artery pressure in critically ill patients. <i>The Ultrasound Journal</i> , 2014, 6, 9.   | 2.0 | 10        |
| 21766 | Opportunities to improve storage and transportation of blood specimens for CD4 testing in a rural district in Zimbabwe using BD vacutainer CD4 stabilization tubes: a stability and diagnostic accuracy study. <i>BMC Infectious Diseases</i> , 2014, 14, 553. | 1.3 | 0         |
| 21767 | In Vitro Evaluation of a Novel System for Monitoring Surgical Hemoglobin Loss. <i>Anesthesia and Analgesia</i> , 2014, 119, 595-600.   | 1.1 | 31        |
| 21768 | Agreement of Single- and Multi-Frequency Bioimpedance Measurements in Hemodialysis Patients: An Ancillary Study of the Frequent Hemodialysis Network Daily Trial. <i>Nephron Clinical Practice</i> , 2014, 128, 115-126.                                       | 2.3 | 14        |
| 21769 | Development of a Chinese Version of the Ocular Comfort Index. , 2014, 55, 3562.  |     | 17        |
| 21770 | Precision and Accuracy of TearLab Osmometer in Measuring Osmolarity of Salt Solutions. <i>Current Eye Research</i> , 2014, 39, 1247-1250.  | 0.7 | 22        |
| 21771 | 3-T magnetic resonance for determination of aortic valve area: A comparison to echocardiography. <i>Scandinavian Cardiovascular Journal</i> , 2014, 48, 176-183.   | 0.4 | 5         |
| 21772 | The effect of repeated measurements and working memory on the most comfortable level in the ANL test. <i>International Journal of Audiology</i> , 2014, 53, 787-795.   | 0.9 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21773 | Implementation Fidelity of Self-administered Transcutaneous Electrical Nerve Stimulation (TENS) in Patients With Chronic Back Pain. <i>Clinical Journal of Pain</i> , 2014, 30, 224-231.   | 0.8 | 17        |
| 21774 | Cross-cultural Translation, Adaptation, and Psychometric Testing of the Roland-Morris Disability Questionnaire Into Modern Standard Arabic. <i>Spine</i> , 2014, 39, E1537-E1544.  | 1.0 | 23        |
| 21775 | Latex-Enhanced Turbidimetric Immunoassay for Everolimus in Whole Blood Using the Nanopia TDM Everolimus Assay With the JCA-BM6010 Automatic Analyzer. <i>Therapeutic Drug Monitoring</i> , 2014, 36, 677-680.  | 1.0 | 10        |
| 21776 | Repeatability of Usual and Fast Walking Speeds in Patients With Chronic Obstructive Pulmonary Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2014, 34, 348-354.  | 1.2 | 8         |
| 21777 | Evaluation of the Pentacam Ray Tracing Method for the Measurement of Central Corneal Power After Myopic Photorefractive Keratectomy. <i>Cornea</i> , 2014, 33, 261-265.  | 0.9 | 26        |
| 21778 | Correlation between the Size of the Solid Component on Thin-Section CT and the Invasive Component on Pathology in Small Lung Adenocarcinomas Manifesting as Ground-Glass Nodules. <i>Journal of Thoracic Oncology</i> , 2014, 9, 74-82.                                      | 0.5 | 190       |
| 21779 | Evaluation of renal function in elderly patients. <i>Nuclear Medicine Communications</i> , 2014, 35, 416-422.  | 0.5 | 11        |
| 21780 | Symptom Assessment in Pediatric Oncology. <i>Cancer Nursing</i> , 2014, 37, 252-262.   | 0.7 | 36        |
| 21781 | Clinical Nurse Specialists Leading Research to Improve Practice in the Use of Ankle Blood Pressure Readings. <i>Clinical Nurse Specialist</i> , 2014, 28, 33-40.   | 0.3 | 2         |
| 21782 | Validation of an iPad Test of Letter Contrast Sensitivity. <i>Optometry and Vision Science</i> , 2014, 91, 291-296.  | 0.6 | 48        |
| 21783 | Changes in the Objective Amplitude of Accommodation with Pupil Size. <i>Optometry and Vision Science</i> , 2014, 91, 1215-1220.  | 0.6 | 18        |
| 21784 | WHO Multicenter Evaluation of FACSCount CD4 and Pima CD4 T-Cell Count Systems. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 66, e98-e107.   | 0.9 | 29        |
| 21785 | Applicability of the iterative technique for cardiac resynchronization therapy optimization: full-disclosure, 50-sequential-patient dataset of transmitral Doppler traces, with implications for future research design and guidelines. <i>Europace</i> , 2014, 16, 541-550. | 0.7 | 16        |
| 21786 | Can multichannel intraluminal pH-impedance monitoring be limited to 3 hours? Comparison between ambulatory 24-hour and post-prandial 3-hour recording. <i>Ecological Management and Restoration</i> , 2014, 27, 732-736.   | 0.2 | 8         |
| 21787 | Comparison of two bioelectrical impedance devices and dual-energy X-ray absorptiometry to evaluate body composition in heart failure. <i>Journal of Human Nutrition and Dietetics</i> , 2014, 27, 632-638.   | 1.3 | 20        |
| 21788 | Repeatability and Intra- and Inter-observer Agreement of Cervical Vertebral Sagittal Diameter Ratios in Horses with Neurological Disease. <i>Journal of Veterinary Internal Medicine</i> , 2014, 28, 1860-1870.  | 0.6 | 21        |
| 21789 | Measurement properties of continuous text reading performance tests. <i>Ophthalmic and Physiological Optics</i> , 2014, 34, 636-657.   | 1.0 | 26        |
| 21790 | Evaluation of two-step haemoglobin screening with HemoCue for blood donor qualification in mobile collection sites. <i>Vox Sanguinis</i> , 2014, 107, 343-350.   | 0.7 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21791 | Digital image correlation for full-field time-resolved assessment of arterial stiffness. <i>Journal of Biomedical Optics</i> , 2014, 19, 016008.  | 1.4 | 14        |
| 21792 | Development and validation of a nutritional questionnaire for the Palestine population. <i>Public Health Nutrition</i> , 2014, 17, 2512-2518.   | 1.1 | 32        |
| 21793 | Evaluation of using spot urine to replace 24 h urine sodium and potassium excretions. <i>Public Health Nutrition</i> , 2014, 17, 2505-2511.   | 1.1 | 24        |
| 21794 | Human Cadaver Study Evaluating a New Measurement Technique for Graft Volumes after Sinus Floor Elevation. <i>Clinical Implant Dentistry and Related Research</i> , 2014, 16, 212-222.   | 1.6 | 5         |
| 21795 | Comparison of midâ€infrared transmission spectroscopy with biochemical methods for the determination of macronutrients in human milk. <i>Maternal and Child Nutrition</i> , 2014, 10, 373-382.  | 1.4 | 34        |
| 21796 | Socioâ€economic and ethnic differences in the prevalence of overweight and obesity among school children. <i>Journal of Paediatrics and Child Health</i> , 2014, 50, E77-84.  | 0.4 | 14        |
| 21797 | Estimating the energy contribution during single and repeated sprint swimming. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2014, 24, 369-376.   | 1.3 | 30        |
| 21798 | Screening patients at risk for diabetic foot ulceration: a comparison between measurement of vibration perception threshold and 10â€g monofilament test. <i>International Wound Journal</i> , 2014, 11, 147-151.                                | 1.3 | 23        |
| 21799 | Comparison of Adolescents' Reports of Sexual Behavior on a Survey and Sexual Health History Calendar. <i>Journal of Sex Research</i> , 2014, 51, 777-787.   | 1.6 | 5         |
| 21800 | Evaluation of the autoâ€refraction function of the Nidek OPDâ€Scan III. <i>Australasian journal of optometry</i> , The, 2014, 97, 160-163.  | 0.6 | 29        |
| 21801 | Determination of the exercise intensity that elicits maximal fat oxidation in short-time testing. <i>Journal of Sports Sciences</i> , 2014, 32, 175-182.  | 1.0 | 22        |
| 21802 | Hippocampal volume change measurement: Quantitative assessment of the reproducibility of expert manual outlining and the automated methods FreeSurfer and FIRST. <i>NeuroImage</i> , 2014, 92, 169-181.   | 2.1 | 117       |
| 21803 | Maternalâ€fetal attachment and prenatal diagnosis of heart disease. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 174, 70-75.  | 0.5 | 14        |
| 21804 | Evaluating the utility of the body adiposity index in adolescent boys and girls. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 434-438.   | 0.6 | 7         |
| 21805 | Comparative study of three methods of estimation of creatinine clearance in critically ill patients. <i>Annales Francaises D'Anesthesie Et De Reanimation</i> , 2014, 33, e85-e88.  | 1.4 | 6         |
| 21806 | Reappearance of Circulating Heparin in Whole Blood Heparin Concentration-Based Management Does Not Correlate With Postoperative Bleeding After Cardiac Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2014, 28, 1003-1007. | 0.6 | 52        |
| 21807 | Validity and reproducibility of an interviewer-administered food frequency questionnaire in Austrian adults at risk of or with overt diabetes mellitus. <i>Nutrition Research</i> , 2014, 34, 410-419.  | 1.3 | 5         |
| 21808 | Body composition following stem cell transplant: Comparison of bioimpedance and air-displacement plethysmography. <i>Nutrition</i> , 2014, 30, 1000-1006.   | 1.1 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21809 | Reliability of a modified motor unit number index (MUNIX) technique. <i>Journal of Electromyography and Kinesiology</i> , 2014, 24, 18-24.  | 0.7 | 16        |
| 21810 | Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Reference data for the trunk and application in patients with chronic postherpetic neuralgia. <i>Pain</i> , 2014, 155, 1002-1015.                       | 2.0 | 157       |
| 21811 | Single sweep three-dimensional carotid ultrasound: Reproducibility in plaque and artery volume measurements. <i>Atherosclerosis</i> , 2014, 232, 397-402.   | 0.4 | 27        |
| 21812 | Sholl analysis: A quantitative comparison of semi-automated methods. <i>Journal of Neuroscience Methods</i> , 2014, 225, 65-70.   | 1.3 | 80        |
| 21813 | Accuracy and precision of pseudo-continuous arterial spin labeling perfusion during baseline and hypercapnia: A head-to-head comparison with 15O H2O positron emission tomography. <i>NeuroImage</i> , 2014, 92, 182-192.                       | 2.1 | 133       |
| 21814 | The effect of baseline morphology and its change during treatment on the accuracy of Response Evaluation Criteria in Solid Tumours in assessment of liver metastases. <i>European Journal of Cancer</i> , 2014, 50, 972-980.                    | 1.3 | 20        |
| 21815 | Influence of computed tomography angiography reconstruction software on anatomic measurements and endograft component selection for endovascular abdominal aortic aneurysm repair. <i>Journal of Vascular Surgery</i> , 2014, 59, 1224-1231.e3. | 0.6 | 25        |
| 21816 | Value of volume measurements in evaluating abdominal aortic aneurysms growth rate and need for surgical treatment. <i>European Journal of Radiology</i> , 2014, 83, 1051-1056.  | 1.2 | 27        |
| 21817 | Measurement of Maximum Diameter of Native Abdominal Aortic Aneurysm by Angio-CT: Reproducibility is Better with the Semi-automated Method. <i>European Journal of Vascular and Endovascular Surgery</i> , 2014, 47, 139-150.                    | 0.8 | 31        |
| 21818 | Comparing analytic performance criteria: Evaluation of HbA1c certification criteria as an example. <i>Clinica Chimica Acta</i> , 2014, 433, 259-263.  | 0.5 | 13        |
| 21819 | Selection, Use and Psychometric Properties of Physical Activity Measures to Assess Individuals with Severe Mental Illness: A Narrative Synthesis. <i>Archives of Psychiatric Nursing</i> , 2014, 28, 135-151.                                   | 0.7 | 126       |
| 21820 | Prospective comparison of speckle tracking longitudinal bidimensional strain between two vendors. <i>Archives of Cardiovascular Diseases</i> , 2014, 107, 96-104.   | 0.7 | 31        |
| 21821 | Postoperative but not preoperative treatment with sorafenib inhibits liver regeneration in rats. <i>Journal of Surgical Research</i> , 2014, 191, 331-338.  | 0.8 | 1         |
| 21822 | A comparison of the validity of two indirect utility instruments as measures of postoperative recovery. <i>Journal of Surgical Research</i> , 2014, 190, 79-86.   | 0.8 | 19        |
| 21823 | Temporal and spatial gait parameters in patients dependent on walking assistance after stroke: Reliability and agreement between simple and advanced methods of assessment. <i>Gait and Posture</i> , 2014, 40, 101-106.                        | 0.6 | 7         |
| 21824 | Visual transform applications for estimating the spatial QRS-T angle from the conventional 12-lead ECG: Kors is still most Frank. <i>Journal of Electrocardiology</i> , 2014, 47, 12-19.  | 0.4 | 44        |
| 21825 | Artefacts induced by coiled intracranial aneurysms on 3.0-Tesla versus 1.5-Tesla MR angiography: An in vivo and in vitro study. <i>European Journal of Radiology</i> , 2014, 83, 811-816.   | 1.2 | 6         |
| 21826 | Early Pregnancy Placental Bed and Fetal Vascular Volume Measurements Using 3-D Virtual Reality. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 1796-1803.  | 0.7 | 11        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21827 | Comparison of two nonverbal intelligence tests among children who are deaf or hard-of-hearing. <i>Research in Developmental Disabilities</i> , 2014, 35, 463-471.  | 1.2 | 19        |
| 21828 | Thermodilution vs pressure recording analytical method in hemodynamic stabilized patients. <i>Journal of Critical Care</i> , 2014, 29, 260-264.  | 1.0 | 18        |
| 21829 | Response to comment on: Semi-automatic assessment of skin capillary density: Proof of principle and validation. <i>Microvascular Research</i> , 2014, 94, 7-8.   | 1.1 | 0         |
| 21830 | Validity and reliability of a German version of the Neck Disability Index (NDI-G). <i>Manual Therapy</i> , 2014, 19, 52-58.  | 1.6 | 53        |
| 21831 | Mail Versus Telephone Administration of the Oxford Knee and Hip Scores. <i>Journal of Arthroplasty</i> , 2014, 29, 491-494.  | 1.5 | 13        |
| 21832 | Field monitoring of feed digestibility in Atlantic salmon farming using crude fiber as an inert marker. <i>Aquaculture</i> , 2014, 426-427, 249-255.   | 1.7 | 12        |
| 21833 | Repeatability and validation of Gait Deviation Index in children: Typically developing and cerebral palsy. <i>Gait and Posture</i> , 2014, 39, 354-358.  | 0.6 | 44        |
| 21834 | Preoperative Infra- and Suprarenal Aortic Pulsatile Distension is Comparable between Relatively Young and Older Patients with an Abdominal Aortic Aneurysm. <i>Annals of Vascular Surgery</i> , 2014, 28, 845-849.   | 0.4 | 2         |
| 21835 | A low-cost force sensor-based posturographic plate for home care telerehabilitation exergaming. Measurement: <i>Journal of the International Measurement Confederation</i> , 2014, 51, 400-410.  | 2.5 | 16        |
| 21836 | Testing software tools with synthesized deviant voices for medicolegal assessment of occupational dysphonia. <i>Biomedical Signal Processing and Control</i> , 2014, 13, 71-78.  | 3.5 | 11        |
| 21837 | Detection of diminished response to cold pressor test in smokers: Assessment using phase-contrast cine magnetic resonance imaging of the coronary sinus. <i>Magnetic Resonance Imaging</i> , 2014, 32, 217-223.  | 1.0 | 6         |
| 21838 | Three-Dimensional Echocardiography and Cardiac Magnetic Resonance Imaging in the Screening of Long-Term Survivors of Childhood Cancer After Cardiotoxic Therapy. <i>American Journal of Cardiology</i> , 2014, 113, 1886-1892.   | 0.7 | 30        |
| 21839 | Oxygen-enhanced MRI for patients with connective tissue diseases: Comparison with thin-section CT of capability for pulmonary functional and disease severity assessment. <i>European Journal of Radiology</i> , 2014, 83, 391-397.  | 1.2 | 28        |
| 21840 | Are Temporal Artery Temperatures Accurate Enough to Replace Rectal Temperature Measurement in Pediatric ED Patients?. <i>Journal of Emergency Nursing</i> , 2014, 40, 46-50.   | 0.5 | 22        |
| 21841 | Quantification of myocardial perfusion using cardiac magnetic resonance imaging correlates significantly to rubidium-82 positron emission tomography in patients with severe coronary artery disease: A preliminary study. <i>European Journal of Radiology</i> , 2014, 83, 1120-1128. | 1.2 | 16        |
| 21842 | Repeatability of Quantitative MRI Measurements in Normal Breast Tissue. <i>Translational Oncology</i> , 2014, 7, 130-137.  | 1.7 | 20        |
| 21843 | Statistical evaluation of reproducibility of automated ECG measurements: An example from arrhythmogenic right ventricular dysplasia/cardiomyopathy clinic. <i>Biomedical Signal Processing and Control</i> , 2014, 13, 23-30.  | 3.5 | 14        |
| 21844 | Validation of prediction equations for resting energy expenditure in Singaporean Chinese men. <i>Obesity Research and Clinical Practice</i> , 2014, 8, e283-e290.  | 0.8 | 14        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21845 | Rapid acquisition technique for MR elastography of the liver. <i>Magnetic Resonance Imaging</i> , 2014, 32, 679-683.  | 1.0 | 32        |
| 21846 | A photonic crystal biosensor assay for ferritin utilizing iron-oxide nanoparticles. <i>Biosensors and Bioelectronics</i> , 2014, 56, 320-327.   | 5.3 | 52        |
| 21847 | Specific activity measurement of <sup>64</sup> Cu: A comparison of methods. <i>Applied Radiation and Isotopes</i> , 2014, 90, 117-121.  | 0.7 | 12        |
| 21848 | Reliability of computer-assisted lumbar intervertebral measurements using a novel vertebral motion analysis system. <i>Spine Journal</i> , 2014, 14, 274-281.   | 0.6 | 24        |
| 21849 | Dose-reduced CT with model-based iterative reconstruction in evaluations of hepatic steatosis: How low can we go?. <i>European Journal of Radiology</i> , 2014, 83, 1063-1068.  | 1.2 | 14        |
| 21850 | Measurement Properties of Radial and Tibial Speed of Sound for Screening Bone Fragility in 10- to 12-Year-Old Boys and Girls. <i>Journal of Clinical Densitometry</i> , 2014, 17, 528-533.  | 0.5 | 4         |
| 21851 | Pulmonary Symptoms Measured by the National Institutes of Health Lung Score Predict Overall Survival, Nonrelapse Mortality, and Patient-Reported Outcomes In Chronic Graft-Versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 337-344. | 2.0 | 76        |
| 21852 | Towards clinical application: Repetitive sensor position re-calibration for improved reliability of gait parameters. <i>Gait and Posture</i> , 2014, 39, 1146-1148.   | 0.6 | 64        |
| 21853 | Reproducibility Study of Fetal 3-D Volumetry in the First Trimester: Effect of Fetal Size and Rotational Angle of VOCAL Software. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 877-883.  | 0.7 | 2         |
| 21854 | Estimation of 24-Hour Urine Phosphate Excretion From Spot Urine Collection: Development of a Predictive Equation. , 2014, 24, 194-199.  |     | 15        |
| 21855 | A pacemaker transthoracic impedance sensor with an advanced algorithm to identify severe sleep apnea: The DREAM European study. <i>Heart Rhythm</i> , 2014, 11, 842-848.  | 0.3 | 76        |
| 21856 | Inter-observer Variability in Sizing Fenestrated and/or Branched Aortic Stent-grafts. <i>European Journal of Vascular and Endovascular Surgery</i> , 2014, 47, 45-52.   | 0.8 | 21        |
| 21857 | Assessment of mean respiratory rate from ECG recordings for risk stratification after myocardial infarction. <i>Journal of Electrocardiology</i> , 2014, 47, 700-704.   | 0.4 | 32        |
| 21858 | Radial Mean Arterial Pressure Reliably Reflects Femoral Mean Arterial Pressure in Uncomplicated Pediatric Cardiac Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2014, 28, 76-83.  | 0.6 | 5         |
| 21859 | Mobile Smartphone Applications for Body Position Measurement in Rehabilitation: A Review of Goniometric Tools. <i>PM and R</i> , 2014, 6, 1038-1043.  | 0.9 | 108       |
| 21860 | The increased sensitivity of human cytomegalovirus (HCMV) PCR quantitation in whole blood affects reproductive rate (Ro) measurement. <i>Journal of Virological Methods</i> , 2014, 196, 179-184.   | 1.0 | 3         |
| 21861 | Effects of Carotid Endarterectomy or Stenting on Arterial Diameters in the Circle of Willis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 699-705.   | 0.7 | 8         |
| 21862 | Measuring and Predicting Prostate Cancer Related Quality of Life Changes Using EPIC for Clinical Practice. <i>Journal of Urology</i> , 2014, 191, 638-645.  | 0.2 | 62        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21863 | Femoral Pinless Length and Offset Measurements During Computer-Assisted, Minimally Invasive Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2014, 29, 1021-1025.  | 1.5 | 15        |
| 21864 | Automatic Measurements of Diameter, Distension and Intima Media Thickness of the Aorta in Premature Rabbit Pups Using B-Mode Images. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 371-377.                                    | 0.7 | 9         |
| 21865 | A 3-dimensional rigid cluster thorax model for kinematic measurements during gait. <i>Journal of Biomechanics</i> , 2014, 47, 1499-1505.   | 0.9 | 19        |
| 21866 | Early Detection of Epirubicin-Induced Cardiotoxicity in Patients with Breast Cancer. <i>Journal of the American Society of Echocardiography</i> , 2014, 27, 83-92.   | 1.2 | 79        |
| 21867 | Finite element analysis and CT-based structural rigidity analysis to assess failure load in bones with simulated lytic defects. <i>Bone</i> , 2014, 58, 160-167.   | 1.4 | 51        |
| 21868 | Reliability of scar assessments performed with an integrated skin testing device – The DermaLab Combo®. <i>Burns</i> , 2014, 40, 1521-1529.  | 1.1 | 47        |
| 21869 | Interobserver agreement of semi-automated and manual measurements of functional MRI metrics of treatment response in hepatocellular carcinoma. <i>European Journal of Radiology</i> , 2014, 83, 487-496.                               | 1.2 | 63        |
| 21870 | Comparison of Contemporaneous EQ-5D and SF-6D Responses Using Scoring Algorithms Derived from Similar Valuation Exercises. <i>Value in Health</i> , 2014, 17, 570-577.   | 0.1 | 23        |
| 21871 | Clinical validation of an algorithm for rapid and accurate automated segmentation of intracoronary optical coherence tomography images. <i>International Journal of Cardiology</i> , 2014, 172, 568-580.                               | 0.8 | 15        |
| 21872 | Body composition in 18- to 88-year-old adults – comparison of multifrequency bioimpedance and dual-energy X-ray absorptiometry. <i>Obesity</i> , 2014, 22, 101-109.  | 1.5 | 82        |
| 21873 | PC-PVT: A platform for psychomotor vigilance task testing, analysis, and prediction. <i>Behavior Research Methods</i> , 2014, 46, 140-147.   | 2.3 | 110       |
| 21874 | Are the measurements of water-filled and air-charged catheters the same in urodynamics?. <i>International Urogynecology Journal</i> , 2014, 25, 123-130.   | 0.7 | 37        |
| 21875 | Measurement properties of the Work Limitations Questionnaire were sufficient among cancer survivors. <i>Quality of Life Research</i> , 2014, 23, 515-525.  | 1.5 | 28        |
| 21876 | Reliability, validity and responsiveness of the Italian version of the Foot Function Index in patients with foot and ankle diseases. <i>Quality of Life Research</i> , 2014, 23, 277-284.  | 1.5 | 39        |
| 21877 | Identification of anaerobic threshold by analysis of heart rate variability during discontinuous dynamic and resistance exercise protocols in healthy older men. <i>Clinical Physiology and Functional Imaging</i> , 2014, 34, 98-108. | 0.5 | 17        |
| 21878 | On-Line Detection of Apnea/Hypopnea Events Using SpO <sub>2</sub> Signal: A Rule-Based Approach Employing Binary Classifier Models. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2014, 18, 231-239.                      | 3.9 | 26        |
| 21879 | Validity of 24-h recalls in (pre-)school aged children: Comparison of proxy-reported energy intakes with measured energy expenditure. <i>Clinical Nutrition</i> , 2014, 33, 79-84.   | 2.3 | 53        |
| 21880 | Evaluating the Kikuhime pressure monitor for use with sports compression clothing. <i>Sports Engineering</i> , 2014, 17, 55-60.  | 0.5 | 50        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21881 | TSH Comparison Between Chemiluminescence (Architect) and Electrochemiluminescence (Cobas) Immunoassays: An Indian Population Perspective. Indian Journal of Clinical Biochemistry, 2014, 29, 189-195.   | 0.9 | 25        |
| 21882 | Comparison of Mass Versus Activity of Creatine Kinase MB and Its Utility in the Early Diagnosis of Re-infarction. Indian Journal of Clinical Biochemistry, 2014, 29, 161-166.   | 0.9 | 6         |
| 21883 | Does rating of perceived exertion result in target exercise intensity during interval training in cardiac rehabilitation? A study of the Borg scale versus a heart rate monitor. Journal of Science and Medicine in Sport, 2014, 17, 541-545. | 0.6 | 43        |
| 21884 | Comparison of Laser Diffraction Measurements by Mastersizer X and Spraytec to Characterize Droplet Size Distribution of Medical Liquid Aerosols. Journal of Aerosol Medicine and Pulmonary Drug Delivery, 2014, 27, 94-102.                   | 0.7 | 13        |
| 21885 | Repeatability of visual function measures in age-related macular degeneration. Graefe's Archive for Clinical and Experimental Ophthalmology, 2014, 252, 201-206.  | 1.0 | 13        |
| 21886 | Radiographic evaluation of ventral instability in lumbar spondylolisthesis: do we need extension radiographs in routine exams?. European Spine Journal, 2014, 23, 96-101.   | 1.0 | 24        |
| 21887 | Comparison of Total Cortisol, Free Cortisol, and Surrogate Markers of Free Cortisol in Diagnosis of Adrenal Insufficiency in Patients With Stable Cirrhosis. Clinical Gastroenterology and Hepatology, 2014, 12, 504-512.e8.                  | 2.4 | 45        |
| 21888 | Validity and reliability evidences of the Hit & Turn Tennis Test. Science and Sports, 2014, 29, e47-e53.  | 0.2 | 3         |
| 21889 | Using ultrasound to measure the fibre angle of vastus medialis oblique: A cadaveric validation study. Knee, 2014, 21, 107-111.  | 0.8 | 23        |
| 21891 | Methodological Considerations in Quantification of 3'-Deoxy-3'-[18F]Fluorothymidine Uptake Measured with Positron Emission Tomography in Patients with Non-Small Cell Lung Cancer. Molecular Imaging and Biology, 2014, 16, 136-145.          | 1.3 | 8         |
| 21892 | Validation of the Pelvic Floor Distress Inventory (PFDI-20) and Pelvic Floor Impact Questionnaire (PFIQ-7) in a Dutch population. International Urogynecology Journal, 2014, 25, 531-544.   | 0.7 | 66        |
| 21893 | Bench test assessment of mainstream capnography during high frequency oscillatory ventilation. Journal of Clinical Monitoring and Computing, 2014, 28, 63-66.   | 0.7 | 1         |
| 21894 | Alternatives to polysomnography (PSG): A validation of wrist actigraphy and a partial-PSG system. Behavior Research Methods, 2014, 46, 1032-1041.   | 2.3 | 108       |
| 21895 | Comparison of automated vs. manual determination of the respiratory variations in the EKG R wave amplitude for the prediction of fluid responsiveness during surgery. Journal of Computational Surgery, 2014, 1, .                            | 0.6 | 1         |
| 21896 | Feasibility of deep-inspiration breath-hold PET/CT with short-time acquisition: detectability for pulmonary lesions compared with respiratory-gated PET/CT. Annals of Nuclear Medicine, 2014, 28, 1-10.                                       | 1.2 | 13        |
| 21897 | Measurement of cone dark adaptation: a comparison of four psychophysical methods. Documenta Ophthalmologica, 2014, 128, 33-41.  | 1.0 | 6         |
| 21898 | Validation of a Food Frequency Questionnaire for Retrospective Estimation of Diet During the First 24 Years of Life. Maternal and Child Health Journal, 2014, 18, 268-285.  | 0.7 | 12        |
| 21899 | Does temperature effect tympanometric evaluation of ear canal volume? A scientific study using an Ear Canal Model. European Archives of Oto-Rhino-Laryngology, 2014, 271, 75-80.  | 0.8 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21900 | Determination of carbamazepine: a comparison of the differential pulse voltammetry (DPV) method and the immunoassay method in a clinical trial. <i>Journal of Analytical Chemistry</i> , 2014, 69, 57-61.                              | 0.4 | 6         |
| 21901 | The adductor tubercle as an important landmark to determine the joint line level in total knee arthroplasty: from radiographs to surgical theatre. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 3034-3038.        | 2.3 | 23        |
| 21902 | Measurement of Oxygen Consumption in Children Undergoing Cardiac Catheterization: Comparison Between Mass Spectrometry and the Breath-by-Breath Method. <i>Pediatric Cardiology</i> , 2014, 35, 798-802.                               | 0.6 | 15        |
| 21903 | Electrocardiographically gated <sup>11</sup> C-hydroxyephedrine PET for the simultaneous assessment of cardiac sympathetic and contractile functions. <i>Annals of Nuclear Medicine</i> , 2014, 28, 187-195.                           | 1.2 | 6         |
| 21904 | In vivo differences among scan modes in bone mineral density measurement at dual-energy X-ray absorptiometry. <i>Radiologia Medica</i> , 2014, 119, 257-260.   | 4.7 | 11        |
| 21905 | Comparison between different imaging techniques in the evaluation of malignant breast lesions: can 3D ultrasound be useful?. <i>Radiologia Medica</i> , 2014, 119, 240-248.  | 4.7 | 16        |
| 21906 | Three-question dementia screening. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2014, 47, 577-582.  | 0.8 | 8         |
| 21907 | Evaluation of methods based on creatinine and cystatin C to estimate glomerular filtration rate in chronic kidney disease. <i>International Urology and Nephrology</i> , 2014, 46, 1161-1167.  | 0.6 | 16        |
| 21908 | Validation and comparison of 15-D and EQ-5D-5L instruments in a Spanish Parkinson's disease population sample. <i>Quality of Life Research</i> , 2014, 23, 1315-1326.  | 1.5 | 18        |
| 21909 | Accuracy of three novel predictive methods for measurements of fat mass in healthy older subjects. <i>Aging Clinical and Experimental Research</i> , 2014, 26, 319-325.  | 1.4 | 9         |
| 21910 | Development of a method for isolating bovine colostrum mononuclear leukocytes for phenotyping and functional studies. <i>Veterinary Journal</i> , 2014, 200, 294-298.  | 0.6 | 12        |
| 21911 | Test re-test reliability of centre of pressure measures during standing balance in individuals with knee osteoarthritis. <i>Gait and Posture</i> , 2014, 40, 270-273.  | 0.6 | 23        |
| 21912 | Author response to the letter: On "Validity and reliability of the Nintendo Wii Balance Board for assessment of standing balance" Are the conclusions stated by the authors justified?. <i>Gait and Posture</i> , 2014, 39, 1151-1154. | 0.6 | 6         |
| 21914 | Micro-method for the determination of glutathione in human blood. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 964, 191-194.  | 1.2 | 36        |
| 21915 | Simple Colorimetric Trypanothione Reductase-Based Assay for High-Throughput Screening of Drugs against Leishmania Intracellular Amastigotes. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 527-535.                         | 1.4 | 27        |
| 21916 | Peripheral venous and arterial blood gas analysis in adults: are they comparable? A systematic review and meta-analysis. <i>Respirology</i> , 2014, 19, 168-175.   | 1.3 | 123       |
| 21917 | Reliability and Validity of a New Maximal Anaerobic Shuttle Running Test. <i>International Journal of Sports Medicine</i> , 2014, 35, 310-315.   | 0.8 | 5         |
| 21918 | Measurement of Scleral Thickness using Swept-Source Optical Coherence Tomography in Patients With Open-Angle Glaucoma and Myopia. <i>American Journal of Ophthalmology</i> , 2014, 157, 876-884.                                       | 1.7 | 44        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21919 | Detection of sleep bruxism: comparison between an electromyographic and electrocardiographic portable holter and polysomnography. <i>Journal of Oral Rehabilitation</i> , 2014, 41, 163-169.  | 1.3 | 81        |
| 21920 | Duplex quantitative Reverse-Transcriptase PCR for simultaneous assessment of drug activity against <i>Leishmania</i> intracellular amastigotes and their host cells. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2014, 4, 14-19.   | 1.4 | 13        |
| 21921 | Reliability of upper airway linear, area, and volumetric measurements in cone-beam computed tomography. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2014, 145, 188-197.   | 0.8 | 45        |
| 21922 | Evaluation of cone-beam computed tomography in the diagnosis of simulated small osseous defects in the mandibular condyle. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2014, 145, 143-156.  | 0.8 | 32        |
| 21923 | Accuracy, reproducibility, and time efficiency of dental measurements using different technologies. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2014, 145, 157-164.   | 0.8 | 41        |
| 21924 | Dimensions and morphologic variations of sella turcica in type 1 diabetic patients. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2014, 145, 179-187.   | 0.8 | 28        |
| 21925 | Measuring antimicrobial use in hospitalized patients: a systematic review of available measures applicable to paediatrics. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 1447-1456.  | 1.3 | 40        |
| 21926 | Is there consistency in cephalometric landmark identification amongst oral and maxillofacial surgeons?. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2014, 43, 445-453.   | 0.7 | 28        |
| 21927 | A comparison between the AASM 2012 and 2007 definitions for detecting hypopnea. <i>Sleep and Breathing</i> , 2014, 18, 767-773.   | 0.9 | 67        |
| 21928 | First-pass perfusion of non-small-cell lung cancer (NSCLC) with 64-detector-row CT: a study of technique repeatability and intra- and interobserver variability. <i>Radiologia Medica</i> , 2014, 119, 4-12.  | 4.7 | 8         |
| 21929 | Use of a high sensitive nanofluidic array for the detection of rare copies of BCR-ABL1 transcript in patients with Philadelphia-positive acute lymphoblastic leukemia in complete response. <i>Leukemia Research</i> , 2014, 38, 581-585.   | 0.4 | 20        |
| 21930 | A comparison of body composition measurement techniques. <i>Journal of Human Nutrition and Dietetics</i> , 2014, 27, 626-631.   | 1.3 | 8         |
| 21931 | New technique for prostate volume assessment. <i>World Journal of Urology</i> , 2014, 32, 1559-1564.  | 1.2 | 11        |
| 21932 | Cerebral oxygenation after birth – a comparison of INVOS <sup>®</sup> and FORE <sup>®</sup> and SIGHT <sup>®</sup> near-infrared spectroscopy oximeters. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, 488-493.  | 0.7 | 64        |
| 21933 | Bilateral symmetry of breast tissue composition by magnetic resonance in young women and adults. <i>Cancer Causes and Control</i> , 2014, 25, 491-497.  | 0.8 | 15        |
| 21934 | The detection and measurement of interleukin-6 in venous and capillary blood samples, and in sweat collected at rest and during exercise. <i>European Journal of Applied Physiology</i> , 2014, 114, 1207-1216.   | 1.2 | 30        |
| 21935 | Measurement properties of the Client-centered Care Questionnaire (CCCQ): factor structure, reliability and validity of a questionnaire to assess self-reported client-centeredness of home care services in a population of frail, older people. <i>Quality of Life Research</i> , 2014, 23, 2063-2072. | 1.5 | 16        |
| 21936 | Absolute quantification of perfusion by dynamic susceptibility contrast MRI using Bookend and VASO steady-state CBV calibration: a comparison with pseudo-continuous ASL. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2014, 27, 487-499.                                    | 1.1 | 7         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21937 | A Validation of Two-Dimensional In Vivo Regional Strain Computed from Displacement Encoding with Stimulated Echoes (DENSE), in Reference to Tagged Magnetic Resonance Imaging and Studies in Repeatability. <i>Annals of Biomedical Engineering</i> , 2014, 42, 541-554. | 1.3 | 37        |
| 21938 | Accuracy and precision of calibrated arterial pulse contour analysis in patients with subarachnoid hemorrhage requiring high-dose vasopressor therapy: a prospective observational clinical trial. <i>Critical Care</i> , 2014, 18, R25.                                 | 2.5 | 14        |
| 21939 | Reliability and validity of the Iranian version of the QAPACE in adolescents. <i>Quality of Life Research</i> , 2014, 23, 1797-1802.   | 1.5 | 5         |
| 21940 | Keratometry with five different techniques: a study of device repeatability and inter-device agreement. <i>International Ophthalmology</i> , 2014, 34, 869-875.  | 0.6 | 36        |
| 21941 | Interchangeability of 28-joint disease activity scores using the erythrocyte sedimentation rate or the C-reactive protein as inflammatory marker. <i>Clinical Rheumatology</i> , 2014, 33, 783-789.  | 1.0 | 21        |
| 21942 | Pre-operative left atrial strain predicts post-operative atrial fibrillation in patients undergoing aortic valve replacement for aortic stenosis. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 279-286.  | 0.7 | 48        |
| 21943 | Perception of pain and distress in intubated and mechanically ventilated newborn infants by parents and health professionals. <i>BMC Pediatrics</i> , 2014, 14, 44.  | 0.7 | 2         |
| 21944 | Reliability and concurrent validity of a novel method allowing for in-shoe measurement of navicular drop. <i>Journal of Foot and Ankle Research</i> , 2014, 7, 12.   | 0.7 | 10        |
| 21945 | The quantification of glenoid bone loss in anterior shoulder instability; MR-arthro compared to 3D-CT. <i>Skeletal Radiology</i> , 2014, 43, 475-483.  | 1.2 | 28        |
| 21946 | How Accurate and Precise Are Limited Sampling Strategies in Estimating Exposure to Mycophenolic Acid in People with Autoimmune Disease?. <i>Clinical Pharmacokinetics</i> , 2014, 53, 227-245.   | 1.6 | 14        |
| 21947 | Screening of the spine in adolescents: inter- and intra-rater reliability and measurement error of commonly used clinical tests. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 37.  | 0.8 | 19        |
| 21948 | Using R2* values to evaluate brain tumours on magnetic resonance imaging: Preliminary results. <i>European Radiology</i> , 2014, 24, 693-702.  | 2.3 | 8         |
| 21949 | Valuation of EQ-5D-3L Health States in Singapore: Modeling of Time Trade-Off Values for 80 Empirically Observed Health States. <i>Pharmacoeconomics</i> , 2014, 32, 495-507.   | 1.7 | 77        |
| 21950 | The validity of the modification of diet in renal disease formula in HIV-infected patients: a systematic review. <i>Journal of Nephrology</i> , 2014, 27, 11-18.   | 0.9 | 3         |
| 21951 | Improved method for planning intramedullary guiding rod entry point in total knee arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2014, 134, 693-698.  | 1.3 | 10        |
| 21952 | Altered coronary endothelial function in young smokers detected by magnetic resonance assessment of myocardial blood flow during the cold pressor test. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 73-80.  | 0.7 | 10        |
| 21953 | Quantitative lung ventilation using Fourier decomposition MRI; comparison and initial study. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2014, 27, 467-476.  | 1.1 | 26        |
| 21954 | Population-based studies of myocardial hypertrophy: high resolution cardiovascular magnetic resonance atlases improve statistical power. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 16.   | 1.6 | 42        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21955 | Evaluation of Research Using Computerised Tracking Systems (Amisco® and Prozone®) to Analyse Physical Performance in Elite Soccer: A Systematic Review. <i>Sports Medicine</i> , 2014, 44, 701-712.  | 3.1 | 145       |
| 21956 | Formetric rasterstereography: a new perspective. <i>Osteoporosis International</i> , 2014, 25, 1651-1652.  | 1.3 | 9         |
| 21957 | Validity of parentally reported versus measured weight, length and waist in 7- to 9-year-old children for use in follow-up studies. <i>European Journal of Pediatrics</i> , 2014, 173, 921-928.  | 1.3 | 13        |
| 21958 | Analysis of the abdominal musculo-aponeurotic anatomy in rectus diastasis: comparison of CT scanning and preoperative clinical assessment with direct measurement intraoperatively. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2014, 18, 465-471.    | 0.9 | 18        |
| 21959 | Exploration of dimensionality and psychometric properties of the Pittsburgh Sleep Quality Index in cases with temporomandibular disorders. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 10.  | 1.0 | 46        |
| 21960 | Comparing potentially avoidable hospitalization rates related to ambulatory care sensitive conditions in Switzerland: the need to refine the definition of health conditions and to adjust for population health status. <i>BMC Health Services Research</i> , 2014, 14, 25. | 0.9 | 38        |
| 21961 | Inclinometer-based measures of standing posture in older adults with low bone mass are reliable and associated with self-reported, but not performance-based, physical function. <i>Osteoporosis International</i> , 2014, 25, 721-728.                                      | 1.3 | 18        |
| 21962 | Flow-mediated-paradoxical vasoconstriction is independently associated with asymptomatic myocardial ischemia and coronary artery disease in type 2 diabetic patients. <i>Cardiovascular Diabetology</i> , 2014, 13, 20.  | 2.7 | 17        |
| 21963 | Dimensions of the Ascending Aorta in Conotruncal Heart Defects. <i>Pediatric Cardiology</i> , 2014, 35, 831-837.   | 0.6 | 8         |
| 21964 | Wireless Blood Pressure Monitoring with a Novel Implantable Device: Long-Term In Vivo Results. <i>CardioVascular and Interventional Radiology</i> , 2014, 37, 1580-1588.   | 0.9 | 4         |
| 21965 | Concurrent comparison of the measurement properties of generic and disease-specific questionnaires in obese inpatients. <i>Journal of Endocrinological Investigation</i> , 2014, 37, 31-42.  | 1.8 | 1         |
| 21966 | Validity of Bioelectrical Impedance Analysis for Measuring Changes in Body Water and Percent Fat After Bariatric Surgery. <i>Obesity Surgery</i> , 2014, 24, 847-854.  | 1.1 | 54        |
| 21967 | Assessment of sub-clinical acute cellular rejection after heart transplantation: Comparison of cardiac magnetic resonance imaging and endomyocardial biopsy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, P276.   | 1.6 | 0         |
| 21968 | Newborn infant characteristics and risk of future rheumatoid arthritis: a twin-control study. <i>Rheumatology International</i> , 2014, 34, 523-528.   | 1.5 | 6         |
| 21969 | The effect of light reflections from the snow on kinematic data collected using stereo-photogrammetry with passive markers. <i>Sports Engineering</i> , 2014, 17, 97-102.  | 0.5 | 7         |
| 21970 | Accelerometry analysis of physical activity and sedentary behavior in older adults: a systematic review and data analysis. <i>European Review of Aging and Physical Activity</i> , 2014, 11, 35-49.  | 1.3 | 247       |
| 21971 | Pulmonary 3 T MRI with ultrashort TEs: Influence of ultrashort echo time interval on pulmonary functional and clinical stage assessments of smokers. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 988-997.   | 1.9 | 28        |
| 21972 | Improved MRI quantification of spinal cord atrophy in multiple sclerosis. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 617-623.  | 1.9 | 70        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 21973 | Software-assisted small bowel motility analysis using free-breathing MRI: Feasibility study. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 17-23.  | 1.9 | 31        |
| 21974 | Utility of a low-cost wireless force platform as a potential clinical test of balance recovery after neuraxial anaesthesia. <i>International Journal of Obstetric Anesthesia</i> , 2014, 23, 227-232.   | 0.2 | 2         |
| 21975 | Development and validation of the Liverpool infant bronchiolitis severity score: a research protocol. <i>Journal of Advanced Nursing</i> , 2014, 70, 2353-2362.   | 1.5 | 11        |
| 21976 | Comparison of breath-alcohol screening test results with venous blood alcohol concentration in suspected drunken drivers. <i>Forensic Science International</i> , 2014, 239, 57-61.   | 1.3 | 26        |
| 21977 | Agreement between patient-reported and doctor-reported patient intervals and date of first symptom presentation in cancer diagnosis – A population-based questionnaire study. <i>Cancer Epidemiology</i> , 2014, 38, 100-105.   | 0.8 | 19        |
| 21978 | Accuracy and reliability of measurements obtained from computed tomography 3D volume rendered images. <i>Forensic Science International</i> , 2014, 238, 133-140.   | 1.3 | 135       |
| 21979 | Intra- and interscan reproducibility using Fourier Analysis of STimulated Echoes (FAST) for the rapid and robust quantification of left ventricular twist. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 463-468.  | 1.9 | 5         |
| 21980 | Clinician versus machine: Reliability and responsiveness of motor endpoints in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2014, 20, 590-595.  | 1.1 | 125       |
| 21981 | Validation of a short food frequency questionnaire specific for iodine in UK females of childbearing age. <i>Journal of Human Nutrition and Dietetics</i> , 2014, 27, 599-605.  | 1.3 | 36        |
| 21982 | Cross validation of gas chromatography-flame photometric detection and gas chromatography-mass spectrometry methods for measuring dialkylphosphate metabolites of organophosphate pesticides in human urine. <i>International Journal of Hygiene and Environmental Health</i> , 2014, 217, 554-566. | 2.1 | 46        |
| 21983 | Effects of time and sampling location on concentrations of $\beta$ -hydroxybutyric acid in dairy cows. <i>Journal of Dairy Science</i> , 2014, 97, 291-298.   | 1.4 | 27        |
| 21984 | LDL cholesterol performance of beta quantification reference measurement procedure. <i>Clinica Chimica Acta</i> , 2014, 431, 288-293.   | 0.5 | 19        |
| 21985 | Validation of noninvasive pulse contour cardiac output using finger arterial pressure in cardiac surgery patients requiring fluid therapy. <i>Journal of Critical Care</i> , 2014, 29, 161-165.   | 1.0 | 48        |
| 21986 | The diagram: An analytical interpretation of oxygen transport in arterial blood during exercise in humans. <i>Respiratory Physiology and Neurobiology</i> , 2014, 193, 55-61.   | 0.7 | 10        |
| 21987 | Feasibility and reproducibility of spleen transient elastography and its role in combination with liver transient elastography for predicting the severity of chronic viral hepatitis. <i>Journal of Viral Hepatitis</i> , 2014, 21, 90-98.   | 1.0 | 56        |
| 21988 | Effects of an Orabase Formulation with Ethanolic Extract of <i>Malva sylvestris</i> L. in Oral Wound Healing in Rats. <i>Journal of Medicinal Food</i> , 2014, 17, 618-624.   | 0.8 | 19        |
| 21989 | Determination of specific heat capacity of sulphide materials at temperatures below 100°C in presence of moisture. <i>Minerals Engineering</i> , 2014, 58, 73-79.   | 1.8 | 6         |
| 21990 | Flex center method versus center method for endothelial corneal evaluation in eye banking. A comparative analysis. <i>Cell and Tissue Banking</i> , 2014, 15, 507-512.  | 0.5 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 21991 | Sensitive periods of amygdala development: The role of maltreatment in preadolescence. <i>NeuroImage</i> , 2014, 97, 236-244.  | 2.1 | 257       |
| 21992 | Oral hygiene reinforcement in the simplified periodontal treatment of 1 hour. <i>Journal of Clinical Periodontology</i> , 2014, 41, 149-156.   | 2.3 | 7         |
| 21993 | Accuracy of the Microsoft Kinect sensor for measuring movement in people with Parkinson's disease. <i>Gait and Posture</i> , 2014, 39, 1062-1068.  | 0.6 | 438       |
| 21994 | Validation of the Kinect device as a new portable imaging system for three-dimensional breast assessment. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2014, 67, 483-488.   | 0.5 | 27        |
| 21995 | Evaluation of analgesic and physiologic effects of epidural morphine administered at a thoracic or lumbar level in dogs undergoing thoracotomy. <i>Veterinary Anaesthesia and Analgesia</i> , 2014, 41, 205-211.                           | 0.3 | 25        |
| 21996 | Regional TNF $\alpha$ mapping in the brain reveals the striatum as a neuroinflammatory target after ventricular fibrillation cardiac arrest in rats. <i>Resuscitation</i> , 2014, 85, 694-701.   | 1.3 | 26        |
| 21997 | Measurement methods comparison with errors-in-variables regressions. From horizontal to vertical OLS regression, review and new perspectives. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2014, 134, 123-139.                 | 1.8 | 21        |
| 21998 | Axial Biometry of the Entire Eye Using Ultra-Long Scan Depth Optical Coherence Tomography. <i>American Journal of Ophthalmology</i> , 2014, 157, 412-420.e2.   | 1.7 | 14        |
| 21999 | Fontan hemodynamics from 100 patient-specific cardiac magnetic resonance studies: A computational fluid dynamics analysis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 148, 1481-1489.                                   | 0.4 | 86        |
| 22000 | Blood spot versus plasma chitotriosidase: A systematic clinical comparison. <i>Clinical Biochemistry</i> , 2014, 47, 38-43.  | 0.8 | 14        |
| 22001 | 3D Visual Activity Assessment Based on Natural Scene Statistics. <i>IEEE Transactions on Image Processing</i> , 2014, 23, 450-465.   | 6.0 | 42        |
| 22002 | Simpson's Method of Discs for Measurement of Echocardiographic End-Diastolic and End-Systolic Left Ventricular Volumes: Breed-Specific Reference Ranges in Boxer Dogs. <i>Journal of Veterinary Internal Medicine</i> , 2014, 28, 116-122. | 0.6 | 40        |
| 22003 | Intraexaminer and Interexaminer Reliability of Manual Palpation and Pressure Algometry of the Lower Limb Nerves in Asymptomatic Subjects. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2014, 37, 97-104.                | 0.4 | 32        |
| 22004 | Impact of delineation uncertainties on dose to organs at risk in CT-guided intracavitary brachytherapy. <i>Brachytherapy</i> , 2014, 13, 210-218.  | 0.2 | 24        |
| 22005 | Concordance analysis between estimation methods of milk fatty acid content. <i>Food Chemistry</i> , 2014, 156, 170-175.  | 4.2 | 15        |
| 22006 | Pitfalls in the use of kappa when interpreting agreement between multiple raters in reliability studies. <i>Physiotherapy</i> , 2014, 100, 27-35.  | 0.2 | 16        |
| 22007 | Ageing and Cytomegalovirus Infection Differentially and Jointly Affect Distinct Circulating T Cell Subsets in Humans. <i>Journal of Immunology</i> , 2014, 192, 2143-2155.   | 0.4 | 297       |
| 22008 | Prediction of basal metabolic rate in obese children and adolescents considering pubertal stages and anthropometric characteristics or body composition. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 695-699.                | 1.3 | 22        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22009 | Angiomyolipoma with minimal fat and non-clear cell renal cell carcinoma: differentiation on MDCT using classification and regression tree analysis-based algorithm. <i>Acta Radiologica</i> , 2014, 55, 1258-1269.  | 0.5 | 26        |
| 22010 | Reliability of aortic aneurysm screening measurements. <i>Ultrasound</i> , 2014, 22, 80-90.   | 0.3 | 0         |
| 22011 | Linking Physical Function Outcomes in Rheumatology: Performance of a Crosswalk for Converting Health Assessment Questionnaire Scores to Short Form 36 Physical Functioning Scale Scores. <i>Arthritis Care and Research</i> , 2014, 66, 1754-1758.                            | 1.5 | 7         |
| 22012 | A new approach to ballistocardiographic measurements using fibre Bragg grating-based sensors. <i>BioCybernetics and Biomedical Engineering</i> , 2014, 34, 101-116.   | 3.3 | 90        |
| 22013 | International Conference on Advancements of Medicine and Health Care through Technology; 5th & 7th June 2014, Cluj-Napoca, Romania. <i>IFMBE Proceedings</i> , 2014, , .  | 0.2 | 0         |
| 22014 | Tissue Doppler imaging in very preterm infants during the first 24h of life: an observational study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2014, 99, F64-F69.   | 1.4 | 25        |
| 22015 | Accuracy validation of sleep measurements by a contactless biomotion sensor on subjects with suspected sleep apnea. <i>Sleep and Biological Rhythms</i> , 2014, 12, 106-115.  | 0.5 | 16        |
| 22016 | A comparison of estimated glomerular filtration rates using Cockcroft-Gault and the Chronic Kidney Disease Epidemiology Collaboration estimating equations in HIV infection. <i>HIV Medicine</i> , 2014, 15, 144-152.   | 1.0 | 23        |
| 22017 | Application of generalized additive models to examine ontogenetic and seasonal distributions of spiny dogfish ( <i>Squalus acanthias</i> ) in the Northeast (US) shelf large marine ecosystem. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2014, 71, 847-877. | 0.7 | 58        |
| 22018 | Continuous Cardiac Output Monitoring: What Do Validation Studies Tell Us?. <i>Current Anesthesiology Reports</i> , 2014, 4, 242-250.  | 0.9 | 9         |
| 22019 | 4D ultrasound speckle tracking of intra-fraction prostate motion: a phantom-based comparison with x-ray fiducial tracking using CyberKnife. <i>Physics in Medicine and Biology</i> , 2014, 59, 1701-1720.   | 1.6 | 18        |
| 22020 | Automatic detection system for multiple region of interest registration to account for posture changes in head and neck radiotherapy. <i>Physics in Medicine and Biology</i> , 2014, 59, 2005-2021.   | 1.6 | 5         |
| 22021 | A novel device based on smart textile to control heart rate activity during exercise. <i>Australasian Physical and Engineering Sciences in Medicine</i> , 2014, 37, 377-384.  | 1.4 | 12        |
| 22022 | Quantitative diagnosis of lymphocytic myocarditis in forensic medicine. <i>Forensic Science International</i> , 2014, 238, 9-15.  | 1.3 | 18        |
| 22023 | Validation of FreeSurfer-Estimated Brain Cortical Thickness: Comparison with Histologic Measurements. <i>Neuroinformatics</i> , 2014, 12, 535-542.  | 1.5 | 137       |
| 22025 | Comparison of the EPOC and STAT analysers for canine blood gas and electrolyte analysis. <i>Journal of Small Animal Practice</i> , 2014, 55, 139-144.   | 0.5 | 23        |
| 22026 | Relation Between Echocardiographically Estimated and Invasively Measured Filling Pressures in Constrictive Pericarditis. <i>American Journal of Cardiology</i> , 2014, 113, 1911-1916.  | 0.7 | 18        |
| 22027 | Bone marrow oedema assessment by magnetic resonance imaging in rheumatoid arthritis wrist and metacarpophalangeal joints: the importance of field strength, coil type and image resolution. <i>Rheumatology</i> , 2014, 53, 1446-1451.  | 0.9 | 14        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22028 | Contrast-enhanced spectral mammography in patients referred from the breast cancer screening programme. <i>European Radiology</i> , 2014, 24, 1668-76.  | 2.3 | 136       |
| 22029 | Testâ€“retest reliability of a self-administered Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in primary care patients. <i>Journal of Substance Abuse Treatment</i> , 2014, 47, 93-101.   | 1.5 | 61        |
| 22030 | Diagnostic point-of-care tests in resource-limited settings. <i>Lancet Infectious Diseases</i> , The, 2014, 14, 239-249.  | 4.6 | 525       |
| 22031 | Application of confocal microscopy for surface and volume imaging of solid state nuclear track detectors. <i>Journal of Microscopy</i> , 2014, 254, 42-46.  | 0.8 | 7         |
| 22032 | Evaluation of the extent of ground-glass opacity on high-resolution CT in patients with interstitial pneumonia associated with systemic sclerosis: Comparison between quantitative and qualitative analysis. <i>Clinical Radiology</i> , 2014, 69, 758-764. | 0.5 | 34        |
| 22033 | I. Not fit for a haircut â€  how should we assess fitness and stratify risk for surgery?. <i>British Journal of Anaesthesia</i> , 2014, 112, 955-957.   | 1.5 | 5         |
| 22034 | Thymic Measurements in Pathologically Proven Normal Thymus and Thymic Hyperplasia. <i>Academic Radiology</i> , 2014, 21, 733-742.   | 1.3 | 14        |
| 22035 | Adding â€œhemodynamic and fluid leadsâ€•to the ECG. Part I: The electrical estimation of BNP, chronic heart failure (CHF) and extracellular fluid (ECF) accumulation. <i>Medical Engineering and Physics</i> , 2014, 36, 896-904.                           | 0.8 | 11        |
| 22036 | Evaluation of Fast Technology Analysis (FTA) Cards as an improved method for specimen collection and shipment targeting viruses associated with Bovine Respiratory Disease Complex. <i>Journal of Virological Methods</i> , 2014, 202, 69-72.               | 1.0 | 32        |
| 22037 | Towards understanding knee joint laxity: Errors in non-invasive assessment of joint rotation can be corrected. <i>Medical Engineering and Physics</i> , 2014, 36, 889-895.  | 0.8 | 11        |
| 22038 | Finger counting: an alternative method for estimating pediatric weights. <i>American Journal of Emergency Medicine</i> , 2014, 32, 243-247.   | 0.7 | 19        |
| 22039 | Leg stiffness: Comparison between unilateral and bilateral hopping tasks. <i>Human Movement Science</i> , 2014, 33, 263-272.  | 0.6 | 19        |
| 22040 | Influence of the immunoassay used in measurement of serum vitamin D levels. <i>EndocrinologÃa Y NutriciÃ3n (English Edition)</i> , 2014, 61, 123-129.   | 0.5 | 5         |
| 22041 | Evaluation of the BladderScanÃ® in estimating bladder volume in paediatric patients. <i>Journal of Pediatric Urology</i> , 2014, 10, 98-102.  | 0.6 | 6         |
| 22042 | Sport-specific endurance plank test for evaluation of global core muscle function. <i>Physical Therapy in Sport</i> , 2014, 15, 58-63.  | 0.8 | 82        |
| 22043 | Fosfomycin Susceptibility in Carbapenem-Resistant Enterobacteriaceae from Germany. <i>Journal of Clinical Microbiology</i> , 2014, 52, 1893-1897.   | 1.8 | 90        |
| 22044 | Validation of the Spanish Version of the Test for Respiratory and Asthma Control in Kids (TRACK) in a Population of Hispanic Preschoolers. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2014, 2, 326-331.e3.                            | 2.0 | 12        |
| 22045 | Cam impingement: defining the presence of a cam deformity by the alpha angle. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 218-225.  | 0.6 | 133       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22046 | Determination of cardiac output by ultrasound dilution technique in infants and children: a validation study against direct Fick principle. <i>British Journal of Anaesthesia</i> , 2014, 112, 469-476.                              | 1.5 | 21        |
| 22047 | Quantification of regional fractional ventilation in human subjects by measurement of hyperpolarized <sup>3</sup> He washout with 2D and 3D MRI. <i>Journal of Applied Physiology</i> , 2014, 116, 129-139.                          | 1.2 | 75        |
| 22048 | Accuracy and repeatability of joint angles measured using a single camera markerless motion capture system. <i>Journal of Biomechanics</i> , 2014, 47, 587-591.  | 0.9 | 131       |
| 22049 | Intra- and inter-rater reliability of a modified measure of hand behind back range of motion. <i>Manual Therapy</i> , 2014, 19, 72-76.   | 1.6 | 10        |
| 22050 | Observations on the use of statistical methods in Food Science and Technology. <i>Food Research International</i> , 2014, 55, 137-149.   | 2.9 | 392       |
| 22051 | Skin temperature evaluation by infrared thermography: Comparison of image analysis methods. <i>Infrared Physics and Technology</i> , 2014, 62, 1-6.  | 1.3 | 96        |
| 22052 | Topographic analysis and evaluation of anatomical landmarks for placement of central venous catheters based on conventional chest X-ray and computed tomography. <i>British Journal of Anaesthesia</i> , 2014, 112, 265-271.         | 1.5 | 25        |
| 22053 | Reliability and discriminative power of soccer-specific field tests and skill index in young soccer players. <i>Science and Sports</i> , 2014, 29, 88-94.  | 0.2 | 21        |
| 22054 | <i>Escherichia coli</i> biofilm formation and recurrences of urinary tract infections in children. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2014, 33, 111-115.                                     | 1.3 | 29        |
| 22055 | Specific airway resistance in children: Panting or tidal breathing?. <i>Pediatric Pulmonology</i> , 2014, 49, 245-251.   | 1.0 | 4         |
| 22056 | Comparing pellet and stable isotope analyses of nestling <i>Bonelli's Eagle</i> <i>Aquila fasciata</i> diet. <i>Ibis</i> , 2014, 156, 176-188.   | 1.0 | 36        |
| 22057 | HRCT and MRI of the lung in children with cystic fibrosis: Comparison of different scoring systems. <i>Journal of Cystic Fibrosis</i> , 2014, 13, 198-204.   | 0.3 | 51        |
| 22058 | Evaluation of the PET component of simultaneous [18F]choline PET/MRI in prostate cancer: comparison with [18F]choline PET/CT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 79-88.                   | 3.3 | 54        |
| 22059 | Estimating Postural Control With the Balance Rehabilitation Unit: Measurement Consistency, Accuracy, Validity, and Comparison With Dynamic Posturography. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 65-73. | 0.5 | 47        |
| 22060 | Effect of change in systolic blood pressure between clinic visits on estimated 10-year cardiovascular disease risk. <i>Journal of the American Society of Hypertension</i> , 2014, 8, 159-165.                                       | 2.3 | 7         |
| 22061 | Down syndrome screening: Suitability of a WHO 5 standardized total hCG assay. <i>Clinical Biochemistry</i> , 2014, 47, 629-631.  | 0.8 | 9         |
| 22062 | Ultrasound dimensions of the rotator cuff in young healthy adults. <i>Journal of Shoulder and Elbow Surgery</i> , 2014, 23, 1107-1112.   | 1.2 | 29        |
| 22063 | Translation, cross-cultural adaptation and validation of the French version of the Knee Outcome Survey's Activities of Daily Living Scale. <i>Clinical Rehabilitation</i> , 2014, 28, 614-623.                                       | 1.0 | 23        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22064 | The Groningen Meander Walking Test: A Dynamic Walking Test for Older Adults With Dementia. <i>Physical Therapy</i> , 2014, 94, 262-272.  | 1.1 | 22        |
| 22065 | Fast, reliable and low cost user-developed protocol for detection, quantification and genotyping of hepatitis C virus. <i>Journal of Virological Methods</i> , 2014, 196, 104-112.   | 1.0 | 17        |
| 22066 | Intraosseous monitoring and guiding by ultrasound: A feasibility study. <i>Ultrasonics</i> , 2014, 54, 710-719.  | 2.1 | 8         |
| 22067 | Accuracy and reproducibility of dental replica models reconstructed by different rapid prototyping techniques. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2014, 145, 108-115.   | 0.8 | 251       |
| 22068 | A frequency questionnaire to estimate free-living physical activity among Tunisian preadolescent and adolescent children. <i>Public Health Nutrition</i> , 2014, 17, 2253-2262.  | 1.1 | 2         |
| 22069 | Physical activity assessment tools for use in overweight and obese children. <i>International Journal of Obesity</i> , 2014, 38, 1-10.   | 1.6 | 34        |
| 22070 | Measuring skin temperature before, during and after exercise: a comparison of thermocouples and infrared thermography. <i>Physiological Measurement</i> , 2014, 35, 189-203.   | 1.2 | 98        |
| 22071 | Implantable accelerometer system for the determination of blood pressure using reflected wave transit time. <i>Sensors and Actuators A: Physical</i> , 2014, 206, 151-158.   | 2.0 | 23        |
| 22072 | Development and validation of a low-cost, portable and wireless gait assessment tool. <i>Medical Engineering and Physics</i> , 2014, 36, 541-546.  | 0.8 | 35        |
| 22073 | Reproducibility of lactate markers during 4 and 8min stage incremental running: A pilot study. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 635-639.  | 0.6 | 7         |
| 22074 | Glyburide is Associated with Attenuated Vasogenic Edema in Stroke Patients. <i>Neurocritical Care</i> , 2014, 20, 193-201.   | 1.2 | 73        |
| 22075 | An MRI-based Assessment of Standard and Extralevator Abdominoperineal Excision Specimens: Time for a Patient Tailored Approach?. <i>Annals of Surgical Oncology</i> , 2014, 21, 822-828.   | 0.7 | 17        |
| 22076 | Quantitative assessment of primary mitral regurgitation using left ventricular volumes: a three-dimensional transthoracic echocardiographic pilot study. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 1133-1139.   | 0.5 | 13        |
| 22077 | Reappraisal of Quantitative Gel Zymography for Matrix Metalloproteinases. <i>Journal of Clinical Laboratory Analysis</i> , 2014, 28, 374-380.  | 0.9 | 8         |
| 22078 | Review of Respiratory Management of Extremely Premature Neonates During Transport. <i>Air Medical Journal</i> , 2014, 33, 286-291.   | 0.3 | 7         |
| 22079 | Possibility of non-invasive blood pressure estimation by measurements of force and arteries diameter. , 2014, , .  |     | 0         |
| 22080 | Body composition analysis by air displacement plethysmography in normal weight to extremely obese adults. <i>Obesity</i> , 2014, 22, 1078-1084.  | 1.5 | 18        |
| 22081 | Comparison of electronic volume and forward scatter principles of cell selection using flow cytometry for the evaluation of acrosome and plasma membrane integrity of bull spermatozoa. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2014, 85, 719-728. | 1.1 | 29        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22082 | Assessment of deep tissue hyperalgesia in the groin - a method comparison of electrical vs. pressure stimulation. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 986-996.  | 0.7 | 3         |
| 22083 | Intraobserver reliability of posturography in patients with vestibular neuritis. <i>Somatosensory &amp; Motor Research</i> , 2014, 31, 28-34.  | 0.4 | 12        |
| 22084 | Evaluation of the fully automated hematological analyzer <i>Mindray BC6800</i> : comparison with <i>Horiba ABX Pentra DX120</i> . <i>International Journal of Laboratory Hematology</i> , 2014, 36, e55-8.   | 0.7 | 13        |
| 22085 | Comparison of indirect and direct blood pressure measurements in baboons during ketamine anaesthesia. <i>Journal of Medical Primatology</i> , 2014, 43, 217-224.   | 0.3 | 12        |
| 22086 | Urinary Corticoid Concentrations Measured by 5 Different Immunoassays and Gas Chromatography-Mass Spectrometry in Healthy Dogs and Dogs with Hypercortisolism at Home and in the Hospital. <i>Journal of Veterinary Internal Medicine</i> , 2014, 28, 1433-1441.             | 0.6 | 19        |
| 22087 | Accuracy of skinfold and bioelectrical impedance assessments of body fat percentage in ambulatory individuals with cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2014, 56, 475-481.  | 1.1 | 38        |
| 22088 | Prostate CT segmentation method based on nonrigid registration in ultrasound-guided CT-based HDR prostate brachytherapy. <i>Medical Physics</i> , 2014, 41, 1119-15.   | 1.6 | 19        |
| 22089 | Limited sampling strategies for tacrolimus exposure (AUC <sub>0-24</sub> ) prediction after Prograf <sup>®</sup> and Advagraf <sup>®</sup> administration in children and adolescents with liver or kidney transplants. <i>Transplant International</i> , 2014, 27, 939-948. | 0.8 | 12        |
| 22090 | Reliability and agreement between 2 strength devices used in the newly modified and standardized Constant score. <i>Journal of Shoulder and Elbow Surgery</i> , 2014, 23, 1806-1812.   | 1.2 | 7         |
| 22091 | Emphysema quantification on low-dose CT using percentage of low-attenuation volume and size distribution of low-attenuation lung regions: Effects of adaptive iterative dose reduction using 3D processing. <i>European Journal of Radiology</i> , 2014, 83, 2268-2276.      | 1.2 | 19        |
| 22092 | Estimated versus Measured Glomerular Filtration Rate in Children before Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 2056-2061.  | 2.0 | 34        |
| 22093 | Quantification of Myocardial Blood Flow in Absolute Terms Using 82Rb PET Imaging. <i>JACC: Cardiovascular Imaging</i> , 2014, 7, 1119-1127.  | 2.3 | 144       |
| 22094 | Macrophyte Biological Index for Rivers estimation in the waters of Pescara Springs by means of SCUBA dive and orthophotos interpretation. <i>Ecohydrology and Hydrobiology</i> , 2014, 14, 296-303.  | 1.0 | 3         |
| 22095 | Difference of Gaussians revolved along elliptical paths for ultrasound fetal head segmentation. <i>Computerized Medical Imaging and Graphics</i> , 2014, 38, 774-784.  | 3.5 | 22        |
| 22096 | Comparison of two different Radiostereometric analysis (RSA) systems with markerless elementary geometrical shape modeling for the measurement of stem migration. <i>Clinical Biomechanics</i> , 2014, 29, 950-955.  | 0.5 | 7         |
| 22097 | Agreement and reliability in measuring central corneal thickness with a rotating Scheimpflug-Placido system and ultrasound pachymetry. <i>Contact Lens and Anterior Eye</i> , 2014, 37, 442-446.   | 0.8 | 18        |
| 22098 | Translation, Cross-cultural Adaptation, and Psychometric Properties of the German Version of the Hip Disability and Osteoarthritis Outcome Score. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014, 44, 989-997.   | 1.7 | 28        |
| 22099 | Transcutaneous Bilirubin After Phototherapy in Term and Preterm Infants. <i>Pediatrics</i> , 2014, 134, e1324-e1329.   | 1.0 | 42        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22100 | Relative validity of a food frequency questionnaire to assess nutrient intake in pregnant women. <i>Journal of Human Nutrition and Dietetics</i> , 2014, 27, 167-174.  | 1.3 | 19        |
| 22101 | Reply to Dr Myers' Commentary on the Use of Automated Blood Pressure Machines in Office Blood Pressure Measurements. <i>Journal of Clinical Hypertension</i> , 2014, 16, 540-540.  | 1.0 | 1         |
| 22102 | Comparison of two laboratory extraction techniques for the detection of Epstein-Barr virus in the saliva of nasopharyngeal carcinoma patients. <i>Journal of Investigative and Clinical Dentistry</i> , 2014, 5, 104-108.  | 1.8 | 6         |
| 22103 | A new method of real-time skin dose visualization. Clinical evaluation of fluoroscopically guided interventions. <i>Neuroradiology</i> , 2014, 56, 971-976.  | 1.1 | 6         |
| 22104 | Toward clinically usable CAD for lung cancer screening with computed tomography. <i>European Radiology</i> , 2014, 24, 2719-2728.  | 2.3 | 52        |
| 22105 | Usefulness of india ink artifact in steady-state free precession pulse sequences for detection and quantification of intramyocardial fat. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 126-132.  | 1.9 | 24        |
| 22106 | Long Bone (Humerus, Femur, Tibia) Measuring Procedure in Cadavers. <i>Journal of Forensic Sciences</i> , 2014, 59, 1325-1329.  | 0.9 | 9         |
| 22107 | Tidal breathing FeNO measurements: A new algorithm. <i>Pediatric Pulmonology</i> , 2014, 49, 15-20.  | 1.0 | 8         |
| 22108 | Value of Whole-Tumor Dual-Input Perfusion CT in Predicting the Effect of Multiarterial Infusion Chemotherapy on Advanced Non-Small Cell Lung Cancer. <i>American Journal of Roentgenology</i> , 2014, 203, W497-W505.  | 1.0 | 15        |
| 22109 | Validation of Sysmex XT-2000iV generated quantitative bone marrow differential counts in untreated Wistar rats. <i>Veterinary Clinical Pathology</i> , 2014, 43, 125-136.  | 0.3 | 15        |
| 22110 | Automated Assessment of Cardiac Autonomic Function by Means of Deceleration Capacity from Noisy, Nonstationary ECG Signals: Validation Study. <i>Annals of Noninvasive Electrocardiology</i> , 2014, 19, 122-128.  | 0.5 | 14        |
| 22111 | Cardiovascular magnetic resonance validation of fractional changes in annulo-apical angles and tricuspid annular plane systolic excursion for rapid assessment of right ventricular systolic function. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 133-139. | 1.9 | 6         |
| 22112 | Ultrasound estimation of birth weight in twin pregnancy: comparison of biometry algorithms in the STORK multiple pregnancy cohort. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 44, 210-220.   | 0.9 | 40        |
| 22113 | Distinguishability and agreement with continuous data. <i>Statistics in Medicine</i> , 2014, 33, 117-128.  | 0.8 | 16        |
| 22114 | Extra-articular contrast material leaks into locations unrelated to the injection path in shoulder MR arthrography. <i>European Radiology</i> , 2014, 24, 2606-2613.   | 2.3 | 20        |
| 22115 | Estimating the Contribution of Sampling, Sample Pretreatment, and Analysis in the Total Uncertainty Budget of Agricultural Soil pH and Organic Carbon Monitoring. <i>Communications in Soil Science and Plant Analysis</i> , 2014, 45, 984-1002.                         | 0.6 | 6         |
| 22116 | Repeatability of sound-evoked triceps myogenic potentials. <i>International Journal of Audiology</i> , 2014, 53, 880-886.  | 0.9 | 5         |
| 22117 | The Chronic Kidney Disease Epidemiology Collaboration (CKDEPI) equation best characterizes kidney function in patients being considered for lung transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2014, 33, 1248-1254.                                | 0.3 | 11        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22118 | Accuracy and reproducibility of bending stiffness measurements by mechanical response tissue analysis in artificial human ulnas. <i>Journal of Biomechanics</i> , 2014, 47, 3580-3583.   | 0.9 | 7         |
| 22119 | SERS-based competitive immunoassay of troponin I and CK-MB markers for early diagnosis of acute myocardial infarction. <i>Chemical Communications</i> , 2014, 50, 1058-1060.   | 2.2 | 107       |
| 22120 | Invasive Validation of Arteriograph Estimates of Central Blood Pressure in Patients With Type 2 Diabetes. <i>American Journal of Hypertension</i> , 2014, 27, 674-679.   | 1.0 | 30        |
| 22121 | Assessment of Central Blood Pressure in Patients With Type 2 Diabetes: A Comparison Between Sphygmocor and Invasively Measured Values. <i>American Journal of Hypertension</i> , 2014, 27, 169-176.  | 1.0 | 40        |
| 22122 | Fully Automatic Detection of Salient Features in 3-D Transesophageal Images. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 2868-2884.  | 0.7 | 4         |
| 22124 | Underestimation of unfractionated heparin therapy assessment due to platelet activation when using partial-draw (pediatric) citrate collection tubes. <i>Thrombosis Research</i> , 2014, 134, 1117-1122.                                       | 0.8 | 4         |
| 22126 | Biochemical cartilage alteration and unexpected signal recovery in T2* mapping observed in ankle joints with mobile MRI during a transcontinental multistage footrace over 4486 km. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1840-1850. | 0.6 | 29        |
| 22127 | Learning-based heart rate detection from remote photoplethysmography features. , 2014, , .   |     | 48        |
| 22128 | Computerized Liver Volumetry on MRI by Using 3D Geodesic Active Contour Segmentation. <i>American Journal of Roentgenology</i> , 2014, 202, 152-159.   | 1.0 | 38        |
| 22129 | Including the Tukey Mean Difference (Bland-Altman) Plot in a Statistics Course. <i>Teaching Statistics</i> , 2014, 36, 83-87.  | 0.6 | 12        |
| 22130 | In juvenile dermatomyositis, cardiac systolic dysfunction is present after long-term follow-up and is predicted by sustained early skin activity. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1805-1810.                               | 0.5 | 53        |
| 22131 | Archimedes revisited: computer assisted micro-volumetric modification of the liquid displacement method for porosity measurement of highly porous light materials. <i>Analytical Methods</i> , 2014, 6, 4396-4401.                             | 1.3 | 20        |
| 22132 | Hand length as an alternative measurement of height. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 229-233.  | 1.3 | 53        |
| 22133 | Unconstrained Sleep Apnea Monitoring Using Polyvinylidene Fluoride Film-Based Sensor. <i>IEEE Transactions on Biomedical Engineering</i> , 2014, 61, 2125-2134.  | 2.5 | 65        |
| 22134 | Evaluation of Three Handheld Lactate Meters for Measuring Hemolymph L-Lactate in Decapod Crustaceans. <i>Journal of Shellfish Research</i> , 2014, 33, 69-76.  | 0.3 | 4         |
| 22135 | Cerebral blood flow velocity underestimates cerebral blood flow during modest hypercapnia and hypocapnia. <i>Journal of Applied Physiology</i> , 2014, 117, 1090-1096.   | 1.2 | 282       |
| 22136 | Diurnal variation of arterial stiffness in healthy individuals of different ages and patients with heart disease. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2014, 74, 155-162.                                    | 0.6 | 20        |
| 22137 | Issues and pitfalls in method comparison studies. <i>Veterinary Anaesthesia and Analgesia</i> , 2014, 41, 227-232.   | 0.3 | 21        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22138 | A methodology to assess non-axial loading on the distal radius. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2014, 17, 44-45.   | 0.9 | 0         |
| 22139 | Non contact measurement of heart and respiration rates based on Kinect&#x2122;. , 2014, , .   |     | 43        |
| 22140 | Technical variability of the Vivago<sup>Â®</sup> wrist-worn accelerometer. <i>Journal of Sports Sciences</i> , 2014, 32, 1768-1774.   | 1.0 | 2         |
| 22141 | Clinical use of a direct chairside oral scanner: An assessment of accuracy, time, and patient acceptance. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2014, 146, 673-682.   | 0.8 | 176       |
| 22142 | Exploiting Wearable Goniometer Technology for Motion Sensing Gloves. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2014, 18, 1788-1795.  | 3.9 | 75        |
| 22143 | Physiological demands of womenâ€™s rugby union: timeâ€™motion analysis and heart rate response. <i>Journal of Sports Sciences</i> , 2014, 32, 239-247.  | 1.0 | 22        |
| 22144 | Continuous glucose control in the ICU: report of a 2013 round table meeting. <i>Critical Care</i> , 2014, 18, 226.  | 2.5 | 68        |
| 22145 | Threeâ€™dimensional assessment of lung tissue density using a clinical ultrashort echo time at 3 tesla: A feasibility study in healthy subjects. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 839-847.  | 1.9 | 46        |
| 22146 | Long axis strain by MRI and echocardiography in a postmyocardial infarct population. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 1247-1251.  | 1.9 | 11        |
| 22147 | Evaluation of three types of passive samplers for measuring 1,3-butadiene and benzene at workplaces. <i>Environmental Sciences: Processes and Impacts</i> , 2014, 16, 1008-1014.  | 1.7 | 12        |
| 22148 | Accuracy of Cone-beam Computed Tomography and Periapical Radiography in Apical Periodontitis Diagnosis. <i>Journal of Endodontics</i> , 2014, 40, 2057-2060.  | 1.4 | 36        |
| 22149 | Reversed-phase high performance liquid chromatography as an alternative to animal bioassay for human thyrotropin potency determination. <i>Analytical Methods</i> , 2014, 6, 6688.  | 1.3 | 5         |
| 22150 | Validation of a New Skinfold Prediction Equation Based on Dual-Energy X-Ray Absorptiometry. Measurement in Physical Education and Exercise Science, 2014, 18, 198-208.  | 1.3 | 2         |
| 22151 | Maximum-Likelihood Estimation for Indicator Dilution Analysis. <i>IEEE Transactions on Biomedical Engineering</i> , 2014, 61, 821-831.  | 2.5 | 17        |
| 22152 | Comparison of two accelerometer filter settings in individuals with Parkinsonâ€™s disease. <i>Physiological Measurement</i> , 2014, 35, 2287-2296.  | 1.2 | 32        |
| 22153 | Local Optimization Based Segmentation of Spatially-Recurring, Multi-Region Objects With Part Configuration Constraints. <i>IEEE Transactions on Medical Imaging</i> , 2014, 33, 1845-1859.  | 5.4 | 14        |
| 22154 | Diagnostic Value of Three-Dimensional Contrast-Enhanced Echocardiography for Left Ventricular Volume and Ejection Fraction Measurement in Patients With Poor Acoustic Windows: A Comparison of Echocardiography and Magnetic Resonance Imaging. <i>Journal of the American Society of Echocardiography</i> , 2014, 27, 1029-1040. | 1.2 | 28        |
| 22155 | Clinical Utility of Central Venous Saturation for the Calculation of Cardiac Index in Cardiac Patients. <i>Journal of Cardiac Failure</i> , 2014, 20, 716-722.  | 0.7 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22156 | Relative and absolute reliability of the crossover and maximum fat oxidation points during treadmill running. <i>Science and Sports</i> , 2014, 29, e107-e114.  | 0.2 | 9         |
| 22157 | Arm Span and Ulnar Length Are Reliable and Accurate Estimates of Recumbent Length and Height in a Multiethnic Population of Infants and Children under 6 Years of Age. <i>Journal of Nutrition</i> , 2014, 144, 1480-1487.  | 1.3 | 19        |
| 22158 | The reliability of the anterior pelvic plane for computer navigated acetabular component placement during total hip arthroplasty: Prospective study with the EOS imaging system. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2014, 100, S287-S291. | 0.9 | 38        |
| 22159 | Core Body Temperature Control by Total Liquid Ventilation Using a Virtual Lung Temperature Sensor. <i>IEEE Transactions on Biomedical Engineering</i> , 2014, 61, 2859-2868.  | 2.5 | 13        |
| 22160 | Pulmonary artery relative area change is inversely related to ex vivo measured arterial elastic modulus in the canine model of acute pulmonary embolization. <i>Journal of Biomechanics</i> , 2014, 47, 2904-2910.  | 0.9 | 26        |
| 22161 | Memory processes in the development of reduced-salt foods. <i>Appetite</i> , 2014, 83, 125-134.   | 1.8 | 9         |
| 22162 | Measuring echogenicity and area of the puborectalis muscle: method and reliability. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 44, 481-485.   | 0.9 | 12        |
| 22163 | High-frequency ultrasonography but not 930-nm optical coherence tomography reliably evaluates melanoma thickness <i>in vivo</i> : a prospective validation study. <i>British Journal of Dermatology</i> , 2014, 171, 799-805.                                       | 1.4 | 39        |
| 22164 | A review of ultrasound common carotid artery image and video segmentation techniques. <i>Medical and Biological Engineering and Computing</i> , 2014, 52, 1073-1093.  | 1.6 | 112       |
| 22165 | Discordant Doppler Right Heart Catheterization Pulmonary Artery Systolic Pressures: Importance of Pulmonary Capillary Wedge Pressure. <i>Echocardiography</i> , 2014, 31, 279-284.  | 0.3 | 6         |
| 22166 | Valid methods for estimating children's sleep problems in clinical practice. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, e555-7.   | 0.7 | 7         |
| 22167 | Cross-relaxation imaging of human patellar cartilage in vivo at 3.0T. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1568-1576.  | 0.6 | 9         |
| 22168 | Ratios of Peripheral-to-Central Airway Lumen Area and Percentage Wall Area as Predictors of Severity of Chronic Obstructive Pulmonary Disease. <i>American Journal of Roentgenology</i> , 2014, 203, 78-84.   | 1.0 | 9         |
| 22169 | Can Measures of Limb Loading and Dynamic Stability During the Squat Maneuver Provide an Index of Early Functional Recovery After Unilateral Total Hip Arthroplasty?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 1946-1953.                 | 0.5 | 7         |
| 22170 | Improved Tracking Performance of Lagrangian Block-Matching Methodologies Using Block Expansion in the Time Domain: In Silico, Phantom and in Vivo Evaluations. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 2508-2520.                                     | 0.7 | 14        |
| 22171 | Body composition assessment in infancy and early childhood: comparison of anthropometry with dual-energy X-ray absorptiometry in low-income group children from India. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 658-663.                           | 1.3 | 11        |
| 22172 | Real-time flow MRI of the aorta at a resolution of 40 msec. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 206-213.   | 1.9 | 48        |
| 22173 | Testing Spirometers: Are the Standard Curves of the American Thoracic Society Sufficient?. <i>Respiratory Care</i> , 2014, 59, 1895-1904.   | 0.8 | 11        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22174 | Successful induction of labor: prediction by preinduction cervical length, angle of progression and cervical elastography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 44, 468-475.                           | 0.9 | 74        |
| 22175 | Accelerated analysis of three-dimensional blood flow of the thoracic aorta in stroke patients. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 1571-1577.   | 0.7 | 17        |
| 22176 | Forehead reflectance photoplethysmography to monitor heart rate: preliminary results from neonatal patients. <i>Physiological Measurement</i> , 2014, 35, 881-893.   | 1.2 | 44        |
| 22177 | A diagnostic model for histologic damage in undescended testes based on testis rigidity measurement: an experimental study with a novel device. <i>Journal of Surgical Research</i> , 2014, 192, 521-530.                | 0.8 | 1         |
| 22178 | Relationship of Salivary and Plasma Cortisol Levels in Preterm Infants: Results of a Prospective Observational Study and Systematic Review of the Literature. <i>Neonatology</i> , 2014, 105, 312-318.                   | 0.9 | 29        |
| 22179 | Accuracy of Endoscopic Intraoperative Assessment of Urologic Stone Size. <i>Journal of Endourology</i> , 2014, 28, 582-586.  | 1.1 | 15        |
| 22180 | Feasibility of Using the Marginal Blood Vessels as Reference Landmarks for CT Colonography. <i>American Journal of Roentgenology</i> , 2014, 202, W50-W58.   | 1.0 | 3         |
| 22181 | Ultrasonographic identification and semiquantitative assessment of unloculated pleural effusions in critically ill patients by residents after a focused training. <i>Intensive Care Medicine</i> , 2014, 40, 1475-1480. | 3.9 | 28        |
| 22182 | Reference Equation for the 2-Minute Walk Test in Adults and the Elderly. <i>Respiratory Care</i> , 2014, 59, 525-530.  | 0.8 | 38        |
| 22183 | Validation of the Lactate Plus Lactate Meter in the Horse and Its Use in a Conditioning Program. <i>Journal of Equine Veterinary Science</i> , 2014, 34, 1064-1068.  | 0.4 | 11        |
| 22184 | Laboratory demonstration and field verification of a Wireless Cookstove Sensing System (WiCS) for determining cooking duration and fuel consumption. <i>Energy for Sustainable Development</i> , 2014, 23, 59-67.        | 2.0 | 16        |
| 22185 | A Hybrid Approach to Segmentation of Diseased Lung Lobes. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2014, 18, 1696-1706.  | 3.9 | 13        |
| 22186 | Capsaicin cough threshold test in diagnostics. <i>Respiratory Medicine</i> , 2014, 108, 1371-1376.   | 1.3 | 33        |
| 22187 | Feasibility and Precision of Subcutaneous Continuous Glucose Monitoring in Patients Undergoing CABG Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2014, 28, 1264-1272.                             | 0.6 | 6         |
| 22188 | Quantitative measurement of syndesmophyte volume and height in ankylosing spondylitis using CT. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 544-550.   | 0.5 | 31        |
| 22189 | Brazilian reference values for MPS II screening in dried blood spots â€” A fluorimetric assay. <i>Clinical Biochemistry</i> , 2014, 47, 1297-1299.   | 0.8 | 4         |
| 22190 | Portable Inertial Motion Unit for Continuous Assessment of In-shoe Foot Movement. <i>Procedia Engineering</i> , 2014, 72, 208-213.   | 1.2 | 10        |
| 22191 | A hazard ratio was estimated by a ratio of median survival times, but with considerable uncertainty. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 1172-1177.  | 2.4 | 16        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22192 | Reliability and relatedness of peak VO <sub>2</sub> assessments during body weight supported treadmill training and arm cycle ergometry in individuals with chronic motor incomplete spinal cord injury. <i>Spinal Cord</i> , 2014, 52, 287-291.                 | 0.9 | 10        |
| 22193 | Reproducibility of Interferon Gamma (IFN- $\gamma$ ) Release Assays. A Systematic Review. <i>Annals of the American Thoracic Society</i> , 2014, 11, 1267-1276.  | 1.5 | 85        |
| 22194 | Differentiation between early rheumatoid arthritis patients and healthy persons by conventional and dynamic contrast-enhanced magnetic resonance imaging. <i>Scandinavian Journal of Rheumatology</i> , 2014, 43, 109-118.                                       | 0.6 | 18        |
| 22195 | Intraindividual rightâ€“left comparison of sonographic features in polycystic ovary syndrome (PCOS) diagnosis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 181, 124-129.  | 0.5 | 5         |
| 22196 | Subcutaneous Glucose Concentration as a Predictor Variable for Energy Expenditure during Resistance Exercise in Humans. , 2014, , .  |     | 1         |
| 22197 | Validity of resting myotonometric assessment of lower extremity muscles in chronic stroke patients with limited hypertonia: A preliminary study. <i>Journal of Electromyography and Kinesiology</i> , 2014, 24, 762-769.   | 0.7 | 67        |
| 22198 | Age, trauma and the critical shoulder angle accurately predict supraspinatus tendon tears. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2014, 100, 489-494.  | 0.9 | 90        |
| 22199 | Chest CT Measures of Muscle and Adipose Tissue in COPD. <i>Academic Radiology</i> , 2014, 21, 1255-1261.   | 1.3 | 50        |
| 22200 | Quantitative Assessment of Inferior Oblique Muscle Overaction Using Photographs of the Cardinal Positions of Gaze. <i>American Journal of Ophthalmology</i> , 2014, 158, 793-799.e2.   | 1.7 | 19        |
| 22201 | Predictive value of ophthalmic artery Doppler velocimetry in relation to development of preâ€“eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 44, 419-426.   | 0.9 | 21        |
| 22202 | Repeatability and accuracy of applanation resonance tonometry in healthy subjects and patients with glaucoma. <i>Acta Ophthalmologica</i> , 2014, 92, e66-73.  | 0.6 | 12        |
| 22203 | Validation of maturity offset in a longitudinal sample of Polish girls. <i>Journal of Sports Sciences</i> , 2014, 32, 1374-1382.   | 1.0 | 104       |
| 22204 | Room-temperature vs iced saline indicator injection for transpulmonary thermodilution. <i>Journal of Critical Care</i> , 2014, 29, 1133.e7-1133.e14.   | 1.0 | 17        |
| 22205 | Comparison of heart rate and heart rate variability obtained by heart rate monitors and simultaneously recorded electrocardiogram signals in nonexercising horses. <i>Journal of Veterinary Behavior: Clinical Applications and Research</i> , 2014, 9, 341-346. | 0.5 | 45        |
| 22206 | Central venous saturation in septic shock: co-oximetry vs gasometry. <i>American Journal of Emergency Medicine</i> , 2014, 32, 1275-1277.  | 0.7 | 3         |
| 22207 | Estimating maximum and psychophysically acceptable hand forces using a biomechanical weakest link approach. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2014, 17, 1418-1431.  | 0.9 | 4         |
| 22208 | Compressed Sensing Singleâ€“Breath-Hold CMR for Fast Quantification of LVâ€“Function, Volumes, and Mass. <i>JACC: Cardiovascular Imaging</i> , 2014, 7, 882-892.   | 2.3 | 116       |
| 22209 | Measuring intermittent exercise performance using shuttle running. <i>Journal of Sports Sciences</i> , 2014, 32, 601-609.  | 1.0 | 9         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22210 | The Vigileo-FloTrac™ System: Arterial Waveform Analysis for Measuring Cardiac Output and Predicting Fluid Responsiveness: A Clinical Review. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2014, 28, 1361-1374.  | 0.6 | 31        |
| 22211 | Detection of the motor points of the abdominal muscles. <i>European Journal of Applied Physiology</i> , 2014, 114, 2483-2489.   | 1.2 | 6         |
| 22212 | Validity of Standing Posture Eight-electrode Bioelectrical Impedance to Estimate Body Composition in Taiwanese Elderly. <i>International Journal of Gerontology</i> , 2014, 8, 137-142.   | 0.7 | 11        |
| 22213 | Internal consistency and test-retest reliability of an instrumented functional reaching task using wireless electromyographic sensors. <i>Journal of Electromyography and Kinesiology</i> , 2014, 24, 593-600.  | 0.7 | 9         |
| 22214 | Interpretation of high-resolution imagery for detecting vegetation cover composition change after fuels reduction treatments in woodlands. <i>Ecological Indicators</i> , 2014, 45, 570-578.  | 2.6 | 12        |
| 22215 | Measuring solids concentrations in urban stormwater and snowmelt: a new operational procedure. <i>Environmental Sciences: Processes and Impacts</i> , 2014, 16, 2172.   | 1.7 | 2         |
| 22216 | Short communication: Evaluation of an automated in-house hematology analyzer for bovine blood. <i>Journal of Dairy Science</i> , 2014, 97, 5580-5586.   | 1.4 | 2         |
| 22217 | Repeatability and reproducibility of Galilei measurements in normal keratoconic and postrefractive corneas. <i>Contact Lens and Anterior Eye</i> , 2014, 37, 331-336.   | 0.8 | 17        |
| 22218 | Pattern Recognition in Cyclic and Discrete Skills Performance from Inertial Measurement Units. <i>Procedia Engineering</i> , 2014, 72, 196-201.   | 1.2 | 13        |
| 22219 | Fiabilité du plan pelvien antérieur lors de l'implantation assistée par ordinateur du composant acétabulaire d'une prothèse totale de hanche: Étude prospective par imagerie EOS. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2014, 100, S134-S138. | 0.0 | 0         |
| 22220 | Validation of a method to measure total spontaneous physical activity of sedentary and voluntary running mice. <i>Journal of Neuroscience Methods</i> , 2014, 235, 51-58.   | 1.3 | 8         |
| 22221 | Comparación de las velocidades alcanzadas entre dos test de campo de similares características: VAM-EVAL y UMTT. <i>Revista Andaluza De Medicina Del Deporte</i> , 2014, 7, 48-54.  | 0.1 | 3         |
| 22222 | Comparisons of four dietary assessment methods during pregnancy in Taiwanese women. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2014, 53, 162-169.  | 0.5 | 8         |
| 22223 | Reliability and variability of diffusion tensor imaging (DTI) tractography in pediatric epilepsy. <i>Epilepsy and Behavior</i> , 2014, 37, 116-122.   | 0.9 | 28        |
| 22224 | Reproducibility of subjective appetite ratings and ad libitum test meal energy intake in overweight and obese males. <i>Appetite</i> , 2014, 81, 116-122.   | 1.8 | 31        |
| 22225 | Appendicular skeletal muscle in hospitalised hip-fracture patients: development and cross-validation of anthropometric prediction equations against dual-energy X-ray absorptiometry. <i>Age and Ageing</i> , 2014, 43, 857-862.                                    | 0.7 | 16        |
| 22226 | Characterization of Lipid-Rich Aortic Plaques by Intravascular Photoacoustic Tomography. <i>Journal of the American College of Cardiology</i> , 2014, 64, 385-390.  | 1.2 | 115       |
| 22227 | Fiabilidad de un test isométrico de rodilla en mujeres con fibromialgia mediante test-retest de 12 semanas. <i>Revista Colombiana De Reumatología</i> , 2014, 21, 70-75.  | 0.0 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22228 | Technical note: Evaluation of a new system for measuring feeding behavior of dairy cows. <i>Computers and Electronics in Agriculture</i> , 2014, 108, 12-16.   | 3.7 | 40        |
| 22229 | Premature or Just Small? Training Guatemalan Birth Attendants to Weigh and Assess Gestational Age of Newborns: An Analysis of Outcomes. <i>Health Care for Women International</i> , 2014, 35, 216-231.  | 0.6 | 5         |
| 22230 | The assessment of transpulmonary pressure in mechanically ventilated ARDS patients. <i>Intensive Care Medicine</i> , 2014, 40, 1670-1678.  | 3.9 | 79        |
| 22231 | Accuracy of continuous thermodilution cardiac output monitoring by pulmonary artery catheter during therapeutic hypothermia in post-cardiac arrest patients. <i>Resuscitation</i> , 2014, 85, 1263-1268.   | 1.3 | 14        |
| 22232 | Comparative study of corneal tangent elastic modulus measurement using corneal indentation device. <i>Medical Engineering and Physics</i> , 2014, 36, 1115-1121.   | 0.8 | 14        |
| 22233 | LEVERAGING BIOLOGICAL REPLICATES TO IMPROVE ANALYSIS IN CHIP-SEQ EXPERIMENTS. <i>Computational and Structural Biotechnology Journal</i> , 2014, 9, e201401002.   | 1.9 | 57        |
| 22234 | Reproducibility of Renal Volume Measurement in Adults Using 3â€­Dimensional Sonography. <i>Journal of Ultrasound in Medicine</i> , 2014, 33, 431-435.  | 0.8 | 4         |
| 22235 | Comparison of computer tomographic volumetry <i>versus</i> nuclear split renal function to determine residual renal function after living kidney donation. <i>Acta Radiologica</i> , 2014, 55, 753-760.  | 0.5 | 33        |
| 22236 | Hemodynamic causes of exercise intolerance in Fontan patients. <i>International Journal of Cardiology</i> , 2014, 175, 478-483.  | 0.8 | 26        |
| 22237 | Do colleagues influence our lifestyle: The matter of smoking, body mass index and leisure-time physical activity?. <i>Preventive Medicine</i> , 2014, 67, 166-170.   | 1.6 | 19        |
| 22238 | Highâ€­throughput sequencing of TCR repertoires in multiple sclerosis reveals intrathecal enrichment of EBVâ€­reactive CD8<sup>+</sup> Tâ€­cells. <i>European Journal of Immunology</i> , 2014, 44, 3439-3452.                                     | 1.6 | 107       |
| 22239 | Patient-reported outcome measures (PROMs): how should I interpret reports of measurement properties? A practical guide for clinicians and researchers who are not biostatisticians. <i>British Journal of Sports Medicine</i> , 2014, 48, 792-796. | 3.1 | 70        |
| 22240 | Comparison of Diagnostic Value of a Novel Noninvasive Coronary Computed Tomography Angiography Method Versus Standard Coronary Angiography for Assessing Fractional Flow Reserve. <i>American Journal of Cardiology</i> , 2014, 114, 1303-1308.    | 0.7 | 171       |
| 22241 | Automatic entropy-based femur segmentation and fast length measurement for fetal ultrasound images. , 2014, , .  |     | 6         |
| 22242 | Validation of the activPAL activity monitor in children with hemiplegic gait patterns resultant from cerebral palsy. <i>Prosthetics and Orthotics International</i> , 2014, 38, 393-399.   | 0.5 | 15        |
| 22243 | Carbon monoxide poisoning in patients presenting to the emergency department with a headache in winter months. <i>Emergency Medicine Journal</i> , 2014, 31, e66-e70.  | 0.4 | 16        |
| 22244 | <i>In vitro</i> and <i>in vivo</i> comparison of two-, three- and four-point Dixon techniques for clinical intramuscular fat quantification at 3â€­T. <i>British Journal of Radiology</i> , 2014, 87, 20130761.                                    | 1.0 | 42        |
| 22245 | Determination of the precision and accuracy of morphological measurements using the Kinectâ„¢ sensor: comparison with standard stereophotogrammetry. <i>Ergonomics</i> , 2014, 57, 622-631.  | 1.1 | 44        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22246 | The Use of Self-Report Exposure Measures Among Novice Motorcyclists: Appropriateness and Best Practice Recommendations. <i>Traffic Injury Prevention</i> , 2014, 15, 491-500.  | 0.6 | 4         |
| 22247 | MR Elastography for the Assessment of Hepatic Fibrosis in Patients with Chronic Hepatitis B Infection: Does Histologic Necroinflammation Influence the Measurement of Hepatic Stiffness?. <i>Radiology</i> , 2014, 273, 88-98.             | 3.6 | 97        |
| 22248 | The Quality Function Measure: reliability and discriminant validity of a new measure of quality of gross motor movement in ambulatory children with cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2014, 56, 770-778. | 1.1 | 26        |
| 22249 | Applicability of ultrasound muscle thickness measurements for predicting fat-free mass in elderly population. <i>Journal of Nutrition, Health and Aging</i> , 2014, 18, 579-585.   | 1.5 | 64        |
| 22250 | Anxiety, depression and behavioral problems among adolescents with recurrent headache: the Young-HUNT study. <i>Journal of Headache and Pain</i> , 2014, 15, 38.   | 2.5 | 55        |
| 22251 | Lung volume assessments in normal and surfactant depleted lungs: agreement between bedside techniques and CT imaging. <i>BMC Anesthesiology</i> , 2014, 14, 64.  | 0.7 | 8         |
| 22252 | Performance of capnometry in non-intubated infants in the pediatric intensive care unit. <i>BMC Pediatrics</i> , 2014, 14, 163.  | 0.7 | 10        |
| 22253 | Application of the Occupational Sitting and Physical Activity Questionnaire (OSPAQ) to office based workers. <i>BMC Public Health</i> , 2014, 14, 762.   | 1.2 | 44        |
| 22254 | Development and testing of a past year measure of sedentary behavior: the SIT-Q. <i>BMC Public Health</i> , 2014, 14, 899.   | 1.2 | 43        |
| 22255 | Preliminary study of the Southampton Hand Assessment Procedure for Children and its reliability. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 199.   | 0.8 | 10        |
| 22256 | Minimal detectable change for mobility and patient-reported tools in people with osteoarthritis awaiting arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 235.   | 0.8 | 73        |
| 22257 | Cross-cultural adaptation and reliability and validity of the Dutch Patient-Rated Tennis Elbow Evaluation (PRTEE-D). <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 270.   | 0.8 | 20        |
| 22258 | Patterns of malaria indices across three consecutive seasons in children in a highly endemic area of West Africa: a three times-repeated cross-sectional study. <i>Malaria Journal</i> , 2014, 13, 199.                                    | 0.8 | 7         |
| 22259 | Interobserver reliability of echocardiography for prognostication of normotensive patients with pulmonary embolism. <i>Cardiovascular Ultrasound</i> , 2014, 12, 29.   | 0.5 | 40        |
| 22260 | Validity and reliability of balance assessment software using the Nintendo Wii balance board: usability and validation. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2014, 11, 99.  | 2.4 | 110       |
| 22261 | A comparison of three accelerometry-based devices for estimating energy expenditure in adults and children with cerebral palsy. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2014, 11, 116.                                     | 2.4 | 11        |
| 22262 | Wavelet-based algorithm to the evaluation of contrasted hepatocellular carcinoma in CT-images after transarterial chemoembolization. <i>Radiation Oncology</i> , 2014, 9, 166.   | 1.2 | 5         |
| 22263 | Determinants of distance walked during the six-minute walk test in patients undergoing cardiac surgery at hospital discharge. <i>Journal of Cardiothoracic Surgery</i> , 2014, 9, 95.  | 0.4 | 23        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22264 | Comparison of programs for determining temporal-spatial gait variables from instrumented walkway data: PKmas versus GAITRite. <i>BMC Research Notes</i> , 2014, 7, 542.  | 0.6 | 41        |
| 22265 | Axillary and rectal thermometry in the newborn: do they agree?. <i>BMC Research Notes</i> , 2014, 7, 584.  | 0.6 | 21        |
| 22266 | A prospective evaluation of cardiovascular magnetic resonance measures of dyssynchrony in the prediction of response to cardiac resynchronization therapy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 58.   | 1.6 | 41        |
| 22267 | Quantification of left atrial strain and strain rate using Cardiovascular Magnetic Resonance myocardial feature tracking: a feasibility study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 60.   | 1.6 | 185       |
| 22268 | Quantification of left ventricular functional parameter values using 3D spiral bSSFP and through-time Non-Cartesian GRAPPA. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 65.  | 1.6 | 25        |
| 22269 | Influence of choroidal thickness on subfoveal choroidal thickness measurement repeatability using enhanced depth imaging optical coherence tomography. <i>Eye</i> , 2014, 28, 1151-1160.   | 1.1 | 25        |
| 22270 | Limits of agreement method for comparing TSD and FWD measurements. <i>International Journal of Pavement Engineering</i> , 2014, 15, 532-541.   | 2.2 | 32        |
| 22271 | The variability of ankle-brachial blood pressure difference and ankle-brachial index in treated hypertensive patients. <i>Journal of the American Society of Hypertension</i> , 2014, 8, 693-698.  | 2.3 | 7         |
| 22272 | Parental Obesity and Risk of Autism Spectrum Disorder. <i>Pediatrics</i> , 2014, 133, e1128-e1138.   | 1.0 | 96        |
| 22273 | Measurement error in the assessment of radiographic progression in rheumatoid arthritis (RA) clinical trials: the smallest detectable change (SDC) revisited. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1067-1070.   | 0.5 | 15        |
| 22274 | Three-Dimensional Reconstruction Volume: A Novel Method for Volume Measurement in Kidney Cancer. <i>Journal of Endourology</i> , 2014, 28, 745-750.  | 1.1 | 9         |
| 22275 | DNA fragmentation and sperm head morphometry in cat epididymal spermatozoa. <i>Theriogenology</i> , 2014, 82, 982-987.   | 0.9 | 20        |
| 22276 | Comparison of orthodontic measurements on dental plaster casts and 3D scans. <i>Journal of Orofacial Orthopedics</i> , 2014, 75, 264-274.  | 0.5 | 26        |
| 22277 | Analysis of agreement between the German translation of the American Foot and Ankle Society's Ankle and Hindfoot Scale (AOFAS-AHS) and the Foot Function Index in its validated German translation by Naal et al. (FFI-D). <i>Archives of Orthopaedic and Trauma Surgery</i> , 2014, 134, 1205-1210. | 1.3 | 34        |
| 22278 | The contraction-induced increase in Achilles tendon moment arm: A three-dimensional study. <i>Journal of Biomechanics</i> , 2014, 47, 3226-3231.   | 0.9 | 13        |
| 22279 | A low-cost real time virtual system for postural stability assessment at home. <i>Computer Methods and Programs in Biomedicine</i> , 2014, 117, 322-333.   | 2.6 | 26        |
| 22280 | Low-dose chest computed tomography for quantitative and visual anatomical analysis in patients with acute respiratory distress syndrome. <i>Intensive Care Medicine</i> , 2014, 40, 691-699.   | 3.9 | 28        |
| 22281 | Repeatability and accuracy of a non-invasive method of measuring internal and external rotation of the tibia. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 1771-1777.   | 2.3 | 10        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22283 | Exploring cartilage damage in gout using 3-T MRI: distribution and associations with joint inflammation and tophus deposition. <i>Skeletal Radiology</i> , 2014, 43, 917-924.  | 1.2 | 24        |
| 22284 | Thanatophoric dysplasia. Correlation among bone X-ray morphometry, histopathology, and gene analysis. <i>Skeletal Radiology</i> , 2014, 43, 1205-1215.   | 1.2 | 7         |
| 22285 | Comparison of MR-based attenuation correction and CT-based attenuation correction of whole-body PET/MR imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 1574-1584.   | 3.3 | 41        |
| 22286 | Nonenhanced renal MR angiography using steady-state free precession (SSFP) and time-spatial labeling inversion pulse (Time-SLIP): repeatability and comparison of different tagging location. <i>Abdominal Imaging</i> , 2014, 39, 1000-1008.              | 2.0 | 3         |
| 22287 | Is the acetabular cup orientation after total hip arthroplasty on a two dimension or three dimension model accurate?. <i>International Orthopaedics</i> , 2014, 38, 2009-2015.   | 0.9 | 34        |
| 22288 | Comparison of ASL and DCE MRI for the non-invasive measurement of renal blood flow: quantification and reproducibility. <i>European Radiology</i> , 2014, 24, 1300-1308.   | 2.3 | 50        |
| 22289 | Reproducibility, and age, body-weight and gender dependency of candidate skeletal muscle MRI outcome measures in healthy volunteers. <i>European Radiology</i> , 2014, 24, 1610-1620.  | 2.3 | 53        |
| 22290 | Impact of contrast injection and stent-graft implantation on reproducibility of volume measurements in semiautomated segmentation of abdominal aortic aneurysm on computed tomography. <i>European Radiology</i> , 2014, 24, 1594-1601.                    | 2.3 | 8         |
| 22291 | Cardiac valve calcifications on low-dose unenhanced ungated chest computed tomography: inter-observer and inter-examination reliability, agreement and variability. <i>European Radiology</i> , 2014, 24, 1557-1564.                                       | 2.3 | 18        |
| 22292 | Evaluating the agreement between tumour volumetry and the estimated volumes of tumour lesions using an algorithm. <i>European Radiology</i> , 2014, 24, 1521-1528.   | 2.3 | 5         |
| 22293 | Thrombus imaging in acute stroke: correlation of thrombus length on susceptibility-weighted imaging with endovascular reperfusion success. <i>European Radiology</i> , 2014, 24, 1735-1741.  | 2.3 | 62        |
| 22294 | Assessment of sub-clinical acute cellular rejection after heart transplantation: comparison of cardiac magnetic resonance imaging and endomyocardial biopsy. <i>European Radiology</i> , 2014, 24, 2360-2371.  | 2.3 | 43        |
| 22295 | Effect of bosentan therapy on ventricular and atrial function in adults with Eisenmenger syndrome. A prospective, multicenter study using conventional and Speckle tracking echocardiography. <i>Clinical Research in Cardiology</i> , 2014, 103, 701-710. | 1.5 | 11        |
| 22296 | Transperineal versus transvaginal ultrasound cervical length measurement and preterm labor. <i>Archives of Gynecology and Obstetrics</i> , 2014, 290, 465-469.   | 0.8 | 14        |
| 22297 | Measurement of angle Kappa with Orbscan II and Galilei G4: effect of accommodation. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2014, 252, 249-255.  | 1.0 | 25        |
| 22298 | Non-invasive assessment of carotid PWV via accelerometric sensors: validation of a new device and comparison with established techniques. <i>European Journal of Applied Physiology</i> , 2014, 114, 1503-1512.  | 1.2 | 11        |
| 22299 | Ambulatory blood pressure monitoring is recommended in the clinical management of children with a solitary functioning kidney. <i>Pediatric Nephrology</i> , 2014, 29, 2205-2211.  | 0.9 | 28        |
| 22300 | Circumferential dynamic stabilization of the lumbar spine: a biomechanical analysis. <i>European Spine Journal</i> , 2014, 23, 2330-2339.  | 1.0 | 7         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22301 | Letter to the Editor concerning "Calculation of corrected body height in idiopathic scoliosis: comparison of four methods" by M. Tyrakowski et al. (Eur Spine J, doi:10.1007/s00586-014-3275-1). European Spine Journal, 2014, 23, 2000-2001.    | 1.0 | 3         |
| 22302 | Reply to the Letter to the Editor of J. Padulo et al. concerning "Calculation of corrected body height in idiopathic scoliosis: comparison of four methods" by M. Tyrakowski et al. (Eur Spine J, DOI) Tj ETQq1 1 0.7843140gBT /Oerlock I        | 1.0 | 3         |
| 22303 | Measurement properties of the Dutch version of the Western Ontario Shoulder Instability Index (WOSI). Journal of Orthopaedic Science, 2014, 19, 242-249.   | 0.5 | 14        |
| 22304 | Histopathological effects of different therapy strategies in experimental sinus thrombosis. Neurological Sciences, 2014, 35, 1281-1285.  | 0.9 | 3         |
| 22305 | Longitudinal myocardial peak velocities using high temporal resolution phase-contrast and simple averaging are comparable to tissue Doppler echocardiography. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2014, 27, 211-218. | 1.1 | 3         |
| 22306 | Diagnostic performance of breast-specific gamma imaging in the assessment of residual tumor after neoadjuvant chemotherapy in breast cancer patients. Breast Cancer Research and Treatment, 2014, 145, 91-100.                                   | 1.1 | 26        |
| 22307 | Accuracy and reproducibility of automated, standardized coronary transluminal attenuation gradient measurements. International Journal of Cardiovascular Imaging, 2014, 30, 1181-1189.   | 0.7 | 16        |
| 22308 | The impact of Fourier-Domain optical coherence tomography catheter induced motion artefacts on quantitative measurements of a PLLA-based bioresorbable scaffold. International Journal of Cardiovascular Imaging, 2014, 30, 1013-1026.           | 0.7 | 17        |
| 22309 | A fast automated method for calculating the EOG Arden ratio. Documenta Ophthalmologica, 2014, 128, 169-178.  | 1.0 | 3         |
| 22310 | Youth-caregiver Agreement on Clinical High-risk Symptoms of Psychosis. Journal of Abnormal Child Psychology, 2014, 42, 649-658.  | 3.5 | 7         |
| 22311 | Oxygenation advisor recommends appropriate positive end expiratory pressure and FIO2 settings: retrospective validation study. Journal of Clinical Monitoring and Computing, 2014, 28, 203-210.  | 0.7 | 3         |
| 22312 | Evaluation and Comparison of Current Fetal Ultrasound Image Segmentation Methods for Biometric Measurements: A Grand Challenge. IEEE Transactions on Medical Imaging, 2014, 33, 797-813.   | 5.4 | 137       |
| 22313 | New Sensitive One-Step Real-Time Duplex PCR Method for Group A and B HIV-2 RNA Load. Journal of Clinical Microbiology, 2014, 52, 3017-3022.  | 1.8 | 23        |
| 22314 | Life-space mobility assessment in older people in Finland; measurement properties in winter and spring. BMC Research Notes, 2014, 7, 323.  | 0.6 | 62        |
| 22315 | Earlobe arterialized capillary blood gas analysis in the intensive care unit: a pilot study. Annals of Intensive Care, 2014, 4, 11.  | 2.2 | 8         |
| 22316 | Effects of cervical muscle fatigue on the perception of the subjective vertical and horizontal. SpringerPlus, 2014, 3, 78.   | 1.2 | 5         |
| 22317 | Documentation of Quality of Care Data for Colon Cancer Surgery: Comparison of Synoptic and Dictated Operative Reports. Annals of Surgical Oncology, 2014, 21, 3592-3597.   | 0.7 | 39        |
| 22318 | Body composition assessment in the infant. American Journal of Human Biology, 2014, 26, 291-304.   | 0.8 | 161       |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22319 | Primary ciliary dyskinesia assessment by means of optical flow analysis of phase-contrast microscopy images. <i>Computerized Medical Imaging and Graphics</i> , 2014, 38, 163-170.   | 3.5 | 8         |
| 22320 | Inhibition of monoamine oxidase (MAO) by $\beta$ -carbolines and their interactions in live neuronal (PC12) and liver (HuH-7 and MH1C1) cells. <i>Toxicology in Vitro</i> , 2014, 28, 403-410.   | 1.1 | 29        |
| 22321 | Use of the Nexfin <sup>®</sup> device to detect acute arterial pressure variations during anaesthesia induction. <i>British Journal of Anaesthesia</i> , 2014, 113, 52-60.   | 1.5 | 32        |
| 22322 | Single-step preparation and image-based counting of minute volumes of human blood. <i>Lab on A Chip</i> , 2014, 14, 3029.  | 3.1 | 38        |
| 22323 | Clinical Measurement of the Angle of Ocular Movements in the Nine Cardinal Positions of Gaze. <i>Ophthalmology</i> , 2014, 121, 870-876.   | 2.5 | 30        |
| 22324 | Usefulness of Transient Elastography for Noninvasive and Reliable Estimation of Right-Sided Filling Pressure in Heart Failure. <i>American Journal of Cardiology</i> , 2014, 113, 552-558.   | 0.7 | 78        |
| 22325 | Comparison of Forelimb and Hindlimb Systolic Blood Pressures and Proteinuria in Healthy Shetland Sheepdogs. <i>Journal of Veterinary Internal Medicine</i> , 2014, 28, 277-283.  | 0.6 | 15        |
| 22326 | Digital image analysis of inflammation markers in colorectal mucosa by using a spatial visualization method. <i>Pathology Research and Practice</i> , 2014, 210, 147-154.  | 1.0 | 4         |
| 22327 | Monitoring equine visceral pain with a composite pain scale score and correlation with survival after emergency gastrointestinal surgery. <i>Veterinary Journal</i> , 2014, 200, 109-115.  | 0.6 | 34        |
| 22328 | The intra-rater reliability and agreement of compensatory stepping thresholds of healthy subjects. <i>Gait and Posture</i> , 2014, 39, 810-815.  | 0.6 | 32        |
| 22329 | Human and bovine rotavirus strain antigens for evaluation of immunogenicity in a randomized, double-blind, placebo-controlled trial of a single dose live attenuated tetravalent, bovine-human-reassortant, oral rotavirus vaccine in Indian adults. <i>Vaccine</i> , 2014, 32, 3094-3100. | 1.7 | 13        |
| 22330 | A double-sampling approach to deriving training and validation data for remotely-sensed vegetation products. <i>International Journal of Remote Sensing</i> , 2014, 35, 1936-1955.   | 1.3 | 9         |
| 22331 | Comparison of continuous non-invasive finger arterial pressure monitoring with conventional intermittent automated arm arterial pressure measurement in patients under general anaesthesia. <i>British Journal of Anaesthesia</i> , 2014, 113, 67-74.                                      | 1.5 | 65        |
| 22332 | Muscle shear modulus measured with ultrasound shear-wave elastography across a wide range of contraction intensity. <i>Muscle and Nerve</i> , 2014, 50, 103-113.   | 1.0 | 142       |
| 22333 | The effect of ozone on progression or regression of artificial caries-like enamel lesions in vitro. <i>Journal of Dentistry</i> , 2014, 42, 167-174.   | 1.7 | 5         |
| 22334 | Semi-automatic border detection software for the quantification of arterial lumen, intima-media and adventitia layer thickness with very-high resolution ultrasound. <i>Atherosclerosis</i> , 2014, 234, 283-287.  | 0.4 | 9         |
| 22335 | Relationship Between Quantitative CT of Pulmonary Small Vessels and Pulmonary Perfusion. <i>American Journal of Roentgenology</i> , 2014, 202, 719-724.  | 1.0 | 16        |
| 22336 | A review of signals used in sleep analysis. <i>Physiological Measurement</i> , 2014, 35, R1-R57.   | 1.2 | 165       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22337 | High-resolution, three-dimensional diffusion-weighted breast imaging using DESS. <i>Magnetic Resonance Imaging</i> , 2014, 32, 330-341.  | 1.0 | 22        |
| 22338 | Performance of formulae based estimates of glomerular filtration rate for carboplatin dosing in stage 1 seminoma. <i>European Journal of Cancer</i> , 2014, 50, 944-952.   | 1.3 | 27        |
| 22339 | Comparative abilities of Microsoft Kinect and Vicon 3D motion capture for gait analysis. <i>Journal of Medical Engineering and Technology</i> , 2014, 38, 274-280.   | 0.8 | 402       |
| 22340 | A new acoustic method to determine the setting time of calcium sulfate bone cement mixed with antibiotics. <i>Biomedical Materials (Bristol)</i> , 2014, 9, 045006.  | 1.7 | 5         |
| 22341 | Reliability and Validity of Kinect RGB-D Sensor for Assessing Standing Balance. <i>IEEE Sensors Journal</i> , 2014, 14, 1633-1638.   | 2.4 | 79        |
| 22342 | Multiphase B-spline level set and incremental shape priors with applications to segmentation and tracking of left ventricle in cardiac MR images. <i>Machine Vision and Applications</i> , 2014, 25, 1967-1987.  | 1.7 | 14        |
| 22343 | Cross-platform comparative analyses of genetic variation in amino acid content in potato tubers. <i>Metabolomics</i> , 2014, 10, 1239-1257.  | 1.4 | 3         |
| 22344 | Validation of blood pressure monitoring using pulse transit time in heart failure patients with Cheyne-Stokes respiration undergoing adaptive servoventilation therapy. <i>Sleep and Breathing</i> , 2014, 18, 411-421.  | 0.9 | 10        |
| 22345 | Simultaneous extraction of carotid artery intima-media interfaces in ultrasound images: assessment of wall thickness temporal variation during the cardiac cycle. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2014, 9, 645-658.        | 1.7 | 25        |
| 22346 | Risk factors of low vitamin D status in adolescent females in Kuwait: implications for high peak bone mass attainment. <i>Archives of Osteoporosis</i> , 2014, 9, 178.   | 1.0 | 17        |
| 22347 | Comparison of Two New Generation Pulse Oximeters with Arterial Oxygen Saturation in Critically Ill Children. <i>Indian Journal of Pediatrics</i> , 2014, 81, 1297-1301.  | 0.3 | 5         |
| 22348 | Comparison of algorithms to determine jump height and flight time from body mounted accelerometers. <i>Sports Engineering</i> , 2014, 17, 249-259.   | 0.5 | 22        |
| 22349 | Septal penetration in iodine-123 metaiodobenzylguanidine cardiac sympathetic imaging using a medium-energy collimator. <i>Journal of Nuclear Cardiology</i> , 2014, 21, 71-77.   | 1.4 | 2         |
| 22350 | Delayed sodium 18F-fluoride PET/CT imaging does not improve quantification of vascular calcification metabolism: Results from the CAMONA study. <i>Journal of Nuclear Cardiology</i> , 2014, 21, 293-304.  | 1.4 | 48        |
| 22351 | Gated tomographic radionuclide angiography using cadmium-zinc-telluride detector gamma camera; comparison to traditional gamma cameras. <i>Journal of Nuclear Cardiology</i> , 2014, 21, 384-396.  | 1.4 | 43        |
| 22352 | Delayed 18F-fluorodeoxyglucose PET/CT imaging improves quantitation of atherosclerotic plaque inflammation: Results from the CAMONA study. <i>Journal of Nuclear Cardiology</i> , 2014, 21, 588-597.   | 1.4 | 74        |
| 22353 | Segmental and global left ventricular function assessment using gated SPECT with a semiconductor Cadmium Zinc Telluride (CZT) camera: Phantom study and clinical validation vs cardiac magnetic resonance. <i>Journal of Nuclear Cardiology</i> , 2014, 21, 712-722. | 1.4 | 21        |
| 22354 | How reliable are crop production data? Case studies in USA and Argentina. <i>Food Security</i> , 2014, 6, 447-459.   | 2.4 | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22355 | Validation of a new tool: The calorie intake tool, to easily estimate the energy intake of diseased aged patient. <i>Journal of Nutrition, Health and Aging</i> , 2014, 18, 857-860.  | 1.5 | 4         |
| 22356 | Cystatin C-based glomerular filtration rate estimating equations in early chronic kidney disease. <i>Indian Pediatrics</i> , 2014, 51, 273-277.   | 0.2 | 15        |
| 22357 | Reductions in C-reactive protein in older adults with type 2 diabetes are related to improvements in body composition following a randomized controlled trial of resistance training. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2014, 5, 111-120. | 2.9 | 66        |
| 22358 | Measurement of endotracheal tube secretions volume by micro computed tomography (MicroCT) scan: an experimental and clinical study. <i>BMC Anesthesiology</i> , 2014, 14, 22.   | 0.7 | 7         |
| 22359 | Sidestream dark field images of the microcirculation: intra-observer reliability and correlation between two semi-quantitative methods for determining flow. <i>BMC Medical Imaging</i> , 2014, 14, 14.   | 1.4 | 13        |
| 22360 | Effect of maternal obesity with and without gestational diabetes on offspring subcutaneous and preperitoneal adipose tissue development from birth up to year-1. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 138.                                       | 0.9 | 41        |
| 22361 | The hallux valgus angle of the margo medialis pedis as an alternative to the measurement of the metatarsophalangeal hallux valgus angle. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 133.  | 0.8 | 11        |
| 22362 | Reproducibility of and sex differences in common orthopaedic ankle and foot tests in runners. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 171.   | 0.8 | 7         |
| 22363 | Validity and relative validity of a novel digital approach for 24-h dietary recall in athletes. <i>Nutrition Journal</i> , 2014, 13, 41.  | 1.5 | 6         |
| 22364 | The study of anthropometric estimates in the visceral fat of healthy individuals. <i>Nutrition Journal</i> , 2014, 13, 46.  | 1.5 | 19        |
| 22365 | Application of a photogrammetric kinematic model for prediction of lung volumes in adolescents: a pilot study. <i>BioMedical Engineering OnLine</i> , 2014, 13, 21.   | 1.3 | 9         |
| 22366 | The construct validity and responsiveness of the EQ-5D, SF-6D and Diabetes Health Profile-18 in type 2 diabetes. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 42.   | 1.0 | 37        |
| 22367 | Assessment of global myocardial perfusion reserve using cardiovascular magnetic resonance of coronary sinus flow at 3 Tesla. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 24.  | 1.6 | 32        |
| 22368 | Intercentre reproducibility of cardiac apparent diffusion coefficient and fractional anisotropy in healthy volunteers. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 31.  | 1.6 | 33        |
| 22369 | Between-day reliability of centre of pressure measures for balance assessment in hemiplegic stroke patients. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2014, 11, 39.  | 2.4 | 31        |
| 22370 | Validity and intra-rater reliability of an Android phone application to measure cervical range-of-motion. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2014, 11, 65.   | 2.4 | 71        |
| 22371 | Validated Method for the Analysis of Frangulins A and B and Glucofrangulins A and B Using HPLC and UHPLC. <i>Journal of Natural Products</i> , 2014, 77, 489-496.   | 1.5 | 9         |
| 22372 | Validating the distribution of specific ventilation in healthy humans measured using proton MR imaging. <i>Journal of Applied Physiology</i> , 2014, 116, 1048-1056.  | 1.2 | 44        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22373 | Nasal bone length:â€‰prenasal thickness ratio: a strong 2D ultrasound marker for Down syndrome. <i>Prenatal Diagnosis</i> , 2014, 34, 1139-1145.   | 1.1 | 13        |
| 22375 | Measurement of the difference in intraocular pressure between the sitting and lying body positions in healthy subjects: direct comparison of the <i>I</i> -care <i>P</i> ro with the <i>G</i> oldmann applanation tonometer, <i>P</i> neumatonometer and <i>T</i> onopen <i>XL</i> . <i>Clinical and Experimental Ophthalmology</i> , 2014, 42, 608-614. | 1.3 | 21        |
| 22376 | PT/NBL ratio assessment at mid-trimester in prenatal screening for Down syndrome in a Chinese population. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 1860-1863.  | 0.7 | 3         |
| 22377 | Manual and automated intima-media thickness and diameter measurements of the common carotid artery in patients with renal failure disease. <i>Computers in Biology and Medicine</i> , 2014, 53, 220-229.   | 3.9 | 64        |
| 22378 | First in vivo application and evaluation of a novel method for non-invasive estimation of cardiac output. <i>Medical Engineering and Physics</i> , 2014, 36, 1352-1357.  | 0.8 | 10        |
| 22379 | 2D and 3D MOCART scoring systems assessed by 9.4Âˆ high-field MRI correlate with elementary and complex histological scoring systems in a translational model of osteochondral repair. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1386-1395.  | 0.6 | 25        |
| 22380 | How does postural stability following a single leg drop jump landing task relate to postural stability during a single leg stance balance task?. <i>Journal of Biomechanics</i> , 2014, 47, 3248-3253.   | 0.9 | 31        |
| 22381 | Rotation of retinal vascular arcades and comparison with disc-fovea angle in the assessment of cycloposition. <i>British Journal of Ophthalmology</i> , 2014, 98, 115-119.   | 2.1 | 18        |
| 22382 | Estimating the density of femoral head trabecular bone from hip fracture patients using computed tomography scan data. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2014, 228, 616-626.   | 1.0 | 14        |
| 22384 | Motoneuron regeneration accuracy and recovery of gait after femoral nerve injuries in rats. <i>Neuroscience</i> , 2014, 280, 73-87.  | 1.1 | 12        |
| 22385 | Automation of serum (1- $\beta$ -D-glucan testing allows reliable and rapid discrimination of patients with and without candidemia. <i>Medical Mycology</i> , 2014, 52, 455-461.   | 0.3 | 41        |
| 22386 | Effect of the Restitution Properties of Cardiac Tissue on the Repeatability of Entrainment Mapping Response. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014, 7, 497-504.  | 2.1 | 6         |
| 22387 | Plasma exogenous creatinine clearance in clinically healthy cats: Comparison with urinary exogenous creatinine clearance, tentative reference intervals and indexation to bodyweight. <i>Veterinary Journal</i> , 2014, 202, 157-165.  | 0.6 | 2         |
| 22388 | A Machine Learning Approach to Improve Contactless Heart Rate Monitoring Using a Webcam. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2014, 18, 1153-1160.   | 3.9 | 144       |
| 22389 | Sensitivity of visual and quantitative detection of middle cerebral artery occlusion on non-contrast-enhanced computed tomography. <i>Neuroradiology</i> , 2014, 56, 1063-1068.  | 1.1 | 15        |
| 22390 | Reliability of ST-Segment Shifts in the Synthesized V3Râ€‰V5R Leads After Coronary Balloon Inflations During Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2014, 114, 1187-1191.   | 0.7 | 20        |
| 22391 | Validez y aplicabilidad de un nuevo mÃ©todo de registro para la hipertensiÃ³n arterial. <i>Revista Espanola De Cardiologia</i> , 2014, 67, 717-723.  | 0.6 | 6         |
| 22392 | Measurement of ganciclovir concentration in human plasma by ultra-performance liquid chromatographyâ€‰tandem mass spectrometry. <i>Clinica Chimica Acta</i> , 2014, 427, 58-64.  | 0.5 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22393 | Test-Retest Reliability of Handgrip Strength Measurement Using a Hydraulic Hand Dynamometer in Patients With Cervical Radiculopathy. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2014, 37, 206-210.          | 0.4 | 42        |
| 22394 | In vivo reproducibility study of ultrasound for monitoring enamel thickness. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2014, 118, 126-134.   | 0.2 | 8         |
| 22395 | The influence of leg length difference on clinical outcome after revision TKA. <i>Knee</i> , 2014, 21, 424-427.  | 0.8 | 10        |
| 22396 | Dynamic contour tonometry over silicone hydrogel contact lens. <i>Journal of Optometry</i> , 2014, 7, 91-99.   | 0.7 | 5         |
| 22397 | Rehabilitative ultrasound imaging of the supraspinatus muscle: Intra- and interrater reliability of thickness and cross-sectional area. <i>Journal of Bodywork and Movement Therapies</i> , 2014, 18, 266-272.                   | 0.5 | 25        |
| 22398 | Accuracy of quantitative magnetic resonance and eight-electrode bioelectrical impedance analysis in normal weight and obese women. <i>Clinical Nutrition</i> , 2014, 33, 471-477.  | 2.3 | 24        |
| 22399 | Multi-atlas segmentation of the whole hippocampus and subfields using multiple automatically generated templates. <i>NeuroImage</i> , 2014, 101, 494-512.  | 2.1 | 322       |
| 22400 | Quantitative chemical shift-encoded MRI is an accurate method to quantify hepatic steatosis. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 1494-1501.   | 1.9 | 78        |
| 22401 | Feasibility and accuracy of nasal alar pulse oximetry. <i>British Journal of Anaesthesia</i> , 2014, 112, 1109-1114.   | 1.5 | 7         |
| 22402 | Novel continuous capnodynamic method for cardiac output assessment during mechanical ventilation. <i>British Journal of Anaesthesia</i> , 2014, 112, 824-831.  | 1.5 | 33        |
| 22403 | Estimating clinical stage of amyotrophic lateral sclerosis from the ALS Functional Rating Scale. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2014, 15, 279-284.                                       | 1.1 | 111       |
| 22404 | Clinical Relevance of Diagnosing COPD by Fixed Ratio or Lower Limit of Normal: A Systematic Review. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2014, 11, 113-120.   | 0.7 | 31        |
| 22405 | Quantitative magnetic susceptibility mapping without phase unwrapping using WASSR. <i>NeuroImage</i> , 2014, 86, 265-279.  | 2.1 | 17        |
| 22406 | Longitudinal Myocardial Strain Alteration Is Associated with Left Ventricular Remodeling in Asymptomatic Patients with Type 2 Diabetes Mellitus. <i>Journal of the American Society of Echocardiography</i> , 2014, 27, 479-488. | 1.2 | 96        |
| 22407 | Evaluation of body adiposity index (BAI) to estimate percent body fat in an indigenous population. <i>Clinical Nutrition</i> , 2014, 33, 287-290.  | 2.3 | 20        |
| 22408 | A New Technique for Radiographic Measurement of Acetabular Cup Orientation. <i>Journal of Arthroplasty</i> , 2014, 29, 369-372.  | 1.5 | 18        |
| 22409 | Usefulness of pulmonary capillary wedge pressure as a correlate of left ventricular filling pressures in pulmonary arterial hypertension. <i>Journal of Heart and Lung Transplantation</i> , 2014, 33, 157-162.                  | 0.3 | 30        |
| 22411 | Reliability and validity of the Taiwan Chinese version of the Lower Extremity Functional Scale. <i>Journal of the Formosan Medical Association</i> , 2014, 113, 313-320.   | 0.8 | 22        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22412 | Spirometric "Lung Age" estimation for North African population. <i>The Egyptian Journal of Chest Diseases and Tuberculosis</i> , 2014, 63, 491-503.  | 0.1 | 13        |
| 22413 | Noninvasive Optical Quantification of Cerebral Venous Oxygen Saturation in Humans. <i>Academic Radiology</i> , 2014, 21, 162-167.  | 1.3 | 27        |
| 22414 | Reliability of Laser Doppler Flowmetry Curve Reading for Measurement of Toe and Ankle Pressures: Intra- and Inter-observer Variation. <i>European Journal of Vascular and Endovascular Surgery</i> , 2014, 47, 311-318.  | 0.8 | 11        |
| 22415 | Relationship between Carotid Artery Remodeling and Plaque Vulnerability with T1-Weighted Magnetic Resonance Imaging. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 1462-1470.  | 0.7 | 20        |
| 22416 | Comparison study of upper arm and forearm non-invasive blood pressures in adult Emergency Department patients. <i>International Journal of Nursing Studies</i> , 2014, 51, 1575-1584.  | 2.5 | 8         |
| 22417 | Doppler Echocardiography Inaccurately Estimates Right Ventricular Pressure in Children with Elevated Right Heart Pressure. <i>Journal of the American Society of Echocardiography</i> , 2014, 27, 163-171.   | 1.2 | 48        |
| 22418 | Identification of Dynamic Prehospital Changes With Continuous Vital Signs Acquisition. <i>Air Medical Journal</i> , 2014, 33, 27-33.   | 0.3 | 21        |
| 22419 | Development of a self-report format of ASSIST with university students. <i>Addictive Behaviors</i> , 2014, 39, 1152-1158.  | 1.7 | 17        |
| 22420 | Validation of a Body-Worn Accelerometer to Measure Activity Patterns in Octogenarians. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 930-934.  | 0.5 | 26        |
| 22421 | Short communication: Decrease in rumination time as an indicator of the onset of calving. <i>Journal of Dairy Science</i> , 2014, 97, 3120-3127.   | 1.4 | 50        |
| 22422 | Automatic exposure control at single- and dual-heartbeat CTCA on a 320-MDCT volume scanner: Effect of heart rate, exposure phase window setting, and reconstruction algorithm. <i>Physica Medica</i> , 2014, 30, 385-390.  | 0.4 | 11        |
| 22423 | Correlations between the alpha angle and femoral head asphericity: Implications and recommendations for the diagnosis of cam femoroacetabular impingement. <i>European Journal of Radiology</i> , 2014, 83, 788-796.   | 1.2 | 80        |
| 22424 | Development of a Predictive Energy Equation for Maintenance Hemodialysis Patients: A Pilot Study. , 2014, 24, 32-41.   |     | 14        |
| 22425 | Brachial "brachial index of systolic blood pressure in the patients under anti-hypertensive therapy. <i>International Journal of Cardiology</i> , 2014, 174, 802-804.  | 0.8 | 3         |
| 22426 | Comparison of the accuracy of digital stereophotogrammetry and projection moiré profilometry for three-dimensional imaging of the face. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2014, 43, 654-662.  | 0.7 | 25        |
| 22427 | Comparison of reading speed with 3 different log-scaled reading charts. <i>Journal of Optometry</i> , 2014, 7, 210-216.  | 0.7 | 16        |
| 22428 | Detection of occult vertebral fractures by quantitative assessment of bone marrow attenuation values at MDCT. <i>European Journal of Radiology</i> , 2014, 83, 167-172.  | 1.2 | 16        |
| 22429 | Multimodal Evaluation of 2-D and 3-D Ultrasound, Computed Tomography and Magnetic Resonance Imaging in Measurements of the Thyroid Volume Using Universally Applicable Cross-Sectional Imaging Software: A Phantom Study. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 1453-1462. | 0.7 | 17        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22430 | Continuous Noninvasive Hemoglobin Measurement Is Useful in Patients Undergoing Double-Jaw Surgery. <i>Journal of Oral and Maxillofacial Surgery</i> , 2014, 72, 1813-1819.   | 0.5 | 10        |
| 22431 | Low-Luminance Visual Acuity and Microperimetry in Age-Related Macular Degeneration. <i>Ophthalmology</i> , 2014, 121, 1612-1619.   | 2.5 | 76        |
| 22432 | Adaptation and Validation of the Voice Handicap Index in Latvian. <i>Journal of Voice</i> , 2014, 28, 452-457.   | 0.6 | 36        |
| 22434 | Physiological condition monitoring of construction workers. <i>Automation in Construction</i> , 2014, 44, 227-233.   | 4.8 | 99        |
| 22435 | Disease-Specific Predictive Formulas for Energy Expenditure in the Dialysis Population. , 2014, 24, 243-251.   |     | 29        |
| 22437 | Analysis of bloodgas, electrolytes and glucose from intraosseous samples using an i-STAT <sup>®</sup> point-of-care analyser. <i>Resuscitation</i> , 2014, 85, 359-363.  | 1.3 | 18        |
| 22438 | Finding the most accurate method to measure head circumference for fetal weight estimation. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 178, 153-156.   | 0.5 | 22        |
| 22439 | Development and validation of an unsupervised scoring system (Autonomate) for skin conductance response analysis. <i>International Journal of Psychophysiology</i> , 2014, 91, 186-193.  | 0.5 | 64        |
| 22440 | Intra-operator repeatability of skin marker derived segment measures and gait kinematics in healthy pigs. <i>Biosystems Engineering</i> , 2014, 118, 1-6.  | 1.9 | 8         |
| 22441 | Validation and calibration of the activPAL <sup>®</sup> for estimating METs and physical activity in 4-6 year olds. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 602-606.   | 0.6 | 21        |
| 22443 | Orthotropic HR-pQCT-based FE models improve strength predictions for stance but not for side-way fall loading compared to isotropic QCT-based FE models of human femurs. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2014, 32, 287-299.  | 1.5 | 44        |
| 22444 | Electromyographic latency of postural evoked responses from the leg muscles during EquiTest Computerised Dynamic Posturography: Reference data on healthy subjects. <i>Journal of Electromyography and Kinesiology</i> , 2014, 24, 126-133.  | 0.7 | 4         |
| 22445 | Comparative evaluation of a reverse transcriptase based assay for HIV-1 viral load quantitation in resource limited settings. <i>Journal of Virological Methods</i> , 2014, 203, 1-4.  | 1.0 | 6         |
| 22446 | An interference-free two-step enzyme assay with UPLC <sup>®</sup> -tandem mass spectrometric product measurement for the clinical diagnosis of uridine diphosphate galactose-4-epimerase deficiency. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 959, 5-9. | 1.2 | 2         |
| 22447 | Reproducibility of gastric emptying in overweight and obese males. <i>Clinical Nutrition</i> , 2014, 33, 684-688.  | 2.3 | 9         |
| 22448 | Assessment of appendicular skeletal muscle mass by bioimpedance in older community-dwelling Korean adults. <i>Archives of Gerontology and Geriatrics</i> , 2014, 58, 303-307.  | 1.4 | 48        |
| 22449 | Validation of 3D spino-pelvic muscle reconstructions based on dedicated MRI sequences for fat-water quantification. <i>Irbm</i> , 2014, 35, 119-127.   | 3.7 | 9         |
| 22450 | High resolution diffusion weighted magnetic resonance imaging of the pancreas using reduced field of view single-shot echo-planar imaging at 3 T. <i>Magnetic Resonance Imaging</i> , 2014, 32, 125-131.   | 1.0 | 60        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22451 | Evaluation and performance characteristics of the Q Hemostasis Analyzer, an automated coagulation analyzer. <i>Thrombosis Research</i> , 2014, 133, 927-935.  | 0.8 | 6         |
| 22452 | Development and assessment of a Microsoft Kinect based system for imaging the breast in three dimensions. <i>Medical Engineering and Physics</i> , 2014, 36, 732-738.   | 0.8 | 31        |
| 22453 | Agreement between prediction equations and indirect calorimetry to estimate resting energy expenditure in elderly patients on hemodialysis. <i>E-SPEN Journal</i> , 2014, 9, e91-e96.   | 0.5 | 7         |
| 22454 | Relationship between Retinal Microstructures on Optical Coherence Tomography and Microperimetry in Age-Related Macular Degeneration. <i>Ophthalmology</i> , 2014, 121, 1445-1452.   | 2.5 | 69        |
| 22455 | Concordance between RT-PCR-based detection of respiratory viruses from nasal swabs collected for viral testing and nasopharyngeal swabs collected for bacterial testing. <i>Journal of Clinical Virology</i> , 2014, 60, 309-312. | 1.6 | 23        |
| 22456 | Pilot assessment of a comfort scale in stroke patients. <i>Journal of the Neurological Sciences</i> , 2014, 339, 102-107.   | 0.3 | 1         |
| 22457 | Identifying and measuring stakeholder preferences for disease prioritisation: A case study of the pig industry in Australia. <i>Preventive Veterinary Medicine</i> , 2014, 113, 118-131.  | 0.7 | 19        |
| 22458 | A simple and low-cost device performing blood cell counting based on lens-free shadow imaging technique. <i>Sensors and Actuators B: Chemical</i> , 2014, 201, 321-328.   | 4.0 | 61        |
| 22459 | In Vivo Precision of the GE Lunar iDXA for the Assessment of Lumbar Spine, Total Hip, Femoral Neck, and Total Body Bone Mineral Density in Severely Obese Patients. <i>Journal of Clinical Densitometry</i> , 2014, 17, 109-115.  | 0.5 | 6         |
| 22460 | Reliability and validity of pressure and temporal parameters recorded using a pressure-sensitive insole during running. <i>Gait and Posture</i> , 2014, 39, 455-459.  | 0.6 | 20        |
| 22461 | In Vivo Measurement of Human Achilles Tendon Morphology Using Freehand 3-D Ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 62-70.   | 0.7 | 51        |
| 22462 | Comparison of glomerular filtration rates calculated by different serum cystatin C-based equations in patients with chronic kidney disease. <i>Kidney Research and Clinical Practice</i> , 2014, 33, 45-51.                       | 0.9 | 3         |
| 22463 | Testing the validity, reliability and utility of the Self-Administration of Medication (SAM) tool in patients undergoing rehabilitation. <i>Research in Social and Administrative Pharmacy</i> , 2014, 10, 204-216.               | 1.5 | 13        |
| 22464 | Health Utility Scores in Alzheimer's Disease: Differences Based on Calculation With American and Canadian Preference Weights. <i>Value in Health</i> , 2014, 17, 77-83.   | 0.1 | 16        |
| 22465 | Vibration response imaging versus perfusion scan in lung cancer surgery evaluation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 147, 816-821.   | 0.4 | 3         |
| 22466 | Test-retest reliability of three dimensional gait analysis: Including a novel approach to visualising agreement of gait cycle waveforms with Bland and Altman plots. <i>Gait and Posture</i> , 2014, 39, 265-271.                 | 0.6 | 78        |
| 22467 | Number of test trials needed for performance stability and interrater reliability of the one leg stand test in patients with a major non-traumatic lower limb amputation. <i>Gait and Posture</i> , 2014, 39, 424-429.            | 0.6 | 21        |
| 22468 | Usefulness of magnetic resonance imaging in the evaluation of patellar malalignment. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2014, 58, 19-23.   | 0.1 | 1         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22469 | Do physical examination and CT-scan measures of femoral neck anteversion and tibial torsion relate to each other?. <i>Gait and Posture</i> , 2014, 39, 12-16.  | 0.6 | 37        |
| 22470 | Functional size of human visual area V1: A neural correlate of top-down attention. <i>NeuroImage</i> , 2014, 93, 47-52.  | 2.1 | 30        |
| 22471 | Sublingual microcirculation in patients with intra-abdominal hypertension: A pilot study in 15 critically ill patients. <i>Journal of Critical Care</i> , 2014, 29, 183.e1-183.e6.   | 1.0 | 5         |
| 22472 | Validity and Applicability of a New Recording Method for Hypertension. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014, 67, 717-723.  | 0.4 | 3         |
| 22473 | Assessment of Tumor Grade and Angiogenesis in Colorectal Cancer. <i>Academic Radiology</i> , 2014, 21, 750-757.  | 1.3 | 24        |
| 22474 | Follow-up of Aortic Stent Grafts: Comparison of the Volumetric Analysis of the Aneurysm Sac by Ultrasound and CT. <i>Annals of Vascular Surgery</i> , 2014, 28, 1618-1628.   | 0.4 | 18        |
| 22475 | Reproducibility of high-resolution MRI for the middle cerebral artery plaque at 3T. <i>European Journal of Radiology</i> , 2014, 83, e49-e55.  | 1.2 | 48        |
| 22476 | Life-Space Assessment and Physical Activity Scale for the Elderly: Validity of Proxy Informant Responses. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 1527-1532.   | 0.5 | 16        |
| 22477 | Minimizing artifactual elevation of lipid peroxidation products (F2-isoprostanes) in plasma during collection and storage. <i>Analytical Biochemistry</i> , 2014, 449, 129-131.  | 1.1 | 38        |
| 22478 | Rapid, high-resolution quantitative magnetization transfer MRI of the human spinal cord. <i>NeuroImage</i> , 2014, 95, 106-116.  | 2.1 | 44        |
| 22479 | Predicting the Underestimation of the Femoral Offset in Anteroposterior Radiographs of the Pelvis Using the Lesser Trochanter Index™. <i>Journal of Arthroplasty</i> , 2014, 29, 1278-1284.  | 1.5 | 8         |
| 22480 | Dynamics of interpedicular widening in spinal burst fractures: an in vitro investigation. <i>Spine Journal</i> , 2014, 14, 2164-2171.  | 0.6 | 7         |
| 22481 | Validation of a simplified method to assess hirsutism in the Iranian population. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 174, 91-95.  | 0.5 | 17        |
| 22482 | Arterial function can be obtained by noninvasive finger pressure waveform. <i>International Journal of Cardiology</i> , 2014, 175, 169-171.  | 0.8 | 7         |
| 22483 | Validation of the Urgency, Weak Stream, Incomplete Emptying, and Nocturia (UWIN) Score Compared With the American Urological Association Symptoms Score in Assessing Lower Urinary Tract Symptoms in the Clinical Setting. <i>Urology</i> , 2014, 83, 181-185.   | 0.5 | 10        |
| 22484 | Validity and reliability of the Kinect within functional assessment activities: Comparison with standard stereophotogrammetry. <i>Gait and Posture</i> , 2014, 39, 593-598.  | 0.6 | 220       |
| 22485 | Analysis of Left Ventricular Volumes and Function: A Multicenter Comparison of Cardiac Magnetic Resonance Imaging, Cine Ventriculography, and Unenhanced and Contrast-Enhanced Two-Dimensional and Three-Dimensional Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2014, 27, 292-301. | 1.2 | 153       |
| 22486 | The four-compartment model of body composition in obese Chilean schoolchildren, by pubertal stage: Comparison with simpler models. <i>Nutrition</i> , 2014, 30, 305-312.   | 1.1 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22487 | Photoreceptor outer segment layer thickness measured manually on images from spectral domain optical coherence tomography in healthy volunteers. <i>Journal Francais D'Ophtalmologie</i> , 2014, 37, 475-479.                                     | 0.2 | 2         |
| 22488 | Errors in Quantitative Image Analysis due to Platform-Dependent Image Scaling. <i>Translational Oncology</i> , 2014, 7, 65-71.  | 1.7 | 51        |
| 22489 | Respiratory rate assessments using a dual-accelerometer device. <i>Respiratory Physiology and Neurobiology</i> , 2014, 191, 60-66.  | 0.7 | 43        |
| 22490 | Group and Individual Agreement between Field and Dual X-Ray Absorptiometry-Based Body Composition Techniques in Children from Standard Schools and a Sports Academy. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2014, 114, 91-98. | 0.4 | 4         |
| 22491 | Test-retest reliability and comparability of paper and computer questionnaires for the Finnish version of the Tampa Scale of Kinesiophobia. <i>Physiotherapy</i> , 2014, 100, 356-362.  | 0.2 | 23        |
| 22492 | Comparison of Short-Term In Vivo Precision of Bone Density and Microarchitecture at the Distal Radius and Tibia Between Postmenopausal Women and Young Adults. <i>Journal of Clinical Densitometry</i> , 2014, 17, 510-517.                       | 0.5 | 12        |
| 22493 | The detection rates of inter-arm systolic blood pressure difference vary with blood pressure levels in hypertensive patients under antihypertensive therapy. <i>International Journal of Cardiology</i> , 2014, 172, e419-e420.                   | 0.8 | 16        |
| 22494 | Segmentation of cytoplasm and nuclei of abnormal cells in cervical cytology using global and local graph cuts. <i>Computerized Medical Imaging and Graphics</i> , 2014, 38, 369-380.  | 3.5 | 76        |
| 22495 | Evaluation of accuracy of FAD-GDH- and mutant Q-GDH-based blood glucose monitors in multi-patient populations. <i>Clinica Chimica Acta</i> , 2014, 433, 28-33.  | 0.5 | 12        |
| 22496 | Estimating oxygen consumption from heart rate using adaptive neuro-fuzzy inference system and analytical approaches. <i>Applied Ergonomics</i> , 2014, 45, 1475-1483.   | 1.7 | 12        |
| 22497 | Clinical measurement of Hepcidin-25 in human serum: Is quantitative mass spectrometry up to the job?. <i>EuPA Open Proteomics</i> , 2014, 3, 60-67.   | 2.5 | 19        |
| 22498 | Reliability of joint count assessment in rheumatoid arthritis: A systematic literature review. <i>Seminars in Arthritis and Rheumatism</i> , 2014, 43, 721-729.   | 1.6 | 57        |
| 22499 | Modelling indoor electromagnetic fields (EMF) from mobile phone base stations for epidemiological studies. <i>Environment International</i> , 2014, 67, 22-26.  | 4.8 | 38        |
| 22500 | Effects of red blood cell aggregates dissociation on the estimation of ultrasound speckle image velocimetry. <i>Ultrasonics</i> , 2014, 54, 1480-1487.  | 2.1 | 16        |
| 22501 | Characterization and prediction of rate-dependent flexibility in lumbar spine biomechanics at room and body temperature. <i>Spine Journal</i> , 2014, 14, 789-798.  | 0.6 | 22        |
| 22502 | Cryopreservation with dimethyl sulfoxide prevents accurate analysis of skinned skeletal muscle fibers mitochondrial respiration. <i>Biochimie</i> , 2014, 100, 227-233.   | 1.3 | 8         |
| 22503 | Comparaison de la composition corporelle obtenue par bio-impédance et par absorptiométrie biphotonique chez des sportifs de haut niveau. <i>Science and Sports</i> , 2014, 29, 164-167.   | 0.2 | 2         |
| 22504 | Accuracy of predictive equations for the measurement of resting energy expenditure in older subjects. <i>Clinical Nutrition</i> , 2014, 33, 613-619.  | 2.3 | 49        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22505 | Influencia del inmunoensayo empleado en la determinación de vitamina D sérica. <i>Endocrinología Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion</i> , 2014, 61, 123-129.                 | 0.8 | 6         |
| 22506 | Association between abdominal fat distribution and atherosclerotic changes in the carotid artery. <i>Obesity Research and Clinical Practice</i> , 2014, 8, e448-e458.   | 0.8 | 15        |
| 22507 | Towards a comprehensive Functional Capacity Evaluation for hand function. <i>Applied Ergonomics</i> , 2014, 45, 686-692.  | 1.7 | 14        |
| 22508 | Conductance sizing balloon for measurement of peripheral artery minimal stent area. <i>Journal of Vascular Surgery</i> , 2014, 60, 759-766.   | 0.6 | 5         |
| 22509 | Iliac venous pressure estimates central venous pressure after laparotomy. <i>Journal of Surgical Research</i> , 2014, 191, 203-207.   | 0.8 | 3         |
| 22510 | Accurate 3D reconstruction by a new PDS-OSEM algorithm for HRRT. <i>Radiation Physics and Chemistry</i> , 2014, 96, 107-114.  | 1.4 | 1         |
| 22511 | Thresholds of whole-blood $\beta$ -hydroxybutyrate and glucose concentrations measured with an electronic hand-held device to identify ovine hyperketonemia. <i>Journal of Dairy Science</i> , 2014, 97, 1388-1399. | 1.4 | 28        |
| 22512 | Nearly automated motion artifacts correction between multi breath-hold short-axis and long-axis cine CMR images. <i>Computers in Biology and Medicine</i> , 2014, 46, 42-50.  | 3.9 | 13        |
| 22513 | Agreement of bioelectric impedance analysis and dual-energy X-ray absorptiometry for body composition evaluation in adults with cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2014, 13, 585-588.             | 0.3 | 24        |
| 22514 | Performance of Whole-Body Integrated $^{18}\text{F}$ -FDG PET/MR in Comparison to PET/CT for Evaluation of Malignant Bone Lesions. <i>Journal of Nuclear Medicine</i> , 2014, 55, 191-197.                          | 2.8 | 134       |
| 22515 | Revising DAS28 scores for remission in rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2014, 33, 269-272.  | 1.0 | 20        |
| 22516 | Nocturnal Awakening and Sleep Efficiency Estimation Using Unobtrusively Measured Ballistocardiogram. <i>IEEE Transactions on Biomedical Engineering</i> , 2014, 61, 131-138.  | 2.5 | 58        |
| 22517 | Accuracy of Infrared Ear Thermometry in Children. <i>Clinical Pediatrics</i> , 2014, 53, 1158-1165.   | 0.4 | 27        |
| 22518 | Accuracy of endodontic working length determination using cone beam computed tomography. <i>International Endodontic Journal</i> , 2014, 47, 698-703.   | 2.3 | 39        |
| 22519 | Evaluation of a new optical biometry device for measurements of ocular components and its comparison with IOLMaster. <i>British Journal of Ophthalmology</i> , 2014, 98, 1277-1281.                                 | 2.1 | 54        |
| 22520 | The effect of posture on body circumferences in older adults. <i>Journal of Human Nutrition and Dietetics</i> , 2014, 27, 80-87.  | 1.3 | 11        |
| 22521 | Using multivariate adaptive regression splines to estimate subadult age from diaphyseal dimensions. <i>American Journal of Physical Anthropology</i> , 2014, 154, 376-386.  | 2.1 | 38        |
| 22522 | Repeatability of Chemical-Shift-Encoded Water-Fat MRI and Diffusion-Tensor Imaging in Lower Extremity Muscles in Children. <i>American Journal of Roentgenology</i> , 2014, 202, W567-W573.                         | 1.0 | 14        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22523 | Ability of Two Commercially Available Assays (Abbott RealTime HIV-1 and Roche Cobas) to Detect HIV-1 RNA in Saliva. <i>Journal of Clinical Microbiology</i> , 2014, 52, 2019-2026.   | 1.8 | 27        |
| 22524 | Accuracy of different temperature reading techniques and associated stress response in hospitalized dogs. <i>Journal of Veterinary Emergency and Critical Care</i> , 2014, 24, 279-285.  | 0.4 | 35        |
| 22525 | Biostatistics Primer for the Radiologist. <i>American Journal of Roentgenology</i> , 2014, 202, W365-W375.   | 1.0 | 15        |
| 22526 | Noncontact Accurate Measurement of Cardiopulmonary Activity Using a Compact Quadrature Doppler Radar Sensor. <i>IEEE Transactions on Biomedical Engineering</i> , 2014, 61, 725-735.   | 2.5 | 189       |
| 22527 | Different cutoff values of the insulin tolerance test, the high-dose short synacthen test (250 µg) and the low-dose short synacthen test (1 µg) in assessing central adrenal insufficiency. <i>Clinical Endocrinology</i> , 2014, 81, 77-84.                         | 1.2 | 39        |
| 22528 | Neutral impact on systolic and diastolic cardiac function of 2 years of intensified multi-intervention in type 2 diabetes: The randomized controlled Askani and Barmann Cardiovascular Diabetes (ABCD) study. <i>American Heart Journal</i> , 2014, 168, 280-288.e2. | 1.2 | 14        |
| 22529 | Comparison of intervertebral disc displacements measured under applied loading with MRI at 3.0T and 9.4T. <i>Journal of Biomechanics</i> , 2014, 47, 2801-2806.  | 0.9 | 11        |
| 22530 | Evaluation of the GEMAPL Plus point-of-care device for neonatal coagulation assessment: An observational study on cord blood. <i>Thrombosis Research</i> , 2014, 134, 474-478.   | 0.8 | 2         |
| 22531 | Assessment of endothelial function by acetylcholine iontophoresis: Impact of inter-electrode distance and electrical cutaneous resistance. <i>Microvascular Research</i> , 2014, 93, 114-118.  | 1.1 | 8         |
| 22532 | Is radiological shortening of the ramus a reliable guide to operative management of unilateral fractures of the mandibular condyle?. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2014, 52, 491-495.   | 0.4 | 3         |
| 22533 | High glucose modifies transient receptor potential canonical type 6 channels via increased oxidative stress and syndecan-4 in human podocytes. <i>Biochemical and Biophysical Research Communications</i> , 2014, 450, 312-317.                                      | 1.0 | 23        |
| 22534 | Reproducibility of three-dimensional gel installation sonohysterography in the assessment and classification of intrauterine abnormalities. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 179, 141-146.                         | 0.5 | 4         |
| 22535 | Proximal Flow Convergence Method by Three-Dimensional Color Doppler Echocardiography for Mitral Valve Area Assessment in Rheumatic Mitral Stenosis. <i>Journal of the American Society of Echocardiography</i> , 2014, 27, 838-845.                                  | 1.2 | 14        |
| 22536 | Agreement between fiber optic and optoelectronic systems for quantifying sagittal plane spinal curvature in sitting. <i>Gait and Posture</i> , 2014, 40, 369-374.  | 0.6 | 11        |
| 22537 | Agreement of different methods for assessing sleep characteristics: a comparison of two actigraphs, wrist and hip placement, and self-report with polysomnography. <i>Sleep Medicine</i> , 2014, 15, 1107-1114.  | 0.8 | 175       |
| 22538 | Simultaneous determination of gabapentin, pregabalin, vigabatrin, and topiramate in plasma by HPLC with fluorescence detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 962, 82-88.                  | 1.2 | 38        |
| 22539 | Repolarization lability measured on 10-second ECG by spatial T wave angle: Reproducibility and agreement with QT variability. <i>Journal of Electrocardiology</i> , 2014, 47, 708-715.   | 0.4 | 14        |
| 22540 | Comparison of Physical Activity Using Questionnaires (Leisure Time Physical Activity Instrument and) to the Al-Andalus Project. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 1903-1911.e2.  | 0.5 | 23        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22541 | Stable isotope dilution microquantification of creatine metabolites in plasma, whole blood and dried blood spots for pharmacological studies in mouse models of creatine deficiency. <i>Clinica Chimica Acta</i> , 2014, 436, 160-168.   | 0.5 | 10        |
| 22542 | The Weighted Average Method $\hat{WAM}^{\text{TM}}$ for Dental Age Estimation: A simpler method for children at the 10 year threshold. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2014, 26, 56-60.   | 0.5 | 14        |
| 22543 | Comparison of Office, Home, and Ambulatory Blood Pressure in Heart Transplant Recipients. <i>Journal of Cardiac Failure</i> , 2014, 20, 602-610.   | 0.7 | 4         |
| 22544 | Validation of the Spanish version of the childhood asthma control test (cACT) in a population of Hispanic children. <i>Journal of Asthma</i> , 2014, 51, 855-862.  | 0.9 | 16        |
| 22545 | Measurement properties of instruments assessing self-efficacy in patients with rheumatic diseases. <i>Rheumatology</i> , 2014, 53, 1161-1171.  | 0.9 | 19        |
| 22546 | Targeted Quantification of C-Reactive Protein and Cystatin C and Its Variants by Immuno-MALDI-MS. <i>Analytical Chemistry</i> , 2014, 86, 5807-5814.   | 3.2 | 58        |
| 22547 | Reliability and concurrent validity of knee angle measurement: Smart phone app versus universal goniometer used by experienced and novice clinicians. <i>Manual Therapy</i> , 2014, 19, 569-574.   | 1.6 | 142       |
| 22548 | Development and assessment of an optimized next-generation DNA sequencing approach for the mtgenome using the Illumina MiSeq. <i>Forensic Science International: Genetics</i> , 2014, 13, 20-29.   | 1.6 | 99        |
| 22549 | High group level validity but high random error of a self-report travel diary, as assessed by wearable cameras. <i>Journal of Transport and Health</i> , 2014, 1, 190-201.   | 1.1 | 36        |
| 22550 | A simple and accurate liquid chromatography-tandem mass spectrometry method for quantification of zonisamide in plasma and its application to a pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 961, 103-109. | 1.2 | 3         |
| 22551 | Reliability and Responsiveness of the Activities of Daily Living Computerized Adaptive Testing System in Patients With Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 2055-2063.  | 0.5 | 5         |
| 22552 | Determination of plate waste in primary school lunches by weighing and visual estimation methods: A validation study. <i>Waste Management</i> , 2014, 34, 1362-1368.   | 3.7 | 66        |
| 22553 | Evaluating the need for two incremental shuttle walk tests during a maintenance exercise program in people with COPD. <i>Physiotherapy</i> , 2014, 100, 123-127.   | 0.2 | 2         |
| 22554 | Comparison of IFCC-calibrated HbA1c from laboratory and point of care testing systems. <i>Diabetes Research and Clinical Practice</i> , 2014, 105, 364-372.  | 1.1 | 11        |
| 22556 | The accuracy of Goldmann applanation tonometry over silicone hydrogel contact lenses in patients with glaucoma. <i>Contact Lens and Anterior Eye</i> , 2014, 37, 297-299.  | 0.8 | 4         |
| 22557 | Comprehensive Population-Averaged Arterial Input Function for Dynamic Contrast-Enhanced vMagnetic Resonance Imaging of Head and Neck Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 89, 658-665.   | 0.4 | 9         |
| 22558 | Choroidal Thickness and Volume in Healthy Young White Adults and the Relationships between them and Axial Length, Ammetropy and Sex. <i>American Journal of Ophthalmology</i> , 2014, 158, 574-583.e1.   | 1.7 | 94        |
| 22559 | Improved glomerular filtration rate estimation using New equations combined with standardized cystatin C and creatinine in Chinese adult chronic kidney disease patients. <i>Clinical Biochemistry</i> , 2014, 47, 1220-1226.  | 0.8 | 21        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22560 | Factors associated with voice-related quality of life among teachers with voice complaints. <i>Journal of Communication Disorders</i> , 2014, 52, 134-142.   | 0.8 | 29        |
| 22561 | Does a Change in Bone Mineral Density Occur in the Mandible of Göttingen Minipigs After Irradiation in Correlation With Radiation Dose and Implant Surgery?. <i>Journal of Oral and Maxillofacial Surgery</i> , 2014, 72, 2149-2156.   | 0.5 | 6         |
| 22562 | How does stress possibly affect cardiac remodeling?. <i>Peptides</i> , 2014, 57, 20-30.  | 1.2 | 5         |
| 22563 | Evaluation of the Accuracy of Aorta Scan BVI 9600 in Screening for Abdominal Aortic Aneurysm. <i>European Journal of Vascular and Endovascular Surgery</i> , 2014, 48, 147-152.  | 0.8 | 6         |
| 22564 | Reproducibility of Regional and Global Longitudinal Strains Derived from Two-Dimensional Speckle-Tracking and Doppler Tissue Imaging between Expert and Novice Readers during Quantitative Dobutamine Stress Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2014, 27, 880-887. | 1.2 | 49        |
| 22565 | Electrical Bioimpedance Cardiography: An Old Technology With New Hopes for the Future. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2014, 28, 755-760.   | 0.6 | 37        |
| 22566 | Calibration of BCRâ€“ABL1 mRNA quantification methods using genetic reference materials is a valid strategy to report results on the international scale. <i>Clinical Biochemistry</i> , 2014, 47, 1333-1336.  | 0.8 | 10        |
| 22567 | Comparative Study of Four Maxillofacial Trauma Scoring Systems and Expert Score. <i>Journal of Oral and Maxillofacial Surgery</i> , 2014, 72, 2212-2220.   | 0.5 | 15        |
| 22568 | Transcutaneous bilirubinometry is not influenced by term or skin color in neonates. <i>Early Human Development</i> , 2014, 90, 417-420.  | 0.8 | 25        |
| 22569 | Skeletal muscle mass in hospitalized elderly patients: Comparison of measurements by single-frequency BIA and DXA. <i>Clinical Nutrition</i> , 2014, 33, 426-431.  | 2.3 | 61        |
| 22570 | Improving Quantitative CT Perfusion Parameter Measurements Using Principal Component Analysis. <i>Academic Radiology</i> , 2014, 21, 624-632.  | 1.3 | 11        |
| 22571 | Authors' response. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2014, 145, 550-551.   | 0.8 | 0         |
| 22572 | Oversizing in transcatheter aortic valve replacement, a commonly used term but a poorly understood one: Dependency on definition and geometrical measurements. <i>Journal of Cardiovascular Computed Tomography</i> , 2014, 8, 67-76.  | 0.7 | 69        |
| 22573 | Dilatation of the Bile Duct in Patients after Cholecystectomy: A Retrospective Study. <i>Canadian Association of Radiologists Journal</i> , 2014, 65, 29-34.   | 1.1 | 8         |
| 22574 | Self-assessment of employability skill outcomes among undergraduates and alignment with academic ratings. <i>Assessment and Evaluation in Higher Education</i> , 2014, 39, 53-72.  | 3.9 | 27        |
| 22575 | Reliability, Asymmetry, and Age Influence on Dynamic Cerebral Autoregulation Measured by Spontaneous Fluctuations of Blood Pressure and Cerebral Blood Flow Velocities in Healthy Individuals. <i>Journal of Neuroimaging</i> , 2014, 24, 379-386.   | 1.0 | 27        |
| 22577 | Intra-rater and Inter-rater Reliability of Mandibular Range of Motion Measures Considering a Neutral Craniocervical Position. <i>Journal of Physical Therapy Science</i> , 2014, 26, 915-920.  | 0.2 | 21        |
| 22578 | Reliability of Pinch Strength Testing in Elderly Subjects with Unilateral Thumb Carpometacarpal Osteoarthritis. <i>Journal of Physical Therapy Science</i> , 2014, 26, 993-995.  | 0.2 | 36        |

| #     | ARTICLE  | IF   | CITATIONS |
|-------|--|------|-----------|
| 22579 | Estimation of Glomerular Filtration Rate in Cynomolgus Monkeys ( <i>Macaca fascicularis</i> ). Journal of Veterinary Medical Science, 2014, 76, 1423-1426.   | 0.3  | 12        |
| 22581 | Statistical methods in hemodynamic research. , 0, , 8-13.  |      | 1         |
| 22583 | Evaluation of a cardiac output monitor. , 0, , 120-131.  |      | 1         |
| 22584 | Invasive hemodynamic monitoring systems. , 0, , 132-145.   |      | 0         |
| 22585 | Continual in situ monitoring of pore water stable isotopes in the subsurface. Hydrology and Earth System Sciences, 2014, 18, 1819-1833.  | 1.9  | 99        |
| 22586 | Validity of Oxygen Uptake Efficiency Slope in patients with multiple sclerosis. Journal of Rehabilitation Medicine, 2014, 46, 656-661.   | 0.8  | 17        |
| 22587 | Gated F-18 FDG PET for Assessment of Left Ventricular Volumes and Ejection Fraction Using QGS and 4D-MSPECT in Patients with Heart Failure: A Comparison with Cardiac MRI. PLoS ONE, 2014, 9, e80227.          | 1.1  | 16        |
| 22588 | Comparison of Medium Spatial Resolution ENVISAT-MERIS and Terra-MODIS Time Series for Vegetation Decline Analysis: A Case Study in Central Asia. Remote Sensing, 2014, 6, 5238-5256.                           | 1.8  | 37        |
| 22589 | The top 100 papers. Nature, 2014, 514, 550-553.  | 13.7 | 377       |
| 22590 | Population pharmacokinetics of nevirapine in Thai HIV-infected patients. Antiviral Therapy, 2014, 19, 651-660.   | 0.6  | 3         |
| 22591 | Effects of Hunting and Fragmentation on Terrestrial Mammals in the Chiquitano Forests of Bolivia. Tropical Conservation Science, 2014, 7, 288-307.   | 0.6  | 10        |
| 22592 | Calibrating Longitudinal Cognition in Alzheimer's Disease Across Diverse Test Batteries and Datasets. Neuroepidemiology, 2014, 43, 194-205.  | 1.1  | 43        |
| 22593 | Routinely recorded versus dedicated time registrations during trauma work-up. Journal of Trauma Management and Outcomes, 2014, 8, 11.  | 0.9  | 0         |
| 22594 | Eureka! A reliable, home-made water volumetry device. International Journal of Therapy and Rehabilitation, 2014, 21, 126-131.  | 0.1  | 0         |
| 22595 | Efficient screening for COPD using three steps: a cross-sectional study in Mexico City. Npj Primary Care Respiratory Medicine, 2014, 24, 14002.  | 1.1  | 14        |
| 22596 | Second Ventilatory Threshold From Heart-Rate Variability: Valid When the Upper Body Is Involved?. International Journal of Sports Physiology and Performance, 2014, 9, 695-701.                                | 1.1  | 13        |
| 22597 | Aerobic and Anaerobic Contributions to Energy Production Among Junior Male and Female Cross-Country Skiers During Diagonal Skiing. International Journal of Sports Physiology and Performance, 2014, 9, 32-40. | 1.1  | 27        |
| 22598 | A Single-Visit Field Test of Critical Speed. International Journal of Sports Physiology and Performance, 2014, 9, 931-935.   | 1.1  | 45        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22599 | Validity of the Yo-Yo Intermittent Recovery Test Level 1 for Direct Measurement or Indirect Estimation of Maximal Oxygen Uptake in Female Soccer Players. <i>International Journal of Sports Physiology and Performance</i> , 2014, 9, 825-831. | 1.1 | 33        |
| 22600 | A comprehensive evaluation of human papillomavirus positive status and p16INK4a overexpression as a prognostic biomarker in head and neck squamous cell carcinoma. <i>International Journal of Oncology</i> , 2014, 45, 67-76.                  | 1.4 | 78        |
| 22601 | Validation of a model-based measurement of the minimum insert thickness of knee prostheses. <i>Bone and Joint Research</i> , 2014, 3, 289-296.  | 1.3 | 5         |
| 22602 | Concurrent Validity and Test-retest Reliability of the OPTOGait Photoelectric Cell System for the Assessment of Spatio-temporal Parameters of the Gait of Young Adults. <i>Journal of Physical Therapy Science</i> , 2014, 26, 81-85.           | 0.2 | 99        |
| 22603 | Trial of 15 m Shuttle Run Test as a Modified 20 m Shuttle Run Test for the Assessment of Exercise Capacity. <i>Rigakuryoho Kagaku</i> , 2014, 29, 491-495.  | 0.0 | 2         |
| 22604 | Do Elite Endurance Athletes Report Their Training Accurately?. <i>International Journal of Sports Physiology and Performance</i> , 2014, 9, 85-92.  | 1.1 | 25        |
| 22605 | Validity and Reliability of a New Karate-Specific Aerobic Field Test for Karatekas. <i>International Journal of Sports Physiology and Performance</i> , 2014, 9, 953-958.   | 1.1 | 27        |
| 22606 | A Comparison of Computation Methods for Leg Stiffness During Hopping. <i>Journal of Applied Biomechanics</i> , 2014, 30, 154-159.   | 0.3 | 19        |
| 22607 | The Validity of Gait Variability and Fractal Dynamics Obtained From a Single, Body-Fixed Triaxial Accelerometer. <i>Journal of Applied Biomechanics</i> , 2014, 30, 343-347.  | 0.3 | 15        |
| 22608 | Force Capacity of Back Extensor Muscles in Healthy Males: Effects of Age and Recovery Time. <i>Journal of Applied Biomechanics</i> , 2014, 30, 713-721.   | 0.3 | 5         |
| 22609 | Validation of a Computerized Use of Time Recall for Activity Measurement in Advanced-Age Adults. <i>Journal of Aging and Physical Activity</i> , 2014, 22, 245-254.   | 0.5 | 5         |
| 22610 | Relative Validity of 3 Accelerometer Models for Estimating Energy Expenditure During Light Activity. <i>Journal of Physical Activity and Health</i> , 2014, 11, 638-647.  | 1.0 | 52        |
| 22611 | Validity and Reliability of an Alternative Method for Measuring Power Output During Six-Second All-out Cycling. <i>Journal of Applied Biomechanics</i> , 2014, 30, 598-603.   | 0.3 | 4         |
| 22612 | Accuracy of Indirect Estimation of Power Output From Uphill Performance in Cycling. <i>International Journal of Sports Physiology and Performance</i> , 2014, 9, 777-782.   | 1.1 | 10        |
| 22613 | Two Protocols to Measure Mitochondrial Capacity in Women and Adolescent Girls: A 31P-MRS Preliminary Study. <i>Pediatric Exercise Science</i> , 2014, 26, 210-217.  | 0.5 | 0         |
| 22614 | Pre-radiotherapy FDG PET predicts radiation pneumonitis in lung cancer. <i>Radiation Oncology</i> , 2014, 9, 74.  | 1.2 | 45        |
| 22615 | Validation of ZAP-70 methylation and its relative significance in predicting outcome in chronic lymphocytic leukemia. <i>Blood</i> , 2014, 124, 42-48.  | 0.6 | 60        |
| 22616 | Estimating maximal heart rate with the $\hat{c}^{220\text{-age}}^{\text{TM}}$ formula in adolescent female volleyball players: a preliminary study. <i>Human Movement</i> , 2014, 15, 166-170.  | 0.5 | 2         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22617 | Engaging Patients and Stakeholders in Research Proposal Review: The Patient-Centered Outcomes Research Institute. <i>Annals of Internal Medicine</i> , 2014, 161, 122.  | 2.0 | 63        |
| 22618 | Intra-articular Pharmacokinetics of a Gentamicin Impregnated Collagen Sponge in the Canine Stifle: An Experimental Study. <i>Veterinary Surgery</i> , 2014, 43, 166-173.  | 0.5 | 9         |
| 22620 | Orthogonalizing crusher and diffusion encoding gradients to suppress undesired echo pathways in the twice-refocused spin echo diffusion sequence. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 506-515.  | 1.9 | 4         |
| 22621 | Ultrasound (in)accuracy: it's in the formulae not in the technique – assessment of accuracy of abdominal circumference measurement in term pregnancies. <i>Australasian Journal of Ultrasound in Medicine</i> , 2014, 17, 38-44.                                    | 0.3 | 5         |
| 22622 | Echocardiographic assessment of left ventricular outflow tract diameter in preterm infants. <i>Australasian Journal of Ultrasound in Medicine</i> , 2014, 17, 146-149.  | 0.3 | 6         |
| 22623 | Grader learning effect and reproducibility of Doppler Spectral-Domain Optical Coherence Tomography derived retinal blood flow measurements. <i>Acta Ophthalmologica</i> , 2014, 92, e630-6.   | 0.6 | 4         |
| 22624 | Effect of Pharmacologic Pupil Dilation on OLCR Optical Biometry Measurements for IOL Predictions. <i>European Journal of Ophthalmology</i> , 2014, 24, 53-57.   | 0.7 | 20        |
| 22625 | La fiabilité de la mesure en sciences du sport : une approche statistique générale de l'erreur de mesure. <i>Movement and Sports Sciences - Science Et Motricite</i> , 2014, , 1-10.  | 0.2 | 0         |
| 22626 | Shortened Lung Clearance Index is a repeatable and sensitive test in children and adults with cystic fibrosis. <i>BMJ Open Respiratory Research</i> , 2014, 1, e000031.   | 1.2 | 29        |
| 22627 | Calibration and Validation of an Innovative Approach for Estimating General Cognitive Performance. <i>Neuroepidemiology</i> , 2014, 42, 144-153.  | 1.1 | 58        |
| 22628 | An observational, longitudinal study on the home environment of people with chronic obstructive pulmonary disease: the research protocol of the Home Sweet Home study. <i>BMJ Open</i> , 2014, 4, e006098.  | 0.8 | 15        |
| 22629 | Application of Bladder Scan in Ambulatory Management Protocol for Acute Urinary Retention with Presumed Diagnosis of Benign Prostatic Hypertrophy. <i>Hong Kong Journal of Emergency Medicine</i> , 2014, 21, 300-307.  | 0.4 | 0         |
| 22630 | Vastus Lateralis Muscle Cross-sectional Area Ultrasonography Validity for Image Fitting in Humans. <i>Journal of Strength and Conditioning Research</i> , 2014, 28, 3293-3297.  | 1.0 | 55        |
| 22631 | Optimization of Free-Breathing Whole-Heart 3-Dimensional Cardiac Magnetic Resonance Imaging at 3 Tesla to Identify Coronary Vein Anatomy and to Compare With Multidetector Computed Tomography. <i>Journal of Computer Assisted Tomography</i> , 2014, 38, 941-948. | 0.5 | 1         |
| 22632 | Validation of Extravascular Lung Water Measurement by Transpulmonary Thermodilution in a Pediatric Animal Model. <i>Pediatric Critical Care Medicine</i> , 2014, 15, e226-e233.   | 0.2 | 6         |
| 22633 | Assessing the Accuracy of Common Pediatric Age-Based Weight Estimation Formulae. <i>Anesthesia and Analgesia</i> , 2014, 118, 1027-1033.  | 1.1 | 11        |
| 22634 | Criterion-Related Validity of Sit-and-Reach and Toe-Touch Tests as a Measure of Hamstring Extensibility in Athletes. <i>Journal of Strength and Conditioning Research</i> , 2014, 28, 546-555.  | 1.0 | 37        |
| 22635 | A noninvasive tumor oxygenation imaging strategy using magnetic resonance imaging of endogenous blood and tissue water. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 561-569.  | 1.9 | 29        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22636 | Viewing rate and reference ranges for papillary muscle areas of the fetal heart using four-dimensional ultrasound in the rendering mode. <i>Prenatal Diagnosis</i> , 2014, 34, 1153-1160.  | 1.1 | 10        |
| 22637 | Validation of the handheld LactatePro analyzer for measurement of blood lactate concentration in cattle. <i>Veterinary Clinical Pathology</i> , 2014, 43, 567-572.   | 0.3 | 15        |
| 22638 | Chamber dimensions and functional assessment with coronary computed tomographic angiography as compared to echocardiography using American Society of Echocardiography guidelines. <i>SAGE Open Medicine</i> , 2014, 2, 205031211452278. | 0.7 | 5         |
| 22639 | 4D flow magnetic resonance imaging in bicuspid aortic valve disease demonstrates altered distribution of aortic blood flow helicity. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 1542-1553.  | 1.9 | 91        |
| 22640 | Assessments of Lumbar Flexion Range of Motion. <i>Spine</i> , 2014, 39, E270-E275.   | 1.0 | 40        |
| 22641 | Influence of Serum Separator Tubes on Mycophenolic Acid Concentrations Determined by HPLC. <i>Therapeutic Drug Monitoring</i> , 2014, 36, 686-687.   | 1.0 | 0         |
| 22642 | Validation of the Loughborough Soccer Passing Test in Young Soccer Players. <i>Journal of Strength and Conditioning Research</i> , 2014, 28, 1418-1426.  | 1.0 | 35        |
| 22643 | Validity of HydraTrend Reagent Strips for the Assessment of Hydration Status. <i>Journal of Strength and Conditioning Research</i> , 2014, 28, 2634-2639.  | 1.0 | 10        |
| 22644 | EFFECTS OF HYDRATION ON SCINTIGRAPHIC GLOMERULAR FILTRATION RATE MEASURED USING INTEGRAL AND PLASMA VOLUME METHODS IN DOGS WITH SUSPECTED RENAL DISEASE. <i>Veterinary Radiology and Ultrasound</i> , 2014, 55, 632-637.                 | 0.4 | 8         |
| 22645 | The Accuracy of a Near-Infrared Spectroscopy Cerebral Oximetry Device and Its Potential Value for Estimating Jugular Venous Oxygen Saturation. <i>Anesthesia and Analgesia</i> , 2014, 119, 1381-1392.                                   | 1.1 | 61        |
| 22646 | EVALUATION OF SEMIAUTOMATED MEASUREMENT OF GEOGRAPHIC ATROPHY IN AGE-RELATED MACULAR DEGENERATION BY FUNDUS AUTOFLUORESCENCE IN CLINICAL SETTING. <i>Retina</i> , 2014, 34, 576-582.   | 1.0 | 25        |
| 22647 | Development of a Walking Aerobic Capacity Test for Structural Firefighters. <i>Journal of Strength and Conditioning Research</i> , 2014, 28, 2346-2352.  | 1.0 | 5         |
| 22648 | Reliability and Validity of a Domain-Specific Last 7-d Sedentary Time Questionnaire. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 1248-1260.   | 0.2 | 104       |
| 22649 | Reliability of Intestinal Temperature Using an Ingestible Telemetry Pill System During Exercise in a Hot Environment. <i>Journal of Strength and Conditioning Research</i> , 2014, 28, 861-869.  | 1.0 | 11        |
| 22650 | A comparison of non-invasive versus invasive methods of haemoglobin estimation in patients undergoing intracranial surgery. <i>Southern African Journal of Anaesthesia and Analgesia</i> , 2014, 20, 160-163.                            | 0.1 | 5         |
| 22651 | Pelvic Floor Ultrasound Imaging: Are Physiotherapists Interchangeable in the Assessment of Levator Hiatal Biometry?. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2014, 66, 340-347.  | 0.3 | 6         |
| 22652 | Do Field Walking Tests Produce Similar Cardiopulmonary Demands to an Incremental Treadmill Test in Obese Individuals With Treated OSA?. <i>Chest</i> , 2014, 146, 81-87.   | 0.4 | 12        |
| 22653 | Assessment of a Portable Device to Quantify Vitamin A in Fortified Foods (Flour, Sugar, and Milk) for Quality Control. <i>Food and Nutrition Bulletin</i> , 2014, 35, 449-457.   | 0.5 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22654 | Convergent Validity of the One-Mile Run and PACER VO2MAX Prediction Models in Middle School Students. <i>SAGE Open</i> , 2014, 4, 215824401452542.   | 0.8 | 6         |
| 22655 | A Novel Approach to Partition Central and Peripheral Airway Nitric Oxide. <i>Chest</i> , 2014, 145, 113-119.   | 0.4 | 37        |
| 22656 | Convex gradient optimization for increased spatiotemporal resolution and improved accuracy in phase contrast MRI. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 1552-1564.   | 1.9 | 9         |
| 22657 | Tracking CF disease progression with CT and respiratory symptoms in a cohort of children aged 6â€“19 years. <i>Pediatric Pulmonology</i> , 2014, 49, 1182-1189.  | 1.0 | 29        |
| 22658 | Tidalâ€“breathing measurement of exhaled breath temperature (EBT) in schoolchildren. <i>Pediatric Pulmonology</i> , 2014, 49, 1196-1204.   | 1.0 | 6         |
| 22659 | Earbud-Based Sensor for the Assessment of Energy Expenditure, HR, and VĖ™O2max. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 1046-1052.  | 0.2 | 33        |
| 22660 | Reliability and Smallest Worthwhile Difference of the NFL-225 Test in NCAA Division I Football Players. <i>Journal of Strength and Conditioning Research</i> , 2014, 28, 1427-1432.  | 1.0 | 6         |
| 22661 | Accuracy of Magnetic Resonance Imaging Signal Intensity Ratio Measurements in the Evaluation of Multifidus Muscle Injury and Atrophy Relative to That of Histological Examinations. <i>Spine</i> , 2014, 39, E623-E629.  | 1.0 | 17        |
| 22662 | Comparison of Body Composition Assessment Methods in Pediatric Intestinal Failure. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2014, 59, 99-105.  | 0.9 | 21        |
| 22663 | Periodontal Probing: A Review. <i>Primary Dental Journal</i> , 2014, 3, 25-29.   | 0.3 | 19        |
| 22664 | The Concurrent Validity and Reliability of a Low-Cost, High-Speed Camera-Based Method for Measuring the Flight Time of Vertical Jumps. <i>Journal of Strength and Conditioning Research</i> , 2014, 28, 528-533.   | 1.0 | 135       |
| 22665 | Intrasession and Intersession Reliability in Maximal and Explosive Isometric Torque Production of the Elbow Flexors. <i>Journal of Strength and Conditioning Research</i> , 2014, 28, 1771-1777.   | 1.0 | 16        |
| 22666 | Automated CT Scan Scores of Bronchiectasis and Air Trapping in Cystic Fibrosis. <i>Chest</i> , 2014, 145, 593-603.   | 0.4 | 46        |
| 22667 | Functional gait assessment: Reliability and validity in people with peripheral vestibular disorders. <i>International Journal of Therapy and Rehabilitation</i> , 2014, 21, 367-373.   | 0.1 | 11        |
| 22668 | The prognostic value of left ventricular global peak systolic longitudinal strain in chronic peritoneal dialysis patients. <i>IJC Heart and Vasculature</i> , 2014, 5, 1-8.  | 0.6 | 3         |
| 22669 | Upper limb movement analysis via marker tracking with a single-camera system. , 2014, , .  |     | 9         |
| 22670 | Dietary intake in adults with type 1 and type 2 diabetes: validation of the Dietary Questionnaire for Epidemiological Studies version 2 FFQ against a 3-d weighed food record and 24-h urinalysis. <i>British Journal of Nutrition</i> , 2015, 114, 2056-2063. | 1.2 | 19        |
| 22671 | Method of calibration of measurement of central aortic pressure and prediction of all-cause mortality in chronic kidney disease. <i>Journal of Hypertension</i> , 2015, 33, 1761-1763.   | 0.3 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22672 | Detection of the lumen boundary in the coronary artery disease. , 2015, , .   |     | 6         |
| 22673 | The development and validation of new equations for estimating body fat percentage among Chinese men and women. <i>British Journal of Nutrition</i> , 2015, 113, 1365-1372.   | 1.2 | 24        |
| 22674 | FFQ for the adult population of the capital of Ecuador (FFQ-Quito): development, reliability and validity. <i>Public Health Nutrition</i> , 2015, 18, 2540-2549.  | 1.1 | 15        |
| 22675 | The Danish Organic Action Plan 2020: assessment method and baseline status of organic procurement in public kitchens. <i>Public Health Nutrition</i> , 2015, 18, 2350-2357.   | 1.1 | 8         |
| 22676 | A comparison of the revised Delirium Rating Scale (DRSâ€“R98) and the Memorial Delirium Assessment Scale (MDAS) in a palliative care cohort with DSMâ€“IV delirium. <i>Palliative and Supportive Care</i> , 2015, 13, 937-944.                          | 0.6 | 12        |
| 22677 | The web-buffet â€“ development and validation of an online tool to measure food choice. <i>Public Health Nutrition</i> , 2015, 18, 1950-1959.   | 1.1 | 12        |
| 22678 | Reproducibility and validity of an FFQ to assess usual intake of methyl-group donors. <i>Public Health Nutrition</i> , 2015, 18, 2530-2539.   | 1.1 | 15        |
| 22679 | Assessment of Antimicrobial Utilization Metrics: Days of Therapy Versus Defined Daily Doses and Pharmacy Dispensing Records Versus Nursing Administration Data. <i>Infection Control and Hospital Epidemiology</i> , 2015, 36, 688-694.                 | 1.0 | 12        |
| 22680 | Prediction and validation of total and regional skeletal muscle volume using B-mode ultrasonography in Japanese prepubertal children. <i>British Journal of Nutrition</i> , 2015, 114, 1209-1217.   | 1.2 | 9         |
| 22681 | Comparative analysis of the Cancer Council of Victoria and the online Commonwealth Scientific and Industrial Research Organisation FFQ. <i>British Journal of Nutrition</i> , 2015, 114, 1683-1693.   | 1.2 | 5         |
| 22682 | Estimation of daily dietary fluoride intake: 3-d food diary<i>v</i>. 2-d duplicate plate. <i>British Journal of Nutrition</i> , 2015, 114, 2103-2109.   | 1.2 | 8         |
| 22683 | Validation and reproducibility of a semi-quantitative FFQ as a measure of dietary intake in adults from Puerto Rico. <i>Public Health Nutrition</i> , 2015, 18, 2550-2558.  | 1.1 | 36        |
| 22684 | Genetic and Environmental Factors in Age-Related Hearing Impairment. <i>Twin Research and Human Genetics</i> , 2015, 18, 383-392.   | 0.3 | 41        |
| 22685 | Confiabilidade do teste de corrida/caminhada de 9 minutos em crianÃ§as e adolescentes de 7â€“12 anos de idade. <i>Revista Andaluza De Medicina Del Deporte</i> , 2015, 8, 150-154.  | 0.1 | 1         |
| 22686 | Secondary electrospray ionization-mass spectrometry and a novel statistical bioinformatic approach identifies a cancer-related profile in exhaled breath of breast cancer patients: a pilot study. <i>Journal of Breath Research</i> , 2015, 9, 031001. | 1.5 | 25        |
| 22687 | Validation and psychometric analysis of the Internet Addiction Test in Spanish among college students. <i>BMC Public Health</i> , 2015, 15, 953.  | 1.2 | 51        |
| 22688 | Accuracy of Tympanic Temperature Measurement in Firefighters Completing a Simulated Structural Firefighting Task. <i>Prehospital and Disaster Medicine</i> , 2015, 30, 461-465.   | 0.7 | 9         |
| 22689 | Relative validation of fruit and vegetable intake and fat intake among overweight and obese African-American women. <i>Public Health Nutrition</i> , 2015, 18, 1932-1940.   | 1.1 | 20        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22690 | Gender differences in the severity and extent of coronary artery disease. <i>IJC Heart and Vasculature</i> , 2015, 8, 161-166.   | 0.6 | 25        |
| 22691 | Validity of anthropometry- and impedance-based equations for the prediction of total body water as measured by deuterium dilution in Cameroonian haemodialysis patients. <i>Clinical Nutrition ESPEN</i> , 2015, 10, e167-e173.  | 0.5 | 4         |
| 22692 | Agreement of objectively measured physical activity and sedentary time in preschool children. <i>Preventive Medicine Reports</i> , 2015, 2, 635-639.   | 0.8 | 26        |
| 22693 | Differences between systolic and diastolic dimensions of the aortic valve annulus in computed tomography angiography in patients undergoing percutaneous implantation of aortic valve prosthesis by catheter. <i>Revista Brasileira De Cardiologia Invasiva (English Edition)</i> , 2015, 23, 130-133. | 0.1 | 0         |
| 22694 | Reliably measuring the condition of mineral-based transfer fluids using a permittivity sensor – practical application to thermal fluid heat transfer. <i>Case Studies in Thermal Engineering</i> , 2015, 6, 162-170.   | 2.8 | 1         |
| 22695 | Respiratory rate estimation during triage of children in hospitals. <i>Journal of Medical Engineering and Technology</i> , 2015, 39, 514-524.  | 0.8 | 33        |
| 22697 | Estudio de un método inmunoturbidimétrico para la cuantificación de procalcitonina y su capacidad para el diagnóstico de sepsis. <i>Revista Del Laboratorio Clínico</i> , 2015, 8, 173-178.  | 0.1 | 1         |
| 22698 | A repeat-measures comparison of the analogue and digital pressure threshold metres: Do they differ in sensitivity?. <i>International Musculoskeletal Medicine</i> , 2015, 37, 72-75.   | 0.1 | 0         |
| 22699 | The clinical utility of reticular basement membrane thickness measurements in asthmatic children. <i>Journal of Asthma</i> , 2015, 52, 926-930.  | 0.9 | 9         |
| 22700 | Comparison of Endoscopic Ultrasonography, Computed Tomography, and Magnetic Resonance Imaging for Pancreas Cystic Lesions. <i>Medicine (United States)</i> , 2015, 94, e1666.  | 0.4 | 20        |
| 22701 | Sensitivity and Specificity of a Novel Approach to Confirm the Depth of the Endotracheal Tube. <i>Medicine (United States)</i> , 2015, 94, e1460.  | 0.4 | 3         |
| 22702 | Automated extraction and validation of children's gait parameters with the Kinect. <i>BioMedical Engineering OnLine</i> , 2015, 14, 112.   | 1.3 | 20        |
| 22703 | Sebia Capillarys 2 versus the Helena Biosciences V8 capillary electrophoresis analyser for carbohydrate-deficient transferrin measurement: comparison and analytical evaluation. <i>British Journal of Biomedical Science</i> , 2015, 72, 23-27.   | 1.2 | 4         |
| 22704 | Comparison of an in-pharmacy automated blood pressure kiosk to daytime ambulatory blood pressure in hypertensive subjects. <i>Journal of the American Society of Hypertension</i> , 2015, 9, 123-129.  | 2.3 | 22        |
| 22705 | Measurement of cardiovascular state using attractor reconstruction analysis. , 2015, , .   |     | 13        |
| 22706 | On the derivation of the spatial QRS-T angle from Mason-Likar leads I, II, V2 and V5. , 2015, , .  |     | 0         |
| 22707 | Validation of nutrient intake estimates derived using a semi-quantitative FFQ against 3 day diet records in the Baltimore Longitudinal Study of Aging. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 994-1002.   | 1.5 | 21        |
| 22708 | Reproducibility of liver iron concentration measured on a biopsy sample: A validation study in vivo. <i>American Journal of Hematology</i> , 2015, 90, 87-90.  | 2.0 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22709 | Head and Cervical Spine Posture in Behaving Rats: Implications for Modeling Human Conditions Involving the Head and Cervical Spine. <i>Anatomical Record</i> , 2015, 298, 455-462.   | 0.8 | 2         |
| 22710 | Radiographic angles in hallux valgus: Comparison between protractor and iPhone measurements. <i>Journal of Orthopaedic Research</i> , 2015, 33, 1250-1254.   | 1.2 | 13        |
| 22711 | Evaluation of lactate detection using selective multiple quantum coherence in phantoms and brain tumours. <i>NMR in Biomedicine</i> , 2015, 28, 338-343.   | 1.6 | 8         |
| 22712 | The utility of intra-operative three-dimensional transoesophageal echocardiography for dynamic measurement of stroke volume. <i>Anaesthesia</i> , 2015, 70, 150-159.   | 1.8 | 12        |
| 22713 | An aid to drug dosing safety in obese children: development of a new nomogram and comparison with existing methods for estimation of ideal body weight and lean body mass. <i>Anaesthesia</i> , 2015, 70, 176-182.                 | 1.8 | 40        |
| 22714 | Is it time to confine Snellen charts to the annals of history?. <i>Ophthalmic and Physiological Optics</i> , 2015, 35, 631-636.  | 1.0 | 38        |
| 22715 | Clinical evaluation of the Shinjō Nippon SRW-5000 autorefractor in adults: an update. <i>Ophthalmic and Physiological Optics</i> , 2015, 35, 622-627.  | 1.0 | 23        |
| 22716 | A rapid paper-based test for quantifying sickle hemoglobin in blood samples from patients with sickle cell disease. <i>American Journal of Hematology</i> , 2015, 90, 478-482.   | 2.0 | 20        |
| 22717 | Quantification and variability in colonic volume with a novel magnetic resonance imaging method. <i>Neurogastroenterology and Motility</i> , 2015, 27, 1755-1763.  | 1.6 | 29        |
| 22718 | Semi-automated identification of cones in the human retina using circle Hough transform. <i>Biomedical Optics Express</i> , 2015, 6, 4676.   | 1.5 | 33        |
| 22719 | Comparison of the Measurements of Two Different Body Composition Analyzers. <i>Rigakuryoho Kagaku</i> , 2015, 30, 847-851.   | 0.0 | 1         |
| 22720 | The Validity and the Reliability of Trunk Flexion and Extension Muscle Strength Measurements in the Sitting Position. <i>Rigakuryoho Kagaku</i> , 2015, 30, 707-712.   | 0.0 | 0         |
| 22721 | Accuracy of Optical Frequency Domain Imaging for Evaluation of Coronary Adventitial Vasa Vasorum Formation After Stent Implantation in Pigs and Humans—A Validation Study. <i>Circulation Journal</i> , 2015, 79, 1323-1331.       | 0.7 | 28        |
| 22722 | Novel Echocardiographic Approach to the Accurate Measurement of Pulmonary Vascular Resistance Based on a Theoretical Formula in Patients With Left Heart Failure—Pilot Study. <i>Circulation Journal</i> , 2015, 79, 2408-2413.    | 0.7 | 5         |
| 22723 | Test-retest reliability of expiratory abdominal compression with a handheld dynamometer in patients with prolonged mechanical ventilation. <i>Journal of Physical Therapy Science</i> , 2015, 27, 2163-2165.                       | 0.2 | 0         |
| 22724 | Reliability and validity of an ultrasound-based imaging method for measuring interspinous process distance in the lumbar spine using two different index points. <i>Journal of Physical Therapy Science</i> , 2015, 27, 2333-2336. | 0.2 | 7         |
| 22725 | Reliability of measurements of knee extensor muscle strength using a pull-type hand-held dynamometer. <i>Journal of Physical Therapy Science</i> , 2015, 27, 967-971.  | 0.2 | 27        |
| 22726 | The Reproducibility of the 15-m Shuttle Run Test, a Modified 20-m Shuttle Run Test, for the Assessment of Exercise Capacity. <i>Rigakuryoho Kagaku</i> , 2015, 30, 81-84.  | 0.0 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22727 | Validity and Reliability of the Look Keo Power Pedal System for Measuring Power Output During Incremental and Repeated Sprint Cycling. <i>International Journal of Sports Physiology and Performance</i> , 2015, 10, 39-45. | 1.1 | 17        |
| 22728 | Agreement Between Doppler and Invasive Blood Pressure Monitoring in Anesthetized Dogs Weighing &lt;5 kg. <i>Journal of the American Animal Hospital Association</i> , 2015, 51, 300-305.                                    | 0.5 | 8         |
| 22729 | Interinstrument Reliability of the ActiGraph GT3X+ Ambulatory Activity Monitor During Free-Living Conditions in Adults. <i>Journal of Physical Activity and Health</i> , 2015, 12, 382-387.                                 | 1.0 | 48        |
| 22731 | Smartphone-Derived Heart-Rate Variability and Training Load in a Women's Soccer Team. <i>International Journal of Sports Physiology and Performance</i> , 2015, 10, 994-1000.   | 1.1 | 79        |
| 22732 | The Efficacy of a Self-Paced VO <sub>2</sub> max Test During Motorized Treadmill Exercise. <i>International Journal of Sports Physiology and Performance</i> , 2015, 10, 99-105.  | 1.1 | 23        |
| 22733 | Five-Meter Rope-Climbing: A Commando-Specific Power Test of the Upper Limbs. <i>International Journal of Sports Physiology and Performance</i> , 2015, 10, 509-515.   | 1.1 | 13        |
| 22734 | Nasal Profile Changes with Le Fort I Maxillary Advancement Surgery. <i>Cleft Palate-Craniofacial Journal</i> , 2015, 52, 152-156.   | 0.5 | 6         |
| 22736 | Accuracy of Peripheral Thermometers for Estimating Temperature. <i>Annals of Internal Medicine</i> , 2015, 163, 768-777.  | 2.0 | 179       |
| 22737 | Effects of education and race on cognitive decline: An integrative study of generalizability versus study-specific results.. <i>Psychology and Aging</i> , 2015, 30, 863-880.   | 1.4 | 100       |
| 22738 | Validation of Bioelectrical Impedance Spectroscopy to Measure Total Body Water in Resistance-Trained Males. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2015, 25, 494-503.                    | 1.0 | 28        |
| 22739 | Factors Influencing Perception of Effort (Session Rating of Perceived Exertion) During Elite Soccer Training. <i>International Journal of Sports Physiology and Performance</i> , 2015, 10, 860-864.                        | 1.1 | 117       |
| 22740 | The Interday Measurement Consistency of and Relationships Between Hamstring and Leg Musculo-articular Stiffness. <i>Journal of Applied Biomechanics</i> , 2015, 31, 340-348.  | 0.3 | 2         |
| 22741 | Objective Versus Self-Reported Physical Activity in Overweight and Obese Young Adults. <i>Journal of Physical Activity and Health</i> , 2015, 12, 1394-1400.  | 1.0 | 22        |
| 22742 | VALIDITY OF THE RETROSPECTIVE APPLICATION OF OXFORD HIP AND KNEE SCORES. <i>Journal of Musculoskeletal Research</i> , 2015, 18, 1550003.  | 0.1 | 1         |
| 22743 | Objective vs. Self-report Sedentary Behavior in Overweight and Obese Young Adults. <i>Journal of Physical Activity and Health</i> , 2015, 12, 1551-1557.  | 1.0 | 13        |
| 22744 | Validity of the Pediatric Running-Based Anaerobic Sprint Test to Determine Anaerobic Performance in Healthy Children. <i>Pediatric Exercise Science</i> , 2015, 27, 268-276.  | 0.5 | 22        |
| 22745 | Reliability and Validity of 2 Self-Report Measures to Assess Sedentary Behavior in Older Adults. <i>Journal of Physical Activity and Health</i> , 2015, 12, 727-732.  | 1.0 | 34        |
| 22746 | Validity of a Self-Report Recall Tool for Estimating Sedentary Behavior in Adults. <i>Journal of Physical Activity and Health</i> , 2015, 12, 1485-1491.  | 1.0 | 21        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22747 | Estimation of basal metabolic rate in Chinese: are the current prediction equations applicable?. Nutrition Journal, 2015, 15, 79.   | 1.5 | 16        |
| 22748 | Impact of transient hypotension on regional cerebral blood flow in humans. Clinical Science, 2015, 129, 169-178.  | 1.8 | 58        |
| 22749 | Monitoring Fatigue During the In-Season Competitive Phase in Elite Soccer Players. International Journal of Sports Physiology and Performance, 2015, 10, 958-964.   | 1.1 | 170       |
| 22750 | Long-Term Correlates of Objectively Measured Physical Activity and Sedentary Time in Norwegian Men and Women. Journal of Physical Activity and Health, 2015, 12, 1500-1507.   | 1.0 | 5         |
| 22751 | Diaphragm assessment by two dimensional speckle tracking imaging in normal subjects. BMC Anesthesiology, 2015, 16, 43.  | 0.7 | 37        |
| 22752 | Effect of changes in sympathovagal balance on the accuracy of heart rate variability obtained from photoplethysmography. Experimental and Therapeutic Medicine, 2015, 10, 2311-2318.  | 0.8 | 25        |
| 22753 | Reliability Analysis of Traditional and Ballistic Bench Press Exercises at Different Loads. Journal of Human Kinetics, 2015, 47, 51-59.   | 0.7 | 14        |
| 22754 | Spatial-frequency dependent binocular imbalance in amblyopia. Scientific Reports, 2015, 5, 17181.   | 1.6 | 61        |
| 22755 | Thin Cap Fibroatheroma Defined as Lipid Core Abutting Lumen (LCAL) on Integrated Backscatter Intravascular Ultrasoundâ€œâ€“ Comparison With Optical Coherence Tomography and Correlation With Peri-Procedural Myocardial Infarction â€œâ€“. Circulation Journal, 2015, 79, 808-817. | 0.7 | 17        |
| 22756 | Tissue-Informative Mechanism for Wearable Non-invasive Continuous Blood Pressure Monitoring. Scientific Reports, 2014, 4, 6618.   | 1.6 | 26        |
| 22757 | Absolute reliability of shoulder joint horizontal adductor muscle strength measurements using a handheld dynamometer. Journal of Physical Therapy Science, 2015, 27, 2125-2127.   | 0.2 | 6         |
| 22758 | Coronary flow velocity reserve by echocardiography: feasibility, reproducibility and agreement with PET in overweight and obese patients with stable and revascularized coronary artery disease. Cardiovascular Ultrasound, 2015, 14, 22.   | 0.5 | 40        |
| 22761 | Comparison of Subjective Refraction under Binocular and Monocular Conditions in Myopic Subjects. Scientific Reports, 2015, 5, 12606.  | 1.6 | 13        |
| 22762 | The Self-Paced VO2max Test to Assess Maximal Oxygen Uptake in Highly Trained Runners. International Journal of Sports Physiology and Performance, 2015, 10, 172-177.  | 1.1 | 28        |
| 22763 | Diagnostic accuracy of the gravity stress test and clinical signs in cases of isolated supinationâ€œexternal rotationâ€“type lateral malleolar fractures. Bone and Joint Journal, 2015, 97-B, 1126-1131.  | 1.9 | 18        |
| 22764 | A framework for optimization of diffusion-weighted MRI protocols for large field-of-view abdominal-pelvic imaging in multicenter studies. Medical Physics, 2015, 43, 95-110.  | 1.6 | 33        |
| 22765 | Printed Flexible Plastic Microchip for Viral Load Measurement through Quantitative Detection of Viruses in Plasma and Saliva. Scientific Reports, 2015, 5, 9919.  | 1.6 | 25        |
| 22766 | Lumen coronary artery border detection using texture and Chi-square classification. , 2015, , .   |     | 1         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22767 | Precise and feasible measurements of lateral calcaneal lengthening osteotomies by radiostereometric analysis in cadaver feet. <i>Bone and Joint Research</i> , 2015, 4, 78-83.  | 1.3 | 4         |
| 22768 | Methodological comparison of active- and passive-driven oscillations in blood pressure; implications for the assessment of cerebral pressure-flow relationships. <i>Journal of Applied Physiology</i> , 2015, 119, 487-501. | 1.2 | 98        |
| 22769 | The use of plots in orthopaedic literature. <i>Bone and Joint Journal</i> , 2015, 97-B, 1593-1603.  | 1.9 | 6         |
| 22770 | Using an Ingestible Telemetric Temperature Pill to Assess Gastrointestinal Temperature During Exercise. <i>Journal of Visualized Experiments</i> , 2015, , .  | 0.2 | 10        |
| 22771 | Do patients with ankylosing spondylitis adapt to their disease? Evidence from a 'then-test' in patients treated with TNF inhibitors. <i>RMD Open</i> , 2015, 1, e000164-e000164.  | 1.8 | 1         |
| 22772 | 3D and 2D left ventricular systolic function imaging – from ejection fraction to deformation. Cardiac resynchronization therapy – substudy. <i>Acta Cardiologica</i> , 2015, 70, 21-30.                                     | 0.3 | 7         |
| 22773 | Automatic Measurement of End-Diastolic Arterial Lumen Diameter in ARTSENS. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2015, 9, .   | 0.4 | 42        |
| 22774 | è«¼•ç””àžæ°ã@ãšã,çš’á¬è«–æ–‡ãf~ãf fãf–100. <i>Nature Digest</i> , 2015, 12, 14-20.  | 0.0 | 1         |
| 22775 | Online data on opening hours of general practices in England: a comparison with telephone survey data. <i>British Journal of General Practice</i> , 2015, 65, e806-e812.  | 0.7 | 3         |
| 22776 | Reproducibility of a novel echocardiographic 3D automated software for the assessment of mitral valve anatomy. <i>Cardiovascular Ultrasound</i> , 2015, 14, 17.   | 0.5 | 21        |
| 22777 | Level of agreement between patient-reported EQ-5D responses and EQ-5D responses mapped from the SF-12 in an injury population. <i>Population Health Metrics</i> , 2015, 13, 14.   | 1.3 | 16        |
| 22778 | A comparison of alternative assays to measure DNA damage in stallion spermatozoa: TUNEL test versus –Nicoletti assay–™. <i>Acta Veterinaria Hungarica</i> , 2015, 63, 118-124.  | 0.2 | 0         |
| 22779 | Estimation of aerobic fitness among young men without exercise test. <i>Biomedical Human Kinetics</i> , 2015, 7, .  | 0.2 | 1         |
| 22780 | Birth data accessibility via primary care health records to classify health status in a multi-ethnic population of children: an observational study. <i>Npj Primary Care Respiratory Medicine</i> , 2015, 25, 14112.        | 1.1 | 5         |
| 22781 | Evaluation of point-of-care testing in critically unwell patients: comparison with clinical laboratory analysers and applicability to patients with Ebolavirus infection. <i>Pathology</i> , 2015, 47, 405-409.             | 0.3 | 18        |
| 22782 | Validation of the Balance Boardâ„¢ for Clinical Evaluation of Balance Through Different Conditions. <i>Communications in Computer and Information Science</i> , 2015, , 11-23.  | 0.4 | 0         |
| 22783 | Assessment of scoliosis using 3-D ultrasound volume projection imaging with automatic spine curvature detection. , 2015, , .  |     | 6         |
| 22784 | Enhancing a Somatic Maturity Prediction Model. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 1755-1764.  | 0.2 | 406       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22785 | Influence of Familiarization and Competitive Level on the Reliability of Countermovement Vertical Jump Kinetic and Kinematic Variables. <i>Journal of Strength and Conditioning Research</i> , 2015, 29, 2827-2835.   | 1.0 | 25        |
| 22787 | Dual-Wavelength Optoelectronic Sensor for Monitoring Uric Acid Concentration in Dialysate. <i>Bio-Medical Engineering</i> , 2015, 49, 125-128.  | 0.3 | 9         |
| 22788 | Intra- and interobserver reliability and intra-catheter reproducibility using frequency domain optical coherence tomography for the evaluation of morphometric stent parameters and qualitative assessment of stent strut coverage. <i>Cardiovascular Revascularization Medicine</i> , 2015, 16, 469-477. | 0.3 | 2         |
| 22789 | Reference curves of the body fat index in adolescents and their association with anthropometric variables. <i>Jornal De Pediatria (Versão Em Português)</i> , 2015, 91, 248-255.  | 0.2 | 1         |
| 22790 | Partial Intervertebral Fusion Secures Successful Outcomes After Thoracoscopic Anterior Scoliosis Correction: A Low-Dose Computed Tomography Study. <i>Spine Deformity</i> , 2015, 3, 515-527.   | 0.7 | 3         |
| 22791 | Development, Test-Retest Reliability And Validity of the Pharmacy Value Added Services Questionnaire. <i>Value in Health</i> , 2015, 18, A515.  | 0.1 | 0         |
| 22792 | Comparison of Estimations Versus Measured Oxygen Consumption at Rest in Patients With Heart Failure and Reduced Ejection Fraction Who Underwent Right-Sided Heart Catheterization. <i>American Journal of Cardiology</i> , 2015, 116, 1724-1730.  | 0.7 | 10        |
| 22793 | Correlation Based Random Subspace Ensembles for Predicting Number of Axillary Lymph Node Metastases in Breast DCE-MRI Tumors. , 2015, , .   |     | 2         |
| 22794 | Application and interpretation of multiple statistical tests to evaluate validity of dietary intake assessment methods. <i>Nutrition Journal</i> , 2015, 14, 40.  | 1.5 | 142       |
| 22795 | High correlation of lung ultrasound and chest X-ray after tube drainage in patients with primary spontaneous pneumothorax: can we omit X-rays for tube management?. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2015, 47, 175-180.  | 0.3 | 5         |
| 22796 | Discrepancies in Describing Pain: Is There Agreement Between Numeric Rating Scale Scores and Pain Reduction Percentage Reported by Patients with Musculoskeletal Pain After Corticosteroid Injection?. <i>Pain Medicine</i> , 2015, 16, 870-876.  | 0.9 | 20        |
| 22797 | AN APP for the Assessment of Pain Intensity: Validity Properties and Agreement of Pain Reports When Used with Young People. <i>Pain Medicine</i> , 2015, 16, 1982-1992.   | 0.9 | 29        |
| 22798 | Interrelationships between BMI, skinfold thicknesses, percent body fat, and cardiovascular disease risk factors among U.S. children and adolescents. <i>BMC Pediatrics</i> , 2015, 15, 188.   | 0.7 | 40        |
| 22799 | Validity and reliability of a food frequency questionnaire to estimate dietary intake among Lebanese children. <i>Nutrition Journal</i> , 2015, 15, 4.  | 1.5 | 70        |
| 22800 | Quantification of three-dimensional computed tomography angiography for evaluating coronary luminal stenosis using digital subtraction angiography as the standard of reference. <i>BioMedical Engineering OnLine</i> , 2015, 14, 50.   | 1.3 | 9         |
| 22801 | Does the choice of EQ-5D tariff matter? A comparison of the Swedish EQ-5D-3L index score with UK, US, Germany and Denmark among type 2 diabetes patients. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 145.   | 1.0 | 35        |
| 22802 | Validity of a multi-context sitting questionnaire across demographically diverse population groups: AusDiab3. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 148.   | 2.0 | 50        |
| 22803 | Left atrial structure and functional quantitation using cardiovascular magnetic resonance and multimodality tissue tracking: validation and reproducibility assessment. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 52.   | 1.6 | 83        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22804 | Abnormal septal convexity into the left ventricle occurs in subclinical hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 64.  | 1.6 | 19        |
| 22805 | Cardiovascular magnetic resonance imaging of myocardial oedema following acute myocardial infarction: Is whole heart coverage necessary?. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 7.  | 1.6 | 11        |
| 22806 | Does ultrasound provide any added value in breast contouring for radiotherapy after conserving surgery for cancer?. <i>Radiation Oncology</i> , 2015, 10, 179.  | 1.2 | 1         |
| 22807 | Temperature measurements in trauma patients: is the ear the key to the core?. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015, 23, 101.  | 1.1 | 22        |
| 22808 | Ventilator-derived carbon dioxide production to assess energy expenditure in critically ill patients: proof of concept. <i>Critical Care</i> , 2015, 19, 370.   | 2.5 | 75        |
| 22809 | Inferior vena cava diameters and collapsibility index reveal early volume depletion in a blood donor model. <i>The Ultrasound Journal</i> , 2015, 7, 17.  | 2.0 | 33        |
| 22810 | How to spot a statistical problem: advice for a non-statistical reviewer. <i>BMC Medicine</i> , 2015, 13, 270.  | 2.3 | 16        |
| 22811 | Dynamic curvature topography for evaluating the anterior corneal surface change with Corvis ST. <i>BioMedical Engineering OnLine</i> , 2015, 14, 53.  | 1.3 | 18        |
| 22812 | Fast T2 gradient-spin-echo (T2-GraSE) mapping for myocardial edema quantification: first in vivo validation in a porcine model of ischemia/reperfusion. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 92.                                   | 1.6 | 68        |
| 22813 | Myocardial triglyceride content at 3T cardiovascular magnetic resonance and left ventricular systolic function: a cross-sectional study in patients hospitalized with acute heart failure. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 9. | 1.6 | 14        |
| 22814 | Screening of patients with augmented renal clearance in ICU: taking into account the CKD-EPI equation, the age, and the cause of admission. <i>Annals of Intensive Care</i> , 2015, 5, 49.  | 2.2 | 50        |
| 22815 | Agreement between MRI and pathologic breast tumor size after neoadjuvant chemotherapy, and comparison with alternative tests: individual patient data meta-analysis. <i>BMC Cancer</i> , 2015, 15, 662.   | 1.1 | 106       |
| 22816 | Practicability for robot-aided measurement of knee stability in-vivo. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 373.   | 0.8 | 3         |
| 22817 | The psychometric performance of generic preference-based measures for patients with pressure ulcers. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 117.  | 1.0 | 9         |
| 22818 | 2D cine DENSE with low encoding frequencies accurately quantifies cardiac mechanics with improved image characteristics. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 93.  | 1.6 | 9         |
| 22819 | Validity and reliability of Nike Fuelband for estimating physical activity energy expenditure. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2015, 7, 14.  | 0.7 | 25        |
| 22820 | Comparison of Five Developed Algorithms to Estimate Staff Effective Dose in Interventional Cardiology: Are They Interchangeable?. <i>Journal of Medical Imaging and Health Informatics</i> , 2015, 5, 647-651.  | 0.2 | 2         |
| 22821 | Bone Tissue Properties Measurement by Reference Point Indentation in Glucocorticoid-Induced Osteoporosis. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 1651-1656.  | 3.1 | 78        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22822 | Hepatocellular carcinoma: Short-term reproducibility of apparent diffusion coefficient and intravoxel incoherent motion parameters at 3.0T. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 149-156.  | 1.9 | 104       |
| 22823 | Repositioning precision of coronary arteries measured on X-ray angiography and its implications for coronary MR angiography. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 1251-1258.   | 1.9 | 3         |
| 22824 | Reliability of magnetic resonance elastography using multislice two-dimensional spin-echo echo-planar imaging (SE-EPI) and three-dimensional inversion reconstruction for assessing renal stiffness. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 844-850. | 1.9 | 30        |
| 22825 | Value of R2* obtained from T2*-weighted imaging in predicting the prognosis of advanced cervical squamous carcinoma treated with concurrent chemoradiotherapy. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 681-688.                                       | 1.9 | 16        |
| 22826 | A new approach to testing the agreement of two phytoplankton quantification techniques: Microscopy and CHEMTAX. <i>Limnology and Oceanography: Methods</i> , 2015, 13, 425-437.  | 1.0 | 11        |
| 22827 | Comparison of myelin water fraction from multiecho T <sub>2</sub> decay curve and steady-state methods. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 223-232.   | 1.9 | 72        |
| 22828 | Is the time in therapeutic range using the ratio of tests equivalent to the Rosendaal method?. <i>Blood Coagulation and Fibrinolysis</i> , 2015, 26, 972-976.  | 0.5 | 12        |
| 22829 | Measuring Infant Visual Acuity with Gaze Tracker Monitored Visual Fixation. <i>Optometry and Vision Science</i> , 2015, 92, 823-833.   | 0.6 | 9         |
| 22830 | Accuracy of a Freezing Point Depression Technique Osmometer. <i>Optometry and Vision Science</i> , 2015, 92, e273-e283.  | 0.6 | 12        |
| 22831 | Optimising the imaging plane for right ventricular magnetic resonance volume analysis in adult patients referred for assessment of right ventricular structure and function. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2015, 59, 421-430.             | 0.9 | 5         |
| 22832 | A novel continuous capnodynamic method for cardiac output assessment in a porcine model of lung lavage. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 1022-1031.  | 0.7 | 17        |
| 22833 | Continuous monitoring of haemoglobin concentration after in-vivo adjustment in patients undergoing surgery with blood loss. <i>Anaesthesia</i> , 2015, 70, 803-809.  | 1.8 | 13        |
| 22834 | Clinical evaluation of a novel technology for non-invasive and continuous measurement of plasma haemoglobin concentration. <i>Anaesthesia</i> , 2015, 70, 1165-1170.   | 1.8 | 10        |
| 22835 | Interstudy repeatability of left and right ventricular volume estimations by serial-gated tomographic radionuclide angiographies using a cadmium-zinc-telluride detector gamma camera. <i>Clinical Physiology and Functional Imaging</i> , 2015, 35, 418-424.          | 0.5 | 18        |
| 22836 | Assessment of body composition in children with cerebral palsy: a cross-sectional study in Norway. <i>Developmental Medicine and Child Neurology</i> , 2015, 57, 858-864.  | 1.1 | 59        |
| 22837 | Grading keratinocyte atypia in actinic keratosis: a correlation of reflectance confocal microscopy and histopathology. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 2216-2221.  | 1.3 | 43        |
| 22838 | Epidermal innervation morphometry by immunofluorescence and bright-field microscopy. <i>Journal of the Peripheral Nervous System</i> , 2015, 20, 387-391.  | 1.4 | 30        |
| 22839 | <i>In Vivo</i> Capillary Loop Hemoglobin Spectroscopy in Labial, Sublingual, and Periodontal Tissues. <i>Microcirculation</i> , 2015, 22, 475-484.   | 1.0 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22840 | Assessment of the accuracy and precision of the iâ€Smart 30 <scp>VET</scp> Electrolyte Analyzer in dogs, cats, cattle and pigs. <i>Veterinary Clinical Pathology</i> , 2015, 44, 410-419.  | 0.3 | 0         |
| 22841 | Validity and Reproducibility of a New Treadmill Protocol. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 2241-2247.  | 0.2 | 16        |
| 22842 | Reprodutibilidade dos valores da pressurometria ambulatÃ³ria de 24 horas e dos perfis circadiÃ¡rios de descida noturna registados com intervalo 1â€11 meses em indivÃduos nÃo medicados. <i>Revista Portuguesa De Cardiologia</i> , 2015, 34, 643-650.                         | 0.2 | 10        |
| 22843 | Risk of Preterm Birth According to Maternal and Paternal Country of Birth: A Population-Based Study. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2015, 37, 1053-1062.  | 0.3 | 13        |
| 22844 | Clinical accuracy of a low cost portable blood pressure device in pregnancy and pre-eclampsia: the Nissei DS-400. <i>Tropical Doctor</i> , 2015, 45, 168-173.  | 0.2 | 4         |
| 22845 | The application of strength and power related field tests in older adults: criteria, current status and a future perspective. <i>European Review of Aging and Physical Activity</i> , 2015, 12, 2.   | 1.3 | 6         |
| 22846 | Agreement of measured and calculated serum osmolality during the infusion of mannitol or hypertonic saline in patients after craniotomy: a prospective, double-blinded, randomised controlled trial. <i>BMC Anesthesiology</i> , 2015, 15, 138.                                | 0.7 | 7         |
| 22847 | Temporal changes in haematocrit following artemisinin-based combination treatments of uncomplicated falciparum malaria in children. <i>BMC Infectious Diseases</i> , 2015, 15, 454.  | 1.3 | 11        |
| 22848 | The Chronic Kidney Disease-Epidemiology Collaboration (CKD-EPI) equation does not improve the underestimation of Glomerular Filtration Rate (GFR) in people with diabetes and preserved renal function. <i>BMC Nephrology</i> , 2015, 16, 198.                                 | 0.8 | 58        |
| 22849 | Classification of substandard factors in perinatal care: development and multidisciplinary inter-rater agreement of the Groningen-system. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 215.   | 0.9 | 6         |
| 22850 | Agreement between transperineal ultrasound measurements and digital examinations of cervical dilatation during labor. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 273.   | 0.9 | 28        |
| 22851 | An improved sequencing-based strategy to estimate locus-specific DNA methylation. <i>BMC Cancer</i> , 2015, 15, 639.   | 1.1 | 7         |
| 22852 | Neurodevelopmental outcome of extremely low birth weight infants at 24Âmonths corrected age: a comparison between Griffiths and Bayley Scales. <i>BMC Pediatrics</i> , 2015, 15, 139.  | 0.7 | 15        |
| 22853 | Definition of anatomical zero positions for assessing shoulder pose with 3D motion capture during bilateral abduction of the arms. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 383.   | 0.8 | 6         |
| 22854 | Discriminant validity and test re-test reproducibility of a gait assessment in patients with vestibular dysfunction. <i>BMC Ear, Nose and Throat Disorders</i> , 2015, 15, 6.  | 2.6 | 19        |
| 22855 | Validation of the howRu and howRwe questionnaires at the individual patient level. <i>BMC Health Services Research</i> , 2015, 15, 447.  | 0.9 | 12        |
| 22856 | Applications and limitations of Centers for Disease Control and Prevention miniature light traps for measuring biting densities of African malaria vector populations: a pooled-analysis of 13 comparisons with human landing catches. <i>Malaria Journal</i> , 2015, 14, 247. | 0.8 | 48        |
| 22857 | Quantification of Plasmodium ex vivo drug susceptibility by flow cytometry. <i>Malaria Journal</i> , 2015, 14, 417.  | 0.8 | 14        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22858 | Predicting body composition using foot-to-foot bioelectrical impedance analysis in healthy Asian individuals. <i>Nutrition Journal</i> , 2015, 14, 52.  | 1.5 | 24        |
| 22859 | Reproducibility and relative validity of a semi-quantitative food frequency questionnaire for Chinese pregnant women. <i>Nutrition Journal</i> , 2015, 14, 56.  | 1.5 | 80        |
| 22860 | Body adiposity index performance in estimating body fat in a sample of severely obese Brazilian patients. <i>Nutrition Journal</i> , 2015, 14, 130.   | 1.5 | 17        |
| 22861 | A simple method for plasma total vitamin C analysis suitable for routine clinical laboratory use. <i>Nutrition Journal</i> , 2015, 15, 40.  | 1.5 | 54        |
| 22862 | Submaximal cardiopulmonary thresholds on a robotics-assisted tilt table, a cycle and a treadmill: a comparative analysis. <i>BioMedical Engineering OnLine</i> , 2015, 14, 104.   | 1.3 | 4         |
| 22863 | Mitral valve analysis adding a virtual semi-transparent annulus plane for detection of prolapsing segments. <i>Cardiovascular Ultrasound</i> , 2015, 13, 25.  | 0.5 | 4         |
| 22864 | Reliability, repeatability, and reproducibility of pulmonary transit time assessment by contrast enhanced echocardiography. <i>Cardiovascular Ultrasound</i> , 2015, 14, 1.   | 0.5 | 15        |
| 22865 | Mapping and direct valuation: do they give equivalent EQ-5D-5L index scores?. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 166.   | 1.0 | 16        |
| 22866 | Chinese cross-cultural adaptation and validation of the Oxford shoulder score. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 193.  | 1.0 | 12        |
| 22867 | Anti-Mullerian-Hormone during pregnancy and peripartum using the new Beckman Coulter AMH Gen II Assay. <i>Reproductive Biology and Endocrinology</i> , 2015, 13, 86.  | 1.4 | 18        |
| 22868 | Reliability and validity of a new physical activity questionnaire for India. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 40.   | 2.0 | 27        |
| 22869 | Free breathing contrast-enhanced time-resolved magnetic resonance angiography in pediatric and adult congenital heart disease. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 38.  | 1.6 | 21        |
| 22870 | Single centre experience of the application of self navigated 3D whole heart cardiovascular magnetic resonance for the assessment of cardiac anatomy in congenital heart disease. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 55. | 1.6 | 42        |
| 22871 | Validation of high temporal resolution spiral phase velocity mapping of temporal patterns of left and right coronary artery blood flow against Doppler guidewire. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 85.                 | 1.6 | 12        |
| 22872 | Parallel simulations for QUAntifying RELaxation magnetic resonance constants (SQUAREMR): an example towards accurate MOLLI T1 measurements. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 104.                                      | 1.6 | 19        |
| 22873 | Contrast-free detection of myocardial fibrosis in hypertrophic cardiomyopathy patients with diffusion-weighted cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 107.                                | 1.6 | 48        |
| 22874 | Test-retest reliability of KINARM robot sensorimotor and cognitive assessment: in pediatric ice hockey players. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2015, 12, 78.   | 2.4 | 34        |
| 22875 | Prostate motion during radiotherapy of prostate cancer patients with and without application of a hydrogel spacer: a comparative study. <i>Radiation Oncology</i> , 2015, 10, 215.  | 1.2 | 31        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22876 | Patient perceptions of foot disability in Juvenile Idiopathic Arthritis: a comparison of the juvenile arthritis foot disability index and the Oxford ankle foot questionnaire for children. <i>Journal of Foot and Ankle Research</i> , 2015, 8, 50.                 | 0.7 | 4         |
| 22877 | Qualitative real-time analysis by nurses of sublingual microcirculation in intensive care unit: the MICRONURSE study. <i>Critical Care</i> , 2015, 19, 388.  | 2.5 | 54        |
| 22878 | Reliability and validity of ten consumer activity trackers. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2015, 7, 24.  | 0.7 | 308       |
| 22879 | Validity of self-reported height and weight for estimating prevalence of overweight among Estonian adolescents: the Health Behaviour in School-aged Children study. <i>BMC Research Notes</i> , 2015, 8, 606.  | 0.6 | 47        |
| 22880 | Age dependent normal horizontal VOR gain of head impulse test as measured with video-oculography. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2015, 44, 29.   | 0.9 | 100       |
| 22881 | Short-term reproducibility and variability of the pupillographic sleepiness test. <i>American Journal of Human Biology</i> , 2015, 27, 862-866.  | 0.8 | 14        |
| 22882 | Two-in-one aortic valve sizing and valvuloplasty conductance balloon catheter. <i>Catheterization and Cardiovascular Interventions</i> , 2015, 86, 136-143.  | 0.7 | 3         |
| 22883 | Is There an Optimal Proximal Locking Screw Length in Retrograde Intramedullary Femoral Nailing? Can We Stop Measuring for These Screws?. <i>Journal of Orthopaedic Trauma</i> , 2015, 29, e421-e424.   | 0.7 | 6         |
| 22884 | Comparison of Tear Meniscus Height Measurements Obtained With the Keratograph and Fourier Domain Optical Coherence Tomography in Dry Eye. <i>Cornea</i> , 2015, 34, 1209-1213.   | 0.9 | 47        |
| 22885 | Serum apolipoprotein A-1 quantification by LC-MS with a SILAC internal standard reveals reduced levels in smokers. <i>Bioanalysis</i> , 2015, 7, 2895-2911.  | 0.6 | 28        |
| 22886 | Design and validation of a 3D virtual reality desktop system for sonographic length and volume measurements in early pregnancy evaluation. <i>Journal of Clinical Ultrasound</i> , 2015, 43, 164-170.  | 0.4 | 23        |
| 22887 | Reproducibility of thoracic and abdominal aortic wall measurements with three-dimensional, variable flip angle (SPACE) MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 202-212.  | 1.9 | 17        |
| 22888 | Tissue correction for GABA-edited MRS: Considerations of voxel composition, tissue segmentation, and tissue relaxations. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 1431-1440.   | 1.9 | 239       |
| 22889 | An empirical comparison of heterogeneity variance estimators in 12%894 meta-analyses. <i>Research Synthesis Methods</i> , 2015, 6, 195-205.  | 4.2 | 37        |
| 22890 | Evaluating the accuracy of the XVI dual registration tool compared with manual soft tissue matching to localise tumour volumes for post-prostatectomy patients receiving radiotherapy. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2015, 59, 527-534. | 0.9 | 10        |
| 22891 | A new non-invasive method of infant spirometry demonstrates a level of repeatability that is comparable to traditional methods. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015, 104, 1130-1137.  | 0.7 | 4         |
| 22892 | A study to determine the contribution to right ventricle stroke volume from pulmonary and tricuspid valve displacement volumes. <i>Clinical Physiology and Functional Imaging</i> , 2015, 35, 283-290.   | 0.5 | 1         |
| 22893 | Evaluation of 3 Handheld Portable Analyzers for Measurement of Lactate Concentrations in Blood and Peritoneal Fluid of Horses With Colic. <i>Veterinary Surgery</i> , 2015, 44, 366-372.   | 0.5 | 19        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22894 | Agreement between prospective diary data and retrospective questionnaire report of abdominal pain and stooling symptoms in children with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2015, 27, 1110-1119. | 1.6 | 23        |
| 22895 | A smartphone version of the Faces Pain Scale—Revised and the Color Analog Scale for postoperative pain assessment in children. <i>Paediatric Anaesthesia</i> , 2015, 25, 1264-1273.   | 0.6 | 43        |
| 22896 | Placental elastography in a murine intrauterine growth restriction model. <i>Prenatal Diagnosis</i> , 2015, 35, 1106-1111.  | 1.1 | 15        |
| 22897 | Feasibility of automated slope III and Scord analysis in children. <i>Pediatric Pulmonology</i> , 2015, 50, 805-813.  | 1.0 | 11        |
| 22898 | Computer-Assisted Automated Scoring of Polysomnograms Using the Somnolyzer System. <i>Sleep</i> , 2015, 38, 1555-1566.  | 0.6 | 58        |
| 22899 | Reproducibility of a Standardized Actigraphy Scoring Algorithm for Sleep in a US Hispanic/Latino Population. <i>Sleep</i> , 2015, 38, 1497-1503.  | 0.6 | 134       |
| 22900 | Inferring Stable Acquisition Durations for Applications of Perfusion Imaging in Oncology. <i>Cancer Informatics</i> , 2015, 14s2, CIN.S17280.   | 0.9 | 2         |
| 22901 | Comparison of Corneal Topographic Measurements by Placido ring and Anterior Segment OCT in Eyes With Keratoconus. <i>Japanese Orthoptic Journal</i> , 2015, 44, 149-156.  | 0.1 | 0         |
| 22902 | An investigation of the relationship between thermal imaging and digital thermometer testing at the knee. <i>Physiotherapy Practice and Research</i> , 2015, 37, 41-47.   | 0.1 | 3         |
| 22903 | Comparison of a Commercial Accelerometer with Polysomnography and Actigraphy in Children and Adolescents. <i>Sleep</i> , 2015, 38, 1323-1330.   | 0.6 | 198       |
| 22904 | Validation of Sleep-Tracking Technology Compared with Polysomnography in Adolescents. <i>Sleep</i> , 2015, 38, 1461-1468.   | 0.6 | 130       |
| 22906 | Interchangeability between Pentacam and IOLMaster in Phakic Intraocular Lens Calculation. <i>European Journal of Ophthalmology</i> , 2015, 25, 202-207.   | 0.7 | 12        |
| 22907 | Early atherosclerosis in ulcerative colitis: cross-sectional case-control study. <i>Journal of Digestive Diseases</i> , 2015, 16, 656-664.  | 0.7 | 3         |
| 22908 | Accuracy of Transthoracic Echocardiography in Assessing Retro-aortic Rim prior to Device Closure of Atrial Septal Defects. <i>Congenital Heart Disease</i> , 2015, 10, E146-E154.   | 0.0 | 9         |
| 22909 | Bioelectrical impedance as a measure of change in body composition in young children. <i>Pediatric Obesity</i> , 2015, 10, 252-259.   | 1.4 | 26        |
| 22910 | Physical Fitness Assessment Across the Disability Spectrum in Persons With Multiple Sclerosis. <i>Journal of Neurologic Physical Therapy</i> , 2015, 39, 241-249.   | 0.7 | 53        |
| 22911 | Curvature Radius Measurements From the Ulnar Trochlear Notch in Large Dogs. <i>Anatomical Record</i> , 2015, 298, 1748-1753.  | 0.8 | 8         |
| 22912 | Test/retest and inter-test agreement of color aptitude measures. <i>Color Research and Application</i> , 2015, 40, 224-231.   | 0.8 | 6         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 22913 | Validation of bone marrow fat quantification in the presence of trabecular bone using MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 539-544.  | 1.9 | 65        |
| 22914 | Tracer kinetic modeling in myocardial perfusion quantification using MRI. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1206-1215.  | 1.9 | 12        |
| 22915 | Detection of lactate in the striatum without contamination of macromolecules by <i>J</i> -difference editing MRS at 7T. <i>NMR in Biomedicine</i> , 2015, 28, 514-522.  | 1.6 | 15        |
| 22916 | Investigating the limitations of single breathhold renal artery blood flow measurements using spiral phase contrast MR with R interval averaging. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 1143-1149.   | 1.9 | 6         |
| 22917 | High-temporal velocity-encoded MRI for the assessment of left ventricular inflow propagation velocity: Comparison with color mode echocardiography. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 1297-1304.   | 1.9 | 2         |
| 22918 | Doppler ultrasound compared with electrocardiogram and pulse oximetry cardiac triggering: A pilot study. <i>Magnetic Resonance in Medicine</i> , 2015, 74, 1257-1265.   | 1.9 | 33        |
| 22919 | Feasibility and reproducibility of ShearWave <sup>TM</sup> elastography of fetal baboon organs. <i>Prenatal Diagnosis</i> , 2015, 35, 1112-1116.  | 1.1 | 11        |
| 22920 | Comparison of Power Output During Ergometer and Track Cycling in Adolescent Cyclists. <i>Journal of Strength and Conditioning Research</i> , 2015, 29, 1049-1056.   | 1.0 | 7         |
| 22921 | Evaluation of an oesophageal Doppler device for monitoring cardiac output in anaesthetised healthy normotensive dogs. <i>Journal of Small Animal Practice</i> , 2015, 56, 450-455.  | 0.5 | 13        |
| 22922 | Rapid balloon distension as a tool to study cortical processing of visceral sensations and pain. <i>Neurogastroenterology and Motility</i> , 2015, 27, 832-840.   | 1.6 | 8         |
| 22923 | <i>UR</i> ead: a new computer-based reading test. <i>Ophthalmic and Physiological Optics</i> , 2015, 35, 500-513.   | 1.0 | 16        |
| 22924 | Comparison of the gold standard of hemoglobin measurement with the clinical standard ( <i>BGA</i> ) and noninvasive hemoglobin measurement (SpHb) in small children: a prospective diagnostic observational study. <i>Paediatric Anaesthesia</i> , 2015, 25, 1046-1053. | 0.6 | 18        |
| 22925 | The validity and reliability of the functional rating index for evaluating low back pain in athletes. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2015, 25, 840-845.  | 1.3 | 13        |
| 22926 | Comparison of the finger counting method, the <i>B</i> roselow tape and common weight estimation formulae in <i>F</i> ilipino children after <i>T</i> yphoon <i>H</i> aiyan. <i>EMA - Emergency Medicine Australasia</i> , 2015, 27, 239-244.                           | 0.5 | 11        |
| 22927 | A pilot study of the relationship between Doppler-estimated carotid and brachial artery flow and cardiac index. <i>Anaesthesia</i> , 2015, 70, 1140-1147.   | 1.8 | 13        |
| 22928 | The measurement properties of the five-item International Index of Erectile Function ( <i>IIEF</i> ): a Dutch validation study. <i>Andrology</i> , 2015, 3, 1154-1159.  | 1.9 | 30        |
| 22929 | Agreement between clinical and laboratory methods assessing tonic and cross-link components of accommodation and vergence. <i>Australasian journal of optometry</i> , The, 2015, 98, 435-446.   | 0.6 | 4         |
| 22930 | Evaluation of the <i>S</i> ebia <i>M</i> inicap <i>F</i> lex <i>P</i> iercing capillary electrophoresis for hemoglobinopathy testing. <i>International Journal of Laboratory Hematology</i> , 2015, 37, 420-425.  | 0.7 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22931 | Examination of peripheral blood smears: performance evaluation of a digital microscope system using a large-scale leukocyte database. <i>International Journal of Laboratory Hematology</i> , 2015, 37, e137-40.   | 0.7 | 13        |
| 22932 | The distal radius and ulna classification in assessing skeletal maturity. <i>Journal of Pediatric Orthopaedics Part B</i> , 2015, 24, 546-551.   | 0.3 | 25        |
| 22933 | Test-Retest Variability of Retinal Nerve Fiber Layer Thickness and Macular Ganglion Cell-Inner Plexiform Layer Thickness Measurements Using Spectral-Domain Optical Coherence Tomography. <i>Journal of Glaucoma</i> , 2015, 24, e109-e115.                        | 0.8 | 39        |
| 22934 | Variability in Laboratory vs. Field Testing of Peak Power, Torque, and Time of Peak Power Production Among Elite Bicycle Motocross Cyclists. <i>Journal of Strength and Conditioning Research</i> , 2015, 29, 2635-2640.   | 1.0 | 9         |
| 22935 | Cross-Validation of Age-Predicted Maximal Heart Rate Equations Among Female Collegiate Athletes. <i>Journal of Strength and Conditioning Research</i> , 2015, 29, 3053-3059.   | 1.0 | 12        |
| 22936 | The Ability of esCCO <sub>2</sub> and ECOM <sub>2</sub> Monitors to Measure Trends in Cardiac Output During Alveolar Recruitment Maneuver After Cardiac Surgery. <i>Anesthesia and Analgesia</i> , 2015, 121, 383-391.   | 1.1 | 23        |
| 22937 | Intraoperative measurement after excision of distal clavicle. <i>Current Orthopaedic Practice</i> , 2015, 26, 371-375.   | 0.1 | 0         |
| 22938 | Measurement Variability in the Evaluation of the Proximal Junction in Distraction-based Growing Rods Patients. <i>Journal of Pediatric Orthopaedics</i> , 2015, 35, 624-627.   | 0.6 | 9         |
| 22939 | Limited Sampling Strategy for Predicting Area Under the Concentration-Time Curve for Mycophenolic Acid in Chinese Adults Receiving Mycophenolate Mofetil and Tacrolimus Early After Renal Transplantation. <i>Therapeutic Drug Monitoring</i> , 2015, 37, 304-310. | 1.0 | 11        |
| 22940 | The accuracy of noninvasive cardiac output and pressure measurements with finger cuff. <i>Current Opinion in Critical Care</i> , 2015, 21, 232-239.  | 1.6 | 98        |
| 22941 | Assessment of Bulbar Redness with a Newly Developed Keratograph. <i>Optometry and Vision Science</i> , 2015, 92, 892-899.  | 0.6 | 64        |
| 22942 | Repeatability of functional anisotropy in navigated transcranial magnetic stimulation coil-orientation versus response. <i>NeuroReport</i> , 2015, 26, 515-521.  | 0.6 | 14        |
| 22943 | Vaginal microcirculation: Non-invasive anatomical examination of the micro-vessel architecture, tortuosity and capillary density. <i>Neurourology and Urodynamics</i> , 2015, 34, 723-729.   | 0.8 | 20        |
| 22944 | Accuracy of 3D dual echo steady state (DESS) MR arthrography to quantify acetabular cartilage thickness. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 1329-1338.   | 1.9 | 18        |
| 22945 | Fast spin echo imaging of carotid artery dynamics. <i>Magnetic Resonance in Medicine</i> , 2015, 74, 1103-1109.  | 1.9 | 9         |
| 22946 | Reliability in Measuring Preinjury Physical Function in Orthopaedic Trauma. <i>Journal of Orthopaedic Trauma</i> , 2015, 29, 527-532.  | 0.7 | 16        |
| 22947 | Grey-Scale Analysis Improves the Ultrasonographic Evaluation of Thyroid Nodules. <i>Medicine (United States)</i> , 2015, 94, e2191.  | 0.4 | 8         |
| 22948 | Validity, Reliability, and Responsiveness of the Dutch Version of the London Chest Activity of Daily Living Scale in Patients With Severe COPD. <i>Medicine (United States)</i> , 2015, 94, e2191.   | 0.4 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22949 | Validity of Lactate Thresholds in Inline Speed Skating. <i>Journal of Strength and Conditioning Research</i> , 2015, 29, 2497-2502.  | 1.0 | 2         |
| 22950 | Validation of multiple-breath washout equipment for infants and young children. <i>Pediatric Pulmonology</i> , 2015, 50, 607-614.  | 1.0 | 20        |
| 22951 | Comparison of the QMS Analyzer With HPLC-UV for the Quantification of Lamotrigine Concentrations in Human Plasma Samples. <i>Therapeutic Drug Monitoring</i> , 2015, 37, 689-694.  | 1.0 | 9         |
| 22952 | Distance word acuity, critical print size and driving vision standards. <i>Australasian journal of optometry, The</i> , 2015, 98, 459-463.   | 0.6 | 5         |
| 22953 | A Study of the Utility and Equivalency of 2 Methods of Wound Measurement. <i>Advances in Skin and Wound Care</i> , 2015, 28, 252-258.  | 0.5 | 13        |
| 22954 | Motivational interviewing for improving recovery after stroke. <i>The Cochrane Library</i> , 2015, 2015, CD011398.   | 1.5 | 27        |
| 22955 | Magnetic resonance imaging-quantified small bowel motility is a sensitive marker of response to medical therapy in Crohn's disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2015, 42, 343-355.   | 1.9 | 46        |
| 22956 | Effects of Frame Rate on Two-Dimensional Speckle Tracking-Derived Measurements of Myocardial Deformation in Premature Infants. <i>Echocardiography</i> , 2015, 32, 839-847.  | 0.3 | 56        |
| 22957 | Evaluation of Left Ventricular Volumes and Function by Real Time Three-Dimensional Echocardiography in Children with Functional Single Left Ventricle: A Comparison between <i>QLAB</i> and TomTec. <i>Echocardiography</i> , 2015, 32, 1554-1563. | 0.3 | 11        |
| 22958 | Does the presence of von Willebrand factor in FVIII-deficient plasma influences the measurement of FVIII inhibitor titres in haemophilia A patients?. <i>International Journal of Laboratory Hematology</i> , 2015, 37, 125-132.                   | 0.7 | 3         |
| 22959 | A comparison of fibrinogen measurement using <i>TEG</i> functional fibrinogen and <i>C</i> lauss in cardiac surgery patients. <i>International Journal of Laboratory Hematology</i> , 2015, 37, 459-465.   | 0.7 | 16        |
| 22960 | Validation of the Portuguese self-administered computerised 24-hour dietary recall among second-, third- and fourth-grade children. <i>Journal of Human Nutrition and Dietetics</i> , 2015, 28, 666-674.   | 1.3 | 25        |
| 22961 | The lung clearance index in young infants: impact of tidal volume and dead space. <i>Physiological Measurement</i> , 2015, 36, 1601-1613.  | 1.2 | 16        |
| 22962 | On the validity of the <sup>13</sup> C-acetate breath test for comparing gastric emptying of different liquid test meals: a validation study using magnetic resonance imaging. <i>Neurogastroenterology and Motility</i> , 2015, 27, 1487-1494.    | 1.6 | 10        |
| 22963 | Development and validation of a new Chinese reading chart for children. <i>Ophthalmic and Physiological Optics</i> , 2015, 35, 514-521.  | 1.0 | 7         |
| 22964 | Value of serum cystatin C in estimating renal function in children with non-renal solid organ transplantation. <i>Pediatric Transplantation</i> , 2015, 19, 27-34.   | 0.5 | 9         |
| 22965 | Translation and validation of the Danish Foot Function Index (FFI-DK). <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2015, 25, e408-13.  | 1.3 | 16        |
| 22966 | Head-to-head comparison between two screening systems for HBsAg, anti-HBc, anti-HCV and HIV combination immunoassays in an international, multicentre evaluation study. <i>Vox Sanguinis</i> , 2015, 109, 114-121.                                 | 0.7 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22967 | Repeatability of Respiratory Exchange Ratio Time Series Analysis. <i>Journal of Strength and Conditioning Research</i> , 2015, 29, 2550-2558.  | 1.0 | 4         |
| 22968 | Test-retest Agreement and Reliability of Quantitative Sensory Testing 1 Year After Breast Cancer Surgery. <i>Clinical Journal of Pain</i> , 2015, 31, 393-403.   | 0.8 | 17        |
| 22969 | Next Generation of Method-Comparison Studies. <i>Critical Care Medicine</i> , 2015, 43, e468-e469.   | 0.4 | 3         |
| 22970 | CHOROIDAL THICKNESS AND VOLUME IN A HEALTHY PEDIATRIC POPULATION AND ITS RELATIONSHIP WITH AGE, AXIAL LENGTH, AMETROPIA, AND SEX. <i>Retina</i> , 2015, 35, 2574-2583.                                       | 1.0 | 24        |
| 22971 | Pattern of Macular Ganglion Cell-Inner Plexiform Layer Defect Generated by Spectral-Domain OCT in Glaucoma Patients and Normal Subjects. <i>Journal of Glaucoma</i> , 2015, 24, 583-590.                     | 0.8 | 15        |
| 22972 | Optimization of phase-contrast MRI for the quantification of whole-brain cerebral blood flow. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 1126-1133.  | 1.9 | 51        |
| 22973 | Scan-rescan reproducibility of parallel transmission based amide proton transfer imaging of brain tumors. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 1346-1353.                                | 1.9 | 41        |
| 22974 | Synoptic operative reports enhance documentation of best practices for rectal cancer. <i>Journal of Surgical Oncology</i> , 2015, 112, 555-560.  | 0.8 | 37        |
| 22975 | Comparison of the PTSD Checklist (PCL) Administered via a Mobile Device Relative to a Paper Form. <i>Journal of Traumatic Stress</i> , 2015, 28, 480-483.  | 1.0 | 25        |
| 22976 | Flip angle-optimized fast dynamic T <sub>1</sub> mapping with a 3D gradient echo sequence. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1158-1163.  | 1.9 | 5         |
| 22977 | Between-day reliability of the trapezius muscle H-reflex and M-wave. <i>Muscle and Nerve</i> , 2015, 52, 1066-1071.  | 1.0 | 3         |
| 22978 | Field Walking Tests Are Reliable and Responsive to Exercise Training in People With Non-Cystic Fibrosis Bronchiectasis. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2015, 35, 439-445. | 1.2 | 21        |
| 22979 | Reliability and Reproducibility of a Handheld Videorefractor. <i>Optometry and Vision Science</i> , 2015, 92, 632-641.   | 0.6 | 11        |
| 22980 | Repeatability of Associated Phoria Tests. <i>Optometry and Vision Science</i> , 2015, 92, 900-907.   | 0.6 | 6         |
| 22981 | Transcutaneous electromyography of the diaphragm: A cardio-respiratory monitor for preterm infants. <i>Pediatric Pulmonology</i> , 2015, 50, 889-895.  | 1.0 | 45        |
| 22982 | Evaluation of DXA vs. MRI for body composition measures in 1-month olds. <i>Pediatric Obesity</i> , 2015, 10, e8-10.   | 1.4 | 8         |
| 22983 | Repeatability of a novel corneal indentation device for corneal biomechanical measurement. <i>Ophthalmic and Physiological Optics</i> , 2015, 35, 455-461.   | 1.0 | 25        |
| 22984 | Reliability of Repeated Measurements on Post-Burn Scars with Corneometer CM825 <sup>®</sup> . <i>Skin Research and Technology</i> , 2015, 21, 302-312.   | 0.8 | 25        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 22985 | Plasma lactate concentrations and comparison of two point-of-care lactate analyzers to a laboratory analyzer in a population of healthy cats. <i>Journal of Veterinary Emergency and Critical Care</i> , 2015, 25, 521-527.  | 0.4 | 16        |
| 22986 | Health and Utilities in Patients With Gout Under the Care of a Rheumatologist. <i>Arthritis Care and Research</i> , 2015, 67, 1128-1136.   | 1.5 | 8         |
| 22987 | Dried blood spot analysis for therapeutic drug monitoring of pazopanib. <i>Journal of Clinical Pharmacology</i> , 2015, 55, 1344-1350.   | 1.0 | 26        |
| 22988 | Three-dimensional regional strain computation method with displacement encoding with stimulated echoes (DENSE) in non-ischemic, non-valvular dilated cardiomyopathy patients and healthy subjects validated by tagged MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 386-396. | 1.9 | 22        |
| 22989 | The clinical utility of vocal dosimetry for assessing voice rest. <i>Laryngoscope</i> , 2015, 125, 171-176.  | 1.1 | 19        |
| 22990 | Free-breathing steady-state free precession cine cardiac magnetic resonance with respiratory navigator gating. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1555-1561.  | 1.9 | 14        |
| 22991 | Utility of multi-frequency bioelectrical impedance compared to deuterium dilution for assessment of total body water. <i>Nutrition and Dietetics</i> , 2015, 72, 183-189.  | 0.9 | 13        |
| 22992 | Liver transplantation arrests and reverses muscle wasting. <i>Clinical Transplantation</i> , 2015, 29, 216-221.  | 0.8 | 40        |
| 22993 | Measurement of peak esophageal luminal cross-sectional area utilizing nadir intraluminal impedance. <i>Neurogastroenterology and Motility</i> , 2015, 27, 971-980.   | 1.6 | 17        |
| 22994 | Activity Monitors Step Count Accuracy in Community-Dwelling Older Adults. <i>Gerontology and Geriatric Medicine</i> , 2015, 1, 233372141560130.  | 0.8 | 9         |
| 22995 | A Prospective Observational Comparison Between Arm and Wrist Blood Pressure During Scheduled Cesarean Delivery. <i>Anesthesia and Analgesia</i> , 2015, 121, 767-775.  | 1.1 | 1         |
| 22996 | COMPARISON OF HIGH-DEFINITION OSCILLOMETRIC AND DIRECT ARTERIAL BLOOD PRESSURE MEASUREMENT IN ANESTHETIZED CHEETAHS ( <i>ACINONYX JUBATUS</i> ). <i>Journal of Zoo and Wildlife Medicine</i> , 2015, 46, 506-516.  | 0.3 | 10        |
| 22997 | Automated 3D quantitative assessment and measurement of alpha angles from the femoral head-neck junction using MR imaging. <i>Physics in Medicine and Biology</i> , 2015, 60, 7601-7616.   | 1.6 | 14        |
| 22998 | Resonant cavity perturbation: a promising new method for the assessment of total body water in children. <i>Physiological Measurement</i> , 2015, 36, 2503-2517.   | 1.2 | 3         |
| 22999 | Clinical Evaluation of the New Rebound Tonometers Icare PRO and Icare ONE Compared With the Goldmann Tonometer. <i>Journal of Glaucoma</i> , 2015, 24, 527-532.  | 0.8 | 44        |
| 23000 | Quality of Life of Children with Learning Disabilities: A Comparison of Self-Reports and Proxy Reports. <i>Learning Disabilities Research and Practice</i> , 2015, 30, 114-126.  | 0.9 | 16        |
| 23001 | Tracking Changes in Cardiac Output. <i>Anesthesia and Analgesia</i> , 2015, 121, 514-524.  | 1.1 | 111       |
| 23002 | Data Agnosticism and Implications on Method Comparison Studies. <i>Anesthesia and Analgesia</i> , 2015, 121, 264-266.  | 1.1 | 16        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23003 | Cerebral Autoregulation Monitoring with Ultrasound-Tagged Near-Infrared Spectroscopy in Cardiac Surgery Patients. <i>Anesthesia and Analgesia</i> , 2015, 121, 1187-1193.  | 1.1 | 34        |
| 23004 | A Comparison of the Immunochemical Methods, PETINIA and EMIT, With That of HPLC-UV for the Routine Monitoring of Mycophenolic Acid in Heart Transplant Patients. <i>Therapeutic Drug Monitoring</i> , 2015, 37, 311-318.   | 1.0 | 22        |
| 23005 | Comparison of Anterior Segment Measurements With a Dual Scheimpflug Placido Corneal Topographer and a New Partial Coherence Interferometer in Keratoconic Eyes. <i>Cornea</i> , 2015, 34, 1012-1018.   | 0.9 | 17        |
| 23006 | Corneal Power Measurement Obtained by Fourier-Domain Optical Coherence Tomography. <i>Cornea</i> , 2015, 34, 1266-1271.  | 0.9 | 19        |
| 23007 | Corneal Deformation Parameters Provided by the Corvis-ST Pachy-Tonometer in Healthy Subjects and Glaucoma Patients. <i>Journal of Glaucoma</i> , 2015, 24, 568-574.  | 0.8 | 81        |
| 23008 | Validity of Arm-Leg Elliptical Ergometer for VO <sub>2</sub> max Analysis. <i>Journal of Strength and Conditioning Research</i> , 2015, 29, 1551-1555.   | 1.0 | 3         |
| 23009 | Reproducibility of Intra-Abdominal Pressure Measured During Physical Activities Via a Wireless Vaginal Transducer. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2015, 21, 164-169.   | 0.6 | 13        |
| 23010 | The Tripartite Model for Assessing Symptoms of Depression and Anxiety. <i>Journal of Cardiovascular Nursing</i> , 2015, 30, 522-528.   | 0.6 | 5         |
| 23011 | Clinical practice of ambulatory versus home blood pressure monitoring in hypertensive patients. <i>Blood Pressure Monitoring</i> , 2015, 20, 303-309.  | 0.4 | 4         |
| 23012 | Heart rate variability assessment with fingertip photoplethysmography and polar RS800cx as compared with electrocardiography in obese adolescents. <i>Blood Pressure Monitoring</i> , 2015, 20, 351-360.   | 0.4 | 30        |
| 23013 | Determinants and Standardization of Mesopic Visual Acuity. <i>Optometry and Vision Science</i> , 2015, 92, 559-565.  | 0.6 | 23        |
| 23014 | Comparing Autorefractors for Measurement of Accommodation. <i>Optometry and Vision Science</i> , 2015, 92, 1003-1011.  | 0.6 | 22        |
| 23015 | Measuring the Repeatability of Simulated Physiology in Simulators. <i>Simulation in Healthcare</i> , 2015, 10, 336-344.  | 0.7 | 7         |
| 23016 | Is heart-rate complexity a surrogate measure of cardiac output before, during, and after hemorrhage in a conscious sheep model of multiple hemorrhages and resuscitation?. <i>Journal of Trauma and Acute Care Surgery</i> , 2015, 79, S93-S100.   | 1.1 | 4         |
| 23017 | Blood pressure and heart rate from the arterial blood pressure waveform can reliably estimate cardiac output in a conscious sheep model of multiple hemorrhages and resuscitation using computer machine learning approaches. <i>Journal of Trauma and Acute Care Surgery</i> , 2015, 79, S85-S92. | 1.1 | 8         |
| 23018 | What Should the Serum Creatinine Be After Transplantation? An Approach to Integrate Donor and Recipient Information to Assess Posttransplant Kidney Function. <i>Transplantation</i> , 2015, 99, 1960-1967.  | 0.5 | 9         |
| 23019 | Intraindividual Variability and Long-Term Changes of Thermal Quantitative Sensory Testing. <i>Journal of Clinical Neurophysiology</i> , 2015, 32, 352-356.   | 0.9 | 4         |
| 23020 | Local manifold learning for multiatlas segmentation: application to hippocampal segmentation in healthy population and Alzheimer's disease. <i>CNS Neuroscience and Therapeutics</i> , 2015, 21, 826-836.  | 1.9 | 9         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23021 | Coronal Diffusion-weighted Magnetic Resonance Imaging of the Kidney. Chinese Medical Journal, 2015, 128, 499-503.   | 0.9 | 6         |
| 23023 | Repeatability of Corneal Phase Retardation Measurements by Polarization-Sensitive Optical Coherence Tomography. , 2015, 56, 3196.   |     | 19        |
| 23024 | Diagnostic accuracy of blood centers in the screening of blood donors for viral markers. Pan African Medical Journal, 2015, 20, 119.  | 0.3 | 10        |
| 23025 | Potency Evaluation of Recombinant Human Erythropoietin in Brazil: Assessment of Reproducibility Using a Practical Approach. Brazilian Archives of Biology and Technology, 2015, 58, 562-568.                                    | 0.5 | 1         |
| 23026 | Repeatability and Reproducibility of Anterior Segment Measurements in Normal Eyes Using Dual Scheimpflug Analyzer. Trk Oftalmoloji Dergisi, 2015, 45, 243-248.   | 0.4 | 4         |
| 23027 | Comparaço entre equaçes preditivas do gasto calrico de gestantes em repouso e exerccio. Revista Brasileira De Cineantropometria E Desempenho Humano, 2015, 17, 713.   | 0.5 | 3         |
| 23028 | Reproducibility of Apparent Diffusion Coefficient Measurements in Malignant Breast Masses. Journal of Korean Medical Science, 2015, 30, 1689.   | 1.1 | 9         |
| 23029 | High Sodium Intake: Review of Recent Issues on Its Association with Cardiovascular Events and Measurement Methods. Korean Circulation Journal, 2015, 45, 175.   | 0.7 | 10        |
| 23030 | Comparacin de la composicin corporal obtenida por bioimpedancia e hidrodensitometra en mujeres de 38 a 60 aos de Medelln-Colombia. Perspectivas En Nutricin Humana, 2015, 17, .   | 0.1 | 0         |
| 23031 | Handcrafted cuff manometers do not accurately measure endotracheal tube cuff pressure. Revista Brasileira De Terapia Intensiva, 2015, 27, 228-34.   | 0.1 | 5         |
| 23032 | Peak expiratory flow rate as a surrogate for forced expiratory volume in 1 second in COPD severity classification in Thailand. International Journal of COPD, 2015, 10, 1213.   | 0.9 | 23        |
| 23033 | Association of PNC, BC, and PM2.5 Measured at a Central Monitoring Site with Blood Pressure in a Predominantly Near Highway Population. International Journal of Environmental Research and Public Health, 2015, 12, 2765-2780. | 1.2 | 44        |
| 23034 | Changes in metamorphopsia in daily life after successful epiretinal membrane surgery and correlation with M-CHARTS score. Clinical Ophthalmology, 2015, 9, 225.   | 0.9 | 20        |
| 23035 | Validacin del ndice peditrico de mortalidad 2 (PIM2) en Argentina: un estudio prospectivo, multicntrico, observacional. Archivos Argentinos De Pediatra, 2015, 113, 221-8.   | 0.3 | 10        |
| 23036 | Moderate acute alcohol intoxication has minimal effect on surround suppression measured with a motion direction discrimination task. Journal of Vision, 2015, 15, 5-5.  | 0.1 | 43        |
| 23037 | Measurement of Retinal Sensitivity on Tablet Devices in Age-Related Macular Degeneration. Translational Vision Science and Technology, 2015, 4, 13.   | 1.1 | 22        |
| 23038 | MEDIDA DA ATIVIDADE FSICA EM JOVENS BRASILEIROS: REPRODUTIBILIDADE E VALIDADE DO PAQ-C E DO PAQ-A. Revista Brasileira De Medicina Do Esporte, 2015, 21, 425-432.   | 0.1 | 33        |
| 23039 | Reliability and Validity of the Upper Limb Physician's Rating Scale in Children with Cerebral Palsy. Yonsei Medical Journal, 2015, 56, 271.   | 0.9 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23040 | A Comparison of Casual In-Clinic Blood Pressure Measurements to Standardized Guideline-Concordant Measurements in Severely Obese Individuals. <i>International Journal of Hypertension</i> , 2015, 2015, 1-5.  | 0.5 | 2         |
| 23041 | Repeatability, Reproducibility, and Comparability of Subjective and Objective Measurements of Intraocular Forward Scattering in Healthy Subjects. <i>BioMed Research International</i> , 2015, 2015, 1-6.  | 0.9 | 23        |
| 23042 | Massa livre de gordura em idosos com sobrepeso e obesidade: análise da validade concorrente de equações de impedância bioelétrica. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2015, 17, 583.   | 0.5 | 0         |
| 23043 | Nutritional assessment in cirrhotic patients with hepatic encephalopathy. <i>World Journal of Hepatology</i> , 2015, 7, 2940.  | 0.8 | 37        |
| 23044 | Estudo de validação das equações de Tanaka e de Kawasaki para estimar a excreção diária de sódio através da coleta da urina casual. <i>Revista Brasileira De Epidemiologia</i> , 2015, 18, 224-237.  | 0.3 | 26        |
| 23046 | Self-Reported Sitting Time in New York City Adults, The Physical Activity and Transit Survey, 2010–2011. <i>Preventing Chronic Disease</i> , 2015, 12, E85.  | 1.7 | 3         |
| 23047 | Sympathetic neural recruitment strategies: responses to severe chemoreflex and baroreflex stress. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 309, R160-R168.  | 0.9 | 39        |
| 23048 | mDurance: A Novel Mobile Health System to Support Trunk Endurance Assessment. <i>Sensors</i> , 2015, 15, 13159-13183.  | 2.1 | 34        |
| 23049 | Relationships between craniocervical posture and pain-related disability in patients with cervico-craniofacial pain. <i>Journal of Pain Research</i> , 2015, 8, 449.   | 0.8 | 13        |
| 23050 | Regional Changes in Choroidal Thickness Associated With Accommodation. , 2015, 56, 6414.   |     | 86        |
| 23051 | Comparison of the BPLab® sphygmomanometer for ambulatory blood pressure monitoring with mercury sphygmomanometry in pregnant women: validation study according to the British Hypertension Society protocol. <i>Vascular Health and Risk Management</i> , 2015, 11, 245. | 1.0 | 9         |
| 23052 | Quantitative Fundus Autofluorescence and Optical Coherence Tomography in ABCA4 Carriers. , 2015, 56, 7274.   |     | 28        |
| 23053 | Arterial to End-Tidal Carbon Dioxide Tension Differences in Infants and Children. <i>Journal of Anesthesia &amp; Clinical Research</i> , 2015, 06, .   | 0.1 | 4         |
| 23054 | LC/MS Based Monitoring of Endogenous Decay Markers for Quality Assessment of Serum Specimens. <i>Journal of Proteomics and Bioinformatics</i> , 2015, 08, .  | 0.4 | 0         |
| 23055 | Intersession test&mdash;retest variability of conventional and novel parameters using the MP-1 microperimeter. <i>Clinical Ophthalmology</i> , 2016, 10, 29.   | 0.9 | 15        |
| 23056 | Fixation Stability Measurement Using Two Types of Microperimetry Devices. <i>Translational Vision Science and Technology</i> , 2015, 4, 3.   | 1.1 | 11        |
| 23057 | Evaluating agreement between solid tumor measurements used to assess response. <i>Journal of Biomedical Graphics and Computing</i> , 2015, 5, .  | 0.2 | 0         |
| 23058 | Longitudinal Association Between Body Mass Index and Health-Related Quality of Life.. <i>International Journal of Epidemiology</i> , 2015, 44, i208-i208.  | 0.9 | 0         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23059 | Reliability and criterion-related validity of the 20-yard shuttle test in competitive junior tennis players. <i>Open Access Journal of Sports Medicine</i> , 2015, 6, 269.                            | 0.6 | 10        |
| 23060 | Association of Lipid Abnormalities with High-Sensitivity C - reactive Protein in Patients Treated with Atorvastatin. <i>Journal of Diabetes &amp; Metabolism</i> , 2015, 06, .                        | 0.2 | 0         |
| 23061 | Quantitative Fundus Autofluorescence and Optical Coherence Tomography in<i>PRPH2/RDS</i>- and<i>ABCA4</i>-Associated Disease Exhibiting Phenotypic Overlap. , 2015, 56, 3159.                         |     | 56        |
| 23063 | Validity of common ultrasound methods of fetal weight estimation in late pregnancy among women in Kwale, Niger Delta region, Nigeria.. <i>African Health Sciences</i> , 2015, 15, 206.                | 0.3 | 3         |
| 23064 | Lean Body Mass Assessment Based on UV Absorbance in Spent Dialysate and Dual-Energy X-Ray Absorptiometry. <i>International Journal of Artificial Organs</i> , 2015, 38, 311-315.                      | 0.7 | 1         |
| 23065 | Development of a video-based technique for ambulatory monitoring of foot placement with an instrumented rollator. <i>Journal of Rehabilitation Medicine</i> , 2015, 47, 273-277.                      | 0.8 | 3         |
| 23066 | Accuracy of predictive equations for resting metabolic rate in Korean athletic and non-athletic adolescents. <i>Nutrition Research and Practice</i> , 2015, 9, 370.                                   | 0.7 | 19        |
| 23067 | Comparison of Central Corneal Thickness and Anterior Chamber Depth Measured Using Three Different Devices. <i>Journal of Korean Ophthalmological Society</i> , 2015, 56, 694.                         | 0.0 | 1         |
| 23068 | Statistical modeling and verification for the synthesis of median survival time in multilevel meta-analysis of survival data. <i>Journal of Epidemiological Research</i> , 2015, 1, 25.               | 0.6 | 5         |
| 23069 | VO2max estimado por equaÃ§Ãµes preditivas apresenta baixa concordÃ¢ncia com o obtido pelo padrÃ£o ouro - teste cardiopulmonar.. <i>Revista Da EducaÃ§Ã£o FÃsica</i> , 2015, 26, .                     | 0.0 | 0         |
| 23070 | Result of Proficiency Test and Comparison of Accuracy Using a European Spine Phantom among the Three Bone Densitometries. <i>Journal of Bone Metabolism</i> , 2015, 22, 45.                           | 0.5 | 11        |
| 23071 | The future of computer-aided sperm analysis. <i>Asian Journal of Andrology</i> , 2015, 17, 545.   | 0.8 | 163       |
| 23072 | Lean-Agile Adaptations in Clinical Laboratory Accredited ISO 15189. <i>Applied Sciences (Switzerland)</i> , 2015, 5, 1616-1638.   | 1.3 | 2         |
| 23073 | Using Automated On-Site Monitoring to Calibrate Empirical Models of Trihalomethanes Concentrations in Drinking Water. <i>Beverages</i> , 2015, 1, 225-247.  | 1.3 | 3         |
| 23074 | A Comparative Study of Physiological Monitoring with a Wearable Opto-Electronic Patch Sensor (OEPS) for Motion Reduction. <i>Biosensors</i> , 2015, 5, 288-307.                                       | 2.3 | 12        |
| 23075 | Estimating the Dietary Intake of Breastfeeding Preterm Infants. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 5408-5419.                                       | 1.2 | 5         |
| 23076 | Association of Roadway Proximity with Indoor Air Pollution in a Peri-Urban Community in Lima, Peru. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 13466-13481. | 1.2 | 23        |
| 23077 | Agreement between Two Methods of Dietary Data Collection in Male Adolescent Academy-Level Soccer Players. <i>Nutrients</i> , 2015, 7, 5948-5960.  | 1.7 | 16        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23078 | Validity of Two New Brief Instruments to Estimate Vegetable Intake in Adults. <i>Nutrients</i> , 2015, 7, 6688-6699.  | 1.7 | 4         |
| 23079 | Wearable Sensing of In-Ear Pressure for Heart Rate Monitoring with a Piezoelectric Sensor. <i>Sensors</i> , 2015, 15, 23402-23417.  | 2.1 | 72        |
| 23080 | Toward a Smartphone Application for Estimation of Pulse Transit Time. <i>Sensors</i> , 2015, 15, 27303-27321.   | 2.1 | 19        |
| 23081 | Reliability of the Single-Visit Field Test of Critical Speed in Trained and Untrained Adolescents. <i>Sports</i> , 2015, 3, 358-368.  | 0.7 | 8         |
| 23082 | Quantification of Intramyocardial Metabolites by Proton Magnetic Resonance Spectroscopy. <i>Frontiers in Cardiovascular Medicine</i> , 2015, 2, 24.   | 1.1 | 10        |
| 23083 | Measuring physical activity in older adults: calibrating cut-points for the MotionWatch 8Â©. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 165.   | 1.7 | 46        |
| 23084 | The reliability of repeated TMS measures in older adults and in patients with subacute and chronic stroke. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 335.                                | 1.8 | 104       |
| 23085 | CAN THEORETICAL VALUES FOR CHEST WALL COMPLIANCE BE USED IN ARDS PATIENTS?. <i>Intensive Care Medicine Experimental</i> , 2015, 3, A999.  | 0.9 | 1         |
| 23086 | Applicability of an agility test in young players in the soccer field. <i>Revista Brasileira De Medicina Do Esporte</i> , 2015, 21, 133-138.  | 0.1 | 14        |
| 23087 | Moderate hyperopia prevalence and associated factors among elementary school students. <i>Ciencia E Saude Coletiva</i> , 2015, 20, 1449-1458.   | 0.1 | 6         |
| 23088 | Performance of a pedometer to measure physical activity in a U.S. cohort with chronic obstructive pulmonary disease. <i>Journal of Rehabilitation Research and Development</i> , 2015, 52, 333-342. | 1.6 | 15        |
| 23089 | A Novel ImageJ Macro for Automated Cell Death Quantitation in the Retina. , 2015, 56, 6701.   |     | 35        |
| 23090 | A Control Systems Approach to Quantify Wall Shear Stress Normalization by Flow-Mediated Dilation in the Brachial Artery. <i>PLoS ONE</i> , 2015, 10, e0115977.                                      | 1.1 | 16        |
| 23091 | Laboratory and Field Evaluation of the Partec CyFlow MiniPOC for Absolute and Relative CD4 T-Cell Enumeration. <i>PLoS ONE</i> , 2015, 10, e0116663.  | 1.1 | 10        |
| 23092 | Pelvic Belt Effects on Pelvic Morphometry, Muscle Activity and Body Balance in Patients with Sacroiliac Joint Dysfunction. <i>PLoS ONE</i> , 2015, 10, e0116739.                                    | 1.1 | 25        |
| 23093 | Rapid Microscopy and Use of Vital Dyes: Potential to Determine Viability of <i>Cryptococcus neoformans</i> in the Clinical Laboratory. <i>PLoS ONE</i> , 2015, 10, e0117186.                        | 1.1 | 16        |
| 23094 | Distribution of Posterior Corneal Astigmatism According to Axis Orientation of Anterior Corneal Astigmatism. <i>PLoS ONE</i> , 2015, 10, e0117194.  | 1.1 | 59        |
| 23095 | Sleep-Wake Evaluation from Whole-Night Non-Contact Audio Recordings of Breathing Sounds. <i>PLoS ONE</i> , 2015, 10, e0117382.  | 1.1 | 40        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23096 | The "Maltreatment and Abuse Chronology of Exposure" (MACE) Scale for the Retrospective Assessment of Abuse and Neglect During Development. PLoS ONE, 2015, 10, e0117423.   | 1.1 | 258       |
| 23097 | Measurement of Waist and Hip Circumference with a Body Surface Scanner: Feasibility, Validity, Reliability, and Correlations with Markers of the Metabolic Syndrome. PLoS ONE, 2015, 10, e0119430.   | 1.1 | 58        |
| 23098 | Is Autonomic Modulation Different between European and Chinese Astronauts?. PLoS ONE, 2015, 10, e0120920.  | 1.1 | 9         |
| 23099 | Can Persistence Hunting Signal Male Quality? A Test Considering Digit Ratio in Endurance Athletes. PLoS ONE, 2015, 10, e0121560.   | 1.1 | 26        |
| 23100 | Reproducibility in Echocardiographic Assessment of Diastolic Function in a Population Based Study (The STANISLAS Cohort Study). PLoS ONE, 2015, 10, e0122336.  | 1.1 | 38        |
| 23101 | Evaluation of the Nova StatSensor <sup>®</sup> Xpress <sup>™</sup> Creatinine Point-Of-Care Handheld Analyzer. PLoS ONE, 2015, 10, e0122433.   | 1.1 | 39        |
| 23102 | The Impact of Flap Creation Methods for Sub-Bowman's Keratomileusis (SBK) on the Central Thickness of Bowman's Layer. PLoS ONE, 2015, 10, e0124996.  | 1.1 | 3         |
| 23103 | Diagnostic Ability of Macular Ganglion Cell Inner Plexiform Layer Measurements in Glaucoma Using Swept Source and Spectral Domain Optical Coherence Tomography. PLoS ONE, 2015, 10, e0125957.  | 1.1 | 68        |
| 23104 | Influence of Accelerometer Type and Placement on Physical Activity Energy Expenditure Prediction in Manual Wheelchair Users. PLoS ONE, 2015, 10, e0126086.   | 1.1 | 38        |
| 23105 | Preoperative assessment of relative pulmonary lobar perfusion fraction in lung cancer patients. Nuklearmedizin - NuclearMedicine, 2015, 54, 178-182.   | 0.3 | 13        |
| 23106 | Reliability of two goniometric methods for measuring active subtalar range of motion. Technology and Health Care, 2015, 23, 323-331.   | 0.5 | 6         |
| 23107 | Contrast Enhanced Abdominal Ultrasound in the Assessment of Ileal Inflammation in Crohn's Disease: A Comparison with MR Enterography. PLoS ONE, 2015, 10, e0136105.  | 1.1 | 23        |
| 23108 | Patient-Specific Modeling of Regional Antibiotic Concentration Levels in Airways of Patients with Cystic Fibrosis: Are We Dosing High Enough?. PLoS ONE, 2015, 10, e0118454.   | 1.1 | 38        |
| 23109 | Framingham Ten-Year General Cardiovascular Disease Risk: Agreement between BMI-Based and Cholesterol-Based Estimates in a South Asian Convenience Sample. PLoS ONE, 2015, 10, e0119183.  | 1.1 | 15        |
| 23110 | In Vivo Evaluation of Cervical Stiffness Evolution during Induced Ripening Using Shear Wave Elastography, Histology and 2 Photon Excitation Microscopy: Insight from an Animal Model. PLoS ONE, 2015, 10, e0133377.  | 1.1 | 23        |
| 23111 | Individualizing Pharmacotherapy in Patients with Renal Impairment: The Validity of the Modification of Diet in Renal Disease Formula in Specific Patient Populations with a Glomerular Filtration Rate below 60 ml/min. A Systematic Review. PLoS ONE, 2015, 10, e0116403. | 1.1 | 10        |
| 23112 | The Modified painDETECT Questionnaire for Patients with Hip or Knee Osteoarthritis: Translation into Dutch, Cross-Cultural Adaptation and Reliability Assessment. PLoS ONE, 2015, 10, e0146117.  | 1.1 | 20        |
| 23113 | Development of an HIV-1 Subtype Panel in China: Isolation and Characterization of 30 HIV-1 Primary Strains Circulating in China. PLoS ONE, 2015, 10, e0127696.   | 1.1 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23114 | Bioreactance Is Not Interchangeable with Thermodilution for Measuring Cardiac Output during Adult Liver Transplantation. PLoS ONE, 2015, 10, e0127981.   | 1.1 | 19        |
| 23115 | Repeatability of Foveal Measurements Using Spectralis Optical Coherence Tomography Segmentation Software. PLoS ONE, 2015, 10, e0129005.  | 1.1 | 93        |
| 23116 | Inaccuracy of Venous Point-of-Care Glucose Measurements in Critically Ill Patients: A Cross-Sectional Study. PLoS ONE, 2015, 10, e0129568.   | 1.1 | 16        |
| 23117 | Accuracy and Feasibility of Point-Of-Care White Blood Cell Count and C-Reactive Protein Measurements at the Pediatric Emergency Department. PLoS ONE, 2015, 10, e0129920.  | 1.1 | 31        |
| 23118 | Comparison of Various Equations for Estimating GFR in Malawi: How to Determine Renal Function in Resource Limited Settings?. PLoS ONE, 2015, 10, e0130453.   | 1.1 | 18        |
| 23119 | Pulse Wave Transit Time Measurements of Cardiac Output in Septic Shock Patients: A Comparison of the Estimated Continuous Cardiac Output System with Transthoracic Echocardiography. PLoS ONE, 2015, 10, e0130489.                     | 1.1 | 11        |
| 23120 | Telemetric Blood Pressure Assessment in Angiotensin II-Infused ApoE <sup>-/-</sup> Mice: 28 Day Natural History and Comparison to Tail-Cuff Measurements. PLoS ONE, 2015, 10, e0130723.  | 1.1 | 16        |
| 23121 | Reproducibility of Middle Cerebral Artery Stenosis Measurements by DSA: Comparison of the NASCET and WASID Methods. PLoS ONE, 2015, 10, e0130991.  | 1.1 | 11        |
| 23122 | How Well Do Raters Agree on the Development Stage of <i>Caenorhabditis elegans</i> ?. PLoS ONE, 2015, 10, e0132365.  | 1.1 | 2         |
| 23123 | Measurement of Scleral Thickness in Humans Using Anterior Segment Optical Coherent Tomography. PLoS ONE, 2015, 10, e0132902.   | 1.1 | 53        |
| 23124 | Reliability of Objectively Measured Sedentary Time and Physical Activity in Adults. PLoS ONE, 2015, 10, e0133296.  | 1.1 | 90        |
| 23125 | Measuring Food Brand Awareness in Australian Children: Development and Validation of a New Instrument. PLoS ONE, 2015, 10, e0133972.   | 1.1 | 6         |
| 23126 | Non-Invasive Determination of Cardiac Output in Pre-Capillary Pulmonary Hypertension. PLoS ONE, 2015, 10, e0134221.  | 1.1 | 10        |
| 23127 | Reliability of the Actigraph GT3X+ Accelerometer in Adults under Free-Living Conditions. PLoS ONE, 2015, 10, e0134606.   | 1.1 | 213       |
| 23128 | Scan-Rescan Reproducibility of High Resolution Magnetic Resonance Imaging of Atherosclerotic Plaque in the Middle Cerebral Artery. PLoS ONE, 2015, 10, e0134913.   | 1.1 | 23        |
| 23129 | Analytical Bias in the Measurement of Serum 25-Hydroxyvitamin D Concentrations Impairs Assessment of Vitamin D Status in Clinical and Research Settings. PLoS ONE, 2015, 10, e0135478.   | 1.1 | 52        |
| 23130 | Using BD Vacutainer CD4 Stabilization Tubes for Absolute Cluster of Differentiation Type 4 Cell Count Measurement on BD FacsCount and Partec Cyflow Cytometers: A Method Comparison Study from Zimbabwe. PLoS ONE, 2015, 10, e0136537. | 1.1 | 1         |
| 23131 | Are Retinal Vessels Calibers Influenced by Blood Pressure Measured at the Time of Retinography Acquisition?. PLoS ONE, 2015, 10, e0136678.   | 1.1 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23132 | The Role of Digital Rectal Examination for Diagnosis of Acute Appendicitis: A Systematic Review and Meta-Analysis. PLoS ONE, 2015, 10, e0136996.  | 1.1 | 18        |
| 23133 | Estimation of Free-Living Energy Expenditure by Heart Rate and Movement Sensing: A Doubly-Labelled Water Study. PLoS ONE, 2015, 10, e0137206.   | 1.1 | 116       |
| 23134 | Perfluoroalkyl Acid Concentrations in Blood Samples Subjected to Transportation and Processing Delay. PLoS ONE, 2015, 10, e0137768.   | 1.1 | 22        |
| 23135 | Unidirectional Expiratory Valve Method to Assess Maximal Inspiratory Pressure in Individuals without Artificial Airway. PLoS ONE, 2015, 10, e0137825.   | 1.1 | 3         |
| 23136 | Reproducibility of Volumetric Computed Tomography of Stable Small Pulmonary Nodules with Implications on Estimated Growth Rate and Optimal Scan Interval. PLoS ONE, 2015, 10, e0138144.                 | 1.1 | 7         |
| 23137 | Novel Use of the Nintendo Wii Board for Measuring Isometric Lower Limb Strength: A Reproducible and Valid Method in Older Adults. PLoS ONE, 2015, 10, e0138660.   | 1.1 | 16        |
| 23138 | Relative Validity of Three Food Frequency Questionnaires for Assessing Dietary Intakes of Guatemalan Schoolchildren. PLoS ONE, 2015, 10, e0139125.  | 1.1 | 11        |
| 23139 | A Novel Algorithm for Movement Artifact Removal in ECG Signals Acquired from Wearable Systems Applied to Horses. PLoS ONE, 2015, 10, e0140783.  | 1.1 | 32        |
| 23140 | Assessment of Model Based (Input) Impedance, Pulse Wave Velocity, and Wave Reflection in the Asklepios Cohort. PLoS ONE, 2015, 10, e0141656.  | 1.1 | 22        |
| 23141 | Reproducibility of In Vivo Corneal Confocal Microscopy Using an Automated Analysis Program for Detection of Diabetic Sensorimotor Polyneuropathy. PLoS ONE, 2015, 10, e0142309.                         | 1.1 | 37        |
| 23142 | The Repeatability Assessment of Three-Dimensional Capsule-Intraocular Lens Complex Measurements by Means of High-Speed Swept-Source Optical Coherence Tomography. PLoS ONE, 2015, 10, e0142556.         | 1.1 | 14        |
| 23143 | Does the Mother or Father Determine the Offspring Sex Ratio? Investigating the Relationship between Maternal Digit Ratio and Offspring Sex Ratio. PLoS ONE, 2015, 10, e0143054.                         | 1.1 | 9         |
| 23144 | Cerebrovascular Responsiveness to Hypercapnia Is Stable over Six Months in Older Adults. PLoS ONE, 2015, 10, e0143059.  | 1.1 | 7         |
| 23145 | Development and Validation of the 34-Item Disability Screening Questionnaire (DSQ-34) for Use in Low and Middle Income Countries Epidemiological and Development Surveys. PLoS ONE, 2015, 10, e0143610. | 1.1 | 25        |
| 23146 | Is High Temporal Resolution Achievable for Paediatric Cardiac Acquisitions during Several Heart Beats? Illustration with Cardiac Phase Contrast Cine-MRI. PLoS ONE, 2015, 10, e0143744.                 | 1.1 | 3         |
| 23147 | Validity and Calibration of the Youth Activity Profile. PLoS ONE, 2015, 10, e0143949.   | 1.1 | 114       |
| 23148 | UPLC-MRM Mass Spectrometry Method for Measurement of the Coagulation Inhibitors Dabigatran and Rivaroxaban in Human Plasma and Its Comparison with Functional Assays. PLoS ONE, 2015, 10, e0145478.     | 1.1 | 35        |
| 23149 | Vessel Wall Inflammation of Takayasu Arteritis Detected by Contrast-Enhanced Magnetic Resonance Imaging: Association with Disease Distribution and Activity. PLoS ONE, 2015, 10, e0145855.              | 1.1 | 40        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23150 | Clinical Performance of a New Soluble CD14-Subtype Immunochromatographic Test for Whole Blood Compared with Chemiluminescent Enzyme Immunoassay: Use of Quantitative Soluble CD14-Subtype Immunochromatographic Tests for the Diagnosis of Sepsis. PLoS ONE, 2015, 10, e0143971. | 1.1 | 4         |
| 23151 | Comparison Between 30-15 Intermittent Fitness Test and Multistage Field Test on Physiological Responses in Wheelchair Basketball Players. Frontiers in Physiology, 2015, 6, 380.   | 1.3 | 12        |
| 23152 | Interchangeability of Electrocardiography and Blood Pressure Measurement for Determining Heart Rate and Heart Rate Variability in Free-Moving Domestic Pigs in Various Behavioral Contexts. Frontiers in Veterinary Science, 2015, 2, 52.  | 0.9 | 1         |
| 23153 | Reproducibility of the six-minute walk test and Glittre ADL-test in patients hospitalized for acute and exacerbated chronic lung disease. Brazilian Journal of Physical Therapy, 2015, 19, 235-242.  | 1.1 | 31        |
| 23154 | Test-retest reliability of lower limb isokinetic endurance in COPD: a comparison of angular velocities. International Journal of COPD, 2015, 10, 1163.   | 0.9 | 12        |
| 23155 | Altura do joelho como medida alternativa confiável na avaliação nutricional de idosos. Revista De Nutricao, 2015, 28, 475-484.   | 0.4 | 5         |
| 23156 | Surgically Induced Astigmatism Assessment: Comparison Between Three Corneal Measuring Devices. Journal of Refractive Surgery, 2015, 31, 244-247.   | 1.1 | 12        |
| 23157 | The one repetition maximum test and the sit-to-stand test in the assessment of a specific pulmonary rehabilitation program on peripheral muscle strength in COPD patients. International Journal of COPD, 2015, 10, 2423.  | 0.9 | 91        |
| 23158 | Comparison of a short version of the Food Frequency Questionnaire with its long version - a cross-sectional analysis in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Sao Paulo Medical Journal, 2015, 133, 414-420.   | 0.4 | 17        |
| 23159 | Ultrasonography for the assessment of the structural properties of the Achilles tendon in asymptomatic individuals: An intra-rater reproducibility study. Isokinetics and Exercise Science, 2015, 23, 263-270.   | 0.2 | 10        |
| 23160 | Automated Tear Film Surface Quality Breakup Time as a Novel Clinical Marker for Tear Hyperosmolarity in Dry Eye Disease. , 2015, 56, 7260.   |     | 77        |
| 23161 | Validation and Test-Retest Reliability of New Thermographic Technique Called Thermovision Technique of Dry Needling for Gluteus Minimus Trigger Points in Sciatica Subjects and TrPs-Negative Healthy Volunteers. BioMed Research International, 2015, 2015, 1-11.               | 0.9 | 16        |
| 23162 | Evaluation and Validation of a Semiautomatic Image Analysis Method: Quantification of Nares Cell Proliferation of Rhinella arenarum (Anura) Detected with the Avidin-Biotin Complex/Peroxidase, DAB. Journal of Histology, 2015, 2015, 1-10.                                     | 0.2 | 0         |
| 23163 | Evaluation of Central Corneal Thickness Using Corneal Dynamic Scheimpflug Analyzer Corvis ST and Comparison with Pentacam Rotating Scheimpflug System and Ultrasound Pachymetry in Normal Eyes. Journal of Ophthalmology, 2015, 2015, 1-8.                                       | 0.6 | 16        |
| 23164 | Free-Breathing 3D Imaging of Right Ventricular Structure and Function Using Respiratory and Cardiac Self-Gated Cine MRI. BioMed Research International, 2015, 2015, 1-9.   | 0.9 | 8         |
| 23165 | Clinical Validation of Adjusted Corneal Power in Patients with Previous Myopic Lasik Surgery. Journal of Ophthalmology, 2015, 2015, 1-6.   | 0.6 | 2         |
| 23166 | A Comparison of Theory-Based and Experimentally Determined Myocardial Signal Intensity Correction Methods in First-Pass Perfusion Magnetic Resonance Imaging. Computational and Mathematical Methods in Medicine, 2015, 2015, 1-9.   | 0.7 | 4         |
| 23167 | Applying an Open-Source Segmentation Algorithm to Different OCT Devices in Multiple Sclerosis Patients and Healthy Controls: Implications for Clinical Trials. Multiple Sclerosis International, 2015, 2015, 1-10.   | 0.4 | 35        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23168 | The Interchangeability of Plasma and Whole Blood Metal Ion Measurement in the Monitoring of Metal on Metal Hips. Arthritis, 2015, 2015, 1-7.  | 2.0 | 12        |
| 23169 | Pressure Measurement Techniques for Abdominal Hypertension: Conclusions from an Experimental Model. Critical Care Research and Practice, 2015, 2015, 1-5.   | 0.4 | 8         |
| 23170 | Precision of Corneal Thickness Measurements Obtained Using the Scheimpflug-Placido Imaging and Agreement with Ultrasound Pachymetry. Journal of Ophthalmology, 2015, 2015, 1-6.                                 | 0.6 | 5         |
| 23171 | Validity of Four Commercial Bioelectrical Impedance Scales in Measuring Body Fat among Chinese Children and Adolescents. BioMed Research International, 2015, 2015, 1-8.  | 0.9 | 23        |
| 23172 | Cross-Cultural Adaptation and Validation of the Serbian Version of the ICS SF Male Questionnaire. Scientific World Journal, The, 2015, 2015, 1-6.   | 0.8 | 0         |
| 23173 | Magnetic Resonance Image Sequence Influences the Relationship between Bone Marrow Lesions Volume and Pain: Data from the Osteoarthritis Initiative. BioMed Research International, 2015, 2015, 1-5.             | 0.9 | 11        |
| 23174 | Importance of Reference Muscle Selection in Quantitative Signal Intensity Analysis of T2-Weighted Images of Myocardial Edema Using a T2 Ratio Method. BioMed Research International, 2015, 2015, 1-9.           | 0.9 | 17        |
| 23175 | Extraction of Heart Rate Variability from Smartphone Photoplethysmograms. Computational and Mathematical Methods in Medicine, 2015, 2015, 1-11.   | 0.7 | 119       |
| 23176 | Mean Expected Error in Prediction of Total Body Water: A True Accuracy Comparison between Bioimpedance Spectroscopy and Single Frequency Regression Equations. BioMed Research International, 2015, 2015, 1-11. | 0.9 | 27        |
| 23177 | Reliability of Intra-Retinal Layer Thickness Estimates. PLoS ONE, 2015, 10, e0137316.   | 1.1 | 75        |
| 23178 | Effects of High Volume Haemodiafiltration on Inflammatory Response Profile and Microcirculation in Patients with Septic Shock. BioMed Research International, 2015, 2015, 1-7.                                  | 0.9 | 5         |
| 23179 | Radial Quantitative Ultrasound and Dual Energy X-Ray Absorptiometry: Intermethod Agreement for Bone Status Assessment in Children. BioMed Research International, 2015, 2015, 1-7.                              | 0.9 | 17        |
| 23180 | Intraocular pressure measurement by three different tonometers in primary congenital glaucoma. Journal of Ophthalmic and Vision Research, 2015, 10, 43.   | 0.7 | 17        |
| 23181 | Real Time Intraoperative Monitoring of Blood Loss with a Novel Tablet Application. The Open Orthopaedics Journal, 2015, 9, 422-426.   | 0.1 | 29        |
| 23182 | Feasibility of a Semi-computerized Line Bisection Test for Unilateral Visual Neglect Assessment. Applied Clinical Informatics, 2015, 06, 400-417.   | 0.8 | 9         |
| 23183 | Repeatability of Nidek MP-1 Fixation Measurements in Patients With Bilateral Central Field Loss. , 2015, 56, 2624.  |     | 15        |
| 23184 | Maximum Diameter of Native Abdominal Aortic Aneurysm Measured by Angio-Computed Tomography. Aorta, 2015, 03, 47-55.   | 0.1 | 11        |
| 23185 | Concordância e correlação entre três métodos distintos para quantificação da altura do salto vertical. Revista Brasileira De Educação Física E Esporte: RBEFE, 2015, 29, 25-34.                                 | 0.1 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23186 | Application of Counter-propagation Artificial Neural Networks in Prediction of Topiramate Concentration in Patients with Epilepsy. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2015, 18, 856.   | 0.9 | 13        |
| 23187 | Measurement of viral load by the automated Abbott real-time HIV-1 assay using dried blood spots collected and processed in Malawi and Mozambique. <i>South African Medical Journal</i> , 2015, 105, 1036.  | 0.2 | 14        |
| 23188 | Intrater reliability of mechanical tests for functional classification of transtibial prosthesis components distal to the socket. <i>Journal of Rehabilitation Research and Development</i> , 2015, 52, 467-476.   | 1.6 | 13        |
| 23189 | Reproducibility and validity of the PowerCal device for estimating power output during sprints in well-trained cyclists. <i>Isokinetics and Exercise Science</i> , 2015, 23, 127-132.  | 0.2 | 3         |
| 23190 | Efecto del nivel de experiencia cl nica del examinador sobre la validez de criterio y fiabilidad inter-sesi n de cinco medidas del rango de movimiento de la flexi n dorsal del tobillo. <i>Cuadernos De Psicolog a Del Deporte</i> , 2015, 15, 123-134. | 0.2 | 5         |
| 23191 | ASSESSMENT OF SCORES IN DECISION MAKING IN METASTASES OF THE SPINE. <i>Coluna/ Columna</i> , 2015, 14, 312-316.  | 0.0 | 1         |
| 23192 | Night-to-night Variability in Obstructive Sleep Apnea Severity: Relationship to Overnight Rostral Fluid Shift. <i>Journal of Clinical Sleep Medicine</i> , 2015, 11, 149-156.  | 1.4 | 65        |
| 23193 | Airway Pressures as Surrogate Estimates of Intra-abdominal Pressure. <i>American Surgeon</i> , 2015, 81, 81-85.  | 0.4 | 8         |
| 23194 | Nursing students blood pressure measurement accuracy during clinical practice. <i>Journal of Nursing Education and Practice</i> , 2015, 5, .   | 0.1 | 2         |
| 23195 | Measuring the Pain of Mucositis using Oucher and DEGR. <i>Journal of Palliative Care &amp; Medicine</i> , 2015, 05, .  | 0.1 | 0         |
| 23196 | The 2012 AASM Respiratory Event Criteria Increase the Incidence of Hypopneas in an Adult Sleep Center Population. <i>Journal of Clinical Sleep Medicine</i> , 2015, 11, 1425-1431.   | 1.4 | 93        |
| 23197 | Calibrated versus uncalibrated arterial pressure waveform analysis in monitoring cardiac output with transpulmonary thermodilution in patients with severe sepsis and septic shock. <i>European Journal of Anaesthesiology</i> , 2015, 32, 5-12.         | 0.7 | 15        |
| 23198 | Comparisons of auscultatory hybrid and automated sphygmomanometers with mercury sphygmomanometry in hypertensive and normotensive pregnant women. <i>Journal of Hypertension</i> , 2015, 33, 499-506.  | 0.3 | 25        |
| 23199 | EFFECT OF RANIBIZUMAB ON HIGH-SPEED INDOCYANINE GREEN ANGIOGRAPHY AND MINIMUM INTENSITY PROJECTION OPTICAL COHERENCE TOMOGRAPHY FINDINGS IN NEOVASCULAR AGE-RELATED MACULAR DEGENERATION. <i>Retina</i> , 2015, 35, 58-68.                               | 1.0 | 2         |
| 23200 | Longitudinal Bioluminescence Imaging of Primary Versus Abdominal Metastatic Tumor Growth in Orthotopic Pancreatic Tumor Models in NSG Mice. <i>Pancreas</i> , 2015, 44, 64-75.   | 0.5 | 9         |
| 23201 | A Comparison of Pain Assessment Measures in Pediatric Sickle Cell Disease. <i>Journal of Pediatric Hematology/Oncology</i> , 2015, 37, 190-194.  | 0.3 | 22        |
| 23202 | Phase-Sensitive Dual-Inversion Recovery for Accelerated Carotid Vessel Wall Imaging. <i>Investigative Radiology</i> , 2015, 50, 135-143.   | 3.5 | 3         |
| 23203 | Metabolic optimisation of the basketball free throw. <i>Journal of Sports Sciences</i> , 2015, 33, 1454-1458.  | 1.0 | 35        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23204 | Assessment of inter-atrial, inter-ventricular, and atrio-ventricular interactions in tetralogy of Fallot patients after surgical correction. Insights from two-dimensional speckle tracking and three-dimensional echocardiography. <i>Cardiology in the Young</i> , 2015, 25, 1254-1262.                                     | 0.4 | 17        |
| 23205 | Heart rate variability to assess ventilatory threshold in ski mountaineering. <i>European Journal of Sport Science</i> , 2015, 15, 615-622.   | 1.4 | 25        |
| 23206 | Comparison of cardiac output measured by oesophageal Doppler ultrasonography or pulse pressure contour wave analysis. <i>British Journal of Anaesthesia</i> , 2015, 114, 893-900.   | 1.5 | 15        |
| 23207 | Macular thickness assessed with spectral domain OCT in a population-based study of children: normative data, repeatability and reproducibility and comparison with time domain OCT. <i>Acta Ophthalmologica</i> , 2015, 93, 470-475.  | 0.6 | 28        |
| 23208 | Validation of a Semiautomated Liver Segmentation Method Using CT for Accurate Volumetry. <i>Academic Radiology</i> , 2015, 22, 1088-1098.   | 1.3 | 17        |
| 23209 | Kinesiophobia in Pre-Operative Patients with Cervical Discopathy and Coexisting Degenerative Changes in Relation to Pain-Related Variables, Psychological State and Sports Activity. <i>Medical Science Monitor</i> , 2015, 21, 181-194.  | 0.5 | 10        |
| 23210 | Performance and user evaluation of a novel capacitance-based automatic urinometer compared with a manual standard urinometer after elective cardiac surgery. <i>Critical Care</i> , 2015, 19, 173.  | 2.5 | 8         |
| 23211 | Comparison of human expert and computer-automated systems using magnitude-squared coherence (MSC) and bootstrap distribution statistics for the interpretation of pattern electroretinograms (PERGs) in infants with optic nerve hypoplasia (ONH). <i>Documenta Ophthalmologica</i> , 2015, 131, 25-34.                       | 1.0 | 4         |
| 23212 | Cine MRI: a new approach to the diagnosis of scapholunate dissociation. <i>Skeletal Radiology</i> , 2015, 44, 1103-1110.  | 1.2 | 24        |
| 23213 | Fetal cardiac interventricular septum: volume assessment by 3D/4D ultrasound using spatio-temporal image correlation (STIC) and virtual organ computer-aided analysis (VOCAL). <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1388-1393.  | 0.7 | 17        |
| 23214 | Evaluation of the influence of cardiac motion on the accuracy and reproducibility of longitudinal measurements and the corresponding image quality in optical frequency domain imaging: an ex vivo investigation of the optimal pullback speed. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 1115-1123. | 0.7 | 2         |
| 23215 | Robust, fully automatic delineation of the head contour by stereotactical normalization for attenuation correction according to Chang in dopamine transporter scintigraphy. <i>European Radiology</i> , 2015, 25, 2709-2717.  | 2.3 | 4         |
| 23216 | Exploration of the taxonomy of some Pleistocene Cervini (Mammalia, Artiodactyla, Cervidae) from Java and Sumatra (Indonesia): a geometric- and linear morphometric approach. <i>Quaternary Science Reviews</i> , 2015, 119, 35-53.  | 1.4 | 14        |
| 23217 | Visual search, movement behaviour and boat control during the windward mark rounding in sailing. <i>Journal of Sports Sciences</i> , 2015, 33, 398-410.   | 1.0 | 14        |
| 23218 | Improved Method for Calculating Hepatic Steatosis Using the Hepatorenal Index. <i>Journal of Ultrasound in Medicine</i> , 2015, 34, 1051-1059.  | 0.8 | 38        |
| 23219 | Prognostic significance of quantitative assessment of focal myocardial fibrosis in patients with heart failure with preserved ejection fraction. <i>International Journal of Cardiology</i> , 2015, 191, 314-319.   | 0.8 | 53        |
| 23220 | Considerations for SphygmoCor radial artery pulse wave analysis: side selection and peripheral arterial blood pressure calibration. <i>Hypertension Research</i> , 2015, 38, 675-683.   | 1.5 | 18        |
| 23221 | Improved Performance of the Fourth-Generation FloTrac/Vigileo System for Tracking Cardiac Output Changes. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2015, 29, 656-662.   | 0.6 | 48        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23222 | Prediction of work metabolism from heart rate measurements in forest work: some practical methodological issues. <i>Ergonomics</i> , 2015, 58, 2040-2056.  | 1.1 | 14        |
| 23223 | Validation of the SenseWear Armband in different ambient temperatures. <i>Journal of Sports Sciences</i> , 2015, 33, 1007-1018.  | 1.0 | 13        |
| 23224 | Which method to use for a fast assessment of body fat percentage?. <i>Physiological Measurement</i> , 2015, 36, 1453-1468.   | 1.2 | 3         |
| 23225 | Measuring diet in primary school children aged 8-11 years: validation of the Child and Diet Evaluation Tool (CADET) with an emphasis on fruit and vegetable intake. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 234-241.   | 1.3 | 25        |
| 23226 | Valuation of Normal Range of Ankle Systolic Blood Pressure in Subjects with Normal Arm Systolic Blood Pressure. <i>PLoS ONE</i> , 2015, 10, e0122248.  | 1.1 | 7         |
| 23227 | Physical Activity Measurement Accuracy in Individuals With Chronic Lung Disease: A Systematic Review With Meta-Analysis of Method Comparison Studies. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 2079-2088.e10. | 0.5 | 20        |
| 23228 | Lifesource XL-18 pedometer for measuring steps under controlled and free-living conditions. <i>Journal of Sports Sciences</i> , 2015, 33, 1001-1006.   | 1.0 | 13        |
| 23229 | Absolute reliability of adipose tissue volume measurement by computed tomography: application of low-dose scan and minimal detectable change—a phantom study. <i>Radiological Physics and Technology</i> , 2015, 8, 312-319.             | 1.0 | 6         |
| 23230 | Estimation of Respiratory Rate From Photoplethysmographic Imaging Videos Compared to Pulse Oximetry. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2015, 19, 1331-1338.   | 3.9 | 36        |
| 23231 | Anti-coagulation assessment with prothrombin time and anti-Xa assays in real-world patients on treatment with rivaroxaban. <i>Annals of Hematology</i> , 2015, 94, 1463-1471.  | 0.8 | 34        |
| 23232 | Dental age estimation of living persons: Comparison of MRI with OPG. <i>Forensic Science International</i> , 2015, 253, 76-80.   | 1.3 | 49        |
| 23233 | Gait Deviation Index, Gait Profile Score and Gait Variable Score in children with spastic cerebral palsy: Intra-rater reliability and agreement across two repeated sessions. <i>Gait and Posture</i> , 2015, 42, 133-137.               | 0.6 | 53        |
| 23234 | Development and optimization of a noncontact optical device for online monitoring of jaundice in human subjects. <i>Journal of Biomedical Optics</i> , 2015, 20, 067001.   | 1.4 | 19        |
| 23235 | Computerized System for Quantitative Assessment of Atherosclerotic Plaques in the Femoral and Iliac Arteries Visualized by Multislice Computed Tomography. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 62, 1490-1502.     | 2.5 | 4         |
| 23236 | Quantitative imaging biomarkers: A review of statistical methods for computer algorithm comparisons. <i>Statistical Methods in Medical Research</i> , 2015, 24, 68-106.  | 0.7 | 137       |
| 23237 | Feasibility and repeatability of PET with the hypoxia tracer [18F]HX4 in oesophageal and pancreatic cancer. <i>Radiotherapy and Oncology</i> , 2015, 116, 94-99.   | 0.3 | 44        |
| 23238 | Modified method of recording and reproducing natural head position with a multicamera system and a laser level. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2015, 147, 781-787.                                | 0.8 | 9         |
| 23239 | Development and Validation of a Smartphone-Based Visual Acuity Test (Peek Acuity) for Clinical Practice and Community-Based Fieldwork. <i>JAMA Ophthalmology</i> , 2015, 133, 930.   | 1.4 | 245       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23240 | The effects of sports participation on the development of left ventricular mass in adolescent boys. <i>American Journal of Human Biology</i> , 2015, 27, 530-537.   | 0.8 | 3         |
| 23241 | MRI-based computational fluid dynamics for diagnosis and treatment prediction: Clinical validation study in patients with coarctation of aorta. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 909-916.   | 1.9 | 87        |
| 23242 | Impact of operator experience on the variability of fetal lung volume estimation by 3D-ultrasound (VOCAL) and magnetic resonance imaging in fetuses with congenital diaphragmatic hernia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 858-864.   | 0.7 | 15        |
| 23243 | Evaluation of a handheld device for measurement of $\hat{I}^2$ -hydroxybutyrate concentration to identify prepartum dairy cattle at risk of developing postpartum hyperketonemia. <i>Journal of the American Veterinary Medical Association</i> , 2015, 246, 1112-1117. | 0.2 | 7         |
| 23244 | Hypoglycemic Accuracy and Improved Low Glucose Alerts of the Latest Dexcom G4 Platinum Continuous Glucose Monitoring System. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, 548-554.   | 2.4 | 31        |
| 23245 | The Pelvic Organ Prolapse/Urinary Incontinence Sexual Questionnaire (PISQ-12): validation of the Dutch version. <i>International Urogynecology Journal</i> , 2015, 26, 1293-1303.   | 0.7 | 34        |
| 23246 | Incomplete RV Remodeling After Transcatheter ASD Closure in Pediatric Age. <i>Pediatric Cardiology</i> , 2015, 36, 1523-1531.   | 0.6 | 7         |
| 23247 | Quantifying [18F]fluorodeoxyglucose uptake in the arterial wall: the effects of dual time-point imaging and partial volume effect correction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1414-1422.                                  | 3.3 | 19        |
| 23248 | Biological variation, reference change value (RCV) and minimal important difference (MID) of inspiratory muscle strength (P <sub>lmax</sub> ) in patients with stable chronic heart failure. <i>Clinical Research in Cardiology</i> , 2015, 104, 822-830.               | 1.5 | 12        |
| 23249 | Assessment of breath-by-breath alveolar gas exchange: an alternative view of the respiratory cycle. <i>European Journal of Applied Physiology</i> , 2015, 115, 1897-1904.   | 1.2 | 12        |
| 23250 | Energetics (and kinematics) of short shuttle runs. <i>European Journal of Applied Physiology</i> , 2015, 115, 1985-1994.  | 1.2 | 36        |
| 23251 | Letter to the Editor concerning "Does whole-spine lateral radiograph with clavicle positioning reflect the correct cervical sagittal alignment?" by Park SM et al. ( <i>Eur Spine J</i> 24(1):57-62). <i>European Spine Journal</i> , 2015, 24, 2339-2339.              | 1.0 | 0         |
| 23252 | Interplay between patient global assessment, pain, and fatigue and influence of other clinical disease activity measures in patients with active rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2015, 34, 1187-1194.  | 1.0 | 16        |
| 23253 | The ability of the Vigileo-FloTrac system to measure cardiac output and track cardiac output changes during one-lung ventilation. <i>Journal of Clinical Monitoring and Computing</i> , 2015, 29, 333-339.  | 0.7 | 16        |
| 23254 | Reliability of Handgrip Strength Test in Elderly Subjects with Unilateral Thumb Carpometacarpal Osteoarthritis. <i>Hand</i> , 2015, 10, 205-209.  | 0.7 | 27        |
| 23255 | Correcting for Brain Swelling's Effects on Infarct Volume Calculation After Middle Cerebral Artery Occlusion in Rats. <i>Translational Stroke Research</i> , 2015, 6, 323-338.  | 2.3 | 55        |
| 23256 | Impact of repeated measures of joint space width on the sample size calculation: An application to hip osteoarthritis. <i>Joint Bone Spine</i> , 2015, 82, 172-176.   | 0.8 | 5         |
| 23257 | Reliability and Agreement of Ultrasonographic Thickness Measurements of the Common Lateral Extensors of the Elbow. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1592-1598.   | 0.7 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23258 | Wearable cameras can reduce dietary under-reporting: doubly labelled water validation of a camera-assisted 24h recall. <i>British Journal of Nutrition</i> , 2015, 113, 284-291.  | 1.2 | 85        |
| 23259 | Immunofluorescence vs immunochemiluminescent methods: AIA 2000 vs Immulite 2000. <i>Clinical Biochemistry</i> , 2015, 48, 1184-1187.  | 0.8 | 1         |
| 23260 | Retinal Vascular Fractal Dimension, Childhood IQ, and Cognitive Ability in Old Age: The Lothian Birth Cohort Study 1936. <i>PLoS ONE</i> , 2015, 10, e0121119.  | 1.1 | 26        |
| 23261 | Adherence to Commonly Prescribed, Home-Based Strength Training Exercises for the Lower Extremity Can Be Objectively Monitored Using the Bandcizer. <i>Journal of Strength and Conditioning Research</i> , 2015, 29, 627-636.    | 1.0 | 27        |
| 23262 | Endotoxin detection in end-stage kidney disease. <i>Journal of Clinical Pathology</i> , 2015, 68, 73-78.  | 1.0 | 5         |
| 23263 | Systematic Technique-Dependent Differences in CT Versus MRI Measurement of the Tibial Tubercle-Trochlear Groove Distance. <i>American Journal of Sports Medicine</i> , 2015, 43, 675-682.                                       | 1.9 | 63        |
| 23264 | Variation of normal tissue complication probability (NTCP) estimates of radiation-induced hypothyroidism in relation to changes in delineation of the thyroid gland. <i>Acta Oncologica</i> , 2015, 54, 1188-1194.              | 0.8 | 6         |
| 23265 | Validation of thoracic impedance cardiography by echocardiography in healthy late pregnancy. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 70.  | 0.9 | 12        |
| 23266 | Assessment of physical activity in older Belgian adults: validity and reliability of an adapted interview version of the long International Physical Activity Questionnaire (IPAQ-L). <i>BMC Public Health</i> , 2015, 15, 433. | 1.2 | 75        |
| 23267 | A technical support tool for joint range of motion determination in functional diagnostics - an inter-rater study. <i>Journal of Occupational Medicine and Toxicology</i> , 2015, 10, 16.                                       | 0.9 | 24        |
| 23268 | Power of counter movement jumps with external load - coherence of three assessment methods. <i>BMC Research Notes</i> , 2015, 8, 156.   | 0.6 | 3         |
| 23269 | Metrology in Medicine. <i>Anesthesia and Analgesia</i> , 2015, 120, 66-75.  | 1.1 | 34        |
| 23270 | Pulmonary nodule size evaluation with chest tomography and CT: a phantom study. <i>British Journal of Radiology</i> , 2015, 88, 20140040.   | 1.0 | 8         |
| 23271 | Fetal Myocardial Wall Area: Constructing a Reference Range by Means of Spatiotemporal Image Correlation in the Rendering Mode. <i>Fetal Diagnosis and Therapy</i> , 2015, 37, 44-50.  | 0.6 | 15        |
| 23272 | Effects of Retinal Angiography on Optical Coherence Tomography Measurements. <i>Ophthalmologica</i> , 2015, 234, 160-166.   | 1.0 | 1         |
| 23273 | Limited Reliability of Computed Tomographic Perfusion Acute Infarct Volume Measurements Compared With Diffusion-Weighted Imaging in Anterior Circulation Stroke. <i>Stroke</i> , 2015, 46, 419-424.                             | 1.0 | 85        |
| 23274 | Validation of noninvasive hemoglobin measurement by pulse co-oximeter in newborn infants. <i>Journal of Perinatology</i> , 2015, 35, 617-620.   | 0.9 | 22        |
| 23275 | Is BRIEF a useful instrument in day to day care of patients with phenylketonuria?. <i>Molecular Genetics and Metabolism</i> , 2015, 114, 425-430.   | 0.5 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23276 | A Novel Adaptive, Real-Time Algorithm to Detect Gait Events From Wearable Sensors. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2015, 23, 413-422.  | 2.7 | 129       |
| 23277 | Assessment of the feasibility of an ultra-low power, wireless digital patch for the continuous ambulatory monitoring of vital signs. <i>BMJ Open</i> , 2015, 5, e006606-e006606.   | 0.8 | 62        |
| 23278 | Influence of cervical spine position on the radiographic parameters of the thoracic inlet alignment. <i>European Spine Journal</i> , 2015, 24, 2880-2884.  | 1.0 | 36        |
| 23279 | Quantification of material slippage in the iliotibial tract when applying the partial plastination clamping technique. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2015, 49, 112-117.                                  | 1.5 | 15        |
| 23280 | Myocardial T1 and extracellular volume fraction measurement in asymptomatic patients with aortic stenosis: reproducibility and comparison with age-matched controls. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 763-770. | 0.5 | 67        |
| 23281 | High-Resolution Ultrasound Allows Percutaneous Initiation and Surveillance of Prostate Cancer in an Orthotopic Murine Model. <i>Urologia Internationalis</i> , 2015, 94, 347-353.  | 0.6 | 3         |
| 23282 | Development and evaluation of aperture-based complexity metrics using film and EPID measurements of static MLC openings. <i>Medical Physics</i> , 2015, 42, 3911-3921.   | 1.6 | 42        |
| 23283 | Assessment of lower tear meniscus measurements obtained with Keratograph and agreement with Fourier-domain optical-coherence tomography. <i>British Journal of Ophthalmology</i> , 2015, 99, 1120-1125.  | 2.1 | 54        |
| 23284 | Improving Highly Accelerated Fat Fraction Measurements for Clinical Trials in Muscular Dystrophy: Origin and Quantitative Effect of R2* Changes. <i>Radiology</i> , 2015, 275, 570-578.  | 3.6 | 36        |
| 23285 | The reliability of hand-held dynamometry for strength assessment during electrically induced muscle contractions. <i>Physiotherapy Theory and Practice</i> , 2015, 31, 61-66.  | 0.6 | 4         |
| 23286 | Meta-analysis of the technical performance of an imaging procedure: Guidelines and statistical methodology. <i>Statistical Methods in Medical Research</i> , 2015, 24, 141-174.  | 0.7 | 40        |
| 23287 | New evidences about the strict relationship between the epicardial fat and the aerobic exercise. <i>IJC Metabolic &amp; Endocrine</i> , 2015, 6, 55-58.  | 0.5 | 4         |
| 23288 | Reference equation for spirometry interpretation for Eastern India. <i>Lung India</i> , 2015, 32, 34.  | 0.3 | 9         |
| 23289 | Computerized Respiratory Sounds Are a Reliable Marker in Subjects With COPD. <i>Respiratory Care</i> , 2015, 60, 1264-1275.  | 0.8 | 19        |
| 23290 | Reference Ranges of Fetal Cisterna Magna Length and Area Measurements by 3-Dimensional Ultrasonography Using the Multiplanar Mode. <i>Journal of Child Neurology</i> , 2015, 30, 209-215.  | 0.7 | 4         |
| 23291 | Method comparison analysis of dwellings' temperatures in the UK. <i>Proceedings of the Institution of Civil Engineers: Engineering Sustainability</i> , 2015, 168, 16-27.  | 0.4 | 4         |
| 23292 | Characterizing the continuously acquired cardiovascular time series during hemodialysis, using median hybrid filter preprocessing noise reduction. <i>Medical Devices: Evidence and Research</i> , 2015, 8, 65.                                | 0.4 | 0         |
| 23293 | Evaluation of the SVOne. <i>Optometry and Vision Science</i> , 2015, 92, 1133-1139.  | 0.6 | 36        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23294 | Noninvasive ambulatory measurement system of cardiac activity. , 2015, 2015, 7622-5.  |     | 14        |
| 23295 | Evaluation of ActiGraph™s Low-Frequency Filter in Laboratory and Free-Living Environments. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 211-217.  | 0.2 | 60        |
| 23296 | T1 at 1.5T and 3T compared with conventional T2* at 1.5T for cardiac siderosis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 102.  | 1.6 | 40        |
| 23297 | Quantification of <sup>11</sup> C-Laniquidar Kinetics in the Brain. <i>Journal of Nuclear Medicine</i> , 2015, 56, 1730-1735.   | 2.8 | 5         |
| 23298 | Covariate-adjusted measures of discrimination for survival data. <i>Biometrical Journal</i> , 2015, 57, 592-613.  | 0.6 | 11        |
| 23299 | Continuous fascicle orientation measurement of medial gastrocnemius muscle in ultrasonography using frequency domain Radon transform. <i>Biomedical Signal Processing and Control</i> , 2015, 20, 117-124.            | 3.5 | 8         |
| 23300 | Agreement between Coaguchek XS and STA-R Evolution (Hepato Quick) INR results depends on the level of INR. <i>Thrombosis Research</i> , 2015, 136, 652-657.   | 0.8 | 20        |
| 23301 | Risk factors for the need of hip arthroscopy following periacetabular osteotomy. <i>Journal of Hip Preservation Surgery</i> , 2015, 2, hnv053.  | 0.6 | 30        |
| 23302 | Biological variation of the cardiac index in patients with stable chronic heart failure: inert gas rebreathing compared with impedance cardiography. <i>ESC Heart Failure</i> , 2015, 2, 112-120.                     | 1.4 | 7         |
| 23303 | MRI-thermometry on ex vivo swine liver: Preliminary trials to assess the sensitivity of two sequences. , 2015, , .  |     | 0         |
| 23304 | Fat and fibre behaviour questionnaire: Reliability, relative validity and responsiveness to change in Australian adults with type 2 diabetes and/or hypertension. <i>Nutrition and Dietetics</i> , 2015, 72, 368-376. | 0.9 | 23        |
| 23305 | Evaluation of an Electrochemical Point-of-Care Meter for Measuring Glucose Concentration in Blood from Periparturient Dairy Cattle. <i>Journal of Veterinary Internal Medicine</i> , 2015, 29, 1718-1727.             | 0.6 | 21        |
| 23306 | Validity and reproducibility of a novel method for time-course evaluation of diet-induced thermogenesis in a respiratory chamber. <i>Physiological Reports</i> , 2015, 3, e12410.                                     | 0.7 | 10        |
| 23307 | Comparison of corneal endothelial cell measurements by two non-contact specular microscopes. <i>BMC Ophthalmology</i> , 2015, 15, 87.   | 0.6 | 28        |
| 23308 | Psychometric properties of the Albanian version of the Orofacial Esthetic Scale: OES-ALB. <i>BMC Oral Health</i> , 2015, 15, 97.  | 0.8 | 21        |
| 23309 | Can serum isotope levels accurately measure intestinal calcium absorption compared to gold-standard methods?. <i>Nutrition Journal</i> , 2015, 14, 73.  | 1.5 | 1         |
| 23310 | Convergent validation of EQ-5D-5L in patients with Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2015, 358, 53-57.   | 0.3 | 24        |
| 23311 | Statistical Modeling of Occupational Exposure to Polycyclic Aromatic Hydrocarbons Using OSHA Data. <i>Journal of Occupational and Environmental Hygiene</i> , 2015, 12, 729-742.                                      | 0.4 | 16        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23312 | Reliability of the Inverse Water Volumetry Method to Measure the Volume of the Upper Limb. <i>Lymphatic Research and Biology</i> , 2015, 13, 126-130.  | 0.5 | 12        |
| 23313 | Impact of respiration on stroke volumes in paediatric controls and in patients after Fontan procedure assessed by MR real-time phase-velocity mapping. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 198-209.   | 0.5 | 28        |
| 23314 | Ventricular myocardial deformation in adults after early surgical repair of atrial septal defect. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 549-557.  | 0.5 | 19        |
| 23315 | Measurement properties of the Health Assessment Questionnaire Disability Index for generalized osteoarthritis. <i>Rheumatology</i> , 2015, 54, 821-826.  | 0.9 | 15        |
| 23316 | Wireless wearable range-of-motion sensor system for upper and lower extremity joints: a validation study. <i>Healthcare Technology Letters</i> , 2015, 2, 12-17.   | 1.9 | 24        |
| 23317 | Continuous Rapid Quantification of Stroke Volume Using Magneto-hydrodynamic Voltages in 3T Magnetic Resonance Imaging. <i>Circulation: Cardiovascular Imaging</i> , 2015, 8, .   | 1.3 | 10        |
| 23318 | Performance and System Validation of a New Cellular-Enabled Blood Glucose Monitoring System Using a New Standard Reference Measurement Procedure of Isotope Dilution UPLC-MRM Mass Spectrometry. <i>Journal of Diabetes Science and Technology</i> , 2015, 9, 1061-1070. | 1.3 | 2         |
| 23319 | French adaptation and validation of the Osteoarthritis Quality of Life scale. <i>Annals of Physical and Rehabilitation Medicine</i> , 2015, 58, 336-342.   | 1.1 | 2         |
| 23320 | Non-contact cardiac pulse rate estimation based on web-camera. , 2015, , .   |     | 0         |
| 23321 | Laboratory Evaluation of the Liat HIV Quant (IQum) Whole-Blood and Plasma HIV-1 Viral Load Assays for Point-of-Care Testing in South Africa. <i>Journal of Clinical Microbiology</i> , 2015, 53, 1616-1621.  | 1.8 | 36        |
| 23322 | Cross-sectional comparison of point-of-care with laboratory HbA1c in detecting diabetes in real-world remote Aboriginal settings. <i>BMJ Open</i> , 2015, 5, e006277-e006277.  | 0.8 | 22        |
| 23323 | Comparison between echocardiographic and non-ECG-gated CT measurements in dogs. <i>Veterinary Record</i> , 2015, 176, 335-335.   | 0.2 | 9         |
| 23324 | Reassessment of Ambulatory Blood Pressure Improves Renal Risk Stratification in Nondialysis Chronic Kidney Disease. <i>Hypertension</i> , 2015, 66, 557-562.   | 1.3 | 10        |
| 23325 | Validation of High-Resolution Ultrasound Measurements of Intima-Media Thickness of the Radial Artery for the Assessment of Structural Remodeling. <i>Angiology</i> , 2015, 66, 574-577.  | 0.8 | 11        |
| 23326 | Accuracy of Parent-Reported Energy Intake and Physical Activity Levels in Boys With Duchenne Muscular Dystrophy. <i>Nutrition in Clinical Practice</i> , 2015, 30, 297-304.  | 1.1 | 16        |
| 23327 | Wear of the Charit <sup>Å</sup> lumbar intervertebral disc replacement investigated using an electro-mechanical spine simulator. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2015, 229, 264-268.         | 1.0 | 5         |
| 23328 | Through-Plane Movement at Multiple Aortic Levels on Dynamic Computed Tomography Angiography Is Limited in Patients With an Abdominal Aortic Aneurysm. <i>Journal of Endovascular Therapy</i> , 2015, 22, 765-769.  | 0.8 | 2         |
| 23329 | ISO 15197:2013 Accuracy Evaluation of Two CE-Marked Systems for Self-Monitoring of Blood Glucose. <i>Journal of Diabetes Science and Technology</i> , 2015, 9, 934-935.  | 1.3 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23330 | Poor reproducibility of the MRI measurement of distal femoral torsion. Orthopaedics and Traumatology: Surgery and Research, 2015, 101, 937-940.   | 0.9 | 12        |
| 23331 | Snowballing citations. BMJ, The, 2015, 351, h6309.  | 3.0 | 3         |
| 23332 | Effects of an eccentric training programme on hamstring strain injuries in women football players. Biomedical Human Kinetics, 2015, 7, .  | 0.2 | 13        |
| 23333 | Total fluid intake assessed with a 7-day fluid record versus a 24-h dietary recall: a crossover study in Indonesian adolescents and adults. European Journal of Nutrition, 2015, 54, 17-25.   | 1.8 | 25        |
| 23334 | Variability of Mouse Left Ventricular Function Assessment by 11.7ÅTesla MRI. Journal of Cardiovascular Translational Research, 2015, 8, 362-371.  | 1.1 | 8         |
| 23335 | Anatomical calibration for wearable motion capture systems: Video calibrated anatomical system technique. Medical Engineering and Physics, 2015, 37, 813-819.   | 0.8 | 8         |
| 23336 | Testing vision testing: quantifying the effect of movement on visual acuity measurement. Eye, 2015, 29, 129-135.  | 1.1 | 7         |
| 23337 | Change in angular velocity at the end of the QRS loop aids the electrocardiographic detection of acute inferior myocardial infarction. , 2015, , .  |     | 3         |
| 23338 | An Investigation of Agreement Between the Item Difficulty Coefficient Calculated in Accordance With Classical Test Theory and Item Response Theory With BlandÅ€Altman Method. Communications in Statistics - Theory and Methods, 2015, 44, 4614-4621. | 0.6 | 0         |
| 23339 | Quality Control and Validation of Oscillometric Blood Pressure Measurements Taken During an Epidemiological Investigation. Medicine (United States), 2015, 94, e1475.   | 0.4 | 18        |
| 23340 | Estimation of heart rate and heart rate variability from pulse oximeter recordings using localized model fitting. , 2015, 2015, 3815-8.   |     | 6         |
| 23341 | Reliability and validity of cervical position measurements in individuals with and without chronic neck pain. Journal of Manual and Manipulative Therapy, 2015, 23, 188-196.  | 0.7 | 17        |
| 23342 | Pharmaceutics, Drug Delivery and Pharmaceutical Technology: A New Test Unit for Disintegration End-Point Determination of Orodispersible Films. Journal of Pharmaceutical Sciences, 2015, 104, 3893-3903.   | 1.6 | 17        |
| 23343 | Accuracy comparison between two microcontroller-embedded R-wave detection methods for heart-rate variability analysis. , 2015, , .  |     | 3         |
| 23344 | Features of the radiophysical complex MRTHR signals in research of functional processes in the brain tissues. , 2015, , .   |     | 0         |
| 23345 | Preliminary assessment of the SensiumVitals&lt;sup&gt;&#x00AE;&lt;/sup&gt;: A low-cost wireless solution for patient surveillance in the general wards. , 2015, 2015, 4931-7.   |     | 16        |
| 23346 | Motion-compensated non-contact detection of heart rate. Optics Communications, 2015, 357, 161-168.  | 1.0 | 7         |
| 23347 | Simultaneous Registration of Location and Orientation in Intravascular Ultrasound Pullbacks Pairs Via 3D Graph-Based Optimization. IEEE Transactions on Medical Imaging, 2015, 34, 2550-2561.   | 5.4 | 23        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23348 | Development of a Standard Protocol for the Harmonic Analysis of Radial Pulse Wave and Assessing Its Reliability in Healthy Humans. <i>IEEE Journal of Translational Engineering in Health and Medicine</i> , 2015, 3, 1-6.  | 2.2 | 22        |
| 23349 | Pulse rate variability analysis by video using face detection and tracking algorithms. , 2015, 2015, 5696-9.  |     | 1         |
| 23350 | Anti-CD163-dexamethasone protects against apoptosis after ischemia/reperfusion injuries in the rat liver. <i>Annals of Medicine and Surgery</i> , 2015, 4, 331-337.   | 0.5 | 14        |
| 23351 | Capturing the post-exertional exacerbation of fatigue following physical and cognitive challenge in patients with chronic fatigue syndrome. <i>Journal of Psychosomatic Research</i> , 2015, 79, 537-549.   | 1.2 | 34        |
| 23352 | The pelvic floor muscle hyperalgesia (PFMH) scoring system: a new classification tool to assess women with chronic pelvic pain: multicentre pilot study of validity and reliability. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 193, 111-113. | 0.5 | 17        |
| 23353 | Intertechnique agreement and interstudy reproducibility of strain and diastolic strain rate at 1.5 and 3 tesla: A comparison of featureâ€œtracking and tagging in patients with aortic stenosis. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 1129-1137.                  | 1.9 | 64        |
| 23354 | Accuracy of kinect for measuring shoulder joint angles in multiple planes of motion. , 2015, , .  |     | 4         |
| 23355 | Minimal residual disease analysis by eight-color flow cytometry in relapsed childhood acute lymphoblastic leukemia. <i>Haematologica</i> , 2015, 100, 935-944.  | 1.7 | 64        |
| 23356 | Matching of postcontraction perfusion to oxygen consumption across submaximal contraction intensities in exercising humans. <i>Journal of Applied Physiology</i> , 2015, 119, 280-289.  | 1.2 | 5         |
| 23357 | Validity of a Neurological Scoring System for Canine X-Linked Myotubular Myopathy. <i>Human Gene Therapy Clinical Development</i> , 2015, 26, 131-137.  | 3.2 | 7         |
| 23358 | Slightly superior performance of bioimpedance spectroscopy over single frequency regression equations for assessment of total body water. , 2015, 2015, 3707-10.  |     | 4         |
| 23359 | Calibration of diffuse correlation spectroscopy blood flow index with venous-occlusion diffuse optical spectroscopy in skeletal muscle. <i>Journal of Biomedical Optics</i> , 2015, 20, 125005.   | 1.4 | 21        |
| 23360 | Understanding Bland Altman analysis. <i>Biochimica Medica</i> , 2015, 25, 141-151.  | 1.2 | 2,511     |
| 23361 | MATPLM1, A MATLAB script for scoring of periodic limb movements: preliminary validation with visual scoring. <i>Sleep Medicine</i> , 2015, 16, 1541-1549.   | 0.8 | 18        |
| 23362 | Utility of untimed single urine protein/creatinine ratio as a substitute for 24-h proteinuria for assessment of proteinuria in systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2015, 17, 296.   | 1.6 | 18        |
| 23363 | Growth of ears reconstructed from autologous rib cartilage. <i>European Journal of Plastic Surgery</i> , 2015, 38, 443-448.   | 0.3 | 4         |
| 23364 | Human trabecular bone microarchitecture can be assessed independently of density with second generation HR-pQCT. <i>Bone</i> , 2015, 79, 213-221.   | 1.4 | 138       |
| 23365 | Accuracy and Reproducibility of Right Ventricular Quantification in Patients with Pressure and Volume Overload Using Single-Beat Three-Dimensional Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2015, 28, 363-374.                                  | 1.2 | 53        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23366 | Population-specific evidence selection to support practice. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 845-846.   | 2.4 | 0         |
| 23367 | Reproductibilit  insuffisante de la mesure IRM de la torsion  piphysaire distale  morale. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2015, 101, 637-640.  | 0.0 | 0         |
| 23368 | Reproducibility of ambulatory blood pressure values and circadian blood pressure patterns in untreated subjects in a 11 month interval. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2015, 34, 643-650.  | 0.2 | 8         |
| 23369 | Reproducibility and biological variability of HDL's vascular functional assays. <i>Atherosclerosis</i> , 2015, 241, 588-594.   | 0.4 | 9         |
| 23370 | A computationally efficient heart rate measurement system using video cameras. , 2015, , .   |     | 2         |
| 23371 | Analysis of uterine activity in nonpregnant women by electrohysterography: A feasibility study. , 2015, 2015, 5916-9.  |     | 3         |
| 23372 | A Bayesian Model to Describe Factors Influencing Trough Levels of Vancomycin in Hemodialysis Patients. <i>Nephron</i> , 2015, 131, 131-137.  | 0.9 | 10        |
| 23373 | Urinary excretion of lipid mediators in response to repeated eucapnic voluntary hyperpnea in asthmatic subjects. <i>Journal of Applied Physiology</i> , 2015, 119, 272-279.  | 1.2 | 13        |
| 23374 | Repeatability of Retinal Macular Thickness Measurements in Patients with Clinically Significant Macular Edema Using Two Different Scanning Protocols of Spectralis Optical Coherence Tomography. <i>Ophthalmologica</i> , 2015, 234, 167-171.                            | 1.0 | 2         |
| 23375 | Diabetes-related emotional distress instruments: A systematic review of measurement properties. <i>International Journal of Nursing Studies</i> , 2015, 52, 1868-1878.   | 2.5 | 25        |
| 23376 | Validating the Clinical Use of the Modified Huddart and Bodenham Scoring System for Outcome in Cleft Lip and/or Palate. <i>Cleft Palate-Craniofacial Journal</i> , 2015, 52, 671-675.  | 0.5 | 11        |
| 23377 | Repeatability of Retinal Macular Thickness Measurements in Healthy Subjects and Diabetic Patients with Clinically Significant Macular Edema: Evaluation of the Follow-Up System of Spectralis Optical Coherence Tomography. <i>Ophthalmologica</i> , 2015, 233, 186-191. | 1.0 | 6         |
| 23378 | HbA1c method evaluation for postmortem samples. <i>Forensic Science, Medicine, and Pathology</i> , 2015, 11, 35-39.  | 0.6 | 7         |
| 23379 | Novel LC-MS/MS method for plasma vancomycin: Comparison with immunoassays and clinical impact. <i>Clinica Chimica Acta</i> , 2015, 441, 63-70.   | 0.5 | 65        |
| 23380 | Instantaneous quantification of skeletal muscle activation, power production, and fatigue during cycle ergometry. <i>Journal of Applied Physiology</i> , 2015, 118, 646-654.   | 1.2 | 32        |
| 23381 | The validity and reliability of an iPhone app for measuring vertical jump performance. <i>Journal of Sports Sciences</i> , 2015, 33, 1574-1579.  | 1.0 | 296       |
| 23382 | Automated Competitive Protein-Binding Assay for Total 25-OH Vitamin D, Multicenter Evaluation and Practical Performance. <i>Journal of Clinical Laboratory Analysis</i> , 2015, 29, 451-461.   | 0.9 | 20        |
| 23383 | Hematological values for adult eastern Hermann's tortoise ( <i>Testudo hermanni boettgeri</i> ) in semi-natural conditions. <i>Journal of Veterinary Diagnostic Investigation</i> , 2015, 27, 68-73.   | 0.5 | 13        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23384 | Validity of the body adiposity index in adults with Down syndrome. <i>Research in Developmental Disabilities</i> , 2015, 38, 92-96.   | 1.2 | 15        |
| 23385 | 3-dimensional Analysis of Regenerative Endodontic Treatment Outcome. <i>Journal of Endodontics</i> , 2015, 41, 317-324.   | 1.4 | 59        |
| 23386 | A nomogram for calculation of the Revised Baux Score. <i>Burns</i> , 2015, 41, 85-90.   | 1.1 | 23        |
| 23387 | Tidal volume monitoring by electrical impedance tomography (EIT) using different regions of interest (ROI): Calibration equations. <i>Biomedical Signal Processing and Control</i> , 2015, 18, 102-109.                                 | 3.5 | 11        |
| 23388 | Reliability of echocardiographic measurements of left ventricular systolic function in potential pediatric heart transplant donors. <i>Journal of Heart and Lung Transplantation</i> , 2015, 34, 100-106.                               | 0.3 | 8         |
| 23389 | Automatic measurement of pennation angle and fascicle length of gastrocnemius muscles using real-time ultrasound imaging. <i>Ultrasonics</i> , 2015, 57, 72-83.   | 2.1 | 51        |
| 23390 | A comparison of instrumentation methods to estimate thoracolumbar motion in field-based occupational studies. <i>Applied Ergonomics</i> , 2015, 48, 224-231.  | 1.7 | 44        |
| 23391 | Second Toe Systolic Pressure Measurements are Valid Substitutes for First Toe Systolic Pressure Measurements in Diabetic Patients: A Prospective Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2015, 49, 77-82. | 0.8 | 18        |
| 23392 | Quantitative Monitoring of Bone Formation in Ankylosing Spondylitis Using Computed Tomography. <i>Lecture Notes in Computational Vision and Biomechanics</i> , 2015, , 131-158.   | 0.5 | 0         |
| 23393 | Automated interventricular septum segmentation for black-blood myocardial T2* measurement in thalassemia. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 1242-1250.   | 1.9 | 10        |
| 23394 | Volume and landmark analysis: comparison of MRI measurements obtained with an endorectal coil and with a phased-array coil. <i>Clinical Radiology</i> , 2015, 70, 379-386.  | 0.5 | 1         |
| 23395 | Dissociation between running economy and running performance in elite Kenyan distance runners. <i>Journal of Sports Sciences</i> , 2015, 33, 136-144.   | 1.0 | 55        |
| 23396 | Automated peroperative assessment of stents apposition from OCT pullbacks. <i>Computers in Biology and Medicine</i> , 2015, 59, 98-105.   | 3.9 | 9         |
| 23397 | Diagnosis of preeclampsia with soluble Fms-like tyrosine kinase 1/placental growth factor ratio: an inter-assay comparison. <i>Journal of the American Society of Hypertension</i> , 2015, 9, 86-96.                                    | 2.3 | 38        |
| 23398 | Actigraphy combined with EEG compared to polysomnography in sleep apnea patients. <i>Physiological Measurement</i> , 2015, 36, 385-396.   | 1.2 | 23        |
| 23399 | Calcium Channel Blocker Reduces Airway Remodeling in Severe Asthma. A Proof-of-Concept Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015, 191, 876-883.   | 2.5 | 68        |
| 23400 | Cardiac magnetic resonance analysis of right ventricular function: Comparison of quantification in the short-axis and 4-chamber planes. <i>Radiologia</i> , 2015, 57, 50-55.  | 0.3 | 1         |
| 23401 | Clinically useful samples and reference change value. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, e33-5.  | 1.4 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23402 | Supine spinal magnetic resonance imaging with straightened lower extremities in spondylolisthesis: A comparison with the conventional technique. <i>European Journal of Radiology</i> , 2015, 84, 921-926.   | 1.2 | 6         |
| 23403 | Limitations and Strengths of Doppler/Echo Pulmonary Artery Systolic Pressureâ€“Right Heart Catheterization Correlations: A Systematic Literature Review. <i>Echocardiography</i> , 2015, 32, 10-18.  | 0.3 | 53        |
| 23404 | Reference curves of the body fat index in adolescents and their association with anthropometric variables. <i>Jornal De Pediatria</i> , 2015, 91, 248-255.   | 0.9 | 9         |
| 23405 | â€œ3D Fusionâ€“Echocardiography Improves 3D Left Ventricular Assessment: Comparison with 2D Contrast Echocardiography. <i>Echocardiography</i> , 2015, 32, 302-309.  | 0.3 | 9         |
| 23406 | Preâ€“Radiation Therapy Fluorine 18 Fluorodeoxyglucose PET Helps Identify Patients with Esophageal Cancer at High Risk for Radiation Pneumonitis. <i>Radiology</i> , 2015, 275, 822-831.   | 3.6 | 28        |
| 23407 | Intraâ€“operative assessment of pulmonary artery pressure by transoesophageal echocardiography. <i>Anaesthesia</i> , 2015, 70, 264-271.  | 1.8 | 13        |
| 23408 | Pentacam vs SP3000P specular microscopy in measuring corneal thickness. <i>Contact Lens and Anterior Eye</i> , 2015, 38, 21-27.  | 0.8 | 25        |
| 23409 | Interobserver Agreement in Describing the Ultrasound Appearance of Adnexal Masses and in Calculating the Risk of Malignancy Using Logistic Regression Models. <i>Clinical Cancer Research</i> , 2015, 21, 594-601.   | 3.2 | 12        |
| 23410 | Statistical limits in sonographic estimation of birth weight. <i>Archives of Gynecology and Obstetrics</i> , 2015, 291, 59-66.   | 0.8 | 9         |
| 23411 | Multiparametric MR Imaging Depicts Glycosaminoglycan Change in the Achilles Tendon during Ciprofloxacin Administration in Healthy Men: Initial Observation. <i>Radiology</i> , 2015, 275, 763-771.   | 3.6 | 25        |
| 23413 | Effect of inhaled carbon dioxide on laryngeal abduction. <i>Journal of Applied Physiology</i> , 2015, 118, 489-494.  | 1.2 | 8         |
| 23414 | Use of Automated Bone Age for Critical Growth Assessment. <i>Clinical Pediatrics</i> , 2015, 54, 1038-1043.  | 0.4 | 4         |
| 23415 | Validity and reliability of critical power field testing. <i>European Journal of Applied Physiology</i> , 2015, 115, 197-204.  | 1.2 | 50        |
| 23416 | <sup>68</sup> Ga-EDTA PET/CT Imaging and Plasma Clearance for Glomerular Filtration Rate Quantification: Comparison to Conventional <sup>51</sup> Cr-EDTA. <i>Journal of Nuclear Medicine</i> , 2015, 56, 405-409.   | 2.8 | 32        |
| 23417 | Left Atrial Asynchrony and Mechanical Function in Patients with Mitral Stenosis before and Immediately after Percutaneous Balloon Mitral Valvuloplasty: A Real Time Threeâ€“Dimensional Echocardiography Study. <i>Echocardiography</i> , 2015, 32, 291-301. | 0.3 | 7         |
| 23418 | Three-Dimensional Printing of Intracardiac Defects from Three-Dimensional Echocardiographic Images: Feasibility and Relative Accuracy. <i>Journal of the American Society of Echocardiography</i> , 2015, 28, 392-397.                                       | 1.2 | 164       |
| 23419 | Validity of the Actical activity monitor for assessing steps and energy expenditure during walking. <i>Journal of Sports Sciences</i> , 2015, 33, 769-776.   | 1.0 | 18        |
| 23420 | Accuracy of the Alberta Infant Motor Scale (AIMS) to detect developmental delay of gross motor skills in preterm infants: A systematic review. <i>Developmental Neurorehabilitation</i> , 2015, 18, 15-21.   | 0.5 | 22        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23421 | Paired maximum inspiratory and expiratory plain chest radiographs for assessment of airflow limitation in chronic obstructive pulmonary disease. <i>European Journal of Radiology</i> , 2015, 84, 726-731.                          | 1.2 | 0         |
| 23422 | ELISPOT Assay for Measurement of Antigen-Specific and Polyclonal Antibody Responses. <i>Current Protocols in Immunology</i> , 2015, 108, 7.14.1-7.14.10.  | 3.6 | 5         |
| 23423 | Estimating True-Variability of Traffic Speed Deflectometer Deflection Slope Measurements. <i>Journal of Transportation Engineering</i> , 2015, 141, .   | 0.9 | 5         |
| 23424 | A quantitative comparison of two kinematic protocols for lumbar segment motion during gait. <i>Gait and Posture</i> , 2015, 41, 699-705.  | 0.6 | 6         |
| 23425 | Effect on left ventricular mass and geometry in patients with takotsubo cardiomyopathy. <i>Scandinavian Cardiovascular Journal</i> , 2015, 49, 27-38.   | 0.4 | 2         |
| 23426 | Evaluation of two methods to measure hemoglobin concentration among women with genetic hemoglobin disorders in Cambodia: A method-comparison study. <i>Clinica Chimica Acta</i> , 2015, 441, 148-155.                               | 0.5 | 25        |
| 23427 | Standardized standing pelvis-to-floor photographs for the assessment of lower-extremity alignment. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 379-382.   | 0.6 | 9         |
| 23428 | Non-invasive measurement of cardiac output using an iterative, respiration-based method. <i>British Journal of Anaesthesia</i> , 2015, 114, 406-413.  | 1.5 | 4         |
| 23429 | Reliability of peak O <sub>2</sub> uptake and O <sub>2</sub> uptake kinetics in step exercise tests in healthy subjects. <i>Respiratory Physiology and Neurobiology</i> , 2015, 207, 7-13.  | 0.7 | 6         |
| 23430 | Comparison of 2-D and 3-D Estimates of Placental Volume in Early Pregnancy. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 734-740.  | 0.7 | 9         |
| 23431 | Evaluation of coronary adventitial vasa vasorum using 3D optical coherence tomography – Animal and human studies. <i>Atherosclerosis</i> , 2015, 239, 203-208.  | 0.4 | 39        |
| 23433 | A simple tool to identify elderly patients with a surgically important acute subdural haematoma. <i>Injury</i> , 2015, 46, 76-79.   | 0.7 | 8         |
| 23434 | Ultrasound Volume Projection Imaging for Assessment of Scoliosis. <i>IEEE Transactions on Medical Imaging</i> , 2015, 34, 1760-1768.  | 5.4 | 88        |
| 23435 | Comparative assessment of ascending aortic aneurysms in Marfan patients using ECG-gated computerized tomographic angiography versus trans-thoracic echocardiography. <i>International Journal of Cardiology</i> , 2015, 184, 22-27. | 0.8 | 21        |
| 23436 | The Introduction of the IDS-iSYS Total IGF-1 Assay May Have Far-Reaching Consequences for Diagnosis and Treatment of GH Deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 309-316.                   | 1.8 | 19        |
| 23437 | Hematology Analyzers. <i>Clinics in Laboratory Medicine</i> , 2015, 35, 165-181.  | 0.7 | 17        |
| 23438 | Influence of respiratory motion correction on quantification of myocardial perfusion SPECT. <i>Journal of Nuclear Cardiology</i> , 2015, 22, 1019-1030.   | 1.4 | 11        |
| 23439 | Four-dimensional modelling of the mitral valve by real-time 3D transoesophageal echocardiography: proof of concept. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2015, 20, 200-208.                                     | 0.5 | 22        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23440 | Rapid Payne effect test—A novel method for study of strain-softening behavior of rubbers filled with various carbon blacks. <i>Journal of Applied Polymer Science</i> , 2015, 132, .   | 1.3 | 5         |
| 23441 | Reliability of linear and angular dental measurements with the OrthoMechanics Sequential Analyzer. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2015, 147, 264-269.   | 0.8 | 17        |
| 23442 | Identification of a definite diabetic cardiomyopathy in type 2 diabetes by comprehensive echocardiographic evaluation: A cross-sectional comparison with non-diabetic weight-matched controls. <i>Journal of Diabetes</i> , 2015, 7, 779-790.              | 0.8 | 23        |
| 23443 | Solitary Pulmonary Nodules: Comparison of Dynamic First-Pass Contrast-enhanced Perfusion Area-Detector CT, Dynamic First-Pass Contrast-enhanced MR Imaging, and FDG PET/CT. <i>Radiology</i> , 2015, 274, 563-575.   | 3.6 | 66        |
| 23444 | Circumferential vascular strain rate to estimate vascular load in aortic stenosis: a speckle tracking echocardiography study. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 681-689.  | 0.7 | 10        |
| 23445 | A global quality control system to check PT-INR portable monitor for Antivitamin K antagonists. <i>International Journal of Laboratory Hematology</i> , 2015, 37, 71-78.   | 0.7 | 2         |
| 23446 | Robust myocardial T <sub>2</sub> and T <sub>2</sub> * mapping at 3T using image-based shimming. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 1013-1020.  | 1.9 | 13        |
| 23447 | Resting metabolic rate and anthropometry in older people: a comparison of measured and calculated values. <i>Journal of Human Nutrition and Dietetics</i> , 2015, 28, 72-84.   | 1.3 | 23        |
| 23448 | The subjective postural vertical in standing: Reliability and normative data for healthy subjects. <i>Attention, Perception, and Psychophysics</i> , 2015, 77, 953-960.  | 0.7 | 25        |
| 23449 | Substantial Discrepancy Between Fluid and Weight Loss During Acute Decompensated Heart Failure Treatment. <i>American Journal of Medicine</i> , 2015, 128, 776-783.e4.   | 0.6 | 88        |
| 23450 | Neonatal procedural pain can be assessed by computer software that has good sensitivity and specificity to detect facial movements. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015, 104, e63-e69.                                    | 0.7 | 25        |
| 23451 | Comparison of SAFER Behavior Assessment Results in Shelter Dogs at Intake and After a 3-Day Acclimation Period. <i>Journal of Applied Animal Welfare Science</i> , 2015, 18, 153-168.  | 0.4 | 9         |
| 23452 | Hop performance and leg muscle power in athletes: Reliability of a test battery. <i>Physical Therapy in Sport</i> , 2015, 16, 222-227.   | 0.8 | 62        |
| 23453 | Accuracy of Optic Nerve Sheath Diameter Measurement by Emergency Physicians Using Bedside Ultrasound. <i>Journal of Emergency Medicine</i> , 2015, 48, 450-457.  | 0.3 | 58        |
| 23454 | K-t GRAPPA-accelerated 4D flow MRI of liver hemodynamics: influence of different acceleration factors on qualitative and quantitative assessment of blood flow. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2015, 28, 149-159. | 1.1 | 18        |
| 23455 | Precision-guided sampling schedules for efficient T1-mapping. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 242-250.  | 1.9 | 19        |
| 23456 | Utility of cystatin C-derived equations for evaluation of residual renal function in peritoneal dialysis patients. <i>Renal Failure</i> , 2015, 37, 50-56.   | 0.8 | 6         |
| 23457 | Is Home Blood Pressure Monitoring Useful in the Management of Patients With Resistant Hypertension?. <i>American Journal of Hypertension</i> , 2015, 28, 190-199.  | 1.0 | 21        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23458 | A systematic methodology to estimate added sugar content of foods. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 154-161.  | 1.3 | 133       |
| 23459 | Design and Kinematic Evaluation of a Novel Joint-Specific Play Controller: Application for Wrist and Forearm Therapy. <i>Physical Therapy</i> , 2015, 95, 1061-1066.   | 1.1 | 6         |
| 23460 | Clinical and Research Measurement Techniques of the Pulmonary Circulation: The Present and the Future. <i>Progress in Cardiovascular Diseases</i> , 2015, 57, 463-472.   | 1.6 | 28        |
| 23461 | Global Longitudinal Strain and Global Circumferential Strain by Speckle-Tracking Echocardiography and Feature-Tracking Cardiac Magnetic Resonance Imaging: Comparison with Left Ventricular Ejection Fraction. <i>Journal of the American Society of Echocardiography</i> , 2015, 28, 587-596. | 1.2 | 130       |
| 23462 | HPV16 methyl haplotypes determined by a novel next-generation sequencing method are associated with cervical precancer. <i>International Journal of Cancer</i> , 2015, 136, E146-53.   | 2.3 | 31        |
| 23463 | Assessing sleep using hip and wrist actigraphy. <i>Sleep and Biological Rhythms</i> , 2015, 13, 172-180.   | 0.5 | 112       |
| 23464 | limma powers differential expression analyses for RNA-sequencing and microarray studies. <i>Nucleic Acids Research</i> , 2015, 43, e47-e47.  | 6.5 | 26,032    |
| 23465 | Characterization of solitary pulmonary nodules with 18F-FDG PET/CT relative activity distribution analysis. <i>European Radiology</i> , 2015, 25, 1837-1844.   | 2.3 | 18        |
| 23466 | A method of evaluating the accuracy of human body thermoregulation models. <i>Building and Environment</i> , 2015, 87, 1-9.  | 3.0 | 16        |
| 23467 | The influence of elbow joint kinematics on wrist speed in cricket fast bowling. <i>Journal of Sports Sciences</i> , 2015, 33, 1622-1631.   | 1.0 | 12        |
| 23468 | Improving ultrasonic measurement of diaphragmatic excursion after cardiac surgery using the anatomical M-mode: a randomized crossover study. <i>Intensive Care Medicine</i> , 2015, 41, 650-656.   | 3.9 | 28        |
| 23469 | Technical note: Validation of data loggers for recording lying behavior in dairy goats. <i>Journal of Dairy Science</i> , 2015, 98, 1082-1089.   | 1.4 | 37        |
| 23470 | Identification of novel informative loci for DNA-based X-inactivation analysis. <i>Blood Cells, Molecules, and Diseases</i> , 2015, 54, 210-216.   | 0.6 | 9         |
| 23471 | A simple linear model for leaf area estimation in Persian walnut ( <i>Juglans regia</i> L.). <i>Scientia Horticulturae</i> , 2015, 184, 36-39.   | 1.7 | 60        |
| 23472 | Intra- and inter-observer reproducibility study of gestational age estimation using three common foetal biometric parameters: Experienced versus inexperienced sonographer. <i>Radiography</i> , 2015, 21, 54-60.  | 1.1 | 3         |
| 23473 | Comparison of MR-less PiB SUVR quantification methods. <i>Neurobiology of Aging</i> , 2015, 36, S159-S166.   | 1.5 | 96        |
| 23474 | Agreement between Histomorphometry and Microcomputed Tomography to Assess Bone Microarchitecture of Dental Implant Sites. <i>Clinical Implant Dentistry and Related Research</i> , 2015, 17, 732-741.  | 1.6 | 16        |
| 23475 | Validity of the QuickDASH in Patients With Shoulder-Related Disorders Undergoing Surgery. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015, 45, 25-36.   | 1.7 | 62        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23476 | <i>In vivo</i> evaluation of a novel "diastole-patching"™ algorithm for the estimation of pulse transit time: advancing the precision in pulse wave velocity measurement. <i>Physiological Measurement</i> , 2015, 36, 149-161.            | 1.2 | 6         |
| 23477 | Test-retest reliability of pain extent and pain location using a novel method for pain drawing analysis. <i>European Journal of Pain</i> , 2015, 19, 1129-1138.  | 1.4 | 84        |
| 23478 | Direct and CBCT dentogingival tissue thickness measurements. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2015, 119, 481-482.   | 0.2 | 1         |
| 23479 | Comparison of the preference-based EQ-5D-5L and SF-6D in patients with end-stage renal disease (ESRD). <i>European Journal of Health Economics</i> , 2015, 16, 1019-1026.  | 1.4 | 54        |
| 23480 | Optimal Cerebral Perfusion Pressure Management at Bedside: A Single-Center Pilot Study. <i>Neurocritical Care</i> , 2015, 23, 92-102.  | 1.2 | 103       |
| 23481 | Three-dimensional quantification and visualization of aortic calcification by multidetector-row computed tomography: A simple approach using a volume-rendering method. <i>Atherosclerosis</i> , 2015, 239, 622-628.                       | 0.4 | 19        |
| 23482 | Extension and flexion in the upper cervical spine in neck pain patients. <i>Manual Therapy</i> , 2015, 20, 547-552.  | 1.6 | 35        |
| 23483 | Comparison of anterior chamber depth measurements of Nidek AL-Scan and Galilei Dual Scheimpflug Analyzer. <i>Contact Lens and Anterior Eye</i> , 2015, 38, 85-88.  | 0.8 | 9         |
| 23484 | Comparison between preoperative digital planning and postoperative outcomes in 197 hip endoprosthesis cases using short stem prostheses. <i>Clinical Biomechanics</i> , 2015, 30, 46-52.   | 0.5 | 9         |
| 23485 | Simultaneous T <sub>1</sub> and T <sub>2</sub> quantification of the myocardium using cardiac balanced SSFP inversion recovery with interleaved sampling acquisition (CABIRIA). <i>Magnetic Resonance in Medicine</i> , 2015, 74, 365-371. | 1.9 | 47        |
| 23486 | Computed tomographic features of lymphangioliomyomatosis: Evaluation in 138 patients. <i>European Journal of Radiology</i> , 2015, 84, 534-541.  | 1.2 | 37        |
| 23487 | Quantitative Assessment of Mitral Inflow and Aortic Outflow Stroke Volumes by 3-Dimensional Real-time Full-Volume Color Flow Doppler Transthoracic Echocardiography. <i>Journal of Ultrasound in Medicine</i> , 2015, 34, 95-103.          | 0.8 | 12        |
| 23488 | Validation of the urogenital distress inventory (UDI-6) and incontinence impact questionnaire (IIQ-7) in a Dutch population. <i>Neurourology and Urodynamics</i> , 2015, 34, 24-31.  | 0.8 | 81        |
| 23489 | Comparison of axillary, tympanic membrane and rectal temperature measurement in cats. <i>Journal of Feline Medicine and Surgery</i> , 2015, 17, 1028-1034.   | 0.6 | 28        |
| 23490 | Relationship between the shape of the central and third tarsal bones and the presence of tarsal osteoarthritis. <i>Veterinary Journal</i> , 2015, 204, 94-98.  | 0.6 | 8         |
| 23491 | Assessing fluid balance in critically ill pediatric patients. <i>European Journal of Pediatrics</i> , 2015, 174, 133-137.  | 1.3 | 20        |
| 23492 | Toward Continuous, Noninvasive Assessment of Ventricular Function and Hemodynamics: Wearable Ballistocardiography. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2015, 19, 1435-1442.   | 3.9 | 46        |
| 23493 | Assessment of cardiac output with transpulmonary thermodilution during exercise in humans. <i>Journal of Applied Physiology</i> , 2015, 118, 1-10.   | 1.2 | 16        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23494 | Large-scale evaluation of experimentally determined DNA G+C contents with whole genome sequences of prokaryotes. <i>Systematic and Applied Microbiology</i> , 2015, 38, 79-83.  | 1.2 | 18        |
| 23495 | Focal Association Between Wall Shear Stress and Clinical Coronary Artery Disease Progression. <i>Annals of Biomedical Engineering</i> , 2015, 43, 94-106.   | 1.3 | 44        |
| 23496 | Reference ranges for the volumes of fetal cardiac ventricular walls by three-dimensional ultrasound using spatiotemporal image correlation and virtual organ computer-aided analysis and its validation in fetuses with congenital heart diseases. <i>Prenatal Diagnosis</i> , 2015, 35, 65-73. | 1.1 | 13        |
| 23497 | Evaluation of commercial <sc>ELISA</sc> and <sc>RIA</sc> for measuring porcine <sc>C</sc>-peptide: implications for research. <i>Xenotransplantation</i> , 2015, 22, 62-69.   | 1.6 | 15        |
| 23498 | vVO <sub>2</sub> max versus V <sub>peak</sub> , what is the best predictor of running performances in middle-aged recreationally-trained runners?. <i>Science and Sports</i> , 2015, 30, e85-e92.   | 0.2 | 11        |
| 23499 | Accuracy of predicted refraction with multifocal intraocular lenses using two biometry measurement devices and multiple intraocular lens power calculation formulas. <i>Clinical and Experimental Ophthalmology</i> , 2015, 43, 328-334.  | 1.3 | 46        |
| 23500 | A new reliable index to measure individual deprivation: the EPICES score. <i>European Journal of Public Health</i> , 2015, 25, 604-609.   | 0.1 | 118       |
| 23501 | Calf's sex, parity and the hour of harvest after calving affect colostrum quality of dairy cows grazing under high tropical conditions. <i>Tropical Animal Health and Production</i> , 2015, 47, 699-705.   | 0.5 | 15        |
| 23502 | Comparison of rumination activity measured using rumination collars against direct visual observations and analysis of video recordings of dairy cows in commercial farm environments. <i>Journal of Dairy Science</i> , 2015, 98, 1750-1758.   | 1.4 | 44        |
| 23503 | Comparison of estimated GFR and measured GFR in prospective living kidney donors. <i>International Urology and Nephrology</i> , 2015, 47, 201-208.  | 0.6 | 16        |
| 23504 | A modified SCBA facepiece for accurate metabolic data collection from firefighters. <i>Ergonomics</i> , 2015, 58, 148-159.  | 1.1 | 5         |
| 23505 | Noninvasive cardiac output measurement using bioreactance in postoperative pediatric patients. <i>Paediatric Anaesthesia</i> , 2015, 25, 160-166.   | 0.6 | 7         |
| 23506 | Prospective study comparing enzyme-linked immunosorbent assay and glycoarray assay to detect antiglycolipid antibodies in a routine diagnostic neuroimmunology laboratory setting. <i>Clinical and Experimental Neuroimmunology</i> , 2015, 6, 175-182.   | 0.5 | 5         |
| 23507 | Establishment and development of the personalized criteria for microscopic review following multiple automated routine urinalysis systems. <i>Clinica Chimica Acta</i> , 2015, 444, 221-228.  | 0.5 | 17        |
| 23508 | A new predictive equation for oxygen consumption in children and adults with congenital and acquired heart disease. <i>Heart</i> , 2015, 101, 517-524.  | 1.2 | 25        |
| 23509 | Application of Partial Volume Effect Correction and 4D PET in the Quantification of FDG Avid Lung Lesions. <i>Molecular Imaging and Biology</i> , 2015, 17, 140-148.  | 1.3 | 32        |
| 23510 | Analysis of five glucometers available in India. <i>International Journal of Diabetes in Developing Countries</i> , 2015, 35, 189-196.  | 0.3 | 2         |
| 23511 | Cyborg beast: a low-cost 3d-printed prosthetic hand for children with upper-limb differences. <i>BMC Research Notes</i> , 2015, 8, 10.  | 0.6 | 209       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23512 | Clinical evaluation of a high-fidelity wireless intravaginal pressure sensor. <i>International Urogynecology Journal</i> , 2015, 26, 243-249.  | 0.7 | 7         |
| 23513 | Diagnosis and Prognosis of Carpal Tunnel Syndrome. <i>Current Physical Medicine and Rehabilitation Reports</i> , 2015, 3, 77-85.   | 0.3 | 0         |
| 23514 | Assessing Assay Variability of Pesticide Metabolites in the Presence of Heavy Left-Censoring. <i>Journal of Agricultural, Biological, and Environmental Statistics</i> , 2015, 20, 65-82.  | 0.7 | 1         |
| 23515 | Evaluation of Right Ventricular Function Using Single-Beat Three-Dimensional Echocardiography in Neonate. <i>Pediatric Cardiology</i> , 2015, 36, 918-924.   | 0.6 | 6         |
| 23516 | Using Bayesian hierarchical parameter estimation to assess the generalizability of cognitive models of choice. <i>Psychonomic Bulletin and Review</i> , 2015, 22, 391-407.   | 1.4 | 69        |
| 23517 | Determining the clinical importance of treatment benefits for interventions for painful orthopedic conditions. <i>Journal of Orthopaedic Surgery and Research</i> , 2015, 10, 24.  | 0.9 | 253       |
| 23518 | Intravitreal Ranibizumab for neovascular Age-related macular degeneration in clinical practice: five-year treatment outcomes. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2015, 253, 1217-1225.  | 1.0 | 32        |
| 23519 | Comparison of Etest, Disk Diffusion, and Broth Macrodilution for <i>In Vitro</i> Susceptibility Testing of <i>Rhodococcus equi</i> . <i>Journal of Clinical Microbiology</i> , 2015, 53, 314-318.  | 1.8 | 43        |
| 23520 | Bone marrow fat is increased in chronic kidney disease by magnetic resonance spectroscopy. <i>Osteoporosis International</i> , 2015, 26, 1801-1807.  | 1.3 | 24        |
| 23521 | Characterization and quantification of dynamic eccentric regurgitation of the left atrioventricular valve after atrioventricular septal defect correction with 4D Flow cardiovascular magnetic resonance and retrospective valve tracking. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 18. | 1.6 | 41        |
| 23522 | Photoplethysmography-Based Heart Rate Monitoring in Physical Activities via Joint Sparse Spectrum Reconstruction. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 62, 1902-1910.  | 2.5 | 303       |
| 23523 | Has LVEF changed beyond chance? Limits of agreement of radiotracer-derived LVEF. <i>Journal of Nuclear Cardiology</i> , 2015, 22, 1244-1246.   | 1.4 | 3         |
| 23524 | Pelvic incidence-lumbar lordosis mismatch predisposes to adjacent segment disease after lumbar spinal fusion. <i>European Spine Journal</i> , 2015, 24, 1251-1258.   | 1.0 | 223       |
| 23525 | Low-dose biplanar radiography can be used in children and adolescents to accurately assess femoral and tibial torsion and greatly reduce irradiation. <i>European Radiology</i> , 2015, 25, 1752-1760.   | 2.3 | 29        |
| 23526 | A new sentence generator providing material for maximum reading speed measurement. <i>Behavior Research Methods</i> , 2015, 47, 1055-1064.   | 2.3 | 3         |
| 23527 | Clinical Assessment of MR-Guided 3-Class and 4-Class Attenuation Correction in PET/MR. <i>Molecular Imaging and Biology</i> , 2015, 17, 264-276.   | 1.3 | 53        |
| 23528 | Aortic Valve Stenosis Planimetry by Means of Three-Dimensional Transesophageal Echocardiography in the Real Clinical Setting: Feasibility, Reliability and Systematic Deviations. <i>Echocardiography</i> , 2015, 32, 508-515.   | 0.3 | 13        |
| 23529 | Proxy markers of serum retinol concentration, used alone and in combination, to assess population vitamin A status in Kenyan children: a cross-sectional study. <i>BMC Medicine</i> , 2015, 13, 30.  | 2.3 | 15        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23530 | A revised monitor source method for practical deadtime count loss compensation in clinical planar and SPECT studies. <i>Physics in Medicine and Biology</i> , 2015, 60, 1199-1216.   | 1.6 | 5         |
| 23531 | Impact of coronary artery stent edge dissections on long-term clinical outcome in patients with acute coronary syndrome: An optical coherence tomography study. <i>Catheterization and Cardiovascular Interventions</i> , 2015, 86, 237-246.                   | 0.7 | 33        |
| 23532 | Reliability and validity of a smartphone-based application for the quantification of the sit-to-stand movement in healthy seniors. <i>Gait and Posture</i> , 2015, 41, 409-413.  | 0.6 | 47        |
| 23533 | Carotid plaque morphometric assessment with three-dimensional ultrasound imaging. <i>Journal of Vascular Surgery</i> , 2015, 61, 690-697.  | 0.6 | 30        |
| 23534 | Test-retest reliability of morphological measurements of the mandible on cone-beam computed tomography-synthesized cephalograms. <i>Journal of Dental Sciences</i> , 2015, 10, 309-315.  | 1.2 | 2         |
| 23535 | Modelling DW-MRI data from primary and metastatic ovarian tumours. <i>European Radiology</i> , 2015, 25, 2033-2040.  | 2.3 | 57        |
| 23536 | Radiologic assessment of glenohumeral relationship: reliability and reproducibility of lateral humeral offset. <i>Surgical and Radiologic Anatomy</i> , 2015, 37, 363-368.   | 0.6 | 20        |
| 23537 | Test-retest reliability of selected physical activity and sedentary behaviour HBSC items in the Czech Republic, Slovakia and Poland. <i>International Journal of Public Health</i> , 2015, 60, 59-67.  | 1.0 | 67        |
| 23538 | Validation of a novel ultrasound measurement of achilles tendon length. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 3398-3406.   | 2.3 | 43        |
| 23539 | [18F]Fluoromethylcholine as a Chemotherapy Response Read-Out in Prostate Cancer Cells. <i>Molecular Imaging and Biology</i> , 2015, 17, 319-327.   | 1.3 | 10        |
| 23540 | Prognostic potential of initial CT changes for progression-free survival in gefitinib-treated patients with advanced adenocarcinoma of the lung: a preliminary analysis. <i>European Radiology</i> , 2015, 25, 1801-1813.                                      | 2.3 | 3         |
| 23541 | Lucky guess or knowledge: a cross-sectional study using the Bland and Altman analysis to compare confidence-based testing of pharmacological knowledge in 3rd and 5th year medical students. <i>Advances in Health Sciences Education</i> , 2015, 20, 431-440. | 1.7 | 18        |
| 23542 | Reproducibility of retrobulbar blood flow velocity measurements in normal subjects using two different CDI devices. <i>Radiologia Medica</i> , 2015, 120, 737-744.   | 4.7 | 5         |
| 23543 | Transcutaneous PCO2 monitoring in infants hospitalized with viral bronchiolitis. <i>European Journal of Pediatrics</i> , 2015, 174, 319-324.   | 1.3 | 11        |
| 23544 | Comparison of Carotid Artery Blood Velocity Measurements by Vector and Standard Doppler Approaches. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1354-1362.   | 0.7 | 70        |
| 23545 | Diagnostic performance of CT and MRI in distinguishing intraductal papillary neoplasm of the bile duct from cholangiocarcinoma with intraductal papillary growth. <i>European Radiology</i> , 2015, 25, 1967-1974.   | 2.3 | 26        |
| 23546 | Accuracy of Partial-Mouth Examination Protocols for Extent and Severity Estimates of Periodontitis: A Study in a Chinese Population With Chronic Periodontitis. <i>Journal of Periodontology</i> , 2015, 86, 406-417.  | 1.7 | 14        |
| 23547 | Determination of serum lipoprotein lipase using a latex particle-enhanced turbidimetric immunoassay with an automated analyzer. <i>Clinica Chimica Acta</i> , 2015, 442, 130-135.  | 0.5 | 23        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23548 | 3-D Stent Detection in Intravascular OCT Using a Bayesian Network and Graph Search. IEEE Transactions on Medical Imaging, 2015, 34, 1549-1561.  | 5.4 | 50        |
| 23549 | Adaptation and validation of the Spanish self-report version of the Spinal Cord Independence Measure (SCIM III). Spinal Cord, 2015, 53, 451-454.  | 0.9 | 23        |
| 23550 | Anxiety and worry when coping with cancer treatment: agreement between patient and proxy responses. Quality of Life Research, 2015, 24, 1389-1396.  | 1.5 | 15        |
| 23551 | Comparison of fibrin-based clot elasticity parameters measured by free oscillation rheometry (ReoRox <sup>®</sup> ) versus thromboelastometry (ROTEM <sup>®</sup> ). Scandinavian Journal of Clinical and Laboratory Investigation, 2015, 75, 239-246.        | 0.6 | 18        |
| 23552 | Development, validation and comparison of NIR and Raman methods for the identification and assay of poor-quality oral quinine drops. Journal of Pharmaceutical and Biomedical Analysis, 2015, 111, 21-27.   | 1.4 | 23        |
| 23553 | Criterion validity of the International Physical Activity Questionnaire Short Form (IPAQ-SF) for use in patients with rheumatoid arthritis: comparison with the SenseWear Armband. Physiotherapy, 2015, 101, 193-197.   | 0.2 | 30        |
| 23554 | Pre-clinical validation study of a miniaturized electrochemical immunoassay based on square wave voltammetry for early detection of carcinoembryonic antigen in human serum. Clinica Chimica Acta, 2015, 444, 199-205.  | 0.5 | 15        |
| 23556 | Adherence-adjusted estimates of benefits and harms from treatment with amoxicillin for LRTI: secondary analysis of a 12-country randomised placebo-controlled trial using randomisation-based efficacy estimators. BMJ Open, 2015, 5, e006160-e006160.        | 0.8 | 6         |
| 23557 | Comparison between patient-specific instruments and conventional instruments and computer navigation in total knee arthroplasty: a randomized controlled trial. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 3637-3645.                          | 2.3 | 65        |
| 23558 | Effects of method of administration on oral health-related quality of life assessment using the Child Perceptions Questionnaire (CPQ-G11â€“14). Clinical Oral Investigations, 2015, 19, 1939-1945.  | 1.4 | 6         |
| 23559 | The intra- and inter-observer reliability of the CT-scan based X index to quantify glenoid bone loss in chronic anterior shoulder instability and its impact on decision making. European Journal of Orthopaedic Surgery and Traumatology, 2015, 25, 699-703. | 0.6 | 6         |
| 23560 | Validation of stroke volume and cardiac output by electrical interrogation of the brachial artery in normals: assessment of strengths, limitations, and sources of error. Journal of Clinical Monitoring and Computing, 2015, 29, 789-800.                    | 0.7 | 16        |
| 23561 | Intravenous contrast injection significantly affects bone mineral density measured on CT. European Radiology, 2015, 25, 283-289.  | 2.3 | 66        |
| 23562 | Cross-cultural adaptation and validation of the Serbian version of the Australian pelvic floor questionnaire. International Urogynecology Journal, 2015, 26, 131-138.   | 0.7 | 8         |
| 23563 | Evaluation of crown-root angulation of lateral incisors adjacent to palatally impacted canines. Progress in Orthodontics, 2015, 16, 4.  | 1.3 | 23        |
| 23564 | Effects of exercise on the desire to smoke and physiological responses to temporary smoking abstinence: a crossover trial. Psychopharmacology, 2015, 232, 1071-1081.  | 1.5 | 23        |
| 23565 | Fast PRF-based MR thermometry using double-echo EPI: in vivo comparison in a clinical hyperthermia setting. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2015, 28, 305-314.  | 1.1 | 22        |
| 23566 | A Novel System Identification Technique for Improved Wearable Hemodynamics Assessment. IEEE Transactions on Biomedical Engineering, 2015, 62, 1345-1354.  | 2.5 | 26        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23567 | Comparison of cardiovascular magnetic resonance feature tracking and tagging for the assessment of left ventricular systolic strain in acute myocardial infarction. <i>European Journal of Radiology</i> , 2015, 84, 840-848.  | 1.2 | 108       |
| 23568 | 3D ECG- and respiratory-gated non-contrast-enhanced (CE) perfusion MRI for postoperative lung function prediction in non-small-cell lung cancer patients: A comparison with thin-section quantitative computed tomography, dynamic CE-perfusion MRI, and perfus. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 340-353. | 1.9 | 16        |
| 23569 | A heteroscedastic measurement error model for method comparison data with replicate measurements. <i>Statistics in Medicine</i> , 2015, 34, 1242-1258.   | 0.8 | 20        |
| 23570 | Assessment of Body Composition in Subjects with Metabolic Syndrome Comparing Single-Frequency Bioelectrical Impedance Analysis and Bioelectrical Spectroscopy. <i>Metabolic Syndrome and Related Disorders</i> , 2015, 13, 91-98.  | 0.5 | 3         |
| 23571 | Measurement Properties of the Spinal Function Sort in Patients with Sub-acute Whiplash-Associated Disorders. <i>Journal of Occupational Rehabilitation</i> , 2015, 25, 527-536.  | 1.2 | 15        |
| 23572 | In a clinimetric analysis, 3D stereophotogrammetry was found to be reliable and valid for measuring scar volume in clinical research. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 782-787.   | 2.4 | 24        |
| 23573 | The performance of contemporary cystatin C-based GFR equations in predicting gentamicin clearance. <i>British Journal of Clinical Pharmacology</i> , 2015, 79, 268-277.  | 1.1 | 13        |
| 23574 | Objective lameness assessment: can it really tell us anything different?. <i>Livestock</i> , 2015, 20, 173-177.  | 0.1 | 2         |
| 23575 | Determination of respiratory point compensation in healthy adults: Can non-invasive near-infrared spectroscopy help?. <i>Journal of Science and Medicine in Sport</i> , 2015, 18, 590-595.   | 0.6 | 56        |
| 23576 | Magnetic Resonance Imaging in Acute Ischemic Stroke Patients with Mild Symptoms: An Opportunity to Standardize Intravenous Thrombolysis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 1832-1840.  | 0.7 | 7         |
| 23577 | Performance Evaluation of Material Decomposition With Rapid-Kilovoltage-Switching Dual-Energy CT and Implications for Assessing Bone Mineral Density. <i>American Journal of Roentgenology</i> , 2015, 204, 1234-1241.   | 1.0 | 28        |
| 23578 | Discordance among patient preferences, caregiver preferences, and caregiver predictions of patient preferences regarding disclosure of terminal status and end-of-life choices. <i>Psycho-Oncology</i> , 2015, 24, 212-219.  | 1.0 | 51        |
| 23579 | Effect of swim speed on leg-to-arm coordination in unilateral arm amputee front crawl swimmers. <i>Journal of Sports Sciences</i> , 2015, 33, 1523-1531.   | 1.0 | 22        |
| 23580 | Reductions in urinary collection frequency for assessment of reproductive hormones provide physiologically representative exposure and mean concentrations when compared with daily collection. <i>American Journal of Human Biology</i> , 2015, 27, 358-371.  | 0.8 | 7         |
| 23581 | The development and first validation of the Manchester Early Morning Symptoms Index (MEMSI) for patients with COPD. <i>Thorax</i> , 2015, 70, 757-763.   | 2.7 | 11        |
| 23582 | The Intra-Cochlear Impedance-Matrix (IIM) test for the NucleusÂ® cochlear implant. <i>Biomedizinische Technik</i> , 2015, 60, 123-33.  | 0.9 | 9         |
| 23583 | Evaluation of the Left Ventricular Ejection Fraction with Gated IQ-SPECT Myocardial Perfusion Imaging. <i>Journal of Nuclear Medicine Technology</i> , 2015, 43, 193-200.  | 0.4 | 11        |
| 23584 | Impact of Personal Characteristics and Technical Factors on Quantification of Sodium <sup>18</sup> F-Fluoride Uptake in Human Arteries: Prospective Evaluation of Healthy Subjects. <i>Journal of Nuclear Medicine</i> , 2015, 56, 1534-1540.  | 2.8 | 46        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23585 | Reliability and limitations of a novel terrestrial laser scanner for daily monitoring of forest canopy dynamics. <i>Remote Sensing of Environment</i> , 2015, 166, 205-213.   | 4.6 | 37        |
| 23586 | Accuracy of a Tablet Audiometer for Measuring Behavioral Hearing Thresholds in a Clinical Population. <i>Otolaryngology - Head and Neck Surgery</i> , 2015, 153, 838-842.   | 1.1 | 79        |
| 23587 | Indirect prediction of total body water content in healthy adult Beagles by single-frequency bioelectrical impedance analysis. <i>American Journal of Veterinary Research</i> , 2015, 76, 547-553.  | 0.3 | 3         |
| 23588 | Fenofibrate effects on arterial endothelial function in adults with type 2 diabetes mellitus: A FIELD substudy. <i>Atherosclerosis</i> , 2015, 242, 295-302.  | 0.4 | 19        |
| 23589 | Fractional Flow Reserve in the Transradial Era: Will Hand Vein Adenosine Infusion Suffice?. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 527-535.   | 1.1 | 12        |
| 23590 | Ultra-sensitive detection of heparin via aPTT using plastic antibodies on QCM-D platform. <i>RSC Advances</i> , 2015, 5, 54963-54970.   | 1.7 | 14        |
| 23591 | Direct Reading Particle Counters: Calibration Verification and Multiple Instrument Agreement via Bump Testing. <i>Journal of Occupational and Environmental Hygiene</i> , 2015, 12, D116-D122.  | 0.4 | 0         |
| 23592 | Pneumothorax size measurements on digital chest radiographs: Intra- and inter-rater reliability. <i>European Journal of Radiology</i> , 2015, 84, 2038-2043.  | 1.2 | 6         |
| 23593 | Accuracy Evaluation of Two Blood Glucose Monitoring Systems Following ISO 15197:2013. <i>Journal of Diabetes Science and Technology</i> , 2015, 9, 1354-1356.   | 1.3 | 2         |
| 23594 | Improved reproducibility in genome-wide DNA methylation analysis for PAXgene-fixed samples compared with restored formalin-fixed and paraffin-embedded DNA. <i>Analytical Biochemistry</i> , 2015, 468, 50-58.  | 1.1 | 17        |
| 23595 | Assessment of dyspnoea in the emergency department by numeric and visual scales: A pilot study. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2015, 34, 95-99.  | 0.6 | 8         |
| 23596 | Assessing serum hemoglobin levels without venipuncture: accuracy and reliability of Pronto-7 noninvasive spot-check device. <i>American Journal of Surgery</i> , 2015, 209, 848-855.  | 0.9 | 8         |
| 23597 | Agreement of Mediastinal Lymph Node Size Between Computed Tomography and Endobronchial Ultrasonography: A Study of 617 Patients. <i>Annals of Thoracic Surgery</i> , 2015, 99, 1894-1898.   | 0.7 | 19        |
| 23598 | Combining ensemble empirical mode decomposition with spectrum subtraction technique for heart rate monitoring using wrist-type photoplethysmography. <i>Biomedical Signal Processing and Control</i> , 2015, 21, 119-125.   | 3.5 | 77        |
| 23599 | Evaluation of the anterior chamber angle in keratoconus and normal subjects. <i>Contact Lens and Anterior Eye</i> , 2015, 38, 277-282.  | 0.8 | 3         |
| 23600 | Improvement in Strain Concordance between Two Major Vendors after the Strain Standardization Initiative. <i>Journal of the American Society of Echocardiography</i> , 2015, 28, 642-648.e7.   | 1.2 | 114       |
| 23601 | What is a litre of sediment? Testing volume measurement techniques for wet sediment and their implications in archaeobotanical analyses at the Late Neolithic lake-dwelling site of Parkhaus Opéra (Zürich, Switzerland). <i>Journal of Archaeological Science</i> , 2015, 61, 36-44. | 1.2 | 11        |
| 23603 | Assessing internal carotid artery stenosis with a semiautomated computed tomography angiography tool and duplex ultrasound. <i>Journal of Vascular Surgery</i> , 2015, 61, 1449-1456.   | 0.6 | 19        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23604 | Application of the Welfare Quality protocol to dairy buffalo farms: Prevalence and reliability of selected measures. <i>Journal of Dairy Science</i> , 2015, 98, 6886-6896.   | 1.4 | 21        |
| 23605 | Solution Equilibrium Titration for High-Throughput Affinity Estimation of Unpurified Antibodies and Antibody Fragments. <i>Journal of Biomolecular Screening</i> , 2015, 20, 1256-1267.   | 2.6 | 6         |
| 23606 | Test-retest reliability and responsiveness of centre of pressure measurements in patients with hip osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1357-1366.   | 0.6 | 15        |
| 23607 | Point-of-care testing in anticoagulation reversal. <i>Thrombosis Research</i> , 2015, 135, 1218-1220.   | 0.8 | 2         |
| 23608 | Three-dimensional cardiac cine imaging using the kcat ARC acceleration: Initial experience in clinical adult patients at 3T. <i>Magnetic Resonance Imaging</i> , 2015, 33, 911-917.   | 1.0 | 10        |
| 23609 | Decisions, choice and shared decision making in antenatal clinics: An observational study. <i>Patient Education and Counseling</i> , 2015, 98, 1106-1111.   | 1.0 | 8         |
| 23610 | Reliability and validity of the L test in participants with chronic stroke. <i>Physiotherapy</i> , 2015, 101, 161-165.  | 0.2 | 13        |
| 23611 | Semi-automated assessment of transdiaphragmatic pressure variability across motor behaviors. <i>Respiratory Physiology and Neurobiology</i> , 2015, 215, 73-81.   | 0.7 | 13        |
| 23612 | DNA integrity of canine spermatozoa during chill storage assessed by the sperm chromatin dispersion test using bright-field or fluorescence microscopy. <i>Theriogenology</i> , 2015, 84, 399-406.  | 0.9 | 9         |
| 23613 | Body composition in young female eating-disorder patients with severe weight loss and controls: evidence from the four-component model and evaluation of DXA. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 1330-1335.        | 1.3 | 13        |
| 23614 | GFR in Patients with $\beta^2$ -Thalassemia Major. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 1350-1356.  | 2.2 | 8         |
| 23615 | Blood pressure monitoring during exercise: Comparison of pulse transit time and volume clamp methods. <i>Blood Pressure</i> , 2015, 24, 353-360.  | 0.7 | 18        |
| 23616 | CSP transfer fluids put to the test. <i>Renewable Energy Focus</i> , 2015, 16, 24-42.   | 2.2 | 1         |
| 23617 | Complete blood count at the ED: preanalytic variables for hemoglobin and leukocytes. <i>American Journal of Emergency Medicine</i> , 2015, 33, 1152-1157.   | 0.7 | 5         |
| 23618 | Detailed assessment of low-back loads may not be worth the effort: A comparison of two methods for exposure-outcome assessment of low-back pain. <i>Applied Ergonomics</i> , 2015, 51, 322-330.   | 1.7 | 1         |
| 23619 | Accuracy of a predictive bioelectrical impedance analysis equation for estimating appendicular skeletal muscle mass in a non-Caucasian sample of older people. <i>Archives of Gerontology and Geriatrics</i> , 2015, 61, 39-43.           | 1.4 | 33        |
| 23620 | Assessment of multifocal contact lens over-refraction using an infrared, open-field autorefractor: A preliminary study. <i>Contact Lens and Anterior Eye</i> , 2015, 38, 322-326.   | 0.8 | 3         |
| 23621 | Accuracy and Test-Retest Reproducibility of a Two-Dimensional Knowledge-Based Volumetric Reconstruction of the Right Ventricle in Pulmonary Hypertension. <i>Journal of the American Society of Echocardiography</i> , 2015, 28, 989-998. | 1.2 | 17        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23622 | Diagnostic accuracy of coronary ct for the quantification of the syntax score in patients with left main and/or 3-vessel coronary disease. Comparison with invasive angiography. <i>International Journal of Cardiology</i> , 2015, 182, 549-556.               | 0.8 | 11        |
| 23623 | Freehand three-dimensional ultrasound system for assessment of scoliosis. <i>Journal of Orthopaedic Translation</i> , 2015, 3, 123-133.   | 1.9 | 43        |
| 23624 | Comparison of speed and precision of manual viz a viz computer assisted cephalometric measurements. <i>Journal of Pierre Fauchard Academy (Pierre Fauchard Academy India Section)</i> , 2015, 29, 11-20.  | 0.0 | 2         |
| 23625 | Iohexol plasma clearance measurement in older adults with chronic kidney disease—sampling time matters. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 1307-1314.   | 0.4 | 34        |
| 23626 | Performance of the two new fully automated anti-M $\beta$ llerian hormone immunoassays compared with the clinical standard assay. <i>Human Reproduction</i> , 2015, 30, 1918-1926.  | 0.4 | 78        |
| 23627 | Mitral regurgitation quantification by cardiovascular magnetic resonance: a comparison of indirect quantification methods. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 1223-1231.  | 0.7 | 16        |
| 23628 | Body Mass Index Accuracy in Preadolescents: Can We Trust Self-Report or Should We Seek Parent Report?. <i>Journal of Pediatrics</i> , 2015, 167, 366-371.   | 0.9 | 21        |
| 23629 | Ganglion Cell—Inner Plexiform Layer Thickness in Retinal Diseases: Repeatability Study of Spectral-Domain Optical Coherence Tomography. <i>American Journal of Ophthalmology</i> , 2015, 160, 283-289.e1.   | 1.7 | 43        |
| 23630 | Post-illumination pupil response after blue light: Reliability of optimized melanopsin-based phototransduction assessment. <i>Experimental Eye Research</i> , 2015, 139, 73-80.   | 1.2 | 24        |
| 23631 | Selvester scoring in patients with strict LBBB using the QUARESS software. <i>Journal of Electrocardiology</i> , 2015, 48, 763-768.   | 0.4 | 5         |
| 23632 | How reliable is internet-based self-reported identity, socio-demographic and obesity measures in European adults?. <i>Genes and Nutrition</i> , 2015, 10, 28.   | 1.2 | 42        |
| 23633 | A semiautomatic method to identify vertebral end plate lesions (Schmorl's nodes). <i>Spine Journal</i> , 2015, 15, 1665-1673.   | 0.6 | 2         |
| 23634 | Reliability and Accuracy of Simple Visual Estimation in Assessment of Peripheral Arterial Stenosis. <i>Journal of Vascular and Interventional Radiology</i> , 2015, 26, 890-896.  | 0.2 | 18        |
| 23635 | The Assessment of Acute Pain in Pre-Hospital Care Using Verbal Numerical Rating and Visual Analogue Scales. <i>Journal of Emergency Medicine</i> , 2015, 49, 287-293.   | 0.3 | 39        |
| 23636 | Evaluation of carcass composition of intact boars using linear measurements from performance testing, dissection, dual energy X-ray absorptiometry (DXA) and magnetic resonance imaging (MRI). <i>Meat Science</i> , 2015, 104, 58-66.                          | 2.7 | 16        |
| 23637 | Accurate automatic estimation of total intracranial volume: A nuisance variable with less nuisance. <i>NeuroImage</i> , 2015, 104, 366-372.   | 2.1 | 371       |
| 23638 | Predicting time to exhaustion during high-intensity exercise using rating of perceived exertion. <i>Science and Sports</i> , 2015, 30, e155-e161.   | 0.2 | 2         |
| 23639 | Quantification of Left Ventricular Linear, Areal and Volumetric Dimensions: A Phantom and in Vivo Comparison of 2-D and Real-Time 3-D Echocardiography with Cardiovascular Magnetic Resonance. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1981-1990. | 0.7 | 9         |



| #     | ARTICLE  | IF   | CITATIONS |
|-------|--|------|-----------|
| 23640 | Comparison of simultaneous measurement of mouse locomotor activity by radiotelemetry and photobeam methods. <i>Journal of Pharmacological and Toxicological Methods</i> , 2015, 71, 90-94.   | 0.3  | 1         |
| 23641 | Relative validity of an FFQ for pre-school children in the mother's child Rhea™ birth cohort in Crete, Greece. <i>Public Health Nutrition</i> , 2015, 18, 421-427.   | 1.1  | 14        |
| 23642 | Reproducibility and validity of an FFQ developed for the Korea National Health and Nutrition Examination Survey (KNHANES). <i>Public Health Nutrition</i> , 2015, 18, 1369-1377.   | 1.1  | 86        |
| 23643 | Measurement of family-centered care in the neonatal intensive care unit and professional background. <i>Journal of Perinatology</i> , 2015, 35, 284-289.   | 0.9  | 11        |
| 23644 | Assessing the Agreement Between 3-Meter and 6-Meter Walk Tests in 136 Community-Dwelling Older Adults. <i>Journal of Aging and Health</i> , 2015, 27, 594-605.   | 0.9  | 38        |
| 23645 | Phase analysis detects heterogeneity of myocardial deformation on cine MRI. <i>Scandinavian Cardiovascular Journal</i> , 2015, 49, 149-158.  | 0.4  | 2         |
| 23646 | Comparison of monitoring performance of bioimpedance versus esophageal Doppler in pediatric patients. <i>Indian Journal of Critical Care Medicine</i> , 2015, 19, 3-8.   | 0.3  | 6         |
| 23647 | Development and validation of an app-based cell counter for use in the clinical laboratory setting. <i>Journal of Pathology Informatics</i> , 2015, 6, 2.  | 0.8  | 5         |
| 23648 | Investigation of the immediate pre-operative physical capacity of patients scheduled for elective abdominal surgery using the 6-minute walk test. <i>Physiotherapy</i> , 2015, 101, 292-297.   | 0.2  | 6         |
| 23649 | Suitability of capillary blood obtained by a minimally invasive lancet technique to detect subclinical ketosis in dairy cows by using 3 different electronic hand-held devices. <i>Journal of Dairy Science</i> , 2015, 98, 6108-6118.                 | 1.4  | 28        |
| 23650 | Lenalidomide induces ubiquitination and degradation of CK1 $\delta$ in del(5q) MDS. <i>Nature</i> , 2015, 523, 183-188.  | 13.7 | 648       |
| 23651 | Determination of Skeletal Tumor Burden on $^{18}$ F-Fluoride PET/CT. <i>Journal of Nuclear Medicine</i> , 2015, 56, 1507-1512.   | 2.8  | 70        |
| 23652 | Lower Extremity Joint Angle Tracking with Wireless Ultrasonic Sensors during a Squat Exercise. <i>Sensors</i> , 2015, 15, 9610-9627.   | 2.1  | 14        |
| 23653 | Analytical evaluation of the novel soluble fms-like tyrosine kinase 1 and placental growth factor assays for the diagnosis of preeclampsia. <i>Clinical Biochemistry</i> , 2015, 48, 1113-1119.  | 0.8  | 18        |
| 23654 | Quantitative pharmacokinetic analysis of prostate cancer DCE-MRI at 3T: comparison of two arterial input functions on cancer detection with digitized whole mount histopathological validation. <i>Magnetic Resonance Imaging</i> , 2015, 33, 886-894. | 1.0  | 23        |
| 23655 | Oscillometric Blood Pressure Estimation: Past, Present, and Future. <i>IEEE Reviews in Biomedical Engineering</i> , 2015, 8, 44-63.  | 13.1 | 140       |
| 23656 | Enhanced precision of ankle torque measure with an open-unit dynamometer mounted with a 3D force-torque sensor. <i>European Journal of Applied Physiology</i> , 2015, 115, 2303-2310.  | 1.2  | 14        |
| 23657 | Right Ventricular Function in Preterm and Term Neonates: Reference Values for Right Ventricle Areas and Fractional Area of Change. <i>Journal of the American Society of Echocardiography</i> , 2015, 28, 559-569.                                     | 1.2  | 92        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23658 | Is a standalone inertial measurement unit accurate and precise enough for quantification of movement symmetry in the horse?. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2015, 18, 527-532.   | 0.9 | 7         |
| 23659 | Estimating Dead-Space Fraction for Secondary Analyses of Acute Respiratory Distress Syndrome Clinical Trials. <i>Critical Care Medicine</i> , 2015, 43, 1026-1035.   | 0.4 | 40        |
| 23660 | Indirect viscosimetric method is less accurate than ektacytometry for the measurement of red blood cell deformability. <i>Clinical Hemorheology and Microcirculation</i> , 2015, 59, 115-121.  | 0.9 | 11        |
| 23661 | Directional Kinetics of Geographic Atrophy Progression in Age-Related Macular Degeneration with Foveal Sparing. <i>Ophthalmology</i> , 2015, 122, 1356-1365.   | 2.5 | 104       |
| 23662 | Crossover and maximal fat oxidation points during running and cycling in sedentary subjects. <i>Science and Sports</i> , 2015, 30, 196-203.  | 0.2 | 4         |
| 23663 | Ultrasound Fetal Weight Estimation: How Accurate Are We Now Under Emergency Conditions?. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 2562-2566.  | 0.7 | 13        |
| 23664 | Cardiac Output Monitoring. <i>Critical Care Medicine</i> , 2015, 43, 177-185.  | 0.4 | 120       |
| 23665 | Inertial Sensor-Based Stride Parameter Calculation From Gait Sequences in Geriatric Patients. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 62, 1089-1097.  | 2.5 | 239       |
| 23666 | Validation and Cross Cultural Adaptation of the Italian Version of the Harris Hip Score. <i>HIP International</i> , 2015, 25, 91-97.   | 0.9 | 34        |
| 23667 | Validation of the Simplified Chinese Version of the Functional Rating Index for Patients With Nonspecific Neck Pain in Mainland China. <i>Spine</i> , 2015, 40, E538-E544.   | 1.0 | 9         |
| 23668 | Event- and interval-based measurement of stuttering: a review. <i>International Journal of Language and Communication Disorders</i> , 2015, 50, 14-30.   | 0.7 | 6         |
| 23669 | Evaluation of a new impedancemeter to independently measure extracellular, intracellular and total body water volumes: application to the measurement of hydration. <i>Medical and Biological Engineering and Computing</i> , 2015, 53, 989-999.                   | 1.6 | 6         |
| 23670 | Stability of $\hat{\text{A}}\text{-Hydroxybutyrate}$ in Blood Samples from Impaired Drivers after Storage at $4\hat{\text{A}}\text{C}$ and Comparison of GC-FID-GBL and LC-MS-MS Methods of Analysis. <i>Journal of Analytical Toxicology</i> , 2015, 39, 294-299. | 1.7 | 5         |
| 23671 | Short-Form 12 or Short-Form 36 to measure quality-of-life changes in dialysis patients?. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 1170-1176.   | 0.4 | 45        |
| 23672 | Motion-Resistant Remote Imaging Photoplethysmography Based on the Optical Properties of Skin. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , 2015, 25, 879-891.   | 5.6 | 135       |
| 23673 | Clinical Practice, Research and Sepsis poster Presentations. <i>Journal of the Intensive Care Society</i> , 2015, 16, 24-92.   | 1.1 | 0         |
| 23674 | Response to the letter from Kallner: Comments on "Does the type of creatinine assay affect creatinine clearance determination?". <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2015, 75, 287-288.   | 0.6 | 0         |
| 23675 | Validation and reliability of a modified sphygmomanometer for the assessment of handgrip strength in Parkinson's disease. <i>Brazilian Journal of Physical Therapy</i> , 2015, 19, 137-145.  | 1.1 | 16        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23676 | Semiquantitative <sup>123</sup> I-Metaiodobenzylguanidine Scintigraphy to Distinguish Pheochromocytoma and Paraganglioma from Physiologic Adrenal Uptake and Its Correlation with Genotype-Dependent Expression of Catecholamine Transporters. <i>Journal of Nuclear Medicine</i> , 2015, 56, 839-846. | 2.8 | 30        |
| 23677 | Comments on "Does the type of creatinine assay affect creatinine clearance determination?". <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2015, 75, 284-286.  | 0.6 | 0         |
| 23678 | Reproducibility of oscillometrically measured arterial stiffness indices: Results of the SAPALDIA 3 cohort study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2015, 75, 170-176.  | 0.6 | 23        |
| 23679 | Using a spine stabilizer instrument to control postural sway in standing lumbar curvature measurements by flexible curve. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2015, 28, 311-316.   | 0.4 | 0         |
| 23680 | Validation of magnetocardiography versus fractional flow reserve for detection of coronary artery disease. <i>Clinical Hemorheology and Microcirculation</i> , 2015, 59, 267-281.  | 0.9 | 18        |
| 23681 | Reliability of normalized surface electromyographic signals of maximal upper-body isokinetic strength. <i>Isokinetics and Exercise Science</i> , 2015, 23, 1-12.   | 0.2 | 11        |
| 23682 | Breast Density Evaluation Using Spectral Mammography, Radiologist Reader Assessment, and Segmentation Techniques. <i>Academic Radiology</i> , 2015, 22, 1052-1059.   | 1.3 | 12        |
| 23683 | Are the Multidimensional Body Self-Relations Questionnaire Scales stable or transient?. <i>Journal of Sports Sciences</i> , 2015, 33, 1881-1889.   | 1.0 | 10        |
| 23684 | Blood Pressure and the Obese. <i>Nursing Clinics of North America</i> , 2015, 50, 241-255.   | 0.7 | 2         |
| 23685 | Cardiovascular magnetic resonance feature-tracking assessment of myocardial mechanics: Intervendor agreement and considerations regarding reproducibility. <i>Clinical Radiology</i> , 2015, 70, 989-998.  | 0.5 | 149       |
| 23686 | The estimated volume of the fibroid uterus: a comparison of ultrasound and bimanual examination versus volume at MRI or hysterectomy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 184, 89-96.   | 0.5 | 10        |
| 23687 | Evaluating Free Energies of Binding and Conservation of Crystallographic Waters Using SZMAP. <i>Journal of Chemical Information and Modeling</i> , 2015, 55, 1552-1565.  | 2.5 | 64        |
| 23688 | Influence of Ankle Position and Radiographic Projection Angle on Measurement of Supramalleolar Alignment on the Anteroposterior and Hindfoot Alignment Views. <i>Foot and Ankle International</i> , 2015, 36, 1352-1361.   | 1.1 | 88        |
| 23689 | Measuring steps with the Fitbit activity tracker: an inter-device reliability study. <i>Journal of Medical Engineering and Technology</i> , 2015, 39, 286-290.   | 0.8 | 61        |
| 23690 | Validation of a new piezo-electronic device for non-invasive measurement of arterial pulse wave velocity according to the artery society guidelines. <i>Artery Research</i> , 2015, 10, 32.  | 0.3 | 7         |
| 23691 | Validity of at home model predictions as a proxy for personal exposure to radiofrequency electromagnetic fields from mobile phone base stations. <i>Environmental Research</i> , 2015, 142, 221-226.   | 3.7 | 19        |
| 23692 | Ageing and low-grade inflammation reduce renal function in middle-aged and older adults in Japan and the USA. <i>Age</i> , 2015, 37, 9808.   | 3.0 | 38        |
| 23693 | Calculation of external knee adduction moments: A comparison of an inverse dynamics approach and a simplified lever-arm approach. <i>Knee</i> , 2015, 22, 292-297.   | 0.8 | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23694 | Repeatability of in vivo quantification of atherosclerotic carotid artery plaque components by supervised multispectral classification. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2015, 28, 535-545.  | 1.1 | 16        |
| 23695 | Inter-observer reliability of DSM-5 substance use disorders. <i>Drug and Alcohol Dependence</i> , 2015, 153, 229-235.   | 1.6 | 24        |
| 23696 | Screening Solid Foods Infants 1 (SSFI-1) development of a screening tool to detect problems in the transition from milk to solid food in infants from six to nine months of age. , 2015, 40, 259-269.   |     | 1         |
| 23697 | Validity of an Interactive Functional Reach Test. <i>Games for Health Journal</i> , 2015, 4, 278-284.   | 1.1 | 10        |
| 23698 | Assessing the Psychometric Properties of an Activity Pacing Questionnaire for Chronic Pain and Fatigue. <i>Physical Therapy</i> , 2015, 95, 1274-1286.  | 1.1 | 27        |
| 23699 | Reliability of the European Society of Human Reproduction and Embryology/European Society for Gynaecological Endoscopy and American Society for Reproductive Medicine classification systems for congenital uterine anomalies detected using three-dimensional ultrasonography. <i>Fertility and Sterility</i> , 2015, 104, 688-697.e8. | 0.5 | 30        |
| 23700 | Validation of a smartphone-based measurement tool for the quantification of level walking. <i>Gait and Posture</i> , 2015, 42, 289-294.   | 0.6 | 38        |
| 23701 | Development, validation, and use of a semi-quantitative food frequency questionnaire for assessing protein intake in Papua New Guinean Highlanders. <i>American Journal of Human Biology</i> , 2015, 27, 349-357.   | 0.8 | 14        |
| 23702 | Assessment and quantification of sources of variability in breast apparent diffusion coefficient (ADC) measurements at diffusion weighted imaging. <i>European Journal of Radiology</i> , 2015, 84, 1729-1736.  | 1.2 | 54        |
| 23703 | Method of visualisation influences accuracy of measurements in cone-beam computed tomography. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2015, 43, 1277-1283.  | 0.7 | 12        |
| 23704 | What is the Best Method for Assessing Lower Limb Force-Velocity Relationship?. <i>International Journal of Sports Medicine</i> , 2015, 36, 143-149.   | 0.8 | 65        |
| 23705 | Cross-Validation of a PACER Prediction Equation for Assessing Aerobic Capacity in Hungarian Youth. <i>Research Quarterly for Exercise and Sport</i> , 2015, 86, S66-S73.  | 0.8 | 18        |
| 23706 | Validity of activity monitors worn at multiple nontraditional locations under controlled and free-living conditions in young adult women. <i>Applied Physiology, Nutrition and Metabolism</i> , 2015, 40, 448-456.  | 0.9 | 8         |
| 23707 | Efficient Detection of Carbapenemase Activity in Enterobacteriaceae by Matrix-Assisted Laser Desorption Ionization~Time of Flight Mass Spectrometry in Less Than 30 Minutes. <i>Journal of Clinical Microbiology</i> , 2015, 53, 2163-2171.   | 1.8 | 105       |
| 23708 | End tidal-to-arterial CO <sub>2</sub> and O <sub>2</sub> gas gradients at low- and high-altitude during dynamic end-tidal forcing. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 308, R895-R906.  | 0.9 | 63        |
| 23709 | Quantitative analysis of high-resolution, contrast-enhanced, cone-beam CT for the detection of intracranial in-stent hyperplasia. <i>Journal of NeuroInterventional Surgery</i> , 2015, 7, 118-125.   | 2.0 | 29        |
| 23710 | Oral neutrophil responses to acute prolonged exercise may not be representative of blood neutrophil responses. <i>Applied Physiology, Nutrition and Metabolism</i> , 2015, 40, 298-301.   | 0.9 | 4         |
| 23711 | Ultrasound-Assisted Versus Conventional Catheter-Directed Thrombolysis for Acute Iliofemoral Deep Vein Thrombosis. <i>Circulation: Cardiovascular Interventions</i> , 2015, 8, .  | 1.4 | 105       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23712 | Approximation of the functional kinematics of posterior stabilised total knee replacements using a two-dimensional sagittal plane patello-femoral model: comparing model approximation to in vivo measurement. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2015, 18, 1191-1199. | 0.9 | 2         |
| 23713 | Motionless electromagnetic phase stepping versus mechanical phase stepping in x-ray phase-contrast imaging with a compact source. <i>Physics in Medicine and Biology</i> , 2015, 60, 3031-3043.  | 1.6 | 5         |
| 23714 | Comparison of Two Commercial Tick-Borne Encephalitis Virus IgG Enzyme-Linked Immunosorbent Assays. <i>Vaccine Journal</i> , 2015, 22, 754-760.   | 3.2 | 8         |
| 23715 | Effect of threshold on the correlation between airflow obstruction and low attenuation volume in smokers assessed by inspiratory and expiratory MDCT. <i>Acta Radiologica</i> , 2015, 56, 438-446.   | 0.5 | 6         |
| 23716 | Relationship between Serum Testosterone and Fracture Risk in Men: A Comparison of RIA and LC-MS/MS. <i>Clinical Chemistry</i> , 2015, 61, 1182-1190.   | 1.5 | 13        |
| 23717 | CT Dose Reduction for Visceral Adipose Tissue Measurement: Effects of Model-Based and Adaptive Statistical Iterative Reconstructions and Filtered Back Projection. <i>American Journal of Roentgenology</i> , 2015, 204, W677-W683.  | 1.0 | 8         |
| 23718 | MR-based attenuation correction for cardiac FDG PET on a hybrid PET/MRI scanner: comparison with standard CT attenuation correction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1574-1580.  | 3.3 | 48        |
| 23719 | Effects of intensive lipid-lowering therapy on coronary plaques composition in patients with acute myocardial infarction: Assessment with serial coronary CT angiography. <i>Atherosclerosis</i> , 2015, 241, 579-587.   | 0.4 | 54        |
| 23720 | Quantifying larval trematode infections in hosts: A comparison of method validity and implications for infection success. <i>Experimental Parasitology</i> , 2015, 154, 155-162.   | 0.5 | 13        |
| 23721 | A Comparison of Two Methods to Assess the Usage of Mobile Hand-Held Communication Devices. <i>Journal of Occupational and Environmental Hygiene</i> , 2015, 12, 276-285.   | 0.4 | 19        |
| 23722 | Reliability and Validity of the Upper-body Dressing Scale in Japanese Patients with Vascular Dementia with Hemiparesis. <i>Occupational Therapy International</i> , 2015, 22, 10-18.   | 0.3 | 1         |
| 23723 | Is anti-factor Xa chromogenic assay for Rivaroxaban appropriate in clinical practice? Advantages and comparative drawbacks. <i>Thrombosis Research</i> , 2015, 136, 396-401.   | 0.8 | 17        |
| 23724 | Validation of the Caregiver Priorities and Child Health Index of Life with Disabilities (CPCHILD) in a sample of Dutch non-ambulatory children with cerebral palsy. <i>Disability and Rehabilitation</i> , 2015, 37, 411-416.  | 0.9 | 19        |
| 23725 | Evaluation of iris and iridociliary body lesions with anterior segment optical coherence tomography versus ultrasound B-scan. <i>British Journal of Ophthalmology</i> , 2015, 99, 81-86.   | 2.1 | 32        |
| 23726 | Whole left ventricular functional assessment from two minutes free breathing multi-slice CINE acquisition. <i>Physics in Medicine and Biology</i> , 2015, 60, N93-N107.  | 1.6 | 11        |
| 23727 | Unbiased and Efficient Estimation of the Volume of the Fibroid Uterus Using the Cavalieri Method and Magnetic Resonance Imaging. <i>Reproductive Sciences</i> , 2015, 22, 15-22.   | 1.1 | 13        |
| 23728 | Development of a diffusion-weighted MRI protocol for multicentre abdominal imaging and evaluation of the effects of fasting on measurement of apparent diffusion coefficients (ADCs) in healthy liver. <i>British Journal of Radiology</i> , 2015, 88, 20140717.   | 1.0 | 8         |
| 23729 | Evaluation of <sup>18</sup> F-Fluoride PET/MR and PET/CT in Patients with Foot Pain of Unclear Cause. <i>Journal of Nuclear Medicine</i> , 2015, 56, 430-435.  | 2.8 | 25        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23730 | Mindful Creativity Scale (MCS): Validation of a German version of the Langer Mindfulness Scale with patients with severe TBI and controls. <i>Brain Injury</i> , 2015, 29, 517-526.  | 0.6 | 9         |
| 23731 | Pulmonary function tests – an easy selection method for respiratory-gated radiotherapy in patients with left-sided breast cancer. <i>Acta Oncologica</i> , 2015, 54, 1025-1031.  | 0.8 | 5         |
| 23732 | Reliability assessment for pulse wave measurement using artificial pulse generator. <i>Journal of Medical Engineering and Technology</i> , 2015, 39, 177-184.  | 0.8 | 12        |
| 23733 | Test-retest reliability of the GAITRite walkway system for the spatio-temporal gait parameters while dual-tasking in post-stroke patients. <i>Disability and Rehabilitation</i> , 2015, 37, 512-516.                           | 0.9 | 31        |
| 23734 | Left atrial dyssynchrony time measured by tissue Doppler imaging to predict atrial fibrillation recurrences after pulmonary vein isolation. <i>Anatolian Journal of Cardiology</i> , 2015, 15, 115-122.                        | 0.4 | 7         |
| 23735 | A Novel Semiautomatic Technique for Volumetric Assessment of the Alveolar Bone Defect Using Cone Beam Computed Tomography. <i>Cleft Palate-Craniofacial Journal</i> , 2015, 52, 47-55.   | 0.5 | 48        |
| 23736 | Reproducibility of QTc interval changes after meal intake. <i>Journal of Electrocardiology</i> , 2015, 48, 194-202.  | 0.4 | 9         |
| 23737 | Living in an urban environment and non-communicable disease risk in Thailand: Does timing matter?. <i>Health and Place</i> , 2015, 33, 37-47.  | 1.5 | 6         |
| 23738 | The relationship between tricuspid regurgitation severity and right atrial mechanics: a speckle tracking echocardiography study. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 1125-1135.                 | 0.7 | 29        |
| 23739 | Performance characteristics of loci method for measuring cardiac troponin I on the dimension EXL. <i>Practical Laboratory Medicine</i> , 2015, 1, 42-47.   | 0.6 | 6         |
| 23740 | Accuracy of tidal breathing measurement of floright compared to an ultrasonic flowmeter in infants. <i>Pediatric Pulmonology</i> , 2015, 50, 380-388.  | 1.0 | 8         |
| 23741 | Comparison of results from commercial assays for plasma CTX: The need for harmonization. <i>Clinical Biochemistry</i> , 2015, 48, 519-524.   | 0.8 | 19        |
| 23742 | Usefulness of Three-Dimensional Computerized Tomographic Volumetry for Determining Split Renal Function in Donors for Living-Related Kidney Transplantation. <i>Transplantation Proceedings</i> , 2015, 47, 588-590.           | 0.3 | 12        |
| 23743 | Development of a risk score to predict sudden death in patients with Chaga's heart disease. <i>International Journal of Cardiology</i> , 2015, 187, 700-704.   | 0.8 | 48        |
| 23744 | Reproducibility of three-dimensional ultrasound for the measurement of a niche in a caesarean scar and assessment of its shape. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 188, 39-44. | 0.5 | 19        |
| 23745 | Comparison of 3.0T magnetic resonance imaging and X-ray mammography in the measurement of ductal carcinoma in situ: A comparison with histopathology. <i>European Journal of Radiology</i> , 2015, 84, 603-610.                | 1.2 | 15        |
| 23746 | Choice of the best equation for plasma osmolality calculation: Comparison of fourteen formulae. <i>Clinical Biochemistry</i> , 2015, 48, 529-533.  | 0.8 | 38        |
| 23747 | Comparison of Automated Versus Traditional Nerve Conduction Study Methods for Median Nerve Testing in a General Worker Population. <i>PM and R</i> , 2015, 7, 276-282.   | 0.9 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23748 | Accurate and reproducible reconstruction of coronary arteries and endothelial shear stress calculation using 3D OCT: Comparative study to 3D IVUS and 3D QCA. <i>Atherosclerosis</i> , 2015, 240, 510-519.                       | 0.4 | 55        |
| 23749 | â€˜Growth ringsâ€™™ in crustose lichens: Comparison with directly measured growth rates and implications for lichenometry. <i>Quaternary Geochronology</i> , 2015, 28, 88-95.  | 0.6 | 7         |
| 23750 | Can we rely on predicted basal metabolic rate in chronic pancreatitis outpatients?. <i>Clinical Nutrition ESPEN</i> , 2015, 10, e66-e70.   | 0.5 | 2         |
| 23751 | Radiologicâ€“pathologic correlation of mesothelioma tumor volume. <i>Lung Cancer</i> , 2015, 87, 278-282.  | 0.9 | 16        |
| 23752 | Interinstitutional Variability in Testicular Volumes and Varicocele Presence by Ultrasound: Surprising Discrepancies and Implications for Clinical Decision Making. <i>Urology</i> , 2015, 85, 1079-1084.                        | 0.5 | 13        |
| 23753 | Ultrasonographic Quantification of Intrinsic Hand Muscle Cross-Sectional Area; Reliability and Validity for Predicting Muscle Strength. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 845-853.             | 0.5 | 37        |
| 23754 | Automated Framework for Detecting Lumen and Mediaâ€“Adventitia Borders in Intravascular Ultrasound Images. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 2001-2021.  | 0.7 | 40        |
| 23755 | A new diagnostic score to detect osteoporosis in patients undergoing lumbar spine MRI. <i>European Radiology</i> , 2015, 25, 2951-2959.  | 2.3 | 70        |
| 23756 | Evaluation of penetration effect of resin infiltrant using optical coherence tomography. <i>Journal of Dentistry</i> , 2015, 43, 720-725.  | 1.7 | 19        |
| 23757 | Reliability of 2 Protocols for Assessing Pressure Pain Threshold in Healthy Young Adults. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2015, 38, 282-287.   | 0.4 | 40        |
| 23758 | The 6-minute walk distance cannot be accurately assessed at home in people with COPD. <i>Disability and Rehabilitation</i> , 2015, 37, 1102-1106.  | 0.9 | 24        |
| 23759 | Reliability of video-based identification of footstrike pattern and video time frame at initial contact in recreational runners. <i>Gait and Posture</i> , 2015, 42, 32-35.  | 0.6 | 25        |
| 23760 | Development and validation of the French version of a tool assessing patient's expectations in lower limb osteoarthritis. <i>Journal of Orthopaedics</i> , 2015, 12, 46-57.  | 0.6 | 9         |
| 23762 | New Scheimpflug camera device in measuring corneal power changes after myopic laser refractive surgery. <i>Contact Lens and Anterior Eye</i> , 2015, 38, 115-119.  | 0.8 | 7         |
| 23763 | Source of Errors and Accuracy of a Two-Dimensional/Three-Dimensional Fusion Road Map for Endovascular Aneurysm Repair of Abdominal Aortic Aneurysm. <i>Journal of Vascular and Interventional Radiology</i> , 2015, 26, 544-551. | 0.2 | 46        |
| 23764 | Prediction by Clinicians of Quality of Life for Children and Adolescents with Cardiac Disease. <i>Journal of Pediatrics</i> , 2015, 166, 679-683.e2.   | 0.9 | 25        |
| 23765 | Impact of carbamylation on three different methods, HPLC, capillary electrophoresis and TINIA of measuring HbA1c levels in patients with kidney disease. <i>Diabetes Research and Clinical Practice</i> , 2015, 108, 15-22.      | 1.1 | 8         |
| 23766 | Stretch calculated from grip distance accurately approximates mid-specimen stretch in large elastic arteries in uniaxial tensile tests. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2015, 47, 107-113.   | 1.5 | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23767 | Superficial venous reflux duration and cessation with two concurrent duplex probes. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2015, 3, 154-160.  | 0.9 | 7         |
| 23768 | Quantitative Ultrasound Assessment of the Facet Joint in the Lumbar Spine: A Feasibility Study. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1226-1232.  | 0.7 | 6         |
| 23769 | Diagnosing Exercise-Induced Bronchoconstriction With Eucapnic Voluntary Hyperpnea: Is One Test Enough?. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2015, 3, 243-249.  | 2.0 | 39        |
| 23770 | Maternal total caffeine intake, mainly from Japanese and Chinese tea, during pregnancy was associated with risk of preterm birth: the Osaka Maternal and Child Health Study. <i>Nutrition Research</i> , 2015, 35, 309-316.                                       | 1.3 | 50        |
| 23771 | Continuous tissue glucose monitoring correlates with measurement of intermittent capillary glucose in patients with distributive shock. <i>Medicina Intensiva</i> , 2015, 39, 405-411.  | 0.4 | 10        |
| 23772 | Validity and reliability of Kinect skeleton for measuring shoulder joint angles: a feasibility study. <i>Physiotherapy</i> , 2015, 101, 389-393.  | 0.2 | 83        |
| 23773 | Cross-cultural adaptation and validation of the Turkish version of Oxford hip score. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2015, 135, 879-889.  | 1.3 | 9         |
| 23774 | Adaptive neuro-fuzzy inference systems with k-fold cross-validation for energy expenditure predictions based on heart rate. <i>Applied Ergonomics</i> , 2015, 50, 68-78.  | 1.7 | 15        |
| 23775 | PRAGMA-CF. A Quantitative Structural Lung Disease Computed Tomography Outcome in Young Children with Cystic Fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015, 191, 1158-1165.   | 2.5 | 192       |
| 23776 | A critical evaluation of bioimpedance spectroscopy analysis in estimating body composition during GH treatment: comparison with bromide dilution and dual X-ray absorptiometry. <i>European Journal of Endocrinology</i> , 2015, 172, 21-28.                      | 1.9 | 20        |
| 23777 | Reliability of intra-abdominal pressure measurements using the modified Kron technique. <i>Acta Clinica Belgica</i> , 2015, 70, 116-120.  | 0.5 | 5         |
| 23778 | Estimation of Body Composition Depends on Applied Device in Patients Undergoing Major Abdominal Surgery. <i>Nutrition in Clinical Practice</i> , 2015, 30, 249-256.   | 1.1 | 7         |
| 23779 | Estimating kidney function and use of oral antidiabetic drugs in elderly. <i>Fundamental and Clinical Pharmacology</i> , 2015, 29, 321-328.   | 1.0 | 17        |
| 23780 | Methodological accuracy of digital and manual model analysis in orthodontics – A retrospective clinical study. <i>Computers in Biology and Medicine</i> , 2015, 62, 103-109.  | 3.9 | 32        |
| 23781 | Reliability and Limits of Agreement of the Supraspinatus Muscle Anatomical Cross-Sectional Area Assessment by Ultrasonography. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1821-1826.   | 0.7 | 2         |
| 23782 | Evaluation of the i-STAT point-of-care capillary whole blood hematocrit and hemoglobin: Comparison to the Siemens RAPIDLab 1200, Sysmex XE5000, and manual spun hematocrit. <i>Clinica Chimica Acta</i> , 2015, 446, 37-42.                                       | 0.5 | 14        |
| 23783 | Left-Ventricle Segmentation of SPECT Images of Rats. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 62, 2260-2268.  | 2.5 | 5         |
| 23784 | Improved Standardization of the Bio-Rad Platelia Aspergillus Galactomannan Antigen Sandwich Enzyme Immunoassay Using the DS2 (Dy nex) Enzyme-Linked Immunosorbent Assay (ELISA) Processing System. <i>Journal of Clinical Microbiology</i> , 2015, 53, 2072-2078. | 1.8 | 10        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23785 | Measuring diaphragm thickness with ultrasound in mechanically ventilated patients: feasibility, reproducibility and validity. <i>Intensive Care Medicine</i> , 2015, 41, 642-649.  | 3.9 | 286       |
| 23787 | What you need to know about statistics, part II: reliability of diagnostic and screening tests. <i>Pediatric Radiology</i> , 2015, 45, 317-328.  | 1.1 | 30        |
| 23788 | Measurements in radiology: the need for high reproducibility. <i>Pediatric Radiology</i> , 2015, 45, 32-34.  | 1.1 | 7         |
| 23789 | Normal values of spleen stiffness in healthy children assessed by acoustic radiation force impulse imaging (ARFI): comparison between two ultrasound transducers. <i>Pediatric Radiology</i> , 2015, 45, 1316-1322.                  | 1.1 | 15        |
| 23790 | Cross-vendor validation of liver magnetic resonance elastography. <i>Abdominal Imaging</i> , 2015, 40, 789-794.  | 2.0 | 62        |
| 23791 | Efficient stereological approaches for the volumetry of a normal or enlarged spleen from MDCT images. <i>European Radiology</i> , 2015, 25, 1761-1767.   | 2.3 | 3         |
| 23792 | In vivo analysis of physiological 3D blood flow of cerebral veins. <i>European Radiology</i> , 2015, 25, 2371-2380.  | 2.3 | 41        |
| 23793 | CT findings of minimally invasive adenocarcinoma (MIA) of the lung and comparison of solid portion measurement methods at CT in 52 patients. <i>European Radiology</i> , 2015, 25, 2318-2325.  | 2.3 | 37        |
| 23794 | Effects of heat and moisture exchangers on tracheal mucociliary clearance in laryngectomized patients: a multi-center caseâ€“control study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 3439-3450.                | 0.8 | 15        |
| 23795 | Retinal sensitivity is a valuable complementary measurement to visual acuity â€” a microperimetry study in patients with maculopathies. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2015, 253, 2137-2142.  | 1.0 | 13        |
| 23796 | Particle size distributions determined by optical scanning and by sieving in the assessment of masticatory performance of complete denture wearers. <i>Clinical Oral Investigations</i> , 2015, 19, 429-436.                         | 1.4 | 24        |
| 23797 | Recall of Nadir CD4 Cell Count and Most Recent HIV Viral Load Among HIV-Infected, Socially Marginalized Adults. <i>AIDS and Behavior</i> , 2015, 19, 2108-2116.  | 1.4 | 10        |
| 23798 | Comparison of multi-frequency bioimpedance with perometry for the early detection and intervention of lymphoedema after axillary node clearance for breast cancer. <i>Breast Cancer Research and Treatment</i> , 2015, 151, 121-129. | 1.1 | 68        |
| 23799 | Myocardial T1 and T2 mapping in diastolic and systolic phase. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 1001-1010.  | 0.7 | 21        |
| 23800 | The â€œReading the Mind in the Eyesâ€“Test: Investigation of Psychometric Properties and Testâ€“Retest Reliability of the Persian Version. <i>Journal of Autism and Developmental Disorders</i> , 2015, 45, 2651-2666.               | 1.7 | 48        |
| 23801 | The evaluation of a non-invasive respiratory volume monitor in surgical patients undergoing elective surgery with general anesthesia. <i>Journal of Clinical Monitoring and Computing</i> , 2015, 29, 223-230.                       | 0.7 | 37        |
| 23802 | Maternal Recall Versus Medical Records of Metabolic Conditions from the Prenatal Period: A Validation Study. <i>Maternal and Child Health Journal</i> , 2015, 19, 1925-1935.   | 0.7 | 27        |
| 23803 | Simple and accurate allometric model for leaf area estimation in <i>Vitis vinifera</i> L. genotypes. <i>Photosynthetica</i> , 2015, 53, 342-348.   | 0.9 | 29        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23804 | Ultra-low-dose CT with model-based iterative reconstruction (MBIR): detection of ground-glass nodules in an anthropomorphic phantom study. <i>Radiologia Medica</i> , 2015, 120, 611-617.   | 4.7 | 19        |
| 23805 | Reliability of radiographic measures in infants with clubfoot treated with the Ponseti method. <i>Journal of Children's Orthopaedics</i> , 2015, 9, 99-104.   | 0.4 | 16        |
| 23806 | Multimodal Imaging in Acute Ischemic Stroke. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2015, 17, 368.   | 0.4 | 8         |
| 23807 | Precision and accuracy of clinical quantification of myocardial blood flow by dynamic PET: A technical perspective. <i>Journal of Nuclear Cardiology</i> , 2015, 22, 935-951.   | 1.4 | 59        |
| 23808 | Assessment of a self-reported drinks diary for the estimation of drinks intake by care home residents: Fluid intake study in the elderly (FISE). <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 491-496.                             | 1.5 | 27        |
| 23809 | Relative validity of a diet history questionnaire against a four-day weighed food record among older men in Australia: The Concord Health and Ageing in Men Project (CHAMP). <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 603-610. | 1.5 | 27        |
| 23810 | Acute Multi-modal Neuroimaging in a Porcine Model of Endothelin-1-Induced Cerebral Ischemia: Defining the Acute Infarct Core. <i>Translational Stroke Research</i> , 2015, 6, 234-241.  | 2.3 | 13        |
| 23811 | Functional gain following knee replacement in patients aged 75 and older: a prospective follow-up study. <i>Aging Clinical and Experimental Research</i> , 2015, 27, 865-876.   | 1.4 | 8         |
| 23812 | Toolmark variability and quality depending on the fundamental parameters: Angle of attack, toolmark depth and substrate material. <i>Forensic Science International</i> , 2015, 251, 40-49.   | 1.3 | 14        |
| 23813 | Validity and reliability of smartphone magnetometer-based goniometer evaluation of shoulder abduction – A pilot study. <i>Manual Therapy</i> , 2015, 20, 777-782.   | 1.6 | 37        |
| 23814 | Association between leukocyte telomere length and bone mineral density in women 25–93years of age. <i>Experimental Gerontology</i> , 2015, 66, 25-31.   | 1.2 | 20        |
| 23815 | On the benefits of alternative color spaces for noncontact heart rate measurements using standard red-green-blue cameras. <i>Journal of Biomedical Optics</i> , 2015, 20, 048002.   | 1.4 | 55        |
| 23816 | A nomogram to calculate the maximum dose of local anaesthetic in a paediatric dental setting. <i>British Dental Journal</i> , 2015, 218, 469-471.   | 0.3 | 5         |
| 23817 | Quantification of left atrial strain and strain rate using cardiovascular magnetic resonance myocardial feature tracking. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, .   | 1.6 | 0         |
| 23818 | An automated method for determining the cytoadhesion of Plasmodium falciparum-infected erythrocytes to immobilized cells. <i>Malaria Journal</i> , 2015, 14, 112.   | 0.8 | 8         |
| 23819 | Variability in echocardiographic measurements of left ventricular function in septic shock patients. <i>Cardiovascular Ultrasound</i> , 2015, 13, 19.   | 0.5 | 33        |
| 23820 | Prognostic value of cardiovascular magnetic resonance derived right ventricular function in patients with interstitial lung disease. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 10.  | 1.6 | 21        |
| 23821 | Validation of in vivo 2D displacements from spiral cine DENSE at 3T. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 5.   | 1.6 | 24        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23822 | Reliability of diagnostic ultrasound in measuring the multifidus muscle. <i>Chiropractic &amp; Manual Therapies</i> , 2015, 23, 15.   | 0.6 | 23        |
| 23823 | Assessment of the breath alcohol concentration in emergency care patients with different level of consciousness. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015, 23, 11.  | 1.1 | 7         |
| 23824 | Point accuracy and reliability of an interstitial continuous glucose-monitoring device in critically ill patients: a prospective study. <i>Critical Care</i> , 2015, 19, 34.  | 2.5 | 35        |
| 23825 | Subjective and objective levels of physical activity and their association with cardiorespiratory fitness in rheumatoid arthritis patients. <i>Arthritis Research and Therapy</i> , 2015, 17, 59.   | 1.6 | 43        |
| 23826 | Comparison of semi-automated methods to quantify infarct size and area at risk by cardiovascular magnetic resonance imaging at 1.5T and 3.0T field strengths. <i>BMC Research Notes</i> , 2015, 8, 52.  | 0.6 | 27        |
| 23827 | Psychometrics of the Wrist Stability and Hand Mobility Subscales of the Fugl-Meyer Assessment in Moderately Impaired Stroke. <i>Physical Therapy</i> , 2015, 95, 103-108.   | 1.1 | 40        |
| 23828 | Interchangeability among five devices that measure anterior eye distances. <i>Australasian journal of optometry, The</i> , 2015, 98, 254-262.   | 0.6 | 13        |
| 23829 | Reversal of Heparin After Cardiac Surgery: Protamine Titration Using a Statistical Model. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2015, 29, 710-714.   | 0.6 | 23        |
| 23830 | Accuracy of orchidometry in boys with varicocele. <i>Journal of Pediatric Urology</i> , 2015, 11, 185.e1-185.e5.  | 0.6 | 5         |
| 23831 | Effect of flunixin meglumine and firocoxib on ex vivo cyclooxygenase activity in horses undergoing elective surgery. <i>American Journal of Veterinary Research</i> , 2015, 76, 208-215.  | 0.3 | 16        |
| 23832 | Vectorcardiography for Optimization of Stimulation Intervals in Cardiac Resynchronization Therapy. <i>Journal of Cardiovascular Translational Research</i> , 2015, 8, 128-137.  | 1.1 | 18        |
| 23833 | Preliminary Validation of the Review of Musculoskeletal System (ROMS) Questionnaire. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015, 97, 582-589.   | 1.4 | 6         |
| 23834 | Reproducibility of a battery of commonly used clinical tests to evaluate lumbopelvic motor control. <i>Physical Therapy in Sport</i> , 2015, 16, 331-339.   | 0.8 | 5         |
| 23835 | Fiber-optic sensors for monitoring patient physiological parameters: a review of applicable technologies and relevance to use during magnetic resonance imaging procedures. <i>Journal of Biomedical Optics</i> , 2015, 20, 1.                                      | 1.4 | 70        |
| 23836 | Quiet Submillimeter MR Imaging of the Lung Is Feasible with a PETRA Sequence at 1.5 T. <i>Radiology</i> , 2015, 276, 258-265.   | 3.6 | 119       |
| 23837 | The relation between atrial septal defect shape, diameter, and area using three-dimensional transoesophageal echocardiography and balloon sizing during percutaneous closure in children. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 747-755. | 0.5 | 40        |
| 23838 | The Quality of Tumor Size Assessment by Contrast-Enhanced Spectral Mammography and the Benefit of Additional Breast MRI. <i>Journal of Cancer</i> , 2015, 6, 144-150.   | 1.2 | 99        |
| 23839 | Diagnosis of paired age agreement: a simulation of accuracy and precision effects. <i>ICES Journal of Marine Science</i> , 2015, 72, 2149-2167.   | 1.2 | 25        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23840 | System Accuracy Evaluation of Four Systems for Self-Monitoring of Blood Glucose Following ISO 15197 Using a Glucose Oxidase and a Hexokinase-Based Comparison Method. <i>Journal of Diabetes Science and Technology</i> , 2015, 9, 1041-1050.   | 1.3 | 30        |
| 23841 | Real-time core body temperature estimation from heart rate for first responders wearing different levels of personal protective equipment. <i>Ergonomics</i> , 2015, 58, 1830-1841.   | 1.1 | 54        |
| 23842 | Value of C-Arm Computed Tomography to Evaluate Stent Deployment During Femoro-Popliteal Revascularization. <i>CardioVascular and Interventional Radiology</i> , 2015, 38, 1458-1467.  | 0.9 | 0         |
| 23843 | Intra- and interobserver variability of whole-tumour apparent diffusion coefficient measurements in nephroblastoma: a pilot study. <i>Pediatric Radiology</i> , 2015, 45, 1651-1660.  | 1.1 | 16        |
| 23844 | Quantifying an Agreement Study. <i>International Journal of Biostatistics</i> , 2015, 11, 125-33.   | 0.4 | 4         |
| 23845 | Reliability and validity of the German translation of the de Morton Mobility Index (DEMMI) performed by physiotherapists in patients admitted to a sub-acute inpatient geriatric rehabilitation hospital. <i>BMC Geriatrics</i> , 2015, 15, 58. | 1.1 | 26        |
| 23846 | Reliability of isometric subtalar pronator and supinator strength testing. <i>Journal of Foot and Ankle Research</i> , 2015, 8, 15.   | 0.7 | 9         |
| 23847 | Quantification of atrial dynamics using cardiovascular magnetic resonance: inter-study reproducibility. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 36.   | 1.6 | 58        |
| 23848 | Diaphragm ultrasound as indicator of respiratory effort in critically ill patients undergoing assisted mechanical ventilation: a pilot clinical study. <i>Critical Care</i> , 2015, 19, 161.  | 2.5 | 219       |
| 23849 | Prediction of Android and Gynoid Body Adiposity via a Three-dimensional Stereovision Body Imaging System and Dual-Energy X-ray Absorptiometry. <i>Journal of the American College of Nutrition</i> , 2015, 34, 367-377.                         | 1.1 | 17        |
| 23850 | Use of wearable technology for performance assessment: A validation study. <i>Medical Engineering and Physics</i> , 2015, 37, 698-704.  | 0.8 | 58        |
| 23851 | Value of Sonographic Bidirectional Arterial Flow Combined With Elastography for Diagnosis of Breast Imaging Reporting and Data System Category 4 Breast Masses. <i>Journal of Ultrasound in Medicine</i> , 2015, 34, 759-766.                   | 0.8 | 5         |
| 23852 | Body mass index and cognitive function: the potential for reverse causation. <i>International Journal of Obesity</i> , 2015, 39, 1383-1389.   | 1.6 | 92        |
| 23853 | Adapted Bland-Altman method was used to compare measurement methods with unequal observations per case. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 939-943.  | 2.4 | 11        |
| 23854 | Optical Coherence Tomography Accurately Measures Corneal Power Change from Laser Refractive Surgery. <i>Ophthalmology</i> , 2015, 122, 677-686.   | 2.5 | 39        |
| 23855 | Accuracy of Vigileo/Flotrac monitoring system in morbidly obese patients. <i>Journal of Critical Care</i> , 2015, 30, 562-566.  | 1.0 | 11        |
| 23856 | Using a new, low-cost air quality sensor to quantify second-hand smoke (SHS) levels in homes. <i>Tobacco Control</i> , 2015, 24, 153-158.   | 1.8 | 74        |
| 23857 | The Spaeth/Richman contrast sensitivity test (SPARCS): design, reproducibility and ability to identify patients with glaucoma. <i>British Journal of Ophthalmology</i> , 2015, 99, 16-20.   | 2.1 | 39        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23858 | Arabic validation of the Pelvic Organ Prolapse/Incontinence Sexual Questionnaire, IUGA-Revised (PISQ-IR). <i>International Urogynecology Journal</i> , 2015, 26, 1229-1237.                                      | 0.7 | 11        |
| 23860 | Quantitative imaging biomarkers: A review of statistical methods for technical performance assessment. <i>Statistical Methods in Medical Research</i> , 2015, 24, 27-67.   | 0.7 | 272       |
| 23861 | Torsion of the Optic Nerve Head Is a Prominent Feature of Normal-Tension Glaucoma. <i>Investigative Ophthalmology and Visual Science</i> , 2015, 56, 156-163.  | 3.3 | 51        |
| 23862 | Online breath analysis of propofol during anesthesia: clinical application of membrane inlet ion mobility spectrometry. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 319-328.                          | 0.7 | 23        |
| 23863 | Estimated confidence interval from single blood pressure measurement based on algorithmic fusion. <i>Computers in Biology and Medicine</i> , 2015, 62, 154-163.  | 3.9 | 18        |
| 23864 | Peripapillary choroidal thickness assessed using automated choroidal segmentation software in an Asian population. <i>British Journal of Ophthalmology</i> , 2015, 99, 920-926.                                  | 2.1 | 27        |
| 23865 | Impact of Ambulatory Blood Pressure Monitoring on Reclassification of Hypertension Prevalence and Control in Older People in Spain. <i>Journal of Clinical Hypertension</i> , 2015, 17, 453-461.                 | 1.0 | 40        |
| 23866 | Optimization of 7-T Chemical Exchange Saturation Transfer Parameters for Validation of Glycosaminoglycan and Amide Proton Transfer of Fibroglandular Breast Tissue. <i>Radiology</i> , 2015, 275, 255-261.       | 3.6 | 32        |
| 23868 | Temporal Compounding: A Novel Implementation and Its Impact on Quality and Diagnostic Value in Echocardiography. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1749-1765.                                | 0.7 | 7         |
| 23869 | International Ring Trial for the Validation of an Event-Specific Golden Rice 2 Quantitative Real-Time Polymerase Chain Reaction Method. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 4954-4965. | 2.4 | 9         |
| 23870 | Is the Portuguese version of the passage "The North Wind and the Sun"™ phonetically balanced?. <i>Journal of the International Phonetic Association</i> , 2015, 45, 1-11.  | 0.6 | 18        |
| 23871 | Growth dynamics of untreated glioblastomas in vivo. <i>Neuro-Oncology</i> , 2015, 17, 1402-1411.   | 0.6 | 117       |
| 23872 | Reliability and agreement studies: a guide for clinical investigators. <i>Gut</i> , 2015, 64, 1018-1027.   | 6.1 | 66        |
| 23873 | A three-dimensional comparison of torque achieved with a preadjusted edgewise appliance using a Roth or MBT prescription. <i>Angle Orthodontist</i> , 2015, 85, 292-297.   | 1.1 | 20        |
| 23874 | Normal $T_2$ map profile of the entire femoral cartilage using an angle/layer-dependent approach. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 1507-1516.  | 1.9 | 28        |
| 23875 | Pulmonary blood volume measured by contrast enhanced ultrasound: a comparison with transpulmonary thermodilution. <i>British Journal of Anaesthesia</i> , 2015, 115, 53-60.                                      | 1.5 | 13        |
| 23876 | Exact Parametric Confidence Intervals for Bland-Altman Limits of Agreement. <i>Optometry and Vision Science</i> , 2015, 92, e71-e80.   | 0.6 | 149       |
| 23877 | Biomechanical analysis to determine the external power output on an immersible ergocycle. <i>European Journal of Sport Science</i> , 2015, 15, 271-278.  | 1.4 | 16        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23878 | Cirrus HD-OCT Short-Term Repeatability of Clinical Retinal Nerve Fiber Layer Measurements. <i>Optometry and Vision Science</i> , 2015, 92, 83-88.   | 0.6 | 9         |
| 23879 | Specific Determination of Maximal Lactate Steady State in Soccer Players. <i>Journal of Strength and Conditioning Research</i> , 2015, 29, 101-106.   | 1.0 | 16        |
| 23880 | Is the Soleus a Sentinel Muscle for Impaired Aerobic Capacity in Heart Failure?. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 498-508.  | 0.2 | 16        |
| 23881 | Comparison of Everolimus QMS Immunoassay on Architect ci4100 and Liquid Chromatography/Mass Spectrometry. <i>Therapeutic Drug Monitoring</i> , 2015, 37, 214-219.   | 1.0 | 13        |
| 23882 | Comparison of Total and Segmental Body Composition Using DXA and Multifrequency Bioimpedance in Collegiate Female Athletes. <i>Journal of Strength and Conditioning Research</i> , 2015, 29, 918-925.                                 | 1.0 | 82        |
| 23883 | The Reliability, Validity, and Feasibility of Physical Activity Measurement in Adults With Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2015, 30, E55-E61.  | 1.0 | 15        |
| 23884 | Estimating Intracranial Volume in Brain Research: An Evaluation of Methods. <i>Neuroinformatics</i> , 2015, 13, 427-441.  | 1.5 | 35        |
| 23885 | Psychometric Properties of the Modified Japanese Orthopaedic Association Scale in Patients With Cervical Spondylotic Myelopathy. <i>Spine</i> , 2015, 40, E23-E28.  | 1.0 | 92        |
| 23886 | Comparison of 4 Specular Microscopes in Healthy Eyes and Eyes With Cornea Guttata or Corneal Grafts. <i>Cornea</i> , 2015, 34, 381-386.   | 0.9 | 32        |
| 23887 | Test-retest reliability of four sensory measures in people with multiple sclerosis. <i>International Journal of Rehabilitation Research</i> , 2015, 38, 74-80.  | 0.7 | 4         |
| 23888 | Ocular Surface Sensitivity Repeatability with Cochet-Bonnet Esthesiometer. <i>Optometry and Vision Science</i> , 2015, 92, 183-189.   | 0.6 | 50        |
| 23889 | Repeatability of Blood Gas Parameters, PCO <sub>2</sub> Gap, and PCO <sub>2</sub> Gap to Arterial-to-Venous Oxygen Content Difference in Critically Ill Adult Patients. <i>Medicine (United States)</i> , 2015, 94, e415.             | 0.4 | 39        |
| 23890 | Reliability of Maximal Cardiopulmonary Exercise Testing in Men with Prostate Cancer. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 27-32.  | 0.2 | 13        |
| 23891 | The Geography of Fatty Infiltrates Within the Cervical Multifidus and Semispinalis Cervicis in Individuals With Chronic Whiplash-Associated Disorders. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015, 45, 281-288. | 1.7 | 43        |
| 23892 | Validation and application of a canine-specific automated high-sensitivity C-reactive protein assay. <i>Journal of Veterinary Diagnostic Investigation</i> , 2015, 27, 182-190.   | 0.5 | 17        |
| 23893 | Intra-breath arterial oxygen oscillations detected by a fast oxygen sensor in an animal model of acute respiratory distress syndrome. <i>British Journal of Anaesthesia</i> , 2015, 114, 683-688.                                     | 1.5 | 22        |
| 23894 | The Oswestry Disability Index (Version 2.1a). <i>Spine</i> , 2015, 40, E83-E90.   | 1.0 | 82        |
| 23895 | Random Word Recognition Chart Helps Scotoma Assessment in Low Vision. <i>Optometry and Vision Science</i> , 2015, 92, 421-428.  | 0.6 | 24        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23896 | Self-refraction Accuracy with Adjustable Spectacles among Children in Ghana. <i>Optometry and Vision Science</i> , 2015, 92, 456-463.  | 0.6 | 7         |
| 23897 | Ultrasound confirmation of central venous catheter position via a right supraclavicular fossa view using a microconvex probe. <i>European Journal of Anaesthesiology</i> , 2015, 32, 29-36.                      | 0.7 | 41        |
| 23898 | Comparison between Live and Photographed Slit Lamp Grading of Corneal Staining. <i>Optometry and Vision Science</i> , 2015, 92, 312-317.   | 0.6 | 13        |
| 23899 | Self-reported Disability in Patients with Inflammatory Bowel Disease Largely Determined by Disease Activity and Illness Perceptions. <i>Inflammatory Bowel Diseases</i> , 2015, 21, 369-377.                     | 0.9 | 45        |
| 23900 | Comparison of a continuous noninvasive arterial pressure device with invasive measurements in cardiovascular postsurgical intensive care patients. <i>European Journal of Anaesthesiology</i> , 2015, 32, 20-28. | 0.7 | 38        |
| 23901 | Cross-Cultural Adaptation and Validation of the Neck Disability Index to European Portuguese Language. <i>Spine</i> , 2015, 40, E77-E82.   | 1.0 | 14        |
| 23902 | Agreement Between Verbal and Electronic Versions of the Numerical Rating Scale (NRS-11) when Used to Assess Pain Intensity in Adolescents. <i>Clinical Journal of Pain</i> , 2015, 31, 229-234.                  | 0.8 | 41        |
| 23903 | A novel application of salivary testosterone in systolic heart failure. <i>Cardiovascular Endocrinology</i> , 2015, 4, 28-38.  | 0.8 | 0         |
| 23904 | Comparison of directly measured arterial blood pressure at various anatomic locations in anesthetized dogs. <i>American Journal of Veterinary Research</i> , 2015, 76, 266-271.                                  | 0.3 | 20        |
| 23905 | Development of a single-frequency bioimpedance prediction equation for fat-free mass in an adult Indigenous Australian population. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 28-33.              | 1.3 | 10        |
| 23906 | Low-variance RNAs identify Parkinson's disease molecular signature in blood. <i>Movement Disorders</i> , 2015, 30, 813-821.  | 2.2 | 18        |
| 23907 | Measurement of Central Corneal Thickness With Optical Low-Coherence Reflectometry and Ultrasound Pachymetry in Normal and Post-Femtosecond Laser in Situ Keratomileusis Eyes. <i>Cornea</i> , 2015, 34, 204-208. | 0.9 | 5         |
| 23908 | Comparison of Temporal to Pulmonary Artery Temperature in Febrile Patients. <i>Dimensions of Critical Care Nursing</i> , 2015, 34, 47-52.  | 0.4 | 12        |
| 23909 | Measurement of Dynamic Urethral Pressures with a High-Resolution Manometry System in Continent and Incontinent Women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2015, 21, 106-110.              | 0.6 | 9         |
| 23910 | Optimizing Point-of-Care Testing for Diabetes Management in a Rural Australian General Practice. <i>Point of Care</i> , 2015, 14, 25-31.   | 0.5 | 0         |
| 23911 | A Validated Method for Quantification of Efavirenz in Dried Blood Spots Using High-Performance Liquid Chromatography-Mass Spectrometry. <i>Therapeutic Drug Monitoring</i> , 2015, 37, 220-228.                  | 1.0 | 28        |
| 23912 | Reliability of force per unit cross-sectional area measurements of the first dorsal interosseus muscle. <i>Journal of Sports Sciences</i> , 2015, 33, 1159-1165.   | 1.0 | 1         |
| 23913 | Reliability of Apnea-Hypopnea Index Measured by a Home Bi-Level Pressure Support Ventilator Versus a Polysomnographic Assessment. <i>Respiratory Care</i> , 2015, 60, 1051-1056.                                 | 0.8 | 40        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23914 | Standardizing Predicted Body Weight Equations for Mechanical Ventilation Tidal Volume Settings. <i>Chest</i> , 2015, 148, 73-78.   | 0.4 | 51        |
| 23915 | Misclassification of OSA Severity With Automated Scoring of Home Sleep Recordings. <i>Chest</i> , 2015, 147, 719-727.  | 0.4 | 49        |
| 23916 | Validation of the Spanish version of the Pediatric Asthma Caregiver Quality of Life Questionnaire (PACQLQ) in a population of Hispanic children. <i>Journal of Asthma</i> , 2015, 52, 749-754.   | 0.9 | 5         |
| 23917 | Characteristics of fixational eye movements in amblyopia: Limitations on fixation stability and acuity?. <i>Vision Research</i> , 2015, 114, 87-99.  | 0.7 | 88        |
| 23918 | Changes in lumbar spondylolisthesis on axial-loaded MRI: do they reproduce the positional changes in the degree of olisthesis observed on X-ray images in the standing position?. <i>Spine Journal</i> , 2015, 15, 1255-1262.  | 0.6 | 33        |
| 23919 | Accommodative Performance of Children With Unilateral Amblyopia. <i>Investigative Ophthalmology and Visual Science</i> , 2015, 56, 1193-1207.  | 3.3 | 31        |
| 23920 | Outcomes Assessment of Fractures in Children. , 2015, , 130-141.   |     | 2         |
| 23921 | Perianal Sepsis in Hematologic Malignancy: MR Imaging Appearances and Distinction from Cryptoglandular Infection in Immunocompetent Patients. <i>Radiology</i> , 2015, 276, 147-155.   | 3.6 | 9         |
| 23922 | Total cholesterol performance of Abellâ€“Levyâ€“Brodieâ€“Kendall reference measurement procedure: Certification of Japanese in-vitro diagnostic assay manufacturers through CDC's Cholesterol Reference Method Laboratory Network. <i>Clinica Chimica Acta</i> , 2015, 445, 127-132. | 0.5 | 21        |
| 23923 | Virtual Surgical Planning for Orthognathic Surgery Using Digital Data Transfer and an Intraoral Fiducial Marker: The Charlotte Method. <i>Journal of Oral and Maxillofacial Surgery</i> , 2015, 73, 1143-1158.   | 0.5 | 64        |
| 23924 | Methods for estimating multivariate stand yields and errors using k-NN and aerial laser scanning. <i>Forestry</i> , 2015, 88, 237-247.   | 1.2 | 26        |
| 23925 | Quantitative <sup>1</sup> H NMR Analysis of Egg Yolk, Alcohol, and Total Sugar Content in Egg Liqueurs. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 4112-4119.   | 2.4 | 23        |
| 23926 | Validity of GT3X and Actiheart to estimate sedentary time and breaks using ActivPAL as the reference in free-living conditions. <i>Gait and Posture</i> , 2015, 41, 917-922.   | 0.6 | 51        |
| 23927 | Validation of the translated Oxford ankle foot questionnaire in 82 Danish children aged between five and 16 years. <i>Bone and Joint Journal</i> , 2015, 97-B, 420-426.  | 1.9 | 20        |
| 23928 | Validity of two brief primary care physical activity questionnaires with accelerometry in clinic staff. <i>Primary Health Care Research and Development</i> , 2015, 16, 100-108.   | 0.5 | 41        |
| 23929 | Detecting repetitions and time features in resistance training using triaxial accelerometry. <i>Sports Technology</i> , 2015, 8, 35-43.  | 0.4 | 3         |
| 23930 | Dual-Energy X-Ray Absorptiometry for Measurement of Phalangeal Bone Mineral Density on a Slot-Scanning Digital Radiography System. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 62, 2850-2859.   | 2.5 | 9         |
| 23931 | Comparison between Flow Cytometry, Microscopy, and Lactate Dehydrogenase-Based Enzyme-Linked Immunosorbent Assay for <i>Plasmodium falciparum</i> Drug Susceptibility Testing under Field Conditions. <i>Journal of Clinical Microbiology</i> , 2015, 53, 3296-3303.                 | 1.8 | 10        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23932 | Exercise-induced bronchoconstriction diagnosis in asthmatic children: comparison of treadmill running and eucapnic voluntary hyperventilation challenges. <i>Annals of Allergy, Asthma and Immunology</i> , 2015, 115, 277-281.   | 0.5 | 8         |
| 23933 | Comparison between indexes of insulin resistance for risk prediction of cardiovascular diseases or development of diabetes. <i>Diabetes Research and Clinical Practice</i> , 2015, 110, 183-192.  | 1.1 | 14        |
| 23934 | Cross-mode bioelectrical impedance analysis in a standing position for estimating fat-free mass validated against dual-energy x-ray absorptiometry. <i>Nutrition Research</i> , 2015, 35, 982-989.  | 1.3 | 14        |
| 23935 | Feasibility of bioelectrical impedance analysis in persons with severe intellectual and visual disabilities. <i>Research in Developmental Disabilities</i> , 2015, 47, 126-134.   | 1.2 | 7         |
| 23936 | Characterisation of soil organic phosphorus in NaOH-EDTA extracts: A comparison of 31P NMR spectroscopy and enzyme addition assays. <i>Soil Biology and Biochemistry</i> , 2015, 91, 298-309.   | 4.2 | 78        |
| 23937 | Salt intake and the validity of a salt intake assessment system based on a 24-h dietary recall method in pregnant Japanese women. <i>Clinical and Experimental Hypertension</i> , 2015, 37, 459-462.  | 0.5 | 3         |
| 23938 | Optical Flow Based Approach for Automatic Cardiac Cycle Estimation in Ultrasound Images of the Carotid. <i>Lecture Notes in Computer Science</i> , 2015, , 360-367.   | 1.0 | 1         |
| 23939 | Testicular function in a birth cohort of young men. <i>Human Reproduction</i> , 2015, 30, dev244.   | 0.4 | 81        |
| 23940 | The derivation of the spatial QRS-T angle and the spatial ventricular gradient using the Mason-Likar 12-lead electrocardiogram. <i>Journal of Electrocardiology</i> , 2015, 48, 1045-1052.  | 0.4 | 11        |
| 23941 | Smartwatch-Based Wearable EEG System for Driver Drowsiness Detection. <i>IEEE Sensors Journal</i> , 2015, 15, 7169-7180.  | 2.4 | 155       |
| 23942 | Validation of intravascular ultrasound for measurement of aortic diameters: Comparison with multi-detector computed tomography. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2015, 24, 289-295.  | 0.6 | 13        |
| 23943 | Clinical validation of surface-enhanced Raman scattering-based immunoassays in the early diagnosis of rheumatoid arthritis. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 8353-8362.   | 1.9 | 18        |
| 23944 | Effects of different antibiotic classes on airway bacteria in stable COPD using culture and molecular techniques: a randomised controlled trial. <i>Thorax</i> , 2015, 70, 930-938.   | 2.7 | 61        |
| 23945 | First determination of the heart-to-mediastinum ratio using cardiac dual isotope (123I-MIBG/99mTc-tetrofosmin) CZT imaging in patients with heart failure: the ADRECARD study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1912-1919.   | 3.3 | 58        |
| 23946 | Validation of a modified FRAX® tool for improving outpatient efficiency—part of the “Catch Before a Fall” initiative. <i>Archives of Osteoporosis</i> , 2015, 10, 230.  | 1.0 | 1         |
| 23947 | A quantitative high resolution voxel-wise assessment of myocardial blood flow from contrast-enhanced first-pass magnetic resonance perfusion imaging: microsphere validation in a magnetic resonance compatible free beating explanted pig heart model. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 1082-1092. | 0.5 | 24        |
| 23948 | Comparison of keratometry and white-to-white measurements obtained by Lenstar with those obtained by autokeratometry and corneal topography. <i>Contact Lens and Anterior Eye</i> , 2015, 38, 363-367.  | 0.8 | 11        |
| 23949 | Multimodal Imaging of Central Retinal Disease Progression in a 2-Year Mean Follow-up of Retinitis Pigmentosa. <i>American Journal of Ophthalmology</i> , 2015, 160, 786-798.e4.   | 1.7 | 81        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23950 | Opportunities for measuring wheelchair kinematics in match settings; reliability of a three inertial sensor configuration. <i>Journal of Biomechanics</i> , 2015, 48, 3398-3405.  | 0.9 | 54        |
| 23951 | Validation of a Brief Dietary Assessment Tool for Estimating Dietary EPA and DHA Intake in Australian Adults at Risk of Cardiovascular Disease. <i>Journal of the American College of Nutrition</i> , 2015, 34, 333-339.  | 1.1 | 10        |
| 23952 | Noninvasive assessment of intracranial pressure using functional matrix estimation method. , 2015, , .  |     | 0         |
| 23953 | Non-invasive Assessment of Carotid Pulse Pressure Values: an Accelerometric-based Approach. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 63, 1-1.   | 2.5 | 12        |
| 23954 | Inter- and Intra-Rater Reliability of the Visual Vertical in Subacute Stroke. <i>Stroke</i> , 2015, 46, 1979-1983.  | 1.0 | 13        |
| 23955 | Hepatitis B viral load in dried blood spots: A validation study in Zambia. <i>Journal of Clinical Virology</i> , 2015, 72, 20-24.   | 1.6 | 25        |
| 23956 | Re: Aptel etÂal.: Long-term reproducibility of diurnal intraocular pressure patterns in patients with glaucoma ( <i>Ophthalmology</i> 2014;121:1998-2003). <i>Ophthalmology</i> , 2015, 122, e36.                         | 2.5 | 0         |
| 23957 | Accuracy of small tidal volume measurement comparing two ventilator airway sensors. <i>Journal of Pediatric Intensive Care</i> , 2015, 02, 033-038.   | 0.4 | 4         |
| 23958 | Association of Resting Heart Rate with Infrarenal Aortic Diameter: A Cross Sectional Study in Chinese Hypertensive Adults. <i>European Journal of Vascular and Endovascular Surgery</i> , 2015, 50, 714-721.              | 0.8 | 8         |
| 23959 | Relative and absolute reliability of measures of linoleic acid-derived oxylipins in human plasma. <i>Prostaglandins and Other Lipid Mediators</i> , 2015, 121, 227-233.   | 1.0 | 4         |
| 23960 | Accuracy of Parenchymal Cerebral Blood Flow Measurements Using Pseudocontinuous Arterial Spin-Labeling in Healthy Volunteers. <i>American Journal of Neuroradiology</i> , 2015, 36, 1816-1821.                            | 1.2 | 28        |
| 23961 | Simpson's method of discs in Salukis and Whippets: Echocardiographic reference intervals for end-diastolic and end-systolic left ventricular volumes. <i>Journal of Veterinary Cardiology</i> , 2015, 17, 271-281.        | 0.3 | 27        |
| 23962 | Predicted versus measured thoracic gas volumes of collegiate athletes made by the BOD POD air displacement plethysmography system. <i>Applied Physiology, Nutrition and Metabolism</i> , 2015, 40, 1075-1077.             | 0.9 | 10        |
| 23963 | Reproducibility in the global indices for multifocal visual evoked potentials and Humphrey visual fields in controls and glaucomatous eyes within a 2-year period. <i>Documenta Ophthalmologica</i> , 2015, 131, 115-124. | 1.0 | 4         |
| 23964 | Integrating dispersion modelling and lichen sampling to assess harmful heavy metal pollution around the Karabash copper smelter, Russian Federation. <i>Atmospheric Pollution Research</i> , 2015, 6, 939-945.            | 1.8 | 11        |
| 23965 | The Essential Aspects of Multivariate Calibration Transfer. <i>ACS Symposium Series</i> , 2015, , 257-282.  | 0.5 | 5         |
| 23966 | Variance Estimation for Myocardial Blood Flow by Dynamic PET. <i>IEEE Transactions on Medical Imaging</i> , 2015, 34, 2343-2353.  | 5.4 | 20        |
| 23967 | Technical note: Validation of a handheld meter for measuring $\hat{I}^2$ -hydroxybutyrate concentrations in plasma and serum from dairy cows. <i>Journal of Dairy Science</i> , 2015, 98, 8818-8824.                      | 1.4 | 24        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 23968 | Whole-heart four-dimensional flow can be acquired with preserved quality without respiratory gating, facilitating clinical use: a head-to-head comparison. <i>BMC Medical Imaging</i> , 2015, 15, 20.  | 1.4 | 42        |
| 23969 | Comparison of dose accuracy between film and two-dimensional detectors in intensity-modulated radiation therapy. <i>Journal of the Korean Physical Society</i> , 2015, 67, 89-95.  | 0.3 | 4         |
| 23970 | Fully automatic and nonparametric quantification of adipose tissue in fat-water separation MR imaging. <i>Medical and Biological Engineering and Computing</i> , 2015, 53, 1247-1254.  | 1.6 | 13        |
| 23971 | The utility of heart rate and minute ventilation as predictors of whole-body metabolic rate during occupational simulations involving load carriage. <i>Ergonomics</i> , 2015, 58, 1671-1681.  | 1.1 | 10        |
| 23972 | Intra-observer and inter-observer repeatability of ocular surface interferometer in measuring lipid layer thickness. <i>BMC Ophthalmology</i> , 2015, 15, 53.  | 0.6 | 54        |
| 23973 | Repeatability of Cerebral Perfusion Using Dynamic Susceptibility Contrast MRI in Glioblastoma Patients. <i>Translational Oncology</i> , 2015, 8, 137-146.  | 1.7 | 38        |
| 23974 | Influence of patent ductus arteriosus and ventilators on electrical velocimetry for measuring cardiac output in very-low/low birth weight infants. <i>Journal of Perinatology</i> , 2015, 35, 485-489.   | 0.9 | 32        |
| 23975 | Left Ventricular Rotational Mechanics in Preterm Infants Less Than 29 Weeks Gestation over the First Week after Birth. <i>Journal of the American Society of Echocardiography</i> , 2015, 28, 808-817.e1.  | 1.2 | 27        |
| 23976 | Automated method for detection and segmentation of liver metastatic lesions in follow-up CT examinations. <i>Journal of Medical Imaging</i> , 2015, 2, 034502.   | 0.8 | 12        |
| 23977 | Recommendations for Improving and Standardizing Vascular Research on Arterial Stiffness. <i>Hypertension</i> , 2015, 66, 698-722.  | 1.3 | 1,073     |
| 23978 | Using a dry electrode EEG device during balance tasks in healthy young-adult males: Test-retest reliability analysis. <i>Somatosensory &amp; Motor Research</i> , 2015, 32, 219-226.   | 0.4 | 19        |
| 23979 | Simultaneous Measurement of Cyclosporine A, Everolimus, Sirolimus and Tacrolimus Concentrations in Human Blood by UPLC-MS/MS. <i>Chromatographia</i> , 2015, 78, 1459-1474.  | 0.7 | 23        |
| 23980 | C-arm flat detector computed tomography parenchymal blood volume imaging: the nature of parenchymal blood volume parameter and the feasibility of parenchymal blood volume imaging in aneurysmal subarachnoid haemorrhage patients. <i>Neuroradiology</i> , 2015, 57, 937-949. | 1.1 | 12        |
| 23981 | Quantification of tricuspid regurgitation using two-dimensional velocity encoding cine: optimal plane and reproducibility. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 233-240.   | 0.7 | 5         |
| 23982 | Continuous tissue glucose monitoring correlates with measurement of intermittent capillary glucose in patients with distributive shock. <i>Medicina Intensiva (English Edition)</i> , 2015, 39, 405-411.   | 0.1 | 1         |
| 23983 | Infrared cameras are potential traceable fixed points for future thermometry studies. <i>Journal of Medical Engineering and Technology</i> , 2015, 39, 485-489.  | 0.8 | 1         |
| 23984 | New technique for assessing fetal heart growth using three-dimensional ultrasonography: description of the technique and reference curves. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1087-1093.   | 0.7 | 4         |
| 23985 | Viewing rate and reproducibility of papillary muscle areas in foetal atrioventricular valves using spatio-temporal image correlation in the rendering mode in congenital heart disease. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1375-1380.          | 0.7 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 23986 | 2D measurements of cup orientation are less reliable than 3D measurements. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 485-490.   | 1.2 | 8         |
| 23987 | Harmonizing FDG PET quantification while maintaining optimal lesion detection: prospective multicentre validation in 517 oncology patients. European Journal of Nuclear Medicine and Molecular Imaging, 2015, 42, 2072-2082.                                      | 3.3 | 81        |
| 23988 | Network Meta-Analysis. Use R!, 2015, , 187-216.   | 0.3 | 73        |
| 23989 | Aortic Measurements in Patients with Aortopathy are Larger and More Reproducible by Cardiac Magnetic Resonance Compared with Echocardiography. Pediatric Cardiology, 2015, 36, 1761-1773.   | 0.6 | 28        |
| 23990 | Evaluation of a short dynamic 18F-fluoride PET/CT scanning method to assess bone metabolic activity in spinal orthopedics. Annals of Nuclear Medicine, 2015, 29, 799-809.   | 1.2 | 5         |
| 23991 | Validation of the simplified Chinese (Mainland) version of the Disability of the Arm, Shoulder, and Hand questionnaire (DASH-CHNPLAGH). Journal of Orthopaedic Surgery and Research, 2015, 10, 76.  | 0.9 | 16        |
| 23992 | Factors influencing molar relationship behavior in the mixed dentition. American Journal of Orthodontics and Dentofacial Orthopedics, 2015, 148, 782-792.   | 0.8 | 7         |
| 23993 | A program to analyse optical coherence tomography images of the ciliary muscle. Contact Lens and Anterior Eye, 2015, 38, 402-408.   | 0.8 | 23        |
| 23994 | The psychometric properties of the Quantitative-Checklist for Autism in Toddlers (Q-CHAT) as a measure of autistic traits in a community sample of Singaporean infants and toddlers. Molecular Autism, 2015, 6, 40.   | 2.6 | 30        |
| 23995 | Reliability of measures of transient evoked otoacoustic emissions with contralateral suppression. Journal of Communication Disorders, 2015, 58, 35-42.  | 0.8 | 24        |
| 23996 | Comparison of axillary and rectal temperatures for healthy Beagles in a temperature- and humidity-controlled environment. American Journal of Veterinary Research, 2015, 76, 632-636.   | 0.3 | 7         |
| 23997 | Underestimation of Patient Breathlessness by Nurses and Physicians during a Spontaneous Breathing Trial. American Journal of Respiratory and Critical Care Medicine, 2015, 192, 1440-1448.  | 2.5 | 68        |
| 23998 | Wechsler Adult Intelligence Scale-IV Dyads for Estimating Global Intelligence. Assessment, 2015, 22, 441-448.   | 1.9 | 32        |
| 23999 | Feasibility of radiation dose reduction using AIDR-3D in dynamic pulmonary CT perfusion. Clinical Radiology, 2015, 70, 844-851.   | 0.5 | 13        |
| 24000 | Comparison of Velocity- and Acceleration-Selective Arterial Spin Labeling with [ <sup>15</sup> O]H <sub>2</sub> O Positron Emission Tomography. Journal of Cerebral Blood Flow and Metabolism, 2015, 35, 1296-1303.   | 2.4 | 24        |
| 24001 | Prediction of hip joint load and translation using musculoskeletal modelling with force-dependent kinematics and experimental validation. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2015, 229, 477-490. | 1.0 | 26        |
| 24002 | Repeatability of Pentacam peripheral corneal thickness measurements. Contact Lens and Anterior Eye, 2015, 38, 424-429.  | 0.8 | 14        |
| 24003 | Assessment of cone beam CT registration for prostate radiation therapy: Fiducial marker and soft tissue methods. Journal of Medical Imaging and Radiation Oncology, 2015, 59, 91-98.  | 0.9 | 38        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24004 | Evaluating the Systemic Right Ventricle by Cardiovascular Magnetic Resonance: Short Axis or Axial Slices?. <i>Congenital Heart Disease</i> , 2015, 10, 69-77.  | 0.0 | 6         |
| 24005 | Assessment of body composition by dual-energy X-ray absorptiometry, bioimpedance analysis and anthropometrics in children: the Physical Activity and Nutrition in Children study. <i>Clinical Physiology and Functional Imaging</i> , 2015, 35, 21-33. | 0.5 | 78        |
| 24006 | Shuttle walking test in obese women: test-retest reliability and concurrent validity with peak oxygen uptake. <i>Clinical Physiology and Functional Imaging</i> , 2015, 35, 120-126.   | 0.5 | 20        |
| 24007 | Relation of Epicardial Fat Thickness to the Severity of Heart Failure in Patients with Nonischemic Dilated Cardiomyopathy. <i>Echocardiography</i> , 2015, 32, 740-748.  | 0.3 | 21        |
| 24008 | Limits of agreement between raters are required for the use of HJHS 2.1 in clinical studies. <i>Haemophilia</i> , 2015, 21, e70-1.   | 1.0 | 2         |
| 24009 | Response to "limits of agreement between raters are required for use of HJHS 2.1 in clinical studies". <i>Haemophilia</i> , 2015, 21, e71.   | 1.0 | 6         |
| 24010 | Cervix assessment for the management of labor induction: Reliability of cervical length and Bishop score determined by residents. <i>Journal of Obstetrics and Gynaecology Research</i> , 2015, 41, 377-382.   | 0.6 | 10        |
| 24011 | Psychometric evaluation of the Indonesian version of the Impact of Event Scale-Revised. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2015, 22, 251-259.   | 1.2 | 11        |
| 24012 | Determination of Extracellular Fluid Volume in Healthy and Azotemic Cats. <i>Journal of Veterinary Internal Medicine</i> , 2015, 29, 35-42.  | 0.6 | 4         |
| 24013 | Interobserver variability in transient elastography analysis of patients with chronic hepatitis C. <i>Liver International</i> , 2015, 35, 1533-1539.   | 1.9 | 27        |
| 24014 | Repeatability and comparison of clinical techniques for anterior chamber angle assessment. <i>Ophthalmic and Physiological Optics</i> , 2015, 35, 170-178.   | 1.0 | 37        |
| 24015 | Comment on: statistical methods for conducting agreement (comparison of clinical tests) and precision (repeatability or reproducibility) studies in optometry and ophthalmology. <i>Ophthalmic and Physiological Optics</i> , 2015, 35, 345-346.       | 1.0 | 3         |
| 24016 | Validation of predictive equations for resting energy expenditure in Japanese pediatric Crohn's disease patients: Preliminary study. <i>Pediatrics International</i> , 2015, 57, 290-294.  | 0.2 | 2         |
| 24017 | Agreement of high definition oscillometry with direct arterial blood pressure measurement at different blood pressure ranges in horses under general anaesthesia. <i>Veterinary Anaesthesia and Analgesia</i> , 2015, 42, 286-291.                     | 0.3 | 26        |
| 24018 | Seismocardiography: Toward heart rate variability (HRV) estimation. , 2015, , .  |     | 43        |
| 24019 | Smart Sensing System for Combined Activity Classification and Estimation of Knee Range of Motion. <i>IEEE Sensors Journal</i> , 2015, 15, 5535-5544.   | 2.4 | 16        |
| 24020 | Impact of positional difference on the measurement of breast density using MRI. <i>Medical Physics</i> , 2015, 42, 2268-2275.  | 1.6 | 6         |
| 24021 | Reliability of texture analysis using co-occurrence matrices (glcm) on photographic image in the assessment of cellulite in a Spanish population. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 315-324.           | 1.3 | 9         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24022 | Asymmetry of Achilles tendon mechanical and morphological properties between both legs. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2015, 25, e124-32.  | 1.3 | 54        |
| 24023 | A large head circumference is more strongly associated with unplanned cesarean or instrumental delivery and neonatal complications than high birthweight. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 213, 833.e1-833.e12.                   | 0.7 | 65        |
| 24024 | Five algorithms that calculate cardiac output from the arterial waveform: a comparison with Doppler ultrasound. <i>British Journal of Anaesthesia</i> , 2015, 115, 392-402.   | 1.5 | 29        |
| 24025 | Ability of esCCO to track changes in cardiac output. <i>British Journal of Anaesthesia</i> , 2015, 115, 403-410.  | 1.5 | 27        |
| 24026 | Analysis of Stereoscopic Images as a New Method for Daylighting Studies. <i>ACM Transactions on Applied Perception</i> , 2015, 11, 1-13.  | 1.2 | 19        |
| 24027 | Pericardial fat is associated with ventricular tachyarrhythmia and mortality in patients with systolic heart failure. <i>Atherosclerosis</i> , 2015, 241, 607-614.  | 0.4 | 37        |
| 24028 | Reliability of the Lisfranc injury radiological classification (Myerson-modified Hardcastle) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 502 Td (c   | 0.9 | 16        |
| 24029 | Measurement of reading speed with standardized texts: a comparison of single sentences and paragraphs. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2015, 253, 1369-1375.  | 1.0 | 34        |
| 24030 | Head repositioning accuracy in patients with neck pain and asymptomatic subjects: concurrent validity, influence of motion speed, motion direction and target distance. <i>European Spine Journal</i> , 2015, 24, 2885-2891.                                  | 1.0 | 24        |
| 24031 | Reproducibility of quantitative susceptibility mapping in the brain at two field strengths from two vendors. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 1592-1600.  | 1.9 | 99        |
| 24032 | Preanalytical Stability of Gemcitabine and its Metabolite 2-Deoxy-2-Fluoro-5-Deoxyuridine in Whole Blood Assessed by Liquid Chromatography Tandem Mass Spectrometry. <i>Journal of Pharmaceutical Sciences</i> , 2015, 104, 4427-4432.                        | 1.6 | 9         |
| 24033 | Reliability and validity of a vertical numerical rating scale supplemented with a faces rating scale in measuring fatigue after stroke. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 91.  | 1.0 | 34        |
| 24034 | Intra-observer and inter-observer errors in CT measurement of torsional profiles of lower limbs: a retrospective comparative study. <i>Journal of Orthopaedic Surgery and Research</i> , 2015, 10, 67.  | 0.9 | 9         |
| 24035 | Accelerating phase-encoded proton MR spectroscopic imaging by compressed sensing. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 487-495.   | 1.9 | 25        |
| 24036 | Radiographical measurements for distal intra-articular fractures of the radius using plain radiographs and cone beam computed tomography images. <i>Skeletal Radiology</i> , 2015, 44, 1769-1775.   | 1.2 | 17        |
| 24037 | Asymmetric dimethylarginine (ADMA) in human blood: effects of extended haemodialysis in the critically ill patient with acute kidney injury, protein binding to human serum albumin and proteolysis by thermolysin. <i>Amino Acids</i> , 2015, 47, 1983-1993. | 1.2 | 15        |
| 24038 | Comparison of measurement methods with a mixed effects procedure accounting for replicated evaluations (COM3PARE): method comparison algorithm implementation for head and neck IGRT positional verification. <i>BMC Medical Imaging</i> , 2015, 15, 35.      | 1.4 | 2         |
| 24039 | Grip strength measured by high precision dynamometry in healthy subjects from 5 to 80 years. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 139.  | 0.8 | 102       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24040 | RECIST 1.1 Compared With RECIST 1.0 in Patients With Advanced Renal Cell Carcinoma Receiving Vascular Endothelial Growth Factor–Targeted Therapy. <i>American Journal of Roentgenology</i> , 2015, 204, W282-W288.                           | 1.0 | 21        |
| 24041 | Hemodynamic assessment of ventilated ICU patients with cardiorespiratory failure using a miniaturized multiplane transesophageal echocardiography probe. <i>Intensive Care Medicine</i> , 2015, 41, 1886-1894.                               | 3.9 | 18        |
| 24042 | Infra-renal abdominal aortic calcification volume does not predict small abdominal aortic aneurysm growth. <i>Atherosclerosis</i> , 2015, 243, 334-338.  | 0.4 | 14        |
| 24043 | Facial Video-Based Photoplethysmography to Detect HRV at Rest. <i>International Journal of Sports Medicine</i> , 2015, 36, 474-480.  | 0.8 | 37        |
| 24044 | A meta-analysis of the performance of the PimaTM CD4 for point of care testing. <i>BMC Medicine</i> , 2015, 13, 168.   | 2.3 | 32        |
| 24045 | Newly defined landmarks for a three-dimensionally based cephalometric analysis: a retrospective cone-beam computed tomography scan review. <i>Angle Orthodontist</i> , 2015, 85, 3-10.   | 1.1 | 18        |
| 24046 | Assessment of Tandem Measurements of pH and Total Gut Transit Time in Healthy Volunteers. <i>Clinical and Translational Gastroenterology</i> , 2015, 6, e100.  | 1.3 | 24        |
| 24047 | Tracking of 25-hydroxyvitamin D status during pregnancy: the importance of vitamin D supplementation. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1081-1087.  | 2.2 | 39        |
| 24048 | Meta-Analysis with R. Use R!, 2015, , .  | 0.3 | 616       |
| 24049 | Motor unit number in a small facial muscle, dilator naris. <i>Experimental Brain Research</i> , 2015, 233, 2897-2902.  | 0.7 | 4         |
| 24051 | Evaluation of the RealTime HIV-1, Xpert HIV-1, and Aptima HIV-1 Quant Dx Assays in Comparison to the NucliSens EasyQ HIV-1 v2.0 Assay for Quantification of HIV-1 Viral Load. <i>Journal of Clinical Microbiology</i> , 2015, 53, 3458-3465. | 1.8 | 47        |
| 24052 | A Method For Tree-Ring Analysis Using Diva-Gis Freeware On Scanned Core Images. <i>Tree-Ring Research</i> , 2015, 71, 118-129.   | 0.4 | 8         |
| 24053 | Reliability of Goniometric and Trigonometric Techniques for Measuring Hip-Extension Range of Motion Using the Modified Thomas Test. <i>Journal of Athletic Training</i> , 2015, 50, 460-466.   | 0.9 | 23        |
| 24054 | Proton density fat-fraction is an accurate biomarker of hepatic steatosis in adolescent girls and young women. <i>European Radiology</i> , 2015, 25, 2921-2930.  | 2.3 | 54        |
| 24055 | Ultrasound versus Cone-beam CT image-guided radiotherapy for prostate and post-prostatectomy pretreatment localization. <i>Physica Medica</i> , 2015, 31, 997-1004.  | 0.4 | 17        |
| 24056 | Predicted and Measured Retinal Nerve Fiber Layer Thickness From Time-Domain Optical Coherence Tomography Compared With Spectral-Domain Optical Coherence Tomography. <i>JAMA Ophthalmology</i> , 2015, 133, 1135.                            | 1.4 | 8         |
| 24057 | Evaluation of three different point-of-care tests for quantitative measurement of canine C-reactive protein. <i>Veterinary Clinical Pathology</i> , 2015, 44, 205-214.   | 0.3 | 20        |
| 24058 | Relationship between radiographic joint space narrowing, sonographic cartilage thickness and anatomy in rheumatoid arthritis and control joints. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 2022-2027.                              | 0.5 | 32        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24059 | C-11 acetate has excellent reproducibility for quantification of myocardial oxidative metabolism. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 500-506.  | 0.5 | 20        |
| 24060 | A generic packaging technique using fluidic isolation for low-drift implantable pressure sensors. , 2015, 2015, 476-479.   |     | 2         |
| 24061 | Clinical Assessment of Fluid Balance is Incomplete for Colorectal Surgical Patients. <i>Scandinavian Journal of Surgery</i> , 2015, 104, 161-168.  | 1.3 | 14        |
| 24062 | Exploring the feasibility of smart phone microphone for measurement of acoustic voice parameters and voice pathology screening. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 3391-3399.  | 0.8 | 54        |
| 24063 | Mitral annular plane systolic excursion is an easy tool for fibrosis detection by late gadolinium enhancement cardiovascular magnetic resonance imaging in patients with hypertrophic cardiomyopathy. <i>Archives of Cardiovascular Diseases</i> , 2015, 108, 356-366. | 0.7 | 11        |
| 24064 | Validation of a Trunk-mounted Accelerometer to Measure Peak Impacts during Team Sport Movements. <i>International Journal of Sports Medicine</i> , 2015, 36, 742-746.  | 0.8 | 62        |
| 24065 | Development of the web-based Spanish and Catalan versions of the Euroqol 5D-Y (EQ-5D-Y) and comparison of results with the paper version. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 72.   | 1.0 | 22        |
| 24066 | The validation of a computer-based food record for older adults: the Novel Assessment of Nutrition and Ageing (NANA) method. <i>British Journal of Nutrition</i> , 2015, 113, 654-664.   | 1.2 | 31        |
| 24067 | Dynamic ROI based on K-means for remote photoplethysmography. , 2015, , .  |     | 19        |
| 24068 | Validation of the V<sub>max</sub> Metabolic Cart in a Simulated Pediatric Model. <i>Journal of Parenteral and Enteral Nutrition</i> , 2015, 39, 387-388.   | 1.3 | 1         |
| 24069 | How to measure renal artery stenosis - a retrospective comparison of morphological measurement approaches in relation to hemodynamic significance. <i>BMC Medical Imaging</i> , 2015, 15, 42.  | 1.4 | 11        |
| 24070 | Assessing the Reliability of a Semiautomated Segmentation Algorithm for Quantifying Erosions in the Metacarpophalangeal Joints of Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2015, 42, 1582-1586.  | 1.0 | 1         |
| 24071 | Intrarater reliability of goniometry and hand-held dynamometry for shoulder and elbow examinations in female team handball athletes and asymptomatic volunteers. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2015, 135, 1719-1726.                             | 1.3 | 40        |
| 24072 | Reliability and validity of the 6-min walk test in adults and seniors with intellectual disabilities. <i>Research in Developmental Disabilities</i> , 2015, 47, 144-153.   | 1.2 | 33        |
| 24073 | Assessing measurement in health: Beyond reliability and validity. <i>International Journal of Nursing Studies</i> , 2015, 52, 1746-1753.   | 2.5 | 109       |
| 24074 | Automatic segmentation of the hippocampus for preterm neonates from early-in-life to term-equivalent age. <i>NeuroImage: Clinical</i> , 2015, 9, 176-193.  | 1.4 | 32        |
| 24075 | Low correlation between household carbon monoxide and particulate matter concentrations from biomass-related pollution in three resource-poor settings. <i>Environmental Research</i> , 2015, 142, 424-431.  | 3.7 | 37        |
| 24076 | Reproducibility of biomarkers in induced sputum and in serum from chronic smokers. <i>Pulmonary Pharmacology and Therapeutics</i> , 2015, 33, 81-86.   | 1.1 | 2         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24077 | Reduced Patellar Tendon Elasticity with Aging: In Vivo Assessment by Shear Wave Elastography. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 2899-2905.   | 0.7 | 79        |
| 24078 | Assessment of Intracranial Structure Volumes in Fetuses With Growth Restriction by 3-Dimensional Sonography Using the Extended Imaging Virtual Organ Computer-Aided Analysis Method. <i>Journal of Ultrasound in Medicine</i> , 2015, 34, 1397-1405. | 0.8 | 19        |
| 24079 | Severely obese adolescent girls rely earlier on carbohydrates during walking than normal-weight matched girls. <i>Journal of Sports Sciences</i> , 2015, 33, 1871-1880.  | 1.0 | 1         |
| 24080 | Computed Tomography Perfusion in Acute Ischemic Stroke. <i>Stroke</i> , 2015, 46, 2364-2367.   | 1.0 | 12        |
| 24081 | Test-retest Reliability of GPS derived Measurements in Patients with Claudication. <i>European Journal of Vascular and Endovascular Surgery</i> , 2015, 50, 623-629.   | 0.8 | 13        |
| 24082 | Absolute abundance estimates from shallow water baited underwater camera surveys; a stochastic modelling approach tested against field data. <i>Journal of Experimental Marine Biology and Ecology</i> , 2015, 472, 126-134.                         | 0.7 | 7         |
| 24083 | Performance of a computerised visual acuity measurement device in subjects with age-related macular degeneration: comparison with gold standard ETDRS chart measurements. <i>Eye</i> , 2015, 29, 1085-1091.  | 1.1 | 22        |
| 24084 | Effect of short-term exercise-heat acclimation on ventilatory and cerebral blood flow responses to passive heating at rest in humans. <i>Journal of Applied Physiology</i> , 2015, 119, 435-444.   | 1.2 | 17        |
| 24085 | Validation of the paracetamol absorption test for measuring gastric tube emptying in esophagectomized patients versus gold standard scintigraphy. <i>Scandinavian Journal of Gastroenterology</i> , 2015, 50, 1339-1347.                             | 0.6 | 4         |
| 24086 | System Accuracy Evaluation of Different Blood Glucose Monitoring Systems Following ISO 15197:2013 by Using Two Different Comparison Methods. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, 635-648.  | 2.4 | 40        |
| 24087 | A Comparison of Ultrasound Intima-Media Thickness Measurements of the Left and Right Common Carotid Artery. <i>IEEE Journal of Translational Engineering in Health and Medicine</i> , 2015, 3, 1-10.   | 2.2 | 48        |
| 24088 | Intra- and inter-observer variability of uterine measurements with three-dimensional ultrasound and implications for clinical practice. <i>Reproductive BioMedicine Online</i> , 2015, 31, 557-564.  | 1.1 | 16        |
| 24089 | Body Composition Tools for Assessment of Adult Malnutrition at the Bedside. <i>Journal of Parenteral and Enteral Nutrition</i> , 2015, 39, 787-822.  | 1.3 | 158       |
| 24090 | Design and Testing of the Degree of Shoulder Involvement in Sports (DOSIS) Scale. <i>American Journal of Sports Medicine</i> , 2015, 43, 2423-2430.  | 1.9 | 12        |
| 24091 | Evaluation of a consumer fitness-tracking device to assess sleep in adults. <i>Chronobiology International</i> , 2015, 32, 1024-1028.  | 0.9 | 101       |
| 24092 | Bias in feline plasma biochemistry results between three in-house analysers and a commercial laboratory analyser: results should not be directly compared. <i>Journal of Feline Medicine and Surgery</i> , 2015, 17, 653-666.                        | 0.6 | 21        |
| 24093 | A kinematic method to detect foot contact during running for all foot strike patterns. <i>Journal of Biomechanics</i> , 2015, 48, 3502-3505.   | 0.9 | 43        |
| 24094 | Noninvasive Assessment of Excessive Erythrocytosis as a Screening Method for Chronic Mountain Sickness at High Altitude. <i>High Altitude Medicine and Biology</i> , 2015, 16, 162-168.  | 0.5 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24095 | The effect of the distance from the webcam in heart rate estimation from face video images. , 2015, , .  |     | 4         |
| 24096 | Visualizing the structure and the evolving of digital medicine: a scientometrics review. <i>Scientometrics</i> , 2015, 105, 5-21.  | 1.6 | 31        |
| 24097 | Effect of overcuffing on the accuracy of oscillometric blood pressure measurements. <i>Journal of the American Society of Hypertension</i> , 2015, 9, 563-568.   | 2.3 | 29        |
| 24098 | Photoplethysmography-Based Heart Rate Monitoring Using Asymmetric Least Squares Spectrum Subtraction and Bayesian Decision Theory. <i>IEEE Sensors Journal</i> , 2015, 15, 7161-7168.                          | 2.4 | 97        |
| 24099 | Inactive Matrix Gla-Protein Is Associated With Arterial Stiffness in an Adult Populationâ€”Based Study. <i>Hypertension</i> , 2015, 66, 85-92.   | 1.3 | 85        |
| 24101 | Comparability of Computer-Supported Concurrent Voice Analysis. <i>Folia Phoniatica Et Logopaedica</i> , 2015, 67, 8-14.  | 0.5 | 6         |
| 24102 | Automatic indicator dilution curve extraction in dynamic-contrast enhanced imaging using spectral clustering. <i>Physics in Medicine and Biology</i> , 2015, 60, 5225-5240.                                    | 1.6 | 3         |
| 24103 | Quantification of Dynamic <sup>11</sup> C-Phenytoin PET Studies. <i>Journal of Nuclear Medicine</i> , 2015, 56, 1372-1377.   | 2.8 | 17        |
| 24104 | Fraction of exhaled nitric oxide in healthy elderly Tunisian subjects. <i>Nitric Oxide - Biology and Chemistry</i> , 2015, 50, 88-97.  | 1.2 | 3         |
| 24105 | Validation of a food frequency questionnaire for use in Italian adults living in Sicily. <i>International Journal of Food Sciences and Nutrition</i> , 2015, 66, 426-438.                                      | 1.3 | 96        |
| 24106 | Validation of the French version of the Leicester Cough Questionnaire in chronic obstructive pulmonary disease. <i>Chronic Respiratory Disease</i> , 2015, 12, 313-319.  | 1.0 | 9         |
| 24107 | Quantitation of Circumferential Syndesmophyte Height along the Vertebral Rim in Ankylosing Spondylitis Using Computed Tomography. <i>Journal of Rheumatology</i> , 2015, 42, 472-478.                          | 1.0 | 9         |
| 24108 | Active content determination of pharmaceutical tablets using near infrared spectroscopy as Process Analytical Technology tool. <i>Talanta</i> , 2015, 144, 1352-1359.  | 2.9 | 29        |
| 24109 | Reference Equation for the Incremental Shuttle Walk Test in Children and Adolescents. <i>Journal of Pediatrics</i> , 2015, 167, 1057-1061.   | 0.9 | 50        |
| 24110 | Personality, emotional intelligence and other-rated task performance. <i>Personality and Individual Differences</i> , 2015, 87, 298-301.   | 1.6 | 23        |
| 24111 | Development and validation of an iodine-specific FFQ to estimate iodine intake in Australian pregnant women. <i>British Journal of Nutrition</i> , 2015, 113, 944-952.   | 1.2 | 27        |
| 24112 | Ten-year weight gain in smokers who quit, smokers who continued smoking and never smokers in the United States, NHANES 2003â€”2012. <i>International Journal of Obesity</i> , 2015, 39, 1727-1732.             | 1.6 | 56        |
| 24113 | Near-Infrared Spectroscopy Hemoglobin Index Measurement During Fluid Challenge: A Prospective Study in Cardiac Surgery Patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2015, 29, 924-929. | 0.6 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24114 | Development and evaluation of an audiology app for iPhone/iPad mobile devices. <i>Acta Oto-Laryngologica</i> , 2015, 135, 1119-1127.   | 0.3 | 33        |
| 24115 | Can anatomic level of injury on MRI predict neurological level in acute cervical spinal cord injury?. <i>British Journal of Neurosurgery</i> , 2015, 30, 1-7.  | 0.4 | 5         |
| 24116 | A Mother Wavelet Selection Algorithm for Respiratory Rate Estimation from Photoplethysmogram. <i>IFMBE Proceedings</i> , 2015, , 962-965.  | 0.2 | 3         |
| 24117 | Assessment of Anterior, Posterior, and Total Central Corneal Astigmatism in Eyes With Keratoconus. <i>American Journal of Ophthalmology</i> , 2015, 160, 851-857.e1.   | 1.7 | 34        |
| 24118 | Estimation of glomerular filtration rate in dogs by a single-blood sample method involving iodixanol. <i>American Journal of Veterinary Research</i> , 2015, 76, 828-835.  | 0.3 | 2         |
| 24119 | An immunoprecipitation assay in the multicommutated flow analysis format. <i>Analyst, The</i> , 2015, 140, 7271-7277.  | 1.7 | 9         |
| 24120 | Fiber orientation measurements by diffusion tensor imaging improve hydrogen-1 magnetic resonance spectroscopy of intramyocellular lipids in human leg muscles. <i>Journal of Medical Imaging</i> , 2015, 2, 026002.                                    | 0.8 | 3         |
| 24121 | Estimated Patient Dose Indexes in Adult and Pediatric MDCT: Comparison of Automatic Tube Voltage Selection With Fixed Tube Current, Fixed Tube Voltage, and Weight-Based Protocols. <i>American Journal of Roentgenology</i> , 2015, 205, 592-598.     | 1.0 | 10        |
| 24122 | Simultaneous determination of trimethoprim and sulfamethoxazole in dried plasma and urine spots. <i>Bioanalysis</i> , 2015, 7, 1137-1149.  | 0.6 | 28        |
| 24123 | Minimal Residual Disease Detection by Droplet Digital PCR in Multiple Myeloma, Mantle Cell Lymphoma, and Follicular Lymphoma. <i>Journal of Molecular Diagnostics</i> , 2015, 17, 652-660.   | 1.2 | 115       |
| 24124 | 3-D Ultrasound Segmentation of the Placenta Using the Random Walker Algorithm: Reliability and Agreement. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 3182-3193.   | 0.7 | 36        |
| 24125 | The reliability of noninvasive biophysical outcome measures for evaluating normal and hyperkeratotic foot skin. <i>Journal of Foot and Ankle Research</i> , 2015, 8, 28.   | 0.7 | 12        |
| 24126 | Cardiac Function in Adult Patients with Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2015, 42, 1716-1723.   | 1.0 | 6         |
| 24127 | Blood pressure monitoring during arrhythmia: agreement between automated brachial cuff and intra-arterial measurements. <i>British Journal of Anaesthesia</i> , 2015, 115, 540-549.  | 1.5 | 126       |
| 24128 | Volumetric measurement of artificial pure ground-glass nodules at low-dose CT: Comparisons between hybrid iterative reconstruction and filtered back projection. <i>European Journal of Radiology</i> , 2015, 84, 2654-2662.                           | 1.2 | 12        |
| 24129 | Differences between clinic blood pressure and morning home blood pressure, as shown by Bland-Altman plots, in a large observational study (HONEST study). <i>Hypertension Research</i> , 2015, 38, 876-882.  | 1.5 | 10        |
| 24130 | Novel human computer interaction principles for cardiac feedback using google glass and Android wear. , 2015, , .  |     | 7         |
| 24131 | Analysis of Agreement Between Computed Tomography Measurements of Glenoid Bone Defects in Anterior Shoulder Instability With and Without Comparison With the Contralateral Shoulder. <i>American Journal of Sports Medicine</i> , 2015, 43, 2918-2926. | 1.9 | 21        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24132 | Health-related quality of life in adults with hearing impairment before and after hearing-aid rehabilitation in Finland. <i>International Journal of Audiology</i> , 2015, 54, 967-975.   | 0.9 | 22        |
| 24133 | Towards the assessment of local dynamic stability of level-grounded walking in an older population. <i>Medical Engineering and Physics</i> , 2015, 37, 1152-1155.   | 0.8 | 32        |
| 24134 | Screening neonatal jaundice based on the sclera color of the eye using digital photography. <i>Biomedical Optics Express</i> , 2015, 6, 4529.   | 1.5 | 40        |
| 24135 | Validity and Reliability of the Dutch Version of the International Hip Outcome Tool (iHOT-12NL) in Patients With Disorders of the Hip. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015, 45, 1026-1034.             | 1.7 | 22        |
| 24136 | Estimation of Tumor Volumes by 11C-MeAIB and 18F-FDG PET in an Orthotopic Glioblastoma Rat Model. <i>Journal of Nuclear Medicine</i> , 2015, 56, 1562-1568.   | 2.8 | 9         |
| 24137 | Performance on a test of rapid stepping in community-dwelling older adults: validity, relative and absolute reliability and minimum detectable change. <i>Physiotherapy Theory and Practice</i> , 2015, 31, 483-488.                | 0.6 | 8         |
| 24138 | Evaluation of Nucleic Acid Stabilization Products for Ambient Temperature Shipping and Storage of Viral RNA and Antibody in a Dried Whole Blood Format. <i>American Journal of Tropical Medicine and Hygiene</i> , 2015, 93, 46-53. | 0.6 | 21        |
| 24139 | Introduction and validation of a less painful algorithm to estimate the nociceptive flexion reflex threshold. <i>Brain Research</i> , 2015, 1608, 147-156.  | 1.1 | 6         |
| 24141 | Compensation or inhibitory failure? Testing hypotheses of age-related right frontal lobe involvement in verbal memory ability using structural and diffusion MRI. <i>Cortex</i> , 2015, 63, 4-15.                                   | 1.1 | 19        |
| 24142 | Focused Cardiac Ultrasound in Place of Repeat Echocardiography: Reliability and Cost Implications. <i>Journal of the American Society of Echocardiography</i> , 2015, 28, 1053-1059.  | 1.2 | 19        |
| 24143 | Use of Predictive Energy Expenditure Equations in Individuals with Lower Limb Loss at Seated Rest. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2015, 115, 1479-1485.   | 0.4 | 4         |
| 24144 | Comparison of sEMG processing methods during whole-body vibration exercise. <i>Journal of Electromyography and Kinesiology</i> , 2015, 25, 833-840.   | 0.7 | 12        |
| 24145 | Cross-cultural adaptation and psychometric testing of the Arabic version of the Patient-Rated Wrist Hand Evaluation (PRWHE-A) in Saudi Arabia. <i>Journal of Hand Therapy</i> , 2015, 28, 412-420.                                  | 0.7 | 14        |
| 24146 | Inter-operator and inter-device agreement and reliability of the SEM Scanner. <i>Journal of Tissue Viability</i> , 2015, 24, 17-23.   | 0.9 | 28        |
| 24147 | iCap: Instrumented assessment of physical capability. <i>Maturitas</i> , 2015, 82, 116-122.   | 1.0 | 35        |
| 24148 | Improved respiratory navigator gating for thoracic 4D flow MRI. <i>Magnetic Resonance Imaging</i> , 2015, 33, 992-999.  | 1.0 | 16        |
| 24149 | Measurement variability of the bulbar conjunctival microvasculature in healthy subjects using functional slit lamp biomicroscopy (FSLB). <i>Microvascular Research</i> , 2015, 101, 15-19.  | 1.1 | 30        |
| 24150 | Multi-level block permutation. <i>NeuroImage</i> , 2015, 123, 253-268.  | 2.1 | 212       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24151 | Predicted versus measured resting energy expenditure in patients requiring home parenteral nutrition. <i>Nutrition</i> , 2015, 31, 1328-1332.   | 1.1 | 14        |
| 24152 | Validation of self-reported diagnosis of diabetes in the 1946 British birth cohort. <i>Primary Care Diabetes</i> , 2015, 9, 397-400.  | 0.9 | 68        |
| 24153 | Determining the Variability of Lesion Size Measurements from CT Patient Data Sets Acquired under "No Change" Conditions. <i>Translational Oncology</i> , 2015, 8, 55-64.  | 1.7 | 26        |
| 24154 | A novel device for measuring arterial stiffness using finger-toe pulse wave velocity: Validation study of the pOpm <sup>®</sup> . <i>Archives of Cardiovascular Diseases</i> , 2015, 108, 227-234.  | 0.7 | 35        |
| 24155 | Agreement Between Responses From Community-Dwelling Persons With Stroke and Their Proxies on the NIH Neurological Quality of Life (Neuro-QoL) Short Forms. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 1986-1992.e14.   | 0.5 | 33        |
| 24156 | Validity and Predictive Value of a Portable Two-Channel Sleep-Screening Tool in the Identification of Sleep Apnea in Patients With Heart Failure. <i>Journal of Cardiac Failure</i> , 2015, 21, 848-855.  | 0.7 | 17        |
| 24157 | The development of a fast method for recording Schroeder-phase masking functions. <i>Hearing Research</i> , 2015, 330, 125-133.   | 0.9 | 0         |
| 24158 | Monitoring acute equine visceral pain with the Equine Utrecht University Scale for Composite Pain Assessment (EQUUS-COMPASS) and the Equine Utrecht University Scale for Facial Assessment of Pain (EQUUS-FAP): A scale-construction study. <i>Veterinary Journal</i> , 2015, 206, 356-364. | 0.6 | 107       |
| 24159 | Glomerular filtration rate (GFR) during and after STEMI: a single-centre, methodological study comparing estimated and measured GFR. <i>BMJ Open</i> , 2015, 5, e007835.  | 0.8 | 5         |
| 24160 | Performance evaluation of automated lung segmentation for High Resolution Computed Tomography (HRCT) thorax images. , 2015, , .   |     | 2         |
| 24161 | An MRI-compatible loading device to assess knee joint cartilage deformation: Effect of preloading and inter-test repeatability. <i>Journal of Biomechanics</i> , 2015, 48, 2934-2940.   | 0.9 | 28        |
| 24162 | Agreement between physiotherapists rating scapular posture in multiple planes in patients with neck pain: Reliability study. <i>Physiotherapy</i> , 2015, 101, 381-388.   | 0.2 | 9         |
| 24163 | Association of Subjective Ratings to Objectively Assessed Physical Activity in Pubertal Boys with Differing BMI. <i>Perceptual and Motor Skills</i> , 2015, 121, 245-259.   | 0.6 | 6         |
| 24165 | Objective and subjective measurement of energy expenditure in older adults: a doubly labeled water study. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 850-855.  | 1.3 | 36        |
| 24166 | Limitations of three-dimensional power Doppler angiography in preoperative evaluation of ovarian tumors. <i>Journal of Ovarian Research</i> , 2015, 8, 47.  | 1.3 | 13        |
| 24167 | Heart Rate monitoring during physical exercise using wrist-type photoplethysmographic (PPG) signals. , 2015, 2015, 6166-9.  |     | 21        |
| 24168 | Sensitivity encoding for fast <sup>1</sup> H MR spectroscopic imaging water reference acquisition. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 2081-2086.   | 1.9 | 3         |
| 24169 | On stability issues in deriving multivariable regression models. <i>Biometrical Journal</i> , 2015, 57, 531-555.  | 0.6 | 43        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24170 | Measuring illness beliefs in patients with lower extremity injuries: Reliability and validity of the Dutch version of the Somatic Pre-Occupation and Coping questionnaire (SPOC-NL). <i>Injury</i> , 2015, 46, 308-314.   | 0.7 | 11        |
| 24171 | Reproducibility and Sensitivity of the 6-Minute Stepper Test in Patients with COPD. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2015, 12, 533-538.  | 0.7 | 37        |
| 24172 | Validation of a golden angle radial sequence (GOLD) for abdominal T1 mapping during free breathing: Demonstrating clinical feasibility for quantifying gastric secretion and emptying. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 157-164.              | 1.9 | 12        |
| 24173 | Measuring the Intensity of Chronic Pain: Are the Visual Analogue Scale and the Verbal Rating Scale Interchangeable?. <i>Pain Practice</i> , 2015, 15, 538-547.  | 0.9 | 42        |
| 24174 | Expiratory Reserve Volume During Slow Expiration With Glottis Opened in Infralateral Decubitus Position (ELTGOL) in Chronic Pulmonary Disease: Technique Description and Reproducibility. <i>Respiratory Care</i> , 2015, 60, 406-411.                                | 0.8 | 12        |
| 24175 | Reproducibility of intravascular ultrasound radiofrequency data analysis (virtual histology) with a 45-MHz rotational imaging catheter in ex vivo human coronary arteries. <i>Journal of Cardiology</i> , 2015, 65, 134-142.  | 0.8 | 9         |
| 24176 | Differential leukocyte counting and immunophenotyping in cryopreserved <i>ex vivo</i> whole blood. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2015, 87, 157-165.   | 1.1 | 23        |
| 24177 | Validation study of the EORTC information questionnaire (EORTC QLQ-INFO25) in Iranian cancer patients. <i>Supportive Care in Cancer</i> , 2015, 23, 1875-1882.  | 1.0 | 7         |
| 24178 | Comparative analysis of corneal measurements obtained from a Scheimpflug camera and an integrated Placido-optical coherence tomography device in normal and keratoconic eyes. <i>Acta Ophthalmologica</i> , 2015, 93, e488-94.  | 0.6 | 25        |
| 24179 | Repeatability of mesopic visual acuity measurements using high- and low-contrast ETDRS letter charts. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2015, 253, 791-795.   | 1.0 | 15        |
| 24180 | Comparison of segmental multifrequency bioelectrical impedance analysis with dual-energy X-ray absorptiometry for the assessment of body composition in a community-dwelling older population. <i>Geriatrics and Gerontology International</i> , 2015, 15, 1013-1022. | 0.7 | 170       |
| 24181 | cp-R, an interface the R programming language for clinical laboratory method comparisons. <i>Clinical Biochemistry</i> , 2015, 48, 192-195.   | 0.8 | 25        |
| 24182 | Pulse Oximetry Measures a Lower Heart Rate at Birth Compared with Electrocardiography. <i>Journal of Pediatrics</i> , 2015, 166, 49-53.   | 0.9 | 114       |
| 24183 | Determine the equilibrium mechanical properties of articular cartilage from the short-term indentation response. <i>Journal of Biomechanics</i> , 2015, 48, 176-180.  | 0.9 | 9         |
| 24184 | QCM-D providing new horizon in the domain of sensitivity range and information for haemostasis of human plasma. <i>Biosensors and Bioelectronics</i> , 2015, 66, 579-584.   | 5.3 | 36        |
| 24185 | Comparison of magnetic resonance feature tracking with harmonic phase imaging analysis (CSPAMM) for assessment of global and regional diastolic function. <i>European Journal of Radiology</i> , 2015, 84, 100-107.   | 1.2 | 24        |
| 24186 | A Bedside Measure of Body Composition in Duchenne Muscular Dystrophy. <i>Pediatric Neurology</i> , 2015, 52, 82-87.   | 1.0 | 13        |
| 24187 | Point-based superimposition of a digital dental model on to a three-dimensional computed tomographic skull: an accuracy study in vitro. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2015, 53, 28-33.   | 0.4 | 26        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24188 | Comparison of total energy expenditure assessed by two devices in controlled and free-living conditions. <i>European Journal of Sport Science</i> , 2015, 15, 391-399.   | 1.4 | 19        |
| 24189 | Analysis of Fentanyl in Urine by DLLME-GC-MS. <i>Journal of Analytical Toxicology</i> , 2015, 39, 118-125.   | 1.7 | 31        |
| 24190 | Stereo vision and strabismus. <i>Eye</i> , 2015, 29, 214-224.  | 1.1 | 83        |
| 24191 | The course of prosthodontic patients' oral health-related quality of life over a period of 2 years. <i>Journal of Dentistry</i> , 2015, 43, 261-268.   | 1.7 | 33        |
| 24192 | Distribution and Determinants of Choroidal Thickness and Volume Using Automated Segmentation Software in a Population-Based Study. <i>American Journal of Ophthalmology</i> , 2015, 159, 293-301.e3.   | 1.7 | 73        |
| 24193 | Reproducibility of Acetabular Landmarks and a Standardized Coordinate System Obtained from 3D Hip Ultrasound. <i>Ultrasonic Imaging</i> , 2015, 37, 267-276.   | 1.4 | 13        |
| 24194 | In-Vitro Enamel Thickness Measurements with Ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 301-308.   | 0.7 | 14        |
| 24195 | Development and optimization of a high-throughput micro-computed tomography imaging method incorporating a novel analysis technique to evaluate bone mineral density of arthritic joints in a rodent model of collagen induced arthritis. <i>Bone</i> , 2015, 73, 32-41. | 1.4 | 21        |
| 24196 | Interaction between paraoxonase 1 polymorphism and prenatal pesticide exposure on metabolic markers in children using a multiplex approach. <i>Reproductive Toxicology</i> , 2015, 51, 22-30.  | 1.3 | 8         |
| 24197 | Assessing appendicular skeletal muscle mass with bioelectrical impedance analysis in free-living Caucasian older adults. <i>Clinical Nutrition</i> , 2015, 34, 667-673.  | 2.3 | 244       |
| 24198 | Three-layer poly(methyl methacrylate) microsystem for analysis of lysosomal enzymes for diagnostic purposes. <i>Analytica Chimica Acta</i> , 2015, 853, 702-709.   | 2.6 | 5         |
| 24199 | Comparison between two metabolic monitors in the measurement of resting energy expenditure and oxygen consumption in diabetic and non-diabetic ambulatory and hospitalized patients. <i>Nutrition</i> , 2015, 31, 176-179.   | 1.1 | 22        |
| 24200 | Estimate of body composition by Hume's equation: validation with DXA. <i>Endocrine</i> , 2015, 49, 65-69.  | 1.1 | 6         |
| 24201 | A study of adaptive thermal comfort in a well-controlled climate chamber. <i>Applied Thermal Engineering</i> , 2015, 76, 283-291.  | 3.0 | 78        |
| 24202 | A device for fully automated on-site process monitoring and control of trihalomethane concentrations in drinking water. <i>Analytica Chimica Acta</i> , 2015, 853, 351-359.  | 2.6 | 4         |
| 24203 | Comparing the Fullerton Advanced Balance Scale With the Mini-BESTest and Berg Balance Scale to Assess Postural Control in Patients With Parkinson Disease. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 218-225.                                  | 0.5 | 62        |
| 24204 | Apparent diffusion coefficient for lymph node characterization after chemoradiation therapy for locally advanced rectal cancer. <i>Acta Radiologica</i> , 2015, 56, 1446-1453.   | 0.5 | 10        |
| 24205 | Relative validation of B <sub>lock</sub> K <sub>ids</sub> F <sub>ood</sub> S <sub>creener</sub> for dietary assessment in children and adolescents. <i>Maternal and Child Nutrition</i> , 2015, 11, 260-270.   | 1.4 | 115       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24206 | A Comparison of Computed Tomography Scans and Digital Periapical Radiographs Ridge Height Measurements. <i>Journal of Oral Implantology</i> , 2015, 41, 125-131.   | 0.4 | 1         |
| 24207 | Comparative efficacy of two standard methods for determination of iron and zinc in fruits, pulses and cereals. <i>Journal of Food Science and Technology</i> , 2015, 52, 1096-1102.  | 1.4 | 15        |
| 24208 | Evaluation of three indirect calorimetry devices in mechanically ventilated patients: Which device compares best with the Deltatrac II <sup>®</sup> ? A prospective observational study. <i>Clinical Nutrition</i> , 2015, 34, 60-65.  | 2.3 | 80        |
| 24209 | Two- and three-dimensional CT measurements of urinary calculi length and width: a comparative study. <i>Acta Radiologica</i> , 2015, 56, 487-492.  | 0.5 | 11        |
| 24210 | Mapping of the femoral trochlea in a newborn population: an ultrasonographic study. <i>Acta Radiologica</i> , 2015, 56, 234-243.   | 0.5 | 24        |
| 24211 | FRAX fracture risk in women with a recent fracture of the distal forearm: agreement between assessments with and without bone mineral density and impact of measurement side in the individual patient. <i>Clinical Rheumatology</i> , 2015, 34, 1265-1272.                    | 1.0 | 10        |
| 24212 | Diffusion-Weighted MR Imaging Findings of Cortical Vein Thrombosis at 3 <sup>Â</sup> T. <i>Clinical Neuroradiology</i> , 2015, 25, 249-256.  | 1.0 | 14        |
| 24213 | Effect of syringe type, storage temperature and time delay on venous blood gas values in newborn calves. <i>Comparative Clinical Pathology</i> , 2015, 24, 117-125.  | 0.3 | 2         |
| 24214 | Psychosocial and environmental distress resulting from a volcanic eruption: Study protocol. <i>Collegian</i> , 2015, 22, 325-331.  | 0.6 | 4         |
| 24215 | Determination of insulin resistance in surgery: The choice of method is crucial. <i>Clinical Nutrition</i> , 2015, 34, 123-128.  | 2.3 | 24        |
| 24216 | Iron and noncontrast magnetic resonance T2* as a marker of intraplaque iron in human atherosclerosis. <i>Journal of Vascular Surgery</i> , 2015, 61, 1556-1564.  | 0.6 | 8         |
| 24217 | A systematic review of methods to predict maximal oxygen uptake from submaximal, open circuit spirometry in healthy adults. <i>Journal of Science and Medicine in Sport</i> , 2015, 18, 183-188.   | 0.6 | 37        |
| 24218 | 3D photography is as accurate as digital planimetry tracing in determining burn wound area. <i>Burns</i> , 2015, 41, 80-84.  | 1.1 | 37        |
| 24219 | Accuracy of a combined heart rate and motion sensor for assessing energy expenditure in free-living adults during a double-blind crossover caffeine trial using doubly labeled water as the reference method. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 20-27. | 1.3 | 21        |
| 24220 | Reliability of ultrasound thickness measurement of the abdominal muscles during clinical isometric endurance tests. <i>Journal of Bodywork and Movement Therapies</i> , 2015, 19, 396-403.   | 0.5 | 8         |
| 24221 | A Cross-Calibration Study of the GE-Lunar iDXA and Prodigy for the Assessment of Lumbar Spine and Total Hip Bone Parameters via Three Statistical Methods. <i>Journal of Clinical Densitometry</i> , 2015, 18, 86-92.  | 0.5 | 15        |
| 24222 | A quantification of the treadmill 6-min walk test using the MyWellness Key <sup>â</sup> , <sup>¢</sup> accelerometer. <i>Journal of Sport and Health Science</i> , 2015, 4, 188-194.   | 3.3 | 1         |
| 24223 | AnÃ¡lisis de la funciÃ³n ventricular derecha en resonancia magnÃ©tica cardÃ­aca. ComparaciÃ³n de la cuantificaciÃ³n en los planos eje corto y 4 cÃ¡maras. <i>Radiologia</i> , 2015, 57, 50-55.   | 0.3 | 3         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24224 | Evolution of radiographic damage in ankylosing spondylitis: a 12 year prospective follow-up of the OASIS study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 52-59.   | 0.5 | 174       |
| 24225 | An improved method for microbiological testing of paper-based laminates used in food packaging. <i>Food Control</i> , 2015, 50, 548-553.   | 2.8 | 11        |
| 24226 | Comparison of viable plate count, turbidity measurement and real-time PCR for quantification of <i>Porphyrromonas gingivalis</i> . <i>Letters in Applied Microbiology</i> , 2015, 60, 79-84.   | 1.0 | 34        |
| 24227 | Magnetic Field Swimmer Positioning. <i>IEEE Sensors Journal</i> , 2015, 15, 172-179.   | 2.4 | 9         |
| 24228 | Quantitative Fundus Autofluorescence Distinguishes ABCA4-Associated and Non-ABCA4-Associated Bull's-Eye Maculopathy. <i>Ophthalmology</i> , 2015, 122, 345-355.  | 2.5 | 75        |
| 24229 | Agreement among measurements and estimations of glomerular filtration in children with cancer. <i>Pediatric Blood and Cancer</i> , 2015, 62, 80-84.  | 0.8 | 16        |
| 24230 | Can we use photography to estimate radiation interception by a crop canopy?. <i>Plant Biology</i> , 2015, 17, 574-582.   | 1.8 | 4         |
| 24231 | Clinical application of the second morning urine method for estimating salt intake in patients with hypertension. <i>Clinical and Experimental Hypertension</i> , 2015, 37, 89-96.   | 0.5 | 13        |
| 24232 | Automated gait temporal-spatial assessment from non-motorized treadmill belt speed data. <i>Gait and Posture</i> , 2015, 41, 141-145.  | 0.6 | 8         |
| 24233 | Comparison of Tests for Lumbar Flexion and Hip Function in Patients With and Without Axial Spondyloarthritis. <i>Arthritis Care and Research</i> , 2015, 67, 538-545.  | 1.5 | 12        |
| 24234 | Validity of a trunk-mounted accelerometer to assess peak accelerations during walking, jogging and running. <i>European Journal of Sport Science</i> , 2015, 15, 382-390.  | 1.4 | 67        |
| 24235 | Delineating brachial plexus, cochlea, pharyngeal constrictor muscles and optic chiasm in head and neck radiotherapy: a CT-based model atlas. <i>Radiologia Medica</i> , 2015, 120, 352-360.  | 4.7 | 10        |
| 24236 | Early Detection of Right Ventricular Diastolic Dysfunction by Pulsed Tissue Doppler Echocardiography in Iron Loaded Beta Thalassemia Patients. <i>Pediatric Cardiology</i> , 2015, 36, 468-474.  | 0.6 | 9         |
| 24237 | What Is the Potential Role of Transcutaneous Carbon Dioxide in Guiding Acute Noninvasive Ventilation?. <i>Respiratory Care</i> , 2015, 60, 484-491.  | 0.8 | 18        |
| 24238 | Changes in pulmonary artery pressure during early transitional circulation in healthy full-term newborns. <i>Ultrasonics</i> , 2015, 56, 524-529.  | 2.1 | 10        |
| 24239 | Accuracy of measurement in electrically evoked compound action potentials. <i>Journal of Neuroscience Methods</i> , 2015, 239, 214-222.  | 1.3 | 14        |
| 24240 | A generic approach for shotgun-analysis of the soluble proteome of plant cell suspension cultures. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015, 974, 48-56.   | 1.2 | 1         |
| 24241 | Ultra-high performance liquid chromatography tandem mass spectrometric method for the determination of tamoxifen, N-desmethyltamoxifen, 4-hydroxytamoxifen and endoxifen in dried blood spots-Development, validation and clinical application during breast cancer adjuvant therapy. <i>Talanta</i> , 2015, 132, 775-784. | 2.9 | 50        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24242 | Automatic detection and quantification of the Agatston coronary artery calcium score on contrast computed tomography angiography. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 151-161.                    | 0.7 | 32        |
| 24243 | Automated segmentation of multifocal basal ganglia T2*-weighted MRI hypointensities. <i>NeuroImage</i> , 2015, 105, 332-346.   | 2.1 | 9         |
| 24244 | Parallel reaction monitoring (PRM) and selected reaction monitoring (SRM) exhibit comparable linearity, dynamic range and precision for targeted quantitative HDL proteomics. <i>Journal of Proteomics</i> , 2015, 113, 388-399. | 1.2 | 163       |
| 24245 | Semiautomatic segmentation of longitudinal computed tomography images in a rat model of lung injury by surfactant depletion. <i>Journal of Applied Physiology</i> , 2015, 118, 377-385.  | 1.2 | 20        |
| 24246 | Suitability of methylmalonic acid and total homocysteine analysis in dried bloodspots. <i>Analytica Chimica Acta</i> , 2015, 853, 435-441.   | 2.6 | 13        |
| 24247 | Assessment of 6-sulfatoxymelatonin rhythms and melatonin response to light in disease states: Lessons from cirrhosis. <i>Chronobiology International</i> , 2015, 32, 187-194.  | 0.9 | 8         |
| 24248 | Systematic Review and Proposal of a Field-Based Physical Fitness-Test Battery in Preschool Children: The PREFIT Battery. <i>Sports Medicine</i> , 2015, 45, 533-555.   | 3.1 | 167       |
| 24249 | Accuracy of Segmental Bioelectrical Impedance Analysis for Predicting Body Composition in Pre- and Postmenopausal Women. <i>Journal of Clinical Densitometry</i> , 2015, 18, 252-259.  | 0.5 | 13        |
| 24250 | Online exams for blended assessment. Study of different application methodologies. <i>Computers and Education</i> , 2015, 81, 296-303.   | 5.1 | 39        |
| 24251 | The instantaneous wave-free ratio (iFR) for evaluation of non-culprit lesions in patients with acute coronary syndrome and multivessel disease. <i>International Journal of Cardiology</i> , 2015, 178, 46-54.                   | 0.8 | 37        |
| 24252 | Effect of a physical education-based stretching programme on sit-and-reach score and its posterior reduction in elementary schoolchildren. <i>European Physical Education Review</i> , 2015, 21, 83-92.                          | 1.2 | 41        |
| 24253 | Evaluation of simple body composition methods: assessment of validity in prepubertal Chilean children. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 269-273.  | 1.3 | 23        |
| 24254 | Reproducibility of Microvascular Vessel Density Analysis in Sidestream Dark-Field-Derived Images of Healthy Term Newborns. <i>Microcirculation</i> , 2015, 22, 37-43.  | 1.0 | 18        |
| 24255 | Enhancing the Pulse Contour Analysis-Based Arterial Stiffness Estimation Using a Novel Photoplethysmographic Parameter. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2015, 19, 256-262.                            | 3.9 | 15        |
| 24257 | A photographic method to measure food item intake. Validation in geriatric institutions. <i>Appetite</i> , 2015, 84, 11-19.  | 1.8 | 17        |
| 24258 | No correlations between radiological angles and self-assessed quality of life in patients with hip dysplasia at 2-13 years of follow-up after periacetabular osteotomy. <i>Acta Radiologica</i> , 2015, 56, 196-203.             | 0.5 | 7         |
| 24259 | Assessment of total body water and its compartments in elite judo athletes: comparison of bioelectrical impedance spectroscopy with dilution techniques. <i>Journal of Sports Sciences</i> , 2015, 33, 634-640.                  | 1.0 | 17        |
| 24260 | Variation of spermatogenic and Sertoli cell number detected by fine needle aspiration cytology (FNAC) in Iberian red deer during and out of the breeding season. <i>Reproduction, Fertility and Development</i> , 2015, 27, 812. | 0.1 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24261 | Reduction of arterial partial volume effects for improved absolute quantification of DSCâ€MRI perfusion estimates: Comparison between tail scaling and prebolus administration. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 903-908.  | 1.9 | 9         |
| 24262 | Blood Flow Imaging in Transesophageal Echocardiography during Atrial Septal Defect Closure: A Comparison with the Current References. <i>Echocardiography</i> , 2015, 32, 34-41.   | 0.3 | 1         |
| 24263 | TROIKA: A General Framework for Heart Rate Monitoring Using Wrist-Type Photoplethysmographic Signals During Intensive Physical Exercise. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 62, 522-531.   | 2.5 | 566       |
| 24264 | Pulmonary Pulse Transit Time: A Novel Echocardiographic Indicator of Hemodynamic and Vascular Alterations in Pulmonary Hypertension and Pulmonary Fibrosis. <i>Echocardiography</i> , 2015, 32, 904-911.   | 0.3 | 19        |
| 24265 | Comparing methods to collect saliva from children to analyze cytokines related to allergic inflammation. <i>Annals of Allergy, Asthma and Immunology</i> , 2015, 114, 63-64.   | 0.5 | 14        |
| 24266 | Comparison between landmark and surface-based three-dimensional analyses of facial asymmetry in adults. <i>European Journal of Orthodontics</i> , 2015, 37, 1-12.  | 1.1 | 48        |
| 24267 | Quantitative assessment of systolic right ventricular function using myocardial deformation in patients with a systemic right ventricle. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 380-388.   | 0.5 | 35        |
| 24268 | Comparison of Quantitative Wallâ€Motion Analysis and Strain for Detection of Coronary Stenosis with Threeâ€Dimensional Dobutamine Stress Echocardiography. <i>Echocardiography</i> , 2015, 32, 349-360.  | 0.3 | 7         |
| 24269 | Quantification of stenotic mitral valve area and diagnostic accuracy of mitral stenosis by dual-source computed tomography in patients with atrial fibrillation: comparison with cardiovascular magnetic resonance and transthoracic echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 103-114. | 0.7 | 5         |
| 24270 | Testâ€retest reliability of second lactate turnpoint using two different criteria in competitive cyclists. <i>European Journal of Sport Science</i> , 2015, 15, 265-270.   | 1.4 | 9         |
| 24271 | Feasibility and repeatability of optical coherence tomography measurements of pre-stent thrombus burden in patients with STEMI treated with primary PCI. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 96-107.  | 0.5 | 31        |
| 24272 | Measurements of wall shear stress and aortic pulse wave velocity in swine with familial hypercholesterolemia. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 1475-1485.  | 1.9 | 9         |
| 24273 | Influence of xylazine on the function of the LiDCO sensor in isoflurane anaesthetized horses. <i>Veterinary Anaesthesia and Analgesia</i> , 2015, 42, 142-149.   | 0.3 | 13        |
| 24274 | Diagnostic accuracy of sleep bruxism scoring in absence of audio-video recording: a pilot study. <i>Sleep and Breathing</i> , 2015, 19, 183-190.   | 0.9 | 63        |
| 24275 | Evaluation of the performance of a new OptiScannerâ„¢ 5000 system for an intermittent glucose monitoring. <i>Clinica Chimica Acta</i> , 2015, 438, 252-254.  | 0.5 | 7         |
| 24276 | Assessing the length of the mandibular ramus and the condylar process: a comparison of OPG, CBCT, CT, MRI, and lateral cephalometric measurements. <i>European Journal of Orthodontics</i> , 2015, 37, 13-21.  | 1.1 | 51        |
| 24277 | Are physiotherapists reliable proxies for the recognition of pain in individuals with cerebral palsy? A cross sectional study. <i>Disability and Health Journal</i> , 2015, 8, 264-270.  | 1.6 | 13        |
| 24278 | Characterization and improved quantification of left ventricular inflow using streamline visualization with 4DFlow MRI in healthy controls and patients after atrioventricular septal defect correction. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 1512-1520.   | 1.9 | 33        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24279 | Translation, cross-cultural adaptation and validation of the French version of the Anterior Cruciate Ligament-Return to Sport after Injury (ACL-RSI) scale. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 1192-1196.            | 2.3 | 106       |
| 24280 | Reliability and validity of a new measurement of lumbar foraminal volume using a computed tomography. <i>Surgical and Radiologic Anatomy</i> , 2015, 37, 93-99.   | 0.6 | 6         |
| 24281 | Feasibility and safety of intracoronary nicorandil infusion as a novel hyperemic agent for fractional flow reserve measurements. <i>Heart and Vessels</i> , 2015, 30, 477-483.  | 0.5 | 22        |
| 24282 | Comparison of two dietary assessment methods by food consumption: results of the German National Nutrition Survey II. <i>European Journal of Nutrition</i> , 2015, 54, 343-354.   | 1.8 | 20        |
| 24283 | Evaluation of energetic metabolism of horses in long-distance exercise: Accutrend <sup>®</sup> Plus versus laboratory. <i>Comparative Clinical Pathology</i> , 2015, 24, 311-315.   | 0.3 | 3         |
| 24284 | A summary of assessment tools for patients suffering from cervical spondylotic myelopathy: a systematic review on validity, reliability and responsiveness. <i>European Spine Journal</i> , 2015, 24, 209-228.                                      | 1.0 | 72        |
| 24285 | Two- and tridimensional analysis of periapical repair after endodontic surgery. <i>Clinical Oral Investigations</i> , 2015, 19, 17-25.  | 1.4 | 30        |
| 24286 | Improvements in the application and reporting of advanced Bland-Altman methods of comparison. <i>Journal of Clinical Monitoring and Computing</i> , 2015, 29, 127-139.  | 0.7 | 65        |
| 24287 | Accuracy of bedside glucometry in critically ill children with peripheral hypoperfusion. <i>Journal of Clinical Monitoring and Computing</i> , 2015, 29, 145-152.   | 0.7 | 2         |
| 24288 | Cross-Cultural Adaptation, Reliability, Internal Consistency and Validation of the Hand Function Sort (HFS <sup>®</sup> ) for French Speaking Patients with Upper Limb Complaints. <i>Journal of Occupational Rehabilitation</i> , 2015, 25, 18-24. | 1.2 | 8         |
| 24289 | Intra-individuals and inter- and intra-observer reliability of short-term heart rate variability in adolescents. <i>Clinical Physiology and Functional Imaging</i> , 2016, 36, 33-39.   | 0.5 | 37        |
| 24290 | Is There a Chronic Elevation in Organ-Tissue Sleeping Metabolic Rate in Very Fit Runners?. <i>Nutrients</i> , 2016, 8, 196.   | 1.7 | 6         |
| 24291 | Agreement analysis between critical power and intensity corresponding to 50% in cycling exercise. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2016, 18, 197.   | 0.5 | 3         |
| 24293 | Comparison of Anterior Chamber Depth and Central Corneal Thickness Measured Using Different Devices. <i>Journal of Korean Ophthalmological Society</i> , 2016, 57, 1570.  | 0.0 | 2         |
| 24294 | Validity of a food frequency questionnaire to assess food intake in Mexican adolescent and adult population. <i>Salud Publica De Mexico</i> , 2016, 58, 617.  | 0.1 | 73        |
| 24295 | Transcutaneous Pco <sub>2</sub> Monitoring in Newborn Infants During General Anesthesia Is Technically Feasible. <i>Anesthesia and Analgesia</i> , 2016, 123, 1004-1007.  | 1.1 | 12        |
| 24296 | Implementation and Operational Research. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 71, e9-e15.  | 0.9 | 23        |
| 24297 | Comparison of Formulas for Calculating Low-density Lipoprotein Cholesterol in General Population and High-risk Patients with Cardiovascular Disease. <i>Korean Circulation Journal</i> , 2016, 46, 688.   | 0.7 | 21        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24298 | Tibial plateau levelling osteotomy in eleven cats with cranial cruciate ligament rupture. <i>Veterinary and Comparative Orthopaedics and Traumatology</i> , 2016, 29, 528-535.  | 0.2 | 11        |
| 24299 | Estimating fat mass in heart failure patients. <i>Archives of Medical Sciences Atherosclerotic Diseases</i> , 2016, 1, 78-89.   | 0.5 | 1         |
| 24300 | The Impact of Iterative Reconstruction in Low-Dose Computed Tomography on the Evaluation of Diffuse Interstitial Lung Disease. <i>Korean Journal of Radiology</i> , 2016, 17, 950.  | 1.5 | 19        |
| 24301 | Assessment of inter-rater variability of the Senior Fitness Test in the geriatric population: A community based study. <i>International Journal of Biomedical and Advance Research</i> , 2016, 7, 208.                                    | 0.1 | 12        |
| 24302 | Relaci3n y correspondencia entre diversos indicadores de repercusi3n en una muestra de art3culos de excelencia. <i>Anales De Documentaci3n</i> , 2016, 19, .  | 0.2 | 0         |
| 24303 | A Qualitative and Quantitative Assessment of Fundus Autofluorescence Patterns in Patients With Choroideremia. , 2016, 57, 4498.   |     | 62        |
| 24304 | Bat swing mechanical analysis with an inertial measurement unit: reliability and implications for athlete monitoring. <i>Journal of Trainology</i> , 2016, 5, 43-45.  | 1.2 | 8         |
| 24305 | The modified Thomas test is not a valid measure of hip extension unless pelvic tilt is controlled. <i>PeerJ</i> , 2016, 4, e2325.   | 0.9 | 44        |
| 24306 | Heterochromatic Flicker Photometry for Objective Lens Density Quantification. , 2016, 57, 1063.   |     | 24        |
| 24307 | Variability in baseline laboratory measurements of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Brazilian Journal of Medical and Biological Research</i> , 2016, 49, e5381.   | 0.7 | 10        |
| 24308 | Agreement assessment between hemoglobin and hematocrit to detect anemia prevalence in children less than 5 years old. <i>Cadernos Saude Coletiva</i> , 2016, 24, 118-123.   | 0.2 | 8         |
| 24309 | Pulmonary adenocarcinomas presenting as ground-glass opacities on multidetector CT: three-dimensional computer-assisted analysis of growth pattern and doubling time. <i>Diagnostic and Interventional Radiology</i> , 2016, 22, 525-533. | 0.7 | 21        |
| 24310 | Preliminary stages of cross-cultural adaptation of the Brazilian Portuguese version of McMaster Family Assessment Device. <i>Jornal Brasileiro De Psiquiatria</i> , 2016, 65, 201-208.  | 0.2 | 1         |
| 24311 | Índice de massa corp3rea e per3metro da cintura s3o bons indicadores para classifica3o do estado nutricional de crian3as. <i>Ciencia E Saude Coletiva</i> , 2016, 21, 1175-1180.  | 0.1 | 8         |
| 24312 | An Evaluation of the Pea Pod System for Assessing Body Composition of Moderately Premature Infants. <i>Nutrients</i> , 2016, 8, 238.  | 1.7 | 20        |
| 24313 | Performance of dried blood spot (DBS) PUNCHER and dried blood spots to measure HIV-1 viral load. <i>African Journal of Microbiology Research</i> , 2016, 10, 1439-1443.   | 0.4 | 0         |
| 24314 | Current status and potential of morphometric sperm analysis. <i>Asian Journal of Andrology</i> , 2016, 18, 863-870.   | 0.8 | 22        |
| 24315 | Change of Reliability for Distal Metatarsal Articular Angle Measurement before and after Proximal Chevron Osteotomy. <i>Journal of Korean Foot and Ankle Society</i> , 2016, 20, 145.   | 0.0 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24316 | Lookup Tables Versus Stacked Rasch Analysis in Comparing Pre- and Postintervention Adult Strabismus-20 Data. <i>Translational Vision Science and Technology</i> , 2016, 5, 11.  | 1.1 | 9         |
| 24317 | Valida  o de um sistema de topografia para avalia  o da coluna vertebral no plano sagital de crian  as em diferentes perfis nutricionais. <i>Fisioterapia E Pesquisa</i> , 2016, 23, 163-171.   | 0.3 | 2         |
| 24318 | Polyp Segmentation on CT Colonography. , 2016, , 451-484.   |     | 1         |
| 24319 | Rhodopsin and Melanopsin Contributions to the Early Redilation Phase of the Post-Illumination Pupil Response (PIPR). <i>PLoS ONE</i> , 2016, 11, e0161175.  | 1.1 | 57        |
| 24320 | Hourly Calculation Method of Air Source Heat Pump Behavior. <i>Buildings</i> , 2016, 6, 16.   | 1.4 | 19        |
| 24321 | Questionnaire Designing Process: A Review. <i>Journal of Clinical Trials</i> , 2016, 06, .  | 0.1 | 2         |
| 24322 | Comparing the Shape of Contrast Sensitivity Functions for Normal and Low Vision. , 2016, 57, 198.   |     | 61        |
| 24323 | LIMIAR ANAER  BIO A PARTIR DA PSE EM EXERC  CIO RESISTIDO POR MODELOS MATEM  TICOS. <i>Revista Brasileira De Medicina Do Esporte</i> , 2016, 22, 113-117.   | 0.1 | 2         |
| 24324 | Prospective Comparison of Liver Stiffness Measurements between Two Point Shear Wave Elastography Methods: Virtual Touch Quantification and Elastography Point Quantification. <i>Korean Journal of Radiology</i> , 2016, 17, 750.                         | 1.5 | 20        |
| 24325 | Comparison between noninvasive measurement of central venous pressure using near infrared spectroscopy with an invasive central venous pressure monitoring in cardiac surgical Intensive Care Unit. <i>Annals of Cardiac Anaesthesia</i> , 2016, 19, 405. | 0.3 | 10        |
| 24326 | Reprodutibilidade do teste de caminhada de 6 minutos e marcadores auton  micos card  acos em idosas ativas e sedent  rias. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2016, 18, 287.  | 0.5 | 0         |
| 24327 | Evaluation of a genomic classifier in radical prostatectomy patients with lymph node metastasis. <i>Research and Reports in Urology</i> , 2016, Volume 8, 77-84.  | 0.6 | 16        |
| 24328 | Dietary quality varies according to data collection instrument: a comparison between a food frequency questionnaire and 24-hour recall. <i>Cadernos De Saude Publica</i> , 2016, 32, e00047215.   | 0.4 | 3         |
| 24329 | Elemental Analysis of Nutrients in Dairy Manure by Automated X-ray Fluorescence Spectrometry. <i>Journal of Environmental Analytical Chemistry</i> , 2016, 03, .  | 0.3 | 3         |
| 24330 | Posterior Eye Shape Measurement With Retinal OCT Compared to MRI. , 2016, 57, OCT196.   |     | 39        |
| 24331 | Translation and cross cultural adaptation of the Pediatric Motor Activity Log-Revised scale. <i>Arquivos De Neuro-Psiquiatria</i> , 2016, 74, 555-560.  | 0.3 | 5         |
| 24332 | Hand-to-Hand Model for Bioelectrical Impedance Analysis to Estimate Fat Free Mass in a Healthy Population. <i>Nutrients</i> , 2016, 8, 654.   | 1.7 | 12        |
| 24333 | OCT Angiography  Based Detection and Quantification of the Neovascular Network in Exudative AMD. , 2016, 57, 6342.  |     | 33        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24334 | Measuring Corneal Haze by Using Scheimpflug Photography and Confocal Microscopy. , 2016, 57, 227.  |     | 51        |
| 24335 | The midpoint between ventilatory thresholds approaches maximal lactate steady state intensity in amateur cyclists. <i>Biology of Sport</i> , 2016, 33, 373-380.  | 1.7 | 6         |
| 24336 | Low-Budget Instrumentation of a Conventional Leg Press to Measure Reliable Isometric-Strength Capacity. <i>Journal of Sport Rehabilitation</i> , 2016, 25, .   | 0.4 | 1         |
| 24337 | Pediatric Canadian Triage and Acuity Scale (PaedsCTAS) as a Measure of Injury Severity. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 659.  | 1.2 | 9         |
| 24338 | Semi-automation of Doppler Spectrum Image Analysis for Grading Aortic Valve Stenosis Severity. <i>Methods of Information in Medicine</i> , 2016, 55, 23-30.  | 0.7 | 0         |
| 24339 | Fast and Robust Real-Time Estimation of Respiratory Rate from Photoplethysmography. <i>Sensors</i> , 2016, 16, 1494.   | 2.1 | 18        |
| 24340 | Three-dimensional modeling and numerical analysis of fractional flow reserve in human coronary arteries. <i>Postepy W Kardiologii Interwencyjnej</i> , 2016, 1, 25-31.   | 0.1 | 6         |
| 24341 | Can handheld POC capillary lactate measurement be used with arterial and venous laboratory testing methods in the identification of sepsis?. <i>Journal of Paramedic Practice: the Clinical Monthly for Emergency Care Professionals</i> , 2016, 8, 396-406. | 0.0 | 2         |
| 24342 | Daily home-based spirometry during withdrawal of inhaled corticosteroid in severe to very severe chronic obstructive pulmonary disease. <i>International Journal of COPD</i> , 2016, Volume 11, 1973-1981.   | 0.9 | 18        |
| 24343 | Evaluating the Effectiveness of an Established Community-Based Eccentric Viewing Rehabilitation Training Model—the Evaluation Study. , 2016, 57, 3640.   |     | 3         |
| 24344 | Breathing and Snoring Sound Characteristics during Sleep in Adults. <i>Journal of Clinical Sleep Medicine</i> , 2016, 12, 375-384.   | 1.4 | 39        |
| 24345 | Effect of Uveal Melanocytes on Choroidal Morphology in Rhesus Macaques and Humans on Enhanced-Depth Imaging Optical Coherence Tomography. , 2016, 57, 5764.  |     | 40        |
| 24346 | Steps towards Smarter Solutions in Optometry and Ophthalmology—Inter-Device Agreement of Subjective Methods to Assess the Refractive Errors of the Eye. <i>Healthcare (Switzerland)</i> , 2016, 4, 41.   | 1.0 | 11        |
| 24347 | Validade das medidas referidas da massa corporal e estatura em universitários. <i>ABCS Health Sciences</i> , 2016, 41, .   | 0.3 | 4         |
| 24348 | Evaluation of an In Vitro Cell Culture Assay for the Potency Assessment of Recombinant Human Erythropoietin. <i>ATLA Alternatives To Laboratory Animals</i> , 2016, 44, 113-120.   | 0.7 | 1         |
| 24349 | Ad hoc procedure for optimising agreement between observational records. <i>Anales De Psicologia</i> , 2016, 32, 589.  | 0.3 | 35        |
| 24350 | Asymmetric Inter-Eye Progression in Stargardt Disease. , 2016, 57, 6824.   |     | 17        |
| 24351 | Comparison of Gated and Ungated Black-Blood Fast Spin-echo MRI of Carotid Vessel Wall at 3T. <i>Magnetic Resonance in Medical Sciences</i> , 2016, 15, 266-272.  | 1.1 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24352 | Validation of 2 Submaximal Cardiorespiratory Fitness Tests in Patients With Breast Cancer Undergoing Chemotherapy. <i>Rehabilitation Oncology</i> , 2016, 34, 137-143.   | 0.2 | 8         |
| 24353 | Test-retest reliability of the Welfare Quality <sup>®</sup> animal welfare assessment protocol for growing pigs. <i>Animal Welfare</i> , 2016, 25, 447-459.  | 0.3 | 31        |
| 24354 | Comparison of Bioreactance Non-Invasive Cardiac Output Measurements with Cardiac Magnetic Resonance Imaging. <i>Anaesthesia and Intensive Care</i> , 2016, 44, 769-776.  | 0.2 | 9         |
| 24355 | Reference Equation for Six Minute Walk Test in Healthy Western India Population. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2016, 10, CC01-4.   | 0.8 | 8         |
| 24356 | Relationship between percentage of mean arterial pressure at the ankle and mortality in participants with normal ankle-brachial index: an observational study. <i>BMJ Open</i> , 2016, 6, e010540.   | 0.8 | 8         |
| 24357 | A Comparison of the Performance of Different Age-Based Paediatric Weight Estimation Formulae in Hong Kong Children. <i>Hong Kong Journal of Emergency Medicine</i> , 2016, 23, 3-12.   | 0.4 | 1         |
| 24358 | Gravity Does Not Affect Accommodative Amplitude. , 2016, 57, 4570.   |     | 3         |
| 24359 | Manganese and Lipoflavonoid Plus <sup>®</sup> to Treat Tinnitus: A Randomized Controlled Trial. <i>Journal of the American Academy of Audiology</i> , 2016, 27, 661-668.   | 0.4 | 7         |
| 24360 | Comparison of PulsioFlex <sup>®</sup> Uncalibrated Pulse Contour Method and a Modified Fick Principle with Transpulmonary Thermodilution Measurements in Critically Ill Patients. <i>Anaesthesia and Intensive Care</i> , 2016, 44, 484-490.                                 | 0.2 | 4         |
| 24361 | Point-of-Care Testing for Anaemia in Children Using Portable Haematocrit Meter: A Pilot Study from Southwest Nigeria and Implications for Developing Countries. <i>Ethiopian Journal of Health Sciences</i> , 2016, 26, 251.   | 0.2 | 11        |
| 24362 | Comparison between a New Optical Biometry Device and an Anterior Segment Optical Coherence Tomographer for Measuring Central Corneal Thickness and Anterior Chamber Depth. <i>Journal of Ophthalmology</i> , 2016, 2016, 1-5.  | 0.6 | 3         |
| 24363 | Comparison of the Multiattribute Utility Instruments EQ-5D and SF-6D in a Europe-Wide Population-Based Cohort of Patients with Inflammatory Bowel Disease 10 Years after Diagnosis. <i>Gastroenterology Research and Practice</i> , 2016, 2016, 1-9.                         | 0.7 | 7         |
| 24364 | The Accuracy of Broselow Tape Weight Estimate among Pediatric Population. <i>BioMed Research International</i> , 2016, 2016, 1-8.  | 0.9 | 14        |
| 24365 | The Influence of Humidity on Assessing Irritation Threshold of Ammonia. <i>BioMed Research International</i> , 2016, 2016, 1-7.  | 0.9 | 3         |
| 24366 | Analytical Performances of Human Immunodeficiency Virus Type 1 RNA-Based Amplix <sup>®</sup> Real-Time PCR Platform for HIV-1 RNA Quantification. <i>AIDS Research and Treatment</i> , 2016, 2016, 1-12.   | 0.3 | 3         |
| 24367 | Man versus Machine: Software Training for Surgeons—An Objective Evaluation of Human and Computer-Based Training Tools for Cataract Surgical Performance. <i>Journal of Ophthalmology</i> , 2016, 2016, 1-7.  | 0.6 | 6         |
| 24368 | Morphometric Optic Nerve Head Analysis in Glaucoma Patients: A Comparison between the Simultaneous Nonmydriatic Stereoscopic Fundus Camera (Kowa Nonmyd WX3D) and the Heidelberg Scanning Laser Ophthalmoscope (HRT III). <i>Journal of Ophthalmology</i> , 2016, 2016, 1-6. | 0.6 | 0         |
| 24369 | Reliability and minimal detectable change of three functional tests: forward-lunge, step-up-over and sit-to-stand. <i>Journal of Physical Therapy Science</i> , 2016, 28, 3384-3389.   | 0.2 | 11        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24370 | Association between Body Mass Index, Waist-to-Height Ratio and Adiposity in Children: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2016, 8, 512.  | 1.7 | 84        |
| 24371 | The imaging assessment and specific endograft design for the endovascular repair of ascending aortic dissection. <i>Clinical Interventions in Aging</i> , 2016, Volume 11, 933-940.  | 1.3 | 3         |
| 24372 | Validation of microbiological methods for food. , 2016, , 267-294.   |     | 3         |
| 24373 | Measurement of Circulating 1,25-Dihydroxyvitamin D: Comparison of an Automated Method with a Liquid Chromatography Tandem Mass Spectrometry Method. <i>International Journal of Analytical Chemistry</i> , 2016, 2016, 1-6.          | 0.4 | 15        |
| 24374 | Is heart rate variability a feasible method to determine anaerobic threshold in progressive resistance exercise in coronary artery disease?. <i>Brazilian Journal of Physical Therapy</i> , 2016, 20, 289-297.                       | 1.1 | 8         |
| 24375 | Comparison of pre-processing methods for multiplex bead-based immunoassays. <i>BMC Genomics</i> , 2016, 17, 601.   | 1.2 | 13        |
| 24376 | Comparison between self-reported sleep duration and actigraphy among adolescents: gender differences. <i>Revista Brasileira De Epidemiologia</i> , 2016, 19, 339-347.  | 0.3 | 26        |
| 24377 | Adaptación y optimización de un método de lectura por fluorometría en el modelo farmacológico in vitro de cultivo de <i>Plasmodium falciparum</i> . <i>Revista Colombiana De Ciencias Químico Farmacéuticas</i> , 2016, 45, 127-146. | 0.3 | 3         |
| 24378 | Longitudinal Changes in Optic Nerve Head Blood Flow in Normal Rats Evaluated by Laser Speckle Flowgraphy. , 2016, 57, 5568.  |     | 13        |
| 24379 | Assessment of ischemia in acute central retinal vein occlusion from inner retinal reflectivity on spectral domain optical coherence tomography. <i>Clinical Ophthalmology</i> , 2017, Volume 11, 71-79.                              | 0.9 | 16        |
| 24380 | The Reproducibility and Relative Validity of a Mexican Diet Quality Index (ICDMx) for the Assessment of the Habitual Diet of Adults. <i>Nutrients</i> , 2016, 8, 516.  | 1.7 | 15        |
| 24381 | First Principles of Instrument Calibration. <i>NIR News</i> , 2016, 27, 12-15.   | 1.6 | 5         |
| 24382 | Unobtrusive Estimation of Cardiac Contractility and Stroke Volume Changes Using Ballistocardiogram Measurements on a High Bandwidth Force Plate. <i>Sensors</i> , 2016, 16, 787.   | 2.1 | 34        |
| 24383 | Influencing Factors on the Overestimation of Self-Reported Physical Activity: A Cross-Sectional Analysis of Low Back Pain Patients and Healthy Controls. <i>BioMed Research International</i> , 2016, 2016, 1-11.                    | 0.9 | 66        |
| 24384 | Interrater Reliability of Four Sensory Measures in People with Multiple Sclerosis. <i>International Journal of MS Care</i> , 2016, 18, 86-95.  | 0.4 | 7         |
| 24385 | Manual-Protocol Inspired Technique for Improving Automated MR Image Segmentation during Label Fusion. <i>Frontiers in Neuroscience</i> , 2016, 10, 325.  | 1.4 | 13        |
| 24386 | Individual Differences in the Post-Illumination Pupil Response to Blue Light: Assessment without Mydriatics. <i>Biology</i> , 2016, 5, 34.   | 1.3 | 9         |
| 24387 | Interobserver and Intraobserver Reproducibility with Volume Dynamic Contrast Enhanced Computed Tomography (DCE-CT) in Gastroesophageal Junction Cancer. <i>Diagnostics</i> , 2016, 6, 8.   | 1.3 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24388 | Effects of Scale, Question Location, Order of Response Alternatives, and Season on Self-Reported Noise Annoyance Using IC BEN Scales: A Field Experiment. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 1163.                                       | 1.2 | 42        |
| 24389 | A Mobile Phone Based Method to Assess Energy and Food Intake in Young Children: A Validation Study against the Doubly Labelled Water Method and 24 h Dietary Recalls. <i>Nutrients</i> , 2016, 8, 50.  | 1.7 | 33        |
| 24390 | Validity of Bioelectrical Impedance Analysis to Estimation Fat-Free Mass in the Army Cadets. <i>Nutrients</i> , 2016, 8, 121.  | 1.7 | 27        |
| 24391 | Comparison of INTAKE24 (an Online 24-h Dietary Recall Tool) with Interviewer-Led 24-h Recall in 11-24 Year-Old. <i>Nutrients</i> , 2016, 8, 358.   | 1.7 | 73        |
| 24392 | The Tanita SC-240 to Assess Body Composition in Pre-School Children: An Evaluation against the Three Component Model. <i>Nutrients</i> , 2016, 8, 371.   | 1.7 | 13        |
| 24393 | A Diet Score Assessing Norwegian Adolescents' Adherence to Dietary Recommendations: Development and Test-Retest Reproducibility of the Score. <i>Nutrients</i> , 2016, 8, 467.   | 1.7 | 32        |
| 24394 | Development and Validation of a Mediterranean Oriented Culture-Specific Semi-Quantitative Food Frequency Questionnaire. <i>Nutrients</i> , 2016, 8, 522.   | 1.7 | 29        |
| 24395 | Predictive Validity of the Body Adiposity Index in Overweight and Obese Adults Using Dual-Energy X-ray Absorptiometry. <i>Nutrients</i> , 2016, 8, 737.  | 1.7 | 17        |
| 24396 | RheoStim: Development of an Adaptive Multi-Sensor to Prevent Venous Stasis. <i>Sensors</i> , 2016, 16, 428.  | 2.1 | 3         |
| 24397 | A Smartphone Application for Personal Assessments of Body Composition and Phenotyping. <i>Sensors</i> , 2016, 16, 2163.  | 2.1 | 21        |
| 24398 | Reliability and Validity of the Early Years Physical Activity Questionnaire (EY-PAQ). <i>Sports</i> , 2016, 4, 30.   | 0.7 | 23        |
| 24399 | Intra- and inter-rater reliability of isometric shoulder extensor and internal rotator strength measurements performed using a hand-held dynamometer. <i>Journal of Physical Therapy Science</i> , 2016, 28, 3054-3059.  | 0.2 | 22        |
| 24400 | Investigating the accuracy of parentally reported weights and lengths at 12 months of age as compared to measured weights and lengths in a longitudinal childhood genome study. <i>BMJ Open</i> , 2016, 6, e011653.  | 0.8 | 12        |
| 24401 | A more accurate method acquirement by a comparison of the prediction equations for estimating glomerular filtration rate in Chinese patients with obstructive nephropathy. <i>BMC Nephrology</i> , 2016, 17, 150.  | 0.8 | 6         |
| 24402 | The Shoulder Function Index (SFInX): evaluation of its measurement properties in people recovering from a proximal humeral fracture. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 295.   | 0.8 | 16        |
| 24403 | Convergent validity of the interRAI-HC for societal costs estimates in comparison with the RUD Lite instrument in community dwelling older adults. <i>BMC Health Services Research</i> , 2016, 16, 440.  | 0.9 | 14        |
| 24404 | The effects of extracellular contrast agent (Gadobutrol) on the precision and reproducibility of cardiovascular magnetic resonance feature tracking. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 30.   | 1.6 | 22        |
| 24405 | Vicious circle between progressive right ventricular dilatation and pulmonary regurgitation in patients after tetralogy of Fallot repair? Right heart enlargement promotes flow reversal in the left pulmonary artery. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 34. | 1.6 | 14        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24406 | Validity and Reliability of A-Mode Ultrasound for Body Composition Assessment of NCAA Division I Athletes. PLoS ONE, 2016, 11, e0153146.   | 1.1 | 42        |
| 24407 | Reliability of the Radiographic Sagittal and Frontal Tibiotalar Alignment after Ankle Arthrodesis. PLoS ONE, 2016, 11, e0154224.   | 1.1 | 14        |
| 24408 | The test-retest reliability of four functional mobility tests in apparently healthy adults. Isokinetics and Exercise Science, 2016, 24, 171-179.   | 0.2 | 13        |
| 24409 | Reliability and validity of the running anaerobic sprint test (RAST) in soccer players. Journal of Trainology, 2016, 5, 24-29.   | 1.2 | 11        |
| 24410 | Intra-Rater, Inter-Rater and Test-Retest Reliability of an Instrumented Timed Up and Go (iTUG) Test in Patients with Parkinson's Disease. PLoS ONE, 2016, 11, e0151881.  | 1.1 | 72        |
| 24411 | Diagnostic Accuracy of the HemoCue Hb 301, STAT-Site MHgb and URIT-12 Point-of-Care Hemoglobin Meters in a Central Laboratory and a Community Based Clinic in Durban, South Africa. PLoS ONE, 2016, 11, e0152184.                    | 1.1 | 25        |
| 24412 | Weight Estimation Tool for Children Aged 6 to 59 Months in Limited-Resource Settings. PLoS ONE, 2016, 11, e0159260.  | 1.1 | 15        |
| 24413 | Automated Retinal Layer Segmentation Using Spectral Domain Optical Coherence Tomography: Evaluation of Inter-Session Repeatability and Agreement between Devices. PLoS ONE, 2016, 11, e0162001.                                      | 1.1 | 49        |
| 24414 | Robustness of Automated Methods for Brain Volume Measurements across Different MRI Field Strengths. PLoS ONE, 2016, 11, e0165719.  | 1.1 | 83        |
| 24415 | How Accurate Is the Prediction of Maximal Oxygen Uptake with Treadmill Testing?. PLoS ONE, 2016, 11, e0166608.   | 1.1 | 9         |
| 24416 | Pharmacokinetic Study of Praziquantel Enantiomers and Its Main Metabolite R-trans-4-OH-PZQ in Plasma, Blood and Dried Blood Spots in Opisthorchis viverrini-Infected Patients. PLoS Neglected Tropical Diseases, 2016, 10, e0004700. | 1.3 | 17        |
| 24417 | Reproducibility of Brain Morphometry from Short-Term Repeat Clinical MRI Examinations: A Retrospective Study. PLoS ONE, 2016, 11, e0146913.  | 1.1 | 12        |
| 24418 | Precision (Repeatability and Reproducibility) and Agreement of Corneal Power Measurements Obtained by Topcon KR-1W and iTrace. PLoS ONE, 2016, 11, e0147086.   | 1.1 | 13        |
| 24419 | Individual Differences in Scotopic Visual Acuity and Contrast Sensitivity: Genetic and Non-Genetic Influences. PLoS ONE, 2016, 11, e0148192.   | 1.1 | 17        |
| 24420 | A New Equation to Estimate Muscle Mass from Creatinine and Cystatin C. PLoS ONE, 2016, 11, e0148495.   | 1.1 | 65        |
| 24421 | Changes in the miRNA-mRNA Regulatory Network Precede Motor Symptoms in a Mouse Model of Multiple System Atrophy: Clinical Implications. PLoS ONE, 2016, 11, e0150705.  | 1.1 | 26        |
| 24422 | Assessing the Quality of Care for Pneumonia in Integrated Community Case Management: A Cross-Sectional Mixed Methods Study. PLoS ONE, 2016, 11, e0152204.  | 1.1 | 18        |
| 24423 | Inter- and Intra-Observer Repeatability of Quantitative Whole-Body, Diffusion-Weighted Imaging (WBDWI) in Metastatic Bone Disease. PLoS ONE, 2016, 11, e0153840.   | 1.1 | 40        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24424 | Removing Batch Effects from Longitudinal Gene Expression - Quantile Normalization Plus ComBat as Best Approach for Microarray Transcriptome Data. PLoS ONE, 2016, 11, e0156594.            | 1.1 | 101       |
| 24425 | Knee Kinematics Estimation Using Multi-Body Optimisation Embedding a Knee Joint Stiffness Matrix: A Feasibility Study. PLoS ONE, 2016, 11, e0157010.                                       | 1.1 | 21        |
| 24426 | Evaluation of the FACSPresto, a New Point of Care Device for the Enumeration of CD4% and Absolute CD4+ T Cell Counts in HIV Infection. PLoS ONE, 2016, 11, e0157546.                       | 1.1 | 12        |
| 24427 | Comparison of Standing Posture Bioelectrical Impedance Analysis with DXA for Body Composition in a Large, Healthy Chinese Population. PLoS ONE, 2016, 11, e0160105.                        | 1.1 | 25        |
| 24428 | Validation of the SQUASH Physical Activity Questionnaire in a Multi-Ethnic Population: The HELIUS Study. PLoS ONE, 2016, 11, e0161066.   | 1.1 | 37        |
| 24429 | Visual Field Testing with Head-Mounted Perimeter $\hat{\epsilon}$ ™. PLoS ONE, 2016, 11, e0161974.   | 1.1 | 63        |
| 24430 | Urodynamic Investigation: A Valid Tool to Define Normal Lower Urinary Tract Function?. PLoS ONE, 2016, 11, e0163847.   | 1.1 | 29        |
| 24431 | Performance Evaluation of the MyT4 Technology for Determining ART Eligibility. PLoS ONE, 2016, 11, e0165163.   | 1.1 | 0         |
| 24432 | Dry Blood Spots a Reliable Method for Measurement of Hepatitis B Viral Load in Resource-Limited Settings. PLoS ONE, 2016, 11, e0166201.  | 1.1 | 23        |
| 24433 | Diagnostic Accuracy Study of an Oscillometric Ankle-Brachial Index in Peripheral Arterial Disease: The Influence of Oscillometric Errors and Calcified Legs. PLoS ONE, 2016, 11, e0167408. | 1.1 | 34        |
| 24434 | Uremic Solutes in Chronic Kidney Disease and Their Role in Progression. PLoS ONE, 2016, 11, e0168117.  | 1.1 | 20        |
| 24435 | Reliability of the endurance test for the erector spinae muscle. Fisioterapia Em Movimento, 2016, 29, 369-375.   | 0.4 | 7         |
| 24436 | Validity and Reproducibility of a Dietary Questionnaire for Consumption Frequencies of Foods during Pregnancy in the Born in Guangzhou Cohort Study (BIGCS). Nutrients, 2016, 8, 454.      | 1.7 | 14        |
| 24437 | Severe Obesity Shifts Metabolic Thresholds but Does Not Attenuate Aerobic Training Adaptations in Zucker Rats. Frontiers in Physiology, 2016, 7, 122.                                      | 1.3 | 10        |
| 24438 | Heart Rate and Respiratory Rate Influence on Heart Rate Variability Repeatability: Effects of the Correction for the Prevailing Heart Rate. Frontiers in Physiology, 2016, 7, 356.         | 1.3 | 71        |
| 24439 | Systematic Characterization of Dynamic Parameters of Intracellular Calcium Signals. Frontiers in Physiology, 2016, 7, 525.   | 1.3 | 16        |
| 24440 | Methodology for High-Throughput Field Phenotyping of Canopy Temperature Using Airborne Thermography. Frontiers in Plant Science, 2016, 7, 1808.  | 1.7 | 118       |
| 24441 | Type of Speech Material Affects Acceptable Noise Level Test Outcome. Frontiers in Psychology, 2016, 7, 186.  | 1.1 | 8         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24442 | The Agreement between Parent-Reported and Directly Measured Child Language and Parenting Behaviors. <i>Frontiers in Psychology</i> , 2016, 7, 1710.   | 1.1 | 64        |
| 24443 | Comparison of different methods for measurement of electrolytes in patients admitted to the intensive care unit. <i>Journal of King Abdulaziz University, Islamic Economics</i> , 2016, 37, 262-267.  | 0.5 | 10        |
| 24445 | Diffusion Weighted Imaging for Differentiating Benign from Malignant Orbital Tumors: Diagnostic Performance of the Apparent Diffusion Coefficient Based on Region of Interest Selection Method. <i>Korean Journal of Radiology</i> , 2016, 17, 650.   | 1.5 | 21        |
| 24446 | Accuracy of the Yamax CW-701 Pedometer for measuring steps in controlled and free-living conditions. <i>Digital Health</i> , 2016, 2, 205520761665252.  | 0.9 | 13        |
| 24447 | Magnetic Resonance Imaging of the Cervical Spine Under-Represents Sagittal Plane Deformity in Degenerative Myelopathy Patients. <i>International Journal of Spine Surgery</i> , 2016, 10, 32.   | 0.7 | 4         |
| 24448 | Quantitative Measurements of Fingernail Cortisol: Effects of Ground-fingernail Grain Size and Extraction Time. <i>Japanese Journal of Physiological Psychology and Psychophysiology</i> , 2016, 34, 245-249.  | 0.0 | 5         |
| 24449 | Cytotoxicity evaluation of <i>Clinacanthus nutans</i> through dimethylthiazol diphenyltetrazolium bromide and neutral red uptake assays. <i>European Journal of Dentistry</i> , 2016, 10, 134-138.  | 0.8 | 8         |
| 24450 | Perception of Thromboembolism Risk: Differences between the Departments of Internal Medicine and Emergency Medicine. <i>Keio Journal of Medicine</i> , 2016, 65, 39-43.   | 0.5 | 1         |
| 24451 | Comparison of Kinemyography and Electromyography during Spontaneous Recovery from Non-Depolarising Neuromuscular Blockade. <i>Anaesthesia and Intensive Care</i> , 2016, 44, 745-751.   | 0.2 | 8         |
| 24452 | Measuring Unfinished Nursing Care. <i>Journal of Nursing Care Quality</i> , 2016, 31, 90-97.  | 0.5 | 16        |
| 24453 | Accuracy of Pulse Oximeters Intended for Hypoxemic Pediatric Patients. <i>Pediatric Critical Care Medicine</i> , 2016, 17, 315-320.   | 0.2 | 26        |
| 24454 | Extended Reference Values for the Muscle Power Sprint Test in 6- to 18-Year-Old Children. <i>Pediatric Physical Therapy</i> , 2016, 28, 78-84.  | 0.3 | 11        |
| 24455 | Intraobserver and Interobserver Agreement in the Evaluation of Tumor Vascularization With Computed Tomography Perfusion in Cirrhotic Patients With Hepatocellular Carcinoma. <i>Journal of Computer Assisted Tomography</i> , 2016, 40, 152-159.      | 0.5 | 8         |
| 24456 | Minimizing the Acquisition Time for Intravoxel Incoherent Motion Magnetic Resonance Imaging Acquisitions in the Liver and Pancreas. <i>Investigative Radiology</i> , 2016, 51, 211-220.   | 3.5 | 37        |
| 24457 | Can Sarcopenia Quantified by Ultrasound of the Rectus Femoris Muscle Predict Adverse Outcome of Surgical Intensive Care Unit Patients as well as Frailty? A Prospective, Observational Cohort Study. <i>Annals of Surgery</i> , 2016, 264, 1116-1124. | 2.1 | 156       |
| 24458 | Non-invasive continuous arterial pressure and pulse pressure variation measured with Nexfin <sup>®</sup> in patients following major upper abdominal surgery: a comparative study. <i>Anaesthesia</i> , 2016, 71, 788-797.                            | 1.8 | 27        |
| 24459 | Evaluation of Four Veterinary Hematology Analyzers for Bovine and Ovine Blood Counts for In Vitro Testing of Medical Devices. <i>Artificial Organs</i> , 2016, 40, 1054-1061.   | 1.0 | 3         |
| 24460 | Performance of trigger tools in identifying adverse drug events in emergency department patients: a validation study. <i>British Journal of Clinical Pharmacology</i> , 2016, 82, 1048-1057.  | 1.1 | 26        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24461 | Evaluation of a new PTâ€œNR monitoring system in patients with the antiphospholipid syndrome. <i>International Journal of Laboratory Hematology</i> , 2016, 38, 497-504.  | 0.7 | 8         |
| 24462 | Quantifying Progressive Anterior Overgrowth in the Thoracic Vertebrae of Adolescent Idiopathic Scoliosis Patients. <i>Spine</i> , 2016, 41, E382-E387.  | 1.0 | 18        |
| 24463 | Comparison Between Doppler-Echocardiography and Uncalibrated Pulse Contour Method for Cardiac Output Measurement: A Multicenter Observational Study*. <i>Critical Care Medicine</i> , 2016, 44, 1370-1379.                                      | 0.4 | 41        |
| 24464 | Reply to. <i>European Journal of Anaesthesiology</i> , 2016, 33, 141-143.   | 0.7 | 0         |
| 24465 | Evaluation of Limited Sampling Methods for Oral Busulfan Pharmacokinetic Monitoring in Adult Patients Undergoing Hematopoietic Stem Cell Transplantation. <i>Therapeutic Drug Monitoring</i> , 2016, 38, 414-418.                               | 1.0 | 4         |
| 24466 | Prediction of Fat-Free Mass in Kidney Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2016, 38, 439-446.  | 1.0 | 3         |
| 24467 | Prospective Comparative Analysis of 4 Different Intraocular Pressure Measurement Techniques and Their Effects on Pressure Readings. <i>Journal of Glaucoma</i> , 2016, 25, e897-e904.   | 0.8 | 6         |
| 24468 | Normative data for AÎ contact heat evoked potentials in adult population. <i>Pain</i> , 2016, 157, 1156-1163.   | 2.0 | 56        |
| 24469 | Repeatability of Choroidal Thickness Measurements on Enhanced Depth Imaging Optical Coherence Tomography Using Different Posterior Boundaries. <i>American Journal of Ophthalmology</i> , 2016, 169, 104-112.                                   | 1.7 | 43        |
| 24470 | Lung Clearance Index in Adults and Children With Cystic Fibrosis. <i>Chest</i> , 2016, 150, 1323-1332.  | 0.4 | 38        |
| 24471 | Comparison of blood pressure measurements on the bare arm, over a sleeve and over a rolled-up sleeve in the elderly. <i>Family Practice</i> , 2016, 33, 517-522.  | 0.8 | 8         |
| 24472 | Correction for photobleaching in dynamic fluorescence microscopy: application in the assessment of pharmacokinetic parameters in ultrasound-mediated drug delivery. <i>Physics in Medicine and Biology</i> , 2016, 61, 588-600.                 | 1.6 | 3         |
| 24473 | Assessment of Glioma Response to Radiotherapy Using Multiple MRI Biomarkers with Manual and Semiautomated Segmentation Algorithms. <i>Journal of Neuroimaging</i> , 2016, 26, 626-634.  | 1.0 | 10        |
| 24474 | A holistic approach to age estimation in refugee children. <i>Journal of Paediatrics and Child Health</i> , 2016, 52, 614-620.  | 0.4 | 4         |
| 24475 | Comparison of a singleâ€œchannel <sc>EEG</sc> sleep study to polysomnography. <i>Journal of Sleep Research</i> , 2016, 25, 625-635.   | 1.7 | 104       |
| 24476 | A Comparison of Photoplethysmography Versus Esophageal Doppler for the Assessment of Cardiac Index During Major Noncardiac Surgery. <i>Anesthesia and Analgesia</i> , 2016, 122, 430-436.   | 1.1 | 6         |
| 24477 | The CNAPâ„¢ Finger Cuff for Noninvasive Beat-To-Beat Monitoring of Arterial Blood Pressure: An Evaluation in Intensive Care Unit Patients and a Comparison with 2 Intermittent Devices. <i>Anesthesia and Analgesia</i> , 2016, 123, 1126-1135. | 1.1 | 26        |
| 24478 | Reliability of the Determination of the Ventilatory Threshold in Patients with COPD. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 210-218.  | 0.2 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24479 | Comparison of V̇ <sub>o2peak</sub> Performance on a Motorized vs. a Nonmotorized Treadmill. <i>Journal of Strength and Conditioning Research</i> , 2016, 30, 1898-1905.   | 1.0 | 9         |
| 24480 | Accuracy of PARTwear Inertial Sensor and Optojump Optical Measurement System for Measuring Ground Contact Time During Running. <i>Journal of Strength and Conditioning Research</i> , 2016, 30, 2057-2063.                                      | 1.0 | 26        |
| 24481 | Bony defects in chronic anterior posttraumatic dislocation of the shoulder: Is there a correlation between humeral and glenoidal lesions?. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2016, 26, 581-586.                 | 0.6 | 2         |
| 24482 | Twenty-four-hour urinary sodium and potassium excretion and associated factors in Japanese secondary school students. <i>Hypertension Research</i> , 2016, 39, 524-529.   | 1.5 | 19        |
| 24483 | Sonoembryology of the fetal posterior fossa at 11â€‰%+â€‰%3 to 13â€‰%+â€‰%6 gestational weeks on three-dimensional transvaginal ultrasound. <i>Prenatal Diagnosis</i> , 2016, 36, 731-737.  | 1.1 | 14        |
| 24484 | Detection of the growthâ€restricted fetus: which centile charts?. <i>Sonography</i> , 2016, 3, 81-86.   | 0.4 | 1         |
| 24485 | Scientific basis for standardization of fetal head measurements by ultrasound: a reproducibility study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 48, 80-85.   | 0.9 | 31        |
| 24486 | Measuring the quality of motivational interviewing in primary health care encounters: The development and validation of the motivational interviewing assessment scale (MIAS). <i>European Journal of General Practice</i> , 2016, 22, 182-188. | 0.9 | 10        |
| 24487 | Zero-heat flux thermometry. <i>European Journal of Anaesthesiology</i> , 2016, 33, 140-141.   | 0.7 | 5         |
| 24488 | Comparison of Corneal Diameter and Anterior Chamber Depth Measurements Using 4 Different Devices. <i>Cornea</i> , 2016, 35, 838-842.  | 0.9 | 26        |
| 24489 | Bimanual dexterity assessment. <i>International Journal of Rehabilitation Research</i> , 2016, 39, 57-62.   | 0.7 | 13        |
| 24490 | Rigid Gas Permeable Contact Lens Fitting Using New Software in Keratoconic Eyes. <i>Optometry and Vision Science</i> , 2016, 93, 286-292.   | 0.6 | 11        |
| 24491 | Does Instruction to Eliminate Coffee, Tea, Alcohol, Carbonated, and Artificially Sweetened Beverages Improve Lower Urinary Tract Symptoms?. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2016, 43, 69-79.                           | 0.6 | 23        |
| 24492 | Validity and reliability of a pictorial instrument for assessing perceived motor competence in Portuguese children. <i>Child: Care, Health and Development</i> , 2016, 42, 666-674.   | 0.8 | 29        |
| 24493 | Diagnostic Accuracy of Aortic Root Cross-sectional Area/Height Ratio in Children and Young Adults with Marfan and Loays-Dietz Syndrome. <i>Congenital Heart Disease</i> , 2016, 11, 276-282.  | 0.0 | 7         |
| 24494 | Continuous Noninvasive Hemoglobin Monitoring. <i>Anesthesia and Analgesia</i> , 2016, 122, 565-572.   | 1.1 | 57        |
| 24495 | The Accuracy of Temperature Measurements Provided by the Edwards Lifesciences Pulmonary Artery Catheter. <i>Anesthesia and Analgesia</i> , 2016, 122, 1480-1483.  | 1.1 | 6         |
| 24496 | Sedentary Sphere. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 748-754.   | 0.2 | 55        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24497 | Test-Retest Reliability and Validity of the Malay Version Life Habits Assessment (LIFE-H 3.1) to Measure Social Participation in Adults With Physical Disabilities. <i>Journal of Geriatric Physical Therapy</i> , 2016, 39, 132-139. | 0.6 | 5         |
| 24498 | Validity of a Wearable Accelerometer Device to Measure Average Acceleration Values During High-Speed Running. <i>Journal of Strength and Conditioning Research</i> , 2016, 30, 3007-3013.   | 1.0 | 21        |
| 24499 | Evaluation of a rheumatology patient prioritization triage system. <i>Journal of the American Association of Nurse Practitioners</i> , 2016, 28, 541-545.   | 0.5 | 1         |
| 24500 | Bridging the gap. <i>Journal of Trauma and Acute Care Surgery</i> , 2016, 81, S157-S161.  | 1.1 | 5         |
| 24501 | Validation of an audio computer-assisted self-interview (ACASI) version of the alcohol, smoking and substance involvement screening test (ASSIST) in primary care patients. <i>Addiction</i> , 2016, 111, 233-244.                    | 1.7 | 55        |
| 24502 | A cross-sectional study exploring the different roles of individual and group assessment methods in assessing public health nutrition competence. <i>Journal of Human Nutrition and Dietetics</i> , 2016, 29, 523-528.                | 1.3 | 3         |
| 24503 | Danish translation and validation of the Oslo Sports Trauma Research Centre questionnaires on overuse injuries and health problems. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2016, 26, 1391-1397.              | 1.3 | 28        |
| 24504 | Test-Retest Reliability of Maximal and Submaximal Gas Exchange Variables in Patients With Coronary Artery Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2016, 36, 263-269.                               | 1.2 | 7         |
| 24505 | Changes in Tear Cytokine Concentrations Following Discontinuation of Soft Contact Lenses—A Pilot Study. <i>Eye and Contact Lens</i> , 2016, 42, 237-243.  | 0.8 | 11        |
| 24506 | Characterization of Upper Eyelid Tarsus and Lid Wiper Dimensions. <i>Eye and Contact Lens</i> , 2016, 42, 289-294.  | 0.8 | 13        |
| 24507 | Semiautomated SD-OCT Measurements of Corneal Sublayer Thickness in Normal and Post-SMILE Eyes. <i>Cornea</i> , 2016, 35, 972-979.   | 0.9 | 13        |
| 24508 | Goldmann Applanation Tonometry Versus Dynamic Contour Tonometry After Vitrectomy. <i>Journal of Glaucoma</i> , 2016, 25, 663-668.   | 0.8 | 5         |
| 24509 | A School-Based Injury Prevention Program to Reduce Sport Injury Risk and Improve Healthy Outcomes in Youth. <i>Clinical Journal of Sport Medicine</i> , 2016, 26, 291-298.  | 0.9 | 45        |
| 24510 | Comparison and Validation of 10 Equations Including a Novel Method for Estimation of LDL-cholesterol in a 168,212 Asian Population. <i>Medicine (United States)</i> , 2016, 95, e3230.  | 0.4 | 17        |
| 24511 | Sleep Transcutaneous vs. End-Tidal CO <sub>2</sub> Monitoring for Patients with Neuromuscular Disease. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, 91-95.   | 0.7 | 16        |
| 24512 | Characterization of breast masses as benign or malignant at 3.0T MRI with whole-lesion histogram analysis of the apparent diffusion coefficient. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 43, 894-902.                    | 1.9 | 90        |
| 24513 | Quantifying the impact of underlying measurement error on cervical spinal cord diffusion tensor imaging at 3T. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 1608-1618.  | 1.9 | 11        |
| 24514 | Assessing the Presence and Severity of Constipation with Plain Radiographs in Constipated Palliative Care Patients. <i>Journal of Palliative Medicine</i> , 2016, 19, 617-621.  | 0.6 | 11        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24515 | Development and validation of the knowledge and attitudes regarding antibiotics and resistance (KAAR-11) questionnaire for primary care physicians. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 2972-2979.  | 1.3 | 24        |
| 24516 | Measuring Adaptive Coping of Hospitalized Patients With a Severe Medical Condition: The Sickness Insight in Coping Questionnaire*. <i>Critical Care Medicine</i> , 2016, 44, e818-e826.  | 0.4 | 12        |
| 24517 | Development and Preliminary Validation of the Coma Arousal Communication Scale. <i>Journal of Head Trauma Rehabilitation</i> , 2016, 31, E53-E61.  | 1.0 | 1         |
| 24518 | Detection of tubule boundaries based on circular shortest path and polarâ€”transformation of arbitrary shapes. <i>Journal of Microscopy</i> , 2016, 264, 127-142.  | 0.8 | 24        |
| 24519 | Accuracy of EASI 12â€”lead ECGs in monitoring STâ€”segment and Jâ€”point by nurses in the Coronary Care Units. <i>Journal of Clinical Nursing</i> , 2016, 25, 1282-1291.   | 1.4 | 8         |
| 24520 | Healthâ€”related quality of life in children and adolescents: Current normative data, determinants and reliability on proxyâ€”report. <i>Journal of Paediatrics and Child Health</i> , 2016, 52, 628-631.  | 0.4 | 25        |
| 24521 | Practical and reproducible estimation of myenteric interstitial cells of Cajal in the bowel for diagnostic purposes. <i>Neurogastroenterology and Motility</i> , 2016, 28, 1261-1267.  | 1.6 | 8         |
| 24522 | Assessing ocular bulbar redness: a comparison of methods. <i>Ophthalmic and Physiological Optics</i> , 2016, 36, 132-139.  | 1.0 | 27        |
| 24523 | Hemoglobin assessment: precision and practicability evaluated in the Netherlandsâ€”the HAPPEN study. <i>Transfusion</i> , 2016, 56, 1984-1993.   | 0.8 | 30        |
| 24524 | Initial analytic quality assessment and method comparison of an immunoassay for adrenocorticotrophic hormone measurement in equine samples. <i>Veterinary Clinical Pathology</i> , 2016, 45, 154-163.  | 0.3 | 19        |
| 24525 | Comparison of the Automated cobas u 701 Urine Microscopy and UFâ€”1000i Flow Cytometry Systems and Manual Microscopy in the Examination of Urine Sediments. <i>Journal of Clinical Laboratory Analysis</i> , 2016, 30, 663-671.  | 0.9 | 27        |
| 24526 | Is there an optimal respiratory reference position for selfâ€”navigated wholeâ€”heart coronary MR angiography?. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 43, 426-433.  | 1.9 | 18        |
| 24527 | Shortâ€”Term Repeatability of Magnetic Resonance Elastography at 3.0T: Effects of Motionâ€”Encoding Gradient Direction, Slice Position, and Meal Ingestion. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 43, 704-712.  | 1.9 | 10        |
| 24528 | Automated detection of white matter and cortical lesions in early stages of multiple sclerosis. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 43, 1445-1454.  | 1.9 | 64        |
| 24529 | Comparison of genotypic and virtual phenotypic drug resistance interpretations with laboratoryâ€”based phenotypes among CRF01_AE and subtype B HIVâ€”infected individuals. <i>Journal of Medical Virology</i> , 2016, 88, 234-243.   | 2.5 | 5         |
| 24530 | 3<sup>D</sup> highâ€”resolution diffusionâ€”weighted <sup>T</sup> MRI at 3<sup>T</sup>: Preliminary application in prostate cancer patients undergoing active surveillance protocol for lowâ€”risk prostate cancer. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 616-626. | 1.9 | 16        |
| 24531 | Highly accelerated chemical exchange saturation transfer (CEST) measurements with linear algebraic modeling. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 136-144.  | 1.9 | 24        |
| 24532 | Kinetic modeling and longâ€”term testâ€”retest reproducibility of the mGluR5 PET tracer <sup>18</sup>Fâ€”FPEB in human brain. <i>Synapse</i> , 2016, 70, 153-162.  | 0.6 | 18        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24533 | Helping from the heart: Voluntary upregulation of heart rate variability predicts altruistic behavior. <i>Biological Psychology</i> , 2016, 119, 54-63.   | 1.1 | 38        |
| 24534 | Comparison of a new optical biometry with an optical low-coherence reflectometry for ocular biometry. <i>Contact Lens and Anterior Eye</i> , 2016, 39, 336-341.   | 0.8 | 13        |
| 24535 | Use of B-Mode Ultrasound as a Body Fat Estimate in Collegiate Football Players. <i>Journal of Strength and Conditioning Research</i> , 2016, 30, 3525-3530.   | 1.0 | 10        |
| 24536 | The Americleft Project: A Comparison of Short- and Longer-Term Secondary Alveolar Bone Graft Outcomes in Two Centers Using the Standardized Way to Assess Grafts Scale. <i>Cleft Palate-Craniofacial Journal</i> , 2016, 53, 508-515.   | 0.5 | 12        |
| 24537 | Diffusion-Weighted Breast Magnetic Resonance Imaging. <i>Journal of Computer Assisted Tomography</i> , 2016, 40, 428-435.   | 0.5 | 16        |
| 24538 | The effect of leptin concentrations and other maternal characteristics on gestational weight gain is different according to pre-gestational BMI: results from a prospective cohort. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1804-1813. | 1.1 | 11        |
| 24539 | Synchronizing thermodilution cardiac output measurements with spontaneous breathing does not improve precision. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 354-359.   | 0.7 | 0         |
| 24540 | A scoping review of studies comparing the medication event monitoring system (MEMS) with alternative methods for measuring medication adherence. <i>British Journal of Clinical Pharmacology</i> , 2016, 82, 268-279.   | 1.1 | 130       |
| 24541 | Diurnal variations in tear film break-up time determined in healthy subjects by software-assisted interpretation of tear film video recordings. <i>Australasian journal of optometry, The</i> , 2016, 99, 142-148.  | 0.6 | 23        |
| 24542 | Agreement between two inertial sensor gait analysis systems for lameness examinations in horses. <i>Equine Veterinary Education</i> , 2016, 28, 203-208.  | 0.3 | 37        |
| 24543 | Swimming Training Assessment. <i>Journal of Strength and Conditioning Research</i> , 2016, 30, 1365-1372.   | 1.0 | 18        |
| 24544 | Bladder wall thickness in women with symptoms of overactive bladder and detrusor overactivity: Results from the randomised, placebo-controlled shrink study. <i>Neurourology and Urodynamics</i> , 2016, 35, 819-825.   | 0.8 | 16        |
| 24545 | Agreement and reliability of pelvic floor measurements during rest and on maximum Valsalva maneuver using three-dimensional translabial ultrasound and virtual reality imaging. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 48, 243-249.                             | 0.9 | 3         |
| 24546 | A low-cost, user-friendly electroencephalographic recording system for the assessment of hepatic encephalopathy. <i>Hepatology</i> , 2016, 63, 1651-1659.   | 3.6 | 29        |
| 24547 | <sup>2</sup> mapping at 7T MRI can quantitatively assess intramyocardial hemorrhage in rats with acute reperfused myocardial infarction in vivo. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 194-203.  | 1.9 | 8         |
| 24548 | Compressed sensing cine imaging with high spatial or high temporal resolution for analysis of left ventricular function. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 366-374.  | 1.9 | 30        |
| 24549 | Preliminary investigation of multiparametric strain Z-score (MPZS) computation using displacement encoding with simulated echoes (DENSE) and radial point interpretation method (RPIM). <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 993-1002.                      | 1.9 | 10        |
| 24550 | 3D MR thermometry of frozen tissue: Feasibility and accuracy during cryoablation at 3T. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 1572-1579.   | 1.9 | 11        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24551 | Accelerating <i>in vivo</i> cartilage imaging using compressed sensing with iterative locally adapted support detection and JSENSE. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 1617-1629.   | 1.9 | 37        |
| 24552 | Test-retest reliability of the electromyographic fatigue threshold for cycle ergometry. <i>Muscle and Nerve</i> , 2016, 53, 803-807.   | 1.0 | 15        |
| 24553 | Long-Term Follow-Up in Patients With Airway Chemical Intolerance. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 421-426.   | 0.9 | 5         |
| 24554 | Ultrasound measurements of carotid intima-media thickness by two semi-automated analysis systems. <i>Clinical Physiology and Functional Imaging</i> , 2016, 36, 389-395.   | 0.5 | 9         |
| 24555 | Vibration signals of snoring as a simple severity predictor for obstructive sleep apnea. <i>Clinical Respiratory Journal</i> , 2016, 10, 440-448.  | 0.6 | 6         |
| 24556 | Agreement of infrared temporal artery thermometry with other thermometry methods in adults: systematic review. <i>Journal of Clinical Nursing</i> , 2016, 25, 894-905.   | 1.4 | 21        |
| 24557 | Constant infusion transpulmonary thermodilution for the assessment of cardiac output in exercising humans. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2016, 26, 518-527.  | 1.3 | 8         |
| 24558 | Comparison of cardiac output measurements using transpulmonary thermodilution and conventional thermodilution techniques in anaesthetized dogs with fluid overload. <i>Veterinary Anaesthesia and Analgesia</i> , 2016, 43, 388-396.                             | 0.3 | 7         |
| 24559 | A Method to Improve the Semiquantification of 18F-FDG Uptake: Reliability of the Estimated Lean Body Mass Using the Conventional, Low-Dose CT from PET/CT. <i>Journal of Nuclear Medicine</i> , 2016, 57, 753-758.   | 2.8 | 14        |
| 24560 | Evaluation of the Aptima <sup>®</sup> HIV-1 Quant Dx assay for HIV-1 RNA viral load detection and quantitation in plasma of HIV-1 infected individuals: A comparison with Abbott RealTime HIV-1 assay. <i>Journal of Medical Virology</i> , 2016, 88, 1535-1544. | 2.5 | 17        |
| 24561 | A Simplified (Screening) Approach to Check the Calibration Status of the Goldmann Applanation Tonometer. <i>Journal of Glaucoma</i> , 2016, 25, 812-814.   | 0.8 | 2         |
| 24562 | Implementation and Operational Research. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 71, e34-e43.  | 0.9 | 20        |
| 24563 | Utility of Real Time 3D Echocardiography for the Assessment of Left Ventricular Mass in Patients with Hypertrophic Cardiomyopathy: Comparison with Cardiac Magnetic Resonance. <i>Echocardiography</i> , 2016, 33, 431-436.                                      | 0.3 | 16        |
| 24564 | Utility of Urinary Protein-Creatinine Ratio and Protein Content in a 24-Hour Urine Collection in Systemic Lupus Erythematosus: A Systematic Review and Meta-Analysis. <i>Arthritis Care and Research</i> , 2016, 68, 1310-1319.                                  | 1.5 | 26        |
| 24565 | A self-administered test of taste function using "Taste Strips". <i>International Forum of Allergy and Rhinology</i> , 2016, 6, 362-366.   | 1.5 | 10        |
| 24566 | Improved minimal residual disease detection by targeted quantitative polymerase chain reaction in <i>Nucleophosmin 1</i> type a mutated acute myeloid leukemia. <i>Genes Chromosomes and Cancer</i> , 2016, 55, 750-766.   | 1.5 | 12        |
| 24567 | Carotid interadventitial diameter is more strongly related to plaque score than lumen diameter: An automated tool for stroke analysis. <i>Journal of Clinical Ultrasound</i> , 2016, 44, 210-220.  | 0.4 | 23        |
| 24568 | Assessment of cardiac dyssynchrony by cardiac MR: A comparison of velocity encoding and feature tracking analysis. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 43, 940-946.   | 1.9 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24569 | Realistic aortic phantom to study hemodynamics using MRI and cardiac catheterization in normal and aortic coarctation conditions. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 683-697.  | 1.9 | 28        |
| 24570 | Application of 2D and 3D image technologies to characterise morphological attributes of grapevine clusters. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 4575-4583.   | 1.7 | 29        |
| 24571 | Tidal volume measurements in infants: Optoelectronic plethysmography versus pneumotachograph. <i>Pediatric Pulmonology</i> , 2016, 51, 850-857.  | 1.0 | 14        |
| 24572 | Sphenofrontal distance on three-dimensional ultrasound in euploid and trisomy-21 fetuses at 16-24 weeks' gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 48, 177-180.  | 0.9 | 3         |
| 24573 | Left ventricular long axis function assessed during cine-cardiovascular magnetic resonance is an independent predictor of adverse cardiac events. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 35.                                  | 1.6 | 46        |
| 24574 | Polynomial estimation of the smoothing splines for the new Finnish reference values for spirometry. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2016, 76, 313-318.  | 0.6 | 1         |
| 24575 | Validity of radiographic assessment of the knee joint space using automatic image analysis. <i>Modern Rheumatology</i> , 2016, 26, 761-766.  | 0.9 | 3         |
| 24576 | Intervendor consistency and reproducibility of left ventricular 2D global and regional strain with two different high-end ultrasound systems. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, jew120.                                 | 0.5 | 35        |
| 24577 | Lung Segmentation of MR Images: A Review. <i>Mathematics and Visualization</i> , 2016, , 3-24.   | 0.4 | 5         |
| 24578 | Reproducibility and validity of a semi-quantitative FFQ for trace elements. <i>British Journal of Nutrition</i> , 2016, 116, 864-873.  | 1.2 | 17        |
| 24579 | Effect of exercise intensity and mode on acute appetite control in men and women. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, 1083-1091.   | 0.9 | 30        |
| 24580 | Digital signature to help network management using flow analysis. <i>International Journal of Network Management</i> , 2016, 26, 76-94.  | 1.4 | 7         |
| 24581 | The effect of blood pressure and cardiac output on the quality of the surgical field and middle cerebral artery blood flow during endoscopic sinus surgery. <i>International Forum of Allergy and Rhinology</i> , 2016, 6, 701-709.                    | 1.5 | 23        |
| 24582 | Use of fingerprick dried blood spots (fpDBS) and capillary electrophoresis for carbohydrate deficient transferrin (CDT) screening in forensic toxicology. <i>Electrophoresis</i> , 2016, 37, 2867-2874.  | 1.3 | 10        |
| 24583 | Apparent diffusion coefficient (ADC) measurements in pancreatic adenocarcinoma: A preliminary study of the effect of region of interest on ADC values and interobserver variability. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 43, 407-413. | 1.9 | 43        |
| 24584 | Axial Globe Position Measurement. <i>Ophthalmic Plastic and Reconstructive Surgery</i> , 2016, 32, 106-112.  | 0.4 | 28        |
| 24585 | Fecal Calprotectin Measured By Patients at Home Using Smartphones – A New Clinical Tool in Monitoring Patients with Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 336-344.  | 0.9 | 73        |
| 24586 | Assessment of Coronary Artery Calcium on Low-Dose Coronary Computed Tomography Angiography With Iterative Reconstruction. <i>Journal of Computer Assisted Tomography</i> , 2016, 40, 266-271.  | 0.5 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24587 | Reproducibility of Optic Nerve Head Hemoglobin Measures. <i>Journal of Glaucoma</i> , 2016, 25, 348-354.  | 0.8 | 10        |
| 24588 | A Prospective, Matched Comparison Study of SUV Measurements From Time-of-Flight Versus Non-Time-of-Flight PET/CT Scanners. <i>Clinical Nuclear Medicine</i> , 2016, 41, e323-e326.                              | 0.7 | 7         |
| 24589 | Applicability of Greulich-Pyle and Tanner-Whitehouse grading methods to MRI when assessing hand bone age in forensic age estimation: A pilot study. <i>Forensic Science International</i> , 2016, 266, 281-288. | 1.3 | 32        |
| 24590 | Open source posturography. <i>Acta Oto-Laryngologica</i> , 2016, 136, 1225-1229.  | 0.3 | 7         |
| 24591 | Using the Human Activity Profile to Assess Functional Performance in Heart Failure. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2016, 36, 180-185.  | 1.2 | 5         |
| 24592 | Comparing the Push-Pull Versus Discard Blood Sample Method From Adult Central Vascular Access Devices. <i>Journal of Infusion Nursing</i> , 2016, 39, 130-135.  | 1.2 | 8         |
| 24593 | Needle decompression of tension pneumothorax. <i>Journal of Trauma and Acute Care Surgery</i> , 2016, 80, 119-124.  | 1.1 | 20        |
| 24594 | Validation of a Novel 3-Dimensional Sonographic Method for Assessing Gastric Accommodation in Healthy Adults. <i>Journal of Ultrasound in Medicine</i> , 2016, 35, 1411-1418.                                   | 0.8 | 6         |
| 24595 | Development and Validation of a Disease-Specific Questionnaire to Assess Patient-Reported Symptoms in Polycystic Liver Disease. <i>Hepatology</i> , 2016, 64, 151-160.  | 3.6 | 43        |
| 24596 | The prognostic value of visually assessing enamel microcracks: Do debonding and adhesive removal contribute to their increase?. <i>Angle Orthodontist</i> , 2016, 86, 437-447.                                  | 1.1 | 17        |
| 24597 | Exercise capacity is not impaired after acute alcohol ingestion. <i>Journal of Cardiovascular Medicine</i> , 2016, 17, 896-901.   | 0.6 | 2         |
| 24598 | Predictive validity of the body adiposity index in costa rican students. <i>American Journal of Human Biology</i> , 2016, 28, 394-397.  | 0.8 | 15        |
| 24599 | Just Google it: assessing the use of Google Images to describe geographical variation in visible traits of organisms. <i>Methods in Ecology and Evolution</i> , 2016, 7, 1060-1070.                             | 2.2 | 64        |
| 24600 | Asphyxia causes ultrasonographic D-shaping of the left ventricle - an experimental porcine study. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 203-212.   | 0.7 | 8         |
| 24601 | Intraocular pressure and biomechanical corneal properties measure by ocular response analyser in patients with primary congenital glaucoma. <i>Acta Ophthalmologica</i> , 2016, 94, e293-7.                     | 0.6 | 7         |
| 24602 | Comparison between intraocular pressure spikes with water loading and postural change. <i>Clinical and Experimental Ophthalmology</i> , 2016, 44, 768-775.  | 1.3 | 3         |
| 24603 | Reliability of health-related physical fitness tests in adolescents: the MOVE program. <i>Clinical Physiology and Functional Imaging</i> , 2016, 36, 106-111.   | 0.5 | 27        |
| 24604 | Testing macular letter recognition -reliability and influence of refraction errors. <i>Australasian journal of optometry</i> , The, 2016, 99, 322-327.  | 0.6 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24605 | Visual demands in modern Australian primary school classrooms. <i>Australasian journal of optometry, The</i> , 2016, 99, 233-240.   | 0.6 | 56        |
| 24606 | Osteopenic features of the hip joint in patients with cerebral palsy: a hospital-based study. <i>Developmental Medicine and Child Neurology</i> , 2016, 58, 1153-1158.                                | 1.1 | 9         |
| 24607 | Left Ventricular Myocardial Mechanics in Cirrhosis: A Speckle Tracking Echocardiographic Study. <i>Echocardiography</i> , 2016, 33, 223-232.  | 0.3 | 19        |
| 24608 | Reproducibility of Echocardiography-Derived Multilevel Left Ventricular Apical Twist Mechanics. <i>Echocardiography</i> , 2016, 33, 257-263.  | 0.3 | 6         |
| 24609 | Predictors of Future Atrial Fibrillation Development in Patients with Hypertrophic Cardiomyopathy: A Prospective Follow-Up Study. <i>Echocardiography</i> , 2016, 33, 379-385.                        | 0.3 | 17        |
| 24610 | Quantitative assessment of gait parameters in horses: Useful for aiding clinical decision making?. <i>Equine Veterinary Education</i> , 2016, 28, 209-215.  | 0.3 | 27        |
| 24611 | Scandinavian Norwegian General Motor Function assessment as an outcome measure for a frail elderly population: A validity study. <i>Geriatrics and Gerontology International</i> , 2016, 16, 432-439. | 0.7 | 1         |
| 24612 | Using routine Haemophilia Joint Health Score for international comparisons of haemophilia outcome: standardization is needed. <i>Haemophilia</i> , 2016, 22, 142-147.                                 | 1.0 | 35        |
| 24613 | Atherosclerotic Carotid Plaque Composition: A 3T and 7T MRI-Histology Correlation Study. <i>Journal of Neuroimaging</i> , 2016, 26, 406-413.  | 1.0 | 13        |
| 24614 | A practical comparison of temporal artery thermometry and axillary thermometry in neonates under different environments. <i>Journal of Paediatrics and Child Health</i> , 2016, 52, 391-396.          | 0.4 | 5         |
| 24615 | Assessment of skinfold thickness equations in estimating body composition in children with inflammatory bowel disease. <i>Journal of Paediatrics and Child Health</i> , 2016, 52, 547-555.            | 0.4 | 4         |
| 24616 | COMPARISON OF TOTAL LEUKOCYTE QUANTIFICATION METHODS IN FREE-LIVING GALAPAGOS TORTOISES ( <i>Chelonoidis</i> spp.). <i>Journal of Zoo and Wildlife Medicine</i> , 2016, 47, 196-205.                  | 0.3 | 28        |
| 24617 | Cardiorespiratory interactions: Noncontact assessment using laser Doppler vibrometry. <i>Psychophysiology</i> , 2016, 53, 847-867.  | 1.2 | 30        |
| 24618 | Simplified strong ion difference approach to acid-base balance in healthy foals. <i>Journal of Veterinary Emergency and Critical Care</i> , 2016, 26, 549-558.  | 0.4 | 3         |
| 24619 | Raw Accelerometer Data Analysis with GGIR R-package. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 1935-1941.  | 0.2 | 97        |
| 24620 | Validity of Self-Reported Running Distance. <i>Journal of Strength and Conditioning Research</i> , 2016, 30, 1592-1596.   | 1.0 | 29        |
| 24621 | Criterion validity and reliability of a smartphone delivered sub-maximal fitness test for people with type 2 diabetes. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2016, 8, 31.          | 0.7 | 16        |
| 24622 | Performance of a non-contact infrared thermometer in healthy newborns. <i>BMJ Open</i> , 2016, 6, e008695.  | 0.8 | 35        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24623 | Prediction of photoplethysmogram signals using sequential ELM. , 2016, , .  |     | 0         |
| 24624 | Comparison of a web-based food record tool and a food-frequency questionnaire and objective validation using the doubly labelled water technique in a Swedish middle-aged population. Journal of Nutritional Science, 2016, 5, e39. | 0.7 | 46        |
| 24625 | Estimating mean change in population salt intake using spot urine samples. International Journal of Epidemiology, 2016, 46, dyw239.   | 0.9 | 16        |
| 24626 | Efficacy of intravenous nicorandil for fractional flow reserve assessment: study protocol for a crossover randomised trial: Table 1. BMJ Open, 2016, 6, e012737.  | 0.8 | 3         |
| 24627 | Utility of real-time prospective motion correction (PROMO) on 3D T1-weighted imaging in automated brain structure measurements. Scientific Reports, 2016, 6, 38366.   | 1.6 | 12        |
| 24628 | Optimizing care of ventilated infants by improving weighing accuracy on incubator scales. Journal of Neonatal-Perinatal Medicine, 2016, 9, 377-383.   | 0.4 | 1         |
| 24629 | Absolute and relative reliability of lumbar interspinous process ultrasound imaging measurements. Journal of Physical Therapy Science, 2016, 28, 2210-2213.   | 0.2 | 3         |
| 24630 | The Validity of Image Analysis Freeware in Calculating Physical Angles in Two Dimensions. Rigakuryoho Kagaku, 2016, 31, 571-574.  | 0.0 | 1         |
| 24631 | Right Heart Hemodynamics in Pulmonary Hypertension – An Echocardiography and Catheterization Study. Circulation Journal, 2016, 80, 2019-2025.   | 0.7 | 26        |
| 24632 | The better way to determine the validity, reliability, objectivity and accuracy of measuring devices. Work, 2016, 54, 495-505.  | 0.6 | 3         |
| 24633 | Pulse Oximetry: Beyond SpO <sub>2</sub> . Respiratory Care, 2016, 61, 1671-1680.  | 0.8 | 18        |
| 24634 | Percentage-Method Improves Properties of Workers' Sitting- and Walking-Time Questionnaire. Journal of Epidemiology, 2016, 26, 405-412.  | 1.1 | 22        |
| 24635 | Visual acuity loss in patients with age-related macular degeneration measured using a novel high-pass letter chart. British Journal of Ophthalmology, 2016, 100, 1346-1352.   | 2.1 | 25        |
| 24636 | Do visually impaired children and their parents agree on the child's vision-related quality of life and functional vision?. British Journal of Ophthalmology, 2017, 101, bjophthalmol-2016-308582.                                  | 2.1 | 10        |
| 24637 | Reliability of radiographic measurements for acute distal radius fractures. BMC Medical Imaging, 2016, 16, 44.  | 1.4 | 33        |
| 24638 | Signal-to-noise ratio estimation technique for SEM image using linear regression. , 2016, , .   |     | 2         |
| 24639 | Monocular perceptual learning of contrast detection facilitates binocular combination in adults with anisometropic amblyopia. Scientific Reports, 2016, 6, 20187.   | 1.6 | 24        |
| 24640 | CONSTAND : A Normalization Method for Isobaric Labeled Spectra by Constrained Optimization. Molecular and Cellular Proteomics, 2016, 15, 2779-2790.   | 2.5 | 34        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24641 | Automated brain volumetrics in multiple sclerosis: a step closer to clinical application. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, 754-757.  | 0.9 | 47        |
| 24642 | Noninvasive lung cancer diagnosis by detection of <i>GATA6</i> and <i>NKX2-1</i> isoforms in exhaled breath condensate. <i>EMBO Molecular Medicine</i> , 2016, 8, 1380-1389.   | 3.3 | 29        |
| 24643 | Upper arm elevation and repetitive shoulder movements: a general population job exposure matrix based on expert ratings and technical measurements. <i>Occupational and Environmental Medicine</i> , 2016, 73, 553-560.                            | 1.3 | 33        |
| 24644 | Effects of body position on exercise capacity and pulmonary vascular pressure-flow relationships. <i>Journal of Applied Physiology</i> , 2016, 121, 1145-1150.   | 1.2 | 31        |
| 24645 | How accurate are the wrist-based heart rate monitors during walking and running activities? Are they accurate enough?. <i>BMJ Open Sport and Exercise Medicine</i> , 2016, 2, e000106.   | 1.4 | 216       |
| 24646 | Development and validation of a photographic food atlas for portion size assessment in the southern plains of Nepal. <i>Public Health Nutrition</i> , 2016, 19, 2495-2507.   | 1.1 | 33        |
| 24647 | Fat percentage evaluation through portable ultrasound in adolescents: A comparison with dual energy X-ray absorptiometry. , 2016, , .  |     | 0         |
| 24648 | Non-contact, real-time monitoring of heart rate with a Webcam with application during water-bed massage. , 2016, , .   |     | 0         |
| 24649 | Validity of a web-based dietary questionnaire designed especially to measure the intake of phyto-oestrogens. <i>Journal of Nutritional Science</i> , 2016, 5, e36.   | 0.7 | 6         |
| 24650 | Comparison between pressure-recording analytical method (PRAM) and femoral arterial thermodilution method (FATD) cardiac output monitoring in an infant animal model of cardiac arrest. <i>Intensive Care Medicine Experimental</i> , 2016, 4, 13. | 0.9 | 3         |
| 24651 | Breast density estimation from high spectral and spatial resolution MRI. <i>Journal of Medical Imaging</i> , 2016, 3, 044507.  | 0.8 | 9         |
| 24652 | The accuracy of the SenseWear Pro3 and the activPAL3 Micro devices for measurement of energy expenditure. <i>Physiological Measurement</i> , 2016, 37, 1715-1727.  | 1.2 | 14        |
| 24653 | Using FATIMA " A robot mannequin head " For validation of head tracking software. , 2016, , .  |     | 0         |
| 24654 | Development of the ClinESSDAI: a clinical score without biological domain. A tool for biological studies. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1945-1950.   | 0.5 | 57        |
| 24655 | Accelerometry and physical activity questionnaires - a systematic review. <i>BMC Public Health</i> , 2016, 16, 515.  | 1.2 | 235       |
| 24656 | Validation of temporal gait metrics from three IMU locations to the gold standard force plate. , 2016, 2016, 667-671.  |     | 10        |
| 24657 | Validity of a Wireless Gait Analysis Tool (Wi-GAT) in assessing spatio-temporal gait parameters at slow, preferred and fast walking speeds. <i>Technology and Health Care</i> , 2016, 24, 843-852.   | 0.5 | 4         |
| 24658 | Molecular Method Verification. , 2016, , 721-744.  |     | 5         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24659 | Association between adiposity and systemic atherosclerosis: a protocol of a cross-sectional autopsy study. <i>Open Heart</i> , 2016, 3, e000433.  | 0.9 | 7         |
| 24660 | Responsiveness of a simple RAPID-3-like index compared to disease-specific BASDAI and ASDAS indices in patients with axial spondyloarthritis. <i>RMD Open</i> , 2016, 2, e000235.   | 1.8 | 14        |
| 24661 | Automated PGP9.5 immunofluorescence staining: a valuable tool in the assessment of small fiber neuropathy?. <i>BMC Research Notes</i> , 2016, 9, 280.   | 0.6 | 29        |
| 24662 | Repeatability, reproducibility and agreement of intraocular pressure measurement in rabbits by the TonoVet and Tono-Pen. <i>Scientific Reports</i> , 2016, 6, 35187.  | 1.6 | 21        |
| 24663 | A method to detect tortuosity of vessel using non imaging ultrasound approach in carotid structure. , 2016, 2016, 3555-3559.  |     | 0         |
| 24664 | Assessing Reactive Strength Measures in Jumping and Hopping Using the Optojump <sup>®</sup> , <sup>©</sup> System. <i>Journal of Human Kinetics</i> , 2016, 54, 23-32.  | 0.7 | 31        |
| 24665 | Validation of an IFN $\gamma$ /IL2 FluoroSpot assay for clinical trial monitoring. <i>Journal of Translational Medicine</i> , 2016, 14, 175.  | 1.8 | 19        |
| 24666 | From radioimmunoassay to mass spectrometry: a new method to quantify orexin-A (hypocretin-1) in cerebrospinal fluid. <i>Scientific Reports</i> , 2016, 6, 25162.  | 1.6 | 36        |
| 24667 | Reliability of a measurement method for the cross-sectional area of the longus colli using real-time ultrasound imaging. <i>Ultrasound</i> , 2016, 24, 154-162.   | 0.3 | 2         |
| 24668 | Night-to-night variation of pulse oximetry in children with sleep-disordered breathing. <i>Archives of Disease in Childhood</i> , 2016, 101, 1095-1099.   | 1.0 | 19        |
| 24669 | An evaluation of the competencies of primary health care clinic nursing managers in two South African provinces. <i>Global Health Action</i> , 2016, 9, 32486.  | 0.7 | 15        |
| 24670 | Development and validation of a food photography manual, as a tool for estimation of food portion size in epidemiological dietary surveys in Tunisia. <i>Libyan Journal of Medicine</i> , 2016, 11, 32676.                                  | 0.8 | 30        |
| 24671 | Current recommendations for assessing the reliability of a measurement tool. <i>Bone and Joint Journal</i> , 2016, 98-B, 166-172.   | 1.9 | 17        |
| 24672 | Predictors Of Biochemical Remission And Recurrence After Surgical And Radiation Treatments Of Cushing Disease: A Systematic Review And Meta-Analysis. <i>Endocrine Practice</i> , 2016, 22, 466-475.  | 1.1 | 46        |
| 24673 | Post-Mortem Corneal Thickness Measurements with a Portable Optical Coherence Tomography System: a Reliability Study. <i>Scientific Reports</i> , 2016, 6, 30428.  | 1.6 | 30        |
| 24674 | Correlation or Limits of Agreement? Applying the Bland-Altman Approach to the Comparison of Cognitive Screening Instruments. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016, 42, 247-254.   | 0.7 | 15        |
| 24675 | The reliability of spinal motion palpation determination of the location of the stiffest spinal site is influenced by confidence ratings: a secondary analysis of three studies. <i>Chiropractic &amp; Manual Therapies</i> , 2016, 24, 50. | 0.6 | 6         |
| 24676 | An efficient method for heart rate monitoring using wrist-type photoplethysmographic signals during intensive physical exercise. , 2016, , .  |     | 6         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24677 | Are Accelerometers and GPS Devices Valid, Reliable and Feasible Tools for Measurement of Community Ambulation After Stroke?. Brain Impairment, 2016, 17, 151-161.   | 0.5 | 24        |
| 24678 | A comparison of linear interpolation models for iterative CT reconstruction. Medical Physics, 2016, 43, 6455-6473.  | 1.6 | 15        |
| 24679 | Validation of a Smartphone Application Measuring Motor Function in Parkinson's Disease. Journal of Parkinson's Disease, 2016, 6, 371-382.   | 1.5 | 44        |
| 24681 | Measuring cardiac output in children undergoing cardiac catheterization: comparison between the Fick method and PRAM (pressure recording analytical method). Paediatric Anaesthesia, 2016, 26, 1097-1105.   | 0.6 | 18        |
| 24682 | Sample Size for Assessing Agreement between Two Methods of Measurement by Bland-Altman Method. International Journal of Biostatistics, 2016, 12, .  | 0.4 | 163       |
| 24683 | Nonlinear mixed effects modelling for the analysis of longitudinal body core temperature data in healthy volunteers. Physiological Measurement, 2016, 37, 485-502.  | 1.2 | 8         |
| 24684 | Measuring pulse rate variability using long-range, non-contact imaging photoplethysmography. , 2016, 2016, 3930-3936.   |     | 13        |
| 24685 | Psychometric Properties of the Memory Binding Test: Test-Retest Reliability and Convergent Validity. Journal of Alzheimer's Disease, 2016, 50, 999-1010.  | 1.2 | 26        |
| 24686 | Resting energy expenditure in obese women: comparison between measured and estimated values. British Journal of Nutrition, 2016, 116, 1306-1313.  | 1.2 | 16        |
| 24687 | A real-time approach for heart rate monitoring using a Hilbert transform in seismocardiograms. Physiological Measurement, 2016, 37, 1885-1909.  | 1.2 | 75        |
| 24688 | Comparison of Quantitative Cerebral Blood Flow Measurements Performed by Bookend Dynamic Susceptibility Contrast and Arterial Spin-Labeling MRI in Relapsing-Remitting Multiple Sclerosis. American Journal of Neuroradiology, 2016, 37, 2265-2272. | 1.2 | 4         |
| 24689 | Improved border sharpness of post-infarct scar by a novel self-navigated free-breathing high-resolution 3D whole-heart inversion recovery magnetic resonance approach. International Journal of Cardiovascular Imaging, 2016, 32, 1735-1744.        | 0.7 | 22        |
| 24690 | Wireless wearable photoplethysmography sensors for continuous blood pressure monitoring. , 2016, , .  |     | 8         |
| 24691 | Test-retest reliability and four-week changes in cardiopulmonary fitness in stroke patients: evaluation using a robotics-assisted tilt table. BMC Neurology, 2016, 16, 163.   | 0.8 | 8         |
| 24692 | The graphitization temperature threshold analyzed through a second-order structural transformation. Carbon, 2016, 109, 896-908.   | 5.4 | 24        |
| 24693 | Effect of signal acquisition method on the fetal heart rate analysis with phase rectified signal averaging. Physiological Measurement, 2016, 37, 2245-2259.   | 1.2 | 7         |
| 24694 | A review of the design and validation of web- and computer-based 24-h dietary recall tools. Nutrition Research Reviews, 2016, 29, 268-280.  | 2.1 | 85        |
| 24695 | Comparison of distribution of lung aeration measured with EIT and CT in spontaneously breathing, awake patients. Bio-Medical Materials and Engineering, 2016, 27, 315-325.  | 0.4 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24696 | A preliminary study of a running speed based heart rate prediction during an incremental treadmill exercise. , 2016, 2016, 5323-5326.  |     | 4         |
| 24697 | Tremor Frequency Assessment by iPhone® Applications: Correlation with EMG Analysis. Journal of Parkinson's Disease, 2016, 6, 717-721.  | 1.5 | 15        |
| 24698 | Testâ€“retest: Agreement or reliability?. Methodological Innovations, 2016, 9, 205979911667287.  | 0.5 | 107       |
| 24699 | Longitudinal assessment of marrow fat content using three-point Dixon technique in osteoporotic rabbits. Menopause, 2016, 23, 1339-1344.   | 0.8 | 10        |
| 24700 | Validity and reliability of a brief self-reported questionnaire assessing fruit and vegetable consumption among pregnant women. BMC Public Health, 2016, 16, 982.  | 1.2 | 8         |
| 24701 | Robust statistical approaches to assess the degree of agreement of clinical data. AIP Conference Proceedings, 2016, , .  | 0.3 | 0         |
| 24702 | Preoperative Radiography versus Computed Tomography for Surgical Planning for Ankle Fractures. Journal of Orthopaedic Surgery, 2016, 24, 158-162.  | 0.4 | 27        |
| 24703 | Association between Lower Extremity Muscle Strength and Noncontact ACL Injuries. Medicine and Science in Sports and Exercise, 2016, 48, 2082-2089.   | 0.2 | 50        |
| 24704 | Threshold for diagnosing hypertension by automated office blood pressure using random sample population data. Journal of Hypertension, 2016, 34, 2180-2186.  | 0.3 | 43        |
| 24705 | Normal Values and Clinical Use of Bedside Sonographic Assessment of Postoperative Gastric Emptying. Diseases of the Colon and Rectum, 2016, 59, 758-765.   | 0.7 | 5         |
| 24706 | Relative and Absolute Reliabilities of the Connersâ€™™ Continuous Performance Test II in Schizophrenia. Archives of Clinical Neuropsychology, 2016, 31, 769-779.   | 0.3 | 4         |
| 24708 | A Simplified Thermal Model to Control the Energy Fluxes and to Improve the Performance of Buildings. Energy Procedia, 2016, 101, 97-104.   | 1.8 | 30        |
| 24709 | Northern Chinese dental ages estimated from southern Chinese reference datasets closely correlate with chronological age. Heliyon, 2016, 2, e00216.  | 1.4 | 9         |
| 24710 | Computerized wheeze detection in young infants: comparison of signals from tracheal and chest wall sensors. Physiological Measurement, 2016, 37, 2170-2180.  | 1.2 | 9         |
| 24711 | 3.45 HOW I FEEL ABOUT MY SCHOOL: THE CONSTRUCTION AND VALIDATION OF A MEASURE OF WELLBEING AT SCHOOL FOR PRIMARY SCHOOL CHILDREN. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, S156.        | 0.3 | 3         |
| 24712 | Estimating 24-h urinary sodium/potassium ratio from casual (â€“spotâ€™™) urinary sodium/potassium ratio: the INTERSALT Study. International Journal of Epidemiology, 2017, 46, dyw287.                                       | 0.9 | 34        |
| 24713 | Standardized echocardiographic assessment of cardiac function in normal adult zebrafish and heart disease models. DMM Disease Models and Mechanisms, 2017, 10, 63-76.  | 1.2 | 63        |
| 24714 | Effect of pharmacological pupil dilation on measurements and iol power calculation made using the new swept-source optical coherence tomography-based optical biometer. Journal Francais D'Ophtalmologie, 2016, 39, 859-865. | 0.2 | 16        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24715 | Estimating the skeletal age from two and three-dimensional computed tomography reconstructions of the pubic symphysis and the fourth rib. <i>Revue De Medecine Legale</i> , 2016, 7, 144-152.                           | 0.1 | 1         |
| 24717 | Ultrasound estimation of pleural effusion in geriatric patients. , 2016, , .  |     | 3         |
| 24718 | Temperature measurements with a temporal scanner: systematic review and meta-analysis. <i>BMJ Open</i> , 2016, 6, e009509.  | 0.8 | 37        |
| 24719 | Informant discrepancies in externalizing and internalizing symptoms and adaptive skills of high-functioning children with autism spectrum disorder.. <i>School Psychology Quarterly</i> , 2016, 31, 467-477.            | 2.4 | 19        |
| 24720 | Effect of simple, targeted diet in pregnant women with metabolic risk factors on maternal and fetal outcomes (ESTEEM): study protocol for a pragmatic multicentre randomised trial. <i>BMJ Open</i> , 2016, 6, e013495. | 0.8 | 10        |
| 24721 | Nutrition surveillance using a small open cohort: experience from Burkina Faso. <i>Emerging Themes in Epidemiology</i> , 2016, 13, 12.  | 1.2 | 5         |
| 24722 | Investigation of association between hip morphology and prevalence of osteoarthritis. <i>Scientific Reports</i> , 2016, 6, 23477.   | 1.6 | 31        |
| 24723 | Disagreement between two common biomarkers of global DNA methylation. <i>Clinical Epigenetics</i> , 2016, 8, 60.  | 1.8 | 12        |
| 24724 | Capillary lactate concentration on admission of normotensive trauma patients: a prospective study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016, 24, 82.                          | 1.1 | 8         |
| 24725 | Performance Evaluation of an Automated ELISA System for Alzheimer's Disease Detection in Clinical Routine. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 55-67.   | 1.2 | 27        |
| 24726 | Comparison of Gastrointestinal and Rectal Temperatures During Recovery After a Warm-Weather Road Race. <i>Journal of Athletic Training</i> , 2016, 51, 382-388.   | 0.9 | 14        |
| 24727 | A comparison between four techniques to measure cardiac output. , 2016, 2016, 2717-2720.  |     | 4         |
| 24728 | Spatial probabilistic pulsatility model for enhancing photoplethysmographic imaging systems. <i>Journal of Biomedical Optics</i> , 2016, 21, 116010.  | 1.4 | 11        |
| 24729 | Interobserver reliability of the "Welfare Quality" Animal Welfare Assessment Protocol for Growing Pigs. <i>SpringerPlus</i> , 2016, 5, 1114.  | 1.2 | 23        |
| 24730 | Cross-cultural translation of the Lysholm knee score in Chinese and its validation in patients with anterior cruciate ligament injury. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 436.                            | 0.8 | 34        |
| 24731 | Influence of electrode positioning on accuracy and reproducibility of electrical velocimetry cardiac output measurements. <i>Physiological Measurement</i> , 2016, 37, 1422-1435.                                       | 1.2 | 5         |
| 24732 | Reproducibility of en-face Optical Coherence Tomography Imaging for Macular Atrophy Area Evaluation in Juvenile Macular Degeneration. <i>IFMBE Proceedings</i> , 2016, , 250-253.                                       | 0.2 | 1         |
| 24733 | Suggesting a Sonographic Index to Measure Ultrasound Diaphragmatic MRR. <i>IFMBE Proceedings</i> , 2016, , 355-360.   | 0.2 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24734 | A simple calibration approach based on film-casting for confocal Raman microscopy to support the development of a hot-melt extrusion process. <i>Talanta</i> , 2016, 154, 392-399.   | 2.9 | 5         |
| 24735 | The effect of systematic academic instruction on behavioural and academic outcomes of students with EBD. <i>Educational Studies</i> , 2016, 42, 72-84.   | 1.4 | 3         |
| 24736 | Detecting isocitrate dehydrogenase gene mutations in oligodendroglial tumors using diffusion tensor imaging metrics and their correlations with proliferation and microvascular density. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 43, 45-54.   | 1.9 | 28        |
| 24737 | Expression of cell cycle markers is predictive of the response to primary systemic therapy of locally advanced breast cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 468, 675-686.  | 1.4 | 8         |
| 24738 | Body composition in overweight and obese women postpartum: bioimpedance methods validated by dual energy X-ray absorptiometry and doubly labeled water. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 1181-1188.   | 1.3 | 41        |
| 24739 | Whistle and cough pressures in children with neuromuscular disorders. <i>Respiratory Medicine</i> , 2016, 113, 28-36.  | 1.3 | 12        |
| 24740 | Correlation of visceral adipose tissue measured by Lunar Prodigy dual X-ray absorptiometry with MRI and CT in older men. <i>International Journal of Obesity</i> , 2016, 40, 1325-1328.  | 1.6 | 52        |
| 24741 | Tactical combat movements: inter-individual variation in performance due to the effects of load carriage. <i>Ergonomics</i> , 2016, 59, 1232-1241.   | 1.1 | 15        |
| 24742 | A Special Inference Problem in Repeated Measures Design – Test of Statistical Hypothesis on Accuracy Root Mean Square – Application to Pulse Oximetry Studies. <i>Statistics in Biopharmaceutical Research</i> , 2016, 8, 60-76.   | 0.6 | 1         |
| 24743 | Use of prediction equations to determine the accuracy of whole-body fat and fat-free mass and appendicular skeletal muscle mass measurements from a single abdominal image using computed tomography in advanced cancer patients. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, 70-75. | 0.9 | 15        |
| 24744 | Multiplexed peptide analysis for kinetic measurements of major human apolipoproteins by LC/MS/MS. <i>Journal of Lipid Research</i> , 2016, 57, 509-515.  | 2.0 | 22        |
| 24745 | Comparison of optical LAI measurements under diffuse and clear skies after correcting for scattered radiation. <i>Agricultural and Forest Meteorology</i> , 2016, 221, 61-70.  | 1.9 | 25        |
| 24746 | Ischemic Injury of the Papillomacular Bundle Is a Predictive Marker of Poor Vision in Eyes With Branch Retinal Artery Occlusion. <i>American Journal of Ophthalmology</i> , 2016, 162, 107-120.e2.   | 1.7 | 19        |
| 24747 | Assessing vitamin D nutritional status: Is capillary blood adequate?. <i>Clinica Chimica Acta</i> , 2016, 457, 59-62.  | 0.5 | 6         |
| 24748 | Interobserver variability of an open-source software for tear meniscus height measurement. <i>Contact Lens and Anterior Eye</i> , 2016, 39, 249-256.   | 0.8 | 12        |
| 24749 | Specialised pro-resolving mediators of inflammation in inflammatory arthritis. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2016, 107, 24-29.  | 1.0 | 100       |
| 24750 | Chronic kidney disease and prognosis in elderly patients with cardiovascular disease: Comparison between CKD-EPI and Berlin Initiative Study-1 formulas. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1504-1513.   | 0.8 | 10        |
| 24751 | A validation study of a smartphone application for functional mobility assessment of the elderly. <i>Hong Kong Physiotherapy Journal</i> , 2016, 35, 1-4.  | 0.3 | 11        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24752 | Diaphragmatic excursion measurement in emergency patients with acute dyspnea: toward a new diagnostic tool?. <i>American Journal of Emergency Medicine</i> , 2016, 34, 1653-1657.  | 0.7 | 21        |
| 24753 | Inner-Retinal Irregularity Index Predicts Postoperative Visual Prognosis in Idiopathic Epiretinal Membrane. <i>American Journal of Ophthalmology</i> , 2016, 168, 139-149.   | 1.7 | 83        |
| 24754 | Rating the Ratings: The AIR Scoring System for Blogs and Podcasts. <i>Annals of Emergency Medicine</i> , 2016, 67, 675-676.  | 0.3 | 1         |
| 24755 | Postprandial appetite ratings are reproducible and moderately related to total day energy intakes, but not ad libitum lunch energy intakes, in healthy young women. <i>Appetite</i> , 2016, 99, 97-104.  | 1.8 | 3         |
| 24756 | The high frequency component of the vertical ground reaction force is a valid surrogate measure of the impact peak. <i>Journal of Biomechanics</i> , 2016, 49, 479-483.  | 0.9 | 52        |
| 24757 | Ophthalmic referrals from emergency wards—a study of cases referred for urgent eye care (The Tj ETQq1 1 0.784314 rgBT /Overload  | 0.4 | 18        |
| 24758 | Vancouver Symptom Score for Dysfunctional Elimination Syndrome: Reliability and Validity of the Dutch Version. <i>Journal of Urology</i> , 2016, 196, 536-541.   | 0.2 | 14        |
| 24759 | Acuerdo interobservador de los parámetros ecocardiográficos que estiman la función sistólica del ventrículo derecho en el postoperatorio temprano de cirugía cardíaca. <i>Medicina Intensiva</i> , 2016, 40, 491-498.  | 0.4 | 9         |
| 24760 | Agreement of manual cell counts and automated counts of the scil Vet abc Plus+ hematology analyzer for analysis of equine synovial fluid. <i>Research in Veterinary Science</i> , 2016, 106, 62-65.  | 0.9 | 3         |
| 24761 | Rediscovery and Revival of Analytical Refractometry for Protein Determination: Recombining Simplicity With Accuracy in the Digital Era. <i>Journal of Pharmaceutical Sciences</i> , 2016, 105, 1097-1103.  | 1.6 | 3         |
| 24762 | Multi-parametric ultrasound criteria for internal carotid artery disease—comparison with CT angiography. <i>Neuroradiology</i> , 2016, 58, 845-851.  | 1.1 | 11        |
| 24763 | Comparison of angiographic and IVUS derived coronary geometric reconstructions for evaluation of the association of hemodynamics with coronary artery disease progression. <i>International Journal of Cardiovascular Imaging</i> , 2016, 32, 1327-1336.   | 0.7 | 11        |
| 24764 | Fiabilidad de un test de dinamometría manual en pacientes con dolor de espalda baja mediante test-retest de 12 semanas: estudio piloto. <i>Fisioterapia</i> , 2016, 38, 136-141.   | 0.2 | 0         |
| 24765 | Dynamic contour tonometry vs. non-contact tonometry and their relation with corneal thickness. <i>Optik</i> , 2016, 127, 3912-3917.  | 1.4 | 3         |
| 24766 | Phase-contrast magnetic resonance imaging for the evaluation of wall shear stress in the common carotid artery of a spontaneously hypertensive rat model at 7T: Location-specific change, regional distribution along the vascular circumference, and reproducibility analysis. <i>Magnetic Resonance Imaging</i> , 2016, 34, 624-631. | 1.0 | 4         |
| 24767 | Measuring body composition in dogs using multifrequency bioelectrical impedance analysis and dual energy X-ray absorptiometry. <i>Veterinary Journal</i> , 2016, 212, 65-70.   | 0.6 | 4         |
| 24768 | Stroke volume and cardiac output evaluation by electrical cardiometry: accuracy and reference nomograms in hemodynamically stable preterm neonates. <i>Journal of Perinatology</i> , 2016, 36, 748-752.  | 0.9 | 36        |
| 24769 | A Comparison of Methods for the Estimation of Body Composition in Highly Trained Wheelchair Games Players. <i>International Journal of Sports Medicine</i> , 2016, 37, 799-806.  | 0.8 | 24        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24770 | Comparison of left ventricular manual versus automated derived longitudinal strain: implications for clinical practice and research. <i>International Journal of Cardiovascular Imaging</i> , 2016, 32, 429-437.                        | 0.7 | 25        |
| 24771 | Application of T1 scale in evaluating effects of long-term therapy. <i>Polish Annals of Medicine</i> , 2016, 23, 118-122.   | 0.3 | 1         |
| 24772 | Clinical utility of ultrasound to prospectively monitor distraction of magnetically controlled growing rods. <i>Spine Journal</i> , 2016, 16, 204-209.  | 0.6 | 37        |
| 24773 | Imaging the Cemento-Enamel Junction Using a 20-MHz Ultrasonic Transducer. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 333-338.  | 0.7 | 28        |
| 24774 | Optimizing Virus Identification in Critically Ill Children Suspected of Having an Acute Severe Viral Infection*. <i>Pediatric Critical Care Medicine</i> , 2016, 17, 279-286.   | 0.2 | 11        |
| 24775 | Analytical evaluation of a real-time PCR-based DNA demethylation assay to assess the frequency of naturally occurring regulatory T cells in peripheral blood. <i>Clinical Biochemistry</i> , 2016, 49, 1173-1180.                       | 0.8 | 1         |
| 24776 | Psychometric properties of the Tinnitus Functional Index (TFI): Assessment in a UK research volunteer population. <i>Hearing Research</i> , 2016, 335, 220-235.   | 0.9 | 90        |
| 24777 | Single session, intrauser repeatability of anterior chamber biometric and corneal pachy-volumetric parameters using a new Scheimpflug+Placido device. <i>Journal of Optometry</i> , 2016, 9, 85-92.                                     | 0.7 | 6         |
| 24778 | A comparison of salivary testosterone measurement using immunoassays and tandem mass spectrometry. <i>Psychoneuroendocrinology</i> , 2016, 71, 180-188.   | 1.3 | 81        |
| 24779 | Handling missing items in the Exacerbations of Chronic Pulmonary Disease Tool. <i>European Respiratory Journal</i> , 2016, 48, 564-566.   | 3.1 | 0         |
| 24780 | Monitoring of Cardiac Output and Its Derivatives. , 2016, , 15-41.  |     | 0         |
| 24781 | Cervical spinal canal narrowing in idiopathic syringomyelia. <i>Neuroradiology</i> , 2016, 58, 771-775.   | 1.1 | 8         |
| 24782 | Evaluation of tablet ultrasound for routine abdominal interventional procedures. <i>Radiologia Medica</i> , 2016, 121, 675-680.   | 4.7 | 4         |
| 24783 | 3D photography is a reliable method of measuring infantile haemangioma volume over time. <i>Journal of Pediatric Surgery</i> , 2016, 51, 1552-1556.   | 0.8 | 8         |
| 24784 | Evaluation of a screener to assess diet quality in the Netherlands. <i>British Journal of Nutrition</i> , 2016, 115, 517-526.   | 1.2 | 70        |
| 24785 | Improved interpretation of studies comparing methods of dietary assessment: combining equivalence testing with the limits of agreement. <i>British Journal of Nutrition</i> , 2016, 115, 1273-1280.                                     | 1.2 | 17        |
| 24786 | Pediatric Reference Values and Z Score Equations for Left Ventricular Systolic Strain Measured by Two-Dimensional Speckle-Tracking Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2016, 29, 786-793.e8. | 1.2 | 51        |
| 24787 | Wireless Vital Sign Monitoring in Pregnant Women: A Functionality and Acceptability Study. <i>Telemedicine Journal and E-Health</i> , 2016, 22, 564-571.  | 1.6 | 25        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24788 | A Novel Mobile Phone Application for Pulse Pressure Variation Monitoring Based on Feature Extraction Technology. <i>Anesthesia and Analgesia</i> , 2016, 123, 105-113.   | 1.1 | 23        |
| 24789 | Comparison of Use of Short Form-36 Domain Scores and Patient Responses for Derivation of Preference-Based SF6D Index to Calculate Quality-Adjusted Life Years in Patients with Intermittent Claudication. <i>Annals of Vascular Surgery</i> , 2016, 34, 164-170. | 0.4 | 3         |
| 24790 | Performance of a Blood Glucose Monitoring System in a Point-of-Care Setting. <i>Journal of Diabetes Science and Technology</i> , 2016, 10, 939-946.  | 1.3 | 5         |
| 24791 | Functional Assessment of Bioprosthetic Aortic Valves by CMR. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 785-793.   | 2.3 | 12        |
| 24792 | The long-term course of deficient cervical kinaesthesia following a whiplash injury has a tendency to seek a physiological homeostasis. A prospective study. <i>Manual Therapy</i> , 2016, 22, 196-201.  | 1.6 | 14        |
| 24793 | Simplifying the Welfare Quality® assessment protocol for broiler chicken welfare. <i>Animal</i> , 2016, 10, 117-127.   | 1.3 | 68        |
| 24794 | Reproducibility and validity of an FFQ developed for adults in Nanjing, China. <i>British Journal of Nutrition</i> , 2016, 115, 887-894.   | 1.2 | 22        |
| 24795 | Development and validation of two food portion photograph books to assess dietary intake among adults and children in Central Africa. <i>British Journal of Nutrition</i> , 2016, 115, 895-902.  | 1.2 | 31        |
| 24796 | A New Ultrasound Marker for Bedside Monitoring of Preterm Brain Growth. <i>American Journal of Neuroradiology</i> , 2016, 37, 1516-1522.   | 1.2 | 16        |
| 24797 | Agreement Between Results of Home Sleep Testing for Obstructive Sleep Apnea with and Without a Sleep Specialist. <i>American Journal of Medicine</i> , 2016, 129, 725-730.   | 0.6 | 13        |
| 24798 | Cross-cultural Adaptation and Validation of the Simplified Chinese Version of the Knee Outcome Survey Activities of Daily Living Scale. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2016, 32, 2009-2016.                                  | 1.3 | 12        |
| 24799 | Clinical Agreement between Nurses in the Ultrasound Measurement of Abdominal Aortic Diameter within a National Screening Programme. <i>Annals of Vascular Surgery</i> , 2016, 33, 194-201.   | 0.4 | 3         |
| 24800 | Acute Effects of Nasal CPAP in Patients With Hypertrophic Cardiomyopathy. <i>Chest</i> , 2016, 150, 1050-1058.   | 0.4 | 9         |
| 24801 | An evaluation strategy for potential QTc prolongation with chronic azithromycin therapy in cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2016, 15, 192-195.   | 0.3 | 10        |
| 24802 | Analysis of Kidney Ultrasound Dimensions by Body Habitus and Position. <i>Journal of Urology</i> , 2016, 196, 943-949.   | 0.2 | 1         |
| 24803 | Comparison of actual with default hematocrit value in dynamic contrast enhanced MR perfusion quantification in grading of human glioma. <i>Magnetic Resonance Imaging</i> , 2016, 34, 1071-1077.   | 1.0 | 10        |
| 24804 | A Comparison of the Roche Cobas HPV Test With the Hybrid Capture 2 Test for the Detection of High-Risk Human Papillomavirus Genotypes. <i>Archives of Pathology and Laboratory Medicine</i> , 2016, 140, 153-157.  | 1.2 | 22        |
| 24805 | Evaluating vestibular schwannoma size and volume on magnetic resonance imaging: An inter- and intra-rater agreement study. <i>Clinical Neurology and Neurosurgery</i> , 2016, 145, 68-73.  | 0.6 | 31        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24806 | Accuracy of Different Modalities to Record Natural Head Position in 3 Dimensions: A Systematic Review. <i>Journal of Oral and Maxillofacial Surgery</i> , 2016, 74, 2261-2284.   | 0.5 | 22        |
| 24807 | Comparison Between CKD-EPI Creatinine and MDRD Equations to Estimate Glomerular Filtration Rate in Kidney Transplant Patients. <i>Transplantation Proceedings</i> , 2016, 48, 625-630.   | 0.3 | 10        |
| 24808 | Methodology of method comparison studies evaluating the validity of cardiac output monitors: a stepwise approach and checklist – This Article is accompanied by Editorial Aew110.. <i>British Journal of Anaesthesia</i> , 2016, 116, 750-758. | 1.5 | 114       |
| 24809 | Can we improve transthoracic echocardiography training in non-cardiologist residents? Experience of two training programs in the intensive care unit. <i>Annals of Intensive Care</i> , 2016, 6, 44.   | 2.2 | 13        |
| 24810 | A meta-analysis of the validity of FFQ targeted to adolescents. <i>Public Health Nutrition</i> , 2016, 19, 1168-1183.  | 1.1 | 39        |
| 24811 | Reliability of Physical Activity Measures During Free-Living Activities in People After Total Knee Arthroplasty. <i>Physical Therapy</i> , 2016, 96, 898-907.  | 1.1 | 20        |
| 24812 | Mean arterial pressure values calculated using seven different methods and their associations with target organ deterioration in a single-center study of 1878 individuals. <i>Hypertension Research</i> , 2016, 39, 640-647.                  | 1.5 | 65        |
| 24813 | Response to letter to the editor regarding ‘Serum perfluoroalkyl acids and time to pregnancy in nulliparous women’. <i>Environmental Research</i> , 2016, 147, 574-575.  | 3.7 | 2         |
| 24814 | Validation of cystatin C–based equations for evaluating residual renal function in patients on continuous ambulatory peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2016, 32, gfw096.                                       | 0.4 | 7         |
| 24815 | Electrophysiologic Validation of Diffusion Tensor Imaging Tractography during Deep Brain Stimulation Surgery. <i>American Journal of Neuroradiology</i> , 2016, 37, 1470-1478.   | 1.2 | 25        |
| 24816 | Association between depression severity and cardiac autonomic modulation. <i>Journal of Psychosomatic Research</i> , 2016, 85, 9-11.   | 1.2 | 8         |
| 24817 | Validation of dose painting of lung tumours using alanine/EPR dosimetry. <i>Physics in Medicine and Biology</i> , 2016, 61, 2243-2254.   | 1.6 | 6         |
| 24818 | Comparison of baroreflex sensitivity estimated from ECG R–R and inter-systolic intervals obtained by finger plethysmography and radial tonometry. <i>Journal of Neural Transmission</i> , 2016, 123, 481-490.                                  | 1.4 | 4         |
| 24819 | Morphological imaging and T2 and T2* mapping of hip cartilage at 7T MRI under the influence of intravenous gadolinium. <i>European Radiology</i> , 2016, 26, 3923-3931.  | 2.3 | 13        |
| 24820 | An Analytical Pipeline for Quantitative Characterization of Dietary Intake: Application To Assess Grape Intake. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 2423-2431.   | 2.4 | 48        |
| 24821 | Assessment of the Access AMH assay as an automated, high-performance replacement for the AMH Generation II manual ELISA. <i>Reproductive Biology and Endocrinology</i> , 2016, 14, 8.  | 1.4 | 40        |
| 24822 | Age-related changes in thickness of anterior lower uterine segment in normal singleton pregnancy during 20–35 weeks gestation. <i>Journal of Medical Ultrasonics (2001)</i> , 2016, 43, 401-405.   | 0.6 | 3         |
| 24823 | The effect of stopping before turning on the direct observational measure of whole body turning bias. <i>Human Movement Science</i> , 2016, 47, 116-120.   | 0.6 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24824 | Predicting residual kidney function in hemodialysis patients using serum $\beta_2$ -trace protein and $\beta_2$ -microglobulin. <i>Kidney International</i> , 2016, 89, 1090-1098.   | 2.6 | 51        |
| 24825 | Sea kayaking incidents in Norway 2000–2014: an issue of bad weather or poor judgement?. <i>Journal of Adventure Education and Outdoor Learning</i> , 2016, 16, 131-145.  | 1.2 | 7         |
| 24826 | Minimal residual disease monitoring by 8-color flow cytometry in mantle cell lymphoma: an EU-MCL and LYSA study. <i>Haematologica</i> , 2016, 101, 336-345.  | 1.7 | 50        |
| 24827 | Portable $\epsilon$ -Mode Ultrasound for Body Composition Assessment in Adolescents. <i>Journal of Ultrasound in Medicine</i> , 2016, 35, 755-760.   | 0.8 | 13        |
| 24828 | Comparing Handheld Meters and Electronic Dosimeters for Measuring Ultraviolet Levels under Shade and in the Sun. <i>Photochemistry and Photobiology</i> , 2016, 92, 208-214.   | 1.3 | 15        |
| 24829 | Accuracy of a Blood Glucose Monitoring System. <i>Journal of Diabetes Science and Technology</i> , 2016, 10, 995-996.  | 1.3 | 2         |
| 24830 | Reproducibility of the Online Food4Me Food-Frequency Questionnaire for Estimating Dietary Intakes across Europe. <i>Journal of Nutrition</i> , 2016, 146, 1068-1075.   | 1.3 | 24        |
| 24831 | Reliability and Validity of Food Frequency Questions to Assess Beverage and Food Group Intakes among Low-Income 2- to 4-Year-Old Children. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2016, 116, 931-939.                            | 0.4 | 18        |
| 24832 | Bioimpedance spectroscopy in the infant: effect of milk intake and extracellular fluid reservoirs on resistance measurements in term breastfed infants. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 843-851.                           | 1.3 | 9         |
| 24833 | Prediction of basal metabolic rate in patients with Prader-Willi syndrome. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 494-498.  | 1.3 | 7         |
| 24834 | Point-of-care devices for physiological measurements in field conditions. A smorgasbord of instruments and validation procedures. <i>Comparative Biochemistry and Physiology Part A, Molecular &amp; Integrative Physiology</i> , 2016, 202, 99-111. | 0.8 | 24        |
| 24835 | Validity of body mass index in determining prevalence of overweight and obesity among Syrian late adolescents boys. <i>Social Science Journal</i> , 2016, 53, 184-189.   | 0.9 | 3         |
| 24836 | Performance Evaluation and Comparison of the Fully Automated Urinalysis Analyzers UX-2000 and Cobas 6500. <i>Laboratory Medicine</i> , 2016, 47, 124-133.  | 0.8 | 20        |
| 24837 | Commutability of Cytomegalovirus WHO International Standard in Different Matrices. <i>Journal of Clinical Microbiology</i> , 2016, 54, 1512-1519.  | 1.8 | 22        |
| 24838 | Correlation and Agreement of Handheld Spirometry with Laboratory Spirometry in Allogeneic Hematopoietic Cell Transplant Recipients. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 925-931.  | 2.0 | 31        |
| 24839 | A Guideline of Selecting and Reporting Intraclass Correlation Coefficients for Reliability Research. <i>Journal of Chiropractic Medicine</i> , 2016, 15, 155-163.  | 0.3 | 14,255    |
| 24840 | Validity and reliability of a portable gait analysis system for measuring spatiotemporal gait characteristics: comparison to an instrumented treadmill. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2016, 13, 6.                         | 2.4 | 85        |
| 24841 | Quantitative assessment of morphology, T1 $\rho$ , and T2 of shoulder cartilage using MRI. <i>European Radiology</i> , 2016, 26, 4656-4663.  | 2.3 | 10        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24842 | Poor agreement of objectively measured and self-reported physical activity in juvenile dermatomyositis and juvenile systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 2016, 35, 1507-1514.   | 1.0 | 18        |
| 24843 | How different are composite and traditional TTO valuations of severe EQ-5D-5L states?. <i>Quality of Life Research</i> , 2016, 25, 2101-2108.   | 1.5 | 7         |
| 24844 | Reliability of tristimulus colourimetry in the assessment of cutaneous bruise colour. <i>Injury</i> , 2016, 47, 1258-1263.  | 0.7 | 7         |
| 24845 | Methods for Measuring Lung Volumes: Is There a Better One?. <i>Respiration</i> , 2016, 91, 273-280.   | 1.2 | 39        |
| 24846 | Tumor Volumes in Choroidal Melanoma: Agreement Between Three-Dimensional Ultrasound and Two Mathematical Models. <i>American Journal of Ophthalmology</i> , 2016, 166, 181-188.   | 1.7 | 2         |
| 24847 | Spectral-domain Optical Coherence Tomography Retinal and Choroidal Thickness Metric Repeatability in Age-related Macular Degeneration. <i>American Journal of Ophthalmology</i> , 2016, 166, 154-161.   | 1.7 | 16        |
| 24848 | The 10m incremental shuttle walk test is a highly reliable field exercise test for patients referred to cardiac rehabilitation: a retest reliability study. <i>Physiotherapy</i> , 2016, 102, 243-248.  | 0.2 | 22        |
| 24849 | Real-time sonoelastography using an external reference material: test-retest reliability of healthy Achilles tendons. <i>Skeletal Radiology</i> , 2016, 45, 1045-1052.  | 1.2 | 18        |
| 24850 | Highly Sensitive Detection of Hormone Estradiol E2 Using Surface-Enhanced Raman Scattering Based Immunoassays for the Clinical Diagnosis of Precocious Puberty. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 10665-10672.   | 4.0 | 73        |
| 24851 | Glucose concentration in capillary blood of dairy cows obtained by a minimally invasive lancet technique and determined with three different hand-held devices. <i>BMC Veterinary Research</i> , 2016, 12, 34.  | 0.7 | 31        |
| 24852 | Development and validation of an automated and marker-free CT-based spatial analysis method (CTSA) for assessment of femoral hip implant migration-In vitro accuracy and precision comparable to that of radiostereometric analysis (RSA). <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 139-145. | 1.2 | 16        |
| 24853 | Dmax method estimates lactate threshold in individuals with type 2 diabetes. <i>Sport Sciences for Health</i> , 2016, 12, 175-181.  | 0.4 | 0         |
| 24855 | New time-saving predictor algorithm for multiple breath washout in adolescents. <i>Pediatric Research</i> , 2016, 80, 49-53.  | 1.1 | 7         |
| 24856 | Quantification of Ellipsoid Zone Changes in Retinitis Pigmentosa Using en Face Spectral Domain Optical Coherence Tomography. <i>JAMA Ophthalmology</i> , 2016, 134, 628.  | 1.4 | 64        |
| 24857 | Cystatin C standardization decreases assay variation and improves assessment of glomerular filtration rate. <i>Clinica Chimica Acta</i> , 2016, 456, 115-121.   | 0.5 | 36        |
| 24858 | Extracellular Volume Fraction for Characterization of Patients With Heart Failure and Preserved Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2016, 67, 1815-1825.  | 1.2 | 165       |
| 24859 | Methodology of a statistical and DOE approach to the prediction of performance in tribology - A DLC boundary-lubrication case study. <i>Tribology International</i> , 2016, 101, 10-24.   | 3.0 | 8         |
| 24860 | Cesarean section scar measurements in non-pregnant women using three-dimensional ultrasound: a repeatability study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 201, 65-69.  | 0.5 | 11        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24861 | Reproducibility of first trimester three-dimensional placental measurements. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 201, 156-160.  | 0.5 | 9         |
| 24862 | High Level of Agreement between Electronic and Paper Mode of Administration of a Thyroid-Specific Patient-Reported Outcome, ThyPRO. <i>European Thyroid Journal</i> , 2016, 5, 65-72.  | 1.2 | 16        |
| 24863 | Evaluation of heart rate measurements in clinical studies: a prospective cohort study in patients with heart disease. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 789-795.                                  | 0.8 | 9         |
| 24864 | Cross-Validation of Resting Metabolic Rate Prediction Equations. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2016, 116, 1413-1422.  | 0.4 | 58        |
| 24866 | A new modeling methodology for continuous cuffless blood pressure measurement. , 2016, , .   |     | 7         |
| 24867 | Optic Disc Rotation as a Clue for Predicting Visual Field Progression in Myopic Normal-Tension Glaucoma. <i>Ophthalmology</i> , 2016, 123, 1484-1493.  | 2.5 | 53        |
| 24868 | Performance of a Multispectral Optoacoustic Tomography (MSOT) System equipped with 2D vs. 3D Handheld Probes for Potential Clinical Translation. <i>Photoacoustics</i> , 2016, 4, 1-10.                                      | 4.4 | 90        |
| 24869 | Validity of Self-Reported Pedometer Steps per Day in College Students. <i>Measurement in Physical Education and Exercise Science</i> , 2016, 20, 140-145.  | 1.3 | 1         |
| 24870 | Reliability of the Handgrip Strength Test in Elderly Subjects With Parkinson Disease. <i>Hand</i> , 2016, 11, 54-58.   | 0.7 | 39        |
| 24871 | OPTION5 versus OPTION12 instruments to appreciate the extent to which healthcare providers involve patients in decision-making. <i>Patient Education and Counseling</i> , 2016, 99, 1062-1068.                               | 1.0 | 52        |
| 24872 | Measurement of Oxygen Consumption in Critically Ill Children: Breath-by-Breath Method vs Mass Spectrometry. <i>American Journal of Critical Care</i> , 2016, 25, 243-248.  | 0.8 | 2         |
| 24873 | Development, reproducibility and validity of a food frequency questionnaire among pregnant women adherent to the Mediterranean dietary pattern. <i>Clinical Nutrition</i> , 2016, 35, 1550-1556.                             | 2.3 | 27        |
| 24874 | Clinical Validation of a Transcranial Doppler-Based Noninvasive Intracranial Pressure Meter: A Prospective Cross-Sectional Study. <i>World Neurosurgery</i> , 2016, 89, 647-653.e1.  | 0.7 | 30        |
| 24875 | Standardized Protocol to Analyze Computed Tomography Imaging of Type B Aortic Dissections. <i>Journal of Endovascular Therapy</i> , 2016, 23, 472-482.   | 0.8 | 13        |
| 24876 | Noninvasive Estimation of Aneurysm Sac Pressurization Following Endovascular Aneurysm Repair Using M-Mode Ultrasonography to Evaluate Significance of Endoleaks. <i>Journal of Endovascular Therapy</i> , 2016, 23, 606-613. | 0.8 | 1         |
| 24877 | Validation of an arterial constitutive model accounting for collagen content and crosslinking. <i>Acta Biomaterialia</i> , 2016, 31, 276-287.  | 4.1 | 22        |
| 24878 | Estimating pushrim temporal and kinetic measures using an instrumented treadmill during wheelchair propulsion: A concurrent validity study. <i>Journal of Biomechanics</i> , 2016, 49, 1976-1982.                            | 0.9 | 3         |
| 24879 | Relative and absolute reliability of specific kickboxing circuit training protocol in male kickboxers. <i>Science and Sports</i> , 2016, 31, e65-e72.  | 0.2 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24880 | Reliability of radiologic evaluation of abdominal aortic calcification using the 24-point scale. <i>Radiologia</i> , 2016, 58, 46-54.  | 0.3 | 7         |
| 24881 | Evaluation of Gastric Volumes: Comparison of 3-D Ultrasound and Magnetic Resonance Imaging. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 1423-1430.   | 0.7 | 11        |
| 24882 | Is applanation tonometry a reliable method for monitoring blood pressure in morbidly obese patients undergoing bariatric surgery?. <i>British Journal of Anaesthesia</i> , 2016, 116, 790-796.   | 1.5 | 10        |
| 24883 | The validity and reliability of an automated method of scoring dental arch relationships in unilateral cleft lip and palate using the modified Huddartâ€ˆBodenham scoring system. <i>European Journal of Orthodontics</i> , 2016, 38, 353-358.                       | 1.1 | 8         |
| 24884 | Estimation of the Maximal Lactate Steady State in Endurance Runners. <i>International Journal of Sports Medicine</i> , 2016, 37, 539-546.  | 0.8 | 11        |
| 24885 | Validation of the facial assessment by computer evaluation (FACE) program for software-aided eyelid measurements. <i>Orbit</i> , 2016, 35, 117-120.  | 0.5 | 10        |
| 24886 | Adaptive anisotropic gaussian filtering to reduce acquisition time in cardiac diffusion tensor imaging. <i>International Journal of Cardiovascular Imaging</i> , 2016, 32, 921-934.  | 0.7 | 1         |
| 24887 | Common 3-dimensional coordinate system for assessment of directional changes. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2016, 149, 645-656.  | 0.8 | 83        |
| 24888 | ShearWave elastography of fetal lungs in pregnant baboons. <i>Diagnostic and Interventional Imaging</i> , 2016, 97, 605-610.   | 1.8 | 16        |
| 24889 | Is 10-second electrocardiogram recording enough for accurately estimating heart rate in atrial fibrillation. <i>International Journal of Cardiology</i> , 2016, 215, 175-178.  | 0.8 | 9         |
| 24890 | A robust approach for ECG-based analysis of cardiopulmonary coupling. <i>Medical Engineering and Physics</i> , 2016, 38, 671-678.  | 0.8 | 10        |
| 24891 | Left atrial ejection force correlates with left atrial strain and volume-based functional properties as assessed by three-dimensional speckle tracking echocardiography (from the MAGYAR-Healthy Study). <i>Revista Portuguesa De Cardiologia</i> , 2016, 35, 83-91. | 0.2 | 15        |
| 24892 | Assessing Body Fat of Children by Skinfold Thickness, Bioelectrical Impedance Analysis, and Dual-Energy X-Ray Absorptiometry. <i>Asia-Pacific Journal of Public Health</i> , 2016, 28, 74S-84S.  | 0.4 | 21        |
| 24893 | On the computational assessment of white matter hyperintensity progression: difficulties in method selection and bias field correction performance on images with significant white matter pathology. <i>Neuroradiology</i> , 2016, 58, 475-485.                     | 1.1 | 9         |
| 24894 | Delineation of QRS offset by instantaneous changes in ECG vector angle can improve detection of acute inferior myocardial infarctions. <i>Journal of Electrocardiology</i> , 2016, 49, 337-344.  | 0.4 | 1         |
| 24895 | Reliability Analysis of the Distal Radius and Ulna Classification for Assessing Skeletal Maturity for Patients with Adolescent Idiopathic Scoliosis. <i>Global Spine Journal</i> , 2016, 6, 164-168.   | 1.2 | 21        |
| 24896 | Perpetual and Virtual Patients for Cardiorespiratory Physiological Studies. <i>Journal of Pediatric Intensive Care</i> , 2016, 05, 122-128.  | 0.4 | 9         |
| 24898 | Clinical importance of inflammatory facet joints of the spine in ankylosing spondylitis: a magnetic resonance imaging study. <i>Scandinavian Journal of Rheumatology</i> , 2016, 45, 491-498.  | 0.6 | 21        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24899 | An automated Y-maze based on a reduced instruction set computer (RISC) microcontroller for the assessment of continuous spontaneous alternation in rats. <i>Behavior Research Methods</i> , 2016, 48, 1631-1643.                              | 2.3 | 14        |
| 24900 | Estimation of firm performance from a MIMIC model. <i>European Journal of Operational Research</i> , 2016, 255, 298-307.  | 3.5 | 14        |
| 24901 | Standardisation of the Test Your Memory and evaluation of their concordance with the outcome of the psychometric examination. <i>Neurologia (English Edition)</i> , 2016, 31, 239-246.  | 0.2 | 3         |
| 24902 | Results at 2 Years after Gene Therapy for RPE65-Deficient Leber Congenital Amaurosis and Severe Early-Childhood-Onset Retinal Dystrophy. <i>Ophthalmology</i> , 2016, 123, 1606-1620.   | 2.5 | 184       |
| 24903 | Agreement between an online dietary assessment tool (myfood24) and an interviewer-administered 24-h dietary recall in British adolescents aged 11-18 years. <i>British Journal of Nutrition</i> , 2016, 115, 1678-1686.                       | 1.2 | 47        |
| 24904 | Reproducibility of hippocampal atrophy rates measured with manual, FreeSurfer, AdaBoost, FSL/FIRST and the MAPS-HBSI methods in Alzheimer's disease. <i>Psychiatry Research - Neuroimaging</i> , 2016, 252, 26-35.                            | 0.9 | 20        |
| 24905 | Evaluation of the Methods to Predict Total Serum Lipids and to Determine 22 POPs in the Serum of Pregnant Women. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2016, 97, 124-130.   | 1.3 | 0         |
| 24906 | The validity of the Memory Alteration Test and the Test Your Memory test for community-based identification of amnesic mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2016, 12, 987-995.  | 0.4 | 18        |
| 24907 | Echocardiography and magnetic resonance imaging based strain analysis of functional single ventricles: a study of intra- and inter-modality reproducibility. <i>International Journal of Cardiovascular Imaging</i> , 2016, 32, 1113-1120.    | 0.7 | 23        |
| 24908 | Validation of an enzyme-linked immunosorbent assay for measurement of feline haptoglobin. <i>Journal of Veterinary Diagnostic Investigation</i> , 2016, 28, 235-243.  | 0.5 | 5         |
| 24909 | A Comparison of Static and Dynamic Measures of Lower Limb Joint Angles in Cycling: Application to Bicycle Fitting. <i>Human Movement</i> , 2016, 17, .  | 0.5 | 13        |
| 24910 | Development of a Reference Data Set (RDS) for dental age estimation (DAE) and testing of this with a separate Validation Set (VS) in a southern Chinese population. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2016, 43, 26-33. | 0.5 | 21        |
| 24911 | Three-Dimensional Sonographic Biometry for Predicting Birth Weight and Macrosomia in Diabetic Pregnancies. <i>Journal of Ultrasound in Medicine</i> , 2016, 35, 1925-1930.  | 0.8 | 15        |
| 24912 | Can the New Global Lung Initiative Equations Better Stratify the Risk of Death in Elderly People with Chronic Obstructive Pulmonary Disease?. <i>Respiration</i> , 2016, 92, 16-24.   | 1.2 | 3         |
| 24913 | Preanalytical conditions of point-of-care testing in the intensive care unit are decisive for analysis reliability. <i>Annals of Intensive Care</i> , 2016, 6, 57.  | 2.2 | 21        |
| 24914 | Response of Pigment Epithelial Detachment to Anti-Vascular Endothelial Growth Factor Treatment in Age-Related Macular Degeneration. <i>American Journal of Ophthalmology</i> , 2016, 168, 292-293.  | 1.7 | 0         |
| 24915 | Explanatory models of muscle performance in acromegaly patients evaluated by knee isokinetic dynamometry: Implications for rehabilitation. <i>Human Movement Science</i> , 2016, 49, 160-169.   | 0.6 | 10        |
| 24916 | Validity of muscle thickness-based prediction equation for quadriceps femoris volume in middle-aged and older men and women. <i>European Journal of Applied Physiology</i> , 2016, 116, 2125-2133.  | 1.2 | 19        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24917 | Feasibility analysis of heart rate monitoring of construction workers using a photoplethysmography (PPG) sensor embedded in a wristband-type activity tracker. <i>Automation in Construction</i> , 2016, 71, 372-381.  | 4.8 | 95        |
| 24918 | Quantitative body mass characterization before and after head and neck cancer radiotherapy: A challenge of height-weight formulae using computed tomography measurement. <i>Oral Oncology</i> , 2016, 61, 62-69.   | 0.8 | 29        |
| 24919 | Frailty as Tested by Gait Speed is an Independent Risk Factor for Cirrhosis Complications that Require Hospitalization. <i>American Journal of Gastroenterology</i> , 2016, 111, 1768-1775.  | 0.2 | 115       |
| 24920 | A Novel Semiautomated Fractional Limb Volume Tool for Rapid and Reproducible Fetal Soft Tissue Assessment. <i>Journal of Ultrasound in Medicine</i> , 2016, 35, 1573-1578.   | 0.8 | 12        |
| 24921 | Fully automated chemiluminescence detection using an electrified-Lab-on-a-Disc (eLoaD) platform. <i>Lab on A Chip</i> , 2016, 16, 4002-4011.   | 3.1 | 35        |
| 24922 | Agreement of the activPAL3 and activPAL for characterising posture and stepping in adults and children. <i>Gait and Posture</i> , 2016, 48, 209-214.   | 0.6 | 13        |
| 24923 | Optimization of a generalized radial-aortic transfer function using parametric techniques. <i>Computers in Biology and Medicine</i> , 2016, 77, 206-213.   | 3.9 | 5         |
| 24924 | Fiber tracking: A qualitative and quantitative comparison between four different software tools on the reconstruction of major white matter tracts. <i>European Journal of Radiology Open</i> , 2016, 3, 153-161.  | 0.7 | 49        |
| 24925 | Respiratory rates measured by a standardised clinical approach, ward staff, and a wireless device. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 1444-1452.   | 0.7 | 32        |
| 24926 | Fatigue in Advanced Cancer Patients: Congruence Between Patients and Their Informal Caregivers About Patients' Fatigue Severity During Cancer Treatment With Palliative Intent and Predictors of Agreement. <i>Journal of Pain and Symptom Management</i> , 2016, 52, 336-344. | 0.6 | 18        |
| 24927 | Quantifying disease activity in fatty-infiltrated skeletal muscle by IDEAL-CPMG in Duchenne muscular dystrophy. <i>Neuromuscular Disorders</i> , 2016, 26, 650-658.  | 0.3 | 38        |
| 24928 | Reproducibility of low-dose stereography measurements of femoral torsion after IM nailing of femoral shaft fractures and in intact femurs. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2016, 102, 595-599.  | 0.9 | 6         |
| 24929 | A Novel Protocol to Measure Short Sprint Performance. <i>Procedia Engineering</i> , 2016, 147, 706-711.  | 1.2 | 8         |
| 24930 | Right ventricular end-diastolic stiffness heralds right ventricular failure in monocrotaline-induced pulmonary hypertension. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016, 311, H1004-H1013.  | 1.5 | 17        |
| 24931 | A DBS method for quantitation of the new oral trypanocidal drug fexinidazole and its active metabolites. <i>Bioanalysis</i> , 2016, 8, 2045-2063.  | 0.6 | 2         |
| 24932 | Rating the Ratings: The AIR Scoring System for Blogs and Podcasts. <i>Annals of Emergency Medicine</i> , 2016, 68, 513-518.  | 0.3 | 0         |
| 24933 | Improved Accuracy of Automated Estimation of Cardiac Output Using Circulation Time in Patients with Heart Failure. <i>Journal of Cardiac Failure</i> , 2016, 22, 925-927.  | 0.7 | 4         |
| 24934 | Real-time sonoelastography using an external reference material: Test-retest reliability on healthy Achilles tendon. <i>Manual Therapy</i> , 2016, 25, e94.  | 1.6 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24936 | Validity of Power Settings of the Wahoo KICKR Power Trainer. <i>International Journal of Sports Physiology and Performance</i> , 2016, 11, 1115-1117.   | 1.1 | 22        |
| 24937 | The Short Questionnaire to Assess Health-Enhancing (SQUASH) Physical Activity in Adolescents: A Validation Using Doubly Labeled Water. <i>Journal of Physical Activity and Health</i> , 2016, 13, 154-158.                                | 1.0 | 30        |
| 24938 | A New Gender-Specific Formula to Estimate 24-Hour Urine Protein from Protein to Creatinine Ratio. <i>Nephron</i> , 2016, 133, 232-238.  | 0.9 | 4         |
| 24939 | Estimates of arterial stiffness and central blood pressure in patients with type 2 diabetes: A comparison of SphygmoCor and Arteriograph. <i>Artery Research</i> , 2016, 16, 18.  | 0.3 | 2         |
| 24940 | Development and validation of a vision and night driving questionnaire. <i>Ophthalmic and Physiological Optics</i> , 2016, 36, 465-476.   | 1.0 | 18        |
| 24941 | VISIBILITY OF STRUCTURES OF RELEVANCE FOR PATIENTS WITH CYSTIC FIBROSIS IN CHEST TOMOSYNTHESIS: INFLUENCE OF ANATOMICAL LOCATION AND OBSERVER EXPERIENCE. <i>Radiation Protection Dosimetry</i> , 2016, 169, 177-187.                     | 0.4 | 10        |
| 24942 | A novel system to study the coordination of sucking and breathing in newborns during bottle feeding. <i>IEEE Sensors Journal</i> , 2016, , 1-1.   | 2.4 | 8         |
| 24943 | Diaphragmatic Dysfunction Is Characterized by Increased Duration of Mechanical Ventilation in Subjects With Prolonged Weaning. <i>Respiratory Care</i> , 2016, 61, 1316-1322.   | 0.8 | 42        |
| 24944 | Freehand three-dimensional ultrasound to assess semitendinosus muscle morphology. <i>Journal of Anatomy</i> , 2016, 229, 591-599.   | 0.9 | 34        |
| 24945 | Finger counting method is more accurate than age-based weight estimation formulae in estimating the weight of Hong Kong children presenting to the emergency department. <i>EMA - Emergency Medicine Australasia</i> , 2016, 28, 691-697. | 0.5 | 5         |
| 24946 | Standardization of molecular monitoring for chronic myeloid leukemia in Latin America using locally produced secondary cellular calibrators. <i>Leukemia</i> , 2016, 30, 2258-2260.   | 3.3 | 12        |
| 24947 | Quantification methods for human and large animal leukocytes using DNA dyes by flow cytometry. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2016, 89, 565-574.                             | 1.1 | 11        |
| 24948 | Validation of feasibility of two depth sensor-based Microsoft Kinect cameras for human abduction-adduction motion analysis. <i>International Journal of Precision Engineering and Manufacturing</i> , 2016, 17, 1209-1214.                | 1.1 | 3         |
| 24949 | Disagreement between fourth generation FloTrac and LiDCOrapid measurements of cardiac output and stroke volume variation during laparoscopic colectomy. <i>Journal of Clinical Anesthesia</i> , 2016, 35, 150-156.                        | 0.7 | 8         |
| 24950 | ECG segmentation and fiducial point extraction using multi hidden Markov model. <i>Computers in Biology and Medicine</i> , 2016, 79, 21-29.   | 3.9 | 32        |
| 24951 | Validation of Test Weighing Protocol to Estimate Enteral Feeding Volumes in Preterm Infants. <i>Journal of Pediatrics</i> , 2016, 178, 108-112.   | 0.9 | 28        |
| 24952 | Validity of inner canthus temperature recorded by infrared thermography as a non-invasive surrogate measure for core temperature at rest, during exercise and recovery. <i>Journal of Thermal Biology</i> , 2016, 62, 50-55.              | 1.1 | 25        |
| 24953 | Forensic postmortem computed tomography: volumetric measurement of the heart and liver. <i>Forensic Science, Medicine, and Pathology</i> , 2016, 12, 510-516.   | 0.6 | 12        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24954 | Interobserver and Intraobserver Reliability of Clinical Assessments in Knee Osteoarthritis. <i>Journal of Rheumatology</i> , 2016, 43, 2171-2178.  | 1.0 | 31        |
| 24955 | Comparison between IEGM-based approach and echocardiography in AV/PV and VV delay optimization in CRT-D recipients (Quicksept study). <i>Indian Pacing and Electrophysiology Journal</i> , 2016, 16, 59-65.  | 0.3 | 4         |
| 24956 | Reply to: Reproducibility of semi-automatic coronary plaque quantification in coronary CT angiography with sub-mSv radiation dose; common mistakes. <i>Journal of Cardiovascular Computed Tomography</i> , 2016, 10, e23.  | 0.7 | 0         |
| 24957 | Measuring Straight Time in Elite Short Track Speed Skating Relays. <i>Procedia Engineering</i> , 2016, 147, 622-626.   | 1.2 | 1         |
| 24958 | Mesure par stÃ©rÃ©oradiographie basse dose EOSÃ© de la torsion fÃ©morale aprÃ©s enclouage centromÃ©dullaire pour fracture diaphysaire, en comparaison du fÃ©mur sainÃ©: une Ã©tude de reproductibilitÃ©. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2016, 102, 437-441. | 0.0 | 0         |
| 24959 | A synthetic biology standard for Chinese Hamster Ovary cell genome monitoring and contaminant detection by polymerase chain reaction. <i>SpringerPlus</i> , 2016, 5, 1510.   | 1.2 | 1         |
| 24960 | Actigraphy of Wrist and Ankle for Measuring Sleep Duration in Altitude Travelers. <i>High Altitude Medicine and Biology</i> , 2016, 17, 194-202.   | 0.5 | 10        |
| 24961 | Sunitinib-associated Pancreatic Atrophy in Patients with Gastrointestinal Stromal Tumor: A Toxicity with Prognostic Implications Detected at Imaging. <i>Radiology</i> , 2016, 281, 140-149.   | 3.6 | 18        |
| 24962 | Lanthanides in Luminescent Thermometry. <i>Fundamental Theories of Physics</i> , 2016, 49, 339-427.  | 0.1 | 304       |
| 24963 | A Longitudinal Study of Physical Fitness in Elite Junior Tennis Players. <i>Pediatric Exercise Science</i> , 2016, 28, 553-564.  | 0.5 | 29        |
| 24964 | Validity and reliability of physical employment standards. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, S83-S91.  | 0.9 | 28        |
| 24965 | Validity of a perceptually-regulated step test protocol for assessing cardiorespiratory fitness in healthy adults. <i>European Journal of Applied Physiology</i> , 2016, 116, 2337-2344.   | 1.2 | 4         |
| 24966 | Noninvasive assessment of myocardial bridging by coronary flow velocity reserve with transthoracic Doppler echocardiography: vasodilator vs. inotropic stimulation. <i>International Journal of Cardiology</i> , 2016, 225, 37-45.   | 0.8 | 12        |
| 24967 | Evaluation of Echocardiographic Measures of Left Ventricular Function in Patients with Duchenne Muscular Dystrophy: Assessment of Reproducibility and Comparison to Cardiac Magnetic Resonance Imaging. <i>Journal of the American Society of Echocardiography</i> , 2016, 29, 983-991.  | 1.2 | 53        |
| 24968 | Accuracy of Postural Human-motion Tracking Using Miniature Inertial Sensors. <i>Procedia Engineering</i> , 2016, 147, 655-658.   | 1.2 | 18        |
| 24969 | Augmented renal clearance in Japanese intensive care unit patients: a prospective study. <i>Journal of Intensive Care</i> , 2016, 4, 62.   | 1.3 | 26        |
| 24970 | Brief Report: Parent-Teacher Discrepancies on the Developmental Social Disorders Scale (BASC-2) in the Assessment of High-Functioning Children with ASD. <i>Journal of Autism and Developmental Disorders</i> , 2016, 46, 3183-3189.   | 1.7 | 9         |
| 24971 | Automated segmentation of optic nerve head for the topological assessment. , 2016, , .   |     | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 24972 | Reliability and Construct Validity of Yo-Yo Tests in Untrained and Soccer-Trained Schoolgirls Aged 9â€“16. <i>Pediatric Exercise Science</i> , 2016, 28, 321-330.  | 0.5 | 33        |
| 24973 | Patient and Therapist Agreement on Performance-Rated Ability Using the de Morton Mobility Index. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 2157-2165.  | 0.5 | 4         |
| 24974 | Accuracy of a low-cost global positioning system receiver for estimating grade during outdoor walking. <i>Physiological Measurement</i> , 2016, 37, 1741-1756.   | 1.2 | 3         |
| 24975 | Mobile inertial sensor based gait analysis: Validity and reliability of spatiotemporal gait characteristics in healthy seniors. <i>Gait and Posture</i> , 2016, 49, 371-374.   | 0.6 | 43        |
| 24976 | Comparison of four methods of blood loss estimation after cesarean delivery. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 135, 51-55.   | 1.0 | 9         |
| 24977 | BIANCA (Brain Intensity AbNormality Classification Algorithm): A new tool for automated segmentation of white matter hyperintensities. <i>NeuroImage</i> , 2016, 141, 191-205.   | 2.1 | 308       |
| 24978 | Assessment of occupational risks to extremely low frequency magnetic fields: Validation of an empirical non-expert approach. <i>Preventive Medicine Reports</i> , 2016, 4, 148-154.                                    | 0.8 | 1         |
| 24979 | Assessing the Reliability of Ultrasound Imaging to Examine Radial Nerve Excursion. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 1651-1659.  | 0.7 | 11        |
| 24980 | Blood pressure estimation using video plethysmography. , 2016, , .   |     | 31        |
| 24981 | Refined clinical scoring in comparative EAE studies does not enhance the chance to observe statistically significant differences. <i>European Journal of Immunology</i> , 2016, 46, 2481-2483.                         | 1.6 | 40        |
| 24982 | Rapid method for the simultaneous detection of boar taint compounds by means of solid phase microextraction coupled to gas chromatography/mass spectrometry. <i>Journal of Chromatography A</i> , 2016, 1462, 124-133. | 1.8 | 13        |
| 24983 | Evaluation of physiological strain in hot work areas using thermal imagery. <i>Journal of Thermal Biology</i> , 2016, 61, 8-15.  | 1.1 | 7         |
| 24984 | Obesity associated with increased brain age from midlife. <i>Neurobiology of Aging</i> , 2016, 47, 63-70.  | 1.5 | 181       |
| 24985 | Automatic detection of cone photoreceptors in split detector adaptive optics scanning light ophthalmoscope images. <i>Biomedical Optics Express</i> , 2016, 7, 2036.   | 1.5 | 55        |
| 24986 | FTIR and NDIR spectroscopies as valuable alternatives to IRMS spectrometry for the $\delta^{13}C$ analysis of food. <i>Talanta</i> , 2016, 160, 276-281.   | 2.9 | 11        |
| 24987 | The Role of Body Habitus in Predicting Cardiorespiratory Fitness: The FRIEND Registry. <i>International Journal of Sports Medicine</i> , 2016, 37, 863-869.  | 0.8 | 15        |
| 24988 | Evaluation of Equations for Predicting 24-Hour Urinary Sodium Excretion from Casual Urine Samples in Asian Adults. <i>Journal of Nutrition</i> , 2016, 146, 1609-1615.   | 1.3 | 22        |
| 24989 | Intra- and interday repeatability of peripheral arterial function: suitability and potential limitations. <i>Microcirculation</i> , 2016, 23, 503-511.   | 1.0 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 24990 | What Is the Correct Approach for Comparing GFR by Different Methods across Levels of GFR?. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 1518-1521.                            | 2.2 | 14        |
| 24991 | Hair analysis for opiates: hydromorphone and hydrocodone as indicators of heroin use. <i>Bioanalysis</i> , 2016, 8, 953-964.  | 0.6 | 11        |
| 24992 | Spectral Matrix Decomposition-Based Motion Artifacts Removal in Multi-Channel PPG Sensor Signals. <i>IEEE Access</i> , 2016, 4, 3076-3086.  | 2.6 | 40        |
| 24993 | Validation of the RisingSun RS 651 Blood Pressure Monitor Based on Auscultation in Adults According to the ANSI / AAMI / ISO 81060:2013 Standard. <i>Journal of Clinical Hypertension</i> , 2016, 18, 1279-1283.  | 1.0 | 2         |
| 24994 | Heart rate inflection point estimates the anaerobic threshold in overweight and obese young adults. <i>Sport Sciences for Health</i> , 2016, 12, 397-405.   | 0.4 | 8         |
| 24995 | Development and validation of UHPLC-MS/MS methods for the quantification of colistin in plasma and dried plasma spots. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 129, 551-557.             | 1.4 | 35        |
| 24996 | Reliability and Validity of the PAQ-C Questionnaire to Assess Physical Activity in Children. <i>Journal of School Health</i> , 2016, 86, 677-685.   | 0.8 | 70        |
| 24997 | A comparison of plusoptix A12 measurements with cycloplegic refraction. <i>Journal of AAPOS</i> , 2016, 20, 310-314.  | 0.2 | 17        |
| 24998 | Evaluation of Proposed In Vivo Probe Substrates and Inhibitors for Phenotyping Transporter Activity in Humans. <i>Journal of Clinical Pharmacology</i> , 2016, 56, S82-98.  | 1.0 | 20        |
| 24999 | Author's response. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2016, 150, 212.  | 0.8 | 0         |
| 25000 | Royal London space analysis: plaster versus digital model assessment. <i>European Journal of Orthodontics</i> , 2017, 39, cjw052.   | 1.1 | 1         |
| 25001 | Effect of sensor location in dogs on performance of an interstitial glucose monitor. <i>American Journal of Veterinary Research</i> , 2016, 77, 805-817.  | 0.3 | 7         |
| 25002 | Landmark errors on posteroanterior cephalograms. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2016, 150, 324-331.  | 0.8 | 12        |
| 25003 | Conventional and Ambulatory Blood Pressure as Predictors of Retinal Arteriolar Narrowing. <i>Hypertension</i> , 2016, 68, 511-520.  | 1.3 | 20        |
| 25004 | Assessment of Becton Dickinson Plain and Serum Separator Tubes in Measurement of 25-Hydroxyvitamin D3 (25OHD3) by HPLC and Immunoassay Methods. <i>Journal of Clinical Laboratory Analysis</i> , 2016, 30, 32-35. | 0.9 | 7         |
| 25005 | Response of energy consumption for building heating to climatic change and variability in Tianjin City, China. <i>Meteorological Applications</i> , 2016, 23, 123-131.  | 0.9 | 23        |
| 25006 | Spin echo versus stimulated echo diffusion tensor imaging of the in vivo human heart. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 862-872.  | 1.9 | 53        |
| 25007 | Assessment of blood flow velocity and pulsatility in cerebral perforating arteries with 7T quantitative flow MRI. <i>NMR in Biomedicine</i> , 2016, 29, 1295-1304.  | 1.6 | 91        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25008 | Validating chest MRI to detect and monitor cystic fibrosis lung disease in a pediatric cohort. <i>Pediatric Pulmonology</i> , 2016, 51, 34-41.   | 1.0 | 39        |
| 25009 | Body fat measurement in adolescent girls with type 1 diabetes: a comparison of skinfold equations against dual-energy X-ray absorptiometry. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016, 105, 1211-1215.              | 0.7 | 4         |
| 25010 | Correlation between Pulmonary Artery Pressure Measured by Echocardiography and Right Heart Catheterization in Patients with Rheumatic Mitral Valve Stenosis (A Prospective Study). <i>Echocardiography</i> , 2016, 33, 7-13.                   | 0.3 | 19        |
| 25011 | Determination of Right Ventricular Volume by Combining Echocardiographic Distance Measurements. <i>Echocardiography</i> , 2016, 33, 844-853.   | 0.3 | 5         |
| 25012 | Defining and predicting outcomes of non-surgical periodontal treatment: a 1-yr follow-up study. <i>European Journal of Oral Sciences</i> , 2016, 124, 33-44.   | 0.7 | 8         |
| 25013 | Estimation of Daily Sodium and Potassium Excretion Using Spot Urine and 24-Hour Urine Samples in a Black Population (Benin). <i>Journal of Clinical Hypertension</i> , 2016, 18, 634-640.  | 1.0 | 20        |
| 25014 | Differentiation of Cardiac from Noncardiac Pleural Effusions in Cats using Second-Generation Quantitative and Point-of-Care $\text{NT-proBNP}$ Measurements. <i>Journal of Veterinary Internal Medicine</i> , 2016, 30, 536-542.               | 0.6 | 24        |
| 25015 | Evaluation of Four Diagnostic Tests for Insulin Dysregulation in Adult Light-Breed Horses. <i>Journal of Veterinary Internal Medicine</i> , 2016, 30, 885-891.   | 0.6 | 39        |
| 25016 | Factors affecting mechanical nociceptive thresholds in healthy sows. <i>Veterinary Anaesthesia and Analgesia</i> , 2016, 43, 343-355.  | 0.3 | 17        |
| 25017 | INTER- AND INTRA-OBSERVER AGREEMENT FOR DIAGNOSING PRESUMPTIVE ISCHEMIC MYELOPATHY AND ACUTE NONCOMPRESSIVE NUCLEUS PULPOSUS EXTRUSION IN DOGS USING MAGNETIC RESONANCE IMAGING. <i>Veterinary Radiology and Ultrasound</i> , 2016, 57, 33-40. | 0.4 | 27        |
| 25018 | Ancient Human Bone Microstructure in Medieval England: Comparisons between Two Socio-Economic Groups. <i>Anatomical Record</i> , 2016, 299, 42-59.   | 0.8 | 41        |
| 25019 | Non-parametric combination and related permutation tests for neuroimaging. <i>Human Brain Mapping</i> , 2016, 37, 1486-1511.   | 1.9 | 211       |
| 25020 | Endonasal identification of the orbital apex. <i>Laryngoscope</i> , 2016, 126, 33-38.  | 1.1 | 10        |
| 25021 | Validation of a new $t_2^*$ algorithm and its uncertainty value for cardiac and liver iron load determination from MRI magnitude images. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 1717-1729.  | 1.9 | 9         |
| 25022 | Diastolic function improves after resolution of takotsubo cardiomyopathy. <i>Clinical Physiology and Functional Imaging</i> , 2016, 36, 17-24.   | 0.5 | 9         |
| 25023 | Mitral Annular Plane Systolic Excursion—Derived Ejection Fraction: A Simple and Valid Tool in Adult Males With Left Ventricular Systolic Dysfunction. <i>Echocardiography</i> , 2016, 33, 179-184.   | 0.3 | 16        |
| 25024 | Comparison of energy estimates in chronic kidney disease using doubly-labelled water. <i>Journal of Human Nutrition and Dietetics</i> , 2016, 29, 59-66.   | 1.3 | 16        |
| 25025 | Acute Kidney Injury: Definitions, Incidence, Diagnosis, and Outcome. , 2016, , 9-31.   |     | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25026 | Reliability and Responsiveness of NutriQoL <sup>®</sup> Questionnaire. <i>Advances in Therapy</i> , 2016, 33, 1728-1739.   | 1.3 | 3         |
| 25027 | Development and assessment of inter- and intra-rater reliability of a novel ultrasound tool for scoring tendon and sheath disease – A pilot study. <i>Ultrasound</i> , 2016, 24, 134-141.  | 0.3 | 0         |
| 25028 | Myocardial Native T1 Time in Patients With Hypertrophic Cardiomyopathy. <i>American Journal of Cardiology</i> , 2016, 118, 1057-1062.  | 0.7 | 31        |
| 25029 | Repeatability of Junctional Zone Measurements Using 3-Dimensional Transvaginal Sonography in Healthy Fertile Women. <i>Journal of Ultrasound in Medicine</i> , 2016, 35, 1497-1508.  | 0.8 | 12        |
| 25030 | Assessment of agreement between molar landmarks: Repeatability, reproducibility, and comparability. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2016, 150, 504-510.  | 0.8 | 3         |
| 25031 | Genetic Screening of Anderson-Fabry Disease in Probands Referred From Multispecialty Clinics. <i>Journal of the American College of Cardiology</i> , 2016, 68, 1037-1050.  | 1.2 | 50        |
| 25032 | Validation of an Optimized ELISA for Quantitative Assessment of Epstein-Barr Virus Antibodies from Dried Blood Spots. <i>Biodemography and Social Biology</i> , 2016, 62, 222-233.   | 0.4 | 23        |
| 25033 | Normal myocardial strain values using 2D speckle tracking echocardiography in healthy adults aged 20 to 72 years. <i>Echocardiography</i> , 2016, 33, 1665-1675.   | 0.3 | 53        |
| 25034 | Low-cost compact diffuse speckle contrast flowmeter using small laser diode and bare charge-coupled-device. <i>Journal of Biomedical Optics</i> , 2016, 21, 080501.  | 1.4 | 26        |
| 25035 | Analysis and evaluation of magnetism of black toners on documents printed by electrophotographic systems. <i>Forensic Science International</i> , 2016, 267, 157-165.  | 1.3 | 13        |
| 25036 | Inhibition of DPP-4 by alogliptin improves coronary flow reserve and left ventricular systolic function evaluated by phase contrast cine magnetic resonance imaging in patients with type 2 diabetes and coronary artery disease. <i>International Journal of Cardiology</i> , 2016, 223, 770-775. | 0.8 | 16        |
| 25037 | Use of a Multiplex Transcript Method for Analysis of <i>Pseudomonas aeruginosa</i> Gene Expression Profiles in the Cystic Fibrosis Lung. <i>Infection and Immunity</i> , 2016, 84, 2995-3006.  | 1.0 | 26        |
| 25038 | Liver stiffness measurement reliability and main determinants of point shear-wave elastography in patients with chronic liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2016, 44, 356-365.  | 1.9 | 35        |
| 25039 | Higher CHADS2 score is associated with impaired coronary flow reserve: A study using phase contrast cine magnetic resonance imaging. <i>International Journal of Cardiology</i> , 2016, 221, 800-805.  | 0.8 | 6         |
| 25040 | Tracking body core temperature in military thermal environments: An extended Kalman filter approach. , 2016, , .   |     | 7         |
| 25041 | In vivo diffusion-tensor MRI of the human heart on a 3 tesla clinical scanner: An optimized second order (M2) motion compensated diffusion-preparation approach. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 1354-1363.  | 1.9 | 39        |
| 25042 | Segmented diffusion-weighted imaging of the prostate: Application to transperineal in-bore 3T MR image-guided targeted biopsy. <i>Magnetic Resonance Imaging</i> , 2016, 34, 1146-1154.  | 1.0 | 9         |
| 25043 | Measurements After Image Post-processing Are More Precise in the Morphometric Assessment of Thoracic Aortic Aneurysms: An Intermodal and Intra-observer Evaluation. <i>European Journal of Vascular and Endovascular Surgery</i> , 2016, 52, 509-517.  | 0.8 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25044 | Three-Dimensional Field Optimization Method: Clinical Validation of a Novel Color Doppler Method for Quantifying Mitral Regurgitation. <i>Journal of the American Society of Echocardiography</i> , 2016, 29, 926-934.   | 1.2 | 17        |
| 25045 | How to estimate heart rate from pulse rate reported by oscillometric method in atrial fibrillation: The value of pulse rate variation. <i>International Journal of Cardiology</i> , 2016, 222, 1022-1026.  | 0.8 | 6         |
| 25046 | Computing the spatial QRS-T angle using reduced electrocardiographic lead sets. <i>Journal of Electrocardiology</i> , 2016, 49, 794-799.   | 0.4 | 2         |
| 25047 | Accuracy of Coronary Plaque Detection and Assessment of Interobserver Agreement for Plaque Quantification Using Automatic Coronary Plaque Analysis Software on Coronary CT Angiography. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2016, 188, 933-939. | 0.7 | 3         |
| 25048 | A novel magnetic resonance imaging segmentation technique for determining diffuse intrinsic pontine glioma tumor volume. <i>Journal of Neurosurgery: Pediatrics</i> , 2016, 18, 565-572.   | 0.8 | 12        |
| 25049 | Comparison of health-related quality of life and functional recovery measurement tools in out-of-hospital cardiac arrest survivors. <i>Resuscitation</i> , 2016, 107, 57-64.   | 1.3 | 26        |
| 25050 | Dose Equivalents for Antipsychotic Drugs: The DDD Method: Table 1.. <i>Schizophrenia Bulletin</i> , 2016, 42, S90-S94.   | 2.3 | 428       |
| 25051 | Parental infant jaundice colour card design successfully validated by comparing it with total serum bilirubin. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016, 105, e561-e566.   | 0.7 | 7         |
| 25052 | Comparison between Pentacam®HR and optical coherence tomography central corneal thickness measurements in healthy feline eyes. <i>Veterinary Ophthalmology</i> , 2016, 19, 105-114.  | 0.6 | 9         |
| 25053 | Validation of Prediction Models for Near Adult Height in Children with Idiopathic Growth Hormone Deficiency Treated with Growth Hormone: A Belgian Registry Study. <i>Hormone Research in Paediatrics</i> , 2016, 86, 161-168.   | 0.8 | 13        |
| 25054 | Perfusion computed tomography: 4â€‰%cm <i>versus</i> 8â€‰%cm coverage size in subjects with chronic carotid artery stenosis. <i>British Journal of Radiology</i> , 2016, 89, 20150949.   | 1.0 | 2         |
| 25055 | Comparison of base of support size during gait initiation using force-plate and motion-capture system: A Bland and Altman analysis. <i>Journal of Biomechanics</i> , 2016, 49, 4168-4172.  | 0.9 | 11        |
| 25056 | Double product break point estimates ventilatory threshold in individuals with type 2 diabetes. <i>Journal of Physical Therapy Science</i> , 2016, 28, 1775-1780.  | 0.2 | 2         |
| 25057 | The effect of proficiency level on measurement error of range of motion. <i>Journal of Physical Therapy Science</i> , 2016, 28, 2644-2651.   | 0.2 | 17        |
| 25058 | Same-session and between-day intra-rater reliability of hand-held dynamometer measurements of isometric shoulder extensor strength. <i>Journal of Physical Therapy Science</i> , 2016, 28, 936-939.  | 0.2 | 9         |
| 25059 | Effect of supplemental vibrational force on orthodontically induced inflammatory root resorption: A multicenter randomized clinical trial. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2016, 150, 918-927.   | 0.8 | 25        |
| 25060 | A pilot study of toceranib/vinblastine therapy for canine transitional cell carcinoma. <i>BMC Veterinary Research</i> , 2016, 12, 257.   | 0.7 | 23        |
| 25061 | Reproducibility of 18F-fluoromisonidazole intratumour distribution in non-small cell lung cancer. <i>EJNMMI Research</i> , 2016, 6, 79.  | 1.1 | 25        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25062 | Validity of a Self-Administered Food-Frequency Questionnaire for Assessing Amino Acid Intake in Japan: Comparison With Intake From 4-Day Weighed Dietary Records and Plasma Levels. <i>Journal of Epidemiology</i> , 2016, 26, 36-44.                             | 1.1 | 30        |
| 25063 | Use of Angle-Independent Mode Sonography for Assessment of Diaphragm Displacement. <i>Journal of Ultrasound in Medicine</i> , 2016, 35, 2615-2621.  | 0.8 | 14        |
| 25064 | Right Ventricular Pressure Overload and Pathophysiology of Growing Porcine Biomodel. <i>Pediatric Cardiology</i> , 2016, 37, 1498-1506.   | 0.6 | 2         |
| 25065 | The Broselow and Handtevy Resuscitation Tapes: A Comparison of the Performance of Pediatric Weight Prediction. <i>Prehospital and Disaster Medicine</i> , 2016, 31, 364-375.  | 0.7 | 14        |
| 25066 | Temperature measurement in the adult emergency department: oral, tympanic membrane and temporal artery temperatures versus rectal temperature. <i>Emergency Medicine Journal</i> , 2016, 33, 843-847.   | 0.4 | 30        |
| 25067 | Assessment of subchondral bone marrow lesions in knee osteoarthritis by MRI: a comparison of fluid sensitive and contrast enhanced sequences. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 479.   | 0.8 | 7         |
| 25068 | Single track location Shear Wave Elasticity Imaging of the liver with reduced propagation windows. , 2016, , .  |     | 5         |
| 25069 | Validity of the Center of Mass Assessed by an Accelerometer: Comparison with a 3D Motion Capture System. <i>Rigakuryoho Kagaku</i> , 2016, 31, 591-596.   | 0.0 | 2         |
| 25070 | Dynamics of the Extensor Retinaculum Area of the Ankle Measured by Ultrasonography: Reliability of a Method for Measuring the Distance between the Tibia and Deep Fascia. <i>Rigakuryoho Kagaku</i> , 2016, 31, 93-97.  | 0.0 | 0         |
| 25071 | Validity and sensitivity to change of the semi-quantitative OMERACT ultrasound scoring system for tenosynovitis in patients with rheumatoid arthritis. <i>Rheumatology</i> , 2016, 55, 2156-2166.   | 0.9 | 26        |
| 25072 | The clinical and radiological importance of extraarticular contrast material leakage into adjacent synovial compartments on ankle MR arthrography in patients with OCD and anterolateral impingement. <i>European Journal of Radiology</i> , 2016, 85, 1857-1866. | 1.2 | 7         |
| 25073 | A fluoride-selective electrode (Fse) for the quantification of fluoride in lithium-ion battery (Lib) electrolytes. <i>Analytical Methods</i> , 2016, 8, 6932-6940.  | 1.3 | 9         |
| 25074 | Fast imaging employing steady-state acquisition (FIESTA) MRI to investigate cerebrospinal fluid (CSF) within dural reflections of posterior fossa cranial nerves. <i>British Journal of Radiology</i> , 2016, 89, 20160392.                                       | 1.0 | 19        |
| 25075 | <i>Research:</i> Comparison of the Accuracy of a Pocket versus Standard Pulse Oximeter. <i>Biomedical Instrumentation and Technology</i> , 2016, 50, 190-193.   | 0.2 | 6         |
| 25076 | Fatigue, pain and patient global assessment responses to biological treatment are unpredictable, and poorly inter-connected in individual rheumatoid arthritis patients followed in the daily clinic. <i>Rheumatology International</i> , 2016, 36, 1347-1354.    | 1.5 | 8         |
| 25077 | Assessment of the extent of microcalcifications to predict the size of a ductal carcinoma in situ: comparison between tomosynthesis and conventional mammography. <i>Clinical Imaging</i> , 2016, 40, 1269-1273.  | 0.8 | 11        |
| 25078 | Assessing Shortened Field-Based Heart-Rate-Variability-Data Acquisition in Team-Sport Athletes. <i>International Journal of Sports Physiology and Performance</i> , 2016, 11, 154-158.  | 1.1 | 46        |
| 25079 | Validity and Reliability of 2 Goniometric Mobile Apps: Device, Application, and Examiner Factors. <i>Journal of Sport Rehabilitation</i> , 2016, 25, 371-379.   | 0.4 | 39        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25080 | Stability of clinical outcome measures in rheumatoid arthritis patients with stable disease defined on the basis of the EULAR response criteria. <i>Clinical Rheumatology</i> , 2016, 35, 2403-2409.  | 1.0 | 1         |
| 25081 | New algorithm for automatic determination of systolic and diastolic blood pressures in oscillometric measurements. , 2016, , .  |     | 2         |
| 25082 | Coronary CT Angiography: Variability of CT Scanners and Readers in Measurement of Plaque Volume. <i>Radiology</i> , 2016, 281, 737-748.   | 3.6 | 51        |
| 25083 | Validation of Accelerometer Prediction Equations in Children with Chronic Disease. <i>Pediatric Exercise Science</i> , 2016, 28, 117-132.   | 0.5 | 20        |
| 25084 | A new comprehensive 12â€segment approach to right ventricular systolic and diastolic functions by 2D speckle tracking echocardiography in healthy individuals. <i>Echocardiography</i> , 2016, 33, 1866-1873.   | 0.3 | 8         |
| 25085 | Inter-observer agreement for clinical examinations of foot lesions of sheep. <i>Veterinary Journal</i> , 2016, 216, 189-195.  | 0.6 | 5         |
| 25086 | Improved Semiautomated 4D Flow MRI Analysis in the Aorta in Patients With Congenital Aortic Valve Anomalies Versus Tricuspid Aortic Valves. <i>Journal of Computer Assisted Tomography</i> , 2016, 40, 102-108.   | 0.5 | 30        |
| 25087 | Echocardiographic Assessment of Left Atrial Size and Function in Warmblood Horses: Reference Intervals, Allometric Scaling, and Agreement of Different Echocardiographic Variables. <i>Journal of Veterinary Internal Medicine</i> , 2016, 30, 1241-1252. | 0.6 | 26        |
| 25088 | Testâ€re-test reproducibility of activity capacity measures for children with an acquired brain injury. <i>Brain Injury</i> , 2016, 30, 1143-1149.  | 0.6 | 19        |
| 25089 | Fatness of female field hockey players: Comparison of estimates with different methods. <i>HOMO- Journal of Comparative Human Biology</i> , 2016, 67, 245-257.  | 0.3 | 6         |
| 25090 | Insufficient accuracy of the ultrasound-based determination of Achilles tendon cross-sectional area. <i>Journal of Biomechanics</i> , 2016, 49, 2932-2937.  | 0.9 | 44        |
| 25091 | 3D power Doppler ultrasound assessment of placental perfusion during uterine contraction in labor. <i>Placenta</i> , 2016, 45, 32-36.   | 0.7 | 30        |
| 25093 | New methods for the assessment of Parkinson's disease (2005 to 2015): A systematic review. <i>Movement Disorders</i> , 2016, 31, 1283-1292.   | 2.2 | 119       |
| 25094 | Ultrasound is as reliable as plain radiographs in the diagnosis of cam-type femoroacetabular impingement. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2016, 136, 1437-1443.   | 1.3 | 18        |
| 25095 | Vibration sensibility of the median nerve in a population with chronic whiplash associated disorder: Intra- and inter-rater reliability study. <i>Manual Therapy</i> , 2016, 25, 81-86.   | 1.6 | 3         |
| 25096 | Reproducibility and validity of dietary patterns identified using factor analysis among Chinese populations. <i>British Journal of Nutrition</i> , 2016, 116, 842-852.  | 1.2 | 12        |
| 25097 | Relative validity and reproducibility of a parent-administered semi-quantitative FFQ for assessing food intake in Danish children aged 3â€9 years. <i>Public Health Nutrition</i> , 2016, 19, 1184-1194.  | 1.1 | 27        |
| 25098 | Accuracy and repeatability of quantitative fluoroscopy for the measurement of sagittal plane translation and finite centre of rotation in the lumbar spine. <i>Medical Engineering and Physics</i> , 2016, 38, 607-614.                                   | 0.8 | 13        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25099 | Comparison of clinical MRI liver iron content measurements using signal intensity ratios, R2 and R2*. <i>Abdominal Radiology</i> , 2016, 41, 2123-2131.   | 1.0 | 14        |
| 25100 | Quantitative, Point-of-Care Immunoassay Platform to Guide and Monitor Sickle Cell Disease Therapy. <i>Analytical Chemistry</i> , 2016, 88, 7904-7909.   | 3.2 | 4         |
| 25101 | Radiologist variability in assessing the position of the cavoatrial junction on chest radiographs. <i>British Journal of Radiology</i> , 2016, 89, 20150965.  | 1.0 | 20        |
| 25102 | Mathematical modelling of microtumour infiltration based on in vitro experiments. <i>Integrative Biology (United Kingdom)</i> , 2016, 8, 879-885.   | 0.6 | 7         |
| 25103 | The accuracy of blood pressure measured by arterial line and non-invasive cuff in critically ill children. <i>Critical Care</i> , 2016, 20, 177.  | 2.5 | 30        |
| 25104 | Respiratory volume monitoring in an obese surgical population and the prediction of postoperative respiratory depression by the STOP-bang OSA risk score. <i>Journal of Clinical Anesthesia</i> , 2016, 34, 295-301.  | 0.7 | 18        |
| 25105 | High-Throughput Optical Sensing Immunoassays on Smartphone. <i>Analytical Chemistry</i> , 2016, 88, 8302-8308.  | 3.2 | 56        |
| 25106 | Estimation of calving date in beef cattle with real-time ultrasound. <i>The Professional Animal Scientist</i> , 2016, 32, 322-327.  | 0.7 | 0         |
| 25107 | Repeatability of Quantitative <sup>18</sup> F-NaF PET: A Multicenter Study. <i>Journal of Nuclear Medicine</i> , 2016, 57, 1872-1879.   | 2.8 | 62        |
| 25108 | Concurrent validity of the Microsoft Kinect for Windows v2 for measuring spatiotemporal gait parameters. <i>Medical Engineering and Physics</i> , 2016, 38, 952-958.  | 0.8 | 75        |
| 25109 | Three-Dimensional Field Optimization Method: Gold-Standard Validation of a Novel Color Doppler Method for Quantifying Mitral Regurgitation. <i>Journal of the American Society of Echocardiography</i> , 2016, 29, 917-925.   | 1.2 | 13        |
| 25110 | Cross-validation of Peak Oxygen Consumption Prediction Models From OMNI Perceived Exertion. <i>International Journal of Sports Medicine</i> , 2016, 37, 831-837.  | 0.8 | 1         |
| 25111 | Comparison of 3ÅT and 1.5ÅT for T2* magnetic resonance of tissue iron. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 40.  | 1.6 | 46        |
| 25113 | Molecular detection of infection homogeneity and impact of miltefosine treatment in a Syrian golden hamster model of <i>Leishmania donovani</i> and <i>L. infantum</i> visceral leishmaniasis. <i>Parasitology Research</i> , 2016, 115, 4061-4070.                   | 0.6 | 6         |
| 25114 | Estimated aortic blood pressure based on radial artery tonometry underestimates directly measured aortic blood pressure in patients with advancing chronic kidney disease staging and increasing arterial stiffness. <i>Kidney International</i> , 2016, 90, 869-877. | 2.6 | 39        |
| 25115 | Do sample preparation techniques affect the relative abundance of <i>Florisphaera profunda</i> ?. <i>Marine Micropaleontology</i> , 2016, 127, 42-49.   | 0.5 | 2         |
| 25116 | Feasibility of freehand ultrasound to measure anatomical features associated with deep tissue injury risk. <i>Medical Engineering and Physics</i> , 2016, 38, 839-844.  | 0.8 | 20        |
| 25117 | Use of allometric models to estimate leaf area in <i>Hymenaea courbaril</i> L.. <i>Theoretical and Experimental Plant Physiology</i> , 2016, 28, 357-369.   | 1.1 | 10        |

| #     | ARTICLE   | IF   | CITATIONS |
|-------|---|------|-----------|
| 25118 | Imaging acute ischemic stroke. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2016, 135, 293-315.   | 1.0  | 15        |
| 25119 | Validity and test-retest reliability of the Stride Analyzer in people with knee osteoarthritis. Gait and Posture, 2016, 49, 155-158.  | 0.6  | 4         |
| 25120 | Reproductibilit , validit  et sensibilit  d un test de r p tition de sprints chez des jeunes footballeurs. Science and Sports, 2016, 31, e139-e146.   | 0.2  | 7         |
| 25121 | Analysis of the body composition of Paralympic athletes: Comparison of two methods. European Journal of Sport Science, 2016, 16, 955-964.   | 1.4  | 10        |
| 25122 | DICOM organ dose does not accurately represent calculated dose in mammography. , 2016, , .  |      | 1         |
| 25123 | Relevance in the Use of Appropriate Internal Standards for Accurate Quantification Using LC MS/MS: Tauro-Conjugated Bile Acids as an Example. Analytical Chemistry, 2016, 88, 10957-10961.  | 3.2  | 45        |
| 25124 | SonicCare: A new low-cost and portable device for medical tele-ultrasonography on underserved areas. IEEE Latin America Transactions, 2016, 14, 3151-3158.  | 1.2  | 5         |
| 25125 | The Psychometric Properties of a Modified Sit-to-Stand Test With Use of the Upper Extremities in Institutionalized Older Adults. Perceptual and Motor Skills, 2016, 123, 138-152.   | 0.6  | 12        |
| 25126 | Assessing the quality of routine data for the prevention of mother-to-child transmission of HIV: An analytical observational study in two health districts with high HIV prevalence in South Africa. International Journal of Medical Informatics, 2016, 95, 60-70. | 1.6  | 42        |
| 25127 | Where  s Waldo ? The utility of a complicated visual search paradigm for transcranial Doppler-based assessments of neurovascular coupling. Journal of Neuroscience Methods, 2016, 270, 92-101.  | 1.3  | 31        |
| 25128 | Automated Measurement of Blood Vessels in Tissues from Microscopy Images. Current Protocols in Cytometry, 2016, 78, 12.44.1-12.44.13.   | 3.7  | 3         |
| 25129 | Vessel co-option mediates resistance to anti-angiogenic therapy in liver metastases. Nature Medicine, 2016, 22, 1294-1302.  | 15.2 | 342       |
| 25130 | Estimating the accuracy of optic nerve sheath diameter measurement using a pocket-sized, handheld ultrasound on a simulation model. The Ultrasound Journal, 2016, 8, 18.  | 2.0  | 13        |
| 25131 | Aflatoxin B1-lysine adduct in dried blood spot samples of animals and humans. Food and Chemical Toxicology, 2016, 98, 210-219.  | 1.8  | 20        |
| 25132 | Anterior segment configuration as a predictive factor for refractive outcome after cataract surgery in patients with glaucoma. BMC Ophthalmology, 2016, 16, 179.  | 0.6  | 15        |
| 25133 | Emerging Methodology of Intraoperative Hemodynamic Monitoring Research. Current Anesthesiology Reports, 2016, 6, 283-292.   | 0.9  | 0         |
| 25134 | Technique for Measuring Limb Occlusion Pressure that Facilitates Personalized Tourniquet Systems: A Randomized Trial. Journal of Medical and Biological Engineering, 2016, 36, 644-650.   | 1.0  | 35        |
| 25135 | Comparison between focometer and autorefractor in the measurement of refractive error among students in underserved community of sub-Saharan Africa. Eye, 2016, 30, 1496-1501.  | 1.1  | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25136 | QQ-plots for assessing distributions of biomarker measurements and generating defensible summary statistics. <i>Journal of Breath Research</i> , 2016, 10, 035001.   | 1.5 | 28        |
| 25137 | Quantification of peripheral and central blood pressure variability using a time-frequency method. , 2016, 2016, 2941-2944.  |     | 2         |
| 25138 | Alzheimer's disease severity, objectively determined and measured. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2016, 4, 159-168.   | 1.2 | 12        |
| 25139 | Acid-base status in healthy volunteers: Reliability of the venous blood titration method according to Joergensen and van Limburg Stirum. <i>European Journal of Integrative Medicine</i> , 2016, 8, 965-972.   | 0.8 | 0         |
| 25140 | How to assess intra- and inter-observer agreement with quantitative PET using variance component analysis: a proposal for standardisation. <i>BMC Medical Imaging</i> , 2016, 16, 54.  | 1.4 | 16        |
| 25141 | Evaluation of dysphagia by novel real-time MRI. <i>Neurology</i> , 2016, 87, 2132-2138.  | 1.5 | 60        |
| 25142 | Towards a rational design of solid drug nanoparticles with optimised pharmacological properties. <i>Journal of Interdisciplinary Nanomedicine</i> , 2016, 1, 110-123.  | 3.6 | 17        |
| 25143 | Speckle tracking echocardiography detects decreased cardiac longitudinal function in anthracycline-exposed survivors of childhood cancer. <i>European Journal of Pediatrics</i> , 2016, 175, 1379-1386.  | 1.3 | 15        |
| 25144 | Retinal microvascular diameter, a hypertension-related trait, in ECG-gated vs. non-gated images analyzed by IVAN and SIVA. <i>Hypertension Research</i> , 2016, 39, 886-892.   | 1.5 | 15        |
| 25145 | Differentiating T2 hyperintensity in neonatal white matter by two-compartment model of diffusional kurtosis imaging. <i>Scientific Reports</i> , 2016, 6, 24473.   | 1.6 | 7         |
| 25146 | Curved Beam Computed Tomography based Structural Rigidity Analysis of Bones with Simulated Lytic Defect: A Comparative Study with Finite Element Analysis. <i>Scientific Reports</i> , 2016, 6, 32397.   | 1.6 | 15        |
| 25147 | Infrared vibrational spectroscopy: a rapid and novel diagnostic and monitoring tool for cystinuria. <i>Scientific Reports</i> , 2016, 6, 34737.  | 1.6 | 36        |
| 25148 | The effect of topical atropine on the choroidal thickness of healthy children. <i>Scientific Reports</i> , 2016, 6, 34936.   | 1.6 | 58        |
| 25149 | Haemarthrosis model in mice: <sc>BSS</sc> â€“ Bleeding Severity Score assessment system. <i>Haemophilia</i> , 2016, 22, 790-798.   | 1.0 | 5         |
| 25150 | A comparative study of blood endotoxin detection in haemodialysis patients. <i>Journal of Inflammation</i> , 2016, 13, 24.   | 1.5 | 15        |
| 25151 | Accelerated visualization of selected intracranial arteries by cycled super-selective arterial spin labeling. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2016, 29, 843-852.   | 1.1 | 7         |
| 25152 | Blood collection tubes as medical devices: The potential to affect assays and proposed verification and validation processes for the clinical laboratory. <i>Clinical Biochemistry</i> , 2016, 49, 1321-1330.  | 0.8 | 29        |
| 25153 | Prediction of post-operative pulmonary function after lobectomy for primary lung cancer: A comparison among counting method, effective lobar volume, and lobar collapsibility using inspiratory/expiratory CT. <i>European Journal of Radiology</i> , 2016, 85, 1956-1962. | 1.2 | 14        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25154 | Development and validation of a sensitive and selective LC-MS/MS method for determination of tacrolimus in oral fluids. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1038, 136-141.                        | 1.2 | 10        |
| 25155 | High-resolution 3D volumetry versus conventional measuring techniques for the assessment of experimental lymphedema in the mouse hindlimb. <i>Scientific Reports</i> , 2016, 6, 34673.  | 1.6 | 18        |
| 25156 | General inattentiveness is a long-term reliable trait independently predictive of psychological health: Danish validation studies of the Mindful Attention Awareness Scale. <i>Psychological Assessment</i> , 2016, 28, e70-e87.                                      | 1.2 | 24        |
| 25157 | Assessing agreement in measurements of orthodontic study models: Digital caliper on plaster models vs 3-dimensional software on models scanned by structured-light scanner. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2016, 150, 886-895. | 0.8 | 17        |
| 25158 | Comparison of Next-Generation Sequencing Panels and Platforms for Detection and Verification of Somatic Tumor Variants for Clinical Diagnostics. <i>Journal of Molecular Diagnostics</i> , 2016, 18, 842-850.   | 1.2 | 35        |
| 25159 | Sleep Assessment in Large Cohort Studies with High-Resolution Accelerometers. <i>Sleep Medicine Clinics</i> , 2016, 11, 469-488.  | 1.2 | 16        |
| 25160 | PCI Choice Decision Aid for Stable Coronary Artery Disease. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2016, 9, 767-776.   | 0.9 | 56        |
| 25161 | Accuracy, reliability, feasibility and nurse acceptance of a subcutaneous continuous glucose management system in critically ill patients: a prospective clinical trial. <i>Annals of Intensive Care</i> , 2016, 6, 70.   | 2.2 | 27        |
| 25162 | Cyclotorsion Measured in a Patient Population Using Three Different Methods: A Comparative Study. <i>Strabismus</i> , 2016, 24, 28-36.  | 0.4 | 10        |
| 25163 | Influence of DNA extraction methods on relative telomere length measurements and its impact on epidemiological studies. <i>Scientific Reports</i> , 2016, 6, 25398.   | 1.6 | 42        |
| 25164 | Measurement of neural respiratory drive via parasternal intercostal electromyography in healthy adult subjects. <i>Physiological Measurement</i> , 2016, 37, 2050-2063.   | 1.2 | 24        |
| 25165 | Validity of the Samsung Phone S Health application for assessing steps and energy expenditure during walking and running: Does phone placement matter?. <i>Digital Health</i> , 2016, 2, 205520761665274.   | 0.9 | 14        |
| 25166 | Interobserver agreement on the echocardiographic parameters that estimate right ventricular systolic function in the early postoperative period of cardiac surgery. <i>Medicina Intensiva (English)</i> Tj ETQq0 0 0 rgBT, Overlock 10 Tf 50 2                        |     |           |
| 25167 | Optimising the validity and completion of adherence diaries: a multiple case study and randomised crossover trial. <i>Trials</i> , 2016, 17, 489.   | 0.7 | 17        |
| 25169 | Should the diagnosis of COPD be based on a single spirometry test?. <i>Npj Primary Care Respiratory Medicine</i> , 2016, 26, 16059.   | 1.1 | 39        |
| 25170 | Responsiveness and Minimally Important Difference of the 6-Minute Stepper Test in Patients with Chronic Obstructive Pulmonary Disease. <i>Respiration</i> , 2016, 91, 367-373.  | 1.2 | 42        |
| 25171 | Non-contact robust heart rate estimation using HSV color model and matrix-based IIR filter in the face video imaging. , 2016, 2016, 3847-3850.  |     | 5         |
| 25172 | Sibling sleep: What can it tell us about parental sleep reports in the context of autism?. <i>Clinical Practice in Pediatric Psychology</i> , 2016, 4, 137-152.   | 0.2 | 8         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25173 | Computer-Aided Diagnosis with Deep Learning Architecture: Applications to Breast Lesions in US Images and Pulmonary Nodules in CT Scans. <i>Scientific Reports</i> , 2016, 6, 24454.  | 1.6 | 488       |
| 25174 | Comparison of standard, quantitative and digital PCR in the detection of enterotoxigenic <i>Bacteroides fragilis</i> . <i>Scientific Reports</i> , 2016, 6, 34554.  | 1.6 | 25        |
| 25175 | Development of a novel smartphone-based application for accurate and sensitive on-field hemoglobin measurement. <i>RSC Advances</i> , 2016, 6, 104067-104072.   | 1.7 | 12        |
| 25176 | Accurate Measurement of Cross-Sectional Area of Femoral Artery on MRI Sequences of Transcontinental Ultramarathon Runners Using Optimal Parameters Selection. <i>Journal of Medical Systems</i> , 2016, 40, 260.                | 2.2 | 3         |
| 25177 | New Rule-Based Algorithm for Real-Time Detecting Sleep Apnea and Hypopnea Events Using a Nasal Pressure Signal. <i>Journal of Medical Systems</i> , 2016, 40, 282.  | 2.2 | 21        |
| 25178 | Ultrasonography Comparison of Peroneus Muscle Cross-sectional Area in Subjects With or Without Lateral Ankle Sprains. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2016, 39, 635-644.                        | 0.4 | 58        |
| 25179 | A multi-criteria evaluation platform for segmentation algorithms. , 2016, 2016, 6441-6444.  |     | 3         |
| 25180 | When visual inspection of the palpebral conjunctivae falls short â€¦. <i>Transfusion</i> , 2016, 56, 1932-1936.   | 0.8 | 2         |
| 25181 | Sonographic Evaluation of Fetal Conus Medullaris and Filum Terminale. <i>Fetal Diagnosis and Therapy</i> , 2016, 40, 224-230.   | 0.6 | 11        |
| 25182 | S100B and the influence of seasonal variation. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2016, 76, 338-340.  | 0.6 | 2         |
| 25183 | Assessment of Pulmonary Hypertension in Lung Transplantation Candidates: Correlation of Doppler Echocardiography With Right Heart Catheterization. <i>Transplantation Proceedings</i> , 2016, 48, 2797-2802.                    | 0.3 | 10        |
| 25184 | Tracking driver's heart rate by continuous-wave Doppler radar. , 2016, 2016, 5417-5420.   |     | 16        |
| 25185 | Metabolic and Hormonal Determinants of Glomerular Filtration Rate and Renal Hemodynamics in Severely Obese Individuals. <i>Obesity Facts</i> , 2016, 9, 310-320.  | 1.6 | 15        |
| 25186 | Intra-session absolute and relative reliability of pressure pain thresholds in the low back region of vine-workers: effect of the number of trials. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 350.                       | 0.8 | 36        |
| 25187 | Lactate-guided conditioning program using variable exercise intensities improves fitness and alters muscle enzyme activity but not inflammatory response in horses. <i>Comparative Exercise Physiology</i> , 2016, 12, 183-192. | 0.3 | 1         |
| 25189 | Assessment of a non-invasive haemoglobin sensor NBM 200 among pregnant women in rural India. <i>BMJ Innovations</i> , 2016, 2, 70-77.   | 1.0 | 15        |
| 25190 | Evaluation of Water Absorption and Dough-Mixing Characteristics with Small Quantities of Wheat Flour Using the Micro-doughLAB. <i>Japanese Journal of Crop Science</i> , 2016, 85, 435-442.                                     | 0.1 | 1         |
| 25191 | Assessing agreement of blood pressure-measuring devices in Tibetan areas of China: a systematic review. <i>Heart Asia</i> , 2016, 8, 46-51.   | 1.1 | 20        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25192 | Intra and interrater reliability of spinal sagittal curves and mobility using pocket goniometer Inclimed® in healthy subjects. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2016, 29, 873-880.  | 0.4 | 2         |
| 25193 | In Trauma, Conventional ROTEM and TEG Results Are Not Interchangeable But Are Similar in Clinical Applicability. <i>Military Medicine</i> , 2016, 181, 117-126.  | 0.4 | 40        |
| 25194 | An Examination of Methodological Paradigms for Calculating Upper Airway Critical Pressures during Sleep. <i>Sleep</i> , 2016, 39, 977-987.   | 0.6 | 8         |
| 25195 | Effects of fasting on serial measurements of hyperpolarized [ $^{13}\text{C}$ ]pyruvate metabolism in tumors. <i>NMR in Biomedicine</i> , 2016, 29, 1048-1055.   | 1.6 | 18        |
| 25196 | Choroidal vascularity index as a measure of vascular status of the choroid: Measurements in healthy eyes from a population-based study. <i>Scientific Reports</i> , 2016, 6, 21090.  | 1.6 | 468       |
| 25197 | Interobserver agreement using Goldmann applanation tonometry and dynamic contour tonometry: comparing ophthalmologists, nurses and technicians. <i>British Journal of Ophthalmology</i> , 2016, 100, 854-859.  | 2.1 | 13        |
| 25198 | Applanation tonometry: interobserver and prism agreement using the reusable Goldmann applanation prism and the Tonosafe disposable prism. <i>British Journal of Ophthalmology</i> , 2016, 100, 848-853.  | 2.1 | 10        |
| 25199 | Letter to the Editor concerning "Validity and reliability of photographic measures to evaluate waistline asymmetry in idiopathic scoliosis" by Matamalas A, Bagdasarian J, D Agata E, Pellissier F (2016) <i>Eur Spine J</i> . 2016 Mar 14 [Epub ahead of print]. <i>European Spine Journal</i> , 2016, 25, 3017-3018. | 1.0 | 3         |
| 25200 | Sextant-Specific Analysis of Detection and Tumor Volume by HistoScanning. <i>Urologia Internationalis</i> , 2016, 96, 194-201.   | 0.6 | 6         |
| 25201 | Comparison of Thrombelastography-Derived Fibrinogen Values at Rewarming and Following Cardiopulmonary Bypass in Cardiac Surgery Patients. <i>Anesthesia and Analgesia</i> , 2016, 123, 570-577.  | 1.1 | 20        |
| 25202 | Comparison of the NBM 200 non-invasive haemoglobin sensor with Sahli's haemometer among adolescent girls in rural India. <i>BMJ Innovations</i> , 2016, 2, 144-148.  | 1.0 | 6         |
| 25203 | A comparison of health utility scores calculated using United Kingdom and Canadian preference weights in persons with Alzheimer's disease and their caregivers. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 105.  | 1.0 | 13        |
| 25204 | Development of a morphology-based modeling technique for tracking solid-body displacements: examining the reliability of a potential MRI-only approach for joint kinematics assessment. <i>BMC Medical Imaging</i> , 2016, 16, 38.   | 1.4 | 3         |
| 25205 | Performance evaluation of the touchscreen-based Muse Auto CD4/CD4% single-platform system for CD4 T cell numeration in absolute number and in percentage using blood samples from children and adult patients living in the Central African Republic. <i>Journal of Translational Medicine</i> , 2016, 14, 326.        | 1.8 | 8         |
| 25206 | Random Assay in Radioimmunoassay: Feasibility and Application Compared with Batch Assay. <i>Nuclear Medicine and Molecular Imaging</i> , 2016, 50, 337-343.  | 0.6 | 2         |
| 25207 | Validation of Macular Choroidal Thickness Measurements from Automated SD-OCT Image Segmentation. <i>Optometry and Vision Science</i> , 2016, 93, 1387-1398.  | 0.6 | 17        |
| 25208 | Central wave reflection is associated with peripheral arterial resistance in addition to arterial stiffness in subjects without antihypertensive medication. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 131.  | 0.7 | 49        |
| 25209 | Chemical shift MR imaging in the lumbar vertebra: the effect of field strength, scanner vendors and flip angles in repeatability of signal intensity index measurement. <i>BMC Medical Imaging</i> , 2016, 16, 64.   | 1.4 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25210 | Concordance between self-reported pre-pregnancy body mass index (BMI) and BMI measured at the first prenatal study contact. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 187.                                     | 0.9 | 47        |
| 25211 | Are early first trimester weights valid proxies for preconception weight?. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 357.  | 0.9 | 48        |
| 25212 | Precision of recumbent crown-heel length when using an infantometer. <i>BMC Pediatrics</i> , 2016, 16, 186.  | 0.7 | 7         |
| 25213 | Concurrent agreement between an anthropometric model to predict thigh volume and dual-energy X-Ray absorptiometry assessment in female volleyball players aged 14-18 years. <i>BMC Pediatrics</i> , 2016, 16, 190.   | 0.7 | 3         |
| 25214 | New insights into discrepancies between self-reported and accelerometer-measured moderate to vigorous physical activity among women – the mPED trial. <i>BMC Public Health</i> , 2016, 16, 761.                      | 1.2 | 30        |
| 25215 | Is self-reporting workplace activity worthwhile? Validity and reliability of occupational sitting and physical activity questionnaire in desk-based workers. <i>BMC Public Health</i> , 2016, 16, 836.               | 1.2 | 31        |
| 25216 | Intra-individual variability in day-to-day and month-to-month measurements of physical activity and sedentary behaviour at work and in leisure-time among Danish adults. <i>BMC Public Health</i> , 2016, 16, 1222.  | 1.2 | 34        |
| 25217 | Reliability of quantifying the spatial distribution of fatty infiltration in lumbar paravertebral muscles using a new segmentation method for T1-weighted MRI. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 234. | 0.8 | 30        |
| 25218 | Inter-rater reliability of clinical mobility measures in ankylosing spondylitis. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 382.   | 0.8 | 16        |
| 25219 | Accuracy of self-reported height, weight, and waist circumference in a general adult Chinese population. <i>Population Health Metrics</i> , 2016, 14, 30.  | 1.3 | 21        |
| 25220 | Concurrent validity of the Gyko inertial sensor system for the assessment of vertical jump height in female sub-elite youth soccer players. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2016, 8, 35.    | 0.7 | 31        |
| 25221 | A feasibility study to assess the validity of administrative data sources and self-reported information of breast cancer survivors. <i>Israel Journal of Health Policy Research</i> , 2016, 5, 50.                   | 1.4 | 20        |
| 25222 | Development and validation of a novel bioassay to determine glucocorticoid sensitivity. <i>Biomarker Research</i> , 2016, 4, 26.   | 2.8 | 5         |
| 25223 | Donor Endothelial Cell Density Measurements Do Not Change Immediately After DMEK Preparation. <i>Cornea</i> , 2016, 35, 1556-1561.   | 0.9 | 11        |
| 25224 | Reliability and Validity of the Swedish Version of the Hull Airway Reflux Questionnaire (HARQ-S). <i>Lung</i> , 2016, 194, 997-1005.   | 1.4 | 9         |
| 25225 | Blood pulsation measurement using cameras operating in visible light: limitations. <i>BioMedical Engineering OnLine</i> , 2016, 15, 111.   | 1.3 | 4         |
| 25226 | Instantaneous phase difference analysis between thoracic and abdominal movement signals based on complementary ensemble empirical mode decomposition. <i>BioMedical Engineering OnLine</i> , 2016, 15, 112.          | 1.3 | 6         |
| 25227 | Initial results for patient setup verification using transperineal ultrasound and cone beam CT in external beam radiation therapy of prostate cancer. <i>Radiation Oncology</i> , 2016, 11, 147.                     | 1.2 | 11        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25228 | Agreement between self-reported healthcare service use and administrative records in a longitudinal study of adults recently released from prison. <i>Health and Justice</i> , 2016, 4, 11.  | 0.9 | 24        |
| 25229 | Comparison of an automatic analysis and a manual analysis of conjunctival microcirculation in a sheep model of haemorrhagic shock. <i>Intensive Care Medicine Experimental</i> , 2016, 4, 37.  | 0.9 | 17        |
| 25230 | Inter-rater reliability of mini balance evaluation system test in ambulatory people with multiple sclerosis. <i>International Journal of Therapy and Rehabilitation</i> , 2016, 23, 583-589.   | 0.1 | 2         |
| 25231 | Noninvasive hemoglobin measurement in pediatric trauma patients. <i>Journal of Trauma and Acute Care Surgery</i> , 2016, 81, 1162-1166.  | 1.1 | 15        |
| 25232 | Advance care planning in patients with incurable cancer: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e012387.   | 0.8 | 21        |
| 25233 | A practical validation study of a commercial accelerometer using good and poor sleepers. <i>Health Psychology Open</i> , 2016, 3, 205510291667901.   | 0.7 | 31        |
| 25234 | Optimal pressure for measuring objective lymphedema with postoperative ultrasonography in patients with breast cancer. <i>Computer Assisted Surgery</i> , 2016, 21, 102-110.   | 0.6 | 3         |
| 25235 | Evaluation of cardiac output by 5 arterial pulse contour techniques using trend interchangeability method. <i>Medicine (United States)</i> , 2016, 95, e3530.  | 0.4 | 27        |
| 25236 | Very poor agreement between routine outpatient clinic office and ambulatory blood pressure. <i>Blood Pressure Monitoring</i> , 2016, 21, 340-344.  | 0.4 | 2         |
| 25237 | Validation of Salivary Interleukin-6 and Tumor Necrosis Factor-Alpha of Healthy Adult Volunteers by Enzyme Immunoassay. <i>Nursing Research</i> , 2016, 65, 475-480.   | 0.8 | 5         |
| 25238 | Is Disuse Osteopenia a Favorable Prognostic Sign After Femoral Neck Fracture?. <i>Journal of Orthopaedic Trauma</i> , 2016, 30, 496-502.   | 0.7 | 2         |
| 25239 | Are Collapsed Cervical Discs Amenable to Total Disc Arthroplasty?. <i>Spine</i> , 2016, 41, 1866-1875.   | 1.0 | 5         |
| 25240 | The usability of a WeChat-based electronic questionnaire for collecting participant-reported data in female pelvic floor disorders: a comparison with the traditional paper-administered format. <i>Menopause</i> , 2016, 23, 856-862. | 0.8 | 37        |
| 25241 | Feasibility and reliability of carotid intima-media thickness measurements in nonsedated infants. <i>Journal of Hypertension</i> , 2016, 34, 2227-2232.  | 0.3 | 8         |
| 25242 | Reply. <i>Retina</i> , 2016, 36, e104-e105.  | 1.0 | 0         |
| 25243 | How Often the Goldmann Applanation Tonometer Should be Checked for Calibration Error?. <i>Journal of Glaucoma</i> , 2016, 25, 908-913.   | 0.8 | 7         |
| 25244 | Comparison between whole mount tissue preparations and virtual tissue microarray samples for measuring Ki-67 and apoptosis indices in human bladder cancer. <i>Medicine (United States)</i> , 2016, 95, e4500.                         | 0.4 | 1         |
| 25245 | The prediction of neck extensor force using surface electromyography. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2016, 29, 279-285.   | 0.4 | 5         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25246 | Determination of Bifidobacterium and Lactobacillus in breast milk of healthy women by digital PCR. <i>Beneficial Microbes</i> , 2016, 7, 559-569.   | 1.0 | 15        |
| 25247 | Effect of Phototherapy on the Reliability of Transcutaneous Bilirubin Devices in Term and Near-Term Infants: A Systematic Review and Meta-Analysis. <i>Neonatology</i> , 2016, 109, 203-212.  | 0.9 | 45        |
| 25248 | Magnetic Resonance Imaging as a Predictor of Survival Free of Life-Threatening Arrhythmias and Transplantation in Cardiac Sarcoidosis. <i>Journal of the American Heart Association</i> , 2016, 5, .  | 1.6 | 37        |
| 25249 | Methodological and physiological test-retest reliability of <sup>13</sup> C-MRS glycogen measurements in liver and in skeletal muscle of patients with type 1 diabetes and matched healthy controls. <i>NMR in Biomedicine</i> , 2016, 29, 796-805. | 1.6 | 13        |
| 25250 | Comparison of Unit-Level Patient Turnover Measures in Acute Care Hospital Settings. <i>Research in Nursing and Health</i> , 2016, 39, 197-203.  | 0.8 | 3         |
| 25251 | Assessment of Minimum <sup>124</sup> I Activity Required in Uptake Measurements Before Radioiodine Therapy for Benign Thyroid Diseases. <i>Journal of Nuclear Medicine</i> , 2016, 57, 1201-1206.   | 2.8 | 9         |
| 25252 | Hyaluronic Acid Assays: Turbidimetric or Enzyme-Based Immune Assay? A Method Comparison Study. <i>Journal of Clinical Laboratory Analysis</i> , 2016, 30, 524-528.  | 0.9 | 3         |
| 25253 | Dynamic contrast-enhanced MRI: Study of inter-software accuracy and reproducibility using simulated and clinical data. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 43, 1288-1300.  | 1.9 | 31        |
| 25254 | Comparison of a high-performance liquid chromatography method for quantification of carbamazepine with chemiluminescent microparticle immunoassay. <i>Biomedical Chromatography</i> , 2016, 30, 933-937.  | 0.8 | 9         |
| 25255 | Dried Blood Spot Methodology in Combination With Liquid Chromatography/Tandem Mass Spectrometry Facilitates the Monitoring of Teriflunomide. <i>Therapeutic Drug Monitoring</i> , 2016, 38, 471-482.  | 1.0 | 12        |
| 25256 | A New Agility Test for Adults: Its Test-Retest Reliability and Minimal Detectable Change in Untrained Women and Men Aged 28-55. <i>Journal of Strength and Conditioning Research</i> , 2016, 30, 2226-2234.   | 1.0 | 6         |
| 25257 | Comparing Two Diagnostic Procedures in Planning Dental Implants to Support a Mandibular Free-Ending Removable Partial Denture. <i>Clinical Implant Dentistry and Related Research</i> , 2016, 18, 678-685.  | 1.6 | 8         |
| 25258 | Agreement between health utility instruments in cochlear implantation. <i>Clinical Otolaryngology</i> , 2016, 41, 737-743.  | 0.6 | 23        |
| 25259 | A simple method for measuring power, force, velocity properties, and mechanical effectiveness in sprint running. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2016, 26, 648-658.   | 1.3 | 301       |
| 25260 | COMPUTED TOMOGRAPHIC MEASUREMENT OF THE MAIN PULMONARY ARTERY TO AORTIC DIAMETER RATIO IN HEALTHY DOGS: A COMPARISON TO ECHOCARDIOGRAPHICALLY DERIVED RATIOS. <i>Veterinary Radiology and Ultrasound</i> , 2016, 57, 376-386.                       | 0.4 | 9         |
| 25261 | Fiat Lux: the effect of illuminance on acuity testing. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2016, 254, 1091-1097.  | 1.0 | 28        |
| 25262 | Relationship between timed and spot urine collections for measuring phosphate excretion. <i>International Urology and Nephrology</i> , 2016, 48, 115-124.   | 0.6 | 9         |
| 25263 | Estimated glomerular filtration rate is unreliable in detecting renal function loss during follow-up after cystectomy and urinary diversion. <i>International Urology and Nephrology</i> , 2016, 48, 511-515.                                       | 0.6 | 11        |

| #     | ARTICLE  | IF   | CITATIONS |
|-------|--|------|-----------|
| 25264 | Interchangeability between methane measurements in dairy cows assessed by comparing precision and agreement of two non-invasive infrared methods. <i>Computers and Electronics in Agriculture</i> , 2016, 124, 220-226.                                      | 3.7  | 32        |
| 25265 | Evaluation of a new transperineal ultrasound probe for inter-fraction image-guidance for definitive and post-operative prostate cancer radiotherapy. <i>Physica Medica</i> , 2016, 32, 499-505.  | 0.4  | 24        |
| 25266 | Non-invasive estimation of pulmonary outflow tract obstruction: A comparative study of cardiovascular phase contrast magnetic resonance and Doppler echocardiography versus cardiac catheterization. <i>IJC Heart and Vasculature</i> , 2016, 10, 1-7.       | 0.6  | 2         |
| 25267 | Computer-Vision-Guided Human Pulse Rate Estimation: A Review. <i>IEEE Reviews in Biomedical Engineering</i> , 2016, 9, 91-105.   | 13.1 | 49        |
| 25268 | Effects of Posture and Body Mass Index on Body Girth Assessment. <i>Nutrition in Clinical Practice</i> , 2016, 31, 690-694.  | 1.1  | 4         |
| 25269 | Predictors of weight loss in young adults who are over-weight or obese and have psychosocial problems: a post hoc analysis. <i>BMC Family Practice</i> , 2016, 17, 43.   | 2.9  | 4         |
| 25270 | Progression of lumbar disc herniations over an eight-year period in a group of adult Danes from the general population – a longitudinal MRI study using quantitative measures. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 26.                          | 0.8  | 11        |
| 25271 | Nonenhanced hybridized arterial spin labeled magnetic resonance angiography of the extracranial carotid arteries using a fast low angle shot readout at 3 Tesla. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 18.                         | 1.6  | 14        |
| 25272 | The use of growth standards and corrective formulae to calculate the height loss caused by idiopathic scoliosis. <i>Scoliosis and Spinal Disorders</i> , 2016, 11, 6.  | 2.3  | 7         |
| 25273 | Measuring the primary cilium length: improved method for unbiased high-throughput analysis. <i>Cilia</i> , 2016, 5, 7.   | 1.8  | 66        |
| 25274 | Moisture content and moisture quantity of sweated chicken eggs in 2 storage environments. <i>Journal of Applied Poultry Research</i> , 2016, 25, 414-421.  | 0.6  | 1         |
| 25275 | Comparison between the triglycerides standardization of routine methods used in Japan and the chromotropic acid reference measurement procedure used by the CDC Lipid Standardization Programme. <i>Annals of Clinical Biochemistry</i> , 2016, 53, 632-639. | 0.8  | 22        |
| 25276 | Point-of-Care Phalangeal Bone Mineral Density Measurement Can Reduce the Need of Dual-Energy X-Ray Absorptiometry Scanning in Danish Women at Risk of Fracture. <i>Calcified Tissue International</i> , 2016, 98, 244-252.                                   | 1.5  | 1         |
| 25277 | Assessment of repeatability and treatment response in early phase clinical trials using DCE-MRI: comparison of parametric analysis using MR- and CT-derived arterial input functions. <i>European Radiology</i> , 2016, 26, 1991-1998.                       | 2.3  | 34        |
| 25278 | Cardiac index after acute ST-segment elevation myocardial infarction measured with phase-contrast cardiac magnetic resonance imaging. <i>European Radiology</i> , 2016, 26, 1999-2008.   | 2.3  | 6         |
| 25279 | Rate discrimination, gap detection and ranking of temporal pitch in cochlear implant users. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2016, 17, 371-382.   | 0.9  | 26        |
| 25280 | Use of short roll C-arm computed tomography and fully automated 3D analysis tools to guide transcatheter aortic valve replacement. <i>International Journal of Cardiovascular Imaging</i> , 2016, 32, 1145-1152.   | 0.7  | 1         |
| 25281 | Estimation of extravascular lung water using the transpulmonary ultrasound dilution (TPUD) method: a validation study in neonatal lambs. <i>Journal of Clinical Monitoring and Computing</i> , 2016, 30, 985-994.  | 0.7  | 6         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25282 | Repeatability of infrared ocular thermography in assessing healthy and dry eyes. <i>Contact Lens and Anterior Eye</i> , 2016, 39, 284-292.  | 0.8 | 16        |
| 25283 | Effect of Cuff Design on Auscultatory and Oscillometric Blood Pressure Measurements. <i>American Journal of Hypertension</i> , 2016, 29, 1063-1069.   | 1.0 | 10        |
| 25284 | A new approach for heart rate monitoring using photoplethysmography signals contaminated by motion artifacts. , 2016, , .   |     | 7         |
| 25285 | Validity of linear measurements of the jaws using ultralow-dose MDCT and the iterative techniques of ASIR and MBIR. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2016, 11, 1791-1801.      | 1.7 | 13        |
| 25286 | Reliability of graph analysis of resting state fMRI using test-retest dataset from the Human Connectome Project. <i>NeuroImage</i> , 2016, 142, 172-187.  | 2.1 | 154       |
| 25288 | Measuring intellectual ability in cerebral palsy: The comparison of three tests and their neuroimaging correlates. <i>Research in Developmental Disabilities</i> , 2016, 56, 83-98.                                     | 1.2 | 21        |
| 25289 | Misreport of energy intake assessed with food records and 24-h recalls compared with total energy expenditure estimated with DLW. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 1259-1264.                  | 1.3 | 50        |
| 25290 | Validity and reliability of a simple "low-tech" test for measuring choice stepping reaction time in older people. <i>Clinical Rehabilitation</i> , 2016, 30, 1128-1135.   | 1.0 | 16        |
| 25291 | The Brunel Music Rating Inventory-2 is a reliable and valid instrument for older cardiac rehabilitation patients selecting music for exercise. <i>Psychology of Music</i> , 2016, 44, 249-262.                          | 0.9 | 10        |
| 25292 | Reliability and day-to-day variability of peak fat oxidation during treadmill ergometry. <i>Journal of the International Society of Sports Nutrition</i> , 2016, 13, 4.   | 1.7 | 19        |
| 25293 | Validation of an automated colony counting system for group A <i>Streptococcus</i> . <i>BMC Research Notes</i> , 2016, 9, 72.   | 0.6 | 5         |
| 25294 | Impact of Serum and Plasma Matrices on the Titration of Human Inflammatory Biomarkers Using Analytically Validated SRM Assays. <i>Journal of Proteome Research</i> , 2016, 15, 2366-2378.                               | 1.8 | 10        |
| 25295 | Development of an IRT-Based Short Form to Assess Applied Cognitive Function in Outpatient Rehabilitation. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, 62-71.                            | 0.7 | 9         |
| 25296 | Accuracy of Wristband Activity Monitors during Ambulation and Activities. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 1942-1949.   | 0.2 | 78        |
| 25297 | Validity and test-retest reliability of an at-work production loss instrument. <i>Occupational Medicine</i> , 2016, 66, 377-382.  | 0.8 | 15        |
| 25298 | Isometric abdominal wall muscle strength assessment in individuals with incisional hernia: a prospective reliability study. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2016, 20, 831-837.       | 0.9 | 10        |
| 25299 | Microparticles as biomarkers of lung disease: enumeration in biological fluids using lipid bilayer microspheres. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2016, 310, L802-L814. | 1.3 | 23        |
| 25300 | Measurement of $\beta$ -hydroxybutyrate in capillary blood obtained from an ear to detect hyperketonemia in dairy cows by using an electronic handheld device. <i>Journal of Dairy Science</i> , 2016, 99, 7362-7369.   | 1.4 | 10        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25301 | Dynamic susceptibility contrast perfusion MRI using phase-based venous output functions: comparison with pseudo-continuous arterial spin labelling and assessment of contrast agent concentration in large veins. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2016, 29, 823-831. | 1.1 | 4         |
| 25302 | Interventional left atrial appendage occlusion: added value of 3D transesophageal echocardiography for device sizing. <i>International Journal of Cardiovascular Imaging</i> , 2016, 32, 1363-1370.  | 0.7 | 12        |
| 25303 | Automated Quantitative Analysis of Retinal Microvasculature in Normal Eyes on Optical Coherence Tomography Angiography. <i>American Journal of Ophthalmology</i> , 2016, 169, 9-23.  | 1.7 | 92        |
| 25304 | Pilot Study to Explore the Accuracy of Current Prediction Equations in Assessing Energy Needs of Patients with Newly Diagnosed Glioblastoma Multiforme. <i>Nutrition and Cancer</i> , 2016, 68, 926-934.   | 0.9 | 1         |
| 25305 | Correlation between RR, inter-systolic and inter-diastolic intervals and their differences for the analysis of spontaneous heart rate variability. <i>Physiological Measurement</i> , 2016, 37, 1120-1128.   | 1.2 | 20        |
| 25306 | SpiroCall. , 2016, , .   |     | 40        |
| 25307 | Patient-specific 3D models created by 3D imaging system or bi-planar imaging coupled with Moiré Fringe projections: a comparative study of accuracy and reliability on spinal curvatures and vertebral rotation data. <i>European Spine Journal</i> , 2016, 25, 3154-3161.                                   | 1.0 | 11        |
| 25308 | Electrochemical Glucose Biosensors for Diabetes Care. <i>Bioanalytical Reviews</i> , 2016, , 1-101.  | 0.1 | 4         |
| 25309 | Capnogram slope and ventilation dead space parameters: comparison of mainstream and sidestream techniques. <i>British Journal of Anaesthesia</i> , 2016, 117, 109-117.   | 1.5 | 19        |
| 25310 | Poor Agreement between Predictive Equations of Energy Expenditure and Measured Energy Expenditure in Critically Ill Acute Kidney Injury Patients. <i>Annals of Nutrition and Metabolism</i> , 2016, 68, 276-284.   | 1.0 | 17        |
| 25311 | Investigation of the validity and reliability of a smartphone pedometer application. <i>European Journal of Physiotherapy</i> , 2016, 18, 185-193.   | 0.7 | 9         |
| 25312 | Maximum Eye Temperature in the Assessment of Training in Racehorses: Correlations With Salivary Cortisol Concentration, Rectal Temperature, and Heart Rate. <i>Journal of Equine Veterinary Science</i> , 2016, 45, 39-45.   | 0.4 | 19        |
| 25313 | Reliability and relative validity of a food frequency questionnaire for Italian adults living in Sicily, Southern Italy. <i>International Journal of Food Sciences and Nutrition</i> , 2016, 67, 857-864.  | 1.3 | 70        |
| 25314 | 10-m Shuttle Ride Test in Youth With Osteogenesis Imperfecta Who Use Wheelchairs: Feasibility, Reproducibility, and Physiological Responses. <i>Physical Therapy</i> , 2016, 96, 679-686.  | 1.1 | 8         |
| 25315 | Noninvasively Measured Hemoglobin Concentration Reflects Arterial Hemoglobin Concentration Before but Not After Cardiopulmonary Bypass in Patients Undergoing Coronary Artery or Valve Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2016, 30, 1167-1171.                              | 0.6 | 12        |
| 25316 | Agreement between the force platform method and the combined method measurements of power output during the loaded countermovement jump. <i>Sports Biomechanics</i> , 2016, 15, 23-35.   | 0.8 | 22        |
| 25317 | Transesophageal Echocardiographic Measurement of Cardiac Index by the Prosthetic Mitral Valve Method Is Not Similar to the Continuous Thermodilution Method Via a Pulmonary Artery Catheter. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2016, 30, 398-405.                                   | 0.6 | 1         |
| 25318 | 3D shape analysis of the brain's third ventricle using a midplane encoded symmetric template model. <i>Computer Methods and Programs in Biomedicine</i> , 2016, 129, 51-62.  | 2.6 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25319 | Validity of FitBit, Jawbone UP, Nike+ and other wearable devices for level and stair walking. <i>Gait and Posture</i> , 2016, 48, 36-41.   | 0.6 | 107       |
| 25320 | Volume growth of abdominal aortic aneurysms correlates with baseline volume and increasing finite element analysis-derived rupture risk. <i>Journal of Vascular Surgery</i> , 2016, 63, 1434-1442.e3.  | 0.6 | 63        |
| 25321 | Criteria for nap identification in infants and young children using 24-h actigraphy and agreement with parental diary. <i>Sleep Medicine</i> , 2016, 19, 85-92.  | 0.8 | 32        |
| 25322 | Effectiveness of adding voluntary pelvic floor muscle contraction to a Pilates exercise program: an assessor-masked randomized controlled trial. <i>International Urogynecology Journal</i> , 2016, 27, 1743-1752.                           | 0.7 | 17        |
| 25323 | Quantitative assessment of the stent/scaffold strut embedment analysis by optical coherence tomography. <i>International Journal of Cardiovascular Imaging</i> , 2016, 32, 871-883.  | 0.7 | 35        |
| 25324 | Inter-observer Variability Analysis of Automatic Lung Delineation in Normal and Disease Patients. <i>Journal of Medical Systems</i> , 2016, 40, 142.   | 2.2 | 30        |
| 25325 | Comparison of interactive voice response (IVR) with paper administration of instruments to assess functional status, sexual function, and quality of life in elderly men. <i>Quality of Life Research</i> , 2016, 25, 811-821.               | 1.5 | 5         |
| 25326 | Evaluation of ECG-gated [11C]acetate PET for measuring left ventricular volumes, mass, and myocardial external efficiency. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 670-679.   | 1.4 | 17        |
| 25327 | Identifying low muscle mass in patients with hip fracture: Validation of bioelectrical impedance analysis and anthropometry compared to dual energy X-ray absorptiometry. <i>Journal of Nutrition, Health and Aging</i> , 2016, 20, 685-690. | 1.5 | 21        |
| 25329 | Evaluation of marking of peer marking in oral presentation. <i>Perspectives on Medical Education</i> , 2022, 5, 103-107.   | 1.8 | 7         |
| 25330 | Assessing airflow rates of a naturally ventilated test facility using a fast and simple algorithm supported by local air velocity measurements. <i>Building and Environment</i> , 2016, 104, 198-207.  | 3.0 | 9         |
| 25331 | Simultaneous quantification of 17-hydroxyprogesterone, androstenedione, testosterone and cortisol in human serum by LC-MS/MS using TurboFlow online sample extraction. <i>Clinical Biochemistry</i> , 2016, 49, 998-1003.                    | 0.8 | 9         |
| 25332 | Automated quantification of Epstein-Barr Virus in whole blood of hematopoietic stem cell transplant patients using the Abbott m2000 system. <i>Diagnostic Microbiology and Infectious Disease</i> , 2016, 85, 428-432.                       | 0.8 | 10        |
| 25333 | Short-term and long-term test-retest reliability of the Nasality Severity Index 2.0. <i>Journal of Communication Disorders</i> , 2016, 62, 1-11.   | 0.8 | 2         |
| 25334 | Reliability of ground reaction forces in the aquatic environment. <i>Journal of Electromyography and Kinesiology</i> , 2016, 30, 23-30.  | 0.7 | 7         |
| 25335 | Evaluation of a Portable Analyzer for Determining Hemoglobin Concentrations and Oxygen Saturation in Whole-Blood Samples From Domestic Animals. <i>Journal of Equine Veterinary Science</i> , 2016, 45, 64-72.                               | 0.4 | 3         |
| 25336 | Multi-parametric analysis assists in STN localization in Parkinson's patients. <i>Journal of the Neurological Sciences</i> , 2016, 366, 37-43.   | 0.3 | 9         |
| 25337 | Acute splenic responses in patients with ischemic stroke and intracerebral hemorrhage. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2016, 36, 1012-1021.   | 2.4 | 51        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25338 | Intersession and Intrasession Reliability and Validity of the My Jump App for Measuring Different Jump Actions in Trained Male and Female Athletes. <i>Journal of Strength and Conditioning Research</i> , 2016, 30, 2049-2056.  | 1.0 | 86        |
| 25339 | Measuring pressure during coronary artery angiography in ex-vivo hearts. <i>Journal of Forensic Radiology and Imaging</i> , 2016, 4, 58-62.  | 1.2 | 2         |
| 25340 | Left atrial ejection force correlates with left atrial strain and volume-based functional properties as assessed by three-dimensional speckle tracking echocardiography (from the MAGYAR-Healthy Study). <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2016, 35, 83-91. | 0.2 | 4         |
| 25341 | Evaluation of a New Brain Tissue Probe for Intracranial Pressure, Temperature, and Cerebral Blood Flow Monitoring in Patients with Aneurysmal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2016, 25, 193-200.  | 1.2 | 18        |
| 25342 | Comparative Analysis of Radiographic Hip Joint Geometry Using Measurement Tools on Picture Archiving and Communication System: A Prospective Study of 100 Pelvic Radiographs of Koreans. <i>Journal of Arthroplasty</i> , 2016, 31, 2597-2602.   | 1.5 | 10        |
| 25343 | Assessment of resting energy expenditure in pediatric mitochondrial diseases with indirect calorimetry. <i>Clinical Nutrition</i> , 2016, 35, 1484-1489.   | 2.3 | 8         |
| 25344 | Effect of Gd-DOTA on fat quantification in skeletal muscle using two-point Dixon technique – preliminary data. <i>European Journal of Radiology</i> , 2016, 85, 131-135.   | 1.2 | 2         |
| 25345 | Prognosis of Adults With Borderline Left Ventricular Ejection Fraction. <i>JACC: Heart Failure</i> , 2016, 4, 502-510.   | 1.9 | 49        |
| 25346 | Identification of acute brain failure using electronic medical records. <i>Journal of Critical Care</i> , 2016, 34, 12-16.   | 1.0 | 15        |
| 25347 | The inter-rater reliability of the modified finger goniometer for measuring forearm rotation. <i>Journal of Hand Therapy</i> , 2016, 29, 292-298.  | 0.7 | 5         |
| 25348 | Effect of congenital vs. acquired varus on patient-reported outcomes after high tibial osteotomy. <i>Osteoarthritis and Cartilage</i> , 2016, 24, S513.  | 0.6 | 0         |
| 25349 | Ex Vivo pulmonary nodule detection with miniaturized ultrasound convex probes. <i>Journal of Surgical Research</i> , 2016, 202, 49-57.   | 0.8 | 6         |
| 25350 | Inter-reader reproducibility of dynamic contrast-enhanced magnetic resonance imaging in patients with non-small cell lung cancer treated with bevacizumab and erlotinib. <i>Lung Cancer</i> , 2016, 93, 20-27.   | 0.9 | 2         |
| 25351 | The carotid artery as an alternative site for dynamic autoregulation measurement: an inter-observer reproducibility study. <i>Medical Engineering and Physics</i> , 2016, 38, 690-694.   | 0.8 | 3         |
| 25352 | Influence of <i>Pichia pastoris</i> cellular material on polymerase chain reaction performance as a synthetic biology standard for genome monitoring. <i>Journal of Microbiological Methods</i> , 2016, 127, 111-122.  | 0.7 | 3         |
| 25353 | Validity Study of Vertebral Rotation Measurement Using 3-D Ultrasound in Adolescent Idiopathic Scoliosis. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 1473-1481.   | 0.7 | 19        |
| 25354 | Validation of an ingestible temperature data logging and telemetry system during exercise in the heat. <i>Temperature</i> , 2016, 3, 208-219.  | 1.7 | 43        |
| 25355 | Improving the accuracy of proximal timing detection from ballistocardiogram signals using a high bandwidth force plate. , 2016, , .  |     | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25356 | A comparison of the non-invasive ultrasonic cardiac output monitor (USCOM) with the oesophageal Doppler monitor during major abdominal surgery. <i>Journal of the Intensive Care Society</i> , 2016, 17, 103-110.   | 1.1 | 5         |
| 25357 | 7 Tesla quantitative hip MRI: a comparison between TESS and CPMG for T2 mapping. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2016, 29, 503-512.   | 1.1 | 13        |
| 25358 | Assessment of changes in cardiac index with calibrated pulse contour analysis in cardiac surgery: A prospective observational study. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2016, 35, 261-267.   | 0.6 | 5         |
| 25359 | A comparative analysis of temporary and permanent beta attenuation monitors: The importance of understanding data and equipment limitations when creating PM 2.5 air quality health advisories. <i>Atmospheric Pollution Research</i> , 2016, 7, 865-875. | 1.8 | 27        |
| 25360 | Order in the absence of an effect: Identifying rate-dependent relationships. <i>Behavioural Processes</i> , 2016, 127, 18-24.   | 0.5 | 22        |
| 25361 | The effect of late-phase contrast enhancement on semi-automatic software measurements of CT attenuation and volume of part-solid nodules in lung adenocarcinomas. <i>European Journal of Radiology</i> , 2016, 85, 1174-1180.                             | 1.2 | 15        |
| 25362 | Influence of the short-axis cine acquisition protocol on the cardiac function evaluation: A reproducibility study. <i>European Journal of Radiology Open</i> , 2016, 3, 60-66.  | 0.7 | 22        |
| 25363 | Diffusion tensor imaging of peripheral nerves in non-fixed post-mortem subjects. <i>Forensic Science International</i> , 2016, 263, 139-146.  | 1.3 | 14        |
| 25364 | Confiabilidad de la escala NEI VFQ-25 en una población colombiana con enfermedad ocular crónica. <i>Revista Mexicana De Oftalmología</i> , 2016, 90, 174-181.   | 0.1 | 0         |
| 25365 | Computed exercise plasma lactate concentrations: A conversion formula. <i>Practical Laboratory Medicine</i> , 2016, 4, 11-15.   | 0.6 | 0         |
| 25366 | Quantification of Very Low Concentrations of Leukocyte Suspensions In Vitro by High-Frequency Ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 1568-1573.  | 0.7 | 8         |
| 25367 | Estimating peak oxygen uptake based on postexercise measurements in swimming. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, 588-596.  | 0.9 | 8         |
| 25368 | Multi-detector CT and MRI of microembolized myocardial infarct: monitoring of left ventricular function, perfusion, and myocardial viability in a swine model. <i>Acta Radiologica</i> , 2016, 57, 215-224.   | 0.5 | 6         |
| 25369 | Comparison of the non-invasive Nexfin® monitor with conventional methods for the measurement of arterial blood pressure in moderate risk orthopaedic surgery patients. <i>Journal of International Medical Research</i> , 2016, 44, 832-843.              | 0.4 | 33        |
| 25370 | Evaluation of the Charité® Jet Lag Scale. <i>Journal of Biological Rhythms</i> , 2016, 31, 94-107.  | 1.4 | 4         |
| 25372 | Stability of an ERP-based measure of brain network activation (BNA) in athletes: A new electrophysiological assessment tool for concussion. <i>Brain Injury</i> , 2016, 30, 1075-1081.  | 0.6 | 9         |
| 25373 | Comparing cardiac output monitors and defining agreement: A systematic review and meta-analysis. <i>Journal of the Intensive Care Society</i> , 2016, 17, 302-313.  | 1.1 | 9         |
| 25374 | Validity of the Disabilities of the Arm, Shoulder and Hand patient-reported outcome measure (DASH) and the Quickdash when used in Dupuytren's disease. <i>Journal of Hand Surgery: European Volume</i> , 2016, 41, 589-599.                               | 0.5 | 40        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25375 | Accuracy Evaluation of a CE-Marked System for Self-Monitoring of Blood Glucose With Three Reagent System Lots Following ISO 15197:2013. <i>Journal of Diabetes Science and Technology</i> , 2016, 10, 238-239.                 | 1.3 | 4         |
| 25376 | Assessment of Motor Competence Across the Life Span. <i>SAGE Open</i> , 2016, 6, 215824401663327.  | 0.8 | 27        |
| 25377 | Screening for rheumatic heart disease: quality and agreement of focused cardiac ultrasound by briefly trained health workers. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 30.  | 0.7 | 31        |
| 25378 | Meta-analytic estimation of measurement variability and assessment of its impact on decision-making: the case of perioperative haemoglobin concentration monitoring. <i>BMC Medical Research Methodology</i> , 2016, 16, 7.    | 1.4 | 6         |
| 25379 | Comparison of the Orbscan II topographer and the iTrace aberrometer for the measurements of keratometry and corneal diameter in myopic patients. <i>BMC Ophthalmology</i> , 2016, 16, 33.                                      | 0.6 | 11        |
| 25380 | Repeatability of echocardiographic parameters to evaluate the hemodynamic relevance of patent ductus arteriosus in preterm infants: a prospective observational study. <i>BMC Pediatrics</i> , 2016, 16, 18.                   | 0.7 | 22        |
| 25381 | Isometric hand grip strength measured by the Nintendo Wii Balance Board – a reliable new method. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 56.  | 0.8 | 18        |
| 25382 | Assessing time use in long-term institutional care: development, validity and inter-rater reliability of the Groningen Observational instrument for Long-Term Institutional Care (GO-LTIC). <i>BMC Nursing</i> , 2016, 15, 13. | 0.9 | 2         |
| 25383 | ARAM: an automated image analysis software to determine rosetting parameters and parasitaemia in Plasmodium samples. <i>Malaria Journal</i> , 2016, 15, 223.   | 0.8 | 2         |
| 25384 | Diet-related greenhouse gas emissions assessed by a food frequency questionnaire and validated using 7-day weighed food records. <i>Environmental Health</i> , 2016, 15, 15.   | 1.7 | 22        |
| 25385 | Psychometric properties of the Albanian version of chewing-function questionnaire CFQ-ALB. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 38.  | 1.0 | 2         |
| 25386 | Concurrent validity and test-retest reliability of the Virtual Peg Insertion Test to quantify upper limb function in patients with chronic stroke. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2016, 13, 8.        | 2.4 | 23        |
| 25387 | Reliability of the Q Force; a mobile instrument for measuring isometric quadriceps muscle strength. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2016, 8, 4.   | 0.7 | 3         |
| 25388 | Joint torque variability and repeatability during cyclic flexion-extension of the elbow. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2016, 8, 8.  | 0.7 | 5         |
| 25389 | Cancer patients participating in a lifestyle intervention during chemotherapy greatly over-report their physical activity level: a validation study. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2016, 8, 10.     | 0.7 | 38        |
| 25390 | Validation of the Fitbit One® for physical activity measurement at an upper torso attachment site. <i>BMC Research Notes</i> , 2016, 9, 213.   | 0.6 | 26        |
| 25391 | Validity of a food frequency questionnaire to assess nutritional intake among Sri Lankan adults. <i>SpringerPlus</i> , 2016, 5, 162.   | 1.2 | 24        |
| 25392 | Validation of a rapid one-step high sensitivity real-time quantitative PCR system for detecting major BCR-ABL1 mRNA on an International Scale. <i>SpringerPlus</i> , 2016, 5, 569.   | 1.2 | 4         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25393 | Does fixed retention prevent overeruption of unopposed mandibular second molars in maxillary first molar extraction cases?. <i>Progress in Orthodontics</i> , 2016, 17, 6.  | 1.3 | 4         |
| 25394 | Touch screens as a tool in patient care in the IBD outpatient clinic. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 1106-1110.  | 0.6 | 11        |
| 25395 | Muscle Fiber Conduction Velocity, Muscle Fiber Composition, and Power Performance. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 1761-1771.  | 0.2 | 63        |
| 25396 | Echocardiographic Linear Dimensions for Assessment of Right Ventricular Chamber Volume as Demonstrated by Cardiac Magnetic Resonance. <i>Journal of the American Society of Echocardiography</i> , 2016, 29, 861-870.                     | 1.2 | 25        |
| 25397 | The accuracy of breast volume measurement methods: A systematic review. <i>Breast</i> , 2016, 28, 121-129.  | 0.9 | 65        |
| 25398 | Accuracy and repeatability of two methods of gait analysis – GaitRite, and Mobility Lab, in subjects with cerebellar ataxia. <i>Gait and Posture</i> , 2016, 48, 194-201.   | 0.6 | 59        |
| 25399 | RetroDISCO: Clearing technique to improve quantification of retrograde labeled motor neurons of intact mouse spinal cords. <i>Journal of Neuroscience Methods</i> , 2016, 271, 34-42.   | 1.3 | 21        |
| 25400 | T2-prepared velocity selective labelling: A novel idea for full-brain mapping of oxygen saturation. <i>NeuroImage</i> , 2016, 139, 65-73.   | 2.1 | 3         |
| 25401 | Evaluation of the Whole-Blood Alere Q NAT Point-of-Care RNA Assay for HIV-1 Viral Load Monitoring in a Primary Health Care Setting in Mozambique. <i>Journal of Clinical Microbiology</i> , 2016, 54, 2104-2108.                          | 1.8 | 36        |
| 25402 | Assessment of Ventricular Septal Defect Size and Morphology by Three-Dimensional Transthoracic Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2016, 29, 777-785.  | 1.2 | 19        |
| 25403 | Evaluation of a Portable Haemoglobin Metre Performance in Children with Sickle Cell Disease and Implications for Healthcare in Resource-poor Settings. <i>Journal of Tropical Pediatrics</i> , 2016, 62, 316-323.                         | 0.7 | 6         |
| 25404 | Heart rate variability (HRV) in deep breathing tests and 5-min short-term recordings: agreement of ear photoplethysmography with ECG measurements, in 343 subjects. <i>European Journal of Applied Physiology</i> , 2016, 116, 1527-1535. | 1.2 | 39        |
| 25405 | Concordance between Timeline Follow-Back and Single-Question Assessment of Self-Reported Smoking in a Clinical Trial. <i>Substance Abuse</i> , 2016, 37, 398-401.   | 1.1 | 10        |
| 25406 | Comparison between paper and electronic sleep diary. <i>Biological Rhythm Research</i> , 2016, 47, 743-753.   | 0.4 | 34        |
| 25407 | Symmetry comparison between sacrum and center of mass during walking. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2016, 230, 682-689.                                     | 1.0 | 3         |
| 25408 | Do children report differently from their parents and from observed data? Cross-sectional data on fruit, water, sugar-sweetened beverages and break-time foods. <i>BMC Public Health</i> , 2016, 16, 341.                                 | 1.2 | 4         |
| 25409 | Automated quantification of proliferation with automated hot-spot selection in phosphohistone H3/MART1 dual-stained stage I/II melanoma. <i>Diagnostic Pathology</i> , 2016, 11, 35.  | 0.9 | 11        |
| 25410 | Validation of an integrated pedal desk and electronic behavior tracking platform. <i>BMC Research Notes</i> , 2016, 9, 74.  | 0.6 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25411 | The Prevalence of Left Ventricular Hypertrophy in Obese Children Varies Depending on the Method Utilized to Determine Left Ventricular Mass. <i>Pediatric Cardiology</i> , 2016, 37, 993-1002.   | 0.6 | 11        |
| 25412 | Comparison between visual grading and planimetric quantification of microvascular obstruction extent assessment in reperfused acute myocardial infarction. <i>European Radiology</i> , 2016, 26, 2166-2175.                                    | 2.3 | 5         |
| 25413 | Real-time SPARSE-SENSE cardiac cine MR imaging: optimization of image reconstruction and sequence validation. <i>European Radiology</i> , 2016, 26, 4482-4489.   | 2.3 | 20        |
| 25414 | Measuring mammographic density: comparing a fully automated volumetric assessment versus European radiologists' qualitative classification. <i>European Radiology</i> , 2016, 26, 4354-4360.   | 2.3 | 43        |
| 25415 | Comparison of frequency doubling and flicker defined form perimetry in early glaucoma. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2016, 254, 937-946.   | 1.0 | 12        |
| 25416 | How to "validate" newly developed cardiac output monitoring devices. <i>Journal of Clinical Monitoring and Computing</i> , 2016, 30, 147-148.  | 0.7 | 3         |
| 25417 | Three-dimensional volumetric measurements in defining endoscope-guided giant adenoma surgery outcomes. <i>Pituitary</i> , 2016, 19, 311-321.   | 1.6 | 51        |
| 25418 | Blood gas analyzer and central laboratory glucose, sodium, potassium, lactate and hemoglobin values: differences between methods and their effect on medical outcome. <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2016, 12, 49-53. | 0.2 | 0         |
| 25419 | A low-cost, tablet-based option for prehospital neurologic assessment. <i>Neurology</i> , 2016, 87, 19-26.   | 1.5 | 56        |
| 25420 | The Accuracy of Pulse Spectroscopy for Detecting Hypoxemia and Coexisting Methemoglobin or Carboxyhemoglobin. <i>Anesthesia and Analgesia</i> , 2016, 122, 1856-1865.  | 1.1 | 11        |
| 25421 | Relationship Between Agility Tests and Short Sprints. <i>Journal of Strength and Conditioning Research</i> , 2016, 30, 893-900.  | 1.0 | 23        |
| 25422 | DANTE-prepared three-dimensional FLASH: A fast isotropic-resolution MR approach to morphological evaluation of the peripheral arterial wall at 3 tesla. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 43, 343-351.                      | 1.9 | 19        |
| 25423 | Use of single-representative reverse-engineered surface-models for RSA does not affect measurement accuracy and precision. <i>Journal of Orthopaedic Research</i> , 2016, 34, 903-910.   | 1.2 | 4         |
| 25424 | Passive sampling method for high-resolution concentration and isotopic composition of dissolved methane in arctic lakes. <i>Limnology and Oceanography: Methods</i> , 2016, 14, 69-78.   | 1.0 | 5         |
| 25425 | Do ultrasound findings of levator ani "avulsion" correlate with anatomical findings: A multicenter cadaveric study. <i>Neurourology and Urodynamics</i> , 2016, 35, 683-688.   | 0.8 | 16        |
| 25426 | Label-free analysis of human cerebrospinal fluid addressing various normalization strategies and revealing protein groups affected by multiple sclerosis. <i>Proteomics</i> , 2016, 16, 1154-1165.   | 1.3 | 26        |
| 25427 | Abbreviation modalities of nitrogen multiple-breath washout tests in school children with obstructed lung disease. <i>Pediatric Pulmonology</i> , 2016, 51, 624-632.   | 1.0 | 24        |
| 25428 | How to regress and predict in a Bland-Altman plot? Review and contribution based on tolerance intervals and correlated-errors-in-variables models. <i>Statistics in Medicine</i> , 2016, 35, 2328-2358.  | 0.8 | 38        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25429 | Comparison of QT Interval Readings in Normal Sinus Rhythm Between a Smartphone Heart Monitor and a 12-lead ECG for Healthy Volunteers and Inpatients Receiving Sotalol or Dofetilide. <i>Journal of Cardiovascular Electrophysiology</i> , 2016, 27, 827-832. | 0.8 | 89        |
| 25430 | Development of a valid simplified Chinese version of the Osteoarthritis of Knee and Hip Quality of Life (OAKHQOL) in patients with knee or hip osteoarthritis. <i>Journal of Evaluation in Clinical Practice</i> , 2016, 22, 53-61.                           | 0.9 | 4         |
| 25431 | Development, validation and implementation of a quantitative food frequency questionnaire to assess habitual vitamin D intake. <i>Journal of Human Nutrition and Dietetics</i> , 2016, 29, 495-504.   | 1.3 | 26        |
| 25432 | Relationship between body temperature, weight, and hematological parameters of black tufted ear marmosets ( <i>Callithrix penicillata</i> ). <i>Journal of Medical Primatology</i> , 2016, 45, 118-125.   | 0.3 | 6         |
| 25433 | Validation of an enzyme-linked immunosorbent assay (ELISA) for the measurement of canine S100A12. <i>Veterinary Clinical Pathology</i> , 2016, 45, 135-147.   | 0.3 | 24        |
| 25434 | Validation of an automated enzyme immunoassay for the measurement of serum total thyroxine in cats. <i>Veterinary Clinical Pathology</i> , 2016, 45, 148-153.   | 0.3 | 8         |
| 25435 | Is Model-based Radiostereometric Analysis Suitable for Clinical Trials of a Cementless Tapered Wedge Femoral Stem?. <i>Clinical Orthopaedics and Related Research</i> , 2016, 474, 2246-2253.   | 0.7 | 16        |
| 25436 | Micro-computed tomography in murine models of cerebral cavernous malformations as a paradigm for brain disease. <i>Journal of Neuroscience Methods</i> , 2016, 271, 14-24.  | 1.3 | 25        |
| 25437 | Automated measurement of 25-OH Vitamin D on the LUMIPULSE®G1200: analytical verification and method comparison. <i>British Journal of Biomedical Science</i> , 2016, 73, 104-109.   | 1.2 | 1         |
| 25438 | Towards best practice in physical and physiological employment standards. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, S47-S62.  | 0.9 | 34        |
| 25439 | Reliability and Reproducibility of Chest Wall Expansion Measurement in Young Healthy Adults. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2016, 39, 443-449.   | 0.4 | 41        |
| 25440 | Faster permutation inference in brain imaging. <i>NeuroImage</i> , 2016, 141, 502-516.  | 2.1 | 242       |
| 25441 | Evaluation of blood flow distribution asymmetry and vascular geometry in patients with Fontan circulation using 4-D flow MRI. <i>Pediatric Radiology</i> , 2016, 46, 1507-1519.   | 1.1 | 26        |
| 25442 | Bi-planar spinal stereoradiography of adolescent idiopathic scoliosis: considerations in 3D alignment and functional balance. <i>European Spine Journal</i> , 2016, 25, 3234-3241.  | 1.0 | 23        |
| 25443 | The impact of seasonal variation of 25-hydroxyvitamin D and parathyroid hormone on calcium levels. <i>Clinical Biochemistry</i> , 2016, 49, 850-853.  | 0.8 | 6         |
| 25444 | Automated quantification of abdominal adiposity by magnetic resonance imaging. <i>American Journal of Human Biology</i> , 2016, 28, 757-766.  | 0.8 | 14        |
| 25445 | Curvature Radius Measurements From the Humeral Trochlea in Large Dogs. <i>Anatomical Record</i> , 2016, 299, 1012-1014.   | 0.8 | 3         |
| 25446 | Intervals for the assessment of measurement agreement: Similarities, differences, and consequences of incorrect interpretations. <i>Biometrical Journal</i> , 2016, 58, 489-501.  | 0.6 | 9         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25447 | Bedside Lung Ultrasound During Acute Chest Syndrome in Sickle Cell Disease. <i>Medicine (United States)</i> , 2016, 95, 100-107.  | 0.4 | 20        |
| 25448 | A Color Perimetric Test to Evaluate Macular Pigment Density in Age-Related Macular Degeneration. <i>Optometry and Vision Science</i> , 2016, 93, 632-639.   | 0.6 | 3         |
| 25449 | Rater reliability and scoring duration of the Quality Function Measure in ambulant children with hyperkinetic movement disorders. <i>Developmental Medicine and Child Neurology</i> , 2016, 58, 822-828.          | 1.1 | 10        |
| 25450 | A Novel 13-Segment Standardized Model for Assessment of Right Ventricular Function Using Two-Dimensional Strain Echocardiography. <i>Echocardiography</i> , 2016, 33, 353-361.                                    | 0.3 | 10        |
| 25451 | Inter-rater reliability of h-index scores calculated by Web of Science and Scopus for clinical epidemiology scientists. <i>Health Information and Libraries Journal</i> , 2016, 33, 140-149.                      | 1.3 | 23        |
| 25452 | The FlexISH assay brings flexibility to cytogenetic HER2 testing. <i>Histopathology</i> , 2016, 69, 635-646.  | 1.6 | 6         |
| 25453 | Validation of the SenseWear mini armband in children during semi-structure activity settings. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 41-45.  | 0.6 | 30        |
| 25454 | Ground reaction forces of Olympic and World Championship race walkers. <i>European Journal of Sport Science</i> , 2016, 16, 50-56.  | 1.4 | 15        |
| 25455 | Sources of variation in assessing left atrial functions by 2D speckle-tracking echocardiography. <i>Heart and Vessels</i> , 2016, 31, 370-381.  | 0.5 | 11        |
| 25456 | Comparison of different DNA extraction methods from peripheral blood cells: advice from the Fondazione Italiana Linfomi Minimal Residual Disease Network. <i>Leukemia and Lymphoma</i> , 2016, 57, 400-410.       | 0.6 | 4         |
| 25457 | The reliability of clinical decisions based on the cervical vertebrae maturation staging method. <i>European Journal of Orthodontics</i> , 2016, 38, 8-12.  | 1.1 | 14        |
| 25458 | Automatic QRS Selvester scoring system in patients with left bundle branch block. <i>Europace</i> , 2016, 18, 308-314.  | 0.7 | 17        |
| 25459 | Agreement between diurnal variations of intraocular pressure by Tono-Pen and Goldmann applanation tonometer in patients on topical anti-glaucoma medication. <i>International Ophthalmology</i> , 2016, 36, 9-15. | 0.6 | 5         |
| 25460 | A comparison between the Static Balance Test and the Berg Balance Scale: validity, reliability, and comparative resource use. <i>Clinical Rehabilitation</i> , 2016, 30, 288-293.                                 | 1.0 | 22        |
| 25461 | Comparison of Bioelectrical Impedance Analysis and Air Displacement Plethysmography in Community-Dwelling Older Adults. <i>Journal of Applied Gerontology</i> , 2016, 35, 474-488.                                | 1.0 | 2         |
| 25462 | Validation of a urine color scale for assessment of urine osmolality in healthy children. <i>European Journal of Nutrition</i> , 2016, 55, 907-915.   | 1.8 | 63        |
| 25463 | Simultaneous carotid PET/MR: feasibility and improvement of magnetic resonance-based attenuation correction. <i>International Journal of Cardiovascular Imaging</i> , 2016, 32, 61-71.                            | 0.7 | 12        |
| 25464 | Equating accelerometer estimates among youth: The Rosetta Stone 2. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 242-249.   | 0.6 | 32        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25465 | Inter-observer and inter-examination variability of manual vertebral bone attenuation measurements on computed tomography. <i>European Radiology</i> , 2016, 26, 3046-3053.   | 2.3 | 43        |
| 25466 | Diffusion-weighted MR imaging of uterine leiomyomas following uterine artery embolization. <i>European Radiology</i> , 2016, 26, 3558-3570.   | 2.3 | 10        |
| 25467 | Regression models to predict hip joint centers in pathological hip population. <i>Gait and Posture</i> , 2016, 44, 48-54.   | 0.6 | 10        |
| 25468 | ECG denoising and fiducial point extraction using an extended Kalman filtering framework with linear and nonlinear phase observations. <i>Physiological Measurement</i> , 2016, 37, 203-226.  | 1.2 | 28        |
| 25469 | Validation and cultural translation for Brazilian Portuguese version of the Pelvic Floor Impact Questionnaire (PFIQ-7) and Pelvic Floor Distress Inventory (PFDI-20). <i>International Urogynecology Journal</i> , 2016, 27, 1097-1106.                         | 0.7 | 43        |
| 25470 | Measurement of clavicular length and shortening after a midshaft clavicular fracture: Spatial digitization versus planar roentgen photogrammetry. <i>Journal of Electromyography and Kinesiology</i> , 2016, 29, 74-80.   | 0.7 | 7         |
| 25471 | Evaluation of a New Device for Simplifying and Standardizing Stool Sample Preparation for Viral Molecular Testing with Limited Hands-On Time. <i>Journal of Clinical Microbiology</i> , 2016, 54, 928-933.  | 1.8 | 9         |
| 25472 | Measurement of craniovertebral angle by the Modified Head Posture Spinal Curvature Instrument: A reliability and validity study. <i>Physiotherapy Theory and Practice</i> , 2016, 32, 144-152.  | 0.6 | 16        |
| 25473 | Clinical Assays for Biological Macromolecules. <i>Statistics in the Health Sciences</i> , 2016, , 263-294.  | 0.2 | 0         |
| 25474 | Quality control of cardiac MRI for tetralogy of Fallot: Combination of standard measurements and physiological analysis to detect invalid examinations. <i>Archives of Cardiovascular Diseases</i> , 2016, 109, 96-103.   | 0.7 | 1         |
| 25475 | Pulse Waves in the Lower Extremities as a Diagnostic Tool of Peripheral Arterial Disease and Predictor of Mortality in Elderly Chinese. <i>Hypertension</i> , 2016, 67, 527-534.  | 1.3 | 32        |
| 25476 | Measuring physiological and pathological femoral anteversion using a biplanar low-dose X-ray system: validity, reliability, and discriminative ability in cerebral palsy. <i>Skeletal Radiology</i> , 2016, 45, 243-250.  | 1.2 | 13        |
| 25477 | MRI texture analysis of subchondral bone at the tibial plateau. <i>European Radiology</i> , 2016, 26, 3034-3045.  | 2.3 | 21        |
| 25478 | Quantitative assessment of systolic left ventricular function with speckle-tracking echocardiography in adult patients with repaired aortic coarctation. <i>International Journal of Cardiovascular Imaging</i> , 2016, 32, 777-787.                            | 0.7 | 23        |
| 25479 | Reliability analysis of glenoid component inclination measurements on postoperative radiographs and computed tomography-based 3D models in total and reversed shoulder arthroplasty patients. <i>Journal of Shoulder and Elbow Surgery</i> , 2016, 25, 632-640. | 1.2 | 23        |
| 25480 | Test-retest reliability of the Test of Infant Motor Performance Screening Items in infants at risk for impaired functional motor performance. <i>Early Human Development</i> , 2016, 93, 43-46.   | 0.8 | 6         |
| 25481 | Comparison of two color-difference formulas using the Bland-Altman approach based on natural tooth color space. <i>Journal of Prosthetic Dentistry</i> , 2016, 115, 482-488.  | 1.1 | 26        |
| 25482 | Evaluation of an in-practice wet-chemistry analyzer using canine and feline serum samples. <i>Journal of Veterinary Diagnostic Investigation</i> , 2016, 28, 38-45.   | 0.5 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25483 | Pulmonary Artery Dilation and Right Ventricular Function in Acute Kawasaki Disease. <i>Pediatric Cardiology</i> , 2016, 37, 482-490.  | 0.6 | 6         |
| 25484 | Myocardial strain assessment by cine cardiac magnetic resonance imaging using non-rigid registration. <i>Magnetic Resonance Imaging</i> , 2016, 34, 381-390.  | 1.0 | 8         |
| 25485 | Validity and Reliability of the Achillometer <sup>®</sup> : An Ankle Dorsiflexion <sup>®</sup> Measurement Device. <i>Journal of Foot and Ankle Surgery</i> , 2016, 55, 688-692.  | 0.5 | 5         |
| 25486 | Cardiac function in BRCA1/2 mutation carriers with history of breast cancer treated with anthracyclines. <i>Breast Cancer Research and Treatment</i> , 2016, 155, 285-293.  | 1.1 | 21        |
| 25487 | Capnodynamic assessment of effective lung volume during cardiac output manipulations in a porcine model. <i>Journal of Clinical Monitoring and Computing</i> , 2016, 30, 761-769.   | 0.7 | 16        |
| 25488 | Continuous Glucose Monitoring After Gastric Bypass to Evaluate the Glucose Variability After a Low-Carbohydrate Diet and to Determine Hypoglycemia. <i>Obesity Surgery</i> , 2016, 26, 2111-2118.   | 1.1 | 29        |
| 25489 | Relating Histopathology and Mechanical Strain in Experimental Contusion Spinal Cord Injury in a Rat Model. <i>Journal of Neurotrauma</i> , 2016, 33, 1685-1695.   | 1.7 | 15        |
| 25490 | Quantification of Dendritic Austenite After Interrupted Solidification in a Hypoeutectic Lamellar Graphite Iron. <i>Metallography, Microstructure, and Analysis</i> , 2016, 5, 28-42.   | 0.5 | 6         |
| 25491 | Comparison of Ischemic and Nonischemic Bowel Segments in Patients With Mesenteric Ischemia: Multidetector Row Computed Tomography Findings and Measurement of Bowel Wall Attenuation Changes. <i>Mayo Clinic Proceedings</i> , 2016, 91, 316-328. | 1.4 | 6         |
| 25492 | Real-time measurement of pelvis and trunk kinematics during treadmill locomotion using a low-cost depth-sensing camera: A concurrent validity study. <i>Journal of Biomechanics</i> , 2016, 49, 474-478.  | 0.9 | 24        |
| 25493 | Microscale screening of antibody libraries as maytansinoid antibody-drug conjugates. <i>MAbs</i> , 2016, 8, 513-523.  | 2.6 | 20        |
| 25494 | Core Muscle Size Predicts Postoperative Outcome in Lung Transplant Candidates. <i>Annals of Thoracic Surgery</i> , 2016, 101, 1318-1325.  | 0.7 | 60        |
| 25495 | Global longitudinal strain software upgrade: Implications for intervender consistency and longitudinal imaging studies. <i>Archives of Cardiovascular Diseases</i> , 2016, 109, 22-30.  | 0.7 | 18        |
| 25496 | Temperature dependent embryonic development of <i>Trichuris suis</i> eggs in a medicinal raw material. <i>Veterinary Parasitology</i> , 2016, 215, 48-57.   | 0.7 | 12        |
| 25497 | The validity of activity monitors for measuring sleep in elite athletes. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 848-853.   | 0.6 | 124       |
| 25498 | Developmental assessment of VLBW infants at 18 months of age: A comparison study between KSPD and Bayley III. <i>Brain and Development</i> , 2016, 38, 377-385.   | 0.6 | 95        |
| 25499 | BPSO-Adaboost-KNN ensemble learning algorithm for multi-class imbalanced data classification. <i>Engineering Applications of Artificial Intelligence</i> , 2016, 49, 176-193.   | 4.3 | 126       |
| 25500 | Validity and reliability of the activPAL3 for measuring posture and stepping in adults and young people. <i>Gait and Posture</i> , 2016, 43, 42-47.   | 0.6 | 95        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25501 | Validity and reproducibility of a food frequency questionnaire focused on the Mediterranean diet for the Quebec population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 154-161.                                    | 1.1 | 14        |
| 25502 | Evaluation of four portable blood glucose meters in diabetic and non-diabetic dogs and cats. <i>Veterinary Quarterly</i> , 2016, 36, 2-9.  | 3.0 | 32        |
| 25503 | Similar results for face mask versus mouthpiece during incremental exercise to exhaustion. <i>Journal of Sports Sciences</i> , 2016, 34, 852-855.  | 1.0 | 9         |
| 25504 | Visual Acuity Testing Using a Random Method Visual Acuity Application. <i>Telemedicine Journal and E-Health</i> , 2016, 22, 232-237.   | 1.6 | 8         |
| 25505 | Validating hospital antibiotic purchasing data as a metric of inpatient antibiotic use. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 547-553.  | 1.3 | 15        |
| 25506 | When is "Urgent" Really Urgent and Does it Matter? Misclassification of Procedural Status and Implications for Risk Assessment in Cardiac Surgery. <i>Heart Lung and Circulation</i> , 2016, 25, 196-203.                                    | 0.2 | 3         |
| 25507 | Using venous blood gas analysis in the assessment of COPD exacerbations: a prospective cohort study. <i>Thorax</i> , 2016, 71, 210-215.  | 2.7 | 55        |
| 25508 | How Should Blood Glucose Meter System Analytical Performance Be Assessed?. <i>Journal of Diabetes Science and Technology</i> , 2016, 10, 178-184.  | 1.3 | 20        |
| 25509 | Optimized efficiency of mapping a site contaminated with dioxins by immunoassay compared to gas chromatography-high resolution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 1095-1105.                      | 1.9 | 4         |
| 25510 | Cardiff cardiac ablation patient-reported outcome measure (C-CAP): validation of a new questionnaire set for patients undergoing catheter ablation for cardiac arrhythmias in the UK. <i>Quality of Life Research</i> , 2016, 25, 1571-1583. | 1.5 | 11        |
| 25511 | Transfer accuracy of vinyl polysiloxane trays for indirect bonding. <i>Angle Orthodontist</i> , 2016, 86, 468-474.   | 1.1 | 48        |
| 25512 | Is a New Standard Needed for Diffusion Methods for In Vitro Susceptibility Testing of Fosfomycin against <i>Pseudomonas aeruginosa</i> ?. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 1158-1161.                                | 1.4 | 8         |
| 25513 | Two 6-minute Walk Tests Are Required During Hospitalisation for Acute Exacerbation of COPD. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2016, 13, 288-292.   | 0.7 | 10        |
| 25514 | Addressing the "forgotten art of funduscopy": evaluation of a novel teaching ophthalmoscope. <i>Eye</i> , 2016, 30, 375-384.   | 1.1 | 27        |
| 25515 | Corneal Nerve Regeneration After Collagen Cross-Linking Treatment of Keratoconus. <i>JAMA Ophthalmology</i> , 2016, 134, 70.   | 1.4 | 34        |
| 25516 | Clinical Validation of a Smartphone-Based Adapter for Optic Disc Imaging in Kenya. <i>JAMA Ophthalmology</i> , 2016, 134, 151.   | 1.4 | 117       |
| 25517 | Screen-printed carbon electrode-based electrochemical immunosensor for rapid detection of microalbuminuria. <i>Biosensors and Bioelectronics</i> , 2016, 77, 1175-1182.  | 5.3 | 52        |
| 25519 | Monitoring the respiratory rate by miniature motion sensors in premature infants: a comparative study. <i>Journal of Perinatology</i> , 2016, 36, 116-120.   | 0.9 | 14        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25520 | Immunoassay or LC-MS/MS for the measurement of salivary cortisol in children?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 811-22.   | 1.4 | 41        |
| 25521 | Testâ€“Retest Reliability of the Adaptive Chemistry Assessment Survey for Teachers: Measurement Error and Alternatives to Correlation. <i>Journal of Chemical Education</i> , 2016, 93, 239-247.                                   | 1.1 | 5         |
| 25522 | Validation of cone beam computed tomographyâ€“based tooth printing using different three-dimensional printing technologies. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2016, 121, 307-315.            | 0.2 | 29        |
| 25523 | A retrospective analysis of the long-term testâ€“retest stability of pain descriptors of the painDETECT questionnaire. <i>Current Medical Research and Opinion</i> , 2016, 32, 343-349.  | 0.9 | 21        |
| 25524 | Comparison of the transcutaneous bilirubinometers BiliCare and Minolta JM-103 in late preterm and term neonates. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 3014-3018.                                     | 0.7 | 14        |
| 25525 | Automated plethysmographic measurement of the ankle-brachial index: a comparison with the doppler ultrasound method. <i>Hypertension Research</i> , 2016, 39, 100-106.   | 1.5 | 14        |
| 25526 | Impact of Implementing Preanalytical Laboratory Standards on the Diagnosis of Gestational Diabetes Mellitus: A Prospective Observational Study. <i>Clinical Chemistry</i> , 2016, 62, 387-391.                                     | 1.5 | 42        |
| 25527 | Accuracy Evaluation of an Integrated Blood Glucose Monitoring System With Improved Test Cassettes Following ISO 15197:2013. <i>Journal of Diabetes Science and Technology</i> , 2016, 10, 242-244.                                 | 1.3 | 3         |
| 25528 | Spectral-Domain Optical Coherence Tomographyâ€“Derived Characteristics of Bruch Membrane Opening in a Young Adult Australian Population. <i>American Journal of Ophthalmology</i> , 2016, 165, 154-163.                            | 1.7 | 17        |
| 25529 | High frame rate and high line density ultrasound imaging for local pulse wave velocity estimation using motion matching: A feasibility study on vessel phantoms. <i>Ultrasonics</i> , 2016, 67, 41-54.                             | 2.1 | 12        |
| 25530 | Self-perceived health in older Europeans: Does the choice of survey matter?. <i>European Journal of Public Health</i> , 2016, 26, 686-692.   | 0.1 | 25        |
| 25531 | The Scarbase Duo Â® : Intra-rater and inter-rater reliability and validity of a compact dual scar assessment tool. <i>Burns</i> , 2016, 42, 336-344.   | 1.1 | 6         |
| 25532 | Behavioural variability and motor performance: Effect of practice specialization in front crawl swimming. <i>Human Movement Science</i> , 2016, 47, 141-150.   | 0.6 | 9         |
| 25533 | Lack of Agreement among Electrical Impedance and Freezing-Point Osmometers. <i>Optometry and Vision Science</i> , 2016, 93, 482-487.   | 0.6 | 10        |
| 25534 | Should the hyperechogenic halo around malignant breast lesions be included in the measurement of tumor size?. <i>Breast Cancer Research and Treatment</i> , 2016, 156, 311-317.  | 1.1 | 7         |
| 25535 | Comparison of gas chromatographyâ€“mass spectrometry and gas chromatographyâ€“combustionâ€“isotope ratio mass spectrometry analysis for inÂ“vivo estimates of metabolic fluxes. <i>Analytical Biochemistry</i> , 2016, 500, 63-65. | 1.1 | 2         |
| 25536 | Measuring ultrasound images of abdominal and lumbar multifidus muscles in older adults: A reliability study. <i>Manual Therapy</i> , 2016, 23, 114-119.  | 1.6 | 48        |
| 25537 | Validation of a New Heart Rate Measurement Algorithm for Fingertip Recording of Video Signals with Smartphones. <i>Telemedicine Journal and E-Health</i> , 2016, 22, 631-636.  | 1.6 | 50        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25538 | Evaluation of the ability of three physical activity monitors to predict weight change and estimate energy expenditure. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, 758-766.   | 0.9 | 9         |
| 25539 | Semi-automated calculation of intracranial haematoma volume with a new method. <i>Injury</i> , 2016, 47, 1361-1363.  | 0.7 | 1         |
| 25540 | Magnetic Resonance Elastography for the Evaluation of Liver Fibrosis in Chronic Hepatitis B and C by Using Both Gradient-Recalled Echo and Spin-Echo Echo Planar Imaging: A Prospective Study. <i>American Journal of Gastroenterology</i> , 2016, 111, 823-833. | 0.2 | 66        |
| 25541 | Clinical utility of urinary liver-type fatty acid binding protein measured by latex-enhanced turbidimetric immunoassay in chronic kidney disease. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 1645-1654.                                       | 1.4 | 5         |
| 25542 | Neck motion kinematics: an inter-tester reliability study using an interactive neck VR assessment in asymptomatic individuals. <i>European Spine Journal</i> , 2016, 25, 2139-2148.  | 1.0 | 27        |
| 25543 | Estimation of Energy Expenditure for Wheelchair Users Using a Physical Activity Monitoring System. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 1146-1153.e1.   | 0.5 | 19        |
| 25544 | Differences in concentration of metal debris in blood, serum, and plasma samples of patients with metal-on-metal hip resurfacing arthroplasty. <i>Journal of Orthopaedics</i> , 2016, 13, 450-454.   | 0.6 | 10        |
| 25545 | A wireless accelerometer node for reliable and valid measurement of lumbar accelerations during treadmill running. <i>Sports Biomechanics</i> , 2016, 15, 11-22.   | 0.8 | 9         |
| 25546 | The Impact of Creatinine Clearance Rate, Daily Urinary Albumin, and Their Joint Effect on Predicting Death in Diabetic Inpatients After Discharge. <i>Medicine (United States)</i> , 2016, 95, e2804.  | 0.4 | 3         |
| 25547 | Comparison of EQ-5D and 15D instruments for assessing the health-related quality of life in cardiac surgery patients. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2016, 2, 193-200.  | 1.8 | 17        |
| 25548 | Prenatal markers of neonatal fat mass: A systematic review. <i>Clinical Nutrition</i> , 2016, 35, 995-1007.  | 2.3 | 2         |
| 25549 | Reference values of spirometry for Finnish adults. <i>Clinical Physiology and Functional Imaging</i> , 2016, 36, 346-358.  | 0.5 | 50        |
| 25550 | Validation of a food frequency questionnaire to determine vitamin D intakes using the method of triads. <i>Journal of Human Nutrition and Dietetics</i> , 2016, 29, 255-261.   | 1.3 | 28        |
| 25551 | Agreement between ACT and aPTT during extracorporeal membrane oxygenation shows intra- and inter-individual variation. <i>Perfusion (United Kingdom)</i> , 2016, 31, 503-507.  | 0.5 | 19        |
| 25552 | Underestimation of myocardial blood flow by dynamic perfusion CT: Explanations by two-compartment model analysis and limited temporal sampling of dynamic CT. <i>Journal of Cardiovascular Computed Tomography</i> , 2016, 10, 207-214.                          | 0.7 | 41        |
| 25553 | Inter-observer reliability of measurements performed on digital long-leg standing radiographs and assessment of validity compared to 3D CT-scan. <i>Knee</i> , 2016, 23, 20-24.  | 0.8 | 37        |
| 25554 | Monitoring Prostate Tumor Growth in an Orthotopic Mouse Model Using Three-Dimensional Ultrasound Imaging Technique. <i>Translational Oncology</i> , 2016, 9, 41-45.  | 1.7 | 18        |
| 25555 | Reliability and agreement of adipose tissue fat fraction measurements with water-fat MRI in patients with manifest cardiovascular disease. <i>NMR in Biomedicine</i> , 2016, 29, 48-56.  | 1.6 | 23        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25556 | Electrocardiographic repolarization abnormalities and increased risk of life-threatening arrhythmias in children with dilated cardiomyopathy. <i>Heart Rhythm</i> , 2016, 13, 1289-1296.   | 0.3 | 14        |
| 25557 | Validation of a sensor-based automatic measurement system for monitoring chewing activity in horses. <i>Livestock Science</i> , 2016, 186, 53-58.  | 0.6 | 6         |
| 25558 | Non-invasive estimation of static and pulsatile intracranial pressure from transcranial acoustic signals. <i>Medical Engineering and Physics</i> , 2016, 38, 477-484.  | 0.8 | 20        |
| 25559 | Validation of a Footwear-Based Gait Analysis System With Action-Related Feedback. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2016, 24, 971-980.   | 2.7 | 33        |
| 25560 | Dynamic contrast-enhanced perfusion area detector CT for non-small cell lung cancer patients: Influence of mathematical models on early prediction capabilities for treatment response and recurrence after chemoradiotherapy. <i>European Journal of Radiology</i> , 2016, 85, 176-186. | 1.2 | 29        |
| 25561 | The development and validation of using inertial sensors to monitor postural change in resistance exercise. <i>Journal of Biomechanics</i> , 2016, 49, 1259-1263.  | 0.9 | 18        |
| 25562 | Accuracy of point of care coagulometers compared to reference laboratory measurements in patients on oral anticoagulation therapy. <i>Thrombosis Research</i> , 2016, 140, 66-72.  | 0.8 | 11        |
| 25563 | Translating diagnostic assays from the laboratory to the clinic: analytical and clinical metrics for device development and evaluation. <i>Lab on A Chip</i> , 2016, 16, 1293-1313.  | 3.1 | 34        |
| 25564 | Validation of the Balance Board for Clinical Evaluation of Balance During Serious Gaming Rehabilitation Exercises. <i>Telemedicine Journal and E-Health</i> , 2016, 22, 709-717.   | 1.6 | 18        |
| 25565 | Comparison and reproducibility of 2 regions of reference for maxillary regional registration with cone-beam computed tomography. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2016, 149, 533-542.   | 0.8 | 56        |
| 25566 | Concordance of the location of the innervation zone of the tibialis anterior muscle using voluntary and imposed contractions by electrostimulation. <i>Journal of Electromyography and Kinesiology</i> , 2016, 27, 18-23.  | 0.7 | 12        |
| 25567 | Observer variability in RECIST-based tumour burden measurements: a meta-analysis. <i>European Journal of Cancer</i> , 2016, 53, 5-15.  | 1.3 | 59        |
| 25568 | A descriptive-comparative study of performance characteristics in futsal players of different levels. <i>Journal of Sports Sciences</i> , 2016, 34, 1707-1715.   | 1.0 | 31        |
| 25569 | Application of a Sub-set of Skinfold Sites for Ultrasound Measurement of Subcutaneous Adiposity and Percentage Body Fat Estimation in Athletes. <i>International Journal of Sports Medicine</i> , 2016, 37, 359-363.   | 0.8 | 9         |
| 25570 | Abdominal Aortic Calcification Identified on Lateral Spine Images From Bone Densitometers Are a Marker of Generalized Atherosclerosis in Elderly Women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 166-173.   | 1.1 | 49        |
| 25571 | Assessing physical fitness in preschool children: Feasibility, reliability and practical recommendations for the PREFIT battery. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 910-915.  | 0.6 | 99        |
| 25572 | Development of a small wireless device for perspiration monitoring. <i>Medical Engineering and Physics</i> , 2016, 38, 391-397.  | 0.8 | 6         |
| 25573 | Can transcutaneous carbon dioxide pressure be a surrogate of blood gas samples for spontaneously breathing emergency patients? The ERNESTO experience. <i>Emergency Medicine Journal</i> , 2016, 33, 325-328.  | 0.4 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25574 | Axillary temperature measurement: a less stressful alternative for hospitalised cats?. <i>Veterinary Record</i> , 2016, 178, 192-192.  | 0.2 | 5         |
| 25575 | Test-Retest Reliability of Dual-Task Outcome Measures in People With Parkinson Disease. <i>Physical Therapy</i> , 2016, 96, 1276-1286.   | 1.1 | 29        |
| 25576 | Reproducibility of the items on the Stroke Specific Quality of Life questionnaire that evaluate the participation component of the International Classification of Functioning, Disability and Health. <i>Disability and Rehabilitation</i> , 2016, 38, 2413-2418. | 0.9 | 11        |
| 25577 | Predominance of the critical shoulder angle in the pathogenesis of degenerative diseases of the shoulder. <i>Journal of Shoulder and Elbow Surgery</i> , 2016, 25, 1328-1336.  | 1.2 | 104       |
| 25578 | OPD-Scan III: a repeatability and inter-device agreement study of a multifunctional device in emmetropia, ametropia, and keratoconus. <i>International Ophthalmology</i> , 2016, 36, 697-705.  | 0.6 | 22        |
| 25579 | Noninvasive End Tidal CO <sub>2</sub> Is Unhelpful in the Prediction of Complications in Deliberate Drug Poisoning. <i>Annals of Emergency Medicine</i> , 2016, 68, 62-70.e1.  | 0.3 | 4         |
| 25580 | Reproducibility: Reliability and agreement of short version of Western Ontario Rotator Cuff Index (Short-WORC) in patients with rotator cuff disorders. <i>Journal of Hand Therapy</i> , 2016, 29, 281-291.  | 0.7 | 12        |
| 25581 | The Vertical Drop Jump Is a Poor Screening Test for ACL Injuries in Female Elite Soccer and Handball Players. <i>American Journal of Sports Medicine</i> , 2016, 44, 874-883.  | 1.9 | 231       |
| 25582 | Simultaneous multi-slice readout-segmented echo planar imaging for accelerated diffusion-weighted imaging of the breast. <i>European Journal of Radiology</i> , 2016, 85, 274-278.   | 1.2 | 73        |
| 25583 | Accuracy and concurrent validity of a sensor-based analysis of sit-to-stand movements in older adults. <i>Gait and Posture</i> , 2016, 45, 198-203.  | 0.6 | 17        |
| 25584 | Using Patient Health Questionnaire-9 item parameters of a common metric resulted in similar depression scores compared to independent item response theory model reestimation. <i>Journal of Clinical Epidemiology</i> , 2016, 71, 25-34.                          | 2.4 | 17        |
| 25585 | Comparing the accuracy of skin sensor temperature at two placement sites to axillary temperature in term infants under radiant warmers. <i>Journal of Neonatal Nursing</i> , 2016, 22, 196-203.  | 0.3 | 6         |
| 25586 | Physical characteristics that predict involvement with the ball in recreational youth soccer. <i>Journal of Sports Sciences</i> , 2016, 34, 1716-1722.   | 1.0 | 19        |
| 25587 | A simple method for determining split renal function from dynamic 99mTc-MAG3 scintigraphic data. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 550-558.  | 3.3 | 12        |
| 25588 | Alterations in knee contact forces and centers in stance phase of gait: A detailed lower extremity musculoskeletal model. <i>Journal of Biomechanics</i> , 2016, 49, 185-192.  | 0.9 | 33        |
| 25589 | An index for diagnosing infant hip dysplasia using 3-D ultrasound: the acetabular contact angle. <i>Pediatric Radiology</i> , 2016, 46, 1023-1031.   | 1.1 | 18        |
| 25590 | High-Throughput Screening Data Analysis. <i>Statistics in the Health Sciences</i> , 2016, , 83-139.  | 0.2 | 3         |
| 25591 | Body composition assessment and nutritional status evaluation in men and women Portuguese centenarians. <i>Journal of Nutrition, Health and Aging</i> , 2016, 20, 256-266.   | 1.5 | 28        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25592 | Concurrent validity of the international physical activity questionnaire in outpatients with bipolar disorder: Comparison with the Sensewear Armband. <i>Psychiatry Research</i> , 2016, 237, 122-126.   | 1.7 | 15        |
| 25593 | The Use of Sound Level Meter Apps in the Clinical Setting. <i>American Journal of Speech-Language Pathology</i> , 2016, 25, 14-28.   | 0.9 | 10        |
| 25594 | Improved Accuracy of Continuous Glucose Monitoring Systems in Pediatric Patients with Diabetes Mellitus: Results from Two Studies. <i>Diabetes Technology and Therapeutics</i> , 2016, 18, S2-23-S2-33.  | 2.4 | 70        |
| 25595 | Propylene carbonate quantification by its derivative 3,5-diacetyl-1,4-dihydro-2,6-lutidine. <i>Talanta</i> , 2016, 151, 75-82.   | 2.9 | 5         |
| 25596 | A supervised texton based approach for automatic segmentation and measurement of the fetal head and femur in 2D ultrasound images. <i>Physics in Medicine and Biology</i> , 2016, 61, 1095-1115.   | 1.6 | 24        |
| 25597 | Automated Electroglottographic Inflection Events Detection. A Pilot Study. <i>Journal of Voice</i> , 2016, 30, 768.e1-768.e10.   | 0.6 | 3         |
| 25598 | Video-based respiration monitoring with automatic region of interest detection. <i>Physiological Measurement</i> , 2016, 37, 100-114.  | 1.2 | 86        |
| 25599 | Validity of the Polar V800 heart rate monitor to measure RR intervals at rest. <i>European Journal of Applied Physiology</i> , 2016, 116, 563-571.   | 1.2 | 289       |
| 25600 | New variables and new agreements between 10 <sup>th</sup> Hz global positioning system devices in tennis drills. Proceedings of the Institution of Mechanical Engineers, Part P: <i>Journal of Sports Engineering and Technology</i> , 2016, 230, 121-123. | 0.4 | 8         |
| 25601 | Residential exposure to RF-EMF from mobile phone base stations: Model predictions versus personal and home measurements. <i>Science of the Total Environment</i> , 2016, 550, 987-993.   | 3.9 | 21        |
| 25602 | Subclonality for <i>BRAF</i> Mutation in Papillary Thyroid Carcinoma Is Associated With Earlier Disease Stage. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 1407-1413.   | 1.8 | 19        |
| 25603 | Comparison of the Cepheid GeneXpert and Abbott M2000 HIV-1 real time molecular assays for monitoring HIV-1 viral load and detecting HIV-1 infection. <i>Journal of Virological Methods</i> , 2016, 229, 35-39.   | 1.0 | 53        |
| 25604 | A combined deep-learning and deformable-model approach to fully automatic segmentation of the left ventricle in cardiac MRI. <i>Medical Image Analysis</i> , 2016, 30, 108-119.  | 7.0 | 471       |
| 25605 | Sampling frequency affects the processing of Actigraph raw acceleration data to activity counts. <i>Journal of Applied Physiology</i> , 2016, 120, 362-369.  | 1.2 | 100       |
| 25606 | Reference values for the volumes of foetal heart atrial wall by three-dimensional ultrasound using STIC and VOCAL methods between 20w0d and 33w6d weeks of gestation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 3076-3083.        | 0.7 | 7         |
| 25607 | A high-throughput method for liquid chromatography-tandem mass spectrometry determination of plasma alkylresorcinols, biomarkers of whole grain wheat and rye intake. <i>Analytical Biochemistry</i> , 2016, 499, 1-7.                                     | 1.1 | 25        |
| 25608 | Assessment of postpartum symphysis pubis distention with 3D ultrasonography: a novel method. <i>Clinical Imaging</i> , 2016, 40, 185-190.  | 0.8 | 8         |
| 25609 | Development and initial evaluation of a semi-automatic approach to assess perivascular spaces on conventional magnetic resonance images. <i>Journal of Neuroscience Methods</i> , 2016, 257, 34-44.  | 1.3 | 43        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25610 | Near-infrared spectroscopy versus transcranial Doppler ultrasound for assessing dynamic cerebral autoregulation by transfer function analysis in sepsis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2016, 76, 88-91.         | 0.6 | 7         |
| 25611 | Enhanced Depth Imaging Optical Coherence Tomography in Uveitis: An Intravital and Interobserver Reproducibility Study. <i>American Journal of Ophthalmology</i> , 2016, 164, 49-56.  | 1.7 | 15        |
| 25612 | Proximal thoracic aortic diameters: transesophageal-echocardiography- versus computed-tomography-derived measurements. <i>Clinical Imaging</i> , 2016, 40, 191-199.  | 0.8 | 6         |
| 25613 | Concurrent validation of magnetic and inertial measurement units in estimating upper body posture during gait. <i>Measurement: Journal of the International Measurement Confederation</i> , 2016, 82, 240-245.   | 2.5 | 22        |
| 25614 | High-Sensitivity and High-Resolution SPECT/CT Systems Provide Substantial Dose Reduction Without Compromising Quantitative Precision for Assessment of Myocardial Perfusion and Function. <i>Journal of Nuclear Medicine</i> , 2016, 57, 893-899.        | 2.8 | 27        |
| 25615 | Reliability, Agreement and Minimal Detectable Change of the Timed Up & Go and the 10-Meter Walk Tests in Older Patients with COPD. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2016, 13, 279-287.                                    | 0.7 | 47        |
| 25616 | Prospective Evaluation of Cetuximab-Mediated Antibody-Dependent Cell Cytotoxicity in Metastatic Colorectal Cancer Patients Predicts Treatment Efficacy. <i>Cancer Immunology Research</i> , 2016, 4, 366-374.  | 1.6 | 61        |
| 25617 | Performance of two updated blood glucose monitoring systems: an evaluation following ISO 15197:2013. <i>Current Medical Research and Opinion</i> , 2016, 32, 847-855.  | 0.9 | 6         |
| 25618 | Comparison of end-tidal CO <sub>2</sub> measured by transportable capnometer (EMMA <sup>®</sup> , <sup>®</sup> capnograph) and arterial pCO <sub>2</sub> in general anesthesia. <i>Journal of Clinical Monitoring and Computing</i> , 2016, 30, 737-741. | 0.7 | 17        |
| 25619 | Hippocampus and amygdala volumes from magnetic resonance images in children: Assessing accuracy of FreeSurfer and FSL against manual segmentation. <i>NeuroImage</i> , 2016, 129, 1-14.  | 2.1 | 128       |
| 25620 | Reliability and validity of the Swedish Fatigue Assessment Scale when self-administered by persons with mild to moderate stroke. <i>Topics in Stroke Rehabilitation</i> , 2016, 23, 90-97.   | 1.0 | 14        |
| 25621 | Human Upper Limb Motion Analysis for Post-Stroke Impairment Assessment Using Video Analytics. <i>IEEE Access</i> , 2016, 4, 650-659.   | 2.6 | 18        |
| 25622 | Comparison of agar dilution and antibiotic gradient strip test with broth microdilution for susceptibility testing of swine <i>Brachyspira</i> species. <i>Journal of Veterinary Diagnostic Investigation</i> , 2016, 28, 133-143.                       | 0.5 | 9         |
| 25623 | Development and Validation of a Method to Estimate Insulin Sensitivity in Patients With and Without Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 686-695.   | 1.8 | 44        |
| 25624 | Validating self-reported food expenditures against food store and eating-out receipts. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 352-357.  | 1.3 | 7         |
| 25625 | Comparison of multiple methods to measure maternal fat mass in late gestation. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 1055-1063.   | 2.2 | 38        |
| 25626 | Comparative study of DAS 28 ESR and DAS 28 CRP among rheumatoid arthritis patients in India. <i>Indian Journal of Rheumatology</i> , 2016, 11, 26-31.  | 0.2 | 2         |
| 25627 | Accuracy and Validity of Goniometer and Visual Assessments of Angular Joint Positions of the Hand and Wrist. <i>Journal of Hand Surgery</i> , 2016, 41, e21-e35.   | 0.7 | 44        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25628 | Avoiding unnecessary arterial blood sampling in COPD exacerbations: a stab in the right direction. <i>Thorax</i> , 2016, 71, 208-209.   | 2.7 | 1         |
| 25629 | Comparison between parameters from maximal cycle ergometer test first without respiratory gas analysis and thereafter with respiratory gas analysis among healthy prepubertal children. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, 624-630.                    | 0.9 | 3         |
| 25630 | Reliability and Validity of the Meaningfulness of Songwriting Scale (MSS) with Adults on Acute Psychiatric and Detoxification Units. <i>Journal of Music Therapy</i> , 2016, 53, 55-74.   | 0.6 | 19        |
| 25631 | Validation of a Spanish version of the Leicester Cough Questionnaire in non-cystic fibrosis bronchiectasis. <i>Chronic Respiratory Disease</i> , 2016, 13, 128-136.   | 1.0 | 32        |
| 25632 | Development of a Tablet-based symbol digit modalities test for reliably assessing information processing speed in patients with stroke. <i>Disability and Rehabilitation</i> , 2016, 38, 1952-1960.   | 0.9 | 19        |
| 25633 | Inter-observer and intra-observer reliability of mechanical axis alignment before and after total knee arthroplasty using long leg radiographs. <i>Knee</i> , 2016, 23, 203-208.  | 0.8 | 36        |
| 25634 | A novel approach to calculating the thermic effect of food in a metabolic chamber. <i>Physiological Reports</i> , 2016, 4, e12717.  | 0.7 | 7         |
| 25635 | Validity of SenseWear <sup>®</sup> Armband v5.2 and v2.2 for estimating energy expenditure. <i>Journal of Sports Sciences</i> , 2016, 34, 1830-1838.  | 1.0 | 27        |
| 25636 | The Brunsviken Brief Quality of Life Scale (BBQ): Development and Psychometric Evaluation. <i>Cognitive Behaviour Therapy</i> , 2016, 45, 182-195.  | 1.9 | 129       |
| 25637 | Optical coherence tomography angiography and indocyanine green angiography for corneal vascularisation. <i>British Journal of Ophthalmology</i> , 2016, 100, 1557-1563.   | 2.1 | 80        |
| 25638 | Analysis of Agreement Between 4 Lactate Threshold Measurements Methods in Professional Soccer Players. <i>Journal of Strength and Conditioning Research</i> , 2016, 30, 2864-2870.  | 1.0 | 9         |
| 25639 | Comparison of congenital pulmonary airway malformation volume ratios calculated by ultrasound and magnetic resonance imaging. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 3172-3177.   | 0.7 | 14        |
| 25640 | Quantifying urban light pollution "A comparison between field measurements and EROS-B imagery. <i>Remote Sensing of Environment</i> , 2016, 177, 65-77.   | 4.6 | 80        |
| 25641 | Reproducibility of Anaerobic and Pain Thresholds in Male Patients With Intermittent Claudication. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2016, 36, 358-367.  | 1.2 | 6         |
| 25642 | The Effect of Age, Accommodation, and Refractive Error on the Adult Human Eye. <i>Optometry and Vision Science</i> , 2016, 93, 3-11.  | 0.6 | 48        |
| 25643 | Hybrid Type iterative reconstruction method vs. filter back projection method: Capability for radiation dose reduction and perfusion assessment on dynamic first-pass contrast-enhanced perfusion chest area-detector CT. <i>European Journal of Radiology</i> , 2016, 85, 164-175. | 1.2 | 12        |
| 25644 | The effect of oxygen saturation targeting on retinal blood vessel growth using retinal image data from the BOOST-II UK Trial. <i>Eye</i> , 2016, 30, 577-581.   | 1.1 | 11        |
| 25645 | Detection and quantification of circulating immature platelets: agreement between flow cytometric and automated detection. <i>Journal of Thrombosis and Thrombolysis</i> , 2016, 42, 77-83.   | 1.0 | 21        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25646 | Simultaneous Noninvasive Assessment of Systemic and Coronary Endothelial Function. <i>Circulation: Cardiovascular Imaging</i> , 2016, 9, e003954.  | 1.3 | 25        |
| 25647 | Comparison of 2D radiography and a semi-automatic CT-based 3D method for measuring change in dorsal angulation over time in distal radius fractures. <i>Skeletal Radiology</i> , 2016, 45, 763-769.  | 1.2 | 9         |
| 25648 | Development and testing of an automated computer tablet-based method for self-testing of high and low contrast near visual acuity in ophthalmic patients. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2016, 254, 891-899.            | 1.0 | 22        |
| 25649 | An algorithm for beat-to-beat heart rate detection from the BCG based on the continuous spline wavelet transform. <i>Biomedical Signal Processing and Control</i> , 2016, 27, 96-102.  | 3.5 | 35        |
| 25650 | Therapeutic drug monitoring of infliximab: performance evaluation of three commercial ELISA kits. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 1211-1219.   | 1.4 | 40        |
| 25651 | A clinical validation study for application of DBS in therapeutic drug monitoring of antidepressants. <i>Bioanalysis</i> , 2016, 8, 413-424.   | 0.6 | 11        |
| 25652 | Systematic review of cardiac output measurements by echocardiography vs. thermodilution: the techniques are not interchangeable. <i>Intensive Care Medicine</i> , 2016, 42, 1223-1233.   | 3.9 | 87        |
| 25653 | The "occiput-spine angle": a new sonographic index of fetal head deflexion during the first stage of labor. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 84.e1-84.e7.   | 0.7 | 43        |
| 25654 | Left ventricular native T1 time and the risk of atrial fibrillation recurrence after pulmonary vein isolation in patients with paroxysmal atrial fibrillation. <i>International Journal of Cardiology</i> , 2016, 203, 848-854.                                | 0.8 | 11        |
| 25655 | Should we reframe how we think about physical activity and sedentary behaviour measurement? Validity and reliability reconsidered. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 32.                                  | 2.0 | 134       |
| 25657 | Comparison of methods to measure body fat in 7-to-10-year-old children: a systematic review. <i>Public Health</i> , 2016, 133, 3-13.   | 1.4 | 59        |
| 25658 | Computed Tomography-Based Limb Volume Measurements for Isolated Limb Infusion in Melanoma. <i>Annals of Surgical Oncology</i> , 2016, 23, 1090-1095.   | 0.7 | 3         |
| 25659 | A Comparison of Lung Nodule Segmentation Algorithms: Methods and Results from a Multi-institutional Study. <i>Journal of Digital Imaging</i> , 2016, 29, 476-487.  | 1.6 | 68        |
| 25660 | How to maintain equity and objectivity in assessing the communication skills in a large group of student nurses during a long examination session, using the Objective Structured Clinical Examination (OSCE). <i>Nurse Education Today</i> , 2016, 38, 54-60. | 1.4 | 21        |
| 25661 | Suitability of Bioelectrical Based Methods to Assess Water Compartments in Recreational and Elite Athletes. <i>Journal of the American College of Nutrition</i> , 2016, 35, 413-421.   | 1.1 | 23        |
| 25662 | Subclinical arterial and cardiac damage in white-coat and masked hypertension. <i>Blood Pressure</i> , 2016, 25, 249-256.  | 0.7 | 17        |
| 25663 | New Reference Centiles for Left Ventricular Mass Relative to Lean Body Mass in Children. <i>Journal of the American Society of Echocardiography</i> , 2016, 29, 441-447.e2.  | 1.2 | 62        |
| 25664 | Trunk stabilization estimated using pseudorandom force perturbations, a reliability study. <i>Journal of Biomechanics</i> , 2016, 49, 244-251.   | 0.9 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25665 | Markerless three-dimensional tracking of masticatory movement. <i>Journal of Biomechanics</i> , 2016, 49, 442-449.   | 0.9 | 16        |
| 25666 | Minimum Time to Achieve the Steady State and Optimum Abbreviated Period to Estimate the Resting Energy Expenditure by Indirect Calorimetry in Healthy Young Adults. <i>Nutrition in Clinical Practice</i> , 2016, 31, 349-354.                           | 1.1 | 32        |
| 25667 | The impact of estimated glomerular filtration rate equations on chronic kidney disease staging in pediatric renal or heart transplant recipients. <i>Pediatric Nephrology</i> , 2016, 31, 1145-1155.   | 0.9 | 5         |
| 25668 | Comparison of estimated core body temperature measured with the BioHarness and rectal temperature under several heat stress conditions. <i>Journal of Occupational and Environmental Hygiene</i> , 2016, 13, 612-620.                                    | 0.4 | 19        |
| 25669 | The Caledonian face test: A new test of face discrimination. <i>Vision Research</i> , 2016, 119, 29-41.  | 0.7 | 22        |
| 25670 | Is Noninvasive Brachial Systolic Blood Pressure an Accurate Estimate of Central Aortic Systolic Blood Pressure?. <i>American Journal of Hypertension</i> , 2016, 29, 1283-1291.  | 1.0 | 8         |
| 25671 | Measuring energy expenditure in the intensive care unit: a comparison of indirect calorimetry by E-sCOVX and Quark RMR with Deltatrac II in mechanically ventilated critically ill patients. <i>Critical Care</i> , 2016, 20, 54.                        | 2.5 | 34        |
| 25672 | Feasibility of 18F-Fluoromisonidazole Kinetic Modeling in Head and Neck Cancer Using Shortened Acquisition Times. <i>Journal of Nuclear Medicine</i> , 2016, 57, 334-341.  | 2.8 | 16        |
| 25673 | Test-retest Reproducibility of the Assessment of Motor and Process Skills in Children with Unilateral Cerebral Palsy. <i>Physical and Occupational Therapy in Pediatrics</i> , 2016, 36, 144-154.  | 0.8 | 6         |
| 25674 | Measures of sleep and cardiac functioning during sleep using a multi-sensory commercially-available wristband in adolescents. <i>Physiology and Behavior</i> , 2016, 158, 143-149.   | 1.0 | 179       |
| 25675 | The clinical applicability of an automated plethysmographic determination of the ankle-brachial index after vascular surgery. <i>Vascular</i> , 2016, 24, 545-548.   | 0.4 | 3         |
| 25676 | Mitochondrial Epistasis for Development Time and Its Modification by Diet in <i>Drosophila</i> . <i>Genetics</i> , 2016, 203, 463-484.   | 1.2 | 86        |
| 25677 | Comparison of Different Pulse Waveforms for Local Pulse Wave Velocity Measurement in Healthy and Hypertensive Common Carotid Arteries in Vivo. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 1111-1123.  | 0.7 | 23        |
| 25678 | Reliability and validity of Yo-Yo tests in 9- to 16-year-old football players and matched non-sports active schoolboys. <i>European Journal of Sport Science</i> , 2016, 16, 755-763.  | 1.4 | 29        |
| 25679 | Patients with triangular fibrocartilage complex injuries and distal radioulnar joint instability have reduced rotational torque in the forearm. <i>Journal of Hand Surgery: European Volume</i> , 2016, 41, 732-738.                                     | 0.5 | 22        |
| 25680 | Comparison of blood pressure measurements of anesthetized dogs obtained noninvasively with a cylindrical blood pressure cuff and an anatomically modified conical blood pressure cuff. <i>American Journal of Veterinary Research</i> , 2016, 77, 59-64. | 0.3 | 9         |
| 25681 | Single or double semen samples: the dilemma in epidemiological studies on semen quality. <i>Human Reproduction</i> , 2016, 31, 511-517.  | 0.4 | 15        |
| 25682 | Chemical Exchange Saturation Transfer MR Imaging: Preliminary Results for Differentiation of Malignant and Benign Thoracic Lesions. <i>Radiology</i> , 2016, 279, 578-589.   | 3.6 | 63        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25683 | Comparative Assessment of Mitral Regurgitation Severity by Transthoracic Echocardiography and Cardiac Magnetic Resonance Using an Integrative and Quantitative Approach. <i>American Journal of Cardiology</i> , 2016, 117, 264-270.  | 0.7 | 51        |
| 25684 | Changes in tibiofemoral contact forces during running in response to in-field gait retraining. <i>Journal of Sports Sciences</i> , 2016, 34, 1602-1611.   | 1.0 | 58        |
| 25685 | Measurements of Hepatic Metastasis on MR Imaging. <i>Academic Radiology</i> , 2016, 23, 132-143.  | 1.3 | 9         |
| 25686 | Development, validation and biomedical applications of stable-isotope dilution GC-MS and GC-MS/MS techniques for circulating malondialdehyde (MDA) after pentafluorobenzyl bromide derivatization: MDA as a biomarker of oxidative stress and its relation to 15(S)-8-iso-prostaglandin F <sub>2</sub> and nitric oxide (NO). <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1010, 95-111. | 1.2 | 79        |
| 25687 | Measuring Femoral Torsion In Vivo Using Freehand 3-D Ultrasound Imaging. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 619-623.   | 0.7 | 13        |
| 25688 | Overall Postneonatal Mortality and Rates of SIDS. <i>Pediatrics</i> , 2016, 137, .  | 1.0 | 63        |
| 25689 | Pulse Oximetry Overestimates Oxygen Saturation in COPD. <i>Respiratory Care</i> , 2016, 61, 423-427.  | 0.8 | 29        |
| 25690 | Early Ventricular Dysfunction After Anthracycline Chemotherapy in Children. <i>Pediatric Cardiology</i> , 2016, 37, 537-544.  | 0.6 | 19        |
| 25691 | Recommendations for calibration factors for a photo-reference method for aerosol black carbon concentrations. <i>Atmospheric Pollution Research</i> , 2016, 7, 75-81.   | 1.8 | 3         |
| 25692 | New approach to accuracy verification of 3D surface models: An analysis of point cloud coordinates. <i>Journal of Prosthodontic Research</i> , 2016, 60, 98-105.  | 1.1 | 10        |
| 25693 | Feasibility assessment of magnetic resonance-thermometry on pancreas undergoing laser ablation: Sensitivity analysis of three sequences. <i>Measurement: Journal of the International Measurement Confederation</i> , 2016, 80, 21-28.  | 2.5 | 8         |
| 25694 | PRECiS (Patient Reported Evaluation of Cognitive State): psychometric evaluation of a new patient reported outcome measure of the impact of stroke. <i>Clinical Rehabilitation</i> , 2016, 30, 1229-1241.   | 1.0 | 12        |
| 25695 | Evaluation of a strapless heart rate monitor during simulated flight tasks. <i>Journal of Occupational and Environmental Hygiene</i> , 2016, 13, 185-192.   | 0.4 | 5         |
| 25696 | A new design of CAD/CAM surgical template system for two-piece narrowing genioplasty. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2016, 45, 560-566.   | 0.7 | 24        |
| 25697 | The reliability of local dynamic stability in walking while texting and performing an arithmetical problem. <i>Gait and Posture</i> , 2016, 44, 200-203.  | 0.6 | 21        |
| 25698 | Self-controlled learning benefits: exploring contributions of self-efficacy and intrinsic motivation via path analysis. <i>Journal of Sports Sciences</i> , 2016, 34, 1650-1656.  | 1.0 | 28        |
| 25699 | Estimating the dim light melatonin onset of adolescents within a 6-h sampling window: the impact of sampling rate and threshold method. <i>Sleep Medicine</i> , 2016, 20, 59-66.  | 0.8 | 45        |
| 25700 | TerraceM: A MATLAB® tool to analyze marine and lacustrine terraces using high-resolution topography. <i>Journal of Geomatics</i> , 2016, 12, 176-195.   |     | 31        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25701 | Lung Recruitment Assessed by Respiratory Mechanics and Computed Tomography in Patients with Acute Respiratory Distress Syndrome. What Is the Relationship?. American Journal of Respiratory and Critical Care Medicine, 2016, 193, 1254-1263. | 2.5 | 111       |
| 25702 | Performance of the Cryptococcal Antigen Lateral Flow Assay in Non-HIV-Related Cryptococcosis. Journal of Clinical Microbiology, 2016, 54, 460-463.  | 1.8 | 38        |
| 25703 | A Comparison of Carbon Dioxide Elimination Measurements Between a Portable Indirect Calorimeter and Volumetric Capnography Monitor: An In Vitro Simulation. Respiratory Care, 2016, 61, 354-358.  | 0.8 | 7         |
| 25704 | Reliability of cervical lordosis measurement techniques on long-cassette radiographs. European Spine Journal, 2016, 25, 3596-3601.  | 1.0 | 26        |
| 25705 | Active contour model and nonlinear shape priors with application to left ventricle segmentation in cardiac MR images. Optik, 2016, 127, 991-1002.   | 1.4 | 21        |
| 25706 | Creating an anthropomorphic digital MR phantom—an extensible tool for comparing and evaluating quantitative imaging algorithms. Physics in Medicine and Biology, 2016, 61, 974-982.   | 1.6 | 21        |
| 25707 | Harris-Benedict Equation and Resting Energy Expenditure Estimates in Critically Ill Ventilator Patients. American Journal of Critical Care, 2016, 25, e21-e29.  | 0.8 | 34        |
| 25708 | Normalizing computed tomography data reconstructed with different filter kernels: effect on emphysema quantification. European Radiology, 2016, 26, 478-486.  | 2.3 | 52        |
| 25709 | Comparison of electrical velocimetry and cardiac magnetic resonance imaging for the non-invasive determination of cardiac output. Journal of Clinical Monitoring and Computing, 2016, 30, 399-408.  | 0.7 | 19        |
| 25710 | Optimizing scintigraphic evaluation of split renal function in living kidney donors using the geometric mean method: a preliminary retrospective study. Journal of Nephrology, 2016, 29, 435-441.   | 0.9 | 7         |
| 25711 | Scoring haemophilic arthropathy on X-rays: improving inter- and intra-observer reliability and agreement using a consensus atlas. European Radiology, 2016, 26, 1963-1970.  | 2.3 | 21        |
| 25712 | Agreement of spatio-temporal gait parameters between a vertical ground reaction force decomposition algorithm and a motion capture system. Gait and Posture, 2016, 43, 257-264.   | 0.6 | 17        |
| 25713 | Reliability of a systematic methodology to estimate added sugars content of foods when applied to a recent Australian food composition database. Journal of Food Composition and Analysis, 2016, 46, 36-42.                                   | 1.9 | 12        |
| 25714 | Past-day recall of sedentary time: Validity of a self-reported measure of sedentary time in a university population. Journal of Science and Medicine in Sport, 2016, 19, 237-241.   | 0.6 | 28        |
| 25715 | Validation of the pectoralis minor length test: A novel approach. Manual Therapy, 2016, 22, 50-55.  | 1.6 | 4         |
| 25717 | Fiabilidad en la evaluación radiológica de la calcificación articular abdominal mediante la escala de 24 puntos. Radiología, 2016, 58, 46-54.   | 0.3 | 5         |
| 25718 | Diagnostic validity of the use of a portable single-channel electromyography device for sleep bruxism. Sleep and Breathing, 2016, 20, 695-702.  | 0.9 | 54        |
| 25719 | Characteristics of Optic Disc Rotation in Myopic Eyes. Ophthalmology, 2016, 123, 400-407.   | 2.5 | 58        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25720 | Ultrasound is at least as good as magnetic resonance imaging in predicting tumour size post-neoadjuvant chemotherapy in breast cancer. <i>European Journal of Cancer</i> , 2016, 52, 67-76.  | 1.3 | 64        |
| 25721 | Telomere length in early childhood: Early life risk factors and association with carotid intima-media thickness in later childhood. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1086-1092.  | 0.8 | 18        |
| 25722 | A comparative analysis of Patient-Reported Expanded Disability Status Scale tools. <i>Multiple Sclerosis Journal</i> , 2016, 22, 1349-1358.  | 1.4 | 54        |
| 25723 | Reliability of Pentacam HR Thickness Maps of the Entire Cornea in Normal, Post-Laser In Situ Keratomileusis, and Keratoconus Eyes. <i>American Journal of Ophthalmology</i> , 2016, 162, 74-82.e1.   | 1.7 | 19        |
| 25724 | A modified beam-walking apparatus for assessment of anxiety in a rodent model of blast traumatic brain injury. <i>Behavioural Brain Research</i> , 2016, 296, 149-156.   | 1.2 | 19        |
| 25725 | Spanish adaptation of the Quality of Life Index-Spinal Cord Injury version. <i>Spinal Cord</i> , 2016, 54, 895-900.  | 0.9 | 4         |
| 25726 | Validación de la versión en español del Cuestionario de Tos Leicester en niños con fibrosis quística. <i>Archivos De Bronconeumología</i> , 2016, 52, 63-69.   | 0.4 | 4         |
| 25727 | 3D stereophotogrammetry in upper-extremity lymphedema: An accurate diagnostic method. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2016, 69, 241-247.   | 0.5 | 42        |
| 25728 | 6-Min walk-test data in healthy North-African subjects aged 16-40years. <i>The Egyptian Journal of Chest Diseases and Tuberculosis</i> , 2016, 65, 349-360.  | 0.1 | 2         |
| 25729 | Test-retest reliability and minimal detectable change scores of twelve functional fitness tests in adults with Down syndrome. <i>Research in Developmental Disabilities</i> , 2016, 48, 176-185.   | 1.2 | 29        |
| 25730 | Gender-Specific Associations in Age-Related Changes in Resting Energy Expenditure (REE) and MRI Measured Body Composition in Healthy Caucasians. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 941-946. | 1.7 | 36        |
| 25731 | Accuracy of Continuous Cardiac Output Measurement With the LiDCOplus System During Intra-Aortic Counterpulsation After Cardiac Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2016, 30, 592-598.                                    | 0.6 | 4         |
| 25732 | Clinical validity of tumor-infiltrating lymphocytes analysis in patients with triple-negative breast cancer. <i>Annals of Oncology</i> , 2016, 27, 249-256.  | 0.6 | 125       |
| 25733 | Factors Associated With Change in 25-Hydroxyvitamin D Levels Over Longitudinal Follow-Up in the ARIC Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 33-43.  | 1.8 | 45        |
| 25734 | Objective measurements of excess skin in post bariatric patients - inter-rater reliability. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2016, 50, 68-73.  | 0.4 | 10        |
| 25735 | Comparison of Minimally and More Invasive Methods of Determining Mixed Venous Oxygen Saturation. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2016, 30, 379-388.   | 0.6 | 2         |
| 25736 | Can we improve accuracy and reliability of MRI interpretation in children with optic pathway glioma? Proposal for a reproducible imaging classification. <i>Neuroradiology</i> , 2016, 58, 197-208.  | 1.1 | 13        |
| 25737 | Repeatability of Central and Peripheral Pulse Wave Velocity Measures: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Hypertension</i> , 2016, 29, 470-475.   | 1.0 | 72        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25738 | Reliability of two questionnaires on physical function in patients with stable coronary artery disease. <i>European Journal of Cardiovascular Nursing</i> , 2016, 15, 142-149.  | 0.4 | 3         |
| 25739 | Psychometric validation of a German language version of a PROM for urethral stricture surgery and preliminary testing of supplementary ED and UI constructs. <i>World Journal of Urology</i> , 2016, 34, 369-375.                 | 1.2 | 30        |
| 25740 | Can Radiographs Predict the Use of Modular Stems in Developmental Dysplasia of the Hip?. <i>Clinical Orthopaedics and Related Research</i> , 2016, 474, 423-429.  | 0.7 | 14        |
| 25741 | A Robust Heart Rate Monitoring Scheme Using Photoplethysmographic Signals Corrupted by Intense Motion Artifacts. <i>IEEE Transactions on Biomedical Engineering</i> , 2016, 63, 550-562.  | 2.5 | 126       |
| 25742 | Vertical jumping biomechanical evaluation through the use of an inertial sensor-based technology. <i>Journal of Sports Sciences</i> , 2016, 34, 843-851.  | 1.0 | 32        |
| 25743 | Reliability of patient-reported outcomes in rheumatoid arthritis patients: an observational prospective study. <i>Rheumatology</i> , 2016, 55, 41-48.   | 0.9 | 11        |
| 25744 | Comparison of chairside and laboratory CAD/CAM to conventional produced all-ceramic crowns regarding morphology, occlusion, and aesthetics. <i>Clinical Oral Investigations</i> , 2016, 20, 791-797.                              | 1.4 | 45        |
| 25745 | CT texture analysis can help differentiate between malignant and benign lymph nodes in the mediastinum in patients suspected for lung cancer. <i>Acta Radiologica</i> , 2016, 57, 669-676.  | 0.5 | 82        |
| 25746 | Assessing the Reliability and Validity of a Physical Therapy Functional Measurement Tool—the Modified Iowa Level of Assistance Scale—in Acute Hospital Inpatients. <i>Physical Therapy</i> , 2016, 96, 176-182.                   | 1.1 | 27        |
| 25747 | Reliability and Validity of the Measurement of Scapular Position Using the Protractor Method. <i>Physical Therapy</i> , 2016, 96, 502-510.  | 1.1 | 4         |
| 25748 | Reproducibility and repeatability of foveal avascular zone measurements in healthy subjects by optical coherence tomography angiography. <i>British Journal of Ophthalmology</i> , 2016, 100, 671-676.                            | 2.1 | 159       |
| 25749 | Cardiac output method comparison studies: the relation of the precision of agreement and the precision of method. <i>Journal of Clinical Monitoring and Computing</i> , 2016, 30, 149-155.  | 0.7 | 66        |
| 25750 | Methods for evaluating the agreement between diagnostic tests. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 511-513.  | 1.4 | 47        |
| 25751 | The 2015 Frank Stinchfield Award: Radiographic Abnormalities Common in Senior Athletes With Well-functioning Hips but Not Associated With Osteoarthritis. <i>Clinical Orthopaedics and Related Research</i> , 2016, 474, 342-352. | 0.7 | 39        |
| 25752 | RMR Estimation Model Accuracy Using Air Displacement Plethysmography—Derived Body Composition Measures in Young Adults. <i>Journal of the American College of Nutrition</i> , 2016, 35, 68-74.                                    | 1.1 | 3         |
| 25753 | Continuous Cuffless Blood Pressure Estimation Using Pulse Transit Time and Photoplethysmogram Intensity Ratio. <i>IEEE Transactions on Biomedical Engineering</i> , 2016, 63, 964-972.  | 2.5 | 246       |
| 25754 | A Pilot Assessment of Carotid and Brachial Artery Blood Flow Estimation Using Ultrasound Doppler in Cardiac Surgery Patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2016, 30, 141-148.                       | 0.6 | 24        |
| 25755 | Automated segmentation of the injured spleen. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2016, 11, 351-368.  | 1.7 | 9         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25756 | Discrepancies between patient-reported outcome measures when assessing urinary incontinence or pelvic-prolapse surgery. <i>International Urogynecology Journal</i> , 2016, 27, 537-543.   | 0.7 | 11        |
| 25757 | Bioelectrical impedance spectroscopy to estimate fluid balance in critically ill patients. <i>Journal of Clinical Monitoring and Computing</i> , 2016, 30, 227-233.   | 0.7 | 19        |
| 25758 | Abdominal fat volume estimation by stereology on CT: a comparison with manual planimetry. <i>European Radiology</i> , 2016, 26, 706-713.  | 2.3 | 6         |
| 25759 | Myocardial Late Gadolinium Enhancement: Accuracy of T1 Mapping-based Synthetic Inversion-Recovery Imaging. <i>Radiology</i> , 2016, 278, 374-382.   | 3.6 | 23        |
| 25760 | Ultrasound tagged near infrared spectroscopy does not detect hyperventilation-induced reduction in cerebral blood flow. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2016, 76, 82-87.   | 0.6 | 5         |
| 25761 | Validation of an Ultrasound Cardiac Output Monitor as a Bedside Tool for Pediatric Patients. <i>Pediatric Cardiology</i> , 2016, 37, 177-183.   | 0.6 | 28        |
| 25762 | Deformable Surface Model for the Evaluation of Abdominal Aortic Aneurysms Treated with an Endovascular Sealing System. <i>Annals of Biomedical Engineering</i> , 2016, 44, 1381-1391.   | 1.3 | 6         |
| 25763 | Accuracy and Precision of an Accelerometer-Based Smartphone App Designed to Monitor and Record Angular Movement over Time. <i>Telemedicine Journal and E-Health</i> , 2016, 22, 302-309.  | 1.6 | 27        |
| 25764 | Contrast-optimized composite image derived from multigradient echo cardiac magnetic resonance imaging improves reproducibility of myocardial contours and T2* measurement. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2016, 29, 17-27. | 1.1 | 5         |
| 25765 | Bone status measured by quantitative ultrasound: a comparison with DXA in Thai children. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 894-897.   | 1.3 | 10        |
| 25766 | Disagreement between cardiac output measurement devices: which device is the gold standard?. <i>British Journal of Anaesthesia</i> , 2016, 116, 451-453.  | 1.5 | 15        |
| 25767 | Heritability of mandibular cephalometric variables in twins with completed craniofacial growth. <i>European Journal of Orthodontics</i> , 2016, 38, 493-502.  | 1.1 | 47        |
| 25768 | The Vocal Tract Discomfort Scale: Validity and Reliability of the Persian Version in the Assessment of Patients With Muscle Tension Dysphonia. <i>Journal of Voice</i> , 2016, 30, 711-716.   | 0.6 | 30        |
| 25769 | Comparing Test Scores Using Information From Criterion-Related Validity Studies. <i>Applied Neuropsychology: Child</i> , 2016, 5, 56-66.  | 0.7 | 1         |
| 25770 | Measured and not estimated glomerular filtration rate should be used to assess renal function in heart transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1182-1189.   | 0.4 | 26        |
| 25771 | Combination of diffusion tensor imaging and conventional MRI correlates with isocitrate dehydrogenase 1/2 mutations but not 1p/19q genotyping in oligodendroglial tumours. <i>European Radiology</i> , 2016, 26, 1705-1715.   | 2.3 | 54        |
| 25772 | Japanese population norms for preference-based measures: EQ-5D-3L, EQ-5D-5L, and SF-6D. <i>Quality of Life Research</i> , 2016, 25, 707-719.  | 1.5 | 229       |
| 25773 | Clinical impact of prostate specific antigen (PSA) inter-assay variability on management of prostate cancer. <i>Clinical Biochemistry</i> , 2016, 49, 79-84.  | 0.8 | 22        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25774 | Left ventricular mass and systolic function in children with chronic kidney diseaseâ€”comparing echocardiography with cardiac magnetic resonance imaging. <i>Pediatric Nephrology</i> , 2016, 31, 255-265.                        | 0.9 | 11        |
| 25775 | Measurement properties of the Wheelchair Skills Test â€” Questionnaire for powered wheelchair users. <i>Disability and Rehabilitation: Assistive Technology</i> , 2016, 11, 400-406.  | 1.3 | 41        |
| 25776 | Core Outcome Measure Index for low back patients: do we miss anxiety and depression?. <i>European Spine Journal</i> , 2016, 25, 265-274.  | 1.0 | 7         |
| 25777 | Analysis of the 17-segment left ventricle model using generalized estimating equations. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 1110-1111.   | 1.4 | 2         |
| 25778 | Improved Gaussian Mixture Regression Based on Pseudo Feature Generation Using Bootstrap in Blood Pressure Estimation. <i>IEEE Transactions on Industrial Informatics</i> , 2016, 12, 2269-2280.                                   | 7.2 | 34        |
| 25779 | Validity of a Spanish Version of the Leicester Cough Questionnaire in Children With Cystic Fibrosis. <i>Archivos De Bronconeumologia</i> , 2016, 52, 63-69.   | 0.4 | 3         |
| 25780 | Comparison of an advanced minimally invasive cardiac output monitoring with a continuous invasive cardiac output monitoring during lung transplantation. <i>Journal of Clinical Monitoring and Computing</i> , 2016, 30, 475-480. | 0.7 | 7         |
| 25781 | Accuracy and precision of transcardiopulmonary thermodilution in patients with cardiogenic shock. <i>Journal of Clinical Monitoring and Computing</i> , 2016, 30, 849-856.  | 0.7 | 9         |
| 25782 | Mammographic density: Comparison of visual assessment with fully automatic calculation on a multivendor dataset. <i>European Radiology</i> , 2016, 26, 175-183.   | 2.3 | 15        |
| 25783 | Effects of psychosocial variables in the similarity and interdependence of physical activity levels among adolescent best friend dyads. <i>Journal of Sports Sciences</i> , 2016, 34, 821-828.                                    | 1.0 | 10        |
| 25784 | Reproducibility of functional aortic analysis using magnetic resonance imaging: the MESA. <i>European Heart Journal Cardiovascular Imaging</i> , 2016, 17, 909-917.   | 0.5 | 28        |
| 25785 | Dental age assessment on panoramic radiographs in a Swiss population: a validation study of two prediction models. <i>Dentomaxillofacial Radiology</i> , 2016, 45, 20150137.  | 1.3 | 11        |
| 25786 | Fatigue-induced glenohumeral and scapulothoracic kinematic variability: Implications for subacromial space reduction. <i>Journal of Electromyography and Kinesiology</i> , 2016, 29, 55-63.                                       | 0.7 | 34        |
| 25787 | Stressful life events and predictors of post-traumatic growth among high-risk early emerging adults. <i>Journal of Positive Psychology</i> , 2016, 11, 1-14.  | 2.6 | 50        |
| 25788 | Validating self-report and proxy reports of the Dexamethasone Symptom Questionnaire -Chronic for the evaluation of longer-term corticosteroid toxicity. <i>Supportive Care in Cancer</i> , 2016, 24, 1209-1218.                   | 1.0 | 11        |
| 25789 | Four to seven random casual urine specimens are sufficient to estimate 24-h urinary sodium/potassium ratio in individuals with high blood pressure. <i>Journal of Human Hypertension</i> , 2016, 30, 328-334.                     | 1.0 | 32        |
| 25790 | Development and validation of an ultra-performance liquid chromatography quadrupole time of flight mass spectrometry method for rapid quantification of free amino acids in human urine. <i>Amino Acids</i> , 2016, 48, 219-234.  | 1.2 | 46        |
| 25791 | Performance Analysis in Goalball. <i>Advances in Intelligent Systems and Computing</i> , 2016, , 157-160.   | 0.5 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25792 | Comparison between Oxford Cobbmeter and digital Cobbmeter for measurement of Cobb angle in adolescent idiopathic scoliosis. <i>European Spine Journal</i> , 2016, 25, 444-449.   | 1.0 | 13        |
| 25793 | Quantitative precision of optical frequency domain imaging: direct comparison with frequency domain optical coherence tomography and intravascular ultrasound. <i>Cardiovascular Intervention and Therapeutics</i> , 2016, 31, 79-88.                                    | 1.2 | 10        |
| 25794 | A method comparison of a food frequency questionnaire to measure folate, choline, betaine, vitamin C and carotenoids with 24-h dietary recalls in women of reproductive age. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 346-351.                          | 1.3 | 11        |
| 25795 | The validity of a non-radiologist reader in identifying cam and pincer femoroacetabular impingement (FAI) using plain radiography. <i>Rheumatology International</i> , 2016, 36, 371-376.  | 1.5 | 17        |
| 25796 | Cardiac Resynchronization Therapy-Induced Cardiac Index Increase Measured by Three-Dimensional Echocardiography Can Predict Decreases in Brain Natriuretic Peptide. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2016, 30, 599-605.                        | 0.6 | 3         |
| 25797 | Human Milk Analysis Using Mid-Infrared Spectroscopy. <i>Nutrition in Clinical Practice</i> , 2016, 31, 266-272.  | 1.1 | 24        |
| 25798 | Comparison of train-of-four ratios measured with Datex-Ohmeda's M-NMT MechanoSensor <sup>®</sup> and M-NMT ElectroSensor <sup>®</sup> . <i>Journal of Clinical Monitoring and Computing</i> , 2016, 30, 295-300.   | 0.7 | 14        |
| 25799 | The impact of blood pressure cuff location on the accuracy of noninvasive blood pressure measurements in obese patients: an observational study. <i>Canadian Journal of Anaesthesia</i> , 2016, 63, 298-306.   | 0.7 | 32        |
| 25800 | Point-of-care testing of electrolytes and calcium using blood gas analysers: it is time we trusted the results. <i>Emergency Medicine Journal</i> , 2016, 33, 181-186.   | 0.4 | 33        |
| 25801 | Accuracy and feasibility of estimated tumour volumetry in primary gastric gastrointestinal stromal tumours: validation using semiautomated technique in 127 patients. <i>European Radiology</i> , 2016, 26, 286-295.   | 2.3 | 24        |
| 25802 | Feasibility and Reliability of a Coding System to Capture In-Session Group Behavior in Adolescents. <i>Prevention Science</i> , 2016, 17, 93-101.  | 1.5 | 14        |
| 25803 | Hypoxemia During Extreme Hyperleukocytosis: How Spurious?. <i>Respiratory Care</i> , 2016, 61, 8-14.   | 0.8 | 15        |
| 25804 | Assessment of endothelial function and myocardial flow reserve using 15O-water PET without attenuation correction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 288-295.  | 3.3 | 7         |
| 25805 | Total plasma magnesium in healthy and critically ill foals. <i>Theriogenology</i> , 2016, 85, 180-185.   | 0.9 | 6         |
| 25806 | Release of growth-differentiation factor 15 and associations with cardiac function in adult patients with congenital heart disease. <i>International Journal of Cardiology</i> , 2016, 202, 246-251.   | 0.8 | 16        |
| 25807 | Agreement between bioelectrical impedance and dual energy X-ray absorptiometry in assessing fat, lean and bone mass changes in adults after a lifestyle intervention. <i>Journal of Sports Sciences</i> , 2016, 34, 1176-1181.   | 1.0 | 14        |
| 25808 | Distribution of bone and tissue morphological properties related to subacromial space geometry in a young, healthy male population. <i>Surgical and Radiologic Anatomy</i> , 2016, 38, 135-146.  | 0.6 | 7         |
| 25809 | Non-volumetric echocardiographic indices and qualitative assessment of right ventricular systolic function in Ebstein's anomaly: comparison with CMR-derived ejection fraction in 49 patients. <i>European Heart Journal Cardiovascular Imaging</i> , 2016, 17, 930-935. | 0.5 | 25        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25810 | Diffusion-weighted MR imaging of metastatic abdominal and pelvic tumours is sensitive to early changes induced by a VEGF inhibitor using alternative diffusion attenuation models. <i>European Radiology</i> , 2016, 26, 1412-1419.                          | 2.3 | 36        |
| 25811 | Importance of re-calibration time on pulse contour analysis agreement with thermodilution measurements of cardiac output: a retrospective analysis of intensive care unit patients. <i>Journal of Clinical Monitoring and Computing</i> , 2016, 30, 577-586. | 0.7 | 5         |
| 25812 | KDIGO 2012 Clinical Practice Guideline CKD classification rules out creatinine clearance 24 hour urine collection?. <i>Clinical Biochemistry</i> , 2016, 49, 85-89.  | 0.8 | 14        |
| 25813 | Coronary Artery Aneurysm Measurement and Z Score Variability in Kawasaki Disease. <i>Journal of the American Society of Echocardiography</i> , 2016, 29, 150-157.  | 1.2 | 44        |
| 25814 | The Rectangle Target Plot. <i>Journal of Diabetes Science and Technology</i> , 2016, 10, 343-349.  | 1.3 | 6         |
| 25815 | Timed Up and Go Test: A Reliable and Valid Test in Patients With Chronic Heart Failure. <i>Journal of Cardiac Failure</i> , 2016, 22, 646-650.   | 0.7 | 40        |
| 25816 | Reliability of a food menu to measure energy and macronutrient intake in adolescents. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 104-108.   | 1.3 | 7         |
| 25817 | Clinical feasibility of a myocardial signal intensity threshold-based semi-automated cardiac magnetic resonance segmentation method. <i>European Radiology</i> , 2016, 26, 1503-1511.  | 2.3 | 36        |
| 25818 | A Mobile Kalman-Filter Based Solution for the Real-Time Estimation of Spatio-Temporal Gait Parameters. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2016, 24, 764-773.  | 2.7 | 116       |
| 25819 | Robustness-Driven Feature Selection in Classification of Fibrotic Interstitial Lung Disease Patterns in Computed Tomography Using 3D Texture Features. <i>IEEE Transactions on Medical Imaging</i> , 2016, 35, 144-157.                                      | 5.4 | 38        |
| 25820 | Amyloid imaging in cognitively normal older adults: comparison between 18F-flutemetamol and 11C-Pittsburgh compound B. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 142-151.  | 3.3 | 41        |
| 25821 | Cross-cultural validation of the Persian version of the Functional Independence Measure for patients with stroke. <i>Disability and Rehabilitation</i> , 2016, 38, 289-298.  | 0.9 | 23        |
| 25822 | A holistic measurement model of movement competency in children. <i>Journal of Sports Sciences</i> , 2016, 34, 477-485.  | 1.0 | 75        |
| 25823 | Pulse wave velocity correlates with aortic atherosclerosis assessed with transesophageal echocardiography. <i>Journal of Human Hypertension</i> , 2016, 30, 90-94.   | 1.0 | 7         |
| 25824 | Accelerating MR Imaging Liver Steatosis Measurement Using Combined Compressed Sensing and Parallel Imaging: A Quantitative Evaluation. <i>Radiology</i> , 2016, 278, 247-256.  | 3.6 | 32        |
| 25825 | Urine Metabolite Profiles Predictive of Human Kidney Allograft Status. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 626-636.   | 3.0 | 58        |
| 25826 | Predicting resting energy expenditure in young adults. <i>Obesity Research and Clinical Practice</i> , 2016, 10, 304-314.  | 0.8 | 18        |
| 25827 | Quantitative Comparison of 2 Dual-Energy X-ray Absorptiometry Systems in Assessing Body Composition and Bone Mineral Measurements. <i>Journal of Clinical Densitometry</i> , 2016, 19, 298-304.  | 0.5 | 14        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25828 | Comparison of the Lunar Prodigy and iDXA Dual-Energy X-ray Absorptiometers for Assessing Total and Regional Body Composition. <i>Journal of Clinical Densitometry</i> , 2016, 19, 290-297.  | 0.5 | 37        |
| 25829 | Dual-energy X-ray absorptiometry, peripheral quantitative computed tomography, and micro-computed tomography techniques are discordant for bone density and geometry measurements in the guinea pig. <i>Journal of Bone and Mineral Metabolism</i> , 2016, 34, 266-276. | 1.3 | 2         |
| 25830 | Biomechanical characteristics of adults walking forward and backward in water at different stride frequencies. <i>Journal of Sports Sciences</i> , 2016, 34, 224-231.   | 1.0 | 4         |
| 25831 | Evaluation of Serum Lactate, Central Venous Saturation, and Venous-Arterial Carbon Dioxide Difference in the Prediction of Mortality in Postcardiac Arrest Syndrome. <i>Journal of Intensive Care Medicine</i> , 2016, 31, 544-552.                                     | 1.3 | 11        |
| 25832 | Core stability training on lower limb balance strength. <i>Journal of Sports Sciences</i> , 2016, 34, 671-678.  | 1.0 | 51        |
| 25833 | Automatic Cardiac Self-Gating of Small-Animal PET Data. <i>Molecular Imaging and Biology</i> , 2016, 18, 109-116.   | 1.3 | 5         |
| 25834 | Reliability and concurrent validity of a peripheral pulse oximeter and health app system for the quantification of heart rate in healthy adults. <i>Health Informatics Journal</i> , 2016, 22, 151-159.   | 1.1 | 26        |
| 25835 | Simple quantitation for potential serum disease biomarker peptides, primarily identified by a peptidomics approach in the serum with hypertensive disorders of pregnancy. <i>Annals of Clinical Biochemistry</i> , 2016, 53, 85-96.                                     | 0.8 | 7         |
| 25836 | Assessment of Foot Trajectory for Human Gait Phase Detection Using Wireless Ultrasonic Sensor Network. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2016, 24, 88-97.   | 2.7 | 56        |
| 25837 | The cervical vertebrae maturation (CVM) method cannot predict craniofacial growth in girls with Class II malocclusion. <i>European Journal of Orthodontics</i> , 2016, 38, 1-7.   | 1.1 | 32        |
| 25838 | The validity of the GENEActiv wrist-worn accelerometer for measuring adult sedentary time in free living. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 395-399.  | 0.6 | 68        |
| 25839 | Comparison of pulse wave velocity assessed by three different techniques: Arteriograph, Complior, and Echo-tracking. <i>Heart and Vessels</i> , 2016, 31, 568-577.  | 0.5 | 14        |
| 25840 | Comparison of different approaches to calculate nutrient intakes based upon 24-h recall data derived from a multicenter study in European adolescents. <i>European Journal of Nutrition</i> , 2016, 55, 537-545.  | 1.8 | 29        |
| 25841 | Evaluation of the Microstat <sup>®</sup> , a sublingual PCO <sub>2</sub> monitor in ambulatory patients. <i>Journal of Clinical Monitoring and Computing</i> , 2016, 30, 77-80.   | 0.7 | 3         |
| 25842 | Identification and quantification of suspended algae and bacteria populations using flow cytometry: applications for algae biofuel and biochemical growth systems. <i>Journal of Applied Phycology</i> , 2016, 28, 95-104.  | 1.5 | 38        |
| 25843 | Mechanically Ventilated, Cardiothoracic Surgical Patients Have Significantly Different Energy Requirements Comparing Indirect Calorimetry and the Penn State Equations. <i>Journal of Parenteral and Enteral Nutrition</i> , 2016, 40, 959-965.                         | 1.3 | 10        |
| 25844 | Estimation of total body water and extracellular water with bioimpedance in athletes: A need for athlete-specific prediction models. <i>Clinical Nutrition</i> , 2016, 35, 468-474.   | 2.3 | 69        |
| 25845 | Heart rate variability stabilization in athletes: towards more convenient data acquisition. <i>Clinical Physiology and Functional Imaging</i> , 2016, 36, 331-336.  | 0.5 | 77        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25846 | Patient-self assessment of flare in rheumatoid arthritis: translation and reliability of the Flare instrument. <i>Clinical Rheumatology</i> , 2016, 35, 1053-1058.  | 1.0 | 13        |
| 25847 | <i>In situ</i> ultrasound imaging of silk hydrogel degradation and neovascularization. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2017, 11, 822-830.  | 1.3 | 22        |
| 25848 | Anatomic ACL reconstruction: the normal central tibial footprint position and a standardised technique for measuring tibial tunnel location on 3D CT. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 1568-1575.  | 2.3 | 40        |
| 25849 | Effects of multisensory and motor stimulation on the behavior of people with dementia. <i>Dementia</i> , 2017, 16, 344-359.   | 1.0 | 7         |
| 25850 | Evaluation of a handheld point-of-care analyser for measurement of creatinine in cats. <i>Journal of Feline Medicine and Surgery</i> , 2017, 19, 207-215.   | 0.6 | 4         |
| 25851 | Accuracy of non-invasive continuous total hemoglobin measurement by Pulse CO-Oximetry in severe traumatized and surgical bleeding patients. <i>Journal of Clinical Monitoring and Computing</i> , 2017, 31, 177-185.  | 0.7 | 24        |
| 25852 | Transcutaneous PtcCO <sub>2</sub> measurement in combination with arterial blood gas analysis provides superior accuracy and reliability in ICU patients. <i>Journal of Clinical Monitoring and Computing</i> , 2017, 31, 153-158.  | 0.7 | 21        |
| 25853 | Validation of ventilator-derived VCO <sub>2</sub> measurements to determine energy expenditure in ventilated critically ill children. <i>Clinical Nutrition</i> , 2017, 36, 452-457.  | 2.3 | 20        |
| 25854 | Energy Expenditure After Liver Resection: Validation of a Mobile Device for Estimating Resting Energy Expenditure and an Investigation of Energy Expenditure Change After Liver Resection. <i>Journal of Parenteral and Enteral Nutrition</i> , 2017, 41, 766-775.  | 1.3 | 10        |
| 25855 | On the electronic measurement of pain intensity: Can we use different pain intensity scales interchangeably?. <i>Journal of Health Psychology</i> , 2017, 22, 1658-1667.  | 1.3 | 21        |
| 25856 | Assessing functional exercise capacity using telehealth: Is it valid and reliable in patients with chronic heart failure?. <i>Journal of Telemedicine and Telecare</i> , 2017, 23, 225-232.   | 1.4 | 30        |
| 25857 | Validation of Moticon™s OpenGo sensor insoles during gait, jumps, balance and cross-country skiing specific imitation movements. <i>Journal of Sports Sciences</i> , 2017, 35, 196-206.   | 1.0 | 87        |
| 25858 | Translation, cross-cultural adaptation and psychometric properties of the Back Beliefs Questionnaire in Modern Standard Arabic. <i>Disability and Rehabilitation</i> , 2017, 39, 272-280.   | 0.9 | 8         |
| 25859 | Between-day test-retest reliability of gait variability in older individuals improves with a familiarization trial. <i>Aging Clinical and Experimental Research</i> , 2017, 29, 327-329.  | 1.4 | 18        |
| 25860 | Assessment of 123I-mIBG and 99mTc-tetrofosmin single-photon emission computed tomographic images for the prediction of arrhythmic events in patients with ischemic heart failure: Intermediate severity innervation defects are associated with higher arrhythmic risk. <i>Journal of Nuclear Cardiology</i> , 2017, 24, 377-391. | 1.4 | 46        |
| 25861 | Energy Expenditure in Critically Ill Elderly Patients: Indirect Calorimetry vs Predictive Equations. <i>Journal of Parenteral and Enteral Nutrition</i> , 2017, 41, 776-784.  | 1.3 | 36        |
| 25862 | Transesophageal Doppler reliably tracks changes in cardiac output in comparison with intermittent pulmonary artery thermodilution in cardiac surgery patients. <i>Journal of Clinical Monitoring and Computing</i> , 2017, 31, 135-142.   | 0.7 | 15        |
| 25863 | The Spanish version of the Alberta Infant Motor Scale: Validity and reliability analysis. <i>Developmental Neurorehabilitation</i> , 2017, 20, 76-82.   | 0.5 | 15        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25864 | Assessing agreement between two measurement systems: An alternative to the limits of agreement approach. <i>Statistical Methods in Medical Research</i> , 2017, 26, 2487-2504.   | 0.7 | 34        |
| 25865 | CD4 results with a bias larger than hundred cells per microliter can have a significant impact on the clinical decision during treatment initiation of HIV patients. <i>Cytometry Part B - Clinical Cytometry</i> , 2017, 92, 476-484.   | 0.7 | 9         |
| 25866 | Quantification of bone marrow plasma cell infiltration in multiple myeloma: usefulness of bone marrow aspirate clot with CD138 immunohistochemistry. <i>Hematological Oncology</i> , 2017, 35, 323-328.  | 0.8 | 23        |
| 25867 | Comparison of creatinine and cystatin formulae with <sup>51</sup> Chromium <sup>65</sup> ethylenediaminetetraacetic acid glomerular filtration rate in patients with decompensated cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 191-198. | 1.4 | 18        |
| 25868 | Reliability of blood test results in samples obtained using a 2 mL discard volume from the proximal lumen of a triple lumen central venous catheter in the critically ill patient. <i>Nursing in Critical Care</i> , 2017, 22, 298-304.  | 1.1 | 10        |
| 25869 | Noninvasive Hemodynamic Measurements During Neurosurgical Procedures in Sitting Position. <i>Journal of Neurosurgical Anesthesiology</i> , 2017, 29, 251-257.  | 0.6 | 18        |
| 25870 | Interrater Repeatability of Motor Nerve Conduction Velocity of the Ulnar Nerve. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2017, 96, 45-49.   | 0.7 | 2         |
| 25871 | Can We Use the Fellow Eye Biometric Data to Predict IOL Power?. <i>Seminars in Ophthalmology</i> , 2017, 32, 363-370.  | 0.8 | 15        |
| 25872 | Characterization of the Ionic Profile of the Extracellular Space of the Injured and Ischemic Brain: A Microdialysis Study. <i>Journal of Neurotrauma</i> , 2017, 34, 74-85.  | 1.7 | 8         |
| 25873 | Automatic Measurement of Thalamic Diameter in 2-D Fetal Ultrasound Brain Images Using Shape Prior Constrained Regularized Level Sets. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2017, 21, 1069-1078.  | 3.9 | 13        |
| 25874 | Comparison of four immunoassays to measure serum ferritin concentrations and iron deficiency prevalence among non-pregnant Cambodian women and Congolese children. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 65-72.  | 1.4 | 12        |
| 25875 | Systematic academic instruction for students with EBD: the construction and use of a tool for teachers. <i>Journal of Research in Special Educational Needs</i> , 2017, 17, 31-40.   | 0.5 | 3         |
| 25876 | Quantification of normal cerebral oxygen extraction and oxygen metabolism by phase-based MRI susceptibility: evaluation of repeatability using two different imaging protocols. <i>Clinical Physiology and Functional Imaging</i> , 2017, 37, 211-220.                           | 0.5 | 4         |
| 25877 | Upper arm venous compliance and fitness in stable coronary artery disease patients and healthy controls. <i>Clinical Physiology and Functional Imaging</i> , 2017, 37, 498-506.  | 0.5 | 3         |
| 25878 | A comparison of two methods of heart rate variability assessment at high altitude. <i>Clinical Physiology and Functional Imaging</i> , 2017, 37, 582-587.  | 0.5 | 12        |
| 25879 | A method for predicting peak work rate for cycle ergometer and treadmill ramp tests. <i>Clinical Physiology and Functional Imaging</i> , 2017, 37, 610-614.  | 0.5 | 3         |
| 25880 | Validity and reliability of elastic resistance bands for measuring shoulder muscle strength. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017, 27, 887-894.  | 1.3 | 22        |
| 25881 | Clinical and computed tomography tumour dimension assessments for planning wide excision of injection site sarcomas in cats: how strong is the agreement?. <i>Veterinary and Comparative Oncology</i> , 2017, 15, 374-382.   | 0.8 | 11        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25882 | Cultural adaptation of the female pelvic floor questionnaire (FPFQ) into French. <i>Neurourology and Urodynamics</i> , 2017, 36, 253-258.   | 0.8 | 13        |
| 25883 | Assisting Hand Assessment and Children's Hand-Use Experience Questionnaire – Observed Versus Perceived Bimanual Performance in Children with Unilateral Cerebral Palsy. <i>Physical and Occupational Therapy in Pediatrics</i> , 2017, 37, 199-209.                       | 0.8 | 17        |
| 25884 | Reliability and Construct Validity of the 6-Minute Racetrack Test in Children and Youth with Cerebral Palsy, GMFCS Levels III and IV. <i>Physical and Occupational Therapy in Pediatrics</i> , 2017, 37, 210-221.   | 0.8 | 13        |
| 25885 | Evaluation of a novel automated volumetric flow cytometer for absolute CD4+ T lymphocyte quantitation. <i>Cytometry Part B - Clinical Cytometry</i> , 2017, 92, 456-464.  | 0.7 | 25        |
| 25886 | A prospective pilot study comparing nasal blood sampling and venipuncture for the assessment of hemoglobin levels and INR. <i>Laryngoscope</i> , 2017, 127, 577-581.  | 1.1 | 1         |
| 25887 | Validity and Reliability of the PowerCal Device for Estimating Power Output During Cycling Time Trials. <i>Journal of Strength and Conditioning Research</i> , 2017, 31, 227-232.   | 1.0 | 8         |
| 25888 | Radiological outcomes in a randomized trial comparing opening wedge and closing wedge techniques of high tibial osteotomy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 910-917.   | 2.3 | 57        |
| 25889 | Do CAS measurements correlate with EOS 3D alignment measurements in primary TKA?. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 2894-2903.  | 2.3 | 10        |
| 25890 | Effect of patent ductus arteriosus and patent foramen ovale on left ventricular stroke volume measurement by electrical velocimetry in comparison to transthoracic echocardiography in neonates. <i>Journal of Clinical Monitoring and Computing</i> , 2017, 31, 589-598. | 0.7 | 9         |
| 25891 | Three-dimensional segmentation of retroperitoneal masses using continuous convex relaxation and accumulated gradient distance for radiotherapy planning. <i>Medical and Biological Engineering and Computing</i> , 2017, 55, 1-15.  | 1.6 | 16        |
| 25892 | Brain oxygen saturation assessment in neonates using T <sub>2</sub> -prepared blood imaging of oxygen saturation and near-infrared spectroscopy. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 902-913.  | 2.4 | 14        |
| 25893 | Handling Regional Variation in Health State Preferences within a Country. <i>Medical Decision Making</i> , 2017, 37, 252-261.   | 1.2 | 2         |
| 25894 | A modified breathing pattern improves the performance of a continuous capnodynamic method for estimation of effective pulmonary blood flow. <i>Journal of Clinical Monitoring and Computing</i> , 2017, 31, 717-725.  | 0.7 | 15        |
| 25895 | Comparison of keratometric measurements obtained by the Verion Image Guided System with optical biometry and auto-keratorefractometer. <i>International Ophthalmology</i> , 2017, 37, 391-399.  | 0.6 | 12        |
| 25896 | Feasibility study of reduced field of view diffusion-weighted magnetic resonance imaging in head and neck tumors. <i>Acta Radiologica</i> , 2017, 58, 292-300.  | 0.5 | 21        |
| 25897 | Radiographic measurement of the posterior femoral offset is not precise. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 2609-2615.   | 2.3 | 4         |
| 25898 | Influence of patient axial malpositioning on the trueness and precision of pelvic parameters obtained from 3D reconstructions based on biplanar radiographs. <i>European Radiology</i> , 2017, 27, 1295-1302.   | 2.3 | 20        |
| 25899 | Level of Agreement Between Forearm and Upper Arm Blood Pressure Measurements in Patients With Large Arm Circumference. <i>Journal of Perianesthesia Nursing</i> , 2017, 32, 15-21.  | 0.3 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25900 | Sagittal osteotomy inclination in medial open-wedge high tibial osteotomy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 823-831.   | 2.3 | 17        |
| 25901 | Validation of Consumer-Based Hip and Wrist Activity Monitors in Older Adults With Varied Ambulatory Abilities. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017, 72, 229-236.    | 1.7 | 91        |
| 25902 | Kalman Filter Based Estimation of Auditory Steady State Response Parameters. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2017, 25, 196-204.   | 2.7 | 25        |
| 25903 | Approximation of Resting Energy Expenditure in Intensive Care Unit Patients Using the SenseWear Bracelet: A Comparison With Indirect Calorimetry. <i>Journal of Parenteral and Enteral Nutrition</i> , 2017, 41, 976-980. | 1.3 | 0         |
| 25904 | Translating CESD-20 and PHQ-9 Scores to PROMIS Depression. <i>Assessment</i> , 2017, 24, 300-307.   | 1.9 | 31        |
| 25905 | Looking into care: The reliability and feasibility of a Taxonomy of Care for Youth. <i>Journal of Social Work</i> , 2017, 17, 21-33.  | 0.8 | 2         |
| 25906 | Accuracy of 2 Different Continuous Glucose Monitoring Systems in Patients Undergoing Cardiac Surgery. <i>Journal of Diabetes Science and Technology</i> , 2017, 11, 108-116.  | 1.3 | 54        |
| 25907 | Optimized Sonographic Weight Estimation of Fetuses over 3500g Using Biometry-Guided Formula Selection. <i>Ultraschall in Der Medizin</i> , 2017, 38, 60-64.   | 0.8 | 3         |
| 25908 | Validation of bioelectrical impedance analysis for estimating limb lean mass in free-living Caucasian elderly people. <i>Clinical Nutrition</i> , 2017, 36, 577-584.  | 2.3 | 13        |
| 25909 | Analysis of central venous pressure (CVP) signals using mathematical methods. <i>Journal of Clinical Monitoring and Computing</i> , 2017, 31, 607-616.  | 0.7 | 3         |
| 25910 | Laboratory predictors of uphill cycling performance in trained cyclists. <i>Journal of Sports Sciences</i> , 2017, 35, 1364-1371.   | 1.0 | 15        |
| 25911 | Comparison of coronary flow reserve estimated by dynamic radionuclide SPECT and multi-detector x-ray CT. <i>Journal of Nuclear Cardiology</i> , 2017, 24, 1712-1721.  | 1.4 | 10        |
| 25912 | Smartphones Offer New Opportunities in Clinical Voice Research. <i>Journal of Voice</i> , 2017, 31, 111.e1-111.e7.  | 0.6 | 55        |
| 25913 | Coupling of dyspnea perception and occurrence of tachypnea during exercise. <i>Journal of Physiological Sciences</i> , 2017, 67, 173-180.   | 0.9 | 9         |
| 25914 | The relative and absolute reliability of maximum phonation time in community-dwelling Japanese people. <i>Aging Clinical and Experimental Research</i> , 2017, 29, 781-786.   | 1.4 | 6         |
| 25915 | Estimating fat-free mass in elite-level male rowers: a four-compartment model validation of laboratory and field methods. <i>Journal of Sports Sciences</i> , 2017, 35, 624-633.  | 1.0 | 29        |
| 25916 | Can intracranial pressure be measured non-invasively bedside using a two-depth Doppler-technique?. <i>Journal of Clinical Monitoring and Computing</i> , 2017, 31, 459-467.   | 0.7 | 20        |
| 25917 | Validity of a single lactate measure to predict fixed lactate thresholds in athletes. <i>Journal of Sports Sciences</i> , 2017, 35, 385-392.  | 1.0 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25918 | Agreement in hemodynamic monitoring during orthotopic liver transplantation: a comparison of FloTrac/Vigileo at two monitoring sites with pulmonary artery catheter thermodilution. <i>Journal of Clinical Monitoring and Computing</i> , 2017, 31, 343-351. | 0.7 | 19        |
| 25919 | Influence of lower limb rotation on hindfoot alignment using a conventional two-dimensional radiographic technique. <i>Foot and Ankle Surgery</i> , 2017, 23, 44-49.   | 0.8 | 60        |
| 25920 | Sagittal plane tilting deformity of the patellofemoral joint: a new concept in patients with chondromalacia patella. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3038-3045.  | 2.3 | 16        |
| 25921 | Quantitative arterial spin labelling perfusion measurements in rat models of renal transplantation and acute kidney injury at 3T. <i>Zeitschrift Fur Medizinische Physik</i> , 2017, 27, 39-48.  | 0.6 | 16        |
| 25922 | The relative and absolute reliability of the Functional Independence and Difficulty Scale in community-dwelling frail elderly Japanese people using long-term care insurance services. <i>Aging Clinical and Experimental Research</i> , 2017, 29, 549-556.  | 1.4 | 4         |
| 25923 | Validation of the SenseWear Mini activity monitor in 5-12-year-old children. <i>Journal of Science and Medicine in Sport</i> , 2017, 20, 55-59.  | 0.6 | 8         |
| 25924 | The Dutch language anterior cruciate ligament return to sport after injury scale (ACL-RSI) – validity and reliability. <i>Journal of Sports Sciences</i> , 2017, 35, 393-401.  | 1.0 | 46        |
| 25925 | Monitoring of total positive end-expiratory pressure during mechanical ventilation by artificial neural networks. <i>Journal of Clinical Monitoring and Computing</i> , 2017, 31, 551-559.   | 0.7 | 12        |
| 25926 | Body composition estimation using skinfolds in children with and without health conditions affecting growth and body composition. <i>Annals of Human Biology</i> , 2017, 44, 108-120.  | 0.4 | 22        |
| 25927 | Heart rate variability to assess ventilatory thresholds in professional basketball players. <i>Journal of Sport and Health Science</i> , 2017, 6, 468-473.   | 3.3 | 29        |
| 25928 | Validity and reliability of a 4-compartment body composition model using dual energy x-ray absorptiometry-derived body volume. <i>Clinical Nutrition</i> , 2017, 36, 825-830.  | 2.3 | 64        |
| 25929 | A preliminary investigation into the psychometric properties of the Dublin Extrapersonal Neglect Assessment (DENA): A novel screening tool for extrapersonal neglect. <i>Neuropsychological Rehabilitation</i> , 2017, 27, 349-368.                          | 1.0 | 9         |
| 25930 | Validity and reliability of Internet-based physiotherapy assessment for musculoskeletal disorders: a systematic review. <i>Journal of Telemedicine and Telecare</i> , 2017, 23, 379-391.   | 1.4 | 141       |
| 25931 | Variability of sweat chloride concentration in subjects with cystic fibrosis and G551D mutations. <i>Journal of Cystic Fibrosis</i> , 2017, 16, 36-40.   | 0.3 | 30        |
| 25932 | Psychometric Properties of Self-Care Requisites Scale (SCRS-h) in Hospitalized Patients Diagnosed With Schizophrenia. <i>Perspectives in Psychiatric Care</i> , 2017, 53, 16-28.   | 0.9 | 2         |
| 25933 | A new approach for detecting sudden hypotension in hemodialysis by using dual-channel optical system. <i>Journal of Innovative Optical Health Sciences</i> , 2017, 10, 1650033.  | 0.5 | 0         |
| 25934 | A comparison of dual-energy X-ray absorptiometry, air displacement plethysmography and mode ultrasound to assess body composition in college-age adults. <i>Clinical Physiology and Functional Imaging</i> , 2017, 37, 646-654.                              | 0.5 | 16        |
| 25935 | Comparison of a standalone consumer grade smartphone with a specialist inertial measurement unit for quantification of movement symmetry in the trotting horse. <i>Equine Veterinary Journal</i> , 2017, 49, 124-129.  | 0.9 | 19        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25936 | Agreement Between Autorefraction and Subjective Refraction in Kerating-Implanted Keratoconic Eyes. Eye and Contact Lens, 2017, 43, 116-122.  | 0.8 | 1         |
| 25937 | Simultaneous strainâ€‘volume analysis by three-dimensional echocardiography. Journal of Cardiovascular Medicine, 2017, 18, 223-229.  | 0.6 | 9         |
| 25938 | Validation of inertial measurement units with an optoelectronic system for whole-body motion analysis. Medical and Biological Engineering and Computing, 2017, 55, 609-619.                              | 1.6 | 224       |
| 25939 | The suitability of Sandersâ€™ model for calculation of the propulsive force generated by the hands during sculling motion. Journal of Sports Sciences, 2017, 35, 936-944.                                | 1.0 | 4         |
| 25940 | Can Bias Evaluation Provide Protection Against Falseâ€‘Negative Results in QT Studies Without a Positive Control Using Exposureâ€‘Response Analysis?. Journal of Clinical Pharmacology, 2017, 57, 85-95. | 1.0 | 20        |
| 25941 | Testâ€‘retest Reliability in Reporting the Pain Induced by a Pain Provocation Test: Further Validation of a Novel Approach for Pain Drawing Acquisition and Analysis. Pain Practice, 2017, 17, 176-184.  | 0.9 | 29        |
| 25942 | An Anatomic Study of the Greater Trochanter Starting Point for Intramedullary Nailing in the Skeletally Immature. Journal of Pediatric Orthopaedics, 2017, 37, 67-73.                                    | 0.6 | 4         |
| 25943 | MRI and the distribution of bone marrow fat in hip osteoarthritis. Journal of Magnetic Resonance Imaging, 2017, 45, 42-50.   | 1.9 | 6         |
| 25944 | Can We Rely on Predicted Basal Metabolic Rate in Patients With Intestinal Failure on Home Parenteral Nutrition?. Journal of Parenteral and Enteral Nutrition, 2017, 41, 1139-1145.                       | 1.3 | 12        |
| 25945 | Feasibility study of using a Microsoft Kinect for virtual coaching of wheelchair transfer techniques. Biomedizinische Technik, 2017, 62, 307-313.  | 0.9 | 9         |
| 25946 | Three single leg standing tests for clinical assessment of chronic plantar heel pain syndrome: static stance, half-squat and heel rise. Physiotherapy, 2017, 103, 237-244.                               | 0.2 | 4         |
| 25947 | Interrater Reliability of the 6-Minute Walk Test in Women With Hip Fracture. Journal of Geriatric Physical Therapy, 2017, 40, 158-166.   | 0.6 | 13        |
| 25948 | The lactate and ventilatory thresholds in resistance training. Clinical Physiology and Functional Imaging, 2017, 37, 518-524.  | 0.5 | 12        |
| 25949 | MR fingerprinting for rapid quantification of myocardial T<sub>1</sub>, T<sub>2</sub>, and proton spin density. Magnetic Resonance in Medicine, 2017, 77, 1446-1458.                                     | 1.9 | 190       |
| 25950 | The fecal incontinence quality of life scale (FIQL) and fecal incontinence severity index (FISI): Validation of the Dutch versions. Neurourology and Urodynamics, 2017, 36, 710-715.                     | 0.8 | 16        |
| 25951 | Reliability of the Dutch translation of the Kujala Patellofemoral Score Questionnaire. Physiotherapy Research International, 2017, 22, e1649.  | 0.7 | 16        |
| 25952 | Electrical velocimetry for noninvasive cardiac output and stroke volume variation measurements in dogs undergoing cardiovascular surgery. Veterinary Anaesthesia and Analgesia, 2017, 44, 7-16.          | 0.3 | 24        |
| 25953 | Maximal Aerobic Frequency of Ball Hitting: A New Training Load Parameter in Tennis. Journal of Strength and Conditioning Research, 2017, 31, 106-114.  | 1.0 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 25954 | Morningâ€“evening difference of team-handball-related short-term maximal physical performances in female team handball players. <i>Journal of Sports Sciences</i> , 2017, 35, 912-920.   | 1.0 | 27        |
| 25955 | On the accuracy and precision of cardiac magnetic resonance T <sub>2</sub> mapping: A high-resolution radial study using adiabatic T <sub>2</sub> preparation at 3T. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 159-169.                          | 1.9 | 16        |
| 25956 | Stimulated echo diffusion weighted imaging of the liver at 3 Tesla. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 300-309.   | 1.9 | 17        |
| 25957 | Fetal myocardial deformation in maternal diabetes mellitus and obesity. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 49, 630-636.  | 0.9 | 46        |
| 25958 | Relationship of mitral valve annulus plane and circumflexâ€“right coronary artery plane: Implications for transcatheter mitral valve implantation. <i>Catheterization and Cardiovascular Interventions</i> , 2017, 89, 932-943.                          | 0.7 | 3         |
| 25959 | The reliability of the Extra Load Index as a measure of relative load carriage economy. <i>Ergonomics</i> , 2017, 60, 1250-1254.   | 1.1 | 4         |
| 25960 | Similar but not consistent: Revisiting the pitfalls of measuring IgG subclasses with different assays. <i>Journal of Clinical Laboratory Analysis</i> , 2017, 31, .  | 0.9 | 12        |
| 25961 | A note on statistical repeatability and study design for high-throughput assays. <i>Statistics in Medicine</i> , 2017, 36, 790-798.  | 0.8 | 9         |
| 25962 | Comparison of different techniques of central venous pressure measurement in mechanically ventilated critically ill patients. <i>British Journal of Anaesthesia</i> , 2017, 118, 223-231.  | 1.5 | 16        |
| 25963 | Accuracy of the prediction equation for the determination of maximum heart rate in adults with Down syndrome. <i>Journal of Intellectual Disability Research</i> , 2017, 61, 83-88.  | 1.2 | 3         |
| 25964 | Validity of noninvasive composite scores to assess cardiovascular risk in 10-year-old children. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017, 27, 865-872.   | 1.3 | 6         |
| 25965 | Musculoskeletal diagnostic ultrasound imaging for thickness measurement of four principal muscles of the cervical spine -a reliability and agreement study. <i>Chiropractic &amp; Manual Therapies</i> , 2017, 25, 2.                                    | 0.6 | 27        |
| 25966 | Technical Note: Measurement of common carotid artery lumen dynamics using blackâ€“blood MR cine imaging. <i>Medical Physics</i> , 2017, 44, 1105-1112.   | 1.6 | 1         |
| 25967 | Load-Based Lower Neck Injury Criteria for Females from Rear Impact from Cadaver Experiments. <i>Annals of Biomedical Engineering</i> , 2017, 45, 1194-1203.  | 1.3 | 19        |
| 25968 | Analysis of acetabular orientation and femoral anteversion using images of three-dimensional reconstructed bone models. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2017, 12, 855-864.                                     | 1.7 | 6         |
| 25969 | Is Ultrasound a Valid and Reliable Imaging Modality for Airway Evaluation?: An Observational Computed Tomographic Validation Study Using Submandibular Scanning of the Mouth and Oropharynx. <i>Journal of Ultrasound in Medicine</i> , 2017, 36, 49-59. | 0.8 | 11        |
| 25970 | Comparability of a short food frequency questionnaire to assess diet quality: the DISCOVER study. <i>International Journal of Food Sciences and Nutrition</i> , 2017, 68, 726-732.   | 1.3 | 3         |
| 25971 | A real-time phoneme counting algorithm and application for speech rate monitoring. <i>Journal of Fluency Disorders</i> , 2017, 51, 60-68.  | 0.7 | 7         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25972 | Aortoseptal angle and pressure gradient reduction following balloon valvuloplasty in dogs with severe subaortic stenosis. <i>Journal of Veterinary Cardiology</i> , 2017, 19, 144-152.  | 0.3 | 4         |
| 25973 | The development and examination of a new walking executive function test for people over 50 years of age. <i>Physiology and Behavior</i> , 2017, 171, 100-109.  | 1.0 | 3         |
| 25974 | Development and evaluation of a Nutrition Transition-FFQ for adolescents in South India. <i>Public Health Nutrition</i> , 2017, 20, 1162-1172.  | 1.1 | 7         |
| 25975 | Validity of recalled <i>v.</i> recorded birth weight: a systematic review and meta-analysis. <i>Journal of Developmental Origins of Health and Disease</i> , 2017, 8, 137-148.  | 0.7 | 31        |
| 25976 | SPARCS and Pelliâ€“Robson contrast sensitivity testing in normal controls and patients with cataract. <i>Eye</i> , 2017, 31, 753-761.   | 1.1 | 21        |
| 25977 | Optimal configuration of adhesive ECG patches suitable for long-term monitoring of a vectorcardiogram. <i>Journal of Electrocardiology</i> , 2017, 50, 342-348.   | 0.4 | 13        |
| 25978 | Wearable monitors criterion validity for energy expenditure in sedentary and light activities. <i>Journal of Sport and Health Science</i> , 2017, 6, 103-110.   | 3.3 | 14        |
| 25979 | Preference Weighting of Health State Values: What Difference Does It Make, and Why?. <i>Value in Health</i> , 2017, 20, 451-457.  | 0.1 | 19        |
| 25980 | Test-retest reliability of measurements of abdominal and multifidus muscles using ultrasound imaging in adults aged 50â€“79 years. <i>Musculoskeletal Science and Practice</i> , 2017, 28, 79-84.   | 0.6 | 21        |
| 25981 | Impact of retinal pigment epithelium pathology on spectralâ€“domain optical coherence tomographyâ€“derived macular thickness and volume metrics and their intersession repeatability. <i>Clinical and Experimental Ophthalmology</i> , 2017, 45, 270-279. | 1.3 | 6         |
| 25982 | Comparison of the effects of model-based iterative reconstruction and filtered back projection algorithms on software measurements in pulmonary subsolid nodules. <i>European Radiology</i> , 2017, 27, 3266-3274.  | 2.3 | 17        |
| 25983 | Variability of CT Attenuation Measurements in Virtual Unenhanced Images Generated Using Multimaterial Decomposition from Fast Kilovoltage-switching Dual-energy CT. <i>Academic Radiology</i> , 2017, 24, 365-372.  | 1.3 | 30        |
| 25984 | Measuring E. coli and bacteriophage DNA in cell sonicates to evaluate the CAL1 reaction as a synthetic biology standard for qPCR. <i>Biomolecular Detection and Quantification</i> , 2017, 11, 21-30.   | 7.0 | 1         |
| 25985 | Reduced radiation dose and improved image quality using a mini mobile digital imaging system in a neonatal intensive care unit. <i>Clinical Imaging</i> , 2017, 42, 165-171.  | 0.8 | 10        |
| 25986 | Validation of an intramuscularly-implanted microchip and a surface infrared thermometer to estimate core body temperature in broiler chickens exposed to heat stress. <i>Computers and Electronics in Agriculture</i> , 2017, 133, 1-8.                   | 3.7 | 14        |
| 25987 | Data on the quantitative assessment pulmonary ground-glass opacification from coronary computed tomography angiography datasets. <i>Data in Brief</i> , 2017, 10, 6-10.   | 0.5 | 0         |
| 25988 | Comparison of definitions for the metabolic syndrome in adolescents. The HELENA study. <i>European Journal of Pediatrics</i> , 2017, 176, 241-252.  | 1.3 | 48        |
| 25989 | Plasma PCSK9 measurement by liquid chromatographyâ€“Tandem mass spectrometry and comparison with conventional ELISA. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017, 1044-1045, 24-29.            | 1.2 | 10        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 25990 | A radiografia do joelho em flexão fixa utilizando um novo posicionador produziu medidas da largura do espaço articular com alta repetibilidade: estudo ELSA-Brasil Musculoesquelético (ELSA-Brasil ME). Revista Brasileira De Reumatologia, 2017, 57, 154-161.          | 0.8 | 3         |
| 25991 | Fixed-flexion knee radiography using a new positioning device produced highly repeatable measurements of joint space width: ELSA-Brasil Musculoskeletal Study (ELSA-Brasil MSK). Revista Brasileira De Reumatologia, 2017, 57, 154-161.                                 | 0.7 | 1         |
| 25992 | Japanese Society for Laboratory Hematology flow cytometric reference method of determining the differential leukocyte count: external quality assurance using fresh blood samples. International Journal of Laboratory Hematology, 2017, 39, 202-222.                   | 0.7 | 9         |
| 25993 | Comparative 3D micro-CT and 2D histomorphometry analysis of dental implant osseointegration in the maxilla of minipigs. Journal of Clinical Periodontology, 2017, 44, 418-427.  | 2.3 | 46        |
| 25994 | Graded interference with the direct potentiometric measurement of sodium by hemoglobin. Clinical Biochemistry, 2017, 50, 440-443.   | 0.8 | 5         |
| 25995 | Level of Granzyme B-positive T-regulatory cells is a strong predictor biomarker of acute Graft-versus-host disease after day +30 after allo-HSCT. Leukemia Research, 2017, 54, 25-29.   | 0.4 | 7         |
| 25996 | A method comparison study between two hemoglobinometer models (Hemocue Hb 301 and Hb 201+) to measure hemoglobin concentrations and estimate anemia prevalence among women in Preah Vihear, Cambodia. International Journal of Laboratory Hematology, 2017, 39, 95-100. | 0.7 | 19        |
| 25997 | Midpalatal suture density ratio: A novel predictor of skeletal response to rapid maxillary expansion. American Journal of Orthodontics and Dentofacial Orthopedics, 2017, 151, 267-276.   | 0.8 | 51        |
| 25998 | Comparative assessment of knee joint models used in multi-body kinematics optimisation for soft tissue artefact compensation. Journal of Biomechanics, 2017, 62, 95-101.  | 0.9 | 27        |
| 25999 | Assessing the relative validity of the Scottish Collaborative Group FFQ for measuring dietary intake in adults. Public Health Nutrition, 2017, 20, 449-455.   | 1.1 | 15        |
| 26000 | Repeatability of whole-cornea measurements using an anterior segment imaging device based on OCT and Placido-disk. Expert Review of Medical Devices, 2017, 14, 169-175.   | 1.4 | 7         |
| 26001 | Software thresholds alter the bias of actigraphy for monitoring sleep in team-sport athletes. Journal of Science and Medicine in Sport, 2017, 20, 756-760.  | 0.6 | 37        |
| 26002 | Reliability of 3D upper limb motion analysis in children with obstetric brachial plexus palsy. Physiological Measurement, 2017, 38, 524-538.  | 1.2 | 6         |
| 26003 | Validation of a Standalone Smartphone Application for Measuring Heart Rate Using Imaging Photoplethysmography. Telemedicine Journal and E-Health, 2017, 23, 678-683.  | 1.6 | 32        |
| 26004 | Comparison of Three Methods of Rating Nasolabial Appearance in Cleft Lip and Palate. Cleft Palate-Craniofacial Journal, 2017, 54, 400-407.  | 0.5 | 10        |
| 26005 | $T_2$ relaxation mapping MRI of healthy and inflamed gingival tissue. Dentomaxillofacial Radiology, 2017, 46, 20160295.   | 1.3 | 5         |
| 26006 | A UPLC-MS/MS method for analysis of vancomycin in human cerebrospinal fluid and comparison with the chemiluminescence immunoassay. Biomedical Chromatography, 2017, 31, e3939.  | 0.8 | 10        |
| 26007 | Reproducibility and Precision of CT Scans to Evaluate Tibial Component Rotation. Journal of Arthroplasty, 2017, 32, 2552-2555.  | 1.5 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26008 | Are Automated Blood Pressure Monitors Comparable to Ambulatory Blood Pressure Monitors? A Systematic Review and Meta-analysis. <i>Canadian Journal of Cardiology</i> , 2017, 33, 644-652.  | 0.8 | 33        |
| 26009 | Dried Blood Spot sampling in psychiatry: Perspectives for improving therapeutic drug monitoring. <i>European Neuropsychopharmacology</i> , 2017, 27, 205-216.  | 0.3 | 27        |
| 26010 | Differences in knee adduction moment between healthy subjects and patients with osteoarthritis depend on the knee axis definition. <i>Gait and Posture</i> , 2017, 53, 104-109.  | 0.6 | 20        |
| 26011 | Clinical trials to compare two treatments. <i>Journal of Orthodontics</i> , 2017, 44, 59-61.   | 0.4 | 1         |
| 26012 | Assessment of maximal handgrip strength: how many attempts are needed?. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017, 8, 466-474.  | 2.9 | 103       |
| 26013 | Two-by-two cross-over study to evaluate agreement between versions of a quantitative coronary analysis system (QAngio XA). <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 779-787.   | 0.7 | 4         |
| 26014 | Agreement in Measurement of Optic Cup-to-Disc Ratio with Stereo Biomicroscope Funduscopy and Digital Image Analysis: Results from the Nigeria National Blindness and Visual Impairment Survey. <i>Ophthalmic Epidemiology</i> , 2017, 24, 57-62. | 0.8 | 3         |
| 26015 | Measuring subtle leakage of the blood-brain barrier in cerebrovascular disease with DCE-MRI: Test-retest reproducibility and its influencing factors. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 159-166.                          | 1.9 | 34        |
| 26016 | Validity and reliability of insomnia severity index and its correlation with pittsburgh sleep quality index in poor sleepers among Indian university students. <i>International Journal of Adolescent Medicine and Health</i> , 2017, 32, .      | 0.6 | 33        |
| 26017 | Wearable Sensors for Personal Monitoring and Estimation of Inhaled Traffic-Related Air Pollution: Evaluation of Methods. <i>Environmental Science &amp; Technology</i> , 2017, 51, 1859-1867.  | 4.6 | 80        |
| 26018 | Evaluation of Simple and Inexpensive High-Throughput Methods for Phytic Acid Determination. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2017, 94, 353-362.   | 0.8 | 9         |
| 26019 | Repeatability and interobserver reproducibility of a new optical biometer based on swept-source optical coherence tomography and comparison with IOLMaster. <i>British Journal of Ophthalmology</i> , 2017, 101, 493-498.                        | 2.1 | 69        |
| 26020 | Self-reported disability according to the International Classification of Functioning, Disability and Health Low Back Pain Core Set: Test-retest agreement and reliability. <i>Disability and Health Journal</i> , 2017, 10, 621-626.            | 1.6 | 12        |
| 26021 | Bioimpedance and Fluid Status in Children and Adolescents Treated With Dialysis. <i>American Journal of Kidney Diseases</i> , 2017, 69, 428-435.   | 2.1 | 41        |
| 26022 | A decomposition of the Bradley-Blackwood paired-samples omnibus test. <i>Communications in Statistics - Theory and Methods</i> , 2017, 46, 9892-9896.  | 0.6 | 2         |
| 26023 | Echocardiographic Versus Angiographic Assessment of Patent Arterial Duct in Percutaneous Closure: Towards X-ray Free Duct Occlusion?. <i>Pediatric Cardiology</i> , 2017, 38, 302-307.   | 0.6 | 2         |
| 26024 | A sensitive three monoclonal antibodies based automatic latex particle-enhanced turbidimetric immunoassay for Golgi protein 73 detection. <i>Scientific Reports</i> , 2017, 7, 40090.  | 1.6 | 6         |
| 26025 | Countering default mode in Teaching Statistics. <i>Teaching Statistics</i> , 2017, 39, 36-38.  | 0.6 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26026 | Non-invasive blood glucose detection system based on conservation of energy method. <i>Physiological Measurement</i> , 2017, 38, 325-342.  | 1.2 | 23        |
| 26027 | Does Extremely Low Birth Weight Predispose to Low-Renin Hypertension?. <i>Hypertension</i> , 2017, 69, 443-449.  | 1.3 | 27        |
| 26028 | Predicting conversion to glaucoma using standard automated perimetry and frequency doubling technology. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2017, 255, 797-803.  | 1.0 | 4         |
| 26029 | Performance of Predictive Equations Specifically Developed to Estimate Resting Energy Expenditure in Ventilated Critically Ill Children. <i>Journal of Pediatrics</i> , 2017, 184, 220-226.e5.   | 0.9 | 25        |
| 26030 | Concurrent validity and cross-validation of the Brunel Lifestyle Physical Activity Questionnaire. <i>Journal of Science and Medicine in Sport</i> , 2017, 20, 766-770.   | 0.6 | 7         |
| 26031 | Transcutaneous bilirubin measurement during phototherapy in term neonates. <i>Pediatrics International</i> , 2017, 59, 686-690.  | 0.2 | 8         |
| 26032 | Monitoring Noninvasive Ventilation in Patients with Obesity Hypoventilation Syndrome: Comparison between Ventilator Built-in Software and Respiratory Polygraphy. <i>Respiration</i> , 2017, 93, 162-169.  | 1.2 | 28        |
| 26033 | Chest physiotherapy can affect the lung clearance index in cystic fibrosis patients. <i>Pediatric Pulmonology</i> , 2017, 52, 625-631.   | 1.0 | 20        |
| 26034 | Evaluating the Consistency, Repeatability, and Reproducibility of Osteometric Data on Dry Bone Surfaces, Scanned Dry Bone Surfaces, and Scanned Bone Surfaces Obtained from Living Individuals. <i>Bulletins Et Memoires De La Societe D'Anthropologie De Paris</i> , 2017, 29, 33-53. | 0.0 | 13        |
| 26035 | Goldmann Applanation Tonometry versus Dynamic Contour Tonometry after Vitrectomy with Silicone Oil Endotamponade. <i>Current Eye Research</i> , 2017, 42, 1007-1012.   | 0.7 | 4         |
| 26036 | A novel two-dimensional correlation coefficient for assessing associations in time series data. <i>International Journal of Climatology</i> , 2017, 37, 4065-4076.   | 1.5 | 22        |
| 26037 | Assessment of human milk composition using mid-infrared analyzers requires calibration adjustment. <i>Journal of Perinatology</i> , 2017, 37, 552-557.   | 0.9 | 10        |
| 26038 | A composite photographic image "could it replace a lateral cephalogram?". <i>Journal of Orthodontics</i> , 2017, 44, 14-20.  | 0.4 | 0         |
| 26039 | Classification of hemodynamically significant stenoses from dynamic CT perfusion and CTA myocardial territories. <i>Medical Physics</i> , 2017, 44, 1347-1358.   | 1.6 | 4         |
| 26040 | Measuring core temperature using the proprietary application and thermo-smartphone adapter. <i>Journal of Clinical Monitoring and Computing</i> , 2017, 31, 1299-1304.   | 0.7 | 5         |
| 26041 | Validation and reliability of the translated Malay version of the psychosocial impact of dental aesthetics questionnaire for adolescents. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 23.   | 1.0 | 23        |
| 26042 | Test-Retest Reliability and Agreement Between In-Person and Video Assessment of Facial Mimetic Function Using the eFACE Facial Grading System. <i>JAMA Facial Plastic Surgery</i> , 2017, 19, 206-211.   | 2.2 | 49        |
| 26043 | Software de los dispositivos de servoventilaci3n adaptativa para la evaluaci3n de los episodios respiratorios residuales de pacientes con apneas centrales o complejas. <i>Archivos De Bronconeumologia</i> , 2017, 53, 455-457.   | 0.4 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26044 | Acute effect of coffee consumption on arterial stiffness, evaluated using an oscillometric method. <i>Artery Research</i> , 2017, 17, 16.   | 0.3 | 9         |
| 26045 | High Prevalence of Low Serum Biologically Active Testosterone in Older Male Veterans. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 366.e17-366.e24.   | 1.2 | 4         |
| 26046 | Semiparametric modeling and analysis of longitudinal method comparison data. <i>Statistics in Medicine</i> , 2017, 36, 2003-2015.   | 0.8 | 4         |
| 26047 | Serial changes in the three-dimensional aspect of the side-branch ostium jailed by a drug-eluting stent assessed by optical coherence tomography. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 797-806.   | 0.7 | 7         |
| 26048 | How Well Are Pulses Measured? Practice-Based Evidence from an Observational Study of Acutely Ill Medical Patients During Hospital Admission. <i>American Journal of Medicine</i> , 2017, 130, 863.e13-863.e16.  | 0.6 | 2         |
| 26049 | Reliability and Validity of a Self-paced Cardiopulmonary Exercise Test in Post-MI Patients. <i>International Journal of Sports Medicine</i> , 2017, 38, 300-306.  | 0.8 | 9         |
| 26050 | Estimation of Respiratory Pattern From Video Using Selective Ensemble Aggregation. <i>IEEE Transactions on Signal Processing</i> , 2017, 65, 2902-2916.   | 3.2 | 26        |
| 26051 | Quantifying Aortic Valve Calcification using Coronary Computed Tomography Angiography. <i>Journal of Cardiovascular Computed Tomography</i> , 2017, 11, 99-104.   | 0.7 | 24        |
| 26052 | Reference values for pulmonary diffusing capacity for adult native Finns. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017, 77, 135-142.   | 0.6 | 1         |
| 26053 | Capillary and Venous Lactate Agreement: a pilot prospective observational study. <i>Emergency Medicine Journal</i> , 2017, 34, 195-197.   | 0.4 | 5         |
| 26054 | The Reproducibility of Blood Acid Base Responses in Male Collegiate Athletes Following Individualised Doses of Sodium Bicarbonate: A Randomised Controlled Crossover Study. <i>Sports Medicine</i> , 2017, 47, 2117-2127.   | 3.1 | 33        |
| 26055 | Correlation of Technetium-99m Macroaggregated Albumin and Yttrium-90 Glass Microsphere Biodistribution in Hepatocellular Carcinoma: A Retrospective Review of Pretreatment Single Photon Emission CT and Posttreatment Positron Emission Tomography/CT. <i>Journal of Vascular and Interventional Radiology</i> , 2017, 28, 722-730.e1. | 0.2 | 76        |
| 26056 | Concordancia en pacientes con dolor crónico secundario a enfermedades pediátricas entre la autovaloración y las puntuaciones reportadas por sus padres. <i>Revista Española De Anestesiología Y Reanimación</i> , 2017, 64, 131-136.  | 0.1 | 6         |
| 26057 | Prediction of the true IOL position. <i>British Journal of Ophthalmology</i> , 2017, 101, 1440-1446.  | 2.1 | 30        |
| 26058 | Impact of Obesity on Orthodontic Tooth Movement in Adolescents: A Prospective Clinical Cohort Study. <i>Journal of Dental Research</i> , 2017, 96, 547-554.   | 2.5 | 52        |
| 26059 | Fluorescent adduct formation with terbium: a novel strategy for transferrin glycoform identification in human body fluids and carbohydrate-deficient transferrin HPLC method validation. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 1369-1378.  | 1.9 | 5         |
| 26060 | Fast left ventricle tracking using localized anatomical affine optical flow. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2017, 33, e2871.  | 1.0 | 20        |
| 26061 | Studies of instrument/method comparison, as part of validation for use in veterinary species. <i>Veterinary Clinical Pathology</i> , 2017, 46, 5-8.   | 0.3 | 6         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26062 | Repeatability of automated vessel density measurements using optical coherence tomography angiography. <i>British Journal of Ophthalmology</i> , 2017, 101, 449-452.  | 2.1 | 133       |
| 26063 | Comparison of 6-mercaptopurine with 6-thioguanine for the analysis of thiopurine methyltransferase activity in human erythrocyte by LC-MS/MS. <i>Biomedical Chromatography</i> , 2017, 31, e3959.   | 0.8 | 4         |
| 26064 | Comparison of eMAG <sup>®</sup> versus NucliSENS <sup>®</sup> EasyMAG <sup>®</sup> performance on clinical specimens. <i>Journal of Clinical Virology</i> , 2017, 88, 52-57.  | 1.6 | 6         |
| 26065 | Comparison of jugular and transverse facial venous sinus blood analytes in healthy and critically ill adult horses. <i>Journal of Veterinary Emergency and Critical Care</i> , 2017, 27, 198-205.   | 0.4 | 5         |
| 26066 | Increased and decreased pelvic incidence, sagittal facet joint orientations are associated with lumbar spine osteoarthritis in a large cadaveric collection. <i>International Orthopaedics</i> , 2017, 41, 1593-1600.                           | 0.9 | 17        |
| 26067 | Appropriateness of on-combine moisture measurement for the management of harvesting and postharvest operations and capacity planning in grain harvest. <i>Biosystems Engineering</i> , 2017, 156, 120-135.                                      | 1.9 | 17        |
| 26068 | Clinician-Reported Outcome Assessments of Treatment Benefit: Report of the ISPOR Clinical Outcome Assessment Emerging Good Practices Task Force. <i>Value in Health</i> , 2017, 20, 2-14.   | 0.1 | 109       |
| 26069 | Test-retest reliability of muscle fiber conduction velocity and fractal dimension of surface EMG during isometric contractions. <i>Physiological Measurement</i> , 2017, 38, 616-630.   | 1.2 | 17        |
| 26070 | Anaerobic Capacity estimated in A Single Supramaximal Test in Cycling: Validity and Reliability Analysis. <i>Scientific Reports</i> , 2017, 7, 42485.   | 1.6 | 24        |
| 26071 | Abdominal ultrasound-scanning versus non-contrast computed tomography as screening method for abdominal aortic aneurysm – a validation study from the randomized DANCAVAS study. <i>BMC Medical Imaging</i> , 2017, 17, 14.                     | 1.4 | 27        |
| 26072 | Reference values for and cross-validation of time to exhaustion on a modified Balke protocol in Norwegian men and women. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017, 27, 1248-1257.                                   | 1.3 | 13        |
| 26073 | Field-assisted paper spray mass spectrometry for therapeutic drug monitoring: 1. the case of imatinib in plasma. <i>Journal of Mass Spectrometry</i> , 2017, 52, 283-289.   | 0.7 | 4         |
| 26074 | Comparison of Axial Length, Corneal Curvature, and Anterior Chamber Depth Measurements of 2 Recently Introduced Devices to a Known Biometer. <i>American Journal of Ophthalmology</i> , 2017, 178, 58-64.                                       | 1.7 | 88        |
| 26075 | Relationship between native papillary muscle T1 time and severity of functional mitral regurgitation in patients with non-ischemic dilated cardiomyopathy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 79.                  | 1.6 | 11        |
| 26076 | Self-gated fetal cardiac MRI with tiny golden angle iGRASP: A feasibility study. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 207-217.  | 1.9 | 45        |
| 26077 | Framing of mobility items: a source of poor agreement between preference-based health-related quality of life instruments in a population of individuals receiving assisted ventilation. <i>Quality of Life Research</i> , 2017, 26, 1493-1505. | 1.5 | 3         |
| 26078 | The reproducibility and clinical utility of the 3D camera for measuring scar height, with a protocol for administration. <i>Skin Research and Technology</i> , 2017, 23, 463-470.   | 0.8 | 5         |
| 26079 | Choosing a new CD4 technology: Can statistical method comparison tools influence the decision?. <i>Cytometry Part B - Clinical Cytometry</i> , 2017, 92, 465-475.   | 0.7 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26080 | System specification and validation of a noseband pressure sensor for measurement of ruminating and eating behavior in stable-fed cows. <i>Computers and Electronics in Agriculture</i> , 2017, 136, 31-41.   | 3.7 | 104       |
| 26081 | Predicting the risk of parafoveal scotoma in myopic normal tension glaucoma: role of optic disc tilt and rotation. <i>Eye</i> , 2017, 31, 1051-1059.  | 1.1 | 14        |
| 26082 | Development of in vitro and in vivo rabies virus neutralization assays based on a high-titer pseudovirus system. <i>Scientific Reports</i> , 2017, 7, 42769.  | 1.6 | 50        |
| 26083 | Accurate 3-D Profile Extraction of Skull Bone Using an Ultrasound Matrix Array. <i>IEEE Transactions on Biomedical Engineering</i> , 2017, 64, 2858-2871.   | 2.5 | 4         |
| 26084 | Validity and test-retest reliability of a novel simple back extensor muscle strength test. <i>SAGE Open Medicine</i> , 2017, 5, 205031211668884.  | 0.7 | 38        |
| 26085 | Ultrahigh b-values MRI in normal human prostate: Initial research on reproducibility and age-related differences. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 801-812.   | 1.9 | 9         |
| 26086 | Black-blood native T <sub>1</sub> mapping: Blood signal suppression for reduced partial voluming in the myocardium. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 484-493.  | 1.9 | 12        |
| 26087 | Agreement between dietary intake of older adults and proxy respondents assessed by a food frequency questionnaire. <i>Journal of Nutrition, Health and Aging</i> , 2017, 21, 266-270.   | 1.5 | 2         |
| 26088 | An observational study of agreement between percentage pain reduction calculated from visual analog or numerical rating scales versus that reported by parturients during labor epidural analgesia. <i>International Journal of Obstetric Anesthesia</i> , 2017, 30, 39-43. | 0.2 | 9         |
| 26089 | Clinimetric properties of the pressure biofeedback unit method for estimating respiratory pressures. <i>Physiotherapy Theory and Practice</i> , 2017, 33, 345-351.  | 0.6 | 7         |
| 26090 | Computer-aided quantification of microvascular networks: Application to alterations due to pathological angiogenesis in the hamster. <i>Microvascular Research</i> , 2017, 112, 53-64.  | 1.1 | 5         |
| 26091 | The Player Load Associated With Typical Activities in Elite Netball. <i>International Journal of Sports Physiology and Performance</i> , 2017, 12, 1218-1223.   | 1.1 | 23        |
| 26092 | Classification of Physical Activity Cut-Points and the Estimation of Energy Expenditure During Walking Using the GT3X+ Accelerometer in Overweight and Obese Adults. <i>Measurement in Physical Education and Exercise Science</i> , 2017, 21, 127-133.                     | 1.3 | 9         |
| 26093 | Automatic Measurement of Spine Curvature on 3-D Ultrasound Volume Projection Image With Phase Features. <i>IEEE Transactions on Medical Imaging</i> , 2017, 36, 1250-1262.  | 5.4 | 52        |
| 26094 | Accuracy Assessment of an Improved Version of an Established Blood Glucose Monitoring System for Self-Testing Following ISO 15197:2013. <i>Journal of Diabetes Science and Technology</i> , 2017, 11, 851-853.  | 1.3 | 1         |
| 26095 | Development of an instrument to assess social functioning in dementia: The Social Functioning in Dementia scale (SF&EDEM). <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017, 7, 88-98.  | 1.2 | 18        |
| 26096 | Immediate increase of cardiac output after percutaneous mitral valve repair (PMVR) determined by echocardiographic and invasive parameters. <i>International Journal of Cardiology</i> , 2017, 236, 356-362.  | 0.8 | 12        |
| 26097 | Computer-Based Algorithmic Determination of Muscle Movement Onset Using M-Mode Ultrasonography. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 1070-1075.  | 0.7 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26098 | A magnetic nanoparticle-labeled immunoassay with europium and samarium for simultaneous quantification of serum pepsinogen I and II. <i>British Journal of Biomedical Science</i> , 2017, 74, 127-132.                     | 1.2 | 3         |
| 26099 | Quantitative ultrasound molecular imaging by modeling the binding kinetics of targeted contrast agent. <i>Physics in Medicine and Biology</i> , 2017, 62, 2449-2464.   | 1.6 | 19        |
| 26100 | Applicability of contrast-enhanced ultrasound in the diagnosis of plantar fasciitis. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017, 27, 2048-2058.  | 1.3 | 9         |
| 26101 | Energy expenditure in the immediate postpartum period: Indirect calorimetry versus predictive equations. <i>Nutrition</i> , 2017, 39-40, 36-42.  | 1.1 | 4         |
| 26102 | Accelerometer use in young people with Down syndrome: A preliminary cross-validation and reliability study. <i>Journal of Intellectual and Developmental Disability</i> , 2017, 42, 339-350.                               | 1.1 | 2         |
| 26103 | EFFECTS OF LIVE-TRAPPING AND ISOFLURANE ANESTHESIA ON FREE-RANGING AMERICAN MARTENS (MARTES TIGRIS) IN THE GREAT PLAINS. <i>Journal of Wildlife Management</i> , 2017, 81, 1078-1084.                                      | 0.3 | 4         |
| 26104 | A simple but reliable method for measuring 3D Achilles tendon moment arm geometry from a single, static magnetic resonance scan. <i>Journal of Biomechanics</i> , 2017, 55, 134-138.                                       | 0.9 | 11        |
| 26105 | Patient Self-Assessed Passive Range of Motion of the Knee Cannot Replace Health Professional Measurements. <i>Journal of Knee Surgery</i> , 2017, 30, 829-834.   | 0.9 | 1         |
| 26106 | Accuracy Evaluation of Four Blood Glucose Monitoring Systems in the Hands of Intended Users and Trained Personnel Based on ISO 15197 Requirements. <i>Diabetes Technology and Therapeutics</i> , 2017, 19, 246-254.        | 2.4 | 16        |
| 26107 | Repeatability of ectopic beats from 48-hr ambulatory electrocardiography: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Annals of Noninvasive Electrocardiology</i> , 2017, 22, .                               | 0.5 | 7         |
| 26108 | Development and Characterization of a Wireless Mouse-Based Spirometer. <i>IEEE Sensors Journal</i> , 2017, 17, 2065-2073.  | 2.4 | 7         |
| 26109 | Implications of Blood Pressure Measurement Technique for Implementation of Systolic Blood Pressure Intervention Trial (SPRINT). <i>Journal of the American Heart Association</i> , 2017, 6, .                              | 1.6 | 104       |
| 26110 | Minimising instilled volume reduces the impact of fluorescein on clinical measurements of tear film stability. <i>Contact Lens and Anterior Eye</i> , 2017, 40, 170-174.   | 0.8 | 48        |
| 26111 | Prediction and evaluation of resting energy expenditure in a large group of obese outpatients. <i>International Journal of Obesity</i> , 2017, 41, 697-705.  | 1.6 | 35        |
| 26112 | Agreement of patient-measured intraocular pressure using rebound tonometry with Goldmann applanation tonometry (GAT) in glaucoma patients. <i>Scientific Reports</i> , 2017, 7, 42067.                                     | 1.6 | 17        |
| 26113 | Agreement between child self-reported and parent-reported scores for chronic pain secondary to specific pediatric diseases. <i>Revista Española De Anestesiología Y Reanimación (English Edition)</i> , 2017, 64, 131-136. | 0.1 | 2         |
| 26114 | Real-Time 3-Dimensional Echocardiographic Assessment of Effective Regurgitant Orifice Area in Dogs With Myxomatous Mitral Valve Disease. <i>Journal of Veterinary Internal Medicine</i> , 2017, 31, 303-310.               | 0.6 | 15        |
| 26115 | Field comparison of instruments for exposure assessment of airborne ultrafine particles and particulate matter. <i>Atmospheric Environment</i> , 2017, 154, 274-284.   | 1.9 | 33        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26116 | Autodisplay of the La/SSB protein on LPS-free E. coli for the diagnosis of Sjögren's syndrome. <i>Enzyme and Microbial Technology</i> , 2017, 100, 1-10.  | 1.6 | 9         |
| 26117 | Assessment of a 3-Dimensional Computerised psoriasis area and severity index (<scp>PASI</scp>) Tool for calculating and documenting <scp>PASI</scp> scores. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e352-e353.                        | 1.3 | 4         |
| 26118 | Hemoglobin screening in blood donors: a prospective study assessing the value of an invasive and a noninvasive point-of-care device for donor safety. <i>Transfusion</i> , 2017, 57, 938-945.   | 0.8 | 8         |
| 26119 | Comprehensive assessments of long-term sleep habits in epidemiological study: Validity and reliability of sleep factors questionnaire (SFQ) among Chinese women. <i>Journal of Psychosomatic Research</i> , 2017, 95, 12-18.  | 1.2 | 4         |
| 26120 | Real-time SPARSE-SENSE cine MR imaging in atrial fibrillation: a feasibility study. <i>Acta Radiologica</i> , 2017, 58, 922-928.  | 0.5 | 15        |
| 26121 | Assessment of myocardial injury after reperfused infarction by T1 $\rho$ -cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 19, 17.  | 1.6 | 24        |
| 26122 | Platelet function testing in cardiac surgery: A comparative study of electrical impedance aggregometry and thromboelastography. <i>Platelets</i> , 2017, 28, 550-554.   | 1.1 | 12        |
| 26123 | Reference-Free Adjustment of Respiratory Inductance Plethysmography for Measurements during Physical Exercise. <i>IEEE Transactions on Biomedical Engineering</i> , 2017, 64, 2836-2846.  | 2.5 | 5         |
| 26124 | Common Carotid Artery Diameter, Blood Flow Velocity and Wave Intensity Responses at Rest and during Exercise in Young Healthy Humans: A Reproducibility Study. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 943-957.   | 0.7 | 26        |
| 26125 | Validation and comparison of shank and lumbar-worn IMUs for step time estimation. <i>Biomedizinische Technik</i> , 2017, 62, 537-545.   | 0.9 | 3         |
| 26126 | Usefulness of the Continuous-Wave Doppler-Derived Pulmonary Arterial "Right Ventricular Pressure Gradient Just before Atrial Contraction for the Estimation of Pulmonary Arterial Diastolic and Wedge Pressures. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 958-966. | 0.7 | 2         |
| 26127 | Evaluation of radiographic fracture position 1 year after variable angle locking volar distal radius plating: a prospective multicentre case series. <i>Journal of Hand Surgery: European Volume</i> , 2017, 42, 493-500.   | 0.5 | 12        |
| 26128 | Short-Term Effect of Autogenic Drainage on Ventilation Inhomogeneity in Adult Subjects With Stable Non-Cystic Fibrosis Bronchiectasis. <i>Respiratory Care</i> , 2017, 62, 524-531.   | 0.8 | 14        |
| 26129 | Amide proton transfer imaging of brain tumors using a self-corrected 3D fast spin-echo dixon method: Comparison With separate B <sub>0</sub> correction. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 2272-2279.   | 1.9 | 68        |
| 26130 | The importance of electrode position in visual electrophysiology. <i>Documenta Ophthalmologica</i> , 2017, 134, 129-134.  | 1.0 | 16        |
| 26131 | Minimum number of days required for a reliable estimate of daily step count and energy expenditure, in people with MS who walk unaided. <i>Gait and Posture</i> , 2017, 53, 201-206.  | 0.6 | 17        |
| 26132 | Development of high throughput LC/MS/MS method for analysis of perfluorooctanoic acid from serum, suitable for large-scale human biomonitoring. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017, 1049-1050, 24-29.       | 1.2 | 8         |
| 26133 | Static and Dynamic Handgrip Strength Endurance: Test-Retest Reproducibility. <i>Journal of Hand Surgery</i> , 2017, 42, e175-e184.  | 0.7 | 27        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26134 | Accuracy diagrams: a novel way to illustrate uncertainty of estimated GFR. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017, 77, 199-204.  | 0.6 | 8         |
| 26135 | Evaluation of a Chemiluminescent Immunoassay for Measurement of Equine Insulin. <i>Journal of Veterinary Internal Medicine</i> , 2017, 31, 568-574.   | 0.6 | 36        |
| 26136 | Estimating the weight of ethnically diverse children attending an Australian emergency department: a prospective, blinded, comparison of age-based and length-based tools including Mercy, PAWPER and Broselow. <i>Archives of Disease in Childhood</i> , 2017, 102, 46-52. | 1.0 | 17        |
| 26137 | Multimaterial Decomposition Algorithm for the Quantification of Liver Fat Content by Using Fast-Kilovolt-Peak Switching Dual-Energy CT: Clinical Evaluation. <i>Radiology</i> , 2017, 283, 108-118.   | 3.6 | 78        |
| 26138 | Isometric endurance test of the cervical flexor muscles – Reliability and normative reference values. <i>Journal of Bodywork and Movement Therapies</i> , 2017, 21, 637-641.  | 0.5 | 7         |
| 26139 | Valproate Protein Binding Is Highly Variable in ICU Patients and Not Predicted by Total Serum Concentrations: A Case Series and Literature Review. <i>Pharmacotherapy</i> , 2017, 37, 500-508.  | 1.2 | 30        |
| 26140 | Presence of rotational errors in long leg radiographs after total knee arthroplasty and impact on measured lower limb and component alignment. <i>International Orthopaedics</i> , 2017, 41, 1553-1560.   | 0.9 | 36        |
| 26141 | Does pre-operative magnetic resonance imaging of the lumbar multifidus muscle predict clinical outcomes following lumbar spinal decompression for symptomatic spinal stenosis?. <i>European Spine Journal</i> , 2017, 26, 2589-2597.  | 1.0 | 52        |
| 26142 | Reference ranges for cardiac structure and function using cardiovascular magnetic resonance (CMR) in Caucasians from the UK Biobank population cohort. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2017, 19, 18.  | 1.6 | 391       |
| 26143 | Influence of 2nd-degree AV blocks, ECG recording length, and recording time on heart rate variability analyses in horses. <i>Journal of Veterinary Cardiology</i> , 2017, 19, 160-174.  | 0.3 | 20        |
| 26144 | Recording the human brainstem frequency-following-response in the free-field. <i>Journal of Neuroscience Methods</i> , 2017, 280, 47-53.  | 1.3 | 8         |
| 26145 | 2-D and 3-D Ultrasound for Tumor Volume Analysis: A Prospective Study. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 775-781.   | 0.7 | 1         |
| 26146 | Evaluation of radioisotopic and non-radioisotopic versions of local lymph node assays for subcategorization of skin sensitizers compliant to UN GHS rev 4. <i>Regulatory Toxicology and Pharmacology</i> , 2017, 85, 124-131.   | 1.3 | 6         |
| 26147 | Use of the oral sugar test in ponies when performed with or without prior fasting. <i>Equine Veterinary Journal</i> , 2017, 49, 519-524.  | 0.9 | 30        |
| 26148 | Usefulness of Cardiac Magnetic Resonance Imaging to Measure Left Ventricular Wall Thickness for Determining Risk Scores for Sudden Cardiac Death in Patients With Hypertrophic Cardiomyopathy. <i>American Journal of Cardiology</i> , 2017, 119, 1450-1455.                | 0.7 | 14        |
| 26149 | Comparing intake estimations based on food composition data with chemical analysis in Malian women. <i>Public Health Nutrition</i> , 2017, 20, 1351-1361.   | 1.1 | 5         |
| 26150 | Urinary iodine: comparison of a simple method for its determination in microplates with measurement by inductively-coupled plasma mass spectrometry. <i>Scientific Reports</i> , 2017, 7, 39835.  | 1.6 | 20        |
| 26151 | Apical left ventricular myocardial dysfunction is an early feature of cardiac involvement in myotonic dystrophy type 1. <i>Echocardiography</i> , 2017, 34, 184-190.  | 0.3 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26152 | Graph-based segmentation of abnormal nuclei in cervical cytology. <i>Computerized Medical Imaging and Graphics</i> , 2017, 56, 38-48.  | 3.5 | 41        |
| 26153 | Evaluation of the accuracy of common weight estimation formulae in a Zambian paediatric surgical population. <i>Anaesthesia</i> , 2017, 72, 470-478.   | 1.8 | 12        |
| 26154 | Isokinetic Dynamometry and 1RM Tests Produce Conflicting Results for Assessing Alterations in Muscle Strength. <i>Journal of Human Kinetics</i> , 2017, 56, 19-27.   | 0.7 | 36        |
| 26155 | Evaluating Upper-Body Strength and Power From a Single Test: The Ballistic Push-up. <i>Journal of Strength and Conditioning Research</i> , 2017, 31, 1338-1345.  | 1.0 | 30        |
| 26156 | Lung volume reproducibility under ABC control and self-sustained breath-holding. <i>Journal of Applied Clinical Medical Physics</i> , 2017, 18, 154-162.   | 0.8 | 15        |
| 26157 | Evaluation of a commercially available radioimmunoassay and enzyme immunoassay for the analysis of progesterone and estradiol and the comparison of two extraction efficiency methods. <i>Domestic Animal Endocrinology</i> , 2017, 60, 61-66. | 0.8 | 22        |
| 26158 | A comparison of cup-to-disc ratio estimates by fundus biomicroscopy and stereoscopic optic disc photography in the Tema Eye Survey. <i>Eye</i> , 2017, 31, 1184-1190.  | 1.1 | 5         |
| 26159 | Alveolar Molding Effect in Infants With Unilateral Cleft Lip and Palate. <i>Journal of Craniofacial Surgery</i> , 2017, 28, e333-e337.   | 0.3 | 5         |
| 26160 | Blood perfusion in osteomyelitis studied with [15O]water PET in a juvenile porcine model. <i>EJNMMI Research</i> , 2017, 7, 4.   | 1.1 | 21        |
| 26161 | Determining the Orientation of Directional Deep Brain Stimulation Electrodes Using 3D Rotational Fluoroscopy. <i>American Journal of Neuroradiology</i> , 2017, 38, 1111-1116.   | 1.2 | 57        |
| 26162 | The physiological demand of pulling a rescue sled across the mud and the impact experience has on this task. <i>Work</i> , 2017, 56, 239-245.  | 0.6 | 11        |
| 26163 | Temporal Artery Temperature Measurement in the Neonate. <i>American Journal of Perinatology</i> , 2017, 34, 1026-1031.   | 0.6 | 2         |
| 26164 | The association between wedging of the aorta and cardiac structural anatomy as revealed using multidetector row computed tomography. <i>Journal of Anatomy</i> , 2017, 231, 110-120.   | 0.9 | 17        |
| 26165 | The learning curve to achieve satisfactory completion rates in upper GI endoscopy: an analysis of a national training database. <i>Gut</i> , 2017, 66, 1022-1033.  | 6.1 | 58        |
| 26166 | Measurement of the distribution of ventilation-perfusion ratios in the human lung with proton MRI: comparison with the multiple inert-gas elimination technique. <i>Journal of Applied Physiology</i> , 2017, 123, 136-146.                    | 1.2 | 20        |
| 26167 | Clinical Relevance of Differences in Glomerular Filtration Rate Estimations in Frail Older People by Creatinine- vs. Cystatin C-Based Formulae. <i>Drugs and Aging</i> , 2017, 34, 445-452.  | 1.3 | 8         |
| 26168 | A Head-to-Head Comparison of UK SF-6D and Thai and UK EQ-5D-5L Value Sets in Thai Patients with Chronic Diseases. <i>Applied Health Economics and Health Policy</i> , 2017, 15, 669-679.   | 1.0 | 16        |
| 26169 | Wavelet-based embedded algorithm for respiratory rate estimation from PPG signal. <i>Biomedical Signal Processing and Control</i> , 2017, 36, 138-145.   | 3.5 | 33        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26170 | New liquid chromatography-tandem mass spectrometry method for routine TDM of vancomycin in patients with both normal and impaired renal functions and comparison with results of polarization fluoroimmunoassay in light of varying creatinine concentrations. <i>Clinica Chimica Acta</i> , 2017, 469, 136-143. | 0.5 | 33        |
| 26171 | Reliability in cerebellar size assessment by 2D cranial ultrasonography in neonates. <i>European Journal of Paediatric Neurology</i> , 2017, 21, 610-613.  | 0.7 | 4         |
| 26172 | Validation of an ambient measurement system (AMS) for walking speed. <i>Journal of Medical Engineering and Technology</i> , 2017, 41, 362-374.   | 0.8 | 7         |
| 26173 | Validity of the Jump-and-Reach Test in Subelite Adolescent Handball Players. <i>Journal of Strength and Conditioning Research</i> , 2017, 31, 1282-1289.   | 1.0 | 10        |
| 26174 | Validation of a free software for unsupervised assessment of abdominal fat in MRI. <i>Physica Medica</i> , 2017, 37, 24-31.  | 0.4 | 12        |
| 26175 | Ultrasound Monitoring in ART Have We Made Any Progress?. , 0, , 86-97.   |     | 0         |
| 26176 | The contribution of alliaceous and cruciferous vegetables to dietary sulphur intake. <i>Food Chemistry</i> , 2017, 234, 38-45.   | 4.2 | 28        |
| 26177 | Hepatitis C virus core antigen: A potential alternative to HCV RNA testing among persons with substance use disorders. <i>Journal of Substance Abuse Treatment</i> , 2017, 78, 37-42.  | 1.5 | 8         |
| 26178 | The computed tomography-based fractal analysis of trabecular bone structure may help in detecting decreased quality of bone before urgent spinal procedures. <i>Spine Journal</i> , 2017, 17, 1156-1162.   | 0.6 | 9         |
| 26179 | Reliability of Measuring Lower-Limb-Muscle Electromyography Activity Ratio in Activities of Daily Living With Electrodes Embedded in the Clothing. <i>Journal of Sport Rehabilitation</i> , 2017, 26, .  | 0.4 | 9         |
| 26180 | Psychometric Properties of the Numerical Rating Scale to Assess Self-Reported Pain Intensity in Children and Adolescents. <i>Clinical Journal of Pain</i> , 2017, 33, 376-383.   | 0.8 | 215       |
| 26181 | Intraocular Pressure Measurements After Descemet Membrane Endothelial Keratoplasty. <i>Journal of Glaucoma</i> , 2017, 26, 258-265.  | 0.8 | 15        |
| 26182 | Automatic image quality assessment and measurement of fetal head in two-dimensional ultrasound image. <i>Journal of Medical Imaging</i> , 2017, 4, 024001.   | 0.8 | 24        |
| 26183 | Validity of the Elite HRV Smartphone Application for Examining Heart Rate Variability in a Field-Based Setting. <i>Journal of Strength and Conditioning Research</i> , 2017, 31, 2296-2302.  | 1.0 | 106       |
| 26184 | Non-gated high-pitch computed tomography aortic angiography: Myocardial perfusion defects in patients with suspected aortic dissection. <i>Journal of Cardiovascular Computed Tomography</i> , 2017, 11, 208-212.  | 0.7 | 4         |
| 26185 | Use of a Visual Aid in addition to a Collector Bag to Evaluate Postpartum Blood loss: A Prospective Simulation Study. <i>Scientific Reports</i> , 2017, 7, 46333.  | 1.6 | 13        |
| 26186 | Evaluation of the precision of contrast sensitivity function assessment on a tablet device. <i>Scientific Reports</i> , 2017, 7, 46706.  | 1.6 | 27        |
| 26187 | Physical activity among children: objective measurements using Fitbit One® and ActiGraph. <i>BMC Research Notes</i> , 2017, 10, 161.   | 0.6 | 40        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26188 | Comparison of Bioimpedance and Underwater Weighing Body Fat Percentage Before and Acutely After Exercise at Varying Intensities. <i>Journal of Strength and Conditioning Research</i> , 2017, 31, 1395-1402.                                | 1.0 | 12        |
| 26189 | Development and Preliminary Psychometrics of the Exercise Therapy Burden Questionnaire for Patients With Chronic Conditions. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 2188-2195.e6.                              | 0.5 | 10        |
| 26190 | Influence of patient rotational malpositioning on pelvic parameters assessed on lateral radiographs. <i>Clinical Radiology</i> , 2017, 72, 794.e11-794.e17.   | 0.5 | 2         |
| 26191 | Estimation of stature from femur length measured using computed tomography after the analysis of three-dimensional characteristics of femur bone in Korean cadavers. <i>International Journal of Legal Medicine</i> , 2017, 131, 1355-1362. | 1.2 | 16        |
| 26192 | Gravity Compensation Method for Combined Accelerometer and Gyro Sensors Used in Cardiac Motion Measurements. <i>Annals of Biomedical Engineering</i> , 2017, 45, 1292-1304.   | 1.3 | 8         |
| 26193 | Development and Validation of an Algorithm to Accurately Identify Atopic Eczema Patients in Primary Care Electronic Health Records from the UK. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1655-1662.                         | 0.3 | 67        |
| 26194 | Comparison of an electronic versus traditional food diary for assessing dietary intake—A validation study. <i>Obesity Research and Clinical Practice</i> , 2017, 11, 647-654.   | 0.8 | 17        |
| 26195 | The effects of iterative reconstruction in CT on low-contrast liver lesion volumetry: a phantom study. <i>Proceedings of SPIE</i> , 2017, , .   | 0.8 | 1         |
| 26196 | The Use of a Software-Assisted Method to Estimate Fetal Weight at and Near Term Using Magnetic Resonance Imaging. <i>Fetal Diagnosis and Therapy</i> , 2017, 41, 307-313.   | 0.6 | 17        |
| 26197 | Comparison of Diagnostic Accuracy for the Low-Grade Imperforate Anus Between Prone Cross-Table Radiography and Sonography. <i>Journal of Ultrasound in Medicine</i> , 2017, 36, 1679-1686.  | 0.8 | 9         |
| 26198 | A time-frequency domain approach of heart rate estimation from photoplethysmographic (PPG) signal. <i>Biomedical Signal Processing and Control</i> , 2017, 36, 146-154.   | 3.5 | 44        |
| 26199 | Predicting skeletal muscle mass from dual-energy X-ray absorptiometry in Japanese prepubertal children. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 1218-1222.  | 1.3 | 8         |
| 26200 | Aortic arch mechanics measured with two-dimensional speckle tracking echocardiography. <i>Journal of Hypertension</i> , 2017, 35, 1402-1410.  | 0.3 | 6         |
| 26201 | Cardiac Output Assessment in Patients Supported with Left Ventricular Assist Device: Discordance Between Thermodilution and Indirect Fick Cardiac Output Measurements. <i>ASAIO Journal</i> , 2017, 63, 433-437.                            | 0.9 | 12        |
| 26202 | Considering 3D topography of endothelial folds to improve cell count of organ cultured corneas. <i>Cell and Tissue Banking</i> , 2017, 18, 185-191.   | 0.5 | 6         |
| 26203 | An evaluation of wearable sensors and their placements for analyzing construction worker's trunk posture in laboratory conditions. <i>Applied Ergonomics</i> , 2017, 65, 424-436.   | 1.7 | 48        |
| 26204 | A novel fontanelle probe for sensing oxygen saturation in the neonate. <i>Biomedical Physics and Engineering Express</i> , 2017, 3, 015023.   | 0.6 | 3         |
| 26205 | Magnetic Resonance Imaging Versus 3-Dimensional Laser Scanning for Breast Volume Assessment After Breast Reconstruction. <i>Annals of Plastic Surgery</i> , 2017, 78, 455-459.  | 0.5 | 20        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26206 | American Orthopaedic Foot and Ankle Society (AOFAS) Ankle-Hindfoot Score: a study protocol for the translation and validation of the Dutch language version. <i>BMJ Open</i> , 2017, 7, e012884.  | 0.8 | 50        |
| 26207 | Quantification of whole-body and segmental skeletal muscle mass using phase-sensitive 8-electrode medical bioelectrical impedance devices. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 1061-1067.   | 1.3 | 144       |
| 26208 | Early Systolic Dysfunction Following Traumatic Brain Injury: A Cohort Study. <i>Critical Care Medicine</i> , 2017, 45, 1028-1036.   | 0.4 | 44        |
| 26209 | Does Respiratory Variation in Inferior Vena Cava Diameter Predict Fluid Responsiveness. <i>Shock</i> , 2017, 47, 550-559.   | 1.0 | 139       |
| 26210 | Reproducibility of Lobar Perfusion and Ventilation Quantification Using SPECT/CT Segmentation Software in Lung Cancer Patients. <i>Journal of Nuclear Medicine Technology</i> , 2017, 45, 185-192.  | 0.4 | 12        |
| 26211 | Comparison of Two Different Segmentation Methods on Planar Lung Perfusion Scan with Reference to Quantitative Value on SPECT/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2017, 51, 161-168.   | 0.6 | 10        |
| 26212 | Total hip arthroplasty for patients with Crowe type IV developmental dysplasia of the hip: Ten years results. <i>International Journal of Surgery</i> , 2017, 42, 17-21.  | 1.1 | 42        |
| 26213 | Interrater and Test-Retest Reliability of the Beery Visual-Motor Integration in Schoolchildren. <i>Optometry and Vision Science</i> , 2017, 94, 598-605.  | 0.6 | 15        |
| 26214 | Relationship Between the Lateral Center-Edge Angle and 3-Dimensional Acetabular Coverage. <i>Orthopaedic Journal of Sports Medicine</i> , 2017, 5, 232596711770058.   | 0.8 | 40        |
| 26215 | Cohort study shows that peripheral dual-energy X-ray absorptiometry is of limited epidemiologic use in prepubertal children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 1336-1340.  | 0.7 | 1         |
| 26216 | Impact of different storage times at room temperature of unspun citrated blood samples on routine coagulation tests results. Results of a bicenter study and review of the literature. <i>International Journal of Laboratory Hematology</i> , 2017, 39, 458-468. | 0.7 | 21        |
| 26217 | Is questionnaire-based sitting time inaccurate and can it be improved? A cross-sectional investigation using accelerometer-based sitting time. <i>BMJ Open</i> , 2017, 7, e013251.  | 0.8 | 37        |
| 26218 | Intra- and Inter-Rater Agreement of Anterior Lamina Cribrosa Depth Measurements Using Enhanced-Depth Imaging Optical Coherence Tomography. <i>Ophthalmic Research</i> , 2017, 57, 92-99.  | 1.0 | 2         |
| 26219 | Echo Particle Image Velocimetry for Estimation of Carotid Artery Wall Shear Stress: Repeatability, Reproducibility and Comparison with Phase-Contrast Magnetic Resonance Imaging. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 1618-1627.                | 0.7 | 16        |
| 26220 | Characterization of the analytic performance of an electrochemical point-of-care meter for measuring $\beta$ -hydroxybutyrate concentration in blood and plasma from periparturient dairy cattle. <i>Veterinary Clinical Pathology</i> , 2017, 46, 314-325.       | 0.3 | 12        |
| 26221 | Assessing the Agreement Between Radiologic and Clinical Measurements of Lumbar and Cervical Epidural Depths in Patients Undergoing Prone Interlaminar Epidural Steroid Injection. <i>Anesthesia and Analgesia</i> , 2017, 124, 1678-1685.                         | 1.1 | 6         |
| 26222 | A comparison of three methods of measuring tibial torsion in children with myelomeningocele and normally developing children. <i>Clinical Anatomy</i> , 2017, 30, 1043-1048.  | 1.5 | 14        |
| 26223 | Accuracy of Blood Loss Measurement during Cesarean Delivery. <i>AJP Reports</i> , 2017, 07, e93-e100.   | 0.4 | 40        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26224 | Prediction of Overuse Injuries in Professional U18-U21 Footballers Using Metrics of Training Distance and Intensity. <i>Journal of Strength and Conditioning Research</i> , 2017, 31, 3067-3076.  | 1.0 | 39        |
| 26225 | Reliability of echocardiographic speckle-tracking derived bi-atrial strain assessment under different hemodynamic conditions. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 1685-1692.                                       | 0.7 | 10        |
| 26226 | Repeatability of topographic corneal thickness in keratoconus comparing Visante <sup>®</sup> OCT and Oculus Pentacam HR <sup>®</sup> topographer. <i>Contact Lens and Anterior Eye</i> , 2017, 40, 217-223.                                       | 0.8 | 10        |
| 26227 | Bi-dimensional variational mode decomposition of laser speckle contrast imaging data: A clinical approach to critical limb ischemia?. <i>Computers in Biology and Medicine</i> , 2017, 86, 107-112.   | 3.9 | 9         |
| 26228 | Validation of the Nexfin <sup>®</sup> non-invasive continuous blood pressure monitoring validated against Riva-Rocci/Korotkoff in a bariatric patient population. <i>Journal of Clinical Anesthesia</i> , 2017, 39, 89-95.                        | 0.7 | 7         |
| 26229 | Recognition and Treatment of Sleep-Disordered Breathing in Obese Hospitalized Patients May Improve Survival. The HoSMed Database. <i>American Journal of Medicine</i> , 2017, 130, 1184-1191.   | 0.6 | 20        |
| 26230 | Sedentary behaviour patterns in outpatients with severe mental illness: a cross-sectional study using objective and self-reported methods. The PsychiActive project. <i>Psychiatry Research</i> , 2017, 255, 146-152.                             | 1.7 | 11        |
| 26231 | Comparison of two-dimensional and three-dimensional echocardiographic strain in children with CHD. <i>Cardiology in the Young</i> , 2017, 27, 1557-1565.  | 0.4 | 4         |
| 26232 | Fast, accurate and easy-to-teach QT interval assessment: The triplicate concatenation method. <i>Archives of Cardiovascular Diseases</i> , 2017, 110, 475-481.  | 0.7 | 10        |
| 26233 | Visual assessment of breast density using Visual Analogue Scales: observer variability, reader attributes and reading time. , 2017, , .   |     | 3         |
| 26234 | Determination of renal function and injury using near-infrared fluorimetry in experimental cardiorenal syndrome. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 312, F629-F639.   | 1.3 | 19        |
| 26235 | Reliability and accuracy of three imaging software packages used for 3D analysis of the upper airway on cone beam computed tomography images. <i>Dentomaxillofacial Radiology</i> , 2017, 46, 20170043.   | 1.3 | 24        |
| 26236 | Comparison of 2-D Shear Wave Elastography and Transient Elastography for Assessing Liver Fibrosis in Chronic Hepatitis B. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 1563-1570.  | 0.7 | 55        |
| 26237 | Preece-Baines Model 1 to Estimate Height and Knee Height Growth in Boys and Girls From Merida, Mexico. <i>Food and Nutrition Bulletin</i> , 2017, 38, 182-195.  | 0.5 | 14        |
| 26238 | Pubertal Timing and Cardiometabolic Markers at Age 16 Years. <i>Journal of Pediatrics</i> , 2017, 187, 158-164.   | 0.9 | 16        |
| 26239 | Estimaci3n del filtrado glomerular en personas mayores de 85 a±os: comparaci3n de las ecuaciones CKD-EPI, MDRD-IDMS y BIS1. <i>Nefrología</i> , 2017, 37, 172-180.  | 0.2 | 7         |
| 26240 | Validity of Postexercise Measurements to Estimate Peak VO2 in 200-m and 400-m Maximal Swims. <i>International Journal of Sports Medicine</i> , 2017, 38, 426-438.   | 0.8 | 9         |
| 26241 | Enhanced CO <sub>2</sub> uptake at a shallow Arctic Ocean seep field overwhelms the positive warming potential of emitted methane. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 5355-5360. | 3.3 | 47        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26242 | Agreement of tricuspid annular systolic excursion measurement between transthoracic and transesophageal echocardiography in the perioperative setting. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 1385-1394. | 0.7 | 21        |
| 26243 | Sensitive and non-invasive assessment of hepatocellular iron using a novel room-temperature susceptometer. <i>Journal of Hepatology</i> , 2017, 67, 535-542.   | 1.8 | 13        |
| 26244 | Comparison of new adiposity indices for the prediction of body fat in hospitalized patients. <i>Nutrition</i> , 2017, 42, 99-105.  | 1.1 | 3         |
| 26245 | Measuring <sup>15</sup> N Abundance and Concentration of Aqueous Nitrate, Nitrite, and Ammonium by Membrane Inlet Quadrupole Mass Spectrometry. <i>Analytical Chemistry</i> , 2017, 89, 6076-6081.                                   | 3.2 | 21        |
| 26246 | Validity and reliability of fluoroscopy for digital radiography: a new way to evaluate diaphragmatic mobility. <i>BMC Pulmonary Medicine</i> , 2017, 17, 62.   | 0.8 | 11        |
| 26247 | A Novel Protocol for Planning and Navigation in Craniofacial Surgery: A Preclinical Surgical Study. <i>Journal of Oral and Maxillofacial Surgery</i> , 2017, 75, 1971-1979.  | 0.5 | 12        |
| 26248 | Disagreement in middle ear volume estimation between tympanometry and three-dimensional volume reconstruction in the context of tympanic membrane perforation. <i>Journal of Otology</i> , 2017, 12, 74-79.                          | 0.4 | 5         |
| 26249 | Validity of the activPAL3 activity monitor in people moderately affected by Multiple Sclerosis. <i>Medical Engineering and Physics</i> , 2017, 45, 78-82.  | 0.8 | 19        |
| 26250 | Intra-rater and inter-rater reliability of the standardized ultrasound protocol for assessing subacromial structures. <i>Physiotherapy Theory and Practice</i> , 2017, 33, 398-409.  | 0.6 | 24        |
| 26251 | Editorial Commentary: "A Brush Too Broad" (Validation, Global Rating Scales, and the Like   What Do They Measure?) <i>ETQ</i> , 2017, 1, 1-4.  | 1.3 | 4         |
| 26252 | Transthoracic Echocardiography versus Computed Tomography for Ascending Aortic Measurements in Patients with Bicuspid Aortic Valve. <i>Journal of the American Society of Echocardiography</i> , 2017, 30, 625-635.                  | 1.2 | 31        |
| 26253 | Comparison of point-of-care versus central laboratory measurement of hematocrit, hemoglobin, and electrolyte concentrations. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2017, 46, 246-250.                          | 0.8 | 23        |
| 26254 | Agreement between sleep diary and actigraphy in a highly educated Brazilian population. <i>Sleep Medicine</i> , 2017, 35, 27-34.   | 0.8 | 49        |
| 26255 | Leveraging Clinical Imaging Archives for Radiomics: Reliability of Automated Methods for Brain Volume Measurement. <i>Radiology</i> , 2017, 284, 862-869.  | 3.6 | 15        |
| 26256 | Estimating electromyography responses using an adaptive neuro-fuzzy inference system with subtractive clustering. <i>Human Factors and Ergonomics in Manufacturing</i> , 2017, 27, 177-186.  | 1.4 | 2         |
| 26257 | Accuracy of maxillary repositioning by computer-aided orthognathic surgery in patients with normal temporomandibular joints. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2017, 55, 504-509.                           | 0.4 | 8         |
| 26258 | Validity and Reliability of the Garmin Vector Power Meter in Laboratory and Field Cycling. <i>International Journal of Sports Medicine</i> , 2017, 38, 439-446.  | 0.8 | 16        |
| 26259 | Comparison of Choriocapillaris Flow Measurements between Two Optical Coherence Tomography Angiography Devices. <i>Ophthalmologica</i> , 2017, 237, 238-246.  | 1.0 | 13        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26260 | Robustness of two different methods of monitoring respiratory system compliance during mechanical ventilation. <i>Medical and Biological Engineering and Computing</i> , 2017, 55, 1819-1828.  | 1.6 | 5         |
| 26261 | Skeletal muscle water T2 as a biomarker of disease status and exercise effects in patients with Duchenne muscular dystrophy. <i>Neuromuscular Disorders</i> , 2017, 27, 705-714.   | 0.3 | 22        |
| 26262 | Lateral thinking – Interocular symmetry and asymmetry in neurovascular patterning, in health and disease. <i>Progress in Retinal and Eye Research</i> , 2017, 59, 131-157.   | 7.3 | 44        |
| 26263 | High-resolution respiratory inductive plethysmography in rats: validation in anesthetized conditions. <i>Physiological Measurement</i> , 2017, 38, 1362-1372.  | 1.2 | 6         |
| 26264 | Evaluation of arterial stiffness by finger – toe pulse wave velocity. <i>Journal of Hypertension</i> , 2017, 35, 1618-1625.  | 0.3 | 32        |
| 26265 | Market research in India: does the choice of language cause questionnaire contamination?. <i>Journal of Indian Business Research</i> , 2017, 9, 149-168.   | 1.2 | 3         |
| 26266 | MR Elastography – derived Stiffness: A Biomarker for Intervertebral Disc Degeneration. <i>Radiology</i> , 2017, 285, 167-175.  | 3.6 | 36        |
| 26267 | A Longitudinal Study on Fetal Weight Estimation at Third Trimester of Pregnancy: Comparison of Magnetic Resonance Imaging and 2-D Ultrasound Predictions. <i>Fetal Diagnosis and Therapy</i> , 2017, 42, 181-188.                                    | 0.6 | 12        |
| 26268 | Noninvasive Blood Pressure Measurement in Maintenance Hemodialysis Patients: Comparison of Agreement between Oscillometric and Finger-Cuff Methods. <i>Nephron</i> , 2017, 136, 309-317.   | 0.9 | 7         |
| 26269 | Introduction of a Novel Smartphone-Coupled Blood Glucose Monitoring System. <i>Journal of Diabetes Science and Technology</i> , 2017, 11, 1231-1233.   | 1.3 | 6         |
| 26270 | Comparison of bioelectrical impedance and DXA for measuring body composition among adults with Down syndrome. <i>Disability and Health Journal</i> , 2017, 10, 548-551.  | 1.6 | 4         |
| 26271 | Reliability and validity of the Brazilian version of the Pittsburgh Sleep Quality Index in adolescents. <i>Jornal De Pediatria (Versão Em Português)</i> , 2017, 93, 200-206.  | 0.2 | 3         |
| 26272 | Evaluation of the activPAL accelerometer for physical activity and energy expenditure estimation in a semi-structured setting. <i>Journal of Science and Medicine in Sport</i> , 2017, 20, 1003-1007.  | 0.6 | 21        |
| 26273 | Dynamic Enhancement of B-Mode Cardiac Ultrasound Image Sequences. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 1533-1548.   | 0.7 | 5         |
| 26274 | Biofeedback for Gait Retraining Based on Real-Time Estimation of Tibiofemoral Joint Contact Forces. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2017, 25, 1612-1621.   | 2.7 | 88        |
| 26275 | Validation of Sun Exposure Reported Annually Against Interim Self-report and Daily Sun Diaries. <i>Photochemistry and Photobiology</i> , 2017, 93, 1294-1302.  | 1.3 | 3         |
| 26276 | Repeatability of swept-source optical coherence tomography retinal and choroidal thickness measurements in neovascular age-related macular degeneration. <i>British Journal of Ophthalmology</i> , 2017, 101, 603-608.                               | 2.1 | 8         |
| 26277 | Immunosuppressive drugs in whole blood: validation of a commercially available liquid chromatography/tandem mass spectrometry kit and comparison with immunochemical assays. <i>Rapid Communications in Mass Spectrometry</i> , 2017, 31, 1111-1120. | 0.7 | 17        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26278 | Detection and volume estimation of artificial hematomas in the subcutaneous fatty tissue: comparison of different MR sequences at 3.0 T. <i>Forensic Science, Medicine, and Pathology</i> , 2017, 13, 135-144.   | 0.6 | 3         |
| 26279 | Consensus building for interlaboratory studies, key comparisons, and meta-analysis. <i>Metrologia</i> , 2017, 54, S34-S62.   | 0.6 | 67        |
| 26280 | Reproducibility of echocardiographic assessment of 2D-derived longitudinal strain parameters in a population-based study (the STANISLAS Cohort study). <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 1361-1369.                   | 0.7 | 24        |
| 26281 | Remote sensing of physiological signs using a machine vision system. <i>Journal of Medical Engineering and Technology</i> , 2017, 41, 396-405.   | 0.8 | 19        |
| 26282 | Radiological and clinical comparison of kinematically versus mechanically aligned total knee arthroplasty. <i>Bone and Joint Journal</i> , 2017, 99-B, 640-646.  | 1.9 | 124       |
| 26283 | The measuring of substantia nigra hyperechogenicity in an Italian cohort of Parkinson disease patients: a case/control study (NOBIS Study). <i>Journal of Neural Transmission</i> , 2017, 124, 869-879.  | 1.4 | 6         |
| 26284 | Measurement of Oxygen Consumption Variations in Critically Ill Burns Patients: Are the Fick Method and Indirect Calorimetry Interchangeable?. <i>Shock</i> , 2017, 48, 532-538.  | 1.0 | 14        |
| 26285 | Transthoracic Doppler echocardiography compared with positron emission tomography for assessment of coronary microvascular dysfunction: The iPOWER study. <i>International Journal of Cardiology</i> , 2017, 228, 435-443.                             | 0.8 | 43        |
| 26286 | The Southampton Hand Assessment Procedure revisited: A transparent linear scoring system, applied to data of experienced prosthetic users. <i>Journal of Hand Therapy</i> , 2017, 30, 49-57.   | 0.7 | 25        |
| 26287 | A comparative study of software programmes for cross-sectional skeletal muscle and adipose tissue measurements on abdominal computed tomography scans of rectal cancer patients. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017, 8, 285-297. | 2.9 | 171       |
| 26288 | Continuous daily assessment of multiple sclerosis disability using remote step count monitoring. <i>Journal of Neurology</i> , 2017, 264, 316-326.   | 1.8 | 109       |
| 26289 | Simultaneous left and right ventricle segmentation using topology preserving level sets. <i>Biomedical Signal Processing and Control</i> , 2017, 33, 88-95.  | 3.5 | 26        |
| 26290 | Quantitative CT Measures of Bronchiectasis in Smokers. <i>Chest</i> , 2017, 151, 1255-1262.  | 0.4 | 55        |
| 26291 | Ultrasound-guided thoracic paravertebral block by the paralaminar in-plane approach using a microconvex array transducer: methodological utility based on anatomical structures. <i>Journal of Anesthesia</i> , 2017, 31, 271-277.                     | 0.7 | 12        |
| 26292 | Camera-tracking gaming control device for evaluation of active wrist flexion and extension. <i>Journal of Hand Therapy</i> , 2017, 30, 89-96.  | 0.7 | 9         |
| 26293 | Objective analysis of cancer stem cell marker expression using immunohistochemistry. <i>Pathology</i> , 2017, 49, 24-29.   | 0.3 | 9         |
| 26294 | Blood volume measured by ultrasound and radioisotope dilution in critically ill subjects. <i>Journal of Surgical Research</i> , 2017, 207, 77-84.  | 0.8 | 3         |
| 26295 | Reliability of infarct volumetry: Its relevance and the improvement by a software-assisted approach. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 3015-3026.   | 2.4 | 15        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26296 | Condition-specific or generic preference-based measures in oncology? A comparison of the EORTC-8D and the EQ-5D-3L. <i>Quality of Life Research</i> , 2017, 26, 1163-1176.  | 1.5 | 34        |
| 26297 | Late 124I PET/CT Uptake Measurement—Assessment of Appropriate Examination Protocol in Benign Thyroid Diseases. <i>Clinical Nuclear Medicine</i> , 2017, 42, 514-519.  | 0.7 | 1         |
| 26298 | Anterior Superior Iliac Spine to the Tibial Tuberosity Length. <i>Global Pediatric Health</i> , 2017, 4, 2333794X1668719.   | 0.3 | 0         |
| 26299 | Generating ActiGraph Counts from Raw Acceleration Recorded by an Alternative Monitor. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 2351-2360.   | 0.2 | 100       |
| 26300 | Quantitative study of the proportion of the pore volume of human fluorotic enamel filled by resin infiltrant. <i>Archives of Oral Biology</i> , 2017, 82, 134-140.  | 0.8 | 6         |
| 26301 | A comparative study of two protocols for treadmill walking exercise testing in ambulating subjects with incomplete spinal cord injury. <i>Spinal Cord</i> , 2017, 55, 935-939.  | 0.9 | 5         |
| 26302 | Quantitative assessment of left ventricular mechanical dyssynchrony using cine cardiovascular magnetic resonance imaging: Inter-study reproducibility. <i>JRSM Cardiovascular Disease</i> , 2017, 6, 204800401771014.                                 | 0.4 | 11        |
| 26303 | Comparison of Jamar and Bodygrip Dynamometers for Handgrip Strength Measurement. <i>Journal of Strength and Conditioning Research</i> , 2017, 31, 1931-1940.  | 1.0 | 23        |
| 26304 | Body temperature in premature infants during the first week of life: Exploration using infrared thermal imaging. <i>Journal of Thermal Biology</i> , 2017, 69, 118-123.   | 1.1 | 23        |
| 26305 | Reliability of tumor-infiltrating lymphocyte and tertiary lymphoid structure assessment in human breast cancer. <i>Modern Pathology</i> , 2017, 30, 1204-1212.  | 2.9 | 81        |
| 26306 | Development of an artificial neural network model to predict subgrade resilient modulus from continuous deflection testing. <i>Canadian Journal of Civil Engineering</i> , 2017, 44, 700-706.   | 0.7 | 20        |
| 26307 | Quantification of left atrial volume and phasic function using cardiovascular magnetic resonance imaging—comparison of biplane area-length method and Simpson's method. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 1761-1769. | 0.7 | 20        |
| 26308 | Auditory, visual and auditory-visual memory and sequencing performance in typically developing children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2017, 100, 23-34.  | 0.4 | 12        |
| 26309 | SnapScanSend: A valid and reliable method for assessing the energy intake of elite adolescent athletes. <i>European Journal of Sport Science</i> , 2017, 17, 1044-1055.   | 1.4 | 31        |
| 26310 | Impact of Measured vs. Predicted Residual Lung Volume on Body Fat Percentage Using Underwater Weighing and 4-Compartment Model. <i>Journal of Strength and Conditioning Research</i> , 2017, 31, 2519-2527.   | 1.0 | 10        |
| 26311 | Comparison of Circumference Measures and Height—Weight Tables With Dual-Energy X-Ray Absorptiometry Assessment of Body Composition in R.O.T.C. Cadets. <i>Journal of Strength and Conditioning Research</i> , 2017, 31, 2552-2556.                    | 1.0 | 3         |
| 26312 | A nine-miRNA signature as a potential diagnostic marker for breast carcinoma: An integrated study of 1,110 cases. <i>Oncology Reports</i> , 2017, 37, 3297-3304.  | 1.2 | 50        |
| 26313 | Comparison of magnetic resonance feature tracking with CSPAMM HARP for the assessment of global and regional layer specific strain. <i>International Journal of Cardiology</i> , 2017, 244, 340-346.  | 0.8 | 6         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26314 | Adaptation and optimization of a fluorescence-based assay for in vivo antimalarial drug screening. <i>Parasitology Research</i> , 2017, 116, 1955-1962.   | 0.6 | 4         |
| 26315 | Development of a contouring guide in three different head set-ups for hippocampal sparing radiotherapy: a practical approach. <i>Radiologia Medica</i> , 2017, 122, 683-689.  | 4.7 | 3         |
| 26316 | Cortical bone elasticity measured by resonant ultrasound spectroscopy is not altered by defatting and synchrotron X-ray imaging. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2017, 72, 241-245.   | 1.5 | 12        |
| 26318 | Ten-Year Changes in Healthy Eating Attitudes in the SUN Cohort. <i>Journal of the American College of Nutrition</i> , 2017, 36, 319-329.  | 1.1 | 10        |
| 26319 | Short communication: Repeatability of $\hat{1}^2$ -hydroxybutyrate measurements in capillary blood obtained from the external vulvar skin. <i>Journal of Dairy Science</i> , 2017, 100, 5717-5723.  | 1.4 | 1         |
| 26320 | Terminally Ill Taiwanese Cancer Patients' and Family Caregivers' Agreement on Patterns of Life-Sustaining Treatment Preferences Is Poor to Fair and Declines Over a Decade: Results From Two Independent Cross-Sectional Studies. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 35-45.e4. | 0.6 | 18        |
| 26321 | Proportional bias between dual-energy x-ray absorptiometry and bioelectrical impedance analysis varies based on sex in active adults consuming high- and low-carbohydrate diets. <i>Nutrition Research</i> , 2017, 42, 85-100.  | 1.3 | 20        |
| 26322 | Ethnically Tibetan women in Nepal with low hemoglobin concentration have better reproductive outcomes. <i>Evolution, Medicine and Public Health</i> , 2017, 2017, 82-96.  | 1.1 | 28        |
| 26323 | A semi-automatic method for the extraction of the portal venous input function in quantitative dynamic contrast-enhanced CT of the liver. <i>British Journal of Radiology</i> , 2017, 90, 20160875.   | 1.0 | 5         |
| 26324 | Calibration and Validation of the Youth Activity Profile: The FLASHE Study. <i>American Journal of Preventive Medicine</i> , 2017, 52, 880-887.   | 1.6 | 69        |
| 26325 | Pulmonary Flow as an Improved Method for Determining Cardiac Output in Mice after Myocardial Infarction. <i>Journal of the American Society of Echocardiography</i> , 2017, 30, 612-623.e1.   | 1.2 | 7         |
| 26326 | Development and validation of a noncontact spectroscopic device for hemoglobin estimation at point-of-care. <i>Journal of Biomedical Optics</i> , 2017, 22, 055006.   | 1.4 | 19        |
| 26327 | Assessment of endothelial cell function and physiological microcirculatory reserve by video microscopy using a topical acetylcholine and nitroglycerin challenge. <i>Intensive Care Medicine Experimental</i> , 2017, 5, 26.  | 0.9 | 23        |
| 26328 | Comparison of Ultrasound and MRI for the Diagnosis of Glenohumeral Dysplasia in Brachial Plexus Birth Palsy. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017, 99, 123-132.   | 1.4 | 15        |
| 26329 | Addition of Color Doppler Sonography for Detection of Amniotic Fluid Disturbances and Its Implications on Perinatal Outcomes. <i>Journal of Ultrasound in Medicine</i> , 2017, 36, 1875-1881.   | 0.8 | 7         |
| 26330 | Assessment of the psychometric properties of the EQ-5D-3L and EQ-5D-5L instruments in psoriasis. <i>Archives of Dermatological Research</i> , 2017, 309, 357-370.   | 1.1 | 37        |
| 26331 | Evaluation of height-dependent and height-independent methods of estimating baseline serum creatinine in critically ill children. <i>Pediatric Nephrology</i> , 2017, 32, 1953-1962.  | 0.9 | 50        |
| 26332 | Making a Case for Regenerating GC Liners in Industrial Wastewater Screening. <i>Chromatographia</i> , 2017, 80, 1109-1114.  | 0.7 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26333 | The FLIR ONE thermal imager for the assessment of burn wounds: Reliability and validity study. <i>Burns</i> , 2017, 43, 1516-1523.   | 1.1 | 44        |
| 26334 | Enzyme-Linked Immunoassay-Based Quantitative Measurement of Apolipoprotein B (ApoB) in Dried Blood Spots, a Biomarker of Cardiovascular Disease Risk. <i>Biodemography and Social Biology</i> , 2017, 63, 116-130.   | 0.4 | 10        |
| 26335 | Respiration monitoring by Electrical Bioimpedance (EBI) Technique in a group of healthy males. Calibration equations.. <i>Journal of Physics: Conference Series</i> , 2017, 792, 012048.   | 0.3 | 1         |
| 26336 | The Effects of Basal Insulin Suspension at the Start of Exercise on Blood Glucose Levels During Continuous Versus Circuit-Based Exercise in Individuals with Type 1 Diabetes on Continuous Subcutaneous Insulin Infusion. <i>Diabetes Technology and Therapeutics</i> , 2017, 19, 370-378. | 2.4 | 57        |
| 26337 | Continuous noninvasive $\text{PCO}_2$ monitoring in weaning patients: $\text{T}$ ranscutaneous is advantageous over end-tidal $\text{PCO}_2$ . <i>Respirology</i> , 2017, 22, 1579-1584.   | 1.3 | 20        |
| 26338 | Significant role of the cardiopostural interaction in blood pressure regulation during standing. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017, 313, H568-H577.  | 1.5 | 21        |
| 26339 | Accuracy Assessment of a Blood Glucose Monitoring System for Self-Testing with Three Test Strip Lots Following ISO 15197:2013/EN ISO 15197:2015. <i>Journal of Diabetes Science and Technology</i> , 2017, 11, 854-855.  | 1.3 | 2         |
| 26340 | Predictive validity of body fat percentage by bioimpedance compared with deuterium oxide dilution in Costa Rican schoolchildren. <i>American Journal of Human Biology</i> , 2017, 29, e23028.  | 0.8 | 6         |
| 26341 | F-18 FDG PET/CT metabolic tumor volume predicts overall survival in patients with disseminated epithelial ovarian cancer. <i>European Journal of Radiology</i> , 2017, 93, 107-113.  | 1.2 | 18        |
| 26342 | Gait parameter and event estimation using smartphones. <i>Gait and Posture</i> , 2017, 57, 217-223.  | 0.6 | 38        |
| 26343 | Variability in measurement of <i>Pithomyces chartarum</i> spore counts. <i>New Zealand Veterinary Journal</i> , 2017, 65, 192-197.   | 0.4 | 2         |
| 26344 | Validity of Selected Bioimpedance Equations for Estimating Body Composition in Men and Women: A Four-Compartment Model Comparison. <i>Journal of Strength and Conditioning Research</i> , 2017, 31, 1963-1972.   | 1.0 | 16        |
| 26345 | Meta-analyses of Bland-Altman-style cardiac output validation studies: good, but do they provide answers to all our questions?. <i>British Journal of Anaesthesia</i> , 2017, 118, 296-297.  | 1.5 | 7         |
| 26346 | Validating the Use of ICD-9 Code Mapping to Generate Injury Severity Scores. <i>Journal of Trauma Nursing: the Official Journal of the Society of Trauma Nurses</i> , 2017, 24, 4-14.  | 0.3 | 32        |
| 26347 | Sonographic Measurement of Cervical Volume in Pregnant Women at High Risk of Preterm Birth Using a Geometric Formula for a Frustum Versus 3-Dimensional Automated Virtual Organ Computer-Aided Analysis. <i>Journal of Ultrasound in Medicine</i> , 2017, 36, 2209-2217.                   | 0.8 | 5         |
| 26348 | Comparison of two automated assays of BTM (CTX and P1NP) and reference intervals in a Danish population. <i>Osteoporosis International</i> , 2017, 28, 2103-2113.  | 1.3 | 52        |
| 26349 | A Systematic Review to Uncover a Universal Protocol for Accuracy Assessment of 3-Dimensional Virtually Planned Orthognathic Surgery. <i>Journal of Oral and Maxillofacial Surgery</i> , 2017, 75, 2430-2440.   | 0.5 | 64        |
| 26350 | Validation of liquid and gaseous calibration techniques for quantification of propofol in breath with sorbent tube Thermal Desorption System GC-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017, 143, 116-122.   | 1.4 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26351 | Lung Adenocarcinoma Manifesting as Pure Ground-Glass Nodules: Correlating CT Size, Volume, Density, and Roundness with Histopathologic Invasion and Size. <i>Journal of Thoracic Oncology</i> , 2017, 12, 1288-1298.                       | 0.5 | 75        |
| 26352 | Measurement of body temperature in normothermic and febrile rats: Limitations of using rectal thermometry. <i>Physiology and Behavior</i> , 2017, 179, 162-167.  | 1.0 | 11        |
| 26353 | Validity of thoracic respiratory inductive plethysmography in high body mass index subjects. <i>Respiratory Physiology and Neurobiology</i> , 2017, 242, 52-58.  | 0.7 | 4         |
| 26354 | Assessment of knee alignment with varus and valgus force through the range of flexion with non-invasive navigation. <i>Journal of Medical Engineering and Technology</i> , 2017, 41, 444-459.  | 0.8 | 0         |
| 26355 | Total Corneal Astigmatism Measurements: Agreement Between 2 Rotating Scheimpflug Cameras. <i>Cornea</i> , 2017, 36, 463-469.   | 0.9 | 13        |
| 26356 | Modified continuity equation using left ventricular outflow tract three-dimensional imaging for aortic valve area estimation. <i>Echocardiography</i> , 2017, 34, 978-985.   | 0.3 | 11        |
| 26357 | Accuracy and consistency of anti- $\alpha$ activity measurement for determination of rivaroxaban plasma levels. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 1576-1583.  | 1.9 | 21        |
| 26358 | Validity of spectral analysis based on heart rate variability from 1-minute or less ECG recordings. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 1004-1009.   | 0.5 | 19        |
| 26359 | Assays for Infliximab Drug Levels and Antibodies: A Matter of Scales and Categories. <i>Scandinavian Journal of Immunology</i> , 2017, 86, 165-170.  | 1.3 | 18        |
| 26360 | The validity of the Youth Physical Activity Questionnaire in 12-13-year-old Scottish adolescents. <i>BMJ Open Sport and Exercise Medicine</i> , 2017, 2, e000163.  | 1.4 | 6         |
| 26361 | Anthropometric prediction of skeletal muscle cross-sectional area in persons with spinal cord injury. <i>Journal of Applied Physiology</i> , 2017, 122, 1255-1261.   | 1.2 | 15        |
| 26362 | To what extent do food purchases reflect shoppers' diet quality and nutrient intake?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 46.   | 2.0 | 99        |
| 26363 | Evaluation of the capillary electrophoresis method for measurement of immunoglobulin concentration in ewe colostrum. <i>Journal of Dairy Science</i> , 2017, 100, 6465-6469.   | 1.4 | 12        |
| 26364 | Reliability of mechanomyographic amplitude measurements for trunk muscles during maximal voluntary isometric contraction. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2017, 30, 979-985.                                   | 0.4 | 0         |
| 26365 | Comparison of different methods for telomere length measurement in whole blood and blood cell subsets: Recommendations for telomere length measurement in hematological diseases. <i>Genes Chromosomes and Cancer</i> , 2017, 56, 700-708. | 1.5 | 20        |
| 26366 | Arterial versus venous lactate: a measure of sepsis in children. <i>European Journal of Pediatrics</i> , 2017, 176, 1055-1060.   | 1.3 | 25        |
| 26367 | Both feather peckers and victims are more asymmetrical than control hens. <i>Applied Animal Behaviour Science</i> , 2017, 195, 67-71.  | 0.8 | 3         |
| 26368 | Local up-sampling and morphological analysis of low-resolution magnetic resonance images. <i>Neurocomputing</i> , 2017, 265, 42-56.  | 3.5 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26369 | Intra- and inter-rater reliability of neutral head position and target head position tests in patients with and without neck pain. <i>Brazilian Journal of Physical Therapy</i> , 2017, 21, 259-267.                       | 1.1 | 40        |
| 26370 | ISYQOL: a Rasch-consistent questionnaire for measuring health-related quality of life in adolescents with spinal deformities. <i>Spine Journal</i> , 2017, 17, 1364-1372.  | 0.6 | 37        |
| 26371 | Minimally invasive cardiac output technologies in the ICU: putting it all together. <i>Current Opinion in Critical Care</i> , 2017, 23, 302-309.   | 1.6 | 19        |
| 26372 | Diffusion-Weighted Imaging for Differentiating Uterine Leiomyosarcoma From Degenerated Leiomyoma. <i>Journal of Computer Assisted Tomography</i> , 2017, 41, 599-606.  | 0.5 | 43        |
| 26373 | Using consumer-grade devices for multi-imager non-contact imaging photoplethysmography. , 2017, , .  |     | 3         |
| 26374 | Allergic Bronchopulmonary Aspergillosis in Cystic Fibrosis: MR Imaging of Airway Mucus Contrasts as a Tool for Diagnosis. <i>Radiology</i> , 2017, 285, 261-269.   | 3.6 | 41        |
| 26375 | Three-dimensional Simulation of Quantitative Ultrasound in Cancellous Bone Using the Echographic Response of a Metallic Pin. <i>Ultrasonic Imaging</i> , 2017, 39, 295-312.  | 1.4 | 3         |
| 26376 | Does aerobic training alleviate fatigue and improve societal participation in patients with multiple sclerosis? A randomized controlled trial. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1517-1526.                    | 1.4 | 54        |
| 26377 | Concurrent validity of the Alberta Infant Motor Scale to detect delayed gross motor development in preterm infants: A comparative study with the Bayley III. <i>Developmental Neurorehabilitation</i> , 2018, 21, 1-7.     | 0.5 | 14        |
| 26378 | Use of a pressure sensing sheath: comparison with standard means of blood pressure monitoring in catheterization procedures. <i>Journal of NeuroInterventional Surgery</i> , 2017, 9, 766-771.                             | 2.0 | 2         |
| 26379 | There is variability in our perception of the standard head orientation. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2017, 46, 1512-1516.   | 0.7 | 5         |
| 26380 | Comparison of Dual Energy X-ray Absorptiometry and Bioimpedance in Assessing Body Composition and Nutrition in Peritoneal Dialysis Patients. , 2017, 27, 355-363.  |     | 26        |
| 26381 | Influence of Fraction of Inspired Oxygen on Noninvasive Hemoglobin Measurement: Parallel Assessment of 2 Monitors. <i>Anesthesia and Analgesia</i> , 2017, 124, 1820-1823.   | 1.1 | 5         |
| 26382 | Reliability of lower limb transcranial magnetic stimulation outcomes in the ipsi- and contralesional hemispheres of adults with chronic stroke. <i>Clinical Neurophysiology</i> , 2017, 128, 1290-1298.                    | 0.7 | 18        |
| 26383 | Validating a Diabetic Glucose Meter to Assess Walleye Glucose Concentrations. <i>North American Journal of Aquaculture</i> , 2017, 79, 245-249.  | 0.7 | 6         |
| 26384 | Analysis of plantar pressure during climbing for the development of sports climbing shoes. <i>Footwear Science</i> , 2017, 9, S111-S113.   | 0.8 | 1         |
| 26385 | Relative validation of a short questionnaire to assess the dietary habits of pregnant American Indian women. <i>Food Science and Nutrition</i> , 2017, 5, 625-632.   | 1.5 | 5         |
| 26386 | Reliability and Validity of an Acromion Marker Cluster for Recording Scapula Posture at End Range Clavicle Protraction, Retraction, Elevation, and Depression. <i>Journal of Applied Biomechanics</i> , 2017, 33, 379-383. | 0.3 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26387 | Reliability of MR Quantification of Rotator Cuff Muscle Fatty Degeneration Using a 2-point Dixon Technique in Comparison with the Goutallier Classification. <i>Academic Radiology</i> , 2017, 24, 1343-1351.  | 1.3 | 26        |
| 26388 | Clinical utility of a functional lumen imaging probe in management of dysphagia following head and neck cancer therapies. <i>Endoscopy</i> , 2017, 49, 848-854.  | 1.0 | 14        |
| 26389 | Technical Note: Validation of two methods to determine contact area between breast and compression paddle in mammography. <i>Medical Physics</i> , 2017, 44, 4040-4044.  | 1.6 | 10        |
| 26390 | Demonstration of the utility of biomarkers for dietary intake assessment; proline betaine as an example. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1700037.   | 1.5 | 58        |
| 26391 | Comparison between multi-channel LDV and PWI for measurement of pulse wave velocity in distensible tubes: Towards a new diagnostic technique for detection of arteriosclerosis. <i>Optics and Lasers in Engineering</i> , 2017, 97, 41-51.           | 2.0 | 5         |
| 26392 | Simulated altitude exposure assessment by hyperspectral imaging. <i>Journal of Biomedical Optics</i> , 2017, 22, 056012.   | 1.4 | 2         |
| 26393 | A retrospective study comparing the loss of anchorage following the extraction of maxillary first or second premolars during orthodontic treatment with fixed appliances in adolescent patients. <i>Journal of Orthodontics</i> , 2017, 44, 268-276. | 0.4 | 4         |
| 26394 | Low-power, noninvasive measurement system for wearable ballistocardiography in sitting and standing positions. <i>Computers in Industry</i> , 2017, 91, 24-32.   | 5.7 | 22        |
| 26395 | Diagnostic and Prognostic Implications of Exercise Treadmill and Rest First-Pass Radionuclide Angiography in Patients With Pulmonary Hypertension. <i>Clinical Nuclear Medicine</i> , 2017, 42, e392-e399.   | 0.7 | 3         |
| 26396 | Reliability of the Assisting Hand Assessment in adolescents. <i>Developmental Medicine and Child Neurology</i> , 2017, 59, 926-932.  | 1.1 | 19        |
| 26397 | Assessing behavioural changes in ALS: cross-validation of ALS-specific measures. <i>Journal of Neurology</i> , 2017, 264, 1397-1401.   | 1.8 | 10        |
| 26398 | Estimation of respiratory volume from thoracoabdominal breathing distances: comparison of two models of machine learning. <i>European Journal of Applied Physiology</i> , 2017, 117, 1533-1555.  | 1.2 | 19        |
| 26399 | A validation of the Nottingham Clavicle Score: a clavicle, acromioclavicular joint and sternoclavicular joint-specific patient-reported outcome measure. <i>Journal of Shoulder and Elbow Surgery</i> , 2017, 26, 1732-1739.                         | 1.2 | 41        |
| 26400 | Reliability of Sonographic Assessment of Biceps Femoris Distal Tendon Strain during Passive Stretching. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 1769-1779.   | 0.7 | 2         |
| 26401 | Automatic MRI segmentation of para-pharyngeal fat pads using interactive visual feature space analysis for classification. <i>BMC Medical Imaging</i> , 2017, 17, 15.  | 1.4 | 10        |
| 26402 | Feasibility of measurements of valve dimensions in en-face-3D transesophageal echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 1503-1511.  | 0.7 | 7         |
| 26403 | Agreement Between Home-Based Measurement of Stool Calprotectin and ELISA Results for Monitoring Inflammatory Bowel Disease Activity. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 1742-1749.e2.                                       | 2.4 | 65        |
| 26404 | Fractal Analysis May Improve the Preoperative Identification of Atypical Meningiomas. <i>Neurosurgery</i> , 2017, 80, 300-308.   | 0.6 | 14        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26405 | Estimation of aortic systolic blood pressure from radial systolic and diastolic blood pressures alone using artificial neural networks. <i>Journal of Hypertension</i> , 2017, 35, 1577-1585.  | 0.3 | 17        |
| 26406 | Evaluation of interarm blood pressure differences using the Microlife WatchBP Office in a clinical setting. <i>Blood Pressure Monitoring</i> , 2017, 22, 161-165.  | 0.4 | 9         |
| 26407 | Test-Retest Reliability of Scotopic and Mesopic Fundus-Controlled Perimetry Using a Modified MAIA (Macular Integrity Assessment) in Normal Eyes. <i>Ophthalmologica</i> , 2017, 237, 42-54.  | 1.0 | 34        |
| 26408 | Limitations and opportunities of whole blood bilirubin measurements by GEM premier 4000Â®. <i>BMC Pediatrics</i> , 2017, 17, 92.   | 0.7 | 6         |
| 26409 | Intraexaminer and Interexaminer Variability in 3D Fetal Volume Measurements During the Second and Third Trimesters of Pregnancy. <i>Journal of Ultrasound in Medicine</i> , 2017, 36, 1415-1429.   | 0.8 | 9         |
| 26410 | Normal values of offline exhaled and nasal nitric oxide in healthy children and teens using chemiluminescence. <i>Journal of Breath Research</i> , 2017, 11, 036008.   | 1.5 | 15        |
| 26411 | The Validity and Reliability of Knee Proprioception Measurement Performed With Inclinometer in Different Positions. <i>Journal of Sport Rehabilitation</i> , 2017, 26, .   | 0.4 | 25        |
| 26412 | Using Radar Plots to Demonstrate the Accuracy and Precision of 6 Blood Glucose Monitoring Systems. <i>Journal of Diabetes Science and Technology</i> , 2017, 11, 966-969.  | 1.3 | 9         |
| 26413 | Size matters: The width and location of a ureteral stone accurately predict the chance of spontaneous passage. <i>European Radiology</i> , 2017, 27, 4775-4785.  | 2.3 | 84        |
| 26414 | An integrated blood pressure measurement system for suppression of motion artifacts. <i>Computer Methods and Programs in Biomedicine</i> , 2017, 145, 1-10.  | 2.6 | 7         |
| 26415 | Three-dimensional surface scanners compared with standard anthropometric measurements for head shape. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2017, 45, 921-927.   | 0.7 | 31        |
| 26416 | Towards reproducible MRM based biomarker discovery using dried blood spots. <i>Scientific Reports</i> , 2017, 7, 45178.  | 1.6 | 30        |
| 26417 | Comparison of Displacement Encoding With Stimulated Echoes to Magnetic Resonance Feature Tracking for the Assessment of Myocardial Strain in Patients With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2017, 119, 1542-1547.  | 0.7 | 21        |
| 26418 | Non-destructive estimation of leaf area of durian ( <i>Durio zibethinus</i> ) â€“ An artificial neural network approach. <i>Scientia Horticulturae</i> , 2017, 219, 319-325.   | 1.7 | 27        |
| 26419 | Thickness of the retinal photoreceptor outer segment layer in healthy volunteers and in patients with diabetes mellitus without retinopathy, diabetic retinopathy, or diabetic macular edema. <i>Saudi Journal of Ophthalmology</i> , 2017, 31, 69-75. | 0.3 | 28        |
| 26421 | Benign Prostatic Hypertrophy. , 2017, , 281-291.   |     | 0         |
| 26422 | Sequential recruitment of study participants may inflate genetic heritability estimates. <i>Human Genetics</i> , 2017, 136, 743-757.   | 1.8 | 20        |
| 26423 | Development of a new assessment tool for cervical myelopathy using hand-tracking sensor: Part 1: validity and reliability. <i>European Spine Journal</i> , 2017, 26, 1291-1297.  | 1.0 | 15        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26424 | Physical activity level and performance in the six-minute walk test of children and adolescents with sickle cell anemia. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2017, 39, 133-139.   | 0.7 | 10        |
| 26425 | An alternative whole-body marker set to accurately and reliably quantify joint kinematics during load carriage. <i>Gait and Posture</i> , 2017, 54, 318-324.   | 0.6 | 11        |
| 26426 | Validity of anthropometric equations to estimate infant fat mass at birth and in early infancy. <i>BMC Pediatrics</i> , 2017, 17, 88.  | 0.7 | 33        |
| 26427 | Test-Retest Reliability of the King-Devick Test in an Adolescent Population. <i>Journal of Athletic Training</i> , 2017, 52, 439-445.  | 0.9 | 43        |
| 26428 | Variations in the sonographic measurement techniques of BI-RADS 3 breast masses. <i>Journal of Clinical Ultrasound</i> , 2017, 45, 252-260.  | 0.4 | 0         |
| 26429 | An intra- and interrater reliability and agreement study of vaginal resting pressure, pelvic floor muscle strength, and muscular endurance using a manometer. <i>International Urogynecology Journal</i> , 2017, 28, 1507-1514.                                  | 0.7 | 29        |
| 26430 | Validation of the Mini-OAKHQOL for use in patients with osteoarthritis in Spain. <i>Clinical Rheumatology</i> , 2017, 36, 1855-1864.   | 1.0 | 5         |
| 26431 | Leveling the curve of Spee with continuous archwire appliances in different vertical skeletal patterns: A retrospective study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017, 151, 758-766.   | 0.8 | 30        |
| 26432 | Validation and Refinement of Prediction Models to Estimate Exercise Capacity in Cancer Survivors Using the Steep Ramp Test. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 2167-2173.   | 0.5 | 15        |
| 26433 | Adaptive Servoventilation Device Software in the Assessment of Residual Respiratory Events in Patients with Central or Complex Apnoeas. <i>Archivos De Bronconeumologia</i> , 2017, 53, 455-457.   | 0.4 | 1         |
| 26434 | Ultrasound is a reproducible and valid tool for measuring scar height in children with burn scars: A cross-sectional study of the psychometric properties and utility of the ultrasound and 3D camera. <i>Burns</i> , 2017, 43, 993-1001.                        | 1.1 | 24        |
| 26435 | Statistics for Method Verification of Qualitative Assays in Clinical Microbiology. <i>Clinical Microbiology Newsletter</i> , 2017, 39, 59-68.  | 0.4 | 5         |
| 26436 | Predictors of transient left ventricular dysfunction following transcatheter patent ductus arteriosus closure in pediatric age. <i>Journal of the Saudi Heart Association</i> , 2017, 29, 244-251.   | 0.2 | 10        |
| 26437 | Efecto de la FiO <sub>2</sub> sobre la medicación del VO <sub>2</sub> y la VCO <sub>2</sub> con el monitor metabólico E-COVX. <i>Medicina Intensiva</i> , 2017, 41, 461-467.   | 0.4 | 2         |
| 26438 | Response to: Comparison of infliximab drug measurement across three commercially available ELISA kits: author reply. <i>Pathology</i> , 2017, 49, 334-335.   | 0.3 | 0         |
| 26439 | Point of truth calibration for disease prioritisation—A case study of prioritisation of exotic diseases for the pig industry in Australia. <i>Preventive Veterinary Medicine</i> , 2017, 139, 20-32.   | 0.7 | 4         |
| 26440 | Validation of a quantitative method to measure neural respiratory drive in children during sleep. <i>Respiratory Physiology and Neurobiology</i> , 2017, 239, 75-80.   | 0.7 | 3         |
| 26441 | Semi-Quantitative Strain Ratio Determined Using Different Measurement Methods: Comparison of Strain Ratio Values and Diagnostic Performance Using One- versus Two-Region-of-Interest Measurement. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 911-917. | 0.7 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26442 | An automated smartphone-based diagnostic assay for point-of-care semen analysis. <i>Science Translational Medicine</i> , 2017, 9, .  | 5.8 | 139       |
| 26443 | Paritaprevir and Ritonavir Liver Concentrations in Rats as Assessed by Different Liver Sampling Techniques. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .   | 1.4 | 4         |
| 26444 | Therapeutic efficacy and effects of artemisinin-based combination treatments on uncomplicated <i>Plasmodium falciparum</i> malaria-associated anaemia in Nigerian children during seven years of adoption as first-line treatments. <i>Infectious Diseases of Poverty</i> , 2017, 6, 36. | 1.5 | 13        |
| 26445 | Prognostic importance of left ventricular mechanical dyssynchrony in heart failure with preserved ejection fraction. <i>European Journal of Heart Failure</i> , 2017, 19, 1043-1052.   | 2.9 | 34        |
| 26446 | Automated oscillometric blood pressure and pulse-wave acquisition for evaluation of vascular stiffness in atherosclerosis. <i>Clinical Research in Cardiology</i> , 2017, 106, 514-524.  | 1.5 | 18        |
| 26447 | Measuring core body temperature with a non-invasive sensor. <i>Journal of Thermal Biology</i> , 2017, 66, 17-20.   | 1.1 | 42        |
| 26448 | Modelling mixing within the dead space of the lung improves predictions of functional residual capacity. <i>Respiratory Physiology and Neurobiology</i> , 2017, 242, 12-18.  | 0.7 | 6         |
| 26449 | IGFBP3 Modulates Lung Tumorigenesis and Cell Growth through IGF1 Signaling. <i>Molecular Cancer Research</i> , 2017, 15, 896-904.  | 1.5 | 56        |
| 26450 | Dual-energy x-ray absorptiometry metabolic maps to resting energy expenditure estimation, and body size dependence in Brazilian young men. <i>Nutrition</i> , 2017, 39-40, 43-49.  | 1.1 | 1         |
| 26451 | Comparing two methodsâ€“agreeing to disagree?. <i>Anaesthesia</i> , 2017, 72, 651-653.   | 1.8 | 1         |
| 26452 | Comparison of HbA1c detection in whole blood and dried blood spots using an automated ion-exchange HPLC system. <i>Bioanalysis</i> , 2017, 9, 427-434.   | 0.6 | 14        |
| 26453 | Comparison of the artus Epsteinâ€“Barr virus (EBV) PCR kit and the Abbott RealTime EBV assay for measuring plasma EBV DNA loads in allogeneic stem cell transplant recipients. <i>Diagnostic Microbiology and Infectious Disease</i> , 2017, 88, 36-38.                                  | 0.8 | 12        |
| 26454 | Reproducibility of Thermal Images: Some Healthy Examples. <i>Series in Bioengineering</i> , 2017, , 265-276.   | 0.3 | 1         |
| 26455 | Automatic media-adventitia IVUS image segmentation based on sparse representation framework and dynamic directional active contour model. <i>Computers in Biology and Medicine</i> , 2017, 89, 561-572.  | 3.9 | 19        |
| 26456 | Comparative analysis of iterative reconstruction algorithms with resolution recovery and new solid state cameras dedicated to myocardial perfusion imaging. <i>Physica Medica</i> , 2017, 41, 109-116.   | 0.4 | 10        |
| 26457 | CT coronary calcium scoring with tin filtration using iterative beam-hardening calcium correction reconstruction. <i>European Journal of Radiology</i> , 2017, 91, 29-34.  | 1.2 | 18        |
| 26458 | Intersession Reliability of Isokinetic Strength Testing in Knee and Elbow Extension and Flexion Using the BTE PrimusRS. <i>Journal of Sport Rehabilitation</i> , 2017, 26, .   | 0.4 | 10        |
| 26459 | Readout-segmented echo-planar diffusion-weighted imaging in the assessment of orbital tumors: comparison with conventional single-shot echo-planar imaging in image quality and diagnostic performance. <i>Acta Radiologica</i> , 2017, 58, 1457-1467.                                   | 0.5 | 20        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26460 | Digital transillumination in caries detection <i>versus</i> radiographic and clinical methods: an <i>in-vivo</i> study. <i>Dentomaxillofacial Radiology</i> , 2017, 46, 20160417.   | 1.3 | 28        |
| 26461 | Overestimation of stereo thresholds by the TNO stereotest is not due to global stereopsis. <i>Ophthalmic and Physiological Optics</i> , 2017, 37, 507-520.  | 1.0 | 39        |
| 26462 | International Working Group consensus response evaluation criteria in lymphoma (RECIL 2017). <i>Annals of Oncology</i> , 2017, 28, 1436-1447.   | 0.6 | 249       |
| 26463 | Accuracy and precision of non-invasive cardiac output monitoring devices in perioperative medicine: a systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , 2017, 118, 298-310.                    | 1.5 | 122       |
| 26464 | Evaluation of Reperfusion Pulmonary Edema by Extravascular Lung Water Measurements After Pulmonary Endarterectomy. <i>Critical Care Medicine</i> , 2017, 45, e409-e417.   | 0.4 | 15        |
| 26465 | Comparison of noninvasive blood pressure monitoring with invasive arterial pressure monitoring in medical ICU patients with septic shock. <i>Blood Pressure Monitoring</i> , 2017, 22, 202-207.                           | 0.4 | 25        |
| 26466 | Performance characterization of a novel electronic number connection test to detect minimal hepatic encephalopathy in cirrhotic patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2017, 29, 456-463. | 0.8 | 12        |
| 26467 | Evaluation of a New Rebound Self-tonometer, Icare HOME: Comparison With Goldmann Applanation Tonometer. <i>Journal of Glaucoma</i> , 2017, 26, 613-618.   | 0.8 | 46        |
| 26468 | Comprehensive processing of high-throughput small RNA sequencing data including quality checking, normalization, and differential expression analysis using the UEA sRNA Workbench. <i>Rna</i> , 2017, 23, 823-835.       | 1.6 | 29        |
| 26469 | Retinal Nerve Fiber Layer Thickness by Stratus and Cirrus OCT in Retrobulbar Optic Neuritis and Nonarteritic Ischemic Optic Neuropathy. <i>European Journal of Ophthalmology</i> , 2017, 27, 80-85.                       | 0.7 | 2         |
| 26470 | Can auscultatory blood pressure normative values be used for evaluation of oscillometric blood pressure in children?. <i>Journal of Clinical Hypertension</i> , 2017, 19, 381-387.  | 1.0 | 6         |
| 26471 | Two degrees of freedom quasi-static EMG-force at the wrist using a minimum number of electrodes. <i>Journal of Electromyography and Kinesiology</i> , 2017, 34, 24-36.  | 0.7 | 29        |
| 26472 | The Reliability and Validity of the 3-min All-out Cycling Critical Power Test. <i>International Journal of Sports Medicine</i> , 2017, 38, 462-467.   | 0.8 | 22        |
| 26473 | Dobutamine aggravates haemodynamic deterioration induced by pleural effusion. <i>European Journal of Anaesthesiology</i> , 2017, 34, 262-270.   | 0.7 | 4         |
| 26474 | Reliability and Accuracy of a Standardized Shallow Water Running Test to Determine Cardiorespiratory Fitness. <i>Journal of Strength and Conditioning Research</i> , 2017, 31, 1669-1677.                                 | 1.0 | 9         |
| 26475 | Measuring Physical Activity in Juvenile Idiopathic Arthritis: Activity Diary Versus Accelerometer. <i>Journal of Rheumatology</i> , 2017, 44, 1249-1256.  | 1.0 | 13        |
| 26476 | Comparison of preterm and term equivalent age MRI for the evaluation of preterm brain injury. <i>Journal of Perinatology</i> , 2017, 37, 864-868.   | 0.9 | 4         |
| 26477 | Testicular growth and development in puberty. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2017, 24, 215-224.  | 1.2 | 84        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26478 | X-ray computed tomography reveals that intraspecific competition promotes soldier differentiation in a one-piece nesting termite. <i>Entomologia Experimentalis Et Applicata</i> , 2017, 163, 26-34.  | 0.7 | 8         |
| 26479 | Use of Nintendo Wii Balance Board for posturographic analysis of Multiple Sclerosis patients with minimal balance impairment. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2017, 14, 19.   | 2.4 | 28        |
| 26480 | Goniometric evaluation of the spinal sagittal curves in children and adolescents: A reliability study. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2017, 30, 325-331.   | 0.4 | 2         |
| 26481 | Dynamics of middle cerebral artery blood flow velocity during moderate-intensity exercise. <i>Journal of Applied Physiology</i> , 2017, 122, 1125-1133.   | 1.2 | 57        |
| 26482 | Native T1 mapping: inter-study, inter-observer and inter-center reproducibility in hemodialysis patients. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 19, 21.   | 1.6 | 50        |
| 26483 | Standing on the Shoulders of Dwarfs: the Kepler Asteroseismic LEGACY Sample. II. Radii, Masses, and Ages. <i>Astrophysical Journal</i> , 2017, 835, 173.  | 1.6 | 223       |
| 26484 | Comparison of anterior segment measurements with LenStar and Pentacam in patients with newly diagnosed glaucoma. <i>International Ophthalmology</i> , 2018, 38, 171-174.  | 0.6 | 4         |
| 26485 | Estimating sleep time from non-EEG-based PSG signals in the diagnosis of sleep-disordered breathing. <i>Sleep and Breathing</i> , 2017, 21, 657-666.  | 0.9 | 2         |
| 26486 | Repeatability and agreement of Scheimpflug-based and swept-source optical biometry measurements. <i>Contact Lens and Anterior Eye</i> , 2017, 40, 318-322.  | 0.8 | 56        |
| 26487 | Gait assessment with solesound instrumented footwear in spinal muscular atrophy. <i>Muscle and Nerve</i> , 2017, 56, 230-236.   | 1.0 | 20        |
| 26488 | Comparison of spatiotemporal prediction models of daily exposure of individuals to ambient nitrogen dioxide and ozone in Montreal, Canada. <i>Environmental Research</i> , 2017, 156, 201-230.  | 3.7 | 17        |
| 26489 | Computed tomography-based prediction of the straight antegrade humeral nail's entry point and exposure of "critical types": truth or fiction?. <i>Journal of Shoulder and Elbow Surgery</i> , 2017, 26, 902-908.                                      | 1.2 | 6         |
| 26490 | Nerve regeneration by human corneal stromal keratocytes and stromal fibroblasts. <i>Scientific Reports</i> , 2017, 7, 45396.  | 1.6 | 45        |
| 26491 | Association between Montreal Cognitive Assessment Sub-Item Scores and Corresponding Cognitive Test Performance in Patients with Frontotemporal Dementia and Related Disorders. <i>Dementia and Geriatric Cognitive Disorders</i> , 2017, 43, 170-179. | 0.7 | 6         |
| 26492 | Using a worst pain intensity measure in children and adolescents. <i>Journal of Advanced Nursing</i> , 2017, 73, 1873-1883.   | 1.5 | 3         |
| 26493 | Semiautomatic quantification of carotid plaque volume with three-dimensional ultrasound imaging. <i>Journal of Vascular Surgery</i> , 2017, 65, 1407-1417.  | 0.6 | 9         |
| 26494 | Comparison between Simple Radiographic and Computed Tomographic Three-Dimensional Reconstruction for Evaluation of the Distal Metatarsal Articular Angle. <i>Journal of Foot and Ankle Surgery</i> , 2017, 56, 505-509.                               | 0.5 | 10        |
| 26495 | Estimation of Glomerular Filtration Rate in Elderly Chronic Kidney Disease Patients: Comparison of Three Novel Sophisticated Equations and Simple Cystatin C Equation. <i>Therapeutic Apheresis and Dialysis</i> , 2017, 21, 126-132.                 | 0.4 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26496 | Evaluation of the influence of patient positioning on the reliability of lateral cephalometry. <i>Radiologia Medica</i> , 2017, 122, 520-529.  | 4.7 | 6         |
| 26497 | Validation of the Nuclear Cataract Grading System BCN 10. <i>Ophthalmic Research</i> , 2017, 57, 247-251.  | 1.0 | 15        |
| 26498 | Bilateral Asymmetry in the Human Pelvis. <i>Anatomical Record</i> , 2017, 300, 653-665.  | 0.8 | 42        |
| 26499 | The PD 20 but not the PC 20 in a methacholine challenge test is device independent. <i>Annals of Allergy, Asthma and Immunology</i> , 2017, 118, 508-509.  | 0.5 | 10        |
| 26500 | Detection of blood volumes and haemoglobin mass by means of CO re-breathing and indocyanine green and sodium fluorescein injections. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017, 77, 164-174. | 0.6 | 19        |
| 26501 | Comparison of body adiposity index (BAI) and air displacement plethysmograph with estimations of % body fat in adults with Downâ€™s syndrome. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 1341-1344.             | 1.3 | 5         |
| 26502 | Extracranial Soft-Tissue Tumors: Repeatability of Apparent Diffusion Coefficient Estimates from Diffusion-weighted MR Imaging. <i>Radiology</i> , 2017, 284, 88-99.  | 3.6 | 45        |
| 26503 | Comparing pre-therapeutic 124I and 131I uptake tests with intra-therapeutic 131I uptake in benign thyroid disorders. <i>Endocrine</i> , 2017, 56, 43-53.   | 1.1 | 6         |
| 26504 | Strabismus Measurements in Adults Before and After Pupil Dilation. <i>American Journal of Ophthalmology</i> , 2017, 178, 1-8.  | 1.7 | 2         |
| 26505 | The Estimation of Second-Generation HR-pQCT From First-Generation HR-pQCT Using In Vivo Cross-Calibration. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 1514-1524.  | 3.1 | 52        |
| 26506 | Size Measurement and T-staging of Lung Adenocarcinomas Manifesting as Solid Nodules â‰¥30â€™mm on CT. <i>Academic Radiology</i> , 2017, 24, 851-859.   | 1.3 | 26        |
| 26507 | Could peak oxygen uptake be estimated from proposed equations based on the six-minute walk test in chronic heart failure subjects?. <i>Brazilian Journal of Physical Therapy</i> , 2017, 21, 100-106.                          | 1.1 | 7         |
| 26508 | Ability to predict resting energy expenditure with six equations compared to indirect calorimetry in octogenarian men. <i>Experimental Gerontology</i> , 2017, 92, 52-55.  | 1.2 | 15        |
| 26509 | Postoperative liver volume was accurately predicted by a medical image three dimensional visualization system in hepatectomy for liver cancer. <i>Surgical Oncology</i> , 2017, 26, 188-194.                                   | 0.8 | 24        |
| 26510 | Accuracy and bias of methods used for root length measurements in functional root research. <i>Methods in Ecology and Evolution</i> , 2017, 8, 1594-1606.  | 2.2 | 34        |
| 26511 | Modeling a Predictive Energy Equation Specific for Maintenance Hemodialysis. <i>Journal of Parenteral and Enteral Nutrition</i> , 2018, 42, 587-596.   | 1.3 | 15        |
| 26512 | Improvement of the Sandell-Kolthoff reaction method (ammonium persulfate digestion) for the determination of iodine in urine samples. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, e206-e208.                 | 1.4 | 11        |
| 26513 | Adequacy of the Ultra-Short-Term HRV to Assess Adaptive Processes in Youth Female Basketball Players. <i>Journal of Human Kinetics</i> , 2017, 56, 73-80.  | 0.7 | 21        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26514 | Dried blood spot validation of five immunosuppressants, without hematocrit correction, on two LC-MS/MS systems. <i>Bioanalysis</i> , 2017, 9, 553-563.  | 0.6 | 42        |
| 26515 | Effects of Progressive Hypoventilation on Left Ventricular Appearance: An Alternative Etiology of Acute Sonographic Short-Axis D-Shaping. <i>Journal of Ultrasound in Medicine</i> , 2017, 36, 1321-1328.   | 0.8 | 1         |
| 26516 | Altered synchrony of right ventricular contraction in borderline pulmonary hypertension. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 1331-1339.  | 0.7 | 46        |
| 26517 | Validation of image cytometry for sperm concentration measurement: Comparison with manual counting of 4010 human semen samples. <i>Clinica Chimica Acta</i> , 2017, 468, 114-119.   | 0.5 | 6         |
| 26518 | High-resolution mass spectrometry as an alternative detection method to tandem mass spectrometry for the analysis of endogenous steroids in serum. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017, 1052, 34-42. | 1.2 | 34        |
| 26519 | Measuring Endotracheal Tube Depth by Bedside Ultrasound in Adult Patients in an Intensive Care Unit: A Pilot Study. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 1163-1170.  | 0.7 | 5         |
| 26520 | Assessment of EchoMRI-AH versus dual-energy X-ray absorptiometry by iDXA to measure human body composition. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 558-560.  | 1.3 | 3         |
| 26521 | Comparison of methods for estimating glomerular filtration rate in head and neck cancer patients treated with cisplatin. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017, 77, 237-246.  | 0.6 | 6         |
| 26522 | Regional ventilation redistribution measured by electrical impedance tomography during spontaneous breathing trial with automatic tube compensation. <i>Physiological Measurement</i> , 2017, 38, 1193-1203.  | 1.2 | 17        |
| 26523 | Comparative measurement of collagen bundle orientation by Fourier analysis and semiquantitative evaluation: reliability and agreement in Masson's trichrome, Picrosirius red and confocal microscopy techniques. <i>Journal of Microscopy</i> , 2017, 267, 130-142.     | 0.8 | 28        |
| 26524 | Assessing the Reliability of Water Test Kits for Use in Pond Aquaculture. <i>Journal of the World Aquaculture Society</i> , 2017, 48, 555-562.  | 1.2 | 11        |
| 26525 | Reliability and concurrent validity of the International Physical Activity Questionnaire short form among pregnant women. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2017, 9, 7.  | 0.7 | 52        |
| 26526 | MRI-based computational hemodynamics in patients with aortic coarctation using the lattice Boltzmann methods: Clinical validation study. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 45, 139-146.  | 1.9 | 30        |
| 26527 | Repeatability of estimated fetal weight: Comparison between MR imaging versus 2D ultrasound in at- and near-term patients. <i>European Journal of Radiology</i> , 2017, 91, 35-40.  | 1.2 | 11        |
| 26528 | Precision, Sensitivity and Patient Preference of Non-Invasive Thermometers in a Pediatric Surgical Acute Care Setting. <i>Journal of Pediatric Nursing</i> , 2017, 35, 36-41.   | 0.7 | 8         |
| 26529 | Humeral correlates of forelimb elevation in four West African cercopithecoid monkeys. <i>American Journal of Physical Anthropology</i> , 2017, 162, 337-349.  | 2.1 | 9         |
| 26530 | Simultaneous validation of five activity monitors for use in adult populations. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017, 27, 1881-1892.  | 1.3 | 30        |
| 26531 | The Influence of Changes in Acute Training Load on Daily Sensitivity of Morning-Measured Fatigue Variables in Elite Soccer Players. <i>International Journal of Sports Physiology and Performance</i> , 2017, 12, S2-107-S2-113.  | 1.1 | 68        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26532 | Identification of critical intensity from a single lactate measure during a 3-min, submaximal cycle-ergometer test. <i>Journal of Sports Sciences</i> , 2017, 35, 2191-2197.   | 1.0 | 5         |
| 26533 | Overestimation by echocardiography of the peak systolic pressure gradient between the right ventricle and right atrium due to tricuspid regurgitation and the usefulness of the early diastolic transpulmonary valve pressure gradient for estimating pulmonary artery pressure. <i>Heart and Vessels</i> , 2017, 32, 833-842. | 0.5 | 12        |
| 26534 | Accuracy and Radiation Dose Reduction Using Low-Voltage Computed Tomography Coronary Artery Calcium Scoring With Tin Filtration. <i>American Journal of Cardiology</i> , 2017, 119, 675-680.   | 0.7 | 28        |
| 26535 | Comparison between Three Methods of Fetal Weight Estimation during the Active Stage of Labor Performed by Residents: A Prospective Cohort Study. <i>Fetal Diagnosis and Therapy</i> , 2017, 42, 117-123.   | 0.6 | 8         |
| 26536 | Normative 3D acetabular orientation measurements by the low-dose EOS imaging system in 102 asymptomatic subjects in standing position: Analyses by side, gender, pelvic incidence and reproducibility. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2017, 103, 209-215.  | 0.9 | 35        |
| 26537 | Cross calibration of two dual-energy X-ray densitometers and comparison of visceral adipose tissue measurements by iDXA and MRI. <i>Obesity</i> , 2017, 25, 332-337.   | 1.5 | 42        |
| 26538 | Inter- and intraobserver consistency in LV myocardial strain measurement using a novel multi-layer technique in patients with severe aortic stenosis and preserved LV ejection fraction. <i>International Journal of Cardiology</i> , 2017, 228, 687-693.  | 0.8 | 8         |
| 26539 | Development and validation of a food frequency questionnaire to assess omega-3 long chain polyunsaturated fatty acid intake in Australian children aged 9-13 years. <i>Journal of Human Nutrition and Dietetics</i> , 2017, 30, 429-438.   | 1.3 | 11        |
| 26540 | Estimation of health-related-quality of life depends on which utility measure is selected for patients with carpal tunnel syndrome. <i>Journal of Hand Therapy</i> , 2017, 30, 299-306.  | 0.7 | 12        |
| 26541 | SFST: A robust framework for heart rate monitoring from photoplethysmography signals during physical activities. <i>Biomedical Signal Processing and Control</i> , 2017, 33, 316-324.  | 3.5 | 37        |
| 26542 | Dietary Assessment in the MetaCardis Study: Development and Relative Validity of an Online Food Frequency Questionnaire. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2017, 117, 878-888.  | 0.4 | 32        |
| 26543 | Effectiveness of manual bladder expression in paraplegic dogs. <i>American Journal of Veterinary Research</i> , 2017, 78, 107-112.   | 0.3 | 7         |
| 26544 | ADC Quantification of the Vertebral Bone Marrow Water Component: Removing the Confounding Effect of Residual Fat. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 1432-1441.   | 1.9 | 17        |
| 26545 | Intra- and inter-examiner repeatability of cycloplegic retinoscopy among young children. <i>Ophthalmic and Physiological Optics</i> , 2017, 37, 16-23.   | 1.0 | 12        |
| 26546 | Quantification of breast stiffness using MR elastography at 3 Tesla with a soft sternal driver: A reproducibility study. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 45, 1379-1384.   | 1.9 | 37        |
| 26547 | Validation of the QuickDASH and DASH in Patients With Distal Radius Fractures Through Agreement Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 1217-1222.e1.  | 0.5 | 44        |
| 26548 | Reliability and minimal detectable change of transcranial magnetic stimulation outcomes in healthy adults: A systematic review. <i>Brain Stimulation</i> , 2017, 10, 196-213.  | 0.7 | 67        |
| 26549 | A family of locally constrained CCA models for detecting activation patterns in fMRI. <i>NeuroImage</i> , 2017, 149, 63-84.  | 2.1 | 18        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26550 | Ultrasound assessment of gastric volume in severely obese individuals: a validation study. <i>British Journal of Anaesthesia</i> , 2017, 118, 77-82.  | 1.5 | 54        |
| 26551 | Free breathing whole-heart 3D CINE MRI with self-gated Cartesian trajectory. <i>Magnetic Resonance Imaging</i> , 2017, 38, 129-137.   | 1.0 | 53        |
| 26552 | Repeatability and Agreement of Orbscan II, Pentacam HR, and Galilei Tomography Systems in Corneas With Keratoconus. <i>American Journal of Ophthalmology</i> , 2017, 175, 122-128.  | 1.7 | 81        |
| 26553 | An Anatomic Investigation Into the Relationship Between Posterior Condylar Offset and Posterior Tibial Slope of One Thousand One Hundred Thirty-Eight Cadaveric Knees. <i>Journal of Arthroplasty</i> , 2017, 32, 1659-1664.e1.   | 1.5 | 10        |
| 26554 | Agreement between multiple-breath nitrogen washout systems in children and adults. <i>Journal of Cystic Fibrosis</i> , 2017, 16, 258-266.   | 0.3 | 37        |
| 26555 | Rapid Prediction of Fatty Acid Content in Marine Oil Omega-3 Dietary Supplements Using a Portable Fourier Transform Infrared (FTIR) Device and Partial Least-Squares Regression (PLSR) Analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 224-233.                                       | 2.4 | 49        |
| 26556 | Comparison of two competitive enzyme immunoassay kits for quantification of plasma Urotensin-II in rats. <i>Journal of Immunoassay and Immunochemistry</i> , 2017, 38, 247-256.   | 0.5 | 0         |
| 26557 | The Danish Neck Disability Index: New Insights into Factor Structure, Generalizability, and Responsiveness. <i>Pain Practice</i> , 2017, 17, 480-493.   | 0.9 | 12        |
| 26558 | Human runners exhibit a least variable gait speed. <i>Journal of Sports Sciences</i> , 2017, 35, 2211-2219.   | 1.0 | 3         |
| 26559 | Applicability and limitations of sex assessment based on foramen magnum. <i>Forensic Science International</i> , 2017, 271, 126.e1-126.e9.  | 1.3 | 16        |
| 26560 | Evaluation of psychometric properties of Tinetti performance-oriented mobility assessment scale in subjects with knee osteoarthritis. <i>Hong Kong Physiotherapy Journal</i> , 2017, 36, 25-32.   | 0.3 | 15        |
| 26561 | Validation of an inertial measurement unit for the measurement of jump count and height. <i>Physical Therapy in Sport</i> , 2017, 25, 15-19.  | 0.8 | 59        |
| 26562 | A systematic review of the reliability of diagnostic ultrasound imaging in measuring tendon size: Is the error clinically acceptable?. <i>Physical Therapy in Sport</i> , 2017, 26, 52-63.  | 0.8 | 33        |
| 26563 | Dynamic contrast-enhanced perfusion area-detector CT assessed with various mathematical models: Its capability for therapeutic outcome prediction for non-small cell lung cancer patients with chemoradiotherapy as compared with that of FDG-PET/CT. <i>European Journal of Radiology</i> , 2017, 86, 83-91. | 1.2 | 24        |
| 26564 | Reproducibility of Ultrasonographic Measurements of the Ulnar Nerve at the Cubital Tunnel. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 439-444.   | 0.7 | 8         |
| 26565 | Photoplethysmography for an independent measure of pulsatile pressure under controlled flow conditions. <i>Physiological Measurement</i> , 2017, 38, 87-100.  | 1.2 | 7         |
| 26566 | Accuracy and precision of a new portable ultrasound scanner, the Biocon-700, in residual urine volume measurement. <i>International Urogynecology Journal</i> , 2017, 28, 1057-1061.  | 0.7 | 20        |
| 26567 | Ki-67 labeling index of neuroendocrine tumors of the lung has a high level of correspondence between biopsy samples and surgical specimens when strict counting guidelines are applied. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 470, 153-164.     | 1.4 | 67        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26568 | Two-dimensional right ventricular strain by speckle tracking for assessment of longitudinal right ventricular function after paediatric congenital heart disease surgery. <i>Archives of Cardiovascular Diseases</i> , 2017, 110, 157-166.               | 0.7 | 8         |
| 26569 | Non-invasive approach for the assessment of sympathetic baroreflex function: A feasibility study. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2017, 203, 108-112.  | 1.4 | 1         |
| 26570 | Preliminary validation of the Rating of Outcome Scale and equivalence of ultra-brief measures of well-being.. <i>Psychological Assessment</i> , 2017, 29, 65-75.   | 1.2 | 14        |
| 26571 | New web-based algorithm to improve rigid gas permeable contact lens fitting in keratoconus. <i>Contact Lens and Anterior Eye</i> , 2017, 40, 143-150.  | 0.8 | 15        |
| 26572 | Chest imaging in cystic fibrosis studies: What counts, and can be counted?. <i>Journal of Cystic Fibrosis</i> , 2017, 16, 175-185.   | 0.3 | 48        |
| 26573 | Advanced Volume-Compensation Method for Indirect Finger Arterial Pressure Determination: Comparison with Brachial Sphygmomanometry. <i>IEEE Transactions on Biomedical Engineering</i> , 2017, 64, 1131-1137.  | 2.5 | 19        |
| 26574 | Relationship between anti-Müllerian hormone and antral follicle count across the menstrual cycle using the Beckman Coulter Access assay in comparison with Gen II manual assay. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 1025-1033. | 1.4 | 11        |
| 26575 | Letter to the Editor regarding "Gait recording with inertial sensors" How to determine initial and terminal contact by BÄtzzel and colleagues. <i>Journal of Biomechanics</i> , 2017, 52, 183-184.   | 0.9 | 0         |
| 26576 | Accurate lumen diameter measurement in curved vessels in carotid ultrasound: an iterative scale-space and spatial transformation approach. <i>Medical and Biological Engineering and Computing</i> , 2017, 55, 1415-1434.                                | 1.6 | 24        |
| 26577 | A modified echocardiographic approach improves reliability of superior vena caval flow quantification. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2017, 102, F7-F11.  | 1.4 | 32        |
| 26578 | Reliability of clinical crown center to predict marginal ridge leveling. <i>Angle Orthodontist</i> , 2017, 87, 556-562.  | 1.1 | 1         |
| 26579 | Sensor-based foot-mounted wearable system and pressure sensitive gait analysis. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2017, 50, 488-497.   | 0.8 | 5         |
| 26580 | Plasma sodium measurements by direct ion selective methods in laboratory and point of care may not be clinically interchangeable. <i>Journal of Clinical Monitoring and Computing</i> , 2017, 31, 1103-1109.   | 0.7 | 13        |
| 26581 | Interseason variability of a functional movement test, the 9+ screening battery, in professional male football players. <i>British Journal of Sports Medicine</i> , 2017, 51, 1081-1086.   | 3.1 | 14        |
| 26582 | Reproducibility and validity of the Nintendo Wii Balance Board for measuring shoulder sensorimotor control in prone lying. <i>Gait and Posture</i> , 2017, 52, 211-216.  | 0.6 | 9         |
| 26583 | Radiologic Response Assessment in Pediatric Soft Tissue Sarcoma: Computed-Assisted Volume Evaluation. <i>Journal of Pediatrics</i> , 2017, 182, 327-334.e2.  | 0.9 | 7         |
| 26584 | Immunological diversity in phenotypes of chronic lung allograft dysfunction: a comprehensive immunohistochemical analysis. <i>Transplant International</i> , 2017, 30, 134-143.  | 0.8 | 47        |
| 26585 | Locating the Seventh Cervical Spinous Process: Development and Validation of a Multivariate Model Using Palpation and Personal Information. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2017, 40, 89-97.                             | 0.4 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26586 | Cumulative changes in weight but not fluid volume balances reflect fluid accumulation in <scp>ICU</scp> patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 205-215.  | 0.7 | 21        |
| 26587 | Computerized Cognitive Screen (CoCoSc): A Self-Administered Computerized Test for Screening for Cognitive Impairment in Community Social Centers. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 1299-1306.               | 1.2 | 18        |
| 26588 | Gastric emptying for liquids of different compositions in children. <i>British Journal of Anaesthesia</i> , 2017, 119, 948-955.  | 1.5 | 28        |
| 26589 | Poor performance of mainâ€stream capnography in newborn infants during general anesthesia. <i>Paediatric Anaesthesia</i> , 2017, 27, 1235-1240.  | 0.6 | 12        |
| 26590 | Analysis of free amino acids in mammalian brain extracts. <i>Biochemistry (Moscow)</i> , 2017, 82, 1183-1192.  | 0.7 | 22        |
| 26591 | Pyrocarbon interposition shoulder arthroplasty in advanced collapse of the humeral head. <i>Der Orthopade</i> , 2017, 46, 1034-1044.   | 0.7 | 22        |
| 26592 | Limitations and pitfalls of the pedicle screw testing monitoring technique: An in vivo and in vitro study. <i>Neurophysiologie Clinique</i> , 2017, 47, 393-403.   | 1.0 | 6         |
| 26593 | Assessment of clot length with multiphase CT angiography in patients with acute ischemic stroke. <i>Neuroradiology Journal</i> , 2017, 30, 593-599.  | 0.6 | 13        |
| 26594 | Fast Virtual Fractional Flow Reserve Basedâ€Upon Steady-State Computational Fluid Dynamics Analysis. <i>JACC Basic To Translational Science</i> , 2017, 2, 434-446.  | 1.9 | 68        |
| 26595 | Evolutional change in epicardial fat and its correlation with myocardial diffuse fibrosis in heart failure patients. <i>Journal of Clinical Lipidology</i> , 2017, 11, 1421-1431.  | 0.6 | 74        |
| 26596 | Assessing the validity of oscillometric device forâ€blood pressure measurement in a large population-based epidemiologic study. <i>Journal of the American Society of Hypertension</i> , 2017, 11, 730-736.e4.               | 2.3 | 25        |
| 26597 | Effect of FiO 2 in the measurement of VO 2 and VCO 2 using the E-COXV metabolic monitor. <i>Medicina Intensiva (English Edition)</i> , 2017, 41, 461-467.  | 0.1 | 2         |
| 26598 | Measuring the migration of the components and polyethylene wear after total hip arthroplasty. <i>Bone and Joint Journal</i> , 2017, 99-B, 1290-1297.   | 1.9 | 2         |
| 26599 | Performance of National and Foreign Models for Predicting the 6-Minute Walk Distance for Assessment of Functional Exercise Capacity of Brazilian Elderly Women. <i>Topics in Geriatric Rehabilitation</i> , 2017, 33, 68-75. | 0.2 | 3         |
| 26600 | Differences in Optical Coherence Tomography Assessment of Bruch Membrane Opening Compared to Stereoscopic Photography for Estimating Cup-to-Disc Ratio. <i>American Journal of Ophthalmology</i> , 2017, 184, 34-41.         | 1.7 | 5         |
| 26601 | Evidenceâ€based assessment as an integrative model for applying psychological science to guide the voyage of treatment.. <i>Clinical Psychology: Science and Practice</i> , 2017, 24, 331-363.                               | 0.6 | 75        |
| 26602 | TLR4 receptor expression and function in F11 dorsal root ganglion Ã– neuroblastoma hybrid cells. <i>Innate Immunity</i> , 2017, 23, 687-696.   | 1.1 | 5         |
| 26603 | Validity of Self-Reported Birth Weight: Results from a Norwegian Twin Sample. <i>Twin Research and Human Genetics</i> , 2017, 20, 406-413.   | 0.3 | 18        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26604 | Precise confidence intervals of regression-based reference limits: Method comparisons and sample size requirements. <i>Computers in Biology and Medicine</i> , 2017, 91, 191-197.   | 3.9 | 5         |
| 26605 | Translational MRI Volumetry with NeuroQuant: Effects of Version and Normative Data on Relationships with Memory Performance in Healthy Older Adults and Patients with Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 1499-1510. | 1.2 | 22        |
| 26606 | Three-camera setup to record simultaneously standardized high-definition video for smile analysis. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017, 152, 711-716.  | 0.8 | 6         |
| 26607 | A three-time-point method for assessing kinetic parameters of 64 Cu-labeled Ramucirumab trapping in VEGFR-2 positive lung tumors. <i>Physica Medica</i> , 2017, 43, 1-5.  | 0.4 | 7         |
| 26608 | Evaluation of a Leg-to-Leg Bioimpedance Device in the Estimation of Abdominal Visceral Fat for the Elderly – Comparison with CT. <i>International Journal of Gerontology</i> , 2017, 11, 144-148.   | 0.7 | 3         |
| 26609 | The accuracy of wide-field ultrasound biomicroscopy in localizing extraocular rectus muscle insertions in strabismus reoperations. <i>Journal of AAPOS</i> , 2017, 21, 463-466.e1.  | 0.2 | 6         |
| 26610 | Computational assessment of model-based wave separation using a database of virtual subjects. <i>Journal of Biomechanics</i> , 2017, 64, 26-31.   | 0.9 | 5         |
| 26611 | Reliability and Validity of a Smartphone-Paired Pulse Oximeter for Screening of Critical Congenital Heart Defects in Newborns. <i>Neonatology</i> , 2017, 112, 324-329.   | 0.9 | 8         |
| 26612 | Automated detection of foveal center in $SD$ OCT images using the saliency of retinal thickness maps. <i>Medical Physics</i> , 2017, 44, 6390-6403.   | 1.6 | 9         |
| 26613 | Beta Trace Protein does not outperform Creatinine and Cystatin C in estimating Glomerular Filtration Rate in Older Adults. <i>Scientific Reports</i> , 2017, 7, 12656.  | 1.6 | 9         |
| 26614 | A microfluidic approach for hemoglobin detection in whole blood. <i>AIP Advances</i> , 2017, 7, .   | 0.6 | 31        |
| 26615 | Assessment of the Second Mesio Buccal Root Canal in Maxillary First Molars: A Cone-beam Computed Tomographic Study. <i>Journal of Endodontics</i> , 2017, 43, 1990-1996.  | 1.4 | 50        |
| 26616 | Feasibility and Reliability of Tests Measuring Health-Related Physical Fitness in Children With Moderate to Severe Levels of Intellectual Disability. <i>American Journal on Intellectual and Developmental Disabilities</i> , 2017, 122, 422-438.            | 0.8 | 19        |
| 26617 | Inter-test reproducibility of the lung clearance index measured by multiple breath washout. <i>European Respiratory Journal</i> , 2017, 50, 1700433.  | 3.1 | 61        |
| 26618 | Transcranial color-coded duplex sonography for evaluation of midline-shift after chronic-subdural hematoma evacuation (TEMASE): A prospective study. <i>Clinical Neurology and Neurosurgery</i> , 2017, 162, 101-107.   | 0.6 | 9         |
| 26619 | Correlation between plasma fibrinogen and FIBTEM thromboelastometry during liver transplantation: a comprehensive assessment. <i>Vox Sanguinis</i> , 2017, 112, 788-795.  | 0.7 | 14        |
| 26620 | Comparison of two photographic methodologies for collecting and analyzing the condition of coral reef ecosystems. <i>Ecosphere</i> , 2017, 8, e01971.   | 1.0 | 7         |
| 26621 | Validity of wavelet transforms for analysis of video head impulse test (vHIT) results. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 4241-4249.  | 0.8 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26622 | Heart rate variability decreases after 3 months of sustained treatment with fingolimod. <i>Journal of Neurology</i> , 2017, 264, 2313-2317.  | 1.8 | 6         |
| 26623 | A Comparison of Measurements of Change in Respiratory Status in Spontaneously Breathing Volunteers by the ExSpirom Noninvasive Respiratory Volume Monitor Versus the Capnostream Capnometer. <i>Anesthesia and Analgesia</i> , 2017, 124, 120-126. | 1.1 | 35        |
| 26624 | ACCURACY OF NONINVASIVE ANESTHETIC MONITORING IN THE ANESTHETIZED GIRAFFE (<i>GIRAFFA) Tj ETQq0 0 0 rgBT /Overlock 10  | 0.3 | 7         |
| 26625 | Clinical evaluation of whole blood prothrombin time (PT) and international normalized ratio (INR) using a Laser Speckle Rheology sensor. <i>Scientific Reports</i> , 2017, 7, 9169.  | 1.6 | 29        |
| 26626 | Authors' Response. <i>Journal of Strength and Conditioning Research</i> , 2017, 31, e84-e85.   | 1.0 | 0         |
| 26627 | Determination of protein thiolation index (PTI) as a biomarker of oxidative stress in human serum. <i>Analytical Biochemistry</i> , 2017, 538, 38-41.  | 1.1 | 10        |
| 26628 | Reliability and construct validity of a new Danish translation of the Prosthesis Evaluation Questionnaire in a population of Danish amputees. <i>Prosthetics and Orthotics International</i> , 2017, 41, 469-475.                                  | 0.5 | 6         |
| 26629 | Comparison of 2 Radiographic Techniques for Measurement of Tibiofemoral Joint Space Width. <i>Orthopaedic Journal of Sports Medicine</i> , 2017, 5, 232596711772867.   | 0.8 | 13        |
| 26630 | Inter- and intra-rater reliability of 3D kinematics during maximum mouth opening of asymptomatic subjects. <i>Journal of Biomechanics</i> , 2017, 64, 245-252.   | 0.9 | 8         |
| 26631 | Indirect calorimetry using a ventilated hood may be easier than using a facemask to achieve steady state when measuring resting energy expenditure. <i>Nutrition Research</i> , 2017, 48, 33-39.   | 1.3 | 2         |
| 26632 | Estimation and validation of spatio-temporal parameters for sprint running using a radio-based tracking system. <i>Journal of Biomechanics</i> , 2017, 65, 89-95.  | 0.9 | 9         |
| 26633 | Tofacitinib improves atherosclerosis despite up-regulating serum cholesterol in patients with active rheumatoid arthritis: a cohort study. <i>Rheumatology International</i> , 2017, 37, 2079-2085.  | 1.5 | 56        |
| 26634 | Cytogenetic Reconstruction of Gamma-Ray Doses Delivered to Atomic Bomb Survivors: Dealing with Wide Distributions of Photon Energies and Contributions from Hematopoietic Stem/Progenitor Cells. <i>Radiation Research</i> , 2017, 188, 412.       | 0.7 | 2         |
| 26635 | Leafâ€”T: An Android application for measuring leaf area. <i>Ecology and Evolution</i> , 2017, 7, 9731-9738.   | 0.8 | 30        |
| 26636 | Determination of the optimal depth of a left internal jugular venous catheter in infants: A prospective observational study. <i>Paediatric Anaesthesia</i> , 2017, 27, 1220-1226.  | 0.6 | 6         |
| 26637 | Myelographic and lowâ€”field magnetic resonance imaging findings in dogs with presumptive acute hydrated nonâ€”compressive nucleus pulposus extrusion. <i>Veterinary Record</i> , 2017, 181, 594-599.  | 0.2 | 10        |
| 26638 | Improved experimental data processing for UHPLCâ€”HRMS/MS lipidomics applied to nonalcoholic fatty liver disease. <i>Metabolomics</i> , 2017, 13, 1.   | 1.4 | 38        |
| 26639 | Concordance between direct and indirect measurements of free 25-OH vitamin D. <i>Clinica Chimica Acta</i> , 2017, 475, 169-171.  | 0.5 | 9         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26640 | Monitoring intraoperative neuromuscular blockade and blood pressure with one device (TOF-Cuff): A comparative study with mechanomyography and invasive blood pressure. <i>Revista Española De Anestesiología Y Reanimación (English Edition)</i> , 2017, 64, 560-567.   | 0.1 | 2         |
| 26641 | Feasibility of Supramaximal Verification of Peak Oxygen Uptake of a Graded Maximal Treadmill Test in Adults With Intellectual Disability. <i>Cardiopulmonary Physical Therapy Journal</i> , 2017, 28, 117-127.  | 0.2 | 2         |
| 26642 | Knee Extensor Rate of Torque Development Before and After Arthroscopic Partial Meniscectomy, With Analysis of Neuromuscular Mechanisms. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017, 47, 945-956.  | 1.7 | 15        |
| 26643 | An LC-MS Assay with Isocratic Separation and On-Line Solid Phase Extraction to Improve the Routine Therapeutic Drug Monitoring of Busulfan in Plasma. <i>Journal of Medical Biochemistry</i> , 2017, 36, 113-121.   | 0.7 | 4         |
| 26644 | A reference range of fetal abdominal circumference growth velocity between 20 and 36 weeks' gestation. <i>Prenatal Diagnosis</i> , 2017, 37, 1084-1092.   | 1.1 | 8         |
| 26645 | A comparison of inferential analysis methods for multilevel studies: Implications for drawing conclusions in animal welfare science. <i>Applied Animal Behaviour Science</i> , 2017, 197, 101-111.  | 0.8 | 2         |
| 26646 | Feature selection methodology for longitudinal cone-beam CT radiomics. <i>Acta Oncologica</i> , 2017, 56, 1537-1543.  | 0.8 | 55        |
| 26647 | Vertebral heart size in chinchillas ( <i>Chinchilla lanigera</i> ) using radiography and CT. <i>Journal of Small Animal Practice</i> , 2017, 58, 714-719.   | 0.5 | 7         |
| 26648 | Test-retest reliability and smallest detectable change of the Bristol Impact of Hypermobility (BloH) questionnaire. <i>Musculoskeletal Science and Practice</i> , 2017, 32, 64-69.  | 0.6 | 10        |
| 26649 | How to Choose Between Measures of Tinnitus Loudness for Clinical Research? A Report on the Reliability and Validity of an Investigator-Administered Test and a Patient-Reported Measure Using Baseline Data Collected in a Phase IIa Drug Trial. <i>American Journal of Audiology</i> , 2017, 26, 338-346.                                | 0.5 | 28        |
| 26650 | ARC OCT: Automatic detection of lumen border in intravascular OCT images. <i>Computer Methods and Programs in Biomedicine</i> , 2017, 151, 21-32.   | 2.6 | 17        |
| 26651 | Inaccuracy of a continuous arterial pressure waveform monitor when used for congenital cardiac catheterization. <i>Congenital Heart Disease</i> , 2017, 12, 815-819.  | 0.0 | 2         |
| 26652 | Population pharmacokinetics and Bayesian estimation of tacrolimus exposure in Chinese liver transplant patients. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2017, 42, 679-688.  | 0.7 | 22        |
| 26653 | Metric to quantify white matter damage on brain magnetic resonance images. <i>Neuroradiology</i> , 2017, 59, 951-962.   | 1.1 | 19        |
| 26654 | How valid and accurate are measurements of golf impact parameters obtained using commercially available radar and stereoscopic optical launch monitors?. <i>Measurement: Journal of the International Measurement Confederation</i> , 2017, 112, 125-136.   | 2.5 | 40        |
| 26655 | Changes in heparin dose response slope during cardiac surgery: possible result in inaccuracy in predicting heparin bolus dose requirement to achieve target ACT. <i>Perfusion (United Kingdom)</i> , 2017, 32, 474-480.   | 0.5 | 7         |
| 26656 | Investigation of four self-report instruments (FABT, TSK-HC, Back-PAQ, HC-PAIRS) to measure healthcare practitioners' attitudes and beliefs toward low back pain: Reliability, convergent validity and survey of New Zealand osteopaths and manipulative physiotherapists. <i>Musculoskeletal Science and Practice</i> , 2017, 32, 44-50. | 0.6 | 31        |
| 26657 | Harmonization of multi-site diffusion tensor imaging data. <i>NeuroImage</i> , 2017, 161, 149-170.  | 2.1 | 731       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26658 | Agreement of Corneal Diameter Measurements Obtained by a Swept-source Biometer and a Scheimpflug-based Topographer. <i>Cornea</i> , 2017, 36, 1373-1376.  | 0.9 | 20        |
| 26659 | Validation of serum creatinine-based formulae in pediatric renal transplant recipients. <i>Pediatric Research</i> , 2017, 82, 1000-1006.  | 1.1 | 13        |
| 26660 | ISO 15197: 2013 Evaluation of a Blood Glucose Monitoring System's Measurement Accuracy. <i>Journal of Diabetes Science and Technology</i> , 2017, 11, 1275-1276.  | 1.3 | 28        |
| 26661 | BIS/BAS Scale in Primary School Children: Parent-Child Agreement and Longitudinal Stability. <i>Behaviour Change</i> , 2017, 34, 98-116.  | 0.6 | 4         |
| 26662 | Feasibility and Accuracy of Automated Software for Transthoracic Three-Dimensional Left Ventricular Volume and Function Analysis: Comparisons with Two-Dimensional Echocardiography, Three-Dimensional Transthoracic Manual Method, and Cardiac Magnetic Resonance Imaging. <i>Journal of the American Society of Echocardiography</i> , 2017, 30, 1049-1058. | 1.2 | 70        |
| 26663 | Brain lesion segmentation through image synthesis and outlier detection. <i>NeuroImage: Clinical</i> , 2017, 16, 643-658.   | 1.4 | 38        |
| 26664 | The effect of conventional versus figure-of-eight module ligation on mandibular incisor alignment: a randomised controlled trial. <i>Journal of Orthodontics</i> , 2017, 44, 231-240.   | 0.4 | 1         |
| 26665 | Estimating VO <sub>2</sub> max in children aged 5-6 years through the preschool-adapted 20-m shuttle-run test (PREFIT). <i>European Journal of Applied Physiology</i> , 2017, 117, 2295-2307.   | 1.2 | 29        |
| 26666 | Agreement between venous and arterial blood gas analysis of acid-base status in critical care and ward patients: a retrospective cohort study. <i>Canadian Journal of Anaesthesia</i> , 2017, 64, 1138-1143.  | 0.7 | 16        |
| 26667 | Demonstration of extended field-of-view ultrasound's potential to increase the pool of muscles for which in vivo fascicle length is measurable. <i>Journal of Biomechanics</i> , 2017, 63, 179-185.   | 0.9 | 14        |
| 26668 | Validation Testing Demonstrates Efficacy of a 7-Day Fluid Record to Estimate Daily Water Intake in Adult Men and Women When Compared with Total Body Water Turnover Measurement. <i>Journal of Nutrition</i> , 2017, 147, 2001-2007.  | 1.3 | 33        |
| 26669 | Choroidal Thinning Associated With Hydroxychloroquine Retinopathy. <i>American Journal of Ophthalmology</i> , 2017, 183, 56-64.   | 1.7 | 35        |
| 26670 | Comparisons of traffic-related ultrafine particle number concentrations measured in two urban areas by central, residential, and mobile monitoring. <i>Atmospheric Environment</i> , 2017, 169, 113-127.  | 1.9 | 36        |
| 26671 | Lumen boundary detection in IVUS medical imaging using structured element. , 2017, , .  |     | 0         |
| 26672 | Test-retest reliability of a balance testing protocol with external perturbations in young healthy adults. <i>Gait and Posture</i> , 2017, 58, 433-439.   | 0.6 | 9         |
| 26673 | Reproducibility of F18-FDG PET radiomic features for different cervical tumor segmentation methods, gray-level discretization, and reconstruction algorithms. <i>Journal of Applied Clinical Medical Physics</i> , 2017, 18, 32-48.   | 0.8 | 85        |
| 26674 | Inter-vender and test-retest reliabilities of resting-state functional magnetic resonance imaging: Implications for multi-center imaging studies. <i>Magnetic Resonance Imaging</i> , 2017, 44, 125-130.  | 1.0 | 11        |
| 26675 | ICN Atlas: Automated description and quantification of functional MRI activation patterns in the framework of intrinsic connectivity networks. <i>NeuroImage</i> , 2017, 163, 319-341.  | 2.1 | 22        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26676 | Influence of fissure integrity on quantitative CT and emphysema distribution in emphysema-type COPD using a dedicated COPD software. <i>European Journal of Radiology</i> , 2017, 95, 293-299.   | 1.2 | 2         |
| 26677 | Duration of blastulation may be associated with ongoing pregnancy rate in single euploid blastocyst transfer cycles. <i>Reproductive BioMedicine Online</i> , 2017, 35, 633-639.   | 1.1 | 24        |
| 26678 | Effect of breakfast omission and consumption on energy intake and physical activity in adolescent girls: a randomised controlled trial. <i>British Journal of Nutrition</i> , 2017, 118, 392-400.  | 1.2 | 13        |
| 26679 | Noninvasive Body Fat Burn Monitoring from Exhaled Acetone with Si-doped WO <sub>3</sub> -sensing Nanoparticles. <i>Analytical Chemistry</i> , 2017, 89, 10578-10584.   | 3.2 | 92        |
| 26680 | A novel dual gating approach using joint inertial sensors: implications for cardiac PET imaging. <i>Physics in Medicine and Biology</i> , 2017, 62, 8080-8101.   | 1.6 | 11        |
| 26681 | Psychometric evaluation of a motor control test battery of the craniofacial region. <i>Journal of Oral Rehabilitation</i> , 2017, 44, 964-973.   | 1.3 | 4         |
| 26682 | Assays for measurement of TNF antagonists in practice. <i>Frontline Gastroenterology</i> , 2017, 8, 236-242.   | 0.9 | 40        |
| 26683 | Method-comparison studies in telehealth: Study design and analysis considerations. <i>Journal of Telemedicine and Telecare</i> , 2017, 23, 797-802.  | 1.4 | 12        |
| 26684 | Digital Camera-Based Spectrometry for the Development of Point-of-Care Anemia Detection on Ultra-Low Volume Whole Blood Sample. <i>IEEE Sensors Journal</i> , 2017, 17, 7149-7156.   | 2.4 | 15        |
| 26685 | Dynamic Contrast-Enhanced Perfusion Area-Detector CT: Preliminary Comparison of Diagnostic Performance for N Stage Assessment With FDG PET/CT in Non-“Small Cell Lung Cancer. <i>American Journal of Roentgenology</i> , 2017, 209, W253-W262. | 1.0 | 9         |
| 26686 | Perspective: An Extension of the STROBE Statement for Observational Studies in Nutritional Epidemiology (STROBE-nut): Explanation and Elaboration. <i>Advances in Nutrition</i> , 2017, 8, 652-678.  | 2.9 | 44        |
| 26687 | Concordance of transient elastography and shear wave elastography for measurement of liver stiffness. <i>Sonography</i> , 2017, 4, 141-145.  | 0.4 | 6         |
| 26688 | The validation of the sit-to-stand test for COPD patients. <i>European Respiratory Journal</i> , 2017, 50, 1701506.  | 3.1 | 3         |
| 26689 | Respiratory magnetic resonance imaging biomarkers in Duchenne muscular dystrophy. <i>Annals of Clinical and Translational Neurology</i> , 2017, 4, 655-662.  | 1.7 | 17        |
| 26690 | The validation of the sit-to-stand test for COPD patients. <i>European Respiratory Journal</i> , 2017, 50, 1701203.  | 3.1 | 1         |
| 26691 | Comprehensive graphical presentation of data from incurred sample reanalysis. <i>Bioanalysis</i> , 2017, 9, 947-956.   | 0.6 | 13        |
| 26692 | Basic overview of method validation in the clinical virology laboratory. <i>Reviews in Medical Virology</i> , 2017, 27, e1940.   | 3.9 | 8         |
| 26693 | How does wearable robotic exoskeleton affect overground walking performance measured with the 10-m and six-minute walk tests after a basic locomotor training in healthy individuals?. <i>Gait and Posture</i> , 2017, 58, 340-345.            | 0.6 | 4         |



| #     | ARTICLE   | IF   | CITATIONS |
|-------|---|------|-----------|
| 26694 | Identification and segmentation of myelinated nerve fibers in a cross-sectional optical microscopic image using a deep learning model. <i>Journal of Neuroscience Methods</i> , 2017, 291, 141-149.                       | 1.3  | 21        |
| 26695 | Psychometric properties of three measures assessing advanced theory of mind: Evidence from people with schizophrenia. <i>Psychiatry Research</i> , 2017, 257, 490-496.  | 1.7  | 20        |
| 26696 | Therapeutic drug monitoring of caffeine in preterm infants: Could saliva be an alternative to serum?. <i>Therapie</i> , 2017, 72, 685-689.  | 0.6  | 6         |
| 26697 | Assessment of the effect of silver nanoparticles on the relevant soil protozoan genus <i>Acanthamoeba</i> . <i>Journal of Plant Nutrition and Soil Science</i> , 2017, 180, 602-613.                                      | 1.1  | 11        |
| 26698 | A microsensing system for the in vivo real-time detection of local drug kinetics. <i>Nature Biomedical Engineering</i> , 2017, 1, 654-666.  | 11.6 | 68        |
| 26699 | Can shoulder range of movement be measured accurately using the Microsoft Kinect sensor plus Medical Interactive Recovery Assistant (MIRA) software?. <i>Journal of Shoulder and Elbow Surgery</i> , 2017, 26, e382-e389. | 1.2  | 25        |
| 26700 | Discrepancies between leg-to-leg bioelectrical Impedance analysis and computerized tomography in abdominal visceral fat measurement. <i>Scientific Reports</i> , 2017, 7, 9102.   | 1.6  | 13        |
| 26701 | Impact of Personalised Patient Education on Bowel Preparation for Colonoscopy: Prospective Randomised Controlled Trial. <i>GE Portuguese Journal of Gastroenterology</i> , 2017, 24, 22-30.                               | 0.3  | 21        |
| 26702 | A geographic information system-based method for estimating cancer rates in non-census defined geographical areas. <i>Cancer Causes and Control</i> , 2017, 28, 1095-1104.  | 0.8  | 4         |
| 26703 | Simple and rapid LC-MS/MS method for the absolute determination of cetuximab in human serum using an immobilized trypsin. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017, 146, 266-272.                  | 1.4  | 29        |
| 26704 | Validation of radial artery-based uncalibrated pulse contour method (PulsioFlex) in critically ill patients. <i>European Journal of Anaesthesiology</i> , 2017, 34, 723-731.  | 0.7  | 6         |
| 26705 | Predicting irreversible electroporation-induced tissue damage by means of magnetic resonance electrical impedance tomography. <i>Scientific Reports</i> , 2017, 7, 10323.   | 1.6  | 24        |
| 26706 | Assessing the Accuracy of an Algorithm for the Estimation of Spatial Gait Parameters Using Inertial Measurement Units. , 2017, , .  |      | 3         |
| 26707 | Comparison of two-dimensional strain analysis using vendor-independent and vendor-specific software in adult and pediatric patients. <i>JRSM Cardiovascular Disease</i> , 2017, 6, 204800401771286.                       | 0.4  | 18        |
| 26708 | Intrarater reliability and agreement of linear encoder derived heel-rise endurance test outcome measures in healthy adults. <i>Journal of Electromyography and Kinesiology</i> , 2017, 36, 34-39.                         | 0.7  | 17        |
| 26709 | Evaluation of Accuracy of Six Blood Glucose Monitoring Systems and Modeling of Possibly Related Insulin Dosing Errors. <i>Diabetes Technology and Therapeutics</i> , 2017, 19, 580-588.                                   | 2.4  | 18        |
| 26710 | Accuracy and precision of estimation equations to predict net endogenous acid excretion using the Australian food database. <i>Nutrition and Dietetics</i> , 2017, 74, 308-312.   | 0.9  | 15        |
| 26711 | Validity and Reliability of Assessing Body Composition Using a Mobile Application. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 2593-2599.  | 0.2  | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26712 | Intra- and inter-examiner reliability in angular measurements of the knee with a smartphone application. <i>Human Movement</i> , 2017, 18, 38-43.  | 0.5 | 3         |
| 26713 | A look-locker acquisition scheme for quantitative myocardial perfusion imaging with FAIR arterial spin labeling in humans at 3 tesla. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 541-549.   | 1.9 | 11        |
| 26715 | Performance Assessment of a Trypanosoma cruzi Chimeric Antigen in Multiplex Liquid Microarray Assays. <i>Journal of Clinical Microbiology</i> , 2017, 55, 2934-2945.   | 1.8 | 22        |
| 26716 | Measurement of lower limb alignment: there are within-person differences between weight-bearing and non-weight-bearing measurement modalities. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3569-3575.  | 2.3 | 26        |
| 26717 | Evaluation of patient dose saving in grid-less x-ray mammography acquisition compared with full field digital mammography (FFDMG) acquisition. <i>Biomedical Physics and Engineering Express</i> , 2017, 3, 015026.  | 0.6 | 2         |
| 26718 | Intra-observer repeatability when assessing the foetal urinary bladder volume by the Virtual Organ Computer-aided AnaLysis and SUM-OF-CYLINDERS methods: A pilot study. <i>Ultrasound</i> , 2017, 25, 156-165.   | 0.3 | 3         |
| 26719 | A smart device application for the automated determination of <i>E. coli</i> colonies on agar plates. <i>Engineering in Life Sciences</i> , 2017, 17, 959-966.   | 2.0 | 27        |
| 26720 | Computed tomography predict regression of coronary artery aneurysm in patients with Kawasaki disease. <i>Journal of the Formosan Medical Association</i> , 2017, 116, 806-814.   | 0.8 | 14        |
| 26721 | Strabismus Measurements with Novel Video Goggles. <i>Ophthalmology</i> , 2017, 124, 1849-1856.   | 2.5 | 23        |
| 26722 | Accuracy of Consumer Monitors for Estimating Energy Expenditure and Activity Type. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 371-377.   | 0.2 | 28        |
| 26723 | Analysis of Agreement between Expired-Air Carbon Monoxide Monitors. <i>Journal of Smoking Cessation</i> , 2017, 12, 105-112.   | 0.3 | 23        |
| 26724 | Post-processing reproducibility of the structural characteristics of the common carotid artery in a Flemish population. <i>Artery Research</i> , 2017, 19, 9.  | 0.3 | 3         |
| 26725 | Impact of advanced modeled iterative reconstruction on interreader agreement in coronary artery measurements. <i>European Journal of Radiology</i> , 2017, 94, 201-208.  | 1.2 | 7         |
| 26726 | Rapid Biolayer Interferometry Measurements of Urinary CXCL9 to Detect Cellular Infiltrates Noninvasively After Kidney Transplantation. <i>Kidney International Reports</i> , 2017, 2, 1186-1193.   | 0.4 | 15        |
| 26727 | Assessment of factors that could affect the success of US-guided contrast injection for hip MR arthrography. <i>Journal of the Chinese Medical Association</i> , 2017, 80, 662-668.  | 0.6 | 0         |
| 26728 | Online version of the self-administered food frequency questionnaire for the Japan Public Health Center-based Prospective Study for the Next Generation (JPHC-NEXT) protocol: Relative validity, usability, and comparison with a printed questionnaire. <i>Journal of Epidemiology</i> , 2017, 27, 435-446. | 1.1 | 12        |
| 26729 | A framework for computational fluid dynamic analyses of patient-specific stented coronary arteries from optical coherence tomography images. <i>Medical Engineering and Physics</i> , 2017, 47, 105-116.   | 0.8 | 30        |
| 26730 | Re: Goto et al.: Prediction of postoperative intraocular lens position with angle-to-angle depth using anterior segment optical coherence tomography ( <i>Ophthalmology</i> . 2016;123:2474-2480). <i>Ophthalmology</i> , 2017, 124, e53-e54.  | 2.5 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26731 | Application of A Novel Three-dimensional Printing Genioplasty Template System and Its Clinical Validation: A Control Study. <i>Scientific Reports</i> , 2017, 7, 5431.   | 1.6 | 28        |
| 26732 | Variable Accuracy of Wearable Heart Rate Monitors during Aerobic Exercise. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 1697-1703.   | 0.2 | 249       |
| 26733 | Measurement accuracy of total cell volume by automated dialyzer reprocessing: A prospective cohort study. <i>Annals of Medicine and Surgery</i> , 2017, 18, 16-23.   | 0.5 | 2         |
| 26734 | Monitorizaci3n intraoperatoria del bloqueo neuromuscular y la presi3n arterial con un solo dispositivo (TOF-Cuff): estudio comparativo con la mecanomiograf3a y la presi3n arterial invasiva. <i>Revista Espa3ola De Anestesiolog3a Y Reanimaci3n</i> , 2017, 64, 560-567.                             | 0.1 | 21        |
| 26735 | Patient-Proxy Agreement on the Health-Related Quality of Life One Year After Traumatic Brain Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 2540-2547.  | 0.5 | 9         |
| 26736 | Assessing Passeriformes health in South Texas via select venous analytes. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2017, 210, 64-71.  | 0.7 | 5         |
| 26737 | The dilatation of main pulmonary artery and right ventricle observed by enhanced chest computed tomography predict poor outcome in inoperable chronic thromboembolic pulmonary hypertension. <i>European Journal of Radiology</i> , 2017, 94, 70-77.   | 1.2 | 16        |
| 26738 | 3tude pr3liminaire de lâ€™exactitude et du biais syst3matique de deux thermom3tres infrarouges pour lâ€™estimation du d3lai post-mortem pr3coce3: peut-on utiliser les thermom3tres infrarouges commercialis3s pour d3terminer lâ€™heure du d3c3s3. <i>Revue De Medecine Legale</i> , 2017, 8, 97-104. | 0.1 | 3         |
| 26739 | Estimation of the glomerular filtration rate in people older than 85: Comparisons between CKD-EPI, MDRD-IDMS and BIS1 equations. <i>Nefrologia</i> , 2017, 37, 172-180.  | 0.2 | 3         |
| 26742 | Can the analysis of built-in software of CPAP devices replace polygraphy in children?. <i>Sleep Medicine</i> , 2017, 37, 46-53.  | 0.8 | 24        |
| 26743 | Common Carotid Artery Flow Measured by 3-D Ultrasonic Vector Flow Imaging and Validated with Magnetic Resonance Imaging. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 2213-2220.  | 0.7 | 31        |
| 26744 | Assessing Validity of the Fitbit Indicators for U.S. Public Health Surveillance. <i>American Journal of Preventive Medicine</i> , 2017, 53, 931-932.   | 1.6 | 15        |
| 26745 | Close correlation between arterial and central venous lactate concentrations of children in shock: A cross-sectional study. <i>Clinica Chimica Acta</i> , 2017, 472, 86-89.  | 0.5 | 2         |
| 26746 | Evaluation of the wrist-worn ActiGraph wGT3x-BT for estimating activity energy expenditure in preschool children. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 1212-1217.   | 1.3 | 25        |
| 26747 | A new scoring system for evaluating coronary artery disease by using blood pressure variability. <i>Australasian Physical and Engineering Sciences in Medicine</i> , 2017, 40, 751-758.  | 1.4 | 3         |
| 26748 | Influence of different setups of the Frankfort horizontal plane on 3-dimensional cephalometric measurements. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017, 152, 242-249.   | 0.8 | 12        |
| 26749 | A Novel Approach to Predict 24-Hour Energy Expenditure Based on Hematologic Volumes: Development and Validation of Models Comparable to Mifflin-St Jeor and Body Composition Models. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2017, 117, 1177-1187.                                  | 0.4 | 1         |
| 26750 | Anomalous Aortic Origin of a Coronary Artery: Symptoms Do Not Correlate With Intramural Length or Ostial Diameter. <i>World Journal for Pediatric &amp; Congenital Heart Surgery</i> , 2017, 8, 445-452.   | 0.3 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26751 | Comparison of Polar M600 Optical Heart Rate and ECG Heart Rate during Exercise. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 2600-2607.  | 0.2 | 55        |
| 26752 | Reliability assessment of measuring active wrist pronation and supination range of motion with a smartphone. <i>Hand Surgery and Rehabilitation</i> , 2017, 36, 338-345.                         | 0.2 | 22        |
| 26753 | Measurement Error of a Simplified Protocol for Quantitative Sensory Tests in Chronic Pain Patients. <i>Regional Anesthesia and Pain Medicine</i> , 2017, 42, 660-668.                            | 1.1 | 3         |
| 26754 | The role of stride frequency for walk-to-run transition in humans. <i>Scientific Reports</i> , 2017, 7, 2010.  | 1.6 | 24        |
| 26755 | Comparison of ocular biometric measurements between a new swept-source optical coherence tomography and a common optical low coherence reflectometry. <i>Scientific Reports</i> , 2017, 7, 2484. | 1.6 | 20        |
| 26756 | Paradoxical puborectalis syndrome on diffusion-weighted imaging: a retrospective study of 72 cases. <i>Scientific Reports</i> , 2017, 7, 2925.   | 1.6 | 0         |
| 26757 | The Location of the Deepest Point of the Eyeball Determines the Optic Disc Configuration. <i>Scientific Reports</i> , 2017, 7, 5881.   | 1.6 | 25        |
| 26758 | Non-Mono-Exponential Analysis of Diffusion-Weighted Imaging for Treatment Monitoring in Prostate Cancer Bone Metastases. <i>Scientific Reports</i> , 2017, 7, 5809.                              | 1.6 | 9         |
| 26759 | Open source software for automatic detection of cone photoreceptors in adaptive optics ophthalmoscopy using convolutional neural networks. <i>Scientific Reports</i> , 2017, 7, 6620.            | 1.6 | 65        |
| 26760 | Gyrocardiography: A New Non-invasive Monitoring Method for the Assessment of Cardiac Mechanics and the Estimation of Hemodynamic Variables. <i>Scientific Reports</i> , 2017, 7, 6823.           | 1.6 | 105       |
| 26761 | Concordance of 18F-FDG PET Uptake in Tumor and Normal Tissues on PET/MRI and PET/CT. <i>Clinical Nuclear Medicine</i> , 2017, 42, 180-186.   | 0.7 | 8         |
| 26762 | The concurrent validity and intrarater reliability of the Microsoft Kinect to measure thoracic kyphosis. <i>International Journal of Rehabilitation Research</i> , 2017, 40, 279-284.            | 0.7 | 3         |
| 26763 | Radiographic assessment of humeroulnar congruity in a medium and a large breed of dog. <i>Veterinary Radiology and Ultrasound</i> , 2017, 58, 627-633.   | 0.4 | 4         |
| 26764 | The comparison of measurement between ultrasound and computed tomography for abnormal degenerative facet joints. <i>Medicine (United States)</i> , 2017, 96, e7680.                              | 0.4 | 3         |
| 26765 | Integrity of head and tail plasmalemma is associated with different kinetic variables in boar sperm. <i>Animal Reproduction Science</i> , 2017, 184, 218-227.                                    | 0.5 | 7         |
| 26766 | Bland-Altman comparison of two methods for assessing severity of Verticillium wilt of potato. <i>Crop Protection</i> , 2017, 101, 68-75.   | 1.0 | 13        |
| 26767 | Geometric factor and influence of sensors in the establishment of a resistivity-moisture relation in soil samples. <i>Journal of Applied Geophysics</i> , 2017, 145, 1-11.                       | 0.9 | 8         |
| 26768 | Early time-related course of image findings in postmortem MRI: Typical findings and observer agreement in a porcine model. <i>Legal Medicine</i> , 2017, 28, 15-21.                              | 0.6 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26769 | Evaluating single-point quantitative magnetization transfer in the cervical spinal cord: Application to multiple sclerosis. <i>NeuroImage: Clinical</i> , 2017, 16, 58-65.  | 1.4 | 9         |
| 26770 | A test-retest study on Parkinson's PPMI dataset yields statistically significant white matter fascicles. <i>NeuroImage: Clinical</i> , 2017, 16, 222-233.   | 1.4 | 119       |
| 26771 | Effect of Preterm Birth on Echogenicity in Basal Ganglia. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 2192-2199.  | 0.7 | 4         |
| 26772 | Experimental evolution reveals that sperm competition intensity selects for longer, more costly sperm. <i>Evolution Letters</i> , 2017, 1, 102-113.   | 1.6 | 45        |
| 26773 | The Evaluation of a Noninvasive Respiratory Volume Monitor in Pediatric Patients Undergoing General Anesthesia. <i>Anesthesia and Analgesia</i> , 2017, 125, 1913-1919.   | 1.1 | 10        |
| 26774 | Furosemide/Fludrocortisone Test and Clinical Parameters to Diagnose Incomplete Distal Renal Tubular Acidosis in Kidney Stone Formers. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 1507-1517.         | 2.2 | 38        |
| 26775 | Ventricular pacing site separation by cardiac computed tomography: validation for the prediction of clinical response to cardiac resynchronization therapy. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 1433-1442. | 0.7 | 3         |
| 26776 | Evaluation of the Patient Health Questionnaire-2 as a Screening Tool for Depression during the Acute Stroke Admission. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, 2519-2526.                                       | 0.7 | 4         |
| 26777 | Comparison of Manual and Automated Measurements of Tracheobronchial Airway Geometry in Three Balb/c Mice. <i>Anatomical Record</i> , 2017, 300, 2046-2057.  | 0.8 | 7         |
| 26778 | Validity and Reliability of the Upper Extremity Work Demands Scale. <i>Journal of Occupational Rehabilitation</i> , 2017, 27, 520-529.  | 1.2 | 17        |
| 26779 | A combination of parabolic and grid slope interpolation for 2D tissue displacement estimations. <i>Medical and Biological Engineering and Computing</i> , 2017, 55, 1327-1338.  | 1.6 | 5         |
| 26780 | Dried Blood Spot Sampling for Tacrolimus and Mycophenolic Acid in Children: Analytical and Clinical Validation. <i>Therapeutic Drug Monitoring</i> , 2017, 39, 412-421.   | 1.0 | 38        |
| 26781 | A Possible Association Between Dry Eye Symptoms and Body Fat: A Prospective, Cross-Sectional Preliminary Study. <i>Eye and Contact Lens</i> , 2017, 43, 245-252.  | 0.8 | 16        |
| 26782 | Apparent diffusion coefficient normalization of normal liver. <i>Medicine (United States)</i> , 2017, 96, e5910.  | 0.4 | 19        |
| 26783 | The multimorbidity interaction severity index (MISI). <i>Medicine (United States)</i> , 2017, 96, e6144.  | 0.4 | 7         |
| 26784 | Aberrometry Repeatability and Agreement with Autorefraction. <i>Optometry and Vision Science</i> , 2017, 94, 886-893.   | 0.6 | 14        |
| 26785 | Concurrent Validity Between Live and Home Video Observations Using the Alberta Infant Motor Scale. <i>Pediatric Physical Therapy</i> , 2017, 29, 146-151.   | 0.3 | 36        |
| 26786 | Computation of Calcium Score With Dual-Energy Computed Tomography. <i>Journal of Computer Assisted Tomography</i> , 2017, 41, 156-158.  | 0.5 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26787 | Stereophotogrammetric Evaluation of Labial Symmetry After Surgical Treatment of a Lymphatic Malformation. <i>Journal of Craniofacial Surgery</i> , 2017, 28, e355-e358.                                | 0.3 | 5         |
| 26788 | Agreement Between a Smartphone Pulse Sensor Application and Electrocardiography for Determining InRMSSD. <i>Journal of Strength and Conditioning Research</i> , 2017, 31, 380-385.                     | 1.0 | 34        |
| 26789 | Handheld echocardiography during hospitalization for acute myocardial infarction. <i>Clinical Cardiology</i> , 2017, 40, 993-999.  | 0.7 | 15        |
| 26790 | Monitoring Neutropenia for Cancer Patients at the Point of Care. <i>Small Methods</i> , 2017, 1, 1700193.  | 4.6 | 4         |
| 26791 | Measuring VLDL1-Triglyceride and VLDL2-Triglyceride Kinetics in Men: Effects of Dietary Control on Day-to-Day Variability. <i>Hormone and Metabolic Research</i> , 2017, 49, 604-611.                  | 0.7 | 2         |
| 26792 | Manual tracing versus smartphone application (app) tracing: a comparative study. <i>Acta Odontologica Scandinavica</i> , 2017, 75, 588-594.  | 0.9 | 16        |
| 26793 | Short-term Heart Rate Variability using wrist-worn pulse wave monitor compared to a Holter ECG. , 2017, , .  |     | 6         |
| 26794 | Measurements of pulse rate using long-range imaging photoplethysmography and sunlight illumination outdoors. <i>Proceedings of SPIE</i> , 2017, , .  | 0.8 | 2         |
| 26795 | Solid Phase Immunoassay for the Detection of Anticardiolipin Antibodies. <i>Methods in Molecular Biology</i> , 2017, 1646, 185-199.  | 0.4 | 5         |
| 26796 | Solid Phase Immunoassay for the Detection of Anti-Î²2 Glycoprotein I Antibodies. <i>Methods in Molecular Biology</i> , 2017, 1646, 201-215.  | 0.4 | 4         |
| 26797 | Strength of Tuberculin Used in the Mantoux Test: Does It Make a Difference?. <i>Indian Journal of Pediatrics</i> , 2017, 84, 657-659.  | 0.3 | 0         |
| 26798 | Reliability and Validity of the Belt-Stabilized Handheld Dynamometer in Hip- and Knee-Strength Tests. <i>Journal of Athletic Training</i> , 2017, 52, 809-819.   | 0.9 | 68        |
| 26799 | Impact of Positron Emission Tomography and Endoscopic Ultrasound Length of Disease Difference on Treatment Planning in Patients with Oesophageal Cancer. <i>Clinical Oncology</i> , 2017, 29, 760-766. | 0.6 | 14        |
| 26800 | Basic Hemodynamic Monitoring Using Ultrasound or Electrical Cardiometry During Transportation of Neonates and Infants*. <i>Pediatric Critical Care Medicine</i> , 2017, 18, e488-e493.                 | 0.2 | 7         |
| 26801 | An interactive website for analytical method comparison and bias estimation. <i>Clinical Biochemistry</i> , 2017, 50, 1025-1029.   | 0.8 | 19        |
| 26802 | Intensity response function of the photopic negative response (PhNR): effect of age and testâ€™retest reliability. <i>Documenta Ophthalmologica</i> , 2017, 135, 1-16.                                 | 1.0 | 19        |
| 26803 | The American Orthopaedic Foot and Ankle Society Ankle-Hindfoot Scale; translation and validation of the Dutch language version for ankle fractures. <i>BMJ Open</i> , 2017, 7, e017040.                | 0.8 | 35        |
| 26804 | Convergent validation of a questionnaire to assess the mode and frequency of commuting to and from school. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 612-620.                           | 1.2 | 57        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26805 | Validity of the Digital Inclinometer and iPhone When Measuring Thoracic Spine Rotation. <i>Journal of Athletic Training</i> , 2017, 52, 820-825.   | 0.9 | 28        |
| 26806 | Comparison of longitudinal excursion of a nerve-phantom model using quantitative ultrasound imaging and motion analysis system methods: A convergent validity study. <i>Ultrasound</i> , 2017, 25, 143-149.                                    | 0.3 | 1         |
| 26807 | Phantomless calibration of CT scans for measurement of BMD and bone strength—Inter-operator reanalysis precision. <i>Bone</i> , 2017, 103, 325-333.  | 1.4 | 80        |
| 26808 | Clinical evaluation of the new Roche platform of serological and molecular cytomegalovirus-specific assays in the diagnosis and prognosis of congenital cytomegalovirus infection. <i>Journal of Virological Methods</i> , 2017, 248, 250-254. | 1.0 | 13        |
| 26809 | Investigation of Two Prototypes of Novel Noncontact Technologies for Automated Real-Time Capture of Incremental Drug Administration Data From Syringes. <i>Anesthesia and Analgesia</i> , 2017, 125, 458-466.                                  | 1.1 | 2         |
| 26810 | How to Report Exotic Animal Research. <i>Veterinary Clinics of North America - Exotic Animal Practice</i> , 2017, 20, 997-1010.  | 0.4 | 0         |
| 26811 | Echo-Planar J-resolved Spectroscopic Imaging using Dual Read-outs: Implementation and Quantitation of Human Brain Metabolites. <i>Scientific Reports</i> , 2017, 7, 3087.  | 1.6 | 4         |
| 26812 | Step count accuracy and reliability of two activity tracking devices in people after stroke. <i>Physiotherapy Theory and Practice</i> , 2017, 33, 788-796.   | 0.6 | 48        |
| 26813 | The potential of foot mounted 3D accelerometers to predict lower extremity loading in running. <i>Footwear Science</i> , 2017, 9, S109-S111.   | 0.8 | 3         |
| 26814 | Relative Validity and Reproducibility of an Interviewer Administered 14-Item FFQ to Estimate Flavonoid Intake Among Older Adults with Mild-Moderate Dementia. <i>Journal of Nutrition in Gerontology and Geriatrics</i> , 2017, 36, 134-147.   | 0.4 | 3         |
| 26815 | Is Ross treadmill method an alternative to Å...strand cycle ergometer method?. <i>European Journal of Physiotherapy</i> , 2017, 19, 167-172.   | 0.7 | 1         |
| 26816 | Evaluating Atlantic bottlenose dolphin ( <i>Tursiops truncatus</i> ) leukocyte differential counts comparing the CellaVision DM96 and the manual method. <i>Veterinary Clinical Pathology</i> , 2017, 46, 466-470.                             | 0.3 | 3         |
| 26817 | Assessing practical skills in cardiopulmonary resuscitation. <i>Medicine (United States)</i> , 2017, 96, e6515.  | 0.4 | 10        |
| 26818 | Validity and reliability of strain gauge measurement of volitional quadriceps force in patients with COPD. <i>Chronic Respiratory Disease</i> , 2017, 14, 289-297.   | 1.0 | 27        |
| 26819 | U.S. Army Physical Demands Study: Reliability of Simulations of Physically Demanding Tasks Performed by Combat Arms Soldiers. <i>Journal of Strength and Conditioning Research</i> , 2017, 31, 3245-3252.                                      | 1.0 | 30        |
| 26820 | Validating Reference Equations for Impulse Oscillometry in Healthy Mexican Children. <i>Respiratory Care</i> , 2017, 62, 1156-1165.  | 0.8 | 14        |
| 26821 | Measurement Repeatability of Central and Peripheral Blood Pressures: The ARIC Study. <i>American Journal of Hypertension</i> , 2017, 30, 978-984.  | 1.0 | 2         |
| 26822 | Respiration: comparison of the Winkler technique, O <sub>2</sub> electrodes, O <sub>2</sub> optodes and the respiratory electron transport system assay. <i>Marine Biology</i> , 2017, 164, 1.   | 0.7 | 11        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26823 | Evaluating the robustness of three ring-width measurement methods for growth release reconstruction. <i>Dendrochronologia</i> , 2017, 46, 67-76.   | 1.0 | 16        |
| 26824 | Assessment of dietary sodium intake using a food frequency questionnaire and 24-hour urinary sodium excretion: a systematic literature review. <i>Journal of Clinical Hypertension</i> , 2017, 19, 1214-1230.  | 1.0 | 92        |
| 26825 | New Method for Sex Prediction Using the Human Non-Adult Auricular Surface of the Ilium in the Collection of Identified Skeletons of the University of Coimbra. <i>International Journal of Osteoarchaeology</i> , 2017, 27, 898-911.                         | 0.6 | 24        |
| 26826 | Comparison between dual-energy X-ray absorptiometry and skinfold thickness in assessing body fat in overweight/obese adult patients with type-2 diabetes. <i>Scientific Reports</i> , 2017, 7, 17424.  | 1.6 | 17        |
| 26827 | Bone mineral density measurements in vertebral specimens and phantoms using dual-layer spectral computed tomography. <i>Scientific Reports</i> , 2017, 7, 17519.   | 1.6 | 32        |
| 26828 | Optical coherence tomography for assessment of epithelialization in a human ex vivo wound model. <i>Wound Repair and Regeneration</i> , 2017, 25, 1017-1026.   | 1.5 | 18        |
| 26829 | Evaluation of Critical Flicker-Fusion Frequency Measurement Methods for the Investigation of Visual Temporal Resolution. <i>Scientific Reports</i> , 2017, 7, 15621.   | 1.6 | 44        |
| 26830 | The Validity and Reproducibility of the Flexicurve in the Evaluation of Cervical Spine Lordosis. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2017, 40, 501-510.  | 0.4 | 7         |
| 26831 | Evaluation of the agreement of tidal breathing parameters measured simultaneously using pneumotachography and structured light plethysmography. <i>Physiological Reports</i> , 2017, 5, e13124.  | 0.7 | 22        |
| 26832 | Test-retest reliability of the range of motion and stiffness based on discomfort perception. <i>Isokinetics and Exercise Science</i> , 2017, 25, 187-192.  | 0.2 | 3         |
| 26833 | No influence of femoral component rotation by the lateral femoral posterior condylar cartilage remnant technique on clinical outcomes in navigation-assisted TKA. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3576-3584.               | 2.3 | 4         |
| 26834 | Validation of equations for pleural effusion volume estimation by ultrasonography. <i>Journal of Ultrasound</i> , 2017, 20, 267-271.   | 0.7 | 28        |
| 26835 | Translation, adaptation and measurement properties of an electronic version of the Danish Western Ontario Shoulder Instability Index (WOSI). <i>BMJ Open</i> , 2017, 7, e014053.   | 0.8 | 22        |
| 26836 | Methodological approaches to determine the pacing strategy in cycling time trial. <i>International Journal of Performance Analysis in Sport</i> , 2017, 17, 752-762.   | 0.5 | 5         |
| 26837 | Alignment efficiency and esthetic performance of 4 coated nickel-titanium archwires in orthodontic patients over 8 weeks: A multicenter randomized clinical trial. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017, 152, 744-752. | 0.8 | 11        |
| 26838 | Fuzzy logic tool for wine quality classification. <i>Computers and Electronics in Agriculture</i> , 2017, 142, 552-562.  | 3.7 | 23        |
| 26839 | Real-time two-dimensional Shear-wave elastography for liver stiffness in children: Interobserver variation and effect of breathing technique. <i>European Journal of Radiology</i> , 2017, 97, 53-58.  | 1.2 | 11        |
| 26840 | Energy expenditure estimation from respiration variables. <i>Scientific Reports</i> , 2017, 7, 15995.  | 1.6 | 13        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26841 | Quantitative analysis of motor evoked potentials in the neonatal lamb. <i>Scientific Reports</i> , 2017, 7, 16095.  | 1.6 | 6         |
| 26842 | Cardiac Output Monitoring: Validation Studies—how Results Should be Presented. <i>Current Anesthesiology Reports</i> , 2017, 7, 410-415.  | 0.9 | 42        |
| 26843 | Testing for failure of passive transfer: are all tests made equal?. <i>Livestock</i> , 2017, 22, 244-247.   | 0.1 | 2         |
| 26844 | Nonculprit Stenosis Evaluation Using Instantaneous Wave-Free Ratio in Patients With ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 2528-2535.  | 1.1 | 55        |
| 26845 | The Validity of Bioelectrical Impedance Analysis to Measure Body Composition in Phenylketonuria. <i>JIMD Reports</i> , 2017, 42, 37-45.   | 0.7 | 5         |
| 26846 | Tinnitus and Hearing Survey: A Polish Study of Validity and Reliability in a Clinical Population. <i>Audiology and Neuro-Otology</i> , 2017, 22, 197-204.   | 0.6 | 22        |
| 26847 | Cerebral Oxygenation Measurements by Magnetic Resonance Imaging in Fetuses With and Without Heart Defects. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, e006459.  | 1.3 | 59        |
| 26848 | Smart watch, smarter EDSS: Improving disability assessment in multiple sclerosis clinical practice. <i>Journal of the Neurological Sciences</i> , 2017, 383, 166-168.   | 0.3 | 29        |
| 26849 | A comparative study on the characterization of hepatitis B virus quasispecies by clone-based sequencing and third-generation sequencing. <i>Emerging Microbes and Infections</i> , 2017, 6, 1-8.  | 3.0 | 10        |
| 26850 | The agreement between two next-generation laser methane detectors and respiration chamber facilities in recording methane concentrations in the spent air produced by dairy cows. <i>Computers and Electronics in Agriculture</i> , 2017, 143, 262-272. | 3.7 | 15        |
| 26851 | Diagnostic utility of appetite loss in addition to existing prediction models for community-acquired pneumonia in the elderly: a prospective diagnostic study in acute care hospitals in Japan. <i>BMJ Open</i> , 2017, 7, e019155.                     | 0.8 | 5         |
| 26852 | Automatic vs manual assessment of programming tasks. , 2017, , .  |     | 8         |
| 26853 | Detection of calprotectin in inflammatory bowel disease: Fecal and serum levels and immunohistochemical localization. <i>International Journal of Molecular Medicine</i> , 2018, 41, 107-118.   | 1.8 | 43        |
| 26854 | Calibration with confidence: a principled method for panel assessment. <i>Royal Society Open Science</i> , 2017, 4, 160760.   | 1.1 | 5         |
| 26855 | A NEW METHOD TO DETERMINE VOLUMETRIC BONE MINERAL DENSITY FROM BI-PLANAR DUAL ENERGY RADIOGRAPHS USING A FINITE ELEMENT MODEL: AN EX-VIVO STUDY. <i>Journal of Musculoskeletal Research</i> , 2017, 20, 1750003.  | 0.1 | 4         |
| 26856 | Influence of catecholamines at different dosages on the function of the LiDCO sensor in isoflurane anesthetized horses. <i>Journal of Veterinary Emergency and Critical Care</i> , 2017, 27, 651-657.   | 0.4 | 2         |
| 26857 | Epicardial adipose tissue volume estimation by postmortem computed tomography of eviscerated hearts. <i>Forensic Science, Medicine, and Pathology</i> , 2017, 13, 468-472.  | 0.6 | 5         |
| 26858 | Observation of the pulse oximeter trace to estimate systolic blood pressure during spinal anaesthesia for Caesarean section: the effect of body mass index. <i>Southern African Journal of Anaesthesia and Analgesia</i> , 2017, 23, 84-89.             | 0.1 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26859 | Between-days intra-rater reliability with a hand held myotonometer to quantify muscle tone in the acute stroke population. <i>Scientific Reports</i> , 2017, 7, 14173.  | 1.6 | 17        |
| 26860 | Comparison of Refractive Measures of Three Autorefractors in Children and Adolescents. <i>Optometry and Vision Science</i> , 2017, 94, 894-902.   | 0.6 | 24        |
| 26861 | Is Digital Tomosynthesis on Par With Computed Tomography for the Detection and Measurement of Pulmonary Nodules?. <i>Journal of Thoracic Imaging</i> , 2017, 32, W67-W68.   | 0.8 | 1         |
| 26862 | Memory-focused cognitive therapy for cocaine use disorder: Rationale, design and protocol for an external pilot randomised controlled trial. <i>Contemporary Clinical Trials Communications</i> , 2017, 8, 264-273.                                 | 0.5 | 8         |
| 26863 | Simultaneous Tracking of Cardiorespiratory Signals for Multiple Persons Using a Machine Vision System With Noise Artifact Removal. <i>IEEE Journal of Translational Engineering in Health and Medicine</i> , 2017, 5, 1-10.                         | 2.2 | 22        |
| 26864 | Retrospective methods to estimate radiation dose at the site of breast cancer development after Hodgkin lymphoma radiotherapy. <i>Clinical and Translational Radiation Oncology</i> , 2017, 7, 20-27.   | 0.9 | 6         |
| 26865 | Small infrarenal aortic diameter associated with lower-extremity peripheral artery disease in Chinese hypertensive adults. <i>Scientific Reports</i> , 2017, 7, 14547.  | 1.6 | 1         |
| 26866 | Reliability of Sagittal Spinopelvic Alignment Measurements After Total Hip Arthroplasty. <i>Clinical Spine Surgery</i> , 2017, 30, E909-E914.   | 0.7 | 3         |
| 26867 | The development and validation of a custom built device for assessing frontal knee joint laxity. <i>Knee</i> , 2017, 24, 1307-1316.   | 0.8 | 0         |
| 26868 | Point shear-wave elastography in chronic pancreatitis: A promising tool for staging disease severity. <i>Pancreatology</i> , 2017, 17, 905-910.   | 0.5 | 33        |
| 26869 | Comparative Diagnostic Performance of the Granulocyte and Neutrophil Counts. <i>Practical Laboratory Medicine</i> , 2017, 9, 45-52.   | 0.6 | 1         |
| 26870 | Estimation of arterial input by a noninvasive image derived method in brain $H_{2}^{15}O$ PET study: confirmation of arterial location using MR angiography. <i>Physics in Medicine and Biology</i> , 2017, 62, 4514-4524.                          | 1.6 | 20        |
| 26871 | Extensive Assessment of Blood Glucose Monitoring During Postprandial Period and Its Impact on Closed-Loop Performance. <i>Journal of Diabetes Science and Technology</i> , 2017, 11, 1089-1095.   | 1.3 | 4         |
| 26872 | A rapid and multi-element method for the analysis of major nutrients in grass ( <i>Lolium perenne</i> ) using energy-dispersive X-ray fluorescence spectroscopy. <i>Irish Journal of Agricultural and Food Research</i> , 2017, 56, 1-11.           | 0.2 | 10        |
| 26873 | Semi-automated myocardial segmentation of bright-blood multi-gradient echo images improves reproducibility of myocardial contours and T2* determination. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2017, 30, 239-254. | 1.1 | 3         |
| 26874 | Novel approach to determine the influence of pig and cattle ears on the performance of passive UHF-RFID ear tags. <i>Computers and Electronics in Agriculture</i> , 2017, 140, 168-179.   | 3.7 | 20        |
| 26875 | Comparison of intravascular ultrasound- and centerline computed tomography-determined aortic diameters during thoracic endovascular aortic repair. <i>Journal of Vascular Surgery</i> , 2017, 66, 1184-1191.  | 0.6 | 17        |
| 26876 | Tidal changes on CT and progression of ARDS. <i>Thorax</i> , 2017, 72, 981-989.   | 2.7 | 39        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26877 | Coronal 2D MR cholangiography overestimates the length of the right hepatic duct in liver transplantation donors. <i>European Radiology</i> , 2017, 27, 1822-1830.   | 2.3 | 3         |
| 26878 | Association of serum lipid levels with retinal hard exudate area in African Americans with type 2 diabetes. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2017, 255, 509-517.                        | 1.0 | 16        |
| 26879 | Transthoracic 3D echocardiographic left heart chamber quantification in patients with bicuspid aortic valve disease. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 1895-1903.                           | 0.7 | 11        |
| 26880 | Testâ€“retest reliability of the multifocal photopic negative response. <i>Documenta Ophthalmologica</i> , 2017, 134, 25-36.   | 1.0 | 11        |
| 26881 | Similarities and differences between behavioral and electrophysiological visual acuity thresholds in healthy infants during the second half of the first year of life. <i>Documenta Ophthalmologica</i> , 2017, 134, 99-110. | 1.0 | 7         |
| 26882 | A Study of the Validity of Two Exposure Assessment Tools: Stoffenmanager and the Advanced REACH Tool. <i>Annals of Work Exposures and Health</i> , 2017, 61, 575-588.  | 0.6 | 29        |
| 26883 | Construct validity and testâ€“retest reliability of the revised Upper Extremity Work Demands (UEWD-R) Scale. <i>Occupational and Environmental Medicine</i> , 2017, 74, 763-768.   | 1.3 | 9         |
| 26884 | Validity of Cardiovascular Data From Electronic Sources. <i>Circulation</i> , 2017, 136, 1207-1216.  | 1.6 | 50        |
| 26885 | Effect of Different Onset Thresholds on Isometric Midhigh Pull Force-Time Variables. <i>Journal of Strength and Conditioning Research</i> , 2017, 31, 3463-3473.   | 1.0 | 63        |
| 26886 | Repeatability of apparent diffusion coefficient and intravoxel incoherent motion parameters at 3.0 Tesla in orbital lesions. <i>European Radiology</i> , 2017, 27, 5094-5103.  | 2.3 | 29        |
| 26887 | Noncontact Imaging Plethysmography for Accurate Estimation of Physiological Parameters. <i>Journal of Medical and Biological Engineering</i> , 2017, 37, 675-685.  | 1.0 | 5         |
| 26888 | Automatic measurement of the sinus of Valsalva by image analysis. <i>Computer Methods and Programs in Biomedicine</i> , 2017, 148, 123-135.  | 2.6 | 1         |
| 26889 | Estimating population salt intake in India using spot urine samples. <i>Journal of Hypertension</i> , 2017, 35, 2207-2213.   | 0.3 | 21        |
| 26890 | Analysis of normal and dysplastic glenohumeral morphology at magnetic resonance imaging in children with neonatal brachial plexus palsy. <i>Pediatric Radiology</i> , 2017, 47, 1337-1344.                                   | 1.1 | 5         |
| 26891 | Efficient Characterization and Classification of Contrast Sensitivity Functions in Aging. <i>Scientific Reports</i> , 2017, 7, 5045.   | 1.6 | 17        |
| 26892 | Rapid, label-free CD4 testing using a smartphone compatible device. <i>Lab on A Chip</i> , 2017, 17, 2910-2919.  | 3.1 | 64        |
| 26893 | Investigating the Practical Consequences of Model Misfit in Unidimensional IRT Models. <i>Applied Psychological Measurement</i> , 2017, 41, 439-455.   | 0.6 | 33        |
| 26894 | A Semiautomated Method for Measuring the 3-Dimensional Fabric to Renal Artery Distances to Determine Endograft Position After Endovascular Aneurysm Repair. <i>Journal of Endovascular Therapy</i> , 2017, 24, 698-706.      | 0.8 | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26895 | The Validity of Predictive Equations to Estimate 24-Hour Sodium Excretion. <i>American Journal of Epidemiology</i> , 2017, 186, 149-159.  | 1.6 | 32        |
| 26896 | Standardized Approach for ROI-Based Measurements of Proton Density Fat Fraction and R2* in the Liver. <i>American Journal of Roentgenology</i> , 2017, 209, 592-603.  | 1.0 | 68        |
| 26897 | Anatomical cross-sectional area of the quadriceps femoris and sit-to-stand test score in middle-aged and elderly population: development of a predictive equation. <i>Journal of Physiological Anthropology</i> , 2017, 36, 3.  | 1.0 | 8         |
| 26898 | Iterative Assessment of Statistically-Oriented and Standard Algorithms for Determining Muscle Onset with Intramuscular Electromyography. <i>Journal of Applied Biomechanics</i> , 2017, 33, 464-468.  | 0.3 | 5         |
| 26899 | A Novel Smartphone Accelerometer Application for Low-Intensity Activity and Energy Expenditure Estimations in Overweight and Obese Adults. <i>Journal of Medical Systems</i> , 2017, 41, 117.   | 2.2 | 9         |
| 26900 | Cognitive screening tools for primary care settings: examining the "Test Your Memory"™ and "General Practitioner assessment of Cognition"™ tools in a rural aging population in Greece. <i>European Journal of General Practice</i> , 2017, 23, 172-179.  | 0.9 | 11        |
| 26901 | Comparison of conventional and cadmium-zinc-telluride single-photon emission computed tomography for analysis of thallium-201 myocardial perfusion imaging: an exploratory study in normal databases for different ethnicities. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 2057-2066. | 0.7 | 5         |
| 26902 | Are we reproducible in measurement of NET liver metastasis?. <i>Digestive and Liver Disease</i> , 2017, 49, 1121-1127.  | 0.4 | 5         |
| 26903 | Accuracy of Cone-beam Computed Tomography in Measuring Dentin Thickness and Its Potential of Predicting the Remaining Dentin Thickness after Removing Fractured Instruments. <i>Journal of Endodontics</i> , 2017, 43, 1522-1527.   | 1.4 | 21        |
| 26904 | Immiscible phase filter extraction and equivalent amplification of genotypes 1-6 of hepatitis C RNA: The building blocks for point-of-care diagnosis. <i>Journal of Virological Methods</i> , 2017, 248, 107-115.   | 1.0 | 8         |
| 26905 | Carbon footprint of sheep production systems in semi-arid zone of Chile: A simulation-based approach of productive scenarios and precipitation patterns. <i>Agricultural Systems</i> , 2017, 157, 22-38.  | 3.2 | 15        |
| 26906 | Computing disease-linked SOD1 mutations: deciphering protein stability and patient-phenotype relations. <i>Scientific Reports</i> , 2017, 7, 4678.  | 1.6 | 34        |
| 26907 | Lower Tear Meniscus Measurements Using a New Anterior Segment Swept-Source Optical Coherence Tomography and Agreement With Fourier-Domain Optical Coherence Tomography. <i>Cornea</i> , 2017, 36, 183-188.  | 0.9 | 18        |
| 26908 | The Americleft Project. <i>Journal of Craniofacial Surgery</i> , 2017, 28, 1269-1273.   | 0.3 | 4         |
| 26909 | Acute versus Chronic Myocardial Infarction: Diagnostic Accuracy of Quantitative Native T1 and T2 Mapping versus Assessment of Edema on Standard T2-weighted Cardiovascular MR Images for Differentiation. <i>Radiology</i> , 2017, 285, 83-91.  | 3.6 | 59        |
| 26910 | Acute Infarct Extracellular Volume Mapping to Quantify Myocardial Area at Risk and Chronic Infarct Size on Cardiovascular Magnetic Resonance Imaging. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, .  | 1.3 | 39        |
| 26911 | Biomimetic Dissolution: A Tool to Predict Amorphous Solid Dispersion Performance. <i>AAPS PharmSciTech</i> , 2017, 18, 2841-2853.   | 1.5 | 11        |
| 26912 | Comparison of B-Mode with B-Flow Sonography for the Evaluation of Femoral Arteries in Infants. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2017, 189, 1161-1167.   | 0.7 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26913 | Home monitoring improves endpoint efficiency in idiopathic pulmonary fibrosis. <i>European Respiratory Journal</i> , 2017, 50, 1602406.  | 3.1 | 66        |
| 26914 | Comparison of MDRD, CKD-EPI, and Cockcroft-Gault equation in relation to measured glomerular filtration rate among a large cohort with diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 1376-1383.   | 1.2 | 92        |
| 26915 | Quantifying left atrial structure and function using single-plane tissue-tracking cardiac magnetic resonance. <i>Magnetic Resonance Imaging</i> , 2017, 42, 130-138.   | 1.0 | 8         |
| 26916 | Myocardial Strain Rate by Anatomic Doppler Spectrum: First Clinical Experience Using Retrospective Spectral Tissue Doppler from Ultra-High Frame Rate Imaging. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 1919-1929.  | 0.7 | 13        |
| 26917 | The effect of treadmill and overground walking on preferred walking speed and gait kinematics in healthy, physically active older adults. <i>European Journal of Applied Physiology</i> , 2017, 117, 1833-1843.  | 1.2 | 63        |
| 26918 | Video Voiding Device for Diagnosing Lower Urinary Tract Dysfunction in Men. <i>Journal of Medical and Biological Engineering</i> , 2017, 37, 474-483.  | 1.0 | 4         |
| 26919 | Successful Fractional Exhaled Nitric Oxide Measurements with NIOX VERO using 6- and 10-s Exhalation Modes in Children with Asthma Aged 4-10 Years: A Randomized Study. <i>Pulmonary Therapy</i> , 2017, 3, 139-148.  | 1.1 | 3         |
| 26920 | Agreement Between 35 Published Frailty Scores in the General Population. <i>American Journal of Epidemiology</i> , 2017, 186, 420-434.   | 1.6 | 193       |
| 26921 | Impaired right ventricular contractile function in childhood obesity and its association with right and left ventricular changes: a cine DENSE cardiac magnetic resonance study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2017, 19, 49.                     | 1.6 | 16        |
| 26922 | Evaluation of a telemetric gastrointestinal pill for continuous monitoring of gastrointestinal temperature in horses at rest and during exercise. <i>American Journal of Veterinary Research</i> , 2017, 78, 778-784.  | 0.3 | 7         |
| 26923 | Temporal artery and axillary thermometry comparison with rectal thermometry in children presenting to the ED. <i>American Journal of Emergency Medicine</i> , 2017, 35, 1855-1858.   | 0.7 | 7         |
| 26924 | The role of a behavioural medicine intervention in physiotherapy for the effects of rehabilitation outcomes in exercise-based cardiac rehabilitation (ECRA) – the study protocol of a randomised, controlled trial. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 134. | 0.7 | 9         |
| 26925 | Validity of self-reported weight and height: a cross-sectional study among Malaysian adolescents. <i>BMC Medical Research Methodology</i> , 2017, 17, 85.  | 1.4 | 46        |
| 26926 | Time-resolved tracking of the atrioventricular plane displacement in Cardiovascular Magnetic Resonance (CMR) images. <i>BMC Medical Imaging</i> , 2017, 17, 19.  | 1.4 | 35        |
| 26927 | The effect of initial teaching on evaluation of left ventricular volumes by cardiovascular magnetic resonance imaging: comparison between complete and intermediate beginners and experienced observers. <i>BMC Medical Imaging</i> , 2017, 17, 33.                      | 1.4 | 5         |
| 26928 | Clinically acceptable agreement between the ViMove wireless motion sensor system and the Vicon motion capture system when measuring lumbar region inclination motion in the sagittal and coronal planes. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 124.           | 0.8 | 56        |
| 26929 | Reliability and screening ability of the StarT Back screening tool in patients with low back pain in physiotherapy practice, a cohort study. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 232.   | 0.8 | 22        |
| 26930 | Incidence of total hip or knee replacement due to osteoarthritis in relation to thyroid function: a prospective cohort study (The Nord-Trøndelag Health Study). <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 201.  | 0.8 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26931 | Reduction of the Serum Levels of a Specific Biomarker of Cartilage Degradation (Coll2-1) by Hyaluronic Acid (KARTILAGEÂ® CROSS) Compared to Placebo in Painful Knee Osteoarthritis Patients: the EPIKART Study, a Pilot Prospective Comparative Randomized Double Blind Trial. BMC Musculoskeletal Disorders, 2017, 18, 222. | 0.8 | 24        |
| 26932 | Validity of the Nursesâ€™ health study physical activity questionnaire in estimating physical activity in adults with rheumatoid arthritis. BMC Musculoskeletal Disorders, 2017, 18, 234.  | 0.8 | 9         |
| 26933 | The effect of referral templates on out-patient quality of care in a hospital setting: a cluster randomized controlled trial. BMC Health Services Research, 2017, 17, 177.   | 0.9 | 9         |
| 26934 | Validation of blood vitamin A concentrations in cattle: comparison of a new cow-side test (iCheckâ„¢) Tj ETQq1 1 0,784314 rgBT /Over   | 0.7 | 8         |
| 26935 | Evaluation of an automated thresholding algorithm for the quantification of paraspinal muscle composition from MRI images. BioMedical Engineering OnLine, 2017, 16, 61.  | 1.3 | 36        |
| 26936 | Testâ€™retest reliability of mandibular morphology measurements on cone-beam computed tomography-synthesized cephalograms with random head positioning errors. BioMedical Engineering OnLine, 2017, 16, 62.  | 1.3 | 5         |
| 26937 | Right ventricular ejection fraction measurements using two-dimensional transthoracic echocardiography by applying an ellipsoid model. Cardiovascular Ultrasound, 2017, 15, 4.  | 0.5 | 8         |
| 26938 | Validation of the German version of two scales (RIS, RCS-HCP) for measuring regret associated with providing healthcare. Health and Quality of Life Outcomes, 2017, 15, 56.  | 1.0 | 8         |
| 26939 | Validation and reliability of the Malaysian English version of the psychosocial impact of dental aesthetics questionnaire for adolescents. Health and Quality of Life Outcomes, 2017, 15, 54.  | 1.0 | 17        |
| 26940 | Evaluation of a smartphone food diary application using objectively measured energy expenditure. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 30.  | 2.0 | 70        |
| 26941 | Repeatability and agreement of ultrasonography with computed tomography for evaluating forefoot structure in the coronal plane. Journal of Foot and Ankle Research, 2017, 10, 17.  | 0.7 | 14        |
| 26942 | Can we rely on out-of-hospital blood samples? A prospective interventional study on the pre-analytical stability of blood samples under prehospital emergency medicine conditions. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2017, 25, 24.   | 1.1 | 10        |
| 26943 | Sample size considerations for trials using cerebral white matter hyperintensity progression as an intermediate outcome at 1Â year after mild stroke: results of a prospective cohort study. Trials, 2017, 18, 78.   | 0.7 | 16        |
| 26944 | An investigation of the impact of using different methods for network meta-analysis: a protocol for an empirical evaluation. Systematic Reviews, 2017, 6, 119.   | 2.5 | 6         |
| 26945 | Effect of region of interest size on ADC measurements in pancreatic adenocarcinoma. Cancer Imaging, 2017, 17, 13.  | 1.2 | 20        |
| 26946 | Relevant reduction effect with a modified thermoplastic mask of rotational error for glottic cancer in IMRT. Journal of the Korean Physical Society, 2017, 70, 308-316.  | 0.3 | 0         |
| 26947 | A framework for the metaâ€™analysis of Blandâ€™Altman studies based on a limits of agreement approach. Statistics in Medicine, 2017, 36, 3621-3635.  | 0.8 | 28        |
| 26948 | Probabilistic forecasting in infectious disease epidemiology: the 13th Armitage lecture. Statistics in Medicine, 2017, 36, 3443-3460.  | 0.8 | 60        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26949 | Comparison of radial 4D Flow-MRI with perivascular ultrasound to quantify blood flow in the abdomen and introduction of a porcine model of pre-hepatic portal hypertension. <i>European Radiology</i> , 2017, 27, 5316-5324.    | 2.3 | 21        |
| 26950 | Validation of Near-Infrared Spectroscopy for Monitoring Cerebral Autoregulation in Comatose Patients. <i>Neurocritical Care</i> , 2017, 27, 362-369.  | 1.2 | 67        |
| 26951 | Application and evaluation of NODDI in the cervical spinal cord of multiple sclerosis patients. <i>NeuroImage: Clinical</i> , 2017, 15, 333-342.  | 1.4 | 84        |
| 26952 | Accuracy of a cow-side test for the diagnosis of hyperketonemia and hypoglycemia in lactating dairy cows. <i>Research in Veterinary Science</i> , 2017, 115, 327-331.   | 0.9 | 26        |
| 26953 | Concurrent Validity of Actigraph-Determined Sedentary Time Against the Actival Under Free-Living Conditions in a Sample of Bus Drivers. <i>Measurement in Physical Education and Exercise Science</i> , 2017, 21, 212-222.      | 1.3 | 11        |
| 26954 | Clinical Validation of Simultaneous Analysis of Tacrolimus, Cyclosporine A, and Creatinine in Dried Blood Spots in Kidney Transplant Patients. <i>Transplantation</i> , 2017, 101, 1727-1733.                                   | 0.5 | 49        |
| 26955 | High-resolution anorectal manometry: A comparison of solid-state and water-perfused catheters. <i>Neurogastroenterology and Motility</i> , 2017, 29, e13124.  | 1.6 | 26        |
| 26956 | Round the Size of Pulmonary Nodules. <i>Academic Radiology</i> , 2017, 24, 1422-1427.   | 1.3 | 12        |
| 26957 | Patched Skin Bilirubin Assay to Monitor Neonates Born Extremely Preterm Undergoing Phototherapy. <i>Journal of Pediatrics</i> , 2017, 188, 122-127.   | 0.9 | 9         |
| 26958 | Utility of new-generation pacemakers in sleep apnea screening. <i>Sleep Medicine</i> , 2017, 37, 27-31.   | 0.8 | 8         |
| 26959 | Choriocapillaris Nonperfusion is Associated With Poor Visual Acuity in Eyes With Reticular Pseudodrusen. <i>American Journal of Ophthalmology</i> , 2017, 174, 42-55.   | 1.7 | 117       |
| 26960 | Postprandial suppression of appetite is more reproducible at a group than an individual level: Implications for assessing inter-individual variability. <i>Appetite</i> , 2017, 108, 375-382.                                   | 1.8 | 5         |
| 26961 | Effect of contrast dose in the quantification of myocardial extra-cellular volume in adenosine stress/rest perfusion cardiac magnetic resonance examinations. <i>Acta Radiologica</i> , 2017, 58, 809-815.                      | 0.5 | 6         |
| 26962 | Thoracic aorta calcification but not inflammation is associated with increased cardiovascular disease risk: results of the CAMONA study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 249-258. | 3.3 | 99        |
| 26963 | Temporal-spatial reach parameters derived from inertial sensors: Comparison to 3D marker-based motion capture. <i>Journal of Biomechanics</i> , 2017, 52, 11-16.  | 0.9 | 30        |
| 26964 | A meta-analysis of children's self-reports of dietary intake. <i>Psychology and Health</i> , 2017, 32, 186-203.   | 1.2 | 8         |
| 26965 | The urinary-specific quality of life of multiple sclerosis patients: Dutch translation and validation of the SF-36. <i>Neurourology and Urodynamics</i> , 2017, 36, 1629-1635.  | 0.8 | 19        |
| 26966 | Ovarian morphology in polycystic ovary syndrome: estimates from 2D and 3D ultrasound and magnetic resonance imaging and their correlation to anti-Müllerian hormone. <i>Acta Radiologica</i> , 2017, 58, 997-1004.              | 0.5 | 16        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 26967 | Development of a simple technique for the coating of monolithic silica with pristine boron nitride nanotubes (BNNTs): HPLC chromatographic applications. <i>Talanta</i> , 2017, 164, 39-44.  | 2.9 | 1         |
| 26968 | Repeatability of dietary patterns extracted through multivariate statistical methods: a literature review in methodological issues. <i>International Journal of Food Sciences and Nutrition</i> , 2017, 68, 385-391.                                 | 1.3 | 14        |
| 26969 | A New Approach of Juvenile Age Estimation using Measurements of the Ilium and Multivariate Adaptive Regression Splines (<sc>MARS</sc>) Models for Better Age Prediction. <i>Journal of Forensic Sciences</i> , 2017, 62, 18-29.                      | 0.9 | 17        |
| 26970 | Imaging Biomarkers of Tumor Response in Neuroendocrine Liver Metastases Treated with Transarterial Chemoembolization: Can Enhancing Tumor Burden of the Whole Liver Help Predict Patient Survival?. <i>Radiology</i> , 2017, 283, 883-894.           | 3.6 | 38        |
| 26971 | Agreement and clinical comparison between a new swept-source optical coherence tomography-based optical biometer and an optical low-coherence reflectometry biometer. <i>Eye</i> , 2017, 31, 437-442.  | 1.1 | 36        |
| 26972 | Considerations in applying compressed sensing to in vivo phosphorus MR spectroscopic imaging of human brain at 3T. <i>Medical and Biological Engineering and Computing</i> , 2017, 55, 1303-1315.  | 1.6 | 10        |
| 26973 | Analytical evaluation of a new point of care system for measuring cardiac Troponin I. <i>Clinical Biochemistry</i> , 2017, 50, 174-180.  | 0.8 | 28        |
| 26974 | Validity and intra-rater reliability of MyJump app on iPhone 6s in jump performance. <i>Journal of Science and Medicine in Sport</i> , 2017, 20, 518-523.  | 0.6 | 46        |
| 26975 | Relative validity of a 24-hour dietary recall compared with a 2-day weighed dietary record among adults in South China. <i>Nutrition and Dietetics</i> , 2017, 74, 298-307.  | 0.9 | 23        |
| 26976 | Thromboprophylaxis With Heparin During Orthotopic Liver Transplantation: Comparison of Hepcon HMS Plus and Anti-Xa Assays for Low-Range Heparin. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2017, 31, 575-581.                       | 0.6 | 10        |
| 26977 | Impact of neurocognitive deficits on patient proxy agreement regarding health-related quality of life in low-grade glioma patients. <i>Quality of Life Research</i> , 2017, 26, 869-880.   | 1.5 | 29        |
| 26978 | Differential time-dependent volumetric and surface area changes and delayed induction of new permeation pathways in <i>P. falciparum</i> -infected hemoglobinopathic erythrocytes. <i>Cellular Microbiology</i> , 2017, 19, e12650.                  | 1.1 | 38        |
| 26979 | Automatic Valve Plane Localization in Myocardial Perfusion SPECT/CT by Machine Learning: Anatomic and Clinical Validation. <i>Journal of Nuclear Medicine</i> , 2017, 58, 961-967.   | 2.8 | 56        |
| 26980 | Comparison of diagnostic tests for determining the prevalence of failure of passive transfer in New Zealand dairy calves. <i>New Zealand Veterinary Journal</i> , 2017, 65, 6-13.  | 0.4 | 33        |
| 26981 | Premedication with simethicone and N-acetylcysteine in improving visibility during upper endoscopy: a double-blind randomized trial. <i>Endoscopy</i> , 2017, 49, 139-145.   | 1.0 | 34        |
| 26982 | The extracellular matrix patch implanted in the right ventricle evaluated with cardiovascular magnetic resonance protocol to assess regional physio-mechanical properties. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2017, 24, 82-89. | 0.5 | 2         |
| 26983 | Urinary iodine excretion (<sc>UIE</sc>) estimated by iodine/creatinine ratio from spot urine in Chinese school-age children. <i>Clinical Endocrinology</i> , 2017, 86, 628-633.  | 1.2 | 18        |
| 26984 | Radiolucency in stemless shoulder arthroplasty is associated with an imaging phenomenon. <i>Journal of Orthopaedic Research</i> , 2017, 35, 2040-2050.   | 1.2 | 14        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 26985 | Fully Automatic 3-D-TEE Segmentation for the Planning of Transcatheter Aortic Valve Implantation. <i>IEEE Transactions on Biomedical Engineering</i> , 2017, 64, 1711-1720.   | 2.5 | 16        |
| 26986 | Validity of segmental bioelectrical impedance analysis for estimating fat-free mass in children including overweight individuals. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017, 42, 157-165.  | 0.9 | 4         |
| 26987 | High Prevalence of Achilles Tendon Enthesopathic Changes in Patients with Type 2 Diabetes Without Peripheral Neuropathy. <i>Journal of the American Podiatric Medical Association</i> , 2017, 107, 99-105.  | 0.2 | 19        |
| 26988 | The Impact of Red Blood Cell Transfusion on Cerebral Tissue Oxygen Saturation in Severe Traumatic Brain Injury. <i>Neurocritical Care</i> , 2017, 26, 247-255.  | 1.2 | 24        |
| 26989 | Comparing Steady State to Time Interval and Non-“Steady State Measurements of Resting Metabolic Rate. <i>Nutrition in Clinical Practice</i> , 2017, 32, 77-83.  | 1.1 | 20        |
| 26990 | A simplified thermoregulation model of the human body in warm conditions. <i>Applied Ergonomics</i> , 2017, 59, 387-400.  | 1.7 | 24        |
| 26991 | Reliability of transcutaneous bilirubinometry from shielded skin in neonates receiving phototherapy: a prospective cohort study. <i>Journal of Perinatology</i> , 2017, 37, 182-187.  | 0.9 | 27        |
| 26992 | Amplitude of Accommodation in Schoolchildren. <i>Current Eye Research</i> , 2017, 42, 604-610.  | 0.7 | 16        |
| 26993 | Idiopathic Pulmonary Fibrosis: The Association between the Adaptive Multiple Features Method and Fibrosis Outcomes. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017, 195, 921-929.   | 2.5 | 102       |
| 26994 | Operative Fluoroscopic Correction Is Reliable and Correlates With Postoperative Radiographic Correction in Periacetabular Osteotomy. <i>Clinical Orthopaedics and Related Research</i> , 2017, 475, 1100-1106.  | 0.7 | 14        |
| 26995 | Harmonised high throughput microsomal stability assay. <i>Journal of Pharmacological and Toxicological Methods</i> , 2017, 84, 31-36.   | 0.3 | 21        |
| 26996 | Circadian rhythms in bed rest: Monitoring core body temperature via heat-flux approach is superior to skin surface temperature. <i>Chronobiology International</i> , 2017, 34, 666-676.   | 0.9 | 40        |
| 26997 | Paediatric Automatic Phonological Analysis Tools (APAT). <i>Logopedics Phoniatrics Vocology</i> , 2017, 42, 153-159.  | 0.5 | 5         |
| 26998 | Does the Badal optometer stimulate accommodation accurately?. <i>Ophthalmic and Physiological Optics</i> , 2017, 37, 88-95.   | 1.0 | 9         |
| 26999 | REPEATABILITY AND RELIABILITY OF GLOMERULAR FILTRATION RATE DETERMINATION VIA GAMMA CAMERA UPTAKE OF Tc <sup>99m</sup> TPA IN CATS WITH CHRONIC KIDNEY DISEASE. <i>Veterinary Radiology and Ultrasound</i> , 2017, 58, 90-99.                         | 0.4 | 2         |
| 27000 | Stability and Agreement of a Microtransducer and an Air-Filled Balloon Esophageal Catheter in the Monitoring of Esophageal Pressure. <i>Respiratory Care</i> , 2017, 62, 215-221.   | 0.8 | 3         |
| 27001 | Optimal configuration of respiratory navigator gating for the quantification of left ventricular strain using spiral cine displacement encoding with stimulated echoes (DENSE) MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 45, 786-794. | 1.9 | 2         |
| 27002 | One-month apparent diffusion coefficient correlates with response to radiofrequency ablation of hepatocellular carcinoma. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 45, 1648-1658.   | 1.9 | 15        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27003 | The Femoro-Epiphyseal Acetabular Roof (FEAR) Index: A New Measurement Associated With Instability in Borderline Hip Dysplasia?. <i>Clinical Orthopaedics and Related Research</i> , 2017, 475, 861-869.                                   | 0.7 | 125       |
| 27004 | Gas chromatographic determination of perfluorocarboxylic acids in aqueous samples – A tutorial review. <i>Analytica Chimica Acta</i> , 2017, 949, 8-22.   | 2.6 | 38        |
| 27005 | Inhaled Corticosteroid Adherence Patterns in a Longitudinal Asthma Cohort. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2017, 5, 448-456.e2.  | 2.0 | 20        |
| 27006 | Can we shorten the q-space imaging to make it clinically feasible?. <i>Japanese Journal of Radiology</i> , 2017, 35, 16-24.   | 1.0 | 3         |
| 27007 | Correlating optic nerve sheath diameter with opening intracranial pressure in pediatric traumatic brain injury. <i>Pediatric Research</i> , 2017, 81, 443-447.  | 1.1 | 31        |
| 27008 | Three-dimensional evaluation of social smile symmetry. <i>Angle Orthodontist</i> , 2017, 87, 96-103.  | 1.1 | 14        |
| 27009 | Comparison of inter-trial recovery times for the determination of critical power and $\dot{V}_{O_{2max}}$ in cycling. <i>Journal of Sports Sciences</i> , 2017, 35, 1420-1425.  | 1.0 | 29        |
| 27010 | Intra- and interobserver reliability of lens equatorial length measurement using 35-MHz ultrasound biomicroscopy in dogs with cataract. <i>Veterinary Ophthalmology</i> , 2017, 20, 329-334.  | 0.6 | 3         |
| 27011 | Reliability and validity of the Brazilian version of the Pittsburgh Sleep Quality Index in adolescents. <i>Jornal De Pediatria</i> , 2017, 93, 200-206.   | 0.9 | 53        |
| 27012 | Intra-rater reliability and agreement of various methods of measurement to assess dorsiflexion in the Weight Bearing Dorsiflexion Lunge Test (WBLLT) among female athletes. <i>Physical Therapy in Sport</i> , 2017, 23, 37-44.           | 0.8 | 26        |
| 27013 | Inter-rater reliability of shoulder measurements in middle-aged women. <i>Physiotherapy</i> , 2017, 103, 222-230.   | 0.2 | 24        |
| 27014 | Back-calculating baseline creatinine overestimates prevalence of acute kidney injury with poor sensitivity. <i>Acta Physiologica</i> , 2017, 219, 615-626.  | 1.8 | 17        |
| 27015 | Comparison of chemical shift-encoded water-fat MRI and MR spectroscopy in quantification of marrow fat in postmenopausal females. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 45, 66-73.   | 1.9 | 41        |
| 27016 | Diagnosis Accuracy of Transcutaneous Bilirubinometry in Very Preterm Newborns. <i>Neonatology</i> , 2017, 111, 1-7.   | 0.9 | 11        |
| 27017 | Comparison of the Adaptive Optics Vision Analyzer and the KR-1 W for measuring ocular wave aberrations. <i>Australasian journal of optometry</i> , The, 2017, 100, 26-32.   | 0.6 | 6         |
| 27018 | Validation and comparison of the psychometric properties of the EQ-5D-3L and EQ-5D-5L instruments in Greece. <i>European Journal of Health Economics</i> , 2017, 18, 519-531.   | 1.4 | 51        |
| 27019 | Agreement between automated and manual quantification of corneal nerve fiber length: Implications for diabetic neuropathy research. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 1066-1073.                               | 1.2 | 26        |
| 27020 | A comparison of four techniques to measure anterior and posterior vertebral body heights and sagittal plane wedge angles in adolescent idiopathic scoliosis. <i>Medical and Biological Engineering and Computing</i> , 2017, 55, 561-572. | 1.6 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27021 | Determination of skin penetration profiles by confocal Raman microspectroscopy: statistical evaluation of optimal microscope configuration. <i>Journal of Raman Spectroscopy</i> , 2017, 48, 152-160.   | 1.2 | 14        |
| 27022 | Trunk deformity evaluation based on 3D measurements of front body surface landmarks in people with severe physical disabilities. <i>Developmental Neurorehabilitation</i> , 2017, 20, 280-286.  | 0.5 | 2         |
| 27023 | Noninvasive evaluation of global and regional left ventricular function using computed tomography and magnetic resonance imaging: a meta-analysis. <i>European Radiology</i> , 2017, 27, 1640-1659.   | 2.3 | 18        |
| 27024 | Simultaneous GC-MS/MS measurement of malondialdehyde and 4-hydroxy-2-nonenal in human plasma: Effects of long-term L-arginine administration. <i>Analytical Biochemistry</i> , 2017, 524, 31-44.  | 1.1 | 34        |
| 27025 | A simple method for assessment of muscle force, velocity, and power producing capacities from functional movement tasks. <i>Journal of Sports Sciences</i> , 2017, 35, 1287-1293.   | 1.0 | 42        |
| 27026 | Bronchoarterial ratio in never-smokers adults: Implications for bronchial dilation definition. <i>Respirology</i> , 2017, 22, 108-113.  | 1.3 | 28        |
| 27027 | Effects of perfusion on DTI and DKI estimates in the skeletal muscle. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 233-246.  | 1.9 | 36        |
| 27028 | The validity and reliability of a sample of 10 Wattbike cycle ergometers. <i>Journal of Sports Sciences</i> , 2017, 35, 1451-1458.  | 1.0 | 19        |
| 27029 | Non-contrast 3D black blood MRI for abdominal aortic aneurysm surveillance: comparison with CT angiography. <i>European Radiology</i> , 2017, 27, 1787-1794.  | 2.3 | 20        |
| 27030 | Forensic use of the Greulich and Pyle atlas: prediction intervals and relevance. <i>European Radiology</i> , 2017, 27, 1032-1043.   | 2.3 | 40        |
| 27031 | Development and reliability of the Achilles Tendon Length Measure and comparison with the Achilles Tendon Resting Angle on patients with an Achilles tendon rupture. <i>Foot and Ankle Surgery</i> , 2017, 23, 275-280.   | 0.8 | 22        |
| 27032 | Improvement in glycemic control through changes in insulin regimens: findings from a Japanese cohort of children and adolescents with type 1 diabetes. <i>Pediatric Diabetes</i> , 2017, 18, 435-442.   | 1.2 | 15        |
| 27033 | Evaluation of the point of care Afinion AS100 analyser in a community setting. <i>Annals of Clinical Biochemistry</i> , 2017, 54, 331-341.  | 0.8 | 22        |
| 27034 | Vertebral bone attenuation on low-dose chest CT: quantitative volumetric analysis for bone fragility assessment. <i>Osteoporosis International</i> , 2017, 28, 329-338.   | 1.3 | 42        |
| 27035 | Determination of reference intervals and comparison of venous blood gas parameters using standard and non-standard collection methods in 24 cats. <i>Journal of Feline Medicine and Surgery</i> , 2017, 19, 831-840.  | 0.6 | 12        |
| 27036 | A new method to estimate pulmonary vascular resistance using diastolic pulmonary artery-right ventricular pressure gradients derived from continuous-wave Doppler velocity measurements of pulmonary regurgitation. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 31-38. | 0.7 | 2         |
| 27037 | Ecosystem indicators' accounting for variability in species' trophic levels. <i>ICES Journal of Marine Science</i> , 2017, 74, 158-169.   | 1.2 | 41        |
| 27038 | Ability and efficiency of an automatic analysis software to measure microvascular parameters. <i>Journal of Clinical Monitoring and Computing</i> , 2017, 31, 669-676.  | 0.7 | 28        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27039 | Early Reverse Cardiac Remodeling Effect of Laparoscopic Sleeve Gastrectomy. <i>Obesity Surgery</i> , 2017, 27, 364-375.   | 1.1 | 19        |
| 27040 | Random forest regression for magnetic resonance image synthesis. <i>Medical Image Analysis</i> , 2017, 35, 475-488.   | 7.0 | 136       |
| 27041 | Validity of a portable force platform for assessing biomechanical parameters in three different tasks. <i>Sports Biomechanics</i> , 2017, 16, 177-186.  | 0.8 | 32        |
| 27042 | Characterization and Validation of the LT-SYS Copper Assay on a Roche Cobas 8000 c502 Analyzer. <i>Laboratory Medicine</i> , 2017, 48, 10-17.   | 0.8 | 2         |
| 27043 | Indirect Calorimetry in Mechanically Ventilated Patients: A Prospective, Randomized, Clinical Validation of 2 Devices Against a Gold Standard. <i>Journal of Parenteral and Enteral Nutrition</i> , 2017, 41, 1272-1277.          | 1.3 | 17        |
| 27044 | Validity of the Microsoft Kinect for measurement of neck angle: comparison with electrogoniometry. <i>International Journal of Occupational Safety and Ergonomics</i> , 2017, 23, 524-532.  | 1.1 | 11        |
| 27045 | Continuous gas transfer monitoring during extracorporeal membrane oxygenation. <i>Biomedical Signal Processing and Control</i> , 2017, 31, 321-330.   | 3.5 | 2         |
| 27046 | Salivary Biomarkers, Oral Inflammation, and Functional Status in Patients With Heart Failure. <i>Biological Research for Nursing</i> , 2017, 19, 153-161.   | 1.0 | 15        |
| 27047 | Reliability of Pain Measurements Using Computerized Cuff Algometry: A DoloCuff Reliability and Agreement Study. <i>Pain Practice</i> , 2017, 17, 708-717.   | 0.9 | 11        |
| 27048 | Comparison of Echocardiographic Indices Used to Predict Fluid Responsiveness in Ventilated Patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017, 195, 1022-1032.                                    | 2.5 | 211       |
| 27049 | Acetabular Wall Indices Help to Distinguish Acetabular Coverage in Asymptomatic Adults With Varying Morphologies. <i>Clinical Orthopaedics and Related Research</i> , 2017, 475, 1027-1033.                                       | 0.7 | 22        |
| 27050 | <sup>123</sup> I-mIBG scintigraphy in neuroblastoma: development of a SIOPEN semi-quantitative reporting method by an international panel. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 234-241. | 3.3 | 52        |
| 27051 | Inter-scoring reliability of sleep assessment using EEG and EOG recording system in comparison to polysomnography. <i>Sleep and Biological Rhythms</i> , 2017, 15, 39-48.   | 0.5 | 30        |
| 27052 | Ecogeographic variation across morphofunctional units of the human nose. <i>American Journal of Physical Anthropology</i> , 2017, 162, 103-119.   | 2.1 | 40        |
| 27053 | Automated, continuous and non-invasive assessment of pulse pressure variations using CNAP <sup>®</sup> system. <i>Journal of Clinical Monitoring and Computing</i> , 2017, 31, 685-692.   | 0.7 | 16        |
| 27054 | Assessing resting energy expenditure in overweight and obese adolescents in a clinical setting: validity of a handheld indirect calorimeter. <i>Pediatric Research</i> , 2017, 81, 51-56.   | 1.1 | 16        |
| 27055 | A Validated Single-View Radiographic Alternative to Computed Tomography for the Measurement of Femoral Anteversion: A Method-Comparison Study. <i>Journal of Arthroplasty</i> , 2017, 32, 1018-1023.                              | 1.5 | 5         |
| 27056 | Value of three-dimensional volume rendering images in the assessment of the centrality index for preoperative planning in patients with renal masses. <i>Clinical Radiology</i> , 2017, 72, 33-40.                                | 0.5 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27057 | Comparing Generic and Condition-Specific Preference-Based Measures in Epilepsy: EQ-5D-3L and NEWQOL-6D. <i>Value in Health</i> , 2017, 20, 687-693.  | 0.1 | 23        |
| 27058 | Reliability and accuracy of Cooper's test in male long distance runners. <i>Revista Andaluza De Medicina Del Deporte</i> , 2017, 10, 60-63.  | 0.1 | 15        |
| 27059 | Accuracy and Trending Ability of the Fourth-Generation FloTrac/Vigileo System in Patients With Low Cardiac Index. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2017, 31, 99-104.   | 0.6 | 30        |
| 27060 | Assessment of an alternative calibration technique to record breathing pattern and its variability with respiratory inductive plethysmography. <i>Journal of Clinical Monitoring and Computing</i> , 2017, 31, 755-764.                | 0.7 | 3         |
| 27061 | VE <sup>TM</sup> O <sub>2</sub> max assessment in athletes: A thorough method comparison study between Yo-Yo test and direct measurement. <i>Apunts Medicine De L'Esport</i> , 2017, 52, 17-22.  | 0.5 | 0         |
| 27062 | Existing equations to estimate lean body mass are not accurate in the critically ill: Results of a multicenter observational study. <i>Clinical Nutrition</i> , 2017, 36, 1701-1706.   | 2.3 | 18        |
| 27063 | Validation of a commercial inertial sensor system for spatiotemporal gait measurements in children. <i>Gait and Posture</i> , 2017, 51, 14-19.   | 0.6 | 29        |
| 27064 | Repeatability of Volume and Regional Body Composition Measurements of the Lower Limb Using Dual-energy X-ray Absorptiometry. <i>Journal of Clinical Densitometry</i> , 2017, 20, 82-96.  | 0.5 | 8         |
| 27065 | Usefulness of an algebraic fitting of nomograms allowing evaluation detrusor contractility in women. <i>Progres En Urologie</i> , 2017, 27, 261-266.   | 0.3 | 7         |
| 27066 | Description and reproducibility assessment of a new computerised tomography scan index to measure the glenoid orientation in relation to the anterior glenoid surface. <i>International Orthopaedics</i> , 2017, 41, 1017-1022.        | 0.9 | 1         |
| 27067 | <i>in vivo</i> strain in the deep and superficial regions of the human patellar tendon. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017, 27, 1105-1113.   | 1.3 | 8         |
| 27068 | Translation and reliability and validity testing of a Japanese version of the Intermittent Self-Catheterization Questionnaire among disposable and reusable catheter users. <i>Neurourology and Urodynamics</i> , 2017, 36, 1356-1362. | 0.8 | 7         |
| 27069 | Accuracy of segmentation of tooth structures using 3 different CBCT machines. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2017, 123, 123-128.  | 0.2 | 28        |
| 27070 | Parametric Methods for Dynamic 11C-Phenytoin PET Studies. <i>Journal of Nuclear Medicine</i> , 2017, 58, 479-483.  | 2.8 | 2         |
| 27071 | Characteristic Ratio-Independent Arterial Stiffness-Based Blood Pressure Estimation. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2017, 21, 1263-1270.   | 3.9 | 10        |
| 27072 | Local depletion of glycogen with supramaximal exercise in human skeletal muscle fibres. <i>Journal of Physiology</i> , 2017, 595, 2809-2821.   | 1.3 | 38        |
| 27073 | Performance of point-of-care HbA <sub>1c</sub> test devices: implications for use in clinical practice – a systematic review and meta-analysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 167-180.                 | 1.4 | 77        |
| 27074 | The convergent validity of Actiwatch 2 and ActiGraph Link accelerometers in measuring total sleeping period, wake after sleep onset, and sleep efficiency in free-living condition. <i>Sleep and Breathing</i> , 2017, 21, 209-215.    | 0.9 | 50        |

| #     | ARTICLE  | IF   | CITATIONS |
|-------|--|------|-----------|
| 27075 | Uncertainty assessment of gamma-aminobutyric acid concentration of different brain regions in individual and group using residual bootstrap analysis. <i>Medical and Biological Engineering and Computing</i> , 2017, 55, 1051-1059.   | 1.6  | 4         |
| 27076 | Development of an <i>in vivo</i> target engagement biomarker for TRPA1 antagonists in humans. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 603-611.   | 1.1  | 12        |
| 27077 | Comparison of MRI- and CT-based semiautomated liver segmentation: a validation study. <i>Abdominal Radiology</i> , 2017, 42, 478-489.  | 1.0  | 19        |
| 27078 | Validating Body Fat Assessment by Bioelectric Impedance Spectroscopy in Taiwanese Hemodialysis Patients. , 2017, 27, 37-44.  |      | 21        |
| 27079 | A Novel Method for Evaluating Postoperative Adhesions in Rats. <i>Journal of Investigative Surgery</i> , 2017, 30, 88-94.  | 0.6  | 3         |
| 27080 | Imaging biomarker roadmap for cancer studies. <i>Nature Reviews Clinical Oncology</i> , 2017, 14, 169-186.   | 12.5 | 792       |
| 27081 | The Dmax method is a valid procedure to estimate physical working capacity at fatigue threshold. <i>Muscle and Nerve</i> , 2017, 55, 344-349.  | 1.0  | 2         |
| 27082 | Agreement of Different Methods for Tissue Based Detection of HER2 Signal in Invasive Breast Cancer. <i>Pathology and Oncology Research</i> , 2017, 23, 79-84.  | 0.9  | 2         |
| 27083 | Validation of maternal cardiac output assessed by transthoracic echocardiography against pulmonary artery catheterization in severely ill pregnant women: prospective comparative study and systematic review. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 49, 25-31. | 0.9  | 44        |
| 27084 | Quantitative diffusion-weighted imaging and dynamic contrast-enhanced characterization of the index lesion with multiparametric MRI in prostate cancer patients. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 45, 908-916.   | 1.9  | 19        |
| 27085 | Facial thirds-based evaluation of facial asymmetry using stereophotogrammetric devices: Application to facial palsy subjects. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2017, 45, 76-81.   | 0.7  | 46        |
| 27086 | Functional recovery of regional myocardial deformation in patients with takotsubo cardiomyopathy. <i>Journal of Cardiology</i> , 2017, 70, 68-73.  | 0.8  | 11        |
| 27087 | Test D'Évaluation Des Membres Supérieurs Des Personnes Âgées (TEMPA) to assess upper limb activity in Parkinson's disease. <i>Journal of Hand Therapy</i> , 2017, 30, 320-327.   | 0.7  | 6         |
| 27088 | Junctional zone thickness in young nulliparous women according to menstrual cycle and hormonal contraception use. <i>Reproductive BioMedicine Online</i> , 2017, 34, 212-220.  | 1.1  | 14        |
| 27089 | Clinical implications of assay specific differences in f-calprotectin when monitoring inflammatory bowel disease activity over time. <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 344-350.  | 0.6  | 16        |
| 27090 | Descending aortic mechanics and atrial fibrillation: a two-dimensional speckle tracking transesophageal echocardiography study. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 509-519.  | 0.7  | 3         |
| 27091 | Conventional and novel body temperature measurement during rest and exercise induced hyperthermia. <i>Journal of Thermal Biology</i> , 2017, 63, 124-130.  | 1.1  | 17        |
| 27092 | Development, validation and psychometric properties of the Arabic version of the Orofacial Esthetic Scale: OES-Ar. <i>Journal of Prosthodontic Research</i> , 2017, 61, 290-296.   | 1.1  | 12        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27093 | Mass balance analyses of nutrients on California dairies to evaluate data quality for regulatory review. <i>Science of the Total Environment</i> , 2017, 579, 37-46.   | 3.9 | 3         |
| 27094 | The effect of root and bone visualization on perceptions of the quality of orthodontic treatment simulations. <i>Angle Orthodontist</i> , 2017, 87, 384-390.   | 1.1 | 2         |
| 27095 | Comparison of two different sampling intervals for optical coherence tomography evaluation of neointimal healing response after coronary stent implantation. <i>International Journal of Cardiology</i> , 2017, 227, 194-200.      | 0.8 | 1         |
| 27096 | Fibrous Cap Thickness by Optical Coherence Tomography In Vivo. <i>Journal of the American College of Cardiology</i> , 2017, 69, 644-657.   | 1.2 | 59        |
| 27097 | Evaluation of a new handheld point-of-care blood gas analyser using 100 equine blood samples. <i>Veterinary Anaesthesia and Analgesia</i> , 2017, 44, 77-85.   | 0.3 | 17        |
| 27098 | Comparison of specular microscopy and ultrasound pachymetry before and after cataract surgery. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2017, 255, 387-392.   | 1.0 | 10        |
| 27099 | Tracking of the inferior alveolar nerve: its implication in surgical planning. <i>Clinical Oral Investigations</i> , 2017, 21, 2213-2220.  | 1.4 | 25        |
| 27100 | Three-dimensional black-blood T2 mapping with compressed sensing and data-driven parallel imaging in the carotid artery. <i>Magnetic Resonance Imaging</i> , 2017, 37, 62-69.  | 1.0 | 24        |
| 27101 | Remembered preoperative Quick disabilities of the arm, shoulder and hand (QuickDASH) scores. <i>Journal of Hand Surgery: European Volume</i> , 2017, 42, 78-83.  | 0.5 | 8         |
| 27102 | Detection of elevated pulmonary pressures by the ECG-derived ventricular gradient: A comparison of conversion matrices in patients with suspected pulmonary hypertension. <i>Journal of Electrocardiology</i> , 2017, 50, 115-122. | 0.4 | 0         |
| 27103 | Volume-based quantification using dual-energy computed tomography in the differentiation of thymic epithelial tumours: an initial experience. <i>European Radiology</i> , 2017, 27, 1992-2001.                                     | 2.3 | 25        |
| 27104 | Validation of a new domiciliary diagnosis device for automatic diagnosis of patients with clinical suspicion of OSA. <i>Respirology</i> , 2017, 22, 378-385.   | 1.3 | 8         |
| 27105 | Tricuspid Annular Plane Systolic Excursion: Comparing Transthoracic to Transesophageal Echocardiography. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2017, 31, 590-594.   | 0.6 | 15        |
| 27106 | Long-term mid-facial growth of patients with a unilateral complete cleft of lip, alveolus and palate treated by two-stage palatoplasty: cephalometric analysis. <i>Clinical Oral Investigations</i> , 2017, 21, 1801-1810.         | 1.4 | 18        |
| 27107 | Clinical measurement of compensatory torsional eye movement during head tilt. <i>Acta Ophthalmologica</i> , 2017, 95, e101-e106.   | 0.6 | 5         |
| 27108 | Evaluation of anatomy and variations of superficial palmar arch and upper extremity arteries with CT angiography. <i>Surgical and Radiologic Anatomy</i> , 2017, 39, 419-426.  | 0.6 | 13        |
| 27109 | Correlation between some arterial and venous blood gas parameters in healthy newborn Martina Franca donkey foals from birth to 96 hours of age. <i>Theriogenology</i> , 2017, 87, 173-178.   | 0.9 | 18        |
| 27110 | Validity of a Simple Method for Measuring Force-Velocity-Power Profile in Countermovement Jump. <i>International Journal of Sports Physiology and Performance</i> , 2017, 12, 36-43.   | 1.1 | 71        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27111 | Development of a valid Simplified Chinese version of the International Hip Outcome Tool (SC-iHOT-33) in young patients having total hip arthroplasty. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 94-98. | 0.6 | 19        |
| 27112 | Continuous heart rate measurement from face: A robust rPPG approach with distribution learning. , 2017, , .  |     | 31        |
| 27113 | Serial fusion of Eulerian and Lagrangian approaches for accurate heart-rate estimation using face videos. , 2017, 2017, 2834-2837.   |     | 12        |
| 27114 | Assessing left ventricular ejection time from wrist cuff pulse waveforms: Algorithm and evaluation. , 2017, , .  |     | 2         |
| 27115 | Comparaison dâ€™un systÃ©me de mesure automatique de lâ€™indice de pression systolique Ã la mesure par doppler manuel. <i>Revue Francophone De Cicatrisation</i> , 2017, 1, 41-45.                           | 0.0 | 1         |
| 27116 | Validity of 3D reconstruction of a new tool for postural assessment based on a single optical camera. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2017, 20, S125-S126.              | 0.9 | 1         |
| 27117 | Real-time emotional state estimation system for Canines based on heart rate variability. , 2017, , .   |     | 6         |
| 27118 | Seasonal variation in testes size and density detected in belugas ( <i>Delphinapterus leucas</i> ) using ultrasonography. <i>Journal of Mammalogy</i> , 2017, 98, 874-884.                                   | 0.6 | 10        |
| 27119 | A Weight Estimation Strategy for Preterm and Full-Term Infants. <i>Global Pediatric Health</i> , 2017, 4, 2333794X1774877.   | 0.3 | 2         |
| 27120 | The importance of accurate measurement of aortic stiffness in patients with chronic kidney disease and end-stage renal disease. <i>CKJ: Clinical Kidney Journal</i> , 2017, 10, 503-515.                     | 1.4 | 17        |
| 27121 | Simple measurement of pulse oximetry using a standard color camera. , 2017, , .  |     | 5         |
| 27122 | Far-field infrared system for the high-accuracy in-situ measurement of ocular pupil diameter. , 2017, , .  |     | 1         |
| 27123 | The validation of the Dutch SF-Qualiveen, a questionnaire on urinary-specific quality of life, in spinal cord injury patients. <i>BMC Urology</i> , 2017, 17, 88.  | 0.6 | 11        |
| 27124 | Monitoring of nocturnal central sleep apnea in Heart failure patients using noncontact respiratory differences. , 2017, 2017, 1534-1538.   |     | 6         |
| 27125 | Accuracy of a Radiological Evaluation Method for Thoracic and Lumbar Spinal Curvatures Using Spinous Processes. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2017, 40, 700-707.           | 0.4 | 4         |
| 27126 | Feasibility of 2-D ultrasound shear wave elastography of fetal lungs in case of threatened preterm labour: a study protocol. <i>BMJ Open</i> , 2017, 7, e018130.   | 0.8 | 9         |
| 27127 | Comparison of Different Diastolic RestingÂIndexes to iFR. <i>Journal of the American College of Cardiology</i> , 2017, 70, 3088-3096.  | 1.2 | 163       |
| 27128 | From Discovery to Translation: Characterization of C-Mannosyltryptophan and Pseudouridine as Markers of Kidney Function. <i>Scientific Reports</i> , 2017, 7, 17400.   | 1.6 | 31        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27129 | Quantifying patient effort in spontaneously breathing patient using negative component of dynamic Elastance. IFAC-PapersOnLine, 2017, 50, 5486-5491.  | 0.5 | 6         |
| 27130 | Novel Application of Micro-Computerized Tomography for Morphologic Characterization of the Murine Penis. Journal of Sexual Medicine, 2017, 14, 1533-1539.   | 0.3 | 6         |
| 27131 | Evaluation of a semi-automated computer algorithm for measuring total fat and visceral fat content in lambs undergoing in vivo whole body computed tomography. Veterinary Journal, 2017, 228, 46-52.  | 0.6 | 5         |
| 27133 | End user evaluation of DG-PT L Rec, a human recombinant thromboplastin in liquid formulation. Blood Coagulation and Fibrinolysis, 2017, 28, 112-116.  | 0.5 | 0         |
| 27134 | Wheelchair Shuttle Test for Assessing Aerobic Fitness in Youth With Spina Bifida: Validity and Reliability. Physical Therapy, 2017, 97, 1020-1029.  | 1.1 | 10        |
| 27135 | Low-dose CT for the detection and classification of metastatic liver lesions: Results of the 2016 Low Dose CT Grand Challenge. Medical Physics, 2017, 44, e339-e352.  | 1.6 | 132       |
| 27136 | Embedded Wireless Device for Intracranial Pressure Monitoring. , 0, , 40-88.  |     | 0         |
| 27137 | Evaluation of dietary intake assessed by the Dutch self-administered web-based dietary 24-h recall tool (Compl-eat <sup>®</sup> ) against interviewer-administered telephone-based 24-h recalls. Journal of Nutritional Science, 2017, 6, e49.                    | 0.7 | 39        |
| 27138 | Comparison of two different assays and the predictive value of allergen components in house dust mite allergy. Immunotherapy, 2017, 9, 1253-1262.   | 1.0 | 7         |
| 27139 | Three-Dimensional Evaluation of Posterior Pole and Optic Nerve Head in Myopes with Glaucoma. Scientific Reports, 2017, 7, 18001.  | 1.6 | 16        |
| 27140 | Ovulatory status and menstrual cycle duration assessed by self-collection of urine on pH strips in a population-based sample of French women not using hormonal contraception. European Journal of Contraception and Reproductive Health Care, 2017, 22, 450-458. | 0.6 | 5         |
| 27141 | Development and Validation of a Novel Cuff-Less Blood Pressure Monitoring Device. JACC Basic To Translational Science, 2017, 2, 631-642.  | 1.9 | 70        |
| 27142 | Accuracy of self-reported height, weight and waist circumference in a Japanese sample. Obesity Science and Practice, 2017, 3, 417-424.  | 1.0 | 20        |
| 27143 | Poor inter-observer agreement in the measurement of respiratory rate in children: a prospective observational study. BMJ Paediatrics Open, 2017, 1, e000173.  | 0.6 | 11        |
| 27144 | Estimation method of metabolic equivalents during short duration walking and running considering EPOC. Transactions of the JSME (in Japanese), 2017, 83, 16-00450-16-00450.   | 0.1 | 0         |
| 27145 | Resolving the test-retest agreement or reliability dilemma. Methodological Innovations, 2017, 10, 205979911770312.  | 0.5 | 1         |
| 27146 | A tonic heat test stimulus yields a larger and more reliable conditioned pain modulation effect compared to a phasic heat test stimulus. Pain Reports, 2017, 2, e626.   | 1.4 | 15        |
| 27147 | Digital assessment of the fetal alcohol syndrome facial phenotype: reliability and agreement study. BMJ Paediatrics Open, 2017, 1, e000137.   | 0.6 | 11        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27148 | Doppler Ultrasound Triggering for Cardiovascular MRI at 3T in a Healthy Volunteer Study. <i>Magnetic Resonance in Medical Sciences</i> , 2017, 16, 98-108.  | 1.1 | 16        |
| 27149 | Socioeconomic, remoteness and sex differences in life expectancy in New South Wales, Australia, 2001â€“2012: a population-based study. <i>BMJ Open</i> , 2017, 7, e013227.  | 0.8 | 19        |
| 27150 | Considering interpersonal differences in validating wearable sleep-tracking technologies. , 2017, , .   |     | 1         |
| 27152 | UPLC-MS/MS Analysis of Methotrexate in Human Plasma and Comparison with the Fluorescence Polarization Immunoassay. <i>Analytical Sciences</i> , 2017, 33, 665-670.  | 0.8 | 13        |
| 27153 | Measurement of rater consistency and its application in voice quality assessments. , 2017, , .  |     | 2         |
| 27154 | Assessment of the Visual Behavior of Volleyball Players While Blocking the Ball: A Study Using a Wearable Camera. <i>International Journal of Sport and Health Science</i> , 2017, 15, 46-54.                                   | 0.0 | 2         |
| 27155 | Iohexol plasma clearance simplified by dried blood spot testing. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1597-1603.  | 0.4 | 29        |
| 27156 | Strategies to enhance graphic and results interpretation of a regression-based approach for method comparison studies. <i>Future Science OA</i> , 2017, 3, FSO0194.   | 0.9 | 1         |
| 27157 | Assessment of lower arm movements using one inertial sensor. , 2017, 2017, 1407-1412.   |     | 12        |
| 27158 | Reliability and Criterion Validity of the Smartphone Inclinometer Application to Quantify Cervical Spine Mobility. <i>Clinical Spine Surgery</i> , 2017, 30, E1359-E1366.   | 0.7 | 24        |
| 27159 | Assessment of analytical performance of glucose meter in pediatric age group at tertiary care referral hospital. <i>Journal of Diabetes and Metabolic Disorders</i> , 2017, 16, 38.   | 0.8 | 1         |
| 27160 | Arterial pathophysiology and comparison of two devices for pulse wave velocity assessment in elderly men: the British regional heart study. <i>Open Heart</i> , 2017, 4, e000645.   | 0.9 | 6         |
| 27161 | Preclinical evaluation of point-of-care prothrombin time as a biomarker test to guide prothrombin replacement therapy in coagulopathic bleeding. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2017, 1, 252-258. | 1.0 | 1         |
| 27162 | Impact of Course Configuration on 6-Minute Walk Test Performance of People with Lower Extremity Amputations. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2017, 69, 197-203.   | 0.3 | 9         |
| 27163 | Accurate heart-rate estimation from face videos using quality-based fusion. , 2017, , .   |     | 10        |
| 27164 | NICBPM: Non-invasive cuff-less blood pressure monitor. , 2017, , .  |     | 2         |
| 27165 | Spectro-Temporal Electrocardiogram Analysis for Noise-Robust Heart Rate and Heart Rate Variability Measurement. <i>IEEE Journal of Translational Engineering in Health and Medicine</i> , 2017, 5, 1-11.                        | 2.2 | 20        |
| 27166 | Ability to cough can be evaluated through cough sounds: An experimental investigation of effects of microphone type on accuracy. , 2017, , .  |     | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27167 | Design and demonstration of the transmission, reflection, and intensity (TRI)-analyzer instrument for portable spectroscopy. , 2017, , .  |     | 0         |
| 27168 | GPS Data Reflect Playersâ€™ Internal Load in Soccer. , 2017, , .  |     | 7         |
| 27169 | Comparison of registry and government evaluation data to ascertain severe trauma cases in Japan. Acute Medicine & Surgery, 2017, 4, 432-438.  | 0.5 | 2         |
| 27170 | Development and Validation of a Single Wrist Mounted Inertial Sensor for Biomechanical Performance Analysis of an Elite Netball Shot. , 2017, 1, 1-4.   |     | 12        |
| 27171 | Frozen shoulder rehabilitation using microsoft kinect. , 2017, , .  |     | 6         |
| 27172 | Evaluating wearable multimodal sensor insoles for motion-pattern measurements in stroke rehabilitation â€” A pilot study. , 2017, 2017, 1543-1548.  |     | 8         |
| 27173 | Evaluation of Intra- and Inter-observer Measurement Variability of a Radiographic Stifle Osteoarthritis Scoring System in Dogs. Veterinary and Comparative Orthopaedics and Traumatology, 2017, 30, 377-384.  | 0.2 | 24        |
| 27174 | Determination of Dialysis Access Patency Using 2D Angiographic Images. , 2017, , .  |     | 0         |
| 27175 | Reliability and Validity of a New Method for Isometric Back Extensor Strength Evaluation Using A Hand-Held Dynamometer. Annals of Rehabilitation Medicine, 2017, 41, 793.                                     | 0.6 | 22        |
| 27176 | Relative and absolute reliability of ultrasound measurements for the thickness of the soft tissue around the shoulder joint of young normal subjects. Journal of Physical Therapy Science, 2017, 29, 754-759. | 0.2 | 15        |
| 27177 | Statistical Analysis of Microbiological Diagnostic Tests. Indian Journal of Medical Microbiology, 2017, 35, 184-193.  | 0.3 | 8         |
| 27178 | Comparing facility-level methane emission rate estimates at natural gas gathering and boosting stations. Elementa, 2017, 5, .   | 1.1 | 29        |
| 27179 | Validity of Actigraphy in Measurement of Sleep in Young Adults With Type 1 Diabetes. Journal of Clinical Sleep Medicine, 2017, 13, 669-674.   | 1.4 | 24        |
| 27180 | Change in End-Expiratory Lung Volume During Sleep in Patients at Risk for Obstructive Sleep Apnea. Journal of Clinical Sleep Medicine, 2017, 13, 941-947.   | 1.4 | 10        |
| 27181 | Effect of Manual Editing of Total Recording Time: Implications for Home Sleep Apnea Testing. Journal of Clinical Sleep Medicine, 2017, 13, 121-126.   | 1.4 | 25        |
| 27182 | Oxygen Desaturation Index Differs Significantly Between Types of Sleep Software. Journal of Clinical Sleep Medicine, 2017, 13, 599-605.   | 1.4 | 20        |
| 27183 | Validation of the Nox-T3 Portable Monitor for Diagnosis of Obstructive Sleep Apnea in Chinese Adults. Journal of Clinical Sleep Medicine, 2017, 13, 675-683.  | 1.4 | 50        |
| 27185 | Self-oscillatory operation mode of atmospheric-pressure plasma jet. , 2017, , .   |     | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27186 | Preanalytical investigations of phlebotomy: methodological aspects, pitfalls and recommendations. <i>Biochemia Medica</i> , 2017, 27, 177-191.   | 1.2 | 6         |
| 27187 | Cooperative guidance for multiple missiles under multi-constraints based on Gaussian Pseudospectral Method. , 2017, , .  |     | 1         |
| 27188 | Message from BCD 2017 Conference Chair. , 2017, , .  |     | 0         |
| 27189 | Usefulness of Pulse Oximeter That Can Measure SpO <sub>2</sub> to One Digit After Decimal Point. <i>Yonago Acta Medica</i> , 2017, 60, 133-134.  | 0.3 | 7         |
| 27190 | Background CO <sub>2</sub> levels and error analysis from ground-based solar absorption IR measurements in central Mexico. <i>Atmospheric Measurement Techniques</i> , 2017, 10, 2425-2434.                                  | 1.2 | 8         |
| 27191 | Concurrent Validity of Daily Activity Data From Medtronic ICD/CRT Devices and the Actigraph GT3X Triaxial Accelerometer: A Pilot Study. <i>Cardiopulmonary Physical Therapy Journal</i> , 2017, 28, 3-11.                    | 0.2 | 18        |
| 27192 | Comparison of a full-spectrum multi-analyte clinical analyser with six reference instruments using canine and feline blood samples. <i>Veterinari Medicina</i> , 2017, 62, 342-350.  | 0.2 | 1         |
| 27193 | Scores TISS-28 versus NEMS to size the nursing team in a pediatric intensive care unit. <i>Einstein (Sao J ETQq1 1 0.784314 rgBT /Over</i>   | 0.3 | 1         |
| 27194 | Urinary Sodium-to-Potassium Ratio Tracks the Changes in Salt Intake during an Experimental Feeding Study Using Standardized Low-Salt and High-Salt Meals among Healthy Japanese Volunteers. <i>Nutrients</i> , 2017, 9, 951. | 1.7 | 20        |
| 27195 | Plasma Cytochrome c Detection Using a Highly Sensitive Electrochemiluminescence Enzyme-Linked Immunosorbent Assay. <i>Biomarker Insights</i> , 2017, 12, 117727191774697.  | 1.0 | 10        |
| 27196 | Measuring Physical Activity in Free-Living Conditions—Comparison of Three Accelerometry-Based Methods. <i>Frontiers in Physiology</i> , 2016, 7, 681.  | 1.3 | 39        |
| 27197 | The Lactate Minimum Test: Concept, Methodological Aspects and Insights for Future Investigations in Human and Animal Models. <i>Frontiers in Physiology</i> , 2017, 8, 389.  | 1.3 | 19        |
| 27198 | Comparison of Peak Oxygen Uptake and Test-Retest Reliability of Physiological Parameters between Closed-End and Incremental Upper-Body Poling Tests. <i>Frontiers in Physiology</i> , 2017, 8, 857.                          | 1.3 | 5         |
| 27199 | Human Cardiac <sup>31</sup> P-MR Spectroscopy at 3 Tesla Cannot Detect Failing Myocardial Energy Homeostasis during Exercise. <i>Frontiers in Physiology</i> , 2017, 8, 939.   | 1.3 | 28        |
| 27200 | Pulsatility of Lenticulostriate Arteries Assessed by 7 Tesla Flow MRI—Measurement, Reproducibility, and Applicability to Aging Effect. <i>Frontiers in Physiology</i> , 2017, 8, 961.  | 1.3 | 39        |
| 27201 | When Is a Test Score Fair for the Individual Who Is Being Tested? Effects of Different Scoring Procedures across Multiple Attempts When Testing a Motor Skill Task. <i>Frontiers in Psychology</i> , 2017, 8, 619.           | 1.1 | 3         |
| 27202 | Translation, Adaptation, and Validation of the Brazilian Version of the Dickman Impulsivity Inventory (Br-DII). <i>Frontiers in Psychology</i> , 2017, 8, 1992.  | 1.1 | 6         |
| 27203 | Agreement between Electrocardiogram and Heart Rate Meter Is Low for the Measurement of Heart Rate Variability during Exercise in Young Endurance Horses. <i>Frontiers in Veterinary Science</i> , 2017, 4, 170.              | 0.9 | 28        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27204 | The accuracy and promise of personal breathalysers for research: Steps toward a cost-effective reliable measure of alcohol intoxication?. Digital Health, 2017, 3, 205520761774675.   | 0.9 | 19        |
| 27205 | Evaluation of various equations for estimating renal function in elderly Chinese patients with type 2 diabetes mellitus. Clinical Interventions in Aging, 2017, Volume 12, 1661-1672.   | 1.3 | 11        |
| 27206 | Urine Methyl Hippuric Acid Levels in Acute Pesticide Poisoning: Estimation of Ingested Xylene Volume and Association with Clinical Outcome Parameters. Journal of Korean Medical Science, 2017, 32, 2051.   | 1.1 | 5         |
| 27207 | Prospective Validation of Intra- and Interobserver Reproducibility of a New Point Shear Wave Elastographic Technique for Assessing Liver Stiffness in Patients with Chronic Liver Disease. Korean Journal of Radiology, 2017, 18, 926.  | 1.5 | 21        |
| 27208 | Validation and Assessment of Three Methods to Estimate 24-h Urinary Sodium Excretion from Spot Urine Samples in High-Risk Elder Patients of Stroke from the Rural Areas of Shaanxi Province. International Journal of Environmental Research and Public Health, 2017, 14, 1211. | 1.2 | 29        |
| 27209 | Quantitative sensory testing measures individual pain responses in emergency department patients. Journal of Pain Research, 2017, Volume 10, 1241-1253.   | 0.8 | 7         |
| 27210 | Validation of dietary reference intake equations for estimating energy requirements in Korean adults by using the doubly labeled water method. Nutrition Research and Practice, 2017, 11, 300.  | 0.7 | 10        |
| 27212 | The Role of Thiol/Disulphide Homeostasis in Anthracycline Associated Cardiac Toxicity. International Heart Journal, 2017, 58, 69-72.  | 0.5 | 12        |
| 27213 | Diffusion-weighted imaging of suspicious (BI-RADS 4) breast lesions: stratification based on histopathology. Radiologia Brasileira, 2017, 50, 154-161.  | 0.3 | 8         |
| 27214 | The Blood Oxygenation T <sub>2</sub> * Values of Resectable Esophageal Squamous Cell Carcinomas as Measured by 3T Magnetic Resonance Imaging: Association with Tumor Stage. Korean Journal of Radiology, 2017, 18, 674.   | 1.5 | 10        |
| 27215 | Accuracy of piezoelectric pedometer and accelerometer step counts. Journal of Sports Medicine and Physical Fitness, 2017, 57, 426-433.  | 0.4 | 7         |
| 27216 | Cuff-Less and Continuous Blood Pressure Monitoring: A Methodological Review. Technologies, 2017, 5, 21.   | 3.0 | 171       |
| 27217 | Advancement in Chromatographic and Spectroscopic Analyses of Dietary Fatty Acids. , 2017, , 505-528.  |     | 1         |
| 27218 | Comparison of corneal power obtained from VERION image-guided surgery system and four other devices. Clinical Ophthalmology, 2017, Volume 11, 1291-1299.  | 0.9 | 10        |
| 27219 | Validation of a Dish-Based Semiquantitative Food Questionnaire in Rural Bangladesh. Nutrients, 2017, 9, 49.   | 1.7 | 31        |
| 27220 | Validation of an Online Food Frequency Questionnaire against Doubly Labelled Water and 24 h Dietary Recalls in Pre-School Children. Nutrients, 2017, 9, 66.   | 1.7 | 12        |
| 27221 | Development and Evaluation of e-CA, an Electronic Mobile-Based Food Record. Nutrients, 2017, 9, 76.   | 1.7 | 52        |
| 27222 | Comparing Computerised Dietary Analysis with a Ready Reckoner in a Real World Setting: Is Technology an Improvement?. Nutrients, 2017, 9, 99.   | 1.7 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27223 | Validity of the Food Frequency Questionnaire Assessing the Folate Intake in Women of Reproductive Age Living in a Country without Food Fortification: Application of the Method of Triads. <i>Nutrients</i> , 2017, 9, 128. | 1.7 | 19        |
| 27224 | The Comparative Reliability and Feasibility of the Past-Year Canadian Diet History Questionnaire II: Comparison of the Paper and Web Versions. <i>Nutrients</i> , 2017, 9, 133.   | 1.7 | 21        |
| 27225 | Validation of a Tablet Application for Assessing Dietary Intakes Compared with the Measured Food Intake/Food Waste Method in Military Personnel Consuming Field Rations. <i>Nutrients</i> , 2017, 9, 200.                   | 1.7 | 29        |
| 27226 | Reported Energy Intake Accuracy Compared to Doubly Labeled Water and Usability of the Mobile Food Record among Community Dwelling Adults. <i>Nutrients</i> , 2017, 9, 312.  | 1.7 | 62        |
| 27227 | Body Composition Analysis Allows the Prediction of Urinary Creatinine Excretion and of Renal Function in Chronic Kidney Disease Patients. <i>Nutrients</i> , 2017, 9, 553.  | 1.7 | 12        |
| 27228 | A Validation Study of an Interviewer-Administered Short Food Frequency Questionnaire in Assessing Dietary Vitamin D and Calcium Intake in Swedish Children. <i>Nutrients</i> , 2017, 9, 682.                                | 1.7 | 13        |
| 27229 | Energy and Protein in Critically Ill Patients with AKI: A Prospective, Multicenter Observational Study Using Indirect Calorimetry and Protein Catabolic Rate. <i>Nutrients</i> , 2017, 9, 802.                              | 1.7 | 24        |
| 27230 | Dietary Sources of High Sodium Intake in Turkey: SALTURK II. <i>Nutrients</i> , 2017, 9, 933.   | 1.7 | 31        |
| 27231 | Validity of Nutrient Intakes Derived from an Internet Website Dish-Based Dietary Record for Self-Management of Weight among Japanese Women. <i>Nutrients</i> , 2017, 9, 1058.   | 1.7 | 14        |
| 27232 | Validity and Reproducibility of a Food Frequency Questionnaire for Dietary Factors Related to Colorectal Cancer. <i>Nutrients</i> , 2017, 9, 1257.  | 1.7 | 16        |
| 27233 | Validity of Dietary Assessment in Athletes: A Systematic Review. <i>Nutrients</i> , 2017, 9, 1313.  | 1.7 | 127       |
| 27234 | The Clinical Benefits and Accuracy of Continuous Glucose Monitoring Systems in Critically Ill Patients—A Systematic Scoping Review. <i>Sensors</i> , 2017, 17, 146.   | 2.1 | 42        |
| 27235 | Real Time Apnoea Monitoring of Children Using the Microsoft Kinect Sensor: A Pilot Study. <i>Sensors</i> , 2017, 17, 286.   | 2.1 | 63        |
| 27236 | Real-Time Gait Event Detection Based on Kinematic Data Coupled to a Biomechanical Model. <i>Sensors</i> , 2017, 17, 671.  | 2.1 | 27        |
| 27237 | Using Tri-Axial Accelerometry in Daily Elite Swim Training Practice. <i>Sensors</i> , 2017, 17, 990.  | 2.1 | 18        |
| 27238 | Mechanomyography and Torque during FES-Evoked Muscle Contractions to Fatigue in Individuals with Spinal Cord Injury. <i>Sensors</i> , 2017, 17, 1627.   | 2.1 | 13        |
| 27239 | Heart Rate Detection Using Microsoft Kinect: Validation and Comparison to Wearable Devices. <i>Sensors</i> , 2017, 17, 1776.  | 2.1 | 46        |
| 27240 | Water Quality Sensing and Spatio-Temporal Monitoring Structure with Autocorrelation Kernel Methods. <i>Sensors</i> , 2017, 17, 2357.  | 2.1 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27241 | A Wearable Magneto-Inertial System for Gait Analysis (H-Gait): Validation on Normal Weight and Overweight/Obese Young Healthy Adults. <i>Sensors</i> , 2017, 17, 2406.   | 2.1 | 40        |
| 27242 | Evaluation of Pressure Capacitive Sensors for Application in Grasping and Manipulation Analysis. <i>Sensors</i> , 2017, 17, 2846.  | 2.1 | 4         |
| 27243 | Body Composition Evaluation Issue among Young Elite Football Players: DXA Assessment. <i>Sports</i> , 2017, 5, 17.   | 0.7 | 10        |
| 27244 | Carotid Artery Stenting and Bloodâ€‘Brain Barrier Permeability in Subjects with Chronic Carotid Artery Stenosis. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1008.  | 1.8 | 11        |
| 27246 | <i>Clinometrics.</i> , 2017, , 279-306.  |     | 0         |
| 27247 | Ultrassonografia modo B e Doppler na avaliaÃ§Ã£o renal de cÃ£es submetidos Ã tomografia computadorizada apÃ³s administraÃ§Ã£o intravenosa de diferentes meios de contraste iodado. <i>Pesquisa Veterinaria Brasileira</i> , 2017, 37, 759-772.     | 0.5 | 1         |
| 27248 | Automated measurements of human cone photoreceptor density in healthy and degenerative retina by region-based segmentation. <i>Clinical Ophthalmology</i> , 2017, Volume 11, 781-790.  | 0.9 | 5         |
| 27249 | A Review of Urban Air Pollution Monitoring and Exposure Assessment Methods. <i>ISPRS International Journal of Geo-Information</i> , 2017, 6, 389.  | 1.4 | 109       |
| 27250 | Comparison among the Quantification of Bacterial Pathogens by qPCR, dPCR, and Cultural Methods. <i>Frontiers in Microbiology</i> , 2017, 8, 1174.  | 1.5 | 72        |
| 27251 | Single-Cell Growth Rates in Photoautotrophic Populations Measured by Stable Isotope Probing and Resonance Raman Microspectrometry. <i>Frontiers in Microbiology</i> , 2017, 8, 1449.   | 1.5 | 21        |
| 27252 | Exercise Training Increases Parietal Lobe Cerebral Blood Flow in Chronic Stroke: An Observational Study. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 318.  | 1.7 | 23        |
| 27253 | Comparison between Brain Computed Tomography Scan and Transcranial Sonography to Evaluate Third Ventricle Width, Peri-Mesencephalic Cistern, and Sylvian Fissure in Traumatic Brain-Injured Patients. <i>Frontiers in Neurology</i> , 2017, 8, 44. | 1.1 | 18        |
| 27254 | Investigation of Anticipatory Postural Adjustments during One-Leg Stance Using Inertial Sensors: Evidence from Subjects with Parkinsonism. <i>Frontiers in Neurology</i> , 2017, 8, 361.   | 1.1 | 22        |
| 27255 | Reliability of Transcallosal Inhibition in Healthy Adults. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 681.   | 1.0 | 16        |
| 27256 | NODDI-DTI: Estimating Neurite Orientation and Dispersion Parameters from a Diffusion Tensor in Healthy White Matter. <i>Frontiers in Neuroscience</i> , 2017, 11, 720.   | 1.4 | 54        |
| 27257 | Divergence in Morris Water Maze-Based Cognitive Performance under Chronic Stress Is Associated with the Hippocampal Whole Transcriptomic Modification in Mice. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 275.                         | 1.4 | 26        |
| 27258 | Accuracy, Precision, and Trending Ability of Electrical Cardiometry Cardiac Index versus Continuous Pulmonary Artery Thermodilution Method: A Prospective, Observational Study. <i>BioMed Research International</i> , 2017, 2017, 1-8.            | 0.9 | 11        |
| 27259 | Greater trochanter location measurement using a three-dimensional motion capture system during prone hip extension. <i>Journal of Physical Therapy Science</i> , 2017, 29, 250-254.  | 0.2 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27260 | Keraring Intrastromal Segment Depth Measured by Spectral-Domain Optical Coherence Tomography in Eyes with Keratoconus. <i>Journal of Ophthalmology</i> , 2017, 2017, 1-9.   | 0.6 | 4         |
| 27261 | Novel Semiquantitative Bone Marrow Oedema Score and Fracture Score for the Magnetic Resonance Imaging Assessment of the Active Charcot Foot in Diabetes. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-7.   | 1.0 | 13        |
| 27262 | Comparative Agreement Analysis of Differences in 1,5-Anhydroglucitol, Glycated Albumin, and Glycated Hemoglobin A1c Levels between Fasting and Postprandial States in Steamed Bread Meal Test. <i>International Journal of Endocrinology</i> , 2017, 2017, 1-8. | 0.6 | 5         |
| 27263 | The Global Lung Function Initiative 2012 Equations Are as Well-Suited as Local Population Derived Equations to a Sample of Healthy Professional Firefighters. <i>Canadian Respiratory Journal</i> , 2017, 2017, 1-6.  | 0.8 | 2         |
| 27264 | Validity of maximal isometric knee extension strength measurements obtained via belt-stabilized hand-held dynamometry in healthy adults. <i>Journal of Physical Therapy Science</i> , 2017, 29, 1987-1992.  | 0.2 | 13        |
| 27265 | Repeatability and Agreement of Central Corneal Thickness and Keratometry Measurements between Four Different Devices. <i>Journal of Ophthalmology</i> , 2017, 2017, 1-8.  | 0.6 | 30        |
| 27266 | Validation of the VERT wearable jump monitor device in elite youth volleyball players. <i>Biology of Sport</i> , 2017, 3, 239-242.  | 1.7 | 26        |
| 27267 | New Objective Refraction Metric Based on Sphere Fitting to the Wavefront. <i>Journal of Ophthalmology</i> , 2017, 2017, 1-9.  | 0.6 | 4         |
| 27268 | In Vivo Assessment of Elasticity of Child Rib Cortical Bone Using Quantitative Computed Tomography. <i>Applied Bionics and Biomechanics</i> , 2017, 2017, 1-9.  | 0.5 | 4         |
| 27269 | Relative and Absolute Interrater Reliabilities of a Hand-Held Myotonometer to Quantify Mechanical Muscle Properties in Patients with Acute Stroke in an Inpatient Ward. <i>BioMed Research International</i> , 2017, 2017, 1-12.                                | 0.9 | 32        |
| 27270 | Measurement errors when estimating the vertical jump height with flight time using photocell devices: the example of Optojump. <i>Biology of Sport</i> , 2017, 1, 63-70.  | 1.7 | 49        |
| 27271 | Accuracy of Bone Measurements in the Vicinity of Titanium Implants in CBCT Data Sets: A Comparison of Radiological and Histological Findings in Minipigs. <i>BioMed Research International</i> , 2017, 2017, 1-9.   | 0.9 | 12        |
| 27272 | Comparison of Corneal Power and Astigmatism between Simulated Keratometry, True Net Power, and Total Corneal Refractive Power before and after SMILE Surgery. <i>Journal of Ophthalmology</i> , 2017, 2017, 1-8.  | 0.6 | 21        |
| 27273 | Dark-Adapted Chromatic Perimetry for Measuring Rod Visual Fields in Patients with Retinitis Pigmentosa. <i>Translational Vision Science and Technology</i> , 2017, 6, 15.   | 1.1 | 34        |
| 27274 | Intersession Testâ€“Retest Variability of Microperimetry in Type 2 Macular Telangiectasia. <i>Translational Vision Science and Technology</i> , 2017, 6, 7.   | 1.1 | 13        |
| 27275 | Agreement Between Serum Assays Performed in ED Point-of-Care and Hospital Central Laboratories. <i>Western Journal of Emergency Medicine</i> , 2017, 18, 403-409.   | 0.6 | 12        |
| 27276 | Validation of a Patient-Completed Caprini Risk Score for Venous Thromboembolism Risk Assessment. <i>TH Open</i> , 2017, 01, e106-e112.  | 0.7 | 35        |
| 27277 | Iterative Development of an Online Dietary Recall Tool: INTAKE24. <i>Nutrients</i> , 2017, 9, 118.  | 1.7 | 72        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27278 | Green-Light Autofluorescence Versus Combined Blue-Light Autofluorescence and Near-Infrared Reflectance Imaging in Geographic Atrophy Secondary to Age-Related Macular Degeneration. , 2017, 58, BIO121.                   |     | 50        |
| 27279 | Measurement of Fluid Status Using Bioimpedance Methods in Korean Pediatric Patients on Hemodialysis. Journal of Korean Medical Science, 2017, 32, 1828.   | 1.1 | 25        |
| 27280 | Pilot Validation of Ambulatory Activity Monitors for Sleep Measurement in Huntingtonâ€™s Disease Gene Carriers. Journal of Huntington's Disease, 2017, 6, 249-253.  | 0.9 | 20        |
| 27281 | Capillary PO <sub>2</sub> does not adequately reflect arterial PO <sub>2</sub> in hypoxemic COPD patients. International Journal of COPD, 2017, Volume 12, 2647-2653.   | 0.9 | 23        |
| 27282 | Axial Length Variation Impacts on Superficial Retinal Vessel Density and Foveal Avascular Zone Area Measurements Using Optical Coherence Tomography Angiography. , 2017, 58, 3065.  |     | 215       |
| 27283 | Statistical Methods: Reliability Assessment and Method Comparison. The Ewha Medical Journal, 2017, 40, 9.   | 0.1 | 31        |
| 27284 | Development and validation of the Bush-Francis Catatonia Rating Scale â€™ Brazilian version. Arquivos De Neuro-Psiquiatria, 2017, 75, 44-49.  | 0.3 | 5         |
| 27285 | Body Adiposity Index Performance in Estimating Body Fat Percentage in Colombian College Students: Findings from the FUPRECOLâ€™ Adults Study. Nutrients, 2017, 9, 40.   | 1.7 | 10        |
| 27286 | Adequacy Assessment of a Universal Salt Iodization Program Two Decades after Its Implementation: A National Cross-Sectional Study of Iodine Status among School-Age Children in Tunisia. Nutrients, 2017, 9, 6.           | 1.7 | 23        |
| 27287 | Development and Relative Validity of a Food Frequency Questionnaire to Assess Intakes of Total and Free Sugars in Australian Toddlers. International Journal of Environmental Research and Public Health, 2017, 14, 1361. | 1.2 | 15        |
| 27289 | Evaluation of Freehand B-Mode and Power-Mode 3D Ultrasound for Visualisation and Grading of Internal Carotid Artery Stenosis. PLoS ONE, 2017, 12, e0167500.   | 1.1 | 13        |
| 27290 | Comparison of IPAQ-SF and Two Other Physical Activity Questionnaires with Accelerometer in Adolescent Boys. PLoS ONE, 2017, 12, e0169527.   | 1.1 | 42        |
| 27291 | Measuring Physical Activity with Hip Accelerometry among U.S. Older Adults: How Many Days Are Enough?. PLoS ONE, 2017, 12, e0170082.  | 1.1 | 44        |
| 27292 | Do picture-based charts overestimate visual acuity? Comparison of Kay Pictures, Lea Symbols, HOTV and Keeler logMAR charts with Sloan letters in adults and children. PLoS ONE, 2017, 12, e0170839.                       | 1.1 | 17        |
| 27293 | Validation of two portable bioelectrical impedance analyses for the assessment of body composition in school age children. PLoS ONE, 2017, 12, e0171568.  | 1.1 | 55        |
| 27294 | Use of heterologous immunoassays for quantification of serum proteins: The case of canine C-reactive protein. PLoS ONE, 2017, 12, e0172188.   | 1.1 | 31        |
| 27295 | Reproducibility and comparison of oxygen-enhanced T1 quantification in COPD and asthma patients. PLoS ONE, 2017, 12, e0172479.  | 1.1 | 18        |
| 27296 | Comparison of the HUI3 and the EQ-5D-3L in a nursing home setting. PLoS ONE, 2017, 12, e0172796.  | 1.1 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27297 | Lateral cephalometric analysis for treatment planning in orthodontics based on MRI compared with radiographs: A feasibility study in children and adolescents. PLoS ONE, 2017, 12, e0174524.                                | 1.1 | 42        |
| 27298 | Intraosseous monitoring of drilling in lumbar vertebrae by ultrasound: An experimental feasibility study. PLoS ONE, 2017, 12, e0174545.   | 1.1 | 4         |
| 27299 | Automated measurement of cattle surface temperature and its correlation with rectal temperature. PLoS ONE, 2017, 12, e0175377.  | 1.1 | 29        |
| 27300 | Body mass-to-waist ratio strongly correlates with skeletal muscle volume in children. PLoS ONE, 2017, 12, e0177155.   | 1.1 | 8         |
| 27301 | The application of multi-baseline digital close-range photogrammetry in three-dimensional imaging and measurement of dental casts. PLoS ONE, 2017, 12, e0178858.  | 1.1 | 15        |
| 27302 | A new approach for the assessment of the toxicity of polyphenol-rich compounds with the use of high content screening analysis. PLoS ONE, 2017, 12, e0180022.   | 1.1 | 35        |
| 27303 | E pluribus unum: Harmonization of physical functioning across intervention studies of middle-aged and older adults. PLoS ONE, 2017, 12, e0181746.   | 1.1 | 3         |
| 27304 | Real-time measurement of fibers using an HY-differential mobility analyzer with an optical particle counter (KOFAM). PLoS ONE, 2017, 12, e0182119.  | 1.1 | 0         |
| 27305 | Influence of exposure parameters and iterative reconstruction on automatic airway segmentation and analysis on MDCT—An ex vivo phantom study. PLoS ONE, 2017, 12, e0182268.   | 1.1 | 15        |
| 27306 | Corneal confocal microscopy is a rapid reproducible ophthalmic technique for quantifying corneal nerve abnormalities. PLoS ONE, 2017, 12, e0183040.   | 1.1 | 87        |
| 27307 | An in vitro lung model to assess true shunt fraction by multiple inert gas elimination. PLoS ONE, 2017, 12, e0184212.   | 1.1 | 1         |
| 27308 | Evaluation of carotid plaque echogenicity based on the integral of the cumulative probability distribution using gray-scale ultrasound images. PLoS ONE, 2017, 12, e0185261.  | 1.1 | 10        |
| 27309 | Simultaneous assessment of iodine, iron, vitamin A, malarial antigenemia, and inflammation status biomarkers via a multiplex immunoassay method on a population of pregnant women from Niger. PLoS ONE, 2017, 12, e0185868. | 1.1 | 25        |
| 27310 | The potential of statistical shape modelling for geometric morphometric analysis of human teeth in archaeological research. PLoS ONE, 2017, 12, e0186754.   | 1.1 | 11        |
| 27311 | Stability of serum ferritin measured by immunoturbidimetric assay after storage at -80°C for several years. PLoS ONE, 2017, 12, e0188332.   | 1.1 | 4         |
| 27312 | Reproducibility of objectively measured physical activity and sedentary time over two seasons in children; Comparing a day-by-day and a week-by-week approach. PLoS ONE, 2017, 12, e0189304.                                | 1.1 | 35        |
| 27313 | Repeatability of Measurements of Crystalline Lens Decentration and Tilt by Anterior Segment Optical Coherence Tomography. Japanese Orthoptic Journal, 2017, 46, 91-98.  | 0.1 | 0         |
| 27314 | Detection of obstructive uropathy and assessment of differential renal function using two functional magnetic resonance urography tools. Nuklearmedizin - NuclearMedicine, 2017, 56, 39-46.                                 | 0.3 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27315 | In patients with suspected acute stroke, CT perfusion-based cerebral blood flow maps cannot substitute for DWI in measuring the ischemic core. PLoS ONE, 2017, 12, e0188891.   | 1.1 | 48        |
| 27316 | Active and resting motor threshold are efficiently obtained with adaptive threshold hunting. PLoS ONE, 2017, 12, e0186007.   | 1.1 | 74        |
| 27317 | Plantar fascia enthesopathy is highly prevalent in diabetic patients without peripheral neuropathy and correlates with retinopathy and impaired kidney function. PLoS ONE, 2017, 12, e0174529.   | 1.1 | 12        |
| 27318 | Non-invasive evaluation of muscle disease in the canine model of Duchenne muscular dystrophy by electrical impedance myography. PLoS ONE, 2017, 12, e0173557.  | 1.1 | 12        |
| 27319 | How does motion affect GABA-measurements? Order statistic filtering compared to conventional analysis of MEGA-PRESS MRS. PLoS ONE, 2017, 12, e0177795.   | 1.1 | 3         |
| 27320 | Measurement properties of patient-reported outcome measures (PROMs) used in adult patients with chronic kidney disease: A systematic review. PLoS ONE, 2017, 12, e0179733.   | 1.1 | 80        |
| 27321 | Proposed equations and reference values for calculating bone health in children and adolescent based on age and sex. PLoS ONE, 2017, 12, e0181918.   | 1.1 | 10        |
| 27322 | Long-term follow-up of MRI changes in thigh muscles of patients with Facioscapulohumeral dystrophy: A quantitative study. PLoS ONE, 2017, 12, e0183825.  | 1.1 | 33        |
| 27323 | Does Mid-Urethral Sling Surgery in the Treatment of Stress Urinary Incontinence Affect Weight Changes in Women? A Retrospective Cohort Study Using Internal Controls. Military Medicine, 2017, 182, e2080-e2085.   | 0.4 | 1         |
| 27324 | Reproducibility and repeatability of intracyclic velocity variation in front crawl swimming from manual and semi-automatic measurement. Human Movement, 2017, 18, 55-59.   | 0.5 | 0         |
| 27325 | The current level of shared decision-making in anesthesiology: an exploratory study. BMC Anesthesiology, 2017, 17, 95.   | 0.7 | 28        |
| 27326 | Systematic review of statistical approaches to quantify, or correct for, measurement error in a continuous exposure in nutritional epidemiology. BMC Medical Research Methodology, 2017, 17, 146.  | 1.4 | 52        |
| 27327 | Evaluation of left atrial volume and function using single-beat real-time three-dimensional echocardiography in atrial fibrillation patients. BMC Medical Imaging, 2017, 17, 44.   | 1.4 | 5         |
| 27328 | Cardiovascular magnetic resonance feature tracking in small animals – a preliminary study on reproducibility and sample size calculation. BMC Medical Imaging, 2017, 17, 51.   | 1.4 | 13        |
| 27329 | Temporal and geographical external validation study and extension of the Mayo Clinic prediction model to predict eGFR in the younger population of Swiss ADPKD patients. BMC Nephrology, 2017, 18, 241.  | 0.8 | 10        |
| 27330 | Impact of the estimation equation for GFR on population-based prevalence estimates of kidney dysfunction. BMC Nephrology, 2017, 18, 341.   | 0.8 | 10        |
| 27331 | Vemurafenib plus cobimetinib in unresectable stage IIIc or stage IV melanoma: response monitoring and resistance prediction with positron emission tomography and tumor characteristics (REPOSIT): study protocol of a phase II, open-label, multicenter study. BMC Cancer, 2017, 17, 649. | 1.1 | 12        |
| 27332 | Bone shortening of clavicular fractures: comparison of measurement methods. BMC Musculoskeletal Disorders, 2017, 18, 537.  | 0.8 | 14        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27333 | Clinical monitoring of cardiac output assessed by transoesophageal echocardiography in anaesthetised dogs: a comparison with the thermodilution technique. <i>BMC Veterinary Research</i> , 2017, 13, 325.  | 0.7 | 11        |
| 27334 | Methods for the field evaluation of quantitative G6PD diagnostics: a review. <i>Malaria Journal</i> , 2017, 16, 361.  | 0.8 | 43        |
| 27335 | Remote monitoring of cardiorespiratory signals from a hovering unmanned aerial vehicle. <i>BioMedical Engineering OnLine</i> , 2017, 16, 101.   | 1.3 | 58        |
| 27336 | SinusCor: an advanced tool for heart rate variability analysis. <i>BioMedical Engineering OnLine</i> , 2017, 16, 110.   | 1.3 | 29        |
| 27337 | Transforming geographic scale: a comparison of combined population and areal weighting to other interpolation methods. <i>International Journal of Health Geographics</i> , 2017, 16, 29.   | 1.2 | 20        |
| 27338 | The development of a health-related quality-of-life instrument for young people with narcolepsy: NARQoL-21. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 135.   | 1.0 | 17        |
| 27339 | Bayesian nonparametric estimation of EQ-5D utilities for United States using the existing United Kingdom data. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 195.  | 1.0 | 4         |
| 27340 | Evaluation of three-dimensional SonoAVC ultrasound for antral follicle count in infertile women: its agreement with conventional two-dimensional ultrasound and serum levels of anti-MÅ¼llerian hormone. <i>Reproductive Biology and Endocrinology</i> , 2017, 15, 96.      | 1.4 | 14        |
| 27341 | Energy balance components in persons with paraplegia: daily variation and appropriate measurement duration. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 132.   | 2.0 | 44        |
| 27342 | Impact of bileaflet mitral valve prolapse on quantification of mitral regurgitation with cardiac magnetic resonance: a single-center study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 19, 56.   | 1.6 | 24        |
| 27343 | Synthetic hematocrit derived from the longitudinal relaxation of blood can lead to clinically significant errors in measurement of extracellular volume fraction in pediatric and young adult patients. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 19, 58. | 1.6 | 25        |
| 27344 | Fully quantitative cardiovascular magnetic resonance myocardial perfusion ready for clinical use: a comparison between cardiovascular magnetic resonance imaging and positron emission tomography. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 19, 78.      | 1.6 | 110       |
| 27345 | Association between left ventricular mechanics and diffuse myocardial fibrosis in patients with repaired Tetralogy of Fallot: a cross-sectional study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2017, 19, 100.   | 1.6 | 29        |
| 27346 | Automated quantification of steatosis: agreement with stereological point counting. <i>Diagnostic Pathology</i> , 2017, 12, 80.   | 0.9 | 15        |
| 27347 | Is vertebral rotation correction maintained after thoracoscopic anterior scoliosis surgery? A low-dose computed tomography study. <i>Scoliosis and Spinal Disorders</i> , 2017, 12, 22.   | 2.3 | 2         |
| 27348 | Agreement between commercial assays for haptoglobin and serum amyloid A in goats. <i>Acta Veterinaria Scandinavica</i> , 2017, 59, 65.  | 0.5 | 2         |
| 27349 | Intraosseous blood samples for point-of-care analysis: agreement between intraosseous and arterial analyses. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017, 25, 92.  | 1.1 | 8         |
| 27350 | Validity of sports watches when estimating energy expenditure during running. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2017, 9, 22.   | 0.7 | 32        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27351 | Measuring the health-related quality of life of children with impaired mobility: examining correlation and agreement between children and parent proxies. <i>BMC Research Notes</i> , 2017, 10, 377.   | 0.6 | 32        |
| 27352 | A pilot study of hot-wire, ultrasonic and wedge-bellows spirometer inter- and intra-variability. <i>BMC Research Notes</i> , 2017, 10, 497.  | 0.6 | 4         |
| 27353 | The McMaster Toronto Arthritis patient preference questionnaire (MACTAR): a methodological study of reliability and minimal detectable change after a 6-week-period of acupuncture treatment in patients with rheumatoid arthritis. <i>BMC Research Notes</i> , 2017, 10, 687. | 0.6 | 1         |
| 27354 | Group-sequential analysis may allow for early trial termination: illustration by an intra-observer repeatability study. <i>EJNMMI Research</i> , 2017, 7, 79.  | 1.1 | 3         |
| 27355 | Validation of transpulmonary thermodilution variables in hemodynamically stable patients with heart diseases. <i>Annals of Intensive Care</i> , 2017, 7, 86.   | 2.2 | 19        |
| 27356 | Availability and performance of image/video-based vital signs monitoring methods: a systematic review protocol. <i>Systematic Reviews</i> , 2017, 6, 217.  | 2.5 | 7         |
| 27357 | Fluid loading and norepinephrine infusion mask the left ventricular preload decrease induced by pleural effusion. <i>Intensive Care Medicine Experimental</i> , 2017, 5, 42.   | 0.9 | 0         |
| 27358 | Validity and reproducibility of a short food frequency questionnaire among patients with chronic kidney disease. <i>BMC Nephrology</i> , 2017, 18, 297.  | 0.8 | 19        |
| 27359 | Computed tomography and radio-graphic assessment of congruity between the ulnar trochlear notch and humeral trochlea in large breed dogs. <i>Veterinary and Comparative Orthopaedics and Traumatology</i> , 2017, 30, 8-14.  | 0.2 | 10        |
| 27360 | Assessing bed net damage: comparisons of three measurement methods for estimating the size, shape, and distribution of holes on bed nets. <i>Malaria Journal</i> , 2017, 16, 405.  | 0.8 | 6         |
| 27361 | The Reproducibility of 4-km Time Trial (TT) Performance Following Individualised Sodium Bicarbonate Supplementation: a Randomised Controlled Trial in Trained Cyclists. <i>Sports Medicine - Open</i> , 2017, 3, 34.   | 1.3 | 21        |
| 27362 | Validation of a new three-dimensional imaging system using comparative craniofacial anthropometry. <i>Maxillofacial Plastic and Reconstructive Surgery</i> , 2017, 39, 23.   | 0.7 | 18        |
| 27363 | Validation of anthropometric and bioelectrical impedance analysis (BIA) equations to predict total body water in a group of Cameroonian preschool children using deuterium dilution method. <i>Nutrire</i> , 2017, 42, .   | 0.3 | 2         |
| 27364 | Validation of an open-sourced strain analysis code to assess fragility in 3D-printed porous structures designed for low-rigidity medical implants. , 2017, , .   |     | 0         |
| 27365 | Factors contributing to anaemia after uncomplicated falciparum malaria in under five year-old Nigerian children ten years following adoption of artemisinin-based combination therapies as first-line antimalarials. <i>BMC Infectious Diseases</i> , 2017, 17, 781.           | 1.3 | 10        |
| 27366 | Comparing the Chinese versions of two knee-specific questionnaires (IKDC and KOOS): reliability, validity, and responsiveness. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 238.   | 1.0 | 22        |
| 27367 | Encouraging Critical Clinical Thinking (CCT) Skills in First-Year Veterinary Students. <i>Journal of Veterinary Medical Education</i> , 2017, 44, 531-541.   | 0.4 | 8         |
| 27368 | Comparison of salivary hemoglobin measurements for periodontitis screening. <i>Journal of Oral Science</i> , 2017, 59, 63-69.  | 0.7 | 11        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27369 | Reliability of three-dimensional kinematic gait data in adults with spinal cord injury. <i>Journal of Rehabilitation and Assistive Technologies Engineering</i> , 2017, 4, 205566831772999.  | 0.6 | 7         |
| 27370 | Analysis of noisy 2D angiographic images for improved blood flow rate quantification in dialysis access. , 2017, , .   |     | 0         |
| 27371 | Evaluation of a Device for Standardized Measurements of Reading Performance in a Prepresbyopic Population. <i>European Journal of Ophthalmology</i> , 2017, 27, 646-651.   | 0.7 | 2         |
| 27372 | Automated Bone Age Analysis with Lossy Image Files. <i>Military Medicine</i> , 2017, 182, e1769-e1772.   | 0.4 | 9         |
| 27373 | A Comparison of Iran and UK EQ-5D-3L Value Sets Based on Visual Analogue Scale. <i>International Journal of Health Policy and Management</i> , 2017, 6, 267-272.   | 0.5 | 11        |
| 27374 | Are CT Scans a Satisfactory Substitute for the Follow-Up of RSA Migration Studies of Uncemented Cups? A Comparison of RSA Double Examinations and CT Datasets of 46 Total Hip Arthroplasties. <i>BioMed Research International</i> , 2017, 2017, 1-11. | 0.9 | 15        |
| 27375 | Assessing observer variability: a user's guide. <i>Cardiovascular Diagnosis and Therapy</i> , 2017, 7, 317-324.  | 0.7 | 153       |
| 27376 | Accurate Measurement of Intraoperative Blood Loss Improves Prediction of Postoperative Hemoglobin Levels. <i>Journal of Anesthesia &amp; Clinical Research</i> , 2017, 08, .   | 0.1 | 7         |
| 27377 | Validity of informed birth weight. Study of Cardiovascular Risk in Adolescents (ERICA) - Rio de Janeiro. <i>Revista Brasileira De Saude Materno Infantil</i> , 2017, 17, 705-715.  | 0.2 | 0         |
| 27378 | Short Mood and Feelings Questionnaire for screening children and adolescents for plastic surgery: cross-cultural validation study. <i>Sao Paulo Medical Journal</i> , 2017, 135, 518-528.  | 0.4 | 6         |
| 27379 | Assessment of a portable lactate meter for field use in the white rhinoceros ( <i>Ceratotherium</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 34  | 0.6 | 5         |
| 27380 | Validade de peso, estatura e IMC referidos por puãrperas do estudo Nascer no Brasil. <i>Revista De Saude Publica</i> , 2017, 51, 115.  | 0.7 | 12        |
| 27381 | Estimating pressure gradients by auscultation: How technology (echocardiography) can help improve clinical skills. <i>World Journal of Cardiology</i> , 2017, 9, 693.  | 0.5 | 0         |
| 27382 | How to present your data I: Graphs. <i>Physiotherapy Practice and Research</i> , 2017, 38, 127-135.  | 0.1 | 1         |
| 27383 | Intersession test&ndash;retest variability of 10-2 MAIA microperimetry in fixation-threatening glaucoma. <i>Clinical Ophthalmology</i> , 2017, Volume 11, 745-752.   | 0.9 | 13        |
| 27384 | Efficacy of parasitological diagnosis methods in wild animals kept in captivity. <i>Arquivos Do Instituto Biologico</i> , 2017, 84, .  | 0.4 | 1         |
| 27385 | Vitamin D Status and Bone Mineral Density is Influenced by Vitamin D Supplementation and Vitamin K1 Intake in Adults with Diabetes and Chronic Kidney Disease. <i>Canadian Journal of Dietetic Practice and Research</i> , 2017, 78, 11-19.            | 0.5 | 3         |
| 27386 | Towards Mobile Gait Analysis: Concurrent Validity and Test-Retest Reliability of an Inertial Measurement System for the Assessment of Spatio-Temporal Gait Parameters. <i>Sensors</i> , 2017, 17, 1522.  | 2.1 | 113       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27387 | Reproducibility and Repeatability of Foveal Avascular Zone Area Measurements Using Swept-Source Optical Coherence Tomography Angiography in Healthy Subjects. <i>European Journal of Ophthalmology</i> , 2017, 27, 336-341.           | 0.7 | 35        |
| 27388 | Macular Pigment Density and Quantitative Fundus Autofluorescence in Young Healthy Subjects. , 2017, 58, 2284.   |     | 13        |
| 27389 | Image registration reveals central lens thickness minimally increases during accommodation. <i>Clinical Ophthalmology</i> , 2017, Volume 11, 1625-1636.   | 0.9 | 8         |
| 27390 | The efficacy of a discontinuous graded exercise test in measuring peak oxygen uptake in children aged 8 to 10 years. <i>Biology of Sport</i> , 2017, 1, 57-61.  | 1.7 | 6         |
| 27391 | How stable are quantitative sensory testing measurements over time? Report on 10-week reliability and agreement of results in healthy volunteers. <i>Journal of Pain Research</i> , 2017, Volume 10, 2067-2078.                       | 0.8 | 44        |
| 27392 | Validity of Tono-pachymetry for Measuring Corrected Intraocular Pressure in Non-surgical and Post-photorefractive Keratectomy Eyes. <i>Korean Journal of Ophthalmology: KJO</i> , 2017, 31, 44.                                       | 0.5 | 5         |
| 27393 | SVM-Based Spectral Analysis for Heart Rate from Multi-Channel WPPG Sensor Signals. <i>Sensors</i> , 2017, 17, 506.  | 2.1 | 13        |
| 27394 | Validation of Instrument Measuring Continuous Variable in Medicine. , 0, , .  |     | 3         |
| 27395 | Effect of Body Position on Episcleral Venous Pressure in Healthy Subjects. , 2017, 58, 5151.  |     | 25        |
| 27396 | Radiologist agreement on the quantification of bronchiectasis by high-resolution computed tomography. <i>Radiologia Brasileira</i> , 2017, 50, 26-31.   | 0.3 | 9         |
| 27397 | Using lactate threshold to predict 5-km treadmill running performance in veteran athletes. <i>Biology of Sport</i> , 2017, 3, 233-237.  | 1.7 | 4         |
| 27398 | Repeatability and Reproducibility of Retinal Blood Flow Measurement Using a Doppler Optical Coherence Tomography Flowmeter in Healthy Subjects. , 2017, 58, 2891.   |     | 14        |
| 27399 | Comparison of Aqueous Outflow Facility Measurement by Pneumatography and Digital Schi tz Tonography. , 2017, 58, 204.   |     | 20        |
| 27400 | Value Assignment of Vitamin D Metabolites in Vitamin D Standardization Program Serum Samples. <i>Journal of AOAC INTERNATIONAL</i> , 2017, 100, 1253-1259.  | 0.7 | 2         |
| 27401 | Assessment of renal function in geriatric palliative care patients &ndash; comparison of creatinine-based estimation equations. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 977-983.                                    | 1.3 | 6         |
| 27402 | Comparison of three approaches to determine the projected area in contact from finite element Berkovich nanoindentation simulations in tungsten. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017, 257, 012013. | 0.3 | 4         |
| 27403 | Reclaiming the Periphery: Automated Kinetic Perimetry for Measuring Peripheral Visual Fields in Patients With Glaucoma. , 2017, 58, 868.  |     | 24        |
| 27404 | Characterizing the Natural History of Visual Function in Choroideremia Using Microperimetry and Multimodal Retinal Imaging. , 2017, 58, 5575.   |     | 77        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27405 | The relation of CUN-BAE index and BMI with body fat, cardiovascular events and diabetes during a 6-year follow-up: the Hordaland Health Study. <i>Clinical Epidemiology</i> , 2017, Volume 9, 555-566.   | 1.5 | 23        |
| 27406 | Reliability, Responsiveness, and Criterion Validity of the Kiio Sensor, a New Tool for Assessment of Muscle Function. <i>Military Medicine</i> , 2017, 182, 26-31.   | 0.4 | 8         |
| 27407 | Comparación de la composición corporal de mujeres jóvenes obtenida por hidrodensitometría y tres técnicas de bioimpedancia. <i>latreia</i> , 2017, 30, 255-264.  | 0.1 | 1         |
| 27408 | Quantifying Fundus Autofluorescence in Patients With Retinitis Pigmentosa. , 2017, 58, 1843.   |     | 56        |
| 27409 | Assessment of method agreement between two minimally invasive hemodynamic measurements in septic shock patients on high doses of vasopressor drugs. A preliminary study. <i>Romanian Journal of Anaesthesia and Intensive Care</i> , 2017, 24, 89-100. | 0.3 | 0         |
| 27410 | Comparison between resting metabolic rate and indirect calorimetry in postmenopausal women. <i>Revista De Nutricao</i> , 2017, 30, 583-591.  | 0.4 | 4         |
| 27411 | The feasibility of low-dose CT perfusion imaging in gastric cancer. <i>Journal of X-Ray Science and Technology</i> , 2017, 25, 847-855.  | 0.7 | 2         |
| 27412 | Ultrasound measures of tendon thickness: Intra-rater, Inter-rater and Inter-machine reliability. <i>Muscles, Ligaments and Tendons Journal</i> , 2017, 7, 192.   | 0.1 | 30        |
| 27413 | Assessing the blood pressure waveform of the carotid artery using an ultrasound image processing method. <i>Ultrasonography</i> , 2017, 36, 144-152.   | 1.0 | 13        |
| 27414 | Chain of events analysis for a scuba diving fatality. <i>Diving and Hyperbaric Medicine</i> , 2017, 47, 144-154.   | 0.2 | 14        |
| 27415 | Comparison of EQ-5D-5L health state utilities using four country-specific tariffs on a breast cancer patient sample in mainland China. <i>Patient Preference and Adherence</i> , 2017, Volume 11, 1049-1056.   | 0.8 | 24        |
| 27416 | Comparison of imaging-based and pathological dimensions in pancreatic neuroendocrine tumors. <i>World Journal of Gastroenterology</i> , 2017, 23, 3092.  | 1.4 | 10        |
| 27417 | EFEITO AGUDO DE DIFERENTES MÓDULOS DE ALONGAMENTO SOBRE O DESEMPENHO DA FORÇA EM SÉRIES SUCESSIVAS. <i>Journal of Physical Education (Maringa)</i> , 2017, 28, .   | 0.1 | 1         |
| 27418 | Comparison of Anterior Segment Parameters Obtained by Anterior Segment Optical Coherence Tomography and Dual Rotating Scheimpflug Camera. <i>Journal of Korean Ophthalmological Society</i> , 2017, 58, 1341.  | 0.0 | 2         |
| 27419 | Chicory ( <i>Cichorium intybus</i> L.) yield under water stress and estimation of leaf area using allometric relations. <i>Australian Journal of Crop Science</i> , 2017, 11, 1547-1552.   | 0.1 | 3         |
| 27420 | Global Tidal Variations, Regional Distribution of Ventilation, and the Regional Onset of Filling Determined by Electrical Impedance Tomography: Reproducibility. <i>Anaesthesia and Intensive Care</i> , 2017, 45, 235-243.                            | 0.2 | 4         |
| 27421 | Establishing Agreement between Parent-reported and Directly-measured Behaviours. <i>Australasian Journal of Early Childhood</i> , 2017, 42, 105-115.   | 0.8 | 2         |
| 27422 | Quantitative analysis of epicardial fat volume: effects of scanning protocol and reproducibility of measurements in non-contrast cardiac CT vs. coronary CT angiography. <i>Quantitative Imaging in Medicine and Surgery</i> , 2017, 7, 326-335.       | 1.1 | 7         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27423 | Image quality assessment of a 1.5T dedicated magnetic resonance-simulator for radiotherapy with a flexible radio frequency coil setting using the standard American College of Radiology magnetic resonance imaging phantom test. <i>Quantitative Imaging in Medicine and Surgery</i> , 2017, 7, 205-214. | 1.1 | 18        |
| 27424 | Identification of molecular targets for esophageal carcinoma diagnosis using miRNA-seq and RNA-seq data from The Cancer Genome Atlas: a study of 187 cases. <i>Oncotarget</i> , 2017, 8, 35681-35699.   | 0.8 | 31        |
| 27425 | The measurement of liver fat from single-energy quantitative computed tomography scans. <i>Quantitative Imaging in Medicine and Surgery</i> , 2017, 7, 281-291.   | 1.1 | 14        |
| 27426 | Effective Dynamic Range and Retest Reliability of Dark-Adapted Two-Color Fundus-Controlled Perimetry in Patients With Macular Diseases. , 2017, 58, BIO158.   |     | 40        |
| 27427 | A simple equation to estimate body fat percentage in children with overweightness or obesity: a retrospective study. <i>PeerJ</i> , 2017, 5, e3238.   | 0.9 | 7         |
| 27428 | Validation of enhanced kinect sensor based motion capturing for gait assessment. <i>PLoS ONE</i> , 2017, 12, e0175813.  | 1.1 | 109       |
| 27429 | Accuracy of dietary reference intake predictive equation for estimated energy requirements in female tennis athletes and non-athlete college students: comparison with the doubly labeled water method. <i>Nutrition Research and Practice</i> , 2017, 11, 51.  | 0.7 | 13        |
| 27430 | The Cardio-Pad™ project: progress and remaining challenges. <i>Cardiovascular Diagnosis and Therapy</i> , 2017, 7, 98-101.  | 0.7 | 2         |
| 27431 | Stability of Biochemical Components in Blood Samples Transported by Tempus600/Sysmex GLP Robot Reception System. <i>journal of applied laboratory medicine, The</i> , 2017, 1, 376-386.   | 0.6 | 14        |
| 27432 | Biasplot: A Package to Effective Plots to Assess Bias and Precision in Method Comparison Studies. <i>The Stata Journal</i> , 2017, 17, 208-221.   | 0.9 | 13        |
| 27433 | Relationship between Automated Coronary Calcium Volumes and a Set of Manual Coronary Lumen Volume, Vessel Volume and Atheroma Volume in Japanese Diabetic Cohort. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2017, 11, TC09-TC14.  | 0.8 | 6         |
| 27434 | Inter-rater Reliability of Ultrasound Measurements of the Thickness of the Supraspinatus Tendon, Subacromial Bursa and Biceps Tendon of Young Adults. <i>Rigakuryoho Kagaku</i> , 2017, 32, 603-607.  | 0.0 | 2         |
| 27435 | Dry Needling on the Infraspinatus Latent and Active Myofascial Trigger Points in Older Adults With Nonspecific Shoulder Pain: A Randomized Clinical Trial. <i>Journal of Geriatric Physical Therapy</i> , 2018, 41, 1-13.   | 0.6 | 64        |
| 27436 | Tooth wear and gingival recession in 210 orthodontically treated patients: a retrospective cohort study. <i>European Journal of Orthodontics</i> , 2018, 40, 444-450.   | 1.1 | 6         |
| 27437 | Reliability and Validity of a Questionnaire for Physical Activity Assessment in South American Children and Adolescents: The SAYCARE Study. <i>Obesity</i> , 2018, 26, S23-S30.   | 1.5 | 12        |
| 27438 | Is the Measurement of Blood Pressure by Automatic Monitor in the South American Pediatric Population Accurate? SAYCARE Study. <i>Obesity</i> , 2018, 26, S41-S46.   | 1.5 | 5         |
| 27439 | New Methods to Assess Forearm Torque and Lifting Strength: Reliability and Validity. <i>Journal of Hand Surgery</i> , 2018, 43, 865.e1-865.e10.   | 0.7 | 8         |
| 27440 | Human evaluation in association to the mathematical analysis of arch forms: Two-dimensional study. <i>International Orthodontics</i> , 2018, 16, 133-143.   | 0.6 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27441 | Impact of continuous non-invasive blood pressure monitoring on hemodynamic fluctuation during general anesthesia: a randomized controlled study. <i>Journal of Clinical Monitoring and Computing</i> , 2018, 32, 1005-1013.   | 0.7 | 13        |
| 27442 | Is the inclinometer a valid measure of thoracic kyphosis? A cross-sectional study. <i>Brazilian Journal of Physical Therapy</i> , 2018, 22, 310-317.  | 1.1 | 12        |
| 27443 | Reproducibility of Deep Gray Matter Atrophy Rate Measurement in a Large Multicenter Dataset. <i>American Journal of Neuroradiology</i> , 2018, 39, 46-53.   | 1.2 | 16        |
| 27444 | Quantitative magnetic resonance spectroscopy at 3T based on the principle of reciprocity. <i>NMR in Biomedicine</i> , 2018, 31, e3875.  | 1.6 | 10        |
| 27445 | Evaluation of a new equation for LDL-c estimation and prediction of death by cardiovascular related events in a German population-based study cohort. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 187-196.   | 0.6 | 7         |
| 27446 | The safety of isometric exercise. <i>Medicine (United States)</i> , 2018, 97, e0105.  | 0.4 | 22        |
| 27447 | Incidence and quantitative analysis of dissociated optic nerve fiber layer appearance: real loss of retinal nerve fiber layer?. <i>European Journal of Ophthalmology</i> , 2018, 28, 317-323.   | 0.7 | 11        |
| 27448 | Effects of $\beta$ -Blockers on Maximal Heart Rate Prediction Equations in a Cardiac Population. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2018, 38, 111-117.   | 1.2 | 10        |
| 27449 | Error measurement in craniometrics: The comparative performance of four popular assessment methods using 2000 simulated cranial length datasets (g-op). <i>Forensic Science International</i> , 2018, 285, 162-171.   | 1.3 | 14        |
| 27450 | Accuracy of human sperm DNA oxidation quantification and threshold determination using an 8-OHdG immuno-detection assay. <i>Human Reproduction</i> , 2018, 33, 553-562.   | 0.4 | 60        |
| 27451 | Level of agreement between laboratory and point-of-care prothrombin time in patients after stopping or continuation of acenocoumarol anticoagulation. <i>European Journal of Anaesthesiology</i> , 2018, 35, 621-626.   | 0.7 | 0         |
| 27452 | A Systematic Review of Tools to Measure Respiratory Rate in Order to Identify Childhood Pneumonia. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018, 197, 1116-1127.  | 2.5 | 57        |
| 27453 | Measurement properties of the Dutch Unit <sup>Å</sup> Rhumatologique des Affections de la Main and its ability to measure change due to Dupuytren <sup>Å</sup> disease progression compared with the Michigan Hand outcomes Questionnaire. <i>Journal of Hand Surgery: European Volume</i> , 2018, 43, 855-863. | 0.5 | 10        |
| 27454 | Metrological characterization of a combined bio-impedance plethysmograph and spectrometer. Measurement: <i>Journal of the International Measurement Confederation</i> , 2018, 120, 221-229.   | 2.5 | 11        |
| 27455 | Depth-Based Whole Body Photoplethysmography in Remote Pulmonary Function Testing. <i>IEEE Transactions on Biomedical Engineering</i> , 2018, 65, 1421-1431.   | 2.5 | 13        |
| 27456 | Comparative, multidimensional imaging of patent ductus arteriosus and a proposed update to the morphology classification system for dogs. <i>Journal of Veterinary Internal Medicine</i> , 2018, 32, 648-657.   | 0.6 | 20        |
| 27457 | Validation of a dynamic joint contracture measuring device in a live rabbit model of arthrofibrosis. <i>Journal of Orthopaedic Research</i> , 2018, 36, 2186-2192.  | 1.2 | 10        |
| 27458 | Estimation of myocardial work from pressure <sup>Å</sup> strain loops analysis: an experimental evaluation. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 1372-1379.   | 0.5 | 146       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27459 | Intra- and Inter-rater Agreement of Superior Vena Cava Flow and Right Ventricular Outflow Measurements in Late Preterm and Term Neonates. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 2181-2190.  | 0.8 | 7         |
| 27460 | Intra- and Inter-rater Reliability of Navigated Ultrasound in the Assessment of Pelvic Tilt in Symptom-free Young Adults. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 2333-2342.  | 0.8 | 10        |
| 27461 | Comparing the UK EQ-5D-3L and English EQ-5D-5L Value Sets. <i>Pharmacoeconomics</i> , 2018, 36, 699-713.   | 1.7 | 74        |
| 27462 | Validation of a Commercial Android Smartwatch as an Activity Monitoring Platform. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2018, 22, 968-978.  | 3.9 | 7         |
| 27463 | Optical Properties and Molar Hemoglobin Concentration of Skeletal Muscles Measured <i>In Vivo</i> With Wearable Near Infrared Spectroscopy. <i>IEEE Sensors Journal</i> , 2018, 18, 2326-2334.   | 2.4 | 7         |
| 27464 | Test-retest reliability of smile tasks using three-dimensional facial topography. <i>Angle Orthodontist</i> , 2018, 88, 319-328.   | 1.1 | 13        |
| 27465 | Comparison of haemoglobin assessments by HemoCue and two automated haematology analysers in young Laotian children. <i>Journal of Clinical Pathology</i> , 2018, 71, 532-538.  | 1.0 | 38        |
| 27466 | <sup>1</sup> <i>H</i> MRS for the assessment of renal triglyceride content in humans at 3T: A primer and reproducibility study. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 507-513.  | 1.9 | 15        |
| 27467 | Influence of the different <i>œ</i> patient global assessment <sup>œ</sup> formulations on disease activity score by different indices in rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2018, 37, 1963-1969.                                      | 1.0 | 14        |
| 27468 | Non-invasive bladder volume measurement for the prevention of postoperative urinary retention: validation of two ultrasound devices in a clinical setting. <i>Journal of Clinical Monitoring and Computing</i> , 2018, 32, 1117-1126.                    | 0.7 | 19        |
| 27469 | Reference values of inspiratory spirometry for Finnish adults. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 245-252.   | 0.6 | 7         |
| 27470 | Reappraisal of the reliability of Doppler echocardiographic estimations for mean pulmonary artery pressure in patients with pulmonary hypertension: a study from a tertiary centre comparing four formulae. <i>Pulmonary Circulation</i> , 2018, 8, 1-9. | 0.8 | 4         |
| 27471 | Correlation Coefficients: Appropriate Use and Interpretation. <i>Anesthesia and Analgesia</i> , 2018, 126, 1763-1768.  | 1.1 | 4,153     |
| 27472 | Design and Validation of a Radio-frequency Identification-Based Device for Routinely Assessing Gait Speed in a Geriatrics Clinic. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 982-986.   | 1.3 | 8         |
| 27473 | Agreement between retrospectively and contemporaneously collected patient-reported outcome measures (PROMs) in hip and knee replacement patients. <i>Quality of Life Research</i> , 2018, 27, 1845-1854.   | 1.5 | 17        |
| 27474 | Three-dimensional assessment of squats and drop jumps using the Microsoft Xbox One Kinect: Reliability and validity. <i>Journal of Sports Sciences</i> , 2018, 36, 2202-2209.  | 1.0 | 37        |
| 27475 | More on dissidents and dietary sodium. <i>International Journal of Epidemiology</i> , 2018, 47, 670-673.   | 0.9 | 7         |
| 27476 | In Reply: Precision of Optic Nerve Head and Retinal Nerve Fiber Layer Parameter Measurements by Spectral-domain Optical Coherence Tomography, Methodological Issues on Reproducibility. <i>Journal of Glaucoma</i> , 2018, 27, e95-e100.                 | 0.8 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27477 | Method comparison of two noninvasive dualwavelength spectrophotometric retinal oximeters in healthy young subjects during normoxia. <i>Acta Ophthalmologica</i> , 2018, 96, e614-e618.                                   | 0.6 | 10        |
| 27478 | The quality of working life questionnaire for cancer survivors (QWLQ-CS): factorial structure, internal consistency, construct validity and reproducibility. <i>BMC Cancer</i> , 2018, 18, 66.                           | 1.1 | 21        |
| 27479 | ICP Monitoring by Open Extraventricular Drainage: Common Practice but Not Suitable for Advanced Neuromonitoring and Prone to False Negativity. <i>Acta Neurochirurgica Supplementum</i> , 2018, 126, 281-286.            | 0.5 | 19        |
| 27480 | Interand intrarater reliability and agreement in determining subcutaneous tumour margins in dogs. <i>Veterinary and Comparative Oncology</i> , 2018, 16, 392-398.  | 0.8 | 6         |
| 27481 | Assessing the accuracy of ultrasound estimation of gestational age during routine antenatal care in in vitro fertilization (IVF) pregnancies. <i>Ultrasound</i> , 2018, 26, 49-53.                                       | 0.3 | 8         |
| 27482 | Improving the prediction of lung adenocarcinoma invasive component on CT: Value of a vessel removal algorithm during software segmentation of subsolid nodules. <i>European Journal of Radiology</i> , 2018, 100, 58-65. | 1.2 | 11        |
| 27483 | A Simple Method for Measuring the Changeable Mechanical Action of Unloader Knee Braces for Osteoarthritis. <i>Irbm</i> , 2018, 39, 136-142.  | 3.7 | 4         |
| 27484 | Single versus multi-item self-assessment of sedentary behaviour: A comparison with objectively measured sedentary time in nurses. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 925-929.                   | 0.6 | 16        |
| 27485 | Simplified Quantification and Acquisition Protocol for <sup>123</sup> I-MIBG Dynamic SPECT. <i>Journal of Nuclear Medicine</i> , 2018, 59, 1574-1580.  | 2.8 | 5         |
| 27486 | MRI-based measurements of whole-brain global cerebral blood flow: Comparison and validation at 1.5T and 3T. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1273-1280.  | 1.9 | 7         |
| 27487 | Health state utilities and subjective well-being among psoriasis vulgaris patients in mainland China. <i>Quality of Life Research</i> , 2018, 27, 1323-1333.   | 1.5 | 19        |
| 27488 | Determining Reliability of a Dual-Task Functional Mobility Protocol for Individuals With Lower Extremity Amputation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 707-712.                        | 0.5 | 22        |
| 27489 | Feasibility of whole-body gait kinematics to assess the validity of the six-minute walk test over a 10-m walkway in the elderly. <i>Biomedical Signal Processing and Control</i> , 2018, 42, 202-209.                    | 3.5 | 2         |
| 27490 | Effects of maternal mentalization-related parenting on toddlers' self-regulation. <i>Early Childhood Research Quarterly</i> , 2018, 44, 1-14.  | 1.6 | 16        |
| 27491 | Vessel suppressed chest Computed Tomography for semi-automated volumetric measurements of solid pulmonary nodules. <i>European Journal of Radiology</i> , 2018, 101, 97-102.   | 1.2 | 17        |
| 27492 | Six-minute walk test as a determinant of the functional capacity of children and adolescents with cystic fibrosis: A systematic review. <i>Respiratory Medicine</i> , 2018, 137, 83-88.                                  | 1.3 | 29        |
| 27493 | Using digital photography in a clinical setting: a valid, accurate, and applicable method to assess food intake. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 879-887.                                      | 1.3 | 25        |
| 27494 | Evidence-based occupational hearing screening II: validation of a screening methodology using measures of functional hearing ability. <i>International Journal of Audiology</i> , 2018, 57, 323-334.                     | 0.9 | 14        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27495 | Plethysmographic and anthropometric validation of a 3D body image digitizer to determine body dimensions. <i>International Journal of Industrial Ergonomics</i> , 2018, 67, 1-5.   | 1.5 | 4         |
| 27496 | The effects of flip angle optimization on the precision and reproducibility of feature tracking derived strain assessment in contrast enhanced bSSFP cine images. <i>European Journal of Radiology</i> , 2018, 102, 9-14.                    | 1.2 | 3         |
| 27497 | Food Photography Is Not an Accurate Measure of Energy Intake in Obese, Pregnant Women. <i>Journal of Nutrition</i> , 2018, 148, 658-663.   | 1.3 | 18        |
| 27498 | Reliability of Rod Lengthening, Thoracic, and Spino-Pelvic Measurements on Biplanar Stereoradiography in Patients Treated With Magnetically Controlled Growing Rods. <i>Spine</i> , 2018, 43, 1579-1585.                                     | 1.0 | 9         |
| 27499 | Improving the echocardiographic assessment of pulmonary pressure using the tricuspid regurgitant signalâ€”The â€œchinâ€”vs the â€œbeardâ€”. <i>Echocardiography</i> , 2018, 35, 1085-1096.   | 0.3 | 16        |
| 27500 | Test-retest reliability of a handheld dynamometer for measurement of isometric cervical muscle strength. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2018, 31, 557-565.  | 0.4 | 11        |
| 27501 | Prevalence and Severity of High Blood Pressure Among Children Based on the 2017 American Academy of Pediatrics Guidelines. <i>JAMA Pediatrics</i> , 2018, 172, 557.  | 3.3 | 156       |
| 27502 | Interrater and Intrarater Reliability of the Balance Computerized Adaptive Test in Patients With Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 1499-1506.  | 0.5 | 1         |
| 27503 | Cytomegalovirus sequence variability, amplicon length, and DNase-sensitive non-encapsidated genomes are obstacles to standardization and commutability of plasma viral load results. <i>Journal of Clinical Virology</i> , 2018, 104, 39-47. | 1.6 | 34        |
| 27504 | Iron promotes oxidative cell death caused by bisretinoids of retina. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 4963-4968.  | 3.3 | 49        |
| 27505 | Agreement Analysis: What He Said, She Said Versus You Said. <i>Anesthesia and Analgesia</i> , 2018, 126, 2123-2128.  | 1.1 | 35        |
| 27506 | Development of a monoclonal antibody with equal reactivity to ustiloxins A and B for quantification of main cyclopeptide mycotoxins in rice samples. <i>Food Control</i> , 2018, 92, 201-207.  | 2.8 | 12        |
| 27507 | Validity of an FFQ to measure nutrient and food intakes in Tanzania. <i>Public Health Nutrition</i> , 2018, 21, 2211-2220.   | 1.1 | 42        |
| 27508 | Testâ€”retest reliability of wrist joint position sense in healthy adults in a clinical setting. <i>Hand Therapy</i> , 2018, 23, 100-109.  | 0.5 | 14        |
| 27509 | Impaired left ventricular diastolic function in T2<sup>DM</sup> patients is closely related to glycemic control. <i>Endocrinology, Diabetes and Metabolism</i> , 2018, 1, e00014.  | 1.0 | 6         |
| 27510 | Reliability of morning, beforeâ€”dinner, and atâ€”bedtime home blood pressure measurements in patients with hypertension. <i>Journal of Clinical Hypertension</i> , 2018, 20, 315-323.   | 1.0 | 18        |
| 27511 | Detecting inflammation in inflammatory bowel disease â€” how does ultrasound compare to magnetic resonance enterography using standardised scoring systems?. <i>Pediatric Radiology</i> , 2018, 48, 843-851.                                 | 1.1 | 9         |
| 27512 | Predicting reading ability in teenagers who are deaf or hard of hearing: A longitudinal analysis of language and reading. <i>Research in Developmental Disabilities</i> , 2018, 77, 49-59.   | 1.2 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27513 | Diameter of inflow as a predictor of radiocephalic fistula flow. <i>Journal of Vascular Access</i> , 2018, 19, 548-554.  | 0.5 | 9         |
| 27514 | An automated intravaginal dynamometer: Reliability metrics and the impact of testing protocol on active and passive forces measured from the pelvic floor muscles. <i>Neurourology and Urodynamics</i> , 2018, 37, 1875-1888.  | 0.8 | 12        |
| 27515 | Longitudinal Analysis Framework of DWI Data for Reconstructing Structural Brain Networks with Application to Multiple Sclerosis. <i>Mathematics and Visualization</i> , 2018, , 205-218.   | 0.4 | 0         |
| 27516 | Reliability and validity of mandibular posterior vertical asymmetry index in panoramic radiography compared with cone-beam computed tomography. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 153, 558-567.  | 0.8 | 12        |
| 27517 | Effects of supplemental vibrational force on space closure, treatment duration, and occlusal outcome: A multicenter randomized clinical trial. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 153, 469-480.e4.  | 0.8 | 39        |
| 27518 | Simultaneous determination of cyclosporine and tacrolimus in human whole blood by ultra-high performance liquid chromatography tandem mass spectrometry and comparison with a chemiluminescence microparticle immunoassay. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> . 2018. 1087-1088. 36-42. | 1.2 | 20        |
| 27519 | Correlation of the Lateral Wrist Radiograph to Ulnar Variance: A Cadaveric Study. <i>Journal of Hand Surgery</i> , 2018, 43, 951.e1-951.e9.  | 0.7 | 10        |
| 27520 | Midazolam Single Time Point Concentrations to Estimate Exposure and Cytochrome P450 (CYP) 3A Constitutive Activity Utilizing Limited Sampling Strategy With a Population Pharmacokinetic Approach. <i>Journal of Clinical Pharmacology</i> , 2018, 58, 1205-1213.  | 1.0 | 9         |
| 27521 | Validation of capnodynamic determination of cardiac output by measuring effective pulmonary blood flow: a study in anaesthetised children and piglets. <i>British Journal of Anaesthesia</i> , 2018, 121, 550-558.   | 1.5 | 19        |
| 27522 | Validation of equations and proposed reference values to estimate fat mass in Chilean university students. <i>Endocrinología y Nutrición (English Ed)</i> , 2018, 65, 156-163.   | 0.1 | 1         |
| 27523 | Evaluation of Four Blood Glucose Monitoring Systems for Self-Testing with Built-in Insulin Dose Advisor Based on ISO 15197:2013: System Accuracy and Hematocrit Influence. <i>Diabetes Technology and Therapeutics</i> , 2018, 20, 303-313.  | 2.4 | 11        |
| 27524 | Development of a novel ion-pairing HPLC-FL method for the separation and quantification of hydroxychloroquine and its metabolites in whole blood. <i>Biomedical Chromatography</i> , 2018, 32, e4258.  | 0.8 | 13        |
| 27525 | Estimating $B_1$ in the breast at 7%T using a generic template. <i>NMR in Biomedicine</i> , 2018, 31, e3911.   | 1.6 | 3         |
| 27526 | Myocardial motion analysis based on an optical flow method using tagged MR images. <i>Radiological Physics and Technology</i> , 2018, 11, 202-211.   | 1.0 | 1         |
| 27527 | Limited Adherence to Peripheral Arterial Disease Guidelines and Suboptimal Ankle Brachial Index Reliability in Dutch Primary Care. <i>European Journal of Vascular and Endovascular Surgery</i> , 2018, 55, 867-873.   | 0.8 | 24        |
| 27528 | Improved mitral valve coaptation and reduced mitral valve annular size after percutaneous mitral valve repair (PMVR) using the MitraClip system. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 785-791.   | 0.5 | 18        |
| 27529 | Accuracy of Bioelectrical Impedance Analysis in Estimated Longitudinal Fat-Free Mass Changes in Male Army Cadets. <i>Military Medicine</i> , 2018, 183, e324-e331.   | 0.4 | 9         |
| 27530 | Exploration of male urethral sphincter complex using diffusion tensor imaging (DTI)-based fiber-tracking. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1002-1011.  | 1.9 | 11        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27531 | Comparison of the psychometric properties of 3 pain scales used in the pediatric emergency department: Visual Analogue Scale, Faces Pain Scale-Revised, and Colour Analogue Scale. <i>Pain</i> , 2018, 159, 1508-1517.                | 2.0 | 55        |
| 27532 | Knee extensor strength assessed using a vertical squat and a simple geometric model to calculate joint torque: An evaluation of validity and clinical utility. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1125-1131. | 0.7 | 3         |
| 27533 | Evaluation of Facial Anthropometry Using Three-Dimensional Photogrammetry and Direct Measuring Techniques. <i>Journal of Craniofacial Surgery</i> , 2018, 29, 1245-1251.  | 0.3 | 18        |
| 27534 | Investigation of the language tasks to include in a short language measure for children in the early school years. <i>International Journal of Language and Communication Disorders</i> , 2018, 53, 735-747.                          | 0.7 | 5         |
| 27535 | Shear strain rate from phase contrast velocity encoded MRI: Application to study effects of aging in the medial gastrocnemius muscle. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1351-1357.                             | 1.9 | 15        |
| 27536 | Comparison of three formulas to estimate 24-hour urinary sodium and potassium excretion in patients hospitalized in a hypertension unit. <i>Journal of the American Society of Hypertension</i> , 2018, 12, 457-469.                  | 2.3 | 3         |
| 27537 | Formative feedback for the coach reduces mismatch between coach and players' perceptions of exertion. <i>Science and Medicine in Football</i> , 2018, 2, 255-260.   | 1.0 | 7         |
| 27538 | Vectra 3D Imaging for Quantitative Volumetric Analysis of the Upper Limb. <i>Plastic and Reconstructive Surgery</i> , 2018, 141, 616e-617e.   | 0.7 | 3         |
| 27539 | Self-assessment of refractive errors using a simple optical approach. <i>Australasian journal of optometry, The</i> , 2018, 101, 386-391.   | 0.6 | 6         |
| 27540 | Accommodative accuracy by retinoscopy versus autorefraction spherical equivalent or horizontal meridian power. <i>Australasian journal of optometry, The</i> , 2018, 101, 778-785.  | 0.6 | 5         |
| 27541 | A Comparative Study of Two Ambulatory Core Temperature Assessment Methods. <i>Irbm</i> , 2018, 39, 143-150.   | 3.7 | 3         |
| 27542 | Transferring a Quantitative Molecular Diagnostic Test to Multiple Real-Time Quantitative PCR Platforms. <i>Journal of Molecular Diagnostics</i> , 2018, 20, 398-414.  | 1.2 | 7         |
| 27543 | Differences between manual and automatic analysis in determining the severity of obstructive sleep apnea using home sleep apnea testing. <i>Sleep Medicine</i> , 2018, 47, 66-71.   | 0.8 | 7         |
| 27544 | A climate-driven model for the dynamics of the free-living stages of <i>Cooperia oncophora</i> . <i>Veterinary Parasitology</i> , 2018, 255, 83-90.   | 0.7 | 12        |
| 27545 | Longitudinal validity of abdominal adiposity assessment by regional bioelectrical impedance. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 1055-1057.   | 1.3 | 2         |
| 27546 | Determining the reliability of craniocervical flexion test in asymptomatic individuals. <i>Hong Kong Physiotherapy Journal</i> , 2018, 38, 33-40.   | 0.3 | 7         |
| 27547 | Can we use a point-of-care blood gas analyzer to measure the lactate concentration in cerebrospinal fluid of patients with suspected meningitis?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, e247-e248.            | 1.4 | 2         |
| 27548 | Validation of the Simplified Chinese Version of the Memorial Symptom Assessment Scale's Short Form Among Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 113-121.  | 0.6 | 17        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27549 | A deep Boltzmann machine-driven level set method for heart motion tracking using cine MRI images. <i>Medical Image Analysis</i> , 2018, 47, 68-80.  | 7.0 | 23        |
| 27550 | The inter- and intrarater reliability and agreement for field-based assessment of scapular control, shoulder range of motion, and shoulder isometric strength in elite adolescent athletes. <i>Physical Therapy in Sport</i> , 2018, 32, 212-220. | 0.8 | 19        |
| 27551 | Microenvironmental influence on microtumour infiltration patterns: 3D-mathematical modelling supported by in vitro studies. <i>Integrative Biology (United Kingdom)</i> , 2018, 10, 325-334.  | 0.6 | 3         |
| 27552 | Immediate, short-term, and long-term changes in tracheal stent diameter, length, and positioning after placement in dogs with tracheal collapse syndrome. <i>Journal of Veterinary Internal Medicine</i> , 2018, 32, 782-791.                     | 0.6 | 15        |
| 27553 | Interface pressure, perceptual, and mean arterial pressure responses to different blood flow restriction systems. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 1757-1765.  | 1.3 | 30        |
| 27554 | Cross-cultural Adaptation and Validation of the Nepali Translation of the Patient-Specific Functional Scale. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018, 48, 659-664.   | 1.7 | 30        |
| 27555 | Myocardial fibrosis evaluated by diffusion-weighted imaging and its relationship to 3D contractile function in patients with hypertrophic cardiomyopathy. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1139-1146.                     | 1.9 | 14        |
| 27556 | Development and validation of a self-administered neck mobility assessment tool (S-ROM-Neck) in chronic neck pain patients. <i>Musculoskeletal Science and Practice</i> , 2018, 37, 75-79.  | 0.6 | 3         |
| 27557 | A new automated turbidimetric immunoassay for the measurement of canine C-reactive protein. <i>Veterinary Clinical Pathology</i> , 2018, 47, 130-137.   | 0.3 | 28        |
| 27558 | Accuracy and trending ability of the fourth-generation FloTrac/Vigileo System <sup>®</sup> in patients undergoing abdominal aortic aneurysm surgery. <i>Journal of Anesthesia</i> , 2018, 32, 387-393.  | 0.7 | 14        |
| 27559 | Passive air sampling of flame retardants and plasticizers in Canadian homes using PDMS, XAD-coated PDMS and PUF samplers. <i>Environmental Pollution</i> , 2018, 239, 109-117.  | 3.7 | 72        |
| 27560 | Is there a learning effect when the 6-minute walk test is repeated in people with suspected pulmonary hypertension?. <i>Chronic Respiratory Disease</i> , 2018, 15, 339-346.  | 1.0 | 18        |
| 27561 | Prediction of Scoliosis Curve Correction Using Pedicle Screw Constructs in AIS: A Comparison of Fulcrum Bend Radiographs and Traction Radiographs Under General Anesthesia. <i>Global Spine Journal</i> , 2018, 8, 676-682.                       | 1.2 | 9         |
| 27562 | Evaluation of gait symmetry using a tri-axial accelerometer in stroke patients. <i>NeuroRehabilitation</i> , 2018, 42, 173-180.   | 0.5 | 8         |
| 27563 | Validation and Optimization of BIANCA for the Segmentation of Extensive White Matter Hyperintensities. <i>Neuroinformatics</i> , 2018, 16, 269-281.   | 1.5 | 20        |
| 27564 | Quantitative evaluation of the tracer distribution in dopamine transporter SPECT for objective interpretation. <i>Annals of Nuclear Medicine</i> , 2018, 32, 363-371.   | 1.2 | 7         |
| 27565 | Validation of a physical activity accelerometer device worn on the hip and wrist against polysomnography. <i>Sleep Health</i> , 2018, 4, 209-216.   | 1.3 | 83        |
| 27566 | Validation of Anthropometric Muscle Cross-Sectional Area Equation after Spinal Cord Injury. <i>International Journal of Sports Medicine</i> , 2018, 39, 366-373.  | 0.8 | 7         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27567 | Comparison of Central Corneal Thickness Measured by Standard Ultrasound Pachymetry, Corneal Topography, Tono-Pachymetry and Anterior Segment Optical Coherence Tomography. <i>Current Eye Research</i> , 2018, 43, 866-872.  | 0.7 | 18        |
| 27568 | Translation and validation of the Simplified Chinese version of Western Ontario Osteoarthritis of the Shoulder Index (WOOS). <i>Medicine (United States)</i> , 2018, 97, e8691.  | 0.4 | 3         |
| 27569 | The Effect of New Formulas for Lean Body Mass on Lean-Body-Mass <sup>18</sup> Normalized SUV in Oncologic <sup>18</sup> F-FDG PET/CT. <i>Journal of Nuclear Medicine Technology</i> , 2018, 46, 253-259.   | 0.4 | 5         |
| 27570 | Is Going Beyond Rasch Analysis Necessary to Assess the Construct Validity of a Motor Function Scale?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 1776-1782.e9.  | 0.5 | 8         |
| 27571 | Agreement between single-frequency bioimpedance analysis and dual energy x-ray absorptiometry varies based on sex and segmental mass. <i>Nutrition Research</i> , 2018, 54, 33-39.   | 1.3 | 13        |
| 27572 | In Vivo Imaging of the Retina, Choroid, and Optic Nerve Head in Guinea Pigs. <i>Current Eye Research</i> , 2018, 43, 1006-1018.  | 0.7 | 18        |
| 27573 | Validation of a New Methodology to Determine 3-Dimensional Endograft Apposition, Position, and Expansion in the Aortic Neck After Endovascular Aneurysm Repair. <i>Journal of Endovascular Therapy</i> , 2018, 25, 358-365.  | 0.8 | 20        |
| 27574 | Diagnostic role of strain imaging in atypical myocarditis by echocardiography and cardiac MRI. <i>Pediatric Radiology</i> , 2018, 48, 835-842.   | 1.1 | 20        |
| 27575 | Scrutiny of <sup>13</sup> C-phenylalanine breath test reproducibility. <i>Isotopes in Environmental and Health Studies</i> , 2018, 54, 312-323.  | 0.5 | 1         |
| 27576 | The Relationship Between Soldier Performance on the Two-Mile Run and the 20-m Shuttle Run Test. <i>Military Medicine</i> , 2018, 183, e182-e187.   | 0.4 | 9         |
| 27577 | Memory-Focused Cognitive Therapy for Cocaine Use Disorder: Theory, Procedures and Preliminary Evidence From an External Pilot Randomised Controlled Trial. <i>EBioMedicine</i> , 2018, 29, 177-189.  | 2.7 | 15        |
| 27578 | Significant differences between manufacturer and surgeon in the accuracy of final component size prediction with CT-based patient-specific instrumentation for total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 3317-3324. | 2.3 | 14        |
| 27579 | Validity and Acceptance of Color Vision Testing on Smartphones. <i>Journal of Neuro-Ophthalmology</i> , 2018, 38, 13-16.   | 0.4 | 18        |
| 27580 | No association between types of unilateral mandibular condylar abnormalities and facial asymmetry in orthopedic-treated patients with juvenile idiopathic arthritis. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 153, 214-223.       | 0.8 | 17        |
| 27581 | Inter-operator variability in compartmental kinetic analysis of <sup>18</sup> F-fluoromisonidazole dynamic PET. <i>Clinical Imaging</i> , 2018, 49, 121-127.   | 0.8 | 2         |
| 27582 | Reader performance in the ultrasonographic evaluation of oropharyngeal carcinoma. <i>Oral Oncology</i> , 2018, 77, 105-110.  | 0.8 | 4         |
| 27583 | Comparison of thermodilution and indirect Fick cardiac outputs in pulmonary hypertension. <i>International Journal of Cardiology</i> , 2018, 258, 228-231.   | 0.8 | 12        |
| 27584 | Left Ventricular Twist. <i>Journal of the American College of Cardiology</i> , 2018, 71, 584.  | 1.2 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27585 | LC-MS/MS method for the simultaneous analysis of seven antimalarials and two active metabolites in dried blood spots for applications in field trials: Analytical and clinical validation. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 154, 263-277.   | 1.4 | 33        |
| 27586 | Multi-Scale Segmentation and Surface Fitting for Measuring 3-D Macular Holes. <i>IEEE Transactions on Medical Imaging</i> , 2018, 37, 580-589.  | 5.4 | 15        |
| 27587 | Comparison of Three Methods to Quantify Laxity in the Canine Hip Joint. <i>Veterinary and Comparative Orthopaedics and Traumatology</i> , 2018, 31, 023-029.  | 0.2 | 27        |
| 27588 | Association Between Optic Nerve Head Deformation and Retinal Microvasculature in High Myopia. <i>American Journal of Ophthalmology</i> , 2018, 188, 81-90.  | 1.7 | 55        |
| 27589 | Diagnostic performance of coronary CT angiography with ultra-high-resolution CT: Comparison with invasive coronary angiography. <i>European Journal of Radiology</i> , 2018, 101, 30-37.  | 1.2 | 60        |
| 27590 | Accuracy, precision and reliability in anthropometric surveys for ergonomics purposes in adult working populations: A literature review. <i>International Journal of Industrial Ergonomics</i> , 2018, 65, 1-16.  | 1.5 | 23        |
| 27591 | Short communication: Evaluation of an automated method for assessing white blood cell concentrations in Holstein dairy cows. <i>Veterinary Immunology and Immunopathology</i> , 2018, 197, 21-23.   | 0.5 | 4         |
| 27592 | Atrio-ventricular deformation and heart failure in Ebstein's Anomaly – A cardiovascular magnetic resonance study. <i>International Journal of Cardiology</i> , 2018, 257, 54-61.  | 0.8 | 21        |
| 27593 | Use of BMI as the marker of adiposity in a metabolic syndrome severity score: Derivation and validation in predicting long-term disease outcomes. <i>Metabolism: Clinical and Experimental</i> , 2018, 83, 68-74.   | 1.5 | 33        |
| 27594 | Familiarization, validity and smallest detectable difference of the isometric squat test in evaluating maximal strength. <i>Journal of Sports Sciences</i> , 2018, 36, 2087-2095.   | 1.0 | 22        |
| 27595 | A probabilistic soft alert method for abnormal glycemic event by quantitative analysis of prediction uncertainty for type 1 diabetes. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2018, 174, 94-110.   | 1.8 | 4         |
| 27596 | Contact heat evoked potentials: Reliable acquisition from lower extremities. <i>Clinical Neurophysiology</i> , 2018, 129, 584-591.  | 0.7 | 24        |
| 27597 | Test-retest variability of cyclodeviations measured using the double Maddox rod test. <i>Journal of AAPOS</i> , 2018, 22, 146-148.e1.   | 0.2 | 14        |
| 27598 | Optimising the measurement of bruises in children across conventional and cross polarized images using segmentation analysis techniques in Image J, Photoshop and circle diameter measurements. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2018, 54, 114-120. | 0.5 | 12        |
| 27599 | Neurite imaging reveals microstructural variations in human cerebral cortical gray matter. <i>NeuroImage</i> , 2018, 182, 488-499.  | 2.1 | 164       |
| 27600 | Precision of a new ocular biometer in children and comparison with IOLMaster. <i>Scientific Reports</i> , 2018, 8, 1304.  | 1.6 | 10        |
| 27601 | Postural deviations in individuals with chronic obstructive pulmonary disease (COPD). <i>Canadian Journal of Respiratory, Critical Care, and Sleep Medicine</i> , 2018, 2, 61-68.   | 0.2 | 12        |
| 27602 | The Use of Microtechnology to Monitor Collision Performance in Professional Rugby Union. <i>International Journal of Sports Physiology and Performance</i> , 2018, 13, 1075-1082.   | 1.1 | 20        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27603 | New decision formulas for predicting endotracheal tube depth in children: analysis of neck CT images. <i>Emergency Medicine Journal</i> , 2018, 35, emermed-2017-206795.  | 0.4 | 7         |
| 27604 | Test-retest reliability and responsiveness to change of clinical tests of physical fitness in patients with acute coronary syndrome included in the SWEDEHEART register. <i>European Journal of Cardiovascular Nursing</i> , 2018, 17, 486-495.   | 0.4 | 10        |
| 27605 | A comparison of ultrasound with magnetic resonance imaging in the assessment of fetal biometry and weight in the second trimester of pregnancy: An observer agreement and variability study. <i>Ultrasound</i> , 2018, 26, 229-244.               | 0.3 | 5         |
| 27606 | Tracking the Sugar Rush: Incorporating Continuous Glucose Monitoring Into Multisite Early Clinical Research With Type 2 Diabetes Subjects. <i>Clinical Pharmacology in Drug Development</i> , 2018, 7, 676-683.                                   | 0.8 | 0         |
| 27607 | Infant multiple breath washout using a new commercially available device: Ready to replace the previous setup?. <i>Pediatric Pulmonology</i> , 2018, 53, 628-635.   | 1.0 | 6         |
| 27608 | Test-retest reliability of daily life gait speed as measured by smartphone global positioning system. <i>Gait and Posture</i> , 2018, 61, 282-286.  | 0.6 | 20        |
| 27609 | Cardiac Magnetic Resonance Myocardial Feature Tracking for Optimized Prediction of Cardiovascular Events Following Myocardial Infarction. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 1433-1444.  | 2.3 | 142       |
| 27610 | A prolonged run-in period of standard subcutaneous microdialysis ameliorates quality of interstitial glucose signal in patients after major cardiac surgery. <i>Scientific Reports</i> , 2018, 8, 1262.   | 1.6 | 3         |
| 27611 | Assessment of interchangeability rate between 2 methods of measurements. <i>Medicine (United States)</i> , 2018, 97, e9905.   | 0.4 | 14        |
| 27612 | Comparison of water and air charged transducer catheter pressures in the evaluation of cystometrogram and voiding pressure studies. <i>Neurourology and Urodynamics</i> , 2018, 37, 1434-1440.  | 0.8 | 9         |
| 27613 | Physical activity measurement accuracy in advanced chronic lung disease. <i>Canadian Journal of Respiratory, Critical Care, and Sleep Medicine</i> , 2018, 2, 9-18.   | 0.2 | 0         |
| 27614 | Identification of the Optimal Protocol for Automated Office Blood Pressure Measurement Among Patients With Treated Hypertension. <i>American Journal of Hypertension</i> , 2018, 31, 299-304.   | 1.0 | 17        |
| 27615 | Hand MRI and the Greulich-Pyle atlas in skeletal age estimation in adolescents. <i>Skeletal Radiology</i> , 2018, 47, 963-971.  | 1.2 | 18        |
| 27616 | Noninvasive pulse contour analysis for determination of cardiac output in patients with chronic heart failure. <i>Clinical Research in Cardiology</i> , 2018, 107, 395-404.   | 1.5 | 15        |
| 27617 | Repeatability assessment of anterior segment biometric measurements under accommodative and nonaccommodative conditions using an anterior segment OCT. <i>Graefes's Archive for Clinical and Experimental Ophthalmology</i> , 2018, 256, 113-123. | 1.0 | 6         |
| 27618 | A New Two-Dimensional Rank Correlation Coefficient. <i>Water Resources Management</i> , 2018, 32, 1539-1553.  | 1.9 | 15        |
| 27619 | Prediction of Individual Serum Infliximab Concentrations in Inflammatory Bowel Disease by a Bayesian Dashboard System. <i>Journal of Clinical Pharmacology</i> , 2018, 58, 790-802.   | 1.0 | 37        |
| 27620 | Accuracy of Corneal Thickness by Swept-Source Optical Coherence Tomography and Scheimpflug Camera in Virgin and Treated Fuchs Endothelial Dystrophy. <i>Cornea</i> , 2018, 37, 727-733.   | 0.9 | 11        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27621 | Comparative Evaluation of Clinical Methods of Tear Film Stability Assessment. <i>JAMA Ophthalmology</i> , 2018, 136, 291.   | 1.4 | 33        |
| 27622 | Comparative Assessment of Variability in Parameters of the Conventional and Averaged ECG. <i>Bio-Medical Engineering</i> , 2018, 51, 336-340.   | 0.3 | 0         |
| 27623 | Free-breathing whole-heart 3D cine magnetic resonance imaging with prospective respiratory motion compensation. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 181-189.  | 1.9 | 27        |
| 27624 | Multi-compartmental diffusion characterization of the human cervical spinal cord in vivo using the spherical mean technique. <i>NMR in Biomedicine</i> , 2018, 31, e3894.   | 1.6 | 21        |
| 27625 | Concurrent validity and reliability of torso-worn inertial measurement unit for jump power and height estimation. <i>Journal of Sports Sciences</i> , 2018, 36, 1937-1942.  | 1.0 | 17        |
| 27626 | Different durations within the method of best practice affect the parameters of the speed-duration relationship. <i>European Journal of Sport Science</i> , 2018, 18, 332-340.  | 1.4 | 16        |
| 27627 | Hemodynamic and metabolic responses to self-paced and ramp-graded exercise testing protocols. <i>Applied Physiology, Nutrition and Metabolism</i> , 2018, 43, 609-616.  | 0.9 | 5         |
| 27628 | Analytical and pre-analytical performance characteristics of a novel cartridge-type blood gas analyzer for point-of-care and laboratory testing. <i>Clinical Biochemistry</i> , 2018, 53, 116-126.                      | 0.8 | 15        |
| 27629 | Endotracheal tube placement during computed tomography of brachycephalic dogs alters upper airway dimensional measurements. <i>Veterinary Radiology and Ultrasound</i> , 2018, 59, 289-304.                             | 0.4 | 8         |
| 27630 | System Accuracy and User Performance Evaluation of an Improved System for Self-Monitoring of Blood Glucose. <i>Journal of Diabetes Science and Technology</i> , 2018, 12, 407-411.                                      | 1.3 | 7         |
| 27631 | Protocol for Objective Measurement of Infants' Physical Activity using Accelerometry. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 1084-1092.   | 0.2 | 17        |
| 27632 | Everyday memory problems in alcohol abuse and dependence: Frequency, patterns and patient-proxy agreement. <i>Psychiatry Research</i> , 2018, 261, 488-497.   | 1.7 | 4         |
| 27633 | Comparisons of Rigid Proctoscopy, Flexible Colonoscopy, and Digital Rectal Examination for Determining the Localization of Rectal Cancers. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 202-206.                 | 0.7 | 19        |
| 27634 | Accuracy Enhancement for Noninvasive Glucose Estimation Using Dual-Wavelength Photoacoustic Measurements and Kernel-Based Calibration. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2018, 67, 126-136. | 2.4 | 30        |
| 27635 | Treatment of allergic rhinitis using mobile technology with real-world data: The MASK observational pilot study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 1763-1774.             | 2.7 | 94        |
| 27636 | Three Dimensional Evaluation of Posterior Pole and Optic Nerve Head in Tilted Disc. <i>Scientific Reports</i> , 2018, 8, 1121.  | 1.6 | 12        |
| 27637 | Longitudinal MRI data analysis in presence of measurement error but absence of replicates. <i>IJSE Transactions on Healthcare Systems Engineering</i> , 2018, 8, 117-130.   | 1.2 | 1         |
| 27638 | Reproducibility of Retinal Microvascular Traits Decoded by the Singapore I Vessel Assessment Software Across the Human Age Range. <i>American Journal of Hypertension</i> , 2018, 31, 438-449.                          | 1.0 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27639 | Effect of Low-Pass Filtering on Isometric Midhigh Pull Kinetics. <i>Journal of Strength and Conditioning Research</i> , 2018, 32, 983-989.   | 1.0 | 19        |
| 27640 | Evaluation of an ear-tag-based accelerometer for monitoring rumination in dairy cows. <i>Journal of Dairy Science</i> , 2018, 101, 3398-3411.  | 1.4 | 46        |
| 27641 | High-pitch low-voltage CT coronary artery calcium scoring with tin filtration: accuracy and radiation dose reduction. <i>European Radiology</i> , 2018, 28, 3097-3104.   | 2.3 | 33        |
| 27642 | Translation and validation of the simplified Chinese version of the anterior cruciate ligament-return to sport after injury (ACL-RSI). <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2997-3003.  | 2.3 | 12        |
| 27643 | Validity of self-reported tooth counts and masticatory status study of a Japanese adult population. <i>Journal of Oral Rehabilitation</i> , 2018, 45, 393-398.   | 1.3 | 32        |
| 27644 | Validation of Questionnaire and Diary Measures of Time Outdoors Against an Objective Measure of Personal Ultraviolet Radiation Exposure. <i>Photochemistry and Photobiology</i> , 2018, 94, 815-820.   | 1.3 | 10        |
| 27645 | Multiplex Immuno-MALDI-TOF MS for Targeted Quantification of Protein Biomarkers and Their Proteoforms Related to Inflammation and Renal Dysfunction. <i>Analytical Chemistry</i> , 2018, 90, 3366-3373.  | 3.2 | 33        |
| 27646 | A Rapid, Handheld Device to Assess Respiratory Resistance: Clinical and Normative Evidence. <i>Military Medicine</i> , 2018, 183, e370-e377.   | 0.4 | 3         |
| 27647 | Performance of a second generation pulmonary capnotracking system for continuous monitoring of cardiac output. <i>Journal of Clinical Monitoring and Computing</i> , 2018, 32, 1057-1064.  | 0.7 | 12        |
| 27648 | Comparison of predictive equations of lean mass in young and postmenopausal women. <i>Clinical Nutrition ESPEN</i> , 2018, 24, 62-65.  | 0.5 | 2         |
| 27649 | Comparison of the pharmacodynamics of protamine zinc insulin and insulin degludec and validation of the continuous glucose monitoring system iPro2 in healthy cats. <i>Research in Veterinary Science</i> , 2018, 118, 79-85.  | 0.9 | 9         |
| 27650 | Comparison between the urine dipstick and the pHâ€mometer to assess urine pH in sheep and dogs. <i>Veterinary Clinical Pathology</i> , 2018, 47, 284-288.  | 0.3 | 19        |
| 27651 | Effects of tracking landmarks and tibial point of resistive force application on the assessment of patellar tendon mechanical properties in vivo. <i>Journal of Biomechanics</i> , 2018, 71, 176-182.  | 0.9 | 5         |
| 27652 | Deep Learning for Quantification of Epicardial and Thoracic Adipose Tissue From Non-Contrast CT. <i>IEEE Transactions on Medical Imaging</i> , 2018, 37, 1835-1846.  | 5.4 | 135       |
| 27653 | The feasibility of tricuspid annular plane systolic excursion performed by transesophageal echocardiography throughout heart surgery and its interchangeability with transthoracic echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 1017-1028. | 0.7 | 21        |
| 27654 | Measuring Sedentary Behavior During Pregnancy: Comparison Between Self-reported and Objective Measures. <i>Maternal and Child Health Journal</i> , 2018, 22, 968-977.  | 0.7 | 8         |
| 27655 | A comparative study of segmentation techniques for the quantification of brain subcortical volume. <i>Brain Imaging and Behavior</i> , 2018, 12, 1678-1695.  | 1.1 | 66        |
| 27656 | A novel method of utilizing skinfolds and bioimpedance for determining body fat percentage via a field-based three-compartment model. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 1431-1438.   | 1.3 | 23        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27657 | Comparing the analytical performance of near and mid infrared spectrometers for evaluating pomegranate juice quality. <i>LWT - Food Science and Technology</i> , 2018, 91, 180-190.  | 2.5 | 17        |
| 27658 | Bedside assessment of regional cerebral perfusion using near-infrared spectroscopy and indocyanine green in patients with atherosclerotic occlusive disease. <i>Scientific Reports</i> , 2018, 8, 1242.                    | 1.6 | 11        |
| 27659 | Agreement Between Actigraphy and Diary-Recorded Measures of Sleep in Children With Epilepsy. <i>Journal of Nursing Scholarship</i> , 2018, 50, 143-150.  | 1.1 | 11        |
| 27660 | Comparison of Bioelectrical Impedance Analysis and Dual-Energy X-Ray Absorptiometry for Estimating Bone Mineral Content. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2018, 28, 542-546.      | 1.0 | 7         |
| 27661 | Quantifying the effect of slice thickness, intravenous contrast and tube current on muscle segmentation: Implications for body composition analysis. <i>European Radiology</i> , 2018, 28, 2455-2463.                      | 2.3 | 52        |
| 27662 | Development and validation of Image Stimuli for Emotion Elicitation (ISEE): A novel affective pictorial system with test-retest repeatability. <i>Psychiatry Research</i> , 2018, 261, 414-420.                            | 1.7 | 6         |
| 27663 | A pilot mixed-methods evaluation of MS INFoRm: a self-directed fatigue management resource for individuals with multiple sclerosis. <i>International Journal of Rehabilitation Research</i> , 2018, 41, 114-121.           | 0.7 | 12        |
| 27664 | Validity of self-reported age at menarche in computer-assisted interview among Chinese schoolgirls: a cross-sectional study. <i>BMJ Open</i> , 2018, 8, e016799.   | 0.8 | 4         |
| 27665 | New ultrasonographic evaluation of stool and/or gas distribution for treatment of chronic constipation. <i>International Journal of Colorectal Disease</i> , 2018, 33, 345-348.  | 1.0 | 8         |
| 27666 | Bias in Hazard Ratios Arising From Misclassification According to Self-Reported Weight and Height in Observational Studies of Body Mass Index and Mortality. <i>American Journal of Epidemiology</i> , 2018, 187, 125-134. | 1.6 | 39        |
| 27667 | A large margin algorithm for automated segmentation of white matter hyperintensity. <i>Pattern Recognition</i> , 2018, 77, 150-159.  | 5.1 | 19        |
| 27668 | Noninvasive Measurement of Hemoglobin Using Spectrophotometry: Is it Useful for the Critically Ill Child?. <i>Journal of Pediatric Hematology/Oncology</i> , 2018, 40, e19-e22.  | 0.3 | 6         |
| 27669 | Validation of the Friedewald formula for the estimation of low density lipoprotein cholesterol in a sub-Saharan African population. <i>Clinical Biochemistry</i> , 2018, 53, 25-30.  | 0.8 | 7         |
| 27670 | Frequency and phase correction for multiplexed edited MRS of GABA and glutathione. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 21-28.  | 1.9 | 29        |
| 27671 | Comparison analysis of orbital shape and volume in unilateral fractured orbits. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2018, 46, 381-387.   | 0.7 | 18        |
| 27672 | First Field Test of an Innovative, Wider Tape to Measure Mid-Upper Arm Circumference in Young Laotian Children. <i>Food and Nutrition Bulletin</i> , 2018, 39, 28-38.  | 0.5 | 2         |
| 27673 | Psychometric Evaluation of the Brachial Assessment Tool Part 1: Reproducibility. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 629-634.  | 0.5 | 11        |
| 27674 | Evaluation of lung and chest wall mechanics during anaesthesia using the PEEP-step method. <i>British Journal of Anaesthesia</i> , 2018, 120, 860-867.   | 1.5 | 20        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27675 | Validation of the Brazilian version of the VERITAS-Pro scale to assess adherence to prophylactic regimens in hemophilia. <i>Hematology, Transfusion and Cell Therapy</i> , 2018, 40, 18-24.  | 0.1 | 5         |
| 27676 | A novel cognitive-functional composite measure to detect changes in early Alzheimer's disease: Test-retest reliability and feasibility. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 153-160.     | 1.2 | 12        |
| 27677 | Fiabilidad interexaminador de la exploración de puntos gatillo miofasciales en la musculatura de las regiones cervical y lumbar. <i>Fisioterapia</i> , 2018, 40, 79-87.  | 0.2 | 0         |
| 27678 | Prediction of walk-to-run transition using stride frequency: A test-retest reliability study. <i>Gait and Posture</i> , 2018, 60, 71-75.   | 0.6 | 7         |
| 27679 | Auditory sensory gating predicts acceptable noise level. <i>Hearing Research</i> , 2018, 359, 76-84.   | 0.9 | 7         |
| 27680 | The Urticaria Activity Score—Validity, Reliability, and Responsiveness. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018, 6, 1185-1190.e1.  | 2.0 | 78        |
| 27681 | A 20 s—20 m repeated sprint field test replicates the demands of wheelchair rugby. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 753-757.  | 0.6 | 12        |
| 27682 | Patient-Physician Agreement Using Summary Outcome Determination Scores. <i>Mayo Clinic Proceedings</i> , 2018, 93, 32-39.  | 1.4 | 5         |
| 27683 | Incidence and impact of implant subsidence after stand-alone lateral lumbar interbody fusion. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2018, 104, 405-410.   | 0.9 | 46        |
| 27684 | The 360 0 CHILD-profile, a reliable and valid tool to visualize integral child-information. <i>Preventive Medicine Reports</i> , 2018, 9, 29-36.   | 0.8 | 7         |
| 27685 | Post mortem aqueous humor analysis in sheep as index of ante mortem serum biochemistry profile. <i>Small Ruminant Research</i> , 2018, 159, 52-55.   | 0.6 | 3         |
| 27686 | Bias, limits of agreement, and percent errors between acceleromyography and mechanomyography in anesthetized dogs. <i>Veterinary Journal</i> , 2018, 233, 3-7.   | 0.6 | 6         |
| 27687 | Total and Segmental Body Composition Examination in Collegiate Football Players Using Multifrequency Bioelectrical Impedance Analysis and Dual X-ray Absorptiometry. <i>Journal of Strength and Conditioning Research</i> , 2018, 32, 772-782. | 1.0 | 30        |
| 27688 | Comparison of Quality and Output of Different Optimal Perimetric Testing Approaches in Children With Glaucoma. <i>JAMA Ophthalmology</i> , 2018, 136, 155.   | 1.4 | 9         |
| 27689 | Sixminute Stepper Test to Set Pulmonary Rehabilitation Intensity in Patients with COPD—A Retrospective Study—Letter to the Editor. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2018, 15, 89-90.                            | 0.7 | 0         |
| 27690 | The relative validity of a food record using the smartphone application MyFitnessPal. <i>Nutrition and Dietetics</i> , 2018, 75, 219-225.  | 0.9 | 111       |
| 27691 | Engineering of a miniaturized, robotic clinical laboratory. <i>Bioengineering and Translational Medicine</i> , 2018, 3, 58-70.   | 3.9 | 3         |
| 27692 | Intra- and inter-rater reliability and validity of the tandem gait test for the assessment of dynamic gait balance. <i>European Journal of Physiotherapy</i> , 2018, 20, 135-140.  | 0.7 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27693 | The Americleft Project: Comparison of Ratings Using Two-Dimensional Versus Three-Dimensional Images for Evaluation of Nasolabial Appearance in Patients With Unilateral Cleft Lip and Palate. <i>Journal of Craniofacial Surgery</i> , 2018, 29, 105-108. | 0.3 | 10        |
| 27694 | QCM-D surpassing clinical standard for the dose administration of new oral anticoagulant in the patient of coagulation disorders. <i>Biosensors and Bioelectronics</i> , 2018, 104, 15-20.  | 5.3 | 9         |
| 27695 | Dutch population specific sex estimation formulae using the proximal femur. <i>Forensic Science International</i> , 2018, 286, 268.e1-268.e8.   | 1.3 | 21        |
| 27696 | Validation of a photographic seafood portion guide to assess fish and shrimp intakes. <i>Public Health Nutrition</i> , 2018, 21, 896-901.   | 1.1 | 5         |
| 27697 | Concurrent validity and interrater reliability of a new smartphone application to assess 3D active cervical range of motion in patients with neck pain. <i>Musculoskeletal Science and Practice</i> , 2018, 34, 59-65.                                    | 0.6 | 26        |
| 27698 | Context Weighting for Ubiquitous Learning Situation Description: Approach Based on Combination of Weighted Experts's™ Opinions. <i>International Journal of Information Technology and Decision Making</i> , 2018, 17, 247-309.                           | 2.3 | 3         |
| 27699 | Yellow's green laser'-based flow cytometry for CD34+ progenitor cell counting. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2018, 93, 172-176.   | 1.1 | 2         |
| 27700 | Cardiac gating using scattering of an 8'-channel parallel transmit coil at 7T. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 633-640.   | 1.9 | 7         |
| 27701 | Estimation of Arm Adipose Tissue Quotient Using Segmental Bioimpedance Spectroscopy. <i>Lymphatic Research and Biology</i> , 2018, 16, 377-384.   | 0.5 | 4         |
| 27702 | Visual Acuity and Cognition in Older Adults With and Without Hearing Loss: Evidence For Late-Life Sensory Compensation?. <i>Ear and Hearing</i> , 2018, 39, 746-755.  | 1.0 | 15        |
| 27703 | Applications of corneal topography and tomography: a review. <i>Clinical and Experimental Ophthalmology</i> , 2018, 46, 133-146.  | 1.3 | 75        |
| 27704 | Seven sins when interpreting statistics in sports injury science. <i>British Journal of Sports Medicine</i> , 2018, 52, 1410-1412.  | 3.1 | 8         |
| 27705 | The Clinical Utility of Noninvasive Pulse Co-oximetry Hemoglobin Measurements in Dark-Skinned Critically Ill Patients. <i>Anesthesia and Analgesia</i> , 2018, 126, 1519-1526.  | 1.1 | 10        |
| 27706 | Successful adaption of the Banff Patella Instability Instrument (BPII) 2.0 into German. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2679-2684.  | 2.3 | 20        |
| 27707 | The hypoxia marker CAIX is prognostic in the UK phase III Vortex-Biobank cohort: an important resource for translational research in soft tissue sarcoma. <i>British Journal of Cancer</i> , 2018, 118, 698-704.  | 2.9 | 20        |
| 27708 | Study of Endochondral Ossification in Human Fetalcartilage Anlagen of Metacarpals: Comparative Morphology of Mineral Deposition in Cartilage and in the Periosteal Bone Matrix. <i>Anatomical Record</i> , 2018, 301, 571-580.                            | 0.8 | 7         |
| 27709 | Intra- and Interexaminer Variability of Two Separate Video Head Impulse Test Systems Assessing All Six Semicircular Canals. <i>Otology and Neurotology</i> , 2018, 39, e113-e122.   | 0.7 | 26        |
| 27710 | Sodium and potassium content of 24 h urinary collections: a comparison between field- and laboratory-based analysers. <i>Public Health Nutrition</i> , 2018, 21, 1036-1042.   | 1.1 | 5         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27711 | Feasibility of opportunistic osteoporosis screening in routine contrast-enhanced multi detector computed tomography (MDCT) using texture analysis. <i>Osteoporosis International</i> , 2018, 29, 825-835.   | 1.3 | 27        |
| 27712 | Diagnostic accuracy of level IV portable sleep monitors versus polysomnography for obstructive sleep apnea: a systematic review and meta-analysis. <i>Sleep and Breathing</i> , 2018, 22, 593-611.  | 0.9 | 43        |
| 27713 | Use of both quantitative and qualitative methods to improve assessment of resting energy expenditure equation performance in hospitalized adults. <i>Clinical Nutrition ESPEN</i> , 2018, 24, 120-126.  | 0.5 | 3         |
| 27714 | Comparing Methods for Cardiac Output: Intraoperatively Doppler-Derived Cardiac Output Measured With 3-Dimensional Echocardiography Is Not Interchangeable With Cardiac Output by Pulmonary Catheter Thermodilution. <i>Anesthesia and Analgesia</i> , 2018, 127, 399-407.                                   | 1.1 | 14        |
| 27715 | Improved coronary magnetic resonance angiography using gadobenate dimeglumine in pediatric congenital heart disease. <i>Magnetic Resonance Imaging</i> , 2018, 49, 47-54.   | 1.0 | 4         |
| 27716 | Automated Three-Dimensional Measurement of Glenoid Version and Inclination in Arthritic Shoulders. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, 57-65.  | 1.4 | 97        |
| 27717 | Clinical validation study of dried blood spot for determining everolimus concentration in patients with cancer. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 465-471.   | 0.8 | 20        |
| 27718 | Stability of fatigue, pain, patient global assessment and the Bath Ankylosing Spondylitis Functional Index (BASFI) in spondyloarthropathy patients with stable disease according to the Bath Ankylosing Spondylitis Disease Activity Index (BASDAI). <i>Rheumatology International</i> , 2018, 38, 425-432. | 1.5 | 19        |
| 27719 | The compensatory enlargement of the remaining thyroid lobe following hemithyroidectomy is small and without impact on symptom relief. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 161-167.   | 0.8 | 6         |
| 27720 | Inter-rater and intra-rater reliability of the airway diameter measured by sonography. <i>Journal of Ultrasound</i> , 2018, 21, 35-40.  | 0.7 | 11        |
| 27721 | Efficient generation of functional haploid spermatids from human germline stem cells by three-dimensional-induced system. <i>Cell Death and Differentiation</i> , 2018, 25, 749-766.  | 5.0 | 59        |
| 27722 | Glutamate quantification by PRESS or MEGA-PRESS: Validation, repeatability, and concordance. <i>Magnetic Resonance Imaging</i> , 2018, 48, 107-114.   | 1.0 | 35        |
| 27723 | New Definition Criteria of Myocardial Dysfunction in Patients with Liver Cirrhosis: A Speckle Tracking and Tissue Doppler Imaging Study. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 562-574.   | 0.7 | 29        |
| 27724 | A Comparison of Three Methods for the Analysis of Skin Flap Viability: Reliability and Validity. <i>Advances in Wound Care</i> , 2018, 7, 157-164.  | 2.6 | 4         |
| 27725 | In Vitro Evaluation of a Novel Image Processing Device to Estimate Surgical Blood Loss in Suction Canisters. <i>Anesthesia and Analgesia</i> , 2018, 126, 621-628.  | 1.1 | 20        |
| 27726 | Radiologic Pathologic Correlation of Solid Portions on Thin-section CT Images in Lung Adenocarcinoma: A Multicenter Study. <i>Clinical Lung Cancer</i> , 2018, 19, e303-e312.   | 1.1 | 43        |
| 27727 | A 12-Month Clinical Audit Comparing Point-of-Care Lactate Measurements Tested by Paramedics with In-Hospital Serum Lactate Measurements. <i>Prehospital and Disaster Medicine</i> , 2018, 33, 36-42.  | 0.7 | 10        |
| 27728 | Three-Dimensional Imaging and Breast Measurements: How Predictable Are We?. <i>Aesthetic Surgery Journal</i> , 2018, 38, 616-622.   | 0.9 | 18        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27729 | Real-time Analysis of the Heart Rate Variability During Incremental Exercise for the Detection of the Ventilatory Threshold. <i>Journal of the American Heart Association</i> , 2018, 7, .                                       | 1.6 | 42        |
| 27730 | Intravoxel incoherent motion diffusion-weighted imaging of resectable oesophageal squamous cell carcinoma: association with tumour stage. <i>British Journal of Radiology</i> , 2018, 91, 20170421.                              | 1.0 | 9         |
| 27731 | Metabolic and Mechanical Effects of Laddermill Graded Exercise Testing. <i>Journal of Strength and Conditioning Research</i> , 2018, 32, 195-200.  | 1.0 | 1         |
| 27732 | Motion Tracking of the Carotid Artery Wall From Ultrasound Image Sequences: a Nonlinear State-Space Approach. <i>IEEE Transactions on Medical Imaging</i> , 2018, 37, 273-283.   | 5.4 | 110       |
| 27733 | Essentials of Statistical Methods for Assessing Reliability and Agreement in Quantitative Imaging. <i>Academic Radiology</i> , 2018, 25, 391-396.  | 1.3 | 23        |
| 27734 | Filling pressures in Fontan revisited: Comparison between pulmonary artery wedge, ventricular end-diastolic, and left atrial pressures in adults. <i>International Journal of Cardiology</i> , 2018, 255, 32-36.                 | 0.8 | 10        |
| 27735 | Assessment of parenteral nutrition prescription in Canadian acute care settings. <i>Nutrition</i> , 2018, 49, 7-12.  | 1.1 | 7         |
| 27736 | The Latent Structure and Test-Retest Stability of Connected Language Measures in the Wisconsin Registry for Alzheimer's Prevention (WRAP). <i>Archives of Clinical Neuropsychology</i> , 2018, 33, 993-1005.                     | 0.3 | 10        |
| 27737 | Scale Separation Reliability: What Does It Mean in the Context of Comparative Judgment?. <i>Applied Psychological Measurement</i> , 2018, 42, 428-445.   | 0.6 | 30        |
| 27738 | Clinical benefits of using inulin clearance and cystatin C for determining glomerular filtration rate in HIV-1-infected individuals treated with dolutegravir. <i>Journal of Infection and Chemotherapy</i> , 2018, 24, 199-205. | 0.8 | 14        |
| 27739 | Closed-Set Speech Discrimination Tests for Assessing Young Children. <i>Ear and Hearing</i> , 2018, 39, 32-41.   | 1.0 | 7         |
| 27740 | Training approaches for the deployment of a mechanical chest compression device: a randomised controlled manikin study. <i>BMJ Open</i> , 2018, 8, e019009.  | 0.8 | 15        |
| 27741 | Effects of disease severity distribution on the performance of quantitative diagnostic methods and proposal of a novel V-plot methodology to display accuracy values. <i>Open Heart</i> , 2018, 5, e000663.                      | 0.9 | 1         |
| 27742 | Self- vs proxy-reported mobility using the mobility assessment tool-short form in elderly preoperative patients. <i>European Review of Aging and Physical Activity</i> , 2018, 15, 5.  | 1.3 | 6         |
| 27743 | SECIMTools: a suite of metabolomics data analysis tools. <i>BMC Bioinformatics</i> , 2018, 19, 151.  | 1.2 | 34        |
| 27744 | Development and relative validation of a food frequency questionnaire for French-Canadian adolescent and young adult survivors of acute lymphoblastic leukemia. <i>Nutrition Journal</i> , 2018, 17, 45.                         | 1.5 | 13        |
| 27745 | Spasticity assessment based on the Hilbert-Huang transform marginal spectrum entropy and the root mean square of surface electromyography signals: a preliminary study. <i>BioMedical Engineering OnLine</i> , 2018, 17, 27.     | 1.3 | 15        |
| 27746 | Test-retest variability of left ventricular 4D flow cardiovascular magnetic resonance measurements in healthy subjects. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018, 20, 15.                                      | 1.6 | 35        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27747 | Movement of anterior teeth using clear aligners: a three-dimensional, retrospective evaluation. <i>Progress in Orthodontics</i> , 2018, 19, 9.   | 1.3 | 56        |
| 27748 | Portable Sleep Monitoring for Diagnosing Sleep Apnea in Hospitalized Patients With Heart Failure. <i>Chest</i> , 2018, 154, 91-98.   | 0.4 | 40        |
| 27749 | Use of esophageal balloon pressure-volume curve analysis to determine esophageal wall elastance and calibrate raw esophageal pressure: a bench experiment and clinical study. <i>BMC Anesthesiology</i> , 2018, 18, 21.                        | 0.7 | 10        |
| 27750 | Measurement properties of the Nepali version of the Connor Davidson resilience scales in individuals with chronic pain. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 56.   | 1.0 | 30        |
| 27751 | Validation of the Orebro musculoskeletal pain screening questionnaire in patients with chronic neck pain. <i>BMC Research Notes</i> , 2018, 11, 161.   | 0.6 | 9         |
| 27752 | Comparison of three-parameter kinetic model analysis to standard Patlak's analysis in 18F-FDG PET imaging of lung cancer patients. <i>EJNMMI Research</i> , 2018, 8, 24.   | 1.1 | 13        |
| 27753 | Scan's reproducibility of diastolic left ventricular kinetic energy, viscous energy loss and vorticity assessment using 4D flow MRI: analysis in healthy subjects. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 905-920. | 0.7 | 23        |
| 27754 | Validation of Student Peer Assessment of Effective Oral Communication in Engineering Degrees. <i>Revista Iberoamericana De Tecnologias Del Aprendizaje</i> , 2018, 13, 11-16.  | 0.7 | 3         |
| 27755 | Technical note: Serum total protein and immunoglobulin G concentrations in neonatal dairy calves over the first 10 days of age. <i>Journal of Dairy Science</i> , 2018, 101, 6430-6436.  | 1.4 | 69        |
| 27757 | Cross-Site Reliability of Human Induced Pluripotent stem cell-derived Cardiomyocyte Based Safety Assays Using Microelectrode Arrays: Results from a Blinded CiPA Pilot Study. <i>Toxicological Sciences</i> , 2018, 164, 550-562.              | 1.4 | 90        |
| 27758 | Evaluation method based on fuzzy relations between Dempster-Shafer belief structure. <i>International Journal of Intelligent Systems</i> , 2018, 33, 1343-1363.  | 3.3 | 61        |
| 27759 | Noise-Induced Variability of Immuno-PET with Zirconium-89-Labeled Antibodies: an Analysis Based on Count-Reduced Clinical Images. <i>Molecular Imaging and Biology</i> , 2018, 20, 1025-1034.  | 1.3 | 13        |
| 27760 | Validity of Consumer Activity Wristbands and Wearable EEG for Measuring Overall Sleep Parameters and Sleep Structure in Free-Living Conditions. <i>Journal of Healthcare Informatics Research</i> , 2018, 2, 152-178.                          | 5.3 | 70        |
| 27761 | New assessment of endothelial function measured by short time flow-mediated vasodilation: Comparison with conventional flow-mediated vasodilation measurement. <i>International Journal of Cardiology</i> , 2018, 265, 24-29.                  | 0.8 | 8         |
| 27762 | The greater tuberosity angle: a new predictor for rotator cuff tear. <i>Journal of Shoulder and Elbow Surgery</i> , 2018, 27, 1415-1421.   | 1.2 | 31        |
| 27763 | Evaluation of facial asymmetry in patients with juvenile idiopathic arthritis: Correlation between hard tissue and soft tissue landmarks. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 153, 662-672.e1.         | 0.8 | 11        |
| 27764 | Accuracy of wearable physical activity trackers in people with Parkinson's disease. <i>Gait and Posture</i> , 2018, 63, 104-108.   | 0.6 | 60        |
| 27765 | Predictive performance of a gentamicin population pharmacokinetic model in two western populations of critically ill patients. <i>International Journal of Antimicrobial Agents</i> , 2018, 52, 218-225.                                       | 1.1 | 11        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27766 | Comparing levels of blood alcohol concentration and indicators of impairment in nightlife patrons. <i>Drug and Alcohol Review</i> , 2018, 37, S348-S356.  | 1.1 | 9         |
| 27767 | Technical note: Evaluation of the diagnostic accuracy of 2 point-of-care $\hat{1}^2$ -hydroxybutyrate devices in stored bovine plasma at room temperature and at 37 $\hat{A}$ °C. <i>Journal of Dairy Science</i> , 2018, 101, 6455-6461.   | 1.4 | 14        |
| 27768 | Technical note: Evaluation of a wireless pulse oximeter for measuring arterial oxygen saturation and pulse rate in newborn Holstein Friesian calves. <i>Journal of Dairy Science</i> , 2018, 101, 6437-6442.  | 1.4 | 9         |
| 27769 | Remote Cherenkov imaging-based quality assurance of a magnetic resonance image-guided radiotherapy system. <i>Medical Physics</i> , 2018, 45, 2647-2659.  | 1.6 | 20        |
| 27770 | Protein carbonyl determination by a rhodamine B hydrazide-based fluorometric assay. <i>Redox Biology</i> , 2018, 17, 236-245.   | 3.9 | 10        |
| 27771 | Measurement properties of the modified and total Balance Error Scoring System – the BESS, in a healthy adult sample. <i>European Journal of Physiotherapy</i> , 2018, 20, 25-31.  | 0.7 | 7         |
| 27772 | Non-invasive measurement of cardiac output in children with repaired coarctation of the aorta using electrical cardiometry compared to transthoracic Doppler echocardiography. <i>Physiological Measurement</i> , 2018, 39, 055003.   | 1.2 | 6         |
| 27773 | Learning and Encouragement Effects on Six-Minute Walking Test in Children. <i>Journal of Pediatrics</i> , 2018, 198, 98-103.  | 0.9 | 11        |
| 27774 | Reproducible and reliable general semiquantitative food frequency questionnaire for evaluating iodine intake in Chinese children. <i>Nutrition Research</i> , 2018, 55, 72-80.  | 1.3 | 16        |
| 27775 | Converting between estimates of moderate-to-vigorous physical activity derived from raw accelerations measured at the wrist and from ActiGraph counts measured at the hip: the Rosetta Stone. <i>Journal of Sports Sciences</i> , 2018, 36, 2603-2607.  | 1.0 | 5         |
| 27777 | Comparison of Single, Averaged, and Pooled Urine Protein:Creatinine Ratios in Proteinuric Dogs Undergoing Medical Treatment. <i>Journal of Veterinary Internal Medicine</i> , 2018, 32, 288-294.  | 0.6 | 8         |
| 27778 | Effect of calibration methods on the accuracy of angiographic measurements during transcatheter procedures in dogs. <i>Journal of Veterinary Internal Medicine</i> , 2018, 32, 956-961.   | 0.6 | 3         |
| 27779 | Lung allocation score: the Eurotransplant model versus the revised US model - a cross-sectional study. <i>Transplant International</i> , 2018, 31, 930-937.   | 0.8 | 25        |
| 27780 | Utilization of BIA-Derived Bone Mineral Estimates Exerts Minimal Impact on Body Fat Estimates via Multicompartment Models in Physically Active Adults. <i>Journal of Clinical Densitometry</i> , 2018, 21, 541-549.   | 0.5 | 25        |
| 27781 | Technical Validation of a Reverse-Transcription Quantitative Polymerase Chain Reaction In Vitro Diagnostic Test for the Determination of MiR-31-3p Expression Levels in Formalin-Fixed Paraffin-Embedded Metastatic Colorectal Cancer Tumor Specimens. <i>Biomarker Insights</i> , 2018, 13, 117727191876335. | 1.0 | 17        |
| 27782 | Slow Off-Rate Modified Aptamer (SOMAmer) as a Novel Reagent in Immunoassay Development for Accurate Soluble Glypican-3 Quantification in Clinical Samples. <i>Analytical Chemistry</i> , 2018, 90, 5162-5170.   | 3.2 | 24        |
| 27783 | Evaluation of three measures of cardiorespiratory fitness in independently ambulant stroke survivors. <i>Physiotherapy Theory and Practice</i> , 2018, 35, 1-11.  | 0.6 | 9         |
| 27784 | A comparison of manual counting of rabbit reticulocytes with ADVIA 2120i analyzer counting. <i>Journal of Veterinary Diagnostic Investigation</i> , 2018, 30, 337-341.  | 0.5 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27785 | Congruent validity and inter-day reliability of two breath by breath metabolic carts to measure resting metabolic rate in young adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018, 28, 929-936.                            | 1.1 | 23        |
| 27786 | Comparison of the everolimus concentrations measured in whole blood with everolimus QMS or sirolimus CMIA. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 275-280.   | 0.6 | 1         |
| 27787 | Remote Optical Cardiopulmonary Signal Extraction With Noise Artifact Removal, Multiple Subject Detection & Long-Distance. <i>IEEE Access</i> , 2018, 6, 11573-11595.   | 2.6 | 25        |
| 27788 | The gluteal muscles in end-stage osteoarthritis of the hip: intra- and interobserver reliability and agreement of MRI assessments of muscle atrophy and fatty degeneration. <i>Clinical Radiology</i> , 2018, 73, 675.e17-675.e24.               | 0.5 | 19        |
| 27789 | A novel image processing procedure for thermographic image analysis. <i>Medical and Biological Engineering and Computing</i> , 2018, 56, 1747-1756.  | 1.6 | 5         |
| 27790 | Validaci3n de ecuaciones y propuesta de valores referenciales para estimar la masa grasa de j3venes universitarios chilenos. <i>Endocrinologia, Diabetes Y Nutrici3n</i> , 2018, 65, 156-163.  | 0.1 | 1         |
| 27791 | Preliminary concurrent validity of the Fitbit-Zip and ActiGraph activity monitors for measuring steps in people with polymyalgia rheumatica. <i>Gait and Posture</i> , 2018, 61, 339-345.  | 0.6 | 17        |
| 27792 | Ophthalmology referrals from optometry: a comparative study (the R.O.C.S study). <i>Canadian Journal of Ophthalmology</i> , 2018, 53, 491-496.   | 0.4 | 8         |
| 27793 | Validation of refraction and anterior segment parameters by a new multi-diagnostic platform (VX120). <i>Journal of Optometry</i> , 2018, 11, 242-251.  | 0.7 | 20        |
| 27794 | Predicting 1 Repetition Maximum Using Handheld Dynamometry. <i>PM and R</i> , 2018, 10, 934-941.   | 0.9 | 9         |
| 27795 | An investigation of the accuracy and reliability of body composition assessed with a handheld electrical impedance myography device. <i>European Journal of Sport Science</i> , 2018, 18, 763-771.   | 1.4 | 10        |
| 27796 | Development of an anaesthetized rat model of exercise hyperpnoea: an integrative model of respiratory control using an equilibrium diagram. <i>Experimental Physiology</i> , 2018, 103, 748-760.   | 0.9 | 2         |
| 27797 | Agreement Between Standard Body Composition Methods to Estimate Percentage of Body Fat in Young Male Athletes. <i>Pediatric Exercise Science</i> , 2018, 30, 402-410.  | 0.5 | 21        |
| 27798 | Short-interval intracortical inhibition: Comparison between conventional and threshold-tracking techniques. <i>Brain Stimulation</i> , 2018, 11, 806-817.  | 0.7 | 51        |
| 27799 | Blood T1* correction increases accuracy of extracellular volume measurements using 3T cardiovascular magnetic resonance: Comparison of T1 and T1* maps. <i>Scientific Reports</i> , 2018, 8, 3361.   | 1.6 | 3         |
| 27800 | Considerations on accuracy, pattern and possible underlying factors of brain microbleed progression in older adults with absence or mild presence of vascular pathology. <i>Journal of International Medical Research</i> , 2018, 46, 3518-3538. | 0.4 | 4         |
| 27801 | Volume Estimates in Chronic Hemodialysis Patients by the Watson Equation and Bioimpedance Spectroscopy and the Impact on the Kt/V<sub>urea</sub> calculation. <i>Canadian Journal of Kidney Health and Disease</i> , 2018, 5, 205435811775015.   | 0.6 | 10        |
| 27802 | Reliability and Validity of Tethered Swimming Lactate Minimum Test and Their Relationship With Performance in Young Swimmers. <i>Pediatric Exercise Science</i> , 2018, 30, 383-392.   | 0.5 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27803 | Comparative Analysis of Three-Dimensional Nasal Shape of Casts from Patients With Unilateral Cleft Lip and Palate Treated at Two Institutions Following Rotation Advancement Only (Iowa) or Nasoalveolar Molding and Rotation Advancement in Conjunction With Primary Rhinoplasty (New) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 0.5 | 13        |
| 27804 | Validaci3n de una adaptaci3n transcultural al idioma espaol de la escala Hair Specific Skindex-29. Actas Dermo-sifilogrificas, 2018, 109, 424-431.   | 0.2 | 11        |
| 27805 | Associations of Urinary Caffeine and Caffeine Metabolites With Arterial Stiffness in a Large Population-Based Study. Mayo Clinic Proceedings, 2018, 93, 586-596.   | 1.4 | 17        |
| 27807 | 24-Hour Proteinuria Versus Spot Protein-Creatinine Ratio for Kidney Transplant Management in Clinical Practice. Transplantation Proceedings, 2018, 50, 560-564.  | 0.3 | 3         |
| 27808 | Reliability of anthropometric measurements in children with special needs. Archives of Disease in Childhood, 2018, 103, 757-762.   | 1.0 | 14        |
| 27809 | A New Ultrasound Method for Estimating Dynamic Intrinsic Positive Airway Pressure: A Prospective Clinical Trial. American Journal of Respiratory and Critical Care Medicine, 2018, 198, 392-396.   | 2.5 | 0         |
| 27810 | Short tau inversion recovery in breast diffusion-weighted imaging: signal-to-noise ratio and apparent diffusion coefficients using a breast phantom in comparison with spectral attenuated inversion recovery. Radiologia Medica, 2018, 123, 296-304.  | 4.7 | 6         |
| 27811 | Recovery of the sub-basal nerve plexus and superficial nerve terminals after corneal epithelial injury in mice. Experimental Eye Research, 2018, 171, 92-100.  | 1.2 | 14        |
| 27812 | How reliable is the Walkley-Black method for analyzing carbon-poor, semi-arid soils in Ethiopia?. Journal of Arid Environments, 2018, 153, 98-101.   | 1.2 | 16        |
| 27813 | A novel body circumferences-based estimation of percentage body fat. British Journal of Nutrition, 2018, 119, 720-725.   | 1.2 | 12        |
| 27814 | Testâ€Retest Reliability and Minimal Detectable Change of the D2 Test of Attention in Patients with Schizophrenia. Archives of Clinical Neuropsychology, 2018, 33, 1060-1068.  | 0.3 | 16        |
| 27815 | Breast-density assessment with hand-held ultrasound: A novel biomarker to assess breast cancer risk and to tailor screening?. European Radiology, 2018, 28, 3165-3175.   | 2.3 | 24        |
| 27816 | Elongated styloid process in patients with temporomandibular disorders â€ Is there a link?. Annals of Anatomy, 2018, 217, 118-124.   | 1.0 | 12        |
| 27817 | Ki67 Is an Independent Predictor of Recurrence in the Largest Randomized Trial of 3 Radiation Fractionation Schedules in Localized Prostate Cancer. International Journal of Radiation Oncology Biology Physics, 2018, 101, 309-315.   | 0.4 | 19        |
| 27818 | Validity, reliability, responsiveness and feasibility of four hand mobility measures in hand osteoarthritis. Rheumatology, 2018, 57, 525-532.  | 0.9 | 13        |
| 27819 | FIA-MS/MS determination of creatinine in urine samples undergoing butylation. Analytical Biochemistry, 2018, 549, 113-118.   | 1.1 | 10        |
| 27820 | The statistical properties of raw and preprocessed ToF mass spectra. International Journal of Mass Spectrometry, 2018, 428, 62-70.   | 0.7 | 1         |
| 27821 | Visual Impairment Screening Assessment (VISA) tool: pilot validation. BMJ Open, 2018, 8, e020562.  | 0.8 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27822 | Sensitive colorimetric assay using insulin G-quadruplex aptamer arrays on DNA nanotubes coupled with magnetic nanoparticles. <i>Royal Society Open Science</i> , 2018, 5, 171835.  | 1.1 | 16        |
| 27823 | Clinical application of microsampling versus conventional sampling techniques in the quantitative bioanalysis of antibiotics: a systematic review. <i>Bioanalysis</i> , 2018, 10, 407-423.   | 0.6 | 25        |
| 27824 | Age-Predicted Maximal Heart Rate Equations Are Inaccurate for Use in Youth Male Soccer Players. <i>Pediatric Exercise Science</i> , 2018, 30, 495-499.   | 0.5 | 5         |
| 27825 | Estimating Resting Energy Expenditure by Different Methods as Compared With Indirect Calorimetry for Patients With Pulmonary Hypertension. <i>Nutrition in Clinical Practice</i> , 2018, 33, 217-223.  | 1.1 | 14        |
| 27826 | Staging hand-wrist and cervical vertebrae images: a comparison of reproducibility. <i>Dentomaxillofacial Radiology</i> , 2018, 47, 20170301.   | 1.3 | 13        |
| 27827 | Agreement between electronic and paper Epworth Sleepiness Scale responses in obstructive sleep apnoea: secondary analysis of a randomised controlled trial undertaken in a specialised tertiary care clinic. <i>BMJ Open</i> , 2018, 8, e019255. | 0.8 | 5         |
| 27828 | Morphologic Characterization of Pulmonary Nodules With Ultrashort TE MRI at 3T. <i>American Journal of Roentgenology</i> , 2018, 210, 1216-1225.   | 1.0 | 52        |
| 27829 | An empirical comparison of the measurement properties of the EQ-5D-5L, DEMQOL-U and DEMQOL-Proxy-U for older people in residential care. <i>Quality of Life Research</i> , 2018, 27, 1283-1294.  | 1.5 | 31        |
| 27830 | Test-Retest Reliability of Handgrip Strength as an Outcome Measure in Patients With Symptoms of Shoulder Impingement Syndrome. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2018, 41, 252-257.                                | 0.4 | 8         |
| 27831 | Corrected Lymphocyte Percentages Reduce the Differences in Absolute CD4+ T Lymphocyte Counts between Dual-Platform and Single-Platform Flow Cytometric Approaches. <i>Laboratory Medicine</i> , 2018, 49, 246-253.                               | 0.8 | 1         |
| 27832 | Roles of the apparent diffusion coefficient and tumor volume in predicting tumor grade in patients with choroid plexus tumors. <i>Neuroradiology</i> , 2018, 60, 479-486.  | 1.1 | 8         |
| 27833 | Effect of abdominal negative-pressure wound therapy on the measurement of intra-abdominal pressure. <i>Journal of Surgical Research</i> , 2018, 227, 112-118.  | 0.8 | 3         |
| 27834 | Validation of the register-based lifetime antimicrobial usage measurement for finisher batches based on comparison with recorded antimicrobial usage at farm level. <i>Epidemiology and Infection</i> , 2018, 146, 515-523.                      | 1.0 | 4         |
| 27835 | Intrasession Repeatability and Intersession Reproducibility Measurements Using VX120 Multidiagnostic Unit. <i>Eye and Contact Lens</i> , 2018, 44, S266-S272.  | 0.8 | 8         |
| 27836 | Description of a Novel Set-up for Functional Echocardiographic Assessment of Left Ventricular Performance During Ex Vivo Heart Perfusion. <i>Anesthesia and Analgesia</i> , 2018, 127, e36-e39.  | 1.1 | 6         |
| 27837 | Precision of automated QRS duration measurement in patients treated with cardiac resynchronization therapy. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018, 52, 103-110.  | 0.6 | 1         |
| 27838 | User Performance Evaluation of Four Blood Glucose Monitoring Systems Applying ISO 15197:2013 Accuracy Criteria and Calculation of Insulin Dosing Errors. <i>Diabetes Therapy</i> , 2018, 9, 683-697.   | 1.2 | 10        |
| 27839 | Parental communication about emotional contexts: Differences across discrete categories of emotion. <i>Social Development</i> , 2018, 27, 247-261.   | 0.8 | 14        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27840 | Accuracy of intraocular lens power calculation using three optical biometry measurement devices: the OA-2000, Lenstar-LS900 and IOLMaster-500. <i>Eye</i> , 2018, 32, 1244-1252.   | 1.1 | 34        |
| 27841 | The DRIHEMATO PT-S Test in Cardiac Surgery, a Tulip Mania Problem?. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2018, 32, 1615-1617.  | 0.6 | 0         |
| 27842 | Quantifying biological samples using Linear Poisson Independent Component Analysis for MALDI-ToF mass spectra. <i>Bioinformatics</i> , 2018, 34, 1001-1008.  | 1.8 | 8         |
| 27843 | Pulse wave analysis reproducibility with the Complior Analyse device. <i>Blood Pressure Monitoring</i> , 2018, 23, 164-170.  | 0.4 | 1         |
| 27844 | Intra- and interobserver variability in nodule size of rectosigmoid endometriosis measured by two- and three-dimensional transvaginal sonography. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 734-743.                     | 1.3 | 6         |
| 27845 | Confidence and coverage for Bland-Altman limits of agreement and their approximate confidence intervals. <i>Statistical Methods in Medical Research</i> , 2018, 27, 1559-1574.   | 0.7 | 32        |
| 27846 | Reliability and construct validity of the test of gross motor development-2 in Portuguese children. <i>International Journal of Sport and Exercise Psychology</i> , 2018, 16, 250-260.   | 1.1 | 20        |
| 27847 | Validation of the Intuitive Eating Scale in pregnancy. <i>Journal of Health Psychology</i> , 2018, 23, 701-709.  | 1.3 | 6         |
| 27848 | Influence of ROI definition on the heart-to-mediastinum ratio in planar 123I-MIBG imaging. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 208-216.   | 1.4 | 11        |
| 27849 | Development and Validation of a Technology-Based System for Tracking and Reporting Dietary Intake at School Meals. <i>Journal of Nutrition Education and Behavior</i> , 2018, 50, 51-55.e1.  | 0.3 | 3         |
| 27850 | Comparison of anatomical parameters of cam femoroacetabular impingement to evaluate hip joint models segmented from CT data. <i>Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization</i> , 2018, 6, 293-302. | 1.3 | 4         |
| 27851 | Assessment of the area at risk after acute myocardial infarction using 123I-MIBG SPECT: Comparison with the angiographic APPROACH-score. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 572-580.   | 1.4 | 15        |
| 27852 | The Accuracy of Anthropometric Equations to Assess Body Fat in Adults with Down Syndrome. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2018, 31, 193-199.   | 1.3 | 2         |
| 27853 | Reliability and validity of the French version of the global physical activity questionnaire. <i>Journal of Sport and Health Science</i> , 2018, 7, 339-345.   | 3.3 | 58        |
| 27854 | Effective plots to assess bias and precision in method comparison studies. <i>Statistical Methods in Medical Research</i> , 2018, 27, 1650-1660.   | 0.7 | 21        |
| 27855 | Assessing the Influence of Mirroring on the Perception of Professional Competence Using Wearable Technology. <i>IEEE Transactions on Affective Computing</i> , 2018, 9, 161-175.   | 5.7 | 0         |
| 27856 | Maternal hemodynamics in normal pregnancy: reference ranges and role of maternal characteristics. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 665-671.  | 0.9 | 55        |
| 27857 | First assessment of simultaneous dual isotope (123I/99mTc) cardiac SPECT on two different CZT cameras: A phantom study. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 1692-1704.  | 1.4 | 24        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27858 | Reliability of Lagged Poincaré Plot Parameters in Ultrashort Heart Rate Variability Series: Application on Affective Sounds. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2018, 22, 741-749.                            | 3.9 | 26        |
| 27859 | Continuous ECG Monitoring in Patients With Acute Coronary Syndrome or Heart Failure: EASI Versus Gold Standard. <i>Clinical Nursing Research</i> , 2018, 27, 433-449.   | 0.7 | 6         |
| 27860 | Automated ultrasound edge-tracking software comparable to established semi-automated reference software for carotid intima-media thickness analysis. <i>Clinical Physiology and Functional Imaging</i> , 2018, 38, 396-401.           | 0.5 | 7         |
| 27861 | Evaluation of the marginal fit of CAD-CAM zirconia copings: Comparison of 2D and 3D measurement methods. <i>Journal of Prosthetic Dentistry</i> , 2018, 119, 75-81.   | 1.1 | 41        |
| 27862 | Pre- and postoperative tricuspid regurgitation in patients with severe symptomatic aortic stenosis: importance of pre-operative tricuspid annulus diameter. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 319-328. | 0.5 | 28        |
| 27863 | A novel automated rodent tracker (ART), demonstrated in a mouse model of amyotrophic lateral sclerosis. <i>Journal of Neuroscience Methods</i> , 2018, 300, 147-156.  | 1.3 | 29        |
| 27864 | A validation method for near-infrared spectroscopy based tissue oximeters for cerebral and somatic tissue oxygen saturation measurements. <i>Journal of Clinical Monitoring and Computing</i> , 2018, 32, 269-284.                    | 0.7 | 48        |
| 27865 | Reliability and Validity of Athletes Disability Index Questionnaire. <i>Clinical Journal of Sport Medicine</i> , 2018, 28, 159-167.   | 0.9 | 19        |
| 27866 | Validity of BMI-Based Body Fat Equations in Men and Women: A 4-Compartment Model Comparison. <i>Journal of Strength and Conditioning Research</i> , 2018, 32, 121-129.  | 1.0 | 20        |
| 27867 | Skeletal muscle analyses: agreement between non-contrast and contrast CT scan measurements of skeletal muscle area and mean muscle attenuation. <i>Clinical Physiology and Functional Imaging</i> , 2018, 38, 366-372.                | 0.5 | 44        |
| 27868 | Flip angle optimization for balanced SSFP: Cardiac cine imaging following the application of standard extracellular contrast agent (gadobutrol). <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 255-261.                    | 1.9 | 3         |
| 27869 | Digital Axillary and Non-Contact Infrared Thermometers for Children. <i>Clinical Nursing Research</i> , 2018, 27, 180-190.  | 0.7 | 10        |
| 27870 | PARHELIA: Particle Filter-Based Heart Rate Estimation From Photoplethysmographic Signals During Physical Exercise. <i>IEEE Transactions on Biomedical Engineering</i> , 2018, 65, 189-198.  | 2.5 | 37        |
| 27871 | Validation of the IPAQ Against Different Accelerometer Cut-Points in Older Cancer Survivors and Adults at Risk of Cancer. <i>Journal of Aging and Physical Activity</i> , 2018, 26, 34-40.  | 0.5 | 9         |
| 27872 | Real-time evaluation of an image analysis system for monitoring surgical hemoglobin loss. <i>Journal of Clinical Monitoring and Computing</i> , 2018, 32, 303-310.  | 0.7 | 16        |
| 27873 | Assessing manual dexterity: Comparing the WorkAbility Rate of Manipulation Test with the Minnesota Manual Dexterity Test. <i>Journal of Hand Therapy</i> , 2018, 31, 339-347.   | 0.7 | 27        |
| 27874 | Comparison of non-invasive tear film stability measurement techniques. <i>Australasian journal of optometry</i> , The, 2018, 101, 13-17.  | 0.6 | 17        |
| 27875 | Comparison of in-clinic point-of-care and reference laboratory total thyroxine immunoassays for diagnosis and post-treatment monitoring of hyperthyroid cats. <i>Journal of Feline Medicine and Surgery</i> , 2018, 20, 319-324.      | 0.6 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27876 | Simultaneous measurement of macro- and microvascular blood flow and oxygen saturation for quantification of muscle oxygen consumption. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 846-855.  | 1.9 | 17        |
| 27877 | Reliability of resting intramuscular fiber conduction velocity evaluation. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 48-56.  | 1.3 | 4         |
| 27878 | Determining fitting ranges of various bone conduction hearing aids. <i>Clinical Otolaryngology</i> , 2018, 43, 68-75.  | 0.6 | 22        |
| 27879 | Validity of a population-specific BMR predictive equation for adults from an urban tropical setting. <i>Clinical Nutrition</i> , 2018, 37, 208-213.  | 2.3 | 8         |
| 27880 | Development, construct validity and test-retest reliability of a field-based wheelchair mobility performance test for wheelchair basketball. <i>Journal of Sports Sciences</i> , 2018, 36, 23-32.  | 1.0 | 29        |
| 27881 | Intraobserver and interobserver variability of the bone marrow burden (BMB) score for the assessment of disease severity in Gaucher disease. Possible impact of reporting experience. <i>Blood Cells, Molecules, and Diseases</i> , 2018, 68, 121-125.                 | 0.6 | 14        |
| 27882 | Clinical usefulness of abdominal bioimpedance (ViScan) in the determination of visceral fat and its application in the diagnosis and management of obesity and its comorbidities. <i>Clinical Nutrition</i> , 2018, 37, 580-589.                                       | 2.3 | 41        |
| 27883 | Validation of impedance cardiography in pulmonary arterial hypertension. <i>Clinical Physiology and Functional Imaging</i> , 2018, 38, 254-260.  | 0.5 | 12        |
| 27884 | Comparison of measured with calculated amplitude of accommodation in Nigerian children aged six to 16 years. <i>Australasian journal of optometry, The</i> , 2018, 101, 571-577.   | 0.6 | 10        |
| 27885 | Cross-comparisons of trending accuracies of continuous cardiac-output measurements: pulse contour analysis, bioreactance, and pulmonary-artery catheter. <i>Journal of Clinical Monitoring and Computing</i> , 2018, 32, 33-43.  | 0.7 | 36        |
| 27886 | Measuring zinc on the Roche cobas c502 analyzer Validation, comparison, and pre-analytic aspects. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, .   | 0.9 | 8         |
| 27887 | A methodological framework for assessing agreement between cost-effectiveness outcomes estimated using alternative sources of data on treatment costs and effects for trial-based economic evaluations. <i>European Journal of Health Economics</i> , 2018, 19, 75-86. | 1.4 | 3         |
| 27888 | Onset and Offset Estimation of the Neural Inspiratory Time in Surface Diaphragm Electromyography: A Pilot Study in Healthy Subjects. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2018, 22, 67-76.   | 3.9 | 20        |
| 27889 | "How I Feel About My School": The construction and validation of a measure of wellbeing at school for primary school children. <i>Clinical Child Psychology and Psychiatry</i> , 2018, 23, 25-41.  | 0.8 | 21        |
| 27890 | Comparison of LC-MS/MS vs chemiluminescent microparticle immunoassay in measuring the valproic acid concentration in plasma of epilepsy patients in a new perspective. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, e22157.                              | 0.9 | 8         |
| 27891 | Harmonic sum-based method for heart rate estimation using PPG signals affected with motion artifacts. <i>Journal of Ambient Intelligence and Humanized Computing</i> , 2018, 9, 137-150.   | 3.3 | 32        |
| 27892 | Quantification of local geometric distortion in structural magnetic resonance images: Application to ultra-high fields. <i>NeuroImage</i> , 2018, 168, 141-151.  | 2.1 | 18        |
| 27893 | The patellofemoral pain and osteoarthritis subscale of the KOOS (KOOS-PF): development and validation using the COSMIN checklist. <i>British Journal of Sports Medicine</i> , 2018, 52, 1130-1136.   | 3.1 | 80        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27894 | Evaluating accuracy of striatal, pallidal, and thalamic segmentation methods: Comparing automated approaches to manual delineation. <i>NeuroImage</i> , 2018, 170, 182-198.   | 2.1 | 75        |
| 27895 | Dried blood spots combined to an UPLC-MS/MS method for the simultaneous determination of drugs of abuse in forensic toxicology. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 147, 634-644.  | 1.4 | 53        |
| 27896 | Comparison of two methodological approaches for the mechanical analysis of single-joint isoinertial movement using a customised isokinetic dynamometer. <i>Sports Biomechanics</i> , 2018, 17, 287-302.   | 0.8 | 2         |
| 27897 | Discriminatory ability of right atrial volumes with two- and three-dimensional echocardiography to detect elevated right atrial pressure in pulmonary hypertension. <i>Clinical Physiology and Functional Imaging</i> , 2018, 38, 192-199.  | 0.5 | 4         |
| 27898 | Validity and reliability of an activity monitor to quantify arm movements and activity in adults following distal radius fracture. <i>Disability and Rehabilitation</i> , 2018, 40, 1318-1325.  | 0.9 | 10        |
| 27899 | Visual stimuli in intervention approaches for pre-schoolers diagnosed with phonological delay. <i>Logopedics Phoniatrics Vocology</i> , 2018, 43, 20-31.  | 0.5 | 2         |
| 27900 | Mid-trimester sonographic cervical consistency index to predict spontaneous preterm birth in a low-risk population. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 629-636.   | 0.9 | 20        |
| 27901 | Precision and sources of variability in the assessment of rheumatoid arthritis erosions by HRpQCT. <i>Joint Bone Spine</i> , 2018, 85, 211-217.   | 0.8 | 12        |
| 27902 | Non-exhaustive double effort test is reliable and estimates the first ventilatory threshold intensity in running exercise. <i>Journal of Sport and Health Science</i> , 2018, 7, 197-203.   | 3.3 | 1         |
| 27903 | Clinical outcomes after revision surgery for medial patellofemoral ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 739-745.  | 2.3 | 21        |
| 27904 | Validation of Heart Rate Monitor Polar RS800 for Heart Rate Variability Analysis During Exercise. <i>Journal of Strength and Conditioning Research</i> , 2018, 32, 716-725.   | 1.0 | 95        |
| 27905 | Feasibility and accuracy of gated blood pool SPECT equilibrium radionuclide ventriculography for the assessment of left and right ventricular volumes and function in patients with left ventricular assist devices. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 625-634.    | 1.4 | 13        |
| 27906 | Cardiac Output Measurements Based on the Pulse Wave Transit Time and Thoracic Impedance Exhibit Limited Agreement With Thermodilution Method During Orthotopic Liver Transplantation. <i>Anesthesia and Analgesia</i> , 2018, 126, 85-92.   | 1.1 | 25        |
| 27907 | Validity and reliability of the myTemp ingestible temperature capsule. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 322-326.   | 0.6 | 16        |
| 27908 | A comparison of volume clamp method-based continuous noninvasive cardiac output (CNCO) measurement versus intermittent pulmonary artery thermodilution in postoperative cardiothoracic surgery patients. <i>Journal of Clinical Monitoring and Computing</i> , 2018, 32, 235-244. | 0.7 | 21        |
| 27909 | Criterion and Construct Validity of an Isometric Midhigh-Pull Dynamometer for Assessing Whole-Body Strength in Professional Rugby League Players. <i>International Journal of Sports Physiology and Performance</i> , 2018, 13, 235-239.  | 1.1 | 22        |
| 27910 | Forced-air pre-warming prevents peri-anaesthetic hypothermia and shortens recovery in adult rats. <i>Laboratory Animals</i> , 2018, 52, 142-151.  | 0.5 | 27        |
| 27911 | Statistical validation of 1H NMR protocol vs standard biochemical assay in quality control of RBC packed units. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 147, 485-492.  | 1.4 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27912 | Maternal Subcutaneous and Visceral Adipose Ultrasound Thickness in Women with Gestational Diabetes Mellitus at 24-28 Weeks' Gestation. <i>Fetal Diagnosis and Therapy</i> , 2018, 43, 143-147.   | 0.6 | 24        |
| 27913 | Uterine artery pulsatility index in the first trimester: assessment of intersonographer and intersampling site measurement differences. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 2276-2283.  | 0.7 | 14        |
| 27914 | Gingival recession in mandibular incisors and symphysis morphology—a retrospective cohort study. <i>European Journal of Orthodontics</i> , 2018, 40, 185-192.  | 1.1 | 16        |
| 27915 | One minute sit-to-stand test is an alternative to 6MWT to measure functional exercise performance in COPD patients. <i>Clinical Respiratory Journal</i> , 2018, 12, 1247-1256.   | 0.6 | 66        |
| 27916 | Validity of Heart Rate-Based Indices to Measure Training Load and Intensity in Elite Football Players. <i>Journal of Strength and Conditioning Research</i> , 2018, 32, 2340-2347.   | 1.0 | 20        |
| 27917 | Validation of Fourier analysis of videokeratographic data. <i>International Ophthalmology</i> , 2018, 38, 1433-1440.   | 0.6 | 4         |
| 27918 | Modified Maturity Offset Prediction Equations: Validation in Independent Longitudinal Samples of Boys and Girls. <i>Sports Medicine</i> , 2018, 48, 221-236.   | 3.1 | 111       |
| 27919 | Use of a tibial accelerometer to measure ground reaction force in running: A reliability and validity comparison with force plates. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 84-88.   | 0.6 | 45        |
| 27920 | Systematic differences between ultrasound and pathological evaluation of thyroid nodules: a method comparison study. <i>ANZ Journal of Surgery</i> , 2018, 88, 464-467.  | 0.3 | 2         |
| 27921 | Screen-printed ambulatory electrode set enables accurate diagnostics of sleep bruxism. <i>Journal of Sleep Research</i> , 2018, 27, 103-112.   | 1.7 | 15        |
| 27922 | Modeling agreement on bounded scales. <i>Statistical Methods in Medical Research</i> , 2018, 27, 3460-3477.  | 0.7 | 3         |
| 27923 | Automated smartphone audiometry: Validation of a word recognition test app. <i>Laryngoscope</i> , 2018, 128, 707-712.  | 1.1 | 7         |
| 27924 | Reliability of Power Settings of the Wahoo KICKR Power Trainer After 60 Hours of Use. <i>International Journal of Sports Physiology and Performance</i> , 2018, 13, 119-121.   | 1.1 | 8         |
| 27925 | Isotropic three-dimensional T <sub>2</sub> mapping of knee cartilage: Development and validation. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 362-371.  | 1.9 | 21        |
| 27926 | Comparison of cardiac output estimates by bioreactance and inert gas rebreathing methods during cardiopulmonary exercise testing. <i>Clinical Physiology and Functional Imaging</i> , 2018, 38, 483-490.   | 0.5 | 11        |
| 27927 | Assessment of texture discrimination ability at the sole of the foot in subjects with chronic stroke compared with young and elderly subjects with no neurological deficits: a reliability and validity study. <i>Disability and Rehabilitation</i> , 2018, 40, 1960-1966. | 0.9 | 7         |
| 27928 | Intra-observer reliability and agreement of manual and digital orthodontic model analysis. <i>European Journal of Orthodontics</i> , 2018, 40, 52-57.  | 1.1 | 21        |
| 27929 | Quantification of visceral adipose tissue in polycystic ovary syndrome: dual-energy X-ray absorptiometry versus magnetic resonance imaging. <i>Acta Radiologica</i> , 2018, 59, 13-17.   | 0.5 | 14        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27930 | Reliability of the triple-echo timed up-and-go test. <i>Muscle and Nerve</i> , 2018, 57, 136-139.  | 1.0 | 11        |
| 27931 | REPEATABILITY OF AUTOMATED VESSEL DENSITY AND SUPERFICIAL AND DEEP FOVEAL AVASCULAR ZONE AREA MEASUREMENTS USING OPTICAL COHERENCE TOMOGRAPHY ANGIOGRAPHY. <i>Retina</i> , 2018, 38, 1238-1245.  | 1.0 | 50        |
| 27932 | Single-breath-hold 3-D CINE imaging of the left ventricle using Cartesian sampling. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2018, 31, 19-31.   | 1.1 | 33        |
| 27933 | Smartphone-Based Thermal Imaging: A New Modality for Tissue Temperature Measurement in Hand and Upper Extremity Surgeries. <i>Hand</i> , 2018, 13, 350-354.  | 0.7 | 2         |
| 27934 | In-scan and scan-rescan assessment of LV and outflow volumes by 4D flow MRI versus 2D planimetry. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 511-522.  | 1.9 | 33        |
| 27935 | Determination of the Heart-to-Mediastinum Ratio of <sup>123</sup> I-MIBG Uptake Using Dual-Isotope ( <sup>123</sup> I-MIBG/ <sup>99m</sup> Tc-Tetrofosmin) Multipinhole Cadmium-Zinc-Telluride SPECT in Patients with Heart Failure. <i>Journal of Nuclear Medicine</i> , 2018, 59, 251-258. | 2.8 | 20        |
| 27936 | Performance of a capnodynamic method estimating effective pulmonary blood flow during transient and sustained hypercapnia. <i>Journal of Clinical Monitoring and Computing</i> , 2018, 32, 311-319.  | 0.7 | 14        |
| 27937 | Does obesity affect the non-invasive measurement of cardiac output performed by electrical cardiometry in children and adolescents?. <i>Journal of Clinical Monitoring and Computing</i> , 2018, 32, 45-52.  | 0.7 | 7         |
| 27938 | Block-based adaptive ROI for remote photoplethysmography. <i>Multimedia Tools and Applications</i> , 2018, 77, 6503-6529.  | 2.6 | 26        |
| 27939 | Comparison of Different Hearing Aid Prescriptions for Children. <i>Ear and Hearing</i> , 2018, 39, 20-31.  | 1.0 | 9         |
| 27940 | Child-parent agreement on health-related quality of life in children with newly diagnosed chronic health conditions: a longitudinal study. <i>International Journal of Adolescence and Youth</i> , 2018, 23, 99-108.   | 0.9 | 36        |
| 27941 | New Precision Metrics for Contrast Sensitivity Testing. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2018, 22, 919-925.  | 3.9 | 22        |
| 27942 | Comparison of three methods for measuring height in rehabilitation inpatients and the impact on body mass index classification: An open prospective study. <i>Nutrition and Dietetics</i> , 2018, 75, 123-128.   | 0.9 | 3         |
| 27943 | Quantitative MRI of kidneys in renal disease. <i>Abdominal Radiology</i> , 2018, 43, 629-638.  | 1.0 | 37        |
| 27944 | Association between habitual dietary and lifestyle behaviours and skin autofluorescence (SAF), a marker of tissue accumulation of advanced glycation endproducts (AGEs), in healthy adults. <i>European Journal of Nutrition</i> , 2018, 57, 2209-2216.                                      | 1.8 | 25        |
| 27945 | Measuring Physical and Cognitive Fatigue in People With Post-Polio Syndrome: Development of the Neurological Fatigue Index for Post-Polio Syndrome (NFI-PP). <i>PM and R</i> , 2018, 10, 129-136.  | 0.9 | 1         |
| 27946 | Intraobserver and Interobserver Variability in Ultrasound Measurements of Thyroid Nodules. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 173-178.   | 0.8 | 48        |
| 27947 | Contrast-enhancement influences skeletal muscle density, but not skeletal muscle mass, measurements on computed tomography. <i>Clinical Nutrition</i> , 2018, 37, 1707-1714.   | 2.3 | 89        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 27948 | Reproducibility of heart rate recovery in patients with intermittent claudication. <i>Clinical Physiology and Functional Imaging</i> , 2018, 38, 603-609.  | 0.5 | 4         |
| 27949 | Improving validation methods for molecular diagnostics: application of Bland-Altman, Deming and simple linear regression analyses in assay comparison and evaluation for next-generation sequencing. <i>Journal of Clinical Pathology</i> , 2018, 71, 117-124. | 1.0 | 7         |
| 27950 | Translation of the Leicester Cough Questionnaire into Swedish, and validity and reliability in chronic obstructive pulmonary disease. <i>Disability and Rehabilitation</i> , 2018, 40, 2662-2670.  | 0.9 | 8         |
| 27951 | Traumatic subaxial cervical facet subluxation and dislocation: epidemiology, radiographic analyses, and risk factors for spinal cord injury. <i>Spine Journal</i> , 2018, 18, 387-398.   | 0.6 | 37        |
| 27952 | Automatic Measurement of the Total Visceral Adipose Tissue From Computed Tomography Images by Using a Multi-Atlas Segmentation Method. <i>Journal of Computer Assisted Tomography</i> , 2018, 42, 139-145.   | 0.5 | 12        |
| 27953 | Quality control of ultrasound for fetal biometry: results from the INTERGROWTH-21 <sup>st</sup> Project. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 332-339.   | 0.9 | 41        |
| 27954 | Validity and Reliability of a Portable Balance Tracking System, BTrackS, in Older Adults. <i>Journal of Geriatric Physical Therapy</i> , 2018, 41, 102-107.  | 0.6 | 42        |
| 27955 | Validating Center-of-Pressure Balance Measurements Using the MatScan <sup>®</sup> Pressure Mat. <i>Journal of Sport Rehabilitation</i> , 2018, 27, .   | 0.4 | 26        |
| 27956 | High-Accuracy Heart Rate Variability Monitoring Using Doppler Radar Based on Gaussian Pulse Train Modeling and FTFR Algorithm. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2018, 66, 556-567.  | 2.9 | 86        |
| 27957 | Comparison of contact radiographed and stained histological sections for osseointegration analysis of dental implants: an in-vivo study. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2018, 125, 20-26.                             | 0.2 | 5         |
| 27958 | Microfluidic method for measuring viscosity using images from smartphone. <i>Optics and Lasers in Engineering</i> , 2018, 104, 237-243.  | 2.0 | 40        |
| 27959 | Combination of whole-spine lateral radiograph and lateral scanogram in the assessment of global sagittal balance. <i>Spine Journal</i> , 2018, 18, 255-260.  | 0.6 | 1         |
| 27960 | Novel methodology for estimating Initial Contact events from accelerometers positioned at different body locations. <i>Gait and Posture</i> , 2018, 59, 278-285.   | 0.6 | 16        |
| 27961 | Vena contracta area for severity grading in functional and degenerative mitral regurgitation: a transoesophageal 3D colour Doppler analysis in 500 patients. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 639-646.                         | 0.5 | 32        |
| 27962 | Automated analysis of fetal cardiac function using color tissue Doppler imaging. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 599-608.   | 0.9 | 5         |
| 27963 | Validity of a Digital Diet Estimation Method for Use with Preschool Children. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2018, 118, 252-260.   | 0.4 | 14        |
| 27964 | Measuring Flow Hemodynamic Indices and Oxygen Consumption in Children with Pulmonary Hypertension: A Comparison of Catheterization and Phase-Contrast MRI. <i>Pediatric Cardiology</i> , 2018, 39, 268-274.  | 0.6 | 11        |
| 27965 | Inappropriate sinus tachycardia—symptom and heart rate reduction with ivabradine: A pooled analysis of prospective studies. <i>Heart Rhythm</i> , 2018, 15, 240-247.   | 0.3 | 21        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27966 | Preoperative thoracic false lumen branches are predictors of aortic enlargement after stent grafting for DeBakey IIIb aortic dissection. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 155, 21-29.e3.   | 0.4 | 28        |
| 27967 | Occurrence of cardiac output decrease (via stroke volume) is more pronounced in women than in men during prolonged dry static apnea. <i>Journal of Applied Physiology</i> , 2018, 124, 349-355.   | 1.2 | 8         |
| 27968 | Laboratory and home comparison of wrist-activity monitors and polysomnography in middle-aged adults. <i>Sleep and Biological Rhythms</i> , 2018, 16, 85-97.   | 0.5 | 41        |
| 27969 | Recall Bias in Low Back Pain Among Workers. <i>Spine</i> , 2018, 43, E727-E733.   | 1.0 | 20        |
| 27970 | Heart rate variability estimates ventilatory threshold regardless body mass index in young people. <i>Science and Sports</i> , 2018, 33, 39-46.   | 0.2 | 9         |
| 27971 | Implantation and testing of a novel episcleral pressure transducer: A new approach to telemetric intraocular pressure monitoring. <i>Experimental Eye Research</i> , 2018, 166, 84-90.  | 1.2 | 7         |
| 27972 | A comparison of native and non-urate Total Antioxidant Capacity of fasting plasma and saliva among middle-aged and older subjects. <i>Redox Report</i> , 2018, 23, 57-62.   | 1.4 | 11        |
| 27973 | Use of Cardiac Cycle Locating to Minimize the Influence of Cardiac Artifacts on Esophageal Pressure Measurement During Dynamic Occlusion Test. <i>Respiratory Care</i> , 2018, 63, 169-176.   | 0.8 | 6         |
| 27974 | New equations to estimate resting energy expenditure in obese adults from body composition. <i>Acta Diabetologica</i> , 2018, 55, 59-66.  | 1.2 | 18        |
| 27975 | Influence of the Quantity of Aortic Valve Calcium on the Agreement Between Automated 3-Dimensional Transesophageal Echocardiography and Multidetector Row Computed Tomography for Aortic Annulus Sizing. <i>American Journal of Cardiology</i> , 2018, 121, 86-93.                  | 0.7 | 18        |
| 27976 | Validation of Peripherally Inserted Central Catheter-Derived Fick Cardiac Outputs in Patients with Heart Failure. <i>American Journal of Cardiology</i> , 2018, 121, 50-54.   | 0.7 | 3         |
| 27977 | Automatic determination of aortic compliance based on MRI and adapted curvilinear detector. <i>Biomedical Signal Processing and Control</i> , 2018, 40, 295-311.  | 3.5 | 6         |
| 27978 | Use of N-acetylcysteine plus simethicone to improve mucosal visibility during upper GI endoscopy: a double-blind, randomized controlled trial. <i>Gastrointestinal Endoscopy</i> , 2018, 87, 986-993.   | 0.5 | 46        |
| 27979 | Implantable cardioverter-defibrillator-computed respiratory disturbance index accurately identifies severe sleep apnea: The DASAP-HF study. <i>Heart Rhythm</i> , 2018, 15, 211-217.  | 0.3 | 16        |
| 27980 | Fluctuating asymmetry of the normal facial skeleton. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2018, 47, 534-540.  | 0.7 | 18        |
| 27981 | Cross cultural adaptation and refinement of an English version of a Dutch patient-reported questionnaire for hand sensitivity: The Radboud Evaluation of Sensitivity. <i>Journal of Hand Therapy</i> , 2018, 31, 371-380.   | 0.7 | 3         |
| 27982 | Effects of Contrast Enhancement on In-Body Calibrated Phantomless Bone Mineral Density Measurements in Computed Tomography. <i>Journal of Clinical Densitometry</i> , 2018, 21, 360-366.  | 0.5 | 9         |
| 27983 | Prediction of Therapeutic Effect of Chemotherapy for NSCLC Using Dual-Input Perfusion CT Analysis: Comparison among Bevacizumab Treatment, Two-Agent Platinum-based Therapy without Bevacizumab, and Other Non-Bevacizumab Treatment Groups. <i>Radiology</i> , 2018, 286, 685-695. | 3.6 | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 27984 | Multichannel wearable fNIRS-EEG system for long-term clinical monitoring. <i>Human Brain Mapping</i> , 2018, 39, 7-23.  | 1.9 | 56        |
| 27985 | HPLC Characterization of the Association Mechanism of Organic Compounds with $\beta$ Cyclodextrin Using a Novel Boron Nitride Nanotube Particulate Stationary Phase. <i>Chromatographia</i> , 2018, 81, 239-245.  | 0.7 | 0         |
| 27986 | Short-Term Repeatability of Noninvasive Aortic Pulse Wave Velocity Assessment: Comparison Between Methods and Devices. <i>American Journal of Hypertension</i> , 2018, 31, 80-88.   | 1.0 | 50        |
| 27987 | CORRELATION BETWEEN INNER-RETINAL CHANGES AND OUTER-RETINAL DAMAGE IN PATIENTS WITH IDIOPATHIC EPIRETINAL MEMBRANE. <i>Retina</i> , 2018, 38, 2327-2335.  | 1.0 | 15        |
| 27988 | Estimating medial gastrocnemius muscle volume in children with spastic cerebral palsy: a cross-sectional investigation. <i>Developmental Medicine and Child Neurology</i> , 2018, 60, 81-87.  | 1.1 | 24        |
| 27989 | Comparison of conventional 2D ultrasound to magnetic resonance imaging for prenatal estimation of birthweight in twin pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, 128.e1-128.e11.  | 0.7 | 11        |
| 27990 | Serial changes in the side-branch ostial area after main-vessel stenting with kissing balloon inflation for coronary bifurcation lesions, assessed by 3D optical coherence tomography. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 1117-1125.  | 0.5 | 9         |
| 27991 | Transcranial MRI-guided high-intensity focused ultrasound for treatment of essential tremor: A pilot study on the correlation between lesion size, lesion location, thermal dose, and clinical outcome. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 58-65.   | 1.9 | 43        |
| 27992 | Predictive value of minimal residual disease in Philadelphia-chromosome-positive acute lymphoblastic leukemia treated with imatinib in the European intergroup study of post-induction treatment of Philadelphia-chromosome-positive acute lymphoblastic leukemia, based on immunoglobulin/T-cell receptor and BCR/ABL1 methodologies. <i>Haematologica</i> , 2018, 103, 107-115. | 1.7 | 68        |
| 27993 | The effect of obesity on orofacial pain during early orthodontic treatment with fixed appliances: a prospective cohort study. <i>European Journal of Orthodontics</i> , 2018, 40, 343-349.  | 1.1 | 6         |
| 27994 | An interactive simulation tool for patient-specific clinical decision support in single-ventricle physiology. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 155, 712-721.   | 0.4 | 24        |
| 27995 | Histopathologic Features in Relation to Pretreatment Tumor Growth in Patients with Glioblastoma. <i>World Neurosurgery</i> , 2018, 109, e50-e58.  | 0.7 | 6         |
| 27996 | Variability of Liver Shear Wave Measurements Using a New Ultrasound Elastographic Technique. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 647-656.  | 0.8 | 23        |
| 27997 | Non-invasive blood pressure monitoring with an oscillometric brachial cuff: impact of arrhythmia. <i>Journal of Clinical Monitoring and Computing</i> , 2018, 32, 707-715.  | 0.7 | 14        |
| 27998 | Can Basic Characteristics Estimate Body Composition in Early Infancy?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018, 66, e76-e80.  | 0.9 | 7         |
| 27999 | Validation of a non-contact screening device for the combination of sleep-disordered breathing and periodic limb movements in sleep. <i>Sleep and Breathing</i> , 2018, 22, 131-138.  | 0.9 | 13        |
| 28000 | StimTrack: An open-source software for manual transcranial magnetic stimulation coil positioning. <i>Journal of Neuroscience Methods</i> , 2018, 293, 97-104.   | 1.3 | 6         |
| 28001 | Validity and reliability of Doppler ultrasonography and direct arterial blood pressure measurements in anaesthetized dogs weighing less than 5 kg. <i>Veterinary Anaesthesia and Analgesia</i> , 2018, 45, 135-144.   | 0.3 | 9         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28002 | Validation of calcaneus trabecular microstructure measurements by HR-pQCT. <i>Bone</i> , 2018, 106, 69-77.  | 1.4 | 18        |
| 28003 | Correlation between functional imaging markers derived from diffusion-weighted MRI and 18F-FDG PET/CT in esophageal cancer. <i>Nuclear Medicine Communications</i> , 2018, 39, 60-67.   | 0.5 | 17        |
| 28004 | Automated segmentation of abdominal subcutaneous adipose tissue and visceral adipose tissue in obese adolescent in MRI. <i>Magnetic Resonance Imaging</i> , 2018, 45, 97-104.   | 1.0 | 20        |
| 28005 | Intergenerational environmental effects: functional signals in offspring transcriptomes and metabolomes after parental jasmonic acid treatment in apomictic dandelion. <i>New Phytologist</i> , 2018, 217, 871-882.   | 3.5 | 36        |
| 28006 | The letter knowledge assessment tool. <i>Logopedics Phoniatrics Vocology</i> , 2018, 43, 129-141.   | 0.5 | 3         |
| 28007 | Accelerometer-assessed Physical Activity in Epidemiology. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 257-265.   | 0.2 | 115       |
| 28008 | Resistance characteristics of innovative eco-fitness equipment: a water buoyancy muscular machine. <i>Sports Biomechanics</i> , 2018, 17, 98-116.   | 0.8 | 1         |
| 28009 | Reproducibility of differential renal function measurement using technetium-99m-ethylenedicysteine dynamic renal scintigraphy. <i>Nuclear Medicine Communications</i> , 2018, 39, 10-15.  | 0.5 | 9         |
| 28010 | Transverse technique: complementary approach to measurement of first-trimester uterine artery Doppler. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 639-647.  | 0.9 | 11        |
| 28011 | Innovations and pitfalls in the use of wearable devices in the prevention and rehabilitation of running related injuries. <i>Physical Therapy in Sport</i> , 2018, 29, 26-33.   | 0.8 | 87        |
| 28012 | Validation of the doubly labeled water method using off-axis integrated cavity output spectroscopy and isotope ratio mass spectrometry. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2018, 314, E124-E130.                        | 1.8 | 14        |
| 28013 | Automated respiratory sinus arrhythmia measurement: Demonstration using executive function assessment. <i>Behavior Research Methods</i> , 2018, 50, 1816-1823.  | 2.3 | 7         |
| 28014 | The impact of reference isocentre position on set-up errors in head-and-neck image-guided radiotherapy. <i>Journal of Radiotherapy in Practice</i> , 2018, 17, 104-113.   | 0.2 | 0         |
| 28015 | A wearable sweat rate sensor to monitor the athletes' performance during training. <i>Science and Sports</i> , 2018, 33, e51-e58.   | 0.2 | 30        |
| 28016 | Self-awareness four years after severe traumatic brain injury: discordance between the patients' and relatives' complaints. Results from the Paris-TBI study. <i>Clinical Rehabilitation</i> , 2018, 32, 692-704.   | 1.0 | 26        |
| 28017 | Synoptic operative reporting: assessing the completeness, accuracy, reliability, and efficiency of synoptic reporting for Roux-en-Y gastric bypass. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 1729-1739.                    | 1.3 | 15        |
| 28018 | Test-retest reliability of the Tekscan® F-Scan® 7 in-shoe plantar pressure system during treadmill walking in healthy recreationally active individuals. <i>Sports Biomechanics</i> , 2018, 17, 83-97.  | 0.8 | 28        |
| 28019 | The international normalized ratio (INR): What reagent, what instrument? The assessment of the agreement between INR values according to different reagent/instrument combinations. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2018, 43, 52-58. | 0.7 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28020 | Three-dimensional morphometric analysis of the renal vasculature. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, F715-F725.   | 1.3 | 8         |
| 28021 | Correlation and agreement between Language ENvironment Analysis (lena <sub>2.0</sub> ) and manual transcription for Dutch natural language recordings. <i>Behavior Research Methods</i> , 2018, 50, 1921-1932.   | 2.3 | 33        |
| 28022 | Specific IgE to peanut 2S albumin Ara h 7 has a discriminative ability comparable to Ara h 2 and 6. <i>Clinical and Experimental Allergy</i> , 2018, 48, 60-65.  | 1.4 | 20        |
| 28023 | The Andersen aerobic fitness test: New peak oxygen consumption prediction equations in 10 and 16-year olds. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 862-872.   | 1.3 | 11        |
| 28024 | A Review of Calibration Transfer Practices and Instrument Differences in Spectroscopy. <i>Applied Spectroscopy</i> , 2018, 72, 340-365.  | 1.2 | 124       |
| 28025 | The clinical and radiological results of individualized surgical treatment depending on pathologic abnormalities in recurrent patellar dislocation: low recurrence rate, but unintended patella baja. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2558-2567. | 2.3 | 6         |
| 28026 | Association of a Low-Protein Diet With Slower Progression of CKD. <i>Kidney International Reports</i> , 2018, 3, 105-114.  | 0.4 | 41        |
| 28027 | Changes in the operating characteristics of engine oils: A comparison of the results obtained with the use of two automatic devices. Measurement: Journal of the International Measurement Confederation, 2018, 113, 53-61.  | 2.5 | 13        |
| 28028 | New ultrasonographic screening method for oropharyngeal dysphagia: tissue Doppler imaging. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, G32-G38.  | 1.6 | 12        |
| 28029 | Torso geometry reconstruction and body surface electrode localization using three-dimensional photography. <i>Journal of Electrocardiology</i> , 2018, 51, 60-67.  | 0.4 | 12        |
| 28030 | A new iPhone application for measuring active craniocervical range of motion in patients with non-specific neck pain: a reliability and validity study. <i>Spine Journal</i> , 2018, 18, 447-457.  | 0.6 | 39        |
| 28031 | Photoacoustic Imaging for Noninvasive Periodontal Probing Depth Measurements. <i>Journal of Dental Research</i> , 2018, 97, 23-30.   | 2.5 | 37        |
| 28032 | Reliability of Entire Corneal Thickness Mapping in Normal Post-Laser in situ Keratomileusis and Keratoconus Eyes Using Long Scan Depth Spectral Domain Optical Coherence Tomography. <i>Ophthalmic Research</i> , 2018, 59, 115-125.   | 1.0 | 4         |
| 28033 | Classification of Uterine Anomalies by 3-Dimensional Ultrasonography Using ESHRE/ESGE Criteria: Interobserver Variability. <i>Reproductive Sciences</i> , 2018, 25, 740-747.   | 1.1 | 9         |
| 28034 | Low total psoas area as scored in the clinic setting independently predicts midterm mortality after endovascular aneurysm repair in male patients. <i>Journal of Vascular Surgery</i> , 2018, 67, 460-467.   | 0.6 | 49        |
| 28035 | Factors which influence concordance among measurements obtained by different pulse oximeters currently used in some clinical situations. <i>Journal of Clinical Nursing</i> , 2018, 27, 677-683.   | 1.4 | 0         |
| 28036 | Clinical value of ambulatory blood pressure in pediatric patients after renal transplantation. <i>Pediatric Nephrology</i> , 2018, 33, 1327-1336.  | 0.9 | 10        |
| 28037 | Impact of processing methods on urinary biomarkers analysis in neonates. <i>Pediatric Nephrology</i> , 2018, 33, 181-186.  | 0.9 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28038 | Interobserver agreement and image quality of functional cardiac ultrasound measures used in a randomised trial of delayed cord clamping in preterm infants. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2018, 103, F257-F263.       | 1.4 | 16        |
| 28039 | Measurement of the normal feline pituitary gland in brachycephalic and mesocephalic cats. Journal of Feline Medicine and Surgery, 2018, 20, 578-586.  | 0.6 | 9         |
| 28040 | Comparing two measurement systems using the probability of agreement web app. Quality Engineering, 2018, 30, 525-533.   | 0.7 | 1         |
| 28041 | Comparison of two home sleep testing devices with different strategies for diagnosis of OSA. Sleep and Breathing, 2018, 22, 139-147.  | 0.9 | 10        |
| 28042 | Neonate auditory brainstem response repeatability with controlled force gauge bone-conducted stimulus delivery. International Journal of Audiology, 2018, 57, 76-80.  | 0.9 | 3         |
| 28043 | Real-time human respiration carbon dioxide measurement device for cardiorespiratory assessment. Journal of Breath Research, 2018, 12, 026003.   | 1.5 | 40        |
| 28044 | Photon-Counting Computed Tomography for Vascular Imaging of the Head and Neck. Investigative Radiology, 2018, 53, 135-142.  | 3.5 | 122       |
| 28045 | Reliability and validity of a new accelerometer (WimuÂ®) system for measuring velocity during resistance exercises. Proceedings of the Institution of Mechanical Engineers, Part P: Journal of Sports Engineering and Technology, 2018, 232, 218-224. | 0.4 | 8         |
| 28046 | Accuracy Evaluation of a New System for Self-Monitoring of Blood Glucose With Three Test Strip Lots Based on ISO 15197:2013. Journal of Diabetes Science and Technology, 2018, 12, 539-540.   | 1.3 | 3         |
| 28047 | Cerebrovascular reactivity measurement in cerebral small vessel disease: Rationale and reproducibility of a protocol for MRI acquisition and image processing. International Journal of Stroke, 2018, 13, 195-206.                                    | 2.9 | 47        |
| 28048 | Assessment of automatic segmentation of teeth using a watershed-based method. Dentomaxillofacial Radiology, 2018, 47, 20170220.   | 1.3 | 26        |
| 28049 | SCIM III (Spinal Cord Independence Measure version III): reliability of assessment by interview and comparison with assessment by observation. Spinal Cord, 2018, 56, 46-51.  | 0.9 | 53        |
| 28050 | K-band Doppler radar for contact-less overnight sleep marker assessment: a pilot validation study. Journal of Clinical Monitoring and Computing, 2018, 32, 729-740.   | 0.7 | 9         |
| 28051 | Left Ventricular Long-Axis Function Assessed with Cardiac Cine MR Imaging Is an Independent Predictor of All-Cause Mortality in Patients with Reduced Ejection Fraction: A Multicenter Study. Radiology, 2018, 286, 452-460.                          | 3.6 | 23        |
| 28052 | Quantification and Determination of Normal <sup>123</sup> I-Meta Iodobenzylguanidine Heart-to-Mediastinum Ratio (HMR) from Cardiac SPECT/CT and Correlation with Planar HMR. Journal of Nuclear Medicine, 2018, 59, 652-658.                          | 2.8 | 5         |
| 28053 | Reliability and criterion validity of measurements using a smart phone-based measurement tool for the transverse rotation angle of the pelvis during single-leg lifting. Physiotherapy Theory and Practice, 2018, 34, 58-65.                          | 0.6 | 9         |
| 28054 | Physical function metric over measure: An illustration with the Patient-Reported Outcomes Measurement Information System (PROMIS) and the Functional Assessment of Cancer Therapy (FACT). Cancer, 2018, 124, 153-160.                                 | 2.0 | 30        |
| 28055 | An investigation of the use of the Kinect system as a measure of dynamic balance and forward reach in the elderly. Clinical Rehabilitation, 2018, 32, 473-482.  | 1.0 | 16        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28056 | Differences Between Sleep Logs and Actigraphy Combined With Electroencephalography in Adults With Sleep Disturbances. <i>Biological Research for Nursing</i> , 2018, 20, 77-83.   | 1.0 | 2         |
| 28057 | An illness-specific version of the Revised Illness Perception Questionnaire in patients with atrial fibrillation (AF IPQ-R): Unpacking beliefs about treatment control, personal control and symptom triggers. <i>Psychology and Health</i> , 2018, 33, 499-517.  | 1.2 | 14        |
| 28058 | The Polish version of the Michigan Hand Outcomes Questionnaire: Cross-cultural adaptation, reliability, construct validity, and measurement error. <i>Journal of Hand Surgery: European Volume</i> , 2018, 43, 199-208.   | 0.5 | 11        |
| 28059 | Validation of salivary oxytocin and vasopressin as biomarkers in domestic dogs. <i>Journal of Neuroscience Methods</i> , 2018, 293, 67-76.  | 1.3 | 83        |
| 28060 | A Comparison of EQ-5D-3L Index Scores Using Malaysian, Singaporean, Thai, and UK Value Sets in Indonesian Cervical Cancer Patients. <i>Value in Health Regional Issues</i> , 2018, 15, 50-55.   | 0.5 | 12        |
| 28061 | Five-minute knee MRI for simultaneous morphometry and T <sub>2</sub> relaxometry of cartilage and meniscus and for semiquantitative radiological assessment using double-echo in steady-state at 3T. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 1328-1341.                                  | 1.9 | 41        |
| 28062 | Which Criteria Applied in Multi-Phasic CT Can Predict Early Tumor Response in Patients with Hepatocellular Carcinoma Treated Using Conventional TACE: RECIST, mRECIST, EASL or qEASL?. <i>CardioVascular and Interventional Radiology</i> , 2018, 41, 433-442.  | 0.9 | 19        |
| 28063 | A 3-Dimensional Approach for Analysis in Orthognathic Surgery—Using Free Software for Voxel-Based Alignment and Semiautomatic Measurement. <i>Journal of Oral and Maxillofacial Surgery</i> , 2018, 76, 1316-1326.  | 0.5 | 30        |
| 28064 | RCAT reflects symptom control and quality of life in allergic rhinoconjunctivitis patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 1101-1109.  | 2.7 | 10        |
| 28065 | Optimization and validation of automated hippocampal subfield segmentation across the lifespan. <i>Human Brain Mapping</i> , 2018, 39, 916-931.   | 1.9 | 36        |
| 28066 | Characterization of <sup>90</sup> Y- <sup>90</sup> Yb-SPECT/CT self-calibration approaches on the quantification of voxel-level absorbed doses following <sup>90</sup> Y-microsphere selective internal radiation therapy. <i>Medical Physics</i> , 2018, 45, 875-883.                                    | 1.6 | 15        |
| 28067 | Lower-limb lengths and angles in children older than six years: Reliability and reference values by EOS <sup>®</sup> stereoradiography. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2018, 104, 389-395.  | 0.9 | 13        |
| 28068 | Walk this way: validity evidence of iphone health application step count in laboratory and free-living conditions. <i>Journal of Sports Sciences</i> , 2018, 36, 1695-1704.   | 1.0 | 63        |
| 28069 | Centile Curves for Velocity-Time Integral Times Heart Rate as a Function of Ventricular Length: The Use of Minute Distance Is Advantageous to Enhance Clinical Reliability in Children. <i>Journal of the American Society of Echocardiography</i> , 2018, 31, 105-112.e2.                                | 1.2 | 6         |
| 28070 | Doppler ultrasound triggering for cardiac MRI at 7T. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 239-247.   | 1.9 | 9         |
| 28071 | Accuracy and reliability of a subcutaneous continuous glucose monitoring device in critically ill patients. <i>Journal of Clinical Monitoring and Computing</i> , 2018, 32, 953-964.  | 0.7 | 18        |
| 28072 | A simple, rapid and stability indicating validated method for quantification of lamotrigine in human plasma and dry plasma spot using LC-ESI-MS/MS: Application in clinical study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1072, 362-369. | 1.2 | 20        |
| 28073 | A prospective cohort study assessing the appearance of retrieved aesthetic orthodontic archwires. <i>Orthodontics and Craniofacial Research</i> , 2018, 21, 27-32.  | 1.2 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28074 | Intensity ratio to improve black hole assessment in multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2018, 19, 140-147.   | 0.9 | 11        |
| 28075 | Waist circumference at five common measurement sites in normal weight and overweight adults: which site is most optimal?. <i>Clinical Obesity</i> , 2018, 8, 21-29.  | 1.1 | 24        |
| 28076 | Technical note: Validation of the BHBCheck blood $\beta$ -hydroxybutyrate meter as a diagnostic tool for hyperketonemia in dairy cows. <i>Journal of Dairy Science</i> , 2018, 101, 1524-1529.                             | 1.4 | 26        |
| 28077 | Validation of a method for estimating energy expenditure during walking in middle-aged adults. <i>European Journal of Applied Physiology</i> , 2018, 118, 381-388.   | 1.2 | 4         |
| 28078 | Fully automated contour detection of the ascending aorta in cardiac 2D phase-contrast MRI. <i>Magnetic Resonance Imaging</i> , 2018, 47, 77-82.  | 1.0 | 5         |
| 28079 | Comparison of forward- and back-projection <i>in vivo</i> EPID dosimetry for VMAT treatment of the prostate. <i>Physics in Medicine and Biology</i> , 2018, 63, 025008.  | 1.6 | 33        |
| 28080 | Sleeve gastrectomy surgery: when 2 alcoholic drinks are converted to 4. <i>Surgery for Obesity and Related Diseases</i> , 2018, 14, 277-283.   | 1.0 | 59        |
| 28081 | A validation study of Fitbit Charge 2 <sup>®</sup> compared with polysomnography in adults. <i>Chronobiology International</i> , 2018, 35, 465-476.  | 0.9 | 284       |
| 28082 | Multibody Kinematics Optimization for the Estimation of Upper and Lower Limb Human Joint Kinematics: A Systematized Methodological Review. <i>Journal of Biomechanical Engineering</i> , 2018, 140, .                      | 0.6 | 56        |
| 28083 | Comparison of Xenon-Enhanced Area-Detector CT and Krypton Ventilation SPECT/CT for Assessment of Pulmonary Functional Loss and Disease Severity in Smokers. <i>American Journal of Roentgenology</i> , 2018, 210, W45-W53. | 1.0 | 9         |
| 28084 | Normal magnetic resonance appearances of the temporomandibular joints in children and young adults aged 2-18 years. <i>Pediatric Radiology</i> , 2018, 48, 341-349.  | 1.1 | 11        |
| 28085 | Risk factors and the associated cutoff values for failure of corticosteroid injection in treatment of Morton's neuroma. <i>International Orthopaedics</i> , 2018, 42, 323-329.   | 0.9 | 16        |
| 28086 | Dual-Sensitivity Multiple Sclerosis Lesion and CSF Segmentation for Multichannel 3T Brain MRI. <i>Journal of Neuroimaging</i> , 2018, 28, 36-47.   | 1.0 | 35        |
| 28087 | Error Grid Analysis for Arterial Pressure Method Comparison Studies. <i>Anesthesia and Analgesia</i> , 2018, 126, 1177-1185.   | 1.1 | 46        |
| 28088 | Application of Bayesian analysis to the doubly labelled water method for total energy expenditure in humans. <i>Rapid Communications in Mass Spectrometry</i> , 2018, 32, 23-32.   | 0.7 | 2         |
| 28089 | Comparison of blood pressure monitoring by applanation tonometry and invasively assessed blood pressure in cardiological patients. <i>Journal of Clinical Monitoring and Computing</i> , 2018, 32, 817-823.                | 0.7 | 13        |
| 28090 | Gait Speed. <i>Chest</i> , 2018, 153, 1101-1105.   | 0.4 | 1         |
| 28091 | MRI-based Assessment of 3D Intrafractional Motion of Head and Neck Cancer for Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 100, 306-316.                                  | 0.4 | 28        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28092 | TRANSIT: a GIS toolbox for estimating the duration of ancient sail-powered navigation. <i>Cartography and Geographic Information Science</i> , 2018, 45, 510-528.   | 1.4 | 14        |
| 28093 | Performance evaluation of the microINR <sup>®</sup> point-of-care INR-testing system. <i>International Journal of Laboratory Hematology</i> , 2018, 40, 115-122.  | 0.7 | 4         |
| 28094 | Computer-Aided Stroke-by-Stroke Visualization of Actual and Target Power Allows for Continuously Increasing Ramp Tests on Wind-Braked Rowing Ergometers. <i>International Journal of Sports Physiology and Performance</i> , 2018, 13, 729-734. | 1.1 | 12        |
| 28095 | Evaluating refraction and visual acuity with the Nidek autorefractometer AR <sup>®</sup> 360A in a randomized population-based screening study. <i>Acta Ophthalmologica</i> , 2018, 96, 384-389.  | 0.6 | 7         |
| 28096 | A multicentre verification study of the QuantiFERON <sup>®</sup> -TB Gold Plus assay. <i>Tuberculosis</i> , 2018, 108, 136-142.   | 0.8 | 47        |
| 28097 | X-ray angiography perfusion imaging with an intra-arterial injection: comparative study with 15O-gas/water positron emission tomography. <i>Journal of NeuroInterventional Surgery</i> , 2018, 10, 780-783.                                     | 2.0 | 5         |
| 28098 | A comparison of tumour size measurements with palpation, ultrasound and mammography in male breast cancer: first results of the prospective register study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 381-387.       | 1.2 | 5         |
| 28099 | Detecting sulfamethoxazole and carbamazepine in groundwater: Is ELISA a reliable screening tool?. <i>Environmental Pollution</i> , 2018, 234, 420-428.  | 3.7 | 19        |
| 28100 | HDL Particle Measurement: Comparison of 5 Methods. <i>Clinical Chemistry</i> , 2018, 64, 492-500.   | 1.5 | 16        |
| 28101 | Impact of incomplete ventricular coverage on diagnostic performance of myocardial perfusion imaging. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 661-669.  | 0.7 | 6         |
| 28102 | MRI Cartilage Assessment of the Subtalar and Midtarsal Joints During a Transcontinental Ultramarathon – New Insights into Human Locomotion. <i>International Journal of Sports Medicine</i> , 2018, 39, 37-49.                                  | 0.8 | 13        |
| 28103 | Good inter- and intraobserver reliability for assessment of the slip angle in 77 hip radiographs of children with a slipped capital femoral epiphysis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 217-221.   | 1.2 | 7         |
| 28104 | Accuracy of Smartphone-Based Pulse Oximetry Compared with Hospital-Grade Pulse Oximetry in Healthy Children. <i>Telemedicine Journal and E-Health</i> , 2018, 24, 527-535.  | 1.6 | 38        |
| 28105 | Multicenter Evaluation of a New Electrochemiluminescence Immunoassay for Everolimus Concentrations in Whole Blood. <i>Therapeutic Drug Monitoring</i> , 2018, 40, 59-68.  | 1.0 | 7         |
| 28106 | Ultra-High Performance Liquid Chromatography Tandem Mass Spectrometry for Cyclosporine Analysis in Human Whole Blood and Comparison With an Antibody-Conjugated Magnetic Immunoassay. <i>Therapeutic Drug Monitoring</i> , 2018, 40, 69-75.     | 1.0 | 7         |
| 28107 | Does mean arterial blood pressure scale with body mass in mammals? Effects of measurement of blood pressure. <i>Acta Physiologica</i> , 2018, 222, e13010.  | 1.8 | 17        |
| 28108 | Comparison of two blood sampling techniques for the determination of coagulation parameters in the horse: Jugular venipuncture and indwelling intravenous catheter. <i>Equine Veterinary Journal</i> , 2018, 50, 333-338.                       | 0.9 | 5         |
| 28109 | Prior automatic posture and activity identification improves physical activity energy expenditure prediction from hip-worn triaxial accelerometry. <i>Journal of Applied Physiology</i> , 2018, 124, 780-790.                                   | 1.2 | 12        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28110 | Critical Velocity Determined by a Non-Exhaustive Method in Subjects With COPD. <i>Respiratory Care</i> , 2018, 63, 319-325.  | 0.8 | 1         |
| 28111 | Measuring the heterophoria: Agreement between two methods in non-presbyopic and presbyopic patients. <i>Journal of Optometry</i> , 2018, 11, 153-159.  | 0.7 | 15        |
| 28112 | Beat-by-Beat Estimation of the Left Ventricular Pressureâ€œVolume Loop Under Clinical Conditions. <i>Annals of Biomedical Engineering</i> , 2018, 46, 171-185.   | 1.3 | 5         |
| 28113 | Agreement between Perometry and Sequential Arm Circumference Measurements in Objective Determination of Arm Volume. <i>Journal of Reconstructive Microsurgery</i> , 2018, 34, 029-034.   | 1.0 | 15        |
| 28114 | Differences in blood pressure by measurement technique in neurocritically ill patients: A technological assessment. <i>Journal of Clinical Neuroscience</i> , 2018, 47, 97-102.  | 0.8 | 6         |
| 28115 | Comparison of semi-automated center-dot and fully automated endothelial cell analyses from specular microscopy images. <i>International Ophthalmology</i> , 2018, 38, 2495-2507.   | 0.6 | 5         |
| 28116 | Dual time-point quantitative SPECT-CT parathyroid imaging using a single computed tomography. <i>Nuclear Medicine Communications</i> , 2018, 39, 3-9.  | 0.5 | 6         |
| 28117 | Psychometric testing of the Familyâ€œCarer Diabetes Management Selfâ€œEfficacy Scale. <i>Health and Social Care in the Community</i> , 2018, 26, 214-223.  | 0.7 | 5         |
| 28118 | Value of the Routine Assessment of Patient Index Data 3 in Patients With Psoriatic Arthritis: Results From a Tightâ€œControl Clinical Trial and an Observational Cohort. <i>Arthritis Care and Research</i> , 2018, 70, 1198-1205. | 1.5 | 29        |
| 28119 | Validation of the manual inclinometer and flexicurve for the measurement of thoracic kyphosis. <i>Physiotherapy Theory and Practice</i> , 2018, 34, 301-308.   | 0.6 | 26        |
| 28120 | Differences in salivary secretory function between patients with erosive esophagitis and those with nonerosive reflux disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 807-813.                  | 1.4 | 4         |
| 28121 | Reproducibility of the Pleth Variability Index in premature infants. <i>Journal of Clinical Monitoring and Computing</i> , 2018, 32, 457-464.  | 0.7 | 6         |
| 28122 | Factors determining workers' pace while conducting continuous sequential lifting, carrying, and lowering tasks. <i>Applied Ergonomics</i> , 2018, 67, 61-70.   | 1.7 | 20        |
| 28123 | Reliability and validity of the Youth Leisure-time Sedentary Behavior Questionnaire (YLSBQ). <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 69-74.  | 0.6 | 44        |
| 28124 | Infrarenal aortic diameter, aortoiliac bifurcation level and lumbar disc degenerative changes: a cross-sectional MR study. <i>European Spine Journal</i> , 2018, 27, 1096-1104.  | 1.0 | 5         |
| 28125 | Test-Retest Reliability and Interpretation of Common Concussion Assessment Tools: Findings from the NCAA-DoD CARE Consortium. <i>Sports Medicine</i> , 2018, 48, 1255-1268.  | 3.1 | 140       |
| 28126 | Short clinical examination for temporomandibular symptoms in general practice. <i>Acta Odontologica Scandinavica</i> , 2018, 76, 183-187.  | 0.9 | 1         |
| 28127 | Validation of the Psoriatic Arthritis Impact of Disease (PsAID) Questionnaire and its potential as a single-item outcome measure in clinical practice. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 343-347.                | 0.5 | 38        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28128 | Mechanism of accommodation assessed by change in precisely registered ocular images associated with concurrent change in auto-refraction. Graefe's Archive for Clinical and Experimental Ophthalmology, 2018, 256, 395-402.   | 1.0 | 6         |
| 28129 | Non-destructive measurement of soybean leaf thickness via X-ray computed tomography allows the study of diel leaf growth rhythms in the third dimension. Journal of Plant Research, 2018, 131, 111-124.   | 1.2 | 9         |
| 28130 | Repeatability and Meaningful Change of CPET Parameters in Healthy Subjects. Medicine and Science in Sports and Exercise, 2018, 50, 589-595.   | 0.2 | 18        |
| 28131 | Development and validation of new predictive equation for resting energy expenditure in adults with overweight and obesity. Clinical Nutrition, 2018, 37, 2198-2205.  | 2.3 | 13        |
| 28132 | Imaging the Tear Film: A Comparison Between the Subjective Keeler Tearscope-Plus <sup>®</sup> and the Objective Oculus <sup>®</sup> Keratograph 5M and LipiView <sup>®</sup> Interferometer. Current Eye Research, 2018, 43, 155-162.   | 0.7 | 70        |
| 28133 | Reliability, validity and minimal detectable change of computerized respiratory sounds in patients with chronic obstructive pulmonary disease. Clinical Respiratory Journal, 2018, 12, 1838-1848.   | 0.6 | 5         |
| 28134 | Development and electronic validation of the revised Cystic Fibrosis Questionnaire (CFQ-R) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 502 Tc  | 0.3 | 18        |
| 28135 | Therapeutic Drug Monitoring of Busulfan for the Management of Pediatric Patients: Cross-Validation of Methods and Long-Term Performance. Therapeutic Drug Monitoring, 2018, 40, 84-92.  | 1.0 | 22        |
| 28136 | Extracellular volume with bolus <sup>®</sup> only technique in amyloidosis patients: Diagnostic accuracy, correlation with other clinical cardiac measures, and ability to track changes in amyloid load over time. Journal of Magnetic Resonance Imaging, 2018, 47, 1677-1684. | 1.9 | 7         |
| 28137 | Assessment of Tricuspid Annular Motion by Speckle Tracking in Anesthetized Patients Using Transesophageal Echocardiography. Anesthesia and Analgesia, 2018, 126, 62-67.   | 1.1 | 17        |
| 28138 | Primary tumor volume measurements in Ewing sarcoma: MRI inter- and intraobserver variability and comparison with FDG-PET. Acta Oncol <sup>3</sup> gica, 2018, 57, 534-540.  | 0.8 | 5         |
| 28139 | Low-dose CT detects more progression of bone formation in comparison to conventional radiography in patients with ankylosing spondylitis: results from the SIAS cohort. Annals of the Rheumatic Diseases, 2018, 77, 293-299.  | 0.5 | 71        |
| 28140 | Reliability of the knee muscle co-contraction index during gait in young adults with and without knee injury history. Journal of Electromyography and Kinesiology, 2018, 38, 17-27.   | 0.7 | 11        |
| 28141 | External validation and comparison of formulae estimating 24-h sodium intake from a fasting morning urine sample. Journal of Hypertension, 2018, 36, 785-792.   | 0.3 | 11        |
| 28142 | Two-dimensional speckle-tracking global longitudinal strain in high-sensitivity troponin-negative low-risk patients with unstable angina: a <sup>®</sup> resting ischemia test <sup>®</sup> . International Journal of Cardiovascular Imaging, 2018, 34, 561-568.               | 0.7 | 12        |
| 28143 | Study of the disparity of noninvasive and invasive blood pressure measured by the Philips Intellivue MP50 monitor in surgeries inducing gall cardiac reflex under general anesthesia. Blood Pressure Monitoring, 2018, 23, 19-23.   | 0.4 | 0         |
| 28144 | The hypoxic test in preterm neonates reinvestigated. Pediatric Pulmonology, 2018, 53, 483-491.  | 1.0 | 2         |
| 28145 | The Simultaneous measurement of serum testosterone and 5 <sup>1±</sup> -dihydrotestosterone by gas chromatography <sup>®</sup> mass spectrometry (GC <sup>®</sup> MS). Clinica Chimica Acta, 2018, 476, 15-24.  | 0.5 | 12        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28146 | Methodological considerations and future insights for 24-hour dietary recall assessment in children. <i>Nutrition Research</i> , 2018, 51, 1-11.   | 1.3 | 101       |
| 28147 | Can in Vivo Medial Gastrocnemius Muscleâ€™Tendon Unit Lengths be Reliably Estimated by Two Ultrasonography Methods? A Within-Session Analysis. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 110-118.  | 0.7 | 13        |
| 28148 | Cuff-less blood pressure measurement from dual-channel photoplethysmographic signals via peripheral pulse transit time with singular spectrum analysis. <i>Physiological Measurement</i> , 2018, 39, 025010.   | 1.2 | 27        |
| 28149 | Aging of the venous valves as a new risk factor for venous thrombosis in the elderly: the BATAVIA study. <i>Journal of Thrombosis and Haemostasis</i> , 2018, 16, 96-103.  | 1.9 | 6         |
| 28150 | A Primer on the Use of Equivalence Testing for Evaluating Measurement Agreement. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 837-845.   | 0.2 | 150       |
| 28151 | Conventional and synthetic MRI in multiple sclerosis: a comparative study. <i>European Radiology</i> , 2018, 28, 1692-1700.  | 2.3 | 27        |
| 28152 | Heart Rate Variability During Exercise: A Comparison of Artefact Correction Methods. <i>Journal of Strength and Conditioning Research</i> , 2018, 32, 726-735.   | 1.0 | 33        |
| 28153 | The Stability of Type D Personality in Dialysis Patients. <i>International Journal of Behavioral Medicine</i> , 2018, 25, 85-92.   | 0.8 | 13        |
| 28154 | The validity, reliability, and responsiveness of the modified IOWA Level of Assistance scale in hospitalized older adults in subacute care. <i>Disability and Rehabilitation</i> , 2018, 40, 2931-2937.  | 0.9 | 8         |
| 28155 | Variable-Volume Kinetic Model to Estimate Absolute Blood Volume in Patients on Dialysis Using Dialysate Dilution. <i>ASAIO Journal</i> , 2018, 64, 77-85.  | 0.9 | 10        |
| 28156 | Interpretation of Brain CT Scans in the Field by Critical Care Physicians in a Mobile Stroke Unit. <i>Journal of Neuroimaging</i> , 2018, 28, 106-111.   | 1.0 | 22        |
| 28157 | Performance of a fast and high-resolution multi-echo spin-echo sequence for prostate T <sub>2</sub> mapping across multiple systems. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 1586-1594.  | 1.9 | 24        |
| 28158 | Measurement Properties of the Modified Spinal Function Sort (M-SFS): Is It Reliable and Valid in Workers with Chronic Musculoskeletal Pain?. <i>Journal of Occupational Rehabilitation</i> , 2018, 28, 322-331.  | 1.2 | 11        |
| 28159 | Non-contact measurement of heart response reflected in human eye. <i>International Journal of Psychophysiology</i> , 2018, 123, 179-198.   | 0.5 | 18        |
| 28160 | Reliability and validity of the Meaningfulness of Songwriting Scale with university students taking a popular songwriting class. <i>Arts and Health</i> , 2018, 10, 17-28.   | 0.6 | 3         |
| 28161 | Point-of-care measurement of fetal blood lactate â€™ Time to trust a new device. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2018, 58, 72-78.  | 0.4 | 11        |
| 28162 | Development, validation and reproducibility of a food frequency questionnaire to measure flavonoid intake in older Australian adults. <i>Nutrition and Dietetics</i> , 2018, 75, 106-116.  | 0.9 | 11        |
| 28163 | Accuracy of octapolar bioelectrical impedance analysis for the assessment of total and appendicular body composition in children and adolescents with HIV: comparison with dual energy X-ray absorptiometry and air displacement plethysmography. <i>Journal of Human Nutrition and Dietetics</i> , 2018, 31, 276-285. | 1.3 | 17        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28164 | Validation of an Inertial Sensor System for Physical Therapists to Quantify Movement Coordination During Functional Tasks. <i>Journal of Applied Biomechanics</i> , 2018, 34, 23-30.   | 0.3 | 14        |
| 28165 | Cloud Computing-Based Non-Invasive Glucose Monitoring for Diabetic Care. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2018, 65, 663-676.   | 3.5 | 33        |
| 28166 | Feasibility of peripheral nerve MR neurography using diffusion tensor imaging adapted to skeletal muscle disease. <i>Acta Radiologica</i> , 2018, 59, 560-568.   | 0.5 | 7         |
| 28167 | Validity, Reliability, and Inertia of Four Different Temperature Capsule Systems. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 169-175.  | 0.2 | 71        |
| 28168 | A COMPARATIVE STUDY OF ORGAN DOSES ASSESSMENT FOR PATIENTS UNDERGOING CONVENTIONAL X-RAY EXAMINATIONS: PHANTOM EXPERIMENTS VS. CALCULATIONS. <i>Radiation Protection Dosimetry</i> , 2018, 178, 223-234.   | 0.4 | 14        |
| 28169 | Comparing optical coherence tomography radial and cube scan patterns for measuring Bruch's membrane opening minimum rim width (BMO-MRW) in glaucoma and healthy eyes: cross-sectional and longitudinal analysis. <i>British Journal of Ophthalmology</i> , 2018, 102, 344-351. | 2.1 | 6         |
| 28170 | Comparison of MRI and colonoscopy in determining tumor height in rectal cancer. <i>United European Gastroenterology Journal</i> , 2018, 6, 131-137.  | 1.6 | 11        |
| 28171 | Intraobserver and Interobserver Measurement Variability of the Rib-Vertebral Angle Difference. <i>Journal of Pediatric Orthopaedics</i> , 2018, 38, 455-458.   | 0.6 | 4         |
| 28172 | Comparison of Optical Low Coherence Reflectometry Versus Ultrasonic Biometry in High Hypermetropia. <i>Eye and Contact Lens</i> , 2018, 44, S115-S117.   | 0.8 | 0         |
| 28173 | Spatial distribution of flow and oxygenation in the cerebral venous drainage system. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 1091-1098.   | 1.9 | 18        |
| 28174 | Prognostic value and molecular correlates of a CT image-based quantitative pleural contact index in early stage NSCLC. <i>European Radiology</i> , 2018, 28, 736-746.  | 2.3 | 17        |
| 28175 | Measurement properties of the WheelCon for powered wheelchair users. <i>Disability and Rehabilitation: Assistive Technology</i> , 2018, 13, 614-619.   | 1.3 | 10        |
| 28176 | Comparison of intravoxel incoherent motion diffusion-weighted imaging between turbo spin-echo and echo-planar imaging of the head and neck. <i>European Radiology</i> , 2018, 28, 316-324.   | 2.3 | 29        |
| 28177 | How accurate is an LCD screen version of the Pelli-Robson test?. <i>International Ophthalmology</i> , 2018, 38, 1473-1484.   | 0.6 | 7         |
| 28178 | A Reliable and Valid Assessment of Sustained Attention for Patients With Schizophrenia: The Computerized Digit Vigilance Test. <i>Archives of Clinical Neuropsychology</i> , 2018, 33, 227-237.  | 0.3 | 5         |
| 28179 | Reliability of resting metabolic rate measurements in young adults: Impact of methods for data analysis. <i>Clinical Nutrition</i> , 2018, 37, 1618-1624.  | 2.3 | 51        |
| 28180 | Chronic Urticaria Patient Perspective (CUPP): The First Validated Tool for Assessing Quality of Life in Clinical Practice. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018, 6, 208-218.  | 2.0 | 13        |
| 28181 | Influence of Velotron chaining size on Wingate anaerobic test. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 202-206.  | 0.6 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28182 | Transcultural adaptation and validation of Hindi version of Quebec Back Pain Disability Scale. <i>Disability and Rehabilitation</i> , 2018, 40, 2938-2945.   | 0.9 | 4         |
| 28183 | Comparison of stroke volume measurements during hemodialysis using bioimpedance cardiography and echocardiography. <i>Hemodialysis International</i> , 2018, 22, 201-208.  | 0.4 | 16        |
| 28184 | Relation of oxygen uptake to work rate in prepubertal healthy children – reference for $\dot{V}O_2$ slope and effect on cardiorespiratory fitness assessment. <i>Clinical Physiology and Functional Imaging</i> , 2018, 38, 645-651.   | 0.5 | 1         |
| 28185 | Low validity of predictive equations for calculating resting energy expenditure in overweight and obese women with polycystic ovary syndrome. <i>Journal of Human Nutrition and Dietetics</i> , 2018, 31, 266-275.                     | 1.3 | 5         |
| 28186 | Assessment of hindfoot alignment using MRI and standing hindfoot alignment radiographs (Saltzman) Tj ETQq0 0 0 rgBT /Overlock 10 T   | 1.2 | 13        |
| 28187 | Reliability of translation of the RAND 36-item health survey in a post-rehabilitation population. <i>International Journal of Rehabilitation Research</i> , 2018, 41, 128-137.   | 0.7 | 11        |
| 28188 | Semiautomated Spike Detection Software Persyst 13 Is Noninferior to Human Readers When Calculating the Spike-Wave Index in Electrical Status Epilepticus in Sleep. <i>Journal of Clinical Neurophysiology</i> , 2018, 35, 370-374.     | 0.9 | 22        |
| 28189 | Test-retest Variability of a Standardized Low Vision Lighting Assessment. <i>Optometry and Vision Science</i> , 2018, 95, 852-858.   | 0.6 | 12        |
| 28190 | iPhone-based Pupillometry: A Novel Approach for Assessing the Pupillary Light Reflex. <i>Optometry and Vision Science</i> , 2018, 95, 953-958.   | 0.6 | 35        |
| 28191 | High Resolution and High Precision Analysis of Barbiturates and a Metabolite in Human Body Fluids Using a Monolithic Spin Tip and UPLC-Q-ToF-MS. <i>The Showa University Journal of Medical Sciences</i> , 2018, 30, 175-187.          | 0.1 | 1         |
| 28192 | 3.0T Contrast-enhanced whole-heart coronary magnetic resonance angiography for simultaneous coronary artery angiography and myocardial viability in chronic myocardial infarction. <i>Medicine (United States)</i> , 2018, 97, e13138. | 0.4 | 2         |
| 28193 | In Data We Trust? Comparison of Electronic Versus Manual Abstraction of Antimicrobial Prescribing Quality Metrics for Hospitalized Veterans With Pneumonia. <i>Medical Care</i> , 2018, 56, 626-633.                                   | 1.1 | 11        |
| 28194 | Reliability and concurrent validity of the iPhone <sup>®</sup> Compass application to measure thoracic rotation range of motion (ROM) in healthy participants. <i>PeerJ</i> , 2018, 6, e4431.  | 0.9 | 34        |
| 28195 | Influence of external peer reviewer scores for funding applications on funding board decisions: a retrospective analysis of 1561 reviews. <i>BMJ Open</i> , 2018, 8, e022547.  | 0.8 | 5         |
| 28196 | Chronic Hepatitis C Patients with Obesity: Do We Need Two Operators for Accurate Evaluation of Liver Stiffness?. <i>Annals of Hepatology</i> , 2018, 17, 795-801.  | 0.6 | 9         |
| 28197 | Agreement between body mass index and the sum of skinfolds in adolescents with different levels of physical activity. <i>Human Movement</i> , 2018, 19, 11-17.   | 0.5 | 4         |
| 28198 | Clinical Evaluation of a Polish Translation and Cross-Cultural Adaptation of the Nasal Obstruction Symptom Evaluation (NOSE) Scale. <i>Medical Science Monitor</i> , 2018, 24, 7958-7964.  | 0.5 | 7         |
| 28199 | Comparison of Color Light-Emitting Diode Corneal Topographer and Dual Rotating Scheimpflug <sup>®</sup> Placido Topographer. <i>Journal of Ophthalmology</i> , 2018, 2018, 1-7.  | 0.6 | 6         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28200 | A Two Centre Observational Study of Simultaneous Pulse Oximetry and Arterial Oxygen Saturation Recordings in Intensive Care Unit Patients. <i>Anaesthesia and Intensive Care</i> , 2018, 46, 297-303.   | 0.2 | 45        |
| 28201 | 2D/3D CMR tissue tracking versus CMR tagging in the assessment of spontaneous T2DM rhesus monkeys with isolated diastolic dysfunction. <i>BMC Medical Imaging</i> , 2018, 18, 47.   | 1.4 | 9         |
| 28202 | Recognition acuity in children measured using The Auckland Optotypes. <i>Ophthalmic and Physiological Optics</i> , 2018, 38, 596-608.   | 1.0 | 4         |
| 28203 | The reliability of remembered pre-operative patient-rated wrist and hand evaluation (PRWHE) scores. <i>Orthopedic Reviews</i> , 2018, 10, 7682.   | 0.3 | 3         |
| 28204 | Volumetric analysis of the thymic epithelial tumors: correlation of tumor volume with the WHO classification and Masaoka staging. <i>Journal of Thoracic Disease</i> , 2018, 10, 5822-5832.   | 0.6 | 10        |
| 28205 | Comparison of visual assessment and computer image analysis of intracoronary thrombus type by optical coherence tomography. <i>PLoS ONE</i> , 2018, 13, e0209110.   | 1.1 | 3         |
| 28206 | Validity and reliability of the Brazilian Portuguese version of the Australian National University - Alzheimer's Disease Risk Index (ANU-ADRI). <i>Dementia E Neuropsychologia</i> , 2018, 12, 235-243.   | 0.3 | 4         |
| 28207 | Measurement of Intraoperative Blood Loss in Pediatric Orthopaedic Patients: Evaluation of a New Method. <i>Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews</i> , 2018, 2, e014.   | 0.4 | 10        |
| 28208 | Novel Algorithms to Monitor Continuous Cardiac Activity with a Video Camera. , 2018, , .  |     | 1         |
| 28209 | Evaluation of the 95% limits of agreement of the volumes of 5-year clinically stable solid nodules for the development of a follow-up system for indeterminate solid nodules in CT lung cancer screening. <i>Journal of Thoracic Disease</i> , 2018, 10, 175-189. | 0.6 | 4         |
| 28210 | Preflight, In-Flight, and Postflight Imaging of the Cervical and Lumbar Spine in Astronauts. <i>Aerospace Medicine and Human Performance</i> , 2018, 89, 32-40.   | 0.2 | 16        |
| 28211 | Pulmonary vascular pruning in smokers with bronchiectasis. <i>ERJ Open Research</i> , 2018, 4, 00044-2018.  | 1.1 | 19        |
| 28212 | Curveball: A tool for rapid measurement of contrast sensitivity based on smooth eye movements. <i>Journal of Vision</i> , 2018, 18, 7.  | 0.1 | 16        |
| 28213 | Multifunctional Wearable System that Integrates Sweat-Based Sensing and Vital Sign Monitoring to Estimate Pre-/Post-Exercise Glucose Levels. <i>Advanced Functional Materials</i> , 2018, 28, 1805754.  | 7.8 | 143       |
| 28214 | Validity of self-reported number of teeth in middle-aged Finnish adults: the Northern Finland Birth Cohort Study 1966. <i>BMC Oral Health</i> , 2018, 18, 210.  | 0.8 | 18        |
| 28215 | Relative validity of a semi-quantitative food frequency questionnaire for Singaporean toddlers aged 15-36 months. <i>BMC Nutrition</i> , 2018, 4, 42.   | 0.6 | 5         |
| 28216 | Preliminary development of a questionnaire assessing the impact of psoriasis and psoriatic arthritis on patient's perception of sexuality. <i>Medicine (United States)</i> , 2018, 97, e12807.  | 0.4 | 6         |
| 28217 | Pulmonary Emphysema Quantification on Ultra-Low-Dose Computed Tomography Using Model-Based Iterative Reconstruction With or Without Lung Setting. <i>Journal of Computer Assisted Tomography</i> , 2018, 42, 760-766.   | 0.5 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28218 | Reliability of an ice hockey-specific complex test. <i>Sportverletzung-Sportschaden</i> , 2018, 32, 196-203.   | 0.6 | 5         |
| 28219 | A novel in-ear sensor to determine sleep latency during the Multiple Sleep Latency Test in healthy adults with and without sleep restriction. <i>Nature and Science of Sleep</i> , 2018, Volume 10, 385-396.   | 1.4 | 20        |
| 28220 | Clinically Relevant Immune-Cellular Metrics of Inflammation in Meibomian Gland Dysfunction. , 2018, 59, 6111.  |     | 21        |
| 28221 | Active Image-Assisted Food Records in Comparison to Regular Food Records: A Validation Study against Doubly Labeled Water in 12-Month-Old Infants. <i>Nutrients</i> , 2018, 10, 1904.  | 1.7 | 6         |
| 28222 | Sperm concentration measurement with a disposable counting chamber. <i>Asian Journal of Andrology</i> , 2018, 20, 525.   | 0.8 | 1         |
| 28223 | Comparison of agreement and efficiency of a swept source-optical coherence tomography device and an optical low-coherence reflectometry device for biometry measurements during cataract evaluation. <i>Clinical Ophthalmology</i> , 2018, Volume 12, 2245-2251. | 0.9 | 10        |
| 28224 | Reliability of Wearable-Sensor-Derived Measures of Physical Activity in Wheelchair-Dependent Spinal Cord Injured Patients. <i>Frontiers in Neurology</i> , 2018, 9, 1039.  | 1.1 | 13        |
| 28225 | Measurement of Rater Consistency by Chance-Corrected Agreement Coefficients. , 2018, , .   |     | 1         |
| 28226 | Implementing a General Framework for Assessing Interrater Agreement in Stata. <i>The Stata Journal</i> , 2018, 18, 871-901.  | 0.9 | 84        |
| 28227 | Early detection of metabolic dysregulation using water T<sub>2</sub> analysis of biobanked samples. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2018, Volume 11, 807-818.   | 1.1 | 6         |
| 28228 | Development and clinimetric assessment of a nurse-administered screening tool for movement disorders in psychosis. <i>BJPsych Open</i> , 2018, 4, 404-410.   | 0.3 | 3         |
| 28229 | Prospective observational study validating the German version of the Control of Allergic Rhinitis and Asthma Test (CARAT10). <i>Npj Primary Care Respiratory Medicine</i> , 2018, 28, 45.  | 1.1 | 3         |
| 28230 | Using smartphone-based virtual patients to assess the quality of primary healthcare in rural China: protocol for a prospective multicentre study. <i>BMJ Open</i> , 2018, 8, e020943.  | 0.8 | 7         |
| 28231 | TEMS-ISIE 2018 Committees. , 2018, , .   |     | 0         |
| 28232 | Clinical Reproducibility of the Epworth Sleepiness Scale for Patients With Suspected Sleep Apnea. <i>Journal of Clinical Sleep Medicine</i> , 2018, 14, 791-795.   | 1.4 | 48        |
| 28233 | Kalman Filter Models for the Prediction of Individualised Thermal Work Strain. , 2018, , .   |     | 1         |
| 28234 | The Validity of a New Consumer-Targeted Wrist Device in Sleep Measurement: An Overnight Comparison Against Polysomnography in Children and Adolescents. <i>Journal of Clinical Sleep Medicine</i> , 2018, 14, 585-591.   | 1.4 | 50        |
| 28235 | Validity and Reliability of Japanese-Language Self-reported Measures for Assessing Adults Domain-Specific Sedentary Time. <i>Journal of Epidemiology</i> , 2018, 28, 149-155.  | 1.1 | 28        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28236 | Accuracy of Three-Dimensional Planning in Surgery-First Orthognathic Surgery: Planning Versus Outcome. <i>Journal of Clinical Medicine Research</i> , 2018, 10, 429-436.   | 0.6 | 28        |
| 28237 | Diffusion-weighted MRI in the evaluation of the thyroid nodule: Comparison between integrated-shimming EPI and conventional 3D-shimming EPI techniques. <i>Oncotarget</i> , 2018, 9, 26209-26216.  | 0.8 | 6         |
| 28238 | Bland-Altman-Plot. , 2018, , 1-2.  |     | 0         |
| 28239 | Faecal calprotectin and magnetic resonance imaging in detecting Crohn's disease endoscopic postoperative recurrence. <i>World Journal of Gastroenterology</i> , 2018, 24, 641-650.   | 1.4 | 25        |
| 28240 | Human bone marrow assessment by single-cell RNA sequencing, mass cytometry, and flow cytometry. <i>JCI Insight</i> , 2018, 3, .  | 2.3 | 135       |
| 28241 | [11C]SCH23390 binding to the D1-dopamine receptor in the human brain—a comparison of manual and automated methods for image analysis. <i>EJNMMI Research</i> , 2018, 8, 74.  | 1.1 | 9         |
| 28242 | Cytotoxicity evaluation of a Thai herb using tetrazolium (MTT) and sulforhodamine B (SRB) assays. <i>Journal of Analytical Science and Technology</i> , 2018, 9, .   | 1.0 | 69        |
| 28243 | Feasibility of simplifying renal dosimetry in 177Lu peptide receptor radionuclide therapy. <i>EJNMMI Physics</i> , 2018, 5, 12.  | 1.3 | 60        |
| 28244 | Reducing the number of CTs performed to monitor personalized dosimetry during peptide receptor radionuclide therapy (PRRT). <i>EJNMMI Physics</i> , 2018, 5, 10.   | 1.3 | 9         |
| 28245 | Influence of body position on the measurement of electrocardiographic waves in healthy dogs. <i>Pesquisa Veterinaria Brasileira</i> , 2018, 38, 340-344.   | 0.5 | 1         |
| 28246 | ESTIMATION OF BODY MASS INDEX FROM SELF-REPORTED MEASURES: WHAT IS THE VALIDITY?. <i>Journal of Physical Education (Maringa)</i> , 2018, 29, .   | 0.1 | 2         |
| 28247 | HemoCue against Coulter LH-750 in the estimation of hemoglobin levels of blood donors in mobile collection settings: a comparative study. <i>Medical Journal of Indonesia</i> , 2018, 27, 250-5.   | 0.2 | 0         |
| 28248 | Validity and reliability of the WIMU inertial device for the assessment of the vertical jump. <i>PeerJ</i> , 2018, 6, e4709.   | 0.9 | 23        |
| 28249 | Accurate dicrotic notch detection using adaptive shear transforms. <i>IFAC-PapersOnLine</i> , 2018, 51, 74-79.   | 0.5 | 3         |
| 28250 | A High-Throughput Method for the Analysis of Erythrocyte Fatty Acids and the Omega-3 Index. <i>Lipids</i> , 2018, 53, 1005-1015.   | 0.7 | 12        |
| 28251 | A multicenter round robin test of PD-L1 expression assessment in urothelial bladder cancer by immunohistochemistry and RT-qPCR with emphasis on prognosis prediction after radical cystectomy. <i>Oncotarget</i> , 2018, 9, 15001-15014. | 0.8 | 33        |
| 28252 | Near final height in Korean children referred for evaluation of short stature: clinical utility and analytical validity of height prediction methods. <i>Annals of Pediatric Endocrinology and Metabolism</i> , 2018, 23, 28-32.         | 0.8 | 8         |
| 28253 | Impact of time-of-flight PET on quantification accuracy and lesion detection in simultaneous 18F-choline PET/MRI for prostate cancer. <i>EJNMMI Research</i> , 2018, 8, 41.  | 1.1 | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28254 | Reproducible quantification of cardiac sympathetic innervation using graphical modeling of carbon-11-meta-hydroxyephedrine kinetics with dynamic PET-CT imaging. <i>EJNMMI Research</i> , 2018, 8, 63.  | 1.1 | 9         |
| 28255 | CONTACT SURFACE AREA: A NOVEL SIGNAL FOR HEART RATE ESTIMATION IN SMARTPHONE VIDEOS. , 2018, , .  |     | 0         |
| 28256 | Measuring Anxiety in the Pediatric Emergency Department. <i>Pediatric Emergency Care</i> , 2018, 34, 558-563.   | 0.5 | 8         |
| 28257 | A Novel Three-Dimensional Clustering Method Incorporated with Ellipsoid Model Fitting for Personalizing Myocardial Perfusion Positron Emission Tomography Image Segmentation. , 2018, , .   |     | 1         |
| 28260 | Comparison of Different Corneal Power Readings From Pentacam in Post-laser In Situ Keratomileusis Eyes. <i>Eye and Contact Lens</i> , 2018, 44, S370-S375.  | 0.8 | 8         |
| 28261 | High prevalence of echocardiographic abnormalities in older HIV-infected children taking antiretroviral therapy. <i>Aids</i> , 2018, 32, 2739-2748.   | 1.0 | 14        |
| 28262 | Layer-specific strain in dipyridamole stress echo: A new tool for the diagnosis of microvascular angina. <i>Echocardiography</i> , 2018, 35, 2005-2013.   | 0.3 | 18        |
| 28263 | Twenty-Four-Hour Diet recall and Diet records compared with 24-hour urinary excretion to predict an individual's sodium consumption: A Systematic Review. <i>Journal of Clinical Hypertension</i> , 2018, 20, 1360-1376.                              | 1.0 | 60        |
| 28264 | The Validity of the Push Band 2.0 during Vertical Jump Performance. <i>Sports</i> , 2018, 6, 140.   | 0.7 | 22        |
| 28265 | Rectus femoris muscle mass evaluation by ultrasound: facilitating sarcopenia diagnosis in pre-dialysis chronic kidney disease stages. <i>Clinics</i> , 2018, 73, e392.  | 0.6 | 34        |
| 28266 | 'Boden Food Plate': Novel Interactive Web-based Method for the Assessment of Dietary Intake. <i>Journal of Visualized Experiments</i> , 2018, , .   | 0.2 | 3         |
| 28267 | Poor agreement in the calculation of venoarterial PCO2 to arteriovenous O2 content difference ratio using central and mixed venous blood samples in septic patients. <i>Journal of Critical Care</i> , 2018, 48, 445-450.                             | 1.0 | 13        |
| 28268 | How should compilers explain problems to developers?. , 2018, , .   |     | 31        |
| 28269 | Visual Analogue Scales as a Tool for Initial Assessment of Tinnitus Severity: Psychometric Evaluation in a Clinical Population. <i>Audiology and Neuro-Otology</i> , 2018, 23, 229-237.   | 0.6 | 27        |
| 28270 | Is opening-wedge high tibial osteotomy superior to closing-wedge high tibial osteotomy in treatment of unicompartmental osteoarthritis? A meta-analysis of randomized controlled trials. <i>International Journal of Surgery</i> , 2018, 60, 153-163. | 1.1 | 39        |
| 28271 | Field suitability and diagnostic accuracy of the Biocentric® open real-time PCR platform for plasma-based HIV viral load quantification in Swaziland. <i>BMC Infectious Diseases</i> , 2018, 18, 570.   | 1.3 | 2         |
| 28272 | Panting as a human heat loss thermoeffector. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2018, 156, 233-247.   | 1.0 | 1         |
| 28273 | Stable Contactless Sensing of Vital Signs Using RGB-Thermal Image Fusion System with Facial Tracking for Infection Screening. , 2018, 2018, 4371-4374.  |     | 10        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28274 | Reproducibility of Blood Lactate Concentration Rate under Isokinetic Force Loads. <i>Sports</i> , 2018, 6, 150.   | 0.7 | 3         |
| 28275 | Repeatability of two-dimensional chemical shift imaging multivoxel proton magnetic resonance spectroscopy for measuring human cerebral choline-containing compounds. <i>World Journal of Psychiatry</i> , 2018, 8, 20-26.   | 1.3 | 1         |
| 28276 | Validation of Sysmex XT-2000iV analyzer-generated quantitative bone marrow differential counts in cynomolgus monkeys, Beagle dogs, and CD-1 mice. <i>Veterinary Clinical Pathology</i> , 2018, 47, 539-555.   | 0.3 | 5         |
| 28277 | Correlation between tooth size-arch length discrepancy and interradicular distances measured on CBCT and panoramic radiograph: an evaluation for miniscrew insertion. <i>Dental Press Journal of Orthodontics</i> , 2018, 23, 39.e1-39.e13.   | 0.2 | 18        |
| 28278 | â€œGuide Starâ€•Assisted Noninvasive Photoacoustic Measurement of Glucose. <i>ACS Sensors</i> , 2018, 3, 2550-2557.   | 4.0 | 21        |
| 28279 | Kinect-based assessment of proximal arm non-use after a stroke. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2018, 15, 104.  | 2.4 | 42        |
| 28280 | Localization accuracy of two electromagnetic tracking systems in prostate cancer radiotherapy: A comparison with fiducial marker based kilovoltage imaging. <i>Physica Medica</i> , 2018, 56, 10-18.  | 0.4 | 12        |
| 28281 | Computerized measurement of the location and value of the minimum sagittal linear dimension of the upper airway on reconstructed lateral cephalograms compared with 3-dimensional values. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 154, 780-787. | 0.8 | 9         |
| 28282 | New perspective for evaluation of tooth widths in patients with missing or peg-shaped maxillary lateral incisors: Quadrant analysis. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 154, 820-828.  | 0.8 | 8         |
| 28283 | A comparison between measured and calculated central venous oxygen saturation in critically ill patients. <i>PLoS ONE</i> , 2018, 13, e0206868.   | 1.1 | 1         |
| 28284 | Defining Coronary Flow Patterns: Comprehensive Automation of Transthoracic Doppler Coronary Blood Flow. <i>Scientific Reports</i> , 2018, 8, 17268.   | 1.6 | 5         |
| 28285 | Ventricular global longitudinal strain is altered in children with sickle cell disease. <i>British Journal of Haematology</i> , 2018, 183, 796-806.   | 1.2 | 14        |
| 28286 | Repeatability, reproducibility and interocular difference in the assessments of optic nerve OCT in childrenâ€” a Swedish population-based study. <i>BMC Ophthalmology</i> , 2018, 18, 270.  | 0.6 | 11        |
| 28287 | Evaluation of the analytical performances of the Cobas c513 analyser for HbA1c assay. <i>Biochemia Medica</i> , 2018, 28, 030708.   | 1.2 | 3         |
| 28288 | Development process of a consensus-driven CONSORT extension for randomised trials using an adaptive design. <i>BMC Medicine</i> , 2018, 16, 210.  | 2.3 | 28        |
| 28289 | Reproducibility of Central Corneal Thickness Measurements in Normal Eyes Using the Zeiss Cirrus 5000 HD-OCT and Pentacam HR. <i>Open Ophthalmology Journal</i> , 2018, 12, 72-83.   | 0.1 | 10        |
| 28290 | Measurement of mean subcutaneous fat thickness: eight standardised ultrasound sites compared to 216 randomly selected sites. <i>Scientific Reports</i> , 2018, 8, 16268.  | 1.6 | 48        |
| 28291 | Radiological Evaluation of TATE Elbow Cartridge Position in Dogs. <i>Veterinary and Comparative Orthopaedics and Traumatology</i> , 2018, 31, 458-472.  | 0.2 | 1         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28292 | A Comparative Study of Smartphone Game with Spirometry for Pulmonary Function Assessment in Stroke Patients. <i>BioMed Research International</i> , 2018, 2018, 1-6.   | 0.9 | 6         |
| 28293 | Performance-based visual field testing for drivers with glaucoma: A pilot study. <i>Traffic Injury Prevention</i> , 2018, 19, 715-721.   | 0.6 | 8         |
| 28294 | Sleep EEG Derived From Behind-the-Ear Electrodes (cEEGrid) Compared to Standard Polysomnography: A Proof of Concept Study. <i>Frontiers in Human Neuroscience</i> , 2018, 12, 452.   | 1.0 | 65        |
| 28295 | The Patient-Reported Outcomes Thermometerâ€“5-Item Scale (5T-PROs): Validation of a New Tool for the Quick Assessment of Overall Health Status in Painful Rheumatic Diseases. <i>Pain Research and Management</i> , 2018, 2018, 1-16.          | 0.7 | 10        |
| 28296 | Impact of season on the association between muscle strength/volume and physical activity among community-dwelling elderly people living in snowy-cold regions. <i>Journal of Physiological Anthropology</i> , 2018, 37, 25.                    | 1.0 | 20        |
| 28297 | Intra- and inter-rater reproducibility of the 6-minute walk test and the 30-second sit-to-stand test in patients with severe and very severe COPD. <i>International Journal of COPD</i> , 2018, Volume 13, 3447-3457.                          | 0.9 | 36        |
| 28298 | Current and Emerging Technologies in Hematologic Testing. , 2018, , 65-88.   |     | 1         |
| 28299 | Uni- and triaxial accelerometric signals agree during daily routine, but show differences between sports. <i>Scientific Reports</i> , 2018, 8, 15055.  | 1.6 | 20        |
| 28300 | Accuracy of a Nutrient Database in Estimating the Dietary Phosphorus-to-Protein Ratio and Using a Boiling Method in Low-Phosphate Hospital Diets. <i>Scientific Reports</i> , 2018, 8, 15246.  | 1.6 | 8         |
| 28301 | Infrared Camera-Based Non-contact Measurement of Brain Activity From Pupillary Rhythms. <i>Frontiers in Physiology</i> , 2018, 9, 1400.  | 1.3 | 11        |
| 28302 | Measurement of Exhaled Nitric Oxide in Children: A Comparison Between NObreath® and NIOX VERO® Analyzers. <i>Allergy, Asthma and Immunology Research</i> , 2018, 10, 478.  | 1.1 | 13        |
| 28303 | Accuracy and Validity of Resting Energy Expenditure Predictive Equations in Middle-Aged Adults. <i>Nutrients</i> , 2018, 10, 1635.   | 1.7 | 36        |
| 28304 | Intra- and interday reliability of the dynamic navicular rise, a new measure for dynamic foot function: A descriptive, cross-sectional laboratory study. <i>Foot</i> , 2018, 37, 48-53.  | 0.4 | 3         |
| 28305 | Influence of pennation angle on measurement of shear wave elastography: <i>in vivo</i> observation of shear wave propagation in human pennate muscle. <i>Physiological Measurement</i> , 2018, 39, 115003.                                     | 1.2 | 17        |
| 28306 | Validity of DXA body volume equations in a four-compartment model for adults with varying body mass index and waist circumference classifications. <i>PLoS ONE</i> , 2018, 13, e0206866.   | 1.1 | 7         |
| 28307 | Incidence et consÃ©quences des impactions intra-corporÃ©ales des cages en stand-alone aprÃ©s arthrodeÃ©se lombaire inter-somatique par voie antÃ©ro-latÃ©rale. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2018, 104, 282-286. | 0.0 | 0         |
| 28308 | Reliability and validity of a Mediterranean diet and culinary index (MediCul) tool in an older population with mild cognitive impairment. <i>British Journal of Nutrition</i> , 2018, 120, 1189-1200.  | 1.2 | 13        |
| 28309 | Reliability and validity of non-radiological measures of thoracic kyphosis in chronic obstructive pulmonary disease. <i>International Journal of Therapy and Rehabilitation</i> , 2018, 25, 648-654.   | 0.1 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28310 | A New Signal Processing Toolbox and Real-Time EMG and ECG Analysis. , 2018, , .   |     | 0         |
| 28311 | Parasite reduction ratio one day after initiation of artemisinin-based combination therapies and its relationship with parasite clearance time in acutely malarious children. Infectious Diseases of Poverty, 2018, 7, 122.                             | 1.5 | 5         |
| 28312 | Reliability and agreement of the IsoKai isokinetic lift test “ A test used for admission to the Swedish Armed Forces. PLoS ONE, 2018, 13, e0209419.   | 1.1 | 5         |
| 28313 | Improvement of the Fourier Transform Near Infrared Method to Evaluate Extra Virgin Olive Oils by Analyzing 1,2-Diacylglycerols and 1,3-Diacylglycerols and Adding Unesterified Fatty Acids. Lipids, 2018, 53, 1097-1112.                                | 0.7 | 4         |
| 28314 | Solar irradiance measurements for the monitoring and evaluation of concentrating systems. AIP Conference Proceedings, 2018, , .   | 0.3 | 0         |
| 28315 | Reliability and validity of transfer assessment instrument version 3.0 in individuals with acute spinal cord injury in early rehabilitation phase. Hong Kong Physiotherapy Journal, 2018, 38, 115-123.  | 0.3 | 1         |
| 28316 | Ocular Biometric Diurnal Rhythms in Emmetropic and Myopic Adults. , 2018, 59, 5176.   |     | 43        |
| 28317 | A Comparison of the RETeval Sensor Strip and DTL Electrode for Recording the Photopic Negative Response. Translational Vision Science and Technology, 2018, 7, 27.  | 1.1 | 19        |
| 28318 | Validity and Reliability of Elbow Range of Motion Measurements Using Digital Photographs, Movies, and a Goniometry Smartphone Application. Hindawi Publishing Corporation, 2018, 2018, 1-7.   | 2.3 | 13        |
| 28319 | Baseline Detrending for the Photopic Negative Response. Translational Vision Science and Technology, 2018, 7, 9.  | 1.1 | 19        |
| 28320 | Validation of a wireless patch sensor to monitor mobility tested in both an experimental and a hospital setup: A cross-sectional study. PLoS ONE, 2018, 13, e0206304.   | 1.1 | 5         |
| 28321 | Validity and reliability of assessing diaphragmatic mobility by area on X-rays of healthy subjects. Jornal Brasileiro De Pneumologia, 2018, 44, 220-226.  | 0.4 | 2         |
| 28322 | Nonlinear Flow Sensor Calibration with an Accurate Syringe. Sensors, 2018, 18, 2163.  | 2.1 | 9         |
| 28323 | Short- and long-term reproducibility of diffusion-weighted magnetic resonance imaging of lower extremity musculature in asymptomatic individuals and a comparison to individuals with spinal cord injury. BMC Musculoskeletal Disorders, 2018, 19, 433. | 0.8 | 2         |
| 28324 | Comparison of immersion ultrasound and low coherence reflectometry for ocular biometry in cataract patients. International Journal of Ophthalmology, 2018, 11, 966-969.   | 0.5 | 4         |
| 28325 | Thoracic Kyphosis and Lumbar Lordosis Assessment by Radiography and Photogrammetry: A Review of Normative Values and Reliability. Journal of Manipulative and Physiological Therapeutics, 2018, 41, 712-723.  | 0.4 | 14        |
| 28326 | Bland-Altman analysis: A paradigm to understand correlation and agreement. Turkish Journal of Emergency Medicine, 2018, 18, 139-141.  | 0.3 | 177       |
| 28327 | Design and validation of a simple automated optical step counting method for treadmill walking. Journal of Medical Engineering and Technology, 2018, 42, 468-474.   | 0.8 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28328 | SynRhythm: Learning a Deep Heart Rate Estimator from General to Specific. , 2018, , .  |     | 86        |
| 28329 | Dual Kinect v2 system can capture lower limb kinematics reasonably well in a clinical setting: concurrent validity of a dual camera markerless motion capture system in professional football players. <i>BMJ Open Sport and Exercise Medicine</i> , 2018, 4, e000441. | 1.4 | 13        |
| 28330 | Development of a Multi-Purpose Easy-to-Use Set of Tools for Home Based Rehabilitation. , 2018, , .   |     | 2         |
| 28331 | Validity of the International Physical Activity Questionnaire (IPAQ) for assessing moderate-to-vigorous physical activity and sedentary behaviour of older adults in the United Kingdom. <i>BMC Medical Research Methodology</i> , 2018, 18, 176.                      | 1.4 | 192       |
| 28332 | Thickness of the Macula, Retinal Nerve Fiber Layer, and Ganglion Cell-inner Plexiform Layer in the Macular Hole: The Repeatability Study of Spectral-domain Optical Coherence Tomography. <i>Korean Journal of Ophthalmology: KJO</i> , 2018, 32, 506.                 | 0.5 | 0         |
| 28333 | Evaluation of different analysis pipelines for the detection of HIV-1 minority resistant variants. <i>PLoS ONE</i> , 2018, 13, e0198334.   | 1.1 | 9         |
| 28334 | A comparison study of five different methods to measure carotenoids in biofortified yellow cassava ( <i>Manihot esculenta</i> ). <i>PLoS ONE</i> , 2018, 13, e0209702.   | 1.1 | 21        |
| 28335 | Simplified equation for resting energy expenditure in a population of elderly chileans compared to indirect calorimetry. <i>NFS Journal</i> , 2018, 13, 23-29.   | 1.9 | 4         |
| 28336 | Inter-Day Reliability of Finapres <sup>®</sup> Cardiovascular Measurements During Rest and Exercise. <i>Sports Medicine International Open</i> , 2018, 02, E9-E15.   | 0.3 | 11        |
| 28337 | A high throughput neutralization test based on GFP expression by recombinant rabies virus. <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0007011.   | 1.3 | 11        |
| 28338 | The Manchester Respiratory-related Sleep Symptoms scale for patients with COPD: development and validation. <i>International Journal of COPD</i> , 2018, Volume 13, 3885-3894.   | 0.9 | 2         |
| 28339 | Parent-Child Agreement on Health-Related Quality of Life in Congenital Glaucoma. <i>Translational Vision Science and Technology</i> , 2018, 7, 15.   | 1.1 | 17        |
| 28340 | The psychometric evaluation of the Turkish version of the Mann Assessment of Swallowing Ability in patients in the early period after stroke. <i>Turkish Journal of Medical Sciences</i> , 2018, 48, 1153-1161.  | 0.4 | 5         |
| 28341 | Measurement of liver iron by magnetic resonance imaging in the UK Biobank population. <i>PLoS ONE</i> , 2018, 13, e0209340.  | 1.1 | 37        |
| 28342 | QuickCount <sup>®</sup> : a novel automated software for rapid cell detection and quantification. <i>BioTechniques</i> , 2018, 65, 322-330.  | 0.8 | 2         |
| 28343 | A Novel Spatial Mandibular Motion-Capture System Based on Planar Fiducial Markers. <i>IEEE Sensors Journal</i> , 2018, 18, 10096-10104.  | 2.4 | 13        |
| 28344 | Reproducibility of quantitative coronary computed tomography angiography in asymptomatic individuals and patients with acute chest pain. <i>PLoS ONE</i> , 2018, 13, e0207980.   | 1.1 | 8         |
| 28345 | Variability in Pediatric Ideal Body Weight Calculation: Implications for Lung-Protective Mechanical Ventilation Strategies in Pediatric Acute Respiratory Distress Syndrome*. <i>Pediatric Critical Care Medicine</i> , 2018, 19, e643-e652.                           | 0.2 | 17        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28346 | Towards quantitative perfusion MRI of the lung in COPD: The problem of short-term repeatability. PLoS ONE, 2018, 13, e0208587.  | 1.1 | 9         |
| 28347 | Non-Contact, Simple Neonatal Monitoring by Photoplethysmography. Sensors, 2018, 18, 4362.   | 2.1 | 36        |
| 28348 | Spiroergometric measurements under increased inspiratory oxygen concentration (FIO <sub>2</sub> )â€”Putting the Haldane transformation to the test. PLoS ONE, 2018, 13, e0207648.   | 1.1 | 4         |
| 28349 | Exploring the influence from whole blood DNA extraction methods on Infinium 450K DNA methylation. PLoS ONE, 2018, 13, e0208699.   | 1.1 | 4         |
| 28350 | Validity of the Mediterranean Diet and Culinary Index (MediCul) for Online Assessment of Adherence to the â€”Traditionalâ€” Diet and Aspects of Cuisine in Older Adults. Nutrients, 2018, 10, 1913.   | 1.7 | 11        |
| 28351 | Military trainees can accurately measure optic nerve sheath diameter after a brief training session. Military Medical Research, 2018, 5, 42.  | 1.9 | 16        |
| 28352 | Axillary Nerve Position in Humeral Avulsions of the Glenohumeral Ligament. Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711881104.  | 0.8 | 11        |
| 28353 | High-Throughput Screen Identifying the Thiosemicarbazone NSC319726 Compound as a Potent Antimicrobial Lead Against Resistant Strains of Escherichia coli. Biomolecules, 2018, 8, 166.   | 1.8 | 3         |
| 28354 | Validity and Reliability of a Commercially-Available Velocity and Power Testing Device. Sports, 2018, 6, 170.   | 0.7 | 10        |
| 28355 | 3T chemical shiftâ€”encoded MRI: Detection of altered proximal femur marrow adipose tissue composition in glucocorticoid users and validation with magnetic resonance spectroscopy. Journal of Magnetic Resonance Imaging, 2019, 50, 490-496. | 1.9 | 16        |
| 28356 | Urine Spot Samples Can Be Used to Estimate 24-Hour Urinary Sodium Excretion in Children. Journal of Nutrition, 2018, 148, 1946-1953.  | 1.3 | 20        |
| 28357 | Automated Nucleic Acid Isolation Methods for HDV viral Load Quantification can Lead to viral Load Underestimation. Antiviral Therapy, 2019, 24, 117-123.  | 0.6 | 24        |
| 28358 | Effect estimate comparison between the prescription sequence symmetry analysis (PSSA) and parallel group study designs: A systematic review. PLoS ONE, 2018, 13, e0208389.  | 1.1 | 6         |
| 28359 | How bispectral index compares to spectral entropy of the EEG and A-line ARX index in the same patient. Open Medicine (Poland), 2018, 13, 583-596.   | 0.6 | 9         |
| 28360 | RELIABILITY OF JUDGE'S EVALUATION OF THE SYNCHRONIZED SWIMMING TECHNICAL ELEMENTS BY VIDEO. Revista Brasileira De Medicina Do Esporte, 2018, 24, 182-185.   | 0.1 | 6         |
| 28361 | Spectral Repeatability of a Hyperspectral System for Human Iris Imaging. , 2018, , .  |     | 0         |
| 28362 | Comparaison de deux approches de mesure de cernes utilisant les outils systÃ”me dâ€™information gÃ©ographique (SIG) sur des images Ã haute rÃ©solution de bois tropicaux. Canadian Journal of Forest Research, 2018, 48, 1543-1553.           | 0.8 | 0         |
| 28363 | Estimation of weight in adults from height: a novel option for a quick bedside technique. International Journal of Emergency Medicine, 2018, 11, 54.  | 0.6 | 16        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28364 | Validity of objective methods for measuring sedentary behaviour in older adults: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 119.                          | 2.0 | 54        |
| 28365 | Optimizing diffusion-weighted magnetic resonance imaging for evaluation of lung tumors: A comparison of respiratory triggered and free breathing techniques. <i>European Journal of Radiology Open</i> , 2018, 5, 189-193. | 0.7 | 4         |
| 28366 | The validity and reliability of the "My Jump App" for measuring jump height of the elderly. <i>PeerJ</i> , 2018, 6, e5804.   | 0.9 | 35        |
| 28367 | Validity of Neuropsychological Testing in Young African Children Affected by HIV. <i>Journal of Pediatric Infectious Diseases</i> , 2018, 13, 185-201.   | 0.1 | 28        |
| 28368 | An Automated Classification Framework for Pressure Ulcer Tissues Based on 3D Convolutional Neural Network. , 2018, , .   |     | 3         |
| 28369 | Self-recordings of upper arm elevation during cleaning " comparison between analyses using a simplified reference posture and a standard reference posture. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 402.          | 0.8 | 8         |
| 28370 | Intra- and interobserver variability in skeletal muscle measurements using computed tomography images. <i>European Journal of Radiology</i> , 2018, 109, 142-146.  | 1.2 | 31        |
| 28371 | Two-Pronged Motion Artifact Reduction for Wearable Photoplethysmographic Biosensors. , 2018, 2, 1-4.   |     | 4         |
| 28372 | Reliability of a multi-segment foot model in a neutral cushioning shoe during treadmill walking. <i>Journal of Foot and Ankle Research</i> , 2018, 11, 60.   | 0.7 | 6         |
| 28373 | Comparison of two different measurement methods in evaluating basilar atherosclerotic plaque using high-resolution MRI at 3tesla. <i>BMC Medical Imaging</i> , 2018, 18, 49.   | 1.4 | 3         |
| 28374 | Using Portable Force Plates to Assess Vertical Jump Performance: A Metrological Appraisal. <i>Sports</i> , 2018, 6, 149.   | 0.7 | 3         |
| 28375 | Comparison of Different Algorithms for Calculating Velocity and Stride Length in Running Using Inertial Measurement Units. <i>Sensors</i> , 2018, 18, 4194.  | 2.1 | 38        |
| 28376 | Investigating the effects of multiple exposure measures to traffic-related air pollution on the risk of breast and prostate cancer. <i>Journal of Transport and Health</i> , 2018, 11, 34-46.                              | 1.1 | 14        |
| 28377 | Misreporting of Energy Intake in Older People: Comparison of Two Dietary Assessment Methods. <i>Journal of Nutrition in Gerontology and Geriatrics</i> , 2018, 37, 310-320.  | 0.4 | 4         |
| 28378 | Discordance of global assessment by patients and physicians is higher in osteoarthritis than in rheumatoid arthritis: a cross-sectional study from routine care. <i>Rheumatology International</i> , 2018, 38, 2137-2145.  | 1.5 | 10        |
| 28379 | The agreement between capillary and venous sampling for plasma PT/INR results. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 524-526.   | 0.6 | 4         |
| 28380 | Estimating carotid pulse and breathing rate from near-infrared video of the neck. <i>Physiological Measurement</i> , 2018, 39, 10NT01.   | 1.2 | 12        |
| 28381 | A Smart Wireless System for Modeling Visual Searching Behavior and Assessing Reaction Time in Sports and Rehabilitation Activities. , 2018, , .  |     | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28382 | Fully Automated Echocardiogram Interpretation in Clinical Practice. <i>Circulation</i> , 2018, 138, 1623-1635.  | 1.6 | 563       |
| 28383 | Non-invasive cardiac output measurement with electrical velocimetry in patients undergoing liver transplantation: comparison of an invasive method with pulmonary thermodilution. <i>BMC Anesthesiology</i> , 2018, 18, 138.                                | 0.7 | 8         |
| 28384 | Treatment of pustular psoriasis with anakinra: a statistical analysis plan for stage 1 of an adaptive two-staged randomised placebo-controlled trial. <i>Trials</i> , 2018, 19, 534.  | 0.7 | 5         |
| 28385 | Multicenter Laboratory Comparison of Iohexol Measurement. <i>Journal of Applied Laboratory Medicine</i> , 2018, 2, 711-724.   | 0.6 | 13        |
| 28386 | Caregivers' misperception of the severity of hip fractures. <i>Patient Preference and Adherence</i> , 2018, Volume 12, 1889-1895.   | 0.8 | 6         |
| 28387 | Estimation of Arterial Carbon Dioxide Based on End-Tidal Gas Pressure and Oxygen Saturation. <i>Journal of Clinical Medicine</i> , 2018, 7, 290.  | 1.0 | 5         |
| 28388 | A hybrid graph-based approach for right ventricle segmentation in cardiac MRI by long axis information transition. <i>Physica Medica</i> , 2018, 54, 103-116.   | 0.4 | 14        |
| 28389 | Predicting Lung Function Following Lobectomy: A New Method to Adjust for Inherent Selection Bias. <i>Respiration</i> , 2018, 96, 434-445.   | 1.2 | 3         |
| 28390 | Towards Standardization of Quantitative Retinal Vascular Parameters: Comparison of SIVA and VAMPIRE Measurements in the Lothian Birth Cohort 1936. <i>Translational Vision Science and Technology</i> , 2018, 7, 12.  | 1.1 | 55        |
| 28391 | Validation of biomarkers of food intake—critical assessment of candidate biomarkers. <i>Genes and Nutrition</i> , 2018, 13, 14.   | 1.2 | 152       |
| 28392 | Accuracy and reliability of the expected root position setup methodology to evaluate root position during orthodontic treatment. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 154, 583-595.                                  | 0.8 | 22        |
| 28393 | Transcultural Adaptation and Validation of the Spanish Bristol Foot Score (BFS-S). , 2018, 9, 861.  |     | 15        |
| 28394 | Visual evoked potential repeatability using the Diopsys NOVA LX fixed protocol in normal older adults. <i>Clinical Ophthalmology</i> , 2018, Volume 12, 1713-1729.  | 0.9 | 2         |
| 28395 | Detectable levels of eHSP72 in plasma are associated with physical activity and antioxidant enzyme activity levels in hypertensive subjects. <i>Cell Stress and Chaperones</i> , 2018, 23, 1319-1327.   | 1.2 | 3         |
| 28396 | Can disease activity in patients with psoriatic arthritis be adequately assessed by a modified Disease Activity index for Psoriatic Arthritis (DAPSA) based on 28 joints?. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1736-1741.                   | 0.5 | 30        |
| 28397 | Active right atrial emptying fraction predicts reduced survival and increased adverse events in childhood pulmonary arterial hypertension. <i>International Journal of Cardiology</i> , 2018, 271, 306-311.   | 0.8 | 9         |
| 28398 | Best practices for standardized performance testing of infrared thermographs intended for fever screening. <i>PLoS ONE</i> , 2018, 13, e0203302.  | 1.1 | 59        |
| 28399 | Comparison between manual and automatic image registration in image-guided radiation therapy using megavoltage cone-beam computed tomography with an imaging beam line for prostate cancer. <i>Radiological Physics and Technology</i> , 2018, 11, 392-405. | 1.0 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28400 | Comparison of Non-contact Infrared Temperature with Digital Axillary Temperature. <i>Indian Pediatrics</i> , 2018, 55, 609-610.  | 0.2 | 2         |
| 28401 | 3D cephalometric analysis using Magnetic Resonance Imaging: validation of accuracy and reproducibility. <i>Scientific Reports</i> , 2018, 8, 13029.  | 1.6 | 26        |
| 28402 | Quantifying paraspinal muscle tone and stiffness in young adults with chronic low back pain: a reliability study. <i>Scientific Reports</i> , 2018, 8, 14343.  | 1.6 | 46        |
| 28403 | Effects of Laser Photobiomodulation and Ozone Therapy on Palatal Epithelial Wound Healing and Patient Morbidity. <i>Photomedicine and Laser Surgery</i> , 2018, 36, 571-580.   | 2.1 | 30        |
| 28404 | Screening for thoracic aortic pathology: Clinical practice in a single tertiary center. <i>Congenital Heart Disease</i> , 2018, 13, 988-996.   | 0.0 | 1         |
| 28405 | Pathologic Grading of Malignant Pleural Mesothelioma: An Evidence-Based Proposal. <i>Journal of Thoracic Oncology</i> , 2018, 13, 1750-1761.   | 0.5 | 27        |
| 28406 | A novel depth estimation algorithm of chest compression for feedback of high-quality cardiopulmonary resuscitation based on a smartwatch. <i>Journal of Biomedical Informatics</i> , 2018, 87, 60-65.                  | 2.5 | 18        |
| 28407 | The Menopause Visual Analogue Scale: a new tool for measuring the severity and response to treatment of symptoms throughout the menopausal transition. <i>Climacteric</i> , 2018, 21, 502-508.                         | 1.1 | 4         |
| 28408 | Assessing auditory nerve condition by tone decay in deaf subjects with a cochlear implant. <i>International Journal of Audiology</i> , 2018, 57, 864-871.  | 0.9 | 2         |
| 28409 | Agreement between the 3-minute Psychomotor Vigilance Task (PVT) Embedded in a Wrist-worn Device and the Laptop-based PVT. <i>Proceedings of the Human Factors and Ergonomics Society</i> , 2018, 62, 666-670.          | 0.2 | 5         |
| 28410 | Concordance between appendicular skeletal muscle mass measured with DXA and estimated with mathematical models in middle-aged women. <i>Journal of Physiological Anthropology</i> , 2018, 37, 19.                      | 1.0 | 11        |
| 28411 | Impact of non-invasive continuous blood pressure monitoring on maternal hypotension during cesarean delivery: a randomized-controlled study. <i>Journal of Anesthesia</i> , 2018, 32, 822-830.                         | 0.7 | 20        |
| 28412 | Intrasession Repeatability and Interocular Symmetry of Foveal Avascular Zone and Retinal Vessel Density in OCT Angiography. <i>Translational Vision Science and Technology</i> , 2018, 7, 6.                           | 1.1 | 36        |
| 28413 | Unadjusted point of care creatinine results overestimate acute kidney injury incidence during field testing in Guatemala. <i>PLoS ONE</i> , 2018, 13, e0204614.  | 1.1 | 22        |
| 28414 | Agreement between subjective and objective measures of sleep duration in a low-middle income country setting. <i>Sleep Health</i> , 2018, 4, 543-550.  | 1.3 | 23        |
| 28415 | Dried Blood Spot Technique-Based Liquid Chromatography-Tandem Mass Spectrometry Method as a Simple Alternative for Benznidazole Pharmacokinetic Assessment. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, . | 1.4 | 6         |
| 28416 | Rectal, central venous, gastric and bladder pressures versus esophageal pressure for the measurement of cough strength: a prospective clinical comparison. <i>Respiratory Research</i> , 2018, 19, 191.                | 1.4 | 3         |
| 28417 | Osteosynthesis with Parallel Implants in the Treatment of Femoral Neck Fractures:. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, 1682-1690.   | 1.4 | 27        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28418 | Directional sensitivity of dynamic cerebral autoregulation in squat-stand maneuvers. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018, 315, R730-R740.  | 0.9 | 24        |
| 28419 | Hyperspectral imaging system based on a single-pixel camera design for detecting differences in tissue properties. <i>Applied Optics</i> , 2018, 57, 7651.  | 0.9 | 10        |
| 28420 | Development of an in vitro method to determine rumen undigested aNDFom for use in feed evaluation. <i>Journal of Dairy Science</i> , 2018, 101, 9888-9900.  | 1.4 | 52        |
| 28421 | Relationship between Rectal Temperature and Vaginal Temperature in Grazing <i>Bos taurus</i> Heifers. <i>Animals</i> , 2018, 8, 156.  | 1.0 | 17        |
| 28422 | In-Field Validation of an Inertial Sensor-Based System for Movement Analysis and Classification in Ski Mountaineering. <i>Sensors</i> , 2018, 18, 885.  | 2.1 | 14        |
| 28423 | The internal and external consistency of a speech reception threshold test for isiZulu speakers with normal hearing sensitivity. <i>South African journal of communication disorders Die Suid-Afrikaanse tydskrif vir Kommunikasieafwykings</i> , The, 2018, 65, e1-e8. | 0.3 | 6         |
| 28424 | Approaches to Cough Peak Flow Measurement With Duchenne Muscular Dystrophy. <i>Respiratory Care</i> , 2018, 63, 1514-1519.  | 0.8 | 10        |
| 28425 | Comparison of non-triggered magnetic resonance imaging and echocardiography for the assessment of left atrial volume and morphology. <i>Cardiovascular Ultrasound</i> , 2018, 16, 17.   | 0.5 | 6         |
| 28426 | Validity and reliability of the Traditional Chinese version of the Multidimensional Fatigue Inventory in general population. <i>PLoS ONE</i> , 2018, 13, e0189850.  | 1.1 | 17        |
| 28427 | Comparison of statural height growth velocity at different cervical vertebral maturation stages. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 154, 545-553.  | 0.8 | 15        |
| 28428 | Cross-method comparison of serum androstenedione measurement with respect to the validation of a new fully automated chemiluminescence immunoassay. <i>Clinical Biochemistry</i> , 2018, 62, 32-38.   | 0.8 | 8         |
| 28429 | Reliability and Construct Validity of the Adapted Norwegian Version of the Early-Onset Scoliosis 24-item Questionnaire. <i>Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews</i> , 2018, 2, e066.                                     | 0.4 | 9         |
| 28430 | Determination of Cardiac Output: A Game of Thrones. <i>Respiration</i> , 2018, 96, 590-590.   | 1.2 | 5         |
| 28431 | Agreement and reliability statistics for shapes. <i>PLoS ONE</i> , 2018, 13, e0202087.  | 1.1 | 1         |
| 28432 | Agreement between ccNexfin CO-trek cardiac output and intermittent cold-bolus pulmonary thermodilution in a prospective multicenter study. <i>Minerva Anestesiologica</i> , 2018, 84, 473-480.  | 0.6 | 5         |
| 28433 | Compositional Analysis of Microbiome Data. <i>ICSA Book Series in Statistics</i> , 2018, , 331-393.   | 0.0 | 10        |
| 28434 | Tailoring and testing an event history calendar of lifetime sexual partnerships for military Veterans. <i>Military Psychology</i> , 2018, 30, 415-429.  | 0.7 | 1         |
| 28435 | Height-Width Ratio of Proximal Femoral Epiphysis: Estimation of Lateral Pillar Involvement in Bilateral Perthes Disease. <i>Journal of Pediatric Orthopaedics</i> , 2018, 38, e577-e583.  | 0.6 | 1         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28436 | Comparison of allogeneic and autogenous bone grafts for augmentation of alveolar ridge defectsâ€”A 12â€”month retrospective radiographic evaluation. <i>Clinical Oral Implants Research</i> , 2018, 29, 1163-1175.                        | 1.9 | 63        |
| 28437 | Evaluation of the use of portable ultrasonography to determine pregnancy status and fecundity in bonnethead shark <i>Sphyrna tiburo</i> . <i>Journal of Fish Biology</i> , 2018, 93, 1163-1170.   | 0.7 | 14        |
| 28438 | Measurable Range of Subfoveal Choroidal Thickness With Conventional Spectral Domain Optical Coherence Tomography. <i>Translational Vision Science and Technology</i> , 2018, 7, 16.   | 1.1 | 22        |
| 28439 | Comparative Efficacy of the New Optical Biometer on Intraocular Lens Power Calculation (AL-Scan) Tj ETQq1 1 0.784314 rgBJ /Overl  | 0.5 | 7         |
| 28440 | Label-Free Quantification of Anticancer Drug Imatinib in Human Plasma with Surface Enhanced Raman Spectroscopy. <i>Analytical Chemistry</i> , 2018, 90, 12670-12677.  | 3.2 | 46        |
| 28441 | Relative Validity of a Beverage Frequency Questionnaire Used to Assess Fluid Intake in the Autosomal Dominant Polycystic Kidney Disease Population. <i>Nutrients</i> , 2018, 10, 1051.  | 1.7 | 1         |
| 28442 | Validity of bioelectrical impedance analysis in predicting total body water and adiposity among Senegalese school-aged children. <i>PLoS ONE</i> , 2018, 13, e0204486.  | 1.1 | 14        |
| 28443 | Accuracy and reliability of a low-cost, handheld 3D imaging system for child anthropometry. <i>PLoS ONE</i> , 2018, 13, e0205320.   | 1.1 | 53        |
| 28444 | Telomere Length Calibration from qPCR Measurement: Limitations of Current Method. <i>Cells</i> , 2018, 7, 183.  | 1.8 | 23        |
| 28445 | Characterizing the Normative Voice Tremor Frequency in Essential Vocal Tremor. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2018, 144, 1169.  | 1.2 | 10        |
| 28446 | Reliability of the skin blotting method when used on the elderly. <i>International Wound Journal</i> , 2018, 15, 807-813.   | 1.3 | 3         |
| 28447 | Comparison of Green Versus Blue Fundus Autofluorescence in <i>ABCA4</i> -Related Retinopathy. <i>Translational Vision Science and Technology</i> , 2018, 7, 13.   | 1.1 | 29        |
| 28448 | Peep titration based on the open lung approach during one lung ventilation in thoracic surgery: a physiological study. <i>BMC Anesthesiology</i> , 2018, 18, 156.   | 0.7 | 22        |
| 28450 | Replicating measurements of total hemoglobin mass (tHb-mass) within a single day: precision of measurement; feasibility and safety of using oxygen to expedite carbon monoxide clearance. <i>Physiological Reports</i> , 2018, 6, e13829. | 0.7 | 10        |
| 28451 | Test-retest reliability of physiotherapists using the action research arm test in chronic stroke. <i>Journal of Physical Therapy Science</i> , 2018, 30, 1271-1277.   | 0.2 | 8         |
| 28452 | How Should Thyroid-Related Quality of Life Be Assessed? Recalled Patient-Reported Outcomes Compared to Here-and-Now Measures. <i>Thyroid</i> , 2018, 28, 1561-1570.   | 2.4 | 13        |
| 28453 | Skarzynski Tinnitus Scale: validation of a brief and robust tool for assessing tinnitus in a clinical population. <i>European Journal of Medical Research</i> , 2018, 23, 54.   | 0.9 | 11        |
| 28454 | An automated and objective cover test to measure heterophoria. <i>PLoS ONE</i> , 2018, 13, e0206674.  | 1.1 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28455 | Effect of Cataract Surgery on the Refractive Index of the Cornea Estimated by Optical Pachymetry. <i>Cornea</i> , 2018, 37, 1414-1420.   | 0.9 | 5         |
| 28456 | In-depth echocardiographic analysis of left atrial function in healthy adults using speckle tracking echocardiography and volumetric analysis. <i>Echocardiography</i> , 2018, 35, 1956-1965.  | 0.3 | 13        |
| 28457 | Paramètres longitudinaux et angulaires des membres inférieurs de l'enfant après 6 ans: fiabilité et valeurs de référence par stéréoradiographie EOS®. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2018, 104, 276-280.        | 0.0 | 0         |
| 28458 | Retest Reliability of Mesopic and Dark-Adapted Microperimetry in Patients With Intermediate Age-Related Macular Degeneration and Age-Matched Controls. , 2018, 59, AMD152.   |     | 30        |
| 28459 | Comparison of a new wrist-worn accelerometer with a commonly used triaxial accelerometer under free-living conditions. <i>BMC Research Notes</i> , 2018, 11, 746.  | 0.6 | 5         |
| 28460 | Volume of interest delineation techniques for 18F-FDG PET-CT scans during neoadjuvant extremity soft tissue sarcoma treatment in adults: a feasibility study. <i>EJNMMI Research</i> , 2018, 8, 42.  | 1.1 | 3         |
| 28461 | Which scoring method depicts spinal radiographic damage in early axial spondyloarthritis best? Five-year results from the DESIR cohort. <i>Rheumatology</i> , 2018, 57, 1991-2000.   | 0.9 | 11        |
| 28462 | Computer Vision-Based Gait Velocity from Non-Obtrusive Thermal Vision Sensors. , 2018, , .   |     | 3         |
| 28463 | Comparison of Disposable Goldmann Applanation Tonometer, ICare ic100, and Tonopen XL to Standards of Care Goldmann Nondisposable Applanation Tonometer for Measuring Intraocular Pressure. <i>Journal of Glaucoma</i> , 2018, 27, 1119-1124. | 0.8 | 23        |
| 28464 | The short Persian version of motorcycle riding behavior questionnaire and its interchangeability with the full version. <i>PLoS ONE</i> , 2018, 13, e0201946.  | 1.1 | 8         |
| 28465 | Translation and Test-retest of the Spanish Podiatry Health Questionnaire (PHQ-S). <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2205.   | 1.2 | 17        |
| 28466 | Test-retest reliability of subjective supra-threshold scaling of multiple pressure-pain sensations among healthy individuals: a study using hydraulic pressure algometry. <i>Somatosensory &amp; Motor Research</i> , 2018, 35, 153-161.     | 0.4 | 2         |
| 28467 | Performance comparison of new Veris and Xpert random access HIV-1 RNA quantification assays. <i>Virology Journal</i> , 2018, 15, 156.  | 1.4 | 4         |
| 28468 | Comparison of a Bioelectrical Impedance Device against the Reference Method Dual Energy X-Ray Absorptiometry and Anthropometry for the Evaluation of Body Composition in Adults. <i>Nutrients</i> , 2018, 10, 1469.                          | 1.7 | 53        |
| 28469 | Reliability and validity of trunk flexor and trunk extensor strength measurements using handheld dynamometry in a healthy athletic population. <i>Physical Therapy in Sport</i> , 2018, 34, 180-186.   | 0.8 | 31        |
| 28470 | Radiological assessment of congenital talipes equinovarus (clubfoot): Is it worthwhile?. <i>Foot</i> , 2018, 37, 91-94.  | 0.4 | 8         |
| 28471 | The influence of the tonometer position on canine intraocular pressure measurements using the Tonovet® rebound tonometer. <i>Open Veterinary Journal</i> , 2018, 8, 68.  | 0.3 | 14        |
| 28472 | Facial soft tissue growth in identical twins. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 154, 683-692.  | 0.8 | 11        |

| #     | ARTICLE   | IF   | CITATIONS |
|-------|---|------|-----------|
| 28473 | Reliability of Submaximal Yo-Yo Tests in 9- to 16-Year-Old Untrained Schoolchildren. <i>Pediatric Exercise Science</i> , 2018, 30, 537-545.   | 0.5  | 4         |
| 28474 | Interexaminer Reliability of Seated Motion Palpation for the Stiffest Spinal Site. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2018, 41, 571-579.   | 0.4  | 10        |
| 28475 | Breath water-based doubly labelled water method for the noninvasive determination of CO <sub>2</sub> production and energy expenditure in mice. <i>Isotopes in Environmental and Health Studies</i> , 2018, 54, 561-572.  | 0.5  | 4         |
| 28476 | MASK 2017: ARIA digitally-enabled, integrated, person-centred care for rhinitis and asthma multimorbidity using real-world-evidence. <i>Clinical and Translational Allergy</i> , 2018, 8, 45.   | 1.4  | 104       |
| 28477 | Development of an estimated glomerular filtration rate formula in cats. <i>Journal of Veterinary Internal Medicine</i> , 2018, 32, 1970-1976.   | 0.6  | 9         |
| 28478 | Validating Left Atrial Low Voltage Areas During Atrial Fibrillation and Atrial Flutter Using Multielectrode Automated Electroanatomic Mapping. <i>JACC: Clinical Electrophysiology</i> , 2018, 4, 1541-1552.  | 1.3  | 62        |
| 28479 | What Are the Reference Values and Associated Factors for Center-edge Angle and Alpha Angle? A Population-based Study. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 2249-2259.   | 0.7  | 22        |
| 28480 | Dietary Choline Intake: Current State of Knowledge Across the Life Cycle. <i>Nutrients</i> , 2018, 10, 1513.  | 1.7  | 181       |
| 28481 | Development and interlaboratory agreement of real-time PCR for HPV16 quantification in liquid-based cervical samples. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2018, 6, 27-32.   | 4.5  | 1         |
| 28482 | The missing segment of the autopod 1st ray: new insights from a morphometric study of the human hand. <i>Journal of Anatomy</i> , 2018, 233, 828-842.   | 0.9  | 2         |
| 28483 | Accuracy of two Generic Prediction Equations and One Population-Specific Equation for Resting Energy Expenditure in Individuals with Spinal Cord Injury. <i>Canadian Journal of Dietetic Practice and Research</i> , 2018, 79, 164-169.   | 0.5  | 6         |
| 28484 | Antigen discovery and specification of immunodominance hierarchies for MHCII-restricted epitopes. <i>Nature Medicine</i> , 2018, 24, 1762-1772.   | 15.2 | 64        |
| 28485 | Post marketing study of hemodynamic and hematological noninvasive readings in a blood bank. <i>SAGE Open Medicine</i> , 2018, 6, 205031211879606.   | 0.7  | 7         |
| 28486 | Comparison of PET/CT and PET/MR imaging and dosimetry of yttrium-90 (90Y) in patients with unresectable hepatic tumors who have received intra-arterial radioembolization therapy with 90Y microspheres. <i>EJNMMI Physics</i> , 2018, 5, 23.                                     | 1.3  | 9         |
| 28487 | Development and Validation of the Coeliac Disease Food Attitudes and Behaviours Scale. <i>Gastroenterology Research and Practice</i> , 2018, 2018, 1-9.   | 0.7  | 15        |
| 28488 | Validation of a Sequential Organ Failure Assessment Score using Electronic Health Record Data. <i>Journal of Medical Systems</i> , 2018, 42, 199.   | 2.2  | 10        |
| 28489 | Tumor Targeting and Three-Dimensional Voxel-Based Dosimetry to Predict Tumor Response, Toxicity, and Survival after Yttrium-90 Resin Microsphere Radioembolization in Hepatocellular Carcinoma. <i>Journal of Vascular and Interventional Radiology</i> , 2018, 29, 1662-1670.e4. | 0.2  | 46        |
| 28490 | Is hybrid SPECT/CT necessary for pre-interventional 3D quantification of relative lobar lung function?. <i>European Journal of Hybrid Imaging</i> , 2018, 2, .  | 0.6  | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28491 | Measuring Optic Nerve Sheath Diameter as a Proxy for Intracranial Pressure. <i>JAMA Ophthalmology</i> , 2018, 136, 1309.   | 1.4 | 1         |
| 28492 | Assessment of vitamin D intake among Libyan women – adaptation and validation of specific food frequency questionnaire. <i>Libyan Journal of Medicine</i> , 2018, 13, 1502028.   | 0.8 | 11        |
| 28493 | Step oximetry test: a validation study. <i>BMJ Open Respiratory Research</i> , 2018, 5, e000320.   | 1.2 | 4         |
| 28494 | The multi-ethnic global lung initiative 2012 (GLI-2012) norms reflect contemporary adult's Algerian spirometry. <i>PLoS ONE</i> , 2018, 13, e0203023.  | 1.1 | 11        |
| 28495 | Relative validity of a short food frequency questionnaire assessing adherence to the Norwegian dietary guidelines among colorectal cancer patients. <i>Food and Nutrition Research</i> , 2018, 62, .   | 1.2 | 19        |
| 28496 | Agreement between simple catheter method and 3D transperineal ultrasound for assessing urethral length measurement before stress urinary incontinence treatment. <i>Neurourology and Urodynamics</i> , 2018, 37, 2875-2880.  | 0.8 | 9         |
| 28497 | Development and Validation of an Immunoassay for Tenofovir in Urine as a Real-Time Metric of Antiretroviral Adherence. <i>EClinicalMedicine</i> , 2018, 2-3, 22-28.  | 3.2 | 42        |
| 28498 | Ultra-Performance Liquid Chromatography–High-Resolution Mass Spectrometry and Direct Infusion–High-Resolution Mass Spectrometry for Combined Exploratory and Targeted Metabolic Profiling of Human Urine. <i>Journal of Proteome Research</i> , 2018, 17, 3492-3502. | 1.8 | 19        |
| 28499 | Relationship between the Ki67 index and its area based approximation in breast cancer. <i>BMC Cancer</i> , 2018, 18, 867.  | 1.1 | 21        |
| 28500 | Electrocardiogram Sampling Frequency Range Acceptable for Heart Rate Variability Analysis. <i>Healthcare Informatics Research</i> , 2018, 24, 198.   | 1.0 | 96        |
| 28501 | Impact of administration mode on Orofacial Appearance assessment using the Orofacial Esthetic Scale. <i>Journal of Oral Rehabilitation</i> , 2018, 45, 932-938.  | 1.3 | 3         |
| 28502 | Repeatability of Three-Dimensional Computed Tomographic Volumetric Measurement of Lumbosacral Intervertebral Foramina in German Shepherd Dogs. <i>Veterinary and Comparative Orthopaedics and Traumatology</i> , 2018, 31, 339-343.                                  | 0.2 | 3         |
| 28503 | Cervical Spine Assessment Using Passive and Active Mobilization Recorded Through an Optical Motion Capture. <i>Journal of Chiropractic Medicine</i> , 2018, 17, 167-181.   | 0.3 | 9         |
| 28504 | Intraobserver Repeatability and Interobserver Reproducibility of Ellipsoid Zone Measurements in Retinitis Pigmentosa. <i>Translational Vision Science and Technology</i> , 2018, 7, 13.  | 1.1 | 10        |
| 28505 | Precision and Accuracy of a Direct-Reading Miniaturized Monitor in PM2.5 Exposure Assessment. <i>Sensors</i> , 2018, 18, 3089.   | 2.1 | 36        |
| 28506 | Speech Is Silver, Nonverbal Behavior Is Gold: How Implicit Partner Evaluations Affect Dyadic Interactions in Close Relationships. <i>Psychological Science</i> , 2018, 29, 1731-1741.  | 1.8 | 19        |
| 28507 | Reliability of light microscopy and a computer-assisted replica measurement technique for evaluating the fit of dental copings. <i>Journal of Applied Oral Science</i> , 2018, 26, e20160590.  | 0.7 | 5         |
| 28508 | Feasibility of aortic valve planimetry at 7T ultrahigh field MRI: Comparison to aortic valve MRI at 3T and 1.5T. <i>European Journal of Radiology Open</i> , 2018, 5, 159-164.   | 0.7 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28509 | Measuring the Difficulty Watching Video With Hemianopia and an Initial Test of a Rehabilitation Approach. <i>Translational Vision Science and Technology</i> , 2018, 7, 13.  | 1.1 | 4         |
| 28510 | Evaluation of a photographic food atlas as a tool for quantifying food portion size in the United Arab Emirates. <i>PLoS ONE</i> , 2018, 13, e0196389.   | 1.1 | 9         |
| 28511 | A new complimentary web-based tool for manual analysis of microcirculation videos: Validation of the Capillary Mapper against the current gold standard <sc>AVA</sc> 3.2. <i>Microcirculation</i> , 2018, 25, e12505.  | 1.0 | 9         |
| 28512 | Estimating testosterone concentrations in adolescent girls: Comparison of two direct immunoassays to liquid chromatography-tandem mass spectrometry. <i>Steroids</i> , 2018, 140, 62-69.   | 0.8 | 6         |
| 28513 | Peripheral measurements of venous oxygen saturation and lactate as a less invasive alternative for hemodynamic monitoring. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2018, 26, 75.   | 1.1 | 3         |
| 28514 | Fast CSF MRI for brain segmentation; Cross-validation by comparison with 3D T1-based brain segmentation methods. <i>PLoS ONE</i> , 2018, 13, e0196119.   | 1.1 | 8         |
| 28515 | Translation into Portuguese language (Brazil), transcultural adaptation and validation of the quality of life questionnaire in female pattern hair loss (WAA-QoL-BP). <i>Anais Brasileiros De Dermatologia</i> , 2018, 93, 701-706.  | 0.5 | 10        |
| 28516 | An Indication of Reliability of the Two-Level Approach of the AWIN Welfare Assessment Protocol for Horses. <i>Animals</i> , 2018, 8, 7.  | 1.0 | 14        |
| 28517 | Occupational physical activity in brewery and office workers. <i>Journal of Occupational and Environmental Hygiene</i> , 2018, 15, 686-699.  | 0.4 | 9         |
| 28518 | Validity of predictive equations for 24-h urinary potassium excretion based on timing of spot urine collection among adults: the MESA and CARDIA Urinary Sodium Study and NHANES Urinary Sodium Calibration Study. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 532-547. | 2.2 | 16        |
| 28519 | Sleep staging using nocturnal sound analysis. <i>Scientific Reports</i> , 2018, 8, 13474.  | 1.6 | 47        |
| 28520 | Prediction of postoperative lung function after major lung resection for lung cancer using volumetric computed tomography. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 156, 2297-2308.e5.  | 0.4 | 15        |
| 28521 | Dynamic Contrast-Enhanced Magnetic Resonance Imaging of Advanced Cervical Carcinoma: The Advantage of Perfusion Parameters From the Peripheral Region in Predicting the Early Response to Radiotherapy. <i>International Journal of Gynecological Cancer</i> , 2018, 28, 1342-1349.    | 1.2 | 7         |
| 28522 | Isoflurane's Effect on Intraoperative Systolic Left Ventricular Performance in Cardiac Valve Surgery Patients. <i>Journal of Korean Medical Science</i> , 2018, 33, e28.   | 1.1 | 4         |
| 28523 | Comparison of Inductively Coupled Plasma Optical Emission Spectrometry with an Ion Selective Electrode to Determine Sodium and Potassium Levels in Human Milk. <i>Nutrients</i> , 2018, 10, 1218.  | 1.7 | 29        |
| 28524 | The Accuracy of Point-of-Care Equipment for Glucose Measurement in Screening for Dysglycemia in Patients with Coronary Artery Disease. <i>Diabetes Technology and Therapeutics</i> , 2018, 20, 596-602.  | 2.4 | 8         |
| 28525 | Therapeutic drug monitoring of tacrolimus and mycophenolic acid in outpatient renal transplant recipients using a volumetric dried blood spot sampling device. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 2889-2902.  | 1.1 | 70        |
| 28526 | Feasibility and challenges of using multiple breath washout in COPD. <i>International Journal of COPD</i> , 2018, Volume 13, 2113-2119.  | 0.9 | 30        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28527 | Comparison of Rossiniâ€“Rothwell and adaptive thresholdâ€“chunting methods on the stability of TMS induced motor evoked potentials amplitudes. <i>Journal of Neuroscience Research</i> , 2018, 96, 1758-1765.                        | 1.3 | 15        |
| 28528 | Ultralow dose CT for follow-up of solid pulmonary nodules. <i>Medicine (United States)</i> , 2018, 97, e12019.   | 0.4 | 10        |
| 28529 | Evaluation of Body Composition in Hemodialysis Thai Patients: Comparison between Two Models of Bioelectrical Impedance Analyzer and Dual-Energy X-Ray Absorptiometry. <i>Journal of Nutrition and Metabolism</i> , 2018, 2018, 1-11. | 0.7 | 27        |
| 28530 | Modified wavelength scanning interferometry for simultaneous tomography and topography of the cornea with Fourier domain optical coherence tomography. <i>Biomedical Optics Express</i> , 2018, 9, 4443.                             | 1.5 | 11        |
| 28531 | Evaluation of Specimen Types for Pima CD4 Point-of-Care Testing: Advantages of Fingerstick Blood Collection into an EDTA Microtube. <i>PLoS ONE</i> , 2018, 13, e0202018.  | 1.1 | 4         |
| 28532 | Minimum Clinically Important Difference: Current Trends in the Orthopaedic Literature, Part II: Lower Extremity. <i>JBJS Reviews</i> , 2018, 6, e2-e2.   | 0.8 | 98        |
| 28533 | The accuracy of a handheld &quot;disposable pneumotachograph device&quot; in the spirometric diagnosis of airway obstruction in a Chinese population. <i>International Journal of COPD</i> , 2018, Volume 13, 2351-2360.             | 0.9 | 4         |
| 28534 | Validity of a method for the self-screening of cardiovascular risk. <i>Clinical Epidemiology</i> , 2018, Volume 10, 549-560.   | 1.5 | 5         |
| 28535 | Validation of a Wearable IMU System for Gait Analysis: Protocol and Application to a New System. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 1167.  | 1.3 | 61        |
| 28536 | Comparing Traffic Speed Deflectometer and Falling Weight Deflectometer Data. <i>Transportation Research Record</i> , 2018, 2672, 22-31.  | 1.0 | 14        |
| 28537 | Salivary levels of cariogenic bacterial species during orthodontic treatment with thermoplastic aligners or fixed appliances: a prospective cohort study. <i>Progress in Orthodontics</i> , 2018, 19, 25.                            | 1.3 | 27        |
| 28538 | Clinimetric properties of the Nepali version of the Pain Catastrophizing Scale in individuals with chronic pain. <i>Journal of Pain Research</i> , 2018, Volume 11, 265-276.   | 0.8 | 14        |
| 28539 | Preliminary Results from a Prospective Study Comparing White Blood Cell and Neutrophil Counts from a Laboratory to Those Measured with a New Device in Patients with Breast Cancer. <i>In Vivo</i> , 2018, 32, 1283-1288.            | 0.6 | 11        |
| 28540 | Pharmacokinetics of Mycophenolate Mofetil and Development of Limited Sampling Strategy in Early Kidney Transplant Recipients. <i>Frontiers in Pharmacology</i> , 2018, 9, 908.   | 1.6 | 11        |
| 28541 | The Multiple Sclerosis Intimacy and Sexuality Questionnaire (MSISQâ€“15): Validation of the Dutch version in patients with multiple sclerosis and spinal cord injury. <i>Neurourology and Urodynamics</i> , 2018, 37, 2867-2874.     | 0.8 | 16        |
| 28542 | Correlation between invasive and noninvasive blood pressure measurements in severely burned children. <i>Burns</i> , 2018, 44, 1787-1791.  | 1.1 | 10        |
| 28543 | Chronic intracranial artery stenosis: Comparison of whole-brain arterial spin labeling with CT perfusion. <i>Clinical Imaging</i> , 2018, 52, 252-259.   | 0.8 | 10        |
| 28544 | Contrast Enhanced Three Dimensional Ultrasound for Intraluminal Thrombus Assessment in Abdominal Aortic Aneurysms. <i>European Journal of Vascular and Endovascular Surgery</i> , 2018, 56, 673-680.                                 | 0.8 | 10        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28545 | Objective sleep in pregnant women: a comparison of actigraphy and polysomnography. <i>Sleep Health</i> , 2018, 4, 390-396.   | 1.3 | 9         |
| 28546 | Medial Gastrocnemius Muscleâ€™s Tendon Junction and Fascicle Lengthening across the Range of Motion Analyzed in 2-D and 3-D Ultrasound Images. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 2505-2518.                                    | 0.7 | 12        |
| 28547 | Estimating sleep parameters using an accelerometer without sleep diary. <i>Scientific Reports</i> , 2018, 8, 12975.  | 1.6 | 269       |
| 28548 | Sleep-wake detection using recurrence quantification analysis. <i>Chaos</i> , 2018, 28, 085706.  | 1.0 | 11        |
| 28549 | Repeatability of the macular pigment spatial profile: A comparison of objective versus subjective classification. <i>Acta Ophthalmologica</i> , 2018, 96, e797-e803.   | 0.6 | 1         |
| 28550 | In vitro invasion inhibition assay using antibodies against Plasmodium knowlesi Duffy binding protein alpha and apical membrane antigen protein 1 in human erythrocyte-adapted P. knowlesi A1-H.1 strain. <i>Malaria Journal</i> , 2018, 17, 272.  | 0.8 | 13        |
| 28551 | Inter-rater agreement of the Quality of Life-Alzheimerâ€™s Disease (QoL-AD) self-rating and proxy rating scale: secondary analysis of RightTimePlaceCare data. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 131.                         | 1.0 | 51        |
| 28552 | Agreement between test procedures for the single-leg hop for distance and the single-leg mini squat as measures of lower extremity function. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2018, 10, 15.                                | 0.7 | 6         |
| 28553 | Accuracy, reliability, and timing of visual evaluations of decay in fresh-cut lettuce. <i>PLoS ONE</i> , 2018, 13, e0194635.   | 1.1 | 11        |
| 28554 | Relative validation of a pre-coded food diary in a group of Norwegian adults â€™ Comparison of underreporters and acceptable reporters. <i>PLoS ONE</i> , 2018, 13, e0202907.  | 1.1 | 7         |
| 28555 | Test-retest reliability of knee extensors endurance test with elastic resistance. <i>PLoS ONE</i> , 2018, 13, e0203259.  | 1.1 | 12        |
| 28556 | Clinical Markers of Exercise Intensity as a Surrogate for Blood Lactate Levels Only During Low-Intensity Exercise in Patients With Coronary Artery Disease. <i>Cardiopulmonary Physical Therapy Journal</i> , 2018, 29, 144-151.                   | 0.2 | 5         |
| 28557 | Improvement of Interactive Learning Support System with Adaptive Vocabulary Lists. , 2018, , .   |     | 1         |
| 28558 | Development of Chitosan Hemostatic Sponges with Different Solvents and Tranexamic Acid. , 2018, , .  |     | 0         |
| 28559 | Automatic Solar Powered Grass Cutter Incorporated with Alphabet Printing and Pesticide Sprayer. , 2018, , .  |     | 5         |
| 28560 | Rationale for Researching in DOB/OC-Based Rehabilitation Robots: Simulation Results. , 2018, , .   |     | 1         |
| 28561 | Smoothing Effect in Vital Sign Recordings: Fact or Fiction? A Retrospective Cohort Analysis of Manual and Continuous Vital Sign Measurements to Assess Data Smoothing in Postoperative Care. <i>Anesthesia and Analgesia</i> , 2018, 127, 960-966. | 1.1 | 6         |
| 28562 | Ti/Al Multilayer Ohmic Contact To n-GaN On Sapphire. , 2018, , .   |     | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28563 | Remote measurement of cardiopulmonary signal using an unmanned aerial vehicle. IOP Conference Series: Materials Science and Engineering, 2018, 405, 012001.   | 0.3 | 13        |
| 28564 | Measurement of Contrast Sensitivity Using the M&S Smart System II Compared with the Standard Pelli-Robson Chart in Patients with Primary Pterygium. Makara Journal of Health Research, 2018, 22, .  | 0.4 | 0         |
| 28565 | TZDKS: A New TrustZone-Based Dual-Criticality System with Balanced Performance. , 2018, , .   |     | 13        |
| 28566 | Analogy-based Common-Sense Knowledge for Opinion-Target Identification and Aggregation. , 2018, , .   |     | 2         |
| 28567 | Data Fusion for a Vision-aided Radiological Detection System: Correlation Methods for Multi-source Scenarios. , 2018, , .   |     | 0         |
| 28568 | The Wavefront Estimation and Signal Detection in Multi-element Antenna Arrays at Low SNR. , 2018, , .   |     | 2         |
| 28569 | A Web-Based Solution for Mapping the Power Quality Level. , 2018, , .   |     | 0         |
| 28571 | Use of Capillary Blood Samples Leads to Higher Parasitemia Estimates and Higher Diagnostic Sensitivity of Microscopic and Molecular Diagnostics of Malaria Than Venous Blood Samples. Journal of Infectious Diseases, 2018, 218, 1296-1305. | 1.9 | 13        |
| 28572 | Lenstar® LS 900 vs Pentacam®-AXL: Comparative study of ocular biometric measurements and intraocular lens power calculation. European Journal of Ophthalmology, 2018, 28, 645-651.  | 0.7 | 12        |
| 28573 | Localization of the inferior alveolar canal using ultralow dose CT with iterative reconstruction techniques. Dentomaxillofacial Radiology, 2018, 47, 20170477.  | 1.3 | 6         |
| 28574 | High resolution manometry catheter, test retest reliability and the working mechanism of urethral bulking?. Neurourology and Urodynamics, 2018, 37, 2975-2976.  | 0.8 | 0         |
| 28575 | Assessment of left ventricular size and function by 3-dimensional transthoracic echocardiography: Impact of the echocardiography platform and analysis software. American Heart Journal, 2018, 202, 127-136.                                | 1.2 | 8         |
| 28576 | Mesopic visual acuity is less crowded. Graefe's Archive for Clinical and Experimental Ophthalmology, 2018, 256, 1739-1746.  | 1.0 | 9         |
| 28577 | Effect of local administration of simvastatin on postorthodontic relapse in a rabbit model. American Journal of Orthodontics and Dentofacial Orthopedics, 2018, 153, 861-871.   | 0.8 | 16        |
| 28578 | Spasticity Measurement Based on the HHT Marginal Spectrum Entropy of sEMG Using a Portable System: A Preliminary Study. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2018, 26, 1424-1434.                            | 2.7 | 14        |
| 28579 | Role of chromogenic assays in haemophilia A and B diagnosis. Haemophilia, 2018, 24, 578-583.  | 1.0 | 13        |
| 28580 | Comparison of Detection Limits of Fourth- and Fifth-Generation Combination HIV Antigen-Antibody, p24 Antigen, and Viral Load Assays on Diverse HIV Isolates. Journal of Clinical Microbiology, 2018, 56, .                                  | 1.8 | 34        |
| 28581 | Robust Adaptive Heart-Rate Monitoring Using Face Videos. , 2018, , .  |     | 3         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28582 | Clearsightâ„¢ use for haemodynamic monitoring during the third trimester of pregnancy â€” a validation study. <i>International Journal of Obstetric Anesthesia</i> , 2018, 36, 85-95.   | 0.2 | 11        |
| 28583 | Comparison of hemodialysis arteriovenous fistula blood flow rates measured by Doppler ultrasound and phase-contrast magnetic resonance imaging. <i>Journal of Vascular Surgery</i> , 2018, 68, 1848-1857.e2.  | 0.6 | 17        |
| 28584 | Combining Measurements from Mobile Monitoring and a Reference Site To Develop Models of Ambient Ultrafine Particle Number Concentration at Residences. <i>Environmental Science &amp; Technology</i> , 2018, 52, 6985-6995.   | 4.6 | 35        |
| 28585 | Association Between Intensity of Posttreatment Surveillance Testing and Detection of Recurrence in Patients With Colorectal Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 2104.  | 3.8 | 89        |
| 28586 | Accuracy and Reproducibility of Sonoelastography for the Assessment of Fibroids and Adenomyosis, with Magnetic Resonance Imaging as Reference Standard. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 1654-1663.  | 0.7 | 22        |
| 28587 | Repeatability and Intersession Reproducibility of Pentacam Corneal Thickness Maps in Fuchs Dystrophy and Endothelial Keratoplasty. <i>Cornea</i> , 2018, 37, 987-992.   | 0.9 | 4         |
| 28588 | Is home bloodâ€”pressure monitoring in hypertensive disorders of pregnancy consistent with clinic recordings?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 515-521.  | 0.9 | 21        |
| 28589 | Correlation Between Blood Pressure Measurement by Non-invasive and Invasive Methods in Critically-ill Children. <i>Indian Pediatrics</i> , 2018, 55, 297-300.   | 0.2 | 5         |
| 28591 | The distribution of retinal nerve fiber layer thickness and associations with age, refraction, and axial length: the Gutenberg health study. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2018, 256, 1685-1693.                                  | 1.0 | 16        |
| 28592 | Dental age estimation of Omani children using Demirjian's method. <i>Saudi Dental Journal</i> , 2018, 30, 208-213.  | 0.5 | 3         |
| 28593 | The reliability of radiostereometric analysis in determining physéal motion in slipped capital femoral epiphysis in standard uniplanar and low-dose EOS biplanar radiography: a phantom model study. <i>Journal of Pediatric Orthopaedics Part B</i> , 2018, 27, 496-502. | 0.3 | 2         |
| 28594 | A Real-World Setting Study: Which Glucose Meter Could Be the Best for POCT Use? An Easy and Applicable Protocol During the Hospital Routine. <i>Journal of Diabetes Science and Technology</i> , 2018, 12, 1053-1060.   | 1.3 | 0         |
| 28595 | Pinch aperture proprioception: reliability and feasibility study. <i>Journal of Physical Therapy Science</i> , 2018, 30, 734-740.   | 0.2 | 4         |
| 28596 | Best Protocol for the Sit-to-Stand Test in Subjects With COPD. <i>Respiratory Care</i> , 2018, 63, 1040-1049.   | 0.8 | 36        |
| 28597 | Tumour volume of resectable oesophageal squamous cell carcinoma measured with MRI correlates well with T category and lymphatic metastasis. <i>European Radiology</i> , 2018, 28, 4757-4765.  | 2.3 | 6         |
| 28598 | Fenofibrate effects on carotid artery intima-media thickness in adults with type 2 diabetes mellitus: A FIELD substudy. <i>Diabetes Research and Clinical Practice</i> , 2018, 141, 156-167.  | 1.1 | 4         |
| 28599 | Machine learning: a useful radiological adjunct in determination of a newly diagnosed gliomaâ€™s grade and IDH status. <i>Journal of Neuro-Oncology</i> , 2018, 139, 491-499.   | 1.4 | 30        |
| 28601 | CT perfusion in non-small cell lung cancers for assessing treatment response, monitoring treatment and predicting prognosis. <i>Egyptian Journal of Radiology and Nuclear Medicine</i> , 2018, 49, 338-345.   | 0.3 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28602 | Do magnetic resonance imaging and computed tomography provide equivalent measures of rotator cuff muscle size in glenohumeral osteoarthritis?. <i>Journal of Shoulder and Elbow Surgery</i> , 2018, 27, 1877-1883.                           | 1.2 | 10        |
| 28603 | Impact of Obesity on Noninvasive Cardiac Hemodynamic Measurement by Electrical Cardiometry in Adults With Aortic Stenosis. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2018, 32, 2505-2511.                                   | 0.6 | 4         |
| 28604 | WHO height charts can be safely substituted when calculating BP Z-scores in a North American clinic setting. <i>Paediatrics and Child Health</i> , 2018, 23, 176-178.  | 0.3 | 0         |
| 28605 | Point-of-Care Ultrasound Performed by a Medical Student Compared to Physical Examination by Vascular Surgeons in the Detection of Abdominal Aortic Aneurysms. <i>Annals of Vascular Surgery</i> , 2018, 52, 15-21.                           | 0.4 | 20        |
| 28606 | Utility of venous blood gases in severe sepsis and septic shock. <i>Baylor University Medical Center Proceedings</i> , 2018, 31, 269-275.  | 0.2 | 9         |
| 28607 | Comparison of transvaginal ultrasound and saline contrast sonohysterography in evaluation of cesarean scar defect: a prospective cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 1130-1136.                    | 1.3 | 27        |
| 28608 | Automated, computer-guided PASI measurements by digital image analysis versus conventional physicians' PASI calculations: study protocol for a comparative, single-centre, observational study. <i>BMJ Open</i> , 2018, 8, e018461.          | 0.8 | 12        |
| 28609 | Children's exposure assessment of radiofrequency fields: Comparison between spot and personal measurements. <i>Environment International</i> , 2018, 118, 60-69.   | 4.8 | 30        |
| 28610 | The use of consumer depth cameras for 3D surface imaging of people with obesity: A feasibility study. <i>Obesity Research and Clinical Practice</i> , 2018, 12, 528-533.   | 0.8 | 0         |
| 28611 | A validity study of the Spanish World Health Organization Quality of Life short version instrument in persons with traumatic spinal cord injury. <i>Spinal Cord</i> , 2018, 56, 971-979.   | 0.9 | 12        |
| 28612 | Use of a Binocular Optical Coherence Tomography System to Evaluate Strabismus in Primary Position. <i>JAMA Ophthalmology</i> , 2018, 136, 811.   | 1.4 | 12        |
| 28613 | Microstructure of Parapapillary Atrophy Is Associated With Parapapillary Microvasculature in Myopic Eyes. <i>American Journal of Ophthalmology</i> , 2018, 192, 157-168.   | 1.7 | 24        |
| 28615 | Accuracy and precision of loadsole insole force sensors for the quantification of ground reaction force-based biomechanical running parameters. <i>European Journal of Sport Science</i> , 2018, 18, 1100-1109.                              | 1.4 | 50        |
| 28616 | Measuring Quadriceps strength in adults with severe or moderate intellectual and visual disabilities: Feasibility and reliability. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2018, 31, 1083-1090.                    | 1.3 | 6         |
| 28617 | Evaluation of a graded exercise test to determine peak fat oxidation in individuals with low cardiorespiratory fitness. <i>Applied Physiology, Nutrition and Metabolism</i> , 2018, 43, 1288-1297.   | 0.9 | 10        |
| 28618 | Improving registration accuracy during total hip arthroplasty: a cadaver study of a new, 3-D mini-optical navigation system. <i>HIP International</i> , 2018, 28, 33-39.   | 0.9 | 18        |
| 28619 | Pharmacokinetics Evaluation of Mycophenolic Acid and Its Glucuronide Metabolite in Chinese Renal Transplant Recipients Receiving Enteric-Coated Mycophenolate Sodium and Tacrolimus. <i>Therapeutic Drug Monitoring</i> , 2018, 40, 572-580. | 1.0 | 4         |
| 28620 | Ultrasound-tagged near-infrared spectroscopy does not disclose absent cerebral circulation in brain-dead adults. <i>British Journal of Anaesthesia</i> , 2018, 121, 588-594.   | 1.5 | 18        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28621 | Performance of Between-study Heterogeneity Measures in the Cochrane Library. <i>Epidemiology</i> , 2018, 29, 821-824.  | 1.2 | 29        |
| 28622 | A Comparison of Direct and Indirect Analytical Approaches to Measuring Total Nicotine Equivalents in Urine. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 882-891.                              | 1.1 | 13        |
| 28623 | Comparison of EQ-5D and SF-36 in untreated patients with symptoms of intermittent claudication. <i>Journal of Comparative Effectiveness Research</i> , 2018, 7, 535-548.   | 0.6 | 9         |
| 28624 | Multilayer global longitudinal strain in patients with cancer: A comparison of two vendors. <i>Archives of Cardiovascular Diseases</i> , 2018, 111, 285-296.   | 0.7 | 8         |
| 28625 | Mobile phone-based evaluation of latent tuberculosis infection: Proof of concept for an integrated image capture and analysis system. <i>Computers in Biology and Medicine</i> , 2018, 98, 76-84.                  | 3.9 | 14        |
| 28626 | Comparative study to determine the reliability and accuracy of the fetal lite electronic fetal monitor when compared with conventional cardiotocography. , 2018, , .   |     | 3         |
| 28627 | More on Single-Beat Estimation of Right Ventriculoarterial Coupling in Pulmonary Arterial Hypertension. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018, 198, 816-818.                    | 2.5 | 63        |
| 28628 | CD4 cell count variability with repeat testing in South Africa: Should reporting include both absolute counts and ranges of plausible values?. <i>International Journal of STD and AIDS</i> , 2018, 29, 1048-1056. | 0.5 | 6         |
| 28629 | HPLC-based Measurement of Glycated Hemoglobin using Dried Blood Spots Collected under Adverse Field Conditions. <i>Biodemography and Social Biology</i> , 2018, 64, 43-62.   | 0.4 | 9         |
| 28630 | Is a 500-Cell Count Necessary for Bone Marrow Differentials?. <i>American Journal of Clinical Pathology</i> , 2018, 150, 84-91.  | 0.4 | 13        |
| 28631 | Validation of a computerized algorithm to quantify fetal heart rate deceleration area. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 1137-1147.  | 1.3 | 12        |
| 28632 | The validity of Running Anaerobic Sprint Test to assess anaerobic power in young soccer players. <i>Isokinetics and Exercise Science</i> , 2018, 26, 201-209.  | 0.2 | 14        |
| 28633 | Spot urine and 24-h diet recall estimates of dietary sodium intake from the 2008/09 New Zealand Adult Nutrition Survey: a comparison. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 1120-1127.         | 1.3 | 6         |
| 28634 | Reproducibility of Static and Dynamic Postural Control Measurement in Adolescent Athletes with Back Pain. <i>Rehabilitation Research and Practice</i> , 2018, 2018, 1-8.   | 0.5 | 5         |
| 28635 | Validation of a Cross-cultural Adaptation of the Hair Specific Skindex-29 Scale to Spanish. <i>Actas Dermo-sifiligrÁficas</i> , 2018, 109, 424-431.  | 0.2 | 0         |
| 28636 | All-printed cell counting chambers with on-chip sample preparation for point-of-care CD4 counting. <i>Biosensors and Bioelectronics</i> , 2018, 117, 659-668.  | 5.3 | 13        |
| 28637 | Accuracy of a smartphone pedometer application according to different speeds and mobile phone locations in a laboratory context. <i>Journal of Exercise Science and Fitness</i> , 2018, 16, 43-48.                 | 0.8 | 25        |
| 28638 | Unique Review Criteria and Patient and Stakeholder Reviewers: Analysis of PCORIâ€™s Approach to Research Funding. <i>Value in Health</i> , 2018, 21, 1152-1160.  | 0.1 | 8         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28639 | Brain abnormalities in children and adolescents with chronic kidney disease. <i>Pediatric Research</i> , 2018, 84, 387-392.   | 1.1 | 30        |
| 28640 | Association between maternal adherence to healthy lifestyle practices and risk of obesity in offspring: results from two prospective cohort studies of mother-child pairs in the United States. <i>BMJ: British Medical Journal</i> , 2018, 362, k2486. | 2.4 | 88        |
| 28641 | Estimation of the Craniectomy Surface Area by Using Postoperative Images. <i>International Journal of Biomedical Imaging</i> , 2018, 2018, 1-8.   | 3.0 | 9         |
| 28642 | Analysis of factors affecting the variability of a quantitative suspension bead array assay measuring IgG to multiple Plasmodium antigens. <i>PLoS ONE</i> , 2018, 13, e0199278.  | 1.1 | 16        |
| 28643 | Anatomic measurements of cerebral venous sinuses in idiopathic intracranial hypertension patients. <i>PLoS ONE</i> , 2018, 13, e0196275.  | 1.1 | 23        |
| 28644 | Reproducibility and Utility of the 6-minute Walk Test in Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2018, 45, 1273-1280.  | 1.0 | 17        |
| 28646 | Vocal Fold Vibration in Older Adults With and Without Age-Related Dysphonia. <i>American Journal of Speech-Language Pathology</i> , 2018, 27, 1039-1050.  | 0.9 | 8         |
| 28647 | A score-based method for quality control of fetal hard palate assessment during routine second-trimester ultrasound examination. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 1300-1308.   | 1.3 | 14        |
| 28648 | Automatic Myotendinous Junction Tracking in Ultrasound Images with Phase-Based Segmentation. <i>BioMed Research International</i> , 2018, 2018, 1-12.   | 0.9 | 10        |
| 28649 | Evaluation of Regional Variability and Measurement Reproducibility of Intravoxel Incoherent Motion Diffusion Weighted Imaging Using a Cardiac Stationary Phase Based ECG Trigger Method. <i>BioMed Research International</i> , 2018, 2018, 1-11.       | 0.9 | 11        |
| 28650 | The Use of Ultrasound Imaging in the External Beam Radiotherapy Workflow of Prostate Cancer Patients. <i>BioMed Research International</i> , 2018, 2018, 1-16.  | 0.9 | 30        |
| 28651 | Estimating Left Ventricular Elastance from Aortic Flow Waveform, Ventricular Ejection Fraction, and Brachial Pressure: An In Silico Study. <i>Annals of Biomedical Engineering</i> , 2018, 46, 1722-1735.   | 1.3 | 5         |
| 28652 | Evaluation of a portable ion-selective electrode meter for measuring potassium concentrations in whole blood and plasma of calves. <i>Veterinary Journal</i> , 2018, 238, 10-14.  | 0.6 | 5         |
| 28653 | Adherence to the healthy Nordic diet is associated with weight change during 7 years of follow-up. <i>British Journal of Nutrition</i> , 2018, 120, 101-110.  | 1.2 | 23        |
| 28654 | A comprehensive comparison of simple step counting techniques using wrist- and ankle-mounted accelerometer and gyroscope signals. <i>Journal of Medical Engineering and Technology</i> , 2018, 42, 236-243.   | 0.8 | 26        |
| 28655 | A novel cardiac output response to stress test developed to improve diagnosis and monitoring of heart failure in primary care. <i>ESC Heart Failure</i> , 2018, 5, 703-712.   | 1.4 | 11        |
| 28656 | Comparative Evaluation of Heart Rate Variability Based on the Data of ECG and Blood Pressure Measurements. <i>Human Physiology</i> , 2018, 44, 307-313.   | 0.1 | 1         |
| 28657 | Short- and Long-Term Reliability of the 6-Minute Walk Test in People With Idiopathic Pulmonary Fibrosis. <i>Respiratory Care</i> , 2018, 63, 994-1001.  | 0.8 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28658 | A Comparison of the Accuracy of Different Single Plasma Sample Methods for Measuring Glomerular Filtration Rate Using 51Cr-EDTA in Children. <i>Nuclear Medicine and Molecular Imaging</i> , 2018, 52, 293-302.  | 0.6 | 1         |
| 28659 | The dribbling agility test as a potential tool for evaluating the dribbling skill in young soccer players. <i>Research in Sports Medicine</i> , 2018, 26, 425-435.   | 0.7 | 13        |
| 28660 | Agreement between passive infrared detector measurements and human observations of animal activity. <i>Livestock Science</i> , 2018, 214, 219-224.   | 0.6 | 9         |
| 28661 | Cardiac MRI and radionuclide ventriculography for measurement of left ventricular ejection fraction in ICD candidates. <i>Magnetic Resonance Imaging</i> , 2018, 52, 69-74.  | 1.0 | 3         |
| 28662 | Aerobic physical activity assessed with accelerometer, diary, questionnaire, and interview in a Finnish population sample. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 2196-2206.  | 1.3 | 24        |
| 28663 | Analysis of a Pulse Rate Variability Measurement Using a Smartphone Camera. <i>Journal of Healthcare Engineering</i> , 2018, 2018, 1-15.   | 1.1 | 53        |
| 28664 | Statistical Validation for Clinical Measures: Repeatability and Agreement of Kinect <sup>®</sup> -Based Software. <i>BioMed Research International</i> , 2018, 2018, 1-11.   | 0.9 | 8         |
| 28665 | Comparison of three non-invasive hemodynamic monitoring methods in critically ill children. <i>PLoS ONE</i> , 2018, 13, e0199203.  | 1.1 | 20        |
| 28666 | The preliminary measurement properties of the person-centred community care inventory (PERCCI). <i>Quality of Life Research</i> , 2018, 27, 2745-2756.   | 1.5 | 6         |
| 28667 | Measuring adherence to antipsychotic medications for schizophrenia: Concordance and validity among a community sample in rural China. <i>Schizophrenia Research</i> , 2018, 201, 307-314.  | 1.1 | 16        |
| 28668 | Determination of 12 commonly found compounds in DUI cases in whole blood using fully automated supported liquid extraction and UHPLC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1093-1094, 8-23. | 1.2 | 26        |
| 28669 | Comparisons of measures used to screen for obstructive sleep apnea in patients referred to a sleep clinic. <i>Sleep Medicine</i> , 2018, 51, 15-21.  | 0.8 | 24        |
| 28670 | Role of point of care Hb diagnostic devices in getting the right picture of anemia control: Tangi Rural Anemia Diagnostic Accuracy Study. <i>Journal of Drug Assessment</i> , 2018, 7, 34-42.  | 1.1 | 5         |
| 28671 | Development and evaluation of percentile distribution of body weight by gestational week as a tool for gestational weight management: a retrospective study based on hospital routine data. <i>BMJ Open</i> , 2018, 8, e019645.                                      | 0.8 | 0         |
| 28672 | THE USE OF KETAMINE-XYLAZINE OR BUTORPHANOL-AZAPERONE-MEDETOMIDINE TO IMMOBILIZE AMERICAN BLACK BEARS ( <i>URSUS AMERICANUS</i> ). <i>Journal of Wildlife Diseases</i> , 2018, 54, 503-510.  | 0.3 | 11        |
| 28673 | Comparing, Combining and Converting Screening Instruments. , 2018, , 173-205.  |     | 0         |
| 28674 | Invasive and Noninvasive Evaluation for the Diagnosis of Pulmonary Hypertension. <i>Heart Failure Clinics</i> , 2018, 14, 353-360.   | 1.0 | 2         |
| 28675 | Skin temperature of the foot: Reliability of infrared image analysis based in the angiosome concept. <i>Infrared Physics and Technology</i> , 2018, 92, 402-408.   | 1.3 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28676 | Efficiency and effectiveness of orthodontic treatment within United Kingdom secondary care: a service evaluation. <i>Journal of Orthodontics</i> , 2018, 45, 169-175.  | 0.4 | 5         |
| 28677 | Validity and reliability of methods to microscopically detect and quantify malaria parasitaemia. <i>Tropical Medicine and International Health</i> , 2018, 23, 980-991.  | 1.0 | 10        |
| 28678 | Test-retest reliability of knee extensor rate of velocity and power development in older adults using the isotonic mode on a Biodex System 3 dynamometer. <i>PLoS ONE</i> , 2018, 13, e0196838.                        | 1.1 | 26        |
| 28679 | Comparison of oscillometric, Doppler and invasive blood pressure measurement in anesthetized goats. <i>PLoS ONE</i> , 2018, 13, e0197332.  | 1.1 | 4         |
| 28680 | Pilot feasibility randomized clinical trial of negative-pressure wound therapy <i>versus</i> usual care in patients with surgical wounds healing by secondary intention. <i>BJS Open</i> , 2018, 2, 99-111.            | 0.7 | 6         |
| 28681 | Duplex real-time PCR assay for the simultaneous detection of <i>Caliciopsis pinea</i> and <i>Fusarium circinatum</i> in pine samples. <i>Applied Microbiology and Biotechnology</i> , 2018, 102, 7135-7146.            | 1.7 | 20        |
| 28682 | Postload Glycated Albumin as an Alternate Measure for Diabetes Screening in a Chinese Population. <i>Journal of Diabetes Research</i> , 2018, 2018, 1-7.   | 1.0 | 5         |
| 28683 | Plantarflexor moment arms estimated from tendon excursion <i>in vivo</i> are not strongly correlated with geometric measurements. <i>Journal of Biomechanics</i> , 2018, 77, 201-205.                                  | 0.9 | 10        |
| 28684 | Increased right atrial volume measured with cardiac magnetic resonance is associated with worse clinical outcome in patients with pre-capillary pulmonary hypertension. <i>ESC Heart Failure</i> , 2018, 5, 864-875.   | 1.4 | 21        |
| 28685 | Proof-of-Concept Study for an Enhanced Surrogate Marker of Endothelial Function in Diabetes. <i>Scientific Reports</i> , 2018, 8, 8649.  | 1.6 | 0         |
| 28686 | Developmental Changes in Isometric Strength: Longitudinal Study in Adolescent Soccer Players. <i>International Journal of Sports Medicine</i> , 2018, 39, 688-695.   | 0.8 | 8         |
| 28687 | Placental tissue metabolome analysis by GC-MS: Oven-drying is a viable sample preparation method. <i>Preparative Biochemistry and Biotechnology</i> , 2018, 48, 474-482.   | 1.0 | 3         |
| 28688 | Accuracy of Anthropometric Equations for Estimating Body Fat in Professional Male Soccer Players Compared with DXA. <i>Hindawi Publishing Corporation</i> , 2018, 2018, 1-7.   | 2.3 | 15        |
| 28689 | Measuring Sound-Processor Thresholds for Pediatric Cochlear Implant Recipients Using Visual Reinforcement Audiometry via Telepractice. <i>Journal of Speech, Language, and Hearing Research</i> , 2018, 61, 2115-2125. | 0.7 | 13        |
| 28690 | Optimized generation of high-resolution phantom images using cGAN: Application to quantification of Ki67 breast cancer images. <i>PLoS ONE</i> , 2018, 13, e0196846.   | 1.1 | 39        |
| 28691 | Validity and Reliability of the 30-s Continuous Jump for Anaerobic Power and Capacity Assessment in Combat Sport. <i>Frontiers in Physiology</i> , 2018, 9, 543.   | 1.3 | 15        |
| 28692 | Reproducibility of an intraoral scanner: A comparison between <i>in-vivo</i> and <i>ex-vivo</i> scans. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 154, 305-310.                       | 0.8 | 38        |
| 28693 | Maturation changes of the normal occlusion: A 40-year follow-up. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 154, 188-200.   | 0.8 | 43        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28694 | Three-dimensional treatment outcomes in Class II patients with different vertical facial patterns treated with the Herbst appliance. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 154, 238-248.e1.        | 0.8 | 29        |
| 28695 | Effects of fixed vs removable orthodontic retainers on stability and periodontal health: 4-year follow-up of a randomized controlled trial. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 154, 167-174.e1. | 0.8 | 77        |
| 28696 | Reliability & validity of the LIBRE Profile. <i>Burns</i> , 2018, 44, 1750-1758.   | 1.1 | 12        |
| 28697 | Validation of the Brazilian version of the Hip Outcome Score (HOS) questionnaire. <i>Advances in Rheumatology</i> , 2018, 58, 4.   | 0.8 | 9         |
| 28698 | Treating Anemia in the Preanesthesia Assessment Clinic. <i>Anesthesia and Analgesia</i> , 2018, 127, 1202-1210.  | 1.1 | 35        |
| 28699 | Manipulating graded exercise test variables affects the validity of the lactate threshold and $\dot{V}\dot{E}^{\text{TM}}\text{O}_2\text{peak}$ . <i>PLoS ONE</i> , 2018, 13, e0199794.  | 1.1 | 91        |
| 28700 | A Doppler-Tolerant Ultrasonic Multiple Access Localization System for Human Gait Analysis. <i>Sensors</i> , 2018, 18, 2447.  | 2.1 | 7         |
| 28701 | How Accurate are Recalls of Self-Weighing Frequency? Data from a 24-Month Randomized Trial. <i>Obesity</i> , 2018, 26, 1296-1302.  | 1.5 | 10        |
| 28702 | Overall indices for assessing agreement among multiple raters. <i>Statistics in Medicine</i> , 2018, 37, 4200-4215.  | 0.8 | 4         |
| 28703 | Validity of contact skin temperature sensors under different environmental conditions with and without fabric coverage: characterisation and correction. <i>International Journal of Biometeorology</i> , 2018, 62, 1861-1872.           | 1.3 | 5         |
| 28704 | Reproducibility of domain-specific physical activity over two seasons in children. <i>BMC Public Health</i> , 2018, 18, 821.   | 1.2 | 5         |
| 28705 | Reliability of forearm oxygen uptake during handgrip exercise: assessment by ultrasonography and venous blood gas. <i>Physiological Reports</i> , 2018, 6, e13696.   | 0.7 | 9         |
| 28706 | Identification and quantification of human microcirculatory leukocytes using handheld video microscopes at the bedside. <i>Journal of Applied Physiology</i> , 2018, 124, 1550-1557.   | 1.2 | 24        |
| 28707 | Improved Binocular Outcomes Following Binocular Treatment for Childhood Amblyopia. , 2018, 59, 1221.   |     | 58        |
| 28708 | Development of a high-throughput flexible quantitative suspension array assay for IgG against multiple <i>Plasmodium falciparum</i> antigens. <i>Malaria Journal</i> , 2018, 17, 216.  | 0.8 | 14        |
| 28709 | Validation of the Semiautomatic Quantification of $^{18}\text{F}$ -Fluoride PET/CT Whole-Body Skeletal Tumor Burden. <i>Journal of Nuclear Medicine Technology</i> , 2018, 46, 378-383.  | 0.4 | 11        |
| 28710 | A comparison of four different imaging modalities – Conventional, cross polarized, infra-red and ultra-violet in the assessment of childhood bruising. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2018, 59, 30-35.         | 0.5 | 12        |
| 28711 | Diagnostic Performance and Repeatability of a Novel Game-Based Visual Field Test for Children. , 2018, 59, 1532.   |     | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28712 | An Exploratory Study of Washout Rate Analysis for Thallium-201 Single-Photon Emission Computed Tomography Myocardial Perfusion Imaging Using Cadmium Zinc Telluride Detectors. <i>Molecular Imaging</i> , 2018, 17, 153601211878232.                 | 0.7 | 2         |
| 28713 | The appropriateness of Bland-Altman's approximate confidence intervals for limits of agreement. <i>BMC Medical Research Methodology</i> , 2018, 18, 45.  | 1.4 | 25        |
| 28714 | Pediatric Videosomnography: Can Signal/Video Processing Distinguish Sleep and Wake States?. <i>Frontiers in Pediatrics</i> , 2018, 6, 158.   | 0.9 | 19        |
| 28715 | An Innovative Technique to Assess Spontaneous Baroreflex Sensitivity with Short Data Segments: Multiple Trigonometric Regressive Spectral Analysis. <i>Frontiers in Physiology</i> , 2018, 9, 10.  | 1.3 | 8         |
| 28716 | Skin Temperature Measurement Using Contact Thermometry: A Systematic Review of Setup Variables and Their Effects on Measured Values. <i>Frontiers in Physiology</i> , 2018, 9, 29.   | 1.3 | 54        |
| 28717 | A Comparison between Different Methods of Estimating Anaerobic Energy Production. <i>Frontiers in Physiology</i> , 2018, 9, 82.  | 1.3 | 16        |
| 28718 | Measurement of a True $\dot{V}\dot{E}^{TM}O_2max$ during a Ramp Incremental Test Is Not Confirmed by a Verification Phase. <i>Frontiers in Physiology</i> , 2018, 9, 143.  | 1.3 | 44        |
| 28719 | Estimation of Vertical Ground Reaction Forces and Sagittal Knee Kinematics During Running Using Three Inertial Sensors. <i>Frontiers in Physiology</i> , 2018, 9, 218.   | 1.3 | 138       |
| 28720 | Age-Predicted Maximal Heart Rate in Recreational Marathon Runners: A Cross-Sectional Study on Fox's and Tanaka's Equations. <i>Frontiers in Physiology</i> , 2018, 9, 226.   | 1.3 | 26        |
| 28721 | Injection-Less Conductance Method for Vascular Sizing. <i>Frontiers in Physiology</i> , 2018, 9, 371.  | 1.3 | 1         |
| 28722 | Calibration Transfer, Part 2: The Instrumentation Aspects. , 2018, , 751-764.  |     | 0         |
| 28723 | Calibration Transfer, Part 4: Measuring the Agreement Between Instruments Following Calibration Transfer. , 2018, , 777-785.   |     | 1         |
| 28724 | Choosing the Best Regression Model. , 2018, , 851-861.   |     | 2         |
| 28725 | The value of remembered pre-operative quick disabilities of the arm, shoulder and hand (QuickDASH) scores. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2018, 52, 294-300.   | 0.4 | 5         |
| 28726 | Systolic time intervals assessed from analysis of the carotid pressure waveform. <i>Physiological Measurement</i> , 2018, 39, 084002.  | 1.2 | 9         |
| 28727 | Technical note: Protocol for electrophoretic separation of bovine myosin heavy chain isoforms and comparison to immunohistochemistry analysis1. <i>Journal of Animal Science</i> , 2018, 96, 4306-4312.  | 0.2 | 10        |
| 28728 | Simplified Chinese version of hip and knee replacement expectations surveys in patients with osteoarthritis and ankylosing spondylitis: cross-cultural adaptation, validation and reliability. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 247. | 0.8 | 7         |
| 28729 | Model-based RSA is suitable for clinical trials on the glenoid component of reverse total shoulder arthroplasty. <i>Journal of Orthopaedic Research</i> , 2018, 36, 3299-3307.   | 1.2 | 5         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28730 | Are condition-specific utilities more valid than generic preference-based ones in asthma? Evidence from a study comparing EQ-5D-3L and SF-6D with AQL-5D. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2018, 18, 667-675. | 0.7 | 13        |
| 28731 | Mechanism underlying the heart rate dependency of wave reflection in the aorta: a numerical simulation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018, 314, H443-H451.                                       | 1.5 | 20        |
| 28732 | Repeatability and reproducibility of retinal and choroidal thickness measurements in Diabetic Macular Edema using Swept-source Optical Coherence Tomography. <i>PLoS ONE</i> , 2018, 13, e0200819.   | 1.1 | 14        |
| 28733 | Nitrogen single-breath washout test for evaluating exercise tolerance and quality of life in patients with chronic obstructive pulmonary disease. <i>Brazilian Journal of Medical and Biological Research</i> , 2018, 51, e7059.               | 0.7 | 4         |
| 28734 | Secondary EMR data for quality improvement and research: A comparison of manual and electronic data collection from an integrated critical care electronic medical record system. <i>Journal of Critical Care</i> , 2018, 47, 295-301.         | 1.0 | 87        |
| 28735 | The Nasal Width and Boxiness Index: Introduction and Pilot Study on Reliability and Validity of Sonographic Morphometry. <i>Facial Plastic Surgery</i> , 2018, 34, 373-380.  | 0.5 | 2         |
| 28736 | Rapid Prediction of Low (<1%) trans Fat Content in Edible Oils and Fast Food Lipid Extracts by Infrared Spectroscopy and Partial Least Squares Regression. <i>Journal of Food Science</i> , 2018, 83, 2101-2108.                               | 1.5 | 6         |
| 28737 | Predicting broiler gait scores from activity monitoring and flock data. <i>Biosystems Engineering</i> , 2018, 173, 93-102.   | 1.9 | 43        |
| 28738 | Utility of 128-row multidetector CT in quantitative evaluation of global left ventricular function in patients with coronary artery disease. <i>Egyptian Journal of Radiology and Nuclear Medicine</i> , 2018, 49, 12-22.                      | 0.3 | 0         |
| 28739 | Handgrip Strength Cannot Be Assumed a Proxy for Overall Muscle Strength. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 703-709.   | 1.2 | 82        |
| 28740 | Self-reported Home Exercise Adherence: A Validity and Reliability Study Using Concealed Accelerometers. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018, 48, 943-950.   | 1.7 | 54        |
| 28741 | Applicability of Publicly Reported Hospital Readmission Measures to Unreported Conditions and Other Patient Populations. <i>Annals of Internal Medicine</i> , 2018, 168, 631-639.  | 2.0 | 9         |
| 28742 | Intrapartum ultrasound assessment of cervical dilatation and its value in detecting active labor. <i>Journal of Ultrasound</i> , 2018, 21, 233-239.  | 0.7 | 15        |
| 28743 | Computational 3D imaging to quantify structural components and assembly of protein networks. <i>Acta Biomaterialia</i> , 2018, 69, 206-217.  | 4.1 | 14        |
| 28744 | Pressure difference between radial and femoral artery pressure in minimally invasive cardiac surgery using retrograde perfusion. <i>International Journal of Artificial Organs</i> , 2018, 41, 635-643.  | 0.7 | 8         |
| 28745 | The Reliability of the DEM Test in the Clinical Environment. <i>Frontiers in Psychology</i> , 2018, 9, 1279.   | 1.1 | 15        |
| 28746 | Comparison of Cepstral Peak Prominence Measures Using the ADSV, SpeechTool, and VoiceSauce Acoustic Analysis Programs in Vocally Healthy Female Speakers. <i>Acoustics Australia</i> , 2018, 46, 215-226.                                      | 1.4 | 11        |
| 28747 | Repeated testing for the assessment of individual response to exercise training. <i>Journal of Applied Physiology</i> , 2018, 124, 1567-1579.  | 1.2 | 84        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28748 | Effects of reducing light-curing time of a high-power LED device on shear bond strength of brackets. <i>Journal of Orofacial Orthopedics</i> , 2018, 79, 352-358.   | 0.5 | 11        |
| 28749 | Reliability and validity of the test of incremental respiratory endurance measures of inspiratory muscle performance in COPD. <i>International Journal of COPD</i> , 2018, Volume 13, 1569-1576.  | 0.9 | 23        |
| 28750 | Evaluation of point-of-care analysers for blood gas and clinical chemistry in Hermann's tortoises ( <i>Testudo hermanni</i> ). <i>Journal of Small Animal Practice</i> , 2018, 59, 704-713.   | 0.5 | 10        |
| 28751 | Valuation of preference-based measures: can existing preference data be used to generate better estimates?. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 116.   | 1.0 | 4         |
| 28752 | Validation of two short questionnaires assessing physical activity in colorectal cancer patients. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2018, 10, 8.   | 0.7 | 11        |
| 28753 | Air displacement plethysmography (pea pod) in full-term and pre-term infants: a comprehensive review of accuracy, reproducibility, and practical challenges. <i>Maternal Health, Neonatology and Perinatology</i> , 2018, 4, 12.  | 1.0 | 34        |
| 28754 | Mathematical Methods for Measuring the Visually Enhanced Vestibulo-Ocular Reflex and Preliminary Results from Healthy Subjects and Patient Groups. <i>Frontiers in Neurology</i> , 2018, 9, 69.   | 1.1 | 19        |
| 28755 | The Stability and Repeatability of Spontaneous Sympathetic Baroreflex Sensitivity in Healthy Young Individuals. <i>Frontiers in Neuroscience</i> , 2018, 12, 403.   | 1.4 | 11        |
| 28756 | Validation of the English Version of the 14-Item Mediterranean Diet Adherence Screener of the PREDIMED Study, in People at High Cardiovascular Risk in the UK. <i>Nutrients</i> , 2018, 10, 138.  | 1.7 | 106       |
| 28757 | Myocardial deformation and volume of exercise: a new overlap between pathology and athlete's heart?. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 1869-1875.  | 0.7 | 10        |
| 28758 | Chemical shift-encoded MRI for assessment of bone marrow adipose tissue fat composition: Pilot study in premenopausal versus postmenopausal women. <i>Magnetic Resonance Imaging</i> , 2018, 53, 148-155.   | 1.0 | 29        |
| 28759 | A Method for Respiration Rate Detection in Wrist PPG Signal Using Holo-Hilbert Spectrum. <i>IEEE Sensors Journal</i> , 2018, 18, 7560-7569.   | 2.4 | 27        |
| 28760 | Is intra-bladder pressure measurement a reliable indicator for raised intra-abdominal pressure? A prospective comparative study. <i>BMC Anesthesiology</i> , 2018, 18, 69.  | 0.7 | 31        |
| 28761 | Accuracy of iohexol plasma clearance for GFR-determination: a comparison between single and dual sampling. <i>BMC Nephrology</i> , 2018, 19, 174.   | 0.8 | 5         |
| 28762 | Correlation between circulating tumour DNA and metabolic tumour burden in metastatic melanoma patients. <i>BMC Cancer</i> , 2018, 18, 726.  | 1.1 | 77        |
| 28763 | Comparison of a New Multiplex Immunoassay for Measurement of Ferritin, Soluble Transferrin Receptor, Retinol-Binding Protein, C-Reactive Protein and $\beta$ 1-Acid-glycoprotein Concentrations against a Widely-Used s-ELISA Method. <i>Diagnostics</i> , 2018, 8, 13. | 1.3 | 6         |
| 28764 | Domain-Specific Adult Sedentary Behaviour Questionnaire (ASBQ) and the GPAQ Single-Item Question: A Reliability and Validity Study in an Asian Population. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 739.                    | 1.2 | 33        |
| 28765 | Validity of a Short Food Frequency Questionnaire Assessing Macronutrient and Fiber Intakes in Patients of Han Chinese Descent with Type 2 Diabetes. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1142.                          | 1.2 | 15        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28766 | Accuracy of a novel marker tracking approach based on the low-cost Microsoft Kinect v2 sensor. <i>Medical Engineering and Physics</i> , 2018, 59, 63-69.   | 0.8 | 24        |
| 28767 | Objective Assessment of Spasticity With a Method Based on a Human Upper Limb Model. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2018, 26, 1414-1423.                                 | 2.7 | 23        |
| 28768 | <i>bcr-abl1</i> genomic DNA PCR response kinetics during first-line imatinib treatment of chronic myeloid leukemia. <i>Haematologica</i> , 2018, 103, 2026-2032.   | 1.7 | 31        |
| 28769 | Characterization of adult obesity in Florida using the OneFlorida clinical research consortium. <i>Obesity Science and Practice</i> , 2018, 4, 308-317.  | 1.0 | 14        |
| 28770 | Can visual analogue scale be used in radiologic subjective image quality assessment?. <i>Pediatric Radiology</i> , 2018, 48, 1567-1575.  | 1.1 | 14        |
| 28771 | The Bland-Altman range of agreement: Exact interval procedure and sample size determination. <i>Computers in Biology and Medicine</i> , 2018, 100, 247-252.  | 3.9 | 16        |
| 28772 | A Simple Method to Measure Renal Function in Swine by the Plasma Clearance of Iohexol. <i>International Journal of Molecular Sciences</i> , 2018, 19, 232.   | 1.8 | 10        |
| 28773 | The Effects of Body Position on Pelvic Tilt Angles Measured with a Smartphone-Based Navigated Ultrasound System in Symptom-Free Young Adults. <i>Journal of Functional Morphology and Kinesiology</i> , 2018, 3, 18. | 1.1 | 5         |
| 28774 | Relative Validity of a 24-h Recall in Assessing Intake of Key Nutrients in a Cohort of Australian Toddlers. <i>Nutrients</i> , 2018, 10, 80.   | 1.7 | 12        |
| 28775 | Association between Haem and Non-Haem Iron Intake and Serum Ferritin in Healthy Young Women. <i>Nutrients</i> , 2018, 10, 81.  | 1.7 | 53        |
| 28776 | An Auto-Calibrating Knee Flexion-Extension Axis Estimator Using Principal Component Analysis with Inertial Sensors. <i>Sensors</i> , 2018, 18, 1882.   | 2.1 | 52        |
| 28777 | The Test-Retest Reliability of New Generation Power Indices of Wingate All-Out Test. <i>Sports</i> , 2018, 6, 31.  | 0.7 | 12        |
| 28778 | Technology-Supported Group Activity to Promote Communication in Dementia: A Protocol for a Within-Participants Study. <i>Technologies</i> , 2018, 6, 33.   | 3.0 | 5         |
| 28779 | Comprehensive transcriptomic analysis of heat shock proteins in the molecular subtypes of human breast cancer. <i>BMC Cancer</i> , 2018, 18, 700.  | 1.1 | 37        |
| 28780 | Orofacial symptoms and oral health-related quality of life in juvenile idiopathic arthritis: a two-year prospective observational study. <i>Pediatric Rheumatology</i> , 2018, 16, 47.                               | 0.9 | 34        |
| 28781 | PD-L1 Immunohistochemistry Comparability Study in Real-Life Clinical Samples: Results of Blueprint Phase 2 Project. <i>Journal of Thoracic Oncology</i> , 2018, 13, 1302-1311.                                       | 0.5 | 589       |
| 28782 | Intraobserver and interobserver reliability of visible light spectroscopy during upper gastrointestinal endoscopy. <i>Expert Review of Medical Devices</i> , 2018, 15, 605-610.                                      | 1.4 | 4         |
| 28783 | In Reply: Commentary: Utilization of Quantitative Susceptibility Mapping for Direct Targeting of the Subthalamic Nucleus During Deep Brain Stimulation Surgery. <i>Operative Neurosurgery</i> , 2018, 15, 45-45.     | 0.4 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28784 | Importance of software version for measurement of arterial stiffness: Arteriograph as an example. PLoS ONE, 2018, 13, e0197019.   | 1.1 | 3         |
| 28785 | Ultrasound assessment of pubertal breast development in girls: intra- and interobserver agreement. Pediatric Radiology, 2018, 48, 1576-1583.  | 1.1 | 9         |
| 28786 | Overall and differentiated sensory responses to cardiopulmonary exercise test in patients with cystic fibrosis: kinetics and ability to predict peak oxygen uptake. European Journal of Applied Physiology, 2018, 118, 2007-2019.                 | 1.2 | 6         |
| 28787 | Validity and reliability of different techniques of neck shaft angle measurement. Clinical Radiology, 2018, 73, 984.e1-984.e9.  | 0.5 | 9         |
| 28788 | Dried-Blood-Spot Technique to Monitor Direct Oral Anticoagulants: Clinical Validation of a UPLC-MS/MS-Based Assay. Analytical Chemistry, 2018, 90, 9395-9402.   | 3.2 | 33        |
| 28789 | Comparison of spinal curvature parameters as determined by the ZEBRIS spine examination method and the Cobb method in children with scoliosis. PLoS ONE, 2018, 13, e0200245.  | 1.1 | 16        |
| 28790 | Estimated versus achieved maximal oxygen consumption in severely burned children maximal oxygen consumption in burned children. Burns, 2018, 44, 2026-2033.   | 1.1 | 5         |
| 28791 | Comparison between RT droplet digital PCR and RT real-time PCR for quantification of noroviruses in oysters. International Journal of Food Microbiology, 2018, 284, 73-83.  | 2.1 | 52        |
| 28792 | Evaluation of ImpediMed SFB7 BIS device for low-impedance measurements. Measurement: Journal of the International Measurement Confederation, 2018, 129, 20-30.  | 2.5 | 8         |
| 28793 | Development of a Rigorous Modeling Framework for Solvent-Based CO <sub>2</sub> Capture. Part 2: Steady-State Validation and Uncertainty Quantification with Pilot Plant Data. Industrial & Engineering Chemistry Research, 2018, 57, 10464-10481. | 1.8 | 33        |
| 28794 | Parent and child ratings of child behaviour following mild traumatic brain injury. Brain Injury, 2018, 32, 1397-1404.   | 0.6 | 5         |
| 28795 | Physical Activity, Global DNA Methylation, and Breast Cancer Risk: A Systematic Literature Review and Meta-analysis. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 1320-1331.  | 1.1 | 26        |
| 28796 | Validity of the PROMIS-10 Global Health assessed by telephone and on paper in minor stroke and transient ischaemic attack in the Netherlands. BMJ Open, 2018, 8, e019919.   | 0.8 | 23        |
| 28797 | Impact of Software Selection and ImageJ Tutorial Corrigendum on Skeletal Muscle Measures at the Third Lumbar Vertebra on Computed Tomography Scans in Clinical Populations. Journal of Parenteral and Enteral Nutrition, 2018, 42, 933-941.       | 1.3 | 20        |
| 28798 | Unique and Unclonable Capacitive Sensors. IEEE Sensors Journal, 2018, 18, 6097-6105.  | 2.4 | 5         |
| 28799 | Letter: Commentary: Utilization of Quantitative Susceptibility Mapping for Direct Targeting of the Subthalamic Nucleus During Deep Brain Stimulation Surgery. Operative Neurosurgery, 2018, 15, 44-44.  | 0.4 | 1         |
| 28800 | Performance of PROMIS Global-10 compared with legacy instruments in patients with shoulder arthritis. Journal of Shoulder and Elbow Surgery, 2018, 27, 2249-2256.   | 1.2 | 26        |
| 28801 | Comparison of different analysis algorithms to calculate multiple-breath washout outcomes. ERJ Open Research, 2018, 4, 00021-2017.  | 1.1 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28802 | Statistics and Chemometrics for Clinical Data Reporting, Part 3 (Using Excel for Data Plotting). , 2018, , 615-625.   |     | 0         |
| 28803 | Semi-automatic measurement of rigid gas-permeable contact lens movement in keratoconus patients using blinking images. Contact Lens and Anterior Eye, 2018, 41, 489-495.  | 0.8 | 3         |
| 28804 | Patient-specific finite element analysis of femurs with cemented hip implants. Clinical Biomechanics, 2018, 58, 74-89.  | 0.5 | 27        |
| 28805 | Dental age estimation in southern Chinese population using panoramic radiographs: validation of three population specific reference datasets. BMC Medical Imaging, 2018, 18, 5.   | 1.4 | 20        |
| 28806 | Validation of a self-administered web-based 24-hour dietary recall among pregnant women. BMC Pregnancy and Childbirth, 2018, 18, 112.   | 0.9 | 30        |
| 28807 | Measurement error of mean sac diameter and crown-rump length among pregnant women at Mulago hospital, Uganda. BMC Pregnancy and Childbirth, 2018, 18, 129.  | 0.9 | 2         |
| 28808 | A randomised controlled trial to test the effectiveness of decision training on assessorsâ€™ ability to determine optimal fitness-to-drive recommendations for older or disabled drivers. BMC Medical Education, 2018, 18, 27.                  | 1.0 | 3         |
| 28809 | Translation, cross-cultural adaptation and reliability of the German version of the migraine disability assessment (MIDAS) questionnaire. Health and Quality of Life Outcomes, 2018, 16, 42.  | 1.0 | 22        |
| 28810 | Psychometric properties of the Zephyr bioharness device: a systematic review. BMC Sports Science, Medicine and Rehabilitation, 2018, 10, 6.   | 0.7 | 78        |
| 28811 | MRI Assessment of Supra- and Infratrochanteric Femoral Torsion: Association With Femoroacetabular Impingement and Hip Dysplasia. American Journal of Roentgenology, 2018, 211, 155-161.   | 1.0 | 15        |
| 28812 | Association of Focal Radiation Dose Adjusted on Cross Sections with Subsolid Nodule Visibility and Quantification on Computed Tomography Images Using AIDR 3D. Academic Radiology, 2018, 25, 1156-1166.   | 1.3 | 4         |
| 28813 | Self-report vs. direct measures for assessing corn soy blend porridge preparation and feeding behavior in a moderate acute malnutrition treatment program in southern Malawi. Journal of Hunger and Environmental Nutrition, 2018, 13, 470-481. | 1.1 | 2         |
| 28814 | Blood pressure measurement in obese patients: non-invasive proximal forearm versus direct intra-arterial measurements. Southern African Journal of Anaesthesia and Analgesia, 2018, 24, 70-74.  | 0.1 | 2         |
| 28815 | The Brighton musculoskeletal Patientâ€™Reported Outcome Measure (BmPROM): An assessment of validity, reliability, and responsiveness. Physiotherapy Research International, 2018, 23, e1715.  | 0.7 | 1         |
| 28817 | Effect of intravascular contrast agent on diffusion and perfusion fraction coefficients in the peripheral zone and prostate cancer. Magnetic Resonance Imaging, 2018, 51, 120-127.  | 1.0 | 1         |
| 28818 | Assessment of contrast sensitivity by Spaeth Richman Contrast Sensitivity Test and Pelli Robson Chart Test in patients with varying severity of glaucoma. Eye, 2018, 32, 1392-1400.   | 1.1 | 19        |
| 28819 | Study of the measurement and predictive validity of the Functional Movement Screen. BMJ Open Sport and Exercise Medicine, 2018, 4, e000357.   | 1.4 | 17        |
| 28820 | Performance of intraclass correlation coefficient (ICC) as a reliability index under various distributions in scale reliability studies. Statistics in Medicine, 2018, 37, 2734-2752.   | 0.8 | 94        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28821 | Accurate determination of energy requirements in hospitalised patients with parenteral nutrition. <i>Journal of Human Nutrition and Dietetics</i> , 2018, 31, 810-817.   | 1.3 | 4         |
| 28822 | PHENOS: a high-throughput and flexible tool for microorganism growth phenotyping on solid media. <i>BMC Microbiology</i> , 2018, 18, 9.  | 1.3 | 17        |
| 28823 | Reliability and validity of two fitness tracker devices in the laboratory and home environment for older community-dwelling people. <i>BMC Geriatrics</i> , 2018, 18, 103.   | 1.1 | 51        |
| 28824 | Forehead or ear temperature measurement cannot replace rectal measurements, except for screening purposes. <i>BMC Pediatrics</i> , 2018, 18, 15.   | 0.7 | 40        |
| 28825 | Feasibility of a commercial smartphone application for dietary assessment in epidemiological research and comparison with 24-h dietary recalls. <i>Nutrition Journal</i> , 2018, 17, 5.  | 1.5 | 86        |
| 28826 | Video pulse rate variability analysis in stationary and motion conditions. <i>BioMedical Engineering OnLine</i> , 2018, 17, 11.  | 1.3 | 21        |
| 28827 | Impact of hypoglycemic episodes on health-related quality of life of type-2 diabetes mellitus patients: development and validation of a specific QoLHYPOA© questionnaire. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 52.                                       | 1.0 | 11        |
| 28828 | Comparison of McMaster and FECPAKG2 methods for counting nematode eggs in the faeces of alpacas. <i>Parasites and Vectors</i> , 2018, 11, 278.   | 1.0 | 29        |
| 28829 | Correction of self-reported BMI based on objective measurements: a Belgian experience. <i>Archives of Public Health</i> , 2018, 76, 10.  | 1.0 | 24        |
| 28830 | Fatigue in chronically critically ill patients following intensive care - reliability and validity of the multidimensional fatigue inventory (MFI-20). <i>Health and Quality of Life Outcomes</i> , 2018, 16, 37.  | 1.0 | 28        |
| 28831 | Citizen crowds and experts: observer variability in image-based plant phenotyping. <i>Plant Methods</i> , 2018, 14, 12.  | 1.9 | 33        |
| 28832 | Testâ€“retest reliability of internal pudendal artery blood flow using color Doppler ultrasound in healthy women. <i>International Urogynecology Journal</i> , 2018, 29, 1817-1824.  | 0.7 | 3         |
| 28833 | To what extent can 3D model replicate dimensions of individual mitral valve prolapse?. <i>Journal of Artificial Organs</i> , 2018, 21, 348-355.  | 0.4 | 4         |
| 28834 | Classification of sleep and wake using a novel minimal-contact single-channel device. <i>Somnologie</i> , 2018, 22, 144-151.   | 0.9 | 8         |
| 28835 | Validation of Peripheral Quantitative Computed Tomographyâ€“Derived Thigh Adipose Tissue Subcompartments in Young Girls Using a 3â€“T MRI Scanner. <i>Journal of Clinical Densitometry</i> , 2018, 21, 583-594.  | 0.5 | 8         |
| 28836 | Lean Soft Tissue Mass Measured Using Dual-Energy X-Ray Absorptiometry Is an Effective Index for Assessing Change in Leg Skeletal Muscle Mass Following Exercise Training. <i>Journal of Clinical Densitometry</i> , 2018, 21, 394-398.                                     | 0.5 | 16        |
| 28837 | Measuring skin necrosis in a randomised controlled feasibility trial of heat preconditioning on wound healing after reconstructive breast surgery: study protocol and statistical analysis plan for the PREHEAT trial. <i>Pilot and Feasibility Studies</i> , 2018, 4, 34. | 0.5 | 5         |
| 28838 | State-of-the-art review on automated lumen and adventitial border delineation and its measurements in carotid ultrasound. <i>Computer Methods and Programs in Biomedicine</i> , 2018, 163, 155-168.  | 2.6 | 22        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28839 | Extensive Theoretical Study of the Thermochemical Properties of Unsaturated Hydrocarbons and Allylic and Super-Allylic Radicals: The Development and Optimization of Group Additivity Values. <i>Journal of Physical Chemistry A</i> , 2018, 122, 4736-4749. | 1.1 | 34        |
| 28840 | The P-mJOA: A Patient-derived, Self-reported Outcome Instrument for Evaluating Cervical Myelopathy. <i>Clinical Spine Surgery</i> , 2018, 31, E115-E120.   | 0.7 | 23        |
| 28841 | Manual punch versus automated flow-through sample desorption for dried blood spot LC-MS/MS analysis of voriconazole. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1089, 16-23.                    | 1.2 | 10        |
| 28842 | Constant "Murley Score: systematic review and standardized evaluation in different shoulder pathologies. <i>Quality of Life Research</i> , 2018, 27, 2217-2226.  | 1.5 | 85        |
| 28843 | A systematic review of the measurement properties of the European Organisation for Research and Treatment of Cancer In-patient Satisfaction with Care Questionnaire, the EORTC IN-PATSAT32. <i>Supportive Care in Cancer</i> , 2018, 26, 2551-2560.          | 1.0 | 11        |
| 28844 | A novel non-invasive blood pressure waveform measuring system compared to Millar applanation tonometry. <i>Journal of Clinical Monitoring and Computing</i> , 2018, 32, 717-727.   | 0.7 | 10        |
| 28845 | Repeatability and Safety of the Functional Capacity Evaluation-One-Handed for Individuals with Upper Limb Reduction Deficiency and Amputation. <i>Journal of Occupational Rehabilitation</i> , 2018, 28, 475-485.  | 1.2 | 2         |
| 28846 | Grooming a CAT: customizing CAT administration rules to increase response efficiency in specific research and clinical settings. <i>Quality of Life Research</i> , 2018, 27, 2403-2413.  | 1.5 | 5         |
| 28847 | Retinal microcirculation and leukocyte telomere length in the general population. <i>Scientific Reports</i> , 2018, 8, 7095.   | 1.6 | 5         |
| 28848 | Cuffless blood pressure estimation using only a smartphone. <i>Scientific Reports</i> , 2018, 8, 7298.   | 1.6 | 76        |
| 28849 | Computer monitor pixellation and Sloan letter visual acuity measurement. <i>Ophthalmic and Physiological Optics</i> , 2018, 38, 144-151.   | 1.0 | 6         |
| 28850 | Visual field indices and patterns of visual field deficits in mesopic and dark-adapted two-colour fundus-controlled perimetry in macular diseases. <i>British Journal of Ophthalmology</i> , 2018, 102, 1054-1059.   | 2.1 | 22        |
| 28851 | Assessment of interrater and intermethod agreement in the kinesiology literature. <i>Measurement in Physical Education and Exercise Science</i> , 2018, 22, 116-128.   | 1.3 | 6         |
| 28852 | A microfluidic chip for capturing, imaging and counting CD3+ T-lymphocytes and CD19+ B-lymphocytes from whole blood. <i>Sensors and Actuators B: Chemical</i> , 2018, 276, 107-113.  | 4.0 | 12        |
| 28853 | Effect of the Inclusion of the Metacarpophalangeal Joints on the Wrist Magnetic Resonance Imaging Scoring System in Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2018, 45, 1581-1587.   | 1.0 | 4         |
| 28854 | Synthetic colloid fluids (6% hydroxyethyl starch 130/0.4 and 4% succinylated gelatin) interfere with total plasma protein measurements in vitro. <i>Veterinary Clinical Pathology</i> , 2018, 47, 575-581.   | 0.3 | 5         |
| 28855 | Reliability of a novel thermal imaging system for temperature assessment of healthy feet. <i>Journal of Foot and Ankle Research</i> , 2018, 11, 22.  | 0.7 | 35        |
| 28856 | Feasibility of biventricular 3D transthoracic echocardiography in the critically ill and comparison with conventional parameters. <i>Critical Care</i> , 2018, 22, 198.  | 2.5 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28857 | The Validity and Reproducibility of Dietary Non-enzymatic Antioxidant Capacity Estimated by Self-administered Food Frequency Questionnaires. <i>Journal of Epidemiology</i> , 2018, 28, 428-436.  | 1.1 | 4         |
| 28858 | CT-based Navigation System Using a Patient-Specific Instrument for Femoral Component Positioning: An Experimental in vitro Study with a Sawbone Model. <i>Yonsei Medical Journal</i> , 2018, 59, 769.   | 0.9 | 15        |
| 28859 | Measurement of pulse wave velocity, augmentation index, and central pulse pressure in atrial fibrillation: a proof of concept study. <i>Journal of the American Society of Hypertension</i> , 2018, 12, 627-632.  | 2.3 | 13        |
| 28860 | Two-center clinical validation and quantitative assessment of respiratory triggered retrospectively cardiac gated balanced-SSFP cine cardiovascular magnetic resonance imaging in adults. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018, 20, 44. | 1.6 | 17        |
| 28861 | A new mini-navigation tool allows accurate component placement during anterior total hip arthroplasty. <i>Medical Devices: Evidence and Research</i> , 2018, Volume 11, 95-104.   | 0.4 | 12        |
| 28862 | Analysis of Predictive Equations for Estimating Resting Energy Expenditure in a Large Cohort of Morbidly Obese Patients. <i>Frontiers in Endocrinology</i> , 2018, 9, 367.  | 1.5 | 23        |
| 28863 | Foot and Soccer Refereesâ€™: A Pilot Study Searching â€œPerformanceâ€•Throughout Prevention. <i>Frontiers in Physiology</i> , 2018, 9, 1009.  | 1.3 | 2         |
| 28864 | Detection of Cardiopulmonary Activity and Related Abnormal Events Using Microsoft Kinect Sensor. <i>Sensors</i> , 2018, 18, 920.  | 2.1 | 16        |
| 28865 | An objective method for assessment of foot conformation in sheep. <i>Small Ruminant Research</i> , 2018, 167, 22-28.  | 0.6 | 5         |
| 28866 | Discriminatory Value of the Ascending Aorta Diameter in Suspected Acute Type A Aortic Dissection. <i>Academic Emergency Medicine</i> , 2019, 26, 217-225.   | 0.8 | 3         |
| 28867 | Event Analysis: Using Transcript Events To Improve Estimates of Abundance in RNA-seq Data. <i>G3: Genes, Genomes, Genetics</i> , 2018, 8, 2923-2940.  | 0.8 | 11        |
| 28868 | Narrowing beam-walking is a clinically feasible approach for assessing balance ability in lower-limb prosthesis users. <i>Journal of Rehabilitation Medicine</i> , 2018, 50, 457-464.   | 0.8 | 22        |
| 28869 | Primary cCT Imaging Based Clinico-Neurological Assessmentâ€™Calling for Addition of Telestroke Video Consultation in Patients With Intracerebral Hemorrhage. <i>Frontiers in Neurology</i> , 2018, 9, 607.  | 1.1 | 4         |
| 28870 | Alveolar Air and O2 Uptake During Exercise in Patients With Heart Failure. <i>Journal of Cardiac Failure</i> , 2018, 24, 695-705.   | 0.7 | 4         |
| 28871 | Automated determination of cardiac rest period on whole-heart coronary magnetic resonance angiography by extracting high-speed motion of coronary arteries. <i>Clinical Imaging</i> , 2018, 52, 183-188.  | 0.8 | 1         |
| 28872 | A contralateral eye study comparing characteristics of corneal endothelial cells in bilateral keratoconus patients with unilateral corneal Vogt's striae. <i>Journal of Current Ophthalmology</i> , 2018, 30, 228-233.  | 0.3 | 2         |
| 28873 | Comparing imaging capabilities of spectral domain and swept source optical coherence tomography angiography in healthy subjects and central serous retinopathy. <i>Eye and Vision (London, England)</i> , 2018, 5, 19.  | 1.4 | 12        |
| 28874 | Improving precision for detecting change in the shape of the cornea in patients with keratoconus. <i>Scientific Reports</i> , 2018, 8, 12345.   | 1.6 | 45        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28875 | The paediatric option for BodPod to assess body composition in preschool children: what fat-free mass density values should be used?. <i>British Journal of Nutrition</i> , 2018, 120, 797-802.  | 1.2 | 4         |
| 28876 | Automated fluorescence intensity and gradient analysis enables detection of rare fluorescent mutant cells deep within the tissue of RaDR mice. <i>Scientific Reports</i> , 2018, 8, 12108.   | 1.6 | 7         |
| 28877 | Comparison of methods of chemical loop gain measurement during tidal ventilation in awake healthy subjects. <i>Journal of Applied Physiology</i> , 2018, 125, 1681-1692.   | 1.2 | 5         |
| 28878 | Recall of preoperative Oxford Hip and Knee Scores one year after arthroplasty is an alternative and reliable technique when used for a cohort of patients. <i>Bone and Joint Research</i> , 2018, 7, 351-356.  | 1.3 | 11        |
| 28879 | Spleen size evaluation in children: Time to define splenomegaly for pediatric surgeons and pediatricians. <i>PLoS ONE</i> , 2018, 13, e0202741.  | 1.1 | 32        |
| 28880 | Accuracy of three-dimensional cephalograms generated using a biplanar imaging system. <i>Korean Journal of Orthodontics</i> , 2018, 48, 292.   | 0.8 | 3         |
| 28881 | Is Immediate Postoperative Mechanical Axis Associated with the Revision Rate of Primary Total Knee Arthroplasty? A 10-Year Follow-up Study. <i>Clinics in Orthopedic Surgery</i> , 2018, 10, 167.  | 0.8 | 36        |
| 28882 | Reliability and clinical utility of the Pliance X for measuring pressure at the interface of pressure garments and burn scars in children. <i>Burns</i> , 2018, 44, 1820-1828.   | 1.1 | 12        |
| 28883 | Influence of sample collection tube method, anticoagulant-containing plasma versus serum, on influenza virus hemagglutination inhibition titer and microneutralization titer serological assays. <i>BMC Health Services Research</i> , 2018, 18, 651.              | 0.9 | 7         |
| 28884 | Brief communication: Test of a method to identify double-zonal osteon in polarized light microscopy. <i>American Journal of Physical Anthropology</i> , 2018, 167, 407-415.  | 2.1 | 6         |
| 28885 | Direct identification of bovine mastitis pathogens by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry in pre-incubated milk. <i>Brazilian Journal of Microbiology</i> , 2018, 49, 801-807.  | 0.8 | 12        |
| 28886 | Validation of an accelerometer for measurement of activity in frail older people. <i>Gait and Posture</i> , 2018, 66, 114-117.   | 0.6 | 34        |
| 28887 | Right ventricular dyssynchrony during hypoxic breathing but not during exercise in healthy subjects: a speckle tracking echocardiography study. <i>Experimental Physiology</i> , 2018, 103, 1338-1346.   | 0.9 | 12        |
| 28888 | Interstudy reproducibility of dark blood high-resolution MRI in evaluating basilar atherosclerotic plaque at 3 Tesla. <i>Diagnostic and Interventional Radiology</i> , 2018, 24, 237-242.  | 0.7 | 4         |
| 28889 | Re-assessing the Validity of the Opioid Risk Tool in a Tertiary Academic Pain Management Center Population. <i>Pain Medicine</i> , 2018, 19, 1382-1395.  | 0.9 | 17        |
| 28890 | Comparing fully automated state-of-the-art cerebellum parcellation from magnetic resonance images. <i>NeuroImage</i> , 2018, 183, 150-172.   | 2.1 | 80        |
| 28891 | Diagnosing orthostatic hypotension with continuous and interval blood pressure measurement devices. <i>Journal of Human Hypertension</i> , 2018, 32, 831-837.  | 1.0 | 7         |
| 28892 | Comparison of Bioelectrical Impedance Analysis, Slaughter Skinfold-Thickness Equations, and Dual-Energy X-ray Absorptiometry for Estimating Body Fat Percentage in Colombian Children and Adolescents with Excess of Adiposity. <i>Nutrients</i> , 2018, 10, 1086. | 1.7 | 35        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28893 | Comparison of two methods of determining lung de-recruitment, using the forced oscillation technique. <i>European Journal of Applied Physiology</i> , 2018, 118, 2213-2224.  | 1.2 | 7         |
| 28894 | Validation of the Apple Watch for Heart Rate Variability Measurements during Relax and Mental Stress in Healthy Subjects. <i>Sensors</i> , 2018, 18, 2619.   | 2.1 | 135       |
| 28895 | Validation of a Portuguese version of the Oral Health Impact Profile adapted to people with mild intellectual disabilities (OHIP-14-MID-PT). <i>PLoS ONE</i> , 2018, 13, e0198840.   | 1.1 | 5         |
| 28896 | Reproducibility of isokinetic strength assessment of knee muscle actions in adult athletes: Torques and antagonist-agonist ratios derived at the same angle position. <i>PLoS ONE</i> , 2018, 13, e0202261.  | 1.1 | 27        |
| 28897 | Validation of the use of spectrophotometer (WYD iodine checker) for the determination of iodine in food salt. <i>African Journal of Food Science</i> , 2018, 12, 15-20.  | 0.4 | 0         |
| 28898 | Magnetic resonance elastography of healthy livers at 3.0 T: Normal liver stiffness measured by SE-EPI and GRE. <i>European Journal of Radiology</i> , 2018, 107, 46-53.  | 1.2 | 12        |
| 28899 | Comparison of ground sections, paraffin sections and micro-CT imaging of bone from the epiphysis of the porcine femur for morphometric evaluation. <i>Annals of Anatomy</i> , 2018, 220, 85-96.  | 1.0 | 13        |
| 28900 | Assessment of infant sleep: how well do multiple methods compare?. <i>Sleep</i> , 2018, 41, .  | 0.6 | 33        |
| 28901 | Semi-automated estimation of left ventricular ejection fraction by two-dimensional and three-dimensional echocardiography is feasible, time-efficient, and reproducible. <i>Echocardiography</i> , 2018, 35, 1795-1805.  | 0.3 | 7         |
| 28902 | Assessing the reliability of FTIR spectroscopy measurements and validity of bioelectrical impedance analysis as a surrogate measure of body composition among children and adolescents aged 8-19 years attending schools in Kampala, Uganda. <i>BMC Public Health</i> , 2018, 18, 687. | 1.2 | 2         |
| 28903 | Large-scale clinical validation of noncontact and continuous extraction of blood pressure via multipoint defocused photonic imaging. <i>Applied Optics</i> , 2018, 57, B45.  | 0.9 | 13        |
| 28904 | Determining Genotypic Drug Resistance by Ion Semiconductor Sequencing With the Ion AmpliSeq <sup>®</sup> TB Panel in Multidrug-Resistant <i>Mycobacterium tuberculosis</i> Isolates. <i>Annals of Laboratory Medicine</i> , 2018, 38, 316-323.   | 1.2 | 15        |
| 28905 | Clinical Utility and Cross-Reactivity of Insulin and C-Peptide Assays by the Lumipulse G1200 System. <i>Annals of Laboratory Medicine</i> , 2018, 38, 530-537.   | 1.2 | 9         |
| 28906 | Dried urine swabs as a tool for monitoring metabolite excretion. <i>Bioanalysis</i> , 2018, 10, 1371-1381.   | 0.6 | 8         |
| 28907 | Capillary and venous lactate measurements with a handheld device compared to venous blood-gas analysis for emergency patients. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2018, 26, 47.   | 1.1 | 8         |
| 28908 | Weight-bearing cone beam CT scans in the foot and ankle. <i>EFORT Open Reviews</i> , 2018, 3, 278-286.   | 1.8 | 125       |
| 28909 | Is the new, noninvasive, continuous cardiorespiratory monitoring reliable during neonatal ECMO?. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2018, 47, 638-645.  | 0.8 | 1         |
| 28910 | QCM-D sensor for the dose management of Apixaban in replacement surgery. <i>Sensors and Actuators B: Chemical</i> , 2018, 275, 110-115.  | 4.0 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28911 | Two-minute walk test: Reference equations for healthy adults in China. PLoS ONE, 2018, 13, e0201988.  | 1.1 | 5         |
| 28912 | Reproducibility and Clinical Correlates of Supine Diaphragmatic Motion Measured by M-Mode Ultrasonography in Healthy Volunteers. Respiration, 2018, 96, 259-266.  | 1.2 | 42        |
| 28913 | Animal-Based Measures to Assess the Welfare of Extensively Managed Ewes. Animals, 2018, 8, 2.   | 1.0 | 32        |
| 28914 | Comparison of Simulated Keratometry and Total Refractive Power for Keratoconus According to the Stage of Amsler-Krumeich Classification. Scientific Reports, 2018, 8, 12436.  | 1.6 | 20        |
| 28915 | Chromatic techniques for in vivo monitoring jaundice in neonate tissues. Physiological Measurement, 2018, 39, 095004.   | 1.2 | 7         |
| 28916 | Imaging of Corneal Neovascularization: Optical Coherence Tomography Angiography and Fluorescence Angiography. , 2018, 59, 1263.   |     | 47        |
| 28917 | The third ventricle of the human fetal brain: Normative data and pathologic correlation. A 3D transvaginal neurosonography study. Prenatal Diagnosis, 2018, 38, 664-672.  | 1.1 | 18        |
| 28918 | Measurement techniques to determine tibial rotation after total knee arthroplasty are less accurate than we think. Knee, 2018, 25, 663-668.   | 0.8 | 10        |
| 28919 | Agreement of white-to-white measurements with the IOLMaster 700, Atlas 9000, and Sirius systems. Expert Review of Medical Devices, 2018, 15, 453-459.   | 1.4 | 11        |
| 28920 | Effect of deriving periosteal and endosteal contours from micro-CT scans on computation of cross-sectional properties in non-adults: the femur. Journal of Anatomy, 2018, 233, 381-393.   | 0.9 | 7         |
| 28921 | Seven-Year Clinical Surveillance Program Demonstrates Consistent MARD Accuracy Performance of a Blood Glucose Test Strip. Journal of Diabetes Science and Technology, 2018, 12, 1016-1023.  | 1.3 | 4         |
| 28922 | Translation and validation of the Simplified Chinese version of International Knee Documentation Committee Subjective Knee Form. Archives of Orthopaedic and Trauma Surgery, 2018, 138, 1433-1441.  | 1.3 | 13        |
| 28923 | Scan-to-scan reproducibility of segmental aortic wall shear stress as assessed by phase-specific segmentation with 4D flow MRI in healthy volunteers. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2018, 31, 653-663.  | 1.1 | 30        |
| 28924 | Validation of the Vectra XT three-dimensional imaging system for measuring breast volume and symmetry following oncological reconstruction. Breast Cancer Research and Treatment, 2018, 171, 391-398.   | 1.1 | 36        |
| 28925 | Assessment and the Journal of Clinical Child and Adolescent Psychology's Evidence Base Updates Series: Evaluating the Tools for Gathering Evidence. Journal of Clinical Child and Adolescent Psychology, 2018, 47, 357-365.   | 2.2 | 27        |
| 28926 | Non-invasive staging of chronic kidney allograft damage using urine metabolomic profiling. Pediatric Transplantation, 2018, 22, e13226.   | 0.5 | 13        |
| 28927 | Validation of the WHO Disability Assessment Schedule (WHODAS 2.0) 12-item tool against the 36-item version for measuring functioning and disability associated with pregnancy and history of severe maternal morbidity. International Journal of Gynecology and Obstetrics, 2018, 141, 39-47. | 1.0 | 28        |
| 28928 | Psychometric properties of the Tilburg Frailty Indicator in older Spanish people. Archives of Gerontology and Geriatrics, 2018, 78, 203-212.  | 1.4 | 20        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28929 | Recently arrived refugee children: The quality and outcomes of Best Interests of the Child assessments. <i>International Journal of Law and Psychiatry</i> , 2018, 59, 20-30.  | 0.5 | 4         |
| 28930 | The inter-observer reliability and agreement of lateral balance recovery responses in older and younger adults. <i>Journal of Electromyography and Kinesiology</i> , 2018, 40, 39-47.  | 0.7 | 16        |
| 28931 | Low-cost electromyography – Validation against a commercial system using both manual and automated activation timing thresholds. <i>Journal of Electromyography and Kinesiology</i> , 2018, 42, 74-80.                                       | 0.7 | 31        |
| 28932 | Validation of the Beneware model ABP-021 ambulatory blood pressure monitor according to the revised 2010 European Society of hypertension international protocol. <i>Blood Pressure Monitoring</i> , 2018, 23, 210-213.                      | 0.4 | 2         |
| 28933 | The reliability and validity of goniometric elbow measurements in adults: A systematic review of the literature. <i>Shoulder and Elbow</i> , 2018, 10, 274-284.  | 0.7 | 34        |
| 28934 | Concurrent validity between a portable force plate and instrumented walkway when measuring limits of stability. <i>International Journal of Therapy and Rehabilitation</i> , 2018, 25, 272-278.  | 0.1 | 6         |
| 28935 | A wearable remote monitoring system for the identification of subjects with a prolonged QT interval or at risk for drug-induced long QT syndrome. <i>International Journal of Cardiology</i> , 2018, 266, 89-94.                             | 0.8 | 53        |
| 28936 | Virtual localization of the seizure onset zone: Using non-invasive MEG virtual electrodes at stereo-EEG electrode locations in refractory epilepsy patients. <i>NeuroImage: Clinical</i> , 2018, 19, 758-766.                                | 1.4 | 19        |
| 28937 | Rapid determination of designer benzodiazepines, benzodiazepines, and Z-hypnotics in whole blood using parallel artificial liquid membrane extraction and UHPLC-MS/MS. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 4967-4978. | 1.9 | 32        |
| 28938 | Salt Intake of Lactating Women as Assessed by Modified Food Weighted Records. <i>Journal of the American College of Nutrition</i> , 2018, 37, 614-619.   | 1.1 | 3         |
| 28939 | Assessment of dentofacial growth deviation in juvenile idiopathic arthritis: Reliability and validity of three-dimensional morphometric measures. <i>PLoS ONE</i> , 2018, 13, e0194177.  | 1.1 | 24        |
| 28940 | Performance and comparability of laboratory methods for measuring ferritin concentrations in human serum or plasma: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2018, 13, e0196576.   | 1.1 | 37        |
| 28941 | Validation of spirometry prediction equations in western Kenya. <i>International Journal of Tuberculosis and Lung Disease</i> , 2018, 22, 112-118.   | 0.6 | 2         |
| 28942 | Classification of pressure ulcer tissues with 3D convolutional neural network. <i>Medical and Biological Engineering and Computing</i> , 2018, 56, 2245-2258.  | 1.6 | 39        |
| 28943 | Novel computer-based testing shows multi-domain cognitive dysfunction in patients with multiple sclerosis. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2018, 4, 205521731876745.                          | 0.5 | 6         |
| 28944 | gDNA extraction yield and methylation status of blood samples are affected by long-term storage conditions. <i>PLoS ONE</i> , 2018, 13, e0192414.  | 1.1 | 24        |
| 28945 | Reliability of computer-assisted periacetabular osteotomy using a minimally invasive approach. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2018, 13, 2021-2028.  | 1.7 | 8         |
| 28946 | Test-retest reliability of myelin imaging in the human spinal cord: Measurement errors versus region- and aging-induced variations. <i>PLoS ONE</i> , 2018, 13, e0189944.  | 1.1 | 20        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28947 | Automatic outer and inner breast tissue segmentation using multi-parametric MRI images of breast tumor patients. <i>PLoS ONE</i> , 2018, 13, e0190348.  | 1.1 | 27        |
| 28948 | The association of estimated salt intake with blood pressure in a Viet Nam national survey. <i>PLoS ONE</i> , 2018, 13, e0191437.   | 1.1 | 22        |
| 28949 | Evaluation of the INTERGROWTH-21st Neurodevelopment Assessment (INTER-NDA) in 2 year-old children. <i>PLoS ONE</i> , 2018, 13, e0193406.  | 1.1 | 25        |
| 28950 | Advances of the reverse lactate threshold test: Non-invasive proposal based on heart rate and effect of previous cycling experience. <i>PLoS ONE</i> , 2018, 13, e0194313.  | 1.1 | 8         |
| 28951 | Factors influencing spinal curvature measurements on ultrasound images for children with adolescent idiopathic scoliosis (AIS). <i>PLoS ONE</i> , 2018, 13, e0198792.   | 1.1 | 21        |
| 28952 | Influence of observer experience on cardiac magnetic resonance strain measurements using feature tracking and conventional tagging. <i>IJC Heart and Vasculature</i> , 2018, 18, 46-51.   | 0.6 | 24        |
| 28953 | Validity of a customized submaximal treadmill protocol for determining VO2max. <i>European Journal of Applied Physiology</i> , 2018, 118, 1781-1787.  | 1.2 | 11        |
| 28954 | The German version of the musculoskeletal pain intensity and interference questionnaire for musicians (MPIIQM-G): Translation and validation in professional orchestral musicians. <i>Musculoskeletal Science and Practice</i> , 2018, 37, 1-7. | 0.6 | 10        |
| 28955 | Results at 5 Years After Gene Therapy for RPE65-Deficient Retinal Dystrophy. <i>Human Gene Therapy</i> , 2018, 29, 1428-1437.   | 1.4 | 48        |
| 28956 | An Improved LC-ESI-MS/MS Method to Quantify Pregabalin in Human Plasma and Dry Plasma Spot for Therapeutic Monitoring and Pharmacokinetic Applications. <i>Therapeutic Drug Monitoring</i> , 2018, 40, 610-619.                                 | 1.0 | 10        |
| 28957 | Validation of Multiparametric Ultrasonography Criteria with Digital Subtraction Angiography in Carotid Artery Disease: A Prospective Multicenter Study. <i>Ultraschall in Der Medizin</i> , 2018, 39, 535-543.                                  | 0.8 | 15        |
| 28958 | Left heart longitudinal deformation analysis in mitral regurgitation. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 1741-1751.   | 0.7 | 7         |
| 28959 | Evaluation of a New Multiparameter Brain Probe for Simultaneous Measurement of Brain Tissue Oxygenation, Cerebral Blood Flow, Intracranial Pressure, and Brain Temperature in a Porcine Model. <i>Neurocritical Care</i> , 2018, 29, 291-301.   | 1.2 | 6         |
| 28960 | High precision and accuracy of model-based RSA for analysis of wrist arthroplasty. <i>Journal of Orthopaedic Research</i> , 2018, 36, 3053-3063.  | 1.2 | 2         |
| 28961 | Assessment of Corneal Keratometric and Astigmatism Measurements Using Verion System and Other Instruments in Cataract Patient. <i>Current Eye Research</i> , 2018, 43, 1205-1214.   | 0.7 | 3         |
| 28962 | A comparison of bladder volumes based on treatment planning CT and BladderScan® BVI 6100 ultrasound device in a prostate radiation therapy population. <i>British Journal of Radiology</i> , 2018, 91, 20180160.                                | 1.0 | 12        |
| 28964 | Effect of combined training on body composition and metabolic variables in people living with HIV: A randomized clinical trial. <i>Cytokine</i> , 2018, 111, 505-510.   | 1.4 | 11        |
| 28965 | Prevalence and prognostic significance of pulmonary artery aneurysms in adults with congenital heart disease. <i>International Journal of Cardiology</i> , 2018, 270, 120-125.  | 0.8 | 17        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 28966 | Application of Energy Dispersive X-ray Fluorescence Spectrometry to the Determination of Copper, Manganese, Zinc, and Sulfur in Grass ( <i>Lolium perenne</i> ) in Grazed Agricultural Systems. <i>Applied Spectroscopy</i> , 2018, 72, 1661-1673. | 1.2 | 13        |
| 28967 | Measuring pulmonary arterial compliance: mission impossible? Insights from a novel in vivo continuous-flow based experimental model. <i>Pulmonary Circulation</i> , 2018, 8, 1-12.   | 0.8 | 7         |
| 28968 | Validation of automated lobe segmentation on paired inspiratory-expiratory chest CT in 8-14 year-old children with cystic fibrosis. <i>PLoS ONE</i> , 2018, 13, e0194557.  | 1.1 | 25        |
| 28969 | Clinical evaluation of a benchtop dry chemistry analyzer for measurement of ammonium concentrations in canine plasma samples. <i>Journal of the American Veterinary Medical Association</i> , 2018, 253, 61-65.                                    | 0.2 | 0         |
| 28970 | Between-Day Reliability of Pre-Participation Screening Components in Pre-Professional Ballet and Contemporary Dancers. <i>Journal of Dance Medicine and Science</i> , 2018, 22, 54-62.   | 0.2 | 17        |
| 28971 | Dosimetric evaluation of magnetic resonance-generated synthetic CT for radiation treatment of rectal cancer. <i>PLoS ONE</i> , 2018, 13, e0190883.   | 1.1 | 18        |
| 28972 | Novel paddle stroke analysis for elite slalom kayakers: Relationship with force parameters. <i>PLoS ONE</i> , 2018, 13, e0192835.  | 1.1 | 6         |
| 28973 | Validity and reliability of two alternate versions of the Montreal Cognitive Assessment (Hong Kong) Tj ETQq1 1 0.784314 rgBTj/Overlo   | 1.1 | 17        |
| 28974 | Quantification of bone microstructure in the wrist using cone-beam computed tomography. <i>Bone</i> , 2018, 114, 206-214.  | 1.4 | 22        |
| 28975 | Validity of the Kinect and Myo armband in a serious game for assessing upper limb movement. <i>Entertainment Computing</i> , 2018, 27, 150-156.  | 1.8 | 28        |
| 28976 | Accuracy of Linking VR-12 and PROMIS Global Health Scores in Clinical Practice. <i>Value in Health</i> , 2018, 21, 1226-1233.  | 0.1 | 14        |
| 28977 | A Device for the Quantification of Oxygen Consumption and Caloric Expenditure in the Neonatal Range. <i>Anesthesia and Analgesia</i> , 2018, 127, 95-104.  | 1.1 | 1         |
| 28978 | Commercial Slit Lamp Anterior Segment Photography versus Digital Compact Camera Mounted on a Standard Slit Lamp with an Adapter. <i>Current Eye Research</i> , 2018, 43, 1290-1294.  | 0.7 | 11        |
| 28979 | Smartphone technology: a reliable and valid measure of knee movement in knee replacement. <i>International Journal of Rehabilitation Research</i> , 2018, 41, 152-158.   | 0.7 | 22        |
| 28980 | Quantifying chromosomal copy number alterations in breast ductal carcinoma in situ: A deep learning based approach. , 2018, , .  |     | 1         |
| 28981 | Validity of hip-worn inertial measurement unit compared to jump mat for jump height measurement in adolescents. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 2183-2188.   | 1.3 | 6         |
| 28982 | Inter-vendor reproducibility of left and right ventricular cardiovascular magnetic resonance myocardial feature-tracking. <i>PLoS ONE</i> , 2018, 13, e0193746.  | 1.1 | 47        |
| 28983 | Manual muscle testing and hand-held dynamometry in people with inflammatory myopathy: An intra- and interrater reliability and validity study. <i>PLoS ONE</i> , 2018, 13, e0194531.   | 1.1 | 62        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 28984 | Progression of the Radiologic Severity Index predicts mortality in patients with parainfluenza virus-associated lower respiratory infections. <i>PLoS ONE</i> , 2018, 13, e0197418.   | 1.1 | 19        |
| 28985 | Weight estimation for children aged 6 to 59 months in limited-resource settings: A proposal for a tape using height and mid-upper arm circumference. <i>PLoS ONE</i> , 2018, 13, e0197769.  | 1.1 | 7         |
| 28986 | Ultrasound Nomograms of the Fetal Optic Nerve Sheath Diameter. <i>Ultraschall in Der Medizin</i> , 2019, 40, 476-480.   | 0.8 | 4         |
| 28987 | Accuracy of a Portable Indirect Calorimeter for Measuring Resting Energy Expenditure in Individuals With Cancer. <i>Journal of Parenteral and Enteral Nutrition</i> , 2019, 43, 145-151.  | 1.3 | 8         |
| 28988 | Measurement of blood-oxygen saturation using a photoacoustic technique in the rabbit hypoxemia model. <i>Journal of Clinical Monitoring and Computing</i> , 2019, 33, 269-279.  | 0.7 | 11        |
| 28989 | Modified stoke ankylosing spondylitis spinal score as an outcome measure to assess the impact of treatment on structural progression in ankylosing spondylitis. <i>Rheumatology</i> , 2019, 58, 388-400.  | 0.9 | 93        |
| 28990 | Assessing the Association Between Blood Loss and Postoperative Hemoglobin After Cesarean Delivery. <i>Anesthesia and Analgesia</i> , 2019, 128, 926-932.  | 1.1 | 19        |
| 28991 | Validation (in Spanish) of the Mini Nutritional Assessment survey to assess the nutritional status of patients over 65 years of age. <i>Family Practice</i> , 2019, 36, 172-178.  | 0.8 | 9         |
| 28992 | Effect of vitamin D supplementation on free and total vitamin D: A comparison of Asians and Caucasians. <i>Clinical Endocrinology</i> , 2019, 90, 222-231.  | 1.2 | 13        |
| 28993 | Inter- and intraclass correlations for three standard foot radiographic measurements for plantar surface angles. Which measure is most reliable?. <i>Foot and Ankle Surgery</i> , 2019, 25, 646-653.  | 0.8 | 5         |
| 28994 | Interdisciplinary Pain Management Improves Pain and Function in Pediatric Patients with Chronic Pain Associated with Joint Hypermobility Syndrome. <i>PM and R</i> , 2019, 11, 150-157.   | 0.9 | 24        |
| 28995 | Methods for data analysis of resting energy expenditure measured using indirect calorimetry. <i>Nutrition</i> , 2019, 59, 44-49.  | 1.1 | 12        |
| 28996 | A comparison of physical activity from Actigraph <sc>GT</sc>3X+ accelerometers worn on the dominant and non-dominant wrist. <i>Clinical Physiology and Functional Imaging</i> , 2019, 39, 51-56.  | 0.5 | 27        |
| 28997 | â€˜Van Herick Plusâ€™™: a modified grading scheme for the assessment of peripheral anterior chamber depth and angle. <i>British Journal of Ophthalmology</i> , 2019, 103, 960-965.  | 2.1 | 12        |
| 28998 | Tumor to cervical spinal cord standardized uptake ratio (SUR) improves the reproducibility of 18F-FDG-PET based tumor segmentation in head and neck squamous cell carcinoma in a multicenter setting. <i>Radiotherapy and Oncology</i> , 2019, 130, 39-45.                | 0.3 | 8         |
| 28999 | Reference range of liver corrected T1 values in a population at low risk for fatty liver diseaseâ€”a UK Biobank sub-study, with an appendix of interesting cases. <i>Abdominal Radiology</i> , 2019, 44, 72-84.   | 1.0 | 50        |
| 29000 | Accuracy of computed tomography in detection of great vessel stenosis or hypoplasia before superior bidirectional cavopulmonary connection: Comparison with cardiac catheterization and surgical findings. <i>Archives of Cardiovascular Diseases</i> , 2019, 112, 12-21. | 0.7 | 8         |
| 29001 | Relationship Between Total Body Protein and Cross-sectional Skeletal Muscle Area in Liver Cirrhosis Is Influenced by Overhydration. <i>Liver Transplantation</i> , 2019, 25, 45-55.   | 1.3 | 19        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29002 | PROGNOSTIC VALUE OF SHAPE-DESCRIPTIVE FACTORS FOR THE PROGRESSION OF GEOGRAPHIC ATROPHY SECONDARY TO AGE-RELATED MACULAR DEGENERATION. <i>Retina</i> , 2019, 39, 1527-1540.   | 1.0 | 44        |
| 29003 | Is there association of gross tumor volume of adenocarcinoma of oesophagogastric junction measured on magnetic resonance imaging with N stage?. <i>European Journal of Radiology</i> , 2019, 110, 181-186.  | 1.2 | 7         |
| 29004 | Skin temperature of the foot: comparing transthyretin Familial Amyloid Polyneuropathy and Diabetic Foot patients. <i>Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization</i> , 2019, 7, 504-511.                             | 1.3 | 2         |
| 29005 | An Algorithm for Heart Rate Extraction From Acoustic Recordings at the Neck. <i>IEEE Transactions on Biomedical Engineering</i> , 2019, 66, 246-256.  | 2.5 | 20        |
| 29006 | Diagnostic value of MRI signs in differentiating Ewing sarcoma from osteomyelitis. <i>Acta Radiologica</i> , 2019, 60, 204-212.   | 0.5 | 17        |
| 29007 | Evaluation of a short food frequency questionnaire for dietary intake assessment among children. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 679-691.   | 1.3 | 39        |
| 29008 | Comparison of Holladay equivalent keratometry readings and anterior corneal surface keratometry measurements in keratoconus. <i>International Ophthalmology</i> , 2019, 39, 1501-1509.  | 0.6 | 7         |
| 29009 | A suitable protocol for measuring alveolar nitric oxide in asthma with differing severity to assess peripheral airways inflammation. <i>Journal of Asthma</i> , 2019, 56, 584-593.  | 0.9 | 13        |
| 29010 | Accuracy of five systems for self-monitoring of blood glucose in the hands of adult lay-users and professionals applying ISO 15197:2013 accuracy criteria and potential insulin dosing errors. <i>Current Medical Research and Opinion</i> , 2019, 35, 301-311. | 0.9 | 6         |
| 29011 | Discrepancy between wrist-actigraph and polysomnographic measures of sleep in patients with stable heart failure and a novel approach to evaluating discrepancy. <i>Journal of Sleep Research</i> , 2019, 28, e12717.   | 1.7 | 12        |
| 29012 | Outcome Measures in UCLP: The Modified 5-Year-Olds-Index™-Development and Reliability. <i>Cleft Palate-Craniofacial Journal</i> , 2019, 56, 248-256.  | 0.5 | 1         |
| 29013 | Predictive factors of peak aerobic capacity using simple measurements of anthropometry and musculoskeletal fitness in paraplegic men. <i>Journal of Sports Medicine and Physical Fitness</i> , 2019, 59, 925-933.   | 0.4 | 2         |
| 29014 | Validation of fitness tracker for sleep measures in women with asthma. <i>Journal of Asthma</i> , 2019, 56, 719-730.  | 0.9 | 10        |
| 29015 | Evaluation of a commercial enzyme-linked immunosorbent assay (ELISA) for detecting antibodies against <i>Toxoplasma gondii</i> from naturally and experimentally infected pigs. <i>Infectious Diseases</i> , 2019, 51, 26-31.                                   | 1.4 | 10        |
| 29016 | Validation of the SunTech Medical Advantage Model 2 Series Automated Blood Pressure Module in Pregnancy. <i>American Journal of Perinatology</i> , 2019, 36, 067-073.   | 0.6 | 2         |
| 29017 | Test-retest reliability and criterion validity of a new Taekwondo Anaerobic Intermittent Kick Test. <i>Journal of Sports Medicine and Physical Fitness</i> , 2019, 59, 230-237.   | 0.4 | 12        |
| 29018 | Estimating plate-based model food proportions in adults living in Scotland using short dietary assessment questionnaires. <i>Nutrition and Dietetics</i> , 2019, 76, 521-531.   | 0.9 | 2         |
| 29019 | Editorial: Avoid being tripped up by statistics: Statistical guidance for a successful research paper. <i>Gait and Posture</i> , 2019, 72, 240-249.   | 0.6 | 28        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29020 | Bayesian quantile regression joint models: Inference and dynamic predictions. <i>Statistical Methods in Medical Research</i> , 2019, 28, 2524-2537.   | 0.7 | 6         |
| 29021 | The validity and reliability of the My Jump 2 app for measuring the reactive strength index and drop jump performance. <i>Journal of Sports Medicine and Physical Fitness</i> , 2019, 59, 253-258.                                | 0.4 | 67        |
| 29022 | Determination of the exercise intensity corresponding with maximal lactate steady state in high-level basketball players. <i>Research in Sports Medicine</i> , 2019, 27, 112-120.   | 0.7 | 11        |
| 29023 | Comparison of three optical biometers: IOLMaster 500, Lenstar LS 900 and Aladdin. <i>International Ophthalmology</i> , 2019, 39, 1809-1818.   | 0.6 | 17        |
| 29024 | Reliability of vulvar blood perfusion in women with provoked vestibulodynia using laser Doppler perfusion imaging and laser speckle imaging. <i>Microvascular Research</i> , 2019, 121, 1-6.                                      | 1.1 | 5         |
| 29025 | Gaitography on lower-limb amputees. <i>Prosthetics and Orthotics International</i> , 2019, 43, 71-79.   | 0.5 | 6         |
| 29027 | PESA: Probabilistic Efficient Storage Algorithm for Time-Domain Spectrum Measurements. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2019, 68, 325-333.   | 2.4 | 1         |
| 29028 | Comparison of DEXA and Bioimpedance for Body Composition Measurements in Nondialysis Patients With CKD. , 2019, 29, 33-38.  |     | 20        |
| 29029 | Computer-based Cobb angle measurement using deflection points in adolescence idiopathic scoliosis from radiographic images. <i>Neural Computing and Applications</i> , 2019, 31, 1547-1561.                                       | 3.2 | 17        |
| 29030 | How to: evaluate a diagnostic test. <i>Clinical Microbiology and Infection</i> , 2019, 25, 54-59.   | 2.8 | 48        |
| 29031 | Evaluation of reproducibility in MRI quantitative volumetric assessment and its role in the prediction of overall survival and progression-free survival in glioblastoma. <i>Acta Radiologica</i> , 2019, 60, 516-525.            | 0.5 | 10        |
| 29032 | Survey Development for Adolescents Aged 11â€“16 Years: A Developmental Science Based Guide. <i>Adolescent Research Review</i> , 2019, 4, 329-340.   | 2.3 | 24        |
| 29033 | Analyzing walking speeds with ankle and wrist worn accelerometers in a cohort with myotonic dystrophy. <i>Disability and Rehabilitation</i> , 2019, 41, 2972-2978.  | 0.9 | 13        |
| 29034 | Interobserver variability and stiffness measurements of normal common extensor tendon in healthy volunteers using shear wave elastography. <i>Skeletal Radiology</i> , 2019, 48, 137-141.   | 1.2 | 15        |
| 29035 | Comparison of automated post-processing techniques for measurement of body surface area from 3D photonic scans. <i>Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization</i> , 2019, 7, 227-234. | 1.3 | 1         |
| 29036 | Are Action Sport Cameras Accurate Enough for 3D Motion Analysis? A Comparison With a Commercial Motion Capture System. <i>Journal of Applied Biomechanics</i> , 2019, 35, 80-86.  | 0.3 | 22        |
| 29037 | Prospective evaluation of first and last memory reports following moderate to severe traumatic brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2019, 41, 109-117.                                     | 0.8 | 1         |
| 29038 | Speckle Tracking of Tendon Displacement in the Carpal Tunnel: Improved Quantification Using Singular Value Decomposition. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2019, 23, 817-824.                           | 3.9 | 9         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29039 | Model-based computed tomography image estimation: partitioning approach. <i>Journal of Applied Statistics</i> , 2019, 46, 2627-2648.  | 0.6 | 0         |
| 29040 | Non-invasive measurements of respiratory system mechanical properties by the forced oscillation technique in spontaneously breathing, mixed-breed, normal term lambs from birth to five months of age. <i>Physiological Measurement</i> , 2019, 40, 105007.     | 1.2 | 5         |
| 29041 | A comparison of contrast sensitivity and sweep visual evoked potential (sVEP) acuity estimates in normal humans. <i>Documenta Ophthalmologica</i> , 2019, 139, 207-219.   | 1.0 | 8         |
| 29042 | Atlas-based imaging data analysis tool for quantitative mouse brain histology (AIDAhisto). <i>Journal of Neuroscience Methods</i> , 2019, 326, 108394.  | 1.3 | 23        |
| 29043 | Maximal Sustained Isokinetic Power at Exercise Intolerance is not Critical Power. <i>International Journal of Sports Medicine</i> , 2019, 40, 631-638.  | 0.8 | 1         |
| 29044 | Myocardial strain assessed by feature tracking cardiac magnetic resonance in patients with a variety of cardiovascular diseases – A comparison with echocardiography. <i>Scientific Reports</i> , 2019, 9, 11296.   | 1.6 | 44        |
| 29045 | Compartmental-modelling-based measurement of murine glomerular filtration rate using 18F-fluoride PET/CT. <i>Scientific Reports</i> , 2019, 9, 11269.   | 1.6 | 3         |
| 29046 | Evidence-Base Update for Parenting Stress Measures in Clinical Samples. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2019, 48, 685-705.   | 2.2 | 80        |
| 29047 | Can we use short recordings for assessment of dynamic cerebral autoregulation? A sensitivity analysis study in acute ischaemic stroke and healthy subjects. <i>Physiological Measurement</i> , 2019, 40, 085002.  | 1.2 | 5         |
| 29048 | The migration percentage measured on EOSÂ® standing full-leg radiographs: equivalent and advantageous in ambulant children with cerebral palsy. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 366.   | 0.8 | 0         |
| 29049 | Unexplained Variance in Hydration Study. <i>Nutrients</i> , 2019, 11, 1828.   | 1.7 | 2         |
| 29050 | Comparison of ABC/2 estimation and a volumetric computerized method for measurement of meningiomas using magnetic resonance imaging. <i>Journal of Neuro-Oncology</i> , 2019, 144, 275-282.   | 1.4 | 13        |
| 29051 | DETERMINATION OF INDIVIDUAL GLUCOSE THRESHOLD USING PHARMACY PORTABLE BLOOD GLUCOSE METER. <i>Revista Brasileira De Medicina Do Esporte</i> , 2019, 25, 207-210.  | 0.1 | 1         |
| 29052 | Personalized kidney dosimetry in <sup>177</sup> Lu-octreotate treatment of neuroendocrine tumours: a comparison of kidney dosimetry estimates based on a whole organ and small volume segmentations. <i>Physics in Medicine and Biology</i> , 2019, 64, 175004. | 1.6 | 8         |
| 29053 | Pneumatic sensor for cardiorespiratory monitoring during sleep. <i>Biomedical Physics and Engineering Express</i> , 2019, 5, 055014.  | 0.6 | 15        |
| 29054 | The Noninvasive Blood Pressure Measurement Based on Facial Images Processing. <i>IEEE Sensors Journal</i> , 2019, 19, 10624-10634.  | 2.4 | 26        |
| 29055 | Clinic and Home Blood Pressure Monitoring for the Detection of Ambulatory Hypertension Among Patients on Peritoneal Dialysis. <i>Hypertension</i> , 2019, 74, 998-1004.   | 1.3 | 11        |
| 29056 | Application of a score for evaluation of pain, distress and discomfort in pigs with lameness and prolapses: correlation with saliva biomarkers and severity of the disease. <i>Research in Veterinary Science</i> , 2019, 126, 155-163.                         | 0.9 | 37        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29057 | Inter-rater and Intra-rater Reliability of the Chinese Version of the Action Research Arm Test in People With Stroke. <i>Frontiers in Neurology</i> , 2019, 10, 540.  | 1.1 | 7         |
| 29058 | Validation of Wearable Sensors during Team Sport-Specific Movements in Indoor Environments. <i>Sensors</i> , 2019, 19, 3458.  | 2.1 | 18        |
| 29059 | Accuracy of School Staffâ€™ Measured Height and Weight Used for Body Mass Index Screening and Reporting. <i>Journal of School Health</i> , 2019, 89, 629-635.   | 0.8 | 11        |
| 29060 | The reliability and validity of the bar-mounted PUSH Band <sup>TM</sup> 2.0 during bench press with moderate and heavy loads. <i>Journal of Sports Sciences</i> , 2019, 37, 2685-2690.                                      | 1.0 | 33        |
| 29061 | A whole leg radiograph is not necessary for postoperative determination of the mechanical leg axis after total knee arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2019, 139, 1455-1460.                 | 1.3 | 5         |
| 29062 | Reliability of NIRS portable device for measuring intercostal muscles oxygenation during exercise. <i>Journal of Sports Sciences</i> , 2019, 37, 2653-2659.   | 1.0 | 17        |
| 29064 | Determination of the Maximal Lactate Steady State by HRV in Overweight and Obese Subjects. <i>Sports Medicine International Open</i> , 2019, 03, E58-E64.   | 0.3 | 0         |
| 29065 | Cardio-Respiratory Monitoring in Archery Using a Smart Textile Based on Flexible Fiber Bragg Grating Sensors. <i>Sensors</i> , 2019, 19, 3581.  | 2.1 | 82        |
| 29066 | Comparative analysis of the Lang Stereopad in a non-clinic population. <i>Strabismus</i> , 2019, 27, 182-190.   | 0.4 | 4         |
| 29067 | Radiomic Synthesis Using Deep Convolutional Neural Networks. , 2019, , .  |     | 7         |
| 29068 | Development of an Automatic Instrument for Efficient Measuring the Jointâ€™s Range of Motion. <i>International Journal of Control, Automation and Systems</i> , 2019, 17, 2722-2733.  | 1.6 | 1         |
| 29069 | Bayesian Estimation of Agreement of Biomarkers in Early Drug Development. <i>Statistics in Biopharmaceutical Research</i> , 2019, 11, 135-145.  | 0.6 | 0         |
| 29070 | Forecasting Promotional Sales Within the Neighbourhood. <i>IEEE Access</i> , 2019, 7, 74759-74775.  | 2.6 | 8         |
| 29071 | Full-Range Liver Fat Fraction Estimation in Magnitude MRI Using a Signal Shape Descriptor. <i>Concepts in Magnetic Resonance Part A: Bridging Education and Research</i> , 2019, 2019, 1-11.                                | 0.2 | 0         |
| 29072 | Comparison of three-fold converted hematocrit and micro-hematocrit in pregnant women. <i>PLoS ONE</i> , 2019, 14, e0220740.   | 1.1 | 6         |
| 29073 | Intervendor Discordance of Fetal and Neonatal Myocardial Tissue Doppler and Speckle-Tracking Measurements. <i>Journal of the American Society of Echocardiography</i> , 2019, 32, 1339-1349.e23.                            | 1.2 | 20        |
| 29074 | Measurement of the DNA alkylating agents busulfan and melphalan in human plasma by mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1125, 121711. | 1.2 | 9         |
| 29075 | A new highly sensitive immunoassay for the detection of adiponectin in serum and saliva of dogs and its application in obesity and canine leishmaniosis. <i>Research in Veterinary Science</i> , 2019, 125, 374-381.        | 0.9 | 8         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29076 | From kirigami to three-dimensional paper-based micro-analytical device: cut-and-paste fabrication and mobile app quantitation. <i>RSC Advances</i> , 2019, 9, 23267-23275.  | 1.7 | 8         |
| 29077 | Testâ€“Retest Reliability of Skill Tests in the F-MARC Battery for Youth Soccer Players. <i>Perceptual and Motor Skills</i> , 2019, 126, 1006-1023.   | 0.6 | 7         |
| 29078 | How Much Does the Talocrural Joint Contribute to Ankle Dorsiflexion Range of Motion During the Weight-Bearing Lunge Test? A Cross-sectional Radiographic Validity Study. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019, 49, 934-941.                       | 1.7 | 14        |
| 29079 | Direct Comparison of the Thickness of the Parietal Peritoneum Using Peritoneal Biopsy and Ultrasonography of the Abdominal Wall in Patients Treated with Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2019, 39, 455-464.                                   | 1.1 | 12        |
| 29080 | Is the Energy Expenditure Provided by Exergames Valid?. <i>International Journal of Sports Medicine</i> , 2019, 40, 563-568.  | 0.8 | 7         |
| 29081 | Best practice & research clinical anaesthesiology: Advances in haemodynamic monitoring for the perioperative patient. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2019, 33, 139-153.  | 1.7 | 13        |
| 29082 | Cervical length at 31â€“34 weeks of gestation: transvaginal vs. transperineal ultrasonographic approach. <i>Journal of Perinatal Medicine</i> , 2019, 47, 817-821.  | 0.6 | 5         |
| 29083 | The influence of protocol design on the identification of ventilatory thresholds and the attainment of peak physiological responses during synchronous arm crank ergometry in able-bodied participants. <i>European Journal of Applied Physiology</i> , 2019, 119, 2275-2286. | 1.2 | 11        |
| 29084 | Comparison of Time-Domain and Frequency-Domain Contact Resonant Ultrasound Spectroscopy. <i>Instruments and Experimental Techniques</i> , 2019, 62, 241-246.  | 0.1 | 0         |
| 29085 | Validity and Reliability of the Exercise Vital Sign Questionnaire in an Ethnically Diverse Group: A Pilot Study. <i>Journal of Primary Care and Community Health</i> , 2019, 10, 215013271984406.   | 1.0 | 18        |
| 29086 | Establishing the interchangeability of arterial stiffness but not endothelial function parameters in healthy individuals. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 190.  | 0.7 | 12        |
| 29087 | Wireless inertial measurement unit (IMU)-based posturography. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 3057-3065.   | 0.8 | 10        |
| 29088 | Validity and reliability of a Wi-Fi smart scale to estimate body composition. <i>Health and Technology</i> , 2019, 9, 839-846.  | 2.1 | 7         |
| 29089 | Adverse Drug Reaction Risk Measures: A Comparison of Estimates from Drug Surveillance and Randomised Trials. <i>Pharmaceutical Medicine</i> , 2019, 33, 331-339.  | 1.0 | 7         |
| 29090 | Automation enhancement and accuracy investigation of a portable singleâ€“camera gait analysis system. <i>IET Science, Measurement and Technology</i> , 2019, 13, 563-571.   | 0.9 | 4         |
| 29091 | AFODSS: Heart Rate Estimation Method From Photoplethysmographic Signals With Motion Artifacts Using Fourier-Sparse Dual Optimization. <i>IEEE Sensors Journal</i> , 2019, 19, 9953-9963.  | 2.4 | 3         |
| 29092 | Effect of region of interest on ADC and interobserver variability in thyroid nodules. <i>BMC Medical Imaging</i> , 2019, 19, 55.  | 1.4 | 11        |
| 29093 | Evaluation of a 3D surface imaging system for deep inspiration breath-hold patient positioning and intra-fraction monitoring. <i>Radiation Oncology</i> , 2019, 14, 125.  | 1.2 | 41        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29094 | Physical functionâ€derived cutâ€points for the diagnosis of sarcopenia and dynapenia from the Canadian longitudinal study on aging. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019, 10, 985-999.                           | 2.9 | 37        |
| 29095 | Agreement between Pentacam and handheld Auto-Refractor/Keratometer for keratometry measurement. <i>Journal of Optometry</i> , 2019, 12, 232-239.   | 0.7 | 5         |
| 29096 | Inter-manufacturer comparison of automated immunoassays for the measurement of soluble FMS-like tyrosine kinase-1 and placental growth factor. <i>Pregnancy Hypertension</i> , 2019, 17, 165-171.                                    | 0.6 | 17        |
| 29097 | Breastmilk intake among exclusively breastfed Indonesian infants is negatively associated with maternal fat mass. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 1206-1208.   | 1.3 | 6         |
| 29098 | Validation of a Commercial Automated Body Condition Scoring System on a Commercial Dairy Farm. <i>Animals</i> , 2019, 9, 287.  | 1.0 | 74        |
| 29099 | New 20 m Progressive Shuttle Test Protocol and Equation for Predicting the Maximal Oxygen Uptake of Korean Adolescents Aged 13â€18 Years. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2265. | 1.2 | 2         |
| 29100 | CMR quantitative measurements of myocardial blood flow: Not ready for routine clinical application. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 1267-1270.  | 1.4 | 0         |
| 29101 | Unstable correspondence between salivary testosterone measured with enzyme immunoassays and tandem mass spectrometry. <i>Psychoneuroendocrinology</i> , 2019, 109, 104373.   | 1.3 | 28        |
| 29102 | Resting-state prefrontal EEG biomarkers in correlation with MMSE scores in elderly individuals. <i>Scientific Reports</i> , 2019, 9, 10468.  | 1.6 | 40        |
| 29103 | Are ultrasound foetal circumference measurement methods interchangeable?. <i>Ultrasound</i> , 2019, 27, 176-182.   | 0.3 | 4         |
| 29104 | Error in the estimation of periosteal and endosteal contours from microâ€CT scans for nonadult tibiae and humeri. <i>American Journal of Physical Anthropology</i> , 2019, 170, 275-294.   | 2.1 | 2         |
| 29105 | Accuracy of kidney dosimetry performed using simplified time activity curve modelling methods: a <sup>177</sup> Lu-DOTATATE patient study. <i>Physics in Medicine and Biology</i> , 2019, 64, 175006.                                | 1.6 | 26        |
| 29106 | Pointâ€ofâ€care analyses of blood samples from intraosseous access in preâ€hospital critical care. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1419-1425.   | 0.7 | 3         |
| 29107 | Development of Electrohysterogram Recording System for Monitoring Uterine Contraction. <i>Journal of Healthcare Engineering</i> , 2019, 2019, 1-9.   | 1.1 | 13        |
| 29108 | Reliability of a Test for Assessment of Isometric Trunk Muscle Strength in Elderly Women. <i>Journal of Aging Research</i> , 2019, 2019, 1-6.  | 0.4 | 5         |
| 29109 | The iPhone Measure app level function as a measuring device for the weight bearing lunge test in adults: a reliability study. <i>Journal of Foot and Ankle Research</i> , 2019, 12, 37.  | 0.7 | 18        |
| 29110 | Mobile Application for Adaptive Threshold Hunting in Transcranial Magnetic Stimulation. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2019, 27, 1504-1510.   | 2.7 | 18        |
| 29111 | Large Incisional Hernias Increase in Size. <i>Journal of Surgical Research</i> , 2019, 244, 160-165.   | 0.8 | 17        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29112 | Improving the measurement of TMS-assessed voluntary activation in the knee extensors. PLoS ONE, 2019, 14, e0216981.   | 1.1 | 7         |
| 29113 | Effect of renal denervation procedure on left ventricular mass, myocardial strain and diastolic function by CMR on a 12-month follow-up. Japanese Journal of Radiology, 2019, 37, 642-650.                                      | 1.0 | 4         |
| 29114 | Changes in DXA-derived lean mass and MRI-derived cross-sectional area of the thigh are modestly associated. Scientific Reports, 2019, 9, 10028.   | 1.6 | 48        |
| 29115 | Changes in intraocular pressure after intraocular eye surgery—the influence of measuring technique. International Journal of Ophthalmology, 2019, 12, 967-973.  | 0.5 | 2         |
| 29116 | Increased extracellular volume in the liver of pediatric Fontan patients. Journal of Cardiovascular Magnetic Resonance, 2019, 21, 39.   | 1.6 | 24        |
| 29117 | How Well Does the Neonatal Heart Measure Up?. Journal of the American Society of Echocardiography, 2019, 32, 906-908.   | 1.2 | 1         |
| 29118 | Evaluating the accuracy of heart rate sensors based on photoplethysmography for in-the-wild analysis. , 2019, , .   |     | 24        |
| 29119 | Simultaneous Colorimetric Measurements of Antioxidant Capacity by Flow Injection Analysis with Paired Emitter Detector Diode. Analytical Sciences, 2019, 35, 535-541.   | 0.8 | 5         |
| 29120 | Validity and reliability of test strips for the measurement of salivary nitrite concentration with and without the use of mouthwash in healthy adults. Nitric Oxide - Biology and Chemistry, 2019, 91, 15-22.                   | 1.2 | 10        |
| 29121 | High-Accuracy Real-Time Monitoring of Heart Rate Variability Using 24 GHz Continuous-Wave Doppler Radar. IEEE Access, 2019, 7, 74721-74733.   | 2.6 | 98        |
| 29122 | Patellar instability: the reliability of magnetic resonance imaging measurement parameters. BMC Musculoskeletal Disorders, 2019, 20, 317.   | 0.8 | 24        |
| 29123 | Cross-cultural adaptation, internal consistency, test-retest reliability and feasibility of the German version of the evidence-based practice inventory. BMC Health Services Research, 2019, 19, 455.                           | 0.9 | 18        |
| 29124 | Real-world heart rate norms in the Health eHeart study. Npj Digital Medicine, 2019, 2, 58.  | 5.7 | 90        |
| 29125 | Clinical performance evaluation of the new hematology analyzer Mindray BC6000. International Journal of Laboratory Hematology, 2019, 41, 622-634.   | 0.7 | 7         |
| 29126 | Predicting Neonatal Skin Injury: The First Step to Reducing Skin Injuries in Neonates. Health Services Insights, 2019, 12, 117863291984563.   | 0.6 | 8         |
| 29127 | Agreement between supine and standing bioimpedance spectroscopy devices and dual-energy X-ray absorptiometry for body composition determination. Clinical Physiology and Functional Imaging, 2019, 39, 355-361.                 | 0.5 | 16        |
| 29128 | Long-Term Care Quality of Life Scale utility in community home care. Australian Journal of Cancer Nursing, 2019, 21, 494-500.   | 0.8 | 7         |
| 29129 | Early Detection of Microvascular Changes in Patients with Diabetes Mellitus without and with Diabetic Retinopathy: Comparison between Different Swept-Source OCT-A Instruments. Journal of Diabetes Research, 2019, 2019, 1-12. | 1.0 | 44        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29130 | Area Triangulation Method for Automatic Detection of Venous Emptying Maneuvers. Brazilian Archives of Biology and Technology, 2019, 62, .   | 0.5 | 0         |
| 29131 | Noninvasive imaging methods for evaluating cardiovascular involvement in patients with rheumatoid arthritis before and after anti-TNF drug treatment. Future Science OA, 2019, 5, FSO396.   | 0.9 | 9         |
| 29132 | Comparative study of three methods for the analysis of nitrate nitrogen in synthetic water and wastewater samples. International Journal of Environmental Analytical Chemistry, 2019, 99, 1164-1185.  | 1.8 | 2         |
| 29133 | FBSE-EWT-Based Approach for the Determination of Respiratory Rate From PPG Signals. , 2019, 3, 1-4.   |     | 17        |
| 29134 | WearBreathing. , 2019, 3, 1-22.   |     | 31        |
| 29135 | Functional and Anatomical Testing in Intermediate Risk Chest Pain Patients with a High Coronary Calcium Score: Rationale and Design of the FACC Study. Cardiology, 2019, 142, 141-148.  | 0.6 | 1         |
| 29136 | Teachers as designers of formative e-rubrics: a case study on the introduction and validation of go/no-go criteria. Universal Access in the Information Society, 2019, 18, 675-688.   | 2.1 | 5         |
| 29137 | Free-Cog: Pragmatic Test Accuracy Study and Comparison with Mini-Addenbrooke's Cognitive Examination. Dementia and Geriatric Cognitive Disorders, 2019, 47, 254-263.  | 0.7 | 15        |
| 29138 | Basic critical care echocardiography training of intensivists allows reproducible and reliable measurements of cardiac output. Ultrasound Journal, 2019, 11, 5.   | 1.3 | 24        |
| 29139 | Signal-to-noise ratio assessment of muscle diffusion tensor imaging using single image set and validation by the difference image method. British Journal of Radiology, 2019, 92, 20190133.   | 1.0 | 3         |
| 29140 | The role of hippocampal subfield volume and fornix microstructure in episodic memory across the lifespan. Hippocampus, 2019, 29, 1206-1223.   | 0.9 | 30        |
| 29141 | Segmentation of Symptomatic Exudate-Associated Derangements in 3D OCT Images. Biological and Medical Physics Series, 2019, , 345-365.   | 0.3 | 0         |
| 29142 | Whole-body magnetic resonance imaging in paediatric Hodgkin lymphoma – evaluation of quantitative magnetic resonance metrics for nodal staging. Pediatric Radiology, 2019, 49, 1285-1298.   | 1.1 | 4         |
| 29143 | Comparison of a 2D <i>ip</i> application and 3D body scanner to air displacement plethysmography for measurement of body fat percentage. Journal of Human Nutrition and Dietetics, 2019, 32, 781-788.   | 1.3 | 10        |
| 29144 | Stressing the accuracy: Wrist-worn wearable sensor validation over different conditions. Psychophysiology, 2019, 56, e13441.  | 1.2 | 94        |
| 29145 | Reproducibility and Changes in Vena Caval Blood Flow by Using 4D Flow MRI in Pulmonary Emphysema and Chronic Obstructive Pulmonary Disease (COPD): The Multi-Ethnic Study of Atherosclerosis (MESA) COPD Substudy. Radiology, 2019, 292, 585-594. | 3.6 | 12        |
| 29146 | Corneal Curvature: the Influence of Corneal Accommodation and Biomechanics on Corneal Shape. Translational Vision Science and Technology, 2019, 8, 5.   | 1.1 | 9         |
| 29147 | Empiric Methods to Account for Pre-analytical Variability in Digital Histopathology in Frontotemporal Lobar Degeneration. Frontiers in Neuroscience, 2019, 13, 682.   | 1.4 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29148 | Learning the implicit strain reconstruction in ultrasound elastography using privileged information. <i>Medical Image Analysis</i> , 2019, 58, 101534.   | 7.0 | 56        |
| 29149 | Statistical analysis of the reproducibility and predictive capacity of MCTT HCE eye irritation test, a me-too test method for OECD TG 492. <i>Regulatory Toxicology and Pharmacology</i> , 2019, 107, 104430.  | 1.3 | 2         |
| 29150 | The heart rate method for estimating oxygen uptake: Analyses of reproducibility using a range of heart rates from cycle commuting. <i>PLoS ONE</i> , 2019, 14, e0219741.   | 1.1 | 10        |
| 29151 | Accuracy and Precision of Low-Cost Echosounder and Automated Data Processing Software for Habitat Mapping in a Large River. <i>Diversity</i> , 2019, 11, 116.  | 0.7 | 16        |
| 29152 | Consequences of Using Two Types of Skin Samples from Chilled Chicken Broiler Carcasses To Measure the Degree of Contamination by <i>Campylobacter</i> spp.. <i>Journal of Food Protection</i> , 2019, 82, 1124-1129.   | 0.8 | 3         |
| 29153 | New approach for quantification of left ventricular function from low-dose gated bloodpool SPECT: Validation and comparison with conventional methods in patients. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 939-950.   | 1.4 | 7         |
| 29154 | Validity of two retrospective questionnaire versions of the Consensus Sleep Diary: the whole week and split week Self-Assessment of Sleep Surveys. <i>Sleep Medicine</i> , 2019, 63, 127-136.  | 0.8 | 32        |
| 29155 | A simple method for computing sprint acceleration kinetics from running velocity data: Replication study with improved design. <i>Journal of Biomechanics</i> , 2019, 94, 82-87.   | 0.9 | 79        |
| 29156 | Validation of an apnea and hypopnea detection algorithm implemented in implantable cardioverter defibrillators. The AIRLESS study. <i>Scientific Reports</i> , 2019, 9, 9597.  | 1.6 | 5         |
| 29157 | Accuracy of Resting Energy Expenditure Predictive Equations in Patients With Cancer. <i>Nutrition in Clinical Practice</i> , 2019, 34, 922-934.  | 1.1 | 19        |
| 29158 | Repeatability, reproducibility, and agreement of three computational methods to approximate the functional flexion-extension axis of the tibiofemoral joint using 3D bone models of the femur. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2019, 22, 1144-1152. | 0.9 | 4         |
| 29159 | Influence of Radiographic Viewing Perspective on Glenoid Inclination Measurement. <i>Journal of Shoulder and Elbow Arthroplasty</i> , 2019, 3, 247154921882498.  | 0.5 | 6         |
| 29160 | Assessing distal radius malrotation following fracture using computed tomography. <i>Journal of Orthopaedic Surgery</i> , 2019, 27, 230949901986287.   | 0.4 | 3         |
| 29161 | Minimally invasive non-surgical vs. surgical approach for periodontal intrabony defects: a randomised controlled trial. <i>Trials</i> , 2019, 20, 461.   | 0.7 | 13        |
| 29162 | Comparison Between Manual and (Semi-)Automated Analyses of Esophageal Diaphragm Electromyography During Endurance Cycling in Patients With COPD. <i>Frontiers in Physiology</i> , 2019, 10, 885.   | 1.3 | 8         |
| 29163 | Translational optical coherence elastography for assessment of systemic sclerosis. <i>Journal of Biophotonics</i> , 2019, 12, e201900236.  | 1.1 | 22        |
| 29164 | Assessing reading performance in the periphery with a Bayesian adaptive approach: The qReading method. <i>Journal of Vision</i> , 2019, 19, 5.   | 0.1 | 8         |
| 29165 | Reliability of Semiautomated Kinetic Perimetry (SKP) and Goldmann Kinetic Perimetry in Children and Adults With Retinal Dystrophies. <i>Translational Vision Science and Technology</i> , 2019, 8, 36.   | 1.1 | 9         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29166 | A Nondestructive Indirect Approach to Long-Term Wood Moisture Monitoring Based on Electrical Methods. <i>Materials</i> , 2019, 12, 2373.   | 1.3 | 7         |
| 29167 | Removal of Motion Artifacts in Photoplethysmograph Sensors during Intensive Exercise for Accurate Heart Rate Calculation Based on Frequency Estimation and Notch Filtering. <i>Sensors</i> , 2019, 19, 3312.   | 2.1 | 20        |
| 29168 | Fundamentals of assay development and validation. , 2019, , 117-148.   |     | 0         |
| 29169 | Intra- and interobserver reliability and agreement in three-dimensional computed tomography measurements of component positions after total knee arthroplasty. <i>Knee</i> , 2019, 26, 1102-1110.              | 0.8 | 25        |
| 29170 | To freeze, or not to freeze: the impact of subzero temperature on quantifying organic contaminants in ocean sediments. <i>Environmental Sciences: Processes and Impacts</i> , 2019, 21, 1580-1595.             | 1.7 | 7         |
| 29171 | Are wearable insoles a validated tool for quantifying transfemoral amputee gait asymmetry?. <i>Prosthetics and Orthotics International</i> , 2019, 43, 492-499.  | 0.5 | 9         |
| 29172 | Accuracy Evaluation of a Tetrabromophenolphthalein Ethyl Ester Colorimetric Assay for Urinary Albumin. <i>Journal of Applied Laboratory Medicine</i> , The, 2019, 4, 201-213.                                  | 0.6 | 2         |
| 29173 | Deep morphology aided diagnosis network for segmentation of carotid artery vessel wall and diagnosis of carotid atherosclerosis on blackâ€blood vessel wall MRI. <i>Medical Physics</i> , 2019, 46, 5544-5561. | 1.6 | 31        |
| 29174 | Body mass index to predict fat mass and metabolic syndrome severity: should it really be specific to sex, age and ethnicity? A NHANES study (1999â€2014). <i>Annals of Human Biology</i> , 2019, 46, 215-224.  | 0.4 | 3         |
| 29175 | Highly Accurate Water Level Measurement System Using a Microcontroller and an Ultrasonic Sensor. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019, 518, 042025.                          | 0.3 | 19        |
| 29176 | Chronic Wound Healing Assessment System Based on Different Features Modalities and Non-Negative Matrix Factorization (NMF) Feature Reduction. <i>IEEE Access</i> , 2019, 7, 80110-80121.                       | 2.6 | 19        |
| 29177 | Science of Salt: A regularly updated systematic review of salt and health outcomes studies (April to) Tj ETQq1 1 0.784314 rgBT /Overl  | 1.0 | 7         |
| 29178 | Lower Extremity Position Test: A new clinical quantitative assessment tool of proprioception post stroke. <i>NeuroRehabilitation</i> , 2019, 44, 479-484.  | 0.5 | 5         |
| 29179 | Fully automatic liver attenuation estimation combing CNN segmentation and morphological operations. <i>Medical Physics</i> , 2019, 46, 3508-3519.  | 1.6 | 28        |
| 29180 | Continuous Noninvasive Carbon Dioxide Monitoring in Neonates: From Theory to Standard of Care. <i>Pediatrics</i> , 2019, 144, .  | 1.0 | 25        |
| 29181 | Improved quantification of muscle insulin sensitivity using oral glucose tolerance test data: the MISI Calculator. <i>Scientific Reports</i> , 2019, 9, 9388.  | 1.6 | 18        |
| 29182 | Lower Tear Meniscus Height Measurements Using Keratography and Swept-Source Optical Coherence Tomography and Effect of Fluorescein Instillation Methods. <i>Current Eye Research</i> , 2019, 44, 1203-1208.    | 0.7 | 8         |
| 29183 | New method for the mathematical derivation of the ventilatory anaerobic threshold: a retrospective study. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2019, 11, 10.                               | 0.7 | 8         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29184 | The validation of the Dutch OAB-q SF: An overactive bladder symptom bother and health-related quality of life short-form questionnaire. <i>Neurourology and Urodynamics</i> , 2019, 38, 1775-1782.  | 0.8 | 8         |
| 29185 | Influence of low muscle activation levels on the ankle torque and muscle shear modulus during plantar flexor stretching. <i>Journal of Biomechanics</i> , 2019, 93, 111-117.  | 0.9 | 26        |
| 29186 | Accuracy and precision of USCOM versus transthoracic echocardiography before and during pregnancy. <i>Pregnancy Hypertension</i> , 2019, 17, 138-143.   | 0.6 | 11        |
| 29187 | Gut microbiome analysis by post: Evaluation of the optimal method to collect stool samples from infants within a national cohort study. <i>PLoS ONE</i> , 2019, 14, e0216557.   | 1.1 | 11        |
| 29188 | Should transcutaneous bilirubin be measured in preterm infants receiving phototherapy? The relationship between transcutaneous and total serum bilirubin in preterm infants with and without phototherapy. <i>PLoS ONE</i> , 2019, 14, e0218131.            | 1.1 | 24        |
| 29189 | Psychometric properties of the Arabic version of the Activities-Specific Balance Confidence (ABC) scale in ambulatory, community-dwelling, elderly people. <i>Clinical Interventions in Aging</i> , 2019, Volume 14, 1075-1084.                             | 1.3 | 10        |
| 29190 | Putting the Boom, Boom, Boom into Physical Activity and Health: Music Festivals as a Positive Health Alternative to Couch Fandom. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2105.                                | 1.2 | 0         |
| 29191 | Intraclass Correlations of Measured Magnetic Resonance Imaging Volumes of Laser Interstitial Thermal Therapy-Treated High-Grade Gliomas. <i>Lasers in Surgery and Medicine</i> , 2019, 51, 790-796.   | 1.1 | 3         |
| 29192 | A New Methodology to Determine Apposition, Dilatation, and Position of Endografts in the Descending Thoracic Aorta After Thoracic Endovascular Aortic Repair. <i>Journal of Endovascular Therapy</i> , 2019, 26, 679-687.                                   | 0.8 | 3         |
| 29193 | The upper limb Physiological Profile Assessment: Description, reliability, normative values and criterion validity. <i>PLoS ONE</i> , 2019, 14, e0218553.   | 1.1 | 21        |
| 29194 | Cross-cultural adaptation and psychometric properties evaluation of the modern standard Arabic version of Cumberland Ankle Instability Tool (CAIT) in professional athletes. <i>PLoS ONE</i> , 2019, 14, e0217987.  | 1.1 | 12        |
| 29195 | Quantification of the inaccuracy of conventional articulator model surgery in Le Fort 1 osteotomy: evaluation of 30 patients controlled by the Orthopilot® navigation system. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2019, 57, 672-677. | 0.4 | 3         |
| 29196 | Repeatability of Quantitative Brown Adipose Tissue Imaging Metrics on Positron Emission Tomography with 18F-Fluorodeoxyglucose in Humans. <i>Cell Metabolism</i> , 2019, 30, 212-224.e4.  | 7.2 | 21        |
| 29197 | Quantification of Blood Flow in Dialysis Access Using Custom-Acquisition Protocol and Imaging Methods: A Clinical Validation Study. <i>Journal of Vascular and Interventional Radiology</i> , 2019, 30, 1062-1068.e2.                                       | 0.2 | 2         |
| 29198 | A volume-pressure tail cuff method for hemodynamic parameters: Comparison of restraint and light isoflurane anesthesia in normotensive male Lewis rats. <i>Journal of Pharmacological and Toxicological Methods</i> , 2019, 100, 106601.                    | 0.3 | 6         |
| 29199 | Repeatability of Multiparametric Prostate MRI Radiomics Features. <i>Scientific Reports</i> , 2019, 9, 9441.  | 1.6 | 169       |
| 29200 | Gait Monitoring and Walk Distance Estimation With an Accelerometer During 6-Minute Walk Test. <i>Respiratory Care</i> , 2019, 64, 923-930.  | 0.8 | 5         |
| 29202 | Diagnostic Accuracy and Reproducibility of Predicting Cul-de-Sac Obliteration by General Gynaecologists and Minimally Invasive Gynaecologic Surgeons. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2019, 41, 443-449.e2.                           | 0.3 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29203 | Free-breathing Cardiorespiratory Synchronized Cine MRI for Assessment of Left and Right Ventricular Volume and Function in Sedated Children and Adolescents with Impaired Breath-holding Capacity. <i>Radiology: Cardiothoracic Imaging</i> , 2019, 1, e180027.         | 0.9 | 5         |
| 29204 | Assessing synovitis in the hands in patients with rheumatoid arthritis by ultrasound: an agreement study exploring the most inflammatory active side from two Norwegian trials. <i>Arthritis Research and Therapy</i> , 2019, 21, 166.                                  | 1.6 | 10        |
| 29205 | Accuracy of wearable heart rate monitors in cardiac rehabilitation. <i>Cardiovascular Diagnosis and Therapy</i> , 2019, 9, 262-271.   | 0.7 | 81        |
| 29206 | Validity of Mobility Lab (version 2) for gait assessment in young adults, older adults and Parkinson's disease. <i>Physiological Measurement</i> , 2019, 40, 095003.  | 1.2 | 122       |
| 29207 | Development of laser speckle blood flowmeter for evaluating the physiological function of skin. <i>Biomedical Physics and Engineering Express</i> , 2019, 5, 055012.  | 0.6 | 2         |
| 29208 | Enhanced Detection of Infectious Pancreatic Necrosis Virus via Lateral Flow Chip and Fluorometric Biosensors Based on Self-Assembled Protein Nanoprobes. <i>ACS Sensors</i> , 2019, 4, 2937-2944.   | 4.0 | 22        |
| 29209 | Assessing and Explaining Geographic Variations in Mammography Screening Participation and Breast Cancer Incidence. <i>Frontiers in Oncology</i> , 2019, 9, 909.   | 1.3 | 7         |
| 29210 | Best Practices for Conducting and Interpreting Studies to Validate Self-Report Dietary Assessment Methods. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2019, 119, 1801-1816.   | 0.4 | 94        |
| 29211 | Use of lentiviral pseudotypes as an alternative to reassortant or Triton X-100-treated wild-type Influenza viruses in the neuraminidase inhibition enzyme-linked lectin assay. <i>Influenza and Other Respiratory Viruses</i> , 2019, 13, 504-516.                      | 1.5 | 8         |
| 29212 | Inter-rater agreement among multiple examiners for the assessment of plaque scores between quantitative light-induced fluorescence-digital and two-tone disclosing solution-stained digital images. <i>Photodiagnosis and Photodynamic Therapy</i> , 2019, 28, 277-281. | 1.3 | 2         |
| 29213 | Augmentation index in the assessment of wave reflections and systolic loading. <i>Computers in Biology and Medicine</i> , 2019, 113, 103418.  | 3.9 | 8         |
| 29214 | Comparison of Central Corneal Thickness Measurements between Noncontact Specular Microscopy and Ultrasound Pachymetry. <i>Journal of Korean Ophthalmological Society</i> , 2019, 60, 635.   | 0.0 | 2         |
| 29215 | Impact of choice of volumetry software and nodule management guidelines on recall rates in lung cancer screening. <i>European Journal of Radiology</i> , 2019, 120, 108646.   | 1.2 | 15        |
| 29216 | A comparison of sLASER and MEGA-sLASER using simultaneous interleaved acquisition for measuring GABA in the human brain at 7T. <i>PLoS ONE</i> , 2019, 14, e0223702.  | 1.1 | 21        |
| 29217 | Patent ductus arteriosus size estimation by echocardiography and angiography: A comparative study. <i>Bangladesh Medical Research Council Bulletin</i> , 2019, 45, 11-16.   | 0.1 | 0         |
| 29218 | Evaluation of Diabetes Care parameters in capillary blood collected with a novel sampling device. <i>Practical Laboratory Medicine</i> , 2019, 17, e00135.  | 0.6 | 11        |
| 29219 | Diagnostic Accuracy of Unattended Automated Office Blood Pressure Measurement in Screening for Hypertension in Kenya. <i>Hypertension</i> , 2019, 74, 1490-1498.  | 1.3 | 7         |
| 29220 | Prospective Blinded Evaluation of Patient-Physician Agreement Using the Summary Outcome Determination (SOD) Score. <i>Mayo Clinic Proceedings</i> , 2019, 94, 1231-1241.  | 1.4 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29221 | Dynamic-mechanical thermoanalysis test: a rapid alternative for accelerated freeze-thaw stability evaluation of W/O emulsions. <i>Drug Development and Industrial Pharmacy</i> , 2019, 45, 1896-1906.  | 0.9 | 5         |
| 29222 | Agreement and Correlation of Arterial and Venous Blood Gas Analysis in a Diverse Population. <i>Clinical Medicine Insights: Trauma and Intensive Medicine</i> , 2019, 10, 117956031984586.   | 0.2 | 5         |
| 29223 | Effectiveness between Dry Needling and Ischemic Compression in the Triceps Surae Latent Myofascial Trigger Points of Triathletes on Pressure Pain Threshold and Thermography: A Single Blinded Randomized Clinical Trial. <i>Journal of Clinical Medicine</i> , 2019, 8, 1632. | 1.0 | 22        |
| 29224 | Comparison of Approaches for Equating Different Versions of the Mini-Mental State Examination Administered in 22 Studies. <i>American Journal of Epidemiology</i> , 2019, 188, 2202-2212.  | 1.6 | 10        |
| 29225 | Higher underestimation of tumour size post-neoadjuvant chemotherapy with breast magnetic resonance imaging (MRI)â€”A concordance comparison cohort analysis. <i>PLoS ONE</i> , 2019, 14, e0222917.   | 1.1 | 6         |
| 29226 | Real-life inhaler adherence and technique: Time to get smarter!. <i>Respiratory Medicine</i> , 2019, 158, 24-32.   | 1.3 | 25        |
| 29227 | Hepatobiliary versus Extracellular MRI Contrast Agents in Hepatocellular Carcinoma Detection: Hepatobiliary Phase Features in Relation to Disease-free Survival. <i>Radiology</i> , 2019, 293, 594-604.  | 3.6 | 11        |
| 29228 | Can the FEAR Index Be Used to Predict Microinstability in Patients Undergoing Hip Arthroscopic Surgery?. <i>American Journal of Sports Medicine</i> , 2019, 47, 3158-3165.   | 1.9 | 27        |
| 29229 | Comparison of Pulmonary Artery Pressure Measurement With Doppler Echocardiography or With Right Heart Catheterization in Patients With Congenital Heart Disease. <i>Frontiers in Pediatrics</i> , 2019, 7, 421.  | 0.9 | 4         |
| 29230 | A Novel Photoplethysmography Sensor for Vital Signs Monitoring from the Human Trachea. <i>Biosensors</i> , 2019, 9, 119.   | 2.3 | 9         |
| 29231 | Spatiotemporal sweat evaporation and evaporative cooling in thermal environments determined from wearable sensors. <i>Applied Thermal Engineering</i> , 2019, 163, 114422.   | 3.0 | 6         |
| 29232 | Multilevel qualification of a large set of blood gas analyzers: Which performance goals?. <i>Clinical Biochemistry</i> , 2019, 74, 47-53.  | 0.8 | 8         |
| 29233 | Intra and Inter-rater Reliability between Ultrasound Imaging and Caliper Measures to determine Spring Ligament Dimensions in Cadavers. <i>Scientific Reports</i> , 2019, 9, 14808.   | 1.6 | 2         |
| 29234 | Psychometric properties of the five-level EuroQoL-5 dimension and Short Form-6 dimension measures of health-related quality of life in a population of pregnant women with depression. <i>BJPsych Open</i> , 2019, 5, e88.   | 0.3 | 13        |
| 29235 | Adrenal Insufficiency After Unilateral Adrenalectomy in Primary Aldosteronism: Long-Term Outcome and Clinical Impact. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 5658-5664.  | 1.8 | 37        |
| 29236 | Profiling elite male 100-m sprint performance: The role of maximum velocity and relative acceleration. <i>Journal of Sport and Health Science</i> , 2022, 11, 75-84.   | 3.3 | 16        |
| 29237 | Structure, Function, and Evolution of the <i>Pseudomonas aeruginosa</i> Lysine Decarboxylase LdcA. <i>Structure</i> , 2019, 27, 1842-1854.e4.  | 1.6 | 9         |
| 29238 | Effect of sampling rate on acceleration and counts of hip- and wrist-worn ActiGraph accelerometers in children. <i>Physiological Measurement</i> , 2019, 40, 095008.   | 1.2 | 26        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29239 | Automation of human semen analysis using a novel artificial intelligence optical microscopic technology. <i>Andrologia</i> , 2019, 51, e13440.   | 1.0 | 41        |
| 29240 | Measurement of membrane integrity in canine spermatozoa using a fluorescent computer-assisted spermatozoal quantification method and manual counting after eosin-nigrosin staining compared with manual counting after CFDA/PI staining. <i>Reproduction in Domestic Animals</i> , 2019, 54, 1583-1595.              | 0.6 | 6         |
| 29241 | Interobserver agreement between non-cardiologist veterinarians and a cardiologist after a 6-hour training course for echographic evaluation of basic echocardiographic parameters and caudal vena cava diameter in 15 healthy Beagles. <i>Journal of Veterinary Emergency and Critical Care</i> , 2019, 29, 495-504. | 0.4 | 16        |
| 29242 | Intravenous Bone Marrow Mononuclear Cells for Acute Ischemic Stroke: Safety, Feasibility, and Effect Size from a Phase I Clinical Trial. <i>Stem Cells</i> , 2019, 37, 1481-1491.  | 1.4 | 35        |
| 29243 | Feasibility and Reproducibility of Transthoracic Echocardiography in Obese Patients. <i>Journal of the American Society of Echocardiography</i> , 2019, 32, 1491-1493.e5.  | 1.2 | 6         |
| 29244 | HPLC-UV and spectrofluorimetric methods for simultaneous estimation of fluticasone furoate and vilanterol in rabbit plasma: A pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1132, 121842.   | 1.2 | 8         |
| 29245 | Calculating maximum morphine equivalent daily dose from prescription directions for use in the electronic health record: a case report. <i>JAMIA Open</i> , 2019, 2, 296-300.  | 1.0 | 7         |
| 29246 | Waist Circumference Measured by Bioelectrical Impedance Analysis Is Interchangeable with Manual Measurement: Increased Waist Circumference Is Associated with Locomotive Syndrome Risk. <i>BioMed Research International</i> , 2019, 2019, 1-7.  | 0.9 | 11        |
| 29247 | Detection of body postures and movements in ambulatory adults with cerebral palsy: a novel and valid measure of physical behaviour. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2019, 16, 125.   | 2.4 | 9         |
| 29248 | Global longitudinal strain before cardiac surgery: Improving feasibility, reproducibility, and variability. <i>Echocardiography</i> , 2019, 36, 2176-2184.   | 0.3 | 2         |
| 29249 | Revisiting Telemetry in Pakistan's Indus Basin Irrigation System. <i>Water (Switzerland)</i> , 2019, 11, 2315.   | 1.2 | 7         |
| 29250 | Comment on: "Reliability of a commercially available and algorithm-based kinetic analysis software compared to manual-based software". <i>Sports Biomechanics</i> , 2019, , 1-3.   | 0.8 | 1         |
| 29251 | Évaluation de la concordance des valeurs d'hémoglobine glyquée entre les automates de biochimie D-10 (Biorad) et Minicap Flex piercing (Sebia). <i>Revue Francophone Des Laboratoires</i> , 2019, 2019, 19-23.   | 0.0 | 0         |
| 29252 | Characterizing the Randot Preschool stereotest: Testability, norms, reliability, specificity and sensitivity in children aged 2-11 years. <i>PLoS ONE</i> , 2019, 14, e0224402.  | 1.1 | 6         |
| 29253 | Variability in High-Sensitivity Cardiac Troponin T Testing in Stable Patients With and Without Coronary Artery Disease. <i>Canadian Journal of Cardiology</i> , 2019, 35, 1505-1512.   | 0.8 | 7         |
| 29254 | Evaluation of pituitary structures and lesions with turbo spin-echo diffusion-weighted imaging. <i>Journal of the Neurological Sciences</i> , 2019, 405, 116390.   | 0.3 | 9         |
| 29255 | Linear Regression Models for Fat Free Mass Measurement Based on Bioelectrical Impedance Analysis. , 2019, , .  |     | 0         |
| 29256 | Validation of a wearable biosensor device for vital sign monitoring in septic emergency department patients in Rwanda. <i>Digital Health</i> , 2019, 5, 205520761987934.   | 0.9 | 16        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29257 | <p>Biomechanically-Corrected Intraocular Pressure Compared To Pressure Measured With Commonly Used Tonometers In Normal Subjects</p>. Clinical Optometry, 2019, Volume 11, 127-133.   | 0.4 | 13        |
| 29258 | Mathematical Models for Extracellular Fluid Measurement to Detect Hydration Level Based on Bioelectrical Impedance Analysis. , 2019, , .  |     | 2         |
| 29259 | Calculation method to predict postoperative limb length in patients undergoing THA following developmental dysplasia of hips. BMC Musculoskeletal Disorders, 2019, 20, 513.   | 0.8 | 5         |
| 29260 | Back beliefs among elderly seeking health care due to back pain; psychometric properties of the Norwegian version of the back beliefs questionnaire. BMC Musculoskeletal Disorders, 2019, 20, 510.  | 0.8 | 6         |
| 29261 | Response to New Prediction Equations to Estimate Appendicular Skeletal Muscle Mass Using Calf Circumference on NHANES Data: Methodological Issues. Journal of Parenteral and Enteral Nutrition, 2019, 43, 958-959.  | 1.3 | 2         |
| 29262 | A Frequency-domain Approach to Noninvasive Intracranial Pressure Estimation. , 2019, 2019, 5055-5058.   |     | 0         |
| 29263 | Validation and reproducibility of a new iodine specific food frequency questionnaire for assessing iodine intake in Norwegian pregnant women. Nutrition Journal, 2019, 18, 62.  | 1.5 | 19        |
| 29264 | Automatic sleep stage classification based on subcutaneous EEG in patients with epilepsy. BioMedical Engineering OnLine, 2019, 18, 106.   | 1.3 | 24        |
| 29265 | Hand Preference and Performance in Basketball Tasks. International Journal of Environmental Research and Public Health, 2019, 16, 4336.   | 1.2 | 9         |
| 29266 | Acetic acid as an alternative reagent in the modified Knott test. Veterinary Parasitology, 2019, 276, 108975.   | 0.7 | 7         |
| 29267 | Development and evaluation of a healthâ€related qualityâ€ofâ€life tool for dogs with Cushing's syndrome. Journal of Veterinary Internal Medicine, 2019, 33, 2595-2604.  | 0.6 | 19        |
| 29268 | Robust Analysis of PM2.5 Concentration Measurements in the Ecuadorian Park La Carolina. Sensors, 2019, 19, 4648.  | 2.1 | 13        |
| 29269 | Prediction of fetal macrosomia using two-dimensional and three-dimensional ultrasound. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 243, 26-31.   | 0.5 | 12        |
| 29270 | Is There a Difference in Sonographic Estimation of Amniotic Fluid Volume When Measuring With the Probe Perpendicular to the Floor Compared With Perpendicular to the Uterine Contour?. Journal of Obstetrics and Gynaecology Canada, 2019, 41, 1295-1301. | 0.3 | 2         |
| 29271 | Test-retest reliability and minimal detectable change of the computerized dynamic posturography PROPRIO for adults with chronic traumatic brain injury. Disability and Rehabilitation, 2021, 43, 2038-2044.   | 0.9 | 0         |
| 29272 | In-season variation in shoulder strength, movement and pain in elite cricketers: A cohort study. Physiotherapy Practice and Research, 2019, 40, 105-112.  | 0.1 | 0         |
| 29273 | Respiratory rate on exercise measured by nanoparticle-based humidity sensor. , 2019, 2019, 3567-3570.   |     | 12        |
| 29274 | Injury coding in a national trauma registry: a one-year validation audit in a level 1 trauma centre. BMC Emergency Medicine, 2019, 19, 61.  | 0.7 | 7         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29275 | Test-retest reliability of the revised diplopia questionnaire. <i>Journal of AAPOS</i> , 2019, 23, 319.e1-319.e5.  | 0.2 | 3         |
| 29276 | Fertility preservation knowledge, attitudes and intentions among children by proxy and adolescents with cancer. <i>Reproductive BioMedicine Online</i> , 2019, 39, 802-808.  | 1.1 | 4         |
| 29277 | Infection Screening System Using Thermography and CCD Camera with Good Stability and Swiftness for Non-contact Vital-Signs Measurement by Feature Matching and MUSIC Algorithm. , 2019, 2019, 3183-3186.               |     | 13        |
| 29278 | A continuous analytical shaft model for fast dynamic simulation of the golf swing. <i>Sports Engineering</i> , 2019, 22, 1.  | 0.5 | 3         |
| 29279 | Longitudinal Monitoring of Athletes: Statistical Issues and Best Practices. <i>Journal of Science in Sport and Exercise</i> , 2019, 1, 217-227.  | 0.4 | 8         |
| 29280 | Validation of a new inertial measurement unit system based on different dynamic movements for future in-field applications. <i>Sports Biomechanics</i> , 2022, 21, 685-700.  | 0.8 | 18        |
| 29281 | Echocardiography overestimates LV mass in the elderly as compared to cardiac CT. <i>PLoS ONE</i> , 2019, 14, e0224104.   | 1.1 | 2         |
| 29282 | Comparison of 4D Flow MRI to 2D Flow MRI in the pulmonary arteries in healthy volunteers and patients with pulmonary hypertension. <i>PLoS ONE</i> , 2019, 14, e0224121.   | 1.1 | 25        |
| 29283 | Compound maximal motor unit response is modulated by contraction intensity, but not contraction type in tibialis anterior. <i>Physiological Reports</i> , 2019, 7, e14201.   | 0.7 | 0         |
| 29284 | Validity and Reliability of the New Portable Metabolic Analyzer PNOE. <i>Frontiers in Sports and Active Living</i> , 2019, 1, 24.  | 0.9 | 23        |
| 29285 | Using three-dimensional ultrasound in predicting complex gastroschisis: A longitudinal, prospective, multicenter cohort study. <i>Prenatal Diagnosis</i> , 2019, 39, 1204-1212.  | 1.1 | 7         |
| 29286 | MFP-Unet: A novel deep learning based approach for left ventricle segmentation in echocardiography. <i>Physica Medica</i> , 2019, 67, 58-69.   | 0.4 | 88        |
| 29287 | A Practical Guide to Assess the Reproducibility of Echocardiographic Measurements. <i>Journal of the American Society of Echocardiography</i> , 2019, 32, 1505-1515.   | 1.2 | 98        |
| 29288 | Preliminary investigations into the use of the five-point body condition scale (Size-O-Meter) and its use in pet owner education. <i>Journal of Exotic Pet Medicine</i> , 2019, 31, 95-99.                             | 0.2 | 5         |
| 29289 | Measurement of central augmentation index by three different methods and techniques: Agreement among Arteriograph, Complior, and Mobilâ€œGraph devices. <i>Journal of Clinical Hypertension</i> , 2019, 21, 1386-1392. | 1.0 | 15        |
| 29290 | Patient-Specific Computer Simulation of Transcatheter Aortic Valve Replacement in Bicuspid Aortic Valve Morphology. <i>Circulation: Cardiovascular Imaging</i> , 2019, 12, e009178.                                    | 1.3 | 42        |
| 29291 | Evaluation of Osseous Morphology of the Hip Using Zero Echo Time Magnetic Resonance Imaging. <i>American Journal of Sports Medicine</i> , 2019, 47, 3460-3468.   | 1.9 | 49        |
| 29292 | Simple Assessment of Height and Length of Flight in Complex Gymnastic Skills: Validity and Reliability of a Two-Dimensional Video Analysis Method. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 3975.              | 1.3 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29293 | The heart rate method for estimating oxygen uptake: analyses of reproducibility using a range of heart rates from commuter walking. <i>European Journal of Applied Physiology</i> , 2019, 119, 2655-2671.   | 1.2 | 13        |
| 29295 | On Relating Code Smells to Security Vulnerabilities. , 2019, , .  |     | 9         |
| 29296 | Evaluation of the smartphone for measurement of femoral rotational deformity. <i>ANZ Journal of Surgery</i> , 2019, 89, E422-E427.  | 0.3 | 5         |
| 29297 | Performance evaluation of a new Stago <sup>®</sup> automated haemostasis analyser: The STA R Max <sup>®</sup> 2. <i>International Journal of Laboratory Hematology</i> , 2019, 41, 731-737.   | 0.7 | 4         |
| 29298 | Addressing the problem of inaccuracy of measured 24-hour urine collections due to incomplete collection. <i>Journal of Clinical Hypertension</i> , 2019, 21, 1626-1634.   | 1.0 | 29        |
| 29299 | Comparison of manual and automated auscultatory blood pressure during graded exercise among people with type 2 diabetes. <i>Journal of Clinical Hypertension</i> , 2019, 21, 1872-1878.   | 1.0 | 5         |
| 29300 | Controlling BCG Vaccine's Cell Viability in the Process of Its Production by an Bioluminescent ATP Assay. <i>Moscow University Chemistry Bulletin</i> , 2019, 74, 191-197.  | 0.2 | 4         |
| 29301 | A clinically applicable tool for rapidly estimating muscle volume using ultrasound images. <i>European Journal of Applied Physiology</i> , 2019, 119, 2685-2699.  | 1.2 | 4         |
| 29302 | Estimating mean population salt intake in Fiji and Samoa using spot urine samples. <i>Nutrition Journal</i> , 2019, 18, 55.   | 1.5 | 10        |
| 29303 | Interdisciplinary Decision Making in Hemorrhagic Stroke Based on CT Imaging—Differences Between Neurologists and Neurosurgeons Regarding Estimation of Patients' Symptoms, Glasgow Coma Scale, and National Institutes of Health Stroke Scale. <i>Frontiers in Neurology</i> , 2019, 10, 997. | 1.1 | 4         |
| 29304 | Successful screening of sleep-disordered breathing using a pacemaker-based algorithm in Japan. <i>Journal of Cardiology</i> , 2019, 73, 394-400.  | 0.8 | 5         |
| 29305 | Effect of Local Neck Anatomy on Localized One-Dimensional Measurements of Arterial Stiffness: A Finite-Element Model Study. <i>Journal of Biomechanical Engineering</i> , 2019, 141, .  | 0.6 | 1         |
| 29306 | No added value for Computer-Assisted surgery to improve femoral component positioning and Patient Reported Outcomes in Hip Resurfacing Arthroplasty; a multi-center randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 473.  | 0.8 | 3         |
| 29307 | Reproducibility and Relative Validity of the Healthy Eating Index-2015 and Nutrient-Rich Food Index 9.3 Estimated by Comprehensive and Brief Diet History Questionnaires in Japanese Adults. <i>Nutrients</i> , 2019, 11, 2540.   | 1.7 | 24        |
| 29308 | Validity, reliability, and feasibility of the uSense activity monitor to register physical activity and gait performance in habitual settings of geriatric patients. <i>Physiological Measurement</i> , 2019, 40, 095005.   | 1.2 | 16        |
| 29309 | Breath-by-breath oxygen uptake during running: Effects of different calculation algorithms. <i>Experimental Physiology</i> , 2019, 104, 1829-1840.  | 0.9 | 7         |
| 29310 | Lower oesophageal sphincter identification for gastro-oesophageal reflux monitoring: The step-up method revisited with use of basal impedance. <i>United European Gastroenterology Journal</i> , 2019, 7, 1373-1379.  | 1.6 | 3         |
| 29311 | A Formula for Estimating the Appropriate Tube Depth for Intubation. <i>Anesthesia Progress</i> , 2019, 66, 8-13.  | 0.2 | 4         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29312 | Reliability of the balance evaluation systems test and trunk control measurement scale in adult spinal deformity. PLoS ONE, 2019, 14, e0221489.  | 1.1 | 5         |
| 29313 | Validity of Wrist-Worn Activity Trackers for Estimating VO <sub>2</sub> max and Energy Expenditure. International Journal of Environmental Research and Public Health, 2019, 16, 3037.   | 1.2 | 23        |
| 29314 | Selective and Fast Responsive Sensitized Micelle for Detection of Fluoride Level in Drinking Water. ACS Sustainable Chemistry and Engineering, 2019, 7, 16355-16363.   | 3.2 | 15        |
| 29315 | Imageless Navigation Accurately Measures Component Orientation during Total Hip Arthroplasty: A Comparison with Postoperative Radiographs. The Journal of Hip Surgery, 2019, 03, 053-058.  | 0.1 | 5         |
| 29316 | Should Pearson's correlation coefficient be avoided?. Ophthalmic and Physiological Optics, 2019, 39, 316-327.  | 1.0 | 64        |
| 29317 | Comparison of Different Methods of Urinary Protein Excretion Measurement: Is the King Really Dead?. Kidney and Blood Pressure Research, 2019, 44, 993-1001.  | 0.9 | 5         |
| 29318 | In-Ear Pulse Rate Measurement: A Valid Alternative to Heart Rate Derived from Electrocardiography?. Sensors, 2019, 19, 3641.   | 2.1 | 33        |
| 29319 | Diffusion-weighted magnetic resonance imaging in bladder cancer: comparison of readout-segmented and single-shot EPI techniques. Cancer Imaging, 2019, 19, 59.   | 1.2 | 7         |
| 29320 | Technical note: Interchangeability and comparison of methane measurements in dairy cows with 2 noninvasive infrared systems. Journal of Dairy Science, 2019, 102, 9512-9517.   | 1.4 | 7         |
| 29321 | Evaluation of Printed P(VDF-TrFE) Pressure Sensor Signal Quality in Arterial Pulse Wave Measurement. IEEE Sensors Journal, 2019, 19, 11072-11080.  | 2.4 | 18        |
| 29322 | Agreement between anatomical M-mode and tissue Doppler imaging in the assessment of fetal atrioventricular annular plane displacement in uncomplicated pregnancies: A prospective longitudinal study. Journal of Obstetrics and Gynaecology Research, 2019, 45, 2150-2157. | 0.6 | 3         |
| 29323 | Development of a fluorescent computer-assisted spermatozoal quantification method and a comparison of results for manual counting with a haemocytometer and computer-assisted semen analysis in dogs. Reproduction in Domestic Animals, 2019, 54, 1477-1488.               | 0.6 | 4         |
| 29324 | Assessing spleen stiffness by point shear-wave elastography: Is it feasible and reproducible in patients with chronic liver disease? Is it useful to predict portal hypertension?. GastroHep, 2019, 1, 205-213.  | 0.3 | 3         |
| 29325 | A low-cost wireless system of inertial sensors to postural analysis during human movement. Measurement: Journal of the International Measurement Confederation, 2019, 148, 106933.   | 2.5 | 23        |
| 29326 | Fully-functional semi-automated microfluidic immunoassay platform for quantitation of multiple samples. Sensors and Actuators B: Chemical, 2019, 300, 127017.  | 4.0 | 21        |
| 29327 | Diffusion Tensor Model links to Neurite Orientation Dispersion and Density Imaging at high b-value in Cerebral Cortical Gray Matter. Scientific Reports, 2019, 9, 12246.   | 1.6 | 49        |
| 29328 | Effect of comprehensive initial training on the variability of left ventricular measures using fast-SENCE cardiac magnetic resonance imaging. Scientific Reports, 2019, 9, 12223.  | 1.6 | 11        |
| 29329 | Estimating plasma glucose with the FreeStyle Libre Pro continuous glucose monitor during oral glucose tolerance tests in youth without diabetes. Pediatric Diabetes, 2019, 20, 1072-1079.  | 1.2 | 12        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29330 | Equilibrium radionuclide angiography: Intra- and inter-observer repeatability and reproducibility in the assessment of cardiac systolic and diastolic function. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 1304-1314.  | 1.4 | 7         |
| 29331 | Sensitivity of 18F-fluorodihydrotestosterone PET-CT to count statistics and reconstruction protocol in metastatic castration-resistant prostate cancer. <i>EJNMMI Research</i> , 2019, 9, 70.  | 1.1 | 10        |
| 29332 | Photoplethysmographic determination of the respiratory rate in acutely ill patients: validation of a new algorithm and implementation into a biomedical device. <i>Annals of Intensive Care</i> , 2019, 9, 11.   | 2.2 | 40        |
| 29333 | Comparison of Indirect Calorimetry- and Accelerometry-Based Energy Expenditure During Children's Discrete Skill Performance. <i>Research Quarterly for Exercise and Sport</i> , 2019, 90, 629-640.   | 0.8 | 10        |
| 29334 | Accurate Hemodynamic Sensing using Video Plethysmography with High Quality Cameras. , 2019, , .  |     | 7         |
| 29335 | Considerations for improved performance of competition association assays analysed with the Motulsky-Mahan's kinetics of competitive binding model. <i>British Journal of Pharmacology</i> , 2019, 176, 4731-4744.   | 2.7 | 11        |
| 29336 | Artificial intelligence-based versus manual assessment of prostate cancer in the prostate gland: a method comparison study. <i>Clinical Physiology and Functional Imaging</i> , 2019, 39, 399-406.   | 0.5 | 30        |
| 29337 | Development and Validation of a Smartphone-Based Visual Acuity Test (Vision at Home). <i>Translational Vision Science and Technology</i> , 2019, 8, 27.  | 1.1 | 38        |
| 29338 | Reliability and validity of the finger flexor dynamometer. <i>Hand Therapy</i> , 2019, 24, 82-90.  | 0.5 | 0         |
| 29339 | An investigation into the effect of body mass index on the agreement between whole-body fat mass determined by MRI and air-displacement plethysmography. <i>British Journal of Radiology</i> , 2019, 92, 20190300.   | 1.0 | 3         |
| 29340 | A Multicenter Comparison of 2 Point-of-Care Activated Clotting Time Test Systems. <i>journal of applied laboratory medicine</i> , The, 2019, 4, 468-470.   | 0.6 | 0         |
| 29341 | Performance Analysis of Oscillometric Blood Pressure Estimation Techniques in Cardiac Patients. , 2019, , .  |     | 4         |
| 29342 | Dynamic quantitative nonenhanced magnetic resonance angiography of the abdominal aorta and lower extremities using cine fast interrupted steady-state in combination with arterial spin labeling: a feasibility study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 55. | 1.6 | 2         |
| 29343 | Feasibility and Reliability of Physical Fitness Tests among Colombian Preschool Children. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3069.   | 1.2 | 12        |
| 29344 | Physical Activity and Sedentary Behavior Assessment: A Laboratory-Based Evaluation of Agreement between Commonly Used ActiGraph and Omron Accelerometers. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3126.                                       | 1.2 | 12        |
| 29345 | Developing an Impedance Based Equation for Fat-Free Mass of Black Preadolescent South African Children. <i>Nutrients</i> , 2019, 11, 2021.   | 1.7 | 5         |
| 29346 | Validation of the two-minute step test in obese with comorbidities and morbidly obese patients. <i>Brazilian Journal of Medical and Biological Research</i> , 2019, 52, e8402.   | 0.7 | 11        |
| 29347 | Comparison of Two Measurement Devices for Pulse Wave Velocity in Children: Which Tool Is Useful to Detect Vascular Alterations Caused by Overweight?. <i>Frontiers in Pediatrics</i> , 2019, 7, 334.   | 0.9 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29348 | Adaptive Fusion of RGB/NIR Signals Based on Face/Background Cross-Spectral Analysis for Heart Rate Estimation. , 2019, , .  |     | 10        |
| 29349 | Accuracy of self-reported physical activity in patients with anorexia nervosa: links with clinical features. Journal of Eating Disorders, 2019, 7, 28.  | 1.3 | 13        |
| 29350 | Heart-Thigh Cuff Pulse Wave Velocity: A Novel Nontechnical Measure of Arterial Stiffness. American Journal of Hypertension, 2019, 32, 1051-1053.  | 1.0 | 7         |
| 29351 | Measuring Physical Activity in Spinal Cord Injury Using Wrist-Worn Accelerometers. American Journal of Occupational Therapy, 2019, 73, 7301205090p1-7301205090p10.  | 0.1 | 6         |
| 29352 | Sleep stage prediction with raw acceleration and photoplethysmography heart rate data derived from a consumer wearable device. Sleep, 2019, 42, .   | 0.6 | 143       |
| 29353 | Enhanced video heart rate and respiratory rate evaluation: standard multiparameter monitor vs clinical confrontation in newborn patients. , 2019, , .   |     | 8         |
| 29354 | &lt;p&gt;Posterior corneal astigmatism: a review article&lt;/p&gt;. Clinical Optometry, 2019, Volume 11, 85-96.   | 0.4 | 23        |
| 29355 | Quantitative CT Analysis for Predicting the Behavior of Part-Solid Nodules with Solid Components Less than 6 mm: Size, Density and Shape Descriptors. Applied Sciences (Switzerland), 2019, 9, 3428.  | 1.3 | 5         |
| 29356 | Fidedignidade nas medidas derivadas do MÃ©todo de palpaÃ§Ã£o de um software para avaliaÃ§Ã£o postural: a experiÃªncia clÃ¡nica importa?. Revista Brasileira De Cineantropometria E Desempenho Humano, 2019, 20, 515-524.                            | 0.5 | 2         |
| 29357 | AptidÃ£o cardiorrespiratÃ³ria em crianÃ§as e adolescentes. Revista Brasileira De Cineantropometria E Desempenho Humano, 2019, 20, 535-543.  | 0.5 | 1         |
| 29358 | Clinical training and validation of the LeukoScope: a low-cost, point-of-care device to perform white blood cell and neutrophil counts. RSC Advances, 2019, 9, 27324-27333.   | 1.7 | 4         |
| 29359 | Agreement between arterial and non-arterialised fingertip capillary blood gas and acid-base values. European Clinical Respiratory Journal, 2019, 6, 1644892.  | 0.7 | 2         |
| 29360 | Estimation of central arterial pressure from the radial artery in patients undergoing invasive neuroradiological procedures. BMC Anesthesiology, 2019, 19, 173.   | 0.7 | 5         |
| 29361 | &lt;p&gt;Augmented renal clearance is associated with inadequate antibiotic pharmacokinetic/pharmacodynamic target in Asian ICU population: a prospective observational study&lt;/p&gt;. Infection and Drug Resistance, 2019, Volume 12, 2531-2541. | 1.1 | 30        |
| 29362 | Commute patterns and depression: Evidence from eleven Latin American cities. Journal of Transport and Health, 2019, 14, 100607.   | 1.1 | 37        |
| 29363 | Validity and reliability of an online self-report 24-h dietary recall method (Intake24): a doubly labelled water study and repeated-measures analysis. Journal of Nutritional Science, 2019, 8, e29.  | 0.7 | 62        |
| 29364 | Dual-Energy X-Ray Absorptiometry Compared to Computed Tomography for Visceral Adiposity Assessment Among Gastrointestinal and Pancreatic Cancer Survivors. Scientific Reports, 2019, 9, 11500.  | 1.6 | 5         |
| 29365 | Left ventricular mass estimation by real-time 3D echocardiography favourably competes with CMR in congenital left ventricular disease. Scientific Reports, 2019, 9, 11888.  | 1.6 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29366 | Comparative Volume Analysis of Alveolar Defects by 3D Simulation. <i>Journal of Clinical Medicine</i> , 2019, 8, 1401.  | 1.0 | 24        |
| 29367 | Clinical trial readiness to solve barriers to drug development in FSHD (ReSolve): protocol of a large, international, multi-center prospective study. <i>BMC Neurology</i> , 2019, 19, 224.   | 0.8 | 28        |
| 29368 | Conversion to Secondary Progressive Multiple Sclerosis: Patient Awareness and Needs. Results From an Online Survey in Italy and Germany. <i>Frontiers in Neurology</i> , 2019, 10, 916.   | 1.1 | 21        |
| 29369 | Deep Learning-Based Stroke Volume Estimation Outperforms Conventional Arterial Contour Method in Patients with Hemodynamic Instability. <i>Journal of Clinical Medicine</i> , 2019, 8, 1419.  | 1.0 | 14        |
| 29370 | Impact of point-of-care creatinine monitoring on early detection of acute kidney injury in critical illness. <i>Journal of Nephrology</i> , 2019, 32, 927-935.  | 0.9 | 1         |
| 29371 | Does a spinal implant alter dual energy X-ray absorptiometry body composition measurements?. <i>PLoS ONE</i> , 2019, 14, e0222758.  | 1.1 | 4         |
| 29372 | On the importance of the nonuniform aortic stiffening in the hemodynamics of physiological aging. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019, 317, H1125-H1133.                                    | 1.5 | 10        |
| 29373 | Direct evaluation of peripheral airways using ultra-high-resolution CT in chronic obstructive pulmonary disease. <i>European Journal of Radiology</i> , 2019, 120, 108687.  | 1.2 | 23        |
| 29374 | Spinopelvic Parameters Depending on the Angulation of the Sacral End Plate Are Less Reproducible Than Other Spinopelvic Parameters in Adult Spinal Deformity Patients. <i>Spine Deformity</i> , 2019, 7, 771-778.                       | 0.7 | 5         |
| 29375 | A comparison of a GPS device and a multi-camera video technology during official soccer matches: Agreement between systems. <i>PLoS ONE</i> , 2019, 14, e0220729.   | 1.1 | 76        |
| 29376 | Assessing Retinal Structure in Patients with Parkinson Disease. <i>Journal of Neurology &amp; Neurophysiology</i> , 2019, 10, .   | 0.1 | 6         |
| 29377 | Clinical illness and outcomes in Nigerian children with persistent early-appearing anaemia following initiation of artemisinin-based combination treatments of uncomplicated falciparum malaria. <i>Parasite</i> , 2019, 26, 56.        | 0.8 | 0         |
| 29378 | Exploring Fourier transform mid-infra-red spectrometry to predict biochemical parameters in horse's blood. <i>Italian Journal of Animal Science</i> , 2019, 18, 1223-1230.  | 0.8 | 1         |
| 29379 | Handedness Side and Magnetization Transfer Ratio in the Primary Sensorimotor Cortex Central Sulcus. <i>BioMed Research International</i> , 2019, 2019, 1-7.   | 0.9 | 1         |
| 29380 | Development and Validation of a Smartphone-based Contrast Sensitivity Test. <i>Translational Vision Science and Technology</i> , 2019, 8, 13.   | 1.1 | 20        |
| 29381 | Comparative analysis of postural control and vertical jump performance between three different measurement devices. <i>PLoS ONE</i> , 2019, 14, e0222502.   | 1.1 | 9         |
| 29382 | Comparison of Different Methods for Estimating Cardiac Timings: A Comprehensive Multimodal Echocardiography Investigation. <i>Frontiers in Physiology</i> , 2019, 10, 1057.   | 1.3 | 47        |
| 29383 | Calculation of the aortic arch angles from three-dimensional reconstructions of computed tomography scans: Comparison between an automated program and visual assessment. <i>Computers in Biology and Medicine</i> , 2019, 114, 103440. | 3.9 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29384 | Serial blood volume estimation in rabbits using trivalent chromium <sup>51</sup> Cr An exploratory study. <i>MethodsX</i> , 2019, 6, 1068-1071.   | 0.7 | 2         |
| 29385 | Inequality, validity of self-reported height, and its implications for BMI estimates: An analysis of randomly selected primary sampling units' data. <i>Preventive Medicine Reports</i> , 2019, 16, 100974.                 | 0.8 | 10        |
| 29386 | System accuracy assessments with a blood glucose meter with combined glucose and $\gamma$ -hydroxybutyrate measurement capabilities. <i>Expert Review of Molecular Diagnostics</i> , 2019, 19, 1043-1048.                   | 1.5 | 3         |
| 29387 | Validation of the Italian version of the abbreviated expanded prostate Cancer index composite (EPIC-26) in men with prostate Cancer. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 147.                            | 1.0 | 8         |
| 29388 | A Distributed Low-Cost Pollution Monitoring Platform. <i>IEEE Internet of Things Journal</i> , 2019, 6, 10738-10748.  | 5.5 | 43        |
| 29389 | The 2-minute walk test is not a valid method to determine aerobic capacity in persons with Multiple Sclerosis. <i>NeuroRehabilitation</i> , 2019, 45, 239-245.  | 0.5 | 5         |
| 29390 | Effects of Cross-Clamping on Vascular Mechanics: Comparing Waveform Analysis With a Numerical Model. <i>Journal of Surgical Research</i> , 2019, 244, 587-598.  | 0.8 | 0         |
| 29391 | Validating a popular outpatient antibiotic database to reliably identify high prescribing physicians for patients 65 years of age and older. <i>PLoS ONE</i> , 2019, 14, e0223097.  | 1.1 | 15        |
| 29392 | Reliability and Repeatability of the Instrument for the Assessment of Stress in Nursing Students (ASNS). <i>Medicina (Lithuania)</i> , 2019, 55, 634.   | 0.8 | 3         |
| 29393 | Are food exposures obtained through commercial market panels representative of the general population? Implications for outbreak investigations. <i>Epidemiology and Infection</i> , 2019, 147, e99.                        | 1.0 | 3         |
| 29394 | OCT Biometry (B-OCT): A New Method for Measuring Ocular Axial Dimensions. <i>Journal of Ophthalmology</i> , 2019, 2019, 1-10.   | 0.6 | 15        |
| 29395 | Investigating the Test-Retest Reliability and Validity of Hand-Held Dynamometry for Measuring Knee Strength in Older Women with Knee Osteoarthritis. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2019, 71, 231-238. | 0.3 | 13        |
| 29396 | Diffusion-weighted MRI in Advanced Epithelial Ovarian Cancer: Apparent Diffusion Coefficient as a Response Marker. <i>Radiology</i> , 2019, 293, 374-383.   | 3.6 | 25        |
| 29397 | <p></p>Differences in medical student self-evaluations of clinical and professional skills</p>. <i>Advances in Medical Education and Practice</i> , 2019, Volume 10, 835-840.   | 0.7 | 7         |
| 29398 | Technical note: A rapid, non-invasive method for measuring live or preserved insect specimens using digital image analysis. <i>Forensic Science International (Online)</i> , 2019, 1, 140-145.                              | 0.6 | 6         |
| 29399 | A Multicenter, Scan-Rescan, Human and Machine Learning CMR Study to Test Generalizability and Precision in Imaging Biomarker Analysis. <i>Circulation: Cardiovascular Imaging</i> , 2019, 12, e009214.                      | 1.3 | 75        |
| 29400 | Validation of energy intake recorded by a 7-day pre-coded food diary against measured energy expenditure in a group of Norwegian adults. <i>PLoS ONE</i> , 2019, 14, e0215638.  | 1.1 | 3         |
| 29401 | Capillary blood as an alternative specimen for enumeration of percentages of lymphocyte subsets. <i>BMC Research Notes</i> , 2019, 12, 633.   | 0.6 | 8         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29402 | Interocular symmetry, intraobserver repeatability, and interobserver reliability of cone density measurements in the 13-lined ground squirrel. <i>PLoS ONE</i> , 2019, 14, e0223110.  | 1.1 | 2         |
| 29403 | Comparative analyses of SPI and SPEI as drought assessment tools in Tigray Region, Northern Ethiopia. <i>SN Applied Sciences</i> , 2019, 1, 1.  | 1.5 | 44        |
| 29404 | Test-retest reliability of near-fibre jiggle in the ulnar intrinsic hand muscles. <i>Journal of Electromyography and Kinesiology</i> , 2019, 49, 102349.  | 0.7 | 1         |
| 29405 | A validation study of a consumer wearable sleep tracker compared to a portable EEG system in naturalistic conditions. <i>Journal of Psychosomatic Research</i> , 2019, 126, 109822.   | 1.2 | 34        |
| 29406 | Magnetic Resonance Imaging and Freehand 3-D Ultrasound Provide Similar Estimates of Free Achilles Tendon Shape and 3-D Geometry. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 2898-2905.   | 0.7 | 18        |
| 29407 | Metabolisable energy content in canine and feline foods is best predicted by the NRC2006 equation. <i>PLoS ONE</i> , 2019, 14, e0223099.  | 1.1 | 7         |
| 29408 | Test-retest reliability measures for curve data: an overview with recommendations and supplementary code. <i>Sports Biomechanics</i> , 2022, 21, 179-200.   | 0.8 | 14        |
| 29409 | Evaluation of the i-STAT (portable clinical analyser) for measuring haematological parameters in Atlantic cod ( <i>Gadus morhua</i> ) at different CO <sub>2</sub> and temperature conditions. <i>Fish Physiology and Biochemistry</i> , 2019, 45, 1551-1562.         | 0.9 | 1         |
| 29410 | Precision and accuracy of a point-of-care glucometer in horses and the effects of sample type. <i>Veterinary Journal</i> , 2019, 252, 105359.   | 0.6 | 3         |
| 29411 | High-throughput sequencing of pooled samples to determine community-level microbiome diversity. <i>Annals of Epidemiology</i> , 2019, 39, 63-68.  | 0.9 | 30        |
| 29412 | Reliability, validity and responsiveness of the squares test for manual dexterity in people with Parkinson's disease. <i>Clinical Neurology and Neurosurgery</i> , 2019, 186, 105542.   | 0.6 | 4         |
| 29413 | Associations between accommodative dynamics, heart rate variability and behavioural performance during sustained attention: A test-retest study. <i>Vision Research</i> , 2019, 163, 24-32.   | 0.7 | 14        |
| 29414 | Prospective intra/inter-observer evaluation of pre-brachytherapy cervical cancer tumor width measured in TRUS and MR imaging. <i>Radiation Oncology</i> , 2019, 14, 173.  | 1.2 | 9         |
| 29415 | Tester and testing procedure influence clinically determined gait speed. <i>Gait and Posture</i> , 2019, 74, 83-86.   | 0.6 | 14        |
| 29416 | Reliability of quadriceps muscle power and explosive force, and relationship to physical function in people with chronic obstructive pulmonary disease: an observational prospective multicenter study. <i>Physiotherapy Theory and Practice</i> , 2021, 37, 945-953. | 0.6 | 14        |
| 29417 | Total energy expenditure measured using doubly labeled water compared with estimated energy requirements in older adults (≥65 y): analysis of primary data. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 1353-1361.                                     | 2.2 | 24        |
| 29418 | Altering the Temporal Regulation of One Transcription Factor Drives Evolutionary Trade-Offs between Head Sensory Organs. <i>Developmental Cell</i> , 2019, 50, 780-792.e7.  | 3.1 | 34        |
| 29419 | Applicability of Dmax Method on Heart Rate Variability to Estimate the Lactate Thresholds in Male Runners. <i>Hindawi Publishing Corporation</i> , 2019, 2019, 1-9.   | 2.3 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29420 | Ultra-short term HRV features as surrogates of short term HRV: a case study on mental stress detection in real life. <i>BMC Medical Informatics and Decision Making</i> , 2019, 19, 12.   | 1.5 | 133       |
| 29421 | Repeatability of tools to assist in the follow up and troubleshooting of sacral neuromodulation patients using the sensory response. <i>Neurourology and Urodynamics</i> , 2019, 38, 801-808.   | 0.8 | 5         |
| 29422 | Responsiveness and minimally important difference of SF-6D and EQ-5D utility scores for the treatment of pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, 265.e1-265.e11.   | 0.7 | 20        |
| 29423 | Reliability of ultrasound speckle tracking with singular value decomposition for quantifying displacement in the carpal tunnel. <i>Journal of Biomechanics</i> , 2019, 85, 141-147.   | 0.9 | 17        |
| 29424 | Machine learning as a supportive tool to recognize cardiac arrest in emergency calls. <i>Resuscitation</i> , 2019, 138, 322-329.  | 1.3 | 124       |
| 29425 | Ratiometric target-triggered fluorescent silicon nanoparticles probe for quantitative visualization of tyrosinase activity. <i>Talanta</i> , 2019, 197, 113-121.  | 2.9 | 32        |
| 29426 | Relevance of evaluating the rate of torque development in ballistic contractions of submaximal amplitude. <i>Physiological Measurement</i> , 2019, 40, 025002.  | 1.2 | 4         |
| 29427 | Evaluation of a Novel Water-Based Volumetric Device for Measuring Upper Limb Lymphedema: First Experience with Healthy Volunteers. <i>Lymphatic Research and Biology</i> , 2019, 17, 434-439.   | 0.5 | 3         |
| 29428 | Automated, machine learning-based, 3D echocardiographic quantification of left ventricular mass. <i>Echocardiography</i> , 2019, 36, 312-319.   | 0.3 | 37        |
| 29429 | Practical Considerations for Assessing Pulmonary Gas Exchange and Ventilation During Flume Swimming Using the MetaSwim Metabolic Cart. <i>Journal of Strength and Conditioning Research</i> , 2019, 33, 1941-1953.  | 1.0 | 4         |
| 29430 | Evaluation of a Brief Sodium Screener in Two Samples. <i>Nutrients</i> , 2019, 11, 166.   | 1.7 | 5         |
| 29431 | Simultaneous $T_{1\rho}$ and $T_{2\rho}$ measurements using inversion recovery TrueFISP with principle component-based reconstruction, off-resonance correction, and multicomponent analysis. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 3488-3502.            | 1.9 | 8         |
| 29432 | Accuracy of body mass index measurements in community-dwelling older Japanese people based on self-reported anthropometric data. <i>European Geriatric Medicine</i> , 2019, 10, 151-154.  | 1.2 | 0         |
| 29433 | Performance of PROMIS Global-10 to Legacy Instruments in Patients With Lateral Epicondylitis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 770-774.   | 1.3 | 18        |
| 29434 | Comparison of two commercial ELISA kits for detection of rubella specific IgM in suspected congenital rubella syndrome cases and rubella IgG antibodies in a serosurvey of pregnant women. <i>Diagnostic Microbiology and Infectious Disease</i> , 2019, 94, 243-247. | 0.8 | 10        |
| 29435 | Comparison of alternative falls data collection methods in the Prevention of Falls Injury Trial (PreFIT). <i>Journal of Clinical Epidemiology</i> , 2019, 106, 32-40.   | 2.4 | 21        |
| 29436 | Impact of Adopting Population Pharmacokinetics for Tailoring Prophylaxis in Haemophilia A Patients: A Historically Controlled Observational Study. <i>Thrombosis and Haemostasis</i> , 2019, 119, 368-376.  | 1.8 | 22        |
| 29437 | Evaluation of a portable device for assessment of motility in stallion semen. <i>Reproduction in Domestic Animals</i> , 2019, 54, 514-519.  | 0.6 | 12        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29438 | The Effect of Consuming a Liquid Diet vs a Solid Diet 24-hr Preexperimental Trials on Adherence in Athletes. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2019, 29, 493-497.  | 1.0 | 0         |
| 29439 | Evaluation of 3D fat-navigator based retrospective motion correction in the clinical setting of patients with brain tumors. <i>Neuroradiology</i> , 2019, 61, 557-563.   | 1.1 | 3         |
| 29440 | Reliability and validity of a mobile tablet for assessing left/right judgements. <i>Musculoskeletal Science and Practice</i> , 2019, 40, 45-52.  | 0.6 | 13        |
| 29441 | Optimal fiducial points for pulse rate variability analysis from forehead and finger photoplethysmographic signals. <i>Physiological Measurement</i> , 2019, 40, 025007.   | 1.2 | 33        |
| 29442 | Validation of French versions of the Facial Disability Index and the Facial Clinimetric Evaluation Scale, specific quality of life scales for peripheral facial palsy patients. <i>Clinical Otolaryngology</i> , 2019, 44, 313-322.                                    | 0.6 | 23        |
| 29443 | Factor associated with alcohol use among Lahu and Akha hill tribe youths, northern Thailand. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2019, 14, 5.   | 1.0 | 22        |
| 29444 | Are Raw BIA Variables Useful for Predicting Resting Energy Expenditure in Adults with Obesity?. <i>Nutrients</i> , 2019, 11, 216.  | 1.7 | 22        |
| 29445 | BOLD-based cerebrovascular reactivity vascular transfer function isolates amplitude and timing responses to better characterize cerebral small vessel disease. <i>NMR in Biomedicine</i> , 2019, 32, e4064.  | 1.6 | 25        |
| 29446 | Validation of the SymptoMScreen with performance-based or clinician-assessed outcomes. <i>Multiple Sclerosis and Related Disorders</i> , 2019, 29, 86-93.  | 0.9 | 18        |
| 29447 | Sagittal Measurement of Tongue Movement During Respiration: Comparison Between Ultrasonography and Magnetic Resonance Imaging. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 921-934.  | 0.7 | 14        |
| 29448 | Analyses of the factors influencing the accuracy of three-dimensional ultrasound in comparison with cone-beam CT in image-guided radiotherapy for prostate cancer with or without pelvic lymph node irradiation. <i>Radiation Oncology</i> , 2019, 14, 22.             | 1.2 | 5         |
| 29449 | Objective assessment of visual acuity: a refined model for analyzing the sweep VEP. <i>Documenta Ophthalmologica</i> , 2019, 138, 97-116.  | 1.0 | 15        |
| 29450 | An open source autocorrelation-based method for fetal heart rate estimation from one-dimensional Doppler ultrasound. <i>Physiological Measurement</i> , 2019, 40, 025005.  | 1.2 | 16        |
| 29451 | Test-retest reliability and limits of agreement of the Six-Spot Step Test in people with Parkinson's disease. <i>Clinical Rehabilitation</i> , 2019, 33, 285-292.  | 1.0 | 12        |
| 29452 | Validation and Reliability of the French Version of the Sydney Swallow Questionnaire. <i>Dysphagia</i> , 2019, 34, 556-566.  | 1.0 | 13        |
| 29453 | The correct measurement of oxygen saturation at high altitude. <i>Sleep and Breathing</i> , 2019, 23, 1101-1106.   | 0.9 | 15        |
| 29454 | Preliminary evaluation of a self-guided fall risk assessment tool for older adults. <i>Archives of Gerontology and Geriatrics</i> , 2019, 82, 94-99.   | 1.4 | 11        |
| 29455 | Association of coronary artery Doppler-echocardiography diastolic-systolic velocity ratio at rest with obstructive coronary artery stenosis on the left main or left anterior descending coronary artery. <i>International Journal of Cardiology</i> , 2019, 281, 1-7. | 0.8 | 9         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29456 | Accuracy of Anthropometric Equations to Estimate DXA-Derived Skeletal Muscle Mass in Professional Male Soccer Players. Hindawi Publishing Corporation, 2019, 2019, 1-6.  | 2.3 | 4         |
| 29457 | Preliminary Evaluation of a Mobile Device for Dark Adaptation Measurement. Translational Vision Science and Technology, 2019, 8, 11.   | 1.1 | 1         |
| 29458 | Cardiovascular magnetic resonance imaging feature tracking: Impact of training on observer performance and reproducibility. PLoS ONE, 2019, 14, e0210127.  | 1.1 | 27        |
| 29459 | A phase III wait-listed randomised controlled trial of novel targeted inter-professional clinical education intervention to improve cancer patients' reported pain outcomes (The Cancer Pain) Tj ETQq1 1 0.78431 4 rgBT4/Overlook  |     |           |
| 29460 | The comparison of real world and core laboratory antiphospholipid antibody ELISA results from antiphospholipid syndrome alliance for clinical trials & international networking (APS ACTION) clinical database and repository analysis. Thrombosis Research, 2019, 175, 32-36. | 0.8 | 13        |
| 29461 | Performance of two portable blood glucose meters for measuring blood glucose concentration in tigers ( <i>Panthera tigris</i> ) and lions ( <i>Panthera leo</i> ). Journal of the American Veterinary Medical Association, 2019, 254, 399-408.                                 | 0.2 | 1         |
| 29462 | Assessment of reproducibility and repeatability of cerebro-placental ratio. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 235, 106-109.   | 0.5 | 5         |
| 29463 | How Uncertain Is Our Reference Standard for Respiratory Rate Measurement?. American Journal of Respiratory and Critical Care Medicine, 2019, 199, 1036-1037.   | 2.5 | 14        |
| 29464 | CT Image Conversion among Different Reconstruction Kernels without a Sinogram by Using a Convolutional Neural Network. Korean Journal of Radiology, 2019, 20, 295.   | 1.5 | 30        |
| 29465 | Test "retest reliability of the Welfare Quality Assessment protocol for pigs applied to sows and piglets. Part 2. Assessment of the principles good feeding, good housing, and good health1. Journal of Animal Science, 2019, 97, 1143-1157.                                   | 0.2 | 13        |
| 29466 | Reliability of mobility measures in older medical patients with cognitive impairment. BMC Geriatrics, 2019, 19, 20.  | 1.1 | 18        |
| 29467 | Congruent Validity of Resting Energy Expenditure Predictive Equations in Young Adults. Nutrients, 2019, 11, 223.   | 1.7 | 29        |
| 29468 | Proposal for a new classification for perihilar cholangiocarcinoma based on tumour depth. British Journal of Surgery, 2019, 106, 427-435.  | 0.1 | 11        |
| 29469 | Is the Functional Threshold Power Interchangeable With the Maximal Lactate Steady State in Trained Cyclists?. International Journal of Sports Physiology and Performance, 2019, 14, 1029-1035.   | 1.1 | 34        |
| 29470 | A comparison of the reproducibility of two cine-derived strain software programmes in disease states. European Journal of Radiology, 2019, 113, 51-58.   | 1.2 | 16        |
| 29471 | Interobserver agreement of skeletal muscle mass measurement on head and neck CT imaging at the level of the third cervical vertebra. European Archives of Oto-Rhino-Laryngology, 2019, 276, 1175-1182.   | 0.8 | 46        |
| 29472 | Assessment of aortic valve tract dynamics using automatic tracking of 3D transesophageal echocardiographic images. International Journal of Cardiovascular Imaging, 2019, 35, 881-895.   | 0.7 | 10        |
| 29473 | Informant Discrepancies in the Assessment of Adaptive Behavior of Children with Autism Spectrum Disorder. Journal of Autism and Developmental Disorders, 2019, 49, 2024-2034.  | 1.7 | 8         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29474 | Agreement between arterial and peripheral venous lactate levels in the ED: A systematic review. <i>American Journal of Emergency Medicine</i> , 2019, 37, 746-750.  | 0.7 | 13        |
| 29475 | Repeatability and reliability of quantitative fundus autofluorescence imaging in patients with early and intermediate age-related macular degeneration. <i>Acta Ophthalmologica</i> , 2019, 97, e526-e532.  | 0.6 | 21        |
| 29476 | Accuracy of Self-Report Versus Objective SmartScale Weights During a 12-Week Weight Management Intervention. <i>Obesity</i> , 2019, 27, 385-390.  | 1.5 | 33        |
| 29477 | Normal values of the resistivity index of the pericallosal artery with and without compression of the anterior fontanelle. <i>Pediatric Radiology</i> , 2019, 49, 646-651.  | 1.1 | 6         |
| 29478 | Angiography-Derived Fractional Flow Reserve in the SYNTAX II Trial. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 259-270.  | 1.1 | 46        |
| 29479 | Characteristics of functional movement screening testing in elite handball players: Indicative data from the 9+. <i>Physical Therapy in Sport</i> , 2019, 37, 15-20.  | 0.8 | 2         |
| 29480 | A Comparison of UK and Brazilian SF-6D Preference Weights When Applied to a Brazilian Urban Population. <i>Value in Health Regional Issues</i> , 2019, 20, 21-27.   | 0.5 | 1         |
| 29481 | Whole-Genome Sequencing for Drug Resistance Profile Prediction in <i>Mycobacterium tuberculosis</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .  | 1.4 | 59        |
| 29482 | Performance of a Novel Low-Cost, Instrument-Free Plasma Separation Device for HIV Viral Load Quantification and Determination of Treatment Failure in People Living with HIV in Malaysia: a Diagnostic Accuracy Study. <i>Journal of Clinical Microbiology</i> , 2019, 57, .                      | 1.8 | 11        |
| 29483 | Comparing longitudinal brain atrophy measurement techniques in a real-world multiple sclerosis clinical practice cohort: towards clinical integration?. <i>Therapeutic Advances in Neurological Disorders</i> , 2019, 12, 175628641882346.  | 1.5 | 26        |
| 29484 | Pulmonary mechanics measurements by respiratory inductive plethysmography and esophageal manometry: Methodology for infants on non-invasive respiratory support. <i>Journal of Neonatal-Perinatal Medicine</i> , 2019, 12, 149-159.   | 0.4 | 5         |
| 29485 | Improved repeatability of dynamic contrast-enhanced MRI using the complex MRI signal to derive arterial input functions: a test-retest study in prostate cancer patients. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 3358-3369.  | 1.9 | 10        |
| 29486 | A New Algorithm to Reduce and Individualize HRV Recording Time. <i>Journal of Medical Systems</i> , 2019, 43, 45.   | 2.2 | 4         |
| 29487 | Agreement Between Breathlessness Severity and Unpleasantness in People With Chronic Breathlessness: A Longitudinal Clinical Study. <i>Journal of Pain and Symptom Management</i> , 2019, 57, 715-723.e5.  | 0.6 | 14        |
| 29488 | Reproducibility and accuracy of late gadolinium enhancement cardiac magnetic resonance measurements for the detection of left atrial fibrosis in patients undergoing atrial fibrillation ablation procedures. <i>Europace</i> , 2019, 21, 724-731.  | 0.7 | 31        |
| 29489 | The value of tibial mounted inertial measurement units to quantify running kinetics in elite football (soccer) players. A reliability and agreement study using a research orientated and a clinically orientated system. <i>Journal of Electromyography and Kinesiology</i> , 2019, 44, 156-164. | 0.7 | 15        |
| 29490 | Leveraging Automated Image Analysis Tools to Transform Our Capacity to Assess Status and Trends of Coral Reefs. <i>Frontiers in Marine Science</i> , 2019, 6, .   | 1.2 | 64        |
| 29491 | Angles of Axes of Incudes. <i>Anatomical Record</i> , 2019, 302, 1615-1619.   | 0.8 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29492 | External Validity of a New Prediction Model for Patient Satisfaction After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2019, 34, 1677-1681.   | 1.5 | 14        |
| 29493 | Transistor-based immunosensing in human serum samples without on-site calibration. <i>Sensors and Actuators B: Chemical</i> , 2019, 295, 153-158.   | 4.0 | 8         |
| 29494 | Cytokines for evaluation of chronic inflammatory status in ageing research: reliability and phenotypic characterisation. <i>Immunity and Ageing</i> , 2019, 16, 11.   | 1.8 | 106       |
| 29495 | Quantifying microstructural changes in retinitis pigmentosa using spectral domain optical coherence tomography. <i>Eye and Vision (London, England)</i> , 2019, 6, 13.  | 1.4 | 9         |
| 29497 | Assessment of the diagnostic performance of TrueHb <sup>®</sup> point-of-care hemometer compared with Sysmex i3 analyzer among patients at International Hospital Kampala, Uganda. <i>Journal of Blood Medicine</i> , 2019, Volume 10, 85-92. | 0.7 | 1         |
| 29498 | Respiratory Variations in Electrocardiographic R-Wave Amplitude during Acute Hypovolemia Induced by Inferior Vena Cava Clamping in Patients Undergoing Liver Transplantation. <i>Journal of Clinical Medicine</i> , 2019, 8, 717.             | 1.0 | 1         |
| 29499 | Closer: A videoconference intervention for distance caregivers of cancer patients. <i>Research in Nursing and Health</i> , 2019, 42, 256-263.   | 0.8 | 11        |
| 29500 | The reliability of force-velocity-power profiling during over-ground sprinting in children and adolescents. <i>Journal of Sports Sciences</i> , 2019, 37, 2131-2137.  | 1.0 | 9         |
| 29501 | Does low back pain affect the reliability of postural regulation?. <i>Somatosensory &amp; Motor Research</i> , 2019, 36, 116-121.   | 0.4 | 2         |
| 29502 | Heart rate variability as a marker of recovery from critical illness in children. <i>PLoS ONE</i> , 2019, 14, e0215930.   | 1.1 | 13        |
| 29503 | Feasibility and Reproducibility of Fetal Left Ventricular Twist Using Two-Dimensional Speckle-Tracking Analysis in a Japanese Population. <i>International Heart Journal</i> , 2019, 60, 671-678.   | 0.5 | 0         |
| 29504 | Estimation of Olfactory Sensitivity Using a Bayesian Adaptive Method. <i>Nutrients</i> , 2019, 11, 1278.  | 1.7 | 12        |
| 29505 | Performance evaluation of an Indoxyl Sulfate Assay Kit (NIPRO). <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 57, 1770-1776.  | 1.4 | 5         |
| 29506 | Evaluation of Enhanced Learning Techniques for Segmenting Ischaemic Stroke Lesions in Brain Magnetic Resonance Perfusion Images Using a Convolutional Neural Network Scheme. <i>Frontiers in Neuroinformatics</i> , 2019, 13, 33.             | 1.3 | 19        |
| 29507 | Reliability of surface electromyography in estimating muscle fiber conduction velocity: A systematic review. <i>Journal of Electromyography and Kinesiology</i> , 2019, 48, 53-68.  | 0.7 | 19        |
| 29508 | Interim tissue changes following connective tissue grafting and two-stage implant placement. A randomized clinical trial. <i>Journal of Clinical Periodontology</i> , 2019, 46, 958-968.  | 2.3 | 8         |
| 29509 | The validity of resting energy expenditure predictive equations in adults with central obesity: A sub-sample of the RaNCD cohort study. <i>Nutrition and Health</i> , 2019, 25, 217-224.  | 0.6 | 6         |
| 29510 | Reproducibility and relative validity of a food frequency questionnaire to assess dietary intake of adults living in a Mediterranean country. <i>PLoS ONE</i> , 2019, 14, e0218541.   | 1.1 | 26        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29511 | Within- and Between-Body-Site Agreement of Skin Autofluorescence Measurements in People With and Without Diabetes-Related Foot Disease. <i>Journal of Diabetes Science and Technology</i> , 2019, 13, 836-846.  | 1.3 | 5         |
| 29512 | The anisotropy of personal space. <i>PLoS ONE</i> , 2019, 14, e0217587.   | 1.1 | 32        |
| 29513 | Food Composition Impacts the Accuracy of Wearable Devices When Estimating Energy Intake from Energy-Dense Food. <i>Nutrients</i> , 2019, 11, 1170.  | 1.7 | 2         |
| 29515 | MicroTools enables automated quantification of capillary density and red blood cell velocity in handheld vital microscopy. <i>Communications Biology</i> , 2019, 2, 217.  | 2.0 | 67        |
| 29516 | Plasma Aldosterone After Seated Saline Infusion Test Outperforms Captopril Test at Predicting Clinical Outcomes After Adrenalectomy for Primary Aldosteronism. <i>American Journal of Hypertension</i> , 2019, 32, 1066-1074.   | 1.0 | 12        |
| 29517 | Reliability of Spectral-Domain OCT Ellipsoid Zone Area and Shape Measurements in Retinitis Pigmentosa. <i>Translational Vision Science and Technology</i> , 2019, 8, 37.  | 1.1 | 6         |
| 29518 | Brain Tumor-Enhancement Visualization and Morphometric Assessment: A Comparison of MPRAGE, SPACE, and VIBE MRI Techniques. <i>American Journal of Neuroradiology</i> , 2019, 40, 1140-1148.   | 1.2 | 46        |
| 29519 | Paraspinal Muscle Segmentation Based on Deep Neural Network. <i>Sensors</i> , 2019, 19, 2650.   | 2.1 | 21        |
| 29520 | Head-to-head comparison of diagnostic accuracy of stress-only myocardial perfusion imaging with conventional and cadmium-zinc telluride single-photon emission computed tomography in women with suspected coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 888-897. | 1.4 | 36        |
| 29521 | Validity of basal metabolic rate prediction equations in elderly women living in an urban tropical city of Brazil. <i>Clinical Nutrition ESPEN</i> , 2019, 32, 158-164.   | 0.5 | 5         |
| 29522 | Deep learning assisted mitotic counting for breast cancer. <i>Laboratory Investigation</i> , 2019, 99, 1596-1606.   | 1.7 | 69        |
| 29523 | Development and validation of models to predict respiratory function in persons with long-term spinal cord injury. <i>Spinal Cord</i> , 2019, 57, 1064-1075.  | 0.9 | 5         |
| 29524 | Application of Ontologies for Assessing Collaborative Problem Solving Skills. <i>International Journal of Testing</i> , 2019, 19, 172-187.  | 0.2 | 19        |
| 29525 | Reduced exercise ventilatory efficiency in adults with cystic fibrosis and normal to moderately impaired lung function. <i>Journal of Applied Physiology</i> , 2019, 127, 501-512.  | 1.2 | 7         |
| 29526 | Analysis of Biphasic Right Ventricular Outflow Doppler Waveform in Patients with Pulmonary Hypertension. <i>International Heart Journal</i> , 2019, 60, 108-114.  | 0.5 | 1         |
| 29527 | Method agreement between three different chambers for comparative boar semen CASA analysis. <i>Reproduction in Domestic Animals</i> , 2019, 54 Suppl 4, 41-45.  | 0.6 | 6         |
| 29528 | Thoracic kyphosis assessment in postmenopausal women: an examination of the Flexicurve method in comparison to radiological methods. <i>Osteoporosis International</i> , 2019, 30, 2009-2018.   | 1.3 | 5         |
| 29529 | Prospective observational study comparing burn surgeons'™ estimations of wound healing after skin grafting to photo-assisted methods. <i>Burns</i> , 2019, 45, 1562-1570.   | 1.1 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29530 | Association Between Kinetics of Early Biofilm Formation and Clonal Lineage in Escherichia coli. <i>Frontiers in Microbiology</i> , 2019, 10, 1183.  | 1.5 | 27        |
| 29531 | Estimating the Composition of Food Nutrients from Hyperspectral Signals Based on Deep Neural Networks. <i>Sensors</i> , 2019, 19, 1560.   | 2.1 | 18        |
| 29532 | Accuracy of a New Robotically Assisted Technique for Total Knee Arthroplasty: A Cadaveric Study. <i>Journal of Arthroplasty</i> , 2019, 34, 2799-2803.  | 1.5 | 86        |
| 29533 | Radiomics in nuclear medicine: robustness, reproducibility, standardization, and how to avoid data analysis traps and replication crisis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 2638-2655.  | 3.3 | 198       |
| 29534 | Automated Breast Density Measurements From Chest Computed Tomography Scans. <i>Journal of Medical Systems</i> , 2019, 43, 242.  | 2.2 | 1         |
| 29535 | Using a logarithmic model to predict functional independence after spinal cord injury: a retrospective study. <i>Spinal Cord</i> , 2019, 57, 1048-1056.   | 0.9 | 8         |
| 29536 | The Submaximal Lateral Shuffle Test: A reliability and sensitivity analysis. <i>Journal of Sports Sciences</i> , 2019, 37, 2066-2074.   | 1.0 | 3         |
| 29537 | Converting $\langle \text{scp} \rangle \langle i \rangle F \langle /i \rangle \langle \text{sub} \rangle \text{ENO} \langle / \text{sub} \rangle \langle / \text{scp} \rangle$ by different flows to standard flow $\langle \text{scp} \rangle \langle i \rangle F \langle /i \rangle \langle \text{sub} \rangle \text{ENO} \langle / \text{sub} \rangle \langle / \text{scp} \rangle$ . <i>Clinical Physiology and Functional Imaging</i> , 2019, 39, 315-321. | 0.5 | 4         |
| 29538 | Functional fibrinogen (FLEV-TEG) versus the Clauss method in an obstetric population: a comparative study. <i>BMC Anesthesiology</i> , 2019, 19, 90.  | 0.7 | 17        |
| 29539 | Improving access to community-based pulmonary rehabilitation: 3R protocol for real-world settings with cost-benefit analysis. <i>BMC Public Health</i> , 2019, 19, 676.   | 1.2 | 20        |
| 29540 | A lung image reconstruction from computed radiography images as a tool to tuberculosis treatment control. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2019, 25, e144918.  | 0.8 | 3         |
| 29541 | Estimating GFR by Serum Creatinine, Cystatin C, and $\hat{\text{I}}^{22}$ -Microglobulin in Older Adults: Results From the Canadian Study of Longevity in Type 1 Diabetes. <i>Kidney International Reports</i> , 2019, 4, 786-796.  | 0.4 | 12        |
| 29542 | Cross-Cultural Validation Study of the Japanese Version of the ABILOCO-Kids in Ambulatory Children With Cerebral Palsy Using Rasch Analysis. <i>Physical and Occupational Therapy in Pediatrics</i> , 2019, 39, 679-691.  | 0.8 | 0         |
| 29543 | Cross-cultural adaptation and psychometric properties of the Dutch version of the Hand Function Sort in patients with complaints of hand and/or wrist. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 279.  | 0.8 | 2         |
| 29544 | HbA1c-testing: Evaluation of two point-of-care analysers. <i>Primary Care Diabetes</i> , 2019, 13, 583-587.   | 0.9 | 4         |
| 29545 | Smart Textile Based on Piezoresistive Sensing Elements for Respiratory Monitoring. <i>IEEE Sensors Journal</i> , 2019, 19, 7718-7725.   | 2.4 | 66        |
| 29546 | Resting Energy Expenditure and Protein Balance in People with Epidermolysis Bullosa. <i>Nutrients</i> , 2019, 11, 1257.   | 1.7 | 5         |
| 29547 | Methods comparison biases due to differing uncertainties and data censoring. <i>Annals of Clinical Biochemistry</i> , 2019, 56, 608-612.  | 0.8 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29548 | Validation of the Block Walk Method for Assessing Physical Activity occurring on Sidewalks/Streets. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1927.  | 1.2 | 7         |
| 29549 | Predictability of the vault after posterior chamber phakic intraocular lens implantation using anterior segment optical coherence tomography. <i>Journal of Cataract and Refractive Surgery</i> , 2019, 45, 1099-1104.  | 0.7 | 81        |
| 29550 | Proof of Concept for a Portable Platform for Molecular Diagnosis of Tropical Diseases. <i>Journal of Molecular Diagnostics</i> , 2019, 21, 839-851.   | 1.2 | 20        |
| 29551 | Reproducibility of the international spinal cord injury quality of life basic data set: an international psychometric study. <i>Spinal Cord</i> , 2019, 57, 992-998.  | 0.9 | 15        |
| 29552 | A System for Monitoring Breathing Activity Using an Ultrasonic Radar Detection with Low Power Consumption. <i>Journal of Sensor and Actuator Networks</i> , 2019, 8, 32.  | 2.3 | 19        |
| 29553 | Estimating hazard ratios from published Kaplan-Meier survival curves: A methods validation study. <i>Research Synthesis Methods</i> , 2019, 10, 465-475.  | 4.2 | 41        |
| 29554 | Noninvasive Estimation of Aortic Stiffness Through Different Approaches. <i>Hypertension</i> , 2019, 74, 117-129.   | 1.3 | 89        |
| 29555 | Association between high-resolution MRI-detected extramural vascular invasion and tumour microcirculation estimated by dynamic contrast-enhanced MRI in rectal cancer: preliminary results. <i>BMC Cancer</i> , 2019, 19, 498.  | 1.1 | 20        |
| 29556 | Corneal power measurement with a new aberrometer/corneal topographer in eyes after small incision lenticule extraction for myopia. <i>International Ophthalmology</i> , 2019, 39, 2815-2824.  | 0.6 | 1         |
| 29557 | Intra-Abdominal Adipose Tissue Quantification by Alternative Versus Reference Methods: A Systematic Review and Meta-Analysis. <i>Obesity</i> , 2019, 27, 1115-1122.   | 1.5 | 11        |
| 29558 | Photoplethysmography-Based Continuous Systolic Blood Pressure Estimation Method for Low Processing Power Wearable Devices. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 2236.   | 1.3 | 14        |
| 29559 | First report on extended distance between tumor lesion and adjacent organs at risk using interventionally applied balloon catheters: a simple procedure to optimize clinical target volume covering effective isodose in interstitial high-dose-rate brachytherapy of liver malignomas. <i>Journal of Contemporary Brachytherapy</i> , 2019, 11, 152-161. | 0.4 | 12        |
| 29560 | Is dual-phase C-arm CBCT sufficiently accurate for the diagnosis of colorectal cancer liver metastasis during liver intra-arterial treatment?. <i>European Radiology</i> , 2019, 29, 5253-5263.   | 2.3 | 1         |
| 29561 | Validating the sensitivity of inhomogeneous magnetization transfer (ihMT) MRI to myelin with fluorescence microscopy. <i>NeuroImage</i> , 2019, 199, 289-303.   | 2.1 | 49        |
| 29562 | Reliability of Inclinator-Derived Passive Range of Motion Measures in Youth with Cerebral Palsy. <i>Physical and Occupational Therapy in Pediatrics</i> , 2019, 39, 655-668.  | 0.8 | 4         |
| 29563 | Medical Diagnostic Tests: A Review of Test Anatomy, Phases, and Statistical Treatment of Data. <i>Computational and Mathematical Methods in Medicine</i> , 2019, 2019, 1-22.  | 0.7 | 54        |
| 29564 | Test-retest reliability and measurement errors of grip strength test in patients with traumatic injuries in the upper extremity: a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 256.   | 0.8 | 8         |
| 29565 | Validity and reliability of a food frequency questionnaire for assessing dietary intake among Shanghai residents. <i>Nutrition Journal</i> , 2019, 18, 30.  | 1.5 | 26        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29566 | Active Involvement of People with Dementia: A Systematic Review of Studies Developing Supportive Technologies. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 1041-1065.  | 1.2 | 65        |
| 29567 | Utility of Multi-Parametric Quantitative Magnetic Resonance Imaging for Characterization and Radiotherapy Response Assessment in Soft-Tissue Sarcomas and Correlation With Histopathology. <i>Frontiers in Oncology</i> , 2019, 9, 280.        | 1.3 | 24        |
| 29568 | CT compared to MRI for functional evaluation of the right ventricle: a systematic review and meta-analysis. <i>European Radiology</i> , 2019, 29, 6816-6828.   | 2.3 | 14        |
| 29569 | Effects on body composition and handgrip strength of a nutritional intervention for malnourished HIV-infected adults referred for antiretroviral therapy: a randomised controlled trial. <i>Journal of Nutritional Science</i> , 2019, 8, e19. | 0.7 | 2         |
| 29570 | Assessing the concurrent validity of a gait analysis system integrated into a smart walker in older adults with gait impairments. <i>Clinical Rehabilitation</i> , 2019, 33, 1682-1687.  | 1.0 | 14        |
| 29571 | Do Women Know Their Prepregnancy Weight?. <i>Obesity</i> , 2019, 27, 1161-1167.  | 1.5 | 15        |
| 29572 | Can consumer grade activity devices replace research grade actiwatches in youth mental health settings?. <i>Sleep and Biological Rhythms</i> , 2019, 17, 223-232.  | 0.5 | 16        |
| 29573 | Measurement of relative lung perfusion with electrical impedance and positron emission tomography: an experimental comparative study in pigs. <i>British Journal of Anaesthesia</i> , 2019, 123, 246-254.                                      | 1.5 | 46        |
| 29574 | Methodological Issues in Determining the Accuracy of Automated Office Blood Pressure Readings for Diagnosing Hypertension. <i>JAMA Internal Medicine</i> , 2019, 179, 850.   | 2.6 | 1         |
| 29575 | Low-frequency ventilatory oscillations in hypoxia are a major contributor to the low-frequency component of heart rate variability. <i>European Journal of Applied Physiology</i> , 2019, 119, 1769-1777.                                      | 1.2 | 5         |
| 29576 | Two-dimensional strain echocardiography-derived left ventricular ejection fraction, volumes, and global systolic dyssynchrony index: Comparison with three-dimensional echocardiography. <i>Echocardiography</i> , 2019, 36, 1054-1065.        | 0.3 | 6         |
| 29577 | Asymmetric aortic valve is related to development of eccentric aortic regurgitation in patients with tricuspid aortic valve. <i>Echocardiography</i> , 2019, 36, 1035-1040.  | 0.3 | 2         |
| 29578 | Estimation of cardiovascular risk based on total cholesterol versus total cholesterol/high-density lipoprotein within different ethnic groups: The HELIUS study. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1888-1896.       | 0.8 | 3         |
| 29579 | Fine-Scale Tracking of Ambient Temperature and Movement Reveals Shuttling Behavior of Elephants to Water. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, .   | 1.1 | 31        |
| 29580 | A low-complexity photoplethysmographic systolic peak detector for compressed sensed data. <i>Physiological Measurement</i> , 2019, 40, 065007.   | 1.2 | 7         |
| 29581 | Development and Validation of PREDICT-DM: A New Microsimulation Model to Project and Evaluate Complications and Treatments of Type 2 Diabetes Mellitus. <i>Diabetes Technology and Therapeutics</i> , 2019, 21, 344-355.                       | 2.4 | 10        |
| 29582 | Comprehensive evaluation of total corneal refractive power by ray tracing in predicting corneal power in eyes after small incision lenticule extraction. <i>PLoS ONE</i> , 2019, 14, e0217478.   | 1.1 | 10        |
| 29583 | Cardiac Magnetic Resonance Imaging and Transthoracic Echocardiography: Investigation of Concordance between the Two Methods for Measurement of the Cardiac Chamber. <i>Medicina (Lithuania)</i> , 2019, 55, 260.                               | 0.8 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29584 | Use of Multiple EEG Features and Artificial Neural Network to Monitor the Depth of Anesthesia. Sensors, 2019, 19, 2499.   | 2.1 | 40        |
| 29585 | Validation of a Photoplethysmographic Heart Rate Monitor: Polar OH1. International Journal of Sports Medicine, 2019, 40, 462-467.   | 0.8 | 33        |
| 29586 | Quality will determine the future of mass spectrometry imaging in clinical laboratories: the need for standardization. Expert Review of Proteomics, 2019, 16, 521-532.  | 1.3 | 7         |
| 29587 | The comparison of clinical and computerized measurement of sitting balance in stroke patients and healthy individuals. NeuroRehabilitation, 2019, 44, 361-368.  | 0.5 | 1         |
| 29588 | Quantification of Facial Traits. Frontiers in Genetics, 2019, 10, 397.  | 1.1 | 11        |
| 29589 | Heart Rate Estimation Algorithm From Wrist-based Photoplethysmogram Using Subspace Learning Method. , 2019, , .   |     | 3         |
| 29590 | Accurate prognostic awareness and preference states influence the concordance between terminally ill cancer patientsâ€™ states of preferred and received life-sustaining treatments in the last 6â€™months of life. Palliative Medicine, 2019, 33, 1069-1079.       | 1.3 | 25        |
| 29591 | Translation into modern standard Arabic, cross-cultural adaptation and psychometric propertiesâ€™ evaluation of the Lower Extremity Functional Scale (LEFS) in Arabic-speaking athletes with Anterior Cruciate Ligament (ACL) injury. PLoS ONE, 2019, 14, e0217791. | 1.1 | 14        |
| 29592 | Reproducibility and Validity of a Stroke Effectiveness Test in Table Tennis Based on the Temporal Game Structure. Frontiers in Psychology, 2019, 10, 427.   | 1.1 | 11        |
| 29593 | Patients Undergoing Shoulder Stabilization Procedures Do Not Accurately Recall Their Preoperative Symptoms at Short- to Midterm Follow-up. Orthopaedic Journal of Sports Medicine, 2019, 7, 232596711985108.  | 0.8 | 3         |
| 29594 | A comparison of population estimation techniques for individually unidentifiable free-roaming dogs. BMC Veterinary Research, 2019, 15, 190.   | 0.7 | 9         |
| 29595 | Audio-Based System for Automatic Measurement of Jump Height in Sports Science. Sensors, 2019, 19, 2543.   | 2.1 | 4         |
| 29596 | Incorporation of 3D stereophotogrammetry as a reliable method for assessing scar volume in standard clinical practice. Burns, 2019, 45, 1614-1620.  | 1.1 | 11        |
| 29597 | A multifaceted analytical approach for detecting effects on semen quality when using small sample sizes. Theriogenology, 2019, 136, 72-85.  | 0.9 | 1         |
| 29598 | Detection of Fine Radiographic Progression in Finger Joint Space Narrowing Beyond Human Eyes: Phantom Experiment and Clinical Study with Rheumatoid Arthritis Patients. Scientific Reports, 2019, 9, 8526.  | 1.6 | 10        |
| 29599 | Sum of peak intensities outperforms peak area integration in iTRAQ protein expression measurement by LC-MS/MS using a TripleTOF 5600+ platform. Bioscience Reports, 2019, 39, .   | 1.1 | 7         |
| 29600 | Maximal heart rate assessment in recreational football players: A study involving a multiple testing approach. Scandinavian Journal of Medicine and Science in Sports, 2019, 29, 1537-1545.   | 1.3 | 23        |
| 29601 | Human-Animal Interactions in Dairy Buffalo Farms. Animals, 2019, 9, 246.  | 1.0 | 20        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29602 | The impact of disease severity adjustment on hospital standardised mortality ratios: Results from a service-wide analysis of ischaemic stroke admissions using linked pre-hospital, admissions and mortality data. PLoS ONE, 2019, 14, e0216325. | 1.1 | 12        |
| 29603 | Magnetic resonance elastography of the lungs: A repeatability and reproducibility study. NMR in Biomedicine, 2019, 32, e4102.  | 1.6 | 15        |
| 29604 | A method for the minimally invasive drug monitoring of mitotane by means of volumetric absorptive microsampling for a home-based therapeutic drug monitoring. Analytical and Bioanalytical Chemistry, 2019, 411, 3951-3962.                      | 1.9 | 14        |
| 29605 | Drawing blood from peripheral intravenous cannula compared with venepuncture: A systematic review and meta-analysis. Journal of Advanced Nursing, 2019, 75, 2313-2339.   | 1.5 | 17        |
| 29606 | Objective measurement of forward-scattered light in the human eye: An electrophysiological approach. PLoS ONE, 2019, 14, e0214850.   | 1.1 | 4         |
| 29607 | Reliability of Quantitative Assessment of Distal Radioulnar Joint Stability With Force-Monitor Ultrasonography. Journal of Orthopaedic Research, 2019, 37, 2053-2060.  | 1.2 | 5         |
| 29608 | A Novel Multiparametric Score for the Detection and Grading of Prosthetic Mitral Valve Obstruction in Cases With Different Disc Motion Abnormalities. Ultrasound in Medicine and Biology, 2019, 45, 1708-1720.                                   | 0.7 | 1         |
| 29609 | Palatal morphology in unilateral cleft lip and palate patients: Association with infant cleft dimensions and timing of hard palate repair. Orthodontics and Craniofacial Research, 2019, 22, 270-280.  | 1.2 | 7         |
| 29610 | Ultra-high field MR angiography in human migraine models: a 3.0T/7.0T comparison study. Journal of Headache and Pain, 2019, 20, 48.  | 2.5 | 5         |
| 29611 | Test-retest reliability and minimal detectable change of the Cognitive Abilities Screening Instrument in patients with dementia. PLoS ONE, 2019, 14, e0216450.   | 1.1 | 13        |
| 29612 | Measurement of the Accuracy of 3D-Printed Medical Models to Be Used for Robot-Assisted Partial Nephrectomy. American Journal of Roentgenology, 2019, 213, 626-631.   | 1.0 | 23        |
| 29613 | Validation of 4D flow CMR against simultaneous invasive hemodynamic measurements: a swine study. International Journal of Cardiovascular Imaging, 2019, 35, 1111-1118.   | 0.7 | 17        |
| 29614 | Comparison of Self-Reported and Objectively Measured Sedentary Behavior and Physical Activity in Undergraduate Students. Measurement in Physical Education and Exercise Science, 2019, 23, 237-248.  | 1.3 | 33        |
| 29615 | Comparison of a new rapid method for the determination of adalimumab serum levels with two established ELISA kits. Clinical Chemistry and Laboratory Medicine, 2019, 57, 1906-1914.  | 1.4 | 18        |
| 29616 | A new vessel segmentation algorithm for robust blood flow quantification from two-dimensional phase-contrast magnetic resonance images. Clinical Physiology and Functional Imaging, 2019, 39, 327-338.   | 0.5 | 15        |
| 29617 | Validity and Reliability of an Electronic Contact Mat for Drop Jump Assessment in Physically Active Adults. Sports, 2019, 7, 114.  | 0.7 | 14        |
| 29618 | Statistics for Method Verification of Quantitative Assays in Clinical Microbiology. Clinical Microbiology Newsletter, 2019, 41, 93-100.  | 0.4 | 1         |
| 29619 | Non-Invasive Vascular Very-High Resolution Ultrasound to Quantify Artery Intima Layer Thickness: Validation of the Four-Line Pattern. Ultrasound in Medicine and Biology, 2019, 45, 2010-2018.   | 0.7 | 18        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29620 | To Agree or Disagree? An Analysis of CSR Ratings Firms. Social and Environmental Accountability Journal, 2019, 39, 152-177.  | 0.9 | 8         |
| 29621 | Quantification of pulmonary/systemic shunt ratio by single-contrast cardiovascular magnetic resonance. Echocardiography, 2019, 36, 1181-1190.  | 0.3 | 2         |
| 29622 | Accelerometry-based method for assessing energy expenditure in patients with diabetes during walking. Journal of Human Nutrition and Dietetics, 2019, 32, 531-534.   | 1.3 | 3         |
| 29623 | Wash-in/wash-out phase xenon-enhanced area-detector CT (ADCT): utility for regional ventilation, pulmonary functional loss and clinical stage evaluations of smokers. Acta Radiologica, 2019, 60, 1619-1628.                           | 0.5 | 3         |
| 29624 | Development of an algorithm for evaluating the impact of measurement variability on response categorization in oncology trials. BMC Medical Research Methodology, 2019, 19, 90.  | 1.4 | 2         |
| 29625 | Reproducibility and Validity of a Short Food Frequency Questionnaire for Dietary Assessment in Children Aged 7-9 Years in Spain. Nutrients, 2019, 11, 933.   | 1.7 | 19        |
| 29626 | Age at death estimation by cementochronology: Too precise to be true or too precise to be accurate?. American Journal of Physical Anthropology, 2019, 169, 464-481.  | 2.1 | 29        |
| 29627 | Short-term reproducibility of the 24-h ambulatory monitoring of brachial and central hemodynamics in untreated Chinese. Blood Pressure, 2019, 28, 250-257.   | 0.7 | 2         |
| 29628 | Noninvasive cuffless blood pressure estimation using pulse transit time, Womersley number, and photoplethysmogram intensity ratio. Physiological Measurement, 2019, 40, 075001.  | 1.2 | 16        |
| 29629 | Availability and performance of image-based, non-contact methods of monitoring heart rate, blood pressure, respiratory rate, and oxygen saturation: a systematic review. Physiological Measurement, 2019, 40, 06TR01.                  | 1.2 | 50        |
| 29630 | <scp>TMIS</scp>: a new image-based software application for the measurement of tear meniscus height. Acta Ophthalmologica, 2019, 97, e973-e980.  | 0.6 | 5         |
| 29631 | Validity of the Supramaximal Test to Verify Maximal Oxygen Uptake in Children and Adolescents. Pediatric Exercise Science, 2019, 31, 213-222.  | 0.5 | 19        |
| 29632 | Coronary plaque composition assessed by cardiac computed tomography using adaptive Hounsfield unit thresholds. Clinical Imaging, 2019, 57, 7-14.   | 0.8 | 9         |
| 29633 | Reproducibility of 3.0T High-Resolution Magnetic Resonance Imaging for the Identification and Quantification of Middle Cerebral Arterial Atherosclerotic Plaques. Journal of Stroke and Cerebrovascular Diseases, 2019, 28, 1824-1831. | 0.7 | 9         |
| 29634 | Naturally Occurring Shear Waves in Healthy Volunteers and Hypertrophic Cardiomyopathy Patients. Ultrasound in Medicine and Biology, 2019, 45, 1977-1986.   | 0.7 | 23        |
| 29635 | Sprint mechanical differences at maximal running speed: Effects of performance level. Journal of Sports Sciences, 2019, 37, 2026-2036.   | 1.0 | 18        |
| 29636 | &lt;p&gt;Reproducibility of fluid-phase measurements in PBS-treated sputum supernatant of healthy and stable COPD subjects&lt;/p&gt;. International Journal of COPD, 2019, Volume 14, 835-852.   | 0.9 | 14        |
| 29637 | The Validity of a Mixed Reality-Based Automated Functional Mobility Assessment. Sensors, 2019, 19, 2183.   | 2.1 | 10        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29638 | Establishing a common metric for self-reported anxiety in patients with prostate cancer: Linking the Memorial Anxiety Scale for Prostate Cancer with PROMIS Anxiety. <i>Cancer</i> , 2019, 125, 3249-3258.  | 2.0 | 13        |
| 29639 | Central hemodynamics in relation to blood lead in young men prior to chronic occupational exposure. <i>Blood Pressure</i> , 2019, 28, 279-290.  | 0.7 | 4         |
| 29640 | Intraoperative temperature monitoring with cutaneous zero-heat-flux thermometry in comparison with oesophageal temperature: A prospective study in the paediatric population. <i>Paediatric Anaesthesia</i> , 2019, 29, 865-871.  | 0.6 | 15        |
| 29641 | Extraction of Respiration from PPG Signals Using Hilbert Vibration Decomposition. , 2019, , .   |     | 1         |
| 29642 | Speech intelligibility prediction with the dynamic compressive gammachirp filterbank and modulation power spectrum. <i>Acoustical Science and Technology</i> , 2019, 40, 84-92.   | 0.3 | 2         |
| 29643 | Comparison of Older and Newer Generation Active Style Pro Accelerometers in Physical Activity and Sedentary Behavior Surveillance under a Free-Living Environment. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1597.             | 1.2 | 10        |
| 29644 | Non-Destructive Determination of Alkylresorcinol (ARs) Content on Wheat Seed Surfaces and Prediction of ARs Content in Whole-Grain Flour. <i>Molecules</i> , 2019, 24, 1329.  | 1.7 | 3         |
| 29646 | Software comparison to analyze bone radiomics from high resolution CBCT scans of mandibular condyles. <i>Dentomaxillofacial Radiology</i> , 2019, 48, 20190049.   | 1.3 | 23        |
| 29647 | Validity of Self-Reported Body Mass, Height, and Body Mass Index in Female Students: The Role of Physical Activity Level, Menstrual Cycle Phase, and Time of Day. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1192.              | 1.2 | 1         |
| 29648 | Comprehensive cardiac phenotyping in large animals: comparison of pressure-volume analysis and cardiac magnetic resonance imaging in pig post-myocardial infarction systolic heart failure. <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 1691-1699. | 0.7 | 5         |
| 29649 | The Prognostic Value of Myocardial Deformation in Adult Patients With Corrected Tetralogy of Fallot. <i>Journal of the American Society of Echocardiography</i> , 2019, 32, 866-875.e2.   | 1.2 | 24        |
| 29650 | Comparison of Brody's formula with respiratory gas analysis for estimating oxygen consumption in anaesthetized dogs. <i>Veterinary Anaesthesia and Analgesia</i> , 2019, 46, 365-368.   | 0.3 | 1         |
| 29651 | Comparison of condylar position in orthognathic surgery cases treated with virtual surgical planning vs. conventional model planning. <i>Orthodontics and Craniofacial Research</i> , 2019, 22, 142-148.  | 1.2 | 11        |
| 29652 | Ultrasonic strain elastography for detecting abnormalities in the supraspinatus tendon: an intra- and inter-rater reliability study. <i>BMJ Open</i> , 2019, 9, e027725.  | 0.8 | 17        |
| 29653 | Multicentre assessment of motor and sensory evoked potentials in multiple sclerosis: reliability and implications for clinical trials. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2019, 5, 205521731984479.                           | 0.5 | 13        |
| 29654 | Study protocol: associations between dietary patterns, cognitive function and metabolic syndrome in older adults - a cross-sectional study. <i>BMC Public Health</i> , 2019, 19, 535.   | 1.2 | 23        |
| 29655 | Fat-Free Mass and Bone Mineral Density of Young Soccer Players: Proposal of Equations Based on Anthropometric Variables. <i>Frontiers in Psychology</i> , 2019, 10, 522.  | 1.1 | 8         |
| 29656 | Development and evaluation of an ultrasensitive free VEGF-A immunoassay for analysis of human aqueous humor. <i>Bioanalysis</i> , 2019, 11, 875-886.  | 0.6 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29657 | Intra-rater and inter-rater reliability of six musculoskeletal preparticipatory screening tests. South African Journal of Physiotherapy, 2019, 75, 469.  | 0.3 | 2         |
| 29658 | The International Consortium for Quality Research on Dietary Sodium/Salt (TRUE) position statement on the use of 24-hour, spot, and short duration (<math>\leq 24\text{ hours}</math>) timed urine collections to assess dietary sodium intake. Journal of Clinical Hypertension, 2019, 21, 700-709. | 1.0 | 100       |
| 29659 | High-resolution anal manometry: Repeatability, validation, and comparison with conventional manometry. Neurogastroenterology and Motility, 2019, 31, e13591.   | 1.6 | 21        |
| 29660 | Reference range of fetal myocardial area by three-dimensional ultrasonography and its applicability in fetuses of pre-gestational diabetic women. Journal of Perinatal Medicine, 2019, 47, 422-428.  | 0.6 | 9         |
| 29661 | Community paramedic point of care testing: validity and usability of two commercially available devices. BMC Emergency Medicine, 2019, 19, 30.   | 0.7 | 25        |
| 29662 | A Danish translation of the eating disorder quality of life scale (EDQLS). Journal of Eating Disorders, 2019, 7, 11.   | 1.3 | 3         |
| 29663 | Optimising fluorescein diacetate sputum smear microscopy for assessing patients with pulmonary tuberculosis. PLoS ONE, 2019, 14, e0214131.   | 1.1 | 4         |
| 29664 | Performance of alternative measures to body mass index in the assessment of moderate and severe under-nutrition among acutely unwell patients hospitalized in a TB ward in the Philippines: A cross-sectional study. PLoS ONE, 2019, 14, e0215968.   | 1.1 | 8         |
| 29665 | Translation, cultural adaptation and psychometric testing of Igbo fear avoidance beliefs questionnaire in mixed rural and urban Nigerian populations with chronic low back pain. PLoS ONE, 2019, 14, e0216482.   | 1.1 | 7         |
| 29666 | Electromyographic Evaluation of the Impacts of Different Insoles in the Activity Patterns of the Lower Limb Muscles during Sport Motorcycling: A Cross-Over Trial. Sensors, 2019, 19, 2249.  | 2.1 | 3         |
| 29667 | Application of Biochip Microfluidic Technology to Detect Serum Allergen-specific Immunoglobulin E (slgE). Journal of Visualized Experiments, 2019, , .   | 0.2 | 3         |
| 29669 | Measurement of urinary free cortisol by LC-MS/MS: adoption of a literature reference range and comparison with our current immunometric method. Journal of Endocrinological Investigation, 2019, 42, 1299-1305.  | 1.8 | 8         |
| 29670 | Surprising interobserver and intra-observer variability in pediatric testicular ultrasound volumes. Journal of Pediatric Urology, 2019, 15, 386.e1-386.e6.   | 0.6 | 8         |
| 29671 | Benchmarking study of the forces and centre of pressure derived from a novel smart-insole against an existing pressure measuring insole and force plate. Measurement: Journal of the International Measurement Confederation, 2019, 142, 48-59.  | 2.5 | 14        |
| 29672 | Accelerometric patch probe for cuffless blood pressure evaluation from carotid local pulse wave velocity: design, development, and <i>in vivo</i> experimental study. Biomedical Physics and Engineering Express, 2019, 5, 045010.   | 0.6 | 15        |
| 29673 | Time Lag and Accuracy of Continuous Glucose Monitoring During High Intensity Interval Training in Adults with Type 1 Diabetes. Diabetes Technology and Therapeutics, 2019, 21, 286-294.  | 2.4 | 30        |
| 29674 | Free-breathing cine imaging with motion-corrected reconstruction at 3T using SPiral Acquisition with Respiratory correction and Cardiac Self-gating (SPARCS). Magnetic Resonance in Medicine, 2019, 82, 706-720.   | 1.9 | 24        |
| 29675 | Exploring the feasibility of the combination of acoustic voice quality index and glottal function index for voice pathology screening. European Archives of Oto-Rhino-Laryngology, 2019, 276, 1737-1745.   | 0.8 | 16        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29676 | Preparing data for multiparametric PET/MR imaging: Influence of PET point spread function modelling and EPI distortion correction on the spatial correlation of [18F]FDG-PET and diffusion-weighted MRI in head and neck cancer. <i>Physica Medica</i> , 2019, 61, 1-7.            | 0.4 | 8         |
| 29677 | Machine learning in medicine: a practical introduction. <i>BMC Medical Research Methodology</i> , 2019, 19, 64.  | 1.4 | 625       |
| 29678 | Accuracy of Self-Reported Height, Weight, and BMI Over Time in Emerging Adults. <i>American Journal of Preventive Medicine</i> , 2019, 56, 860-868.  | 1.6 | 42        |
| 29679 | Comparison of air-filled and water-filled catheters for use in cystometric assessment. <i>International Urogynecology Journal</i> , 2019, 30, 2061-2067.   | 0.7 | 3         |
| 29680 | RR interval signal quality of a heart rate monitor and an ECG Holter at rest and during exercise. <i>European Journal of Applied Physiology</i> , 2019, 119, 1525-1532.  | 1.2 | 207       |
| 29681 | Sonographic morphometry of abductor pollicis brevis: can direct contact yield images comparable with those obtained by the water bath technique?. <i>Journal of Medical Ultrasonics (2001)</i> , 2019, 46, 489-495.  | 0.6 | 2         |
| 29682 | Estimating the effective arterial elastance at bedside: a reply to a rebuttal. <i>Journal of Clinical Monitoring and Computing</i> , 2019, 33, 941-943.  | 0.7 | 0         |
| 29683 | Extent and Determinants of Terminally Ill Cancer Patients' Concordance Between Preferred and Received Life-Sustaining Treatment States: An Advance Care Planning Randomized Trial in Taiwan. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 1-10.e10.                   | 0.6 | 7         |
| 29684 | Concurrent validity of supraclavicular skin temperature measured with iButtons and infrared thermography as a surrogate marker of brown adipose tissue. <i>Journal of Thermal Biology</i> , 2019, 82, 186-196.   | 1.1 | 12        |
| 29685 | Intravitreal dexamethasone implant for central retinal vein occlusion without macular edema. <i>BMC Ophthalmology</i> , 2019, 19, 92.  | 0.6 | 2         |
| 29686 | A Comparison of Methods to Count Breathing Frequency. <i>Respiratory Care</i> , 2019, 64, 555-563.   | 0.8 | 13        |
| 29687 | Midazolam Limited Sampling Strategy With a Population Pharmacokinetic Approach to Simultaneously Estimate Cytochrome P450 (CYP) 3A Constitutive, Inhibition, and Induction/Activation Conditions in Healthy Adults. <i>Journal of Clinical Pharmacology</i> , 2019, 59, 1495-1504. | 1.0 | 1         |
| 29688 | Unreliable Estimation of Aortic Pulse Wave Velocity Provided by the Mobilâ€™Graph Algorithmâ€™Based System in Marfan Syndrome. <i>Journal of the American Heart Association</i> , 2019, 8, e04028.   | 1.6 | 23        |
| 29689 | Fast manual long-axis strain assessment provides optimized cardiovascular event prediction following myocardial infarction. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 1262-1270.  | 0.5 | 22        |
| 29690 | Estimating glomerular filtration rate in youth with obesity and type 2 diabetes: the iCARE study equation. <i>Pediatric Nephrology</i> , 2019, 34, 1565-1574.  | 0.9 | 11        |
| 29691 | Dimensional accuracy and repeatability of the NextEngine laser scanner for use in osteology and forensic anthropology. <i>Journal of Archaeological Science: Reports</i> , 2019, 25, 308-319.  | 0.2 | 3         |
| 29692 | Validation of Self-Reported Anthropometric Measures and Body Mass Index in a Subcohort of the DianaWeb Population Study. <i>Clinical Breast Cancer</i> , 2019, 19, e511-e518.  | 1.1 | 13        |
| 29693 | Considerations in the use of different spirometers in epidemiological studies. <i>Environmental Health</i> , 2019, 18, 39.   | 1.7 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29694 | Soft Wearable Pressure Sensors for Beat-to-Beat Blood Pressure Monitoring. <i>Advanced Healthcare Materials</i> , 2019, 8, e1900109.   | 3.9 | 142       |
| 29695 | The repeatability of subjective and objective tear ferning assessment and its association with lipid layer thickness, non-invasive tear break-up time and comfort. <i>Contact Lens and Anterior Eye</i> , 2019, 42, 420-427. | 0.8 | 7         |
| 29696 | Blind stereo image quality assessment inspired by brain sensory-motor fusion. , 2019, 91, 91-104.  |     | 12        |
| 29697 | A prospective comparison of dynamic contrast-enhanced MRI and 51Cr-EDTA clearance for glomerular filtration rate measurement in 42 kidney transplant recipients. <i>European Journal of Radiology</i> , 2019, 117, 209-215.  | 1.2 | 5         |
| 29698 | Comparison of the SphygmoCor XCEL device with applanation tonometry for pulse wave velocity and central blood pressure assessment in youth. <i>Journal of Hypertension</i> , 2019, 37, 30-36.                                | 0.3 | 27        |
| 29699 | Assessing Inspiratory Muscle Strength for Early Detection of Respiratory Failure in Motor Neuron Disease: Should We Use MIP, SNIP, or Both?. <i>Respiration</i> , 2019, 98, 114-124.   | 1.2 | 11        |
| 29700 | Standard error of measurement and smallest detectable change of the Sarcopenia Quality of Life (SarQoL) questionnaire: An analysis of subjects from 9 validation studies. <i>PLoS ONE</i> , 2019, 14, e0216065.              | 1.1 | 32        |
| 29701 | Validity and Reliability of an Inertial Measurement Unit-based 3-Dimensional Angular Measurement of Cervical Range of Motion. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2019, 42, 75-81.               | 0.4 | 25        |
| 29702 | Clinical and functional variables can predict general fatigue in patients with acromegaly: an explanatory model approach. <i>Archives of Endocrinology and Metabolism</i> , 2019, 63, 235-240.                               | 0.3 | 0         |
| 29703 | Non-invasive estimation of brain-volume in infants. <i>Early Human Development</i> , 2019, 132, 52-57.   | 0.8 | 7         |
| 29704 | Plasma FABP4 levels are associated with left atrial fat volume in persistent atrial fibrillation and predict recurrence after catheter ablation. <i>International Journal of Cardiology</i> , 2019, 292, 131-135.            | 0.8 | 14        |
| 29705 | A self-powered microfluidic chip integrated with fluorescent microscopic counting for biomarkers assay. <i>Sensors and Actuators B: Chemical</i> , 2019, 291, 192-199.   | 4.0 | 14        |
| 29706 | The Patient Needs in Asthma Treatment (NEAT) questionnaire: Further evidence on its psychometric properties. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 1511-1521.                      | 2.7 | 4         |
| 29707 | Validity of block start performance without arm forces or by kinematics-only methods. <i>Sports Biomechanics</i> , 2019, 18, 229-244.  | 0.8 | 2         |
| 29708 | HPLC-DAD Determination of Iodide in Mineral Waters on Phosphatidylcholine Column. <i>Molecules</i> , 2019, 24, 1243.   | 1.7 | 5         |
| 29709 | The German version of Early Childhood Oral Health Impact Scale (ECOHIS-G): translation, reliability, and validity. <i>Clinical Oral Investigations</i> , 2019, 23, 4449-4454.  | 1.4 | 19        |
| 29710 | The use of wearable cameras in assessing children's dietary intake and behaviours in China. <i>Appetite</i> , 2019, 139, 1-7.  | 1.8 | 13        |
| 29711 | Automated density-based counting of FISH amplification signals for HER2 status assessment. <i>Computer Methods and Programs in Biomedicine</i> , 2019, 173, 77-85.   | 2.6 | 14        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29712 | Measuring lunchtime consumption in school cafeterias: a validation study of the use of digital photography. <i>Public Health Nutrition</i> , 2019, 22, 1745-1754.   | 1.1 | 8         |
| 29713 | Accuracy of PurePulse photoplethysmography technology of Fitbit Charge 2 for assessment of heart rate during sleep. <i>Chronobiology International</i> , 2019, 36, 927-933.   | 0.9 | 50        |
| 29714 | Reliability of three-dimensional color flow Doppler and two-dimensional pulse wave Doppler transthoracic echocardiography for estimating cardiac output after cardiac surgery. <i>Cardiovascular Ultrasound</i> , 2019, 17, 5.  | 0.5 | 1         |
| 29715 | Coherence and reliability of a wearable inertial measurement unit for measuring postural sway. <i>BMC Research Notes</i> , 2019, 12, 201.   | 0.6 | 14        |
| 29716 | Lameness in Beef Cattle: UK Farmers' Perceptions, Knowledge, Barriers, and Approaches to Treatment and Control. <i>Frontiers in Veterinary Science</i> , 2019, 6, 94.   | 0.9 | 27        |
| 29717 | Estimating sodium intake from spot urine samples at population level: a validation and application study in French adults. <i>British Journal of Nutrition</i> , 2019, 122, 186-194.  | 1.2 | 3         |
| 29718 | Marker-based versus model-based radiostereometric analysis of total knee arthroplasty migration: a reanalysis with comparable mean outcomes despite distinct types of measurement error. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 366-372. | 1.2 | 14        |
| 29719 | Assessment of Kinect V2 for elbow range of motion estimation in people with haemophilia using an angle correction model. <i>Haemophilia</i> , 2019, 25, e165-e173.  | 1.0 | 6         |
| 29720 | Repeatability of choroidal thickness measurements with Spectralis OCT images. <i>BMJ Open Ophthalmology</i> , 2019, 4, e000237.   | 0.8 | 13        |
| 29721 | Contrast enhanced digital mammography versus magnetic resonance imaging for accurate measurement of the size of breast cancer. <i>British Journal of Radiology</i> , 2019, 92, 20180929.  | 1.0 | 22        |
| 29722 | Reliability and Validity of Non-invasive Blood Pressure Measurement System Using Three-Axis Tactile Force Sensor. <i>Sensors</i> , 2019, 19, 1744.  | 2.1 | 9         |
| 29723 | Relative Validity and Reproducibility of a Food Frequency Questionnaire to Assess Food Group Intake in Pregnant Jordanian Women. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2019, 119, 1349-1361.   | 0.4 | 9         |
| 29724 | Comparison between Roche Integra 400 plus and Abbott Architect ci8200 in Alanine aminotransferase assay. <i>Practical Laboratory Medicine</i> , 2019, 15, e00121.   | 0.6 | 0         |
| 29725 | Reproducibility of the assessment of myocardial function through tissue Doppler imaging in very low birth weight infants. <i>Echocardiography</i> , 2019, 36, 1145-1152.  | 0.3 | 3         |
| 29726 | Extensive validation study of the Parkinson's Disease Composite Scale. <i>European Journal of Neurology</i> , 2019, 26, 1281-1288.  | 1.7 | 8         |
| 29727 | Compositional MRI of the Hip: Reproducibility, Effect of Joint Unloading, and Comparison of T2 Relaxometry with Delayed Gadolinium-Enhanced Magnetic Resonance Imaging of Cartilage. <i>Cartilage</i> , 2021, 12, 418-430.  | 1.4 | 9         |
| 29728 | Fully automated quantification of biventricular volumes and function in cardiovascular magnetic resonance: applicability to clinical routine settings. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 24.  | 1.6 | 31        |
| 29729 | Right and Left Ventricular Strain Patterns After the Atrial Switch Operation for D-Transposition of the Great Arteries—A Magnetic Resonance Feature Tracking Study. <i>Frontiers in Cardiovascular Medicine</i> , 2019, 6, 39.  | 1.1 | 10        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29730 | Self-report versus objective measurement of weight history: implications for pre-treatment weight gain. <i>Journal of Behavioral Medicine</i> , 2019, 42, 1142-1147.   | 1.1 | 10        |
| 29731 | <i>k</i> -Nearest Neighbor Regression in the Estimation of <i>Tectona grandis</i> Trunk Volume in the State of Pará, Brazil. <i>Journal of Sustainable Forestry</i> , 2019, 38, 755-768.   | 0.6 | 4         |
| 29732 | Respiratory rates observed over 15 and 30 s compared with rates measured over 60 s: practice-based evidence from an observational study of acutely ill adult medical patients during hospital admission. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2019, 112, 513-517. | 0.2 | 11        |
| 29733 | Physiological Responses and Prognostic Value of Common Exercise Testing Modalities in Idiopathic Pulmonary Fibrosis. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2019, 39, 193-198.  | 1.2 | 5         |
| 29734 | The SonicHand Protocol for Rehabilitation of Hand Motor Function: A Validation and Feasibility Study. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2019, 27, 664-672.   | 2.7 | 21        |
| 29735 | Cardiac output monitoring with thermodilution pulse contour analysis vs. noninvasive pulse contour analysis. <i>Anaesthesia</i> , 2019, 74, 735-740.   | 1.8 | 13        |
| 29736 | Telemedicine in Prehospital Acute Stroke Care. <i>Journal of the American Heart Association</i> , 2019, 8, e011729.  | 1.6 | 35        |
| 29737 | Portable fixed dynamometry to quantify ankle dorsiflexion force. <i>Muscle and Nerve</i> , 2019, 60, 56-61.  | 1.0 | 2         |
| 29738 | Analytical validation of CanAssist-Breast: an immunohistochemistry based prognostic test for hormone receptor positive breast cancer patients. <i>BMC Cancer</i> , 2019, 19, 249.  | 1.1 | 19        |
| 29739 | Incidence, angiographic and clinical predictors, and impact of stent thrombosis: a 6-year survey of 6,545 consecutive patients. <i>Netherlands Heart Journal</i> , 2019, 27, 321-329.  | 0.3 | 13        |
| 29740 | Acetabular coverage differs between standing and supine positions: model-based assessment of low-dose biplanar radiographs and comparison with CT. <i>European Radiology</i> , 2019, 29, 5691-5699.  | 2.3 | 5         |
| 29741 | Regional Variations and Intra-/Intersession Repeatability for Scotopic Sensitivity in Normal Controls and Patients With Inherited Retinal Degenerations. , 2019, 60, 1122.   |     | 22        |
| 29742 | Interdevice agreement in respiratory resistance values by oscillometry in asthmatic children. <i>ERJ Open Research</i> , 2019, 5, 00138-2018.  | 1.1 | 13        |
| 29743 | Measuring inorganic phosphate and intracellular pH in the healthy and hypertrophic cardiomyopathy hearts by in vivo 7T 31P-cardiovascular magnetic resonance spectroscopy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 19.   | 1.6 | 35        |
| 29744 | Validity of a Smartphone Application (Sagittalmeter Pro) for the Measurement of Sagittal Balance Parameters. <i>World Neurosurgery</i> , 2019, 126, e8-e15.  | 0.7 | 10        |
| 29745 | Automated smartphone-based system for measuring sperm viability, DNA fragmentation, and hyaluronic binding assay score. <i>PLoS ONE</i> , 2019, 14, e0212562.  | 1.1 | 21        |
| 29746 | Ultrasonographical examination of bovine claws through the sole horn on weight-bearing claws. <i>Journal of Dairy Science</i> , 2019, 102, 4364-4375.  | 1.4 | 12        |
| 29747 | The Effect of Test, Electrode, and Rate on Electrocochleography Measures. <i>Journal of the American Academy of Audiology</i> , 2019, 30, 041-053.   | 0.4 | 5         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29748 | Agreement of 2D transthoracic echocardiography with cardiovascular magnetic resonance imaging after ST-elevation myocardial infarction. <i>European Journal of Radiology</i> , 2019, 114, 6-13.                          | 1.2 | 4         |
| 29749 | Experimental and finite element analyses of bone strains in the growing rat tibia induced by in vivo axial compression. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2019, 94, 176-185.           | 1.5 | 8         |
| 29750 | Understanding the measurement properties of the incremental shuttle walk test in patients with severe asthma. <i>Respirology</i> , 2019, 24, 752-757.  | 1.3 | 9         |
| 29751 | Repeatability and reproducibility of 3D MR fingerprinting relaxometry measurements in normal breast tissue. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 1133-1143.  | 1.9 | 34        |
| 29752 | Intra- and inter-site reproducibility of human brain single-voxel proton MRS at 3T. <i>NMR in Biomedicine</i> , 2019, 32, e4083.   | 1.6 | 6         |
| 29753 | Intra-rater and inter-rater reliability of the rapid entire body assessment (REBA) tool. <i>International Journal of Industrial Ergonomics</i> , 2019, 71, 111-116.  | 1.5 | 49        |
| 29754 | Interobserver Reliability of the Animal Welfare Indicators Welfare Assessment Protocol for Horses. <i>Journal of Equine Veterinary Science</i> , 2019, 75, 112-121.  | 0.4 | 13        |
| 29755 | Evaluation of the analytical and clinical performance of the Micropoint qLabs INR point-of-care system. <i>Thrombosis Research</i> , 2019, 176, 104-107.   | 0.8 | 2         |
| 29756 | Comparison of visceral fat measurement by dual-energy X-ray absorptiometry to computed tomography in HIV and non-HIV. <i>Nutrition and Diabetes</i> , 2019, 9, 6.  | 1.5 | 13        |
| 29757 | Estimation of the maximal lactate steady state in postmenopausal women. <i>Journal of Sports Sciences</i> , 2019, 37, 1725-1733.   | 1.0 | 0         |
| 29758 | Remote timed up and go evaluation from activities of daily living reveals changing mobility after surgery. <i>Physiological Measurement</i> , 2019, 40, 035004.  | 1.2 | 13        |
| 29759 | Reliability of Chest Wall Mobility and Its Correlation with Lung Functions in Healthy Nonsmokers, Healthy Smokers, and Patients with COPD. <i>Canadian Respiratory Journal</i> , 2019, 2019, 1-11.                       | 0.8 | 26        |
| 29760 | Perioperative comparison of the agreement between a portable fingertip pulse oximeter v. a conventional bedside pulse oximeter in adult patients (COMFORT trial). <i>South African Medical Journal</i> , 2019, 109, 154. | 0.2 | 22        |
| 29761 | Magnetization transfer saturation imaging of human calf muscle: Reproducibility and sensitivity to regional and sex differences. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 1227-1237.                     | 1.9 | 8         |
| 29762 | Determination of cell viability using acridine orange/propidium iodide dual-spectrofluorometry assay. <i>Cogent Food and Agriculture</i> , 2019, 5, 1582398.   | 0.6 | 19        |
| 29763 | Menstrual cycle-associated modulations in neuromuscular function and fatigability of the knee extensors in eumenorrhic women. <i>Journal of Applied Physiology</i> , 2019, 126, 1701-1712.                               | 1.2 | 113       |
| 29764 | Adaptation, validity and reliability of the modified painDETECT questionnaire for patients with subacromial pain syndrome. <i>PLoS ONE</i> , 2019, 14, e0211880.   | 1.1 | 3         |
| 29765 | Superimposition of maxillary digital models using the palatal rugae: Does ageing affect the reliability?. <i>Orthodontics and Craniofacial Research</i> , 2019, 22, 183-193.   | 1.2 | 26        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29766 | Validity and Reproducibility of a Self-Administered Food Frequency Questionnaire for the Assessment of Sugar Intake in Middle-Aged Japanese Adults. <i>Nutrients</i> , 2019, 11, 554.   | 1.7 | 12        |
| 29767 | Regional deep hyperthermia: quantitative evaluation of predicted and direct measured temperature distributions in patients with high-risk extremity soft-tissue sarcoma. <i>International Journal of Hyperthermia</i> , 2019, 36, 169-184.  | 1.1 | 15        |
| 29768 | Reproducibility in measuring tear samples using a freezing point depression osmometer. <i>Australasian journal of optometry, The</i> , 2019, 102, 571-575.  | 0.6 | 3         |
| 29769 | Stereophotogrammetric three-dimensional photography is an accurate and precise planimetric method for the clinical visualization and quantification of human papilloma virus-induced skin lesions. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 1506-1512. | 1.3 | 7         |
| 29770 | Intra-individual stability of NREM sleep quantitative EEG measures in obstructive sleep apnea. <i>Journal of Sleep Research</i> , 2019, 28, e12838.   | 1.7 | 10        |
| 29771 | Evaluation of endoscopic visible light spectroscopy: comparison with microvascular oxygen tension measurements in a porcine model. <i>Journal of Translational Medicine</i> , 2019, 17, 65.   | 1.8 | 3         |
| 29772 | Ultrasonic cartilage thickness measurement is accurate, reproducible, and reliable—validation study using contrast-enhanced micro-CT. <i>Journal of Orthopaedic Surgery and Research</i> , 2019, 14, 67.  | 0.9 | 7         |
| 29773 | Development of an Automatic Alpine Skiing Turn Detection Algorithm Based on a Simple Sensor Setup. <i>Sensors</i> , 2019, 19, 902.  | 2.1 | 26        |
| 29774 | Surrogates™ and Researchers™ Assessments of Prehospital Frailty in Critically Ill Older Adults. <i>American Journal of Critical Care</i> , 2019, 28, 117-123.   | 0.8 | 11        |
| 29775 | Interrater and intrarater reliability of ventilatory thresholds determined in individuals with spinal cord injury. <i>Spinal Cord</i> , 2019, 57, 669-678.  | 0.9 | 12        |
| 29776 | Comparison of the EQ-5D 3L and the SF-6D (SF-36) contemporaneous utility scores in patients with chronic kidney disease in Sri Lanka: a cross-sectional survey. <i>BMJ Open</i> , 2019, 9, e024854.   | 0.8 | 19        |
| 29777 | The Use of Transthoracic Echocardiogram to Quantify Pulmonary Vascular Resistance in Patients with Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2019, 46, 1495-1501.  | 1.0 | 0         |
| 29778 | Accuracy of the ClearSight™ system in patients undergoing abdominal aortic aneurysm surgery. <i>Journal of Anesthesia</i> , 2019, 33, 364-371.  | 0.7 | 15        |
| 29779 | Accuracy and repeatability of a semi-quantitative barefoot pressure measurement method for clinical use: The Derks Calculation Method. <i>Foot</i> , 2019, 39, 136-139.   | 0.4 | 0         |
| 29780 | Reliability and validity of the Kinect V2 for the assessment of lower extremity rehabilitation exercises. <i>Gait and Posture</i> , 2019, 70, 330-335.  | 0.6 | 36        |
| 29781 | Development and validation of a UPLC-LIV method for the quantification of thiopurine methyltransferase enzyme activity in human erythrocytes. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1113, 91-97.                              | 1.2 | 3         |
| 29782 | Analysis of capillary microsamples obtained from a skin-prick to measure vancomycin concentrations as a valid alternative to conventional sampling: A bridging study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019, 169, 288-292.  | 1.4 | 12        |
| 29783 | Keratometry in children: Comparison between auto-refractometer, rotating scheimpflug imaging, and biograph. <i>Journal of Optometry</i> , 2019, 12, 99-110.   | 0.7 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29784 | A smartphone oximeter with a fingertip probe for use during exercise training: usability, validity and reliability in individuals with chronic lung disease and healthy controls. <i>Physiotherapy</i> , 2019, 105, 297-306.                                       | 0.2 | 19        |
| 29785 | Prediction of peak $\dot{V}E^{TM}O_2$ in Children and Adolescents With HIV From an Incremental Cycle Ergometer Test. <i>Research Quarterly for Exercise and Sport</i> , 2019, 90, 163-171.   | 0.8 | 1         |
| 29786 | The Relationship Between Corneal Dendritic Cells, Corneal Nerve Morphology and Tear Inflammatory Mediators and Neuropeptides in Healthy Individuals. <i>Current Eye Research</i> , 2019, 44, 840-848.  | 0.7 | 23        |
| 29787 | Impairments in Postural Control and Retest Reliability of Dynamic Posturographic Measures After Lung Transplantation. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2019, 98, 353-359.   | 0.7 | 4         |
| 29788 | Utility of transesophageal echocardiography for intraoperatively assessing pulmonary artery pressure across an isolated ventricular septal defect in children. <i>Echocardiography</i> , 2019, 36, 948-953.  | 0.3 | 1         |
| 29789 | Level of agreement between frequently used cardiovascular risk calculators in people living with HIV. <i>HIV Medicine</i> , 2019, 20, 347-352.   | 1.0 | 14        |
| 29790 | Clinically relevant body composition methods for obese pediatric patients. <i>BMC Pediatrics</i> , 2019, 19, 84.   | 0.7 | 16        |
| 29791 | Automatic segmentation of optical coherence tomography pullbacks of coronary arteries treated with bioresorbable vascular scaffolds: Application to hemodynamics modeling. <i>PLoS ONE</i> , 2019, 14, e0213603.   | 1.1 | 18        |
| 29792 | Measurement agreement in percent body fat estimates among laboratory and field assessments in college students: Use of equivalence testing. <i>PLoS ONE</i> , 2019, 14, e0214029.  | 1.1 | 13        |
| 29793 | Getting at Mode Share: Comparing 3 Methods of Travel Mode Measurement for School Travel Research. <i>Journal of School Health</i> , 2019, 89, 365-372.   | 0.8 | 3         |
| 29794 | Comparative Evaluation of a New Depth of Anesthesia Index in ConView® System and the Bispectral Index during Total Intravenous Anesthesia: A Multicenter Clinical Trial. <i>BioMed Research International</i> , 2019, 2019, 1-7.                                   | 0.9 | 10        |
| 29795 | Evaluation of liver and spleen stiffness of healthy dogs by use of two-dimensional shear wave elastography. <i>American Journal of Veterinary Research</i> , 2019, 80, 378-384.  | 0.3 | 17        |
| 29796 | Development and Validation of an Environmental Health Literacy Assessment Screening Tool for Domestic Well Owners: The Water Environmental Literacy Level Scale (WELLS). <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 881. | 1.2 | 11        |
| 29797 | CD4-T cell enumeration in human immunodeficiency virus (HIV)-infected patients: A laboratory performance evaluation of Muse Auto CD4/CD4% system by World Health Organization prequalification of in vitro diagnostics. <i>PLoS ONE</i> , 2019, 14, e0209677.      | 1.1 | 5         |
| 29798 | A practical guide to validation and verification of analytical methods in the clinical laboratory. <i>Advances in Clinical Chemistry</i> , 2019, 90, 215-281.  | 1.8 | 62        |
| 29799 | Repeatability and accuracy of a foot muscle strength dynamometer. <i>Medical Engineering and Physics</i> , 2019, 67, 102-108.  | 0.8 | 8         |
| 29800 | Performance of 24-hour urinary creatinine excretion-estimating equations in relation to measured 24-hour urinary creatinine excretion in hospitalized hypertensive patients. <i>Scientific Reports</i> , 2019, 9, 3593.  | 1.6 | 11        |
| 29801 | Measuring knowledge of Alzheimer's™s: development and psychometric testing of the UJA Alzheimer's™s Care Scale. <i>BMC Geriatrics</i> , 2019, 19, 63.  | 1.1 | 7         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29802 | Semi-invasive and non-invasive recording of visual evoked potentials in mice. <i>Documenta Ophthalmologica</i> , 2019, 138, 169-179.   | 1.0 | 15        |
| 29803 | Comparison of anterior segment measurements obtained using a swept-source optical coherence tomography biometer and a Scheimpflug®Placido tomographer. <i>Journal of Cataract and Refractive Surgery</i> , 2019, 45, 298-304.  | 0.7 | 29        |
| 29804 | Quantitative assessment of carotid plaque morphology (geometry and tissue composition) using computed tomography angiography. <i>Journal of Vascular Surgery</i> , 2019, 70, 858-868.  | 0.6 | 29        |
| 29805 | Free-Living Comparison of Physical Activity and Sleep Data from Fitbit Activity Trackers Worn on the Dominant and Nondominant Wrists. <i>Measurement in Physical Education and Exercise Science</i> , 2019, 23, 194-204.   | 1.3 | 9         |
| 29806 | Epicardial fat volume measured on nongated chest CT is a predictor of coronary artery disease. <i>European Radiology</i> , 2019, 29, 3638-3646.  | 2.3 | 25        |
| 29807 | Recommendations for estimating the moments of inertia of a tennis racket. <i>Sports Engineering</i> , 2019, 22, 1.   | 0.5 | 9         |
| 29808 | Magnetic resonance imaging for prenatal estimation of birthweight in pregnancy: review of available data, techniques, and future perspectives. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, 428-439.  | 0.7 | 16        |
| 29809 | Is non-operative treatment still relevant for Garden Type I fractures in elderly patients? The femoral neck impaction angle as a new CT parameter for determining the indications of non-operative treatment. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 479-483. | 0.9 | 11        |
| 29810 | Accuracy of Actigraph inclinometer to classify free-living postures and motion in adults with overweight and obesity. <i>Journal of Sports Sciences</i> , 2019, 37, 1708-1716.   | 1.0 | 9         |
| 29811 | A quality assessment of Health Management Information System (HMIS) data for maternal and child health in Jimma Zone, Ethiopia. <i>PLoS ONE</i> , 2019, 14, e0213600.  | 1.1 | 40        |
| 29812 | Automatic Processing of Nasal Pressure Recordings to Derive Continuous Side-Selective Nasal Airflow and Conductance. <i>Frontiers in Physiology</i> , 2019, 9, 1814.   | 1.3 | 2         |
| 29813 | Noninvasive Electromagnetic Wave Sensing of Glucose. <i>Sensors</i> , 2019, 19, 1151.  | 2.1 | 59        |
| 29814 | Evaluating rumen temperature as an estimate of core body temperature in Angus feedlot cattle during summer. <i>International Journal of Biometeorology</i> , 2019, 63, 939-947.  | 1.3 | 19        |
| 29815 | A deep learning framework for efficient analysis of breast volume and fibroglandular tissue using MR data with strong artifacts. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2019, 14, 1627-1633.  | 1.7 | 15        |
| 29816 | A concise shoulder outcome measure: application of computerized adaptive testing to the American Shoulder and Elbow Surgeons Shoulder Assessment. <i>Journal of Shoulder and Elbow Surgery</i> , 2019, 28, 1273-1280.  | 1.2 | 12        |
| 29817 | Magnetic resonance elastography of the brain: A study of feasibility and reproducibility using an ergonomic pillow-like passive driver. <i>Magnetic Resonance Imaging</i> , 2019, 59, 68-76.   | 1.0 | 11        |
| 29818 | ASTEROID: A New Clinical Stereotest on an Autostereo 3D Tablet. <i>Translational Vision Science and Technology</i> , 2019, 8, 25.  | 1.1 | 22        |
| 29819 | Measuring physical activity levels in hospitalized patients: a comparison between behavioural mapping and data from an accelerometer. <i>Clinical Rehabilitation</i> , 2019, 33, 1233-1240.  | 1.0 | 26        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29820 | Correlation and agreement between the TEGÂ® 5000 and the TEGÂ® 6s during liver transplant surgery. <i>Anaesthesia and Intensive Care</i> , 2019, 47, 32-39.   | 0.2 | 15        |
| 29821 | Assessment of the CoaguChek-XS portable prothrombin time point-of-care analyzer for horses. <i>Journal of Veterinary Diagnostic Investigation</i> , 2019, 31, 448-452.  | 0.5 | 4         |
| 29822 | The validity of spatiotemporal gait analysis using dual laser range sensors: a cross-sectional study. <i>Archives of Physiotherapy</i> , 2019, 9, 3.  | 0.7 | 11        |
| 29823 | Basal metabolic rate in Brazilian patients with type 2 diabetes: comparison between measured and estimated values. <i>Archives of Endocrinology and Metabolism</i> , 2019, 63, 53-61.   | 0.3 | 6         |
| 29824 | Study the Longitudinal in vivo and Cross-Sectional ex vivo Brain Volume Difference for Disease Progression and Treatment Effect on Mouse Model of Tauopathy Using Automated MRI Structural Parcellation. <i>Frontiers in Neuroscience</i> , 2019, 13, 11.       | 1.4 | 22        |
| 29825 | Estimation of Gestational Age via Image Analysis of Anterior Lens Capsule Vascularity in Preterm Infants: A Pilot Study. <i>Frontiers in Pediatrics</i> , 2019, 7, 43.  | 0.9 | 5         |
| 29826 | Can Wearable Cameras be Used to Validate School-Aged Childrenâ€™s Lifestyle Behaviours?. <i>Children</i> , 2019, 6, 20.   | 0.6 | 20        |
| 29827 | Protein Intake Estimated from Brief-Type Self-Administered Diet History Questionnaire and Urinary Urea Nitrogen Level in Adolescents. <i>Nutrients</i> , 2019, 11, 319.   | 1.7 | 14        |
| 29828 | Estimation of the Ecological Fallacy in the Geographical Analysis of the Association of Socio-Economic Deprivation and Cancer Incidence. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 296.                              | 1.2 | 21        |
| 29829 | Categorizing and Establishing CD4 Service Equivalency: Testing of Residual, Archived External Quality Assessment Scheme Sample Panels Enables Accelerated Virtual Peer Laboratory Review. <i>Cytometry Part B - Clinical Cytometry</i> , 2019, 96, 404-416.     | 0.7 | 4         |
| 29830 | The impact of a familiarization session on the magnitude and stability of active and passive pelvic floor muscle forces measured through intravaginal dynamometry. <i>Neurourology and Urodynamics</i> , 2019, 38, 902-911.                                     | 0.8 | 4         |
| 29831 | Reproducibility of the mark-resight method to assess vaccination coverage in free-roaming dogs. <i>Research in Veterinary Science</i> , 2019, 123, 305-310.   | 0.9 | 4         |
| 29832 | Contrast Enhancement and Image Quality Influence Two- and Three-dimensional Echocardiographic Determination of Left Ventricular Volumes: Comparison With Magnetic Resonance Imaging. <i>Clinical Medicine Insights: Cardiology</i> , 2019, 13, 117954681983198. | 0.6 | 8         |
| 29833 | High adherence of patients with multiple myeloma who receive treatment with immunomodulatory drugs (IMiDs) in hematology/oncology group practices in Germany. <i>Supportive Care in Cancer</i> , 2019, 27, 4265-4271.   | 1.0 | 10        |
| 29834 | Measuring Weight-Specific Quality of Life in Adolescents: An Examination of the Concurrent Validity and Test-Retest Reliability of the WAItE. <i>Value in Health</i> , 2019, 22, 348-354.   | 0.1 | 7         |
| 29835 | A smartphone fluorescence imaging-based mobile biosensing system integrated with a passive fluidic control cartridge for minimal user intervention and high accuracy. <i>Lab on A Chip</i> , 2019, 19, 1502-1511.   | 3.1 | 25        |
| 29836 | Reproducibility of river water quality measurements: inter-agency comparisons for quality assurance. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2019, 53, 437-450.  | 0.8 | 3         |
| 29837 | Continuous monitoring of membrane lung carbon dioxide removal during ECMO: experimental testing of a new volumetric capnometer. <i>Perfusion (United Kingdom)</i> , 2019, 34, 538-543.  | 0.5 | 8         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29838 | Emergency department non-invasive cardiac output study (EDNICO): a feasibility and repeatability study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2019, 27, 30.   | 1.1 | 16        |
| 29839 | Propofol/Remifentanyl Anesthesia Might Not Alter the Middle Cerebral Artery Diameter by Digital Subtraction Angiography. <i>Neurocritical Care</i> , 2019, 31, 338-345.   | 1.2 | 1         |
| 29840 | Effect of experimental design on responses to 2 concentrations of metabolizable protein in multiparous dairy cows. <i>Journal of Dairy Science</i> , 2019, 102, 5094-5108.  | 1.4 | 8         |
| 29841 | Perineal ultrasound for the measurement of urethral mobility: a study of inter- and intra-observer reliability. <i>International Urogynecology Journal</i> , 2019, 30, 1551-1557.   | 0.7 | 6         |
| 29842 | New life for an old idea: Assessing tonic heat pain by means of participant controlled temperature. <i>Journal of Neuroscience Methods</i> , 2019, 321, 20-27.  | 1.3 | 5         |
| 29843 | Is Activity Trackerâ€™ Measured Ambulation an Accurate and Reliable Determinant of Postoperative Quality of Recovery? A Prospective Cohort Validation Study. <i>Anesthesia and Analgesia</i> , 2019, 129, 1144-1152.  | 1.1 | 13        |
| 29844 | AN ULTRASOUND PREDICTION EQUATION TO ESTIMATE DXA-DERIVED BODY FATNESS FOR MIDDLE-AGED AND OLDER CAUCASIAN ADULTS. <i>Journal of Frailty &amp; Aging,the</i> , 2019, 8, 1-6.  | 0.8 | 3         |
| 29845 | Reference values for spirometric parameters in healthy children living in a Colombian city located at 2640â€™m altitude. <i>Pediatric Pulmonology</i> , 2019, 54, 886-893.  | 1.0 | 5         |
| 29846 | Can reproducible comparisons of cereal genotypes be generated in field experiments based on UAV imagery using RGB cameras?. <i>European Journal of Agronomy</i> , 2019, 106, 49-57.   | 1.9 | 19        |
| 29847 | Fractional flow reserve derived from microcatheters versus standard pressure wires: a stenosis-level meta-analysis. <i>Open Heart</i> , 2019, 6, e000971.   | 0.9 | 8         |
| 29848 | A head-to-head comparison of EQ-5D-5â€™L and SF-6D in Chinese patients with low back pain. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 57.   | 1.0 | 27        |
| 29849 | Evaluation of the Electromyography Test for the Analysis of the Aerobic-Anaerobic Transition in Elite Cyclists during Incremental Exercise. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 589.   | 1.3 | 4         |
| 29850 | Data trend shifts induced by method of concentration for trace metals in seawater: Automated online preconcentration vs. borohydride reductive coprecipitation of nearshore seawater samples for analysis of Ni, Cu, Zn, Cd, and Pb via ICPâ€™MS. <i>Limnology and Oceanography: Methods</i> , 2019, 17, 266-276. | 1.0 | 4         |
| 29851 | Validation of the Chinese version of joint protection self-efficacy scale in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2019, 38, 2119-2127.  | 1.0 | 3         |
| 29852 | Prognostic value of left atrial strain in patients with moderate asymptomatic mitral regurgitation. <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 1597-1604.   | 0.7 | 32        |
| 29854 | Development of the State Optimism Measure. <i>General Hospital Psychiatry</i> , 2019, 58, 83-93.  | 1.2 | 51        |
| 29855 | Assessment of agreement and interchangeability between the TEG5000 and TEG6S thromboelastography haemostasis analysers: a prospective validation study. <i>BMC Anesthesiology</i> , 2019, 19, 45.   | 0.7 | 30        |
| 29856 | Using a numerical method to precisely evaluate the alpha angle in a hip image. <i>Medical and Biological Engineering and Computing</i> , 2019, 57, 1525-1535.   | 1.6 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29857 | EMFIT QS heart rate and respiration rate validation. <i>Biomedical Physics and Engineering Express</i> , 2019, 5, 025016.  | 0.6 | 27        |
| 29858 | System Accuracy Assessment of a Blood Glucose Meter With Wireless Internet Access Associated With Unusual Hypoglycemia Patterns in Clinical Trials. <i>Journal of Diabetes Science and Technology</i> , 2019, 13, 507-513. | 1.3 | 8         |
| 29859 | Optimization of post-label delay in single-phase arterial spin labeling (ASL) using multi-phase ASL in four-dimensional magnetic resonance angiography. <i>Neuroradiology Journal</i> , 2019, 32, 173-178.                 | 0.6 | 2         |
| 29860 | Development of a new bed-side-test assessing conditioned pain modulation: a test-retest reliability study. <i>Scandinavian Journal of Pain</i> , 2019, 19, 565-574.  | 0.5 | 13        |
| 29861 | Reproducibility and Repeatability of Five Different Technologies for Bar Velocity Measurement in Resistance Training. <i>Annals of Biomedical Engineering</i> , 2019, 47, 1523-1538.                                       | 1.3 | 103       |
| 29862 | Obimon: An open-source device enabling group measurement of electrodermal activity. <i>Psychophysiology</i> , 2019, 56, e13374.  | 1.2 | 12        |
| 29863 | Development of a High-Throughput Cytometric Screen to Identify Anti-Wolbachia Compounds: The Power of Public-Private Partnership. <i>SLAS Discovery</i> , 2019, 24, 537-547.   | 1.4 | 11        |
| 29864 | Prediction of Physical Activity Intensity with Accelerometry in Young Children. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 931.  | 1.2 | 9         |
| 29865 | The Validity and Reliability of a Kinect v2-Based Gait Analysis System for Children with Cerebral Palsy. <i>Sensors</i> , 2019, 19, 1660.  | 2.1 | 39        |
| 29866 | Echocardiographic determination of pulmonary arterial capacitance. <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 1581-1586.   | 0.7 | 5         |
| 29867 | Utility Of POC Xpert HIV-1 Tests For Detection-Quantification Of Complex HIV Recombinants Using Dried Blood Spots From Kinshasa, D. R. Congo. <i>Scientific Reports</i> , 2019, 9, 5679.                                   | 1.6 | 12        |
| 29868 | Worker heat stress prevention and work metabolism estimation: comparing two assessment methods of the heart rate thermal component. <i>Ergonomics</i> , 2019, 62, 1066-1085.   | 1.1 | 12        |
| 29869 | Ultrasonography comparison of diaphragm thickness and excursion between athletes with and without lumbopelvic pain. <i>Physical Therapy in Sport</i> , 2019, 37, 128-137.  | 0.8 | 45        |
| 29870 | Measuring growth of residual cholesteatoma in subtotal petrosectomy. <i>Acta Oto-Laryngologica</i> , 2019, 139, 415-420.   | 0.3 | 4         |
| 29871 | Invasive and non-invasive point-of-care testing and point-of-care monitoring of the hemoglobin concentration in human blood – how accurate are the data?. <i>Biomedizinische Technik</i> , 2019, 64, 495-506.              | 0.9 | 4         |
| 29872 | Prediction of acute asthma exacerbation severity and interrater reliability of manual pulsus paradoxus measurement. <i>Annals of Allergy, Asthma and Immunology</i> , 2019, 122, 653-654.                                  | 0.5 | 1         |
| 29873 | A Prospective Evaluation of the Diagnostic Accuracy of the Physical Examination for Pulmonary Hypertension. <i>Chest</i> , 2019, 155, 982-990.   | 0.4 | 27        |
| 29874 | Gait Segmentation of Data Collected by Instrumented Shoes Using a Recurrent Neural Network Classifier. <i>Physical Medicine and Rehabilitation Clinics of North America</i> , 2019, 30, 355-366.                           | 0.7 | 20        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29875 | Minimally invasive assessment of hepatic function in children with indocyanine green elimination: a validation study. <i>Scandinavian Journal of Gastroenterology</i> , 2019, 54, 485-491.  | 0.6 | 2         |
| 29876 | Dilated-Inception Net: Multi-Scale Feature Aggregation for Cardiac Right Ventricle Segmentation. <i>IEEE Transactions on Biomedical Engineering</i> , 2019, 66, 3499-3508.  | 2.5 | 50        |
| 29877 | Heart rate variability and peripheral nerve conduction velocity in relation to blood lead in newly hired lead workers. <i>Occupational and Environmental Medicine</i> , 2019, 76, 382-388.  | 1.3 | 5         |
| 29878 | T1 mapping for liver function evaluation in gadoxetic acid-enhanced MR imaging: comparison of look-locker inversion recovery and B1 inhomogeneity-corrected variable flip angle method. <i>European Radiology</i> , 2019, 29, 3584-3594.                | 2.3 | 35        |
| 29879 | Reproducibility and responsiveness of gait initiation in Parkinson's disease. <i>Journal of Biomechanics</i> , 2019, 87, 197-201.   | 0.9 | 6         |
| 29880 | The Consortium of Metabolomics Studies (COMETS): Metabolomics in 47 Prospective Cohort Studies. <i>American Journal of Epidemiology</i> , 2019, 188, 991-1012.  | 1.6 | 81        |
| 29881 | Fixed Handheld Dynamometry Provides Reliable and Valid Values for Quadriceps Isometric Strength in People With Chronic Obstructive Pulmonary Disease: A Multicenter Study. <i>Physical Therapy</i> , 2019, 99, 1255-1267.                               | 1.1 | 17        |
| 29882 | Smoother-Based 3-D Foot Trajectory Estimation Using Inertial Sensors. <i>IEEE Transactions on Biomedical Engineering</i> , 2019, 66, 3534-3542.   | 2.5 | 28        |
| 29883 | An evaluation of total 25-hydroxyvitamin D assay standardization: Where are we today?. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2019, 190, 224-233.   | 1.2 | 23        |
| 29884 | Creatinine versus cystatin C based glomerular filtration rate in critically ill patients. <i>Journal of Critical Care</i> , 2019, 52, 136-140.  | 1.0 | 20        |
| 29885 | Validation of a semi-quantitative FFQ for 18-month-old toddlers: the Growing Up in Singapore Towards Healthy Outcomes (GUSTO) study. <i>Public Health Nutrition</i> , 2019, 22, 1990-2000.  | 1.1 | 8         |
| 29886 | Solitary pulmonary nodule: Comparison of quantitative capability for differentiation and management among dynamic CE-perfusion MRI at 3T system, dynamic CE-perfusion ADCT and FDG-PET/CT. <i>European Journal of Radiology</i> , 2019, 115, 22-30.     | 1.2 | 12        |
| 29887 | Spirometry reference equations for an adult Middle Eastern population. <i>Expert Review of Respiratory Medicine</i> , 2019, 13, 489-497.  | 1.0 | 7         |
| 29888 | Reliability and Validity of Seated Hip Extensor Strength Measurement by Handheld Dynamometer in Older Adults. <i>Journal of Geriatric Physical Therapy</i> , 2019, 42, E39-E44.   | 0.6 | 4         |
| 29889 | Biexponential R2* relaxometry for estimation of liver iron concentration in children: A better fit for high liver iron states. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 1191-1198.  | 1.9 | 5         |
| 29890 | Agreement between capillary and venous lactate in emergency department patients: prospective observational study. <i>BMJ Open</i> , 2019, 9, e026109.   | 0.8 | 10        |
| 29891 | Inter-Instrument Reliability and Agreement of Fitbit Charge Measurements of Heart Rate and Activity at Rest, during the Modified Canadian Aerobic Fitness Test, and in Recovery. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2019, 71, 197-206. | 0.3 | 12        |
| 29892 | Development and Validation of a Scoring System That Includes Corrected QT Interval for Risk Analysis of Patients With Cirrhosis and Gastrointestinal Bleeding. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 1388-1397.e1.                | 2.4 | 16        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29893 | Quantitation of vitamin K1 in serum using online SPE-LC-MS/MS and the challenges of working with vitamin K. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1117, 41-48.  | 1.2 | 14        |
| 29894 | The Female Sexual Function Index (FSFI)â€”A Systematic Review of Measurement Properties. <i>Journal of Sexual Medicine</i> , 2019, 16, 640-660.   | 0.3 | 80        |
| 29895 | Development and evaluation of an auto-segmentation tool for the left anterior descending coronary artery of breast cancer patients based on anatomical landmarks. <i>Radiotherapy and Oncology</i> , 2019, 136, 15-20.  | 0.3 | 13        |
| 29896 | A hybrid proton and hyperpolarized gas tagging MRI technique for lung respiratory motion imaging: a feasibility study. <i>Physics in Medicine and Biology</i> , 2019, 64, 105019.   | 1.6 | 2         |
| 29897 | e-Sweet: A Machine-Learning Based Platform for the Prediction of Sweetener and Its Relative Sweetness. <i>Frontiers in Chemistry</i> , 2019, 7, 35.   | 1.8 | 29        |
| 29898 | Assessment of atrioventricular conduction by echocardiography and magnetocardiography in normal and antiâ€”Ro/SSAâ€”antibodyâ€”positive pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 54, 625-633.  | 0.9 | 11        |
| 29899 | The use of whole body calorimetry to compare measured versus predicted energy expenditure in postpartum women. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 554-565.  | 2.2 | 10        |
| 29900 | Rising rates of cesarean delivery in Ecuador: Socioeconomic and institutional determinants over two decades. <i>Birth</i> , 2019, 46, 335-343.  | 1.1 | 7         |
| 29901 | Pulmonary transit time from contrast echocardiography and cardiac magnetic resonance imaging: Comparison between modalities and the impact of region of interest characteristics. <i>Echocardiography</i> , 2019, 36, 119-124.  | 0.3 | 5         |
| 29902 | Mesopic and Dark-Adapted Two-Color Fundus-Controlled Perimetry in Choroidal Neovascularization Secondary to Age-Related Macular Degeneration. <i>Translational Vision Science and Technology</i> , 2019, 8, 7.  | 1.1 | 25        |
| 29903 | Unravelling the mystery of the â€”minimum important differenceâ€”™ using practical outcome measures in chronic respiratory disease. <i>Chronic Respiratory Disease</i> , 2019, 16, 147997311881649.   | 1.0 | 11        |
| 29904 | Value of dedicated small-field-of-view sacroiliac versus large-field-of-view pelvic magnetic resonance imaging for evaluating pediatric sacroiliitis. <i>Pediatric Radiology</i> , 2019, 49, 933-940.   | 1.1 | 4         |
| 29905 | In vivo comparison of key quantitative parameters measured with 3D peripheral angiography, 2D peripheral quantitative angiography and intravascular ultrasound. <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 215-223.                                       | 0.7 | 3         |
| 29906 | Personalized Chimerism Test that Uses Selection of Short Tandem Repeat or Quantitative PCR Depending on Patient's Chimerism Status. <i>Journal of Molecular Diagnostics</i> , 2019, 21, 483-490.  | 1.2 | 24        |
| 29907 | Measurement of OH* Generation by Pulverized Minerals Using Electron Spin Resonance Spectroscopy and Implications for the Reactivity of Planetary Regolith. <i>GeoHealth</i> , 2019, 3, 28-42.   | 1.9 | 15        |
| 29908 | Inter-day testâ€”retest reliability and feasibility of isokinetic, isometric, and isotonic measurements to assess quadriceps endurance in people with chronic obstructive pulmonary disease: A multicenter study. <i>Chronic Respiratory Disease</i> , 2019, 16, 147997311881649. | 1.0 | 22        |
| 29909 | Contact-Based Methods for Measuring Respiratory Rate. <i>Sensors</i> , 2019, 19, 908.   | 2.1 | 259       |
| 29910 | Development of CT-based methods for longitudinal analyses of paranasal sinus osteitis in granulomatosis with polyangiitis. <i>BMC Medical Imaging</i> , 2019, 19, 13.   | 1.4 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29911 | Right Diaphragmatic Peak Motion Velocities on Pulsed Wave Tissue Doppler Imaging in Neonates: Method, Reproducibility, and Reference Values. <i>Journal of Ultrasound in Medicine</i> , 2019, 38, 2695-2701.                     | 0.8 | 11        |
| 29912 | Effects of acquisition method and reconstruction algorithm for CT number measurement on standard-dose CT and reduced-dose CT: a QIBA phantom study. <i>Japanese Journal of Radiology</i> , 2019, 37, 399-411.                    | 1.0 | 9         |
| 29913 | Reliability of different behavioural tests for growing pigs on-farm. <i>Applied Animal Behaviour Science</i> , 2019, 213, 65-73.   | 0.8 | 7         |
| 29914 | Assessment of arterial baroreflex sensitivity by different computational analyses of pressure wave signals alone. <i>Computer Methods and Programs in Biomedicine</i> , 2019, 172, 25-34.  | 2.6 | 4         |
| 29915 | Test-retest reliability of the ASES-p shoulder scale. <i>Musculoskeletal Science and Practice</i> , 2019, 42, 134-137.   | 0.6 | 3         |
| 29916 | Heart rate cost of running in track estimates velocity associated with maximal oxygen uptake. <i>Physiology and Behavior</i> , 2019, 205, 33-38.   | 1.0 | 5         |
| 29917 | A stepwise science-industry collaboration to optimize the calculation of energy expenditure during walking and running with a consumer-based activity device. <i>Technology in Society</i> , 2019, 56, 1-7.                      | 4.8 | 4         |
| 29918 | In vivo validation of Dosemap software use in interventional cardiology with dosimetrics indicators and peak skin dose evaluation. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 94, 216-222.                  | 0.7 | 11        |
| 29919 | Video examination via the smartphone: A reliable tool for shoulder function assessment using the constant score. <i>Journal of Orthopaedic Science</i> , 2019, 24, 812-816.  | 0.5 | 17        |
| 29920 | Psychometric Evaluation of 2 New Upper Extremity Functional Strength Tests in Children With Cerebral Palsy. <i>Physical Therapy</i> , 2019, 99, 1107-1115.   | 1.1 | 3         |
| 29921 | Levels of horse allergen Equ c 4 in dander and saliva from ten horse breeds. <i>Clinical and Experimental Allergy</i> , 2019, 49, 701-711.   | 1.4 | 9         |
| 29922 | Computed tomographic dimensions of the normal adult equine eye. <i>Veterinary Ophthalmology</i> , 2019, 22, 651-659.   | 0.6 | 4         |
| 29923 | Comparison of two devices to simulate vision with intraocular lenses. <i>Clinical Ophthalmology</i> , 2019, Volume 13, 123-130.  | 0.9 | 6         |
| 29924 | Increased HLA-G Expression in Term Placenta of Women with a History of Recurrent Miscarriage Despite Their Genetic Predisposition to Decreased HLA-G Levels. <i>International Journal of Molecular Sciences</i> , 2019, 20, 625. | 1.8 | 17        |
| 29925 | Health-Related Quality of Life Associated with Barrett's Esophagus and Cancer. <i>World Journal of Surgery</i> , 2019, 43, 1554-1562.  | 0.8 | 11        |
| 29926 | A Meta-analysis to Determine the Validity of Taking Blood Pressure Using the Indirect Cuff Method. <i>Current Hypertension Reports</i> , 2019, 21, 11.   | 1.5 | 11        |
| 29927 | Comparison of defect depths for sinusoidal and circular perimetric stimuli in patients with glaucoma. <i>Ophthalmic and Physiological Optics</i> , 2019, 39, 26-36.  | 1.0 | 9         |
| 29928 | Accurate and reproducible enumeration of T-, B-, and NK lymphocytes using the BD FACSLyric 10-color system: A multisite clinical evaluation. <i>PLoS ONE</i> , 2019, 14, e0211207.   | 1.1 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29929 | Development and validation of a high-speed video system for measuring saccadic eye movement. <i>Behavior Research Methods</i> , 2019, 51, 2302-2309.   | 2.3 | 4         |
| 29930 | Dual-phase [18F]florbetapir in frontotemporal dementia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 304-311.   | 3.3 | 18        |
| 29931 | Evaluation and application of a method for estimating nasal end-tidal O2 fraction while administering supplemental O2. <i>Journal of Clinical Monitoring and Computing</i> , 2019, 33, 1071-1080.  | 0.7 | 2         |
| 29932 | Ischemic Core and Hypoperfusion Volumes Correlate With Infarct Size 24 Hours After Randomization in DEFUSE 3. <i>Stroke</i> , 2019, 50, 626-631.   | 1.0 | 43        |
| 29933 | Evaluation of agreement between hemoglobin A1c, fasting glucose, and fructosamine in Senegalese individuals with and without sickle-cell trait. <i>PLoS ONE</i> , 2019, 14, e0212552.  | 1.1 | 12        |
| 29934 | The Influence of Countermovement Jump Protocol on Reactive Strength Index Modified and Flight Time: Contraction Time in Collegiate Basketball Players. <i>Sports</i> , 2019, 7, 37.  | 0.7 | 22        |
| 29935 | Comparative Evaluation of Seegene Allplex Gastrointestinal, Luminex xTAG Gastrointestinal Pathogen Panel, and BD MAX Enteric Assays for Detection of Gastrointestinal Pathogens in Clinical Stool Specimens. <i>Archives of Pathology and Laboratory Medicine</i> , 2019, 143, 999-1005. | 1.2 | 29        |
| 29936 | Radiology reporting of low-grade glioma growth underestimates tumor expansion. <i>Acta Neurochirurgica</i> , 2019, 161, 569-576.   | 0.9 | 22        |
| 29937 | The use of Z-scan technique for determination of biochemical parameters in children with solid tumors or leukemias supplemented or not with selenium. <i>Photodiagnosis and Photodynamic Therapy</i> , 2019, 26, 36-42.  | 1.3 | 5         |
| 29938 | Pain assessment in horses after orthopaedic surgery and with orthopaedic trauma. <i>Veterinary Journal</i> , 2019, 246, 85-91.   | 0.6 | 27        |
| 29939 | An anthropometry-based equation of fat mass percentage as a valid discriminator of obesity. <i>Public Health Nutrition</i> , 2019, 22, 1-9.  | 1.1 | 3         |
| 29940 | Combining Multiple Magnetic Resonance Imaging Sequences Provides Independent Reproducible Radiomics Features. <i>Scientific Reports</i> , 2019, 9, 2068.   | 1.6 | 40        |
| 29941 | Comparison of Forced and Impulse Oscillometry Measurements: A Clinical Population and Printed Airway Model Study. <i>Scientific Reports</i> , 2019, 9, 2130.   | 1.6 | 25        |
| 29942 | Respiration rate and volume measurements using wearable strain sensors. <i>Npj Digital Medicine</i> , 2019, 2, 8.  | 5.7 | 225       |
| 29943 | Verification of the reliability of current perception threshold and pain threshold testing by application of an electrical current stimulus to mandibular mucosa in young adults. <i>Journal of Oral Rehabilitation</i> , 2019, 46, 556-562.   | 1.3 | 8         |
| 29944 | Assessing the quality of primary healthcare in seven Chinese provinces with unannounced standardised patients: protocol of a cross-sectional survey. <i>BMJ Open</i> , 2019, 9, e023997.   | 0.8 | 14        |
| 29945 | Comparison of two portable clinical analyzers to one stationary analyzer for the determination of blood gas partial pressures and blood electrolyte concentrations in horses. <i>PLoS ONE</i> , 2019, 14, e0211104.  | 1.1 | 14        |
| 29946 | Personalized Nutrient Profiling of Food Patterns: Nestlé's Nutrition Algorithm Applied to Dietary Intakes from NHANES. <i>Nutrients</i> , 2019, 11, 379.   | 1.7 | 9         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 29947 | Consistent Iodine Status Assessment in Chinese Adults by Different Spot Urinary Iodine Concentrations in a Day Together With Corresponding Correction Coefficients. <i>Journal of the American College of Nutrition</i> , 2019, 38, 606-613.  | 1.1 | 2         |
| 29948 | Validation of a Wearable Device and an Algorithm for Respiratory Monitoring During Exercise. <i>IEEE Sensors Journal</i> , 2019, 19, 4652-4659.   | 2.4 | 21        |
| 29949 | Validity and reliability of lower limb pulse wave velocity assessments using an oscillometric technique. <i>Experimental Physiology</i> , 2019, 104, 765-774.   | 0.9 | 18        |
| 29950 | Automated Smartphone Audiometry: A Preliminary Validation of a Bone-Conduction Threshold Test App. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2019, 128, 508-515.   | 0.6 | 7         |
| 29951 | Agreement study between color and IR retinal images based on retinal vasculature morphological parameters. <i>BMC Ophthalmology</i> , 2019, 19, 27.   | 0.6 | 6         |
| 29952 | Can Positioning Systems Replace Timing Gates for Measuring Sprint Time in Ice Hockey?. <i>Frontiers in Physiology</i> , 2018, 9, 1882.  | 1.3 | 13        |
| 29953 | Optimization and repeatability of multipool chemical exchange saturation transfer MRI of the prostate at 3.0T. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 1238-1250.  | 1.9 | 14        |
| 29954 | Reliability of, and Agreement Between, two Breath-by-Breath Indirect Calorimeters at Varying Levels of Inspiratory Oxygen. <i>Nutrition in Clinical Practice</i> , 2019, 34, 767-774.   | 1.1 | 6         |
| 29955 | Subcostal View-Based Longitudinal Strain in Patients With Breast Cancer Is an Alternative to Conventional Apical View-Based Longitudinal Strain. <i>Journal of the American Society of Echocardiography</i> , 2019, 32, 514-520.e1.           | 1.2 | 9         |
| 29956 | Dried blood spot compared to plasma measurements of blood-based biomarkers of brain injury in neonatal encephalopathy. <i>Pediatric Research</i> , 2019, 85, 655-661.   | 1.1 | 9         |
| 29957 | Hemorrhoidal Disease Symptom Score and Short Health ScaleHD: New Tools to Evaluate Symptoms and Health-Related Quality of Life in Hemorrhoidal Disease. <i>Diseases of the Colon and Rectum</i> , 2019, 62, 333-342.                          | 0.7 | 63        |
| 29958 | The Short Musculoskeletal Function Assessment: a study of the reliability, construct validity and responsiveness in patients sustaining trauma. <i>Clinical Rehabilitation</i> , 2019, 33, 923-935.   | 1.0 | 12        |
| 29959 | Methods and considerations concerning cardiac output measurement in pregnant women: recommendations of the International Working Group on Maternal Hemodynamics. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 54, 35-50.            | 0.9 | 30        |
| 29960 | Automated 3-Dimensional Magnetic Resonance Imaging Allows for Accurate Evaluation of Glenoid Bone Loss Compared With 3-Dimensional Computed Tomography. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 734-740. | 1.3 | 36        |
| 29961 | Can objective criteria for poor tolerance of proximal humerus malunion be identified?. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 291-299.   | 0.9 | 1         |
| 29962 | Letter to the editor: Arithmetic error in Bland, J. M., & Altman, D. G. (2007). Agreement between methods of measurement with multiple observations per individual. <i>Journal of Biopharmaceutical Statistics</i> , 2019, 29, 574-575.       | 0.4 | 2         |
| 29963 | Smartphone applications validated for joint angle measurement: a systematic review. <i>International Journal of Rehabilitation Research</i> , 2019, 42, 11-19.  | 0.7 | 18        |
| 29964 | Volume Assessment of the Effect of Obturators on Facial Form Following Surgery for Head and Neck Cancer Using Stereophotogrammetry. <i>Journal of Prosthodontics</i> , 2019, 28, 379-386.   | 1.7 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29965 | Echocardiographic indices and severity of mitral regurgitation in dogs with preclinical degenerative mitral valve disease. <i>Journal of Veterinary Internal Medicine</i> , 2019, 33, 489-498.                                 | 0.6 | 18        |
| 29966 | Serum creatinine and estimated glomerular filtration rates in HIV positive and negative adults in Ethiopia. <i>PLoS ONE</i> , 2019, 14, e0211630.  | 1.1 | 9         |
| 29967 | Measuring fatigue in cancer patients: a common metric for six fatigue instruments. <i>Quality of Life Research</i> , 2019, 28, 1615-1626.  | 1.5 | 13        |
| 29968 | Are panoramic radiographs good enough to render correct angle and sector position in palatally displaced canines?. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2019, 155, 380-387.                   | 0.8 | 12        |
| 29969 | Monitoring Caco-2 to enterocyte-like cells differentiation by means of electric impedance analysis on printed sensors. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2019, 1863, 893-902.                          | 1.1 | 30        |
| 29970 | The quality of ECG data acquisition, and diagnostic performance of a novel adhesive patch for ambulatory cardiac rhythm monitoring in arrhythmia detection. <i>Journal of Electrocardiology</i> , 2019, 54, 28-35.             | 0.4 | 24        |
| 29971 | SEXRAT MALE: A smartphone and tablet application to annotate and process live sexual behavior in male rodents. <i>Journal of Neuroscience Methods</i> , 2019, 320, 9-15.   | 1.3 | 1         |
| 29972 | Automatic Muscle Fiber Orientation Tracking in Ultrasound Images Using a New Adaptive Fading Bayesian Kalman Smoother. <i>IEEE Transactions on Image Processing</i> , 2019, 28, 3714-3727.                                     | 6.0 | 11        |
| 29973 | Computed tomography volumetry of esophageal cancer - the role of semiautomatic assessment. <i>BMC Medical Imaging</i> , 2019, 19, 17.  | 1.4 | 3         |
| 29974 | Reliability of supraspinal correlates to lower urinary tract stimulation in healthy participants â€” A fMRI study. <i>NeuroImage</i> , 2019, 191, 481-492.   | 2.1 | 13        |
| 29975 | Assessing voice health using smartphones: bias and random error of acoustic voice parameters captured by different smartphone types. <i>International Journal of Language and Communication Disorders</i> , 2019, 54, 292-305. | 0.7 | 39        |
| 29976 | Repeatability and Agreement of Various High-Speed Macrottexture Measurement Devices. <i>Transportation Research Record</i> , 2019, 2673, 650-662.  | 1.0 | 2         |
| 29977 | A standard operating procedure for Kingâ€™s ALS clinical staging. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2019, 20, 159-164.  | 1.1 | 26        |
| 29978 | Microsimulation model for the health economic evaluation of osteoporosis interventions: study protocol. <i>BMJ Open</i> , 2019, 9, e028365.  | 0.8 | 2         |
| 29979 | Comparison of the new fully automated extraction platform eMAG to the MagNA PURE 96 and the well-established easyMAG for detection of common human respiratory viruses. <i>PLoS ONE</i> , 2019, 14, e0211079.                  | 1.1 | 13        |
| 29980 | Standard methods for creating digital skeletal models using structureâ€‘fromâ€‘motion photogrammetry. <i>American Journal of Physical Anthropology</i> , 2019, 169, 152-160.   | 2.1 | 22        |
| 29981 | Inter-platform reproducibility of ultrasonic attenuation and backscatter coefficients in assessing NAFLD. <i>European Radiology</i> , 2019, 29, 4699-4708.   | 2.3 | 26        |
| 29982 | Accuracy of custom-fitted temporomandibular joint alloplastic reconstruction and virtual surgical planning. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2019, 48, 1077-1083.                              | 0.7 | 27        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 29983 | Description of network meta-analysis geometry: A metrics design study. PLoS ONE, 2019, 14, e0212650.   | 1.1 | 30        |
| 29984 | 4 $\beta$ -Hydroxycholesterol as an Endogenous Biomarker for CYP3A Activity: Literature Review and Critical Evaluation. Journal of Clinical Pharmacology, 2019, 59, 611-624.   | 1.0 | 24        |
| 29985 | Measurement Repeatability of <sup>18</sup> F-FDG PET/CT Versus <sup>18</sup> F-FDG PET/MRI in Solid Tumors of the Pelvis. Journal of Nuclear Medicine, 2019, 60, 1080-1086.  | 2.8 | 23        |
| 29986 | Anthropometer3D: Automatic Multi-Slice Segmentation Software for the Measurement of Anthropometric Parameters from CT of PET/CT. Journal of Digital Imaging, 2019, 32, 241-250.  | 1.6 | 20        |
| 29987 | Comparison of agreement between internet-based registration of patient-reported outcomes and clinic-based paper forms within the Swedish Rheumatology Quality Register. Scandinavian Journal of Rheumatology, 2019, 48, 326-330. | 0.6 | 7         |
| 29988 | Pulmonary Artery Elastic Properties After Balloon Pulmonary Angioplasty in Patients With Inoperable Chronic Thromboembolic Pulmonary Hypertension. Canadian Journal of Cardiology, 2019, 35, 422-429.                            | 0.8 | 16        |
| 29989 | Validity and reliability of a handheld blood glucose monitor during exercise and an oral glucose tolerance test. Kinesiology, 2019, 51, 182-188.   | 0.3 | 0         |
| 29990 | Validation of the Nox-T3 Portable Monitor for Diagnosis of Obstructive Sleep Apnea in Patients With Chronic Obstructive Pulmonary Disease. Journal of Clinical Sleep Medicine, 2019, 15, 587-596.                                | 1.4 | 37        |
| 29991 | Validation of a Mathematical Procedure for the Cobb Angle Assessment Based on Photogrammetry. Journal of Chiropractic Medicine, 2019, 18, 270-277.   | 0.3 | 5         |
| 29992 | Comparison of a tridimensional cephalometric analysis performed on 3T-MRI compared with CBCT: a pilot study in adults. Progress in Orthodontics, 2019, 20, 40.   | 1.3 | 40        |
| 29994 | Ophthalmic statistics note 13: method agreement studies in ophthalmology – please don't carry on correlating. British Journal of Ophthalmology, 2019, 103, 1201-1203.  | 2.1 | 4         |
| 29995 | Protocol for the ORaCLES study: an online randomised controlled trial to improve clinical estimates of survival using a training resource for medical students. BMJ Open, 2019, 9, e025265.                                      | 0.8 | 1         |
| 29996 | Man versus machine: comparison of naked-eye estimation and quantified capillary refill. Emergency Medicine Journal, 2019, 36, 465-471.   | 0.4 | 9         |
| 29997 | Validation of a Consumer Sleep Wearable Device With Actigraphy and Polysomnography in Adolescents Across Sleep Opportunity Manipulations. Journal of Clinical Sleep Medicine, 2019, 15, 1337-1346.                               | 1.4 | 88        |
| 29998 | Estradiol Serum Levels are Crucial to Understand Physiological/Clinical Setting in Both Sexes: Limits of Measurement of Low Estradiol and Evaluation of a Sensitive Immunoassay. , 2019, 05, .                                   |     | 0         |
| 29999 | Implementation of Sliding Mode Based-Direct Flux and Torque Control for Induction Motor Drive with Efficiency Optimization. , 2019, , .  |     | 3         |
| 30000 | Sensorless Control of Permanent Magnet Synchronous Motor Based on Adaptive Sliding Mode Observer. , 2019, , .  |     | 3         |
| 30001 | Image Restoration Based on Improved Patch Clustering in Gaussian Mixture Models. , 2019, , .   |     | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30003 | Evaluation of PO and EEC Radiation Integrals on Quadratic Triangles and Edges in Time Domain. , 2019, , .  |     | 2         |
| 30004 | Linear Regression Models for Total Body Water Measurement Based on Bioelectrical Impedance Analysis. , 2019, , .   |     | 0         |
| 30005 | Hybrid BP-EP Based Iterative Receiver for Faster-Than-Nyquist with Index Modulation. , 2019, , .   |     | 2         |
| 30006 | Weight-Adaptive Analog Fountain Codes toward Massive Machine Type Communications. , 2019, , .  |     | 1         |
| 30007 | Aerosol measurements with a shipborne Sunâ€“skyâ€“lunar photometer and collocated multiwavelength Raman polarization lidar over the Atlantic Ocean. Atmospheric Measurement Techniques, 2019, 12, 5685-5698. | 1.2 | 21        |
| 30008 | Reliability Assessment of Mining System Based on Time Mining Data. , 2019, , .   |     | 0         |
| 30009 | Segmentation of Balinese Script on Lontar Manuscripts using Projection Profile. , 2019, , .  |     | 3         |
| 30010 | Three-level H-Bridge Chopper for High Ceiling Voltage VSC Excitation System. , 2019, , .   |     | 0         |
| 30011 | 4K-DRM Server Protocol Packet Capture and Analysis. , 2019, , .  |     | 0         |
| 30012 | Study on Evaluation Index of the Old-Age Suitability Transportation in Old Mountain City Area: Taking Guiyang as an Example. , 2019, , .   |     | 0         |
| 30013 | Message from the MLST 2019 Chairs. , 2019, , .   |     | 0         |
| 30014 | Sa-Bilasar Down-Looking 3-D Imaging Based on Sparse Bayesian Reconstruction. , 2019, , .   |     | 1         |
| 30015 | Advanced Multifunctional Antennas for 5G and Beyond. , 2019, , .   |     | 2         |
| 30016 | Optimal Robust Primary Frequency Response Control for Battery Energy Storage Systems. , 2019, , .  |     | 4         |
| 30017 | A Novel Built in Metal Foil Sensor for PD Detection of HV Cables. , 2019, , .  |     | 1         |
| 30018 | How the Formal Description of the Transmembrane Proteins can Reduce the Bio-Medical Experiments. , 2019, , .   |     | 1         |
| 30019 | On Primal and Dual Approaches for Distributed Stochastic Convex Optimization over Networks. , 2019, , .  |     | 14        |
| 30020 | Non-contact Measurement of Heart Rate Based on Facial Video. , 2019, , .   |     | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30021 | Equidistant combination wavelength screening and step-by-step phase-out method for the near-infrared spectroscopic analysis of serum urea nitrogen. Journal of Innovative Optical Health Sciences, 2019, 12, . | 0.5 | 13        |
| 30022 | Impact Sounds Classification for Interactive Applications via Discriminative Dictionary Learning. , 2019, , .  |     | 1         |
| 30023 | An Improved Fully Convolutional Network for Learning Rich Building Features. , 2019, , .   |     | 0         |
| 30024 | Effects of the Mesh Anode Transparency on the Operation Characteristics of the Virtual Cathode Oscillator. , 2019, , .   |     | 1         |
| 30025 | Intelligent Control for Illuminance Measurement by an Autonomous Mobile Robot. , 2019, , .   |     | 4         |
| 30026 | Model-based Dynamic Pose Graph SLAM in Unstructured Dynamic Environments. , 2019, , .  |     | 2         |
| 30027 | Optimization of Squirrel-Cage Rotor for Amorphous Asynchronous Motor. , 2019, , .  |     | 3         |
| 30028 | Automatic Identification and Prediction of Anatomical Points in Monocular Images for Postural Assessment. , 2019, , .  |     | 0         |
| 30029 | From Descriptive to Predictive Six Sigma: Machine Learning for Predictive Maintenance. , 2019, , .   |     | 7         |
| 30030 | A Differential Broadband Dual-Polarized Base Station Antenna Element for 4G And 5G Applications. , 2019, , .   |     | 6         |
| 30031 | A New Shooting and Bouncing Ray Method Based on Gaussian integrals and Its Application in the Electrically Large Object. , 2019, , .   |     | 0         |
| 30032 | High-Dimensional Linear Regression and Phase Retrieval via PSLQ Integer Relation Algorithm. , 2019, , .  |     | 1         |
| 30034 | Bearing Performance Degradation Assessment based on A Combination of Multi-Scale Entropy and K-medoids Clustering. , 2019, , .   |     | 1         |
| 30035 | Reduction of Effective Disturbance in Six Phase Induction Machine Employing Field Oriented Control Strategy. , 2019, , .   |     | 0         |
| 30036 | Experimental Investigation of GaN Transistor Current Collapse on Power Converter Efficiency for Electrical Vehicles. , 2019, , .   |     | 10        |
| 30037 | Pavement Images Denoising with Cracks Detection and Classification Using 2D Discrete Wavelet Transform and Savitzky-Golay Filters. , 2019, , .   |     | 1         |
| 30038 | A QoS-Aware Cache Replacement Policy for Vehicular Named Data Networks. , 2019, , .  |     | 13        |
| 30039 | Determination of Preloading of Transmission Lines for Flow-Based Market Coupling. , 2019, , .  |     | 7         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30040 | Waveguide Joint Design and Validation for use in Acoustic Vector-corrected Network Analysers. , 2019, , .  |     | 0         |
| 30042 | Enabling High Performance Fog Computing through Fog-2-Fog Coordination Model. , 2019, , .  |     | 4         |
| 30043 | Domain Information Acquiring with A Text Analysis System On Distributed Computing. , 2019, , .   |     | 0         |
| 30044 | mHealth4Afrika - Lessons Learnt and Good Practices from Validation of a Comprehensive Healthcare Solution for Resource Constrained Environments. , 2019, , .   |     | 1         |
| 30045 | Impacts of Camera Frame Pacing for Video Recording on Time-Related Applications. , 2019, , .   |     | 0         |
| 30047 | A rehabilitation system for monitoring torso movements using an inertial sensor. , 2019, , .   |     | 1         |
| 30048 | High-Performance Robust Grid-Connected Power Systems. , 2019, , .  |     | 1         |
| 30049 | $2(1 - \frac{1}{n})$ -Factor Steiner Tree Approximation in $\tilde{O}(n^{1/3})$ Rounds in the CONGESTED CLIQUE. , 2019, , .  |     | 0         |
| 30050 | Dynamic and Stability Analysis for MTDC System in DC Voltage Control Timescale. , 2019, , .  |     | 0         |
| 30051 | Control of a Hybrid IGBT-SiC Inverter. , 2019, , .   |     | 1         |
| 30053 | Mathematical Models for Fat Free Mass Measurement Based on Bioelectrical Impedance Analysis. , 2019, , .   |     | 0         |
| 30054 | Investigation of Impact of Dosage on Electrical Properties of Mg-Ion-Implanted GaN before Activation Annealing Using MOS Structures. , 2019, , .   |     | 0         |
| 30055 | Paraphrase Generation with Collaboration between the Forward and the Backward Decoder. , 2019, , .   |     | 1         |
| 30056 | Compact all-in-line adaptive optics fluorescence microscope using an optofluidic phase modulator. , 2019, , .  |     | 0         |
| 30057 | Use of radar plots to compare the analytical performance of five blood glucose monitoring systems. Therapeutic Delivery, 2019, 10, 783-792.  | 1.2 | 1         |
| 30058 | Establishment and assessment of the hepatic venous pressure gradient using biofluid mechanics (HVPC <sub>BFM</sub> ): protocol for a prospective, randomised, non-controlled, multicentre study. BMJ Open, 2019, 9, e028518. | 0.8 | 4         |
| 30059 | Pelvimetry in the Teramana goat breed: a comparison between radiography and ultrasound. Veterinarni Medicina, 2019, 64, 476-481.   | 0.2 | 0         |
| 30060 | Reliability of computed tomography-based renal cortex volume to determine split renal function in preoperative living kidney donors. BJR  Open, 2019, 1, 20190025.   | 0.4 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30061 | ChroniSense National Early Warning Score Study (CHES): a wearable wrist device to measure vital signs in hospitalised patients protocol and study design. <i>BMJ Open</i> , 2019, 9, e028219.                                    | 0.8 | 8         |
| 30062 | Validity of Foot-To-Foot Bioelectrical Impedance for Estimating Body Composition in NCAA Division I Male Athletes: A 3-Compartment Model Comparison. <i>Journal of Strength and Conditioning Research</i> , 2019, 33, 3361-3366. | 1.0 | 5         |
| 30063 | An Integrated Programmable High-Voltage Bipolar Pulser With Embedded Transmit/Receive Switch for Miniature Ultrasound Probes. , 2019, , .  |     | 3         |
| 30064 | Effects of Operating Factors on the Bio-Oil Produced from Pyrolysis of Plastic Wastes using Response Surface Methodology. , 2019, , .  |     | 3         |
| 30065 | Demo Abstract: Real-time Social Sensing Task Allocation Strategies in Heterogeneous Edge Computing Systems. , 2019, , .  |     | 0         |
| 30066 | Face Analysis for Coronary Heart Disease Diagnosis. , 2019, , .  |     | 4         |
| 30067 | Analysis and Implementation of Novel Energy Management System for Electric Vehicles. , 2019, , .   |     | 0         |
| 30068 | Technical note: Glucose concentration in dairy cows measured using 6 handheld meters designed for human use. <i>Journal of Dairy Science</i> , 2019, 102, 9401-9408.   | 1.4 | 5         |
| 30069 | Lunar Photo-electron sheath and fine particle levitation. , 2019, , .  |     | 0         |
| 30070 | Big Data Mining: Managing the Costs of Data Mining. , 2019, , .  |     | 0         |
| 30071 | Development and preliminary evaluation of a novel adaptive staircase procedure for automated speech-in-noise testing. , 2019, 2019, 6991-6994.   |     | 7         |
| 30072 | RIGI Camera for Real Time Ultrasensitive Terahertz Imaging. , 2019, , .  |     | 1         |
| 30073 | Shape Template Based Dental Mesh Repairing. , 2019, , .  |     | 0         |
| 30075 | The inter-rater reliability of the Performance Oriented Mobility Assessment tool after brain surgery. <i>International Journal of Therapy and Rehabilitation</i> , 2019, 26, 1-7.  | 0.1 | 0         |
| 30076 | Variability of Central Corneal Thickness Measurements Comparing Zeiss IOL Master and Tomey Corneal Specular Microscope. <i>Asia-Pacific Journal of Ophthalmology</i> , 2019, 8, 275-279.   | 1.3 | 7         |
| 30077 | Evaluation of a developed multichannel R-R interval telemeter and garment-type electrode. , 2019, 2019, 4173-4176.   |     | 2         |
| 30078 | Determining the effect of exogenous organic materials on spatial distribution of maize yield. <i>Scientific Reports</i> , 2019, 9, 19883.  | 1.6 | 3         |
| 30079 | Does norepinephrine infusion dose influence the femoral-to-radial mean arterial blood pressure gradient in patients with sepsis and septic shock?. <i>Blood Pressure Monitoring</i> , 2019, 24, 74-77.                           | 0.4 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30080 | New Predictive Equations for Resting Energy Expenditure in Normal to Overweight and Obese Population. <i>International Journal of Endocrinology</i> , 2019, 2019, 1-15.  | 0.6 | 6         |
| 30081 | Smart Center for Asset Management: Transformation to intelligent maintenance through digitalization. , 2019, , .   |     | 1         |
| 30082 | Insights into Growth Behavior of Intermetallic Compounds in Sn-Ag-Cu Solder Joints during Mechanical and Thermo-Mechanical Deformation Processes. , 2019, , .  |     | 0         |
| 30083 | ICARM 2019 Copyright Page. , 2019, , .   |     | 0         |
| 30084 | System Response of Permanent Magnet Synchronous Motor Drive Based on SiC Power Transistor. , 2019, , .   |     | 3         |
| 30085 | The message of the O-COCOSDA Convenor. , 2019, , .   |     | 0         |
| 30086 | In vivo alpha-V beta-3 integrin expression in human aortic atherosclerosis. <i>Heart</i> , 2019, 105, 1868-1875.   | 1.2 | 30        |
| 30087 | Internal consistency and reliability of the Swiss-French translation of the venous leg ulcer self efficacy tool (VeLUSSET). <i>BMJ Open</i> , 2019, 9, e031529.  | 0.8 | 3         |
| 30088 | SpiralNet++: A Fast and Highly Efficient Mesh Convolution Operator. , 2019, , .  |     | 80        |
| 30089 | Accelerometer Data Processing and Energy Expenditure Estimation in Preschoolers. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 590-598.   | 0.2 | 10        |
| 30090 | Sensor Selection for Hypothesis Testing: Complexity and Greedy Algorithms. , 2019, , .   |     | 1         |
| 30091 | Recall of health-related quality of life: how does memory affect the SF-6D in patients with psoriasis or multiple sclerosis? A prospective observational study in Germany. <i>BMJ Open</i> , 2019, 9, e032859. | 0.8 | 14        |
| 30092 | Validity and Reliability of an Inertial Sensor-Based Knee Proprioception Test in Younger vs. Older Adults. <i>Frontiers in Sports and Active Living</i> , 2019, 1, 27.   | 0.9 | 11        |
| 30093 | Effects of External Oiling and Rehabilitation on Hematological, Biochemical, and Blood Gas Analytes in Ring-Billed Gulls ( <i>Larus delawarensis</i> ). <i>Frontiers in Veterinary Science</i> , 2019, 6, 405. | 0.9 | 2         |
| 30094 | Optical spectral sensor for the assessment of uric acid kinetics during hemodialysis treatment. <i>Journal of Physics: Conference Series</i> , 2019, 1410, 012072.   | 0.3 | 2         |
| 30095 | Optimal Current Excitation for the Time-Domain Estimation of the Electrochemical Impedance. , 2019, , .  |     | 0         |
| 30096 | Serious Game Design for Terengganu Brassware Craft Heritage. , 2019, , .   |     | 4         |
| 30097 | Wavelength Selection of Persimmon Leafusing Decision Tree Method in Visible Near-Infrared Imaging. , 2019, , .   |     | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30098 | Side Collision Dynamic Analysis of Electric Bus Frame using Finite Element Method. , 2019, , .   |     | 0         |
| 30099 | Speeding Up Resting State Networks Recognition via a Hardware Accelerator. , 2019, , .   |     | 0         |
| 30100 | Traffic Sign Detection and Recognition Based on Convolutional Neural Network. , 2019, , .  |     | 31        |
| 30101 | GPSfM: Global Projective SFM Using Algebraic Constraints on Multi-View Fundamental Matrices. , 2019, , .                                     |     | 9         |
| 30102 | Long Horizon, Quadratic Programming Based Model Predictive Control (MPC) for Grid Connected Modular Multilevel Converters (MMC). , 2019, , . |     | 16        |
| 30103 | Strict Judgement of Successful Transfer of Multiple Data and ACK Frames in Interfering Wireless LAN Environments. , 2019, , .                |     | 0         |
| 30104 | An End-To-End Network for Panoptic Segmentation. , 2019, , .   |     | 88        |
| 30105 | Harvestable Black Pepper Recognition Using Computer Vision. , 2019, , .  |     | 0         |
| 30106 | Autonomous Fire Fighter Robot Based on Image Processing. , 2019, , .   |     | 2         |
| 30107 | Three-wavelength optoelectronic system for hemodialysis monitoring. Journal of Physics: Conference Series, 2019, 1400, 066043.               | 0.3 | 0         |
| 30108 | ContactDB: Analyzing and Predicting Grasp Contact via Thermal Imaging. , 2019, , .   |     | 85        |
| 30109 | The Development of Digital Marketing Strategy for Tourism Startup: A Case Study of Atourin. , 2019, , .                                      |     | 1         |
| 30110 | Miniaturized Cupcake Fractal Patch Antenna for Biomedical Applications. , 2019, , .  |     | 2         |
| 30111 | Blockchain for Cybersecurity: Working Mechanism, Application areas and Security Challenges. , 2019, , .                                      |     | 4         |
| 30112 | Reliability Research of TSV Micro Structure under Thermal and Vibration Coupled Load. , 2019, , .  |     | 2         |
| 30113 | Development of A Virtual Environment to Realize Human-Machine Interaction of Forklift Operation. , 2019, , .                                 |     | 3         |
| 30114 | Gene-Edited Live Cell Sensor for Free Calcium. , 2019, , .   |     | 0         |
| 30115 | A Blockchain-Based Framework for Secure Log Storage. , 2019, , .   |     | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 30116 | Three-dimensional observation of polymer and liquid crystal director in highly oriented liquid crystal / polymer composite films which show electro-optical transparency-turbidity switching. , 2019, , .                         |     | 0         |
| 30117 | Distributed Charging Control of Smart Electric Vehicle Chargers for Load Valley Filling in Distribution Networks. , 2019, , .   |     | 2         |
| 30118 | Volumetric Analysis of Brain Tumor Magnetic Resonance Image. , 2019, , .  |     | 1         |
| 30119 | A Semantic Search Capability for a Grid Model Repository. , 2019, , .   |     | 1         |
| 30120 | Brief Report: Validation of a Urine Tenofovir Immunoassay for Adherence Monitoring to PrEP and ART and Establishing the Cutoff for a Point-of-Care Test. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, 72-77. | 0.9 | 50        |
| 30121 | A Review on Beamforming Techniques for Full Duplex MIMO Relaying Networks. , 2019, , .  |     | 0         |
| 30122 | Wavelength-selective beam deflector based on Fano-resonant metasurface. , 2019, , .   |     | 0         |
| 30123 | Fast Early Termination of CU Partition and Mode Selection Algorithm for Virtual Reality Video in HEVC. , 2019, , .  |     | 3         |
| 30124 | Research and Application of GIS in Wisdom Forestry Wireless Sensor Networks Node Location Selection. , 2019, , .  |     | 1         |
| 30125 | Investigating GF-5 Hyperspectral and GF-1 Multispectral Data Fusion Methods for Multitemporal Change Analysis. , 2019, , .  |     | 1         |
| 30126 | Large-area, fully conformable, 1/4m-thick e-tattoo for high-fidelity in situ personal health monitoring. , 2019, , .  |     | 1         |
| 30127 | Text Classification Using Long Short-Term Memory. , 2019, , .   |     | 2         |
| 30128 | MovCloud: A Cloud-Enabled Framework to Analyse Movement Behaviors. , 2019, , .  |     | 6         |
| 30129 | Through-Wall Heartbeat Frequency Detection Using Ultra-Wideband Impulse Radar. , 2019, , .  |     | 3         |
| 30131 | Comparing the feasibility and accuracy of three-dimensional ultrasound to two-dimensional ultrasound and computed tomography angiography in the assessment of carotid atherosclerosis. Echocardiography, 2019, 36, 2241-2250.     | 0.3 | 6         |
| 30132 | The Development of a Hoof Conformation Assessment for Use in Dairy Goats. Animals, 2019, 9, 973.  | 1.0 | 6         |
| 30133 | How to evaluate agreement between quantitative measurements. Radiotherapy and Oncology, 2019, 141, 321-326.   | 0.3 | 8         |
| 30134 | Geometric Remodeling of the Perirenal Aortic Neck at and Adjacent to the Double Sealing Ring of the Anaconda Stent-Graft After Endovascular Aneurysm Repair. Journal of Endovascular Therapy, 2019, 26, 855-864.                  | 0.8 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30135 | A Comparison of Two Commercial Swim Bench Ergometers in Determining Maximal Aerobic Power and Correlation to a Paddle Test in a Recreational Surfing Cohort. <i>Sports</i> , 2019, 7, 234.   | 0.7 | 3         |
| 30136 | Clinical application of a dried blood spot assay for sirolimus and everolimus in transplant patients. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 57, 1854-1862.   | 1.4 | 24        |
| 30137 | Evaluation of Agreement Between Static Posturography Methods Employing Tensometers and Inertial Sensors. <i>IEEE Access</i> , 2019, 7, 164120-164126.  | 2.6 | 11        |
| 30138 | Cross-cultural adaptation, reliability and validity of the Italian version of the craniofacial pain and disability inventory in patients with chronic temporomandibular joint disorders. <i>BMC Oral Health</i> , 2019, 19, 244.   | 0.8 | 11        |
| 30139 | Biometry of the Cerebellar Vermis and Brain Stem in Children: MR Imaging Reference Data from Measurements in 718 Children. <i>American Journal of Neuroradiology</i> , 2019, 40, 1835-1841.  | 1.2 | 19        |
| 30140 | Monitoring respiratory rates with a wearable system using a stretchable strain sensor during moderate exercise. <i>Medical and Biological Engineering and Computing</i> , 2019, 57, 2741-2756.   | 1.6 | 31        |
| 30141 | Performance of five automated white matter hyperintensity segmentation methods in a multicenter dataset. <i>Scientific Reports</i> , 2019, 9, 16742.   | 1.6 | 38        |
| 30142 | Reliability of upright weight-bearing distribution measures obtained by computed baropodometry for participants with and without post-stroke hemiparesis. <i>International Journal of Therapy and Rehabilitation</i> , 2019, 26, 1-12.                                       | 0.1 | 0         |
| 30143 | Acoustic Sensing as a Novel Wearable Approach for Cardiac Monitoring at the Wrist. <i>Scientific Reports</i> , 2019, 9, 20079.   | 1.6 | 25        |
| 30144 | Identifying an Optimal Sampling Method to Estimate Postural Risk in a Dynamic Work Task. <i>Proceedings of the Human Factors and Ergonomics Society</i> , 2019, 63, 1028-1033.   | 0.2 | 1         |
| 30145 | Bruch's membrane opening enlargement and its implication on the myopic optic nerve head. <i>Scientific Reports</i> , 2019, 9, 19564.   | 1.6 | 12        |
| 30146 | Non-contact physiological monitoring of preterm infants in the Neonatal Intensive Care Unit. <i>Npj Digital Medicine</i> , 2019, 2, 128.   | 5.7 | 82        |
| 30147 | The inaccuracy of LaFarge equations estimating the oxygen consumption in children under 3 years age. <i>Revista Española De Anestesiología Y Reanimación (English Edition)</i> , 2019, 66, 467-473.  | 0.1 | 0         |
| 30148 | Determination of Endogenous Concentrations of Uracil and Dihydrouracil in Dried Saliva Spots by LC-MS/MS: Method Development, Validation, and Clinical Application. <i>Therapeutic Drug Monitoring</i> , 2019, 41, 383-390.  | 1.0 | 10        |
| 30149 | Internal to Common Carotid Artery Peak Systolic Velocity Ratios for Predicting North American Symptomatic Carotid Endarterectomy Trial Stenosis: Derivation/Validation Study Using a Machine Learning Technique. <i>Journal for Vascular Ultrasound</i> , 2019, 43, 182-185. | 0.2 | 1         |
| 30150 | Left Atrial Volume as a Biomarker of Atrial Fibrillation at Routine Chest CT: Deep Learning Approach. <i>Radiology: Cardiothoracic Imaging</i> , 2019, 1, e190057.   | 0.9 | 9         |
| 30151 | A novel Bayesian adaptive method for mapping the visual field. <i>Journal of Vision</i> , 2019, 19, 16.  | 0.1 | 13        |
| 30152 | Accuracy of the Cosmed K5 portable calorimeter. <i>PLoS ONE</i> , 2019, 14, e0226290.  | 1.1 | 25        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 30153 | Peripheral Vision Tests in Sports: Training Effects and Reliability of Peripheral Perception Test. International Journal of Environmental Research and Public Health, 2019, 16, 5001.   | 1.2 | 25        |
| 30154 | Evaluation of a Novel Tool for Screening Inadequate Food Intake in Age-Related Macular Degeneration Patients. Nutrients, 2019, 11, 3031.  | 1.7 | 5         |
| 30155 | Comparison of a noninvasive 3D force sensor-based method and the invasive arterial cannula in postsurgery intensive care patients: a pilot study. Blood Pressure Monitoring, 2019, 24, 310-314.   | 0.4 | 2         |
| 30156 | Comparison of the psychometric properties of the EQ-5D-3L and SF-6D in the general population of Chengdu city in China. Medicine (United States), 2019, 98, e14719.   | 0.4 | 14        |
| 30157 | Using Small Samples to Evaluate Normative Reference Ranges for Retinal Imaging Measures. Optometry and Vision Science, 2019, 96, 146-155.   | 0.6 | 7         |
| 30158 | Can the SCD test and terminal uridine nick-end labeling by flow cytometry technique (TUNEL/FCM) be used interchangeably to measure sperm DNA damage in routine laboratory practice?. Basic and Clinical Andrology, 2019, 29, 17.  | 0.8 | 5         |
| 30159 | Comparing Spatial Contrast Sensitivity Functions Measured With Digit and Grating Stimuli. Translational Vision Science and Technology, 2019, 8, 16.   | 1.1 | 12        |
| 30160 | Development of a Post-stroke Upper Limb Rehabilitation Wearable Sensor for Use in Sub-Saharan Africa: A Pilot Validation Study. Frontiers in Bioengineering and Biotechnology, 2019, 7, 322.  | 2.0 | 14        |
| 30161 | Pilot Study of the Encephalog Smartphone Application for Gait Analysis. Sensors, 2019, 19, 5179.  | 2.1 | 19        |
| 30162 | Validity and Reliability of a Food Frequency Questionnaire (FFQ) to Assess Dietary Intake of Preschool Children. International Journal of Environmental Research and Public Health, 2019, 16, 4722.   | 1.2 | 29        |
| 30163 | Suprarenal Aortic Remodeling after Endovascular Aortic Aneurysm Repair among Three Endografts with Different Types of Proximal Fixation System. Annals of Vascular Surgery, 2019, 61, 341-349.  | 0.4 | 3         |
| 30164 | Improving reference equations for cardiorespiratory fitness using multiplicative allometric rather than additive linear models: Data from the Fitness Registry and the Importance of Exercise National Database Registry. Progress in Cardiovascular Diseases, 2019, 62, 515-521. | 1.6 | 10        |
| 30165 | Continuous ECG Monitoring Trial for Outpatient " Patient Receptiveness and Signal Accuracy. , 2019, 2019, 1144-1148.  |     | 1         |
| 30166 | Fully Automated Estimation of Spacing and Density for Retinal Mosaics. Translational Vision Science and Technology, 2019, 8, 26.  | 1.1 | 14        |
| 30167 | Reliability of the Swedish version of the Evidence-Based Practice Attitude Scale assessing physiotherapist's attitudes to implementation of evidence-based practice. PLoS ONE, 2019, 14, e0225467.  | 1.1 | 8         |
| 30168 | Short-Term Stability of Hematologic Parameters in Frozen Whole Blood. journal of applied laboratory medicine, The, 2019, 4, 410-414.  | 0.6 | 5         |
| 30169 | Revisiting the MotionWatch8®: Calibrating Cut-Points for Measuring Physical Activity and Sedentary Behavior Among Adults With Stroke. Frontiers in Aging Neuroscience, 2019, 11, 203.   | 1.7 | 5         |
| 30170 | Cooper Test Provides Better Half-Marathon Performance Prediction in Recreational Runners Than Laboratory Tests. Frontiers in Physiology, 2019, 10, 1349.  | 1.3 | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 30171 | A Web-Based 24-H Dietary Recall Could Be a Valid Tool for the Indicative Assessment of Dietary Intake in Older Adults Living in Slovenia. <i>Nutrients</i> , 2019, 11, 2234.  | 1.7 | 6         |
| 30172 | Preoperative loco-regional staging of invasive lobular carcinoma with contrast-enhanced digital mammography (CEDM). <i>Radiologia Medica</i> , 2019, 124, 1229-1237.  | 4.7 | 23        |
| 30173 | The evaluation of right ventricular systolic function in patients with repaired Tetralogy of Fallot by conventional echocardiographic methods and speckle tracking echocardiography: Compared with the gold standard cardiac magnetic resonance. <i>Echocardiography</i> , 2019, 36, 2251-2258. | 0.3 | 11        |
| 30174 | Can quantitative MRI be used in the clinical setting to quantify the impact of intra-articular glucocorticoid injection on synovial disease activity in juvenile idiopathic arthritis?. <i>Pediatric Rheumatology</i> , 2019, 17, 74.   | 0.9 | 3         |
| 30175 | Measuring energy, macro and micronutrient intake in UK children and adolescents: a comparison of validated dietary assessment tools. <i>BMC Nutrition</i> , 2019, 5, 53.  | 0.6 | 16        |
| 30176 | Reliability of measurement of active trunk movement in wheelchair basketball players. <i>PLoS ONE</i> , 2019, 14, e0225515.   | 1.1 | 7         |
| 30177 | Effect of site of sample collection and prandial state on blood glucose concentrations measured with a portable blood glucose meter in healthy dogs. <i>American Journal of Veterinary Research</i> , 2019, 80, 995-1000.   | 0.3 | 4         |
| 30178 | Evaluation of a Tap-Based Smartphone App for Heart Rate Assessment During Asphyxia in a Porcine Model of Neonatal Resuscitation. <i>Frontiers in Pediatrics</i> , 2019, 7, 453.   | 0.9 | 5         |
| 30179 | Reliability and Criterion Validity of the Assess2Perform Bar Sensei. <i>Sports</i> , 2019, 7, 230.  | 0.7 | 6         |
| 30180 | Validity of the wall goniometer as a screening tool to detect postural abnormalities in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2019, 69, 159-165.   | 1.1 | 20        |
| 30181 | Lumbar muscles biomechanical characteristics in young people with chronic spinal pain. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 559.  | 0.8 | 19        |
| 30182 | Unconstrained Vital Sign Monitoring System Using an Aortic Pulse Wave Sensor. <i>Scientific Reports</i> , 2019, 9, 17475.   | 1.6 | 6         |
| 30183 | Are the measurement properties of incremental exercise tests similar between patients with COPD and CHF?. <i>Chronic Respiratory Disease</i> , 2019, 16, 147997311988796.   | 1.0 | 3         |
| 30184 | ANÁLISE DE FÓRMULAS DE ESTIMATIVA DE PESO E ALTURA EM ADULTOS JOVENS. <i>DEMETER: Alimentação &amp; Saúde</i> , 2019, 14, e35793.   | 0.2 | 0         |
| 30185 | Respiration Monitoring for Premature Neonates in NICU. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 5246.   | 1.3 | 13        |
| 30186 | Agreement between Opal and G-Walk Wearable Inertial Systems in Gait Analysis on Normal and Pathological Subjects. , 2019, 2019, 3286-3289.  |     | 31        |
| 30187 | Nonarticular Base and Shaft Fractures of Children's™ Fingers: Are Follow-up X-rays Needed? Retrospective Study of Conservatively Treated Proximal and Middle Phalangeal Fractures. <i>Journal of Pediatric Orthopaedics</i> , 2019, 39, e657-e660.  | 0.6 | 13        |
| 30188 | Performance of Electrical Velocimetry for Noninvasive Cardiac Output Measurements in Perioperative Patients After Subarachnoid Hemorrhage. <i>Journal of Neurosurgical Anesthesiology</i> , 2019, 31, 422-427.  | 0.6 | 7         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30189 | The Fear of Tinnitus Questionnaire: Toward a Reliable and Valid Means of Assessing Fear in Adults with Tinnitus. <i>Ear and Hearing</i> , 2019, 40, 1467-1477.   | 1.0 | 9         |
| 30190 | Generation and Validation of a Limited Sampling Strategy to Monitor Mycophenolic Acid Exposure in Children With Nephrotic Syndrome. <i>Therapeutic Drug Monitoring</i> , 2019, 41, 696-702.  | 1.0 | 16        |
| 30191 | The association of home and accurately measured office blood pressure with coronary artery calcification among general Japanese men. <i>Journal of Hypertension</i> , 2019, 37, 1676-1681.   | 0.3 | 7         |
| 30192 | The Clinical Interpretation of Changes in Intraocular Pressure Measurements Using Goldmann Applanation Tonometry: A Review. <i>Journal of Glaucoma</i> , 2019, 28, 302-306.  | 0.8 | 22        |
| 30193 | Laboratory Validation of Hexoskin Biometric Shirt at Rest, Submaximal Exercise, and Maximal Exercise While Riding a Stationary Bicycle. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, e104-e111.             | 0.9 | 23        |
| 30194 | Reproducibility of normalized apparent diffusion coefficient measurements on 3.0-T diffusion-weighted imaging of normal pancreas in a healthy population. <i>Medicine (United States)</i> , 2019, 98, e15104.                        | 0.4 | 6         |
| 30195 | Breast Density Assessment in Young Women with Ultrasound based on Speed of Sound: Influence of the Menstrual Cycle. <i>Medicine (United States)</i> , 2019, 98, e16123.  | 0.4 | 7         |
| 30196 | A Symptom Self-report Tool for Children With Inflammatory Bowel Disease (IBDnow). <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2019, 69, e7-e12.   | 0.9 | 5         |
| 30197 | Measuring Adherence to Antiretroviral Therapy via Hair Concentrations in India. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 81, 202-206.   | 0.9 | 18        |
| 30198 | A Field Evaluation of Point-of-Care Creatinine Testing Within a Large PrEP Implementation Program in Western Kenya. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 82, e8-e10.                                | 0.9 | 7         |
| 30199 | Automated Detection and Segmentation of Multiple Sclerosis Lesions Using Ultra-High-Field MP2RAGE. <i>Investigative Radiology</i> , 2019, 54, 356-364.   | 3.5 | 34        |
| 30200 | <sc>ASVCP</sc> Guidelines: Principles of Quality Assurance and Standards for Veterinary Clinical Pathology (version 3.0). <i>Veterinary Clinical Pathology</i> , 2019, 48, 542-618.  | 0.3 | 78        |
| 30201 | Validity of the Wattbike 3-Minute Aerobic Test: Measurement and Estimation of $\dot{V}O_2$ max. <i>Journal of Strength and Conditioning Research</i> , 2022, 36, 400-404.  | 1.0 | 3         |
| 30202 | Sex Differences in Recovery From Sprint Interval Exercise. <i>Journal of Strength and Conditioning Research</i> , 2022, 36, e41-e48.   | 1.0 | 4         |
| 30203 | Oxygen Uptake of Wave Surfers and Complementary Parameters in Front Crawl and Surfing-Paddling Tests. <i>Journal of Strength and Conditioning Research</i> , 2019, Publish Ahead of Print, 2645-2650.                                | 1.0 | 2         |
| 30204 | <p>Can Venous Blood Gas Be Used as an Alternative to Arterial Blood Gas in Intubated Patients at Admission to the Emergency Department? A Retrospective Study</p>. <i>Open Access Emergency Medicine</i> , 2019, Volume 11, 305-312. | 0.6 | 11        |
| 30205 | Assessing the Feasibility of Using Sentinel-2 Imagery to Quantify the Impact of Heatwaves on Irrigated Vineyards. <i>Remote Sensing</i> , 2019, 11, 2869.  | 1.8 | 29        |
| 30206 | Multi-Site Photoplethysmographic and Electrocardiographic System for Arterial Stiffness and Cardiovascular Status Assessment. <i>Sensors</i> , 2019, 19, 5570.   | 2.1 | 18        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 30207 | Comparing face-to-face and videoconference completion of the Montreal Cognitive Assessment (MoCA) in community-based survivors of stroke. <i>Journal of Telemedicine and Telecare</i> , 2021, 27, 484-492.                                | 1.4 | 36        |
| 30208 | FreeHear: A New Sound-Field Speech-in-Babble Hearing Assessment Tool. <i>Trends in Hearing</i> , 2019, 23, 233121651987237.   | 0.7 | 14        |
| 30209 | An accurate interactive segmentation and volume calculation of orbital soft tissue for orbital reconstruction after enucleation. <i>BMC Ophthalmology</i> , 2019, 19, 256.  | 0.6 | 4         |
| 30210 | MOBility assessment with modern TEChnology in older patientsâ€™ real-life by the General Practitioner: the MOBITEC-GP study protocol. <i>BMC Public Health</i> , 2019, 19, 1703.  | 1.2 | 15        |
| 30211 | Design and validation of a food frequency questionnaire (FFQ) for the nutritional evaluation of food intake in the Peruvian Amazon. <i>Journal of Health, Population and Nutrition</i> , 2019, 38, 47.                                    | 0.7 | 9         |
| 30212 | Standardizing Analytic Methods and Reporting in Activity Monitor Validation Studies. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 1767-1780.  | 0.2 | 69        |
| 30213 | Thermodilution vs estimated Fick cardiac output measurement in an elderly cohort of patients: A single-centre experience. <i>PLoS ONE</i> , 2019, 14, e0226561.   | 1.1 | 10        |
| 30214 | Validation of noninvasive focal depth measurements to determine epithelial thickness of the vaginal wall. <i>Menopause</i> , 2019, 26, 1160-1165.   | 0.8 | 13        |
| 30215 | Contactless Anesthesia Monitoring in Spontaneously Breathing Rodents. , 2019, 2019, 6077-6080.  |     | 1         |
| 30216 | Validation of a consumer-grade activity monitor for continuous daily activity monitoring in individuals with multiple sclerosis. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2019, 5, 205521731988866. | 0.5 | 15        |
| 30217 | Investigation of the accuracy of a noninvasive continuous blood pressure device in different age groups and its ability in detecting hypertension and hypotension: an observational study. <i>BMC Anesthesiology</i> , 2019, 19, 223.     | 0.7 | 10        |
| 30218 | Wearable Sleep Technology in Clinical and Research Settings. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 1538-1557.  | 0.2 | 270       |
| 30219 | Comparison of Lactate and Electromyographical Thresholds After an Exercise Bout. <i>Journal of Strength and Conditioning Research</i> , 2019, 33, 3322-3331.  | 1.0 | 0         |
| 30220 | Reliability and Validity of a Pool-Based Maximal Oxygen Uptake Test to Examine High-Intensity Short-Duration Freestyle Swimming Performance. <i>Journal of Strength and Conditioning Research</i> , 2019, 33, 1208-1215.                  | 1.0 | 3         |
| 30222 | Subjective sensitivity data: Considerations to treat heteroscedasticity. <i>Cogent Medicine</i> , 2019, 6, 1673086.   | 0.7 | 10        |
| 30223 | Classifications in Brief: The Dejour Classification of Trochlear Dysplasia. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 2380-2386.   | 0.7 | 40        |
| 30224 | An Evaluation of the IOLMaster 700. <i>Eye and Contact Lens</i> , 2019, 45, 117-123.  | 0.8 | 49        |
| 30225 | Reproducibility and relative validity of a newly developed web-based food-frequency questionnaire for assessment of preconception diet. <i>BMC Nutrition</i> , 2019, 5, 47.   | 0.6 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30226 | Mapping the EORTC QLQ-C30 and QLQ-H&N35 to the EQ-5D for head and neck cancer: Can disease-specific utilities be obtained?. <i>PLoS ONE</i> , 2019, 14, e0226077.  | 1.1 | 15        |
| 30227 | In-Water and On-Land Swimmersâ€™ Symmetry and Force Production. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 5018.   | 1.2 | 17        |
| 30228 | A low-cost monitor for simultaneous measurement of fine particulate matter and aerosol optical depth â€” Part 1: Specifications and testing. <i>Atmospheric Measurement Techniques</i> , 2019, 12, 5431-5441.  | 1.2 | 12        |
| 30229 | A low-cost 2-D video system can accurately and reliably assess adaptive gait kinematics in healthy and low vision subjects. <i>Scientific Reports</i> , 2019, 9, 18385.  | 1.6 | 21        |
| 30230 | Agreement and Precision Analyses of Various Estimated Glomerular Filtration Rate Formulae in Cancer Patients. <i>Scientific Reports</i> , 2019, 9, 19356.  | 1.6 | 28        |
| 30231 | Facial expressions of pain in cats: the development and validation of a Feline Grimace Scale. <i>Scientific Reports</i> , 2019, 9, 19128.  | 1.6 | 108       |
| 30232 | Comparison of different methods for the estimation of aortic pulse wave velocity from 4D flow cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 75.           | 1.6 | 26        |
| 30233 | Objective Measurement of Local Rod and Cone Function Using Gaze-Controlled Chromatic Pupil Campimetry in Healthy Subjects. <i>Translational Vision Science and Technology</i> , 2019, 8, 19.                   | 1.1 | 28        |
| 30234 | Lesion measurement on a combined â€œall-in-oneâ€• window for chest CT: effect on intra- and interobserver variability. <i>Cancer Imaging</i> , 2019, 19, 78.   | 1.2 | 2         |
| 30235 | Modification of the Neuropathic Pain Symptom Inventory for use in eye pain (NPSI-Eye). <i>Pain</i> , 2019, 160, 1541-1550.   | 2.0 | 53        |
| 30236 | Validity and Reliability of Firefighting Simulation Test Performance. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, 479-483.   | 0.9 | 9         |
| 30237 | Comparison of clot-based and chromogenic assay for the determination of protein c activity. <i>Blood Coagulation and Fibrinolysis</i> , 2019, 30, 156-160.   | 0.5 | 14        |
| 30238 | Standardization of Cranial Index Measurement in Sagittal Craniosynostosis. <i>Journal of Craniofacial Surgery</i> , 2019, 30, 366-369.   | 0.3 | 14        |
| 30239 | Wales Anaerobic Test. <i>Journal of Strength and Conditioning Research</i> , 2019, Publish Ahead of Print, .   | 1.0 | 3         |
| 30240 | Agreement and Reproducibility of Proton Density Fat Fraction Measurements Using Commercial MR Sequences Across Different Platforms. <i>Investigative Radiology</i> , 2019, 54, 517-523.                        | 3.5 | 13        |
| 30241 | Migraine understood as a sensory threshold disease. <i>Pain</i> , 2019, 160, 1494-1501.  | 2.0 | 80        |
| 30242 | Validation and Critical Evaluation of the Effective Arterial Elastance in Critically Ill Patients. <i>Critical Care Medicine</i> , 2019, 47, e317-e324.  | 0.4 | 15        |
| 30243 | Accuracy of 6 Commercially Available Activity Monitors in Measuring Heart Rate, Caloric Expenditure, Steps Walked, and Distance Traveled. <i>Cardiopulmonary Physical Therapy Journal</i> , 2019, 30, 153-161. | 0.2 | 6         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 30244 | Comparison of Diagnostic Power of Optic Nerve Head and Posterior Sclera Configuration Parameters on Myopic Normal Tension Glaucoma. <i>Journal of Glaucoma</i> , 2019, 28, 834-842.   | 0.8 | 4         |
| 30245 | Preoperative breast volume evaluation of one-stage immediate breast reconstruction using three-dimensional surface imaging and a printed mold. <i>Journal of the Chinese Medical Association</i> , 2019, 82, 732-739.                           | 0.6 | 15        |
| 30246 | Comparison of Dynamic Retinoscopy and Autorefractometry for Measurement of Accommodative Amplitude. <i>Optometry and Vision Science</i> , 2019, 96, 670-677.  | 0.6 | 13        |
| 30247 | New On-Water Test for the Assessment of Blood Lactate Response to Exercise in Elite Kayakers. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 2595-2602.   | 0.2 | 3         |
| 30248 | New physiological bench test reproducing nocturnal breathing pattern of patients with sleep disordered breathing. <i>PLoS ONE</i> , 2019, 14, e0225766.   | 1.1 | 1         |
| 30249 | Validity of the 6-Minute Walk Test and YMCA Submaximal Cycle Test During Midpregnancy. <i>Journal of Strength and Conditioning Research</i> , 2021, 35, 3236-3242.  | 1.0 | 3         |
| 30250 | A Biophysical Analysis on the Arm Stroke Efficiency in Front Crawl Swimming: Comparing Methods and Determining the Main Performance Predictors. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4715.      | 1.2 | 21        |
| 30251 | Reassessment of the Accuracy of Cardiac Doppler Pulmonary Artery Pressure Measurements in Ventilated ICU Patients: A Simultaneous Doppler-Catheterization Study*. <i>Critical Care Medicine</i> , 2019, 47, 41-48.                              | 0.4 | 18        |
| 30252 | Respiratory Variability of Pulmonary Velocity-Time Integral As a New Gauge of Fluid Responsiveness For Mechanically Ventilated Patients in the ICU*. <i>Critical Care Medicine</i> , 2019, 47, e310-e316.                                       | 0.4 | 9         |
| 30253 | Effects of Optical Correction Method on the Magnitude and Variability of Accommodative Response: A Test-retest Study. <i>Optometry and Vision Science</i> , 2019, 96, 568-578.  | 0.6 | 4         |
| 30254 | Field Suitability and Diagnostic Accuracy of the Biocentric Open Real-Time PCR Platform for Dried Blood Spot-Based HIV Viral Load Quantification in Eswatini. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 82, 96-104. | 0.9 | 5         |
| 30255 | Validity of Cardiorespiratory Fitness Measured with Fitbit Compared to VĚ™O2max. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 2251-2256.  | 0.2 | 18        |
| 30256 | AltitudeOmics: Spontaneous Baroreflex Sensitivity During Acclimatization to 5,260 m: A Comparison of Methods. <i>Frontiers in Physiology</i> , 2019, 10, 1505.  | 1.3 | 1         |
| 30258 | Design and Evaluation of a Wireless Electrocardiogram Monitor in an Operating Room. <i>Anesthesia and Analgesia</i> , 2019, 129, 991-996.   | 1.1 | 2         |
| 30259 | What Is the Reliability and Accuracy of Intraoperative Fluoroscopy in Evaluating Anterior, Lateral, and Posterior Coverage During Periacetabular Osteotomy?. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 1138-1144.          | 0.7 | 12        |
| 30260 | Reproducibility of a Short-Form, Multicomponent Dietary Questionnaire to Assess Food Frequency Consumption, Nutrition Knowledge, and Lifestyle (SF-FFQ4PolishChildren) in Polish Children and Adolescents. <i>Nutrients</i> , 2019, 11, 2929.   | 1.7 | 17        |
| 30261 | Real-time impedimetric droplet measurement (iDM). <i>Lab on A Chip</i> , 2019, 19, 3815-3824.   | 3.1 | 19        |
| 30262 | 42 Total Shoulder Arthroplasty. , 2019, , .   |     | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30263 | Improved Sensitivity and Selectivity of Direct Localized Surface Plasmon Resonance Sensor Using Gold Nanobipyramids for Glyphosate Detection. <i>IEEE Sensors Journal</i> , 2020, 20, 2378-2389.   | 2.4 | 23        |
| 30264 | Use of A Neural Network-Based Ocean Body Radiative Transfer Model for Aerosol Retrievals from Multi-Angle Polarimetric Measurements. <i>Remote Sensing</i> , 2019, 11, 2877.   | 1.8 | 20        |
| 30265 | Existe-t-il encore une place au traitement fonctionnel des fractures trans-cervicales type Garden 1? Utilisation d'un nouveau paramètre scanographique à la mesure de l'angle d'impaction du col fémoral afin de préciser les indications du traitement fonctionnel. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2019, 105, 326-331. | 0.0 | 0         |
| 30266 | Pleural fluid glucose testing using a finger stick glucometer: a novel bedside test. <i>Journal of Thoracic Disease</i> , 2019, 11, 4904-4908.   | 0.6 | 2         |
| 30267 | Echo Intensity Reliability for the Analysis of Different Muscle Areas in Athletes. <i>Journal of Strength and Conditioning Research</i> , 2019, 33, 3353-3360.   | 1.0 | 9         |
| 30268 | Anaerobic Threshold in a Water-Based Exercise: Agreement Between Heart Rate Deflection Point and Lactate Threshold Methods. <i>Journal of Strength and Conditioning Research</i> , 2021, 35, 2472-2478.  | 1.0 | 5         |
| 30269 | Psychometric analysis of Epworth Sleepiness Scale and its correlation with Pittsburgh sleep quality index in poor sleepers among Indian university students. <i>International Journal of Adolescent Medicine and Health</i> , 2019, 31, .  | 0.6 | 9         |
| 30270 | Accelerating chemical exchange saturation transfer (CEST) MRI with parallel blind compressed sensing. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 504-513.   | 1.9 | 22        |
| 30271 | Effect of Dual-Source Radiofrequency Transmission on Left Ventricular Measurements and Measurement Reproducibility at 3.0 T Cardiac MR Imaging: Comparison with Conventional Single-Source Transmission Reference. <i>Academic Radiology</i> , 2019, 26, e56-e66.  | 1.3 | 0         |
| 30272 | The Influence of Auditory Feedback and Vocal Rehabilitation on Prelingual Hearing-Impaired Individuals Post Cochlear Implant. <i>Journal of Voice</i> , 2019, 33, 947.e1-947.e9.   | 0.6 | 11        |
| 30273 | Accuracy and Interobserver Reliability of the Simplified Pulmonary Embolism Severity Index Versus the Hestia Criteria for Patients With Pulmonary Embolism. <i>Academic Emergency Medicine</i> , 2019, 26, 394-401.  | 0.8 | 16        |
| 30274 | PTH assays in dialysis patients: Practical considerations. <i>Seminars in Dialysis</i> , 2019, 32, 9-14.   | 0.7 | 2         |
| 30275 | The role of contrast-enhanced computed tomography to detect renal stones. <i>Abdominal Radiology</i> , 2019, 44, 652-660.  | 1.0 | 7         |
| 30276 | Validity of the EQ-5D-5L and EQ-5D-3L in patients with Crohn's disease. <i>Quality of Life Research</i> , 2019, 28, 141-152.   | 1.5 | 41        |
| 30277 | Effects of two translated phrases of distress thermometer on screening distress in Chinese cancer patients: A comparative study. <i>Journal of Clinical Nursing</i> , 2019, 28, 828-835.   | 1.4 | 8         |
| 30278 | Glutamate-sensitive imaging and evaluation of cognitive impairment in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2019, 25, 1580-1592.   | 1.4 | 22        |
| 30279 | Intrascanner Reproducibility of an SPM-Based Head MR-Based Attenuation Correction Method. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , 2019, 3, 327-333.  | 2.7 | 9         |
| 30280 | Precision and reproducibility of automated computer-guided Psoriasis Area and Severity Index measurements in comparison with trained physicians. <i>British Journal of Dermatology</i> , 2019, 180, 390-396.   | 1.4 | 26        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 30281 | Nonradiographic Measurement of Hallux Valgus Angle Using Self-photography. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019, 49, 80-86.   | 1.7 | 10        |
| 30282 | Carotid stiffness and atherosclerotic risk: non-invasive quantification with ultrafast ultrasound pulse wave velocity. <i>European Radiology</i> , 2019, 29, 1507-1517.   | 2.3 | 26        |
| 30283 | Immediate Postnatal Ventricular Performance Is Associated with Mortality in Hypoplastic Left Heart Syndrome. <i>Pediatric Cardiology</i> , 2019, 40, 168-176.   | 0.6 | 12        |
| 30284 | Differences in Two- and Three-Dimensional Assessment of the Mitral Valve by Novices and Experts, Illustrated Using Anterior Mitral Valve Leaflet Length. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2019, 33, 1022-1028.        | 0.6 | 2         |
| 30285 | Reliability and validity of a motion-based reaction time assessment using a mobile device. <i>Applied Neuropsychology Adult</i> , 2019, 26, 558-563.  | 0.7 | 10        |
| 30286 | Reproducibility of native T <sub>1</sub> mapping for renal tissue characterization at 3T. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 588-596.   | 1.9 | 15        |
| 30287 | A novel approach to skull base and orbital osteotomies through virtual planning and navigation. <i>Laryngoscope</i> , 2019, 129, 823-831.   | 1.1 | 14        |
| 30288 | Evaluation of atrial septal defects with 4D flow MRI—multilevel and inter-reader reproducibility for quantification of shunt severity. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2019, 32, 269-279.               | 1.1 | 34        |
| 30289 | Analysing blood from intraosseous access: a systematic review. <i>European Journal of Emergency Medicine</i> , 2019, 26, 77-85.   | 0.5 | 6         |
| 30290 | Coronary fractional flow reserve derived from intravascular ultrasound imaging: Validation of a new computational method of fusion between anatomy and physiology. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 93, 266-274. | 0.7 | 24        |
| 30291 | Ultrasound Characteristics of Foot and Ankle Structures in Healthy, Coper, and Chronically Unstable Ankles. <i>Journal of Ultrasound in Medicine</i> , 2019, 38, 917-926.   | 0.8 | 19        |
| 30292 | Hindbrain morphometry and choroid plexus position in differential diagnosis of posterior fossa cystic malformations. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 54, 207-214.  | 0.9 | 21        |
| 30293 | School-based language screening among primary school children using telepractice: A feasibility study from India. <i>International Journal of Speech-Language Pathology</i> , 2019, 21, 425-434.  | 0.6 | 18        |
| 30294 | Z Score Reference Ranges of Fetal Cardiothoracic Diameter Ratio. <i>Journal of Ultrasound in Medicine</i> , 2019, 38, 999-1007.   | 0.8 | 12        |
| 30295 | Abnormal aortic stiffness in patients with bicuspid aortic valve: phenotypic variation determined by magnetic resonance imaging. <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 133-141.                                    | 0.7 | 12        |
| 30296 | Reliability and validity of last menstrual period for gestational age estimation in a low-to-middle-income setting. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019, 45, 217-225.  | 0.6 | 28        |
| 30297 | Evaluating the Sensoria Smart Socks Gait Monitoring System for Rehabilitation Outcomes. <i>PM and R</i> , 2019, 11, 512-521.  | 0.9 | 14        |
| 30298 | ABC/2 estimation in intracerebral hemorrhage: A comparison study between emergency radiologists and emergency physicians. <i>American Journal of Emergency Medicine</i> , 2019, 37, 1818-1822.  | 0.7 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 30299 | Reliability of resting energy expenditure in major burns: Comparison between measured and predictive equations. <i>Clinical Nutrition</i> , 2019, 38, 2763-2769.  | 2.3 | 9         |
| 30300 | Cytokine, glycemic, and insulinemic responses to an acute bout of games-based activity in adolescents. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019, 29, 597-605.                           | 1.3 | 13        |
| 30301 | Test-retest reliability of and age-related changes in the subjective postural vertical on the diagonal plane in healthy subjects. <i>Attention, Perception, and Psychophysics</i> , 2019, 81, 590-597.              | 0.7 | 5         |
| 30302 | Total body water and water compartments assessment in athletes: Validity of multi-frequency bioelectrical impedance. <i>Science and Sports</i> , 2019, 34, e307-e313.   | 0.2 | 5         |
| 30303 | Investigating the effects of various testing parameters on Cerchar abrasivity index and its repeatability. <i>Wear</i> , 2019, 418-419, 61-74.  | 1.5 | 8         |
| 30304 | Correction of QCT vBMD using MRI measurements of marrow adipose tissue. <i>Bone</i> , 2019, 120, 504-511.   | 1.4 | 10        |
| 30305 | Feasibility of a quantitative polymerase chain reaction assay for diagnosing pneumococcal pneumonia using oropharyngeal swabs. <i>Molecular Biology Reports</i> , 2019, 46, 1013-1021.                              | 1.0 | 1         |
| 30306 | Repeatability of measuring knee flexion angles with wearable inertial sensors. <i>Knee</i> , 2019, 26, 97-105.  | 0.8 | 15        |
| 30307 | Evaluation of inert gas rebreathing for determination of cardiac output: influence of age, gender and body size. <i>Hypertension Research</i> , 2019, 42, 834-844.  | 1.5 | 11        |
| 30308 | Interoperator Reproducibility of Carotid Elastography for Identification of Vulnerable Atherosclerotic Plaques. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2019, 66, 505-516. | 1.7 | 15        |
| 30309 | Stability of insulin and C-peptide measurement with long-term frozen storage of serum: Implications for diabetes research studies. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 1058-1060.                   | 2.2 | 2         |
| 30310 | Evaluation of the Precision Xtra meter for monitoring blood $\beta$ -hydroxybutyrate concentrations in late-gestation ewes. <i>Journal of Veterinary Diagnostic Investigation</i> , 2019, 31, 17-22.                | 0.5 | 4         |
| 30311 | Capnodynamic determination of cardiac output in hypoxia-induced pulmonary hypertension in pigs. <i>British Journal of Anaesthesia</i> , 2019, 122, 335-341.   | 1.5 | 8         |
| 30312 | Influence of the measurement method and sample dimensions on the Young's modulus of open porous alumina foam structures. <i>Ceramics International</i> , 2019, 45, 5987-5995.                                       | 2.3 | 11        |
| 30313 | Glomerular filtration rate: when to measure and in which patients?. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 2001-2007.   | 0.4 | 26        |
| 30314 | Methods for assessment of Vitamin D. , 2019, , 49-77.   |     | 3         |
| 30315 | The decline step-down test measuring the maximum pain-free flexion angle: A reliable and valid performance test in patients with patellofemoral pain. <i>Physical Therapy in Sport</i> , 2019, 36, 43-50.           | 0.8 | 7         |
| 30316 | Reproducibility of diaphragmatic thickness measured by M-mode ultrasonography in healthy volunteers. <i>Respiratory Physiology and Neurobiology</i> , 2019, 260, 58-62.   | 0.7 | 25        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 30317 | Development and evaluation of an arterial spin-labeling digital reference object for quality control and comparison of data analysis applications. <i>Physics in Medicine and Biology</i> , 2019, 64, 02NT01.   | 1.6 | 3         |
| 30318 | Validity and reliability of a freehand 3D ultrasound system for the determination of triceps surae muscle volume in children with cerebral palsy. <i>Journal of Anatomy</i> , 2019, 234, 384-391.   | 0.9 | 24        |
| 30319 | Assessment of System Accuracy, Intermediate Measurement Precision, and Measurement Repeatability of a Blood Glucose Monitoring System Based on ISO 15197. <i>Journal of Diabetes Science and Technology</i> , 2019, 13, 235-241.  | 1.3 | 2         |
| 30320 | Near-real-time pulmonary shunt and dead space measurement with micropore membrane inlet mass spectrometry in pigs with induced pulmonary embolism or acute lung failure. <i>Journal of Clinical Monitoring and Computing</i> , 2019, 33, 1033-1041.   | 0.7 | 2         |
| 30321 | The Polish version of the Boston Carpal Tunnel Questionnaire: Associations between patient-rated outcome measures and nerve conduction studies. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2019, 72, 924-932.  | 0.5 | 15        |
| 30322 | Repeatability of diffusion-weighted MRI of the prostate using whole lesion ADC values, skew and histogram analysis. <i>European Journal of Radiology</i> , 2019, 110, 22-29.  | 1.2 | 37        |
| 30323 | Anatomical reference marks, evaluation parameters and reproducibility of surface topography for evaluating the adolescent idiopathic scoliosis: a systematic review with meta-analysis. <i>Gait and Posture</i> , 2019, 69, 112-120.  | 0.6 | 14        |
| 30324 | Comparison of Indirect Calorimetry- and Accelerometry-Based Energy Expenditure during Object Project Skill Performance. <i>Measurement in Physical Education and Exercise Science</i> , 2019, 23, 148-158.  | 1.3 | 10        |
| 30325 | Repeatability assessment of biometric measurements with different refractive states and age using a swept-source biometer. <i>Expert Review of Medical Devices</i> , 2019, 16, 63-69.   | 1.4 | 15        |
| 30326 | Comparison of methods for measuring antibiotic consumption in an intensive care unit. <i>Apmis</i> , 2019, 127, 33-40.  | 0.9 | 4         |
| 30327 | Quantitative assessment of left ventricular size and function in cardiac transplant recipients: Side-by-side comparison of real time two-dimensional echocardiography, contrast-enhanced two-dimensional echocardiography, three-dimensional echocardiography, and contrast-enhanced three-dimensional echocardiography as compared to magnetic resonance imaging. <i>Echocardiography</i> , 2019, 36, 306-311. | 0.3 | 6         |
| 30328 | IgG1 and IgG4 antibodies against <i>Aedes aegypti</i> salivary proteins and risk for dengue infections. <i>PLoS ONE</i> , 2019, 14, e0208455.   | 1.1 | 20        |
| 30329 | Field Performance and Diagnostic Accuracy of a Low-Cost Instrument-Free Point-of-Care CD4 Test (Visitect CD4) Performed by Different Health Worker Cadres among Pregnant Women. <i>Journal of Clinical Microbiology</i> , 2019, 57, .   | 1.8 | 16        |
| 30330 | Anesthesia depth monitoring using alternative placement of entropy sensors: a prospective study. <i>Journal of Clinical Monitoring and Computing</i> , 2019, 33, 871-876.   | 0.7 | 1         |
| 30331 | Cold evoked potentials: Acquisition from cervical dermatomes. <i>Neurophysiologie Clinique</i> , 2019, 49, 49-57.   | 1.0 | 8         |
| 30332 | Pathogenic TERT promoter variants in telomere diseases. <i>Genetics in Medicine</i> , 2019, 21, 1594-1602.  | 1.1 | 37        |
| 30333 | The QuantiPhage assay: A novel method for the rapid colorimetric detection of coliphages using cellulose pad materials. <i>Water Research</i> , 2019, 149, 98-110.  | 5.3 | 10        |
| 30334 | Translation, cross-cultural adaptation, validity, reliability and stability of the Dutch Injury - Psychological Readiness to Return to Sport (I-PRRS-NL) scale. <i>Journal of Sports Sciences</i> , 2019, 37, 1038-1045.  | 1.0 | 10        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30335 | VERDICT&#x2013;AMICO: Ultrafast fitting algorithm for non&#x2013;invasive prostate microstructure characterization. <i>NMR in Biomedicine</i> , 2019, 32, e4019.   | 1.6 | 19        |
| 30336 | Reliability and Validity of Postural Evaluations with Kinect v2 Sensor Ergonomic Evaluation System. <i>Advances in Intelligent Systems and Computing</i> , 2019, , 86-99.  | 0.5 | 3         |
| 30337 | Applicability of a field portable X-ray fluorescence for analyzing elemental concentration of waste samples. <i>Waste Management</i> , 2019, 83, 6-13.   | 3.7 | 16        |
| 30338 | Skeletal-versus soft-tissue-based cephalometric analyses: is the correlation reproducible?. <i>Acta Odontologica Scandinavica</i> , 2019, 77, 135-141.   | 0.9 | 6         |
| 30339 | A review of optical methods for continuous glucose monitoring. <i>Applied Spectroscopy Reviews</i> , 2019, 54, 543-572.  | 3.4 | 74        |
| 30340 | Reproducibility of Hemodynamic, Cardiac Autonomic Modulation, and Blood Flow Assessments in Patients with Intermittent Claudication. <i>Annals of Vascular Surgery</i> , 2019, 57, 144-151.  | 0.4 | 0         |
| 30341 | Inter-rater and inter-device reliability of mechanical thresholds measurement with the Electronic von Frey Anaesthesiometer and the SMALGO in healthy cats. <i>Journal of Feline Medicine and Surgery</i> , 2019, 21, 979-984.                                     | 0.6 | 5         |
| 30342 | Improvement of the <sup>15</sup> N gas flux method for <i>in situ</i> measurement of soil denitrification and its product stoichiometry. <i>Rapid Communications in Mass Spectrometry</i> , 2019, 33, 437-448.   | 0.7 | 22        |
| 30343 | Esophageal Diameters in Children Correlated to Body Weight. <i>European Journal of Pediatric Surgery</i> , 2019, 29, 528-532.  | 0.7 | 8         |
| 30344 | Performance of PROMIS Global-10 Compared With Legacy Instruments for Rotator Cuff Disease. <i>American Journal of Sports Medicine</i> , 2019, 47, 181-188.   | 1.9 | 27        |
| 30345 | The accuracy and trending ability of cardiac index measured by the fourth-generation FloTrac/Vigileo system, and the Fick method in cardiac surgery patients. <i>Journal of Clinical Monitoring and Computing</i> , 2019, 33, 767-776.                             | 0.7 | 18        |
| 30346 | Design and development of a low-cost mask-type eye tracker to collect quality fixation measurements in the sport domain. <i>Proceedings of the Institution of Mechanical Engineers, Part P: Journal of Sports Engineering and Technology</i> , 2019, 233, 116-125. | 0.4 | 2         |
| 30347 | Spatial Inhomogeneity of Cardiac Norepinephrine Transport Protein and Meta-[123I]iodobenzylguanidine Uptake in Swine Myocardial Tissue. <i>Molecular Imaging and Biology</i> , 2019, 21, 482-490.  | 1.3 | 1         |
| 30348 | Establishment of a normative database and evaluation of the test-retest repeatability of the Spaeth/Richman contrast sensitivity test. <i>Japanese Journal of Ophthalmology</i> , 2019, 63, 73-81.   | 0.9 | 5         |
| 30349 | The Grocery Purchase Quality Index-2016 Performs Similarly to the Healthy Eating Index-2015 in a National Survey of Household Food Purchases. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2019, 119, 45-56.   | 0.4 | 15        |
| 30350 | Evaluation of non&#x2013;monoexponential diffusion models for hepatocellular carcinoma using b values up to 2000 s/mm <sup>2</sup> : A short&#x2013;term repeatability study. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 297-304.                    | 1.9 | 10        |
| 30351 | Development and validation of an android-based application for anaesthesia neuromuscular monitoring. <i>Journal of Clinical Monitoring and Computing</i> , 2019, 33, 863-870.  | 0.7 | 6         |
| 30352 | A graph-based approach to automated EUS image layer segmentation and abnormal region detection. <i>Neurocomputing</i> , 2019, 336, 79-91.  | 3.5 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 30353 | Assessing the influence of fasted and postprandial states on day-to-day variability of appetite and food preferences. <i>Physiology and Behavior</i> , 2019, 199, 219-228.  | 1.0 | 4         |
| 30354 | Transrectal three-dimensional fetal volumetry and crown-rump length measurement during early gestation in mares: Intra- and inter-observer reliability and agreement. <i>Theriogenology</i> , 2019, 126, 266-271.   | 0.9 | 8         |
| 30355 | The relationship between repeated measurement of casual and 24-h urinary sodium-to-potassium ratio in patients with chronic kidney disease. <i>Journal of Human Hypertension</i> , 2019, 33, 286-297.   | 1.0 | 7         |
| 30357 | Changes of computed tomography-based body composition after adrenalectomy in patients with endogenous hypercortisolism. <i>Clinical Endocrinology</i> , 2019, 90, 267-276.  | 1.2 | 14        |
| 30358 | Early life stress and voluntary alcohol consumption in relation to Maa methylation in male rats. <i>Alcohol</i> , 2019, 79, 7-16.   | 0.8 | 16        |
| 30359 | Are tibial angles measured with inertial sensors useful surrogates for frontal plane projection angles measured using 2-dimensional video analysis during single leg squat tasks? A reliability and agreement study in elite football (soccer) players. <i>Journal of Electromyography and Kinesiology</i> , 2019, 44, 21-30. | 0.7 | 8         |
| 30360 | Translation, cross-cultural adaptation and psychometric properties of the Sleep-Related Breathing Disordered Pediatric Sleep Questionnaire for obese Thai children with obstructive sleep apnea. <i>Sleep Medicine</i> , 2019, 53, 45-50.   | 0.8 | 10        |
| 30361 | P-wave dispersion as a simple tool for screening childhood obstructive sleep apnea syndrome. <i>Sleep Medicine</i> , 2019, 54, 159-163.   | 0.8 | 6         |
| 30362 | Predicting Mortality in Nursing Home Residents With Dementia and Pneumonia Treated With Antibiotics: Validation of a Prediction Model in a More Recent Population. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 1922-1928.  | 1.7 | 6         |
| 30363 | Preoperative Resectability Estimates of Nonenhancing Glioma by Neurosurgeons and a Resection Probability Map. <i>Neurosurgery</i> , 2019, 85, E304-E313.  | 0.6 | 14        |
| 30364 | Design and Validation of a Heart Rate and Speed Monitoring Device With Intelligently Controlled Assistive Rehabilitation Elliptical. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2019, 13, .  | 0.4 | 2         |
| 30365 | Gadolinium-Based Blood Volume Mapping From MRI With Ultrashort TE Versus CT and SPECT for Predicting Postoperative Lung Function in Patients With Non-Small Cell Lung Cancer. <i>American Journal of Roentgenology</i> , 2019, 212, 57-66.  | 1.0 | 6         |
| 30366 | Validity of the Blast Athletic Performance Monitor for Assessing Vertical Jump Height in Female Volleyball Players. <i>Measurement in Physical Education and Exercise Science</i> , 2019, 23, 99-109.   | 1.3 | 4         |
| 30367 | Assessment of Cardiac Output in Neonates. , 2019, , 237-263.  |     | 1         |
| 30368 | Efficiency of the TOF-Cuff for the evaluation of rocuronium-induced neuromuscular block and its reversal with sugammadex: a comparative study vs. acceleromyography. <i>Journal of Anesthesia</i> , 2019, 33, 80-84.  | 0.7 | 10        |
| 30369 | Detection of Benzene and Volatile Aromatic Compounds by Molecularly Imprinted Polymer-Coated Quartz Crystal Microbalance Sensor. <i>IEEE Sensors Journal</i> , 2019, 19, 885-892.   | 2.4 | 26        |
| 30370 | Study of Optimal Perimetric Testing in Children (OPTIC): evaluation of kinetic approaches in childhood neuro-ophthalmic disease. <i>British Journal of Ophthalmology</i> , 2019, 103, 1085-1091.  | 2.1 | 5         |
| 30371 | Deep learning enables automatic quantitative assessment of puborectalis muscle and urogenital hiatus in plane of minimal hiatal dimensions. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 54, 270-275.   | 0.9 | 31        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30372 | Protein measurements in venous plasma, earlobe capillary plasma and in plasma stored on filter paper. <i>Analytical Biochemistry</i> , 2019, 566, 146-150.   | 1.1 | 5         |
| 30373 | Accuracy of self-reported weight in the Women's Health Initiative. <i>Public Health Nutrition</i> , 2019, 22, 1019-1028.   | 1.1 | 45        |
| 30374 | Levels of choline-containing compounds in normal liver and liver metastases of colorectal cancer as recorded by <sup>1</sup> H MRS. <i>NMR in Biomedicine</i> , 2019, 32, e4035.   | 1.6 | 5         |
| 30375 | Inter- and intra-rater reliability of computer-assisted planimetry in experimental stroke research. <i>Journal of Neuroscience Methods</i> , 2019, 312, 12-15.   | 1.3 | 1         |
| 30376 | Comparing patient-reported outcomes entered at home versus at hospital, and testing touch screens for initial recruitment to scientific trials in arthritis patients. <i>Scandinavian Journal of Rheumatology</i> , 2019, 48, 178-184.         | 0.6 | 11        |
| 30377 | Vectorcardiogram in athletes: The Sun Valley Ski Study. <i>Annals of Noninvasive Electrocardiology</i> , 2019, 24, e12614.   | 0.5 | 30        |
| 30378 | Measures of Accuracy for Continuous Glucose Monitoring and Blood Glucose Monitoring Devices. <i>Journal of Diabetes Science and Technology</i> , 2019, 13, 575-583.  | 1.3 | 80        |
| 30379 | Feasibility of Perioperative Micro-Computed Tomography of Human Lung Cancer Specimens: A Pilot Study. <i>Archives of Pathology and Laboratory Medicine</i> , 2019, 143, 319-325.   | 1.2 | 10        |
| 30380 | Quantification of [18F]UCB-H Binding in the Rat Brain: From Kinetic Modelling to Standardised Uptake Value. <i>Molecular Imaging and Biology</i> , 2019, 21, 888-897.  | 1.3 | 10        |
| 30381 | A high-throughput assay pipeline for specific targeting of frizzled GPCRs in cancer. <i>Methods in Cell Biology</i> , 2019, 149, 57-75.  | 0.5 | 17        |
| 30382 | Developing a video-based method to compare and adjust examiner effects in fully nested OSCEs. <i>Medical Education</i> , 2019, 53, 250-263.  | 1.1 | 27        |
| 30383 | Abdominal volume computed tomography assessment of body composition in dogs. <i>BMC Veterinary Research</i> , 2019, 15, 21.  | 0.7 | 7         |
| 30384 | A Novel Whole Spectrum-Based Non-Invasive Screening Device for Neonatal Hyperbilirubinemia. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2019, 23, 2347-2353.  | 3.9 | 17        |
| 30385 | Whole-body biomechanical load in running-based sports: The validity of estimating ground reaction forces from segmental accelerations. <i>Journal of Science and Medicine in Sport</i> , 2019, 22, 716-722.                                    | 0.6 | 22        |
| 30386 | Influence of Sternotomy on Delta Pulse Pressure and Delta Down During Open Chest Cardiac Surgery: A Preliminary Study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2019, 33, 2201-2207.   | 0.6 | 1         |
| 30387 | Preliminary Agreement on Tracking Sleep Between a Wrist-Worn Device Fitbit Alta and Consensus Sleep Diary. <i>Telemedicine Journal and E-Health</i> , 2019, 25, 1189-1197.   | 1.6 | 13        |
| 30388 | Field Performance of PIMA Point-of-Care Machine for CD4 Enumeration Under a Mobile HIV Counseling and Testing Program in Remote Fishing Communities of Lake Victoria, Uganda. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 382-387. | 0.5 | 5         |
| 30389 | Identifying Critical Design Parameters for Improved Body Temperature Measurements: A Clinical Study Comparing Transient and Predicted Temperature Measurements. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2019, 13, .      | 0.4 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30390 | Maximizing botulinum toxin injections for cosmetic and therapeutic applications with a single use, disposable, exact dose injection assist device. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2019, Volume 12, 35-46.   | 0.8 | 5         |
| 30391 | A pilot study of exercise-induced changes in mitochondrial oxygen metabolism measured by a cellular oxygen metabolism monitor (PICOMET). <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019, 1865, 749-758.  | 1.8 | 17        |
| 30392 | French version of the Mini BESTest: A translation and transcultural adaptation study incorporating a reliability analysis for individuals with sensorimotor impairments undergoing functional rehabilitation. <i>Annals of Physical and Rehabilitation Medicine</i> , 2019, 62, 149-154.                 | 1.1 | 5         |
| 30393 | MRI quantitation of abdominal skeletal muscle correlates with CT-based analysis: implications for sarcopenia measurement. <i>Applied Physiology, Nutrition and Metabolism</i> , 2019, 44, 814-819.   | 0.9 | 33        |
| 30394 | Ablation Lesion Characterization in Scarred Substrate Assessed Using Cardiac Magnetic Resonance. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 91-100.  | 1.3 | 29        |
| 30395 | A score using left ventricular diastolic dysfunction to predict 90-day mortality in acute ischemic stroke: The DONE score. <i>Journal of the Neurological Sciences</i> , 2019, 398, 157-162.   | 0.3 | 3         |
| 30396 | The Treadport: Natural Gait on a Treadmill. <i>Human Factors</i> , 2019, 61, 736-748.  | 2.1 | 9         |
| 30397 | The Siconolfi step test: a valid and reliable assessment of cardiopulmonary fitness in older men with prostate cancer. <i>European Review of Aging and Physical Activity</i> , 2019, 16, 1.  | 1.3 | 18        |
| 30398 | Coronary artery calcium scoring with photon-counting CT: first in vivo human experience. <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 733-739.   | 0.7 | 57        |
| 30399 | How to calculate the age at formation of Harris lines? A step-by-step review of current methods and a proposal for modifications to Byers's™ formulas. <i>Archaeological and Anthropological Sciences</i> , 2019, 11, 1169-1185.   | 0.7 | 6         |
| 30400 | Proposition for a shortened version of the Leeds Food Preference Questionnaire (LFPQ). <i>Physiology and Behavior</i> , 2019, 199, 244-251.  | 1.0 | 12        |
| 30401 | Effect of lactation trimester and parity on eating behavior, milk production and efficiency traits of dairy cows. <i>Animal</i> , 2019, 13, 1736-1743.   | 1.3 | 14        |
| 30402 | Breath Sensors for Health Monitoring. <i>ACS Sensors</i> , 2019, 4, 268-280.   | 4.0 | 244       |
| 30403 | Agreement Between Transesophageal Echocardiographic Tricuspid Annular Plane Systolic Excursion Measurement Methods in Cardiac Surgery Patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2019, 33, 717-724.  | 0.6 | 5         |
| 30404 | Reproducibility of Inert Gas Rebreathing Method to Estimate Cardiac Output at Rest and During Cardiopulmonary Exercise Stress Testing. <i>International Journal of Sports Medicine</i> , 2019, 40, 125-132.  | 0.8 | 5         |
| 30405 | 3D printed microfluidic viscometer based on the co-flowing stream. <i>Biomicrofluidics</i> , 2019, 13, 014104.   | 1.2 | 13        |
| 30406 | Magnetic resonance imaging (MRI) compared with computed tomography (CT) for interobserver agreement of gross tumor volume delineation in pancreatic cancer: a multi-institutional contouring study on behalf of the AIRO group for gastrointestinal cancers. <i>Acta Oncologica</i> , 2019, 58, 439-447. | 0.8 | 13        |
| 30407 | Tooth enamel ESR doses and cytogenetic doses of Nagasaki atomic-bomb survivors in comparison with DS02R1 doses. <i>International Journal of Radiation Biology</i> , 2019, 95, 321-328.   | 1.0 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 30408 | Impact of obesity on longitudinal changes to cardiac structure and function in patients with Type 2 diabetes mellitus. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 816-827.  | 0.5 | 6         |
| 30409 | Intravoxel Incoherent Motion Combined With Dynamic Contrast-Enhanced Perfusion MRI of Early Cervical Carcinoma: Correlations Between Multimodal Parameters and HIF-1 $\alpha$ Expression. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 918-929. | 1.9 | 18        |
| 30410 | Scrutinizing the cut-off for "pathological" meniscal body extrusion on knee MRI. <i>European Radiology</i> , 2019, 29, 2616-2623.   | 2.3 | 28        |
| 30411 | Assessment of gait kinetics in post-menopausal women using tri-axial ankle accelerometers during barefoot walking. <i>Gait and Posture</i> , 2019, 69, 85-90.   | 0.6 | 5         |
| 30412 | Validity of a novel method to measure vertical oscillation during running using a depth camera. <i>Journal of Biomechanics</i> , 2019, 85, 182-186.   | 0.9 | 6         |
| 30413 | Exploring the validation of a Japanese version of the International Hip Outcome Tool 12: Reliability, validity, and responsiveness. <i>Journal of Orthopaedic Science</i> , 2019, 24, 652-657.  | 0.5 | 14        |
| 30414 | High-Throughput Video Processing of Heart Rate Responses in Multiple Wild-type Embryonic Zebrafish per Imaging Field. <i>Scientific Reports</i> , 2019, 9, 145.   | 1.6 | 27        |
| 30415 | Carotid pulse wave analysis. <i>Blood Pressure Monitoring</i> , 2019, 24, 1-6.  | 0.4 | 1         |
| 30416 | Functional anal canal length measurement using high-resolution anorectal manometry to investigate anal sphincter dysfunction in patients with fecal incontinence or constipation. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13532.             | 1.6 | 22        |
| 30417 | Machine learning derived segmentation of phase velocity encoded cardiovascular magnetic resonance for fully automated aortic flow quantification. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 1.  | 1.6 | 73        |
| 30418 | The correlation between baseline score and post-intervention score, and its implications for statistical analysis. <i>Trials</i> , 2019, 20, 43.  | 0.7 | 80        |
| 30419 | Should we be moving to a national standardized non-gadolinium MR imaging protocol for the surveillance of vestibular schwannomas?. <i>British Journal of Radiology</i> , 2019, 92, 20180833.  | 1.0 | 6         |
| 30420 | Evaluation of Reliability of the Recomputed Nutrient Intake Data in the National Heart, Lung, and Blood Institute Twin Study. <i>Nutrients</i> , 2019, 11, 109.   | 1.7 | 0         |
| 30421 | Assessment of Breathing Parameters Using an Inertial Measurement Unit (IMU)-Based System. <i>Sensors</i> , 2019, 19, 88.  | 2.1 | 40        |
| 30422 | Objective assessment of the fetal facial profile at second and third trimester of pregnancy. <i>Prenatal Diagnosis</i> , 2019, 39, 107-115.   | 1.1 | 16        |
| 30423 | Test-retest variability of $VO_{2max}$ using total capture indirect calorimetry reveals linear relationship of $VO_{2max}$ and Power. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019, 29, 213-222.                                    | 1.3 | 18        |
| 30424 | Transthoracic echocardiographic assessment of cardiac output in mechanically ventilated critically ill patients by intensive care unit physicians. <i>Brazilian Journal of Anesthesiology (Elsevier)</i> , 2019, 69, 20-26.                                 | 0.2 | 3         |
| 30425 | Assessment of subjective refraction with a clinical adaptive optics visual simulator. <i>Journal of Cataract and Refractive Surgery</i> , 2019, 45, 87-93.  | 0.7 | 27        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 30426 | Weight estimation among multi-racial/ethnic infants and children aged 0–5–9 years in the USA: simple tools for a critical measure. <i>Public Health Nutrition</i> , 2019, 22, 147-156.  | 1.1 | 2         |
| 30427 | Validity of Garmin VĀwofit 1 and Garmin VĀwofit 3 for School-Based Physical Activity Monitoring. <i>Pediatric Exercise Science</i> , 2019, 31, 130-136.   | 0.5 | 18        |
| 30428 | Validation of an inertial measurement unit to determine countermovement jump height. <i>Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology</i> , 2019, 16, 8-13.   | 0.4 | 13        |
| 30429 | Reliability and validity of the Thai Drug Hypersensitivity Quality of Life Questionnaire: a multi-center study. <i>International Journal for Quality in Health Care</i> , 2019, 31, 527-534.  | 0.9 | 8         |
| 30430 | A Range-Based Secure Localization Algorithm for Wireless Sensor Networks. <i>IEEE Sensors Journal</i> , 2019, 19, 785-796.  | 2.4 | 43        |
| 30431 | A comparative evaluation of two working length determination methods. <i>Australian Endodontic Journal</i> , 2019, 45, 331-336.   | 0.6 | 3         |
| 30432 | Validation of Quantitative 3-Dimensional Transesophageal Echocardiography Mitral Valve Analysis Using Stereoscopic Display. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2019, 33, 732-741.   | 0.6 | 21        |
| 30433 | Chest CT Scan at Radiation Dose of a Posteroanterior and Lateral Chest Radiograph Series. <i>Chest</i> , 2019, 155, 528-533.  | 0.4 | 20        |
| 30434 | The relationship between organ-tissue body composition and resting energy expenditure in prepubertal children. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 1149-1154.   | 1.3 | 3         |
| 30435 | Measuring Tibial Component Rotation Following Total Knee Arthroplasty: What Is the Best Method?. <i>Journal of Arthroplasty</i> , 2019, 34, S355-S360.  | 1.5 | 17        |
| 30436 | Usefulness of CT-based measurement of volar prominence for evaluation of risk of flexor tendon injury following fixation of a distal radius fracture. <i>Journal of Orthopaedic Science</i> , 2019, 24, 263-268.  | 0.5 | 3         |
| 30437 | Oscillometric and intra-arterial blood pressure in children post-kidney transplantation: Is invasive blood pressure measurement always needed?. <i>Pediatric Transplantation</i> , 2019, 23, e13309.  | 0.5 | 6         |
| 30438 | Transvaginal three-dimensional ultrasound assessment of Sylvian fissures at 18–30 weeks' gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 54, 190-198.   | 0.9 | 28        |
| 30439 | Linking the Child Behavior Checklist (CBCL) with the Multidimensional Assessment Profile of Disruptive Behavior (MAP-DB): Advancing a Dimensional Spectrum Approach to Disruptive Behavior. <i>Journal of Child and Family Studies</i> , 2019, 28, 343-353. | 0.7 | 23        |
| 30440 | Aortic arch tortuosity, a novel biomarker for thoracic aortic disease, is increased in adults with bicuspid aortic valve. <i>International Journal of Cardiology</i> , 2019, 284, 84-89.  | 0.8 | 27        |
| 30441 | Development and Validation of a Self-Administered Multidimensional Prognostic Index to Predict Negative Health Outcomes in Community-Dwelling Persons. <i>Rejuvenation Research</i> , 2019, 22, 299-305.  | 0.9 | 20        |
| 30442 | Validity, Reliability, and Diagnostic Accuracy of the Respiratory Distress Observation Scale for Assessment of Dyspnea in Adult Palliative Care Patients. <i>Journal of Pain and Symptom Management</i> , 2019, 57, 304-310.                                | 0.6 | 14        |
| 30443 | Evaluation of the Omron HEM-907 automated blood pressure device: comparison with office and ambulatory blood pressure readings. <i>Hypertension Research</i> , 2019, 42, 52-58.   | 1.5 | 9         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 30444 | Was That Painful or Nonpainful? The Sensation and Pain Rating Scale Performs Well in the Experimental Context. <i>Journal of Pain</i> , 2019, 20, 472.e1-472.e12.   | 0.7 | 13        |
| 30445 | Comparison of Monitor-Image and Printout-Image Methods in Ki-67 Scoring of Gastroenteropancreatic Neuroendocrine Tumors. <i>Endocrine Pathology</i> , 2019, 30, 17-23.  | 5.2 | 6         |
| 30446 | The Value of IVIM DWI in Combination with Conventional MRI in Identifying the Residual Tumor After Cone Biopsy for Early Cervical Carcinoma. <i>Academic Radiology</i> , 2019, 26, 1040-1047.   | 1.3 | 8         |
| 30447 | Variation in the Correlation Between Heart Rate and Session Rating of Perceived Exertion-Based Estimations of Internal Training Load in Youth Soccer Players. <i>Pediatric Exercise Science</i> , 2019, 31, 91-98.  | 0.5 | 12        |
| 30448 | Salivary biomarkers of inflammation and oxidative stress in healthy adults. <i>Archives of Oral Biology</i> , 2019, 97, 215-222.  | 0.8 | 44        |
| 30449 | Automated Cardiac Valve Tracking for Flow Quantification with Four-dimensional Flow MRI. <i>Radiology</i> , 2019, 290, 70-78.   | 3.6 | 43        |
| 30450 | Increased myocardial sodium signal intensity in Conn's syndrome detected by <sup>23</sup> Na magnetic resonance imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 263-270.  | 0.5 | 32        |
| 30451 | Group and Individual-level Change on Health-related Quality of Life in Chiropractic Patients With Chronic Low Back or Neck Pain. <i>Spine</i> , 2019, 44, 647-651.  | 1.0 | 22        |
| 30452 | Cardiac output measurements during high-risk Cesarean section using electrical bioimpedance or arterial waveform analysis: assessment of agreement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 54, 232-238.   | 0.9 | 2         |
| 30453 | Sedentary behavior and physical activity classification using accelerometer cut points in 9-11-year-old children. <i>Science and Sports</i> , 2019, 34, 30-39.  | 0.2 | 1         |
| 30454 | Validity and reliability of a novel optoelectronic device to measure movement velocity, force and power during the back squat exercise. <i>Journal of Sports Sciences</i> , 2019, 37, 795-802.  | 1.0 | 15        |
| 30455 | Agreement of body adiposity index (BAI) and paediatric body adiposity index (BAIp) in determining body fat in Brazilian children and adolescents. <i>Public Health Nutrition</i> , 2019, 22, 132-139.   | 1.1 | 11        |
| 30456 | Blood Pressure Measurement in Severely Obese Patients: Validation of the Forearm Approach in Different Arm Positions. <i>American Journal of Hypertension</i> , 2019, 32, 175-185.  | 1.0 | 14        |
| 30457 | Both the Observer's Expertise and the Subject's Facial Symmetry Can Affect Anatomical Position of the Head. <i>Journal of Oral and Maxillofacial Surgery</i> , 2019, 77, 406.e1-406.e9.   | 0.5 | 2         |
| 30458 | Triplex real-time PCR assay for the detection of <i>Streptococcus pneumoniae</i> , <i>Neisseria meningitidis</i> and <i>Haemophilus influenzae</i> directly from clinical specimens without extraction of DNA. <i>Diagnostic Microbiology and Infectious Disease</i> , 2019, 93, 188-190. | 0.8 | 15        |
| 30459 | Reliability and validity of a self-administered Arabic version of the Global Physical Activity Questionnaire (GPAQ-A). <i>Journal of Sports Medicine and Physical Fitness</i> , 2019, 59, 1221-1228.  | 0.4 | 9         |
| 30460 | Simultaneous fat-free isotropic 3D anatomical imaging and T <sub>2</sub> mapping of knee cartilage with lipid-sensitive binomial off-resonant RF excitation (LIBRE) pulses. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 1275-1284.   | 1.9 | 11        |
| 30461 | Speed of sound ultrasound: a pilot study on a novel technique to identify sarcopenia in seniors. <i>European Radiology</i> , 2019, 29, 3-12.  | 2.3 | 33        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30462 | Validation of a Holographic Display for Quantification of Mitral Annular Dynamics by Three-Dimensional Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2019, 32, 303-316.e4.  | 1.2 | 3         |
| 30463 | An audit of performance, interpretation, and influence of pretherapeutic MRI in rectal cancer: a Swedish population-based cohort study. <i>Acta Radiologica</i> , 2019, 60, 955-961.   | 0.5 | 1         |
| 30464 | Assessment of uveal melanomas using advanced diffusion-weighted imaging techniques: value of reduced field of view DWI (â€œzoomed DWIâ€œ) and readout-segmented DWI (RESOLVE). <i>Acta Radiologica</i> , 2019, 60, 977-984.  | 0.5 | 7         |
| 30465 | Analytical validation of an alternative method to quantify specific antibodies in 3 applications. <i>Journal of Immunological Methods</i> , 2019, 464, 40-46.  | 0.6 | 0         |
| 30466 | Validity of the â€œSamsung Healthâ€œ application to measure steps: A study with two different samsung smartphones. <i>Journal of Sports Sciences</i> , 2019, 37, 788-794.  | 1.0 | 14        |
| 30467 | Differences in muscle contraction onset as determined by ultrasound and electromyography. <i>Muscle and Nerve</i> , 2019, 59, 494-500.   | 1.0 | 11        |
| 30468 | Discrepancy Between Equations Estimating Kidney Function in Geriatric Care: A Study of Implications for Drug Prescription. <i>Drugs and Aging</i> , 2019, 36, 155-163.   | 1.3 | 3         |
| 30469 | Clinical evaluation of the repeatability of ocular aberrometry obtained with a new pyramid wavefront sensor. <i>European Journal of Ophthalmology</i> , 2019, 29, 585-592.   | 0.7 | 17        |
| 30470 | Examining the Reliability of Scores From a Performance Assessment of Practice-Based Competencies. <i>Journal of Psychoeducational Assessment</i> , 2019, 37, 973-988.  | 0.9 | 1         |
| 30471 | Organ doses evaluation for chest computed tomography procedures with TL dosimeters: Comparison with Monte Carlo simulations. <i>Journal of Applied Clinical Medical Physics</i> , 2019, 20, 308-320.   | 0.8 | 32        |
| 30472 | Factor mixture analysis of paranoia in young people. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 355-367.  | 1.6 | 0         |
| 30473 | Estimating fat-free mass in elite youth male soccer players: cross-validation of different field methods and development of prediction equation. <i>Journal of Sports Sciences</i> , 2019, 37, 1197-1204.  | 1.0 | 14        |
| 30474 | 6th vital sign app: Testing validity and reliability for measuring gait speed. <i>Gait and Posture</i> , 2019, 68, 264-268.  | 0.6 | 6         |
| 30475 | Continuous non-invasive determination of nocturnal blood pressure variation using photoplethysmographic pulse wave signals: comparison of pulse propagation time, pulse transit time and RR-interval. <i>Physiological Measurement</i> , 2019, 40, 014001.                                     | 1.2 | 10        |
| 30476 | Technical challenges in generalizing calibration techniques for breast density measurements. <i>Medical Physics</i> , 2019, 46, 679-688.   | 1.6 | 6         |
| 30477 | Mindray 3-directional NMT Module (a new generation â€œTri-axialâ€œ neuromuscular monitor) versus the Relaxometer mechanomyograph and versus the TOF-Watch SX acceleromyograph. <i>Journal of Clinical Monitoring and Computing</i> , 2019, 33, 853-862.  | 0.7 | 2         |
| 30478 | Comparability of dental implant site ridge measurements using ultra-low-dose multidetector row computed tomography combined with filtered back-projection, adaptive statistical iterative reconstruction, and model-based iterative reconstruction. <i>Oral Radiology</i> , 2019, 35, 280-286. | 0.9 | 7         |
| 30479 | Comparison of EQ-5D-5L, VAS, and SF-6D in Thai Patients on Peritoneal Dialysis. <i>Value in Health Regional Issues</i> , 2019, 18, 59-64.  | 0.5 | 17        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30480 | Reproducibility of measuring QRS duration and implications for optimization of interventricular pacing delay in cardiac resynchronization therapy. <i>Annals of Noninvasive Electrocardiology</i> , 2019, 24, e12621.  | 0.5 | 7         |
| 30481 | Preliminary validation of the Simplified Psoriatic Arthritis Radiographic Score (SPARS). <i>Skeletal Radiology</i> , 2019, 48, 1033-1041.  | 1.2 | 9         |
| 30482 | Reliability and intra-examiner agreement of orthodontic model analysis with a digital caliper on plaster and printed dental models. <i>Clinical Oral Investigations</i> , 2019, 23, 3387-3396.   | 1.4 | 19        |
| 30483 | Test-retest properties of the Patient Reported Outcomes, Burdens and Experiences (PROBE) questionnaire and its constituent domains. <i>Haemophilia</i> , 2019, 25, 75-83.  | 1.0 | 14        |
| 30484 | Noninvasive in vivo Assessment of the Re-endothelialization Process Using Ultrasound Biomicroscopy in the Rat Carotid Artery Balloon Injury Model. <i>Journal of Ultrasound in Medicine</i> , 2019, 38, 1723-1731.   | 0.8 | 6         |
| 30485 | Validity and reliability of a standalone low-end 50-Hz GNSS receiver during running. <i>Biology of Sport</i> , 2019, 36, 75-80.  | 1.7 | 8         |
| 30486 | Independent validation of metric optimized gating for fetal cardiovascular phase-contrast flow imaging. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 495-503.   | 1.9 | 11        |
| 30487 | Variability of right ventricular global and segmental longitudinal strain measurements. <i>Echocardiography</i> , 2019, 36, 102-109.   | 0.3 | 12        |
| 30488 | Computerized anatomy of the distal radius and its relevance to volar plating, research, and teaching. <i>Clinical Anatomy</i> , 2019, 32, 361-368.   | 1.5 | 6         |
| 30489 | Estimated GFR: time for a critical appraisal. <i>Nature Reviews Nephrology</i> , 2019, 15, 177-190.  | 4.1 | 187       |
| 30490 | Large discrepancy between unobserved automated office blood pressure and ambulatory blood pressure in a high cardiovascular risk cohort. <i>Journal of Hypertension</i> , 2019, 37, 42-49.   | 0.3 | 21        |
| 30491 | Test-retest reliability and validity of the Stages mountain bike power meter. <i>Isokinetics and Exercise Science</i> , 2019, 27, 55-61.   | 0.2 | 4         |
| 30492 | Sources de variation et reproductibilit  de la mesure des  rosions de la polyarthrite rhumato de par HRpQCT. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2019, 86, 170-177.   | 0.0 | 0         |
| 30493 | Cloud algorithm-driven oximetry-based diagnosis of obstructive sleep apnoea in symptomatic habitually snoring children. <i>European Respiratory Journal</i> , 2019, 53, 1801788.   | 3.1 | 33        |
| 30494 | Which approach is better in eliciting health state utilities from breast cancer patients? Evidence from mainland China. <i>European Journal of Cancer Care</i> , 2019, 28, e12965.   | 0.7 | 10        |
| 30495 | The validity and reliability of the Dietary Index for a Child's Eating in 2-8-year old children living in New Zealand. <i>Maternal and Child Nutrition</i> , 2019, 15, e12758.   | 1.4 | 7         |
| 30496 | Evaluation of maxillary trabecular microstructure as an indicator of implant stability by using 2 cone beam computed tomography systems and micro-computed tomography. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2019, 127, 247-256. | 0.2 | 18        |
| 30497 | Microplate assay for denatured collagen using collagen hybridizing peptides. <i>Journal of Orthopaedic Research</i> , 2019, 37, 431-438.   | 1.2 | 19        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30498 | Significant Delay in the Detection of Desaturation between Finger Transmittance and Earlobe Reflectance Oximetry Probes during Fiberoptic Bronchoscopy: Analysis of 104 Cases. <i>Lung</i> , 2019, 197, 67-72.               | 1.4 | 11        |
| 30499 | The "independent breath" algorithm: assessment of oxygen uptake during exercise. <i>European Journal of Applied Physiology</i> , 2019, 119, 495-508.   | 1.2 | 9         |
| 30500 | Establishing Validity and Cross-Context Equivalence of Measures and Indicators. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2019, 119, 1817-1830.   | 0.4 | 44        |
| 30501 | FRAX 10-yr Fracture Risk in Rheumatoid Arthritis "Assessments With and Without Bone Mineral Density May Lead to Very Different Results in the Individual Patient. <i>Journal of Clinical Densitometry</i> , 2019, 22, 31-38. | 0.5 | 9         |
| 30502 | Using the variance function to generalize Bland "Altman analysis. <i>Annals of Clinical Biochemistry</i> , 2019, 56, 198-203.  | 0.8 | 8         |
| 30503 | Research Study Design. , 2019, , 59-62.  |     | 8         |
| 30504 | Development of a self-care questionnaire for clinical assessment of self-care in patients with inflammatory bowel disease: A psychometric evaluation. <i>International Journal of Nursing Studies</i> , 2019, 89, 1-7.       | 2.5 | 8         |
| 30505 | Effects of hydration and mineralization on the deformation mechanisms of collagen fibrils in bone at the nanoscale. <i>Biomechanics and Modeling in Mechanobiology</i> , 2019, 18, 57-68.                                    | 1.4 | 30        |
| 30506 | Resting metabolic rate in muscular physique athletes: validity of existing methods and development of new prediction equations. <i>Applied Physiology, Nutrition and Metabolism</i> , 2019, 44, 397-406.                     | 0.9 | 15        |
| 30507 | Indirect calorimetry in critically ill mechanically ventilated patients: Comparison of E-sCOVX with the deltatrac. <i>Clinical Nutrition</i> , 2019, 38, 2155-2160.  | 2.3 | 8         |
| 30508 | Fat-free mass in adolescent athletes: Accuracy of bioimpedance equations and identification of new predictive equations. <i>Nutrition</i> , 2019, 60, 59-65.   | 1.1 | 19        |
| 30509 | Infant nocturnal wakefulness: a longitudinal study comparing three sleep assessment methods. <i>Sleep</i> , 2019, 42, .  | 0.6 | 40        |
| 30510 | Agreement Between the Spatiotemporal Gait Parameters of Healthy Adults From the OptoGait System and a Traditional Three-Dimensional Motion Capture System. <i>Journal of Biomechanical Engineering</i> , 2019, 141, .        | 0.6 | 21        |
| 30511 | Bioelectrical impedance analysis for body composition assessment: reflections on accuracy, clinical utility, and standardisation. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 194-199.                         | 1.3 | 188       |
| 30512 | Cine MRI assessment of motility in the unprepared small bowel in the fasting and fed state: Beyond the breath "hold. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13466.   | 1.6 | 13        |
| 30513 | Does Spinal Cord Stimulation Really Influence Sleep?. <i>Neuromodulation</i> , 2019, 22, 311-316.  | 0.4 | 3         |
| 30514 | Quantitative sensory testing with Electronic von Frey Anesthesiometer and von Frey filaments in nonpainful cats: a pilot study. <i>Veterinary Anaesthesia and Analgesia</i> , 2019, 46, 251-254.                             | 0.3 | 8         |
| 30515 | Left atrial, ventricular and atrio-ventricular strain in patients with subclinical heart dysfunction. <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 249-258.  | 0.7 | 44        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 30516 | Development of a visually guided Raman spectroscopy probe for cervical assessment during pregnancy. <i>Journal of Biophotonics</i> , 2019, 12, e201800138.  | 1.1 | 6         |
| 30517 | Are volume measurements of non-functioning pituitary adenomas reliable?. <i>Endocrine</i> , 2019, 63, 171-176.  | 1.1 | 5         |
| 30518 | Evaluation of the within- and between-day intra-tester and inter-tester reliability of positioning subjects into neutral and lordotic sitting postures. <i>European Journal of Physiotherapy</i> , 2019, 21, 142-152.                           | 0.7 | 2         |
| 30519 | Caval to pulmonary 3D flow distribution in patients with Fontan circulation and impact of potential 4D flow MRI error sources. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 1205-1218.   | 1.9 | 8         |
| 30520 | Relative validity of brief-type self-administered diet history questionnaire among very old Japanese aged 80 years or older. <i>Public Health Nutrition</i> , 2019, 22, 212-222.  | 1.1 | 30        |
| 30521 | Automated semen analysis by SQA Vision <sup>Â</sup> versus the manual approach-A prospective double-blind study. <i>Andrologia</i> , 2019, 51, e13149.  | 1.0 | 22        |
| 30522 | Evaluation of Analytical Performance of Three Blood Glucose Monitoring Systems: System Accuracy, Measurement Repeatability, and Intermediate Measurement Precision. <i>Journal of Diabetes Science and Technology</i> , 2019, 13, 111-117.      | 1.3 | 4         |
| 30523 | Rapid detection of bacterial meningitis using a point-of-care glucometer. <i>European Journal of Emergency Medicine</i> , 2019, 26, 41-46.  | 0.5 | 23        |
| 30524 | Diffusion-Weighted MRI Stroke Volume Following Recanalization Treatment is Threshold-Dependent. <i>Clinical Neuroradiology</i> , 2019, 29, 135-141.   | 1.0 | 12        |
| 30525 | Polish version of the Patient-Rated Ulnar Nerve Evaluation in preoperative patients: Translation and psychometric testing. <i>Journal of Hand Therapy</i> , 2019, 32, 86-92.  | 0.7 | 2         |
| 30526 | Utility of the iPhone 4 Gyroscope Application in the Measurement of Wrist Motion. <i>Hand</i> , 2019, 14, 352-356.  | 0.7 | 8         |
| 30527 | Facial shape; height and width in the second and third trimester of pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 555-561.  | 0.7 | 1         |
| 30528 | Comparison of Incremental Intermittent and Time Trial Testing in Age-Group Swimmers. <i>Journal of Strength and Conditioning Research</i> , 2019, 33, 801-810.  | 1.0 | 25        |
| 30529 | Validation of the 3-Minute All-Out Exercise Test for Shuttle Running Prescription. <i>Journal of Strength and Conditioning Research</i> , 2019, 33, 1678-1684.  | 1.0 | 11        |
| 30530 | Validity of a Taekwondo-Specific Test to Measure Vo 2peak and the Heart Rate Deflection Point. <i>Journal of Strength and Conditioning Research</i> , 2019, 33, 2523-2529.  | 1.0 | 23        |
| 30531 | Impact of mounting methods in computerized axiography on assessment of condylar inclination. <i>Cranio - Journal of Craniomandibular Practice</i> , 2019, 37, 60-67.  | 0.6 | 4         |
| 30532 | Diagnostic precision of triage algorithms for mass casualty incidents. English version. <i>Der Anaesthetist</i> , 2019, 68, 15-24.  | 0.5 | 18        |
| 30533 | Association Between Increased Concavity of Maxillary Labial Alveolar Bone and Decreased Labial Cortical Bone Thickness: A Cone Beam Computed Tomography Aided Retrospective Cohort Study. <i>Journal of Prosthodontics</i> , 2019, 28, 244-251. | 1.7 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 30534 | Do prehospital providers and emergency nurses agree on triage assignment?: an efficacy study. <i>European Journal of Emergency Medicine</i> , 2019, 26, 29-33.  | 0.5 | 4         |
| 30535 | Semi-quantitative cerebral blood flow parameters derived from non-invasive [ <sup>15</sup> O]H <sub>2</sub> O PET studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019, 39, 163-172.                            | 2.4 | 12        |
| 30536 | A fuzzy logic-based warning system for patients classification. <i>Health Informatics Journal</i> , 2019, 25, 1004-1024.  | 1.1 | 20        |
| 30537 | Reliability of the Phi angle to assess rotational alignment of the talar component in total ankle replacement. <i>Foot and Ankle Surgery</i> , 2019, 25, 169-173.   | 0.8 | 3         |
| 30538 | Young Schema Questionnaire-Short Form Version 3 (YSQ-S3): Preliminary validation in older adults. <i>Aging and Mental Health</i> , 2019, 23, 140-147.   | 1.5 | 21        |
| 30539 | Assessing the effect of sound file compression and background noise on measures of acoustic signal structure. <i>Bioacoustics</i> , 2019, 28, 57-73.  | 0.7 | 40        |
| 30540 | Stroke severity quantification by critical care physicians in a mobile stroke unit. <i>European Journal of Emergency Medicine</i> , 2019, 26, 194-198.  | 0.5 | 19        |
| 30541 | The Dutch version of the Oxford Ankle and Foot Questionnaire for Children: Useful for evaluation of pediatric foot problems in groups. <i>Foot and Ankle Surgery</i> , 2019, 25, 204-210.                                       | 0.8 | 10        |
| 30542 | The combined shoulder assessment: a convenient method for obtaining equivalent outcome scores. <i>Shoulder and Elbow</i> , 2019, 11, 182-190.   | 0.7 | 0         |
| 30543 | Inter- and intraobserver repeatability and reproducibility of choroidal thickness measurements using two different methods. <i>International Ophthalmology</i> , 2019, 39, 1061-1069.   | 0.6 | 8         |
| 30544 | Usefulness of Reflection Scanning in Determining Whole-Body Composition in Broadly Built Individuals Using Dual-Energy X-ray Absorptiometry. <i>Journal of Clinical Densitometry</i> , 2019, 22, 429-436.                       | 0.5 | 6         |
| 30545 | Reliability and validity of the Tigrigna version of the Pelvic Floor Distress Inventory-Short Form 20 (PFDI-20) and Pelvic Floor Impact Questionnaire-7 (PFIQ-7). <i>International Urogynecology Journal</i> , 2019, 30, 65-70. | 0.7 | 16        |
| 30546 | Electromagnetic articulography (EMA) for real-time feedback application: computational techniques. <i>Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization</i> , 2019, 7, 406-413.            | 1.3 | 2         |
| 30547 | Comparison of central corneal thickness measurements by ultrasound pachymetry and 2 new devices, Tonoref III and RS-3000. <i>International Ophthalmology</i> , 2019, 39, 917-923.   | 0.6 | 10        |
| 30548 | Measured Versus Calculated Small Dense LDL-Cholesterol and Cardiometabolic Traits in a South African Population. <i>Indian Journal of Clinical Biochemistry</i> , 2019, 34, 304-311.  | 0.9 | 1         |
| 30549 | Gated SPECT myocardial perfusion imaging with cadmium-zinc-telluride detectors allows real-time assessment of dobutamine-stress-induced wall motion abnormalities. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 1734-1742.  | 1.4 | 3         |
| 30550 | Subarachnoid space diameter in chromosomally abnormal fetuses at 11-13 weeks gestation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 2079-2083.   | 0.7 | 1         |
| 30551 | Development and validation of impedance-based equations for the prediction of total body water and fat-free mass in children aged 8-11 years. <i>Clinical Nutrition</i> , 2019, 38, 227-233.                                    | 2.3 | 12        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30552 | Investigating the role of orthogonal and non-orthogonal rotation in multivariate factor analysis, in regard to the repeatability of the extracted factors: A simulation study. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2019, 48, 2165-2176. | 0.6 | 3         |
| 30553 | Dynamic Handgrip Strength Endurance: A Reliable Measurement in Older Women. <i>Journal of Geriatric Physical Therapy</i> , 2019, 42, E51-E56.  | 0.6 | 9         |
| 30554 | Clinical Application of Mathematical Long Bone Ratios to Calculate Appropriate Donor Limb Lengths in Bilateral Upper Limb Transplantation. <i>Hand</i> , 2019, 14, 523-529.  | 0.7 | 1         |
| 30555 | Concurrent Validity of the Zeno Walkway for Measuring Spatiotemporal Gait Parameters in Older Adults. <i>Journal of Geriatric Physical Therapy</i> , 2019, 42, E42-E50.  | 0.6 | 32        |
| 30556 | Reliability and validity of the de Morton Mobility Index in individuals with sub-acute stroke. <i>Disability and Rehabilitation</i> , 2019, 41, 1561-1570.   | 0.9 | 7         |
| 30557 | Validity of Combination Use of Activity Record and Accelerometry to Measure Free-Living Total Energy Expenditure in Female Endurance Runners. <i>Journal of Strength and Conditioning Research</i> , 2019, 33, 2962-2970.  | 1.0 | 5         |
| 30558 | The determination of the validity of an application-based knee-training device. <i>Assistive Technology</i> , 2019, 31, 259-266.   | 1.2 | 3         |
| 30559 | Validity and Reliability of an On-Court Fitness Test for Assessing and Monitoring Aerobic Fitness in Squash. <i>Journal of Strength and Conditioning Research</i> , 2019, 33, 1400-1407.   | 1.0 | 7         |
| 30560 | MethodCompare: An R package to assess bias and precision in method comparison studies. <i>Statistical Methods in Medical Research</i> , 2019, 28, 2557-2565.   | 0.7 | 18        |
| 30561 | The Danish version of Lymphoedema Functioning, Disability and Health Questionnaire (Lymph-ICF) for breast cancer survivors: Translation and cultural adaptation followed by validity and reliability testing. <i>Physiotherapy Theory and Practice</i> , 2019, 35, 327-340.  | 0.6 | 12        |
| 30562 | Reliability and responsiveness of a goniometric device for measuring the range of motion in the dart-throwing motion plane. <i>Physiotherapy Theory and Practice</i> , 2019, 35, 298-304.  | 0.6 | 2         |
| 30563 | Reliability and validity evidence of the Assessment of Language Use in Social Contexts for Adults (ALUSCA). <i>Logopedics Phoniatrics Vocology</i> , 2019, 44, 166-177.  | 0.5 | 0         |
| 30564 | Two-Point Method for Measuring the Temporal Modulation Transfer Function. <i>Ear and Hearing</i> , 2019, 40, 55-62.  | 1.0 | 6         |
| 30565 | Myocardial Stiffness Evaluation Using Noninvasive Shear Wave Imaging in Healthy and Hypertrophic Cardiomyopathic Adults. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 1135-1145.  | 2.3 | 108       |
| 30566 | Computer-Based Readability Testing of Information Booklets for German Cancer Patients. <i>Journal of Cancer Education</i> , 2019, 34, 696-704.   | 0.6 | 4         |
| 30567 | Reliability and validity of the new VikingSlice software for computed tomography body composition analysis. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 54-61.   | 1.3 | 19        |
| 30568 | Comparison of two color-difference formulas using the Bland-Altman approach based on gingiva color space. <i>Odontology / the Society of the Nippon Dental University</i> , 2019, 107, 72-79.  | 0.9 | 7         |
| 30569 | The reliability and validity of the L-test in people with Parkinson's disease. <i>Physiotherapy</i> , 2019, 105, 84-89.  | 0.2 | 16        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30570 | Injury severity in polytrauma patients is underestimated using the injury severity score: a single-center correlation study in air rescue. <i>European Journal of Trauma and Emergency Surgery</i> , 2019, 45, 83-89.                                | 0.8 | 7         |
| 30571 | Validation of a Second-Generation Near-Infrared Spectroscopy Monitor in Children With Congenital Heart Disease. <i>Anesthesia and Analgesia</i> , 2019, 128, 661-668.  | 1.1 | 14        |
| 30572 | Ultrasound-guided central venous tip confirmation via right external jugular vein using a right supraclavicular fossa view. <i>Journal of Vascular Access</i> , 2019, 20, 19-23.   | 0.5 | 6         |
| 30573 | Cardiac output measurement in liver transplantation patients using pulmonary and transpulmonary thermodilution: a comparative study. <i>Journal of Clinical Monitoring and Computing</i> , 2019, 33, 223-231.  | 0.7 | 9         |
| 30574 | The reliability of the Epworth Sleepiness Score in a sleep clinic population. <i>Journal of Sleep Research</i> , 2019, 28, e12687.   | 1.7 | 17        |
| 30575 | The Sleep of the Ring: Comparison of the ÅCEURA Sleep Tracker Against Polysomnography. <i>Behavioral Sleep Medicine</i> , 2019, 17, 124-136.   | 1.1 | 161       |
| 30576 | Isokinetic trunk flexion-extension protocol to assess trunk muscle strength and endurance: Reliability, learning effect, and sex differences. <i>Journal of Sport and Health Science</i> , 2020, 9, 692-701.   | 3.3 | 24        |
| 30577 | Dynamic Balance Evaluation: Reliability and Validity of a Computerized Wobble Board. <i>Journal of Strength and Conditioning Research</i> , 2020, 34, 1709-1715.   | 1.0 | 12        |
| 30578 | Noninvasive estimation of quantitative myocardial blood flow with Tc-99m MIBI by a compartment model analysis in rat. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 1368-1374.  | 1.4 | 0         |
| 30579 | Validity of long-term and short-term recall of occupational sitting time in Finnish and Chinese office workers. <i>Journal of Sport and Health Science</i> , 2020, 9, 345-351.   | 3.3 | 2         |
| 30580 | Validity and Reliability of the Stages Cycling Power Meter. <i>Journal of Strength and Conditioning Research</i> , 2020, 34, 3554-3559.  | 1.0 | 11        |
| 30581 | Physical activity measurement in people with spinal cord injury: comparison of accelerometry and self-report (the Physical Activity Recall Assessment for People with Spinal Cord Injury). <i>Disability and Rehabilitation</i> , 2020, 42, 240-246. | 0.9 | 21        |
| 30582 | Development and evaluation of a food frequency questionnaire to assess nutrient intakes of adult women in New Zealand. <i>Nutrition and Dietetics</i> , 2020, 77, 253-259.   | 0.9 | 27        |
| 30583 | A novel online method for identifying motion artifact and photoplethysmography signal reconstruction using artificial neural networks and adaptive neuro-fuzzy inference system. <i>Neural Computing and Applications</i> , 2020, 32, 3549-3566.     | 3.2 | 23        |
| 30584 | Cross-cultural adaptation and validation of the ABIS questionnaire for French speaking amputees. <i>Disability and Rehabilitation</i> , 2020, 42, 730-736.   | 0.9 | 3         |
| 30585 | Agreement between left ventricular ejection fraction assessed in patients with gated IQ-SPECT and conventional imaging. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 1714-1724.  | 1.4 | 4         |
| 30586 | Reliability and Agreement of Various InBody Body Composition Analyzers as Compared to Dual-Energy X-Ray Absorptiometry in Healthy Men and Women. <i>Journal of Clinical Densitometry</i> , 2020, 23, 443-450.  | 0.5 | 180       |
| 30587 | Performance of creatinine-based equations for estimating glomerular filtration rate changes over time. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 819-827.   | 0.4 | 16        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30588 | Body Composition Assessment in Male and Female Bodybuilders: A 4-Compartment Model Comparison of Dual-Energy X-Ray Absorptiometry and Impedance-Based Devices. <i>Journal of Strength and Conditioning Research</i> , 2020, 34, 1676-1689.   | 1.0 | 36        |
| 30589 | Quantifying hitting activity in tennis with racket sensors: new dawn or false dawn?. <i>Sports Biomechanics</i> , 2020, 19, 831-839.   | 0.8 | 15        |
| 30590 | A phrase captures aerodynamic and acoustic data in healthy voice users and in patients with voice disorders. <i>Logopedics Phoniatrics Vocology</i> , 2020, 45, 24-29.   | 0.5 | 1         |
| 30591 | Analytical quantification of aortic valve 18F-sodium fluoride PET uptake. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 962-972.  | 1.4 | 32        |
| 30592 | Comparison of the dyssynchrony parameters recorded with gated SPECT in ischemic cardiomyopathy according to their repeatability at rest and to their ability to detect a synchrony reserve under dobutamine infusion. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 2247-2257.    | 1.4 | 7         |
| 30593 | Peak power output in handcycling of individuals with a chronic spinal cord injury: predictive modeling, validation and reference values. <i>Disability and Rehabilitation</i> , 2020, 42, 400-409.   | 0.9 | 19        |
| 30594 | Population Prevalence and Correlates of Prolonged QT Interval: Cross-Sectional, Population-Based Study From Rural Uganda. <i>Global Heart</i> , 2019, 14, 17.  | 0.9 | 5         |
| 30595 | Online learning for 3D/4D transperineal ultrasound of the pelvic floor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 2805-2811.  | 0.7 | 3         |
| 30596 | Condylar long axis and articular eminence in MRI in patients with temporomandibular disorders. <i>Cranio - Journal of Craniomandibular Practice</i> , 2020, 38, 342-350.   | 0.6 | 5         |
| 30597 | Polyunsaturated fatty acid food frequency questionnaire validation in people with end stage renal disease on dialysis. <i>Nutrition and Dietetics</i> , 2020, 77, 131-138.   | 0.9 | 6         |
| 30598 | Correlation between fractional anisotropy changes in the targeted ventral intermediate nucleus and clinical outcome after transcranial MR-guided focused ultrasound thalamotomy for essential tremor: results of a pilot study. <i>Journal of Neurosurgery</i> , 2020, 132, 568-573. | 0.9 | 12        |
| 30599 | Motion Sensor-Based Assessment of Parkinson's Disease Motor Symptoms During Leg Agility Tests: Results From Levodopa Challenge. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2020, 24, 111-119.  | 3.9 | 14        |
| 30600 | Resting Oxygen Consumption and Heart Failure: Importance of Measurement for Determination of Cardiac Output With the Use of the Fick Principle. <i>Journal of Cardiac Failure</i> , 2020, 26, 664-672.   | 0.7 | 10        |
| 30601 | Differential visual acuity "A new approach to measuring visual acuity. <i>Journal of Optometry</i> , 2020, 13, 41-49.  | 0.7 | 6         |
| 30602 | Range of Motion Measurements of the Fingers Via Smartphone Photography. <i>Hand</i> , 2020, 15, 679-685.   | 0.7 | 34        |
| 30603 | Inter-rater reliability of Timed Up and Go test in older adults measured by physiotherapist and caregivers. <i>European Journal of Physiotherapy</i> , 2020, 22, 325-331.  | 0.7 | 5         |
| 30604 | Accuracy and trending ability of hemoglobin measurement by the Pulse CO-Oximeter during vascular surgery. <i>Journal of Clinical Monitoring and Computing</i> , 2020, 34, 501-508.   | 0.7 | 10        |
| 30605 | Functional echocardiography training in the neonatal intensive care unit: comparing measurements and results with the pediatric cardiologist. <i>Jornal De Pediatria</i> , 2020, 96, 614-620.  | 0.9 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30606 | Predictive models for the six-minute walk test considering the walking course and physical activity level. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2020, 55, 824-833.  | 1.1 | 14        |
| 30607 | Determining the utility of a smartphone-based gait evaluation for possible use in concussion management. <i>Physician and Sportsmedicine</i> , 2020, 48, 75-80.  | 1.0 | 18        |
| 30608 | Development and Validation of Equations to Link Pediatric Evaluation of Disability Inventory (PEDI) Functional Skills Scores to PEDI-Computer Adaptive Test Scores for Youth with Cerebral Palsy. <i>Physical and Occupational Therapy in Pediatrics</i> , 2020, 40, 106-120.      | 0.8 | 9         |
| 30609 | Pinprick Evoked Potentialsâ€”Reliable Acquisition in Healthy Human Volunteers. <i>Pain Medicine</i> , 2020, 21, 736-746.   | 0.9 | 9         |
| 30610 | Interchangeability of cardiac output measurements between non-invasive photoplethysmography and bolus thermodilution: A systematic review and individual patient data meta-analysis. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2020, 39, 75-85.                      | 0.6 | 14        |
| 30611 | How reliable is renal ultrasound to measure renal length and volume in patients with chronic kidney disease compared with magnetic resonance imaging?. <i>Acta Radiologica</i> , 2020, 61, 117-127.  | 0.5 | 9         |
| 30612 | Smartphone-based respiratory rate estimation using photoplethysmographic imaging and discrete wavelet transform. <i>Journal of Ambient Intelligence and Humanized Computing</i> , 2020, 11, 693-703.   | 3.3 | 22        |
| 30613 | Development and an Application of Computer Vision System for Nondestructive Physical Characterization of Mangoes. <i>Agricultural Research</i> , 2020, 9, 109-124.   | 0.9 | 10        |
| 30614 | Enhancing the assessment of cardiorespiratory fitness using field tests. <i>Physiotherapy</i> , 2020, 109, 54-64.  | 0.2 | 10        |
| 30615 | Clinical validation of three-dimensional ultrasound for abdominal aortic aneurysm. <i>Journal of Vascular Surgery</i> , 2020, 71, 180-188.   | 0.6 | 19        |
| 30616 | Accuracy of predicting the vancomycin concentration in Japanese cancer patients by the Sawchukâ€”Zaske method or Bayesian method. <i>Journal of Oncology Pharmacy Practice</i> , 2020, 26, 543-548.  | 0.5 | 2         |
| 30617 | Comparison between a facemask and mouthpiece on breathing mechanics and gas exchange variables during highâ€”intensity exercise. <i>European Journal of Sport Science</i> , 2020, 20, 211-218.   | 1.4 | 5         |
| 30618 | Rating of perceived exertion â€” a valid method for monitoring light to vigorous exercise intensity in individuals with subjective and mild cognitive impairment?. <i>European Journal of Sport Science</i> , 2020, 20, 261-268.   | 1.4 | 4         |
| 30619 | Detecting Human Factors that Induce Errors in Movement Patterns for the Development of a Web-Based Telerehabilitation Platform. <i>Advances in Intelligent Systems and Computing</i> , 2020, , 165-176.  | 0.5 | 2         |
| 30620 | Accuracy and precision of non-invasive cardiac output monitoring by electrical cardiometry: a systematic review and meta-analysis. <i>Journal of Clinical Monitoring and Computing</i> , 2020, 34, 433-460.  | 0.7 | 55        |
| 30621 | Ventricular peak emptying and filling rates measured by gated tomographic radionuclide angiography using a cadmiumâ€”zincâ€”telluride SPECT camera in chemotherapy-naïve cancer patients. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 1193-1201.                              | 1.4 | 9         |
| 30622 | Distortionâ€”free imaging: A double encoding method (DIADDEM) combined with multiband imaging for rapid distortionâ€”free highâ€”resolution diffusion imaging on a compact 3T with highâ€”performance gradients. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 296-310. | 1.9 | 15        |
| 30623 | Validity and Reproducibility of a Food Frequency Questionnaire for Estimating Macro- and Micronutrient Intakes Among Pregnant Women in Jordan. <i>Journal of the American College of Nutrition</i> , 2020, 39, 29-38.  | 1.1 | 8         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30624 | Cross-cultural adaptation and validation of the Groningen Frailty Indicator in Chinese nursing home residents. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 1035-1042.  | 1.4 | 11        |
| 30625 | Clinical assessment methods for scapular position and function. An inter-rater reliability study. <i>Physiotherapy Theory and Practice</i> , 2020, 36, 1399-1420.  | 0.6 | 7         |
| 30626 | Quantitative assessment of myocardial blood flow and extracellular volume fraction using 68Ga-DOTA-PET: A feasibility and validation study in large animals. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 1249-1260.   | 1.4 | 4         |
| 30627 | Measurement of equivalence between the web and paper versions of the Japanese Orthopaedic Association Hip Disease Evaluation Questionnaire. <i>Modern Rheumatology</i> , 2020, 30, 397-401.  | 0.9 | 2         |
| 30628 | Resting Energy Expenditure Measured by Indirect Calorimetry in Obese Patients: Variation Within Different BMI Ranges. <i>Journal of Parenteral and Enteral Nutrition</i> , 2020, 44, 129-137.  | 1.3 | 5         |
| 30629 | Biometric and morphological features on magnetic resonance imaging of fetal bladder in lower urinary tract obstruction: new perspectives for fetal cystoscopy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 86-95.   | 0.9 | 6         |
| 30630 | Poor Agreement Between Two Commonly Used Measures of Shame- and Guilt-Proneness. <i>Journal of Personality Assessment</i> , 2020, 102, 499-507.  | 1.3 | 5         |
| 30631 | Assessing bias, precision, and agreement in method comparison studies. <i>Statistical Methods in Medical Research</i> , 2020, 29, 778-796.   | 0.7 | 18        |
| 30632 | Validation of transcutaneous bilirubinometry during phototherapy for detection and monitoring of neonatal jaundice in a low-income setting. <i>Paediatrics and International Child Health</i> , 2020, 40, 25-29.   | 0.3 | 12        |
| 30633 | Inertial measurement unit compared to an optical motion capturing system in post-stroke individuals with foot-drop syndrome. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 195-201.  | 1.1 | 17        |
| 30634 | Validity of transit time-based blood pressure measurements in patients with and without heart failure or pulmonary arterial hypertension across different breathing maneuvers. <i>Sleep and Breathing</i> , 2020, 24, 221-230.   | 0.9 | 5         |
| 30635 | Impact of AASM 2012 Recommended Hypopnea Criteria on Surgical Outcomes for Obstructive Sleep Apnea. <i>Laryngoscope</i> , 2020, 130, 825-831.  | 1.1 | 7         |
| 30636 | Comparing Proxy, Adolescent, and Adult Assessments of Functional Ability in Adolescents With Juvenile Idiopathic Arthritis. <i>Arthritis Care and Research</i> , 2020, 72, 517-524.  | 1.5 | 3         |
| 30637 | Inter-day reliability of the Upper Body Test for shoulder and pelvic girdle stability in adults. <i>Brazilian Journal of Physical Therapy</i> , 2020, 24, 161-166.   | 1.1 | 3         |
| 30638 | A Portable Wearable Tele-ECG Monitoring System. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2020, 69, 173-182.   | 2.4 | 79        |
| 30639 | Dynamic Contrast-enhanced Area-detector CT vs Dynamic Contrast-enhanced Perfusion MRI vs FDG-PET/CT: Comparison of Utility for Quantitative Therapeutic Outcome Prediction for NSCLC Patients Undergoing Chemoradiotherapy. <i>Magnetic Resonance in Medical Sciences</i> , 2020, 19, 29-39. | 1.1 | 6         |
| 30640 | Determining Maximal Muscle Strength in Mice: Validity and Reliability of an Adapted Swimming Incremental Overload Test. <i>Journal of Strength and Conditioning Research</i> , 2020, 34, 2360-2368.  | 1.0 | 2         |
| 30641 | Urine Metabolites for Estimating Daily Intake of Nicotine From Cigarette Smoking. <i>Nicotine and Tobacco Research</i> , 2020, 22, 288-292.  | 1.4 | 33        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30642 | Analysis of the heart rate deflection point as a tool for exercise prescription in subjects with COPD - a cross-sectional study. <i>Physiotherapy Theory and Practice</i> , 2020, 36, 1322-1328.   | 0.6 | 0         |
| 30643 | Test-retest reliability of a maximal arm cycle exercise test for younger individuals with traumatic lower limb amputations. <i>European Journal of Physiotherapy</i> , 2020, 22, 115-120.  | 0.7 | 1         |
| 30644 | Measuring arterial oxygen saturation from an intraosseous photoplethysmographic signal derived from the sternum. <i>Journal of Clinical Monitoring and Computing</i> , 2020, 34, 55-62.  | 0.7 | 5         |
| 30645 | A systematic review of reviews identifying UK validated dietary assessment tools for inclusion on an interactive guided website for researchers: <a href="http://www.nutritools.org">www.nutritools.org</a> . <i>Critical Reviews in Food Science and Nutrition</i> , 2020, 60, 1265-1289. | 5.4 | 23        |
| 30646 | A best practice framework to measure spatial variation in alcohol availability. <i>Environment and Planning B: Urban Analytics and City Science</i> , 2020, 47, 381-399.   | 1.0 | 3         |
| 30647 | Agreement Between Bioelectrical Impedance and Dual-Energy X-Ray Absorptiometry to Track Changes in Fat-Free Mass After Resistance Training in Older Women. <i>Journal of Strength and Conditioning Research</i> , 2020, 34, 1700-1708.   | 1.0 | 2         |
| 30648 | Validity and test-retest reliability of the six-spot step test in persons after stroke. <i>Physiotherapy Theory and Practice</i> , 2020, 36, 211-218.  | 0.6 | 9         |
| 30649 | The hip control test is a valid and reliable measure of hip neuromuscular control. <i>Sports Biomechanics</i> , 2020, 19, 235-244.   | 0.8 | 1         |
| 30650 | Estimating stature using human forearm and leg anthropometric data in an Australian female sample. <i>Australian Journal of Forensic Sciences</i> , 2020, 52, 83-95.   | 0.7 | 5         |
| 30651 | Average of trial peaks versus peak of average profile: impact on change of direction biomechanics. <i>Sports Biomechanics</i> , 2020, 19, 483-492.   | 0.8 | 11        |
| 30652 | "Is CT Scan more Accurate than Endoscopy in Identifying Distance from the Anal Verge for Left Sided Colon Cancer? A Comparative Cohort Analysis". <i>Journal of Investigative Surgery</i> , 2020, 33, 273-280.   | 0.6 | 6         |
| 30653 | Self-reported painful joint count and assessor-reported tender joint count as instruments to assess pain in hand osteoarthritis. <i>Rheumatology</i> , 2020, 59, 1094-1098.  | 0.9 | 4         |
| 30654 | Comparing inertial measurement units and marker-based biomechanical models during dynamic rotation of the torso. <i>European Journal of Sport Science</i> , 2020, 20, 767-775.   | 1.4 | 13        |
| 30655 | Developing a fast and accurate model to estimate allometrically the total shoot leaf area in grapevines. <i>Scientia Horticulturae</i> , 2020, 259, 108794.  | 1.7 | 9         |
| 30656 | Reliability of Observational Assessment Methods for Outcome-based Assessment of Surgical Skill: Systematic Review and Meta-analyses. <i>Journal of Surgical Education</i> , 2020, 77, 189-201.   | 1.2 | 9         |
| 30657 | Validation of an automated home blood pressure measurement device in oldest-old populations. <i>Hypertension Research</i> , 2020, 43, 30-35.   | 1.5 | 8         |
| 30658 | Validity of the Perception Neuron inertial motion capture system for upper body motion analysis. Measurement: <i>Journal of the International Measurement Confederation</i> , 2020, 149, 107024.   | 2.5 | 40        |
| 30659 | Assessment of a probe to measure fat depth of lamb carcasses. <i>Meat Science</i> , 2020, 159, 107937.   | 2.7 | 2         |

| #     | ARTICLE  | IF   | CITATIONS |
|-------|--|------|-----------|
| 30660 | Validity of the International Physical Activity Questionnaire Short Form (IPAQ-SF) as a measure of physical activity (PA) in young people with cerebral palsy: A cross-sectional study. <i>Physiotherapy</i> , 2020, 107, 209-215.                           | 0.2  | 34        |
| 30661 | Immunoassays are not immune to errors: Examples from two studies of steroid output from freshwater trout farms. <i>General and Comparative Endocrinology</i> , 2020, 285, 113226.  | 0.8  | 2         |
| 30662 | Feasibility of two-dimensional ultrasound shear wave elastography of human fetal lungs and liver: A pilot study. <i>Diagnostic and Interventional Imaging</i> , 2020, 101, 69-78.  | 1.8  | 8         |
| 30663 | Machine Learning for Rapid Magnetic Resonance Fingerprinting Tissue Property Quantification. <i>Proceedings of the IEEE</i> , 2020, 108, 69-85.  | 16.4 | 39        |
| 30664 | Potential for Lung Recruitment Estimated by the Recruitment-to-Inflation Ratio in Acute Respiratory Distress Syndrome. A Clinical Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 201, 178-187.                             | 2.5  | 197       |
| 30665 | Analysis of reproducibility, evaluation, and preference of the new iC100 rebound tonometer versus iCare PRO and Perkins portable applanation tonometry. <i>European Journal of Ophthalmology</i> , 2020, 30, 1349-1355.                                      | 0.7  | 9         |
| 30666 | A multimodal ophthalmic analysis in patients with systemic sclerosis using ocular response analyzer, corneal topography and specular microscopy. <i>International Ophthalmology</i> , 2020, 40, 287-296.   | 0.6  | 2         |
| 30667 | Terminal digit preference: a source of measurement error in breast cancer diameter reporting. <i>Acta Oncologica</i> , 2020, 59, 260-267.  | 0.8  | 5         |
| 30668 | Polyethersulfone as suitable passive sampler for waterborne hydrophobic organic compounds – Laboratory calibration and field test in the Sosiani river, Kenya. <i>Science of the Total Environment</i> , 2020, 699, 134056.                                  | 3.9  | 8         |
| 30669 | The reproducibility of measurements using a standardization phantom for the evaluation of fractional anisotropy (FA) derived from diffusion tensor imaging (DTI). <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2020, 33, 293-298. | 1.1  | 12        |
| 30670 | No Disadvantage to Insulin Pump Off vs Pump On During Intermittent High-Intensity Exercise in Adults With Type 1 Diabetes. <i>Canadian Journal of Diabetes</i> , 2020, 44, 162-168.  | 0.4  | 12        |
| 30671 | Adherence to a Mediterranean diet by vegetarians and vegans as compared to omnivores. <i>International Journal of Food Sciences and Nutrition</i> , 2020, 71, 378-387.   | 1.3  | 7         |
| 30672 | Relative Body Weight and Standardised Brightness-Mode Ultrasound Measurement of Subcutaneous Fat in Athletes: An International Multicentre Reliability Study, Under the Auspices of the IOC Medical Commission. <i>Sports Medicine</i> , 2020, 50, 597-614.  | 3.1  | 23        |
| 30673 | Adaptation and transcultural translation of the Rotator Cuff Quality of Life questionnaire into Spanish. <i>Journal of Shoulder and Elbow Surgery</i> , 2020, 29, 355-362.   | 1.2  | 3         |
| 30674 | Hygienic behavior in honey bees and prediction of <i>Varroa</i> non-reproduction in single-drone inseminated (SDI) colonies. <i>Journal of Apicultural Research</i> , 2020, 59, 185-192.   | 0.7  | 3         |
| 30675 | Acute kidney injury calculated using admission serum creatinine underestimates 30-day and 1-year mortality after acute stroke. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 46-54.  | 1.4  | 6         |
| 30676 | Creatinine clearance after cimetidine administration in a new short procedure: comparison with plasma and renal clearances of iohexol. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 587-596.  | 1.4  | 7         |
| 30677 | Methodology and reliability of respiratory muscle assessment. <i>Respiratory Physiology and Neurobiology</i> , 2020, 273, 103321.  | 0.7  | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 30678 | A near-infrared fluorescent pH sensing film for wound milieu pH monitoring. <i>Experimental Dermatology</i> , 2020, 29, 107-111.  | 1.4 | 12        |
| 30679 | Comparison of linear and angular changes assessed in digital dental models and cone-beam computed tomography. <i>Orthodontics and Craniofacial Research</i> , 2020, 23, 118-128.  | 1.2 | 6         |
| 30680 | PROMIS <sup>®</sup> Pediatric Depressive Symptoms as a Harmonized Score Metric. <i>Journal of Pediatric Psychology</i> , 2020, 45, 271-280.   | 1.1 | 15        |
| 30681 | Validity, potential clinical utility, and comparison of consumer and research-grade activity trackers in Insomnia Disorder I: In-lab validation against polysomnography. <i>Journal of Sleep Research</i> , 2020, 29, e12931.       | 1.7 | 54        |
| 30682 | Dynamic contrast-enhanced ultrasound improves diagnostic performance in endometrial cancer staging. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 96-105.  | 0.9 | 16        |
| 30683 | Comparison of Mass Size Measurements: Synthesized Mammography Versus Full-Field Digital Mammography. <i>Academic Radiology</i> , 2020, 27, 766-773.   | 1.3 | 2         |
| 30684 | Obtaining spirometric reference values when height is not available – comparison of alternative anthropometric measures. <i>Pulmonology</i> , 2020, 26, 198-203.  | 1.0 | 2         |
| 30685 | Non-invasive in vivo measurement of ocular rigidity: Clinical validation, repeatability and method improvement. <i>Experimental Eye Research</i> , 2020, 190, 107831.   | 1.2 | 13        |
| 30686 | Measuring food preference and reward: Application and cross-cultural adaptation of the Leeds Food Preference Questionnaire in human experimental research. <i>Food Quality and Preference</i> , 2020, 80, 103824.                   | 2.3 | 54        |
| 30687 | Reliability and validity of two software systems used to measure the pharyngeal airway space in three-dimensional analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2020, 49, 602-613.                     | 0.7 | 6         |
| 30688 | The 30-15 Intermittent Fitness Test: A Reliable, Valid, and Useful Tool to Assess Aerobic Capacity in Female Basketball Players. <i>Research Quarterly for Exercise and Sport</i> , 2020, 91, 83-91.                                | 0.8 | 13        |
| 30689 | Reliability of the Copenhagen Achilles length measure (CALM) on patients with an Achilles tendon rupture. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 281-290.  | 2.3 | 11        |
| 30690 | Understanding Fever and Body Temperature. , 2020, , .   |     | 5         |
| 30691 | Measuring extracellular volume fraction by MRI: First verification of values given by clinical sequences. <i>Magnetic Resonance in Medicine</i> , 2020, 83, 662-672.  | 1.9 | 5         |
| 30692 | Comparison of accuracy of prediction of postoperative mortality and morbidity between a new, parsimonious risk calculator (SURPAS) and the ACS Surgical Risk Calculator. <i>American Journal of Surgery</i> , 2020, 219, 1065-1072. | 0.9 | 22        |
| 30693 | Atrophy of individual thigh muscles measured by MRI in older adults with knee osteoarthritis: A cross-sectional study. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 38-45.                                     | 1.1 | 11        |
| 30694 | Facing SpO <sub>2</sub> and SaO <sub>2</sub> discrepancies in ICU patients: is the perfusion index helpful?. <i>Journal of Clinical Monitoring and Computing</i> , 2020, 34, 693-698.   | 0.7 | 17        |
| 30695 | Variability in exercise physiology: Can capturing intra-individual variation help better understand true inter-individual responses?. <i>European Journal of Sport Science</i> , 2020, 20, 452-460.                                 | 1.4 | 20        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30696 | The superior predictive value of <sup>166</sup> Ho-scout compared with <sup>99m</sup> Tc-macroaggregated albumin prior to <sup>166</sup> Ho-microspheres radioembolization in patients with liver metastases. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 798-806. | 3.3 | 62        |
| 30697 | Sleep quality in hospitalized patients with advanced cancer: an observational study using self-reports of sleep and actigraphy. <i>Supportive Care in Cancer</i> , 2020, 28, 2015-2023.  | 1.0 | 22        |
| 30698 | Quantitative assessment of PD-L1 as an analyte in immunohistochemistry diagnostic assays using a standardized cell line tissue microarray. <i>Laboratory Investigation</i> , 2020, 100, 4-15.  | 1.7 | 52        |
| 30699 | A new field test to estimate the aerobic and anaerobic thresholds and maximum parameters. <i>European Journal of Sport Science</i> , 2020, 20, 437-443.  | 1.4 | 10        |
| 30700 | Quality assurance in hematology and hemostasis testing. , 2020, , 8-30.  |     | 0         |
| 30701 | Estimating personal exposures from a multi-hazard sensor network. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2020, 30, 1013-1022.   | 1.8 | 17        |
| 30702 | Assessment tool for visual perception deficits in cerebral visual impairment: reliability and validity. <i>Developmental Medicine and Child Neurology</i> , 2020, 62, 118-124.   | 1.1 | 14        |
| 30703 | Comparison of sampling with a spade and gouge auger for topsoil monitoring at the continental scale. <i>European Journal of Soil Science</i> , 2020, 71, 137-150.  | 1.8 | 15        |
| 30704 | Minimal Detectable Change for Balance Using the Biodex Balance System in Patients with Parkinson Disease. <i>PM and R</i> , 2020, 12, 281-287.   | 0.9 | 4         |
| 30705 | Early changes in diaphragmatic function evaluated using ultrasound in cardiac surgery patients: a cohort study. <i>Journal of Clinical Monitoring and Computing</i> , 2020, 34, 559-566.   | 0.7 | 15        |
| 30706 | Validity of bladder volume measurement by ultrasound in women postpartum. <i>International Urogynecology Journal</i> , 2020, 31, 643-649.  | 0.7 | 6         |
| 30707 | Screening and Assessment of Bone Health in Indian Women Using an Indigenous ELISA of Human Osteocalcin a Bone Turnover Marker. <i>Indian Journal of Clinical Biochemistry</i> , 2020, 35, 436-441.   | 0.9 | 2         |
| 30708 | Novel Single-Site Device for Conjoined Glucose Sensing and Insulin Infusion: Performance Evaluation in Diabetes Patients During Home-Use. <i>IEEE Transactions on Biomedical Engineering</i> , 2020, 67, 323-332.  | 2.5 | 10        |
| 30709 | Test-retest reliability, agreement, and minimal detectable change in the 6-minute walk test in patients with intermittent claudication. <i>Journal of Vascular Surgery</i> , 2020, 71, 197-203.  | 0.6 | 21        |
| 30710 | Optimizing the use of point of care testing devices for screening patients. <i>Journal of Clinical Monitoring and Computing</i> , 2020, 34, 411-419.   | 0.7 | 4         |
| 30711 | Agreement Between 2 Segmental Bioimpedance Devices, BOD POD, and DXA in Obese Adults. <i>Journal of Clinical Densitometry</i> , 2020, 23, 138-148.   | 0.5 | 19        |
| 30712 | Dose Reduction in Brain [ <sup>18</sup> F]FDG PET/MRI: Give It Half a Chance. <i>Molecular Imaging and Biology</i> , 2020, 22, 695-702.  | 1.3 | 7         |
| 30713 | The Stair Climb Power Test as an Efficacy Outcome in Randomized Trials of Function Promoting Therapies in Older Men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1167-1175.   | 1.7 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30714 | Non-Contact Physiological Parameters Extraction Using Facial Video Considering Illumination, Motion, Movement and Vibration. <i>IEEE Transactions on Biomedical Engineering</i> , 2020, 67, 88-98.                         | 2.5 | 28        |
| 30715 | Evaluating human basal metabolism: the erroneous and misleading use of so-called "prediction equations". <i>International Journal of Food Sciences and Nutrition</i> , 2020, 71, 249-255.                                  | 1.3 | 1         |
| 30716 | Comparison of fractional exhaled nitric oxide levels measured by different analyzers produced by different manufacturers. <i>Journal of Asthma</i> , 2020, 57, 1216-1226.  | 0.9 | 3         |
| 30717 | The role of MRI-derived depth of invasion in staging oral tongue squamous cell carcinoma: inter-reader and radiological "pathological agreement. <i>Acta Radiologica</i> , 2020, 61, 344-352.                              | 0.5 | 21        |
| 30718 | Pancreatic adenocarcinoma: variability in measurements of tumor size among computed tomography, magnetic resonance imaging, and pathologic specimens. <i>Abdominal Radiology</i> , 2020, 45, 782-788.                      | 1.0 | 18        |
| 30719 | The passion scale: Aspects of reliability and validity of a new 8-item scale assessing passion.. <i>New Ideas in Psychology</i> , 2020, 56, 100745.  | 1.2 | 25        |
| 30720 | A standardized validity assessment protocol for physiological signals from wearable technology: Methodological underpinnings and an application to the E4 biosensor. <i>Behavior Research Methods</i> , 2020, 52, 607-629. | 2.3 | 77        |
| 30721 | The Measurement Methods of Movement and Grip Strength in Children with a Previous Upper Extremity Fracture: A Comparative, Prospective Research. <i>Scandinavian Journal of Surgery</i> , 2020, 109, 351-358.              | 1.3 | 2         |
| 30722 | Ultrasound assessment of pelvic floor muscle contraction: reliability and development of an ultrasound-based contraction scale. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 125-131.                        | 0.9 | 26        |
| 30723 | Automated Spectral Doppler Profile Tracing. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2020, 34, 72-76.  | 0.6 | 8         |
| 30724 | Are Currently Used Bioimpedance Methods in Hemodialysis Comparable for Calculating Dialysis Dose?. <i>Therapeutic Apheresis and Dialysis</i> , 2020, 24, 154-162.  | 0.4 | 0         |
| 30725 | Measurement of Fractional Exhaled Nitric Oxide: Comparison of Three Different Analysers. <i>Respiration</i> , 2020, 99, 1-8.   | 1.2 | 26        |
| 30726 | Comparison of three pressure monitors used to measure interface pressure under compression bandages. <i>Phlebology</i> , 2020, 35, 262-267.  | 0.6 | 4         |
| 30727 | SIESTA - Home sleep study with BresDx for obstructive sleep apnea: a randomized controlled trial. <i>Sleep Medicine</i> , 2020, 65, 45-53.   | 0.8 | 7         |
| 30728 | Circulating tumor DNA quantity is related to tumor volume and both predict survival in metastatic pancreatic ductal adenocarcinoma. <i>International Journal of Cancer</i> , 2020, 146, 1445-1456.                         | 2.3 | 67        |
| 30729 | The utility of iPhone oximetry apps: A comparison with standard pulse oximetry measurement in the emergency department. <i>American Journal of Emergency Medicine</i> , 2020, 38, 925-928.                                 | 0.7 | 20        |
| 30730 | Evaluating a new objective grading software for conjunctival hyperaemia. <i>Contact Lens and Anterior Eye</i> , 2020, 43, 137-143.   | 0.8 | 17        |
| 30731 | Validation of a Complementary Food Frequency Questionnaire to assess infant nutrient intake. <i>Maternal and Child Nutrition</i> , 2020, 16, e12879.   | 1.4 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30732 | Non-invasive blood pressure monitoring underestimates hypertensive response to exercise in suspected heart failure with preserved ejection fraction. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 2180-2182.   | 0.8 | 1         |
| 30733 | Non-contact-based driver's cognitive load classification using physiological and vehicular parameters. <i>Biomedical Signal Processing and Control</i> , 2020, 55, 101634.   | 3.5 | 15        |
| 30734 | Performance of the Ankylosing Spondylitis Disease Activity Score based on a quick quantitative C-reactive protein assay in patients with axial spondyloarthritis. <i>Joint Bone Spine</i> , 2020, 87, 69-73.   | 0.8 | 11        |
| 30735 | Quantification of folate in food using deconjugase of plant origin combined with LC-MS/MS: A method comparison of a large and diverse sample set. <i>Food Chemistry</i> , 2020, 305, 125450.   | 4.2 | 16        |
| 30736 | Well-founded practice or personal preference: a comparison of established techniques for measuring ulnar variance in healthy children and adolescents. <i>European Radiology</i> , 2020, 30, 151-162.  | 2.3 | 13        |
| 30737 | Dynamic measurement of pennation angle of gastrocnemius muscles obtained from ultrasound images based on gradient Radon transform. <i>Biomedical Signal Processing and Control</i> , 2020, 55, 101604.   | 3.5 | 17        |
| 30738 | Cross-sectional and longitudinal agreement between two multifrequency bioimpedance devices for resistance, reactance, and phase angle values. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 900-911.   | 1.3 | 16        |
| 30739 | Influence of Coronary Calcium on Diagnostic Performance of Machine Learning CT-FFR. <i>JACC: Cardiovascular Imaging</i> , 2020, 13, 760-770.   | 2.3 | 73        |
| 30740 | Field-based Measurement of Sleep: Agreement between Six Commercial Activity Monitors and a Validated Accelerometer. <i>Behavioral Sleep Medicine</i> , 2020, 18, 637-652.  | 1.1 | 25        |
| 30741 | Post-treatment cephalometric changes in adolescent patients with Class II malocclusion treated using two different functional appliance systems for an extended time period: a randomized clinical trial. <i>European Journal of Orthodontics</i> , 2020, 42, 135-143. | 1.1 | 9         |
| 30742 | In-vitro performance of a low flow extracorporeal carbon dioxide removal circuit. <i>Perfusion (United Kingdom)</i> , 2020, 35, 1010-1017.   | 0.5 | 10        |
| 30743 | Reproducibility and validity of an FFQ in the Henan Rural Cohort Study. <i>Public Health Nutrition</i> , 2020, 23, 34-40.  | 1.1 | 49        |
| 30744 | Identifying critically ill patients with low muscle mass: Agreement between bioelectrical impedance analysis and computed tomography. <i>Clinical Nutrition</i> , 2020, 39, 1809-1817.   | 2.3 | 46        |
| 30745 | Long-Term Incidence and Growth of Chorioretinal Atrophy in Patients with Polypoidal Choroidal Vasculopathy. <i>Ophthalmologica</i> , 2020, 243, 136-144.   | 1.0 | 5         |
| 30746 | Assessment of Exercise Stroke Volume and Its Prediction From Oxygen Pulse in Paralympic Athletes With Locomotor Impairments: Cardiac Long-Term Adaptations Are Possible. <i>Frontiers in Physiology</i> , 2019, 10, 1451.  | 1.3 | 16        |
| 30747 | Planar scan vs. SPECT/low-dose CT for estimating split renal function by <sup>99m</sup> Tc-DMSA scintigraphy in children. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 729-733.   | 3.3 | 9         |
| 30748 | Validation by CT scan of quadriceps muscle thickness measurement by ultrasound in acute kidney injury. <i>Journal of Nephrology</i> , 2020, 33, 109-117.   | 0.9 | 22        |
| 30749 | Impact of stroke volume on motor outcome in neonatal arterial ischemic stroke. <i>European Journal of Paediatric Neurology</i> , 2020, 25, 97-105.   | 0.7 | 21        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 30750 | Bias varies for bioimpedance analysis and skinfold technique when stratifying collegiate male athletes' fat-free mass hydration levels. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, 336-339.  | 0.9 | 4         |
| 30752 | Zero-heat-flux core temperature monitoring system: an observational secondary analysis to evaluate agreement with naso-/oropharyngeal probe during anesthesia. <i>Journal of Clinical Monitoring and Computing</i> , 2020, 34, 1121-1129.   | 0.7 | 15        |
| 30753 | Automated echocardiography for measuring and tracking cardiac output after cardiac surgery: a validation study. <i>Journal of Clinical Monitoring and Computing</i> , 2020, 34, 913-922.  | 0.7 | 4         |
| 30754 | Comparison of bioimpedance body composition in young adults in the Russian Children's Study. <i>Clinical Nutrition ESPEN</i> , 2020, 35, 153-161.   | 0.5 | 9         |
| 30755 | Is $\dot{V}i\ddot{O}2$ peak a Valid Estimation of $\dot{V}i\ddot{O}2$ max in Swimmers with Physical Impairments?. <i>Research Quarterly for Exercise and Sport</i> , 2020, 91, 252-262.   | 0.8 | 2         |
| 30756 | Performance assessment of new-generation Fitbit technology in deriving sleep parameters and stages. <i>Chronobiology International</i> , 2020, 37, 47-59.   | 0.9 | 40        |
| 30757 | Test-Retest Reliability of the Brain Metabolites GABA and Glx With JPRESS, PRESS, and MEGA-PRESS MRS Sequences in vivo at 3T. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 1181-1191.   | 1.9 | 38        |
| 30758 | Influence of foot position on the measurement of first metatarsal axial rotation using the first metatarsal axial radiographs. <i>Journal of Orthopaedic Science</i> , 2020, 25, 664-670.   | 0.5 | 4         |
| 30759 | Dietary patterns and breast cancer in Colombia: an ecological study. <i>International Health</i> , 2020, 12, 317-324.   | 0.8 | 2         |
| 30760 | The Respiratory Specimen Collection Trial (ReSpeCT): A Randomized Controlled Trial to Compare Quality and Timeliness of Respiratory Sample Collection in the Home by Parents and Healthcare Workers From Children Aged <math>\geq 2</math> Years. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2020, 9, 134-141.     | 0.6 | 21        |
| 30761 | The Frontal Bone Window for Transcranial Doppler Ultrasonography in Critically Ill Patients: Validation of a New Approach in the ICU. <i>Neurocritical Care</i> , 2020, 33, 115-123.  | 1.2 | 6         |
| 30762 | Assessment and validation of spot urine in estimating the 24-h urinary sodium, potassium, and sodium/potassium ratio in Chinese adults. <i>Journal of Human Hypertension</i> , 2020, 34, 184-192.   | 1.0 | 16        |
| 30763 | Effect of Pressure Recovery on Pressure Gradients in Congenital Stenotic Outflow Lesions in Pediatric Patients—Clinical Implications of Lesion Severity and Geometry: A Simultaneous Doppler Echocardiography and Cardiac Catheter Correlative Study. <i>Journal of the American Society of Echocardiography</i> , 2020, 33, 207-217. | 1.2 | 16        |
| 30764 | An evaluation of the reproducibility of 1H-MRS GABA and GSH levels acquired in healthy volunteers with J-difference editing sequences at varying echo times. <i>Magnetic Resonance Imaging</i> , 2020, 65, 109-113.   | 1.0 | 25        |
| 30765 | Validation of an Objective Method for the Qualitative and Quantitative Assessment of Binocular Accommodative Facility. <i>Current Eye Research</i> , 2020, 45, 636-644.   | 0.7 | 7         |
| 30766 | Jump height from inertial recordings: A tutorial for a sports scientist. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 38-45.   | 1.3 | 20        |
| 30767 | Three-dimensional head shape acquisition in preterm infants - Translating an orthodontic imaging procedure into neonatal care. <i>Early Human Development</i> , 2020, 140, 104908.  | 0.8 | 6         |
| 30768 | An Integrated Wearable Wireless Vital Signs Biosensor for Continuous Inpatient Monitoring. <i>IEEE Sensors Journal</i> , 2020, 20, 448-462.   | 2.4 | 52        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30769 | Liver Fat Content Measurement with Quantitative CT Validated against MRI Proton Density Fat Fraction: A Prospective Study of 400 Healthy Volunteers. <i>Radiology</i> , 2020, 294, 89-97.  | 3.6 | 56        |
| 30770 | The External Genitalia Score (EGS): A European Multicenter Validation Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e222-e230.   | 1.8 | 51        |
| 30771 | Comparison of different methods of measuring angle of progression in prediction of labor outcome. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 391-400.  | 0.9 | 13        |
| 30772 | Midfacial Advancement Line—A Comparative Evaluation of a New Measurement Method in Orthognathic Surgery. <i>Journal of Oral and Maxillofacial Surgery</i> , 2020, 78, 286.e1-286.e9.   | 0.5 | 3         |
| 30773 | Comparing Data-Independent Acquisition and Parallel Reaction Monitoring in Their Abilities To Differentiate High-Density Lipoprotein Subclasses. <i>Journal of Proteome Research</i> , 2020, 19, 248-259.  | 1.8 | 13        |
| 30774 | Point-of-care blood analysis of hypotensive patients in the emergency department. <i>American Journal of Emergency Medicine</i> , 2020, 38, 1049-1057.   | 0.7 | 5         |
| 30775 | Tumor regression during radiotherapy for non-small cell lung cancer patients using cone-beam computed tomography images. <i>Strahlentherapie Und Onkologie</i> , 2020, 196, 159-171.   | 1.0 | 6         |
| 30776 | Patient selection to optimize near vision performance with a low-addition trifocal lens. <i>Journal of Optometry</i> , 2020, 13, 50-58.  | 0.7 | 9         |
| 30777 | Intraoperative core temperature monitoring: accuracy and precision of zero-heat flux heated controlled servo sensor compared with esophageal temperature during major surgery; the ESOSPOT study. <i>Journal of Clinical Monitoring and Computing</i> , 2020, 34, 1111-1119. | 0.7 | 14        |
| 30778 | Cytological examination of cerebrospinal fluid: Sysmex UF-1000i versus optical microscopy. <i>Analytical Biochemistry</i> , 2020, 589, 113501.   | 1.1 | 3         |
| 30779 | Vacuum-formed retainer versus bonded retainer for dental stabilization in the mandible—a randomized controlled trial. Part I: retentive capacity 6 and 18 months after orthodontic treatment. <i>European Journal of Orthodontics</i> , 2020, 42, 551-558.                   | 1.1 | 18        |
| 30780 | Comparison of angle-to-angle distance using three devices in normal eyes. <i>Eye</i> , 2020, 34, 1116-1120.  | 1.1 | 15        |
| 30781 | Blood-borne fatigue markers during major international football tournaments—a retrospective analysis of data from the FIFA World Championships and UEFA European Championships 2006–2016. <i>Science and Medicine in Football</i> , 2020, 4, 135-141.                        | 1.0 | 8         |
| 30782 | Reliability and validity of three isometric back extensor strength assessments with different test postures. <i>Journal of International Medical Research</i> , 2020, 48, 030006051988526.   | 0.4 | 8         |
| 30783 | Anatomical Differences Between Intact and Ruptured Large Abdominal Aortic Aneurysms. <i>Journal of Endovascular Therapy</i> , 2020, 27, 117-123.   | 0.8 | 11        |
| 30784 | Changing predictor measurement procedures affected the performance of prediction models in clinical examples. <i>Journal of Clinical Epidemiology</i> , 2020, 119, 7-18.   | 2.4 | 31        |
| 30785 | Three-dimensional Deep Convolutional Neural Networks for Automated Myocardial Scar Quantification in Hypertrophic Cardiomyopathy: A Multicenter Multivendor Study. <i>Radiology</i> , 2020, 294, 52-60.  | 3.6 | 58        |
| 30786 | Estimation of Thickness and Speed of Sound in Cortical Bone Using Multifocus Pulse-Echo Ultrasound. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2020, 67, 568-579.  | 1.7 | 25        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 30787 | Assessment of spontaneous neuromuscular recovery: A comparison of the TOFâ€Cuff Â® with the TOF Watch SX Â®. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 173-179.  | 0.7 | 9         |
| 30788 | System Accuracy Assessment of a Combined Invasive and Noninvasive Glucometer. <i>Journal of Diabetes Science and Technology</i> , 2020, 14, 575-581.  | 1.3 | 4         |
| 30789 | Pseudo-Bayesian Model-Based Noninvasive Intracranial Pressure Estimation and Tracking. <i>IEEE Transactions on Biomedical Engineering</i> , 2020, 67, 1604-1615.  | 2.5 | 12        |
| 30790 | Premature birth was not associated with increased body fatness in fourâ€Cyearâ€Cold boys and girls. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 327-331.   | 0.7 | 9         |
| 30791 | Evaluation of vision screening of 5â€C15â€Cyearâ€Cold children in three Tongan schools: comparison of The Auckland Optotypes and Lea symbols. <i>Australasian journal of optometry, The</i> , 2020, 103, 353-360.                             | 0.6 | 2         |
| 30792 | Coffee intake protects against symptomatic gallstone disease in the general population: a Mendelian randomization study. <i>Journal of Internal Medicine</i> , 2020, 287, 42-53.  | 2.7 | 14        |
| 30793 | Multiparametric 3D Contrastâ€Enhanced Ultrasound to Assess Internal Carotid Artery Stenosis: A Pilot Study. <i>Journal of Neuroimaging</i> , 2020, 30, 82-89.   | 1.0 | 5         |
| 30794 | Home versus laboratory assessments of melatonin production and melatonin onset in young adults complaining of a delayed sleep schedule. <i>Journal of Sleep Research</i> , 2020, 29, e12905.  | 1.7 | 3         |
| 30795 | Reliability and Minimal Detectable Change in the Gait Assessment and Intervention Tool in Patients With Multiple Sclerosis. <i>PM and R</i> , 2020, 12, 685-691.  | 0.9 | 8         |
| 30796 | Can water level stations be used for thermal assessment in aquatic ecosystem?. <i>River Research and Applications</i> , 2020, 36, 960-973.  | 0.7 | 2         |
| 30797 | Comparison of laser speckle contrast imaging and laser-Doppler fluxmetry in boys and men. <i>Microvascular Research</i> , 2020, 128, 103927.  | 1.1 | 5         |
| 30798 | Reliability and Validity of Ultrasonography for Measurement of Hamstring Muscle and Tendon Cross-Sectional Area. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 55-63.   | 0.7 | 33        |
| 30799 | Transpulmonary driving pressure during mechanical ventilationâ€validation of a nonâ€invasive measurement method. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 211-215.  | 0.7 | 3         |
| 30800 | A new conception of visual aesthetic sensitivity. <i>British Journal of Psychology</i> , 2020, 111, 630-658.  | 1.2 | 43        |
| 30801 | Repeatability and variation of the flow independent nitric oxide parameters. <i>Journal of Breath Research</i> , 2020, 14, 026002.  | 1.5 | 1         |
| 30802 | Validation of the oscillometric blood pressure monitor Vet20 SunTech in anesthetized healthy cats. <i>Veterinary Anaesthesia and Analgesia</i> , 2020, 47, 309-314.   | 0.3 | 6         |
| 30803 | Patterns of lower limb muscular activity and joint moments during directional efforts using a static dynamometer. <i>BMC Biomedical Engineering</i> , 2020, 2, 1.   | 1.7 | 5         |
| 30804 | Testing adults by questionnaire for social and communication disorders, including autism spectrum disorders, in an adult mental health service population. <i>International Journal of Methods in Psychiatric Research</i> , 2020, 29, e1814. | 1.1 | 19        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30805 | Comparison of the beta-hydroxybutyrate, glucose, and lactate concentrations derived from postmortem proton magnetic resonance spectroscopy and biochemical analysis for the diagnosis of fatal metabolic disorders. <i>International Journal of Legal Medicine</i> , 2020, 134, 603-612.                         | 1.2 | 5         |
| 30806 | Comparing the interobserver reproducibility of different regions of interest on multi-parametric renal magnetic resonance imaging in healthy volunteers, patients with heart failure and renal transplant recipients. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2020, 33, 103-112. | 1.1 | 7         |
| 30807 | 4D flow vs. 2D cardiac MRI for the evaluation of pulmonary regurgitation and ventricular volume in repaired tetralogy of Fallot: a retrospective case control study. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 657-669.   | 0.7 | 20        |
| 30808 | Supporting data for positron emission tomography-based risk modelling using a fixed-instead of a relative thresholding method for total metabolic tumor volume determination. <i>Data in Brief</i> , 2020, 28, 104976.   | 0.5 | 1         |
| 30809 | A Spectral Approach to Model-Based Noninvasive Intracranial Pressure Estimation. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2020, 24, 2398-2406.   | 3.9 | 8         |
| 30810 | Changes in left and right ventricular longitudinal function after pulmonary valve replacement in patients with Tetralogy of Fallot. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020, 318, H345-H353.   | 1.5 | 6         |
| 30811 | Pending Right Heart Failure in Healthy Preterm-Born Subjects?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 201, 1008-1009.   | 2.5 | 1         |
| 30812 | Reliability analysis of fish traits reveals discrepancies among databases. <i>Freshwater Biology</i> , 2020, 65, 863-877.  | 1.2 | 25        |
| 30813 | Tibial Acceleration during Running Is Higher in Field Testing Than Indoor Testing. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 1361-1366.   | 0.2 | 30        |
| 30814 | A new cone-beam computed tomography-driven index for osteoporosis prediction. <i>Clinical Oral Investigations</i> , 2020, 24, 3193-3202.   | 1.4 | 16        |
| 30815 | Mid-term results after proximal humeral fractures following angular stable plate fixation in elderly patients-which scores can be evaluated by a telephone-based assessment?. <i>Journal of Orthopaedic Surgery and Research</i> , 2020, 15, 6.  | 0.9 | 3         |
| 30816 | Cross-cultural adaptation and psychometric evaluation of the Yoruba version of Oswestry disability index. <i>PLoS ONE</i> , 2020, 15, e0221138.  | 1.1 | 3         |
| 30817 | Comparison of Anorectal Manometry Testing in Left Lateral and Lithotomy Positions. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 630-634.   | 0.6 | 4         |
| 30818 | Clinical Validation of a Dried Blood Spot Assay for 8 Antihypertensive Drugs and 4 Active Metabolites. <i>Therapeutic Drug Monitoring</i> , 2020, 42, 460-467.   | 1.0 | 20        |
| 30819 | Bone age determination using only the index finger: a novel approach using a convolutional neural network compared with human radiologists. <i>Pediatric Radiology</i> , 2020, 50, 516-523.  | 1.1 | 20        |
| 30820 | Determination of scotopic and photopic conventional visual acuity and hyperacuity. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2020, 258, 129-135.   | 1.0 | 7         |
| 30821 | The repeatability of the instrumented timed Up & Go test: The performance of older adults and parkinson's disease patients under different conditions. <i>Biocybernetics and Biomedical Engineering</i> , 2020, 40, 363-377.   | 3.3 | 2         |
| 30822 | Validation of the Australian Pelvic Floor Questionnaire in Chinese pregnant and postpartum women. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 245, 102-106.   | 0.5 | 13        |

| #     | ARTICLE  | IF   | CITATIONS |
|-------|--|------|-----------|
| 30823 | Predicting the knee adduction moment after high tibial osteotomy in patients with medial knee osteoarthritis using dynamic simulations. <i>Knee</i> , 2020, 27, 61-70.   | 0.8  | 3         |
| 30824 | Reliability of stress radiography in the assessment of coronal laxity following total knee arthroplasty. <i>Knee</i> , 2020, 27, 221-228.  | 0.8  | 10        |
| 30825 | Reliability and validity analyzes of Kinect V2 based measurement system for shoulder motions. <i>Medical Engineering and Physics</i> , 2020, 76, 20-31.  | 0.8  | 34        |
| 30826 | Comparative analysis of methods and model prediction performance evaluation for continuous online non-invasive quality assessment during drying of apples from two cultivars. <i>Thermal Science and Engineering Progress</i> , 2020, 18, 100461.                            | 1.3  | 16        |
| 30827 | Detection of anaemia from retinal fundus images via deep learning. <i>Nature Biomedical Engineering</i> , 2020, 4, 18-27.  | 11.6 | 130       |
| 30828 | How Big is the Hole? Measuring Intra- and Inter-Individual Agreement in Macular Hole Size Measurements. <i>Current Eye Research</i> , 2020, 45, 1000-1004.   | 0.7  | 4         |
| 30829 | Are predictive equations a valid method of assessing the resting metabolic rate of overweight or obese former athletes?. <i>European Journal of Sport Science</i> , 2020, 20, 1225-1234.   | 1.4  | 2         |
| 30830 | Influence of preanalytic and analytic variables in canine and feline urine specific gravity measurement by refractometer. <i>Journal of Veterinary Diagnostic Investigation</i> , 2020, 32, 36-43.   | 0.5  | 4         |
| 30831 | Comparability of size measurements of the pancreas in magnetic resonance imaging and transabdominal ultrasound. <i>Clinical Anatomy</i> , 2020, 33, 431-439.   | 1.5  | 3         |
| 30832 | A comparison of methods to determine patent foramen ovale size. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 96, E621-E629.   | 0.7  | 18        |
| 30833 | Cyanidin-3-glucoside as a possible biomarker of anthocyanin-rich berry intake in body fluids of healthy humans: a systematic review of clinical trials. <i>Nutrition Reviews</i> , 2020, 78, 597-610.  | 2.6  | 10        |
| 30834 | Smartphone-Based Analysis of Urine Reagent Strips Is Inaccurate for Assessing Underhydration. <i>Telemedicine Journal and E-Health</i> , 2020, 26, 683-686.  | 1.6  | 2         |
| 30835 | Energysâ€dispersive X-ray fluorescence spectrometry as a tool for the rapid determination of the five major minerals (Na, Mg, K, P and Ca) in skim milk powder. <i>International Journal of Dairy Technology</i> , 2020, 73, 459-467.  | 1.3  | 11        |
| 30836 | Intra and inter-rater agreement of inflammatory choroidal neovascular membrane measurements using optical coherence tomography angiography. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2020, 258, 647-651.  | 1.0  | 4         |
| 30837 | Evaluation of a Quantitative Food Frequency Questionnaire for 5-Year-Old Children in an Asian Population. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2020, 120, 437-444.   | 0.4  | 16        |
| 30838 | Evaluating the Interchangeability of Forehead, Tympanic, and Axillary Thermometers in Italian Paediatric Clinical Settings: Results of a Multicentre Observational Study. <i>Journal of Pediatric Nursing</i> , 2020, 52, e21-e25.   | 0.7  | 8         |
| 30839 | Vertical light transmission profiles in structured mixed deciduous forest canopies assessed by UAV-based hemispherical photography and photogrammetric vegetation height models. <i>Agricultural and Forest Meteorology</i> , 2020, 281, 107843.                             | 1.9  | 15        |
| 30840 | Assessment of potential reduction in multidetector computed tomography doses using FBP and SAFIRE for detection and measurement of the position of the inferior alveolar canal. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2020, 129, 65-71.e7. | 0.2  | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30841 | Exploring the implications of different approaches to estimate centre-level adherence using objective adherence data in an adult cystic fibrosis centre – a retrospective observational study. <i>Journal of Cystic Fibrosis</i> , 2020, 19, 162-167.                                    | 0.3 | 12        |
| 30842 | Ultrafast laser diode thermal desorption method for analysis of representative pharmaceuticals in soil leachate samples. <i>Talanta</i> , 2020, 208, 120382.   | 2.9 | 8         |
| 30843 | Reference equation for maximal voluntary ventilation in children and adolescents. <i>Pediatric Pulmonology</i> , 2020, 55, 426-432.  | 1.0 | 4         |
| 30844 | Performance of a capnodynamic method estimating cardiac output during respiratory failure - before and after lung recruitment. <i>Journal of Clinical Monitoring and Computing</i> , 2020, 34, 1199-1207.  | 0.7 | 7         |
| 30845 | Preferential deficit of fat-free soft tissue in the appendicular region of children with cerebral palsy and proposed statistical models to capture the deficit. <i>Clinical Nutrition</i> , 2020, 39, 1541-1550.   | 2.3 | 4         |
| 30846 | Validation of contemporary electrocardiographic indices of area at risk and infarct size in acute ST elevation myocardial infarction (STEMI). <i>International Journal of Cardiology</i> , 2020, 303, 1-7.   | 0.8 | 2         |
| 30847 | Reproducibility and reliability of central corneal thickness determination in more and less profound corneal edema using ultrasound pachymetry, a Scheimpflug camera and anterior segment OCT. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2020, 258, 351-358. | 1.0 | 5         |
| 30848 | Class II treatment in early mixed dentition with the eruption guidance appliance: effects and long-term stability. <i>European Journal of Orthodontics</i> , 2020, 42, 151-156.  | 1.1 | 9         |
| 30849 | Development and assessment of the inter-rater and intra-rater reproducibility of a self-administration version of the ALSFRS-R. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020, 91, 75-81.  | 0.9 | 41        |
| 30850 | Measurement accuracy of two professional-use systems for point-of-care testing of blood glucose. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 445-455.  | 1.4 | 5         |
| 30851 | A comparison of finger and forehead pulse oximeters in heart failure patients during maximal exercise. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2020, 49, 259-264.  | 0.8 | 4         |
| 30852 | A rapid and accurate method to quantify neurite outgrowth from cell and tissue cultures: Two image analytic approaches using adaptive thresholds or machine learning. <i>Journal of Neuroscience Methods</i> , 2020, 331, 108522.  | 1.3 | 10        |
| 30853 | Reliability and validity of the Microgate Gyko for measuring range of motion of the low back. <i>Musculoskeletal Science and Practice</i> , 2020, 45, 102091.  | 0.6 | 11        |
| 30854 | Digital anthropometry via three-dimensional optical scanning: evaluation of four commercially available systems. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 1054-1064.  | 1.3 | 33        |
| 30855 | Simultaneous tracers and a unified model of positional and mass isotopomers for quantification of metabolic flux in liver. <i>Metabolic Engineering</i> , 2020, 59, 1-14.  | 3.6 | 24        |
| 30856 | Comparison of questionnaire and accelerometer-based assessments of physical activity in patients with heart failure with preserved ejection fraction: clinical and prognostic implications. <i>Scandinavian Cardiovascular Journal</i> , 2020, 54, 77-83.                                | 0.4 | 11        |
| 30857 | Semiautomated Process for Enumeration of Fishes from Recreational – Grade Side – Scan Sonar Imagery. <i>North American Journal of Fisheries Management</i> , 2020, 40, 75-83.  | 0.5 | 4         |
| 30858 | Characterization of soft tissue tumours with ultrasound, shear wave elastography and MRI. <i>Skeletal Radiology</i> , 2020, 49, 869-881.   | 1.2 | 18        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30859 | A fully integrated bacterial pathogen detection system based on count-on-a-cartridge platform for rapid, ultrasensitive, highly accurate and culture-free assay. <i>Biosensors and Bioelectronics</i> , 2020, 152, 112007.   | 5.3 | 21        |
| 30860 | Similar patient positioning: A key factor in follow-up studies when using model-based radiostereometric analysis of the hip. <i>Radiography</i> , 2020, 26, e45-e51.   | 1.1 | 7         |
| 30861 | PTC1 and PTC2: New Indices of Blood Pressure Waveforms and Cardiovascular Disease. <i>American Journal of Epidemiology</i> , 2020, 189, 726-734.   | 1.6 | 6         |
| 30862 | Frothy saliva – A novel indicator to assess stereotypes in sows?. <i>Applied Animal Behaviour Science</i> , 2020, 222, 104897.   | 0.8 | 2         |
| 30863 | An interobserver reproducibility analysis of size-set semiautomatic counting for Ki67 assessment in breast cancer. <i>Breast</i> , 2020, 49, 225-232.  | 0.9 | 18        |
| 30864 | Impact of technical variations on the ring-finger test for carpal tunnel syndrome. <i>Clinical Neurophysiology Practice</i> , 2020, 5, 23-29.  | 0.6 | 2         |
| 30865 | Cross-cultural adaptation, reliability and validity of the Japanese version of the Hospital for Special Surgery Hip Replacement Expectations Survey. <i>Journal of Orthopaedic Science</i> , 2020, 25, 599-605.  | 0.5 | 2         |
| 30866 | Evaluating the reproducibility of the short version of the Western Ontario Rotator Cuff Index (Short-WORC) prospectively. <i>JSES International</i> , 2020, 4, 197-201.  | 0.7 | 2         |
| 30867 | Validity and Reliability of the WIMUTM Inertial Device for the Assessment of Joint Angulations. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 193.  | 1.2 | 9         |
| 30868 | Simple Prediction of Metabolic Equivalents of Daily Activities Using Heart Rate Monitor without Calibration of Individuals. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 216.  | 1.2 | 12        |
| 30869 | Proficiency of Medical Students at Obtaining Pressure Measurement Readings Using Automated Ankle and Toe Measuring Devices for Diagnosis of Lower Extremity Peripheral Artery Disease. <i>Annals of Vascular Surgery</i> , 2020, 65, 183-189.                                    | 0.4 | 5         |
| 30870 | Learning physical properties in complex visual scenes: An intelligent machine for perceiving blood flow dynamics from static CT angiography imaging. <i>Neural Networks</i> , 2020, 123, 82-93.  | 3.3 | 77        |
| 30871 | Chronic Obstructive Pulmonary Disease as a Predictor of Cardiovascular Risk: A Case-Control Study. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2020, 17, 81-89.  | 0.7 | 6         |
| 30872 | Assessing Agreement Between Two Methods of Quantitative Measurements: Exact Test Procedure and Sample Size Calculation. <i>Statistics in Biopharmaceutical Research</i> , 2020, 12, 352-359.   | 0.6 | 20        |
| 30873 | Comparison of three office blood pressure measurement techniques and their effect on hypertension prevalence in the general population. <i>Journal of Hypertension</i> , 2020, 38, 656-662.  | 0.3 | 15        |
| 30874 | Limited sampling strategy for predicting isoniazid exposure in patients with extrapulmonary tuberculosis. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2020, 45, 503-512.  | 0.7 | 5         |
| 30875 | A Primer on Clinically Important Outcome Values. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 262-268.   | 1.4 | 20        |
| 30876 | A mathematical modeling approach to the quantification of lactic acid bacteria in vacuum-packaged samples of cooked meat: Combining the TaqMan-based quantitative PCR method with the plate-count method. <i>International Journal of Food Microbiology</i> , 2020, 318, 108466. | 2.1 | 20        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 30877 | Ultrasonography for chairside evaluation of periodontal structures: A pilot study. <i>Journal of Periodontology</i> , 2020, 91, 890-899.  | 1.7 | 57        |
| 30878 | Assessing method agreement for paired repeated binary measurements administered by multiple raters. <i>Statistics in Medicine</i> , 2020, 39, 279-293.  | 0.8 | 5         |
| 30879 | A new Centiloid method for 18F-florbetaben and 18F-flutemetamol PET without conversion to PiB. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 1938-1948.   | 3.3 | 23        |
| 30880 | The Arrowhead Agility Test: Reliability, Minimum Detectable Change, and Practical Applications in Soccer Players. <i>Journal of Strength and Conditioning Research</i> , 2020, 34, 483-494.   | 1.0 | 21        |
| 30881 | A New Scoring System for the Assessment of Neonatal Abstinence Syndrome. <i>American Journal of Perinatology</i> , 2020, 37, 333-340.   | 0.6 | 5         |
| 30882 | Administration of the German Pediatric Evaluation of Disability Inventory (PEDI-G) Using the Mode of Observation in Children Undergoing Inpatient Rehabilitation: A Reliability and Validity Study. <i>Physical and Occupational Therapy in Pediatrics</i> , 2020, 40, 345-359. | 0.8 | 0         |
| 30883 | Use of allometry and skinfold thicknesses to estimate the fat mass of circumpubertal boys. <i>Annals of Human Biology</i> , 2020, 47, 10-17.  | 0.4 | 0         |
| 30884 | Perceptual and Objective Assessment of Envelope Enhancement for Children With Auditory Processing Disorder. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2020, 28, 143-151.  | 2.7 | 3         |
| 30885 | Standardized Infant NeuroDevelopmental Assessment developmental and socio-emotional scales: reliability and predictive value in an at-risk population. <i>Developmental Medicine and Child Neurology</i> , 2020, 62, 845-853.   | 1.1 | 10        |
| 30886 | Evaluation of the agreement between a point-of-care lactate meter and a handheld laboratory analyzer in cats treated in emergency practice. <i>Journal of Veterinary Emergency and Critical Care</i> , 2020, 30, 50-53.   | 0.4 | 1         |
| 30887 | Stroke volume and cardiac output measurement in cardiac patients during a rehabilitation program: comparison between tonometry, impedanceometry and echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 447-455.                               | 0.7 | 7         |
| 30888 | Segmental body composition evaluation by bioelectrical impedance analysis and dual-energy X-ray absorptiometry: Quantifying agreement between methods. <i>Clinical Nutrition</i> , 2020, 39, 2802-2810.   | 2.3 | 19        |
| 30889 | Low-kV coronary artery calcium scoring with tin filtration using a kV-independent reconstruction algorithm. <i>Journal of Cardiovascular Computed Tomography</i> , 2020, 14, 246-250.   | 0.7 | 19        |
| 30890 | Quantitative electrical pain threshold assessment in the lower urinary tract. <i>Neurourology and Urodynamics</i> , 2020, 39, 420-431.  | 0.8 | 4         |
| 30891 | Weekly recall of sedentary time: Validity of 2-weekly self-reported measures in undergraduate students. <i>Translational Sports Medicine</i> , 2020, 3, 127-133.  | 0.5 | 3         |
| 30892 | Prospective Cohort Study of Childhood-Onset Stargardt Disease: Fundus Autofluorescence Imaging, Progression, Comparison with Adult-Onset Disease, and Disease Symmetry. <i>American Journal of Ophthalmology</i> , 2020, 211, 159-175.  | 1.7 | 41        |
| 30893 | Automated CT registration tool improves sensitivity to change in ventricular volume in patients with shunts and drains. <i>British Journal of Radiology</i> , 2020, 93, 20190398.   | 1.0 | 2         |
| 30894 | Use of Cine Loops and Structural Landmarks in Ultrasound Image Processing Improves Reliability and Reduces Error in the Assessment of Foot and Leg Muscles. <i>Journal of Ultrasound in Medicine</i> , 2020, 39, 1107-1116.   | 0.8 | 7         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30895 | Body fat gain and loss differentially influence validity of dual-energy x-ray absorptiometry and multifrequency bioelectrical impedance analysis during simultaneous fat-free mass accretion. <i>Nutrition Research</i> , 2020, 75, 44-55. | 1.3 | 7         |
| 30896 | Monitoring unfractionated heparin therapy. 4 hour-stability of anti-Xa activity in unspun citrated tubes. <i>Thrombosis Research</i> , 2020, 186, 7-12.  | 0.8 | 4         |
| 30897 | Urinary sodium-to-potassium ratio and plasma renin and aldosterone concentrations in normotensive children: implications for the interpretation of results. <i>Journal of Hypertension</i> , 2020, 38, 671-678.                            | 0.3 | 5         |
| 30898 | A Modified Method Using Double Computed Tomography Scan Procedure to Maintain Mandibular Width in Mandibular Reconstruction. <i>Journal of Craniofacial Surgery</i> , 2020, 31, e126-e130.   | 0.3 | 1         |
| 30899 | Reliability of gastric suctioning compared with ultrasound assessment of residual gastric volume: a prospective multicentre cohort study. <i>Anaesthesia</i> , 2020, 75, 323-330.  | 1.8 | 30        |
| 30900 | Quantitative Testâ€“Retest Measurement of <sup>68</sup> Ga-PSMA-HBED-CC in Tumor and Normal Tissue. <i>Journal of Nuclear Medicine</i> , 2020, 61, 1145-1152.  | 2.8 | 23        |
| 30901 | Submaximal Exercise Testing in Cardiovascular Rehabilitation Settings (BEST Study). <i>Frontiers in Physiology</i> , 2019, 10, 1517.   | 1.3 | 16        |
| 30902 | Quantifying dog meniscal volume at 1.5T and 3.0T MRI. <i>Research in Veterinary Science</i> , 2020, 128, 236-241.  | 0.9 | 4         |
| 30903 | Variability of Consecutive Lumbar Puncture Opening Pressures. <i>Journal of Neuro-Ophthalmology</i> , 2020, 40, 494-497.   | 0.4 | 2         |
| 30904 | Relative accuracy of computerized intrapartum fetal heart rate pattern recognition by ultrasound and abdominal electrocardiogram detection. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 413-422.                       | 1.3 | 6         |
| 30905 | Reliability and Validity of a New Portable Tethered Sprint Running Test as a Measure of Maximal Anaerobic Performance. <i>Journal of Strength and Conditioning Research</i> , 2020, 34, 2197-2204.   | 1.0 | 2         |
| 30906 | Reliability of a multi-domain sedentary behaviour questionnaire and comparability to an overall sitting time estimate. <i>Journal of Sports Sciences</i> , 2020, 38, 351-356.  | 1.0 | 7         |
| 30907 | Validation of wearable activity monitors for real-time cadence. <i>Journal of Sports Sciences</i> , 2020, 38, 383-389.   | 1.0 | 9         |
| 30908 | Evidence Base Update for Brief, Free, and Accessible Youth Mental Health Measures. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2020, 49, 1-17.  | 2.2 | 46        |
| 30909 | Determinants of health-related quality of life proxy rating disagreement between caregivers of children with cancer. <i>Quality of Life Research</i> , 2020, 29, 901-912.  | 1.5 | 23        |
| 30910 | New morphological evidence of the â€“fateâ€™ of growth plate hypertrophic chondrocytes in the general context of endochondral ossification. <i>Journal of Anatomy</i> , 2020, 236, 305-316.  | 0.9 | 15        |
| 30911 | Use and reporting of Blandâ€“Altman analyses in studies of self-reported versus measured weight and height. <i>International Journal of Obesity</i> , 2020, 44, 1311-1318.   | 1.6 | 25        |
| 30912 | Population biomonitoring of micronutrient intakes in children using urinary spot samples. <i>European Journal of Nutrition</i> , 2020, 59, 3059-3068.  | 1.8 | 0         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30913 | A systematic review of recall errors associated with portion size estimation aids in children. <i>Appetite</i> , 2020, 147, 104522.  | 1.8 | 9         |
| 30914 | Placement of TOF-Cuff <sup>®</sup> on the lower leg for neuromuscular and blood pressure monitoring during anesthetic induction for shoulder surgeries. <i>Journal of Anesthesia</i> , 2020, 34, 79-85.                        | 0.7 | 6         |
| 30915 | A novel method for measuring asymmetry in kinematic and kinetic variables: The normalized symmetry index. <i>Journal of Biomechanics</i> , 2020, 99, 109531.   | 0.9 | 31        |
| 30916 | Accuracy of a simplified 3D-printed implant surgical guide. <i>Journal of Prosthetic Dentistry</i> , 2020, 124, 195-201.e2.  | 1.1 | 61        |
| 30917 | Privileged Modality Distillation for Vessel Border Detection in Intracoronary Imaging. <i>IEEE Transactions on Medical Imaging</i> , 2020, 39, 1524-1534.  | 5.4 | 61        |
| 30918 | Pharmacokinetics and pharmacodynamics of hydromorphone after intravenous and intramuscular administration in horses. <i>Veterinary Anaesthesia and Analgesia</i> , 2020, 47, 210-218.  | 0.3 | 11        |
| 30919 | Levels of agreement between cardiac magnetic resonance and conductance catheter measurements of right ventricular volumes after pulmonary artery banding. <i>Acta Radiologica</i> , 2020, 61, 894-902.                         | 0.5 | 3         |
| 30920 | Dehydration and persistence hunting in <i>Homo erectus</i> . <i>Journal of Human Evolution</i> , 2020, 138, 102682.  | 1.3 | 9         |
| 30921 | Ultrasound and magnetic resonance imaging for group stratification and treatment monitoring in the transgenic adenocarcinoma of the mouse prostate model. <i>Prostate</i> , 2020, 80, 186-197.                                 | 1.2 | 4         |
| 30922 | Accuracy of right ventricular volume and function assessed with cardiovascular magnetic resonance: comparison with echocardiographic parameters. <i>Clinical Imaging</i> , 2020, 59, 61-67.                                    | 0.8 | 14        |
| 30923 | Spine Explorer: a deep learning based fully automated program for efficient and reliable quantifications of the vertebrae and discs on sagittal lumbar spine MR images. <i>Spine Journal</i> , 2020, 20, 590-599.              | 0.6 | 53        |
| 30924 | The contribution of ascitic fluid to body weight in patients with liver cirrhosis, and its estimation using girth: a cross-sectional observational study. <i>Journal of Human Nutrition and Dietetics</i> , 2020, 33, 404-413. | 1.3 | 7         |
| 30925 | Bioelectrical Impedance Analysis Overestimates Fat-Free Mass in Breast Cancer Patients Undergoing Treatment. <i>Nutrition in Clinical Practice</i> , 2020, 35, 1029-1040.  | 1.1 | 7         |
| 30926 | Validity and reproducibility of the 3D VECTRA photogrammetric surface imaging system for the maxillofacial anthropometric measurement on cleft patients. <i>Clinical Oral Investigations</i> , 2020, 24, 2853-2866.            | 1.4 | 21        |
| 30927 | Estimation of ocular axial length from conventional optometric measures. <i>Contact Lens and Anterior Eye</i> , 2020, 43, 18-20.   | 0.8 | 15        |
| 30928 | Relationships Between Measurements of Body Fat in Thoroughbred Horses. <i>Journal of Equine Veterinary Science</i> , 2020, 85, 102873.   | 0.4 | 7         |
| 30929 | Arterio-VENous Intra Subject agreement for blood gases within intensive care: The AVENSIS study. <i>Journal of the Intensive Care Society</i> , 2020, 21, 64-71.   | 1.1 | 5         |
| 30930 | Factors Related to Agreement Between Child and Caregiver Report of Child Functioning With Chronic Pain. <i>Clinical Journal of Pain</i> , 2020, 36, 203-212.   | 0.8 | 23        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30931 | SPECTRAL FUNDUS AUTOFLUORESCENCE EXCITATION AND EMISSION IN ABCA4-RELATED RETINOPATHY. <i>Retina</i> , 2020, 40, 2332-2342.  | 1.0 | 9         |
| 30932 | Transcutaneous Carbon Dioxide Monitoring During Apnea Testing for Determination of Neurologic Death in Children. <i>Pediatric Critical Care Medicine</i> , 2020, 21, 437-442.  | 0.2 | 5         |
| 30933 | Determination of Perampanel in Dried Plasma Spots: Applicability to Therapeutic Drug Monitoring. <i>Therapeutic Drug Monitoring</i> , 2020, 42, 309-314.   | 1.0 | 5         |
| 30934 | Limited Sampling Strategies Supporting Individualized Dose Adjustment of Intravenous Busulfan in Children and Young Adults. <i>Therapeutic Drug Monitoring</i> , 2020, 42, 427-434.                                    | 1.0 | 6         |
| 30935 | Comparison of Preoperative Parameter Measurements Using an Optical Biometer, Automated Keratometer, and a Placido-Based Topographer Module. <i>Eye and Contact Lens</i> , 2020, 46, 46-51.                             | 0.8 | 4         |
| 30936 | Intrasession Repeatability of the Contact Angle Measured Using the Captive Bubble Method and Agreement Assessed Between Different Analysis Software Programs. <i>Eye and Contact Lens</i> , 2020, 46, 385-390.         | 0.8 | 6         |
| 30937 | Accuracy and Time-Efficiency of an Automated Software Tool to Assess Left Ventricular Parameters in Cardiac Magnetic Resonance Imaging. <i>Journal of Thoracic Imaging</i> , 2020, 35, 64-70.                          | 0.8 | 6         |
| 30938 | Development of the empowerment scale for family caregivers of community-dwelling people with dementia in Japan. <i>Japan Journal of Nursing Science</i> , 2020, 17, e12311.  | 0.5 | 5         |
| 30939 | Sex-specific distributions and determinants of thoracic aortic diameters in the elderly. <i>Heart</i> , 2020, 106, 133-139.  | 1.2 | 22        |
| 30940 | Assessment of a Novel Algorithm to Determine Change-of-Direction Angles While Running Using Inertial Sensors. <i>Journal of Strength and Conditioning Research</i> , 2020, 34, 134-144.                                | 1.0 | 16        |
| 30941 | Reproducibility and criterion validity of data derived from a flywheel resistance exercise system. <i>Isokinetics and Exercise Science</i> , 2020, 28, 129-137.  | 0.2 | 1         |
| 30942 | Repeatability of Taste Recognition Threshold Measurements with QUEST and Quick Yes/No. <i>Nutrients</i> , 2020, 12, 24.  | 1.7 | 9         |
| 30943 | Energy Expenditure in 21-Hydroxylase Congenital Adrenal Hyperplasia Patients and Comparison with Predictive Equations. <i>Endocrine Practice</i> , 2020, 26, 388-398.  | 1.1 | 0         |
| 30944 | Estimation of heart rate and respiratory rate from the seismocardiogram under resting state. <i>Biomedical Signal Processing and Control</i> , 2020, 57, 101779.   | 3.5 | 15        |
| 30945 | The effect of pharmacological pupillary dilation on intraocular pressure measurement. <i>Canadian Journal of Ophthalmology</i> , 2020, 55, 152-158.  | 0.4 | 2         |
| 30946 | Measurement of corneal thickness using Pentacam HR versus Nidek CEM-530 specular microscopy. <i>Journal of International Medical Research</i> , 2020, 48, 030006051989238.   | 0.4 | 2         |
| 30947 | Ultrasound assessment of maternal adipose tissue during 1st trimester screening for aneuploidies and risk of developing gestational diabetes. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 644-650. | 1.3 | 10        |
| 30948 | The Shape of Posterior Sclera as a Biometric Signature in Open-angle Glaucoma: An Intereye Comparison Study. <i>Journal of Glaucoma</i> , 2020, 29, 890-898.   | 0.8 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30949 | Electrical velocimetry has limited accuracy and precision and moderate trending ability compared with transthoracic echocardiography for cardiac output measurement during cesarean delivery. <i>Medicine (United States)</i> , 2020, 99, e21914.                      | 0.4 | 5         |
| 30950 | Variability in haemoglobin concentration by measurement tool and blood source: an analysis from seven countries. <i>Journal of Clinical Pathology</i> , 2021, 74, 657-663.   | 1.0 | 18        |
| 30951 | Bioreactance-Based Noninvasive Fluid Responsiveness and Cardiac Output Monitoring: A Pilot Study in Patients with Aneurysmal Subarachnoid Hemorrhage and Literature Review. <i>Critical Care Research and Practice</i> , 2020, 2020, 1-8.                              | 0.4 | 2         |
| 30952 | Suggested guidelines for validation of real-time PCR assays in veterinary diagnostic laboratories. <i>Journal of Veterinary Diagnostic Investigation</i> , 2020, 32, 802-814.  | 0.5 | 23        |
| 30953 | Technology-aided assessment of functionally relevant sensorimotor impairments in arm and hand of post-stroke individuals. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2020, 17, 128.   | 2.4 | 19        |
| 30954 | Comparison of anorectal function measured using wearable digital manometry and a high resolution manometry system. <i>PLoS ONE</i> , 2020, 15, e0228761.   | 1.1 | 4         |
| 30955 | Dynamic CTA-Derived Perfusion Maps Predict Final Infarct Volume: The Simple Perfusion Reconstruction Algorithm. <i>American Journal of Neuroradiology</i> , 2020, 41, 2034-2040.   | 1.2 | 10        |
| 30956 | Flow Cytometric Analyses of Lymphocyte Markers in Immune Oncology: A Comprehensive Guidance for Validation Practice According to Laws and Standards. <i>Frontiers in Immunology</i> , 2020, 11, 2169.  | 2.2 | 14        |
| 30957 | Optimising Sample Preparation and Calibrations in EDXRF for Quantitative Soil Analysis. <i>Agronomy</i> , 2020, 10, 1309.  | 1.3 | 17        |
| 30958 | <sup>99m</sup> Tc-MAG3 Diuretic Renography: Intra- and Inter-Observer Repeatability in the Assessment of Renal Function. <i>Diagnostics</i> , 2020, 10, 709.   | 1.3 | 5         |
| 30959 | Energy Gap between Doubly Labeled Water-Based Energy Expenditure and Calculated Energy Intake from Recipes and Plate Waste, and Subsequent Weight Changes in Elderly Residents in Japanese Long-Term Care Facilities: CLEVER Study. <i>Nutrients</i> , 2020, 12, 2677. | 1.7 | 4         |
| 30960 | Sit-To-Stand Movement Evaluated Using an Inertial Measurement Unit Embedded in Smart Glasses—A Validation Study. <i>Sensors</i> , 2020, 20, 5019.  | 2.1 | 14        |
| 30961 | Agreement of wavefront-based refraction, dry and cycloplegic autorefraction with subjective refraction. <i>Journal of Optometry</i> , 2022, 15, 100-106.   | 0.7 | 13        |
| 30962 | Reproducibility of the CO rebreathing technique with a lower CO dose and a shorter rebreathing duration at sea level and at 2320 m of altitude. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020, 80, 590-599.                              | 0.6 | 8         |
| 30963 | Associations between carotid-femoral and heart-femoral pulse wave velocity in older adults: the Atherosclerosis Risk In Communities study. <i>Journal of Hypertension</i> , 2020, 38, 1786-1793.   | 0.3 | 12        |
| 30964 | Continuous Glucose Monitoring in Critically Ill Patients With COVID-19: Results of an Emergent Pilot Study. <i>Journal of Diabetes Science and Technology</i> , 2020, 14, 1065-1073.   | 1.3 | 49        |
| 30965 | Case- Versus Lecture-Based Learning in a Public Health Course for Optometry Students: A Pretest–Posttest Design. <i>Pedagogy in Health Promotion</i> , 2022, 8, 41-48.   | 0.4 | 2         |
| 30966 | Biological properties of bone marrow plasma cells influence their recovery in aspirate specimens: impact on classification of plasma cell disorders and potential bias to evaluation of treatment response. <i>Annals of Hematology</i> , 2020, 99, 2599-2609.         | 0.8 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30968 | To tolerate or to agree: A tutorial on tolerance intervals in method comparison studies with BivRegBLS R Package. <i>Statistics in Medicine</i> , 2020, 39, 4334-4349.   | 0.8 | 7         |
| 30969 | Factors affecting central corneal thickness measurement agreement between Scheimpflug imaging and ultrasound pachymetry in keratoconus. <i>British Journal of Ophthalmology</i> , 2021, 105, 1371-1375.  | 2.1 | 4         |
| 30970 | Comparing Calculated Nutrient Intakes Using Different Food Composition Databases: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Nutrients</i> , 2020, 12, 2906.  | 1.7 | 17        |
| 30971 | ALICE: a hybrid AI paradigm with enhanced connectivity and cybersecurity for a serendipitous encounter with circulating hybrid cells. <i>Theranostics</i> , 2020, 10, 11026-11048.   | 4.6 | 11        |
| 30972 | Comparison Between Actigraphy Records and Parental Reports of Child's Sleep. <i>Frontiers in Pediatrics</i> , 2020, 8, 567390.   | 0.9 | 18        |
| 30973 | Assessment of handheld mobile terrestrial laser scanning for estimating tree parameters. <i>Journal of Forestry Research</i> , 2021, 32, 1503-1513.  | 1.7 | 14        |
| 30974 | SonoPODography: A new diagnostic technique for visualizing superficial endometriosis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 254, 124-131.   | 0.5 | 23        |
| 30975 | Reproducibility of Bioelectrical Impedance Analysis in Pregnancy and the Association of Body Composition with the Risk of Gestational Diabetes: A Substudy of MUMS Cohort. <i>Journal of Obesity</i> , 2020, 2020, 1-12.                                       | 1.1 | 10        |
| 30976 | Reliability of the radiographic views in supine position for evaluation of displaced midshaft clavicle fracture length. <i>Journal of Orthopaedic Surgery</i> , 2020, 28, 230949902095229.   | 0.4 | 0         |
| 30977 | Reliability of Load-Velocity Profiling in Front Crawl Swimming. <i>Frontiers in Physiology</i> , 2020, 11, 574306.   | 1.3 | 8         |
| 30978 | The "SElection End points in Communities of bacTeria"™ (SELECT) Method: A Novel Experimental Assay to Facilitate Risk Assessment of Selection for Antimicrobial Resistance in the Environment. <i>Environmental Health Perspectives</i> , 2020, 128, 107007.   | 2.8 | 28        |
| 30979 | Inter-Session Reliability of Functional Near-Infrared Spectroscopy at the Prefrontal Cortex While Walking in Multiple Sclerosis. <i>Brain Sciences</i> , 2020, 10, 643.  | 1.1 | 10        |
| 30980 | Impact of COVID-19 Lockdown on Physical Activity in a Sample of Greek Adults. <i>Sports</i> , 2020, 8, 139.  | 0.7 | 71        |
| 30981 | Validity and reliability of a Chinese rating of perceived exertion scale in young Mandarin speaking adults. <i>Sports Medicine and Health Science</i> , 2020, 2, 153-158.  | 0.7 | 3         |
| 30982 | A Cohort Study of the Temporal Stability of ImPACT Scores Among NCAA Division I Collegiate Athletes: Clinical Implications of Test-Retest Reliability for Enhancing Student Athlete Safety. <i>Archives of Clinical Neuropsychology</i> , 2020, 35, 1131-1144. | 0.3 | 5         |
| 30983 | No effect of sleeved arms on the accuracy of blood pressure measurement. <i>Internal Medicine Journal</i> , 2020, , .  | 0.5 | 1         |
| 30985 | Measurement properties of wheelchair use assessment tools in adults with autosomal recessive spastic ataxia of Charlevoix-Saguenay. <i>Disability and Rehabilitation: Assistive Technology</i> , 2022, 17, 907-915.  | 1.3 | 3         |
| 30986 | Comparison of the CHU-9D and the EQ-5D-Y instruments in children and young people with cerebral palsy: a cross-sectional study. <i>BMJ Open</i> , 2020, 10, e037089.   | 0.8 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 30987 | Validation of the Polar V800 heart rate monitor and comparison of artifact correction methods among adults with hypertension. <i>PLoS ONE</i> , 2020, 15, e0240220.  | 1.1 | 12        |
| 30988 | Diagnostic accuracy of viscoelastic point-of-care identification of hypofibrinogenaemia in cardiac surgical patients: A systematic review. <i>Anaesthesia and Intensive Care</i> , 2020, 48, 339-353.                    | 0.2 | 5         |
| 30989 | Reliability of Screening Methods to Diagnose Oral Dryness and Evaluate Saliva Secretion. <i>Dentistry Journal</i> , 2020, 8, 102.  | 0.9 | 3         |
| 30990 | Accuracy and reliability of a portable indirect calorimeter compared to whole-body indirect calorimetry for measuring resting energy expenditure. <i>Clinical Nutrition ESPEN</i> , 2020, 39, 67-73.                     | 0.5 | 12        |
| 30991 | Comparison, within-session repeatability and normative data of three phoria tests. <i>Journal of Optometry</i> , 2021, 14, 263-274.  | 0.7 | 6         |
| 30992 | Reliability, Discriminative, and Prognostic Validity of the Multidimensional Symptom Index in Musculoskeletal Trauma. <i>Clinical Journal of Pain</i> , 2020, 36, 700-706.   | 0.8 | 0         |
| 30993 | Development and validation of a UPLC-MS/MS method to quantify fructose in serum and urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020, 1155, 122299.         | 1.2 | 8         |
| 30994 | Cardiac magnetic resonance using fused 3D cine and 4D flow sequences: Validation of ventricular and blood flow measurements. <i>Magnetic Resonance Imaging</i> , 2020, 74, 203-212.                                      | 1.0 | 7         |
| 30995 | Photoplethysmographic Prediction of the Ankle-Brachial Pressure Index through a Machine Learning Approach. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 2137.   | 1.3 | 21        |
| 30996 | A novel approach to measuring wobble board performance in individuals with chronic ankle instability. <i>Heliyon</i> , 2020, 6, e04937.  | 1.4 | 7         |
| 30997 | &lt;p&gt;Performance of Glow Fixation GoCheck Kids and 2WIN Photoscreeners and Retinomax to Uncover Hyperopia&lt;p&gt;. <i>Clinical Ophthalmology</i> , 2020, Volume 14, 2237-2244.                                      | 0.9 | 7         |
| 30998 | Accuracy of self-reported BMI using objective measurement in high school students. <i>Journal of Nutritional Science</i> , 2020, 9, e35.   | 0.7 | 14        |
| 30999 | Forest inventory with high-density UAV-Lidar: Machine learning approaches for predicting individual tree attributes. <i>Computers and Electronics in Agriculture</i> , 2020, 179, 105815.                                | 3.7 | 63        |
| 31000 | The Validation of a Pocket Worn Activity Tracker for Step Count and Physical Behavior in Older Adults during Simulated Activities of Daily Living. <i>Gerontology and Geriatric Medicine</i> , 2020, 6, 233372142095173. | 0.8 | 4         |
| 31001 | Predictive equations for evaluation for resting energy expenditure in Brazilian patients with type 2 diabetes: what can we use?. <i>BMC Nutrition</i> , 2020, 6, 56.   | 0.6 | 2         |
| 31002 | Reliability and validity of the Chronojump open-source jump mat system. <i>Biology of Sport</i> , 2020, 37, 255-259.   | 1.7 | 21        |
| 31003 | Good test&quot;retest reliability of a paired-pulse transcranial magnetic stimulation protocol to measure short-interval intracortical facilitation. <i>Experimental Brain Research</i> , 2020, 238, 2711-2723.          | 0.7 | 7         |
| 31004 | Non-Destructive Tumor Aggregate Morphology and Viability Quantification at Cellular Resolution, During Development and in Response to Drug. <i>Acta Biomaterialia</i> , 2020, 117, 322-334.                              | 4.1 | 17        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31005 | Surface-based 3-dimensional cephalometry: An objective analysis of cranio-mandibular morphology. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2020, 158, 535-546.  | 0.8 | 3         |
| 31006 | Comparison of plasma etonogestrel concentrations sampled from the contralateral-to-implant and ipsilateral-to-implant arms of contraceptive implant users. <i>Contraception</i> , 2020, 102, 403-405.   | 0.8 | 0         |
| 31007 | Interobserver agreement issues in radiology. <i>Diagnostic and Interventional Imaging</i> , 2020, 101, 639-641.   | 1.8 | 176       |
| 31008 | Providing illicit drugs results in five seconds using ultra-portable NIR technology: An opportunity for forensic laboratories to cope with the trend toward the decentralization of forensic capabilities. <i>Forensic Science International</i> , 2020, 317, 110498. | 1.3 | 37        |
| 31009 | Prognostic and predictive significance of nuclear HIF1 $\alpha$ expression in locally advanced HNSCC patients treated with chemoradiation with or without nimotuzumab. <i>British Journal of Cancer</i> , 2020, 123, 1757-1766.                                       | 2.9 | 12        |
| 31010 | Validity of Using Velocity to Estimate Intensity in Resistance Exercises in Men and Women. <i>International Journal of Sports Medicine</i> , 2020, 41, 1047-1055.   | 0.8 | 30        |
| 31011 | Heterogeneity in subcellular muscle glycogen utilisation during exercise impacts endurance capacity in men. <i>Journal of Physiology</i> , 2020, 598, 4271-4292.  | 1.3 | 27        |
| 31012 | Repeatability of whole-cornea measurements using a new swept-source optical coherence tomographer. <i>European Journal of Ophthalmology</i> , 2021, 31, 1709-1719.  | 0.7 | 12        |
| 31013 | Alternate Electrode Positions for the Measurement of Hand Volumes Using Bioimpedance Spectroscopy. <i>Lymphatic Research and Biology</i> , 2020, 18, 560-571.   | 0.5 | 2         |
| 31014 | Accuracies of 3D printers with hard and soft materials. <i>Rapid Prototyping Journal</i> , 2020, 26, 1227-1235.   | 1.6 | 7         |
| 31015 | Investigation of reaction force magnitude and orientation during supine thoracic thrust manipulation applied to intervertebral and costovertebral regions. <i>Musculoskeletal Science and Practice</i> , 2020, 49, 102217.  | 0.6 | 0         |
| 31016 | Comparison of nine heart rate-based models to predict work metabolism of Forest workers. <i>Ergonomics</i> , 2020, 63, 1394-1413.   | 1.1 | 0         |
| 31017 | Authors'™ reply. <i>Scandinavian Journal of Rheumatology</i> , 2020, 49, 171-172.   | 0.6 | 0         |
| 31018 | Relative Ectopic Kidney Function Quantification Using DMSA Tomoscintigraphy Modality. <i>Journal of Healthcare Engineering</i> , 2020, 2020, 1-11.  | 1.1 | 1         |
| 31019 | Psychometric properties and contextual appropriateness of the German version of the Early Development Instrument. <i>BMC Pediatrics</i> , 2020, 20, 339.  | 0.7 | 3         |
| 31020 | Pilot Investigation on the Presence of Anti-Hepatitis E Virus (HEV) Antibodies in Piglet Processing Fluids. <i>Animals</i> , 2020, 10, 1168.  | 1.0 | 1         |
| 31021 | An evaluation of EQ-5D-3L health utility scores using five country-specific tariffs in a rural population aged 45-69 years in Hua county, Henan province, China. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 228.  | 1.0 | 2         |
| 31022 | Using smartphone accelerometer data to obtain scientific mechanical-biological descriptors of resistance exercise training. <i>PLoS ONE</i> , 2020, 15, e0235156.   | 1.1 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31023 | Agreement between antenatal gestational age by ultrasound and clinical records at birth: A prospective cohort in the Brazilian Amazon. <i>PLoS ONE</i> , 2020, 15, e0236055.  | 1.1 | 9         |
| 31024 | Validation of a Wireless Bluetooth Photoplethysmography Sensor Used on the Earlobe for Monitoring Heart Rate Variability Features during a Stress-Inducing Mental Task in Healthy Individuals. <i>Sensors</i> , 2020, 20, 3905.                     | 2.1 | 24        |
| 31025 | Interobserver reliability of measures of the Welfare Quality <sup>®</sup> animal welfare assessment protocol for sows and piglets. <i>Animal Welfare</i> , 2020, 29, 323-337.   | 0.3 | 8         |
| 31026 | Continuous lactate monitoring in critically ill patients using microdialysis. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2020, 39, 513-517.  | 0.6 | 4         |
| 31027 | Improvement in accuracy of maxillary repositioning of Le Fort I osteotomy with Orthopilot <sup>®</sup> , <sup>†</sup> Navigation System: evaluation of 30 patients. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2020, 58, 1116-1122. | 0.4 | 3         |
| 31028 | Autonomous FEs (AFE) - A stride toward personalized medicine. <i>Computers and Mathematics With Applications</i> , 2020, 80, 2417-2432.   | 1.4 | 13        |
| 31029 | Variability and Misclassification of Sleep Apnea Severity Based on Multi-Night Testing. <i>Chest</i> , 2020, 158, 365-373.  | 0.4 | 56        |
| 31030 | Reliability and concurrent validity of angle measurements in lower limb: EOS 3D goniometer versus 2D manual goniometer. <i>Journal of Orthopaedic Translation</i> , 2020, 24, 96-102.   | 1.9 | 12        |
| 31031 | Evaluation of left ventricular function in patients with acute ischaemic stroke using cine cardiovascular magnetic resonance imaging. <i>ESC Heart Failure</i> , 2020, 7, 2572-2580.  | 1.4 | 6         |
| 31032 | Spiral electrode for continuous fetal heart rate monitoring during in-utero myelomeningocele repair. <i>International Journal of Obstetric Anesthesia</i> , 2020, 44, 16-19.  | 0.2 | 2         |
| 31033 | 6-Minute Push Test in Youth Who Have Spina Bifida and Who Self-Propel a Wheelchair: Reliability and Physiologic Response. <i>Physical Therapy</i> , 2020, 100, 1852-1861.   | 1.1 | 5         |
| 31034 | Perihematoma edema surrounding spontaneous intracerebral hemorrhage by CT. <i>Medicine (United States)</i> , 2020, 99, 1000000.   | 0.4 | 5         |
| 31035 | Logging in: a comparative analysis of electronic health records versus anesthesia resident-driven logbooks. <i>Canadian Journal of Anaesthesia</i> , 2020, 67, 1381-1388.   | 0.7 | 5         |
| 31036 | Novel Use of a Disposable Vascular Pressure Device for Arterial Pressure Monitoring in Prehospital Critical Care. <i>Air Medical Journal</i> , 2020, 39, 247.   | 0.3 | 0         |
| 31037 | Safety and Feasibility of Prehospital Treatment of Acute Pulmonary Edema with Intravenous Bolus Nitroglycerin. <i>Air Medical Journal</i> , 2020, 39, 247-248.  | 0.3 | 0         |
| 31038 | Evaluating the confounding effects of medical therapies on potassium intake assessment in patients with heart failure. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1005-1013.  | 1.1 | 0         |
| 31039 | Development of cut-points for determining activity intensity from a wrist-worn ActiGraph accelerometer in free-living adults. <i>Journal of Sports Sciences</i> , 2020, 38, 2569-2578.  | 1.0 | 57        |
| 31040 | Methodological approaches to compile and validate a food composition database for methyl-group carriers in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Food Chemistry</i> , 2020, 330, 127231.                | 4.2 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31041 | Noninvasive assessment of abdominal adipose tissues and quantification of hepatic and pancreatic fat fractions in type 2 diabetes mellitus. <i>Magnetic Resonance Imaging</i> , 2020, 72, 95-102.   | 1.0 | 13        |
| 31042 | Non-HDL or LDL cholesterol in heterozygous familial hypercholesterolaemia: findings of the Simon Broome Register. <i>Current Opinion in Lipidology</i> , 2020, 31, 167-175.                         | 1.2 | 4         |
| 31043 | Validation of a More Reliable Method of Eye Drop Self-Administration. <i>Optometry and Vision Science</i> , 2020, 97, 496-502.  | 0.6 | 1         |
| 31044 | Development, validity and reproducibility of a whole grain food frequency questionnaire in Malaysian children. <i>Nutrition Journal</i> , 2020, 19, 73.   | 1.5 | 7         |
| 31045 | Anthropometry, bioimpedance and densitometry: Comparative methods for lean mass body analysis in elderly outpatients from a tertiary hospital. <i>Experimental Gerontology</i> , 2020, 138, 111020. | 1.2 | 5         |
| 31046 | Impact of biochar addition on soil thermal properties: Modelling approach. <i>Geoderma</i> , 2020, 376, 114574.   | 2.3 | 11        |
| 31047 | Advancing Digital Workflows for Refractive Error Measurements. <i>Journal of Clinical Medicine</i> , 2020, 9, 2205.   | 1.0 | 2         |
| 31048 | SF-12 or SF-36 in pituitary disease? Toward concise and comprehensive patient-reported outcomes measurements. <i>Endocrine</i> , 2020, 70, 123-133.   | 1.1 | 10        |
| 31049 | Reliability and validity of an enhanced paper grip test; A simple clinical test for assessing lower limb strength. <i>Gait and Posture</i> , 2020, 81, 120-125.                                     | 0.6 | 12        |
| 31050 | Probe-target hybridization depends on spatial uniformity of initial concentration condition across large-format chips. <i>Scientific Reports</i> , 2020, 10, 8768.                                  | 1.6 | 6         |
| 31051 | Region of interest and directional analysis of subbasal nerves in wide-area corneal nerve plexus mosaics in type 2 diabetes mellitus. <i>Scientific Reports</i> , 2020, 10, 10802.                  | 1.6 | 5         |
| 31052 | Large scale validation of a new non-invasive and non-contact bilirubinometer in neonates with risk factors. <i>Scientific Reports</i> , 2020, 10, 11149.  | 1.6 | 8         |
| 31053 | Inter- and intra-researcher reproducibility of heart rate variability parameters in three human cohorts. <i>Scientific Reports</i> , 2020, 10, 11399.   | 1.6 | 21        |
| 31054 | Effect of age, test frequency and level on thresholds for the TEN(HL) test for people with normal hearing. <i>International Journal of Audiology</i> , 2020, 59, 915-920.                           | 0.9 | 3         |
| 31055 | Fully Automated 3D Cardiac MRI Localisation and Segmentation Using Deep Neural Networks. <i>Journal of Imaging</i> , 2020, 6, 65.   | 1.7 | 19        |
| 31057 | Measuring the neutral zone of spinal motion segments: Comparison of multiple analysis methods to quantify spinal instability. <i>JOR Spine</i> , 2020, 3, e1088.                                    | 1.5 | 9         |
| 31058 | Are driverâ€™s licenses issued within 3 years of cancer diagnosis a valid source of BMI data?. <i>Cancer Causes and Control</i> , 2020, 31, 777-786.  | 0.8 | 0         |
| 31059 | Criterion validity of wearable monitors and smartphone applications to measure physical activity energy expenditure in adolescents. <i>Sport Sciences for Health</i> , 2020, 16, 755-763.           | 0.4 | 3         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31060 | Maximum Expected Information Approach for Improving Efficiency of Categorical Loudness Scaling. <i>Frontiers in Psychology</i> , 2020, 11, 578352.   | 1.1 | 2         |
| 31061 | Rodilla Flotante: modificaci3n de la clasificaci3n de Fraser y factores asociados con los resultados funcionales. <i>Revista Colombiana De Ortopedia Y TraumatologAa</i> , 2020, 34, 241-251.  | 0.0 | 0         |
| 31062 | Comparison of two methods for cell count determination in the course of biocide susceptibility testing. <i>Veterinary Microbiology</i> , 2020, 251, 108831.  | 0.8 | 5         |
| 31063 | Examination of the minimum inhibitory concentration of amoxicillin and marbofloxacin against <i>Streptococcus suis</i> using standardised methods. <i>Veterinari Medicina</i> , 2020, 65, 377-386.   | 0.2 | 0         |
| 31064 | Validation of an Alternative Feather Sampling Method to Measure Corticosterone. <i>Animals</i> , 2020, 10, 2054.   | 1.0 | 7         |
| 31065 | Prediction of Somatotype from Bioimpedance Analysis in Elite Youth Soccer Players. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8176.  | 1.2 | 3         |
| 31066 | Accuracy and Reliability of AG501 Articulograph for Mandibular Movement Analysis: A Quantitative Descriptive Study. <i>Sensors</i> , 2020, 20, 6324.   | 2.1 | 3         |
| 31067 | Noninvasive Measurement of Time-Varying Arterial Wall Elastance Using a Single-Frequency Vibration Approach. <i>Sensors</i> , 2020, 20, 6463.  | 2.1 | 0         |
| 31068 | The verbal Oxford Knee Score is not clinically different from the written score when assessed before or after total knee arthroplasty. <i>Knee</i> , 2020, 27, 1396-1405.  | 0.8 | 2         |
| 31069 | Adapted protocol of rate of force development and relaxation scaling factor for neuromuscular assessment in patients with knee osteoarthritis. <i>Knee</i> , 2020, 27, 1697-1707.  | 0.8 | 7         |
| 31070 | Development and evaluation of wearable electro-goniometer for the assessment of repetitive efforts and measurement of joint trajectories during carpet weaving. <i>International Journal of Business and Systems Research</i> , 2020, 14, 314.                                 | 0.2 | 0         |
| 31071 | NMR Profiling of Exhaled Breath Condensate Defines Different Metabolic Phenotypes of Non-Cystic Fibrosis bronchiectasis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8600.  | 1.8 | 8         |
| 31072 | Power saving by a smart breath sensor working in non-connectable advertising mode. <i>Sensors and Actuators A: Physical</i> , 2020, 315, 112324.   | 2.0 | 3         |
| 31073 | Integration of computer-aided automated analysis algorithms in the development and validation of immunohistochemistry biomarkers in ovarian cancer. <i>Journal of Clinical Pathology</i> , 2020, 74, jclinpath-2020-207081.  | 1.0 | 3         |
| 31074 | Feasibility of the deep learning method for estimating the ventilatory threshold with electrocardiography data. <i>Npj Digital Medicine</i> , 2020, 3, 141.  | 5.7 | 19        |
| 31075 | Comparison between quantitative computed tomography, scintigraphy, and anatomical methods for prediction of postoperative FEV1 and DLCO: effects of chronic obstructive pulmonary disease status and resected lobes. <i>Journal of Thoracic Disease</i> , 2020, 12, 5269-5280. | 0.6 | 4         |
| 31076 | Development and validation of a 4-color multiplexing spinal muscular atrophy (SMA) genotyping assay on a novel integrated digital PCR instrument. <i>Scientific Reports</i> , 2020, 10, 19892.   | 1.6 | 17        |
| 31077 | Reliability of P3 Event-Related Potential During Working Memory Across the Spectrum of Cognitive Aging. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 566391.   | 1.7 | 11        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31078 | Comparison of the Conox (qCON) and Sedline (PSI) depth of anaesthesia indices to predict the hypnotic effect during desflurane general anaesthesia with ketamine. <i>Journal of Clinical Monitoring and Computing</i> , 2021, 35, 1421-1428.   | 0.7 | 7         |
| 31079 | Agreement between self-reported pre-pregnancy weight and measured first-trimester weight in Brazilian women. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 734.  | 0.9 | 32        |
| 31080 | Cross-cultural adaptation and validity of the Chinese version of the Oxford elbow score. <i>Journal of Orthopaedic Surgery and Research</i> , 2020, 15, 562.   | 0.9 | 2         |
| 31081 | Comparison of maximal lactate steady state with anaerobic threshold determined by various methods based on graded exercise test with 3-minute stages in elite cyclists. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2020, 12, 70. | 0.7 | 10        |
| 31082 | Enhanced Contactless Vital Sign Estimation from Real-Time Multimodal 3D Image Data. <i>Journal of Imaging</i> , 2020, 6, 123.  | 1.7 | 12        |
| 31083 | Choroidal Thickness in Indigenous Australian Children. <i>Translational Vision Science and Technology</i> , 2020, 9, 28.   | 1.1 | 7         |
| 31084 | Foot Strike Angle Prediction and Pattern Classification Using Loadsol™ Wearable Sensors: A Comparison of Machine Learning Techniques. <i>Sensors</i> , 2020, 20, 6737.   | 2.1 | 10        |
| 31085 | Assessment of Low LDL Cholesterol in Patients Treated by PCSK9 Inhibition: Comparison of Martin/Hopkins and Friedewald Estimations. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 787-792.   | 1.3 | 4         |
| 31086 | Three-dimensional (3D) magnetic resonance volume assessment and loco-regional failure in anal cancer: early evaluation case-control study. <i>BMC Cancer</i> , 2020, 20, 1165.   | 1.1 | 1         |
| 31087 | Assessment of nanoindentation in stiffness measurement of soft biomaterials: kidney, liver, spleen and uterus. <i>Scientific Reports</i> , 2020, 10, 18784.  | 1.6 | 12        |
| 31088 | Wingate Test, When Time and Overdue Fatigue Matter: Validity and Sensitivity of Two Time-Shortened Versions. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 8002.   | 1.3 | 8         |
| 31089 | Fiber Bragg Grating Sensors for Performance Evaluation of Fast Magnetic Resonance Thermometry on Synthetic Phantom. <i>Sensors</i> , 2020, 20, 6468.   | 2.1 | 14        |
| 31090 | Spinal postural alignment measurements using markerless digital photography. <i>Journal of Orthopaedic Surgery</i> , 2020, 28, 230949902096083.  | 0.4 | 1         |
| 31091 | A Textile Sleeve for Monitoring Oxygen Saturation Using Multichannel Optical Fibre Photoplethysmography. <i>Sensors</i> , 2020, 20, 6568.  | 2.1 | 9         |
| 31092 | Accuracy and Reliability of a Disposable Vascular Pressure Device for Arterial Pressure Monitoring in Critical Care Transport. <i>Air Medical Journal</i> , 2020, 39, 389-392.   | 0.3 | 3         |
| 31093 | Comprehensive 3D analysis of condylar morphology in adults with different skeletal patterns – a cross-sectional study. <i>Head &amp; Face Medicine</i> , 2020, 16, 33.   | 0.8 | 19        |
| 31094 | Interrater Agreement and Reliability of PERCIST and Visual Assessment When Using 18F-FDG-PET/CT for Response Monitoring of Metastatic Breast Cancer. <i>Diagnostics</i> , 2020, 10, 1001.  | 1.3 | 10        |
| 31095 | Towards a Functional Approach to the Assessment of Daily Life Physical Activity in Children: Are the PAQ-C and Fitbit Flex-2 Technically Adequate?. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8503. | 1.2 | 15        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31096 | How low can we go? Influence of sample rate on equine pelvic displacement calculated from inertial sensor data. <i>Equine Veterinary Journal</i> , 2021, 53, 1075-1081.   | 0.9 | 7         |
| 31097 | Validation of an Automated Quantification of Relative Ellipsoid Zone Reflectivity on Spectral Domain-Optical Coherence Tomography Images. <i>Translational Vision Science and Technology</i> , 2020, 9, 17.   | 1.1 | 9         |
| 31098 | Experimental evaluation of precision and accuracy of RSA in the lumbar spine. <i>European Spine Journal</i> , 2020, 30, 2060-2068.  | 1.0 | 4         |
| 31099 | Continuous noninvasive monitoring of arterial pressure using the vascular unloading technique in comparison to the invasive gold standard in elderly comorbid patients: A prospective observational study. <i>Health Science Reports</i> , 2020, 3, e204.   | 0.6 | 3         |
| 31100 | A homologous series of internal standards for near universal application in the discovery LC-MS/MS bioanalytical laboratory. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020, 190, 113578.  | 1.4 | 3         |
| 31101 | Fluidic Patch Device to Sample Sweat for Accurate Measurement of Sweat Rate and Chemical Composition: A Proof-of-Concept Study. <i>Analytical Chemistry</i> , 2020, 92, 15534-15541.  | 3.2 | 11        |
| 31102 | Comparison of Dilution on Eastern Box Turtle ( <i>Terrapene carolina carolina</i> ) and Marine Toad ( <i>Rhinella marinus</i> ) Blood Parameters as Measured on a Portable Chemistry Analyzer. <i>Veterinary Medicine International</i> , 2020, 2020, 1-7.  | 0.6 | 5         |
| 31103 | Predictive ability of EuroSCORE II integrating cardiactroponin T in patients undergoing OPCABG. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 463.  | 0.7 | 8         |
| 31104 | Comparison of Hematological and Biochemical Results Derived from Arterial and Venous Blood Samples in Post-Anesthetic Dogs. <i>Animals</i> , 2020, 10, 2069.  | 1.0 | 1         |
| 31105 | Key factors explaining critical swimming speed in freshwater fish: a review and statistical analysis for Iberian species. <i>Scientific Reports</i> , 2020, 10, 18947.  | 1.6 | 40        |
| 31106 | Validation of a Vision-Guided Mobility Assessment for RPE65-Associated Retinal Dystrophy. <i>Translational Vision Science and Technology</i> , 2020, 9, 5.  | 1.1 | 18        |
| 31107 | Reliability of the portable gait rhythmogram in post-stroke patients. <i>Bio-Medical Materials and Engineering</i> , 2020, 31, 329-338.   | 0.4 | 0         |
| 31108 | Nonparametric Limits of Agreement in Method Comparison Studies: A Simulation Study on Extreme Quantile Estimation. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8330.   | 1.2 | 13        |
| 31109 | Validation of the BD FACSPresto system for the measurement of CD4 T-lymphocytes and hemoglobin concentration in HIV-negative and HIV-positive subjects. <i>Scientific Reports</i> , 2020, 10, 19605.  | 1.6 | 4         |
| 31110 | Further evidence that methods based on spot urine samples should not be used to examine sodium-disease relationships from the Science of Salt: A regularly updated systematic review of salt and health outcomes (November 2018 to August 2019). <i>Journal of Clinical Hypertension</i> , 2020, 22, 1741-1753. | 1.0 | 5         |
| 31111 | Reproducibility: reliability and agreement parameters of the Revised Short McGill Pain Questionnaire Version-2 for use in patients with musculoskeletal shoulder pain. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 365.  | 1.0 | 3         |
| 31112 | A segmented measurement error model for modeling and analysis of method comparison data. <i>Statistics in Medicine</i> , 2020, 39, 3491-3502.   | 0.8 | 0         |
| 31113 | A critical assessment of the potential for Structure-from-Motion photogrammetry to produce high fidelity 3D dental models. <i>American Journal of Physical Anthropology</i> , 2020, 173, 381-392.   | 2.1 | 14        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31114 | Adaptation and transcultural translation into Spanish of the Patient-Reported Tennis Elbow Evaluation Questionnaire. <i>Journal of Orthopaedic Research</i> , 2020, 38, 2601-2607.  | 1.2 | 3         |
| 31115 | Validation of the Clinical Frailty Scale for retrospective use in acute care. <i>European Geriatric Medicine</i> , 2020, 11, 1009-1015.   | 1.2 | 27        |
| 31117 | Cross-generational comparability of hip- and wrist-worn ActiGraph GT3X+, wGT3X-BT, and GT9X accelerometers during free-living in adults. <i>Journal of Sports Sciences</i> , 2020, 38, 2794-2802.                           | 1.0 | 24        |
| 31118 | Predicting cumulative load during running using field-based measures. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 2399-2407.  | 1.3 | 13        |
| 31119 | Validation of sleep measurement in a multisensor consumer grade wearable device in healthy young adults. <i>Journal of Clinical Sleep Medicine</i> , 2020, 16, 917-924.   | 1.4 | 10        |
| 31120 | Can the impact of grey literature be assessed? An investigation of UK government publications cited by articles and books. <i>Scientometrics</i> , 2020, 125, 1425-1444.  | 1.6 | 10        |
| 31121 | Validity of the Stryd Power Meter in Measuring Running Parameters at Submaximal Speeds. <i>Sports</i> , 2020, 8, 103.   | 0.7 | 33        |
| 31122 | The routine chemiluminescence assay for plasma 25-hydroxyvitamin D analysis does not overestimate the prevalence of vitamin D deficiency in adolescents. <i>Nutrition Research</i> , 2020, 79, 60-67.                       | 1.3 | 3         |
| 31123 | Quantitative Evaluation of Functional Instability Due to Anterior Cruciate Ligament Deficiency. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712093388.   | 0.8 | 2         |
| 31124 | Comparison of 7-site skinfold measurement and dual-energy X-ray absorptiometry for estimating body fat percentage and regional adiposity in Taiwanese diabetic patients. <i>PLoS ONE</i> , 2020, 15, e0236323.              | 1.1 | 4         |
| 31125 | Reliability of a musculoskeletal profiling test battery in elite academy soccer players. <i>PLoS ONE</i> , 2020, 15, e0236341.  | 1.1 | 8         |
| 31126 | Repeatability and reproducibility of pulse wave velocity in relation to hemodynamics and sodium excretion in stable patients with hypertension. <i>Journal of Hypertension</i> , 2020, 38, 1531-1540.                       | 0.3 | 5         |
| 31127 | Comparison of visceral fat area measured by CT and bioelectrical impedance analysis in Chinese patients with gastric cancer: a cross-sectional study. <i>BMJ Open</i> , 2020, 10, e036335.                                  | 0.8 | 21        |
| 31128 | Is there a place for lower limb lymphedema prevention after cervical cancer treatment?. <i>International Journal of Gynecological Cancer</i> , 2020, 30, 1260-1260.   | 1.2 | 3         |
| 31129 | Ferumoxytol MR Angiography versus Duplex US for Vascular Mapping before Arteriovenous Fistula Surgery for Hemodialysis. <i>Radiology</i> , 2020, 297, 214-222.  | 3.6 | 17        |
| 31130 | Psychometric Properties of the Filipino Version of Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS): A Cross-Cultural Validation Study. <i>Journal of Patient Experience</i> , 2020, 7, 1526-1534. | 0.4 | 3         |
| 31131 | Cross-Cultural Validation Into Filipino of the Consumer Assessment of Health-Care Providers and Systems Surgical Care Survey (S-CAHPS). <i>Journal of Patient Experience</i> , 2020, 7, 1136-1143.                          | 0.4 | 1         |
| 31132 | Levels of self-reported and objective physical activity in individuals with age-related macular degeneration. <i>BMC Public Health</i> , 2020, 20, 1144.  | 1.2 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31133 | Minimal Stabilization Time for Ultra-short Heart Rate Variability Measurements in Professional Soccer. <i>International Journal of Sports Medicine</i> , 2020, 41, 1032-1038.  | 0.8 | 5         |
| 31134 | High-Throughput Multiparallel Enteropathogen Detection via Nano-Liter qPCR. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 351.   | 1.8 | 8         |
| 31135 | Mapping the Contrast Sensitivity of the Visual Field With Bayesian Adaptive qVFM. <i>Frontiers in Neuroscience</i> , 2020, 14, 665.  | 1.4 | 5         |
| 31136 | Heart Rate Variability (HRV) and Pulse Rate Variability (PRV) for the Assessment of Autonomic Responses. <i>Frontiers in Physiology</i> , 2020, 11, 779.   | 1.3 | 87        |
| 31137 | Repeatability of a Commercially Available ELISA Test for Determining the Herd-Level <i>Salmonella enterica</i> subsp. <i>enterica</i> Serovar Dublin Status in Dairy Herds Using Bulk Milk. <i>Frontiers in Veterinary Science</i> , 2020, 7, 401. | 0.9 | 7         |
| 31138 | Correlation of the epidural space measured intraoperatively and estimated by MRI or US: an observational study. <i>Brazilian Journal of Anesthesiology (Elsevier)</i> , 2020, 70, 248-255.   | 0.2 | 0         |
| 31139 | Translation, cross-cultural adaptation, and measurement properties of the Nepali version of the central sensitization inventory (CSI). <i>BMC Neurology</i> , 2020, 20, 286.   | 0.8 | 18        |
| 31140 | The validity and reproducibility of perceptually regulated exercise responses during combined arm+leg cycling. <i>European Journal of Applied Physiology</i> , 2020, 120, 2203-2212.   | 1.2 | 3         |
| 31141 | Comparison of Three Sequencing Panels Used for the Assessment of Tumor Mutational Burden in NSCLC Reveals Low Comparability. <i>Journal of Thoracic Oncology</i> , 2020, 15, 1535-1540.  | 0.5 | 13        |
| 31142 | Establishing measurement properties in the assessment of inter-recti distance of the abdominal muscles in a postnatal women. <i>Musculoskeletal Science and Practice</i> , 2020, 49, 102202.   | 0.6 | 12        |
| 31143 | Spanish Cross-Cultural Adaptation and Rasch Analysis of the Convergence Insufficiency Symptom Survey (CISS). <i>Translational Vision Science and Technology</i> , 2020, 9, 23.   | 1.1 | 9         |
| 31144 | Comparison of 2 portable human glucometers for the measurement of blood glucose concentration in White New Zealand rabbits. <i>Journal of Veterinary Diagnostic Investigation</i> , 2020, 32, 683-688.   | 0.5 | 1         |
| 31145 | Breath-hold and free-breathing quantitative assessment of biventricular volume and function using compressed SENSE: a clinical validation in children and young adults. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 54.        | 1.6 | 35        |
| 31146 | 3125 steps to perfect health: a nonparametric approach to developing the EQ-5D-5L value set. <i>Quality of Life Research</i> , 2020, 29, 3109-3118.  | 1.5 | 0         |
| 31147 | Validity assessment of self-reported weight and its correction process among Mexican adult women of reproductive age. <i>PLoS ONE</i> , 2020, 15, e0235967.  | 1.1 | 3         |
| 31148 | Test and Evaluation of Heart Rate Derived Core Temperature Algorithms for Use in NCAA Division I Football Athletes. <i>Journal of Functional Morphology and Kinesiology</i> , 2020, 5, 46.   | 1.1 | 5         |
| 31149 | Wearable Epileptic Seizure Prediction System with Machine-Learning-Based Anomaly Detection of Heart Rate Variability. <i>Sensors</i> , 2020, 20, 3987.   | 2.1 | 33        |
| 31150 | Biologic variation of symmetric dimethylarginine and creatinine in clinically healthy cats. <i>Veterinary Clinical Pathology</i> , 2020, 49, 401-406.  | 0.3 | 17        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31151 | Optimizing finger systolic blood pressure measurements with laser Doppler: Validation of the second phalanx site. <i>Microvascular Research</i> , 2020, 131, 104029.   | 1.1 | 5         |
| 31152 | Functional assessment of bioprosthetic mitral valves by cardiovascular magnetic resonance: An in vitro validation and comparison to Doppler echocardiography. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 55.                            | 1.6 | 1         |
| 31153 | Thermal camera performance and image analysis repeatability in equine thermography. <i>Infrared Physics and Technology</i> , 2020, 110, 103447.  | 1.3 | 16        |
| 31154 | Reliability and agreement of skin barrier measurements in a geriatric care setting. <i>Journal of Tissue Viability</i> , 2020, 29, 269-276.  | 0.9 | 12        |
| 31155 | Variability, repeatability and test-retest reliability of equine flash visual evoked potentials (FVEPs). <i>BMC Veterinary Research</i> , 2020, 16, 261.   | 0.7 | 5         |
| 31156 | The effect of ketamine on depth of hypnosis indices during total intravenous anesthesia—a comparative study using a novel electroencephalography case replay system. <i>Journal of Clinical Monitoring and Computing</i> , 2020, 35, 1027-1036.              | 0.7 | 8         |
| 31157 | A Reflectivity Measure to Quantify Bruch's Membrane Calcification in Patients with Pseudoxanthoma Elasticum Using Optical Coherence Tomography. <i>Translational Vision Science and Technology</i> , 2020, 9, 34.  | 1.1 | 8         |
| 31158 | High Circulating Sphingosine 1-Phosphate is a Risk Factor for Osteoporotic Fracture Independent of Fracture Risk Assessment Tool. <i>Calcified Tissue International</i> , 2020, 107, 362-370.  | 1.5 | 4         |
| 31159 | Sleep diary- and actigraphy-derived sleep parameters of 8-hour fast-rotating shift work nurses: A prospective descriptive study. <i>International Journal of Nursing Studies</i> , 2020, 112, 103719.  | 2.5 | 21        |
| 31160 | Validity and reliability of smartphone-based Goniometer-Pro app for measuring the thoracic kyphosis. <i>Musculoskeletal Science and Practice</i> , 2020, 49, 102216.   | 0.6 | 11        |
| 31161 | Calibration and validation of accelerometry using cut-points to assess physical activity in paediatric clinical groups: A systematic review. <i>Preventive Medicine Reports</i> , 2020, 19, 101142.  | 0.8 | 7         |
| 31162 | Reliability and Agreement of Radiological and Pathological Tumor Size in Patients with Multiple Endocrine Neoplasia Type 1-Related Pancreatic Neuroendocrine Tumors: Results from a Population-Based Cohort. <i>Neuroendocrinology</i> , 2021, 111, 705-717. | 1.2 | 13        |
| 31163 | Dendroecological investigation of red-cockaded woodpecker cavity tree selection in endangered longleaf pine forests. <i>Forest Ecology and Management</i> , 2020, 473, 118291.   | 1.4 | 4         |
| 31164 | Reliability and Agreement of 3D Anthropometric Measurements in Facial Palsy Patients Using a Low-Cost 4D Imaging System. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2020, 28, 1817-1824.                                    | 2.7 | 14        |
| 31165 | Mechanisms of reduced plantarflexor function in Cerebral palsy: smaller triceps surae moment arm and reduced muscle force. <i>Journal of Biomechanics</i> , 2020, 110, 109959.   | 0.9 | 4         |
| 31166 | Ultrasonography Comparison of the Plantar Fascia and Tibialis Anterior in People With and Without Lateral Ankle Sprain: A Case-Control Study. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2020, 43, 799-805.                             | 0.4 | 6         |
| 31167 | Normative Estimates and Agreement Between 2 Measures of Health-Related Quality of Life in Older People With Frailty: Findings From the Community Ageing Research 75+ Cohort. <i>Value in Health</i> , 2020, 23, 1056-1062.                                   | 0.1 | 7         |
| 31168 | Is markerless, smart phone recorded two-dimensional video a clinically useful measure of relevant lower limb kinematics in runners with patellofemoral pain? A validity and reliability study. <i>Physical Therapy in Sport</i> , 2020, 43, 36-42.           | 0.8 | 13        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31169 | Intraocular Pressure Reduction After Real-world Cataract Surgery. <i>Journal of Glaucoma</i> , 2020, 29, 689-693.   | 0.8 | 8         |
| 31170 | Energy Expenditure in Mechanically Ventilated Korean Children: Single-Center Evaluation of a New Estimation Equation*. <i>Pediatric Critical Care Medicine</i> , 2020, 21, e522-e529.   | 0.2 | 7         |
| 31171 | Development and Cross-Validation of Anthropometric Predictive Equations to Estimate Total Body Fat Percentage in Adult Women in Sri Lanka. <i>Journal of Obesity</i> , 2020, 2020, 1-8.   | 1.1 | 0         |
| 31172 | Assessing the Palliative and End-of-Life Care Education-Practice-Competence Triad in Intensive Care Units: Content Validity, Feasibility, and Reliability of a New Tool. <i>Journal of Palliative Care</i> , 2021, 36, 234-242. | 0.4 | 9         |
| 31173 | Movement Velocity as A Measure of Exercise Intensity in Persons with Multiple Sclerosis: A Validity Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 2458.   | 1.0 | 2         |
| 31174 | Manual erythroexchange in sickle cell disease: multicenter validation of a protocol predictive of volume to exchange and hemoglobin values. <i>Annals of Hematology</i> , 2020, 99, 2047-2055.                                  | 0.8 | 3         |
| 31175 | Experimental Assessment of Two Non-Contrast MRI Sequences Used for Computational Fluid Dynamics: Investigation of Consistency Between Techniques. <i>Cardiovascular Engineering and Technology</i> , 2020, 11, 416-430.         | 0.7 | 2         |
| 31176 | The Comparison of Hemoglobin Values Measured by Blood and Continuous Non-Invasive Monitoring (SpHb) in Newborn Infants. <i>Journal of Tropical Pediatrics</i> , 2020, 67, .   | 0.7 | 4         |
| 31177 | Assessment of nocturnal hypertension by ambulatory blood pressure monitoring at the forearm in people with morbid obesity. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1538-1545.                                       | 1.0 | 2         |
| 31178 | Patient and haemodynamic factors affecting intraoperative graft flow during coronary artery bypass grafting: an observational pilot study. <i>Scientific Reports</i> , 2020, 10, 12968.   | 1.6 | 4         |
| 31179 | Cuffless Blood Pressure Measurement Using a Microwave Near-Field Self-Injection-Locked Wrist Pulse Sensor. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2020, 68, 4865-4874.                                   | 2.9 | 27        |
| 31180 | &lt;p&gt;Evaluations of Commercial Sleep Technologies for Objective Monitoring During Routine Sleeping Conditions&lt;/p&gt;. <i>Nature and Science of Sleep</i> , 2020, Volume 12, 821-842.                                     | 1.4 | 46        |
| 31181 | Increased Equivalent Input Noise in Glaucomatous Central Vision: Is it Due to Undersampling of Retinal Ganglion Cells?. , 2020, 61, 10.   |     | 5         |
| 31182 | A Novel Method for Accurate Preoperative Templating for Total Hip Arthroplasty Using a Biplanar Digital Radiographic (EOS) System. <i>JBJS Open Access</i> , 2020, 5, e20.00078-e20.00078.                                      | 0.8 | 6         |
| 31183 | How Accurate is the Use of Contralateral Implant Size as a Template in Bilateral Hemiarthroplasty?. <i>Indian Journal of Orthopaedics</i> , 2020, 54, 863-867.  | 0.5 | 2         |
| 31184 | Three-dimensional transthoracic echocardiographic evaluation of tricuspid regurgitation severity using proximal isovelocity surface area: comparison with volumetric method. <i>Cardiovascular Ultrasound</i> , 2020, 18, 41.   | 0.5 | 0         |
| 31185 | &lt;p&gt;Comparison of Anterior Segment Parameters and Axial Length Using Two Scheimpflug Devices with Integrated Optical Biometers&lt;/p&gt;. <i>Clinical Ophthalmology</i> , 2020, Volume 14, 3487-3494.                      | 0.9 | 9         |
| 31186 | Quantification of Arm Swing during Walking in Healthy Adults and Parkinson&#x2019;s Disease Patients: Wearable Sensor-Based Algorithm Development and Validation. <i>Sensors</i> , 2020, 20, 5963.                              | 2.1 | 17        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31187 | Inadequate energy and protein intake in geriatric outpatients with mobility problems. <i>Nutrition Research</i> , 2020, 84, 33-41.   | 1.3 | 5         |
| 31188 | BENCHMARKING THE DOSE MAP SOFTWARE FOR CLINICAL IMPLEMENTATION AND ESTABLISHMENT OF A LOCAL FOLLOW-UP PROTOCOL FOR THE MANAGEMENT OF SKIN INJURES FOLLOWING COMPLEX INTERVENTIONAL RADIOLOGY PROCEDURES. <i>Radiation Protection Dosimetry</i> , 2020, 190, 392-399. | 0.4 | 0         |
| 31189 | Predicting Personality with Smartphone Cameras: A Pilot Study. , 2020, , .   |     | 2         |
| 31190 | Viability assessment of spermatozoa in large falcons ( <i>Falco</i> spp.) using various staining protocols. <i>Reproduction in Domestic Animals</i> , 2020, 55, 1383-1392.   | 0.6 | 8         |
| 31191 | A robust multiplex immunoaffinity mass spectrometry assay (PromarkerD) for clinical prediction of diabetic kidney disease. <i>Clinical Proteomics</i> , 2020, 17, 37.  | 1.1 | 7         |
| 31192 | The Development of a Regression Model to Predict Object Transfer Power in Older Adults. <i>Journal of Strength and Conditioning Research</i> , 2020, 34, 3086-3093.  | 1.0 | 5         |
| 31193 | Real-World Experience Measurement of Liver Iron Concentration by R2 vs. R2 Star MRI in Hemoglobinopathies. <i>Diagnostics</i> , 2020, 10, 768.   | 1.3 | 3         |
| 31194 | Reproducibility of the Six-Minute Walk Test in Children and Youth With Juvenile Idiopathic Arthritis. <i>Arthritis Care and Research</i> , 2022, 74, 686-690.  | 1.5 | 7         |
| 31195 | Validation of an Electrochemical Sensor to Detect Cortisol Responses to the Trier Social Stress Test. <i>Neurobiology of Stress</i> , 2020, 13, 100263.  | 1.9 | 6         |
| 31196 | Routine serum biomarkers, but not dual-energy X-ray absorptiometry, correlate with cortical bone mineral density in children and young adults with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1872-1881.                         | 0.4 | 15        |
| 31197 | Non-invasive dye dilution method for measuring an atrial septal defect shunt size. <i>Open Heart</i> , 2020, 7, e001313.   | 0.9 | 2         |
| 31198 | Bench Press Load-Velocity Profiles and Strength After Overload and Taper Microcycles in Male Powerlifters. <i>Journal of Strength and Conditioning Research</i> , 2020, 34, 3338-3345.   | 1.0 | 6         |
| 31199 | Cross-cultural adaptation and validation of the Kerlan-Jobe orthopedic clinic shoulder and elbow score for German-speaking overhead athletes. <i>Physiotherapy Theory and Practice</i> , 2022, 38, 1059-1070.  | 0.6 | 8         |
| 31200 | Prognostic Value and Reproducibility of AI-assisted Analysis of Lung Involvement in COVID-19 at Low-Dose Submillisievert Chest CT: Sample Size Implications for Clinical Trials. <i>Radiology: Cardiothoracic Imaging</i> , 2020, 2, e200441.                        | 0.9 | 19        |
| 31201 | &lt;p&gt;Scheimpflug vs Scanning-Slit Corneal Tomography: Comparison of Corneal and Anterior Chamber Tomography Indices for Repeatability and Agreement in Healthy Eyes&lt;p&gt;. <i>Clinical Ophthalmology</i> , 2020, Volume 14, 2583-2592.                        | 0.9 | 8         |
| 31202 | Regression Models for the Comparison of Measurement Methods. <i>SpringerBriefs in Statistics</i> , 2020, , .   | 0.3 | 2         |
| 31203 | Modeling and analysis of functional method comparison data. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2022, 51, 7298-7318.  | 0.6 | 1         |
| 31204 | A comparison of measurement properties between UK SF-6D and English EQ-5D-5L and Thai EQ-5D-5L value sets in general Thai population. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2021, 21, 765-774.   | 0.7 | 12        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31205 | Stress myocardial perfusion with qualitative magnetic resonance and quantitative dynamic computed tomography: comparison of diagnostic performance and incremental value over coronary computed tomography angiography. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, , . | 0.5 | 9         |
| 31206 | ASTEROID stereotest v1.0: lower stereo thresholds using smaller, denser and faster dots. <i>Ophthalmic and Physiological Optics</i> , 2020, 40, 815-827.   | 1.0 | 2         |
| 31207 | Quantifying Graft Detachment after Descemet's Membrane Endothelial Keratoplasty with Deep Convolutional Neural Networks. <i>Translational Vision Science and Technology</i> , 2020, 9, 48.   | 1.1 | 16        |
| 31208 | Evaluation of a synthetic version of the digits-in-noise test and its characteristics in CI recipients. <i>International Journal of Audiology</i> , 2021, 60, 507-513.   | 0.9 | 5         |
| 31209 | Efficient microbial colony growth dynamics quantification with ColTapp, an automated image analysis application. <i>Scientific Reports</i> , 2020, 10, 16084.  | 1.6 | 35        |
| 31210 | Analysis of retinal sublayer thicknesses and rates of change in ABCA4-associated Stargardt disease. <i>Scientific Reports</i> , 2020, 10, 16576.   | 1.6 | 12        |
| 31211 | 3D echocardiography, arterial stiffness, and biomarkers in early diagnosis and prediction of CHOP-induced cardiotoxicity in non-Hodgkin's lymphoma. <i>Scientific Reports</i> , 2020, 10, 18473.   | 1.6 | 16        |
| 31212 | Non-contact vital-sign monitoring of patients undergoing haemodialysis treatment. <i>Scientific Reports</i> , 2020, 10, 18529.   | 1.6 | 18        |
| 31213 | The SMOS-Derived Soil Water EXtent and equivalent layer thickness facilitate determination of soil water resources. <i>Scientific Reports</i> , 2020, 10, 18330.   | 1.6 | 6         |
| 31214 | ThicknessTool: automated ImageJ retinal layer thickness and profile in digital images. <i>Scientific Reports</i> , 2020, 10, 18459.  | 1.6 | 5         |
| 31215 | Test-retest reliability of the 20-min pad test with infusion of strong-desired volume in the bladder for female urodynamic stress incontinence. <i>Scientific Reports</i> , 2020, 10, 18472.   | 1.6 | 1         |
| 31216 | Threshold Determination Criterion in Steady-State Visual Evoked Potential-Based Acuity Assessment: A Comparison of Four Common Methods. <i>IEEE Access</i> , 2020, 8, 188844-188852.   | 2.6 | 5         |
| 31217 | Continuous Pulse Rate Monitoring from Facial Video Using rPPG. , 2020, , .   |     | 1         |
| 31218 | FeSTwo, a two-step feature selection algorithm based on feature engineering and sampling for the chronological age regression problem. <i>Computers in Biology and Medicine</i> , 2020, 125, 104008.   | 3.9 | 9         |
| 31219 | Phytoplankton community dynamics in a coastal bay under upwelling influence (Central Chile). <i>Estuarine, Coastal and Shelf Science</i> , 2020, 245, 106968.  | 0.9 | 5         |
| 31220 | Quality of cardiopulmonary resuscitation: Degree of agreement between instructor and a feedback device during a simulation exercise. <i>International Emergency Nursing</i> , 2020, 53, 100907.  | 0.6 | 2         |
| 31221 | Comparing two software programs for fitting nonlinear, one- and two-compartment age-dependent digestion models: a Monte Carlo analysis. <i>Livestock Science</i> , 2020, 240, 104153.  | 0.6 | 2         |
| 31222 | Could the arm blood pressure measured with simultaneous bilateral arm method be used for hypertension diagnosis?. <i>BMJ Open</i> , 2020, 10, e037838.   | 0.8 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31223 | Comparison of staff and resident health status ratings in care homes. <i>BMJ Open Quality</i> , 2020, 9, e000801.   | 0.4 | 2         |
| 31224 | Assessment of anterior segment measurements using a high-resolution imaging device. <i>Expert Review of Medical Devices</i> , 2020, 17, 969-979.  | 1.4 | 11        |
| 31225 | A New Automated Histomorphometric MATLAB Algorithm for Immunohistochemistry Analysis Using Whole Slide Imaging. <i>Tissue Engineering - Part C: Methods</i> , 2020, 26, 462-474.  | 1.1 | 5         |
| 31226 | Reproducibility and reliability of performance indicators to evaluate the therapeutic effectiveness of biofeedback therapy after elbow surgery. <i>Medicine (United States)</i> , 2020, 99, e21889.                                   | 0.4 | 0         |
| 31227 | A Non-contact Spirometer with Time-of-Flight Sensor for Assessment of Pulmonary Function. , 2020, 2020, 4114-4117.  |     | 3         |
| 31228 | Fuzzy Set Similarity for Feature Selection in Classification. , 2020, , .   |     | 0         |
| 31229 | Identification of ultrasound imaging markers to quantify long bone regeneration in a segmental tibial defect sheep model in vivo. <i>Scientific Reports</i> , 2020, 10, 13646.  | 1.6 | 10        |
| 31230 | A new noninvasive method for assessing mild coronary atherosclerosis: transthoracic convergent color Doppler after heart rate reduction. Validation vs. intracoronary ultrasound. <i>Coronary Artery Disease</i> , 2020, 31, 500-511. | 0.3 | 9         |
| 31231 | Validation of an Automated Early Treatment Diabetic Retinopathy Study Low-contrast Letter Acuity Test. <i>Optometry and Vision Science</i> , 2020, 97, 370-376.   | 0.6 | 6         |
| 31232 | Cardiac magnetic resonance systematically overestimates mitral regurgitations by the indirect method. <i>Open Heart</i> , 2020, 7, e001323.   | 0.9 | 5         |
| 31233 | Evaluation of Load-Velocity Relationships and Repetitions-to-Failure Equations in the Presence of Male and Female Spotters. <i>Journal of Strength and Conditioning Research</i> , 2020, 34, 2427-2433.                               | 1.0 | 6         |
| 31234 | A comparative study of photoplethysmogram and piezoelectric plethysmogram signals. <i>Physical and Engineering Sciences in Medicine</i> , 2020, 43, 1207-1217.  | 1.3 | 8         |
| 31235 | Validity of the Past-day Adults' Sedentary Time Questionnaire in a Cardiac Rehabilitation Population. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2020, 40, 325-329.  | 1.2 | 6         |
| 31236 | Generalizable fully automated multi-label segmentation of four-chamber view echocardiograms based on deep convolutional adversarial networks. <i>Journal of the Royal Society Interface</i> , 2020, 17, 20200267.                     | 1.5 | 13        |
| 31237 | MRI Monitoring of Residual Vestibular Schwannomas: Modeling and Predictors of Growth. <i>Otology and Neurotology</i> , 2020, 41, 1131-1139.   | 0.7 | 5         |
| 31238 | Accelerating Prostate Diffusion-weighted MRI Using a Guided Denoising Convolutional Neural Network: Retrospective Feasibility Study. <i>Radiology: Artificial Intelligence</i> , 2020, 2, e200007.                                    | 3.0 | 23        |
| 31239 | COUNTCOLORS, AN R PACKAGE FOR QUANTIFICATION OF THE FLUORESCENCE EMITTED BY PSEUDOGYMNODONTOMYXUS LESIONS ON THE WING MEMBRANES OF HIBERNATING BATS. <i>Journal of Wildlife Diseases</i> , 2020, 56, 759-767.                         | 0.3 | 11        |
| 31240 | Heart rate acceleration at relative workloads during treadmill and overground running for tracking exercise performance during functional overreaching. <i>Scientific Reports</i> , 2020, 10, 14622.                                  | 1.6 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31241 | The reliability and heritability of cortical folds and their genetic correlations across hemispheres. <i>Communications Biology</i> , 2020, 3, 510.   | 2.0 | 42        |
| 31242 | The Effect of Calibration Method on Repeatability and Reproducibility of Pressure Mat Data in a Canine Population. <i>Veterinary and Comparative Orthopaedics and Traumatology</i> , 2020, 33, 428-433.                         | 0.2 | 3         |
| 31243 | Feasibility and reliability of a German guideline for farm animals self-monitoring in sows and piglets. <i>Journal of Animal Science</i> , 2020, 98, .  | 0.2 | 1         |
| 31244 | Intraobserver Repeatability and Interobserver Reproducibility of Foveal Cone Density Measurements in <i>CNGA3</i> and <i>CNGB3</i> -Associated Achromatopsia. <i>Translational Vision Science and Technology</i> , 2020, 9, 37. | 1.1 | 10        |
| 31245 | Near-Single-Cell Proteomics Profiling of the Proximal Tubular and Glomerulus of the Normal Human Kidney. <i>Frontiers in Medicine</i> , 2020, 7, 499.   | 1.2 | 12        |
| 31246 | Quantities of Intra- and Extracellular DNA Reveal Information About Activity and Physiological State of Methanogenic Archaea. <i>Frontiers in Microbiology</i> , 2020, 11, 1894.  | 1.5 | 5         |
| 31247 | Comparison of Two Commercially Available Immunoassays for the Measurement of Bovine Cardiac Troponin I in Cattle With Induced Myocardial Injury. <i>Frontiers in Veterinary Science</i> , 2020, 7, 531.                         | 0.9 | 2         |
| 31248 | Evaluation of the Validity, Reliability, and Kinematic Characteristics of Multi-Segment Foot Models in Motion Capture. <i>Sensors</i> , 2020, 20, 4415.   | 2.1 | 4         |
| 31249 | Concurrent Validity, Test-Retest Reliability, and Sensitivity to Change of a Single Body-Fixed Sensor for Gait Analysis during Rollator-Assisted Walking in Acute Geriatric Patients. <i>Sensors</i> , 2020, 20, 4866.          | 2.1 | 11        |
| 31250 | Nonparametric Limits of Agreement for Small to Moderate Sample Sizes: A Simulation Study. <i>Stats</i> , 2020, 3, 343-355.  | 0.5 | 11        |
| 31251 | Validity of the Empatica E4 Wristband to Measure Heart Rate Variability (HRV) Parameters: a Comparison to Electrocardiography (ECG). <i>Journal of Medical Systems</i> , 2020, 44, 190.   | 2.2 | 92        |
| 31253 | Validation of the Indonesian Version of Modified Checklist for Autism in Toddlers: a diagnostic study. <i>Paediatrica Indonesiana</i> , 2020, 60, 160-6.  | 0.0 | 0         |
| 31254 | Parallel Valuation of the EQ-5D-3L and EQ-5D-5L by Time Trade-Off in Hungary. <i>Value in Health</i> , 2020, 23, 1235-1245.   | 0.1 | 58        |
| 31255 | Comparing oscillometric noninvasive and invasive intra-arterial blood pressure monitoring in term neonates under general anesthesia: A retrospective study. <i>Paediatric Anaesthesia</i> , 2020, 30, 1396-1401.                | 0.6 | 3         |
| 31256 | A Quality Control System for Automated Prostate Segmentation on T2-Weighted MRI. <i>Diagnostics</i> , 2020, 10, 714.  | 1.3 | 21        |
| 31257 | A Wearable Device for Breathing Frequency Monitoring: A Pilot Study on Patients with Muscular Dystrophy. <i>Sensors</i> , 2020, 20, 5346.   | 2.1 | 9         |
| 31258 | Monitoring of Chimerism in Rare Haematological Malignant Diseases after Allogeneic Haematopoietic Stem Cell Transplantation. , 2020, , .  |     | 0         |
| 31259 | A Simplified Iohexol-Based Method to Measure Renal Function in Sheep Models of Renal Disease. <i>Biology</i> , 2020, 9, 259.  | 1.3 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31260 | Between-day repeatability of sensor-based in-home gait assessment among older adults: assessing the effect of frailty. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 1529-1537.  | 1.4 | 4         |
| 31261 | The reliability of a restraint sensor system for the computer-supported detection of spinal stabilizing muscle deficiencies. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 597.   | 0.8 | 2         |
| 31262 | The perception threshold of the panda illusion, a particular form of 2D pulse-width-modulated halftone, correlates with visual acuity. <i>Scientific Reports</i> , 2020, 10, 13095.  | 1.6 | 2         |
| 31263 | Panoramic ultrasound vs. MRI for the assessment of hamstrings cross-sectional area and volume in a large athletic cohort. <i>Scientific Reports</i> , 2020, 10, 14144.   | 1.6 | 21        |
| 31264 | Repeatability, reproducibility, and comparison of ocular biometry using a new optical coherence tomography-based system and another device. <i>Scientific Reports</i> , 2020, 10, 14440.   | 1.6 | 5         |
| 31265 | Design of Pressure Sensor Arrays to Assess Electrode Contact Pressure During In Vivo Recordings in the Gut. , 2020, 2020, 4204-4207.   |     | 3         |
| 31266 | Tissue optical perfusion pressure: a simplified, more reliable, and faster assessment of pedal microcirculation in peripheral artery disease. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020, 319, H1208-H1220. | 1.5 | 1         |
| 31267 | Differences in kinematic and match-play demands between elite winning and losing wheelchair padel players. <i>PLoS ONE</i> , 2020, 15, e0233475.   | 1.1 | 6         |
| 31268 | Validation of Spatiotemporal and Kinematic Measures in Functional Exercises Using a Minimal Modeling Inertial Sensor Methodology. <i>Sensors</i> , 2020, 20, 4586.   | 2.1 | 9         |
| 31269 | Ultrasound Analysis of Lateral Ankle Ligaments in Functional Ankle Instability. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 3228-3238.   | 0.7 | 5         |
| 31270 | Testâ€“Retest Reliability and Correlates of Vertebral Bone Marrow Lipid Composition by Lipidomics Among Children With Varying Degrees of Bone Fragility. <i>JBMR Plus</i> , 2020, 4, e10400.   | 1.3 | 4         |
| 31271 | Facial Depression Recognition by Deep Joint Label Distribution and Metric Learning. <i>IEEE Transactions on Affective Computing</i> , 2022, 13, 1605-1618.   | 5.7 | 22        |
| 31272 | Comparison of Anterior Ocular Biometric Measurements Using Swept-Source and Time-Domain Optical Coherence Tomography. <i>Journal of Ophthalmology</i> , 2020, 2020, 1-6.   | 0.6 | 3         |
| 31273 | Revisiting right anterior oblique projections for the triangle of Koch: implications from computed tomography. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 383.  | 0.7 | 1         |
| 31274 | Intra- and Interobserver Reliability Comparison of Clinical Gait Analysis Data between Two Gait Laboratories. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 5068.  | 1.3 | 2         |
| 31275 | Validity and Reliability of a Photoelectric Cells System for the Evaluation of Change of Direction and Lateral Jumping Abilities in Collegiate Basketball Athletes. <i>Journal of Functional Morphology and Kinesiology</i> , 2020, 5, 55.       | 1.1 | 6         |
| 31276 | Reliability of an Integrated Inertial Sensor for the Continuous Measurement of Active Cervical Range of Motion in a Group of Younger and Elderly Individuals. <i>Journal of Functional Morphology and Kinesiology</i> , 2020, 5, 58.             | 1.1 | 6         |
| 31277 | Measured and Predicted Resting Energy Expenditure in Malnourished Older Hospitalized Patients: A Cross-Sectional and Longitudinal Comparison. <i>Nutrients</i> , 2020, 12, 2240.   | 1.7 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31278 | Effects of Narrowband Light on Choroidal Thickness and the Pupil. , 2020, 61, 40.  |     | 25        |
| 31279 | Stereotest Comparison: Efficacy, Reliability, and Variability of a New Glasses-Free Stereotest. Translational Vision Science and Technology, 2020, 9, 29.  | 1.1 | 12        |
| 31280 | Assessment of a biofluid mechanics-based model for calculating portal pressure in canines. BMC Veterinary Research, 2020, 16, 308.   | 0.7 | 0         |
| 31281 | A Novel Clinical Perspective on New Masses after Lead Extraction (Ghosts) by Means of Intracardiac Echocardiography. Journal of Clinical Medicine, 2020, 9, 2571.  | 1.0 | 9         |
| 31282 | The use of 3D ultrasound in comparing surgical techniques for posterior wall prolapse repair: a pilot randomised controlled trial. Journal of Obstetrics and Gynaecology, 2020, 41, 1-7.   | 0.4 | 1         |
| 31283 | Repeatability of Scotopic Sensitivity and Dark Adaptation Using a Medmont Dark-Adapted Chromatic Perimeter in Age-related Macular Degeneration. Translational Vision Science and Technology, 2020, 9, 31.  | 1.1 | 6         |
| 31284 | Toward a Dimensional Assessment of Externalizing Disorders in Children: Reliability and Validity of a Semi-Structured Parent Interview. Frontiers in Psychology, 2020, 11, 1840.   | 1.1 | 10        |
| 31285 | Calibrating Environmental DNA Metabarcoding to Conventional Surveys for Measuring Fish Species Richness. Frontiers in Ecology and Evolution, 2020, 8, .  | 1.1 | 74        |
| 31286 | Assessing mandibular body changes in growing subjects: a comparison of CBCT and reconstructed lateral cephalogram measurements. Scientific Reports, 2020, 10, 11722.   | 1.6 | 25        |
| 31287 | Validation of Fabric-Based Thigh-Wearable EMG Sensors and Oximetry for Monitoring Quadriceps Activity during Strength and Endurance Exercises. Sensors, 2020, 20, 4664.  | 2.1 | 22        |
| 31288 | Multichannel Electrocardiograms Obtained by a Smartwatch for the Diagnosis of ST-Segment Changes. JAMA Cardiology, 2020, 5, 1176.  | 3.0 | 74        |
| 31289 | The Comparison of Segmental Multifrequency Bioelectrical Impedance Analysis and Dual-Énergy X-ray Absorptiometry for Estimating Fat Free Mass and Percentage Body Fat in an Ambulatory Population. Journal of Parenteral and Enteral Nutrition, 2021, 45, 1231-1238. | 1.3 | 33        |
| 31290 | Quantitative Determination of Hydroxymethanesulfonate (HMS) Using Ion Chromatography and UHPLC-LTQ-Orbitrap Mass Spectrometry: A Missing Source of Sulfur during Haze Episodes in Beijing. Environmental Science and Technology Letters, 2020, 7, 701-707.           | 3.9 | 25        |
| 31291 | Left Ventricular Mass Assessment by 1- and 2-Dimensional Echocardiographic Methods in Hemodialysis Patients: Changes in Left Ventricular Volume Using Echocardiography Before and After a Hemodialysis Session. Kidney Medicine, 2020, 2, 578-588.e1.                | 1.0 | 4         |
| 31292 | Effect of photorefractive keratectomy on agreement of anterior segment variables obtained by a swept-source biometer vs a Scheimpflug-based tomographer. Journal of Cataract and Refractive Surgery, 2020, 46, 1229-1235.  | 0.7 | 4         |
| 31293 | Evaluation of digital PCR assay in detection of M.tuberculosis IS6110 and IS1081 in tuberculosis patients plasma. BMC Infectious Diseases, 2020, 20, 657.  | 1.3 | 14        |
| 31294 | Reproducibility of isokinetic knee testing using the novel isokinetic SMM iMoment dynamometer. PLoS ONE, 2020, 15, e0237842.   | 1.1 | 15        |
| 31295 | Intrasession repeatability and intersession reproducibility of peripapillary OCTA vessel parameters in non-glaucomatous and glaucomatous eyes. British Journal of Ophthalmology, 2021, 105, 1534-1541.   | 2.1 | 24        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31296 | Improved Interobserver Agreement on Lung-RADS Classification of Solid Nodules Using Semiautomated CT Volumetry. <i>Radiology</i> , 2020, 297, 675-684.   | 3.6 | 20        |
| 31297 | Derivation and validation of 10-year all-cause and cardiovascular disease mortality prediction model for middle-aged and elderly community-dwelling adults in Taiwan. <i>PLoS ONE</i> , 2020, 15, e0239063.                          | 1.1 | 5         |
| 31298 | Reliability of the Polar Vantage M Sports Watch when Measuring Heart Rate at Different Treadmill Exercise Intensities. <i>Sports</i> , 2020, 8, 117.   | 0.7 | 9         |
| 31299 | Developing and Preliminary Validating an Automatic Cell Classification System for Bone Marrow Smears: a Pilot Study. <i>Journal of Medical Systems</i> , 2020, 44, 184.  | 2.2 | 15        |
| 31300 | Noninvasive estimation of aortic hemodynamics and cardiac contractility using machine learning. <i>Scientific Reports</i> , 2020, 10, 15015.   | 1.6 | 18        |
| 31301 | Full Finger Reperfusion Time Measured by Pulse Oximeter Waveform Analysis in Children. <i>Critical Care Medicine</i> , 2020, 48, e927-e933.  | 0.4 | 3         |
| 31302 | Loss of Ventricular Function After Bidirectional Cavopulmonary Connection: Who Is at Risk?. <i>Pediatric Cardiology</i> , 2020, 41, 1714-1724.   | 0.6 | 7         |
| 31303 | Evaluating Health Related Quality of Life in Older People at Risk of Osteoporotic Fracture: A Head-to-Head Comparison of the EQ-5D-5L and AQoL-6D. <i>Social Indicators Research</i> , 2022, 160, 809-824.                           | 1.4 | 1         |
| 31304 | Screening for obstructive sleep apnea with novel hybrid acoustic smartphone app technology. <i>Journal of Thoracic Disease</i> , 2020, 12, 4476-4495.  | 0.6 | 39        |
| 31306 | Diagnostic Role of Contrast-enhanced Ultrasound in the Discrimination of Malignant Portal Vein Thrombosis in Patients With Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2020, 40, 4351-4363.                               | 0.5 | 5         |
| 31307 | Ecological Validation and Reliability of Hexoskin Wearable Body Metrics Tool in Measuring Pre-exercise and Peak Heart Rate During Shuttle Run Test in Professional Handball Players. <i>Frontiers in Physiology</i> , 2020, 11, 957. | 1.3 | 11        |
| 31308 | Reproducibility and repeatability of identifying the latest electrical activation during mapping of coronary sinus branches in CRT recipients. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 2940-2947.             | 0.8 | 1         |
| 31309 | A Study on the Effect of Contact Pressure during Physical Activity on Photoplethysmographic Heart Rate Measurements. <i>Sensors</i> , 2020, 20, 5052.  | 2.1 | 29        |
| 31310 | Association of Time With Reliability of Maternal Recall of Infant Birth Weight. <i>JAMA Pediatrics</i> , 2020, 174, 1208.  | 3.3 | 1         |
| 31312 | Positive relationship of hypertensive retinopathy with carotid intima-media thickness in hypertensive patients. <i>Journal of Hypertension</i> , 2020, 38, 2028-2035.  | 0.3 | 5         |
| 31313 | A comparison of test-retest reliability and random measurement error of the Barthel Index and modified Barthel Index in patients with chronic stroke. <i>Disability and Rehabilitation</i> , 2022, 44, 2099-2103.                    | 0.9 | 29        |
| 31314 | Improving the performance of peripheral arterial tonometry-based testing for the diagnosis of obstructive sleep apnea. <i>Journal of Investigative Medicine</i> , 2020, 68, 1370-1378.   | 0.7 | 11        |
| 31315 | A Novel Quantitative Index of Meibomian Gland Dysfunction, the Meibomian Gland Tortuosity. <i>Translational Vision Science and Technology</i> , 2020, 9, 34.   | 1.1 | 26        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31316 | Comparison of Perimetric Outcomes from Melbourne Rapid Fields Tablet Perimeter Software and Humphrey Field Analyzer in Glaucoma Patients. <i>Journal of Ophthalmology</i> , 2020, 2020, 1-9.   | 0.6 | 18        |
| 31317 | Fully Automated Cardiac Assessment for Diagnostic and Prognostic Stratification Following Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2020, 9, e016612.  | 1.6 | 19        |
| 31318 | Tissue Doppler Imaging and strain rate of the left atrial lateral wall: age related variations and comparison with parameters of diastolic function. <i>Cardiovascular Ultrasound</i> , 2020, 18, 38.                                    | 0.5 | 0         |
| 31319 | Repeatability and reproducibility of post-mortem central corneal thickness measurements using a portable optical coherence tomography system in humans: a prospective multicenter study. <i>Scientific Reports</i> , 2020, 10, 14508.    | 1.6 | 27        |
| 31320 | Automated Algorithm Analysis of Sublingual Microcirculation in an International Multicenter Database Identifies Alterations Associated With Disease and Mechanism of Resuscitation. <i>Critical Care Medicine</i> , 2020, 48, e864-e875. | 0.4 | 35        |
| 31321 | Cone Identification in Choroideremia: Repeatability, Reliability, and Automation Through Use of a Convolutional Neural Network. <i>Translational Vision Science and Technology</i> , 2020, 9, 40.  | 1.1 | 11        |
| 31322 | Comparison of Free-Living and Laboratory Activity Outcomes from ActiGraph Accelerometers Worn on the Dominant and Non-Dominant Wrists. <i>Measurement in Physical Education and Exercise Science</i> , 2020, 24, 247-257.                | 1.3 | 15        |
| 31323 | Local staging of ipsilateral breast tumor recurrence: mammography, ultrasound, or MRI?. <i>Breast Cancer Research and Treatment</i> , 2020, 184, 385-395.  | 1.1 | 5         |
| 31324 | Electrolyte measurements differ between point-of-care and reference analysers in dogs with hypoadrenocorticism. <i>Journal of Small Animal Practice</i> , 2020, 61, 599-608.   | 0.5 | 1         |
| 31325 | Effectively Measuring Exercise-Related Variations in T1- and T2 Relaxation Times of Healthy Articular Cartilage. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 52, 1753-1764.   | 1.9 | 9         |
| 31326 | Test-Retest Reliability of Handgrip Strength in Patients with Chronic Obstructive Pulmonary Disease. COPD: <i>Journal of Chronic Obstructive Pulmonary Disease</i> , 2020, 17, 568-574.  | 0.7 | 10        |
| 31327 | Perioperative non-invasive versus semi-invasive cardiac index monitoring in patients with bariatric surgery – a prospective observational study. <i>BMC Anesthesiology</i> , 2020, 20, 196.  | 0.7 | 3         |
| 31328 | Age and Gender as Factors of Pressure Sensitivity of Pain-Free Persons: Are They Meaningful?. <i>Journal of Pain Research</i> , 2020, Volume 13, 1849-1859.  | 0.8 | 7         |
| 31329 | Validation of the Chinese Version of the Modified Gait Efficacy Scale for Patients Removing Ilizarov External Fixation Device for Over One Year. <i>Patient Preference and Adherence</i> , 2020, Volume 14, 1307-1315.                   | 0.8 | 4         |
| 31330 | Variability and Standardization of Quantitative Imaging. <i>Investigative Radiology</i> , 2020, 55, 601-616.   | 3.5 | 89        |
| 31331 | Derecruitment volume assessment derived from pressure-impedance curves with electrical impedance tomography in experimental acute lung injury. <i>Journal of International Medical Research</i> , 2020, 48, 030006052094903.             | 0.4 | 0         |
| 31332 | Prehospital management of burns requiring specialized burn centre evaluation: a single physician-based emergency medical service experience. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2020, 28, 84. | 1.1 | 3         |
| 31333 | Using whole-genome sequencing data to derive the homologous recombination deficiency scores. <i>Npj Breast Cancer</i> , 2020, 6, 33.   | 2.3 | 19        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31334 | Measurement of laryngeal elevation time using a flexible surface stretch sensor. <i>Journal of Oral Rehabilitation</i> , 2020, 47, 1489-1495.  | 1.3 | 0         |
| 31335 | Impact of Two Different Reference Measurement Procedures on Apparent System Accuracy of 18 CE-Marked Current-Generation Blood Glucose Monitoring Systems. <i>Journal of Diabetes Science and Technology</i> , 2022, 16, 1076-1088. | 1.3 | 7         |
| 31336 | Quantitative Ultrasound Imaging Differences in Multifidus and Thoracolumbar Fasciae between Athletes with and without Chronic Lumbopelvic Pain: A Case-Control Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 2647.         | 1.0 | 17        |
| 31337 | Evaluation of force-time curve analysis methods in the isometric mid-thigh pull test. <i>Sports Biomechanics</i> , 2020, , 1-17.   | 0.8 | 3         |
| 31338 | The lateral edge and sourcil acetabular indices for surgical decision-making in developmental dysplasia of the hip. <i>Journal of Children's Orthopaedics</i> , 2020, 14, 513-520.   | 0.4 | 2         |
| 31339 | B-Comet Assay (Comet Assay on Buccal Cells) for the Evaluation of Primary DNA Damage in Human Biomonitoring Studies. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9234.                    | 1.2 | 6         |
| 31340 | Setup, Test and Validation of a UHF RFID System for Monitoring Feeding Behaviour of Dairy Cows. <i>Sensors</i> , 2020, 20, 7035.   | 2.1 | 13        |
| 31341 | Concurrent validity of the ZeroWire <sup>Å</sup> footswitch system for the measurement of temporal gait parameters. <i>Gait and Posture</i> , 2020, 82, 133-137.   | 0.6 | 2         |
| 31342 | Comparison of variables measured with a Scheimpflug device for evaluation of progression and detection of keratoconus. <i>Scientific Reports</i> , 2020, 10, 19308.  | 1.6 | 10        |
| 31343 | Ultra-high-resolution 3D optical coherence tomography reveals inner structures of human placenta-derived trophoblast organoids. <i>IEEE Transactions on Biomedical Engineering</i> , 2020, 68, 1-1.                                | 2.5 | 11        |
| 31344 | Inertial Sensor Algorithms to Characterize Turning in Neurological Patients With Turn Hesitations. <i>IEEE Transactions on Biomedical Engineering</i> , 2021, 68, 2615-2625.   | 2.5 | 4         |
| 31345 | Assessing the severity of psychiatric disorders using the Health of the Nation Outcome Scales: An equipercntile linking analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 1192-1199.                   | 1.3 | 1         |
| 31346 | Evaluating the diagnostic ability of two automated non-invasive tear film stability measurement techniques. <i>Contact Lens and Anterior Eye</i> , 2020, 44, 101362.   | 0.8 | 9         |
| 31347 | The value of three narrow-band imaging model in the diagnosis of small colorectal polyps. <i>Scientific Reports</i> , 2020, 10, 22032.   | 1.6 | 1         |
| 31348 | Evaluation of 24-segment sphericity index of fetal heart using <i>Fetal</i>HQ. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 4573-4579.   | 0.7 | 7         |
| 31349 | The Effect of Free-Field Presentation and Processing Strategy on a Measure of Spectro-Temporal Processing by Cochlear-Implant Listeners. <i>Trends in Hearing</i> , 2020, 24, 233121652096428.                                     | 0.7 | 3         |
| 31350 | Map-based assessment of older adults's life space: validity and reliability. <i>European Review of Aging and Physical Activity</i> , 2020, 17, 21.   | 1.3 | 10        |
| 31351 | New insights in the reproducibility of visual and electronic tooth color assessment for dental practice. <i>Head &amp; Face Medicine</i> , 2020, 16, 37.   | 0.8 | 3         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31352 | Resting Energy Expenditure of Physically Active Boys in Southeastern Poland—The Accuracy and Validity of Predictive Equations. <i>Metabolites</i> , 2020, 10, 493.   | 1.3 | 3         |
| 31353 | Validation and Reliability of the Alzheimer's Disease-Commonwealth Scientific and Industrial Research Organisation Food Frequency Questionnaire. <i>Nutrients</i> , 2020, 12, 3605.                                    | 1.7 | 3         |
| 31354 | Concurrent Validity and Reliability of Three Ultra-Portable Vertical Jump Assessment Technologies. <i>Sensors</i> , 2020, 20, 7240.  | 2.1 | 11        |
| 31355 | Effect of noise and estimator type on bias for analysis of liver proton density fat fraction. <i>Magnetic Resonance Imaging</i> , 2020, 74, 244-249.   | 1.0 | 0         |
| 31356 | Evaluation of intra- and interobserver reliability in the assessment of the "critical trochanter angle". <i>European Journal of Medical Research</i> , 2020, 25, 67.   | 0.9 | 1         |
| 31357 | An Automated Three-Dimensional Bone Pose Tracking Method Using Clinical Interleaved Biplane Fluoroscopy Systems: Application to the Knee. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 8426.                      | 1.3 | 7         |
| 31358 | Diagnostic Performance and Radiation Dose of the EOS System to Image Enchondromatosis: A Phantom Study. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 8941.  | 1.3 | 4         |
| 31359 | The Impact of Sample Type on Vitamin D Quantification and Clinical Classification during Pregnancy. <i>Nutrients</i> , 2020, 12, 3872.   | 1.7 | 6         |
| 31360 | Non-Contact Respiratory Measurement Using a Depth Camera for Elderly People. <i>Sensors</i> , 2020, 20, 6901.  | 2.1 | 5         |
| 31361 | The Validity and Reliability of the Microsoft Kinect for Measuring Trunk Compensation during Reaching. <i>Sensors</i> , 2020, 20, 7073.  | 2.1 | 5         |
| 31362 | Evaluation of a point-of-care device for counting white blood cells and differentials among older patients with acute diseases: Preliminary data. <i>Geriatrics and Gerontology International</i> , 2020, 20, 729-730. | 0.7 | 0         |
| 31363 | Associations of Environmental Features With Outdoor Physical Activity on Weekdays and Weekend Days: A Cross-Sectional Study Among Older People. <i>Frontiers in Public Health</i> , 2020, 8, 578275.                   | 1.3 | 6         |
| 31364 | On Jones et al.'s method for extending Bland-Altman plots to limits of agreement with the mean for multiple observers. <i>BMC Medical Research Methodology</i> , 2020, 20, 304.  | 1.4 | 14        |
| 31365 | Psychometric Properties of NASA-TLX and Index of Cognitive Activity as Measures of Cognitive Workload in Older Adults. <i>Brain Sciences</i> , 2020, 10, 994.  | 1.1 | 24        |
| 31366 | Comparison of Phakic Intraocular Lens Vault Using Conventional Nomogram and Prediction Formulas. <i>Journal of Clinical Medicine</i> , 2020, 9, 4090.  | 1.0 | 21        |
| 31367 | The Reliability and Validity of Wearable Inertial Sensors Coupled with the Microsoft Kinect to Measure Shoulder Range-of-Motion. <i>Sensors</i> , 2020, 20, 7238.  | 2.1 | 19        |
| 31368 | Minimal Damage to the Supinator Muscle After the Double-Incision Technique for Distal Biceps Tendon Repair. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712096777.                                  | 0.8 | 0         |
| 31369 | Using digital health technology to evaluate the impact of chocolate on blood pressure: Results from the COCOA-BP study. <i>Cardiovascular Digital Health Journal</i> , 2020, 1, 89-96.                                 | 0.5 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31370 | 3D image-based dosimetry for Yttrium-90 radioembolization of hepatocellular carcinoma: Impact of imaging method on absorbed dose estimates. <i>Physica Medica</i> , 2020, 80, 317-326.                                      | 0.4 | 15        |
| 31371 | Assessing the use of surveillance data to estimate the impact of prevention interventions on HIV incidence in cluster-randomized controlled trials. <i>Epidemics</i> , 2020, 33, 100423.                                    | 1.5 | 1         |
| 31372 | Proposal for a Method to Measure the Range of Dart-Throwing Motion. <i>Journal of Hand Surgery Global Online</i> , 2020, 2, 226-231.  | 0.3 | 0         |
| 31374 | Prediction of maturity offset and age at peak height velocity in a longitudinal series of boys and girls. <i>American Journal of Human Biology</i> , 2021, 33, e23551.  | 0.8 | 19        |
| 31375 | Amperometric Detection of Creatinine in Clinical Samples Based on Gold Electrode Arrays Fabricated Using Printed Circuit Board Technology. <i>Electroanalysis</i> , 2020, 32, 3054-3059.                                    | 1.5 | 3         |
| 31376 | How to write a manuscript for Sports Engineering. <i>Sports Engineering</i> , 2020, 23, 1.  | 0.5 | 1         |
| 31377 | Stretchable piezoresistive vs. capacitive silicon sensors integrated into ski base layer pants for measuring the knee flexion angle. <i>Sports Engineering</i> , 2020, 23, 1.   | 0.5 | 11        |
| 31378 | Practice effect and reliability of the motor-free visual perception test-4 over multiple assessments in patients with stroke. <i>Disability and Rehabilitation</i> , 2020, , 1-8.   | 0.9 | 2         |
| 31379 | Unveiling the immune infiltrate modulation in cancer and response to immunotherapy by MIXTUREâ€™an enhanced deconvolution method. <i>Briefings in Bioinformatics</i> , 2021, 22, .  | 3.2 | 11        |
| 31380 | Changes in Internal Carotid Artery Doppler Velocity Measurements With Different Angles of Insonation. <i>Journal of Ultrasound in Medicine</i> , 2020, 40, 1937-1948.   | 0.8 | 3         |
| 31381 | Using prediction models to evaluate magnetic resonance image guided radiation therapy plans. <i>Physics and Imaging in Radiation Oncology</i> , 2020, 16, 99-102.   | 1.2 | 3         |
| 31382 | Non-invasive pulmonary artery pressure estimation by electrical impedance tomography in a controlled hypoxemia study in healthy subjects. <i>Scientific Reports</i> , 2020, 10, 21462.                                      | 1.6 | 11        |
| 31383 | Prevalence of fermented foods in the Dutch adult diet and validation of a food frequency questionnaire for estimating their intake in the NQplus cohort. <i>BMC Nutrition</i> , 2020, 6, 69.                                | 0.6 | 8         |
| 31384 | Evaluation of Deep Learning to Augment Image-Guided Radiotherapy for Head and Neck and Prostate Cancers. <i>JAMA Network Open</i> , 2020, 3, e2027426.  | 2.8 | 42        |
| 31385 | &lt;p&gt;Retinal Sensitivity Thresholds Obtained Through Easyfield and Humphrey Perimeters in Eyes with Glaucoma: A Cross-Sectional Comparative Study&lt;p&gt;. <i>Clinical Ophthalmology</i> , 2020, Volume 14, 4201-4207. | 0.9 | 0         |
| 31386 | Performance of peripheral arterial tonometryâ€™based testing for the diagnosis of obstructive sleep apnea in a large sleep clinic cohort. <i>Journal of Clinical Sleep Medicine</i> , 2020, 16, 1663-1674.                  | 1.4 | 39        |
| 31387 | Rapid Reconstruction of Four-dimensional MR Angiography of the Thoracic Aorta Using a Convolutional Neural Network. <i>Radiology: Cardiothoracic Imaging</i> , 2020, 2, e190205.  | 0.9 | 7         |
| 31388 | Animal Welfare Assessment in Sows and Pigletsâ€™Introduction of a New German Protocol for Farmâ€™s Self-Inspection and of New Animal-Based Indicators for Piglets. <i>Agriculture (Switzerland)</i> , 2020, 10, 506.        | 1.4 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31389 | Prediction Model for Airborne Microorganisms Using Particle Number Concentration as Surrogate Markers in Hospital Environment. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7237.      | 1.2 | 6         |
| 31390 | Accuracy of pulse rate derived from 24-h ambulatory blood pressure monitoring compared with heart rate from 24-h Holter-ECG. <i>Journal of Hypertension</i> , 2020, 38, 2387-2392.   | 0.3 | 5         |
| 31391 | Dual-task gait speed assessments with an electronic walkway and a stopwatch in older adults. A reliability study. <i>Experimental Gerontology</i> , 2020, 142, 111102.   | 1.2 | 13        |
| 31392 | Real-world keystroke dynamics are a potentially valid biomarker for clinical disability in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2021, 27, 1421-1431.  | 1.4 | 29        |
| 31393 | Spatial orientation in virtual environment compared to real-world. <i>Journal of Motor Behavior</i> , 2021, 53, 693-706.   | 0.5 | 10        |
| 31394 | Blood pressure measurements on a bare arm, over a sleeve or below a rolled-up sleeve: a systematic review and meta-analysis. <i>Journal of Hypertension</i> , 2020, 38, 1650-1658.   | 0.3 | 8         |
| 31395 | A Pilot Study of the Reliability and Agreement of Heart Rate, Respiratory Rate and Short-Term Heart Rate Variability in Elite Modern Pentathlon Athletes. <i>Diagnostics</i> , 2020, 10, 833.                                  | 1.3 | 19        |
| 31396 | The Reliability and Compatibility of the Paper and Electronic Versions of the POLLEK Cohort Study Questionnaire. <i>Healthcare (Switzerland)</i> , 2020, 8, 438.   | 1.0 | 3         |
| 31397 | The Platform to Evaluate Athlete Knowledge of Sports Nutrition Questionnaire: a reliable and valid electronic sports nutrition knowledge questionnaire for athletes. <i>British Journal of Nutrition</i> , 2021, 126, 561-571. | 1.2 | 9         |
| 31398 | Vitamin E-infused highly cross-linked polyethylene did not reduce the number of in vivo wear particles in total knee arthroplasty. <i>Bone and Joint Journal</i> , 2020, 102-B, 1527-1534.                                     | 1.9 | 9         |
| 31399 | The reliability, reproducibility and utilization of the radiographic Achilles Tendon Loading Angle in the management of Achilles Tendon rupture. <i>Foot and Ankle Surgery</i> , 2020, 27, 760-766.                            | 0.8 | 0         |
| 31400 | A validated FFQ to determine dietary intake of vitamin D. <i>Public Health Nutrition</i> , 2021, 24, 4001-4006.  | 1.1 | 7         |
| 31401 | Evidence Base Update on Assessing Sleep in Youth. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2020, 49, 701-736.  | 2.2 | 9         |
| 31402 | Test-Retest Reliability of Handgrip Strength Measurement in Children and Preadolescents. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8026.  | 1.2 | 22        |
| 31403 | Validity and Reproducibility of a Culture-Specific Food Frequency Questionnaire in Lebanon. <i>Nutrients</i> , 2020, 12, 3316.   | 1.7 | 11        |
| 31404 | The New and the Old: Platform Cross-Validation of Immunoaffinity MASS Spectrometry versus ELISA for PromarkerD, a Predictive Test for Diabetic Kidney Disease. <i>Proteomes</i> , 2020, 8, 31.                                 | 1.7 | 5         |
| 31405 | A Multidomain Approach to Assessing the Convergent and Concurrent Validity of a Mobile Application When Compared to Conventional Methods of Determining Body Composition. <i>Sensors</i> , 2020, 20, 6165.                     | 2.1 | 7         |
| 31406 | A New Strategy to Integrate Heath's Somatotype Assessment with Bioelectrical Impedance Analysis in Elite Soccer Players. <i>Sports</i> , 2020, 8, 142.   | 0.7 | 11        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31407 | Reliability and minimal detectable change of the "Imperial Spine"™ marker set for the evaluation of spinal and lower limb kinematics in adults. <i>BMC Research Notes</i> , 2020, 13, 495.   | 0.6 | 6         |
| 31408 | Clinical application of artificial intelligence-assisted diagnosis using anteroposterior pelvic radiographs in children with developmental dysplasia of the hip. <i>Bone and Joint Journal</i> , 2020, 102-B, 1574-1581.                   | 1.9 | 28        |
| 31409 | Croatian version of the Test of self-conscious affect-3: Gender differences and agreement with subjectively perceived shame- and guilt-proneness. <i>Current Psychology</i> , 2020, , 1.   | 1.7 | 0         |
| 31410 | Bacterial and Eukaryotic Small-Subunit Amplicon Data Do Not Provide a Quantitative Picture of Microbial Communities, but They Are Reliable in the Context of Ecological Interpretations. <i>MSphere</i> , 2020, 5, .                       | 1.3 | 65        |
| 31411 | Low psoas muscle index associates with long-term mortality in cirrhosis: construction of a nomogram. <i>Annals of Translational Medicine</i> , 2020, 8, 358-358.   | 0.7 | 13        |
| 31412 | Direct comparisons of left ventricular volume and function by simultaneous cardiac magnetic resonance imaging and gated <sup>13</sup> N-ammonia positron emission tomography. <i>Nuclear Medicine Communications</i> , 2020, 41, 383-388.  | 0.5 | 8         |
| 31413 | Validación del método de cuantificación del área corporal afectada por la psoriasis mediante <sup>31</sup> P. <i>Actas Dermo-sifilográficas</i> , 2020, 111, 143-148.  | 0.2 | 3         |
| 31414 | Agreement Between 2-Dimensional Shear Wave and Transient Elastography Values for Diagnosis of Advanced Chronic Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 2971-2979.e3.                                    | 2.4 | 24        |
| 31415 | The effects of different body positions on the accuracy of ultra-short-term heart rate variability indexes. <i>Journal of High Technology Management Research</i> , 2020, 31, 100375.  | 2.7 | 7         |
| 31416 | Cross-sectional and longitudinal comparisons of self-reported and device-assessed physical activity and sedentary behaviour. <i>Journal of Science and Medicine in Sport</i> , 2020, 23, 831-835.  | 0.6 | 10        |
| 31417 | Probabilistic performance estimators for computational chemistry methods: Systematic improvement probability and ranking probability matrix. II. Applications. <i>Journal of Chemical Physics</i> , 2020, 152, 164109.                     | 1.2 | 7         |
| 31418 | A reformulation of pLSA for uncertainty estimation and hypothesis testing in bio-imaging. <i>Bioinformatics</i> , 2020, 36, 4080-4087.   | 1.8 | 3         |
| 31419 | Efficacy of single and multiple oral doses of fosfomycin against <i>Pseudomonas aeruginosa</i> urinary tract infections in a dynamic in vitro bladder infection model. <i>Journal of Antimicrobial Chemotherapy</i> , 2020, 75, 1879-1888. | 1.3 | 9         |
| 31420 | Shape disparity in the blade-like premolars of multituberculate mammals: functional constraints and the evolution of herbivory. <i>Journal of Mammalogy</i> , 2021, 102, 967-985.  | 0.6 | 12        |
| 31421 | Prospective study comparing the outcome of a population-specific adjusted calcium equation to ionized calcium. <i>Annals of Clinical Biochemistry</i> , 2020, 57, 316-324.   | 0.8 | 9         |
| 31422 | Determination of citalopram in fish brain tissue: benefits of coupling laser diode thermal desorption with low- and high-resolution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 4353-4361.               | 1.9 | 10        |
| 31423 | Using open-source software and digital imagery to efficiently and objectively quantify cover density of an invasive alien plant species. <i>Journal of Environmental Management</i> , 2020, 266, 110519.                                   | 3.8 | 12        |
| 31424 | Gas-to-Liquid Phase Transition of PAH at Flame Temperatures. <i>Journal of Physical Chemistry A</i> , 2020, 124, 3896-3903.  | 1.1 | 10        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31425 | Antibodies to human papillomavirus types 6, 11, 16 and 18: Vertical transmission and clearance in children up to two years of age. <i>EClinicalMedicine</i> , 2020, 21, 100334.  | 3.2 | 3         |
| 31426 | Attitudes toward Change and Transformational Leadership: A Longitudinal Study. <i>Journal of Change Management</i> , 2020, 20, 202-219.  | 2.3 | 9         |
| 31427 | When it all comes down to pressure: right ventricular ejection fraction at cardiac catheterisation. <i>European Respiratory Journal</i> , 2020, 55, 1902341.   | 3.1 | 12        |
| 31428 | Comparison between rectal and body surface temperature in dogs by the calibrated infrared thermometer. <i>Veterinary and Animal Science</i> , 2020, 9, 100120.   | 0.6 | 13        |
| 31429 | Peak expiratory flow in the standing and sitting positions is equivalent in adults: a cross-over study. <i>Family Practice</i> , 2020, 37, 637-640.  | 0.8 | 0         |
| 31430 | Subclonal patterns in follow-up of acute myeloid leukemia combining whole exome sequencing and ultrasensitive IBSAFE digital droplet analysis. <i>Leukemia and Lymphoma</i> , 2020, 61, 2168-2179.   | 0.6 | 7         |
| 31431 | A comparison of cine CMR imaging at 0.55â€‰T and 1.5â€‰T. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 37.  | 1.6 | 25        |
| 31432 | Fast $T_2$ mapping using multi-echo spin-echo MRI: A linear order approach. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 2815-2830.   | 1.9 | 15        |
| 31433 | A machine learning-based approach to directly compare the diagnostic accuracy of myocardial perfusion imaging by conventional and cadmium-zinc telluride SPECT. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 46-55.                    | 1.4 | 17        |
| 31434 | Oral Fosfomycin Treatment for Enterococcal Urinary Tract Infections in a Dynamic <i>In Vitro</i> Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2020, 64, .   | 1.4 | 19        |
| 31435 | The Effect of Scan Length on the Assessment of BOLD Delay in Ischemic Stroke. <i>Frontiers in Neurology</i> , 2020, 11, 381.   | 1.1 | 7         |
| 31436 | Development, Relative Validity and Reproducibility of the Aus-SDS (Australian Short Dietary Screener) in Adults Aged 70 Years and above. <i>Nutrients</i> , 2020, 12, 1436.  | 1.7 | 11        |
| 31437 | Measuring Inflammatory Foot Disease in Rheumatoid Arthritis: Development and Validation of the Rheumatoid Arthritis Foot Disease Activity Indexâ€‰5. <i>Arthritis Care and Research</i> , 2021, 73, 1290-1299.                             | 1.5 | 8         |
| 31438 | Prioritization of Anti-SARS-CoV-2 Drug Repurposing Opportunities Based on Plasma and Target Site Concentrations Derived from their Established Human Pharmacokinetics. <i>Clinical Pharmacology and Therapeutics</i> , 2020, 108, 775-790. | 2.3 | 118       |
| 31439 | Fetal Cardiac Function and Ventricular Volumes Determined by Three-Dimensional Ultrasound Using STIC and VOCAL Methods in Fetuses from Pre-gestational Diabetic Women. <i>Pediatric Cardiology</i> , 2020, 41, 1125-1134.                  | 0.6 | 7         |
| 31440 | Quantification of myocardial perfusion reserve by CZT-SPECT: A head to head comparison with $^{82}\text{Rb}$ PET imaging. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 2827-2839.  | 1.4 | 44        |
| 31441 | Glomerular filtration rate: comparison of simultaneous plasma clearance of $^{99\text{m}}\text{Tc}$ -DTPA and $^{51}\text{Cr}$ -EDTA revisited. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020, 80, 408-411.  | 0.6 | 11        |
| 31442 | Immediate Effects of Self-Thai Foot Massage on Skin Blood Flow, Skin Temperature, and Range of Motion of the Foot and Ankle in Type 2 Diabetic Patients. <i>Journal of Alternative and Complementary Medicine</i> , 2020, 26, 491-500.     | 2.1 | 14        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31443 | Validation of a new <i>in vitro</i> Sun Protection Factor method to include a wide range of sunscreen product emulsion types. <i>International Journal of Cosmetic Science</i> , 2020, 42, 421-428.  | 1.2 | 4         |
| 31444 | Validation of a Noninvasive Assessment of Pulmonary Gas Exchange During Exercise in Hypoxia. <i>Chest</i> , 2020, 158, 1644-1650.  | 0.4 | 8         |
| 31445 | One-repetition submaximal protocol to measure knee extensor muscle strength among older adults with and without sarcopenia: a validation study. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2020, 12, 29.                                       | 0.7 | 12        |
| 31446 | Prevertebral Soft-Tissue Swelling at C7 Is Highly Sensitive for Cervical Spine Ligamentous Injury Study Type: Retrospective Cohort Study. <i>Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews</i> , 2020, 4, e19.00093.   | 0.4 | 1         |
| 31447 | Does size matter? Perineometer and digital examination of a model levator hiatus. <i>Neurourology and Urodynamics</i> , 2020, 39, 1338-1344.   | 0.8 | 3         |
| 31448 | Comparison of different microCT-based morphology assessment tools using human trabecular bone. <i>Bone Reports</i> , 2020, 12, 100261.   | 0.2 | 14        |
| 31449 | Evaluation of total corneal power measurements with a new optical biometer. <i>Journal of Cataract and Refractive Surgery</i> , 2020, 46, 675-681.   | 0.7 | 28        |
| 31450 | Sex differences in the agreement between left ventricular ejection fraction measured by myocardial perfusion scintigraphy and by echocardiography. <i>JRSM Cardiovascular Disease</i> , 2020, 9, 204800402091539.  | 0.4 | 1         |
| 31451 | Reliability of Magnetic Resonance Imaging (MRI) Scoring of the Metatarsophalangeal Joints of the Foot according to the Rheumatoid Arthritis MRI Score. <i>Journal of Rheumatology</i> , 2020, 47, 1165-1173.   | 1.0 | 10        |
| 31452 | The Role of Spleen and Liver Elastography and Color-Doppler Ultrasound in the Assessment of Transjugular Intrahepatic Portosystemic Shunt Function. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 1641-1650.   | 0.7 | 8         |
| 31453 | Incorporation of frailty estimated by gait speed within MELD-Na and the predictive potential for mortality in cirrhosis. <i>Therapeutic Advances in Chronic Disease</i> , 2020, 11, 204062232092202.   | 1.1 | 9         |
| 31454 | Assessing Accuracy and Bias of Protocols to Estimate Age of Pacific Salmon Using Scales. <i>North American Journal of Fisheries Management</i> , 2020, 40, 1007-1022.  | 0.5 | 5         |
| 31455 | Caregivers'™ perceptions of stuttering impact in young children: Agreement in mothers'™, fathers'™ and teachers'™ ratings. <i>Journal of Communication Disorders</i> , 2020, 86, 106001.   | 0.8 | 2         |
| 31456 | Multi-year reproducibility of hyperinsulinemic euglycemic clamp-derived insulin sensitivity in free-living adults: Association with incident prediabetes in the POP-ABC study. <i>Metabolism: Clinical and Experimental</i> , 2020, 109, 154263.             | 1.5 | 9         |
| 31457 | Cross-cultural adaptation, translation, and validation of the Spanish Foot and Ankle Outcome Score questionnaire. <i>International Wound Journal</i> , 2020, 17, 1384-1390.  | 1.3 | 10        |
| 31458 | A Frame of Reference for Assessing the Intensity of Exertional Dyspnoea During Incremental Cycle Ergometry. <i>European Respiratory Journal</i> , 2020, 56, 2000191.   | 3.1 | 19        |
| 31459 | Evaluation of time courses of agreement between minutely obtained transcutaneous blood gas data and the gold standard arterial data from spontaneously breathing Asian adults, and various subgroup analyses. <i>BMC Pulmonary Medicine</i> , 2020, 20, 151. | 0.8 | 6         |
| 31460 | Development and validation of the LoVI: the Laws on Violence against women and girls Index. <i>BMC International Health and Human Rights</i> , 2020, 20, 13.   | 2.5 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31461 | Analysis of inter-system variability of systolic and diastolic intraventricular pressure gradients derived from color Doppler M-mode echocardiography. <i>Scientific Reports</i> , 2020, 10, 7180.   | 1.6 | 6         |
| 31462 | Automated Quantification of Blood Loss versus Visual Estimation in 274 Vaginal Deliveries. <i>American Journal of Perinatology</i> , 2021, 38, 1031-1035.  | 0.6 | 10        |
| 31463 | Simulated patient-based teaching of medical students improves pre-anaesthetic assessment. <i>European Journal of Anaesthesiology</i> , 2020, 37, 387-393.  | 0.7 | 8         |
| 31464 | Repeatability of Pulmonary Pressure Measurements in Patients with Pulmonary Hypertension. <i>Annals of the American Thoracic Society</i> , 2020, 17, 1028-1030.  | 1.5 | 8         |
| 31465 | Validation and cultural translation for the Brazilian Portuguese version of the Questionnaire for Urinary Incontinence Diagnosis. <i>International Urogynecology Journal</i> , 2021, 32, 3157-3162.  | 0.7 | 1         |
| 31466 | Development and validation of BIA prediction equations of upper and lower limb lean soft tissue in athletes. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 1646-1652.  | 1.3 | 20        |
| 31467 | Metabolic Tumour Volume from PSMA PET/CT Scans of Prostate Cancer Patients during Chemotherapy—Do Different Software Solutions Deliver Comparable Results?. <i>Journal of Clinical Medicine</i> , 2020, 9, 1390.   | 1.0 | 14        |
| 31468 | Evaluation of simultaneous-multislice diffusion-weighted imaging of liver at 3.0T with different breathing schemes. <i>Abdominal Radiology</i> , 2020, 45, 3716-3729.  | 1.0 | 10        |
| 31469 | Wheelchair propulsion fatigue thresholds in electromyographic and ventilatory testing. <i>Spinal Cord</i> , 2020, 58, 1104-1111.   | 0.9 | 5         |
| 31470 | Imaging transcranial Doppler ultrasound to measure middle cerebral artery blood flow: the importance of measuring vessel diameter. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2020, 319, R33-R42.                                   | 0.9 | 18        |
| 31471 | The Difference in Repeatability of Automated Superficial Retinal Vessel Density according to the Measurement Area Using OCT Angiography. <i>Journal of Ophthalmology</i> , 2020, 2020, 1-9.  | 0.6 | 6         |
| 31472 | Direct measurement of atrioventricular valve regurgitant jets using 4D flow cardiovascular magnetic resonance is accurate and reliable for children with congenital heart disease: a retrospective cohort study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 33. | 1.6 | 12        |
| 31473 | Democratizing water monitoring: Implementation of a community-based qPCR monitoring program for recreational water hazards. <i>PLoS ONE</i> , 2020, 15, e0229701.  | 1.1 | 10        |
| 31474 | Accurate HIV viral load measurement in primary health care settings using the cobas® plasma separation card. <i>PLoS ONE</i> , 2020, 15, e0232122.   | 1.1 | 7         |
| 31475 | Agreement of Three Posturographic Force Plates in the Assessment of Postural Stability. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3188.   | 1.2 | 5         |
| 31476 | Comparison of the performance of six stimulus paradigms in visual acuity assessment based on steady-state visual evoked potentials. <i>Documenta Ophthalmologica</i> , 2020, 141, 237-251.   | 1.0 | 13        |
| 31477 | Patient-reported visual function outcome in cataract surgery: test-retest reliability of the Catquest-9SF questionnaire. <i>Acta Ophthalmologica</i> , 2020, 98, 828-832.  | 0.6 | 5         |
| 31478 | Development of novel machine learning model for right ventricular quantification on echocardiography—A multimodality validation study. <i>Echocardiography</i> , 2020, 37, 688-697.  | 0.3 | 17        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31479 | A high-throughput mass spectrometry-based assay for large-scale profiling of circulating human apolipoproteins. <i>Journal of Lipid Research</i> , 2020, 61, 1128-1139.  | 2.0 | 22        |
| 31480 | Performance of Online Somatic Cell Count Estimation in Automatic Milking Systems. <i>Frontiers in Veterinary Science</i> , 2020, 7, 221.   | 0.9 | 13        |
| 31481 | Validation of Medicare Rehabilitation Functional Assessments in Routine Care. <i>JAMA Network Open</i> , 2020, 3, e204702.   | 2.8 | 2         |
| 31482 | Ultrasound Imaging Is Reliable for Tibialis Posterior Size Measurements. <i>Journal of Ultrasound in Medicine</i> , 2020, 39, 2305-2312.   | 0.8 | 10        |
| 31483 | Speed of sound ultrasound: comparison with proton density fat fraction assessed with Dixon MRI for fat content quantification of the lower extremity. <i>European Radiology</i> , 2020, 30, 5272-5280.   | 2.3 | 12        |
| 31484 | Validity and reliability of force-velocity outcome parameters in flywheel squats. <i>Journal of Biomechanics</i> , 2020, 107, 109824.  | 0.9 | 18        |
| 31485 | Reliability and validity of a Dutch Lymphoedema Questionnaire: Cross-cultural validation of the Norman Questionnaire. <i>European Journal of Cancer Care</i> , 2020, 29, e13242.   | 0.7 | 3         |
| 31486 | Left ventricular global longitudinal strain in bicuspid aortic valve patients: head-to-head comparison between computed tomography, 4D flow cardiovascular magnetic resonance and speckle-tracking echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 1771-1780. | 0.7 | 5         |
| 31487 | Noise exposures in different community settings measured by traditional dosimeter and smartphone app. <i>Applied Acoustics</i> , 2020, 167, 107408.  | 1.7 | 12        |
| 31488 | Reduced-dose computed tomography is the most accurate method to measure ceramic hip resurfacing cup version. <i>European Journal of Radiology</i> , 2020, 128, 109040.   | 1.2 | 1         |
| 31489 | Patellar tendinopathy outcome predictors in jumping athletes: feasibility of measures for a cohort study. <i>Physical Therapy in Sport</i> , 2020, 44, 75-84.  | 0.8 | 2         |
| 31490 | A Pilot Study Comparing Aortic Valve Area Estimates Derived from Fick Cardiac Output with Estimates Based on Cheetah-NICOM Cardiac Output. <i>Scientific Reports</i> , 2020, 10, 7852.   | 1.6 | 3         |
| 31491 | Characterisation of blink dynamics using a high-speed infrared imaging system. <i>Ophthalmic and Physiological Optics</i> , 2020, 40, 519-528.   | 1.0 | 11        |
| 31492 | Differentiation of Benign from Malignant Pulmonary Nodules by Using a Convolutional Neural Network to Determine Volume Change at Chest CT. <i>Radiology</i> , 2020, 296, 432-443.  | 3.6 | 15        |
| 31493 | Reliability of temporal summation, thermal and pressure pain thresholds in a healthy cohort and musculoskeletal trauma population. <i>PLoS ONE</i> , 2020, 15, e0233521.   | 1.1 | 25        |
| 31494 | Measurement of sedentary time and physical activity in rheumatoid arthritis: an ActiGraph and activPAL validation study. <i>Rheumatology International</i> , 2020, 40, 1509-1518.  | 1.5 | 19        |
| 31495 | Agreement in central corneal thickness measurement between Corvis ST and ocular response analyzer. <i>International Ophthalmology</i> , 2020, 40, 2563-2567.   | 0.6 | 2         |
| 31496 | Agreement in Measures of Macular Perfusion between Optical Coherence Tomography Angiography Machines. <i>Scientific Reports</i> , 2020, 10, 8345.  | 1.6 | 1         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31497 | Running power meters and theoretical models based on laws of physics: Effects of environments and running conditions. <i>Physiology and Behavior</i> , 2020, 223, 112972.   | 1.0 | 15        |
| 31498 | Exploring the utility of optical microscopy versus scanning electron microscopy for the quantification of dental microwear. <i>Quaternary International</i> , 2020, 569-570, 5-14.  | 0.7 | 6         |
| 31499 | A Portable Smartphone-linked Device for Direct, Rapid and Chemical-Free Hemoglobin Assay. <i>Scientific Reports</i> , 2020, 10, 8606.   | 1.6 | 10        |
| 31500 | Modeling Pulsatility Index nomograms from different maternal and fetal vessels by quantile regression at 24-40 weeks of gestation: a prospective cross-sectional study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 1668-1676.               | 0.7 | 13        |
| 31501 | A Three-Way Accuracy Comparison of the Dexcom G5, Abbott Freestyle Libre Pro, and Senseonics Eversense Continuous Glucose Monitoring Devices in a Home-Use Study of Subjects with Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2020, 22, 846-852. | 2.4 | 48        |
| 31502 | The Repeatability of Inspiration Performance Through Different Inhalers in Patients with Chronic Obstructive Pulmonary Disease and Control Volunteers. <i>Journal of Aerosol Medicine and Pulmonary Drug Delivery</i> , 2020, 33, 271-281.                          | 0.7 | 2         |
| 31503 | Comparison of the Automated Pediatric Logistic Organ Dysfunction-2 Versus Manual Pediatric Logistic Organ Dysfunction-2 Score for Critically Ill Children*. <i>Pediatric Critical Care Medicine</i> , 2020, 21, e160-e169.  | 0.2 | 12        |
| 31504 | Reporting Standards for a Bland-Altman Agreement Analysis: A Review of Methodological Reviews. <i>Diagnostics</i> , 2020, 10, 334.  | 1.3 | 93        |
| 31505 | A comparison of the time constant of the cerebral arterial bed using invasive and non-invasive arterial blood pressure measurements. <i>Physiological Measurement</i> , 2020, 41, 075001.   | 1.2 | 1         |
| 31506 | How the EQ-5D utilities are derived matters in Chinese diabetes patients: a comparison based on different EQ-5D scoring functions for China. <i>Quality of Life Research</i> , 2020, 29, 3087-3094.   | 1.5 | 11        |
| 31507 | Validity of teleneuropsychology for older adults in response to COVID-19: A systematic and critical review. <i>Clinical Neuropsychologist</i> , 2020, 34, 1411-1452.  | 1.5 | 140       |
| 31508 | Course of scar quality of donor sites following split skin graft harvesting: Comparison between patients and observers. <i>Wound Repair and Regeneration</i> , 2020, 28, 696-703.   | 1.5 | 5         |
| 31509 | Using multiple agreement methods for continuous repeated measures data: a tutorial for practitioners. <i>BMC Medical Research Methodology</i> , 2020, 20, 154.  | 1.4 | 27        |
| 31510 | A novel nomogram to predict the reliability of estimated glomerular filtration rate formulae in oncology patients. <i>BMC Cancer</i> , 2020, 20, 530.   | 1.1 | 4         |
| 31511 | A comparison between the low back pain scales for patients with lumbar disc herniation: validity, reliability, and responsiveness. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 175.  | 1.0 | 29        |
| 31512 | Assessment of tumor treatment response using active contrast encoding (ACE)-MRI: Comparison with conventional DCE-MRI. <i>PLoS ONE</i> , 2020, 15, e0234520.  | 1.1 | 5         |
| 31513 | Reliability and Feasibility of Extended Field of View Ultrasound Imaging Techniques for Measuring the Limb Muscle Cross-Sectional Area. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2020, 72, 149-157.  | 0.3 | 3         |
| 31514 | Synthesis of fracture radiographs with deep neural networks. <i>Health Information Science and Systems</i> , 2020, 8, 21.   | 3.4 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31515 | Buccal bone width adjacent to the lower left third molar and loss of Root Pulp Visibility (RPV). <i>Forensic Imaging</i> , 2020, 22, 200383.  | 0.4 | 1         |
| 31516 | Clinimetric evaluation of muscle function tests for individuals with cystic fibrosis: A systematic review. <i>Journal of Cystic Fibrosis</i> , 2020, 19, 981-995.   | 0.3 | 7         |
| 31517 | Evaluation of the reliability of pulse oximetry, at different attachment sites, to detect hypoxaemia in immobilized impala ( <i>Aepyceros melampus</i> ). <i>Veterinary Anaesthesia and Analgesia</i> , 2020, 47, 323-333.  | 0.3 | 4         |
| 31518 | Estimation of white blood cell and platelet counts in ovine blood smears, and a comparison with the ADVIA 120 hematology analyzer. <i>Veterinary Clinical Pathology</i> , 2020, 49, 222-226.  | 0.3 | 8         |
| 31519 | Propofolâ€“Bispectral Index (BIS) Electroencephalography (EEG) Pharmacokinetic-Pharmacodynamic Model in Patients With Postâ€“Cerebral Hemorrhage Hydrocephalus. <i>Clinical EEG and Neuroscience</i> , 2021, 52, 351-359.   | 0.9 | 5         |
| 31520 | Using deep learning to generate synthetic B-mode musculoskeletal ultrasound images. <i>Computer Methods and Programs in Biomedicine</i> , 2020, 196, 105583.  | 2.6 | 36        |
| 31521 | Volumetric Absorptive Microsampling (VAMS) for assaying immunosuppressants from venous whole blood by LCâ€“MS/MS using a novel atmospheric pressure ionization probe (UniSprayâ„¢). <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020, 189, 113422. | 1.4 | 27        |
| 31522 | Effects of age on trait resilience in a population-based cohort and two patient cohorts. <i>Journal of Psychosomatic Research</i> , 2020, 136, 110170.  | 1.2 | 14        |
| 31523 | Estimation of Stroke Volume and Aortic Valve Area in Patients with Aortic Stenosis: A Comparison of Echocardiography versus Cardiovascular Magnetic Resonance. <i>Journal of the American Society of Echocardiography</i> , 2020, 33, 953-963.e5.                 | 1.2 | 23        |
| 31524 | Terminally Ill Cancer Patients' Emotional Preparedness for Death Is Distinct From Their Accurate Prognostic Awareness. <i>Journal of Pain and Symptom Management</i> , 2020, 60, 774-781.e1.  | 0.6 | 8         |
| 31525 | A deep learning-based algorithm for detection of cortical arousal during sleep. <i>Sleep</i> , 2020, 43, .  | 0.6 | 20        |
| 31526 | Comparison of pulse oximetry and earlobe blood gas with CO-oximetry in children with sickle cell disease: a retrospective review. <i>BMJ Paediatrics Open</i> , 2020, 4, e000690.   | 0.6 | 5         |
| 31527 | Virtual Histology to Evaluate Mechanisms of Pulmonary Artery Lumen Enlargement in Response to Balloon Pulmonary Angioplasty in Chronic Thromboembolic Pulmonary Hypertension. <i>Journal of Clinical Medicine</i> , 2020, 9, 1655.                                | 1.0 | 8         |
| 31528 | Reliability and Validity of a Novel Wearable Device for Measuring Elbow Strength. <i>Sensors</i> , 2020, 20, 3412.  | 2.1 | 6         |
| 31529 | Three-Dimensional Stereophotogrammetry Assessment of Facial Asymmetry in Facial Palsy. <i>Journal of Craniofacial Surgery</i> , 2020, 31, 893-897.  | 0.3 | 2         |
| 31530 | Real-time cardiovascular magnetic resonance T1 and extracellular volume fraction mapping for tissue characterisation in aortic stenosis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 46.  | 1.6 | 18        |
| 31531 | Estimating physical activity and sedentary behaviour in a free-living environment: A comparative study between Fitbit Charge 2 and Actigraph GT3X. <i>PLoS ONE</i> , 2020, 15, e0234426.  | 1.1 | 25        |
| 31532 | The role of self and peer assessment in Higher Education. <i>Studies in Higher Education</i> , 2022, 47, 683-692.   | 2.9 | 25        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31533 | On the Practical Consequences of Misfit in Mokken Scaling. <i>Applied Psychological Measurement</i> , 2020, 44, 482-496.  | 0.6 | 4         |
| 31534 | Measurement and Prediction of Railway Noise Case Study from Slovakia. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3616.  | 1.2 | 13        |
| 31535 | The day-to-day reliability of peak fat oxidation and FATMAX. <i>European Journal of Applied Physiology</i> , 2020, 120, 1745-1759.  | 1.2 | 22        |
| 31536 | Quality Assessment of Real-Life Performance of Home Mechanical Ventilators. <i>Archivos De Bronconeumologia</i> , 2020, 56, 258-259.  | 0.4 | 0         |
| 31537 | Development and validation of an integrated portable heart rate variability (HRV) analysis system "STREME". <i>Medical Hypotheses</i> , 2020, 143, 109887.  | 0.8 | 6         |
| 31538 | Right ventricular function parameters in pulmonary hypertension: echocardiography vs. cardiac magnetic resonance. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 259.  | 0.7 | 15        |
| 31539 | Use of capillary dried blood for quantification of intact IGF-I by LC-MS/MS for antidoping analysis. <i>Bioanalysis</i> , 2020, 12, 737-752.  | 0.6 | 17        |
| 31540 | The association between patellar tendon stiffness measured with shear-wave elastography and patellar tendinopathy: a case-control study. <i>European Radiology</i> , 2020, 30, 5942-5951.                                   | 2.3 | 21        |
| 31541 | Hamilton scale and MADRS are interchangeable in meta-analyses but can disagree at trial level. <i>Journal of Clinical Epidemiology</i> , 2020, 124, 106-117.  | 2.4 | 4         |
| 31542 | Hospital mortality in decompensated heart failure. A pilot study. <i>Journal of Electrocardiology</i> , 2020, 61, 147-152.  | 0.4 | 8         |
| 31543 | Endoscopic ultrasound-guided fine-needle aspiration for the diagnosis and grading of pancreatic neuroendocrine tumors: a retrospective analysis of 110 cases. <i>Endoscopy</i> , 2020, 52, 988-994.                         | 1.0 | 38        |
| 31544 | Parents' and children's perception of self-efficacy and parental support are related to children's physical activity: a cross-sectional study of parent-child dyads. <i>Journal of Family Studies</i> , 2022, 28, 986-1004. | 0.9 | 8         |
| 31545 | Validity, Reliability, and Usefulness of My Jump 2 App for Measuring Vertical Jump in Primary School Children. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3708.                   | 1.2 | 33        |
| 31546 | Reliability of Kinovea® Software and Agreement with a Three-Dimensional Motion System for Gait Analysis in Healthy Subjects. <i>Sensors</i> , 2020, 20, 3154.   | 2.1 | 69        |
| 31547 | Cardiac cine magnetic resonance fingerprinting for combined ejection fraction, T <sub>1</sub> and T <sub>2</sub> quantification. <i>NMR in Biomedicine</i> , 2020, 33, e4323.   | 1.6 | 27        |
| 31548 | Plasma oxalate: comparison of methodologies. <i>Urolithiasis</i> , 2020, 48, 473-480.   | 1.2 | 16        |
| 31549 | Three-Dimensional Zero Echo Time Magnetic Resonance Imaging Versus 3-Dimensional Computed Tomography for Glenoid Bone Assessment. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 2391-2400.   | 1.3 | 39        |
| 31550 | The running shoe comfort assessment tool (RUN-CAT): Development and evaluation of a new multi-item assessment tool for evaluating the comfort of running footwear. <i>Journal of Sports Sciences</i> , 2020, 38, 2100-2107. | 1.0 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31551 | Non-invasive Assessment of Mitochondrial Oxygen Metabolism in the Critically Ill Patient Using the Protoporphyrin IX-Triplet State Lifetime Technique—A Feasibility Study. <i>Frontiers in Immunology</i> , 2020, 11, 757.   | 2.2 | 12        |
| 31552 | Reliability of short-term measurements of heart rate variability: Findings from a longitudinal study. <i>Biological Psychology</i> , 2020, 154, 107905.  | 1.1 | 21        |
| 31553 | Gait event detection using a thigh-worn accelerometer. <i>Gait and Posture</i> , 2020, 80, 214-216.  | 0.6 | 19        |
| 31554 | Transcranial Sonography Findings in Alzheimer's Disease: A New Imaging Biomarker. <i>Ultraschall in Der Medizin</i> , 2021, 42, 623-633.   | 0.8 | 6         |
| 31555 | Applied Sensor Fusion: Tuning Parameters of CF and KF by means of Evolution Strategies. <i>IEEE Latin America Transactions</i> , 2020, 18, 1272-1279.  | 1.2 | 1         |
| 31556 | Blood sampled from existing peripheral IV cannulae yields results equivalent to venepuncture: a systematic review. <i>JRSM Open</i> , 2020, 11, 205427041989481.   | 0.2 | 5         |
| 31557 | Mapping analysis to predict EQ-5D-5L utility values based on the Oxford Hip Score (OHS) and Oxford Knee Score (OKS) questionnaires in the Spanish population suffering from lower limb osteoarthritis. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 184. | 1.0 | 12        |
| 31558 | Validity of predictive equations to estimate RMR in females with varying BMI. <i>Journal of Nutritional Science</i> , 2020, 9, e17.  | 0.7 | 9         |
| 31559 | An open-source automated algorithm for removal of noisy beats for accurate impedance cardiogram analysis. <i>Physiological Measurement</i> , 2020, 41, 075002.   | 1.2 | 10        |
| 31560 | Chest computed tomography is a valid measure of body composition in individuals with advanced lung disease. <i>Clinical Physiology and Functional Imaging</i> , 2020, 40, 360-368.   | 0.5 | 13        |
| 31561 | Effects of crude protein and sodium intake on water turnover in cats fed extruded diets. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2021, 105, 95-105.   | 1.0 | 0         |
| 31562 | Validity of Recreational Marathon Runners' Self-Reported Anthropometric Data. <i>Perceptual and Motor Skills</i> , 2020, 127, 1068-1078.   | 0.6 | 15        |
| 31563 | Development and validation of a sodium Analysis tool (SALT). <i>Nutrition Journal</i> , 2020, 19, 55.  | 1.5 | 8         |
| 31564 | Reliability and validity of knee angles and moments in patients with osteoarthritis using a treadmill-based gait analysis system. <i>Gait and Posture</i> , 2020, 80, 155-161.   | 0.6 | 3         |
| 31565 | GEDI: Gammachirp envelope distortion index for predicting intelligibility of enhanced speech. <i>Speech Communication</i> , 2020, 123, 43-58.  | 1.6 | 8         |
| 31566 | Optimal length of R-R interval segment window for Lorenz plot detection of paroxysmal atrial fibrillation by machine learning. <i>BioMedical Engineering OnLine</i> , 2020, 19, 49.  | 1.3 | 6         |
| 31567 | The importance of maintaining the same order of performance of lung function and SNIP tests in patients with amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2020, 21, 337-343.                              | 1.1 | 3         |
| 31568 | Vision Screening Assessment (VISA) tool: diagnostic accuracy validation of a novel screening tool in detecting visual impairment among stroke survivors. <i>BMJ Open</i> , 2020, 10, e033639.  | 0.8 | 14        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31569 | Restoration of pre-operative joint line orientation and alignment does not affect KSS and KOOS 1Âyear after total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 3170-3177.                                       | 2.3 | 10        |
| 31570 | A reliable and record-based frailty assessment method for older medical inpatients. <i>European Geriatric Medicine</i> , 2020, 11, 803-812.   | 1.2 | 7         |
| 31571 | Estimating pasture species biomass from canopy cover. <i>Crop, Forage and Turfgrass Management</i> , 2020, 6, e20038.   | 0.2 | 2         |
| 31572 | Qualitative and Quantitative Analysis of the Corneal Endothelium With Smartphone Specular Microscopy. <i>Cornea</i> , 2020, 39, 924-929.  | 0.9 | 10        |
| 31573 | Comparison of a New Swept-Source Anterior Segment Optical Coherence Tomography and a Scheimpflug Camera for Measurement of Corneal Curvature. <i>Cornea</i> , 2020, 39, 818-822.  | 0.9 | 19        |
| 31574 | Reliability of the mixing ability test testing masticatory performance in patients with head and neck cancer and healthy controls. <i>Journal of Oral Rehabilitation</i> , 2020, 47, 961-966.   | 1.3 | 6         |
| 31575 | Transesophageal Versus Surface Electromyography of the Diaphragm in Ventilated Subjects. <i>Respiratory Care</i> , 2020, 65, 1309-1314.   | 0.8 | 3         |
| 31576 | Time in Specific Glucose Ranges, Glucose Management Indicator, and Glycemic Variability: Impact of Continuous Glucose Monitoring (CGM) System Model and Sensor on CGM Metrics. <i>Journal of Diabetes Science and Technology</i> , 2021, 15, 1104-1110. | 1.3 | 14        |
| 31577 | The reliability and feasibility of non-contrast adenosine stress cardiovascular magnetic resonance T1 mapping in patients on haemodialysis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 43.   | 1.6 | 8         |
| 31578 | Maximal Voluntary Ventilation Should Not Be Estimated From the Forced Expiratory Volume in the First Second in Healthy People and COPD Patients. <i>Frontiers in Physiology</i> , 2020, 11, 537.  | 1.3 | 4         |
| 31579 | Comparison of individual and group-based load-velocity profiling as a means to dictate training load over a 6-week strength and power intervention. <i>Journal of Sports Sciences</i> , 2020, 38, 2013-2020.  | 1.0 | 12        |
| 31580 | Individualized Template MRI Is a Valid and Reliable Alternative to Individual MRI for Spatial Tracking in Navigated TMS Studies in Healthy Subjects. <i>Frontiers in Human Neuroscience</i> , 2020, 14, 174.  | 1.0 | 5         |
| 31581 | Psychometric Properties of the Verbal Affective Memory Test-26 and Evaluation of Affective Biases in Major Depressive Disorder. <i>Frontiers in Psychology</i> , 2020, 11, 961.   | 1.1 | 6         |
| 31582 | Hands-Free Conventional Radiographic Ventrodorsal Hip Extended View. <i>Frontiers in Veterinary Science</i> , 2020, 7, 286.   | 0.9 | 4         |
| 31583 | Sequential MRI reveals vertebral body wedging significantly contributes to coronal plane deformity progression in adolescent idiopathic scoliosis during growth. <i>Spine Deformity</i> , 2020, 8, 901-910.   | 0.7 | 15        |
| 31584 | Echo Intensity Reliability From Two Ultrasound Systems. <i>Journal of Diagnostic Medical Sonography</i> , 2020, 36, 464-469.  | 0.1 | 2         |
| 31585 | Supplementing sleep actigraphy with button pressing while awake. <i>PLoS ONE</i> , 2020, 15, e0234060.  | 1.1 | 1         |
| 31586 | Mammographic density changes during neoadjuvant breast cancer treatment: NeoDense, a prospective study in Sweden. <i>Breast</i> , 2020, 53, 33-41.  | 0.9 | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31587 | Acoustic Voice Quality Index and Acoustic Breathiness Index as two examples for strengths and weaknesses of free software in medicine. <i>Biomedical Signal Processing and Control</i> , 2020, 59, 101938.  | 3.5 | 2         |
| 31588 | Intra-individual reproducibility of galectin-1, haptoglobin, and nesfatin-1 as promising new biomarkers of immunometabolism. <i>Metabolism Open</i> , 2020, 6, 100034.  | 1.4 | 1         |
| 31589 | Left and right atrial speckle tracking: Comparison of three methods of time reference gating. <i>Echocardiography</i> , 2020, 37, 1021-1029.  | 0.3 | 3         |
| 31590 | Insights for mfVEPs from perimetry using large spatial frequency-doubling and near frequency-doubling stimuli in glaucoma. <i>Documenta Ophthalmologica</i> , 2020, 141, 45-55.   | 1.0 | 0         |
| 31591 | REAYER: A program for improved analysis of high-resolution vascular network images. <i>Microcirculation</i> , 2020, 27, e12618.   | 1.0 | 29        |
| 31592 | Limited Sampling Modeling for Estimation of Phenotypic Metrics for CYP Enzymes and the ABCB1 Transporter Using a Cocktail Approach. <i>Frontiers in Pharmacology</i> , 2020, 11, 22.  | 1.6 | 6         |
| 31593 | A Novel Method for Increasing the Numerousness of Biometrical Parameters Useful for Wildlife Management: Roe Deer Mandible as Bone Model. <i>Animals</i> , 2020, 10, 465.   | 1.0 | 3         |
| 31594 | Automatic quantification of left ventricular function by medical students using ultrasound. <i>BMC Medical Imaging</i> , 2020, 20, 29.  | 1.4 | 3         |
| 31595 | Estimating physical activity from self-reported behaviours in large-scale population studies using network harmonisation: findings from UK Biobank and associations with disease outcomes. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 40. | 2.0 | 18        |
| 31596 | Reliability of gastrointestinal barrier integrity and microbial translocation biomarkers at rest and following exertional heat stress. <i>Physiological Reports</i> , 2020, 8, e14374.  | 0.7 | 20        |
| 31597 | Detection of ventilatory thresholds using near-infrared spectroscopy with a polynomial regression model. <i>Saudi Journal of Biological Sciences</i> , 2020, 27, 1637-1642.   | 1.8 | 9         |
| 31598 | Validation of saliva and urine use and sampling time on the doubly labelled water method to measure energy expenditure, body composition and water turnover in male and female cats. <i>British Journal of Nutrition</i> , 2020, 124, 457-469.  | 1.2 | 4         |
| 31599 | The use of a portable metabolic monitoring device for measuring RMR in healthy adults. <i>British Journal of Nutrition</i> , 2020, 124, 1229-1240.  | 1.2 | 6         |
| 31600 | Repeatability and Reproducibility of Pancreas Volume Measurements Using MRI. <i>Scientific Reports</i> , 2020, 10, 4767.  | 1.6 | 8         |
| 31601 | Joint Channel and Queue Aware Scheduling for Latency Sensitive Mobile Edge Computing With Power Constraints. <i>IEEE Transactions on Wireless Communications</i> , 2020, 19, 3938-3951.   | 6.1 | 42        |
| 31602 | Absolute reliability of tongue pressure measurement in young healthy adults and elderly patients with certification of needing long-term care or support. <i>Geriatrics and Gerontology International</i> , 2020, 20, 488-493.  | 0.7 | 2         |
| 31603 | Computed Tomography Angiography in the Assessment of Great Saphenous Vein as Conduit for Infrainguinal Bypass Surgery. <i>Vascular and Endovascular Surgery</i> , 2020, 54, 313-318.  | 0.3 | 0         |
| 31604 | Investigation of predictability and influence factors of the achieved lenticule thickness in small incision lenticule extraction. <i>BMC Ophthalmology</i> , 2020, 20, 110.   | 0.6 | 13        |

| #     | ARTICLE   | IF   | CITATIONS |
|-------|---|------|-----------|
| 31605 | Impact of different fixed flow sampling protocols on flow-independent exhaled nitric oxide parameter estimates using the Bayesian dynamic two-compartment model. <i>Physiological Reports</i> , 2020, 8, e14336.  | 0.7  | 0         |
| 31606 | Radar-Based Detection of Respiration Rate with Adaptive Harmonic Quefrequency Selection. <i>Sensors</i> , 2020, 20, 1607.   | 2.1  | 16        |
| 31607 | Learning Vertex Representations for Bipartite Networks. <i>IEEE Transactions on Knowledge and Data Engineering</i> , 2022, 34, 379-393.   | 4.0  | 11        |
| 31608 | Contrasting characters of quick methods to measure respiratory rate in a clinical setting. <i>Clinical Respiratory Journal</i> , 2020, 14, 703-711.   | 0.6  | 0         |
| 31609 | Evaluation of the Element point-of-care blood gas analyzer for use in horses. <i>Journal of Veterinary Emergency and Critical Care</i> , 2020, 30, 279-285.   | 0.4  | 1         |
| 31610 | Long-term effects of group exercise intervention on maximal step-up height in middle-aged female primary care patients with obesity and other cardio-metabolic risk factors. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2020, 12, 11.             | 0.7  | 2         |
| 31611 | Radiographic Sagittal Tibio-Talar Offset in Ankle Arthrodesis—Accuracy and Reliability of Measurements. <i>Journal of Clinical Medicine</i> , 2020, 9, 801.   | 1.0  | 1         |
| 31612 | Self and parent-proxy rated health-related quality of life (HRQoL) in youth with obesity: are parents good surrogates?. <i>Quality of Life Research</i> , 2020, 29, 2171-2181.  | 1.5  | 14        |
| 31613 | Preclinical Validation of a Single-Scan Rest/Stress Imaging Technique for <sup>13</sup> N-Ammonia Positron Emission Tomography Cardiac Perfusion Studies. <i>Circulation: Cardiovascular Imaging</i> , 2020, 13, e009407.                                       | 1.3  | 5         |
| 31614 | Frailty Phenotype Prevalence in Community-Dwelling Older Adults According to Physical Activity Assessment Method. <i>Clinical Interventions in Aging</i> , 2020, Volume 15, 343-355.  | 1.3  | 10        |
| 31615 | Redundancy of foramen ovale flap may mimic fetal aortic coarctation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 857-863.  | 0.9  | 11        |
| 31616 | Body Positional Effects on Bioimpedance Spectroscopy Measurements for Lymphedema Assessment of the Arm. <i>Lymphatic Research and Biology</i> , 2020, 18, 464-473.  | 0.5  | 21        |
| 31617 | Unusual Selective Response to Glycoprotein over Sugar Facilitates Ultrafast Universal Fluorescent Immunoassay of Biomarkers. <i>Analytical Chemistry</i> , 2020, 92, 5540-5545.   | 3.2  | 22        |
| 31618 | Chasing the evidence: the influence of data segmentation on estimates of dynamic cerebral autoregulation. <i>Physiological Measurement</i> , 2020, 41, 035006.  | 1.2  | 4         |
| 31619 | Inter-study repeatability of circumferential strain and diastolic strain rate by CMR tagging, feature tracking and tissue tracking in ST-segment elevation myocardial infarction. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 1133-1146. | 0.7  | 13        |
| 31620 | Skin-interfaced biosensors for advanced wireless physiological monitoring in neonatal and pediatric intensive-care units. <i>Nature Medicine</i> , 2020, 26, 418-429.   | 15.2 | 272       |
| 31621 | Detection and Tracking of Human Motion Targets in Video Images Based on Camshift Algorithms. <i>IEEE Sensors Journal</i> , 2020, 20, 11887-11893.   | 2.4  | 16        |
| 31622 | Validation of equations to estimate glomerular filtration rate in South Africans of mixed ancestry. <i>South African Medical Journal</i> , 2020, 110, 229.  | 0.2  | 11        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31623 | Comparison of 99mTc-DTPA and serum creatinine, cystatin C in detection of glomerular filtration rate. <i>Nuclear Medicine Communications</i> , 2020, 41, 219-227.  | 0.5 | 1         |
| 31624 | Excitation of the Zenneck Wave by a Tapered Line Source Above the Earth or Ocean. <i>IEEE Transactions on Antennas and Propagation</i> , 2020, 68, 4848-4859.  | 3.1 | 3         |
| 31625 | Measurement of total and visceral fat mass in young adult women: a comparison of MRI with anthropometric measurements with and without bioelectrical impedance analysis. <i>British Journal of Radiology</i> , 2020, 93, 20190874. | 1.0 | 6         |
| 31626 | Image Similarity Metrics Suitable for Infrared Video Stabilization during Active Wildfire Monitoring: A Comparative Analysis. <i>Remote Sensing</i> , 2020, 12, 540.   | 1.8 | 6         |
| 31628 | Standardized translated instruction versus spontaneously translated instruction: Test-retest and interrater reliability of the hand function test. <i>Journal of Hand Therapy</i> , 2020, 33, 553-561.                             | 0.7 | 2         |
| 31629 | Validation of sleep stage classification using non-contact radar technology and machine learning (Somnofy®). <i>Sleep Medicine</i> , 2020, 75, 54-61.  | 0.8 | 63        |
| 31630 | Bioimpedance Spectroscopy of the Breast. <i>Lymphatic Research and Biology</i> , 2020, 18, 448-454.  | 0.5 | 3         |
| 31631 | Is the blood pressure of right arm measured with synchronous four-limb method is equal to that with single arm method?. <i>Blood Pressure Monitoring</i> , 2020, 25, 95-99.  | 0.4 | 1         |
| 31632 | Multi-Level Interpolation-Based Filter for Airborne LiDAR Point Clouds in Forested Areas. <i>IEEE Access</i> , 2020, 8, 41000-41012.   | 2.6 | 12        |
| 31633 | Predictive anthropometric models of total and truncal body fat in Chilean children. <i>Nutrition</i> , 2020, 77, 110803.   | 1.1 | 2         |
| 31634 | Test-Retest Reliability of Vibration Perception Threshold Test in People with Type 2 Diabetes Mellitus. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1773.                                 | 1.2 | 10        |
| 31635 | Concussion-Symptom Rating Correlation Between Pediatric Patients and Their Parents. <i>Journal of Athletic Training</i> , 2020, 55, 1020-1026.   | 0.9 | 18        |
| 31636 | A comparison of the CT-dosimetry software packages based on stylized and boundary representation phantoms. <i>Radiography</i> , 2020, 26, e214-e222.   | 1.1 | 4         |
| 31637 | Assessing Ganglion Cell Layer Topography in Human Albinism Using Optical Coherence Tomography. , 2020, 61, 36.   |     | 15        |
| 31638 | Geometric validation of a computer simulator used in radiography education. <i>BJR Open</i> , 2020, 2, 20190027.   | 0.4 | 2         |
| 31639 | Automated thresholding algorithms outperform manual thresholding in macular optical coherence tomography angiography image analysis. <i>PLoS ONE</i> , 2020, 15, e0230260.   | 1.1 | 29        |
| 31640 | Use of Computerized Adaptive Testing to Develop More Concise Patient-Reported Outcome Measures. <i>JBJS Open Access</i> , 2020, 5, e0052.  | 0.8 | 20        |
| 31641 | Investigating the performance of an R-Criterion based protection method when applied on PV Solar microgrid. , 2020, , .  |     | 0         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31642 | Are Automated Office Blood Pressure Readings More Variable Than Home Readings?. Hypertension, 2020, 75, 1179-1183.  | 1.3 | 8         |
| 31643 | Variations Between Dose-Ventilation and Dose-Perfusion Metrics in Radiation Therapy Planning for Lung Cancer. Advances in Radiation Oncology, 2020, 5, 459-465.   | 0.6 | 5         |
| 31644 | Performance of late pregnancy biometry for gestational age dating in low-income and middle-income countries: a prospective, multicountry, population-based cohort study from the WHO Alliance for Maternal and Newborn Health Improvement (AMANHI) Study Group. The Lancet Global Health, 2020, 8, e545-e554. | 2.9 | 23        |
| 31645 | Microgrid Energy Management through Levelized Cost of Energy Metric. , 2020, , .  |     | 2         |
| 31646 | Cost-Effective, Re-Configurable Cluster Approach for Resource Constricted FPGA Based Machine Learning and AI Applications. , 2020, , .  |     | 4         |
| 31647 | Detection of Smallâ€Molecule Aggregation with Highâ€Throughput Microplate Biophysical Methods. Current Protocols in Chemical Biology, 2020, 12, e78.  | 1.7 | 5         |
| 31648 | Immunoâ€oncology gene expression profiling of formalinâ€fixed and paraffinâ€embedded clear cell renal cell carcinoma: Performance comparison of the <scp>NanoString nCounter</scp> technology with targeted <scp>RNA</scp> sequencing. Genes Chromosomes and Cancer, 2020, 59, 406-416.                       | 1.5 | 10        |
| 31649 | Change of bio-electric interferential currents of acute fatigue and recovery in male sprinters. Sports Medicine and Health Science, 2020, 2, 25-32.   | 0.7 | 1         |
| 31650 | Reproducibility of objectively measured physical activity: Reconsideration needed. Journal of Sports Sciences, 2020, 38, 1132-1139.   | 1.0 | 16        |
| 31651 | Sliding-Mode Control for Slow-Sampling Singularly Perturbed Systems Subject to Markov Jump Parameters. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2021, 51, 7579-7586.  | 5.9 | 96        |
| 31652 | A Single-Shot Region-Adaptive Network for Myotendinous Junction Segmentation in Muscular Ultrasound Images. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2020, 67, 2531-2542.   | 1.7 | 16        |
| 31653 | The Brazilian Portuguese version of the ICIQ-OABqol: cross-cultural adaptation and reliability. International Urogynecology Journal, 2020, 31, 2507-2514.   | 0.7 | 2         |
| 31654 | Mass transfer coefficient for water evaporation by theoretical and empirical correlations. International Journal of Heat and Mass Transfer, 2020, 153, 119500.  | 2.5 | 26        |
| 31655 | Empirical Evaluation of Coupling Metrics in Software Fault Prediction. , 2020, , .  |     | 2         |
| 31656 | RTVue XR AngioVue Optical Coherence Tomography Angiography Software Upgrade Impacts on Retinal Thickness and Vessel Density Measurements. Translational Vision Science and Technology, 2020, 9, 10.   | 1.1 | 7         |
| 31657 | Demonstration and suppression of respirationâ€related artifacts in Blochâ€Siegert shiftâ€based B 1 + maps of the human brain. NMR in Biomedicine, 2020, 33, e4299.  | 1.6 | 1         |
| 31658 | Reliability of phrenic nerve conduction study: In healthy controls and in patients with primary lateral sclerosis. Clinical Neurophysiology, 2020, 131, 994-999.  | 0.7 | 3         |
| 31659 | Photogrammetry vs CT Scan: Evaluation of Accuracy of a Lowâ€Cost Threeâ€Dimensional Acquisition Method for Forensic Facial Approximation. Journal of Forensic Sciences, 2020, 65, 1260-1265.  | 0.9 | 11        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31660 | Sleep apnea diagnosis in children using software-generated apnea-hypopnea index (AHI) derived from data recorded with a single photoplethysmogram sensor (PPG). <i>Sleep and Breathing</i> , 2020, 24, 1739-1749.  | 0.9 | 21        |
| 31661 | Development of raw acceleration cut-points for wrist and hip accelerometers to assess sedentary behaviour and physical activity in 5-7-year-old children. <i>Journal of Sports Sciences</i> , 2020, 38, 1036-1045. | 1.0 | 22        |
| 31662 | IoT-Based Supervisory Control of an Asymmetrical Nine-Phase Integrated on-Board EV Battery Charger. <i>IEEE Access</i> , 2020, 8, 62619-62631.   | 2.6 | 13        |
| 31663 | A field tool for the aerobic power evaluation of middle-aged female recreational runners. <i>Women and Health</i> , 2020, 60, 839-848.   | 0.4 | 1         |
| 31664 | An Intrusion Detection Model With Hierarchical Attention Mechanism. <i>IEEE Access</i> , 2020, 8, 67542-67554.   | 2.6 | 29        |
| 31665 | Differing uncertainties and Bland-Altman plots: An observation. <i>Annals of Clinical Biochemistry</i> , 2020, 57, 193-194.  | 0.8 | 0         |
| 31666 | Diagnostic and prognostic value of right ventricular eccentricity index in pulmonary artery hypertension. <i>Pulmonary Circulation</i> , 2020, 10, 1-10.   | 0.8 | 9         |
| 31667 | HESPER web - development and reliability evaluation of a web-based version of the humanitarian emergency settings perceived needs scale. <i>BMC Public Health</i> , 2020, 20, 323.                                 | 1.2 | 4         |
| 31668 | Effects of Formalin Fixation on Trace Element Concentrations in Bottlenose Dolphin (Tursiops Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 42   | 2.2 | 7         |
| 31669 | Estimation of maximal heart rate in recreational football: a field study. <i>European Journal of Applied Physiology</i> , 2020, 120, 925-933.  | 1.2 | 3         |
| 31670 | Validation of a fully automated liver segmentation algorithm using multi-scale deep reinforcement learning and comparison versus manual segmentation. <i>European Journal of Radiology</i> , 2020, 126, 108918.    | 1.2 | 31        |
| 31671 | A technical note on the assessment of human sperm vitality using eosin-nigrosin staining. <i>Reproductive BioMedicine Online</i> , 2020, 40, 851-855.  | 1.1 | 6         |
| 31672 | Parapapillary atrophy and changes in the optic nerve head and posterior pole in high myopia. <i>Scientific Reports</i> , 2020, 10, 4607.   | 1.6 | 19        |
| 31673 | Intra- and interobserver reproducibility of pelvic ultrasound for the detection and measurement of endometriotic lesions. <i>Human Reproduction Open</i> , 2020, 2020, hoaa001.                                    | 2.3 | 15        |
| 31674 | Knowledge Graph Enhanced Third-Party Library Recommendation for Mobile Application Development. <i>IEEE Access</i> , 2020, 8, 42436-42446.   | 2.6 | 9         |
| 31675 | Shallow Versus Deep Neural Networks in Gear Fault Diagnosis. <i>IEEE Transactions on Energy Conversion</i> , 2020, 35, 1338-1347.  | 3.7 | 19        |
| 31676 | Comparison of Instrumental Activities of Daily Living assessment by face-to-face or telephone interviews: a randomized, crossover study. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 24.                   | 3.0 | 7         |
| 31677 | Estimating an individual's oxygen uptake during cycling exercise with a recurrent neural network trained from easy-to-obtain inputs: A pilot study. <i>PLoS ONE</i> , 2020, 15, e0229466.                          | 1.1 | 17        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31678 | Influence of Different Hardness Custom Foot Insoles in the Electromyography Activity Patterns of the Thigh and Hip Muscles during Motorcycling Sport: A Crossover Study. <i>Sensors</i> , 2020, 20, 1551. | 2.1 | 3         |
| 31679 | Deep Neural Network Approach in Robot Tool Dynamics Identification for Bilateral Teleoperation. <i>IEEE Robotics and Automation Letters</i> , 2020, 5, 2943-2949.   | 3.3 | 124       |
| 31680 | A Novel Method for Evaluation of Ocular Torsion Angle by Optical Coherence Tomography. <i>Translational Vision Science and Technology</i> , 2020, 9, 27.  | 1.1 | 8         |
| 31681 | Design and clinical validation of a software program for automated measurement of mammographic breast density. <i>BMC Medical Informatics and Decision Making</i> , 2020, 20, 45.                         | 1.5 | 0         |
| 31682 | Drift-Free Foot Orientation Estimation in Running Using Wearable IMU. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 65.   | 2.0 | 25        |
| 31683 | Three-Dimensional Characterization of Peripapillary Retinal Pigment Epithelium-Basement Membrane Layer in Patients following Lumbar Puncture. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 1559.     | 1.3 | 1         |
| 31684 | Development of a dual-energy X-ray absorptiometry-derived body volume equation in Hispanic adults for administering a four-compartment model. <i>British Journal of Nutrition</i> , 2020, 123, 1373-1381. | 1.2 | 5         |
| 31685 | Pre-/analytical factors affecting whole blood and plasma glucose concentrations in loggerhead sea turtles ( <i>Caretta caretta</i> ). <i>PLoS ONE</i> , 2020, 15, e0229800.                               | 1.1 | 9         |
| 31686 | Thoracoabdominal mobility evaluation of asthmatic patients in physiotherapy practice: Intra-rater reliability. <i>Physiotherapy Research International</i> , 2020, 25, e1837.                             | 0.7 | 2         |
| 31687 | Monitoring unfractionated heparin therapy: Lack of standardization of anti-Xa activity reagents. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 2613-2621.                                      | 1.9 | 22        |
| 31688 | Validity and Reliability of Isometric-Bench for Knee Isometric Assessment. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4326.                                     | 1.2 | 10        |
| 31689 | Inflammation Adjustment by Two Methods Decreases the Estimated Prevalence of Zinc Deficiency in Malawi. <i>Nutrients</i> , 2020, 12, 1563.  | 1.7 | 14        |
| 31690 | Volume estimation of brain ventricles using Cavalieri's principle and Atlas-based methods in Alzheimer disease: Consistency between methods. <i>Journal of Clinical Neuroscience</i> , 2020, 78, 333-338. | 0.8 | 3         |
| 31691 | Initial experience in self-monitoring of intraocular pressure. <i>European Journal of Ophthalmology</i> , 2021, 31, 1326-1332.  | 0.7 | 6         |
| 31692 | Technical note: Evaluation of 3 methods to determine mucin protein concentration in ileal digesta of young preweaning calves. <i>Journal of Dairy Science</i> , 2020, 103, 6250-6257.                     | 1.4 | 0         |
| 31693 | Transversus Abdominis Thickness at Rest and Exercise in Individuals with Poststroke Hemiparesis. <i>Sports</i> , 2020, 8, 86.   | 0.7 | 5         |
| 31694 | Relative Proximity of Critical Power and Metabolic/Ventilatory Thresholds: Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2020, 50, 1771-1783.   | 3.1 | 61        |
| 31695 | Improving 3D ultrasound prostate localisation in radiotherapy through increased automation of interfraction matching. <i>Radiotherapy and Oncology</i> , 2020, 149, 134-141.                              | 0.3 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31696 | Evaluation of two (02) platforms for chemiluminescence-based detection of anti-rubella IgG antibodies in a sub-Saharan country, CÔte d'Ivoire.. Journal of Immunoassay and Immunochemistry, 2020, 41, 864-874.              | 0.5 | 0         |
| 31697 | Evaluation of a New Automated Routine Measurement for Serum Adjusted Ionized Calcium (at pH 7.4) in Patients Suspected of Calcium Metabolic Disease. journal of applied laboratory medicine, The, 2020, 5, 704-715.         | 0.6 | 1         |
| 31698 | Multiple measures derived from 3D photonic body scans improve predictions of fat and muscle mass in young Swiss men. PLoS ONE, 2020, 15, e0234552.  | 1.1 | 10        |
| 31699 | A pilot trial to evaluate the clinical usefulness of contrast-enhanced ultrasound in predicting renal outcomes in patients with acute kidney injury. PLoS ONE, 2020, 15, e0235130.  | 1.1 | 21        |
| 31700 | Hypoxia equally reduces the respiratory compensation point and the NIRS-derived [HHb] breakpoint during a ramp incremental test in young active males. Physiological Reports, 2020, 8, e14478.                              | 0.7 | 8         |
| 31701 | Concurrent Validity and Reliability of My Jump 2 App for Measuring Vertical Jump Height in Recreationally Active Adults. Applied Sciences (Switzerland), 2020, 10, 3805.  | 1.3 | 16        |
| 31702 | Reliability and Repeatability of the Assessment of Stress in Nursing Students Instrument in Podiatry Students: A Transcultural Adaptation. Applied Sciences (Switzerland), 2020, 10, 3815.                                  | 1.3 | 3         |
| 31703 | Validation of a Food Propensity Questionnaire for the Hellenic National Nutrition and Health Survey (HNNHS) and Results on This Population's Adherence to Key Food-Group Nutritional Guidelines. Nutrients, 2020, 12, 1808. | 1.7 | 7         |
| 31704 | Can We Trust Inertial and Heart Rate Sensor Data from an APPLE Watch Device?. Proceedings (mdpi), 2020, 49, 128.  | 0.2 | 4         |
| 31705 | An inkjet-printed polysaccharide matrix for on-chip sample preparation in point-of-care cell counting chambers. RSC Advances, 2020, 10, 18062-18072.  | 1.7 | 3         |
| 31706 | Quantitative Assessment of Spontaneous Breathing in Children: Evaluation of a Depth Camera System. IEEE Transactions on Instrumentation and Measurement, 2020, 69, 4955-4967.   | 2.4 | 12        |
| 31707 | Feasibility of precise and reliable glucose quantification in human whole blood samples by 1 tesla benchtop NMR. NMR in Biomedicine, 2020, 33, e4358.   | 1.6 | 3         |
| 31708 | Characterization of parotid gland tumors: added value of permeability MR imaging to DWI and DCE-MRI. European Radiology, 2020, 30, 6402-6412.   | 2.3 | 25        |
| 31709 | A novel approach to anthropometric assessment for geographically dispersed samples: A pilot study. Preventive Medicine Reports, 2020, 19, 101125.   | 0.8 | 11        |
| 31710 | Reliability and Validity of a Questionnaire for Assessing Self-Perceived Health-Related Fitness in Spanish Children. Spanish Journal of Psychology, 2020, 23, e25.  | 1.1 | 4         |
| 31711 | Reliability of and Minimal Detectable Changes in Gait Performance Tests in Patients With Chronic Hemiplegic Stroke. Journal of Stroke Medicine, 2020, 3, 34-39.   | 0.2 | 2         |
| 31712 | The 25-item Dizziness Handicap Inventory was shortened for use in general practice by 60 percent. Journal of Clinical Epidemiology, 2020, 126, 56-64.   | 2.4 | 8         |
| 31713 | A reference measurement of circulating ATPase inhibitory factor 1 (IF1) in humans by LC-MS/MS: Comparison with conventional ELISA. Talanta, 2020, 219, 121300.  | 2.9 | 9         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31714 | Equity implications of rice fortification: a modelling study from Nepal. <i>Public Health Nutrition</i> , 2020, 23, 2824-2839.  | 1.1 | 8         |
| 31715 | Severe-intensity constant-work-rate cycling indicates that ramp incremental cycling underestimates $\dot{V}O_2\max$ in a heterogeneous cohort of sedentary individuals. <i>PLoS ONE</i> , 2020, 15, e0235567.                               | 1.1 | 8         |
| 31716 | Comparison of manual and computer assigned injury severity scores. <i>Injury Prevention</i> , 2020, 26, 330-333.  | 1.2 | 2         |
| 31717 | Effect of Aloe resin on cell migration between Scratch and Boyden chamber assays. <i>Journal of Medicinal Plants Research</i> , 2020, 14, 366-372.  | 0.2 | 2         |
| 31718 | Accuracy and Reliability of Commercial Wrist-Worn Pulse Oximeter During Normobaric Hypoxia Exposure Under Resting Conditions. <i>Research Quarterly for Exercise and Sport</i> , 2021, 92, 549-558.   | 0.8 | 26        |
| 31719 | A Point-of-Care Measurement of NT-proBNP for Heart Failure Patients. <i>IEEE Access</i> , 2020, 8, 138973-138983.   | 2.6 | 9         |
| 31720 | Fat grafting and platelet-rich plasma for the treatment of diabetic foot ulcers: A feasibility randomised controlled trial. <i>International Wound Journal</i> , 2020, 17, 1578-1594.   | 1.3 | 31        |
| 31721 | Direct Comparison of (Anthropometric) Methods for the Assessment of Body Composition. <i>Annals of Nutrition and Metabolism</i> , 2020, 76, 183-192.  | 1.0 | 3         |
| 31722 | Verifying Physiological and Biomechanical Parameters during Continuous Swimming at Speed Corresponding to Lactate Threshold. <i>Sports</i> , 2020, 8, 95.   | 0.7 | 2         |
| 31723 | Verification Study of Residual Activity Measurements After Yttrium-90 Radioembolization with Glass Microspheres. <i>CardioVascular and Interventional Radiology</i> , 2020, 43, 1378-1383.  | 0.9 | 1         |
| 31724 | Electronic medical record registration of ventilatory parameters during critical stages of anesthesia: Does the data reflect reality?. <i>Journal of Clinical Anesthesia</i> , 2020, 63, 109792.  | 0.7 | 0         |
| 31725 | Correlation and Agreement Between Water Drinking Test and Modified Diurnal Tension Curve in Untreated Glaucoma Patients in Nigeria. <i>Journal of Glaucoma</i> , 2020, 29, 498-503.   | 0.8 | 3         |
| 31726 | Pelvic Floor Muscle Electromyography as a Guiding Tool During Lead Placement and (Re)Programming in Sacral Neuromodulation Patients: Validity, Reliability, and Feasibility of the Technique. <i>Neuromodulation</i> , 2020, 23, 1172-1179. | 0.4 | 6         |
| 31727 | Comparison of antibiotic prescribing records in two UK primary care electronic health record systems: cohort study using CPRD GOLD and CPRD Aurum databases. <i>BMJ Open</i> , 2020, 10, e038767.   | 0.8 | 20        |
| 31728 | Six-minute walking distance in healthy Chinese people older than 60 years. <i>BMC Pulmonary Medicine</i> , 2020, 20, 177.   | 0.8 | 7         |
| 31729 | Accuracy evaluation of objective refraction using the wavefront aberrometer in pseudophakic eyes. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2020, 258, 2213-2221.   | 1.0 | 3         |
| 31730 | Denoise magnitude diffusion magnetic resonance images via variance-stabilizing transformation and optimal singular-value manipulation. <i>NeuroImage</i> , 2020, 215, 116852.   | 2.1 | 28        |
| 31731 | Determination of cortex and pith contributions to fruit morphology in apple ( <i>Malus domestica</i> ) Tj ETQq1 1 0.784314 rgBT 0/Overlo  | 1.7 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31732 | Psychometric Study and Content Validity of a Questionnaire to Assess Back-Health-Related Postural Habits in Daily Activities. <i>Measurement in Physical Education and Exercise Science</i> , 2020, 24, 218-227.                              | 1.3 | 11        |
| 31733 | Quantification of RPE Changes in Choroideremia Using a Photoshop-Based Method. <i>Translational Vision Science and Technology</i> , 2020, 9, 21.  | 1.1 | 4         |
| 31734 | Measurement of serum zinc concentration in ruminants: a comparison of results from standard serum and specific trace element collection tubes. <i>New Zealand Veterinary Journal</i> , 2020, 68, 349-352.                                     | 0.4 | 1         |
| 31735 | Optimizing actigraphic estimates of polysomnographic sleep features in insomnia disorder. <i>Sleep</i> , 2020, 43, .  | 0.6 | 9         |
| 31736 | Test-Retest Reliability and Construct Validity of the Dutch Injustice Experience Questionnaire in Patients with Chronic Pain. <i>Psychological Injury and Law</i> , 2020, 13, 316-325.  | 1.0 | 5         |
| 31737 | The role of serum cystatin C in estimation of renal function in survivors of critical illness. <i>Journal of Critical Care</i> , 2020, 59, 201-206.   | 1.0 | 4         |
| 31738 | Accuracy and trending abilities of finger plethysmographic blood pressure and cardiac output compared to invasive measurements during caesarean delivery in healthy women: an observational study. <i>BMC Anesthesiology</i> , 2020, 20, 157. | 0.7 | 3         |
| 31739 | Comparison of head impact measurements via an instrumented mouthguard and an anthropometric testing device. <i>Sports Engineering</i> , 2020, 23, 1.  | 0.5 | 12        |
| 31740 | Current Approaches and Techniques in Physiologically Based Pharmacokinetic (PBPK) Modelling of Nanomaterials. <i>Nanomaterials</i> , 2020, 10, 1267.  | 1.9 | 32        |
| 31741 | Power output reliability between Garmin® Vector meter and Lode Excalibur Sport® cycle ergometer. <i>Research on Biomedical Engineering</i> , 2020, 36, 333-340.   | 1.5 | 1         |
| 31742 | Effect of handling breaks on estimation of heart rate responses to bouts of physical activity among young women: An accelerometer research issue. <i>Gait and Posture</i> , 2020, 81, 1-6.  | 0.6 | 2         |
| 31743 | Automatic Localization and Discrete Volume Measurements of Hippocampi From MRI Data Using a Convolutional Neural Network. <i>IEEE Access</i> , 2020, 8, 91725-91739.  | 2.6 | 14        |
| 31744 | Pupil dependence assessment with multifocal intraocular lenses through visual acuity and contrast sensitivity defocus curves. <i>European Journal of Ophthalmology</i> , 2021, 31, 2989-2996.   | 0.7 | 11        |
| 31745 | Men's and Women's World Championship Marathon Performances and Changes With Fatigue Are Not Explained by Kinematic Differences Between Footstrike Patterns. <i>Frontiers in Sports and Active Living</i> , 2020, 2, 102.                      | 0.9 | 7         |
| 31746 | Dielectric Properties of Common Building Materials for Ultrawideband Propagation Studies [Measurements Corner]. <i>IEEE Antennas and Propagation Magazine</i> , 2020, 62, 72-81.  | 1.2 | 42        |
| 31747 | Visual-only assessments of skin lesions on free-ranging common bottlenose dolphins ( <i>Tursiops truncatus</i> ): Reliability and utility of quantitative tools. <i>Marine Mammal Science</i> , 2020, 36, 744-773.                            | 0.9 | 14        |
| 31748 | Evaluation of contrast sensitivity in patients with advanced glaucoma: comparison of two tests. <i>British Journal of Ophthalmology</i> , 2020, 104, 1418-1422.   | 2.1 | 9         |
| 31749 | Concurrent Validity and Reliability of an Inertial Measurement Unit for the Assessment of Craniocervical Range of Motion in Subjects with Cerebral Palsy. <i>Diagnostics</i> , 2020, 10, 80.  | 1.3 | 15        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31750 | Predicting the duration of surgery and procedures in a veterinary referral center. <i>Veterinary Surgery</i> , 2020, 49, 561-569.   | 0.5 | 0         |
| 31751 | Health effects associated with short-term exposure to hydrogen sulfide from geothermal power plants: a case-crossover study in the geothermal areas in Tuscany. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 669-682. | 1.1 | 9         |
| 31752 | Comparative evaluation of urinary dipstick and pH-meter for cattle urine pH measurement. <i>Heliyon</i> , 2020, 6, e03316.  | 1.4 | 5         |
| 31753 | Automating Spine Curvature Measurement in Volumetric Ultrasound via Adaptive Phase Features. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 828-841.   | 0.7 | 16        |
| 31754 | Integrative Network Analysis of Differentially Methylated and Expressed Genes for Biomarker Identification in Leukemia. <i>Scientific Reports</i> , 2020, 10, 2123.   | 1.6 | 21        |
| 31755 | Community volunteer assessment of recreational water quality in the Hutt River, Wellington. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2020, 54, 200-217.   | 0.8 | 7         |
| 31756 | Microdot Accumulation in the Anterior Cornea with Aging – Quantitative Analysis with <i>in Vivo</i> Confocal Microscopy. <i>Current Eye Research</i> , 2020, 45, 1058-1064.   | 0.7 | 5         |
| 31757 | Reliability and validity of speech & pause measures during passage reading in ALS. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2020, 21, 42-50.  | 1.1 | 26        |
| 31758 | Broadband Dual-, Triple-, and Quad-Resonance Endfire Antennas Based on Surface Waves. <i>IEEE Transactions on Antennas and Propagation</i> , 2020, 68, 6389-6394.   | 3.1 | 4         |
| 31759 | Development of a dried blood spot sampling method towards therapeutic monitoring of radotinib in the treatment of chronic myeloid leukaemia. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2020, 45, 1006-1013.                                    | 0.7 | 11        |
| 31760 | Through the quality kaleidoscope: reflections on research in dentomaxillofacial imaging. <i>Dentomaxillofacial Radiology</i> , 2020, 49, 20190484.  | 1.3 | 14        |
| 31761 | Repeatability of the amplitude of accommodation measured by a new generation autorefractor. <i>PLoS ONE</i> , 2020, 15, e0224733.   | 1.1 | 9         |
| 31762 | Droplet Digital PCR Is an Improved Alternative Method for High-Quality Enumeration of Viable Probiotic Strains. <i>Frontiers in Microbiology</i> , 2019, 10, 3025.  | 1.5 | 30        |
| 31763 | Predicting Outcomes of Rat Vascularized Composite Allotransplants through Quantitative Measurement of Chimerism with PCR-Amplified Short Tandem Repeat. <i>Journal of Immunology Research</i> , 2020, 2020, 1-10.   | 0.9 | 2         |
| 31764 | Measurement of 17-Hydroxyprogesterone by LCMSMS Improves Newborn Screening for CAH Due to 21-Hydroxylase Deficiency in New Zealand. <i>International Journal of Neonatal Screening</i> , 2020, 6, 6.  | 1.2 | 17        |
| 31765 | Pulse-wave transit time with ventilator-induced variation for the prediction of fluid responsiveness. <i>Acute Medicine &amp; Surgery</i> , 2020, 7, e484.  | 0.5 | 3         |
| 31766 | Group delay method for MRI aortic pulse wave velocity measurements in clinical protocols with low temporal resolution: Validation in a heterogeneous cohort. <i>Magnetic Resonance Imaging</i> , 2020, 69, 8-15.  | 1.0 | 1         |
| 31767 | Accuracy of Carotid Artery Stenosis Quantification with 4-D-Supported 3-D Power-Doppler versus Color-Doppler and 2-D Blood Velocity-Based Duplex Ultrasonography. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 1082-1091.                          | 0.7 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31768 | A low-complexity PPG pulse detection method for accurate estimation of the pulse rate variability (PRV) during sudden decreases in the signal amplitude. <i>Physiological Measurement</i> , 2020, 41, 035001.  | 1.2 | 3         |
| 31769 | A realistic flow phantom model of the carotid artery in preterm infants for training and research. <i>Ultrasound</i> , 2020, 28, 145-154.  | 0.3 | 2         |
| 31770 | Validating Physiological and Biomechanical Parameters during Intermittent Swimming at Speed Corresponding to Lactate Concentration of 4 mmol·L <sup>-1</sup> . <i>Sports</i> , 2020, 8, 23.  | 0.7 | 4         |
| 31771 | Dynamic-mechanical thermoanalysis test as a high-performance alternative for accelerated freeze-thaw stability testing: a case study of O/W emulsions. <i>Drug Development and Industrial Pharmacy</i> , 2020, 46, 505-520.  | 0.9 | 3         |
| 31772 | Nociception testing during fixed-wing ambulance flights. An interventional pilot study on the effects of flight-related environmental changes on the nociception of healthy volunteers. <i>PLoS ONE</i> , 2020, 15, e0217530.  | 1.1 | 0         |
| 31773 | Reliability of 30-s Chair Stand Test with and without Cognitive Task in People with Type-2 Diabetes Mellitus. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1450.   | 1.2 | 11        |
| 31774 | An automatic approach to establish clinically desired final dental occlusion for one-piece maxillary orthognathic surgery. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2020, 15, 1763-1773.  | 1.7 | 14        |
| 31775 | Muscle oxygen dynamics in elite climbers during finger-hang tests at varying intensities. <i>Scientific Reports</i> , 2020, 10, 3040.  | 1.6 | 18        |
| 31776 | Re: Sustained Weight Loss and Risk of Breast Cancer in Women ≥50 Years: A Pooled Analysis of Prospective Data. <i>Journal of the National Cancer Institute</i> , 2020, 112, 769-769.   | 3.0 | 1         |
| 31777 | Robust, independent and relevant prognostic 18F-fluorodeoxyglucose positron emission tomography radiomics features in non-small cell lung cancer: Are there any?. <i>PLoS ONE</i> , 2020, 15, e0228793.  | 1.1 | 21        |
| 31778 | Reproducibility of Full-field Electroretinogram Measurements in Birdshot Chorioretinopathy Patients: An Intra- and Inter-visit Analysis. <i>Ocular Immunology and Inflammation</i> , 2021, 29, 848-853.  | 1.0 | 4         |
| 31779 | Automatic and Adaptive Signal- and Background-ROIs With Analytic-Representation-Based Processing for Robust Webcam-Based Heart-Rate Estimation. <i>IEEE Access</i> , 2020, 8, 34728-34736.   | 2.6 | 2         |
| 31780 | Congruence between nurses' and patients' assessment of postoperative pain: a literature review. <i>British Journal of Nursing</i> , 2020, 29, 212-220.   | 0.3 | 15        |
| 31781 | The Impact of Normalization Approaches to Automatically Detect Radiogenomic Phenotypes Characterizing Breast Cancer Receptors Status. <i>Cancers</i> , 2020, 12, 518.  | 1.7 | 38        |
| 31782 | Investigation of phase-contrast magnetic resonance imaging underestimation of turbulent flow through the aortic valve phantom: experimental and computational study using lattice Boltzmann method. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2020, 33, 649-662. | 1.1 | 7         |
| 31783 | The Validity of Relative Fat Mass and Body Adiposity Index as Measures of Body Composition in Healthy Adults. <i>Measurement in Physical Education and Exercise Science</i> , 2020, 24, 137-146.   | 1.3 | 11        |
| 31784 | A new maximal bicycle test using a prediction algorithm developed from four large COPD studies. <i>European Clinical Respiratory Journal</i> , 2020, 7, 1692645.   | 0.7 | 2         |
| 31785 | Using Adapted Studio Critique to Teach Peer Review in the Document Design Classroom. <i>IEEE Transactions on Professional Communication</i> , 2020, 63, 52-63.   | 0.6 | 0         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31786 | The measurement of interface pressure applied by sports compression garments: A comparative study of two portable devices. Measurement: Journal of the International Measurement Confederation, 2020, 156, 107592.   | 2.5 | 6         |
| 31787 | A subject-specific method to measure dynamic spinal alignment in adult spinal deformity. Spine Journal, 2020, 20, 934-946.   | 0.6 | 20        |
| 31788 | A dataset of radar-recorded heart sounds and vital signs including synchronised reference sensor signals. Scientific Data, 2020, 7, 50.  | 2.4 | 28        |
| 31789 | Effect of scan mode and focal spot size in airway dimension measurements for ultra-high-resolution computed tomography of chronic obstructive pulmonary disease: A COPD Gene phantom study. Physica Medica, 2020, 70, 102-108.                                 | 0.4 | 4         |
| 31790 | In-vivo Three-dimensional Characteristics of Bowman's Layer and Endothelium/Descemet's Complex Using Corneal Microlayer Tomography in Healthy Subjects. Current Eye Research, 2020, 45, 659-667.   | 0.7 | 5         |
| 31791 | Developing and validating equations to predict V̇O <sub>2</sub> peak from the 6MWT in Childhood ALL Survivors. Disability and Rehabilitation, 2021, 43, 2937-2944.   | 0.9 | 5         |
| 31792 | Calibrating from Within: Multipoint Internal Calibration of a Quantitative Mass Spectrometric Assay of Serum Methotrexate. Clinical Chemistry, 2020, 66, 474-482.  | 1.5 | 8         |
| 31793 | Particle Swarm Optimization for Cooperative Multi-Robot Task Allocation: A Multi-Objective Approach. IEEE Robotics and Automation Letters, 2020, 5, 2530-2537.   | 3.3 | 62        |
| 31794 | Effects of aging on foot pedal responses to visual stimuli. Journal of Physiological Anthropology, 2020, 39, 3.  | 1.0 | 6         |
| 31795 | Agreement and differences regarding family functioning between patients with acquired brain injury and their partners. Brain Injury, 2020, 34, 489-495.  | 0.6 | 7         |
| 31796 | Tianjic: A Unified and Scalable Chip Bridging Spike-Based and Continuous Neural Computation. IEEE Journal of Solid-State Circuits, 2020, 55, 2228-2246.  | 3.5 | 78        |
| 31797 | Accuracy of the estimation of $\langle i \rangle V$ and the implications this has when applying $\langle i \rangle K$ and $\langle i \rangle V$ urea for measuring dialysis dose in peritoneal dialysis. Peritoneal Dialysis International, 2020, 40, 261-269. | 1.1 | 9         |
| 31798 | Optimized dualCEST-MRI for imaging of endogenous bulk mobile proteins in the human brain. NMR in Biomedicine, 2020, 33, e4262.   | 1.6 | 3         |
| 31799 | 3-Dimensional optical scanning for body composition assessment: A 4-component model comparison of four commercially available scanners. Clinical Nutrition, 2020, 39, 3160-3167.   | 2.3 | 42        |
| 31800 | Noninvasive Monitoring of Vital Signs Based on Highly Sensitive Fiber Optic Mattress. IEEE Sensors Journal, 2020, 20, 6182-6190.   | 2.4 | 41        |
| 31801 | Design and Performance of the 850-V 100-kW 16-kHz Bidirectional Isolated DC-DC Converter Using SiC-MOSFET/SBD H-Bridge Modules. IEEE Transactions on Power Electronics, 2020, 35, 10013-10025.   | 5.4 | 44        |
| 31802 | Doppler Ultrasound for Heart Rate Assessment in a Porcine Model of Neonatal Asphyxia. Frontiers in Pediatrics, 2020, 8, 18.  | 0.9 | 3         |
| 31803 | Interchangeability of the EQ-5D and the SF-6D, and comparison of their psychometric properties in a spinal postoperative Spanish population. European Journal of Health Economics, 2020, 21, 649-662.  | 1.4 | 10        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31804 | Reliability of Human Lumbar Facet Joint Degeneration Severity Assessed by Magnetic Resonance Imaging. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2020, 43, 43-49.  | 0.4 | 6         |
| 31805 | Lobar distribution of non-emphysematous gas trapping and lung hyperinflation in chronic obstructive pulmonary disease. <i>Respiratory Investigation</i> , 2020, 58, 246-254.  | 0.9 | 7         |
| 31806 | Agreement of ocular biometric measurements in young healthy eyes between IOLMaster 700 and OA-2000. <i>Scientific Reports</i> , 2020, 10, 3134.   | 1.6 | 30        |
| 31807 | High performance floating p-well carrier stored trench bipolar transistor with L-shaped shield gates. <i>Electronics Letters</i> , 2020, 56, 205-207.   | 0.5 | 3         |
| 31808 | Validity and reliability of a computer-vision-based smartphone app for measuring barbell trajectory during the snatch. <i>Journal of Sports Sciences</i> , 2020, 38, 710-716.   | 1.0 | 16        |
| 31809 | Validation of Maximal, Submaximal, and Nonexercise Indirect V <sub>O<sub>2</sub></sub> max Estimations at 2600m Altitude. <i>High Altitude Medicine and Biology</i> , 2020, 21, 135-143.  | 0.5 | 3         |
| 31810 | Research on Lane Occupancy Rate Forecasting Based on the Capsule Network. <i>IEEE Access</i> , 2020, 8, 38776-38785.  | 2.6 | 3         |
| 31811 | Computer Program for Error Grid Analysis in Arterial Blood Pressure Method Comparison Studies. <i>Anesthesia and Analgesia</i> , 2020, 130, e71-e74.  | 1.1 | 11        |
| 31812 | Interleukin-6 chemiluminescent immunoassay on Lumipulse G600 II: analytical evaluation and comparison with three other laboratory analyzers. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, e229-e231.                               | 1.4 | 5         |
| 31813 | Effect of Landing Posture on Jump Height Calculated from Flight Time. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 776.  | 1.3 | 14        |
| 31814 | High day-to-day repeatability of lower extremity muscle activation patterns and joint biomechanics of dual-belt treadmill gait: A reliability study in healthy young adults. <i>Journal of Electromyography and Kinesiology</i> , 2020, 51, 102401. | 0.7 | 6         |
| 31815 | Comparing apples and oranges or different types of citrus fruits? Using wearable versus stationary devices to analyze psychophysiological data. <i>Psychophysiology</i> , 2020, 57, e13551.   | 1.2 | 16        |
| 31816 | Transvaginal sonography accurately measures lesion-to-anal verge distance in women with deep endometriosis of the rectosigmoid. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 766-772.   | 0.9 | 12        |
| 31817 | Objective and Subjective Measures of Premature Ejaculation: How Closely Do They Correspond and How Well Are the Subjective Measures Recalled?. <i>Journal of Sexual Medicine</i> , 2020, 17, 634-644.   | 0.3 | 2         |
| 31818 | Evaluation of an intensity-based algorithm for 2D/3D registration of natural knee videofluoroscopy data. <i>Medical Engineering and Physics</i> , 2020, 77, 107-113.  | 0.8 | 24        |
| 31819 | Assessment of a Clinical Trial Metric for Rett Syndrome: Critical Analysis of the Rett Syndrome Behavioural Questionnaire. <i>Pediatric Neurology</i> , 2020, 107, 48-56.   | 1.0 | 23        |
| 31820 | Ten Years and Beyond Longitudinal Change of Å-Zone Parapapillary Atrophy. <i>Ophthalmology</i> , 2020, 127, 1054-1063.  | 2.5 | 15        |
| 31821 | Quantitative Ultrasound Monitoring of Breast Tumour Response to Neoadjuvant Chemotherapy: Comparison of Results Among Clinical Scanners. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 1142-1157.   | 0.7 | 14        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31822 | Reliability and Responsiveness of the Observable Movement Quality Scale for Children with Mild to Moderate Motor Impairments. <i>Physical and Occupational Therapy in Pediatrics</i> , 2020, 40, 681-696.     | 0.8 | 2         |
| 31823 | Systolic blood pressure measurement by detecting the photoplethysmographic pulses and electronic Korotkoff-sounds during cuff deflation. <i>Physiological Measurement</i> , 2020, 41, 034001.                 | 1.2 | 8         |
| 31824 | Packet Dropping Minimization in Energy Harvesting-Based Wireless Sensor Network With Linear Topology. <i>IEEE Access</i> , 2020, 8, 38682-38691.  | 2.6 | 9         |
| 31825 | Validity of plasma collection cards for ferritin assessment—A proof-of-concept study. <i>European Journal of Haematology</i> , 2020, 104, 554-561.  | 1.1 | 8         |
| 31826 | Identification of High-Risk Left Ventricular Hypertrophy on Calcium Scoring Cardiac Computed Tomography Scans. <i>Circulation: Cardiovascular Imaging</i> , 2020, 13, e009678.                                | 1.3 | 16        |
| 31827 | Comparison of exclusion, imputation and modelling of missing binary outcome data in frequentist network meta-analysis. <i>BMC Medical Research Methodology</i> , 2020, 20, 48.                                | 1.4 | 3         |
| 31828 | Psychometric properties of instrumented postural sway measures recorded in community settings in independent living older adults. <i>BMC Geriatrics</i> , 2020, 20, 82.                                       | 1.1 | 11        |
| 31829 | Global mapping of randomised trials related articles published in high-impact-factor medical journals: a cross-sectional analysis. <i>Trials</i> , 2020, 21, 34.  | 0.7 | 19        |
| 31831 | Use of portable gas analyzers during pediatric field testing. <i>Pediatric Pulmonology</i> , 2020, 55, 1264-1272.   | 1.0 | 2         |
| 31832 | Modeling repeated labor curves in consecutive pregnancies: Individualized prediction of labor progression from previous pregnancy data. <i>Statistics in Medicine</i> , 2020, 39, 1068-1083.                  | 0.8 | 0         |
| 31833 | A Rational Approach to Understanding and Evaluating Responsive Neurostimulation. <i>Neuroinformatics</i> , 2020, 18, 365-375.   | 1.5 | 20        |
| 31834 | Repeatability of Scheimpflug Tomography for Assessing Fuchs Endothelial Corneal Dystrophy. <i>American Journal of Ophthalmology</i> , 2020, 215, 91-103.  | 1.7 | 14        |
| 31835 | Simultaneous multislice rapid magnetic resonance elastography of the liver. <i>NMR in Biomedicine</i> , 2020, 33, e4252.  | 1.6 | 13        |
| 31836 | Internal tibial torsion is related to syndesmosis injury in a large osteological collection. <i>Foot and Ankle Surgery</i> , 2020, 26, 939-942.   | 0.8 | 0         |
| 31838 | Condylar changes in patients with idiopathic condylar resorption: retrospective 2-year follow-up CBCT-based case-control study. <i>European Journal of Orthodontics</i> , 2020, 42, 619-625.                  | 1.1 | 9         |
| 31839 | Energy-Efficient Resource Allocation for High-Rate Underlay D2D Communications With Statistical CSI: A One-to-Many Strategy. <i>IEEE Transactions on Vehicular Technology</i> , 2020, 69, 4006-4018.          | 3.9 | 32        |
| 31840 | Six commonly used empirical body surface area formulas disagreed in young children undergoing corrective heart surgery. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 1838-1846. | 0.7 | 13        |
| 31841 | Evaluation of the HemoCue WBC DIFF in leukopenic patient samples. <i>International Journal of Laboratory Hematology</i> , 2020, 42, 256-262.  | 0.7 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31842 | Reliability and agreement of human renal and segmental artery hemodynamics measured using Doppler ultrasound. <i>Journal of Applied Physiology</i> , 2020, 128, 627-636.  | 1.2 | 12        |
| 31843 | Comparison of different rating scales for the use in Delphi studies: different scales lead to different consensus and show different test-retest reliability. <i>BMC Medical Research Methodology</i> , 2020, 20, 28.   | 1.4 | 57        |
| 31844 | A clinical method for estimating the modulus of elasticity of the human cornea in vivo. <i>PLoS ONE</i> , 2020, 15, e0224824.   | 1.1 | 10        |
| 31845 | Virtual monochromatic spectral imaging versus linearly blended dual-energy and single-energy imaging during CT-guided biopsy needle positioning: Optimization of keV settings and impact on image quality. <i>PLoS ONE</i> , 2020, 15, e0228578.  | 1.1 | 2         |
| 31846 | Accuracy of automated amygdala MRI segmentation approaches in Huntington's disease in the IMAGEHD cohort. <i>Human Brain Mapping</i> , 2020, 41, 1875-1888.   | 1.9 | 9         |
| 31847 | Vertical Displacements of the Amazon Basin From GRACE and GPS. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2019JB018105.  | 1.4 | 10        |
| 31848 | Communication Network for Ultrasonic Acoustic Water Leakage Detectors. <i>IEEE Access</i> , 2020, 8, 29954-29964.   | 2.6 | 16        |
| 31849 | Morphology-Agnostic Visual Robotic Control. <i>IEEE Robotics and Automation Letters</i> , 2020, 5, 766-773.   | 3.3 | 0         |
| 31850 | Accuracy of Broselow tape in estimating the weight of the child for management of pediatric emergencies in Nepalese population. <i>International Journal of Emergency Medicine</i> , 2020, 13, 9.   | 0.6 | 8         |
| 31851 | Shear wave elasticity by tracing total nodule showed high reproducibility and concordance with fibrosis in thyroid cancer. <i>BMC Cancer</i> , 2020, 20, 118.   | 1.1 | 12        |
| 31852 | Show cards of the Global Physical Activity Questionnaire (GPAQ) – do they impact validity? A crossover study. <i>BMC Public Health</i> , 2020, 20, 223.   | 1.2 | 9         |
| 31853 | Aerosol retrievals from different polarimeters during the ACEPOL campaign using a common retrieval algorithm. <i>Atmospheric Measurement Techniques</i> , 2020, 13, 553-573.  | 1.2 | 28        |
| 31854 | A Spatiotemporal exploration and 3D modeling of blood flow in healthy carotid artery bifurcation from two modalities: Ultrasound-Doppler and phase contrast MRI. <i>Computers in Biology and Medicine</i> , 2020, 118, 103644.  | 3.9 | 5         |
| 31855 | Depth Sensor-Based Assessment of Reachable Work Space for Visualizing and Quantifying Paretic Upper Extremity Motor Function in People With Stroke. <i>Physical Therapy</i> , 2020, 100, 870-879.   | 1.1 | 4         |
| 31856 | Assessing Arm Volume in People During and After Treatment for Breast Cancer: Reliability and Convergent Validity of the LymphaTech System. <i>Physical Therapy</i> , 2020, 100, 457-467.  | 1.1 | 12        |
| 31857 | Method of limits: Female genital stretch perception thresholds. <i>Neurourology and Urodynamics</i> , 2020, 39, 778-784.  | 0.8 | 3         |
| 31858 | Determination of the glomerular filtration rate in patients with type 2 diabetes: An assessment of the agreement between <sup>51</sup> Cr-EDTA plasma clearance and <sup>99m</sup> Tc-DTPA plasma clearance, <sup>99m</sup> Tc-DTPA renography and plasma creatinine prediction equation. <i>Diabetes Research and Clinical Practice</i> , 2020, 161, 108079. | 1.1 | 5         |
| 31859 | Aortic regurgitation is common in hypertrophic cardiomyopathy: An echocardiography and cardiovascular magnetic resonance study. <i>European Journal of Radiology</i> , 2020, 124, 108836.   | 1.2 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31860 | Quantification of thigh muscle volume in children and adolescents using magnetic resonance imaging. <i>European Journal of Sport Science</i> , 2020, 20, 1215-1224.   | 1.4 | 5         |
| 31861 | Reconstituting past flood events: the contribution of citizen science. <i>Hydrology and Earth System Sciences</i> , 2020, 24, 61-74.  | 1.9 | 15        |
| 31862 | Are SPECT MPI measures of dyssynchrony dyssynchronous?. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 1128-1135.   | 1.4 | 4         |
| 31863 | Repeatability and agreement of intraocular pressure measurement among three tonometers. <i>Australasian journal of optometry</i> , The, 2020, 103, 808-812.   | 0.6 | 8         |
| 31864 | Donald Mainland: anatomist, educator, thinker, medical statistician, trialist, rheumatologist. <i>Journal of the Royal Society of Medicine</i> , 2020, 113, 28-38.  | 1.1 | 3         |
| 31865 | Deficits in Muscle Strength and Physical Performance Influence Physical Activity in Sarcopenic Children After Liver Transplantation. <i>Liver Transplantation</i> , 2020, 26, 537-548.                                | 1.3 | 8         |
| 31866 | Validating the inspired sinewave technique to measure the volume of the "baby lung" in a porcine lung-injury model. <i>British Journal of Anaesthesia</i> , 2020, 124, 345-353.                                       | 1.5 | 6         |
| 31867 | Diagnostic Performance of 3-Dimensional Thickness of the Endothelium's Descemet Complex in Fuchs' Endothelial Cell Corneal Dystrophy. <i>Ophthalmology</i> , 2020, 127, 874-887.                                      | 2.5 | 15        |
| 31868 | Assessment of the immunocrit method to detect failure of passive immunity in newborn foals. <i>Equine Veterinary Journal</i> , 2020, 52, 760-764.   | 0.9 | 5         |
| 31869 | Translation and cross-cultural adaptation of the Physical Activity Questionnaire for older Children into a Brazilian Portuguese version. <i>Human Movement</i> , 2020, 21, 32-39.                                     | 0.5 | 5         |
| 31870 | Validation of an Optical Pencil Method to Estimate the Affected Body Surface Area in Psoriasis. <i>Actas Dermo-sifiligráficas</i> , 2020, 111, 143-148.   | 0.2 | 1         |
| 31871 | Quantification of surface iridescence in meat products by digital image analysis. <i>Meat Science</i> , 2020, 163, 108064.  | 2.7 | 12        |
| 31872 | Anaerobic Threshold Biophysical Characterisation of the Four Swimming Techniques. <i>International Journal of Sports Medicine</i> , 2020, 41, 318-327.  | 0.8 | 17        |
| 31873 | Assessing Extraprostatic Extension with Multiparametric MRI of the Prostate: Mehrlivand Extraprostatic Extension Grade or Extraprostatic Extension Likert Scale?. <i>Radiology Imaging Cancer</i> , 2020, 2, e190071. | 0.7 | 17        |
| 31874 | Carotid Intima-Media Thickness and the Risk of First Stroke in Patients With Hypertension. <i>Stroke</i> , 2020, 51, 379-386.   | 1.0 | 29        |
| 31875 | The impact of atrial fibrillation on accuracy of oscillometric blood pressure measurement: effect of ventricular rate. <i>Hypertension Research</i> , 2020, 43, 518-524.  | 1.5 | 14        |
| 31876 | Machine learning derived input-function in a dynamic 18F-FDG PET study of mice. <i>Biomedical Physics and Engineering Express</i> , 2020, 6, 015020.  | 0.6 | 10        |
| 31877 | Ultrafine Particle Number Concentration Model for Estimating Retrospective and Prospective Long-Term Ambient Exposures in Urban Neighborhoods. <i>Environmental Science &amp; Technology</i> , 2020, 54, 1677-1686.   | 4.6 | 14        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31878 | Validation of a Skinfold Prediction Equation Based on Dual-Energy X-Ray Absorptiometry to Estimate Body Fat Percentage in Women. <i>Measurement in Physical Education and Exercise Science</i> , 2020, 24, 115-122.              | 1.3 | 0         |
| 31879 | The repeatability of estimated systolic time intervals in healthy subjects using seismocardiogram and electrocardiogram. <i>Physiological Measurement</i> , 2020, 41, 02NT01.  | 1.2 | 5         |
| 31880 | Comparing GPS-Based Community Mobility Measures with Self-report Assessments in Older Adults with Parkinson's Disease. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 2361-2370. | 1.7 | 21        |
| 31881 | Clinical and experimental validation of a capnodynamic method for end-expiratory lung volume assessment. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 670-676.   | 0.7 | 11        |
| 31882 | Simplified Measurement of Maximum Strength After Knee Surgery: Application-Based Knee-Training Device Compared to Isokinetic Testing. <i>Open Access Journal of Sports Medicine</i> , 2020, Volume 11, 43-49.                    | 0.6 | 0         |
| 31883 | The Learning Curve for Shared Decision-making in Symptomatic Aortic Stenosis. <i>JAMA Cardiology</i> , 2020, 5, 442.   | 3.0 | 30        |
| 31884 | Internal consistency, test-retest reliability, and construct validity of the adapted Arabic version of the Oxford shoulder score in patients with shoulder disorders. <i>Disability and Rehabilitation</i> , 2020, 43, 1-7.      | 0.9 | 1         |
| 31885 | IgG antibody response against Anopheles salivary gland proteins in asymptomatic Plasmodium infections in Narino, Colombia. <i>Malaria Journal</i> , 2020, 19, 42.  | 0.8 | 16        |
| 31886 | Assessment of Multi-Image Unmanned Aerial Vehicle Based High-Throughput Field Phenotyping of Canopy Temperature. <i>Frontiers in Plant Science</i> , 2020, 11, 150.  | 1.7 | 45        |
| 31887 | Progression of Retinopathy Secondary to Maternally Inherited Diabetes and Deafness - Evaluation of Predicting Parameters. <i>American Journal of Ophthalmology</i> , 2020, 213, 134-144.   | 1.7 | 16        |
| 31888 | Arrhythmogenic Left Ventricular Cardiomyopathy: A Clinical and CMR Study. <i>Scientific Reports</i> , 2020, 10, 533.   | 1.6 | 16        |
| 31889 | Do we have to reduce the recall period? Validity of a daily physical activity questionnaire (PAQ24) in young active adults. <i>BMC Public Health</i> , 2020, 20, 72.   | 1.2 | 8         |
| 31890 | Prediction of Pulmonary to Systemic Flow Ratio in Patients With Congenital Heart Disease Using Deep Learning-Based Analysis of Chest Radiographs. <i>JAMA Cardiology</i> , 2020, 5, 449.   | 3.0 | 27        |
| 31891 | Pharmacopuncture Analgesia Using Flunixin Meglumine Injection into the Acupoint GV1 (Ho Hai) After Elective Castration in Horses. <i>Journal of Equine Veterinary Science</i> , 2020, 87, 102911.                                | 0.4 | 3         |
| 31892 | Evaluating a pragmatic estimate of insulin sensitivity in Latino youth with obesity. <i>Clinical Obesity</i> , 2020, 10, e12353.   | 1.1 | 1         |
| 31893 | Effect of Body Mass Index Category on Body Surface Area Calculation in Children Undergoing Cardiac Procedures. <i>Anesthesia and Analgesia</i> , 2020, 130, 452-461.   | 1.1 | 6         |
| 31894 | Silent T <sub>1</sub> mapping using the variable flip angle method with B <sub>1</sub> correction. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 813-824.  | 1.9 | 10        |
| 31895 | Qualitative and quantitative reproducibility of [18]fluoromethycholine PET/computed tomography in prostate cancer. <i>Nuclear Medicine Communications</i> , 2020, 41, 147-154.   | 0.5 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31896 | Assessment of Mandibular Movement Monitoring With Machine Learning Analysis for the Diagnosis of Obstructive Sleep Apnea. <i>JAMA Network Open</i> , 2020, 3, e1919657.  | 2.8 | 39        |
| 31897 | New Myocardial Deformation by 2D Multi-layer Speckle-Tracking Analysis in Healthy Patients: Normal Reference Values and Their Physiologic Determinants. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 818-827.                       | 0.7 | 5         |
| 31898 | The stability of blood Eosinophils in chronic obstructive pulmonary disease. <i>Respiratory Research</i> , 2020, 21, 15.   | 1.4 | 32        |
| 31899 | Impact of Right Atrial Physiology on Heart Failure and Adverse Events after Myocardial Infarction. <i>Journal of Clinical Medicine</i> , 2020, 9, 210.   | 1.0 | 22        |
| 31900 | Optimizing Workflows for Fast and Reliable Metabolic Tumor Volume Measurements in Diffuse Large B Cell Lymphoma. <i>Molecular Imaging and Biology</i> , 2020, 22, 1102-1110.   | 1.3 | 32        |
| 31901 | Assessment of robustness against setup uncertainties using probabilistic scenarios in lung cancer: a comparison of proton with photon therapy. <i>British Journal of Radiology</i> , 2020, 93, 20190584.                                     | 1.0 | 6         |
| 31902 | Quantitative Comparison of the Performance of Piezoresistive, Piezoelectric, Acceleration, and Optical Pulse Wave Sensors. <i>Frontiers in Physiology</i> , 2019, 10, 1563.  | 1.3 | 16        |
| 31903 | Characterization of early pregnancy placental progesterone production by use of dydrogesterone in programmed frozen-thawed embryo transfer cycles. <i>Reproductive BioMedicine Online</i> , 2020, 40, 743-751.                               | 1.1 | 29        |
| 31904 | Test-retest reliability of an adapted version of the International Physical Activity Questionnaire for healthy individuals and stroke survivors. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 581-583.                  | 1.1 | 3         |
| 31905 | Performance comparison of next generation sequencing analysis pipelines for HIV-1 drug resistance testing. <i>Scientific Reports</i> , 2020, 10, 1634.   | 1.6 | 45        |
| 31906 | A Reliability Assessment Approach for Electric Power Systems Considering Wind Power Uncertainty. <i>IEEE Access</i> , 2020, 8, 12467-12478.  | 2.6 | 33        |
| 31907 | Estimation of GFR in Patients With Cystic Fibrosis: A Cross-Sectional Study. <i>Canadian Journal of Kidney Health and Disease</i> , 2020, 7, 205435811989931.  | 0.6 | 7         |
| 31908 | Is the Pelvis-Thorax Coordination a Valuable Outcome Instrument to Assess Patients With Hip Osteoarthritis?. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 7, 457.  | 2.0 | 1         |
| 31909 | Development of a new patient-reported outcome measure to assess activities and participation in people with systemic sclerosis: the Cochin 17-item Scleroderma Functional scale. <i>British Journal of Dermatology</i> , 2020, 183, 710-718. | 1.4 | 7         |
| 31910 | Online Dynamic Hand Gesture Recognition Including Efficiency Analysis. <i>IEEE Transactions on Biometrics, Behavior, and Identity Science</i> , 2020, 2, 85-97.  | 3.8 | 35        |
| 31911 | Analysis of Choroidal Vascularity Index in Keratoconus Patients Using Swept-Source Optical Coherence Tomography-Based Binarization Techniques. <i>Journal of Ophthalmology</i> , 2020, 2020, 1-10.   | 0.6 | 12        |
| 31912 | Comparison of aggregate and individual participant data approaches to meta-analysis of randomised trials: An observational study. <i>PLoS Medicine</i> , 2020, 17, e1003019.   | 3.9 | 48        |
| 31913 | A new process to measure postural sway using a Kinect depth camera during a Sensory Organisation Test. <i>PLoS ONE</i> , 2020, 15, e0227485.   | 1.1 | 11        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31914 | The Evaluation and Use of a Food Frequency Questionnaire Among the Population in Trivandrum, South Kerala, India. <i>Nutrients</i> , 2020, 12, 383.   | 1.7 | 6         |
| 31915 | New Predictive Equations for Estimating Resting Energy Expenditure in Adults With Crohn's Disease. <i>Journal of Parenteral and Enteral Nutrition</i> , 2020, 44, 1021-1028.  | 1.3 | 10        |
| 31916 | A limited sampling strategy to estimate exposure of once-daily modified release tacrolimus in renal transplant recipients using linear regression analysis and comparison with Bayesian population pharmacokinetics in different cohorts. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 685-693. | 0.8 | 6         |
| 31917 | Blood flow quantification in dialysis access using digital subtraction angiography: A retrospective study. <i>Computer Methods and Programs in Biomedicine</i> , 2020, 190, 105379.   | 2.6 | 6         |
| 31918 | The American Cancer Society Cancer Prevention Study-3 FFQ Has Reasonable Validity and Reproducibility for Food Groups and a Diet Quality Score. <i>Journal of Nutrition</i> , 2020, 150, 1566-1578.   | 1.3 | 15        |
| 31919 | Intrapartum non-invasive electrophysiological monitoring: A prospective observational study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 1387-1395.   | 1.3 | 12        |
| 31920 | Test-retest reliability of six-minute walk tests over a one-year period in patients with chronic heart failure. <i>Clinical Physiology and Functional Imaging</i> , 2020, 40, 284-289.  | 0.5 | 10        |
| 31921 | Reliability of manometry for assessing pelvic floor muscle function in healthy men. <i>Neurourology and Urodynamics</i> , 2020, 39, 1464-1471.  | 0.8 | 6         |
| 31922 | Assessing TEG6S reliability between devices and across multiple time points: A prospective thromboelastography validation study. <i>Scientific Reports</i> , 2020, 10, 7045.  | 1.6 | 13        |
| 31923 | Cycling Performance in Short-term Efforts: Laboratory and Field-Based Data in XCO Athletes. <i>Sports Medicine International Open</i> , 2020, 4, E19-E26.   | 0.3 | 2         |
| 31924 | Quality of blood samples collected at home does not affect clinical decision making for the administration of systemic cancer treatment. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020, 80, 215-221.  | 0.6 | 1         |
| 31925 | A novel machine learning unsupervised algorithm for sleep/wake identification using actigraphy. <i>Chronobiology International</i> , 2020, 37, 1002-1015.   | 0.9 | 34        |
| 31926 | RGB and Near-Infrared Light Reflectance/Transmittance Photoplethysmography for Measuring Heart Rate During Motion. <i>IEEE Access</i> , 2020, 8, 80233-80242.   | 2.6 | 16        |
| 31927 | The development and validation of instruments to measure dignity-protective continence care for care-dependent older people in residential aged care facilities: A study protocol. <i>Neurourology and Urodynamics</i> , 2020, 39, 1363-1370.   | 0.8 | 4         |
| 31928 | Automatic spatial estimation of white matter hyperintensities evolution in brain MRI using disease evolution predictor deep neural networks. <i>Medical Image Analysis</i> , 2020, 63, 101712.  | 7.0 | 16        |
| 31929 | Histone deacetylase inhibitors valproic acid and vorinostat enhance trastuzumab-mediated antibody-dependent cell-mediated phagocytosis. , 2020, 8, e000195.   |     | 25        |
| 31930 | Performance Comparison of the artus HBV QS-RGQ and the CAP/CTM HBV v2.0 Assays regarding Hepatitis B Virus DNA Quantification. <i>BioMed Research International</i> , 2020, 2020, 1-6.  | 0.9 | 1         |
| 31931 | The six-gene expression signature in whole sampled sputum provides clinically feasible inflammatory phenotyping of asthma. <i>ERJ Open Research</i> , 2020, 6, 00280-2019.  | 1.1 | 6         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31932 | Comparison of the Turn Switch Time Points Measured by Portable Force Platforms and Pressure Insoles. <i>Frontiers in Sports and Active Living</i> , 2020, 2, 2.  | 0.9 | 12        |
| 31933 | Interchangeability between two breath-by-breath O <sub>2</sub> uptake calculation algorithms in asthmatic and healthy volunteers. <i>European Journal of Applied Physiology</i> , 2020, 120, 1417-1428.  | 1.2 | 2         |
| 31934 | A simple instrumented insole algorithm to estimate plantar flexion moments. <i>Gait and Posture</i> , 2020, 79, 92-95.   | 0.6 | 21        |
| 31935 | Reliability and validity of the PedsQL 4.0 Generic Core Scales in pediatric vision impairment. <i>Journal of AAPOS</i> , 2020, 24, 94.e1-94.e7.  | 0.2 | 1         |
| 31936 | A semi-automated machine-learning based workflow for ellipsoid zone analysis in eyes with macular edema: SCORE2 pilot study. <i>PLoS ONE</i> , 2020, 15, e0232494.   | 1.1 | 9         |
| 31937 | Performance of Hospitals When Assessing Disease-Based Mortality Compared With Procedural Mortality for Patients With Acute Myocardial Infarction. <i>JAMA Cardiology</i> , 2020, 5, 765.   | 3.0 | 10        |
| 31938 | Automated facial video-based recognition of depression and anxiety symptom severity: cross-corpus validation. <i>Machine Vision and Applications</i> , 2020, 31, 1.  | 1.7 | 16        |
| 31939 | Use of meat juice and blood serum with a miniaturised protein microarray assay to develop a multi-parameter IgG screening test with high sample throughput potential for slaughtering pigs. <i>BMC Veterinary Research</i> , 2020, 16, 106.                                | 0.7 | 7         |
| 31940 | Evaluation of a multibody kinematics optimization method for three-dimensional canine pelvic limb gait analysis. <i>BMC Veterinary Research</i> , 2020, 16, 105.   | 0.7 | 0         |
| 31941 | Recurrence quantification analysis of heart rate variability during continuous incremental exercise test in obese subjects. <i>Chaos</i> , 2020, 30, 033135.   | 1.0 | 17        |
| 31943 | Agreement between the Schedule for the Evaluation of Individual Quality of Life-Direct Weighting (SEIQoL-DW) interview and a paper-administered adaption. <i>BMC Medical Research Methodology</i> , 2020, 20, 80.  | 1.4 | 3         |
| 31944 | Comparing the Japanese Version of the Ocular Surface Disease Index and Dry Eye-Related Quality-of-Life Score for Dry Eye Symptom Assessment. <i>Diagnostics</i> , 2020, 10, 203.   | 1.3 | 13        |
| 31945 | Accuracy evaluation of two markerless motion capture systems for measurement of upper extremities: Kinect V2 and Captiv. <i>Human Factors and Ergonomics in Manufacturing</i> , 2020, 30, 291-302.   | 1.4 | 15        |
| 31946 | Impact of tumour size measurement inter-operator variability on model-based drug effect evaluation. <i>Cancer Chemotherapy and Pharmacology</i> , 2020, 85, 817-825.   | 1.1 | 2         |
| 31947 | Minding the gap between cortisol levels measured with second-generation assays and current diagnostic thresholds for the diagnosis of adrenal insufficiency: a single-center experience. <i>Hormones</i> , 2020, 19, 425-431.  | 0.9 | 26        |
| 31948 | A Comparative Study of Total Corneal Power Using a Ray Tracing Method Obtained from 3 Different Scheimpflug Camera Devices. <i>American Journal of Ophthalmology</i> , 2020, 216, 90-98.   | 1.7 | 7         |
| 31949 | In Vivo Confocal Microscopy Morphologic Features and Cyst Density in Acanthamoeba Keratitis. <i>American Journal of Ophthalmology</i> , 2020, 217, 38-48.  | 1.7 | 14        |
| 31950 | The effects of a clinically feasible application of low-level laser therapy on the rate of orthodontic tooth movement: A triple-blind, split-mouth, randomized controlled trial. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2020, 157, 444-453. | 0.8 | 27        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31951 | A deep learning-based approach for automatic segmentation and quantification of the left ventricle from cardiac cine MR images. <i>Computerized Medical Imaging and Graphics</i> , 2020, 81, 101717.                            | 3.5 | 41        |
| 31952 | Stability of 40 cytokines/chemokines in chronically ill patients under different storage conditions. <i>Cytokine</i> , 2020, 130, 155057.   | 1.4 | 7         |
| 31953 | Improvement of body composition and bone mineral density after enteral nutrition in pediatric Crohn disease. <i>Digestive and Liver Disease</i> , 2020, 52, 630-636.  | 0.4 | 8         |
| 31954 | Salivary cortisol measurement in horses: immunoassay or LC-MS/MS?. <i>Domestic Animal Endocrinology</i> , 2020, 72, 106445.   | 0.8 | 10        |
| 31955 | Measurement of scapular prominence in symptomatic dyskinesia using a novel scapulometer: reliability and the relationship to shoulder dysfunction. <i>Journal of Shoulder and Elbow Surgery</i> , 2020, 29, 1852-1858.          | 1.2 | 4         |
| 31956 | Evaluation of Particle Size Techniques to Support the Development of Manufacturing Scale Nanoparticles for Application in Pharmaceuticals. <i>Journal of Pharmaceutical Sciences</i> , 2020, 109, 2284-2293.                    | 1.6 | 10        |
| 31957 | Characterizing healthcare delivery in the United States using Census Bureau's County Business Patterns (2000-2016). <i>Infection Control and Hospital Epidemiology</i> , 2020, 41, 723-728.                                     | 1.0 | 2         |
| 31958 | Right Atrial Deformation Using Cardiovascular Magnetic Resonance Myocardial Feature Tracking Compared with Two-Dimensional Speckle Tracking Echocardiography in Healthy Volunteers. <i>Scientific Reports</i> , 2020, 10, 5237. | 1.6 | 24        |
| 31959 | Optical coherence tomography angiography as a novel approach to contactless evaluation of sublingual microcirculation: A proof of principle study. <i>Scientific Reports</i> , 2020, 10, 5408.                                  | 1.6 | 5         |
| 31960 | Cross-site and cross-platform variability of automated patch clamp assessments of drug effects on human cardiac currents in recombinant cells. <i>Scientific Reports</i> , 2020, 10, 5627.                                      | 1.6 | 32        |
| 31961 | A comprehensive guideline for Bland-Altman and intra class correlation calculations to properly compare two methods of measurement and interpret findings. <i>Physiological Measurement</i> , 2020, 41, 055012.                 | 1.2 | 56        |
| 31962 | Assessment of White Matter Integrity after Pediatric Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2020, 37, 2188-2197.   | 1.7 | 6         |
| 31963 | Detecting sleep using heart rate and motion data from multisensor consumer-grade wearables, relative to wrist actigraphy and polysomnography. <i>Sleep</i> , 2020, 43, .  | 0.6 | 95        |
| 31964 | Edge Intelligence: The Confluence of Edge Computing and Artificial Intelligence. <i>IEEE Internet of Things Journal</i> , 2020, 7, 7457-7469.   | 5.5 | 480       |
| 31965 | A Compact, Circularly Polarized Antenna for Human Activity Classification. , 2020, , .  |     | 0         |
| 31966 | Robust Observer Design for Two-Dimensional Discrete Positive Switched Systems With Delays. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2020, 67, 3297-3301.   | 2.2 | 8         |
| 31967 | An IoT-Based Cyber-Physical Framework for Turbine Assembly Systems. <i>IEEE Access</i> , 2020, 8, 59732-59740.  | 2.6 | 8         |
| 31968 | A comparative study of fibrinogen measurement using TEGÂ® functional fibrinogen and Clauss in adolescents undergoing scoliosis surgery. <i>International Journal of Laboratory Hematology</i> , 2020, 42, 380-386.              | 0.7 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 31969 | System accuracy evaluation of 18 CE-marked current-generation blood glucose monitoring systems based on EN ISO 15197:2015. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001067.                           | 1.2 | 28        |
| 31970 | Determination of minimal recording period to assess resting heart rate variability during pregnancy. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, 431-436.                                       | 0.9 | 2         |
| 31971 | A Method to Estimate Brain Volume from Head CT Images and Application to Detect Brain Atrophy in Alzheimer Disease. <i>American Journal of Neuroradiology</i> , 2020, 41, 224-230.                                  | 1.2 | 18        |
| 31972 | Estimation of Wave Condition Number From Pressure Waveform Alone and Its Changes With Advancing Age in Healthy Women and Men. <i>Frontiers in Physiology</i> , 2020, 11, 313.                                       | 1.3 | 6         |
| 31973 | Diversity in Metabolites and Fruit Quality Traits in Blueberry Enables Ploidy and Species Differentiation and Establishes a Strategy for Future Genetic Studies. <i>Frontiers in Plant Science</i> , 2020, 11, 370. | 1.7 | 24        |
| 31974 | Texture Evaluation of Automotive Coatings by Means of a Gonio-Hyperspectral Imaging System Based on Light-Emitting Diodes. <i>Coatings</i> , 2020, 10, 320.   | 1.2 | 2         |
| 31975 | Relative Validity of an Online Herb and Spice Consumption Questionnaire. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2757.   | 1.2 | 2         |
| 31976 | Model-Based Roentgen Stereophotogrammetric Analysis to Monitor the Headâ€”Taper Junction in Total Hip Arthroplasty in Vivoâ€”And They Do Move. <i>Materials</i> , 2020, 13, 1543.                                   | 1.3 | 2         |
| 31977 | Contactless Vital Signs Measurement System Using RGB-Thermal Image Sensors and Its Clinical Screening Test on Patients with Seasonal Influenza. <i>Sensors</i> , 2020, 20, 2171.                                    | 2.1 | 57        |
| 31978 | Is Continuous Heart Rate Monitoring of Livestock a Dream or Is It Realistic? A Review. <i>Sensors</i> , 2020, 20, 2291.   | 2.1 | 19        |
| 31979 | Evaluation of correlation between bioanalytical methods. <i>Bioanalysis</i> , 2020, 12, 419-426.  | 0.6 | 8         |
| 31980 | Accuracy and Reproducibility of Low-Dose Submillisievert Chest CT for the Diagnosis of COVID-19. <i>Radiology: Cardiothoracic Imaging</i> , 2020, 2, e200196.   | 0.9 | 103       |
| 31981 | Validity and reliability of State-Trait Anxiety Inventory in Danish women aged 45 years and older with abnormal cervical screening results. <i>BMC Medical Research Methodology</i> , 2020, 20, 89.                 | 1.4 | 32        |
| 31982 | Development of automatic measurement for patellar height based on deep learning and knee radiographs. <i>European Radiology</i> , 2020, 30, 4974-4984.  | 2.3 | 14        |
| 31983 | A new method measurement for finger range of motion using a smartphone. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2020, 54, 207-214.   | 0.4 | 12        |
| 31984 | LED&Paper-based analytical device for phosphatemia/calcemia diagnosticsâ†. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020, 186, 113321.  | 1.4 | 1         |
| 31985 | Mechanical power production assessment during weightlifting exercises. A systematic review. <i>Sports Biomechanics</i> , 2020, , 1-27.  | 0.8 | 5         |
| 31986 | Structural Characteristics Associated With Radiographic Severity of First Metatarsophalangeal Joint Osteoarthritis. <i>Arthritis Care and Research</i> , 2021, 73, 1023-1030.                                       | 1.5 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 31987 | How do EQ-5D-3L and EQ-5D-5L compare in a Swedish total hip replacement population?. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 272-278.  | 1.2 | 10        |
| 31988 | The Utility of the Sit-to-Stand Test for Inpatients in the Acute Hospital Setting After Lung Transplantation. Physical Therapy, 2020, 100, 1217-1228.  | 1.1 | 9         |
| 31989 | Comparison of a dual-frequency bioimpedance analyser with dual-energy X-ray absorptiometry for assessment of body composition in geriatric patients. Clinical Physiology and Functional Imaging, 2020, 40, 290-301.  | 0.5 | 7         |
| 31990 | A Comparative Study of Clinical vs. Digital Exophthalmometry Measurement Methods. Journal of Ophthalmology, 2020, 2020, 1-6.   | 0.6 | 6         |
| 31991 | Combining national survey with facility-based HIV testing data to obtain more accurate estimate of HIV prevalence in districts in Uganda. BMC Public Health, 2020, 20, 379.  | 1.2 | 14        |
| 31992 | Validation of self-reported height and weight in a large, nationwide cohort of U.S. adults. PLoS ONE, 2020, 15, e0231229.  | 1.1 | 144       |
| 31993 | <p>&lt;p>Agreement of a Short Form of the Self-Administered Multidimensional Prognostic Index (SELFY-MPI-SF): A Useful Tool for the Self-Assessment of Frailty in Community-Dwelling Older People</p>&lt;p>&lt;/p>. Clinical Interventions in Aging, 2020, Volume 15, 493-499.   | 1.3 | 11        |
| 31994 | Systematic comparison of four point-of-care methods versus the reference laboratory measurement of hemoglobin in the surgical ICU setting: a cross-sectional method comparison study. BMC Anesthesiology, 2020, 20, 92.  | 0.7 | 10        |
| 31995 | Assessing repeatability and reproducibility of Anterior Active Rhinomanometry (AAR) in children. BMC Medical Research Methodology, 2020, 20, 86.   | 1.4 | 19        |
| 31996 | Deep convolutional neural networks for automated segmentation of brain metastases trained on clinical data. Radiation Oncology, 2020, 15, 87.  | 1.2 | 68        |
| 31997 | The structure of cortical bone as revealed by the application of methods for the calcified matrix study. Microscopy Research and Technique, 2020, 83, 853-864.   | 1.2 | 1         |
| 31998 | Fracture Pattern Influences Radial Head Replacement Size Determination Among Experienced Elbow Surgeons. Indian Journal of Orthopaedics, 2020, 54, 539-547.  | 0.5 | 5         |
| 31999 | A new statistical methodology overcame the defects of the Bland-Altman method. Journal of Clinical Epidemiology, 2020, 124, 1-7.   | 2.4 | 17        |
| 32000 | A novel split mode TFBAR device for quantitative measurements of prostate specific antigen in a small sample of whole blood. Nanoscale, 2020, 12, 9647-9652.   | 2.8 | 6         |
| 32001 | Canal Flare Index in the Canine Femur Is Influenced by the Measurement Method. Veterinary and Comparative Orthopaedics and Traumatology, 2020, 33, 198-204.  | 0.2 | 5         |
| 32002 | Speckle tracking deformation imaging to detect regional fibrosis in hypertrophic cardiomyopathy: a comparison between 2D and 3D echo modalities. European Heart Journal Cardiovascular Imaging, 2020, 21, 1262-1272.   | 0.5 | 24        |
| 32003 | Comparison of a handheld turbine spirometer to conventional spirometry in children with cystic fibrosis. Pediatric Pulmonology, 2020, 55, 1394-1399.   | 1.0 | 13        |
| 32004 | Prospective PED-study of intravitreal aflibercept for refractory vascularized pigment epithelium detachment due to age-related macular degeneration: morphologic characteristics of non-responders in optical coherence tomography. Graefes Archive for Clinical and Experimental Ophthalmology, 2020, 258, 1411-1417. | 1.0 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32005 | Cross-cultural adaption and validation of simplified Chinese version of the lower extremity function scale in patients with knee osteoarthritis. <i>Clinical Rheumatology</i> , 2020, 39, 3041-3048.                                     | 1.0 | 2         |
| 32006 | Quantitative measurement of atheroma burden: reproducibility in serial studies of atherosclerotic femoral arteries. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2020, 33, 855-863.                           | 1.1 | 0         |
| 32007 | Editorial Commentary: I Am Not a Number! I Am a Resident! Can the Assessment of Surgical Skill Be Reduced to a Score?. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 1174-1175.                           | 1.3 | 0         |
| 32008 | Foot contact identification using a single triaxial accelerometer during running. <i>Journal of Biomechanics</i> , 2020, 105, 109768.  | 0.9 | 15        |
| 32009 | Validity of the Genourob arthrometer in the evaluation of total thickness tears of anterior cruciate ligament. <i>Journal of Orthopaedics</i> , 2020, 22, 203-206.   | 0.6 | 9         |
| 32010 | Proposal for a Core Outcome Set of Measurement Instruments to Assess Quality of Voice in Adductor Spasmodic Dysphonia Based on a Literature Review. <i>Journal of Voice</i> , 2021, 35, 933.e7-933.e21.                                  | 0.6 | 3         |
| 32011 | Predictive equations are inaccurate to assess caloric needs in non-white adults from Chile. <i>Nutrition</i> , 2020, 78, 110840.   | 1.1 | 4         |
| 32012 | Validity and Reliability of a Piezoelectric Pedometer for Measuring Physical Activity in Children. <i>Measurement in Physical Education and Exercise Science</i> , 2020, 24, 157-164.  | 1.3 | 0         |
| 32013 | The accuracy of commercially available upper and lower body bioelectrical impedance analyzers in men and women. <i>Biomedical Physics and Engineering Express</i> , 2020, 6, 035017.   | 0.6 | 4         |
| 32014 | A Single-Center Prospective Observational Study Comparing Resting Energy Expenditure in Different Phases of Critical Illness. <i>Critical Care Medicine</i> , 2020, 48, e380-e390.   | 0.4 | 14        |
| 32015 | Wireless Transmitter Identification Using Multicore Path Network. , 2020, , .  |     | 0         |
| 32016 | Quantitative Estimation of Passive Elastic Properties of Individual Skeletal Muscle <i>in Vivo</i> Using Normalized Elastic Modulus-Length Curve. <i>IEEE Transactions on Biomedical Engineering</i> , 2020, 67, 3371-3379.              | 2.5 | 5         |
| 32017 | Venous sample is superior to repeated skinâ€prick testing in blood donor haemoglobin secondâ€line screening. <i>Vox Sanguinis</i> , 2020, 115, 617-623.  | 0.7 | 5         |
| 32018 | Seizure First Aid Training For people with Epilepsy (SAFE) frequently attending emergency departments and their significant others: results of a UK multi-centre randomised controlled pilot trial. <i>BMJ Open</i> , 2020, 10, e035516. | 0.8 | 1         |
| 32019 | Preference-based measures of health-related quality of life in congenital mobility impairment: a systematic review of validity and responsiveness. <i>Health Economics Review</i> , 2020, 10, 9.   | 0.8 | 9         |
| 32020 | Estimating cognitive function in elderly people using information from outdoor walking. <i>Journal of Biomechanical Science and Engineering</i> , 2020, 15, 19-00491-19-00491.   | 0.1 | 2         |
| 32021 | Validation of the Polar OH1 and M600 optical heart rate sensors during front crawl swim training. <i>PLoS ONE</i> , 2020, 15, e0231522.  | 1.1 | 15        |
| 32022 | Reliability and validity of measuring grip strength with a robotic-assisted device in patients after stroke. <i>International Journal of Therapy and Rehabilitation</i> , 2020, 27, 1-10.  | 0.1 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32023 | Reproducibility, and repeatability of corneal topography measured by Revo NX, Galilei G6 and Casia 2 in normal eyes. PLoS ONE, 2020, 15, e0230589.  | 1.1 | 24        |
| 32024 | Cross-cultural adaptation and psychometric testing of the Arabic version of the Modified Low Back Pain Disability Questionnaire. PLoS ONE, 2020, 15, e0231382.  | 1.1 | 9         |
| 32025 | Brain Morphometry Estimation: From Hours to Seconds Using Deep Learning. Frontiers in Neurology, 2020, 11, 244.   | 1.1 | 14        |
| 32026 | Validation of a Device to Measure Knee Joint Angles for a Dynamic Movement. Sensors, 2020, 20, 1747.  | 2.1 | 20        |
| 32027 | Enhancing the Robustness of Smartphone Photoplethysmography: A Signal Quality Index Approach. Sensors, 2020, 20, 1923.  | 2.1 | 14        |
| 32028 | Non-contact infrared versus axillary and tympanic thermometers in children attending primary care: a mixed-methods study of accuracy and acceptability. British Journal of General Practice, 2020, 70, e236-e244.   | 0.7 | 13        |
| 32029 | Simultaneous Mapping of $T_1$ and $T_2$ Using Cardiac Magnetic Resonance Fingerprinting in a Cohort of Healthy Subjects at 1.5T. Journal of Magnetic Resonance Imaging, 2020, 52, 1044-1052.  | 1.9 | 31        |
| 32030 | The vestibulo-masseteric reflex and the acoustic-masseteric reflex: a reliability and responsiveness study in healthy subjects. Experimental Brain Research, 2020, 238, 1769-1779.  | 0.7 | 5         |
| 32031 | Measurement of range-of-motion in infants with indications of upper cervical dysfunction using the Flexion-Rotation-Test and Lateral-Flexion-Test: a blinded inter-rater reliability study in a clinical practice setting. Journal of Manual and Manipulative Therapy, 2021, 29, 40-50. | 0.7 | 3         |
| 32032 | Multiparametric Renal MRI: An Intrasubject Test-Retest Repeatability Study. Journal of Magnetic Resonance Imaging, 2021, 53, 859-873.   | 1.9 | 26        |
| 32033 | The English Knee Self-Efficacy Scale is a valid and reliable measure for knee-specific self-efficacy in individuals with a sport-related knee injury in the past 5 years. Knee Surgery, Sports Traumatology, Arthroscopy, 2021, 29, 616-626.  | 2.3 | 12        |
| 32034 | Mobility Assessment under Dual Task Conditions in Women With Fibromyalgia: A Test-Retest Reliability Study. PM and R, 2021, 13, 66-72.  | 0.9 | 4         |
| 32035 | Accurate end systole detection in diastolic notch-less arterial pressure waveforms. Journal of Clinical Monitoring and Computing, 2021, 35, 79-88.  | 0.7 | 8         |
| 32036 | A New Method for Assessment of Retronasal Olfactory Function. Laryngoscope, 2021, 131, E324-E330.   | 1.1 | 18        |
| 32037 | Considerations for multi-centre conditioned pain modulation (CPM) research; an investigation of the inter-rater reliability, level of agreement and confounders for the Achilles tendon and Triceps Surae. British Journal of Pain, 2021, 15, 91-101.                                   | 0.7 | 4         |
| 32038 | Validity of Plate Diagrams for Estimation of Energy and Protein Intake of Nursing Home Residents Receiving Texture-Modified Diet: An enable Study. Journal of the American Medical Directors Association, 2021, 22, 630-635.  | 1.2 | 6         |
| 32039 | Stability of occlusal outcome during long-term retention: the time-dependent variation of the American Board of Orthodontics index. European Journal of Orthodontics, 2021, 43, 1-7.  | 1.1 | 10        |
| 32040 | Fetal cerebellar growth and Sylvian fissure maturation: international standards from Fetal Growth Longitudinal Study of INTERGROWTH-21c Project. Ultrasound in Obstetrics and Gynecology, 2021, 57, 614-623.  | 0.9 | 13        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32041 | Are we ready to measure running power? Repeatability and concurrent validity of five commercial technologies. <i>European Journal of Sport Science</i> , 2021, 21, 341-350.   | 1.4 | 41        |
| 32042 | Metrology part 1: definition of quality criteria. <i>Journal of Clinical Monitoring and Computing</i> , 2021, 35, 17-25.  | 0.7 | 22        |
| 32043 | Metrology part 2: Procedures for the validation of major measurement quality criteria and measuring instrument properties. <i>Journal of Clinical Monitoring and Computing</i> , 2021, 35, 27-37.   | 0.7 | 11        |
| 32044 | Comparison between provocative test-based and long-term intraocular pressure parameters in patients with stable open-angle glaucoma. <i>European Journal of Ophthalmology</i> , 2021, 31, 453-459.  | 0.7 | 0         |
| 32045 | Validation process of a high-resolution database in a paediatric intensive care unit "Describing the perpetual patient's validation. <i>Journal of Evaluation in Clinical Practice</i> , 2021, 27, 316-324.   | 0.9 | 6         |
| 32046 | The upper airway volume effects produced by Hyrax, Hybrid-Hyrax, and Keles keyless expanders: a single-centre randomized controlled trial. <i>European Journal of Orthodontics</i> , 2021, 43, 254-264.   | 1.1 | 14        |
| 32047 | Faecal calprotectin and gut microbiota do not predict enteropathy in very preterm infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 109-116.  | 0.7 | 8         |
| 32048 | Preliminary study: evaluating the reliability of CBCT images for tongue space measurements in the field of orthodontics. <i>Oral Radiology</i> , 2021, 37, 256-266.   | 0.9 | 3         |
| 32049 | The impact of obesity on orthodontic treatment outcome in adolescents: a prospective clinical cohort study. <i>European Journal of Orthodontics</i> , 2021, 43, 165-172.  | 1.1 | 2         |
| 32050 | Importance of total and measured free testosterone in diagnosis of male hypogonadism: immunoassay versus mass spectrometry in a population of healthy young/middle-aged blood donors. <i>Journal of Endocrinological Investigation</i> , 2021, 44, 321-326. | 1.8 | 5         |
| 32051 | Are Groundwater Level Data Collected by Citizen Scientists Trustworthy? A Cautionary Tale. <i>Ground Water</i> , 2021, 59, 123-130.   | 0.7 | 4         |
| 32052 | Accuracy of Wearable Devices for Measuring Heart Rate During Conventional and Nordic Walking. <i>PM and R</i> , 2021, 13, 379-386.  | 0.9 | 11        |
| 32053 | The Turkish version of the Neck Bournemouth Questionnaire in patients with chronic neck pain: a cultural adaptation, reliability, and validity study. <i>Archives of Medical Science</i> , 2021, 17, 708-713.   | 0.4 | 5         |
| 32054 | Prevalence of high blood pressure among Canadian Children: 2017 American Academy of Pediatrics guidelines with the Canadian Health Measures Survey. <i>Paediatrics and Child Health</i> , 2021, 26, e158-e165.  | 0.3 | 7         |
| 32055 | Validation and comparison of four handheld tonometers in normal ex vivo canine eyes. <i>Veterinary Ophthalmology</i> , 2021, 24, 162-170.   | 0.6 | 9         |
| 32056 | What if I am the one? Measuring individual differences in emotional sensitivity to probability and emotional reactivity to possibility. <i>Journal of Behavioral Decision Making</i> , 2021, 34, 3-19.  | 1.0 | 2         |
| 32057 | Assessing Agreement between the K10 and MHI-5 Measures of Psychological Wellbeing. <i>Applied Research in Quality of Life</i> , 2021, 16, 1753-1766.  | 1.4 | 3         |
| 32058 | Hamstring to quadriceps strength ratio and cross-sectional area of the quadriceps and hamstrings muscles assessed using extended field-of-view ultrasonography. <i>Research in Sports Medicine</i> , 2021, 29, 25-42.                                       | 0.7 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32059 | A novel minimal-contact biomotion method for long-term respiratory rate monitoring. <i>Sleep and Breathing</i> , 2021, 25, 145-149.  | 0.9 | 6         |
| 32060 | Effect of QT interval prolongation on cardiac arrest following liver transplantation and derivation of a risk index. <i>American Journal of Transplantation</i> , 2021, 21, 593-603.   | 2.6 | 15        |
| 32061 | Sodium and salt content of Portuguese rolls produced in a city of southern Brazil: a comparison of laboratory analysis, food labelling and nutrition standards. <i>Public Health Nutrition</i> , 2021, 24, 1-8.                          | 1.1 | 0         |
| 32062 | Intra- and inter-rater reliability of urethral mobility measurement by ultrasound in women: a cross-section study. <i>International Urogynecology Journal</i> , 2021, 32, 119-125.   | 0.7 | 0         |
| 32063 | Choosing a Mobile Sensor Technology for a Clinical Trial: Statistical Considerations, Developments and Learnings. <i>Therapeutic Innovation and Regulatory Science</i> , 2021, 55, 38-47.  | 0.8 | 3         |
| 32064 | Evaluating Correlations of Coracohumeral Ligament Thickness with Restricted Shoulder Range of Motion and Clinical Duration of Adhesive Capsulitis with Ultrasound Measurements. <i>PM and R</i> , 2021, 13, 461-469.                     | 0.9 | 8         |
| 32065 | Development and Validation of a Simple Ultrasound Activity Score for Crohn's Disease. <i>Journal of Crohn's and Colitis</i> , 2021, 15, 115-124.   | 0.6 | 52        |
| 32066 | A Comparison of Applanation and Rebound Tonometers in Young Chicks. <i>Current Eye Research</i> , 2021, 46, 71-77.   | 0.7 | 3         |
| 32067 | Comparing the Mutual Interchangeability of ECOM, FloTrac/Vigileo, 3D-TEE, and ITD-PAC Cardiac Output Measuring Systems in Coronary Artery Bypass Grafting. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021, 35, 514-529. | 0.6 | 11        |
| 32068 | Multidimensional Ground Reaction Forces and Moments From Wearable Sensor Accelerations via Deep Learning. <i>IEEE Transactions on Biomedical Engineering</i> , 2021, 68, 289-297.  | 2.5 | 63        |
| 32069 | Doug Altman: Driving critical appraisal and improvements in the quality of methodological and medical research. <i>Biometrical Journal</i> , 2021, 63, 226-246.  | 0.6 | 6         |
| 32070 | The usefulness of non-invasive co-oximetry haemoglobin measurement for screening preoperative anaemia. <i>Anaesthesia</i> , 2021, 76, 54-60.   | 1.8 | 7         |
| 32071 | The geodetic detection of the variable load impact on the earth-filled structure. <i>Applied Geomatics</i> , 2021, 13, 19-35.  | 1.2 | 2         |
| 32072 | Accuracy of Apple Watch fitness tracker for wheelchair use varies according to movement frequency and task. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021, 64, 101382.  | 1.1 | 12        |
| 32073 | Arterial Partial Pressures of Carbon Dioxide Estimation Using Non-Invasive Parameters in Mechanically Ventilated Children. <i>IEEE Transactions on Biomedical Engineering</i> , 2021, 68, 161-169.                                       | 2.5 | 3         |
| 32074 | Comparison of a Continuous Noninvasive Temperature to Monitor Core Temperature Measures During Targeted Temperature Management. <i>Neurocritical Care</i> , 2021, 34, 449-455.   | 1.2 | 9         |
| 32075 | [11C]PBR28 MR PET imaging reveals lower regional brain expression of translocator protein (TSPO) in young adult males with autism spectrum disorder. <i>Molecular Psychiatry</i> , 2021, 26, 1659-1669.                                  | 4.1 | 35        |
| 32076 | Test-Retest Reliability and Temporal Agreement of Direct and Indirect Sexual Interest Measures. <i>Sexual Abuse: Journal of Research and Treatment</i> , 2021, 33, 339-360.  | 0.9 | 9         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32077 | Validity of Wearable Electromyographical Compression Shorts to Predict Lactate Threshold During Incremental Exercise in Healthy Subjects. <i>Journal of Strength and Conditioning Research</i> , 2021, 35, 702-708.                        | 1.0 | 1         |
| 32078 | The reliability and concurrent validity of a new iPhone® application for measuring active lumbar spine flexion and extension range of motion in patients with low back pain. <i>Physiotherapy Theory and Practice</i> , 2021, 37, 204-217. | 0.6 | 8         |
| 32079 | Criterion validity of assessment methods to estimate body composition in children with cerebral palsy: A systematic review. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021, 64, 101271.                                      | 1.1 | 13        |
| 32080 | Assessment of BOLD response in the fetal lung. <i>European Radiology</i> , 2021, 31, 3090-3097.  | 2.3 | 3         |
| 32081 | “Expedited Interhemispheric Inhibition”™: A Simple Method to Collect Additional IHI Data in the Same Amount of Time. <i>Brain Topography</i> , 2021, 34, 1-5.  | 0.8 | 3         |
| 32082 | Impairment of right ventricular strain evaluated by cardiovascular magnetic resonance feature tracking in patients with interstitial lung disease. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 1073-1083.           | 0.7 | 2         |
| 32083 | Characterising the orientation-specific pattern-onset visual evoked potentials in children with bilateral refractive amblyopia and non-amblyopic controls. <i>Documenta Ophthalmologica</i> , 2021, 142, 197-211.                          | 1.0 | 3         |
| 32084 | Comparison of sample preparation methods, validation of an UPLC-MS/MS procedure for the quantification of cyclosporine A in whole blood sample. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 193, 113672.              | 1.4 | 3         |
| 32085 | Comparison of Simultaneous Measurements of Forelimb and Hindlimb Systolic Blood Pressure in Conscious Dogs. <i>Topics in Companion Animal Medicine</i> , 2021, 42, 100492.   | 0.4 | 0         |
| 32086 | Biomechanical agreement between different imitation jumps and hill jumps in ski jumping. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 115-123.  | 1.3 | 2         |
| 32087 | Individual, expected diameters of the ascending aorta and prevalence of dilations in a study-population aged 60-74 years: a DANCAVAS substudy. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 971-980.                 | 0.7 | 6         |
| 32088 | Towards in vivo g-ratio mapping using MRI: Unifying myelin and diffusion imaging. <i>Journal of Neuroscience Methods</i> , 2021, 348, 108990.  | 1.3 | 40        |
| 32089 | Correlation and accuracy of contrast-enhanced computed tomography in assessing depth of invasion of oral tongue carcinoma. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2021, 50, 718-724.                             | 0.7 | 9         |
| 32090 | Repeatability of total Keratometry and standard Keratometry by the IOLMaster 700 and comparison to total corneal astigmatism by Scheimpflug imaging. <i>Eye</i> , 2021, 35, 307-315.   | 1.1 | 29        |
| 32091 | Automated Noninvasive Central Blood Pressure Measurements by Oscillometric Radial Pulse Wave Analysis: Results of the MEASURE-cBP Validation Studies. <i>American Journal of Hypertension</i> , 2021, 34, 383-393.                         | 1.0 | 6         |
| 32092 | Deep learning reconstruction for cardiac magnetic resonance fingerprinting T <sub>1</sub> and T <sub>2</sub> mapping. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 2127-2135.   | 1.9 | 29        |
| 32093 | Factors to influence the accuracy of albumin adjusted free valproic acid concentration. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 1114-1120.   | 0.8 | 5         |
| 32094 | Predicting human glucose response curve using an engineered small intestine system in combination with mathematical modeling. <i>Journal of Food Engineering</i> , 2021, 293, 110395.  | 2.7 | 6         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32095 | Comparison of body temperature using digital, infrared, and tympanic thermometry in healthy ferrets ( <i>Mustela putorius furo</i> ). <i>Journal of Exotic Pet Medicine</i> , 2021, 36, 16-21.  | 0.2 | 7         |
| 32096 | Mapping the rest of the human connectome: Atlasing the spinal cord and peripheral nervous system. <i>NeuroImage</i> , 2021, 225, 117478.  | 2.1 | 5         |
| 32097 | Assessment of knee kinematics with dynamic radiostereometry: Validation of an automated model-based method of analysis using bone models. <i>Journal of Orthopaedic Research</i> , 2021, 39, 597-608.   | 1.2 | 8         |
| 32098 | The effect of a split portion of flaxseed on 24-h blood glucose response. <i>European Journal of Nutrition</i> , 2021, 60, 1363-1373.   | 1.8 | 9         |
| 32099 | Proof of Concept for a New Raman-Based Prototype for Noninvasive Glucose Monitoring. <i>Journal of Diabetes Science and Technology</i> , 2021, 15, 11-18.   | 1.3 | 21        |
| 32100 | Translation and cross-cultural adaptation of the Charcot-Marie-Tooth disease Pediatric Scale to Brazilian Portuguese and determination of its measurement properties. <i>Brazilian Journal of Physical Therapy</i> , 2021, 25, 303-310.       | 1.1 | 7         |
| 32101 | Geometric and Dosimetric Evaluation of a Commercially Available Auto-segmentation Tool for Gross Tumour Volume Delineation in Locally Advanced Non-small Cell Lung Cancer: a Feasibility Study. <i>Clinical Oncology</i> , 2021, 33, 155-162. | 0.6 | 4         |
| 32102 | Feasibility and concurrent validity of a cardiorespiratory fitness test based on the adaptation of the original 20 m shuttle run: The 20 m shuttle run with music. <i>Journal of Sports Sciences</i> , 2021, 39, 57-63.                       | 1.0 | 3         |
| 32103 | Quantification of maximal power output in well-trained cyclists. <i>Journal of Sports Sciences</i> , 2021, 39, 84-90.   | 1.0 | 6         |
| 32104 | Effect of tidal volume and end tracheal tube leakage on end-tidal CO <sub>2</sub> in very low birth weight infants. <i>Journal of Perinatology</i> , 2021, 41, 47-52.   | 0.9 | 2         |
| 32105 | Effect of renal denervation in attenuating the stress of morning surge in blood pressure: post-hoc analysis from the SPYRAL HTN-ON MED trial. <i>Clinical Research in Cardiology</i> , 2021, 110, 725-731.                                    | 1.5 | 17        |
| 32106 | Fat-free Mass Bioelectrical Impedance Analysis Predictive Equation for Athletes using a 4-Compartment Model. <i>International Journal of Sports Medicine</i> , 2021, 42, 27-32.   | 0.8 | 29        |
| 32107 | Agreement Between the Iron Path App and a Linear Position Transducer for Measuring Average Concentric Velocity and Range of Motion of Barbell Exercises. <i>Journal of Strength and Conditioning Research</i> , 2021, 35, S95-S101.           | 1.0 | 7         |
| 32108 | Discrepancies in self-reported and actigraphy-based sleep duration are associated with self-reported insomnia symptoms in community-dwelling older adults. <i>Sleep Health</i> , 2021, 7, 83-92.  | 1.3 | 20        |
| 32109 | Comparing oscillometric and tonometric methods to assess pulse wave velocity: a population-based study. <i>Annals of Medicine</i> , 2021, 53, 1-16.   | 1.5 | 21        |
| 32110 | A culture-sensitive semi-quantitative FFQ for use among the adult population in Nairobi, Kenya: development, validity and reproducibility. <i>Public Health Nutrition</i> , 2021, 24, 834-844.  | 1.1 | 4         |
| 32111 | The German version of Child Perceptions Questionnaire for children aged 8 to 10 years (CPQ-G8-10): translation, reliability, and validity. <i>Clinical Oral Investigations</i> , 2021, 25, 1433-1439.   | 1.4 | 9         |
| 32112 | Adaptation, validation and reproducibility of a short FFQ to assess food group intake in the population resident in the Basque country (Spain). <i>Public Health Nutrition</i> , 2021, 24, 436-448.   | 1.1 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32113 | The Reliability and Validity of the Korean Version of the Mood and Feelings Questionnaire for Depression in Youth: A Cross-Cultural Perspective. <i>Child Psychiatry and Human Development</i> , 2021, 52, 399-408.                                       | 1.1 | 5         |
| 32114 | Evaluation of a flash glucose monitoring system in dogs with diabetic ketoacidosis. <i>Domestic Animal Endocrinology</i> , 2021, 74, 106525.  | 0.8 | 12        |
| 32115 | Diagnostic accuracy of automated oscillometric determination of the ankle-brachial index in peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2021, 73, 652-660.  | 0.6 | 10        |
| 32116 | A novel method for measuring absolute coronary blood flow and microvascular resistance in patients with ischaemic heart disease. <i>Cardiovascular Research</i> , 2021, 117, 1567-1577.   | 1.8 | 32        |
| 32117 | Back pain attitudes questionnaire: Cross-cultural adaptation to brazilian-portuguese and measurement properties. <i>Brazilian Journal of Physical Therapy</i> , 2021, 25, 271-280.  | 1.1 | 11        |
| 32118 | Measurement of tibial tuberosityâ€”trochlear groove distance by MRI: assessment and correction of knee positioning errors. <i>Skeletal Radiology</i> , 2021, 50, 751-759.   | 1.2 | 5         |
| 32119 | Fundus-controlled perimetry (microperimetry): Application as outcome measure in clinical trials. <i>Progress in Retinal and Eye Research</i> , 2021, 82, 100907.  | 7.3 | 55        |
| 32120 | Portable Pocket-Sized Ultrasound Scanner for the Evaluation of Lung Involvement in Coronavirus Disease 2019 Patients. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 19-24.  | 0.7 | 26        |
| 32121 | Interchangeability of Two Electrode Placement Protocols Used by Bioimpedance Spectroscopy Devices in the Detection of Breast Cancer-Related Lymphedema. <i>Lymphatic Research and Biology</i> , 2021, 19, 181-188.  | 0.5 | 1         |
| 32122 | Anthropometric and bioimpedance equations for fat and fat-free mass in Chilean children 7â€”9 years of age. <i>British Journal of Nutrition</i> , 2021, 126, 37-42.   | 1.2 | 3         |
| 32123 | Reliability of Smartphone Pulse Oximetry in Subjects at Risk for Hypoxemia. <i>Respiratory Care</i> , 2021, 66, 384-390.  | 0.8 | 10        |
| 32124 | Comparison of perfused volume segmentation between cone-beam CT and 99mTc-MAA SPECT/CT for treatment dosimetry before selective internal radiation therapy using 90Y-glass microspheres. <i>Diagnostic and Interventional Imaging</i> , 2021, 102, 45-52. | 1.8 | 16        |
| 32125 | Hepatic magnetic resonance T1-mapping and extracellular volume fraction compared to shear-wave elastography in pediatric Fontan-associated liver disease. <i>Pediatric Radiology</i> , 2021, 51, 66-76.   | 1.1 | 13        |
| 32126 | Dose individualisation in oncology using chemotherapyâ€”induced neutropenia: Example of docetaxel in nonâ€”small cell lung cancer patients. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 2053-2063.  | 1.1 | 3         |
| 32127 | Relative validity and reliability of a novel diet quality assessment tool for athletes: the Athlete Diet Index. <i>British Journal of Nutrition</i> , 2021, 126, 307-319.   | 1.2 | 4         |
| 32128 | Magnitude and Variability of Stroke Patient-Proxy Disagreement Across Multiple Health Domains. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 440-447.  | 0.5 | 12        |
| 32129 | Characterization of chondroitinaseâ€”induced lumbar intervertebral disc degeneration in a sheep model intended for assessing biomaterials. <i>Journal of Biomedical Materials Research - Part A</i> , 2021, 109, 1232-1246.                               | 2.1 | 9         |
| 32130 | Evaluation of the interrater and intermethod agreement of the German multiparametric ultrasound criteria for the grading of internal carotid artery stenosis. <i>Neuroradiology</i> , 2021, 63, 519-528.  | 1.1 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32131 | Agreement between wedged hepatic venous pressure and portal pressure in non-alcoholic steatohepatitis-related cirrhosis. <i>Journal of Hepatology</i> , 2021, 74, 811-818.  | 1.8 | 55        |
| 32132 | Ruggedized Color Measurement for Beer, Wort, and Malt. <i>Journal of the American Society of Brewing Chemists</i> , 2021, 79, 41-45.  | 0.8 | 3         |
| 32133 | Validity and Consistency of Concurrent Extraction of Gait Features Using Inertial Measurement Units and Motion Capture System. <i>IEEE Sensors Journal</i> , 2021, 21, 1625-1634.                                 | 2.4 | 12        |
| 32134 | Estimating central blood pressure from aortic flow: development and assessment of algorithms. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021, 320, H494-H510.                    | 1.5 | 19        |
| 32135 | Prevalence of pulmonary hypertension in adults after atrial switch and role of ventricular filling pressures. <i>Heart</i> , 2021, 107, 468-473.  | 1.2 | 6         |
| 32136 | A MoS <sub>2</sub> @Ti <sub>3</sub> C <sub>2</sub> Tx MXene hybrid-based electrochemical aptasensor (MEA) for sensitive and rapid detection of Thyroxine. <i>Bioelectrochemistry</i> , 2021, 137, 107674.         | 2.4 | 42        |
| 32137 | Femoral neck shaft angle in relation to the location of femoral stress fracture in young military recruits: femoral head versus femoral neck stress fracture. <i>Skeletal Radiology</i> , 2021, 50, 1163-1168.    | 1.2 | 8         |
| 32138 | DBAN: Adversarial Network With Multi-Scale Features for Cardiac MRI Segmentation. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2021, 25, 2018-2028.   | 3.9 | 17        |
| 32139 | Intersite reliability of vertebral bone marrow lipidomics-derived lipid composition among children with varying degrees of bone fragility undergoing routine orthopedic surgery. <i>Bone</i> , 2021, 143, 115633. | 1.4 | 3         |
| 32140 | An investigation of the measurement properties of the de Morton Mobility Index for measuring mobility capacity in hospital patients with Parkinson's disease. <i>Clinical Rehabilitation</i> , 2021, 35, 423-435. | 1.0 | 2         |
| 32141 | Reliability and Validity of Pupillary Response During Dual-Task Balance in Parkinson Disease. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 448-455.                                       | 0.5 | 9         |
| 32142 | The analysis of cannabinoids in cannabis samples by supercritical fluid chromatography and ultra-high performance liquid chromatography: A comparison study. <i>Analytical Science Advances</i> , 2021, 2, 2-14.  | 1.2 | 9         |
| 32143 | Quantification of MRI T <sub>2</sub> Interstitial Lung Disease Signal Intensity Volume in Idiopathic Pulmonary Fibrosis: A Pilot Study. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 53, 1500-1507.       | 1.9 | 7         |
| 32144 | A MATLAB App to Assess, Compare and Validate New Methods Against Their Benchmarks. <i>IFMBE Proceedings</i> , 2021, , 10-21.  | 0.2 | 0         |
| 32145 | Determining individual trajectories of joint space loss: improved statistical methods for monitoring knee osteoarthritis disease progression. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 59-67.              | 0.6 | 1         |
| 32146 | FODMAP project: Development, validation and reproducibility of a short food frequency questionnaire to estimate consumption of fermentable carbohydrates. <i>Clinical Nutrition</i> , 2021, 40, 3409-3420.        | 2.3 | 4         |
| 32147 | Reliability in ultrasound measurements of plantar aponeurosis thickness. <i>Foot</i> , 2021, 46, 101749.  | 0.4 | 1         |
| 32148 | Open versus closed view autorefraction in young adults. <i>Journal of Optometry</i> , 2021, 14, 86-91.  | 0.7 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32149 | An impedance pneumography signal quality index: Design, assessment and application to respiratory rate monitoring. <i>Biomedical Signal Processing and Control</i> , 2021, 65, 102339.  | 3.5 | 34        |
| 32150 | Clinical Feasibility of Quantitative Ultrasound Imaging for Suspected Hepatic Steatosis: Intra- and Inter-examiner Reliability and Correlation with Controlled Attenuation Parameter. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 438-445.                  | 0.7 | 19        |
| 32151 | Joint laxity in canine hip dysplasia assessed using the hip flexed not distracted ventrodorsal view. <i>Journal of Small Animal Practice</i> , 2021, 62, 187-193.   | 0.5 | 3         |
| 32152 | Incidental pancreatic cystic lesions: comparison between CT with model-based algorithm and MRI. <i>Radiography</i> , 2021, 27, 554-560.   | 1.1 | 5         |
| 32153 | Use of Magneto Plethysmogram Sensor for Real-Time Estimation of Hemoglobin Concentration. <i>IEEE Sensors Journal</i> , 2021, 21, 4405-4411.  | 2.4 | 3         |
| 32154 | Repeatability and reliability of GABA measurements with magnetic resonance spectroscopy in healthy young adults. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 2359-2369.   | 1.9 | 20        |
| 32155 | Free-breathing diffusion tensor MRI of the whole left ventricle using second-order motion compensation and multitasking respiratory motion correction. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 2634-2648.   | 1.9 | 16        |
| 32156 | Quantitation using HRMS: A new tool for rapid, specific and sensitive determination of catecholamines and deconjugated methanephrines in urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021, 1166, 122391. | 1.2 | 5         |
| 32157 | Effect of Systemic Vascular Resistance on the Reliability of Noninvasive Hemodynamic Monitoring in Cardiac Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021, 35, 1782-1791.   | 0.6 | 7         |
| 32158 | Reliability of a point-of-care device to determine oxidative stress in whole blood before and after acute exercise: A practical approach for the applied sports sciences. <i>Journal of Sports Sciences</i> , 2021, 39, 673-682.                                      | 1.0 | 5         |
| 32159 | Non-invasive haemoglobin measurement as an index test to detect pre-operative anaemia in elective surgery patients – a prospective study. <i>Anaesthesia</i> , 2021, 76, 647-654.   | 1.8 | 7         |
| 32160 | Age- and sex-dependent clinical equations to estimate glomerular filtration rates in children and young adults with chronic kidney disease. <i>Kidney International</i> , 2021, 99, 948-956.  | 2.6 | 150       |
| 32161 | Studying bone mineral density in young people: The complexity of choosing a pQCT reference database. <i>Bone</i> , 2021, 143, 115713.   | 1.4 | 4         |
| 32162 | Difference of vascular healing between bioabsorbable-polymer and durable-polymer new generation drug-eluting stents: an optical coherence tomographic analysis. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 1131-1141.                         | 0.7 | 4         |
| 32163 | Evaluating and Comparing Behavioural and Electrophysiological Estimates of Neural Health in Cochlear Implant Users. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2021, 22, 67-80.  | 0.9 | 17        |
| 32164 | Measuring nested frequency of plants from digital images with SampleFreq. <i>Ecological Indicators</i> , 2021, 121, 106946.   | 2.6 | 1         |
| 32165 | A new assay for quantitative detection of hepatitis A virus. <i>Journal of Virological Methods</i> , 2021, 288, 114010.   | 1.0 | 12        |
| 32166 | Non-weightbearing imaging and standard knee radiographs are inferior to formal alignment radiographs for calculating coronal alignment of the knee. <i>Radiography</i> , 2021, 27, 260-265.   | 1.1 | 6         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32167 | <sc>3D Oxygenâ€Enhanced MRI</sc> at <sc>3T MR</sc> System: Comparison With <sc>Thinâ€Section CT</sc> of Quantitative Capability for Pulmonary Functional Loss Assessment and Clinical Stage Classification of <sc>COPD</sc> in Smokers. Journal of Magnetic Resonance Imaging, 2021, 53, 1042-1051. | 1.9 | 12        |
| 32168 | Arterial and endâ€tidal carbon dioxide partial pressure difference during prehospital anaesthesia in critically ill patients. Acta Anaesthesiologica Scandinavica, 2021, 65, 534-539.   | 0.7 | 4         |
| 32169 | Reproducibility of Aorta Segmentation on <sc>4D</sc> Flow <sc>MRI</sc> in Healthy Volunteers. Journal of Magnetic Resonance Imaging, 2021, 53, 1268-1279.   | 1.9 | 22        |
| 32170 | Measurement of methotrexate in human cerebrospinal fluid using a chemiluminescence immunoassay intended for serum and plasma matrices. Journal of Clinical Laboratory Analysis, 2021, 35, e23661.   | 0.9 | 5         |
| 32171 | Serum calcium determination with atomic absorption spectrophotometry and colorimetric method: association and predictive equations between them in cattle and sheep samples. Comparative Clinical Pathology, 2021, 30, 11-15.   | 0.3 | 1         |
| 32172 | Cross-validation of prediction equations for estimating the body fat percentage in adults with obesity. Clinical Nutrition ESPEN, 2021, 41, 346-350.  | 0.5 | 4         |
| 32173 | Statistical data presentation: a primer for rheumatology researchers. Rheumatology International, 2021, 41, 43-55.  | 1.5 | 25        |
| 32174 | Correlation Between Doppler Echocardiography and Right Heart Catheterisation-Derived Systolic and Mean Pulmonary Artery Pressures: Determinants of Discrepancies Between the Two Methods. Heart Lung and Circulation, 2021, 30, 656-664.  | 0.2 | 5         |
| 32175 | Prediction of Double-Lumen Tube Size By Ultrasonography for Asian Women: A Prospective Observational Study. Journal of Cardiothoracic and Vascular Anesthesia, 2021, 35, 1410-1415.   | 0.6 | 7         |
| 32176 | Accuracy of Smartphone Video for Contactless Measurement of Hand Tremor Frequency. Movement Disorders Clinical Practice, 2021, 8, 69-75.  | 0.8 | 22        |
| 32177 | Research on grassland ecosystem service value in China under climate change based on meta-analysis: a case study of Qinghai province. International Journal of Climate Change Strategies and Management, 2020, 12, 617-637.   | 1.5 | 15        |
| 32178 | Developing and validating attention bias tools for assessing trait and state affect in animals: A worked example with Macaca mulatta. Applied Animal Behaviour Science, 2021, 234, 105198.  | 0.8 | 13        |
| 32179 | Comparing the clinical utility of single-shot echo-planar imaging and readout-segmented echo-planar imaging in diffusion-weighted imaging of the liver at 3 tesla. European Journal of Radiology, 2021, 135, 109472.  | 1.2 | 6         |
| 32180 | Bone age estimation with the Greulich-Pyle atlas using 3T MR images of hand and wrist. Forensic Science International, 2021, 319, 110654.   | 1.3 | 19        |
| 32181 | The Failure of Plate Diagrams in Estimating Individualized Offered Portion Size: An enable Study. Journal of the American Medical Directors Association, 2021, 22, 636-641.e1.  | 1.2 | 0         |
| 32182 | Towards the non-invasive determination of arterial wall distensible properties: New approach using old formulae. Journal of Biomechanics, 2021, 115, 110102.  | 0.9 | 2         |
| 32183 | Maximal oxygen consumption and oxygen uptake efficiency in adolescent males. Journal of Exercise Science and Fitness, 2021, 19, 75-80.  | 0.8 | 7         |
| 32184 | Objective measurement of adherence to wearing foot orthoses using an embedded temperature sensor. Medical Engineering and Physics, 2021, 88, 19-24.   | 0.8 | 13        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32185 | Weight-bearing CT in foot and ankle pathology. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2021, 107, 102772.  | 0.9 | 27        |
| 32186 | A simultaneous exploratory and quantitative amino acid and biogenic amine metabolic profiling platform for rapid disease phenotyping via UPLC-QToF-MS. <i>Talanta</i> , 2021, 223, 121872.  | 2.9 | 23        |
| 32187 | Pulse oximeter plethysmograph waveform and automated oscillometric sphygmomanometer for ankle-brachial index measurement. <i>American Journal of Emergency Medicine</i> , 2021, 40, 162-165.  | 0.7 | 1         |
| 32188 | Method comparison between real-time spectral and laboratory based measurements of moisture content and CIELAB color pattern during dehydration of beef slices. <i>Journal of Food Engineering</i> , 2021, 294, 110419.  | 2.7 | 11        |
| 32189 | New predictive equations for estimating resting energy expenditure in subjects with normal weight and overweight. <i>Nutrition</i> , 2021, 84, 111105.  | 1.1 | 9         |
| 32190 | Medical tourists™ perspectives on the quality of care in Iran. <i>Anatolia</i> , 2021, 32, 70-79.   | 1.3 | 4         |
| 32191 | Interobserver Reproducibility in Sonographic Measurement of Diameter and Volume of Papillary Thyroid Microcarcinoma. <i>Thyroid</i> , 2021, 31, 452-458.  | 2.4 | 18        |
| 32192 | Intra-rater and inter-rater reliability of neutral and target lumbar positioning tests in subjects with and without non-specific lower back pain. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2021, 34, 289-299.  | 0.4 | 19        |
| 32193 | Screening Methanol Poisoning with a Portable Breath Detector. <i>Analytical Chemistry</i> , 2021, 93, 1170-1178.  | 3.2 | 20        |
| 32194 | Prospective randomized clinical trial evaluating the effects of two different implant collar designs on peri-implant healing and functional osseointegration after 25 years. <i>Clinical Oral Implants Research</i> , 2021, 32, 285-296.  | 1.9 | 4         |
| 32195 | Echocardiographic assessment of left ventricular size and systolic function in Warmblood horses using linear measurements, area-based indices, and volume estimates: A retrospective database analysis. <i>Journal of Veterinary Internal Medicine</i> , 2021, 35, 504-520.                                 | 0.6 | 8         |
| 32196 | Comparison and calibration of 24-hour physical activity recall in adult population. <i>European Journal of Sport Science</i> , 2022, 22, 289-296.   | 1.4 | 4         |
| 32197 | Kalman Filtering for Posture-Adaptive in-Bed Breathing Rate Monitoring Using Bed-Sheet Pressure Sensors. <i>IEEE Sensors Journal</i> , 2021, 21, 14339-14351.   | 2.4 | 4         |
| 32198 | Development, Validity, and Reliability of a Novel Walking Speed Measurement Device: the GaitBox. <i>Gait and Posture</i> , 2021, 84, 52-57.   | 0.6 | 2         |
| 32199 | Reliability and Validity of a Virtual Reality-Based System for Evaluating Postural Stability. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2021, 29, 85-91.  | 2.7 | 10        |
| 32200 | Assessment of Residual Radioactivity by a Comprehensive Wireless, Wearable Device in Thyroid Cancer Patients Undergoing Radionuclide Therapy and Comparison With the Results of a Home Device: A Feasibility Study. <i>IEEE Journal of Translational Engineering in Health and Medicine</i> , 2021, 9, 1-6. | 2.2 | 2         |
| 32201 | Degree of Agreement Between Infant Serum and Salivary Concentration of Leptin and Adiponectin and Its Association With Infants™ Feeding. <i>Biological Research for Nursing</i> , 2021, 23, 541-549.  | 1.0 | 3         |
| 32202 | Accuracy and inter-reader agreement of breast MRI for cancer staging using 0.08Åmmol/kg of gadobutrol. <i>Clinical Imaging</i> , 2021, 72, 154-161.   | 0.8 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32203 | Improving Efficiency of Patient-Reported Outcome Collection: Application of Computerized Adaptive Testing to DASH and QuickDASH Outcome Scores. <i>Journal of Hand Surgery</i> , 2021, 46, 278-286.                                      | 0.7 | 4         |
| 32204 | Ultrasound-Based Carotid Plaque Characteristics Help Predict New Cerebral Ischemic Lesions after Endarterectomy. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 244-251.  | 0.7 | 10        |
| 32205 | A Kinematics Comparison of Different Swimming Relay Start Techniques. <i>Journal of Sports Sciences</i> , 2021, 39, 1105-1113.   | 1.0 | 4         |
| 32206 | Influence of advanced pulmonary vascular remodeling on accuracy of echocardiographic parameters of left ventricular filling pressure. <i>Pulmonary Circulation</i> , 2021, 11, 1-12.   | 0.8 | 2         |
| 32207 | MR Measures of Small Bowel Wall T2 Are Associated With Increased Permeability. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 53, 1422-1431.   | 1.9 | 7         |
| 32208 | Rib histomorphometry: A reliability and validation study with a critical review of histological techniques for forensic age estimation. <i>Legal Medicine</i> , 2021, 49, 101827.  | 0.6 | 4         |
| 32209 | Limitations of surface EMG estimate of parasternal intercostal to infer neural respiratory drive. <i>Respiratory Physiology and Neurobiology</i> , 2021, 285, 103572.  | 0.7 | 8         |
| 32210 | Retrospective blood lead assessment from archived clotted erythrocyte fraction in a cohort of lead-exposed mother-child dyads. <i>Science of the Total Environment</i> , 2021, 754, 142166.  | 3.9 | 10        |
| 32211 | Chemical Oxygen Demand Can Be Converted to Gross Energy for Food Items Using a Linear Regression Model. <i>Journal of Nutrition</i> , 2021, 151, 445-453.  | 1.3 | 7         |
| 32212 | Development of a rapid method for assessing the efficacy of antibacterial photocatalytic coatings. <i>Talanta</i> , 2021, 225, 122009.   | 2.9 | 5         |
| 32213 | Measuring child functioning: Assessing correlation and agreement between caregiver and child responses at the Iganga-Mayuge health and demographic surveillance site in Uganda. <i>Disability and Health Journal</i> , 2021, 14, 101022. | 1.6 | 2         |
| 32214 | Assessment of Dietary Intake Using Food Photography and Video Recording in Free-Living Young Adults: A Comparative Study. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2021, 121, 749-761.e1.                              | 0.4 | 15        |
| 32215 | Verification using in vivo optically stimulated luminescent dosimetry of the predicted skin surface dose in patients receiving postmastectomy radiotherapy. <i>Medical Dosimetry</i> , 2021, 46, e1-e6.                                  | 0.4 | 5         |
| 32216 | Comparing multiband and singleband EPI in NODDI at 3T: what are the implications for reproducibility and study sample sizes?. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2021, 34, 499-511.                 | 1.1 | 9         |
| 32217 | Insect morphometry is reproducible under average investigation standards. <i>Ecology and Evolution</i> , 2021, 11, 547-559.  | 0.8 | 8         |
| 32218 | Fully automatic quantification of fibroglandular tissue and background parenchymal enhancement with accurate implementation for axial and sagittal breast MRI protocols. <i>Medical Physics</i> , 2021, 48, 238-252.                     | 1.6 | 11        |
| 32219 | FSL-MRS: An end-to-end spectroscopy analysis package. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 2950-2964.   | 1.9 | 49        |
| 32220 | Orthodontic incisor decompensation in orthognathic therapy—success and efficiency in three dimensions. <i>Clinical Oral Investigations</i> , 2021, 25, 4001-4010.  | 1.4 | 8         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32222 | Development and validation of a weight estimation tool for paediatric emergency care. <i>Enfermeria Clínica (English Edition)</i> , 2021, 31, 45-50.  | 0.1 | 0         |
| 32223 | Agreement in Infant Growth Indicators and Overweight/Obesity between Community and Clinical Care Settings. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2021, 121, 493-500.   | 0.4 | 1         |
| 32224 | Myocardial strain pattern progress in patients with Coarctation of the Aorta undergoing aortic stenting. <i>Echocardiography</i> , 2021, 38, 64-71.   | 0.3 | 2         |
| 32225 | Late to early velocity index as a predictor of iatrogenic femoral artery pseudoaneurysm recurrence in patients treated with ultrasound-guided thrombin injection. <i>Archives of Medical Science</i> , 2021, 17, 652-661.                     | 0.4 | 4         |
| 32226 | Availability of portable capnometers in children with tracheostomy. <i>Pediatrics International</i> , 2021, 63, 833-837.  | 0.2 | 2         |
| 32227 | Performance of 4 Creatinine-based Equations in Assessing Glomerular Filtration Rate in Adults with Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e61-e73.  | 1.8 | 5         |
| 32228 | Comparison of uterine artery Doppler measurements at 6 weeks of pregnancy after IVF between pregnancies that resulted in miscarriage and ongoing pregnancies. <i>International Journal of Gynecology and Obstetrics</i> , 2021, 152, 249-255. | 1.0 | 3         |
| 32229 | Real-time versus thermal desorption selected ion flow tube mass spectrometry for quantification of breath volatiles. <i>Rapid Communications in Mass Spectrometry</i> , 2021, 35, e8994.  | 0.7 | 9         |
| 32230 | Performance effects of interaction between multicultural managers and multicultural team members: Evidence from elite football competitions. <i>Thunderbird International Business Review</i> , 2021, 63, 235-251.                            | 0.9 | 2         |
| 32231 | Investigating in vivo knee volumetric bone mineral density and walking gait mechanics in healthy people. <i>Bone</i> , 2021, 143, 115662.   | 1.4 | 2         |
| 32232 | Accuracy and Trending Ability of Cardiac Index Measured by the CNAP System in Patients Undergoing Abdominal Aortic Aneurysm Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021, 35, 1439-1446.                          | 0.6 | 2         |
| 32233 | Biochemical Remission after Cabergoline Withdrawal in Hyperprolactinemic Patients with Visible Remnant Pituitary Adenoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e615-e624.                                     | 1.8 | 8         |
| 32234 | Reproducibility of left atrial function using cardiac magnetic resonance imaging. <i>European Radiology</i> , 2021, 31, 2788-2797.  | 2.3 | 19        |
| 32235 | Diastolic and systolic right ventricular diameters for predicting pulmonary hypertension in children with congenital heart disease. <i>Clinical Imaging</i> , 2021, 70, 67-73.  | 0.8 | 2         |
| 32236 | Modelling airport catchment areas to anticipate the spread of infectious diseases across land and air travel. <i>Spatial and Spatio-temporal Epidemiology</i> , 2021, 36, 100380.   | 0.9 | 10        |
| 32237 | Comparison of Supersaturation Outputs from Different Programs and Their Application in Testing Correspondence with Kidney Stone Composition. <i>Journal of Endourology</i> , 2021, 35, 687-694.   | 1.1 | 2         |
| 32238 | Set distance time trials for predicting maximal aerobic speed in female Australian Rules Footballers. <i>Journal of Science and Medicine in Sport</i> , 2021, 24, 391-396.  | 0.6 | 8         |
| 32239 | Computer-Aided Fracture Size Measurement in Orbital Fractures—An Alternative to Manual Evaluation. <i>Craniofacial Trauma &amp; Reconstruction</i> , 2021, 14, 209-217.   | 0.6 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32240 | Deep learning-based and hybrid-type iterative reconstructions for CT: comparison of capability for quantitative and qualitative image quality improvements and small vessel evaluation at dynamic CE-abdominal CT with ultra-high and standard resolutions. <i>Japanese Journal of Radiology</i> , 2021, 39, 186-197. | 1.0 | 18        |
| 32241 | Associations between parent-reported and objectively measured sleep duration and timing in infants at age 6 months. <i>Sleep</i> , 2021, 44, .  | 0.6 | 15        |
| 32242 | Comprehensive cross-platform comparison of methods for non-invasive EGFR mutation testing: results of the RING observational trial. <i>Molecular Oncology</i> , 2021, 15, 43-56.  | 2.1 | 18        |
| 32243 | Biomechanical Evaluation of Intercostal Muscles in Healthy Children and Adolescent Idiopathic Scoliosis: A Preliminary Study. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 51-57.  | 0.7 | 17        |
| 32244 | Evaluation of a microplate spectrophotometer for soil organic carbon determination in south-central Idaho. <i>Soil Science Society of America Journal</i> , 2021, 85, 438-451.  | 1.2 | 13        |
| 32245 | Quantification of Scan Analysis Errors in GE Lunar DXA Visceral Adiposity in Adults. <i>Journal of Clinical Densitometry</i> , 2021, 24, 287-293.   | 0.5 | 2         |
| 32246 | Benchmarking between two wearable inertial systems for gait analysis based on a different sensor placement using several statistical approaches. <i>Measurement: Journal of the International Measurement Confederation</i> , 2021, 173, 108642.  | 2.5 | 31        |
| 32247 | A comparative study using dual-energy X-ray absorptiometry, air displacement plethysmography, and skinfolds to assess fat mass in preterms at term equivalent age. <i>European Journal of Pediatrics</i> , 2021, 180, 919-927.  | 1.3 | 6         |
| 32248 | An Increased Choroidal Microvasculature Dropout Size is Associated With Progressive Visual Field Loss in Open-Angle Glaucoma. <i>American Journal of Ophthalmology</i> , 2021, 223, 205-219.  | 1.7 | 19        |
| 32249 | Brain volumes quantification from MRI in healthy controls: Assessing correlation, agreement and robustness of a convolutional neural network-based software against FreeSurfer, CAT12 and FSL. <i>Journal of Neuroimaging</i> , 2021, 48, 147-156.  | 0.6 | 4         |
| 32250 | Continuous and Accurate Blood Pressure Monitoring Based on Wearable Optical Fiber Wristband. <i>IEEE Sensors Journal</i> , 2021, 21, 3049-3057.   | 2.4 | 23        |
| 32251 | Blood eosinophil count as predictor of asthma exacerbation. A meta-analysis. <i>Pediatric Allergy and Immunology</i> , 2021, 32, 465-478.   | 1.1 | 25        |
| 32252 | Evaluation of the use of SYBR14 and propidium iodide stain in a fluorescent computer-assisted spermatozoal quantification method in dogs. <i>Reproduction in Domestic Animals</i> , 2021, 56, 89-102.   | 0.6 | 1         |
| 32253 | Feasibility and diagnostic accuracy of using brain attenuation changes on CT to estimate time of ischemic stroke onset. <i>Neuroradiology</i> , 2021, 63, 869-878.  | 1.1 | 10        |
| 32254 | Accuracy evaluation of patient-specific 3D-printed aortic anatomy. <i>Annals of Anatomy</i> , 2021, 234, 151629.  | 1.0 | 10        |
| 32255 | Validity of Hemodynamic Monitoring Using Inert Gas Rebreathing Method in Patients With Chronic Heart Failure and Those Implanted With a Left Ventricular Assist Device. <i>Journal of Cardiac Failure</i> , 2021, 27, 414-418.  | 0.7 | 0         |
| 32256 | Nutritional status and body composition assessment in patients with a new diagnosis of advanced solid tumour: Exploratory comparison of computed tomography and bioelectrical impedance analysis. <i>Clinical Nutrition</i> , 2021, 40, 1268-1273.  | 2.3 | 12        |
| 32257 | Bone and joint enhancement filtering: Application to proximal femur segmentation from uncalibrated computed tomography datasets. <i>Medical Image Analysis</i> , 2021, 67, 101887.  | 7.0 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32258 | His bundle pacing shows similar ventricular electrical activation as sinus: selective and nonselective His pacing indistinguishable. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021, 320, H13-H22. | 1.5 | 4         |
| 32259 | Validity of quantitative ultrasound and bioelectrical impedance analysis for measuring bone density and body composition in children. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 66-72.                              | 1.3 | 11        |
| 32260 | Family Caregivers' Emotional Preparedness for Death is Distinct from Their Cognitive Prognostic Awareness for Cancer Patients. <i>Journal of Palliative Medicine</i> , 2021, 24, 405-412.   | 0.6 | 10        |
| 32261 | Evaluation of the body adiposity index against dual-energy X-ray absorptiometry for assessing body composition in children and adolescents. <i>American Journal of Human Biology</i> , 2021, 33, e23503.                            | 0.8 | 11        |
| 32262 | Head-to-head comparison of cardiovascular MR feature tracking cine versus acquisition-based deformation strain imaging using myocardial tagging and strain encoding. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 357-368.     | 1.9 | 26        |
| 32263 | Reliability of body composition assessment using A-mode ultrasound in a heterogeneous sample. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 438-445.  | 1.3 | 7         |
| 32264 | Spatiotemporal Gait Measurement With a Side-View Depth Sensor Using Human Joint Proposals. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2021, 25, 1758-1769.  | 3.9 | 12        |
| 32265 | Reliability of alternative devices for postoperative patient temperature measurement: two prospective, observational studies*. <i>Anaesthesia</i> , 2021, 76, 514-519.  | 1.8 | 4         |
| 32266 | Verification of the accuracy and reliability of the TrackMan tennis radar. <i>Proceedings of the Institution of Mechanical Engineers, Part P: Journal of Sports Engineering and Technology</i> , 2021, 235, 154-160.                | 0.4 | 2         |
| 32267 | Comparison of Free Zinc Levels Determined by Fluorescent Probes in THP1 Cells Using Microplate Reader and Flow Cytometer. <i>Biological Trace Element Research</i> , 2021, 199, 2414-2419.  | 1.9 | 8         |
| 32268 | Assessment of gingival thickness using digital file superimposition versus direct clinical measurements. <i>Clinical Oral Investigations</i> , 2021, 25, 2353-2361.   | 1.4 | 31        |
| 32269 | Subcellular localization and fibre type-dependent utilization of muscle glycogen during heavy resistance exercise in elite power and Olympic weightlifters. <i>Acta Physiologica</i> , 2021, 231, e13561.                           | 1.8 | 24        |
| 32270 | Comparison of Point-of-Care Testing Methods and Laboratory Analysis for Assessing Urine Specific Gravity and pH of Children Undergoing Chemotherapy. <i>Journal of Pediatric Oncology Nursing</i> , 2021, 38, 6-15.                 | 1.5 | 0         |
| 32271 | Circumspection in using automated measures: Talker gender and addressee affect error rates for adult speech detection in the Language Environment Analysis (LENA) system. <i>Behavior Research Methods</i> , 2021, 53, 113-138.     | 2.3 | 21        |
| 32272 | Differences between home blood pressure and strictly measured office blood pressure and their determinants in Japanese men. <i>Hypertension Research</i> , 2021, 44, 80-87.   | 1.5 | 6         |
| 32273 | A standardized framework for testing the performance of sleep-tracking technology: step-by-step guidelines and open-source code. <i>Sleep</i> , 2021, 44, .   | 0.6 | 86        |
| 32274 | A Gel Pad Designed to Measure Muscle Volume Using Freehand 3-Dimensional Ultrasonography. <i>Journal of Ultrasound in Medicine</i> , 2021, 40, 1245-1250.   | 0.8 | 6         |
| 32275 | Validation of a life-logging wearable camera method and the 24-h diet recall method for assessing maternal and child dietary diversity. <i>British Journal of Nutrition</i> , 2021, 125, 1299-1309.                                 | 1.2 | 10        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32276 | Five-component model validation of reference, laboratory and field methods of body composition assessment. <i>British Journal of Nutrition</i> , 2021, 125, 1246-1259.  | 1.2 | 18        |
| 32277 | Contactless Methods For Measuring Respiratory Rate: A Review. <i>IEEE Sensors Journal</i> , 2021, 21, 12821-12839.  | 2.4 | 77        |
| 32278 | Comparison of Omegawave Device and an Ambulatory ECG for RR Interval Measurement at rest. <i>International Journal of Sports Medicine</i> , 2021, 42, 138-146.  | 0.8 | 5         |
| 32279 | Quantitative assessment of terminal ileum motility on MR enterography in Crohn disease: a feasibility study in children. <i>European Radiology</i> , 2021, 31, 775-784.   | 2.3 | 8         |
| 32280 | Evaluation of mechanical prosthetic valves: the role of three dimensional echocardiography in calculating effective orifice area in obese vs non-obese individuals. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 215-227. | 0.7 | 1         |
| 32281 | A new method for assessing anal distensibility with a barostat and magnetic resonance imaging in healthy and constipated women. <i>Neurogastroenterology and Motility</i> , 2021, 33, e13972.   | 1.6 | 3         |
| 32282 | Automatic processing of gaze movements to quantify gaze scanning behaviors in a driving simulator. <i>Behavior Research Methods</i> , 2021, 53, 487-506.  | 2.3 | 6         |
| 32283 | Evaluation of the diagnostic performance of the creatinine-based Chronic Kidney Disease Epidemiology Collaboration equation in people with diabetes: A systematic review. <i>Diabetic Medicine</i> , 2021, 38, e14391.                          | 1.2 | 6         |
| 32284 | Agreement of white-to-white measurements with swept-source OCT, Scheimpflug and color LED devices. <i>International Ophthalmology</i> , 2021, 41, 57-65.  | 0.6 | 22        |
| 32285 | Reliability and validity of the timed 360° turn test in people with multiple sclerosis. <i>Physiotherapy Theory and Practice</i> , 2021, 37, 736-747.   | 0.6 | 5         |
| 32286 | Predicting pronasale position in Thais: a test of four updated methods. <i>Australian Journal of Forensic Sciences</i> , 2021, 53, 211-223.   | 0.7 | 1         |
| 32287 | Reproducibility of cervical length measurement throughout pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 2185-2191.  | 0.7 | 4         |
| 32288 | Health literacy and eHealth among adult asthma patients – results of a cross sectional survey. <i>Journal of Asthma</i> , 2021, 58, 262-270.  | 0.9 | 6         |
| 32289 | Myocardial subcellular glycogen distribution and sarcoplasmic reticulum Ca <sup>2+</sup> handling: effects of ischaemia, reperfusion and ischaemic preconditioning. <i>Journal of Muscle Research and Cell Motility</i> , 2021, 42, 17-31.      | 0.9 | 2         |
| 32290 | Cross-cultural adaptation, validity and reliability of the Turkish version of the patient determined disease steps scale in persons with multiple sclerosis. <i>Physiotherapy Theory and Practice</i> , 2021, 37, 527-534.                      | 0.6 | 14        |
| 32291 | Fetal Myocardial Performance Index in the Third Trimester of Pregnancy: Feasibility and Reproducibility of Conventional Spectral Doppler versus Spectral Tissue Doppler Technique. <i>American Journal of Perinatology</i> , 2021, 38, 296-303. | 0.6 | 2         |
| 32292 | A Computer-Based Tool for the Assessment of Voice Quality Through Visual Analogue Scales: VAS-Simplified Vocal Profile Analysis. <i>Journal of Voice</i> , 2021, 35, 497.e9-497.e21.  | 0.6 | 5         |
| 32293 | Smartphone –Selfies– A reliable and accurate tool for measuring elbow range of motion. <i>Shoulder and Elbow</i> , 2021, 13, 311-320.   | 0.7 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32294 | Effects of Spinal Cord Stimulation on Heart Rate Variability in Patients With Failed Back Surgery Syndrome: Comparison Between a 2-lead ECG and a Wearable Device. <i>Neuromodulation</i> , 2021, 24, 512-519.   | 0.4 | 11        |
| 32295 | Comparison of the Polar V800 and the Garmin Forerunner 230 to Predict $\dot{V}_{O_2\max}$ . <i>Journal of Strength and Conditioning Research</i> , 2021, 35, 1403-1409.  | 1.0 | 5         |
| 32296 | Parent-reported birth information: birth weight, birth length and gestational age. Validation study in the SENDO project. <i>Gaceta Sanitaria</i> , 2021, 35, 224-229.   | 0.6 | 5         |
| 32297 | Estimating Premorbid Ability in Rehabilitation Patients Using the Test of Premorbid Functioning and Wide Range Achievement Test—Fourth Edition. <i>Assessment</i> , 2021, 28, 994-1003.  | 1.9 | 1         |
| 32298 | References Values of Fetal Heart Myocardial Volume by Three-Dimensional Ultrasound using Spatiotemporal Image Correlation and Virtual Organ Computer-Aided Analysis Methods and Their Applicability in Pregestational Diabetic Women. <i>American Journal of Perinatology</i> , 2021, 38, 721-727. | 0.6 | 5         |
| 32299 | A brief airway occlusion is sufficient to measure the patient's inspiratory effort/electrical activity of the diaphragm index (PEI). <i>Journal of Clinical Monitoring and Computing</i> , 2021, 35, 183-188.  | 0.7 | 3         |
| 32300 | Evaluation of the Difference between Predicted and Measured Central Corneal Thickness Reduction after SMILE and Femtosecond Laser-assisted LASIK for Myopia. <i>Current Eye Research</i> , 2021, 46, 1089-1095.  | 0.7 | 8         |
| 32301 | Quantitative Comparison of Human and Software Reliability in the Categorization of Sit-to-Stand Motion Pattern. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2021, 29, 770-776.   | 2.7 | 0         |
| 32302 | Equations to Estimate the Normalized Creatinine Generation Rate (CGR <sub>n</sub> ) in 3/Week Dialysis Patients With or Without Residual Kidney Function. , 2021, 31, 90-95.   |     | 3         |
| 32303 | A Home-Based Self-administered Assessment of Neck Proprioception. <i>Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering</i> , 2021, , 133-144.  | 0.2 | 0         |
| 32304 | Saving space: Comparing mini - logMAR with standard logMAR visual acuity. <i>Indian Journal of Ophthalmology</i> , 2021, 69, 48.   | 0.5 | 1         |
| 32305 | Step and Distance Measurement From a Low-Cost Consumer-Based Hip and Wrist Activity Monitor: Protocol for a Validity and Reliability Assessment. <i>JMIR Research Protocols</i> , 2021, 10, e21262.  | 0.5 | 3         |
| 32306 | Energy expenditure estimates in chronic kidney disease using a novel physical activity questionnaire. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 515-521.  | 0.4 | 3         |
| 32307 | Brain size variation along altitudinal gradients in the Asiatic Toad ( <i>Bufo gargarizans</i> ). <i>Ecology and Evolution</i> , 2021, 11, 3015-3027.  | 0.8 | 5         |
| 32308 | Proposition of a corrected measure of the Lawton instrumental activities of daily living score. <i>BMC Geriatrics</i> , 2021, 21, 39.  | 1.1 | 14        |
| 32309 | How Replicates Can Inform Potential Users of a Measurement Procedure about Measurement Error: Basic Concepts and Methods. <i>Diagnostics</i> , 2021, 11, 162.  | 1.3 | 0         |
| 32310 | Exploring Agreement between MB-CDI Short Forms for Evaluating the Language Skills of Italian Children Aged 18-24 Months. <i>Folia Phoniologica Et Logopaedica</i> , 2021, 73, 552-564.   | 0.5 | 2         |
| 32311 | Comparison of central corneal thickness measurements of five different devices with ultrasound pachymetry in healthy eyes. <i>Beyoglu Eye Journal</i> , 2021, 6, 7-13.   | 0.1 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32312 | Methods to Assess Fat Mass in Infants and Young Children: A Comparative Study Using Skinfold Thickness and Air-Displacement Plethysmography. <i>Life</i> , 2021, 11, 75.  | 1.1 | 2         |
| 32313 | Shear wave cardiovascular MR elastography using intrinsic cardiac motion for transducer-free non-invasive evaluation of myocardial shear wave velocity. <i>Scientific Reports</i> , 2021, 11, 1403.   | 1.6 | 9         |
| 32314 | Cardiac Output Evaluation on Septic Shock Patients: Comparison between Calibrated and Uncalibrated Devices during Vasopressor Therapy. <i>Journal of Clinical Medicine</i> , 2021, 10, 213.   | 1.0 | 2         |
| 32315 | Biomechanical Ambulatory Assessment of 3D Knee Angle Using Novel Inertial Sensor-Based Technique. <i>IEEE Access</i> , 2021, 9, 36559-36570.  | 2.6 | 5         |
| 32316 | Reliability of Pulse Contour Cardiac Output Analysis in a Piglet Model of Multi-step Intra-abdominal Hypertension. <i>Journal of Surgical Research</i> , 2021, 257, 545-553.  | 0.8 | 1         |
| 32317 | Estimation of maximum sprinting speed with timing gates: greater accuracy of 5-m split times compared to 10-m splits. <i>Sports Biomechanics</i> , 2024, 23, 262-272.   | 0.8 | 17        |
| 32318 | The Development and Accuracy of the THIM Wearable Device for Estimating Sleep and Wakefulness. <i>Nature and Science of Sleep</i> , 2021, Volume 13, 39-53.   | 1.4 | 13        |
| 32319 | Computational modelling of biomechanics for an artificial hip joint. , 2021, , 517-546.   |     | 3         |
| 32320 | A Method for Estimating 24-Hour Urinary Sodium Excretion by Casual Urine Specimen in Chinese Hypertensive Patients. <i>American Journal of Hypertension</i> , 2021, 34, 718-728.  | 1.0 | 6         |
| 32321 | Correlation of patient- and clinician-assessment of pain: comparing physiotherapy and general practice. <i>Australian Journal of Primary Health</i> , 2021, 27, 291.  | 0.4 | 0         |
| 32322 | Prognostic value of a modified Immunoscore in patients with stage III resectable colon cancer. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association</i> , Beijing Institute for Cancer Research, 2021, 33, 379-390. | 0.7 | 10        |
| 32323 | Evaluation of fetal cardiac function in pregnancies with well-controlled gestational diabetes. <i>Archives of Gynecology and Obstetrics</i> , 2021, 304, 337-344.   | 0.8 | 5         |
| 32324 | Prediction of state anxiety by machine learning applied to photoplethysmography data. <i>PeerJ</i> , 2021, 9, e10448.   | 0.9 | 21        |
| 32325 | PEA: Five maximum repeated apnea maneuvers prior to middle-distance racing. <i>MethodsX</i> , 2021, 8, 101490.  | 0.7 | 1         |
| 32326 | Differences in calculated percentage improvement versus patient-reported percentage improvement in pain scores: a review of spinal cord stimulation trials. <i>Regional Anesthesia and Pain Medicine</i> , 2021, 46, 293-297.                           | 1.1 | 13        |
| 32327 | A Validated Method for Quantification of Fatty Acids Incorporated in Human Plasma Phospholipids by Gas Chromatography–Triple Quadrupole Mass Spectrometry. <i>ACS Omega</i> , 2021, 6, 1129-1137.   | 1.6 | 8         |
| 32328 | Prevalence and determinants of serum antibodies to SARS-CoV-2 in the general population of the Gardena valley. <i>Epidemiology and Infection</i> , 2021, 149, e194.   | 1.0 | 8         |
| 32329 | Comparing Automatic and Manual Measures of Parent–Infant Conversational Turns: A Word of Caution. <i>Child Development</i> , 2021, 92, 672-681.   | 1.7 | 23        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32330 | Wearability and preference of mouthguard during sport in patients undergoing orthodontic treatment with fixed appliances: a randomized clinical trial. <i>European Journal of Orthodontics</i> , 2022, 44, 101-109.  | 1.1 | 4         |
| 32331 | Measurement of body temperature in postsurgical children: Comparisons of infrared nonskin contact digital thermometer, skin contact digital thermometer, and mercury in glass thermometer. <i>Journal of Indian Association of Pediatric Surgeons</i> , 2021, 26, 324. | 0.1 | 0         |
| 32332 | A systematic review of supermarket-automated electronic sales data for population dietary surveillance. <i>Nutrition Reviews</i> , 2022, 80, 1711-1722.  | 2.6 | 16        |
| 32333 | Impact of ActiGraph Sampling Rate and Intermonitor Comparability on Measures of Physical Activity in Adults. <i>Journal for the Measurement of Physical Behaviour</i> , 2021, 4, 287-297.  | 0.5 | 5         |
| 32334 | Desarrollo y validaci3n de una f3rmula de estimaci3n del peso para emergencias pedi3tricas. <i>EnfermerAa Cl3nica</i> , 2021, 31, 45-50.   | 0.1 | 0         |
| 32335 | An Extension of the Bland-Altman Plot for Analyzing the Agreement of More than Two Raters. <i>Diagnostics</i> , 2021, 11, 54.  | 1.3 | 4         |
| 32336 | Physical Activity Evaluation Using a Voice Recognition App: Development and Validation Study. <i>JMIR Biomedical Engineering</i> , 2021, 6, e19088.  | 0.7 | 2         |
| 32337 | Validation of a novel UPLC-HRMS method for human whole-blood cyclosporine and comparison with a CMA immunoassay. <i>Experimental and Therapeutic Medicine</i> , 2021, 21, 191.   | 0.8 | 1         |
| 32338 | Development and validation of prediction equations for the assessment of muscle or fat mass using anthropometric measurements, serum creatinine level, and lifestyle factors among Korean adults. <i>Nutrition Research and Practice</i> , 2021, 15, 95.               | 0.7 | 17        |
| 32339 | Pulse Oximetry. , 2021, , 253-270.   |     | 1         |
| 32340 | Test-retest reliability of the functional reach test and the hand grip strength test in older adults using nursing home services. <i>Irish Journal of Medical Science</i> , 2021, 190, 1625-1632.  | 0.8 | 12        |
| 32341 | The Development of a Standardized Quality Assessment Material to Support Xpert® HIV-1 Viral Load Testing for ART Monitoring in South Africa. <i>Diagnostics</i> , 2021, 11, 160.   | 1.3 | 0         |
| 32342 | Is data mining approach a best fit formula for estimation of low-density lipoprotein cholesterol?. <i>Journal of Family Medicine and Primary Care</i> , 2021, 10, 327.   | 0.3 | 3         |
| 32344 | Reliability and diagnostic performance of a new blood ketone and glucose meter in humans. <i>Journal of the International Society of Sports Nutrition</i> , 2021, 18, 6.   | 1.7 | 9         |
| 32345 | Validation of an interviewer-administered seven-day semi-quantitative food frequency questionnaire for the dietary assessment of preschool children in rural Bangladesh. <i>Journal of Nutritional Science</i> , 2021, 10, e26.  | 0.7 | 4         |
| 32346 | Usefulness of Linear Mixed-Effects Models to Assess the Relationship between Objective and Subjective Internal Load in Team Sports. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 392.  | 1.2 | 9         |
| 32347 | Low agreement between kidney volume and kidney length z-scores. <i>Pediatric Nephrology</i> , 2021, 36, 1525-1532.   | 0.9 | 10        |
| 32348 | Comparison of resting metabolic rate prediction equations in college-aged adults. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021, 46, 1-8.   | 0.9 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32349 | Testâ€retest reliability and convergent validity of the test of nonverbal intelligence-fourth edition in patients with schizophrenia. <i>BMC Psychiatry</i> , 2021, 21, 39.   | 1.1 | 8         |
| 32350 | Relative validity of a food frequency questionnaire for adolescents from a capital in the Northeastern region of Brazil. <i>Brazilian Journal of Medical and Biological Research</i> , 2021, 54, e9991.   | 0.7 | 12        |
| 32351 | Intraoperative Invasive Blood Pressure Monitoring in Flap-Based Breast Reconstruction: Does It Change Outcomes?. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2021, 9, e3284.  | 0.3 | 2         |
| 32352 | Inexpensive ion-selective electrodes for the simultaneous monitoring of potassium and nitrate concentrations in nutrient solutions. <i>Analytical Methods</i> , 2021, 13, 3511-3520.  | 1.3 | 1         |
| 32353 | The effect of corneal crosslinking on the rigidity of the cornea estimated using a modified algorithm for the SchiÃtz tonometer. <i>Indian Journal of Ophthalmology</i> , 2021, 69, 1531.   | 0.5 | 1         |
| 32354 | Tâ€MoCA: A valid phone screen for cognitive impairment in diverse community samples. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021, 13, e12144.  | 1.2 | 74        |
| 32355 | CiliarMove: new software for evaluating ciliary beat frequency helps find novel mutations by a Portuguese multidisciplinary team on primary ciliary dyskinesia. <i>ERJ Open Research</i> , 2021, 7, 00792-2020.   | 1.1 | 15        |
| 32356 | Comparison of an Inertial Measurement Unit System and Baropodometric Platform for Measuring Spatiotemporal Parameters and Walking Speed in Healthy Adults. <i>Motor Control</i> , 2021, 25, 89-99.  | 0.3 | 11        |
| 32357 | Objective Dual-Task Turning Measures for Return-to-Duty Assessment After Mild Traumatic Brain Injury: The ReTURN Study Protocol. <i>Frontiers in Neurology</i> , 2020, 11, 544812.  | 1.1 | 11        |
| 32358 | Lung clearance index predicts pulmonary exacerbations in individuals with primary ciliary dyskinesia: a multicentre cohort study. <i>Thorax</i> , 2021, 76, 681-688.  | 2.7 | 12        |
| 32359 | Fresh stirrings among statisticians: statistical commentary. <i>Australasian Orthodontic Journal</i> , 2016, 32, 109-112.   | 0.3 | 0         |
| 32360 | Within-session test-retest reliability of pressure pain threshold and mechanical temporal summation in healthy subjects. <i>PLoS ONE</i> , 2021, 16, e0245278.  | 1.1 | 17        |
| 32361 | Recommendations for determining the validity of consumer wearable heart rate devices: expert statement and checklist of the INTERLIVE Network. <i>British Journal of Sports Medicine</i> , 2021, 55, 767-779.   | 3.1 | 44        |
| 32362 | Quantitative Ultrasound Radiofrequency Data Analysis for the Assessment of Hepatic Steatosis in Nonalcoholic Fatty Liver Disease Using Magnetic Resonance Imaging Proton Density Fat Fraction as the Reference Standard. <i>Korean Journal of Radiology</i> , 2021, 22, 1077. | 1.5 | 32        |
| 32363 | Repeatability of automated measurements by a new anterior segment optical coherence tomographer and biometer and agreement with standard devices. <i>Scientific Reports</i> , 2021, 11, 983.  | 1.6 | 34        |
| 32364 | The trail-making-test: Comparison between paper-and-pencil and computerized versions in young and healthy older adults. <i>Applied Neuropsychology Adult</i> , 2022, 29, 1208-1220.   | 0.7 | 10        |
| 32365 | Cone beam computed tomography for dose calculation quality assurance for magnetic resonance-only radiotherapy. <i>Physics and Imaging in Radiation Oncology</i> , 2021, 17, 71-76.  | 1.2 | 4         |
| 32366 | Longitudinal Studies 3: Data Modeling Using Standard Regression Models and Extensions. <i>Methods in Molecular Biology</i> , 2021, 2249, 125-165.   | 0.4 | 0         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32367 | Accuracy of the end-expiratory lung volume measured by the modified nitrogen washout/washin technique: a bench study. <i>Journal of Translational Medicine</i> , 2021, 19, 36.   | 1.8 | 3         |
| 32368 | Reliability and critical differences for an implementation of the coordinate response measure in speech-shaped noise. <i>JASA Express Letters</i> , 2021, 1, .   | 0.5 | 1         |
| 32369 | Design of "Floating, Medium and Sinking"™ Pressure Simulation System for Remote Reduction of Pulse Condition in TCM. <i>Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering</i> , 2021, , 336-346.                                   | 0.2 | 0         |
| 32370 | Development of a short food frequency questionnaire to assess diet quality in UK adolescents using the National Diet and Nutrition Survey. <i>Nutrition Journal</i> , 2021, 20, 5.   | 1.5 | 6         |
| 32371 | A Comparison of the Accuracy of Various Methods of Postnatal Gestational Age Estimation; Including Ballard Score, Foot Length, Vascularity of the Anterior Lens, Last Menstrual Period and Also a Clinician's Non-Structured Assessment. <i>Journal of Tropical Pediatrics</i> , 2021, 67, . | 0.7 | 10        |
| 32372 | Left atrial functional assessment and mortality in patients with severe aortic stenosis with sinus rhythm. <i>Cardiovascular Ultrasound</i> , 2021, 19, 1.   | 0.5 | 6         |
| 32373 | Negative values and variance functions: Implications for statistical analysis. <i>Annals of Clinical Biochemistry</i> , 2021, 58, 395-399.   | 0.8 | 0         |
| 32374 | Reliability of Using Stroke Index to the Evaluation in Swimming Technical Level for College Students Based on the Progressive Scoring Approach. , 2021, , .  |     | 1         |
| 32375 | Internal validation of myocardial flow reserve PET imaging using stress/rest myocardial activity ratios with Rb-82 and N-13-ammonia. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 835-850.   | 1.4 | 6         |
| 32376 | Ultrasound Cardiac Output Monitor (USCOM <sup>®</sup> , <sup>†</sup> ) Measurements Prove Unreliable Compared to Cardiac Magnetic Resonance Imaging in Adolescents with Cardiac Disease. <i>Pediatric Cardiology</i> , 2021, 42, 692-699.  | 0.6 | 2         |
| 32377 | Comparison of a tonometric with an oscillometric blood pressure monitoring device over 24 hours of ambulatory use. <i>Blood Pressure Monitoring</i> , 2021, 26, 149-155.   | 0.4 | 4         |
| 32378 | Aerosol Analysis Using Handheld Raman Spectrometer: On-site Quantification of Trace Crystalline Silica in Workplace Atmospheres. <i>Annals of Work Exposures and Health</i> , 2022, 66, 656-670.   | 0.6 | 4         |
| 32379 | Assessment of Upper-Extremity Joint Angles Using Harmony Exoskeleton. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2021, 29, 916-925.   | 2.7 | 15        |
| 32380 | Evaluation of Winter Footwear: Comparison of Test Methods to Determine Footwear Slip Resistance on Ice Surfaces. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 405.   | 1.2 | 9         |
| 32381 | Measuring Glucose Uptake in Primary Invasive Breast Cancer Using Simultaneous Time-of-Flight Breast PET/MRI: A Method Comparison Study with Prone PET/CT. <i>Radiology Imaging Cancer</i> , 2021, 3, e200091.  | 0.7 | 9         |
| 32382 | Measurement batch differences and between-batch conversion of Alzheimer's disease cerebrospinal fluid biomarker values. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021, 13, e12194.  | 1.2 | 2         |
| 32383 | Modulus of Elasticity of Elastic Tubes Used in Neuromuscular Rehabilitation Programs. <i>Journal of Sport Rehabilitation</i> , 2022, 31, 362-367.  | 0.4 | 1         |
| 32384 | The Reliability of Successive Scheimpflug Imaging and Anterior Segment Optical Coherence Tomography Measurements Decreases With Increasing Keratoconus Severity. <i>Cornea</i> , 2021, 40, 1433-1439.  | 0.9 | 14        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32385 | Can fetal heart rate variability obtained from cardiotocography provide the same diagnostic value like from electrophysiological interbeat intervals?. <i>Physiological Measurement</i> , 2021, 42, 015006.                                      | 1.2 | 6         |
| 32386 | Accuracy of virtual 3-dimensional cephalometric images constructed with 2-dimensional cephalograms using the biplanar radiography principle. <i>Imaging Science in Dentistry</i> , 2021, 51, 407-412.  | 0.6 | 2         |
| 32387 | MarkVCID cerebral small vessel consortium: I. Enrollment, clinical, fluid protocols. <i>Alzheimer's and Dementia</i> , 2021, 17, 704-715.  | 0.4 | 42        |
| 32388 | Temporal evolution of neurovascular coupling recovery following moderate and high intensity exercise. <i>Physiological Reports</i> , 2021, 9, e14695.  | 0.7 | 13        |
| 32389 | HRV and Stress: A Mixed-Methods Approach for Comparison of Wearable Heart Rate Sensors for Biofeedback. <i>IEEE Access</i> , 2021, 9, 14005-14024.   | 2.6 | 47        |
| 32390 | Sorting pain out of salience: assessment of pain facial expressions in the human fetus. <i>Pain Reports</i> , 2021, 6, e882.   | 1.4 | 10        |
| 32391 | Fetal ECG Extraction From Maternal ECG Using Attention-Based CycleGAN. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2022, 26, 515-526.   | 3.9 | 39        |
| 32392 | Choice of Continuous Glucose Monitoring Systems May Affect Metrics: Clinically Relevant Differences in Times in Ranges. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2022, 130, 343-350.  | 0.6 | 11        |
| 32393 | Clinical relevance assessment of animal preclinical research (RAA) tool: development and explanation. <i>PeerJ</i> , 2021, 9, e10673.  | 0.9 | 8         |
| 32394 | Evaluation of the Baermann-Wetzel method for detecting lungworm larvae in wild ruminants from faecal samples. <i>Journal of Helminthology</i> , 2021, 95, e13.   | 0.4 | 4         |
| 32395 | Health-Related Quality of Life in Pediatric Liver Transplant Recipients. <i>Transplantation Proceedings</i> , 2021, 53, 141-147.   | 0.3 | 0         |
| 32396 | Quantification of the Severity of Ridging in Ferritic Stainless Steel Sheets Using a Profilometric Technique. <i>ISIJ International</i> , 2021, 61, 380-386.   | 0.6 | 5         |
| 32397 | Estimating the False Positive Prediction Rate in Automated Volumetric Measurements of Malignant Pleural Mesothelioma. <i>Communications in Computer and Information Science</i> , 2021, , 116-139.   | 0.4 | 1         |
| 32398 | Reliability and Minimal Detectable Change of Muscle Thickness and Echo Intensity Measurements in the Lower Extremities of Inpatients with Stroke. <i>Rigakuryoho Kagaku</i> , 2021, 36, 239-246.   | 0.0 | 0         |
| 32399 | Assessment of Pressure-Volume Index During Lumbar Infusion Study: What Is the Optimal Method?. <i>Acta Neurochirurgica Supplementum</i> , 2021, 131, 335-338.  | 0.5 | 0         |
| 32400 | Reliability in the evaluation of international and national judges in an artistic swimming routine. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 0, 23, .  | 0.5 | 0         |
| 32401 | Conversion factors for effective dose and organ doses with the air Kerma area product in hysterosalpingography. <i>Physica Medica</i> , 2021, 81, 40-46.   | 0.4 | 1         |
| 32402 | Enumeration of CD34+ haemopoietic stem cells: comparative study of the performance of the SYSMEX XN-1000 hematology analyzer in a dual-platform approach versus a single-platform approach. <i>Journal of Hematopathology</i> , 2021, 14, 23-29. | 0.2 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32403 | Validation of the Spinal Cord Injury Functional Index for Use in Community-Dwelling Individuals With SCI. Archives of Physical Medicine and Rehabilitation, 2021, , .  | 0.5 | 4         |
| 32404 | Reproducibility of total and regional body composition using dual-energy X-ray absorptiometry in rheumatoid arthritis and ankylosing spondylitis. Osteoporosis International, 2021, 32, 991-999.             | 1.3 | 3         |
| 32405 | Development of a New Equation for the Prediction of Resting Metabolic Rate in Sri Lankan Adults. International Journal of Endocrinology, 2021, 2021, 1-8.  | 0.6 | 2         |
| 32406 | Segmentation-Free Estimation of Aortic Diameters from MRI Using Deep Learning. Lecture Notes in Computer Science, 2021, , 166-174.   | 1.0 | 0         |
| 32407 | Test-Retest Reliability of Isokinetic Knee Strength Measurements in Type 2 Diabetes Mellitus Patients. Sustainability, 2021, 13, 1343.   | 1.6 | 2         |
| 32408 | 3.0T MR Coronary Angiography after Arterial Switch Operation for Transposition of The Great Arteriesâ€”Cd-FLASH Versus Non-Enhanced SSFP. A Feasibility Study. Congenital Heart Disease, 2021, 16, 107-121.  | 0.0 | 0         |
| 32410 | Atmospheric correction over the ocean for hyperspectral radiometers using multi-angle polarimetric retrievals. Optics Express, 2021, 29, 4504.   | 1.7 | 10        |
| 32412 | Continuous and automated slug flow nanoextraction for rapid partition coefficient measurement. Analyst, The, 2021, 146, 5722-5731.   | 1.7 | 2         |
| 32413 | Automatic measurement of fetal femur length in ultrasound images: a comparison of random forest regression model and SegNet. Mathematical Biosciences and Engineering, 2021, 18, 7790-7805.                  | 1.0 | 15        |
| 32414 | Changepoint in Error-Prone Relations. Mathematics, 2021, 9, 89.  | 1.1 | 2         |
| 32415 | Estimation of stride-by-stride spatial gait parameters using inertial measurement unit attached to the shank with inverted pendulum model. Scientific Reports, 2021, 11, 1391.                               | 1.6 | 21        |
| 32416 | An Optimal Envelope-Based Noise Reduction Method for Cochlear Implants: An Upper Bound Performance Investigation. IEEE/ACM Transactions on Audio Speech and Language Processing, 2021, 29, 1729-1739.        | 4.0 | 2         |
| 32417 | A Novel Technique for Non-Invasive Measurement of Human Blood Component Levels From Fingertip Video Using DNN Based Models. IEEE Access, 2021, 9, 19025-19042.   | 2.6 | 13        |
| 32418 | Impact of the PPG Sampling Rate in the Pulse Rate Variability Indices Evaluating Several Fiducial Points in Different Pulse Waveforms. IEEE Journal of Biomedical and Health Informatics, 2022, 26, 539-549. | 3.9 | 13        |
| 32419 | Routine Application of CASA in Human Clinical Andrology and ART Laboratories. , 2021, , 183-197.   |     | 2         |
| 32420 | Shining the Light on the MotionWatch8 Light Sensor for Sleep and Aging Research: What Can We Measure and What Are We Missing?. Journal of Alzheimer's Disease Reports, 2021, 5, 55-63.                       | 1.2 | 2         |
| 32421 | A Smart Ink Pen for the Ecological Assessment of Age-Related Changes in Writing and Tremor Features. IEEE Transactions on Instrumentation and Measurement, 2021, 70, 1-13.                                   | 2.4 | 12        |
| 32422 | Clinical Evaluation of Respiratory Rate Measurements on COPD (Male) Patients Using Wearable Inkjet-Printed Sensor. Sensors, 2021, 21, 468.   | 2.1 | 10        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32423 | Measurement of Axial Length by Applanation Ultrasound Relative to Optical Biometry in Normal Eye. Iraqi Postgraduate Medical Journal, 2021, 20, 33-38.  | 0.1 | 0         |
| 32424 | Reliability Examination of the Modified Star Excursion Balance Test for Upper-grade Elementary School Children. Rigakuryoho Kagaku, 2021, 36, 543-546.  | 0.0 | 0         |
| 32425 | Comparison of validity, repeatability and reproducibility of the Peer Assessment Rating (PAR) between digital and conventional study models. Australasian Orthodontic Journal, 2016, 32, 184-192.                     | 0.3 | 1         |
| 32426 | Study Protocol on the Validation of the Quality of Sleep Data from Xiaomi Domestic Wristbands. International Journal of Environmental Research and Public Health, 2021, 18, 1106.                                     | 1.2 | 14        |
| 32427 | Accuracy of intracoronary ECG parameters for myocardial ischemia detection. Journal of Electrocardiology, 2021, 64, 50-57.  | 0.4 | 11        |
| 32428 | Endotracheal Tube Position Assessment on Chest Radiographs Using Deep Learning. Radiology: Artificial Intelligence, 2021, 3, e200026.   | 3.0 | 17        |
| 32429 | Body measurement of riding horses with a versatile tablet-type 3D scanning device. Journal of Equine Science, 2021, 32, 73-80.  | 0.2 | 3         |
| 32430 | Can an Incremental Step Test Be Used for Maximal Lactate Steady State Determination in Swimming? Clues for Practice. International Journal of Environmental Research and Public Health, 2021, 18, 477.                | 1.2 | 5         |
| 32431 | Translation and validation of the Chinese version of the Spinal Cord Independence Measure (SCIM III) Self-Report. Spinal Cord, 2021, 59, 1045-1052.   | 0.9 | 4         |
| 32432 | Validation of computer software to estimate dietary intake among patients with type 2 diabetes. Journal of Clinical Biochemistry and Nutrition, 2021, 68, 105-109.  | 0.6 | 3         |
| 32433 | Validation of a point-of-care handheld blood total calcium analyzer in postpartum dairy cows. JDS Communications, 2021, 2, 41-45.   | 0.5 | 3         |
| 32434 | Non-contact Real-time Monitoring of Driver's Physiological Parameters under Ambient Light Condition. Intelligent Automation and Soft Computing, 2021, 28, 811-822.  | 1.6 | 1         |
| 32435 | Actigraphy. , 2021, , 271-281.  |     | 0         |
| 32437 | Allergen diagnosis strategy: An experimental application of different methods in Guangzhou, Southern China. Science Progress, 2021, 104, 003685042199727.   | 1.0 | 2         |
| 32438 | Development and Evaluation of a Smartphone-Based Electroencephalography (EEG) System. IEEE Access, 2021, 9, 75650-75667.  | 2.6 | 6         |
| 32440 | Acute Changes in Carotid-Femoral Pulse-Wave Velocity Are Tracked by Heart-Femoral Pulse-Wave Velocity. Frontiers in Cardiovascular Medicine, 2020, 7, 592834.   | 1.1 | 10        |
| 32441 | Performance of Dried Blood Spots Compared with Serum Samples for Measuring Dengue Seroprevalence in a Cohort of Children in Cebu, Philippines. American Journal of Tropical Medicine and Hygiene, 2021, 104, 130-135. | 0.6 | 8         |
| 32442 | Comparison of nursing workload in a Pediatric Intensive Care Unit estimated by three instruments. Revista Da Escola De Enfermagem Da U S P, 2021, 55, e00547.   | 0.3 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32443 | Wrist-wearable bioelectrical impedance analyzer with miniature electrodes for daily obesity management. <i>Scientific Reports</i> , 2021, 11, 1238.   | 1.6 | 21        |
| 32444 | The Impact of Functional Overreaching on Post-exercise Parasympathetic Reactivation in Runners. <i>Frontiers in Physiology</i> , 2020, 11, 614765.  | 1.3 | 2         |
| 32445 | Biomarkers for site-specific response to neoadjuvant chemotherapy in epithelial ovarian cancer: relating MRI changes to tumour cell load and necrosis. <i>British Journal of Cancer</i> , 2021, 124, 1130-1137.   | 2.9 | 11        |
| 32446 | Feasibility, repeatability, and reproducibility of contemporary diastolic parameters and classification. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 931-944.  | 0.7 | 9         |
| 32447 | In Situ Mg/Ca Measurements on Foraminifera: Comparison Between Laser Ablation Inductively Coupled Plasma Mass Spectrometry and Wavelength-Dispersive X-Ray Spectroscopy by Electron Probe Microanalyzer. <i>Geochemistry, Geophysics, Geosystems</i> , 2021, 22, e2020GC009449. | 1.0 | 2         |
| 32448 | Atrioventricular plane displacement versus mitral and tricuspid annular plane systolic excursion: A comparison between cardiac magnetic resonance and mode echocardiography. <i>Clinical Physiology and Functional Imaging</i> , 2021, 41, 262-270.                             | 0.5 | 5         |
| 32449 | Value of Patlak Ki images from 18F-FDG-PET/CT for evaluation of the relationships between disease activity and clinical events in cardiac sarcoidosis. <i>Scientific Reports</i> , 2021, 11, 2729.  | 1.6 | 9         |
| 32450 | Titanium and Platinum-Fluoroplastic Stapes Prostheses Visualization on Cone Beam Computed Tomography and High-Resolution Computed Tomography. <i>Life</i> , 2021, 11, 156.  | 1.1 | 1         |
| 32451 | Reliability of Bi-Axial Ankle Stiffness Measurement in Older Adults. <i>Sensors</i> , 2021, 21, 1162.   | 2.1 | 4         |
| 32452 | Evaluation of the QUANTUM BLUE sCAL rapid test as a point of care tool to identify patients with peritonsillar abscess. <i>Scientific Reports</i> , 2021, 11, 4497.   | 1.6 | 1         |
| 32453 | Ocular biometry through fully refocused steady-state magnetic resonance imaging sequence: reliability and agreement with the IOLMaster® 500. <i>International Ophthalmology</i> , 2021, 41, 1863-1874.  | 0.6 | 0         |
| 32454 | Effects of ply angle and blocking on open-hole tensile strength of composite laminates: A design and certification perspective. <i>Composites Part B: Engineering</i> , 2021, 207, 108582.  | 5.9 | 20        |
| 32455 | Parametric and nonparametric improvements in Bland and Altman's assessment of agreement method. <i>Statistics in Medicine</i> , 2021, 40, 2155-2176.  | 0.8 | 11        |
| 32457 | Agreement Between Angle-to-Angle Distance and Aqueous Depth Obtained With Two Different Optical Coherence Tomographers and a Scheimpflug Camera. <i>Journal of Refractive Surgery</i> , 2021, 37, 133-140.  | 1.1 | 3         |
| 32458 | Validation study of a novel approach for assessment of retronasal olfactory function with combination of odor thresholds and identification. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 3847-3856.  | 0.8 | 6         |
| 32459 | Agreement of maximal lactate steady state with critical power and physiological thresholds in rowing. <i>European Journal of Sport Science</i> , 2022, 22, 371-380.   | 1.4 | 1         |
| 32460 | Quantification of Myocardial Creatine and Triglyceride Content in the Human Heart: Precision and Accuracy of in vivo Proton Magnetic Resonance Spectroscopy. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 54, 411-420.  | 1.9 | 9         |
| 32461 | Unbalanced intakes of sodium and potassium among Tunisian adults: A cross-sectional study. <i>Food Science and Nutrition</i> , 2021, 9, 2234-2246.  | 1.5 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32462 | Validation of Computer-Adaptive Contrast Sensitivity as a Tool to Assess Visual Impairment in Multiple Sclerosis Patients. <i>Frontiers in Neuroscience</i> , 2021, 15, 591302.   | 1.4 | 11        |
| 32463 | Rapid in situ quantification of the strobilurin resistance mutation G143A in the wheat pathogen <i>Blumeria graminis</i> f. sp. <i>tritici</i> . <i>Scientific Reports</i> , 2021, 11, 4526.  | 1.6 | 16        |
| 32464 | A standard calculation methodology for human doubly labeled water studies. <i>Cell Reports Medicine</i> , 2021, 2, 100203.  | 3.3 | 62        |
| 32465 | Assessment of Right Ventricular Function With CT and Echocardiography in Patients With Severe Acute Respiratory Distress Syndrome on Extracorporeal Membrane Oxygenation. , 2021, 3, e0345.   |     | 9         |
| 32466 | Comparison between Two-Dimensional and Three-Dimensional Assessments of the Fetal Corpus Callosum: Reproducibility of Measurements and Acquisition Time. <i>Journal of Pediatric Neurology</i> , 2021, 19, 312-320.                             | 0.0 | 2         |
| 32467 | A Data-Driven Approach to Predict Fatigue in Exercise Based on Motion Data from Wearable Sensors or Force Plate. <i>Sensors</i> , 2021, 21, 1499.   | 2.1 | 21        |
| 32468 | Quantifying Variation in Bacterial Reproductive Fitness: a High-Throughput Method. <i>MSystems</i> , 2021, 6, .   | 1.7 | 27        |
| 32469 | Acceptability, Validity, and Engagement With a Mobile App for Frequent, Continuous Multiyear Assessment of Youth Health Behaviors (mNCANDA): Mixed Methods Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e24472.                            | 1.8 | 7         |
| 32470 | Evolution of macular microvasculature and retinal layers alterations in patients with macula off retinal detachment after vitrectomy. <i>European Journal of Ophthalmology</i> , 2021, , 112067212199298.                                       | 0.7 | 6         |
| 32471 | Validation of Heart Rate Extracted From Wrist-Based Photoplethysmography in the Perioperative Setting: Prospective Observational Study. <i>JMIR Cardio</i> , 2021, 5, e27765.   | 0.7 | 3         |
| 32472 | Thyroid gland delineation in noncontrast-enhanced CTs using deep convolutional neural networks. <i>Physics in Medicine and Biology</i> , 2021, 66, 055007.  | 1.6 | 3         |
| 32473 | Validation of inducible basophil biomarkers: Time, temperature and transportation. <i>Cytometry Part B - Clinical Cytometry</i> , 2021, 100, 632-644.   | 0.7 | 7         |
| 32474 | In vitro validation of Digital Image Analysis Sequence (DIAS) for the assessment of the marginal fit of cement-retained implant-supported experimental crowns. <i>International Journal of Implant Dentistry</i> , 2021, 7, 12.                 | 1.1 | 0         |
| 32475 | Application of Artificial Neural Network to Somatotype Determination. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 1365.   | 1.3 | 5         |
| 32476 | Acetabular Cartilage Thickness Differs Among Cam, Pincer, or Mixed-Type Femoroacetabular Impingement: A Descriptive Study Using <i>In Vivo</i> Ultrasonic Measurements During Surgical Hip Dislocation. <i>Cartilage</i> , 2021, 13, 465S-475S. | 1.4 | 3         |
| 32478 | Iohexol plasma clearance simplified by Dried Blood Spot (DBS) sampling to measure renal function in conscious mice. <i>Scientific Reports</i> , 2021, 11, 4591.   | 1.6 | 7         |
| 32479 | Wide-Field Swept-Source Optical Coherence Tomography Angiography Analysis of the Periarterial Capillary-Free Zone in Branch Retinal Vein Occlusion. <i>Translational Vision Science and Technology</i> , 2021, 10, 9.                           | 1.1 | 3         |
| 32480 | Fuzzy C-means measurement of mass base on image features. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021, , 1-8.  | 0.8 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32481 | Concurrent validity and intrarater reliability of two ultrasound-based methods for assessing patellar tendon stiffness. <i>Ultrasound</i> , 2022, 30, 1742271X2199460.  | 0.3 | 1         |
| 32482 | Comparison between conventional and compressed sensing cine cardiovascular magnetic resonance for feature tracking global circumferential strain assessment. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 10.  | 1.6 | 12        |
| 32483 | Improved sensitivity of microperimetric outcomes for clinical studies in age-related macular degeneration. <i>Scientific Reports</i> , 2021, 11, 4764.  | 1.6 | 2         |
| 32484 | Point-of-care testing of plasma free hemoglobin and hematocrit for mechanical circulatory support. <i>Scientific Reports</i> , 2021, 11, 3788.  | 1.6 | 5         |
| 32485 | Measurement properties of the one-minute sit-to-stand test in children and adolescents with cystic fibrosis: A multicenter randomized cross-over trial. <i>PLoS ONE</i> , 2021, 16, e0246781.   | 1.1 | 12        |
| 32486 | Agreement between proxy- and self-report scores on PROMIS health-related quality of life domains in pediatric burn survivors: a National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System Study. <i>Quality of Life Research</i> , 2021, 30, 2071-2080. | 1.5 | 11        |
| 32487 | Clinical routine acquisition protocol for 3D relaxation-compensated APT and rNOE CEST-MRI of the human brain at 3T. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 393-404.  | 1.9 | 15        |
| 32488 | Diaphragm echodensity in mechanically ventilated patients: a description of technique and outcomes. <i>Critical Care</i> , 2021, 25, 64.  | 2.5 | 18        |
| 32489 | Effect of method of administration on the oral health-related quality of life assessment using the Early Childhood Oral Health Impact Scale (ECOHIS-G). <i>Clinical Oral Investigations</i> , 2021, 25, 5061-5066.  | 1.4 | 2         |
| 32490 | Smartphone-based symbol-digit modalities test reliably captures brain damage in multiple sclerosis. <i>Npj Digital Medicine</i> , 2021, 4, 36.  | 5.7 | 28        |
| 32491 | Reproducibility study of nocturnal blood pressure dipping in patients with high cardiovascular risk. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1041-1050.   | 1.0 | 8         |
| 32492 | A proof-of-concept study of the in-vivo validation of a computational fluid dynamics model of personalized radioembolization. <i>Scientific Reports</i> , 2021, 11, 3895.   | 1.6 | 12        |
| 32493 | Agreement Between the TEG 6s and TEG 5000 Analyzers in Extracorporeal Membrane Oxygenation. <i>ASAIO Journal</i> , 2021, Publish Ahead of Print, .  | 0.9 | 2         |
| 32494 | Nasal ventilation and rapid maxillary expansion (RME): a randomized trial. <i>European Journal of Orthodontics</i> , 2021, 43, 283-292.   | 1.1 | 5         |
| 32495 | Validity of the Polar Vantage M watch when measuring heart rate at different exercise intensities. <i>PeerJ</i> , 2021, 9, e10893.  | 0.9 | 10        |
| 32496 | Eyeblink Detection in the Field: A Proof of Concept Study of Two Mobile Optical Eye-Trackers. <i>Military Medicine</i> , 2022, 187, e404-e409.  | 0.4 | 6         |
| 32497 | Variability and effect sizes of intracranial current source density estimations during pain: Systematic review, experimental findings, and future perspectives. <i>Human Brain Mapping</i> , 2021, 42, 2461-2476.   | 1.9 | 5         |
| 32498 | Underestimation of resting metabolic rate using equations compared to indirect calorimetry in normal-weight subjects: Consideration of resting metabolic rate as a function of body composition. <i>Clinical Nutrition Open Science</i> , 2021, 35, 48-66.  | 0.5 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32499 | Imaging Anatomy and Surface Localization of External Control Device-Targeted Arteries for Noncompressible Torso Hemorrhage. <i>Military Medicine</i> , 2021, , .   | 0.4 | 2         |
| 32500 | Bilateral asymmetry in arm anthropometric measurements according to laterality and nutritional status in children and adolescents from 6 to 12 years old. <i>American Journal of Human Biology</i> , 2022, 34, e23585. | 0.8 | 1         |
| 32501 | Assessment of an ultrasound bladder scanner in prostate radiotherapy: A validation study and analysis of bladder filling variability. <i>Ultrasound</i> , 2022, 30, 36-43.   | 0.3 | 2         |
| 32502 | Mean maximal power from an on-water 1000 m time trial predicts lactate threshold power in well-trained flat-water sprint kayak athletes. <i>European Journal of Sport Science</i> , 2022, 22, 549-558.                 | 1.4 | 0         |
| 32503 | Radiography and photogrammetry-based methods of assessing cervical spine posture in the sagittal plane: A systematic review with meta-analysis. <i>Gait and Posture</i> , 2021, 84, 357-367.                           | 0.6 | 10        |
| 32504 | Early localized alterations of the retinal inner plexiform layer in association with visual field worsening in glaucoma patients. <i>PLoS ONE</i> , 2021, 16, e0247401.  | 1.1 | 6         |
| 32505 | Automatic Measurement of Pennation Angle from Ultrasound Images using Resnets. <i>Ultrasonic Imaging</i> , 2021, 43, 74-87.  | 1.4 | 9         |
| 32506 | Inter-optometrist variability of IOP measurement for modern tonometers and their agreement with Goldmann Applanation Tonometry. <i>Australasian journal of optometry, The</i> , 2021, 104, 602-610.                    | 0.6 | 3         |
| 32507 | Cerebral blood flow measurements with <sup>15</sup> O-water PET using a non-invasive machine-learning-derived arterial input function. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 2229-2241.     | 2.4 | 15        |
| 32508 | Deep learning-based differentiation of invasive adenocarcinomas from preinvasive or minimally invasive lesions among pulmonary subsolid nodules. <i>European Radiology</i> , 2021, 31, 6239-6247.                      | 2.3 | 8         |
| 32509 | Generalized confidence interval for an agreement between raters. <i>Statistics in Medicine</i> , 2021, 40, 2230-2238.  | 0.8 | 0         |
| 32510 | The Relationship Between Selected Load-Velocity Profile Parameters and 50 m Front Crawl Swimming Performance. <i>Frontiers in Physiology</i> , 2021, 12, 625411.   | 1.3 | 7         |
| 32511 | Cooper's 12 min run test: Its validity in Indian swimmers and volleyball players. <i>Indian Journal of Physiology and Pharmacology</i> , 0, 64, 265-271.   | 0.4 | 0         |
| 32512 | Comparison between seated medicine ball throw test and Wingate test for assessing upper body peak power in elite power sports players. <i>Indian Journal of Physiology and Pharmacology</i> , 0, 64, 286-291.          | 0.4 | 4         |
| 32513 | A phantom study comparing radial trajectories for accelerated cardiac 4D flow MRI against a particle imaging velocimetry reference. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 363-371.                         | 1.9 | 5         |
| 32514 | Field validation of an actuated convergent-beam acoustic Doppler profiler for high resolution flow mapping. <i>Measurement Science and Technology</i> , 2021, 32, 045904.  | 1.4 | 1         |
| 32515 | Bottleneck analysis: Simple prediction of the precision of a planned case-control or cohort study based on healthcare registers. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 619-625.                      | 0.9 | 1         |
| 32516 | Timing the opening and closure of the aortic valve using a phonocardiogram envelope: a performance test for systolic time intervals measurement. <i>Physiological Measurement</i> , 2021, 42, 025004.                  | 1.2 | 1         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32517 | The Slavcleft: a three-center study of the outcome of treatment of cleft lip and palate. Nasolabial appearance. PeerJ, 2021, 9, e10631.  | 0.9 | 0         |
| 32518 | Does age estimated from teeth forming in different early life periods show differential discrepancy with known age?. American Journal of Human Biology, 2021, 33, e23577.  | 0.8 | 2         |
| 32519 | GFR Estimation After Cystatin C Reference Material Change. Kidney International Reports, 2021, 6, 429-436.   | 0.4 | 5         |
| 32520 | MacConkey broth purple provides an efficient MPN estimation method for Shigatoxigenic Escherichia coli. Journal of Microbiological Methods, 2021, 181, 106132.   | 0.7 | 4         |
| 32521 | Effect of b values and size of region of interest on apparent diffusion coefficient measurement and its reproducibility in liver diffusion-weighted MRI. Chinese Journal of Academic Radiology, 2021, 4, 56-62.                              | 0.4 | 0         |
| 32522 | Analytical validation of two RT-qPCR tests and detection of spring viremia of carp virus (SVCV) in persistently infected koi Cyprinus carpio. Diseases of Aquatic Organisms, 2021, 143, 169-188.   | 0.5 | 4         |
| 32523 | A validation of Illumina EPIC array system with bisulfite-based amplicon sequencing. PeerJ, 2021, 9, e10762.   | 0.9 | 11        |
| 32524 | A robust permutation test for the concordance correlation coefficient. Pharmaceutical Statistics, 2021, 20, 696-709.   | 0.7 | 6         |
| 32525 | Comparison between traditional fast Fourier transform and marginal spectra using the Hilbert-Huang transform method for the broadband spectral analysis of the electroencephalogram in healthy humans. Engineering Reports, 2021, 3, e12367. | 0.9 | 5         |
| 32526 | The influence of periapical lesions on the repeatability of two electronic apex locators in vivo. Clinical Oral Investigations, 2021, 25, 5239-5245.   | 1.4 | 3         |
| 32527 | Foot progression angle estimation using a single foot-worn inertial sensor. Journal of NeuroEngineering and Rehabilitation, 2021, 18, 37.  | 2.4 | 13        |
| 32528 | Association of Inclusion of Medicare Advantage Patients in Hospitals' Risk-Standardized Readmission Rates, Performance, and Penalty Status. JAMA Network Open, 2021, 4, e2037320.  | 2.8 | 5         |
| 32529 | Comparison of rectal and axillary temperature measurements in preterm newborns. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2021, 106, 509-513.  | 1.4 | 6         |
| 32530 | FOPR test: a virtual reality-based technique to assess field of perception and field of regard in hemispatial neglect. Journal of NeuroEngineering and Rehabilitation, 2021, 18, 39.   | 2.4 | 11        |
| 32531 | Validity and reliability of the EULAR instrument RAID.7 as a tool to assess individual domains of impact of disease in rheumatoid arthritis: a cross-sectional study of 671 patients. RMD Open, 2021, 7, e001539.                            | 1.8 | 10        |
| 32532 | Estimated GFR Slope in Kidney Transplant Patients. Transplantation, 2021, Publish Ahead of Print, .  | 0.5 | 3         |
| 32533 | Spatially constrained kinetic modeling with dual reference tissues improves 18F-flortaucipir PET in studies of Alzheimer disease. European Journal of Nuclear Medicine and Molecular Imaging, 2021, 48, 3172-3186.                           | 3.3 | 6         |
| 32534 | Characterizing the transient response of knee cartilage to running: Decreases in cartilage thickness of female recreational runners. Journal of Orthopaedic Research, 2021, 39, 2340-2352.   | 1.2 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32535 | Three-dimensional mandibular dental changes with aging. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021, 159, 184-192.  | 0.8 | 7         |
| 32536 | A performance comparison of the fully automated urine particle analyzer UF-5000 with UF-1000i and Gram staining in predicting bacterial growth patterns in women with uncomplicated urinary tract infections. <i>BMC Urology</i> , 2021, 21, 24. | 0.6 | 2         |
| 32537 | Automatic segmentation of pulmonary lobes on low-dose computed tomography using deep learning. <i>Annals of Translational Medicine</i> , 2021, 9, 291-291.   | 0.7 | 4         |
| 32538 | Validation of a measure of parental responsiveness: Comparison of the brief Parental Responsiveness Rating Scale with a detailed measure of responsive parental behaviours. <i>Journal of Child Health Care</i> , 2021, , 136749352199648.       | 0.7 | 2         |
| 32539 | Comparison between optical and digital blur using near visual acuity. <i>Scientific Reports</i> , 2021, 11, 3437.  | 1.6 | 4         |
| 32540 | Agreement of keratometric readings measured using rotating Scheimpflug imaging, auto-refractometer, and biograph in eyes with keratoconus. <i>International Ophthalmology</i> , 2021, 41, 1659-1669.   | 0.6 | 5         |
| 32541 | Comparison of portable and conventional laboratory analyzers for biochemical tests in chickens. <i>Poultry Science</i> , 2021, 100, 746-754.   | 1.5 | 10        |
| 32542 | The measurement performance of the EQ-5D-5L versus EQ-5D-3L in patients with hidradenitis suppurativa. <i>Quality of Life Research</i> , 2021, 30, 1477-1490.  | 1.5 | 12        |
| 32543 | Reliability and agreement of instrumental skin barrier measurements in clinical pressure ulcer prevention research. <i>International Wound Journal</i> , 2021, 18, 716-727.  | 1.3 | 12        |
| 32544 | Contactless analysis of heart rate variability during cold pressor test using radar interferometry and bidirectional LSTM networks. <i>Scientific Reports</i> , 2021, 11, 3025.  | 1.6 | 19        |
| 32545 | An Inertial Measurement Unit-Based Wireless System for Shoulder Motion Assessment in Patients with Cervical Spinal Cord Injury: A Validation Pilot Study in a Clinical Setting. <i>Sensors</i> , 2021, 21, 1057.                                 | 2.1 | 9         |
| 32546 | Comparison of body temperature in donkeys using rectal digital, infrared, and mercury-in-glass thermometers during the hot-dry season in a tropical savannah. <i>International Journal of Biometeorology</i> , 2021, 65, 1053-1067.              | 1.3 | 5         |
| 32547 | Deep learning-based T1-enhanced selection of linear attenuation coefficients (DL- $\mu$ TESLA) for PET/MR attenuation correction in dementia neuroimaging. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 499-513.                            | 1.9 | 11        |
| 32548 | Dynamic perfusion digital radiography for predicting pulmonary function after lung cancer resection. <i>World Journal of Surgical Oncology</i> , 2021, 19, 43.   | 0.8 | 10        |
| 32549 | Smartphone pedometers in adults with asthma: a practical approach to physical activity assessment? A pilot validation study. <i>Journal of Asthma</i> , 2022, 59, 967-975.   | 0.9 | 2         |
| 32550 | Detecting methanol in hand sanitizers. <i>IScience</i> , 2021, 24, 102050.   | 1.9 | 21        |
| 32551 | Standing 8-Electrode Bioelectrical Impedance Analysis as an Alternative Method to Estimate Visceral Fat Area and Body Fat Mass in Athletes. <i>International Journal of General Medicine</i> , 2021, Volume 14, 539-548.                         | 0.8 | 7         |
| 32552 | Clinical Implications of Minimal Residual Disease Detection in Infants With <i>KMT2A</i> -Rearranged Acute Lymphoblastic Leukemia Treated on the Interfant-06 Protocol. <i>Journal of Clinical Oncology</i> , 2021, 39, 652-662.                 | 0.8 | 41        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32553 | Pneumatic tube transport of blood samples affects global hemostasis and platelet function assays. <i>International Journal of Laboratory Hematology</i> , 2021, 43, 1207-1215.  | 0.7 | 7         |
| 32554 | Instant vision assessment device for measuring refraction in low vision. <i>Australasian journal of optometry, The</i> , 2021, 104, 780-787.  | 0.6 | 0         |
| 32555 | Determination of the Accuracy of Supine and Prone Approaches to Sonographically Measured Kidney Dimensions. <i>Journal of Diagnostic Medical Sonography</i> , 2021, 37, 232-240.  | 0.1 | 0         |
| 32556 | Agreement of Ultra-Short-Term Heart Rate Variability Recordings During Overseas Training Camps in Under-20 National Futsal Players. <i>Frontiers in Psychology</i> , 2021, 12, 621399.  | 1.1 | 5         |
| 32557 | Reliability of automatic detection of AHI during positive airway pressure treatment in obstructive sleep apnea patients: A "real-life study". <i>Respiratory Medicine</i> , 2021, 177, 106303.  | 1.3 | 5         |
| 32558 | Application of the Modified Incremental Step Test for Pulmonary Rehabilitation. <i>Physical Therapy</i> , 2021, 101, .  | 1.1 | 7         |
| 32559 | Comparison of Different Variants of the U.S. Army Occupational Physical Assessment Test. <i>Military Medicine</i> , 2021, , .   | 0.4 | 1         |
| 32560 | A novel non-invasive and echocardiography-derived method for quantification of right ventricular pressure"volume loops. <i>European Heart Journal Cardiovascular Imaging</i> , 2022, 23, 498-507.   | 0.5 | 22        |
| 32562 | Development of a new patient-reported outcome measure assessing activities and participation in people with lumbar spinal stenosis: The Cochin Spinal Stenosis 19-item questionnaire. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2021, 57, 92-100. | 1.1 | 0         |
| 32563 | Test"Retest Reliability of a Conventional Gait Model for Registering Joint Angles during Initial Contact and Toe-Off in Healthy Subjects. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1343.                                      | 1.2 | 5         |
| 32564 | Evaluation of dried blood spots as an alternative matrix for therapeutic drug monitoring of abiraterone and delta(4)-abiraterone in prostate cancer patients. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 195, 113861.                               | 1.4 | 6         |
| 32565 | Using a Portable Near-infrared Spectroscopy Device to Estimate The Second Ventilatory Threshold. <i>International Journal of Sports Medicine</i> , 2021, 42, 905-910.   | 0.8 | 14        |
| 32566 | Multicenter Consistency Assessment of Valvular Flow Quantification With Automated Valve Tracking in 4D Flow CMR. <i>JACC: Cardiovascular Imaging</i> , 2021, 14, 1354-1366.   | 2.3 | 21        |
| 32567 | Comparison of serum and plasma SDMA measured with point-of-care and reference laboratory analysers: implications for interpretation of SDMA in cats. <i>Journal of Feline Medicine and Surgery</i> , 2021, 23, 906-920.   | 0.6 | 10        |
| 32568 | Interchangeability of light and virtual microscopy for histopathological evaluation of prostate cancer. <i>Scientific Reports</i> , 2021, 11, 3257.   | 1.6 | 11        |
| 32569 | Running Speed Estimation Using Shoe-Worn Inertial Sensors: Direct Integration, Linear, and Personalized Model. <i>Frontiers in Sports and Active Living</i> , 2021, 3, 585809.  | 0.9 | 8         |
| 32570 | Item banks for measurement of refractive error"specific quality of life. <i>Ophthalmic and Physiological Optics</i> , 2021, 41, 591-602.  | 1.0 | 12        |
| 32571 | Reliability and Validity of an Electronic Inspiratory Loading Device for Assessing Pulmonary Function in Patients with COPD. <i>Physical Therapy Rehabilitation Science</i> , 2021, 10, 40-47.  | 0.1 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32572 | Agreement between continuous noninvasive finger cuff-derived and invasive arterial blood pressure measurements: Effect of data sampling and data processing. <i>European Journal of Anaesthesiology</i> , 2021, 38, 616-624.                    | 0.7 | 1         |
| 32573 | Inspiratory/expiratory xenon-enhanced area-detector CT: Capability for quantitative assessment of lung ventilation changes in surgically treated non-small cell lung cancer patients. <i>European Journal of Radiology</i> , 2021, 136, 109574. | 1.2 | 2         |
| 32574 | Test-Retest Reliability of an iPhone® Inclinometer Application to Assess the Lumbar Joint Repositioning Error in Non-Specific Chronic Low Back Pain. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2489. | 1.2 | 3         |
| 32575 | Arabic translation, cross-cultural adaptation, and psychometric properties of the low back pain knowledge questionnaire. <i>Physiotherapy Theory and Practice</i> , 2022, 38, 2202-2212.  | 0.6 | 4         |
| 32576 | Nix Pro Color Sensor provides comparable color measurements to HunterLab colorimeter for fresh beef. <i>Journal of Food Science and Technology</i> , 2021, 58, 3661-3665.   | 1.4 | 3         |
| 32577 | Measurement of Heart Rate Using the Polar OH1 and Fitbit Charge 3 Wearable Devices in Healthy Adults During Light, Moderate, Vigorous, and Sprint-Based Exercise: Validation Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e25313.          | 1.8 | 34        |
| 32578 | Emulation of the BIS engine. <i>Journal of Clinical Monitoring and Computing</i> , 2022, 36, 483-492.   | 0.7 | 4         |
| 32579 | Machine learning prediction of pathologic myopia using tomographic elevation of the posterior sclera. <i>Scientific Reports</i> , 2021, 11, 6950.   | 1.6 | 9         |
| 32580 | Use of bioelectrical impedance spectroscopy to provide a measure of body composition in sows. <i>Animal</i> , 2021, 15, 100156.   | 1.3 | 8         |
| 32581 | Is "pain before vomiting" useful?: Diagnostic performance of the classic patient history item in acute appendicitis. <i>American Journal of Emergency Medicine</i> , 2021, 41, 84-89.   | 0.7 | 3         |
| 32582 | Web-Based Dietary Intake Estimation to Assess the Reproducibility and Relative Validity of the EatWellQ8 Food Frequency Questionnaire: Validation Study. <i>JMIR Formative Research</i> , 2021, 5, e13591.                                      | 0.7 | 7         |
| 32583 | Ready-to-use qPCR for detection of <i>Cyclospora cayentanensis</i> or <i>Trypanosoma cruzi</i> in food matrices. <i>Food and Waterborne Parasitology</i> , 2021, 22, e00111.  | 1.1 | 1         |
| 32584 | Instantaneous velocity estimation for the four swimming strokes using a 3-axis accelerometer: Validation on paralympic athletes. <i>Journal of Biomechanics</i> , 2021, 117, 110261.  | 0.9 | 3         |
| 32585 | Partitioning the work of breathing during running and cycling using optoelectronic plethysmography. <i>Journal of Applied Physiology</i> , 2021, 130, 1460-1469.  | 1.2 | 1         |
| 32586 | Predicting cognitive function based on physical performance: findings from the China Health and Retirement Longitudinal Study. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 2723-2735.   | 1.4 | 2         |
| 32587 | Liposuction of Breast Cancer-Related Arm Lymphedema Reduces Fat and Muscle Hypertrophy. <i>Lymphatic Research and Biology</i> , 2022, 20, 53-63.  | 0.5 | 7         |
| 32588 | Assessment of inactivation procedures for SARS-CoV-2. <i>Journal of General Virology</i> , 2021, 102, .   | 1.3 | 48        |
| 32589 | Validity of Extended-Field-of-View Ultrasound Imaging to Evaluate Quantity and Quality of Trunk Skeletal Muscles. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 376-385.  | 0.7 | 11        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32590 | Bayesian modeling of health state preferences: could borrowing strength from existing countriesâ€™ valuations produce better estimates. <i>European Journal of Health Economics</i> , 2021, 22, 773-788.  | 1.4 | 4         |
| 32591 | Semi-Automated Segmentation of Bone Metastases from Whole-Body MRI: Reproducibility of Apparent Diffusion Coefficient Measurements. <i>Diagnostics</i> , 2021, 11, 499.   | 1.3 | 6         |
| 32592 | A comparison of test-retest reliability of four cognitive screening tools in people with dementia. <i>Disability and Rehabilitation</i> , 2022, 44, 4090-4095.  | 0.9 | 10        |
| 32593 | Repeatability of Non-invasive Keratograph Break-Up Time measurements obtained using Oculus Keratograph 5M. <i>International Ophthalmology</i> , 2021, 41, 2473-2483.  | 0.6 | 26        |
| 32594 | Underreporting of energy intake in weight loss maintainers. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 257-266.   | 2.2 | 11        |
| 32595 | Assessing the Accuracy of Popular Commercial Technologies That Measure Resting Heart Rate and Heart Rate Variability. <i>Frontiers in Sports and Active Living</i> , 2021, 3, 585870.   | 0.9 | 41        |
| 32596 | Desarrollo de ecuaciones y software para la estimaci3n de peso en niÃ±os y niÃ±as con parÃ¡lisis cerebral. <i>Developmental Medicine and Child Neurology</i> , 2021, 63, e9.  | 1.1 | 0         |
| 32597 | Utility of venous blood gases for the assessment of traumatic shock: a prospective observational study. <i>Emergency Medicine Journal</i> , 2021, 38, 711-717.  | 0.4 | 1         |
| 32598 | Physiological skin FDG uptake: A quantitative and regional distribution assessment using PET/MRI. <i>PLoS ONE</i> , 2021, 16, e0249304.   | 1.1 | 1         |
| 32599 | Home sleep apnea testing of adults with chronic heart failure. <i>Journal of Clinical Sleep Medicine</i> , 2021, 17, 1453-1463.   | 1.4 | 13        |
| 32600 | Placental volume in gestational week 27 measured by three-dimensional ultrasound and magnetic resonance imaging. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 1412-1418.  | 1.3 | 6         |
| 32601 | Flow Diverter Apposition in Patients with Large or Giant Intracranial Aneurysms Evaluated on Three-Dimensional Fusion Images Acquired by High-Resolution Cone-Beam Computed Tomography and Digital Subtraction Angiography. <i>World Neurosurgery</i> , 2021, 147, e388-e395. | 0.7 | 3         |
| 32602 | Left ventricular longitudinal strain and strain rate measurements in paediatric patients in long-term treatment for Chagas disease. <i>Cardiology in the Young</i> , 2021, 31, 1451-1457.   | 0.4 | 1         |
| 32603 | Agreement between intraoperative anterior segment spectral-domain OCT and 2 swept-source OCT biometers. <i>Expert Review of Medical Devices</i> , 2021, 18, 387-393.  | 1.4 | 9         |
| 32604 | Reliability of the breathing pattern assessment tool for in-person or remote assessment in people with asthma. <i>Clinical and Experimental Allergy</i> , 2021, 51, 1218-1220.  | 1.4 | 7         |
| 32605 | A pilot study on exertional tasks with physiological measures designed for the assessment of military concussion. <i>Concussion</i> , 2021, 6, CNC88.   | 1.2 | 2         |
| 32606 | Echocardiographic Left Ventricular Mass Assessment: Correlation between 2D-Derived Linear Dimensions and 3-Dimensional Automated, Machine Learning-Based Methods in Unselected Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 1279.                                | 1.0 | 7         |
| 32607 | Bioelectrical Impedance Analysis and Manual Measurements of Neck Circumference Are Interchangeable, and Declining Neck Circumference Is Related to Presarcopenia. <i>BioMed Research International</i> , 2021, 2021, 1-9.   | 0.9 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32608 | Cystic fibrosis and noninvasive liver fibrosis assessment methods in children. <i>Pediatric Research</i> , 2021, , .   | 1.1 | 5         |
| 32609 | Quantitative estimation of corrosion rate in 3C steels under seawater environment. <i>Journal of Materials Research and Technology</i> , 2021, 11, 681-686.  | 2.6 | 5         |
| 32610 | A Bone-Conduction Transducer-Based Detection System for Sleep Apnea Screening in the Family Units. <i>IEEE Sensors Journal</i> , 2021, 21, 8411-8420.  | 2.4 | 4         |
| 32611 | Subtle cardiac dysfunction in lymphoma patients receiving low to moderate dose chemotherapy. <i>Scientific Reports</i> , 2021, 11, 7100.   | 1.6 | 4         |
| 32612 | Determination of Perceived Levels of Physical Work Demand Thresholds, and Reliability and Responsiveness of the Modified-Spinal Function Sort Questionnaire in a Multidisciplinary Occupational Rehabilitation Setting. <i>Journal of Occupational Rehabilitation</i> , 2021, 31, 822-830.                         | 1.2 | 0         |
| 32613 | Comparison of multiplex cytokine assays in a pediatric cohort with epilepsy. <i>Heliyon</i> , 2021, 7, e06445.   | 1.4 | 8         |
| 32614 | PREDICCIÃ“N DEL UMBRAL ANAERÃ“BICO EN EL EJERCICIO PRENSA DE PIERNAS A 45Â°. <i>Revista Internacional De Medicina Y Ciencias De La Actividad Fisica Y Del Deporte</i> , 2021, 21, 83-97.   | 0.1 | 0         |
| 32615 | Child- compared with parent-report ratings on psychosocial measures following a mild traumatic brain injury among youth with persistent post-concussion symptoms. <i>Brain Injury</i> , 2021, 35, 574-586.   | 0.6 | 8         |
| 32616 | Pilot study determining the feasibility of implementing the Disadvantaged Populations eGFR Epidemiology Study (DEGREE) protocol, point-of-care field measurements and a new module on risk factors for chronic kidney disease of unknown origin in Hispanic outdoor workers. <i>BMC Nephrology</i> , 2021, 22, 88. | 0.8 | 2         |
| 32617 | Analysis of the Long-Term Outcome in Open Carpal Tunnel Release Surgeries with and without External Neurolysis of Median Nerve, Using Boston Carpal Tunnel Questionnaire (BCTQ)â€“Hindi Version. <i>Journal of Neurosciences in Rural Practice</i> , 2021, 12, 470-477.  | 0.3 | 3         |
| 32618 | Assessment of maxillary canting on cone beam computed tomography and digital models: A retrospective study and proposal of a method. <i>Journal of Stomatology, Oral and Maxillofacial Surgery</i> , 2022, 123, 128-135.   | 0.5 | 2         |
| 32619 | Reliability and Validity of the Polar V800 Sports Watch for Estimating Vertical Jump Height. <i>Journal of Sports Science and Medicine</i> , 2021, 20, 149-157.  | 0.7 | 8         |
| 32620 | Accuracy of Acoustic Voice Quality Index Captured With a Smartphone â€“ Measurements With Added Ambient Noise. <i>Journal of Voice</i> , 2023, 37, 465.e19-465.e26.  | 0.6 | 13        |
| 32621 | Reliability of Retinal Pathology Quantification in Age-Related Macular Degeneration: Implications for Clinical Trials and Machine Learning Applications. <i>Translational Vision Science and Technology</i> , 2021, 10, 4.   | 1.1 | 16        |
| 32622 | Advancements in the Protocol for Rate of Force Development/Relaxation Scaling Factor Evaluation. <i>Frontiers in Human Neuroscience</i> , 2021, 15, 654443.  | 1.0 | 7         |
| 32623 | Evaluation of a Home-Printable Vision Screening Test for Telemedicine. <i>JAMA Ophthalmology</i> , 2021, 139, 271.   | 1.4 | 18        |
| 32624 | Measures of diagnostic precision (repeatability and reproducibility) for three test methods designed to detect spring viremia of carp virus. <i>Preventive Veterinary Medicine</i> , 2021, 188, 105288.  | 0.7 | 4         |
| 32625 | Monitoring Lipolysis by Sensing Breath Acetone down to Partsâ€“perâ€“Billion. <i>Small Science</i> , 2021, 1, 2100004.   | 5.8 | 20        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32626 | Validity and reproducibility of a semi-quantitative food frequency questionnaire for Iranian adults. <i>Nutrition and Dietetics</i> , 2021, 78, 305-314.  | 0.9 | 7         |
| 32627 | Assessment of the left ventricular outflow tract during cardiac anaesthesia with biplane transoesophageal echocardiography. <i>European Journal of Anaesthesiology</i> , 2021, Publish Ahead of Print, 1253-1261.   | 0.7 | 2         |
| 32628 | The Role of Rotation Type used to Extract Dietary Patterns through Principal Component Analysis, on their Short-Term Repeatability. <i>Journal of Data Science</i> , 2012, 10, 19-36.   | 0.5 | 8         |
| 32629 | Examining the Feasibility of Smart Blood Pressure Home Monitoring: Advancing Remote Prenatal Care in Rural Appalachia. <i>Telemedicine Reports</i> , 2021, 2, 125-134.  | 0.5 | 2         |
| 32630 | Detection of Genomically Aberrant Cells within Circulating Tumor Microemboli (CTMs) Isolated from Early-Stage Breast Cancer Patients. <i>Cancers</i> , 2021, 13, 1409.  | 1.7 | 9         |
| 32631 | Development of equations and software for estimating weight in children with cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2021, 63, 860-865.   | 1.1 | 10        |
| 32632 | Comparison of Lower Extremity Lean Mass Between Multi-frequency Bioelectrical Impedance Analysis and Dual-Energy X-ray Absorptiometry in Athletic College-Aged Men and Women. <i>Athletic Training &amp; Sports Health Care</i> , 2021, 13, 68-74.  | 0.4 | 1         |
| 32633 | A new doubly labelled water anthropometry-based equation for prediction of total daily energy expenditure in older people from low- and middle-income countries. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 1618-1626.   | 1.3 | 3         |
| 32634 | Evaluation of an oscillometric blood pressure monitor in anesthetized dogs: Agreement with direct measurements and ability to detect hypotension. <i>Research in Veterinary Science</i> , 2021, 135, 162-166.   | 0.9 | 6         |
| 32635 | Robust non-contact peripheral oxygenation saturation measurement using smartphone-enabled imaging photoplethysmography. <i>Biomedical Optics Express</i> , 2021, 12, 1746.  | 1.5 | 19        |
| 32636 | A comparison of 2- and 3-dimensional mandibular superimposition techniques against Björk's structural superimposition method. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021, 159, e253-e273.   | 0.8 | 0         |
| 32637 | Does Carotid Artery Tortuosity Play a Role in Stroke?. <i>Canadian Association of Radiologists Journal</i> , 2021, 72, 084653712199105.   | 1.1 | 6         |
| 32639 | Cardiorespiratory synchronisation and systolic blood pressure correlation of peripheral arterial stiffness during endoscopic thoracic sympathectomy. <i>Scientific Reports</i> , 2021, 11, 5966.  | 1.6 | 4         |
| 32640 | Reproducibility and relative validity of a semi-quantitative food frequency questionnaire for the Chinese lactating mothers. <i>Nutrition Journal</i> , 2021, 20, 20.   | 1.5 | 10        |
| 32641 | A PCA-Based Method to Select the Number and the Body Location of Piezoresistive Sensors in a Wearable System for Respiratory Monitoring. <i>IEEE Sensors Journal</i> , 2021, 21, 6847-6855.   | 2.4 | 15        |
| 32642 | Inter-week variation of meibometry and tear break-up time in healthy subjects. <i>Australasian journal of optometry</i> , The, 2021, 104, 691-697.  | 0.6 | 4         |
| 32643 | Computed Tomography Perfusion Analysis of Pancreatic Adenocarcinoma using Deconvolution, Maximum Slope, and Patlak Methods – Evaluation of Diagnostic Accuracy and Interchangeability of Cut-Off Values. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2021, 193, 1062-1073. | 0.7 | 1         |
| 32644 | Influence of angular position on radar gun peak cricket ball speed measurements. <i>Sports Biomechanics</i> , 2021, , 1-14.   | 0.8 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32646 | Field Test of a Passive Infrared Camera for Measuring Trail-Based Physical Activity. <i>Frontiers in Public Health</i> , 2021, 9, 584740.  | 1.3 | 3         |
| 32647 | Comparison between two devices in the detection of corneal thickness changes after cataract surgery. <i>Scientific Reports</i> , 2021, 11, 6709.   | 1.6 | 5         |
| 32648 | Threshold for defining fever varies with age, especially in children: A multi-site diagnostic accuracy study. <i>Nursing Open</i> , 2021, 8, 2705-2721.  | 1.1 | 2         |
| 32649 | Echocardiographic reference intervals for volumetric measurements of the left ventricle using the Simpson's method of discs in 1331 dogs. <i>Journal of Veterinary Internal Medicine</i> , 2021, 35, 724-738.                    | 0.6 | 22        |
| 32650 | Subcritical crack growth models for static fatigue of HiAlNicalon <sup>TM</sup> SiC fiber in air and steam. <i>Journal of the American Ceramic Society</i> , 2021, 104, 3562-3592.   | 1.9 | 7         |
| 32651 | Accuracy of noninvasive continuous arterial pressure monitoring using ClearSight during one-lung ventilation. <i>Medicine (United States)</i> , 2021, 100, e25152.   | 0.4 | 5         |
| 32652 | Changes in Respiratory Muscle Thickness during Mechanical Ventilation: Focus on Expiratory Muscles. <i>Anesthesiology</i> , 2021, 134, 748-759.  | 1.3 | 28        |
| 32653 | Calculation of test-retest variability in phase I/IIa clinical trials for Inherited Retinal Degenerations. <i>Ophthalmic Genetics</i> , 2021, 42, 283-290.   | 0.5 | 2         |
| 32654 | Body adiposity index to analyze the percentage of fat in young men aged between 7 and 17 years. <i>American Journal of Human Biology</i> , 2021, , e23599.   | 0.8 | 4         |
| 32655 | On the use of envelope following responses to estimate peripheral level compression in the auditory system. <i>Scientific Reports</i> , 2021, 11, 6962.  | 1.6 | 9         |
| 32656 | High inter- and intra-observer agreement for measuring tissue oxygenation of the plantar surface of the foot in healthy participants with the Hyperview <sup>®</sup> : A pilot study. <i>Vascular</i> , 2021, , 170853812110027. | 0.4 | 1         |
| 32657 | Estimation of cardiovascular drift through ear temperature during prolonged steady-state cycling: a study protocol. <i>BMJ Open Sport and Exercise Medicine</i> , 2021, 7, e000907.  | 1.4 | 3         |
| 32658 | Test-Retest Reliability of a Visual-Cognitive Technology (BlazePod <sup>®</sup> ) to Measure Response Time. <i>Journal of Sports Science and Medicine</i> , 2021, 20, 179-180.   | 0.7 | 8         |
| 32659 | Glycogen supercompensation is due to increased number, not size, of glycogen particles in human skeletal muscle. <i>Experimental Physiology</i> , 2021, 106, 1272-1284.  | 0.9 | 7         |
| 32660 | Agreement between rhinomanometry and computed tomography-based computational fluid dynamics. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2021, 16, 629-638.  | 1.7 | 14        |
| 32661 | Evaluation of electrocardiographic repolarization parameters after administration of trimethoprim-sulfadiazine, detomidine, or their combination in horses. <i>American Journal of Veterinary Research</i> , 2021, 82, 207-217.  | 0.3 | 2         |
| 32662 | A novel device for detecting anaerobic threshold using sweat lactate during exercise. <i>Scientific Reports</i> , 2021, 11, 4929.  | 1.6 | 31        |
| 32663 | Improved coronary calcification quantification using photon-counting-detector CT: an ex vivo study in cadaveric specimens. <i>European Radiology</i> , 2021, 31, 6621-6630.  | 2.3 | 37        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32664 | Machine read frontal QRS-T angle and QTc is no substitute for manual measurement of QTc in pro-arrhythmic drug overdose. <i>Journal of Electrocardiology</i> , 2021, 65, 151-156.   | 0.4 | 2         |
| 32665 | Translation of the International Physical Activity Questionnaire to Maltese and Reliability Testing. <i>Journal for the Measurement of Physical Behaviour</i> , 2021, 4, 23-30.   | 0.5 | 4         |
| 32666 | Kinect V2-Based Gait Analysis for Children with Cerebral Palsy: Validity and Reliability of Spatial Margin of Stability and Spatiotemporal Variables. <i>Sensors</i> , 2021, 21, 2104.  | 2.1 | 13        |
| 32667 | Assessment of myocardial deformation with CMR: a comparison with ultrasound speckle tracking. <i>European Radiology</i> , 2021, 31, 7242-7250.  | 2.3 | 5         |
| 32668 | Resting metabolic rate: a comparison between different measurement methods used in male university students. <i>Sport Sciences for Health</i> , 2021, 17, 449-457.  | 0.4 | 2         |
| 32669 | Comparison of four short forms of the French adaptation of the Wechsler Adult Intelligence Scale "Fourth Edition (WAIS-IV). <i>Revue Europeenne De Psychologie Appliquee</i> , 2021, 71, 100634.  | 0.4 | 2         |
| 32670 | Validity and reliability of the French version of the Pediatric Quality of Life Inventory" brain tumor module. <i>Quality of Life Research</i> , 2021, 30, 2387-2404.   | 1.5 | 5         |
| 32671 | Neonatal wearable device for colorimetry-based real-time detection of jaundice with simultaneous sensing of vitals. <i>Science Advances</i> , 2021, 7, .  | 4.7 | 32        |
| 32672 | Inter-rater reliability and test-retest reliability of the Performance and Fitness (PERF-FIT) test battery for children: a test for motor skill related fitness. <i>BMC Pediatrics</i> , 2021, 21, 119.   | 0.7 | 12        |
| 32673 | Valida"o da vers"o brasileira do World Health Organization Disability Assessment Schedule 2.0 em idosos institucionalizados. <i>Fisioterapia E Pesquisa</i> , 2021, 28, 77-87.  | 0.3 | 5         |
| 32674 | Agreement between continuous and intermittent pulmonary artery thermodilution for cardiac output measurement in perioperative and intensive care medicine: a systematic review and meta-analysis. <i>Critical Care</i> , 2021, 25, 125.   | 2.5 | 18        |
| 32675 | Accuracy of non-invasive body temperature measurement methods in adult patients admitted to the intensive care unit: a systematic review and meta-analysis. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2021, 23, 6-13. | 0.0 | 3         |
| 32677 | Onset detection in surface electromyographic signals across isometric explosive and ramped contractions: a comparison of computer-based methods. <i>Physiological Measurement</i> , 2021, 42, 035010.   | 1.2 | 19        |
| 32678 | High Efficacy of Saliva in Detecting SARS-CoV-2 by RT-PCR in Adults and Children. <i>Microorganisms</i> , 2021, 9, 642.   | 1.6 | 41        |
| 32679 | Pediatric Index of Mortality "An Evaluation of Function Among ICUs In South Africa". <i>Pediatric Critical Care Medicine</i> , 2021, 22, 813-821.   | 0.2 | 9         |
| 32680 | Mean Absolute Relative Difference of Blood Glucose Monitoring Systems and Relationship to ISO 15197. <i>Journal of Diabetes Science and Technology</i> , 2022, 16, 1089-1095.   | 1.3 | 7         |
| 32681 | Validity of a 3-compartment body composition model using body volume derived from a novel 2-dimensional image analysis program. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 111-118.  | 1.3 | 8         |
| 32682 | Non-invasive left ventricular myocardial work indices in healthy adolescents at rest. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 2429-2438.   | 0.7 | 12        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32683 | Strip-based digital image registration for distortion minimization and robust eye motion measurement from scanned ophthalmic imaging systems. <i>Biomedical Optics Express</i> , 2021, 12, 2353.  | 1.5 | 21        |
| 32684 | Automatic segmentation of white matter hyperintensities from brain magnetic resonance images in the era of deep learning and big data – A systematic review. <i>Computerized Medical Imaging and Graphics</i> , 2021, 88, 101867.                                 | 3.5 | 29        |
| 32685 | Comparison of <sup>51</sup> Cr-EDTA and <sup>99m</sup> Tc-DTPA for glomerular filtration rate measurement. <i>Journal of Nephrology</i> , 2021, 34, 729-737.  | 0.9 | 17        |
| 32686 | Strain Elastography of Injured Equine Superficial Digital Flexor Tendons: A Reliability Study of Manual Measurements. <i>Animals</i> , 2021, 11, 795.   | 1.0 | 2         |
| 32687 | Application of diffusion kurtosis tensor MR imaging in characterization of renal cell carcinomas with different pathological types and grades. <i>Cancer Imaging</i> , 2021, 21, 30.  | 1.2 | 10        |
| 32688 | Reproducibility and validity of food group intake in a short food frequency questionnaire for the middle-aged Japanese population. <i>Environmental Health and Preventive Medicine</i> , 2021, 26, 28.  | 1.4 | 29        |
| 32689 | Diffuse axonal injury has a characteristic multidimensional MRI signature in the human brain. <i>Brain</i> , 2021, 144, 800-816.  | 3.7 | 50        |
| 32690 | Influence of dosimetry method on bone lesion absorbed dose estimates in PSMA therapy: application to mCRPC patients receiving Lu-177-PSMA-I&T. <i>EJNMMI Physics</i> , 2021, 8, 26.   | 1.3 | 13        |
| 32691 | Deep Learning Automated Segmentation for Muscle and Adipose Tissue from Abdominal Computed Tomography in Polytrauma Patients. <i>Sensors</i> , 2021, 21, 2083.  | 2.1 | 20        |
| 32692 | Muscle fatigue modelling: Solving for fatigue and recovery parameter values using fewer maximum effort assessments. <i>International Journal of Industrial Ergonomics</i> , 2021, 82, 103104.   | 1.5 | 7         |
| 32693 | Effect of sample size and the traditional parametric, nonparametric, and robust methods on the establishment of reference intervals: Evidence from real world data. <i>Clinical Biochemistry</i> , 2021, 92, 67-70.   | 0.8 | 9         |
| 32694 | Agreement between heart rate deflection point and maximal lactate steady state in young adults with different body masses. <i>Physiology International</i> , 2021, , .  | 0.8 | 1         |
| 32695 | Appraising the Validity of Tools to Measure Multijoint Leg Power: A Systematic Review. <i>Archives of Rehabilitation Research and Clinical Translation</i> , 2021, 3, 100099.   | 0.5 | 0         |
| 32697 | Measurement of 3D Internal Dynamic Strains in the Intervertebral Disc of the Lumbar Spine With Mechanical Loading and Golden Angle Radial Sparse Parallel Magnetic Resonance Imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 54, 486-496.           | 1.9 | 13        |
| 32698 | OCT Signs of Early Atrophy in Age-Related Macular Degeneration: Interreader Agreement. <i>Ophthalmology Retina</i> , 2022, 6, 4-14.   | 1.2 | 35        |
| 32699 | Attenuated Total Reflection Fourier Transform Infrared (ATR FT-IR) Spectroscopy for the Quantitative Analysis of Deuterium in Plasma: Application to Total Body Water Determination in Humans and Other Animals. <i>Applied Spectroscopy</i> , 2021, 75, 698-705. | 1.2 | 2         |
| 32700 | A new visual feedback-based system for the assessment of pinch force, endurance, accuracy and precision. A test-retest reliability study. <i>Hand Therapy</i> , 2021, 26, 53-62.  | 0.5 | 2         |
| 32701 | Comparison of Plasma Clearance With Early-Compartment Correction Equations and Urinary Clearance in High GFR Ranges. <i>Kidney International Reports</i> , 2021, 6, 1622-1628.  | 0.4 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32702 | Automatic cardiac cine MRI segmentation and heart disease classification. <i>Computerized Medical Imaging and Graphics</i> , 2021, 88, 101864.   | 3.5 | 38        |
| 32703 | Comparison of reliability, construct validity and responsiveness of the IPAQ <sup>€</sup> and PASE in adults with osteoarthritis. <i>Musculoskeletal Care</i> , 2021, 19, 473-483.   | 0.6 | 6         |
| 32704 | Pelvic bone CT: can tin-filtered ultra-low-dose CT and virtual radiographs be used as alternative for standard CT and digital radiographs?. <i>European Radiology</i> , 2021, 31, 6793-6801.   | 2.3 | 26        |
| 32705 | Vital Sign Detection Using Short-range mm-Wave Pulsed Radar. , 2021, , .   |     | 5         |
| 32706 | Differing performance of two assays for the measurement of anti <sup>€</sup> Mullerian hormone in premenopausal women: A cross <sup>€</sup> sectional study. <i>Clinical Endocrinology</i> , 2021, 95, 169-175.                                  | 1.2 | 7         |
| 32707 | Cross-cultural adaptation, validity and reliability of the Chinese Version of Miller Behavioral Style Scale. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 86.  | 1.0 | 2         |
| 32708 | Development and Reliability of the Oxford Meat Frequency Questionnaire. <i>Nutrients</i> , 2021, 13, 922.  | 1.7 | 7         |
| 32709 | Comparison of Nutrient Intake in Lao PDR by the Korean CAN-Pro and Thailand INMUCAL Analysis Programs. <i>Preventive Nutrition and Food Science</i> , 2021, 26, 40-50.   | 0.7 | 3         |
| 32710 | Accuracy and reliability of the InBody 270 multi-frequency body composition analyser in 10-12-year-old children. <i>PLoS ONE</i> , 2021, 16, e0247362.   | 1.1 | 23        |
| 32711 | Assessing the Accuracy of a Second-Generation Optical Sensor Pressure Wire in a Wire-to-Wire Comparison (The ACCURACY Study). <i>Cardiovascular Revascularization Medicine</i> , 2022, 35, 51-56.  | 0.3 | 1         |
| 32713 | Diagnostic and prognostic value of Technetium-99m pyrophosphate uptake quantitation for transthyretin cardiac amyloidosis. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 1835-1845.   | 1.4 | 27        |
| 32714 | Quantifying Step Count and Oxygen Consumption with Portable Technology during the 2-Min Walk Test in People with Lower Limb Amputation. <i>Sensors</i> , 2021, 21, 2080.   | 2.1 | 6         |
| 32715 | Evaluation of glomerular filtration rate using iohexol plasma clearance in critically ill patients with augmented renal creatinine clearance. <i>European Journal of Anaesthesiology</i> , 2021, 38, 652-658.                                    | 0.7 | 11        |
| 32716 | Radiographic Determination of the Canine Elbow Joint Angle in Collimated Views. <i>Acta Veterinaria</i> , 2021, 71, 1-12.  | 0.2 | 2         |
| 32717 | READER'S FORUM. <i>Korean Journal of Orthodontics</i> , 2021, 51, 75-76.   | 0.8 | 0         |
| 32718 | Reliability and Repeatability of Pressure Center Analysis with Low-Dye Taping Using Force Platform Podiatry Sensors in Feet with Excessive Pronation. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3265. | 1.2 | 2         |
| 32719 | Accuracy of Actigraphy Compared to Concomitant Ambulatory Polysomnography in Narcolepsy and Other Sleep Disorders. <i>Frontiers in Neurology</i> , 2021, 12, 629709.   | 1.1 | 7         |
| 32720 | Validity and Reliability of an Instrumented Treadmill with an Accelerometry System for Assessment of Spatio-Temporal Parameters and Impact Transmission. <i>Sensors</i> , 2021, 21, 1758.  | 2.1 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32721 | Measuring the Effect of Examiner Variability in a Multiple-Circuit Objective Structured Clinical Examination (OSCE). <i>Academic Medicine</i> , 2021, 96, 1189-1196.   | 0.8 | 15        |
| 32722 | Psychometric properties of two abbreviated Connorâ€œDavidson Resilience scales in Chinese infertile couples. <i>Quality of Life Research</i> , 2021, 30, 2405-2414.  | 1.5 | 7         |
| 32723 | Agreement and inter-session repeatability of manual and automatic interpupillary distance measurements. <i>Journal of Optometry</i> , 2021, 14, 299-314.   | 0.7 | 4         |
| 32724 | Validation of Plantar Pressure and Reaction Force Measured by Moticon Pressure Sensor Insoles on a Concept2 Rowing Ergometer. <i>Sensors</i> , 2021, 21, 2418.   | 2.1 | 11        |
| 32726 | Evaluation of automated microvascular flow analysis software AVA 4: a validation study. <i>Intensive Care Medicine Experimental</i> , 2021, 9, 15.   | 0.9 | 8         |
| 32727 | Development and Evaluation of a Low-Drift Inertial Sensor-Based System for Analysis of Alpine Skiing Performance. <i>Sensors</i> , 2021, 21, 2480.   | 2.1 | 6         |
| 32728 | Assessment of pedicle size in patients with scoliosis using EOS 2D imaging: a validity and reliability study. <i>European Spine Journal</i> , 2021, 30, 3473-3481.   | 1.0 | 4         |
| 32729 | Impairment in facial expression generation in patients with repaired unilateral cleft lip: Effects of the physical properties of facial soft tissues. <i>PLoS ONE</i> , 2021, 16, e0249961.  | 1.1 | 3         |
| 32730 | Reliability of heart rate and respiration rate measurements with a wireless accelerometer in postbariatric recovery. <i>PLoS ONE</i> , 2021, 16, e0247903.   | 1.1 | 19        |
| 32731 | Online questionnaire, clinical and biomechanical measurements for outcome prediction of plantar heel pain: feasibility for a cohort study. <i>Journal of Foot and Ankle Research</i> , 2021, 14, 34.   | 0.7 | 1         |
| 32732 | Comparison of Simoa <sup>TM</sup> and Ella <sup>TM</sup> to assess serum neurofilamentâ€œlight chain in multiple sclerosis. <i>Annals of Clinical and Translational Neurology</i> , 2021, 8, 1141-1150.  | 1.7 | 45        |
| 32733 | Repeatability and reproducibility of apparent diffusion coefficient and fat fraction measurement of focal myeloma lesions on whole body magnetic resonance imaging. <i>British Journal of Radiology</i> , 2021, 94, 20200682.  | 1.0 | 8         |
| 32734 | Reliability of Human Achilles Tendon Stiffness Measures Using Freehand 3-D Ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 973-981.  | 0.7 | 4         |
| 32735 | Monitoring Transcutaneously Measured Partial Pressure of CO <sub>2</sub> During Intubation in Critically Ill Subjects. <i>Respiratory Care</i> , 2021, 66, 1004-1015.  | 0.8 | 1         |
| 32736 | Measurement of membrane integrity in canine spermatozoa using a fluorescent computerâ€œassisted spermatozoal quantification method after SYBRâ€œ4/PI staining compared with manual counting after CFDA/PI staining. <i>Reproduction in Domestic Animals</i> , 2021, 56, 915-927. | 0.6 | 1         |
| 32737 | A Deep-Learning Approach to Recreate Raw Full-Field Digital Mammograms for Breast Density and Texture Analysis. <i>Radiology: Artificial Intelligence</i> , 2021, 3, e200097.  | 3.0 | 5         |
| 32738 | Validity of water compartments estimated using bioimpedance spectroscopy in athletes differing in hydration status. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 1612-1620.   | 1.3 | 7         |
| 32739 | Agreement and bias in the estimation of fat free mass using bioelectrical impedance analysis and a resistance and reactance-based formula for the Mexican adults: A study from Merida, Yucatan. <i>Acta Biologica Szegediensis</i> , 2021, 64, 91-98.                            | 0.7 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32740 | Testâ€“retest reliability and criterion-related validity of Shihâ€“Hsu test of attention between people with and without schizophrenia. <i>British Journal of Occupational Therapy</i> , 0, , 030802262199177.                              | 0.5 | 3         |
| 32741 | Adaptation and validation of the Japanese version of the Spinal Cord Independence Measure (SCIM III) self-report. <i>Spinal Cord</i> , 2021, 59, 1096-1103.   | 0.9 | 3         |
| 32742 | Velocity and Pulsatility Measures in the Perforating Arteries of the Basal Ganglia at 3T MRI in Reference to 7T MRI. <i>Frontiers in Neuroscience</i> , 2021, 15, 665480.   | 1.4 | 10        |
| 32743 | Optimal Skeletal Muscle Mass Index Cut-Off Values for Presarcopenia Evaluated by Computed Tomography against Dual-Energy X-ray Absorptiometry in Patients with Chronic Liver Disease. <i>Journal of Clinical Medicine</i> , 2021, 10, 1419. | 1.0 | 2         |
| 32744 | Evidence-Based Respiratory Care. <i>Respiratory Care</i> , 2021, 66, respcare.08950.  | 0.8 | 11        |
| 32745 | AI-Based Estimation of End-Systolic Elastance From Arm-Pressure and Systolic Time Intervals. <i>Frontiers in Artificial Intelligence</i> , 2021, 4, 579541.   | 2.0 | 4         |
| 32746 | Evaluation of the Accuracy of a Video and AI Solution to Measure Lower Leg and Foot Volume. <i>Medical Devices: Evidence and Research</i> , 2021, Volume 14, 105-118.   | 0.4 | 6         |
| 32747 | Routine assessment of kidney urea clearance, dialysis dose and protein catabolic rate in the once-weekly haemodialysis regimen. <i>Journal of Nephrology</i> , 2021, 34, 2009-2015.   | 0.9 | 1         |
| 32748 | Estimation of Metabolic Energy Expenditure during Short Walking Bouts. <i>International Journal of Sports Medicine</i> , 2021, 42, 1098-1104.   | 0.8 | 2         |
| 32749 | Agreement of blood glucose measured with glucose meter in arterial, central venous, and capillary samples in adult critically ill patients. <i>Nursing in Critical Care</i> , 2022, 27, 711-717.  | 1.1 | 7         |
| 32750 | Out of the Laboratory and Into the Field: Validation of Portable Cell Culture Protocols. <i>Psychosomatic Medicine</i> , 2021, 83, 283-290.   | 1.3 | 4         |
| 32751 | An Assessment of the Validity and Reliability of the Pediatric Child Health Utility 9D in Children with Inflammatory Bowel Disease. <i>Children</i> , 2021, 8, 343.   | 0.6 | 8         |
| 32752 | Single-energy versus dual-energy imaging during CT-guided biopsy using dedicated metal artifact reduction algorithm in an in vivo pig model. <i>PLoS ONE</i> , 2021, 16, e0249921.  | 1.1 | 3         |
| 32754 | Escala de percepÃ§Ã£o de esforÃ§o para crianÃ§as (EPEC): validaÃ§Ã£o para o portuguÃªs em um teste submÃ¡ximo. <i>Revista Brasileira De EducaÃ§Ã£o FÃsica E Esporte: RBEFE</i> , 2021, 35, 43-53.   | 0.1 | 0         |
| 32755 | ValidaciÃ³n de la escala de Autoestigma por BÃ¡squeda de Ayuda (ABA) en una poblaciÃ³n de estudiantes de Medicina de Colombia. <i>Revista Colombiana De PsiquiatrÃa</i> , 2021, 50, 82-91.  | 0.1 | 2         |
| 32756 | Translating Fecobionics Into a Technique That Addresses Clinical Needs for Objective Perineal Descent Measurements. <i>Clinical and Translational Gastroenterology</i> , 2021, 12, e00342.  | 1.3 | 11        |
| 32758 | Comparison of Bioelectrical Impedance-Based Methods on Body Composition in Young Patients with Obesity. <i>Children</i> , 2021, 8, 295.   | 0.6 | 4         |
| 32759 | Proof of concept: Screening for REM sleep behaviour disorder with a minimal set of sensors. <i>Clinical Neurophysiology</i> , 2021, 132, 904-913.   | 0.7 | 11        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32760 | Sleep scoring based on video-electroencephalography monitoring in an Epileptology Unit: Comparison with polysomnography. <i>Journal of Sleep Research</i> , 2021, 30, e13332.   | 1.7 | 4         |
| 32761 | International Council for Standardization in Haematology (ICSH) laboratory guidance for the verification of haemostasis analyser reagent test systems. Part 2: Specialist tests and calibrated assays. <i>International Journal of Laboratory Hematology</i> , 2021, 43, 907-916. | 0.7 | 11        |
| 32762 | Development and Validation of the Long Coronavirus Disease (COVID) Symptom and Impact Tools: A Set of Patient-Reported Instruments Constructed From Patients' Lived Experience. <i>Clinical Infectious Diseases</i> , 2022, 74, 278-287.  | 2.9 | 67        |
| 32763 | Test-Retest Variability of Relative Tracer Delivery Rate as Measured by [11C]PiB. <i>Molecular Imaging and Biology</i> , 2021, 23, 335-339.   | 1.3 | 2         |
| 32764 | Comparison of three immunoassays for infliximab trough level monitoring in paediatric inflammatory bowel diseases. <i>Biologicals</i> , 2021, 70, 17-21.  | 0.5 | 4         |
| 32765 | Population-based input function for TSPO quantification and kinetic modeling with [11C]-DPA-713. <i>EJNMMI Physics</i> , 2021, 8, 39.   | 1.3 | 6         |
| 32766 | Comparison of first trimester dating methods for gestational age estimation and their implication on preterm birth classification in a North Indian cohort. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 343.  | 0.9 | 5         |
| 32767 | Right ventricular stroke work index by echocardiography in adult patients with pulmonary arterial hypertension. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 219.  | 0.7 | 1         |
| 32768 | Lower Extremity Kinematics of the Y-Balance Test in Healthy and ACL Injured Adolescent Females. <i>International Journal of Sports Physical Therapy</i> , 2021, 16, 381-392.  | 0.5 | 5         |
| 32769 | A novel treadmill protocol for uphill running assessment: the incline incremental running test (IIRT). <i>Research in Sports Medicine</i> , 2022, 30, 554-565.  | 0.7 | 4         |
| 32770 | Reliability of transcranial sonography for assessment of brain midline shift in adult neurocritical patients: a systematic review and meta-analysis. <i>Minerva Anestesiologica</i> , 2021, 87, 467-475.  | 0.6 | 9         |
| 32771 | Accuracy of noncontact surface imaging for tidal volume and respiratory rate measurements in the ICU. <i>Journal of Clinical Monitoring and Computing</i> , 2022, 36, 775-783.  | 0.7 | 11        |
| 32772 | Reading the Mind in the Eyes Test - Translated and Korean Versions. <i>Psychiatry Investigation</i> , 2021, 18, 295-303.  | 0.7 | 7         |
| 32773 | Exercise Cardiac Magnetic Resonance Imaging in Boys With Duchenne Muscular Dystrophy Without Cardiac Disease. <i>Pediatric Neurology</i> , 2021, 117, 35-43.  | 1.0 | 1         |
| 32774 | Validation of a deep-learning semantic segmentation approach to fully automate MRI-based left-ventricular deformation analysis in cardiotoxicity. <i>British Journal of Radiology</i> , 2021, 94, 20201101.   | 1.0 | 2         |
| 32775 | Resting energy expenditure in cancer patients: Agreement between predictive equations and indirect calorimetry. <i>Clinical Nutrition ESPEN</i> , 2021, 42, 286-291.  | 0.5 | 9         |
| 32776 | Nocturnal passive cooling by transpired solar collectors. <i>Applied Thermal Engineering</i> , 2021, 188, 116650.   | 3.0 | 10        |
| 32777 | Protein thiolation index in microvolumes of plasma. <i>Analytical Biochemistry</i> , 2021, 618, 114125.   | 1.1 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32778 | Web-Based Smartphone Algorithm for Calculating Blood Pressure From Photoplethysmography Remotely in a General Adult Population: Validation Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e19187.  | 2.1 | 2         |
| 32779 | A Wearable System with Embedded Conductive Textiles and an IMU for Unobtrusive Cardio-Respiratory Monitoring. <i>Sensors</i> , 2021, 21, 3018.   | 2.1 | 24        |
| 32780 | Comparison of the accuracy of digital face scans obtained by two different scanners:. <i>Angle Orthodontist</i> , 2021, 91, 641-649.   | 1.1 | 10        |
| 32781 | Development and Relative Validity of a Semiquantitative Food Frequency Questionnaire to Estimate Dietary Intake among a Multi-Ethnic Population in the Malaysian Cohort Project. <i>Nutrients</i> , 2021, 13, 1163.  | 1.7 | 4         |
| 32782 | Predictive Performance of Bayesian Vancomycin Monitoring in the Critically Ill*. <i>Critical Care Medicine</i> , 2021, 49, e952-e960.  | 0.4 | 13        |
| 32783 | Conspecific scarring on wild belugas ( <i>Delphinapterus leucas</i> ) in Cunningham Inlet. <i>Behaviour</i> , 2021, 158, 663-683.  | 0.4 | 11        |
| 32784 | The Effect of Containment Measures during the Covid-19 Pandemic to Sedentary Behavior of Thai Adults: Evidence from Thailand's Surveillance on Physical Activity 2019-2020. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4467. | 1.2 | 10        |
| 32785 | Variation in US Hospital Mortality Rates for Patients Admitted With COVID-19 During the First 6 Months of the Pandemic. <i>JAMA Internal Medicine</i> , 2021, 181, 471.  | 2.6 | 197       |
| 32786 | Repeatability of macular microvasculature measurements using OCT angiography according to tear break up time in dry eye disease.. <i>Retina</i> , 2021, Publish Ahead of Print, 2301-2309.   | 1.0 | 0         |
| 32787 | Personalized Therapy for Mycophenolate: Consensus Report by the International Association of Therapeutic Drug Monitoring and Clinical Toxicology. <i>Therapeutic Drug Monitoring</i> , 2021, 43, 150-200.  | 1.0 | 89        |
| 32788 | Accuracy of a single-lead mobile smartphone electrocardiogram for QT interval measurement in patients undergoing maintenance methadone therapy. <i>Pharmacotherapy</i> , 2021, 41, 494-500.  | 1.2 | 2         |
| 32789 | A rapid point-of-care assay accurately measures vitamin D. <i>Journal of Endocrinological Investigation</i> , 2021, 44, 2485-2492.   | 1.8 | 5         |
| 32790 | On the quantitative effects of compression of retinal fundus images on morphometric vascular measurements in VAMPIRE. <i>Computer Methods and Programs in Biomedicine</i> , 2021, 202, 105969.   | 2.6 | 7         |
| 32791 | Velocity quantification in 44 healthy volunteers using accelerated multi-VENC 4D flow CMR. <i>European Journal of Radiology</i> , 2021, 137, 109570.   | 1.2 | 15        |
| 32792 | Heart rate response and chronotropic incompetence during cardiopulmonary exercise testing in childhood acute lymphoblastic leukemia survivors. <i>Pediatric Hematology and Oncology</i> , 2021, 38, 564-580.   | 0.3 | 4         |
| 32793 | A contactless method to measure real-time finger motion using depth-based pose estimation. <i>Computers in Biology and Medicine</i> , 2021, 131, 104282.   | 3.9 | 12        |
| 32794 | Prospective evaluation of accuracy of HIV viral load monitoring using the Aptima HIV Quant Dx assay with fingerstick and venous dried blood spots prepared under field conditions in Kenya. <i>PLoS ONE</i> , 2021, 16, e0249376.                                      | 1.1 | 6         |
| 32795 | Differentiating focal interstitial fibrosis from adenocarcinoma in persistent pulmonary subsolid nodules (> 5 mm and < 20 mm): the role of coronal thin-section CT images. <i>European Radiology</i> , 2021, 31, 8326-8334.  | 2.3 | 1         |

| #     | ARTICLE  | IF   | CITATIONS |
|-------|--|------|-----------|
| 32796 | Evaluation of a Hirschberg Test-Based Application for Measuring Ocular Alignment and Detecting Strabismus. <i>Current Eye Research</i> , 2021, 46, 1768-1776.  | 0.7  | 2         |
| 32797 | High-Pass Visual Acuity Loss and Macular Structure-Function Relationship in Patients With Primary Open-Angle Glaucoma. <i>Translational Vision Science and Technology</i> , 2021, 10, 26.                      | 1.1  | 1         |
| 32798 | Ultrasonographic study of fetal facial profile markers during the first trimester. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 324.  | 0.9  | 7         |
| 32799 | Deep learning-based automatic meibomian gland segmentation and morphology assessment in infrared meibography. <i>Scientific Reports</i> , 2021, 11, 7649.  | 1.6  | 21        |
| 32800 | The patient enablement instrument for back pain: reliability, content validity, construct validity and responsiveness. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 116.                             | 1.0  | 5         |
| 32801 | The REPRISE project: protocol for an evaluation of REProducibility and Replicability In Syntheses of Evidence. <i>Systematic Reviews</i> , 2021, 10, 112.  | 2.5  | 22        |
| 32802 | First Evaluation of a Newly Constructed Underwater Pulse Oximeter for Use in Breath-Holding Activities. <i>Frontiers in Physiology</i> , 2021, 12, 649674.   | 1.3  | 3         |
| 32803 | Agreement between dried blood spots and HemoCue in Tamil Nadu, India. <i>Scientific Reports</i> , 2021, 11, 9285.  | 1.6  | 2         |
| 32804 | Validation of Adhesive Single-Lead ECG Device Compared with Holter Monitoring among Non-Atrial Fibrillation Patients. <i>Sensors</i> , 2021, 21, 3122.   | 2.1  | 20        |
| 32806 | Validation and reproducibility of a short food frequency questionnaire for cardiovascular prevention. <i>Archives of Cardiovascular Diseases</i> , 2021, 114, 570-576.   | 0.7  | 8         |
| 32807 | Radial-digital pulse wave velocity: a noninvasive method for assessing stiffness of small conduit arteries. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021, 320, H1361-H1369. | 1.5  | 9         |
| 32808 | New method to differentiate surface damping behavior and stress absorption capacities of common CAD/CAM restorative materials. <i>Dental Materials</i> , 2021, 37, e213-e230.                                  | 1.6  | 8         |
| 32809 | Heart-Rate Variability Recording Time and Performance in Collegiate Female Rowers. <i>International Journal of Sports Physiology and Performance</i> , 2021, 16, 550-556.                                      | 1.1  | 3         |
| 32810 | Effects of 2 Intersection Strategies for Physical Recovery in Jiu-Jitsu Athletes. <i>International Journal of Sports Physiology and Performance</i> , 2021, 16, 585-590.                                       | 1.1  | 4         |
| 32811 | Radiomics in the evaluation of lung nodules: Inpatient concordance between full-dose and ultra-low-dose chest computed tomography. <i>Diagnostic and Interventional Imaging</i> , 2021, 102, 233-239.          | 1.8  | 9         |
| 32812 | Halochromic Polymer Nanosensors for Simple Visual Detection of Local pH in Coatings. <i>Nano Letters</i> , 2021, 21, 3604-3610.  | 4.5  | 19        |
| 32813 | Predicting Edema Resolution After Descemet Membrane Endothelial Keratoplasty for Fuchs Dystrophy Using Scheimpflug Tomography. <i>JAMA Ophthalmology</i> , 2021, 139, 423.                                     | 1.4  | 19        |
| 32814 | A deep-learning pipeline for the diagnosis and discrimination of viral, non-viral and COVID-19 pneumonia from chest X-ray images. <i>Nature Biomedical Engineering</i> , 2021, 5, 509-521.                     | 11.6 | 106       |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32815 | Goldmann Tonometry and Corneal Biomechanics. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 4025.  | 1.3 | 5         |
| 32816 | Home sleep apnea testing: an accuracy study. <i>Sleep and Breathing</i> , 2022, 26, 117-123.  | 0.9 | 11        |
| 32817 | The Evaluation of a Noninvasive Respiratory Volume Monitor in Mechanically Ventilated Neonates and Infants. <i>Anesthesia and Analgesia</i> , 2021, , .   | 1.1 | 1         |
| 32818 | The impact of sagittal imbalance on walking in patients with lumbar spinal canal stenosis. <i>Journal of Orthopaedic Surgery</i> , 2021, 29, 230949902110105.   | 0.4 | 0         |
| 32819 | The Diagnostic Arthroscopy Skill Score (DASS): a reliable and suitable assessment tool for arthroscopic skill training. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 349-360.  | 2.3 | 10        |
| 32820 | Use of a Commercially Available Deep Learning Algorithm to Measure the Solid Portions of Lung Cancer Manifesting as Subsolid Lesions at CT: Comparisons with Radiologists and Invasive Component Size at Pathologic Examination. <i>Radiology</i> , 2021, 299, 202-210.   | 3.6 | 15        |
| 32821 | OCT Hyperreflective Retinal Foci in Diabetic Retinopathy: A Semi-Automatic Detection Comparative Study. <i>Frontiers in Immunology</i> , 2021, 12, 613051.  | 2.2 | 24        |
| 32822 | Meropenem Stability in Human Plasma at 20 °C: Detailed Assessment of Degradation. <i>Antibiotics</i> , 2021, 10, 449.   | 1.5 | 8         |
| 32823 | Test-retest reliability of static and dynamic motor fatigability protocols using grip and pinch strength in typically developing children. <i>European Journal of Pediatrics</i> , 2021, 180, 2505-2512.  | 1.3 | 4         |
| 32824 | Sensitive, wide-range and high-throughput quantification of cyclosporine in whole blood using ultra-performance liquid chromatography coupled to tandem mass spectrometry and comparison with an antibody-conjugated magnetic immunoassay. <i>Biomedical Chromatography</i> , 2021, 35, e5128.  | 0.8 | 6         |
| 32825 | A new open-source hardware device to measure vertical sperm motility and concentration. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2021, 99, 999-1006.   | 1.1 | 3         |
| 32826 | A systematic review evaluating the clinimetric properties of the Victorian Institute of Sport Assessment (VISA) questionnaires for lower limb tendinopathy shows moderate to high-quality evidence for sufficient reliability, validity and responsiveness” part II. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 2765-2788. | 2.3 | 18        |
| 32827 | Accuracy and Repeatability of Spatiotemporal Gait Parameters Measured with an Inertial Measurement Unit. <i>Journal of Clinical Medicine</i> , 2021, 10, 1804.  | 1.0 | 5         |
| 32828 | No correlation between symmetry-based performance measures and patient-related outcome prior to and after total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 3155-3161.   | 2.3 | 6         |
| 32829 | Automatic Segmentation of Bone Selective MR Images for Visualization and Craniometry of the Cranial Vault. <i>Academic Radiology</i> , 2022, 29, S98-S106.  | 1.3 | 2         |
| 32830 | A comparison of visual acuity measured by ETDRS chart and Standard Logarithmic Visual Acuity chart among outpatients. <i>International Journal of Ophthalmology</i> , 2021, 14, 536-540.  | 0.5 | 5         |
| 32831 | Low-Cost, Smartphone-Based Specular Imaging and Automated Analysis of the Corneal Endothelium. <i>Translational Vision Science and Technology</i> , 2021, 10, 4.  | 1.1 | 6         |
| 32832 | Identification of maximal lactate steady state by a short lactate minimum test in walking. <i>Science and Sports</i> , 2021, 36, 406-406.   | 0.2 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32834 | How body composition techniques measure up for reliability across the age-span. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 281-294.   | 2.2 | 6         |
| 32835 | Visual Field Endpoints Based on Subgroups of Points May Be Useful in Glaucoma Clinical Trials: A Study With the Humphrey Field Analyzer and Compass Perimeter. <i>Journal of Glaucoma</i> , 2021, 30, 661-665.                                      | 0.8 | 1         |
| 32836 | Using pycnometry and Archimedes's principle to measure the gross and air cavity volume of fruit. <i>IOP SciNotes</i> , 2021, 2, 025201.   | 0.4 | 1         |
| 32837 | Diagnostic accuracy of the Parr vision test, single crowded Lea symbols and Spot vision screener for vision screening of preschool children aged 4-5 years in Aotearoa/New Zealand. <i>Ophthalmic and Physiological Optics</i> , 2021, 41, 541-552. | 1.0 | 1         |
| 32838 | Measuring Gait Velocity and Stride Length with an Ultrawide Bandwidth Local Positioning System and an Inertial Measurement Unit. <i>Sensors</i> , 2021, 21, 2896.   | 2.1 | 8         |
| 32839 | Measuring antimicrobial use on dairy farms: A method comparison cohort study. <i>Journal of Dairy Science</i> , 2021, 104, 4715-4726.   | 1.4 | 8         |
| 32840 | Accuracy of self-reported height, weight and BMI in a multiethnic Asian population. <i>Annals of the Academy of Medicine, Singapore</i> , 2021, 50, 306-314.  | 0.2 | 8         |
| 32841 | Repeatability of an automated ETDRS contrast threshold measurement. <i>Ophthalmic and Physiological Optics</i> , 2021, 41, 896-899.   | 1.0 | 1         |
| 32842 | Reduced Cerebellar Brain Inhibition Measured Using Dual-Site TMS in Older Than in Younger Adults. <i>Cerebellum</i> , 2022, 21, 23-38.  | 1.4 | 9         |
| 32844 | A validated LC-MS/MS method for the quantification of climbazole metabolites in human urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021, 1173, 122677.                                  | 1.2 | 3         |
| 32845 | A comparison of food portion size estimation methods among 11-12 year olds: 3D food models vs an online tool using food portion photos (Intake24). <i>BMC Nutrition</i> , 2021, 7, 10.  | 0.6 | 2         |
| 32846 | Are We Being Fooled by Fluoroscopy? Distortion May Affect Limb-Length Measurements in Direct Anterior Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2021, 36, 1799-1803.   | 1.5 | 9         |
| 32847 | Updating and Optimizing Anatomic Atlases for Elective Radiation of Para-Aortic Lymph Nodes in Cervical Cancer. <i>Practical Radiation Oncology</i> , 2021, 11, e301-e307.   | 1.1 | 5         |
| 32848 | Normative reference values of handgrip strength for Brazilian older people aged 65 to 90 years: Evidence from the multicenter Fibra-BR study. <i>PLoS ONE</i> , 2021, 16, e0250925.   | 1.1 | 5         |
| 32849 | Alignment of Qx100/Qx200 Droplet Digital (Bio-Rad) and QuantStudio 3D (Thermofisher) Digital PCR for Quantification of BCR-ABL1 in Ph+ Chronic Myeloid Leukemia. <i>Diseases (Basel, Switzerland)</i> , 2021, 9, 35.                                | 1.0 | 10        |
| 32850 | The head is an excellent proxy for the whole body center of mass when measuring running velocity in competition. <i>Journal of Biomechanics</i> , 2021, 121, 110399.  | 0.9 | 5         |
| 32851 | Intra- and Inter-Rater Reliability of a Well-Used and a Less-Used IsoMed 2000 Dynamometer for Knee Flexion and Extension Peak Torque Measurements in a Concentric Test in Athletes. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 4951.         | 1.3 | 2         |
| 32852 | Choosing an appropriate glomerular filtration rate estimating equation: role of body mass index. <i>BMC Nephrology</i> , 2021, 22, 197.   | 0.8 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32853 | Repeatability and agreement of biometric measurements using spectral domain anterior segment optical coherence tomography and Scheimpflug tomography in keratoconus. PLoS ONE, 2021, 16, e0248659.   | 1.1 | 5         |
| 32854 | A 10-color flow cytometry panel for diagnosis and minimal residual disease in chronic lymphocytic leukemia. Leukemia and Lymphoma, 2021, 62, 1-8.  | 0.6 | 5         |
| 32855 | The influence of body position on bioelectrical impedance spectroscopy measurements in young children. Scientific Reports, 2021, 11, 10346.  | 1.6 | 9         |
| 32856 | Deep Learning Improves the Temporal Reproducibility of Aortic Measurement. Journal of Digital Imaging, 2021, 34, 1183-1189.  | 1.6 | 5         |
| 32857 | Validation and implementation of telephone-administered version of the Multidimensional Prognostic Index (TELE-MPI) for remote monitoring of community-dwelling older adults. Aging Clinical and Experimental Research, 2021, 33, 3363-3369. | 1.4 | 13        |
| 32858 | Right atrium and cryptogenic ischaemic stroke in the young: a caseâ€“control study. Open Heart, 2021, 8, e001596.  | 0.9 | 3         |
| 32859 | Psychometric evaluation of a new drug-resistant tuberculosis stigma scale. Journal of Clinical Epidemiology, 2021, 133, 101-110.   | 2.4 | 0         |
| 32860 | Validation of the Self Stigma of Seeking Help (SSOSH) scale in a population of Colombian medical students. Revista Colombiana De PsiquiatrÃa (English Ed ), 2021, 50, 82-91.   | 0.1 | 1         |
| 32861 | Near Infrared Reflectance Spectroscopy Analysis to Predict Diet Composition of a Mountain Ungulate Species. Animals, 2021, 11, 1449.   | 1.0 | 2         |
| 32862 | MRI of the knee compared to specialized radiography for measurements of articular cartilage height in knees with osteoarthritis. Journal of Orthopaedics, 2021, 25, 191-198.   | 0.6 | 1         |
| 32863 | Steady-State Serum IgG Trough Levels Are Adequate for Pharmacokinetic Assessment in Patients with Immunodeficiencies Receiving Subcutaneous Immune Globulin. Journal of Clinical Immunology, 2021, 41, 1331-1338.                            | 2.0 | 0         |
| 32864 | Intra-and interobserver reliability of determining the femoral footprint of the torn anterior cruciate ligament on MRI scans. BMC Musculoskeletal Disorders, 2021, 22, 493.  | 0.8 | 3         |
| 32865 | Reliability and Validity of the ONAPS Physical Activity Questionnaire in Assessing Physical Activity and Sedentary Behavior in French Adults. International Journal of Environmental Research and Public Health, 2021, 18, 5643.             | 1.2 | 12        |
| 32866 | Feasibility of equivalent performance of 3D TOF [18F]-FDG PET/CT with reduced acquisition time using clinical and semiquantitative parameters. EJNMMI Research, 2021, 11, 44.  | 1.1 | 3         |
| 32867 | Changes in physical activity levels, eating habits and psychological well-being during the Italian COVID-19 pandemic lockdown: Impact of socio-demographic factors on the Florentine academic population. PLoS ONE, 2021, 16, e0252395.      | 1.1 | 30        |
| 32868 | Defining the optimal temporal and spatial resolution for cardiovascular magnetic resonance imaging feature tracking. Journal of Cardiovascular Magnetic Resonance, 2021, 23, 60.   | 1.6 | 21        |
| 32869 | Safety of reducing antibiotic prescribing in primary care: a mixed-methods study. Health Services and Delivery Research, 2021, 9, 1-126.   | 1.4 | 3         |
| 32870 | Optical motion capture accuracy is task-dependent in assessing wrist motion. Journal of Biomechanics, 2021, 120, 110362.   | 0.9 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32871 | Measurement properties of the L Test with fast walking speed in patients after lower limb amputation in initial prosthetic training phase. <i>International Journal of Rehabilitation Research</i> , 2021, 44, 215-221.                             | 0.7 | 2         |
| 32872 | Masticatory muscle index for indicating skeletal muscle mass in patients with head and neck cancer. <i>PLoS ONE</i> , 2021, 16, e0251455.   | 1.1 | 10        |
| 32873 | Validity and reliability of the RAC adult infection risk scale: A new instrument to measure healthcare-associated infection risk. <i>Research in Nursing and Health</i> , 2021, 44, 672-680.  | 0.8 | 2         |
| 32874 | Combining Anthropometry and Bioelectrical Impedance to Predict Body Fat in Female Athletes. <i>Journal of Athletic Training</i> , 2021, , .   | 0.9 | 0         |
| 32875 | An Evaluation of Motion Trackers with Virtual Reality Sensor Technology in Comparison to a Marker-Based Motion Capture System Based on Joint Angles for Ergonomic Risk Assessment. <i>Sensors</i> , 2021, 21, 3145.                                 | 2.1 | 7         |
| 32876 | Deep learning methods allow fully automated segmentation of metacarpal bones to quantify volumetric bone mineral density. <i>Scientific Reports</i> , 2021, 11, 9697.   | 1.6 | 9         |
| 32877 | Measuring the Level of Agreement between Osmometer and Calculated Plasma Osmolalities in Two Species of Chameleons, <i>Furcifer pardalis</i> and <i>Chamaeleo calyptratus</i> . <i>Journal of Herpetological Medicine and Surgery</i> , 2021, 31, . | 0.2 | 0         |
| 32878 | Hepatobiliary phase images of gadoxetic acid-enhanced MRI may improve accuracy of predicting the size of hepatocellular carcinoma at pathology. <i>Acta Radiologica</i> , 2022, 63, 734-742.  | 0.5 | 2         |
| 32879 | Letter to the Editor: Comment on "Sarcopenic obesity and its association with respiratory disease incidence and mortality". <i>Clinical Nutrition</i> , 2021, 40, 2506-2507.  | 2.3 | 0         |
| 32880 | Endodontic length measurements using 3D Endo, cone-beam computed tomography, and electronic apex locator. <i>BMC Oral Health</i> , 2021, 21, 271.   | 0.8 | 3         |
| 32881 | Redundancy in the International Anorectal Physiology Working Group Manometry Protocol: A Diagnostic Accuracy Study in Fecal Incontinence. <i>Digestive Diseases and Sciences</i> , 2022, 67, 964-970.   | 1.1 | 8         |
| 32882 | High-fidelity Cuff to Measure Blood Pressure: Comment. <i>Anesthesiology</i> , 2021, 135, 371-372.  | 1.3 | 1         |
| 32883 | Validity of EQ-5D-5L health-related quality of life questionnaire in self-reported diabetes: evidence from a general population survey. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 138.   | 1.0 | 21        |
| 32884 | Tumor Size on Microscopy, CT, and MRI Assessments Versus Pathologic Gross Specimen Analysis of Pancreatic Neuroendocrine Tumors. <i>American Journal of Roentgenology</i> , 2021, 217, 107-116.   | 1.0 | 5         |
| 32885 | Validating Ellipsoid Zone Area Measurement With Multimodal Imaging in Choroideremia. <i>Translational Vision Science and Technology</i> , 2021, 10, 17.   | 1.1 | 2         |
| 32886 | Towards validation and standardization of automatic gait event identification algorithms for use in paediatric pathological populations. <i>Gait and Posture</i> , 2021, 86, 64-69.   | 0.6 | 20        |
| 32887 | Characterization of Patients With Obstructed Defecation and Slow Transit Constipation With a Simulated Stool. <i>Clinical and Translational Gastroenterology</i> , 2021, 12, e00354.  | 1.3 | 9         |
| 32888 | CUN-BAE Index as a Screening Tool to Identify Increased Metabolic Risk in Apparently Healthy Normal-Weight Adults and Those with Obesity. <i>Journal of Nutrition</i> , 2021, 151, 2215-2225.   | 1.3 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32889 | Clinimetric properties of the SATIS-Stroke questionnaire in the Brazilian population: A satisfaction assessment measure addressing activities and participation after a stroke. <i>Brazilian Journal of Physical Therapy</i> , 2021, 25, 719-726. | 1.1 | 6         |
| 32890 | Usefulness of Refractive Measurement by Wavefront Aberrometer in Children. <i>Journal of Korean Ophthalmological Society</i> , 2021, 62, 680-687.   | 0.0 | 0         |
| 32891 | Fidelity and utility of GPS loggers as a tool for understanding community participation of older adults. <i>Scandinavian Journal of Occupational Therapy</i> , 2022, 29, 282-292.   | 1.1 | 3         |
| 32892 | Comparison of cephalometric measurements between conventional and automatic cephalometric analysis using convolutional neural network. <i>Progress in Orthodontics</i> , 2021, 22, 14.  | 1.3 | 16        |
| 32893 | Parathyroid Hormone Concentrations in Maintenance Hemodialysis: Longitudinal Evaluation of Intact and BioIntact Assays. <i>Kidney Medicine</i> , 2021, 3, 343-352.e1.   | 1.0 | 0         |
| 32894 | Continuous in situ soil nitrate sensors: The importance of high-resolution measurements across time and a comparison with salt extraction-based methods. <i>Soil Science Society of America Journal</i> , 2021, 85, 677-690.                      | 1.2 | 9         |
| 32895 | Comparison of Quantification Methods to Estimate Farm-Level Usage of Antimicrobials Other than in Medicated Feed in Dairy Farms from QuÃ©bec, Canada. <i>Microorganisms</i> , 2021, 9, 1106.  | 1.6 | 9         |
| 32896 | Assessment of pulse co-oximetry technology after in vivo adjustment in anaesthetized dogs. <i>Veterinary Anaesthesia and Analgesia</i> , 2021, 48, 297-304.   | 0.3 | 2         |
| 32897 | Object and behavior differentiation for improved automated counts of migrating river fish using imaging sonar data. <i>Fisheries Research</i> , 2021, 237, 105883.  | 0.9 | 14        |
| 32898 | A Tool to Locate Parathyroid Glands Using Dynamic Optical Contrast Imaging. <i>Laryngoscope</i> , 2021, 131, 2391-2397.   | 1.1 | 6         |
| 32899 | Virtually-Planned Orthognathic Surgery Achieves an Accurate Condylar Position. <i>Journal of Oral and Maxillofacial Surgery</i> , 2021, 79, 1146.e1-1146.e25.   | 0.5 | 3         |
| 32900 | <sc>grasviq</sc>: an image analysis framework for automatically quantifying vein number and morphology in grass leaves. <i>Plant Journal</i> , 2021, 107, 629-648.  | 2.8 | 6         |
| 32901 | Reliability, construct and concurrent validity of a smartphone-based cognition test in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2022, 28, 300-308.   | 1.4 | 16        |
| 32902 | Comparison of the Japan Society of Clinical Chemistry reference method and CDC method for HDL and LDL cholesterol measurements using fresh sera. <i>Practical Laboratory Medicine</i> , 2021, 25, e00228.   | 0.6 | 1         |
| 32903 | Evaluation of surface plasmon field-enhanced fluorescence spectroscopy for rapid measurement of progesterone concentration in bitches. <i>American Journal of Veterinary Research</i> , 2021, 82, 417-424.  | 0.3 | 4         |
| 32904 | Interest rates forecasting: Between Hull and White and the CIR#â€”How to make a singleâ€”factor model work. <i>Journal of Forecasting</i> , 2021, 40, 1566-1580.  | 1.6 | 7         |
| 32905 | The concurrent validity and intrarater reliability of a hand-held dynamometer for the assessment of neck strength in semi-professional rugby union players. <i>Physical Therapy in Sport</i> , 2021, 49, 229-235.                                 | 0.8 | 10        |
| 32906 | Screening for obstructive sleep apnea using a contact-free system compared with polysomnography. <i>Journal of Clinical Sleep Medicine</i> , 2021, 17, 1075-1082.   | 1.4 | 11        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32907 | Usefulness of computed tomography based three-dimensional reconstructions to assess the critical shoulder angle. <i>World Journal of Orthopedics</i> , 2021, 12, 301-309.   | 0.8 | 2         |
| 32908 | Smart choice or flawed approach? An exploration of connected thermostat data fidelity and use in data-driven modelling in high-rise residential buildings. <i>Journal of Building Performance Simulation</i> , 0, , 343-363.        | 1.0 | 1         |
| 32909 | Value CMR: Towards a Comprehensive, Rapid, Cost-Effective Cardiovascular Magnetic Resonance Imaging. <i>International Journal of Biomedical Imaging</i> , 2021, 2021, 1-12.   | 3.0 | 6         |
| 32910 | Comparison of single-voxel 1H-cardiovascular magnetic resonance spectroscopy techniques for in vivo measurement of myocardial creatine and triglycerides at 3T. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 53. | 1.6 | 10        |
| 32911 | Non-Invasive Wearable Patch Utilizing Seismocardiography for Peri-Operative Use in Surgical Patients. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2021, 25, 1572-1582.   | 3.9 | 17        |
| 32912 | Cuffless blood pressure estimation based on haemodynamic principles: progress towards mobile healthcare. <i>PeerJ</i> , 2021, 9, e11479.  | 0.9 | 8         |
| 32913 | A Multi-Level Classification Approach for Sleep Stage Prediction With Processed Data Derived From Consumer Wearable Activity Trackers. <i>Frontiers in Digital Health</i> , 2021, 3, 665946.  | 1.5 | 23        |
| 32914 | Validity and Reliability of the Arabic Version of the Psychosocial Impact of Dental Aesthetics Questionnaire for Yemeni Adolescents. <i>Children</i> , 2021, 8, 448.  | 0.6 | 5         |
| 32915 | Development and Bio-Predictive Evaluation of Biopharmaceutical Properties of Sustained-Release Tablets with a Novel GPR40 Agonist for a First-in-Human Clinical Trial. <i>Pharmaceutics</i> , 2021, 13, 804.                        | 2.0 | 4         |
| 32916 | Validation of the FRESH Austin Food Frequency Questionnaire Using Multiple 24-hour Dietary Recalls. <i>Public Health Nutrition</i> , 2021, , 1-26.  | 1.1 | 4         |
| 32917 | Bioreactance and fourth-generation pulse contour methods in monitoring cardiac index during off-pump coronary artery bypass surgery. <i>Journal of Clinical Monitoring and Computing</i> , 2022, 36, 879-888.                       | 0.7 | 4         |
| 32918 | Repeatability of biometry measured by three devices and its impact on predicted intraocular lens power. <i>Journal of Cataract and Refractive Surgery</i> , 2021, 47, 585-592.  | 0.7 | 20        |
| 32919 | Differential effects of the blood pressure state on pulse rate variability and heart rate variability in critically ill patients. <i>Npj Digital Medicine</i> , 2021, 4, 82.  | 5.7 | 22        |
| 32920 | Advantages of an Automated Method Compared With Manual Methods for the Quantification of Intraepidermal Nerve Fiber in Skin Biopsy. <i>Journal of Neuropathology and Experimental Neurology</i> , 2021, 80, 685-694.                | 0.9 | 0         |
| 32921 | Transcultural adaptation of the neck disability index to mexican spanish and assessment of its psychometric properties. <i>European Spine Journal</i> , 2021, 30, 2654-2660.  | 1.0 | 2         |
| 32922 | The REALISE score: a new statistically validated scoring system to assess the severity of anal fissures. <i>Techniques in Coloproctology</i> , 2021, 25, 935-940.   | 0.8 | 4         |
| 32923 | <scp>Transcultural</scp> adaptation and validation of Italian Selfcare diabetic foot questionnaire. <i>International Wound Journal</i> , 2021, 18, 543-551.   | 1.3 | 9         |
| 32924 | Place of a new radiological index in predicting pulp exposure before intervention for deep carious lesions. <i>Oral Radiology</i> , 2021, , 1.  | 0.9 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32925 | Investigation of clinically acceptable agreement between two methods of automatic measurement of limb occlusion pressure: a randomised trial. <i>BMC Biomedical Engineering</i> , 2021, 3, 8.   | 1.7 | 5         |
| 32926 | Artificial Intelligence for Fast and Accurate 3-Dimensional Tooth Segmentation on Cone-beam Computed Tomography. <i>Journal of Endodontics</i> , 2021, 47, 827-835.   | 1.4 | 72        |
| 32927 | The Igbo Brief Illness Perceptions Questionnaire: A cross-cultural adaptation and validation study in Nigerian populations with chronic low back pain. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2021, 34, 399-411.   | 0.4 | 2         |
| 32928 | Procollagen III, N-terminal propeptide (PIIINP): establishment of reference intervals in Northern European adults and children using the MAGLUMI 800 chemiluminescence immunoassay. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021, 81, 389-393. | 0.6 | 1         |
| 32929 | Reliability of 3 Strategies of Orbital Tumor Volume Measurement Using Phantom Modeling. <i>Ophthalmic Plastic and Reconstructive Surgery</i> , 2021, 37, S33-S38.   | 0.4 | 2         |
| 32930 | Bilateral regional extracranial blood flow regulation to hypoxia and unilateral duplex ultrasound measurement error. <i>Experimental Physiology</i> , 2021, 106, 1535-1548.   | 0.9 | 4         |
| 32931 | Generative Adversarial Network Based Automatic Segmentation of Corneal Subbasal Nerves on In Vivo Confocal Microscopy Images. <i>Translational Vision Science and Technology</i> , 2021, 10, 33.  | 1.1 | 14        |
| 32932 | Performance of Bioelectrical Impedance and Anthropometric Predictive Equations for Estimation of Muscle Mass in Chronic Kidney Disease Patients. <i>Frontiers in Nutrition</i> , 2021, 8, 683393.   | 1.6 | 4         |
| 32933 | Comparison of cine and real-time cardiac MRI in rhesus macaques. <i>Scientific Reports</i> , 2021, 11, 10713.   | 1.6 | 4         |
| 32934 | Performance of allergen testing in a survey of frozen meals and meals ready-to-eat (MREs). <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2021, 38, 1249-1259.  | 1.1 | 1         |
| 32935 | Uncertainty Estimation of Biomedical Oximeters: Proposal for an Experimental Test-Bench. <i>Journal of Verification, Validation and Uncertainty Quantification</i> , 2021, 6, .   | 0.3 | 0         |
| 32936 | Evaluation of Arterial Spin Labeling MRI—Comparison with 15O-Water PET on an Integrated PET/MR Scanner. <i>Diagnostics</i> , 2021, 11, 821.   | 1.3 | 2         |
| 32937 | Measuring Core Body Temperature Using a Non-invasive, Disposable Double-Sensor During Targeted Temperature Management in Post-cardiac Arrest Patients. <i>Frontiers in Medicine</i> , 2021, 8, 666908.  | 1.2 | 14        |
| 32938 | Reliability and minimal detectable change of the <i>Challenge</i>, an advanced motor skills test for children with cerebral palsy, Danish version. <i>Disability and Rehabilitation</i> , 2022, 44, 4485-4492.  | 0.9 | 3         |
| 32939 | Evaluation of the inter and intraobserver reproducibility of the GRASP method: a goniometric method to measure the isolated glenohumeral range of motion in the shoulder joint. <i>Journal of Experimental Orthopaedics</i> , 2021, 8, 37.                                    | 0.8 | 7         |
| 32940 | Detection of foot contact in treadmill running with inertial and optical measurement systems. <i>Journal of Biomechanics</i> , 2021, 121, 110419.   | 0.9 | 9         |
| 32941 | The Performance of Equations That Estimate Glomerular Filtration Rate against Measured Urinary Creatinine Clearance in Critically Ill Patients. <i>Critical Care Research and Practice</i> , 2021, 2021, 1-11.  | 0.4 | 7         |
| 32942 | Validity of telephone calls to assess percentage of syllables stuttered with adolescents in clinical research. <i>Journal of Communication Disorders</i> , 2021, 91, 106103.  | 0.8 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32943 | The Concurrent Validity, Test-Retest Reliability and Usability of a New Foot Temperature Monitoring System for Persons with Diabetes at High Risk of Foot Ulceration. <i>Sensors</i> , 2021, 21, 3645.                                   | 2.1 | 2         |
| 32944 | Continuous intra-gastral monitoring of intra-abdominal pressure in critically ill children: a validation study. <i>Intensive Care Medicine Experimental</i> , 2021, 9, 24.   | 0.9 | 12        |
| 32945 | Within-session reproducibility of forced oscillometry. <i>Clinical Physiology and Functional Imaging</i> , 2021, 41, 401-407.  | 0.5 | 9         |
| 32946 | The Diagnostic Value of an X-ray-based Scoring System for Degeneration of the Cervical Spine: A Reproducibility and Validation Study. <i>Pain Practice</i> , 2021, 21, 766-777.  | 0.9 | 0         |
| 32947 | Spatio-temporal gait parameters obtained from foot-worn inertial sensors are reliable in healthy adults in single- and dual-task conditions. <i>Scientific Reports</i> , 2021, 11, 10229.  | 1.6 | 19        |
| 32948 | A Novel Accelerometry-Based Metric to Improve Estimation of Whole-Body Mechanical Load. <i>Sensors</i> , 2021, 21, 3398.   | 2.1 | 9         |
| 32949 | Using Bioimpedance Spectroscopy for Diagnosis of Malnutrition in Chronic Kidney Disease Stage 5: Is It Useful?. , 2021, , .  |     | 4         |
| 32950 | Drug Hypersensitivity Quality of Life Questionnaire: validation procedures and first results of the Portuguese version. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 143.  | 1.0 | 3         |
| 32951 | Electronic forms for patient reported outcome measures (PROMs) are an effective, time-efficient, and cost-minimizing alternative to paper forms. <i>Pediatric Rheumatology</i> , 2021, 19, 67.   | 0.9 | 12        |
| 32952 | Validation de la version française du questionnaire auto-administré International Hip Outcome Tool-33. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2021, 107, 299-303.   | 0.0 | 0         |
| 32953 | 2D cine vs. 3D self-navigated free-breathing high-resolution whole heart cardiovascular magnetic resonance for aortic root measurements in congenital heart disease. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 65. | 1.6 | 7         |
| 32954 | Prospective comparison of thermometers used in very preterm infants. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2021, 106, 673-675.   | 1.4 | 2         |
| 32955 | Real-Time PCR and Droplet Digital PCR Are Accurate and Reliable Methods To Quantify <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Biovar 3 in Kiwifruit Infected Plantlets. <i>Plant Disease</i> , 2021, 105, 1748-1757.             | 0.7 | 10        |
| 32956 | The accuracy of the THIM wearable device for estimating sleep onset latency. <i>Journal of Clinical Sleep Medicine</i> , 2021, 17, 973-981.  | 1.4 | 4         |
| 32957 | Conducting correlation analysis: important limitations and pitfalls. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 2332-2337.  | 1.4 | 52        |
| 32958 | End-tidal to arterial carbon dioxide gradient is associated with increased mortality in patients with traumatic brain injury: a retrospective observational study. <i>Scientific Reports</i> , 2021, 11, 10391.                          | 1.6 | 13        |
| 32959 | Agreement between laboratory methods and the 4-compartment model in assessing fat mass in obese older Hispanic-American adults. <i>Clinical Nutrition</i> , 2021, 40, 3592-3600.   | 2.3 | 5         |
| 32960 | First trimester fetal proportion volumetric measurements using a Virtual Reality approach. <i>Prenatal Diagnosis</i> , 2021, 41, 868-876.  | 1.1 | 2         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 32961 | Agreement between laboratory-based and non-laboratory-based Framingham risk score in Southern Iran. <i>Scientific Reports</i> , 2021, 11, 10767.   | 1.6 | 14        |
| 32962 | Dental long axes using digital dental models compared to cone-beam computed tomography. <i>Orthodontics and Craniofacial Research</i> , 2022, 25, 64-72.   | 1.2 | 8         |
| 32963 | Exploring Uncharted Territory: Genetically Determined Sex Differences in Parkinson's Disease. <i>Annals of Neurology</i> , 2021, 90, 15-18.  | 2.8 | 3         |
| 32964 | Risk for second bladder and rectal malignancies from cervical cancer irradiation. <i>Journal of Applied Clinical Medical Physics</i> , 2021, 22, 103-109.  | 0.8 | 2         |
| 32965 | Quality and utility of [123I]I-metaiodobenzylguanidine cardiac SPECT imaging in nondiabetic postinfarction heart failure patients qualified for implantable cardioverter defibrillator. <i>Annals of Nuclear Medicine</i> , 2021, 35, 916-926. | 1.2 | 0         |
| 32966 | Assessment of tricuspid annulus: anatomic and echocardiographic correlation. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 2189-2196.   | 0.7 | 0         |
| 32967 | The use of electronic PROMs provides same outcomes as paper version in a spine surgery registry. Results from a prospective cohort study. <i>European Spine Journal</i> , 2021, 30, 2645-2653.   | 1.0 | 16        |
| 32968 | Development and Validation of an Empirical Ocean Color Algorithm with Uncertainties: A Case Study with the Particulate Backscattering Coefficient. <i>Journal of Geophysical Research: Oceans</i> , 2021, 126, e2021JC017231.                  | 1.0 | 13        |
| 32969 | Assessment of sarcopenia in patients with upper gastrointestinal tumors: Prevalence and agreement between computed tomography and dual-energy x-ray absorptiometry. <i>Clinical Nutrition</i> , 2021, 40, 2809-2816.                           | 2.3 | 10        |
| 32970 | Snowcover Survey over an Arctic Glacier Forefield: Contribution of Photogrammetry to Identify Variability and Processes. <i>Remote Sensing</i> , 2021, 13, 1978.   | 1.8 | 2         |
| 32971 | Hemoglobin and glucose level estimation from PPG characteristics features of fingertip video using MGGP-based model. <i>Biomedical Signal Processing and Control</i> , 2021, 67, 102478.   | 3.5 | 17        |
| 32973 | Alternative Devices for Heart Rate Variability Measures: A Comparative Test-Retest Reliability Study. <i>Behavioral Sciences (Basel, Switzerland)</i> , 2021, 11, 68.  | 1.0 | 1         |
| 32974 | Reliability study of the Pectoralis Minor Muscle Thickness Measurement using Rehabilitative Ultrasound Imaging. <i>Journal of the Korean Society of Physical Medicine</i> , 2021, 16, 45-52.   | 0.1 | 3         |
| 32975 | Response to evaluation of the food composition tables: Beyond the divergence and agreement of intakes. <i>Maternal and Child Nutrition</i> , 2021, 17, e13195.   | 1.4 | 0         |
| 32976 | Two-Year Responses of Heart Rate and Heart Rate Variability to First Occupational Lead Exposure. <i>Hypertension</i> , 2021, 77, 1775-1786.  | 1.3 | 7         |
| 32977 | Validation of the French version of the self-administered international hip outcome tool-33 questionnaire. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2021, 107, 102858.   | 0.9 | 15        |
| 32978 | Görüntü tabanlı kalitesinin belirlenmesi için alternatif bir istatistiksel yaklaşım: Bland-Altman Metodu. <i>Journal of Natural and Applied Sciences</i> , 0, , .  | 0.1 | 0         |
| 32979 | Predicted and Measured Changes in Posterior Corneal Astigmatism after Uncomplicated Femtosecond Assisted LASIK (FsLASIK) and Microkeratome LASIK Correction for Myopia and Low Astigmatism. <i>Seminars in Ophthalmology</i> , 2021, 36, 1-7.  | 0.8 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32980 | Can MRI be used as a safe and expedient option for calculating Spinal Instability Neoplastic Score for patients with metastatic spinal cord compression?. <i>Bone and Joint Journal</i> , 2021, 103-B, 971-975.                                   | 1.9 | 2         |
| 32981 | Determination of Aortic Characteristic Impedance and Total Arterial Compliance From Regional Pulse Wave Velocities Using Machine Learning: An in-silico Study. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 649866.            | 2.0 | 12        |
| 32982 | Low-cost electromyography: validity against a commercial system depends on exercise type and intensity. <i>European Journal of Translational Myology</i> , 2021, 31, .  | 0.8 | 0         |
| 32983 | Accuracy and Reliability of Pulse O2 Saturation Measured by a Wrist-worn Oximeter. <i>International Journal of Sports Medicine</i> , 2021, 42, 1268-1273.   | 0.8 | 13        |
| 32984 | Customised pressure profiles of made-to-measure sports compression garments. <i>Sports Engineering</i> , 2021, 24, 1.   | 0.5 | 0         |
| 32985 | Cell-based assay for ciliopathy patients to improve accurate diagnosis using ALPACA. <i>European Journal of Human Genetics</i> , 2021, 29, 1677-1689.   | 1.4 | 10        |
| 32986 | Reliability of the 100â€‰mL water swallow test in patients with head and neck cancer and healthy subjects. <i>Head and Neck</i> , 2021, 43, 2468-2476.  | 0.9 | 8         |
| 32987 | Intra and intersession repeatability and reliability of dynamic parameters in pressure platform assessments on subjects with simulated leg length discrepancy. A cross-sectional research. <i>Sao Paulo Medical Journal</i> , 2021, 139, 424-434. | 0.4 | 4         |
| 32988 | Analysis of major fatty acids from matched plasma and serum samples reveals highly comparable absolute and relative levels. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2021, 168, 102268.                                     | 1.0 | 13        |
| 32989 | Variability of echocardiographic measures of left ventricular diastolic function. The HUNT study. <i>Echocardiography</i> , 2021, 38, 901-908.  | 0.3 | 10        |
| 32990 | A comparative study between CT, MRI, and intraoral US for the evaluation of the depth of invasion in early stage (T1/T2) tongue squamous cell carcinoma. <i>Oral Radiology</i> , 2022, 38, 114-125.   | 0.9 | 30        |
| 32991 | The 6-m Timed Hop Is Not a Suitable Clinical Assessment Tool for Use Following Anterior Cruciate Ligament Reconstruction. <i>Journal of Sport Rehabilitation</i> , 2021, 30, 595-600.   | 0.4 | 2         |
| 32992 | Test-Retest Reliability and Construct Validity of Two-Minute Walk Test in Children and Adolescents with Cerebral Palsy. <i>Walailak Journal of Science and Technology</i> , 2021, 18, .   | 0.5 | 3         |
| 32993 | Accuracy of dual-energy x-ray absorptiometry for assessing longitudinal change in visceral adipose tissue in patients with coronary artery disease. <i>International Journal of Obesity</i> , 2021, 45, 1740-1750.                                | 1.6 | 8         |
| 32994 | Measuring Physical Function in Psoriatic Arthritis: Comparing the Multidimensional Health Assessment Questionnaire to the Health Assessment Questionnaireâ€™Disability Index. <i>Journal of Rheumatology</i> , 2021, 48, jrheum.200927.           | 1.0 | 1         |
| 32995 | CT Evaluation of Lymph Nodes That Merge or Split during the Course of a Clinical Trial: Limitations of RECIST 1.1. <i>Radiology Imaging Cancer</i> , 2021, 3, e200090.  | 0.7 | 8         |
| 32996 | Allometric scaling and growth: Evaluation and applications in subadult body mass estimation. <i>American Journal of Physical Anthropology</i> , 2021, 175, 577-588.   | 2.1 | 2         |
| 32997 | A Dietary Supplement Frequency Questionnaire Correctly Ranks Nutrient Intakes in US Older Adults When Compared to a Comprehensive Dietary Supplement Inventory. <i>Journal of Nutrition</i> , 2021, 151, 2486-2495.                               | 1.3 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 32998 | The interrater reliability and agreement of a 0 to 10 uterine tone score in cesarean delivery. <i>American Journal of Obstetrics &amp; Gynecology</i> MFM, 2021, 3, 100342.   | 1.3 | 7         |
| 32999 | Low-Contrast High-Pass Visual Acuity Might Help to Detect Glaucoma Damage: A Structure-Function Analysis. <i>Frontiers in Medicine</i> , 2021, 8, 680823.   | 1.2 | 2         |
| 33000 | Space-based coil combination via geometric deep learning for reconstruction of non-Cartesian MRI data. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 2353-2367.   | 1.9 | 7         |
| 33001 | Evaluation of Blood Glucose and Lactate Concentrations in Mule and Equine Foals. <i>Journal of Equine Veterinary Science</i> , 2021, 101, 103369.   | 0.4 | 3         |
| 33002 | Dried blood spots for the quantitative evaluation of IgG isotypes and correlation with serum samples in HIV-exposed uninfected (HEU) infants. <i>Journal of Immunological Methods</i> , 2021, 493, 113019.                        | 0.6 | 4         |
| 33003 | Reliability of 2 methods in maxillary transverse deficiency diagnosis. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021, 159, 758-765.  | 0.8 | 4         |
| 33004 | Bioimpedance vector analysis in stable chronic heart failure patients: Level of agreement between single and multiple frequency devices. <i>Clinical Nutrition ESPEN</i> , 2021, 43, 206-211.                                     | 0.5 | 4         |
| 33005 | Evaluation of the Apnea-Hypopnea Index Determined by Adaptive Servo-Ventilation Devices in Patients With Heart Failure and Sleep-Disordered Breathing. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 680053.             | 1.1 | 1         |
| 33006 | Parent-child discrepancies in health-related quality of life of children and adolescents with myalgic encephalomyelitis/chronic fatigue syndrome. <i>Quality of Life Research</i> , 2021, 30, 3443-3448.                          | 1.5 | 0         |
| 33007 | Proper use of noncontact infrared thermometry for temperature screening during COVID-19. <i>Scientific Reports</i> , 2021, 11, 11832.   | 1.6 | 10        |
| 33008 | Determining the Specific Activity of Anti-Rabies Sera and Immunoglobulin Using Atomic Force Microscopy of Cell Cultures. <i>Avicenna Journal of Medical Biotechnology</i> , 2021, 13, 136-142.                                    | 0.2 | 0         |
| 33009 | A-lines and B-lines in patients with acute heart failure. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 909-917.   | 0.4 | 6         |
| 33010 | Advances in Photosensitive Polymer Based Damascene RDL Processes: Toward Submicrometer Pitches With More Metal Layers. , 2021, , .  |     | 10        |
| 33011 | Automated quantification of inflection events in the electroglottographic signal. <i>Journal of Voice</i> , 2021, , .   | 0.6 | 0         |
| 33012 | Chinese registry of rheumatoid arthritis: IV. Correlation and consistency of rheumatoid arthritis disease activity indices in China. <i>Chinese Medical Journal</i> , 2021, 134, 1465-1470.                                       | 0.9 | 7         |
| 33013 | Comparability of Postural and Physical Activity Metrics from Different Accelerometer Brands Worn on the Thigh: Data Harmonization Possibilities. <i>Measurement in Physical Education and Exercise Science</i> , 2022, 26, 39-50. | 1.3 | 8         |
| 33014 | Transvaginal sonography determines accurately extent of infiltration of rectosigmoid deep endometriosis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 58, 933-939.  | 0.9 | 8         |
| 33015 | Repeatability and Reproducibility of Macular Hole Size Measurements Using Optical Coherence Tomography. <i>Journal of Clinical Medicine</i> , 2021, 10, 2899.   | 1.0 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33016 | Reporting checklist for verification and validation of finite element analysis in orthopedic and trauma biomechanics. <i>Medical Engineering and Physics</i> , 2021, 92, 25-32.   | 0.8 | 21        |
| 33017 | The Femoral Head-Shaft Angle Is Not a Predictor of Hip Displacement in Children Under 5 Years With Cerebral Palsy: A Population-based Study of Children at GMFCS Levels III-V. <i>Journal of Pediatric Orthopaedics</i> , 2021, 41, e659-e663.                  | 0.6 | 8         |
| 33018 | Establishing and Validating Cellular Functional Target Engagement Assay for Selective IRAK4 Inhibitor Discovery. <i>SLAS Discovery</i> , 2021, 26, 1040-1054.   | 1.4 | 0         |
| 33019 | Assessment of spatiotemporal gait parameters using a deep learning algorithm-based markerless motion capture system. <i>Journal of Biomechanics</i> , 2021, 122, 110414.  | 0.9 | 64        |
| 33020 | Measurement of stretch-evoked brainstem function using fMRI. <i>Scientific Reports</i> , 2021, 11, 12544.   | 1.6 | 3         |
| 33021 | Real-world performance and accuracy of stress echocardiography: the EVAREST observational multi-centre study. <i>European Heart Journal Cardiovascular Imaging</i> , 2022, 23, 689-698.   | 0.5 | 12        |
| 33022 | To measure the amount of ocular deviation in strabismus patients with an eye-tracking virtual reality headset. <i>BMC Ophthalmology</i> , 2021, 21, 246.  | 0.6 | 14        |
| 33023 | Cross-cultural translation and validation of the Spanish version of the patellofemoral pain and osteoarthritis subscale of the KOOS (KOOS-PF). <i>BMC Research Notes</i> , 2021, 14, 220.   | 0.6 | 4         |
| 33024 | Age estimates from brain magnetic resonance images of children younger than two years of age using deep learning. <i>Magnetic Resonance Imaging</i> , 2021, 79, 38-44.  | 1.0 | 5         |
| 33025 | Patient-reported outcome measures obtained via E-Health tools ease the assessment burden and encourage patient participation in cancer care (PaCC Study). <i>Supportive Care in Cancer</i> , 2021, 29, 7715-7724.   | 1.0 | 6         |
| 33026 | Variability in CKD Biomarker Studies: Soluble Urokinase Plasminogen Activator Receptor (suPAR) and Kidney Disease Progression in the Chronic Kidney Disease in Children (CKiD) Study. <i>Kidney Medicine</i> , 2021, 3, 712-721.e1.                             | 1.0 | 7         |
| 33027 | The effect of heart rate and pulse pressure on mean arterial pressure: the combined formula for calculation of mean arterial pressure. <i>Blood Pressure Monitoring</i> , 2021, 26, 373-379.  | 0.4 | 1         |
| 33028 | CULTURAL ADAPTATION AND VALIDATION OF THE LOW ENERGY AVAILABILITY IN FEMALES QUESTIONNAIRE (LEAF-Q). <i>Revista Brasileira De Medicina Do Esporte</i> , 2021, 27, 184-188.  | 0.1 | 1         |
| 33029 | Assessment of Hindfoot Alignment Comparing Weightbearing Radiography to Weightbearing Computed Tomography. <i>Foot and Ankle International</i> , 2021, 42, 1482-1490.   | 1.1 | 15        |
| 33030 | Reliability of the mean flow index (Mx) for assessing cerebral autoregulation in healthy volunteers. <i>Physiological Reports</i> , 2021, 9, e14923.  | 0.7 | 7         |
| 33031 | Modeling Challenge Data to Quantify Endogenous Lactate Production. <i>Frontiers in Endocrinology</i> , 2021, 12, 656054.  | 1.5 | 0         |
| 33032 | Analyses of $\hat{\epsilon}$ -change scores <sup>TM</sup> do not estimate causal effects in observational data. <i>International Journal of Epidemiology</i> , 2022, 51, 1604-1615.   | 0.9 | 61        |
| 33033 | Choroidal vascularity index: an enhanced depth optical coherence tomography-based parameter to determine vascular status in patients with proliferative and non-proliferative macular telangiectasia. <i>International Ophthalmology</i> , 2021, 41, 3505-3513. | 0.6 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33034 | Audio-digital recordings to assess ratings reliability in clinical trials of schizophrenia. <i>Schizophrenia Research</i> , 2021, 232, 54-60.  | 1.1 | 3         |
| 33035 | Impact of fully automated assessment on interstudy reproducibility of biventricular volumes and function in cardiac magnetic resonance imaging. <i>Scientific Reports</i> , 2021, 11, 11648.   | 1.6 | 7         |
| 33036 | The adaptation, validation, and application of a methodology for estimating the added sugar content of packaged food products when total and added sugar labels are not mandatory. <i>Food Research International</i> , 2021, 144, 110329.   | 2.9 | 13        |
| 33037 | Testâ€retest reliability and validity of body composition methods in adults. <i>Clinical Physiology and Functional Imaging</i> , 2021, 41, 417-425.  | 0.5 | 10        |
| 33038 | Reliability and Minimal Detectable Change Values for Performance-Based Measures of Physical Functioning in the Canadian Longitudinal Study on Aging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 2030-2038.   | 1.7 | 19        |
| 33039 | Using a novel smartphone application for capturing of patient-reported outcome measures among patients with inflammatory arthritis:A randomized, crossover, agreement study. <i>Scandinavian Journal of Rheumatology</i> , 2021, , 1-9.  | 0.6 | 9         |
| 33040 | Comparing Counts of Park Users With a Wearable Video Device and an Unmanned Aerial System. <i>Journal for the Measurement of Physical Behaviour</i> , 2021, 4, 143-150.  | 0.5 | 2         |
| 33041 | Comparison between capnodynamic and thermodilution method for cardiac output monitoring during major abdominal surgery. <i>European Journal of Anaesthesiology</i> , 2021, Publish Ahead of Print, 1242-1252.  | 0.7 | 7         |
| 33042 | Artificial Intelligence for Automatic Measurement of Left Ventricular Strain inEchocardiography. <i>JACC: Cardiovascular Imaging</i> , 2021, 14, 1918-1928.  | 2.3 | 56        |
| 33043 | Glioblastoma Surgery Imagingâ€Reporting and Data System: Standardized Reporting of Tumor Volume, Location, and Resectability Based on Automated Segmentations. <i>Cancers</i> , 2021, 13, 2854.  | 1.7 | 5         |
| 33044 | Intraobserver Repeatability of Tomographic, Pachymetric, and Anatomical Measurements in Healthy Eyes Using a New Swept-Source Optical Coherence Topographer. <i>Cornea</i> , 2021, Publish Ahead of Print, 598-603.  | 0.9 | 4         |
| 33045 | Sonographic 3-D Power Doppler Imaging Enhances Rapid Assessment of Morphologic and Pathologic Arteriovenous Fistula Variations. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 1484-1494.   | 0.7 | 2         |
| 33046 | IMI2-PainCare-BioPain-RCT3: a randomized, double-blind, placebo-controlled, crossover, multi-center trial in healthy subjects to investigate the effects of lacosamide, pregabalin, and tapentadol on biomarkers of pain processing observed by electroencephalography (EEG). <i>Trials</i> , 2021, 22, 404. | 0.7 | 3         |
| 33047 | The validity of shortened multiple-breath washout testing using sulfur hexafluoride in the assessment of patients with COPD. <i>ERJ Open Research</i> , 2021, 7, 00379-2020.   | 1.1 | 3         |
| 33048 | Substitution of ROTEM FIBTEM A5 for A10 in trauma: an observational study building a case for more rapid analysis of coagulopathy. <i>European Journal of Trauma and Emergency Surgery</i> , 2022, 48, 1077-1084.  | 0.8 | 4         |
| 33049 | A bioimpedance spectroscopy technique to monitor bioprocess involving complex growth micro-organisms. <i>AIP Advances</i> , 2021, 11, 065032.  | 0.6 | 1         |
| 33050 | FEV<sub>1</sub> Minimum Important Difference versus Minimal Detectable Difference? In Search of the Unicorn. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021, 203, 1573-1576.   | 2.5 | 6         |
| 33051 | COMPARISON OF ORGAN ABSORBED DOSES IN WHOLE-BODY COMPUTED TOMOGRAPHY SCANS OF PAEDIATRIC AND ADULT PATIENT MODELS ESTIMATED BY DIFFERENT METHODS. <i>Radiation Protection Dosimetry</i> , 2021, 195, 246-256.  | 0.4 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33052 | Comparison of keratometry data using handheld and table-mounted instruments in healthy adults. <i>International Ophthalmology</i> , 2021, 41, 3451-3458.  | 0.6 | 0         |
| 33053 | Prognostic value of MRI-measured tumor thickness in patients with tongue squamous cell carcinoma. <i>Scientific Reports</i> , 2021, 11, 11333.  | 1.6 | 3         |
| 33054 | Development of a Resting Energy Expenditure Estimation in Patients Undergoing Targeted Temperature Management with a Surface Gel Pad Temperature Modulating Device. <i>Therapeutic Hypothermia and Temperature Management</i> , 2021, , .                           | 0.3 | 2         |
| 33055 | Utilization of traffic speed deflectometer for pavement structural evaluations. <i>Measurement: Journal of the International Measurement Confederation</i> , 2021, 178, 109326.   | 2.5 | 14        |
| 33056 | Artificial Olfaction in the 21 <sup>st</sup> Century. <i>IEEE Sensors Journal</i> , 2021, 21, 12969-12990.  | 2.4 | 46        |
| 33057 | Evaluation of the XVI dual registration tool for image-guided radiotherapy in prostate cancer. <i>Technical Innovations and Patient Support in Radiation Oncology</i> , 2021, 18, 22-28.  | 0.6 | 0         |
| 33058 | Electrocardiographic recording direction impacts ventricular fibrillation waveform measurements: A potential pitfall for VF-waveform guided defibrillation protocols. <i>Resuscitation Plus</i> , 2021, 6, 100114.  | 0.6 | 0         |
| 33059 | Comparison of novel DXA system, Shimazu SONIALVISION G4, with GE-Lunar PRODIGY. <i>Journal of Bone and Mineral Metabolism</i> , 2021, 39, 1041-1047.  | 1.3 | 1         |
| 33060 | Voluntary and magnetically evoked muscle contraction protocol in males with Duchenne muscular dystrophy: Safety, feasibility, reliability, and validity. <i>Muscle and Nerve</i> , 2021, 64, 190-198.   | 1.0 | 4         |
| 33061 | Validation of the Withings Sleep Analyzer, an under-the-mattress device for the detection of moderate-severe sleep apnea syndrome. <i>Journal of Clinical Sleep Medicine</i> , 2021, 17, 1217-1227.   | 1.4 | 57        |
| 33062 | Normal- and Low-Luminance Automated Quantitative Contrast Sensitivity Assessment in Eyes With Age-Related Macular Degeneration. <i>American Journal of Ophthalmology</i> , 2021, 226, 148-155.  | 1.7 | 23        |
| 33063 | Prediction of Phakic Intraocular Lens Vault Using Machine Learning of Anterior Segment Optical Coherence Tomography Metrics. <i>American Journal of Ophthalmology</i> , 2021, 226, 90-99.   | 1.7 | 34        |
| 33064 | Estimation of age at onset of linear enamel hypoplasia. New calculation tool, description and comparison of current methods. <i>Journal of Anatomy</i> , 2021, 239, 920-931.  | 0.9 | 6         |
| 33065 | Adverse drug reaction risks obtained from meta-analyses and pharmacovigilance disproportionality analyses are correlated in most cases. <i>Journal of Clinical Epidemiology</i> , 2021, 134, 14-21.   | 2.4 | 42        |
| 33066 | Validity and Reliability of a Water Frequency Questionnaire to Estimate Daily Total Water Intake in Adults. <i>Frontiers in Nutrition</i> , 2021, 8, 676697.  | 1.6 | 2         |
| 33067 | A technical and clinical evaluation of the new ThermoFisher BRAHMS unconjugated estriol and inhibin-A assays and their use in second trimester Down syndrome screening. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021, 81, 371-378.   | 0.6 | 0         |
| 33068 | Comparison of Glycemic Metrics Measured Simultaneously by Intermittently Scanned Continuous Glucose Monitoring and Real-Time Continuous Glucose Monitoring in Pregnant Women with Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2021, 23, 665-672. | 2.4 | 22        |
| 33069 | Prediction of underwater residual lung volume in healthy men and women. <i>Clinical Physiology and Functional Imaging</i> , 2021, 41, 434-442.  | 0.5 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33070 | <sup>31</sup> P-MRS of healthy human brain: Measurement of guanosine diphosphate mannose at 7T. NMR in Biomedicine, 2021, 34, e4576.  | 1.6 | 5         |
| 33071 | Reproducibility and associations with obesity and insulin resistance of circadian-rhythm parameters in free-living vs. controlled conditions during the PREVIEW lifestyle study. International Journal of Obesity, 2021, 45, 2038-2047. | 1.6 | 2         |
| 33072 | Evaluating the agreement and reliability of a web-based facial analysis tool for rhinoplasty. International Journal of Computer Assisted Radiology and Surgery, 2021, 16, 1381-1391.  | 1.7 | 9         |
| 33073 | DNA-methylation-based telomere length estimator: comparisons with measurements from flow FISH and qPCR. Aging, 2021, 13, 14675-14686.   | 1.4 | 11        |
| 33074 | An automated integrated speech and face image analysis system for the identification of human emotions. Speech Communication, 2021, 130, 15-26.   | 1.6 | 5         |
| 33075 | Intra- and Interobserver Agreement during the Assessment of the Different Stages of Root Development Using 4 Radiographic Classifications. Journal of Endodontics, 2021, 47, 906-913.   | 1.4 | 1         |
| 33076 | Estimation of percentage of body fat in field studies – a method based on relative elbow breadth (Frame Index) and BMI. Human Biology and Public Health, 0, 1, .  | 0.0 | 3         |
| 33077 | The “Shiny and Thick High Heel Sign”. Clinical Neuroradiology, 2022, 32, 465-470.   | 1.0 | 1         |
| 33078 | Assessment of Maximal Aerobic Capacity in Ski Mountaineering: A Laboratory-Based Study. International Journal of Environmental Research and Public Health, 2021, 18, 7002.  | 1.2 | 9         |
| 33079 | Comparison of Two Metabolic Simulators Used for Gas Exchange Verification in Cardiopulmonary Exercise Test Carts. Frontiers in Physiology, 2021, 12, 667386.  | 1.3 | 4         |
| 33080 | Reliability of hip muscle strength measured in principal and intermediate planes of movement. PeerJ, 2021, 9, e11521.   | 0.9 | 8         |
| 33081 | Evaluation of NHS Practitioner Health: capturing mental health outcomes using five instruments. BJPsych Open, 2021, 7, e106.  | 0.3 | 2         |
| 33082 | Inter-Day Test-Retest Reproducibility of the CAT, CCQ, HADS and EQ-5D-3L in Patients with Severe and Very Severe COPD. Patient Related Outcome Measures, 2021, Volume 12, 117-128.  | 0.7 | 7         |
| 33083 | ACS Auto-semi-automatic assessment of human vastus lateralis and rectus femoris cross-sectional area in ultrasound images. Scientific Reports, 2021, 11, 13042.   | 1.6 | 9         |
| 33084 | Validation of the Dutch-Language Version of the Neurogenic Bowel Dysfunction Score in Patients with Multiple Sclerosis. International Journal of MS Care, 2021, 24, 67-73.  | 0.4 | 0         |
| 33085 | Validation of a Low-Cost Electrocardiography (ECG) System for Psychophysiological Research. Sensors, 2021, 21, 4485.  | 2.1 | 6         |
| 33086 | Comparison of paediatric weight estimation methods at a tertiary hospital in Ghana. African Journal of Emergency Medicine, 2021, 11, 252-257.   | 0.4 | 2         |
| 33087 | Can gray values be converted to Hounsfield units? A systematic review. Dentomaxillofacial Radiology, 2022, 51, 20210140.  | 1.3 | 15        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33088 | Exploring the Metabolic Heterogeneity of Cancers: A Benchmark Study of Context-Specific Models. <i>Journal of Personalized Medicine</i> , 2021, 11, 496.   | 1.1 | 11        |
| 33089 | Gray values of the cervical vertebrae detected by cone beam computed tomography for the identification of osteoporosis and osteopenia in postmenopausal women. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2022, 133, 100-109. | 0.2 | 5         |
| 33090 | The Cone of Direct Gaze: A Stable Trait. <i>Frontiers in Psychology</i> , 2021, 12, 682395.  | 1.1 | 6         |
| 33091 | Testâ€“Retest Reliability of Functional Electromechanical Dynamometer on Five Sit-to-Stand Measures in Healthy Young Adults. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6829.                                    | 1.2 | 7         |
| 33092 | AI-based monitoring of retinal fluid in disease activity and under therapy. <i>Progress in Retinal and Eye Research</i> , 2022, 86, 100972.  | 7.3 | 30        |
| 33093 | Measuring Spatiotemporal Parameters on Treadmill Walking Using Wearable Inertial System. <i>Sensors</i> , 2021, 21, 4441.  | 2.1 | 8         |
| 33094 | Application of the Sampson equation to estimate LDL-C in children: Comparison with LDL direct measurement and Friedewald equation in the BLIP study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1911-1915.                       | 1.1 | 14        |
| 33095 | Assessing the accuracy of computed tomography in detecting bony invasion and thickness of squamous cell carcinoma of the scalp. <i>Neuroradiology Journal</i> , 2021, 34, 197140092110177.   | 0.6 | 1         |
| 33096 | Real-time multimodal 3D imaging system for remote estimation of vital signs. , 2021, , .   |     | 2         |
| 33097 | FruiTTemp: Design, Implementation and Analysis for an Open-Source Temperature Logger Applied to Fruit Fly Host Experimentation. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 6003.  | 1.3 | 1         |
| 33098 | Validaci3n del mÃ©todo inverso para la determinaci3n del flujo de acceso con termodiluci3n. <i>Nefrologia</i> , 2022, 42, 56-64.   | 0.2 | 1         |
| 33099 | Whole-Body Movements Increase Arm Use Outcomes of Wrist-Worn Accelerometers in Stroke Patients. <i>Sensors</i> , 2021, 21, 4353.   | 2.1 | 13        |
| 33100 | Compact and automated particle counting platform using smartphone-microscopy. <i>Talanta</i> , 2021, 228, 122244.  | 2.9 | 8         |
| 33101 | Smartphone-Based VO2max Measurement With Heart Snapshot in Clinical and Real-world Settings With a Diverse Population: Validation Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e26006.  | 1.8 | 9         |
| 33102 | Testâ€“retest assessment of non-contrast MRI sequences to characterise and quantify the small bowel wall in healthy participants. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2021, 34, 791-804.                               | 1.1 | 4         |
| 33103 | An external telemetry system for recording resting heart rate variability and heart rate in free-ranging large wild mammals. <i>PLoS ONE</i> , 2021, 16, e0252013.   | 1.1 | 0         |
| 33104 | Measuring Change in Health Status Over Time (Responsiveness): A Meta-analysis of the SF-36 in Cardiac and Pulmonary Rehabilitation. <i>Archives of Rehabilitation Research and Clinical Translation</i> , 2021, 3, 100127.                                 | 0.5 | 3         |
| 33105 | Automated quantitative evaluation of fetal atrioventricular annular plane systolic excursion. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 58, 853-863.  | 0.9 | 8         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33107 | Knowledge about osteoarthritis: Development of the Hip and Knee Osteoarthritis Knowledge Scales and protocol for testing their measurement properties. <i>Osteoarthritis and Cartilage Open</i> , 2021, 3, 100160.   | 0.9 | 9         |
| 33108 | Wavelet scattering transform and long short-term memory network-based noninvasive blood pressure estimation from photoplethysmograph signals. <i>Signal, Image and Video Processing</i> , 2022, 16, 1-9.   | 1.7 | 9         |
| 33110 | CAAos platform: an integrated platform for analysis of cerebral hemodynamics data. <i>Physiological Measurement</i> , 2021, 42, 104002.  | 1.2 | 1         |
| 33111 | Effects of three commercial vaccines against porcine parvovirus 1 in pregnant gilts. <i>Vaccine</i> , 2021, 39, 3997-4005.   | 1.7 | 3         |
| 33112 | Musculoskeletal ultrasound for 3D bone modeling: A preliminary study applied to lumbar vertebra. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2021, 34, 1-14.   | 0.4 | 2         |
| 33113 | Comparison of CT Texture Analysis Software Platforms in Renal Cell Carcinoma: Reproducibility of Numerical Values and Association With Histologic Subtype Across Platforms. <i>American Journal of Roentgenology</i> , 2021, 216, 1549-1557.   | 1.0 | 4         |
| 33114 | Adaptation and validation of the Nigerian Igbo Multidimensional Scale of Perceived Social Support in patients with chronic low back pain. <i>Measurement Instruments for the Social Sciences</i> , 2021, 3, .  | 0.6 | 0         |
| 33115 | Investigating the impact of target lesion selection on drug effect evaluation and tumour growth rate determination using tumour growth inhibition models: Example of malignant pleural mesothelioma patients treated with cisplatin alone or in combination with pemetrexed. <i>European Journal of Pharmaceutical Sciences</i> . 2021, 161, 105781. | 1.9 | 0         |
| 33116 | A Novel Automated Immunoassay Platform to Evaluate the Association of Adiponectin and Leptin Levels with Breast Cancer Risk. <i>Cancers</i> , 2021, 13, 3303.  | 1.7 | 8         |
| 33117 | Lineâ€byâ€line visual acuity scoring equivalence with letterâ€byâ€letter visual acuity scoring. <i>Australasian journal of optometry, The</i> , 2021, , 1-6.   | 0.6 | 1         |
| 33118 | The calculated versus the measured glycosylated haemoglobin (HbA 1c ) levels in patients with type 2 diabetes mellitus. <i>Journal of Clinical Laboratory Analysis</i> , 2021, 35, e23873.   | 0.9 | 2         |
| 33119 | Automated left atrial time-resolved segmentation in MRI long-axis cine images using active contours. <i>BMC Medical Imaging</i> , 2021, 21, 101.   | 1.4 | 10        |
| 33120 | Automatic linear measurements of the fetal brain on MRI with deep neural networks. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2021, 16, 1481-1492.  | 1.7 | 15        |
| 33121 | Comparison of Indirect Calorimetry and Common Prediction Equations for Evaluating Changes in Resting Metabolic Rate Induced by Resistance Training and a Hypercaloric Diet. <i>Journal of Strength and Conditioning Research</i> , 2022, 36, 3093-3104.  | 1.0 | 2         |
| 33122 | Alternative sites of echocardiographic epicardial fat assessment and coronary artery disease. <i>Journal of Ultrasound</i> , 2021, , 1.  | 0.7 | 2         |
| 33123 | Consumo alimentar de adolescentes: ValidaÃŁo e calibraÃŁo de um questionÃ¡rio de frequÃªncia alimentar em estudo com amostragem complexa. <i>Research, Society and Development</i> , 2021, 10, e5391016075.  | 0.0 | 0         |
| 33124 | Loss of Transforming Growth Factor Beta Signaling in Aortic Smooth Muscle Cells Causes Endothelial Dysfunction and Aortic Hypercontractility. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021, 41, 1956-1971.   | 1.1 | 14        |
| 33125 | Panoramic prediction equations to estimate implant- to-mandibular canal dimensions in the mandibular posterior region: implications for dental implant treatment. <i>Head &amp; Face Medicine</i> , 2021, 17, 19.  | 0.8 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33126 | Accuracy and Stability of a Subcutaneous Flash Glucose Monitoring System in Critically Ill Patients. <i>Journal of Diabetes Science and Technology</i> , 2021, , 193229682110172.   | 1.3 | 0         |
| 33127 | Bayesian inference for the pairwise probability of agreement using data from several measurement systems. <i>Quality Engineering</i> , 2021, 33, 571-580.   | 0.7 | 3         |
| 33128 | Inter-center agreement of mRECIST in transplanted patients for hepatocellular carcinoma. <i>European Radiology</i> , 2021, 31, 8903-8912.   | 2.3 | 3         |
| 33129 | Development and Validation of a Mobile Visual Acuity Examination App for Universal Use, Including Remote and Rural Regions. , 0, , .  |     | 0         |
| 33130 | Implant-to-nasal floor dimensions projected by panoramic radiographs in the maxillary incisorâ€“canine region: implications for dental implant treatment. <i>Odontology / the Society of the Nippon Dental University</i> , 2021, , 1.        | 0.9 | 1         |
| 33131 | Epicardial fat, gender, and cardiovascular risk. <i>Italian Journal of Medicine</i> , 2021, 15, .   | 0.2 | 0         |
| 33132 | Estimating cardiac output based on gas exchange during veno-arterial extracorporeal membrane oxygenation in a simulation study using paediatric oxygenators. <i>Scientific Reports</i> , 2021, 11, 11528.                                     | 1.6 | 6         |
| 33133 | Repeatability of PDA diameter measurements on echocardiography. <i>European Journal of Pediatrics</i> , 2022, 181, 403-406.   | 1.3 | 4         |
| 33134 | Development and Validation of a Mobile Visual Acuity Examination App for Universal Use, Including Remote and Rural Regions. , 0, , .  |     | 0         |
| 33135 | Assessing the Reproducibility of Microbiome Measurements Based on Concordance Correlation Coefficients. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 2021, 70, 1027-1048.                                   | 0.5 | 2         |
| 33136 | An estimate of 90Y dosimetry for bremsstrahlung SPECT/CT imaging in liver therapy with 90Y microspheres. <i>European Journal of Radiology</i> , 2021, 139, 109698.  | 1.2 | 1         |
| 33137 | Repeatability and reliability of the diabetic foot self-care questionnaire in Arabic patients: A transcultural adaptation. <i>Journal of Tissue Viability</i> , 2022, 31, 62-68.  | 0.9 | 11        |
| 33138 | Reference Intervals of Fetal Cardiac Volume Between 14 and 40â€“Weeks of Gestation. <i>Journal of Ultrasound in Medicine</i> , 2021, , .  | 0.8 | 1         |
| 33139 | The functional reach test in people with multiple sclerosis: a reliability and validity study. <i>Physiotherapy Theory and Practice</i> , 2022, 38, 2905-2919.  | 0.6 | 6         |
| 33141 | Development and Proof of Concept of a Low-Cost Ultrasound Training Model for Diagnosis of Giant Cell Arteritis Using 3D Printing. <i>Diagnostics</i> , 2021, 11, 1106.  | 1.3 | 2         |
| 33142 | Development and clinical implementation of a structured, simulation-based training programme in laparoscopic appendectomy: description, validation and evaluation. <i>BMJ Simulation and Technology Enhanced Learning</i> , 2021, 7, 517-523. | 0.7 | 5         |
| 33143 | The Application of Computerized Adaptive Testing to the International Knee Documentation Committee Subjective Knee Evaluation Form. <i>American Journal of Sports Medicine</i> , 2021, 49, 2426-2431.   | 1.9 | 4         |
| 33144 | Machine Learning Strategies When Transitioning between Biological Assays. <i>Journal of Chemical Information and Modeling</i> , 2021, 61, 3722-3733.  | 2.5 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33145 | Home Blood Pressure Monitoring Devices: Device Performance in an Alaska Native and American Indian Population. <i>Journal of Aging and Health</i> , 2021, 33, 40S-50S.   | 0.9 | 3         |
| 33146 | Evaluation of an electronic system for monitoring dairy cow rumination in a grazing-based system. <i>Tropical Animal Health and Production</i> , 2021, 53, 379.  | 0.5 | 2         |
| 33148 | Performance of 3 mL versus 5 mL Discarded Volume for Blood Sampling from Central Venous Access Device. <i>Journal of Laboratory Physicians</i> , 2021, 13, 112-117.  | 0.4 | 4         |
| 33149 | Fully automated Assessment of Knee Alignment from Full-Leg X-Rays employing a "YOLOv4 And Resnet Landmark regression Algorithm" (YARLA): Data from the Osteoarthritis Initiative. <i>Computer Methods and Programs in Biomedicine</i> , 2021, 205, 106080. | 2.6 | 30        |
| 33150 | Developing a common metric for depression across adulthood: Linking PROMIS depression with the Edinburgh Postnatal Depression Scale.. <i>Psychological Assessment</i> , 2021, 33, 610-618.   | 1.2 | 16        |
| 33151 | Dual Hip DXA. Is it Time to Change Standard Protocol?. <i>Journal of Clinical Densitometry</i> , 2022, 25, 20-23.  | 0.5 | 4         |
| 33152 | A method for the validation of measurements collected by different monitoring systems applied to aquaculture processing plants. <i>Biosystems Engineering</i> , 2022, 223, 30-41.  | 1.9 | 6         |
| 33153 | A Ruler for Abdominoplasty Preoperative Markings: The Potential of Best Scar Symmetry. <i>Surgical Innovation</i> , 2021, , 155335062110331.   | 0.4 | 0         |
| 33154 | Comparing a Home Vision Self-Assessment Test to Office-Based Snellen Visual Acuity. <i>Clinical Ophthalmology</i> , 2021, Volume 15, 3205-3211.  | 0.9 | 9         |
| 33155 | Ultrasound-Guided Percutaneous Laser Ablation of the Thyroid Gland in a Swine Model: Comparison of Ablation Parameters and Ablation Zone Dimensions.. <i>CardioVascular and Interventional Radiology</i> , 2021, 44, 1798-1806.                            | 0.9 | 4         |
| 33156 | Kinematic evaluation of patients with chronic obstructive pulmonary disease during the 6-min walk test. <i>Journal of Bodywork and Movement Therapies</i> , 2021, 27, 134-140.   | 0.5 | 2         |
| 33157 | Left ventricle motion estimation for cine MR images using sparse representation with shape constraint. <i>Physica Medica</i> , 2021, 87, 49-64.  | 0.4 | 1         |
| 33158 | Seasonality of social behaviour among immature belugas ( <i>Delphinapterus leucas</i> ) in managed care. <i>Polar Research</i> , 0, 40, .  | 1.6 | 9         |
| 33159 | In vivo measurement of the lineal density of red blood cells in human retinal capillaries using high-speed adaptive optics ophthalmoscopy. <i>Optics Letters</i> , 2021, 46, 3392.   | 1.7 | 4         |
| 33160 | Left ventricular noncompaction in pediatric population: could cardiovascular magnetic resonance derived fractal analysis aid diagnosis?. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 90.   | 1.6 | 2         |
| 33161 | Imputing the Number of Responders from the Mean and Standard Deviation of CGI-Improvement in Clinical Trials Investigating Medications for Autism Spectrum Disorder. <i>Brain Sciences</i> , 2021, 11, 908.  | 1.1 | 4         |
| 33162 | Comparing sleep studies in terms of the apnea-hypopnea index using the dedicated Shiny web application. <i>Biomedical Signal Processing and Control</i> , 2021, 68, 102614.  | 3.5 | 1         |
| 33163 | Reliable and valid robot-assisted assessments of hand proprioceptive, motor and sensorimotor impairments after stroke. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2021, 18, 115.  | 2.4 | 18        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33164 | The relation between physical and mental load, and the course of physiological functions and cognitive performance. <i>Theoretical Issues in Ergonomics Science</i> , 2022, 23, 38-59.   | 1.0 | 5         |
| 33165 | Transperineal ultrasound shear-wave elastography is a reliable tool for assessment of the elastic properties of the levator ani muscle in women. <i>Scientific Reports</i> , 2021, 11, 15532.                                    | 1.6 | 13        |
| 33166 | Validation of the ActiGraph wGT3X-BT Accelerometer for Step Counts at Five Different Body Locations in Laboratory Settings. <i>Measurement in Physical Education and Exercise Science</i> , 2022, 26, 63-72.                     | 1.3 | 11        |
| 33167 | The AWEScore, a patient-reported outcome measure: development, feasibility, reliability, validity and responsiveness for adults with cystic fibrosis. <i>ERJ Open Research</i> , 2021, 7, 00120-2021.                            | 1.1 | 3         |
| 33168 | Self-healing polyurethane-elastomer with mechanical tunability for multiple biomedical applications in vivo. <i>Nature Communications</i> , 2021, 12, 4395.  | 5.8 | 93        |
| 33169 | Formula to estimate left atrial volume using antero-posterior diameter in patients with catheter ablation of atrial fibrillation. <i>Medicine (United States)</i> , 2021, 100, e26513.   | 0.4 | 3         |
| 33170 | Comparison of diurnal rectal and body surface temperatures in large white piglets during the hot-dry season in a tropical Guinea savannah. <i>Journal of Thermal Biology</i> , 2021, 99, 102953.                                 | 1.1 | 2         |
| 33171 | Danish translation and validation of the Self-reported foot and ankle score (SEFAS) in patients with ankle related fractures. <i>Foot and Ankle Surgery</i> , 2021, 27, 521-527.   | 0.8 | 4         |
| 33172 | An Efficient Method for Aneurysm Volume Quantification Applicable in Any Shape and Modalities. <i>Journal of Korean Neurosurgical Society</i> , 2021, 64, 514-523.   | 0.5 | 2         |
| 33173 | Accuracy of a Smartphone Application Measuring Snoring in Adults—How Smart Is It Actually?. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7326.   | 1.2 | 9         |
| 33174 | 3D-Encoded DENSE MRI with Zonal Excitation for Quantifying Biventricular Myocardial Strain During a Breath-Hold. <i>Cardiovascular Engineering and Technology</i> , 2021, , 1.   | 0.7 | 4         |
| 33175 | Clinical Utility of the 6-Item CTS, Boston-CTS, and Hand-Diagram for Carpal Tunnel Syndrome. <i>Frontiers in Neurology</i> , 2021, 12, 683807.   | 1.1 | 6         |
| 33176 | Non-invasive cardiac output measurement by electrical cardiometry and M-mode echocardiography in the neonate: a prospective observational study of 136 neonatal infants. <i>Translational Pediatrics</i> , 2021, 10, 1757-1764.  | 0.5 | 6         |
| 33177 | Effect of Patient-Specific Coronary Flow Reserve Values on the Accuracy of MRI-Based Virtual Fractional Flow Reserve. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 663767.   | 1.1 | 2         |
| 33178 | Acceptance and image quality of high-resolution peripheral quantitative computed tomography of the metacarpophalangeal joints in rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2021, 24, 1473-1481. | 0.9 | 2         |
| 33179 | Use of a Portable Point-of-Care Instrumentation to Measure Human Milk Sodium and Potassium Concentrations. <i>Breastfeeding Medicine</i> , 2022, 17, 46-51.  | 0.8 | 10        |
| 33180 | Algorithmic extraction of smartphone accelerometer-derived mechano-biological descriptors of resistance exercise is robust to changes in intensity and velocity. <i>PLoS ONE</i> , 2021, 16, e0254164.                           | 1.1 | 0         |
| 33181 | Agreement between Arterial and Capillary pH, pCO <sub>2</sub> , and Lactate in Patients in the Emergency Department. <i>Emergency Medicine International</i> , 2021, 2021, 1-8.  | 0.3 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33182 | Assessment of the Precision in Measuring Glutathione at $3\%T$ With a MEGA-PRESS Sequence in Primary Motor Cortex and Occipital Cortex. <i>Journal of Magnetic Resonance Imaging</i> , 2022, 55, 435-442.                       | 1.9 | 2         |
| 33183 | Apolipoprotein A4 Defines the Villus-Crypt Border in Duodenal Specimens for Celiac Disease Morphometry. <i>Frontiers in Immunology</i> , 2021, 12, 713854.  | 2.2 | 8         |
| 33185 | The new Roche Elecsys TSH assay conforms with current IFCC C-STFT standards. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, e445-e448.   | 1.4 | 2         |
| 33186 | Use of a real-time location system to detect cows in distinct functional areas within a barn. <i>JDS Communications</i> , 2021, 2, 217-222.   | 0.5 | 6         |
| 33187 | Are the Roland Morris Disability Questionnaire and Oswestry Disability Index interchangeable in patients after lumbar spinal fusion?. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2021, 34, 605-611.            | 0.4 | 11        |
| 33188 | Emfit Bed Sensor Activity Shows Strong Agreement with Wrist Actigraphy for the Assessment of Sleep in the Home Setting. <i>Nature and Science of Sleep</i> , 2021, Volume 13, 1157-1166.  | 1.4 | 4         |
| 33189 | Taking one step further – Advancing the measurement of green and blue area accessibility using spatial network analysis. <i>Ecological Indicators</i> , 2021, 126, 107665.  | 2.6 | 18        |
| 33190 | Crowdsourced Assessment of Surgical Skill Proficiency in Cataract Surgery. <i>Journal of Surgical Education</i> , 2021, 78, 1077-1088.  | 1.2 | 10        |
| 33191 | Enhanced throughput of the severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) real-time RT-PCR panel by assay multiplexing and specimen pooling. <i>Journal of Virological Methods</i> , 2021, 293, 114149.           | 1.0 | 9         |
| 33192 | Validation of a Novel Neuros Cerebral Oximetry Monitor Against the INVOS Monitor During Cardiac Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021, 35, 2009-2018.  | 0.6 | 1         |
| 33193 | Intervendor Agreement for Right Ventricular Global Longitudinal Strain in Children. <i>Journal of the American Society of Echocardiography</i> , 2021, 34, 786-793.   | 1.2 | 5         |
| 33194 | Blood pressure measurement: Should technique define targets?. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1538-1546.  | 1.0 | 3         |
| 33195 | Evaluation of the accuracy of a non-invasive hemoglobin-monitoring device in schoolchildren. <i>Pediatrics and Neonatology</i> , 2022, 63, 19-24.   | 0.3 | 5         |
| 33196 | Thyroid Autoimmunity and Dysfunction in Sri Lankan Children and Adolescents After 22 Years of Sustained Universal Salt Iodization. <i>Thyroid</i> , 2021, 31, 1105-1113.  | 2.4 | 7         |
| 33197 | Multiparametric cardiac $^{18}F$ -FDG PET in humans: pilot comparison of FDG delivery rate with $^{82}Rb$ myocardial blood flow. <i>Physics in Medicine and Biology</i> , 2021, 66, 155015.                                     | 1.6 | 3         |
| 33198 | The Dugdale planning method for high tibial osteotomies underestimates the correction angle compared to the Miniaci method. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2023, 31, 1507-1514.                        | 2.3 | 10        |
| 33199 | Relationship between Circulating PCSK9 and Markers of Subclinical Atherosclerosis – The IMPROVE Study. <i>Biomedicine</i> , 2021, 9, 841.   | 1.4 | 6         |
| 33200 | Impact of blood sampling technique on reproducibility of viscoelastic coagulation monitor (VCM <sub>®</sub> ) system test results in the neonate. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 6998-7004. | 0.7 | 2         |

| #     | ARTICLE  | IF   | CITATIONS |
|-------|--|------|-----------|
| 33201 | Validation of improved 24-hour dietary recall using a portable camera among the Japanese population. <i>Nutrition Journal</i> , 2021, 20, 68.  | 1.5  | 4         |
| 33202 | Quantitative Analyses of the Left Ventricle Volume and Cardiac Function in Normal and Infarcted Yucatan Minipigs. <i>Journal of Imaging</i> , 2021, 7, 107.  | 1.7  | 1         |
| 33203 | Continuous monitoring of deep-tissue haemodynamics with stretchable ultrasonic phased arrays. <i>Nature Biomedical Engineering</i> , 2021, 5, 749-758.   | 11.6 | 100       |
| 33204 | Anal canal to pubis angle: a novel clinical ultrasound technique for the assessment of the anorectal region. <i>International Urogynecology Journal</i> , 2021, 32, 2421-2427.   | 0.7  | 1         |
| 33205 | Effect of different driver power amplitudes on liver stiffness measurement in pediatric liver MR elastography. <i>Abdominal Radiology</i> , 2021, 46, 4729-4735.   | 1.0  | 2         |
| 33206 | Pulse wave velocity in South African women and children: comparison between the Mobil-O-Graph and SphygmoCor XCEL devices. <i>Journal of Hypertension</i> , 2022, 40, 65-75.   | 0.3  | 2         |
| 33207 | Using Deep Learning Segmentation for Endotracheal Tube Position Assessment. <i>Journal of Thoracic Imaging</i> , 2022, 37, 125-131.  | 0.8  | 5         |
| 33208 | Cardiac Output Measurement in Neonates and Children Using Noninvasive Electrical Bioimpedance Compared With Standard Methods: A Systematic Review and Meta-Analysis*. <i>Critical Care Medicine</i> , 2022, 50, 126-137.                             | 0.4  | 9         |
| 33209 | Adult Auditory Brainstem Implant Outcomes and Three-Dimensional Electrode Array Position on Computed Tomography. <i>Ear and Hearing</i> , 2021, 42, 1741-1754.   | 1.0  | 4         |
| 33210 | Comparative study between suprasternal and apical windows: a user-friendly cardiac output measurement for the anesthesiologist. <i>Brazilian Journal of Anesthesiology (Elsevier)</i> , 2021, , .  | 0.2  | 3         |
| 33211 | Converting from the Montreal Cognitive Assessment to the Mini-Mental State Examination-2. <i>PLoS ONE</i> , 2021, 16, e0254055.  | 1.1  | 9         |
| 33212 | Assessing urine ammonium concentration by urine osmolal gap in chronic kidney disease. <i>Nephrology</i> , 2021, 26, 809-813.  | 0.7  | 3         |
| 33213 | Modelling lidar-derived estimates of forest attributes over space and time: A review of approaches and future trends. <i>Remote Sensing of Environment</i> , 2021, 260, 112477.  | 4.6  | 123       |
| 33214 | Assessment of an In-House Enzyme-Linked Immunosorbent Assay and IgG Avidity Test Based on SAG1 and GRA7 Proteins for Discriminating between Acute and Chronic Toxoplasmosis in Humans. <i>Journal of Clinical Microbiology</i> , 2021, 59, e0041621. | 1.8  | 5         |
| 33215 | BA-plotteR "A web tool for generating Bland-Altman plots and constructing limits of agreement. <i>Research in Veterinary Science</i> , 2021, 137, 281-286.   | 0.9  | 12        |
| 33216 | Calculation of Transpulmonary Pressure From Regional Ventilation Displayed by Electrical Impedance Tomography in Acute Respiratory Distress Syndrome. <i>Frontiers in Physiology</i> , 2021, 12, 693736.   | 1.3  | 4         |
| 33217 | Predictability of maxillary positioning: a 3D comparison of virtual and conventional orthognathic surgery planning. <i>Head &amp; Face Medicine</i> , 2021, 17, 27.  | 0.8  | 5         |
| 33218 | Isometric Strength Database for Muscle Maximal Voluntary Endurance Field Tests: Normative Data. <i>Sports Medicine - Open</i> , 2021, 7, 47.   | 1.3  | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33219 | Validation and reliability testing of the Breast-Q latissimus dorsi questionnaire: cross-cultural adaptation and psychometric properties in a Swedish population. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 174.  | 1.0 | 6         |
| 33220 | Cardiac Output Assessments in Anesthetized Children: Dynamic Capnography Versus Esophageal Doppler. <i>Anesthesia and Analgesia</i> , 2022, 134, 644-652.  | 1.1 | 7         |
| 33221 | Automatic methods of hoof-on and -off detection in horses using wearable inertial sensors during walk and trot on asphalt, sand and grass. <i>PLoS ONE</i> , 2021, 16, e0254813.   | 1.1 | 4         |
| 33222 | RG Hyperparameter Optimization Approach for Improved Indirect Prediction of Blood Glucose Levels by Boosting Ensemble Learning. <i>Electronics (Switzerland)</i> , 2021, 10, 1797.   | 1.8 | 6         |
| 33223 | Relative Validity and Reproducibility of a Food Frequency Questionnaire for Assessing Dietary Patterns and Food Group Intake in Older New Zealand Adults: The Researching Eating, Activity, and Cognitive Health Study. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2021, 121, 2389-2400.e10. | 0.4 | 4         |
| 33224 | Non-invasive hemoglobin measurement devices require refinement to match diagnostic performance with their high level of usability and acceptability. <i>PLoS ONE</i> , 2021, 16, e0254629.   | 1.1 | 21        |
| 33225 | Deep Learning Applied to Automated Segmentation of Geographic Atrophy in Fundus Autofluorescence Images. <i>Translational Vision Science and Technology</i> , 2021, 10, 2.   | 1.1 | 7         |
| 33226 | Validation of the Canadian Occupational Performance Measure in Italian Parkinson's Disease Clients. <i>Physical and Occupational Therapy in Geriatrics</i> , 2022, 40, 26-37.  | 0.2 | 2         |
| 33227 | Criterion Validity of iOS and Android Applications to Measure Steps and Distance in Adults. <i>Technologies</i> , 2021, 9, 55.   | 3.0 | 5         |
| 33228 | Automated analysis of corneal nerve tortuosity in diabetes: implications for neuropathy detection. <i>Australasian journal of optometry, The</i> , 2022, 105, 487-493.   | 0.6 | 3         |
| 33229 | Elusive hypersomnolence in seasonal affective disorder: actigraphic and self-reported sleep in and out of depressive episodes. <i>Psychological Medicine</i> , 2023, 53, 1313-1322.  | 2.7 | 2         |
| 33230 | Differences in native T1 and native T2 mapping between patients on hemodialysis and control subjects. <i>European Journal of Radiology</i> , 2021, 140, 109748.  | 1.2 | 6         |
| 33231 | A deep learning approach for the quantification of lower tear meniscus height. <i>Biomedical Signal Processing and Control</i> , 2021, 68, 102655.   | 3.5 | 6         |
| 33232 | Comparing different assay methods for the determination of mineral ore grade. <i>Journal of Geochemical Exploration</i> , 2021, 226, 106780.   | 1.5 | 0         |
| 33233 | Inter-rater Reliability and Repeatability of Manual Anterior Segment Optical Coherence Tomography Image Grading in Keratoconus. <i>Eye and Contact Lens</i> , 2021, 47, 494-499.   | 0.8 | 4         |
| 33234 | Performance of knee image digital analysis of radiographs of patients with end-stage knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 1530-1539.   | 0.6 | 8         |
| 33235 | Effect of total body water estimates via bioimpedance on bod pod-based three-compartment body fat models. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 581-587.   | 1.3 | 2         |
| 33236 | Evaluation of echocardiographic derived parameters for right ventricular size and function using cardiac magnetic resonance imaging. <i>Echocardiography</i> , 2021, 38, 1336-1344.  | 0.3 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33237 | Validation study of canine urine cortisol measurement with the Immulite 2000 Xpi cortisol immunoassay. <i>Journal of Veterinary Diagnostic Investigation</i> , 2021, 33, 1052-1068.  | 0.5 | 10        |
| 33238 | Assessment of superior vena cava flow and cardiac output in different patterns of patent ductus arteriosus shunt. <i>Echocardiography</i> , 2021, 38, 1524-1533.   | 0.3 | 7         |
| 33239 | Three-dimensional facial scanner in the hands of patients: validation of a novel application on iPad/iPhone for three-dimensional imaging. <i>Annals of Translational Medicine</i> , 2021, 9, 1115-1115.   | 0.7 | 14        |
| 33240 | A Pilot Study of Detecting Individual Sleep Apnea Events Using Noncontact Radar Technology, Pulse Oximetry, and Machine Learning. <i>Journal of Sensors</i> , 2021, 2021, 1-9.   | 0.6 | 6         |
| 33241 | Comparative Assessment of Standard Precipitation Index and Standard Precipitation Evapotranspiration Index as Drought Evaluation Tools in Coastal Winneba-Ghana. <i>Journal of Geography Environment and Earth Science International</i> , 0, , 39-54. | 0.2 | 1         |
| 33242 | Development and Validation of Crosswalks Between FIMÂ® and SCIM III for Voluntary Musculoskeletal Movement Functions. <i>Neurorehabilitation and Neural Repair</i> , 2021, 35, 880-889.  | 1.4 | 5         |
| 33243 | A Novel Methodology for Semi-automatic Measurement of Arterial Stiffness by Doppler Ultrasound: Clinical Feasibility and Reproducibility. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 1725-1736.   | 0.7 | 3         |
| 33244 | A comparison of two peak skin dose metrics calculated by patient dose management systems: implications for clinical management. <i>British Journal of Radiology</i> , 2021, 94, 20200924.  | 1.0 | 1         |
| 33245 | Spatio-Temporal Multi-Task Learning for Cardiac MRI Left Ventricle Quantification. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2021, 25, 2698-2709.   | 3.9 | 9         |
| 33246 | Ultrasonographic Estimation of Total Brain Volume: 3D Reliability and 2D Estimation. Enabling Routine Estimation During NICU Admission in the Preterm Infant. <i>Frontiers in Pediatrics</i> , 2021, 9, 708396.  | 0.9 | 4         |
| 33247 | Validity of ultrasonography-derived predictions for estimating skeletal muscle volume: a systematic literature review. <i>BMC Medical Imaging</i> , 2021, 21, 106.   | 1.4 | 4         |
| 33248 | Reliability of last menstrual period recall, an early ultrasound and a Smartphone App in predicting date of delivery and classification of preterm and post-term births. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 493.                          | 0.9 | 6         |
| 33249 | Trans-Ocular Brain Impedance Indices Predict Pressure Reactivity Index Changes in a Porcine Model of Hypotension and Cerebral Autoregulation Perturbation. <i>Neurocritical Care</i> , 2021, , 1.  | 1.2 | 3         |
| 33250 | Accuracy and precision of pulse oximeter at different sensor locations in patients with heart failure. <i>Multidisciplinary Respiratory Medicine</i> , 2021, 16, 742.  | 0.6 | 6         |
| 33251 | Reliability of musculoskeletal ultrasonography for peri-ankle muscles in subjects with unilateral chronic ankle instability. <i>Journal of Bodywork and Movement Therapies</i> , 2021, 27, 565-572.  | 0.5 | 0         |
| 33252 | Comparison of Central Corneal Thickness Measured by Tono-pachymetry and Ultrasound Pachymetry. <i>Journal of Korean Ophthalmological Society</i> , 2021, 62, 904-909.  | 0.0 | 0         |
| 33253 | Validation of the World Health Organization Disability Assessment Schedule (WHODAS 2.0) for individuals with COPD. <i>Disability and Rehabilitation</i> , 2022, 44, 5663-5668.   | 0.9 | 2         |
| 33254 | Longitudinal Comparison of Stability and Sensitivity in Quality of Life Scores Among Nursing Home Residents With and Without Diagnoses of Alzheimer's Disease and Related Dementias. <i>Innovation in Aging</i> , 2021, 5, igab024.                    | 0.0 | 1         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33255 | Performance of the Rowland Universal Dementia Assessment Scale in Screening Mild Cognitive Impairment at an Outpatient Setting. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2021, 11, 181-188.   | 0.6 | 4         |
| 33256 | MRI-based synthetic CT shows equivalence to conventional CT for the morphological assessment of the hip joint. <i>Journal of Orthopaedic Research</i> , 2022, 40, 954-964.   | 1.2 | 27        |
| 33257 | What are the Most Important Statistical Ideas of the Past 50 Years?. <i>Journal of the American Statistical Association</i> , 2021, 116, 2087-2097.  | 1.8 | 25        |
| 33258 | Importance of complex blood flow in the assessment of aortic regurgitation severity using phase contrast magnetic resonance imaging. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 3561-3572.   | 0.7 | 3         |
| 33259 | Foveal structure and visual function in nanophthalmos and posterior microphthalmos. <i>British Journal of Ophthalmology</i> , 2021, , bjophthalmol-2020-318717.  | 2.1 | 1         |
| 33260 | Linking scores on the 4- and 5-item versions of the Satisfaction with Life Scale in people with traumatic brain, spinal cord, or burn injury: a National Institute on Disability, Independent Living, and Rehabilitation Research Model System study. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 59. | 0.9 | 2         |
| 33261 | A surrogate virus neutralization test to quantify antibody-mediated inhibition of SARS-CoV-2 in finger stick dried blood spot samples. <i>Scientific Reports</i> , 2021, 11, 15321.  | 1.6 | 33        |
| 33262 | Correlation does not imply agreement: A cautionary tale for researchers and reviewers. <i>Sonography</i> , 2021, 8, 185-190.   | 0.4 | 5         |
| 33263 | Peak Running Velocity or Critical Speed Under Field Conditions: Which Best Predicts 5-km Running Performance in Recreational Runners?. <i>Frontiers in Physiology</i> , 2021, 12, 680790.  | 1.3 | 5         |
| 33264 | Reliability and agreement of the central and mid-peripheral corneal thickness measured by a new Scheimpflug based imaging. <i>Annals of Translational Medicine</i> , 2021, 9, 1136-1136.   | 0.7 | 3         |
| 33265 | Tracking changes in body composition: comparison of methods and influence of pre-assessment standardisation. <i>British Journal of Nutrition</i> , 2022, 127, 1656-1674.   | 1.2 | 15        |
| 33266 | Echocardiographic Reference Ranges of Non-invasive Myocardial Work Indices in Children. <i>Pediatric Cardiology</i> , 2021, , 1.   | 0.6 | 10        |
| 33267 | Comparison of Breath- and Blood-Alcohol Concentrations in a Controlled Drinking Study. <i>Journal of Analytical Toxicology</i> , 2022, 46, 683-688.  | 1.7 | 2         |
| 33269 | Topical inflammasome inhibition with disulfiram prevents irritant contact dermatitis. <i>Clinical and Translational Allergy</i> , 2021, 11, e12045.  | 1.4 | 14        |
| 33270 | Developing and Investigating the Promise of Early Measurement Screeners. <i>School Psychology Review</i> , 0, , 1-13.  | 1.8 | 0         |
| 33271 | Accuracy of a Low-Cost 3D-Printed Wearable Goniometer for Measuring Wrist Motion. <i>Sensors</i> , 2021, 21, 4799.   | 2.1 | 3         |
| 33272 | The Usefulness of Tele dermatology in Monitoring the Efficacy and Safety of a Topical Treatment for Actinic Keratosis. <i>Journal of Investigative Dermatology</i> , 2021, 141, 1837-1839.e12.   | 0.3 | 0         |
| 33273 | Diffuse Optical Spectroscopy Assessment of Resting Oxygen Metabolism in the Leg Musculature. <i>Metabolites</i> , 2021, 11, 496.   | 1.3 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33274 | A New Fitness Test of Estimating VO2max in Well-Trained Rowing Athletes. <i>Frontiers in Physiology</i> , 2021, 12, 701541.   | 1.3 | 7         |
| 33275 | The Effect of Simulated Leg-Length Discrepancy on the Dynamic Parameters of the Feet during Gait—Cross-Sectional Research. <i>Healthcare (Switzerland)</i> , 2021, 9, 932.  | 1.0 | 10        |
| 33276 | Minimum Detectable Change of Visual Acuity Measurements Using ETDRS Charts (Early Treatment) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 18, 7876.  | 1.2 | 1         |
| 33277 | Effect of Predicted Versus Measured Thoracic Gas Volume on Body Fat Percentage in Young Adults. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2021, 31, 345-349.  | 1.0 | 2         |
| 33278 | Combining citizen science and recreational hunters to monitor exotic ungulates and native wildlife in a protected area of northeastern Argentina. <i>Biological Invasions</i> , 2021, 23, 3687-3702.  | 1.2 | 6         |
| 33279 | Identifying and Avoiding Risk of Bias in Caries Diagnostic Studies. <i>Journal of Clinical Medicine</i> , 2021, 10, 3223.   | 1.0 | 8         |
| 33281 | Validity and reliability of a novel monitoring sensor for the quantification of the hitting load in tennis. <i>PLoS ONE</i> , 2021, 16, e0255339.   | 1.1 | 8         |
| 33282 | Pupillometry via smartphone for low-resource settings. <i>Biocybernetics and Biomedical Engineering</i> , 2021, 41, 891-902.  | 3.3 | 9         |
| 33283 | Evaluation of the LeukoScope for Point-of-Care Measurement of White Blood Cell and Neutrophil Counts in Malawi. <i>Annals of Biomedical Engineering</i> , 2021, 49, 2566-2578.  | 1.3 | 1         |
| 33284 | Cartilage Topography Assessment With Local Area Cartilage Segmentation for Knee Magnetic Resonance Imaging. <i>Arthritis Care and Research</i> , 2022, 74, 2013-2023.   | 1.5 | 0         |
| 33285 | Comparison of electrocardiograms (ECG) waveforms and centralized ECG measurements between a simple 6-lead mobile ECG device and a standard 12-lead ECG. <i>Annals of Noninvasive Electrocardiology</i> , 2021, 26, e12872.                                  | 0.5 | 14        |
| 33286 | Level of agreement between sPRO and Kubios software in the analysis of R-R intervals obtained by a chest strap. <i>Proceedings of the Institution of Mechanical Engineers, Part P: Journal of Sports Engineering and Technology</i> , 0, , 175433712110311. | 0.4 | 2         |
| 33287 | Effect of Speed and Surface Type on Individual Rein and Combined Left-Right Circle Movement Asymmetry in Horses on the Lunge. <i>Frontiers in Veterinary Science</i> , 2021, 8, 692031.   | 0.9 | 5         |
| 33288 | The effects of child anxiety and depression on concordance between parent-proxy and self-reported health-related quality of life for pediatric liver transplant patients. <i>Pediatric Transplantation</i> , 2021, 25, e14072.                              | 0.5 | 3         |
| 33289 | Choroidal thickness measurements in different ethnicities using swept source optical coherence tomography: repeatability and assessment. <i>Australasian journal of optometry, The</i> , 2022, 105, 527-533.  | 0.6 | 2         |
| 33290 | Long-Term Narrowband Lighting Influences Activity but Not Intrinsically Photosensitive Retinal Ganglion Cell-Driven Pupil Responses. <i>Frontiers in Physiology</i> , 2021, 12, 711525.   | 1.3 | 3         |
| 33291 | Heart Rate Methods Can Be Valid for Estimating Intensity Spectrums of Oxygen Uptake in Field Exercise. <i>Frontiers in Physiology</i> , 2021, 12, 687566.   | 1.3 | 3         |
| 33292 | Longitudinal assessment of lung clearance index to monitor disease progression in children and adults with cystic fibrosis. <i>Thorax</i> , 2022, 77, 357-363.  | 2.7 | 11        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33293 | Deep learning for vessel-specific coronary artery calcium scoring: validation on a multi-centre dataset. <i>European Heart Journal Cardiovascular Imaging</i> , 2022, 23, 846-854.  | 0.5 | 19        |
| 33294 | A Novel Framework for Quantifying Accuracy and Precision of Event Detection Algorithms in FES-Cycling. <i>Sensors</i> , 2021, 21, 4571.   | 2.1 | 3         |
| 33295 | A retrospective analysis of discordances between international normalized ratio (INR) self-testing and INR laboratory testing in a pediatric patient population. <i>International Journal of Laboratory Hematology</i> , 2021, 43, 1575-1584.                                   | 0.7 | 0         |
| 33296 | Validity, reliability and accuracy of inertial measurement units (IMUs) to measure angles: application in swimming. <i>Sports Biomechanics</i> , 2021, , 1-33.  | 0.8 | 9         |
| 33297 | A simple and robust method for automating analysis of naïve and regenerating peripheral nerves. <i>PLoS ONE</i> , 2021, 16, e0248323.   | 1.1 | 7         |
| 33298 | Evaluation of Two Commercial Kits on the Automated ELITE InGenius PCR Platform for Molecular Diagnosis of Toxoplasmosis. <i>Journal of Molecular Diagnostics</i> , 2021, 23, 865-871.   | 1.2 | 2         |
| 33299 | Evaluating Discrepancies in Percent Total Body Surface Area Burn Assessments Between Prehospital Providers and Burn Center Physicians. <i>Journal of Burn Care and Research</i> , 2021, , .   | 0.2 | 1         |
| 33300 | The within-individual reproducibility of the disease severity index from the HepQuant SHUNT test of liver function and physiology. <i>Translational Research</i> , 2021, 233, 5-15.   | 2.2 | 7         |
| 33302 | A generic outcome assessment of mobility capacity in neurorehabilitation: measurement properties of the de Morton Mobility Index. <i>BMC Neurology</i> , 2021, 21, 298.   | 0.8 | 1         |
| 33303 | Methodology and applicability of the human contact burn injury model: A systematic review. <i>PLoS ONE</i> , 2021, 16, e0254790.  | 1.1 | 1         |
| 33304 | PORTRAIT AND HILBERT TRANSFORM METHODS FOR EVALUATING CONTINUOUS RELATIVE PHASE BETWEEN LOWER-LIMB JOINTS IN THE ELDERLY DURING WALKING. <i>Journal of Mechanics in Medicine and Biology</i> , 2021, 21, .  | 0.3 | 1         |
| 33305 | A Smart Diaper System Using Bluetooth and Smartphones to Automatically Detect Urination and Volume of Voiding: Prospective Observational Pilot Study in an Acute Care Hospital. <i>Journal of Medical Internet Research</i> , 2021, 23, e29979.                                 | 2.1 | 13        |
| 33307 | Assessment and validation of three spot urine assay methods for the estimation of 24-hour urinary sodium excretion in Chinese Tibetan adults living in the mountains. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1588-1598.  | 1.0 | 8         |
| 33308 | Transpulmonary thermodilution in patients treated with veno-venous extracorporeal membrane oxygenation. <i>Annals of Intensive Care</i> , 2021, 11, 101.  | 2.2 | 11        |
| 33309 | Validation study of canine serum cortisol measurement with the Immulite 2000 Xpi cortisol immunoassay. <i>Journal of Veterinary Diagnostic Investigation</i> , 2021, 33, 844-863.   | 0.5 | 10        |
| 33310 | Repeatability and agreement of white-to-white measurements between slit-scanning tomography, infrared biometry, dual rotating Scheimpflug camera/Placido disc tomography, and swept source anterior segment optical coherence tomography. <i>PLoS ONE</i> , 2021, 16, e0254832. | 1.1 | 9         |
| 33311 | A Comparison of Cone Beam Computed Tomography and Periapical Digital Radiography for Evaluation of Root Canal Preparation. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 6599.  | 1.3 | 1         |
| 33312 | Variance Stabilised Optimisation of Neural Networks: A Case Study in Additive Manufacturing. , 2021, , .  |     | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33313 | Ipsilateral and Simultaneous Comparison of Responses from Acceleromyography- and Electromyography-based Neuromuscular Monitors. <i>Anesthesiology</i> , 2021, 135, 597-611.  | 1.3 | 21        |
| 33314 | Noninvasive Tidal Volume Measurements, Using a Time-of-Flight Camera, Under High-Flow Nasal Cannula: A Physiological Evaluation, in Healthy Volunteers*. <i>Critical Care Medicine</i> , 2022, 50, e61-e70.        | 0.4 | 9         |
| 33315 | Full Factorial In Situ Characterization of Ionomer Properties in Differential PEM Fuel Cells. <i>Journal of the Electrochemical Society</i> , 2021, 168, 084504.   | 1.3 | 10        |
| 33316 | Recent Insights into the Measurement of Carbon Dioxide Concentrations for Clinical Practice in Respiratory Medicine. <i>Sensors</i> , 2021, 21, 5636.  | 2.1 | 16        |
| 33318 | Comparing the CamBlobs2 contrast sensitivity test to the near Pelli-Robson contrast sensitivity test in normally-sighted young adults. <i>Ophthalmic and Physiological Optics</i> , 2021, 41, 1125-1133.           | 1.0 | 4         |
| 33319 | Sonographic evaluation of the degree of medial meniscal extrusion during Thessaly test in healthy knees. <i>Chiropractic &amp; Manual Therapies</i> , 2021, 29, 31.  | 0.6 | 4         |
| 33320 | Valid and Reliable Barbell Velocity Estimation Using an Inertial Measurement Unit. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9170.                                      | 1.2 | 12        |
| 33321 | Congruence of pain perceptions between Black cancer patients and their family caregivers. <i>Supportive Care in Cancer</i> , 2022, 30, 543-553.  | 1.0 | 2         |
| 33322 | A Novel Application of Flexible Inertial Sensors for Ambulatory Measurement of Gait Kinematics. <i>IEEE Transactions on Human-Machine Systems</i> , 2021, 51, 346-354.   | 2.5 | 6         |
| 33323 | Accuracy of bioelectrical impedance analysis and skinfold thickness in the assessment of body composition in people with chronic spinal cord injury. <i>Spinal Cord</i> , 2022, 60, 228-236.                       | 0.9 | 5         |
| 33324 | Fairness in scientific debate. <i>Progress in Cardiovascular Diseases</i> , 2021, 68, 104-105.   | 1.6 | 5         |
| 33325 | OCT-versus Scheimpflug-based Total Corneal Power Measurements Changes in Myopic Astigmatic SMILE Procedures. <i>Current Eye Research</i> , 2022, 47, 12-17.  | 0.7 | 2         |
| 33326 | Modeling SF-6D Health Utilities: Is Bayesian Approach Appropriate?. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8409.   | 1.2 | 3         |
| 33327 | Dual-Energy Computed Tomography Compared to Lung Perfusion Scintigraphy to Assess Pulmonary Perfusion in Patients Screened for Endoscopic Lung Volume Reduction. <i>Respiration</i> , 2021, 100, 1186-1195.        | 1.2 | 2         |
| 33328 | An Italian Case Study for Assessing Nutrient Intake through Nutrition-Related Mobile Apps. <i>Nutrients</i> , 2021, 13, 3073.  | 1.7 | 8         |
| 33329 | Comparison of Quantification Methods to Estimate Farm-Level Usage of Antimicrobials in Medicated Feed in Dairy Farms from Quebec, Canada. <i>Microorganisms</i> , 2021, 9, 1834.                                   | 1.6 | 2         |
| 33330 | Assessment of peritoneal metastases with DW-MRI, CT, and FDG PET/CT before cytoreductive surgery for advanced stage epithelial ovarian cancer. <i>European Journal of Surgical Oncology</i> , 2021, 47, 2134-2141. | 0.5 | 11        |
| 33331 | Improving event-based progression analysis in glaucomatous visual fields. <i>Scientific Reports</i> , 2021, 11, 16353.   | 1.6 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33332 | Self-reported and actigraphic short sleep duration in older adults. <i>Journal of Clinical Sleep Medicine</i> , 2022, 18, 403-413.   | 1.4 | 12        |
| 33333 | Development and validation of the FiberScreen: A short questionnaire to screen fibre intake in adults. <i>Journal of Human Nutrition and Dietetics</i> , 2021, 34, 969-980.  | 1.3 | 8         |
| 33334 | Assessment of the reliability of ionization current measurement in estimating peak pressure angle in a spark ignition engine. <i>International Journal of Engine Research</i> , 0, , 146808742110399.                            | 1.4 | 0         |
| 33335 | The site of waist measurement impacts the estimation of visceral fat: Results from three-dimensional photonic body scanning. <i>British Journal of Nutrition</i> , 2021, , 1-32.   | 1.2 | 1         |
| 33336 | A System Identification and Implementation of a Soft Sensor for Freeform Bending. <i>Materials</i> , 2021, 14, 4549.   | 1.3 | 8         |
| 33337 | Reliability and validity of the Actiwatch and Clouclip for measuring illumination in real-world conditions. <i>Ophthalmic and Physiological Optics</i> , 2021, 41, 1048-1059.  | 1.0 | 10        |
| 33338 | Racial/Ethnic, Social, and Geographic Trends in Overdose-Associated Cardiac Arrests Observed by US Emergency Medical Services During the COVID-19 Pandemic. <i>JAMA Psychiatry</i> , 2021, 78, 886.                              | 6.0 | 49        |
| 33339 | Repeatability and agreement of wavefront aberrations of a new hybrid topographer and aberrometer in healthy eyes. <i>Journal of Cataract and Refractive Surgery</i> , 2022, 48, 408-416.   | 0.7 | 8         |
| 33340 | Validity and Reproducibility of a Food Frequency Questionnaire to Assess Nutrients Intake of Pregnant Women in the South-East of Spain. <i>Nutrients</i> , 2021, 13, 3032.   | 1.7 | 4         |
| 33342 | Myocardial Infarction Quantification from Late Gadolinium Enhancement MRI Using Top-Hat Transforms and Neural Networks. <i>Algorithms</i> , 2021, 14, 249.   | 1.2 | 9         |
| 33343 | Intra- and Interlaboratory Reproducibility of the Sensitivity to Endocrine Therapy Assay for Stage II/III Breast Cancer. <i>Clinical Chemistry</i> , 2021, 67, 1240-1248.  | 1.5 | 3         |
| 33344 | Usefulness of Body Composition CT Analysis in Patients with Idiopathic Pulmonary Fibrosis: A Pilot Study. <i>Academic Radiology</i> , 2022, 29, S191-S201.   | 1.3 | 9         |
| 33346 | Validation of the Spanish version of the Goodman score in total hip arthroplasty. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 517.  | 0.9 | 5         |
| 33347 | Issues and Challenges in the Application of the IEUBK Model in the Health Risk Assessment of Lead: A Case Study from Blantyre Malawi. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8207. | 1.2 | 0         |
| 33348 | Novel non-invasive assessment of upper airway inflammation in obstructive sleep apnea using positron emission tomography/magnetic resonance imaging. <i>Sleep and Breathing</i> , 2021, , 1.                                     | 0.9 | 3         |
| 33349 | A reliability study of a novel visual ischemic palpation scale in an experimental setting. <i>Musculoskeletal Science and Practice</i> , 2021, 54, 102384.   | 0.6 | 0         |
| 33350 | Is trimethoprim/sulfamethoxazole-associated increase in serum creatinine a pseudo-elevation or true nephrotoxicity?. <i>Journal of Infection and Chemotherapy</i> , 2021, 27, 1193-1197.   | 0.8 | 7         |
| 33351 | Assessment of a Novel, 22-lead Mobile Electrocardiogram in Elite, Adolescent Footballers. <i>International Journal of Sports Medicine</i> , 2022, 43, 245-253.   | 0.8 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33352 | Concordance of infrared non-contact thermometer aimed at the forehead versus digital thermometer via axilla method in the preterm and term infant on admission to the Townsville Neonatal unit. <i>Journal of Neonatal Nursing</i> , 2021, , .  | 0.3 | 0         |
| 33353 | A novel algorithm based on ensemble empirical mode decomposition for non-invasive fetal ECG extraction. <i>PLoS ONE</i> , 2021, 16, e0256154.   | 1.1 | 22        |
| 33354 | Oximetry neither to prescribe long-term oxygen therapy nor to screen for severe hypoxaemia. <i>ERJ Open Research</i> , 2021, 7, 00272-2021.   | 1.1 | 12        |
| 33355 | Development and Comparability of a Short Food-Frequency Questionnaire to Assess Diet in Prostate Cancer Patients: The Role of Androgen Deprivation Therapy in Cardiovascular Disease – A Longitudinal Prostate Cancer Study (RADICAL PC) Substudy. <i>Current Developments in Nutrition</i> , 2021, 5, nzab106. | 0.1 | 2         |
| 33356 | An inverse technique to identify participant-specific bone adaptation from serial $\mu$ CT measurements. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2021, 37, e3515.  | 1.0 | 1         |
| 33357 | Development and validation of FootNet; a new kinematic algorithm to improve foot-strike and toe-off detection in treadmill running. <i>PLoS ONE</i> , 2021, 16, e0248608.   | 1.1 | 6         |
| 33358 | Neurogenic bowel dysfunction score in spinal cord-injured patients: translation and validation of the Dutch-language NBD score. <i>Spinal Cord</i> , 2022, 60, 223-227.   | 0.9 | 3         |
| 33359 | Energy requirements of long-term ventilated COVID-19 patients with resolved SARS-CoV-2 infection. <i>Clinical Nutrition ESPEN</i> , 2021, 44, 211-217.  | 0.5 | 15        |
| 33360 | Coastal Wetland Shoreline Change Monitoring: A Comparison of Shorelines from High-Resolution WorldView Satellite Imagery, Aerial Imagery, and Field Surveys. <i>Remote Sensing</i> , 2021, 13, 3030.  | 1.8 | 17        |
| 33361 | Machine Learning to Improve Orientation Estimation in Sports Situations Challenging for Inertial Sensor Use. <i>Frontiers in Sports and Active Living</i> , 2021, 3, 670263.  | 0.9 | 10        |
| 33362 | Measuring the Rate of In-vitro Drug Release From Polymeric Nanoparticles by $^{19}\text{F}$ Solution State NMR Spectroscopy. <i>Journal of Pharmaceutical Sciences</i> , 2021, 110, 3546-3549.  | 1.6 | 3         |
| 33363 | A discrepancy between CT angiography and transesophageal echocardiographic measurements of the annular size affect long-term survival following trans-catheter aortic valve replacement. <i>Journal of Cardiovascular and Thoracic Research</i> , 2021, 13, 208-215.  | 0.3 | 6         |
| 33364 | A Pilot Study of Intervention With a Mobile Application Visualizing the Macronutrient Content for Type 2 Diabetes at a Japanese Center. <i>Journal of Clinical Medicine Research</i> , 2021, 13, 425-433.   | 0.6 | 4         |
| 33365 | Estimation of kidney function in patients with primary neuromuscular diseases: is serum cystatin C a better marker of kidney function than creatinine?. <i>Journal of Nephrology</i> , 2022, 35, 493-503.   | 0.9 | 9         |
| 33366 | Flash Glucose Monitoring Compared to Capillary Glucose Levels in Patients With Diabetic Ketoacidosis: Potential Clinical Applications. <i>Endocrine Practice</i> , 2021, 27, 813-818.   | 1.1 | 8         |
| 33367 | Evaluation of techniques used to assess skeletal muscle quantity in patients with cirrhosis. <i>Clinical Nutrition ESPEN</i> , 2021, 44, 287-296.   | 0.5 | 7         |
| 33368 | New bioelectrical impedance analysis equations for children and adolescents based on the deuterium dilution technique. <i>Clinical Nutrition ESPEN</i> , 2021, 44, 402-409.   | 0.5 | 5         |
| 33369 | Portable single-lead electrocardiogram device is accurate for QTc evaluation in hospitalized patients. <i>Heart Rhythm O2</i> , 2021, 2, 382-387.   | 0.6 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33370 | Automatic fetal biometry prediction using a novel deep convolutional network architecture. <i>Physica Medica</i> , 2021, 88, 127-137.  | 0.4 | 31        |
| 33371 | Offseason Body Composition Changes Detected by Dual-Energy X-ray Absorptiometry versus Multifrequency Bioelectrical Impedance Analysis in Collegiate American Football Athletes. <i>Sports</i> , 2021, 9, 112.                             | 0.7 | 4         |
| 33372 | The relationship between microscopic tumor size and CT tumor size in pancreatic ductal adenocarcinoma. <i>Clinical Imaging</i> , 2021, 76, 30-37.  | 0.8 | 2         |
| 33373 | Evaluation of energy intake by brief-type self-administered diet history questionnaire among male patients with stable/at risk for chronic obstructive pulmonary disease. <i>BMJ Open Respiratory Research</i> , 2021, 8, e000807.         | 1.2 | 1         |
| 33374 | Evaluation of point-of-care testing device for anemia detection: A cross-sectional method comparison study from Thailand. <i>Journal of Clinical Laboratory Analysis</i> , 2021, 35, e23976.   | 0.9 | 1         |
| 33375 | The Anaerobic Power Assessment in CrossFit® Athletes: An Agreement Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8878.   | 1.2 | 0         |
| 33376 | Running power: lab based <i>vs</i>. portable devices measurements and its relationship with aerobic power. <i>European Journal of Sport Science</i> , 2022, 22, 1555-1568.   | 1.4 | 16        |
| 33377 | Dissociation between exercise intensity thresholds: mechanistic insights from supine exercise. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2021, 321, R712-R722.                           | 0.9 | 4         |
| 33378 | Mapping World Health Organization Quality of Life“BREF Onto 5-Level EQ-5D in Thai Patients With Chronic Diseases. <i>Value in Health</i> , 2021, 24, 1089-1094.  | 0.1 | 2         |
| 33379 | Generation of parametric <i>K</i> images for FDG PET using two 5â€min scans. <i>Medical Physics</i> , 2021, 48, 5219-5231.   | 1.6 | 16        |
| 33380 | Comparison of Photo-optical Transcutaneous Oxygen Tension Measurement with Electro-chemical Transcutaneous Oxygen Tension Measurement in Patients with Arterial Claudication. <i>Annals of Vascular Surgery</i> , 2021, , .                | 0.4 | 2         |
| 33381 | Reliability of transcranial magnetic stimulation measurements of maximum activation of the knee extensors in young adult males. <i>Human Movement Science</i> , 2021, 78, 102828.  | 0.6 | 1         |
| 33382 | High-risk coronary artery plaque in asymptomatic patients with type 2 diabetes: clinical risk factors and coronary artery calcium score. <i>Cardiovascular Diabetology</i> , 2021, 20, 164.  | 2.7 | 7         |
| 33383 | One-tissue compartment model for myocardial perfusion quantification with N-13 ammonia PET provides matching results: A cross-comparison between Carimas, FlowQuant, and PMOD. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 2543-2550. | 1.4 | 5         |
| 33384 | ProFitâ€”A 1D fitting software and openâ€source validation data sets. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 2910-2929.   | 1.9 | 7         |
| 33385 | Improvements in Medical System Safety Analytics for Authentic Measure of Vital Signs Using Fault-Tolerant Design Approach. <i>Frontiers in Medical Technology</i> , 2021, 3, 666671.   | 1.3 | 0         |
| 33386 | Automatic measurement plane placement for 4D Flow MRI of the great vessels using deep learning. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2022, 17, 199-210.   | 1.7 | 3         |
| 33387 | Impact of Aortic Diameter Measurements at Three Anatomical Landmarks on Left Ventricular Output Calculation in Neonates. <i>Journal of Ultrasound in Medicine</i> , 2022, 41, 1187-1194.   | 0.8 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33388 | Validation of ambulatory monitoring devices to measure energy expenditure and heart rate in a military setting. <i>Physiological Measurement</i> , 2021, 42, 085008.   | 1.2 | 6         |
| 33389 | Validating Surface Topography for the Measurement of the Thoracic Kyphosis Angle in Patients With Scoliosis: A Prospective Study of Accuracy. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2021, 44, 497-503.   | 0.4 | 0         |
| 33390 | Transepicondylar Distance Can Predict Graft and Tunnel Length for Different Pediatric Anterior Cruciate Ligament Reconstruction Techniques: A Magnetic Resonance Imaging Study. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2022, 38, 1239-1251.e3. | 1.3 | 4         |
| 33392 | Diagnostic Accuracy of Dried Blood Spots Collected on HemaSpot HF Devices Compared to Venous Blood Specimens To Estimate Measles and Rubella Seroprevalence. <i>MSphere</i> , 2021, 6, e0133020.   | 1.3 | 4         |
| 33393 | Bias and Precision in Magnetic Resonance Imaging-Based Estimates of Renal Blood Flow: Assessment by Triangulation. <i>Journal of Magnetic Resonance Imaging</i> , 2021, , .  | 1.9 | 7         |
| 33394 | Deep learning-based framework for cardiac function assessment in embryonic zebrafish from heart beating videos. <i>Computers in Biology and Medicine</i> , 2021, 135, 104565.  | 3.9 | 12        |
| 33395 | Quantifying patient spontaneous breathing effort using model-based methods. <i>Biomedical Signal Processing and Control</i> , 2021, 69, 102809.  | 3.5 | 7         |
| 33396 | Validity of Tools to Measure Physical Activity in Older Adults Following Total Knee Arthroplasty. <i>Journal of Aging and Physical Activity</i> , 2021, 29, 651-658.   | 0.5 | 1         |
| 33397 | A simplified method to evaluate the loss of domain. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2022, 26, 927-936.  | 0.9 | 7         |
| 33398 | Discrepancies between self-reported and device-measured sleep parameters in adults with multiple sclerosis. <i>Journal of Clinical Sleep Medicine</i> , 2022, 18, 415-421.   | 1.4 | 6         |
| 33399 | Head-to-head comparison of pressures during full cystometry, with clinical as well as in-depth signal analysis, of air-filled catheters versus the ICS standard water-filled catheters. <i>Neurourology and Urodynamics</i> , 2021, 40, 1908-1920.                         | 0.8 | 3         |
| 33400 | BÃ©zier curves as a total approach to measure the upper lid contour: redefining clinical outcomes in palpebral surgery. <i>British Journal of Ophthalmology</i> , 2023, 107, 6-11.   | 2.1 | 3         |
| 33401 | Validity of chemotherapy information derived from routinely collected healthcare data: A national cohort study of colon cancer patients. <i>Cancer Epidemiology</i> , 2021, 73, 101971.  | 0.8 | 9         |
| 33402 | Neural adaptations to long-term resistance training: evidence for the confounding effect of muscle size on the interpretation of surface electromyography. <i>Journal of Applied Physiology</i> , 2021, 131, 702-715.  | 1.2 | 17        |
| 33403 | Bayesian Forecasting for Intravenous Tobramycin Dosing in Adults With Cystic Fibrosis Using One Versus Two Serum Concentrations in a Dosing Interval. <i>Therapeutic Drug Monitoring</i> , 2021, 43, 505-511.  | 1.0 | 9         |
| 33404 | Estimation of the body center of mass velocity during gait of people with transfemoral amputation from force plate data integration. <i>Clinical Biomechanics</i> , 2021, 88, 105423.  | 0.5 | 5         |
| 33405 | Recall and Interviewer Bias in Parental Report of Pediatric Exposure to Aromatic Plant Ingredients in Personal Care Products: Development and Validation of a More Accurate Approach. <i>Journal of Environmental and Public Health</i> , 2021, 2021, 1-6.                 | 0.4 | 0         |
| 33406 | Shear wave elastography in optic neuritis: diagnostic accuracy of the optic nerve and adjacent fat tissue values. <i>Journal of Ultrasonography: Official Publication of Polish Ultrasound Society / Red Nacz Iwona SudoÅ, SzopiÅska</i> , 2021, 21, e194-e199.          | 0.7 | 1         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33407 | Evaluation of a suggested novel method to adjust BMI calculated from self-reported weight and height for measurement error. <i>Obesity</i> , 2021, 29, 1700-1707.   | 1.5 | 8         |
| 33408 | Integrating Dietary Data into Microbiome Studies: A Step Forward for Nutri-Metaomics. <i>Nutrients</i> , 2021, 13, 2978.  | 1.7 | 7         |
| 33409 | Lens Opacities Classification System III-based artificial intelligence program for automatic cataract grading. <i>Journal of Cataract and Refractive Surgery</i> , 2022, 48, 528-534.   | 0.7 | 3         |
| 33410 | Validity and reliability of the Norwegian version of the Musculoskeletal Health Questionnaire in people on sick leave. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 191.  | 1.0 | 5         |
| 33411 | Reproducibility of eucapnic voluntary hyperpnoea for exercise-induced bronchoconstriction diagnosis in asthmatic children and adolescents. <i>Pediatric Allergy and Immunology</i> , 2021, 32, 1700-1708.                               | 1.1 | 5         |
| 33412 | Using a portable monitoring device for diagnosing obstructive sleep apnea in patients with multiple coexisting medical illnesses. <i>Clinical Respiratory Journal</i> , 2021, 15, 1104-1112.  | 0.6 | 4         |
| 33413 | Longitudinal assessment of spiral artery and intravillous arteriole blood flow and adverse pregnancy outcome. <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 59, 350-357.   | 0.9 | 7         |
| 33414 | Novel Artificial Intelligence-based Technology for Chest Computed Tomography Analysis of Idiopathic Pulmonary Fibrosis. <i>Annals of the American Thoracic Society</i> , 2022, 19, 399-406.   | 1.5 | 29        |
| 33415 | Agreement between the Swept-Source Optical Coherence Tomography and the Image-Guided System for Biometry Assessment in Cataract Surgery. <i>Seminars in Ophthalmology</i> , 2021, , 1-6.  | 0.8 | 1         |
| 33416 | On the assessment of arterial compliance from carotid pressure waveform. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021, 321, H424-H434.   | 1.5 | 3         |
| 33417 | Multicenter Comparative Assessment of the TIB MolBiol Toxoplasma gondii Detection Kit and Four Laboratory-Developed PCR Assays for Molecular Diagnosis of Toxoplasmosis. <i>Journal of Molecular Diagnostics</i> , 2021, 23, 1000-1006. | 1.2 | 2         |
| 33418 | Predictive models of aging of the human eye based on ocular anterior segment morphology. <i>Journal of Biomedical Informatics</i> , 2021, 120, 103855.  | 2.5 | 4         |
| 33419 | Maximal results with minimal stimuli: the fewest high-frequency pulses needed to measure or model prolonged low-frequency force depression in the dorsiflexors. <i>Journal of Applied Physiology</i> , 2021, 131, 716-728.              | 1.2 | 4         |
| 33420 | Considerations When Using a Statistical Learning Model to Predict Corneal Edema Resolution. <i>JAMA Ophthalmology</i> , 2021, 139, 1144-1145.   | 1.4 | 0         |
| 33421 | Reliability of measurements of energy expenditure and substrate oxidation using whole-room indirect calorimetry. <i>Obesity</i> , 2021, 29, 1508-1515.  | 1.5 | 6         |
| 33422 | A novel canine nuclear magnetic resonance spectroscopy-based metabolomics platform: Validation and sample handling. <i>Veterinary Clinical Pathology</i> , 2021, 50, 410-426.   | 0.3 | 14        |
| 33423 | Evidence Base Update for Questionnaires of Emotion Regulation and Reactivity for Children and Adolescents. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2021, 50, 683-707.  | 2.2 | 21        |
| 33424 | Performance evaluation of the new chemiluminescent intact FGF23 assay relative to the existing assay system. <i>Journal of Bone and Mineral Metabolism</i> , 2022, 40, 101-108.   | 1.3 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33425 | Design and validation of a novel 3D-printed wearable device for monitoring knee joint kinematics. Medical Engineering and Physics, 2021, 94, 1-7.  | 0.8 | 3         |
| 33426 | Is Gastrocnemius Tightness a Normal Finding in Children?. Journal of Bone and Joint Surgery - Series A, 2021, 103, 1872-1879.  | 1.4 | 2         |
| 33427 | End-tidal carbon dioxide measurements as a surrogate to arterial carbon dioxide during pediatric laparoscopic surgeries: a prospective observational cohort study. Brazilian Journal of Anesthesiology (Elsevier), 2021, , 744261.                             | 0.2 | 0         |
| 33428 | Comparison of Keratoconus Cone Location of Different Topo/tomographical Parameters. Current Eye Research, 2021, 46, 1666-1672.   | 0.7 | 9         |
| 33429 | Multi-laboratory study of hybrid diffuse reflectance spectroscopy to assess sunscreen SPF and UVA-UVFs. Photodermatology Photoimmunology and Photomedicine, 2021, 37, 511-520.   | 0.7 | 2         |
| 33430 | Validity of a Magnet-Based Timing System Using the Magnetometer Built into an IMU. Sensors, 2021, 21, 5773.  | 2.1 | 9         |
| 33431 | Reliability and sensitivity of two whole-brain segmentation approaches included in FreeSurfer "ASEG and SAMSEG. NeuroImage, 2021, 237, 118113.   | 2.1 | 10        |
| 33432 | New perspective for the in-field analysis of cannabis samples using handheld near-infrared spectroscopy: A case study focusing on the determination of $\delta^9$ -tetrahydrocannabinol. Journal of Pharmaceutical and Biomedical Analysis, 2021, 202, 114150. | 1.4 | 24        |
| 33433 | Automated segmentation of choroidal layers from 3-dimensional macular optical coherence tomography scans. Journal of Neuroscience Methods, 2021, 360, 109267.  | 1.3 | 5         |
| 33434 | Gravity-induced loss of aeration and atelectasis development in the preterm lung: a serial sonographic assessment. Journal of Perinatology, 2022, 42, 231-236.   | 0.9 | 6         |
| 33435 | The crescent sign "a predictor of hip instability in magnetic resonance arthrography. Journal of Hip Preservation Surgery, 2022, 8, 164-171.   | 0.6 | 8         |
| 33436 | Two-minute exercise testing is sufficient to estimate maximal cardiorespiratory fitness in people with epilepsy. Epilepsy and Behavior, 2021, 121, 108086.   | 0.9 | 0         |
| 33437 | Repeatability of adaptive traits among ethnic Tibetan highlanders. American Journal of Human Biology, 2021, , e23670.  | 0.8 | 4         |
| 33438 | Quantification of Calcium in Peripheral Arteries of the Lower Extremities. Investigative Radiology, 2021, Publish Ahead of Print, .  | 3.5 | 0         |
| 33439 | Novel Echocardiographic Algorithm for Right Ventricular Mass Quantification: Cardiovascular Magnetic Resonance and Clinical Prognosis Validation. Journal of the American Society of Echocardiography, 2021, 34, 839-850.e1.                                   | 1.2 | 2         |
| 33440 | Comparison of Anorectal Function as Measured with High-Resolution and High-Definition Anorectal Manometry. Digestive Diseases, 2022, 40, 448-457.  | 0.8 | 3         |
| 33441 | Evaluation of $^{18}$ F-EF5 for detection of hypoxia in localized adenocarcinoma of the prostate. Acta Oncologica, 2021, 60, 1489-1498.  | 0.8 | 2         |
| 33442 | Comparison between blood hemoglobin concentration determined by point-of-care device and complete blood count in adult patients with dengue. PLoS Neglected Tropical Diseases, 2021, 15, e0009692.   | 1.3 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33443 | Multimodal Assessment of the Pulse Rate Variability Analysis Module of a Photoplethysmography-Based Telemedicine System. <i>Sensors</i> , 2021, 21, 5544.   | 2.1 | 9         |
| 33444 | Accuracy and reliability of tooth widths and Bolton ratios measured by ClinCheck Pro. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2022, 161, 65-73.   | 0.8 | 9         |
| 33445 | Automatic assessment of human gastric motility and emptying from dynamic 3D magnetic resonance imaging. <i>Neurogastroenterology and Motility</i> , 2022, 34, e14239.   | 1.6 | 6         |
| 33446 | Imputation of the continuous arterial line blood pressure waveform from non-invasive measurements using deep learning. <i>Scientific Reports</i> , 2021, 11, 15755.   | 1.6 | 33        |
| 33447 | Free-breathing MR elastography of the lungs: An in vivo study. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 236-248.   | 1.9 | 3         |
| 33448 | Estimation of pulmonary artery pressure with transesophageal echocardiography. <i>Medicine (United States)</i> , 2022, 101, e28143.   | 0.4 | 1         |
| 33449 | Measuring Tailbeat Frequencies of Three Fish Species from Adaptive Resolution Imaging Sonar Data. <i>Transactions of the American Fisheries Society</i> , 2021, 150, 627-636.   | 0.6 | 7         |
| 33450 | Repeatability of 68Ga-PSMA-HBED-CC PET/CT-derived total molecular tumor volume. <i>Journal of Nuclear Medicine</i> , 2021, , jnumed.121.262528.   | 2.8 | 6         |
| 33451 | Point-of-care microvolume cytometer measures platelet counts with high accuracy from capillary blood. <i>PLoS ONE</i> , 2021, 16, e0256423.   | 1.1 | 3         |
| 33452 | The Effect of Using Different Exhaustion Intervals and Mathematical Models on Critical Power Estimations. <i>Spor Bilimleri Dergisi Hacettepe Üniversitesi</i> , 2021, 32, 151-166.   | 0.3 | 2         |
| 33453 | Cardiac self-gating using blind source separation for 2D cine cardiovascular magnetic resonance imaging. <i>Magnetic Resonance Imaging</i> , 2021, 81, 42-52.   | 1.0 | 2         |
| 33454 | Validity of the iPhone M7 Motion Coprocessor to Estimate Physical Activity During Structured and Free-Living Activities in Healthy Adults. <i>Journal for the Measurement of Physical Behaviour</i> , 2021, 4, 212-219.   | 0.5 | 1         |
| 33455 | An image analysis approach to identification and measurement of marbling in the intact pork loin. <i>Meat Science</i> , 2021, 179, 108549.  | 2.7 | 7         |
| 33456 | The Use of Pointwise Encoding Time Reduction With Radial Acquisition MRA to Assess Middle Cerebral Artery Stenosis Pre- and Post-stent Angioplasty: Comparison With 3D Time-of-Flight MRA and DSA. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 739332. | 1.1 | 5         |
| 33457 | Efficacy of estimating VO2max with the Heart Rate Ratio Method in middle-aged and older adults. <i>European Journal of Applied Physiology</i> , 2021, 121, 3431-3436.   | 1.2 | 1         |
| 33458 | Utilizing patient-specific 3D printed guides for graft reconstruction in thoracoabdominal aortic repair. <i>Scientific Reports</i> , 2021, 11, 18027.   | 1.6 | 3         |
| 33459 | Noseband sensor validation and behavioural indicators for assessing beef cattle grazing on extensive pastures. <i>Applied Animal Behaviour Science</i> , 2021, 242, 105402.   | 0.8 | 12        |
| 33460 | Implication of bone morphology in degenerative rotator cuff lesions: A prospective comparative study between greater tuberosity angle and critical shoulder angle. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, 108, 103046.                | 0.9 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33462 | Defining the awake baseline blood pressure in patients undergoing carotid endarterectomy. <i>International Angiology</i> , 2021, 40, 478-486.   | 0.4 | 1         |
| 33463 | Testing a Quaternion Conversion Method to Determine Human Three-Dimensional Tibiofemoral Angles During an In Vitro Simulated Jump Landing. <i>Journal of Biomechanical Engineering</i> , 2022, 144, .   | 0.6 | 2         |
| 33464 | Prediction of body fat in adolescents: validity of the methods relative fat mass, body adiposity index and body fat index. <i>Eating and Weight Disorders</i> , 2021, , 1.  | 1.2 | 6         |
| 33465 | Global View of Per Capita Daily Vitamin <sc>D</sc> Supply Estimates as Proxy Measures for Vitamin <sc>D</sc> Intake Data. <i>JBMR Plus</i> , 2021, 5, e10547.   | 1.3 | 3         |
| 33466 | Accuracy and precision of apparent diffusion coefficient measurements on a 1.5Â MR-Linac in central nervous system tumour patients. <i>Radiotherapy and Oncology</i> , 2021, 164, 155-162.  | 0.3 | 19        |
| 33467 | Comparison of Two Different Feather Sampling Methods to Measure Corticosterone in Wild Greater Flamingos ( <i>Phoenicopterus roseus</i> ) and Wild Mallards ( <i>Anas platyrhynchos</i> ). <i>Animals</i> , 2021, 11, 2796.                     | 1.0 | 3         |
| 33468 | Repeatability, reproducibility, and agreement of three tonometers for measuring intraocular pressure in rabbits. <i>Scientific Reports</i> , 2021, 11, 19217.   | 1.6 | 6         |
| 33469 | A 10â shock impedance in sinus rhythm correlates with a 65â defibrillation impedance during subcutaneous defibrillator implantation using an intermuscular technique. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 3027-3034. | 0.8 | 4         |
| 33470 | Laser Doppler Measurements of Systolic Blood Pressure on the First and Second Toe in Patients with Peripheral Arterial Disease. <i>International Journal of Angiology</i> , 2022, 31, 052-055.  | 0.2 | 0         |
| 33471 | The Rosenberg view and coronal stress radiographs give similar measurements of articular cartilage height in knees with osteoarthritis. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2022, 142, 2349-2360.                               | 1.3 | 4         |
| 33472 | Theoretical versus empirical measures of retinal magnification for scaling AOSLO images. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2021, 38, 1400.   | 0.8 | 2         |
| 33473 | Automated Segmentation and Volume Measurement of Intracranial Internal Carotid Artery Calcification at Noncontrast CT. <i>Radiology: Artificial Intelligence</i> , 2021, 3, e200226.  | 3.0 | 9         |
| 33474 | Perampanel dosage in plasma samples: development and validation of a novel HPLC method with combined UV-Fluorescence detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 204, 114252.                                   | 1.4 | 5         |
| 33475 | Using Stable Isotope Probing and Raman Microspectroscopy To Measure Growth Rates of Heterotrophic Bacteria. <i>Applied and Environmental Microbiology</i> , 2021, 87, e0146021.   | 1.4 | 7         |
| 33476 | Improved precision of noise estimation in CT with a volume-based approach. <i>European Radiology Experimental</i> , 2021, 5, 39.  | 1.7 | 0         |
| 33477 | Validity and reliability of smartphone-based application for chronic ankle instability. <i>International Journal of Therapy and Rehabilitation</i> , 2021, 28, 1-10.  | 0.1 | 1         |
| 33478 | Estimated Pao 2: A Continuous and Noninvasive Method to Estimate Pao 2 and Oxygenation Index. , 2021, 3, e0546.   |     | 10        |
| 33479 | Connected skiing: Validation of edge angle and radial force estimation as motion quality parameters during alpine skiing. <i>European Journal of Sport Science</i> , 2022, 22, 1484-1492.   | 1.4 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33480 | The Reproducibility of Deep Learning-Based Segmentation of the Prostate Gland and Zones on T2-Weighted MR Images. <i>Diagnostics</i> , 2021, 11, 1690.   | 1.3 | 12        |
| 33481 | Validation of a 3D CT imaging method for quantifying implant migration following anatomic total shoulder arthroplasty. <i>Journal of Orthopaedic Research</i> , 2022, 40, 1270-1280.   | 1.2 | 2         |
| 33482 | Portable X-ray Fluorescence as a Rapid Determination Tool to Detect Parts per Million Levels of Ni, Zn, As, Se, and Pb in Human Toenails: A South India Case Study. <i>Environmental Science &amp; Technology</i> , 2021, 55, 13113-13121.         | 4.6 | 3         |
| 33483 | A comparison of manual and automatic force-onset identification methodologies and their effect on force-time characteristics in the isometric midhigh pull. <i>Sports Biomechanics</i> , 2021, , 1-18.   | 0.8 | 6         |
| 33484 | Measurement of capillary refill time with a handheld prototype device: a comparative validation study in healthy volunteers. <i>Journal of Clinical Monitoring and Computing</i> , 2022, 36, 1271-1278.  | 0.7 | 4         |
| 33485 | Online Food Frequency Questionnaire From the Cohort of Universities of Minas Gerais (CUME) Tj ETQq1 1 0.784314 rgBT /Overlock 10   | 1.6 | 14        |
| 33486 | Health questionnaire on back care knowledge and spine disease prevention for 6â€“10â€“years old children: development and psychometric evaluation. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 820.   | 0.8 | 3         |
| 33487 | Validation of Coronary Angiography-Derived Vessel Fractional Flow Reserve in Heart Transplant Patients with Suspected Graft Vasculopathy. <i>Diagnostics</i> , 2021, 11, 1750.   | 1.3 | 3         |
| 33488 | Levator-Urethra Gap: Normative Data in a Nonpregnant Nulliparous Population. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, e696-e700.   | 0.6 | 1         |
| 33489 | Comparison Between Invasive and Noninvasive Methods to Estimate Subendocardial Oxygen Supply and Demand Imbalance. <i>Journal of the American Heart Association</i> , 2021, 10, e021207.   | 1.6 | 13        |
| 33490 | Practice Effects, Testâ€“Retest Reliability, and Minimal Detectable Change of the Ruff 2 and 7 Selective Attention Test in Patients with Schizophrenia. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9440. | 1.2 | 1         |
| 33491 | Computer monitor pixellation and Landolt C visual acuity. <i>Ophthalmic and Physiological Optics</i> , 2021, 41, 1176-1182.  | 1.0 | 0         |
| 33492 | Comparison of Simulated and True Keratometry Measurements Using Swept-Source Optical Coherence Tomography and Dual Scheimpflugâ€“Placido Imaging. <i>Journal of Ophthalmology</i> , 2021, 2021, 1-7.   | 0.6 | 1         |
| 33493 | Laboratory Validation of Instrumented Mouthguard for Use in Sport. <i>Sensors</i> , 2021, 21, 6028.  | 2.1 | 8         |
| 33494 | Scheimpflug Backscatter Imaging of the Fibrillar Layer in Fuchs Endothelial Corneal Dystrophy. <i>American Journal of Ophthalmology</i> , 2022, 235, 63-70.  | 1.7 | 3         |
| 33495 | The Precision of a New Anterior Segment Optical Coherence Tomographer and Its Comparison With a Swept-Source OCT-Based Optical Biometer in Patients With Cataract. <i>Journal of Refractive Surgery</i> , 2021, 37, 616-622.                       | 1.1 | 6         |
| 33496 | Occlusal changes in orthodontically treated subjects 40Â±years after treatment and comparison with untreated control subjects. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021, 160, 671-685.                           | 0.8 | 13        |
| 33497 | ValidaciÃ³n de la resonancia magnÃ©tica pÃ©lvica como mÃ©todo de elecciÃ³n para determinar la distancia al margen anal en el cÃ¡ncer de recto. <i>CirugÃ­a EspaÃ±ola</i> , 2021, , .   | 0.1 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33498 | Minimal detectable change in handgrip strength and usual and maximum gait speed scores in community-dwelling Japanese older adults requiring long-term care/support. <i>Geriatric Nursing</i> , 2021, 42, 1184-1189.  | 0.9 | 1         |
| 33499 | The accuracy and reliability of WebCeph for cephalometric analysis. <i>Journal of Taibah University Medical Sciences</i> , 2022, 17, 57-66.   | 0.5 | 9         |
| 33500 | Cross-sectional and longitudinal associations between subcutaneous adipose tissue thickness and dual-energy X-ray absorptiometry fat mass. <i>Clinical Physiology and Functional Imaging</i> , 2021, 41, 514-522.   | 0.5 | 1         |
| 33501 | Spectral decomposition of heart rate variability using generalized harmonic analysis. <i>Biomedical Signal Processing and Control</i> , 2021, 70, 103050.   | 3.5 | 1         |
| 33502 | The Efficacy of In-Phase and Quadrature Demodulation in Electronic Fetal Heart Rate Monitoring During Labor. <i>Maternal-Fetal Medicine</i> , 2021, Publish Ahead of Print, .   | 0.4 | 0         |
| 33503 | Quantitative muscle ultrasound and electrical impedance myography in late onset Pompe disease: A pilot study of reliability, longitudinal change and correlation with function. <i>Molecular Genetics and Metabolism Reports</i> , 2021, 28, 100785.                | 0.4 | 6         |
| 33504 | Reliability of Distal Hamstring Tendon Length and Cross-sectional Area Using 3-D Freehand Ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 2579-2588.  | 0.7 | 4         |
| 33505 | When can the Bland & Altman limits of agreement method be used and when it should not be used. <i>Journal of Clinical Epidemiology</i> , 2021, 137, 176-181.  | 2.4 | 22        |
| 33506 | Automatic Quantification of Atherosclerosis in Contrast-Enhanced MicroCT Scans of Mouse Aortas Ex Vivo. <i>International Journal of Biomedical Imaging</i> , 2021, 2021, 1-9.   | 3.0 | 3         |
| 33507 | Accuracy of non-invasive body temperature measurement methods in critically ill patients: a prospective, bicentric, observational study. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2021, 23, 346-353. | 0.0 | 0         |
| 33508 | Testing the validity of population-specific sex estimation equations: An evaluation based on talus and patella measurements. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2021, 61, 555-563.  | 1.3 | 1         |
| 33509 | Segmentation of malignant tumours in mammogram images: A hybrid approach using convolutional neural networks and connected component analysis. <i>Expert Systems</i> , 2022, 39, e12826.  | 2.9 | 6         |
| 33510 | Energy Intake Evaluation by a Learning Approach Using the Number of Food Portions and Body Weight. <i>Foods</i> , 2021, 10, 2273.   | 1.9 | 1         |
| 33511 | Assessing L2 English speaking using automated scoring technology: examining automarker reliability. <i>Assessment in Education</i> , 2021, 28, 411-436.   | 0.7 | 5         |
| 33512 | Accuracy of equations for predicting 24-h urinary potassium excretion from spot urine samples in Chinese children. <i>British Journal of Nutrition</i> , 2022, 128, 444-452.  | 1.2 | 2         |
| 33513 | Comparison and reproducibility of three methods for maxillary digital dental model registration in open bite patients. <i>Orthodontics and Craniofacial Research</i> , 2021, , .  | 1.2 | 2         |
| 33514 | Economical and preferred walking speed using body weight support apparatus with a spring-like characteristics. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2021, 13, 107.  | 0.7 | 3         |
| 33515 | Objectively Measured Physical Activity in Patients with Coronary Artery Disease: A Cross-Validation Study. <i>Biosensors</i> , 2021, 11, 318.   | 2.3 | 6         |

| #     | ARTICLE   | IF   | CITATIONS |
|-------|---|------|-----------|
| 33516 | Validation of a novel system to assess end-expiratory lung volume and alveolar recruitment in an ARDS model. <i>Intensive Care Medicine Experimental</i> , 2021, 9, 46.   | 0.9  | 0         |
| 33517 | Automated Size Recognition in Pediatric Emergencies Using Machine Learning and Augmented Reality: Within-Group Comparative Study. <i>JMIR Formative Research</i> , 2021, 5, e28345.   | 0.7  | 1         |
| 33518 | Three-dimensional ultrasound is a reliable alternative in endovascular aortic repair surveillance. <i>Journal of Vascular Surgery</i> , 2021, 74, 979-987.  | 0.6  | 2         |
| 33519 | Skin-Integrated Devices with Soft, Holey Architectures for Wireless Physiological Monitoring, With Applications in the Neonatal Intensive Care Unit. <i>Advanced Materials</i> , 2021, 33, e2103974.  | 11.1 | 35        |
| 33520 | Prevalence and Trends of Physical Activity in Thai Children and Young People: Pooled Panel Data Analysis from Thailand's Surveillance on Physical Activity 2012-2020. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10088. | 1.2  | 8         |
| 33521 | Transfer-free technique for the noninvasive determination of the human arterial pressure waveform. <i>Physiological Reports</i> , 2021, 9, e15040.  | 0.7  | 2         |
| 33522 | Pilot Sleep Behavior across Time during Ultra-Long-Range Flights. <i>Clocks &amp; Sleep</i> , 2021, 3, 515-527.   | 0.9  | 5         |
| 33523 | Assessment of Quality of Life 8-Dimension (AQoL-8D): translation, validation, and application in two Dutch trials in patients with epilepsy and schizophrenia. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2022, 22, 795-803.               | 0.7  | 0         |
| 33524 | Validity of Peripheral Oxygen Saturation Measurements with the Garmin Forerunner 5X Plus Wearable Device at 4559 m. <i>Sensors</i> , 2021, 21, 6363.  | 2.1  | 10        |
| 33525 | The feasibility of using a low-cost near-infrared, sensitive, consumer-grade digital camera mounted on a commercial UAV to assess Bambara groundnut yield. <i>International Journal of Remote Sensing</i> , 2022, 43, 393-423.                                    | 1.3  | 10        |
| 33526 | Agreement Between A 2-Dimensional Digital Image-Based 3-Compartment Body Composition Model and Dual Energy X-Ray Absorptiometry for The Estimation of Relative Adiposity. <i>Journal of Clinical Densitometry</i> , 2022, 25, 244-251.                            | 0.5  | 3         |
| 33527 | Test-Retest Reliability of Short-Interval Intracortical Inhibition Assessed by Threshold-Tracking and Automated Conventional Techniques. <i>ENeuro</i> , 2021, 8, ENEURO.0103-21.2021.  | 0.9  | 7         |
| 33528 | Perspectives of unaccompanied refugee children, their foster carers and guardians on placement success: Which factors predict multi-informant discrepancies?. <i>Children and Youth Services Review</i> , 2021, 128, 106106.                                      | 1.0  | 1         |
| 33529 | AngioNet: a convolutional neural network for vessel segmentation in X-ray angiography. <i>Scientific Reports</i> , 2021, 11, 18066.   | 1.6  | 34        |
| 33530 | Self-rated impulsivity in healthy individuals, substance use disorder and ADHD: psychometric properties of the Swedish Barratt impulsiveness scale. <i>BMC Psychiatry</i> , 2021, 21, 458.  | 1.1  | 10        |
| 33531 | Effect of Training on Patient Self-Assessment of Joint Counts in Rheumatoid Arthritis: A Systematic Review. <i>ACR Open Rheumatology</i> , 2021, 3, 860-869.  | 0.9  | 1         |
| 33532 | Reliability, validity, and minimal clinically important differences of the Japanese version of the early clinical assessment of balance in children with cerebral palsy. <i>Disability and Rehabilitation</i> , 2021, , 1-7.                                      | 0.9  | 0         |
| 33533 | Association of Intima-Media Texture With Prevalence of Clinical Cardiovascular Disease. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2021, 68, 3017-3026.   | 1.7  | 6         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33534 | Real-life measurement of size-fractionated aerosol concentration in a plethysmography box during the COVID-19 pandemic and estimation of the associated viral load. <i>Journal of Hospital Infection</i> , 2021, 118, 7-14.         | 1.4 | 3         |
| 33535 | Metabolomics Signature of Plasma Renin Activity and Linkage with Blood Pressure Response to Beta Blockers and Thiazide Diuretics in Hypertensive European American Patients. <i>Metabolites</i> , 2021, 11, 645.                    | 1.3 | 7         |
| 33536 | A pose-independent method for accurate and precise body composition from 3D optical scans. <i>Obesity</i> , 2021, 29, 1835-1847.  | 1.5 | 18        |
| 33537 | Triplex Direct Quantitative Polymerase Chain Reaction for the Identification of <i>Streptococcus pneumoniae</i> Serotypes. <i>Journal of Infectious Diseases</i> , 2021, 224, S204-S208.  | 1.9 | 7         |
| 33538 | The ClearSight system for postoperative arterial blood pressure monitoring after carotid endarterectomy: a validation study. <i>American Journal of Hypertension</i> , 2021, , .  | 1.0 | 3         |
| 33539 | Reference values and regression equations for predicting the 6-minute walk distance in Saudi adults aged 50-80 years: A cross-sectional study. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2021, 34, 783-793.       | 0.4 | 2         |
| 33540 | Comparing the results of manual and automated quantitative corneal neuroanalysing modules for beginners. <i>Scientific Reports</i> , 2021, 11, 18208.   | 1.6 | 4         |
| 33541 | Which method should be chosen to estimate the oxygen cost of walking in post-stroke individuals?. <i>Gait and Posture</i> , 2021, 89, 217-219.  | 0.6 | 1         |
| 33542 | Innovative Wearable Sensors Based on Hybrid Materials for Real-Time Breath Monitoring. , 0, , .   |     | 2         |
| 33543 | Global Strain Measured by Three-Dimensional Speckle Tracking Echocardiography Is a Useful Predictor for 10-Year Prognosis After a First ST-Elevation Acute Myocardial Infarction. <i>Circulation Journal</i> , 2021, 85, 1735-1743. | 0.7 | 8         |
| 33544 | Evaluation and Validation of the Dutch European Foot and Ankle Society (EFAS) score. <i>Journal of Foot and Ankle Surgery</i> , 2021, , .   | 0.5 | 0         |
| 33545 | Feasibility and Diagnostic Accuracy of Saliva-Based SARS-CoV-2 Screening in Educational Settings and Children Aged <math>\leq 12</math> Years. <i>Diagnostics</i> , 2021, 11, 1797.   | 1.3 | 4         |
| 33546 | Web-Based Personalized Nutrition System for Delivering Dietary Feedback Based on Behavior Change Techniques: Development and Pilot Study among Dietitians. <i>Nutrients</i> , 2021, 13, 3391.                                       | 1.7 | 8         |
| 33547 | Monitoring of Cardiac Output Using a New Smartphone Application (Capstesia) vs. Vigileo FloTrac System. <i>Surgeries</i> , 2021, 2, 347-356.  | 0.3 | 0         |
| 33548 | Comparison of different methods to calculate the axial length measured by optical biometry. <i>Journal of Cataract and Refractive Surgery</i> , 2022, 48, 685-689.  | 0.7 | 12        |
| 33549 | Utility of plasma cell-free DNA for <i>de novo</i> detection and quantification of clonal hematopoiesis. <i>Haematologica</i> , 2022, 107, 1815-1826.   | 1.7 | 3         |
| 33550 | Defining the Gothic Arch Angle (GAA) as a radiographic diagnostic tool for instability in hip dysplasia. <i>Scientific Reports</i> , 2021, 11, 19531.   | 1.6 | 2         |
| 33551 | Validity of Using Billing Codes From Electronic Health Records to Estimate Skin Cancer Counts. <i>JAMA Dermatology</i> , 2021, 157, 1089.   | 2.0 | 8         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33552 | Classification of blood pressure in critically ill patients using photoplethysmography and machine learning. <i>Computer Methods and Programs in Biomedicine</i> , 2021, 208, 106222.   | 2.6 | 22        |
| 33553 | Reliability of a New Semi-automatic Image Analysis Method for Evaluating the Doppler Signal and Intratendinous Vascular Resistance in Patellar Tendinopathy. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 3491-3500.   | 0.7 | 2         |
| 33554 | Head-to-Head Comparison of Different Software Solutions for AVC Quantification Using Contrast-Enhanced MDCT. <i>Journal of Clinical Medicine</i> , 2021, 10, 3970.  | 1.0 | 5         |
| 33555 | Only two subscales of the Coping Strategies Questionnaire are culturally relevant for people with chronic low back pain in Nigerian Igbo populations: a cross-cultural adaptation and validation study. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 85.    | 0.9 | 2         |
| 33556 | Comparison of Fitbit One and ActivPAL3™ in Adults With Multiple Sclerosis in a Free-Living Environment. <i>Journal for the Measurement of Physical Behaviour</i> , 2021, 4, 257-265.  | 0.5 | 1         |
| 33557 | Performance Assessment for Rock Climbers: The International Rock Climbing Research Association Sport-Specific Test Battery. <i>International Journal of Sports Physiology and Performance</i> , 2021, 16, 1242-1252.  | 1.1 | 13        |
| 33558 | Mitigating selection bias in organ allocation models. <i>BMC Medical Research Methodology</i> , 2021, 21, 191.  | 1.4 | 5         |
| 33559 | Determination of psychoactive drugs in serum using conductive vial electromembrane extraction combined with UHPLC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021, 1183, 122926.                        | 1.2 | 18        |
| 33560 | Validity and Reliability of a Phone App and Stopwatch for the Measurement of 505 Change of Direction Performance: A Test-Retest Study Design. <i>Frontiers in Physiology</i> , 2021, 12, 743800.  | 1.3 | 4         |
| 33561 | Accuracy, Precision, and Trending Ability of Perioperative Central Venous Oxygen Saturation Compared to Mixed Venous Oxygen Saturation in Unselected Cardiac Surgical Patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2022, 36, 1995-2001.       | 0.6 | 4         |
| 33562 | Development and validation of a simple anthropometric equation to predict appendicular skeletal muscle mass. <i>Clinical Nutrition</i> , 2021, 40, 5523-5530.   | 2.3 | 21        |
| 33563 | Defining growth in small pulmonary nodules using volumetry: results from a "coffee-break" CT study and implications for current nodule management guidelines. <i>European Radiology</i> , 2021, , 1.  | 2.3 | 9         |
| 33564 | Racial Bias in Pulse Oximetry Measurement Among Patients About to Undergo Extracorporeal Membrane Oxygenation in 2019-2020. <i>Chest</i> , 2022, 161, 971-978.  | 0.4 | 60        |
| 33565 | Translation, Cross-Cultural Adaptation, Validity, and Reliability of the Indonesian Version of the IKDC Subjective Knee Form. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110383.   | 0.8 | 5         |
| 33566 | Reliability of MRI radiomics features in MR-guided radiotherapy for prostate cancer: Repeatability, reproducibility, and within-subject agreement. <i>Medical Physics</i> , 2021, 48, 6976-6986.  | 1.6 | 23        |
| 33567 | Feasibility, acceptability and validation of wearable devices for climate change and health research in the low-resource contexts of Burkina Faso and Kenya: Study protocol. <i>PLoS ONE</i> , 2021, 16, e0257170.  | 1.1 | 23        |
| 33568 | Test-retest Repeatability of the Ohio Contrast Cards. <i>Optometry and Vision Science</i> , 2021, Publish Ahead of Print, 1070-1077.  | 0.6 | 1         |
| 33569 | The effect of high-intensity physical exertion on measures of cervical spine, vestibular/ocular-motor screening, and vestibulo-ocular reflex function in university level collision and combative sport athletes. <i>Physical Therapy in Sport</i> , 2021, 51, 36-44. | 0.8 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33570 | Test Re-test Reliability of Dual-site TMS Measures of SMA-M1 Connectivity Differs Across Inter-stimulus Intervals in Younger and Older Adults. <i>Neuroscience</i> , 2021, 472, 11-24.  | 1.1 | 8         |
| 33571 | Day-to-Day Variability and Year-to-Year Reproducibility of Accelerometer-Measured Free-Living Sit-to-Stand Transitions Volume and Intensity among Community-Dwelling Older Adults. <i>Sensors</i> , 2021, 21, 6068.   | 2.1 | 7         |
| 33572 | Letter to the editor: Inconsistencies between example data and calculation results in Bland, J. M., & Altman, D. G. (2007). Agreement between methods of measurement with multiple observations per individual. <i>Journal of Biopharmaceutical Statistics</i> , 2021, 31, 868-870. | 0.4 | 1         |
| 33573 | Agreement between hematocrits measured with electrical conductivity on the iSTAT analyzer and manual packed cell volume measurements in 148 chelonian patients. <i>Veterinary Clinical Pathology</i> , 2021, 50, 342-347.   | 0.3 | 2         |
| 33574 | Precision, reliability and application of the Wilkins Rate of Reading Test. <i>Ophthalmic and Physiological Optics</i> , 2021, 41, 1198-1208.   | 1.0 | 7         |
| 33575 | Comparison and Agreement of Toxic and Essential Elements Between Venous and Capillary Whole Blood. <i>Biological Trace Element Research</i> , 2021, , 1.  | 1.9 | 3         |
| 33576 | Mathematical Models for Blood Flow Quantification in Dialysis Access Using Angiography: A Comparative Study. <i>Diagnostics</i> , 2021, 11, 1771.   | 1.3 | 2         |
| 33577 | Echocardiographic Findings and Correlation with Laboratory Values in Multisystem Inflammatory Syndrome in Children (MIS-C) Associated with COVID-19. <i>Pediatric Cardiology</i> , 2022, 43, 413-425.   | 0.6 | 19        |
| 33578 | Comparison of Low-Energy and Medium-Energy Collimators for Thyroid Scintigraphy with <sup>123</sup> I. <i>Journal of Nuclear Medicine Technology</i> , 2022, 50, 25-29.   | 0.4 | 0         |
| 33579 | Incisor and profile alterations in extraction cases treated with standard Edgewise and pre-adjusted appliances: A controlled before-and-after study. <i>Journal of the World Federation of Orthodontists</i> , 2021, 10, 105-111.   | 0.9 | 2         |
| 33580 | The Reproducibility of Patient Self-reported Joint Counts in Rheumatoid Arthritis: A Closer Look at the Results of a Review. <i>Journal of Rheumatology</i> , 2021, 48, jrheum.210822.  | 1.0 | 0         |
| 33581 | Reliability of a two-dimensional sock-clad footprint linear measurement method. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2021, 61, 649-656.   | 1.3 | 1         |
| 33582 | A New Electrochemiluminescence-Based Multiplex Assay for the Assessment of Human Antibody Responses to Bordetella pertussis Vaccines. <i>Infectious Diseases and Therapy</i> , 2021, 10, 2539-2561.   | 1.8 | 11        |
| 33583 | Impact of obesity on blood pressures measured at alternative locations during pregnancy. <i>American Journal of Obstetrics &amp; Gynecology MFM</i> , 2021, 3, 100441.  | 1.3 | 0         |
| 33584 | Towards the Use of 2D Video-Based Markerless Motion Capture to Measure and Parameterize Movement During Functional Capacity Evaluation. <i>Journal of Occupational Rehabilitation</i> , 2021, 31, 754-767.  | 1.2 | 4         |
| 33585 | Reliability of judgments of stuttering-related variables: The effect of language familiarity. <i>Journal of Fluency Disorders</i> , 2021, 69, 105851.   | 0.7 | 1         |
| 33586 | Assessment of medical students'™ clinical performance using high-fidelity simulation: comparison of peer and instructor assessment. <i>BMC Medical Education</i> , 2021, 21, 506.   | 1.0 | 1         |
| 33587 | Is experienced pregnancy in women with repaired tetralogy of Fallot related to diffuse myocardial fibrosis?. <i>International Journal of Cardiology</i> , 2021, 344, 95-102.  | 0.8 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33588 | Gait event detection using kinematic data in children with bilateral spastic cerebral palsy. <i>Clinical Biomechanics</i> , 2021, 90, 105492.   | 0.5 | 1         |
| 33589 | TSU-net: Two-stage multi-scale cascade and multi-field fusion U-net for right ventricular segmentation. <i>Computerized Medical Imaging and Graphics</i> , 2021, 93, 101971.  | 3.5 | 9         |
| 33590 | Effects of different breathing techniques on the IVIM-derived quantitative parameters of the normal pancreas. <i>European Journal of Radiology</i> , 2021, 143, 109892.   | 1.2 | 0         |
| 33591 | Exposure estimates of phthalates and DINCH from foods and personal care products in comparison with biomonitoring data in 24-hour urine from the Norwegian EuroMix biomonitoring study. <i>Environment International</i> , 2021, 155, 106598.   | 4.8 | 13        |
| 33592 | The Impact of Vendor-Specific Ultrasound Beam-Forming and Processing Techniques on the Visualization of In Vitro Experimental Scar Implications for Myocardial Scar Imaging Using Two-Dimensional and Three-Dimensional Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2021, 34, 1095-1105.e6.  | 1.2 | 2         |
| 33593 | Comparison between estimated and measured myopia progression in Hong Kong children without myopia control intervention. <i>Ophthalmic and Physiological Optics</i> , 2021, 41, 1363-1370.   | 1.0 | 7         |
| 33594 | Real-time human core temperature estimation methods and their application in the occupational field: A systematic review. <i>Measurement: Journal of the International Measurement Confederation</i> , 2021, 183, 109776.   | 2.5 | 20        |
| 33595 | Validation of an Adapted Questionnaire for Outdoor Walking Among Older Adults: The CHAMPS-OUTDOORS. <i>Journal of Aging and Physical Activity</i> , 2021, 29, 843-851.  | 0.5 | 2         |
| 33596 | Automated analysis of immediate reliability of T2 and T2* relaxation times of hip joint cartilage from 3T MR examinations. <i>Magnetic Resonance Imaging</i> , 2021, 82, 42-54.   | 1.0 | 1         |
| 33597 | The difference between cystatin C- and creatinine-based eGFR is associated with adverse cardiovascular outcome in patients with chronic kidney disease. <i>Atherosclerosis</i> , 2021, 335, 53-61.  | 0.4 | 16        |
| 33598 | Turbulence Intensity as an Indicator for Ischemic Stroke in the Carotid Web. <i>World Neurosurgery</i> , 2021, 154, e443-e457.  | 0.7 | 8         |
| 33599 | Comparison of noncontact camera-based methods for measuring pulse-rate of awake infants. <i>Artificial Life and Robotics</i> , 0, , 1.  | 0.7 | 1         |
| 33600 | Estimating soft tissue artifact of the thigh in high knee flexion tasks using optical motion Capture: Implications for marker cluster placement. <i>Journal of Biomechanics</i> , 2021, 127, 110659.  | 0.9 | 4         |
| 33601 | Five repeated maximal efforts of apneas increase the time to exhaustion in subsequent high-intensity exercise. <i>Respiratory Physiology and Neurobiology</i> , 2021, 292, 103703.  | 0.7 | 3         |
| 33602 | Folate content of Korean vegetable dishes prepared outside the home: Comparison between analyzed and calculated values. <i>Journal of Food Composition and Analysis</i> , 2021, 103, 104088.  | 1.9 | 3         |
| 33603 | The reliability of the patellochlear index on magnetic resonance imaging for measuring patellofemoral height. <i>Knee</i> , 2021, 32, 56-63.  | 0.8 | 3         |
| 33604 | Comparison of two automated sperm analyzers using 2 different detection methods versus manual semen assessment. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021, 50, 102084.  | 0.6 | 7         |
| 33605 | Liquid chromatography-tandem mass spectrometry method for quantification of gentamicin and its individual congeners in serum and comparison results with two immunoanalytical methods (fluorescence polarization immunoassay and chemiluminiscent microparticle immunoassay). <i>Clinica Chimica Acta</i> , 2021, 521, 191-198. | 0.5 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33606 | Modest decrease in severity of obesity in adolescence associates with low arterial stiffness. <i>Atherosclerosis</i> , 2021, 335, 23-30.   | 0.4 | 4         |
| 33607 | Examining the feasibility, acceptability, validity and reliability of physical activity, sedentary behaviour and sleep measures in people with schizophrenia. <i>Mental Health and Physical Activity</i> , 2021, 21, 100415.   | 0.9 | 3         |
| 33608 | Development and validation of a short culture-specific food frequency questionnaire for Greek pregnant women and their adherence to the Mediterranean diet. <i>Nutrition</i> , 2021, 90, 111357.   | 1.1 | 6         |
| 33609 | Differences in Self-Rated Versus Parent Proxy-Rated Vision-Related Quality of Life and Functional Vision of Visually Impaired Children. <i>American Journal of Ophthalmology</i> , 2021, 230, 167-177.   | 1.7 | 2         |
| 33610 | Original article: Validity of measuring wheelchair kinematics using one inertial measurement unit during commonly used testing protocols in elite wheelchair court sports. <i>Journal of Biomechanics</i> , 2021, 127, 110654.   | 0.9 | 10        |
| 33611 | Measurement properties of the six-minute pegboard and ring test (6PBRT) in healthy adolescents. <i>Journal of Bodywork and Movement Therapies</i> , 2021, 28, 56-61.   | 0.5 | 0         |
| 33612 | Validation of the French version of the Self-Administered International Hip Outcome Tool-12 Questionnaire and determination of the Minimal Clinically Important Difference (MCID) in the French speaking population. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2021, 107, 103083. | 0.9 | 15        |
| 33613 | Repeatability of 2 swept-source OCT biometers and 1 optical low-coherence reflectometry biometer. <i>Journal of Cataract and Refractive Surgery</i> , 2021, 47, 1302-1307.   | 0.7 | 25        |
| 33614 | Diffusion-weighted MRI and PET/CT reproducibility in epithelial ovarian cancers during neoadjuvant chemotherapy. <i>Diagnostic and Interventional Imaging</i> , 2021, 102, 629-639.  | 1.8 | 4         |
| 33615 | An evaluation of existing manual blood film schistocyte quantitation guidelines and a new proposed method. <i>Pathology</i> , 2021, 53, 746-752.   | 0.3 | 9         |
| 33616 | A Sensorless Control System for an Implantable Heart Pump Using a Real-Time Deep Convolutional Neural Network. <i>IEEE Transactions on Biomedical Engineering</i> , 2021, 68, 3029-3038.   | 2.5 | 14        |
| 33617 | Validity of the occupational sitting and physical activity questionnaire (OSPAQ) for home-based office workers during the COVID-19 global pandemic: A secondary analysis. <i>Applied Ergonomics</i> , 2021, 97, 103551.  | 1.7 | 11        |
| 33618 | Measurement of low sap flux density in plants using the single needle heat pulse probe. <i>Agricultural and Forest Meteorology</i> , 2021, 310, 108656.  | 1.9 | 3         |
| 33619 | Blood-pressure waveform monitoring without interruptions due to changes in arterial compliance: The use of the vibrational and volume-clamp methods. <i>Medical Engineering and Physics</i> , 2021, 97, 25-31.   | 0.8 | 3         |
| 33620 | Evaluation of horizontal to vertical spectral ratio and standard spectral ratio methods for mapping shear wave velocity across anchorage, Alaska. <i>Soil Dynamics and Earthquake Engineering</i> , 2021, 150, 106918.   | 1.9 | 3         |
| 33621 | Technical Validation and Usability of a Portable Ultrasound-Based System for Carotid Assessment of Vascular Ageing: A Pilot Study. <i>Heart Lung and Circulation</i> , 2021, 30, 1734-1743.  | 0.2 | 2         |
| 33622 | Using in-seat electrical potential sensors for non-contact monitoring of heart rate, heart rate variability, and heart rate recovery. <i>International Journal of Psychophysiology</i> , 2021, 169, 1-10.  | 0.5 | 2         |
| 33623 | Exposure to radiofrequency electromagnetic fields: Comparison of exposimeters with a novel body-worn distributed meter. <i>Environment International</i> , 2021, 156, 106711.  | 4.8 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33624 | Tumor volume measured using MR volumetry as a predictor of prognosis after surgical resection of single hepatocellular carcinoma. <i>European Journal of Radiology</i> , 2021, 144, 109962.  | 1.2 | 5         |
| 33625 | The Association Between Contrast-Enhanced Ultrasound and Near-Infrared Spectroscopy-Derived Measures of Calf Muscle Microvascular Responsiveness in Older Adults. <i>Heart Lung and Circulation</i> , 2021, 30, 1726-1733.                       | 0.2 | 5         |
| 33626 | Bland-Altman methods for comparing methods of measurement and response to criticisms. <i>Global Epidemiology</i> , 2021, 3, 100045.  | 0.6 | 26        |
| 33627 | Clinical Features of Advanced Glaucoma With Optic Nerve Head Prelaminar Schisis. <i>American Journal of Ophthalmology</i> , 2021, 232, 17-29.  | 1.7 | 7         |
| 33628 | Ultrasound imaging of quadriceps muscle in patients with knee osteoarthritis: The test-retest and inter-rater reliability and concurrent validity of echo intensity measurement. <i>Musculoskeletal Science and Practice</i> , 2021, 56, 102453. | 0.6 | 5         |
| 33629 | Evaluation of the use of antibiotic waste bins and medicine records to quantify antibiotic use on sheep, beef, and mixed species farms: A mixed methods study. <i>Preventive Veterinary Medicine</i> , 2021, 197, 105505.                        | 0.7 | 8         |
| 33630 | Development of a new real-time PCR for the detection of pilchard orthomyxovirus (POMV) in apparently healthy fish. <i>Aquaculture</i> , 2022, 547, 737404.   | 1.7 | 0         |
| 33631 | Bioelectrical impedance analysis as an alternative to dual-energy x-ray absorptiometry in the assessment of fat mass and appendicular lean mass in patients with obesity. <i>Nutrition</i> , 2022, 93, 111442.                                   | 1.1 | 19        |
| 33632 | MRI-Derived Tumour-to-Breast Volume Is Associated with the Extent of Breast Surgery. <i>Diagnostics</i> , 2021, 11, 204.   | 1.3 | 2         |
| 33633 | Comparison of autorefractor with focometer in patients with refractive errors attending Lagos University Teaching Hospital, Lagos, Nigeria - A cross sectional survey. <i>Journal of Clinical Sciences</i> , 2021, 18, 24.                       | 0.0 | 0         |
| 33635 | Assessment methods of vastus lateralis muscle architecture using panoramic ultrasound: a new approach, test-retest reliability and measurement error. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 0, 23, .              | 0.5 | 0         |
| 33636 | Automatic segmentation and quantification of hair follicle orientation. <i>Informatics in Medicine Unlocked</i> , 2021, 22, 100498.  | 1.9 | 1         |
| 33637 | Video-Based System for Automatic Measurement of Barbell Velocity in Back Squat. <i>Sensors</i> , 2021, 21, 925.  | 2.1 | 6         |
| 33638 | Body composition monitoring in children and adolescents: reproducibility and reference values. <i>European Journal of Pediatrics</i> , 2021, 180, 1721-1732.   | 1.3 | 17        |
| 33639 | Verifying the validity of creatinine measurement in low-concentrated urine spot samples—Photospectrometry versus liquid chromatography—tandem mass spectrometry. <i>Drug Testing and Analysis</i> , 2021, 13, 1136-1144.                         | 1.6 | 3         |
| 33640 | Do heart rate variability is related to endurance performance in female futsal players?. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 0, 23, .   | 0.5 | 1         |
| 33641 | Validity and reliability of the Child Perceptions Questionnaire 11–14 for Colombian school children. <i>European Archives of Paediatric Dentistry: Official Journal of the European Academy of Paediatric Dentistry</i> , 2021, 22, 497-506.     | 0.7 | 1         |
| 33642 | A comparative analysis of critical power models in elite road cyclists. <i>Current Research in Physiology</i> , 2021, 4, 139-144.  | 0.8 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33643 | Initial Experience with the NAVIO Robotic-Assisted Total Knee Replacementâ€™Coronal Alignment Accuracy and the Learning Curve. <i>Journal of Knee Surgery</i> , 2022, 35, 1295-1300.  | 0.9 | 19        |
| 33644 | In vivo quantification of bone mineral density of lumbar vertebrae using fast kVp switching dual-energy CT: correlation with quantitative computed tomography. <i>Quantitative Imaging in Medicine and Surgery</i> , 2021, 11, 341-350. | 1.1 | 14        |
| 33645 | Automated cell differential count in sputum is feasible and comparable to manual cell count in identifying eosinophilia. <i>Journal of Asthma</i> , 2022, 59, 552-560.  | 0.9 | 6         |
| 33646 | Bone Quantity. , 2021, , 25-28.   |     | 0         |
| 33647 | Teaching Back Health in the School Setting: A Systematic Review of Randomized Controlled Trials. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 979.  | 1.2 | 8         |
| 33648 | A Checklist for statistical Assessment of Medical Papers (the CHAMP statement): explanation and elaboration. <i>British Journal of Sports Medicine</i> , 2021, 55, 1009-1017.   | 3.1 | 90        |
| 33649 | Wrist-Worn Activity Trackers in Laboratory and Free-Living Settings for Patients With Chronic Pain: Criterion Validity Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e24806.  | 1.8 | 16        |
| 33650 | MarkVCID cerebral small vessel consortium: II. Neuroimaging protocols. <i>Alzheimer's and Dementia</i> , 2021, 17, 716-725.   | 0.4 | 45        |
| 33651 | Meibomian glands visibility assessment through a new quantitative method. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2021, 259, 1323-1331.   | 1.0 | 11        |
| 33652 | Standardized Laboratory Procedures, Quality Control and Quality Assurance Are Key Requirements for Accurate Semen Analysis in the Evaluation of Infertile Male. <i>World Journal of Men's Health</i> , 2022, 40, 52.                    | 1.7 | 12        |
| 33653 | Machine learning estimates of eddy covariance carbon flux in a scrub in the Mexican highland. <i>Biogeosciences</i> , 2021, 18, 367-392.  | 1.3 | 8         |
| 33654 | 3-D Gait Abnormality Detection Employing Contactless IR-UWB Sensing Phenomenon. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021, 70, 1-10.   | 2.4 | 4         |
| 33655 | Comparative Evaluation of Rebound and Perkins Tonometers in Pediatric Glaucoma With Varied Corneal Characteristics. <i>Journal of Glaucoma</i> , 2021, 30, 312-316.   | 0.8 | 4         |
| 33656 | Evaluation of the agreement between Brix refractometry and serum immunoglobulin concentration in neonatal piglets. <i>Animal</i> , 2021, 15, 100041.  | 1.3 | 3         |
| 33657 | Validity and reliability of a trigonometry-based method for the measurement of tooth movement on digital models. <i>Dental Press Journal of Orthodontics</i> , 2021, 26, e2119148.  | 0.2 | 0         |
| 33658 | Accuracy of surrogate methods to estimate skeletal muscle mass in non-dialysis dependent patients with chronic kidney disease and in kidney transplant recipients. <i>Clinical Nutrition</i> , 2021, 40, 303-312.                       | 2.3 | 12        |
| 33659 | Correlation of Test Sets and Actual Clinical Performance. <i>Radiology Imaging Cancer</i> , 2021, 3, e200139.   | 0.7 | 0         |
| 33660 | Positional Differences in Pre-Season Scrimmage Performance of Division I Collegiate Football Players. <i>Sensors</i> , 2021, 21, 769.   | 2.1 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33662 | Nutrition Evaluation Screening Tool: An Easy to Use Screening Tool for Hospitalised Children. <i>Pediatric Gastroenterology, Hepatology and Nutrition</i> , 2021, 24, 90.  | 0.4 | 5         |
| 33663 | Validation of Omron Wearable Blood Pressure Monitor HeartGuide™ in Free-Living Environments. <i>Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering</i> , 2021, , 339-350.                   | 0.2 | 1         |
| 33664 | Motion-Robust Multimodal Heart Rate Estimation Using BCG Fused Remote-PPG With Deep Facial ROI Tracker and Pose Constrained Kalman Filter. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021, 70, 1-15.                             | 2.4 | 11        |
| 33665 | The comparison of two exhaled nitric oxide analyzers: NIOX VERO and SUNVOU-CA2122. <i>Journal of Breath Research</i> , 2021, 15, 026007.   | 1.5 | 7         |
| 33666 | Diagnosis and therapy. , 2021, , 5-43.   |     | 0         |
| 33667 | Psychophysical Validation of a Novel Active Learning Approach for Measuring the Visual Acuity Behavioral Function. <i>Translational Vision Science and Technology</i> , 2021, 10, 1.   | 1.1 | 5         |
| 33668 | Galenic Lab-on-a-Chip concept for lipid nanocapsules production. <i>Nanoscale</i> , 2021, 13, 11899-11912.   | 2.8 | 7         |
| 33669 | Relative validity and reproducibility of a food frequency questionnaire to evaluate food group intakes among Jordanian children and adolescents. <i>Nutricion Hospitalaria</i> , 2021, 38, 545-554.  | 0.2 | 0         |
| 33670 | Sound psychometric properties of the Swedish version of the Spinal Cord Independence Measure Self-Report. <i>Journal of Rehabilitation Medicine</i> , 2021, 53, jrm00197.  | 0.8 | 1         |
| 33671 | Thermal Infrared Video Stabilization for Aerial Monitoring of Active Wildfires. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2021, 14, 2817-2832.   | 2.3 | 11        |
| 33672 | Evaluations of Devices for Measurement of Cardiac Output. , 2021, , 309-318.   |     | 0         |
| 33673 | Relationship Between the Critical Power Test and a 20-min Functional Threshold Power Test in Cycling. <i>Frontiers in Physiology</i> , 2020, 11, 613151.   | 1.3 | 16        |
| 33675 | Radar-Based High-Accuracy Cardiac Activity Sensing. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021, 70, 1-13.  | 2.4 | 28        |
| 33676 | Acoustic Sensing as a Novel Wearable Approach for Heart Rate Variability Monitoring at the Wrist. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021, 70, 1-12.  | 2.4 | 2         |
| 33677 | Non-Contact Heart Rate Estimation via Adaptive RGB/NIR Signal Fusion. <i>IEEE Transactions on Image Processing</i> , 2021, 30, 6528-6543.  | 6.0 | 10        |
| 33678 | Error grid analysis for risk management in the difference between invasive and noninvasive blood pressure measurements. <i>Journal of Anesthesia</i> , 2021, 35, 189-196.  | 0.7 | 10        |
| 33679 | Completeness and representativeness of body mass index in children's electronic general practice records: Linked cross-sectional study in an ethnically diverse urban population in the United Kingdom. <i>Pediatric Obesity</i> , 2021, 16, e12772. | 1.4 | 1         |
| 33680 | Seat-Occupancy Detection System and Breathing Rate Monitoring Based on a Low-Cost mm-Wave Radar at 60 GHz. <i>IEEE Access</i> , 2021, 9, 115403-115414.  | 2.6 | 26        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33681 | Myocardial Glucose Metabolism Is Increased in Newly Diagnosed Lung Adenocarcinoma. <i>Cardiology</i> , 2021, 146, 591-599.  | 0.6 | 0         |
| 33682 | Occlusal outcome after orthodontic treatment with preadjusted straight-wire and standard edgewise appliances. <i>Journal of Orofacial Orthopedics</i> , 2021, 82, 321-328.  | 0.5 | 3         |
| 33683 | Quantitative ultrasound radiofrequency data analysis for the assessment of hepatic steatosis using the controlled attenuation parameter as a reference standard. <i>Ultrasonography</i> , 2021, 40, 136-146.                | 1.0 | 25        |
| 33684 | Comparison of different machine learning approaches to predict dental age using Demirjian's staging approach. <i>International Journal of Legal Medicine</i> , 2021, 135, 665-675.  | 1.2 | 30        |
| 33685 | Comparison of applanation ultrasound biometry with optical biometry for intraocular lens power estimation in cataract surgery and their impact on prediction error. <i>Kerala Journal of Ophthalmology</i> , 2021, 33, 173. | 0.1 | 0         |
| 33686 | Assessing visual search performance using a novel dynamic naturalistic scene. <i>Journal of Vision</i> , 2021, 21, 5.   | 0.1 | 7         |
| 33687 | Bedside diagnostic blood testing. Its accuracy, rapidity, and utility in blood conservation. <i>JAMA - Journal of the American Medical Association</i> , 1991, 266, 382-389.  | 3.8 | 56        |
| 33689 | Validity of Pharmacoepidemiologic Drug and Diagnosis Data. , 0, , 709-765.  |     | 24        |
| 33696 | Validation of an enzyme-linked immunoassay assay for osteocalcin, a marker of bone formation, in dried blood spots. <i>American Journal of Human Biology</i> , 2020, 32, e23394.  | 0.8 | 7         |
| 33697 | A highly sensitive multiplex immunoassay for inflammatory cytokines in dried blood spots. <i>American Journal of Human Biology</i> , 2021, 33, e23558.  | 0.8 | 15        |
| 33700 | Feasibility and reproducibility of feature-tracking-based strain and strain rate measures of the left ventricle in different diseases and genders. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 1415-1425.      | 1.9 | 31        |
| 33701 | Three-Dimensional Surface-Based Analysis of Cartilage MRI Data in Knee Osteoarthritis: Validation and Initial Clinical Application. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 52, 1139-1151.                     | 1.9 | 15        |
| 33702 | Reliability and validity of plain radiographs to assess angulation of small finger metacarpal neck fractures: Human cadaveric study. <i>Journal of Orthopaedic Research</i> , 2006, 24, 37-45.                              | 1.2 | 48        |
| 33703 | Repeatability of Female Midurethral Measurement Using High-Frequency 3-Dimensional Transvaginal Ultrasonography. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 1389-1395.  | 0.8 | 6         |
| 33704 | Second bound and pore water concentration mapping of cortical bone using 2D UTE with optimized half-pulses. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 945-950.  | 1.9 | 23        |
| 33705 | In vivo Glx and Glu measurements from GABA-edited MRS at 3 T. <i>NMR in Biomedicine</i> , 2021, 34, e4245.  | 1.6 | 26        |
| 33706 | Metric and morphological analysis of pelvic scars in a historical sample from Lithuania: Associations with sex, age, body size and pelvic dimensions. <i>International Journal of Osteoarchaeology</i> , 2020, 30, 629-641. | 0.6 | 4         |
| 33707 | Validation of a Spanish version of the Sleep-Related Breathing Disorder scale of the Pediatric Sleep Questionnaire in children living in a high-altitude city. <i>Pediatric Pulmonology</i> , 2021, 56, 1077-1084.          | 1.0 | 3         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33708 | Prenatal prediction of postnatal largeâ€œforâ€œdates neonates using a simplified MRI method: comparison with conventional 2D ultrasound estimates. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 250-257. | 0.9 | 19        |
| 33709 | Baseline to help with network management. , 2006, , 158-166.   |     | 8         |
| 33710 | Measurement of Infarct Volume in Stroke Patients Using Adaptive Segmentation of Diffusion Weighted MR Images. <i>Lecture Notes in Computer Science</i> , 1999, , 22-31.  | 1.0 | 14        |
| 33711 | Segmentation of Echocardiographic Image Sequences Using Spatio-temporal Information. <i>Lecture Notes in Computer Science</i> , 1999, , 410-419.   | 1.0 | 9         |
| 33712 | Accurate data collection for head injury monitoring studies: a data validation methodology. <i>Acta Neurochirurgica Supplementum</i> , 2005, 95, 39-41.  | 0.5 | 6         |
| 33713 | Less Invasive Cardiac Output Monitoring: Characteristics and Limitations. <i>Yearbook of Intensive Care and Emergency Medicine</i> , 2006, , 162-175.  | 0.1 | 6         |
| 33714 | Assessment of Image-Guided Interventions. , 2008, , 531-549.   |     | 12        |
| 33715 | Assessment of Oxygenation and Perfusion in the Tongue and Oral Mucosa by Visible Spectrophotometry and Laser Doppler Flowmetry in Healthy Subjects. , 2008, 614, 227-233.  |     | 11        |
| 33716 | Reliability and Validity in Neuropsychology. , 2011, , 873-892.  |     | 16        |
| 33717 | Subjective Quality of Life Measures â€œ General Principles and Concepts. , 2010, , 381-399.  |     | 7         |
| 33718 | Estimation of Childrenâ€™s Weight in Medical Emergencies. , 2012, , 1151-1161.   |     | 2         |
| 33719 | Density and Attachment Agnostic CT Pulmonary Nodule Segmentation with Competition-Diffusion and New Morphological Operators. , 2011, , 143-188.  |     | 1         |
| 33720 | Oxygen Delivery and Consumption in the Critically Ill: Their Relation to the Development of Multiple Organ Failure. <i>Current Concepts in Critical Care</i> , 1988, , 95-121.   | 0.1 | 10        |
| 33721 | In Vivo Applications of Fiberoptic Chemical Sensors. , 1991, , 325-366.  |     | 9         |
| 33722 | Reflectance Pulse Oximetry. <i>Advances in Experimental Medicine and Biology</i> , 1996, , 69-75.  | 0.8 | 3         |
| 33723 | Assay Development, Evaluation, and Validation. , 1996, , 275-359.  |     | 5         |
| 33724 | Quantitation of Myocardial Perfusion: Absolute Blood Flow Versus Relative Uptake. , 2013, , 145-194.   |     | 2         |
| 33725 | Liver Volumetry in MRI by Using Fast Marching Algorithm Coupled with 3D Geodesic Active Contour Segmentation. , 2014, , 141-157.   |     | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33726 | Absolute Frequency-Domain Pulse Oximetry of the Brain: Methodology and Measurements. <i>Advances in Experimental Medicine and Biology</i> , 2003, 530, 61-73.  | 0.8 | 16        |
| 33727 | The Repeatability of Diagnostic Tests and Surveys in Dry Eye. <i>Advances in Experimental Medicine and Biology</i> , 2002, 506, 1171-1175.   | 0.8 | 8         |
| 33728 | Comparison of Clark Electrode and Optode for Measurement of Tissue Oxygen Tension. <i>Advances in Experimental Medicine and Biology</i> , 1994, 345, 841-847.  | 0.8 | 27        |
| 33729 | Noninvasive Measurement of Forearm Oxygen Consumption During Exercise by Near Infrared Spectroscopy. <i>Advances in Experimental Medicine and Biology</i> , 1994, 345, 685-692.                                    | 0.8 | 9         |
| 33730 | Statistical Aspects of the Measurement of Clinical Care in Epilepsy. , 1993, , 11-28.  |     | 2         |
| 33731 | Comparison of Cerebral Blood Volume Measured by Near Infrared Spectroscopy and Contrast Enhanced Magnetic Resonance Imaging. <i>Advances in Experimental Medicine and Biology</i> , 1999, 471, 767-773.            | 0.8 | 10        |
| 33733 | Comparison of Closed-Circuit and Fick-Derived Oxygen Consumption during Anaesthesia for Liver Transplantation in Patients. <i>Advances in Experimental Medicine and Biology</i> , 2003, 540, 305-311.              | 0.8 | 2         |
| 33734 | NIRS Mediated CBF Assessment: Validating the Indocyanine Green Bolus Transit Detection by Comparison with Coloured Microsphere Flowmetry. <i>Advances in Experimental Medicine and Biology</i> , 2003, 540, 37-45. | 0.8 | 4         |
| 33735 | Total Body Water Measurement by Bioelectrical Impedance in the Extremely Low Birth Weight Infant. , 1993, 60, 185-188.   |     | 10        |
| 33736 | A Comparison between Neutron Activation and Dual Energy X-ray Absorptiometry for the Measurement of Body Fat. , 1993, 60, 367-370.   |     | 1         |
| 33737 | iPhysioMeter: A Smartphone Photoplethysmograph for Measuring Various Physiological Indices. <i>Methods in Molecular Biology</i> , 2015, 1256, 305-326.   | 0.4 | 13        |
| 33738 | Teledementia. , 2015, , 147-157.   |     | 1         |
| 33739 | Longitudinal Studies 3: Data Modeling Using Standard Regression Models and Extensions. <i>Methods in Molecular Biology</i> , 2015, 1281, 93-131.   | 0.4 | 2         |
| 33740 | Validation and Reliability of Blood Pressure Monitors. , 2007, , 97-132.   |     | 9         |
| 33741 | Modeling Longitudinal Data, II: Standard Regression Models and Extensions. <i>Methods in Molecular Biology</i> , 2008, 473, 61-94.   | 0.4 | 4         |
| 33742 | Assay Data Quality Assessment. <i>Methods in Molecular Biology</i> , 2009, 552, 79-95.   | 0.4 | 6         |
| 33743 | Outcome Measures in Pelvic Floor Rehabilitation. , 2008, , 162-174.  |     | 1         |
| 33744 | Segmentation of Left Ventricle in Short-Axis MR Images Based on Fully Convolutional Network and Active Contour Model. <i>Advances in Intelligent Systems and Computing</i> , 2021, , 49-59.                        | 0.5 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33745 | Verification of the Respiratory Parameters Derived from Impedance Pneumography during Normal and Deep Breathing in Three Body Postures. IFMBE Proceedings, 2015, , 881-884. | 0.2 | 7         |
| 33746 | Tree-Encoded Conditional Random Fields for Image Synthesis. Lecture Notes in Computer Science, 2015, 24, 733-745.   | 1.0 | 6         |
| 33747 | Standardized Tape Stripping: A Practical and Reproducible Protocol to Reduce Uniformly the Stratum Corneum. , 2017, , 289-297.  |     | 1         |
| 33748 | Detecting Measurement Biases: Sources of Uncertainty, Accuracy, and Precision of the Measurements. , 2017, , 101-113.   |     | 1         |
| 33749 | Semi-automatic Method for Intervertebral Kinematics Measurement in the Cervical Spine. Lecture Notes in Computer Science, 2017, , 302-313.                                  | 1.0 | 2         |
| 33750 | FastVentricle: Cardiac Segmentation with ENet. Lecture Notes in Computer Science, 2017, , 127-138.  | 1.0 | 31        |
| 33751 | On the Diffusion Process for Heart Rate Estimation from Face Videos Under Realistic Conditions. Lecture Notes in Computer Science, 2017, , 361-373.                         | 1.0 | 5         |
| 33752 | Intracranial Volume Quantification from 3D Photography. Lecture Notes in Computer Science, 2017, 10550, 116-123.  | 1.0 | 10        |
| 33753 | Assessment of Intrathoracic Airway Trees: Methods and In Vivo Validation. Lecture Notes in Computer Science, 2004, , 341-352.   | 1.0 | 3         |
| 33754 | The Hurst Parameter for Digital Signature of Network Segment. Lecture Notes in Computer Science, 2004, , 772-781.   | 1.0 | 10        |
| 33755 | Fast Automated Segmentation and Reproducible Volumetry of Pulmonary Metastases in CT-Scans for Therapy Monitoring. Lecture Notes in Computer Science, 2004, , 933-941.      | 1.0 | 18        |
| 33756 | Geometrical and Morphological Analysis of Vascular Branches from Fundus Retinal Images. Lecture Notes in Computer Science, 2000, , 756-765.                                 | 1.0 | 4         |
| 33757 | Abdominal Compartment Syndrome. Yearbook of Intensive Care and Emergency Medicine, 2007, , 609-626.   | 0.1 | 2         |
| 33758 | Evaluation of a new, wireless pulse oximetry monitoring system in infants: the BBA bootee. , 2007, , 143-148.   |     | 2         |
| 33759 | A System for Wearable Monitoring of Seated Posture in Computer Users. , 2007, , 203-207.  |     | 19        |
| 33760 | Best published equation for the calculation of Body Fat in a sample of Colombian young males using Bioelectrical Impedance Analysis. , 2007, , 803-806.                     |     | 4         |
| 33761 | 4D Segmentation of Cardiac Data Using Active Surfaces with Spatiotemporal Shape Priors. Studies in Computational Intelligence, 2008, , 77-100.                              | 0.7 | 2         |
| 33762 | Retrospective Study of Biomechanical Factors Influencing Early Clinical Results of the Munting Stemless Hip Prosthesis. IFMBE Proceedings, 2010, , 114-118.                 | 0.2 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33764 | Visual Assessment of Density in Digital Mammograms. Lecture Notes in Computer Science, 2010, , 414-420.   | 1.0 | 4         |
| 33765 | Automatic Corneal Nerves Recognition for Earlier Diagnosis and Follow-Up of Diabetic Neuropathy. Lecture Notes in Computer Science, 2010, , 60-69.                                  | 1.0 | 6         |
| 33766 | Isokinetik. , 2004, , 107-120.  |     | 3         |
| 33767 | On the Estimation of Transmural Myocardial Shear by Means of MRI Tagging. Lecture Notes in Computer Science, 2011, , 105-112.   | 1.0 | 2         |
| 33768 | In vivo accuracy of two intraparenchymal intracranial pressure monitors. , 2012, , 249-253.   |     | 1         |
| 33769 | TEWL, Closed-Chamber Methods: AquaFlux and VapoMeter. , 2014, , 345-352.  |     | 6         |
| 33770 | Online and Offline Determination of QT and PR Interval and QRS Duration in Electrocardiography. Lecture Notes in Computer Science, 2013, , 1-15.                                    | 1.0 | 13        |
| 33771 | Transpulmonary Indicator Dilution: An Alternative Approach for Hemodynamic Monitoring. Yearbook of Intensive Care and Emergency Medicine, 1995, , 593-605.                          | 0.1 | 29        |
| 33772 | Respiratory Inductive Plethysmography for Assessing Risk of Pulmonary Barotrauma. Yearbook of Intensive Care and Emergency Medicine, 1992, , 416-428.                               | 0.1 | 1         |
| 33773 | Comparison of a New Brain Tissue Oxygenation Probe with the Established Standard. Acta Neurochirurgica Supplementum, 2012, 114, 161-164.  | 0.5 | 12        |
| 33774 | Comparing Brain Tissue Oxygen Measurements and Derived Autoregulation Parameters from Different Probes (Licox vs. Raumedic). Acta Neurochirurgica Supplementum, 2012, 114, 165-168. | 0.5 | 14        |
| 33775 | Posterior and Cross-validators Predictive Checks: A Comparison of MCMC and INLA. , 2010, , 91-110.  |     | 102       |
| 33776 | Scoringmethoden bei der rheumatoiden Arthritis. , 2007, , 27-46.  |     | 3         |
| 33777 | Comparison of the Leaf Area Index (LAI) of Two Types of Dipterocarp Forest on the West Bank of the Mekong River, Cambodia. , 2007, , 214-221.                                       |     | 4         |
| 33778 | Riproducibilit : variabilit  intraosservatore e interosservatore. , 2008, , 119-135.  |     | 1         |
| 33779 | Dynamic Transperineal Ultrasonography. , 2008, , 189-196.   |     | 2         |
| 33780 | Reproducibility: Intraobserver and Interobserver Variability. , 2009, , 125-140.  |     | 6         |
| 33781 | Renal Manifestations of Fabry Disease. , 2010, , 211-243.   |     | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33782 | An Automatic Method for Measurements of Arterial Intima-Media Thickness Using Ultrasonic B-Mode Data. <i>Acoustical Imaging</i> , 2012, , 115-122.   | 0.2 | 3         |
| 33784 | Why and how should QCA systems be validated?. <i>Developments in Cardiovascular Medicine</i> , 1994, , 33-48.  | 0.1 | 22        |
| 33785 | Comparison of accuracy and precision of quantitative coronary arterial analysis between cinefilm and digital systems. <i>Developments in Cardiovascular Medicine</i> , 1994, , 67-85.                  | 0.1 | 46        |
| 33786 | Scaling Options. , 1993, , 37-43.  |     | 1         |
| 33787 | Is there any relationship between the early glomerular filtration rate and late graft dysfunction in renal transplantation?. , 1997, , 31-37.  |     | 2         |
| 33788 | Statistical Assessment of Agreement. , 2018, , 61-68.  |     | 1         |
| 33789 | Performance Evaluation of Lung Segmentation. <i>Lecture Notes in Bioengineering</i> , 2015, , 111-127.   | 0.3 | 2         |
| 33791 | Preferential reduction of bone mineral density at the femur reflects impairment of physical activity in patients with low-activity rheumatoid arthritis. <i>Modern Rheumatology</i> , 2010, 20, 69-73. | 0.9 | 10        |
| 33792 | A novel acquisition platform for long-term breathing frequency monitoring based on inertial measurement units. <i>Medical and Biological Engineering and Computing</i> , 2020, 58, 785-804.            | 1.6 | 18        |
| 33793 | Carotid arterial blood flow in the ovine fetus as a continuous measure of cerebral blood flow. <i>Journal of the Society for Gynecologic Investigation</i> , 1996, 3, 60-65.                           | 1.9 | 30        |
| 33794 | Laboratory organization and management. , 2006, , 625-645.   |     | 2         |
| 33795 | Technical Variability in Laboratory Data. , 1993, , 109-135.   |     | 7         |
| 33796 | Use of imaging as an outcome measure in rheumatoid arthritis, psoriatic arthritis, and ankylosing spondylitis in clinical trials. , 2011, , 413-424.e1.  |     | 1         |
| 33797 | Fundamental Principles of Monitoring Instrumentation. , 2010, , 1197-1227.   |     | 5         |
| 33798 | Respiratory Monitoring. , 2010, , 1411-1441.   |     | 4         |
| 33799 | Haemodynamic monitoring. , 2014, , 122-137.e3.   |     | 3         |
| 33800 | Assay method comparison studies. , 1991, , 307-330.  |     | 5         |
| 33801 | Selection and Analytical Evaluation of Methods With Statistical Techniques. , 2012, , 7-47.  |     | 11        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33802 | Comparing the Precision and Reliability Between Three Radiographic Techniques for Measuring Sporadic Vestibular Schwannomas. <i>Academic Radiology</i> , 2022, 29, 69-76.  | 1.3 | 2         |
| 33803 | Use of a single global assessment to reduce missing data in a clinical trial with follow-up at one year. <i>Contemporary Clinical Trials</i> , 2003, 24, 731-735.  | 2.0 | 3         |
| 33804 | New Comprehensive Reference Values for Arterial Vascular Parameters in Children. <i>Journal of the American Society of Echocardiography</i> , 2020, 33, 1014-1022.e4.  | 1.2 | 11        |
| 33805 | How unmeasured muscle mass affects estimated GFR and diagnostic inaccuracy. <i>EClinicalMedicine</i> , 2020, 29-30, 100662.  | 3.2 | 21        |
| 33806 | Assessment of two glycosylated hemoglobin immunoassays. <i>Endocrinologia, Diabetes Y Nutrici3n</i> , 2020, 67, 297-303.   | 0.1 | 2         |
| 33807 | Estrogen receptor-1 immunoreactivity predicts symptom severity and pain recurrence in deep endometriosis. <i>Fertility and Sterility</i> , 2020, 113, 1224-1231.e1.  | 0.5 | 21        |
| 33808 | Timed Up and Go evaluation with wearable devices: Validation in Parkinson's disease. <i>Journal of Bodywork and Movement Therapies</i> , 2018, 22, 390-395.  | 0.5 | 45        |
| 33809 | Development of a histologically validated segmentation protocol for the hippocampal body. <i>NeuroImage</i> , 2017, 157, 219-232.  | 2.1 | 17        |
| 33810 | A 51-item calcium-focused food frequency questionnaire is a reliable tool to assess dietary calcium intake in postmenopausal women. <i>Nutrition Research</i> , 2017, 43, 33-42.                                 | 1.3 | 5         |
| 33811 | Primary Retinal Detachment Outcomes Study: Methodology and Overall Outcomes Primary Retinal Detachment Outcomes Study Report Number 1. <i>Ophthalmology Retina</i> , 2020, 4, 814-822.                           | 1.2 | 33        |
| 33812 | Unmixing urban hyperspectral imagery using probability distributions to represent endmember variability. <i>Remote Sensing of Environment</i> , 2020, 246, 111857.   | 4.6 | 23        |
| 33813 | Comparison between Nageotte and flow cytometric counting of residual leucocytes in freshly prepared leucocyte-reduced red blood cell components. <i>Transfusion and Apheresis Science</i> , 2018, 57, 544-548.   | 0.5 | 3         |
| 33814 | An automated, multiplex-tandem PCR platform for the diagnosis of gastrointestinal nematode infections in cattle: An Australian-European validation study. <i>Veterinary Parasitology</i> , 2017, 239, 62-75.     | 0.7 | 20        |
| 33815 | Hydrogenated fat consumption affects acylation-stimulating protein levels and cholesterol esterification rates in moderately hypercholesterolemic women. <i>Journal of Lipid Research</i> , 2001, 42, 1841-1848. | 2.0 | 34        |
| 33816 | Comparison of deuterium incorporation and mass isotopomer distribution analysis for measurement of human cholesterol biosynthesis. <i>Journal of Lipid Research</i> , 2000, 41, 1516-1523.                       | 2.0 | 40        |
| 33817 | Validation of deuterium incorporation against sterol balance for measurement of human cholesterol biosynthesis. <i>Journal of Lipid Research</i> , 1998, 39, 1111-1117.  | 2.0 | 39        |
| 33818 | Measurement of normative HDL subfraction cholesterol levels by Gaussian summation analysis of gradient gels. <i>Journal of Lipid Research</i> , 1989, 30, 1085-1095.   | 2.0 | 63        |
| 33819 | Estimation of adipose tissue mass by magnetic resonance imaging: validation against dissection in human cadavers. <i>Journal of Lipid Research</i> , 1994, 35, 1490-1496.  | 2.0 | 290       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33821 | Continuous systolic blood pressure monitoring by the difference in electrocardiogram and pulse oximetry in near-term, exteriorized goat fetuses. <i>Journal of the Society for Gynecologic Investigation</i> , 2003, 10, 200-204.                     | 1.9 | 11        |
| 33822 | Calibration of a reflectance pulse oximeter in fetal lambs for arterial oxygen saturations below 70%. <i>Journal of the Society for Gynecologic Investigation</i> , 1998, 5, 255-259.   | 1.9 | 8         |
| 33826 | Validation of New Interactive Nutrition Assistant - Diet in India Study of Health (NINA-DISH) FFQ with multiple 24-h dietary recalls among pregnant women in Pune, India. <i>British Journal of Nutrition</i> , 2021, 126, 1247-1256.                 | 1.2 | 3         |
| 33827 | Hip dysplasia in bilateral cerebral palsy: incidence and natural history in children aged 18 months to 5 years. <i>Developmental Medicine and Child Neurology</i> , 2001, 43, 586.  | 1.1 | 131       |
| 33828 | High- or low-technology measurements of energy expenditure in clinical gait analysis?. <i>Developmental Medicine and Child Neurology</i> , 1999, 41, 676-682.   | 1.1 | 115       |
| 33829 | Mixed method study of quality of life for children with trisomy 18 and 13 after cardiac surgery. <i>Cardiology in the Young</i> , 2020, 30, 231-237.  | 0.4 | 14        |
| 33830 | Comparing Performance Across In-person and Videoconference-Based Administrations of Common Neuropsychological Measures in Community-Based Survivors of Stroke. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 697-710.    | 1.2 | 17        |
| 33831 | Quantification of Vitamin A in Fortified Rapeseed, Groundnut and Soya Oils Using a Simple Portable Device: Comparison to High Performance Liquid Chromatography. <i>International Journal for Vitamin and Nutrition Research</i> , 2013, 83, 122-128. | 0.6 | 10        |
| 33832 | Validation of a Quantitative Food Frequency Questionnaire for a Japanese Population in Hawaii. <i>International Journal for Vitamin and Nutrition Research</i> , 2019, 89, 200-209.   | 0.6 | 1         |
| 33833 | Short-Term Test-Retest Reliability of Respiratory Sinus Arrhythmia (RSA) in Young Adults. <i>Journal of Psychophysiology</i> , 2018, 32, 85-96.   | 0.3 | 6         |
| 33834 | Assessing Stressors Related to Migration in Patients With Psychiatric Disorders. <i>European Journal of Psychological Assessment</i> , 2012, 28, 262-269.   | 1.7 | 5         |
| 33835 | Assessing Test-Retest Reliability of Psychological Measures. <i>European Psychologist</i> , 2017, 22, 207-218.  | 1.8 | 70        |
| 33836 | Accuracy of the i-STAT <sup>TM</sup> bedside blood gas analyser. <i>European Respiratory Journal</i> , 1999, 14, 214.   | 3.1 | 61        |
| 33837 | In vitro assessment of an ultrasonic flowmeter for use in ventilated infants. <i>European Respiratory Journal</i> , 2000, 15, 566.  | 3.1 | 13        |
| 33838 | Evaluation of a portable respiratory recording device for detecting apnoeas and hypopnoeas in subjects from a general population. <i>European Respiratory Journal</i> , 2000, 16, 123.  | 3.1 | 54        |
| 33840 | Clinical evaluation of a partial CO <sub>2</sub> rebreathing technique for cardiac output monitoring in critically ill patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2002, 46, 152-159.  | 0.7 | 59        |
| 33841 | The reproducibility of methods of assessment for cervical dentine hypersensitivity. <i>Journal of Clinical Periodontology</i> , 2001, 28, 16-22.  | 2.3 | 46        |
| 33842 | Use of the PROMIS <sup>®</sup> Depression scale and the Beck Depression Inventory in patients with heart failure.. <i>Health Psychology</i> , 2019, 38, 369-375.  | 1.3 | 7         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33843 | Mindfulness is positively related to socioeconomic job status and income and independently predicts mental distress in a long-term perspective: Danish validation studies of the Five-Factor Mindfulness Questionnaire.. <i>Psychological Assessment</i> , 2019, 31, e1-e20. | 1.2 | 15        |
| 33844 | Comparison of Gross Body Fat-Water Magnetic Resonance Imaging at 3 Tesla to Dual-Energy X-Ray Absorptiometry in Obese Women. <i>Obesity</i> , 0, , .   | 1.5 | 3         |
| 33845 | Comparison of Body Adiposity Index (BAI) and BMI with Estimations of % Body Fat in Clinically Severe Obese Women. <i>Obesity</i> , 2013, 21, 493-8.  | 1.5 | 22        |
| 33846 | Dendritic cell maturation in the corneal epithelium with onset of type 2 diabetes is associated with tumor necrosis factor receptor superfamily member 9. <i>Scientific Reports</i> , 2018, 8, 14248.  | 1.6 | 56        |
| 33847 | Quantification of Retinal Nerve Fibre Layer Thickness on Optical Coherence Tomography with a Deep Learning Segmentation-Free Approach. <i>Scientific Reports</i> , 2020, 10, 402.  | 1.6 | 33        |
| 33848 | Repeatability of anterior segment measurements by optical coherence tomography combined with Placido disk corneal topography in eyes with keratoconus. <i>Scientific Reports</i> , 2020, 10, 1124.   | 1.6 | 33        |
| 33849 | Estimation of minute ventilation by heart rate for field exercise studies. <i>Scientific Reports</i> , 2020, 10, 1423.   | 1.6 | 10        |
| 33850 | Estimation of intracardiac shunts in young children with a novel indicator dilution technology. <i>Scientific Reports</i> , 2020, 10, 1337.  | 1.6 | 2         |
| 33851 | Quantification of tissue volume in the hindlimb of mice using microcomputed tomography images and analysing software. <i>Scientific Reports</i> , 2020, 10, 8297.  | 1.6 | 5         |
| 33852 | The relationship between mean birth weight and poverty using the Townsend deprivation score and the Super Profile classification system. <i>Public Health</i> , 2002, 116, 308-14.   | 1.4 | 4         |
| 33853 | Radiomorphometric indices of the mandible in a British female population. <i>Dentomaxillofacial Radiology</i> , 1999, 28, 173-81.  | 1.3 | 88        |
| 33854 | High-resolution magnetic resonance imaging of squamous cell carcinoma of the tongue: an in vitro study. <i>Dentomaxillofacial Radiology</i> , 2001, 30, 14-21.   | 1.3 | 10        |
| 33855 | Validity of self-reported energy intake in lean and obese young women, using two nutrient databases, compared with total energy expenditure assessed by doubly labeled water. <i>European Journal of Clinical Nutrition</i> , 0, 55, 940-950.                                | 1.3 | 1         |
| 33856 | The validity of predicted body fat percentage from body mass index and from impedance in samples of five European populations. <i>European Journal of Clinical Nutrition</i> , 0, 55, 973-979.   | 1.3 | 6         |
| 33857 | Validation of a food frequency questionnaire for nutritional calcium intake assessment in Italian women. , 0, .  |     | 2         |
| 33858 | Bioinformatics-based analysis of the lncRNA-miRNA-mRNA and TF regulatory networks reveals functional genes in esophageal squamous cell carcinoma. <i>Bioscience Reports</i> , 2020, 40, .  | 1.1 | 7         |
| 33859 | Bridging and dimensions of sella turcica in subjects treated by surgical-orthodontic means or orthodontics only. <i>Angle Orthodontist</i> , 2005, 75, 714-8.  | 1.1 | 66        |
| 33860 | Short-Term Reliability of Different Methods of Contralateral Suppression of Transient Evoked Otoacoustic Emission in Children and Adults. <i>American Journal of Audiology</i> , 2019, 28, 495-507.  | 0.5 | 8         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33861 | Dichotic Listening Testâ€™Retest Reliability in Children. <i>Journal of Speech, Language, and Hearing Research</i> , 2019, 62, 169-176.   | 0.7 | 10        |
| 33862 | Mean Length of Utterance and Other Quantitative Measures of Spontaneous Speech in Russian-Speaking Children. <i>Journal of Speech, Language, and Hearing Research</i> , 2019, 62, 4483-4496.  | 0.7 | 6         |
| 33863 | Cross-Cultural Adaptation of the Scale of Auditory Behaviors Questionnaire. <i>Language, Speech, and Hearing Services in Schools</i> , 2019, 50, 683-692.   | 0.7 | 3         |
| 33864 | Validation of a Bilateral Simultaneous Computer-Based Tympanometer. <i>American Journal of Audiology</i> , 2020, 29, 491-503.   | 0.5 | 3         |
| 33865 | Revisiting Reliability: Using Sampling Utterances and Grammatical Analysis Revised (SUGAR) to Compare 25- and 50-Utterance Language Samples. <i>Language, Speech, and Hearing Services in Schools</i> , 2020, 51, 778-794.  | 0.7 | 9         |
| 33866 | Rapid flow cytometric test for the diagnosis of membrane cytoskeleton-associated haemolytic anaemia. <i>British Journal of Haematology</i> , 2000, 111, 924-933.  | 1.2 | 46        |
| 33867 | Affordable CD4+ T-cell counts on 'single-platform' flow cytometers I. Primary CD4 gating. <i>British Journal of Haematology</i> , 2000, 111, 1198-1208.   | 1.2 | 67        |
| 33868 | Flow cytometric analysis of basophil numbers in chronic urticaria: basopenia is related to serum histamine releasing activity. <i>Clinical and Experimental Allergy</i> , 1997, 27, 1417-24.  | 1.4 | 29        |
| 33869 | Stability of prothrombin time and the impact of container material. <i>International Journal of Laboratory Hematology</i> , 2000, 22, 58-58.  | 0.2 | 8         |
| 33870 | The influence of ketoacids on plasma creatinine assays in diabetic ketoacidosis. <i>Journal of Internal Medicine</i> , 2000, 248, 511-517.  | 2.7 | 24        |
| 33871 | Comparison between tidal breathing and dosimeter methods in assessing cough receptor sensitivity to capsaicin. , 2000, 5, 337.  |     | 5         |
| 33872 | Reproducibility, validity, and responsiveness of a disease-specific symptom questionnaire for gastroesophageal reflux disease. <i>Ecological Management and Restoration</i> , 2000, 13, 265-270.  | 0.2 | 98        |
| 33873 | Astrophysical properties of star clusters in the Magellanic Clouds homogeneously estimated by ASteCA. <i>Astronomy and Astrophysics</i> , 2017, 602, A89.   | 2.1 | 21        |
| 33874 | Proposition dâ€™une nouvelle structure de rÃ©fÃ©rence mandibulaire. <i>Revue D'orthopedie Dento-faciale</i> , 2007, 41, 141-158.  | 0.0 | 1         |
| 33875 | Impact of tissue harmonic imaging in patients with distorted left ventricles: improvement in accuracy and reproducibility of visual, manual and automated echocardiographic assessment of left ventricular ejection fraction. <i>European Journal of Echocardiography</i> , 2003, 4, 59-67. | 2.3 | 18        |
| 33876 | Comparability of Plasma Iohexol Clearance Across Population-Based Cohorts. <i>American Journal of Kidney Diseases</i> , 2020, 76, 54-62.  | 2.1 | 9         |
| 33877 | Danish Language Version of the American Orthopedic Foot and Ankle Society Ankle-Hindfoot Scale (AOFAS-AHS) in Patients with Ankle-Related Fractures. <i>Journal of Foot and Ankle Surgery</i> , 2020, 59, 657-663.  | 0.5 | 7         |
| 33878 | Test-Retest-Reliability of Computer-Based Metamorphopsia Measurement in Macular Diseases. <i>Klinische Monatsblätter Fur Augenheilkunde</i> , 2021, 238, 703-710.   | 0.3 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33879 | The Reliability of Ultrasound in the Assessment of Hyaline Cartilage in Rheumatoid Arthritis and Healthy Metacarpal Heads. <i>Ultraschall in Der Medizin</i> , 2022, 43, e65-e72.   | 0.8 | 6         |
| 33882 | Test-Retest Reliability of Ecological Momentary Assessment in Audiology Research. <i>Journal of the American Academy of Audiology</i> , 2020, 31, 599-612.  | 0.4 | 8         |
| 33883 | Interstudy reproducibility of parameters of left ventricular diastolic function: A Doppler echocardiography study. <i>Journal of the American Society of Echocardiography</i> , 2003, 16, 1128-1135.                            | 1.2 | 28        |
| 33884 | Comparison of a swim-up technique with the Hamilton Thorn Motility Analyser for measurement of sperm velocity and motility. <i>Reproduction, Fertility and Development</i> , 1992, 4, 153.                                      | 0.1 | 4         |
| 33885 | Optical in-situ sensors capture dissolved organic carbon (DOC) dynamics after prescribed fire in high-DOC forest watersheds. <i>International Journal of Wildland Fire</i> , 2019, 28, 761.                                     | 1.0 | 11        |
| 33886 | Developing a census method based on sight counts to estimate rabbit ( <i>Oryctolagus cuniculus</i> ) numbers. <i>Wildlife Research</i> , 2003, 30, 487.   | 0.7 | 19        |
| 33887 | Point-of-care device to diagnose and monitor neonatal jaundice in low-resource settings. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E10965-E10971.                     | 3.3 | 43        |
| 33888 | Components of total energy expenditure in free-living elderly men (over 75 years of age): Measurement, predictability and relationship to quality-of-life indices. <i>British Journal of Nutrition</i> , 1996, 75, 161-173.     | 1.2 | 26        |
| 33889 | Comparison of the TriTrac-R3D accelerometer and a self-report activity diary with heart-rate monitoring for the assessment of energy expenditure in children. <i>British Journal of Nutrition</i> , 2002, 87, 623-31.           | 1.2 | 18        |
| 33890 | Evaluation of a foot-to-foot bioelectrical impedance analyser in highly active, moderately active and less active young men. <i>British Journal of Nutrition</i> , 2002, 88, 205-210.   | 1.2 | 14        |
| 33891 | Detection and measurement of plant disease symptoms using visible-wavelength photography and image analysis.. <i>CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources</i> , 0, , 1-15. | 0.6 | 12        |
| 33892 | Intra- and interobserver repeatability of radiographic measurements in hallux surgery: Improvement and validation of a method. <i>Acta Orthopaedica</i> , 2002, 73, 670-673.  | 1.4 | 27        |
| 33893 | RELIABILITY OF TORQUE MEASUREMENTS DURING PASSIVE ISOKINETIC KNEE MOVEMENTS IN HEALTHY SUBJECTS. <i>Journal of Rehabilitation Medicine</i> , 2000, 32, 61-65.   | 1.1 | 5         |
| 33894 | PRESSURE ALGOMETRY IN HEALTHY SUBJECTS: INTER-EXAMINER VARIABILITY. <i>Journal of Rehabilitation Medicine</i> , 1998, 30, 3-8.  | 1.1 | 163       |
| 33895 | RELIABILITY OF ISOKINETIC ANKLE DORSIFLEXOR STRENGTH MEASUREMENTS IN HEALTHY YOUNG MEN AND WOMEN. <i>Journal of Rehabilitation Medicine</i> , 1999, 31, 229-239.  | 1.1 | 90        |
| 33896 | EVALUATION OF GRIP STRENGTH MEASUREMENTS AFTER COLLES' FRACTURE: A METHODOLOGICAL STUDY. <i>Journal of Rehabilitation Medicine</i> , 1999, 31, 49-54.   | 1.1 | 18        |
| 33897 | Measurement Properties and Translation to Brazilian-Portuguese of the Challenge for Children and Adolescents with Cerebral Palsy. <i>Physical and Occupational Therapy in Pediatrics</i> , 2021, 41, 1-18.                      | 0.8 | 5         |
| 33898 | Description of the finger mechanical load of climbers of different levels during different hand grips in sport climbing. <i>Journal of Sports Sciences</i> , 2013, 31, 1713-1721.   | 1.0 | 13        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33899 | Reliability and concurrent validity of a motor skill competence test among 4- to 12-year old children. <i>Journal of Sports Sciences</i> , 2018, 36, 1607-1613.  | 1.0 | 17        |
| 33900 | Reliability of sweat-testing by the Macroduct collection method combined with conductivity analysis in comparison with the classic Gibson and Cooke technique. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2000, 89, 933-937.                    | 0.7 | 54        |
| 33901 | Faecal calprotectin levels in infants with infantile colic, healthy infants, children with inflammatory bowel disease, children with recurrent abdominal pain and healthy children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2002, 91, 45-50. | 0.7 | 68        |
| 33902 | How reliable is axillary temperature measurement?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2003, 92, 309-13.   | 0.7 | 19        |
| 33903 | Concentrations of IL-10 in preterm human milk and in milk from mothers of infants with necrotizing enterocolitis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2004, 93, 1496-500.  | 0.7 | 29        |
| 33904 | Influence of the sampling technique on the measurement of peritoneal fibrinolytic activity. <i>The European Journal of Surgery</i> , 2002, 168, 635-640.   | 1.0 | 4         |
| 33905 | Preparation of Ormetoprimâ€“Sulfadimethoxineâ€“Medicated Discs for Disc Diffusion Assay. <i>North American Journal of Aquaculture</i> , 2011, 73, 17-20.   | 0.7 | 5         |
| 33906 | Assessment of body composition in lactating mothers in a rural African community using deuterium oxide. <i>South African Journal of Clinical Nutrition</i> , 2004, 17, 10-15.  | 0.3 | 1         |
| 33907 | Using different approaches to assess the reproducibility of a culturally sensitive quantified food frequency questionnaire. <i>South African Journal of Clinical Nutrition</i> , 2011, 24, 143-148.  | 0.3 | 31        |
| 33908 | Ocular biometric repeatability using a new high-resolution swept-source optical coherence tomographer. <i>Expert Review of Medical Devices</i> , 2020, 17, 591-597.  | 1.4 | 26        |
| 33909 | Comparison of a self-administered quantitative food amount frequency questionnaire with 4-day estimated food records. <i>International Journal of Food Sciences and Nutrition</i> , 2001, 52, 151-159.   | 1.3 | 17        |
| 33910 | Thyroid volume measured by ultrasonography and CT. <i>Acta Radiologica</i> , 2002, 43, 269-74.   | 0.5 | 24        |
| 33912 | Evaluation of the Precision of Magnetic Resonance Phase Velocity Mapping for Blood Flow Measurements. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2001, 3, 11-19.  | 1.6 | 92        |
| 33913 | Quantitative Magnetic Resonance First-Pass Perfusion Analysis: Inter- and Intraobserver Agreement. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2001, 3, 247-256.   | 1.6 | 44        |
| 33914 | Normal Systolic and Diastolic Functions of the Left Ventricle and Left Atrium by Cine Magnetic Resonance Imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2003, 4, 443-457.  | 1.6 | 57        |
| 33915 | Automated Analysis of Phase-Contrast Magnetic Resonance Images in the Assessment of Endothelium-Dependent Flow-Mediated Dilatation. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2003, 5, 325-332.  | 1.6 | 7         |
| 33916 | Qualitative Assessment of Regional Left Ventricular Function Can Predict MRI or Radionuclide Ejection Fraction: An Objective Alternative to Eyeball Estimates. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2003, 5, 451-463.                               | 1.6 | 17        |
| 33917 | Optimal Acquisition Parameters for Contrast Enhanced Magnetic Resonance Imaging After Chronic Myocardial Infarction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2003, 5, 575-587.   | 1.6 | 25        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33918 | The Development of an Accurate Test Weighing Technique for Preterm and High-Risk Hospitalized Infants. <i>Breastfeeding Medicine</i> , 0, , 1-6.  | 0.8 | 1         |
| 33919 | Palliative care in primary care. , 2012, , 113-121.   |     | 1         |
| 33920 | Comparison of body composition and bone mineral measurements from two DXA instruments in young men. <i>American Journal of Clinical Nutrition</i> , 1996, 64, 669-676.  | 2.2 | 58        |
| 33921 | OUP accepted manuscript. <i>Archives of Clinical Neuropsychology</i> , 2019, 34, 81-88.   | 0.3 | 4         |
| 33922 | Precision of Measurements Performed by a Cadre of Anthropometrists Trained for a Large Household Nutrition Survey in Ethiopia. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa139.                                       | 0.1 | 4         |
| 33923 | Impact of the Analytical Approach on the Reliability of MRI-Based Assessment of Hepatic Fat Content. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa171.   | 0.1 | 2         |
| 33924 | Rapid HPLC determination of total homocysteine and other thiols in serum and plasma: sex differences and correlation with cobalamin and folate concentrations in healthy subjects. <i>Clinical Chemistry</i> , 1994, 40, 873-881. | 1.5 | 384       |
| 33925 | TBro: visualization and management of de novo transcriptomes. <i>Database: the Journal of Biological Databases and Curation</i> , 2016, 2016, baw146.   | 1.4 | 3         |
| 33926 | How accurately are height, weight and leg length reported by the elderly, and how closely are they related to measurements recorded in childhood?. <i>International Journal of Epidemiology</i> , 2000, 29, 456-464.              | 0.9 | 58        |
| 33927 | Murepavadin antimicrobial activity against and resistance development in cystic fibrosis <i>Pseudomonas aeruginosa</i> isolates. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, 984-992.                                | 1.3 | 21        |
| 33928 | Tissue sodium stores in peritoneal dialysis and hemodialysis patients determined by sodium-23 magnetic resonance imaging. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1307-1317.                                       | 0.4 | 27        |
| 33929 | Feasibility of Using Unattended Polysomnography in Children for Research—Report of the Tucson Children's Assessment of Sleep Apnea Study (TuCASA). <i>Sleep</i> , 2001, 24, 937-944.  | 0.6 | 146       |
| 33930 | Performance of seven consumer sleep-tracking devices compared with polysomnography. <i>Sleep</i> , 2021, 44, .  | 0.6 | 194       |
| 33931 | Is Kidney Length a Good Predictor of Kidney Volume?. <i>American Journal of the Medical Sciences</i> , 1997, 313, 85-89.  | 0.4 | 32        |
| 33932 | Evaluation of Home Blood Pressure Monitors in Children and Adolescents. <i>American Journal of the Medical Sciences</i> , 1998, 315, 110-117.   | 0.4 | 13        |
| 33933 | Comparison of Oral and Tympanic Temperatures in a Veterans Administration Outpatient Clinic. <i>American Journal of the Medical Sciences</i> , 1999, 317, 301.  | 0.4 | 3         |
| 33934 | A NOVEL PROTAMINE SENSOR FOR MEASUREMENT OF HEPARIN LEVELS IN BLOOD AND PLASMA. <i>Anesthesia and Analgesia</i> , 1998, 86, 26SCA.  | 1.1 | 1         |
| 33935 | A406 MEASUREMENT OF BREATH ETHANOL CONCENTRATION IN PATIENTS WITH GENERAL ANESTHESIA. <i>Anesthesiology</i> , 1997, 87, 406A.   | 1.3 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33936 | Angiographic 20-Year Follow-Up of 61 Consecutive Patients With Internal Thoracic Artery Grafts. <i>Annals of Surgery</i> , 1999, 229, 154-158.   | 2.1 | 11        |
| 33937 | ACTIVITY LEVELS AND THE RELATIONSHIP TO LUNG FUNCTION AND NUTRITIONAL STATUS IN CHILDREN WITH CYSTIC FIBROSIS1. <i>American Journal of Physical Medicine and Rehabilitation</i> , 1997, 76, 311-315. | 0.7 | 89        |
| 33938 | A Geometric Method of Measuring the Left Ventricular Ejection Fraction on Gated Tc-99m Sestamibi Myocardial Imaging. <i>Clinical Nuclear Medicine</i> , 1996, 21, 439-444.                           | 0.7 | 9         |
| 33939 | Accuracy and reproducibility of the measurement of actively circulating blood volume with an integrated fiberoptic monitoring system. <i>Critical Care Medicine</i> , 1995, 23, 885-893.             | 0.4 | 64        |
| 33940 | Standards of evidence for the safety and effectiveness of critical care monitoring devices and related interventions. <i>Critical Care Medicine</i> , 1995, 23, 1756-1763.                           | 0.4 | 24        |
| 33941 | Cerebral oxygenation monitoring by near-infrared spectroscopy is not clinically useful in patients with severe closed-head injury. <i>Critical Care Medicine</i> , 1996, 24, 1334-1338.              | 0.4 | 134       |
| 33942 | Effects of crystalloid solutions on circulating lactate concentrations. <i>Critical Care Medicine</i> , 1997, 25, 1840-1846.   | 0.4 | 37        |
| 33943 | Positron emission tomography measurements of pulmonary vascular permeability with Ga-68 transferrin or C-11 methylalbumin. <i>Critical Care Medicine</i> , 1998, 26, 518-525.                        | 0.4 | 27        |
| 33944 | A comparison between the Fick method and indirect calorimetry for determining oxygen consumption in patients with fulminant hepatic failure. <i>Critical Care Medicine</i> , 1998, 26, 1200-1207.    | 0.4 | 42        |
| 33945 | Clinical utility of pH paper versus pH meter in the measurement of critical gastric pH in stress ulcer prophylaxis. <i>Critical Care Medicine</i> , 1998, 26, 1905-1909.                             | 0.4 | 24        |
| 33946 | Noninvasive cardiac output monitoring by aortic blood flow determination. <i>Critical Care Medicine</i> , 1998, 26, 2066-2072.   | 0.4 | 134       |
| 33947 | Searching for the perfect indicator of dysoxia. <i>Critical Care Medicine</i> , 1999, 27, 469-471.   | 0.4 | 11        |
| 33948 | Accuracy of methemoglobin measurements. <i>Critical Care Medicine</i> , 1999, 27, 1191-1194.   | 0.4 | 14        |
| 33949 | Cardiac output can be reliably measured noninvasively after coronary artery bypass grafting operation. <i>Critical Care Medicine</i> , 1999, 27, 2206-2211.  | 0.4 | 29        |
| 33950 | Energy expenditure and severity of injury and illness indices in multiple trauma patients. <i>Critical Care Medicine</i> , 1999, 27, 2684-2689.  | 0.4 | 61        |
| 33951 | Comparison of Methods for Cardiac Output Measurement. <i>Critical Care Medicine</i> , 2001, 29, 1092.  | 0.4 | 4         |
| 33952 | Comparing tympanic membrane and pulmonary artery catheter temperatures. <i>Dimensions of Critical Care Nursing</i> , 2001, 20, 44-49.  | 0.4 | 4         |
| 33953 | A comparison of the use of transoesophageal Doppler and thermodilution techniques for cardiac output determination. <i>European Journal of Anaesthesiology</i> , 1996, 13, 136-142.                  | 0.7 | 21        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33954 | Temperatures measured by a deep body thermometer (Coretemp®) compared with tissue temperatures measured at various depths using needles placed into the sole of the foot. <i>European Journal of Anaesthesiology</i> , 1996, 13, 340-345.    | 0.7 | 18        |
| 33955 | Assessment of accelerography with the TOF-GUARD®, a comparison with electromyography. <i>European Journal of Anaesthesiology</i> , 1997, 14, 623-629.  | 0.7 | 6         |
| 33956 | Intra-operative evaluation of a continuous versus intermittent bolus thermodilution technique of cardiac output measurement in cardiac surgical patients. <i>European Journal of Anaesthesiology</i> , 1998, 15, 196-201.                    | 0.7 | 4         |
| 33957 | Measurements of extracellular fluid volume in highly perfused organs and lung water in hypo- and hypervolaemic dogs. <i>European Journal of Anaesthesiology</i> , 1998, 15, 414-421.   | 0.7 | 25        |
| 33958 | Calculated and measured oxygen consumption in mechanically ventilated surgical patients in the early post-operative period. <i>European Journal of Anaesthesiology</i> , 1999, 16, 53-61.  | 0.7 | 2         |
| 33959 | Accuracy of end-tidal carbon dioxide monitoring using the NBP-75® microstream capnometer. A study in intubated ventilated and spontaneously breathing nonintubated patients. <i>European Journal of Anaesthesiology</i> , 2000, 17, 622-626. | 0.7 | 27        |
| 33960 | The accuracy of the estimation of body weight and height in the intensive care unit. <i>European Journal of Anaesthesiology</i> , 2000, 17, 698-703.   | 0.7 | 49        |
| 33961 | Cardiac output assessed by arterial thermodilution during exsanguination and fluid resuscitation: experimental validation against a reference technique. <i>European Journal of Anaesthesiology</i> , 2002, 19, 337-340.                     | 0.7 | 17        |
| 33962 | Bias and Agreement for Radiogrammetric Estimates of Cortical Bone Geometry. <i>Investigative Radiology</i> , 1997, 32, 12-18.  | 3.5 | 20        |
| 33963 | Three-Dimensional Computerized Reconstruction Illustration of Incremental Articular Cartilage Thinning. <i>Investigative Radiology</i> , 1997, 32, 475-484.  | 3.5 | 4         |
| 33964 | Measurement of Myocardial Infarct Size By Electron Beam Computed Tomography. <i>Investigative Radiology</i> , 1998, 33, 313-321.   | 3.5 | 24        |
| 33965 | Automatic Detection of Left Ventricular Contours from Cardiac Cine Magnetic Resonance Imaging Using Fuzzy Logic. <i>Investigative Radiology</i> , 1999, 34, 211-217.   | 3.5 | 31        |
| 33966 | Echo Planar MRI of the Heart on a Standard System: Validation of Measurements of Left Ventricular Function and Mass. <i>Journal of Computer Assisted Tomography</i> , 1996, 20, 942-949.   | 0.5 | 81        |
| 33967 | Dynamic MRI of Invasive Breast Cancer: Assessment of Three Region-of-Interest Analysis Methods. <i>Journal of Computer Assisted Tomography</i> , 1997, 21, 431-438.  | 0.5 | 70        |
| 33968 | Comparison Between Manual and Semiautomated Analysis of Left Ventricular Volume Parameters from Short-Axis MR Images. <i>Journal of Computer Assisted Tomography</i> , 1997, 21, 756-765.  | 0.5 | 198       |
| 33969 | Measurement of Aortic and Pulmonary Flow with MRI at Rest and During Physical Exercise. <i>Journal of Computer Assisted Tomography</i> , 1998, 22, 194-201.  | 0.5 | 28        |
| 33970 | MR Gradient Echo Volumetric Analysis of Human Cardiac Casts. <i>Journal of Computer Assisted Tomography</i> , 1998, 22, 899-903.   | 0.5 | 44        |
| 33971 | Comparison of Cystourethrography and Dynamic MRI in Bladder Neck Descent. <i>Journal of Computer Assisted Tomography</i> , 2000, 24, 382-388.  | 0.5 | 28        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 33972 | Effect of Ambient Temperature and Cardiac Stability on Two Methods of Cardiac Output Measurement. <i>Journal of Cardiovascular Nursing</i> , 1999, 13, 93-101.  | 0.6 | 1         |
| 33973 | Simultaneous Determination of Fecal Fat, Nitrogen, and Water by Near-Infrared Reflectance Spectroscopy. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1997, 25, 388-393.   | 0.9 | 21        |
| 33974 | Ultrasound Measurements of Subcutaneous Adipose Tissue in Infants Are Reproducible. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1999, 28, 492-494.   | 0.9 | 3         |
| 33975 | Fat Mass in Infants and Toddlers: Comparability of Total Body Water, Total Body Potassium, Total Body Electrical Conductivity, and Dual-Energy X-ray Absorptiometry. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1999, 29, 184-189.            | 0.9 | 33        |
| 33976 | Validation of Transonic Small Animal Flowmeter for Measurement of Cardiac Output and Regional Blood Flow in the Rat. <i>Journal of Cardiovascular Pharmacology</i> , 1996, 27, 482-486.   | 0.8 | 35        |
| 33977 | Does Prostaglandin E1 Infusion Affect the Left Ventricular Filling Pattern of End-Stage Dilated Cardiomyopathy? A Combined Hemodynamic-Echo Doppler Study. <i>Journal of Cardiovascular Pharmacology</i> , 1997, 29, 188-195.                                   | 0.8 | 6         |
| 33978 | Fixed Combination of Benazepril and Low-Dose Amlodipine in the Treatment of Mild to Moderate Essential Hypertension: Evaluation by 24-Hour Noninvasive Ambulatory Blood Pressure Monitoring. <i>Journal of Cardiovascular Pharmacology</i> , 1997, 30, 176-181. | 0.8 | 8         |
| 33979 | Benazepril Causes in Hypertension a Greater Reduction in Left Ventricular Mass Than Does Nitrendipine: A Randomized Study Using Magnetic Resonance Imaging. <i>Journal of Cardiovascular Pharmacology</i> , 1998, 32, 760-768.                                  | 0.8 | 9         |
| 33980 | Systemic and Regional Hemodynamics Assessment in Rats with Fluorescent Microspheres. <i>Journal of Cardiovascular Pharmacology</i> , 1999, 33, 425-432.   | 0.8 | 35        |
| 33981 | Fluospheres for Cardiovascular Phenotyping Genetically Modified Mice. <i>Journal of Cardiovascular Pharmacology</i> , 2000, 36, 396-404.  | 0.8 | 29        |
| 33982 | Relevance of Carbohydrate-Deficient Transferrin as a Predictor of Alcoholism in Intensive Care Patients following Trauma. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 39, 742-748.  | 1.1 | 39        |
| 33983 | Hypoxemia and Arterial Hypotension at the Accident Scene in Head Injury. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 40, 764-767.   | 1.1 | 267       |
| 33984 | Therapy of Patients with Head Injuries. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 42, 10S-18S.  | 1.1 | 36        |
| 33985 | INTRA-INDIVIDUAL VARIABILITY IN NIGHTTIME URINE PRODUCTION AND FUNCTIONAL BLADDER CAPACITY ESTIMATED BY HOME RECORDINGS IN PATIENTS WITH NOCTURNAL ENURESIS. <i>Journal of Urology</i> , 2001, , 2452-2455.   | 0.2 | 2         |
| 33986 | The Use of Significant Others as Proxy Raters of the Quality of Life of Patients with Brain Cancer. <i>Medical Care</i> , 1997, 35, 490-506.  | 1.1 | 183       |
| 33987 | A New Instrument to Measure Patient Satisfaction with Mammography. <i>Medical Care</i> , 1997, 35, 731-741.   | 1.1 | 33        |
| 33988 | Determining blood and plasma volumes using bioelectrical response spectroscopy. <i>Medicine and Science in Sports and Exercise</i> , 1996, 28, 1510-1516.   | 0.2 | 10        |
| 33989 | Blood pressure measurement during exercise: a review. <i>Medicine and Science in Sports and Exercise</i> , 1997, 29, 149-159.   | 0.2 | 37        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 33990 | Reliability of variables in the kinematic analysis of sprint hurdles. <i>Medicine and Science in Sports and Exercise</i> , 1997, 29, 383-389.  | 0.2 | 22        |
| 33991 | Body composition by DEXA in older adults: accuracy and influence of scan mode. <i>Medicine and Science in Sports and Exercise</i> , 1997, 29, 560-567.   | 0.2 | 44        |
| 33992 | New electrode system for rapid whole-body and segmental bioimpedance assessment. <i>Medicine and Science in Sports and Exercise</i> , 1997, 29, 1269-1273.   | 0.2 | 22        |
| 33993 | Body composition by x-ray absorptiometry and bioelectrical impedance in female runners. <i>Medicine and Science in Sports and Exercise</i> , 1997, 29, 1527-1534.  | 0.2 | 40        |
| 33994 | Relationships between TriTrac-R3D vectors, heart rate, and self-report in obese children. <i>Medicine and Science in Sports and Exercise</i> , 1997, 29, 1535-1542.  | 0.2 | 54        |
| 33995 | Multiple variables explain the variability in the decrement in $\dot{V}O_2\text{max}$ during acute hypobaric hypoxia. <i>Medicine and Science in Sports and Exercise</i> , 1998, 30, 869-879.  | 0.2 | 35        |
| 33996 | Reproducibility of the acetylene rebreath technique for determining cardiac output. <i>Medicine and Science in Sports and Exercise</i> , 1998, 30, 952-957.  | 0.2 | 8         |
| 33997 | Postprandial lipemia: effects of intermittent versus continuous exercise. <i>Medicine and Science in Sports and Exercise</i> , 1998, 30, 1515-1520.  | 0.2 | 51        |
| 33998 | A simple, reliable method of assessing exercise capacity in patients with chronic heart failure. <i>Medicine and Science in Sports and Exercise</i> , 1999, 31, 52-56.   | 0.2 | 5         |
| 33999 | Evaluation of the BOD POD for assessing body fat in collegiate football players. <i>Medicine and Science in Sports and Exercise</i> , 1999, 31, 1350-1356.   | 0.2 | 92        |
| 34000 | Validity of a modified aerobic fitness test for adults with mental retardation. <i>Medicine and Science in Sports and Exercise</i> , 1999, 31, 1849.   | 0.2 | 12        |
| 34001 | Impact of bone mineral estimates on percent fat estimates from a four-component model. <i>Medicine and Science in Sports and Exercise</i> , 1999, 31, 1861.  | 0.2 | 19        |
| 34002 | Letters to the Editor-in-Chief. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 1794-1795.  | 0.2 | 2         |
| 34003 | RELIABILITY AND VALIDITY OF A MULTI-SENSOR ARMBAND IN ESTIMATING RESTING AND EXERCISE ENERGY EXPENDITURE. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, S285.   | 0.2 | 2         |
| 34004 | Brain Oxygen, CO <sub>2</sub> , pH, and Temperature Monitoring. <i>Neurosurgery</i> , 1995, 37, 1168-1177.   | 0.6 | 22        |
| 34005 | Development of a Reliable and Valid Bedside Test for Bilirubin and its Utility for Improving Prediction of Feeding Tube Location. <i>Nursing Research</i> , 2000, 49, 302-309.   | 0.8 | 46        |
| 34006 | Capillary Electrophoresis for Drug Analysis in Body Fluids. <i>Therapeutic Drug Monitoring</i> , 1996, 18, 506-520.  | 1.0 | 63        |
| 34007 | High-Performance Liquid Chromatography-Tandem Mass Spectrometry as a Reference for Analysis of Tacrolimus to Assess Two Immunoassays in Patients With Liver and Renal Transplants. <i>Therapeutic Drug Monitoring</i> , 1997, 19, 694-700. | 1.0 | 22        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34008 | A Comparison of High-Performance Liquid Chromatography and Fluorescence Polarization Immunoassay for Therapeutic Drug Monitoring of Tricyclic Antidepressants. <i>Therapeutic Drug Monitoring</i> , 1998, 20, 30-34.               | 1.0 | 46        |
| 34009 | Therapeutic Monitoring of Tacrolimus (FK506) With the First- and Second-Generation Microparticle Enzyme Immunoassays: Performance and Results in Four Patient Populations. <i>Therapeutic Drug Monitoring</i> , 1998, 20, 266-275. | 1.0 | 19        |
| 34010 | Multicenter Comparison of First- and Second-Generation IMx Tacrolimus Microparticle Enzyme Immunoassays in Liver and Kidney Transplantation. <i>Therapeutic Drug Monitoring</i> , 1998, 20, 676-679.                               | 1.0 | 10        |
| 34011 | Evaluation of an Immunoassay (EMIT) for Mycophenolic Acid in Plasma From Renal Transplant Recipients Compared With a High-Performance Liquid Chromatography Assay. <i>Therapeutic Drug Monitoring</i> , 1998, 20, 685-690.         | 1.0 | 80        |
| 34012 | Analytic Performance of Two Automated Nonpretreatment Digoxin Immunoassays. <i>Therapeutic Drug Monitoring</i> , 1999, 21, 123-128.  | 1.0 | 2         |
| 34013 | Limited Sampling Strategy for Mycophenolic Acid Area Under the Curve. <i>Therapeutic Drug Monitoring</i> , 2000, 22, 169-173.  | 1.0 | 112       |
| 34014 | An Improved Gas Chromatography Assay for Topiramate Monitoring in Pediatric Patients. <i>Therapeutic Drug Monitoring</i> , 2000, 22, 195-201.  | 1.0 | 37        |
| 34015 | Comparison of Topiramate Concentrations in Plasma and Serum by Fluorescence Polarization Immunoassay. <i>Therapeutic Drug Monitoring</i> , 2000, 22, 460-464.  | 1.0 | 40        |
| 34016 | Evaluation of the AxSYM Monoclonal Cyclosporin Assay and Comparison With Radioimmunoassay. <i>Therapeutic Drug Monitoring</i> , 2000, 22, 474-480.   | 1.0 | 8         |
| 34017 | Single-Point Calibration for Sirolimus Quantification. <i>Therapeutic Drug Monitoring</i> , 2001, 23, 726-727.   | 1.0 | 7         |
| 34018 | ACCURACY AND SIGNIFICANCE OF COMPUTED TOMOGRAPHIC SCAN ASSESSMENT OF HEPATIC VOLUME IN PATIENTS UNDERGOING LIVER TRANSPLANTATION. <i>Transplantation</i> , 2000, 69, 545-550.  | 0.5 | 109       |
| 34019 | Diameter of the infrarenal aorta and the iliac arteries in children. <i>Transplantation</i> , 2002, 73, 631-635.   | 0.5 | 27        |
| 34020 | Predicting Peak Oxygen Uptake Among Older Patients With Chronic Illness. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 1999, 19, 81-89.  | 0.5 | 6         |
| 34021 | Longitudinal Changes in Body Composition Measured with a Variety of Methods in Patients with AIDS. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 1997, 14, 119-127.   | 0.3 | 86        |
| 34022 | Relative validity and reproducibility of a 14-item semi-quantitative food frequency questionnaire for cardiovascular prevention. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005, 12, 587-595.      | 3.1 | 37        |
| 34023 | Echocardiographic Doppler Estimation of Pulmonary Artery Pressure in Critically Ill Patients with Severe Hypoxemia. <i>Anesthesiology</i> , 2008, 108, 55-62.  | 1.3 | 16        |
| 34024 | Comparison of a single indicator and gravimetric technique for estimation of extravascular lung water in endotoxemic pigs. <i>Critical Care Medicine</i> , 2006, 34, 1437-1443.  | 0.4 | 68        |
| 34025 | The Concept of Pain Inventory (COPI). <i>Clinical Journal of Pain</i> , 2020, 36, 940-949.   | 0.8 | 19        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34026 | Technological Assessment and Objective Evaluation of Minimally Invasive and Noninvasive Cardiac Output Monitoring Systems. <i>Anesthesiology</i> , 2020, 133, 921-928.  | 1.3 | 29        |
| 34027 | Poor Agreement between Respiratory Variations in Pulse Oximetry Photoplethysmographic Waveform Amplitude and Pulse Pressure in Intensive Care Unit Patients. <i>Anesthesiology</i> , 2008, 109, 849-855.  | 1.3 | 90        |
| 34028 | Is the Performance of Acceleromyography Improved with Preload and Normalization?. <i>Anesthesiology</i> , 2009, 110, 1261-1270.   | 1.3 | 89        |
| 34029 | Accuracy of Postoperative End-tidal Pco2Measurements with Mainstream and Sidestream Capnography in Non-obese Patients and in Obese Patients with and without Obstructive Sleep Apnea. <i>Anesthesiology</i> , 2009, 111, 609-615.                                     | 1.3 | 65        |
| 34030 | Minimally Invasive Measurement of Cardiac Output during Surgery and Critical Care. <i>Anesthesiology</i> , 2010, 113, 1220-1235.  | 1.3 | 379       |
| 34031 | Continuous Measurement of Glucose. <i>Anesthesiology</i> , 2012, 116, 199-204.  | 1.3 | 29        |
| 34032 | Considerations for Evaluating the Accuracy of Hemoglobin Monitoring. <i>Anesthesiology</i> , 2012, 117, 429-430.  | 1.3 | 2         |
| 34033 | Agreement of Bioreactance Cardiac Output Monitoring With Thermodilution During Hemorrhagic Shock and Resuscitation in Adult Swine. <i>Critical Care Medicine</i> , 2017, 45, e195-e201.   | 0.4 | 8         |
| 34034 | Comparison of the ARK Immunoassay With High-Performance Liquid Chromatography With Ultraviolet Detection for Therapeutic Drug Monitoring of Linezolid. <i>Therapeutic Drug Monitoring</i> , 2018, 40, 140-143.  | 1.0 | 9         |
| 34035 | Determination of Area Under the Whole Blood Concentration versus Time Curve after First Intravenous Cyclosporine Dose in Children Undergoing Hematopoietic Stem Cell Transplant: Limited Sampling Strategies. <i>Therapeutic Drug Monitoring</i> , 2008, 30, 434-438. | 1.0 | 12        |
| 34036 | Clinical Repercussions of Analytical Interferences Due to Aldosterone Antagonists in Digoxin Immunoassays: An Assessment. <i>Therapeutic Drug Monitoring</i> , 2010, 32, 169-176.   | 1.0 | 5         |
| 34037 | Noncontact Evaluation of Corneal Grafts: Swept-Source Fourier Domain OCT Versus High-Resolution Scheimpflug Imaging. <i>Cornea</i> , 2017, 36, 434-439.   | 0.9 | 24        |
| 34038 | Repeatability of Meibomian Gland Contrast, a Potential Indicator of Meibomian Gland Function. <i>Cornea</i> , 2019, 38, 256-261.  | 0.9 | 15        |
| 34039 | Comparison of Central Corneal Thickness Measurements Using Ultrasonic Pachymetry, Anterior Segment OCT and Noncontact Specular Microscopy. <i>Journal of Glaucoma</i> , 2017, 26, 860-865.  | 0.8 | 24        |
| 34040 | Comparison of 24-2 Faster, Fast, and Standard Programs of Swedish Interactive Threshold Algorithm of Humphrey Field Analyzer for Perimetry in Patients With Manifest and Suspect Glaucoma. <i>Journal of Glaucoma</i> , 2020, 29, 1070-1076.                          | 0.8 | 9         |
| 34041 | Variability in the Calibration Error of the Goldmann Applanation Tonometer. <i>Journal of Glaucoma</i> , 2011, 20, 492-496.   | 0.8 | 12        |
| 34042 | Repeatability and comparability of keratometry measurements obtained with swept-source optical coherence and combined dual Scheimpflugâ€“Placido diskâ€“based tomography. <i>Journal of Cataract and Refractive Surgery</i> , 2020, 46, 1637-1643.                    | 0.7 | 9         |
| 34043 | Stiffness of the Arizona Ankle-Foot Orthosis Before and After Modification for Gait Analysis. <i>Journal of Prosthetics and Orthotics</i> , 2009, 21, 204-207.  | 0.2 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34044 | I-123 MIBG cardiac uptake measurements: limitations of collimator choice and scatter correction in the clinical context. <i>Nuclear Medicine Communications</i> , 2010, 31, 629-636.   | 0.5 | 13        |
| 34045 | High-throughput small animal PET imaging in cancer research: evaluation of the capability of the Inveon scanner to image four mice simultaneously. <i>Nuclear Medicine Communications</i> , 2010, 31, 851-858.                       | 0.5 | 16        |
| 34046 | The Ohio Contrast Cards: Visual Performance in a Pediatric Low-vision Site. <i>Optometry and Vision Science</i> , 2017, 94, 946-956.   | 0.6 | 9         |
| 34047 | Comparison of Pneumatometry and Transpalpebral Tonometry Measurements of Intraocular Pressure during Scleral Lens Wear. <i>Optometry and Vision Science</i> , 2020, 97, 711-719.   | 0.6 | 14        |
| 34048 | Central Venous Pressure Estimation by Ultrasound Measurement of Inferior Vena Cava and Aorta Diameters in Pediatric Critical Patients: An Observational Study. <i>Pediatric Critical Care Medicine</i> , 2021, 22, e1-e9.            | 0.2 | 4         |
| 34049 | Multiparametric Magnetic Resonance Imaging of the Prostate. <i>Investigative Radiology</i> , 2017, 52, 538-546.  | 3.5 | 56        |
| 34050 | Fully Automated Segmentation and Shape Analysis of the Thoracic Aorta in Non-contrast-enhanced Magnetic Resonance Images of the German National Cohort Study. <i>Journal of Thoracic Imaging</i> , 2020, 35, 389-398.                | 0.8 | 12        |
| 34051 | Secondary Coronal Synostosis After Early Surgery for Sagittal Craniosynostosis: Implications for Cranial Growth. <i>Journal of Craniofacial Surgery</i> , 2021, 32, 113-117.   | 0.3 | 3         |
| 34052 | Evaluation of an automated quantitative latex immunoturbidimetric non-treponemal assay for diagnosis and follow-up of syphilis: a prospective cohort study. <i>Journal of Medical Microbiology</i> , 2017, 66, 1130-1139.            | 0.7 | 10        |
| 34053 | Dual-label flow cytometry-based host cell adhesion assay to ascertain the prospect of probiotic <i>Lactobacillus plantarum</i> in niche-specific antibacterial therapy. <i>Microbiology (United Kingdom)</i> , 2017, 163, 1822-1834. | 0.7 | 6         |
| 34079 | Smart T-Shirt Based on Wireless Communication Spiral Fiber Sensor Array for Real-Time Breath Monitoring: Validation of the Technology. <i>IEEE Sensors Journal</i> , 2020, 20, 10841-10850.  | 2.4 | 28        |
| 34080 | Framework to Co-register Longitudinal Virtual Histology-Intravascular Ultrasound Data in the Circumferential Direction. <i>IEEE Transactions on Medical Imaging</i> , 2013, 32, 1989-1996.   | 5.4 | 20        |
| 34081 | Carotid Doppler flowmetry correlates poorly with thermodilution cardiac output following cardiac surgery. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 31-38.  | 0.7 | 13        |
| 34082 | Accuracy of estimation of polyp size at colonoscopy. <i>ANZ Journal of Surgery</i> , 2020, 90, 1125-1129.  | 0.3 | 3         |
| 34083 | Sorafenib inhibits liver regeneration in rats. <i>Hpb</i> , 2013, 15, 944-950.   | 0.1 | 7         |
| 34084 | Quantification of regional matrix nail production. <i>British Journal of Dermatology</i> , 1996, 134, 1083-1086.   | 1.4 | 8         |
| 34085 | Application of machine vision to assess involved surface in patients with psoriasis. <i>British Journal of Dermatology</i> , 1997, 137, 395-400.   | 1.4 | 16        |
| 34086 | Dermatology quality of life scales – a measure of the impact of skin diseases. <i>British Journal of Dermatology</i> , 1997, 136, 202-206.   | 1.4 | 97        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34087 | Flow cytometric analysis of basophil numbers in chronic urticaria: basopenia is related to serum histamine releasing activity. <i>Clinical and Experimental Allergy</i> , 1997, 27, 1417-1424.          | 1.4 | 69        |
| 34088 | Adverse Mental Health Effects of Cannabis Use in Two Indigenous Communities in Arnhem Land, Northern Territory, Australia: Exploratory Study. , 0, .  |     | 5         |
| 34089 | Eye drop container delivery: a source of response variation?. <i>Ophthalmic and Physiological Optics</i> , 1997, 17, 196-204.   | 1.0 | 11        |
| 34090 | Effect of prolonged dissociation on the subjective measurement of near heterophoria. <i>Ophthalmic and Physiological Optics</i> , 1997, 17, 478-482.  | 1.0 | 15        |
| 34091 | A pilot study on the measurement of central posterior corneal radius in Hong Kong Chinese using Purkinje image technique. <i>Ophthalmic and Physiological Optics</i> , 1997, 17, 68-74.                 | 1.0 | 16        |
| 34092 | How well do clinic-based blood pressure measurements agree with the mercury standard?. <i>Journal of General Internal Medicine</i> , 2005, 20, 647-9.   | 1.3 | 24        |
| 34093 | Determination of Left Ventricular Function by Emergency Physician Echocardiography of Hypotensive Patients. <i>Academic Emergency Medicine</i> , 2002, 9, 186-193.                                      | 0.8 | 228       |
| 34094 | Arterial Blood Gas Results Rarely Influence Emergency Physician Management of Patients with Suspected Diabetic Ketoacidosis. <i>Academic Emergency Medicine</i> , 2003, 10, 836-841.                    | 0.8 | 54        |
| 34099 | Comparison of 2 assays for measuring serum total thyroxine concentration in dogs and cats. <i>Journal of Veterinary Internal Medicine</i> , 2020, 34, 607-615.  | 0.6 | 11        |
| 34100 | Measurement Accuracy of Non-invasively Obtained Central Blood Pressure: A Systematic Review and Meta-analysis. <i>JBI Library of Systematic Reviews</i> , 2011, 9, 2166-2214.                           | 0.1 | 1         |
| 34101 | Validity and reliability of the SPORTS score for shoulder instability. <i>Joints</i> , 2014, 02, 59-65.   | 1.5 | 20        |
| 34102 | Maximal lactate steady state in Judo. <i>Muscles, Ligaments and Tendons Journal</i> , 0, , .  | 0.1 | 2         |
| 34103 | Reliability of a device for the knee and ankle isometric and isokinetic strength testing in older adults. <i>Muscles, Ligaments and Tendons Journal</i> , 2017, 7, 323.                                 | 0.1 | 12        |
| 34104 | A Novel, Contactless, Portable "Spot-Check" Device Accurately Measures Respiratory Rate. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2020, 14, .                                      | 0.4 | 2         |
| 34105 | Insights into the use of thermography to assess burn wound healing potential: a reliable and valid technique when compared to laser Doppler imaging. <i>Journal of Biomedical Optics</i> , 2016, 21, 1. | 1.4 | 43        |
| 34106 | Automated detection of the choroid boundary within OCT image data using quadratic measure filters. <i>Journal of Biomedical Optics</i> , 2017, 22, 025004.  | 1.4 | 3         |
| 34107 | Test-retest reliability of brain mitochondrial cytochrome-c-oxidase assessed by functional near-infrared spectroscopy. <i>Journal of Biomedical Optics</i> , 2018, 23, 1.                               | 1.4 | 10        |
| 34108 | Near-infrared spectroscopy-derived muscle oxygen saturation on a 0% to 100% scale: reliability and validity of the Moxy Monitor. <i>Journal of Biomedical Optics</i> , 2019, 24, 1.                     | 1.4 | 59        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34109 | OpenSFD: an open-source guide for constructing a spatial frequency domain imaging system. <i>Journal of Biomedical Optics</i> , 2020, 25, 1.  | 1.4 | 31        |
| 34110 | Three-dimensional segmentation of breast masses from digital breast tomosynthesis images. <i>Journal of Medical Imaging</i> , 2017, 4, 1.   | 0.8 | 6         |
| 34111 | Deep convolutional neural networks for the automated segmentation of malignant pleural mesothelioma on computed tomography scans. <i>Journal of Medical Imaging</i> , 2018, 5, 1.   | 0.8 | 12        |
| 34112 | Deep learning-based segmentation of malignant pleural mesothelioma tumor on computed tomography scans: application to scans demonstrating pleural effusion. <i>Journal of Medical Imaging</i> , 2020, 7, 1.                     | 0.8 | 8         |
| 34113 | The ability of hyperspectral imaging to detect perfusion disorders. <i>Proceedings of SPIE</i> , 2017, , .  | 0.8 | 2         |
| 34114 | Tapering analysis of airways with bronchiectasis. , 2018, , .   |     | 4         |
| 34115 | Semi-automatic aortic valve tract segmentation in 3D cardiac magnetic resonance images using shape-based B-spline explicit active surfaces. , 2019, , .   |     | 1         |
| 34116 | Determination of Submaximal and Maximal Training Zones From a 3-Stage, Variable-Duration, Perceptually Regulated Track Test. <i>International Journal of Sports Physiology and Performance</i> , 2020, 15, 853-861.             | 1.1 | 7         |
| 34117 | A Simple Equation to Estimate Half-Marathon Race Time From the Cooper Test. <i>International Journal of Sports Physiology and Performance</i> , 2020, 15, 690-695.  | 1.1 | 3         |
| 34118 | Accuracy of Physical Activity Monitors for Steps and Calorie Measurement During Pregnancy Walking. <i>Journal for the Measurement of Physical Behaviour</i> , 2019, 2, 143-156.   | 0.5 | 5         |
| 34119 | Providing a Basis for Harmonization of Accelerometer-Assessed Physical Activity Outcomes Across Epidemiological Datasets. <i>Journal for the Measurement of Physical Behaviour</i> , 2019, 2, 131-142.                          | 0.5 | 27        |
| 34120 | Longitudinal Change in Adolescent Bedtimes Measured by Self-Report and Actigraphy. <i>Journal for the Measurement of Physical Behaviour</i> , 2019, 2, 282-287.   | 0.5 | 3         |
| 34121 | Review of Validity and Reliability of Garmin Activity Trackers. <i>Journal for the Measurement of Physical Behaviour</i> , 2020, 3, 170-185.  | 0.5 | 47        |
| 34122 | High-Tech Video Capture and Analysis for Counting Park Users. <i>Journal for the Measurement of Physical Behaviour</i> , 2020, 3, 147-156.  | 0.5 | 4         |
| 34123 | Performance Differences Between the Modified Star Excursion Balance Test and the Y-Balance Test in Individuals With Chronic Ankle Instability. <i>Journal of Sport Rehabilitation</i> , 2020, 29, 748-753.                      | 0.4 | 9         |
| 34124 | SLIPS-LAB" A bioinspired bioanalysis system for metabolic evaluation of urinary stone disease. <i>Science Advances</i> , 2020, 6, eaba8535.   | 4.7 | 26        |
| 34126 | A Rapid, Specific Membrane Filtration Procedure for Enumeration of Enterococci in Recreational Water. <i>Applied and Environmental Microbiology</i> , 1998, 64, 678-680.  | 1.4 | 55        |
| 34127 | Interlaboratory variability of CD8 subset measurements by flow cytometry and its applications to multicenter clinical trials. NAID/NICHD Women and Infants Transmission Study Group. <i>Vaccine Journal</i> , 1995, 2, 462-468. | 2.6 | 18        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34128 | Inter- and intrainstitutional evaluation of automated volumetric capillary cytometry for the quantitation of CD4- and CD8-positive T lymphocytes in the peripheral blood of persons infected with human immunodeficiency virus. Site Investigators and the NIAID New CD4 Technologies Focus Group. <i>Vaccine Journal</i> , 1997, 4, 173-179. | 2.6 | 28        |
| 34129 | Variable quantitation of <i>Haemophilus influenzae</i> type b anticapsular antibody by radioantigen binding assay. <i>Journal of Clinical Microbiology</i> , 1988, 26, 72-78.   | 1.8 | 49        |
| 34130 | Comparison of a chemiluminometric immunoassay with culture for diagnosis of chlamydial infections in infants. <i>Journal of Clinical Microbiology</i> , 1992, 30, 1867-1869.  | 1.8 | 5         |
| 34131 | Comparison of two quantitative hepatitis C virus reverse transcriptase PCR assays. <i>Journal of Clinical Microbiology</i> , 1996, 34, 261-264.   | 1.8 | 77        |
| 34132 | Clinical Comparison of an Enhanced-Sensitivity Branched-DNA Assay and Reverse Transcription-PCR for Quantitation of Human Immunodeficiency Virus Type 1 RNA in Plasma. <i>Journal of Clinical Microbiology</i> , 1998, 36, 716-720.   | 1.8 | 88        |
| 34133 | Comparison of Three Methods for Testing Azole Susceptibilities of <i>Candida albicans</i> Strains Isolated Sequentially from Oral Cavities of AIDS Patients. <i>Journal of Clinical Microbiology</i> , 1998, 36, 1578-1583.   | 1.8 | 17        |
| 34134 | Comparison of the Quantiplex Version 3.0 Assay and a Sensitized Amplicor Monitor Assay for Measurement of Human Immunodeficiency Virus Type 1 RNA Levels in Plasma Samples. <i>Journal of Clinical Microbiology</i> , 1999, 37, 3612-3614.  | 1.8 | 37        |
| 34135 | Comparative Evaluation of Two Branched-DNA Human Immunodeficiency Virus Type 1 RNA Quantification Assays with Lower Detection Limits of 50 and 500 Copies per Milliliter. <i>Journal of Clinical Microbiology</i> , 2000, 38, 914-917.  | 1.8 | 9         |
| 34136 | Verification of the accuracy of measuring the muscle cross-sectional area and muscle intensity of the rectus femoris using ultrasonography. , 2018, 9, 66-72.   |     | 6         |
| 34137 | Usefulness of the HAQ in the clinic. <i>Annals of the Rheumatic Diseases</i> , 2001, 60, 811-811.   | 0.5 | 16        |
| 34138 | Clinical results of implantation of the Chirila keratoprosthesis in rabbits. <i>British Journal of Ophthalmology</i> , 1998, 82, 18-25.   | 2.1 | 34        |
| 34139 | Recommendations for determining the validity of consumer wearable and smartphone step count: expert statement and checklist of the INTERLIVE network. <i>British Journal of Sports Medicine</i> , 2021, 55, 780-793.  | 3.1 | 47        |
| 34140 | Risk stratification for open heart surgery.. <i>BMJ: British Medical Journal</i> , 1992, 305, 1500-1500.  | 2.4 | 13        |
| 34141 | Predictions of hypoxaemia at high altitude in children with cystic fibrosis. <i>BMJ: British Medical Journal</i> , 1994, 308, 15-15.  | 2.4 | 63        |
| 34142 | Reliability of ultrasonography in identification of reflux nephropathy in children. <i>BMJ: British Medical Journal</i> , 1994, 309, 235-239.   | 2.4 | 57        |
| 34143 | Sartorial eloquence: does it exist in the paediatrician-patient relationship?. <i>BMJ: British Medical Journal</i> , 1994, 309, 1710-1712.  | 2.4 | 47        |
| 34144 | Randomised controlled trial for evaluation of fitness programme for patients with chronic low back pain. <i>BMJ: British Medical Journal</i> , 1995, 310, 151-154.  | 2.4 | 250       |
| 34145 | Self screening for risk of melanoma: validity of self mole counting by patients in a single general practice. <i>BMJ: British Medical Journal</i> , 1995, 310, 912-916.   | 2.4 | 39        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34146 | Allocating census data to general practice populations. BMJ: British Medical Journal, 1995, 311, 875-876.  | 2.4 | 3         |
| 34147 | Capillary testing in an anticoagulant clinic: comparison of two methods. BMJ: British Medical Journal, 1996, 313, 982-982.   | 2.4 | 3         |
| 34148 | Bias in meta-analysis detected by a simple, graphical test. BMJ: British Medical Journal, 1997, 315, 629-634.  | 2.4 | 41,333    |
| 34149 | Evaluation of computer support for prescribing (CAPSULE) using simulated cases. BMJ: British Medical Journal, 1997, 315, 791-795.  | 2.4 | 78        |
| 34150 | Comparison of two assays for measuring plasma concentrations of paracetamol. BMJ: British Medical Journal, 1997, 315, 991-992.   | 2.4 | 8         |
| 34151 | Diagnostic accuracy and clinical utility of a simplified low cost method of counting CD4 cells with flow cytometry in Malawi: diagnostic accuracy study. BMJ: British Medical Journal, 2007, 335, 190-190. | 2.4 | 20        |
| 34152 | Working accuracy of pulse oximetry in COVID-19 patients stepping down from intensive care: a clinical evaluation. BMJ Open Respiratory Research, 2020, 7, e000778.   | 1.2 | 24        |
| 34153 | Game on: a cycling exergame can elicit moderate-to-vigorous intensity. A pilot study. BMJ Open Sport and Exercise Medicine, 2020, 6, e000744.  | 1.4 | 7         |
| 34154 | THE MICROSPHERE METHOD FOR INVESTIGATING BONE BLOOD FLOW. , 2016, , 53-84.   |     | 3         |
| 34155 | Transformation in Healthcare by Wearable Devices for Diagnostics and Guidance of Treatment. ACM Transactions on Computing for Healthcare, 2020, 1, 1-12.   | 3.3 | 22        |
| 34156 | Creatine ( <i>methyl</i> - <sup>3</sup> ) dilution in urine for estimation of total body skeletal muscle mass: accuracy and variability vs. MRI and DXA. Journal of Applied Physiology, 2018, 124, 1-9.    | 1.2 | 48        |
| 34158 | Evidence for Nonesterified Fatty Acids as Modulators of Neutral Lipid Transfers in Normolipidemic Human Plasma. Arteriosclerosis, Thrombosis, and Vascular Biology, 1995, 15, 1388-1396.                   | 1.1 | 49        |
| 34159 | Influence of Hypercholesterolemia and Adventitial Inflammation on the Development of Aortic Aneurysm in Rabbits. Arteriosclerosis, Thrombosis, and Vascular Biology, 1997, 17, 10-17.                      | 1.1 | 72        |
| 34160 | Intramyocardial Transplantation of Autologous Myoblasts : Can Tissue Processing Be Optimized?. Circulation, 2000, 102, III-210-III-215.  | 1.6 | 84        |
| 34161 | Measurement of Absolute Epicardial Coronary Artery Flow and Flow Reserve With Breath-Hold Cine Phase-Contrast Magnetic Resonance Imaging. Circulation, 1995, 91, 2627-2634.                                | 1.6 | 84        |
| 34162 | Prolonged Kinetics of Recovery of Oxygen Consumption After Maximal Graded Exercise in Patients With Chronic Heart Failure. Circulation, 1995, 91, 2924-2932.   | 1.6 | 171       |
| 34163 | Assessment of Left-to-Right Intracardiac Shunting by Velocity-Encoded, Phase-Difference Magnetic Resonance Imaging. Circulation, 1995, 91, 2955-2960.  | 1.6 | 164       |
| 34164 | Changes in Effective Regurgitant Orifice Throughout Systole in Patients With Mitral Valve Prolapse. Circulation, 1995, 92, 2951-2958.  | 1.6 | 88        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34165 | Adenosine-Induced Coronary Vasodilatation During Transesophageal Doppler Echocardiography. <i>Circulation</i> , 1995, 92, 190-196.  | 1.6 | 95        |
| 34166 | Incremental Doses of Dobutamine Induce a Biphasic Response in Dysfunctional Left Ventricular Regions Subtending Coronary Stenoses. <i>Circulation</i> , 1995, 92, 756-766.  | 1.6 | 128       |
| 34167 | Magnetic Resonance Imaging Assessment of the Severity of Mitral Regurgitation. <i>Circulation</i> , 1995, 92, 1151-1158.  | 1.6 | 193       |
| 34168 | Quantification of Mitral Regurgitation by the Proximal Convergence Method Using Transesophageal Echocardiography. <i>Circulation</i> , 1995, 92, 2169-2177.   | 1.6 | 102       |
| 34169 | Pressure-Diameter Relation of the Human Aorta. <i>Circulation</i> , 1995, 92, 2210-2219.  | 1.6 | 140       |
| 34170 | Assessment of Coronary Arterial Flow and Flow Reserve in Humans With Magnetic Resonance Imaging. <i>Circulation</i> , 1996, 93, 1502-1508.  | 1.6 | 140       |
| 34171 | Remodeling Rather Than Neointimal Formation Explains Luminal Narrowing After Deep Vessel Wall Injury. <i>Circulation</i> , 1996, 93, 1716-1724.   | 1.6 | 166       |
| 34172 | Turbulent/Viscous Interactions Control Doppler/Catheter Pressure Discrepancies in Aortic Stenosis. <i>Circulation</i> , 1996, 94, 2975-2981.  | 1.6 | 39        |
| 34173 | Comparison of Myocardial Perfusion Reserve Before and After Coronary Balloon Predilatation and After Stent Implantation in Patients With Postangioplasty Restenosis. <i>Circulation</i> , 1996, 94, 286-297.  | 1.6 | 46        |
| 34174 | Transthoracic Echocardiography in Models of Cardiac Disease in the Mouse. <i>Circulation</i> , 1996, 94, 1109-1117.   | 1.6 | 299       |
| 34175 | Fetal Atrioventricular Flow-Velocity Waveforms and Their Relation to Arterial and Venous Flow-Velocity Waveforms at 8 to 20 Weeks of Gestation. <i>Circulation</i> , 1996, 94, 1372-1378.   | 1.6 | 54        |
| 34176 | Noninvasive Assessment of the Ventricular Relaxation Time Constant ( $\tau_v$ ) in Humans by Doppler Echocardiography. <i>Circulation</i> , 1997, 95, 151-155.  | 1.6 | 76        |
| 34177 | Assessment of Mitral Regurgitation Severity by Doppler Color Flow Mapping of the Vena Contracta. <i>Circulation</i> , 1997, 95, 636-642.  | 1.6 | 250       |
| 34178 | Automated Cardiac Output Measurement by Spatiotemporal Integration of Color Doppler Data. <i>Circulation</i> , 1997, 95, 932-939.   | 1.6 | 68        |
| 34179 | Determination of Human Coronary Artery Composition by Raman Spectroscopy. <i>Circulation</i> , 1997, 96, 99-105.  | 1.6 | 130       |
| 34180 | Direct Measurement of Three-dimensionally Reconstructed Flow Convergence Surface Area and Regurgitant Flow in Aortic Regurgitation. <i>Circulation</i> , 1997, 96, 3687-3695.   | 1.6 | 36        |
| 34181 | Tomographic Three-dimensional Echocardiographic Determination of Chamber Size and Systolic Function in Patients With Left Ventricular Aneurysm. <i>Circulation</i> , 1997, 96, 4286-4297.   | 1.6 | 157       |
| 34182 | Comparison of Coronary Luminal Quantification Obtained From Intracoronary Ultrasound and Both Geometric and Videodensitometric Quantitative Angiography Before and After Balloon Angioplasty and Directional Atherectomy. <i>Circulation</i> , 1997, 96, 491-499. | 1.6 | 47        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34183 | Association of Angiotensin-Converting Enzyme Gene Polymorphism With Change in Left Ventricular Mass in Response to Physical Training. <i>Circulation</i> , 1997, 96, 741-747.   | 1.6 | 296       |
| 34184 | Value of QT Dispersion in the Interpretation of Exercise Stress Test in Women. <i>Circulation</i> , 1997, 96, 904-910.  | 1.6 | 65        |
| 34185 | Quantifying Aortic Regurgitation by Using the Color Doppler-Imaged Vena Contracta. <i>Circulation</i> , 1997, 96, 2009-2015.  | 1.6 | 32        |
| 34186 | Multislice MRI in Assessment of Myocardial Perfusion in Patients With Single-Vessel Proximal Left Anterior Descending Coronary Artery Disease Before and After Revascularization. <i>Circulation</i> , 1997, 96, 2859-2867. | 1.6 | 133       |
| 34187 | ECG-Gated Three-dimensional Intravascular Ultrasound. <i>Circulation</i> , 1997, 96, 2944-2952.   | 1.6 | 160       |
| 34188 | Spontaneous Cardiac Baroreflex in Humans. <i>Hypertension</i> , 1995, 25, 1058-1068.  | 1.3 | 333       |
| 34189 | Physiological Influences on Continuous Finger and Simultaneous Intra-arterial Blood Pressure. <i>Hypertension</i> , 1995, 26, 307-314.  | 1.3 | 27        |
| 34190 | Assessment of Arterial Distensibility by Automatic Pulse Wave Velocity Measurement. <i>Hypertension</i> , 1995, 26, 485-490.  | 1.3 | 1,099     |
| 34191 | Noninvasive Pulse Wave Analysis for the Early Detection of Vascular Disease. <i>Hypertension</i> , 1995, 26, 503-508.   | 1.3 | 405       |
| 34192 | Influence of Sex on Arterial Hemodynamics and Blood Pressure. <i>Hypertension</i> , 1995, 26, 514-519.  | 1.3 | 199       |
| 34193 | Target Organ Status and Serum Lipids in Patients With White Coat Hypertension. <i>Hypertension</i> , 1995, 26, 801-807.   | 1.3 | 101       |
| 34194 | A Consensus View on the Technique of Ambulatory Blood Pressure Monitoring. <i>Hypertension</i> , 1995, 26, 912-918.   | 1.3 | 86        |
| 34195 | The Trough-to-Peak Ratio as an Instrument to Evaluate Antihypertensive Drugs. <i>Hypertension</i> , 1995, 26, 942-949.  | 1.3 | 22        |
| 34196 | Ambulatory Monitoring Uncorrected for Placebo Overestimates Long-term Antihypertensive Action. <i>Hypertension</i> , 1996, 27, 414-420.   | 1.3 | 22        |
| 34197 | Contributions of Vascular Tone and Structure to Elastic Properties of a Medium-Sized Artery. <i>Hypertension</i> , 1996, 27, 816-822.   | 1.3 | 33        |
| 34198 | Mechanisms of Coronary Flow Reserve Impairment in Human Hypertension. <i>Hypertension</i> , 1997, 29, 551-559.  | 1.3 | 109       |
| 34199 | Local Continuity of Myocardial Blood Flow Studied by Monochromatic Synchrotron Radiation-Excited X-ray Fluorescence Spectrometry. <i>Circulation Research</i> , 1995, 76, 1088-1100.  | 2.0 | 29        |
| 34200 | In Vivo Echocardiographic Detection of Enhanced Left Ventricular Function in Gene-Targeted Mice With Phospholamban Deficiency. <i>Circulation Research</i> , 1995, 77, 632-637.   | 2.0 | 197       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34201 | Direct Effects of Smooth Muscle Relaxation and Contraction on In Vivo Human Brachial Artery Elastic Properties. <i>Circulation Research</i> , 1995, 77, 1008-1016.  | 2.0 | 136       |
| 34202 | Relationships Between Cerebral Regional Blood Flow Velocities and Volumetric Blood Flows and Their Respective Reactivities to Acetazolamide. <i>Stroke</i> , 1996, 27, 1835-1839.   | 1.0 | 29        |
| 34203 | Variability in Measurement of Extracranial Internal Carotid Artery Stenosis as Displayed by Both Digital Subtraction and Magnetic Resonance Angiography. <i>Stroke</i> , 1996, 27, 467-473.   | 1.0 | 41        |
| 34204 | Are Proxy Assessments of Health Status After Stroke With the EuroQol Questionnaire Feasible, Accurate, and Unbiased?. <i>Stroke</i> , 1997, 28, 1883-1887.  | 1.0 | 132       |
| 34205 | Reproducibility of Ultrasonographically Determined Intima-Media Thickness Is Dependent on Arterial Wall Thickness. <i>Stroke</i> , 1997, 28, 1972-1980.   | 1.0 | 96        |
| 34206 | A Stroke-Adapted 30-Item Version of the Sickness Impact Profile to Assess Quality of Life (SA-SIP30). <i>Stroke</i> , 1997, 28, 2155-2161.  | 1.0 | 106       |
| 34207 | Reproducibility of Ultrasound Assessment of Carotid Plaque Occurrence, Thickness, and Morphology. <i>Stroke</i> , 1997, 28, 2201-2207.  | 1.0 | 132       |
| 34208 | Interobserver Agreement for 10% Categories of Angiographic Carotid Stenosis. <i>Stroke</i> , 1997, 28, 2483-2485.   | 1.0 | 10        |
| 34209 | Reproducibility of In Vivo Carotid Intima-Media Thickness Measurements. <i>Stroke</i> , 1997, 28, 665-671.  | 1.0 | 290       |
| 34210 | Intramyocardial Transplantation of Autologous Myoblasts. <i>Circulation</i> , 2000, 102, .  | 1.6 | 5         |
| 34211 | Functional Lecithin: Cholesterol Acyltransferase Is Not Required for Efficient Atheroprotection in Humans. <i>Circulation</i> , 2009, 120, 628-635.   | 1.6 | 63        |
| 34212 | Techniques for Studying Arterial Elastic Properties. <i>Hypertension</i> , 2002, 39, .  | 1.3 | 1         |
| 34213 | S-Nitrosoalbumin and Other S-Nitrosothiols in the Blood: Is Their Quantity of No Relevance?. <i>Circulation Research</i> , 2004, 94, .  | 2.0 | 11        |
| 34214 | Reproducibility, accuracy and concordance of AccutrendÂ® Plus for measuring circulating lipid concentration in adults. <i>Biochemia Medica</i> , 2012, 22, 100-108.   | 1.2 | 24        |
| 34215 | Evaluation of the Steelex M600H coagulometer prothrombin time-international normalized ratio assay with Steelex test reagents. <i>Biochemia Medica</i> , 2012, 22, 121-126.   | 1.2 | 1         |
| 34216 | Target Search and Identification Performance in Low Vision Patients. , 2011, 52, 7603.  |     | 18        |
| 34217 | Mechanisms of filtration failure during postischemic injury of the human kidney. A study of the reperfused renal allograft.. <i>Journal of Clinical Investigation</i> , 1995, 95, 820-831.  | 3.9 | 113       |
| 34218 | Insulin sensitivity index, acute insulin response, and glucose effectiveness in a population-based sample of 380 young healthy Caucasians. Analysis of the impact of gender, body fat, physical fitness, and life-style factors.. <i>Journal of Clinical Investigation</i> , 1996, 98, 1195-1209. | 3.9 | 230       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34219 | Acute bacterial pneumonia in rats increases alveolar epithelial fluid clearance by a tumor necrosis factor-alpha-dependent mechanism.. Journal of Clinical Investigation, 1997, 99, 325-335.  | 3.9 | 159       |
| 34220 | Direct evidence for a $\beta_1$ -adrenergic receptor-directed autoimmune attack as a cause of idiopathic dilated cardiomyopathy. Journal of Clinical Investigation, 2004, 113, 1419-1429.   | 3.9 | 300       |
| 34221 | Direct evidence for a $\beta_1$ -adrenergic receptor-directed autoimmune attack as a cause of idiopathic dilated cardiomyopathy. Journal of Clinical Investigation, 2004, 113, 1419-1429.   | 3.9 | 192       |
| 34222 | Neonatal cardiomyopathy in mice homozygous for the Arg403Gln mutation in the $\beta_1$ cardiac myosin heavy chain gene. Journal of Clinical Investigation, 1999, 103, 147-153.  | 3.9 | 102       |
| 34223 | Safety and Efficacy Testing of Hormones and Related Products. ATLA Alternatives To Laboratory Animals, 1995, 23, 699-712.   | 0.7 | 13        |
| 34224 | Interrater Reliability of the Blessed Dementia Scale. Canadian Journal of Psychiatry, 1990, 35, 328-330.  | 0.9 | 9         |
| 34225 | Comparing heteroscedastic measurement systems with the probability of agreement. Statistical Methods in Medical Research, 2018, 27, 3420-3435.  | 0.7 | 18        |
| 34226 | Detection of pseudorabies virus antibody in swine oral fluid using a serum whole-virus indirect ELISA. Journal of Veterinary Diagnostic Investigation, 2020, 32, 535-541.   | 0.5 | 7         |
| 34227 | Translation, Cross-Cultural Adaptation, and Validation of the Activity Rating Scale for Disorders of the Knee. Orthopaedic Journal of Sports Medicine, 2017, 5, 232596711772936.  | 0.8 | 6         |
| 34228 | Differences in lung clearance index and functional residual capacity between two commercial multiple-breath nitrogen washout devices in healthy children and adults. ERJ Open Research, 2020, 6, 00247-2019.  | 1.1 | 7         |
| 34229 | Alcohol misuse in psychiatric outpatients in Ghana. Primary Care and Community Psychiatry, 2006, 11, 179-183.   | 0.4 | 3         |
| 34230 | Validity of self-measured waist circumference in adults at risk of type 2 diabetes and cardiovascular disease. BMC Medicine, 2014, 12, 170.   | 2.3 | 6         |
| 34231 | Weight estimation and hormone concentrations related to body condition in Icelandic and Warmblood horses: a field study. Acta Veterinaria Scandinavica, 2019, 61, 63.   | 0.5 | 7         |
| 34232 | Day-to-day variability of $^{68}\text{Ga}$ -PSMA-11 accumulation in primary prostate cancer: effects on tracer uptake and visual interpretation. EJNMMI Research, 2020, 10, 132.  | 1.1 | 12        |
| 34233 | $^{11}\text{C}$ PIB amyloid quantification: effect of reference region selection. EJNMMI Research, 2020, 10, 123.   | 1.1 | 17        |
| 34234 | Accuracy of P0.1 measurements performed by ICU ventilators: a bench study. Annals of Intensive Care, 2019, 9, 104.  | 2.2 | 26        |
| 34235 | Estimation of root inclination of anterior teeth from virtual study models: accuracy of a commercial software. Progress in Orthodontics, 2019, 20, 43.  | 1.3 | 7         |
| 34236 | Development and validation of an improved HPLC-UV method for simultaneous determination of lamotrigine and oxcarbazepine and its active metabolite 10,11-dihydro-10-hydroxycarbazepine in human blood plasma and comparison with an UHPLC-MS/MS method. Journal of Analytical Science and Technology, 2019, 10, . | 1.0 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34237 | In vitro characterization of PrismaLung+: a novel ECCO2R device. Intensive Care Medicine Experimental, 2020, 8, 14.   | 0.9 | 12        |
| 34238 | Right ventricular stroke volume assessed by pulmonary artery pulse contour analysis. Intensive Care Medicine Experimental, 2020, 8, 58.   | 0.9 | 4         |
| 34239 | Reproducibility of compartmental modelling of 18F-FDG PET/CT to evaluate lung inflammation. EJNMMI Physics, 2019, 6, 26.  | 1.3 | 4         |
| 34240 | A head-to-head comparison between two commercial software packages for hybrid dosimetry after peptide receptor radionuclide therapy. EJNMMI Physics, 2020, 7, 36.   | 1.3 | 16        |
| 34241 | Development and psychometric properties of the Thai Gravesâ€™ ophthalmopathy quality of life (GO-QOL) questionnaire. Journal of Patient-Reported Outcomes, 2020, 4, 1.  | 0.9 | 12        |
| 34242 | Isokinetic Strength Testing. , 2004, , 157-176.   |     | 2         |
| 34243 | Update on Clinical and Forensic Analysis of Alcohol. , 2007, , 21-64.   |     | 2         |
| 34244 | Ability of Bioelectric Impedance to Predict Fat-Free Mass in Prepubertal Children. Pediatric Research, 1996, 39, 176-179.   | 1.1 | 44        |
| 34245 | Computer-Aided Skeletal Age Scores in Healthy Children, Girls with Turner Syndrome, and in Children with Constitutionally Tall Stature. Pediatric Research, 1996, 39, 360-367.  | 1.1 | 13        |
| 34246 | Transmission Pulse Oximetry in the Fetal Lamb: Is There a Universal Calibration?. Pediatric Research, 1996, 39, 464-469.  | 1.1 | 1         |
| 34247 | Comparison of Heliox and Oxygen as Washing Gases for the Nitrogen Washout Technique in Preterm Infants. Pediatric Research, 1996, 39, 1099-1102.  | 1.1 | 11        |
| 34248 | The Measurement of Peripheral Venous Oxyhemoglobin Saturation in Newborn Infants by Near Infrared Spectroscopy with Venous Occlusion. Pediatric Research, 1996, 39, 1103-1106.  | 1.1 | 55        |
| 34249 | Improvement in the Accuracy of Dual Energy X-ray Absorptiometry for Whole Body and Regional Analysis of Body Composition: Validation Using Piglets and Methodologic Considerations in Infants. Pediatric Research, 1997, 41, 590-596. | 1.1 | 106       |
| 34250 | Measurement of Cerebral Blood Flow in Newborn Infants Using Near Infrared Spectroscopy with Indocyanine Green. Pediatric Research, 1998, 43, 34-39.   | 1.1 | 93        |
| 34251 | Peripheral Oxygenation and Anemia in Preterm Babies. Pediatric Research, 1998, 44, 125-131.   | 1.1 | 65        |
| 34252 | Agreement among Raters in Assessment of Physiologic Waveforms Recorded by a Cardiorespiratory Monitor for Home Use. Pediatric Research, 1998, 44, 682-690.  | 1.1 | 12        |
| 34253 | Dual Energy X-Ray Absorptiometry of the Forearm in Preterm and Term Infants: Evaluation of the Methodology. Pediatric Research, 1999, 45, 100-105.  | 1.1 | 20        |
| 34254 | Dual-Energy X-Ray Absorptiometry in Small Subjects: Influence of Dual-Energy X-Ray Equipment on Assessment of Mineralization and Body Composition in Newborn Piglets. Pediatric Research, 1999, 46, 772-772.                          | 1.1 | 29        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34255 | Validation of a [13C]Bicarbonate Tracer Technique to Measure Neonatal Energy Expenditure. <i>Pediatric Research</i> , 2000, 47, 787-791.   | 1.1 | 28        |
| 34256 | Detectable IL-8 and IL-10 in Bronchoalveolar Lavage Fluid from Preterm Infants Ventilated for Respiratory Distress Syndrome. , 0, .  |     | 9         |
| 34257 | Validation of serum neurofilaments as prognostic and potential pharmacodynamic biomarkers for ALS. <i>Neurology</i> , 2020, 95, e59-e69.   | 1.5 | 119       |
| 34258 | A Continuous Noninvasive Method to Assess Mixed Venous Oxygen Saturation: A Proof-of-Concept Study in Pigs. <i>Anesthesia and Analgesia</i> , 2021, 132, 1768-1776.  | 1.1 | 9         |
| 34259 | Cerebral Venous Oxygen Saturation Studied with Bilateral Samples in the Internal Jugular Veins. <i>Neurosurgery</i> , 1994, 34, 38-44.   | 0.6 | 78        |
| 34260 | Multiple variables explain the variability in the decrement in $\dot{V}E^{TM}O_2max$ during acute hypobaric hypoxia. <i>Medicine and Science in Sports and Exercise</i> , 1998, 30, 869-879.                 | 0.2 | 20        |
| 34261 | Reproducibility of the acetylene rebreath technique for determining cardiac output. <i>Medicine and Science in Sports and Exercise</i> , 1998, 30, 952-957.  | 0.2 | 11        |
| 34262 | Moving Forward with Backward Compatibility. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 2142-2149.  | 0.2 | 32        |
| 34263 | Pitfalls in Expiratory Flow Limitation Assessment at Peak Exercise in Children: Role of Thoracic Gas Compression. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 2310-2319.                  | 0.2 | 6         |
| 34264 | Validity of Armband Measuring Energy Expenditure in Overweight and Obese Children. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 1154-1161.   | 0.2 | 35        |
| 34265 | Effect of voxel size on the accuracy of 3D reconstructions with cone beam CT. <i>Dentomaxillofacial Radiology</i> , 2012, 41, 649-655.   | 1.3 | 53        |
| 34266 | Evaluation of the accuracy of manual and automatic scoring of a single airflow channel in patients with a high probability of obstructive sleep apnea. <i>Medical Science Monitor</i> , 2011, 17, MT13-MT19. | 0.5 | 36        |
| 34267 | Statistical agreement of left ventricle measurements using cardiac magnetic resonance and 2D echocardiography in ischemic heart failure. <i>Medical Science Monitor</i> , 2012, 18, MT19-MT25.               | 0.5 | 12        |
| 34268 | Reliability of an Electronic Inspiratory Loading Device for Assessing Pulmonary Function in Post-Stroke Patients. <i>Medical Science Monitor</i> , 2016, 22, 191-196.  | 0.5 | 17        |
| 34269 | Agreement and Repeatability of Two Biometers to Measure Anterior Segment Components: Refractive Error Effect. <i>Medical Science Monitor</i> , 2018, 24, 8056-8063.  | 0.5 | 3         |
| 34270 | Validation of the Polar RS800CX for assessing heart rate variability during rest, moderate cycling and post-exercise recovery. <i>F1000Research</i> , 0, 7, 1501.  | 0.8 | 10        |
| 34271 | Turning the tables: A university league-table based on quality not quantity. <i>F1000Research</i> , 2019, 8, 583.  | 0.8 | 3         |
| 34272 | MicroRNA levels quantified in whole blood varies from PBMCs. <i>F1000Research</i> , 0, 3, 183.   | 0.8 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34273 | MicroRNA levels quantified in whole blood varies from PBMCs. F1000Research, 0, 3, 183.   | 0.8 | 11        |
| 34274 | Evaluation of the diagnostic accuracy and cost of different methods for the assessment of severe anaemia in hospitalised children in Eastern Uganda. Wellcome Open Research, 2018, 3, 130. | 0.9 | 13        |
| 34275 | Evaluation of the diagnostic accuracy and cost of different methods for the assessment of severe anaemia in hospitalised children in Eastern Uganda. Wellcome Open Research, 2018, 3, 130. | 0.9 | 10        |
| 34276 | The Reliability of the Seated Medicine Ball Throw for Distance. Journal of Physical Activity Research, 2019, 4, 131-136.   | 0.2 | 12        |
| 34277 | Relationships among Blood Pressures Obtained Using Different Measurement Methods in the General Population of Ohasama, Japan.. Hypertension Research, 1999, 22, 261-272.                   | 1.5 | 33        |
| 34278 | Test-retest reliability of repeated knee laxity measurements in the acute phase following a knee trauma using a Rolimeter. Journal of Exercise Rehabilitation, 2017, 13, 550-558.          | 0.4 | 10        |
| 34279 | Are Family Proxies a Valid Source of Information About Cancer Patients' Quality of Life at the End-of-Life? A Literature Review. , 0, .  |     | 1         |
| 34280 | Proprioception at the ankle: the effect of anaesthetic blockade of ligament receptors. Journal of Bone and Joint Surgery: British Volume, 1993, 75-B, 433-436.                             | 3.4 | 162       |
| 34281 | Isokinetic strength after tears of the supraspinatus tendon. Journal of Bone and Joint Surgery: British Volume, 1997, 79, 77-82.   | 3.4 | 91        |
| 34282 | Simultaneous measurements of sagittal knee laxity with an external device and radiostereometric analysis. Journal of Bone and Joint Surgery: British Volume, 1998, 80-B, 169-172.          | 3.4 | 11        |
| 34283 | Questionnaire on the perceptions of patients about total knee replacement. Journal of Bone and Joint Surgery: British Volume, 1998, 80, 63-9.  | 3.4 | 1,346     |
| 34284 | Ultrasonography of the hip in developmental hip dysplasia. Journal of Bone and Joint Surgery: British Volume, 1998, 80, 321-4.   | 3.4 | 41        |
| 34285 | Estimation of the extent of osteonecrosis of the femoral head using MRI. Journal of Bone and Joint Surgery: British Volume, 1998, 80, 954-8.   | 3.4 | 40        |
| 34286 | Retroversion of the acetabulum. A cause of hip pain. Journal of Bone and Joint Surgery: British Volume, 1999, 81, 281-8.   | 3.4 | 623       |
| 34287 | Prediction of the outcome of transtrochanteric rotational osteotomy for osteonecrosis of the femoral head. Journal of Bone and Joint Surgery: British Volume, 2000, 82, 512-6.             | 3.4 | 62        |
| 34288 | Induction of somatosensory evoked potentials by mechanical stimulation in reconstructed anterior cruciate ligaments. Journal of Bone and Joint Surgery: British Volume, 2002, 84, 761-6.   | 3.4 | 57        |
| 34289 | Dislocation of the bearing of the Oxford lateral unicompartmental arthroplasty. A radiological assessment. Journal of Bone and Joint Surgery: British Volume, 2002, 84, 653-7.             | 3.4 | 80        |
| 34290 | The PerPot Simulated Anaerobic Threshold - A Comparison to Typical Lactate-based Thresholds. International Journal of Human Movement and Sports Sciences, 2017, 5, 9-15.                   | 0.1 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34291 | Polarized light scattering measurements as a means to characterize particle size and composition of natural assemblages of marine particles. <i>Applied Optics</i> , 2020, 59, 8314.  | 0.9 | 18        |
| 34292 | Intercomparison of airborne multi-angle polarimeter observations from the Polarimeter Definition Experiment. <i>Applied Optics</i> , 2019, 58, 650.   | 0.9 | 28        |
| 34293 | Robust deep learning method for choroidal vessel segmentation on swept source optical coherence tomography images. <i>Biomedical Optics Express</i> , 2019, 10, 1601.   | 1.5 | 30        |
| 34294 | Automated retinal microvascular velocimetry based on erythrocyte mediated angiography. <i>Biomedical Optics Express</i> , 2019, 10, 3681.   | 1.5 | 12        |
| 34295 | Two-photon microperimetry: sensitivity of human photoreceptors to infrared light. <i>Biomedical Optics Express</i> , 2019, 10, 4551.  | 1.5 | 21        |
| 34296 | Development of a stand-alone DCS system for monitoring absolute cerebral blood flow. <i>Biomedical Optics Express</i> , 2019, 10, 4607.   | 1.5 | 13        |
| 34297 | Development and clinical trial of a smartphone-based colorimetric detection system for self-monitoring of blood glucose. <i>Biomedical Optics Express</i> , 2020, 11, 2166.   | 1.5 | 15        |
| 34298 | Nanometer precise red blood cell sizing using a cost-effective quantitative dark field imaging system. <i>Biomedical Optics Express</i> , 2020, 11, 5950.   | 1.5 | 3         |
| 34299 | Hyperspectral index-based metric for burn depth assessment. <i>Biomedical Optics Express</i> , 2018, 9, 5778.   | 1.5 | 12        |
| 34300 | Comparison of refractive error measurements by three different models of autorefractors and subjective refraction in young adults. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2019, 36, B1. | 0.8 | 11        |
| 34301 | Cambridge Colour Test: reproducibility in normal trichromats. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2020, 37, A70.   | 0.8 | 16        |
| 34302 | Test-Retest Reliability of Diffusion Tensor Imaging in Huntington's Disease. <i>PLOS Currents</i> , 2014, 6, .  | 1.4 | 11        |
| 34303 | Beyond fitness tracking: The use of consumer-grade wearable data from normal volunteers in cardiovascular and lipidomics research. <i>PLoS Biology</i> , 2018, 16, e2004285.  | 2.6 | 57        |
| 34304 | A Sero-epidemiological Approach to Explore Transmission of <i>Mycobacterium ulcerans</i> . <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004387.  | 1.3 | 14        |
| 34305 | External Validation of a Measurement Tool to Assess Systematic Reviews (AMSTAR). <i>PLoS ONE</i> , 2007, 2, e1350.  | 1.1 | 444       |
| 34306 | Antibody-Mediated Growth Inhibition of <i>Plasmodium falciparum</i> : Relationship to Age and Protection from Parasitemia in Kenyan Children and Adults. <i>PLoS ONE</i> , 2008, 3, e3557.  | 1.1 | 72        |
| 34307 | CLSI-Derived Hematology and Biochemistry Reference Intervals for Healthy Adults in Eastern and Southern Africa. <i>PLoS ONE</i> , 2009, 4, e4401.   | 1.1 | 139       |
| 34308 | Normative Data for the 12 Item WHO Disability Assessment Schedule 2.0. <i>PLoS ONE</i> , 2009, 4, e8343.  | 1.1 | 320       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34309 | Comparison of the Cosmed K4b2 Portable Metabolic System in Measuring Steady-State Walking Energy Expenditure. PLoS ONE, 2010, 5, e9292.  | 1.1 | 72        |
| 34310 | Kinetics of Neutralizing Antibodies in Patients Naturally Infected by H5N1 Virus. PLoS ONE, 2010, 5, e10864.   | 1.1 | 62        |
| 34311 | Senescence Is More Important in the Natural Lives of Long- Than Short-Lived Mammals. PLoS ONE, 2010, 5, e12019.  | 1.1 | 30        |
| 34312 | Excellent Adherence to Antiretrovirals in HIV+ Zambian Children Is Compromised by Disrupted Routine, HIV Nondisclosure, and Paradoxical Income Effects. PLoS ONE, 2011, 6, e18505. | 1.1 | 100       |
| 34313 | Rapid Analysis of Vessel Elements (RAVE): A Tool for Studying Physiologic, Pathologic and Tumor Angiogenesis. PLoS ONE, 2011, 6, e20807.   | 1.1 | 49        |
| 34314 | Continuous Non-Invasive Monitoring of Tidal Volumes by Measurement of Tidal Impedance in Neonatal Piglets. PLoS ONE, 2011, 6, e21003.  | 1.1 | 9         |
| 34315 | Performance of Ultra-Deep Pyrosequencing in Analysis of HIV-1 pol Gene Variation. PLoS ONE, 2011, 6, e22741.   | 1.1 | 42        |
| 34316 | Estimation of Daily Energy Expenditure in Pregnant and Non-Pregnant Women Using a Wrist-Worn Tri-Axial Accelerometer. PLoS ONE, 2011, 6, e22922.                                   | 1.1 | 205       |
| 34317 | Validity of Resting Energy Expenditure Predictive Equations before and after an Energy-Restricted Diet Intervention in Obese Women. PLoS ONE, 2011, 6, e23759.                     | 1.1 | 30        |
| 34318 | Anthropometric Variables Accurately Predict Dual Energy X-Ray Absorptiometric-Derived Body Composition and Can Be Used to Screen for Diabetes. PLoS ONE, 2011, 6, e24017.          | 1.1 | 6         |
| 34319 | MIQuant â€“ Semi-Automation of Infarct Size Assessment in Models of Cardiac Ischemic Injury. PLoS ONE, 2011, 6, e25045.  | 1.1 | 42        |
| 34320 | Genomic Ancestry, Self-Reported â€œColorâ€•and Quantitative Measures of Skin Pigmentation in Brazilian Admixed Siblings. PLoS ONE, 2011, 6, e27162.                                | 1.1 | 55        |
| 34321 | Comparison of Patient and Surgeon Expectations of Total Hip Arthroplasty. PLoS ONE, 2012, 7, e30195.   | 1.1 | 63        |
| 34322 | Stepwise Optimization of the Procedure for Assessment of Circulating Progenitor Cells in Patients with Myocardial Infarction. PLoS ONE, 2012, 7, e30389.                           | 1.1 | 5         |
| 34323 | Subject Positioning in the BOD POD® Only Marginally Affects Measurement of Body Volume and Estimation of Percent Body Fat in Young Adult Men. PLoS ONE, 2012, 7, e32722.           | 1.1 | 8         |
| 34324 | A Realistic Validation Study of a New Nitrogen Multiple-Breath Washout System. PLoS ONE, 2012, 7, e36083.  | 1.1 | 97        |
| 34325 | Electronic Sensors for Assessing Interactions between Healthcare Workers and Patients under Airborne Precautions. PLoS ONE, 2012, 7, e37893.                                       | 1.1 | 40        |
| 34326 | Validation of a Semi-Quantitative Food Frequency Questionnaire for Argentinean Adults. PLoS ONE, 2012, 7, e37958.  | 1.1 | 51        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34327 | Mosquito Feeding Assays to Determine the Infectiousness of Naturally Infected Plasmodium falciparum Gametocyte Carriers. PLoS ONE, 2012, 7, e42821.   | 1.1 | 168       |
| 34328 | Profiling the Anaerobic Response of <i>C. elegans</i> Using GC-MS. PLoS ONE, 2012, 7, e46140.   | 1.1 | 33        |
| 34329 | Methodological Approaches to Evaluate Teratogenic Risk Using Birth Defect Registries: Advantages and Disadvantages. PLoS ONE, 2012, 7, e46626.  | 1.1 | 5         |
| 34330 | Comparative Analysis of Hemagglutination Inhibition Titers Generated Using Temporally Matched Serum and Plasma Samples. PLoS ONE, 2012, 7, e48229.  | 1.1 | 17        |
| 34331 | Tumor Volume as an Alternative Response Measurement for Imatinib Treated GIST Patients. PLoS ONE, 2012, 7, e48372.  | 1.1 | 40        |
| 34332 | Contrast-Based Fully Automatic Segmentation of White Matter Hyperintensities: Method and Validation. PLoS ONE, 2012, 7, e48953.   | 1.1 | 49        |
| 34333 | Modulation of Protein Fermentation Does Not Affect Fecal Water Toxicity: A Randomized Cross-Over Study in Healthy Subjects. PLoS ONE, 2012, 7, e52387.  | 1.1 | 60        |
| 34334 | Performance of Multiplex Commercial Kits to Quantify Cytokine and Chemokine Responses in Culture Supernatants from Plasmodium falciparum Stimulations. PLoS ONE, 2013, 8, e52587.   | 1.1 | 52        |
| 34335 | Estimation of Total Body Skeletal Muscle Mass in Chinese Adults: Prediction Model by Dual-Energy X-Ray Absorptiometry. PLoS ONE, 2013, 8, e53561.   | 1.1 | 27        |
| 34336 | Evaluation of Chemotherapy Response with Serum Squamous Cell Carcinoma Antigen Level in Cervical Cancer Patients: A Prospective Cohort Study. PLoS ONE, 2013, 8, e54969.  | 1.1 | 18        |
| 34337 | The Value of Body Weight Measurement to Assess Dehydration in Children. PLoS ONE, 2013, 8, e55063.  | 1.1 | 28        |
| 34338 | Use of Sodium-Chloride Difference and Corrected Anion Gap as Surrogates of Stewart Variables in Critically Ill Patients. PLoS ONE, 2013, 8, e56635.   | 1.1 | 24        |
| 34339 | Multicenter Study of Creatinine- and/or Cystatin C-Based Equations for Estimation of Glomerular Filtration Rates in Chinese Patients with Chronic Kidney Disease. PLoS ONE, 2013, 8, e57240.  | 1.1 | 30        |
| 34340 | Apical CFTR Expression in Human Nasal Epithelium Correlates with Lung Disease in Cystic Fibrosis. PLoS ONE, 2013, 8, e57617.  | 1.1 | 17        |
| 34341 | Multiple Inflammatory Biomarker Detection in a Prospective Cohort Study: A Cross-Validation between Well-Established Single-Biomarker Techniques and an Electrochemiluminescence-Based Multi-Array Platform. PLoS ONE, 2013, 8, e58576. | 1.1 | 26        |
| 34342 | Serum Proteome Profiling Identifies Novel and Powerful Markers of Cystic Fibrosis Liver Disease. PLoS ONE, 2013, 8, e58955.   | 1.1 | 30        |
| 34343 | Dried Blood Spot Sampling for Hepatitis B Virus Serology and Molecular Testing. PLoS ONE, 2013, 8, e61077.  | 1.1 | 55        |
| 34344 | Three-Dimensional Digital Capture of Head Size in Neonates – A Method Evaluation. PLoS ONE, 2013, 8, e61274.  | 1.1 | 32        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34345 | Development of the Japanese 15D Instrument of Health-Related Quality of Life: Verification of Reliability and Validity among Elderly People. PLoS ONE, 2013, 8, e61721.                   | 1.1 | 10        |
| 34346 | Reference Values of Impulse Oscillometric Lung Function Indices in Adults of Advanced Age. PLoS ONE, 2013, 8, e63366.   | 1.1 | 61        |
| 34347 | Comparison of Anterior Segment Optical Tomography Parameters Measured Using a Semi-Automatic Software to Standard Clinical Instruments. PLoS ONE, 2013, 8, e65559.                        | 1.1 | 27        |
| 34348 | Evaluation of PIMA <sup>®</sup> Point of Care Technology for CD4 T Cell Enumeration in Kenya. PLoS ONE, 2013, 8, e67612.  | 1.1 | 30        |
| 34349 | Computed Tomography Measurement of Rib Cage Morphometry in Emphysema. PLoS ONE, 2013, 8, e68546.  | 1.1 | 16        |
| 34350 | Development of a New Approach to Aid in Visual Identification of Murine iPS Colonies Using a Fuzzy Logic Decision Support System. PLoS ONE, 2013, 8, e70605.                              | 1.1 | 2         |
| 34351 | The Influence of Minimum Sitting Period of the ActivPAL <sup>®</sup> on the Measurement of Breaks in Sitting in Young Children. PLoS ONE, 2013, 8, e71854.                                | 1.1 | 26        |
| 34352 | Validation of the French Version of the World Health Organization Quality of Life HIV Instrument. PLoS ONE, 2013, 8, e73180.  | 1.1 | 18        |
| 34353 | Boosting BOLD fMRI by K-Space Density Weighted Echo Planar Imaging. PLoS ONE, 2013, 8, e74501.  | 1.1 | 3         |
| 34354 | Feasibility and Reproducibility of Left Ventricular Rotation by Speckle Tracking Echocardiography in Elderly Individuals and the Impact of Different Software. PLoS ONE, 2013, 8, e75098. | 1.1 | 10        |
| 34355 | Validation of Morphometric Analyses of Small-Intestinal Biopsy Readouts in Celiac Disease. PLoS ONE, 2013, 8, e76163.   | 1.1 | 160       |
| 34356 | Comparison of Manual and Automated Measurements of Monodominant Follicle Diameter with Different Follicle Size in Infertile Patients. PLoS ONE, 2013, 8, e77095.                          | 1.1 | 7         |
| 34357 | A Novel Scoring System to Measure Radiographic Abnormalities and Related Spirometric Values in Cured Pulmonary Tuberculosis. PLoS ONE, 2013, 8, e78926.                                   | 1.1 | 25        |
| 34358 | The PhysioFlow Thoracic Impedancemeter Is Not Valid for the Measurements of Cardiac Hemodynamic Parameters in Chronic Anemic Patients. PLoS ONE, 2013, 8, e79086.                         | 1.1 | 7         |
| 34359 | Targeted RNA-Sequencing with Competitive Multiplex-PCR Amplicon Libraries. PLoS ONE, 2013, 8, e79120.   | 1.1 | 30        |
| 34360 | Longitudinal Assessment of Optical Quality and Intraocular Scattering Using the Double-Pass Instrument in Normal Eyes and Eyes with Short Tear Breakup Time. PLoS ONE, 2013, 8, e82427.   | 1.1 | 28        |
| 34361 | Quantitative Analysis of Microbicide Concentrations in Fluids, Gels and Tissues Using Confocal Raman Spectroscopy. PLoS ONE, 2013, 8, e85124.   | 1.1 | 27        |
| 34362 | Does an Eye-Hand Coordination Test Have Added Value as Part of Talent Identification in Table Tennis? A Validity and Reproducibility Study. PLoS ONE, 2014, 9, e85657.                    | 1.1 | 40        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34363 | Top-Down Influences of the Medial Olivocochlear Efferent System in Speech Perception in Noise. PLoS ONE, 2014, 9, e85756.   | 1.1 | 64        |
| 34364 | Assessment of Regional Ventilation Distribution: Comparison of Vibration Response Imaging (VRI) with Electrical Impedance Tomography (EIT). PLoS ONE, 2014, 9, e86638.  | 1.1 | 13        |
| 34365 | Variability of the QuantiFERON®-TB Gold In-Tube Test Using Automated and Manual Methods. PLoS ONE, 2014, 9, e86721.   | 1.1 | 15        |
| 34366 | Tactile Acuity Charts: A Reliable Measure of Spatial Acuity. PLoS ONE, 2014, 9, e87384.   | 1.1 | 24        |
| 34367 | Repeatability and Reproducibility of Eight Macular Intra-Retinal Layer Thicknesses Determined by an Automated Segmentation Algorithm Using Two SD-OCT Instruments. PLoS ONE, 2014, 9, e87996.                             | 1.1 | 48        |
| 34368 | Clinical Evaluation of a Low Cost, In-House Developed Real-Time RT-PCR Human Immunodeficiency Virus Type 1 (HIV-1) Quantitation Assay for HIV-1 Infected Patients. PLoS ONE, 2014, 9, e89826.                             | 1.1 | 10        |
| 34369 | Impact of Different Creatinine Measurement Methods on Liver Transplant Allocation. PLoS ONE, 2014, 9, e90015.   | 1.1 | 16        |
| 34370 | Quantitative Magnetic Resonance Imaging in Limb-Girdle Muscular Dystrophy 2I: A Multinational Cross-Sectional Study. PLoS ONE, 2014, 9, e90377.   | 1.1 | 81        |
| 34371 | Automated Detection and Measurement of Isolated Retinal Arterioles by a Combination of Edge Enhancement and Cost Analysis. PLoS ONE, 2014, 9, e91791.   | 1.1 | 10        |
| 34372 | Cell Counting in Human Endobronchial Biopsies - Disagreement of 2D versus 3D Morphometry. PLoS ONE, 2014, 9, e92510.  | 1.1 | 7         |
| 34373 | Longitudinal Association between Body Mass Index and Health-Related Quality of Life. PLoS ONE, 2014, 9, e93071.   | 1.1 | 23        |
| 34374 | Rapid Directional Change Degrades GPS Distance Measurement Validity during Intermittent Intensity Running. PLoS ONE, 2014, 9, e93693.   | 1.1 | 46        |
| 34375 | Association of Blood Lead Level with Neurological Features in 972 Children Affected by an Acute Severe Lead Poisoning Outbreak in Zamfara State, Northern Nigeria. PLoS ONE, 2014, 9, e93716.                             | 1.1 | 45        |
| 34376 | Prediction Models Discriminating between Nonlocomotive and Locomotive Activities in Children Using a Triaxial Accelerometer with a Gravity-removal Physical Activity Classification Algorithm. PLoS ONE, 2014, 9, e94940. | 1.1 | 49        |
| 34377 | Assessing Sleep Disturbance in Low Back Pain: The Validity of Portable Instruments. PLoS ONE, 2014, 9, e95824.  | 1.1 | 49        |
| 34378 | Validation of a French Version of the Quality of Life "Celiac Disease Questionnaire". PLoS ONE, 2014, 9, e96346.  | 1.1 | 22        |
| 34379 | A Simplified Method to Measure Choroidal Thickness Using Adaptive Compensation in Enhanced Depth Imaging Optical Coherence Tomography. PLoS ONE, 2014, 9, e96661.   | 1.1 | 23        |
| 34380 | Central and Midperipheral Corneal Thickness Measured with Scheimpflug Imaging and Optical Coherence Tomography. PLoS ONE, 2014, 9, e98316.  | 1.1 | 20        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34381 | Geometric Facial Gender Scoring: Objectivity of Perception. PLoS ONE, 2014, 9, e99483.   | 1.1 | 24        |
| 34382 | Choroidal Haller's and Sattler's Layer Thickness Measurement Using 3-Dimensional 1060-nm Optical Coherence Tomography. PLoS ONE, 2014, 9, e99690.  | 1.1 | 61        |
| 34383 | Assessing Binocular Interaction in Amblyopia and Its Clinical Feasibility. PLoS ONE, 2014, 9, e100156.   | 1.1 | 47        |
| 34384 | The Value of a BP Determination Method Using a Novel Non-Invasive BP Device against the Invasive Catheter Measurement. PLoS ONE, 2014, 9, e100287.   | 1.1 | 5         |
| 34385 | Validation of a Pre-Coded Food Diary Used among 60–80 Year Old Men: Comparison of Self-Reported Energy Intake with Objectively Recorded Energy Expenditure. PLoS ONE, 2014, 9, e102029.  | 1.1 | 11        |
| 34386 | Urinary Sodium Excretion and Dietary Sources of Sodium Intake in Chinese Postmenopausal Women with Prehypertension. PLoS ONE, 2014, 9, e104018.  | 1.1 | 20        |
| 34387 | Do Cells Contribute to Tendon and Ligament Biomechanics?. PLoS ONE, 2014, 9, e105037.  | 1.1 | 35        |
| 34388 | Assessment of Two Portable Real-Time Particle Monitors Used in Nanomaterial Workplace Exposure Evaluations. PLoS ONE, 2014, 9, e105769.  | 1.1 | 9         |
| 34389 | Evaluation of Bioelectrical Impedance Analysis for Identifying Overweight Individuals at Increased Cardiometabolic Risk: A Cross-Sectional Study. PLoS ONE, 2014, 9, e106134.  | 1.1 | 11        |
| 34390 | A New Model-Free Index of Dynamic Cerebral Blood Flow Autoregulation. PLoS ONE, 2014, 9, e108281.  | 1.1 | 10        |
| 34391 | Precision and Agreement of Corneal Power Measurements Obtained Using a New Corneal Topographer OphthaTOP. PLoS ONE, 2015, 10, e109414.   | 1.1 | 10        |
| 34392 | The Andersen Aerobic Fitness Test: Reliability and Validity in 10-Year-Old Children. PLoS ONE, 2014, 9, e110492.   | 1.1 | 39        |
| 34393 | Multisite Evaluation of Point of Care CD4 Testing in Papua New Guinea. PLoS ONE, 2014, 9, e112173.   | 1.1 | 10        |
| 34394 | Air Displacement Plethysmography versus Dual-Energy X-Ray Absorptiometry in Underweight, Normal-Weight, and Overweight/Obese Individuals. PLoS ONE, 2015, 10, e0115086.  | 1.1 | 43        |
| 34395 | A Multiplex Immunoassay Method for Simultaneous Quantification of Iron, Vitamin A and Inflammation Status Markers. PLoS ONE, 2014, 9, e115164.   | 1.1 | 19        |
| 34396 | Instrumented Static and Dynamic Balance Assessment after Stroke Using Wii Balance Boards: Reliability and Association with Clinical Tests. PLoS ONE, 2014, 9, e115282.   | 1.1 | 39        |
| 34397 | Reliable and Accurate CD4+ T Cell Count and Percent by the Portable Flow Cytometer CyFlow MiniPOC and the Easy Count Kit-Dry, as Revealed by the Comparison with the Gold Standard Dual Platform Technology. PLoS ONE, 2015, 10, e0116848. | 1.1 | 10        |
| 34398 | A Comparison between Conductive and Infrared Devices for Measuring Mean Skin Temperature at Rest, during Exercise in the Heat, and Recovery. PLoS ONE, 2015, 10, e0117907.   | 1.1 | 52        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34399 | Physical Education: The Effect of Epoch Lengths on Children's Physical Activity in a Structured Context. PLoS ONE, 2015, 10, e0121238.   | 1.1 | 26        |
| 34400 | Reliability and Responsiveness of Cardiopulmonary Exercise Testing in Fatigued Persons with Multiple Sclerosis and Low to Mild Disability. PLoS ONE, 2015, 10, e0122260.                                 | 1.1 | 14        |
| 34401 | Comparison of the Japanese Orthopaedic Association (JOA) Score and Modified JOA (mJOA) Score for the Assessment of Cervical Myelopathy: A Multicenter Observational Study. PLoS ONE, 2015, 10, e0123022. | 1.1 | 151       |
| 34402 | Long Maximal Incremental Tests Accurately Assess Aerobic Fitness in Class II and III Obese Men. PLoS ONE, 2015, 10, e0124180.  | 1.1 | 6         |
| 34403 | Acceptability, Precision and Accuracy of 3D Photonic Scanning for Measurement of Body Shape in a Multi-Ethnic Sample of Children Aged 5-11 Years: The SLIC Study. PLoS ONE, 2015, 10, e0124193.          | 1.1 | 25        |
| 34404 | Estimating Physical Activity Energy Expenditure with the Kinect Sensor in an Exergaming Environment. PLoS ONE, 2015, 10, e0127113.   | 1.1 | 22        |
| 34405 | Enhanced Glycogen Storage of a Subcellular Hot Spot in Human Skeletal Muscle during Early Recovery from Eccentric Contractions. PLoS ONE, 2015, 10, e0127808.  | 1.1 | 15        |
| 34406 | Comparison of High-Level Microarray Analysis Methods in the Context of Result Consistency. PLoS ONE, 2015, 10, e0128845.   | 1.1 | 59        |
| 34407 | Multiclass Support Vector Machine-Based Lesion Mapping Predicts Functional Outcome in Ischemic Stroke Patients. PLoS ONE, 2015, 10, e0129569.  | 1.1 | 39        |
| 34408 | Content Validity Index and Intra- and Inter-Rater Reliability of a New Muscle Strength/Endurance Test Battery for Swedish Soldiers. PLoS ONE, 2015, 10, e0132185.  | 1.1 | 53        |
| 34409 | Impact of Software Settings on Multiple-Breath Washout Outcomes. PLoS ONE, 2015, 10, e0132250.   | 1.1 | 25        |
| 34410 | Reproducibility and Validity of a Food Frequency Questionnaire for Assessing Dietary Consumption via the Dietary Pattern Method in a Chinese Rural Population. PLoS ONE, 2015, 10, e0134627.             | 1.1 | 32        |
| 34411 | Correlation of Lung Collapse and Gas Exchange - A Computer Tomographic Study in Sheep and Pigs with Atelectasis in Otherwise Normal Lungs. PLoS ONE, 2015, 10, e0135272.                                 | 1.1 | 12        |
| 34412 | Validation of Next-Generation Sequencing of Entire Mitochondrial Genomes and the Diversity of Mitochondrial DNA Mutations in Oral Squamous Cell Carcinoma. PLoS ONE, 2015, 10, e0135643.                 | 1.1 | 41        |
| 34413 | Digital Photoplethysmography for Assessment of Arterial Stiffness: Repeatability and Comparison with Applanation Tonometry. PLoS ONE, 2015, 10, e0135659.  | 1.1 | 85        |
| 34414 | Comparative Validation of Five Quantitative Rapid Test Kits for the Analysis of Salt Iodine Content: Laboratory Performance, User- and Field-Friendliness. PLoS ONE, 2015, 10, e0138530.                 | 1.1 | 17        |
| 34415 | Optimization of SPECT-CT Hybrid Imaging Using Iterative Image Reconstruction for Low-Dose CT: A Phantom Study. PLoS ONE, 2015, 10, e0138658.   | 1.1 | 15        |
| 34416 | Accuracy of Continuous Glucose Monitoring Measurements in Normo-Glycemic Individuals. PLoS ONE, 2015, 10, e0139973.  | 1.1 | 39        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34417 | Short-Term Reproducibility of Twenty-Four-Hour Intraocular Pressure Curves in Untreated Patients with Primary Open-Angle Glaucoma and Ocular Hypertension. PLoS ONE, 2015, 10, e0140206. | 1.1 | 9         |
| 34418 | Evaluation of an Inexpensive Growth Medium for Direct Detection of Escherichia coli in Temperate and Sub-Tropical Waters. PLoS ONE, 2015, 10, e0140997.                                  | 1.1 | 16        |
| 34419 | Sensitivity of Hyperdense Basilar Artery Sign on Non-Enhanced Computed Tomography. PLoS ONE, 2015, 10, e0141096.   | 1.1 | 11        |
| 34420 | Intra- and Intersession Repeatability of an Optical Quality and Intraocular Scattering Measurement System in Children. PLoS ONE, 2015, 10, e0142189.                                     | 1.1 | 15        |
| 34421 | Percutaneous Coronary Intervention Enhances Accelerative Wave Intensity in Coronary Arteries. PLoS ONE, 2015, 10, e0142998.  | 1.1 | 4         |
| 34422 | Quantitative Shear-Wave Elastography of the Liver in Preterm Neonates with Intra-Uterine Growth Restriction. PLoS ONE, 2015, 10, e0143220.   | 1.1 | 15        |
| 34423 | The BD FACSPresto Point of Care CD4 Test Accurately Enumerates CD4+ T Cell Counts. PLoS ONE, 2015, 10, e0145586.   | 1.1 | 14        |
| 34424 | The Validity of a New Low-Dose Stereoradiography System to Perform 2D and 3D Knee Prosthetic Alignment Measurements. PLoS ONE, 2016, 11, e0146187.                                       | 1.1 | 8         |
| 34425 | Cross-Cultural Adaptation and Validation of the Dutch Version of the Hip and Groin Outcome Score (HAGOS-NL). PLoS ONE, 2016, 11, e0148119.   | 1.1 | 16        |
| 34426 | Repeatability Using Automatic Tracing with Canon OCT-HS100 and Zeiss Cirrus HD-OCT 5000. PLoS ONE, 2016, 11, e0149138.   | 1.1 | 8         |
| 34427 | Validation and Assessment of Three Methods to Estimate 24-h Urinary Sodium Excretion from Spot Urine Samples in Chinese Adults. PLoS ONE, 2016, 11, e0149655.                            | 1.1 | 72        |
| 34428 | Phase Error Correction in Time-Averaged 3D Phase Contrast Magnetic Resonance Imaging of the Cerebral Vasculature. PLoS ONE, 2016, 11, e0149930.  | 1.1 | 8         |
| 34429 | Evaluation of a Decision Support System for Obstructive Sleep Apnea with Nonlinear Analysis of Respiratory Signals. PLoS ONE, 2016, 11, e0150163.  | 1.1 | 18        |
| 34430 | Performance of Different Analytical Software Packages in Quantification of DNA Methylation by Pyrosequencing. PLoS ONE, 2016, 11, e0150483.  | 1.1 | 3         |
| 34431 | How Big Is It Really? Assessing the Efficacy of Indirect Estimates of Body Size in Asian Elephants. PLoS ONE, 2016, 11, e0150533.  | 1.1 | 10        |
| 34432 | New Respiratory Inductive Plethysmography (RIP) Method for Evaluating Ventilatory Adaptation during Mild Physical Activities. PLoS ONE, 2016, 11, e0151983.                              | 1.1 | 31        |
| 34433 | Wavefront Derived Refraction and Full Eye Biometry in Pseudophakic Eyes. PLoS ONE, 2016, 11, e0152293.   | 1.1 | 6         |
| 34434 | Possibility Study of Scale Invariant Feature Transform (SIFT) Algorithm Application to Spine Magnetic Resonance Imaging. PLoS ONE, 2016, 11, e0153043.                                   | 1.1 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34435 | Feasibility, Reliability and Predictive Value Of In-Ambulance Heart Rate Variability Registration. PLoS ONE, 2016, 11, e0154834.   | 1.1 | 8         |
| 34436 | Excellent Intra and Inter-Observer Reproducibility of Wrist Circumference Measurements in Obese Children and Adolescents. PLoS ONE, 2016, 11, e0156646.  | 1.1 | 12        |
| 34437 | Validity of Intraoral Scans Compared with Plaster Models: An In-Vivo Comparison of Dental Measurements and 3D Surface Analysis. PLoS ONE, 2016, 11, e0157713.  | 1.1 | 58        |
| 34438 | Clinical Evaluation of the BD FACSPresto,® Near-Patient CD4 Counter in Kenya. PLoS ONE, 2016, 11, e0157939.  | 1.1 | 11        |
| 34439 | Carotid and Aortic Stiffness in Patients with Heterozygous Familial Hypercholesterolemia. PLoS ONE, 2016, 11, e0158964.  | 1.1 | 20        |
| 34440 | The Reliability and Validity of Short Online Questionnaires to Measure Fruit and Vegetable Intake in Adults: The Fruit Test and Vegetable Test. PLoS ONE, 2016, 11, e0159834.                                    | 1.1 | 8         |
| 34441 | Impact of the Daily Use of a Microcrystal Hydroxyapatite Dentifrice on De Novo Plaque Formation and Clinical/Microbiological Parameters of Periodontal Health. A Randomized Trial. PLoS ONE, 2016, 11, e0160142. | 1.1 | 36        |
| 34442 | Development and Validation of the Bicultural Youth Acculturation Questionnaire. PLoS ONE, 2016, 11, e0161048.  | 1.1 | 3         |
| 34443 | Mitosis Counting in Breast Cancer: Object-Level Interobserver Agreement and Comparison to an Automatic Method. PLoS ONE, 2016, 11, e0161286.   | 1.1 | 72        |
| 34444 | The Relationship between Power Generated by Thrust and Power to Overcome Drag in Elite Short Distance Swimmers. PLoS ONE, 2016, 11, e0162387.  | 1.1 | 18        |
| 34445 | The Impact of Diffusion-Weighted MRI on the Definition of Gross Tumor Volume in Radiotherapy of Non-Small-Cell Lung Cancer. PLoS ONE, 2016, 11, e0162816.  | 1.1 | 13        |
| 34446 | Regional Reproducibility of BOLD Calibration Parameter M, OEF and Resting-State CMRO2 Measurements with QUO2 MRI. PLoS ONE, 2016, 11, e0163071.  | 1.1 | 24        |
| 34447 | Quantitative Expression Analysis in Brassica napus by Northern Blot Analysis and Reverse Transcription-Quantitative PCR in a Complex Experimental Setting. PLoS ONE, 2016, 11, e0163679.                         | 1.1 | 6         |
| 34448 | Glioblastoma Segmentation: Comparison of Three Different Software Packages. PLoS ONE, 2016, 11, e0164891.  | 1.1 | 35        |
| 34449 | Interindividual Variation in the Relationship of Different Intensity Markers—A Challenge for Targeted Training Prescriptions. PLoS ONE, 2016, 11, e0165010.  | 1.1 | 6         |
| 34450 | Micro-CT vs. Whole Body Multirow Detector CT for Analysing Bone Regeneration in an Animal Model. PLoS ONE, 2016, 11, e0166540.   | 1.1 | 12        |
| 34451 | Evaluation of Focal Liver Reaction after Proton Beam Therapy for Hepatocellular Carcinoma Examined Using Gd-EOB-DTPA Enhanced Hepatic Magnetic Resonance Imaging. PLoS ONE, 2016, 11, e0167155.                  | 1.1 | 15        |
| 34452 | Reproducibility for Heart Rate Variability Analysis during 6-Min Walk Test in Patients with Heart Failure and Agreement between Devices. PLoS ONE, 2016, 11, e0167407.   | 1.1 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34453 | Diagnostic Accuracy of Clinical Examination and Imaging Findings for Identifying Subacromial Pain. PLoS ONE, 2016, 11, e0167738.  | 1.1 | 19        |
| 34454 | Options to Expand HIV Viral Load Testing in South Africa: Evaluation of the GeneXpert® HIV-1 Viral Load Assay. PLoS ONE, 2016, 11, e0168244.  | 1.1 | 40        |
| 34455 | Application of Mixed Effects Limits of Agreement in the Presence of Multiple Sources of Variability: Exemplar from the Comparison of Several Devices to Measure Respiratory Rate in COPD Patients. PLoS ONE, 2016, 11, e0168321.  | 1.1 | 53        |
| 34456 | Magnetic Particle Imaging (MPI): Experimental Quantification of Vascular Stenosis Using Stationary Stenosis Phantoms. PLoS ONE, 2017, 12, e0168902.   | 1.1 | 57        |
| 34457 | Development of food photographs for use with children aged 18 months to 16 years: Comparison against weighed food diaries – The Young Person’s Food Atlas (UK). PLoS ONE, 2017, 12, e0169084.                                     | 1.1 | 24        |
| 34458 | Performance of FACSPresto Point-of-Care Instrument for CD4-T Cell Enumeration in Human Immunodeficiency Virus (HIV)-Infected Patients Attending Care and Treatment Clinics in Belgium and Tanzania. PLoS ONE, 2017, 12, e0170248. | 1.1 | 9         |
| 34459 | Evaluating the Effect of Cognitive Dysfunction on Mental Imagery in Patients with Stroke Using Temporal Congruence and the Imagined –Timed Up and Go™ Test (iTUG). PLoS ONE, 2017, 12, e0170400.                                  | 1.1 | 7         |
| 34460 | Determinants of Indices of Cerebral Volume in Former Very Premature Infants at Term Equivalent Age. PLoS ONE, 2017, 12, e0170797.   | 1.1 | 10        |
| 34461 | 4D flow MRI assessment of right atrial flow patterns in the normal heart – influence of caval vein arrangement and implications for the patent foramen ovale. PLoS ONE, 2017, 12, e0173046.                                       | 1.1 | 16        |
| 34462 | Validation of two multiplex platforms to quantify circulating markers of inflammation and endothelial injury in severe infection. PLoS ONE, 2017, 12, e0175130.   | 1.1 | 54        |
| 34463 | The performance of BD FACSPresto™ for CD4 T-cell count, CD4% and hemoglobin concentration test in Ethiopia. PLoS ONE, 2017, 12, e0176323.   | 1.1 | 7         |
| 34464 | Reconstruction of stented coronary arteries from optical coherence tomography images: Feasibility, validation, and repeatability of a segmentation method. PLoS ONE, 2017, 12, e0177495.  | 1.1 | 25        |
| 34465 | Assessing agreement between preclinical magnetic resonance imaging and histology: An evaluation of their image qualities and quantitative results. PLoS ONE, 2017, 12, e0179249.  | 1.1 | 1         |
| 34466 | Diagnostic value of potassium level in a spot urine sample as an index of 24-hour urinary potassium excretion in unselected patients hospitalized in a hypertension unit. PLoS ONE, 2017, 12, e0180117.                           | 1.1 | 10        |
| 34467 | Validity and reliability of total body volume and relative body fat mass from a 3-dimensional photonic body surface scanner. PLoS ONE, 2017, 12, e0180201.  | 1.1 | 31        |
| 34468 | Thoracoabdominal asynchrony: Two methods in healthy, COPD, and interstitial lung disease patients. PLoS ONE, 2017, 12, e0182417.  | 1.1 | 14        |
| 34469 | Therapeutic response assessment using 3D ultrasound for hepatic metastasis from colorectal cancer: Application of a personalized, 3D-printed tumor model using CT images. PLoS ONE, 2017, 12, e0182596.                           | 1.1 | 12        |
| 34470 | Reference intervals of echocardiographic measurements in healthy adult dairy goats. PLoS ONE, 2017, 12, e0183293.   | 1.1 | 7         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34471 | Method for measuring tri-axial lumbar motion angles using wearable sheet stretch sensors. PLoS ONE, 2017, 12, e0183651.  | 1.1 | 16        |
| 34472 | Test-retest reliability and minimal detectable change of the Beck Depression Inventory and the Taiwan Geriatric Depression Scale in patients with Parkinson's disease. PLoS ONE, 2017, 12, e0184823. | 1.1 | 26        |
| 34473 | Validity and reliability of the Dutch version of the Copenhagen Hip And Groin Outcome Score (HAGOS-NL) in patients with hip pathology. PLoS ONE, 2017, 12, e0186064.                                 | 1.1 | 8         |
| 34474 | Clinical features of superficial and deep peripapillary microvascular density in healthy myopic eyes. PLoS ONE, 2017, 12, e0187160.  | 1.1 | 28        |
| 34475 | Accelerometric estimates of physical activity vary unstably with data handling. PLoS ONE, 2017, 12, e0187706.  | 1.1 | 8         |
| 34476 | Quantification of the sit-to-stand movement for monitoring age-related motor deterioration using the Nintendo Wii Balance Board. PLoS ONE, 2017, 12, e0188165.                                       | 1.1 | 23        |
| 34477 | Effect of ActiGraph's low frequency extension for estimating steps and physical activity intensity. PLoS ONE, 2017, 12, e0188242.  | 1.1 | 29        |
| 34478 | Accuracy and reproducibility of CT right-to-left ventricular diameter measurement in patients with acute pulmonary embolism. PLoS ONE, 2017, 12, e0188862.   | 1.1 | 28        |
| 34479 | Reliability of the parameters of the power-duration relationship using maximal effort time-trials under laboratory conditions. PLoS ONE, 2017, 12, e0189776.   | 1.1 | 16        |
| 34480 | Body shape indices are predictors for estimating fat-free mass in male athletes. PLoS ONE, 2018, 13, e0189836.   | 1.1 | 11        |
| 34481 | Measurements agreement between low-cost and high-level handheld 3D scanners to scan the knee for designing a 3D printed knee brace. PLoS ONE, 2018, 13, e0190585.                                    | 1.1 | 25        |
| 34482 | The Berkeley Dry Eye Flow Chart: A fast, functional screening instrument for contact lens-induced dryness. PLoS ONE, 2018, 13, e0190752.   | 1.1 | 9         |
| 34483 | Validation of the ADAMO Care Watch for step counting in older adults. PLoS ONE, 2018, 13, e0190753.  | 1.1 | 14        |
| 34484 | Development of the Japanese version of the Visual Discomfort Scale. PLoS ONE, 2018, 13, e0191094.  | 1.1 | 4         |
| 34485 | Computer tomography-based body surface area evaluation for drug dosage: Quantitative radiology versus anthropomorphic evaluation. PLoS ONE, 2018, 13, e0192124.                                      | 1.1 | 7         |
| 34486 | Estimation model for habitual 24-hour urinary-sodium excretion using simple questionnaires from normotensive Koreans. PLoS ONE, 2018, 13, e0192588.  | 1.1 | 7         |
| 34487 | Precision (repeatability and reproducibility) of ocular parameters obtained by the Tomey OA-2000 biometer compared to the IOLMaster in healthy eyes. PLoS ONE, 2018, 13, e0193023.                   | 1.1 | 31        |
| 34488 | Reproducibility of estimated optimal peak output using a force-velocity test on a cycle ergometer. PLoS ONE, 2018, 13, e0193234.   | 1.1 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34489 | Determining gestational age and preterm birth in rural Guatemala: A comparison of methods. PLoS ONE, 2018, 13, e0193666.  | 1.1 | 11        |
| 34490 | Validity of a point-of-care nerve conduction device for polyneuropathy identification in older adults with diabetes: Results from the Canadian Study of Longevity in Type 1 Diabetes. PLoS ONE, 2018, 13, e0196647. | 1.1 | 13        |
| 34491 | Validation of an equation for energy expenditure that does not require the respiratory quotient. PLoS ONE, 2019, 14, e0211585.  | 1.1 | 13        |
| 34492 | Implementation of machine learning into clinical breast MRI: Potential for objective and accurate decision-making in suspicious breast masses. PLoS ONE, 2020, 15, e0228446.  | 1.1 | 20        |
| 34493 | Comparison of corneal thickness in patients with dry eye disease using the Pentacam rotating Scheimpflug camera and anterior segment optical coherence tomography. PLoS ONE, 2020, 15, e0228567.                    | 1.1 | 12        |
| 34494 | Improved accuracy of breast volume calculation from 3D surface imaging data using statistical shape models. PLoS ONE, 2020, 15, e0233586.   | 1.1 | 8         |
| 34495 | Age- and refraction-related changes in anterior segment anatomical structures measured by swept-source anterior segment OCT. PLoS ONE, 2020, 15, e0240110.  | 1.1 | 13        |
| 34496 | Development of a histopathology scoring system for the pulmonary complications of organophosphorus insecticide poisoning in a pig model. PLoS ONE, 2020, 15, e0240563.  | 1.1 | 7         |
| 34497 | Fitbit wear-time and patterns of activity in cancer survivors throughout a physical activity intervention and follow-up: Exploratory analysis from a randomised controlled trial. PLoS ONE, 2020, 15, e0240967.     | 1.1 | 26        |
| 34498 | The failure of glomerular filtration rate estimating equations among obese population. PLoS ONE, 2020, 15, e0242447.  | 1.1 | 8         |
| 34499 | Assessment of the sublingual microcirculation with the GlycoCheck system: Reproducibility and examination conditions. PLoS ONE, 2020, 15, e0243737.   | 1.1 | 13        |
| 34500 | Preinfarction Angina Limits Myocardial Infarction Size in Nondiabetic Patients Treated With Primary Coronary Angioplasty. Chest, 2005, 127, 1116.   | 0.4 | 10        |
| 34501 | SAFETY AND EFFICACY OF LINEZOLID AND AZITHROMYCIN IN THE TREATMENT OF MULTIDRUG-RESISTANT TUBERCULOSIS. Chest, 2006, 130, 1454-61.  | 0.4 | 39        |
| 34502 | Spatial Data Correlation: An interactive 3D visualisation tool for correlating the motion capture data streams from different devices. , 0, , .   |     | 1         |
| 34503 | Comparison of the accuracy of body temperature measurements with temporal artery thermometer and axillary mercury thermometer in term newborns. Paediatrica Indonesiana, 2010, 50, 67.                              | 0.0 | 3         |
| 34504 | Validity of the Titmus Vision Screener: A Comparison with the Snellen Chart. Journal of Ophthalmic Science, 2018, 2, 35-43.   | 0.3 | 3         |
| 34505 | Reproducibility and relative validity of a semi-quantitative food-frequency questionnaire in an adult population of Rosario, Argentina. Revista Espanola De Nutricion Humana Y Dietetica, 2016, 19, 227-230.        | 0.1 | 3         |
| 34506 | Measurement of retropubic tissue thickness using intrapartum transperineal ultrasound to assess cephalopelvic disproportion. Ultrasonography, 2018, 37, 211-216.  | 1.0 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34507 | Comparison of point and 2-dimensional shear wave elastography for the evaluation of liver fibrosis. <i>Ultrasonography</i> , 2020, 39, 288-297.  | 1.0 | 11        |
| 34508 | Low-cost piezoelectric footswitch system for measuring temporal parameters during walking. <i>International Journal of Engineering and Technology(UAE)</i> , 2014, 3, 75.  | 0.2 | 3         |
| 34509 | Intra- and inter-rater reliability of muscle thickness measurement of the tibialis anterior using different inward pressures. <i>Physical Therapy Rehabilitation Science</i> , 2019, 8, 218-224.                                     | 0.1 | 1         |
| 34510 | Variations in Respiratory Excretion of Carbon Dioxide Can Be Used to Calculate Pulmonary Blood Flow. <i>Journal of Clinical Medicine Research</i> , 2015, 7, 83-90.  | 0.6 | 4         |
| 34511 | Repeatability and Diagnostic Value of Nasal Potential Difference in a Genetically Admixed Population. <i>Journal of Clinical Medicine Research</i> , 2016, 8, 15-24.   | 0.6 | 1         |
| 34512 | Prediction of fractional flow reserve with angiographic DILEMMA score. <i>Anatolian Journal of Cardiology</i> , 2017, 17, 285-292.   | 0.5 | 6         |
| 34513 | Serum IGF-1 levels measured by different ELISA assays and IRMA - a comparability study. <i>Scripta Scientifica Medica</i> , 2015, 47, 39.  | 0.1 | 1         |
| 34514 | Response to exercise-induced blood pressure elevation is blunted in wrist-cuff automated oscillometric measurement in healthy young college students. <i>Physiological Reports</i> , 2020, 8, e14570.                                | 0.7 | 2         |
| 34515 | Detecting overweight and obesity among young Syrian boys based on skinfold thickness. <i>Anthropological Review</i> , 2016, 79, 35-46.   | 0.2 | 1         |
| 34516 | Simultaneous quantitation of five triazole anti-fungal agents by paper spray-mass spectrometry. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 836-846.   | 1.4 | 16        |
| 34517 | Volumetric absorptive microsampling and dried blood spot microsampling vs. conventional venous sampling for tacrolimus trough concentration monitoring. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 1687-1695.     | 1.4 | 41        |
| 34518 | Pneumatic tube transportation of urine samples. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 905-911.   | 1.4 | 4         |
| 34519 | Basics and use of continuous glucose monitoring (CGM) in diabetes therapy. <i>Journal of Laboratory Medicine</i> , 2020, 44, 71-79.  | 1.1 | 33        |
| 34520 | Translation, cross-cultural adaptation and psychometric evaluation of the Thai version of the fear-avoidance beliefs questionnaire in patients with non-specific neck pain. <i>Scandinavian Journal of Pain</i> , 2021, 21, 247-255. | 0.5 | 7         |
| 34522 | Study of the Efficacy of Real Time-PCR Method for Amikacin Determination Using Microbial Assay. <i>Advanced Pharmaceutical Bulletin</i> , 2015, 5, 181-188.  | 0.6 | 4         |
| 34523 | Quantifying Test-Retest Reliability Using the Intraclass Correlation Coefficient and the SEM. <i>Journal of Strength and Conditioning Research</i> , 2005, 19, 231.  | 1.0 | 2,806     |
| 34524 | Effects of Acute Creatine Loading With or Without Carbohydrate on Repeated Bouts of Maximal Swimming in High-Performance Swimmers. <i>Journal of Strength and Conditioning Research</i> , 2005, 19, 265.                             | 1.0 | 16        |
| 34525 | Intrarater Reliability and Agreement of Recommended Performance-Based Tests and Common Muscle Function Tests in Knee Osteoarthritis. <i>Journal of Geriatric Physical Therapy</i> , 2021, 44, 144-152.                               | 0.6 | 9         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34526 | Reliability and Validity of a Method for the Assessment of Sport Rock Climbers' Isometric Finger Strength. <i>Journal of Strength and Conditioning Research</i> , 2022, 36, 2277-2282.  | 1.0 | 12        |
| 34527 | Reliability of Knee and Ankle Strength Measures in an Older Adult Population. <i>Journal of Strength and Conditioning Research</i> , 2006, 20, 82.  | 1.0 | 34        |
| 34528 | Validation of commercially available ELISAs for the detection of circulating sclerostin in hemodialysis patients. <i>Discoveries</i> , 2016, 4, e55.  | 1.5 | 13        |
| 34529 | The Value of Capillary Blood Gas Measurement in the Intensive Care Unit. <i>Journal of Chest Diseases and Critical Care</i> , 2014, 1, 24-30.   | 0.0 | 3         |
| 34530 | An Application of Probability Theory to a Group of Breath-Alcohol and Blood-Alcohol Data. <i>Journal of Forensic Sciences</i> , 1990, 35, 1342-1352.  | 0.9 | 3         |
| 34531 | An Evaluation of the Reliability of Widmark Calculations Based on Breath Alcohol Measurements. <i>Journal of Forensic Sciences</i> , 1995, 40, 91-94.   | 0.9 | 23        |
| 34532 | Variability of the Blood/Breath Alcohol Ratio in Drinking Drivers. <i>Journal of Forensic Sciences</i> , 1996, 41, 916-921.   | 0.9 | 61        |
| 34533 | Evaluation of Adult Body Adiposity, Size, and Shape by Stereovision Imaging. <i>Journal of Testing and Evaluation</i> , 2013, 41, 20120169.   | 0.4 | 1         |
| 34534 | Effect of Water, Speed, and Grade on Continuous Friction Measurement Equipment (CFME). , 2012, , 20-39.   |     | 5         |
| 34535 | Predicted vs. Actual Resting Energy Expenditure and Activity Coefficients: Post-Gastric Bypass, Lean and Obese Women. <i>Obesity &amp; Control Therapies: Open Access</i> , 0, , .  | 0.3 | 3         |
| 34536 | The Validity of the YMCA 3-Minute Step Test for Estimating Maximal Oxygen Uptake in Healthy Korean and Vietnamese Adults. <i>Journal of Lifestyle Medicine</i> , 2020, 10, 21-29.   | 0.3 | 23        |
| 34537 | Adult height prediction by bone age determination in children with isolated growth hormone deficiency. <i>Endocrine Connections</i> , 2020, 9, 370-378.   | 0.8 | 8         |
| 34538 | Pulmonary transit time measurement by contrast-enhanced ultrasound in left ventricular dyssynchrony. <i>Echo Research and Practice</i> , 2016, 3, 35-43.  | 0.6 | 9         |
| 34539 | Pre-Clinical Validation of a New Intra-Operative "Dual Beam Doppler" Blood Flowmeter in an Artificial Circuit. <i>Heart Surgery Forum</i> , 2006, 9, E499-E505.   | 0.2 | 2         |
| 34540 | Evaluation of Left Ventricular Function by 64-Multidetector Computed Tomography in Patients Undergoing Totally Endoscopic Coronary Artery Bypass Grafting. <i>Heart Surgery Forum</i> , 2008, 11, E218-E224.  | 0.2 | 5         |
| 34541 | Combined Osmotic Fragility and Dichlorophenol-Indolphanol Test for Hemoglobin Disorder Screening in Thai Pregnant Subjects:An Appraisal. <i>Laboratory Hematology: Official Publication of the International Society for Laboratory Hematology</i> , 2004, 10, 119-120. | 1.2 | 1         |
| 34542 | Recommendations for Evaluation of Coagulation Analyzers. <i>Laboratory Hematology: Official Publication of the International Society for Laboratory Hematology</i> , 2006, 12, 32-38.   | 1.2 | 25        |
| 34543 | Can Commercially Available Pedometers be Used for Physical Activity Monitoring in Patients with COPD Following Exacerbations?. <i>Chronic Obstructive Pulmonary Diseases (Miami, Fla )</i> , 2016, 3, 636-642.  | 0.5 | 14        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34544 | Reproducibility of Intravenous Intermittent Triggered Myocardial Contrast Echocardiography in Healthy Subjects. <i>International Heart Journal</i> , 2004, 45, 461-473.   | 0.6 | 3         |
| 34545 | Validaci3n de un cuestionario para la valoraci3n de la actividad f3sica en escolares adolescentes<br>Validation of a questionnaire assessing school physical activity in adolescents. <i>Anales De La Facultad De Medicina</i> , 2013, 73, 307.   | 0.0 | 5         |
| 34546 | Midpubic Line to Stage Pelvic Organ Prolapse by MRI Defecography As Compared to POP-Q. <i>Obstetrics &amp; Gynecology International Journal</i> , 2014, 1, .  | 0.0 | 4         |
| 34547 | Establishing Some Measures of Absolute and Relative Reliability of a Motor Test / Odr3vanje nekih mjera apsolutne i relativne pouzdanosti motori3kih testova. <i>Croatian Journal of Education</i> , 0, 17, .   | 0.2 | 9         |
| 34548 | Consumo de materia seca en un sistema silvopastoril de <i>Tithonia diversifolia</i> en tr3pico alto. <i>Agronomy Mesoamerican</i> , 2017, 28, 389.  | 0.1 | 6         |
| 34549 | Repeatability and reproducibility of measurements of the suburethral tape location obtained in pelvic floor ultrasound performed with a transvaginal probe. <i>Journal of Ultrasonography: Official Publication of Polish Ultrasound Society / Red Nacz Iwona SudoÅ-SzopiÅska</i> , 2017, 17, 101-105.              | 0.7 | 11        |
| 34550 | Evaluation of porcine semen quality by portable and desktop CASA systems â€“ Short communication. <i>Acta Veterinaria Hungarica</i> , 2020, 68, 197-199.  | 0.2 | 3         |
| 34551 | The effect of elbow position on the handgrip strength test in children: validity and reliability of TKK 5101 and DynX dynamometers. <i>Pedagogy of Physical Culture and Sports</i> , 2020, 24, 240-247.   | 0.3 | 5         |
| 34552 | Comparison of the Harris-Benedict Equation, Bioelectrical Impedance Analysis, and Indirect Calorimetry for Measurement of Basal Metabolic Rate among Adult Obese Filipino Patients with Prediabetes or Type 2 Diabetes Mellitus. <i>Journal of the ASEAN Federation of Endocrine Societies</i> , 2018, 33, 152-159. | 0.1 | 14        |
| 34553 | Direct Comparison between Brachial Pressure Obtained by Oscillometric Method and Central Pressure Using Invasive Method. <i>Soonchunhyang Medical Science</i> , 2011, 17, 65-71.  | 0.0 | 4         |
| 34554 | An Experimental Model for the Acute and Chronic Evaluation of Intra-aneurysmal Pressure. <i>Journal of Endovascular Therapy</i> , 1997, 4, 290-297.   | 3.3 | 54        |
| 34555 | The Effect of Angulation on Intravascular Ultrasound Imaging Observed in Vascular Phantoms. <i>Journal of Endovascular Therapy</i> , 1998, 5, 126-133.  | 3.3 | 18        |
| 34556 | Spiral CT Angiography Versus Aortography in the Assessment of Aortoiliac Length in Patients Undergoing Endovascular Abdominal Aortic Aneurysm Repair. <i>Journal of Endovascular Therapy</i> , 1998, 5, 222-227.  | 3.3 | 35        |
| 34557 | Three-Dimensional Intravascular Ultrasound Assessment of Abdominal Aortic Aneurysm Necks. <i>Journal of Endovascular Therapy</i> , 2000, 7, 380-388.  | 0.8 | 10        |
| 34558 | Micromovements at the Aortic Aneurysm Neck Measured During Open Surgery With Close-Range Photogrammetry:Implications for Aortic Endografts. <i>Journal of Endovascular Therapy</i> , 2001, 8, 511-520.  | 0.8 | 9         |
| 34559 | Two-Dimensional Versus Three-Dimensional CT Scan for Aortic Measurement. <i>Journal of Endovascular Therapy</i> , 2003, 10, 531-538.  | 0.8 | 14        |
| 34560 | New Post-Imaging Software Provides Fast and Accurate Volume Data From CTA Surveillance After Endovascular Aneurysm Repair. <i>Journal of Endovascular Therapy</i> , 2003, 10, 887-893.  | 0.8 | 5         |
| 34561 | Toward Endografting of the Ascending Aorta:Insight into Dynamics Using Dynamic Cine-CTA. <i>Journal of Endovascular Therapy</i> , 2007, 14, 551-560.  | 0.8 | 24        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34562 | Assessing Agreement of Step Test Equations to Estimate VO <sub>2</sub> max in Korean Male and Female Youths Aged 13-18 Years. <i>Exercise Science</i> , 2019, 28, 66-73.  | 0.1 | 1         |
| 34563 | Assessing the adjustability of grasping force using the iWakka in elderly individuals. <i>Journal of Physical Therapy Science</i> , 2017, 29, 2215-2219.  | 0.2 | 7         |
| 34564 | Semi-automated counting model for arbuscular mycorrhizal fungi spores using the Circle Hough Transform and an artificial neural network. <i>Anais Da Academia Brasileira De Ciencias</i> , 2019, 91, e20180165.   | 0.3 | 6         |
| 34565 | Validade relativa de questionário de frequência alimentar com suporte de imagens. <i>Ciencia E Saude Coletiva</i> , 2017, 22, 457-468.  | 0.1 | 9         |
| 34567 | Cultural adaptation and psychometric properties of social cognitive scales related to adolescent dietary behaviors. <i>Cadernos Saude Coletiva</i> , 2014, 22, 252-259.   | 0.2 | 12        |
| 34568 | Cross-cultural adaptation, validity and reproducibility of the Back Beliefs Questionnaire among older Brazilians with acute low back pain. A cross-sectional study. <i>Sao Paulo Medical Journal</i> , 2020, 138, 287-296.  | 0.4 | 6         |
| 34569 | COMPARISON OF THREE DIFFERENT MEASUREMENT SYSTEMS TO ASSESS THE VERTICAL JUMP HEIGHT. <i>Revista Brasileira De Medicina Do Esporte</i> , 2020, 26, 143-146.   | 0.1 | 6         |
| 34571 | The usefulness of Tanita TBF-310 for body composition assessment in Judo athletes using a four-compartment molecular model as the reference method. <i>Revista Da Associação Médica Brasileira</i> , 2019, 65, 1283-1289.   | 0.3 | 12        |
| 34572 | Hemoglobin measured by Hemocue and a reference method in venous and capillary blood: a validation study. <i>Salud Publica De Mexico</i> , 2002, 44, 219-227.  | 0.1 | 112       |
| 34573 | Quantificação da massa infartada do ventrículo esquerdo pela ressonância magnética cardíaca: comparação entre a planimetria e o método de escore visual semi-quantitativo. <i>Arquivos Brasileiros De Cardiologia</i> , 2004, 83, 111-117.  | 0.3 | 16        |
| 34575 | A semi-automatic computerized method to measure baroreflex-mediated heart rate responses that reduces interobserver variability. <i>Brazilian Journal of Medical and Biological Research</i> , 2005, 38, 949-957.   | 0.7 | 4         |
| 34576 | Moderate-term reproducibility of heart rate variability during rest and light to moderate exercise in children. <i>Brazilian Journal of Medical and Biological Research</i> , 2008, 41, 627-633.  | 0.7 | 22        |
| 34577 | Quantitative evaluation of experimental choroidal neovascularization by confocal scanning laser ophthalmoscopy: fluorescein angiogram parallels heparan sulfate proteoglycan expression. <i>Brazilian Journal of Medical and Biological Research</i> , 2010, 43, 627-633.   | 0.7 | 5         |
| 34578 | Similaridade entre os valores da pressão arterial aferida pelo método auscultatório com aparelho de coluna de mercúrio e o método oscilométrico automático com aparelho digital. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2012, 34, 43-49. | 0.4 | 9         |
| 34579 | Comparação entre os ajustes de curva exponencial e polinomial na determinação do limiar de lactato pelo método Dmax. <i>Revista Brasileira De Ciencias Do Esporte</i> , 2011, 33, 1029-1040.  | 0.4 | 3         |
| 34580 | Digital-image analysis to predict weight and yields of boneless subprimal beef cuts. <i>Scientia Agricola</i> , 2003, 60, 403-408.  | 0.6 | 10        |
| 34581 | Medição de la grasa corporal mediante impedancia bioeléctrica, pliegues cutáneos y ecuaciones a partir de medidas antropométricas. Análisis comparativo. <i>Revista Espanola De Salud Publica</i> , 2001, 75, .   | 0.3 | 17        |
| 34582 | Estudo de validade e reprodutibilidade de uma escala de silhueta para adolescentes. <i>Psicologia Em Estudo</i> , 2009, 14, 699-706.  | 0.2 | 25        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34583 | Assessment of energy and macronutrient intake in young men: a comparison of 4-day food record and 24-hour dietary recall. <i>Revista De Nutricao</i> , 2009, 22, 621-630.  | 0.4 | 4         |
| 34584 | Which equation should be used to measure energy expenditure in HIV-infected patients?. <i>Revista De Nutricao</i> , 2013, 26, 225-232.   | 0.4 | 4         |
| 34585 | Avalia  o de um programa de tra  ado cefalom  trico. <i>Revista Dental Press De Ortodontia E Ortopedia Facial</i> , 2006, 11, 44-54.   | 0.2 | 5         |
| 34586 | Avalia  o nutricional: descri  o da concord  ncia entre avaliadores. <i>Revista Brasileira De Epidemiologia</i> , 2007, 10, 506-516.   | 0.3 | 8         |
| 34587 | Validade de peso, altura e  ndice de massa corporal autorreferidos na popula  o adulta de Bras lia. <i>Revista Brasileira De Epidemiologia</i> , 2013, 16, 157-169.  | 0.3 | 18        |
| 34588 | Multidimensional pain assessment of preterm newborns at the 1st, 3rd and 7th days of life. <i>Sao Paulo Medical Journal</i> , 2007, 125, 29-33.  | 0.4 | 17        |
| 34589 | Concord  ncia entre as medidas de peso e estatura mensuradas e auto-referidas para o diagn stico do estado nutricional de idosos residentes no sul do Brasil. <i>Revista Brasileira De Medicina Do Esporte</i> , 2008, 14, 126-131.            | 0.1 | 9         |
| 34590 | Valida  o de equa  es antropom tricas para a estimativa da massa muscular por meio de absorptometria radiol gica de dupla energia em universit rios do sexo masculino. <i>Revista Brasileira De Medicina Do Esporte</i> , 2008, 14, 376-380.   | 0.1 | 10        |
| 34591 | Adapta  o dos testes de lactato m ximo, pot ncia cr tica e limiar anaer bio para avalia  o da transi o anaer bia-anaer bia em protocolo espec fico para o t nis de mesa. <i>Revista Brasileira De Medicina Do Esporte</i> , 2008, 14, 518-522. | 0.1 | 9         |
| 34592 | Diagnostic accuracy comparison between clinical signs and hemoglobin color scale as screening methods in the diagnosis of anemia in children. <i>Revista Brasileira De Saude Materno Infantil</i> , 2006, 6, 183-189.                          | 0.2 | 4         |
| 34593 | Valida  o relativa de Question rio de Freq ncia Alimentar em gestantes usu rias de servi os do Sistema  nico de Sa de em dois munic pios no Rio Grande do Sul, Brasil. <i>Revista Brasileira De Saude Materno Infantil</i> , 2008, 8, 445-454. | 0.2 | 30        |
| 34594 | Repeatability of the evaluation of systemic microvascular endothelial function using laser doppler perfusion monitoring: clinical and statistical implications. <i>Clinics</i> , 2011, 66, 599-605.  | 0.6 | 10        |
| 34595 | REPRODUCIBILITY AND EQUIVALENCE OF COBBMETER APPLICATION IN THE SAGITTAL EVALUATION OF THE SPINE. <i>Coluna/ Columna</i> , 2016, 15, 279-282.  | 0.0 | 2         |
| 34596 | Avalia  o da confiabilidade e usabilidade de tr s diferentes programas computacionais para a an lise fotogram trica do  ngulo de flex o de quadril. <i>Fisioterapia E Pesquisa</i> , 2011, 18, 247-251.  | 0.3 | 5         |
| 34597 | Body Composition in Renal Transplant Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 1999, 10, 1067-1079.   | 3.0 | 83        |
| 34598 | QT Dispersion in Patients with End-Stage Renal Failure and during Hemodialysis. <i>Journal of the American Society of Nephrology: JASN</i> , 1999, 10, 1297-1302.  | 3.0 | 98        |
| 34599 | Urinary Albumin Excretion Is Associated with Renal Functional Abnormalities in a Nondiabetic Population. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 1882-1888.   | 3.0 | 276       |
| 34600 | Standard Peritoneal Permeability Analysis in Children. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 943-950.   | 3.0 | 34        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34601 | Limitations in Anthropometric Calculations of Total Body Water in Patients on Peritoneal Dialysis. Journal of the American Society of Nephrology: JASN, 2001, 12, 568-573.             | 3.0 | 35        |
| 34602 | Second generation logarithmic estimates of single-pool variable volume Kt/V. Journal of the American Society of Nephrology: JASN, 1993, 4, 1205-1213.                                  | 3.0 | 1,220     |
| 34603 | Nutritional assessment with bioelectrical impedance analysis in maintenance hemodialysis patients.. Journal of the American Society of Nephrology: JASN, 1995, 6, 75-81.               | 3.0 | 236       |
| 34604 | Total body water and body composition in chronic peritoneal dialysis patients.. Journal of the American Society of Nephrology: JASN, 1997, 8, 1906-1914.                               | 3.0 | 52        |
| 34605 | Whole body Kt/V from dialysate urea measurements during hemodialysis.. Journal of the American Society of Nephrology: JASN, 1998, 9, 2118-2123.  | 3.0 | 15        |
| 34606 | Televideo assessment using Functional Reach Test and European Stroke Scale. Journal of Rehabilitation Research and Development, 2007, 44, 659.   | 1.6 | 28        |
| 34607 | Toward real-time detection of deep tissue injury risk in wheelchair users using Hertz contact theory. Journal of Rehabilitation Research and Development, 2008, 45, 537-550.           | 1.6 | 12        |
| 34608 | Title is missing!. Journal of Rehabilitation Research and Development, 2008, 45, 1335.   | 1.6 | 40        |
| 34609 | Effectiveness of computerized oculomotor vision screening in a military population: Pilot study. Journal of Rehabilitation Research and Development, 2012, 49, 1377.                   | 1.6 | 17        |
| 34610 | Registering methodology for imaging and analysis of residual-limb shape after transtibial amputation. Journal of Rehabilitation Research and Development, 2016, 53, 207-218.           | 1.6 | 25        |
| 34611 | Validity of activity monitors in wheelchair users: A systematic review. Journal of Rehabilitation Research and Development, 2016, 53, 641-658.   | 1.6 | 24        |
| 34613 | Diet of harbour seals in a salmon estuary in North-West Iceland. Icelandic Agricultural Sciences, 0, 29, 7-19.   | 0.0 | 2         |
| 34614 | Critical Review of Method Comparison Studies for the Evaluation of Estimating Glomerular Filtration Rate Equations. International Journal of Nephrology and Kidney Failure, 2015, 1, . | 0.1 | 3         |
| 34615 | Reliability of a 3D Body Scanner for Anthropometric Measurements of Central Obesity. Obesity, Open Access, 2016, 2, .  | 0.1 | 19        |
| 34616 | Dynamic Attention as a Predictor of Driving Performance in Clinical Populations: Preliminary Results. , 2011, , .  |     | 4         |
| 34619 | Effects of pulse pressure alterations on cardiac output measurements derived from analysis of arterial pressure waveform. Anesthesia and Pain Medicine, 2016, 11, 280-284.             | 0.5 | 2         |
| 34620 | Application of Video-Based Methods for Competitive Swimming Analysis: A Systematic Review. Diabetes Research (Fairfax, Va ), 2015, 1, 133-150.   | 0.1 | 20        |
| 34621 | Validity and Reproducibility of the Garmin Vector Power Meter When Compared to the SRM Device. Journal of Sports Science, 2017, 5, .   | 0.1 | 3         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34622 | VALIDITY AND RELIABILITY OF FREE SOFTWARE FOR BIDIMENTIONAL GAIT ANALYSIS. Revista Pesquisa Em Fisioterapia, 2017, 7, 548-557.  | 0.1 | 3         |
| 34623 | Comparison of Resting Metabolic Rates: Calculated using predictive equation and measured using Portable Indirect Calorimeter. Global Journal of Obesity, Diabetes and Metabolic Syndrome, 0, , 010-016.                                       | 0.2 | 3         |
| 34624 | Automated 6-Minute Walk Test Distance Measurement and Walk Characterisation using a Novel Infrared Sensor-Based Technique. Sains Malaysiana, 2019, 48, 2201-2209.   | 0.3 | 1         |
| 34625 | A simple and accurate allometric model to predict single leaf area of twenty-one European apricot cultivars. European Journal of Horticultural Science, 2017, 82, 65-71.  | 0.3 | 12        |
| 34626 | Assessing the Effects of Software Platforms on Volumetric Segmentation of Glioblastoma. Journal of Neuroimaging in Psychiatry & Neurology, 2016, 1, 64-72.  | 0.4 | 7         |
| 34627 | Evaluation of Two Noninvasive Hemoglobin Testing Devices. The Korean Journal of Blood Transfusion, 2015, 26, 273-281.   | 0.1 | 3         |
| 34628 | Left ventricular global dyssynchrony is exaggerated with age. International Cardiovascular Forum Journal, 2015, 1, 47.  | 1.1 | 4         |
| 34629 | Correlation and regression - the facts. International Cardiovascular Forum Journal, 2015, 1, 193.   | 1.1 | 2         |
| 34630 | Comparison of Diaton transpalpebral tonometer with applanation tonometry in keratoconus. International Journal of Ophthalmology, 2016, 9, 395-8.  | 0.5 | 13        |
| 34631 | A quantitative comparison of five optical coherence tomography angiography systems in clinical performance. International Journal of Ophthalmology, 2018, 11, 1784-1795.  | 0.5 | 45        |
| 34632 | Comparison of corneal curvature parameters obtained from two different instrumentsâ€”Pentacam and VX120. International Journal of Ophthalmology, 2019, 12, 1311-1316.   | 0.5 | 4         |
| 34633 | Comparison of ocular parameters of two biometric measurement devices in highly myopic eyes. International Journal of Ophthalmology, 2019, 12, 1548-1554.  | 0.5 | 5         |
| 34634 | The Accuracy of the Broselowâ„¢ Pediatric Emergency Tape for Weight Estimation in an Omani Paediatric Population. Sultan Qaboos University Medical Journal, 2017, 17, e191-195.   | 0.3 | 1         |
| 34635 | Intrathoracic Fat Measurements Using Multidetector Computed Tomography (MDCT): Feasibility and Reproducibility. Tomography, 2017, 3, 33-40.   | 0.8 | 3         |
| 34636 | Quantification of Human Central Adipose Tissue Depots: An Anatomically Matched Comparison Between DXA and MRI. Tomography, 2019, 5, 358-366.  | 0.8 | 9         |
| 34637 | ValidaÃ§Ã£o da BioimpedÃancia ElÃ©trica por MultifrequÃancia em Atletas. Revista Brasileira De CiÃancia E Movimento, 2015, 23, 48-57.   | 0.0 | 1         |
| 34638 | Development, test-retest reliability and validity of the Pharmacy Value-Added Services Questionnaire (PVASQ). Pharmacy Practice, 2015, 13, 598-598.   | 0.8 | 15        |
| 34639 | Concordancia entre la estimaci3n visual y la medici3n del volumen recolectado en una bolsa del sangrado intraparto en mujeres con parto normal en BogotÃ¡, Colombia, 2006. Revista Colombiana De Obstetricia Y Ginecologia, 2008, 59, 92-102. | 0.2 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34640 | Left ventricular longitudinal strain in soccer referees. <i>Oncotarget</i> , 2017, 8, 39766-39773.   | 0.8 | 7         |
| 34641 | Clinically significant sub-clonality for common drivers can be detected in 26% of <i>KRAS/EGFR</i> mutated lung adenocarcinomas. <i>Oncotarget</i> , 2017, 8, 45736-45749.         | 0.8 | 5         |
| 34642 | AGREEMENT BETWEEN HEMOCUE AND GLUCOSE OXIDASE METHODS FOR BLOOD GLUCOSE MEASUREMENT IN A FIELD WORK STUDY OF DIABETES: THE COMCAAC PROJECT. <i>Biotechnia</i> , 2018, 21, 22-28.   | 0.1 | 2         |
| 34643 | The <i>R</i> Primer. <i>Journal of Statistical Software</i> , 2013, 52, .  | 1.8 | 2         |
| 34644 | Validity and Reliability of an Inertial Measurement Unit-Based 3D Angular Measurement of Shoulder Joint Motion. <i>The Journal of Korean Physical Therapy</i> , 2017, 29, 145-151. | 0.1 | 27        |
| 34645 | Effects of acute gastric distention and recovery on tendency for ventricular arrhythmia in dogs. <i>Journal of Veterinary Internal Medicine</i> , 2000, 14, 436-44.                | 0.6 | 6         |
| 34646 | Comparison of four staining methods for detection of mast cells in equine bronchoalveolar lavage fluid. <i>Journal of Veterinary Internal Medicine</i> , 2006, 20, 377-81.         | 0.6 | 11        |
| 34647 | Pulsed tissue Doppler imaging in normal cats and cats with hypertrophic cardiomyopathy. <i>Journal of Veterinary Internal Medicine</i> , 2006, 20, 65-77.                          | 0.6 | 27        |
| 34648 | Assessment of a Point-of-Care Lactate Monitor in Emergency Admissions of Adult Horses to a Referral Hospital. <i>Journal of Veterinary Internal Medicine</i> , 2007, 21, 1090.     | 0.6 | 7         |
| 34649 | Validity of Mothers' Reports of Children's Weight in Japan. <i>Acta Medica Okayama</i> , 2016, 70, 255-9.  | 0.1 | 4         |
| 34650 | Potential of Artificial Intelligence for Estimating Japanese Fetal Weights. <i>Acta Medica Okayama</i> , 2020, 74, 483-493.  | 0.1 | 9         |
| 34651 | How to Use Image Analysis for Islet Counting. <i>Review of Diabetic Studies</i> , 2008, 5, 38-46.  | 0.5 | 14        |
| 34652 | Test-Retest Stability of Four Common Body Composition Assessments in College Students. <i>Journal of Physical Fitness Medicine &amp; Treatment in Sports</i> , 2017, 1, .          | 0.0 | 6         |
| 34653 | PiCT: 1 <sup>st</sup> Recognition for Human Whole Blood on QCM-D Platform. <i>Pharmaceutical and Biosciences Journal</i> , 2016, 3, 1.   | 0.5 | 8         |
| 34654 | Prothrombin Time (PT) for Human Plasma on QCM-D Platform: A Better Alternative to 'Gold Standard'. <i>Pharmaceutical and Biosciences Journal</i> , 0, , 01-08.                     | 0.5 | 9         |
| 34655 | 'Argatroban' Monitoring in Human Plasma: aPTT and PiCT Studies on QCM-D Vs 'Gold Standard'. <i>Pharmaceutical and Biosciences Journal</i> , 2016, 3, 42.                           | 0.5 | 6         |
| 34656 | A Simultaneous Monitoring of Coagulation Time and Fibrinogen via PiCT on QCM-D. <i>Pharmaceutical and Biosciences Journal</i> , 2016, 4, .   | 0.5 | 4         |
| 34657 | C <sub>4</sub> ve Analizinin Kullanılması ve Bir Uygulama. <i>Osmangazı Journal of Medicine</i> , 2019, 41, 6-16.  | 0.1 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34658 | Validation of cutoffs for skeletal muscle mass index based on computed tomography analysis against dual energy X-ray absorptiometry in patients with cirrhosis: the KIRRHOS study. <i>Annals of Gastroenterology</i> , 2019, 33, 80-86. | 0.4 | 8         |
| 34659 | Comparison of different methods of grapevine yield prediction in the time window between fruitset and veraison. <i>Oeno One</i> , 2016, 49, 27.   | 0.7 | 16        |
| 34660 | Concordance in prediction body fat percentage of Brazilian women in reproductive age between different methods of evaluation of skinfolds thickness. <i>Archives of Endocrinology and Metabolism</i> , 2020, 64, 257-268.               | 0.3 | 5         |
| 34662 | Open-Ended Measurement of Whole-Body Movement: A Feasibility Study. <i>The Quantitative Methods for Psychology</i> , 2018, 14, 38-54.   | 0.6 | 3         |
| 34663 | Validation study of Polar V800 accelerometer. <i>Annals of Translational Medicine</i> , 2016, 4, 278-278.   | 0.7 | 24        |
| 34664 | Femoral and tibial torsion measurements based on EOS imaging compared to 3D CT reconstruction measurements. <i>Annals of Translational Medicine</i> , 2019, 7, 460-460.   | 0.7 | 17        |
| 34665 | Quantification of the Radial Torsion Angle with Computerized Tomography in Cadaver Specimens*. <i>Journal of Bone and Joint Surgery - Series A</i> , 1997, 79, 833-7.   | 1.4 | 58        |
| 34666 | Determination of Polyethylene Wear in Total Hip Replacements with Use of Digital Radiographs*. <i>Journal of Bone and Joint Surgery - Series A</i> , 1997, 79, 1635-1641.   | 1.4 | 296       |
| 34667 | The Effect of Weight-Bearing on the Radiographic Measurement of the Position of the Femoral Head After Total Hip Arthroplasty*. <i>Journal of Bone and Joint Surgery - Series A</i> , 2000, 82, 62-69.                                  | 1.4 | 30        |
| 34668 | Early or Delayed Surgical Treatment of Supracondylar Humeral Fractures in Children. <i>Journal of Bone and Joint Surgery - Series A</i> , 2002, 84, 1078.   | 1.4 | 4         |
| 34669 | Comparison of Estimation Accuracy of Body Density between Different Hydrostatics Weighing Methods without Head Submersion. <i>Journal of Physiological Anthropology and Applied Human Science</i> , 2003, 22, 175-179.                  | 0.4 | 4         |
| 34670 | New Percentage Body Fat Prediction Equations for Japanese Females. <i>Journal of Physiological Anthropology</i> , 2007, 26, 23-29.  | 1.0 | 11        |
| 34671 | Segmental Body Composition Assessment for Obese Japanese Adults by Single-Frequency Bioelectrical Impedance Analysis with 8-point Contact Electrodes. <i>Journal of Physiological Anthropology</i> , 2007, 26, 533-540.                 | 1.0 | 23        |
| 34673 | Leaf Area Estimation Model for Small Fruits from Linear Measurements. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2008, 43, 2263-2267.  | 0.5 | 58        |
| 34674 | Estimating Mean Fruit Weight and Mean Fruit Value for Apple Trees: Comparison of Two Sampling Methods with the True Mean. <i>Journal of the American Society for Horticultural Science</i> , 2001, 126, 503-510.                        | 0.5 | 18        |
| 34675 | Statistical Model Estimates Potential Yields in Pear Cultivars 'Blanquilla' and 'Conference' before Bloom. <i>Journal of the American Society for Horticultural Science</i> , 2003, 128, 452-457.                                       | 0.5 | 16        |
| 34676 | Statistical Model Estimates Potential Yields in 'Golden Delicious' and 'Royal Gala' Apples before Bloom. <i>Journal of the American Society for Horticultural Science</i> , 2004, 129, 20-25.   | 0.5 | 21        |
| 34677 | Quantifying Empirical QQ Plots: Stock Markets, Executive Pay, and Weather. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34678 | Video-Based Tracking of Jaw Movements During Speech: Preliminary Results and Future Directions. , 0, , .  |     | 8         |
| 34679 | Reliability of Clinical Voice Parameters Captured with Smartphones â€” Measurements of Added Noise and Spectral Tilt. , 0, , .  |     | 5         |
| 34680 | Variability of exhaled breath condensate leukotriene B4and 8-isoprostane in COPD patients. International Journal of COPD, 2007, 2, 71-76.   | 0.9 | 18        |
| 34681 | Monitoring Microcirculation: Utility and Barriers â€” A Point-of-View Review. Vascular Health and Risk Management, 2020, Volume 16, 577-589.  | 1.0 | 24        |
| 34682 | Comparison of image analysis methods in skin temperature measurements during physical exercise. , 2014, , .   |     | 1         |
| 34683 | AnÃ¡lisis Rasch del Mini Mental State Examination (MMSE) en adultos mayores de Antioquia, Colombia. Revista CES Psicología, 2017, 10, 17-27.  | 0.1 | 7         |
| 34684 | Estimated Time Limit. Sports Medicine, 2012, 42, 845-855.   | 3.1 | 7         |
| 34685 | THE VALIDITY AND RELIABILITY OF COGNITIVE FAILURES QUESTIONNAIRE IN UNIVERSITY STUDENTS. Fizyoterapi Rehabilitasyon, 2016, 27, 55-55.   | 0.0 | 8         |
| 34686 | In-vitro Strain and Modulus Measurements in Porcine Cervical Lymph Nodes. Open Biomedical Engineering Journal, 2011, 5, 39-46.  | 0.7 | 13        |
| 34687 | Prediction of Bodyweight and Energy Expenditure Using Point Pressure and Foot Acceleration Measurements. Open Biomedical Engineering Journal, 2011, 5, 110-115.   | 0.7 | 26        |
| 34688 | Single-Breathhold Four-Dimensional Assessment of Left Ventricular Morphological and Functional Parameters by Magnetic Resonance Imaging Using the VAST Technique. Open Cardiovascular Medicine Journal, 2011, 5, 90-98. | 0.6 | 7         |
| 34689 | Width of 3. Ventricle: Reference Values and Clinical Relevance in a Cohort of Patients with Relapsing Remitting Multiple Sclerosis. The Open Neurology Journal, 2013, 7, 11-16.   | 0.4 | 15        |
| 34690 | The Relationship Between the Mid-Point and Most-Prominent Point on the Labial Curve of Upper Anterior Teeth. Open Dentistry Journal, 2009, 3, 167-172.  | 0.2 | 2         |
| 34691 | Precision of a Reflectance Spectrophotometer in Measuring Anterior Tooth Color. Open Dentistry Journal, 2018, 12, 884-895.  | 0.2 | 5         |
| 34692 | A Comparison of Two Immunoassays for Analysing Plasma 25-hydroxyvitamin D. The Open Clinical Chemistry Journal, 2011, 4, 45-49.   | 0.7 | 8         |
| 34693 | Kinetics of Plasmodium falciparum Gametocyte Sex Ratios: Application to the Evaluation of the Potential of Antimalarial Drugs to Influence Malaria Transmission. The Open Tropical Medicine Journal, 2011, 4, 33-38.    | 0.3 | 2         |
| 34694 | Methodological Aspects of Lactate Measurement - Evaluation of the Accuracy of Photometric and Biosensor Methods. Open Anesthesiology Journal, 2007, 1, 1-5.   | 0.4 | 7         |
| 34695 | Accuracy of an Automatic Infusion Controller (AutoClamp) for Intravenous Fluid Administration. Open Anesthesiology Journal, 2015, 9, 23-28.   | 0.4 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34696 | Grip and Pinch Strength in Healthy Subjects and Patients with Primary Osteoarthritis of the Hand: A Reproducibility Study. <i>The Open Orthopaedics Journal</i> , 2008, 2, 86-90.                  | 0.1 | 22        |
| 34697 | Translation of Oswestry Disability Index into Tamil with Cross Cultural Adaptation and Evaluation of Reliability and Validity. <i>The Open Orthopaedics Journal</i> , 2014, 8, 11-19.              | 0.1 | 23        |
| 34698 | Intra and Inter-Rater Reliability and Convergent Validity of FIT-HaNSA in Individuals with Grade III Whiplash Associated Disorder. <i>The Open Orthopaedics Journal</i> , 2016, 10, 179-189.       | 0.1 | 3         |
| 34699 | Reliability and Validity of Electro-Goniometric Range of Motion Measurements in Patients with Hand and Wrist Limitations. <i>The Open Orthopaedics Journal</i> , 2016, 10, 190-205.                | 0.1 | 23        |
| 34700 | A Smart Tool for Intraoperative Leg Length Targeting in Total Hip Arthroplasty: A Retrospective Cohort Study. <i>The Open Orthopaedics Journal</i> , 2016, 10, 490-499.                            | 0.1 | 33        |
| 34701 | Validity of a Low-Flow Pneumotach and Portable Metabolic Measurement System. <i>The Open Sports Medicine Journal</i> , 2008, 2, 23-27.   | 2.5 | 2         |
| 34702 | Comparison of FitBit® Ultra to ActiGraph, GT1M for Assessment of Physical Activity in Young Adults During Treadmill Walking. <i>The Open Sports Medicine Journal</i> , 2014, 8, 11-15.             | 2.5 | 53        |
| 34703 | Assessing and Harmonizing Lying Deadwood Volume with Regional Forest Inventory Data in Wallonia (Southern Region of Belgium). <i>The Open Forest Science Journal</i> , 2012, 5, 15-22.             | 0.9 | 6         |
| 34704 | Validation of Microcapillary Flow Cytometry for Community-Based CD4+ T Lymphocyte Enumeration in Remote Burkina Faso. <i>Open AIDS Journal</i> , 2010, 4, 171-175.                                 | 0.1 | 6         |
| 34705 | CD4 Lymphocyte Enumeration and Hemoglobin Assessment Aid for Priority Decisions: A Multisite Evaluation of the BD FACSPresto, System. <i>Open AIDS Journal</i> , 2017, 11, 76-90.                  | 0.1 | 7         |
| 34706 | Inter-Instrument Comparison of Bioimpedance Spectroscopic Analysers. <i>Open Medical Devices Journal</i> , 2009, 1, 3-10.  | 0.3 | 20        |
| 34707 | Electro-Anatomic (CARTO) Mapping for Measurement of Left Atrial Volume: Validation Against Real-Time 3D Echocardiography. <i>The Open Cardiovascular Imaging Journal</i> , 2009, 1, 16-21.         | 0.3 | 5         |
| 34708 | Accuracy of a Pedometer and an Accelerometer in Women with Obesity. <i>The Open Obesity Journal</i> , 2012, 4, 11-17.  | 0.1 | 2         |
| 34709 | Comparison between Pressure Recording Analytical Method and Fick Method to Measure Cardiac Output in Pediatric Cardiac Surgery. <i>Open Anesthesia Journal</i> , 2018, 12, 8-18.                   | 0.2 | 3         |
| 34710 | How Well iPhones Measure Steps in Free-Living Conditions: Cross-Sectional Validation Study. <i>JMIR MHealth and UHealth</i> , 2019, 7, e10418.   | 1.8 | 43        |
| 34711 | Medical-Grade Physical Activity Monitoring for Measuring Step Count and Moderate-to-Vigorous Physical Activity: Validity and Reliability Study. <i>JMIR MHealth and UHealth</i> , 2018, 6, e10706. | 1.8 | 27        |
| 34712 | Accuracy of Consumer Wearable Heart Rate Measurement During an Ecologically Valid 24-Hour Period: Intraindividual Validation Study. <i>JMIR MHealth and UHealth</i> , 2019, 7, e10828.             | 1.8 | 204       |
| 34713 | Design Rationale and Performance Evaluation of the Wavelet Health Wristband: Benchtop Validation of a Wrist-Worn Physiological Signal Recorder. <i>JMIR MHealth and UHealth</i> , 2018, 6, e11040. | 1.8 | 33        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34714 | Measuring Free-Living Physical Activity With Three Commercially Available Activity Monitors for Telemonitoring Purposes: Validation Study. JMIR Formative Research, 2019, 3, e11489.  | 0.7 | 16        |
| 34715 | Accuracy of the Multisensory Wristwatch Polar Vantage's Estimation of Energy Expenditure in Various Activities: Instrument Validation Study. JMIR MHealth and UHealth, 2019, 7, e14534.   | 1.8 | 14        |
| 34716 | An Automated Blood Pressure Display for Self-Measurement in Patients With Chronic Kidney Disease (iHealth Track): Device Validation Study. JMIR MHealth and UHealth, 2020, 8, e14702.   | 1.8 | 4         |
| 34717 | Monitoring Occupational Sitting, Standing, and Stepping in Office Employees With the W@W-App and the MetaWearC Sensor: Validation Study. JMIR MHealth and UHealth, 2020, 8, e15338.   | 1.8 | 4         |
| 34718 | Determining the Agreement Between an Automated Respiratory Rate Counter and a Reference Standard for Detecting Symptoms of Pneumonia in Children: Protocol for a Cross-Sectional Study in Ethiopia. JMIR Research Protocols, 2020, 9, e16531. | 0.5 | 9         |
| 34719 | Formative Evaluation of Consumer-Grade Activity Monitors Worn by Older Adults: Test-Retest Reliability and Criterion Validity of Step Counts. JMIR Formative Research, 2020, 4, e16537.   | 0.7 | 10        |
| 34720 | Validation of a Mobile Version of the American Shoulder and Elbow Surgeons Standardized Shoulder Assessment Form: An Observational Randomized Crossover Trial. JMIR MHealth and UHealth, 2020, 8, e16758.                                     | 1.8 | 5         |
| 34721 | Comparing Web-Based and Lab-Based Cognitive Assessment Using the Cambridge Neuropsychological Test Automated Battery: A Within-Subjects Counterbalanced Study. Journal of Medical Internet Research, 2020, 22, e16792.                        | 2.1 | 61        |
| 34722 | A Scalable System for Passively Monitoring Oral Health Behaviors Using Electronic Toothbrushes in the Home Setting: Development and Feasibility Study. JMIR MHealth and UHealth, 2020, 8, e17347.   | 1.8 | 7         |
| 34723 | Respiration Rate Estimation Based on Independent Component Analysis of Accelerometer Data: Pilot Single-Arm Intervention Study. JMIR MHealth and UHealth, 2020, 8, e17803.  | 1.8 | 7         |
| 34724 | Mobile Personal Health Care System for Noninvasive, Pervasive, and Continuous Blood Pressure Monitoring: Development and Usability Study. JMIR MHealth and UHealth, 2020, 8, e18012.  | 1.8 | 3         |
| 34725 | A Novel Smartphone App for the Measurement of Ultra-Short-Term and Short-Term Heart Rate Variability: Validity and Reliability Study. JMIR MHealth and UHealth, 2020, 8, e18761.  | 1.8 | 20        |
| 34726 | Using Wearable Devices to Monitor Physical Activity in Patients Undergoing Aortic Valve Replacement: Protocol for a Prospective Observational Study. JMIR Research Protocols, 2020, 9, e20072.  | 0.5 | 4         |
| 34727 | Sleep Tracking of a Commercially Available Smart Ring and Smartwatch Against Medical-Grade Actigraphy in Everyday Settings: Instrument Validation Study. JMIR MHealth and UHealth, 2020, 8, e20465.   | 1.8 | 76        |
| 34728 | Wireless Surface Electromyography and Skin Temperature Sensors for Biofeedback Treatment of Headache: Validation Study with Stationary Control Equipment. JMIR Biomedical Engineering, 2018, 3, e1.   | 0.7 | 6         |
| 34729 | Smartphone Apps Using Photoplethysmography for Heart Rate Monitoring: Meta-Analysis. JMIR Cardio, 2018, 2, e4.  | 0.7 | 52        |
| 34730 | Development of a Just-in-Time Adaptive mHealth Intervention for Insomnia: Usability Study. JMIR Human Factors, 2018, 5, e21.  | 1.0 | 23        |
| 34731 | Measures of Physical Activity Using Cell Phones: Validation Using Criterion Methods. Journal of Medical Internet Research, 2010, 12, e2.  | 2.1 | 64        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34732 | Active-Q: Validation of the Web-Based Physical Activity Questionnaire Using Doubly Labeled Water. <i>Journal of Medical Internet Research</i> , 2012, 14, e29.   | 2.1 | 40        |
| 34733 | Validation of Web-Based Physical Activity Measurement Systems Using Doubly Labeled Water. <i>Journal of Medical Internet Research</i> , 2012, 14, e123.  | 2.1 | 18        |
| 34734 | How Valid are Web-Based Self-reports of Weight?. <i>Journal of Medical Internet Research</i> , 2013, 15, e52.  | 2.1 | 34        |
| 34735 | Two New Meal- and Web-Based Interactive Food Frequency Questionnaires: Validation of Energy and Macronutrient Intake. <i>Journal of Medical Internet Research</i> , 2013, 15, e109.  | 2.1 | 72        |
| 34736 | Validity of Web-Based Self-Reported Weight and Height: Results of the Nutrinet-SantÃ© Study. <i>Journal of Medical Internet Research</i> , 2013, 15, e152.   | 2.1 | 198       |
| 34737 | How Accurate is Web-Based Self-Reported Height, Weight, and Body Mass Index in Young Adults?. <i>Journal of Medical Internet Research</i> , 2014, 16, e4.  | 2.1 | 219       |
| 34738 | Relative Validity of Micronutrient and Fiber Intake Assessed With Two New Interactive Meal- and Web-Based Food Frequency Questionnaires. <i>Journal of Medical Internet Research</i> , 2014, 16, e59.  | 2.1 | 34        |
| 34739 | Online Dietary Intake Estimation: The Food4Me Food Frequency Questionnaire. <i>Journal of Medical Internet Research</i> , 2014, 16, e150.  | 2.1 | 114       |
| 34740 | Online Dietary Intake Estimation: Reproducibility and Validity of the Food4Me Food Frequency Questionnaire Against a 4-Day Weighed Food Record. <i>Journal of Medical Internet Research</i> , 2014, 16, e190.                                  | 2.1 | 142       |
| 34741 | Validity of Electronic Diet Recording Nutrient Estimates Compared to Dietitian Analysis of Diet Records: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2015, 17, e21.   | 2.1 | 19        |
| 34742 | Using Web-Based Questionnaires and Obstetric Records to Assess General Health Characteristics Among Pregnant Women: A Validation Study. <i>Journal of Medical Internet Research</i> , 2015, 17, e149.  | 2.1 | 16        |
| 34743 | Web-Based Self-Reported Height, Weight, and Body Mass Index Among Swedish Adolescents: A Validation Study. <i>Journal of Medical Internet Research</i> , 2015, 17, e73.  | 2.1 | 48        |
| 34744 | Estimating Physical Activity and Sedentary Behavior in a Free-Living Context: A Pragmatic Comparison of Consumer-Based Activity Trackers and ActiGraph Accelerometry. <i>Journal of Medical Internet Research</i> , 2016, 18, e239.            | 2.1 | 83        |
| 34745 | The Development, Validation, and User Evaluation of Foodbook24: A Web-Based Dietary Assessment Tool Developed for the Irish Adult Population. <i>Journal of Medical Internet Research</i> , 2017, 19, e158.                                    | 2.1 | 52        |
| 34746 | Design and Evaluation of a Computer-Based 24-Hour Physical Activity Recall (cpar24) Instrument. <i>Journal of Medical Internet Research</i> , 2017, 19, e186.  | 2.1 | 9         |
| 34747 | A Comparison and Calibration of a Wrist-Worn Blood Pressure Monitor for Patient Management: Assessing the Reliability of Innovative Blood Pressure Devices. <i>Journal of Medical Internet Research</i> , 2018, 20, e111.                      | 2.1 | 10        |
| 34748 | Relative Validity and Reproducibility of a New 44-Item Diet and Food Frequency Questionnaire Among Adults: Online Assessment. <i>Journal of Medical Internet Research</i> , 2018, 20, e227.  | 2.1 | 18        |
| 34749 | Detecting Motor Impairment in Early Parkinson's Disease via Natural Typing Interaction With Keyboards: Validation of the neuroQWERTY Approach in an Uncontrolled At-Home Setting. <i>Journal of Medical Internet Research</i> , 2018, 20, e89. | 2.1 | 46        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34750 | Validation of Physical Activity Tracking via Android Smartphones Compared to ActiGraph Accelerometer: Laboratory-Based and Free-Living Validation Studies. JMIR MHealth and UHealth, 2015, 3, e36.                 | 1.8 | 96        |
| 34751 | A New Mobile Phone-Based Tool for Assessing Energy and Certain Food Intakes in Young Children: A Validation Study. JMIR MHealth and UHealth, 2015, 3, e38.   | 1.8 | 21        |
| 34752 | Basal Temperature Measurement Using a Multi-Sensor Armband in Australian Young Women: A Comparative Observational Study. JMIR MHealth and UHealth, 2015, 3, e94.   | 1.8 | 5         |
| 34753 | Quantifying Human Movement Using the Movn Smartphone App: Validation and Field Study. JMIR MHealth and UHealth, 2017, 5, e122.   | 1.8 | 19        |
| 34754 | Continuous Monitoring of Vital Signs Using Wearable Devices on the General Ward: Pilot Study. JMIR MHealth and UHealth, 2017, 5, e91.  | 1.8 | 154       |
| 34755 | The QardioArm App in the Assessment of Blood Pressure and Heart Rate: Reliability and Validity Study. JMIR MHealth and UHealth, 2017, 5, e198.   | 1.8 | 21        |
| 34756 | Counting Steps in Activities of Daily Living in People With a Chronic Disease Using Nine Commercially Available Fitness Trackers: Cross-Sectional Validity Study. JMIR MHealth and UHealth, 2018, 6, e70.          | 1.8 | 31        |
| 34758 | Pixel or Paper? Validation of a Mobile Technology for Collecting Patient-Reported Outcomes in Rheumatoid Arthritis. JMIR Research Protocols, 2016, 5, e219.  | 0.5 | 15        |
| 34759 | Reliable Quantification of the Potential for Equations Based on Spot Urine Samples to Estimate Population Salt Intake: Protocol for a Systematic Review and Meta-Analysis. JMIR Research Protocols, 2016, 5, e190. | 0.5 | 4         |
| 34760 | Tapering Practices of Strongman Athletes: Test-Retest Reliability Study. JMIR Research Protocols, 2017, 6, e211.   | 0.5 | 6         |
| 34761 | Estimation of the Analgesic Level of Spinal Anesthesia by Measuring the Skin Temperature Using an Infrared Thermometer.. The Journal of Japan Society for Clinical Anesthesia, 2000, 20, 372-377.                  | 0.0 | 1         |
| 34762 | Investigation of voiding dysfunction in a population-based sample of children aged 3 to 9 years. Jornal De Pediatria, 2005, 81, 225-232.   | 0.9 | 22        |
| 34763 | Disagreement between parents and health professionals regarding pain intensity in critically ill neonates. Jornal De Pediatria, 2008, 84, 35-40.   | 0.9 | 14        |
| 34764 | Measurement of skeletal muscle tissue oxygenation in the critically ill. Signa Vitae, 2008, 3, 43.   | 0.8 | 7         |
| 34765 | Do the near computerised and non-computerised crowded Kay picture tests produce the same measure of visual acuity?. British and Irish Orthoptic Journal, 2018, 13, 22.   | 0.1 | 9         |
| 34766 | Automatic Quantification of Left Ventricular Systolic Wall Thickening Using Two-Dimensional Strain Assessed by a Novel Tissue-Tracking System. Journal of Echocardiography, 2005, 3, 27-32.                        | 0.4 | 8         |
| 34767 | Using XBRL to Conduct a Large-Scale Study of Discrepancies between the Accounting Numbers in Compustat and SEC 10-K Filings. Journal of Information Systems, 2015, 29, 37-72.                                      | 0.5 | 27        |
| 34768 | Cardiac Micro-Computed Tomography for Morphological and Functional Phenotyping of Muscle LIM Protein Null Mice. Molecular Imaging, 2007, 6, 7290.2007.00022.   | 0.7 | 23        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34769 | Assessing body composition in rugby players: agreement between different methods and association with physical performance. <i>Journal of Sports Medicine and Physical Fitness</i> , 2020, 60, 733-742.   | 0.4 | 8         |
| 34770 | A new risk assessment model for the stratification of the thromboembolism risk in medical patients: the TEVer Score. <i>Minerva Medica</i> , 2018, 109, 436-442.  | 0.3 | 3         |
| 34771 | Soft-tissue changes after Class II malocclusion treatment using the Sander bite-jumping appliance: a retrospective study. <i>Minerva Stomatologica: A Journal on Dentistry and Maxillofacial Surgery</i> , 2019, 68, 118-125.   | 1.3 | 2         |
| 34772 | Automated measurement of tracheal and main bronchial diameters: a feasibility study. <i>Minerva Anestesiologica</i> , 2019, 85, 1281-1288.  | 0.6 | 6         |
| 34773 | Detection of strong inspiratory efforts from the analysis of central venous pressure swings: a preliminary clinical study. <i>Minerva Anestesiologica</i> , 2020, 86, 1296-1304.  | 0.6 | 10        |
| 34774 | The assessment of esophageal pressure using different devices: a validation study. <i>Minerva Anestesiologica</i> , 2020, 86, 1047-1056.  | 0.6 | 4         |
| 34775 | Low-dose CT scan in stone detection for stone treatment follow-up: is there a relation between stone composition and radiation delivery? Study on a porcine-kidney model. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 63-71. | 3.9 | 4         |
| 34776 | Comparison of different motion correction techniques for dynamic FDG-PET/CT studies in breast cancer patients. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 64, 406-413.  | 0.4 | 2         |
| 34777 | Physiologic Responses to Two Distinct Maximal Cardiorespiratory Exercise Protocols. <i>International Journal of Sports and Exercise Medicine</i> , 2015, 1, .   | 0.0 | 6         |
| 34780 | Evaluation of an easy and affordable flow cytometer for volumetric haematopoietic stem cell counting. <i>Blood Transfusion</i> , 2014, 12, 416-20.  | 0.3 | 8         |
| 34781 | Accuracy of MR Temperature Measurement Based on Chemical Shift Change for Radiofrequency Ablation Using Hook-shaped Electrodes. <i>Magnetic Resonance in Medical Sciences</i> , 2004, 3, 95-100.  | 1.1 | 10        |
| 34782 | CONCURRENT VALIDITY IN TAIWAN OF THE COMPREHENSIVE DEVELOPMENTAL INVENTORY FOR INFANTS AND TODDLERS WHO WERE FULL-TERM INFANTS. <i>Perceptual and Motor Skills</i> , 2008, 107, 29.   | 0.6 | 12        |
| 34783 | COMPARISON OF THE RT3 RESEARCH TRACKER AND TRITRAC R3D ACCELEROMETERS. <i>Perceptual and Motor Skills</i> , 2003, 97, 510.  | 0.6 | 6         |
| 34784 | Comparison of clinical data based on limits of agreement. <i>Biometrical Letters</i> , 2012, 49, 45-56.   | 0.4 | 6         |
| 34785 | Feasibility of a New Wearable Device to Estimate Acute Stress in Novices During High-fidelity Surgical Simulation. <i>Folia Medica</i> , 2019, 61, 49-60.   | 0.2 | 6         |
| 34786 | A comparison of different methods for assessing leaf area index in four canopy types. <i>Central European Forestry Journal</i> , 2019, 65, 67-80.   | 0.2 | 10        |
| 34787 | Validity and Reliability of a 10 Hz GPS for Assessing Variable and Mean Running Speed. <i>Journal of Human Kinetics</i> , 2019, 67, 17-24.  | 0.7 | 15        |
| 34788 | Muscle Thickness During Core Stability Exercises in Children and Adults. <i>Journal of Human Kinetics</i> , 2020, 71, 131-144.  | 0.7 | 10        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34789 | Taekwondo Anaerobic Intermittent Kick Test: Discriminant Validity and an Update with the Gold-Standard Wingate Test. <i>Journal of Human Kinetics</i> , 2020, 71, 229-242.                                      | 0.7 | 17        |
| 34790 | Characterization of Native Honey Bee Subspecies in Republic of Benin Using Morphometric and Genetic Tools. <i>Journal of Apicultural Science</i> , 2018, 62, 47-60.   | 0.1 | 5         |
| 34791 | Estimation of body composition and water data depends on the bioelectrical impedance device. <i>Journal of Electrical Bioimpedance</i> , 2018, 9, 96-105.   | 0.5 | 10        |
| 34792 | Hypertension Crisis in Adrenal Surgery and Treatment of Postoperative Hypotension. <i>Polski Przegląd Chirurgiczny</i> , 2010, 82, .  | 0.2 | 1         |
| 34793 | Concurrent Validity of the Backwards Overhead Medicine Ball Throw as a Test of Explosive Power in Adolescents. <i>Medicina Sportiva</i> , 2010, 14, 103-107.  | 0.3 | 2         |
| 34794 | Effect of Wearing the Cosmed K4b <sup>2</sup> Metabolic System on 1 Mile Walking Performance in Older Adults. <i>Journal of Human Kinetics</i> , 2009, 21, 41-48.   | 0.7 | 7         |
| 34795 | Correlation between Direct Anthropometry and Di3D Camera System. <i>Journal of Hard Tissue Biology</i> , 2012, 21, 87-92.   | 0.2 | 4         |
| 34796 | Glycated hemoglobin measurements at three, 12 and 24 months postpartum after gestational diabetes. <i>Clinical and Investigative Medicine</i> , 2019, 42, E37-E41.  | 0.3 | 2         |
| 34797 | Reliability of Peak Cardiorespiratory Responses During Aquatic Treadmill Exercise. <i>International Journal of Aquatic Research and Education</i> , 2008, 2, .  | 0.1 | 1         |
| 34798 | Validation of a New Incremental Swim Test as a Tool for Maximum Oxygen Uptake Analysis in Lifeguards. <i>International Journal of Aquatic Research and Education</i> , 2019, 11, .                              | 0.1 | 3         |
| 34799 | Machine Learning Applied to GRBAS Voice Quality Assessment. <i>Advances in Science, Technology and Engineering Systems</i> , 2018, 3, 329-338.  | 0.4 | 3         |
| 34801 | Intra-observer error of mouse long bone cross section digitization. <i>Folia Zoologica</i> , 2012, 61, 340-349.   | 0.9 | 3         |
| 34802 | Fast Magnetic Resonance Enterography Protocol for the Evaluation of Patients with Crohn's Disease: A Pilot Study. <i>Journal of Clinical Imaging Science</i> , 2020, 10, 25.                                    | 0.4 | 10        |
| 34803 | Quantification of Cardiac Output with Phase Contrast Magnetic Resonance Imaging in Patients with Pulmonary Hypertension. <i>Journal of Clinical Imaging Science</i> , 2020, 10, 26.                             | 0.4 | 8         |
| 34804 | VALIDITY OF HAND-HELD DYNAMOMETRY IN MEASURING QUADRICEPS STRENGTH AND RATE OF TORQUE DEVELOPMENT. <i>International Journal of Sports Physical Therapy</i> , 2019, 14, 180-187.                                 | 0.5 | 36        |
| 34805 | THE MODIFIED STAR EXCURSION BALANCE AND Y-BALANCE TEST RESULTS DIFFER WHEN ASSESSING PHYSICALLY ACTIVE HEALTHY ADOLESCENT FEMALES. <i>International Journal of Sports Physical Therapy</i> , 2019, 14, 192-203. | 0.5 | 40        |
| 34806 | RELIABILITY AND MINIMAL DETECTABLE CHANGE OF THE UPPER QUARTER Y-BALANCE TEST IN HEALTHY ADOLESCENTS AGED 12 TO 17 YEARS. <i>International Journal of Sports Physical Therapy</i> , 2019, 14, 927-934.          | 0.5 | 11        |
| 34807 | VALIDITY OF AN MRI-COMPATIBLE MOTION CAPTURE SYSTEM FOR USE WITH LOWER EXTREMITY NEUROIMAGING PARADIGMS. <i>International Journal of Sports Physical Therapy</i> , 2020, 15, 936-946.                           | 0.5 | 8         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34808 | The use of body mass index for measurement of fat mass in children is highly dependant on abdominal fat. Eastern Mediterranean Health Journal, 2009, 15, 563-573.   | 0.3 | 4         |
| 34809 | Non-invasive Monitoring of Brain Temperature during Rapid Selective Brain Cooling by Zero-Heat-Flux Thermometry. Emerging Science Journal, 2019, 3, 1.  | 1.4 | 13        |
| 34810 | Relationship between Training-Induced Changes in the Star Excursion Balance Test and the Y Balance Test in Young Male Athletes. Annals of Applied Sport Science, 2017, 5, 31-38.  | 0.4 | 3         |
| 34811 | Validation of Equations for the Prediction of Resting Metabolic Rate in Sri Lankan Adults. International Journal of Scientific and Research Publications, 2019, 9, p9462.   | 0.0 | 1         |
| 34812 | Reproducibility in Echotracking Assessment of Local Carotid Stiffness, Diameter and Thickness in a Population-based Study (The STANISLAS Cohort Study). Artery Research, 2020, 26, 5-12.  | 0.3 | 6         |
| 34813 | Iohexol Plasma Clearance in Determining Glomerular Filtration Rate in Diabetic Patients. Renal Failure, 1998, 20, 277-284.  | 0.8 | 11        |
| 34814 | Scientific basis and validation. , 2007, , 15-46.   |     | 5         |
| 34815 | Analysis of Exhaled Breath Condensate. , 2004, , 11-30.   |     | 2         |
| 34816 | The Heat Wash-In and Heat Wash-Out Technique for Quantitative, Non-Invasive Measurement of Cutaneous Blood Flow Rate. , 2006, , 723-731.  |     | 1         |
| 34817 | Are Family Proxies a Valid Source of Information About Cancer Patients' Quality of Life at the End-of-Life? A Literature Review. Journal of Cancer Pain and Symptom Palliation, 2006, 2, 23-33.   | 0.1 | 4         |
| 34818 | The Effectiveness of Three-day Dietary Records with Advanced Photo System Camera for Measuring Energy Intake in Japanese Men as Determined by Doubly Labeled Water Technique. Journal of Clinical Biochemistry and Nutrition, 2003, 33, 33-38.        | 0.6 | 5         |
| 34819 | Consistency over time of animal-based welfare indicators as a further step for developing a welfare assessment monitoring scheme: The case of the Animal Welfare Indicators protocol for dairy goats. Journal of Dairy Science, 2017, 100, 9194-9204. | 1.4 | 15        |
| 34820 | Technical note: Comparative evaluation of 3 methods for the quantification of nonesterified fatty acids in bovine plasma sampled prepartum. Journal of Dairy Science, 2020, 103, 2711-2717.   | 1.4 | 8         |
| 34821 | Accumulated thermal dose in MRI-guided focused ultrasound for essential tremor: repeated sonications with low focal temperatures. Journal of Neurosurgery, 2020, 132, 1802-1809.  | 0.9 | 31        |
| 34822 | Reliability of the 6-minute walking test smartphone application. Journal of Neurosurgery: Spine, 2019, 31, 786-793.   | 0.9 | 30        |
| 34823 | Using postoperative remodeling of donor arteries on MR angiography to predict the development of surgical collaterals in moyamoya disease. Journal of Neurosurgery, 2019, , 1-9.  | 0.9 | 11        |
| 34824 | Structural correlates of neurological signs in Huntington's disease: a quantitative approach. Behavioural Neurology, 1994, 7, 127-34.   | 1.1 | 1         |
| 34825 | Measuring the body temperature: How accurate is the Tempa Dot®?. Technology and Health Care, 2005, 13, 97-106.  | 0.5 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34826 | The reliability and validity of the Vertigo Symptom Scale and the Vertigo Dizziness Imbalance Questionnaires in a Turkish patient population with Benign Paroxysmal Positional Vertigo. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , 2008, 18, 159-170. | 0.8 | 24        |
| 34828 | The performance of the Rowland Universal Dementia Assessment Scale (RUDAS) for cognitive screening in a geriatric outpatient setting. <i>Aging Clinical and Experimental Research</i> , 2012, 24, 495-500.  | 1.4 | 16        |
| 34829 | Fasting capillary blood glucose: an appropriate measurement in screening for diabetes and pre-diabetes in low-resource rural settings. <i>Journal of Endocrinological Investigation</i> , 2013, 36, 33-7.   | 1.8 | 9         |
| 34830 | Body composition in subjects with anorexia nervosa: bioelectrical impedance analysis and dual-energy X-ray absorptiometry. <i>Eating and Weight Disorders</i> , 2012, 17, e298-303.   | 1.2 | 7         |
| 34833 | Comparison of two field methods for estimating body fat in different spanish dance disciplines. <i>Nutricion Hospitalaria</i> , 2014, 30, 614-21.   | 0.2 | 3         |
| 34835 | VALIDATION OF A QUESTIONNAIRE TO MEASURE OVERALL MEDITERRANEAN LIFESTYLE HABITS FOR RESEARCH APPLICATION: THE MEDITERRANEAN LIFESTYLE INDEX (MEDLIFE). <i>Nutricion Hospitalaria</i> , 2015, 32, 1153-63.   | 0.2 | 24        |
| 34836 | ASSESSMENT OF SOMATIC MATURATION OF VENEZUELAN ADOLESCENTS. <i>Nutricion Hospitalaria</i> , 2015, 32, 2216-22.  | 0.2 | 1         |
| 34837 | VALIDATION AND COMPARISON OF EQ-5D-3L AND SF-6D INSTRUMENTS IN A SPANISH PARKINSON'S DISEASE POPULATION SAMPLE. <i>Nutricion Hospitalaria</i> , 2015, 32, 2808-21.  | 0.2 | 13        |
| 34839 | Seizure first aid training for people with epilepsy attending emergency departments and their significant others: the SAFE intervention and feasibility RCT. <i>Health Services and Delivery Research</i> , 2020, 8, 1-190.   | 1.4 | 2         |
| 34840 | VenUS II: a randomised controlled trial of larval therapy in the management of leg ulcers. <i>Health Technology Assessment</i> , 2009, 13, 1-182, iii-iv.   | 1.3 | 64        |
| 34841 | A methodological study to compare survey-based and observation-based evaluations of organisational and safety cultures and then compare both approaches with markers of the quality of care.. <i>Health Technology Assessment</i> , 2012, 16, iii-iv, 1-184.                    | 1.3 | 13        |
| 34842 | Surveillance for ocular hypertension: an evidence synthesis and economic evaluation.. <i>Health Technology Assessment</i> , 2012, 16, 1-271, iii-iv.  | 1.3 | 55        |
| 34843 | Development of DEMQOL-U and DEMQOL-PROXY-U: generation of preference-based indices from DEMQOL and DEMQOL-PROXY for use in economic evaluation. <i>Health Technology Assessment</i> , 2013, 17, 1-140.  | 1.3 | 120       |
| 34844 | Improving the economic value of photographic screening for optical coherence tomography-detectable macular oedema: a prospective, multicentre, UK study. <i>Health Technology Assessment</i> , 2013, 17, 1-142.   | 1.3 | 49        |
| 34845 | Optimal strategies for monitoring lipid levels in patients at risk or with cardiovascular disease: a systematic review with statistical and cost-effectiveness modelling. <i>Health Technology Assessment</i> , 2015, 19, 1-402.  | 1.3 | 30        |
| 34846 | Measurement of exhaled nitric oxide concentration in asthma: a systematic review and economic evaluation of NIOX MINO, NIOX VERO and NObreath. <i>Health Technology Assessment</i> , 2015, 19, 1-330.   | 1.3 | 54        |
| 34847 | The London Exercise And Pregnant smokers (LEAP) trial: a randomised controlled trial of physical activity for smoking cessation in pregnancy with an economic evaluation. <i>Health Technology Assessment</i> , 2015, 19, 1-136.  | 1.3 | 30        |
| 34848 | Fluorouracil plasma monitoring: systematic review and economic evaluation of the My5-FU assay for guiding dose adjustment in patients receiving fluorouracil chemotherapy by continuous infusion. <i>Health Technology Assessment</i> , 2015, 19, 1-322.                        | 1.3 | 29        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34849 | Spot proteinâ€œcreatinine ratio and spot albuminâ€œcreatinine ratio in the assessment of pre-eclampsia: a diagnostic accuracy study with decision-analytic model-based economic evaluation and acceptability analysis. <i>Health Technology Assessment</i> , 2017, 21, 1-90. | 1.3 | 29        |
| 34850 | Point-of-care creatinine tests to assess kidney function for outpatients requiring contrast-enhanced CT imaging: systematic reviews and economic evaluation. <i>Health Technology Assessment</i> , 2020, 24, 1-248.  | 1.3 | 12        |
| 34851 | A review of the use of health status measures in economic evaluation.. <i>Health Technology Assessment</i> , 1999, 3, .  | 1.3 | 272       |
| 34852 | Monitoring blood glucose control in diabetes mellitus: a systematic review.. <i>Health Technology Assessment</i> , 2000, 4, .  | 1.3 | 196       |
| 34853 | The effectiveness of the Heidelberg Retina Tomograph and laser diagnostic glaucoma scanning system (GDx) in detecting and monitoring glaucoma. <i>Health Technology Assessment</i> , 2005, 9, 1-132, iii.  | 1.3 | 698       |
| 34854 | Improvement in risk prediction, early detection and prevention of breast cancer in the NHS Breast Screening Programme and family history clinics: a dual cohort study. <i>Programme Grants for Applied Research</i> , 2016, 4, 1-210.  | 0.4 | 75        |
| 34855 | Improving pregnancy outcome in obese women: the UK Pregnancies Better Eating and Activity randomised controlled Trial. <i>Programme Grants for Applied Research</i> , 2017, 5, 1-414.  | 0.4 | 9         |
| 34856 | Developing routinely recorded clinical data from electronic patient records as a national resource to improve neonatal health care: the Medicines for Neonates research programme. <i>Programme Grants for Applied Research</i> , 2019, 7, 1-396.                            | 0.4 | 17        |
| 34857 | Validation study of the Dinamap ProCare 200 upper arm blood pressure monitor in children and adolescents. <i>Korean Journal of Pediatrics</i> , 2011, 54, 463.   | 1.9 | 20        |
| 34858 | Reference values for respiratory system impedance using impulse oscillometry in healthy preschool children. <i>Korean Journal of Pediatrics</i> , 2011, 54, 64.  | 1.9 | 43        |
| 34859 | Comparative Analysis of Phase Lag Entropy and Bispectral Index as Anesthetic Depth Indicators in Patients Undergoing Thyroid Surgery with Nerve Integrity Monitoring. <i>Journal of Korean Medical Science</i> , 2019, 34, e151.   | 1.1 | 10        |
| 34860 | Diagnostic validation of three test methods for detection of cyprinid herpesvirus 3 (CyHV-3). <i>Diseases of Aquatic Organisms</i> , 2017, 123, 101-122.   | 0.5 | 5         |
| 34861 | Comparison of abundance and spatial distribution of burrowing megafauna from diver and remotely operated vehicle observations. <i>Marine Ecology - Progress Series</i> , 2002, 244, 89-93.   | 0.9 | 12        |
| 34862 | Pulse Transit Time and Blood Pressure During Cardiopulmonary Exercise Tests. <i>Physiological Research</i> , 2014, 63, 287-296.  | 0.4 | 62        |
| 34863 | Does Impedance Measure a Functional State of the Body Fat?. <i>Physiological Research</i> , 2014, 63, S309-S320.   | 0.4 | 8         |
| 34864 | A method for determination of one hundred endogenous steroids in human serum by gas chromatography-tandem mass spectrometry.. <i>Physiological Research</i> , 2019, 68, 179-207.   | 0.4 | 32        |
| 34867 | A Critical Review of Ultra-Short-Term Heart Rate Variability Norms Research. <i>Frontiers in Neuroscience</i> , 2020, 14, 594880.  | 1.4 | 94        |
| 34868 | Agreement Between Mothers and Fieldworkers While Assessing Child Development Using Ages and Stages Questionnaires, Third Edition in Nepal. <i>Frontiers in Psychology</i> , 2020, 11, 579412.  | 1.1 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34869 | Measuring Heart Rate Variability Using Commercially Available Devices in Healthy Children: A Validity and Reliability Study. <i>European Journal of Investigation in Health, Psychology and Education</i> , 2020, 10, 390-404.                             | 1.1 | 46        |
| 34870 | Ultra-Short-Term and Short-Term Heart Rate Variability Recording during Training Camps and an International Tournament in U-20 National Futsal Players. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 775.          | 1.2 | 17        |
| 34871 | Scoring Osteoarthritis Reliably in Large Joints and the Spine Using Whole-Body CT: OsteoArthritis Computed Tomography-Score (OACT-Score). <i>Journal of Personalized Medicine</i> , 2021, 11, 5.   | 1.1 | 8         |
| 34872 | Performance of a Point-of-Care Test for the Rapid Detection of SARS-CoV-2 Antigen. <i>Microorganisms</i> , 2021, 9, 58.  | 1.6 | 66        |
| 34873 | Gait Variability Using Waist- and Ankle-Worn Inertial Measurement Units in Healthy Older Adults. <i>Sensors</i> , 2020, 20, 2858.  | 2.1 | 6         |
| 34874 | Validation of Zulu Watch against Polysomnography and Actigraphy for On-Wrist Sleep-Wake Determination and Sleep-Depth Estimation. <i>Sensors</i> , 2021, 21, 76.   | 2.1 | 22        |
| 34875 | A Reliability Check of Walkability Indices in Seoul, Korea. <i>Sustainability</i> , 2020, 12, 176.   | 1.6 | 9         |
| 34876 | Usefulness of Anorectal Manometry for Diagnosing Continence Problems After a Low Anterior Resection. <i>Annals of Coloproctology</i> , 2016, 32, 101.  | 0.5 | 19        |
| 34877 | Evaluation of a food frequency questionnaire for assessing of calcium, protein and phosphorus intakes in children and adolescents. <i>NÅringsforskning: Referattidskrift I NÅringsforskningsfrÅ¥gor</i> , 1998, 42, 2-5.                                   | 0.0 | 4         |
| 34878 | Methodological issues in the assessment of satiety. <i>NÅringsforskning: Referattidskrift I NÅringsforskningsfrÅ¥gor</i> , 2000, 44, 98-103.   | 0.0 | 22        |
| 34879 | Continuous Noninvasive Haemoglobin Monitoring in Vascular Surgery within the Goal-Directed Therapy Protocol. <i>Central European Annals of Clinical Research</i> , 2019, 1, 1.   | 0.2 | 1         |
| 34880 | Evaluation of Vibration Analysis to Assess Bone Mineral Density in Children. <i>WSEAS Transactions on Biology and Biomedicine</i> , 2020, 17, 39-47.   | 0.3 | 2         |
| 34881 | Adaptive Cross-Device Gait Recognition Using a Mobile Accelerometer. <i>Journal of Information Processing Systems</i> , 2013, 9, 333-348.  | 1.0 | 42        |
| 34882 | Accuracy of the automated cell counters for management of spontaneous bacterial peritonitis. <i>World Journal of Gastroenterology</i> , 2008, 14, 5689.  | 1.4 | 19        |
| 34883 | Bravo capsule system optimizes intragastric pH monitoring over prolonged time: Effects of ghrelin on gastric acid and hormone secretion in the rat. <i>World Journal of Gastroenterology</i> , 2008, 14, 6180.   | 1.4 | 6         |
| 34884 | Comparative study of two bowel preparaton regimens for colonoscopy: Senna tablets <i>vs</i> sodium phosphate solution. <i>World Journal of Gastroenterology</i> , 2006, 12, 5536.  | 1.4 | 17        |
| 34885 | Short- and medium-term reproducibility of gastric emptying of a solid meal determined by a low dose of <sup>13</sup> C-octanoic acid and nondispersive isotope-selective infrared spectrometry. <i>World Journal of Gastroenterology</i> , 2006, 12, 1243. | 1.4 | 13        |
| 34886 | <sup>13</sup> C-methacetin breath test reproducibility study reveals persistent CYP1A2 stimulation on repeat examinations. <i>World Journal of Gastroenterology</i> , 2011, 17, 4979.  | 1.4 | 19        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34887 | NSAID-induced deleterious effects on the proximal and mid small bowel in seronegative spondyloarthritis patients. <i>World Journal of Gastroenterology</i> , 2011, 17, 1030.  | 1.4 | 8         |
| 34888 | The Day-to-day Reliability of Parameters Evaluating the Body Center of Pressure in Static Standing Posture.. <i>Equilibrium Research</i> , 2001, 60, 217-226.   | 0.2 | 16        |
| 34890 | Repeatability and Reliability of a New Phoria Test Using Flashed and Auto-flashed Presentation. <i>Journal of the Optical Society of Korea</i> , 2012, 16, 418-424.   | 0.6 | 2         |
| 34891 | An interactive key to Central European species of the <i>Pteromalus albipennis</i> species group and other species of the genus (Hymenoptera: Chalcidoidea: Pteromalidae), with the description of a new species. <i>Biodiversity Data Journal</i> , 2018, 6, e27722. | 0.4 | 8         |
| 34892 | Masa libre de gordura de ni±os saludables norteafricanos con 8-16 a±os de edad. <i>Fitness &amp; Performance Journal</i> , 2009, 8, 237-246.  | 0.0 | 1         |
| 34893 | Reproducibility of Regional Pulse Wave Velocity in Healthy Subjects. <i>Korean Journal of Internal Medicine</i> , 2009, 24, 19.   | 0.7 | 12        |
| 34894 | Whole blood versus serum ionized calcium concentrations in dialysis patients. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 226.   | 0.7 | 8         |
| 34895 | Validation of the Korean coefficient for the modification of diet in renal disease study equation. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 344-356.  | 0.7 | 5         |
| 34896 | Time points for obtaining representative values of 24-hour blood pressure in chronic kidney disease. <i>Korean Journal of Internal Medicine</i> , 2015, 30, 665-674.  | 0.7 | 5         |
| 34897 | Standardized, musculoskeletal ultrasonographic reference values for healthy Korean adults. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 1372-1380.  | 0.7 | 5         |
| 34898 | Predictive Performance of Renal Function Equations Among Ghanaians Presenting with Chronic Kidney Disease. <i>Journal of Medical Sciences (Faisalabad, Pakistan)</i> , 2008, 8, 491-497.  | 0.0 | 2         |
| 34899 | Precision and Accuracy of Three Blood Glucose Meters: Accu-Chek Advantage, One Touch Horizon and Sensocard. <i>Journal of Medical Sciences (Faisalabad, Pakistan)</i> , 2009, 9, 185-193.   | 0.0 | 4         |
| 34900 | Functional Rating for Knee Arthroplasty: Comparison of Three Scoring Systems. <i>Orthopedics</i> , 2003, 26, 143-149.   | 0.5 | 51        |
| 34901 | In-Vitro Investigation of a Noninvasive Referencing Technology for Computer-assisted Total Hip Arthroplasty. <i>Orthopedics</i> , 2010, 33, .   | 0.5 | 3         |
| 34902 | Bench Testing of a Knee Joint Arthrometer. <i>Orthopedics</i> , 2013, 36, e1000-6.  | 0.5 | 3         |
| 34903 | Evaluation of Undergraduate Students Using Objective Structured Clinical Evaluation. <i>Journal of Nursing Education</i> , 2007, 46, 135-139.   | 0.4 | 45        |
| 34904 | The Moving Dynamic Random Dot Stereotest: Validity and Repeatability. <i>Journal of Pediatric Ophthalmology and Strabismus</i> , 2003, 40, 341-348.   | 0.3 | 2         |
| 34905 | Effect of Central Corneal Thickness and Radius of the Corneal Curvature on Intraocular Pressure Measured With the Tono-Pen and Noncontact Tonometer in Healthy Schoolchildren. <i>Journal of Pediatric Ophthalmology and Strabismus</i> , 2007, 44, 216-222.          | 0.3 | 23        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34906 | Measurement of Intraocular Pressure with Pressure Phosphene Tonometry in Children. Journal of Pediatric Ophthalmology and Strabismus, 2011, 48, 167-173.  | 0.3 | 2         |
| 34907 | Determinants of Ocular Deviation in Esotropic Subjects Under General Anesthesia. Journal of Pediatric Ophthalmology and Strabismus, 2013, 50, 155-160.  | 0.3 | 4         |
| 34908 | Inability of Open-Field Autorefractometry to Eliminate Accommodation in Preschoolers. Journal of Pediatric Ophthalmology and Strabismus, 2017, 54, 311-318.   | 0.3 | 5         |
| 34909 | Assessing Repeatability of Pupillometric Measurements in the Eyes of Refractive Surgery Candidates Using Infrared Pupillometer. Journal of Refractive Surgery, 2017, 33, 552-557.   | 1.1 | 6         |
| 34910 | Differences in Automated and Manual Blood Pressure Measurement in Hospitalized Psychiatric Patients. Journal of Psychosocial Nursing and Mental Health Services, 2013, 51, 32-37.   | 0.3 | 3         |
| 34911 | Comparison of Videokeratoscope and Autokeratometer Measurements on Ellipsoid Surfaces and Human Corneas. Journal of Refractive Surgery, 1998, 14, 414-419.  | 1.1 | 11        |
| 34912 | Comparison of Keratometry and Videokeratography After Penetrating Keratoplasty. Journal of Refractive Surgery, 1998, 14, 420-426.   | 1.1 | 10        |
| 34913 | Reliability of Corneal Thickness and Endothelial Cell Density Measures. Journal of Refractive Surgery, 2003, 19, 344-352.   | 1.1 | 28        |
| 34914 | Comparison of the Colvard Pupillometer and the Zywave for Measuring Scotopic Pupil Diameter. Journal of Refractive Surgery, 2004, 20, 248-252.  | 1.1 | 11        |
| 34915 | Measuring Visual Acuity-Mesopic or Photopic Conditions, and High or Low Contrast Letters?. Journal of Refractive Surgery, 2004, 20, .   | 1.1 | 84        |
| 34916 | Axial Eye Length Evaluation Before and After Myopic Photorefractive Keratectomy. Journal of Refractive Surgery, 2005, 21, 281-287.  | 1.1 | 22        |
| 34917 | Ultrasound and Partial Coherence Interferometry With Measurement of Central Corneal Thickness. Journal of Refractive Surgery, 2006, 22, 665-670.  | 1.1 | 10        |
| 34918 | Wavefront Analyzers Induce Instrument Myopia. Journal of Refractive Surgery, 2006, 22, 795-803.   | 1.1 | 28        |
| 34919 | Higher Order Aberrations in Normal Eyes Measured With Three Different Aberrometers. Journal of Refractive Surgery, 2006, 22, 898-903.   | 1.1 | 40        |
| 34920 | Comparison of Measurement of Pupil Sizes Among the Colvard Pupillometer, Procyon Pupillometer, and NIDEK OPD-Scan. Journal of Refractive Surgery, 2006, 22, .   | 1.1 | 14        |
| 34921 | Inter- and Intraobserver Reliability of Pupil Diameter Measurement During 24 Hours Using the Colvard Pupillometer. Journal of Refractive Surgery, 2007, 23, 266-271.  | 1.1 | 5         |
| 34922 | Comparison of Optical Low Coherence Reflectometry and Ultrasound Pachymetry in the Measurement of Central Corneal Thickness Before and After Photorefractive Keratectomy. Journal of Refractive Surgery, 2007, 23, 661-666. | 1.1 | 18        |
| 34923 | Accuracy of Orbscan II in the Assessment of Posterior Curvature in Patients With Myopic LASIK. Journal of Refractive Surgery, 2007, 23, 677-680.  | 1.1 | 14        |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34924 | The Correlation of Pupil Size Measured by Colvard Pupillometer and Orbscan II. <i>Journal of Refractive Surgery</i> , 2007, 23, 789-795.   | 1.1 | 22        |
| 34925 | Central Corneal Thickness Measurements in Unoperated Eyes and Eyes After PRK For Myopia Using Pentacam, Orbscan II, and Ultrasonic Pachymetry. <i>Journal of Refractive Surgery</i> , 2007, 23, 888-894.                             | 1.1 | 66        |
| 34926 | Comparison of Central Corneal Thickness Measured With Orbscan and Pentacam. <i>Journal of Refractive Surgery</i> , 2007, 23, 895-899.  | 1.1 | 41        |
| 34927 | Performance of a New Binocular Wavefront Aberrometer Based on a Self-imaging Diffractive Sensor. <i>Journal of Refractive Surgery</i> , 2008, 24, 188-196.   | 1.1 | 10        |
| 34928 | Intraoperative Corneal Thickness Measurement Using Optical Coherence Pachymetry and Corneo-Gage Plus Ultrasound Pachymetry. <i>Journal of Refractive Surgery</i> , 2008, 24, 610-614.  | 1.1 | 6         |
| 34929 | Confocal Microscopy of Corneal Sub-basal Nerve Plexus: A Quantitative and Qualitative Analysis in Healthy and Pathologic Eyes. <i>Journal of Refractive Surgery</i> , 2009, 25, S125-30.   | 1.1 | 29        |
| 34930 | Ocular Aberrations Measured by the Fourier-based WaveScan and Zernike-based LADARWave Hartmann-Shack Aberrometers. <i>Journal of Refractive Surgery</i> , 2009, 25, 201-209.   | 1.1 | 9         |
| 34931 | Factors Affecting Vaulting After Implantable Collamer Lens Implantation. <i>Journal of Refractive Surgery</i> , 2009, 25, 259-264.   | 1.1 | 41        |
| 34932 | Agreement Between Pentacam and Videokeratography in Corneal Power Assessment. <i>Journal of Refractive Surgery</i> , 2009, 25, 534-538.  | 1.1 | 58        |
| 34933 | Repeatability and Reproducibility of Corneal Curvature Measurements Using the Pentacam and Keratron Topography Systems. <i>Journal of Refractive Surgery</i> , 2009, 25, 539-544.  | 1.1 | 57        |
| 34934 | Anterior Chamber Depth Measurement in Pseudophakic Eyes: A Comparison of Pentacam and Ultrasound. <i>Journal of Refractive Surgery</i> , 2010, 26, 341-347.  | 1.1 | 18        |
| 34935 | Corneal Power Measurements Using Scheimpflug Imaging in Eyes With Prior Corneal Refractive Surgery. <i>Journal of Refractive Surgery</i> , 2009, 25, 862-868.  | 1.1 | 89        |
| 34936 | Ciliary Sulcus Diameter and Two Anterior Chamber Parameters Measured by Optical Coherence Tomography and VHF Ultrasound. <i>Journal of Refractive Surgery</i> , 2009, 25, 1017-1025.   | 1.1 | 18        |
| 34937 | Device for Improving Quantification of Reading Acuity and Reading Speed. <i>Journal of Refractive Surgery</i> , 2010, 26, 682-688.   | 1.1 | 43        |
| 34938 | Central Corneal Thickness, Anterior Chamber Depth, and Pupil Diameter Measurements Using Visante OCT, Orbscan, and Pentacam. <i>Journal of Refractive Surgery</i> , 2010, 26, 127-133.   | 1.1 | 74        |
| 34939 | Comparison of the Colvard, Procyon, and Neuroptics Pupillometers for Measuring Pupil Diameter Under Low Ambient Illumination. <i>Journal of Refractive Surgery</i> , 2010, 26, 134-143.  | 1.1 | 43        |
| 34940 | Intrasubject Repeatability of Internal Aberrometry Obtained With a New Integrated Aberrometer. <i>Journal of Refractive Surgery</i> , 2011, 27, 509-517.   | 1.1 | 31        |
| 34941 | Comparison of Residual Stromal Bed Thickness Measurement Among Very High-frequency Digital Ultrasound, Intraoperative Handheld Ultrasound, and Optical Coherence Tomography. <i>Journal of Refractive Surgery</i> , 2012, 28, 42-47. | 1.1 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34942 | Precision Analysis of Posterior Corneal Topography Measured by Visante Omni: Repeatability, Reproducibility, and Agreement With Orbscan II. <i>Journal of Refractive Surgery</i> , 2012, 28, 133-138.  | 1.1 | 13        |
| 34943 | Repeatability of the Sirius Imaging System and Agreement With the Pentacam HR. <i>Journal of Refractive Surgery</i> , 2012, 28, 493-497.   | 1.1 | 51        |
| 34944 | Comparison of Keratometric Data Obtained by Automated Keratometer, Dicon CT 200, Allegro Topolyzer, and Pentacam. <i>Journal of Refractive Surgery</i> , 2012, 28, 557-562.                            | 1.1 | 12        |
| 34945 | Anterior Chamber and Aqueous Depth Measurement in Pseudophakic Eyes: Agreement Between Ultrasound Biometry and Scheimpflug Imaging. <i>Journal of Refractive Surgery</i> , 2013, 29, 121-125.          | 1.1 | 10        |
| 34946 | Association Between Ocular Dominance and Refractive Asymmetry. <i>Journal of Refractive Surgery</i> , 2013, 29, 716-720.   | 1.1 | 23        |
| 34947 | Normal Values for the Size of a Halo Produced by a Glare Source. <i>Journal of Refractive Surgery</i> , 2013, 29, 618-622.   | 1.1 | 27        |
| 34948 | Accuracy and Reproducibility of Cap Thickness in Small Incision Lenticule Extraction. <i>Journal of Refractive Surgery</i> , 2013, 29, 810-818.  | 1.1 | 55        |
| 34949 | Anterior Segment Biometry Using Spectral-Domain Optical Coherence Tomography. <i>Journal of Refractive Surgery</i> , 2014, 30, 354-360.  | 1.1 | 37        |
| 34950 | Assessment of Ocular Biomechanics Using Dynamic Ultra High-Speed Scheimpflug Imaging in Keratoconic and Normal Eyes. <i>Journal of Refractive Surgery</i> , 2014, 30, 785-791.                         | 1.1 | 65        |
| 34951 | Repeatability and Inter-device Agreement for Three Different Methods of Keratometry: Placido, Scheimpflug, and Color LED Corneal Topography. <i>Journal of Refractive Surgery</i> , 2015, 31, 176-181. | 1.1 | 33        |
| 34952 | Repeatability of Aberrometric Measurements With a New Instrument for Vision Analysis Based on Adaptive Optics. <i>Journal of Refractive Surgery</i> , 2015, 31, 188-194.                               | 1.1 | 18        |
| 34953 | Comparison of Measurements and Clinical Outcomes After Wavefront-Guided LASEK Between iDesign and WaveScan. <i>Journal of Refractive Surgery</i> , 2015, 31, 398-405.                                  | 1.1 | 6         |
| 34954 | Evaluation of Total Corneal Thickness and Corneal Layers With Spectral-Domain Optical Coherence Tomography. <i>Journal of Refractive Surgery</i> , 2016, 32, 27-32.                                    | 1.1 | 20        |
| 34955 | Comparison of Central Corneal Thickness Between Fourier-Domain OCT, Very High-Frequency Digital Ultrasound, and Scheimpflug Imaging Systems. <i>Journal of Refractive Surgery</i> , 2016, 32, 110-116. | 1.1 | 10        |
| 34956 | Agreement Between Predicted and Measured Ablation Depth After Femtosecond Laser-Assisted LASIK for Myopia. <i>Journal of Refractive Surgery</i> , 2016, 32, 164-170.                                   | 1.1 | 9         |
| 34957 | Evaluation of the Robustness of Current Quantitative Criteria for Keratoconus Progression and Corneal Cross-linking. <i>Journal of Refractive Surgery</i> , 2016, 32, 465-472.                         | 1.1 | 16        |
| 34958 | Comparison of AL-Scan and IOLMaster 500 Partial Coherence Interferometry Optical Biometers. <i>Journal of Refractive Surgery</i> , 2016, 32, 694-698.  | 1.1 | 14        |
| 34959 | Precision of High-Resolution OCT for Anterior Chamber Measurement: Agreement With Scheimpflug Imaging. <i>Journal of Refractive Surgery</i> , 2016, 32, 766-772.                                       | 1.1 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34960 | Repeatability of a Commercially Available Adaptive Optics Visual Simulator and Aberrometer in Normal and Keratoconic Eyes. <i>Journal of Refractive Surgery</i> , 2017, 33, 769-772.                                    | 1.1 | 7         |
| 34961 | Effect of Crystalline Lens Aberrations on Adaptive Optics Simulation of Intraocular Lenses. <i>Journal of Refractive Surgery</i> , 2019, 35, 126-131.   | 1.1 | 12        |
| 34962 | Comprehensive Comparison of Axial Length Measurement With Three Swept-Source OCT-Based Biometers and Partial Coherence Interferometry. <i>Journal of Refractive Surgery</i> , 2019, 35, 115-120.                        | 1.1 | 54        |
| 34963 | Agreement Between Two Optical Biometers Based on Large Coherence Length SS-OCT and Scheimpflug Imaging/Partial Coherence Interferometry. <i>Journal of Refractive Surgery</i> , 2020, 36, 459-465.                      | 1.1 | 12        |
| 34964 | Graphic Representation of Data Resulting From Measurement Comparison Trials in Cataract and Refractive Surgery. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2003, 34, 240-244.                                | 0.4 | 2         |
| 34965 | Repeatability of Retinal Thickness Measurements Between Spectral-Domain and Time-Domain Optical Coherence Tomography Images in Macular Disease. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2010, 41, S34-41. | 0.4 | 18        |
| 34966 | A Machine Vision Method for Automated Alignment of Fundus Imaging Systems. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2010, 41, 607-613.   | 0.4 | 2         |
| 34967 | Comparison of Anterior Chamber Depth Measurements Conducted with Pentacam HR Å® and IOLMaster Å®. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2011, 42, 144-147.  | 0.4 | 12        |
| 34968 | Anterior Chamber Depth Measurements Obtained with Pentacam HR Å® Imaging System and Conventional A-Scan Ultrasound. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2011, 42, 248-253.                            | 0.4 | 5         |
| 34969 | Comparison of Non-Contact Methods for the Measurement of Central Corneal Thickness. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2011, 42, 400-407.  | 0.4 | 7         |
| 34970 | Reproducibility of Macular Thickness Measurement Among Five OCT Instruments: Effects of Image Resolution, Image Registration, and Eye Tracking. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2012, 43, 97-108. | 0.4 | 30        |
| 34971 | A Comparison of Accelerometer Accuracy in Older Adults. <i>Research in Gerontological Nursing</i> , 2015, 8, 213-219.   | 0.2 | 31        |
| 34972 | Consistency and Agreement of Two Devices for Running Speed. <i>Athletic Training &amp; Sports Health Care</i> , 2014, 6, 67-72.   | 0.4 | 5         |
| 34973 | SLO-Microperimetry in Wet Age-Related Macular Degeneration During Anti-VEGF Therapy. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2015, 46, 824-830.   | 0.4 | 5         |
| 34974 | High Reliability of Cone Cell Measurements With Adaptive Optics Scanning Laser Ophthalmoscopy in a Simulated Real-Life Clinical Setting. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2018, 49, 228-235.       | 0.4 | 4         |
| 34975 | Spectral-Domain Optical Coherence Tomography Findings in Patients With Macropsia. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2018, 49, 656-663.  | 0.4 | 7         |
| 34976 | Evaluation of a Health Literacy Instrument Designed for the Mining Industry. <i>Health Literacy Research and Practice</i> , 2020, 4, e84-e93.   | 0.5 | 8         |
| 34977 | Clinical evaluation of the anterior translation of glenohumeral joint using ultrasonography: an intra- and inter-rater reliability study. <i>Acta Orthopaedica Et Traumatologica Turcica</i> , 2014, 48, 169-174.       | 0.3 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 34978 | Intima Media Thickness Variability (IMTV) and its association with cerebrovascular events: a novel marker of carotid atherosclerosis?. <i>Cardiovascular Diagnosis and Therapy</i> , 2012, 2, 10-8.                         | 0.7 | 32        |
| 34979 | T1 characteristics of interstitial pulmonary fibrosis on 3T MRI-a predictor of early interstitial change?. <i>Quantitative Imaging in Medicine and Surgery</i> , 2016, 6, 42-9.   | 1.1 | 25        |
| 34980 | Comparison of corneal measurements in keratoconic eyes using rotating Scheimpflug camera and scanning-slit topography. <i>International Journal of Ophthalmology</i> , 2015, 8, 275-80.                                     | 0.5 | 15        |
| 34981 | Intraexaminer repeatability and agreement in stereoacuity measurements made in young adults. <i>International Journal of Ophthalmology</i> , 2015, 8, 374-81.   | 0.5 | 28        |
| 34982 | Error induced by the estimation of the corneal power and the effective lens position with a rotationally asymmetric refractive multifocal intraocular lens. <i>International Journal of Ophthalmology</i> , 2015, 8, 501-7. | 0.5 | 7         |
| 34983 | Validation of Oxygen Saturation Monitoring in Neonates. <i>American Journal of Critical Care</i> , 2007, 16, 168-178.   | 0.8 | 40        |
| 34984 | Comparison of Point-of-Care and Laboratory Glucose Analysis in Critically Ill Patients. <i>American Journal of Critical Care</i> , 2007, 16, 336-346.   | 0.8 | 62        |
| 34985 | Assessment of body composition in Sri Lankan children: validation of a skin fold thickness equation. <i>Ceylon Medical Journal</i> , 2008, 53, 83.  | 0.1 | 14        |
| 34986 | Concordance between measured and estimated appendicular muscle mass in adult females. <i>Ceylon Medical Journal</i> , 2015, 60, 100.  | 0.1 | 3         |
| 34987 | Intra-operative point of care haemoglobin estimation: a comparison of three methods. <i>Sri Lankan Journal of Anaesthesiology</i> , 2010, 18, 15.   | 0.2 | 4         |
| 34988 | Body composition of Sri Lankan children: Effects of ethnicity. <i>Sri Lanka Journal of Child Health</i> , 2011, 40, 89.   | 0.1 | 3         |
| 34989 | Gasto energético de reposo medido en obesos y no obesos: comparación con la estimación por fórmulas y ecuaciones propuestas para población chilena. <i>Revista Médica De Chile</i> , 2002, 130, .                           | 0.1 | 16        |
| 34990 | Validación de ecuaciones antropométricas para evaluar composición corporal en niños preescolares chilenos. <i>Revista Médica De Chile</i> , 2008, 136, .  | 0.1 | 8         |
| 34992 | ¿Es la evaluación ultrasonográfica del peso fetal influida por la fórmula seleccionada?. <i>Revista Chilena De Obstetricia Y Ginecología</i> , 2010, 75, .  | 0.1 | 1         |
| 34993 | Association of Visceral Fat Area Measured by InBody 720 with the Results Measured by CT, DEXA and Anthropometric Measurement. <i>Korean Journal of Family Medicine</i> , 2010, 31, 190.                                     | 0.4 | 4         |
| 34994 | Assessment of Blood Glucose Values Measured by Blood Gas Analyzer or Portable Glucometer. <i>Daehan Macwi'gwa Haghoeji</i> , 2006, 50, 506.   | 0.2 | 2         |
| 34995 | Comparison of Continuous, Stat, and Intermittent Bolus Cardiac Output Measurements during Cardiac Surgery. <i>Daehan Macwi'gwa Haghoeji</i> , 2008, 54, 603.  | 0.2 | 1         |
| 34996 | Modelflow method versus continuous thermodilution technique for cardiac output measurement in liver transplant patients. <i>Daehan Macwi'gwa Haghoeji</i> , 2008, 55, 57.   | 0.2 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 34997 | The uncalibrated pulse contour cardiac output during off-pump coronary bypass surgery: performance in patients with a low cardiac output status and a reduced left ventricular function. Korean Journal of Anesthesiology, 2011, 60, 237.                | 0.9 | 19        |
| 34998 | Comparison of the central venous pressure from internal jugular vein and the pressure measured from the peripherally inserted antecubital central catheter (PICCP) in liver transplantation recipients. Korean Journal of Anesthesiology, 2011, 61, 281. | 0.9 | 11        |
| 34999 | A regression equation for the estimation of VO <sub>2</sub> max in Nepalese male adults. Journal of Human Sport and Exercise, 2010, 5, 127-133.  | 0.2 | 2         |
| 35000 | Intra-session stability of short-term heart rate variability measurement: gender and total spectral power influence. Journal of Human Sport and Exercise, 2014, 9, 68-80.  | 0.2 | 3         |
| 35001 | A comparison of two methods of logMAR visual acuity data scoring for statistical analysis. African Vision and Eye Health, 2009, 68, .  | 0.1 | 11        |
| 35002 | PIMA<sup>TM</sup> point-of-care testing for CD4 counts in predicting antiretroviral initiation in HIV-infected individuals in KwaZulu-Natal, Durban, South Africa. Southern African Journal of HIV Medicine, 2016, 17, 444.                              | 0.3 | 4         |
| 35003 | Evaluation of adjusted central venous blood gases versus arterial blood gases of patients in post-operative paediatric cardiac surgical intensive care unit. Indian Journal of Anaesthesia, 2015, 59, 630.   | 0.3 | 4         |
| 35004 | Positional accommodative intraocular lens power error induced by the estimation of the corneal power and the effective lens position. Indian Journal of Ophthalmology, 2015, 63, 438.  | 0.5 | 6         |
| 35005 | Repeatability of corneal parameters with Pentacam after laser in situ keratomileusis. Indian Journal of Ophthalmology, 2007, 55, 341.  | 0.5 | 41        |
| 35006 | Agreement between two Goldmann type applanation tonometers. Indian Journal of Ophthalmology, 2008, 56, 516.  | 0.5 | 4         |
| 35007 | Evaluation of PIMA Point-of-care CD4 Analyzer in Yunnan, China. Chinese Medical Journal, 2015, 128, 890-895.   | 0.9 | 9         |
| 35008 | Evaluation of accuracy of portable fingertip pulse oximeter, as compared to that of a hospital oximeter with digital sensor. Indian Journal of Dental Research, 2013, 24, 542.   | 0.1 | 9         |
| 35009 | In vitro performance of a pen-type laser fluorescence device and bitewing radiographs for approximal caries detection in permanent and primary teeth. Indian Journal of Dental Research, 2014, 25, 702.  | 0.1 | 14        |
| 35010 | Comparative study between two techniques for alveolar bone loss assessment: A pilot study. Journal of Indian Society of Periodontology, 2013, 17, 87.  | 0.3 | 5         |
| 35011 | Arterialised blood gas sampling in the critically ill: Correct tools for the job?. Indian Journal of Critical Care Medicine, 2008, 12, 89-90.  | 0.3 | 1         |
| 35012 | Prediction of arterial blood gas values from arterialized earlobe blood gas values in patients treated with mechanical ventilation. Indian Journal of Critical Care Medicine, 2008, 12, 96-101.  | 0.3 | 19        |
| 35013 | In vitro cell viability by CellProfiler® software as equivalent to MTT assay. Pharmacognosy Magazine, 2017, 13, 365.   | 0.3 | 12        |
| 35014 | Comparison of Goldmann applanation tonometer, Tono-Pen and noncontact tonometer in children. Oman Journal of Ophthalmology, 2016, 9, 22.   | 0.2 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35015 | Comparison of anterior segment measurements with optical low-coherence reflectometry and partial-coherence interferometry optical biometers. Middle East African Journal of Ophthalmology, 2016, 23, 288.   | 0.5 | 1         |
| 35016 | Availability and functionality of sphygmomanometers at health care institutions in Enugu, Nigeria. Nigerian Journal of Clinical Practice, 2015, 18, 544.  | 0.2 | 2         |
| 35017 | Comparison of the performance of the updated Schwartz, combined Schwartz and the Grubb glomerular filtration rate equations in a general pediatric population. Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia, 2014, 25, 1004. | 0.4 | 4         |
| 35018 | Agreement between visual and goniometric assessments of adductor and popliteal angles in infants. Journal of Pediatric Neurosciences, 2013, 8, 93.  | 0.2 | 6         |
| 35019 | The four square step test in children with Down syndrome: Reliability and concurrent validity. Journal of Pediatric Neurosciences, 2014, 9, 221.  | 0.2 | 12        |
| 35020 | Central corneal thickness measurement using ultrasonic pachymetry, rotating scheinpflug camera, and scanning-slit topography exclusively in thin non-keratoconic corneas. Journal of Ophthalmic and Vision Research, 2016, 11, 245.   | 0.7 | 9         |
| 35021 | Evaluation of five formulae for estimating body surface area of Nigerian children. Annals of Medical and Health Sciences Research, 2014, 4, 889.  | 0.8 | 34        |
| 35022 | Investigation into diagnostic agreement using automated computer-assisted histopathology pattern recognition image analysis. Journal of Pathology Informatics, 2012, 3, 18.   | 0.8 | 16        |
| 35023 | Horizontal Long Axis Imaging Plane for Evaluation of Right Ventricular Function on Cardiac Magnetic Resonance Imaging. Journal of Clinical Imaging Science, 2016, 6, 52.  | 0.4 | 3         |
| 35024 | Intra- and inter-model reliability of Hemocue Hb 201+ and HemoCue Hb 301 devices. Asian Journal of Transfusion Science, 2018, 12, 123.  | 0.1 | 6         |
| 35025 | Comparison of the accuracy of capillary hemoglobin estimation and venous hemoglobin estimation by two models of HemoCue against automated cell counter hemoglobin measurement. Asian Journal of Transfusion Science, 2020, 14, 49.  | 0.1 | 10        |
| 35026 | Medial malleolar fractures: An anatomic survey determining the ideal screw length. Annals of Medical and Health Sciences Research, 2016, 6, 308.  | 0.8 | 2         |
| 35027 | Utility of non-invasive haemoglobin monitoring in oncosurgery patients. Indian Journal of Anaesthesia, 2017, 61, 543.   | 0.3 | 9         |
| 35028 | Cardiac output monitoring: A comparative prospective observational study of the conventional cardiac output monitor Vigileo <sup>®</sup> and the new smartphone-based application Capstesia <sup>®</sup> . Indian Journal of Anaesthesia, 2018, 62, 584.  | 0.3 | 11        |
| 35029 | Gas permeable contact lens fitting in keratoconus: Comparison of different guidelines to back optic zone radius calculations. Indian Journal of Ophthalmology, 2019, 67, 1410.  | 0.5 | 2         |
| 35030 | Repeatability of ARK-30 in a pediatric population. Indian Journal of Ophthalmology, 2018, 66, 1262.   | 0.5 | 5         |
| 35031 | Comparison of intraocular pressure measurements using Goldmann tonometer, I-care pro, Tonopen XL, and Schiøtz tonometer in patients after Descemet stripping endothelial keratoplasty. Indian Journal of Ophthalmology, 2017, 65, 579.  | 0.5 | 15        |
| 35032 | Accommodative amplitude using the minus lens at different near distances. Indian Journal of Ophthalmology, 2017, 65, 223.   | 0.5 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35033 | Effect of post crosslinking haze on the repeatability of Scheimpflug-based and slit-scanning imaging devices. <i>Indian Journal of Ophthalmology</i> , 2017, 65, 305.   | 0.5 | 17        |
| 35034 | Accuracy of noncycloplegic refraction performed at school screening camps. <i>Indian Journal of Ophthalmology</i> , 2018, 66, 806.  | 0.5 | 7         |
| 35035 | Reliability and validity of a culturally adaptive version of the international physical activity questionnaire in indian subcontinent: A cross-sectional study. <i>International Journal of Preventive Medicine</i> , 2020, 11, 40.             | 0.2 | 3         |
| 35036 | Left Atrial Fractional Shortening: A Simple and Practical "Strain" for Everyone. <i>Journal of Cardiovascular Echography</i> , 2019, 29, 52.  | 0.1 | 2         |
| 35037 | Assessment of the Agreement between Cerebral Hemodynamic Indices Quantified Using Dynamic Susceptibility Contrast and Dynamic Contrast-enhanced Perfusion Magnetic Resonance Imagings. <i>Journal of Clinical Imaging Science</i> , 2018, 8, 2. | 0.4 | 4         |
| 35038 | Translation, reliability, and validity of the avoidance endurance questionnaire in Iranian subjects with chronic non-specific neck pain. <i>Journal of Family Medicine and Primary Care</i> , 2020, 9, 3565.                                    | 0.3 | 4         |
| 35039 | Comparison between pentacam HR and Orbscan II after hyperopic photorefractive keratectomy. <i>Journal of Ophthalmic and Vision Research</i> , 2017, 12, 374.  | 0.7 | 4         |
| 35040 | Comparison of standardized uptake value ratio calculations in amyloid positron emission tomography brain imaging. <i>World Journal of Nuclear Medicine</i> , 2018, 17, 21-26.   | 0.3 | 13        |
| 35041 | Exploration of the optimal skin-camera distance for facial photoplethysmographic imaging measurement using cameras of different types. , 2015, , .  |     | 6         |
| 35042 | Cardiac and Respiratory Parameter Estimation Using Head-mounted Motion-sensitive Sensors. <i>EAI Endorsed Transactions on Pervasive Health and Technology</i> , 2015, 1, e2.  | 0.7 | 16        |
| 35043 | Estimation of Dietary Gluten Content using Total Protein in Relation to Gold Standard Testing in a Variety of Foods. <i>Journal of Nutrition &amp; Food Sciences</i> , 2014, 04, .  | 1.0 | 4         |
| 35044 | Biomechanism Profile of Intervertebral Discs (IVD): Strategies to Successful Tissue Engineering for Spinal Healing by Reinforced Composite Structure. <i>Journal of Tissue Science &amp; Engineering</i> , 2012, 03, .                          | 0.2 | 9         |
| 35045 | Evaluation of Skin Reactivity during (Immuno-) Therapy. Validation of Methods for Estimation of Changes in Skin Reactivity and Correlation to Shock Organ Sensitivity. <i>Immunotherapy (Los Angeles)</i> , Tj ETQq0 0 0rgBT /Overlock 10 Tf    |     |           |
| 35046 | Evaluation of Changes in Skin Reactivity by Skin Prick Test Titration. <i>Immunotherapy (Los Angeles, Calif)</i> Tj ETQq1 1 0,784314 rgBT /Over   | 0.1 | 2         |
| 35047 | Validation of A Point-of-Care Lactate Device For Screening At-Risk Adults Receiving Combination Antiretroviral Therapy In Botswana. <i>Journal of Antivirals &amp; Antiretrovirals</i> , 2011, 03, 45-48.                                       | 0.1 | 4         |
| 35048 | Range Charts for Agreement in Measurement Comparison Studies, With Application to Replicate Mass Spectrometry Experiments. <i>Journal of Proteomics and Bioinformatics</i> , 2008, 01, 287-292.   | 0.4 | 4         |
| 35049 | Reliability of Quadruplicated Serological Parameters in the Korean Genome and Epidemiology Study. <i>Epidemiology and Health</i> , 2011, 33, e2011004.  | 0.8 | 11        |
| 35050 | End Plate Disproportion and Degenerative Disc Disease: A Case-Control Study. <i>Asian Spine Journal</i> , 2014, 8, 405.   | 0.8 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 35051 | The Effect of Alveolar Dead Space on the Measurement of End-Expiratory Lung Volume by Modified Nitrogen Washout/Washin in Lavage-Induced Lung Injury. <i>Respiratory Care</i> , 2012, 57, 2074-81.   | 0.8 | 6         |
| 35052 | A Comparison of Various Normalization Methods for LC/MS Metabolomics Data. <i>Advances in Bioscience and Biotechnology (Print)</i> , 2018, 09, 339-351.  | 0.3 | 42        |
| 35053 | Physical activity in persons with Parkinson disease: A feasibility study. <i>Health</i> , 2012, 04, 1145-1152.   | 0.1 | 5         |
| 35054 | Relationship between Dual-Energy X-Ray Absorptiometry-Derived Appendicular Lean Tissue Mass and Total Body Skeletal Muscle Mass Estimated by Ultrasound. <i>International Journal of Clinical Medicine</i> , 2013, 04, 283-286.  | 0.1 | 14        |
| 35055 | Effects of Hyperventilation on Venous-Arterial Bicarbonate Concentration Difference: A Possible Pitfall in Venous Blood Gas Analysis. <i>International Journal of Clinical Medicine</i> , 2014, 05, 76-80.   | 0.1 | 1         |
| 35056 | Carpal tunnel syndrome diagnosis: validation of a clinic-based nerve conduction measurement device. <i>Journal of Biomedical Science and Engineering</i> , 2011, 04, 282-288.  | 0.2 | 1         |
| 35057 | Comparison of two methods of measurement of maximal respiratory pressures in health and cystic fibrosis. <i>Journal of Biomedical Science and Engineering</i> , 2013, 06, 43-48.   | 0.2 | 3         |
| 35058 | Development of Three Dimensional Automatic Body Fat Measurement Software from CT, and Its Validation and Evaluation. <i>Journal of Biomedical Science and Engineering</i> , 2015, 08, 665-673.   | 0.2 | 3         |
| 35059 | Wearable Wireless Body Area Nodes for Remote Physiological Signal Monitoring System. <i>Journal of Biomedical Science and Engineering</i> , 2019, 12, 151-182.   | 0.2 | 6         |
| 35060 | Optimization of ultrasound assessments of arterial function. <i>Open Journal of Clinical Diagnostics</i> , 2011, 01, 15-21.  | 0.3 | 6         |
| 35061 | Comparison of Multimodality Image-Based Volumes in Preclinical Tumor Models Using $\text{In-Air}$ Micro-CT Image Volume as Reference Tumor Volume. <i>Open Journal of Medical Imaging</i> , 2015, 05, 117-132.   | 0.1 | 5         |
| 35062 | A Digital Photographic Technique for Knee Range of Motion Measurement: Performance in a Total Knee Arthroplasty Clinical Population. <i>Open Journal of Orthopedics</i> , 2013, 03, 4-9.   | 0.0 | 5         |
| 35063 | Color Fusion of Magnetic Resonance Images Improves Intracranial Volume Measurement in Studies of Aging. <i>Open Journal of Radiology</i> , 2012, 02, 1-9.  | 0.1 | 16        |
| 35064 | Comparative Variability of Nasal Potential Difference Measurements in Human and Mice. <i>Open Journal of Respiratory Diseases</i> , 2012, 02, 43-56.   | 0.1 | 9         |
| 35065 | Comparing Two Methods for Measuring Soil Bulk Density and Moisture Content. <i>Open Journal of Soil Science</i> , 2020, 10, 233-243.   | 0.3 | 7         |
| 35066 | Schedule of Growing Skills II: Pilot Study of an Alternative Scoring Method. <i>Psychology</i> , 2013, 04, 143-152.  | 0.3 | 7         |
| 35067 | Correlation of Electric Cardiometry and Continuous Thermodilution Cardiac Output Monitoring Systems. <i>World Journal of Cardiovascular Surgery</i> , 2014, 04, 101-108.   | 0.1 | 20        |
| 35068 | Comparison of Cardiac Output Measurement by Noninvasive Method with Electrical Cardiometry and Invasive Method with Thermodilution Technique in Patients Undergoing Coronary Artery Bypass Grafting. <i>World Journal of Cardiovascular Surgery</i> , 2014, 04, 123-130. | 0.1 | 19        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35069 | Three-dimensional volumetric assessment of coronary artery calcification in patients with stable coronary artery disease by OCT. <i>EuroIntervention</i> , 2017, 13, 312-319.   | 1.4 | 24        |
| 35070 | Reliability of physiological assessment of coronary stenosis severity using intracoronary pressure techniques: a comprehensive analysis from a large cohort of consecutive intermediate coronary lesions. <i>EuroIntervention</i> , 2017, 13, e193-e200.                | 1.4 | 5         |
| 35071 | The impact of Objective Mathematical Analysis during Fractional Flow Reserve measurement: results from the OMA-FFR study. <i>EuroIntervention</i> , 2018, 14, 935-941.  | 1.4 | 1         |
| 35072 | A randomised controlled trial to compare two coronary pressure wires using simultaneous measurements in human coronary arteries: the COMET trial. <i>EuroIntervention</i> , 2019, 14, e1578-e1584.  | 1.4 | 8         |
| 35073 | Left ventricular contrast injection with rotational C-arm CT improves accuracy of aortic annulus measurement during cardiac catheterisation. <i>EuroIntervention</i> , 2014, 10, 347-354.   | 1.4 | 6         |
| 35074 | Impact of percutaneous mitral valve repair using the MitraClip system on tricuspid regurgitation. <i>EuroIntervention</i> , 2016, 11, E1680-E1686.  | 1.4 | 47        |
| 35075 | Stabilisation of coronary stents using rapid right ventricular pacing. <i>EuroIntervention</i> , 2007, 3, 235-238.  | 1.4 | 6         |
| 35076 | Quantitative multi-modality imaging analysis of bioabsorbable poly-L-lactic acid stent design in the acute phase: a comparison between 2- and 3D-QCA, QCU and QMSCT-CA. <i>EuroIntervention</i> , 2008, 4, 285-291.   | 1.4 | 43        |
| 35077 | Validation of in vivo plaque characterisation by virtual histology in a rabbit model of atherosclerosis. <i>EuroIntervention</i> , 2009, 5, 149-156.  | 1.4 | 41        |
| 35078 | Between-centre reproducibility of volumetric intravascular ultrasound radiofrequency-based analyses in mild-to-moderate coronary atherosclerosis: an international multicentre study. <i>EuroIntervention</i> , 2010, 5, 925-931.                                       | 1.4 | 17        |
| 35079 | Reproducibility of coronary Fourier domain optical coherence tomography: quantitative analysis of in vivo stented coronary arteries using three different software packages. <i>EuroIntervention</i> , 2010, 6, 371-379.  | 1.4 | 57        |
| 35080 | Value and limitations of electromechanical endocardial mapping in the assessment of global and regional left ventricular function and transmural extent of infarction: a comparison with cardiovascular magnetic resonance. <i>EuroIntervention</i> , 2010, 6, 616-622. | 1.4 | 4         |
| 35081 | First-in-man evaluation of intravascular optical frequency domain imaging (OFDI) of Terumo: a comparison with intravascular ultrasound and quantitative coronary angiography. <i>EuroIntervention</i> , 2011, 6, 1037-1045.   | 1.4 | 99        |
| 35082 | Retrospective image-based gating of intracoronary optical coherence tomography: implications for quantitative analysis. <i>EuroIntervention</i> , 2011, 6, 1098-1103.   | 1.4 | 7         |
| 35083 | High-speed intracoronary optical frequency domain imaging: implications for three-dimensional reconstruction and quantitative analysis. <i>EuroIntervention</i> , 2012, 7, 1216-1226.   | 1.4 | 37        |
| 35084 | Advances in two-dimensional quantitative coronary angiographic assessment of bifurcation lesions: improved small lumen diameter detection and automatic reference vessel diameter derivation. <i>EuroIntervention</i> , 2012, 7, 1326-1335.                             | 1.4 | 16        |
| 35085 | Advanced three-dimensional quantitative coronary angiographic assessment of bifurcation lesions: methodology and phantom validation. <i>EuroIntervention</i> , 2013, 8, 1451-1460.  | 1.4 | 36        |
| 35086 | Classification performance of instantaneous wave-free ratio (iFR) and fractional flow reserve in a clinical population of intermediate coronary stenoses: results of the ADVISE registry. <i>EuroIntervention</i> , 2013, 9, 91-101.                                    | 1.4 | 161       |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35087 | Single bolus intravenous regadenoson injection versus central venous infusion of adenosine for maximum coronary hyperaemia in fractional flow reserve measurement. <i>EuroIntervention</i> , 2015, 11, 905-913.   | 1.4 | 23        |
| 35088 | Slow Heart Rate Recovery Is Associated with Increased Exercise-induced Arterial Stiffness in Normotensive Patients without Overt Atherosclerosis. <i>Journal of Cardiovascular Imaging</i> , 2019, 27, 214.   | 0.2 | 7         |
| 35089 | Computed tomography overestimation of esophageal tumor length: Implications for radiotherapy planning. <i>World Journal of Gastrointestinal Oncology</i> , 2010, 2, 197.  | 0.8 | 20        |
| 35090 | Comparison of methods for the rapid laboratory assessment of children with malaria.. <i>American Journal of Tropical Medicine and Hygiene</i> , 2001, 65, 599-602.  | 0.6 | 204       |
| 35091 | SHORT REPORT: EVALUATION OF A SIMPLE AND INEXPENSIVE PHOTOMETRIC DEVICE FOR THE MEASUREMENT OF HEMOGLOBIN. <i>American Journal of Tropical Medicine and Hygiene</i> , 2004, 71, 691-692.  | 0.6 | 6         |
| 35092 | A HISTIDINE-RICH PROTEIN 2â€“BASED MALARIA DRUG SENSITIVITY ASSAY FOR FIELD USE. <i>American Journal of Tropical Medicine and Hygiene</i> , 2004, 71, 711-714.  | 0.6 | 49        |
| 35093 | RELIABILITY AND VALIDITY OF THE BURULI ULCER FUNCTIONAL LIMITATION SCORE QUESTIONNAIRE. <i>American Journal of Tropical Medicine and Hygiene</i> , 2005, 72, 449-452.   | 0.6 | 22        |
| 35094 | Miniaturization of a High-throughput pLDH-based <i>Plasmodium falciparum</i> Growth Inhibition Assay for Small Volume Samples from Preclinical and Clinical Vaccine Trials. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 78, 468-471. | 0.6 | 15        |
| 35095 | Validity of 20-metre multi stage shuttle run test for estimation of maximum oxygen uptake in indian male university students. <i>African Journal for Physical, Health Education, Recreation and Dance</i> , 2007, 12, .                                   | 0.2 | 1         |
| 35096 | Efecto de la direcciÃ³n de la aguja arterial en la mediciÃ³n del flujo del acceso vascular con mÃ©todos dilucionales. <i>Enfermeria NefrolÃ³gica</i> , 2017, 20, 305-315.   | 0.3 | 3         |
| 35097 | Reliability of the frontal sinus index for sex determination using CBCT. <i>Romanian Journal of Legal Medicine</i> , 2015, 23, 275-278.   | 0.3 | 15        |
| 35099 | Cardiac Output Measurement Using the Non-Invasive Cardiac Output (NICO) Monitor: A Comparative Study with the Standard Thermodilution Technique. <i>Japanese Journal of Cardiovascular Surgery</i> , 2004, 33, 6-8.                                       | 0.0 | 1         |
| 35100 | Quantitative measurement of contrast enhancement of esophageal squamous cell carcinoma on clinical MDCT. <i>World Journal of Radiology</i> , 2012, 4, 179.  | 0.5 | 5         |
| 35101 | Diffusion-weighted magnetic resonance imaging in cancer: Reported apparent diffusion coefficients, <i>in-vitro</i> and <i>in-vivo</i> reproducibility. <i>World Journal of Radiology</i> , 2016, 8, 21.   | 0.5 | 45        |
| 35102 | Inter-observer agreement of ultrasonographic measurement of alpha and beta angles and the final type classification based on the Graf method. <i>Swiss Medical Weekly</i> , 0, .  | 0.8 | 20        |
| 35103 | Quantifying the Reproducibility of Instruments in Glaucoma Imaging. <i>Journal of Current Glaucoma Practice</i> , 2008, , 1-5.  | 0.1 | 1         |
| 35104 | Coordination of Fetal Facial Expressions after 36 weeks of Gestation. <i>Donald School Journal of Ultrasound in Obstetrics and Gynecology</i> , 2018, 12, 156-161.  | 0.1 | 2         |
| 35105 | The Accuracy and Reproducibility of Linear Measurements Made on CBCT-derived Digital Models. <i>Journal of Contemporary Dental Practice</i> , 2016, 17, 294-299.  | 0.2 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35106 | Comparison of Accuracy and Reliability of Working Length Determination Using Cone Beam Computed Tomography and Electronic Apex Locator: A Systematic Review. <i>Journal of Contemporary Dental Practice</i> , 2019, 20, 1118-1123.                                | 0.2 | 6         |
| 35107 | A Comparative Analysis of Functional Fibrinogen Assays using TEG and ROTEM in Trauma Patients Enrolled in the FiiRST Trial. <i>Panamerican Journal of Trauma Critical Care &amp; Emergency Surgery</i> , 2018, 7, 143-157.  | 0.0 | 9         |
| 35108 | Central Venous Blood Gas Analysis: An Alternative to Arterial Blood Gas Analysis for pH, PCO <sub>2</sub> , Bicarbonate, Sodium, Potassium and Chloride in the Intensive Care Unit Patients. <i>Indian Journal of Critical Care Medicine</i> , 2019, 23, 258-262. | 0.3 | 8         |
| 35109 | Unreliability of Breath Methane as a Candidate Indicator of Functional Bowel Disorders. <i>Gut and Liver</i> , 2008, 2, 180-185.  | 1.4 | 8         |
| 35110 | Examining Content Validity and Reliability of the Assessment of Children's Hand Skills (ACHS): A Preliminary Study. <i>American Journal of Occupational Therapy</i> , 2010, 64, 756-767.  | 0.1 | 22        |
| 35111 | Objectivity and Stability of the Preschool Imitation and Praxis Scale. <i>American Journal of Occupational Therapy</i> , 2011, 65, 569-577.   | 0.1 | 14        |
| 35112 | Self-Reported Versus Objectively Assessed Exercise Adherence. <i>American Journal of Occupational Therapy</i> , 2013, 67, 484-489.  | 0.1 | 20        |
| 35113 | Reliability and Validity of Different Models of TKK Hand Dynamometers. <i>American Journal of Occupational Therapy</i> , 2016, 70, 7004300010p1-7004300010p9.   | 0.1 | 37        |
| 35114 | Somatosensory Discrimination Intervention Improves Body Position Sense and Motor Performance in Children With Hemiplegic Cerebral Palsy. <i>American Journal of Occupational Therapy</i> , 2017, 71, 7103190060p1-7103190060p9.                                   | 0.1 | 26        |
| 35115 | Intrarater Reliability and Other Psychometrics of the Health Promoting Activities Scale (HPAS). <i>American Journal of Occupational Therapy</i> , 2017, 71, 7104190010p1-7104190010p8.  | 0.1 | 13        |
| 35116 | Development of Internet-Based Tasks for the Executive Function Performance Test. <i>American Journal of Occupational Therapy</i> , 2018, 72, 7202205060p1-7202205060p7.   | 0.1 | 7         |
| 35117 | Measuring Hand Dexterity in People With Parkinson's Disease: Reliability of Pegboard Tests. <i>American Journal of Occupational Therapy</i> , 2019, 73, 7304205050p1-7304205050p8.  | 0.1 | 22        |
| 35118 | Test-Retest Reliability and Minimal Detectable Change of the Comprehensive Occupational Therapy Evaluation Scale (COTES) in People With Schizophrenia. <i>American Journal of Occupational Therapy</i> , 2020, 74, 7405205110p1-7405205110p7.                     | 0.1 | 3         |
| 35119 | Translation and Cross-Cultural Adaptation of the Manchester Orofacial Pain Disability Scale. <i>Journal of Oral &amp; Maxillofacial Research</i> , 2013, 3, e3.   | 0.3 | 5         |
| 35120 | Difference in the QT Intervals between Automated and Manual Measurements. <i>Japanese Journal of Electrocardiology</i> , 2013, 32, 427-435.   | 0.0 | 3         |
| 35121 | Evaluation of left ventricular function and volume in patients with dilated cardiomyopathy: gated myocardial single-photon emission tomography (SPECT) versus echocardiography. <i>Annals of Saudi Medicine</i> , 2005, 25, 198-204.                              | 0.5 | 6         |
| 35122 | Comparison of the erythrocyte sedimentation rate measured by the Micro Test 1 Sedimentation Analyzer and the conventional Westergren method. <i>Annals of Saudi Medicine</i> , 2007, 27, 362-365.   | 0.5 | 11        |
| 35123 | Comparison of gated SPECT, echocardiography and cardiac magnetic resonance imaging for the assessment of left ventricular ejection fraction and volumes. <i>Annals of Saudi Medicine</i> , 2007, 27, 415-420.   | 0.5 | 18        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35124 | Relationship between epicardial fat tissue and left ventricular synchronicity: An observational study. <i>Anatolian Journal of Cardiology</i> , 2015, 15, 990-994.  | 0.5 | 6         |
| 35125 | Complex evaluation of left atrial dysfunction in patients with type 1 diabetes mellitus by three-dimensional speckle tracking echocardiography: results from the MACYAR-Path Study. <i>Anatolian Journal of Cardiology</i> , 2015, 16, 587-593. | 0.5 | 14        |
| 35126 | Conversion among the 28-joint count activity indices for rheumatoid arthritis. <i>European Journal of Rheumatology</i> , 2020, 7, 105-111.  | 1.3 | 15        |
| 35127 | High-resolution manometry: Reliability of automated analysis of upper esophageal sphincter relaxation parameters. <i>Turkish Journal of Gastroenterology</i> , 2014, 25, 473-80.  | 0.4 | 6         |
| 35128 | Greenland liquid water discharge from 1958 through 2019. <i>Earth System Science Data</i> , 2020, 12, 2811-2841.  | 3.7 | 54        |
| 35130 | Field evaluation of a low-cost indoor air quality monitor to quantify exposure to pollutants in residential environments. <i>Journal of Sensors and Sensor Systems</i> , 2018, 7, 373-388.  | 0.6 | 59        |
| 35132 | Does Carotid Intima-Media Thickness Increase in Patients With Inflammatory Bowel Disease?. <i>Intestinal Research</i> , 2014, 12, 293.  | 1.0 | 5         |
| 35133 | Physiological Data Validation of the Hexoskin Smart Textile. , 2018, , .  |     | 13        |
| 35134 | Factors Affecting the Post-Absorptive Resting Metabolic Rate of Japanese Subjects: Reanalysis Based on Published Data.. <i>The Japanese Journal of Nutrition and Dietetics</i> , 2002, 60, 75-83.   | 0.1 | 11        |
| 35135 | Reducing random measurement error in assessing postural load on the back in epidemiologic surveys. <i>Scandinavian Journal of Work, Environment and Health</i> , 1995, 21, 15-23.   | 1.7 | 82        |
| 35136 | Evaluation of the measurement properties of self-reported health-related work-functioning instruments among workers with common mental disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 5-18.                 | 1.7 | 36        |
| 35137 | Comparison of industrial hygienists' exposure evaluations for an epidemiologic study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2000, 26, 44-51.  | 1.7 | 31        |
| 35138 | Five-year stability study of free and total prostate-specific antigen concentrations in serum specimens collected and stored at -70C or less. <i>International Journal of Biological Markers</i> , 2007, 22, 206-213.                           | 0.7 | 5         |
| 35139 | Performance of creatinine-based equations compared in older patients. <i>Journal of Nephrology</i> , 2013, 26, 716-723.   | 0.9 | 66        |
| 35140 | Validation of the Danish version of the musculoskeletal tumour society score questionnaire. <i>World Journal of Orthopedics</i> , 2019, 10, 23-32.  | 0.8 | 12        |
| 35141 | Three Dimensional (3D) Lumbar Vertebrae Data Set. <i>Data Science Journal</i> , 2016, 15, .   | 0.6 | 9         |
| 35142 | Title is missing!. <i>Journal of Medical and Biological Engineering</i> , 2011, 31, 207.  | 1.0 | 25        |
| 35143 | Mechanisms Underlying Isovolumic Contraction and Ejection Peaks in Seismocardiogram Morphology. <i>Journal of Medical and Biological Engineering</i> , 2012, 32, 103.   | 1.0 | 38        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 35144 | Messung von apnoebezogenen BlutdruckÄnderungen mittels Pulstransitzeit und Penaz-Prinzip. Atemwegs- Und Lungenkrankheiten, 2012, 38, 447-454.  | 0.0 | 5         |
| 35145 | The validation of estimated glomerular filtration rate (eGFR) equation for renal transplant recipients. Clinical Nephrology, 2013, 79, 206-213.  | 0.4 | 9         |
| 35146 | A community-based study to assess test-retest reliability of senior fitness test in the geriatric population in a northeastern Indian city. International Journal of Medical Science and Public Health, 2016, 5, 1606. | 0.2 | 3         |
| 35147 | Agreement and conversion formula between mini-mental state examination and montreal cognitive assessment in an outpatient sample. World Journal of Psychiatry, 2016, 6, 358.   | 1.3 | 15        |
| 35148 | Comparison of body fat using various bioelectrical impedance analyzers in university students. Acta Gymnica, 2015, 45, 177-186.  | 1.1 | 9         |
| 35149 | Gopher FITStep Pro accuracy when measuring steps and moderate-to-vigorous physical activity. Acta Gymnica, 2017, 47, 3-10.   | 1.1 | 1         |
| 35150 | Reliability and validity of a basketball-specific fatigue protocol simulating match load. Acta Gymnica, 2017, 47, 92-98.   | 1.1 | 5         |
| 35151 | INTER-OBSERVER REPRODUCIBILITY OF 15 TESTS USED FOR PREDICTING DIFFICULT INTUBATION. Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia, 2011, 155, 275-281.          | 0.2 | 14        |
| 35152 | Comparison of Novel Equations for Estimating Low-Density Lipoprotein Cholesterol in Patients Undergoing Coronary Angiography. Journal of Atherosclerosis and Thrombosis, 2020, 27, 1359-1373.                          | 0.9 | 15        |
| 35153 | Comparison Of Clinical Assessment, Mammography And Ultrasound In Pre-Operative Estimation Of Primary Breast-Cancer Size: A Practical Approach. The Internet Journal of Surgery, 2008, 16, .                            | 0.2 | 1         |
| 35154 | Increased Rate Of Dislocation Of Total Hip Arthroplasty With Cementless Implants: Accuracy Of Acetabular Inclination.. The Internet Journal of Orthopedic Surgery, 2010, 17, .   | 0.1 | 1         |
| 35155 | DeterminaÃ§Ã£o da densidade corporal por equaÃ§Ãµes generalizadas: facilidade e simplificaÃ§Ã£o no mÃ©todo. ConScientiae SaÃºde, 2009, 8, 19-24.   | 0.1 | 8         |
| 35156 | Validation of a novel method for measuring intra-abdominal pressure and gastric residual volume in critically ill patients. Anaesthesiology Intensive Therapy, 2014, 46, 245-254.                                      | 0.4 | 7         |
| 35157 | Hemodynamic monitoring: To calibrate or not to calibrate? Part 2 â€” Non-calibrated techniques. Anaesthesiology Intensive Therapy, 2015, 47, 501-516.  | 0.4 | 24        |
| 35158 | The relationship between epicardial fat tissue thickness and frequent ventricular premature beats. Kardiologia Polska, 2015, 73, 527-532.  | 0.3 | 12        |
| 35159 | Comparison of techniques for the measurement of skin temperature during exercise in a hot, humid environment. Biology of Sport, 2014, 32, 11-14.   | 1.7 | 10        |
| 35160 | Validity of the MarkWiiR for kinematic analysis during walking and running gaits. Biology of Sport, 2014, 32, 53-58.   | 1.7 | 12        |
| 35161 | The effect of trial familiarisation on the validity and reproducibility of a field-based self-paced VO2max test. Biology of Sport, 2016, 33, 269-275.  | 1.7 | 14        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35162 | Total body composition estimated by standing-posture 8-electrode bioelectrical impedance analysis in male wrestlers. <i>Biology of Sport</i> , 2016, 33, 399-405.   | 1.7 | 13        |
| 35163 | Statistical methods for bioimpedance analysis. <i>Journal of Electrical Bioimpedance</i> , 2014, 5, 14-27.  | 0.5 | 15        |
| 35164 | Reprodutibilidade e validade do questionário Baecke para avaliação da atividade física habitual em adolescentes. <i>Revista Portuguesa De Ciências Do Desporto</i> , 2006, 2006, 265-274.   | 0.0 | 21        |
| 35165 | A Randomized Crossover Trial of the Effect of a Novel Method of Pressure Control (SensAwake) in Automatic Continuous Positive Airway Pressure Therapy to Treat Sleep Disordered Breathing. <i>Journal of Clinical Sleep Medicine</i> , 2011, 07, 261-267. | 1.4 | 18        |
| 35166 | Obstructive Sleep Apnea in Obese Hospitalized Patients: A Single Center Experience. <i>Journal of Clinical Sleep Medicine</i> , 2015, 11, 717-723.  | 1.4 | 32        |
| 35167 | Predicting Obstructive Sleep Apnea with Periodic Snoring Sound Recorded at Home. <i>Journal of Clinical Sleep Medicine</i> , 2016, 12, 953-958.   | 1.4 | 20        |
| 35168 | Activity During Sleep Measured by a Sheet-Shaped Body Vibrometer and the Severity of Atopic Dermatitis in Adults: A Comparison With Wrist Actigraphy. <i>Journal of Clinical Sleep Medicine</i> , 2018, 14, 199-204.                                      | 1.4 | 14        |
| 35169 | Low repeatability of Epworth Sleepiness Scale after short intervals in a sleep clinic population. <i>Journal of Clinical Sleep Medicine</i> , 2020, 16, 757-764.  | 1.4 | 19        |
| 35170 | Validation of the Use of Dried Blood Spot (DBS) Method to Assess Vitamin A Status. <i>Health Promotion Perspectives</i> , 2012, 2, 180-9.   | 0.8 | 10        |
| 35171 | Comparison of Reflotron and laboratory cholesterol measurements. <i>Medical Journal of Australia</i> , 1988, 149, 126-129.  | 0.8 | 14        |
| 35172 | Ward and laboratory assessment of two second-generation blood glucose monitoring systems. <i>Medical Journal of Australia</i> , 1988, 149, 420-424.   | 0.8 | 1         |
| 35173 | Assessing agreement. <i>Medical Journal of Australia</i> , 1989, 150, 384-387.  | 0.8 | 54        |
| 35174 | A Comparison of Plain Radiography with Computer Tomography in Determining Coronal and Sagittal Alignments following Total Knee Arthroplasty. <i>Malaysian Orthopaedic Journal</i> , 2017, 11, 45-52.  | 0.2 | 11        |
| 35176 | Aortic Annulus Diameter Measurement: What Is the Best Modality?. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2012, 18, 115-120.  | 0.3 | 10        |
| 35177 | Automated Segmentation of Real-Time 3D Echocardiography Using an Incompressibility Constraint. , 0, , .   |     | 2         |
| 35178 | The Validity of Body Composition Measurement Using Dual Energy X-Ray Absorptiometry for Estimating Resting Energy Expenditure. , 0, , .   |     | 5         |
| 35179 | Assessment of Stereoscopic Precision - Film to Digital Photogrammetric Cameras. , 0, , .  |     | 1         |
| 35180 | Reliability and Validity of the Femorotibial Mechanical Axis Angle in Primary Total Knee Arthroplasty: Navigation versus Weight Bearing or Supine Whole Leg Radiographs. <i>Knee Surgery and Related Research</i> , 2018, 30, 326-333.                    | 1.8 | 21        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 35181 | Validity Study of a Jump Mat Compared to the Reference Standard Force Plate. <i>Asian Journal of Sports Medicine</i> , 2015, 6, e25561.  | 0.1 | 11        |
| 35182 | Development and validation of the first iranian questionnaire to assess quality of life in patients with heart failure: IHF-QoL. <i>Research in Cardiovascular Medicine</i> , 2012, 1, 10.   | 0.2 | 16        |
| 35183 | Evaluation of Pulsed doppler-versus Tissue doppler-derived Tei Index of Right and Left ventricle in Fetuses. <i>Iranian Cardiovascular Research Journal</i> , 2011, 5, 134-138.  | 0.1 | 3         |
| 35184 | A New 2D-Based Method for Carotid Intima-Media Thickness Quantification From Ultrasound Sequences. <i>Iranian Red Crescent Medical Journal</i> , 2015, 17, e24691.   | 0.5 | 6         |
| 35185 | Diversity Based on Entropy: A Novel Evaluation Criterion in Multi-objective Optimization Algorithm. <i>International Journal of Intelligent Systems and Applications</i> , 2012, 4, 113-124.   | 0.9 | 14        |
| 35186 | Effect of Anticoagulant and Venipuncture Site on Hematology and Serum Chemistries of the Spiny Softshell Turtle ( <i>Apalone spinifera</i> ). <i>Journal of Herpetological Medicine and Surgery</i> , 2010, 20, 74.                        | 0.2 | 20        |
| 35187 | Point-of-Care Glucose Testing. <i>Archives of Pathology and Laboratory Medicine</i> , 2000, 124, 257-266.  | 1.2 | 161       |
| 35188 | Evaluation of the BiliChek Being Used on Hyperbilirubinemic Newborns Undergoing Home Phototherapy. <i>Archives of Pathology and Laboratory Medicine</i> , 2008, 132, 684-689.  | 1.2 | 14        |
| 35189 | Prevalence of Metabolic Syndrome according to NCEP-ATP III and IDF criteria in Patients on Hemodialysis. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2015, 37, 72-8. | 0.4 | 11        |
| 35191 | Comparison between multiplanar and rendering modes in the assessment of fetal atrioventricular valve areas by 3D/4D ultrasonography. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2012, 27, 472-476.                               | 0.2 | 8         |
| 35192 | Evaluation of maximal inspiratory and sniff nasal inspiratory pressures in pre- and postoperative myocardial revascularization. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2012, 27, 607-613.                                    | 0.2 | 3         |
| 35194 | Correlation Between Liver Volumetric Computed Tomography Results and Measured Liver Weight: A Tool for Preoperative Planning of Liver Transplant. <i>Experimental and Clinical Transplantation</i> , 2016, 14, 72-8.                       | 0.2 | 3         |
| 35195 | Advance Care Planning Improves Psychological Symptoms But Not Quality of Life and Preferred End-of-Life Care of Patients With Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2019, 17, 311-320.              | 2.3 | 33        |
| 35196 | Are Surrogate Endpoints Unbiased Metrics in Clinical Benefit Scores of the ASCO Value Framework?. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2019, 17, 1489-1496.  | 2.3 | 3         |
| 35197 | Factors associated with hyperglycemia and low insulin levels in children undergoing cardiac surgery with cardiopulmonary bypass who received a single high dose of methylprednisolone. <i>Clinics</i> , 2013, 68, 85-92.                   | 0.6 | 6         |
| 35198 | Increased P-wave dispersion in patients with newly diagnosed lichen planus. <i>Clinics</i> , 2013, 68, 846-850.  | 0.6 | 15        |
| 35199 | Mobility impact and methods of diaphragm monitoring in patients with chronic obstructive pulmonary disease: a systematic review. <i>Clinics</i> , 2020, 75, e1428.   | 0.6 | 3         |
| 35200 | Total Diet Score as a valid method of measuring diet quality among older adults. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2017, 26, 212-219.  | 0.3 | 15        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35201 | Between-Rater Reliability of the 6-Minute Walk Test, Berg Balance Scale, and Handheld Dynamometry in People with Multiple Sclerosis. <i>International Journal of MS Care</i> , 2013, 15, 1-6.   | 0.4 | 26        |
| 35202 | A cross sectional study of arm venous compliance in fit healthy subjects. <i>Cardiovascular System</i> , 2015, 3, 5.  | 1.0 | 1         |
| 35204 | Comparing the Validity of a GPS Monitor and a Smartphone Application to Measure Physical Activity. <i>Journal of Mobile Technology in Medicine</i> , 2017, 6, 28-38.  | 0.5 | 10        |
| 35205 | Comparison of Body Fat Results from 4 Bioelectrical Impedance Analysis Devices vs. Air Displacement Plethysmography in American Adolescent Wrestlers. <i>International Journal of Kinesiology and Sports Science</i> , 2017, 5, 18.                             | 0.4 | 8         |
| 35206 | Simultaneous multiple-subject analysis of respiratory gas exchange in humans. <i>The Journal of Physical Fitness and Sports Medicine</i> , 2014, 3, 269-279.  | 0.2 | 8         |
| 35207 | DEVELOPMENT OF AN EQUATION FOR PREDICTING BODY SURFACE AREA BASED ON THREE-DIMENSIONAL PHOTONIC IMAGE SCANNING. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2009, 58, 463-474.  | 0.0 | 6         |
| 35208 | A new approach to assessment of energy expenditure during physical training. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2015, 64, 125-134.   | 0.0 | 2         |
| 35209 | VALIDITY OF 24-HOUR DIARY METHOD AND ACCELEROMETER FOR MEASURING DAILY ENERGY EXPENDITURE. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2001, 50, 229-236.   | 0.0 | 3         |
| 35210 | COMPARATIVE STUDY OF TOTAL ENERGY EXPENDITURE IN JAPANESE MEN USING DOUBLY LABELED WATER METHOD AGAINST ACTIVITY RECORD, HEART RATE MONITORING, AND ACCELEROMETER METHODS. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2002, 51, 151-163. | 0.0 | 21        |
| 35211 | MEASUREMENT OF TOTAL ENERGY EXPENDITURE IN JAPANESE FIREFIGHTERS UNDER NORMAL WORKING CONDITION USING THE DOUBLY LABELED WATER METHOD. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2003, 52, 265-274.                                     | 0.0 | 9         |
| 35212 | A COMPARISON OF SINGLE-AND MULTI-FREQUENCY BIOELECTRICAL IMPEDANCE METHODS TO ASSESS HUMAN BODY COMPOSITION. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2003, 52, 443-453.   | 0.0 | 1         |
| 35213 | Getting the most out of RNA-seq data analysis. <i>PeerJ</i> , 2015, 3, e1360.   | 0.9 | 29        |
| 35214 | Assessment of the accuracy of ABC/2 variations in traumatic epidural hematoma volume estimation: a retrospective study. <i>PeerJ</i> , 2016, 4, e1921.  | 0.9 | 4         |
| 35215 | Applicability of the ReproQ client experiences questionnaire for quality improvement in maternity care. <i>PeerJ</i> , 2016, 4, e2092.  | 0.9 | 18        |
| 35216 | Testing the link between genome size and growth rate in maize. <i>PeerJ</i> , 2016, 4, e2408.   | 0.9 | 21        |
| 35217 | Comparison of 3D laser-based photonic scans and manual anthropometric measurements of body size and shape in a validation study of 123 young Swiss men. <i>PeerJ</i> , 2017, 5, e2980.  | 0.9 | 28        |
| 35218 | Comparison of hand grip strength and upper limb pressure pain threshold between older adults with or without non-specific shoulder pain. <i>PeerJ</i> , 2017, 5, e2995.   | 0.9 | 23        |
| 35219 | Children's physical activity and sedentary time compared using assessments of accelerometry counts and muscle activity level. <i>PeerJ</i> , 2018, 6, e5437.  | 0.9 | 12        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35220 | Reliability and validity of a new accelerometer-based device for detecting physical activities and energy expenditure. PeerJ, 2018, 6, e5775.   | 0.9 | 20        |
| 35221 | A wavelet-based decomposition method for a robust extraction of pulse rate from video recordings. PeerJ, 2018, 6, e5859.  | 0.9 | 11        |
| 35222 | An automatic fascicle tracking algorithm quantifying gastrocnemius architecture during maximal effort contractions. PeerJ, 2019, 7, e7120.  | 0.9 | 29        |
| 35223 | Test-retest reliability of a smartphone app for measuring core stability for two dynamic exercises. PeerJ, 2019, 7, e7485.  | 0.9 | 6         |
| 35224 | A universal approach to determine footfall timings from kinematics of a single foot marker in hoofed animals. PeerJ, 2015, 3, e783.   | 0.9 | 10        |
| 35225 | Body composition in Nepalese children using isotope dilution: the production of ethnic-specific calibration equations and an exploration of methodological issues. PeerJ, 2015, 3, e785.  | 0.9 | 16        |
| 35226 | Switching between standard coral reef benthic monitoring protocols is complicated: proof of concept. PeerJ, 2019, 7, e8167.   | 0.9 | 7         |
| 35227 | consensusDE: an R package for assessing consensus of multiple RNA-seq algorithms with RUV correction. PeerJ, 2019, 7, e8206.  | 0.9 | 29        |
| 35228 | Ambulatory sleep scoring using accelerometersâ€”distinguishing between nonwear and sleep/wake states. PeerJ, 2020, 8, e8284.  | 0.9 | 22        |
| 35229 | Validity and reliability evidence of a point of care assessment of salivary cortisol and $\alpha$ -amylase: a pre-registered study. PeerJ, 2020, 8, e8366.  | 0.9 | 7         |
| 35230 | Translation, validation and testâ€”retest reliability of the VISA-G patient-reported outcome tool into Danish (VISA-G.DK). PeerJ, 2020, 8, e8724.   | 0.9 | 12        |
| 35231 | lcc: an R package to estimate the concordance correlation, Pearson correlation and accuracy over time. PeerJ, 2020, 8, e9850.   | 0.9 | 8         |
| 35232 | Analytical performance of the new analyzer BA 400 Biosystems with LED technology. Clinical Laboratory, 2014, 60, 1943-7.  | 0.2 | 3         |
| 35233 | Frontonasal Fold Thickness-to-Nasal Bone Length Ratio as a Prenatal Sonographic Marker for Trisomy 21 in a Low-Risk Population. Journal of Ultrasound in Medicine, 2013, 32, 795-800.   | 0.8 | 8         |
| 35234 | Best practice techniques for monitoring the fur seal haul-out site at Steamers Head, NSW, Australia. , 2008, , 233-245.   |     | 3         |
| 35235 | Wearable Device Based on a Flexible Conductive Textile for Knee Joint Movements Monitoring. IEEE Sensors Journal, 2021, 21, 26655-26664.  | 2.4 | 13        |
| 35236 | Comparison of photosynthetic rates, transpiration rates, and total conductance of greenhouse-grown tomato plants measured with two open chambers with different ventilation rates. J Agricultural Meteorology, 2021, 77, 270-277. | 0.8 | 0         |
| 35237 | Comparison of Three Assays for Total and Free PSA Using Hybritech and WHO Calibrations. In Vivo, 2021, 35, 3431-3439.   | 0.6 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 35238 | Influence of measurement and sizing techniques in thoracic endovascular aortic repair on outcome in acute complicated type B aortic dissections. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2022, 34, 628-636.           | 0.5 | 5         |
| 35239 | Test-Retest Reliability of Home-Based Fitness Assessments Using a Mobile App (R Plus Health) in Healthy Adults: Prospective Quantitative Study. <i>JMIR Formative Research</i> , 2021, 5, e28040.                                      | 0.7 | 2         |
| 35240 | Clinical validation of an audio-based uroflowmetry app in adult males. <i>Canadian Urological Association Journal</i> , 2021, 16, .  | 0.3 | 2         |
| 35241 | Epicardial Adipose Tissue Segmentation from CT Images with A Semi-3D Neural Network. , 2021, , .   |     | 6         |
| 35242 | Ultrafast Computation of Left Ventricular Ejection Fraction by Using Temporal Intensity Variation in Cine Cardiac Magnetic Resonance. <i>Texas Heart Institute Journal</i> , 2021, 48, .   | 0.1 | 0         |
| 35243 | A Comparative Analysis of Agile Teamwork Quality Models. , 2021, , .   |     | 0         |
| 35244 | Methods for Forecasting the Noise Level of Rail Vehicles. , 2021, , .  |     | 2         |
| 35245 | Perioperative Doppler measurements of renal perfusion are associated with acute kidney injury in patients undergoing cardiac surgery. <i>Scientific Reports</i> , 2021, 11, 19738.   | 1.6 | 12        |
| 35246 | Dual energy CT arthrography in shoulder instability: successful iodine removal with virtual non-contrast images and accurate 3D reformats of the glenoid for assessment of bone loss. <i>Skeletal Radiology</i> , 2022, 51, 1027-1036. | 1.2 | 3         |
| 35247 | Estimating the effect of a scanner upgrade on measures of grey matter structure for longitudinal designs. <i>PLoS ONE</i> , 2021, 16, e0239021.  | 1.1 | 11        |
| 35248 | Comparison of digital photography and spectrometry for evaluating colour perception in humans and other trichromatic species. <i>Behavioral Ecology and Sociobiology</i> , 2021, 75, 1.  | 0.6 | 2         |
| 35249 | Ventricular longitudinal shortening is an independent predictor of death in heart failure patients with reduced ejection fraction. <i>Scientific Reports</i> , 2021, 11, 20280.  | 1.6 | 2         |
| 35250 | A deep learning-based automatic analysis of cardiovascular borders on chest radiographs of valvular heart disease: development/external validation. <i>European Radiology</i> , 2022, 32, 1558-1569.                                   | 2.3 | 8         |
| 35251 | Validade das medidas do tempo sentado do questionário IPAQ-versão curta em universitários brasileiros. <i>Revista Brasileira De Atividade Física E Saúde</i> , 0, 26, 1-9.   | 0.1 | 4         |
| 35252 | The Effects of Combining the Variables in Allometric Biomass Models on Biomass Estimates over Large Forest Areas: A European Beech Case Study. <i>Forests</i> , 2021, 12, 1428.  | 0.9 | 0         |
| 35253 | Automatic Mobile Health Arrhythmia Monitoring for the Detection of Atrial Fibrillation: Prospective Feasibility, Accuracy, and User Experience Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e29933.                               | 1.8 | 15        |
| 35254 | Carotid arterial wall MRI of apolipoprotein e-deficient mouse at 7T using DANTE-prepared variable-flip-angle rapid acquisition with relaxation enhancement. <i>Magnetic Resonance Imaging</i> , 2022, 86, 1-9.                         | 1.0 | 1         |
| 35255 | Prediction of Distance Running Performances of Female Runners Using Nomograms. <i>International Journal of Sports Medicine</i> , 2022, 43, 773-782.  | 0.8 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35256 | Leveraging the potential of machine learning for assessing vascular ageing: state-of-the-art and future research. <i>European Heart Journal Digital Health</i> , 2021, 2, 676-690.  | 0.7 | 10        |
| 35257 | The reliability and validity of triceps surae muscle volume assessment using freehand three-dimensional ultrasound in typically developing infants. <i>Journal of Anatomy</i> , 2022, 240, 567-578.   | 0.9 | 7         |
| 35258 | Resting energy expenditure in elite athletes: development of new predictive equations based on anthropometric variables and bioelectrical impedance analysis derived phase angle. <i>Journal of the International Society of Sports Nutrition</i> , 2021, 18, 68. | 1.7 | 6         |
| 35259 | Performance of a Maternal Abdominal Surface Electrode System for Fetal Heart Rate and Uterine Contraction Monitoring from 34 to 37 Weeks. <i>American Journal of Perinatology</i> , 2024, 41, 263-269.  | 0.6 | 1         |
| 35260 | Vitiligo Treatment Impact score (VITs): development and validation of a vitiligo burden of treatment questionnaire using the ComPaRe Vitiligo e-cohort. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 36, 279.                    | 1.3 | 2         |
| 35261 | A Comparison of Fresh Pork Colour Measurements by Using Four Commercial Handheld Devices. <i>Foods</i> , 2021, 10, 2515.  | 1.9 | 3         |
| 35262 | Dietary sodium estimation methods: accuracy and limitations of old and new methods in individuals at high cardiovascular risk. <i>Public Health Nutrition</i> , 2022, 25, 866-878.  | 1.1 | 2         |
| 35263 | Comparative analysis of two optical biometry devices: high wavelength swept source OCT versus partial coherence interferometry. <i>International Ophthalmology</i> , 2021, , 1.   | 0.6 | 2         |
| 35264 | Accuracy of Flash Glucose Monitoring During Postprandial Rest and Different Walking Conditions in Overweight or Obese Young Adults. <i>Frontiers in Physiology</i> , 2021, 12, 732751.  | 1.3 | 4         |
| 35265 | Reliability of the freehand region-of-interest method in quantitative cerebral diffusion tensor imaging. <i>BMC Medical Imaging</i> , 2021, 21, 144.  | 1.4 | 7         |
| 35266 | Step detection and energy expenditure at different speeds by three accelerometers in a controlled environment. <i>Scientific Reports</i> , 2021, 11, 20005.   | 1.6 | 8         |
| 35267 | Intra-rater reliability of leg blood flow during dynamic exercise using Doppler ultrasound. <i>Physiological Reports</i> , 2021, 9, e15051.   | 0.7 | 2         |
| 35269 | Ideal alveolar gas defined by modal gas exchange in ventilation-perfusion distributions. <i>Journal of Applied Physiology</i> , 2021, 131, 1831-1838.   | 1.2 | 1         |
| 35270 | Estimation of Left Ventricular End-Systolic Elastance From Brachial Pressure Waveform via Deep Learning. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 754003.  | 2.0 | 4         |
| 35271 | The Concept of Pain Inventory for Adults (COPI-Adult). <i>Clinical Journal of Pain</i> , 2022, 38, 32-40.   | 0.8 | 7         |
| 35272 | Agreement between heart rate at first ventilatory threshold on treadmill and at 6-min walk test in coronary artery disease patients on $\beta$ -blockers treatment. <i>Journal of Exercise Rehabilitation</i> , 2021, 17, 362-368.                                | 0.4 | 1         |
| 35273 | Parent and Child Perceptions of Barriers to Active School Commuting. <i>Journal of School Health</i> , 2021, 91, 1014-1023.   | 0.8 | 5         |
| 35274 | Recurrence quantification analysis of heart rate variability to detect both ventilatory thresholds. <i>PLoS ONE</i> , 2021, 16, e0249504.   | 1.1 | 13        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35275 | Non-invasive capnodynamic mixed venous oxygen saturation during major changes in oxygen delivery. <i>Journal of Clinical Monitoring and Computing</i> , 2022, 36, 1315-1324.  | 0.7 | 5         |
| 35276 | Do You Recall?: Results From a Within-Person Recall Study of the Patient-Reported Outcomes Measurement Information System (PROMIS) Short Form v2.0 "Physical Function 8c. <i>Value in Health</i> , 2022, 25, 161-166.   | 0.1 | 5         |
| 35277 | MicrosimUC: Validation of a Low-Cost, Portable, Do-It-Yourself Microsurgery Training Kit. <i>Journal of Reconstructive Microsurgery</i> , 2022, 38, 409-419.  | 1.0 | 6         |
| 35278 | Test Protocol Optimization of the Heart Rate-based Lactate Minimum Test. <i>International Journal of Sports Medicine</i> , 2021, , .  | 0.8 | 0         |
| 35280 | Convolutional neural network-based automatic heart segmentation and quantitation in 123I-metaiodobenzylguanidine SPECT imaging. <i>EJNMMI Research</i> , 2021, 11, 105.   | 1.1 | 4         |
| 35281 | Reliability of Repeated Trials Protocols for Body Composition Assessment by Air Displacement Plethysmography. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10693.   | 1.2 | 5         |
| 35282 | An Open Access Standardised Voice Evaluation Protocol. <i>Journal of Voice</i> , 2021, , .  | 0.6 | 1         |
| 35283 | Effect of Stent-Graft Active Fixation and Oversizing on Aortic Neck Dilation After Endovascular Aneurysm Exclusion For Infraarenal Aortic Aneurysm. <i>Annals of Vascular Surgery</i> , 2022, 79, 100-105.  | 0.4 | 4         |
| 35284 | The validity of point of care tear film osmometers in the diagnosis of dry eye. <i>Ophthalmic and Physiological Optics</i> , 2022, 42, 140-148.   | 1.0 | 10        |
| 35285 | Blood cell count and morphology, and vitamin B12 concentration in pre- and post-weaned calves. <i>Veterinari Medicina</i> , 2021, 66, 513-519.  | 0.2 | 0         |
| 35286 | Relative Validity of a Short 15-Item Food Frequency Questionnaire Measuring Dietary Quality, by the Diet History Method. <i>Nutrients</i> , 2021, 13, 3754.   | 1.7 | 3         |
| 35287 | Photographic assessment of eyelid position using a simple measurement tool paired with cell phone photography in a pediatric population. <i>Journal of AAPOS</i> , 2021, 25, 289.e1-289.e6.   | 0.2 | 0         |
| 35288 | FLAIR2 post-processing: improving MS lesion detection in standard MS imaging protocols. <i>Journal of Neurology</i> , 2021, , 1.  | 1.8 | 0         |
| 35289 | Agreement between multifrequency BIA and DXA for assessing segmental appendicular skeletal muscle mass in older adults. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 2789-2795.  | 1.4 | 2         |
| 35290 | Effects of the "Care for Participation" Intervention on the Participation of Adults With Visual and Severe or Profound Intellectual Disabilities: A Nonrandomized Controlled Trial. <i>Journal of Policy and Practice in Intellectual Disabilities</i> , 0, , . | 1.7 | 0         |
| 35291 | A Simple Approach for Counting CD4+ T Cells Based on a Combination of Magnetic Activated Cell Sorting and Automated Cell Counting Methods. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 9786.  | 1.3 | 1         |
| 35292 | A machine learning classifier approach for identifying the determinants of under-five child undernutrition in Ethiopian administrative zones. <i>BMC Medical Informatics and Decision Making</i> , 2021, 21, 291.   | 1.5 | 19        |
| 35293 | Contrast-enhanced digital mammography and magnetic resonance imaging: reproducibility compared to pathologic anatomy. <i>Tumori</i> , 2022, 108, 563-571.   | 0.6 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 35294 | Interobserver variability of ultrasound measurements for the differential diagnosis of uterine prolapse and cervical elongation without uterine prolapse. <i>International Urogynecology Journal</i> , 2022, 33, 2825-2831.                                    | 0.7 | 6         |
| 35295 | Over 55 years of critical power: Fact or artifact?. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2022, 32, 116-124.   | 1.3 | 20        |
| 35296 | Foot Position Measurement during Assistive Motion for Sit-to-Stand Using a Single Inertial Sensor and Shoe-Type Force Sensors. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10481.                                     | 1.2 | 2         |
| 35297 | Responsiveness and convergent validity of QLU-C10D and EQ-5D-3L in assessing short-term quality of life following esophagectomy. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 233.   | 1.0 | 8         |
| 35298 | Validation and cross-cultural adaptation of the Korean translation of the Achilles tendon Total Rupture Score. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 876.   | 0.8 | 7         |
| 35299 | Comparison of a new EMG module, AF-201P, with acceleromyography using the post-tetanic counts during rocuronium-induced deep neuromuscular block: a prospective, multicenter study. <i>Journal of Clinical Monitoring and Computing</i> , 2022, 36, 1347-1353. | 0.7 | 5         |
| 35300 | Comparison of the sit-up test and head-up tilt test for assessing blood pressure and hemodynamic responses in healthy young individuals. <i>Blood Pressure Monitoring</i> , 2022, 27, 79-86.   | 0.4 | 6         |
| 35301 | Evaluation of hair and nail cortisol concentrations and associations with behavioral, physical, and environmental indicators of chronic stress in cats. <i>Journal of Veterinary Internal Medicine</i> , 2021, 35, 2662-2672.                                  | 0.6 | 12        |
| 35302 | Coronal knee alignment measurements differ on long-standing radiographs vs. by navigation. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, 108, 103112.   | 0.9 | 5         |
| 35303 | Reusable flexible dry electrodes for biomedical wearable devices. <i>Sensors and Actuators A: Physical</i> , 2022, 333, 113157.  | 2.0 | 5         |
| 35304 | Do exercise-associated genes explain phenotypic variance in the three components of fitness? a systematic review & meta-analysis. <i>PLoS ONE</i> , 2021, 16, e0249501.  | 1.1 | 13        |
| 35305 | Radiation-induced airway changes and downstream ventilation decline in a swine model. <i>Biomedical Physics and Engineering Express</i> , 2021, 7, 065039.   | 0.6 | 7         |
| 35306 | Direct bisulphite conversion of cervical samples for DNA methylation analysis. <i>Epigenetics</i> , 2022, 17, 1173-1179.   | 1.3 | 6         |
| 35307 | Quantitative assessment of velocity and flow using compressed SENSE in children and young adults with adequate acquired temporal resolution. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 113.  | 1.6 | 8         |
| 35308 | Diagnostic performance of the BHBCheck $\hat{1}$ -hydroxybutyrate meter for hyperketonaemia in Indian cows and buffaloes. <i>Tropical Animal Health and Production</i> , 2021, 53, 501.  | 0.5 | 0         |
| 35309 | Clinical Analysis of the Diagnostic Accuracy and Time of Execution of a Transillumination Caries Detection Method Compared to Bitewing Radiographs. <i>Journal of Clinical Medicine</i> , 2021, 10, 4780.  | 1.0 | 0         |
| 35310 | Test-retest reliability of isometric and isokinetic wrist strength. <i>Journal of Orthopaedic Science</i> , 2023, 28, 138-142.   | 0.5 | 3         |
| 35311 | Effects of the internal syringe shape on the International Dysphagia Diet Standardization Initiative flow test. <i>Journal of Texture Studies</i> , 2021, 52, 656-664.   | 1.1 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35312 | Wearable Sensor-Based Prediction Model of Timed up and Go Test in Older Adults. <i>Sensors</i> , 2021, 21, 6831.  | 2.1 | 10        |
| 35313 | Spine, Pelvis and Hip Kinematicsâ€”Characterizing the Axial Plane in Healthy and Osteoarthritic Hips. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 9921.   | 1.3 | 1         |
| 35314 | Direct comparison of the reproducibility of in-office and self-measured home blood pressures. <i>Journal of Hypertension</i> , 2022, 40, 398-407.   | 0.3 | 5         |
| 35315 | The Function Assessment Scale for Spinal Deformity. <i>Spine</i> , 2022, 47, E64-E72.   | 1.0 | 6         |
| 35316 | Comparison of 3â€”mandibular surfaces generated by MRI and CT. <i>Orthodontics and Craniofacial Research</i> , 2021, , .  | 1.2 | 2         |
| 35318 | Comparison between handheld ultrasound and regional and whole-body dual energy x-ray absorptiometry (DXA) for body fat assessment. <i>Clinical Nutrition ESPEN</i> , 2021, 46, 386-393.   | 0.5 | 3         |
| 35319 | Determination of Chewing Count from Video Recordings Using Discrete Wavelet Decomposition and Low Pass Filtration. <i>Sensors</i> , 2021, 21, 6806.   | 2.1 | 5         |
| 35320 | Repeatability and sensitivity of passive mechanical stiffness measurements in the triceps surae muscleâ€”tendon complex. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, , .  | 1.3 | 1         |
| 35321 | Monitoring for glaucoma progression with SAP, electroretinography (PERG and PhNR) and OCT. <i>Documenta Ophthalmologica</i> , 2022, 144, 17-30.   | 1.0 | 4         |
| 35322 | Test-retest reliability of physical activity questionnaires in Parkinsonâ€™s disease. <i>BMC Neurology</i> , 2021, 21, 399.   | 0.8 | 3         |
| 35323 | Employing multiple synchronous outcome samples per subject to improve study efficiency. <i>BMC Medical Research Methodology</i> , 2021, 21, 211.  | 1.4 | 1         |
| 35324 | Improvement of predicted hematocrit values after the initiation of cardiopulmonary bypass in cardiovascular surgery. <i>Journal of Artificial Organs</i> , 2021, , 1.   | 0.4 | 1         |
| 35325 | A UHPLCâ€”MS/MS Method for Therapeutic Drug Monitoring of Aciclovir and Ganciclovir in Plasma and Dried Plasma Spots. <i>Biomedicines</i> , 2021, 9, 1379.  | 1.4 | 12        |
| 35326 | Machine learning for lung texture analysis on thin-section CT: Capability for assessments of disease severity and therapeutic effect for connective tissue disease patients in comparison with expert panel evaluations. <i>Acta Radiologica</i> , 2022, 63, 1363-1373. | 0.5 | 7         |
| 35327 | Detection of obstructive sleep apnea using Belun Sleep Platform wearable with neural network-based algorithm and its combined use with STOP-Bang questionnaire. <i>PLoS ONE</i> , 2021, 16, e0258040.   | 1.1 | 9         |
| 35328 | Evaluation of heparinized syringes for measuring newborn metabolites in neonates with a central arterial line. <i>Clinical Biochemistry</i> , 2021, , .   | 0.8 | 0         |
| 35330 | Reproducibility of global electrical heterogeneity measurements on 12-lead ECG: The Multi-Ethnic Study of Atherosclerosis. <i>Journal of Electrocardiology</i> , 2021, 69, 96-104.  | 0.4 | 8         |
| 35331 | Insufficient sampling frequencies skew heart rate variability estimates: Implications for extracting heart rate metrics from neuroimaging and physiological data. <i>Journal of Biomedical Informatics</i> , 2021, 123, 103934.   | 2.5 | 10        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35352 | Caracterizaci3n de las fibras del m3sculo gluteus medius en equinos por m3todos histoqu3micos e inmunohistoqu3micos. Archivos De Medicina Veterinaria, 2001, 33, .                                      | 0.2 | 0         |
| 35353 | Pharmacologic Monitoring of Immunosuppressive Drugs. , 2001, , 43-59.   |     | 0         |
| 35354 | Title is missing!. Japanese Journal of Electrocardiology, 2001, 21, 286-292.  | 0.0 | 0         |
| 35356 | On the Analysis and Interpretation of Spontaneous Variability of Cardiac Output. Critical Care Medicine, 2001, 29, 220-221.   | 0.4 | 3         |
| 35357 | Incremental shuttle walk test in the assessment of patients for heart transplantation. Heart, 2001, 86, 183-187.  | 1.2 | 1         |
| 35358 | Is Skeletal Myoblast Transplantation Clinically Relevant in the Era of Angiotensin-Converting Enzyme Inhibitors?. Circulation, 2001, 104, .   | 1.6 | 2         |
| 35359 | The Moving Dynamic Random Dot Stereotest: Development, Age Norms, and Comparison With the Frisby, Randot, and Stereo Smile Tests. Journal of Pediatric Ophthalmology and Strabismus, 2001, 38, 284-294. | 0.3 | 24        |
| 35360 | Reference values of interrupter respiratory resistance in healthy preschool white children. Thorax, 2001, 56, 691-695.  | 2.7 | 4         |
| 35361 | Letters to the Editor-in-Chief. Medicine and Science in Sports and Exercise, 2001, 33, 1795.  | 0.2 | 0         |
| 35362 | Different Heparin Lots. Archives of Pathology and Laboratory Medicine, 2001, 125, 1458-1462.  | 1.2 | 2         |
| 35364 | Evaluation of a New Anaerobic Power Testing System. Journal of Strength and Conditioning Research, 2002, 16, 142.   | 1.0 | 8         |
| 35365 | Blood Glucose Concentration Measured Using a Glucose Oxidase Method is more Accurate in Venous Blood than Oxygenated Arterial Blood. Daehan Macwi'gwa Haghojeji, 2002, 43, 139.                         | 0.2 | 0         |
| 35366 | Comparison of Cardiac Output Measured by Impedance Cardiography and Thermodilution in Open Heart Surgery. Daehan Macwi'gwa Haghojeji, 2002, 43, 281.  | 0.2 | 1         |
| 35367 | Trial use of an available carrying kit for measurement of blood lactate level. Journal of the Japanese Society of Intensive Care Medicine, 2002, 9, 147-149.  | 0.0 | 0         |
| 35368 | Assessment of Medical Devices. , 2002, , 244-254.   |     | 1         |
| 35370 | Modeling of end-tidal and arterial PCO2 gradient: comparison with experimental data. Medicine and Science in Sports and Exercise, 2002, 34, 622-629.  | 0.2 | 4         |
| 35371 | Assessment of Growth in Adolescent Athletes. , 2002, , 115-134.   |     | 0         |
| 35372 | GRANT APPLICATION. , 2002, , 81-84.   |     | 0         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35373 | Cardiac Output Monitoring: Will New Technologies Replace the Pulmonary Artery Catheter?. , 2003, , 481-490.   |     | 0         |
| 35374 | Klinik Arařtırmalarda Ā°ki Ā–IĀřĀ¼m TekniĀYinin Uyumunu Ā°ncelemede KullanĀlan Ā°statistiksel YĀntemler. Ankara Āœniversitesi TĀp FakĀltesi MecmuasĀ, 2003, 56, 1.  | 0.0 | 2         |
| 35375 | ĀEs Ātil la antropometrĀa para estimar la composiciĀn corporal en niĀos preescolares?. Revista Chilena De Pediatria, 2003, 74, .  | 0.4 | 3         |
| 35376 | Assessment of two alternative sample transport and fixation methods in the microbiological diagnosis of bacterial vaginosis. Journal of Sexual & Reproductive Medicine, 2003, 3, .  | 0.1 | 0         |
| 35377 | Methods for Assessing Body Composition in HIV-Associated Lipodystrophy. , 2003, , 39-64.  |     | 0         |
| 35378 | Simple and Noninvasive Estimate of Systemic Arterial Compliance by Using Peripheral Arterial Blood Pressure Waveform in Elderly People. International Journal of Sport and Health Science, 2003, 1, 136-141.                              | 0.0 | 4         |
| 35379 | Noninvasive Estimate of Systemic Arterial Compliance by Using Peripheral Arterial Blood Pressure Waveform during Light Exercise in Elderly People. International Journal of Sport and Health Science, 2003, 1, 142-147.                   | 0.0 | 3         |
| 35380 | Thoracic impedance tracing in perioperative hemodynamic monitoring: a technique to be revisited. , 2003, , 791-812.   |     | 1         |
| 35381 | RapidĀMotionĀPerception Based Cardiac Navigators: Using the High Flow Blood Volume as a Marker for the Position of the Heart. Journal of Cardiovascular Magnetic Resonance, 2003, 5, 531-543.   | 1.6 | 2         |
| 35382 | Minimally Invasive Hemodynamic Monitoring. , 2003, , 521-531.   |     | 0         |
| 35383 | INCLINATION OF EXPONENTIAL CURVE-FITTING MODEL FOR OXYGEN UPTAKE AND HEART RATE DURING INCREMENTAL EXERCISE AS INDEX OF CARDIO-PULMONARY FUNCTIONAL RESERVE. Japanese Journal of Physical Fitness and Sports Medicine, 2003, 52, 575-584. | 0.0 | 0         |
| 35385 | PrecisiĀn del mĀtodo de Bioimpedancia en la evaluaciĀn de la composiciĀn corporal en mujeres brasileĀas menopausadas. Fitness & Performance Journal, 2003, 2, 97-102.   | 0.0 | 0         |
| 35386 | Predictive Accuracy of Bioimpedance Method for Assessing Body Composition of Brazilian Menopause Women. Fitness & Performance Journal, 2003, 2, 97-102.   | 0.0 | 0         |
| 35387 | PrecisĀo do mĀtodo de bioimpedĀncia na avaliaĀo da composiĀo corporal em mulheres brasileiras menopausadas. Fitness & Performance Journal, 2003, 2, 97-102.   | 0.0 | 1         |
| 35388 | Noninvasive Evaluation of the Effectiveness of Endovascular AAA Exclusion. Journal of Endovascular Therapy, 2003, 10, 458-462.  | 0.8 | 4         |
| 35389 | A Population-Specific Formula Predicting Creatinine Excretion in Continuous Peritoneal Dialysis. Peritoneal Dialysis International, 2003, 23, 406-408.  | 1.1 | 0         |
| 35390 | MonitorizaciĀn mĀnimamente invasiva del gasto cardĀaco. , 2004, , 208-216.  |     | 0         |
| 35391 | The Significance of Hypothermia in Preserving Ischemic Myocardium. American Journal of Critical Care, 2004, 13, 79-84.  | 0.8 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 35392 | Hand-Carried Echocardiography in Assessing Ventricular Function and Valvular Regurgitation. <i>Journal of Echocardiography</i> , 2004, 2, 49-55.   | 0.4 | 0         |
| 35393 | Hoofdstuk 7 Bruikbaarheid van vragenlijsten in de klinische praktijk: de Roland Morris Disability Questionnaire. , 2004, , 81-93.  |     | 0         |
| 35394 | Hemodynamic monitoring: implications for randomized controlled trials and clinical practice. , 2004, , 323-336.  |     | 0         |
| 35395 | Standards of reading performance and visual acuity measurements in maculopathy-reliability and validity analyses of vision tests. , 2004, , 253-260.   |     | 0         |
| 35396 | COMPARISON OF THE RT3 RESEARCH TRACKER AND TRITRAC R3D ACCELEROMETERS DURING A BACKPACKING EXPEDITION BY A SINGLE SUBJECT. <i>Perceptual and Motor Skills</i> , 2004, 99, 545.   | 0.6 | 0         |
| 35397 | The Potential of Peripheral Venous Pressure as a Substitutional Hemodynamic Parameter of Central Venous Pressure in Hypovolemic Patients with Coronary Artery Disease. <i>Daehan Macwi'gwa Haghoeji</i> , 2004, 47, 69.                                  | 0.2 | 1         |
| 35399 | Assessing the Validity of Alternative Methods for Toxicity Testing. , 2004, , 957-997.   |     | 0         |
| 35400 | Estudo comparativo de equaÃ§Ãµes de estimativa da freqÃ¼Ãªncia cardÃ¡cia mÃ¡xima. <i>Fitness &amp; Performance Journal</i> , 2004, 3, 108-114.   | 0.0 | 5         |
| 35401 | Comparative study of equations of estimate of the maximum heart rate. <i>Fitness &amp; Performance Journal</i> , 2004, 3, 108-114.   | 0.0 | 0         |
| 35402 | ValidaciÃ³n de la dosis de diÃ¡lisis medida con el Monitor de AclaraciÃ³n en Linea (OCM) y el Kt/v de Daugirdas '93: AplicaciÃ³n prÃ¡ctica en una unidad de hemodiÃ¡lisis. <i>Revista De La Sociedad Espanola De Enfermeria Nefrologica</i> , 2004, 7, . | 0.2 | 1         |
| 35404 | EstimaciÃ³n y evaluaciÃ³n de Modelos estructurales centro-periferia.. <i>Redes</i> , 2004, 6, .  | 0.1 | 1         |
| 35405 | Validity of Dynamic Prediction Model for Oxygen Uptake during Supra Maximal Intermittent Load Exercise. <i>International Journal of Sport and Health Science</i> , 2005, 3, 68-74.   | 0.0 | 0         |
| 35407 | The Agreements between FEV1 and PEFr in the Patients of Mild Bronchial Asthma. <i>Tuberculosis and Respiratory Diseases</i> , 2005, 59, 638.   | 0.7 | 2         |
| 35409 | What Are We Measuring in the Vascular Patient?. , 2005, , 37-45.   |     | 0         |
| 35411 | Computerized Analysis and Vasodilation Parameterization in Flow-Mediated Dilation Tests from Ultrasonic Image Sequences. , 2005, , 229-266.  |     | 0         |
| 35412 | Comparison of METHODS Assessing Spontaneous Baroreflex Sensitivity during Sevoflurane Anesthesia: Sequence versus Transfer Function Analysis. <i>Daehan Macwi'gwa Haghoeji</i> , 2005, 48, 130.  | 0.2 | 1         |
| 35413 | Validity of Expired Gas Dynamics Model during Intermittent Load Exercise. <i>International Journal of Sport and Health Science</i> , 2005, 3, 57-67.   | 0.0 | 0         |
| 35416 | Influence of acute unilateral vestibular lesions on the respiratory rhythm after active change of posture in human subjects. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , 2005, 15, 41-48.                                       | 0.8 | 10        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35417 | Figure 3. Bland and Altman plot demonstrating the limits of agreement ( $\hat{A} \pm 1.96$ ). Bias was not significantly different from zero. Bias 0.3 % $\hat{A} \pm 6.5$ %. Figure 4. Bland and Altman plot demonstrating the limits of agreement ( $\hat{A} \pm 1.96$ ). Bias was not significantly different from zero. Bias 1.5 % $\hat{A} \pm 2.1$ %.. , 2005, , 377-378. |     | 0         |
| 35418 | DeterminaÃ§Ã£o ultra-sonogrÃ¡fica do sexo fetal pela medida dos Ã¢ngulos do apÃ©ndice genital. Revista Brasileira De Ginecologia E Obstetricia, 2005, 27, .   | 0.3 | 0         |
| 35419 | Concordancia de la FracciÃ³n de ExpulsiÃ³n MiocÃ¡rdica por Electrocardiograma y Ecocardiograma TranstorÃ¡cico. MEDICRIT Revista De Medicina CrÃ¡tica, 2005, 2, .  | 0.1 | 1         |
| 35420 | Portable Sleep Studies for Diagnosis of Sleep Apnea â€œ Where We are Today?. Indian Journal of Sleep Medicine, 2006, 1, 65-71.  | 0.2 | 0         |
| 35421 | Efeito da cadÃªncia de pedalada sobre a relaÃ§Ã£o entre o limiar anaerÃ³bio e mÃ¡xima fase estÃ¡vel de lactato em indivÃ©duos ativos do sexo masculino. Revista Portuguesa De CiÃªncias Do Desporto, 2006, 15-20.   | 0.0 | 0         |
| 35424 | Clinical Usefulness of Glucose Testing from the Forearm in Diabetic Patients. Journal of Korean Endocrine Society, 2006, 21, 281.   | 0.1 | 1         |
| 35425 | Clinical Dynamic Transperineal Ultrasonography in Proctologic Practice: the Case for its Use in Patients Presenting with Evacuatory Difficulty. , 2006, , 219-229.  |     | 1         |
| 35426 | Challenges in evaluating summaries of short stories. , 2006, , .  |     | 0         |
| 35427 | Myocardial Systolic Strain in Normal Children Using a Tissue Tracking System. Journal of Echocardiography, 2006, 4, 19-24.  | 0.4 | 2         |
| 35428 | Methodologie van diagnostische tests 2: statistiek of datamassage?. , 2006, , 149-154.  |     | 0         |
| 35429 | Utilization of a new combined transcutaneous measurement of PCO2/pulse oximetry oxygen saturation ear sensor in an intensive care unit. Journal of the Japanese Society of Intensive Care Medicine, 2006, 13, 473-477.  | 0.0 | 0         |
| 35431 | Neural network technology to predict intracellular water volume. International Journal of Clinical Practice, 2006, .  | 0.8 | 0         |
| 35433 | Validation of the Polar S410 Heart Rate Monitor for Estimating Energy Expenditure in Women. Medicine and Science in Sports and Exercise, 2006, 38, S463.  | 0.2 | 0         |
| 35434 | ValidaciÃ³n de un nuevo mÃ©todo de anÃ¡lisis digital de superficies. Cirugia Plastica Ibero-Latinoamericana, 2006, 32, .  | 0.0 | 1         |
| 35436 | ASSESSMENT OF THE GLOBAL DIET QUALITY OF PRESCHOOL CHILDREN AT A NON-PROFIT DAY CARE CENTER: COMPARISON AT TWO TIME POINTS. Revista Chilena De Nutricion, 2006, 33, .   | 0.1 | 0         |
| 35437 | Alteration of the hip joint centre during acetabular reaming. HIP International, 2007, 17, 15-20.   | 0.9 | 3         |
| 35439 | Reliability and Detecting Change Following Short-Term Creatine Supplementation: Comparison of Two-Component Body Composition Methods. Journal of Strength and Conditioning Research, 2007, 21, 378.   | 1.0 | 13        |
| 35440 | EVIDENCE-BASED PRIMARY EYE CARE. , 2007, , 1-10.  |     | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 35441 | Estimaci3n no-invasiva de la presi3n de pulso arterial a partir de im3genes ecogr3ficas en modo B. IFMBE Proceedings, 2007, , 355-359.   | 0.2 | 2         |
| 35442 | Appropriate Thresholds of Systolic Blood Pressure and R-R Interval for Assessment of Baroreflex Sensitivity by the Sequence Method during Sevoflurane Anesthesia. Daehan Macwi'gwa Haghoeji, 2007, 52, S1.   | 0.2 | 1         |
| 35444 | Hemodynamic Changes using Partial CO <sub>2</sub> Rebreathing Method and Esophageal Doppler Monitor during Bilateral Total Knee Replacement Arthroplasty. Daehan Macwi'gwa Haghoeji, 2007, 53, 615.  | 0.2 | 0         |
| 35445 | Evaluation of visually estimated ejection fraction: comparison with biplane two- and three-dimensional echocardiography and helical computed tomography. Choonpa Igaku, 2007, 34, 579-586.   | 0.0 | 0         |
| 35446 | Abdominal Compartment Syndrome. , 2007, , 609-626.   |     | 1         |
| 35447 | Statistical deformable models for cardiac Segmentation and Functional Analysis In Gated-Spect Studies. , 2007, , 163-193.  |     | 1         |
| 35448 | 2 Meetinstrumenten. , 2007, , 22-41.   |     | 0         |
| 35449 | MRI Evaluation of a Stented Abdominal Aorta of a Rabbit. , 2007, , .   |     | 0         |
| 35450 | Frame Size, Circumferences, and Skinfolds. , 2007, , 611-627.  |     | 0         |
| 35451 | A previsibilidade biom3trica nas lentes intra-oculares multifocais. Revista Brasileira De Oftalmologia, 2007, 66, 248-252.   | 0.1 | 0         |
| 35452 | COMPOSICI3N CORPORAL DE MUJERES OBESAS DE 20 A 40 A3OS DE EDAD DE NIVEL SOCIOECON3MICO ALTO Y BAJO. Revista Chilena De Nutricion, 2007, 34, .  | 0.1 | 1         |
| 35453 | Different Techniques For Body Composition Assessment. Journal of Medical Sciences (Faisalabad,) Tj ETQq1 1 0.784314 rgBT <sub>4</sub> /Overload  | 0.0 | 0         |
| 35454 | Agreement Evaluation between Noninvasive Oscillometric Blood Pressure Measured by the Tram 800SL Module of Solar 8000M3 with Invasive Arterial Blood Pressure Measured by the AMK 250 AutoTransducer3 during General Anesthesia. Daehan Macwi'gwa Haghoeji, 2008, 54, 493. | 0.2 | 0         |
| 35455 | Development and Validation of an Automated Method to Detect Gait Events Using Acceleration and Angular Rate (P216). , 2008, , 359-366.   |     | 2         |
| 35457 | Measurement Error Between a Goniometer and the NIH ImageJ Program for Measuring Quadriceps Angle. Internet Journal of Allied Health Sciences and Practice, 2008, , .   | 0.2 | 4         |
| 35459 | Organizaci3n y gesti3n del laboratorio. , 2008, , 535-551.   |     | 0         |
| 35460 | Beoordelen van de methodologische kwaliteit van een meetinstrument. , 2008, , 105-123.   |     | 0         |
| 35461 | Points to Consider to Design the "Thorough QT/QTc Study"™. Japanese Journal of Biometrics, 2008, 29, S75-S82.  | 0.0 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35462 | In-Line Blood Gas Monitoring. , 2008, , 487-499.  |     | 0         |
| 35463 | Diagnostik von Lebensqualität als eigenständiger, klinisch relevanter Informationsprozess für die Behandlung von Patientinnen mit Brustkrebs. Langenbecks Archiv Für Chirurgie Supplement, 2008, , 123-125.     | 0.0 | 0         |
| 35466 | Have You Tested Your Goldmann Tonometer Today?. Journal of Current Glaucoma Practice, 2008, , 13-16.  | 0.1 | 1         |
| 35467 | Intensity Selection and Regulation using the OMNI Scale of Perceived Exertion during Intermittent Exercise. Medicine and Science in Sports and Exercise, 2008, 40, S263.  | 0.2 | 0         |
| 35468 | Nutritional screening in clinical practice: comparison of the trust nutrition screening tool with the malnutrition universal screening tool. Proceedings of the Nutrition Society, 2008, 67, .                  | 0.4 | 0         |
| 35469 | CT Imaging of Abdominal Aortic Aneurysms: Semi-Automatic Vessel Wall Detection and Quantification of Wall Thickness. , 2008, , .  |     | 0         |
| 35470 | Predição do desempenho aeróbico na canoagem a partir da aplicação de diferentes modelos matemáticos de velocidade crítica. Revista Brasileira De Medicina Do Esporte, 2008, 14, 416-421.                        | 0.1 | 0         |
| 35471 | Development and refinement of a portable electronic device for haematocrit determination. South African Journal of Science, 2008, 104, .  | 0.3 | 0         |
| 35472 | Implementación y estandarización de un método para la determinación de carnitina en plasma como herramienta diagnóstica de enfermedades hereditarias. Archivos De Medicina, 2016, 8, 126-133.                   | 0.1 | 0         |
| 35473 | Health-Related Quality of Life Measures in the Information Age. , 2009, , 725-745.  |     | 0         |
| 35474 | Lack of reliability of cardiac output measurements derived from arterial pressure waveform analysis in on-pump cardiac surgery patients. IFMBE Proceedings, 2009, , 559-562.                                    | 0.2 | 1         |
| 35475 | An Improved Local Pressurization-Cuff Technique for Non-invasive Digital Arterial Pressure by the Volume-Compensation Method: Its Performance and Evaluation of Accuracy. IFMBE Proceedings, 2009, , 1141-1144. | 0.2 | 2         |
| 35477 | Validation of Candidate Protein Biomarkers. , 2009, , 308-320.  |     | 0         |
| 35478 | Anterior Segment Imaging. Essentials in Ophthalmology, 2009, , 1-10.  | 0.0 | 0         |
| 35479 | Klinimetrie van meten van bewegingsuitslagen van de knie. , 2009, , 128-145.  |     | 0         |
| 35480 | COMPUTER AIDED LUNG SOUND ANALYSIS - A Preliminary Study to Assess its Potential as a New Outcome Measure for Respiratory Therapy. , 2009, , .  |     | 0         |
| 35482 | Pain Assessment Using Labeled Face Scale. Iryo Yakugaku (Japanese Journal of Pharmaceutical Health) Tj ETQq0 0 0 rgBT /Overlock 10 Tt   | 0.0 | 3         |
| 35483 | Examination of the Inter-Rater Agreement among Faculty Marking a Research Proposal on an Undergraduate Health Course. Internet Journal of Allied Health Sciences and Practice, 2009, , .                        | 0.2 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35484 | Comparative Analysis of Repetitive Elements of Imprinting Genes Reveals Eleven Candidate Imprinting Genes in Cattle. <i>Asian-Australasian Journal of Animal Sciences</i> , 2009, 22, 893-899.                              | 2.4 | 0         |
| 35485 | The Reliability Of An Isometric Test Based On Constant Perception Of Effort. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 123.  | 0.2 | 2         |
| 35486 | Computational Fluid Dynamics-Based Estimation of Blood Flow Rate in Doppler Analysis: In Vivo Validation by Means of Phase Contrast Magnetic Resonance Imaging. , 2009, , .   |     | 0         |
| 35488 | Meta-analysis of the efficacy and safety of intranasal corticosteroids. Clinical advantage and unresolved problems. <i>Russian Journal of Allergy</i> , 2009, 6, 76-88.   | 0.1 | 0         |
| 35489 | Massa livre de gordura de crianas saudveis norte-africanas com 8-16 anos de idade. <i>Fitness &amp; Performance Journal</i> , 2009, 8, 237-246.   | 0.0 | 0         |
| 35490 | Body surface area estimation: Cross validation of several prediction equations. <i>Sri Lanka Journal of Child Health</i> , 2009, 38, 54.  | 0.1 | 0         |
| 35491 | Kriterier ved validering av en metode for kost-holdsunderskkelser - Nr er validiteten til en metode tilfredsstillende?. <i>Norsk Epidemiologi</i> , 2009, 10, .   | 0.2 | 0         |
| 35492 | Automated Assessment of Area of Dense Tissue in the Breast: A Comparison with Human Estimation. <i>Lecture Notes in Computer Science</i> , 2010, , 168-174.   | 1.0 | 0         |
| 35493 | Comparison of Stratus Optical Coherence Tomography and Ultrasound Biomicroscopy for Measurement of the Central Corneal Thickness. <i>Turkiye Klinikleri Journal of Medical Sciences</i> , 2010, 30, 962-969.                | 0.1 | 0         |
| 35494 | Clinical Comparison of Pulse Oxymeter and SleepStrip in Screening Sleep Apnea Syndrome. <i>Practica Otologica, Supplement</i> , 2010, 129, 41-47.   | 0.0 | 0         |
| 35495 | Preliminary Evidence of the Accuracy of Self-reported Weight, Height and Body Mass Index among Regular Exercisers in Fitness Centers. <i>International Journal of Sport and Health Science</i> , 2010, 8, 77-82.            | 0.0 | 1         |
| 35496 | Gross Motor Function Classification System. , 2010, , 4218-4218.  |     | 4         |
| 35497 | A macro-quality field control of dual energy X-ray absorptiometry with anatomical, chemical and computed tomographical variables. <i>IFMBE Proceedings</i> , 2010, , 549-553.   | 0.2 | 1         |
| 35498 | Radiological Analysis of Human Hand in Terms of Artistic Anatomy. <i>Turkiye Klinikleri Journal of Medical Sciences</i> , 2010, 30, 690-697.  | 0.1 | 0         |
| 35499 | valuation de lâ€™automate Architect <sup>®</sup> ci4100 <sup>TM</sup> pour une utilisation en routine dans un laboratoire de pharmaco-toxicologie. <i>Toxicologie Analytique Et Clinique</i> , 2010, 22, 191-200.           | 0.1 | 0         |
| 35501 | Comparison of Body Composition by Bioelectrical Impedance Analysis and Dual Energy X-ray Absorptiometry in Hispanic Diabetics. <i>FASEB Journal</i> , 2010, 24, 563.1.  | 0.2 | 19        |
| 35502 | Estudo comparativo entre ultra-sonografia com Doppler colorido, angiografia por ressonncia magntica, por subtrao digital 2D e 3D na doenaa dos vasos carotdeos cervicais. <i>Radiologia Brasileira</i> , 2010, 43, 124-124. | 0.3 | 0         |
| 35504 | Medical Devices. , 2010, , 756-767.   |     | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35506 | Measuring Contrast Sensitivity of the Human Eye with Modified Siemens Stars. <i>Optometry and Vision Science</i> , 2010, 87, 501-512.   | 0.6 | 3         |
| 35507 | The reliability of chest radiographs in predicting left atrial enlargement. <i>Cardiovascular Journal of Africa</i> , 2010, 21, 274-279.  | 0.2 | 2         |
| 35508 | Treinamento isocin tico de curto prazo promove aumento da for a muscular em indiv duos jovens. <i>Motriz Revista De Educa o F sica</i> , 2010, 17, .  | 0.3 | 1         |
| 35509 | The impact of a change in tacrolimus monitoring immunoassay techniques on clinical decision making. <i>Progress in Transplantation</i> , 2010, 20, 350-356.   | 0.4 | 0         |
| 35510 | Biomedical engineering aspects of neonatal monitoring. , 2011, , 577-596.   |     | 1         |
| 35511 | Comparison of noninvasive techniques to measure blood pressure in newborns. <i>Jornal De Pediatria</i> , 2011, 87, 57-62.   | 0.9 | 2         |
| 35512 | Measurement of Glomerular Filtration Rate by Rapid Intravenous Injection of a Newly Developed Inulin Fraction. <i>Journal of Rural Medicine: JRM</i> , 2011, 6, 9-15.   | 0.2 | 0         |
| 35513 | Pharmacodynamic Evaluation: Cardiovascular Methodologies. , 2011, , 387-421.  |     | 0         |
| 35514 | Quantifica o semiautom tica da velocidade do sangue em imagens de ultrassonografia Doppler. <i>Revista Brasileira De Engenharia Biomedica</i> , 2011, 27, 12-23.  | 0.3 | 0         |
| 35515 | A comparison of the accuracy of ulnar versus median nerve stimulation for neuromuscular monitoring. <i>Korean Journal of Anesthesiology</i> , 2011, 60, 334.  | 0.9 | 2         |
| 35517 | Measurement Accuracy of Non-invasively Obtained Central Blood Pressure: A Systematic Review and Meta-analysis. <i>JBIM Database of Systematic Reviews and Implementation Reports</i> , 2011, 9, 2166-2214.          | 1.7 | 0         |
| 35518 | Exhaled Breath Condensate Biomarkers of Airway Inflammation and Oxidative Stress in COPD. , 2011, , 421-440.  |     | 0         |
| 35519 | High Order Polynomial Surface Fitting for Measuring Roughness of Psoriasis Lesion. <i>Lecture Notes in Computer Science</i> , 2011, , 341-351.  | 1.0 | 2         |
| 35520 | Computerized Segmentation of Organs by Means of Geodesic Active-Contour Level-Set Algorithm. , 2011, , 103-128.   |     | 1         |
| 35521 | Influence des immunosuppresseurs co-administr s au mycoph nolate mof til lors du dosage de l acide mycoph nolique par technique immuno-enzymatique. <i>Toxicologie Analytique Et Clinique</i> , 2011, 23, 147-153.  | 0.1 | 0         |
| 35522 | IRM des valvulopathies r gurgitantes. , 2011, , 153-166.  |     | 0         |
| 35523 | Challenges in estimating reproducibility of imaging modalities. <i>World Journal of Methodology</i> , 2011, 1, 12.  | 1.1 | 1         |
| 35525 | DEVELOPMENT OF EQUATIONS FOR PREDICTING BODY SURFACE AREA IN CHILDREN BY THE USE OF THREE-DIMENSIONAL PHOTONIC IMAGE SCANNING. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2011, 60, 453-462. | 0.0 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35526 | Stenosis of reverse great saphenous vein graft in infrainguinal arterial revascularization. Revista Da Associa o M dica Brasileira, 2011, 57, 182-187.  | 0.3 | 0         |
| 35527 | Basic Study for Stress Analysis Using an Unconstrained BCG Monitoring System. Journal of Sensor Science and Technology, 2011, 20, 118-123.  | 0.1 | 1         |
| 35528 | A prediction equation for the estimation of vital capacity in Nepalese young females. Journal of Human Sport and Exercise, 2011, 6, 27-32.  | 0.2 | 2         |
| 35529 | Maximum Likelihood Solution for the Linear Structural Relationship With Three Parameters Known. Journal of Modern Applied Statistical Methods, 2011, 10, 313-321.   | 0.2 | 0         |
| 35531 | Comparison of Doppler Flow Tei-Indexes With Pulmonary Artery Thermodilution Measurement of Cardiac Output in an Experimental Porcine Model. Physiological Research, 2011, 60, 483-492.  | 0.4 | 1         |
| 35532 | Comparison of the Retinomax and Palm-AR Auto-Refractors: A Pilot Study. Optometry and Vision Science, 2011, 88, 830-836.  | 0.6 | 14        |
| 35533 | The effect of time on the results of children's spine examinations. WIT Transactions on Biomedicine and Health, 2011, , .   | 0.0 | 0         |
| 35534 | Alterat es hemodin micas durante a revasculariza o do mioc rdio sem utiliza o de circula o extracorp rea. Revista Brasileira De Anestesiologia, 2011, 61, 440-446.  | 0.6 | 1         |
| 35535 | Incontinence and prolapse. , 2011, , 111-122.   |     | 0         |
| 35536 | Applicability of 20-M MST as A Predictor of Maximal Oxygen Uptake for Use with Trainee Taekwondo Players of Nepal. Indian Journal of Applied Research, 2011, 3, 1-3.  | 0.0 | 0         |
| 35537 | Alternative strategies for diagnosis of patients with obstructive sleep apnea. , 2011, , 347-369.   |     | 0         |
| 35538 | Estimation of segmental fat free mass in Taiwanese elderly females by bioelectrical impedance analysis with new mathematical model. African Journal of Biotechnology, 2011, 10, .   | 0.3 | 1         |
| 35539 | Validating Quantitative Diagnostic Tests. , 2012, , 545-553.  |     | 0         |
| 35540 | Experimental Conditions and Processing. RSC Food Analysis Monographs, 2012, , 96-125.   | 0.2 | 0         |
| 35541 | Development of a 20-meter sprint time evaluation chart for junior and professional soccer players. Taiikugaku Kenkyu (Japan Journal of Physical Education Health and Sport Sciences), 2012, 57, 249-260.                                    | 0.0 | 1         |
| 35542 | Comparison of Perfusion Weighted Magnetic Resonance Imaging and Single Photon Emission Computed Tomography for Assessment of Cerebrovascular Reserve in Symptomatic Carotid Territory Stenosis. Open Journal of Radiology, 2012, 02, 68-76. | 0.1 | 0         |
| 35543 | Assessment of Custom Fitted Heart Rate Sensing Garments whilst undertaking Everyday Activities. Lecture Notes in Computer Science, 2012, , 124-131.   | 1.0 | 3         |
| 35544 | Estimates of Critical Power and Anaerobic Work Capacity from a Single, All-Out Test of Less than 3-Min. , 2012, 02, .   |     | 1         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 35545 | Skinfold Thickness in Sri Lankan Children. , 2012, , 1257-1277.  |     | 0         |
| 35546 | Ancillary Testing in the Management of Retinal Vein Occlusions. , 2012, , 195-222.   |     | 0         |
| 35547 | Tracking changes in cardiac output: methodological considerations for the validation of monitoring devices. , 2012, , 209-216.   |     | 0         |
| 35548 | Reliability of Agricultural Statistics in Developing Countries: Reflections from a Comprehensive Village Survey on Crop Area Statistics in India. SSRN Electronic Journal, 0, ,  | 0.4 | 0         |
| 35549 | Target Populations, Recruitment, Retention, and Optimal Testing Methods: Methodological Issues for Studies in the Epidemiology of Aging. , 2012, , 49-68.  |     | 2         |
| 35551 | 7 Beoordelen van de methodologische kwaliteit van een meetinstrument. , 2012, , 105-123.   |     | 0         |
| 35552 | Actigraphy. , 2012, , 177-185.   |     | 0         |
| 35553 | Predictive models of bone mineral density from anthropometric, physical fitness, body composition and quantitative ultrasound variables in overweight and obese Japanese men. Japanese Journal of Physical Fitness and Sports Medicine, 2012, 61, 243-249. | 0.0 | 0         |
| 35554 | A longitudinal study of three-dimensional ultrasonographic assessment of the placenta in uncomplicated pregnancies. Korean Journal of Obstetrics & Gynecology, 2012, 55, 454.  | 0.1 | 0         |
| 35555 | Vestibular Schwannoma: Optimizing Tumor Growth Monitoring by Volume Measurements. , 2012, , 233-238.   |     | 0         |
| 35556 | Maximum Likelihood Correction of Shape Bias Arising from Imaging Protocol: Application to Cardiac MRI. Lecture Notes in Computer Science, 2012, , 214-223.   | 1.0 | 0         |
| 35557 | Comparison of cardiac output and blood volumes in intrathoracic compartments measured by ultrasound dilution and transpulmonary thermodilution methods. , 2012, , 243-247.   |     | 0         |
| 35558 | Sodium and Potassium MRI in Cerebral Ischemia. , 2012, , 333-359.  |     | 0         |
| 35559 | Laboratory organization and management. , 2012, , 563-586.   |     | 1         |
| 35560 | Different cardiac loading conditions and haemodynamic monitoring in animal models. Bratislava Medical Journal, 2012, 113, 131-134.   | 0.4 | 0         |
| 35561 | Errors in Radiology: A Biostatistical Framework. , 2012, , 235-247.  |     | 0         |
| 35563 | The Value of Molecular Response in Chronic Myeloid Leukemia: The Present and the Future. , 0, ,  |     | 0         |
| 35564 | Task Force Report on "Criteria" Antiphospholipid Antibody Tests. , 2012, , 117-132.  |     | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35565 | An Intelligent Algorithm for Home Sleep Apnoea Test Device. , 2012, , 1445-1459.  |     | 0         |
| 35566 | A new automated method versus continuous positive airway pressure method for measuring pressure-volume curves in patients with acute lung injury. , 2012, , 159-164.                          |     | 0         |
| 35567 | Monitoring DXA Measurement in Clinical Practice. , 0, , .   |     | 1         |
| 35568 | Robustness Studies of Ultrasound CADx in Breast Cancer Diagnosis. Advances in Bioinformatics and Biomedical Engineering Book Series, 2012, , 1-22.  | 0.2 | 0         |
| 35569 | Quantitative Comparison of Myocardial Perfusion Defects using Different Reconstruction Algorithms. Journal of Clinical & Experimental Cardiology, 2012, 01, .                                 | 0.0 | 1         |
| 35571 | Clinical Epidemiology: Principles Revisited in an Approach to Study Heart Failure. , 0, , .   |     | 0         |
| 35572 | Performance Evaluation of an Improved ARCHITECT LH Assay for the Quantitative Determination of Luteinizing Hormone in Human Serum and Plasma. Bio, 2012, 2, 27-36.                            | 0.6 | 0         |
| 35573 | High accuracy of the nine equivalents of nursing manpower use score assessed by critical care nurses. Swiss Medical Weekly, 2012, 142, w13555.  | 0.8 | 10        |
| 35574 | Process analysis of electroless copper plating for AB5-type hydrogen storage alloy using support vector regression. International Journal of Physical Sciences, 2012, 7, .                    | 0.1 | 0         |
| 35575 | Design of Noninvasive Arterial Blood Pressure Measurement System by Using Double-Cuffs Oscillometric Method. Transactions of the Korean Institute of Electrical Engineers, 2012, 61, 885-890. | 0.1 | 0         |
| 35576 | Automatic Identification of the Lumen Border in Intravascular Ultrasound Images. The KIPS Transactions PartB, 2012, 19B, 201-208.   | 0.1 | 0         |
| 35577 | ComparaÃ§Ã£o entre dois mÃ©todos objetivos e individuais de determinaÃ§Ã£o da velocidade de corrida no limiar de lactato. Motriz Revista De Educacao Fisica, 2012, 18, 298-306.               | 0.3 | 0         |
| 35579 | - Methods for Triads of Proportions. , 2012, , 206-231.   |     | 0         |
| 35580 | Comparison of the uniocular field of fixation assessed objectively and subjectively using the Goldmann perimeter. British and Irish Orthoptic Journal, 2018, 9, 49.                           | 0.1 | 0         |
| 35581 | Widening the Applicability of Confidence Interval Methods: The Propagating Imprecision Approach. , 2012, , 308-333.   |     | 0         |
| 35582 | COMPARISON OF AUDIT VERSIONS FOR ALCOHOL CONSUMPTION. Russian Family Doctor, 2012, 16, 41.  | 0.1 | 2         |
| 35583 | Importance Of Pilot Study And Data Quality Control In Designing Complex Training Programs For Young Athletes. The Open Sports Sciences Journal, 2012, 5, 154-160.                             | 0.2 | 0         |
| 35584 | Clinical Tests and Measurements. SpringerBriefs in Applied Sciences and Technology, 2013, , 95-108.   | 0.2 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35585 | Relation Between Blood Pressure Estimated by Pulse Wave Velocity and Directly Measured Arterial Pressure. <i>Journal of Robotics and Mechatronics</i> , 2012, 24, 811-819.  | 0.5 | 8         |
| 35586 | Is the Critical Velocity Test a Good Tool For Aerobic Assessment of Children Swimmers?. <i>The Open Sports Sciences Journal</i> , 2012, 5, 125-129.   | 0.2 | 2         |
| 35587 | Development and Verification of a Hand-held Typed Monitoring System for Cardiac Output Measurement using Electrical Impedance Technique. <i>Transactions of the Korean Institute of Electrical Engineers</i> , 2012, 61, 1932-1938. | 0.1 | 0         |
| 35588 | Video Test to Evaluate Detection Performance of Drivers with Hemianopia: Preliminary Results. , 2013, , .   |     | 0         |
| 35589 | Is there Agreement between Self-Reported and Scale Measurements of Height and Weight?. <i>Internet Journal of Allied Health Sciences and Practice</i> , 2013, , .   | 0.2 | 0         |
| 35591 | Clinical Application of Gamma Knife Dose Verification Method in Multiple Brain Tumors : Modified Variable Ellipsoid Modeling Technique. <i>Journal of Korean Neurosurgical Society</i> , 2013, 53, 102.                             | 0.5 | 0         |
| 35592 | The likely impact of genetically modified soybeans in the Brazilian collective feeding service. <i>Agricultural Sciences</i> , 2013, 04, 721-728.   | 0.2 | 0         |
| 35593 | Methods for Flow Cytometric Analysis of T Cell Subsets in HIV-infected Patients: 2-Color versus 4-Color. <i>Laboratory Medicine Online</i> , 2013, 3, 253.  | 0.0 | 0         |
| 35596 | Analysis of Bias and ART Enrollment for a Point-of-Care CD4/CD4% Analyzer. <i>Journal of AIDS &amp; Clinical Research</i> , 2013, 4, .  | 0.5 | 0         |
| 35597 | The effect of hand dominance on neuromuscular monitoring at the adductor pollicis muscle. <i>Korean Journal of Anesthesiology</i> , 2013, 65, 33.   | 0.9 | 3         |
| 35598 | APPENDICULAR LEAN SOFT TISSUE: DEVELOPMENT AND CROSS-VALIDATION OF PREDICTIVE MODELS FOR OLDER MEN AND WOMEN. <i>Journal of Frailty &amp; Aging,the</i> , 2013, 2, 1-6.   | 0.8 | 2         |
| 35599 | Single Pool Urea Kinetic Modeling. <i>Studies in Computational Intelligence</i> , 2013, , 563-626.  | 0.7 | 0         |
| 35600 | VALIDATION OF AN ERYTHROCYTE SEDIMENTATION RATE ANALYZER WITH MODIFIED WESTERGREN METHOD. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2013, 2, 284-289.  | 0.1 | 1         |
| 35601 | Two-Hour Creatinine Clearance and Glomerular Filtration Rate Estimated from Serum Cystatin C and Creatinine in the Elderly to Preoperative Period. <i>Open Journal of Nephrology</i> , 2013, 03, 184-188.                           | 0.0 | 0         |
| 35602 | Artificial Neural Networks Applications in Dialysis. <i>Studies in Computational Intelligence</i> , 2013, , 1145-1179.  | 0.7 | 3         |
| 35603 | Feasibility and Validity of a Computer-based Version of SEIQoL-DW Compared to Original Interview-based Versions in Healthy Medical Students. <i>General Medicine</i> , 2013, 14, 115-118.   | 0.1 | 1         |
| 35604 | Automated Versus Manual Platelet Count in Aden. , 2013, 03, .   |     | 2         |
| 35605 | Just-Noticeable Differences for Wavefront Aberrations Obtained With a Staircase Procedure. <i>Journal of Refractive Surgery</i> , 2013, 29, 102-109.  | 1.1 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35606 | Validez y reproducibilidad de un cuestionario de frecuencia de consumo de calcio para mujeres entre 30 y 50 años. <i>Anales De La Facultad De Medicina</i> , 2013, 72, 191.   | 0.0 | 0         |
| 35607 | Prospective Pilot Study Looking at the Size and Variation of the Blind Spot Scotoma in Adults Measured on the Octopus 900 Field Analyser. <i>Ophthalmology Research an International Journal</i> , 2013, 1, 38-50.                                  | 0.1 | 0         |
| 35609 | Bioimpedancia vectorial y espectroscópica: valoración del estado de hidratación con ambos métodos en hemodiálisis. <i>Enfermería Nefrológica</i> , 2013, 16, 7-14.  | 0.3 | 0         |
| 35610 | Developing a Protocol for Medical Student-Organized Community-Based Hypertension Screening Programs. <i>International Journal of Medical Students</i> , 2013, 1, 8-11.  | 0.2 | 1         |
| 35611 | METHOD COMPARISON STUDIES IN MEDICINE. <i>Journal of the University of Malaya Medical Centre</i> , 2013, 16, 16-22.   | 0.0 | 1         |
| 35612 | HEARTSMART® SOFTWARE COMPUTER PROGRAM FOR PERFORMING HAEMODYNAMIC STUDIES AT BEDSIDE DURING RESUSCITATIVE FLUID THERAPY: VASOPRESSORS AND INOTROPES. <i>Journal of Pharmaceutical and Scientific Innovation</i> , 2013, 2, 44-55.                   | 0.1 | 0         |
| 35613 | Traditional, forgotten and new left ventricular systolic function parameters on a 64-row multidetector cardiac computed tomography: A reproducibility study. <i>Cardiology Journal</i> , 2013, 20, 385-393.   | 0.5 | 1         |
| 35614 | Fiabilidad del test 6 minutos caminando en personas con secuelas de poliomielitis parálitica mediante test-retest de 12 semanas. (Reliability of 6 minutes walking test in people with paralytic polio sequelae) <i>Tj ETQq1 10.784314.orgBT /O</i> | 0.7 | 0         |
| 35615 | Frame Size, Circumferences, and Skinfolds. , 2013, , 659-678.   |     | 0         |
| 35616 | Segmentation of Carotid Ultrasound Images. , 2014, , 269-286.   |     | 0         |
| 35618 | CHAPTER NUMBER 47. , 2013, , 295-299.   |     | 0         |
| 35620 | Agreement between measures of 1/2 walking related knee pain 1/2 in knee osteoarthritis: A cross-sectional study. <i>OA Musculoskeletal Medicine</i> , 2013, 1, .  | 0.2 | 1         |
| 35621 | Validação cruzada entre o percentual de gordura mensurado pela absorptometria radiológica de dupla energia e a equação de Deurenberg em idosos. <i>Revista Brasileira De Geriatria E Gerontologia</i> , 2013, 16, 681-689.                          | 0.1 | 0         |
| 35622 | The Acute Physiological Effects of the Vaso-Active Drug, L-NNA, a Nitric Oxide Synthase Inhibitor, on Renal and Tumour Perfusion in Human Subjects. <i>Journal of Cancer Therapy</i> , 2014, 05, 44-52.   | 0.1 | 0         |
| 35623 | The Networked Analysis of Static Visual Field Evaluation: A Comparison between Medisoft and Humphrey Software Systems. <i>Ophthalmology Research an International Journal</i> , 2014, 2, 96-113.  | 0.1 | 0         |
| 35624 | Ancillary Testing in Screening for Hydroxychloroquine and Chloroquine Retinopathy. , 2014, , 155-226.   |     | 0         |
| 35625 | Basic studies on estimation of glomerular filtration rate in cattle. <i>Japanese Journal of Large Animal Clinics</i> , 2014, 5, 47-64.  | 0.1 | 0         |
| 35626 | Reliability of Gait Parameters Depending on HJC Estimation Method. <i>IFMBE Proceedings</i> , 2014, , 321-324.  | 0.2 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35627 | An Assessment of Ionospheric Error Mitigation Techniques for GNSS Estimation in the Low Equatorial African Region. <i>Positioning</i> , 2014, 05, 27-35.  | 0.1 | 0         |
| 35628 | Ineffectiveness of using the pressure relief valve technique during cuff inflation. <i>Revista Brasileira De Terapia Intensiva</i> , 2014, 26, 367-72.  | 0.1 | 2         |
| 35629 | An Automated Level-set Approach for Identification of Aortic Valve Borders in Short Axis Windows of Transesophageal Echo Sequences (TEE). <i>Lecture Notes in Computer Science</i> , 2014, , 219-226.               | 1.0 | 0         |
| 35630 | Measurement of the Wheelchair-Operating Time Spent by Stroke Patients Using a New Triaxial Accelerometer System. <i>Open Journal of Therapy and Rehabilitation</i> , 2014, 02, 147-155.                             | 0.1 | 0         |
| 35631 | Comparisons of Image Quality and ADCs in Breath-Hold, Respiratory-Triggered and Free-Breathing DWI of Pancreas at 3-T. <i>Open Journal of Radiology</i> , 2014, 04, 279-292.  | 0.1 | 1         |
| 35633 | The Aortic, Mitral and Tricuspid Annuli and Their Velocities: A Comparative Echocardiographic Study. <i>Journal of Clinical &amp; Experimental Cardiology</i> , 2014, 05, .   | 0.0 | 0         |
| 35634 | Assessment of Renal Function and Predictive Performances of GFR Estimating Equations among Nigerian Diabetic Patients. <i>British Journal of Medicine and Medical Research</i> , 2014, 4, 4259-4271.                | 0.2 | 0         |
| 35635 | Intra-procedural imaging of the left atrial appendage: Implications for closure with the Amplatzerâ„¢ cardiac plug. <i>Archivos De Cardiologia De Mexico</i> , 2014, 84, 17-24.                                     | 0.1 | 3         |
| 35636 | Development of a Portable Transthoracic Admittance Cardiograph and Its Validation of Performance. <i>IEEJ Transactions on Electronics, Information and Systems</i> , 2014, 134, 41-48.                              | 0.1 | 0         |
| 35637 | Criterion Validity of Selected Cardiovascular Field Based Test Among Healthy Male Adults. , 2014, , 283-290.  |     | 0         |
| 35638 | Effect of Slice Thickness Reconstruction on Quantitative Vascular Parameters in Perfusion CT. <i>Open Journal of Radiology</i> , 2014, 04, 53-59.   | 0.1 | 1         |
| 35639 | The Measurements of the Resting Metabolic Rate (RMR) and the Accuracy of RMR Predictive Equations for Korean Farmers. <i>Korean Journal of Community Nutrition</i> , 2014, 19, 568.                                 | 0.1 | 4         |
| 35640 | Echocardiography of the Right Heart. , 2014, , 99-114.  |     | 0         |
| 35641 | Test-Retest Reliability of Power Driven from One-Legged and Two-Legged Counter Movement Jump with External Load. <i>Journal of Athletic Enhancement</i> , 2014, 03, .   | 0.2 | 1         |
| 35642 | Comparison between MDCT and Grayscale IVUS in a Quantitative Analysis of Coronary Lumen in Segments with or without Atherosclerotic Plaques. <i>Arquivos Brasileiros De Cardiologia</i> , 2014, 104, 315-23.        | 0.3 | 3         |
| 35643 | Reproducibility of left ventricular mass by echocardiogram in the ELSA-Brasil. <i>Arquivos Brasileiros De Cardiologia</i> , 2014, 104, 104-11.  | 0.3 | 4         |
| 35644 | Evaluation of Performance of the Newly Developed de Cordova's Formula for Calculation of Low-Density Lipoprotein Cholesterol without Use of Triglycerides. <i>Journal of Enam Medical College</i> , 2014, 4, 10-14. | 0.1 | 3         |
| 35645 | Assessing The Feasibility Of Pedometers For Quantifying The Volume Of Impacts During Varsity Athletic Practices. <i>International Journal of Kinesiology and Sports Science</i> , 2014, 2, 7-12.                    | 0.4 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 35647 | model of the reliability of the test, alternative models inside class correlation. Teoria Ta Metodika Fizicnogo Vihovanna, 2014, , 43-52.  | 0.2 | 0         |
| 35649 | Ex-vivo Assessment of Coronary Artery Atherosclerosis by Magnetic Resonance Imaging: Correlation with Histopathology. Open Cardiovascular Medicine Journal, 2014, 8, 26-34.                                | 0.6 | 0         |
| 35650 | Estimating energy requirements for children with renal disease: A comparison of methods. Journal of the American Dietetic Association, 1992, 92, 571-573.  | 1.3 | 7         |
| 35651 | The Relative Accuracy of Three Transcutaneous Dual Electrodes at 45 Â°C in Adults. , 1987, 220, 315-320.   |     | 0         |
| 35652 | Computer-aided Analysis of Dietary Nutrient and Fibre Intakes in Gastroenterology. , 1988, , 185-191.  |     | 0         |
| 35653 | Ambulatory blood pressure â€” direct and indirect. , 1990, , 149-159.  |     | 2         |
| 35654 | Accuracy of visual estimates of plate waste in the determination of food consumption. Journal of the American Dietetic Association, 1990, 90, 382-387.   | 1.3 | 39        |
| 35655 | Accuracy of telephone dietary recalls in elderly subjects. Journal of the American Dietetic Association, 1990, 90, 1680-1687.  | 1.3 | 38        |
| 35656 | Functional Residual Capacity in Acute Respiratory Failure. Methods of Measurement in the Ventilated Patients and Their Clinical Utility. Update in Intensive Care and Emergency Medicine, 1991, , 155-168. | 0.6 | 3         |
| 35657 | Bewertung und Beurteilung humanpharmakologischer Studien. Konzepte in Der Humanpharmakologi, 1992, , 273-290.  | 0.0 | 0         |
| 35658 | Continuous Pulse Contour Cardiac Output during Major Abdominal Vascular Surgery. , 1992, , 328-329.  |     | 0         |
| 35659 | Methoden und Modelle in der kardiovaskulären humanpharmakologischen Forschung. Konzepte in Der Humanpharmakologi, 1993, , 321-344.   | 0.0 | 0         |
| 35660 | Noninvasive Methods of Body Composition Analysis in Preterm Infants:- Comparison with Dilution of 2H2 18O. , 1993, 60, 133-138.  |     | 1         |
| 35661 | Why and how should QCA systems be validated?. Developments in Cardiovascular Medicine, 1994, , 1-6.  | 0.1 | 6         |
| 35662 | Cardiorespiratory Adaptations of Heart Transplant Patients During a Constant Work Load Exercise at the Ventilatory Threshold. , 1994, , 193-200.   |     | 0         |
| 35663 | On-line versus off-line assessment of coronary flow reserve. Developments in Cardiovascular Medicine, 1994, , 231-242.   | 0.1 | 0         |
| 35664 | Evaluation of New Patient-Side Immunoassay System (Biotrack Theophylline) for Determination of Theophylline in Blood.. Japanese Journal of Clinical Pharmacology and Therapeutics, 1994, 25, 537-542.      | 0.1 | 0         |
| 35665 | A STUDY OF THE UTILITY OF BLOOD THEOPHYLLINE MEASUREMENT KIT ED009 USING BIOTRACK 516. Nihon Shoni Arerugi Gakkaishi the Japanese Journal of Pediatric Allergy and Clinical Immunology, 1994, 8, 27-34.    | 0.0 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35666 | Visual versus quantitative analysis of coronary artery stenoses treated by coronary angioplasty: can the angiographer's eye be re-educated?. <i>Developments in Cardiovascular Medicine</i> , 1994, , 137-146.  | 0.1 | 0         |
| 35667 | Post-angioplasty lesion measurement variability of the cardiovascular angiographic analysis system. <i>Developments in Cardiovascular Medicine</i> , 1994, , 89-102.  | 0.1 | 0         |
| 35668 | Evaluation of thrombolytic and monoclonal platelet GPIIb/IIIa receptor antibody therapy in refractory unstable angina pectoris: correlation between quantitative assessment of coronary angiograms and clinical course. <i>Developments in Cardiovascular Medicine</i> , 1994, , 371-386. | 0.1 | 0         |
| 35669 | Myocardial flow reserve: On-line versus off-line assessment techniques. <i>Developments in Cardiovascular Medicine</i> , 1994, , 161-171.   | 0.1 | 0         |
| 35670 | Blutdruck-Selbstmessung vs. ambulantes 24-h-Blutdruckmonitoring: Welches ist die bessere Methode?. , 1994, , 67-73.   |     | 0         |
| 35671 | MONITORING IN THE INTENSIVE CARE UNIT. <i>Anesthesiology Clinics</i> , 1994, 12, 307-321.   | 1.4 | 0         |
| 35672 | Experimentally-induced Autonomic Neuropathy. <i>Neurosurgery</i> , 1994, 35, 457-462.   | 0.6 | 1         |
| 35673 | How sensitive are cardiac surgeons' fingers?. <i>BMJ: British Medical Journal</i> , 1994, 309, 1685-1686.   | 2.4 | 0         |
| 35674 | Die automatische Einstellung der Beatmungsparameter während der Anfangsphase der künstlichen Beatmung. , 1995, , 546-563.   |     | 0         |
| 35675 | Validation of a Noninvasive Measurement of Regional Hemoglobin Oxygen Saturation. , 1995, , 193-203.  |     | 0         |
| 35677 | Blood flow measurements using 3D distance-concentration functions derived from digital x-ray angiograms. <i>Developments in Cardiovascular Medicine</i> , 1996, , 425-442.  | 0.1 | 5         |
| 35678 | Intraoperative Estimation of Cardiac Output. A Correlative Study with Thermodilution and Echocardiographic Measurements.. <i>The Journal of Japan Society for Clinical Anesthesia</i> , 1996, 16, 360-364.  | 0.0 | 0         |
| 35679 | Noninvasive Determination of Arterial Input of <sup>15</sup> O Tracers, Using a Dual Cutaneous $\hat{I}^2$ -Detector Set above the Radial Artery. , 1996, , 67-71.  |     | 1         |
| 35680 | Three-Dimensional Echocardiography: in Vitro Validation of Left and Right Heart Cavity Volumes. Acoustical Imaging, 1996, , 263-266.  | 0.2 | 0         |
| 35681 | An evaluation of CAPSULE, a computer system giving advice to general practitioners about drug prescribing. <i>Journal of Innovation in Health Informatics</i> , 1996, 5, 2-7.   | 0.9 | 1         |
| 35683 | Instrumentation and Methods. , 1996, , .  |     | 0         |
| 35684 | An Accuracy of Finger Pulse Oximeter ONYX <sup>TM</sup> in Postoperative. <i>Ika Kikaigaku</i> , 1997, 67, 26-28.   | 0.0 | 1         |
| 35685 | Quantitative Intraoperative Echocardiographic Assessment of Ventricular Function. <i>Developments in Cardiovascular Medicine</i> , 1997, , 163-188.   | 0.1 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 35688 | Blood glucose measurement in neonatal intensive care. Archives of Disease in Childhood: Fetal and Neonatal Edition, 1997, 77, F157-F157.   | 1.4 | 0         |
| 35690 | Estimation of arterial CO2 partial pressure by measurement of tracheal CO2 during high-frequency jet ventilation in patients with a laryngectomy. European Journal of Anaesthesiology, 1998, 15, 1-5.  | 0.7 | 0         |
| 35691 | Cerebral blood flow thermodilution measurements. European Journal of Anaesthesiology, 1998, 15, 60-61.   | 0.7 | 0         |
| 35692 | Jugular Bulb Monitoring of Cerebral Oxygen Metabolism in Severe Head Injury: Accuracy of Unilateral Measurements. , 1998, 71, 324-327.   |     | 6         |
| 35693 | Determination of Lung Volume in the ICU. Yearbook of Intensive Care and Emergency Medicine, 1998, , 353-360.   | 0.1 | 0         |
| 35695 | Cerebral Extraction Monitoring in Brain Injury. Yearbook of Intensive Care and Emergency Medicine, 1998, , 698-704.  | 0.1 | 0         |
| 35696 | A NOVEL PROTAMINE SENSOR FOR MEASUREMENT OF HEPARIN LEVELS IN BLOOD AND PLASMA. Anesthesia and Analgesia, 1998, 86, 26SCA.   | 1.1 | 0         |
| 35698 | COMPARISON OF 3 INVESTIGATIONAL ASSAYS FOR THE FREE FORM OF PROSTATE SPECIFIC ANTIGEN. Journal of Urology, 1998, , 420-425.  | 0.2 | 1         |
| 35699 | An Anthropomorphic Phantom Study on the Effect of Midvertebral Slice Placement and Region-of-Interest Positioning on the Reproducibility of Single-Energy Quantitative CT (QCT) of the Spine. Journal of Computer Assisted Tomography, 1998, 22, 932-937.  | 0.5 | 1         |
| 35700 | Gemiddeld Verschil Tussen Gepaarde Waarnemingen. , 1999, , 53-62.  |     | 0         |
| 35701 | Measurement of Blood Flow Velocity in the Carotid Artery by MRI Flow Mapping: Comparison with Ultrasonic Doppler.. Neurosonology, 1999, 12, 1-6.   | 0.0 | 0         |
| 35702 | Accuracy of a Miniature Intracranial Pressure Monitor, Its Function during Magnetic Resonance Scanning, and Assessment of Image Artifact Generation. Neurosurgery, 1999, 45, 188.  | 0.6 | 4         |
| 35703 | Reliability of a new device to assess the oxygen consumption of human respiratory muscles. Medicine and Science in Sports and Exercise, 1999, 31, 1076-1082.   | 0.2 | 1         |
| 35704 | Validation of the Remote Food Photography Method to quantify intake of infant formula (36.1). FASEB Journal, 2014, 28, .   | 0.2 | 0         |
| 35705 | Statistical Data Analysis of Results Based on Alternative Detection and Enumeration Methods. , 0, , 163-175.   |     | 1         |
| 35706 | Uso de diferentes equaÃ§Ãµes para identificaÃ§Ã£o e classificaÃ§Ã£o da gordura corporal de crianÃ§as e adolescentes. Revista De Salud Publica, 2014, 16, 431-442.  | 0.0 | 0         |
| 35708 | AnÃ¡lisis de la relaciÃ³n entre el Yo-Yo Test y el consumo mÃ¡ximo de oxÃgeno en jÃ3venes jugadores de fÃºtbol. [Analysis of the relationship between Yo-Yo Test and maximum oxygen uptake in young football players].. RICYDE Revista Internacional De Ciencias Del Deporte, 2014, 10, 180-193. | 0.1 | 3         |
| 35709 | Head to head comparisons in performance of CD4 point-of-care assays: a Bayesian meta-analysis (2000â€“2013). ScienceOpen Research, 2014, .   | 0.6 | 1         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35710 | Important considerations for microRNA extraction methods from whole blood and peripheral blood mononuclear cells. <i>F1000Research</i> , 2014, 3, 183.  | 0.8 | 10        |
| 35713 | Inspiratory muscle strength in subjects with tetraplegia: viability of evaluation through the measurement of maximal inspiratory pressure. <i>Fisioterapia Em Movimento</i> , 2014, 27, 371-377.                          | 0.4 | 0         |
| 35714 | The Echocardiographic Tei-index Compared to Transpulmonary Thermodilution Measurement With Different Hemodynamic Biomodels. <i>Journal of Clinical and Experimental Research in Cardiology</i> , 0, , .                   | 0.1 | 0         |
| 35715 | reliability of measuring the inter-recti distance using high resolution and low-resolution ultrasound imaging comparing a novice to an experienced sonographer. <i>New Zealand Journal of Physiotherapy</i> , 2023, 42, . | 0.0 | 4         |
| 35716 | A numerical method for improving the reliability of knee translation measurement in skin marker-based motion analysis. <i>Advances in Biomechanics and Applications</i> , 2014, 1, 269-277.                               | 0.2 | 0         |
| 35717 | Evaluation of zebu nellore cattle blood samples using the Cell-Dyn 3500 hematology analyzer. <i>Ciencia Animal Brasileira</i> , 2014, 15, 466-472.  | 0.3 | 0         |
| 35719 | Confiabilidad de los estudios de neuroconducci3n de miembros inferiores realizados por un m3dico residente. <i>Revista Colombiana De M3dicina F3sica Y Rehabilitaci3n</i> , 2015, 25, 28-33.                              | 0.0 | 0         |
| 35720 | Comparison of 24-Hour Urine to Estimated Renal Function using CKD-EPI, MDRD4 and Cockcroft-Gault in Specific Patient Subsets. <i>Journal of Pharmaceutical Care &amp; Health Systems</i> , 2015, 02, .                    | 0.1 | 1         |
| 35721 | Changes to Muscle T&lt;sub&gt;2&lt;/sub&gt; after Single-finger Exercise Measured with 0.2T MR Imaging. <i>Magnetic Resonance in Medical Sciences</i> , 2015, 14, 359-366.  | 1.1 | 4         |
| 35722 | Comparison of echocardiography and device based algorithm for atrio-ventricular delay optimization in heart block patients. <i>World Journal of Cardiology</i> , 2015, 7, 801.  | 0.5 | 0         |
| 35723 | Validation of Total Daily Energy Expenditure Calculated with Actiheart against Doubly Labeled Water Method in Costa Rican Schoolchildren. <i>Food and Nutrition Sciences (Print)</i> , 2015, 06, 1193-1201.               | 0.2 | 1         |
| 35724 | Comparison of Spot Urine Protein/Creatinine Ratio, Spot Urine Protein/Osmolality Ratio with Measured 24-Hour Urine Protein in HIV Subjects in Nigeria. <i>Journal of AIDS &amp; Clinical Research</i> , 2015, 06, .       | 0.5 | 3         |
| 35725 | Comparison of Ultrasound and Scheimpflug Methods for Central Corneal Thickness. <i>British Journal of Medicine and Medical Research</i> , 2015, 8, 677-683.   | 0.2 | 0         |
| 35726 | De voedingsanamnese â€“ Methoden voor voedselconsumptieonderzoek van bevolkingsgroepen en individuen. , 2015, , 17-53.  |     | 1         |
| 35727 | Standardized Tape Stripping: A Practical and Reproducible Protocol to Reduce Uniformly the Stratum Corneum. , 2015, , 1-9.  |     | 0         |
| 35728 | On XML Based Automated Function Point Analysis: An Effective Method to Assess Developer Productivity. <i>Lecture Notes on Software Engineering</i> , 2015, 3, 245-250.  | 0.3 | 1         |
| 35729 | Use of imaging as an outcome measure in rheumatoid arthritis, psoriatic arthritis, and ankylosing spondylitis in clinical trials. , 2015, , 358-368.  |     | 0         |
| 35730 | Comparison of Two Histological Test Methods for the Measurement of Thermal Spread Associated With Energized Vessel Sealing. <i>Journal of Testing and Evaluation</i> , 2016, 44, 1095-1105.                               | 0.4 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35731 | Peripheral venous pressure as a reliable predictor for monitoring central venous pressure in patients with burns. <i>Indian Journal of Critical Care Medicine</i> , 2015, 19, 430-431.  | 0.3 | 0         |
| 35733 | Competitive protein-binding assay-based enzyme-immunoassay method, compared to high-pressure liquid chromatography, has a very lower diagnostic value to detect vitamin d deficiency in 9-12 years children. <i>International Journal of Preventive Medicine</i> , 2015, 6, 64. | 0.2 | 4         |
| 35734 | Treatment of Canine Lymphoma as a Model for Humans. <i>Clinical &amp; Experimental Pharmacology</i> , 2015, 03, .   | 0.3 | 0         |
| 35735 | Valida  o de equa  es antropom  tricas espec  ficas e generalizadas para estimativa do percentual de gordura corporal em estudantes de Educa  o F  sica do sexo masculino. <i>Revista Brasileira De Educa  o F  sica E Esporte: RBEFE</i> , 2015, 29, 13-23.                    | 0.1 | 1         |
| 35736 | Determining Microvascular Obstruction and Infarct Size with Steady-State Free Precession Imaging Cardiac MRI. <i>PLoS ONE</i> , 2015, 10, e0119788.   | 1.1 | 2         |
| 35737 | A Comparison of Office Blood Pressure, Telemedical Home Blood Pressure and Ambulatory Blood Pressure Monitoring. <i>Open Hypertension Journal</i> , 2015, 7, 7-13.  | 0.8 | 0         |
| 35738 | The validity and reliability of the handheld SW-100 autokeratometer. <i>African Vision and Eye Health</i> , 2015, 74, .   | 0.1 | 1         |
| 35739 | Measurement of Change in Size of Lung Nodules. , 2015, , 206-217.   |     | 1         |
| 35741 | Validity of a neurological scoring system for canine X-linked myotubular myopathy. <i>Human Gene Therapy Clinical Development</i> , 0, , 150513062900008.   | 3.2 | 0         |
| 35742 | 8.2. Biopara-Milk: a whole cow simulation model for the prediction of rumen pH. , 2015, , 299-306.  |     | 0         |
| 35744 | CORRELATION OF RENOGRAM WITH CYSTATIN-C LEVELS AND CREATININE CLEARANCE IN MEASURING GLOMERULAR FILTRATION RATE. <i>Majalah Kedokteran Andalas</i> , 2015, 38, 1.   | 0.0 | 0         |
| 35745 | Validation and Standardization of the Weight Control Perceived Self-Efficacy Inventory in a Mexican College Population. <i>Aquichan</i> , 2015, 15, 44-51.  | 0.1 | 1         |
| 35747 | NEWBORN FRIENDLY THERMOMETRY â€“ COMPARATIVE STUDY OF BODY TEMPERATURE WITH AN INFRARED VERSUS DIGITAL THERMOMETER. <i>Indian Journal of Child Health</i> , 2015, 02, 80-82.  | 0.2 | 1         |
| 35749 | Surgically Induced Corneal Astigmatism Following Intravitreal Ranibizumab Injection. <i>Open Ophthalmology Journal</i> , 2015, 9, 121-125.  | 0.1 | 1         |
| 35750 | Head to head comparisons in performance of CD4 point-of-care assays: a Bayesian meta-analysis (2000â€“2013). <i>ScienceOpen Research</i> , 2014, .  | 0.6 | 0         |
| 35751 | Accuracy and Applicability of Resting Metabolic Rate Prediction Equations Differ for Women Across the Lifespan. <i>Journal of Nutritional Therapeutics</i> , 2015, 4, 50-63.  | 0.2 | 0         |
| 35752 | Accuracy of Wearable Devices to Estimate Physical Activity Levels. <i>The Korean Journal of Measurement and Evaluation in Physical Education and Sports Science</i> , 2015, 17, 49-60.  | 0.2 | 3         |
| 35753 | Ultrasound fetal weight estimation in twin pregnancy. <i>Perinatal Journal</i> , 2015, 23, 89-95.   | 0.0 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35754 | Determination of critical power using the first low steady state in the power profile of a 3-min all-out test. <i>Exercise Science</i> , 2015, 24, 225-232.   | 0.1 | 1         |
| 35755 | Manuscripts in the Sport and Exercise Sciences. <i>International Journal of Sports and Exercise Medicine</i> , 2015, 1, .   | 0.0 | 0         |
| 35756 | Reliability and Accuracy of Digital Impression Obtained from CS-3500 Intraoral Scanner. <i>Journal of Dental Hygiene Science</i> , 2015, 15, 673-678.   | 0.1 | 5         |
| 35757 | MicroRNA levels quantified in whole blood varies from PBMCs. <i>F1000Research</i> , 2014, 3, 183.   | 0.8 | 11        |
| 35759 | -Segmenting with Shape and Appearance Priors. , 2015, , 218-229.  |     | 0         |
| 35760 | Changes in Intra gastric Temperature Reflect Changes in Heat Stress Following Tepid Fluid Ingestion But Not Ice Slurry Ingestion. <i>Human Performance in Extreme Environments</i> , 2015, 12, .  | 0.4 | 0         |
| 35761 | An Investigation into the Integrity of Fit of Provisional Crowns made over a Dental Implant Analogue Using Two Current Proprietary Provisional Crown Materials Compared to a Proprietary 'Snap On' Provisional Core. <i>Journal of Dentistry Oral Disorders and Therapy</i> , 2014, 2, 01-07. | 0.1 | 0         |
| 35762 | Vastus lateralis muscle architecture to estimate knee extension moment of older individuals. <i>Motriz Revista De Educacao Fisica</i> , 2015, 21, 428-435.  | 0.3 | 0         |
| 35764 | Reproducibility between conventional and digital periapical radiography for bone height measurement. <i>Revista Facultad De Medicina</i> , 2015, 63, 625-631.   | 0.0 | 1         |
| 35765 | Statistical methods to evaluate the correlation between measured and calculated dose using quality assurance method in IMRT. <i>International Journal of Cancer Therapy and Oncology</i> , 2015, 3, 3411.   | 0.2 | 3         |
| 35766 | A comparison study of routine coagulation screening tests (PT and APTT) by three automated coagulation analyzers. <i>International Journal of Medical Science and Public Health</i> , 2016, 5, 1563.  | 0.2 | 0         |
| 35767 | Comparison of the clinical chemistry system using domestically made reagents with foreign counterpart. <i>Laboratornaya Sluzhba</i> , 2016, 5, 74.  | 0.0 | 0         |
| 35768 | Ultrasonographic Measurements of the Intramuscular Fluid Collection Using a Phantom: A Preliminary Study. <i>The Journal of the Korean Orthopaedic Association</i> , 2016, 51, 315.   | 0.0 | 0         |
| 35769 | Analysis and Evaluation of Magnetism of Black Toners on Documents Printed by Electrophotographic Systems. <i>SSRN Electronic Journal</i> , 0, , .   | 0.4 | 0         |
| 35770 | Técnicas para estimar la estabilidad de una escala de medición en salud.. <i>Revista Ciencias Biomédicas (cartagena)</i> , 2016, 7, 104-111.  | 0.0 | 2         |
| 35771 | Development and validation of a quality of life questionnaire for individuals with spinal cord injury. <i>Acta Fisiológica</i> , 2016, 23, .  | 0.0 | 1         |
| 35773 | Insights about serum sodium behavior after 24 hours of continuous renal replacement therapy. <i>Revista Brasileira De Terapia Intensiva</i> , 2016, 28, 120-31.   | 0.1 | 0         |
| 35774 | The characteristics on Wang Zhen Specific Training load of a world young record Holder men's 20km Race Walker. , 2016, , .  |     | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35775 | The randomised Complete versus Lesion-only PRimary percutaneous coronary Intervention Trial: Cardiovascular Magnetic Resonance imaging substudy (CvLPRIT-CMR). Efficacy and Mechanism Evaluation, 2016, 3, 1-72.                      | 0.9 | 1         |
| 35776 | L-carnitine for reducing cardio-metabolic risk in patients with obstructive sleep apnea: study protocol of a randomized, double-blind, placebo-controlled trial. Clinical and Translational Degenerative Diseases, 2016, 1, 134.      | 0.0 | 1         |
| 35777 | In-vitro Measurement of Glucose Concentration in Human Blood Plasma Mixed Intralipid Phantom Samples by Using Modulated Ultrasound and Infrared Light. British Biotechnology Journal, 2016, 13, 1-14.                                 | 0.4 | 2         |
| 35778 | Kinetic and Kinematic Changes during a 30-Repetition Bout of the Barbell Clean. Journal of Athletic Enhancement, 2016, 05, .  | 0.2 | 0         |
| 35779 | Anthropometric Measurement of Patients Admitted to an Intensive Care Unit. Journal of Perioperative & Critical Intensive Care Nursing, 0, , .   | 0.0 | 0         |
| 35780 | Axillary, Oral and Rectal Routes of Temperature Measurement During Treatment of Acute Kawasaki Disease. Pediatric Infectious Disease Journal, 2016, 35, 50-53.  | 1.1 | 6         |
| 35781 | Repeatability and reproducibility of horizontal corneal diameter and anterior corneal power measurements using the Oculus Keratograph 4. African Vision and Eye Health, 2016, 75, .   | 0.1 | 0         |
| 35782 | Medición de la vulnerabilidad: el caso de la adicción a drogas ilícitas en Chihuahua, México. Research in Computing Science, 2010, 22, .  | 0.1 | 0         |
| 35783 | Contribution of Low-Dose Computerized Tomography With Digital Multiplanar Reconstructions in Thoracic Epidurography and Correlation With Sensory Block in Postoperative Analgesia. Anesthesiology and Pain Medicine, 2016, 6, e37577. | 0.5 | 1         |
| 35784 | Avaliação e comparação entre métodos de mensuração de pressão arterial sistólica em gatos hígidos conscientes. Arquivo Brasileiro De Medicina Veterinária E Zootecnia, 2016, 68, 611-619.   | 0.1 | 1         |
| 35785 | Distinct distributions of genomic features of the 5â€™™ and 3â€™™ partners of coding somatic cancer gene fusions: arising mechanisms and functional implications. Oncotarget, 2017, 8, 66769-66783.                                   | 0.8 | 0         |
| 35786 | Device interchangeability on anterior chamber depth and white-to-white measurements: a thorough literature review. International Journal of Ophthalmology, 2016, 9, 1057-65.  | 0.5 | 19        |
| 35787 | Estimation of Haemoglobin with Arterial Blood Gas Analyzer Compared to Conventional Laboratory Methods In Intensive Care Unit.. IOSR Journal of Dental and Medical Sciences, 2016, 15, 05-07.   | 0.0 | 0         |
| 35788 | Bronchial reacutization and gastroesophageal reflux: is there a potential clinical correlation?. Annals of Translational Medicine, 2016, 4, 304-304.  | 0.7 | 5         |
| 35790 | Acuerdo intercalificadores intragrupo en el Test Gestáltico Visomotor de Bender, segunda versión (Bender - II). Universitas Psychologica, 2016, 15, 163.  | 0.6 | 0         |
| 35791 | COMPARISON OF UWIN SCORE WITH INTERNATIONAL PROSTATIC SYMPTOM SCORE IN PATIENTS WITH LOWER URINARY TRACT SYMPTOMS. Journal of Evolution of Medical and Dental Sciences, 2016, 5, 5942-5946.   | 0.1 | 3         |
| 35792 | Evaluation of an Automated CLIA System for the Determination of Carbohydrate Antigen 19-9. Anticancer Research, 2016, 36, 5281-5286.  | 0.5 | 1         |
| 35793 | Digital Assessment of Anthropometric and Kinematic Parameters for the Individualization of Direct Human-Robot Collaborations. , 0, , .  |     | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 35794 | Reliability and Validity of Patient Oriented Eczema Measure (POEM) Korean Version. Journal of Korean Medicine, 2016, 37, 22-29.  | 0.1 | 0         |
| 35795 | Testâ€“retest reliability of contrast visual acuities in a clinical population. African Vision and Eye Health, 2017, 76, .   | 0.1 | 0         |
| 35796 | Requirement for Appropriate Methodology to Evaluate the Clinical Relevance of the Difference in Low-Density Lipoprotein Cholesterol Concentrations Obtained by Different Methods. Korean Journal of Family Medicine, 2017, 38, 47.   | 0.4 | 0         |
| 35797 | Accuracy assessment of digital surface models based on a small format action camera in a North-East Hungarian sample area. Geographica Pannonica, 2017, 21, 224-234.   | 0.5 | 0         |
| 35798 | Influence of elbow angle on the reliability and validity of bioelectrical impedance analysis. Journal of Sports Medicine and Therapy, 2017, 2, 138-144.  | 0.1 | 0         |
| 35799 | Assessing inter-rater agreement between multiple medical instruments with heteroscedastic measurements. Journal of Medical Statistics and Informatics, 2017, 5, 1.   | 0.8 | 2         |
| 35800 | A Review on Noninvasive Beat-to-Beat Systemic and Pulmonary Blood Pressure Estimation through Surrogate Cardiovascular Signals. Advances in Bioinformatics and Biomedical Engineering Book Series, 2017, , 22-55.  | 0.2 | 1         |
| 35801 | A Post-Marketing Surveillance Study to Evaluate Performance of the EXIMOâ„¢ Blood Glucose Monitoring System. Journal of Clinical and Diagnostic Research JCDR, 2017, 11, FC29-FC32.  | 0.8 | 1         |
| 35802 | Home Blood Pressure Monitoring as an Alternative to Confirm Diagnoses of Hypertension in Adolescents with Elevated Office Blood Pressure from a Brazilian State Capital. Arquivos Brasileiros De Cardiologia, 2017, 109, 241-247.  | 0.3 | 4         |
| 35803 | The Analysis of Scientific and Commercial Softwares Accuracy in GPS Observation Processing. Open Journal of Geology, 2017, 07, 267-278.  | 0.1 | 0         |
| 35804 | Management of hemolyzed specimens. Laboratornaya Sluzhba, 2017, 6, 38.   | 0.0 | 1         |
| 35805 | Calculating gamma camera uniformity parameters: Beyond the vendor-specific protocol. Indian Journal of Nuclear Medicine, 2017, 32, 279.  | 0.1 | 0         |
| 35806 | Fully Automated Active Contour Model Based Approach for Segmentation of Common Carotid Artery Using Ultrasound Images. Journal of Testing and Evaluation, 2017, 45, 2209-2223.   | 0.4 | 0         |
| 35807 | Method Comparison (Agreement) Studies: Myths and Rationale. Journal of Clinical and Diagnostic Research JCDR, 2017, 11, JI01-JI03.   | 0.8 | 4         |
| 35808 | A Web Based Version of the Cervical Joint Position Error Test: Reliability of Measurements from Face Tracking Software. Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2017, , 297-301.                              | 0.2 | 0         |
| 35809 | Intra- and Inter-rater Reliabilities of Measurements of Fascial Displacement and Muscle Stiffness by Using Ultrasound Images. Rigakuryoho Kagaku, 2017, 32, 215-220.   | 0.0 | 0         |
| 35810 | Evaluation of Three Medium Throughput Flow Cytometers for Monitoring People Living with HIV in Resources Limited Laboratories: How to Choose?. Journal of Immunobiology, 2017, 02, .   | 0.3 | 0         |
| 35812 | Optimizing Rehabilitation: The Potential to Assess Cardiorespiratory, Neuromuscular and Biomechanical Adaptations to Exercise of Children with Cerebral Palsy in the Face of Intra-Individual Variation. Journal of Novel Physiotherapy and Physical Rehabilitation, 0, , 042-047. | 0.1 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 35813 | Estimation of VO2max from walk exercises with heart rate and accelerometer. Korean Journal of Sport Science, 2017, 28, 37-48.  | 0.0 | 0         |
| 35815 | Estilo de vida y sus relaciones con la osteoporosis y p rdida del equilibrio corporal. Revista Fam lia, Ciclos De Vida E Sa de No Contexto Social, 2017, 5, 200.   | 0.1 | 0         |
| 35816 | First trimester fetal biparietal diameter and head circumference in Chinese population. Journal of Gynecology & Neonatal Biology, 2017, 3, 27-31.  | 0.2 | 0         |
| 35817 | COMPARISON OF TRANSCUTANEOUS BILIRUBINOMETER READING WITH SERUM BILIRUBIN LEVEL IN EVALUATING JAUNDICE IN NEWBORN MORE THAN 32 WEEKS GESTATION- A DIAGNOSTIC TEST EVALUATION. Journal of Evolution of Medical and Dental Sciences, 2017, 6, 2874-2878. | 0.1 | 0         |
| 35818 | Inter-rater agreement of the Turkish version of the Neurobehavioral Rating Scale-Revised form. Turkish Journal of Physical Medicine and Rehabilitation, 2017, 63, 133-142.   | 1.1 | 1         |
| 35819 | ESTIMATION OF MEAN CENTRAL CORNEAL THICKNESS USING SIRIUS SCHEIMPFLUG PLACIDO TOPOGRAPHER IN BASRAH. Basrah Journal of Surgery, 2017, 23, 26-30.   | 0.0 | 0         |
| 35820 | Knowledge-based reconstruction for measurement of right ventricular volumes on cardiovascular magnetic resonance images in a mixed population. Congenital Heart Disease, 2017, 12, 561-569.  | 0.0 | 1         |
| 35821 | Prevalence of obesity, central obesity, and associated socio-demographic variables in Syrian women using different anthropometric indicators. Anthropological Review, 2017, 80, 191-205.   | 0.2 | 4         |
| 35823 | Accuracy of glomerular filtration rate estimation equations in patients with hematopathy. Journal of Biomedical Research, 2017, , .  | 0.7 | 0         |
| 35824 | The comparison of Architect SCC and cobas SCC tests. Diagnostyka Laboratoryjna I Wiadomo ci PTDL, 2017, 53, 147-154.   | 0.0 | 0         |
| 35825 | KRON K KAS SKELET S STEM  HASTALI I OLAN HASTALARDA YETERS Z SA ZLIK OKURYAZARLI ININ YAYGINLI I VE  L   FAKT RLER. Fizyoterapi Rehabilitasyon, 0, , 54-59.  | 0.0 | 0         |
| 35826 | Validation of a semi-automatic protocol for the assessment of the tear meniscus central area based on open-source software. , 2017, , .  |     | 0         |
| 35828 | Analysis of agreement between peak expiratory flow meters and comparison of reference values. Fisioterapia Em Movimento, 2017, 30, 509-517.  | 0.4 | 4         |
| 35829 | Reliability of Javal s Rule Based on Dioptric Power Matrix. Journal of Korean Ophthalmic Optics Society, 2017, 22, 253-260.  | 0.3 | 0         |
| 35830 | Optical coherence tomography with or without enhanced depth imaging for peripapillary retinal nerve fiber layer and choroidal thickness. International Journal of Ophthalmology, 2017, 10, 1539-1544.  | 0.5 | 3         |
| 35831 | Psychometric evidence of body composition as a multidimensional trait in college students. International Journal of Physical Education Fitness and Sports, 2017, 6, 1-5.   | 0.2 | 0         |
| 35832 | THE NOVEL MOBILE DEVICE APPLICATION OF CAPSTESIA AIMED TO DEFINE THE NEED FOR FLUID THERAPY. Messenger of Anesthesiology and Resuscitation, 2017, 14, 52-56.   | 0.1 | 0         |
| 35833 | Implementation of biological variation-based analytical performance specifications in the laboratory: Stringent evaluation of Improvacutor blood collection tubes. PLoS ONE, 2017, 12, e0189882.   | 1.1 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 35834 | Variación de la masa corporal grasa por antropometría y bioimpedancia en escolares juve±os. Revista Argentina De Antropología Biologica, 2017, 20, 5.  | 0.2 | 1         |
| 35835 | Responsiveness of Physical Activity Measures Following Exercise Programs after Total Knee Arthroplasty. Journal of Exercise, Sports & Orthopedics, 2017, 4, 1-8.   | 0.2 | 6         |
| 35836 | Anterior teeth root inclination prediction derived from digital models: A comparative study of plaster study casts and CBCT images. Journal of Clinical and Experimental Dentistry, 2018, 10, 0-0.                         | 0.5 | 5         |
| 35837 | Criterion-related Validity and Reliability of Surae Muscle Tendon Unit Stiffness Measured Using a Custom Made Passive Torque Indicator. Rigakuryoho Kagaku, 2018, 33, 591-596.   | 0.0 | 1         |
| 35839 | Reproducibility. , 2018, , 13-23.  |     | 0         |
| 35840 | Hepatitis Screening and Treatment Campaign in Malaysia- Validation of Low-cost Point of Care Screening Tests and Nucleic Acid Tests for Hepatitis B and C. Euroasian Journal of Hepato-gastroenterology, 2018, 8, 101-107. | 0.1 | 7         |
| 35841 | Expansion of permanent first molars with rapid maxillary expansion appliance anchored on primary second molars. Journal of Clinical and Experimental Dentistry, 2018, 10, 0-0.   | 0.5 | 8         |
| 35842 | A standardized logarithm of the minimum angle of resolution visual acuity chart in Hindi. Indian Journal of Ophthalmology, 2018, 66, 634.  | 0.5 | 1         |
| 35843 | Validity of the Evaluation of Posture and Movement by a New Tri-axial Accelerometer: Judgement Criteria, Sensitivity and Specificity. Rigakuryoho Kagaku, 2018, 33, 561-567.   | 0.0 | 2         |
| 35844 | Assessment of Flow Mediated Dilation by Pulse Wave Conduction Delay. International Journal of Bioscience, Biochemistry, Bioinformatics (IJBBB), 2018, 8, 147-154.  | 0.2 | 0         |
| 35845 | An Alternative Method to Calculate Simplified Projected Aortic Valve Area at Normal Flow Rate. Arquivos Brasileiros De Cardiologia, 2018, 110, 132-139.  | 0.3 | 1         |
| 35846 | Advantage of Introducing Quantitative Light-Induced Fluorescence in School Dental Checkups. Health, 2018, 10, 1095-1106.   | 0.1 | 1         |
| 35848 | Reproduceerbaarheid. , 2018, , 13-23.  |     | 0         |
| 35849 | VALIDITY OF NON-INVASIVE HEMOGLOBIN MEASURED BY PULSE CO-OXIMETER IN NEONATES - AN OBSERVATIONAL STUDY. Indian Journal of Child Health, 2018, 05, 461-464.   | 0.2 | 2         |
| 35850 | Inter-Annotator Agreement in linguistica: una rassegna critica. , 2018, , 206-211.   |     | 1         |
| 35851 | A Review on Noninvasive Beat-to-Beat Systemic and Pulmonary Blood Pressure Estimation Through Surrogate Cardiovascular Signals. , 2018, , 1038-1070.   |     | 0         |
| 35852 | The Role of Linear and Convex Probes to Determine the Normal Range of Splenic and Liver Stiffness in Healthy Children Assessed by Point Shear Wave Elastography. Iranian Journal of Radiology, 2018, 15, .                 | 0.1 | 1         |
| 35853 | Quantitative image-based phosphorus-31 MR spectroscopy for evaluating age-based differences in skeletal muscle metabolites. , 2018, , .  |     | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35854 | COMPARISON AND CORRELATION BETWEEN ARTERIAL AND CAPILLARY BLOOD GAS VALUES IN MECHANICALLY VENTILATED ADULTS. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2018, 7, 1454-1457.  | 0.1 | 0         |
| 35855 | A Comparison of Auto-Refracton and Subjective Refracton: Based on Photorefractor (VS100). <i>Journal of Korean Ophthalmic Optics Society</i> , 2018, 23, 39-45.   | 0.3 | 8         |
| 35856 | Validation of accelerometer for measuring physical activity in free-living individuals. <i>Baltic Journal of Health and Physical Activity</i> , 2018, 10, 7-21.   | 0.2 | 2         |
| 35857 | Concordance entre l'autoévaluation de l'infirmière et l'autoévaluation de la douleur du patient en salle de réveil. <i>Douleur Et Analgesie</i> , 2018, 31, 28-34.  | 0.2 | 0         |
| 35858 | Short-Term Ingestion of Virgin Coconut Oil Improves Endothelial-Dependent Dilation but not Exercise-Mediated Hyperemia in Healthy Young Adults. <i>FASEB Journal</i> , 2018, 32, .  | 0.2 | 0         |
| 35860 | Development of a Measurement Device Using a Sheet Stretch Sensor for Chest Wall Motion. <i>The Japanese Journal of Rehabilitation Medicine</i> , 2018, 55, 348-357.   | 0.0 | 2         |
| 35861 | A Study of Chance-Corrected Agreement Coefficients for the Measurement of Multi-Rater Consistency. <i>International Journal of Simulation: Systems, Science and Technology</i> , 0, .   | 0.0 | 0         |
| 35862 | Design and cross-validation of prediction equation based on 6-minute walk test for assessing the cardiorespiratory efficiency in Iranian adolescent boys. <i>Journal of Shahrekord University of Medical Sciences</i> , 2019, 21, 19-24.  | 0.2 | 1         |
| 35863 | Assessment of daily physical activities with sensors attached to the upper limbs in healthy adults using a manual wheelchair. <i>The Journal of Physical Fitness and Sports Medicine</i> , 2018, 7, 193-202.  | 0.2 | 2         |
| 35864 | Quick Identification of the Risk of Psychosis: The Italian Version of the Prodromal Questionnaire-Brief. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2018, 14, 120-131.  | 0.6 | 6         |
| 35866 | Using different methods to process forced expiratory volume in one second (FEV1) data can impact on the interpretation of FEV1 as an outcome measure to understand the performance of an adult cystic fibrosis centre: A retrospective chart review. <i>F1000Research</i> , 2018, 7, 691. | 0.8 | 1         |
| 35868 | Rebound Tonometers versus Other Tonometers: Agreement among Readings and the Effects of Axial Length, Ocular Pulse Amplitude, and Central Corneal Thickness on Readings. <i>Soonchunhyang Medical Science</i> , 2018, 24, 34-41.  | 0.0 | 0         |
| 35869 | Minimal Detectable Change on the Lawton Instrumental Activities of Daily Living Scale in Community-Dwelling Patients With Schizophrenia. <i>American Journal of Occupational Therapy</i> , 2018, 72, 7205195020p1-7205195020p7.   | 0.1 | 3         |
| 35870 | The Reliability of the Anaerobic Power Dummy Throw Test in High School Wrestlers: A Pilot Study. <i>Journal of Sports Science</i> , 2018, 6, .  | 0.1 | 0         |
| 35871 | Assessment of inflammatory parameters in obstructive coronary artery disease and cardiac syndrome X: an evolving value of neutrophil-lymphocyte ratio. <i>The European Research Journal</i> , 0, .  | 0.1 | 0         |
| 35872 | Dimensional Stability of Alginates Molds Tridimensionally Scanned. , 2018, 20, 78.  |     | 0         |
| 35875 | Gathering 3D Body Surface Scans and Anthropometric Data as Part of an Epidemiological Health Study – Method and Results. <i>Advances in Intelligent Systems and Computing</i> , 2019, , 128-140.  | 0.5 | 2         |
| 35876 | Hepatic steatosis and fibrosis: evaluation with CT imaging. <i>Acta Hepatologica Japonica</i> , 2018, 59, 393-406.  | 0.0 | 1         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35877 | Using different methods to process forced expiratory volume in one second (FEV1) data can impact on the interpretation of FEV1 as an outcome measure to understand the performance of an adult cystic fibrosis centre: A retrospective chart review. <i>F1000Research</i> , 2018, 7, 691. | 0.8 | 0         |
| 35878 | Unique and Unclonable Capacitive Sensors for Nature-Inspired Secure Sensing. <i>Smart Sensors, Measurement and Instrumentation</i> , 2019, , 289-310.   | 0.4 | 0         |
| 35881 | INSTRUMENTOS RELACIONADOS AO CONSUMO DE DROGAS EM ADOLESCENTES: REVISÃO INTEGRATIVA. <i>Texto E Contexto Enfermagem</i> , 2018, 27, .   | 0.4 | 0         |
| 35882 | Electromyographic Analysis of Shoulder Girdle Muscles in Volleyball Throw: A Reliability Study. <i>Biomedical Human Kinetics</i> , 2018, 10, 141-149.   | 0.2 | 0         |
| 35883 | Influence of electrocautery-induced electromagnetic interference on quantitative electroencephalographic monitoring of hypnosis during general anesthesia: comparison between the ADMS® and the BIS VISTATM. <i>Korean Journal of Anesthesiology</i> , 2018, 71, 368-373.                 | 0.9 | 7         |
| 35885 | Use of the ClearSight® System for Continuous Noninvasive Hemodynamic Monitoring during Heart Valve Interventions: Review of the Literature and Single-Site Experience. <i>Heart Surgery Forum</i> , 2018, 21, E476-E483.  | 0.2 | 10        |
| 35887 | Determinación del poder corneal con un tomógrafo corneal luego de cirugía refractiva con láser excimer. <i>Medunab</i> , 2018, 21, 16-45.   | 0.0 | 2         |
| 35888 | The Reproducibility of Global Electrical Heterogeneity ECG Measurements. , 2018, 45, .  |     | 2         |
| 35889 | Loughborough Soccer Passing Test © reproduzível em superfície específica prática de futebol de campo. <i>Revista Brasileira De Educação Física E Esporte: RBEFE</i> , 2018, 32, 149-158.  | 0.1 | 0         |
| 35891 | Humeral retroversion and shoulder muscle changes in infants with internal rotation contractures following brachial plexus birth palsy. <i>World Journal of Orthopedics</i> , 2018, 9, 292-299.  | 0.8 | 0         |
| 35892 | Determination of heart rate threshold from heart rate kinetics during maximal graded exercise in soccer players. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 0, 21, .  | 0.5 | 2         |
| 35893 | Productivity and Sectoral Allocation: The Labor Market of School Principals. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4 | 0         |
| 35895 | Aerobic fitness predicts the air consumption time in the self-contained breathing apparatus during physical task of firefighters. <i>Revista Andaluza De Medicina Del Deporte</i> , 2019, 12, 88-92.  | 0.1 | 0         |
| 35896 | Dual-energy X-ray absorptiometry (DXA) and chemical composition as measures of body composition of the short-beaked echidna ( <i>Tachyglossus aculeatus</i> ). <i>Australian Journal of Zoology</i> , 2019, 67, 73.   | 0.6 | 0         |
| 35897 | Bland-Altman-Plot. <i>Springer Reference Medizin</i> , 2019, , 454-455.   | 0.0 | 0         |
| 35898 | Intra-Atrial Dyssynchrony Using Cardiac Magnetic Resonance to Quantify Tissue Remodeling in Patients with Atrial Fibrillation. <i>Arquivos Brasileiros De Cardiologia</i> , 2019, 112, 441-450.   | 0.3 | 2         |
| 35899 | On the Index of Repeatability: Estimation and Sample Size Requirements. <i>Open Journal of Statistics</i> , 2019, 09, 530-541.  | 0.3 | 3         |
| 35900 | Reliability and validity of the pediatric feeding and swallowing disorders family impact scale for turkish children with cerebral palsy by endoscopic evaluation. <i>Turkish Journal of Pediatrics</i> , 2019, 61, 741.   | 0.3 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 35901 | Clinical Evaluation of a New Approach for IOL Power Calculation in Keratoconus. International Journal of Keratoconus and Ectatic Corneal Diseases, 2019, 8, 1-6.  | 0.5 | 1         |
| 35902 | Methods (2): Statistical Methods. , 2019, , 51-93.  |     | 0         |
| 35903 | Design of Clinical Trials to Validate Cuffless Blood Pressure Monitors. , 2019, , 203-224.  |     | 6         |
| 35904 | Die deutsche Version des Musculoskeletal Pain Intensity and Interference Questionnaire for Musicians (MPIIQM-G): Ãœbersetzung und Validierung bei professionellen Orchestermusikern. Jahrbuch Musikpsychologie, 0, 28, .                  | 0.0 | 1         |
| 35906 | Development & cross-validation of anthropometric predictive models to estimate the appendicular skeletal muscle mass in middle-aged women in Sri Lanka. Indian Journal of Medical Research, 2019, 150, 297.                               | 0.4 | 3         |
| 35907 | Acute effect of elastic bandage technique on middle deltoid muscle force and activation in healthy men. Fisioterapia Em Movimento, 0, 32, .   | 0.4 | 0         |
| 35908 | STANDARDIZATION OF SPIROMETRY: HOW TO IMPROVE THE RESULT. Tuberculosis and Lung Diseases, 2019, 97, 26-32.  | 0.2 | 2         |
| 35909 | Oxygen consumption and heart rate obtained in a ramp protocol are equivalent during exercise session of rectangular loading at ventilatory thresholds for athletes. Revista Brasileira De Cineantropometria E Desempenho Humano, 0, 21, . | 0.5 | 2         |
| 35910 | Fitspeed Ãœtok Fonksiyonlu Sportif Performans Ã–lÃ¼m ve Antrenman Sisteminin GeÃœserliÃœyi. Spor Bilimleri Dergisi Hacettepe Ãœniversitesi, 0, , 187-195.   | 0.3 | 0         |
| 35911 | New Measures of Journal Impact Based on the Number of Citations and PageRank. Journal of Digital Information Management, 2019, 18, 11.  | 0.2 | 2         |
| 35913 | Development and evaluation of a method for segmentation of cardiac, subcutaneous, and visceral adipose tissue from Dixon magnetic resonance images. Journal of Medical Imaging, 2019, 6, 1.   | 0.8 | 1         |
| 35915 | The Cambridge Colour Test: Reliability of discrimination trivectors in colour space. African Vision and Eye Health, 2019, 78, .   | 0.1 | 3         |
| 35916 | Agreement of body composition methods in elite male football referees. Revista Andaluza De Medicina Del Deporte, 2019, 12, 230-234.   | 0.1 | 1         |
| 35918 | Validation of Two Automatic Blood Pressure Monitors With the Ability to Transfer Data via Bluetooth. Journal of Medical Internet Research, 2019, 21, e12772.  | 2.1 | 3         |
| 35919 | â€™n Model om Nykrokodileiers se volumes mee te skat nadat hulle uitgebroei het. South African Journal of Science and Technology, 2020, , 14-25.  | 0.1 | 3         |
| 35920 | Comparison of Total Bilirubin Values Measured with ABL 735 Blood Gas Analyzer and Roche Cobas C8000 Chemistry Analyzer in Age-Segregated Pediatric Patients. Romanian Journal of Laboratory Medicine, 2019, 27, 137-145.                  | 0.1 | 0         |
| 35923 | Accuracy of Acetabular Component Positioning Using Computer-assisted Navigation in Direct Anterior Total Hip Arthroplasty. Cureus, 2019, 11, e4478.   | 0.2 | 17        |
| 35924 | Validity of Measured vs. Self-Reported Height, Weight and Body-Mass Index in Urban Croatian Adolescents. International Journal of Sport Studies for Health, 2019, In Press, .   | 0.3 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 35925 | Rasch analysis of the WHOQOL-BREF in older adults from Bucaramanga and Manizales. <i>Psicología Desde El Caribe</i> , 2019, 35, 183-196.   | 0.1 | 1         |
| 35927 | Rasch analysis of the Katz index of independence in activities of daily living in senior citizens from Antioquia, Colombia. <i>Revista Facultad Nacional De Salud Publica</i> , 2019, 37, .  | 0.1 | 1         |
| 35928 | Japanese version of the international PROMs "Vail Hip Score" Reliability, validity, and responsiveness according to the COSMIN checklist. <i>Journal of Orthopaedic Science</i> , 2019, 24, 447-451.   | 0.5 | 2         |
| 35930 | Agreement between distance and near minus-lens-to-blur amplitude of accommodation in pre-presbyopic subjects. <i>African Vision and Eye Health</i> , 2019, 78, .   | 0.1 | 0         |
| 35931 | Parkinsonism and Related Disorders. , 0, , .   |     | 0         |
| 35933 | Validade de medidas autorrelatadas de peso corporal e estatura em participantes do estudo São Paulo Megacity. <i>Cadernos Saude Coletiva</i> , 2019, 27, 225-233.  | 0.2 | 1         |
| 35935 | STANDING COMPUTED TOMOGRAPHY IN NONANESTHETIZED LITTLE PENGUINS ( <i>EUDYPTULA MINOR</i> ) TO ASSESS RESPIRATORY SYSTEM ANATOMY AND MONITOR DISEASE. <i>Journal of Zoo and Wildlife Medicine</i> , 2019, 50, 396.                                    | 0.3 | 7         |
| 35938 | Turning the tables: A university league-table based on quality not quantity. <i>F1000Research</i> , 2019, 8, 583.  | 0.8 | 4         |
| 35939 | Assessing Physical Activities Occurring on Sidewalks and Streets: Protocol for a Cross-Sectional Study. <i>JMIR Research Protocols</i> , 2019, 8, e12976.  | 0.5 | 3         |
| 35942 | Comparison of the Use of Serum and Plasma as Matrix Specimens in a Widely Used Noncommercial Dengue IgG ELISA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 101, 456-458.  | 0.6 | 1         |
| 35943 | PREDICTION OF 100 METERS SPRINT PERFORMANCE BASED ON FIELD TEST. <i>Revista Brasileira De Medicina Do Esporte</i> , 2019, 25, 349-353.   | 0.1 | 0         |
| 35945 | Validity of maximal oxygen consumption prediction equations in young Saudi females. <i>Journal of King Abdulaziz University, Islamic Economics</i> , 2019, 40, 789-796.  | 0.5 | 3         |
| 35946 | Peculiarities of interhemispheric functional asymmetry of the frontal region in 4-7 year-old children with mental development and speech development delay. <i>Comprehensive Child Studies</i> , 2019, 1, 11-21.                                     | 0.0 | 2         |
| 35947 | Assessment and Evaluation of Body Temperature. , 2020, , 97-114.   |     | 0         |
| 35948 | Are Skin Fiducials Comparable to Bone Fiducials for Registration When Planning Navigation-assisted Musculoskeletal Tumor Resections in a Cadaveric Simulated Tumor Model?. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 2692-2701. | 0.7 | 5         |
| 35949 | Utilizing Upper Arm Images in Determining Body Mass Index and Nutritional Status. <i>Engineering, Technology &amp; Applied Science Research</i> , 2019, 9, 4392-4396.  | 0.8 | 0         |
| 35950 | Quality of Life of Patients With Osteosarcoma in the European American Osteosarcoma Study-1 (EURAMOS-1): Development and Implementation of a Questionnaire Substudy. <i>JMIR Research Protocols</i> , 2019, 8, e14406.                               | 0.5 | 4         |
| 35951 | Method Comparison Using 2 Point-of-Care Meters and a Reference Analyzer for Measuring Blood Triglycerides in Psittacine Birds. , 2019, 33, 229.  |     | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 35952 | Reproducibility of an airway tapering measurement in computed tomography with application to bronchiectasis. <i>Journal of Medical Imaging</i> , 2019, 6, 1.   | 0.8 | 1         |
| 35954 | Small separation frequency-domain near-infrared spectroscopy for the recovery of tissue optical properties at millimeter depths. <i>Biomedical Optics Express</i> , 2019, 10, 5362.  | 1.5 | 6         |
| 35955 | COMPARISON OF SCHWARTZ EGFR-CR WITH GFR MEASURED BY TC-99M-DTPA CLEARANCE IN HEALTHY CHILDREN AND IN CHILDREN WITH URINARY TRACT INFECTION WITH AND WITHOUT VESICoureteral REFLUX. <i>Acta Medica Medianae</i> , 2019, , 168-176.                          | 0.0 | 0         |
| 35957 | Development of a Device Based on Oscillometry and Photoplethysmography for Measuring Blood Pressure. <i>IFMBE Proceedings</i> , 2020, , 560-566.   | 0.2 | 0         |
| 35960 | Evaluation of Algorithms for the Elaboration of the Preventive Maintenance Program of Medical Devices in the Medical Center ISSEMyM Toluca. <i>IFMBE Proceedings</i> , 2020, , 1458-1471.  | 0.2 | 0         |
| 35961 | Visual and quantitative control for the performance of spirometry. <i>Medical Alphabet</i> , 2019, 2, 13-16.   | 0.0 | 0         |
| 35962 | Comparison of two methods for subpubic angle measurement from reconstructed three-dimensional pelvic model. <i>Egyptian Journal of Forensic Sciences</i> , 2019, 9, .  | 0.4 | 0         |
| 35964 | Development of a Mobile Phone App for Measuring Striking Response Time in Combat Sports: Cross-Sectional Validation Study. <i>JMIR MHealth and UHealth</i> , 2019, 7, e14641.  | 1.8 | 8         |
| 35965 | Hematologic Parameters and Blood Cultures from the Gingival Vein Compared with the Cranial Vena Cava in Guinea Pigs. <i>Journal of the American Association for Laboratory Animal Science</i> , 2019, 58, 817-822.   | 0.6 | 2         |
| 35966 | Validation of a widely used heart rate monitor to track steps in older adults. <i>Journal of Sports Medicine and Physical Fitness</i> , 2019, 59, 1622-1627.   | 0.4 | 1         |
| 35967 | La inexactitud de las ecuaciones predictivas de LaFarge para la estimaci3n del consumo de ox3geno en ni1os menores de 3 a1os. <i>Revista Espa1ola De Anestesiolog3a Y Reanimaci3n</i> , 2019, 66, 467-473.   | 0.1 | 1         |
| 35969 | Onsite healthcare worker acceptability and performance of the point-of-care Pima CD4 assay in Dar es Salaam, Tanzania. <i>African Journal of Laboratory Medicine</i> , 2019, 8, 740.   | 0.2 | 0         |
| 35970 | Cross-Validation and Comparison of Energy Expenditure Prediction Models Using Count-Based and Raw Accelerometer Data in Youth. <i>Journal for the Measurement of Physical Behaviour</i> , 2019, 2, 237-246.  | 0.5 | 4         |
| 35971 | Value of P wave dispersion in pediatric patients with secundum atrial septal defect. <i>Electronic Journal of General Medicine</i> , 2019, 16, em173.  | 0.3 | 1         |
| 35973 | Relationship between right atrium area and right ventricular ejection fraction on magnetic resonance imaging: comparison with other prognostic markers in patients with pulmonary arterial hypertension. <i>Radiologia Brasileira</i> , 2019, 52, 351-355. | 0.3 | 2         |
| 35974 | Becoming Aware of One's Own Biases in Emerging Adulthood " A Longitudinal Study. <i>Metacognitive Approach. Advances in Cognitive Psychology</i> , 2019, 15, 308-317.  | 0.2 | 5         |
| 35975 | Histopathologist-level quantification of Ki-67 immunoexpression in gastroenteropancreatic neuroendocrine tumors using semiautomated method. <i>Journal of Medical Imaging</i> , 2019, 7, 1.  | 0.8 | 5         |
| 35976 | Estimation of Surface Skin Dose Using TPS and TLD of Breast Radiotherapy Using Co-60 Teletherapy Unit. <i>Arab Journal of Nuclear Sciences and Applications</i> , 2019, .  | 0.1 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 35977 | Developing an Item Bank for Progress Tests and Application of Computerized Adaptive Testing by Simulation in Medical Education. <i>International Journal of Assessment Tools in Education</i> , 2020, 6, 656-669.                        | 0.4 | 2         |
| 35978 | Assessment of the AQUIOS flow cytometer – An automated sample preparation system for CD4 lymphocyte PanLeucogating enumeration. <i>African Journal of Laboratory Medicine</i> , 2019, 8, 804.  | 0.2 | 3         |
| 35979 | Cardiovascular Disease Stratification Based on Ultrasound Images of the Carotid Artery. <i>Studies in Computational Intelligence</i> , 2020, , 103-119.  | 0.7 | 0         |
| 35980 | Two Methods. <i>SpringerBriefs in Statistics</i> , 2020, , 5-15.   | 0.3 | 0         |
| 35981 | The Brazilian Portuguese-language version of the Manchester Respiratory Activities of Daily Living questionnaire: construct validity, reliability, and measurement error. <i>Jornal Brasileiro De Pneumologia</i> , 2020, 46, e20180397. | 0.4 | 0         |
| 35982 | Health-related quality of life in children who use cochlear implants or hearing aids. <i>Heliyon</i> , 2020, 6, e03114.  | 1.4 | 3         |
| 35983 | Validity of flexicurve for the assessment of spinal flexibility in asymptomatic individuals. <i>Fisioterapia Em Movimento</i> , 0, 33, .   | 0.4 | 0         |
| 35985 | In respond to the letter to the editor. <i>Sports Biomechanics</i> , 2022, 21, 354-358.  | 0.8 | 0         |
| 35987 | Single Versus Multiple Monitoring Periods for Accelerometer-Measured Physical Activity in Medial Knee Osteoarthritis and Asymptomatic Controls. <i>Journal for the Measurement of Physical Behaviour</i> , 2020, 3, 29-38.               | 0.5 | 1         |
| 35988 | CRITICAL VS ESTIMATED HEART RATE IN ELDERLY SUBJECTS. <i>Revista Brasileira De Medicina Do Esporte</i> , 2020, 26, 134-138.  | 0.1 | 0         |
| 35989 | Odontogenic cervico-facial necrotizing fasciitis. A case report. <i>C E S Odontologia</i> , 2020, 33, 30-36.   | 0.1 | 0         |
| 35990 | Quality Assessment of Real-Life Performance of Home Mechanical Ventilators. <i>Archivos De Bronconeumologia</i> , 2020, 56, 258-259.   | 0.4 | 0         |
| 35991 | Correla~o e concord~ncia do escore do Frequency ~ Intensity - Time Index of Kasari com o volume de oxig~nio m~ximo. <i>Revista De Educa~o F~sica / Journal of Physical Education</i> , 2020, 88, 1022-1033.                              | 0.2 | 0         |
| 35993 | A novel non-invasive method for estimating the local wave speed at a single site in the internal carotid artery. <i>Biomedizinische Technik</i> , 2020, 65, 557-566.   | 0.9 | 1         |
| 35994 | Comparing Image Segmentation Techniques for Determining 3D Orbital Cavernous Hemangioma Size on MRI. <i>Ophthalmic Plastic and Reconstructive Surgery</i> , 2020, 36, 569-574.   | 0.4 | 2         |
| 35995 | International Hip Outcome Tool (12-items) as health-related quality-of-life measure in osteoarthritis: validation of Greek version. <i>Journal of Patient-Reported Outcomes</i> , 2020, 4, 41.   | 0.9 | 7         |
| 35996 | Accuracy of the Hand-held Wavefront Aberrometer in Measurement of Refractive Error. <i>Korean Journal of Ophthalmology: KJO</i> , 2020, 34, 227-234.   | 0.5 | 1         |
| 35998 | Assessment of two glycosylated hemoglobin immunoassays. <i>Endocrinol&amp;a Diabetes Y Nutrici~n (English) Tj ETQq1 1 0.784314 rgBT /Ov</i>  | 0.1 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 35999 | Subtitling speed in Media Accessibility research: some methodological considerations. Perspectives: Studies in Translation Theory and Practice, 0, , 1-17.   | 0.6 | 3         |
| 36000 | Quantification of mucosal EEC in jejunum. A comparative study of IBS patients and healthy controls. Scandinavian Journal of Gastroenterology, 2020, 55, 543-548.   | 0.6 | 1         |
| 36004 | Prospective multicentre validation study of a new standardised version of the 400-point hand assessment. BMC Musculoskeletal Disorders, 2020, 21, 313.   | 0.8 | 3         |
| 36005 | Using a Crossline Laser to Predict Peak Plantar Pressure During Walking. Journal of Athletic Training, 2020, 55, 739-743.  | 0.9 | 1         |
| 36006 | Agreement between IOLMaster® 500 and Pentacam® HR for keratometry assessment in type 2 diabetic and non-diabetic patients. International Journal of Ophthalmology, 2020, 13, 920-926.  | 0.5 | 2         |
| 36008 | Personalized Fluoroscopic Angles in Watchman®, Left Atrial Appendage Closure Landing Zone Assessment: A Three-Dimensional Printed Simulation Study. Cureus, 2020, 12, e8783.   | 0.2 | 1         |
| 36009 | Is There Any Difference Between Gonial Angle Values Measured on Digital Lateral Cephalograms and Orthopantomograms?. Turkish Journal of Orthodontics, 2020, 33, 72-76.   | 1.2 | 0         |
| 36010 | Correlation among Non-radiological Measurements for Thoracic Kyphosis. Journal of Musculoskeletal Science and Technology, 2020, 4, 1-5.  | 0.2 | 3         |
| 36011 | Validation of the Indonesian Version of Modified Checklist for Autism in Toddlers: a diagnostic study. Paediatrica Indonesiana, 2020, 60, 159-65.  | 0.0 | 0         |
| 36013 | Modification of Cooper's 12-min Run Test to Predict Maximum Oxygen Uptake in Indian Cricketers. International Journal of Physical Education Fitness and Sports, 0, , 72-78.  | 0.2 | 0         |
| 36015 | One-year test-retest reliability of ten vision tests in Canadian athletes. F1000Research, 0, 8, 1032.  | 0.8 | 0         |
| 36017 | Transcultural adaptation of the Thirst Distress Scale (TDS) into Brazilian Portuguese and an analysis of the psychometric properties of the scale for patients on hemodialysis. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2020, 42, 153-162. | 0.4 | 1         |
| 36019 | Potency evaluation of rabies vaccine for human use: The impact of reducing the number of animals per dilution " Part 2. Biologicals, 2020, 66, 30-34.  | 0.5 | 2         |
| 36020 | Self-Report and Contemporaneously Recorded Running Agreement in Recreational Athletes. Journal of Strength and Conditioning Research, 2022, 36, 1922-1929.   | 1.0 | 1         |
| 36022 | Reliability and Validity of the Korean Version of Somatic Symptom Scale-8. Psychiatry Investigation, 2020, 17, 814-821.  | 0.7 | 4         |
| 36023 | Validity of the Japanese Orthopaedic Association Hip Disease Evaluation Questionnaire (JHEQ) for Japanese patients with labral tear. Journal of Hip Preservation Surgery, 2021, 7, 466-473.  | 0.6 | 3         |
| 36024 | Comparison of Two Methods for Presurgical Volumetric Evaluation of Alveolar Cleft Bone Defects Using Computer-Aided Engineering. Journal of Craniofacial Surgery, 2021, 32, 477-481.   | 0.3 | 4         |
| 36025 | Agreement of corneal curvature and central corneal thickness obtained from a swept-source OCT and Pentacam in ectopia lentis patients. International Journal of Ophthalmology, 2020, 13, 1244-1249.  | 0.5 | 7         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36026 | Comparison of Optical Low-Coherence Reflectometry and Swept-Source OCT-Based Biometry Devices in Dense Cataracts. <i>Journal of Refractive Surgery</i> , 2020, 36, 557-564.  | 1.1 | 9         |
| 36027 | Radiographic goniometry of the PIP-joint: A reliable measurement method. <i>Journal of Hand Therapy</i> , 2020, 34, 591-593.   | 0.7 | 1         |
| 36028 | Chromatic Analysis of Wind Power Generation. , 2020, , 81-87.  |     | 0         |
| 36030 | Infliximab Level Between Venous and Capillary Blood Using Novel Device Strongly Correlate in Paediatric Inflammatory Bowel Disease Patients. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021, 72, 56-60.   | 0.9 | 2         |
| 36031 | Random spot urinary metanephrines compared with 24-h-urinary and plasma results in pheochromocytomas and paragangliomas. <i>European Journal of Endocrinology</i> , 2020, 183, 129-139.  | 1.9 | 9         |
| 36033 | Agreement between B-Mode Ultrasound and Air Displacement Plethysmography in Preprofessional Ballet Dancers. <i>Medicine and Science in Sports and Exercise</i> , 2021, 53, 653-657.  | 0.2 | 3         |
| 36034 | A Comparative Assessment of the Nova Stat Profile Prime Plus Critical Care Analyzer. <i>Cureus</i> , 2020, 12, e9932.  | 0.2 | 3         |
| 36035 | Escala de percepção de esforço para criança (EPEC). <i>Revista Brasileira De Educação Física E Esporte: RBEFE</i> , 2020, 34, 513-522.   | 0.1 | 0         |
| 36036 | The apparent diffusion coefficient is a useful biomarker in predicting treatment response in patients with locally advanced rectal cancer. <i>Acta Radiologica Open</i> , 2020, 9, 205846012095729.  | 0.3 | 2         |
| 36037 | Repeatability, reproducibility, agreement, and safety of Tono-Pen tip cover for intraocular measurement using latex and polyethylene wrap. <i>PLoS ONE</i> , 2020, 15, e0239875.   | 1.1 | 1         |
| 36039 | Measurement Agreement Between Samozino's Method and Force Plate Force-Velocity Profiles During Barbell and Hexbar Countermovement Jumps. <i>Journal of Strength and Conditioning Research</i> , 2021, Publish Ahead of Print, .  | 1.0 | 2         |
| 36040 | Evaluation of five widely used serologic assays for antibodies to SARS-CoV-2. <i>Diagnostic Microbiology and Infectious Disease</i> , 2022, 102, 115587.   | 0.8 | 6         |
| 36041 | Worldwide trends in the burden of asthma symptoms in school-aged children: Global Asthma Network Phase I cross-sectional study. <i>Lancet, The</i> , 2021, 398, 1569-1580.   | 6.3 | 169       |
| 36042 | Are attention and cognitive control altered by fMRI scanner environment? Evidence from Go/No-go tasks in ADHD. <i>Brain Imaging and Behavior</i> , 2022, 16, 1003-1013.  | 1.1 | 5         |
| 36043 | Continuous glucose monitoring in extremely preterm infants in intensive care: the REACT RCT and pilot study of closed-loop technology. <i>Efficacy and Mechanism Evaluation</i> , 2021, 8, 1-142.  | 0.9 | 1         |
| 36044 | Comparison of Dual-Energy X-ray Absorptiometry and Bioelectrical Impedance Analysis in the Assessment of Body Composition in Women with Anorexia Nervosa upon Admission and Discharge from an Inpatient Specialist Unit. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11388. | 1.2 | 8         |
| 36045 | Accurate measurement of coronary artery calcium in cancer patients using the CT component of PET/CT scans. <i>Nuclear Medicine Communications</i> , 2022, 43, 159-165.   | 0.5 | 2         |
| 36046 | Standardizing SPECT/CT dosimetry following radioembolization with yttrium-90 microspheres. <i>EJNMMI Physics</i> , 2021, 8, 71.  | 1.3 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36047 | Patient-reported outcome measures in systemic lupus erythematosus by a web-based application: A randomized, crossover, agreement study. <i>Lupus</i> , 2021, 30, 2124-2134.   | 0.8 | 3         |
| 36048 | Reliability and agreement in technical and artistic scores during real-time judging in two European acrobatic gymnastic events. <i>International Journal of Performance Analysis in Sport</i> , 2022, 22, 132-148.          | 0.5 | 0         |
| 36049 | Macular Structureâ€™Function Relationships of All Retinal Layers in Primary Open-Angle Glaucoma Assessed by Microperimetry and 8 Å— 8 Posterior Pole Analysis of OCT. <i>Journal of Clinical Medicine</i> , 2021, 10, 5009. | 1.0 | 3         |
| 36050 | Evaluation of novel glomerular filtration rate estimation equations in adolescents and young adults with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2021, 36, 108081.                              | 1.2 | 5         |
| 36051 | Luminance Thresholds and Their Correlation With Retinal Structure in X-Linked Retinoschisis. , 2021, 62, 25.  |     | 3         |
| 36052 | Does Pelvic Orientation Influence Wear Measurement of the Acetabular Cup in Total Hip Arthroplastyâ€™An Experimental Study. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 10014.  | 1.3 | 2         |
| 36053 | Performance and Deployment of Low-Cost Particle Sensor Units to Monitor Biomass Burning Events and Their Application in an Educational Initiative. <i>Sensors</i> , 2021, 21, 7206.   | 2.1 | 3         |
| 36054 | Patients With Cirrhosis Have Elevated Bone Turnover but Normal Hepatic Production of Osteoprotegerin. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e980-e995.                                       | 1.8 | 4         |
| 36055 | Cross-cultural translation, validity, and reliability of The Turkish version of the back-pain attitudes questionnaire. <i>Musculoskeletal Science and Practice</i> , 2021, 57, 102472.                                      | 0.6 | 1         |
| 36056 | Translation and Validation of the Dizziness Handicap Inventory into Thai Language. <i>Otology and Neurotology</i> , 2022, 43, e252-e258.  | 0.7 | 3         |
| 36057 | Superiority of Multiple-Joint Space Width over Minimum-Joint Space Width Approach in the Machine Learning for Radiographic Severity and Knee Osteoarthritis Progression. <i>Biology</i> , 2021, 10, 1107.                   | 1.3 | 20        |
| 36058 | Magnetic Resonance Assessment of Ejection Fraction Versus Echocardiography for Cardioverter-Defibrillator Implantation Eligibility. <i>Biology</i> , 2021, 10, 1108.  | 1.3 | 0         |
| 36059 | Comparison of Ultrasound Descriptors of Abnormally Invasive Placenta (AIP) over the Course of the Second and Third Trimesterâ€™Is an Increase Verifiable?. <i>Journal of Clinical Medicine</i> , 2021, 10, 4960.            | 1.0 | 2         |
| 36061 | Analytical Performance Assessment of the Prothrombin Time and Activated Partial Thromboplastin Time Tests by Roche Cobas t511 Coagulation Analyzer. <i>Indian Journal of Medical Biochemistry</i> , 2021, 25, 71-75.        | 0.1 | 0         |
| 36062 | Automated Mouse Pupil Size Measurement System to Assess Locus Coeruleus Activity with a Deep Learning-Based Approach. <i>Sensors</i> , 2021, 21, 7106.  | 2.1 | 2         |
| 36063 | Test-retest Reliability of the Korean Matrix Sentence-in-noise Recognition in Sound-field Testing Condition. <i>Audiology and Speech Research</i> , 2021, 17, 344-351.  | 0.1 | 1         |
| 36064 | Proposal of a New Specific Test to Assess the Aerobic Performance in Judo. <i>Research Quarterly for Exercise and Sport</i> , 2021, , 1-7.  | 0.8 | 0         |
| 36065 | Detecting change in community participation with the Enfranchisement scale of the community participation indicators. <i>Clinical Rehabilitation</i> , 2021, , 026921552110521.   | 1.0 | 3         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36066 | Artificial Intelligence for Prediction of Donor Liver Allograft Steatosis and Early Post-Transplantation Graft Failure. <i>Hpb</i> , 2021, , .   | 0.1 | 7         |
| 36067 | Machine learningâ€‘augmented objective functional testing in the degenerative spine: quantifying impairment using patient-specific five-repetition sit-to-stand assessment. <i>Neurosurgical Focus</i> , 2021, 51, E8.         | 1.0 | 1         |
| 36068 | Validation of the Lusaka Formula: A Novel Formula for Weight Estimation in Children Presenting for Surgery in Zambia. <i>Anesthesia and Analgesia</i> , 2022, 134, 171-177.  | 1.1 | 0         |
| 36069 | Validation and accuracy evaluation of automatic segmentation for knee joint pre-planning. <i>Knee</i> , 2021, 33, 275-281.   | 0.8 | 5         |
| 36070 | Validity and Reliability of a Standardized Protocol for Assessing the One Repetition Maximum Performance During Overhead Pressing Exercises. <i>Journal of Strength and Conditioning Research</i> , 2021, 35, 2988-2992.       | 1.0 | 4         |
| 36072 | Feature-tracking-based strain analysis â€‘ a comparison of tracking algorithms. <i>Polish Journal of Radiology</i> , 2020, 85, 97-103.   | 0.5 | 1         |
| 36073 | Comparison of invasive dynamic blood pressure between superior mesenteric artery and common carotid artery in rats. <i>World Journal of Emergency Medicine</i> , 2020, 11, 102.  | 0.5 | 2         |
| 36074 | Structural Methods in Gray Matter. , 2020, , 3-26.   |     | 0         |
| 36075 | Differentiable Deconvolution for Improved Stroke Perfusion Analysis. <i>Lecture Notes in Computer Science</i> , 2020, , 593-602.   | 1.0 | 2         |
| 36076 | EMG-pants in Sports: Concept Validation of Textile-integrated EMG Measurements. , 2020, , .  |     | 2         |
| 36078 | Comparison of methods to determine the lactate threshold during leg press exercise in long-distance runners. <i>Motriz Revista De Educacao Fisica</i> , 2020, 26, .  | 0.3 | 0         |
| 36079 | Equation for analyzing the peak power in aquatic environment: An alternative for olympic rowing athletes. <i>PLoS ONE</i> , 2020, 15, e0243157.  | 1.1 | 8         |
| 36080 | Electronic based reported anthropometryâ€‘A useful tool for interim monitoring of obesity prevalence in developing states. <i>PLoS ONE</i> , 2020, 15, e0243202.   | 1.1 | 1         |
| 36081 | The interâ€‘and intrarater reliability and feasibility of dietetic assessment of sarcopenia and frailty in potential liver transplant recipients: A mixedâ€‘methods study. <i>Clinical Transplantation</i> , 2021, 35, e14185. | 0.8 | 2         |
| 36082 | Stability of eosinophilic inflammation in COPD bronchial biopsies. <i>European Respiratory Journal</i> , 2020, 56, 2004167.  | 3.1 | 4         |
| 36083 | Hip internal and external rotation range of motion reliability in youth baseball players. <i>Journal of Sports Medicine and Physical Fitness</i> , 2020, 61, 75-79.  | 0.4 | 2         |
| 36084 | Validity, reliability and usefulness of smartphone and kinovea motion analysis software for direct measurement of vertical jump height. <i>Physiology and Behavior</i> , 2020, 227, 113144.                                    | 1.0 | 23        |
| 36085 | Comparison of four methods to measure haemoglobin concentrations in whole blood donors (<sc>COMPARE</sc>): A diagnostic accuracy study. <i>Transfusion Medicine</i> , 2021, 31, 94-103.  | 0.5 | 13        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36086 | Assessment of the maxilla-mandible-masion angle in normal and aneuploid foetuses in the first trimester of pregnancy. <i>Journal of Clinical Ultrasound</i> , 2021, 49, 110-116.  | 0.4 | 1         |
| 36087 | Novel gel bolus to improve impedance-based measurements of esophageal cross-sectional area during primary peristalsis. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14071.  | 1.6 | 2         |
| 36088 | Scandleft trial of primary surgery for unilateral cleft lip and palate: Craniofacial cephalometrics at 8 years. <i>European Journal of Orthodontics</i> , 2021, 43, 374-380.  | 1.1 | 3         |
| 36089 | Accuracy of Current Non-invasive Methods in Estimating Aortic Coarctation Gradients. <i>Asian Journal of Pediatric Research</i> , 0, , 47-57.   | 0.0 | 0         |
| 36090 | Evaluation of a novel metric for personalized opioid prescribing after hospitalization. <i>PLoS ONE</i> , 2020, 15, e0244735.   | 1.1 | 2         |
| 36091 | End-tidal CO <sub>2</sub> and transcutaneous CO <sub>2</sub> : Are we ready to replace arterial CO <sub>2</sub> in awake children?. <i>Pediatric Pulmonology</i> , 2021, 56, 486-494.   | 1.0 | 7         |
| 36092 | Inter- and Intra-Day Comparisons of Smartphone-Derived Heart Rate Variability across Resistance Training Overload and Taper Microcycles. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 177.  | 1.2 | 1         |
| 36094 | Comparing the Visual Analog Scale and the Numerical Rating Scale in Patient-reported Outcomes in Psoriatic Arthritis. <i>Journal of Rheumatology</i> , 2021, 48, 836-840.   | 1.0 | 5         |
| 36095 | Concordance analysis between dosed serum bicarbonate and that calculated by gas analysis in chronic renal patients. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2020, 42, 478-481.                          | 0.4 | 2         |
| 36096 | Providing Comprehensive Dietary Fatty Acid Profiling from Saturates to Polyunsaturates with the Malaysia Lipid Study-Food Frequency Questionnaire: Validation Using the Triads Approach. <i>Nutrients</i> , 2021, 13, 120.  | 1.7 | 4         |
| 36097 | Comment on: Corneal Epithelial Thickness Measured Using AS-OCT as a Diagnostic Parameter for Limbal Stem Cell Deficiency. <i>American Journal of Ophthalmology</i> , 2020, 220, 218.  | 1.7 | 0         |
| 36098 | Principal Component Analysis of the Modified Clinical Test Of sensory Interaction in Healthy Adult Humans. <i>WSEAS Transactions on Biology and Biomedicine</i> , 2020, 17, 125-142.  | 0.3 | 3         |
| 36099 | Quality assurance in anti-tuberculosis drug procurement by the Stop TB Partnership's Global Drug Facility: Procedures, costs, time requirements, and comparison of assay and dissolution results by manufacturers and by external analysis. <i>PLoS ONE</i> , 2020, 15, e0243428. | 1.1 | 4         |
| 36100 | Concordância na velocidade da marcha de mulheres diabéticas tipo 2 em diferentes testes de caminhada. <i>Revista Brasileira De Atividade Física E Saúde</i> , 0, 25, 1-8.   | 0.1 | 0         |
| 36102 | Comparison of Advanced Threshold and SITA Fast Perimetric Strategies. <i>Journal of Ophthalmology</i> , 2020, 2020, 1-16.   | 0.6 | 3         |
| 36104 | Corneal thickness evaluation in healthy eyes: Comparison between two different Scheimpflug devices. <i>PLoS ONE</i> , 2020, 15, e0243370.   | 1.1 | 6         |
| 36105 | Equivalency of Sleep Estimates: Comparison of Three Research-Grade Accelerometers. <i>Journal for the Measurement of Physical Behaviour</i> , 2020, 3, 294-303.   | 0.5 | 13        |
| 36106 | Heart rate deflection point as a non-invasive method to determine the anaerobic threshold in trained elderly women in the aquatic environment. <i>Revista Brasileira De Fisiologia Do Exercício</i> , 2020, 19, 468.  | 0.0 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36107 | Relative Validity of a Semi-Quantitative Food Frequency Questionnaire for Adolescents. Portuguese Journal of Public Health, 2020, 38, 71-80.   | 1.7 | 2         |
| 36108 | Integrative Perinatal Management Enhanced the Advantage of Prenatal Diagnosis on Critical Pulmonary Valve Stenosis: An Observational Preliminary Study. Frontiers in Pediatrics, 2020, 8, 572238.  | 0.9 | 0         |
| 36109 | VALIDITY AND RELIABILITY OF VIDEO-BASED ANALYSIS OF UPPER TRUNK ROTATION DURING RUNNING. International Journal of Sports Physical Therapy, 2020, 15, 910-919.  | 0.5 | 3         |
| 36110 | A Tutorial of Bland Altman Analysis in A Bayesian Framework. Measurement in Physical Education and Exercise Science, 2021, 25, 137-148.  | 1.3 | 4         |
| 36111 | Approach for semi-automated measurement of fiber diameter in murine and canine skeletal muscle. PLoS ONE, 2020, 15, e0243163.  | 1.1 | 10        |
| 36112 | Incorporating Exposure Measurement Data from Similar Exposure Scenarios to Inform Exposure Modeling Estimates: A Demonstration Using Cluster Analysis and Bayesian Modeling. Annals of Work Exposures and Health, 2021, 65, 96-112.                | 0.6 | 3         |
| 36113 | Measuring ocular torsion and its variations using different nonmydriatic fundus photographic methods. PLoS ONE, 2020, 15, e0244230.  | 1.1 | 8         |
| 36114 | Quantifying the Degree of Bruise Visibility Observed Under White Light and an Alternate Light Source. Journal of Forensic Nursing, 2021, 17, 24-33.  | 0.2 | 5         |
| 36115 | Stability of eosinophilic inflammation in COPD bronchial biopsies. European Respiratory Journal, 2020, 56, 2003802.  | 3.1 | 1         |
| 36116 | A carbon monoxide "single breath" method to measure total haemoglobin mass: a feasibility study. Experimental Physiology, 2021, 106, 567-575.  | 0.9 | 3         |
| 36117 | Concurrent validity, inter-unit reliability and biological variability of a low-cost pocket radar for ball velocity measurement in soccer and tennis. Journal of Sports Sciences, 2021, 39, 1312-1319.   | 1.0 | 6         |
| 36118 | Full liberation of 2-Aminopurine with nucleases digestion for highly sensitive biosensing. Biosensors and Bioelectronics, 2022, 196, 113721.   | 5.3 | 4         |
| 36119 | Which is the most reliable edge depth to measure maximum hanging time in sport climbers?. Gait and Posture, 2022, 91, 59-65.   | 0.6 | 2         |
| 36120 | Free-breathing 3D stack-of-radial MRI quantification of liver fat and R2* in adults with fatty liver disease. Magnetic Resonance Imaging, 2022, 85, 141-152.   | 1.0 | 7         |
| 36121 | Fetal heart rate estimation by non-invasive single abdominal electrocardiography in real clinical conditions. Biomedical Signal Processing and Control, 2022, 71, 103187.  | 3.5 | 11        |
| 36122 | Diurnal and nocturnal aerosol properties by AERONET sun-sky-lunar photometer measurements along four years. Atmospheric Research, 2022, 265, 105889.   | 1.8 | 8         |
| 36123 | A validation study of a continuous automatic measurement of the mechanical power in ARDS patients. Journal of Critical Care, 2022, 67, 21-25.  | 1.0 | 4         |
| 36124 | Study of reliability and concordance between two VDRL tests for syphilis investigation in patients with HIV followed-up at a university hospital in Rio de Janeiro in 2017-2019. Jornal Brasileiro De DoenÇas Sexualmente Transmissíveis, 0, 32, . | 0.1 | 0         |

| #     | ARTICLE   | IF   | CITATIONS |
|-------|---|------|-----------|
| 36125 | Comparison of hemagglutination and solid phase titration methods for determination of critical prenatal antibody titers. <i>Immunohematology</i> , 1997, 13, 84-89.   | 0.2  | 1         |
| 36127 | Health-related quality of life in women with endometriosis: psychometric validation of the Endometriosis Health Profile 30 questionnaire using confirmatory factor analysis. <i>Human Reproduction Open</i> , 2022, 2022, hoab042.      | 2.3  | 6         |
| 36128 | Assessment of the accommodative facility training with flippers between sessions. , 2019, , .   |      | 0         |
| 36130 | Development of equations for converting random-zero to automated oscillometric blood pressure values. <i>Wellcome Open Research</i> , 0, 4, 146.  | 0.9  | 0         |
| 36131 | Quantitative Virtual Histology for In Vivo Evaluation of Human Atherosclerosisâ€™A Plaque Biomechanics-Based Novel Image Analysis Algorithm: Validation and Applications to Atherosclerosis Research. , 2020, , 71-96.                  |      | 2         |
| 36132 | Comparison of One- and Two-Region of Interest Strain Elastography Measurements in the Differential Diagnosis of Breast Masses. <i>Korean Journal of Radiology</i> , 2020, 21, 431.  | 1.5  | 2         |
| 36134 | Simplifying tumor volume estimation from linear dimensions for intra-cranial lesions treated with stereotactic radiosurgery. <i>Journal of Medical Physics</i> , 2020, 45, 199.   | 0.1  | 5         |
| 36135 | Development and validation of a food frequency questionnaire for assessing nutrient intake during childhood in Jordan. <i>Nutricion Hospitalaria</i> , 2020, 37, 1095-1106.   | 0.2  | 3         |
| 36136 | Scanner en charge en pathologie de la cheville et du pied. , 2020, , 3-12.  |      | 0         |
| 36137 | Validation of a Method to Estimate Stroke Volume from Brachial-cuff Derived Pressure Waveforms. <i>Artery Research</i> , 2020, 26, 42-47.   | 0.3  | 2         |
| 36138 | Preprocedural Ultrasound Estimates of Epidural Depth: Transverse Median Plane is Comparable to Paramedian Sagittal Oblique Plane in Non-Pregnant Patients. <i>Turkish Journal of Anaesthesiology and Reanimation</i> , 2020, 48, 31-37. | 0.2  | 3         |
| 36139 | Determination of Moisture in Olive Oil: Rapid FT-NIR Spectroscopic Procedure Based on the Karl-Fischer Reference Method. <i>Journal of Oleo Science</i> , 2020, 69, 1373-1380.  | 0.6  | 6         |
| 36140 | Intra-rater and Inter-rater Reliability of a Precordial Flexibility Test. <i>Rigakuryoho Kagaku</i> , 2020, 35, 403-407.  | 0.0  | 0         |
| 36141 | Reproducibility of Imaging and Interpretation. , 2020, , 91-92.   |      | 0         |
| 36142 | Development and validation of the persian version of the MNREAD acuity chart. <i>Journal of Current Ophthalmology</i> , 2020, 32, 274.  | 0.3  | 4         |
| 36143 | Tek Bir Seansta Zirve Oksijen KullanÄ±m DÄ¼zeyini Veren En YÄ¼ksek GÄ¼ÅŠ Ä±ktÄ±sÄ±nÄ± Tahmin Etmenin Basit Bir YÄ¼ntemi. <i>Spor Bilimleri Dergisi Hacettepe Äœniversitesi</i> , 0, , 168-176.  | 0.3  | 1         |
| 36144 | Leistungssteuerung. , 2020, , 67-186.   |      | 0         |
| 36145 | Artificial Intelligence Based Blood Pressure Estimation From Auscultatory and Oscillometric Waveforms: A Methodological Review. <i>IEEE Reviews in Biomedical Engineering</i> , 2022, 15, 152-168.                                      | 13.1 | 16        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36147 | Comparison of single-channel EEG, actigraphy, and sleep diary in cognitively normal and mildly impaired older adults. <i>SLEEP Advances</i> , 2020, 1, zpa006.  | 0.1 | 8         |
| 36148 | Reliability and Validity of the Osteoarthritis Research Society International Minimal Core Set of Recommended Performance-Based Tests of Physical Function in Knee Osteoarthritis in Community-Dwelling Adults. <i>The Malaysian Journal of Medical Sciences</i> , 2020, 27, 77-89. | 0.3 | 3         |
| 36150 | Stap 5: wat is de klinimetriche kwaliteit van meetinstrumenten?. , 2020, , 49-81.   |     | 1         |
| 36154 | On Statistical Measures for Data Quality Evaluation. <i>Journal of Geographic Information System</i> , 2020, 12, 178-187.   | 0.3 | 10        |
| 36155 | Voice jitter estimation using high-order synchrosqueezing operators. <i>IEEE/ACM Transactions on Audio Speech and Language Processing</i> , 2020, , 1-1.  | 4.0 | 6         |
| 36156 | Pulse Wave Velocity Comparing Estimated and Direct Measures of Path Length in Older Women. <i>Artery Research</i> , 2020, 26, 236-241.  | 0.3 | 1         |
| 36157 | Graded and ramp protocols present similar results in apparently healthy subjects. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 0, 22, .   | 0.5 | 1         |
| 36161 | Tipik geliÅim gÅrsteren Åocuklarda dÅrt kare adÅ±m testinin geÅserilik ve gÅ¼venilirliÅi. <i>Turkish Journal of Physiotherapy and Rehabilitation</i> , 0, .   | 0.5 | 2         |
| 36163 | Thorpe tube and oxygen flow restrictor: whatâ€™s flow accuracy?. <i>Journal of Clinical Monitoring and Computing</i> , 2021, 35, 337-341.   | 0.7 | 0         |
| 36165 | Evaluation of satellite-based aerosol datasets and the CAMS reanalysis over the ocean utilizing shipborne reference observations. <i>Atmospheric Measurement Techniques</i> , 2020, 13, 1387-1412.  | 1.2 | 7         |
| 36166 | Validation of a Spanish version of the Leicester Cough Questionnaire in cystic fibrosis. <i>Chronic Respiratory Disease</i> , 2021, 18, 147997312110369.  | 1.0 | 1         |
| 36167 | Point-of-Care Glucose and Lipid Profile Measures Using a Human Point-of-Care Device in Mouse Models of Type 2 Diabetes Mellitus, Aging, and Alzheimer Disease. <i>Journal of the American Association for Laboratory Animal Science</i> , 2021, 60, 609-615.                        | 0.6 | 0         |
| 36168 | Comparison of a New, Filter-Free Stereopsis Test (BEST) With the Randot Stereotest in a Pediatric Cohort. <i>Journal of Pediatric Ophthalmology and Strabismus</i> , 2020, 57, 129-135.   | 0.3 | 2         |
| 36169 | Prediction of body fat in male athletes from ultrasound and anthropometric measurements versus DXA. <i>Journal of Sports Medicine and Physical Fitness</i> , 2020, 60, 251-256.   | 0.4 | 4         |
| 36170 | Variation between pragmatic and standardised blood pressure measurements in a Nigerian primary care clinic. <i>South African Family Practice: Official Journal of the South African Academy of Family Practice/Primary Care</i> , 2020, 62, e1-e11.                                 | 0.2 | 0         |
| 36173 | Patient-specific three-dimensional aortic arch modeling for automatic measurements: clinical validation in aortic coarctation. <i>Journal of Cardiovascular Medicine</i> , 2020, 21, 517-528.   | 0.6 | 1         |
| 36174 | Possible impacts of climate change on fog in the Arctic and subpolar North Atlantic. <i>Advances in Statistical Climatology, Meteorology and Oceanography</i> , 2020, 6, 31-43.   | 0.6 | 3         |
| 36175 | Real-world Independent Testing of e-ASPECTS Software (RITeS): statistical analysis plan. <i>AMRC Open Research</i> , 0, 2, 20.  | 1.7 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36177 | Predictive Equations Based on Body Composition for Resting Energy Expenditure Estimation in Adults with Obesity. <i>Current Diabetes Reviews</i> , 2020, 16, 381-386.   | 0.6 | 1         |
| 36178 | Noninvasive cardiac output measurement is inaccurate in patients with severe aortic valve stenosis undergoing transcatheter aortic valve implantation. <i>Korean Journal of Anesthesiology</i> , 2021, , .                            | 0.9 | 1         |
| 36179 | Evaluation of an ultrasound bladder scanner in supine and standing position. <i>Journal of Applied Clinical Medical Physics</i> , 2021, 22, 194-202.  | 0.8 | 3         |
| 36180 | The Influence of Sonographer Experience on Skeletal Muscle Image Acquisition and Analysis. <i>Journal of Functional Morphology and Kinesiology</i> , 2021, 6, 91.   | 1.1 | 12        |
| 36181 | Accuracy of stroke volume measurement with phase-contrast cardiovascular magnetic resonance in patients with aortic stenosis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 124.                                    | 1.6 | 2         |
| 36182 | Effects of Etco 2 on the Minimum Alveolar Concentration of Sevoflurane that Blunts the Adrenergic Response to Surgical Incision: A Prospective, Randomized, Double-Blinded Trial. <i>Anesthesia and Analgesia</i> , 2022, 135, 62-70. | 1.1 | 3         |
| 36183 | Reliability and Validity of Adapted Russian Version of Hospital for Special Surgery Lumbar Spine Surgery Expectations Survey. <i>HSS Journal</i> , 2022, 18, 351-357.   | 0.7 | 2         |
| 36184 | Evaluation of a contactless neonatal physiological monitor in Nairobi, Kenya. <i>Archives of Disease in Childhood</i> , 2022, 107, 558-564.   | 1.0 | 1         |
| 36185 | Accuracy of vital parameters measured by a wearable patch following major abdominal cancer surgery. <i>European Journal of Surgical Oncology</i> , 2022, 48, 917-923.   | 0.5 | 7         |
| 36186 | Laser triangulation as a fast and reliable method for determining ribbon solid fraction; focus on accuracy, precision, and measurement time. <i>International Journal of Pharmaceutics</i> , 2021, 610, 121241.                       | 2.6 | 2         |
| 36187 | A novel method to measure margin reflex distance using the autorefractometer. <i>International Ophthalmology</i> , 2022, 42, 1241-1247.   | 0.6 | 4         |
| 36188 | Quantifying Cereal Productivity on Sandy Soil in Response to Some Soil-Improving Cropping Systems. <i>Land</i> , 2021, 10, 1199.  | 1.2 | 5         |
| 36189 | Improving Acetabular Component Positioning in Total Hip Arthroplasty: A Cadaveric Study of an Inertial Navigation Tool and a Novel Registration Method. <i>HSS Journal</i> , 2022, 18, 358-367.                                       | 0.7 | 4         |
| 36190 | The Influence of Critical Shoulder Angle in Secondary Rotator Cuff Failure After Shoulder Replacement: An Age- and Sex-Matched Case-Control Study. <i>Cureus</i> , 2021, 13, e19277.  | 0.2 | 0         |
| 36191 | Automated assessment of Ki67 proliferation index in neuroendocrine tumors by deep learning. <i>Apmis</i> , 2022, 130, 11-20.  | 0.9 | 9         |
| 36192 | Assessing patent ductus arteriosus in preterm infants from standard neonatal intensive care monitoring. <i>European Journal of Pediatrics</i> , 2021, , 1.  | 1.3 | 1         |
| 36193 | Intra-individual variation of upper airway measurements based on computed tomography. <i>PLoS ONE</i> , 2021, 16, e0259739.   | 1.1 | 2         |
| 36194 | A Pre-Release Algorithm With a Confidence Map for Estimating the Attenuation Coefficient for Liver Fat Quantification. <i>Journal of Ultrasound in Medicine</i> , 2022, 41, 1939-1948.  | 0.8 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36195 | Point-of-care haemoglobin measurement in pooled capillary blood by a portable autoanalyser: comparison with venous blood haemoglobin measured by reference methods in cross-sectional and longitudinal studies. <i>British Journal of Nutrition</i> , 2021, , 1-27.                                | 1.2 | 7         |
| 36196 | Can we improve our assessment and interpretation of oscillometric blood pressure measurements?. <i>Research in Veterinary Science</i> , 2021, 142, 12-14.  | 0.9 | 0         |
| 36197 | Validity of a novel respiratory rate monitor comprising stretchable strain sensors during a 6-min walking test in patients with chronic pulmonary obstructive disease. <i>Respiratory Medicine</i> , 2021, 190, 106675.  | 1.3 | 0         |
| 36198 | Anaerobic Threshold in Stand-up Paddle: Comparison Between Direct and Alternative Methods. <i>Journal of Strength and Conditioning Research</i> , 2022, 36, 1896-1900.   | 1.0 | 2         |
| 36199 | Comparison of the Snellen and Spectrum LogMAR visual acuity charts in schoolgoing children. <i>African Vision and Eye Health</i> , 2020, 79, .   | 0.1 | 0         |
| 36200 | A Comparison of Incremental Running Field and Treadmill Tests in Young Soccer Players. <i>Journal of Human Kinetics</i> , 2020, 73, 193-201.   | 0.7 | 1         |
| 36202 | Legendre Polynomials: A Fully Automatic Method for Noise Reduction in <sup>99m</sup> Tc-Mercaptoacetyltriglycine Renogram Analysis. <i>Journal of Nuclear Medicine Technology</i> , 2020, 48, 346-353.   | 0.4 | 1         |
| 36204 | Reference ranges for the fetal mitral, tricuspid, and interventricular septum annular plane systolic excursions (mitral annular plane systolic excursion, tricuspid annular plane systolic excursion, and) Tj ETQq1 1 0.784314 rgBT <sub>g</sub> /Overlo<br>Perinatal Medicine. 2020, 48, 601-608. | 0.6 | 0         |
| 36206 | Integral Velocidade-Tempo da Insufici ncia A rtica: Um Novo Marcador Ecocardiogr fico na Avalia o da Gravidade da Insufici ncia A rtica. <i>Arquivos Brasileiros De Cardiologia</i> , 2020, 115, 253-260.  | 0.3 | 1         |
| 36207 | The Relationship between Knee Extension Strength and Activities of Daily Living in Patients with Dementia. , 0, , 244-256.   |     | 0         |
| 36208 | An Intelligent Algorithm for Home Sleep Apnea Test Device. <i>Advances in Bioinformatics and Biomedical Engineering Book Series</i> , 0, , 226-240.  | 0.2 | 0         |
| 36211 | Estimated height from knee-height in Caucasian elderly: Implications on nutritional status by mini nutritional assessment. <i>Journal of Nutrition, Health and Aging</i> , 0, , .  | 1.5 | 0         |
| 36212 | Validation of nutrient intake estimates derived using a semi-quantitative FFQ against 3 day diet records in the Baltimore Longitudinal Study of Aging. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 994-1002.   | 1.5 | 10        |
| 36214 | Quantitative and qualitative assessment of left ventricular volume with ECG-gated multislice spiral CT: value of different image reconstruction algorithms in comparison to MRI. <i>Acta Radiologica</i> , 2003, 44, 604-11.   | 0.5 | 33        |
| 36216 | Predictive Models in Multimodal Imaging. , 2007, , 127-149.  |     | 0         |
| 36219 | Aging without Dementia. , 2006, , 127-140.   |     | 0         |
| 36221 | Sunitinib-associated Pancreatic Atrophy in Patients with Gastrointestinal Stromal Tumor: A Toxicity with Prognostic Implications Detected at Imaging. <i>Radiology</i> , 0, , 152547.  | 3.6 | 0         |
| 36222 | Acute Stroke: Automatic Perfusion Lesion Outlining Using Level Sets. <i>Radiology</i> , 2013, 269, 404-412.  | 3.6 | 3         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36223 | Intra- and Interobserver Variability in CT Measurements in Oncology. <i>Radiology</i> , 2013, 269, 451-459.  | 3.6 | 50        |
| 36225 | Measurement of Myocardial Extracellular Volume Fraction by Using Equilibrium Contrast-enhanced CT: Validation against Histologic Findings. <i>Radiology</i> , 2013, 269, 396-403.  | 3.6 | 63        |
| 36226 | Validating Quantitative Diagnostic Tests. , 2009, , 423-431.   |     | 0         |
| 36227 | Assessment of Medical Devices. , 2002, , 244-254.  |     | 0         |
| 36228 | Nouvelles techniques de mesure du débit cardiaque: Doppler Å“sophagien, principe de Fick appliquÃ© au CO2, analyse de Å¼onde de pouls, et bio-impÃ©dance thoracique. , 2006, , 171-184.  |     | 0         |
| 36229 | Development and Validation of an Automated Method to Detect Gait Events Using Acceleration and Angular Rate (P216). , 2009, , 359-366.   |     | 1         |
| 36230 | International sensitivity index calibration of the near-patient testing prothrombin time monitor, ProTime. <i>American Journal of Clinical Pathology</i> , 2003, 119, 241-5.   | 0.4 | 6         |
| 36231 | Two-hour post-dose cyclosporine monitoring does not fit all in kidney transplantation. <i>Therapy: Open Access in Clinical Medicine</i> , 2005, 2, 95-105.   | 0.2 | 1         |
| 36232 | Herzzeitvolumen (HZV) und abgeleitete GrÃ¶ÃŸen. , 0, , 113-131.  |     | 0         |
| 36237 | Effect of peripheral vasoconstriction on the beat-to-beat measurement of finger blood pressure. , 0, , .   |     | 2         |
| 36238 | Reliability and Criterion-Related Validity of the activPALÃ„ Accelerometer When Measuring Physical Activity and Sedentary Behavior in Adults With Lower Limb Absence. <i>Journal for the Measurement of Physical Behaviour</i> , 2020, 3, 244-252. | 0.5 | 3         |
| 36239 | Application of a Partial Least Squares Regression Algorithm for Posterior Chamber Phakic Intraocular Lens Sizing and Postoperative Vault Prediction. <i>Journal of Refractive Surgery</i> , 2020, 36, 606-612.                                     | 1.1 | 9         |
| 36240 | Assessment of the reliability of a non-invasive elbow valgus laxity measurement device. <i>Journal of Experimental Orthopaedics</i> , 2020, 7, 74.   | 0.8 | 1         |
| 36244 | Estimated glomerular filtration rate in children: adapting existing equations for a specific population. <i>Pediatric Nephrology</i> , 2021, 36, 669-683.  | 0.9 | 2         |
| 36245 | Investigation of the unfused cross cylinder test as an alternative method for the determination of spherical distance refraction end points. <i>African Vision and Eye Health</i> , 2020, 79, .  | 0.1 | 0         |
| 36249 | Validity of Heart Rate-Based Models for Estimating Oxygen Uptake During Tennis Play. <i>Journal of Strength and Conditioning Research</i> , 2020, 34, 3208-3216.   | 1.0 | 1         |
| 36250 | Agreement Between the OptoGait and Instrumented Treadmill System for the Quantification of Spatiotemporal Treadmill Running Parameters. <i>Frontiers in Sports and Active Living</i> , 2020, 2, 571385.  | 0.9 | 10        |
| 36251 | A Contact-less Heartbeat Monitoring System for In-Vehicle RRI Measurement. <i>IEEJ Transactions on Sensors and Micromachines</i> , 2020, 140, 256-264.   | 0.0 | 0         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36252 | A novel injection technique: using a field-based quantum cascade laser for the analysis of gas samples derived from static chambers. <i>Atmospheric Measurement Techniques</i> , 2020, 13, 5763-5777.   | 1.2 | 0         |
| 36253 | Craniometric parameters for the evaluation of platybasia and basilar invagination on magnetic resonance imaging: a reproducibility study. <i>Radiologia Brasileira</i> , 2020, 53, 314-319.   | 0.3 | 2         |
| 36255 | Mandibular shape prediction using cephalometric analysis: applications in craniofacial analysis, forensic anthropology and archaeological reconstruction. <i>Maxillofacial Plastic and Reconstructive Surgery</i> , 2020, 42, 37.                                 | 0.7 | 4         |
| 36256 | Quantitative evaluation of posterior tibial dislocation using Ultrasonography. <i>Journal of Allied Health Sciences</i> , 2020, 11, 93-99.  | 0.0 | 0         |
| 36257 | Validity and reliability of smartphone inclinometer applications for measurement of elbow range of motion in paediatric patients. <i>Journal of Children's Orthopaedics</i> , 2020, 14, 488-494.  | 0.4 | 9         |
| 36258 | Accuracy of Nutrient Calculations Using the Consumer-Focused Online App MyFitnessPal: Validation Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e18237.   | 2.1 | 26        |
| 36259 | Patellotrochlea Index in Normal Healthy Knees. <i>Journal of Knee Surgery</i> , 2020, , .   | 0.9 | 1         |
| 36260 | Characterization of posterior corneal astigmatism in a population with keratoconus. <i>Seminars in Ophthalmology</i> , 2020, 35, 352-357.   | 0.8 | 0         |
| 36261 | Intraobserver Reliability and Construct Validity of the Squat Test in Children With Cerebral Palsy. <i>Pediatric Physical Therapy</i> , 2020, 32, 399-403.  | 0.3 | 2         |
| 36263 | Robotic-assisted Unicompartmental knee Arthroplasty optimizes joint line restitution better than conventional surgery. <i>Journal of Experimental Orthopaedics</i> , 2020, 7, 94.   | 0.8 | 10        |
| 36264 | A quantitative CT parameter for the assessment of pulmonary oedema in patients with acute respiratory distress syndrome. <i>PLoS ONE</i> , 2020, 15, e0241590.  | 1.1 | 4         |
| 36265 | Validity of bioelectrical impedance to estimate fat-free mass in boys with Duchenne muscular dystrophy. <i>PLoS ONE</i> , 2020, 15, e0241722.   | 1.1 | 6         |
| 36266 | Investigating the effect of recall period on estimates of inpatient out-of-pocket expenditure from household surveys in Vietnam. <i>PLoS ONE</i> , 2020, 15, e0242734.  | 1.1 | 2         |
| 36268 | Soft Tissue Radiological Knee (SToRK) Index: An observational cohort study to produce an index that quantifies the magnitude of soft tissue around the knee using standard radiographs. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2020, 11, S909-S915. | 0.6 | 0         |
| 36269 | Construct Validity and Reliability of the Japanese Version of the Lumbar Stiffness Disability Index. <i>Spine</i> , 2021, 46, E333-E337.  | 1.0 | 2         |
| 36271 | Reliability and Validity of a Clinical Assessment Tool for Measuring Scapular Motion in All 3 Anatomical Planes. <i>Journal of Athletic Training</i> , 2021, 56, 586-593.   | 0.9 | 5         |
| 36272 | A 24-segment fractional shortening of the fetal heart using FetalHQ. <i>Journal of Perinatal Medicine</i> , 2021, 49, 371-376.  | 0.6 | 3         |
| 36274 | Prothrombin time in liver failure: Time, ratio, activity percentage, or international normalized ratio. <i>Hepatology</i> , 1996, 24, 1392-1394.  | 3.6 | 46        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36276 | A Novel Wavelet-Based Gait Segmentation Method for a Portable Hip Exoskeleton. <i>IEEE Transactions on Robotics</i> , 2022, 38, 1503-1517.   | 7.3 | 12        |
| 36277 | A multi-center study comparing the analytical sensitivity and clinical concordance of three HIV-1 viral load assays. <i>Journal of Virological Methods</i> , 2022, 300, 114373.  | 1.0 | 2         |
| 36278 | Concordance between subjective and objective measures of infant sleep varies by age and maternal mood: Implications for studies of sleep and cognitive development. , 2022, 66, 101663.                                      |     | 8         |
| 36279 | Nutrient and Food Group Prediction as Orchestrated by an Automated Image Recognition System in a Smartphone App (CALO mama): Validation Study. <i>JMIR Formative Research</i> , 2022, 6, e31875.                             | 0.7 | 7         |
| 36281 | Measuring Rectal Cancer Tumor Height. <i>Diseases of the Colon and Rectum</i> , 2021, Publish Ahead of Print, .  | 0.7 | 3         |
| 36282 | BODY COMPOSITION PARAMETERS USING BIO-ELECTRICAL IMPEDANCE ANALYSIS AND ULTRASOUND SCANNING: A RELIABILITY STUDY. <i>Ekologiya Cheloveka (Human Ecology)</i> , 2021, 28, 57-64.  | 0.2 | 3         |
| 36283 | Close Human Robot Collaboration by means of a Low-cost Sensory Glove for Advanced Manufacturing Systems. , 2021, , .   |     | 1         |
| 36284 | Comparison between conventional duplex ultrasonography and the dual-gate Doppler mode for hemodynamic measurements of the carotid arteries. <i>Ultrasonography</i> , 2022, 41, 373-381.                                      | 1.0 | 3         |
| 36285 | Differences in the setting of acetabular component alignment guides between the supine and lateral positions for total hip arthroplasty. <i>Scientific Reports</i> , 2021, 11, 21978.  | 1.6 | 0         |
| 36286 | Comparison of Donor Corneal Endothelial Cell Density Determined by Eye Banks and by a Central Image Analysis Reading Center Using the Same Image Analysis Method. <i>Cornea</i> , 2021, Publish Ahead of Print, .            | 0.9 | 1         |
| 36287 | Detection of doxorubicin-induced cardiotoxicity using myocardial T1 and T2 relaxation times in childhood acute lymphoblastic leukemia survivors. <i>International Journal of Cardiovascular Imaging</i> , 2022, 38, 873-882. | 0.7 | 3         |
| 36288 | Short-term ventriculoarterial coupling and myocardial work efficiency in preterm infants undergoing percutaneous patent ductus arteriosus closure. <i>Physiological Reports</i> , 2021, 9, e15108.                           | 0.7 | 9         |
| 36289 | Measuring circulating triglycerides in free-living birds: evaluation of a field-usable point-of-care analyzer for American woodcock. <i>Journal of Ornithology</i> , 2022, 163, 235-241.                                     | 0.5 | 1         |
| 36290 | Test-Retest Reliability of Physiological Variables During Submaximal Seated Upper-Body Poling in Able-Bodied Participants. <i>Frontiers in Physiology</i> , 2021, 12, 749356.  | 1.3 | 2         |
| 36292 | Development and evaluation of a diet quality screener to assess adherence to the Dutch food-based dietary guidelines. <i>British Journal of Nutrition</i> , 2022, 128, 1615-1625.  | 1.2 | 16        |
| 36293 | Localization of Multi-Class On-Road and Aerial Targets Using mmWave FMCW Radar. <i>Electronics (Switzerland)</i> , 2021, 10, 2905.   | 1.8 | 2         |
| 36294 | Less is more: optimal recording time for measuring the steady-state accommodative response. <i>Australasian journal of optometry</i> , The, 2023, 106, 20-28.  | 0.6 | 3         |
| 36295 | Proposal criteria of paradoxical low-flow low-gradient aortic stenosis for predicting prognosis in patients undergoing transcatheter aortic valve implantation. <i>Heart and Vessels</i> , 2022, 37, 1044-1054.              | 0.5 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36296 | Accuracy of Two CE-Marked Blood Glucose Monitoring System Based on EN ISO 15197:2015. <i>International Journal of Diabetology</i> , 2021, 2, 232-239.   | 0.9 | 0         |
| 36297 | Assessment of measurement precision in single-voxel spectroscopy at 7 T: Toward minimal detectable changes of metabolite concentrations in the human brain in vivo. <i>Magnetic Resonance in Medicine</i> , 2021, 87, 1119. | 1.9 | 3         |
| 36298 | Impact of maternal obesity on neonatal heart rate and cardiac size. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2022, 107, 481-487.   | 1.4 | 8         |
| 36299 | PandAcuity in paediatrics: a novel clinical measure of visual function based on the panda illusion. <i>British Journal of Ophthalmology</i> , 2021, , bjophthalmol-2021-319935.   | 2.1 | 0         |
| 36300 | Validation of 2 urine pH measuring techniques in a prepartum negative dietary cation-anion difference diet and the relationship with production performance. <i>JDS Communications</i> , 2022, 3, 13-18.                    | 0.5 | 3         |
| 36301 | Inter-Day Reliability of Resting Metabolic Rate and Maximal Fat Oxidation during Exercise in Healthy Men Using the Ergostik Gas Analyzer. <i>Nutrients</i> , 2021, 13, 4308.  | 1.7 | 10        |
| 36303 | Efficacy of Ultrashort Echo Time Pulmonary MRI for Lung Nodule Detection and Lung-RADS Classification. <i>Radiology</i> , 2022, 302, 697-706.   | 3.6 | 16        |
| 36304 | A Power-Efficient Sensing Approach for Pulse Wave Palpation-Based Heart Rate Measurement. <i>Sensors</i> , 2021, 21, 7549.  | 2.1 | 4         |
| 36305 | Reliability of the performance-based measure of executive functions in people with schizophrenia. <i>BMC Psychiatry</i> , 2021, 21, 553.  | 1.1 | 0         |
| 36306 | Validation of a global positioning system with accelerometer for canoe/kayak sprint kinematic analysis. <i>Sports Biomechanics</i> , 2021, , 1-12.  | 0.8 | 4         |
| 36307 | Antidepressant medication to prevent depression relapse in primary care: the ANTLER RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-62.  | 1.3 | 9         |
| 36308 | Experimental Validation of Real-Time Ski Jumping Tracking System Based on Wearable Sensors. <i>Sensors</i> , 2021, 21, 7780.  | 2.1 | 5         |
| 36309 | Quantitative pH Determination Based on the Dominant Wavelength Analysis of Commercial Test Strips. <i>Analytical Chemistry</i> , 2021, 93, 15452-15458.   | 3.2 | 17        |
| 36310 | Reliability, Validity, Responsiveness, and Minimum Important Change of the Stair Climb Test in Adults With Hip and Knee Osteoarthritis. <i>Arthritis Care and Research</i> , 2023, 75, 1147-1157.                           | 1.5 | 4         |
| 36311 | Accommodating heteroscedasticity in allometric biomass models. <i>Forest Ecology and Management</i> , 2022, 505, 119865.  | 1.4 | 5         |
| 36312 | Testing Forestry Digital Twinning Workflow Based on Mobile LiDAR Scanner and AI Platform. <i>Forests</i> , 2021, 12, 1576.  | 0.9 | 13        |
| 36313 | An evaluation of the IOLMaster 700 and its agreement with the IOLMaster v3 in children. <i>Ophthalmic and Physiological Optics</i> , 2022, 42, 48-58.   | 1.0 | 5         |
| 36314 | Evaluation of the reliability of lower extremity alignment measurements using EOS imaging system while standing in an even weight-bearing posture. <i>Scientific Reports</i> , 2021, 11, 22039.                             | 1.6 | 11        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36315 | Robustness and static-positional accuracy of the SteamVR 1.0 virtual reality tracking system. <i>Virtual Reality</i> , 2022, 26, 903-924.  | 4.1 | 7         |
| 36316 | Graded Chronic Pain Scale. <i>Clinical Journal of Pain</i> , 2022, 38, 119-131.  | 0.8 | 12        |
| 36317 | Prospective cohort study to evaluate the accuracy of sleep measurement by consumer-grade smart devices compared with polysomnography in a sleep disorders population. <i>BMJ Open</i> , 2021, 11, e044015.                       | 0.8 | 1         |
| 36318 | Reproducibility of an Intraoperative Pressure Sensor in Total Knee Replacement. <i>Sensors</i> , 2021, 21, 7679.   | 2.1 | 1         |
| 36319 | MR Spectroscopy of the Insula: Within- and between-Session Reproducibility of MEGA-PRESS Measurements of GABA+ and Other Metabolites. <i>Brain Sciences</i> , 2021, 11, 1538.  | 1.1 | 3         |
| 36320 | Basal cell carcinoma thickness evaluated by high-frequency ultrasounds and correlation with dermoscopic features. <i>Italian Journal of Dermatology and Venereology</i> , 2021, 156, .   | 0.1 | 0         |
| 36321 | Comparison of the Diet Photograph Record to Weighed Dietary Record and 24 h Dietary Recall for Estimating Energy and Nutrient Intakes Among Chinese Preschoolers. <i>Frontiers in Nutrition</i> , 2021, 8, 755683.               | 1.6 | 1         |
| 36322 | Children's experiences of their learning environment: Psychometric properties of a questionnaire evaluating classroom environment, activities and interactions. <i>Child Language Teaching and Therapy</i> , 2022, 38, 59-77.    | 0.4 | 2         |
| 36323 | Comparison between Nondedicated and Novel Dedicated Tracking Tool for Right Ventricular and Left Atrial Strain. <i>Journal of the American Society of Echocardiography</i> , 2022, 35, 419-425.                                  | 1.2 | 12        |
| 36324 | A fast method to measure the degree of oxidation of dialdehyde celluloses using multivariate calibration and infrared spectroscopy. <i>Carbohydrate Polymers</i> , 2022, 278, 118887.  | 5.1 | 27        |
| 36325 | Cross-sectional comparison of office and ambulatory pulse wave velocity by two methods, and their changes after lifestyle or medical interventions in hypertension. <i>Journal of Hypertension</i> , 2022, 40, 470-477.          | 0.3 | 2         |
| 36326 | Myelin Quantification in White Matter Pathology of Progressive Multiple Sclerosis Post-Mortem Brain Samples: A New Approach for Quantifying Remyelination. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12634. | 1.8 | 6         |
| 36327 | Simultaneous comprehensive liver T <sub>1</sub> , T <sub>2</sub> , T <sub>1ρ</sub> , and fat fraction characterization with MR fingerprinting. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 1980-1991.                      | 1.9 | 15        |
| 36328 | Portable, open-source solutions for estimating wrist position during reaching in people with stroke. <i>Scientific Reports</i> , 2021, 11, 22491.  | 1.6 | 11        |
| 36330 | Dynamic contrast-enhanced CEST MRI using a low molecular weight dextran. <i>NMR in Biomedicine</i> , 2021, e4649.  | 1.6 | 7         |
| 36331 | The analysis of F-actin structure of mesenchymal stem cells by quantification of fractal dimension. <i>PLoS ONE</i> , 2021, 16, e0260727.  | 1.1 | 9         |
| 36332 | Metallicities in M dwarfs: Investigating different determination techniques. <i>Astronomy and Astrophysics</i> , 2022, 658, A194.  | 2.1 | 18        |
| 36333 | Automatic identification and segmentation of slice of minimal hiatal dimensions in transperineal ultrasound volumes. <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 60, 570-576.   | 0.9 | 11        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36334 | Physical activity assessment in African Americans participating in a dietary weight-loss trial focused on soul food. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 0, , 1.   | 0.8 | 0         |
| 36335 | Brain Growth Evaluation Assessed with Transfontanellar (B-GREAT) Ultrasound. Old and New Bedside Markers to Estimate Cerebral Growth in Preterm Infants: a Pilot Study. <i>American Journal of Perinatology</i> , 2024, 41, 488-497.        | 0.6 | 3         |
| 36336 | Assessment and Evaluation of Forceâ€™Velocity Variables in Flywheel Squats: Validity and Reliability of Force Plates, a Linear Encoder Sensor, and a Rotary Encoder Sensor. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 10541.        | 1.3 | 2         |
| 36337 | Revisiting left atrial volumetry by magnetic resonance imaging: the role of atrial shape and 3D angle between left ventricular and left atrial axis. <i>BMC Medical Imaging</i> , 2021, 21, 167.  | 1.4 | 3         |
| 36338 | Reproducibility and Validity of a Food Frequency Questionnaire (FFQ) Developed for Middle-Aged and Older Adults in Semarang, Indonesia. <i>Nutrients</i> , 2021, 13, 4163.  | 1.7 | 2         |
| 36339 | Analysis of histomorphometric variables: Proposal and validation of osteon definitions. <i>Journal of Forensic Sciences</i> , 2022, 67, 80-91.  | 0.9 | 3         |
| 36340 | Sensitive and specific measurement of alpha1-antitrypsin activity with an elastase complex formation immunosorbent assay (ECFISA). <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022, 209, 114476.                            | 1.4 | 5         |
| 36341 | Interchangeability of two versions of the Montreal Cognitive Assessment for the longitudinal evaluation of patients with breast cancer. <i>Supportive Care in Cancer</i> , 2021, , 1.   | 1.0 | 0         |
| 36342 | Inter-Rater Reliability of Hounsfield Units as a Measure of Bone Density: Applications in the Treatment of Thoracolumbar Fractures. <i>World Neurosurgery</i> , 2022, 158, e711-e716.   | 0.7 | 11        |
| 36343 | Simultaneous T <sub>1</sub> , T <sub>2</sub> , and T <sub>2</sub> * cardiac magnetic resonance fingerprinting for contrast agent-free myocardial tissue characterization. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 1992-2002.      | 1.9 | 21        |
| 36346 | Complex B 1 + mapping with Carrâ€™Purcell spin echoes and its application to electrical properties tomography. <i>Magnetic Resonance in Medicine</i> , 2021, , .  | 1.9 | 1         |
| 36347 | Estimating exercise Pa <sub>CO2</sub> in patients with heart failure with preserved ejection fraction. <i>Journal of Applied Physiology</i> , 2022, 132, 36-45.   | 1.2 | 2         |
| 36348 | Predicting the presence and severity of obstructive sleep apnea based on mandibular measurements using quantitative analysis of facial profiles via three-dimensional photogrammetry. <i>Respiratory Investigation</i> , 2022, 60, 300-308. | 0.9 | 2         |
| 36349 | Wide-field mosaics of the corneal subbasal nerve plexus in Parkinsonâ€™s disease using in vivo confocal microscopy. <i>Scientific Data</i> , 2021, 8, 306.  | 2.4 | 8         |
| 36350 | Comparison of Non-Invasive Oscillometric and Intra-Arterial Blood Pressure Measurements in Children Admitted to the Pediatric Intensive Care Unit. <i>Journal of Pediatric Intensive Care</i> , 0, , .                                      | 0.4 | 1         |
| 36351 | Multi-class deep learning segmentation and automated measurements in periodontal sonograms of a porcine model. <i>Dentomaxillofacial Radiology</i> , 2022, 51, 20210363.  | 1.3 | 9         |
| 36352 | Ultrasonic Evaluation of the Heel Fat Pad under Weight-Bearing Conditions Using a Polymethylpentene Resin Plate: Part 1. <i>Ultrasound in Medicine and Biology</i> , 2022, 48, 358-372.   | 0.7 | 4         |
| 36353 | Accuracy of single intravenous access iohexol GFR in children is hampered by marker contamination. <i>Scientific Reports</i> , 2021, 11, 23224.   | 1.6 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36354 | Measurement of Blood Pressure by Ultrasound—The Applicability of Devices, Algorithms and a View in Local Hemodynamics. <i>Diagnostics</i> , 2021, 11, 2255.   | 1.3 | 4         |
| 36355 | Validation and comparison of five preference-based measures among age-related macular degeneration patients: evidence from mainland China. <i>Quality of Life Research</i> , 2022, 31, 1561-1572.                                   | 1.5 | 8         |
| 36356 | Multi-vendor and multisite evaluation of cerebrovascular reactivity mapping using hypercapnia challenge. <i>NeuroImage</i> , 2021, 245, 118754.   | 2.1 | 7         |
| 36357 | Reliability of Bioreactance and Pulse-Power Analysis in Measuring Cardiac Index in Patients Undergoing Cardiac Surgery With Cardiopulmonary Bypass. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2022, 36, 2446-2453. | 0.6 | 2         |
| 36358 | Evaluation of ocular biometric parameters in keratoconic eyes relative to healthy myopic eyes. <i>European Journal of Ophthalmology</i> , 2022, 32, 798-805.  | 0.7 | 2         |
| 36360 | Exploring Spatially Explicit Changes in Carbon Budgets of Global River Basins during the 20th Century. <i>Environmental Science &amp; Technology</i> , 2021, 55, 16757-16769.   | 4.6 | 21        |
| 36361 | Detecting low blood concentrations in joints using T1 and T2 mapping at 1.5, 3, and 7 T: an in vitro study. <i>European Radiology Experimental</i> , 2021, 5, 51.   | 1.7 | 5         |
| 36362 | Effects of Measuring Devices and Sampling Strategies on the Interpretation of Monitoring Data for Long-Term Trend Analysis. <i>Frontiers in Marine Science</i> , 2021, 8, .   | 1.2 | 2         |
| 36363 | Prediction of the oxygen uptake patterns during an incremental exercise test using long short - term memory in electromyography. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2021, 70, 355-362.               | 0.0 | 0         |
| 36364 | Concordance rate of a four-quadrant plot for repeated measurements. <i>BMC Medical Research Methodology</i> , 2021, 21, 270.  | 1.4 | 1         |
| 36365 | Concurrent Validity and Reliability of the Load-Velocity Relationship to Predict the One-Repetition Maximum during Three Weightlifting Derivatives. <i>Kinesiology</i> , 2021, 53, 215-225.   | 0.3 | 1         |
| 36366 | Concordância interobservadores em um checklist de cuidados em terapia nutricional enteral. <i>ACTA Paulista De Enfermagem</i> , 2021, 34, .   | 0.1 | 0         |
| 36368 | Validation and Reliability of the Japanese Version of the Modified Parkinson Activity Scale (M-PAS). <i>Progress in Rehabilitation Medicine</i> , 2021, 6, n/a.   | 0.3 | 2         |
| 36370 | Validation of Four Methods for Converting Scores on the Montreal Cognitive Assessment to Scores on the Mini-Mental State Examination-2. <i>Dementia and Neurocognitive Disorders</i> , 2021, 20, 41.                                | 0.4 | 4         |
| 36371 | Comparison of Subfoveal Choroidal Thickness Measured by Two Kinds of Software. <i>Hans Journal of Ophthalmology</i> , 2021, 10, 130-136.  | 0.0 | 0         |
| 36372 | Development and validation of food frequency questionnaire for food and nutrient intakes of adults in Butajira, Southern Ethiopia. <i>Journal of Nutritional Science</i> , 2021, 10, e98.   | 0.7 | 13        |
| 36373 | Agreement of body weight of older adults measured on digital chair scale and mechanical platform scale. <i>Revista De Nutricao</i> , 0, 34, .   | 0.4 | 0         |
| 36374 | Accuracy of Temporo-Spatial and Lower Limb Joint Kinematics Parameters Using OpenPose for Various Gait Patterns With Orthosis. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2021, 29, 2666-2675.     | 2.7 | 17        |

| #     | ARTICLE   | IF       | CITATIONS |
|-------|---|----------|-----------|
| 36375 | The feasibility of 18F-FDG gated positron emission tomography (PET) for left ventricular dyssynchrony assessment in comparison with 99mTc-MIBI gated single-photon emission computed tomography (SPECT) among patients with prior myocardial infarction. <i>Quantitative Imaging in Medicine and Surgery</i> , 2022, 12, 2454-2463. | 1.1      | 0         |
| 36376 | A Pathologist-Annotated Dataset for Validating Artificial Intelligence: A Project Description and Pilot Study. <i>Journal of Pathology Informatics</i> , 2021, 12, 45.  | 0.8      | 17        |
| 36377 | Noninvasive Systemic Vascular Resistance Estimation using a Photoplethysmogram and a Piezoelectric Sensor. <i>IFAC-PapersOnLine</i> , 2021, 54, 298-303.  | 0.5      | 1         |
| 36378 | The northeast glucose drift: Stratification of post-breakfast dysglycemia among predominantly Hispanic/Latino adults at-risk or with type 2 diabetes. <i>EClinicalMedicine</i> , 2022, 43, 101241.  | 3.2      | 4         |
| 36379 | Validation of the heightâ€“width measurement in Perthes disease among interpreters of different experience levels. <i>Journal of Pediatric Orthopaedics Part B</i> , 2022, Publish Ahead of Print, .  | 0.3      | 0         |
| 36380 | Repeatability and reproducibility of corneal higher-order aberrations measurements after small incision lenticule extraction using the Scheimpflug-Placido topographer. <i>Eye and Vision (London, England)</i>   | 0.784314 | 7         |
| 36381 | Reliability of baseline self-reported information in the AGRICAN cohort. <i>Cancer Causes and Control</i> , 2022, 33, 331-342.  | 0.8      | 1         |
| 36382 | Effect of Trabeculectomy on Mean and Centroid Surgically Induced Astigmatism. <i>Journal of Clinical Medicine</i> , 2022, 11, 240.  | 1.0      | 1         |
| 36383 | Validity of a portable X-ray fluorescence device for analyzing field dust wipe samples for lead. <i>International Journal of Environmental Science and Technology</i> , 2022, 19, 10625-10636.  | 1.8      | 1         |
| 36384 | High-Contrast Lumbar Spinal Bone Imaging Using a 3D Slab-Selective UTE Sequence. <i>Frontiers in Endocrinology</i> , 2021, 12, 800398.  | 1.5      | 8         |
| 36385 | OUP accepted manuscript. <i>American Journal of Clinical Pathology</i> , 2022, , .  | 0.4      | 2         |
| 36386 | Assessment of clinical measures of total and regional body composition from a commercial 3-dimensional optical body scanner. <i>Clinical Nutrition</i> , 2022, 41, 211-218.   | 2.3      | 32        |
| 36387 | Assessment of meibomian gland drop-out and visibility through a new quantitative method in scleral lens wearers: A one-year follow-up study. <i>Contact Lens and Anterior Eye</i> , 2022, , 101571.   | 0.8      | 1         |
| 36389 | Heritability of facial soft tissue growth in monoâ€“and dizygotic twins at 12 and 17 years of age: A retrospective cohort study. <i>Orthodontics and Craniofacial Research</i> , 2022, 25, 530-540.   | 1.2      | 3         |
| 36390 | Caveats and Recommendations to Assess the Validity and Reliability of Cycling Power Meters: A Systematic Scoping Review. <i>Sensors</i> , 2022, 22, 386.  | 2.1      | 7         |
| 36391 | Validation of an Embedded Motion-Capture and EMG Setup for the Analysis of Musculoskeletal Disorder Risks during Manhole Cover Handling. <i>Sensors</i> , 2022, 22, 436.  | 2.1      | 13        |
| 36392 | Reliability and usefulness of maximum soccer-specific jump test: a valid and cost-effective system to measure on soccer field. <i>Sports Biomechanics</i> , 2022, , 1-15.   | 0.8      | 1         |
| 36393 | Oral estrogen leads to falsely low concentrations of estradiol in a common immunoassay. <i>Endocrine Connections</i> , 2022, 11, .  | 0.8      | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36394 | Quantifying the excitatory-inhibitory balance: A comparison of SemiLASER and MEGA-SemiLASER for simultaneously measuring GABA and glutamate at 7T. <i>NeuroImage</i> , 2022, 247, 118810.  | 2.1 | 9         |
| 36395 | Assessment of pulmonary arteriovenous malformation with ultra-short echo time magnetic resonance imaging. <i>European Journal of Radiology</i> , 2022, 147, 110144.  | 1.2 | 4         |
| 36396 | A computer vision-based mobile tool for assessing human posture: A validation study. <i>Computer Methods and Programs in Biomedicine</i> , 2022, 214, 106565.  | 2.6 | 8         |
| 36397 | Reliability and validity of the Stryd Power Meter during different walking conditions. <i>Gait and Posture</i> , 2022, 92, 277-283.  | 0.6 | 4         |
| 36398 | Ocean color algorithms to estimate the concentration of particulate organic carbon in surface waters of the global ocean in support of a long-term data record from multiple satellite missions. <i>Remote Sensing of Environment</i> , 2022, 269, 112776.       | 4.6 | 28        |
| 36399 | Development and validation of a length- and habitus-based method of total body weight estimation in adults. <i>American Journal of Emergency Medicine</i> , 2022, 53, 44-53.   | 0.7 | 6         |
| 36400 | Remote assessment of QT interval: A new perspective for implantable cardiac monitors. <i>Journal of Electrocardiology</i> , 2022, 71, 10-15.   | 0.4 | 1         |
| 36403 | Calibration Transfer, Part 2: The Instrumentation Aspects. , 2018, , 751-764.  |     | 0         |
| 36404 | Statistics and Chemometrics for Clinical Data Reporting, Part 3 (Using Excel for Data Plotting). , 2018, , 615-625.  |     | 0         |
| 36405 | Choosing the Best Regression Model. , 2018, , 851-861.   |     | 1         |
| 36406 | Calibration Transfer, Part 4: Measuring the Agreement Between Instruments Following Calibration Transfer. , 2018, , 777-785.   |     | 0         |
| 36407 | Intrarater And Interrater Reliability Of Timed Functional Arm And Shoulder Test In Patients With Shoulder Joint Pathology-A Cross-Sectional Study. <i>International Journal of Scientific and Research Publications</i> , 2020, 10, 732-739.                     | 0.0 | 1         |
| 36408 | Influencing factors for peripheral and posterior lesions in mild non-proliferative diabetic retinopathy—the Kailuan Eye Study. <i>International Journal of Ophthalmology</i> , 2020, 13, 1467-1476.  | 0.5 | 3         |
| 36409 | "Measurement Reliability and Precision of Anthropometric Measures for the Estimation of Whole-Body Density in Professional Football Players". <i>Open Access Journal of Biomedical Science</i> , 2020, 3, .  | 0.0 | 1         |
| 36410 | Estimating Heart Rate during Steady-State Activities and Transitions Based on Signal of PPG and ACC. , 2020, , .   |     | 1         |
| 36411 | Feasibility of Population-Based Input Function for Kinetic Analysis of [ <sup>11</sup> C]-DPA-713. , 2020, , .   |     | 1         |
| 36412 | Enhanced Depth Imaging Optical Coherence Tomography Technology Reveals a Significant Association Between Optic Nerve Drusen Anterior Displacement and Retinal Nerve Fiber Layer Thinning Over Time. <i>Journal of Neuro-Ophthalmology</i> , 2021, 41, e483-e489. | 0.4 | 0         |
| 36413 | Estimation of Voice Perturbation Measures Using Signal Processing Algorithms. <i>International Journal of Engineering Research and Technology</i> , 2020, 13, 3806.  | 0.3 | 1         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36414 | Ultrasound imaging in patients with hip pain and suspected hip osteoarthritis: an inter-rater and intra-rater reliability study. <i>BMJ Open</i> , 2020, 10, e038643.   | 0.8 | 5         |
| 36415 | Remote evaluation of upper extremity motor function following stroke: The Arm Capacity and Movement Test (ArmCAM) (Preprint). <i>JMIR Rehabilitation and Assistive Technologies</i> , 0, , .  | 1.1 | 0         |
| 36416 | 10.5152/TJAR.2019.54289. <i>Turkish Journal of Anaesthesiology and Reanimation</i> , 2020, 48, 467-472.   | 0.2 | 1         |
| 36417 | The inspiration hold maneuver is a reliable method to assess mean systemic filling pressure but its clinical value remains unclear. <i>Annals of Translational Medicine</i> , 2020, 8, 1390-1390.   | 0.7 | 0         |
| 36418 | Automatic Measurement of Subregional Vertebral Bone Mineral Density via Deep Learning of Quantitative Computed Tomography Images. <i>International Journal of Orthopedics and Rehabilitation</i> , 2020, 7, 01-11.                              | 0.1 | 0         |
| 36419 | Hyperspectral Imaging Based on Compressive Sensing: Determining Cancer Margins in Human Pancreatic Tissue &lt;i>in vivo</i>, a Pilot Study. <i>Open Journal of Medical Imaging</i> , 2021, 11, 115-131.   | 0.1 | 2         |
| 36420 | Feasibility Validation on Healthy Adults of a Novel Active Vibrational Sensing Based Ankle Band for Ankle Flexion Angle Estimation. <i>IEEE Open Journal of Engineering in Medicine and Biology</i> , 2021, 2, 314-319.                         | 1.7 | 1         |
| 36422 | Robustness of Probabilistic U-Net for Automated Segmentation of White Matter Hyperintensities in Different Datasets of Brain MRI. , 2021, , .   |     | 2         |
| 36423 | Onset and Offset Detection of Respiratory EMG Data Based on Energy Operator Signal. , 2021, 2021, 121-124.  |     | 2         |
| 36424 | Relationship Between Heart Rate Variability and Pulse Rate Variability Measures in Patients After Coronary Artery Bypass Graft Surgery. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 749297.  | 1.1 | 4         |
| 36425 | Novel track field test to determine Vpeak, relationship with treadmill test and 10-km running performance in trained endurance runners. <i>PLoS ONE</i> , 2022, 17, e0260338.   | 1.1 | 4         |
| 36426 | Validation of a quantitative web-based food frequency questionnaire to assess dietary intake in the adult Emirati population. <i>PLoS ONE</i> , 2022, 17, e0262150.   | 1.1 | 2         |
| 36427 | Estimating Extracellular Fluid Volume in Healthy Individuals: Evaluation of Existing Formulae and Development of a New Equation. <i>Kidney International Reports</i> , 2022, 7, 810-822.  | 0.4 | 1         |
| 36428 | Validation of a Non-invasive Inverse Problem-Solving Method for Stroke Volume. <i>Frontiers in Physiology</i> , 2021, 12, 798510.   | 1.3 | 0         |
| 36429 | Reliability and Accuracy of 2D Photogrammetry: A Comparison With Direct Measurement. <i>Frontiers in Public Health</i> , 2021, 9, 813058.   | 1.3 | 4         |
| 36430 | Validating Restricted Mean Survival Time Estimates From Reconstructed Kaplan-Meier Data Against Original Trial Individual Patient Data From Trials Conducted by the Canadian Cancer Trials Group. <i>Value in Health</i> , 2022, 25, 1157-1164. | 0.1 | 5         |
| 36431 | Validation of a food-frequency questionnaire to assess methyl-group donor intake in preschoolers. <i>European Journal of Pediatrics</i> , 2022, , 1.  | 1.3 | 1         |
| 36432 | Low-radiation dose scan protocol for preoperative imaging for dental implant surgery using deep learning-based reconstruction in multidetector CT. <i>Oral Radiology</i> , 2022, , 1.   | 0.9 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36433 | Seven-CpG DNA Methylation Age Determined by Single Nucleotide Primer Extension and Illumina® EPIC™ Infinium MethylationEPIC Array Provide Highly Comparable Results. <i>Frontiers in Genetics</i> , 2021, 12, 759357.  | 1.1 | 7         |
| 36434 | Methodologic implications for rehabilitation research: Differences in heart rate variability introduced by respiration. <i>PM and R</i> , 2022, , .  | 0.9 | 2         |
| 36435 | Intrasection Reliability Analysis for Oscillometric Blood Pressure Method Using a Digital Blood Pressure Monitor in Peruvian Population. <i>Healthcare (Switzerland)</i> , 2022, 10, 209.  | 1.0 | 0         |
| 36436 | Proteomics Profiling of Human Synovial Fluid Suggests Increased Protein Interplay in Early-Osteoarthritis (OA) That Is Lost in Late-Stage OA. <i>Molecular and Cellular Proteomics</i> , 2022, 21, 100200.   | 2.5 | 22        |
| 36437 | <sup>99m</sup> Tc-GSA scintigraphy for assessing the functional volume ratio of the future liver remnant in the routine practice of liver resection. <i>Surgery Open Science</i> , 2022, 8, 1-8.   | 0.5 | 0         |
| 36438 | First Extensive Analysis of <sup>18</sup> F-Labelled Fluorodeoxyglucose Positron Emission Tomography-Computed Tomography in a Large Cohort of Patients With HIV-Associated Hodgkin Lymphoma: Baseline Total Metabolic Tumor Volume Affects Prognosis. <i>Journal of Clinical Oncology</i> , 2022, 40, 1346-1355. | 0.8 | 11        |
| 36439 | Validity of transcranial Doppler ultrasonography-determined dynamic cerebral autoregulation estimated using transfer function analysis. <i>Journal of Clinical Monitoring and Computing</i> , 2022, , .  | 0.7 | 4         |
| 36440 | Performance Characteristics of Real-Time PCRs for African Swine Fever Virus Genome Detection—Comparison of Twelve Kits to an OIE-Recommended Method. <i>Viruses</i> , 2022, 14, 220.   | 1.5 | 7         |
| 36441 | Test-retest reliability of skeletal muscle oxygenation measurement using near-infrared spectroscopy during exercise in patients with sport-related iliac artery flow limitation. <i>Clinical Physiology and Functional Imaging</i> , 2022, 42, 114-126.  | 0.5 | 7         |
| 36442 | Ultrasound-Derived Diaphragm Contractile Reserve as a Marker of Clinical Status in Patients With Cystic Fibrosis. <i>Frontiers in Physiology</i> , 2021, 12, 808770.   | 1.3 | 2         |
| 36443 | Concordance of temperature measurements on preterm and term infants using oesophageal (core), axilla & skin methods in a neonatal intensive care unit. <i>Journal of Neonatal Nursing</i> , 2022, , .  | 0.3 | 0         |
| 36444 | Estimating pulmonary function after surgery for adolescent idiopathic scoliosis using biplanar radiographs of the chest with 3D reconstruction. <i>Bone and Joint Journal</i> , 2022, 104-B, 112-119.  | 1.9 | 5         |
| 36445 | Comparison of automated office blood pressure measurement with 24-hour ambulatory blood pressure measurement. <i>Blood Pressure</i> , 2022, 31, 9-18.  | 0.7 | 5         |
| 36446 | Repeatability, reproducibility, and agreement of three methods for finding the mechanical axis of the human tibia. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2022, 25, 1301-1309.   | 0.9 | 1         |
| 36447 | Association between cognitive dysfunction and nocturnal peaks of blood pressure estimated from pulse transit time in obstructive sleep apnoea. <i>Sleep Medicine</i> , 2022, 90, 185-191.  | 0.8 | 1         |
| 36448 | Analytical performances of the AMPLIQUICK® Respiratory Triplex assay for simultaneous detection and differentiation of SARS-CoV-2, influenza A/B and respiratory syncytial viruses in respiratory specimens. <i>PLoS ONE</i> , 2022, 17, e0262258.   | 1.1 | 9         |
| 36449 | Assessing the Fidelity of Translation of Nonclinical Assays: A Pharma Perspective. <i>British Journal of Pharmacology</i> , 2022, , .  | 2.7 | 0         |
| 36450 | Accuracy of bedside bidimensional transcranial ultrasound versus tomographic measurement of the third ventricle. <i>Journal of Neuroimaging</i> , 2022, 32, 629-637.   | 1.0 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36451 | A Comparative Study for Measuring Serum Ferritin Levels with Three Different Laboratory Methods: Enzyme-Linked Immunosorbent Assay versus Cobas e411 and Cobas Integra 400 Methods. <i>Diagnostics</i> , 2022, 12, 320.   | 1.3 | 3         |
| 36452 | Relative Validity and Reproducibility of a Semi-Quantitative Food Frequency Questionnaire for Determining Nutrient Intake in Older Adults in New Zealand: The REACH Study. <i>Nutrients</i> , 2022, 14, 519.  | 1.7 | 5         |
| 36453 | Determination of Mono-Oil Proportion in Blended Edible Vegetable Oil (BEVO) with Identical Fatty Acid Profile: a Case Study on Coconut-Palm Kernel Oil Discrimination. <i>Food Analytical Methods</i> , 2022, 15, 1407-1417.  | 1.3 | 4         |
| 36454 | Accuracy of body composition measurement techniques across the age-span. <i>Applied Physiology, Nutrition and Metabolism</i> , 2022, , .  | 0.9 | 2         |
| 36455 | Intracoronary epinephrine and verapamil in the refractory no-reflow phenomenon in patients with acute myocardial infarction. <i>Cardiovascular Therapy and Prevention (Russian Federation)</i> , 2022, 21, 2936.  | 0.4 | 0         |
| 36456 | An Empirical Comparative Assessment of Inter-Rater Agreement of Binary Outcomes and Multiple Raters. <i>Symmetry</i> , 2022, 14, 262.   | 1.1 | 11        |
| 36457 | Comparing qPCR and DNA methylation-based measurements of telomere length in a high-risk pediatric cohort. <i>Aging</i> , 2022, 14, 660-677.   | 1.4 | 4         |
| 36458 | Validating the use of U-tool as a novel method for measuring the corneal diameter in infants screened for congenital glaucoma. <i>Indian Journal of Ophthalmology</i> , 2022, 70, 143.  | 0.5 | 2         |
| 36459 | Development and autoregulation of kidney function in children: a retrospective study using 99mTc-MAG3 renography. <i>Pediatric Nephrology</i> , 2022, , 1.  | 0.9 | 1         |
| 36460 | Î³-aminobutyric acid measurement in the human brain at 7T: Short echo-time or Mescher-Garwood editing. <i>NMR in Biomedicine</i> , 2022, 35, e4706.   | 1.6 | 7         |
| 36461 | Psychometric and Logometric Properties of the Armenian Version of Augmentative and Alternative Communication Assessment Questionnaire: Assessing Reliability and Validity. <i>Journal of Psycholinguistic Research</i> , 2022, 51, 135-150.                                     | 0.7 | 0         |
| 36462 | Comparison of Three Dietary Assessment Methods to Estimate Meat Intake as Part of a Meat Reduction Intervention among Adults in the UK. <i>Nutrients</i> , 2022, 14, 411.   | 1.7 | 2         |
| 36463 | Reducing the Number of Test Items of the Action Research Arm Test Poststroke: A Decision Tree Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2022, 103, 1582-1591.   | 0.5 | 4         |
| 36464 | Cross-cultural adaptation and validation of the simplified chinese version of the fremantle back awareness questionnaire in patients with low back Pain. <i>European Spine Journal</i> , 2022, , 1.   | 1.0 | 0         |
| 36465 | An evaluation of the serum carbon isotope ratio as a candidate predictive biomarker of the dietary animal protein ratio (animal protein/total protein) in a 15-day controlled feeding study of US adults. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 1134-1143. | 2.2 | 6         |
| 36466 | Method for Estimating Temporal Gait Parameters Concerning Bilateral Lower Limbs of Healthy Subjects Using a Single In-Shoe Motion Sensor through a Gait Event Detection Approach. <i>Sensors</i> , 2022, 22, 351.   | 2.1 | 7         |
| 36467 | Utility of Stewart's Approach to Diagnose Missed Complex Acid-Base Disorders as Compared to Bicarbonate-anion Gap-based Methodology in Critically Ill Patients: An Observational Study. <i>Indian Journal of Critical Care Medicine</i> , 2022, 26, 23-32.                      | 0.3 | 2         |
| 36468 | The agreement of rectal temperature with gingival, ocular and metacarpal pad temperatures in clinically healthy dogs. <i>New Zealand Veterinary Journal</i> , 2021, , 1-6.  | 0.4 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36469 | Predicted estimates of resting energy expenditure have limited clinical utility in patients with cirrhosis. <i>Journal of Hepatology</i> , 2022, 77, 98-107.   | 1.8 | 3         |
| 36470 | Non-contrast-enhanced magnetic resonance imaging can be used to assess renal cortical and medullary volumes—A validation study. <i>Acta Radiologica Open</i> , 2022, 11, 205846012110722.  | 0.3 | 1         |
| 36471 | Cuff-Less Non-Invasive Blood Pressure Measurement Using Various Machine Learning Regression Techniques and Analysis. <i>International Journal of Biomedical and Clinical Engineering</i> , 2022, 11, 1-20.                         | 0.2 | 1         |
| 36472 | Is the Tyme Wear Smart Shirt Reliable and Valid at Detecting Personalized Ventilatory Thresholds in Recreationally Active Individuals?. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1147. | 1.2 | 4         |
| 36473 | Self-Administered Six-Minute Walk Test Using a Free Smartphone App in Asymptomatic Adults: Reliability and Reproducibility. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1118.             | 1.2 | 6         |
| 36474 | AAPOS uniform guidelines for instrument-based pediatric vision screen validation 2021. <i>Journal of AAPOS</i> , 2022, 26, 1.e1-1.e6.  | 0.2 | 18        |
| 36475 | Nomogram for sample size calculation in assessing validity of a new method based on a regression line. <i>Communications in Statistics - Theory and Methods</i> , 2023, 52, 5900-5909.   | 0.6 | 0         |
| 36476 | Comparison of seven modelling algorithms for $^{13}\text{C}$ -aminobutyric acid—edited proton magnetic resonance spectroscopy. <i>NMR in Biomedicine</i> , 2022, 35, e4702.  | 1.6 | 20        |
| 36477 | Initial Evaluation of the Concept-2 Rowing Ergometer's Accuracy Using a Motorized Test Rig. <i>Frontiers in Sports and Active Living</i> , 2021, 3, 801617.  | 0.9 | 3         |
| 36478 | Data Mining in Employee Healthcare Detection Using Intelligence Techniques for Industry Development. <i>Journal of Healthcare Engineering</i> , 2022, 2022, 1-11.  | 1.1 | 7         |
| 36479 | Development and validation of a new methodological platform to measure behavioral, cognitive, and physiological responses to food interventions in real time. <i>Behavior Research Methods</i> , 2022, , 1.                        | 2.3 | 1         |
| 36480 | Transfer accuracy of 3D-printed trays for indirect bonding of orthodontic brackets. <i>Angle Orthodontist</i> , 2022, 92, 372-379.   | 1.1 | 15        |
| 36481 | Comparative Study of Refraction between Wave Front-Based Refraction and Autorefraction without and with Cycloplegia in Children and Adolescents. <i>Children</i> , 2022, 9, 88.  | 0.6 | 4         |
| 36482 | Evaluating Surgical Complexity of Endoscopic Hysterectomy: An Inter-rater and Intra-rater Agreement Study of Novel Scoring Tool. <i>Journal of Minimally Invasive Gynecology</i> , 2022, 29, 683-690.                              | 0.3 | 1         |
| 36483 | Predictors of radiation dose for uterine artery embolisation are angiography system-dependent. <i>Journal of Radiological Protection</i> , 2022, 42, 011502.   | 0.6 | 1         |
| 36484 | Modeling and Validation of Fatigue and Recovery of Muscles for Manual Demolition Tasks. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 930.  | 1.2 | 4         |
| 36485 | Evaluation of ImageJ software in ultrasonic image analysis: Follicular and luteal morphological characteristics of cattle. <i>Animal Reproduction Science</i> , 2022, 236, 106907.   | 0.5 | 5         |
| 36486 | Reliability of ultrasound to measure the distance between lumbar interspinous processes. <i>Medical Engineering and Physics</i> , 2022, 99, 103740.  | 0.8 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36487 | A Comparison of the Validity of Three Exercise Tests for Estimating Maximal Oxygen Uptake in Korean Adults Aged 19–64 Years. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 1371.   | 1.3 | 3         |
| 36488 | Challenges in the Evaluation of Observational Data Trustworthiness From a Data Producers Viewpoint (FAIR+). <i>Frontiers in Environmental Science</i> , 2022, 9, .   | 1.5 | 4         |
| 36489 | Differences among the observers in the assessments of Japanese orthopedic association hip scores between surgeons and physical therapists and the correlations to patients' reported outcomes after total hip arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 27. | 0.8 | 0         |
| 36490 | Trajectory of Left Ventricular Remodeling in Children With Valvar Aortic Stenosis Following Balloon Aortic Valvuloplasty. <i>Circulation: Cardiovascular Imaging</i> , 2022, 15, e013200.  | 1.3 | 2         |
| 36491 | Association of cause of uremia with degree of iliac artery calcification. <i>International Journal of Urology</i> , 2022, , .  | 0.5 | 0         |
| 36492 | Comparison of forehead and finger oximetry sensors during the six minute walk test. <i>Chronic Respiratory Disease</i> , 2022, 19, 147997312110708.  | 1.0 | 3         |
| 36493 | Deep Learning Analysis of Cardiac MRI in Legacy Datasets: Multi-Ethnic Study of Atherosclerosis. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 807728.  | 1.1 | 8         |
| 36494 | Characterization of aEEG During Sleep and Wakefulness in Healthy Children. <i>Frontiers in Pediatrics</i> , 2021, 9, 773188.   | 0.9 | 8         |
| 36495 | Validation of an automated self-administered 24-hour dietary recall web application against urinary recovery biomarkers in a sample of French-speaking adults of the province of Qu bec, Canada. <i>Applied Physiology, Nutrition and Metabolism</i> , 2022, 47, 173-182.        | 0.9 | 0         |
| 36496 | In-Country Method Validation of a Paper-Based, Smartphone-Assisted Iron Sensor for Corn Flour Fortification Programs. <i>Foods</i> , 2022, 11, 276.  | 1.9 | 2         |
| 36497 | Performance comparison of peripheral arterial tonometry-based testing and polysomnography to diagnose obstructive sleep apnea in military personnel. <i>Journal of Clinical Sleep Medicine</i> , 0, , .  | 1.4 | 2         |
| 36498 | Innovative approach for first-trimester fetal organ volume measurements using a Virtual Reality system: The Generation R Next Study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2022, , .   | 0.6 | 1         |
| 36499 | Multi attribute method implementation using a High Resolution Mass Spectrometry platform: From sample preparation to batch analysis. <i>PLoS ONE</i> , 2022, 17, e0262711.   | 1.1 | 13        |
| 36500 | Repeatability and Agreement of Two Swept-source Optical Coherence Tomographers for Anterior Segment Parameter Measurements. <i>Journal of Glaucoma</i> , 2022, Publish Ahead of Print, .   | 0.8 | 5         |
| 36501 | Assessment of reliability in orthodontic literature:. <i>Angle Orthodontist</i> , 2022, 92, 409-414.   | 1.1 | 3         |
| 36502 | Inertial Sensor Algorithm to Estimate Walk Distance. <i>Sensors</i> , 2022, 22, 1077.  | 2.1 | 8         |
| 36503 | Agreement of anthropometric and body composition measures predicted from 2D smartphone images and body impedance scales with criterion methods. <i>Obesity Research and Clinical Practice</i> , 2022, 16, 37-43.   | 0.8 | 11        |
| 36504 | Validity and Test-Retest Reliability of the Vmaxpro Sensor for Evaluation of Movement Velocity in the Deep Squat. <i>Journal of Strength and Conditioning Research</i> , 2023, 37, 35-40.  | 1.0 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36505 | Development of quantitative assay for simultaneous measurement of purine metabolites and creatinine in biobanked urine by liquid chromatography-tandem mass spectrometry. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2022, 82, 37-49. | 0.6 | 3         |
| 36506 | Computed tomography in the size measurement of gastric gastrointestinal stromal tumors: Implication to risk stratification and "wait-and-see" tactics. <i>European Journal of Surgical Oncology</i> , 2022, 48, 1739-1745.  | 0.5 | 2         |
| 36507 | Interevaluator and Intraevaluator Reliability of Chest Wall Mobility Assessment in Young Asthmatics Subjects. <i>Cardiopulmonary Physical Therapy Journal</i> , 2021, Publish Ahead of Print, .   | 0.2 | 1         |
| 36508 | Translation and Psychometric Analysis of the Indonesian Versions of the Lysholm and Tegner Scores for Patients With Anterior Cruciate Ligament Injuries. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712110665.                               | 0.8 | 2         |
| 36509 | Normalized hand-behind-back for the measurement of shoulder internal rotation. <i>JSES International</i> , 2022, 6, 287-291.  | 0.7 | 1         |
| 36510 | Validity and reliability of four parent/patient reported outcome measures for juvenile idiopathic arthritis remote monitoring. <i>Arthritis Care and Research</i> , 2022, , .   | 1.5 | 2         |
| 36511 | Validity and Acceptability of Wearable Devices for Monitoring Step-Count and Activity Minutes Among People With Multiple Sclerosis. <i>Frontiers in Rehabilitation Sciences</i> , 2022, 2, .  | 0.5 | 4         |
| 36512 | Intra- and inter-observer reliability of the novel vertebral bone quality score. <i>European Spine Journal</i> , 2022, 31, 843-850.   | 1.0 | 9         |
| 36513 | Kernel Conversion for Robust Quantitative Measurements of Archived Chest Computed Tomography Using Deep Learning-Based Image-to-Image Translation. <i>Frontiers in Artificial Intelligence</i> , 2021, 4, 769557.   | 2.0 | 9         |
| 36514 | Psychometric Properties of the Barthel Index Used at Intensive Care Unit Discharge. <i>American Journal of Critical Care</i> , 2022, 31, 65-72.   | 0.8 | 9         |
| 36515 | Associations between estimated and measured carotid-femoral pulse wave velocity in older Black and White adults: the atherosclerosis risk in communities (ARIC) study. , 0, , .   |     | 3         |
| 36516 | Echocardiographic probability of pulmonary hypertension: a validation study. <i>European Respiratory Journal</i> , 2022, 60, 2102548.   | 3.1 | 27        |
| 36517 | Evaluation of Three Automated Extraction Systems for the Detection of SARS-CoV-2 from Clinical Respiratory Specimens. <i>Life</i> , 2022, 12, 68.   | 1.1 | 12        |
| 36518 | Fast and Accurate U-Net Model for Fetal Ultrasound Image Segmentation. <i>Ultrasonic Imaging</i> , 2022, 44, 25-38.   | 1.4 | 13        |
| 36519 | Dynamic body acceleration as a proxy to predict the cost of locomotion in bottlenose dolphins. <i>Journal of Experimental Biology</i> , 2022, 225, .  | 0.8 | 8         |
| 36520 | Validation of the Perception Neuron system for full-body motion capture. <i>PLoS ONE</i> , 2022, 17, e0262730.  | 1.1 | 16        |
| 36521 | Validity of Estimating the Maximal Oxygen Consumption by Consumer Wearables: A Systematic Review with Meta-analysis and Expert Statement of the INTERLIVE Network. <i>Sports Medicine</i> , 2022, 52, 1577-1597.  | 3.1 | 15        |
| 36522 | Stance Phase Detection by Inertial Measurement Unit Placed on the Metacarpus of Horses Trotting on Hard and Soft Straight Lines and Circles. <i>Sensors</i> , 2022, 22, 703.  | 2.1 | 9         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36523 | Fractal dimension analysis on CBCT scans for detecting low bone mineral density in postmenopausal women. <i>Imaging Science in Dentistry</i> , 2022, 52, 53.   | 0.6 | 4         |
| 36524 | Accuracy of a point-of-care blood lactate measurement device in a prehospital setting. <i>Journal of Clinical Monitoring and Computing</i> , 2022, 36, 1679-1687.  | 0.7 | 3         |
| 36525 | Estimated vs measured energy expenditure in ventilated surgical&#x2013;trauma critically ill patients. <i>Journal of Parenteral and Enteral Nutrition</i> , 2022, 46, 1431-1440.   | 1.3 | 7         |
| 36526 | The Effect of Paddle Stroke Variables Measured by Traineseense SmartPaddle&#x2122; on the Velocity of the Kayak. <i>Sensors</i> , 2022, 22, 938.   | 2.1 | 4         |
| 36527 | Impact of COVID-19 on the association between pulse oximetry and arterial oxygenation in patients with acute respiratory distress syndrome. <i>Scientific Reports</i> , 2022, 12, 1462.  | 1.6 | 6         |
| 36528 | Clinical validation of an artificial intelligence-assisted algorithm for automated quantification of left ventricular ejection fraction in real time by a novel handheld ultrasound device. <i>European Heart Journal Digital Health</i> , 2022, 3, 29-37. | 0.7 | 9         |
| 36529 | Determining concentric and eccentric force&#x2013;velocity profiles during squatting. <i>European Journal of Applied Physiology</i> , 2022, 122, 769-779.  | 1.2 | 6         |
| 36530 | Optimizing atrio&#x2013;ventricular delay in pacemakers using potentially implantable physiological biomarkers. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2022, 45, 461-470.   | 0.5 | 1         |
| 36531 | Using the Load-Velocity Profile for Predicting the 1RM of the Hexagonal Barbell Deadlift Exercise. <i>Journal of Strength and Conditioning Research</i> , 2023, 37, 220-223.   | 1.0 | 0         |
| 36532 | Improving non-invasive hemoglobin measurement accuracy using nonparametric models. <i>Journal of Biomedical Informatics</i> , 2022, 126, 103975.   | 2.5 | 5         |
| 36533 | Development of a novel method to measure bone marrow fat fraction in older women using high-resolution peripheral quantitative computed tomography. <i>Osteoporosis International</i> , 2022, 33, 1545-1556.   | 1.3 | 3         |
| 36534 | Differences and agreement between two portable hand-held spirometers across diverse community-based populations in the Prospective Urban Rural Epidemiology (PURE) study. <i>PLOS Global Public Health</i> , 2022, 2, e0000141.                            | 0.5 | 2         |
| 36535 | Reproducibility and validity of a food frequency questionnaire to assess cardiovascular health-related food intake among Mexican adolescents. <i>Journal of Nutritional Science</i> , 2022, 11, e3.  | 0.7 | 3         |
| 36536 | Performance Evaluation of BD FACSPrestoTM Near-Patient CD4 Counter for Monitoring Antiretroviral Therapy in HIV-Infected Individuals in Primary Healthcare Clinics in Thailand. <i>Diagnostics</i> , 2022, 12, 382.  | 1.3 | 1         |
| 36537 | Predictive Validity of Image-Based Motivation-to-Eat Visual Analogue Scales in Normal Weight Children and Adolescents Aged 9&#x2013;14 Years. <i>Nutrients</i> , 2022, 14, 636.  | 1.7 | 2         |
| 36538 | Physical activity and its clinical correlates in chronic thromboembolic pulmonary hypertension.. <i>Pulmonary Circulation</i> , 2022, 12, e12048.  | 0.8 | 1         |
| 36539 | Warfarin monitoring and interference by lupus anticoagulant in patients with antiphospholipid syndrome. <i>Thrombosis Research</i> , 2022, 211, 127-132.   | 0.8 | 1         |
| 36540 | Prevalence and time-course of diaphragmatic dysfunction following lung resection: A repeated ultrasonic assessment. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2022, 41, 101024.  | 0.6 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36541 | Pain-free grip strength in individuals with lateral elbow tendinopathy: Between- and within-session reliability of one versus three trials. <i>Physiotherapy Theory and Practice</i> , 2022, , 1-9.                                      | 0.6 | 2         |
| 36542 | Deep Learning Reconstruction of Diffusion-weighted MRI Improves Image Quality for Prostatic Imaging. <i>Radiology</i> , 2022, 303, 373-381.  | 3.6 | 51        |
| 36543 | Smartphone use for tomographic evaluation: application in endodontic diagnosis. <i>Journal of Endodontics</i> , 2022, , .  | 1.4 | 1         |
| 36544 | Test-Retest Reliability of the Isometric Soleus Strength Test in Elite Male Academy Footballers. <i>International Journal of Sports Physical Therapy</i> , 2022, 17, 286-292.  | 0.5 | 2         |
| 36545 | Comparison between DXA and MRI for the Visceral Fat Assessment in Athletes. <i>International Journal of Sports Medicine</i> , 2022, , .  | 0.8 | 2         |
| 36546 | Critical issues concerning the assessment sets in agreement assessment. <i>Statistics in Medicine</i> , 2022, , .  | 0.8 | 0         |
| 36547 | Dynamic MR imaging of cerebral perfusion during bicycling exercise. <i>NeuroImage</i> , 2022, 250, 118961.   | 2.1 | 2         |
| 36548 | Deep-learning reconstruction for ultra-low-dose lung CT: Volumetric measurement accuracy and reproducibility of artificial ground-glass nodules in a phantom study. <i>British Journal of Radiology</i> , 2022, 95, 20210915.            | 1.0 | 7         |
| 36549 | Inter-rater reliability and agreement of 6 Minute Walk Test and 10 Meter Walk Test at comfortable walk speed in patients with acute stroke. <i>Physiotherapy Theory and Practice</i> , 2023, 39, 1024-1032.                              | 0.6 | 8         |
| 36550 | Utility of 2D Video Analysis for Assessing Frontal Plane Trunk and Pelvis Motion during Stepping, Landing, and Change in Direction Tasks: A Validity Study. <i>International Journal of Sports Physical Therapy</i> , 2022, 17, 139-147. | 0.5 | 8         |
| 36551 | Determination of polymyxin B in dried blood spots using LC-MS/MS for therapeutic drug monitoring. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2022, 1192, 123131.                  | 1.2 | 5         |
| 36552 | A morphometric analysis of thoracolumbar vertebrae in goat by computed tomography.. <i>Veterinary and Animal Science</i> , 2022, 15, 100233.   | 0.6 | 0         |
| 36553 | Comparing low-coherence interferometry and A-scan ultrasonography in measuring ocular axial dimensions in young rhesus monkeys. <i>Experimental Eye Research</i> , 2022, 217, 108937.  | 1.2 | 2         |
| 36554 | Different acquisition systems for heart rate variability analysis may lead to diverse outcomes. <i>Brazilian Journal of Medical and Biological Research</i> , 2022, 55, e11720.  | 0.7 | 2         |
| 36555 | Agreement Between Kinovea Video Analysis and the Open Barbell System for Resistance Training Movement Outcomes. <i>Journal of Human Kinetics</i> , 2022, 81, 27-39.  | 0.7 | 4         |
| 36556 | Limitations of Gravimetric Quantitative Blood Loss during Cesarean Delivery. <i>AJP Reports</i> , 2022, 12, e36-e40.   | 0.4 | 2         |
| 36557 | Graph-Based Denoising for Respiration and Heart Rate Estimation During Sleep in Thermal Video. <i>IEEE Internet of Things Journal</i> , 2022, 9, 15697-15713.  | 5.5 | 9         |
| 36558 | INTERGENERATIONAL TRANSMISSION BETWEEN QUILOMBOLA MOTHERS AND DAUGHTERS: REPRODUCTIVE AUTONOMY AND INTERVENING FACTORS. <i>Texto E Contexto Enfermagem</i> , 0, 31, .  | 0.4 | 0         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36559 | Automatic Lung Segmentation and Quantification of Aeration in Computed Tomography of the Chest Using 3D Transfer Learning. <i>Frontiers in Physiology</i> , 2021, 12, 725865.   | 1.3 | 4         |
| 36560 | Measuring axial length of the eye from magnetic resonance brain imaging. <i>BMC Ophthalmology</i> , 2022, 22, 54.   | 0.6 | 7         |
| 36561 | Comparison of a New Optical Biometer That Combines Scheimpflug Imaging With Partial Coherence Interferometry With That of an Optical Biometer Based on Swept-Source Optical Coherence Tomography and Placido-Disk Topography. <i>Frontiers in Medicine</i> , 2021, 8, 814519. | 1.2 | 3         |
| 36562 | Graded peak cycle ergometer test for cognitively impaired patients with Parkinson's disease: a pilot study. <i>Physiotherapy Theory and Practice</i> , 2023, 39, 1249-1256.   | 0.6 | 1         |
| 36563 | Effect of Test Interface on Respiratory Muscle Activity and Pulmonary Function During Respiratory Testing in Healthy Adults. <i>Cardiopulmonary Physical Therapy Journal</i> , 2022, Publish Ahead of Print, .  | 0.2 | 1         |
| 36564 | Smart Eyeglasses: A Valid and Reliable Device to Assess Spatiotemporal Parameters during Gait. <i>Sensors</i> , 2022, 22, 1196.   | 2.1 | 6         |
| 36565 | Análisis dinámico muscular y de la estructura interna del nervio periférico como biomarcadores para la esclerosis lateral amiotrófica: estudio piloto mediante ecografía. <i>Neurología</i> , 2022, , .   | 0.3 | 0         |
| 36566 | Accounting for arterial and capillary blood gases for calculation of cerebral blood flow in preterm infants. <i>European Journal of Pediatrics</i> , 2022, , 1.   | 1.3 | 0         |
| 36567 | Reliable Peak Power Assessment During Concentric and Flexion-Extension-Cycle Based Rowing Strokes using a Non-Modified Rowing Ergometer. <i>Journal of Sports Science and Medicine</i> , 2022, 21, 131-136.   | 0.7 | 1         |
| 36568 | Validity of four commercially available metabolic carts for assessing resting metabolic rate and respiratory exchange ratio in non-ventilated humans. <i>Clinical Nutrition</i> , 2022, 41, 746-754.  | 2.3 | 17        |
| 36569 | Prediction of fumonisins B 1 and B 2 in corn distiller's dried grains with solubles through near infrared reflectance spectroscopy. <i>Journal of the Science of Food and Agriculture</i> , 2022, , .   | 1.7 | 4         |
| 36570 | Automatic Tracking of Muscle Fiber Direction in Ultrasound Images Based on Improved Kalman Filter. <i>Electronics (Switzerland)</i> , 2022, 11, 466.  | 1.8 | 0         |
| 36571 | Accuracy of an estimated core temperature algorithm for agricultural workers. <i>Archives of Environmental and Occupational Health</i> , 2022, , 1-10.  | 0.7 | 2         |
| 36572 | PERIOPERATIVE CONTINUOUS NON-INVASIVE CARDIAC OUTPUT MONITORING IN CARDIAC SURGERY PATIENTS BY A NOVEL CAPNODYNAMIC METHOD. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2022, , .  | 0.6 | 6         |
| 36573 | Clinical assessment of tibial torsion differences. Do we always need a computed tomography?. <i>European Journal of Trauma and Emergency Surgery</i> , 2022, 48, 3229-3235.   | 0.8 | 1         |
| 36574 | CT measures of femoral and tibial version and rotational position of femoral and tibial components of knee replacements: limitations in reliability and suitability for routine clinical practice. <i>European Radiology</i> , 2022, 32, 3790-3798.                           | 2.3 | 3         |
| 36575 | Agreement between arterial and central venous blood pH and its contributing variables in anaesthetized dogs with respiratory acidosis. <i>Veterinary Anaesthesia and Analgesia</i> , 2022, 49, 299-303.   | 0.3 | 2         |
| 36576 | Validation of a new impedance cardiography analysis algorithm for clinical classification of stress states. <i>Psychophysiology</i> , 2022, 59, e14013.   | 1.2 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36577 | Performance of bioelectrical impedance analysis compared to dual X-ray absorptiometry (DXA) in Veterans with COPD. <i>Scientific Reports</i> , 2022, 12, 1946.   | 1.6 | 8         |
| 36578 | Data agreement analysis and correction of comparative geomagnetic vector observations. <i>Earth, Planets and Space</i> , 2022, 74, .   | 0.9 | 2         |
| 36579 | Measuring Foot Progression Angle during Walking Using Force-Plate Data. <i>Applied Mechanics</i> , 2022, 3, 174-181.   | 0.7 | 4         |
| 36580 | Body Composition Predictionâ€”BOMP: A New Tool for Assessing Fat and Lean Body Mass. <i>Journal of Diabetes Science and Technology</i> , 2022, , 193229682210765.  | 1.3 | 2         |
| 36581 | Linking Function and Structure with ReSensNet. <i>Ophthalmology Retina</i> , 2022, 6, 501-511.   | 1.2 | 7         |
| 36582 | Performance analysis of a compact autophoropter for accessible refractiveassessment of the human eye. <i>Applied Optics</i> , 2022, 61, 2207-2212.   | 0.9 | 2         |
| 36583 | Variability and accuracy of body fat estimates using skinfolds and DXA in elite Gaelic football players: a validation study and development of novel prediction equations. <i>Sport Sciences for Health</i> , 2022, 18, 1263-1272.   | 0.4 | 2         |
| 36584 | Healthy US population reference values for CT visceral fat measurements and the impact of IV contrast, HU range, and spinal levels. <i>Scientific Reports</i> , 2022, 12, 2374.  | 1.6 | 9         |
| 36585 | Assessment of Metabolic Adaptations in Periparturient Dairy Cows Provided 3-Nitrooxypropanol and Varying Concentrate Proportions by Using the GreenFeed System for Indirect Calorimetry, Biochemical Blood Parameters and Ultrasonography of Adipose Tissues. <i>Dairy</i> , 2022, 3, 100-122. | 0.7 | 0         |
| 36587 | A detailed method for creating digital 3D models of human crania: an example of close-range photogrammetry based on the use of Structure-from-Motion (SfM) in virtual anthropology. <i>Archaeological and Anthropological Sciences</i> , 2022, 14, 1.  | 0.7 | 17        |
| 36588 | Measurement of Cardiac Output Using an Ultrasonic Cardiac Output Monitor (USCOM) in Patients with Single-Ventricle Physiology. <i>Pediatric Cardiology</i> , 2022, 43, 1205-1213.  | 0.6 | 2         |
| 36589 | Validation and reproducibility of a semi-qualitative food frequency questionnaire for assessment of sodium intake in Iranian population. <i>Nutrition Journal</i> , 2022, 21, 9.   | 1.5 | 2         |
| 36590 | Intracranial Blood Flow Quantification by Accelerated Dualâ€”venc<i><sc>4D</sc> Flow <sc>MRI</sc>: Comparison With Transcranial Doppler Ultrasound. <i>Journal of Magnetic Resonance Imaging</i> , 2022, 56, 1256-1264.  | 1.9 | 3         |
| 36591 | Comparison of ten predictive equations for estimating lean body mass with dual-energy X-ray absorptiometry in older patients. <i>British Journal of Radiology</i> , 2022, 95, 20210378.  | 1.0 | 5         |
| 36592 | Intraocular lens power calculation with ray tracing based on AS-OCT and adjusted axial length after myopic excimer laser surgery. <i>Journal of Cataract and Refractive Surgery</i> , 2022, 48, 947-953.   | 0.7 | 8         |
| 36593 | Evaluation of the Atellica COAG 360 coagulation analyzer in a specialized coagulation laboratory. <i>Journal of Clinical Laboratory Analysis</i> , 2022, 36, e24276.   | 0.9 | 2         |
| 36594 | Walch B2 glenoids: 2-dimensional vs 3-dimensional comparison of humeral head subluxation and glenoid retroversion. <i>JSES International</i> , 2022, 6, 421-428.   | 0.7 | 3         |
| 36595 | This Is My Baby Interview: An Adaptation to the Spanish Language and Culture. <i>Children</i> , 2022, 9, 235.  | 0.6 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36596 | Accuracy of Weight Estimation in Children Using the Broselow, PAWPER XL, PAWPER XL-MAC, and Mercy Tapes. <i>Pediatric Emergency Care</i> , 2022, Publish Ahead of Print, .  | 0.5 | 0         |
| 36597 | Criterion Validity and Test-Retest Reliability of a Modified Version of the International Physical Activity Questionnaireâ€œShort Form (IPAQ-SF) in Kidney Transplant Recipients. <i>Frontiers in Rehabilitation Sciences</i> , 2022, 3, .    | 0.5 | 2         |
| 36598 | Towards a semi-automated analysis of fish plasma by 1H NMR metabolomics - applications to aquaculture. <i>Aquaculture</i> , 2022, 552, 738028.  | 1.7 | 2         |
| 36599 | 3-D Ultrasonographic Quantification of Hand and Calf Muscle Volume: Statistical Shape Modeling Approach. <i>Ultrasound in Medicine and Biology</i> , 2022, 48, 565-574.   | 0.7 | 0         |
| 36600 | High Variability of Right Ventricular Volumes and Function in Adults with Severe Pulmonary Regurgitation Late After Tetralogy of Fallot Repair. <i>American Journal of Cardiology</i> , 2022, 166, 88-96.                                     | 0.7 | 3         |
| 36601 | Comparison of 2D planar and 3D volumetric methods for estimation of split renal function by 99mTc-DMSA scintigraphy. <i>Physica Medica</i> , 2022, 95, 83-88.   | 0.4 | 2         |
| 36602 | Type of serum collection tube does not impact neurofilament light chain levels. <i>Multiple Sclerosis and Related Disorders</i> , 2022, 59, 103676.   | 0.9 | 2         |
| 36603 | Estimation of potassium levels in hemodialysis patients by T wave nonlinear dynamics and morphology markers. <i>Computers in Biology and Medicine</i> , 2022, 143, 105304.  | 3.9 | 3         |
| 36604 | Validity of Domain-Specific Sedentary Time Using Accelerometer and Questionnaire with activPAL Criterion. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12774.   | 1.2 | 1         |
| 36605 | Comparison of Corneal Power Calculation by Standard Keratometry and Total Keratometry in Eyes With Previous Myopic FS-LASIK. <i>Journal of Refractive Surgery</i> , 2021, 37, 848-852.  | 1.1 | 6         |
| 36606 | Distinct Nutrient Intake Style in Inhabitants of Ultra-High-Altitude Areas in North of Tibet, China: A Cross-Sectional Study Based on Newly Developed Tibetan Food Frequency Questionnaires. <i>Frontiers in Nutrition</i> , 2021, 8, 743896. | 1.6 | 10        |
| 36608 | Repeatability and validity of a food frequency questionnaire in free-living older people in relation to cognitive function. <i>Journal of Nutrition, Health and Aging</i> , 2008, 12, 735-741.  | 1.5 | 52        |
| 36609 | Quantitative analysis of sinistrin in serum with high-performance liquid chromatography for renal function testing. <i>Analytical Biochemistry</i> , 2004, 331, 183-188.  | 1.1 | 2         |
| 36610 | Absolute and Relative Reliability of a Comprehensive Quantitative Sensory Testing Protocol in Women Treated for Breast Cancer. <i>Pain Medicine</i> , 2022, 23, 1162-1175.  | 0.9 | 10        |
| 36611 | Longitudinal changes in serum testosterone and sex hormoneâ€œbinding globulin in men aged 40â€œ69 years from the UK Biobank. <i>Clinical Endocrinology</i> , 2022, 96, 589-598.   | 1.2 | 10        |
| 36612 | Comparison of different body composition measurements in severely obese patients in the clinical setting. <i>Nutricion Hospitalaria</i> , 2012, 27, 1626-30.  | 0.2 | 22        |
| 36614 | Repeatability of Vessel Density Measurements Using Optical Coherence Tomography Angiography in Patients with Branch Retinal Vein Occlusion. <i>Japanese Orthoptic Journal</i> , 2021, 50, 87-95.  | 0.1 | 0         |
| 36615 | Comparison of Carotid Stenosis Grading by CT Angiography and Doppler Ultrasonography: How the Statistical Methods Applied Influence the Results. <i>Acta Clinica Croatica</i> , 2021, 60, 457-466.  | 0.1 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36616 | Comparison of 3D printed anatomical model qualities in acetabular fracture representation. <i>Annals of Translational Medicine</i> , 2021, 10, 0-0.  | 0.7 | 2         |
| 36617 | Monitoring the Hatching Success of Gulls Laridae and Terns Sternidae: A Comparison of Ground and Drone Methods. <i>Acta Ornithologica</i> , 2021, 56, .  | 0.1 | 6         |
| 36618 | Physics-Informed Neural Networks for Brain Hemodynamic Predictions Using Medical Imaging. <i>IEEE Transactions on Medical Imaging</i> , 2022, 41, 2285-2303.   | 5.4 | 24        |
| 36619 | Validating Cancer Quality of Life Assessment Tools: Psychometric Considerations. , 2022, , 105-122.  |     | 0         |
| 36620 | Ultra-highly sensitive cardiac troponin I: Age and sex differences in healthy individuals. <i>American Heart Journal Plus</i> , 2022, 13, 100110.  | 0.3 | 0         |
| 36621 | Agreement in anterior segment measurements between swept-source and Scheimpflug-based optical biometries in keratoconic eyes: a pilot study. <i>Therapeutic Advances in Ophthalmology</i> , 2022, 14, 251584142110632.                               | 0.8 | 5         |
| 36622 | Instrumental validation of free water, peak width of skeletonized mean diffusivity, and white matter hyperintensities: MarkVCID neuroimaging kits. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2022, 14, e12261. | 1.2 | 25        |
| 36623 | Radical-7&sup>g&t;Â&sup>g&t;. <i>The Journal of Japan Society for Clinical Anesthesia</i> , 2022, 42, 36-43.   | 0.0 | 0         |
| 36624 | Magnetic resonance imaging vs. computed tomography image concordance for linear measurements and the quantification of abdominal skeletal muscle. <i>JCSM Clinical Reports</i> , 2022, 7, 24-29.   | 0.5 | 2         |
| 36625 | Criterion Validity and Reliability of Knee Frontal Plane Projection Angles Measured Using the Technique Application. <i>Journal of Sport Rehabilitation</i> , 2022, , 1-6.   | 0.4 | 0         |
| 36626 | Acoustic Screening for Obstructive Sleep Apnea in Home Environments Based on Deep Neural Networks. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2022, 26, 2941-2950.   | 3.9 | 14        |
| 36627 | Global overview of the management of acute cholecystitis during the COVID-19 pandemic (CHOLECOVID) Tj ETQq1 1 0.784314 rgBT 0,7 4  | 0.7 | 4         |
| 36628 | Comparing polysomnography, actigraphy, and sleep diary in the home environment: The Study of Women's Health Across the Nation (SWAN) Sleep Study. <i>SLEEP Advances</i> , 2022, 3, zpac001.  | 0.1 | 35        |
| 36629 | Clinical Validation of a Circulating Tumor Cell Assay Using Density Centrifugation and Automated Immunofluorescence Microscopy. <i>American Journal of Clinical Pathology</i> , 2022, 158, 270-276.  | 0.4 | 7         |
| 36630 | Simple and Reliable Position Sense Assessment Under Different External Torques: Toward Developing a Post-Stroke Proprioception Evaluation Device. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2022, 30, 823-832.     | 2.7 | 0         |
| 36631 | Assessment of a Treadmill Speed Incline Conversion Chart: A Validation Study. <i>International Journal of Sports Physiology and Performance</i> , 2022, , 1-7.   | 1.1 | 0         |
| 36632 | The impact of altering participant MRI scanning position on back muscle volume measurements. <i>BJR   Open</i> , 2022, 4, .  | 0.4 | 0         |
| 36633 | Minimum detectable change in reaction time to the Posner task due to change in sustained attention. <i>Journal of Physical Therapy Science</i> , 2022, 34, 257-261.  | 0.2 | 0         |

| #     | ARTICLE   | IF   | CITATIONS |
|-------|---|------|-----------|
| 36634 | Reliability and validity of digital health metrics for assessing arm and hand impairments in an ataxic disorder. <i>Annals of Clinical and Translational Neurology</i> , 2022, 9, 432-443.  | 1.7  | 6         |
| 36635 | Machine learning based analysis of stroke lesions on mouse tissue sections. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2022, 42, 1463-1477.   | 2.4  | 3         |
| 36636 | Pre-Burn Health-Related Quality of Life: Patient and Partner Perspectives. <i>European Journal of Burn Care</i> , 2022, 3, 135-144.   | 0.4  | 0         |
| 36637 | Left Ventricle Segmentation in Cardiac MR: A Systematic Mapping of the Past Decade. <i>ACM Computing Surveys</i> , 2022, 54, 1-38.  | 16.1 | 4         |
| 36638 | Krebs von den Lungen-6 as Disease Severity Marker for COVID-19 Patients: Analytical Verification and Quality Assessment of the Tosoh AIA-360 Compared to Lumipulse G600II. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2176. | 1.2  | 4         |
| 36639 | Validation of indwelling vaginal sensor to monitor body temperature in ewes. <i>Animal Biotelemetry</i> , 2022, 10, .   | 0.8  | 1         |
| 36640 | Preoperative evaluation of pulmonary hypertension in lung transplant candidates: echocardiography versus right heart catheterization. <i>BMC Cardiovascular Disorders</i> , 2022, 22, 53.   | 0.7  | 6         |
| 36641 | Improved k-NN Mapping of Forest Attributes in Northern Canada Using Spaceborne L-Band SAR, Multispectral and LiDAR Data. <i>Remote Sensing</i> , 2022, 14, 1181.  | 1.8  | 5         |
| 36642 | The psychometric properties of the figure-of-eight walk test in people with Parkinson's disease. <i>Disability and Rehabilitation</i> , 2023, 45, 301-309.  | 0.9  | 3         |
| 36643 | Comparison of Mindray metabolic system with the GE S/5 metabolic system: indirect calorimetry in critically ill mechanically ventilated patients. <i>Nutrition</i> , 2022, 99-100, 111632.  | 1.1  | 0         |
| 36644 | Focal osteoporosis defect is associated with vertebral compression fracture prevalence in a bone mineral density-independent manner. <i>JOR Spine</i> , 2022, 5, e1195.   | 1.5  | 1         |
| 36645 | Validity of the PUSH band 2.0 and Speed4lifts to measure velocity during upper and lower body free-weight resistance exercises. <i>Journal of Sports Sciences</i> , 2022, 40, 968-975.  | 1.0  | 2         |
| 36647 | Intra-epidermal evoked potentials: A promising tool for spinal disorders?. <i>Neurophysiologie Clinique</i> , 2022, 52, 44-57.  | 1.0  | 2         |
| 36648 | Myocardial perfusion quantification with Rb-82 PET: good interobserver agreement of Carimas software on global, regional, and segmental levels. <i>Annals of Nuclear Medicine</i> , 2022, 36, 507-514.  | 1.2  | 2         |
| 36649 | Radioembolization of Hepatocellular Carcinoma with 90Y Glass Microspheres: No Advantage of Voxel Dosimetry with Respect to Mean Dose in Dose-Response Analysis with Two Radiological Methods. <i>Cancers</i> , 2022, 14, 959.   | 1.7  | 11        |
| 36650 | The Social Support Network of Adults with an Autism Spectrum Condition: An Exploration Using the Network in Action-Questionnaire. <i>Journal of Autism and Developmental Disorders</i> , 2022, , 1.   | 1.7  | 1         |
| 36651 | Psychometric properties of the Arabic version of Duke Activity Status Index in patients with chronic obstructive pulmonary disease. <i>Disability and Rehabilitation</i> , 2022, , 1-6.   | 0.9  | 1         |
| 36652 | Variability of interferon- $\gamma$ release assays in people at high risk of tuberculosis infection or progression to tuberculosis disease living in the United States. <i>Clinical Microbiology and Infection</i> , 2022, , .  | 2.8  | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36653 | Repeatability and learning effect in the 6MWT in preoperative cancer patients undergoing a prehabilitation program. <i>Supportive Care in Cancer</i> , 2022, 30, 5107-5114.  | 1.0 | 4         |
| 36654 | Application of the Statistical Method to Convert Published PASI 50/75/90/100 into Absolute PASI Response Rate in Patients with Moderate-to-Severe Plaque Psoriasis Treated with Tildrakizumab Based on Data from the Two Pivotal Phase 3 Studies reSURFACE 1 and reSURFACE 2. <i>Dermatology</i> , 2022, , 1-9.                                | 0.9 | 0         |
| 36656 | High SUVs Have More Robust Repeatability in Patients with Metastatic Prostate Cancer: Results from a Prospective Test-Retest Cohort Imaged with <sup>18</sup> F-DCFPyL. <i>Molecular Imaging</i> , 2022, 2022, 7056983.  | 0.7 | 6         |
| 36657 | Advances in field-based high-throughput photosynthetic phenotyping. <i>Journal of Experimental Botany</i> , 2022, 73, 3157-3172.   | 2.4 | 17        |
| 36658 | A novel graphical evaluation of agreement. <i>BMC Medical Research Methodology</i> , 2022, 22, 51.   | 1.4 | 1         |
| 36659 | PERFECTED enhanced recovery pathway (PERFECT-ER) versus standard acute hospital care for people after hip fracture surgery who have cognitive impairment: a feasibility cluster randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e055267.  | 0.8 | 1         |
| 36660 | The Application of Magnetic Resonance Imaging in Skeletal Age Assessment. <i>Applied Bionics and Biomechanics</i> , 2022, 2022, 1-5.   | 0.5 | 1         |
| 36661 | Multifaceted Amblyopia Screening with blinq, 2WIN, and PDI Check. <i>Clinical Ophthalmology</i> , 2022, Volume 16, 411-421.  | 0.9 | 3         |
| 36662 | In Vitro Geometry Analysis of Fenestrations in Endovascular Aneurysm Repair. <i>Journal of Endovascular Therapy</i> , 2023, 30, 204-213.   | 0.8 | 2         |
| 36663 | Analysis of the Use and Applicability of Different Variables for the Prescription of Relative Intensity in Bench Press Exercise. <i>Biology</i> , 2022, 11, 336.   | 1.3 | 6         |
| 36664 | Physical activity monitoring during hospital stay: a validation study. <i>Disability and Rehabilitation</i> , 2023, 45, 449-454.   | 0.9 | 6         |
| 36665 | Validation and reproducibility of the Glittre activities of the daily living test for evaluation of functional capacity after a stroke. <i>Physiotherapy Theory and Practice</i> , 2022, , 1-8.  | 0.6 | 0         |
| 36666 | Repeatability of a new swept-source optical coherence tomographer and agreement with other three optical biometers. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2022, 260, 2271-2281.  | 1.0 | 16        |
| 36667 | Validation of the 0-10 verbal numeric scale for assessment of pruritus severity in dogs. <i>Veterinary Dermatology</i> , 2022, , .   | 0.4 | 2         |
| 36668 | Using independent cross-sectional survey data to predict post-migration health trajectories among refugees by estimating transition probabilities and their variances. <i>Biometrical Journal</i> , 2022, 64, 964-983.   | 0.6 | 5         |
| 36669 | Validation of a series of walking and stepping tests to predict maximal oxygen consumption in adults aged 18-79 years. <i>PLoS ONE</i> , 2022, 17, e0264110.   | 1.1 | 1         |
| 36670 | IMI2-PainCare-BioPain-RCT1: study protocol for a randomized, double-blind, placebo-controlled, crossover, multi-center trial in healthy subjects to investigate the effects of lacosamide, pregabalin, and tapentadol on biomarkers of pain processing observed by peripheral nerve excitability testing (NET). <i>Trials</i> , 2022, 23, 163. | 0.7 | 2         |
| 36671 | Intra- and Interrater Reliability of the Spanish Version of the Gross Motor Function Measure (GMFM-SP-88). <i>Pediatric Physical Therapy</i> , 2022, 34, 193-200.  | 0.3 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36672 | Performance testing of four automated coagulation analyzers in a university hospital setting with focus on global coagulation assays. <i>International Journal of Laboratory Hematology</i> , 2022, 44, 643-653.  | 0.7 | 2         |
| 36673 | The validity of using inertial measurement units to monitor the torso and pelvis sagittal plane motion of elite rowers. <i>Journal of Sports Sciences</i> , 2022, 40, 950-958.  | 1.0 | 1         |
| 36674 | Diagnostic concordance and discordance between angiography-based quantitative flow ratio and fractional flow reserve derived from computed tomography in complex coronary artery disease. <i>Journal of Cardiovascular Computed Tomography</i> , 2022, 16, 336-342. | 0.7 | 5         |
| 36675 | Test-Retest Reliability of an Adaptive Thermal Pain Calibration Procedure in Healthy Volunteers. <i>Journal of Pain</i> , 2022, 23, 1543-1555.  | 0.7 | 8         |
| 36676 | Limited Sampling Strategies to Monitoring Mycophenolic Acid Exposure in a Heterogeneous Population of Heart Transplant Recipients: A Pilot Study. , 0, , .  |     | 0         |
| 36677 | Real-World Application of Home Visual Acuity Testing for Pediatric Teleophthalmology During the COVID-19 Pandemic. <i>Journal of Pediatric Ophthalmology and Strabismus</i> , 2022, , 1-10.   | 0.3 | 2         |
| 36678 | Validity and Reproducibility of a Semiquantitative Multiple-Choice Food Frequency Questionnaire in Iranian Adults. <i>Food and Nutrition Bulletin</i> , 2022, , 037957212210783.  | 0.5 | 11        |
| 36679 | Test/Retest Reliability and Validity of Remote vs. In-Person Anthropometric and Physical Performance Assessments in Cancer Survivors and Supportive Partners. <i>Cancers</i> , 2022, 14, 1075.  | 1.7 | 15        |
| 36682 | Clinical feasibility of a contactless multiparameter continuous monitoring technology for neonates in a large public maternity hospital in Nairobi, Kenya. <i>Scientific Reports</i> , 2022, 12, 3097.  | 1.6 | 1         |
| 36684 | Poor performance of predictive equations to estimate resting energy expenditure in patients with Crohn's disease. <i>British Journal of Nutrition</i> , 2023, 129, 272-282.   | 1.2 | 1         |
| 36685 | Consistency of the estimated target weights and ECW/TBW using BIA after hemodialysis in patients between standing and lying-down positions. <i>BMC Nephrology</i> , 2022, 23, 106.  | 0.8 | 5         |
| 36686 | A deep learning framework for automated detection and quantitative assessment of liver trauma. <i>BMC Medical Imaging</i> , 2022, 22, 39.   | 1.4 | 10        |
| 36687 | Performance characteristics of the first Food and Drug Administration (FDA)-cleared digital droplet PCR (ddPCR) assay for BCR::ABL1 monitoring in chronic myelogenous leukemia. <i>PLoS ONE</i> , 2022, 17, e0265278.   | 1.1 | 10        |
| 36688 | Novel Application of Multiscale Cross-Approximate Entropy for Assessing Early Changes in the Complexity between Systolic Blood Pressure and ECG R-R Intervals in Diabetic Rats. <i>Entropy</i> , 2022, 24, 473.   | 1.1 | 3         |
| 36689 | Concurrent validity of the inertial sensors for assessment of balance control during quiet standing in patients with chronic low back pain and asymptomatic individuals. <i>Journal of Medical Engineering and Technology</i> , 2022, 46, 354-362.                  | 0.8 | 1         |
| 36690 | Agreement of the Apple Watch® and Fitbit Charge® for recording step count and heart rate when exercising in water. <i>Medical and Biological Engineering and Computing</i> , 2022, 60, 1323-1331.   | 1.6 | 3         |
| 36691 | Acquisition Time for Swept-Source Optical Biometry Plus Corneal Power Measurement During Cataract Evaluation. <i>Clinical Ophthalmology</i> , 2022, Volume 16, 661-668.   | 0.9 | 3         |
| 36692 | Comparative accuracy of two veterinary-calibrated point-of-care glucometers for measurement of blood glucose concentration in dogs. <i>Journal of Small Animal Practice</i> , 2022, , .   | 0.5 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36693 | Prediction of Myocardial Infarction From Patient Features With Machine Learning. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 754609.  | 1.1 | 3         |
| 36694 | Three-dimensional polygonal muscle modelling and line of action estimation in living and extinct taxa. <i>Scientific Reports</i> , 2022, 12, 3358.   | 1.6 | 11        |
| 36695 | Four-limb wireless IMU sensor system for automatic gait detection in canines. <i>Scientific Reports</i> , 2022, 12, 4788.  | 1.6 | 7         |
| 36696 | How myocardial work could be relevant in patients with an aortic valve stenosis?. <i>European Heart Journal Cardiovascular Imaging</i> , 2022, 24, 119-129.  | 0.5 | 6         |
| 36697 | Zero retinal vein pulsation amplitude extrapolated model in non-invasive intracranial pressure estimation. <i>Scientific Reports</i> , 2022, 12, 5190.   | 1.6 | 9         |
| 36698 | The coin rotation test: a reliable and valid test in people with Parkinson's disease. <i>Disability and Rehabilitation</i> , 2022, , 1-10.   | 0.9 | 1         |
| 36699 | Low-dose CT Perfusion with Sparse-view Filtered Back Projection in Acute Ischemic Stroke. <i>Academic Radiology</i> , 2022, 29, 1502-1511.   | 1.3 | 1         |
| 36700 | Comparison of oscillometric, non-invasive and invasive arterial pressure monitoring in patients undergoing laparoscopic bariatric surgery â€“ a secondary analysis of a prospective observational study. <i>BMC Anesthesiology</i> , 2022, 22, 83. | 0.7 | 3         |
| 36701 | Sample Entropy as a Tool to Assess Lumbo-Pelvic Movements in a Clinical Test for Low-Back-Pain Patients. <i>Entropy</i> , 2022, 24, 437.   | 1.1 | 3         |
| 36702 | A comparison of continuous blood gas monitors during cardiopulmonary bypass LivaNova B-Capta, Terumo CDI 500, spectrum medical M4. <i>Perfusion (United Kingdom)</i> , 2023, 38, 740-746.  | 0.5 | 1         |
| 36703 | Can magnetic resonance imaging accurately and reliably measure humeral cortical thickness?. <i>JSES International</i> , 2022, 6, 297-304.  | 0.7 | 0         |
| 36704 | Self-reported use of the paretic lower extremity of people with stroke: A reliability and validity study of the Lower-Extremity Motor Activity Log (LE-MAL) â€“ Brazil. <i>Physiotherapy Theory and Practice</i> , 2023, 39, 1727-1735.            | 0.6 | 5         |
| 36706 | Creating a Standardized Process for Testing the Differences in Arterial Versus Venous Activated Coagulation Times. <i>Journal of Radiology Nursing</i> , 2022, , .   | 0.2 | 0         |
| 36707 | Normative measurements of the superior oblique and inferior oblique muscles by magnetic resonance imaging. <i>Surgical and Radiologic Anatomy</i> , 2022, 44, 521-525.   | 0.6 | 2         |
| 36708 | Intra-breath changes in respiratory mechanics assessed from multi-frequency oscillometry measurements. <i>Physiological Measurement</i> , 2022, 43, 045004.  | 1.2 | 4         |
| 36709 | Metabolic equivalent of task and the accuracy of resting metabolic rate prediction equations in inactive, healthy postmenopausal women with overweight and obesity. <i>Science and Sports</i> , 2022, 37, 421-430.                                 | 0.2 | 0         |
| 36710 | Comparison of testing for failure of passive transfer in calf serum using four different testing methods. <i>Veterinary Journal</i> , 2022, 281, 105812.   | 0.6 | 3         |
| 36711 | The digital scent device as a new concept for olfactory assessment. <i>International Forum of Allergy and Rhinology</i> , 2022, 12, 1263-1272.   | 1.5 | 5         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36712 | Three-Dimensional Analysis of Posterior Mandibular Displacement in Rats. <i>Veterinary Sciences</i> , 2022, 9, 144.   | 0.6 | 4         |
| 36713 | Comparison of Non-contact Tonometry and Goldmann Applanation Tonometry Measurements in Non-pathologic High Myopia. <i>Frontiers in Medicine</i> , 2022, 9, 819715.  | 1.2 | 1         |
| 36714 | Validation of automated bone age analysis from hand radiographs in a North American pediatric population. <i>Pediatric Radiology</i> , 2022, , 1.   | 1.1 | 5         |
| 36715 | Facial Asymmetry in Children With Unilateral Congenital Ptosis. <i>Ophthalmic Plastic and Reconstructive Surgery</i> , 2022, Publish Ahead of Print, .  | 0.4 | 2         |
| 36716 | Advancement of the Monitoring System for Arch Support Geometry and Loads. <i>Energies</i> , 2022, 15, 2222.   | 1.6 | 1         |
| 36717 | Training in Obstetric Ultrasound Biometry. <i>Journal of Ultrasound in Medicine</i> , 2022, 41, 2819-2825.  | 0.8 | 2         |
| 36718 | Proportional bias of multifrequency bioimpedance analysis is larger in Hispanic females than males. <i>Nutrition Research</i> , 2022, 103, 40-46.   | 1.3 | 2         |
| 36719 | Normative orbital measurements in an Australian cohort on computed tomography. <i>Orbit</i> , 2022, , 1-5.  | 0.5 | 0         |
| 36720 | Recommendations for Determining the Validity of Consumer Wearables and Smartphones for the Estimation of Energy Expenditure: Expert Statement and Checklist of the INTERLIVE Network. <i>Sports Medicine</i> , 2022, 52, 1817-1832. | 3.1 | 11        |
| 36722 | Development of Amyloid PET Analysis Pipeline Using Deep Learning-Based Brain MRI Segmentation—A Comparative Validation Study. <i>Diagnostics</i> , 2022, 12, 623.   | 1.3 | 3         |
| 36723 | ISSMF: Integrated semantic and spatial information of multi-level features for automatic segmentation in prenatal ultrasound images. <i>Artificial Intelligence in Medicine</i> , 2022, 125, 102254.                                | 3.8 | 12        |
| 36724 | Performance of Four Commercial Wearable Sleep-Tracking Devices Tested Under Unrestricted Conditions at Home in Healthy Young Adults. <i>Nature and Science of Sleep</i> , 2022, Volume 14, 493-516.                                 | 1.4 | 45        |
| 36725 | Are Smartwatches a Suitable Tool to Monitor Noise Exposure for Public Health Awareness and Ottoprotection?. <i>Frontiers in Neurology</i> , 2022, 13, 856219.   | 1.1 | 4         |
| 36726 | Utility of the Novel MediPost Mobile Posturography Device in the Assessment of Patients with a Unilateral Vestibular Disorder. <i>Sensors</i> , 2022, 22, 2208.   | 2.1 | 6         |
| 36727 | Comparison of the activPAL CREA and VANE Algorithms for Characterization of Posture and Activity in Free-Living Adults. <i>Journal for the Measurement of Physical Behaviour</i> , 2022, 5, 49-57.                                  | 0.5 | 5         |
| 36729 | Implications of analysing time-to-event outcomes as binary in meta-analysis: empirical evidence from the Cochrane Database of Systematic Reviews. <i>BMC Medical Research Methodology</i> , 2022, 22, 73.                           | 1.4 | 3         |
| 36730 | Cardiorespiratory fitness in police recruits: Assessing the validity of the 20-meter shuttle run test for recruitment purposes. <i>Work</i> , 2022, , 1-9.  | 0.6 | 0         |
| 36731 | Intensity of occupational physical activity in blue-collar workers: do self-reported rating and device-worn measurements agree?. <i>European Journal of Applied Physiology</i> , 2022, 122, 1293-1301.                              | 1.2 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36732 | Performance Evaluation of a Smart Bed Technology against Polysomnography. <i>Sensors</i> , 2022, 22, 2605.  | 2.1 | 13        |
| 36733 | Blood volume estimation in cardiac surgery – A comparative analysis. <i>Perfusion (United Kingdom)</i> , 2022, , 026765912110699.   | 0.5 | 0         |
| 36734 | Comparison of Anterior Corneal Aberrometry, Keratometry and Pupil Size with Scheimpflug Tomography and Ray Tracing Aberrometer. <i>Vision (Switzerland)</i> , 2022, 6, 18.  | 0.5 | 5         |
| 36735 | The Reliability of Telepractice Administration of the Western Aphasia Battery – Revised in Persons With Primary Progressive Aphasia. <i>American Journal of Speech-Language Pathology</i> , 2022, 31, 881-895.  | 0.9 | 12        |
| 36736 | Precision measurement of cardiac structure and function in cardiovascular magnetic resonance using machine learning. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2022, 24, 16.  | 1.6 | 30        |
| 36737 | Strategy to Reduce Hypercapnia in Robot-Assisted Radical Prostatectomy Using Transcutaneous Carbon Dioxide Monitoring: A Prospective Observational Study. <i>Therapeutics and Clinical Risk Management</i> , 2022, Volume 18, 249-258.  | 0.9 | 2         |
| 36738 | Towards standardizing retinal optical coherence tomography angiography: a review. <i>Light: Science and Applications</i> , 2022, 11, 63.  | 7.7 | 52        |
| 36739 | Disease-specific assessment of Vision Impairment in Low Luminance in age-related macular degeneration – a MACUSTAR study report. <i>British Journal of Ophthalmology</i> , 2023, 107, 1144-1150.  | 2.1 | 2         |
| 36740 | Expiratory flow limitation in a cohort of highly symptomatic COPD patients. <i>ERJ Open Research</i> , 2022, 8, 00680-2021.   | 1.1 | 1         |
| 36741 | Test-retest reliability and sensitivity to change of ultrasound-based methods of measuring synovial inflammation in knee osteoarthritis. <i>Arthritis Care and Research</i> , 2022, , .   | 1.5 | 1         |
| 36742 | Backward Double Integration is a Valid Method to Calculate Maximal and Sub-Maximal Jump Height. <i>Journal of Sports Sciences</i> , 2022, 40, 1191-1197.  | 1.0 | 4         |
| 36743 | Three-dimensional continuous gait trajectory estimation using single Shank-Worn inertial measurement units and clinical walk test application. <i>Scientific Reports</i> , 2022, 12, 5368.  | 1.6 | 6         |
| 36744 | Development and Cross-Validation of a Predictive Equation for Fat-Free Mass in Brazilian Adolescents by Bioelectrical Impedance. <i>Frontiers in Nutrition</i> , 2022, 9, 820736.   | 1.6 | 8         |
| 36745 | Assessing the Validity of a Kinematic Knee Sleeve in a Resistance-Trained Population. , 2022, 15, .   |     | 0         |
| 36746 | Accuracy of a handheld 3D imaging system for child anthropometric measurements in population-based household surveys and surveillance platforms: an effectiveness validation study in Guatemala, Kenya, and China. <i>American Journal of Clinical Nutrition</i> , 2022, 116, 97-110. | 2.2 | 4         |
| 36747 | Intrarater and interrater agreement of a 6-item movement control test battery and the resulting diagnosis in patients with nonspecific chronic low back pain. <i>Physiotherapy Theory and Practice</i> , 2023, 39, 1716-1726.   | 0.6 | 0         |
| 36748 | Subcutaneous and visceral fat assessment by DXA and MRI in older adults and children. <i>Obesity</i> , 2022, 30, 920-930.   | 1.5 | 9         |
| 36749 | Estimation of maximal oxygen uptake using the heart rate ratio method in male recreational football players. <i>European Journal of Applied Physiology</i> , 2022, 122, 1421-1428.  | 1.2 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36750 | Comparison of the CollaboRATE and SDM-Q-9 questionnaires to appreciate the patient-reported level of shared decision-making. <i>Patient Education and Counseling</i> , 2022, 105, 2475-2479.   | 1.0 | 6         |
| 36751 | Hematology and biochemistry of critically endangered radiated tortoises ( <i>Astrochelys radiata</i> ): Reference intervals in previously confiscated subadults and variability based on common techniques. <i>PLoS ONE</i> , 2022, 17, e0264111.  | 1.1 | 3         |
| 36752 | Do Attending and Trainee Surgeons Agree on What Happens in the Operating Room During Septoplasty?. <i>Facial Plastic Surgery and Aesthetic Medicine</i> , 2022, , .  | 0.5 | 1         |
| 36753 | Assessing agreement among crime scene measurement methods. <i>Journal of Forensic Sciences</i> , 2022, 67, 1715-1727.  | 0.9 | 1         |
| 36754 | The Original and Short Versions of the Activities-Specific Balance Confidence (ABC) Scale in Community-Dwelling Older Adults: Clinical Implications Based on Scale Agreement, Internal Consistencies, and Associations With Self-Rated Health. <i>Journal of Geriatric Physical Therapy</i> , 2023, 46, 132-138. | 0.6 | 1         |
| 36755 | Reliability of muscle thickness and echo intensity measurements of the quadriceps: A novice examiner. <i>Journal of Bodywork and Movement Therapies</i> , 2022, 31, 164-168.   | 0.5 | 3         |
| 36756 | Computerized adaptive testing of symptom severity: a registry-based study of 924 patients with trapeziometacarpal arthritis. <i>Journal of Hand Surgery: European Volume</i> , 2022, 47, 893-898.  | 0.5 | 10        |
| 36757 | Can the Nasion-Mandibula Ratio Predict Obstructive Sleep Apnea in Patients With Retrognathia?. <i>Face</i> , 2022, 3, 22-31.   | 0.1 | 0         |
| 36759 | Validation of the inverse method for the determination of the access flow with thermodilution. <i>Nefrologia</i> , 2022, , .   | 0.2 | 0         |
| 36760 | Fully Automatic Analysis of Muscle B-Mode Ultrasound Images Based on the Deep Residual Shrinkage U-Net. <i>Electronics (Switzerland)</i> , 2022, 11, 1093.   | 1.8 | 3         |
| 36761 | Agreement of caudal aortic arterial blood pressure with oscillometry using two cuff widths placed on the thoracic or pelvic limbs of sevoflurane-anesthetized rabbits. <i>Veterinary Anaesthesia and Analgesia</i> , 2022, , .   | 0.3 | 1         |
| 36762 | Effectiveness of Custom Foot Insoles to Decrease Plantar Pressure: A Cross-over Randomized Trial Study. <i>Healthcare (Switzerland)</i> , 2022, 10, 575.   | 1.0 | 1         |
| 36763 | A U-Net based deep learning network for right ventricle segmentation. <i>Medical Physics</i> , 2022, 49, 3900-3913.  | 1.6 | 4         |
| 36764 | Can fetal magnetic resonance imaging aid prognosis in gastroschisis: A multicenter study. <i>Prenatal Diagnosis</i> , 2022, , .  | 1.1 | 0         |
| 36765 | Reliability of cerebral autoregulation using different measures of perfusion pressure in patients with subarachnoid hemorrhage. <i>Physiological Reports</i> , 2022, 10, e15203.   | 0.7 | 5         |
| 36766 | Echocardiographic measurements of left atrial volume in patients with ischaemic heart disease. <i>Clinical Physiology and Functional Imaging</i> , 2022, , .   | 0.5 | 0         |
| 36767 | Agreement Between Two Methods for Computing the Anterior-Posterior Positions of Native Femoral Condyles Using Three-Dimensional Bone Models With and Without Articular Cartilage and Smoothing. <i>Journal of Biomechanical Engineering</i> , 2022, 144, .   | 0.6 | 0         |
| 36768 | Tissue motion annular displacement to assess the left ventricular systolic function in healthy cats. <i>Veterinary Research Communications</i> , 2022, , 1.  | 0.6 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36769 | Usefulness of a mobile phone application for respiratory rate measurement in adult patients. <i>Japan Journal of Nursing Science</i> , 2022, 19, e12481.   | 0.5 | 4         |
| 36771 | Accidental monstrosities: Taxonomic chimeras in Ostracoda (Crustacea). <i>Zootaxa</i> , 2022, 5116, 151-199.   | 0.2 | 0         |
| 36772 | Can listening provide a useful clinical estimate of low vision reading parameters?. <i>Ophthalmic and Physiological Optics</i> , 2022, 42, 504-513.  | 1.0 | 1         |
| 36773 | Implementation of multiple statistical methods to estimate variability and individual response to training. <i>European Journal of Sport Science</i> , 2023, 23, 588-598.  | 1.4 | 6         |
| 36774 | Repeatability and Agreement of a New Scheimpflug Device and a Hartmann-Shack Aberrometer With a Ray-Tracing Aberrometer in Normal, Keratoconus, and CXL Groups. <i>Journal of Refractive Surgery</i> , 2022, 38, 201-208.  | 1.1 | 4         |
| 36775 | Are preoperative CT variables associated with the success or failure of subsequent ventral hernia repair: nested case-control study. <i>European Radiology</i> , 2022, 32, 6348-6354.  | 2.3 | 3         |
| 36776 | Evaluation of a Disposable Vascular Pressure Device for Pre- and Postmembrane Pressure Monitoring During Venovenous Extracorporeal Membrane Oxygenation. <i>ASAIO Journal</i> , 2022, Publish Ahead of Print, .  | 0.9 | 1         |
| 36777 | Comparative assessment of abdominal and thigh muscle characteristics using CT-derived images. <i>Nutrition</i> , 2022, 99-100, 111654.   | 1.1 | 2         |
| 36778 | Statistical Analysis of the Consistency of HRV Analysis Using BCG or Pulse Wave Signals. <i>Sensors</i> , 2022, 22, 2423.  | 2.1 | 3         |
| 36779 | Editor's Choice "PRINciples of optimal antithrombotic therapy and coagulation management during elective fenestrated and branched Endovascular aortic repairS (PRINCE2SS): An International Expert Based Delphi Consensus Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2022, 63, 838-850. | 0.8 | 15        |
| 36780 | Validity of a portable spirometer in the communities of China. <i>BMC Pulmonary Medicine</i> , 2022, 22, 80.   | 0.8 | 1         |
| 36781 | Liver T1 relaxation time of the "normal liver"™ in healthy Asians: measurement with MOLLI and B <sub>1</sub> -corrected VFA methods at 3T. <i>British Journal of Radiology</i> , 2022, 95, 20211008.   | 1.0 | 2         |
| 36782 | Angiography suite cone-beam CT perfusion for selection of thrombectomy patients: A pilot study. <i>Journal of Neuroimaging</i> , 2022, 32, 493-501.  | 1.0 | 7         |
| 36783 | Patella-patellar tendon angle in relation to the medial patellar plica syndrome, chondromalacia patella, and infrapatellar fat pad syndrome. <i>PLoS ONE</i> , 2022, 17, e0265331.   | 1.1 | 2         |
| 36784 | Genetic Susceptibility to Enteric Fever in Experimentally Challenged Human Volunteers. <i>Infection and Immunity</i> , 2022, 90, e0038921.   | 1.0 | 5         |
| 36785 | SimplyAgree: An R package and jamovi Module for Simplifying Agreement and Reliability Analyses. <i>Journal of Open Source Software</i> , 2022, 7, 4148.  | 2.0 | 34        |
| 36786 | Prognostic Utility of Parameters Derived From Pretreatment Dual-Layer Spectral-Detector CT in Patients With Metastatic Renal Cell Carcinoma. <i>American Journal of Roentgenology</i> , 2022, 218, 867-876.  | 1.0 | 6         |
| 36787 | Design of Open Code Software to Downs and Steiner Lateral Cephalometric Analysis with Tracing Landmarks. <i>Digital</i> , 2022, 2, 120-142.  | 1.1 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36788 | Measuring intraobserver and intermethod reliability of endometriotic cyst volumes: A comparison between MRI and 3D transvaginal ultrasound in endometriosis. <i>Journal of Endometriosis and Pelvic Pain Disorders</i> , 2022, 14, 80-86.                           | 0.3 | 1         |
| 36789 | Circumference-Based Predictions of Body Fat Revisited: Preliminary Results From a US Marine Corps Body Composition Survey. <i>Frontiers in Physiology</i> , 2022, 13, 868627.   | 1.3 | 7         |
| 36790 | Simultaneous relaxometry and morphometry of human brain structures with 3D magnetic resonance fingerprinting: a multicenter, multiplatform, multifield-strength study. <i>Cerebral Cortex</i> , 2023, 33, 729-739.  | 1.6 | 4         |
| 36791 | Reliability and minimal detectable change of the Trunk Assessment Scale for Spinal Cord Injury (TASS) and the trunk control test for individuals with spinal cord injury. <i>Spinal Cord Series and Cases</i> , 2022, 8, 30.  | 0.3 | 3         |
| 36792 | Fetal head prior to delivery: precise measurement, using a mathematically extrapolated frontooccipital diameter. <i>Archives of Gynecology and Obstetrics</i> , 2022, , 1.  | 0.8 | 0         |
| 36793 | Pose2Sim: An End-to-End Workflow for 3D Markerless Sports Kinematicsâ€”Part 2: Accuracy. <i>Sensors</i> , 2022, 22, 2712.   | 2.1 | 13        |
| 36796 | A Random Forest Model for Daily PM <sub>2.5</sub> Personal Exposure Assessment for a Chinese Cohort. <i>Environmental Science and Technology Letters</i> , 2022, 9, 466-472.  | 3.9 | 8         |
| 36797 | The effect of nonâ€absorbent hydrophobic sand litter on the urine proteinâ€toâ€creatinine ratio in feline urine. <i>Veterinary Clinical Pathology</i> , 2022, 51, 385-390.  | 0.3 | 5         |
| 36798 | Adolescentâ€™s self-reported weight and its association with media impact on decision to lose weight and body thinness perception. <i>Scientific Reports</i> , 2022, 12, 5908.  | 1.6 | 1         |
| 36799 | Development and evaluation of a new test kit for determination of immunosuppressants in blood by UHPLC-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022, 215, 114756.   | 1.4 | 0         |
| 36800 | A critical analysis of research methods and experimental models to study working length determination and the performance of apex locators â€“ A narrative review with recommendations for the future. <i>International Endodontic Journal</i> , 2022, 55, 281-294. | 2.3 | 3         |
| 36801 | Establishing the relationship between <scp>MRI</scp> and histological tonsil size measurement in patients undergoing tonsillectomy: Our experience in 11 patients. <i>Clinical Otolaryngology</i> , 2022, 47, 546-551.  | 0.6 | 0         |
| 36802 | Validity of a mobile-based specific test to estimate metabolic thresholds in boxers. <i>Proceedings of the Institution of Mechanical Engineers, Part P: Journal of Sports Engineering and Technology</i> , 2024, 238, 15-22.  | 0.4 | 3         |
| 36803 | The global lung function initiative 2021 (GLI-2021) norms provide mixed results for static lung volumes (SLVs) in Algerian adults. <i>Libyan Journal of Medicine</i> , 2022, 17, 2059893.   | 0.8 | 2         |
| 36804 | A meta-analysis of diagnostic test performance of peripheral arterial tonometry studies. <i>Journal of Clinical Sleep Medicine</i> , 2022, 18, 1093-1102.   | 1.4 | 11        |
| 36805 | Reliability of the passive leg movement assessment of vascular function in men. <i>Experimental Physiology</i> , 2022, 107, 541-552.  | 0.9 | 2         |
| 36806 | The Impact of Slice Interval and Equation on the Accuracy of Magnetic Resonance Image Estimation of Quadriceps Muscle Volume in End Stage Liver Disease. <i>Frontiers in Rehabilitation Sciences</i> , 2022, 3, .   | 0.5 | 2         |
| 36807 | Male Meiosis as a Biomarker for Endo- to Ecodormancy Transition in Apricot. <i>Frontiers in Plant Science</i> , 2022, 13, 842333.   | 1.7 | 8         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36808 | Fetal Micro and Macroglossia. <i>Journal of Ultrasound in Medicine</i> , 2023, 42, 59-70.   | 0.8 | 2         |
| 36809 | Predictions of the distance running performances of female runners using different tools. <i>International Journal of Sports Medicine</i> , 2022, 0, .  | 0.8 | 1         |
| 36810 | Development of a multivariable prediction model of functional exercise capacity in liver transplant recipients. <i>Journal of Liver Transplantation</i> , 2022, 6, 100067.  | 0.2 | 0         |
| 36811 | Stereoscopic Images and Virtual Reality techniques in daylighting research: A method-comparison study. <i>Building and Environment</i> , 2022, 214, 108962.   | 3.0 | 6         |
| 36812 | Factors Influencing Change in Brain-Predicted Age Difference in a Cohort of Healthy Older Individuals. <i>Journal of Alzheimer's Disease Reports</i> , 2022, 6, 163-176.  | 1.2 | 3         |
| 36813 | Validation and quantification of left ventricular function during exercise and free breathing from real-time cardiac magnetic resonance images. <i>Scientific Reports</i> , 2022, 12, 5611.   | 1.6 | 1         |
| 36814 | Development and validation of the 40-item Glaucoma Visual Functioning Questionnaire. <i>British Journal of Ophthalmology</i> , 2023, 107, 1086-1091.  | 2.1 | 0         |
| 36815 | Agreement in rotator cuff muscles measurement between ultrasonography and magnetic resonance imaging. <i>Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology</i> , 2022, 28, 13-20.                         | 0.4 | 1         |
| 36816 | A deep learning model (FociRad) for automated detection of $\gamma$ -H2AX foci and radiation dose estimation. <i>Scientific Reports</i> , 2022, 12, 5527.   | 1.6 | 2         |
| 36817 | Artificial intelligence-based measurement outperforms current methods for colorectal polyp size measurement. <i>Digestive Endoscopy</i> , 2022, 34, 1188-1195.  | 1.3 | 21        |
| 36818 | Development and Validation of the Short-LIMOS for the Acute Stroke Unit – A Short Version of the Lucerne ICF-Based Multidisciplinary Observation Scale. <i>Frontiers in Rehabilitation Sciences</i> , 2022, 3, .                            | 0.5 | 1         |
| 36819 | Chemiluminescent immunoassay overestimates hormone concentrations and obscures testosterone sex differences relative to LC-MS/MS in a field study of diverse adolescents. <i>Comprehensive Psychoneuroendocrinology</i> , 2022, 10, 100132. | 0.7 | 5         |
| 36820 | Fast reconstruction of centre of mass and foot kinematics during a single-legged horizontal jump: A point-cloud processing approach. <i>Journal of Biomechanics</i> , 2022, 135, 111015.  | 0.9 | 0         |
| 36821 | A Masterclass on developing clinical tools in sport and exercise medicine using principles of clinimetrics. <i>Physical Therapy in Sport</i> , 2022, 55, 155-159.   | 0.8 | 0         |
| 36822 | Agreement Between Body Mass Index and Body Fat in Adolescents With Different Physical Activity Levels. <i>Research Quarterly for Exercise and Sport</i> , 2022, , 1-6.  | 0.8 | 0         |
| 36823 | Intrasession Repeatability and Intersession Reproducibility of Macular Vessel Parameters on Optical Coherence Tomography Angiography in Glaucomatous and Non-Glaucomatous Eyes. <i>Current Eye Research</i> , 2022, 47, 1068-1076.          | 0.7 | 3         |
| 36824 | Impact of acquisition time and misregistration with CT on data-driven gated PET. <i>Physics in Medicine and Biology</i> , 2022, 67, 085012.   | 1.6 | 3         |
| 36825 | The Reliability of Short Conversational Language Sample Measures in Children With and Without Developmental Language Disorder. <i>Journal of Speech, Language, and Hearing Research</i> , 2022, 65, 1939-1955.                              | 0.7 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36826 | Analysis of Crocetins and Safranal Variations in Saffron ( <i>Crocus sativus</i> ) Stigma Samples and Dietary Supplements Using HPLC/UHPLC-PDA-MS: Chemical Profiling and Chemometric Analysis Using LC-QToF. <i>Food Analytical Methods</i> , 2022, 15, 2238-2259. | 1.3 | 6         |
| 36827 | Life history of oysters influences <i>Vibrio parahaemolyticus</i> accumulation in Pacific oysters ( <i>Crassostrea gigas</i> ). <i>Environmental Microbiology</i> , 2022, 24, 4401-4410.  | 1.8 | 5         |
| 36828 | To differ is human: A reflective commentary on "Noise. A Flaw in Human Judgment", by D. Kahneman, O. Sibony & C.R. Sunstein (2021). London: William Collins. <i>Applied Cognitive Psychology</i> , 2022, 36, 724-730.   | 0.9 | 1         |
| 36829 | Teerakanchana's equation transcends over 12 other LDL-C quantification formulae in the North Indian population. <i>Clinica Chimica Acta</i> , 2022, 531, 168-176.   | 0.5 | 4         |
| 36830 | KMSubtraction: reconstruction of unreported subgroup survival data utilizing published Kaplan-Meier survival curves. <i>BMC Medical Research Methodology</i> , 2022, 22, 93.  | 1.4 | 9         |
| 36831 | Psychometric Evaluation of the German Version of the Social Functioning in Dementia Scale (SF-DEM). <i>Journal of Alzheimer's Disease</i> , 2022, 86, 1231-1241.  | 1.2 | 1         |
| 36832 | Intra and Inter-Observer Reliability and Repeatability of Metatarsus Adductus Angle in Recreational Football Players: A Concordance Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 2043.  | 1.0 | 2         |
| 36833 | Minimal Important Difference of the Psychosocial Impact of Dental Aesthetics Questionnaire Following Orthodontic Treatment: A Cohort Study. <i>Children</i> , 2022, 9, 506.   | 0.6 | 1         |
| 36834 | Assessing hemodynamics from the photoplethysmogram to gain insights into vascular age: a review from VascAgeNet. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2022, 322, H493-H522.   | 1.5 | 35        |
| 36835 | Observation of nociceptive detection thresholds and cortical evoked potentials: Go/no-go versus two-interval forced choice. <i>Attention, Perception, and Psychophysics</i> , 2022, , .   | 0.7 | 1         |
| 36836 | Reproducibility of Systolic Strain in Mice Using Cardiac Magnetic Resonance Feature Tracking of Black-Blood Cine Images. <i>Cardiovascular Engineering and Technology</i> , 2022, , 1.  | 0.7 | 0         |
| 36837 | Markerless Gait Classification Employing 3D IR-UWB Physiological Motion Sensing. <i>IEEE Sensors Journal</i> , 2022, 22, 6931-6941.   | 2.4 | 9         |
| 36838 | Agreement and error rates associated with standardized data collection protocols for skeletal and dental data on 3D virtual subadult crania. <i>Forensic Science International</i> , 2022, 334, 111272.   | 1.3 | 5         |
| 36839 | MultiR-Net: A Novel Joint Learning Network for COVID-19 segmentation and classification. <i>Computers in Biology and Medicine</i> , 2022, 144, 105340.  | 3.9 | 16        |
| 36840 | Automatic dose verification system for breast radiotherapy: Method validation, contour propagation and DVH parameters evaluation. <i>Physica Medica</i> , 2022, 97, 44-49.  | 0.4 | 1         |
| 36841 | Real-time estimation of perceptual thresholds based on the electroencephalogram using a deep neural network. <i>Journal of Neuroscience Methods</i> , 2022, 374, 109580.  | 1.3 | 0         |
| 36842 | Pentacam Scheimpflug Sistemi, Topcon KR-8100P Otokeratorefraktometre ve Lenstar LS900 Biyometri ile Alınan Keratometrik Değerler için Cihazlar Arasındaki Uyumuna Kornea Açapın Etkisi. <i>Akdeniz Medical Journal</i> , 0, , 134-139.                              | 0.0 | 0         |
| 36843 | Shear wave elastography using sound touch elastography and supersonic shear imaging for liver measurements: a comparative study. <i>Quantitative Imaging in Medicine and Surgery</i> , 2022, 12, 2855-2865.   | 1.1 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36844 | Estimating exercise intensity using heart rate in adolescents and adults with congenital heart disease: Are established methods valid?. International Journal of Cardiology Congenital Heart Disease, 2022, 8, 100362.  | 0.2 | 2         |
| 36845 | Mechanical dispersion combined with global longitudinal strain estimated by three dimensional speckle tracking in patients with ST elevation myocardial infarction. IJC Heart and Vasculature, 2022, 40, 101028.  | 0.6 | 2         |
| 36846 | Concordance in RT-PCR detection of SARS-CoV-2 between samples preserved in viral and bacterial transport medium. Journal of Virological Methods, 2022, 304, 114522.   | 1.0 | 0         |
| 36847 | Improving acetabular shell deformation testing. Journal of the Mechanical Behavior of Biomedical Materials, 2022, 130, 105203.  | 1.5 | 0         |
| 36848 | Oculomotor performance in patients with neck pain: Does it matter which angle of neck torsion is used in smooth pursuit eye movement test and is the agreement between angles dependent on target movement amplitude and velocity?. Musculoskeletal Science and Practice, 2022, 59, 102535. | 0.6 | 7         |
| 36849 | A simple measure for workload as a social sustainability indicator for family farms. Environmental and Sustainability Indicators, 2022, 14, 100180.   | 1.7 | 3         |
| 36850 | Predicting Corneal Improvement after Descemet Membrane Endothelial Keratoplasty for Fuchs Endothelial Corneal Dystrophy. Ophthalmology Science, 2022, 2, 100128.  | 1.0 | 0         |
| 36851 | Eye surface infrared thermography usefulness as a noninvasive method of measuring stress response in sheep during shearing: Correlations with serum cortisol and rectal temperature values. Physiology and Behavior, 2022, 250, 113781.   | 1.0 | 19        |
| 36852 | The Picky Eating Questionnaire and Child-reported Food Preference Questionnaire: Pilot validation in Australian-Indian mothers and children 7-12 years old. Food Quality and Preference, 2022, 99, 104584.  | 2.3 | 1         |
| 36853 | Detection of trend and seasonal changes in non-stationary remote sensing data: Case study of Tunisia vegetation dynamics. Ecological Informatics, 2022, 69, 101596.   | 2.3 | 8         |
| 36854 | Beat-to-beat Heart Rate Detection Based on Seismocardiogram Using BiLSTM Network. , 2021, , .   |     | 2         |
| 36855 | Accuracy of Wrist-Worn Photoplethysmography Devices at Measuring Heart Rate in the Laboratory and During Free-Living Activities. , 2021, 2021, 6970-6973.   |     | 3         |
| 36856 | An investigation of the individualized, two-point calibration method for cuffless blood pressure estimation using pulse arrival time: an historical perspective using the Casio BP-100 digital watch. , 2021, 2021, 7493-7496.  |     | 3         |
| 36857 | Development of Small and Lightweight Beat-By-Beat Blood Pressure Monitoring Device Based on Tonometry. , 2021, 2021, 5455-5458.   |     | 4         |
| 36858 | Estimating Respiratory Rate From Breath Audio Obtained Through Wearable Microphones. , 2021, 2021, 7310-7315.   |     | 11        |
| 36859 | Investigation Forecasting Methods of Noise Level From Rail Trams in Lviv City. VĀrsnik NacĀ-onalĒ1nogo UnĀ-versitetu LĒ1vĀ-vsĒ1ka PolĀ-tehnĀ-ka SerĀ-Āĉ ĀCenformacĀ-jnĀ-Ā Sistemi Ta MereĀ34Ā-, 2021, 10, 33-40.  | 0.0 | 0         |
| 36860 | Investigating the Accuracy of the Digihaler, a New Electronic Multidose Dry-Powder Inhaler, in Measuring Inhalation Parameters. Journal of Aerosol Medicine and Pulmonary Drug Delivery, 2022, 35, 166-177.   | 0.7 | 11        |
| 36861 | MRI follow-up for pancreatic intraductal papillary mucinous neoplasm: an ultrashort versus long protocol. Abdominal Radiology, 2022, 47, 727-737.   | 1.0 | 6         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36862 | Validation of Two Instruments for the Correct Allocation of School Furniture in Secondary Schools to Prevent Back Pain. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 20.   | 1.2 | 1         |
| 36863 | Three-dimensional analysis for quantification of knee joint space width with weight-bearing CT: comparison with non-weight-bearing CT and weight-bearing radiography. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 671-680.   | 0.6 | 15        |
| 36864 | CT Angiography Manual Multiplanar Vessel Diameter Measurement vs. Semiautomated Perpendicular Area Minimal Caliber Computation of Internal Carotid Artery Stenosis. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 740237.                                       | 1.1 | 0         |
| 36865 | Correlation and Crosswalks Between Patient-Reported Functional Outcomes and PROMIS Physical Function Among Medically Ill Patients. <i>Archives of Physical Medicine and Rehabilitation</i> , 2022, 103, S15-S23.e2.  | 0.5 | 3         |
| 36866 | A Computer-Aided Recognition Method of Heart Rate Deflection Point. , 2021, , .  |     | 0         |
| 36867 | Performance of three freely available methods for extracting white matter hyperintensities: <sc>FreeSurfer</sc>, <sc>UBO</sc> Detector, and <sc>BIANCA</sc>. <i>Human Brain Mapping</i> , 2022, 43, 1481-1500.   | 1.9 | 10        |
| 36868 | The Use of Stable Zinc Isotope Soil Labeling to Assess the Contribution of Complex Organic Fertilizers to the Zinc Nutrition of Ryegrass. <i>Frontiers in Plant Science</i> , 2021, 12, 730679.  | 1.7 | 3         |
| 36869 | Bland-Altman Limits of Agreement from a Bayesian and Frequentist Perspective. <i>Stats</i> , 2021, 4, 1080-1090.   | 0.5 | 0         |
| 36870 | Repeatability and Agreement of Horizontal Corneal Diameter Measurements Between Scanning-Slit Topography, Dual Rotating Scheimpflug Camera With Placido Disc Tomography, Placido Disc Topography, and Optical Coherence Tomography. <i>Cornea</i> , 2022, 41, 1392-1397. | 0.9 | 5         |
| 36871 | Equivalence of activity outcomes derived from three research grade accelerometers worn simultaneously on each wrist. <i>Journal of Sports Sciences</i> , 2022, 40, 797-807.  | 1.0 | 4         |
| 36872 | Validity of Session Rating of Perceived Exertion for Measuring Training Load in Youth Team Handball Players. <i>Journal of Strength and Conditioning Research</i> , 2023, 37, 174-180.   | 1.0 | 0         |
| 36873 | The ability of a submaximal cycle ergometer test to detect longitudinal changes in VO2max. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2021, 13, 156.   | 0.7 | 2         |
| 36874 | Validation Study on the Simultaneous Quantitation of Multiple Wine Aroma Compounds with Static Headspace-Gas Chromatography-Ion Mobility Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 15020-15035.  | 2.4 | 8         |
| 36875 | Hip Abductor Power and Velocity. <i>Journal of Strength and Conditioning Research</i> , 2021, Publish Ahead of Print, .  | 1.0 | 1         |
| 36876 | A Food Frequency Questionnaire for Hemodialysis Patients in Bangladesh (BDHD-FFQ): Development and Validation. <i>Nutrients</i> , 2021, 13, 4521.  | 1.7 | 8         |
| 36877 | Comparison of intraocular pressure obtained by Goldmann applanation tonometer, Corvis ST and an airpuff tonometer in healthy adults. <i>European Journal of Ophthalmology</i> , 2022, 32, 951-959.   | 0.7 | 3         |
| 36878 | Peritoneal Dialysis Associated Peritonitis Rate - Validation of a Simplified Formula. <i>Bulletin De La Dialyse - Domicile</i> , 2021, 4, 245-257.   | 0.2 | 2         |
| 36879 | Relative validity and reproducibility of food frequency questionnaire for individuals on hemodialysis (NUGE-HD study). <i>Hemodialysis International</i> , 2021, , .   | 0.4 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36880 | Choice Stepping Reaction Time under Unstable Conditions in Healthy Young and Older Adults: A Reliability and Comparison Study. <i>The Journal of Korean Physical Therapy</i> , 2021, 33, 265-271.        | 0.1 | 0         |
| 36881 | Can IMU Provide an Accurate Vertical Jump Height Estimate?. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 12025.   | 1.3 | 8         |
| 36882 | Semi-Automatic Segmentation of Cone Beam Computed Tomography Datasets for Volume Measurements of Equine Cheek Teeth. <i>Journal of Veterinary Dentistry</i> , 2022, 39, 41-48.                           | 0.1 | 4         |
| 36883 | Assessment of Repeatability and Reproducibility of Non-Invasive TBUT Measurement Using the Bland-Altman Plot. <i>Journal of Korean Ophthalmic Optics Society</i> , 2021, 26, 307-314.                    | 0.3 | 1         |
| 36885 | Agreement between digital vaginal examination and intrapartum ultrasound for labour monitoring. <i>Journal of Obstetrics and Gynaecology</i> , 2022, 42, 981-988.  | 0.4 | 1         |
| 36886 | Significant reduction of patellar height affected lower clinical outcomes and knee flexion over five-year follow-up after total knee arthroplasty. <i>Bone &amp; Joint Open</i> , 2021, 2, 1075-1081.    | 1.1 | 1         |
| 36887 | Evaluation of spirometry-gated computed tomography to measure lung volumes in emphysema patients. <i>ERJ Open Research</i> , 2022, 8, 00492-2021.  | 1.1 | 4         |
| 36888 | Evaluation of the Validity of Digital Optical Microscopy in the Assessment of Marginal Adaptation of Dental Adhesive Interfaces. <i>Polymers</i> , 2022, 14, 83.   | 2.0 | 0         |
| 36889 | Accuracy of routine 2D echocardiography to estimate PDA type and dimension and predict device selection for successful PDA occlusion. <i>Journal of the Saudi Heart Association</i> , 2021, 33, 339-346. | 0.2 | 1         |
| 36890 | T <sub>2</sub> quantification in brain using 3D fast spin-echo imaging with long echo trains. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 2145-2160.   | 1.9 | 6         |
| 36891 | Agreement and Repeatability of Central and Peripheral Refraction by One Novel Multispectral-Based Refractor. <i>Frontiers in Medicine</i> , 2021, 8, 777685.   | 1.2 | 7         |
| 36892 | Investigation of Non-invasive Continuous Body Temperature Measurements in a Clinical Setting Using an Adhesive Axillary Thermometer (SteadyTemp®). <i>Frontiers in Digital Health</i> , 2021, 3, 794274. | 1.5 | 0         |
| 36893 | The effect of wind turbine noise on polysomnographically measured and self-reported sleep latency in wind turbine noise naïve participants. <i>Sleep</i> , 2022, 45, .                                   | 0.6 | 4         |
| 36894 | An assessment of three methods for extracting bacterial DNA from beach sand. <i>Journal of Applied Microbiology</i> , 2022, 132, 2990-3000.  | 1.4 | 0         |
| 36895 | The Reliability of the Microsoft Kinect and Ambulatory Sensor-Based Motion Tracking Devices to Measure Shoulder Range-of-Motion: A Systematic Review and Meta-Analysis. <i>Sensors</i> , 2021, 21, 8186. | 2.1 | 12        |
| 36896 | gplot: An R Package for Easy and Elegant Data Visualization. <i>Frontiers in Genetics</i> , 2021, 12, 802894.  | 1.1 | 13        |
| 36897 | Predictive model specific to young adults for estimating thoracic gas volume for air displacement plethysmography. <i>Clinical Physiology and Functional Imaging</i> , 2022, 42, 96-103.                 | 0.5 | 3         |
| 36898 | Toe Pressure Measurements in Patients Suspected of Critical Limb Ischemia. <i>Angiology</i> , 2022, 73, 539-545.   | 0.8 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36899 | Clinical accuracy and agreement between tympanic and forehead body temperature measurements for screening of patients with COVID-19. <i>Journal of Clinical Nursing</i> , 2022, 31, 3272-3285.  | 1.4 | 8         |
| 36900 | Comparative analysis of tools to predict rapid progression in autosomal dominant polycystic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 912-921.  | 1.4 | 5         |
| 36902 | Step Monitor Accuracy during Poststroke Physical Therapy and Simulated Activities. <i>Translational Journal of the American College of Sports Medicine</i> , 2022, 7, .   | 0.3 | 3         |
| 36903 | Intraoperative cardiac function assessment by transesophageal echocardiography versus FloTrac/Vigileo <sup>®</sup> system during pectus excavatum surgical repair. <i>Journal of Anesthesia, Analgesia and Critical Care</i> , 2021, 1, . | 0.5 | 1         |
| 36904 | Automation improves repeatability of retinal oximetry measurements. <i>PLoS ONE</i> , 2021, 16, e0260120.   | 1.1 | 3         |
| 36905 | Can RUDAS Be an Alternate Test for Detecting Mild Cognitive Impairment in Older Adults, Thailand?. <i>Geriatrics (Switzerland)</i> , 2021, 6, 117.  | 0.6 | 3         |
| 36906 | Intrarater reliability of the Abilitator <sup>®</sup> a self-report questionnaire on work ability and functioning aimed at the population in a weak labour market position: a test-retest study. <i>BMJ Open</i> , 2021, 11, e057295.     | 0.8 | 2         |
| 36907 | Histological validation of prostate tissue composition measurement using hybrid multi-dimensional MRI: agreement with pathologists' measures. <i>Abdominal Radiology</i> , 2022, 47, 801-813.   | 1.0 | 6         |
| 36908 | Echo planar imaging-induced errors in intracardiac 4D flow MRI quantification. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 2398-2411.   | 1.9 | 11        |
| 36909 | Web-based visual acuity testing for children. <i>Journal of AAPOS</i> , 2021, , .   | 0.2 | 3         |
| 36910 | Optimizing Motor Learning: Difficulty Manipulation Combined with Feedback- Frequency Enhance Under-Time-Pressure Fine-Motor-Coordination Skill Acquisition and Retention. <i>Journal of Motor Behavior</i> , 2022, 54, 490-502.           | 0.5 | 1         |
| 36911 | Repeatability and Reliability of the Rheumatoid Arthritis Foot Disease Activity Index in Spanish Patients: A Transcultural Adaptation. <i>Biology</i> , 2022, 11, 30.   | 1.3 | 7         |
| 36912 | Is measurement of central venous pressure required to estimate systemic vascular resistance? A retrospective cohort study. <i>BMC Anesthesiology</i> , 2021, 21, 310.   | 0.7 | 3         |
| 36913 | Automated vision screening of children using a mobile graphic device. <i>Eye</i> , 2023, 37, 30-33.   | 1.1 | 0         |
| 36914 | Verification of a Mobile Psychoacoustic Test System. <i>Audiology Research</i> , 2021, 11, 673-690.   | 0.8 | 1         |
| 36915 | Axial loading during supine MRI for improved assessment of lumbar spine: comparison with standing MRI. <i>Acta Radiologica</i> , 2023, 64, 217-227.   | 0.5 | 4         |
| 36916 | Reliability of Peak Running Velocity Obtained on the Track Field in Runners of Different Performance Levels. <i>Frontiers in Physiology</i> , 2021, 12, 680913.   | 1.3 | 2         |
| 36917 | Reliability of methods to determine cutaneous evaporative water loss rate in furred and fleeced mammals. <i>Journal of Experimental Zoology Part A: Ecological and Integrative Physiology</i> , 2022, 337, 356-365.                       | 0.9 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 36918 | Comparison of peak wall stress and peak wall rupture index in ruptured and asymptomatic intact abdominal aortic aneurysms. <i>British Journal of Surgery</i> , 2021, 108, 652-658.   | 0.1 | 10        |
| 36919 | There is poor agreement between manual auscultatory and automated oscillometric methods for the measurement of blood pressure in normotensive pregnant women. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2001, 10, 398-403.                                      | 0.7 | 8         |
| 36921 | Comparison of VF-14 scores among different ophthalmic surgical interventions. <i>Acta Medica Okayama</i> , 2012, 66, 101-10.   | 0.1 | 10        |
| 36922 | Evaluation of Biotrin, Serion and Euroimmun Commercial Assays for the Detection of Parvovirus B19-Specific IgM and IgG Antibodies. <i>SSRN Electronic Journal</i> , 0, , .   | 0.4 | 0         |
| 36923 | Validity and Reliability of the Turkish Version of the Self-Reported Disability Status Scale in Persons with Multiple Sclerosis. <i>BalÄ±kesir SaÄŸlÄ±k Bilimleri Dergisi</i> , 0, , .   | 0.0 | 0         |
| 36924 | Native T1 heterogeneity for predicting reverse remodeling in patients with non-ischemic dilated cardiomyopathy. <i>Heart and Vessels</i> , 2022, 37, 1541-1550.  | 0.5 | 7         |
| 36925 | A Simple Field Tapping Test for Evaluating Frequency Qualities of the Lower Limb Neuromuscular System in Soccer Players: A Validity and Reliability Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3792.                          | 1.2 | 2         |
| 36926 | Comparing the psychometric properties of the EQ-5D-3L and EQ-5D-5L descriptive systems and utilities in atopic dermatitis. <i>European Journal of Health Economics</i> , 2023, 24, 139-152.  | 1.4 | 6         |
| 36927 | Diagnostic Performance of Three rK39 Rapid Diagnostic Tests and Two Direct Agglutination Tests for the Diagnosis of Visceral Leishmaniasis in Southern Iran. <i>Journal of Tropical Medicine</i> , 2022, 2022, 1-5.  | 0.6 | 0         |
| 36928 | First experiences with dynamic renal [68Ga]Ga-DOTAÂPET/CT: a comparison to renal scintigraphy and compartmental modelling to non-invasively estimate the glomerular filtration rate. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 3373-3386. | 3.3 | 5         |
| 36929 | A novel technique using ultrasonography in upper airway management after anterior cervical decompression and fusion. <i>BMC Medical Imaging</i> , 2022, 22, 67.  | 1.4 | 0         |
| 36930 | Sample size determination in method comparison and observer variability studies. <i>Journal of Clinical Monitoring and Computing</i> , 2022, 36, 1241-1243.  | 0.7 | 4         |
| 36931 | Reliability of Scoring Telehealth Speech Sound Assessments Administered in Real-World Scenarios. <i>American Journal of Speech-Language Pathology</i> , 2022, 31, 1338-1353.   | 0.9 | 7         |
| 36932 | Molecular Diagnosis of Toxoplasmosis. <i>Journal of Molecular Diagnostics</i> , 2022, 24, 687-696.   | 1.2 | 2         |
| 36933 | Derivation and validation of a new formula for plasma osmolality estimation. <i>Clinical Biochemistry</i> , 2022, 105-106, 44-48.  | 0.8 | 3         |
| 36934 | Automated quality assessment of chest radiographs based on deep learning and linear regression cascade algorithms. <i>European Radiology</i> , 2022, 32, 7680-7690.  | 2.3 | 4         |
| 36935 | Testâretest reliabilities and minimal detectable changes of 5 versions of the Alzheimerâs Disease Assessment Scale-Cognitive Subscale in people with dementia. <i>Disability and Rehabilitation</i> , 2022, , 1-7.   | 0.9 | 1         |
| 36936 | Validation of the Martin method to estimate low-density lipoprotein cholesterol levels in Japanese populations and a modified method for laboratory information system application. <i>Annals of Clinical Biochemistry</i> , 2022, , 000456322210988.                          | 0.8 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36937 | An Evaluation of Parent and Teacher Discrepancies on an Adaptive Behavior Measure for Youth with Autism Spectrum Disorder, Intellectual Disability, and Global Developmental Delay. <i>Journal of Autism and Developmental Disorders</i> , 2022, , 1.               | 1.7 | 1         |
| 36938 | Intrarater Reliability of Diaphragm Excursion and Resting Thickness Using Ultrasound Imaging in Subjects With Nonspecific Chronic Low Back Pain. <i>Journal of Chiropractic Medicine</i> , 2022, , .  | 0.3 | 1         |
| 36939 | Convergent validity of the Physical Activity Questionnaire for Children (PAQ-C): assessing moderate-to-vigorous or total physical activity?. <i>Measurement in Physical Education and Exercise Science</i> , 0, , 1-11.   | 1.3 | 0         |
| 36940 | Comparing the Yo-Yo intermittent and Bronco tests and their associations with match demands among amateur rugby union referees. <i>International Journal of Sports Science and Coaching</i> , 0, , 174795412210782.   | 0.7 | 2         |
| 36941 | Automating Pitted Red Blood Cell Counts Using Deep Neural Network Analysis: A New Method for Measuring Splenic Function in Sickle Cell Anaemia. <i>Frontiers in Physiology</i> , 2022, 13, 859906.  | 1.3 | 8         |
| 36942 | Artificial Intelligence Enabled Fully Automated CMR Function Quantification for Optimized Risk Stratification in Patients Undergoing Transcatheter Aortic Valve Replacement. <i>Journal of Interventional Cardiology</i> , 2022, 2022, 1-9.                         | 0.5 | 5         |
| 36943 | Repeatability and Comparison of Corneal Tomography in Mild to Severe Keratoconus Between the Anterior Segment OCT MS-39 and Pentacam HR. <i>Journal of Refractive Surgery</i> , 2022, 38, 250-255.  | 1.1 | 15        |
| 36944 | Utilizing umbilical cord blood â€“ Minimizing blood sampling and pain in healthy infants at risk for polycythemia. <i>Early Human Development</i> , 2022, 168, 105573.  | 0.8 | 0         |
| 36945 | It Takes Two to Tango: Combining Conventional Culture With Molecular Diagnostics Enhances Accuracy of <i>Streptococcus pneumoniae</i> Detection and Pneumococcal Serogroup/Serotype Determination in Carriage. <i>Frontiers in Microbiology</i> , 2022, 13, 859736. | 1.5 | 9         |
| 36946 | RP3MES: A Key to Minimize Infection Spreading. , 2022, 7, 809-821.  |     | 1         |
| 36947 | A geometrical pitfall of Area-Length method; -Is left ventricle volume evaluation of repaired Tetralogy of Fallot by angiocardiology accurate?. <i>Heart and Vessels</i> , 2022, 37, 1785-1791.   | 0.5 | 1         |
| 36948 | Field evaluation of the diagnostic performance of EasyScan GO: a digital malaria microscopy device based on machine-learning. <i>Malaria Journal</i> , 2022, 21, 122.   | 0.8 | 15        |
| 36949 | Non-Invasive Assessment of Arterial Stiffness: Pulse Wave Velocity, Pulse Wave Analysis and Carotid Cross-Sectional Distensibility: Comparison between Methods. <i>Journal of Clinical Medicine</i> , 2022, 11, 2225.   | 1.0 | 13        |
| 36950 | Optimising curve fitting techniques to look for standardisation of the analysis of defocus curves derived from multifocal intraocular lenses. <i>Ophthalmic and Physiological Optics</i> , 2022, 42, 887-896.   | 1.0 | 3         |
| 36951 | Neural Network and Cloud Computing for Predicting ECG Waves from PPG Readings. <i>Journal of Multimedia Information System</i> , 2022, 9, 11-20.  | 0.4 | 1         |
| 36952 | Comparison between methods to estimate bicep femoris fascicle length from three estimation equations using a 10 cm ultrasound probe. <i>Measurement in Physical Education and Exercise Science</i> , 2023, 27, 43-50.   | 1.3 | 1         |
| 36953 | 4D Flow MRI in Ascending Aortic Aneurysms: Reproducibility of Hemodynamic Parameters. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 3912.   | 1.3 | 1         |
| 36954 | Effect Of Elbow Angle And Weightâ€œ Bearing On The Evaluation Of Joint Congruence In Dogs. <i>Anatomical Record</i> , 2022, , .   | 0.8 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 36955 | Calibration and Cross-validation of Accelerometry in Children and Adolescents with Cystic Fibrosis. Measurement in Physical Education and Exercise Science, 2023, 27, 51-59.  | 1.3 | 4         |
| 36957 | Clinical Validation of a Virtual Planner for Coronary Interventions Based on Coronary CT Angiography. JACC: Cardiovascular Imaging, 2022, 15, 1242-1255.  | 2.3 | 36        |
| 36958 | Machine-Learning-Based Noninvasive In Vivo Estimation of HbA1c Using Photoplethysmography Signals. Sensors, 2022, 22, 2963.   | 2.1 | 7         |
| 36959 | Monitoring of Serum Potassium and Calcium Levels in End-Stage Renal Disease Patients by ECG Depolarization Morphology Analysis. Sensors, 2022, 22, 2951.  | 2.1 | 2         |
| 36960 | Validity and cardio-metabolic risk profiles of DNA methylation clocks among adults in south-central CÔte d'Ivoire. , 2022, 2, .   |     | 1         |
| 36961 | Reliability of OMERACT Scoring System in Ultra-High Frequency Ultrasonography of Minor Salivary Glands: Inter-Rater Agreement Study. Journal of Imaging, 2022, 8, 111.  | 1.7 | 3         |
| 36962 | Predicting the earliest deviation in weight gain in the course towards manifest overweight in offspring exposed to obesity in pregnancy: a longitudinal cohort study. BMC Medicine, 2022, 20, 156.  | 2.3 | 10        |
| 36963 | Bilateral thoracic radiographs increase lesion detection in horses with pneumonia or pulmonary neoplasia but do not bring any additional benefit for inflammatory or diffuse pulmonary disease. Veterinary Radiology and Ultrasound, 2022, , .                | 0.4 | 1         |
| 36964 | Adaptation and psychometric evaluation of the Thai version of the modified STarT Back Screening Tool in individuals with neck pain. Physiotherapy Theory and Practice, 2023, 39, 2144-2153.   | 0.6 | 2         |
| 36965 | A New Transformation of Treated-Control Matched-Pair Differences for Graphical Display. American Statistician, 0, , 1-17.   | 0.9 | 0         |
| 36966 | Computer-assisted evaluation enhances the quantification of interstitial fibrosis in renal implantation biopsies, measures differences between frozen and paraffin sections, and predicts delayed graft function. Journal of Nephrology, 2022, 35, 1819-1829. | 0.9 | 1         |
| 36967 | A credible homogenized finite element model to predict radius fracture in the case of a forward fall.. Journal of the Mechanical Behavior of Biomedical Materials, 2022, 131, 105206.   | 1.5 | 0         |
| 36968 | Large Vessel Occlusion Sites Affect Agreement Between Outputs of Three Computed Tomography Perfusion Software Packages. Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106482.   | 0.7 | 1         |
| 37095 | Bibliography and References. , 0, , 554-557.  |     | 0         |
| 37096 | Monitoring Intraocular Pressure in Glaucoma. , 0, , 325-334.  |     | 0         |
| 37097 | Evaluation of dual-energy X-ray absorptiometry compared to magnetic resonance imaging for collecting measurements of the human bony pelvis. American Journal of Human Biology, 2022, , e23753.  | 0.8 | 1         |
| 37098 | Accuracy of echocardiographic estimations of right heart pressures in adult heart transplant recipients. Clinical Cardiology, 2022, , .   | 0.7 | 3         |
| 37099 | Use of Blumensaat's line for assessment of cranial tibial subluxation in dogs with cranial cruciate ligament deficiency. Veterinary Record, 2022, , e1680.  | 0.2 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37100 | Comparison of measurement methods requires appropriate statistical methodology. American Journal of Ophthalmology, 2004, 137, 787-788.   | 1.7 | 2         |
| 37101 | Clinical target segmentation using a novel deep neural network: double attention Res-U-Net. Scientific Reports, 2022, 12, 6717.  | 1.6 | 13        |
| 37102 | Effects of a mechanical interdental cleaning device on oral hygiene in patients with lingual brackets. Angle Orthodontist, 2003, 73, 579-87.   | 1.1 | 25        |
| 37103 | Relative fat mass assessment estimates changes in adiposity among female older adults with obesity after a 12-month exercise and diet intervention. Annals of Medicine, 2022, 54, 1160-1166.                             | 1.5 | 12        |
| 37104 | Gastric emptying of solids is delayed in celiac disease and normalizes after gluten withdrawal. Acta Paediatrica, International Journal of Paediatrics, 2000, 89, 921-5.   | 0.7 | 11        |
| 37105 | The Cranial Rhythmic Impulse and Excessive Crying of Infancy. Journal of Alternative and Complementary Medicine, 2009, 15, 341-345.  | 2.1 | 26        |
| 37106 | Comparison of total body potassium with other techniques for measuring lean body mass in men and women with AIDS wasting. American Journal of Clinical Nutrition, 2000, 72, 1053-8.                                      | 2.2 | 27        |
| 37107 | Measuring secondary deformities of the shoulder in children with obstetric brachial plexus lesion: reliability of three methods. Journal of Pediatric Orthopaedics Part B, 2003, 12, 211-4.                              | 0.3 | 19        |
| 37108 | Rectal heat thresholds: a novel test of the sensory afferent pathway. Diseases of the Colon and Rectum, 2003, 46, 590-5.   | 0.7 | 6         |
| 37109 | Clinical utility of irx3 in keratoconus. Australasian journal of optometry, The, 2021, 104, 107-114.   | 0.6 | 3         |
| 37111 | New insights into body composition assessment in obese women. Canadian Journal of Physiology and Pharmacology, 1999, 77, 17-21.  | 0.7 | 10        |
| 37112 | Insights From Matched Office and Ambulatory Blood Pressure in Youth: Clinical Relevance. Hypertension, 2022, 79, 1237-1246.  | 1.3 | 2         |
| 37113 | Interviewer Administration Corresponds to Self-Administration of the Vision Impairment in Low Luminance (VILL) Questionnaire. Translational Vision Science and Technology, 2022, 11, 21.                                 | 1.1 | 2         |
| 37114 | Development and Validation of the Secondary Victimization Scale. Psychological Reports, 2022, , 003329412210926.   | 0.9 | 1         |
| 37116 | Performance comparison of three assay methods used in fasting and postmethionine load plasma homocysteine determinations from patients with vascular disease. American Journal of Clinical Pathology, 2005, 124, 675-81. | 0.4 | 5         |
| 37117 | Performance characteristics of two real-time PCR assays for the quantification of Epstein-Barr virus DNA. American Journal of Clinical Pathology, 2006, 125, 665-71.   | 0.4 | 11        |
| 37118 | Accuracy of a portable blood gas analyzer incorporating optodes for canine blood. Journal of Veterinary Internal Medicine, 1999, 13, 597-600.  | 0.6 | 0         |
| 37119 | Validation of 2 techniques for electrocardiographic recording in dogs and cats. Journal of Veterinary Internal Medicine, 2006, 20, 873-6.  | 0.6 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37120 | Platelet Concentrations and Platelet-associated IgG in Greyhounds. <i>Journal of Veterinary Internal Medicine</i> , 2007, 21, 107.   | 0.6 | 5         |
| 37121 | Transthoracic echocardiographic measurement of patent ductus arteriosus in dogs. <i>Journal of Veterinary Internal Medicine</i> , 2007, 21, 251-7.   | 0.6 | 9         |
| 37122 | Determination of lactate concentrations in blood plasma and peritoneal fluid in horses with colic by an Accusport analyzer. <i>Journal of Veterinary Internal Medicine</i> , 2007, 21, 293-301.  | 0.6 | 13        |
| 37123 | Multiacquisition Variable-Resonance Image Combination Selective Can Improve Image Quality and Reproducibility for Metallic Implants in the Lumbar Spine. <i>Acta Medica Okayama</i> , 2021, 75, 187-197.   | 0.1 | 1         |
| 37125 | Prediction of pulmonary function after major lung resection using lung perfusion scintigraphy with single-photon emission computed tomography/computed tomography.. , 2020, 6, 37-48.  |     | 1         |
| 37131 | Basal cell carcinoma thickness evaluated by high-frequency ultrasounds and correlation with dermoscopic features. <i>Italian Journal of Dermatology and Venereology</i> , 2021, 156, 610-615.  | 0.1 | 2         |
| 37136 | The calculation of baseline serum creatinine overestimates the diagnosis of acute kidney injury in patients undergoing cardiac surgery. <i>Nefrologia</i> , 2012, 32, 53-8.  | 0.2 | 17        |
| 37137 | Correlation between the protein/creatinine ratio in spot urine and 24-hour urine protein. <i>Nefrologia</i> , 2012, 32, 494-501.   | 0.2 | 10        |
| 37138 | Analysis of concordance between the bioelectrical impedance vector analysis and the bioelectrical impedance spectroscopy in haemodialysis patients. <i>Nefrologia</i> , 2012, 32, 389-95.  | 0.2 | 6         |
| 37139 | Determination of peritoneal phosphate transport as a tool for controlling serum phosphorus. <i>Nefrologia</i> , 2014, 34, 584-90.  | 0.2 | 0         |
| 37141 | Inter-methods agreement for the assessment of percentage of body fat between two laboratory methods in male adolescent cyclists. <i>Nutricion Hospitalaria</i> , 2013, 28, 1049-52.  | 0.2 | 5         |
| 37144 | Validity and reliability of the 1/4 mile run-walk test in physically active children and adolescents. <i>Nutricion Hospitalaria</i> , 2014, 31, 875-82.  | 0.2 | 3         |
| 37146 | A SIMPLIFIED EQUATION FOR TOTAL ENERGY EXPENDITURE IN MECHANICALLY VENTILATED CRITICALLY ILL PATIENTS. <i>Nutricion Hospitalaria</i> , 2015, 32, 1273-80.  | 0.2 | 3         |
| 37148 | Evaluation of the factorial method for determination of energy expenditure in 16 young adult women living in China. <i>Biomedical and Environmental Sciences</i> , 2011, 24, 357-63.   | 0.2 | 3         |
| 37149 | Validity and Reliability of the Wristband Activity Monitor in Free-living Children Aged 10-17 Years. <i>Biomedical and Environmental Sciences</i> , 2019, 32, 812-822.   | 0.2 | 10        |
| 37158 | Assessment of pulmonary artery pressures by various doppler echocardiographic parameters and its correlation with cardiac catheterization in patients with pulmonary hypertension. <i>Heart Views</i> , 2020, 21, 263.                                 | 0.1 | 2         |
| 37159 | Correlation between ultrasound-guided subglottic diameter and little finger breadth with the outer diameter of the endotracheal tube in paediatric patients – A prospective observational study. <i>Indian Journal of Anaesthesia</i> , 2018, 62, 978. | 0.3 | 6         |
| 37161 | An overview on the veracity of intraoral digital scanning system and utilization of iTero scanner for analyzing orthodontic study models both <i>In-Vivo</i> and <i>Ex-Vivo</i>. <i>Nigerian Journal of Clinical Practice</i> , 2021, 24, 1.           | 0.2 | 13        |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37162 | Novel dietary intake assessment in populations with poor literacy. Asia Pacific Journal of Clinical Nutrition, 2016, 25, 202-12.  | 0.3 | 3         |
| 37163 | Joint Regression Network and Window Function-Based Piecewise Neural Network for Cuffless Continuous Blood Pressure Estimation Only Using Single Photoplethysmogram. IEEE Transactions on Consumer Electronics, 2022, 68, 236-260. | 3.0 | 4         |
| 37164 | Bayes Linear Bayes Networks with an Application to Prognostic Indices. Bayesian Analysis, 2022, -1, .   | 1.6 | 0         |
| 37165 | Predicting Maximal Lactate Steady State from Lactate Thresholds Determined by Methods Based on an Incremental Exercise Test in Beagle Dogs: A Study Using Univariate and Multivariate Approach. SSRN Electronic Journal, 0, , .   | 0.4 | 0         |
| 37166 | Agreement of gonioscopy and anterior segment-optical coherence tomography in the assessment of the anterior chamber angle: A cross-sectional study. Kerala Journal of Ophthalmology, 2022, 34, 27.                                | 0.1 | 0         |
| 37167 | Contactless Monitoring of Heart Rate Variability During Respiratory Maneuvers. IEEE Sensors Journal, 2022, 22, 14563-14573.   | 2.4 | 8         |
| 37168 | EVALUATION OF PERFORMANCE OF TWO MONOPLEX QUANTITATIVE REAL TIME PCR ASSAYS IN COMPARISON TO MICROSCOPY FOR IDENTIFICATION OF MALARIA PARASITES.. , 2022, , 32-38.  |     | 0         |
| 37169 | Reproducibility of Ocular Biometry and Pupillometry with the Aladdin HW2.0 Optical Low-Coherence Interferometer. Online Trk SaĀİlk Bilimleri Dergisi, 0, , .  | 0.1 | 0         |
| 37170 | Reproducibility and Evolution of Diffusion Mri Measurements Within the Cervical Spinal Cord in Multiple Sclerosis. , 2022, , .  |     | 1         |
| 37171 | Compressed Sensing Cardiac Cine Imaging Compared with Standard Balanced Steady-State Free Precession Cine Imaging in a Pediatric Population. Radiology: Cardiothoracic Imaging, 2022, 4, e210109.                                 | 0.9 | 7         |
| 37172 | Simultaneous Corneal Topography and Epithelial Thickness Mapping from a Single Measurement Using Optical Coherence Tomography. Journal of Ophthalmology, 2022, 2022, 1-12.  | 0.6 | 2         |
| 37173 | Alternative measurement systems for recording cardiac activity in animals: a pilot study. Animal Biotelemetry, 2022, 10, .  | 0.8 | 0         |
| 37174 | Echocardiographic Normal Reference Ranges for Non-invasive Myocardial Work Parameters in Pediatric Age: Results From an International Multi-Center Study. Frontiers in Cardiovascular Medicine, 2022, 9, 792622.                  | 1.1 | 5         |
| 37175 | Trends in Research Related to Ophthalmic OCT Imaging From 2011 to 2020: A Bibliometric Analysis. Frontiers in Medicine, 2022, 9, 820706.  | 1.2 | 3         |
| 37176 | Validation of a Visually Aided Dietary Assessment Tool to Estimate Dietary Intake in an Adult Swiss Population. Frontiers in Nutrition, 2022, 9, 844156.  | 1.6 | 3         |
| 37177 | Noninvasive Pediatric Liver Fibrosis Measurement: Two-Dimensional Shear Wave Elastography Compared With Transient Elastography. Frontiers in Pediatrics, 2022, 10, 849815.  | 0.9 | 4         |
| 37179 | Comparison of Bioelectrical Impedance Analysis and Skinfold Thickness to Determine Body Fat Percentage among Young Women. Current Research in Nutrition and Food Science, 2022, 10, 295-301.                                      | 0.3 | 1         |
| 37180 | Prognosis Predictions by Families, Physicians, and Nurses of Patients with Severe Acute Brain Injury: Agreement and Accuracy. Neurocritical Care, 2022, , 1.  | 1.2 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37181 | Concordance of Computed Tomography Regional Body Composition Analysis Using a Fully Automated Open-Source Neural Network versus a Reference Semi-Automated Program with Manual Correction. Sensors, 2022, 22, 3357.   | 2.1 | 3         |
| 37182 | Evaluation of Sleep Parameters and Sleep Staging (Slow Wave Sleep) in Athletes by Fitbit Alta HR, a Consumer Sleep Tracking Device. Nature and Science of Sleep, 2022, Volume 14, 819-827.  | 1.4 | 5         |
| 37184 | Assessment of resting energy expenditure in patients with cirrhosis. World Journal of Hepatology, 2022, 14, 802-811.  | 0.8 | 2         |
| 37185 | Precision of low-dose CT-based micromotion analysis technique for the assessment of early acetabular cup migration compared with gold standard RSA: a prospective study of 30 patients up to 1 year. Monthly Notices of the Royal Astronomical Society: Letters, 2022, 93, 459-465. | 1.2 | 8         |
| 37186 | The Comparison of Lower Extremity Length and Angle between Computed Radiography-Based Teleoroentgenogram and EOS <sup>®</sup> Imaging System. Diagnostics, 2022, 12, 1052.  | 1.3 | 6         |
| 37187 | Validation of an Automated Wearable Camera-Based Image-Assisted Recall Method and the 24-h Recall Method for Assessing Women's Time Allocation in a Nutritionally Vulnerable Population: The Case of Rural Uganda. Nutrients, 2022, 14, 1833.                                       | 1.7 | 2         |
| 37188 | Comparison of acquisition rate and agreement of axial length with two swept-source optical coherence tomographers and a partial coherence interferometer. Graefe's Archive for Clinical and Experimental Ophthalmology, 2022, 260, 2905-2911.                                       | 1.0 | 2         |
| 37189 | Uncertainty analysis of chest X-ray lung height measurements and size matching for lung transplantation. Journal of Thoracic Disease, 2022, 14, 1042-1051.  | 0.6 | 3         |
| 37191 | Importance of Linear Combination Modeling for Quantification of Glutathione and $\hat{\beta}$ -Aminobutyric Acid Levels Using Hadamard-Edited Magnetic Resonance Spectroscopy. Frontiers in Psychiatry, 2022, 13, 872403.   | 1.3 | 7         |
| 37192 | Test-Retest Reliability and Minimal Detectable Change of Four Cognitive Tests in Community-Dwelling Older Adults. Journal of Alzheimer's Disease, 2022, 87, 1683-1693.  | 1.2 | 4         |
| 37193 | Accuracy of Predicting One-Repetition Maximum from Submaximal Velocity in the Barbell Back Squat and Bench Press. Journal of Human Kinetics, 0, 82, 201-212.  | 0.7 | 6         |
| 37194 | The effect of extraction of the lower first permanent molar on the developing third molar in children. Journal of Orthodontics, 2022, 49, 480-487.  | 0.4 | 3         |
| 37195 | A prospective study to validate the expanded timed get-up-and-go in a population with multiple sclerosis. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2022, 8, 205521732210991.  | 0.5 | 0         |
| 37196 | Effects of Sex, Age and Height on Symphysis-Ischial Spine Distance Measured on a Pelvic CT. Journal of Clinical Medicine, 2022, 11, 2395.   | 1.0 | 0         |
| 37197 | Examining weekly heart rate variability changes: a comparison between wearable devices running head: weekly heart rate variability changes. Sports Engineering, 2022, 25, 1.  | 0.5 | 3         |
| 37198 | COMPARISON BETWEEN TWO NONINVASIVE METHODS USED TO ESTIMATE BIOMECHANICAL PROPERTIES OF THE INTERNAL CAROTID ARTERY. Journal of Mechanics in Medicine and Biology, 0, , .   | 0.3 | 0         |
| 37199 | Comparison of weight loss data collected by research technicians versus electronic medical records: the PROPEL trial. International Journal of Obesity, 2022, 46, 1456-1462.  | 1.6 | 1         |
| 37200 | Specialized Pro-Resolving Mediators Reduce Scarring After Cleft Lip Repair. Frontiers in Immunology, 2022, 13, 871200.  | 2.2 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37202 | Assessing deterioration using impairment and functional outcome measures in chronic inflammatory demyelinating polyneuropathy: A post-hoc analysis of the immunoglobulin overtreatment in CIDP trial. <i>Journal of the Peripheral Nervous System</i> , 2022, 27, 144-158.                   | 1.4 | 4         |
| 37203 | What Mathematical Models Are Accurate for Prescribing Aerobic Exercise in Women with Fibromyalgia?. <i>Biology</i> , 2022, 11, 704.  | 1.3 | 1         |
| 37204 | Validation of Abbreviated Form of the Multidimensional Prognostic Index (MPI): The BRIEF-MPI Project. <i>Clinical Interventions in Aging</i> , 2022, Volume 17, 789-796.   | 1.3 | 7         |
| 37205 | Methylmalonic acid analysis using urine filter paper samples to screen for metabolic vitamin B <sub>12</sub> deficiency in older adults. <i>Bioanalysis</i> , 2022, 14, 615-626.   | 0.6 | 1         |
| 37206 | Validation and reliability testing of the BREAST-Q expectations questionnaire in Swedish. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2022, , 1-9.  | 0.4 | 0         |
| 37207 | Methane emissions in growing heifers while eating from a feed bin compared with 24-hour emissions and relationship with feeding behavior. <i>JDS Communications</i> , 2022, 3, 255-259.  | 0.5 | 0         |
| 37208 | Three-Way Mixed Effect ANOVA to Estimate MRMC Limits of Agreement. <i>Statistics in Biopharmaceutical Research</i> , 0, , 1-10.  | 0.6 | 1         |
| 37209 | Development and evaluation of an inertial measurement unit (IMU) system for jump detection and jump height estimation in beach volleyball. <i>German Journal of Exercise and Sport Research</i> , 0, , 1.  | 1.0 | 6         |
| 37210 | iCare® Home vs Goldmann applanation tonometry: Agreement of methods and comparison of inter-observer variation at a tertiary eye centre. <i>European Journal of Ophthalmology</i> , 2022, , 112067212210992.   | 0.7 | 0         |
| 37212 | Intraoperative Invasive Blood Pressure Monitoring in Flap-Based Lower Extremity Reconstruction. <i>Annals of Plastic Surgery</i> , 2022, 88, S174-S178.  | 0.5 | 0         |
| 37213 | Concurrent validity and reliability of a semi-automated approach to measuring the magnetic resonance imaging morphology of the knee joint in active youth. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2022, 236, 1023-1035. | 1.0 | 1         |
| 37214 | Comparison of the Results of Automatic Blood Analyser and Manual Peripheral Smear Method in Total and Differential Leukocyte Count in Goats. <i>Harran Üniversitesi Veteriner Fakültesi Dergisi</i> , 0, , .   | 0.1 | 0         |
| 37215 | Evaluation of the Multiple Assessment Subjective Shoulder Score (MASSSS). A pilot study. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, , 103313.  | 0.9 | 0         |
| 37216 | Evaluation of a Fully Automatic Deep Learning-Based Method for the Measurement of Psoas Muscle Area. <i>Frontiers in Nutrition</i> , 2022, 9, .  | 1.6 | 8         |
| 37217 | Biopsy-Integrated 3D Magnetic Resonance Imaging Modeling of Prostate Cancer and Its Application for Gleason Grade and Tumor Laterality Assessment. <i>Archives of Pathology and Laboratory Medicine</i> , 2022, , .  | 1.2 | 0         |
| 37218 | Validation of remote atopic dermatitis severity assessment with the Eczema Area and Severity Index in children using caregiver-provided photos and videos. <i>Pediatric Dermatology</i> , 2022, , .  | 0.5 | 1         |
| 37219 | A simple and novel equation to estimate the degree of bleeding in haemorrhagic shock: mathematical derivation and preliminary <i>in vivo</i> validation. <i>Korean Journal of Physiology and Pharmacology</i> , 2022, 26, 195-205.   | 0.6 | 0         |
| 37220 | OSWMI: An objective-subjective weighted method for minimizing inconsistency in multi-criteria decision making. <i>Computers and Industrial Engineering</i> , 2022, 169, 108138.  | 3.4 | 31        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37221 | The repeatability and agreement of biometric measurements by dual Scheimpflug device with integrated optical biometer. <i>Scientific Reports</i> , 2022, 12, 7748.  | 1.6 | 1         |
| 37222 | Diagnostic value of serum versus plasma phospho-tau for Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2022, 14, 65.  | 3.0 | 25        |
| 37223 | Ecological Momentary Assessment: A Systematic Review of Validity Research. <i>Perspectives on Behavior Science</i> , 2022, 45, 469-493.   | 1.1 | 13        |
| 37224 | Polyimide-Based High-Performance Film Bulk Acoustic Resonator Humidity Sensor and Its Application in Real-Time Human Respiration Monitoring. <i>Micromachines</i> , 2022, 13, 758.  | 1.4 | 4         |
| 37225 | Mathematical Arterialization of Capillary Blood for Blood Gas Analysis in Critically Ill Patients. <i>Respiration</i> , 2022, 101, 738-745.   | 1.2 | 1         |
| 37226 | Translation and validation of the shoulder instability-return to sport after injury (SIRSI) score in French. <i>Journal of Experimental Orthopaedics</i> , 2022, 9, 41.   | 0.8 | 1         |
| 37227 | Validation of the QualiPresc instrument for assessing the quality of drug prescription writing in primary health care. <i>PLoS ONE</i> , 2022, 17, e0267707.  | 1.1 | 1         |
| 37228 | Subacromial space measured by ultrasound imaging in asymptomatic subjects and patients with subacromial shoulder pain: an inter-rater reliability study. <i>Physiotherapy Theory and Practice</i> , 2023, 39, 2196-2207.  | 0.6 | 4         |
| 37229 | Non-Invasive Cardiac Output Determination Using Magnetic Resonance Imaging and Thermodilution in Pulmonary Hypertension. <i>Journal of Clinical Medicine</i> , 2022, 11, 2717.  | 1.0 | 2         |
| 37231 | Impact of cerebral blood flow and amyloid load on SUVR bias. <i>EJNMMI Research</i> , 2022, 12, 29.   | 1.1 | 6         |
| 37232 | The Use and Effectiveness of Selected Alternative Markers for Insulin Sensitivity and Secretion Compared with Gold Standard Markers in Dietary Intervention Studies in Individuals without Diabetes: Results of a Systematic Review. <i>Nutrients</i> , 2022, 14, 2036. | 1.7 | 0         |
| 37233 | Accurate thermochemistry prediction of extensive Polycyclic aromatic hydrocarbons (PAHs) and relevant radicals. <i>Combustion and Flame</i> , 2022, 242, 112159.  | 2.8 | 2         |
| 37234 | A new deep learning framework based on blood pressure range constraint for continuous cuffless BP estimation. <i>Neural Networks</i> , 2022, 152, 181-190.  | 3.3 | 22        |
| 37235 | Systolic blood pressure measurements are unreliable for the management of acute spontaneous intracerebral hemorrhage. <i>Journal of Critical Care</i> , 2022, 70, 154049.   | 1.0 | 0         |
| 37236 | Estimation of crude protein and amino acid contents in whole, ground and defatted ground soybeans by different types of near-infrared (NIR) reflectance spectroscopy. <i>Journal of Food Composition and Analysis</i> , 2022, 111, 104601.                              | 1.9 | 13        |
| 37237 | Ultra-short heart rate variability and Poincaré plots. <i>Journal of Sports Sciences</i> , 2021, 2, 37-52.  |     | 1         |
| 37238 | Comparison of Child and Adolescent Physical Activity Levels From Open-Source Versus ActiGraph Counts. <i>Journal for the Measurement of Physical Behaviour</i> , 2022, , 1-9.   | 0.5 | 1         |
| 37239 | What is real change in submaximal cardiorespiratory fitness in older adults? Retrospective analysis of a clinical trial. <i>Sports Medicine - Open</i> , 2022, 8, 59.   | 1.3 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37240 | Evaluation of Biotrin, Serion and Euroimmun Commercial Assays for the Detection of Parvovirus B19-Specific IgM and IgG Antibodies. <i>Diagnostic Microbiology and Infectious Disease</i> , 2022, , 115723.            | 0.8 | 0         |
| 37241 | Kidney morphology in pregnancy using T2-weighted MRI. <i>Clinical Radiology</i> , 2022, , .   | 0.5 | 0         |
| 37242 | Bone Density by Specific Anatomic Location Using Hounsfield Samples of the Lower Extremity: A Multi-center Retrospective Analysis. <i>Journal of Foot and Ankle Surgery</i> , 2023, 62, 80-84.                        | 0.5 | 2         |
| 37243 | Relative validity and reproducibility of the CyFFQ semiquantitative food frequency questionnaire for assessing dietary intake in Cypriot adults. <i>Journal of Human Nutrition and Dietetics</i> , 2023, 36, 139-153. | 1.3 | 2         |
| 37244 | Digitizing ECG image: A new method and open-source software code. <i>Computer Methods and Programs in Biomedicine</i> , 2022, 221, 106890.  | 2.6 | 3         |
| 37245 | Substantiating microCT for diagnosing bioerosion in archaeological bone using a new Virtual Histological Index (VHI). <i>Archaeological and Anthropological Sciences</i> , 2022, 14, .                                | 0.7 | 3         |
| 37246 | Glucose uptake as an alternative to oxygen uptake for assessing metabolic rate in <i>Danio rerio</i> Larvae. <i>Current Research in Physiology</i> , 2022, , .  | 0.8 | 0         |
| 37247 | Measurement Variation in Method Comparison Studies: An Empirical Examination. <i>Archives of Physical Medicine and Rehabilitation</i> , 1994, 75, 505-512.  | 0.5 | 15        |
| 37248 | Comparison of Dual-Energy X-Ray Absorptiometry Machines for Measuring Fat Distribution Changes of HIV-Associated Lipodystrophy. <i>Antiviral Therapy</i> , 2004, 9, 771-778.  | 0.6 | 13        |
| 37249 | Measurements of the Periocular Facial Area with Web-Based Software. <i>Journal of Telemedicine and Telecare</i> , 2005, 11, 347-353.  | 1.4 | 0         |
| 37250 | Simplified Volumetric Flow Cytometry Allows Feasible and Accurate Determination of Cd4 T Lymphocytes in Immunodeficient Patients Worldwide. <i>Antiviral Therapy</i> , 2004, 9, 395-405.                              | 0.6 | 41        |
| 37251 | Pulse Oximetry. , 2013, , 256-272.  |     | 0         |
| 37252 | Evidence-based eye examinations. , 2014, , 1-12.  |     | 0         |
| 37253 | Validation of Two Activity Monitors in Slow and Fast Walking Hospitalized Patients. <i>Rehabilitation Research and Practice</i> , 2022, 2022, 1-14.   | 0.5 | 8         |
| 37254 | Evaluation of a point-of-care benchtop analyzer for quantitative measurement of C-reactive protein in canine serum and plasma. <i>Veterinary Clinical Pathology</i> , 2022, , .                                       | 0.3 | 0         |
| 37255 | Assessing the Utility of a Quality-of-Care Assessment Tool Used in Assessing Comprehensive Care Services Provided by Community Health Workers in South Africa. <i>Frontiers in Public Health</i> , 2022, 10, .        | 1.3 | 2         |
| 37256 | Evaluation of the OpSens OptoWire III and Novel TAVR Algorithm to Measure Pressure Gradient During TAVR. , 2022, , 100309.  |     | 1         |
| 37257 | Accuracy of Ultrasound Jugular Venous Pressure Height in Predicting Central Venous Congestion. <i>Annals of Internal Medicine</i> , 2022, 175, W53.   | 2.0 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37258 | Validity of Neural Networks to Determine Body Position on the Bicycle. <i>Research Quarterly for Exercise and Sport</i> , 2023, 94, 905-912.  | 0.8 | 3         |
| 37260 | What is the concordance between parent- and education professional-reported adaptive functioning in autistic children using the VABS-II?. <i>Journal of Autism and Developmental Disorders</i> , 2022, , .  | 1.7 | 0         |
| 37261 | Automated ascending aorta delineation from ECG-gated computed tomography images. <i>Medical and Biological Engineering and Computing</i> , 2022, 60, 2095-2108.   | 1.6 | 3         |
| 37262 | Anaerobic Contribution Determined in Free-Swimming: Sensitivity to Maturation Stages and Validity. <i>Frontiers in Sports and Active Living</i> , 2022, 4, .  | 0.9 | 0         |
| 37263 | Artificial Intelligence in Pharmacovigilance: An Introduction to Terms, Concepts, Applications, and Limitations. <i>Drug Safety</i> , 2022, 45, 407-418.  | 1.4 | 17        |
| 37264 | Portable Devices for Measurement of Vitamin A Concentrations in Edible Oil: Field Readiness of Available Options. <i>ACS Omega</i> , 2022, 7, 17502-17518.  | 1.6 | 2         |
| 37265 | Work schedule and seasonal influences on sleep and fatigue in helicopter and fixed-wing aircraft operations in extreme environments. <i>Scientific Reports</i> , 2022, 12, 8263.  | 1.6 | 2         |
| 37266 | Comparison of marker-less and marker-based motion capture for baseball pitching kinematics. <i>Sports Biomechanics</i> , 2022, , 1-10.  | 0.8 | 9         |
| 37267 | Development and Validation of a Digital Analysis Method to Quantify CD3-immunostained T Lymphocytes in Whole Slide Images of Crohn's Disease Biopsies. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2022, Publish Ahead of Print, .               | 0.6 | 0         |
| 37268 | Optical bone densitometry robust to variation of soft tissue using machine learning techniques: validation by Monte Carlo simulation. <i>Journal of Biomedical Optics</i> , 2022, 27, .   | 1.4 | 0         |
| 37269 | Non-invasive and invasive measurement of skeletal muscular oxygenation during isolated limb perfusion. <i>Perfusion (United Kingdom)</i> , 2023, 38, 1019-1028.   | 0.5 | 2         |
| 37270 | A head-to-head comparison of the EQ-5D-3L index scores derived from the two EQ-5D-3L value sets for China. <i>Health and Quality of Life Outcomes</i> , 2022, 20, 80.   | 1.0 | 1         |
| 37271 | Effects of Î²â€‘blocker administration on cardiac function: a coronary computed tomography angiography study. <i>Current Medical Imaging</i> , 2022, 18, .  | 0.4 | 0         |
| 37272 | Evaluation of respiratory rate monitoring performance using a home oxygen monitoring device among patients with interstitial lung disease and chronic obstructive pulmonary disease.. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2022, 39, e2022007. | 0.2 | 0         |
| 37273 | Reliability of Central Venous Blood Gas Values Compared With Arterial Blood Gas Values in Critically Ill Patients. <i>Respiratory Care</i> , 2022, 67, 863-870.   | 0.8 | 0         |
| 37274 | Development and application of the sodium index to estimate and assess sodium intake for Korean adults. <i>Nutrition Research and Practice</i> , 2022, 16, 366.   | 0.7 | 0         |
| 37275 | Jointâ€‘label fusion brain atlases for dementia research in Down syndrome. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2022, 14, .  | 1.2 | 1         |
| 37276 | Activating the neutral pH photozymatic activity of g-C<sub>3</sub>N<sub>4</sub> nanosheets through post-synthetic incorporation of Pt. <i>Chemical Communications</i> , 2022, 58, 6930-6933.  | 2.2 | 5         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37277 | Assessing the Initial Validity of the PortionSize App to Estimate Dietary Intake Among Adults: Pilot and Feasibility App Validation Study. <i>JMIR Formative Research</i> , 2022, 6, e38283.  | 0.7 | 2         |
| 37278 | Reliability of the Fluoroscopic Assessment of Load-Induced Glenohumeral Translation during a 30° Shoulder Abduction Test. <i>Biomechanics</i> , 2022, 2, 255-263.   | 0.5 | 3         |
| 37279 | Analytical Approaches for the Segmentation of the Zebrafish Brain Vasculature. <i>Current Protocols</i> , 2022, 2, .  | 1.3 | 0         |
| 37280 | Comparison of Javal-Schiötz keratometer, Orbscan IIz and Pentacam topographers in evaluating anterior corneal topography. <i>Australasian journal of optometry</i> , The, 0, , 1-8.   | 0.6 | 2         |
| 37281 | Evaluation of Right Ventricular Myocardial Mechanics by 2- and 3-Dimensional Speckle-Tracking Echocardiography in Patients With an Ischemic or Non-ischemic Etiology of End-Stage Heart Failure. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, . | 1.1 | 3         |
| 37282 | Corneal diameter measurements by 3 optical biometers and their effect on phakic intraocular lens sizing. <i>Journal of Cataract and Refractive Surgery</i> , 2022, Publish Ahead of Print, .  | 0.7 | 1         |
| 37283 | Comparison of Prospective and Retrospective Gated 4D Flow Cardiac MR Image Acquisitions in the Carotid Bifurcation. <i>Cardiovascular Engineering and Technology</i> , 0, , .   | 0.7 | 1         |
| 37284 | A Soft and Skin-Interfaced Smart Patch Based on Fiber Optics for Cardiorespiratory Monitoring. <i>Biosensors</i> , 2022, 12, 363.   | 2.3 | 19        |
| 37285 | Comparative Analysis of Physical Activity Detected via an External Accelerometer and Cardiac Implantable Electronic Devices. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, .   | 1.1 | 0         |
| 37286 | Beyond the BMI: Validity and Practicality of Postpartum Body Composition Assessment Methods during Lactation: A Scoping Review. <i>Nutrients</i> , 2022, 14, 2197.  | 1.7 | 1         |
| 37287 | Agreement Between Predicted and Actual Measured Ablation Depth After FS-LASIK Using Different Rotating Scheimpflug Cameras and OCT. <i>Frontiers in Medicine</i> , 2022, 9, .   | 1.2 | 2         |
| 37288 | Comparison of Accuracy of Estimation of Cardiac Output by Thermodilution Versus the Fick Method Using Measured Oxygen Uptake. <i>American Journal of Cardiology</i> , 2022, , .   | 0.7 | 6         |
| 37289 | Recent Progress in Epicardial and Pericardial Adipose Tissue Segmentation and Quantification Based on Deep Learning: A Systematic Review. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 5217.   | 1.3 | 4         |
| 37290 | Sex and External Size Specific Limitations in Assessing Bone Health From Adult Hand Radiographs. <i>JBMR Plus</i> , 2022, 6, .  | 1.3 | 0         |
| 37291 | Reliability of relaxation properties of knee-extensor muscles induced by transcranial magnetic stimulation. <i>Neuroscience Letters</i> , 2022, 782, 136694.  | 1.0 | 2         |
| 37292 | Methodology for the nocturnal cardiac arrhythmia ancillary study of the ADVENT-HF trial in patients with heart failure with reduced ejection fraction and sleep-disordered breathing. <i>IJC Heart and Vasculature</i> , 2022, 41, 101057.                | 0.6 | 0         |
| 37293 | A novel cone-beam CT scanning technique for measuring periodontal soft tissues in the esthetic area. <i>Journal of Oral Science</i> , 2022, , .   | 0.7 | 2         |
| 37294 | CKD.Net: A Novel Deep Learning Hybrid Model for Effective, Real-Time, Automated Screening Tool Towards Prediction of Multi Stages of CKD Along with eGFR and Creatinine. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37295 | A validated new classification for intervertebral disk degeneration. <i>Khirurgiya</i> , 2022, , 72.   | 0.0 | 0         |
| 37296 | Methodology for the Nocturnal Cardiac Arrhythmia Ancillary Study of the ADVENT-HF Trial in Patients with Heart Failure with Reduced Ejection Fraction and Sleep-Disordered Breathing. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4 | 0         |
| 37297 | Development and Validation of Novel Digital Retinoscopy to Analyze Total Refraction of the Eye. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4 | 0         |
| 37298 | Evaluation of the tissue thickness of the supraspinatus and biceps long head tendons using ultrasound among elderly patients with unilateral adhesive capsulitis in the freezing phase. <i>Journal of Physical Therapy Science</i> , 2022, 34, 426-432.  | 0.2 | 1         |
| 37299 | Development and psychometric evaluation of the PMR-Impact Scale: a new patient reported outcome measure for polymyalgia rheumatica. <i>Rheumatology</i> , 2023, 62, 758-765.   | 0.9 | 4         |
| 37300 | Performance evaluation of routine blood and C-reactive protein analysis using Mindray BC-7500 CRP auto hematology analyzer. <i>Annals of Translational Medicine</i> , 2022, 10, 588-588.   | 0.7 | 4         |
| 37301 | Chromatic discrimination measures in mature observers depend on the response window. <i>Scientific Reports</i> , 2022, 12, .   | 1.6 | 0         |
| 37302 | Assessment of myocardial lipomatous metaplasia using an optimized out-of-phase cine steady-state free-precession sequence: Validation and clinical implementation. <i>NMR in Biomedicine</i> , 2022, 35, .   | 1.6 | 3         |
| 37303 | Utility and validity of the Brief Psychiatric Rating Scale (BPRS) as a transdiagnostic scale. <i>Psychiatry Research</i> , 2022, 314, 114659.  | 1.7 | 12        |
| 37304 | How does Injury Severity Score derived from International Classification of Diseases Programs for Injury Categorization using International Classification of Diseases, Tenth Revision, Clinical Modification codes perform compared with Injury Severity Score derived from Trauma Quality Improvement Program?. <i>Journal of Trauma and Acute Care Surgery</i> , 2023, 94, 141-147. | 1.1 | 4         |
| 37305 | The Brainstem-Vermis and Brainstem-Tentorium Angles in the Fetus: A Study of Their Reproducibility by Fetal Magnetic Resonance Imaging and Their Evolution Along the Gestation. <i>Frontiers in Medicine</i> , 2022, 9, .  | 1.2 | 0         |
| 37306 | Quantitative Evans index estimation using ultrasonographic measurement of the optic nerve sheath diameter in supine and upright position. <i>Acta Neurochirurgica</i> , 2022, 164, 1755-1764.  | 0.9 | 1         |
| 37307 | The Reproducibility and Relative Validity of a Food Frequency Questionnaire for Identifying Iron-Related Dietary Patterns in Pregnant Women. <i>Nutrients</i> , 2022, 14, 2313.  | 1.7 | 0         |
| 37308 | Array Comparative Genomic Hybridisation and Droplet Digital PCR Uncover Recurrent Copy Number Variation of the TTN Segmental Duplication Region. <i>Genes</i> , 2022, 13, 905.   | 1.0 | 0         |
| 37309 | Comparison of two new integrated SS-OCT tomography and biometry devices. <i>Journal of Cataract and Refractive Surgery</i> , 2022, 48, 1277-1284.  | 0.7 | 7         |
| 37310 | Intra-individual Comparisons of the Ultrasound-Guided Attenuation Parameter and the Magnetic Resonance Imaging-Based Proton Density Fat Fraction Using Bias and Precision Statistics. <i>Ultrasound in Medicine and Biology</i> , 2022, 48, 1537-1546.   | 0.7 | 2         |
| 37311 | A validated geospatial model approach for monitoring progress of the Sendai Framework: The example of people affected in agriculture due to flooding in Ecuador. <i>Progress in Disaster Science</i> , 2022, 15, 100233.   | 1.4 | 2         |
| 37312 | Automatic Segmentation and Quantification of Upper Airway Anatomic Risk Factors for Obstructive Sleep Apnea on Unprocessed Magnetic Resonance Images. <i>Academic Radiology</i> , 2023, 30, 421-430.   | 1.3 | 2         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37313 | Agreement of total corneal power between 2 swept-source optical coherence tomography and Scheimpflug tomography in normal and keratoconic patients. <i>PLoS ONE</i> , 2022, 17, e0268856.   | 1.1 | 11        |
| 37314 | Concordance between SIVA, IVAN, and VAMPIRE Software Tools for Semi-Automated Analysis of Retinal Vessel Caliber. <i>Diagnostics</i> , 2022, 12, 1317.  | 1.3 | 6         |
| 37315 | Usefulness of Collaborative Work in the Evaluation of Prostate Cancer from MRI. <i>Clinics and Practice</i> , 2022, 12, 350-362.  | 0.6 | 2         |
| 37316 | Easy Express Extraction (TripleE)â€”A Universal, Electricity-Free Nucleic Acid Extraction System for the Lab and the Pen. <i>Microorganisms</i> , 2022, 10, 1074.   | 1.6 | 4         |
| 37317 | Efficacy of fixed versus removal retainer post orthodontic treatment. <i>International Journal of Health Sciences</i> , 0, , 6491-6500.   | 0.0 | 1         |
| 37318 | The core minimum dataset for measuring pain outcomes in pain services across Scotland. Developing and testing a brief multi-dimensional questionnaire. <i>British Journal of Pain</i> , 0, , 204946372210929.   | 0.7 | 3         |
| 37319 | Short and ultraâ€”short (<math>\leq 6\text{ mm}</math>) lockingâ€”taper implants supporting single crowns in posterior areas (part <scp>II</scp>): A 5â€”year retrospective study on periodontally healthy patients and patients with a history of periodontitis. <i>Clinical Implant Dentistry and Related Research</i> , 2022, 24, 455-467. | 1.6 | 4         |
| 37320 | Evaluation of the usefulness of non-invasive serum haemoglobin measurement in a perioperative setting in a prospective observational study. <i>Scientific Reports</i> , 2022, 12, .   | 1.6 | 4         |
| 37321 | Feasibility of Cell-Free DNA Measurement from the Earlobe during Physiological Exercise Testing. <i>Diagnostics</i> , 2022, 12, 1379.   | 1.3 | 3         |
| 37322 | Quantifying sodium [ $^{18}\text{F}$ ]fluoride uptake in abdominal aortic aneurysms. <i>EJNMMI Research</i> , 2022, 12, .   | 1.1 | 2         |
| 37323 | Diffusion tensor estimation with transformer neural networks. <i>Artificial Intelligence in Medicine</i> , 2022, 130, 102330.   | 3.8 | 8         |
| 37324 | Validating a Sclera-Based Smartphone Application for Screening Jaundiced Newborns in Ghana. <i>Pediatrics</i> , 2022, 150, .  | 1.0 | 7         |
| 37325 | The 3-Meter Backward Walk Test (3MBWT): Reliability and validity in individuals with subacute and chronic stroke. <i>Physiotherapy Theory and Practice</i> , 0, , 1-8.  | 0.6 | 2         |
| 37326 | An Algorithm for Accurate Marker-Based Gait Event Detection in Healthy and Pathological Populations During Complex Motor Tasks. <i>Frontiers in Bioengineering and Biotechnology</i> , 2022, 10, .  | 2.0 | 6         |
| 37327 | Psychometric performance of the Arabic versions of the Functional Assessment of Cancer Therapy-Breast plus Arm morbidity (FACT-Bâ€”+â€”4) in patients with breast cancer related lymphedema: cross-sectional study. <i>BMC Women's Health</i> , 2022, 22, .   | 0.8 | 1         |
| 37328 | Clinical evaluation of automated segmentation for body composition analysis on abdominal L3 CT slices in polytrauma patients. <i>Injury</i> , 2022, 53, S30-S41.  | 0.7 | 6         |
| 37329 | Reproducibility and Applicability of Traditional Strength Training Prescription Recommendations. <i>Biology</i> , 2022, 11, 851.  | 1.3 | 5         |
| 37330 | Ten Years of Traffic Speed Deflectometer Research in the United States: A Review. <i>Transportation Research Record</i> , 2022, 2676, 152-165.  | 1.0 | 8         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37331 | Anxiety and Depression in Pediatric Patients with Celiac Disease: A Large Cross-Sectional Study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2022, 75, 181-185.   | 0.9 | 6         |
| 37332 | Validity and reliability of the German translation of the Diabetes Foot Self-Care Behavior Scale (DFSBS-D). <i>PLoS ONE</i> , 2022, 17, e0269395.  | 1.1 | 2         |
| 37333 | T2*-Mapping of Knee Cartilage in Response to Mechanical Loading in Alpine Skiing: A Feasibility Study. <i>Diagnostics</i> , 2022, 12, 1391.  | 1.3 | 5         |
| 37334 | Improving the measurement of intrinsic foot muscle morphology and composition from high-field (7T) magnetic resonance imaging. <i>Journal of Biomechanics</i> , 2022, 140, 111164.   | 0.9 | 0         |
| 37335 | Nonlinear micro finite element models based on digital volume correlation measurements predict early microdamage in newly formed bone. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2022, 132, 105303.      | 1.5 | 10        |
| 37336 | Evaluation of the effectiveness of a high-speed method of screening phthalate esters in polymers using pyrolyzer/thermal desorption gas chromatography-mass spectrometry. <i>Journal of Chromatography Open</i> , 2022, 2, 100050. | 0.8 | 1         |
| 37337 | Technical Variability in Laboratory Data. , 1993, , 109-135.   |     | 0         |
| 37357 | Visualising Knee Loading Patterns During Kneeling and the Development of a Laboratory-Based Adaptation of the Aberdeen Weight-Bearing Test (Knee). <i>SSRN Electronic Journal</i> , 0, , .   | 0.4 | 0         |
| 37358 | Validity of estimating center of pressure during walking and running with plantar load from a three-sensor wireless insole. <i>Wearable Technologies</i> , 2022, 3, .  | 1.6 | 2         |
| 37359 | Multidimensional ground reaction forces and moments from wearable sensor accelerations via deep learning. <i>Journal of Science and Medicine in Sport</i> , 2022, 25, S9.  | 0.6 | 0         |
| 37360 | Factors affecting quality of life in keratoconus. <i>Ophthalmic and Physiological Optics</i> , 2022, 42, 986-997.  | 1.0 | 3         |
| 37361 | Assessment of agreement between EXTEM and NATEM thromboelastometry measurement assays in critically ill neonates. <i>European Journal of Haematology</i> , 2022, 109, 327-335.   | 1.1 | 3         |
| 37362 | Quantification and reduction of cross-vendor variation in multicenter DWI MR imaging: results of the Cancer Core Europe imaging task force. <i>European Radiology</i> , 2022, 32, 8617-8628.                                       | 2.3 | 4         |
| 37363 | Assessment of hepatic arterial hemodynamics with 4D flow MRI: in vitro analysis of motion and spatial resolution related error and in vivo feasibility study in 20 volunteers. <i>European Radiology</i> , 2022, 32, 8639-8648.    | 2.3 | 3         |
| 37364 | Predictive equations for fat mass in older Hispanic adults with excess adiposity using the 4-compartment model as a reference method. <i>European Journal of Clinical Nutrition</i> , 2023, 77, 515-524.                           | 1.3 | 5         |
| 37365 | Two-Step Validation of a New Wireless Inertial Sensor System: Application in the Squat Motion. <i>Technologies</i> , 2022, 10, 72.   | 3.0 | 5         |
| 37366 | Agreement, Reliability, and Concurrent Validity of an Outdoor, Wearable-Based Walk Ratio Assessment in Healthy Adults and Chronic Stroke Survivors. <i>Frontiers in Physiology</i> , 0, 13, .                                      | 1.3 | 5         |
| 37367 | Phase II/III Results of a Trial of Anti-Tumor Necrosis Factor Multivalent NANOBODY Compound Ozoralizumab in Patients With Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2022, 74, 1776-1785.                           | 2.9 | 25        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37368 | Use of a Non-parametric Bayesian Method to Model Health State Preferences: An Application to Polish and Irish EQ-5D-5L Valuations. <i>Frontiers in Public Health</i> , 0, 10, .                                       | 1.3 | 0         |
| 37370 | Validity and Reliability of a Customized Smartphone Application for Postural Sway Assessment. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2022, , .   | 0.4 | 1         |
| 37371 | Detection Rate and Variability in Measurement of Mandibular Incisive Canal on Cone-Beam Computed Tomography: A Study of 220 Dentate Hemi-Mandibles from Italy. <i>Journal of Imaging</i> , 2022, 8, 161.              | 1.7 | 0         |
| 37372 | Cycling modelling under uncontrolled outdoor conditions using a wearable sensor and different meteorological measurement methods. <i>International Journal of Sports Science and Coaching</i> , 0, , 174795412211063. | 0.7 | 0         |
| 37373 | Pulmonary gas exchange evaluated by machine learning: a computer simulation. <i>Journal of Clinical Monitoring and Computing</i> , 2023, 37, 201-210.   | 0.7 | 1         |
| 37374 | Reliability of a submaximal field-test in wheelchair rugby. <i>International Journal of Sports Medicine</i> , 0, 44, .  | 0.8 | 1         |
| 37375 | Accurate and generalizable quantitative scoring of liver steatosis from ultrasound images <i>via</i> scalable deep learning. <i>World Journal of Gastroenterology</i> , 2022, 28, 2494-2508.                          | 1.4 | 10        |
| 37376 | Pediatric Cardiac Magnetic Resonance Reference Values for Biventricular Volumes Derived From Different Contouring Techniques. <i>Journal of Magnetic Resonance Imaging</i> , 0, , .                                   | 1.9 | 4         |
| 37377 | Cross cultural adaptation and validation of the Greek version of the Western Ontario Rotator Cuff (WORC) index. <i>Disability and Rehabilitation</i> , 2023, 45, 2175-2184.   | 0.9 | 4         |
| 37378 | A comparison of ClearSight noninvasive cardiac output and pulmonary artery bolus thermodilution cardiac output in cardiac surgery patients. <i>Perioperative Medicine (London, England)</i> , 2022, 11, .             | 0.6 | 5         |
| 37379 | Evaluating Eye Movement Event Detection: A Review of the State of the Art. <i>Behavior Research Methods</i> , 2023, 55, 1653-1714.  | 2.3 | 6         |
| 37380 | Performing tympanometry using smartphones. <i>Communications Medicine</i> , 2022, 2, .  | 1.9 | 5         |
| 37381 | Physical Activity Behaviour and Comparison of GPAQ and Travel Diary Transport-Related Physical Activity in Accra, Ghana. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 7346.   | 1.2 | 2         |
| 37382 | Evaluation of the Limb Symmetry Index: The Side Hop Test. <i>Frontiers in Physiology</i> , 0, 13, .   | 1.3 | 2         |
| 37383 | Defining minimal detectable difference in echocardiographic measures of right ventricular function in systemic sclerosis. <i>Arthritis Research and Therapy</i> , 2022, 24, .   | 1.6 | 2         |
| 37384 | Repeatability and Discriminatory Power of Chart-Based Visual Function Tests in Individuals With Age-Related Macular Degeneration. <i>JAMA Ophthalmology</i> , 0, , .  | 1.4 | 4         |
| 37385 | Validity of Estimated Cardiorespiratory Fitness in Patients With Primary Breast Cancer. <i>JACC: CardioOncology</i> , 2022, 4, 210-219.   | 1.7 | 4         |
| 37386 | Volumetric analysis of the piriform cortex in temporal lobe epilepsy. <i>Epilepsy Research</i> , 2022, 185, 106971.   | 0.8 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37387 | Reliability of non-invasive arterial blood pressure measurement in patients with aneurysmal subarachnoid haemorrhage. <i>Physiological Measurement</i> , 2022, 43, 07NT01.   | 1.2 | 3         |
| 37388 | Data-driven approach for automatic detection of aortic valve opening: B point detection from impedance cardiogram. <i>Psychophysiology</i> , 0, , .  | 1.2 | 2         |
| 37389 | Lung Function Reference Equations for Indian Ethnic Groups Based on a Handheld Forced Oscillation Device for Age 9–19 Years. <i>Indian Journal of Pediatrics</i> , 0, , .  | 0.3 | 0         |
| 37390 | Inter-operator reliability of InStat Scout in female football games. <i>Science and Sports</i> , 2023, 38, 42-46.  | 0.2 | 5         |
| 37391 | Psychometric Comparisons of Three Depression Measures for Patients With Stroke. <i>American Journal of Occupational Therapy</i> , 2022, 76, .  | 0.1 | 2         |
| 37392 | Direct Derivatization in Dried Blood Spots for Oxidized and Reduced Glutathione Quantification in Newborns. <i>Antioxidants</i> , 2022, 11, 1165.  | 2.2 | 4         |
| 37393 | Task and ecologically based assessment of upper-limb passive function before and after botulinum injections in adults with stroke using the Upper-Limb Performance Assessment: French cross-cultural adaptation and feasibility pilot study. <i>Disability and Rehabilitation</i> , 0, , 1-10. | 0.9 | 0         |
| 37394 | Volumetric microsampling for simultaneous remote immunosuppressant and kidney function monitoring in outpatient kidney transplant recipients. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 4854-4869.   | 1.1 | 20        |
| 37395 | Lack of validity of free-living physical activity energy expenditure estimated from ActiGraph equations in severely obese women: A doubly labelled water study. <i>Journal of Sports Sciences</i> , 2022, 40, 1552-1557.   | 1.0 | 1         |
| 37396 | Evaluation of inter-observer variability regarding aortic and mitral valve findings on transesophageal echocardiograms ordered for suspected endocarditis. <i>Echocardiography</i> , 0, , .  | 0.3 | 1         |
| 37397 | Research Priorities of the Australian Chiropractic Profession: A Cross-Sectional Survey of Academics and Practitioners. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2022, 45, 73-89.   | 0.4 | 4         |
| 37398 | Active versus resting neuro-navigated robotic transcranial magnetic stimulation motor mapping. <i>Physiological Reports</i> , 2022, 10, .  | 0.7 | 3         |
| 37399 | Evaluation of test-retest reliability and concurrent validity of the Italian version of the pediatric evaluation of disability inventory in children with down syndrome: A cross-sectional study. <i>Journal of Pediatric Rehabilitation Medicine</i> , 2022, 15, 487-497.                     | 0.3 | 1         |
| 37400 | <sc>Split-Window OCT</sc> biometry in pseudophakic eyes. <i>Acta Ophthalmologica</i> , 0, , .  | 0.6 | 0         |
| 37401 | Continuous cardiac output measured with a <sc>Swan-Ganz</sc> catheter reacts too slowly in animal experiments with sudden circulatory failure. <i>Animal Models and Experimental Medicine</i> , 0, , .   | 1.3 | 3         |
| 37403 | Self-reported throwing volumes are not a valid tool for monitoring throwing loads in elite Australian cricket players: An observational cohort study. <i>Journal of Science and Medicine in Sport</i> , 2022, 25, 845-849.   | 0.6 | 1         |
| 37404 | Validity and reliability of handgrip dynamometry in older adults: A comparison of two widely used dynamometers. <i>PLoS ONE</i> , 2022, 17, e0270132.  | 1.1 | 19        |
| 37405 | Development and validation of an isoform-independent monoclonal antibody-based ELISA for measurement of lipoprotein(a). <i>Journal of Lipid Research</i> , 2022, 63, 100239.   | 2.0 | 10        |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37406 | Differences in body composition measurements assessed by air displacement plethysmography and dual-energy X-ray absorptiometry in young and middle-aged adults. <i>Clinical Nutrition ESPEN</i> , 2022, 50, 111-117. | 0.5 | 2         |
| 37407 | Ultrasound measures of muscle thickness and subcutaneous tissue from the hip abductors: Inter- and intra-rater reliability. <i>Musculoskeletal Science and Practice</i> , 2022, 62, 102612.                          | 0.6 | 2         |
| 37408 | A Heart Rate Based Algorithm to Estimate Core Temperature Responses in Elite Athletes Exercising in the Heat. <i>Frontiers in Sports and Active Living</i> , 0, 4, .   | 0.9 | 1         |
| 37409 | National Institutes of Health Stroke Scale scores obtained using a mobile application compared to the conventional paper form: a randomised controlled validation study. <i>BMJ Innovations</i> , 2023, 9, 57-63.    | 1.0 | 6         |
| 37410 | Validity and reliability of the Danish version of the Pittsburgh Sleep Quality Index. <i>Scandinavian Journal of Public Health</i> , 2023, 51, 1182-1188.  | 1.2 | 4         |
| 37411 | Image-Less THA Cup Navigation in Clinical Routine Setup: Individual Adjustments, Accuracy, Precision, and Robustness. <i>Medicina (Lithuania)</i> , 2022, 58, 832.   | 0.8 | 5         |
| 37412 | Development and validation of the ND10 to measure neck-related functional disability. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, .   | 0.8 | 0         |
| 37413 | Repeatability and Reproducibility of 4.5 by 4.5â€‰mm Peripapillary Optical Coherence Tomography Angiography Scans in Glaucoma and Non-Glaucoma Eyes. <i>Journal of Glaucoma</i> , 2022, 31, 773-782.                 | 0.8 | 3         |
| 37414 | Use of a Point-of-Care Progesterone Assay to Predict Onset of Parturition in the Bitch. <i>Frontiers in Veterinary Science</i> , 0, 9, .   | 0.9 | 4         |
| 37416 | A new method to quantify left ventricular mass by 2D echocardiography. <i>Scientific Reports</i> , 2022, 12, .   | 1.6 | 2         |
| 37417 | A Self-Supervised Deep Learning Reconstruction for Shortening the Breathhold and Acquisition Window in Cardiac Magnetic Resonance Fingerprinting. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .              | 1.1 | 15        |
| 37418 | Cross-Cultural Adaptation and Clinimetric Testing of Functional Rating Index (FRI) Outcome Measure into the Arabic Language. <i>Rehabilitation Research and Practice</i> , 2022, 2022, 1-12.                         | 0.5 | 2         |
| 37419 | A systematic method for identifying references to academic research in grey literature. <i>Scientometrics</i> , 2022, 127, 6913-6933.  | 1.6 | 1         |
| 37420 | Considerations for Generic-to-Generic Levothyroxine Switching. <i>JAMA Internal Medicine</i> , 0, , .  | 2.6 | 0         |
| 37421 | Estimation of Aortic Stiffness with Bramwellâ€™Hill Equation: A Comparative Analysis with Carotidâ€™Femoral Pulse Wave Velocity. <i>Bioengineering</i> , 2022, 9, 265.   | 1.6 | 0         |
| 37422 | Realâ€™time cardiac <scp>MRI</scp> using an undersampled spiral kâ€™space trajectory and a reconstruction based on a variational network. <i>Magnetic Resonance in Medicine</i> , 2022, 88, 2167-2178.               | 1.9 | 5         |
| 37423 | Estimating nitrate intake in the Australian diet: design and validation of a food frequency questionnaire. <i>Journal of Human Nutrition and Dietetics</i> , 0, , .  | 1.3 | 3         |
| 37424 | Telepractice application for the overt stuttering assessment of children aged 6â€™15 years old. <i>International Journal of Language and Communication Disorders</i> , 0, , .  | 0.7 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37425 | Comparison of compressed sensing and controlled aliasing in parallel imaging acceleration for 3D magnetic resonance imaging for radiotherapy preparation. <i>Physics and Imaging in Radiation Oncology</i> , 2022, 23, 44-47.  | 1.2 | 2         |
| 37426 | A method for assessing and monitoring consistency of nonclinical ECG analysis. <i>Journal of Pharmacological and Toxicological Methods</i> , 2022, 116, 107189.  | 0.3 | 1         |
| 37427 | Applicability of the auricular temperature for the assessment of body temperature in healthy large and small domestic species, in a normal metabolic state and in controlled environmental conditions. <i>Journal of Thermal Biology</i> , 2022, 108, 103281.                                      | 1.1 | 4         |
| 37428 | Clothing condition does not affect meaningful clinical interpretation in markerless motion capture. <i>Journal of Biomechanics</i> , 2022, 141, 111182.  | 0.9 | 14        |
| 37429 | Objective determination and quantification of pain and inflammation associated with digital dermatitis in feedlot cattle. <i>Applied Animal Behaviour Science</i> , 2022, 253, 105684.   | 0.8 | 2         |
| 37430 | Use of real-time phase-contrast MRI to quantify the effect of spontaneous breathing on the cerebral arteries. <i>NeuroImage</i> , 2022, 258, 119361.   | 2.1 | 5         |
| 37431 | Impact of filtering methods on ultrafine particles turbulent fluxes by eddy covariance. <i>Atmospheric Environment</i> , 2022, 285, 119237.  | 1.9 | 1         |
| 37432 | Monitoring rapid metabolic changes in health and type-1 diabetes with breath acetone sensors. <i>Sensors and Actuators B: Chemical</i> , 2022, 367, 132182.  | 4.0 | 12        |
| 37433 | Feasibility of Markerless Motion Capture for Three-Dimensional Gait Assessment in Community Settings. <i>Frontiers in Human Neuroscience</i> , 0, 16, .  | 1.0 | 8         |
| 37435 | Evaluation of Electronic and Pen-and-Paper Formats of the Inventory of Physical Activity Barriers: A Randomized Crossover Study. <i>Journal of Physical Activity and Health</i> , 2022, 19, 540-547.   | 1.0 | 1         |
| 37436 | Comparison of two software programs for fitting one- and two-compartment age-dependent non-linear digestion models for ruminants: empirical data. <i>Animal Production Science</i> , 2022, , .   | 0.6 | 0         |
| 37437 | Reliability of dynamic perfusion digital radiography as an alternative to pulmonary perfusion scintigraphy in predicting postoperative lung function and complications. <i>Journal of Thoracic Disease</i> , 2022, 14, 3234-3244.  | 0.6 | 2         |
| 37438 | Machine-Learning Based Monitoring of Cognitive Workload in Rescue Missions With Drones. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2022, 26, 4751-4762.  | 3.9 | 2         |
| 37439 | Radiographic Evaluation of Lumbar Intervertebral Disc Height Index: An Intra and Inter-Rater Agreement and Reliability Study. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4 | 0         |
| 37440 | Upper Arm Muscular Echogenicity Predicts Intensive Care Unit-acquired Weakness in Critically Ill Patients. <i>Progress in Rehabilitation Medicine</i> , 2022, 7, n/a.  | 0.3 | 2         |
| 37441 | Accuracy of Resting Metabolic Rate Equations. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4 | 0         |
| 37442 | On the reliability of coverage-based fuzzer benchmarking. , 2022, , .  |     | 23        |
| 37443 | Computed <sc>DWI</sc> MRI Results in Superior Capability for <sc>Nâ€šstage</sc> Assessment of <sc>Nonâ€šsmall</sc> Cell Lung Cancer Than That of Actual <sc>DWI</sc>, <sc>STIR</sc> Imaging, and <sc>FDGâ€šPET</sc>/<sc>CT</sc>. <i>Journal of Magnetic Resonance Imaging</i> , 2023, 57, 259-272. | 1.9 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37444 | Children treated for developmental dysplasia of the hip at birth and with normal acetabular index at 1â€%year: How many had residual dysplasia at 5â€%years?. <i>Journal of Children's Orthopaedics</i> , 2022, 16, 183-190.   | 0.4 | 4         |
| 37445 | Using mHealth to improve adherence and reduce blood pressure in individuals with hypertension and bipolar disorder (iTAB-CV): study protocol for a 2-stage randomized clinical trial. <i>Trials</i> , 2022, 23, .  | 0.7 | 3         |
| 37446 | The accuracy of magnetic resonance imaging in predicting the size of pure ductal carcinoma in situ: a systematic review and meta-analysis. <i>Npj Breast Cancer</i> , 2022, 8, .   | 2.3 | 4         |
| 37447 | Step VEP visual acuity in a pediatric neuro-ophthalmological cohort. <i>International Journal of Clinical and Experimental Ophthalmology</i> , 2022, 6, 026-030.   | 0.1 | 2         |
| 37448 | Estimating core body temperature using electrocardiogram signals. <i>PLoS ONE</i> , 2022, 17, e0270626.  | 1.1 | 2         |
| 37449 | Individually experienced heat index in a coastal Southeastern US city among an occupationally exposed population. <i>International Journal of Biometeorology</i> , 2022, 66, 1665-1681.  | 1.3 | 3         |
| 37450 | Review of low-cost sensors for indoor air quality: Features and applications. <i>Applied Spectroscopy Reviews</i> , 2022, 57, 747-779.   | 3.4 | 21        |
| 37451 | Fat fraction quantification of bone marrow in the lumbar spine using the LiverLab assessment tool in healthy adult volunteers and patients with Gaucher Disease. <i>Internal Medicine Journal</i> , 0, , .   | 0.5 | 1         |
| 37452 | Prediction of all-cause and cardiovascular mortality using ankle-brachial index and brachial-ankle pulse wave velocity in patients with type 2 diabetes. <i>Scientific Reports</i> , 2022, 12, .   | 1.6 | 10        |
| 37453 | Modified Haller index validation and correlation with left ventricular strain in a cohort of subjects with obesity and without overt heart disease. <i>Internal and Emergency Medicine</i> , 2022, 17, 1907-1919.  | 1.0 | 3         |
| 37454 | Impact of BCR::ABL1 transcript type on RT-qPCR amplification performance and molecular response to therapy. <i>Leukemia</i> , 2022, 36, 1879-1886.   | 3.3 | 5         |
| 37455 | Reliability of biological maturation analyses performed by equations predicting skeletal age and peak height velocity with hand and wrist <sc>X</sc>â€ray results. <i>American Journal of Human Biology</i> , 2022, 34, .  | 0.8 | 5         |
| 37456 | In Vivo Comparison of the Efficiency of En-Masse Retraction Using Temporary Anchorage Devices With and Without Orthodontic Appliances on the Posterior Teeth. , 0, , 112-119.  |     | 0         |
| 37457 | The 72-Item Semi-Quantitative Food Frequency Questionnaire (72-Item SQ-FFQ) for Polish Young Adults: Reproducibility and Relative Validity. <i>Nutrients</i> , 2022, 14, 2696.   | 1.7 | 5         |
| 37458 | â€œTehlikeli Bârlgeâ€GerÅekten Tehlikeli mi?â€ Endodonik BakÃ±Å AÅsâsÃ±. BalÃ±kesir SaÃyilÃ±k Bilimleri Dergisi, 0, ,0   |     |           |
| 37459 | Validity and Reliability of A New Low-Cost Linear Position Transducer to Measure Mean Propulsive Velocity: The ADR device. <i>Proceedings of the Institution of Mechanical Engineers, Part P: Journal of Sports Engineering and Technology</i> , 0, , 175433712211043. | 0.4 | 0         |
| 37460 | Comparison of capability and health-related quality of life instruments in capturing aspects of mental well-being in people with schizophrenia and depression. <i>BJPsych Open</i> , 2022, 8, .  | 0.3 | 4         |
| 37461 | Segmentation and Evaluation of Corneal Nerves and Dendritic Cells From In Vivo Confocal Microscopy Images Using Deep Learning. <i>Translational Vision Science and Technology</i> , 2022, 11, 24.  | 1.1 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37462 | The Interfield Strength Agreement of Left Ventricular Strain Measurements at 1.5T and 3T Using Cardiac MRI Feature Tracking. <i>Journal of Magnetic Resonance Imaging</i> , 2023, 57, 1250-1261.  | 1.9 | 6         |
| 37463 | Validation of a non-invasive pressure-time index of the inspiratory muscles in spontaneously breathing newborn infants. <i>Journal of Clinical Monitoring and Computing</i> , 2023, 37, 221-226.  | 0.7 | 1         |
| 37464 | Accuracy and Validity of a Single Inertial Measurement Unit-Based System to Determine Upper Limb Kinematics for Medically Underserved Populations. <i>Frontiers in Bioengineering and Biotechnology</i> , 2023, 10, .                                       | 2.0 | 2         |
| 37465 | Clinical Correlates of Measured and Predicted Resting Energy Expenditure in Patients with Anorexia Nervosa: A Retrospective Cohort Study. <i>Nutrients</i> , 2022, 14, 2727.  | 1.7 | 3         |
| 37466 | Evaluation of Sibel's Advanced Neonatal Epidermal (ANNE) wireless continuous physiological monitor in Nairobi, Kenya. <i>PLoS ONE</i> , 2022, 17, e0267026.   | 1.1 | 4         |
| 37467 | Brief Sensations Seeking Scale (BSSS): Validity Evidence in Mexican Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 7978.   | 1.2 | 3         |
| 37468 | Clinical evaluation of autorefraction and subjective refraction with and without cycloplegia in Chinese school-aged children: a cross-sectional study. <i>Translational Pediatrics</i> , 2022, 11, 933-946.   | 0.5 | 7         |
| 37469 | Dorsal Root Ganglia Volume Normative Values, Correlation with Demographic Determinants and Reliability of Three Different Methods of Volumetry. <i>Diagnostics</i> , 2022, 12, 1570.  | 1.3 | 0         |
| 37470 | Intra- and inter-examination reproducibility of T2 mapping for temporomandibular joint assessment at 3.0T. <i>Scientific Reports</i> , 2022, 12, .  | 1.6 | 1         |
| 37471 | Reliability and Agreement in the Cerebellar Tonsil Tip Localization: Two Methods Using the McRae Line Concept in MRI. <i>World Neurosurgery</i> , 2022, , .   | 0.7 | 3         |
| 37472 | Transfreq: A Python package for computing the theta-alpha transition frequency from resting state electroencephalographic data. <i>Human Brain Mapping</i> , 2022, , .  | 1.9 | 1         |
| 37473 | Comparisons between US norm-based two-component and Japanese norm-based three-component SF-36 summary scores in systemic lupus erythematosus patients. <i>Modern Rheumatology</i> , 2022, , .   | 0.9 | 0         |
| 37474 | Prognostic values of muscle mass assessed by dual-energy X-ray absorptiometry and bioelectrical impedance analysis in older patients with heart failure. <i>Geriatrics and Gerontology International</i> , 2022, 22, 610-615.                               | 0.7 | 6         |
| 37475 | Construct validity, reliability, and responsiveness of the Wrist Position Sense Test for use in children with hemiplegic cerebral palsy. <i>Australian Occupational Therapy Journal</i> , 2022, , .   | 0.6 | 1         |
| 37476 | Performance comparison between Elecsys Anti-SARS-CoV-2 and Anti-SARS-CoV-2 S and Atellica IM SARS-CoV-2 Total and SARS-CoV-2 IgG assays. <i>Kosin Medical Journal</i> , 2022, 37, 154-162.  | 0.1 | 1         |
| 37477 | Absolute Reliability, Relative Reliability, and Criterion-Related Validity of Two Reactive Agility Tests Using Two Types of Stimuli in Elite Male Volleyball Players. <i>Polish Journal of Sport and Tourism</i> , 2022, 29, 24-29.                         | 0.2 | 0         |
| 37478 | Comparison of a handheld point-of-care analyzer with a benchtop point-of-care chemistry analyzer for measurement of blood glucose concentration in client-owned ferrets ( <i>Mustela putorius furo</i> ). <i>Journal of Exotic Pet Medicine</i> , 2022, , . | 0.2 | 1         |
| 37479 | Influence of clinical factors on the protective or deleterious impact of genetic variants in orthodontically induced external root resorption: an observational study. <i>BMC Oral Health</i> , 2022, 22, .   | 0.8 | 2         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37480 | Reliability of a Medicine Ball Explosive Power Test in Young Volleyball Players. <i>Ukraïnskij Å¾urnal Medicini BÅ-ologÅ- Ta Sportu</i> , 2022, 7, 282-287.  | 0.0 | 0         |
| 37481 | Power Modulation Echocardiography to Detect and Quantify Myocardial Scar.. <i>Journal of the American Society of Echocardiography</i> , 2022, , .  | 1.2 | 1         |
| 37482 | Sex identification and age estimation of bobcats and implications for management. <i>Wildlife Society Bulletin</i> , 0, , .  | 0.4 | 0         |
| 37483 | Validity and Reliability of the Leomo Motion-Tracking Device Based on Inertial Measurement Unit with an Optoelectronic Camera System for Cycling Pedaling Evaluation. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 8375. | 1.2 | 5         |
| 37484 | Study-based evaluation of accuracy and usability of wearable devices in manual assembly. <i>Production and Manufacturing Research</i> , 2022, 10, 569-582.   | 0.9 | 2         |
| 37485 | Clinical feasibility of an advanced neonatal epidermal multiparameter continuous monitoring technology in a large public maternity hospital in Nairobi, Kenya. <i>Scientific Reports</i> , 2022, 12, .   | 1.6 | 0         |
| 37486 | Comparison of the Lunar Prodigy and Stratos DR dual-energy X-ray absorptiometers to assess regional bone mineral density. <i>Journal of Clinical Densitometry</i> , 2022, , .  | 0.5 | 1         |
| 37487 | Microcomputed tomography versus plethysmometer and electronic caliper in the measurements of lymphedema in the hindlimb of mice. <i>Scientific Reports</i> , 2022, 12, .   | 1.6 | 2         |
| 37488 | Radiomic Features From Diffusion-Weighted MRI of Retroperitoneal Soft-Tissue Sarcomas Are Repeatable and Exhibit Change After Radiotherapy. <i>Frontiers in Oncology</i> , 0, 12, .  | 1.3 | 4         |
| 37489 | Conditions for Textile Electrode Sensors to Monitor Cardiac Activity in Daily Life. <i>Journal of Electrical Engineering and Technology</i> , 2022, 17, 3045-3055.   | 1.2 | 1         |
| 37490 | Validation of remote height and weight assessment in a rural randomized clinical trial. <i>BMC Medical Research Methodology</i> , 2022, 22, .  | 1.4 | 6         |
| 37491 | Comparison of Two <sc>Pointâ€ofâ€Care</sc> Measurements of Hemoglobin against Standard Laboratory Values during Pediatric Liver Transplantation: A Retrospective Review. <i>Paediatric Anaesthesia</i> , 0, , .  | 0.6 | 0         |
| 37492 | Automated Supra- and Infratentorial Brain Infarct Volume Estimation on Diffusion Weighted Imaging Using the RAPID Software. <i>Frontiers in Neurology</i> , 0, 13, .   | 1.1 | 3         |
| 37493 | Influence of upper limb activity on the step count and accuracy of sleep time of a wristband-type physical activity tracker. <i>PLoS ONE</i> , 2022, 17, e0271155.   | 1.1 | 0         |
| 37494 | Accuracy of a New Pulse Oximetry in Detection of Arterial Oxygen Saturation and Heart Rate Measurements: The SOMBRERO Study. <i>Sensors</i> , 2022, 22, 5031.  | 2.1 | 7         |
| 37495 | Infrared webcam-based non-contact measurement of event-related potentials from event-related pupillary responses: An approach focused on mental workload. <i>Journal of Computational Design and Engineering</i> , 0, , .  | 1.5 | 0         |
| 37496 | Comparison of CRT and LCD monitors for objective estimation of visual acuity using the sweep VEP. <i>Documenta Ophthalmologica</i> , 2022, 145, 133-145.   | 1.0 | 1         |
| 37497 | Discordance between postprandial plasma glucose measurement and continuous glucose monitoring. <i>American Journal of Clinical Nutrition</i> , 2022, 116, 1059-1069.   | 2.2 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37498 | Racial bias and reproducibility in pulse oximetry among medical and surgical inpatients in general care in the Veterans Health Administration 2013-19: multicenter, retrospective cohort study. <i>BMJ</i> , The, 0, , e069775.                                     | 3.0 | 43        |
| 37499 | Monitoring residual kidney function in haemodialysis patients using timed urine collections: validation of the use of estimated blood results to calculate GFR. <i>Physiological Measurement</i> , 0, , .   | 1.2 | 2         |
| 37500 | Reliability and validity of two hand dynamometers when used by community-dwelling adults aged over 50 years. <i>BMC Geriatrics</i> , 2022, 22, .  | 1.1 | 21        |
| 37501 | Quantification of MRP8 in immunohistologic sections of peri-implant soft tissue: Development of a novel automated computer analysis method and of its validation procedure. <i>Computers in Biology and Medicine</i> , 2022, , 105861.                              | 3.9 | 0         |
| 37502 | Ultrasound imaging of patellar tendon thickness in elite sprint track cyclists and elite soccer players: An intra-rater and inter-rater reliability study. <i>PLoS ONE</i> , 2022, 17, e0270871.  | 1.1 | 5         |
| 37503 | Natural Potassium (K) Isotope Fractionation during Corn Growth and Quantification of K Fertilizer Recovery Efficiency Using Stable K Isotope Labeling. <i>ACS Earth and Space Chemistry</i> , 2022, 6, 1876-1889.   | 1.2 | 4         |
| 37504 | Portable NMR for quantification of breast density in vivo: Proof-of-concept measurements and comparison with quantitative MRI. <i>Magnetic Resonance Imaging</i> , 2022, 92, 212-223.   | 1.0 | 2         |
| 37505 | Automatic measurement of the patellofemoral joint parameters in the Laurin view: a deep learning-based approach. <i>European Radiology</i> , 2023, 33, 566-577.   | 2.3 | 2         |
| 37506 | Validity of Freehand 3-D Ultrasound System in Measurement of the 3-D Surface Shape of Shoulder Muscles. <i>Ultrasound in Medicine and Biology</i> , 2022, , .   | 0.7 | 1         |
| 37507 | Improved differentiation between hypo/hypertelorism and normal fetuses based on MRI using automatic ocular biometric measurements, ocular ratios, and machine learning multi-parametric classification. <i>European Radiology</i> , 2023, 33, 54-63.                | 2.3 | 2         |
| 37508 | Comparison of NUCLEOCOUNTER, ANDROVISION with Leja chambers and the newly developed ANDROVISION eFlow for sperm concentration analysis in boars. <i>Scientific Reports</i> , 2022, 12, .  | 1.6 | 1         |
| 37509 | Comparison of free-living physical activity measurements between ActiGraph GT3X-BT and Fitbit Charge 3 in young people with haemophilia. <i>Haemophilia</i> , 2022, 28, .   | 1.0 | 6         |
| 37510 | Left ventricular function and volumes from gated [13N]-ammonia positron emission tomography myocardial perfusion imaging: A prospective head-to-head comparison against CMR using a hybrid PET/MR device. <i>Journal of Nuclear Cardiology</i> , 2023, 30, 616-625. | 1.4 | 3         |
| 37511 | A new noninvasive finger sensor (NICCI system) for cardiac output monitoring. <i>European Journal of Anaesthesiology</i> , 2022, 39, 695-700.   | 0.7 | 3         |
| 37512 | Quantification of hematoma and perihematomal edema volumes in intracerebral hemorrhage study: Design considerations in an artificial intelligence validation (QUANTUM) study. <i>Clinical Trials</i> , 2022, 19, 534-544.   | 0.7 | 6         |
| 37513 | Comparison of an Online Dietary Assessment Tool (the "Boden Food Plate") With 24-Hour Dietary Recalls. <i>Topics in Clinical Nutrition</i> , 2022, 37, 242-252.   | 0.2 | 1         |
| 37514 | Linking EORTC QLQ-C-30 and PedsQL/PEDQOL physical functioning scores in patients with osteosarcoma. <i>European Journal of Cancer</i> , 2022, 170, 209-235.   | 1.3 | 2         |
| 37515 | Accuracy evaluation of cone beam computed tomography applied to measure peri-implant bone thickness in living patients: an ex vivo and in vivo experiment. <i>Clinical Oral Investigations</i> , 0, , .   | 1.4 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37516 | Meta-comparisons: how to compare methods for LCA?. <i>International Journal of Life Cycle Assessment</i> , 2022, 27, 993-1015.  | 2.2 | 6         |
| 37517 | Application of thermography to estimate respiratory rate in the emergency room: The journal <i>Temperature</i> toolbox. <i>Temperature</i> , 2023, 10, 159-165.   | 1.7 | 0         |
| 37518 | Agreement of infrared ear temperature with nasopharyngeal temperature and diagnostic performance on hypothermia in general anesthetized patients. <i>Journal of the Chinese Medical Association</i> , 2022, 85, 1093-1097.  | 0.6 | 1         |
| 37519 | Defining and Assessing the Syndrome of Moral Injury: Initial Findings of the Moral Injury Outcome Scale Consortium. <i>Frontiers in Psychiatry</i> , 0, 13, .   | 1.3 | 37        |
| 37520 | Blood speckle imaging compared with conventional Doppler ultrasound for transvalvular pressure drop estimation in an aortic flow phantom. <i>Cardiovascular Ultrasound</i> , 2022, 20, .  | 0.5 | 5         |
| 37522 | Optimization and evaluation of a two-stage chromogenic assay procedure for measurement of emicizumab plasma levels. <i>PLoS ONE</i> , 2022, 17, e0271330.   | 1.1 | 4         |
| 37523 | The development and validation of a questionnaire to assess relative energy deficiency in sport (RED-S) knowledge. <i>Journal of Science and Medicine in Sport</i> , 2022, 25, 794-799.   | 0.6 | 2         |
| 37524 | Comprehensive characterization of antral and pyloric contractions by high resolution manometry: applied physiology in suspected gastroparesis. <i>American Journal of Physiology - Renal Physiology</i> , 2022, 323, G255-G264.   | 1.6 | 7         |
| 37525 | Validation of Earphone-Type Sensors for Non-Invasive and Objective Swallowing Function Assessment. <i>Sensors</i> , 2022, 22, 5176.   | 2.1 | 1         |
| 37526 | Inspiratory and expiratory CT analyses of the diaphragmatic crus in chronic obstructive pulmonary disease. <i>Japanese Journal of Radiology</i> , 2022, 40, 1257-1262.  | 1.0 | 1         |
| 37527 | A Comparison of EQ-5D-3L, EQ-5D-5L, and SF-6D Utilities of Patients with Musculoskeletal Disorders of Different Severity: A Health-Related Quality of Life Approach. <i>Journal of Clinical Medicine</i> , 2022, 11, 4097.  | 1.0 | 4         |
| 37528 | Comparison of passive drool and cottonâ€based collection methods for salivary Câ€reactive protein measurement. <i>American Journal of Human Biology</i> , 2022, 34, .   | 0.8 | 1         |
| 37529 | Non-invasive continuous blood pressure monitoring using the ClearSight system for pregnant women at high risks of post-partum hemorrhage: comparison with invasive blood pressure monitoring during cesarean section. <i>Obstetrics and Gynecology Science</i> , 2022, 65, 325-334. | 0.6 | 1         |
| 37530 | Analytical methods for evaluating reliability and validity of mobile audiometry tools. <i>Journal of the Acoustical Society of America</i> , 2022, 152, 214-225.  | 0.5 | 0         |
| 37531 | Reference equations for oscillometry and their differences among populations: a systematic scoping review. <i>European Respiratory Review</i> , 2022, 31, 220021.   | 3.0 | 3         |
| 37532 | Oxygen uptake efficiency slope in healthy normal weight young males: an applicable framework for calculation and interpretation. <i>PeerJ</i> , 0, 10, e13709.  | 0.9 | 0         |
| 37533 | Effects of Monocular Light Deprivation on the Diurnal Rhythms in Retinal and Choroidal Thickness. , 2022, 63, 6.  |     | 3         |
| 37534 | Spectro "A Potential Spectrophotometer for Measuring Color and Myoglobin Forms in Beef. <i>Foods</i> , 2022, 11, 2091.  | 1.9 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37535 | Comparison of lung CT number and airway dimension evaluation capabilities of ultra-high-resolution CT, using different scan modes and reconstruction methods including deep learning reconstruction, with those of multi-detector CT in a QIBA phantom study. <i>European Radiology</i> , 2023, 33, 368-379. | 2.3 | 5         |
| 37536 | Smartphone ophthalmoscopy versus slit-lamp biomicroscopy for optic nerve head evaluation: A digital apparatus into medical education. <i>European Journal of Ophthalmology</i> , 2023, 33, 341-351.  | 0.7 | 4         |
| 37537 | A repeated shuttle sprint test with female and male international field hockey players is reliable and associated with single sprint but not intermittent endurance performance. <i>PLoS ONE</i> , 2022, 17, e0271244.   | 1.1 | 4         |
| 37538 | Translation, transcultural adaptation, and validation of the Brazilian Portuguese version of the Obstructive Sleep Apnea Knowledge and Attitudes (OSAKA) questionnaire. <i>Sleep and Breathing</i> , 0, , .  | 0.9 | 0         |
| 37539 | A Bayesian estimation method for cerebral blood flow measurement by area-detector CT perfusion imaging. <i>Neuroradiology</i> , 2023, 65, 65-75.   | 1.1 | 1         |
| 37540 | Midwives's ability during third stage of childbirth to estimate postpartum haemorrhage. <i>European Journal of Obstetrics and Gynecology and Reproductive Biology: X</i> , 2022, 15, 100158.   | 0.6 | 0         |
| 37541 | A 2D convolutional neural network to detect sleep apnea in children using airflow and oximetry. <i>Computers in Biology and Medicine</i> , 2022, 147, 105784.  | 3.9 | 13        |
| 37542 | Spent coffee ground oil as a valuable source of epoxides and epoxidation derivatives: Quantitation and characterization using low-field NMR. <i>LWT - Food Science and Technology</i> , 2022, 165, 113719.   | 2.5 | 3         |
| 37543 | Measurement of kidney function in Malawi, South Africa, and Uganda: a multicentre cohort study. <i>The Lancet Global Health</i> , 2022, 10, e1159-e1169.   | 2.9 | 34        |
| 37544 | In-situ monitoring of reinforcement compaction response via MXene-coated glass fabric sensors. <i>Composites Science and Technology</i> , 2022, 227, 109623.   | 3.8 | 6         |
| 37545 | Accuracy evaluation of 2021 Chronic Kidney Disease Epidemiology Collaboration, Full Age Spectrum and European Kidney Function Consortium equations for estimating glomerular filtration rate in type 2 diabetes mellitus and healthy adults. <i>Clinica Chimica Acta</i> , 2022, 534, 14-21.                 | 0.5 | 3         |
| 37546 | Deterioration in myocardial work indices precedes changes in global longitudinal strain following anthracycline chemotherapy. <i>International Journal of Cardiology</i> , 2022, 363, 171-178.   | 0.8 | 9         |
| 37547 | Test-retest reliability of lung diffusing capacity for nitric oxide during light to moderate intensity cycling exercise. <i>Respiratory Physiology and Neurobiology</i> , 2022, 304, 103940.   | 0.7 | 1         |
| 37548 | Non-invasive fetal monitoring: Fetal Heart Rate multimodal estimation from abdominal electrocardiography and phonocardiography. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2022, 51, 102421.   | 0.6 | 5         |
| 37549 | Translation, cross-cultural adaptation and validation of the Argentine version of the Pain Catastrophizing Scale in patients with chronic low back pain. <i>Musculoskeletal Science and Practice</i> , 2022, 62, 102617.   | 0.6 | 0         |
| 37551 | Anterior segment morphometry and intraocular pressure change after uneventful phacoemulsification. <i>Turkish Journal of Medical Sciences</i> , 0, , .   | 0.4 | 1         |
| 37553 | Clinical assessment of the thigh and leg with the use of anatomic repairs and correlation with the radiographic evaluation in children between 7 and 12 years of age in the city of Londrina, state of Parana, Brazil. <i>Acta Fisiãtrica</i> , 2007, 14, 95-99.   | 0.0 | 0         |
| 37554 | Scientific zero to one: Some common properties of highly-influential papers. <i>Malaysian Journal of Library and Information Science</i> , 2021, 26, 1-32.   | 0.3 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37555 | Design and Implementation of Pulse Oximeter Synchronized with Respirators. , 2022, , .  |     | 0         |
| 37556 | Accuracy of a markerless motion capture system in estimating upper extremity kinematics during boxing. <i>Frontiers in Sports and Active Living</i> , 0, 4, .   | 0.9 | 12        |
| 37557 | Adaptation of a Danish online version of the Oxford Physical Activity Questionnaire (OPAQ) for secondary school studentsâ€”a pilot study. <i>Pilot and Feasibility Studies</i> , 2022, 8, .   | 0.5 | 0         |
| 37558 | Isovolemic hemodilution in chronic mountain sickness acutely worsens nocturnal oxygenation and sleep apnea severity. <i>Journal of Clinical Sleep Medicine</i> , 0, , .   | 1.4 | 1         |
| 37559 | Testâ€”Retest Reliability of a Static and Dynamic Motor Fatigability Protocol Using Grip and Pinch Strength in Children With Cerebral Palsy. <i>Physical Therapy</i> , 2022, 102, .   | 1.1 | 1         |
| 37560 | Validity and Reliability of a Commercial Force Sensor for the Measurement of Upper Body Strength in Sport Climbing. <i>Frontiers in Sports and Active Living</i> , 0, 4, .  | 0.9 | 1         |
| 37561 | Criterion Validity of Linear Accelerations Measured with Low-Sampling-Frequency Accelerometers during Overground Walking in Elderly Patients with Knee Osteoarthritis. <i>Sensors</i> , 2022, 22, 5289.   | 2.1 | 7         |
| 37562 | Repeatability and Reproducibility of Retinal Fractal Dimension Measured with Swept-Source Optical Coherence Tomography Angiography in Healthy Eyes: A Proof-of-Concept Study. <i>Diagnostics</i> , 2022, 12, 1769.  | 1.3 | 1         |
| 37563 | Artificial intelligence fully automated myocardial strain quantification for risk stratification following acute myocardial infarction. <i>Scientific Reports</i> , 2022, 12, .   | 1.6 | 9         |
| 37564 | Comparison of sagittal plane gait characteristics between the overground and treadmill approach for gait analysis in typically developing children. <i>PeerJ</i> , 0, 10, e13752.   | 0.9 | 1         |
| 37565 | The effects of anatomical errors on shoulder kinematics computed using multi-body models. <i>Biomechanics and Modeling in Mechanobiology</i> , 2022, 21, 1561-1572.   | 1.4 | 5         |
| 37566 | Verification of Reliability and Validity of Trunk Forward Tilt Angle Measurement During Gait Using 2-Dimensional Motion Analysis. <i>Journal of Chiropractic Medicine</i> , 2023, 22, 89-95.  | 0.3 | 1         |
| 37567 | Short communication: A comparison between two glucose measurement methods in beef steers during a glucose tolerance test. <i>PLoS ONE</i> , 2022, 17, e0271673.   | 1.1 | 3         |
| 37568 | Comparison of fetal and neonatal sonographic measurements of ventricular size in secondâ€”and thirdâ€”trimester fetuses with or without ventriculomegaly: crossâ€”sectional threeâ€”dimensional ultrasound study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 60, 766-773.     | 0.9 | 1         |
| 37569 | European Kidney Function Consortium Equation vs. Chronic Kidney Disease Epidemiology Collaboration (CKD-EPI) Refit Equations for Estimating Glomerular Filtration Rate: Comparison with CKD-EPI Equations in the Korean Population. <i>Journal of Clinical Medicine</i> , 2022, 11, 4323. | 1.0 | 4         |
| 37570 | Effects of mindfulnessâ€”based therapy for insomnia and a sleep hygiene/exercise programme on subjectiveâ€”objective sleep discrepancy in older adults with sleep disturbances: Exploratory secondary analysis of a randomised clinical trial. <i>Journal of Sleep Research</i> , 0, , .  | 1.7 | 3         |
| 37571 | A spectrum estimation approach for accurate heartbeat detection using Doppler radar based on combination of FTPR and TWV. <i>Eurasip Journal on Advances in Signal Processing</i> , 2022, 2022, .   | 1.0 | 1         |
| 37572 | Change of renal function after short-term use of cardioprotective agents in patients with type 2 diabetes is not accurately assessed by the change of estimated glomerular filtration rate: an observational study. <i>Diabetology and Metabolic Syndrome</i> , 2022, 14, .               | 1.2 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37573 | rPPG-FuseNet: Non-contact heart rate estimation from facial video via RGB/MSR signal fusion. Biomedical Signal Processing and Control, 2022, 78, 104002.  | 3.5 | 4         |
| 37574 | Radiographic evaluation of lumbar intervertebral disc height index: An intra and inter-rater agreement and reliability study. Journal of Clinical Neuroscience, 2022, 103, 153-162.   | 0.8 | 6         |
| 37579 | A basic study for assessment of lower extremity venous function using air plethysmography. The Japanese Journal of Phlebology, 2002, 13, 71-80.   | 0.0 | 0         |
| 37580 | Construct Validity and Reliability of the Informal Caregiver Burden Assessment Questionnaire (QASCI) in Caregivers of Patients with COPD. SSRN Electronic Journal, 0, , .   | 0.4 | 0         |
| 37581 | The Study of a Relaxed Patient Position in Whole Lower Limb Radiography. Japanese Journal of Radiological Technology, 2022, , .   | 0.0 | 0         |
| 37583 | ¿%o poss¿vel estimar a satura¿o venosa de oxigênio central a partir da satura¿o tecidual de oxigênio durante o teste de oclusão venosa?. Revista Brasileira De Terapia Intensiva, 2022, 34, .   | 0.1 | 0         |
| 37584 | Validation of cough peak flow assessment using a spirometer in healthy young adults. Japanese Journal of Health Promotion and Physical Therapy, 2022, 12, 25-32.  | 0.1 | 0         |
| 37585 | A national school-based screening program for mental health problems among children aged 6 to 12 years in Iran: scale development and psychometric evaluation. Mental Health, Religion and Culture, 0, , 1-16.  | 0.6 | 1         |
| 37586 | Activity tracker-based intervention to increase physical activity in patients with type 2 diabetes and healthy individuals: study protocol for a randomized controlled trial. Trials, 2022, 23, .   | 0.7 | 3         |
| 37587 | Superior reproducibility and repeatability in automated quantitative pupillometry compared to standard manual assessment, and quantitative pupillary response parameters present high reliability in critically ill cardiac patients. PLoS ONE, 2022, 17, e0272303. | 1.1 | 4         |
| 37588 | Prediction of percent body fat in adult men using ultrasonic and anthropometric measurements versus dual-energy X-ray absorptiometry. Gazzetta Medica Italiana Archivio Per Le Scienze Mediche, 2022, 181, .  | 0.0 | 0         |
| 37589 | A Comparative and Sex-Specific Study of Bio-Electrical Impedance Analysis and Dual Energy X-ray Absorptiometry for Estimating Whole-Body and Segmental Body Composition in Healthy Young Adults. Applied Sciences (Switzerland), 2022, 12, 7686.                    | 1.3 | 2         |
| 37590 | Automatic Event Identification of Para Powerlifting Bench Press with a Single Inertial Measurement Unit. , 2022, , .  |     | 1         |
| 37591 | A comparison of three load-velocity based methods to estimate maximum overhead press performance in weightlifters. International Journal of Sports Science and Coaching, 2023, 18, 1585-1593.   | 0.7 | 1         |
| 37592 | Reliability levels of motor competence in youth athletes. BMC Pediatrics, 2022, 22, .   | 0.7 | 2         |
| 37593 | Dose-volume-based evaluation of convolutional neural network-based auto-segmentation of thoracic organs at risk. Physics and Imaging in Radiation Oncology, 2022, 23, 109-117.  | 1.2 | 6         |
| 37594 | Validity and reliability of a novel 3D ultrasound approach to assess static lengths and the lengthening behavior of the gastrocnemius medialis muscle and the Achilles tendon in vivo. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 4203-4213.         | 2.3 | 6         |
| 37595 | Fourier-based decomposition for simultaneous 2-voxel MRS acquisition with 2SPECIAL. Magnetic Resonance in Medicine, 2022, 88, 1978-1993.  | 1.9 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37596 | Reliability of Upper Limb Pin-Prick Stimulation With Electroencephalography: Evoked Potentials, Spectra and Source Localization. <i>Frontiers in Human Neuroscience</i> , 0, 16, .   | 1.0 | 0         |
| 37597 | Preliminary psychometric properties of a standard vocabulary test administered using a non-invasive brain-computer interface. <i>Frontiers in Human Neuroscience</i> , 0, 16, .  | 1.0 | 3         |
| 37598 | Pre-Clinical Validation of A Novel Continuous Intra-Abdominal Pressure Measurement Equipment (SERENNO). <i>Life</i> , 2022, 12, 1161.  | 1.1 | 6         |
| 37599 | Tracked 3D ultrasound and deep neural network-based thyroid segmentation reduce interobserver variability in thyroid volumetry. <i>PLoS ONE</i> , 2022, 17, e0268550.  | 1.1 | 13        |
| 37600 | Evaluation and comparison of smartphone application tracing, web based artificial intelligence tracing and conventional hand tracing methods. <i>Journal of Stomatology, Oral and Maxillofacial Surgery</i> , 2022, , .                | 0.5 | 4         |
| 37601 | Accuracy of image analysis for linear zoometric measurements in dromedary camels. <i>Tropical Animal Health and Production</i> , 2022, 54, .   | 0.5 | 4         |
| 37602 | Are Wrist-Worn Activity Trackers and Mobile Applications Valid for Assessing Physical Activity in High School Students? Wearfit Study. <i>Journal of Sports Science and Medicine</i> , 0, , 356-375.                                   | 0.7 | 8         |
| 37603 | Predictive equations for energy expenditure in adult humans: From resting to free-living conditions. <i>Obesity</i> , 2022, 30, 1537-1548.   | 1.5 | 5         |
| 37604 | Cross-Cultural Adaptation and Measurement Properties of the Indonesian Kujala Score for Anterior Cruciate Ligament Tear Patients. <i>Malaysian Orthopaedic Journal</i> , 2022, 16, 23-30.  | 0.2 | 0         |
| 37606 | Fourier analysis of collagen bundle orientation in myocardial infarction scars. <i>Histochemistry and Cell Biology</i> , 0, , .  | 0.8 | 2         |
| 37607 | Breathing as an Input Modality in a Gameful Breathing Training App (Breeze 2): Development and Evaluation Study. <i>JMIR Serious Games</i> , 2022, 10, e39186.   | 1.7 | 6         |
| 37608 | Variability of aldosterone, renin and the aldosterone-to-renin ratio in hypertensive patients without primary aldosteronism. <i>Journal of Hypertension</i> , 2022, 40, 2256-2262.   | 0.3 | 2         |
| 37610 | Reliability of My Jump 2 Derived from Crouching and Standing Observation Heights. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 9854.   | 1.2 | 3         |
| 37611 | External validation of BIA equations to estimate appendicular skeletal muscle mass in older adults: Importance of the bias analysis and derivation of correction factors to achieve agreement. <i>Frontiers in Nutrition</i> , 0, 9, . | 1.6 | 2         |
| 37612 | Central arterial pressure and patient-specific model parameter estimation based on radial pressure measurements. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2023, 26, 1320-1329.                             | 0.9 | 1         |
| 37613 | Reproducibility of the energy metabolism response to an oral glucose tolerance test: influence of a postcalorimetric correction procedure. <i>European Journal of Nutrition</i> , 2023, 62, 351-361.                                   | 1.8 | 3         |
| 37615 | Unsupervised Classification of Human Activity with Hidden Semi-Markov Models. <i>Applied System Innovation</i> , 2022, 5, 83.  | 2.7 | 1         |
| 37616 | The Use of Non-Invasive Continuous Blood Pressure Measuring (ClearSight®) during Central Neuraxial Anaesthesia for Caesarean Section—A Retrospective Validation Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 4498.           | 1.0 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37617 | CT-derived body composition analysis could possibly replace DXA and BIA to monitor NET-patients. <i>Scientific Reports</i> , 2022, 12, .  | 1.6 | 8         |
| 37618 | Predictive accuracy and reproducibility of the O-RADS US scoring system among sonologists with different training levels. <i>Archives of Gynecology and Obstetrics</i> , 0, , .   | 0.8 | 5         |
| 37619 | Evaluation of a hybrid pipeline for automated segmentation of solid lesions based on mathematical algorithms and deep learning. <i>Scientific Reports</i> , 2022, 12, .   | 1.6 | 2         |
| 37620 | Comparison of the performance of Aptima HIV-1 Quant Dx Assay with Abbott RealTime HIV Assay for viral load monitoring using plasma and Dried Blood Spots collected in Kenya. <i>PLoS ONE</i> , 2022, 17, e0269838.  | 1.1 | 1         |
| 37622 | The Pictorial Fit-Frail Scaleâ€”Malay version (PFFS-M): reliability and validity testing in Malaysian primary care. <i>Family Practice</i> , 0, , .   | 0.8 | 0         |
| 37623 | Novel wearable and contactless heart rate, respiratory rate, and oxygen saturation monitoring devices: a systematic review and metaâ€”analysis. <i>Anaesthesia</i> , 2022, 77, 1268-1280.   | 1.8 | 11        |
| 37624 | Skin Sensory Assessors Highly Agree on the Appraisal of Skin Smoothness and Elasticity but Fairly on Softness and Moisturization. <i>Cosmetics</i> , 2022, 9, 86.   | 1.5 | 1         |
| 37625 | Can hypoxic alter the anaerobic capacity measured by a single exhaustive exercise?. <i>International Journal of Sports Medicine</i> , 0, , .  | 0.8 | 0         |
| 37626 | The Body Adiposity Index is not applicable to the Brazilian adult population. <i>Frontiers in Nutrition</i> , 0, 9, .   | 1.6 | 2         |
| 37628 | DeepLabCut increases markerless tracking efficiency in X-ray video analysis of rodent locomotion. <i>Journal of Experimental Biology</i> , 2022, 225, .   | 0.8 | 4         |
| 37629 | <sc>MRI</sc>: Evaluating the Application of <sc>FOCUSâ€”MUSE</sc> Diffusionâ€”Weighted Imaging in the Pancreas in Comparison With <sc>FOCUS</sc>, <sc>MUSE,</sc> and Singleâ€”Shot <sc>DWIs</sc>. <i>Journal of Magnetic Resonance Imaging</i> , 2023, 57, 1156-1171. | 1.9 | 4         |
| 37630 | Phantom-based acquisition time and image reconstruction parameter optimisation for oncologic FDG PET/CT examinations using a digital system. <i>BMC Cancer</i> , 2022, 22, .  | 1.1 | 2         |
| 37631 | A comparison of agreement between actigraphy and polysomnography for assessing sleep during posttraumatic amnesia. <i>Journal of Clinical Sleep Medicine</i> , 2022, 18, 2605-2616.   | 1.4 | 3         |
| 37632 | In vivo absolute quantification of carnosine in the vastus lateralis muscle with 1H MRS using a surface coil and water as internal reference. <i>Skeletal Radiology</i> , 0, , .  | 1.2 | 2         |
| 37633 | Relationship between palatally impacted canines and dimensions and morphology of sella turcica: A cone-beam computed tomography study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2022, 162, 626-635.                                      | 0.8 | 3         |
| 37634 | The reliability and validity of gait analysis system using 3D markerless pose estimation algorithms. <i>Frontiers in Bioengineering and Biotechnology</i> , 0, 10, .  | 2.0 | 6         |
| 37635 | Development and validation of a frailty index compatible with three interRAI assessment instruments. <i>Age and Ageing</i> , 2022, 51, .  | 0.7 | 6         |
| 37636 | Automatic Swimming Activity Recognition and Lap Time Assessment Based on a Single IMU: A Deep Learning Approach. <i>Sensors</i> , 2022, 22, 5786.   | 2.1 | 5         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37637 | Behavior of dairy cows managed outdoors in winter: Effects of weather and paddock soil conditions. <i>Journal of Dairy Science</i> , 2022, 105, 8298-8315.  | 1.4 | 7         |
| 37639 | Monitoring Breathing and Heart Rate Using Episodic Broadcast Data Transmission. <i>Sensors</i> , 2022, 22, 6019.  | 2.1 | 2         |
| 37640 | Blood pressure monitoring following kidney transplantation in children: a comparison of invasive and noninvasive measurements using Doppler as a benchmark technique. <i>Pediatric Nephrology</i> , 0, , .                            | 0.9 | 0         |
| 37641 | Non-timely clinically applicable ADC ratio in prostate mpMRI: a comparison with fusion biopsy results. <i>Abdominal Radiology</i> , 0, , .  | 1.0 | 0         |
| 37642 | Protocol and reference values for minimal detectable change of MyotonPRO and ultrasound imaging measurements of muscle and subcutaneous tissue. <i>Scientific Reports</i> , 2022, 12, .   | 1.6 | 15        |
| 37643 | The combined cartilage growth and calcification patterns in the wing fins of Rajidae (Chondrichthyes): A divergent model from endochondral ossification of tetrapods. <i>Microscopy Research and Technique</i> , 2022, 85, 3642-3652. | 1.2 | 1         |
| 37644 | Neurocognitive impairment and patient proxy agreement on health-related quality of life evaluations in recurrent high-grade glioma patients. <i>Quality of Life Research</i> , 0, , .   | 1.5 | 0         |
| 37645 | A shortened surface electromyography recording is sufficient to facilitate home fasciculation assessment. <i>Muscle and Nerve</i> , 0, , .  | 1.0 | 2         |
| 37646 | Foot tracking can be an alternative to determine foot strike and take-off during vertical jumps. <i>Sports Biomechanics</i> , 0, , 1-10.  | 0.8 | 0         |
| 37647 | The impact of age and electrode position on amplitude-integrated EEGs in children from 1 month to 17 years of age. <i>Frontiers in Neurology</i> , 0, 13, .   | 1.1 | 2         |
| 37648 | Dreidimensionale Charakteristika der Mandibula bei skelettalen Malokklusionen. <i>Journal of Orofacial Orthopedics</i> , 2024, 85, 134-145.   | 0.5 | 1         |
| 37649 | Characterization of main pulmonary artery and valve annulus region of piglets using echocardiography, uniaxial tensile testing, and a novel non-destructive technique. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .          | 1.1 | 2         |
| 37650 | Comparison of axial and sagittal spinal cord motion measurements in degenerative cervical myelopathy. <i>Journal of Neuroimaging</i> , 2022, 32, 1121-1133.   | 1.0 | 9         |
| 37651 | Agreement between mechanical and digital skinfold callipers. <i>Nutrition and Health</i> , 2023, 29, 31-36.   | 0.6 | 0         |
| 37652 | Comparison of area measurement methods in the routine assessment of diabetic foot ulcers: A consistency analysis method. <i>International Journal of Nursing Practice</i> , 2023, 29, .   | 0.8 | 2         |
| 37653 | Scores of peripheral neuropathic pain predicting long-term mortality in patients with type 2 diabetes: A retrospective cohort study. <i>Frontiers in Endocrinology</i> , 0, 13, .   | 1.5 | 4         |
| 37654 | VEP visual acuity in children with cortical visual impairment. <i>International Journal of Clinical and Experimental Ophthalmology</i> , 2022, 6, 031-034.  | 0.1 | 0         |
| 37655 | Femoral Pulse Pressure Variation Is Not Interchangeable with Radial Pulse Pressure Variation during Living Donor Liver Transplantation. <i>Journal of Personalized Medicine</i> , 2022, 12, 1352.                                     | 1.1 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37656 | Reproducibility and Optimal Arterial Input Function Selection in Dynamic Contrast-Enhanced Perfusion <scp>MRI</scp> in the Healthy Brain. <i>Journal of Magnetic Resonance Imaging</i> , 2023, 57, 1229-1240.   | 1.9 | 3         |
| 37657 | The Reliability and Validity of the Digital Goniometer and Smart Phone to Determine Trunk Active Range of Motion in Stroke Patients. <i>Physical Therapy Korea</i> , 2022, 29, 225-234.   | 0.1 | 0         |
| 37658 | Between-day reliability of cytokines and adipokines for application in research and practice. <i>Frontiers in Physiology</i> , 0, 13, .   | 1.3 | 2         |
| 37659 | Comparison of Continuous Real Time Blood Glucose Measurement With Venous Laboratory Blood Glucose Level in Neonates During Perioperative Period. <i>Indian Pediatrics</i> , 2022, 59, 620-622.  | 0.2 | 3         |
| 37660 | Inter-observer variability of expert-derived morphologic risk predictors in aortic dissection. <i>European Radiology</i> , 2023, 33, 1102-1111.   | 2.3 | 1         |
| 37661 | Prognostic value and computer image analysis of p53 in mantle cell lymphoma. <i>Annals of Hematology</i> , 2022, 101, 2271-2279.  | 0.8 | 1         |
| 37662 | Parents can reliably and accurately detect trunk asymmetry using an inclinometer smartphone app. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, .   | 0.8 | 2         |
| 37663 | Creation of a tool to evaluate supportive care. <i>Palliative and Supportive Care</i> , 0, , 1-8.   | 0.6 | 0         |
| 37664 | Noncontact Longitudinal Respiratory Rate Measurements in Healthy Adults Using Radar-Based Sleep Monitor (Somnofy): Validation Study. <i>JMIR Biomedical Engineering</i> , 2022, 7, e36618.  | 0.7 | 2         |
| 37665 | Correcting magnification error in foveal avascular zone area measurements of optical coherence tomography angiography images with estimated axial length. <i>Eye and Vision (London, England)</i> , 2022, 9, .  | 1.4 | 1         |
| 37666 | 24-2 SITA Standard versus 24-2 SITA Faster in perimetry-naïve normal subjects. <i>Ophthalmology Glaucoma</i> , 2022, , .  | 0.9 | 0         |
| 37667 | Biological Variation in Peripheral Inflammation and Oxidative Stress Biomarkers in Individuals with Gaucher Disease. <i>International Journal of Molecular Sciences</i> , 2022, 23, 9189.   | 1.8 | 2         |
| 37668 | Agreement of Sleep Measuresâ€”A Comparison between a Sleep Diary and Three Consumer Wearable Devices. <i>Sensors</i> , 2022, 22, 6189.  | 2.1 | 7         |
| 37669 | Assessment of the New Acceleromyograph TOF 3D Compared with the Established TOF Watch SX: Bland-Altman Analysis of the Precision and Limits of Agreement between Both Devicesâ€”A Randomized Clinical Comparison. <i>Journal of Clinical Medicine</i> , 2022, 11, 4583. | 1.0 | 1         |
| 37670 | Reliability of a pediatric sleep endoscopy scoring system. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2022, 162, 111284.   | 0.4 | 5         |
| 37671 | Device-based and subjective measurements of sleep in children with cerebral palsy: a comparison of sleep diary, actigraphy, and bed sensor data. <i>Journal of Clinical Sleep Medicine</i> , 0, , .   | 1.4 | 3         |
| 37672 | Psychometric testing of the Maltese versions of the Exercise Benefits/Barriers Scale and Exercise Motivation Inventory â€” 2. <i>Health Psychology Research</i> , 2022, 10, .   | 0.6 | 1         |
| 37673 | Ultrasound accurately assesses depth of invasion in <scp>T1â€”T2</scp> oral tongue cancer. <i>Laryngoscope Investigative Otolaryngology</i> , 2022, 7, 1448-1455.   | 0.6 | 7         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37674 | Validity of the peak velocity to detect physical training improvements in athymic mice. <i>Frontiers in Physiology</i> , 0, 13, .   | 1.3 | 3         |
| 37675 | Comparison of Keratometry Using SS-OCT and Dual Scheimpflug-Placido Imaging in Post-Myopic Corneal Refractive Surgery Eyes. <i>Journal of Cataract and Refractive Surgery</i> , 2022, Publish Ahead of Print, . | 0.7 | 0         |
| 37677 | Combine unlabeled with labeled MR images to measure acute ischemic stroke lesion by stepwise learning. <i>IET Image Processing</i> , 0, , .   | 1.4 | 0         |
| 37678 | Predicting energy intake in adults who are dieting and exercising. <i>International Journal of Obesity</i> , 0, , .   | 1.6 | 0         |
| 37679 | Intraoperative Fluoroscopy Allows the Reliable Assessment of Deformity Correction during Periacetabular Osteotomy. <i>Journal of Clinical Medicine</i> , 2022, 11, 4817.  | 1.0 | 3         |
| 37680 | Predictive Equations Overestimated the Rest Energy Expenditure by Indirect Calorimetry in Adults with Sickle Cell Disease. <i>Najfmr</i> , 2022, 6, 94-106.   | 0.1 | 1         |
| 37681 | Accurate detection of heart rate using in-ear photoplethysmography in a clinical setting. <i>Frontiers in Digital Health</i> , 0, 4, .  | 1.5 | 2         |
| 37682 | Influence of Genetic West African Ancestry on Metabolomics among Hypertensive Patients. <i>Metabolites</i> , 2022, 12, 783.   | 1.3 | 2         |
| 37683 | Repeatability of new optical biometer and agreement with 2 validated optical biometers, all based on SS-OCT. <i>Journal of Cataract and Refractive Surgery</i> , 2023, 49, 5-10.                                | 0.7 | 7         |
| 37684 | Validity and reliability of accelerations and orientations measured using wearable sensors during functional activities. <i>Scientific Reports</i> , 2022, 12, .  | 1.6 | 18        |
| 37685 | At-Home End-Tidal Carbon Dioxide Measurement in Children with Invasive Home Mechanical Ventilation. <i>Pediatric Pulmonology</i> , 2022, 57, 2735-2744.   | 1.0 | 5         |
| 37686 | Reliability Analysis of Observation-Based Exposure Assessment Tools for the Upper Extremities: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 10595. | 1.2 | 4         |
| 37687 | Validating the accuracy of multispectral metal artifact suppressed diffusion-weighted imaging. <i>Medical Physics</i> , 2022, 49, 6538-6546.  | 1.6 | 3         |
| 37688 | Body composition in preterm infants: a systematic review on measurement methods. <i>Pediatric Research</i> , 2023, 93, 1120-1140.   | 1.1 | 1         |
| 37689 | Automated Age-At-Death Estimation by Cementochronology: Essential Application or Additional Complication?. <i>American Journal of Biological Anthropology</i> , 2022, 179, 314-326.                             | 0.6 | 3         |
| 37690 | Feasibility, acceptability, and effectiveness of school-based dance movement psychotherapy for children with emotional and behavioral difficulties. <i>Frontiers in Psychology</i> , 0, 13, .                   | 1.1 | 0         |
| 37691 | The accuracy of pulse oximetry in measuring oxygen saturation by levels of skin pigmentation: a systematic review and meta-analysis. <i>BMC Medicine</i> , 2022, 20, .  | 2.3 | 39        |
| 37692 | Added Value of Selective Intra-arterial Cone-Beam CT Angiography in the Management of Visceral Artery Aneurysms. <i>Journal of Endovascular Therapy</i> , 0, , 152660282211185.                                 | 0.8 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37693 | “Smart Optometry”-phone-based application as a visual acuity testing tool among pediatric population. Journal of King Abdulaziz University, Islamic Economics, 2022, 43, 946-953.                            | 0.5 | 2         |
| 37694 | Does the Levasseur-Merrill Retractor Provide Reliable In-Vivo Guidance for the Intraoral Vertical Ramus Osteotomy?. Journal of Oral and Maxillofacial Surgery, 2022, 80, 1740-1746.                          | 0.5 | 1         |
| 37695 | Two-minute walk distance reference equations for middle-aged and elderly Chinese individuals with obesity. PLoS ONE, 2022, 17, e0273550.   | 1.1 | 1         |
| 37697 | Utilizing data from a local positioning system as input into a neural network to determine stride length. Sports Engineering, 2022, 25, .  | 0.5 | 0         |
| 37698 | Validation of the Alzheimer’s disease-resemblance atrophy index in classifying and predicting progression in Alzheimer’s disease. Frontiers in Aging Neuroscience, 0, 14, .                                  | 1.7 | 3         |
| 37699 | An evaluation of temporal and club angle parameters during golf swings using low cost video analyses packages. Scientific Reports, 2022, 12, .   | 1.6 | 2         |
| 37700 | Relative validity and reproducibility of a semi-quantitative food frequency questionnaire to assess fruit and vegetable consumption in school-aged children. Frontiers in Nutrition, 0, 9, .                 | 1.6 | 2         |
| 37701 | The application of TreadMatch scans to aid the process of footwear mark comparison. Science and Justice - Journal of the Forensic Science Society, 2022, 62, 530-539.  | 1.3 | 1         |
| 37702 | Respiratory analysis during sleep using a chest-worn accelerometer: A machine learning approach. Biomedical Signal Processing and Control, 2022, 78, 104014.   | 3.5 | 7         |
| 37703 | Dietary sodium and cardiovascular disease in China: addressing the authors’ response, statements and claims. Journal of Hypertension, 2022, 40, 1831-1836.   | 0.3 | 3         |
| 37704 | Handheld Navigation Improves Accuracy in Direct Anterior Total Hip Replacement. Arthroplasty Today, 2022, 17, 58-65.   | 0.8 | 6         |
| 37705 | Monte Carlo-based independent dose verification of radiosurgery HyperArc plans. Physica Medica, 2022, 102, 19-26.  | 0.4 | 3         |
| 37706 | Correlation between hepatic venous pressure gradient and portal venous pressure gradient in hepatitis B cirrhosis with different hepatic veins anatomy. European Journal of Radiology, 2022, 155, 110463.    | 1.2 | 0         |
| 37707 | Translation, Cross-Cultural Adaptation, and Validation of the Polish Version of the Dizziness Handicap Inventory. Value in Health Regional Issues, 2022, 32, 1-7.  | 0.5 | 1         |
| 37708 | The figure-of-eight walk test is a reliable and valid test for assessing walking skill in people with multiple sclerosis. Multiple Sclerosis and Related Disorders, 2022, 67, 104099.                        | 0.9 | 1         |
| 37710 | Examination of a foot mounted IMU-based methodology for a running gait assessment. Frontiers in Sports and Active Living, 0, 4, .  | 0.9 | 5         |
| 37711 | Lateral annular systolic excursion ratio: A novel measurement of right ventricular systolic function by two-dimensional echocardiography. Frontiers in Cardiovascular Medicine, 0, 9, .                      | 1.1 | 0         |
| 37712 | A validation and acceptability study of cognitive testing using switch and eye-gaze control technologies for children with motor and speech impairments: A protocol paper. Frontiers in Psychology, 0, 13, . | 1.1 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37713 | Modeling the expenditure and reconstitution of distance above critical speed during two swimming interval training sessions. <i>Frontiers in Physiology</i> , 0, 13, .  | 1.3 | 0         |
| 37714 | Two-Dimensional Convolutional Neural Network for Depression Episodes Detection in Real Time Using Motor Activity Time Series of Depresjon Dataset. <i>Bioengineering</i> , 2022, 9, 458.  | 1.6 | 1         |
| 37715 | Concurrent validity of the combined HRV/ACC sensor and physical activity diary when monitoring physical activity in university students during free-living days. <i>Frontiers in Public Health</i> , 0, 10, .   | 1.3 | 1         |
| 37716 | Validation of pelvic magnetic resonance imaging as the method of choice to determine the distance to the anal margin in rectal cancer. <i>Cirug a Espa ola (English Edition)</i> , 2022, , .  | 0.1 | 0         |
| 37717 | Hemodynamic effects and tolerance of dobutamine for myocardial dysfunction during septic shock: An observational multicenter prospective echocardiographic study. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .   | 1.1 | 1         |
| 37718 | Transdermal Maltose-Based Microneedle Patch as Adjunct to Enhance Topical Anesthetic before Intravenous Cannulation of Pediatric Thalassaemic Patients Receiving Blood Transfusion: A Randomized Controlled Trial Protocol. <i>Journal of Clinical Medicine</i> , 2022, 11, 5291. | 1.0 | 1         |
| 37719 | Site-specific decreases in DNA methylation in replicating cells following exposure to oxidative stress. <i>Human Molecular Genetics</i> , 2023, 32, 632-648.  | 1.4 | 0         |
| 37720 | Between-devices agreement in obtaining raw bioelectrical parameters after a lifestyle intervention targeting weight loss in former athletes. <i>Journal of Sports Sciences</i> , 2022, 40, 1857-1864.   | 1.0 | 2         |
| 37721 | Utility of endogenous 4 -hydroxycholesterol as a biomarker to assess cytochrome P 450 3A (CYP3A) activity: not quite ready for prime time. <i>European Journal of Clinical Pharmacology</i> , 2022, 78, 1863-1864.  | 0.8 | 1         |
| 37722 | Optical bone densitometry insensitive to skin thickness. <i>Biomedizinische Technik</i> , 2022, 67, 503-512.  | 0.9 | 1         |
| 37723 | High reproducibility of spleen stiffness measurement by vibration controlled transient elastography with a spleen dedicated module. <i>Hepatology Communications</i> , 2022, 6, 3006-3014.  | 2.0 | 14        |
| 37724 | Validation of high concentrated thrombin time assay for unfractionated heparin monitoring. <i>Journal of Clinical Laboratory Analysis</i> , 2022, 36, .   | 0.9 | 1         |
| 37725 | Inter- and Intra-Rater Reliability of Ultrasound Measurements of Superficial and Deep Fasciae Thickness in Upper Limb. <i>Diagnostics</i> , 2022, 12, 2195.   | 1.3 | 9         |
| 37726 | Field based assessment of a tri-axial accelerometers validity to identify steps and reliability to quantify external load. <i>Frontiers in Physiology</i> , 0, 13, .  | 1.3 | 1         |
| 37727 | A novel combined deep learning methodology to non-invasively estimate hemoglobin levels in blood with high accuracy. <i>Medical Engineering and Physics</i> , 2022, 108, 103891.  | 0.8 | 2         |
| 37728 | Visualising knee loading patterns during kneeling and the development of a laboratory-based adaptation of the Aberdeen Weight-Bearing Test (Knee). <i>Knee</i> , 2022, 38, 201-211.   | 0.8 | 0         |
| 37729 | Comparison of Various Predictive Energy Equations for Female University Students With Measured Basal Metabolic Rate. <i>Topics in Clinical Nutrition</i> , 2022, 37, 314-324.   | 0.2 | 0         |
| 37730 | Deep-learned estimation of uncertainty in measurements of apparent diffusion coefficient from whole-body diffusion-weighted MRI. <i>Computers in Biology and Medicine</i> , 2022, 149, 106091.  | 3.9 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37731 | Inter-platform Variability of Liver Elastography: Pairwise Comparisons of Four Devices. <i>Ultrasound in Medicine and Biology</i> , 2022, 48, 2258-2266.   | 0.7 | 2         |
| 37732 | An XGBoost-based model for assessment of aortic stiffness from wrist photoplethysmogram. <i>Computer Methods and Programs in Biomedicine</i> , 2022, 226, 107128.  | 2.6 | 7         |
| 37733 | Non-contrast free-breathing whole-heart 3D cine cardiovascular magnetic resonance with a novel 3D radial leaf trajectory. <i>Magnetic Resonance Imaging</i> , 2022, 94, 64-72.   | 1.0 | 1         |
| 37734 | Predicting maximal lactate steady state from lactate thresholds determined using methods based on an incremental exercise test in beagle dogs: A study using univariate and multivariate approaches. <i>Research in Veterinary Science</i> , 2022, 152, 289-299. | 0.9 | 0         |
| 37735 | Clinical agreement of a novel algorithm to estimate radial artery blood pressure from the non-invasive finger blood pressure. <i>Journal of Clinical Anesthesia</i> , 2022, 83, 110976.  | 0.7 | 2         |
| 37736 | Pre-partum HRV as a predictor of postpartum depression: The potential use of a smartphone application for physiological recordings. <i>Journal of Affective Disorders</i> , 2022, 319, 172-180.  | 2.0 | 4         |
| 37737 | Comparison of two electromyography-based neuromuscular monitors, AF-201P and TetraGraph, in rocuronium-induced neuromuscular block: A prospective comparative study. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2022, 41, 101145.                   | 0.6 | 1         |
| 37738 | Assessing an aflatoxin exposure biomarker: Exploring the interchangeability and correlation between venous and capillary blood samples. <i>Environmental Research</i> , 2022, 215, 114396.   | 3.7 | 2         |
| 37739 | Automatic 3D mitral valve leaflet segmentation and validation of quantitative measurement. <i>Biomedical Signal Processing and Control</i> , 2023, 79, 104166.   | 3.5 | 4         |
| 37740 | Development of non-contact strawberry quality evaluation system using visible-near infrared spectroscopy: optimization of texture qualities prediction model. <i>Food Science and Technology Research</i> , 2022, , .  | 0.3 | 0         |
| 37741 | Clinimetric properties of a postural assessment software in older people: reliability, standard error of measurement, and minimal detectable change. <i>Geriatrics Gerontology and Aging</i> , 0, 16, .  | 0.3 | 0         |
| 37742 | Balance Therapy With Hands-Free Mobile Robotic Feedback for At-Home Training Across the Lifespan. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2022, 30, 2671-2681.   | 2.7 | 3         |
| 37743 | A comparison of goldmann applanation tonometry and rebound tonometry measurements among patients attending a glaucoma clinic in Southwest Nigeria. <i>Nigerian Journal of Clinical Practice</i> , 2022, 25, 1542.  | 0.2 | 0         |
| 37744 | Chemometrics and infrared spectroscopy—a winning team for the analysis of illicit drug products. <i>Reviews in Analytical Chemistry</i> , 2022, 41, 228-255.   | 1.5 | 5         |
| 37745 | Direct use of clinical tolerance limits for assessing agreement: A robust nonparametric approach. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4 | 2         |
| 37746 | Comparison of Statistical Models for Characterizing Continuous Differences between Two Biomechanical Measurement Systems. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4 | 0         |
| 37747 | Abdominal Subcutaneous Fat Thickness Measured by Ultrasound as a Predictor of Total Fat Mass in Young- And Middle-Aged Adults. <i>Acta Endocrinologica</i> , 2022, 18, 58-63.  | 0.1 | 0         |
| 37748 | Effects of Hydroxychloroquine on markers of oxidative stress and antioxidant reserve in rheumatoid arthritis patients. <i>Journal of Advanced Pharmacy Education and Research</i> , 2022, 12, 65-71.   | 0.2 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37749 | Real-Time Analysis of Heart Rate Variability During Aerobic Exercise in Patients with Cardiovascular Disease. SSRN Electronic Journal, 0, , .   | 0.4 | 0         |
| 37750 | Gains in body mass and body water in pregnancy and relationships to birth weight of offspring in rural and urban Pune, India. Journal of Nutritional Science, 2022, 11, .                                     | 0.7 | 0         |
| 37751 | Estimation of underreporting of energy intake using different methods in a subsample of the ELSA-Brasil study. Cadernos De Saude Publica, 2022, 38, .   | 0.4 | 4         |
| 37752 | AI-Enabled Assessment of Cardiac Systolic and Diastolic Function from Echocardiography. Lecture Notes in Computer Science, 2022, , 75-85.   | 1.0 | 2         |
| 37753 | Reliability of Y Balance Test in Runners With Intellectual Disability. Journal of Sport Rehabilitation, 2023, 32, 91-95.  | 0.4 | 1         |
| 37754 | Reliability of the Modified Nine Hole Peg Test in Healthy Adults and Individuals with Hemiparetic Stroke. Progress in Rehabilitation Medicine, 2022, 7, n/a.  | 0.3 | 2         |
| 37755 | Low-Rank Tensor Subspace Decomposition With Weighted Group Sparsity for the Acceleration of Non-Cartesian Dynamic MRI. IEEE Transactions on Biomedical Engineering, 2023, 70, 681-693.                        | 2.5 | 2         |
| 37756 | Investigating the Effects of Applying Different Actigraphy Processing Approaches to Examine the Sleep Data of Patients With Neuropathic Pain. Journal for the Measurement of Physical Behaviour, 2022, , 1-6. | 0.5 | 0         |
| 37757 | Agreement between forced expiratory volume in the first second (FEV <sub>1</sub> ) and peak expiratory flow (PEF) in severe acute asthma. Lung India, 2022, 39, 484.  | 0.3 | 0         |
| 37758 | Accuracy of Fully Automated 3D Imaging System for Child Anthropometry in a Low-Resource Setting: Effectiveness Evaluation in Malakal, South Sudan. JMIR Biomedical Engineering, 2022, 7, e40066.              | 0.7 | 1         |
| 37759 | An Open-Source Cognitive Test Battery to Assess Human Attention and Memory. Frontiers in Psychology, 0, 13, .   | 1.1 | 2         |
| 37760 | Optimization of a Stacked-design Core-body-temperature Sensor for Long-period Human Trials. , 2022, , .   |     | 0         |
| 37761 | Estimation of Hand Grip Strength Using Foot motion Measured by In-shoe Motion Sensor. , 2022, , .   |     | 1         |
| 37762 | Outlier Management for Pulse Rate Variability Analysis from Photoplethysmographic Signals. , 2022, , .  |     | 0         |
| 37763 | Feature Importance Analysis for Compensatory Reserve to Predict Hemorrhagic Shock. , 2022, , .  |     | 3         |
| 37764 | The impact of seat height on 1-min sit-to-stand test performance in COPD: a randomised crossover trial. ERJ Open Research, 2022, 8, 00033-2022.   | 1.1 | 1         |
| 37765 | Refining index to measure physical activity inequality: which group of the population is the most vulnerable?. International Journal for Equity in Health, 2022, 21, .  | 1.5 | 4         |
| 37766 | Echocardiographic Quantification of Superior Vena Cava (SVC) Flow in Neonates: Pilot Study of Modified Technique. Diagnostics, 2022, 12, 2083.  | 1.3 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37767 | Comparison of the Korean Activity Status Index with cardiopulmonary exercise test in patients with acute myocardial infarction. <i>Journal of Medicine and Life Science</i> , 2022, 19, 57-65.           | 0.1 | 0         |
| 37768 | Validation of a smartphone-based device to measure concentration, motility and morphology in swine ejaculates. <i>Translational Animal Science</i> , 0, , .  | 0.4 | 0         |
| 37769 | Intra-subject stability of different expressions of spatial QRS-T angle and their relationship to heart rate. <i>Frontiers in Physiology</i> , 0, 13, .  | 1.3 | 1         |
| 37770 | Comprehensive Characterization of the Multiple Myeloma Immune Microenvironment Using Integrated scRNA-seq, CyTOF, and CITE-seq Analysis. <i>Cancer Research Communications</i> , 2022, 2, 1255-1265.     | 0.7 | 9         |
| 37771 | Validity and Reliability of Strategy Metrics to Assess Countermovement Jump Performance Using the Newly Developed My Jump Lab Smartphone Application. <i>Journal of Human Kinetics</i> , 0, 83, 185-195. | 0.7 | 11        |
| 37773 | Polish Translation and Validation of the Voice Handicap Index (VHI-30). <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 10738.                                      | 1.2 | 6         |
| 37774 | Validity and Reliability of New Equations for the Prediction of Maximal Oxygen Uptake in Male and Female Elite Adolescent Rowers. <i>Journal of Human Kinetics</i> , 0, 83, 77-86.                       | 0.7 | 1         |
| 37775 | Muscle Oxygen Saturation Breakpoints Reflect Ventilatory Thresholds in Both Cycling and Running. <i>Journal of Human Kinetics</i> , 0, 83, 87-97.  | 0.7 | 9         |
| 37776 | Testâ€“Retest Reliability of a Computerized Neurocognitive Battery in School-Age Children with HIV in Botswana. <i>Archives of Clinical Neuropsychology</i> , 2023, 38, 131-138.                         | 0.3 | 1         |
| 37777 | Dyslipidemia Among Adults With Congenital Heart Disease. , 2022, 1, 100081.  |     | 2         |
| 37778 | Reliability of glomerular filtration rate estimating formulas compared to iohexol plasma clearance in critically ill children. <i>European Journal of Pediatrics</i> , 2022, 181, 3851-3866.             | 1.3 | 4         |
| 37779 | Biolayer Interferometry Analysis for a Higher Throughput Quantification of In-Process Samples of a Rotavirus Vaccine. <i>Vaccines</i> , 2022, 10, 1585.  | 2.1 | 0         |
| 37780 | Validation of the X-ray microtomography in the assessment of duodenal morphometry and surface area in celiac disease. <i>Frontiers in Immunology</i> , 0, 13, .  | 2.2 | 1         |
| 37781 | Evaluating the Reliability of a Shape Capturing Process for Transradial Residual Limb Using a Non-Contact Scanner. <i>Sensors</i> , 2022, 22, 6863.  | 2.1 | 2         |
| 37782 | Reliability of a human pose tracking algorithm for measuring upper limb joints: comparison with photography-based goniometry. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, .                         | 0.8 | 6         |
| 37783 | Validation Study of the Richards-Campbell Sleep Questionnaire in Patients with Acute Stroke. <i>Journal of Personalized Medicine</i> , 2022, 12, 1473.   | 1.1 | 0         |
| 37784 | Validation of a Smartphone Application for the Assessment of Dietary Compliance in an Intermittent Fasting Trial. <i>Nutrients</i> , 2022, 14, 3697.   | 1.7 | 2         |
| 37785 | A Pilot Study of Determining the Reliability of a New Three-Dimensional Scanning System for Measuring Truncal Thickness After Breast Cancer Surgery. <i>Lymphatic Research and Biology</i> , 0, , .      | 0.5 | 0         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37786 | Photoplethysmography-Based Blood Pressure Monitoring Could Improve Patient Outcome during Anesthesia Induction. <i>Journal of Personalized Medicine</i> , 2022, 12, 1571.   | 1.1 | 1         |
| 37787 | Assessing nutritional status in older adults requiring long-term care: Interchangeability of bioelectrical impedance analysis and manual methods for upper arm anthropometric measurements. <i>Geriatrics and Gerontology International</i> , 2022, 22, 938-942.  | 0.7 | 3         |
| 37788 | Impaired left ventricular deformation and ventricular-arterial coupling in post-COVID-19: association with autonomic dysregulation. <i>Heart and Vessels</i> , 2023, 38, 381-393.   | 0.5 | 12        |
| 37789 | Noninvasive Hemodynamic Monitoring in Advanced Heart Failure Patients: New Approach for Target Treatments. <i>Biomedicines</i> , 2022, 10, 2407.  | 1.4 | 4         |
| 37790 | Competitive Racing in Virtual Cycling—Is It Possible, Realistic, and Fair?. , 2023, 1, .  |     | 0         |
| 37791 | Validation of ICD-10-CM Diagnosis Codes for Gestational Age at Birth. <i>Epidemiology</i> , 2023, 34, 64-68.  | 1.2 | 3         |
| 37792 | Volumetric Absorptive Microsampling for the Therapeutic Drug Monitoring of Everolimus in Patients Who Have Undergone Liver Transplant. <i>Therapeutic Drug Monitoring</i> , 2023, 45, 223-228.  | 1.0 | 4         |
| 37793 | Cardiac and vascular effects of low-dose steroids during the early phase of septic shock: An echocardiographic study. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .   | 1.1 | 2         |
| 37794 | Investigating Stroke Effects on Respiratory Parameters Using a Wearable Device: A Pilot Study on Hemiplegic Patients. <i>Sensors</i> , 2022, 22, 6708.  | 2.1 | 2         |
| 37795 | Left ventricle analysis in echocardiographic images using transfer learning. <i>Physical and Engineering Sciences in Medicine</i> , 2022, 45, 1123-1138.  | 1.3 | 1         |
| 37796 | Optimized Solid-Phase Mesh-Enhanced Sorption from Headspace (SPMESH) for Rapid Sub-ng/kg Measurements of 3-Isobutyl-2-methoxypyrazine (IBMP) in Grapes. <i>Molecules</i> , 2022, 27, 6195.  | 1.7 | 1         |
| 37797 | IMI2-PainCare-BioPain-RCT2 protocol: a randomized, double-blind, placebo-controlled, crossover, multicenter trial in healthy subjects to investigate the effects of lacosamide, pregabalin, and tapentadol on biomarkers of pain processing observed by non-invasive neurophysiological measurements of human spinal cord and brainstem activity. <i>Trials</i> , 2022, 23, . | 0.7 | 2         |
| 37798 | The mSteps pilot study: Analysis of the distance walked using a novel smartphone application in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 0, , 135245852211240.   | 1.4 | 2         |
| 37799 | Performance of Remsima® Monitor Drug Level versus RIDASCREEN IFX Monitoring in therapeutic drug monitoring of infliximab in patients with inflammatory bowel disease: A study of diagnostic accuracy. <i>Medicine (United States)</i> , 2022, 101, e30683.  | 0.4 | 2         |
| 37800 | Crowding can impact both low and high contrast visual acuity measurements. <i>Scientific Reports</i> , 2022, 12, .  | 1.6 | 0         |
| 37801 | A new noninvasive finger sensor (NICCI system) for continuous blood pressure and pulse pressure variation monitoring. <i>European Journal of Anaesthesiology</i> , 2022, 39, 851-857.   | 0.7 | 0         |
| 37802 | Lesion-to-Canal—verge distance in rectosigmoid endometriosis on transvaginal sonography <i>vs</i> magnetic resonance imaging: prospective study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2023, 61, 243-250.  | 0.9 | 3         |
| 37803 | A descriptive study of samples sizes used in agreement studies published in the PubMed repository. <i>BMC Medical Research Methodology</i> , 2022, 22, .  | 1.4 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37804 | Changes in aortic diameter induced by weight loss: The HELENA trial- whole-body MR imaging in a dietary intervention trial. <i>Frontiers in Physiology</i> , 0, 13, .  | 1.3 | 1         |
| 37805 | Defining the relationship between pain intensity and disease activity in patients with rheumatoid arthritis: a secondary analysis of six studies. <i>Arthritis Research and Therapy</i> , 2022, 24, .                            | 1.6 | 5         |
| 37806 | Discrepancy of echocardiography and computed tomography in initial assessment and 2-year follow-up for monitoring Marfan syndrome and related disorders. <i>Scientific Reports</i> , 2022, 12, .                                 | 1.6 | 1         |
| 37807 | Electronic Smart Blister Packages to Monitor and Support Medication Adherence: A Usability Study. <i>Patient Preference and Adherence</i> , 0, Volume 16, 2543-2558.   | 0.8 | 4         |
| 37808 | The accuracy of ten common resting metabolic rate prediction equations in men and women collegiate athletes. <i>European Journal of Sport Science</i> , 2023, 23, 1973-1982.   | 1.4 | 3         |
| 37809 | Bone Mineral Content Estimation in People Living with HIV: Prediction and Validation of Sex-Specific Anthropometric Models. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 12336.          | 1.2 | 0         |
| 37810 | Comparison of three spot urine formulae and their validation using 24-hour urine sodium for estimation of daily salt intake: a cross-sectional study among Bangladeshi adults. <i>BMJ Open</i> , 2022, 12, e061348.              | 0.8 | 0         |
| 37811 | Validity of a Wheelchair Rugby Field Test to Simulate Physiological and Thermoregulatory Match Outcomes. <i>Sports</i> , 2022, 10, 144.  | 0.7 | 1         |
| 37812 | Understanding entranceâ€airâ€kerma as a qualityâ€control metric for dualâ€energy xâ€ray absorptiometry. <i>Journal of Applied Clinical Medical Physics</i> , 0, , .  | 0.8 | 2         |
| 37813 | Impact of ActiGraph sampling rate on free-living physical activity measurement in youth. <i>Physiological Measurement</i> , 2022, 43, 105004.  | 1.2 | 2         |
| 37814 | A Quality Collaborative Study of the Concordance of Electrodiagnostic Scores and Clinical Severity in Carpal Tunnel Syndrome. <i>Plastic and Reconstructive Surgery</i> , 0, Publish Ahead of Print, .                           | 0.7 | 0         |
| 37815 | Accurate estimation of skeletal muscle mass by comparison of computed tomographic images of the third lumbar and third cervical vertebrae in Japanese patients with oral squamous cell carcinoma. <i>Oral Radiology</i> , 0, , . | 0.9 | 0         |
| 37816 | A comparison of bone age assessments using automated and manual methods in children of Indian ethnicity. <i>Pediatric Radiology</i> , 2022, 52, 2188-2196.   | 1.1 | 8         |
| 37817 | Novel weight estimation equation for children with cerebral palsy in lowâ€resource settings: Validation in a populationâ€based cohort. <i>Developmental Medicine and Child Neurology</i> , 2023, 65, 517-525.                    | 1.1 | 0         |
| 37818 | Comparison of Anemia Screening Methods Using Paired Venous Samples in Women of Reproductive Age in Southern India. <i>Journal of Nutrition</i> , 2022, 152, 2978-2992.   | 1.3 | 1         |
| 37819 | Comparative analysis of Modified Thorington to the prism cover, von Graefe and Maddox rod tests. <i>African Vision and Eye Health</i> , 2022, 81, .  | 0.1 | 0         |
| 37820 | Algorithm for real-time analysis of intracoronary electrocardiogram. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .   | 1.1 | 1         |
| 37822 | Evaluation of nine formulas for estimating the body surface area of children with hematological malignancies. <i>Frontiers in Pediatrics</i> , 0, 10, .  | 0.9 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37823 | Comparison of the critical power estimated by the best fit method and the maximal lactate steady state. <i>Science and Sports</i> , 2023, 38, 197-206.   | 0.2 | 1         |
| 37824 | Establishing the Test-Retest Reliability and Minimal Detectable Change of the Multiple Sclerosis Resiliency Scale. <i>International Journal of MS Care</i> , 2023, 25, 15-19.  | 0.4 | 1         |
| 37825 | Emerging technology for early detection and management of postpartum hemorrhage to prevent morbidity. <i>American Journal of Obstetrics &amp; Gynecology MFM</i> , 2023, 5, 100742.  | 1.3 | 4         |
| 37826 | Validation, Recalibration, and Predictive Accuracy of Published $\dot{V}O_2\text{max}$ Prediction Equations for Adults Ages 50-96 Yr. <i>Medicine and Science in Sports and Exercise</i> , 2023, 55, 322-332.                    | 0.2 | 3         |
| 37827 | Absolute Reliability and Concurrent Validity of the Modified Goniometric Platform for Measuring Trunk Rotation in the Sitting Position. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 8891.                                  | 1.3 | 1         |
| 37828 | Assessment of thrombus using susceptibility-weighted filtered-phase images in patients with acute ischemic stroke. <i>Journal of Neuroimaging</i> , 2023, 33, 147-155.   | 1.0 | 0         |
| 37829 | Comparison of Three Workstations For Abdominal Aortic Aneurysm Sizing: Impact in Decision Making and Graft Selection. <i>Journal of Endovascular Therapy</i> , 0, , 152660282211207.   | 0.8 | 0         |
| 37830 | New Equations for Hydrostatic Weighing without Head Submersion. <i>Journal of Functional Morphology and Kinesiology</i> , 2022, 7, 70.   | 1.1 | 2         |
| 37831 | The Multistage 20-m Shuttle Run Test for Predicting $VO_2\text{Peak}$ in 6-9-Year-Old Children: A Comparison with $VO_2\text{Peak}$ Predictive Equations. <i>Biology</i> , 2022, 11, 1356.                                       | 1.3 | 0         |
| 37832 | A novel magnetic resonance imaging scoring system for active and chronic changes in children and adolescents with juvenile idiopathic arthritis of the hip. <i>Pediatric Radiology</i> , 2023, 53, 426-437.                      | 1.1 | 4         |
| 37833 | A comparison between the shoulder shifting test and seated reaching test by bland-altman plot: A pilot study. <i>Journal of Spinal Cord Medicine</i> , 0, , 1-8.   | 0.7 | 2         |
| 37835 | Vastus Lateralis and Vastus Intermedius as Predictors of Quadriceps Femoris Muscle Hypertrophy after Strength Training. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 9133.  | 1.3 | 0         |
| 37836 | Clinical tool to measure fluorescein patterns in orthokeratology. <i>PeerJ</i> , 0, 10, e14068.  | 0.9 | 0         |
| 37837 | Validity of three smartwatches in estimating energy expenditure during outdoor walking and running. <i>Frontiers in Physiology</i> , 0, 13, .  | 1.3 | 3         |
| 37838 | Interrater reliability of a customized submaximal cycle ergometer test. <i>European Journal of Applied Physiology</i> , 2023, 123, 43-48.  | 1.2 | 1         |
| 37839 | Comparison of High-Sensitivity C-Reactive Protein vs C-reactive Protein for Cardiovascular Risk Prediction in Chronic Cardiac Disease. <i>Journal of applied laboratory medicine</i> , The, 2022, 7, 1259-1271.                  | 0.6 | 4         |
| 37840 | A Novel Handheld Echocardiography Device with Continuous-Wave Doppler Capability: Implications for the Evaluation of Aortic Stenosis Severity. <i>Journal of the American Society of Echocardiography</i> , 2022, 35, 1273-1280. | 1.2 | 4         |
| 37841 | Direct labeling of milk cells without centrifugation for counting total and differential somatic cells using flow cytometry. <i>Journal of Dairy Science</i> , 2022, 105, 8705-8717.   | 1.4 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37842 | Which Histometric Analysis Approach Is More Reliable for Assessing Histological Bone Tissue Samples?. <i>Medicina (Lithuania)</i> , 2022, 58, 1364.  | 0.8 | 0         |
| 37843 | Translation, Validity, and Reliability of the Dutch Anterior Cruciate Ligamentâ€“Quality of Life Questionnaire. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712211232.   | 0.8 | 0         |
| 37844 | Agreement of the 12-item World Health Organization Disability Assessment Schedule (WHODAS) 2.0 in parents and youth with physical illness living in Canada. <i>Disability and Rehabilitation</i> , 2023, 45, 3125-3134.                                | 0.9 | 2         |
| 37845 | Reliability of a New Indentometer Device for Measuring Myofascial Tissue Stiffness. <i>Journal of Clinical Medicine</i> , 2022, 11, 5194.  | 1.0 | 7         |
| 37846 | Potential Impact of SPECT Resolution on Quantification of Left Ventricular Volumes and Ejection Fraction: A Phantom Study. <i>Journal of Medical and Biological Engineering</i> , 0, , .   | 1.0 | 0         |
| 37848 | Evaluation of the <sc>SpotChecks</sc> contrast sensitivity test in children. <i>Ophthalmic and Physiological Optics</i> , 0, , .   | 1.0 | 3         |
| 37850 | Determination of the optimum definition of growth evaluation for indeterminate pulmonary nodules detected in lung cancer screening. <i>PLoS ONE</i> , 2022, 17, e0274583.  | 1.1 | 3         |
| 37851 | Agreement and reliability of lower limb muscle architecture measurements using a portable ultrasound device. <i>Frontiers in Physiology</i> , 0, 13, .   | 1.3 | 2         |
| 37852 | Measurement of Heart Rate Using the Withings ScanWatch Device During Free-living Activities: Validation Study. <i>JMIR Formative Research</i> , 2022, 6, e34280.   | 0.7 | 1         |
| 37853 | Agreement between two photoplethysmography-based wearable devices for monitoring heart rate during different physical activity situations: a new analysis methodology. <i>Scientific Reports</i> , 2022, 12, .   | 1.6 | 4         |
| 37854 | A new anthropometric model for body composition estimation: Comparison with a bioelectrical impedance consumer device. <i>PLoS ONE</i> , 2022, 17, e0271880.   | 1.1 | 1         |
| 37855 | Novel Method for Estimating Propulsive Force Generated by Swimmersâ€™ Hands Using Inertial Measurement Units and Pressure Sensors. <i>Sensors</i> , 2022, 22, 6695.  | 2.1 | 4         |
| 37856 | High-Performance Liquid Chromatography for Ultra-Simple Determination of Plasma Voriconazole Concentration. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 1035.  | 1.5 | 1         |
| 37857 | Comparison Between QT and Corrected QT Interval Assessment by an Apple Watch With the AccurBeat Platform and by a 12-lead Electrocardiogram With Manual Annotation: Prospective Observational Study. <i>JMIR Formative Research</i> , 2022, 6, e41241. | 0.7 | 4         |
| 37858 | Reliability of velocity pulsatility in small vessels on 3Tesla MRI in the basal ganglia: a test-retest study. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 0, , .   | 1.1 | 0         |
| 37859 | Validation of the food frequency questionnaire for the assessment of dietary vitamin D intake. <i>Frontiers in Nutrition</i> , 0, 9, .   | 1.6 | 2         |
| 37860 | The effect of COVID-19 lockdown restrictions on Oswestry disability index scores: a comparative cross-sectional study. <i>European Spine Journal</i> , 0, , .  | 1.0 | 0         |
| 37861 | Validation of StepTest4all for Assessing Cardiovascular Capacity in Young Adults. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 11274.  | 1.2 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37862 | Agreement Between Measures of Adherence to Isoniazid Preventive Therapy Among People With HIV in Uganda. <i>Open Forum Infectious Diseases</i> , 2022, 9, .  | 0.4 | 2         |
| 37863 | Development of an <i>in vivo</i> radiographic method with potential for use in improving bone quality and the welfare of laying hens through genetic selection. <i>British Poultry Science</i> , 0, , 1-10.  | 0.8 | 0         |
| 37864 | Flow cytometry lyophilised-reagent tube for quantifying peripheral blood neutrophil myeloperoxidase expression in myelodysplastic syndromes (MPO-MDS-Develop): protocol for a diagnostic accuracy study. <i>BMJ Open</i> , 2022, 12, e065850.                                    | 0.8 | 0         |
| 37865 | A Critical Assessment of Friedenwald's Technique for Estimating the Coefficient of Rigidity of the Cornea. <i>Journal of Ophthalmology</i> , 2022, 2022, 1-8.  | 0.6 | 0         |
| 37866 | Effect of trunk exercise upon lumbar IVD height and vertebral compliance when performed supine with 1Åg at the CoM compared to upright in 1Åg. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2022, 14, .  | 0.7 | 1         |
| 37867 | Validation of cardiac output estimation using the fourth-generation FloTrac/EV1000â„¢ system in patients undergoing robotic-assisted off-pump coronary artery bypass surgery. <i>Heart and Vessels</i> , 2023, 38, 341-347.  | 0.5 | 5         |
| 37868 | Accuracy and Precision of Opportunistic Measures of Body Composition from the Tanita DC-430U. <i>Childhood Obesity</i> , 2023, 19, 470-478.  | 0.8 | 2         |
| 37869 | Moving Stimulus Perimetry: A New Functional Test for Glaucoma. <i>Translational Vision Science and Technology</i> , 2022, 11, 9.   | 1.1 | 1         |
| 37870 | The reliability and agreement of scores in a novel balance measure for older adults: Specific Training According to Balance Evaluation (STABLE). <i>Disability and Rehabilitation</i> , 0, , 1-13.   | 0.9 | 0         |
| 37871 | Agreement and participants's preferences comparing: self-rated falls risk questionnaire (FRQ) and activities-specific balance confidence (ABC) scale in community-dwelling older adults using the Bland-Altman method. <i>Quality in Ageing and Older Adults</i> , 2022, 23, 85. | 0.4 | 0         |
| 37872 | A deep learning approach to real-time volumetric measurements without image reconstruction for cardiovascular magnetic resonance. <i>Physiological Measurement</i> , 2022, 43, 105003.   | 1.2 | 1         |
| 37873 | Self-calibrated through-time spiral <i>GRAPPA</i> for real-time, free-breathing evaluation of left ventricular function. <i>Magnetic Resonance in Medicine</i> , 0, , .  | 1.9 | 4         |
| 37874 | Standardizing submaximal exercise intensities for use of supine push-pull exercise during cardiovascular magnetic resonance. <i>Clinical Physiology and Functional Imaging</i> , 2023, 43, 10-19.  | 0.5 | 1         |
| 37875 | Translation and validation of convergence insufficiency symptom survey to Italian: Psychometric results. <i>Journal of Optometry</i> , 2022, , .   | 0.7 | 0         |
| 37876 | A Wearable Electrocardiography Armband Resilient Against Artifacts. <i>IEEE Sensors Journal</i> , 2022, 22, 18970-18977.   | 2.4 | 2         |
| 37877 | EYEMATE-SC Trial. <i>Ophthalmology</i> , 2023, 130, 304-312.   | 2.5 | 5         |
| 37878 | Patient Unique Stigmatization Holistic tool in dermatology (PUSHâ„¢): Development and validation of a dermatology-specific stigmatization assessment tool. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2023, 37, 443-450.                            | 1.3 | 6         |
| 37879 | Influence of the frame of reference on head acceleration events recorded by instrumented mouthguards in community rugby players. <i>BMJ Open Sport and Exercise Medicine</i> , 2022, 8, e001365.   | 1.4 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37880 | Remote sensing of vital signs by medical radar time-series signal using cardiac peak extraction and adaptive peak detection algorithm: Performance validation on healthy adults and application to neonatal monitoring at an NICU. <i>Computer Methods and Programs in Biomedicine</i> , 2022, 226, 107163. | 2.6 | 6         |
| 37881 | Visual body composition assessment methods: A 4-compartment model comparison of smartphone-based artificial intelligence for body composition estimation in healthy adults. <i>Clinical Nutrition</i> , 2022, 41, 2464-2472.  | 2.3 | 10        |
| 37883 | Longitudinal microstructural MRI markers of demyelination and neurodegeneration in early relapsing-remitting multiple sclerosis: Magnetisation transfer, water diffusion and g-ratio. <i>NeuroImage: Clinical</i> , 2022, 36, 103228.   | 1.4 | 8         |
| 37884 | Conventional Machine Learning Methods Applied to the Automatic Diagnosis of Sleep Apnea. <i>Advances in Experimental Medicine and Biology</i> , 2022, , 131-146.  | 0.8 | 4         |
| 37885 | Comparison between predicted and measured resting energy expenditures in Korean male collegiate soccer players. <i>Physical Activity and Nutrition</i> , 2022, 26, 025-031.   | 0.4 | 1         |
| 37886 | Respiratory threshold as a new threshold determination method based on respiratory responses and itâ€™s success to indicate critical power. <i>Spor Bilimleri Dergisi Hacettepe Âçeniversitesi</i> , 0, , .   | 0.3 | 0         |
| 37889 | Agreement between two methods for assessment of maximal inspiratory pressure in patients weaning from mechanical ventilation. <i>Acute and Critical Care</i> , 0, , .   | 0.6 | 0         |
| 37890 | Measurement Properties of the Duke Activity Status Index in Arab Patients with Cardiovascular Disease. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 13783.  | 1.2 | 0         |
| 37891 | Prediction of fat-free mass in a multi-ethnic cohort of infants using bioelectrical impedance: Validation against the PEA POD. <i>Frontiers in Nutrition</i> , 0, 9, .  | 1.6 | 2         |
| 37893 | Inter-eye and postoperative prediction of vault after implantation of EVOâ€™+â€™Visian phakic implantable collamer lens. <i>International Ophthalmology</i> , 2023, 43, 1501-1510.  | 0.6 | 3         |
| 37894 | Development and validation of a computerized web-based quantitative food frequency questionnaire. <i>Clinical Nutrition ESPEN</i> , 2022, , .   | 0.5 | 0         |
| 37895 | Discrepancies in self-reported and measured anthropometric measurements and indices among older Australians: prevalence and correlates. <i>BMC Public Health</i> , 2022, 22, .  | 1.2 | 1         |
| 37896 | The SGLT2 inhibitor empagliflozin reduces tissue sodium content in patients with chronic heart failure: results from a placebo-controlled randomised trial. <i>Clinical Research in Cardiology</i> , 2023, 112, 134-144.  | 1.5 | 11        |
| 37897 | Automated assessment of visual aesthetics of Android user interfaces with deep learning. , 2022, , .  |     | 1         |
| 37898 | Viability droplet digital polymerase chain reaction accurately enumerates probiotics and provides insight into damage experienced during storage. <i>Frontiers in Microbiology</i> , 0, 13, .   | 1.5 | 1         |
| 37899 | Evaluation and Validation of the Limited Sampling Strategy of Polymyxin B in Patients with Multidrug-Resistant Gram-Negative Infection. <i>Pharmaceutics</i> , 2022, 14, 2323.  | 2.0 | 2         |
| 37900 | Predicting energy intake with an accelerometer-based intake-balance method. <i>British Journal of Nutrition</i> , 0, , 1-23.  | 1.2 | 1         |
| 37902 | Correlation of impedance cardiography-derived and cardiac magnetic resonance-derived stroke volumes. <i>Current Problems in Cardiology</i> , 2022, , 101457.  | 1.1 | 6         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37903 | Acute response of biomarkers in plasma from capillary blood after a strenuous endurance exercise bout. <i>European Journal of Applied Physiology</i> , 2023, 123, 179-189.  | 1.2 | 3         |
| 37906 | Construct validity and reliability of the Informal Caregiver Burden Assessment Questionnaire (QASCI) in caregivers of patients with COPD. <i>Respiratory Medicine</i> , 2022, , 107027.   | 1.3 | 0         |
| 37907 | Optical biometry and IOL calculation in a commercially-available optical coherence tomography device and comparison with Pentacam AXL. <i>American Journal of Ophthalmology</i> , 2022, , .   | 1.7 | 3         |
| 37908 | Agreement of the Newly Developed Moyers' Equations and Moyers' Tables. <i>European Journal of Dentistry</i> , 2023, 17, 673-677.  | 0.8 | 1         |
| 37909 | Reliability and Validity of the Korean Matrix Sentence-in-Noise Recognition Test for Older Listeners with Normal Hearing and with Hearing Impairment. <i>Audiology and Speech Research</i> , 2022, 18, 213-221.   | 0.1 | 1         |
| 37910 | Transepicondylar distance measured on MRI can predict the length of the graft required for different anterior cruciate ligament reconstruction (ACLR) techniques useful for revision surgery. <i>Journal of Orthopaedics and Traumatology</i> , 2022, 23, . | 1.0 | 0         |
| 37911 | The correlation between different ultrasound planes and computed tomography measures of abdominal aortic aneurysms. <i>Australasian Journal of Ultrasound in Medicine</i> , 0, , .  | 0.3 | 1         |
| 37912 | Comparison between Chest-Worn Accelerometer and Gyroscope Performance for Heart Rate and Respiratory Rate Monitoring. <i>Biosensors</i> , 2022, 12, 834.  | 2.3 | 9         |
| 37913 | Morphometry of thenar muscles by water bath ultrasonography in trapeziometacarpal osteoarthritis: intra- and inter-rater reliability. <i>Journal of Hand Surgery: European Volume</i> , 0, , 175319342211306.   | 0.5 | 2         |
| 37914 | Concurrent validity of DorsaVi wireless motion sensor system Version 6 and the Vicon motion analysis system during lifting. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, .  | 0.8 | 4         |
| 37915 | A comparative study on coagulation and hematologic laboratory techniques for blood sampling using the push-pull method from a CVC versus venipuncture. <i>Journal of Vascular Access</i> , 2024, 25, 615-624.   | 0.5 | 2         |
| 37916 | Preliminary Assessment of a Flexible Multi-Sensor Wearable System Based on Fiber Bragg Gratings for Respiratory Monitoring of Hemiplegic Patients. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 13525.              | 1.2 | 4         |
| 37917 | Developing a generic relation for predicting sediment pick-up rate using symbolic soft computing techniques. <i>Environmental Science and Pollution Research</i> , 2023, 30, 18509-18521.   | 2.7 | 1         |
| 37918 | Cardiorespiratory Fitness Estimation Based on Heart Rate and Body Acceleration in Adults With Cardiovascular Risk Factors: Validation Study. <i>JMIR Cardio</i> , 2022, 6, e35796.  | 0.7 | 1         |
| 37919 | Accuracy of a self-report prescription opioid use diary for patients discharge from the emergency department with acute pain: a multicentre prospective cohort study. <i>BMJ Open</i> , 2022, 12, e062984.  | 0.8 | 0         |
| 37920 | Development and validation of bioelectrical impedance prediction equations estimating regional lean soft tissue mass in middle-aged adults. <i>European Journal of Clinical Nutrition</i> , 2023, 77, 202-211.  | 1.3 | 2         |
| 37922 | Artificial neural networks for non-linear age correction of diffusion metrics in the brain. <i>Frontiers in Aging Neuroscience</i> , 0, 14, .   | 1.7 | 2         |
| 37923 | Dietary Isorhamnetin Intake Is Inversely Associated with Coronary Artery Disease Occurrence in Polish Adults. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 12546.   | 1.2 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37924 | Static mandibular condyle positions studied by MRI and condylar position indicator. <i>Scientific Reports</i> , 2022, 12, .  | 1.6 | 2         |
| 37925 | Environmental DNA metabarcoding is a promising method for assaying fish diversity in cenotes of the Yucatán Peninsula, Mexico. <i>Metabarcoding and Metagenomics</i> , 0, 6, .   | 0.0 | 1         |
| 37926 | Identification of COPD Inflammatory Endotypes Using Repeated Sputum Eosinophil Counts. <i>Biomedicines</i> , 2022, 10, 2611.   | 1.4 | 4         |
| 37927 | Improving the Bias of Comparator Methods in Analytical Performance Assessments Through Recalibration. <i>Journal of Diabetes Science and Technology</i> , 0, , 193229682211331.  | 1.3 | 6         |
| 37928 | Spontaneous facet joint fusion in patients following oblique lateral lumbar interbody fusion combined with lateral single screw-rod fixation: prevalence, characteristics and significance. <i>European Spine Journal</i> , 0, , . | 1.0 | 0         |
| 37930 | The Bilingual Code-Switching Profile (BCSP). <i>Linguistic Approaches To Bilingualism</i> , 2024, 14, 400-433.   | 0.6 | 2         |
| 37932 | Prediction and validation of total and regional skeletal muscle volume by using anthropometric measurements in prepubertal Japanese children. <i>British Journal of Nutrition</i> , 0, , 1-17.                                     | 1.2 | 0         |
| 37933 | How Repeatable Is the Ergogenic Effect of Caffeine? Limited Reproducibility of Acute Caffeine (3) Tj ETQq1 1 0.784314 rgBT /2 Overlock 1   | 1.7 | 2         |
| 37935 | Development and Validation of an Anthropometric Equation to Predict Fat Mass Percentage in Professional and Semi-Professional Male Futsal Players. <i>Nutrients</i> , 2022, 14, 4514.  | 1.7 | 7         |
| 37936 | Validity and Tolerability of Awake Calibration of an Accelerometer Neuromuscular Monitor. <i>Anesthesiology</i> , 2022, , .  | 1.3 | 0         |
| 37937 | Comparison of Estimated LDL Cholesterol Equations with Direct Measurement in Patients with Angiographically Confirmed Coronary Artery Disease. <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 342.            | 0.8 | 1         |
| 37938 | Validation of deep learning-based markerless 3D pose estimation. <i>PLoS ONE</i> , 2022, 17, e0276258.   | 1.1 | 2         |
| 37939 | A new accelerometer (Fibion) device provides valid sedentary and upright time measurements compared to the ActivPAL4 in healthy individuals. <i>Heliyon</i> , 2022, 8, e11103.   | 1.4 | 5         |
| 37940 | Bioimpedance and Dual-Energy X-ray Absorptiometry Are Not Equivalent Technologies: Comparing Fat Mass and Fat-Free Mass. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 13940.               | 1.2 | 2         |
| 37941 | Airwave oscillometry and spirometry in children with asthma or wheeze. <i>Journal of Asthma</i> , 2023, 60, 1153-1161.   | 0.9 | 2         |
| 37942 | Clinical value of deep vein thrombosis density on pre-contrast and post-contrast lower-extremity CT for prediction of pulmonary thromboembolism. <i>Acta Radiologica</i> , 0, , 028418512211312.                                   | 0.5 | 0         |
| 37943 | Sarcopenia is associated with mortality in patients with COVID-19 independent of other demographic risk factors. <i>The European Research Journal</i> , 0, , 1-8.  | 0.1 | 1         |
| 37944 | Early corticosteroid dose tapering in patients with acute exacerbation of idiopathic pulmonary fibrosis. <i>Respiratory Research</i> , 2022, 23, .   | 1.4 | 5         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37945 | Glenoid Inclination: Choosing the Transverse Axis Is Critical—A 3D Automated versus Manually Measured Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 6050.  | 1.0 | 2         |
| 37946 | Reliability and Reference Norms of Single Heel-Rise Test Among Children: A Cross-sectional Study. <i>Journal of Foot and Ankle Surgery</i> , 2023, 62, 426-431.   | 0.5 | 1         |
| 37947 | The validity and reliability of counter movement jump height measured with the Polar Vantage V2 sports watch. <i>Frontiers in Sports and Active Living</i> , 0, 4, .  | 0.9 | 4         |
| 37948 | Virtual Anthropology: Forensic applications to cranial skeletal remains from the Spanish Civil War. <i>Forensic Science International</i> , 2022, , 111504.   | 1.3 | 4         |
| 37949 | Validation of Conversion Factors for Therapeutic Drug Monitoring of Lacosamide, Lamotrigine, and Levetiracetam in Dried Capillary Blood. <i>Therapeutic Drug Monitoring</i> , 2022, Publish Ahead of Print, .                           | 1.0 | 0         |
| 37951 | The CLOSED protocol to assess optic nerve sheath diameter using color-Doppler: a comparison study in a cohort of idiopathic normal pressure hydrocephalus patients. <i>Ultrasound Journal</i> , 2022, 14, .                             | 1.3 | 10        |
| 37952 | Measuring pure ground-glass nodules on computed tomography: assessing agreement between a commercially available deep learning algorithm and radiologists'™ readings. <i>Acta Radiologica</i> , 2023, 64, 1422-1430.                    | 0.5 | 3         |
| 37953 | Validation of an automated sleep detection algorithm using data from multiple accelerometer brands. <i>Journal of Sleep Research</i> , 2023, 32, .  | 1.7 | 9         |
| 37954 | Assessment of spine length in scoliosis patients using EOS imaging: a validity and reliability study. <i>European Spine Journal</i> , 2022, 31, 3527-3535.  | 1.0 | 3         |
| 37955 | Association of complement C3 inhibitor pegcetacoplan with reduced photoreceptor degeneration beyond areas of geographic atrophy. <i>Scientific Reports</i> , 2022, 12, .  | 1.6 | 9         |
| 37956 | Thermal imaging of increment cores: a new method to estimate sapwood depth in trees. <i>Trees - Structure and Function</i> , 2023, 37, 349-359.   | 0.9 | 1         |
| 37957 | How many times should we repeat measurements of the ultrasound-guided attenuation parameter for evaluating hepatic steatosis?. <i>Ultrasonography</i> , 2023, 42, 227-237.  | 1.0 | 1         |
| 37958 | Precision estimates of relative and absolute cerebral blood flow in Alzheimer's™ disease and cognitively normal individuals. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2023, 43, 369-378.                                  | 2.4 | 2         |
| 37959 | Validity and reliability of a semi-quantitative food frequency questionnaire in groups at high risk for cardiovascular diseases. <i>Nutrition Journal</i> , 2022, 21, .   | 1.5 | 3         |
| 37960 | Determining the reliable feature change in longitudinal radiomics studies: A methodological approach using the reliable change index. <i>Medical Physics</i> , 0, , .   | 1.6 | 0         |
| 37961 | Reliability of using a pressure sensor system to measure in-water force in young competitive swimmers. <i>Frontiers in Bioengineering and Biotechnology</i> , 0, 10, .  | 2.0 | 6         |
| 37962 | Impact of a 5-Year Mass Drug Administration Programme for Soil-Transmitted Helminthiases on the Spatial Distribution of Childhood Anaemia in Burundi from 2007 to 2011. <i>Tropical Medicine and Infectious Disease</i> , 2022, 7, 307. | 0.9 | 1         |
| 37963 | Validation of a multi-frequency bioelectrical impedance analysis device for the assessment of body composition in older adults with type 2 diabetes. <i>Nutrition and Diabetes</i> , 2022, 12, .  | 1.5 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 37964 | Development and clinical validation of CT-based regional modified Centiloid method for amyloid PET. <i>Alzheimer's Research and Therapy</i> , 2022, 14, .  | 3.0 | 3         |
| 37965 | Two different smartwatches exhibit high accuracy in evaluating heart rate and peripheral oxygen saturation in cats when compared with the electrocardiography and transmittance pulse oximetry. <i>Journal of the American Veterinary Medical Association</i> , 2022, , 1-5. | 0.2 | 0         |
| 37966 | SpiroMask: Measuring Lung Function Using Consumer-Grade Masks. <i>ACM Transactions on Computing for Healthcare</i> , 2023, 4, 1-34.  | 3.3 | 0         |
| 37967 | Comparison of glomerular filtration rate estimating formulas among Japanese adults without kidney disease. <i>Clinical Biochemistry</i> , 2023, 111, 54-59.  | 0.8 | 5         |
| 37968 | Laying the foundation for enhancing safety of desmopressin in older people: Validation of capillary blood sodium levels. <i>Neurourology and Urodynamics</i> , 2023, 42, 303-308.  | 0.8 | 0         |
| 37969 | BES TESTâ„¢ accuracy evaluation by means of 3D-printed phantoms. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 0, , 095440622211336.  | 1.1 | 0         |
| 37970 | Vital Signs Sensing Gown Employing ECG-Based Intelligent Algorithms. <i>Biosensors</i> , 2022, 12, 964.  | 2.3 | 1         |
| 37971 | Study protocol for a multicentre comparative diagnostic accuracy study of tools to establish the presence and severity of peripheral arterial disease in people with diabetes mellitus: the DM PAD study. <i>BMJ Open</i> , 2022, 12, e066950.                               | 0.8 | 0         |
| 37972 | Effectiveness of smart wrist wearables for distinguishing physical and cognitive demands. <i>IJSE Transactions on Healthcare Systems Engineering</i> , 2023, 13, 150-160.  | 1.2 | 0         |
| 37973 | Accuracy and reliability of the expected root position setup to evaluate root proximity of an edentulous site. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2022, 162, 753-762.   | 0.8 | 0         |
| 37974 | The association between pre-gravid and first trimester maternal weight and its implications for clinical research studies. <i>Scientific Reports</i> , 2022, 12, .   | 1.6 | 1         |
| 37975 | High precision but systematic offset in a standing bioelectrical impedance analysis (BIA) compared with dual-energy X-ray absorptiometry (DXA). <i>BMJ Nutrition, Prevention and Health</i> , 2022, 5, 254-262.  | 1.9 | 2         |
| 37976 | Ultrasonic Evaluation of the Heel Fat Pad Under Loading Conditions Using a Polymethylpentene Resin Plate: Part 2. Reliability and Agreement Study. <i>Ultrasound in Medicine and Biology</i> , 2022, , .   | 0.7 | 0         |
| 37977 | Normal percentile reference curves for skin ultrasound thickness and stiffness at Rodnan sites. <i>RMD Open</i> , 2022, 8, e002577.  | 1.8 | 4         |
| 37978 | Stride frequency derived from GPS speed fluctuations in galloping horses. <i>Journal of Biomechanics</i> , 2022, 145, 111364.  | 0.9 | 2         |
| 37979 | The derivation of denitrification conditions in groundwater: Combined method approach and application for Germany. <i>Ecological Indicators</i> , 2022, 144, 109564.   | 2.6 | 8         |
| 37980 | Validation of new automated turbidimetric immunoassays for the measurement of haptoglobin and interaction with trypsin inhibitor heavy chain <sc>H4</sc> specific for the bovine species. <i>Veterinary Clinical Pathology</i> , 0, , .                                      | 0.3 | 1         |
| 37981 | A 72-channel receive array coil allows whole-heart cine MRI in two breath holds. <i>European Radiology Experimental</i> , 2022, 6, .   | 1.7 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 37984 | Kidney disease burden in an Asian Indian population: Effect of the new 2021 serum creatinine CKD-EPI equation. <i>Diabetes Research and Clinical Practice</i> , 2022, 193, 110120.  | 1.1 | 4         |
| 37986 | Evaluation of a novel heparin-iloprost-based antithrombotic formulation blood collection tube for clinical usage. <i>Clinica Chimica Acta</i> , 2022, 537, 87-95.   | 0.5 | 0         |
| 37987 | In vitro digestibility of dietary proteins and in vitro DIAAS analytical workflow based on the INFOGEST static protocol and its validation with in vivo data. <i>Food Chemistry</i> , 2023, 404, 134720.                                  | 4.2 | 27        |
| 37988 | Interobserver Variability in Injury Severity Scoring After Combat Trauma: Different Perspectives, Different Values?. <i>Journal of Special Operations Medicine: A Peer Reviewed Journal for SOF Medical Professionals</i> , 2015, 15, 86. | 0.1 | 4         |
| 37989 | A comparison of albumin and urea as reference markers in bronchoalveolar lavage fluid from patients with interstitial lung disease. <i>European Respiratory Journal</i> , 1990, 3, 152-156.   | 3.1 | 55        |
| 37990 | Inhibition of adenosine 5'-monophosphate- and methacholine-induced bronchoconstriction in asthma by inhaled frusemide. <i>European Respiratory Journal</i> , 1990, 3, 665-672.  | 3.1 | 52        |
| 37991 | Non-invasive determination of alveolar pressure during mechanical ventilation. <i>European Respiratory Journal</i> , 1991, 4, 1275-1283.  | 3.1 | 30        |
| 37992 | Lung volumes measured by the forced rebreathing technique in children with airways obstruction. <i>European Respiratory Journal</i> , 1992, 5, 879-886.   | 3.1 | 5         |
| 37993 | Measurement of carbon monoxide transfer and lung volume in ventilated subjects. <i>European Respiratory Journal</i> , 1993, 6, 231-236.   | 3.1 | 15        |
| 37994 | Reliability of a monitoring system for respiratory emergency room admissions. <i>European Respiratory Journal</i> , 1993, 6, 337-341.   | 3.1 | 23        |
| 37995 | Differences between sniff mouth pressures and static maximal inspiratory mouth pressures. <i>European Respiratory Journal</i> , 1993, 6, 541-546.   | 3.1 | 13        |
| 37996 | Cross-tachyphylactic airway response to inhaled bradykinin, kallidin and [desArg9]-bradykinin in asthmatic subjects. <i>European Respiratory Journal</i> , 1993, 6, 687-693.  | 3.1 | 7         |
| 37997 | The leukotriene-receptor antagonist MK-0679 blocks airway obstruction induced by inhaled lysine-aspirin in aspirin-sensitive asthmatics. <i>European Respiratory Journal</i> , 1993, 6, 1018-1026.  | 3.1 | 120       |
| 37998 | Accuracy and sensitivity of the interrupter technique for measuring the response to bronchial challenge in normal subjects. <i>European Respiratory Journal</i> , 1993, 6, 996-1003.  | 3.1 | 62        |
| 37999 | Phrenic nerve stimulation at the bedside in children; equipment and validation. <i>European Respiratory Journal</i> , 1993, 6, 1332-1335.   | 3.1 | 9         |
| 38000 | Effect of oral terfenadine on bronchoconstrictor response to inhaled neurokinin A and histamine in asthmatic subjects. <i>European Respiratory Journal</i> , 1993, 6, 1462-1467.  | 3.1 | 7         |
| 38001 | Evaluation of an ambulatory device, CID 102, in the diagnosis of obstructive sleep apnoea syndrome. <i>European Respiratory Journal</i> , 1995, 8, 795-800.   | 3.1 | 18        |
| 38002 | An exercise challenge for epidemiological studies of childhood asthma: validity and repeatability. <i>European Respiratory Journal</i> , 1995, 8, 729-736.  | 3.1 | 116       |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38003 | Inhaled lysine acetylsalicylate (L-ASA) attenuates the bronchoconstrictor response to adenosine 5'-monophosphate (AMP) in asthmatic subjects. <i>European Respiratory Journal</i> , 1995, 8, 905-912.                          | 3.1 | 23        |
| 38004 | Effect of regular inhaled beclomethasone on exercise and methacholine airway responses in school children with recurrent wheeze. <i>European Respiratory Journal</i> , 1995, 8, 1488-1493.                                     | 3.1 | 54        |
| 38005 | Comparison of ResMed AutoSet (version 3.03) with polysomnography in the diagnosis of the sleep apnoea/hypopnoea syndrome. <i>European Respiratory Journal</i> , 1997, 10, 587-591.   | 3.1 | 54        |
| 38006 | Accurate measurement of intrinsic positive end-expiratory pressure: how to detect and correct for expiratory muscle activity. <i>European Respiratory Journal</i> , 1997, 10, 522-529.   | 3.1 | 26        |
| 38007 | Activity of inhaled lysine acetylsalicylate (L-ASA) on bradykinin-induced bronchoconstriction in asthmatics: evidence of contribution of prostaglandins. <i>European Respiratory Journal</i> , 1997, 10, 866-871.              | 3.1 | 7         |
| 38008 | Bronchial reactivity to cigarette smoke in smokers: repeatability, relationship to methacholine reactivity, smoking and atopy. <i>European Respiratory Journal</i> , 1998, 11, 670-676.  | 3.1 | 16        |
| 38009 | Nasal airflow resistance measurement: forced oscillation technique versus posterior rhinomanometry. <i>European Respiratory Journal</i> , 1998, 11, 720-725.   | 3.1 | 10        |
| 38010 | Individual lung blood flow during unilateral hypoxia: effects of inhaled nitric oxide. <i>European Respiratory Journal</i> , 1998, 11, 565-570.  | 3.1 | 12        |
| 38011 | Accuracy of a pulse oximeter in the measurement of the oxyhaemoglobin saturation. <i>European Respiratory Journal</i> , 1998, 11, 716-719.   | 3.1 | 11        |
| 38012 | Repeatability of Duplex Ultrasound Venous Reflux Parameters. <i>The Japanese Journal of Phlebology</i> , 2003, 14, 347-352.  | 0.0 | 0         |
| 38014 | Inter-observer agreement on apnoea hypopnoea index using portable monitoring of respiratory parameters. <i>Swiss Medical Weekly</i> , 0, , .   | 0.8 | 7         |
| 38015 | In vivo validation of the time domain velocity measurement technique of blood flow in human fetuses. , 0, , 54-54.   |     | 0         |
| 38016 | Robust Respiratory Rate Monitoring Using Smartwatch Photoplethysmography. <i>IEEE Internet of Things Journal</i> , 2023, 10, 4830-4844.  | 5.5 | 2         |
| 38017 | Center of mass velocity comparison using a whole body magnetic inertial measurement unit system and force platforms in well trained sprinters in straight-line and curve sprinting. <i>Gait and Posture</i> , 2023, 99, 90-97. | 0.6 | 4         |
| 38018 | Computational thermochemistry of oxygenated polycyclic aromatic hydrocarbons and relevant radicals. <i>Combustion and Flame</i> , 2023, 247, 112484.   | 2.8 | 3         |
| 38019 | Estimation of respiratory rate and exhale duration using audio signals recorded by smartphone microphones. <i>Biomedical Signal Processing and Control</i> , 2023, 80, 104318.   | 3.5 | 8         |
| 38020 | Assessment method of balance ability of older adults using an in-shoe motion sensor. , 2022, , .   |     | 3         |
| 38021 | Accuracy and reliability of the optoelectronic plethysmography and the heart rate systems for measuring breathing rates compared with the spirometer. <i>Scientific Reports</i> , 2022, 12, .                                  | 1.6 | 3         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 38022 | Obstructive Sleep Apnea Detection Based on Sleep Sounds via Deep Learning. <i>Nature and Science of Sleep</i> , 0, Volume 14, 2033-2045.  | 1.4 | 5         |
| 38023 | Cross-cultural adaptation and validation of the Kerlan-Jobe Orthopaedic Clinic shoulder and elbow score in Finnish-speaking overhead athletes. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2022, 14, .   | 0.7 | 4         |
| 38024 | Changes in self-reported and accelerometer-measured physical activity among pregnant TRICARE Beneficiaries. <i>BMC Public Health</i> , 2022, 22, .  | 1.2 | 4         |
| 38025 | Impact of Unintentional Air Leaks on Automatic Positive Airway Pressure Device Performance in Simulated Sleep Apnea Events. <i>Respiratory Care</i> , 2023, 68, 31-37.  | 0.8 | 3         |
| 38026 | Spanish Cross-Cultural Adaptation, Rasch Analysis and Validation of the Ocular Comfort Index (OCI) Questionnaire. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 15142.   | 1.2 | 0         |
| 38027 | Validity and reliability of the Rosacea Area and Severity Index: A novel scoring system for clinical assessment of rosacea severity. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2023, 37, 573-580.   | 1.3 | 3         |
| 38028 | Influence of Calcineurin Inhibitors and Genetic Polymorphism of Transporters on Enterohepatic Circulation and Exposure of Mycophenolic Acid in Chinese Adult Renal Allograft Recipients. <i>Journal of Clinical Pharmacology</i> , 2023, 63, 410-420.                     | 1.0 | 1         |
| 38029 | Stepping up with GGIR: Validity of step cadence derived from wrist-worn research-grade accelerometers using the verisense step count algorithm. <i>Journal of Sports Sciences</i> , 2022, 40, 2182-2190.  | 1.0 | 6         |
| 38030 | Agreement between the laboratory-based and non-laboratory-based WHO cardiovascular risk charts: a cross-sectional analysis of a national health survey in Peru. <i>BMJ Open</i> , 2022, 12, e063289.  | 0.8 | 4         |
| 38031 | Poor Agreement between Responses to the International Physical Activity Questionnaire and Objective ActiGraph® Data among Persons with Major Depressive or Bipolar Disorders. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 14913. | 1.2 | 0         |
| 38032 | Cross-Sectional Study of Cone Function in Age-Related Macular Degeneration Subjects with Non-Foveal Nascent Geographic Atrophy. <i>American Journal of Ophthalmology</i> , 2022, , .  | 1.7 | 1         |
| 38033 | Fetal heart foramen ovale area by three-dimensional ultrasound using stic in the rendering mode: reference range and applicability in congenital heart diseases. <i>International Journal of Cardiovascular Imaging</i> , 2023, 39, 531-539.                              | 0.7 | 0         |
| 38034 | Repeatability Assessment for Simultaneous Measurement of Arterial Blood Flow, Venous Oxygen Saturation and Muscle Perfusion following Dynamic Exercise.. <i>NMR in Biomedicine</i> , 0, , .   | 1.6 | 0         |
| 38035 | Telephone cognitive screening with older Aboriginal Australians: A preliminary study. <i>Australasian Journal on Ageing</i> , 0, , .  | 0.4 | 1         |
| 38036 | Myocardial workâ€”A new tool for early detection of rituximab, cyclophosphamide, doxorubicin, vincristine, prednisone chemotherapy inducedâ€œcardiotoxicity in hematological patients. <i>Journal of Clinical Ultrasound</i> , 2023, 51, 377-384.                         | 0.4 | 3         |
| 38037 | Short and Ultra-Short Implants, in Association with Simultaneous Internal Sinus Lift in the Atrophic Posterior Maxilla: A Five-Year Retrospective Study. <i>Materials</i> , 2022, 15, 7995.   | 1.3 | 1         |
| 38038 | Agreement between 24-hour urine and 24-hour food recall in measuring salt intake in primary school children in Australia. <i>Nutrition Journal</i> , 2022, 21, .  | 1.5 | 0         |
| 38039 | Left atrial strain quantified after myocardial infarction is associated with early left ventricular remodeling. <i>Echocardiography</i> , 0, , .  | 0.3 | 3         |

| #     | ARTICLE  | IF   | CITATIONS |
|-------|--|------|-----------|
| 38040 | Assessment of Cranial Deformation Indices by Automatic Smartphone-Based Photogrammetric Modelling. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 11499.  | 1.3  | 2         |
| 38041 | Mapping of the World Health Organization Quality of Life Brief (WHOQOL-BREF) to the EQ-5D-5L in the General Thai Population. <i>PharmacoEconomics - Open</i> , 0, , .  | 0.9  | 0         |
| 38042 | A new knee arthrometer demonstrated to be reliable and accurate to assess anterior tibial translation in comparison with stress radiographs. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2023, 143, 3241-3250.   | 1.3  | 4         |
| 38043 | Developing a video expert panel as a reference standard to evaluate respiratory rate counting in paediatric pneumonia diagnosis: protocol for a cross-sectional study. <i>BMJ Open</i> , 2022, 12, e067389.  | 0.8  | 1         |
| 38044 | Development of a Prediction Model for Ascending Aortic Diameter Among Asymptomatic Individuals. <i>JAMA - Journal of the American Medical Association</i> , 2022, 328, 1935.   | 3.8  | 9         |
| 38046 | From Unit to Dose: A Machine Learning Approach for Precise Prediction of Hemoglobin and Iron Content in Individual Packed Red Blood Cell Units. <i>Advanced Science</i> , 2022, 9, .   | 5.6  | 6         |
| 38047 | Free-breathing 2D radial cine MRI with respiratory auto-calibrated motion correction (RAMCO). <i>Magnetic Resonance in Medicine</i> , 0, , .   | 1.9  | 1         |
| 38048 | Comparison of a Scaled Cadaver-Based Musculoskeletal Model With a Clinical Upper Extremity Model. <i>Journal of Biomechanical Engineering</i> , 2023, 145, .   | 0.6  | 2         |
| 38049 | Psychometric properties of the Italian body shape questionnaire: an investigation of its reliability, factorial, concurrent, and criterion validity. <i>Eating and Weight Disorders</i> , 0, , .   | 1.2  | 6         |
| 38050 | Multi-level multi-type self-generated knowledge fusion for cardiac ultrasound segmentation. <i>Information Fusion</i> , 2023, 92, 1-12.  | 11.7 | 8         |
| 38051 | Comparison of Acoustic Voice Features Derived From Mobile Devices and Studio Microphone Recordings. <i>Journal of Voice</i> , 2022, , .  | 0.6  | 12        |
| 38052 | Reproducibility of diffusion tensor imaging-derived parameters: implications for the streptozotocin-induced type 1 diabetic rats. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 0, , .   | 1.1  | 2         |
| 38053 | Sprint Acceleration Mechanical Outputs Derived from Position or Velocity Time Data: A Multi-System Comparison Study. <i>Sensors</i> , 2022, 22, 8610.  | 2.1  | 8         |
| 38054 | The minimal erosive volume needed for radiographic identification of erosions in the metacarpophalangeal joints in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 0, , jrheum.220623.  | 1.0  | 0         |
| 38055 | Polysomnographic versus video scoring of large muscle group movements during sleep in children with restless sleep. <i>Sleep Medicine</i> , 2023, 101, 278-282.  | 0.8  | 1         |
| 38056 | Evaluation of a Linear Measurement Tool in Virtual Reality for Assessment of Multimodality Imaging Data: A Phantom Study. <i>Journal of Imaging</i> , 2022, 8, 304.  | 1.7  | 1         |
| 38057 | Neural network ensemble model for prediction of erythrocyte sedimentation rate (ESR) using partial least squares regression. <i>Scientific Reports</i> , 2022, 12, .   | 1.6  | 0         |
| 38058 | The Intra- and Inter-Rater Reliability of a Variety of Testing Methods to Measure Shoulder Range of Motion, Hand-behind-Back and External Rotation Strength in Healthy Participants. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 14442. | 1.2  | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38059 | Validation of the DYOP visual acuity test. <i>Journal of Optometry</i> , 2022, , .   | 0.7 | 2         |
| 38060 | The stallion sperm acrosome: Considerations from a research and clinical perspective. <i>Theriogenology</i> , 2022, , .  | 0.9 | 0         |
| 38062 | Performance Evaluation of the Fully Automated NeuMoDx RT-PCR Platform for the Quantification of CMV and EBV DNA in EDTA Plasma: Implications for Clinical Management and Establishment of a Conversion Formula. <i>Microbiology Spectrum</i> , 2022, 10, . | 1.2 | 1         |
| 38063 | Use of clinical tolerance limits for assessing agreement. <i>Statistical Methods in Medical Research</i> , 0, , 096228022211377.   | 0.7 | 1         |
| 38064 | Prospective Radiologic-Pathologic Correlation of macroscopic volume and microscopic extension of nonsolid lung nodules on Thin-section CT Images for sublobar resection and stereotactic radiotherapy planning. <i>Clinical Lung Cancer</i> , 2022, , .    | 1.1 | 0         |
| 38065 | Real-time analysis of heart rate variability during aerobic exercise in patients with cardiovascular disease. <i>IJC Heart and Vasculature</i> , 2022, 43, 101147.   | 0.6 | 2         |
| 38066 | Bronchodilator effect of nebulized sodium cromoglycate in children born prematurely. <i>European Respiratory Journal</i> , 1993, 6, 387-390.   | 3.1 | 0         |
| 38067 | Blood gas measurement during exercise: a comparative study between arterialized earlobe sampling and direct arterial puncture in adults. <i>European Respiratory Journal</i> , 1998, 11, 712-715.  | 3.1 | 41        |
| 38068 | How Do Classic (Static) RSA and Patient Motion Artifacts Affect the Assessment of Migration of a TKA Tibial Component? An In Vitro Study. <i>Clinical Orthopaedics and Related Research</i> , 2023, 481, 400-412.  | 0.7 | 2         |
| 38069 | Comparison of mainstream (Capnostat 5) and a low-flow sidestream capnometer (Capnostream) in mechanically ventilated, sevoflurane-anesthetized rabbits using a Bain coaxial delivery system. <i>Veterinary Anaesthesia and Analgesia</i> , 2022, , .       | 0.3 | 0         |
| 38070 | Evaluation of direct restorations using the revised FDI criteria: results from a reliability study. <i>Clinical Oral Investigations</i> , 0, , .   | 1.4 | 2         |
| 38071 | Comparative analysis of core and perfusion lesion volumes between commercially available computed tomography perfusion software. <i>European Stroke Journal</i> , 2023, 8, 259-267.  | 2.7 | 2         |
| 38072 | A comparative analysis of body composition assessment by BIA and DXA in children with type II and III spinal muscular atrophy. <i>Frontiers in Neurology</i> , 0, 13, .  | 1.1 | 1         |
| 38073 | Estimated glomerular filtration rates are higher when creatinine-based equations are compared to a cystatin C-based equation in COVID-19. <i>Acta Anaesthesiologica Scandinavica</i> , 0, , .  | 0.7 | 2         |
| 38075 | Comparative diagnostic accuracy between simplified and original flow cytometric gating strategies for peripheral blood neutrophil myeloperoxidase expression in ruling out myelodysplastic syndromes. <i>PLoS ONE</i> , 2022, 17, e0276095.                | 1.1 | 1         |
| 38076 | Validation of an Announced Telephone Pill Count Compared to a Home-Visit Pill Count in People With Type 2 Diabetes or Cardiovascular Disease. <i>Clinical Pharmacology in Drug Development</i> , 0, , .  | 0.8 | 0         |
| 38077 | Discrepancies Between Bayesian Vancomycin Models Can Affect Clinical Decisions in the Critically Ill. <i>Critical Care Research and Practice</i> , 2022, 2022, 1-7.  | 0.4 | 0         |
| 38078 | Detection and quantification of bacterial species DNA in bovine digital dermatitis lesions in swabs and fine-needle aspiration versus biopsies. <i>Frontiers in Veterinary Science</i> , 0, 9, .   | 0.9 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38079 | Motor Competence Assessment (MCA) Scoring Method. <i>Children</i> , 2022, 9, 1769.   | 0.6 | 0         |
| 38080 | A Low-Cost Test for Anemia Using an Artificial Neural Network. <i>Computer Methods and Programs in Biomedicine</i> , 2023, 229, 107251.  | 2.6 | 3         |
| 38081 | Group additivity values for the heat of formation of C <sub>2</sub> –C <sub>8</sub> alkanes, alkyl hydroperoxides, and their radicals. <i>Combustion and Flame</i> , 2023, 257, 112492.  | 2.8 | 7         |
| 38082 | How strong should my anchor be for estimating group and individual level meaningful change? A simulation study assessing anchor correlation strength and the impact of sample size, distribution of change scores and methodology on establishing a true meaningful change threshold. <i>Quality of Life Research</i> , 2023, 32, 1255-1264. | 1.5 | 3         |
| 38092 | Evidence for the roles of histamine and prostaglandins as mediators in exercise-induced asthma: the inhibitory effect of terfenadine and flurbiprofen alone and in combination. <i>European Respiratory Journal</i> , 1990, 3, 540-547.  | 3.1 | 85        |
| 38093 | The influence of cyclooxygenase inhibition on the loss of bronchoconstrictor response to repeated bradykinin challenge in asthma. <i>European Respiratory Journal</i> , 1990, 3, 914-921.  | 3.1 | 24        |
| 38094 | Accuracy of measurements of HbF with OSM3 in neonates and infants. <i>European Respiratory Journal</i> , 1992, 5, 105-107.   | 3.1 | 4         |
| 38095 | Determining fresh tomato weight using depth images from an AR headset. <i>IFAC-PapersOnLine</i> , 2022, 55, 119-123.   | 0.5 | 1         |
| 38096 | Test-Retest Reliability and Agreement of Single Pulse Transcranial Magnetic Stimulation (TMS) for Measuring Activity in Motor Cortex in Patients With Acute Ischemic Stroke. <i>Neuroscience Insights</i> , 2022, 17, 263310552211450.   | 0.9 | 1         |
| 38097 | Using Inertial Measurement Unit Sensor Single Axis Rotation Angles for Knee and Hip Flexion Angle Calculations During Gait. <i>IEEE Journal of Translational Engineering in Health and Medicine</i> , 2023, 11, 80-86.   | 2.2 | 2         |
| 38098 | Accuracy of radiostereometric analysis using a motorized Roentgen system in a pilot study for clinical simulation. <i>Medical Engineering and Physics</i> , 2023, 111, 103929.   | 0.8 | 1         |
| 38099 | The right strategy for you: Using the preferences of beef farmers to guide biosecurity recommendations for on-farm management of endemic disease. <i>Preventive Veterinary Medicine</i> , 2023, 210, 105813.   | 0.7 | 2         |
| 38100 | Test-retest reliability, agreement and construct validity of the International Physical Activity Questionnaire short-form (IPAQ-sf) in people with COPD. <i>Respiratory Medicine</i> , 2023, 206, 107087.  | 1.3 | 1         |
| 38101 | A hand motion capture method based on infrared thermography for measuring fine motor skills in biomedicine. <i>Artificial Intelligence in Medicine</i> , 2023, 135, 102474.  | 3.8 | 2         |
| 38102 | Flow-based method demonstrates improved accuracy for calculating wall shear stress in arterial flows from 4D flow MRI data. <i>Journal of Biomechanics</i> , 2023, 146, 111413.  | 0.9 | 0         |
| 38103 | Between-day reliability and minimum detectable change of the Conventional Gait Model 2 and Plug-in Gait Model during running. <i>Gait and Posture</i> , 2023, 100, 171-178.  | 0.6 | 2         |
| 38104 | Parallel non-Cartesian spatial-temporal dictionary learning neural networks (stDLNN) for accelerating 4D-MRI. <i>Medical Image Analysis</i> , 2023, 84, 102701.  | 7.0 | 4         |
| 38105 | Comparing the agreement of a commercial cortisol kit with a biologically validated assay in evaluating faecal cortisol metabolite levels in koala joeys. <i>Comparative Biochemistry and Physiology Part A, Molecular &amp; Integrative Physiology</i> , 2023, 276, 111353.  | 0.8 | 5         |



| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 38106 | 1D versus 3D blood flow velocity and pulsatility measurements of lenticulostriate arteries at 7T MRI. <i>Magnetic Resonance Imaging</i> , 2023, 96, 144-150.  | 1.0 | 1         |
| 38107 | HYDI-DSI revisited: Constrained non-parametric EAP imaging without q-space re-gridding. <i>Medical Image Analysis</i> , 2023, 84, 102728.   | 7.0 | 2         |
| 38108 | Oesophageal Doppler Ultrasound in the Assessment of Haemodynamic Status of Patients Admitted to the Medical Intensive Care Unit with Septic Shock. <i>Annals of the Academy of Medicine, Singapore</i> , 2009, 38, 699-703.                               | 0.2 | 8         |
| 38109 | Variables pre-analíticas que afectan las concentraciones de homocisteína: aplicación para biobancos con fines de investigación. <i>Medunab</i> , 2013, 16, 59-64.   | 0.0 | 1         |
| 38110 | Accuracy of estimates of serving size using digitally displayed food photographs among Japanese adults. <i>Journal of Nutritional Science</i> , 2022, 11, .   | 0.7 | 2         |
| 38111 | Validity and reproducibility of a food frequency questionnaire for breast cancer survivors in Korea. <i>Nutrition Research and Practice</i> , 2022, 16, 789.  | 0.7 | 1         |
| 38112 | Validity and accuracy of body fat prediction equations using anthropometric measurements in children 7-10 years old. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 0, 24, .  | 0.5 | 0         |
| 38113 | Assessment of a Multi-Sensor FBG-Based Wearable System in Sitting Postures Recognition and Respiratory Rate Evaluation of Office Workers. <i>IEEE Transactions on Biomedical Engineering</i> , 2023, 70, 1673-1682.                                       | 2.5 | 6         |
| 38114 | Accuracy of Soft Tissue Changes by Manual Prediction and Digital Prediction Using Computer Software for Mandibular Advancement Surgery. <i>The Japanese Journal of Jaw Deformities</i> , 2022, 32, 274-282.   | 0.1 | 0         |
| 38115 | Reliability of a spot check non-invasive hemoglobin monitoring (SpHb) of the Masimo RAD-67 and the HemoCue for anemia screening. <i>Acta Anaesthesiologica Belgica</i> , 2020, 71, 123-130.   | 0.0 | 0         |
| 38116 | The effect of digital nerve block on the accuracy of hemoglobin monitoring during surgery: A randomized clinical trial. <i>Acta Anaesthesiologica Belgica</i> , 2021, 72, 175-182.  | 0.0 | 0         |
| 38117 | ChroniSense National Early Warning Score Study: Comparison Study of a Wearable Wrist Device to Measure Vital Signs in Patients Who Are Hospitalized. <i>Journal of Medical Internet Research</i> , 0, 25, e40226.   | 2.1 | 2         |
| 38118 | Turkish version of the patient-based Constant-Murley Score: Its cross-cultural adaptation, validity, reliability and comparison with the clinician-based version. <i>Turkish Journal of Physical Medicine and Rehabilitation</i> , 2022, 68, 336-347.     | 0.3 | 0         |
| 38119 | Repeatability, reproducibility and Concurrent Validity of a Stethoscope and Health-App System for the Quantification of Breath Rate in Healthy Adults (Preprint). <i>Journal of Medical Internet Research</i> , 0, .                                      | 2.1 | 0         |
| 38120 | Developing and testing a robotic MRI/CT fusion biopsy technique using a purpose-built interventional phantom. <i>European Radiology Experimental</i> , 2022, 6, .   | 1.7 | 1         |
| 38121 | Design and Validation of a Sensitive Multiteroid LC-MS/MS Assay for the Routine Clinical Use: One-Step Sample Preparation with Phospholipid Removal and Comparison to Immunoassays. <i>International Journal of Molecular Sciences</i> , 2022, 23, 14691. | 1.8 | 2         |
| 38122 | Relationship between Oxygen Uptake Reserve and Heart Rate Reserve in Young Male Tennis Players: Implications for Physical Fitness Monitoring. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 15780.                 | 1.2 | 0         |
| 38123 | Application of 123I-MIBG myocardial maximum standardized uptake value to characterize cardiac function in patients with pheochromocytoma: comparison with echocardiography. <i>Japanese Journal of Radiology</i> , 0, .                                   | 1.0 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 38124 | Design of A Wearable System for Hypoxic Training Management Using Blood Oxygenation and Heart Rate. , 2022, , .   |     | 0         |
| 38125 | Agreement of high definition oscillometry at two cuff locations with invasively measured arterial blood pressures in anaesthetized cheetahs. <i>Veterinary Anaesthesia and Analgesia</i> , 2022, , .                          | 0.3 | 0         |
| 38126 | Assessing the reliability and cross-sectional and longitudinal validity of fifteen bioelectrical impedance analysis devices. <i>British Journal of Nutrition</i> , 2023, 130, 827-840.  | 1.2 | 3         |
| 38127 | TO COMPARE ANTERIOR CHAMBER DEPTH MEASUREMENTS OBTAINED BY PENTACAM WITH THOSE OBTAINED BY IOL MASTER 700, CIRRUS AS-OCT IN NORMAL HEALTHY EYES.. , 2022, , 32-34.  |     | 0         |
| 38128 | J Wave Detection Algorithm of the BCG in Chair and Bed using Continuous Spline Wavelet Transform. , 2022, , .   |     | 0         |
| 38129 | Circumferential Measurements to Calculate Lower Limb Volume in Persons with Lymphedema: What Segment Length Is to Be Recommended?. <i>Lymphatic Research and Biology</i> , 0, , .   | 0.5 | 0         |
| 38130 | Agreement between Noninvasive Hemoglobin and Laboratory Hemoglobin Measurements in Neonates: A Systematic Review and Meta-Analysis. <i>Neonatology</i> , 2023, 120, 24-32.  | 0.9 | 1         |
| 38131 | Evaluation of Three Human-Use Glucometers for Blood Glucose Measurement in Dogs. <i>Veterinary Medicine International</i> , 2022, 2022, 1-9.  | 0.6 | 1         |
| 38132 | Analysis of uncorrected near visual acuity after extended depth-of-focus AcrySof® Vivityâ„¢ intraocular lens implantation. <i>PLoS ONE</i> , 2022, 17, e0277687.  | 1.1 | 5         |
| 38133 | Minimising population health loss in times of scarce surgical capacity: a modelling study for surgical procedures performed in nonacademic hospitals. <i>BMC Health Services Research</i> , 2022, 22, .                       | 0.9 | 2         |
| 38134 | Validity of anthropometric equationâ€based estimators of fat mass in <sc>S</sc>amoan adults. <i>American Journal of Human Biology</i> , 2023, 35, .  | 0.8 | 2         |
| 38135 | Comparing the activPAL CREA and GHLA Algorithms for the Classification of Postures and Activity in Free-Living Children. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 15962.          | 1.2 | 1         |
| 38136 | Repeatability and reproducibility of Cobra HD fundus camera meibography in young adults with and without symptoms of dry eye. <i>Ophthalmic and Physiological Optics</i> , 0, , .   | 1.0 | 4         |
| 38137 | 3D-MFC: A method for computing critical gait parameters based on virtual marker tracking. , 2022, , .   |     | 0         |
| 38138 | Validation of a cerebral hemodynamic model with personalized calibration in patients with aneurysmal subarachnoid hemorrhage. <i>Frontiers in Bioengineering and Biotechnology</i> , 0, 10, .                                 | 2.0 | 0         |
| 38141 | A Volumetric Absorptive Microsampling UPLC-MS/MS Method for Simultaneous Quantification of Tacrolimus, Mycophenolic Acid and Creatinine in Whole Blood of Renal Transplant Recipients. <i>Pharmaceutics</i> , 2022, 14, 2547. | 2.0 | 6         |
| 38142 | Mechanisms of Short- and Long-Latency Sensory Suppression: Magnetoencephalography Study. <i>Neuroscience</i> , 2023, 514, 92-99.  | 1.1 | 0         |
| 38143 | Digital versus radiographic accuracy evaluation of guided implant surgery: an in vitro study. <i>BMC Oral Health</i> , 2022, 22, .  | 0.8 | 4         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 38144 | Introduction of a bone-centered three-dimensional coordinate system enables computed tomographic canine femoral angle measurements independent of positioning. <i>Frontiers in Veterinary Science</i> , 0, 9, .   | 0.9 | 3         |
| 38145 | Evaluation of transpulmonary ultrasound dilution cardiac output in piglets: accuracy, precision and trending ability with room temperature injectate. <i>Veterinary Anaesthesia and Analgesia</i> , 2023, 50, 163-169.  | 0.3 | 1         |
| 38146 | Intrauterine Pregnancy Detection and Gestational Age Assessment During Early Pregnancy by a Handheld Point-Of-Care Ultrasound Device Compared to a High-End Ultrasound System. An Accuracy and Reliability Study. <i>POCUS Journal</i> , 2022, 7, 225-231.      | 0.1 | 0         |
| 38147 | Is aggregated surveillance data a reliable method for constructing tuberculosis care cascades? A secondary data analysis from Uganda. <i>PLOS Global Public Health</i> , 2022, 2, e0000716.   | 0.5 | 1         |
| 38148 | Atlas-Based Segmentation in Extraction of Knee Joint Bone Structures from CT and MR. <i>Sensors</i> , 2022, 22, 8960.   | 2.1 | 3         |
| 38149 | User Performance Evaluation and System Accuracy Assessment of Four Blood Glucose Monitoring Systems With Color Coding of Measurement Results. <i>Journal of Diabetes Science and Technology</i> , 0, , 193229682211419.   | 1.3 | 1         |
| 38150 | Towards a simplified fluid-sensitive MRI protocol in small joints of the hand in early arthritis patients: reliability between modified Dixon and regular Gadolinium enhanced TSE fat saturated MRI-sequences. <i>Skeletal Radiology</i> , 2023, 52, 1193-1202. | 1.2 | 5         |
| 38151 | Vertical head rotation as major source of differences between time-separated digital cephalometric radiographs of patients acquired in one cephalostat X-ray device. <i>BMC Medical Imaging</i> , 2022, 22, .   | 1.4 | 0         |
| 38152 | A Comparative Study of Forehead Temperature and Core Body Temperature under Varying Ambient Temperature Conditions. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 15883.   | 1.2 | 3         |
| 38153 | Suitability of a Low-Cost Wearable Sensor to Assess Turning in Healthy Adults. <i>Sensors</i> , 2022, 22, 9322.   | 2.1 | 0         |
| 38154 | A Natural History Study of RP2-Related Retinopathy. <i>Journal of Clinical Medicine</i> , 2022, 11, 6877.   | 1.0 | 3         |
| 38155 | Assessing Agreement When Agreement Is Hard to Assess—The Agatston Score for Coronary Calcification. <i>Diagnostics</i> , 2022, 12, 2993.  | 1.3 | 1         |
| 38156 | Validity and reliability of capillary vs. Venous blood for the assessment of haemoglobin mass and intravascular volumes. <i>Frontiers in Physiology</i> , 0, 13, .  | 1.3 | 3         |
| 38157 | Validation of pitchAI <sup>TM</sup> markerless motion capture using marker-based 3D motion capture. <i>Sports Biomechanics</i> , 0, , 1-21.   | 0.8 | 3         |
| 38158 | A New Prediction Model for Total Body Water Estimation by BIA in Children with Normal and Excessive Weight. <i>Clinical Nutrition ESPEN</i> , 2022, , .   | 0.5 | 0         |
| 38160 | A comparison of four methods to estimate dim light melatonin onset: a repeatability and agreement study. <i>Chronobiology International</i> , 2023, 40, 123-131.  | 0.9 | 4         |
| 38161 | Automated complete blood counter, urine analyzer and urine dipstick test results are correlated with thoma cell counting chamber counts in the diagnosis of dialysis related peritonitis in children. <i>Nephrologie Et Therapeutique</i> , 2022, 18, 611-615.  | 0.2 | 0         |
| 38162 | Within-Person and Between-Sensor Variability in Continuous Glucose Monitoring Metrics. <i>Clinical Chemistry</i> , 0, , .   | 1.5 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 38163 | Convergent Validation of a Self-Reported Commuting to and from School Diary in Spanish Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 18.  | 1.2 | 2         |
| 38164 | Reliability and Practical Use of a Commercial Device for Measuring Punch and Kick Impact Kinetics. <i>Sports</i> , 2022, 10, 206.   | 0.7 | 0         |
| 38166 | Evaluation of bioelectrical impedance analysis in measuring body fat in 6-to-12-year-old boys compared to air displacement plethysmography. <i>British Journal of Nutrition</i> , 0, , 1-22.  | 1.2 | 2         |
| 38167 | Effects of a Volatile Organic Compound Filter on Breath Profiles Measured by Secondary Electrospray High-Resolution Mass Spectrometry. <i>Molecules</i> , 2023, 28, 45.   | 1.7 | 1         |
| 38168 | Can a smartphone application be used to measure practice driving behavior during the learner permit period? A step towards performance-based licensing.. , 2022, , 100058.  |     | 0         |
| 38169 | Changes in the upper airway volume after orthognathic surgery: three-dimensional measurements in a supine body position. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2023, 52, 948-955.  | 0.7 | 1         |
| 38170 | Ghat: an R package for identifying adaptive polygenic traits. <i>G3: Genes, Genomes, Genetics</i> , 2023, 13, .   | 0.8 | 1         |
| 38171 | In-ear infrasonic hemodynography with a digital health device for cardiovascular monitoring using the human audiome. <i>Npj Digital Medicine</i> , 2022, 5, .   | 5.7 | 1         |
| 38173 | Adaptive optical algorithms with differentiation of water bodies based on varying composition of suspended particulate matter: A case study for estimating the particulate organic carbon concentration in the western Arctic seas. <i>Remote Sensing of Environment</i> , 2023, 286, 113360. | 4.6 | 6         |
| 38174 | Empirical validation of QUEST+ in PSE and JND estimations in visual discrimination tasks. <i>Behavior Research Methods</i> , 0, , .   | 2.3 | 0         |
| 38175 | Validaci3n de un cuestionario web sobre actividad f3sica para ni3os y adolescentes. <i>Revista Internacional De Medicina Y Ciencias De La Actividad Fisica Y Del Deporte</i> , 2022, 22, 737-752.   | 0.1 | 0         |
| 38176 | Technical evaluation and usability of a quantitative G6PD POC test in cord blood: a mixed-methods study in a low-resource setting. <i>BMJ Open</i> , 2022, 12, e066529.   | 0.8 | 5         |
| 38177 | The consistency of invasive and non-invasive arterial blood pressure for the assessment of dynamic cerebral autoregulation in NICU patients. <i>Frontiers in Neurology</i> , 0, 13, .   | 1.1 | 0         |
| 38178 | Performance of the Deep Neural Network Ciloctunet, Integrated with Open-Source Software for Ciliary Muscle Segmentation in Anterior Segment OCT Images, Is on Par with Experienced Examiners. <i>Diagnostics</i> , 2022, 12, 3055.  | 1.3 | 1         |
| 38179 | Using the Countermovement Jump Metrics to Assess Dynamic Eccentric Strength: A Preliminary Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 16176.   | 1.2 | 1         |
| 38180 | Targeting Pain Science Education in Youth with Chronic Pain. <i>Clinical Journal of Pain</i> , 0, Publish Ahead of Print, .   | 0.8 | 2         |
| 38181 | Validity of muscular fitness self-assessments in the ecofit smartphone application: A correlation study. <i>PLoS ONE</i> , 2022, 17, e0278374.  | 1.1 | 1         |
| 38182 | Validity and reliability of a mobile digital imaging analysis trained by a four-compartment model. <i>Journal of Human Nutrition and Dietetics</i> , 2023, 36, 905-911.   | 1.3 | 6         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38183 | Ultrasonography Comparison of Diaphragm Morphological Structure and Function in Young and Middle-Aged Subjects with and without Non-Specific Chronic Low Back Pain: A Case-Control Study. Pain Research and Management, 2022, 2022, 1-8. | 0.7 | 1         |
| 38184 | Validation of an Automatic Inertial Sensor-Based Methodology for Detailed Barbell Velocity Monitoring during Maximal Paralympic Bench Press. Sensors, 2022, 22, 9904.  | 2.1 | 2         |
| 38186 | Stepping towards More Intuitive Physical Activity Metrics with Wrist-Worn Accelerometry: Validity of an Open-Source Step-Count Algorithm. Sensors, 2022, 22, 9984.   | 2.1 | 7         |
| 38187 | Breath-by-breath P0.1 measured on quasi-occlusion via Hamilton C6 may result in underestimation of respiratory drive and inspiratory effort. Critical Care, 2022, 26, .  | 2.5 | 1         |
| 38188 | Measurement of body temperature in the oral cavity with a temperature sensor integrated with a powered toothbrush. SN Applied Sciences, 2023, 5, .   | 1.5 | 0         |
| 38189 | Validity and reliability of a portable handheld dynamometer compared to a fixed isokinetic dynamometer to assess forearm torque strength. Hand Surgery and Rehabilitation, 2023, 42, 147-153.  | 0.2 | 0         |
| 38190 | Left atrial volume and left ventricular mass for pulmonary capillary wedge pressure assessment with cardiovascular magnetic resonance: accurate enough for clinical use?. European Heart Journal, 0, , .                                 | 1.0 | 2         |
| 38191 | Revised Hammersmith Scale for spinal muscular atrophy: Inter and intra-rater reliability and agreement. PLoS ONE, 2022, 17, e0278996.  | 1.1 | 2         |
| 38192 | The threshold value for identifying insulin resistance (HOMA-IR) in an admixed adolescent population: A hyperglycemic clamp validated study. Archives of Endocrinology and Metabolism, 2022, , .   | 0.3 | 5         |
| 38193 | Validity and repeatability of cardiopulmonary exercise testing in interstitial lung disease. BMC Pulmonary Medicine, 2022, 22, .   | 0.8 | 2         |
| 38194 | Prevalence and predictors of medication non-adherence in children with inflammatory bowel disease in China: A cross-sectional study. Frontiers in Pharmacology, 0, 13, .   | 1.6 | 0         |
| 38195 | Two-dimensional speckle tracking-derived global longitudinal strain in healthy Doberman Pinschers: method of evaluation, variability, and reference values. Journal of Veterinary Cardiology, 2022, , .                                  | 0.3 | 0         |
| 38196 | Dual energy X-ray absorptiometry produces larger measurement error in non-Hispanic Caucasians than Hispanics. Clinical Nutrition ESPEN, 2023, 53, 120-125.   | 0.5 | 2         |
| 38197 | Glioblastoma stem cells express non-canonical proteins and exclusive mesenchymal-like or non-mesenchymal-like protein signatures. Molecular Oncology, 0, , .   | 2.1 | 3         |
| 38198 | Remote measurement of spherocylindrical spectacle lens prescriptions. Optical Engineering, 2022, 61, .   | 0.5 | 0         |
| 38199 | An Improved Measurement Error Model for Analyzing Unreplicated Method Comparison Data under Asymmetric Heavy-Tailed Distributions. Journal of Probability and Statistics, 2022, 2022, 1-13.  | 0.3 | 0         |
| 38200 | Cloner <sc>3D</sc> photogrammetric facial scanner: Assessment of accuracy in a controlled clinical study. Journal of Esthetic and Restorative Dentistry, 2023, 35, 508-516.  | 1.8 | 0         |
| 38201 | Construction and validation of the Oxford Neurodevelopment Assessment (OX-NDA) in 1-year-old Brazilian children. BMC Pediatrics, 2022, 22, .   | 0.7 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 38202 | Fully automatic software for detecting radiographic joint space narrowing progression in rheumatoid arthritis: phantom study and comparison with visual assessment. <i>Japanese Journal of Radiology</i> , 2023, 41, 510-520.     | 1.0 | 1         |
| 38203 | Discrepancy Between Radiological and Pathological Tumor Size in Early-Stage Non-Small Cell Lung Cancer: A Multicenter Study. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2022, .                                     | 0.4 | 0         |
| 38204 | A Study on the Validity and Test-Retest Reliability of the Measurement of the Craniovertebral Angle of the Smart Phone Application 'Angles Video Goniometer'. <i>Physical Therapy Rehabilitation Science</i> , 2022, 11, 454-463. | 0.1 | 2         |
| 38205 | Repeatability and reliability of the footwear assessment tool in Spanish patients: A transcultural adaptation. <i>Journal of Tissue Viability</i> , 2023, 32, 26-32.  | 0.9 | 1         |
| 38206 | Comparability of automated drusen volume measurements in age-related macular degeneration: a MACUSTAR study report. <i>Scientific Reports</i> , 2022, 12, .   | 1.6 | 4         |
| 38207 | The Validity and Reliability of a New Intelligent Three-Dimensional Gait Analysis System in Healthy Subjects and Patients with Post-Stroke. <i>Sensors</i> , 2022, 22, 9425.  | 2.1 | 1         |
| 38208 | Agreement between an expert-rated mini job exposure matrix of occupational biomechanical exposures to the lower body and technical measurements or observation: a method comparison study. <i>BMJ Open</i> , 2022, 12, e064035.   | 0.8 | 0         |
| 38209 | Trabecular Bone Score (TBS) Cross-Calibration for GE Prodigy and IDXA Scanners. <i>Journal of Clinical Densitometry</i> , 2023, 26, 56-60.  | 0.5 | 1         |
| 38210 | CMR feature tracking in patients with dilated cardiomyopathy: patterns of myocardial strain and focal fibrosis. <i>Open Heart</i> , 2022, 9, e002013.   | 0.9 | 1         |
| 38211 | Differences in the values of anaglyphs, vectograms and cheirosopes on participants with low, normal, and high AC/A ratio. <i>Journal of Physics: Conference Series</i> , 2022, 2407, 012033.                                      | 0.3 | 0         |
| 38212 | Psychometric properties of the EQ-5D-5L compared with EQ-5D-3L in cancer patients in Iran. <i>Frontiers in Oncology</i> , 0, 12, .  | 1.3 | 5         |
| 38213 | Smartwatch-based bioimpedance analysis for body composition estimation: precision and agreement with a 4-compartment model. <i>Applied Physiology, Nutrition and Metabolism</i> , 2023, 48, 172-182.                              | 0.9 | 2         |
| 38214 | Mouth opening in systemic sclerosis: its course over time, determinants and impact on mouth handicap. <i>Journal of Scleroderma and Related Disorders</i> , 0, , 239719832211381.   | 1.0 | 0         |
| 38215 | Identification of ocular refraction based on deep learning algorithm as a novel retinoscopy method. <i>BioMedical Engineering OnLine</i> , 2022, 21, .  | 1.3 | 2         |
| 38216 | Deep-learning-based AI for evaluating estimated nonperfusion areas requiring further examination in ultra-widefield fundus images. <i>Scientific Reports</i> , 2022, 12, .  | 1.6 | 2         |
| 38217 | The Bland-Altman method should not be used when one of the two measurement methods has negligible measurement errors. <i>PLoS ONE</i> , 2022, 17, e0278915.   | 1.1 | 4         |
| 38218 | Effect of L-serine on circadian variation of cloacal and body surface temperatures in broiler chickens subjected to feed restriction during the hot-dry season. <i>Journal of Thermal Biology</i> , 2023, 112, 103445.            | 1.1 | 1         |
| 38219 | Comparison of Readability Scores for Written Health Information Across Formulas Using Automated vs Manual Measures. <i>JAMA Network Open</i> , 2022, 5, e2246051.   | 2.8 | 11        |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 38220 | Comparison of different plaque indices with regard to sensitivity and specificity for the quantification of plaque during orthodontic therapy. <i>Scientific Reports</i> , 2022, 12, .  | 1.6 | 0         |
| 38221 | A systematic review of measurement methods used to estimate fluid and beverage intake in free-living, working-age adults. <i>Journal of Human Nutrition and Dietetics</i> , 2023, 36, 1368-1389.  | 1.3 | 0         |
| 38222 | Estimation of the full shape of the crystalline lens in-vivo from OCT images using eigenlenses. <i>Biomedical Optics Express</i> , 2023, 14, 608.   | 1.5 | 8         |
| 38224 | A Common Measurement Scale for Self-Report Instruments in Mental Health Care. <i>European Journal of Psychological Assessment</i> , 0, , .  | 1.7 | 3         |
| 38225 | Impact of observer experience on multi-detector computed tomography aortic valve morphology assessment and valve size selection for transcatheter aortic valve replacement. <i>Scientific Reports</i> , 2022, 12, .                               | 1.6 | 2         |
| 38226 | Current Status of Measurement Accuracy for Total Hemoglobin Concentration in the Clinical Context. <i>Biosensors</i> , 2022, 12, 1147.  | 2.3 | 3         |
| 38227 | Agreement of hip kinematics between two tracking marker configurations used with the coda pelvis during ergonomic roofing tasks. <i>Journal of Mechanics in Medicine and Biology</i> , 0, , .   | 0.3 | 0         |
| 38228 | The Identical External Reference Point Standardized to the Zero-Reference Level for Measuring Both Central and Jugular Venous Pressures: An Observational Study. <i>Critical Care Research and Practice</i> , 2022, 2022, 1-8.                    | 0.4 | 0         |
| 38229 | Keep it simple: A novel technique for measuring airflow using a wireless patch. <i>Sleep Health</i> , 2022, , .   | 1.3 | 0         |
| 38230 | A labor-saving marking and sampling technique for mark-release-recapture research. <i>Entomologia Experimentalis Et Applicata</i> , 2023, 171, 138-145.   | 0.7 | 1         |
| 38231 | Reliability of Force Plate Metrics During Standard Jump, Balance, and Plank Assessments in Military Personnel. <i>Military Medicine</i> , 2023, 188, e2058-e2066.   | 0.4 | 2         |
| 38232 | Perioperative Validation of the TensorTip <sup>®</sup> MTX Device for Noninvasive Arterial Pressure Measurement: A Method Comparison Study. <i>Cardiology Research</i> , 2022, 13, 372-379.   | 0.5 | 1         |
| 38233 | Statistical considerations for assessing precision of heterogeneous duplicate measurements: An application to pharmaceutical bioanalysis. <i>Pharmaceutical Statistics</i> , 2023, 22, 461-474.   | 0.7 | 0         |
| 38234 | Interchangeability of right ventricular longitudinal shortening fraction assessed by transthoracic and transoesophageal echocardiography in the perioperative setting: A prospective study. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, . | 1.1 | 1         |
| 38235 | The Hand-Withdrawal-Method - An adapted and simplified method of limits for behavioural heat pain assessment. <i>Journal of Pain</i> , 2022, , .  | 0.7 | 0         |
| 38236 | Noninvasive Monitoring of Simulated Hemorrhage and Whole Blood Resuscitation. <i>Biosensors</i> , 2022, 12, 1168.   | 2.3 | 3         |
| 38237 | Smartpaddle <sup>®</sup> as a New Tool for Monitoring Swimmers <sup>™</sup> Kinematic and Kinetic Variables in Real Time. <i>The Open Sports Sciences Journal</i> , 2022, 15, .   | 0.2 | 3         |
| 38238 | Vitreous protein networks around ANG2 and VEGF in proliferative diabetic retinopathy and the differential effects of aflibercept versus bevacizumab pre-treatment. <i>Scientific Reports</i> , 2022, 12, .  | 1.6 | 2         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38239 | Field-based adipose tissue quantification in sea turtles using bioelectrical impedance spectroscopy validated with CT scans and deep learning. <i>Ecology and Evolution</i> , 2022, 12, .  | 0.8 | 3         |
| 38240 | Comparing a Sensor for Movement Assessment with Traditional Physiotherapeutic Assessment Methods in Patients after Knee Surgery—A Method Comparison and Reproducibility Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 16581. | 1.2 | 0         |
| 38241 | Test-retest analysis of cerebral oxygen extraction estimates in healthy volunteers: comparison of methods based on quantitative susceptibility mapping and dynamic susceptibility contrast magnetic resonance imaging. <i>Heliyon</i> , 2022, 8, e12364.                   | 1.4 | 0         |
| 38242 | Effect of 1Hz Motor Nerve Electrical Stimulation on Joint Range of Motion. <i>Physical Therapy Rehabilitation Science</i> , 2022, 11, 409-413.   | 0.1 | 1         |
| 38243 | Myocardial Contractility Pattern Characterization in Radiation-Induced Cardiotoxicity Using Magnetic Resonance Imaging: A Pilot Study with ContractiX. <i>Tomography</i> , 2023, 9, 36-49.   | 0.8 | 1         |
| 38244 | Extracting spacing-derived estimates of rod density in healthy retinæ. <i>Biomedical Optics Express</i> , 2023, 14, 1.   | 1.5 | 4         |
| 38245 | Validity of a Smartphone Application in Calculating Measures of Heart Rate Variability. <i>Sensors</i> , 2022, 22, 9883.   | 2.1 | 1         |
| 38246 | Validity and reliability of the Danish version of <scp>QUALIDEM</scp>. <i>Scandinavian Journal of Caring Sciences</i> , 0, , .   | 1.0 | 0         |
| 38247 | Integral assessment of gas exchange during veno-arterial ECMO: accuracy and precision of a modified Fick principle in a porcine model. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2023, 324, L102-L113.                              | 1.3 | 2         |
| 38248 | Validation of e-Celsius gastrointestinal telemetry system as measure of core temperature. <i>Journal of Thermal Biology</i> , 2023, 112, 103471.   | 1.1 | 5         |
| 38249 | Validity and reliability of an unstable board for dynamic balance assessment in young adults. <i>PLoS ONE</i> , 2023, 18, e0280057.  | 1.1 | 3         |
| 38250 | Comparison of Echocardiography Using Tissue Harmonics and Contrast Harmonics with Radionuclide Angiography for the Assessment of Left Ventricular Function. <i>Journal of Investigative Medicine</i> , 2003, 51, 366-372.  | 0.7 | 0         |
| 38251 | Worth the wait? Time course of supine shifts in body water compartments on variables of bioelectrical impedance analysis. <i>Journal of Electrical Bioimpedance</i> , 2023, 13, 96-105.  | 0.5 | 0         |
| 38252 | Accuracy of a computer vision system for estimating biomechanical measures of body function in axial spondyloarthritis patients and healthy subjects. <i>Clinical Rehabilitation</i> , 0, , 026921552211501.   | 1.0 | 0         |
| 38253 | Total Energy Expenditure in Healthy Ambulatory Older Adults Aged ≥80 Years: A Doubly Labelled Water Study. <i>Annals of Nutrition and Metabolism</i> , 2023, 79, 263-273.  | 1.0 | 2         |
| 38254 | Validity and reliability of the Arabic sedentary behavior questionnaire among university students aged between 18–30 years old. <i>BMC Public Health</i> , 2023, 23, .   | 1.2 | 5         |
| 38255 | Lesion size and long-term cognitive outcome after pediatric stroke: A comparison between two techniques to assess lesion size. <i>European Journal of Paediatric Neurology</i> , 2023, 42, 126-132.  | 0.7 | 1         |
| 38256 | Reliability and agreement of apparent chord mu measurements between static and dynamic evaluations. <i>Journal of Cataract and Refractive Surgery</i> , 2023, 49, 21-28.   | 0.7 | 1         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38257 | High-throughput 3DRA segmentation of brain vasculature and aneurysms using deep learning. <i>Computer Methods and Programs in Biomedicine</i> , 2023, 230, 107355.   | 2.6 | 4         |
| 38258 | Statistical Considerations and Challenges for Pivotal Clinical Studies of Artificial Intelligence Medical Tests for Widespread Use: Opportunities for Inter-Disciplinary Collaboration. <i>Statistics in Biopharmaceutical Research</i> , 2023, 15, 476-490. | 0.6 | 0         |
| 38259 | Lack of repeatability of radiomic features derived from PET scans: Results from a <sup>18</sup> F- $\alpha$ - <sup>18</sup> F- $\alpha$ - <sup>18</sup> F test retest cohort. <i>Prostate</i> , 0, , .   | 1.2 | 4         |
| 38260 | Reliability and Accuracy of Intraoral Radiography, Cone Beam CT, and Dental MRI for Evaluation of Peri-Implant Bone Lesions at Zirconia Implants – an ex vivo Feasibility Study. <i>Journal of Dentistry</i> , 2023, , 104422.                               | 1.7 | 2         |
| 38261 | Measurement accuracy and reliability of self-reported versus measured weight and height among adults in Malaysia: Findings from a nationwide blood pressure screening programme. <i>PLoS ONE</i> , 2023, 18, e0280483.                                       | 1.1 | 3         |
| 38262 | Comparison of the six-minute walk test performed over a 15 and 30% course by children with cerebral palsy. <i>BMC Musculoskeletal Disorders</i> , 2023, 24, .  | 0.8 | 2         |
| 38263 | Effect of Poisson's ratio on the indentation of open cell foam. <i>European Journal of Mechanics, A/Solids</i> , 2023, 99, 104922.   | 2.1 | 9         |
| 38264 | MITEA: A dataset for machine learning segmentation of the left ventricle in 3D echocardiography using subject-specific labels from cardiac magnetic resonance imaging. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .                                 | 1.1 | 3         |
| 38266 | Resting Energy Expenditure in the Critically Ill and Healthy Elderly – A Retrospective Matched Cohort Study. <i>Nutrients</i> , 2023, 15, 303.   | 1.7 | 2         |
| 38267 | Reliability of the active knee joint position sense test and influence of limb dominance and sex. <i>Scientific Reports</i> , 2023, 13, .  | 1.6 | 3         |
| 38268 | A droplet digital PCR assay for detection and quantification of <i>Verticillium nonalfalfae</i> and <i>V. albo-atrum</i> . <i>Frontiers in Cellular and Infection Microbiology</i> , 0, 12, .  | 1.8 | 2         |
| 38270 | Automatic Myotendinous Junction Identification in Ultrasound Images Based on Junction-Based Template Measurements. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2023, 31, 851-862.  | 2.7 | 2         |
| 38271 | Predicting cotton fiber properties from fiber length parameters measured by dual-bead fibrograph. <i>Cellulose</i> , 2023, 30, 2053-2065.  | 2.4 | 0         |
| 38272 | Signal Thresholding Segmentation of Ventricular Volumes in Young Patients with Various Diseases – Can We Trust the Numbers?. <i>Diagnostics</i> , 2023, 13, 180.   | 1.3 | 1         |
| 38273 | Reliability and validity of the Japanese version of the Valued Living Questionnaire Adapted to Caregiving. <i>Clinical Gerontologist</i> , 2023, 46, 619-632.  | 1.2 | 1         |
| 38274 | A Cluster and Search Stacking Algorithm (CSSA) for predicting the ultimate bearing capacity of an HSS column. <i>Acta Mechanica</i> , 0, , .   | 1.1 | 0         |
| 38275 | Biomac3D: 2D-to-3D Human Pose Analysis Model for Tele-Rehabilitation Based on Pareto Optimized Deep-Learning Architecture. <i>Applied Sciences (Switzerland)</i> , 2023, 13, 1116.   | 1.3 | 1         |
| 38276 | Test-retest evaluation of a notched-noise test using consumer-grade mobile audio equipment. <i>International Journal of Audiology</i> , 2024, 63, 127-135.   | 0.9 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 38277 | Concise Versus Extended Lung Ultrasound Score to Monitor Critically Ill Patients With COVID-19. <i>Respiratory Care</i> , 2023, 68, 400-407.  | 0.8 | 1         |
| 38278 | Measuring bilingual language dominance: An examination of the reliability of the Bilingual Language Profile. <i>Language Testing</i> , 2023, 40, 521-547.   | 1.7 | 2         |
| 38279 | Tumor size measurements of pancreatic cancer with neoadjuvant therapy based on RECIST guidelines: is MRI as effective as CT?. <i>Cancer Imaging</i> , 2023, 23, .   | 1.2 | 1         |
| 38280 | Air pollution mitigation in North China through flexible heating policies. <i>Environmental Research Letters</i> , 2023, 18, 024026.  | 2.2 | 1         |
| 38282 | Pulmonary diffusing capacity to nitric oxide and carbon monoxide during exercise and in the supine position: a test-retest reliability study. <i>Experimental Physiology</i> , 2023, 108, 307-317.  | 0.9 | 2         |
| 38283 | The Influence of Methods for Cardiac Output Determination on the Diagnosis of Precapillary Pulmonary Hypertension: A Mathematical Model. <i>Journal of Clinical Medicine</i> , 2023, 12, 410.   | 1.0 | 0         |
| 38284 | Echocardiographic estimation of pulmonary vascular resistance in advanced lung disease. <i>Pulmonary Circulation</i> , 2023, 13, .  | 0.8 | 2         |
| 38285 | Prediction of fat mass from anthropometry at ages 7 to 9 years in Samoans: a cross-sectional study in the Ola Tuputupuâ€™e cohort. <i>European Journal of Clinical Nutrition</i> , 0, , .   | 1.3 | 0         |
| 38286 | Validation of Diet IDâ€™,ç in Predicting Nutrient Intake Compared to Dietary Recalls, Skin Carotenoid Scores, and Plasma Carotenoids in University Students. <i>Nutrients</i> , 2023, 15, 409.  | 1.7 | 7         |
| 38287 | Cone beam computed tomography in the assessment of TMJ deformity in children with JIA: repeatability of a novel scoring system. <i>BMC Oral Health</i> , 2023, 23, .  | 0.8 | 0         |
| 38288 | LAMP-enabled diagnosis of Kaposiâ€™s sarcoma for sub-Saharan Africa. <i>Science Advances</i> , 2023, 9, .   | 4.7 | 0         |
| 38289 | Individual Variability Is More Important Than Analytical Methods When Calculating Relative Speed of Beverage Bioavailability. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2023, 33, 102-111.                    | 1.0 | 0         |
| 38290 | Area Measurement Percentile of 3-Dimensional Computed Tomography Has the Highest Interobserver Reliability When Measuring Anterior Glenoid Bone Loss. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2023, 39, 1394-1402. | 1.3 | 3         |
| 38291 | Validation of a Mobile App-Based Visual Analog Scale for Appetite Measurement in the Real World: A Randomized Digital Clinical Trial. <i>Nutrients</i> , 2023, 15, 304.   | 1.7 | 1         |
| 38292 | Load Sensor Approach for Arduino-based Viscometer. <i>Resonance - Journal of Science Education</i> , 2023, 28, 153-165.   | 0.2 | 0         |
| 38293 | Analytical evaluation and quality assessment of the ARKRAY ADAMS A1c HA-8190V for Hb A1c. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2023, 83, 136-142.   | 0.6 | 1         |
| 38294 | Application of deep-learningâ€™-based artificial intelligence in acetabular index measurement. <i>Frontiers in Pediatrics</i> , 0, 10, .  | 0.9 | 1         |
| 38295 | Development of novel calibration model(s) to predict whole-body density in professional football players. <i>Science and Medicine in Football</i> , 2024, 8, 170-178.   | 1.0 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 38296 | Evaluation of automated anthropometrics produced by smartphone-based machine learning: a comparison with traditional anthropometric assessments. <i>British Journal of Nutrition</i> , 2023, 130, 1077-1087.  | 1.2 | 4         |
| 38297 | Fractured morphology of femoral head associated with subsequent femoral neck fracture: Injury analyses of 2D and 3D models of femoral head fractures with computed tomography. <i>Frontiers in Bioengineering and Biotechnology</i> , 0, 11, .                          | 2.0 | 1         |
| 38298 | Cuffless Blood Pressure Estimation with Confidence Intervals using Hybrid Feature Selection and Decision Based on Gaussian Process. <i>Applied Sciences (Switzerland)</i> , 2023, 13, 1221.   | 1.3 | 0         |
| 38300 | Hippocampal resection in Temporal Lobe epilepsy: do we need to resect the tail?. <i>Epilepsy Research</i> , 2023, , 107086.   | 0.8 | 0         |
| 38301 | Assessment of fluid removal using ultrasound, bioimpedance and anthropometry in pediatric dialysis: a pilot study. <i>BMC Nephrology</i> , 2023, 24, .  | 0.8 | 0         |
| 38302 | Dried blood spots are a valid alternative to venipuncture for COVID-19 antibody testing. <i>Journal of Immunological Methods</i> , 2023, 513, 113420.   | 0.6 | 7         |
| 38304 | Unattended home sleep studies for the diagnosis of obstructive sleep apnea in a population of French children. <i>Sleep Medicine</i> , 2023, 102, 117-122.  | 0.8 | 3         |
| 38305 | Impaired cardiac mechanical synchrony revealed with increased myocardial work in women with advanced age. <i>Experimental Gerontology</i> , 2023, 172, 112073.  | 1.2 | 0         |
| 38306 | Multimodal CT imaging characteristics may predict post-reperfusion infarct volume in wake-up stroke patients. <i>Quantitative Imaging in Medicine and Surgery</i> , 2023, 13, 878-888.  | 1.1 | 0         |
| 38307 | A fully automatic method for vascular tortuosity feature extraction in the supra-aortic region: unraveling possibilities in stroke treatment planning. <i>Computerized Medical Imaging and Graphics</i> , 2023, 104, 102170.  | 3.5 | 0         |
| 38308 | Inconsistency of PCA-based water quality index “ Does it reflect the quality?. <i>Science of the Total Environment</i> , 2023, 866, 161353.   | 3.9 | 9         |
| 38309 | Nighttime Continuous Contactless Smartphone-Based Cough Monitoring for the Ward: Validation Study. <i>JMIR Formative Research</i> , 0, 7, e38439.   | 0.7 | 4         |
| 38310 | Interrater Agreement on National Institutes of Health Stroke Scale Between Paramedics and Stroke Physicians: Validation Study for the Digital Training Model in the Paramedic Norwegian Acute Stroke Prehospital Project. , 2022, 1, e39444.                            |     | 4         |
| 38311 | A novel method to calculate compliance and airway resistance in ventilated patients. <i>Intensive Care Medicine Experimental</i> , 2022, 10, .  | 0.9 | 2         |
| 38312 | Reproducibility of the 6-minute walk test in lung transplant recipients. <i>Wiener Klinische Wochenschrift</i> , 0, , .   | 1.0 | 0         |
| 38313 | Validity of Spatio-Temporal Gait Parameters in Healthy Young Adults Using a Motion-Sensor-Based Gait Analysis System (ORPHE ANALYTICS) during Walking and Running. <i>Sensors</i> , 2023, 23, 331.  | 2.1 | 2         |
| 38314 | Psychometric Properties of a New Measure of Upper Limb Performance in Post-Stroke Individuals: Trunk-Based Index of Performance. <i>Neurorehabilitation and Neural Repair</i> , 0, , 154596832211434.   | 1.4 | 0         |
| 38315 | Body Composition in Youths Aged 10-17 Years by Deuterium Oxide Dilution, Air Displacement Plethysmography, and DXA: Validation of the Medical Body Composition Analyzer Bioimpedance Device by a 4-Compartment Model. <i>Journal of Nutrition</i> , 2023, 153, 443-450. | 1.3 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 38316 | Evaluation of the Analytical Performances of the Biolabo SOLEA 100 Optical Coagulometer and Comparison with the Stago STA-R MAX Analyser in the Determination of PT, APTT, and Fibrinogen. <i>Diagnostics</i> , 2023, 13, 85.   | 1.3 | 0         |
| 38317 | Comparative analysis of pediatric anxiety measures in clinical sample: evaluation of the PROMIS pediatric anxiety short forms. <i>Quality of Life Research</i> , 2023, 32, 1621-1630.   | 1.5 | 1         |
| 38318 | What is the agreement between intraoperative fluoroscopy and postoperative radiographs in Bernese periacetabular osteotomy?. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, .   | 0.8 | 1         |
| 38319 | Performance of a deep convolutional neural network for MRI-based vertebral body measurements and insufficiency fracture detection. <i>European Radiology</i> , 2023, 33, 3188-3199.   | 2.3 | 2         |
| 38320 | A heteroscedastic Bayesian model for method comparison data. <i>Journal of Applied Mathematics, Statistics and Informatics</i> , 2022, 18, 57-75.   | 0.1 | 0         |
| 38321 | Fetal Cardiac Structures, Shape, and Aortic Tortuosity at 15 + 6 Weeks of Gestation: HDlive Flow Study. <i>Donald School Journal of Ultrasound in Obstetrics and Gynecology</i> , 2022, 16, 272-277.                            | 0.1 | 0         |
| 38322 | Blood Volume Pulse Signal Extraction based on Spatio-Temporal Low-Rank Approximation for Heart Rate Estimation. , 2022, , .   |     | 1         |
| 38323 | A Framework for Analytical Validation of Inertial-Sensor-Based Knee Kinematics Using a Six-Degrees-of-Freedom Joint Simulator. <i>Sensors</i> , 2023, 23, 348.  | 2.1 | 2         |
| 38324 | Test-retest reliability of the computerized rotational head impulse test in the pediatric population. <i>International Journal of Otorhinolaryngology and Head and Neck Surgery</i> , 2022, 9, 5.                               | 0.0 | 1         |
| 38325 | The use and presentation of statistical assessments in oral and maxillofacial radiology research: Red flags and essentials. Part 1. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2023, 135, 157-160. | 0.2 | 3         |
| 38326 | Test-Retest Reliability and Concurrent Validity of the 3 m Backward Walk Test under Single and Dual-Task Conditions in Women with Fibromyalgia. <i>Journal of Clinical Medicine</i> , 2023, 12, 212.                            | 1.0 | 3         |
| 38327 | Comparison of ELISA and RIA methods to quantify arginine vasopressin hormone levels in cell culture. , 0, , .   |     | 0         |
| 38328 | Comparison of Three Methods for LDLC Calculation for Cardiovascular Disease Risk Categorisation in Three Distinct Patient Populations. <i>Canadian Journal of Cardiology</i> , 2023, 39, 668-677.                               | 0.8 | 3         |
| 38330 | Effect of nedocromil sodium and sodium cromoglycate against bronchoconstriction induced by inhaled adenosine 5'-monophosphate. <i>European Respiratory Journal</i> , 1989, 2, 210-217.  | 3.1 | 56        |
| 38331 | Performance evaluation of the Sysmex CN-6000-automated coagulation analyzers for routine coagulation tests. <i>Blood Coagulation and Fibrinolysis</i> , 0, Publish Ahead of Print, .  | 0.5 | 0         |
| 38332 | Evaluation of a visual acuity eHealth tool in cataract patients. <i>Journal of Cataract and Refractive Surgery</i> , 2022, Publish Ahead of Print, .  | 0.7 | 1         |
| 38333 | Toward Single-Time-Point Image-Based Dosimetry of <sup>177</sup> Lu-PSMA-617 Therapy. <i>Journal of Nuclear Medicine</i> , 2023, 64, 767-774.   | 2.8 | 11        |
| 38334 | High Concordance between D:A:Dr and the Framingham Risk Score in Brazilians Living with HIV. <i>Viruses</i> , 2023, 15, 348.  | 1.5 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38335 | A comparison of simplified protocols of personalized dosimetry in NEN patients treated by radioligand therapy (RLT) with [ <sup>177</sup> Lu]Lu-DOTATATE to favor its use in clinical practice. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 0, , . | 3.3 | 1         |
| 38336 | Stimulus-induced narrow-band gamma oscillations in humans can be recorded using open-hardware low-cost EEG amplifier. <i>PLoS ONE</i> , 2023, 18, e0279881.  | 1.1 | 2         |
| 38337 | Analytical performance of 17 commercially available point-of-care tests for CRP to support patient management at lower levels of the health system. <i>PLoS ONE</i> , 2023, 18, e0267516.  | 1.1 | 3         |
| 38338 | Point-of-Care Testing in Chronic Kidney Disease of Non-Traditional Origin: Considerations for Clinical, Epidemiological, and Health Surveillance Research and Practice. <i>Annals of Global Health</i> , 2023, 89, .   | 0.8 | 0         |
| 38339 | Reliability and measurement error of anterior maximum voluntary bite force in children with juvenile idiopathic arthritis and healthy children. <i>PLoS ONE</i> , 2023, 18, e0280763.  | 1.1 | 1         |
| 38341 | Impact of Gait Events Identification through Wearable Inertial Sensors on Clinical Gait Analysis of Children with Idiopathic Toe Walking. <i>Micromachines</i> , 2023, 14, 277.  | 1.4 | 0         |
| 38342 | Validation of a wearable forehead sleep recorder against polysomnography in sleep staging and desaturation events in a clinical sample. <i>Journal of Clinical Sleep Medicine</i> , 2023, 19, 711-718.   | 1.4 | 5         |
| 38343 | Left ventricle segmentation and quantification using deep learning. , 2023, , 113-147.   |     | 0         |
| 38344 | An online implementation of a measure of spectro-temporal processing by cochlear-implant listeners. <i>JASA Express Letters</i> , 2023, 3, 014402.   | 0.5 | 0         |
| 38345 | Remote collection of physical performance measures for older people: a systematic review. <i>Age and Ageing</i> , 2023, 52, .  | 0.7 | 1         |
| 38346 | Validation of the International Consultation on Incontinence Questionnaire-Pediatric Lower Urinary Tract Symptoms (ICIQ-CLUTS) for Spanish-speaking children. <i>European Journal of Pediatrics</i> , 0, , .   | 1.3 | 0         |
| 38347 | Validation of Noninvasive Assessment of Pulmonary Gas Exchange in Patients with Chronic Obstructive Pulmonary Disease during Initial Exposure to High Altitude. <i>Journal of Clinical Medicine</i> , 2023, 12, 795.   | 1.0 | 2         |
| 38349 | Reproducibility of Mesopic and Photopic Pupil Sizes in Myopic Children Using a Dedicated Pupillometer with Human-Assisted or Automated Reading. <i>Journal of Personalized Medicine</i> , 2023, 13, 273.   | 1.1 | 0         |
| 38350 | Evaluation of Recombinant Cascade Reagent PyroSmart NextGen <sup>®</sup> and Limulus Amebocyte Lysate Equivalency in a Plate and Tube Reader for Bacterial Endotoxins Testing. <i>BPB Reports</i> , 2023, 6, 11-15.  | 0.1 | 1         |
| 38351 | Reliability of bioactance and pulse power analysis in measuring cardiac index during cytoreductive abdominal surgery with hyperthermic intraperitoneal chemotherapy (HIPEC). <i>BMC Anesthesiology</i> , 2023, 23, .   | 0.7 | 3         |
| 38352 | Machine learning-based approach reveals essential features for simplified TSPO PET quantification in ischemic stroke patients. <i>Zeitschrift Fur Medizinische Physik</i> , 2023, , .  | 0.6 | 1         |
| 38353 | Validity of the Modified SIT-Q 7d for Estimating Sedentary Break Frequency and Duration in Home-Based Office Workers During the COVID-19 Global Pandemic: A Secondary Analysis. <i>Journal for the Measurement of Physical Behaviour</i> , 2023, 6, 60-72.                 | 0.5 | 0         |
| 38354 | Discrepancies Between Self-reported and Objectively Measured Smartphone Screen Time: Before and During Lockdown. , 2023, 44, 291-307.  |     | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 38356 | The Accuracy of a Web-Based Visual Acuity Self-assessment Tool Performed Independently by Eye Care Patients at Home: Method Comparison Study. <i>JMIR Formative Research</i> , 0, 7, e41045.  | 0.7 | 7         |
| 38357 | Development and Evaluation of Sedentary Time Cut-Points for the activPAL in Adults Using the GGIR R-Package. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 2293.   | 1.2 | 1         |
| 38358 | Development of a Method for Predicting the Maturity Offset for Peak Height Velocity Suitable for Japanese Youth. <i>International Journal of Sport and Health Science</i> , 2023, , .   | 0.0 | 0         |
| 38359 | In vivo assessment of the elastic properties of the external anal sphincter in term pregnant women using shear wave elastography. <i>International Urogynecology Journal</i> , 0, , .   | 0.7 | 1         |
| 38360 | Automated analysis of finger blood pressure recordings provides insight in determinants of baroreflex sensitivity and heart rate variability—the HELIUS study. <i>Medical and Biological Engineering and Computing</i> , 2023, 61, 1183-1191.       | 1.6 | 3         |
| 38361 | Evaluation of implantable collamer lens sizing developed by reviewing the horizontal compression-vault coefficient. <i>Journal of Cataract and Refractive Surgery</i> , 2023, 49, 525-530.  | 0.7 | 6         |
| 38362 | Differences in air displacement plethysmography, bioelectrical impedance analysis and dual-energy X-ray absorptiometry for estimating body composition in Chinese children and adolescents. <i>Journal of Paediatrics and Child Health</i> , 0, , . | 0.4 | 0         |
| 38363 | Optimization of the radiation dosimetry protocol in Lutetium-177-PSMA therapy: toward clinical implementation. <i>EJNMMI Research</i> , 2023, 13, .   | 1.1 | 6         |
| 38364 | Tele-Assessment of Functional Capacity through the Six-Minute Walk Test in Patients with Diabetes Mellitus Type 2: Validity and Reliability of Repeated Measurements. <i>Sensors</i> , 2023, 23, 1354.  | 2.1 | 7         |
| 38365 | Reliability of the Coimbra Reactive Agility Soccer Test (CRAST). <i>Journal of Functional Morphology and Kinesiology</i> , 2023, 8, 11.   | 1.1 | 0         |
| 38366 | Deep learning can yield clinically useful right ventricular segmentations faster than fully manual analysis. <i>Scientific Reports</i> , 2023, 13, .  | 1.6 | 1         |
| 38367 | Reliability of Near-Infrared Spectroscopy with and without Compression Tights during Exercise and Recovery Activities. <i>Sports</i> , 2023, 11, 23.  | 0.7 | 0         |
| 38368 | Early Fetal Corpus Callosum: Demonstrating Normal Growth and Detecting Pathologies in Early Pregnancy. <i>American Journal of Neuroradiology</i> , 2023, 44, 199-204.   | 1.2 | 1         |
| 38369 | Agreement between pulse oximetry and arterial oxygen saturation measurement in critical care patients during COVID-19: a cross-sectional study. <i>Journal of Clinical Monitoring and Computing</i> , 2023, 37, 977-984.                            | 0.7 | 1         |
| 38371 | Translation and Validation of Low Back Pain Knowledge Questionnaire Among Hindi-Speaking Indian Women. <i>Journal of Pain and Palliative Care Pharmacotherapy</i> , 0, , 1-10.  | 0.5 | 1         |
| 38372 | Comparison of Biometry Measurements and Intraocular Lens Power Prediction Between Two Swept-source Based OCT Biometers. <i>Journal of Cataract and Refractive Surgery</i> , 2023, Publish Ahead of Print, .   | 0.7 | 2         |
| 38373 | Is Markerless More or Less? Comparing a Smartphone Computer Vision Method for Equine Lameness Assessment to Multi-Camera Motion Capture. <i>Animals</i> , 2023, 13, 390.  | 1.0 | 5         |
| 38375 | Concurrent Validity and Reliability of Different Technologies for Sprint-Derived Horizontal Force-Velocity-Power Profiling. <i>Journal of Strength and Conditioning Research</i> , 2023, 37, 1298-1305.   | 1.0 | 6         |

| #     | ARTICLE   | IF   | CITATIONS |
|-------|---|------|-----------|
| 38376 | Impact of left atrial and diastolic ventricular dysfunction on mortality in patients with aortic stenosis. Archives of Cardiovascular Diseases, 2023, 116, 126-135.   | 0.7  | 1         |
| 38377 | Automatic Detection of Aerobic Threshold through Recurrence Quantification Analysis of Heart Rate Time Series. International Journal of Environmental Research and Public Health, 2023, 20, 1998.                               | 1.2  | 2         |
| 38378 | Non-destructive continuous measurement of sucrose content in sugar beet using near-infrared spectroscopy. Journal of the Japanese Society for Food Science and Technology, 2023, , .  | 0.1  | 0         |
| 38379 | Development and validation of a new equation based on plasma creatinine and muscle mass assessed by CT scan to estimate glomerular filtration rate: a cross-sectional study. CKJ: Clinical Kidney Journal, 2023, 16, 1265-1277. | 1.4  | 7         |
| 38380 | Changing clear aligners every 10 days or 14 days ? A randomised controlled trial. Australasian Orthodontic Journal, 2023, 39, 1-12.   | 0.3  | 2         |
| 38381 | Assessing the reliability of web-based measurements of visual function. Behavior Research Methods, 2024, 56, 406-416.   | 2.3  | 0         |
| 38382 | Application and validation of a novel inflammatory score in the clinical grading of infectious endophthalmitis: The endophthalmitis management study â€“ Report 2. Indian Journal of Ophthalmology, 2023, 71, 396.              | 0.5  | 4         |
| 38383 | Muscle inertial contributions to ankle kinetics during the swing phase of running. Journal of Biomechanics, 2023, 147, 111455.  | 0.9  | 0         |
| 38384 | Bone age assessment: Large-scale comparison of Greulich-Pyle method and Tanner-Whitehouse 3 method for Taiwanese children. Journal of the Chinese Medical Association, 2023, 86, 246-253.                                       | 0.6  | 2         |
| 38385 | Efficiency and Accuracy of Computerized Adaptive Testing for the Oswestry Disability Index and Neck Disability Index. JBJS Open Access, 2023, 8, .  | 0.8  | 1         |
| 38387 | Remote follow-up after cataract surgery (CORE-RCT): study protocol of a randomized controlled trial. BMC Ophthalmology, 2023, 23, .   | 0.6  | 1         |
| 38388 | A wearable cardiac ultrasound imager. Nature, 2023, 613, 667-675.   | 13.7 | 119       |
| 38389 | Automatic range of motion measurement via smartphone images for telemedicine examination of the hand. Science Progress, 2023, 106, 003685042311527.   | 1.0  | 3         |
| 38390 | Reliability and Validity of a Flume-Based Maximal Oxygen Uptake Swimming Test. Sports, 2023, 11, 42.  | 0.7  | 0         |
| 38392 | A COMPARISON OF THE ERRORS ARISING FROM THREE METHODS OF PHAKOMETRIC COMPUTATION. , 1993, , .   |      | 0         |
| 38393 | The Reliability of Visual Performance Measures in Low Vision. , 1995, , .   |      | 2         |
| 38394 | The accuracy of currently used WHO's Body Mass Index cut-off points to measure Overweight and Obesity in Syrian women: A correlation study. , 2022, 13, .   |      | 0         |
| 38395 | The cross-cultural adaptation process of a patient-reported outcome measure. Journal of the Scientific Society, 2023, 50, 13.   | 0.1  | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 38396 | Perceived and calculated diet quality improvements in a randomized mHealth weight loss trial. <i>Behavioral Medicine</i> , 2024, 50, 164-169.   | 1.0 | 0         |
| 38397 | Translation, Cross-Cultural Adaptation and Psychometric Validation of the Greek Version of the Cardiac Rehabilitation Barriers Scale (CRBS-GR): What Are the Barriers in South-East Europe?. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 4064. | 1.2 | 8         |
| 38398 | Test-Retest Reliability and Validity of 1-Minute Sit-to-Stand Test in Patients With Chronic Heart Failure. <i>Heart Lung and Circulation</i> , 2023, 32, 518-524.   | 0.2 | 2         |
| 38400 | Translation and Validation of the Self-Assessment Psoriasis Area Severity Index. <i>Dermatology</i> , 2023, 239, 794-801.   | 0.9 | 2         |
| 38401 | Validity and reliability of the University of California and Los Angeles Loneliness Scale in individuals with chronic obstructive pulmonary disease. <i>Canadian Journal of Respiratory, Critical Care, and Sleep Medicine</i> , 2023, 7, 70-78.  | 0.2 | 0         |
| 38402 | A Toolkit for Monitoring Immunoglobulin G Levels from Dried Blood Spots of Patients with Primary Immunodeficiencies. <i>Journal of Clinical Immunology</i> , 2023, 43, 1185-1192.   | 2.0 | 1         |
| 38403 | Analytical and clinical validation of an LC-MS/MS method for carbamazepine, lamotrigine and levetiracetam in dried blood spots. <i>European Journal of Hospital Pharmacy</i> , 0, , ejhpharm-2022-003589.   | 0.5 | 0         |
| 38404 | Consistency of the anesthesia consciousness index versus the bispectral index during laparoscopic gastrointestinal surgery with sevoflurane anesthesia: A prospective multi-center randomized controlled clinical study. <i>Frontiers in Aging Neuroscience</i> , 0, 15, .              | 1.7 | 1         |
| 38405 | Intra- and inter-session reliability and repeatability of an infrared thermography device designed for materials to measure skin temperature of the triceps surae muscle tissue of athletes. <i>PeerJ</i> , 0, 11, e15011.  | 0.9 | 1         |
| 38406 | Comparison of spatio-temporal gait parameters between the GAITrite® platinum plus classic and the GAITrite® CIRFACE among older adults: a retrospective observational study. <i>BMC Geriatrics</i> , 2023, 23, .  | 1.1 | 1         |
| 38407 | Feasibility Study of Upper Limb Control Method Based on Electromyography-Angle Relation. <i>Journal of Computational and Nonlinear Dynamics</i> , 2023, 18, .   | 0.7 | 0         |
| 38408 | Serum neurofilament light chain cutoff definition for clinical diagnosis and prognosis of amyotrophic lateral sclerosis. <i>European Journal of Neurology</i> , 2023, 30, 1919-1927.  | 1.7 | 5         |
| 38409 | Assessment of Droplet Digital PCR for the Detection and Absolute Quantification of <i>Toxoplasma gondii</i> . <i>Journal of Molecular Diagnostics</i> , 2023, 25, 467-476.  | 1.2 | 0         |
| 38410 | Validity and reliability of the Apple Health app on iPhone for measuring gait parameters in children, adults, and seniors. <i>Scientific Reports</i> , 2023, 13, .  | 1.6 | 4         |
| 38411 | Three-dimensional Power Doppler Ultrasonography Evaluation of Maternal Orbital Perfusion in Pregnancies with Gestational Diabetes Mellitus. <i>Donald School Journal of Ultrasound in Obstetrics and Gynecology</i> , 2023, 17, 5-10.   | 0.1 | 0         |
| 38412 | Validity of On-Line Supervised Fitness Tests in People with Low Back Pain. <i>Healthcare (Switzerland)</i> , 2023, 11, 1019.  | 1.0 | 2         |
| 38413 | Physical testing in patients with acute whiplash-associated disorders: A within session test-retest reliability study. <i>Musculoskeletal Science and Practice</i> , 2023, 64, 102738.  | 0.6 | 0         |
| 38414 | Dental age estimation: development and testing of a reference data set for Qatari children, adolescents, and young adults aged between 5 and 25 years. <i>Forensic Science, Medicine, and Pathology</i> , 0, , .  | 0.6 | 1         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38415 | CT-HARMONICA: physics-based CT harmonization for reliable lung density quantification. , 2023, , .   |     | 0         |
| 38416 | Clinician- versus caregiver-rated scales as outcome measures of repetitive-restricted behaviors in clinical trials of autism: A systematic review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2023, 70, 56-62.  | 0.3 | 0         |
| 38417 | Quantification of the Phenomena Affecting Reflective Arterial Photoplethysmography. <i>Bioengineering</i> , 2023, 10, 460.   | 1.6 | 1         |
| 38418 | Reliability of spinal cord measures based on synthetic T1-weighted MRI derived from multiparametric mapping (MPM). <i>NeuroImage</i> , 2023, 271, 120046.  | 2.1 | 2         |
| 38419 | A matter of agreement: The effect of the technique and evaluator on the analysis of morphologic defects in stallion sperm. <i>Theriogenology</i> , 2023, 202, 74-83.   | 0.9 | 0         |
| 38420 | In vivo 3D muscle architecture quantification based on 3D freehand ultrasound and magnetic resonance imaging. <i>Journal of Biomechanics</i> , 2023, 152, 111567.  | 0.9 | 0         |
| 38421 | Is there any biomechanical justification to use hopping as a return to running test? A cross-sectional study. <i>Physical Therapy in Sport</i> , 2023, 61, 135-141.  | 0.8 | 0         |
| 38422 | Reverse encoding distortion correction for diffusion-weighted MRI: Efficacy for improving image quality and ADC evaluation for differentiating malignant from benign areas in suspected prostatic cancer patients. <i>European Journal of Radiology</i> , 2023, 162, 110764. | 1.2 | 2         |
| 38423 | Automated measurement for image distortion analysis in 2D panoramic imaging of dental CBCT system: A phantom study. <i>Radiography</i> , 2023, 29, 533-538.  | 1.1 | 1         |
| 38424 | Nondestructive ultrasound evaluation of microstructure-related material parameters of skeletal muscle: an in silico and in vitro study. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2023, 142, 105807.   | 1.5 | 0         |
| 38425 | Validity and Reliability of 3-D Ultrasound Imaging to Measure Hamstring Muscle and Tendon Volumes. <i>Ultrasound in Medicine and Biology</i> , 2023, 49, 1457-1464.  | 0.7 | 3         |
| 38426 | Reliability and validity analysis of MediaPipe-based measurement system for some human rehabilitation motions. <i>Measurement: Journal of the International Measurement Confederation</i> , 2023, 214, 112826.   | 2.5 | 14        |
| 38427 | Biomathematical modeling for the prediction of sleep behavior and comparison against cognitive performance in firefighters. <i>Safety Science</i> , 2023, 163, 106128.   | 2.6 | 1         |
| 38428 | Automatic measuring of finger joint space width on hand radiograph using deep learning and conventional computer vision methods. <i>Biomedical Signal Processing and Control</i> , 2023, 84, 104713.   | 3.5 | 0         |
| 38429 | Effect of scan duration on CT perfusion values in metastases from renal cell carcinoma. , 2023, 6, 100028.   |     | 1         |
| 38430 | CKD.Net: A novel deep learning hybrid model for effective, real-time, automated screening tool towards prediction of multi stages of CKD along with eGFR and creatinine. <i>Expert Systems With Applications</i> , 2023, 223, 119851.  | 4.4 | 1         |
| 38431 | Concurrent validity of the CORE wearable sensor with BodyCap temperature pill to assess core body temperature during an elite women's field hockey heat training camp. <i>European Journal of Sport Science</i> , 2023, 23, 1509-1517.                                       | 1.4 | 6         |
| 38432 | Daytime Sleep-Tracking Performance of Four Commercial Wearable Devices During Unrestricted Home Sleep. <i>Nature and Science of Sleep</i> , 0, Volume 15, 151-164.   | 1.4 | 4         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38433 | Computed tomographic angular measurements using a bone-centered three-dimensional coordinate system are accurate in a femoral torsional deformity model and precise in clinical canine patients. <i>Frontiers in Veterinary Science</i> , 0, 10, .   | 0.9 | 1         |
| 38434 | Highly selective electrochemical quantitation of creatinine based on its chemical reaction with 3,5-dinitrobenzoate. <i>Journal of Electroanalytical Chemistry</i> , 2023, 939, 117424.  | 1.9 | 1         |
| 38437 | A Corresponding Point Measurement System Provides Reliable Measurement of Displacement for Medial Epicondyle Fractures. <i>JBJS Open Access</i> , 2022, 7, .   | 0.8 | 0         |
| 38438 | Whole-blood Point-of-Care Activated Partial Thromboplastin Time Ratio (APR) is not Accurate Enough to Monitor Heparin Therapy in Patients with Severe Respiratory Failure Secondary to SARS-Cov-2 Infection Supported with Veno-Venous Extracorporeal Membrane Oxygenation (VV-ECMO). <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2022, 28, 107602962211481. | 0.7 | 0         |
| 38439 | Chemical Assisted Opto-Electrical Nitrate Sensor for Detection of Inflammatory Disorder of Lungs. <i>IEEE Sensors Journal</i> , 2023, 23, 2303-2310.   | 2.4 | 0         |
| 38440 | Reproducibility of the anorectal angle with transperineal ultrasound. <i>Quantitative Imaging in Medicine and Surgery</i> , 2023, 13, 1664-1671.   | 1.1 | 0         |
| 38441 | Image Analysis of Oronasal Fistulas in Cleft Palate Patients Acquired with an Intraoral Camera. <i>Plastic and Reconstructive Surgery</i> , 2005, 115, 31-37.  | 0.7 | 8         |
| 38442 | An assessment of the validity and reliability of the P022â€P version of e-Celsius core temperature capsules. <i>Journal of Thermal Biology</i> , 2023, 112, 103486.  | 1.1 | 6         |
| 38443 | Comparison of various prognostic scores for identification of patients with intermediate-high risk pulmonary embolism. <i>Thrombosis Research</i> , 2023, 223, 61-68.  | 0.8 | 5         |
| 38444 | H&E and OCT4/CD34 for the assessment of lympho-vascular invasion in seminoma and embryonal carcinoma. <i>Pathology Research and Practice</i> , 2023, 242, 154337.  | 1.0 | 1         |
| 38445 | Measurement of pelvic tilt and rotation on AP radiographs using HipRecon: Validation and comparison to other parameters. <i>Journal of Orthopaedic Research</i> , 2023, 41, 1746-1753.   | 1.2 | 3         |
| 38446 | Little discrepancy between one-stage and chromogenic factor VIII (FVIII)/IX assays in a large international cohort of persons with nonsevere hemophilia A and B. <i>Journal of Thrombosis and Haemostasis</i> , 2023, 21, 850-861.   | 1.9 | 2         |
| 38447 | A Pilot Study for Remote Evaluation of Upper Extremity Motor Function After Stroke: The Arm Capacity and Movement Test (ArmCAM). <i>American Journal of Occupational Therapy</i> , 2023, 77, .   | 0.1 | 1         |
| 38448 | Linking Acute Physiology to Outcomes in the ICU: Challenges and Solutions for Research. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2023, 207, 1441-1450.  | 2.5 | 4         |
| 38449 | Pattern visual evoked potentials show an inferiorâ€superior topographic shift through maturation in childhood. <i>Journal of Physiology</i> , 2023, 601, 1869-1880.  | 1.3 | 1         |
| 38450 | Minimizing population health loss due to scarcity in OR capacity: validation of quality of life input. <i>BMC Medical Research Methodology</i> , 2023, 23, .   | 1.4 | 1         |
| 38451 | Disease severity classification using passively collected smartphone-based keystroke dynamics within multiple sclerosis. <i>Scientific Reports</i> , 2023, 13, .   | 1.6 | 2         |
| 38452 | Estimating mean population salt intake using spot urine samples in Nepal: a cross-sectional study. <i>Journal of Hypertension</i> , 2023, 41, 711-722.   | 0.3 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38453 | Repeatability of Quantitative Autofluorescence Imaging in a Multicenter Study Involving Patients With Recessive Stargardt Disease 1. <i>Translational Vision Science and Technology</i> , 2023, 12, 1.   | 1.1 | 4         |
| 38454 | Consumption of sweetened beverages is associated with the incidence of type 2 diabetes in Brazilian adults (CUME project). <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2023, 33, 789-796. | 1.1 | 0         |
| 38455 | From 2 dimensions to 3rd dimension: Quantitative prediction of anterior chamber depth from anterior segment photographs via deep-learning. , 2023, 2, e0000193.  |     | 3         |
| 38456 | Validity and Reliability of Hip Strength Assessment Using a Frame-Stabilized Dynamometer System Device. <i>Measurement in Physical Education and Exercise Science</i> , 2023, 27, 269-282.               | 1.3 | 2         |
| 38457 | Creatinine and cystatin C-based estimated glomerular filtration rate estimates of kidney function in Black people with HIV on antiretroviral therapy. <i>Aids</i> , 2023, 37, 753-758.                   | 1.0 | 3         |
| 38458 | Calculation of anaerobic capacity in running and cycling using post-exercise measures. <i>Science and Sports</i> , 2023, , .   | 0.2 | 1         |
| 38459 | Using Electrical Stimulation of the Ulnar Nerve Trunk to Predict Postoperative Improvement in Hand Clumsiness in Patients With Cervical Spondylotic Myelopathy. <i>Spine</i> , 2023, 48, 702-709.        | 1.0 | 1         |
| 38460 | Analytical Performance Evaluation of the New GEMÂ® Premierâ„¢ 5000 in Comparison to the Epcô® Blood Gas Analyzer in Horses. <i>Veterinary Sciences</i> , 2023, 10, 114.                                  | 0.6 | 0         |
| 38461 | Pretherapy Ferumoxytol-enhanced MRI to Predict Response to Liposomal Irinotecan in Metastatic Breast Cancer. <i>Radiology Imaging Cancer</i> , 2023, 5, .  | 0.7 | 3         |
| 38462 | Introduction of a cascaded segmentation pipeline for parametric T1 mapping in cardiovascular magnetic resonance to improve segmentation performance. <i>Scientific Reports</i> , 2023, 13, .             | 1.6 | 1         |
| 38463 | Concurrent Validity of Power Output Derived from the Non-motorised Treadmill Test in Sedentary Adults. <i>Annals of the Academy of Medicine, Singapore</i> , 2008, 37, 279-285.                          | 0.2 | 4         |
| 38464 | Interstellar Polarization Survey. II. General Interstellar Medium. <i>Astronomical Journal</i> , 2023, 165, 87.  | 1.9 | 1         |
| 38465 | Pulse-wave velocity assessments derived from a simple photoplethysmography device: Agreement with a referent device. <i>Frontiers in Cardiovascular Medicine</i> , 0, 10, .                              | 1.1 | 3         |
| 38466 | Assessment of Axial Postural Abnormalities in Parkinsonism: Automatic Picture Analysis Software. <i>Movement Disorders Clinical Practice</i> , 2023, 10, 636-645.  | 0.8 | 1         |
| 38467 | Development and Validation of a Simple Equation to Predict Fat-Free Mass in the Adult Population. <i>Iranian Journal of Public Health</i> , 0, , .   | 0.3 | 0         |
| 38468 | Comparison of axillary and inguinal temperature with rectal temperature in dogs at a veterinary teaching hospital. <i>Journal of Small Animal Practice</i> , 2023, 64, 330-336.                          | 0.5 | 0         |
| 38469 | PulseDB: A large, cleaned dataset based on MIMIC-III and VitalDB for benchmarking cuff-less blood pressure estimation methods. <i>Frontiers in Digital Health</i> , 0, 4, .                              | 1.5 | 4         |
| 38470 | Change in Diet Quality and Meal Sources during the COVID-19 Pandemic in a Diverse Subset of Men and Women in the Cancer Prevention Study-3. <i>Nutrients</i> , 2023, 15, 849.                            | 1.7 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38471 | Reproducibility and Validity of a Semi-Quantitative Food Frequency Questionnaire for Children Aged 6â€“12 in Western China. <i>Nutrients</i> , 2023, 15, 856.  | 1.7 | 0         |
| 38472 | An RGB-D sensor-based instrument for sitting balance assessment. <i>Multimedia Tools and Applications</i> , 2023, 82, 27245-27268.   | 2.6 | 1         |
| 38473 | Evaluation of the diagnostic accuracy of a point-of-care device to measure concentrations of nonesterified fatty acids in serum and whole blood. <i>JDS Communications</i> , 2023, 4, 219-224.   | 0.5 | 0         |
| 38474 | Is minimising waste volume for drawing blood samples in critically ill patients feasible?. <i>EnfermerÃa Intensiva (English Ed )</i> , 2023, 34, 19-26.  | 0.1 | 0         |
| 38475 | Reliability of coracohumeral distance and subcoracoid tendons in subacromial pain syndrome. <i>Scientific Reports</i> , 2023, 13, .  | 1.6 | 0         |
| 38476 | Non-invasive estimation of hemoglobin, bilirubin and oxygen saturation of neonates simultaneously using whole optical spectrum analysis at point of care. <i>Scientific Reports</i> , 2023, 13, .  | 1.6 | 2         |
| 38477 | Feasibility and Reliability of Health-Related Physical Fitness Tests in Children and Adolescents with Hearing Impairment. <i>Children</i> , 2023, 10, 353.   | 0.6 | 0         |
| 38478 | Improved cattle behaviour monitoring by combining Ultra-Wideband location and accelerometer data. <i>Animal</i> , 2023, 17, 100730.  | 1.3 | 7         |
| 38479 | Validity of Wearable Monitors and Smartphone Applications for Measuring Steps in Semi-Structured and Free-Living Settings. <i>Technologies</i> , 2023, 11, 29.   | 3.0 | 0         |
| 38480 | Validation of cardiac index measured by fourâ€“dimensional cardiac magnetic resonance flow against the invasively measured cardiac index in patients with pulmonary hypertension. <i>Pulmonary Circulation</i> , 2023, 13, .   | 0.8 | 1         |
| 38481 | Concordance of cancer drug therapy information derived from routinely collected hospital admissions data and the Systemic Anti-Cancer Therapy (SACT) dataset, for older women diagnosed with early invasive breast cancer in England. <i>Cancer Epidemiology</i> , 2023, 83, 102337. | 0.8 | 1         |
| 38482 | Home Spirometry in Children with Cystic Fibrosis. <i>Bioengineering</i> , 2023, 10, 242.   | 1.6 | 2         |
| 38483 | Prediction Equation for Physical Activity Energy Expenditure in 11â€“13-Year-Old Sri Lankan Children. <i>Nutrients</i> , 2023, 15, 906.  | 1.7 | 1         |
| 38484 | Left Ventricular Filling Pressure in Chronicâ€“Thromboembolic Pulmonaryâ€“Hypertension. <i>Journal of the American College of Cardiology</i> , 2023, 81, 653-664.  | 1.2 | 11        |
| 38485 | The outdoor environment affects retinal and choroidal thickness. <i>Ophthalmic and Physiological Optics</i> , 2023, 43, 572-583.   | 1.0 | 3         |
| 38486 | Changes in running biomechanics during the 2017 IAAF world championships men's 1500â€“m final. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2023, 33, 931-942.  | 1.3 | 3         |
| 38487 | Using A-Mode Ultrasound to Assess the Body Composition of Soccer Players: A Comparative Study of Prediction Formulas. <i>Diagnostics</i> , 2023, 13, 690.  | 1.3 | 1         |
| 38488 | Is the use of the new Chronic Kidney Disease Epidemiology Consortium (CKD-EPI 2021) formula appropriate for the Spanish population?. <i>Revista Cl&amp;#x00ed;nica Espan&amp;#x00f5;la</i> , 2023, 223, 144-153.   | 0.3 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38489 | Agreement between Different Methods to Measure the Active Drag Coefficient in Front-Crawl Swimming. <i>Journal of Human Kinetics</i> , 2023, 86, 41-49.  | 0.7 | 7         |
| 38490 | Validity and reliability of VO2-max testing in persons with Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2023, 109, 105324.  | 1.1 | 2         |
| 38491 | Non-Newtonian turbulent flow through aortic phantom: Experimental and computational study using magnetic resonance imaging and lattice Boltzmann method. <i>Computers and Mathematics With Applications</i> , 2023, 136, 80-94.            | 1.4 | 1         |
| 38492 | Are Activity Wrist-Worn Devices Accurate for Determining Heart Rate during Intense Exercise?. <i>Bioengineering</i> , 2023, 10, 254.   | 1.6 | 3         |
| 38493 | Measuring Serum Vedolizumab and Vedolizumab Antibodies: Comparison of Commercial Assays with the Vedolizumab Clinical Development Assay. <i>Therapeutic Drug Monitoring</i> , 2023, 45, 236-244.   | 1.0 | 1         |
| 38494 | Reproducibilidad de una prueba para la evaluación funcional del balance dinámico y la agilidad del adulto mayor. <i>latreia</i> , 2014, 27, .  | 0.1 | 2         |
| 38495 | Improving the Reliability of the Pelli-Robson Contrast Sensitivity Test. , 1991, , .   |     | 52        |
| 38497 | The Pupil Grating Response and Visual Acuity. , 1991, , .  |     | 0         |
| 38498 | Photometric Method to Determine Membrane Degradation in Polymer Electrolyte Fuel Cells. <i>Energies</i> , 2023, 16, 1957.  | 1.6 | 2         |
| 38499 | CT Perfusion as a Predictor of the Final Infarct Volume in Patients with Tandem Occlusion. <i>Journal of Personalized Medicine</i> , 2023, 13, 342.  | 1.1 | 3         |
| 38500 | A Direct Comparison of the Measurement Properties of EQ-5D-5L, PROMIS-29+2 and PROMIS Global Health Instruments and EQ-5D-5L and PROPr Utilities in a General Population Sample. <i>Value in Health</i> , 2023, 26, 1045-1056.             | 0.1 | 9         |
| 38501 | Maximal strength measurement: A critical evaluation of common methods—a narrative review. <i>Frontiers in Sports and Active Living</i> , 0, 5, .   | 0.9 | 4         |
| 38502 | Using Raw Accelerometer Data to Predict High-Impact Mechanical Loading. <i>Sensors</i> , 2023, 23, 2246.   | 2.1 | 0         |
| 38503 | Feasibility and reliability of comprehensive three-dimensional transoesophageal echocardiography screening process for transcatheter mitral valve replacement. <i>European Heart Journal Cardiovascular Imaging</i> , 2023, 24, 1043-1051. | 0.5 | 2         |
| 38504 | A head-to-head comparison of the EQ-5D-5L and 15D descriptive systems and index values in a general population sample. <i>Health and Quality of Life Outcomes</i> , 2023, 21, .  | 1.0 | 4         |
| 38505 | An evaluation of mechanical and biophysical skin parameters at different body locations. <i>Skin Research and Technology</i> , 2023, 29, .   | 0.8 | 3         |
| 38506 | Assessment of Energy and Nutrient Intake and the Intestinal Microbiome (ErNst Study): Protocol and Methods of a Cross-sectional Human Observational Study. <i>JMIR Research Protocols</i> , 0, 12, e42529.                                 | 0.5 | 1         |
| 38507 | The Accuracy of Wrist-Worn Photoplethysmogram—Measured Heart and Respiratory Rates in Abdominal Surgery Patients: Observational Prospective Clinical Validation Study. <i>JMIR Perioperative Medicine</i> , 0, 6, e40474.                  | 0.3 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 38508 | The evaluation of an online nurse-assisted eye-screening tool in older adults receiving home healthcare. <i>Ophthalmic and Physiological Optics</i> , 2023, 43, 725-737.  | 1.0 | 1         |
| 38509 | Pilot Study of the Applicability, Usability, and Accuracy of the Nutricate® Online Application, a New Dietary Intake Assessment Tool for Managing Infant Cow's Milk Allergy. <i>Nutrients</i> , 2023, 15, 1045.                                   | 1.7 | 0         |
| 38510 | Algorithm Estimating Radius of Gyration for Rotational Motion. <i>Transactions of the Society of Instrument and Control Engineers</i> , 2023, 59, 88-90.  | 0.1 | 0         |
| 38511 | Reliability and validity of the Japanese version of the experiential avoidance in caregiving questionnaire (EACQ). <i>Journal of Contextual Behavioral Science</i> , 2023, 27, 160-169.   | 1.3 | 2         |
| 38512 | Validity and Reliability of Kinvent Plates for Assessing Single Leg Static and Dynamic Balance in the Field. <i>Sensors</i> , 2023, 23, 2354.   | 2.1 | 3         |
| 38513 | The General Flow Proneness Scale: Aspects of Reliability and Validity of a New 13-Item Scale Assessing Flow. <i>SAGE Open</i> , 2023, 13, 215824402311538.  | 0.8 | 1         |
| 38514 | Transcorneal Electrical Stimulation Dose-Dependently Slows the Visual Field Loss in Retinitis Pigmentosa. <i>Translational Vision Science and Technology</i> , 2023, 12, 29.  | 1.1 | 4         |
| 38516 | Validation of a Remote Monitoring Blood Pressure Device in Pregnancy. <i>American Journal of Hypertension</i> , 0, , .  | 1.0 | 1         |
| 38517 | Changes of health-related quality of life 6 months after high-risk oncological upper gastrointestinal and hepatobiliary surgery: a single-centre prospective observational study ( <i>ChangeQol Study</i> ). <i>BMJ Open</i> , 2023, 13, e065902. | 0.8 | 3         |
| 38518 | Comparing Direct Measurements and Three-Dimensional (3D) Scans for Evaluating Facial Soft Tissue. <i>Sensors</i> , 2023, 23, 2412.  | 2.1 | 4         |
| 38519 | Gamification of the National Institutes of Health Stroke Scale (NIHSS) for simulation training—a feasibility study. <i>Advances in Simulation</i> , 2023, 8, .  | 1.0 | 0         |
| 38520 | Honeycomb lung is a major risk factor for preoperative radiological tumor size underestimation in patients with primary lung cancer. <i>Journal of Thoracic Disease</i> , 2023, 15, 516-528.  | 0.6 | 0         |
| 38521 | Long-Distance Heart Sound Detection using 122 GHz CW Radar with 3D Printed High-Gain Antennas. , 2023, , .  |     | 0         |
| 38522 | Estimating center of rotation of single-photon emission computerized tomography projection images using MATLAB for standardization and calibration. <i>Indian Journal of Nuclear Medicine</i> , 2023, 38, 23.                                     | 0.1 | 0         |
| 38523 | Accuracy and Precision of a Novel Photogate System to Measure Toe Clearance on Stairs. <i>Sensors</i> , 2023, 23, 2429.   | 2.1 | 0         |
| 38524 | Using a Contemporary Portable Metabolic Gas Exchange System for Assessing Energy Expenditure: A Validity and Reliability Study. <i>Sensors</i> , 2023, 23, 2472.  | 2.1 | 3         |
| 38525 | Multi-sweep 3-dimensional ultrasound is accurate for in vivo muscle volume quantification, expanding use to larger muscles. <i>Journal of Biomechanics</i> , 2023, 151, 111501.   | 0.9 | 2         |
| 38526 | Automated quantification of measurable residual disease in chronic lymphocytic leukemia using an artificial intelligence-assisted workflow. <i>Cytometry Part B - Clinical Cytometry</i> , 0, , .   | 0.7 | 1         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38527 | Validity of the International Physical Activity Questionnaire (short form) in adults with asthma. PLoS ONE, 2023, 18, e0282137.  | 1.1 | 5         |
| 38528 | Agreement between a new optical low coherence reflectometry biometer and an anterior segment optical coherence tomographer. Eye and Vision (London, England), 2023, 10, .  | 1.4 | 2         |
| 38529 | Validity of the relative fat mass pediatric index (RFMp) for the analysis of body composition in physically active youths at different stages of biological maturation. Journal of Human Nutrition and Dietetics, 0, , .                     | 1.3 | 0         |
| 38530 | Reliability and validity of OpenPose for measuring hip-knee-ankle angle in patients with knee osteoarthritis. Scientific Reports, 2023, 13, .  | 1.6 | 4         |
| 38531 | Echocardiographic hemodynamic assessment in decompensated cirrhosis: comparison between Intensivists and Gastroenterologists. Journal of Clinical Monitoring and Computing, 0, , .   | 0.7 | 0         |
| 38532 | Impact of Ventricular Geometric Characteristics on Myocardial Stiffness Assessment Using Shear-Wave Velocity in Healthy Children and Young Adults. Journal of the American Society of Echocardiography, 2023, 36, 849-857.                   | 1.2 | 5         |
| 38533 | Biomechanics of suplex in Greco-Roman wrestling: a qualitative and time-motion analysis of international competitions. International Journal of Performance Analysis in Sport, 0, , 1-14.  | 0.5 | 0         |
| 38535 | Comparison of Corneal Thickness Measurements After Customized Corneal Crosslinking Using High-Resolution Optical Coherence Tomography and Scheimpflug Tomography. Cornea, 2023, 42, 1104-1109.   | 0.9 | 2         |
| 38536 | A Strategy to Enhance Humidity Robustness of pã€¢type CuO Sensors for Breath Acetone Quantification. Small Science, 2023, 3, .   | 5.8 | 4         |
| 38537 | Agreement Between Dual-Energy X-ray Absorptiometry and Bioelectric Impedance Analysis for Assessing Body Composition in Athletes: A Systematic Review and Meta-Analysis. Clinical Journal of Sport Medicine, 2023, Publish Ahead of Print, . | 0.9 | 0         |
| 38538 | WILL STANDARDIZATION BE A NEW APPROACH TOWARDS EVIDENCE BASED MEDICINE?. , 2023, , 46-48.  |     | 0         |
| 38539 | Use of forceã€“velocity relationship to estimate the one-repetition maximum leg press exercise among young females. Journal of Physical Therapy Science, 2023, 35, 247-251.  | 0.2 | 0         |
| 38540 | The eRDS v6 Stereotest and the Vivid Vision Stereo Test: Two New Tests of Stereoscopic Vision. Translational Vision Science and Technology, 2023, 12, 1.   | 1.1 | 0         |
| 38542 | Measurement equivalence of the paper-based and electronic version of the Integrated Palliative care Outcome Scale (IPOS): A randomised crossover trial. Palliative Medicine, 0, , 026921632311578.   | 1.3 | 4         |
| 38543 | Feature Selection, Construction, and Validation of a Lightweight Model for Foot Function Assessment During Gait With In-Shoe Motion Sensors. IEEE Sensors Journal, 2023, 23, 8839-8855.  | 2.4 | 3         |
| 38544 | Wireless monitoring devices in hospitalized children: a scoping review. European Journal of Pediatrics, 2023, 182, 1991-2003.  | 1.3 | 2         |
| 38545 | The testã€“retest reproducibility of the multiple array probe Leiden in men with lower urinary tract symptoms. Neurourology and Urodynamics, 2023, 42, 845-855.  | 0.8 | 0         |
| 38546 | Estimating ground reaction force with novel carbon nanotube-based textile insole pressure sensors. Wearable Technologies, 2023, 4, .   | 1.6 | 5         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38547 | Cone contrast test-HD: sensitivity and specificity in redâ€“green dichromacy and the impact of age. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2023, 40, 849.                                | 0.8 | 0         |
| 38548 | Feasibility and reliability of various morphologic features on magnetic resonance imaging for iliotibial band friction syndrome. <i>Korean Journal of Pain</i> , 2023, 36, 208-215.  | 0.8 | 1         |
| 38549 | Quantification of left ventricular ejection fraction and cardiac output using a novel semi-automated echocardiographic method: a prospective observational study in coronary artery bypass patients. <i>BMC Anesthesiology</i> , 2023, 23, . | 0.7 | 1         |
| 38550 | An anthropometric evidence against the use of age-based estimation of bodyweight in pediatric patients admitted to intensive care units. <i>Scientific Reports</i> , 2023, 13, .   | 1.6 | 0         |
| 38552 | Intensive care photoplethysmogram datasets and machine-learning for blood pressure estimation: Generalization not guaranteed. <i>Frontiers in Physiology</i> , 0, 14, .  | 1.3 | 1         |
| 38553 | The reliability of simultaneous versus individual data collection during stuttering assessment. <i>International Journal of Language and Communication Disorders</i> , 2023, 58, 1251-1267.  | 0.7 | 0         |
| 38554 | Assessment of Natural Language Processing of Electronic Health Records to Measure Goals-of-Care Discussions as a Clinical Trial Outcome. <i>JAMA Network Open</i> , 2023, 6, e231204.  | 2.8 | 7         |
| 38555 | Pitfalls and Common Errors. , 2023, , 527-581.   |     | 0         |
| 38556 | Improving wastewater-based epidemiology performance through streamlined automation. <i>Journal of Environmental Chemical Engineering</i> , 2023, 11, 109595.   | 3.3 | 1         |
| 38557 | Bivariate Statistical Analysis. , 2023, , 87-246.  |     | 0         |
| 38558 | Towards standardizing basophil identification by flow cytometry. <i>Frontiers in Allergy</i> , 0, 4, .   | 1.2 | 1         |
| 38559 | A novel dynamic proteomics approach for the measurement of broiler chicken protein fractional synthesis rate. <i>Rapid Communications in Mass Spectrometry</i> , 2023, 37, .   | 0.7 | 4         |
| 38560 | Exploring listening-related fatigue in children with and without hearing loss using self-report and parent-proxy measures. <i>Frontiers in Pediatrics</i> , 0, 11, .   | 0.9 | 3         |
| 38561 | Comparison between passive knee kinematics during surgery and active knee kinematics during walking: A preliminary study. <i>PLoS ONE</i> , 2023, 18, e0282517.  | 1.1 | 0         |
| 38562 | Tissue-specific assessment of oxidative status: Wild boar as a case study. <i>Frontiers in Veterinary Science</i> , 0, 10, .   | 0.9 | 0         |
| 38563 | Influence of Hospital Environmental Variables on Thermometric Measurements and Level of Concordance: A Cross-Sectional Descriptive Study. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 4665.         | 1.2 | 1         |
| 38564 | Current Consumption of Traditional Cowpea-Based Dishes in South Benin Contributes to at Least 30% of the Recommended Intake of Dietary Fibre, Folate, and Magnesium. <i>Nutrients</i> , 2023, 15, 1314.                                      | 1.7 | 0         |
| 38565 | Non-invasive regional cerebral blood flow quantification in the <sup>123</sup> I-IMP autoradiography using artificial neural network. <i>PLoS ONE</i> , 2023, 18, e0281958.  | 1.1 | 0         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38566 | Variations in Repeated Measurements of Retinal Vessel Density Using Optical Coherence Tomography Angiography in Eyes with Branch Retinal Vein Occlusion. <i>Japanese Orthoptic Journal</i> , 2022, 52, 75-84.  | 0.1 | 0         |
| 38567 | Perceived Discomfort and Voluntary Activation of Quadriceps Muscle Assessed with Interpolated Paired or Triple Electrical Stimuli. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 4799.  | 1.2 | 0         |
| 38568 | Comparison of central corneal thickness measurements obtained by OrbscanIIz <sup>®</sup> and ultrasound pachymetry: A concordance study in the usual clinical practice. <i>Saudi Journal of Ophthalmology</i> , 2023, 37, 10.  | 0.3 | 0         |
| 38569 | Monitoraggio terapeutico dei farmaci immunosoppressori: confronto tra metodiche. <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 0, , .  | 0.2 | 0         |
| 38570 | Exploring the Effects of LED-Based Visible Light Communication on Reading and Color Perception in Indoor Environments: An Experimental Study. <i>Sensors</i> , 2023, 23, 2949.   | 2.1 | 1         |
| 38571 | Cross-Platform Comparison of Amino Acid Metabolic Profiling in Three Model Organisms Used in Environmental Metabolomics. <i>Metabolites</i> , 2023, 13, 402.   | 1.3 | 1         |
| 38572 | “Will I change nodule management recommendations if I change my CAD system?” impact of volumetric deviation between different CAD systems on lesion management. <i>European Radiology</i> , 2023, 33, 5568-5577.   | 2.3 | 1         |
| 38573 | Misclassification of carotid stenosis severity with area stenosis-based evaluation by computed tomography angiography: impact on erroneous indication to revascularization or patient (lesion) migration to a higher guideline recommendation class as per ESC/ESVS/ESO/SVS and CMS-FDA thresholds. <i>Postępy W Kardiologii Interwencyjnej</i> . 2022. 18. 500-513. | 0.1 | 6         |
| 38574 | International comparisons of intraocular pressures, as measured by Tono-Pen and Goldmann applanation tonometry, in healthy adults: A meta-analysis. <i>Medicine (United States)</i> , 2023, 102, e33078.   | 0.4 | 0         |
| 38575 | Accuracy of a noninvasive estimated continuous cardiac output measurement under different respiratory conditions: a prospective observational study. <i>Journal of Anesthesia</i> , 0, , .   | 0.7 | 1         |
| 38576 | Intraclass correlation for reliability assessment: the introduction of a validated program in SAS (ICC6). <i>Health Services and Outcomes Research Methodology</i> , 2024, 24, 1-13.   | 0.8 | 0         |
| 38577 | In adults with advanced lung disease, the 1-minute sit-to-stand test underestimates exertional desaturation compared with the 6-minute walk test: an observational study. <i>Journal of Physiotherapy</i> , 2023, 69, 108-113.   | 0.7 | 0         |
| 38578 | Epicardial Adipose Tissue: A Piece of The Puzzle in Pediatric Hypertension. <i>Journal of Clinical Medicine</i> , 2023, 12, 2192.  | 1.0 | 1         |
| 38579 | Non-Invasive Intracranial Pressure Monitoring. <i>Journal of Clinical Medicine</i> , 2023, 12, 2209.   | 1.0 | 6         |
| 38580 | Design and Testing of a Smart Facemask for Respiratory Monitoring during Cycling Exercise. <i>Biosensors</i> , 2023, 13, 369.  | 2.3 | 7         |
| 38581 | Ceruloplasmin Interferes with the Assessment of Blood Lipid Hydroperoxide Content in Small Ruminants. <i>Antioxidants</i> , 2023, 12, 701.   | 2.2 | 1         |
| 38582 | Diagnostic Accuracy of Portable, Handheld Point-of-Care Tests vs Laboratory-Based Bilirubin Quantification in Neonates. <i>JAMA Pediatrics</i> , 2023, 177, 479.   | 3.3 | 1         |
| 38583 | Comparison of Lipoprotein Analysis Using Gel-Permeation High-Performance Liquid Chromatography and a Biochemistry Analyzer in Normolipidemic and Dyslipidemic Quaker Parrots ( <i>Myiopsitta</i> ) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10</i>  |     |           |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38584 | Mirror movements – A simple algorithm for mirror activity signal processing and normative values. <i>Neuroscience Letters</i> , 2023, 803, 137186.   | 1.0 | 1         |
| 38585 | mapping using an EPI-based double angle approach: A practical guide for correcting slice profile and distortion effects. <i>Magnetic Resonance in Medicine</i> , 2023, 90, 103-116.  | 1.9 | 1         |
| 38586 | Validation of a monoclonal unconjugated estriol antibody for use in prenatal maternal serum screening. <i>Journal of Medical Screening</i> , 0, , 096914132311601.   | 1.1 | 0         |
| 38587 | Appendicular Skeletal Muscle Mass Prediction in People Living With HIV: A Cross-sectional Study. <i>Journal of the Association of Nurses in AIDS Care</i> , 2023, 34, 270-279.   | 0.4 | 1         |
| 38588 | Assessment of exercise capacity using field walking tests in patients after the Fontan procedure: A case-control study. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2023, 60, 66-73.   | 0.8 | 2         |
| 38589 | Head-Mounted Display for Clinical Evaluation of Neck Movement Validation with Meta Quest 2. <i>Sensors</i> , 2023, 23, 3077.   | 2.1 | 1         |
| 38590 | Clinical evidence requirements according to the IVDR 2017/746: practical tools and references for underpinning clinical evidence of IVD-MDs. <i>Clinical Chemistry and Laboratory Medicine</i> , 2023, 61, 1150-1157.  | 1.4 | 1         |
| 38591 | Simple, fast and inexpensive quantification of glycolate in the urine of patients with primary hyperoxaluria type 1. <i>Urolithiasis</i> , 2023, 51, .   | 1.2 | 0         |
| 38592 | A Comparative Study of Two Imaging Techniques of Meibomian Glands. <i>Life</i> , 2023, 13, 791.  | 1.1 | 0         |
| 38593 | Trunk Control Measurement Scale (TCMS): Psychometric Properties of Cross-Cultural Adaptation and Validation of the Spanish Version. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 5144.                                 | 1.2 | 1         |
| 38594 | Deep Learning for Improved Precision and Reproducibility of Left Ventricular Strain in Echocardiography: A Test-Retest Study. <i>Journal of the American Society of Echocardiography</i> , 2023, 36, 788-799.  | 1.2 | 6         |
| 38595 | Dry needling of the flexor digitorum brevis muscle reduces postural control in standing: A post stabilometric study. <i>Journal of Anatomy</i> , 2023, 243, 545-554.   | 0.9 | 0         |
| 38596 | Reliability of the retrospective Clinical Interview Schedule Revised (rCIS-R) to assess relapse in depression in primary care patients. <i>PLoS ONE</i> , 2023, 18, e0280997.  | 1.1 | 0         |
| 38598 | Cardiorespiratory Assessments in Panic Disorder Facilitated by Wearable Devices: A Systematic Review and Brief Comparison of the Wearable Zephyr BioPatch with the Quark-b2 Stationary Testing System. <i>Brain Sciences</i> , 2023, 13, 502.                  | 1.1 | 0         |
| 38599 | Accuracy of Cardiac Output Measured by Fourth-Generation FloTrac and Lidcorapid, and Their Characteristics Regarding Systemic Vascular Resistance in Patients Undergoing Cardiac Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2023, , . | 0.6 | 0         |
| 38600 | The value of myocardial work in patients with left ventricular hypertrophy. <i>International Journal of Cardiovascular Imaging</i> , 2023, 39, 1105-1113.  | 0.7 | 2         |
| 38601 | Criterion-related validity and reliability of the 2-km walk test and the 20-m shuttle run test in adults: The role of sex, age and physical activity level. <i>Journal of Science and Medicine in Sport</i> , 2023, 26, 267-276.                               | 0.6 | 2         |
| 38602 | Characteristics of the Summating Potential Measured Across a Cochlear Implant Array as an Indicator of Cochlear Function. <i>Ear and Hearing</i> , 2023, 44, 1088-1106.  | 1.0 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38603 | Validation dâ€™un questionnaire mesurant la consommation de boissons sucr es, jus et eau aupr s dâ€™adolescents francophones. Canadian Journal of Dietetic Practice and Research, 2023, 84, 141-148. | 0.5 | 1         |
| 38604 | Reproducibility of Glycemic Measures Among Dysglycemic Youth and Adults in the RISE Study. Journal of Clinical Endocrinology and Metabolism, 2023, 108, e1125-e1133.                                 | 1.8 | 1         |
| 38605 | Model-Informed Target Morning 17 -Hydroxyprogesterone Concentrations in Dried Blood Spots for Pediatric Congenital Adrenal Hyperplasia Patients. Pharmaceuticals, 2023, 16, 464.                     | 1.7 | 1         |
| 38606 | Detection of haemodynamic obstruction in hypertrophic cardiomyopathy using the sub-aortic complex: a cardiac MRI and Doppler study. Clinical Radiology, 2023, , .                                    | 0.5 | 0         |
| 38607 | Development and evaluation of an electrochemical biosensor for creatinine quantification in a drop of whole human blood. Clinica Chimica Acta, 2023, 543, 117300.                                    | 0.5 | 2         |
| 38608 | Cardiac q space trajectory imaging by motion compensated tensor valued diffusion encoding in human heart in vivo. Magnetic Resonance in Medicine, 2023, 90, 150-165.                                 | 1.9 | 0         |
| 38609 | SDPN: A Slight Dual-Path Network With Local-Global Attention Guided for Medical Image Segmentation. IEEE Journal of Biomedical and Health Informatics, 2023, 27, 2956-2967.                          | 3.9 | 1         |
| 38610 | Validation of the T 47D Cell Culture Bioassay for the Potency Assessment of Botulinum Neurotoxin Type A. Current Pharmaceutical Analysis, 2023, 19, .  | 0.3 | 0         |
| 38611 | Reliable capillary sampling of carcinoembryonic antigen at home: the CASA feasibility study. Colorectal Disease, 2023, 25, 1163-1168.  | 0.7 | 3         |
| 38612 | Smartphone-based point-of-care anemia screening in rural Bihar in India. Communications Medicine, 2023, 3, .   | 1.9 | 1         |
| 38613 | Concurrent validity of machine learning-classified functional upper extremity use from accelerometry in chronic stroke. Frontiers in Physiology, 0, 14, .  | 1.3 | 2         |
| 38614 | Clinical accuracy of infrared temperature measurement devices: a comparison against non-invasive core-body temperature. Clinical Medicine, 2023, 23, 157-163.  | 0.8 | 2         |
| 38615 | Real-time polymerase chain reaction for detection and enumeration of Staphylococcus aureus and Streptococcus agalactiae using different milk samplings. Revista Brasileira De Zootecnia, 2023, 52, . | 0.3 | 1         |
| 38616 | Group additivity values for entropy and heat capacities of C2 C8 alkanes, alkyl hydroperoxides, and their radicals. Combustion and Flame, 2023, 257, 112706.   | 2.8 | 0         |
| 38617 | Comparison of Algorithms to Compute Relaxation Time Maps in Magnetic Resonance Imaging. Applied Sciences (Switzerland), 2023, 13, 4083.  | 1.3 | 0         |
| 38618 | 40 years of actigraphy in sleep medicine and current state of the art algorithms. Npj Digital Medicine, 2023, 6, .   | 5.7 | 7         |
| 38619 | An Evaluation of Non-Contact Photoplethysmography-Based Methods for Remote Respiratory Rate Estimation. Sensors, 2023, 23, 3387.   | 2.1 | 6         |
| 38621 | Hands off Trans-Femoral Venous Intra-Abdominal Pressure Estimates in Children: Results of a Sobering Single-Center Study. Life, 2023, 13, 872.   | 1.1 | 1         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 38622 | A Deep Learning Model for 3D Ground Reaction Force Estimation Using Shoes with Three Uniaxial Load Cells. <i>Sensors</i> , 2023, 23, 3428.  | 2.1 | 0         |
| 38623 | Diagnostic test evaluation. , 2023, , 251-260.  |     | 0         |
| 38625 | WEaning Age FiNder (WEAN): a tool for estimating weaning age from stable isotope ratios of dentinal collagen. <i>Archaeological and Anthropological Sciences</i> , 2023, 15, .  | 0.7 | 1         |
| 38626 | Behavioral Discrepancy of P300 and Cognitive Load in Varying Auditory Speech Perception. <i>IEEE Sensors Journal</i> , 2023, 23, 9571-9581.   | 2.4 | 0         |
| 38627 | Using random-forest multiple imputation to address bias of self-reported anthropometric measures, hypertension and hypercholesterolemia in the Belgian health interview survey. <i>BMC Medical Research Methodology</i> , 2023, 23, .           | 1.4 | 2         |
| 38628 | Performance of the Fitbit Charge 2 and Galaxy Watch 2 compared with polysomnography in assessing patients with obstructive sleep apnoea. <i>Chronobiology International</i> , 0, , 1-7.   | 0.9 | 1         |
| 38629 | The long-term reproducibility of the white-coat effect on blood pressure as a continuous variable from the Ohasama Study. <i>Scientific Reports</i> , 2023, 13, .   | 1.6 | 0         |
| 38630 | Chemical Exchange Saturation Transfer <scp>MRI</scp> : Capability for Predicting Therapeutic Effect of Chemoradiotherapy on Nonâ€Small Cell Lung Cancer Patients. <i>Journal of Magnetic Resonance Imaging</i> , 0, , .                         | 1.9 | 3         |
| 38631 | I Donâ€™t Care Who You Are: Adult Respondent Selection Does Not Alter Child Deprivation Estimates. <i>Child Indicators Research</i> , 0, , .  | 1.1 | 0         |
| 38632 | Clinical evaluation of the ImmuliteÂ® 1000 chemiluminescent immunoassay for measurement of equine serum insulin. <i>Frontiers in Veterinary Science</i> , 0, 10, .  | 0.9 | 1         |
| 38633 | The Role of Belgian Airborne Sniffer Measurements in the MARPOL Annex VI Enforcement Chain. <i>Atmosphere</i> , 2023, 14, 623.  | 1.0 | 3         |
| 38634 | Prospecting movements link phenotypic traits to female annual potential fitness in a nocturnal predator. <i>Scientific Reports</i> , 2023, 13, .  | 1.6 | 0         |
| 38635 | Optimizing retrieval spaces of bio-optical models for remote sensing of ocean color. <i>Applied Optics</i> , 2023, 62, 3299.  | 0.9 | 2         |
| 38637 | Validation of web-based audiometry version of HEARZAP. <i>PLoS ONE</i> , 2023, 18, e0283519.  | 1.1 | 0         |
| 38639 | Evaluation of surface image guidance and Deep inspiration Breath Hold technique for breast treatments with Halcyon. <i>Physica Medica</i> , 2023, 108, 102564.  | 0.4 | 2         |
| 38640 | Repeatability and Reproducibility of Corneoscleral Topography Measured With Scheimpflug Imaging in Keratoconus and Control Eyes. <i>Eye and Contact Lens</i> , 2023, 49, 234-240.   | 0.8 | 1         |
| 38641 | Neonatal blood lead concentration predicts medium term lead-related outcomes in children â‰¥5 years old with congenital lead poisoning: A retrospective cohort study in Northern Nigeria. <i>PLOS Global Public Health</i> , 2023, 3, e0001644. | 0.5 | 1         |
| 38642 | Development of a Remote Version of the Graded Redefined Assessment of Strength, Sensation, and Prehension (GRASSP): Validity and Reliability. <i>Neurorehabilitation and Neural Repair</i> , 2023, 37, 83-93.                                   | 1.4 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38643 | Evaluation of the inter and intraobserver reproducibility of the "defect coverage index method" a new computed tomography assessment method of sagittal graft positioning in arthroscopic bone block procedures. <i>Journal of Experimental Orthopaedics</i> , 2023, 10, .   | 0.8 | 0         |
| 38644 | Interchangeability in Left Ventricular Ejection Fraction Measured by Echocardiography and cardiovascular Magnetic Resonance: Not a Perfect Match in the Real World. <i>Current Problems in Cardiology</i> , 2023, 48, 101721.  | 1.1 | 4         |
| 38645 | Preliminary study on the application of bioimpedance analysis to measure the psoas major muscle in older adults. <i>PLoS ONE</i> , 2023, 18, e0275884.   | 1.1 | 1         |
| 38646 | Validity, Reliability and Responsiveness of the Malay Shoulder Pain and Disability Index (M-SPADI) for Patients with Shoulder Pain. <i>Malaysian Orthopaedic Journal</i> , 2023, 17, 160-171.  | 0.2 | 1         |
| 38647 | New Italian version of the Wilkins Rate of Reading Test: Materials for repeated-measure designs in optometry and neuropsychological research. <i>Ophthalmic and Physiological Optics</i> , 2023, 43, 629-639.  | 1.0 | 1         |
| 38648 | Test-retest, inter- and intra-rater reproducibility of size measurements of focal bone marrow lesions in MRI in patients with multiple myeloma. <i>British Journal of Radiology</i> , 2023, 96, .  | 1.0 | 1         |
| 38649 | Validation of a Phosphorus Food Frequency Questionnaire in Patients with Kidney Failure Undertaking Dialysis. <i>Nutrients</i> , 2023, 15, 1711.   | 1.7 | 0         |
| 38650 | Seasonal variation of Covid-19 incidence and role of land surface and air temperatures: a case study in the west of Iran. <i>International Journal of Environmental Health Research</i> , 2024, 34, 1342-1354.   | 1.3 | 0         |
| 38651 | Development of an Assessment Tool to Measure Healthy Eating in Navajo Children and Their Families. <i>Current Developments in Nutrition</i> , 2023, 7, 100074.   | 0.1 | 0         |
| 38652 | Agreement and reliability of hepatic transient elastography in patients with chronic hepatitis C: A cross-sectional test-retest study. <i>Health Science Reports</i> , 2023, 6, .  | 0.6 | 1         |
| 38653 | Performance of a new auxiliary device based on wrist brace to improve accuracy and feasibility in neuromuscular monitoring with acceleromyography in prone-positioned patients undergoing lumbar spine surgery: a prospective randomized clinical trial. <i>Journal of Clinical Monitoring and Computing</i> , 2023, 37, 993-1001. | 0.7 | 0         |
| 38654 | Development and validation of a smart system for medullation and diameter assessment of alpaca, llama and mohair fibres. <i>Animal</i> , 2023, 17, 100800.   | 1.3 | 1         |
| 38655 | Responsiveness and construct validity of EPIC-26, AQoL-6D and SF-6D following treatment in prostate cancer. <i>BMC Cancer</i> , 2023, 23, .  | 1.1 | 0         |
| 38657 | Cervical Proprioception Assessed through Targeted Head Repositioning: Validation of a Clinical Test Based on Optoelectronic Measures. <i>Brain Sciences</i> , 2023, 13, 604.   | 1.1 | 1         |
| 38658 | Polyphenols in Jaboticaba ( <i>Plinia</i> spp.) Peel Flours: Extraction and Comparative Evaluation of FTIR and HPLC for Quantification of Individual Compounds. <i>Foods</i> , 2023, 12, 1488.   | 1.9 | 0         |
| 38659 | Test-Retest Reliability and the Role of Task Instructions when Measuring Listening Effort Using a Verbal Response Time Paradigm. <i>Seminars in Hearing</i> , 0, , .   | 0.5 | 0         |
| 38660 | Italian translation and validation of the Contact Lens Dry Eye Questionnaire-8 (CLDEQ-8). <i>Contact Lens and Anterior Eye</i> , 2023, 46, 101842.   | 0.8 | 0         |
| 38661 | An electronical stimulator for quantitative sensory testing and evoked potential analysis of tactile A $\beta$ nerve fibers. <i>Clinical Neurophysiology</i> , 2023, 150, 184-193.   | 0.7 | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 38662 | Effect of orthodontic extraction of mandibular premolars on third molar angulation after treatment with fixed appliances. <i>Journal of Orofacial Orthopedics</i> , 0, , .  | 0.5 | 0         |
| 38663 | Could the different estrus periods significantly affect body temperature on clinical examination in bitches?. <i>Journal of Thermal Biology</i> , 2023, 114, 103547.  | 1.1 | 0         |
| 38664 | Agreement Between Viscoelastic Coagulation Monitor (VCM), TEG 5000, and Coagulation Tests in Critically Ill Patients: A Multicenter Study. <i>ASAIO Journal</i> , 0, Publish Ahead of Print, .  | 0.9 | 0         |
| 38665 | Perinatal parameters of mule and equine foals: Similarities and differences. <i>Journal of Veterinary Behavior: Clinical Applications and Research</i> , 2023, 63, 31-35.   | 0.5 | 5         |
| 38666 | Extended biasplot command to assess bias, precision, and agreement in method comparison studies. <i>The Stata Journal</i> , 2023, 23, 97-118.   | 0.9 | 0         |
| 38667 | Regularization Methods for Extracting Doppler Broadening From Hall Thruster Plasma. <i>IEEE Transactions on Plasma Science</i> , 2023, , 1-9.   | 0.6 | 0         |
| 38668 | Are Two- and Three-Dimensional Computed Tomographic Scan Measurements of Tibial Tubercleâ€”Trochlear Groove Distance Equivalent? A Comparative Study. <i>Indian Journal of Orthopaedics</i> , 0, , .  | 0.5 | 0         |
| 38669 | Evaluation of the ability of a commercially available cuffless wearable device to track blood pressure changes. <i>Journal of Hypertension</i> , 2023, 41, 1003-1010.   | 0.3 | 12        |
| 38670 | Testâ€”Retest Reliability and Responsiveness of the Computerized Adaptive Test of Social Functioning in Persons With Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2023, 104, 1432-1438.  | 0.5 | 2         |
| 38671 | Assessment of 18F-DCFPyL PSMA PET/CT and PET/MR quantitative parameters for reference standard organs: Inter-reader, inter-modality, and inter-patient variability. <i>PLoS ONE</i> , 2023, 18, e0283830.   | 1.1 | 0         |
| 38673 | Development and application of lateral flow strip with three test lines for detection of deoxynivalenol in wheat. <i>Food Chemistry</i> , 2023, 421, 136114.  | 4.2 | 0         |
| 38674 | The allosterically modulated FFAR2 is transactivated by signals generated by other neutrophil GPCRs. <i>PLoS ONE</i> , 2023, 18, e0268363.  | 1.1 | 1         |
| 38675 | Minimum Sampling Frequency for Accurate and Reliable Tibial Acceleration Measurements During Rearfoot Strike Running in the Field. <i>Journal of Applied Biomechanics</i> , 2023, 39, 193-198.  | 0.3 | 1         |
| 38676 | Test-retest reliability of single-item assessments of immune fitness, mood, and quality of life. <i>Heliyon</i> , 2023, 9, e15280.  | 1.4 | 7         |
| 38677 | Validity of the Xiaomi Mi Band 2, 3, 4 and 5 Wristbands for Assessing Physical Activity in 12-to-18-Year-Old Adolescents under Unstructured Free-Living Conditions. <i>Fit-Person Study. Journal of Sports Science and Medicine</i> , 0, , 196-211. | 0.7 | 2         |
| 38678 | A Frequency Estimation Scheme Based on Gaussian Average Filtering Decomposition and Hilbert Transform: With Estimation of Respiratory Rate as an Example. <i>Sensors</i> , 2023, 23, 3785.  | 2.1 | 0         |
| 38679 | Central arterial pressure estimation based on two peripheral pressure measurements using one-dimensional blood flow simulation. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 0, , 1-11.                                     | 0.9 | 0         |
| 38680 | Novel use of an irrigated ablation catheter to monitor realâ€”time hemodynamics during ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 0, , .  | 0.8 | 0         |

| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38681 | Relative Validity and Reliability of the Remind App as an Image-Based Method to Assess Dietary Intake and Meal Timing in Young Adults. <i>Nutrients</i> , 2023, 15, 1824.  | 1.7 | 1         |
| 38682 | Detecting True Change in Keratoconus after Intracorneal Ring Segment Implantation. <i>Life</i> , 2023, 13, 978.  | 1.1 | 0         |
| 38683 | Preprocedural imaging modalities in patients undergoing ilioacaval venous recanalization and stent placement. <i>Vascular Medicine</i> , 0, , 1358863X2311619.   | 0.8 | 0         |
| 38684 | Accuracy of Self-Injection Locking Radar System for Vital Signs Detection During the COVID-19 Pandemic at a Hospital in Taiwan: Measuring Vital Signs Accurately with SIL Radar for Hospital Healthcare. <i>Medical Science Monitor</i> , 0, 29, . | 0.5 | 0         |
| 38685 | An Approach for Predicting Mainstream Cigarette Smoke Harmful and Potentially Harmful Constituent (HPHC) Yields. , 0, , 1-18.  |     | 0         |
| 38686 | Clinical Value of Deep Vein Thrombosis Density on Lower-Extremity CT Venography: Prediction of Pulmonary Thromboembolism. <i>Current Medical Imaging</i> , 2023, 20, .   | 0.4 | 0         |
| 38687 | Causal inference based cuffless blood pressure estimation: A pilot study. <i>Computers in Biology and Medicine</i> , 2023, 159, 106900.  | 3.9 | 0         |
| 38688 | Body composition among Malawian young adolescents: Cross-validating predictive equations for bioelectric impedance analysis using deuterium dilution method. <i>PLoS ONE</i> , 2023, 18, e0284158.   | 1.1 | 1         |
| 38689 | Ultra-High Frequency Ultrasound Imaging of Bowel Wall in Hirschsprung's Disease—Correlation and Agreement Analyses of Histoanatomy. <i>Diagnostics</i> , 2023, 13, 1388.   | 1.3 | 2         |
| 38690 | Comparison of Two Generations of Thoracic Aortic Stent Grafts and Their Impact on Aortic Stiffness in an Ex Vivo Porcine Model. <i>EJVES Vascular Forum</i> , 2023, 59, 8-14.  | 0.2 | 3         |
| 38691 | Reducing Gadolinium Exposure in Patients Undergoing Monitoring for Meningiomas. <i>Cureus</i> , 2023, , .  | 0.2 | 0         |
| 38692 | Thrombus volume and Hounsfield unit density as a predictor of pulmonary embolism in patients with deep vein thrombosis. <i>Acta Radiologica</i> , 0, , 028418512311659.  | 0.5 | 0         |
| 38693 | Accuracy evaluation of two portable blood glucose meters in feline patients using whole blood samples. <i>Ciencia Rural</i> , 2023, 53, .  | 0.3 | 0         |
| 38694 | OzCBI: the composite burn index adapted to assess fire severity and key fauna habitat features in Australian ecosystems. <i>Australian Forestry</i> , 2023, 86, 1-21.  | 0.3 | 1         |
| 38695 | Continuous Blood Pressure Monitoring using Non-Pulsatile Photoplethysmographic Components for Low-Frequency Vascular Unloading. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2023, , 1-1.   | 2.4 | 0         |
| 38696 | Myeloid NGS Analyses of Paired Samples from Bone Marrow and Peripheral Blood Yield Concordant Results: A Prospective Cohort Analysis of the AGMT Study Group. <i>Cancers</i> , 2023, 15, 2305.   | 1.7 | 2         |
| 38697 | Method-comparison study between a watch-like sensor and a cuff-based device for 24-h ambulatory blood pressure monitoring. <i>Scientific Reports</i> , 2023, 13, .   | 1.6 | 2         |
| 38698 | Aortic valve calcification and myocardial fibrosis determine outcome following transcatheter aortic valve replacement. <i>ESC Heart Failure</i> , 2023, 10, 2307-2318.   | 1.4 | 2         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 38699 | A spitting image: molecular diagnostics applied to saliva enhance detection of Streptococcus pneumoniae and pneumococcal serotype carriage. <i>Frontiers in Microbiology</i> , 0, 14, .   | 1.5 | 7         |
| 38700 | Different Smoothing Window Lengths can Estimate the Neuromuscular Fatigue Threshold at The same Intensity of the Lactate Threshold During the Leg Press Exercise. <i>The Open Sports Sciences Journal</i> , 2023, 16, .                           | 0.2 | 0         |
| 38701 | Radiofrequency ablation of lung metastases of colorectal cancer: could early radiomics analysis of the ablation zone help detect local tumor progression?. <i>British Journal of Radiology</i> , 2023, 96, .                                      | 1.0 | 1         |
| 38702 | Clinical and Prognostic Relevance of Cardiac Wasting in Patients With Advanced Cancer. <i>Journal of the American College of Cardiology</i> , 2023, 81, 1569-1586.  | 1.2 | 9         |
| 38703 | Computerized adaptive testing for the patient evaluation measure (PEM) in patients undergoing cubital tunnel syndrome surgery. <i>Journal of Hand Surgery: European Volume</i> , 2023, 48, 1042-1047.   | 0.5 | 1         |
| 38704 | Temperature Monitoring in Children: An Agreement Study. <i>Journal of Neonatology</i> , 0, , 097321792311645.   | 0.0 | 0         |
| 38705 | Measuring Quality of Life in Residential Aged Care Using the EQ-5D-5L: A Cross-Sectional Study on the Impact of Cognition Level and Proxy Perspective on Interrater Agreement. <i>Health and Social Care in the Community</i> , 2023, 2023, 1-11. | 0.7 | 4         |
| 38706 | Bioimpedance based determination of cardiac index does not show enough trueness for point of care use in patients with systolic heart failure. <i>Journal of Clinical Monitoring and Computing</i> , 0, , .                                       | 0.7 | 0         |
| 38707 | The Belun sleep platform to diagnose obstructive sleep apnea in patients with hypertension and high cardiovascular risk. <i>Journal of Hypertension</i> , 0, Publish Ahead of Print, .  | 0.3 | 0         |
| 38708 | Intra and interrater reliability for lower limb flexibility assessment using photogrammetry. <i>Journal of Bodywork and Movement Therapies</i> , 2023, , .  | 0.5 | 0         |
| 38709 | 4D-Flow Cardiovascular Magnetic Resonance Sequence for Aortic Assessment: Multi-Vendor and Multi-Magnetic Field Reproducibility in Healthy Volunteers. <i>Journal of Clinical Medicine</i> , 2023, 12, 2960.                                      | 1.0 | 1         |
| 38710 | Queckenstedt's test repurposed for the quantitative assessment of the cerebrospinal fluid pulsatility curve. <i>Acta Neurochirurgica</i> , 2023, 165, 1533-1543.  | 0.9 | 1         |
| 38711 | Comparison of weight-bearing full-length radiography and three-dimensional computed tomography scan-based models to assess knee joint coronal alignment following total knee arthroplasty. <i>Knee</i> , 2023, 42, 227-235.                       | 0.8 | 0         |
| 38712 | Using S <sub>pO<sub>2</sub></sub> : Not as Simple as It Seems. <i>Respiratory Care</i> , 2023, 68, 708-712.   | 0.8 | 0         |
| 38713 | Effect of Substitution Degree and Homogeneity on Cyclodextrin-Ligand Complex Stability: Comparison of Fenbufen and Fenpropfen Using CD and NMR Spectroscopy. <i>International Journal of Molecular Sciences</i> , 2023, 24, 7544.                 | 1.8 | 2         |
| 38714 | Change of Choroidal Microvasculature Dropout After Trabeculectomy as Assessed by Optical Coherence Tomography Angiography. <i>Journal of Glaucoma</i> , 0, Publish Ahead of Print, .  | 0.8 | 0         |
| 38715 | Effects of Seated Postural Sway on Visually Induced Motion Sickness: A Multiple Regression and RUSBoost Classification Approach. <i>International Journal of Human-Computer Interaction</i> , 0, , 1-12.  | 3.3 | 1         |
| 38717 | Particle and gas phase sampling of PCDD/Fs and dl-PCBs by activated carbon fiber and GC/MS analysis. <i>Environmental Science and Pollution Research</i> , 2023, 30, 65192-65203.   | 2.7 | 0         |



| #     | ARTICLE  | IF  | CITATIONS |
|-------|--|-----|-----------|
| 38718 | Exposure-Response Analysis to Assess the Concentration-QTc Relationship of Iberdomide. <i>Clinical Pharmacology in Drug Development</i> , 2023, 12, 819-825.   | 0.8 | 1         |
| 38719 | Agreement between Electrical Cardiometry and Pulmonary Artery Thermodilution for Measuring Cardiac Output in Isoflurane-Anesthetized Dogs. <i>Animals</i> , 2023, 13, 1420.                            | 1.0 | 3         |
| 38720 | Normative data for the verb fluency test in the adult French-Quebec population and validation study in mild cognitive impairment. <i>Applied Neuropsychology Adult</i> , 0, , 1-7.                     | 0.7 | 0         |
| 38721 | Cross-Cultural Adaptation and Psychometric Properties of the Arabic Version of the Fall Risk Questionnaire. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 5606. | 1.2 | 0         |
| 38722 | Age estimation by palatal suture using modified Kamijo's method. <i>Forensic Science International</i> , 2023, 348, 111706.  | 1.3 | 0         |
| 38723 | Feasibility and repeatability of ocular biometry measured with IOLMaster 700 in a large population-based study. <i>Ophthalmic and Physiological Optics</i> , 2023, 43, 860-873.                        | 1.0 | 2         |
| 38724 | Comparison and agreement between device-estimated and self-reported sleep periods in adults. <i>Annals of Medicine</i> , 2023, 55, .   | 1.5 | 2         |
| 38725 | Pilot study: validity and reliability of textile insoles used to measure the characteristics of landing tasks during rehabilitation and artistic gymnastics. <i>BMC Research Notes</i> , 2023, 16, .   | 0.6 | 0         |
| 38726 | Reliability of synthetic diffusion-weighted imaging with a high b-value for paediatric abdominal MRI. <i>Clinical Radiology</i> , 2023, 78, 616-621.   | 0.5 | 1         |
| 38942 | Compositional Analysis of Microbiome Data. , 2023, , 491-556.  |     | 0         |
| 39039 | An innovative smart face mask for the estimation of respiratory rate: design, development and feasibility assessment. , 2023, , .  |     | 0         |
| 39089 | Surveys and questionnaires. , 2023, , 283-290.   |     | 0         |
| 39185 | Preliminary results from the EMOlung clinical study showing early lung cancer detection by the LC score. <i>Discover Oncology</i> , 2023, 14, .  | 0.8 | 1         |
| 39238 | Reliability study. , 2023, , 267-274.  |     | 0         |
| 39257 | Computational Reproducibility in Metabolite Quantification Applied to Short Echo Time In Vivo MR Spectroscopy. , 2023, , .   |     | 0         |
| 39407 | Quantitative Gait and Balance Outcomes for Ataxia Trials: Consensus Recommendations by the Ataxia Global Initiative Working Group on Digital-Motor Biomarkers. <i>Cerebellum</i> , 0, , .              | 1.4 | 3         |
| 39449 | Video-Based Jump Height Estimation in Athletic Performance Testing. , 2023, , .  |     | 0         |
| 39527 | The Future of Computer-Assisted Semen Analysis in the Evaluation of Male Infertility. , 2023, , 165-174.   |     | 0         |

| #     | ARTICLE   | IF  | CITATIONS |
|-------|---|-----|-----------|
| 39541 | Contactless Monitoring of Respiratory Rate and Breathing Absence from Head Movements Using an RGB Camera. , 2023, , .   |     | 0         |
| 39556 | Feature selection, construction and test of model for estimating lower extremity strength of older adults using foot motion measured by an in-shoe motion sensor. , 2023, , . |     | 0         |
| 39637 | RRDetection: Respiration Rate Estimation Using Earbuds During Physical Activities. , 2023, , .  |     | 0         |
| 39638 | Contactless hand tremor amplitude measurement using smartphones: development and pilot evaluation. , 2023, , .  |     | 0         |
| 39645 | Preliminary Assessment of the Samsung Galaxy Watch 5 Accuracy for the Monitoring of Heart Rate and Heart Rate Variability Parameters. IFMBE Proceedings, 2024, , 22-30.       | 0.2 | 0         |
| 39657 | Other Measures, Other Tables. , 2024, , 205-237.  |     | 0         |
| 39677 | Challenges and best practices in omics benchmarking. Nature Reviews Genetics, 0, , .  | 7.7 | 0         |
| 39737 | Comparison of the Precision of Photogrammetry with Respect to Traditional Methods in Anthropology. Lecture Notes in Mechanical Engineering, 2024, , 98-107.                   | 0.3 | 0         |
| 39769 | Oxford Hip Score. , 2023, , 4912-4914.  |     | 0         |
| 39770 | Oxford Shoulder Instability Score. , 2023, , 4916-4918.   |     | 0         |
| 39771 | Oxford Shoulder Score. , 2023, , 4918-4919.   |     | 0         |
| 39772 | Test-Retest Reliability. , 2023, , 7180-7184.   |     | 0         |
| 39773 | Oxford Knee Score. , 2023, , 4914-4915.   |     | 0         |
| 39787 | Validation and Development of a Posture Quantification and Classification Technique Using MediaPipe PoseÂ®. IFMBE Proceedings, 2024, , 280-288.                               | 0.2 | 0         |
| 39793 | Investigating Agreement and Reliability of Mobile Health App for Continuous Walking on a Figure-Eight Path With Periodic Vision Interruptions. , 2023, , .                    |     | 0         |
| 39827 | Eosinophils and COPD. , 2024, , 149-167.  |     | 0         |
| 39830 | A Cost-Effective Approach For Real-Time Anemia Diagnosis Using An Automated Image Processing Tool Interfaced Paper Sensor. , 2023, , .  |     | 0         |